SDMS Document ID
2007744

COPY

Quanterra
Environmental Services

RECEIVED
SEP 14 1998
UOS/START

ANALYTICAL REPORT

TDD: Vazquez and I-70

Lot #: D8G280161

Randy Perlis

URS Operating Services

QUANTERRA INCORPORATED

Ellen La Riviere
Project Manager

September 12, 1998

Table Of Contents

Standard Deliverables With Supporting Documentation

Report Contents	Section	Number Of Pages
Standard Deliverables		
Introduction	**A**	60
• Table of Contents		
• Executive Summary – Detection Highlights		
• Analytical Methods Summary		
• Method/Analyst Summary		
• Lot Sample Summary		
• Analytical Results by Sample		
• QC Data Association Summary		
• Chain-of-Custody		
Supporting Documentation		
[Please Note: A one-page "Description of Supporting Documentation" is provided in the Supporting Documentation section(s).]		
Volatile GC/MS	**B**	148
Semivolatile GC/MS	**C**	184
Volatile GC	**D**	
Semivolatile GC	**E**	225
LC/MS or HPLC	**F**	
Metals	**G**	458
General Chemistry	**H**	
Subcontracted Data	**I**	

Case Narrative

Total Metals analyses

Antimony was recovered above the upper control limit in the LCSD associated with the samples in this project. Because this would indicate a high bias to the data, an antimony was not detected above the reporting limits in any of the samples, the data was not adversely effected, and no further action was required.

Several metals were recovered outside the accuracy and/or precision control limits in the MS/MSD associated with the samples in this project. Because the LCS/LCSD were within acceptable limits, a matrix effect is indicated and no further action was required.

With the exceptions noted above or on the analytical data sheets, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. All laboratory quality control samples analyzed in conjuction with the samples in this project were within established control limits.

EXECUTIVE SUMMARY - Detection Highlights

D8G280161

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
C4336ST 07/22/98 15:47 001				
Heptachlor epoxide	0.00063	0.00050	mg/L	SW846 8081A
Arsenic - TCLP	1.1	0.50	mg/L	SW846 6010B
Barium - TCLP	0.31 B	10.0	mg/L	SW846 6010B
Cadmium - TCLP	0.012 B	0.10	mg/L	SW846 6010B
Lead - TCLP	0.065 B	0.50	mg/L	SW846 6010B
C4940ST 07/22/98 16:52 002				
Heptachlor epoxide	0.00037 J	0.00050	mg/L	SW846 8081A
Arsenic - TCLP	1.6	0.50	mg/L	SW846 6010B
Barium - TCLP	0.28 B	10.0	mg/L	SW846 6010B
Cadmium - TCLP	0.018 B	0.10	mg/L	SW846 6010B
Chromium - TCLP	0.0057 B	0.50	mg/L	SW846 6010B
Lead - TCLP	0.11 B	0.50	mg/L	SW846 6010B
C4690CY 07/24/98 12:32 003				
Heptachlor epoxide	0.00022 J	0.00050	mg/L	SW846 8081A
Arsenic - TCLP	2.0	0.50	mg/L	SW846 6010B
Barium - TCLP	0.29 B	10.0	mg/L	SW846 6010B
Cadmium - TCLP	0.0089 B	0.10	mg/L	SW846 6010B
Lead - TCLP	0.11 B	0.50	mg/L	SW846 6010B
C4336ST 07/22/98 15:47 004				
Mercury	0.74	0.038	mg/kg	SW846 7471A
Arsenic	172	1.1	mg/kg	SW846 6010B
Lead	214	0.34	mg/kg	SW846 6010B
Selenium	1.2	0.57	mg/kg	SW846 6010B
Thallium	1.2	1.1	mg/kg	SW846 6010B
Silver	0.45 B	1.1	mg/kg	SW846 6010B
Aluminum	7520	11.4	mg/kg	SW846 6010B
Barium	138	1.1	mg/kg	SW846 6010B
Beryllium	0.42	0.23	mg/kg	SW846 6010B
Calcium	3200	22.9	mg/kg	SW846 6010B
Cadmium	3.0	0.57	mg/kg	SW846 6010B
Cobalt	4.2	1.1	mg/kg	SW846 6010B
Chromium	23.4	1.1	mg/kg	SW846 6010B
Copper	31.1	2.3	mg/kg	SW846 6010B
Iron	12000	11.4	mg/kg	SW846 6010B
Potassium	2130	572	mg/kg	SW846 6010B
Magnesium	2180	22.9	mg/kg	SW846 6010B
Manganese	264	1.1	mg/kg	SW846 6010B

(Continued on next page)

EXECUTIVE SUMMARY - Detection Highlights

D8G280161

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
C4336ST 07/22/98 15:47 004				
Nickel	7.1	4.6	mg/kg	SW846 6010B
Antimony	4.7 B	6.9	mg/kg	SW846 6010B
Vanadium	20.4	1.1	mg/kg	SW846 6010B
Zinc	158	1.1	mg/kg	SW846 6010B
Percent Moisture	12.6	0.10	%	MCAWW 160.3 MOD
C4940ST 07/22/98 16:52 005				
Mercury	0.62	0.035	mg/kg	SW846 7471A
Arsenic	268	1.1	mg/kg	SW846 6010B
Lead	288	0.32	mg/kg	SW846 6010B
Selenium	0.78	0.53	mg/kg	SW846 6010B
Thallium	0.47 B	1.1	mg/kg	SW846 6010B
Silver	0.38 B	1.1	mg/kg	SW846 6010B
Aluminum	5730	10.6	mg/kg	SW846 6010B
Barium	85.4	1.1	mg/kg	SW846 6010B
Beryllium	0.33	0.21	mg/kg	SW846 6010B
Calcium	2850	21.1	mg/kg	SW846 6010B
Cadmium	4.5	0.53	mg/kg	SW846 6010B
Cobalt	3.3	1.1	mg/kg	SW846 6010B
Chromium	11.7	1.1	mg/kg	SW846 6010B
Copper	15.2	2.1	mg/kg	SW846 6010B
Iron	9380	10.6	mg/kg	SW846 6010B
Potassium	1530	528	mg/kg	SW846 6010B
Magnesium	1590	21.1	mg/kg	SW846 6010B
Manganese	218	1.1	mg/kg	SW846 6010B
Sodium	134 B	528	mg/kg	SW846 6010B
Nickel	5.5	4.2	mg/kg	SW846 6010B
Antimony	3.5 B	6.3	mg/kg	SW846 6010B
Vanadium	15.9	1.1	mg/kg	SW846 6010B
Zinc	117	1.1	mg/kg	SW846 6010B
Percent Moisture	5.4	0.10	%	MCAWW 160.3 MOD
C4690CY 07/24/98 12:32 006				
Mercury	1.2	0.40	mg/kg	SW846 7471A
Arsenic	431	1.2	mg/kg	SW846 6010B
Lead	669	0.37	mg/kg	SW846 6010B
Selenium	1.7	0.61	mg/kg	SW846 6010B
Thallium	1.3	1.2	mg/kg	SW846 6010B
Silver	0.54 B	1.2	mg/kg	SW846 6010B
Aluminum	7520	12.2	mg/kg	SW846 6010B
Barium	124	1.2	mg/kg	SW846 6010B

(Continued on next page)

EXECUTIVE SUMMARY - Detection Highlights

D8G280161

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
C4690CY 07/24/98 12:32 006				
Beryllium	0.43	0.24	mg/kg	SW846 6010B
Calcium	4560	24.3	mg/kg	SW846 6010B
Cadmium	6.8	0.61	mg/kg	SW846 6010B
Cobalt	4.2	1.2	mg/kg	SW846 6010B
Chromium	15.2	1.2	mg/kg	SW846 6010B
Copper	23.9	2.4	mg/kg	SW846 6010B
Iron	11900	12.2	mg/kg	SW846 6010B
Potassium	2490	609	mg/kg	SW846 6010B
Magnesium	2340	24.3	mg/kg	SW846 6010B
Manganese	284	1.2	mg/kg	SW846 6010B
Sodium	104 B	609	mg/kg	SW846 6010B
Nickel	8.3	4.9	mg/kg	SW846 6010B
Antimony	4.0 B	7.3	mg/kg	SW846 6010B
Vanadium	21.2	1.2	mg/kg	SW846 6010B
Zinc	184	1.2	mg/kg	SW846 6010B
Percent Moisture	17.8	0.10	%	MCAWW 160.3 MOD

ANALYTICAL METHODS SUMMARY

D8G280161

PARAMETER	ANALYTICAL METHOD
Inductively Coupled Plasma (ICP) Metals	SW846 6010B
Mercury in Solid Waste (Manual Cold-Vapor)	SW846 7471A
Organochlorine Pesticides	SW846 8081A
Percent Moisture	MCAWW 160.3 MOD
Trace Inductively Coupled Plasma (ICP) Metals	SW846 6010B
TCLP BNA's	SW846 8270B
TCLP Volatiles	SW846 8260A

References:

MCAWW "Methods for Chemical Analysis of Water and Wastes", EPA-600/4-79-020, March 1983 and subsequent revisions.

SW846 "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 and its updates.

ANALYTICAL METHODS SUMMARY

D8G280161

PARAMETER	ANALYTICAL METHOD
Inductively Coupled Plasma (ICP) Metals	SW846 6010B
Mercury in Solid Waste (Manual Cold-Vapor)	SW846 7471A
Organochlorine Pesticides	SW846 8081A
Percent Moisture	MCAWW 160.3 MOD
Trace Inductively Coupled Plasma (ICP) Metals	SW846 6010B
TCLP BNA's	SW846 8270B
TCLP Volatiles	SW846 8260A

References:

MCAWW "Methods for Chemical Analysis of Water and Wastes", EPA-600/4-79-020, March 1983 and subsequent revisions.

SW846 "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 and its updates.

METHOD / ANALYST SUMMARY

D8G280161

ANALYTICAL METHOD	ANALYST	ANALYST ID
MCAWW 160.3 MOD		3251
SW846 6010B	Jennifer Oxelson	002720
SW846 6010B	Tracy Anderson	009690
SW846 6010B	William G. Logan	002179
SW846 7471A	Greg T. Brott	008463
SW846 7471A	William G. Logan	2179
SW846 8081A	Joseph Jamero	002001
SW846 8260A	Kerri Keller	002129
SW846 8270B	Tom Claeys	001396

References:

MCAWW "Methods for Chemical Analysis of Water and Wastes", EPA-600/4-79-020, March 1983 and subsequent revisions.

SW846 "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 and its updates.

SAMPLE SUMMARY

D8G280161

WO #	SAMPLE#	CLIENT SAMPLE ID	DATE	TIME
CK5V1	001	C4336ST	07/22/98	15:47
CK5V5	002	C4940ST	07/22/98	16:52
CK5V7	003	C4690CY	07/24/98	12:32
CK7FX	004	C4336ST	07/22/98	15:47
CK7G0	005	C4940ST	07/22/98	16:52
CK7G1	006	C4690CY	07/24/98	12:32

NOTE(S):

- The analytical results of the samples listed above are presented on the following pages.
- All calculations are performed before rounding to avoid round-off errors in calculated results.
- Results noted as "ND" were not detected at or above the stated limit.
- This report must not be reproduced, except in full, without the written approval of the laboratory.
- Results for the following parameters are never reported on a dry weight basis: color, corrosivity, density, flashpoint, ignitability, layers, odor, paint filter test, pH, porosity pressure, reactivity, redox potential, specific gravity, spot tests, solids, solubility, temperature, viscosity, and weight.

URS OPERATING SERVICES

Client Sample ID: C4336ST

TCLP GC/MS Volatiles

Lot-Sample #...: D8G280161-001 Work Order #...: CK5V1101 Matrix.....: SOLID
Date Sampled...: 07/22/98 15:47 Date Received..: 07/28/98
Leach Date.....: 07/29/98 Prep Date.....: 08/12/98 Analysis Date..: 08/12/98
Leach Batch #..: P821502 Prep Batch #...: 8224219 Analysis Time..: 12:07
Dilution Factor: 1

Method.....: SW846 8260A

PARAMETER	RESULT	REPORTING LIMIT	UNITS
Benzene	ND	0.050	mg/L
2-Butanone	ND	0.20	mg/L
Carbon tetrachloride	ND	0.050	mg/L
Chlorobenzene	ND	0.050	mg/L
Chloroform	ND	0.050	mg/L
1,2-Dichloroethane	ND	0.050	mg/L
1,1-Dichloroethene	ND	0.050	mg/L
Tetrachloroethene	ND	0.050	mg/L
Trichloroethene	ND	0.050	mg/L
Vinyl chloride	ND	0.10	mg/L

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
1,2-Dichloroethane-d4	97	(80 - 120)
4-Bromofluorobenzene	96	(86 - 115)
Toluene-d8	106	(88 - 110)

NOTE(S):

Analysis performed in accordance with USEPA Toxicity Characteristic Leaching Procedure Method 1311 (55 FR 26986)

URS OPERATING SERVICES

Client Sample ID: C4940ST

TCLP GC/MS Volatiles

Lot-Sample #...: D8G280161-002 Work Order #...: CK5V5101 Matrix.....: SOLID
Date Sampled...: 07/22/98 16:52 Date Received..: 07/28/98
Leach Date.....: 07/29/98 Prep Date.....: 08/12/98 Analysis Date..: 08/12/98
Leach Batch #..: P821502 Prep Batch #...: 8224219 Analysis Time..: 12:31
Dilution Factor: 1

Method.....: SW846 8260A

PARAMETER	RESULT	REPORTING LIMIT	UNITS
Benzene	ND	0.050	mg/L
2-Butanone	ND	0.20	mg/L
Carbon tetrachloride	ND	0.050	mg/L
Chlorobenzene	ND	0.050	mg/L
Chloroform	ND	0.050	mg/L
1,2-Dichloroethane	ND	0.050	mg/L
1,1-Dichloroethene	ND	0.050	mg/L
Tetrachloroethene	ND	0.050	mg/L
Trichloroethene	ND	0.050	mg/L
Vinyl chloride	ND	0.10	mg/L

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
1,2-Dichloroethane-d4	96	(80 - 120)
4-Bromofluorobenzene	95	(86 - 115)
Toluene-d8	106	(88 - 110)

NOTE(S):

Analysis performed in accordance with USEPA Toxicity Characteristic Leaching Procedure Method 1311 (55 FR 26986)

URS OPERATING SERVICES

Client Sample ID: C4690CY

TCLP GC/MS Volatiles

Lot-Sample #...: D8G280161-003 Work Order #...: CK5V7101 Matrix.....: SOLID
Date Sampled...: 07/24/98 12:32 Date Received..: 07/28/98
Leach Date.....: 07/29/98 Prep Date.....: 08/12/98 Analysis Date..: 08/12/98
Leach Batch #..: P821502 Prep Batch #...: 8224219 Analysis Time..: 12:55
Dilution Factor: 1

Method.....: SW846 8260A

PARAMETER	RESULT	REPORTING LIMIT	UNITS
Benzene	ND	0.050	mg/L
2-Butanone	ND	0.020	mg/L
Carbon tetrachloride	ND	0.050	mg/L
Chlorobenzene	ND	0.050	mg/L
Chloroform	ND	0.050	mg/L
1,2-Dichloroethane	ND	0.050	mg/L
1,1-Dichloroethene	ND	0.050	mg/L
Tetrachloroethene	ND	0.050	mg/L
Trichloroethene	ND	0.050	mg/L
Vinyl chloride	ND	0.10	mg/L

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
1,2-Dichloroethane-d4	98	(80 - 120)
4-Bromofluorobenzene	99	(86 - 115)
Toluene-d8	103	(88 - 110)

NOTE(S):

Analysis performed in accordance with USEPA Toxicity Characteristic Leaching Procedure Method 1311 (55 FR 26986)

URS OPERATING SERVICES

Client Sample ID: C4336ST

TCLP GC/MS Semivolatiles

Lot-Sample #...: D8G280161-001 Work Order #...: CK5V1102 Matrix.....: SOLID
Date Sampled...: 07/22/98 15:47 Date Received..: 07/28/98
Leach Date.....: 07/29/98 Prep Date.....: 08/03/98 Analysis Date..: 08/17/98
Leach Batch #..: P821106 Prep Batch #...: 8215208 Analysis Time..: 13:46
Dilution Factor: 1

Method.....: SW846 8270B

PARAMETER	RESULT	REPORTING LIMIT	UNITS
1,4-Dichlorobenzene	ND	0.050	mg/L
2,4-Dinitrotoluene	ND	0.050	mg/L
Hexachlorobenzene	ND	0.050	mg/L
Hexachlorobutadiene	ND	0.050	mg/L
Hexachloroethane	ND	0.050	mg/L
2-Methylphenol	ND	0.050	mg/L
Nitrobenzene	ND	0.050	mg/L
Pentachlorophenol	ND	0.25	mg/L
Pyridine	ND	0.10	mg/L
2,4,5-Trichlorophenol	ND	0.050	mg/L
2,4,6-Trichlorophenol	ND	0.050	mg/L
3-Methylphenol & 4-Methylphenol	ND	0.050	mg/L

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
2-Fluorophenol	77	(42 - 112)
Phenol-d5	75	(52 - 124)
Nitrobenzene-d5	86	(28 - 132)
2-Fluorobiphenyl	71	(43 - 106)
2,4,6-Tribromophenol	79	(48 - 122)
Terphenyl-d14	91	(35 - 132)

NOTE(S):

Analysis performed in accordance with USEPA Toxicity Characteristic Leaching Procedure Method 1311 (55 FR 26986)

URS OPERATING SERVICES

Client Sample ID: C4940ST

TCLP GC/MS Semivolatiles

Lot-Sample #...: D8G280161-002 Work Order #...: CK5V5102 Matrix.....: SOLID
Date Sampled...: 07/22/98 16:52 Date Received..: 07/28/98
Leach Date.....: 07/29/98 Prep Date.....: 08/03/98 Analysis Date..: 08/17/98
Leach Batch #..: P821106 Prep Batch #...: 8215208 Analysis Time..: 16:09
Dilution Factor: 1

Method.....: SW846 8270B

PARAMETER	RESULT	REPORTING LIMIT	UNITS
1,4-Dichlorobenzene	ND	0.050	mg/L
2,4-Dinitrotoluene	ND	0.050	mg/L
Hexachlorobenzene	ND	0.050	mg/L
Hexachlorobutadiene	ND	0.050	mg/L
Hexachloroethane	ND	0.050	mg/L
2-Methylphenol	ND	0.050	mg/L
Nitrobenzene	ND	0.050	mg/L
Pentachlorophenol	ND	0.25	mg/L
Pyridine	ND	0.10	mg/L
2,4,5-Trichlorophenol	ND	0.050	mg/L
2,4,6-Trichlorophenol	ND	0.050	mg/L
3-Methylphenol & 4-Methylphenol	ND	0.050	mg/L

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
2-Fluorophenol	79	(42 - 112)
Phenol-d5	78	(52 - 124)
Nitrobenzene-d5	89	(28 - 132)
2-Fluorobiphenyl	75	(43 - 106)
2,4,6-Tribromophenol	83	(48 - 122)
Terphenyl-d14	86	(35 - 132)

NOTE(S):

Analysis performed in accordance with USEPA Toxicity Characteristic Leaching Procedure Method 1311 (55 FR 26986)

URS OPERATING SERVICES

Client Sample ID: C4690CY

TCLP GC/MS Semivolatiles

Lot-Sample #...: D8G280161-003 Work Order #...: CK5V7102 Matrix.....: SOLID
Date Sampled...: 07/24/98 12:32 Date Received..: 07/28/98
Leach Date.....: 07/29/98 Prep Date.....: 08/03/98 Analysis Date..: 08/17/98
Leach Batch #..: P821106 Prep Batch #...: 8215208 Analysis Time..: 16:56
Dilution Factor: 1

Method.....: SW846 8270B

PARAMETER	RESULT	REPORTING LIMIT	UNITS
1,4-Dichlorobenzene	ND	0.050	mg/L
2,4-Dinitrotoluene	ND	0.050	mg/L
Hexachlorobenzene	ND	0.050	mg/L
Hexachlorobutadiene	ND	0.050	mg/L
Hexachloroethane	ND	0.050	mg/L
2-Methylphenol	ND	0.050	mg/L
Nitrobenzene	ND	0.050	mg/L
Pentachlorophenol	ND	0.25	mg/L
Pyridine	ND	0.10	mg/L
2,4,5-Trichlorophenol	ND	0.050	mg/L
2,4,6-Trichlorophenol	ND	0.050	mg/L
3-Methylphenol & 4-Methylphenol	ND	0.050	mg/L

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
2-Fluorophenol	79	(42 - 112)
Phenol-d5	77	(52 - 124)
Nitrobenzene-d5	90	(28 - 132)
2-Fluorobiphenyl	75	(43 - 106)
2,4,6-Tribromophenol	82	(48 - 122)
Terphenyl-d14	87	(35 - 132)

NOTE(S):

Analysis performed in accordance with USEPA Toxicity Characteristic Leaching Procedure Method 1311 (55 FR 26986)

URS OPERATING SERVICES

Client Sample ID: C4336ST

TCLP GC Semivolatiles

Lot-Sample #...: D8G280161-001 Work Order #...: CK5V110A Matrix.....: SOLID
Date Sampled...: 07/22/98 15:47 Date Received..: 07/28/98
Leach Date.....: 07/29/98 Prep Date.....: 08/03/98 Analysis Date..: 08/14/98
Leach Batch #..: P821106 Prep Batch #...: 8215165 Analysis Time..: 06:28
Dilution Factor: 1

Method.....: SW846 8081A

PARAMETER	RESULT	REPORTING LIMIT	UNITS
gamma-BHC (Lindane)	ND	0.00050	mg/L
Endrin	ND	0.0010	mg/L
Heptachlor	ND	0.00050	mg/L
Heptachlor epoxide	0.00063	0.00050	mg/L
Methoxychlor	ND	0.0050	mg/L
Toxaphene	ND	0.050	mg/L

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Decachlorobiphenyl	111	(50 - 138)
Tetrachloro-m-xylene	102	(51 - 103)

NOTE(S):

Analysis performed in accordance with USEPA Toxicity Characteristic Leaching Procedure Method 1311 (55 FR 26986)

URS OPERATING SERVICES

Client Sample ID: C4940ST

TCLP GC Semivolatiles

Lot-Sample #...: D8G280161-002 Work Order #...: CK5V510A Matrix.....: SOLID
Date Sampled...: 07/22/98 16:52 Date Received..: 07/28/98
Leach Date.....: 07/29/98 Prep Date.....: 08/03/98 Analysis Date..: 08/14/98
Leach Batch #..: P821106 Prep Batch #...: 8215165 Analysis Time..: 07:02
Dilution Factor: 1

Method.....: SW846 8081A

PARAMETER	RESULT	REPORTING LIMIT	UNITS
gamma-BHC (Lindane)	ND	0.00050	mg/L
Endrin	ND	0.0010	mg/L
Heptachlor	ND	0.00050	mg/L
Heptachlor epoxide	0.00037 J	0.00050	mg/L
Methoxychlor	ND	0.0050	mg/L
Toxaphene	ND	0.050	mg/L

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Decachlorobiphenyl	108	(50 - 138)
Tetrachloro-m-xylene	93	(51 - 103)

NOTE(S):

Analysis performed in accordance with USEPA Toxicity Characteristic Leaching Procedure Method 1311 (55 FR 26986)

J Estimated result. Result is less than RL.

URS OPERATING SERVICES

Client Sample ID: C4690CY

TCLP GC Semivolatiles

Lot-Sample #...: D8G280161-003 Work Order #...: CK5V710A Matrix.....: SOLID
Date Sampled...: 07/24/98 12:32 Date Received..: 07/28/98
Leach Date.....: 07/29/98 Prep Date.....: 08/03/98 Analysis Date..: 08/14/98
Leach Batch #..: P821106 Prep Batch #...: 8215165 Analysis Time..: 08:44
Dilution Factor: 1
Method.....: SW846 8081A

PARAMETER	RESULT	REPORTING LIMIT	UNITS
gamma-BHC (Lindane)	ND	0.00050	mg/L
Endrin	ND	0.0010	mg/L
Heptachlor	ND	0.00050	mg/L
Heptachlor epoxide	0.00022 J	0.00050	mg/L
Methoxychlor	ND	0.0050	mg/L
Toxaphene	ND	0.050	mg/L

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Decachlorobiphenyl	113	(50 - 138)
Tetrachloro-m-xylene	97	(51 - 103)

NOTE(S):

Analysis performed in accordance with USEPA Toxicity Characteristic Leaching Procedure Method 1311 (55 FR 26986)

J Estimated result. Result is less than RL.

URS OPERATING SERVICES

Client Sample ID: C4336ST

TCLP Metals

Lot-Sample #...: D8G280161-001 Matrix.....: SOLID
Date Sampled...: 07/22/98 15:47 Date Received..: 07/28/98
Leach Date.....: 07/29/98 Leach Batch #..: P821106

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Prep Batch #...: 8218160						
Arsenic	1.1	0.50	mg/L	SW846 6010B	08/06-08/20/98	CK5V1103
		Dilution Factor: 1		Analysis Time..: 18:49		
Barium	0.31 B	10.0	mg/L	SW846 6010B	08/06-08/20/98	CK5V1104
		Dilution Factor: 1		Analysis Time..: 18:49		
Cadmium	0.012 B	0.10	mg/L	SW846 6010B	08/06-08/20/98	CK5V1105
		Dilution Factor: 1		Analysis Time..: 18:49		
Chromium	ND	0.50	mg/L	SW846 6010B	08/06-08/20/98	CK5V1106
		Dilution Factor: 1		Analysis Time..: 18:49		
Lead	0.065 B	0.50	mg/L	SW846 6010B	08/06-08/20/98	CK5V1107
		Dilution Factor: 1		Analysis Time..: 18:49		
Selenium	ND	0.25	mg/L	SW846 6010B	08/06-08/20/98	CK5V1108
		Dilution Factor: 1		Analysis Time..: 18:49		
Silver	ND	0.50	mg/L	SW846 6010B	08/06-08/20/98	CK5V1109
		Dilution Factor: 1		Analysis Time..: 18:49		
Prep Batch #...: 8238335						
Mercury	ND	0.00020	mg/L	SW846 7471A	08/26/98	CK5V110C
		Dilution Factor: 1		Analysis Time..: 13:54		

NOTE(S):

Analysis performed in accordance with USEPA Toxicity Characteristic Leaching Procedure Method 1311 (55 FR 26986)

B Estimated result. Result is less than RL.

URS OPERATING SERVICES

Client Sample ID: C4940ST

TCLP Metals

Lot-Sample #...: D8G280161-002 Matrix.....: SOLID
Date Sampled...: 07/22/98 16:52 Date Received..: 07/28/98
Leach Date.....: 07/29/98 Leach Batch #..: P821106

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Prep Batch #...: 8218160						
Arsenic	1.6	0.50	mg/L	SW846 6010B	08/06-08/20/98	CK5V5103
		Dilution Factor: 1		Analysis Time..: 18:21		
Barium	0.28 B	10.0	mg/L	SW846 6010B	08/06-08/20/98	CK5V5104
		Dilution Factor: 1		Analysis Time..: 18:21		
Cadmium	0.018 B	0.10	mg/L	SW846 6010B	08/06-08/20/98	CK5V5105
		Dilution Factor: 1		Analysis Time..: 18:21		
Chromium	0.0057 B	0.50	mg/L	SW846 6010B	08/06-08/20/98	CK5V5106
		Dilution Factor: 1		Analysis Time..: 18:21		
Lead	0.11 B	0.50	mg/L	SW846 6010B	08/06-08/20/98	CK5V5107
		Dilution Factor: 1		Analysis Time..: 18:21		
Selenium	ND	0.25	mg/L	SW846 6010B	08/06-08/20/98	CK5V5108
		Dilution Factor: 1		Analysis Time..: 18:21		
Silver	ND	0.50	mg/L	SW846 6010B	08/06-08/20/98	CK5V5109
		Dilution Factor: 1		Analysis Time..: 18:21		
Prep Batch #...: 8238335						
Mercury	ND	0.00020	mg/L	SW846 7471A	08/26/98	CK5V510C
		Dilution Factor: 1		Analysis Time..: 13:54		

NOTE(S):

Analysis performed in accordance with USEPA Toxicity Characteristic Leaching Procedure Method 1311 (55 FR 26986)

B Estimated result. Result is less than RL.

URS OPERATING SERVICES

Client Sample ID: C4690CY

TCLP Metals

Lot-Sample #...: D8G280161-003 Matrix.....: SOLID
Date Sampled...: 07/24/98 12:32 Date Received..: 07/28/98
Leach Date.....: 07/29/98 Leach Batch #..: P821106

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Prep Batch #...: 8218160						
Arsenic	2.0	0.50	mg/L	SW846 6010B	08/06-08/20/98	CK5V7103
		Dilution Factor: 1		Analysis Time..: 18:24		
Barium	0.29 B	10.0	mg/L	SW846 6010B	08/06-08/20/98	CK5V7104
		Dilution Factor: 1		Analysis Time..: 18:24		
Cadmium	0.0089 B	0.10	mg/L	SW846 6010B	08/06-08/20/98	CK5V7105
		Dilution Factor: 1		Analysis Time..: 18:24		
Chromium	ND	0.50	mg/L	SW846 6010B	08/06-08/20/98	CK5V7106
		Dilution Factor: 1		Analysis Time..: 18:24		
Lead	0.11 B	0.50	mg/L	SW846 6010B	08/06-08/20/98	CK5V7107
		Dilution Factor: 1		Analysis Time..: 18:24		
Selenium	ND	0.25	mg/L	SW846 6010B	08/06-08/20/98	CK5V7108
		Dilution Factor: 1		Analysis Time..: 18:24		
Silver	ND	0.50	mg/L	SW846 6010B	08/06-08/20/98	CK5V7109
		Dilution Factor: 1		Analysis Time..: 18:24		
Prep Batch #...: 8238335						
Mercury	ND	0.00020	mg/L	SW846 7471A	08/26/98	CK5V710C
		Dilution Factor: 1		Analysis Time..: 13:54		

NOTE(S):

Analysis performed in accordance with USEPA Toxicity Characteristic Leaching Procedure Method 1311 (55 FR 26986)

B Estimated result. Result is less than RL.

URS OPERATING SERVICES

Client Sample ID: C4336ST

TOTAL Metals

Lot-Sample #...: D8G280161-004 Matrix.....: SOLID
Date Sampled...: 07/22/98 15:47 Date Received..: 07/28/98

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Prep Batch #...: 8218276						
Mercury	0.74	0.038	mg/kg	SW846 7471A	08/06-08/07/98	CK7FX10Q
		Dilution Factor: 1		Analysis Time..: 11:54		
Prep Batch #...: 8222147						
Silver	0.45 B	1.1	mg/kg	SW846 6010B	08/10-08/21/98	CK7FX101
		Dilution Factor: 1		Analysis Time..: 14:54		
Aluminum	7520	11.4	mg/kg	SW846 6010B	08/10-08/21/98	CK7FX102
		Dilution Factor: 1		Analysis Time..: 14:54		
Arsenic	172	1.1	mg/kg	SW846 6010B	08/10-08/21/98	CK7FX10L
		Dilution Factor: 1		Analysis Time..: 15:27		
Barium	138	1.1	mg/kg	SW846 6010B	08/10-08/21/98	CK7FX103
		Dilution Factor: 1		Analysis Time..: 14:54		
Beryllium	0.42	0.23	mg/kg	SW846 6010B	08/10-08/21/98	CK7FX104
		Dilution Factor: 1		Analysis Time..: 14:54		
Calcium	3200	22.9	mg/kg	SW846 6010B	08/10-08/21/98	CK7FX105
		Dilution Factor: 1		Analysis Time..: 14:54		
Cadmium	3.0	0.57	mg/kg	SW846 6010B	08/10-08/21/98	CK7FX106
		Dilution Factor: 1		Analysis Time..: 14:54		
Cobalt	4.2	1.1	mg/kg	SW846 6010B	08/10-08/21/98	CK7FX107
		Dilution Factor: 1		Analysis Time..: 14:54		
Chromium	23.4	1.1	mg/kg	SW846 6010B	08/10-08/21/98	CK7FX108
		Dilution Factor: 1		Analysis Time..: 14:54		
Copper	31.1	2.3	mg/kg	SW846 6010B	08/10-08/21/98	CK7FX109
		Dilution Factor: 1		Analysis Time..: 14:54		
Iron	12000	11.4	mg/kg	SW846 6010B	08/10-08/21/98	CK7FX10A
		Dilution Factor: 1		Analysis Time..: 14:54		
Potassium	2130	572	mg/kg	SW846 6010B	08/10-08/21/98	CK7FX10C
		Dilution Factor: 1		Analysis Time..: 14:54		
Magnesium	2180	22.9	mg/kg	SW846 6010B	08/10-08/21/98	CK7FX10D
		Dilution Factor: 1		Analysis Time..: 14:54		

(Continued on next page)

URS OPERATING SERVICES

Client Sample ID: C4336ST

TOTAL Metals

Lot-Sample #...: D8G280161-004 Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Manganese	264	1.1	mg/kg	SW846 6010B	08/10-08/21/98	CK7FX10E
		Dilution Factor: 1		Analysis Time..: 14:54		
Sodium	ND	572	mg/kg	SW846 6010B	08/10-08/21/98	CK7FX10F
		Dilution Factor: 1		Analysis Time..: 14:54		
Nickel	7.1	4.6	mg/kg	SW846 6010B	08/10-08/21/98	CK7FX10G
		Dilution Factor: 1		Analysis Time..: 14:54		
Lead	214	0.34	mg/kg	SW846 6010B	08/10-08/21/98	CK7FX10M
		Dilution Factor: 1		Analysis Time..: 15:27		
Antimony	4.7 B	6.9	mg/kg	SW846 6010B	08/10-08/21/98	CK7FX10H
		Dilution Factor: 1		Analysis Time..: 14:54		
Selenium	1.2	0.57	mg/kg	SW846 6010B	08/10-08/21/98	CK7FX10N
		Dilution Factor: 1		Analysis Time..: 15:27		
Thallium	1.2	1.1	mg/kg	SW846 6010B	08/10-08/21/98	CK7FX10P
		Dilution Factor: 1		Analysis Time..: 15:27		
Vanadium	20.4	1.1	mg/kg	SW846 6010B	08/10-08/21/98	CK7FX10J
		Dilution Factor: 1		Analysis Time..: 14:54		
Zinc	158	1.1	mg/kg	SW846 6010B	08/10-08/21/98	CK7FX10K
		Dilution Factor: 1		Analysis Time..: 14:54		

NOTE(S):

Results and reporting limits have been adjusted for dry weight.

B Estimated result. Result is less than RL.

URS OPERATING SERVICES

Client Sample ID: C4940ST

TOTAL Metals

Lot-Sample #...: D8G280161-005 Matrix.....: SOLID
Date Sampled...: 07/22/98 16:52 Date Received..: 07/28/98

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Prep Batch #...: 8218276						
Mercury	0.62	0.035	mg/kg	SW846 7471A	08/06-08/07/98	CK7G010Q
		Dilution Factor: 1		Analysis Time..: 12:12		
Prep Batch #...: 8222147						
Silver	0.38 B	1.1	mg/kg	SW846 6010B	08/10-08/21/98	CK7G0101
		Dilution Factor: 1		Analysis Time..: 14:58		
Aluminum	5730	10.6	mg/kg	SW846 6010B	08/10-08/21/98	CK7G0102
		Dilution Factor: 1		Analysis Time..: 14:58		
Arsenic	268	1.1	mg/kg	SW846 6010B	08/10-08/21/98	CK7G010L
		Dilution Factor: 1		Analysis Time..: 15:32		
Barium	85.4	1.1	mg/kg	SW846 6010B	08/10-08/21/98	CK7G0103
		Dilution Factor: 1		Analysis Time..: 14:58		
Beryllium	0.33	0.21	mg/kg	SW846 6010B	08/10-08/21/98	CK7G0104
		Dilution Factor: 1		Analysis Time..: 14:58		
Calcium	2850	21.1	mg/kg	SW846 6010B	08/10-08/21/98	CK7G0105
		Dilution Factor: 1		Analysis Time..: 14:58		
Cadmium	4.5	0.53	mg/kg	SW846 6010B	08/10-08/21/98	CK7G0106
		Dilution Factor: 1		Analysis Time..: 14:58		
Cobalt	3.3	1.1	mg/kg	SW846 6010B	08/10-08/21/98	CK7G0107
		Dilution Factor: 1		Analysis Time..: 14:58		
Chromium	11.7	1.1	mg/kg	SW846 6010B	08/10-08/21/98	CK7G0108
		Dilution Factor: 1		Analysis Time..: 14:58		
Copper	15.2	2.1	mg/kg	SW846 6010B	08/10-08/21/98	CK7G0109
		Dilution Factor: 1		Analysis Time..: 14:58		
Iron	9380	10.6	mg/kg	SW846 6010B	08/10-08/21/98	CK7G010A
		Dilution Factor: 1		Analysis Time..: 14:58		
Potassium	1530	528	mg/kg	SW846 6010B	08/10-08/21/98	CK7G010C
		Dilution Factor: 1		Analysis Time..: 14:58		
Magnesium	1590	21.1	mg/kg	SW846 6010B	08/10-08/21/98	CK7G010D
		Dilution Factor: 1		Analysis Time..: 14:58		

(Continued on next page)

URS OPERATING SERVICES

Client Sample ID: C4940ST

TOTAL Metals

Lot-Sample #...: D8G280161-005 Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Manganese	218	1.1	mg/kg	SW846 6010B	08/10-08/21/98	CK7G010E
		Dilution Factor: 1		Analysis Time..: 14:58		
Sodium	134 B	528	mg/kg	SW846 6010B	08/10-08/21/98	CK7G010F
		Dilution Factor: 1		Analysis Time..: 14:58		
Nickel	5.5	4.2	mg/kg	SW846 6010B	08/10-08/21/98	CK7G010G
		Dilution Factor: 1		Analysis Time..: 14:58		
Lead	288	0.32	mg/kg	SW846 6010B	08/10-08/21/98	CK7G010M
		Dilution Factor: 1		Analysis Time..: 15:32		
Antimony	3.5 B	6.3	mg/kg	SW846 6010B	08/10-08/21/98	CK7G010H
		Dilution Factor: 1		Analysis Time..: 14:58		
Selenium	0.78	0.53	mg/kg	SW846 6010B	08/10-08/21/98	CK7G010N
		Dilution Factor: 1		Analysis Time..: 15:32		
Thallium	0.47 B	1.1	mg/kg	SW846 6010B	08/10-08/21/98	CK7G010P
		Dilution Factor: 1		Analysis Time..: 15:32		
Vanadium	15.9	1.1	mg/kg	SW846 6010B	08/10-08/21/98	CK7G010J
		Dilution Factor: 1		Analysis Time..: 14:58		
Zinc	117	1.1	mg/kg	SW846 6010B	08/10-08/21/98	CK7G010K
		Dilution Factor: 1		Analysis Time..: 14:58		

NOTE(S):

Results and reporting limits have been adjusted for dry weight.

B Estimated result. Result is less than RL.

URS OPERATING SERVICES

Client Sample ID: C4690CY

TOTAL Metals

Lot-Sample #...: D8G280161-006 Matrix.....: SOLID
Date Sampled...: 07/24/98 12:32 Date Received..: 07/28/98

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Prep Batch #...: 8218276						
Mercury	1.2	0.40	mg/kg	SW846 7471A	08/06-08/07/98	CK7G110Q
		Dilution Factor: 10		Analysis Time..: 19:49		
Prep Batch #...: 8222147						
Silver	0.54 B	1.2	mg/kg	SW846 6010B	08/10-08/21/98	CK7G1101
		Dilution Factor: 1		Analysis Time..: 15:03		
Aluminum	7520	12.2	mg/kg	SW846 6010B	08/10-08/21/98	CK7G1102
		Dilution Factor: 1		Analysis Time..: 15:03		
Arsenic	431	1.2	mg/kg	SW846 6010B	08/10-08/21/98	CK7G110L
		Dilution Factor: 1		Analysis Time..: 15:36		
Barium	124	1.2	mg/kg	SW846 6010B	08/10-08/21/98	CK7G1103
		Dilution Factor: 1		Analysis Time..: 15:03		
Beryllium	0.43	0.24	mg/kg	SW846 6010B	08/10-08/21/98	CK7G1104
		Dilution Factor: 1		Analysis Time..: 15:03		
Calcium	4560	24.3	mg/kg	SW846 6010B	08/10-08/21/98	CK7G1105
		Dilution Factor: 1		Analysis Time..: 15:03		
Cadmium	6.8	0.61	mg/kg	SW846 6010B	08/10-08/21/98	CK7G1106
		Dilution Factor: 1		Analysis Time..: 15:03		
Cobalt	4.2	1.2	mg/kg	SW846 6010B	08/10-08/21/98	CK7G1107
		Dilution Factor: 1		Analysis Time..: 15:03		
Chromium	15.2	1.2	mg/kg	SW846 6010B	08/10-08/21/98	CK7G1108
		Dilution Factor: 1		Analysis Time..: 15:03		
Copper	23.9	2.4	mg/kg	SW846 6010B	08/10-08/21/98	CK7G1109
		Dilution Factor: 1		Analysis Time..: 15:03		
Iron	11900	12.2	mg/kg	SW846 6010B	08/10-08/21/98	CK7G110A
		Dilution Factor: 1		Analysis Time..: 15:03		
Potassium	2490	609	mg/kg	SW846 6010B	08/10-08/21/98	CK7G110C
		Dilution Factor: 1		Analysis Time..: 15:03		
Magnesium	2340	24.3	mg/kg	SW846 6010B	08/10-08/21/98	CK7G110D
		Dilution Factor: 1		Analysis Time..: 15:03		

(Continued on next page)

URS OPERATING SERVICES

Client Sample ID: C4690CY

TOTAL Metals

Lot-Sample #...: D8G280161-006 Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Manganese	284	1.2	mg/kg	SW846 6010B	08/10-08/21/98	CK7G110E
		Dilution Factor: 1		Analysis Time..: 15:03		
Sodium	104 B	609	mg/kg	SW846 6010B	08/10-08/21/98	CK7G110F
		Dilution Factor: 1		Analysis Time..: 15:03		
Nickel	8.3	4.9	mg/kg	SW846 6010B	08/10-08/21/98	CK7G110G
		Dilution Factor: 1		Analysis Time..: 15:03		
Lead	669	0.37	mg/kg	SW846 6010B	08/10-08/21/98	CK7G110M
		Dilution Factor: 1		Analysis Time..: 15:36		
Antimony	4.0 B	7.3	mg/kg	SW846 6010B	08/10-08/21/98	CK7G110H
		Dilution Factor: 1		Analysis Time..: 15:03		
Selenium	1.7	0.61	mg/kg	SW846 6010B	08/10-08/21/98	CK7G110N
		Dilution Factor: 1		Analysis Time..: 15:36		
Thallium	1.3	1.2	mg/kg	SW846 6010B	08/10-08/21/98	CK7G110P
		Dilution Factor: 1		Analysis Time..: 15:36		
Vanadium	21.2	1.2	mg/kg	SW846 6010B	08/10-08/21/98	CK7G110J
		Dilution Factor: 1		Analysis Time..: 15:03		
Zinc	184	1.2	mg/kg	SW846 6010B	08/10-08/21/98	CK7G110K
		Dilution Factor: 1		Analysis Time..: 15:03		

NOTE(S):

Results and reporting limits have been adjusted for dry weight.

B Estimated result. Result is less than RL.

URS OPERATING SERVICES

Client Sample ID: C4336ST

General Chemistry

Lot-Sample #...: D8G280161-004 Work Order #...: CK7FX Matrix.....: SOLID
Date Sampled...: 07/22/98 15:47 Date Received..: 07/28/98

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION-ANALYSIS DATE	PREP BATCH #
Percent Moisture	12.6	0.10	%	MCAWW 160.3 MOD	08/01-08/22/98	8215253

Dilution Factor: 1 Analysis Time..: 00:00

URS OPERATING SERVICES

Client Sample ID: C4940ST

General Chemistry

Lot-Sample #...: D8G280161-005 Work Order #...: CK7G0 Matrix.....: SOLID
Date Sampled...: 07/22/98 16:52 Date Received..: 07/28/98

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION-ANALYSIS DATE	PREP BATCH #
Percent Moisture	5.4	0.10	%	MCAWW 160.3 MOD	08/01-08/22/98	8215253

Dilution Factor: 1 Analysis Time..: 00:00

URS OPERATING SERVICES

Client Sample ID: C4690CY

General Chemistry

Lot-Sample #...: D8G280161-006 Work Order #...: CK7G1 Matrix.....: SOLID
Date Sampled...: 07/24/98 12:32 Date Received..: 07/28/98

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION-ANALYSIS DATE	PREP BATCH #
Percent Moisture	17.8	0.10	%	MCAWW 160.3 MOD	08/01-08/22/98	8215253

Dilution Factor: 1 Analysis Time..: 00:00

QC DATA ASSOCIATION SUMMARY

D8G280161

Sample Preparation and Analysis Control Numbers

SAMPLE#	MATRIX	ANALYTICAL METHOD	LEACH BATCH #	PREP BATCH #	MS RUN#
001	SOLID	SW846 8270B	P821106	8215208	8215068
	SOLID	SW846 8260A	P821502	8224219	8224089
	SOLID	SW846 7471A	P821106	8238335	8238175
	SOLID	SW846 8081A	P821106	8215165	8215100
	SOLID	SW846 6010B	P821106	8218160	8218037
002	SOLID	SW846 8270B	P821106	8215208	8215068
	SOLID	SW846 8260A	P821502	8224219	8224089
	SOLID	SW846 7471A	P821106	8238335	8238175
	SOLID	SW846 8081A	P821106	8215165	8215100
	SOLID	SW846 6010B	P821106	8218160	8218037
003	SOLID	SW846 8270B	P821106	8215208	8215068
	SOLID	SW846 8260A	P821502	8224219	8224089
	SOLID	SW846 7471A	P821106	8238335	8238175
	SOLID	SW846 8081A	P821106	8215165	8215100
	SOLID	SW846 6010B	P821106	8218160	8218037
004	SOLID	SW846 7471A		8218276	8218127
	SOLID	SW846 6010B		8222147	8222032
	SOLID	MCAWW 160.3 MOD		8215253	
005	SOLID	SW846 7471A		8218276	8218127
	SOLID	SW846 6010B		8222147	8222032
	SOLID	MCAWW 160.3 MOD		8215253	
006	SOLID	SW846 7471A		8218276	8218127
	SOLID	SW846 6010B		8222147	8222032
	SOLID	MCAWW 160.3 MOD		8215253	

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #...: D8G280161 Work Order #...: CKH9X102-LCS Matrix.....: SOLID
LCS Lot-Sample#: D8H120000-219 CKH9X103-LCSD
Prep Date.....: 08/12/98 Analysis Date..: 08/12/98
Prep Batch #...: 8224219 Analysis Time..: 10:11
Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
1,1-Dichloroethene	94	(66 - 148)			SW846 8260A
	87	(66 - 148)	7.2	(0-20)	SW846 8260A
1,2-Dichloroethane	96	(79 - 126)			SW846 8260A
	92	(79 - 126)	4.6	(0-20)	SW846 8260A
2-Butanone	67	(13 - 179)			SW846 8260A
	60	(13 - 179)	10	(0-21)	SW846 8260A
Benzene	94	(80 - 125)			SW846 8260A
	91	(80 - 125)	3.3	(0-20)	SW846 8260A
Carbon tetrachloride	98	(79 - 125)			SW846 8260A
	95	(79 - 125)	2.4	(0-20)	SW846 8260A
Chlorobenzene	101	(84 - 119)			SW846 8260A
	97	(84 - 119)	4.1	(0-20)	SW846 8260A
Chloroform	99	(81 - 120)			SW846 8260A
	94	(81 - 120)	4.6	(0-20)	SW846 8260A
Tetrachloroethene	97	(80 - 121)			SW846 8260A
	95	(80 - 121)	2.5	(0-20)	SW846 8260A
Trichloroethene	96	(78 - 126)			SW846 8260A
	94	(78 - 126)	2.8	(0-20)	SW846 8260A
Vinyl chloride	113	(14 - 185)			SW846 8260A
	109	(14 - 185)	4.1	(0-20)	SW846 8260A

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
1,2-Dichloroethane-d4	103	(80 - 120)
	102	(80 - 120)
4-Bromofluorobenzene	99	(86 - 115)
	98	(86 - 115)
Toluene-d8	100	(88 - 110)
	100	(88 - 110)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #...: D8G280161
MB Lot-Sample #: D8H120000-219
Work Order #...: CKH9X101
Matrix.....: SOLID
Prep Date.....: 08/12/98
Analysis Time..: 11:19
Analysis Date..: 08/12/98
Prep Batch #...: 8224219
Dilution Factor: 1

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
Benzene	ND	0.050	mg/L	SW846 8260A
2-Butanone	ND	0.020	mg/L	SW846 8260A
Carbon tetrachloride	ND	0.050	mg/L	SW846 8260A
Chlorobenzene	ND	0.050	mg/L	SW846 8260A
Chloroform	ND	0.050	mg/L	SW846 8260A
1,2-Dichloroethane	ND	0.050	mg/L	SW846 8260A
1,1-Dichloroethene	ND	0.050	mg/L	SW846 8260A
Tetrachloroethene	ND	0.050	mg/L	SW846 8260A
Trichloroethene	ND	0.050	mg/L	SW846 8260A
Vinyl chloride	ND	0.10	mg/L	SW846 8260A

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
1,2-Dichloroethane-d4	97	(80 - 120)
4-Bromofluorobenzene	99	(86 - 115)
Toluene-d8	104	(88 - 110)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Results and reporting limits have been adjusted for dry weight.

MATRIX SPIKE SAMPLE EVALUATION REPORT

TCLP GC/MS Volatiles

Client Lot #...: D8G280161 Work Order #...: CK5V710E-MS Matrix.....: SOLID
MS Lot-Sample #: D8G280161-003 CK5V710F-MSD
Date Sampled...: 07/24/98 12:32 Date Received..: 07/28/98
Leach Date.....: 07/29/98 Prep Date.....: 08/12/98 Analysis Date..: 08/12/98
Leach Batch #..: P821502 Prep Batch #...: 8224219 Analysis Time..: 13:19
Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
Benzene	95	(80 - 125)			SW846 8260A
	96	(80 - 125)	1.8	(0-20)	SW846 8260A
2-Butanone	58	(13 - 179)			SW846 8260A
	61	(13 - 179)	5.4	(0-21)	SW846 8260A
Carbon tetrachloride	100	(79 - 125)			SW846 8260A
	104	(79 - 125)	3.4	(0-20)	SW846 8260A
Chlorobenzene	99	(84 - 119)			SW846 8260A
	103	(84 - 119)	3.9	(0-20)	SW846 8260A
Chloroform	96	(81 - 120)			SW846 8260A
	99	(81 - 120)	2.6	(0-20)	SW846 8260A
1,2-Dichloroethane	93	(79 - 126)			SW846 8260A
	96	(79 - 126)	3.3	(0-20)	SW846 8260A
1,1-Dichloroethene	86	(66 - 148)			SW846 8260A
	88	(66 - 148)	2.4	(0-20)	SW846 8260A
Tetrachloroethene	96	(80 - 121)			SW846 8260A
	100	(80 - 121)	4.0	(0-20)	SW846 8260A
Trichloroethene	98	(78 - 126)			SW846 8260A
	100	(78 - 126)	2.2	(0-20)	SW846 8260A
Vinyl chloride	108	(14 - 185)			SW846 8260A
	110	(14 - 185)	1.8	(0-20)	SW846 8260A

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
1,2-Dichloroethane-d4	102	(80 - 120)
	103	(80 - 120)
4-Bromofluorobenzene	99	(86 - 115)
	99	(86 - 115)
Toluene-d8	99	(88 - 110)
	101	(88 - 110)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Semivolatiles

Client Lot #...: D8G280161 Work Order #...: CK9R5102-LCS Matrix.....: SOLID
LCS Lot-Sample#: D8H030000-208 CK9R5103-LCSD
Prep Date.....: 08/03/98 Analysis Date..: 08/17/98
Prep Batch #...: 8215208 Analysis Time..: 12:04
Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
1,4-Dichlorobenzene	66	(42 - 108)			SW846 8270B
	59	(42 - 108)	11	(0-20)	SW846 8270B
2,4-Dinitrotoluene	89	(44 - 122)			SW846 8270B
	96	(44 - 122)	8.0	(0-20)	SW846 8270B
Hexachlorobenzene	105	(59 - 116)			SW846 8270B
	99	(59 - 116)	5.8	(0-20)	SW846 8270B
Hexachlorobutadiene	73	(42 - 110)			SW846 8270B
	65	(42 - 110)	11	(0-20)	SW846 8270B
Hexachloroethane	63	(38 - 107)			SW846 8270B
	55	(38 - 107)	12	(0-20)	SW846 8270B
Nitrobenzene	90	(43 - 127)			SW846 8270B
	89	(43 - 127)	1.0	(0-20)	SW846 8270B
Pentachlorophenol	60	(23 - 129)			SW846 8270B
	61	(23 - 129)	1.4	(0-26)	SW846 8270B
Pyridine	40	(23 - 103)			SW846 8270B
	44	(23 - 103)	10	(0-32)	SW846 8270B
2,4,5-Trichlorophenol	93	(43 - 113)			SW846 8270B
	98	(43 - 113)	5.2	(0-20)	SW846 8270B
2,4,6-Trichlorophenol	76	(47 - 114)			SW846 8270B
	80	(47 - 114)	4.2	(0-20)	SW846 8270B
2-Methylphenol	91	(49 - 125)			SW846 8270B
	82	(49 - 125)	9.8	(0-20)	SW846 8270B
3-Methylphenol & 4-Methylphenol	84	(45 - 119)			SW846 8270B
	70	(45 - 119)	19	(0-20)	SW846 8270B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
2-Fluorophenol	86	(42 - 112)
	84	(42 - 112)
Phenol-d5	93	(52 - 124)
	90	(52 - 124)
Nitrobenzene-d5	96	(28 - 132)
	95	(28 - 132)
2-Fluorobiphenyl	78	(43 - 106)
	76	(43 - 106)
2,4,6-Tribromophenol	95	(48 - 122)
	88	(48 - 122)
Terphenyl-d14	94	(35 - 132)
	97	(35 - 132)

(Continued on next page)

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Semivolatiles

Client Lot #...: D8G280161 Work Order #...: CK9R5102-LCS Matrix.....: SOLID
LCS Lot-Sample#: D8H030000-208 CK9R5103-LCSD

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

METHOD BLANK REPORT

GC/MS Semivolatiles

Client Lot #...: D8G280161 Work Order #...: CK9R5101 Matrix.....: SOLID
MB Lot-Sample #: D8H030000-208
Prep Date.....: 08/03/98 Analysis Time..: 11:18
Analysis Date..: 08/17/98 Prep Batch #...: 8215208
Dilution Factor: 1

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
1,4-Dichlorobenzene	ND	0.050	mg/L	SW846 8270B
2,4-Dinitrotoluene	ND	0.050	mg/L	SW846 8270B
Hexachlorobenzene	ND	0.050	mg/L	SW846 8270B
Hexachlorobutadiene	ND	0.050	mg/L	SW846 8270B
Hexachloroethane	ND	0.050	mg/L	SW846 8270B
2-Methylphenol	ND	0.050	mg/L	SW846 8270B
Nitrobenzene	ND	0.050	mg/L	SW846 8270B
Pentachlorophenol	ND	0.25	mg/L	SW846 8270B
Pyridine	ND	0.10	mg/L	SW846 8270B
2,4,5-Trichlorophenol	ND	0.050	mg/L	SW846 8270B
2,4,6-Trichlorophenol	ND	0.050	mg/L	SW846 8270B
3-Methylphenol & 4-Methylphenol	ND	0.050	mg/L	SW846 8270B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
2-Fluorophenol	81	(42 - 112)
Phenol-d5	81	(52 - 124)
Nitrobenzene-d5	92	(28 - 132)
2-Fluorobiphenyl	77	(43 - 106)
2,4,6-Tribromophenol	85	(48 - 122)
Terphenyl-d14	90	(35 - 132)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Results and reporting limits have been adjusted for dry weight.

MATRIX SPIKE SAMPLE EVALUATION REPORT

TCLP GC/MS Semivolatiles

Client Lot #...: D8G280161 Work Order #...: CK5V110G-MS Matrix.....: SOLID
MS Lot-Sample #: D8G280161-001 CK5V110H-MSD
Date Sampled...: 07/22/98 15:47 Date Received..: 07/28/98
Leach Date.....: 07/29/98 Prep Date.....: 08/03/98 Analysis Date..: 08/17/98
Leach Batch #..: P821106 Prep Batch #...: 8215208 Analysis Time..: 14:34
Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
1,4-Dichlorobenzene	73	(42 - 108)			SW846 8270B
	63	(42 - 108)	15	(0-20)	SW846 8270B
2,4-Dinitrotoluene	88	(44 - 122)			SW846 8270B
	89	(44 - 122)	0.80	(0-20)	SW846 8270B
Hexachlorobenzene	98	(59 - 116)			SW846 8270B
	100	(59 - 116)	2.5	(0-20)	SW846 8270B
Hexachlorobutadiene	74	(42 - 110)			SW846 8270B
	67	(42 - 110)	10	(0-20)	SW846 8270B
Hexachloroethane	69	(38 - 107)			SW846 8270B
	61	(38 - 107)	12	(0-20)	SW846 8270B
2-Methylphenol	88	(49 - 125)			SW846 8270B
	85	(49 - 125)	4.3	(0-20)	SW845 8270B
Nitrobenzene	92	(43 - 127)			SW846 8270B
	83	(43 - 127)	11	(0-20)	SW846 8270B
Pentachlorophenol	59	(23 - 129)			SW846 8270B
	67	(23 - 129)	13	(0-26)	SW846 8270B
Pyridine	42	(23 - 103)			SW846 8270B
	39	(23 - 103)	7.0	(0-32)	SW846 8270B
2,4,5-Trichlorophenol	66	(43 - 113)			SW846 8270B
	71	(43 - 113)	7.3	(0-20)	SW846 8270B
2,4,6-Trichlorophenol	80	(47 - 114)			SW846 8270B
	78	(47 - 114)	2.1	(0-20)	SW846 8270B
3-Methylphenol & 4-Methylphenol	70	(45 - 119)			SW846 8270B
	77	(45 - 119)	10	(0-20)	SW846 8270B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
2-Fluorophenol	78	(42 - 112)
	81	(42 - 112)
Phenol-d5	87	(52 - 124)
	88	(52 - 124)
Nitrobenzene-d5	90	(28 - 132)
	89	(28 - 132)
2-Fluorobiphenyl	74	(43 - 106)
	73	(43 - 106)
2,4,6-Tribromophenol	89	(48 - 122)
	93	(48 - 122)

(Continued on next page)

MATRIX SPIKE SAMPLE EVALUATION REPORT

TCLP GC/MS Semivolatiles

Client Lot #...: D8G280161 Work Order #...: CK5V110G-MS Matrix.....: SOLID
MS Lot-Sample #: D8G280161-001 CK5V110H-MSD

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Terphenyl-d14	89	(35 - 132)
	91	(35 - 132)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC Semivolatiles

Client Lot #...: D8G280161 Work Order #...: CK9L8102-LCS Matrix.....: SOLID
LCS Lot-Sample#: D8H030000-165 CK9L8103-LCSD
Prep Date.....: 08/03/98 Analysis Date..: 08/14/98
Prep Batch #...: 8215165 Analysis Time..: 05:20
Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
Endrin	100	(77 - 112)			SW846 8081A
	102	(77 - 112)	2.2	(0-15)	SW846 8081A
gamma-BHC (Lindane)	101	(74 - 121)			SW846 8081A
	104	(74 - 121)	2.9	(0-15)	SW846 8081A
Heptachlor epoxide	107	(37 - 142)			SW846 8081A
	106	(37 - 142)	1.5	(0-15)	SW846 8081A
Heptachlor	106	(69 - 125)			SW846 8081A
	107	(69 - 125)	0.93	(0-13)	SW846 8081A
Methoxychlor	118	(30 - 150)			SW846 8081A
	111	(30 - 150)	6.1	(0-15)	SW846 8081A

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Decachlorobiphenyl	114	(50 - 138)
	108	(50 - 138)
Tetrachloro-m-xylene	92	(51 - 103)
	94	(51 - 103)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

METHOD BLANK REPORT

GC Semivolatiles

Client Lot #...: D8G280161
MB Lot-Sample #: D8H030000-165
Work Order #...: CK9L8101
Matrix.....: SOLID
Prep Date.....: 08/03/98
Analysis Time..: 04:46
Analysis Date..: 08/14/98
Prep Batch #...: 8215165
Dilution Factor: 1

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
gamma-BHC (Lindane)	ND	0.00050	mg/L	SW846 8081A
Endrin	ND	0.0010	mg/L	SW846 8081A
Heptachlor	ND	0.00050	mg/L	SW846 8081A
Heptachlor epoxide	ND	0.00050	mg/L	SW846 8081A
Methoxychlor	ND	0.0050	mg/L	SW846 8081A
Toxaphene	ND	0.050	mg/L	SW846 8081A

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Decachlorobiphenyl	115	(50 - 138)
Tetrachloro-m-xylene	102	(51 - 103)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

MATRIX SPIKE SAMPLE EVALUATION REPORT

TCLP GC Semivolatiles

Client Lot #...: D8G280161 Work Order #...: CK5V510E-MS Matrix.....: SOLID
MS Lot-Sample #: D8G280161-002 CK5V510F-MSD
Date Sampled...: 07/22/98 16:52 Date Received..: 07/28/98
Leach Date.....: 07/29/98 Prep Date.....: 08/03/98 Analysis Date..: 08/14/98
Leach Batch #..: P821106 Prep Batch #...: 8215165 Analysis Time..: 07:36
Dilution Factor: 1

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
gamma-BHC (Lindane)	106	(74 - 121)			SW846 8081A
	109	(74 - 121)	2.0	(0-15)	SW846 8081A
Endrin	106	(77 - 112)			SW846 8081A
	107	(77 - 112)	1.1	(0-15)	SW846 8081A
Heptachlor	110	(69 - 125)			SW846 8081A
	111	(69 - 125)	1.3	(0-13)	SW846 8081A
Heptachlor epoxide	108	(37 - 142)			SW846 8081A
	109	(37 - 142)	1.4	(0-15)	SW846 8081A
Methoxychlor	121	(30 - 150)			SW846 8081A
	119	(30 - 150)	2.2	(0-15)	SW846 8081A

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Decachlorobiphenyl	108	(50 - 138)
	106	(50 - 138)
Tetrachloro-m-xylene	96	(51 - 103)
	100	(51 - 103)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

TCLP Metals

Lot-Sample #...: D8G280161 Matrix.....: SOLID

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD	PREPARATION-ANALYSIS DATE	PREP-BATCH #
Arsenic	111	(80 - 116)			SW846 6010B	08/06-08/20/98	8218160
	114	(80 - 116)	2.0	(0-10)	SW846 6010B	08/06-08/20/98	8218160
		Dilution Factor: 1					
Barium	106	(83 - 111)			SW846 6010B	08/06-08/20/98	8218160
	107	(83 - 111)	1.1	(0-10)	SW846 6010B	08/06-08/20/98	8218160
		Dilution Factor: 1					
Cadmium	107	(82 - 110)			SW846 6010B	08/06-08/20/98	8218160
	108	(82 - 110)	1.7	(0-10)	SW846 6010B	08/06-08/20/98	8218160
		Dilution Factor: 1					
Chromium	105	(80 - 120)			SW846 6010B	08/06-08/20/98	8218160
	107	(80 - 120)	1.6	(0-10)	SW846 6010B	08/06-08/20/98	8218160
		Dilution Factor: 1					
Lead	105	(82 - 114)			SW846 6010B	08/06-08/20/98	8218160
	107	(82 - 114)	1.3	(0-10)	SW846 6010B	08/06-08/20/98	8218160
		Dilution Factor: 1					
Selenium	108	(85 - 125)			SW846 6010B	08/06-08/20/98	8218160
	109	(85 - 125)	0.96	(0-11)	SW846 6010B	08/06-08/20/98	8218160
		Dilution Factor: 1					
Silver	104	(83 - 108)			SW846 6010B	08/06-08/20/98	8218160
	106	(83 - 108)	1.5	(0-10)	SW846 6010B	08/06-08/20/98	8218160
		Dilution Factor: 1					
Mercury	86	(80 - 111)			SW846 7471A	08/26/98	8238335
	89	(80 - 111)	4.0	(0-10)	SW846 7471A	08/26/98	8238335
		Dilution Factor: 1					

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

LABORATORY CONTROL SAMPLE EVALUATION REPORT

TOTAL Metals

Lot-Sample #...: D8G280161 Matrix.....: SOLID

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD	PREPARATION-ANALYSIS DATE	PREP-BATCH #
Mercury	103	(82 - 114)			SW846 7471A	08/06-08/07/98	8218276
	103	(82 - 114)	0.02	(0-10)	SW846 7471A	08/06-08/07/98	8218276
		Dilution Factor: 1					
Aluminum	103	(88 - 120)			SW846 6010B	08/10-08/21/98	8222147
	103	(88 - 120)	0.18	(0-10)	SW846 6010B	08/10-08/21/98	8222147
		Dilution Factor: 1					
Antimony	113	(82 - 113)			SW846 6010B	08/10-08/21/98	8222147
	116 N	(82 - 113)	2.6	(0-10)	SW846 6010B	08/10-08/21/98	8222147
		Dilution Factor: 1					
Arsenic	95	(88 - 108)			SW846 6010B	08/10-08/21/98	8222147
	96	(88 - 108)	0.84	(0-10)	SW846 6010B	08/10-08/21/98	8222147
		Dilution Factor: 1					
Barium	103	(85 - 112)			SW846 6010B	08/10-08/21/98	8222147
	104	(85 - 112)	0.52	(0-10)	SW846 6010B	08/10-08/21/98	8222147
		Dilution Factor: 1					
Beryllium	103	(78 - 118)			SW846 6010B	08/10-08/21/98	8222147
	104	(78 - 118)	0.89	(0-10)	SW846 6010B	08/10-08/21/98	8222147
		Dilution Factor: 1					
Cadmium	104	(80 - 120)			SW846 6010B	08/10-08/21/98	8222147
	102	(80 - 120)	1.9	(0-16)	SW846 6010B	08/10-08/21/98	8222147
		Dilution Factor: 1					
Calcium	98	(85 - 114)			SW846 6010B	08/10-08/21/98	8222147
	99	(85 - 114)	0.56	(0-10)	SW846 6010B	08/10-08/21/98	8222147
		Dilution Factor: 1					
Chromium	99	(83 - 112)			SW846 6010B	08/10-08/21/98	8222147
	100	(83 - 112)	0.70	(0-10)	SW846 6010B	08/10-08/21/98	8222147
		Dilution Factor: 1					
Cobalt	102	(80 - 116)			SW846 6010B	08/10-08/21/98	8222147
	102	(80 - 116)	0.27	(0-10)	SW846 6010B	08/10-08/21/98	8222147
		Dilution Factor: 1					

(Continued on next page)

LABORATORY CONTROL SAMPLE EVALUATION REPORT

TOTAL Metals

Lot-Sample #...: D8G280161 Matrix.....: SOLID

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD	PREPARATION-ANALYSIS DATE	PREP-BATCH #
Copper	104	(84 - 115)			SW846 6010B	08/10-08/21/98	8222147
	105	(84 - 115)	0.32	(0-10)	SW846 6010B	08/10-08/21/98	8222147
		Dilution Factor: 1					
Iron	101	(87 - 117)			SW846 6010B	08/10-08/21/98	8222147
	101	(87 - 117)	0.29	(0-10)	SW846 6010B	08/10-08/21/98	8222147
		Dilution Factor: 1					
Lead	102	(89 - 115)			SW846 6010B	08/10-08/21/98	8222147
	102	(89 - 115)	0.45	(0-10)	SW846 6010B	08/10-08/21/98	8222147
		Dilution Factor: 1					
Magnesium	106	(84 - 113)			SW846 6010B	08/10-08/21/98	8222147
	106	(84 - 113)	0.73	(0-10)	SW846 6010B	08/10-08/21/98	8222147
		Dilution Factor: 1					
Manganese	99	(84 - 114)			SW846 6010B	08/10-08/21/98	8222147
	100	(84 - 114)	0.77	(0-10)	SW846 6010B	08/10-08/21/98	8222147
		Dilution Factor: 1					
Nickel	97	(84 - 112)			SW846 6010B	08/10-08/21/98	8222147
	99	(84 - 112)	2.6	(0-10)	SW846 6010B	08/10-08/21/98	8222147
		Dilution Factor: 1					
Potassium	103	(82 - 110)			SW846 6010B	08/10-08/21/98	8222147
	103	(82 - 110)	0.16	(0-10)	SW846 6010B	08/10-08/21/98	8222147
		Dilution Factor: 1					
Selenium	92	(82 - 110)			SW846 6010B	08/10-08/21/98	8222147
	93	(82 - 110)	0.59	(0-10)	SW846 6010B	08/10-08/21/98	8222147
		Dilution Factor: 1					
Silver	99	(80 - 115)			SW846 6010B	08/10-08/21/98	8222147
	99	(80 - 115)	0.08	(0-10)	SW846 6010B	08/10-08/21/98	8222147
		Dilution Factor: 1					
Sodium	104	(85 - 117)			SW846 6010B	08/10-08/21/98	8222147
	104	(85 - 117)	0.28	(0-10)	SW846 6010B	08/10-08/21/98	8222147
		Dilution Factor: 1					

(Continued on next page)

LABORATORY CONTROL SAMPLE EVALUATION REPORT

TOTAL Metals

Lot-Sample #...: D8G280161 Matrix.....: SOLID

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD	PREPARATION-ANALYSIS DATE	PREP-BATCH #
Thallium	93	(86 - 114)			SW846 6010B	08/10-08/21/98	8222147
	93	(86 - 114)	0.65	(0-10)	SW846 6010B	08/10-08/21/98	8222147
		Dilution Factor: 1					
Vanadium	100	(85 - 116)			SW846 6010B	08/10-08/21/98	8222147
	100	(85 - 116)	0.49	(0-10)	SW846 6010B	08/10-08/21/98	8222147
		Dilution Factor: 1					
Zinc	100	(80 - 120)			SW846 6010B	08/10-08/21/98	8222147
	99	(80 - 120)	0.20	(0-10)	SW846 6010B	08/10-08/21/98	8222147
		Dilution Factor: 1					

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

N Spiked analyte recovery is outside stated control limits.

METHOD BLANK REPORT

TOTAL Metals

Client Lot #...: D8G280161 Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
MB Lot-Sample #: D8H060000-276 Prep Batch #...: 8218276						
Mercury	ND	0.033	mg/kg	SW846 7471A	08/06-08/07/98	CKDGF101
		Dilution Factor: 1				
		Analysis Time..: 11:44				
MB Lot-Sample #: D8H100000-147 Prep Batch #...: 8222147						
Aluminum	ND	10.0	mg/kg	SW846 6010B	08/10-08/21/98	CKF6W11P
		Dilution Factor: 1				
		Analysis Time..: 14:41				
Antimony	2.2	6.0	mg/kg	SW846 6010B	08/10-08/21/98	CKF6W102
		Dilution Factor: 1				
		Analysis Time..: 14:41				
Arsenic	ND	1.0	mg/kg	SW846 6010B	08/10-08/21/98	CKF6W11E
		Dilution Factor: 1				
		Analysis Time..: 15:14				
Barium	ND	1.0	mg/kg	SW846 6010B	08/10-08/21/98	CKF6W109
		Dilution Factor: 1				
		Analysis Time..: 14:41				
Beryllium	ND	0.20	mg/kg	SW846 6010B	08/10-08/21/98	CKF6W10A
		Dilution Factor: 1				
		Analysis Time..: 14:41				
Cadmium	ND	0.50	mg/kg	SW846 6010B	08/10-08/21/98	CKF6W10C
		Dilution Factor: 1				
		Analysis Time..: 14:41				
Calcium	ND	20.0	mg/kg	SW846 6010B	08/10-08/21/98	CKF6W11Q
		Dilution Factor: 1				
		Analysis Time..: 14:41				
Chromium	ND	1.0	mg/kg	SW846 6010B	08/10-08/21/98	CKF6W10E
		Dilution Factor: 1				
		Analysis Time..: 14:41				
Cobalt	ND	1.0	mg/kg	SW846 6010B	08/10-08/21/98	CKF6W10D
		Dilution Factor: 1				
		Analysis Time..: 14:41				

(Continued on next page)

METHOD BLANK REPORT

TOTAL Metals

Client Lot #...: D8G280161 Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Copper	ND	2.0	mg/kg	SW846 6010B	08/10-08/21/98	CKF6W10F
		Dilution Factor: 1				
		Analysis Time..: 14:41				
Iron	1.7 B	10.0	mg/kg	SW846 6010B	08/10-08/21/98	CKF6W11H
		Dilution Factor: 1				
		Analysis Time..: 14:41				
Lead	0.26 B	0.30	mg/kg	SW846 6010B	08/10-08/21/98	CKF6W105
		Dilution Factor: 1				
		Analysis Time..: 15:14				
Magnesium	ND	20.0	mg/kg	SW846 6010B	08/10-08/21/98	CKF6W11K
		Dilution Factor: 1				
		Analysis Time..: 14:41				
Manganese	ND	1.0	mg/kg	SW846 6010B	08/10-08/21/98	CKF6W11L
		Dilution Factor: 1				
		Analysis Time..: 14:41				
Nickel	ND	4.0	mg/kg	SW846 6010B	08/10-08/21/98	CKF6W101
		Dilution Factor: 1				
		Analysis Time..: 14:41				
Potassium	ND	500	mg/kg	SW846 6010B	08/10-08/21/98	CKF6W11J
		Dilution Factor: 1				
		Analysis Time..: 14:41				
Selenium	ND	0.50	mg/kg	SW846 6010B	08/10-08/21/98	CKF6W106
		Dilution Factor: 1				
		Analysis Time..: 15:14				
Silver	ND	1.0	mg/kg	SW846 6010B	08/10-08/21/98	CKF6W108
		Dilution Factor: 1				
		Analysis Time..: 14:41				
Sodium	ND	500	mg/kg	SW846 6010B	08/10-08/21/98	CKF6W11M
		Dilution Factor: 1				
		Analysis Time..: 14:41				
Thallium	ND	1.0	mg/kg	SW846 6010B	08/10-08/21/98	CKF6W11N
		Dilution Factor: 1				
		Analysis Time..: 15:14				
Vanadium	ND	1.0	mg/kg	SW846 6010B	08/10-08/21/98	CKF6W103
		Dilution Factor: 1				
		Analysis Time..: 14:41				

(Continued on next page)

METHOD BLANK REPORT

TOTAL Metals

Client Lot #...: D8G280161 Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Zinc	ND	1.0	mg/kg	SW846 6010B	08/10-08/21/98	CKF6W104

Dilution Factor: 1
Analysis Time..: 14:41

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

B *Estimated result. Result is less than RL.*

METHOD BLANK REPORT

TCLP Metals

Client Lot #...: D8G280161 Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
MB Lot-Sample #: D8G300000-316 Prep Batch #...: 8218160						
Leach Date.....: 07/29/98 Leach Batch #..: P821106						
Arsenic	ND	0.50	mg/L	SW846 6010B	08/06-08/20/98	CK80H103
		Dilution Factor: 1				
		Analysis Time..: 18:14				
Barium	0.030 B	10.0	mg/L	SW846 6010B	08/06-08/20/98	CK80H104
		Dilution Factor: 1				
		Analysis Time..: 18:14				
Cadmium	ND	0.10	mg/L	SW846 6010B	08/06-08/20/98	CK80H105
		Dilution Factor: 1				
		Analysis Time..: 18:14				
Chromium	0.0046 B	0.50	mg/L	SW846 6010B	08/06-08/20/98	CK80H106
		Dilution Factor: 1				
		Analysis Time..: 18:14				
Lead	ND	0.50	mg/L	SW846 6010B	08/06-08/20/98	CK80H107
		Dilution Factor: 1				
		Analysis Time..: 18:14				
Selenium	ND	0.25	mg/L	SW846 6010B	08/06-08/20/98	CK80H108
		Dilution Factor: 1				
		Analysis Time..: 18:14				
Silver	ND	0.50	mg/L	SW846 6010B	08/06-08/20/98	CK80H109
		Dilution Factor: 1				
		Analysis Time..: 18:14				

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

B Estimated result. Result is less than RL.

METHOD BLANK REPORT

TCLP Metals

Client Lot #...: D8G280161 Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
MB Lot-Sample #: D8H260000-335 Prep Batch #...: 8238335						
Mercury	ND	0.00020	mg/L	SW846 7471A	08/26/98	CL0KD101
		Dilution Factor: 1				
		Analysis Time..: 13:54				

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #...: D8G280161 Matrix.....: SOLID
Date Sampled...: 08/04/98 15:15 Date Received..: 08/05/98

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
MS Lot-Sample #: D8H050140-002 Prep Batch #...: 8222147							
Aluminum	NC	(88 - 120)			SW846 6010B	08/10-08/21/98	CKC8A12D
	NC	(88 - 120)		(0-10)	SW846 6010B	08/10-08/21/98	CKC8A12E
		Dilution Factor: 1					
		Analysis Time..: 16:25					
Antimony	84	(82 - 113)			SW846 6010B	08/10-08/21/98	CKC8A10R
	72 N,*	(82 - 113)	15	(0-10)	SW846 6010B	08/10-08/21/98	CKC8A10T
		Dilution Factor: 1					
		Analysis Time..: 16:25					
Arsenic	86 N	(88 - 108)			SW846 6010B	08/10-08/21/98	CKC8A11N
	87 N	(88 - 108)	0.92	(0-10)	SW846 6010B	08/10-08/21/98	CKC8A11P
		Dilution Factor: 1					
		Analysis Time..: 17:06					
Barium	103	(85 - 112)			SW846 6010B	08/10-08/21/98	CKC8A118
	102	(85 - 112)	0.82	(0-10)	SW846 6010B	08/10-08/21/98	CKC8A119
		Dilution Factor: 1					
		Analysis Time..: 16:25					
Beryllium	100	(78 - 118)			SW846 6010B	08/10-08/21/98	CKC8A11A
	98	(78 - 118)	1.2	(0-10)	SW846 6010B	08/10-08/21/98	CKC8A11C
		Dilution Factor: 1					
		Analysis Time..: 16:25					
Cadmium	95	(80 - 120)			SW846 6010B	08/10-08/21/98	CKC8A11D
	98	(80 - 120)	2.9	(0-16)	SW846 6010B	08/10-08/21/98	CKC8A11E
		Dilution Factor: 1					
		Analysis Time..: 16:25					
Calcium	95	(85 - 114)			SW846 6010B	08/10-08/21/98	CKC8A12G
	92	(85 - 114)	1.9	(0-10)	SW846 6010B	08/10-08/21/98	CKC8A12H
		Dilution Factor: 1					
		Analysis Time..: 16:25					
Chromium	114 N	(83 - 112)			SW846 6010B	08/10-08/21/98	CKC8A11H
	111	(83 - 112)	2.0	(0-10)	SW846 6010B	08/10-08/21/98	CKC8A11J
		Dilution Factor: 1					
		Analysis Time..: 16:25					
Cobalt	96	(80 - 116)			SW846 6010B	08/10-08/21/98	CKC8A11F
	95	(80 - 116)	0.89	(0-10)	SW846 6010B	08/10-08/21/98	CKC8A11G
		Dilution Factor: 1					
		Analysis Time..: 16:25					

(Continued on next page)

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #...: D8G280161 Matrix.....: SOLID
Date Sampled...: 08/04/98 15:15 Date Received..: 08/05/98

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Copper	105	(84 - 115)			SW846 6010B	08/10-08/21/98	CKC8A11K
	103	(84 - 115)	1.6	(0-10)	SW846 6010B	08/10-08/21/98	CKC8A11L
		Dilution Factor: 1					
		Analysis Time..: 16:25					
Iron	NC	(87 - 117)			SW846 6010B	08/10-08/21/98	CKC8A11R
	NC	(87 - 117)		(0-10)	SW846 6010B	08/10-08/21/98	CKC8A11T
		Dilution Factor: 1					
		Analysis Time..: 16:25					
Lead	102	(89 - 115)			SW846 6010B	08/10-08/21/98	CKC8A110
	99	(89 - 115)	2.4	(0-10)	SW846 6010B	08/10-08/21/98	CKC8A111
		Dilution Factor: 1					
		Analysis Time..: 17:06					
Magnesium	117 N	(84 - 113)			SW846 6010B	08/10-08/21/98	CKC8A120
	115 N	(84 - 113)	1.4	(0-10)	SW846 6010B	08/10-08/21/98	CKC8A121
		Dilution Factor: 1					
		Analysis Time..: 16:25					
Manganese	102	(84 - 114)			SW846 6010B	08/10-08/21/98	CKC8A123
	112	(84 - 114)	3.1	(0-10)	SW846 6010B	08/10-08/21/98	CKC8A124
		Dilution Factor: 1					
		Analysis Time..: 16:25					
Nickel	95	(84 - 112)			SW846 6010B	08/10-08/21/98	CKC8A10P
	92	(84 - 112)	2.2	(0-10)	SW846 6010B	08/10-08/21/98	CKC8A10Q
		Dilution Factor: 1					
		Analysis Time..: 16:25					
Potassium	121 N	(82 - 110)			SW846 6010B	08/10-08/21/98	CKC8A11V
	120 N	(82 - 110)	0.32	(0-10)	SW846 6010B	08/10-08/21/98	CKC8A11W
		Dilution Factor: 1					
		Analysis Time..: 16:25					
Selenium	82	(82 - 110)			SW846 6010B	08/10-08/21/98	CKC8A112
	82	(82 - 110)	0.40	(0-10)	SW846 6010B	08/10-08/21/98	CKC8A113
		Dilution Factor: 1					
		Analysis Time..: 17:06					
Silver	93	(80 - 115)			SW846 6010B	08/10-08/21/98	CKC8A116
	91	(80 - 115)	2.4	(0-10)	SW846 6010B	08/10-08/21/98	CKC8A117
		Dilution Factor: 1					
		Analysis Time..: 16:25					

(Continued on next page)

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #...: D8G280161 Matrix.....: SOLID
Date Sampled...: 08/04/98 15:15 Date Received..: 08/05/98

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Sodium	98	(85 - 117)			SW846 6010B	08/10-08/21/98	CKC8A126
	97	(85 - 117)	0.43	(0-10)	SW846 6010B	08/10-08/21/98	CKC8A127
		Dilution Factor: 1					
		Analysis Time..: 16:25					
Thallium	82 N	(86 - 114)			SW846 6010B	08/10-08/21/98	CKC8A129
	82 N	(86 - 114)	0.14	(0-10)	SW846 6010B	08/10-08/21/98	CKC8A12A
		Dilution Factor: 1					
		Analysis Time..: 17:06					
Vanadium	113	(85 - 116)			SW846 6010B	08/10-08/21/98	CKC8A10U
	109	(85 - 116)	2.3	(0-10)	SW846 6010B	08/10-08/21/98	CKC8A10V
		Dilution Factor: 1					
		Analysis Time..: 16:25					
Zinc	110	(80 - 120)			SW846 6010B	08/10-08/21/98	CKC8A10W
	103	(80 - 120)	4.3	(0-10)	SW846 6010B	08/10-08/21/98	CKC8A10X
		Dilution Factor: 1					
		Analysis Time..: 16:25					

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

N Spiked analyte recovery is outside stated control limits.

* Relative percent difference (RPD) is outside stated control limits.

Results and reporting limits have been adjusted for dry weight.

NC The recovery and/or RPD were not calculated.

MATRIX SPIKE SAMPLE EVALUATION REPORT

TCLP Metals

Client Lot #...: D8G280161 Matrix.....: SOLID
Date Sampled...: 07/22/98 15:47 Date Received..: 07/28/98

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
MS Lot-Sample #: D8G280161-001 Prep Batch #...: 8218160							
Leach Date.....: 07/29/98 Leach Batch #..: P821106							
Arsenic	109	(80 - 116)			SW846 6010B	08/06-08/20/98	CK5V110E
	107	(80 - 116)	1.7	(0-10)	SW846 6010B	08/06-08/20/98	CK5V110F
		Dilution Factor: 1					
		Analysis Time..: 18:53					
Barium	104	(83 - 111)			SW846 6010B	08/06-08/20/98	CK5V110J
	103	(83 - 111)	1.4	(0-10)	SW846 6010B	08/06-08/20/98	CK5V110K
		Dilution Factor: 1					
		Analysis Time..: 18:53					
Cadmium	104	(82 - 110)			SW846 6010B	08/06-08/20/98	CK5V110L
	105	(82 - 110)	0.82	(0-10)	SW846 6010B	08/06-08/20/98	CK5V110M
		Dilution Factor: 1					
		Analysis Time..: 18:53					
Chromium	104	(80 - 120)			SW846 6010B	08/06-08/20/98	CK5V110N
	102	(80 - 120)	1.6	(0-10)	SW846 6010B	08/06-08/20/98	CK5V110P
		Dilution Factor: 1					
		Analysis Time..: 18:53					
Lead	105	(82 - 114)			SW846 6010B	08/06-08/20/98	CK5V110Q
	103	(82 - 114)	1.7	(0-10)	SW846 6010B	08/06-08/20/98	CK5V110R
		Dilution Factor: 1					
		Analysis Time..: 18:53					
Selenium	111	(85 - 125)			SW846 6010B	08/06-08/20/98	CK5V110T
	109	(85 - 125)	2.3	(0-11)	SW846 6010B	08/06-08/20/98	CK5V110U
		Dilution Factor: 1					
		Analysis Time..: 18:53					
Silver	100	(83 - 108)			SW846 6010B	08/06-08/20/98	CK5V110V
	102	(83 - 108)	1.5	(0-10)	SW846 6010B	08/06-08/20/98	CK5V110W
		Dilution Factor: 1					
		Analysis Time..: 18:53					
MS Lot-Sample #: D8G280161-001 Prep Batch #...: 8238335							
Leach Date.....: 07/29/98 Leach Batch #..: P821106							
Mercury	97	(80 - 111)			SW846 7471A	08/26/98	CK5V110X
	94	(80 - 111)	3.7	(0-10)	SW846 7471A	08/26/98	CK5V1110
		Dilution Factor: 1					
		Analysis Time..: 13:54					

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

MATRIX SPIKE SAMPLE DATA REPORT

TOTAL Metals

Client Lot #...: D8G280161 Matrix.....: SOLID
Date Sampled...: 07/22/98 15:47 Date Received..: 07/28/98

PARAMETER	SAMPLE AMOUNT	SPIKE AMT	MEASURED AMOUNT		UNITS	PERCNT RECVRY	RPD	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
MS Lot-Sample #: D8G280161-004 Prep Batch #...: 8218276										
Mercury										
	0.74	0.477	1.47	N	mg/kg	153		SW846 7471A	08/06-08/07/98	CK7FX10R
	0.74	0.477	1.11	N,*	mg/kg	78	27	SW846 7471A	08/06-08/07/98	CK7FX10T

Dilution Factor: 10
Analysis Time..: 19:42

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

N Spiked analyte recovery is outside stated control limits.

* Relative percent difference (RPD) is outside stated control limits.

Results and reporting limits have been adjusted for dry weight.

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #...: D8G280161 Matrix.....: SOLID
Date Sampled...: 07/22/98 15:47 Date Received..: 07/28/98

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
MS Lot-Sample #: D8G280161-004 Prep Batch #...: 8218276							
Mercury	153 N	(82 - 114)			SW846 7471A	08/06-08/07/98	CK7FX10R
	78 N,*	(82 - 114)	27	(0-10)	SW846 7471A	08/06-08/07/98	CK7FX10T

Dilution Factor: 10
Analysis Time..: 19:42

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

N Spiked analyte recovery is outside stated control limits.

* Relative percent difference (RPD) is outside stated control limits.

Results and reporting limits have been adjusted for dry weight.

D8G280161

UOS URS Operating Services, Inc.
1099 18th Street, Suite 710, Denver, CO 80202

SHIP TO:

CHAIN OF CUSTODY RECORD

PROJECT NO/NAME: VASQUEZ BLVD / I-70

SITE MANAGER: M. RUDOLF

SAMPLERS SIGNATURE:

STATION NO.	DATE	TIME	COMP.	GRAB	STATION LOCATION	Number of Containers	TCLP (ORGANIC INORGANIC)	TOTAL METALS				REMARKS
01, 04ICP	7/22/98	[illegible]	✓	GRAB	C4536ST TCLP	1	✓	✓				ND00 4042
02, 05ICP	7/22/98	1052	✓	GRAB	C4940ST TCLP	1	✓	✓				ND00 4053
03, 06ICP	7/24/98	1232	✓	GRAB	C4690CY TCLP	1	✓	✓				ND00 4130

RELINQUISHED BY: (Signature)	DATE	TIME	RECEIVED BY: (Signature)	RELINQUISHED BY: (Signature)	DATE	TIME	RECEIVED BY: (Signature)
[signature]	7/28/98	1130	[signature]				
RELINQUISHED BY: (Signature)	DATE	TIME	RECEIVED BY: (Signature)	RELINQUISHED BY: (Signature)	DATE	TIME	RECEIVED BY: (Signature)
[signature]	7/28/98	1330	ZOOM				
RELINQUISHED BY: (Signature)	DATE	TIME	RECEIVED FOR LABORATORY BY: (Signature)	DATE	TIME	REMARKS: AIRBILL NUMBER:	
			[signature]	7-28-98	1530		

71-50906.00
RSTART\Forms\Custody.Fm.bas

White - Original to Accompany Samples Yellow - UOS Main Office Pink - UOS Field Office DN 4146

A 58

SAMPLE CHECKLIST

Revision Date: 6/26/98
Page: 12 of 24

Lot #: D8G280161 Date/Time Received: 7-28-98 @ 1530

Company Name & Sampling Site: URS

*Cooler #(s): 1

Temperatures: 24.1

Unpacking & Labeling Check Points:

N/A	Yes	No		
	☑	☐	1. Radiation checked, record if reading > 0.5 mR/hr. (mR/hr)	
	☑	☐	2. Cooler seals intact.	
	☑	☐	3. Chain of custody present.	
	☐	☑	4. Bottles broken and/or are leaking, comment if yes.	
			PHOTOGRAPH BROKEN BOTTLES	
	☑	☐	5. Containers labeled, comment if no.	
	☐	☑	6. pH of all samples checked and meet requirements, note exceptions.	
	☑	☐	7. Chain of custody includes "received by" and "relinquished" by signatures, dates, and times.	
	☑	☐	8. Receipt date(s) > 48 hours past the collection date(s)? If yes, notify PA/PM.	
	☑	☐	9. Chain of custody agrees with bottle count, comment if no.	
	☑	☐	10. Chain of custody agrees with labels, comment if no.	
☑	☐	☐	11. VOA samples filled completely, comment if no.	
☑	☐	☐	12. VOA bottles preserved, check for labels.	
	☐	☑	13. Did samples require preservation with sodium thiosulfate?	
☑	☐	☐	14. If yes to #12, did the samples contain residual chlorine?	
☑	☐	☐	15. Sediment present in "D," dissolved, bottles.	
	☐	☑	16. Are analyses with short holding times requested?	
☑	☐	☐	17. Is extra sample volume provided for MS, MSD or matrix duplicates?	
	☐	☑	18. Multiphase samples present? If yes, comment below.	
	☐	☑	19. Any subsampling for volatiles? If yes, list samples.	
			PHOTOGRAPH MULTIPHASE SAMPLES	
☑	☐	☐	20. Clear picture taken, labeled, and stapled to project folder.	
☑	☐	☐	21. Subcontract COC signed and sent with samples to bottle prep?	
	☑	☐	22. Was sample labeling double checked?	

Comments: Include action taken to resolve discrepancies/problems. Include a hard copy of e-mail or use extra paper if more space is needed. Samples sampled 7-22 - 7-24
Poly bottles and headspace

Initials:

FAX TRANSMITTAL	# Pages 1 of 1	
To: Randy Perlis	From Ellen La Riviere	
Co.:URS Operating Services	Quanterra Denver	
Fax #: (303)291-8296	Phone: (303)421-6611	Fax: (303)431-7171

Quanterra
Environmental Services

CONFIRMATION OF COMMUNICATION

Pursuant to our conversation today, the following is Quanterra's understanding of your instructions. We believe this ☐ is ☒ is not a contract change. An estimate of the schedule and cost impact (if any) will follow, so that change order negotiations may begin, if necessary. Meanwhile, Quanterra ☒ will ☐ will not perform according to the revised instructions, unless you instruct otherwise.

Client Name: URS Operating Services, Inc.	Program Name/LIMS Number: 25025
Quanterra Project Number: D8G280161	Contact at Laboratory: Ellen La Riviere
Date of Request: July 29, 1998	Contract/Order Number: PO# OS-98-P-5240
Date Change Order Submitted to Client: July 29, 1998	Authorized Client Representative: Randy Perlis

TYPE OF CHANGE:	DESCRIPTION OF MODIFICATION/CHANGE/DISCREPANCY/NOTIFICATION:
☐ Method ☐ Sample Delivery Schedule ☐ SDA Criteria ☐ Matrix ☐ QC Change ☒ Bottles Received ☐ Deliverable ☐ C of C Discrepancies ☐ PROGRAM CHANGE ☒ PROJECT CHANGE ONLY	Samples logged in under Quanterra lot # D8G280161 were received at room temperature in plastic jars with headspace. The client was contacted on July 29, 1998 and approved the laboratory to proceed with the analyses.

Date change is to be implemented: July 29, 1998	
APPROVED BY: CLIENT REP:	QUANTERRA REP: Ellen LaRiviere

Follow-up required:	☐ N/A
☒ Yes, Describe: Please sign and return copy of this confirmation of communication.	