Contract No. 68-01-7367

EPA

U.S. ENVIRONMENTAL PROTECTION AGENCY

84908

SPECTRUM PRINTING

REMOVAL ACTIONS

COVINGTON, NEWTON COUNTY, GEORGIA

Region IV

ROY F. WESTON, INC.
Spill Prevention & Emergency Response Division
In Association with ICF Technology Inc., C.C. Johnson & Malhotra, P.C., Resource Applications, Inc., Geo/Resource Consultants, Inc., and Environmental Toxicology International, Inc.

WESTON
DESIGNERS CONSULTANTS

Contract No. 68-01-7367

EPA

U.S. ENVIRONMENTAL PROTECTION AGENCY

SPECTRUM PRINTING

REMOVAL ACTIONS

COVINGTON, NEWTON COUNTY, GEORGIA

TO: Bill Klutz, OSC
EPA, Region IV

FROM: Teri Wynn
TAT, Region IV

TECHNICAL DIRECTION DOCUMENT
TDD #04-8810-26-2026
#04-8810-26a-2213
TAT #04-F-03026

DATE: 05 May 1989

News Articles

APPENDIX D

TECHNICAL ASSISTANCE TEAM
Roy F. Weston, Inc./Major Programs Division
100 Atlanta Technology Center, Suite 120
1575 Northside Drive
Atlanta, Georgia 30318

TABLE OF CONTENTS

I. INTRODUCTION

II. SITUATION

III. SUMMARY

IV. REMOVAL ACTIONS

V. ROSTER OF AGENCIES, ORGANIZATIONS & INDIVIDUALS

VI. LIST OF FIGURES AND APPENDICES

Figure 1 - General Site Location Map

Figure 2 - Area Site Location Map

Figure 3 - Site Diagram

Appendix A - Photographs

Appendix B - TAT Sampling Activities Report

1.) Table I - Sample Descriptions

Appendix C - TAT Sampling Plan Report

Appendix D - Compatibility Analyses Report

Appendix E - Chain-of-Custody Forms

Appendix F - Log Notes

Appendix G - Site Safety Plan

Appendix H - Drum Log

I. INTRODUCTION

On-scene coordinator (OSC) Bill Klutz tasked the Roy F. Weston Technical Assistance Team (TAT) under Technical Direction Document (TDD) #04-8810-26 to assist in on-scene contractor monitoring at the Spectrum Printing Site in Covington, Newton County, Georgia (Figures 1 & 2 - Site Maps).

II. SITUATION

The Spectrum Printing site is located in the Covington, Georgia commercial district at 4132 U.S. Highway 278. From January 1987 to May 1987 Spectrum Printing operated a printing company at this location. Spectrum Printing owner, Ralph Preddy, filed for bankruptcy in May of 1987. The property is now in the trusteeship of the Law Firm of Richard Ellenberg of Atlanta.

According to a 1987 Site Investigation Report, approximately 260 drums of waste were essentially abandoned with no plan in place for disposal. The drums were stockpiled on a paved area behind a medium sized industrial building (Figure 3 - Site Diagram). A public road is contiguous to the paved area. Open drums containing printing process and waste materials were observable and accessible from the road (Attachment A - Photographs). During the site investigation, five composite samples of drummed and spilled material from the site were collected and analyzed. Analyses showed low level heavy metal contamination as well as xylene, toluene, and benzene.

APPENDIX F
Polreps

III. **SUMMARY**

Between the dates of 28 and 29 September 1988, Region IV TAT members Teri Wynn, Christi Ulmer, and Karen Jarrett-Gill mobilized to the facility formerly operated by Spectrum Printing Company, Inc. in Covington. The TAT members met with the trustees contractor, Haztech. Steve Holt representing Haztech was queried about the operations that were to take place on site. Mr. Holt replied that during this initial phase, the drums would be numbered and staged (Photos #3, 13, & 16 - 22). The drums would then be opened for sampling (Photos #25 - 32). Finally, the general appearance and characteristics would be noted on drum logs (Attachment F - Drum Logs). Compatibility of the waste for possible bulking would be evaluated. Mr. Holt also replied that during subsequent removal phases, the drums would be crushed and eventually dumped in a roll-off for disposal. Also, contaminated soils and residuals underneath the drums would be excavated and disposed. Haztech was unsure of actions to be taken relative to the drums stored inside of the building, but a backhoe with an articulating arm-attachment could be used to move the drums to the staging area during the actual removal process.

Approximately 2 to 3 weeks after the sampling investigation on 28 - 29 September, the sample analysis were received by Haztech and a copy of the analysis forwarded to TAT. Analyses revealed compatibility of the various waste materials (Attachment D - Compatibility Analyses Report).

On 8 November 1988, Cindy Love of Haztech contacted OSC Klutz to inform him of the initiation of actual removal actions tentatively scheduled for March 1989. Ms. Love also informed OSC Klutz that the Georgia Environmental Protection Division (EPD) had been notified of this schedule and had made plans to be on-site during the removal

General Location Map

Figure 1

Haztech's original plans for waste disposal was to bulk two waste streams, inorganic material and organic material. The inorganic material was to be solidified and sent to an Industrial Waste Landfill in Live Oak, Georgia. The organic material was to be incinerated. On 22 November, OSC Klutz informed TAT that a meeting to discuss disposal of the wastes at the Spectrum Printing site would be taking place at the EPA offices in Atlanta. He explained that some components of the wastes were found to be hazardous, and landfilling would not be a viable consideration. Such wastes were designated as F003-F005 RCRA wastes and were considered "land ban wastes".

Following the clarification of disposal criteria, Haztech notified the TAT office through OSC Klutz as to a revised time schedule as follows:

1) On 12/22/88 the 1000 gallon above ground storage tank (vat) was to be pulled;
2) The analytical data from the sampling that took place on 28 and 29 September 1988, was invalid as hazardous categorization for landfilling was performed and this disposal option will not be utilized;

3) According to Cindy Love and Gary Rogers of Haztech, Haztech will be the site supervisors and will inform TAT of the definitive dates and times of removal actions;
4) The removal and disposal was estimated between $12,000.00 and $115,000.00 with Haztech possibly subcontracting incinerator services to ThermoKem;
5) A representative of the Georgia EPD will probably be on-site.

Doug Snyder of Westinghouse Haztech subsequently contacted TAT member Wynn as to the initiation of removal activities beginning 6 March 1989 at the Spectrum Printing site in Covington. Mr. Snyder also indicated a time frame of seven to ten days for completion of removal actions. Waste streams consisting of water, inks, isopropyl alcohol, adhesives, and contaminated dirts and sludges were to be combined in drums. He stated that the Tricel Company, a fuel blending facility located in Florida, had been contacted relative to disposal. Mr. Snyder contacted OSC Klutz for permission to begin removal actions. On 19 January 1989, approval was obtained from the OSC and the GA EPD to begin removal actions and transport wastes to Tricel in Bartow, Florida for disposal.

IV. **REMOVAL ACTIONS**

On 6 March, TAT was task by OSC Klutz to perform contractor monitoring of the responsible party cleanup action at the Spectrum Printing site. Upon arrival, one security guard and five Haztech personnel including the site supervisor, Doug

Snyder, were present. Mr. Snyder told TAT that an explosimeter and an HNu would be used to monitor the staging area and the drums before any activity took place. Mr. Snyder also explained to TAT that the original site safety plan had been modified for additional actions and/or changes in the initial scope of work.

A command post area was selected inside the empty warehouse where an office for Spectrum Printing had been previously established. Materials and equipment for decon, replacement drums and overpacks were placed inside the warehouse for set-up on the following day. A fork-lift was mobilized to the site for drum handling purposes to facilitate the movement of both empty and full drums to designated areas. A backhoe with an articulating arm was also mobed to the site for handling of drums.

Following set-up of the decon area, the HNu and explosimeter were checked to ensure proper calibration. A Haztech crew dressed in "Level C" to prevent accidental spillage of wastes onto clothing and/or skin and to prevent inhalation of vapors, entered the drum staging area. All drums were opened and the head space monitored for emission of volatile organic components. A total of three drums eluded readings in excess of 100 units. These drums were subsequently labeled and segregated. No further readings above background were observed (Attachment B - TAT Sampling Activities Report).

Actions aimed at product transfer were initiated from drums which were observed to be damaged and/or rusted. Contents were removed using a diaphragm pump or physically emptied into replacement

drums. A total of two hundred and fifty two drums were emptied into replacement drums. Haztech combined wastes as much as possible; however, most of the drums were already full.

After all wastes were combined and sealed in the drums, a 1000 gallon storage tank was emptied. A 1/4 inch hose was attached to a connection on the bottom of the tank to allow the weight of the thick, dark, viscous material to force itself down through the hose into individual disposal drums.

Upon completion of drum overpacking and staging, Haztech began transporting waste materials in drums to the Tricel fuel blending facility in Bartow, Florida. All of the waste being transported were manifested in accordance with DOT specifications. Two truckloads of drums (a total of 191) were transported from the Spectrum Printing Site in Covington, Georgia to the Tricel facility on 27 - 28 March. Tricel accepted 70 of the drums and rejected 121 drums as they contained solid materials such as boards. The Tricel facility was unable to process such wastes. Subsequently, all of the waste was diverted to the Rineco Facility in Benton, Arkansas on 30 March. The Rineco Facility was also a fuel blending facility which could accept both solid and liquid waste streams. Of the 121 drums going to Rineco, 96 drums were on one truckload and 25 were sent as a partial load. In addition, 73 drums were transported from Covington, Georgia directly to the Rineco Facility in Benton, Arkansas.

The 252 empty drums remaining following transfer operations were sent to MKC, a drum and solvent reclaimer. Twenty-three drums

containing tyvek and visqueen used in the removal process were forwarded to the BFI landfill for subsequent disposal. Ten empty drums used for deconning purposes were sent to McConnel Company, also a drum reclaimer. All site activities were completed by mid-April; however, during a follow-up inspection by Haztech, five additional drums were found containing waste materials. Haztech subsequently sent a partial load of five drums to the Rineco Facility.

V. ROSTER OF AGENCIES, ORGANIZATION, AND INDIVIDUALS

Bill Klutz, OSC
U. S. Environmental Protection Agency
345 Courtland Street
Atlanta, Georgia 30365
404/347-3931

Teri Wynn, TAT
Christi Ulmer, TAT
Karen Jarrett-Gill, TAT
Roy F. Weston, Inc./Major Program Division
100 Atlanta Technology Center, Suite 120
1575 Northside Drive
Atlanta, Georgia 30318
404/352-4147

Sampling

Steve Holt, Operations
Cindy Love
Joe Ethridge
John Wood
Eric Bruce
Haztech
5280 Panola Industrial Blvd.
Decatur, Georgia 30035-4013
404/981-9332

Doug Snyder, Sight Supervisor
John Peake
Horace Hardy
Charles Walden
James Lee
Marlon Perry
Haztech
5280 Panola Industrial Blvd.
Decatur, Georgia 30035-4013
404/981-9332

VI. LIST OF FIGURES AND APPENDICES

FIGURE 1

General Site Location Map



E.P.A. Region IV
General Site Location Map
TDD # 04861026A-2213
Spectrum Printing Site
Covington, Newton County, Georgia

EPA

FIGURE 2

Area Site Location Map



Spectrum Printing Site
Covington, Newton County, Georgia

FIGURE 3

Site Diagram



TITLE: Spectrum Printing Site
LOCATION: Covington, Newton County, Georgia
DATE: September 28 and 29, 1988
TDD: #04881026A-2213

APPENDIX A

Photographs

POOR LEGIBILITY

PORTIONS OF THIS DOCUMENT MAY BE UNREADABLE, DUE TO THE QUALITY OF THE ORIGINAL

PHOTO# 1
OFFICIAL PHOTOGRAPH
ENVIRONMENTAL PROTECTION AGENCY

Subject: Northwest view of Spectrum Printing off Old Atlanta Highway.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 0855

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 88809-14-1779 Atlanta TAT Office

PHOTO# 2
OFFICIAL PHOTOGRAPH
ENVIRONMENTAL PROTECTION AGENCY

Subject: Southeast view of Spectrum Printing where drums were staged on the side of the building.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 0855

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office

PHOTO# 3
OFFICIAL PHOTOGRAPH
ENVIRONMENTAL PROTECTION AGENCY

Subject: Drums were placed on pallets during staging.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 0855

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office

PHOTO# 4
OFFICIAL PHOTOGRAPH
ENVIRONMENTAL PROTECTION AGENCY

Subject: Inside view of the warehouse.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 0900

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office

PHOTO# 5
OFFICIAL PHOTOGRAPH
ENVIRONMENTAL PROTECTION AGENCY

Subject: Inside view of warehouse.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 0910

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office

PHOTO# 6
OFFICIAL PHOTOGRAPH
ENVIRONMENTAL PROTECTION AGENCY

Subject: Office area inside of warehouse.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 0912

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office

PHOTO# 7
OFFICIAL PHOTOGRAPH
ENVIRONMENTAL PROTECTION AGENCY

Subject: Water-spill in office area.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 0912

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office



PHOTO# 8
OFFICIAL PHOTOGRAPH
ENVIRONMENTAL PROTECTION AGENCY

Subject: Pipes hanging from ceiling of building.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 0914

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office

PHOTO# 9
OFFICIAL PHOTOGRAPH
ENVIRONMENTAL PROTECTION AGENCY

Subject: Spill ink and/or dye.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 0915

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office



PHOTO# 10
OFFICIAL PHOTOGRAPH
ENVIRONMENTAL PROTECTION AGENCY

Subject: Ceiling view of pipes tied off at the end.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 0915

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office



PHOTO# 11
OFFICIAL PHOTOGRAPH
ENVIRONMENTAL PROTECTION AGENCY

Subject: Spilled ink and/or dye on floor of warehouse.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 0916
Photographer: Wynn **Witness:** Ulmer
Film: Kodak **ASA:** 100 **Location of Negative:**
TDD#: 8809-14-1779 Atlanta TAT Office

PHOTO# 12
OFFICIAL PHOTOGRAPH
ENVIRONMENTAL PROTECTION AGENCY

Subject: Waste drum containing rags, inks and/or dyes.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 0916
Photographer: Wynn **Witness:** Ulmer
Film: Kodak **ASA:** 100 **Location of Negative:**
TDD#: 8809-14-1779 Atlanta TAT Office

PHOTO# 13

OFFICIAL PHOTOGRAPH

ENVIRONMENTAL PROTECTION AGENCY

Subject: The forklift enters building to continue initial staging of drums.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 0918

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office

PHOTO# 14

OFFICIAL PHOTOGRAPH

ENVIRONMENTAL PROTECTION AGENCY

Subject: Tire tracks on the floor of building floor heavily deposited with dirt, inks and dyes.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 0918

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office



PHOTO# 15
OFFICIAL PHOTOGRAPH
ENVIRONMENTAL PROTECTION AGENCY

Subject: Haztech contractor trying to open roll-up door which was blocked by drums on the opposite side.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 0920
Photographer: Wynn **Witness:** Ulmer
Film: Kodak **ASA:** 100 **Location of Negative:**
TDD#: 8809-14-1779 Atlanta TAT Office

PHOTO# 16
OFFICIAL PHOTOGRAPH
ENVIRONMENTAL PROTECTION AGENCY

Subject: Haztech contractor using forklift to carry 5 gallon drums to staging area.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 0920
Photographer: Wynn **Witness:** Ulmer
Film: Kodak **ASA:** 100 **Location of Negative:**
TDD#: 8809-14-1779 Atlanta TAT Office

PHOTO# 17

OFFICIAL PHOTOGRAPH

ENVIRONMENTAL PROTECTION AGENCY

Subject: Haztech contractor on forklift moving 5 gallon drums to staging area.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 0925

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office

PHOTO# 18

OFFICIAL PHOTOGRAPH

ENVIRONMENTAL PROTECTION AGENCY

Subject: Haztech contractor placing 50 gallon drums in staging area in front of discarded equipment.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 0925

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office



PHOTO# 19
OFFICIAL PHOTOGRAPH
ENVIRONMENTAL PROTECTION AGENCY

Subject: Forklift operator placing 55-gallon drum onto pallet.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 0928

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office

PHOTO# 20
OFFICIAL PHOTOGRAPH
ENVIRONMENTAL PROTECTION AGENCY

Subject: Contractor setting up decontamination area.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 0930

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office



PHOTO# 21
OFFICIAL PHOTOGRAPH
ENVIRONMENTAL PROTECTION AGENCY

Subject: Contractor begins numbering and categorization of drums.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 1005

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office

PHOTO# 22
OFFICIAL PHOTOGRAPH
ENVIRONMENTAL PROTECTION AGENCY

Subject: Numbering of drums by Haztech contractor.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 1015

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office

PHOTO# 23
OFFICIAL PHOTOGRAPH
ENVIRONMENTAL PROTECTION AGENCY

Subject: Contractor proceeding dressing in "Level C" to sample drums.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 1045

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office



PHOTO# 24
OFFICIAL PHOTOGRAPH
ENVIRONMENTAL PROTECTION AGENCY

Subject: Contractors observing drums while the characterization continues.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 1050

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office

PHOTO# 25
OFFICIAL PHOTOGRAPH
ENVIRONMENTAL PROTECTION AGENCY

Subject: Contractor prepares to sample drums.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 1120

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office

PHOTO# 26
OFFICIAL PHOTOGRAPH
ENVIRONMENTAL PROTECTION AGENCY

Subject: Contractor placing sample in jar.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 1128

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office



PHOTO# 27
OFFICIAL PHOTOGRAPH
ENVIRONMENTAL PROTECTION AGENCY

Subject: Haztech contractor takes sample via drum thief tube and places in sample jar.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 1129

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office

PHOTO# 28
OFFICIAL PHOTOGRAPH
ENVIRONMENTAL PROTECTION AGENCY

Subject: Haztech contractors taking samples from drums one (1) through forty-eight (48) via drum thief tubes.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 1135

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office

PHOTO# 29

OFFICIAL PHOTOGRAPH

ENVIRONMENTAL PROTECTION AGENCY

Subject: Haztech contractor placing sample into jar.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 1120

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office

PHOTO# 30

OFFICIAL PHOTOGRAPH

ENVIRONMENTAL PROTECTION AGENCY

Subject: Contractor requesting additional drum thief tubes while sample is being taken and placed into jars.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 1440

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office

PHOTO# 31
OFFICIAL PHOTOGRAPH
ENVIRONMENTAL PROTECTION AGENCY

Subject: Contractor continue to sample drum's contents.

Location: Covington, Newton County, Georgia

Date: 28 September 1988 **Time:** 1445

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office

PHOTO# 32
OFFICIAL PHOTOGRAPH
ENVIRONMENTAL PROTECTION AGENCY

Subject: Contractor characterizes drum's contents as a sample is placed into sample jars.

Location: Covington, Newton County, Georgia

Date: 29 September 1988 **Time:** 1450

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office



PHOTO# 33

OFFICIAL PHOTOGRAPH

ENVIRONMENTAL PROTECTION AGENCY

Subject: Haztech contractors covering drums with plastic sheeting after sampling has been completed.

Location: Covington, Newton County, Georgia

Date: 29 September 1988 **Time:** 1430

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office

PHOTO# 34

OFFICIAL PHOTOGRAPH

ENVIRONMENTAL PROTECTION AGENCY

Subject: All drums have been covered. The pallets were used to keep sheeting from blowing off the drums.

Location: Covington, Newton County, Georgia

Date: 29 September 1988 **Time:** 1435

Photographer: Wynn **Witness:** Ulmer

Film: Kodak **ASA:** 100 **Location of Negative:**

TDD#: 8809-14-1779 Atlanta TAT Office

APPENDIX B

TAT Sampling Activities Report

1.) Table I - Sample Descriptions

SPECTRUM PRINTING

SAMPLING ACTIVITIES

COVINGTON, NEWTON COUNTY, GEORGIA

TO: Bill Klutz, OSC
EPA, Region IV

FROM: Teri Wynn
TAT, Region IV

TECHNICAL DIRECTION DOCUMENT
TDD #04-8810-26-2026
#04-8810-26a-2213
TAT #04-F-03026

DATE: 05 May 1989

TECHNICAL ASSISTANCE TEAM
Roy F. Weston, Inc./Major Programs Division
100 Atlanta Technology Center, Suite 120
1575 Northside Drive
Atlanta, Georgia 30318

Tabel of Contents

I. Introduction

II. Site Characterization
- A. Site Descrioption
- B. History and Waste Disposal Practices
- C. Potential for Migration of Wastes Offsite

III. Discussion of Sampling Activities

IV. Methodology and Quality Control
- A. Methodology
- B. Quality Control

V. Discussion of Analytical Results

VI. Appendices
- Table I - Sample Descriptions
- Table II - pH's Reading
- Figure 1 - General Site Location Map
- Figure 2 - Area Location Map
- Figure 3 - Site Diagram
- Annex A - Laboratory Results
- Annex B - Chain-of-Custody
- Annex C - Drum Inventory

I. INTRODUCTION

The Region IV Technical Assistance Team (TAT) of Roy F. Weston conducted an investigation and assessment of the Spectrum Printing Site on the 28 and 29 September 1988. The investigation performed by TAT members Teri Wynn, Christi Ulmer, and Karen Jarrett-Gill was conducted at the request of the U. S. EPA Region IV in accordance with the provisions of Technical Direction Document (TDD) #04-8809-14 and #04-8810-26. OSC Bill Klutz also assisted in the investigation. The purpose of this investigation was to document drum contents at the Spectrum Printing Site.

II. SITE CHARACTERIZATION

A. Site Description

The site referred to herein as the Spectrum Printing Site is located in Covington, Newton County, Georgia's commercial district at 4132 US Hwy 278. The coordinates of the site are latitude 33 degrees 36 minutes and 15 seconds and longitude 83 degrees 52 minutes and 3 seconds. The approximately 258 drums of interest are stockpiled on a paved area behind a medium sized industrial building formerly known as Spectrum Printing. A public road is contiguous to this paved area and from the road open drums containing printing process and waste are observable and accessible.

B. History and Waste Disposal Practices

From January 1987 until May 1987, the building at 4132 US Hwy. 278 in Covington, Georgia was used as a printing company called Spectrun Printing. Spectrum Printing's owner

Ralph Preddy filed for bankruptcy in May of 1987. Prior to January 1987, the building was used for the printing of a newspaper, The Covington News. The property is now in the trusteeship of The Law Firm of Richard Ellenburg of Atlanta.

There is no physical barrier to prevent access to the material in question and open drums are within 15 feet of a road. Additionally, overturned and leaking drums have released their contents onto the paved area where they are staged. Discharged material was observed on the soil beneath the terminus of a pipe going into the building.

Since environmental releases of suspect compounds were observed on the site, the statutory authority of the Environmental Response, Compensation and Liability Act (CERCLA) was invoked in the form of sampling and analysis of substances involved to aid in determining if an immediate response is necessary to protect the public health and welfare and the environment.

C. Potential for Migration of Wastes Offsite

Since the wastes in question are located on a paved surface in a municipal area, migration of a contaminated rain runoff from spillage and drums will be accelerated by the relatively impervious paved surfaces it is traveling on until it reaches a receiving stream which would be dried Indian Creek which flows south.

The city of Covington's water filtration plant is located

within 0.7 of a mile east of Spectrum Printing Site. The plant has a reservoir which is recharged with water piped from the Alcovy River which is several miles north of Covington. Since the flow of the likely drainage path for the site flows south and the filtration plant receives its water from several miles north, the chance of contamination of the city's water supply from the Spectrum Printing Site is minimal.

III. DISCUSSION OF SAMPLING ACTIVITIES

Sampling activities were comprised of air monitoring and the sampling of drums. Table I presents the sample number, description of sample type, and analytical parameters. Laboratory analysis results are presented in Annex A.

Air monitoring using an HNu Photoionization Detector with an 11.7 EV probe detected the following: drum #13 - 150 ppm above background; drum #20 - 150 above background; and drum #215 - 100 ppm above background.

Subsequently, all drums were opened and sampled and placed in sample jars. Five different waste streams consisting of water, inks, isopropyl alcohol, adhesives, and contaminated dirts and sludges were composited. The waste streams were analyzed in order to determine proper disposal of the wastes.

IV. METHODOLOGY AND QUALITY CONTROL

A. Methodology

All sample collection, sample preservation and chain-of-custody procedures used during this investigation were in

accordance with the Environmental Services Division (ESD) procedures for field sampling.

Analysis for compatibility was performed by Accura Analytical Laboratory, Decatur, Georgia. Samples were grouped under the following categories: acidic inorganic liquids, neutral inorganic liquids, neutral organic liquids, sludge hydrocarbons, liquid hydrocarbons, base inorganic liquids, and acid organic liquids.

B. Quality Control

Quality control of the lab data was performed by Accura laboratory, and was in accordance with the Quality Control procedures specified in the EPA methods used.

TABLE I - SAMPLE DESCRIPTIONS

Sample Code	Description	Parameter
1	Black sludge	Compatibility
2	Black sludge	"
3	Black semi-solid	"
4	Liquid - black on top clear on bottom	"
5	Amber color	"
6	Purple, pH - 1-2 by paper sticks	"
7	Semi-solid	"
8	Black sludge	"
9	Brown-black solid	"
10	Red-black sludge	"
11	Black semi-solid	"
12	Brown liquid	"
13	Clear liquid HNu reading = 150 ppm	"
14	Oil & Water liquid	"
15	Black liquid	"
16	Black liquid	"
17	Black-red semi-solid	"
18	Solid	"
19	Solid	"
20	Black liquid	"
21	Orange rust sludge	"
22	Liquid	"
23	Liquid - turbid w/brown	"
24	Liquid - dark w/solids - Empty drum	No Sample
25	Liquid	"
26	Whitish	Compatibility
27	Sludge, clear, yellow top layer w/red & black solids on bottom layer	"
28	Sludge - pink/black	"
29	Semi-solid - black	"
30	Sludge - liquid, turbid, oily, water - top layer, yellow sludge - bottom layer	"
31	Liquid - burbid, milky pH - 5	"
32	Liquid - black	"
33	Liquid	No Sample
34	Black	"
35	Black liquid	"
36	Sludge - black	Compatibility
37	Sludge - yellow, black	"
38	Sludge - purple, oil layer on top	"
39	Black liquid	No Sample
40	Sludge on bottom of drum	Compatibility
41	Trash in drum only	No Sample
42	Black	Compatibility
43	Black liquid	"
44	Bright, light-blue Soupy	"

Table I - Sample Descriptions
(continued)

Sample Code	Description	Parameter
45	None	"
46	pH - 14	Compatibility
47	None	"
48	None	"
49	None	"
50	Liquid - turbid	"
51	Black/purple	"
52	Liquid - gray, Light blue	"
53	Empty	No Sample
54	Bright red	Compatibility
55	Red	"
56	Red	"
57	Liquid - clear, Black/slimy	"
59	Gray, turbid	"
60	Liquid - gray, Turbid	"
61	Liquid - dark	"
62	Liquid - dark	"
63	Empty	No Sample
64	Empty	No Sample
65	Thick dark semi-solid	Compatibility
66	Solid - maybe purple	"
67	Blue sludge	"
68	Blue sludge	"
69	White sludge, Drum under pressure	"
70	Liquid - light blue Drum under pressure	"
71	Sludge - red, thick	"
72	Empty	No Sample
73	Liquid - turbid, pink/clear, pH - 10	Compatibility
74	Liquid - turbid, brown, pH - 4	"
75	Liquid - turbid, green, pH - 2	"
76	Semi-solid, yellow black/red	"
77	Semi-solid, thick black	"
78	pH <3	"
79	Liquid oxidizer amber, pH = 0	"
80	Amber, pH = 0	"
81	Liquid - amber, clear	"
82	Empty	"
83	Liquid - turbid clear, pH = 4	"

Table I - Sample Descriptions
(continued)

Sample Code	Description	Parameter
84	Liquid - amber, pH = 0	"
85	Liquid - tan, pH = 7	"
86	Liquid - 2 layers - clear on bottom, pH = 0	"
87	Liquid - 2 layers - clear on bottom, pH = 7, brown floc on top	"
88	None	No Sample
89	None	"
90	None	"
91	Empty	"
92	Empty	"
93	Liquid - oil color, pH = 7 (unable to collect)	-----
94	Empty	No Sample
95	Red paint (empty)	"
96	Liquid - oily 2 phases (green on top, clear on bottom)	Compatibility
97	Liquid - clear, turbid w/black solids, pH = 4	"
98	None	"
99	None	"
100	Liquid - murky	"
101	Sludge/liquid - water on top, black/red goop on bottom	"
102	Solid - blue	No Sample
103	Sludge - red/black blue runny goop	Compatibility
104	Sludge - brown, red, black, blue	"
105	Sludge - pink	"
106	Liquid	No Sample
104 B	Liquid - oil	Compatibility
107	Sludge - yellow black	"
108	Sludge - liquid, turbid blue w/mosquito larvae	"
109	Sludge - turbid, water on top, sludge on bottom	"
110	Sludge - black	"
111	Liquid - oil	"
112	Solid - trash	No Sample
113	Solid - trash	"
114	Liquid - brown	Compatibility
115	Liquid - dark brown	"
116	Liquid	"
117	Sludge - black red	"
118	Semi-solid - black	"
119	Sludge - black	"
120	HNu reading = 150 ppm above background	No Sample
121	Solid	"

Table I - Sample Descriptions
(continued)

Sample Code	Description	Parameter
122	Sludge - black, yellow, red	Compatibility
123	Liquid - purple, thin pH = 7	"
124	Sludge - liquid, grey on top, green on bottom	"
125	Sludge - black/blue	"
126	Liquid - slightly turbid	"
127	Liquid - clear pH = 7	"
128	Liquid - clear	"
129	Solid - trash	No Sample
130	Solid - trash	"
131	Solid - trash	"
132	Trash	"
133	Sludge - liquid - grown murky, pH = 7	Compatibility
134	Liquid - brown	"
135	Liquid - cream/murky	"
136	Sludge/liquid - borwn/black, sludge on bottom, rainwater, floating scabs on top	"
137	Empty	No Sample
138	Liquid	Compatibility
139	Liquid - murky, pH = 7 Empty	No Sample
140	Liquid - amber, pH = 7	Compatibility
141	Solid trash	No Sample
142	Sludge - liquid, black water on top, sludge on bottom	Compatibility
143	Black, pH = 0	"
144	Trash	No Sample
145	Trash	"
146	Liquid - white murky, pH = 5	Compatibility
147	Trash	No Sample
148	Solid - trash	"
149	Liquid - cream murky pH = 7	Compatibility "
150	Semi-solid/sludge yellow	"
151	Liquid - amber, pH = 7	"
152	Liquid - oil	"
153	Liquid - brown, pH = 7	"
154	Liquid - amber (oil), pH = 7	"
155	Liquid - oil	"
156	Sludge - black	"
157	Sludge - liquid, red	"
158	Liquid - clear, pH = 4	"
159	Liquid slurry - white	"
160	Liquid - gray, pH = 4	"

APPENDIX C

TAT Sampling Plan Report

SPECTRUM PRINTING

SAMPLING PLAN

COVINGTON, NEWTON COUNTY, GEORGIA

TO: Bill Klutz, OSC
EPA, Region IV

FROM: Teri Wynn
TAT, Region IV

TECHNICAL DIRECTION DOCUMENT
TDD #04-8810-26-2026
#04-8810-26a-2213
TAT #04-F-03026

DATE: 05 May 1989

TECHNICAL ASSISTANCE TEAM
Roy F. Weston, Inc./Major Programs Division
100 Atlanta Technology Center, Suite 120
1575 Northside Drive
Atlanta, Georgia 30318

Table of Contents

I. Objective

II. Site Background

III. Field Procedures
- A. Concept of Operation
- B. Sampling Locations
- C. Coordinating Instructions
- D. Personnel Responsibility

IV. Logistics

V. Quality Control
- A. Sample Tags
- B. Chain-of-Custody Procedures

I. OBJECTIVE

Under the provisions of Technical Direction Document (TDD) #04-8810-26, Region IV, U. S. Environmental Protection Agency (EPA) tasked Roy F. Weston Inc. Technical Assistance Team (TAT) to conduct on-site monitoring of Spectrum Printing in Covington, Newton County, Georgia.

The objectives of this assessment are to document a release to the environment of a hazardous substance, pollutant or contaminant as mandated by Section 104e of the Comprehensive ENvironmental Response Compensation Liability Act (CERCLA). In analyzing the samples obtained to establish such a release has occurred, information will be gained on the substances involved which will provide necessary guidance for the ultimate treatment and/or disposal of the wastes.

II. SITE BACKGROUND

The site referred to herein as the Spectrum Printing Site is located in Covington, Georgia'a commercial district at 4132 US Hwy 278. The approximately 258 drums of interest are stockpiled on a paved area behind a medium sized industrial building formerly known as Spectrum Printing. There is no physical barrier to prevent access to the material in question and open drums are within 15 feet of a road. Additional overturned and leaking drums have released their contents onto the paved area where they are staged.

III. FIELD PROCEDURES

The site will be probed with an HNu Photoionization Detector and monitored prior to performing actual sampling to insure safety protection throughout sampling operations. Sampling will be conducted as per U. S. EPA Engineering Support Branch Standard Operating Procedures and Quality Assurance Manual.

A. Concept of Operation

The site assessment and monitoring of the Spectrum Printing Site will be conducted to insure efficient and safe work. Samples will be collected from each drum in such a manner as to document a release to the environment while at the same time categorizing the suspect drums as possibly similar groups using compatibility data nd the general appearance of the material in them for guidance.

B. Sampling Locations

All of the two hundred and fifty eight drums will be opened, sampled, and the general appearance and characteristics noted. Using this information and information obtained from analytical data, compatibility for possible bulking will be analyzed.

C. Coordinating Instructions

During the course of the sampling procedures, access to the site will be controlled by OSC Bill Klutz, contractors, Haztech, and the members of TAT.

D. Personnel Responsibility

OSC - Oversee the implementation of the immediate removal plan and the site safety plan.

Contractor (Haztech) - Perform hazard categorization and staging, sample drums.

Technical Assistance Team (TAT) - Overseeing of sampling through OSC, monitoring on-site contractor.

IV. **LOGISTICS**

The following equipment will be required for each sampler to dress in "Level C" protection; approved GMC-H cartridges with appropriately fitted face mask, disposable Sernax tyvek suit, disposable booties, and duct tape to seal openings.

The following equipment will be needed for the collection of samples: 510 - 8 oz. glass jars, labels, tags, sample sheets, coolers, stainless steel spoons, paper towels, caution tape, glass sampling pipettes, stainless steel non-sparking bung wrench, and pyrex dishes.

V. ***QUALITY CONTROL***

All samples will be collected using clean sampling tubes, spoons and dishes. Collected samples will then be transferred into Superfund Respoitory Jar repository glass jars.

Chain-of-Custody procedures will be sued to maintain and document sample possession for enforcement purposes. The principal documents used to identify samples and to document possession will be; Sample Tags and Chain-of-Custody Records.

A. Sample Tags

The Sample Tag will contain an appropriate place for designating the sample as a composite and identifying the type of sample collected for analysis. The Sample Tags will be securely attached to each sample.

The information recorded on an EPA Sample Tag will include: sample number, project code, station number, date, time, station location, samplers, tag numbers, and remarks.

B. Chain-of-Custody Procedures

a. The person who actually performs the sampling will be personally responsible for the care and custody of the samples collected until they are transferred or dispatched properly.

b. Sample Tags will be completed for each sample using waterproof ink.

c. The Sampling Coordinator will review all field activities to determine whether proper custody procedures are followed during the field work and decide if additional samples are required.

APPENDIX D

Compatibility Analyses Report

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1235

SAMPLE STATION# 1

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID_____ SLUDGE Paint

VISCOSITY: FLUID_____ OILY _____ VISCOUS ✓

COLOR: mixed colors CLARITY: CLEAR_____ OPAQUE ✓

SAMPLE pH:_____ VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO ____

GAS EVOLVED: YES ____ NO ____

INSLUBLE IN WATER: LIGHTER THAN WATER: ✓

HEAVIER THAN WATER: ____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE ____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1255
(2)

SOLUBILITY IN 5% NaOH: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES _____ NO ✓

INGNITABILITY TESTING

MELTS: YES ✓ NO ___ DETONATES: YES ___ NO ✓

IGNITES: YES ✓ NO ___ SUPPORTS FLAME: YES ✓ NO ___

ASH: YES ___ NO ✓ CARBON RESIDUE: YES ___ NO ✓

COLOR OF FLAME: _____ pH OF COMBUSTION GASES: —

EVAPORATES BEFORE IGNITING: YES ___ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Sludge Hydrocarbons

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1236

SAMPLE STATION# 2

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ (Two Phase) SLUDGE _____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS _____

COLOR: Light Brown bottom Brown Top CLARITY: CLEAR ✓ OPAQUE _____

SAMPLE pH: 7 VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO ____

GAS EVOLVED: YES ____ NO ____

INSOLUBLE IN WATER: LIGHTER THAN WATER: ✓

HEAVIER THAN WATER: ____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE ____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

SULFIDE TEST OF EVOLVED GAS: POS ___ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1256
(2)

SOLUBILITY IN 5% NaOH: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES _____ NO ✓

INGNITABILITY TESTING

MELTS: YES — NO —

DETONATES: YES ___ NO ✓

IGNITES: YES ___ NO ___

SUPPORTS FLAME: YES ✓ NO ___

ASH: YES ___ NO ✓

CARBON RESIDUE: YES ___ NO ✓

COLOR OF FLAME: Yellow

pH OF COMBUSTION GASES: 7

EVAPORATES BEFORE IGNITING: YES ___ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: liquid Hydrocarbons

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1237

SAMPLE STATION# 3

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID _____ OILY ✓ VISCOUS _____

COLOR: Dark blue CLARITY: CLEAR _____ OPAQUE ✓

SAMPLE pH: 6 VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO ____

GAS EVOLVED: YES ____ NO ____

INSOLUBLE IN WATER: LIGHTER THAN WATER: ✓

HEAVIER THAN WATER: ____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE ____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS ____ – ____

SULFIDE TEST OF EVOLVED GAS: POS ____ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

SOLUBILITY IN 5% NaOH: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES _____ NO ✓

INGNITABILITY TESTING

MELTS: YES ✓ NO ___ DETONATES: YES ___ NO ✓

IGNITES: YES ___ NO ✓ SUPPORTS FLAME: YES ✓ NO ___

ASH: YES ___ NO ✓ CARBON RESIDUE: YES ✓ NO ___

COLOR OF FLAME: Yellow pH OF COMBUSTION GASES: 7

EVAPORATES BEFORE IGNITING: YES ___ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE _____

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE _____

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Liquid Hydrocarbons

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1238

SAMPLE STATION# 4

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID _____ OILY ✓ VISCOUS _____

COLOR: Dark Blue CLARITY: CLEAR _____ OPAQUE ✓

SAMPLE pH: 6 VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO ____

GAS EVOLVED: YES ____ NO ____

INSOLUBLE IN WATER: LIGHTER THAN WATER: ✓

HEAVIER THAN WATER: ____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE ____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

SULFIDE TEST OF EVOLVED GAS: POS ___ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1.233 (4)

SOLUBILITY IN 5% NaOH: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES — NO —

DETONATES: YES ___ NO ✓ Takes heat

IGNITES: YES ✓ NO ___

SUPPORTS FLAME: YES ___ NO ✓

ASH: YES ___ NO ✓

CARBON RESIDUE: YES ___ NO ✓

COLOR OF FLAME: —

pH OF COMBUSTION GASES: —

EVAPORATES BEFORE IGNITING: YES ___ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ____

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Liquid Hydrocarbons

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1239

SAMPLE STATION# 5

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID ✓ SLUDGE_____

VISCOSITY: FLUID_____ OILY ✓ VISCOUS_____

COLOR: Blue CLARITY: CLEAR_____ OPAQUE ✓

SAMPLE pH: 2 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 3

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

SULFIDE TEST OF EVOLVED GAS: POS____ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1259
(5)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ✓ NO ____ SUPPORTS FLAME: YES ✓ NO ____

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: Yellow pH OF COMBUSTION GASES: N/A

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Acid organic

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1241

SAMPLE STATION# 7

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS _____

COLOR: White CLARITY: CLEAR Sl. cloudy OPAQUE _____

SAMPLE pH: 7 VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 6

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS ____

SULFIDE TEST OF EVOLVED GAS: POS ____ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ____ NO ____

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: — pH OF COMBUSTION GASES: —

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Neutral Inorganic Liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1242

SAMPLE STATION# 8

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID_____ SLUDGE ✓

VISCOSITY: FLUID_____ OILY _____ VISCOUS ✓

COLOR: green/yellow CLARITY: CLEAR_____ OPAQUE ✓

SAMPLE pH: 5 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO _____

GAS EVOLVED: YES ____ NO _____

INSOLUBLE IN WATER: LIGHTER THAN WATER: ✓

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO _____

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

SOLUBILITY IN 5% NaOH: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES _____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ___ NO ✓

IGNITES: YES ✓ NO ___ SUPPORTS FLAME: YES ___ NO ✓

ASH: YES ✓ NO ___ CARBON RESIDUE: YES ___ NO ✓

COLOR OF FLAME: _____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ___ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Crude Hydrocarbon

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1243

SAMPLE STATION# 9

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID_____ SLUDGE ✓

VISCOSITY: FLUID_____ OILY _____ VISCOUS ✓

COLOR: Black. CLARITY: CLEAR_____ OPAQUE ✓

SAMPLE pH: — VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO _____

GAS EVOLVED: YES ____ NO _____

INSOLUBLE IN WATER: LIGHTER THAN WATER: ✓

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO _____

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

SOLUBILITY IN 5% NaOH: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES _____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ___ NO ✓

IGNITES: YES ✓ NO ___ SUPPORTS FLAME: YES ___ NO ✓

ASH: YES ___ NO ___ CARBON RESIDUE: YES ___ NO ✓

COLOR OF FLAME: _____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ___ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Sludge Hydrocarbons

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1244

SAMPLE STATION# 10

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS _____

COLOR: pale yellow CLARITY: CLEAR cloudy OPAQUE _____

SAMPLE pH: 5 VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 3

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS ___ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS ____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: ____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ____ NO ____

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Acidic Inorganic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1245

SAMPLE STATION# 11

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS _____

COLOR: Clear CLARITY: CLEAR ✓ OPAQUE _____

SAMPLE pH: 11 VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 12

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

SULFIDE TEST OF EVOLVED GAS: POS ___ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS ____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: ____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: (Forms salt on splashes up on flaming)
Base Inorganic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1246

SAMPLE STATION# 12

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID_____ SLUDGE ✓

VISCOSITY: FLUID_____ OILY ✓ VISCOUS_____

COLOR: Blue CLARITY: CLEAR_____ OPAQUE ✓

SAMPLE pH: — VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO ____

GAS EVOLVED: YES ____ NO ____

INSOLUBLE IN WATER: LIGHTER THAN WATER: ____

HEAVIER THAN WATER: ✓

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

SOLUBILITY IN 5% NaOH: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO _____

pH OF EVOLVED GAS _____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES _____ NO ✓

INGNITABILITY TESTING

MELTS: YES ✓ NO ___ DETONATES: YES ___ NO ✓

IGNITES: YES ✓ NO ___ SUPPORTS FLAME: YES ___ NO ✓

ASH: YES ✓ NO ___ CARBON RESIDUE: YES ✓ NO ____

COLOR OF FLAME: _____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ___ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Sludge Hydrocarbon

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1247

SAMPLE STATION# 13

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID ✓ SLUDGE_____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS_____

COLOR: clear. CLARITY: CLEAR ✓ OPAQUE_____

SAMPLE pH: 6 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 7 Forms milky fluid

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE partially sol ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

SOLUBILITY IN 5% NaOH: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES _____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ___ NO ✓

IGNITES: YES ✓ NO ___ SUPPORTS FLAME: YES ✓ NO ____

ASH: YES ___ NO ✓ CARBON RESIDUE: YES ___ NO ✓

COLOR OF FLAME: Yellow pH OF COMBUSTION GASES: 7

EVAPORATES BEFORE IGNITING: YES ___ NO ___

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Neutral organic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1248

SAMPLE STATION# 14

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID _____ OILY ✓ VISCOUS _____

COLOR: Blue Yellowish CLARITY: CLEAR _____ OPAQUE ✓

SAMPLE pH: 7 VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 7 ✓

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

SULFIDE TEST OF EVOLVED GAS: POS ___ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1245
(14)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: — pH OF COMBUSTION GASES: —

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Neutral Inorganic Liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1249

SAMPLE STATION# 15

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID ✓ SLUDGE_____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS_____

COLOR: white CLARITY: CLEAR_____ OPAQUE ✓

SAMPLE pH: 7 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 7 ✓

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS ___—___

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1249
(15)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ✓ NO ____ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: Yellow pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Neutral Inorganic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1250

SAMPLE STATION# 16

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID ✓ SLUDGE_____

VISCOSITY: FLUID_____ OILY ✓ VISCOUS_____

COLOR: Yellow CLARITY: CLEAR_____ OPAQUE ✓

SAMPLE pH: 7 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO ____

GAS EVOLVED: YES ____ NO ____

INSOLUBLE IN WATER: LIGHTER THAN WATER: ✓

HEAVIER THAN WATER: ____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE ____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO —

pH OF EVOLVED GAS —

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1250
(16)

partially sol.

SOLUBILITY IN 5% NaOH: SOLUBLE ___A___ INSOLUBLE _____

GAS EVOLVED: YES ____ NO ___✓___

pH OF EVOLVED GAS ___—___

CYANIDE TEST: POS ____ NEG ___✓___

NH4 OR AMINE TEST: POS ____ NEG ___✓___

SOLUBILITY IN NaHCO3: SOLUBLE _____ INSOLUBLE ___✓___

GAS EVOLVED: YES ____ NO ___✓___

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ___ NO ✓

IGNITES: YES ___ NO ✓ SUPPORTS FLAME: YES ✓ NO ____

ASH: YES ___ NO ✓ CARBON RESIDUE: YES ___ NO ✓

COLOR OF FLAME: yellow. pH OF COMBUSTION GASES: 7

EVAPORATES BEFORE IGNITING: YES ___ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ___✓___

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ___✓___

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ___✓___

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ___✓___

NOTES: Liquid Hydrocarbons

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1251

SAMPLE STATION# 17

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID_____ SLUDGE ✓ Paint.

VISCOSITY: FLUID_____ OILY _____ VISCOUS ✓

COLOR: Red CLARITY: CLEAR_____ OPAQUE ✓

SAMPLE pH: 7 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO _____

GAS EVOLVED: YES ____ NO _____

INSOLUBLE IN WATER: LIGHTER THAN WATER: ✓

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO _____

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1251
17

SOLUBILITY IN 5% NaOH: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ✓ NO ____

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ✓ NO ____

COLOR OF FLAME: Yellow pH OF COMBUSTION GASES: 7

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Sludge Hydrocarbons

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1252

SAMPLE STATION# 18

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID ✓ SLUDGE_____

VISCOSITY: FLUID_____ OILY ✓ VISCOUS_____

COLOR: black CLARITY: CLEAR_____ OPAQUE ✓

SAMPLE pH: 7 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO ____

GAS EVOLVED: YES ____ NO ____

INSOLUBLE IN WATER: LIGHTER THAN WATER: ✓

HEAVIER THAN WATER: ____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE ____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1252
(18)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ____ DETONATES: YES ____ NO ✓

IGNITES: YES ✓ NO ____ SUPPORTS FLAME: YES ✓ NO ____

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: Yellow pH OF COMBUSTION GASES: 7

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Liquid Hydrocarbons

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1253

SAMPLE STATION# 19

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID ____ LIQUID ✓ SLUDGE ____

VISCOSITY: FLUID ✓ OILY ____ VISCOUS ____

COLOR: Green. CLARITY: CLEAR ____ OPAQUE ✓

SAMPLE pH: 3 VOLATILITY IN PPM: HNU ____ OVA ____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 3 ✓

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: ____

HEAVIER THAN WATER: ____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

SULFIDE TEST OF EVOLVED GAS: POS ____ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1253
(19)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ____ DETONATES: YES ____ NO ✓

IGNITES: YES ✓ NO ____ SUPPORTS FLAME: YES ✓ NO ____

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: Light Blue pH OF COMBUSTION GASES: 7

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Acid organic liquids

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1254

SAMPLE STATION# 20

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID_____ SLUDGE ✓ Paint

VISCOSITY: FLUID_____ OILY _____ VISCOUS ✓

COLOR: Blue CLARITY: CLEAR_____ OPAQUE ✓

SAMPLE pH: 7 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO ____

GAS EVOLVED: YES ____ NO ____

INSOLUBLE IN WATER: LIGHTER THAN WATER: ✓

HEAVIER THAN WATER: ____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE ____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1254
(20)

SOLUBILITY IN 5% NaOH: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES _____ NO ✓

INGNITABILITY TESTING

MELTS: YES ✓ NO ___ DETONATES: YES ___ NO ✓

IGNITES: YES ___ NO ✓ SUPPORTS FLAME: YES ✓ NO ___

ASH: YES ___ NO ✓ CARBON RESIDUE: YES ✓ NO ___

COLOR OF FLAME: Yellow pH OF COMBUSTION GASES: 7

EVAPORATES BEFORE IGNITING: YES ___ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Sludge Hydrocarbons

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1255

SAMPLE STATION# 21

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID ____ LIQUID ✓ SLUDGE ____

VISCOSITY: FLUID ✓ OILY ____ VISCOUS ____

COLOR: Fluid Green CLARITY: CLEAR ____ OPAQUE ✓

SAMPLE pH: 7 VOLATILITY IN PPM: HNU ____ OVA ____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 7 ✓

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: ____

HEAVIER THAN WATER: ____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

SULFIDE TEST OF EVOLVED GAS: POS ____ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1255
(21)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ✓ NO ✓ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ____

COLOR OF FLAME: ____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Has ingredients (Neutral Inorganic ligands)

1256
(22)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ✓ NO ____ SUPPORTS FLAME: YES ✓ NO ✓

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: yellow pH OF COMBUSTION GASES: 7

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Neutral organic liquids

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1256

SAMPLE STATION# 22

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID ____ LIQUID ✓ SLUDGE ____

VISCOSITY: FLUID ✓ OILY ____ VISCOUS ____

COLOR: white CLARITY: CLEAR ____ OPAQUE ✓

SAMPLE pH: 7 VOLATILITY IN PPM: HNU ____ OVA ____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 7 ✓

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: ____

HEAVIER THAN WATER: ____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

SULFIDE TEST OF EVOLVED GAS: POS ____ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1257

SAMPLE STATION# 23

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID ✓ SLUDGE_____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS_____

COLOR: Black CLARITY: CLEAR_____ OPAQUE ✓

SAMPLE pH: 7 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: ~~7~~ ✓

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1257
(23)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ____ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: Yellow pH OF COMBUSTION GASES: ?

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: neutral inorganic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1258

SAMPLE STATION# 24

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID ✓ SLUDGE_____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS_____

COLOR: light red. CLARITY: CLEAR ✓ OPAQUE_____

SAMPLE pH: 10 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 7 ✓

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1258
(24)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: ____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Base Inorganic liquids

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1259

SAMPLE STATION# 25

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID ✓ SLUDGE_____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS_____

COLOR: Light yellow. CLARITY: CLEAR ✓ OPAQUE_____

SAMPLE pH: 4 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 5 ✓

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL Partial ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

SULFIDE TEST OF EVOLVED GAS: POS___ NEG___

OXIDIZER TEST: POS____ NEG____

1259
(25)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ____ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: ____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Acidic Inorganic liquids

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1260

SAMPLE STATION# 26

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID ✓ SLUDGE_____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS_____

COLOR: [illegible] CLARITY: CLEAR [illegible] OPAQUE_____

SAMPLE pH: 2 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 3

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO _____

pH OF EVOLVED GAS ___–___

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1260
(26)

SOLUBILITY IN 5% NaOH: SOLUBLE ____ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ____

pH OF EVOLVED GAS ____

CYANIDE TEST: POS ____ NEG ____

NH4 OR AMINE TEST: POS ____ NEG ____

SOLUBILITY IN NaHCO3: SOLUBLE ____ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ____

INGNITABILITY TESTING

MELTS: YES ____ NO ____ DETONATES: YES ____ NO ____

IGNITES: YES ____ NO ____ SUPPORTS FLAME: YES ____ NO ____

ASH: YES ____ NO ____ CARBON RESIDUE: YES ____ NO ____

COLOR OF FLAME: ____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ____ NO ____

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ____

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ____

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ____

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ____

NOTES: Acidic Inorganic Liquids

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1261

SAMPLE STATION# 37

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID_____ SLUDGE ✓

VISCOSITY: FLUID_____ OILY _____ VISCOUS ✓

COLOR: Black CLARITY: CLEAR_____ OPAQUE ✓

SAMPLE pH: 7 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO _____

GAS EVOLVED: YES ____ NO _____

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1261
27

SOLUBILITY IN 5% NaOH: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES____ NO_____

pH OF EVOLVED GAS _____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE_____ INSOLUBLE ✓

GAS EVOLVED: YES_____ NO_____

INGNITABILITY TESTING

MELTS: YES____ NO___ DETONATES: YES___ NO ✓

IGNITES: YES___ NO___ SUPPORTS FLAME: YES___ NO____

ASH: YES___ NO___ CARBON RESIDUE: YES ✓ NO____

COLOR OF FLAME: _____ pH OF COMBUSTION GASES:____

EVAPORATES BEFORE IGNITING: YES___ NO___

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE_____ NEGATIVE_____

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE_____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE_____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE_____ NEGATIVE ✓

NOTES: Sludge Hydrocarbons

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1262

SAMPLE STATION# 28

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS _____

COLOR: [illegible] CLARITY: CLEAR ✓ OPAQUE _____

SAMPLE pH: 3 VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 2

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

SULFIDE TEST OF EVOLVED GAS: POS ___ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1262
(28)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS ____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ____

INGNITABILITY TESTING

MELTS: YES ____ NO ____ DETONATES: YES ____ NO ____

IGNITES: YES ____ NO ____ SUPPORTS FLAME: YES ✓ NO ____

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ✓ NO ____

COLOR OF FLAME: Yellow pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Acidic Inorganic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1263

SAMPLE STATION# 29

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS _____

COLOR: [illegible] CLARITY: CLEAR ✓ OPAQUE _____

SAMPLE pH: 1 VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 1

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS ___ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1263

(29)

SOLUBILITY IN 5% NaOH: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO _____

pH OF EVOLVED GAS _____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE _____

GAS EVOLVED: YES ✓ NO _____

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ___ NO ✓

IGNITES: YES ___ NO ✓ SUPPORTS FLAME: YES ___ NO ✓

ASH: YES ✓ NO ___ CARBON RESIDUE: YES ___ NO ✓

COLOR OF FLAME: _____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ___ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Acidic Inorganic Liquid.

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID #____1264____

SAMPLE STATION#____30____

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID___✓___ SLUDGE_____

VISCOSITY: FLUID___✓___ OILY _____ VISCOUS_____

COLOR: ___Clear___ CLARITY: CLEAR___✓___ OPAQUE_____

SAMPLE pH:___11___ VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: ___11___

HEAT EVOLVED: YES ____ NO ___✓___

GAS EVOLVED: YES ____ NO ___✓___

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ___✓___

SOLUBILITY IN 5% HCL: SOLUBLE ___✓___ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ___✓___

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG___✓___

OXIDIZER TEST: POS____ NEG___✓___

1264
30

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS ____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ✓ NO ____ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: ____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: (could have n/a) Base Inorganic liquids

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1265

SAMPLE STATION# 31

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID ✓ SLUDGE_____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS_____

COLOR: Light Brown CLARITY: CLEAR ✓ OPAQUE_____

SAMPLE pH: 4 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 5

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1265
(31)

SOLUBILITY IN 5% NaOH: SOLUBLE _____ INSOLUBLE _____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS –

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE _____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ✓ NO ____ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: _____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Acidic Inorganic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1266

SAMPLE STATION# 32

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID ✓ SLUDGE_____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS_____

COLOR: Light Brown CLARITY: CLEAR ✓ OPAQUE_____

SAMPLE pH: 6 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO ____

GAS EVOLVED: YES ____ NO ____

INSOLUBLE IN WATER: LIGHTER THAN WATER: ✓

HEAVIER THAN WATER: ____

SOLUBILITY IN METHYLENE CHLORIDE: SOL Partial INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ____

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1266

(32)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS ____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ✓ NO ____ SUPPORTS FLAME: YES ✓ NO ____

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: Yellow pH OF COMBUSTION GASES: 7

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: liquid Hydrocarbon

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1267

SAMPLE STATION# 33

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS _____

COLOR: [illegible] CLARITY: CLEAR _____ OPAQUE ✓

SAMPLE pH: 2 VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 3

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS ____ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1267
33

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS ____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ✓ NO ____ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ✓ NO ____ CARBON RESIDUE: YES ✓ NO ____

COLOR OF FLAME: ____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ✓ NEGATIVE ____

NOTES: Acidic Inorganic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1268

SAMPLE STATION# 34

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID ✓ SLUDGE_____

VISCOSITY: FLUID_____ OILY ✓ VISCOUS_____

COLOR: Light [illegible] CLARITY: CLEAR_____ OPAQUE ✓

SAMPLE pH: 6 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO ____

GAS EVOLVED: YES ____ NO ____

INSOLUBLE IN WATER: LIGHTER THAN WATER: ✓

HEAVIER THAN WATER: ____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE ____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ____

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

SOLUBILITY IN 5% NaOH: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES____ NO_____

pH OF EVOLVED GAS _____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS____ NEG____

SOLUBILITY IN NaHCO3: SOLUBLE_____ INSOLUBLE ✓

GAS EVOLVED: YES_____ NO ✓

INGNITABILITY TESTING

MELTS: YES____ NO ✓ DETONATES: YES___ NO ✓

IGNITES: YES___ NO ✓ SUPPORTS FLAME: YES ✓ NO____

ASH: YES___ NO ✓ CARBON RESIDUE: YES___ NO ✓

COLOR OF FLAME: Yellow pH OF COMBUSTION GASES: 7

EVAPORATES BEFORE IGNITING: YES___ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ✓ NEGATIVE_____

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE_____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE_____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE_____ NEGATIVE ✓

NOTES: check for [illegible] (Negative for [illegible])
Liquid Hydrocarbons

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1269

SAMPLE STATION# 35

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ (two layers) SLUDGE _____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS _____

COLOR: Green CLARITY: CLEAR _____ OPAQUE ✓

SAMPLE pH: ✓ VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO ____

GAS EVOLVED: YES ____ NO ____

INSOLUBLE IN WATER: LIGHTER THAN WATER: ✓

HEAVIER THAN WATER: ____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE ____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ____

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS ___ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1269
35

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE _____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ___ DETONATES: YES ___ NO ✓

IGNITES: YES ___ NO ✓ SUPPORTS FLAME: YES ___ NO ____

ASH: YES ✓ NO ___ CARBON RESIDUE: YES ___ NO ✓

COLOR OF FLAME: Yellow pH OF COMBUSTION GASES: 7

EVAPORATES BEFORE IGNITING: YES ___ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Liquid Hydrocarbons

1270

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1270

SAMPLE STATION# 36

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS _____

COLOR: [illegible] CLARITY: CLEAR ✓ OPAQUE _____

SAMPLE pH: [illegible] VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 6

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS ___ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1270
36

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS ____

CYANIDE TEST: POS ____ NEG ____

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ✓ NO ____ SUPPORTS FLAME: YES ____ NO ____

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ____

COLOR OF FLAME: ____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ____

NOTES: Neutral organic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1271

SAMPLE STATION# 37

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID_____ SLUDGE ✓

VISCOSITY: FLUID_____ OILY _____ VISCOUS_____

COLOR: _____ CLARITY: CLEAR_____ OPAQUE_____

SAMPLE pH: ~ VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO _____

GAS EVOLVED: YES ____ NO _____

INSOLUBLE IN WATER: LIGHTER THAN WATER: ✓

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1271

37

SOLUBILITY IN 5% NaOH: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO _____

pH OF EVOLVED GAS _____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ____

SOLUBILITY IN NaHCO3: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES _____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ___ NO ✓

IGNITES: YES ✓ NO ___ SUPPORTS FLAME: YES ___ NO ✓

ASH: YES ✓ NO ___ CARBON RESIDUE: YES ✓ NO ___

COLOR OF FLAME: _____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ___ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Sludge Hydrocarbon

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1272

SAMPLE STATION# 38

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID ✓ SLUDGE_____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS_____

COLOR: Brown CLARITY: CLEAR_____ OPAQUE_____

SAMPLE pH: 8 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 9

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1272

(38)

forms p.p.t.

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES — NO ____ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ✓ NO ____

COLOR OF FLAME: — pH OF COMBUSTION GASES: —

EVAPORATES BEFORE IGNITING: YES — NO ____

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Base Inorganic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1273

SAMPLE STATION# 39

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS _____

COLOR: Dark CLARITY: CLEAR _____ OPAQUE ✓

SAMPLE pH: 5 VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 6

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS ___ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1273

(39)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ (partly) INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ✓ NO ____ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: — pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ____ NO ____

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Neutral organic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1274

SAMPLE STATION# 40

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID ✓ SLUDGE_____

VISCOSITY: FLUID_____ OILY _____ VISCOUS ✓

COLOR: [illegible] CLARITY: CLEAR_____ OPAQUE_____

SAMPLE pH: [illegible] VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO ____

GAS EVOLVED: YES ____ NO ____

INSOLUBLE IN WATER: LIGHTER THAN WATER: ✓

HEAVIER THAN WATER: ____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE ____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS____ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1274
40

SOLUBILITY IN 5% NaOH: SOLUBLE partly soluble INSOLUBLE _____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO _____

INGNITABILITY TESTING

MELTS: YES ____ NO ___ DETONATES: YES ___ NO _____

IGNITES: YES ___ NO ___ SUPPORTS FLAME: YES ___ NO ____

ASH: YES ___ NO ___ CARBON RESIDUE: YES ___ NO ____

COLOR OF FLAME: _____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ___ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Liquid Hydrocarbon

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1275

SAMPLE STATION# 41

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS _____

COLOR: purple CLARITY: CLEAR ✓ OPAQUE _____

SAMPLE pH: 2 VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 6

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: ____

HEAVIER THAN WATER: ____

SOLUBILITY IN METHYLENE CHLORIDE: SOL partly soluble ____ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS ____ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1275
(41)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ____ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ____ NO ____

ASH: YES ✓ NO ____ CARBON RESIDUE: YES ____ NO ____

COLOR OF FLAME: ____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Acid organic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1276

SAMPLE STATION# 42

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS _____

COLOR: Green CLARITY: CLEAR ✓ OPAQUE _____

SAMPLE pH: 7 VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 6

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: partially soluble

HEAVIER THAN WATER: ____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ____ partially soluble.

SOLUBILITY IN 5% HCL: SOLUBLE ____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ____

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS ___ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1276
(42)

SOLUBILITY IN 5% NaOH: partly SOLUBLE ✓ ____ INSOLUBLE _____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE partly ✓ INSOLUBLE _____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ✓ NO ____

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: Yellow pH OF COMBUSTION GASES: 7

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Neutral organic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1277

SAMPLE STATION# 43

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID ✓ SLUDGE_____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS_____

COLOR: Pale Yellow. CLARITY: CLEAR ✓ OPAQUE_____

SAMPLE pH: 7 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 6

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1277
(43)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ✓ NO ____

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: yellow pH OF COMBUSTION GASES: 7

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: neutral organic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1278

SAMPLE STATION# 44

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS _____

COLOR: Dark Brown CLARITY: CLEAR _____ OPAQUE ✓

SAMPLE pH: 4 VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO ____

GAS EVOLVED: YES ____ NO ____

INSOLUBLE IN WATER: LIGHTER THAN WATER: ✓

HEAVIER THAN WATER: ____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE ____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS ____ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1278
(44)

SOLUBILITY IN 5% NaOH: partly SOLUBLE ✓ INSOLUBLE _____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO _____

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ✓ NO ____

ASH: YES ____ NO ____ CARBON RESIDUE: YES ✓ NO ____

COLOR OF FLAME: Yellow pH OF COMBUSTION GASES: 7

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Liquid Hydrocarbon

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1279

SAMPLE STATION# 45

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID_____ SLUDGE ✓

VISCOSITY: FLUID_____ OILY _____ VISCOUS ✓

COLOR: Various Colors CLARITY: CLEAR_____ OPAQUE ✓

SAMPLE pH: – VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO _____

GAS EVOLVED: YES ____ NO _____

INSOLUBLE IN WATER: LIGHTER THAN WATER: ✓

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO _____

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1279
45

SOLUBILITY IN 5% NaOH: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES _____ NO _____

INGNITABILITY TESTING

MELTS: YES ✓ NO ___ DETONATES: YES ___ NO ✓

IGNITES: YES ✓ NO ___ SUPPORTS FLAME: YES ___ NO ✓

ASH: YES ___ NO ✓ CARBON RESIDUE: YES ___ NO ✓

COLOR OF FLAME: _____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ___ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Sludge Hydrocarbons

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1280

SAMPLE STATION# 46

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID ✓ SLUDGE_____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS_____

COLOR: Light Yellow CLARITY: CLEAR_____ OPAQUE ✓

SAMPLE pH: 7 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 6

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1280
(46)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO —

DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO —

SUPPORTS FLAME: YES ____ NO —

ASH: YES ____ NO ✓

CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: ____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Neutral Inorganic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1281

SAMPLE STATION# 47

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS _____

COLOR: Blue CLARITY: CLEAR _____ OPAQUE ✓

SAMPLE pH: 1 VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 1

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS ___ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1281
47

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ✓ NO ____ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: ____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Acidic Inorganic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1282

SAMPLE STATION# 48

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID ✓ SLUDGE_____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS_____

COLOR: Brown Black CLARITY: CLEAR_____ OPAQUE ✓

SAMPLE pH: 7 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING
---

partially soluble

SOLUBLE IN WATER: pH OF SOLUTION: 6

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

SOLUBILITY IN 5% NaOH: partially SOLUBLE _____ INSOLUBLE _____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES _____ NO _____

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ___ NO ✓

IGNITES: YES ✓ NO ___ SUPPORTS FLAME: YES ___ NO ✓

ASH: YES ✓ NO ___ CARBON RESIDUE: YES ___ NO ✓

COLOR OF FLAME: _____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ___ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Neutral organic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1283

SAMPLE STATION# 49

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID ✓ SLUDGE_____

VISCOSITY: FLUID_____ OILY ✓ VISCOUS ✓

COLOR: Brown CLARITY: CLEAR_____ OPAQUE ✓

SAMPLE pH: 7 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO ____

GAS EVOLVED: YES ____ NO ____

INSOLUBLE IN WATER: LIGHTER THAN WATER: ✓

HEAVIER THAN WATER: ____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE ____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ____

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1283
(49)

SOLUBILITY IN 5% NaOH: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE _____

GAS EVOLVED: YES _____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ___ NO ✓

IGNITES: YES ___ NO ✓ SUPPORTS FLAME: YES ✓ NO ____

ASH: YES ___ NO ___ CARBON RESIDUE: YES ___ NO ____

COLOR OF FLAME: Yellow pH OF COMBUSTION GASES: 7

EVAPORATES BEFORE IGNITING: YES ___ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Liquid Hydrocarbon

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1284

SAMPLE STATION# 50

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID ✓ SLUDGE_____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS_____

COLOR: [illegible] CLARITY: CLEAR_____ OPAQUE ✓

SAMPLE pH: 7 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: Partly 7

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE Partly INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS ___-___

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1284

(50)

SOLUBILITY IN 5% NaOH: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

CYANIDE TEST: POS ____ NEG _____

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES _____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ___ NO ✓

IGNITES: YES ✓ NO ___ SUPPORTS FLAME: YES ✓ NO ____

ASH: YES ___ NO ✓ CARBON RESIDUE: YES ___ NO ✓

COLOR OF FLAME: Yellow pH OF COMBUSTION GASES: 7

EVAPORATES BEFORE IGNITING: YES ___ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Neutral Inorganic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1285

SAMPLE STATION# 51

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS _____

COLOR: [illegible] CLARITY: CLEAR [illegible] OPAQUE _____

SAMPLE pH: 6 VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 7

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS ____ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1285
(51)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE _____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

CYANIDE TEST: POS ____ NEG _____

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE _____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ___ DETONATES: YES ___ NO _____

IGNITES: YES ___ NO ✓ SUPPORTS FLAME: YES ___ NO ___

ASH: YES ___ NO ___ CARBON RESIDUE: YES ___ NO ✓

COLOR OF FLAME: _____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ___ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Neutral Inorganic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1286

SAMPLE STATION# 52

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID_____ SLUDGE_____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS_____

COLOR: _____ CLARITY: CLEAR_____ OPAQUE ✓

SAMPLE pH: 7 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: Bath (6)

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE Bath INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS____ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1286
(52)

SOLUBILITY IN 5% NaOH: SOLUBLE ___ INSOLUBLE ✓

GAS EVOLVED: YES ___ NO ✓

pH OF EVOLVED GAS ___

CYANIDE TEST: POS ___ NEG ___

NH4 OR AMINE TEST: POS ___ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ___ INSOLUBLE ✓

GAS EVOLVED: YES ___ NO ✓

INGNITABILITY TESTING

MELTS: YES ___ NO ✓ DETONATES: YES ___ NO ✓

IGNITES: YES ✓ NO ___ SUPPORTS FLAME: YES ___ NO ✓

ASH: YES ___ NO ✓ CARBON RESIDUE: YES ___ NO ✓

COLOR OF FLAME: ___ pH OF COMBUSTION GASES: ___

EVAPORATES BEFORE IGNITING: YES ___ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ___ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ___ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ___ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ___ NEGATIVE ✓

NOTES: Neutral Inorganic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1287

SAMPLE STATION# 53

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS _____

COLOR: pink CLARITY: CLEAR ✓ OPAQUE _____

SAMPLE pH: 12 VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 11

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS ___ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1287
(53)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE _____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

CYANIDE TEST: POS ____ NEG _____

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE _____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: _____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Base Inorganic Liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1288

SAMPLE STATION# 54

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID_____ SLUDGE_____

VISCOSITY: FLUID_____ OILY _____ VISCOUS_____

COLOR: _____ CLARITY: CLEAR_____ OPAQUE ✓

SAMPLE pH:_____ VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO _____

GAS EVOLVED: YES ____ NO _____

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1288
(54)

SOLUBILITY IN 5% NaOH: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

CYANIDE TEST: POS ____ NEG _____

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES _____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ___ NO ✓

IGNITES: YES ✓ NO ___ SUPPORTS FLAME: YES ___ NO ____

ASH: YES ___ NO ✓ CARBON RESIDUE: YES ✓ NO ____

COLOR OF FLAME: Yellow pH OF COMBUSTION GASES: 7

EVAPORATES BEFORE IGNITING: YES ___ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Sludge Hydrocarbon

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1289

SAMPLE STATION# 55

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID_____ SLUDGE_____

VISCOSITY: FLUID_____ OILY _____ VISCOUS_____

COLOR: _____ CLARITY: CLEAR_____ OPAQUE_____

SAMPLE pH: _____ VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 6

HEAT EVOLVED: YES ____ NO ____

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1289

55

SOLUBILITY IN 5% NaOH: SOLUBLE Partly INSOLUBLE_____

GAS EVOLVED: YES____ NO ✓

pH OF EVOLVED GAS _____

CYANIDE TEST: POS ____ NEG _____

NH4 OR AMINE TEST: POS____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE_____

GAS EVOLVED: YES_____NO ✓

INGNITABILITY TESTING

MELTS: YES____ NO ✓ DETONATES: YES___ NO_____

IGNITES: YES___ NO___ SUPPORTS FLAME: YES___ NO____

ASH: YES___ NO___ CARBON RESIDUE: YES___ NO____

COLOR OF FLAME: _____ pH OF COMBUSTION GASES:____

EVAPORATES BEFORE IGNITING: YES___ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE_____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE_____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE_____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE_____ NEGATIVE ✓

NOTES: Neutral Inorganic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1290

SAMPLE STATION# 56

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID ✓ SLUDGE_____

VISCOSITY: FLUID_____ OILY _____ VISCOUS_____

COLOR: _____ CLARITY: CLEAR_____ OPAQUE ✓

SAMPLE pH: 6 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 6

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE both INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1290
56

SOLUBILITY IN 5% NaOH: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

CYANIDE TEST: POS ____ NEG _____

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE _____

GAS EVOLVED: YES _____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ___ NO ✓

IGNITES: YES ___ NO ___ SUPPORTS FLAME: YES ✓ NO ____

ASH: YES ___ NO ✓ CARBON RESIDUE: YES ___ NO ____

COLOR OF FLAME: ✓ pH OF COMBUSTION GASES: ✓

EVAPORATES BEFORE IGNITING: YES ___ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Neutral organic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1291

SAMPLE STATION# 27

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID_____ SLUDGE_____

VISCOSITY: FLUID_____ OILY _____ VISCOUS_____

COLOR: _____ CLARITY: CLEAR ✓ OPAQUE_____

SAMPLE pH: 2 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: ✓ 2

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1291

57

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE _____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

CYANIDE TEST: POS ____ NEG _____

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE _____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ___ NO ✓

IGNITES: YES ___ NO ___ SUPPORTS FLAME: YES ___ NO ___

ASH: YES ___ NO ✓ CARBON RESIDUE: YES ___ NO ___

COLOR OF FLAME: _____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ___ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Acidic Inorganic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1292

SAMPLE STATION# 58

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID ✓ SLUDGE_____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS_____

COLOR: Green CLARITY: CLEAR ✓ OPAQUE_____

SAMPLE pH: 1 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 11

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS ____

CYANIDE TEST: POS ____ NEG ____

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ____

IGNITES: YES ✓ NO ____ SUPPORTS FLAME: YES ____ NO ____

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: ____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ✓ NEGATIVE ____

NOTES: (Check for Nitrate or chlorate) Negative

Base Inorganic liquid.

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1293

SAMPLE STATION# 59

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID ✓ SLUDGE_____

VISCOSITY: FLUID_____ OILY _____ VISCOUS_____

COLOR: _____ CLARITY: CLEAR_____ OPAQUE_____

SAMPLE pH: 7 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO _____

GAS EVOLVED: YES ____ NO _____

INSOLUBLE IN WATER: LIGHTER THAN WATER: ✓

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1293

59

SOLUBILITY IN 5% NaOH: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

CYANIDE TEST: POS ____ NEG _____

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES _____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ___ DETONATES: YES ___ NO ✓

IGNITES: YES ___ NO ___ SUPPORTS FLAME: YES ___ NO ____

ASH: YES ___ NO ✓ CARBON RESIDUE: YES ✓ NO ____

COLOR OF FLAME: Yellow pH OF COMBUSTION GASES: —

EVAPORATES BEFORE IGNITING: YES ___ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: ligund Hydrocarbon

1294
60

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1294

SAMPLE STATION# 60

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID ✓ SLUDGE_____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS_____

COLOR: _____ CLARITY: CLEAR ✓ OPAQUE_____

SAMPLE pH: 0 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: ✓ 1

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS ____

CYANIDE TEST: POS ____ NEG ____

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ✓ Bubbled NO ____

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ____ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ____ NO ____ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: ____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Acidic Inorganic liquid.

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1295

SAMPLE STATION# 61

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID_____ SLUDGE ✓

VISCOSITY: FLUID_____ OILY _____ VISCOUS_____

COLOR: _____ CLARITY: CLEAR_____ OPAQUE ✓

SAMPLE pH: 7 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO _____

GAS EVOLVED: YES ____ NO _____

INSOLUBLE IN WATER: LIGHTER THAN WATER: ✓

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1296

(62)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS ____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE Partly INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ✓ NO ____ SUPPORTS FLAME: YES ✓ NO ____

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ✓ NO ____

COLOR OF FLAME: Yellow pH OF COMBUSTION GASES: 7

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Neutral organic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1297

SAMPLE STATION# 63

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS _____

COLOR: Light Brown CLARITY: CLEAR ✓ OPAQUE _____

SAMPLE pH: 8 VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: Partly 7 pH

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

SULFIDE TEST OF EVOLVED GAS: POS ____ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1297
63

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE _____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE Partly INSOLUBLE _____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: _____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Neutral Inorganic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1298

SAMPLE STATION# 64

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID _____ OILY _____ VISCOUS ✓

COLOR: wh. & Brown CLARITY: CLEAR _____ OPAQUE ✓

SAMPLE pH: 7 VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 7 ✓

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

SULFIDE TEST OF EVOLVED GAS: POS ___ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1298
(64)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS ____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ✓ NO ____ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ✓ NO ____ CARBON RESIDUE: YES ✓ NO ____

COLOR OF FLAME: ____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Neutral organic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1299

SAMPLE STATION# 65

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS _____

COLOR: Light orange CLARITY: CLEAR ✓ OPAQUE _____

SAMPLE pH: 7 VOLATILITY IN PPM: HNU 100ppm OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: ✓ 6 pH

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: (par ch) SOLUBLE _____ INSOLUBLE ____

GAS EVOLVED: YES ____ NO _____

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS ___ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1299
(65)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE _____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE _____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ✓ NO ____

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: yellow pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ____ NO ____

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: liquid neutral organic

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1300

SAMPLE STATION# 66

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID_____ SLUDGE ✓

VISCOSITY: FLUID_____ OILY _____ VISCOUS ✓

COLOR: Black CLARITY: CLEAR_____ OPAQUE ✓

SAMPLE pH: – VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO ____

GAS EVOLVED: YES ____ NO ____

INSOLUBLE IN WATER: LIGHTER THAN WATER: ✓

HEAVIER THAN WATER: ____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ___

SOLUBILITY IN 5% HCL: SOLUBLE ____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS ____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1300
#66

SOLUBILITY IN 5% NaOH: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO _____

pH OF EVOLVED GAS _____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES _____ NO ✓

INGNITABILITY TESTING

MELTS: YES ✓ NO ___ DETONATES: YES ___ NO ✓

IGNITES: YES ✓ NO ___ SUPPORTS FLAME: YES ✓ NO ___

ASH: YES ✓ NO ___ CARBON RESIDUE: YES ✓ NO ___

COLOR OF FLAME: Yellow pH OF COMBUSTION GASES: 7

EVAPORATES BEFORE IGNITING: YES ___ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Sludge Hydrocarbon

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1301

SAMPLE STATION# 67

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS _____

COLOR: Pale Brown CLARITY: CLEAR ✓ OPAQUE _____

SAMPLE pH: 7 VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 7 ✓

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

SULFIDE TEST OF EVOLVED GAS: POS ____ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1301
#67

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE _____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE _____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: — pH OF COMBUSTION GASES: —

EVAPORATES BEFORE IGNITING: YES ____ ~~NO~~ ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Neutral Inorganic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1302

SAMPLE STATION# 68

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID ____ LIQUID ✓ SLUDGE ____

VISCOSITY: FLUID ✓ OILY ____ VISCOUS ____

COLOR: Purple CLARITY: CLEAR ____ OPAQUE ✓

SAMPLE pH: 2 VOLATILITY IN PPM: HNU ____ OVA ____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 2 ✓

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: ____

HEAVIER THAN WATER: ____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

SULFIDE TEST OF EVOLVED GAS: POS ____ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1303

(68)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS ____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES Bubbles Foam NO ____

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ✓ NO ____ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: – pH OF COMBUSTION GASES: –

EVAPORATES BEFORE IGNITING: YES ____ NO ____

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE Tentative Foaming NEGATIVE ____

NOTES: Acidic Inorganic Liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1303

SAMPLE STATION# 69

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS _____

COLOR: wh.t CLARITY: CLEAR _____ OPAQUE ✓

SAMPLE pH: 7 VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: ✓ 7

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO —

pH OF EVOLVED GAS —

SULFIDE TEST OF EVOLVED GAS: POS ___ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1303
#69

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ____

pH OF EVOLVED GAS ____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: — pH OF COMBUSTION GASES: —

EVAPORATES BEFORE IGNITING: YES ____ NO ____

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Neutral Inorganic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1304

SAMPLE STATION# 70

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID ____ LIQUID ✓ SLUDGE ____

VISCOSITY: FLUID ✓ OILY ____ VISCOUS ____

COLOR: Brownish CLARITY: CLEAR ✓ OPAQUE ____

SAMPLE pH: 7 VOLATILITY IN PPM: HNU ____ OVA ____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 7 ✓

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: ____

HEAVIER THAN WATER: ____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

SULFIDE TEST OF EVOLVED GAS: POS ____ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1304
(70)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS ____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: ____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Neutral Inorganic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1305

SAMPLE STATION# 71

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS _____

COLOR: Green CLARITY: CLEAR _____ OPAQUE ✓

SAMPLE pH: 7 VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 7 ✓

HEAT EVOLVED: YES ____ NO ____

GAS EVOLVED: YES ____ NO ____

INSOLUBLE IN WATER: LIGHTER THAN WATER: ____

HEAVIER THAN WATER: ____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS ____

SULFIDE TEST OF EVOLVED GAS: POS ____ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1305
(71)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS ____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: — pH OF COMBUSTION GASES: —

EVAPORATES BEFORE IGNITING: YES ____ NO ____

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Neutral Inorganic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1306

SAMPLE STATION# 72

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID ✓ SLUDGE_____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS_____

COLOR: Brown CLARITY: CLEAR_____ OPAQUE ✓

SAMPLE pH: 3 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 4 ✓

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS____ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1306
(72)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS ____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: — pH OF COMBUSTION GASES: —

EVAPORATES BEFORE IGNITING: YES ____ NO ____

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Acidic Inorganic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1307

SAMPLE STATION# 73

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS _____

COLOR: Light Brown CLARITY: CLEAR ✓ OPAQUE _____

SAMPLE pH: 9 VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 7 ✓

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS ___ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1307
(73)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS ____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ____

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: — pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ____ NO ____

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Base Inorganic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1308

SAMPLE STATION# 74

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID ____ LIQUID ✓ SLUDGE ____

VISCOSITY: FLUID ✓ OILY ____ VISCOUS ____

COLOR: Brown Cloudy CLARITY: CLEAR ✓ OPAQUE ____

SAMPLE pH: 7 VOLATILITY IN PPM: HNU ____ OVA ____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 6

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: ____

HEAVIER THAN WATER: ____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS ____

SULFIDE TEST OF EVOLVED GAS: POS ____ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1308

(74)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: ____ pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Neutral Inorganic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1309

SAMPLE STATION# 75

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID ✓ SLUDGE_____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS_____

COLOR: Brown. CLARITY: CLEAR_____ OPAQUE ✓

SAMPLE pH: 5 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF partly soluble SOLUTION: 5

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL Partly INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE _____ INSOLUBLE Partly

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1309

75

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ✓ NO ____

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ✓ NO ____

COLOR OF FLAME: Yellow pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ____ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Acid organic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1310

SAMPLE STATION# 76

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS _____

COLOR: Pale Yellow CLARITY: CLEAR ✓ OPAQUE _____

SAMPLE pH: 1 VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 3.0

HEAT EVOLVED: YES ____ NO ____

GAS EVOLVED: YES ____ NO ____

INSOLUBLE IN WATER: LIGHTER THAN WATER: ____

HEAVIER THAN WATER: ____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ____

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS ___ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1310
(76)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS ____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ____ INSOLUBLE ✓

GAS EVOLVED: YES bubbles NO ____

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ✓ NO ____

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ✓ NO ____

COLOR OF FLAME: yellow pH OF COMBUSTION GASES: —

EVAPORATES BEFORE IGNITING: YES ____ NO ____

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Acidic Inorganic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1311

SAMPLE STATION# 77

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID_____ SLUDGE ✓

VISCOSITY: FLUID_____ OILY _____ VISCOUS ✓

COLOR: [illegible] CLARITY: CLEAR_____ OPAQUE ✓

SAMPLE pH:_____ VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO _____

GAS EVOLVED: YES ____ NO _____

INSOLUBLE IN WATER: LIGHTER THAN WATER: ✓

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO _____

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

SOLUBILITY IN 5% NaOH: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS ____ —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: partly SOLUBLE ✓ INSOLUBLE _____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ✓ NO ___ DETONATES: YES ___ NO ✓

IGNITES: YES ✓ NO ___ SUPPORTS FLAME: YES ✓ NO ___

ASH: YES ✓ NO ___ CARBON RESIDUE: YES ✓ NO ___

COLOR OF FLAME: green/yellow pH OF COMBUSTION GASES: ____

EVAPORATES BEFORE IGNITING: YES ___ NO ___

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ✓ NEGATIVE _____

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Check PCBs on GC ✓ (Negative on GC)

sludge Hydrocarbons

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1312

SAMPLE STATION# 78

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS _____

COLOR: Light Brown CLARITY: CLEAR Cloudy ✓ OPAQUE _____

SAMPLE pH: 6 VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: 7.0

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS ___ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1312

(78)

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: — pH OF COMBUSTION GASES: —

EVAPORATES BEFORE IGNITING: YES ____ NO ____

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Neutral Inorganic liquid

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1313

SAMPLE STATION# 79

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID_____ SLUDGE Hard Jell

VISCOSITY: FLUID_____ OILY _____ VISCOUS_____

COLOR: Red Jelly CLARITY: CLEAR_____ OPAQUE_____

SAMPLE pH:_____ VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO _____

GAS EVOLVED: YES ____ NO _____

INSOLUBLE IN WATER: LIGHTER THAN WATER: ✓ Hard & Jell can't tell if Lighter or Heavier. It is like a plastic.

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO _____

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1313
(79)

SOLUBILITY IN 5% NaOH: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS ____

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES _____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ___ NO ✓

IGNITES: YES ✓ NO ___ SUPPORTS FLAME: YES ✓ NO ____

ASH: YES ___ NO ✓ CARBON RESIDUE: YES ✓ NO ____

COLOR OF FLAME: Yellow pH OF COMBUSTION GASES: 7

EVAPORATES BEFORE IGNITING: YES ___ NO ___

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Sludge Hydrocarbons

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1314

SAMPLE STATION# 80

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS _____

COLOR: Brown CLARITY: CLEAR _____ OPAQUE ✓

SAMPLE pH: 4 VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO ____

GAS EVOLVED: YES ____ NO ____

INSOLUBLE IN WATER: LIGHTER THAN WATER: ✓

HEAVIER THAN WATER: ____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ✓ INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE ____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ____

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS ____ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1314
#80

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ____ NO ✓ SUPPORTS FLAME: YES ✓ NO ____

ASH: YES ✓ NO ____ CARBON RESIDUE: YES ✓ NO ____

COLOR OF FLAME: yellow pH OF COMBUSTION GASES: 7

EVAPORATES BEFORE IGNITING: YES ____ NO ____

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: Liquid Hydrocarbon

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1315

SAMPLE STATION# 81

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID _____ LIQUID ✓ SLUDGE _____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS _____

COLOR: colorless CLARITY: CLEAR cloudy ✓ OPAQUE _____

SAMPLE pH: 7 VOLATILITY IN PPM: HNU _____ OVA _____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: _____

HEAT EVOLVED: YES ____ NO ____

GAS EVOLVED: YES ____ NO ____

INSOLUBLE IN WATER: LIGHTER THAN WATER: ✓ partly soluble

HEAVIER THAN WATER: ____

SOLUBILITY IN METHYLENE CHLORIDE: SOL ____ INSOL ✓

SOLUBILITY IN 5% HCL: SOLUBLE Partly INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

SULFIDE TEST OF EVOLVED GAS: POS ____ NEG ✓

OXIDIZER TEST: POS ____ NEG ✓

1315
(81)

partly soluble

SOLUBILITY IN 5% NaOH: SOLUBLE ✓ INSOLUBLE ____

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS —

CYANIDE TEST: POS ____ NEG ✓

NH4 OR AMINE TEST: POS ____ NEG ✓

Partly

SOLUBILITY IN NaHCO3: SOLUBLE ____ INSOLUBLE —

GAS EVOLVED: YES ____ NO ✓

INGNITABILITY TESTING

MELTS: YES ____ NO ✓ DETONATES: YES ____ NO ✓

IGNITES: YES ✓ NO ____ SUPPORTS FLAME: YES ____ NO ✓

ASH: YES ____ NO ✓ CARBON RESIDUE: YES ____ NO ✓

COLOR OF FLAME: — pH OF COMBUSTION GASES: —

EVAPORATES BEFORE IGNITING: YES ____ NO ____

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE ____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE ____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE ____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE ____ NEGATIVE ✓

NOTES: neutral organic liquid.

ACCURA ANALYTICAL LABORATORY, INC.

Environmental Analytical Services

2690 E. Ponce de Leon Ave., Decatur, GA 30030 / PO Box 1382, Decatur, GA 30031 (404)378-3877

CLIENT: HAZTECH, INC.
5280 Panola Ind Blvd.
Decatur, GA 30035

PROJECT NO#2310-88-1240
LAB PROJECT NO: 170
DATE RECEIVED: 9-30-88
REPORT DATE: 10-16-88

ATTENTION: Mr. Steve Holt

The following samples are grouped under Acid Organic Liquids:

LAB #	STATION #
AAL 1239	5
AAL 1253	19
AAL 1275	41
AAL 1309	75

ACCURA ANALYTICAL LABORATORY, INC.

Environmental Analytical Services

2690 E. Ponce de Leon Ave., Decatur, GA 30030 / PO Box 1382, Decatur, GA 30031 (404)378-3877

CLIENT: HAZTECH, INC.
5280 Panola Ind Blvd.
Decatur, GA 30035

ATTENTION: Mr. Steve Holt

PROJECT NO#2310-88-1240
LAB PROJECT NO: 170
DATE RECEIVED: 9-30-88
REPORT DATE: 10-16-88

The following samples are grouped under Acidic Inorganic Liquid:

LAB #	STATION #
AAL 1244	10
AAL 1259	25
AAL 1260	26
AAL 1262	28
AAL 1263	29
AAL 1265	31
AAL 1267	33
AAL 1281	47
AAL 1291	57
AAL 1294	60
AAL 1302	68
AAL 1306	72
AAL 1310	76

ACCURA ANALYTICAL LABORATORY, INC.

Environmental Analytical Services

2690 E. Ponce de Leon Ave., Decatur, GA 30030 / PO Box 1382, Decatur, GA 30031 (404)378-3877

CLIENT:HAZTECH, INC.
5280 Panola Ind Blvd.
Decatur, GA 30035

ATTENTION:Mr.Steve Holt

PROJECT NO#2310-88-1240
LAB PROJECT NO:170
DATE RECEIVED:9-30-88
REPORT DATE: 10-16-88

The following samples are grouped under Neutral Inorganic Liquid:

LAB #	STATION #
AAL 1241	7
AAL 1248	14
AAL 1249	15
AAL 1255	21
AAL 1257	23
AAL 1280	46
AAL 1284	50
AAL 1285	51
AAL 1286	52
AAL 1289	55
AAL 1297	63
AAL 1301	67
AAL 1303	69
AAL 1304	70
AAL 1305	71
AAL 1308	74
AAL 1312	78

ACCURA ANALYTICAL LABORATORY, INC.

Environmental Analytical Services

2690 E. Ponce de Leon Ave., Decatur, GA 30030 / PO Box 1382, Decatur, GA 30031 (404)378-3877

CLIENT:HAZTECH, INC.
5280 Panola Ind Blvd.
Decatur, GA 30035

PROJECT NO#2310-88-1240
LAB PROJECT NO:170
DATE RECEIVED:9-30-88
REPORT DATE: 10-16-88

ATTENTION:Mr.Steve Holt

The following samples are grouped under Neutral Organic Liquids:

LAB #	STATION #
AAL 1247	13
AAL 1256	22
AAL 1270	36
AAL 1273	39
AAL 1276	42
AAL 1277	43
AAL 1282	48
AAL 1290	56
AAL 1296	62
AAL 1298	64
AAL 1299	65
AAL 1315	81

ACCURA ANALYTICAL LABORATORY, INC.

Environmental Analytical Services

2690 E. Ponce de Leon Ave., Decatur, GA 30030 / PO Box 1382, Decatur, GA 30031 (404)378-3877

CLIENT: HAZTECH, INC.
5280 Panola Ind Blvd.
Decatur, GA 30035

ATTENTION: Mr. Steve Holt

PROJECT NO#2310-88-1240
LAB PROJECT NO: 170
DATE RECEIVED: 9-30-88
REPORT DATE: 10-16-88

The following samples are grouped under liquid Hydrocarbons:

LAB #	STATION #
AAL 1236	2
AAL 1237	3
AAL 1238	4
AAL 1250	16
AAL 1252	18
AAL 1266	32
AAL 1268	34
AAL 1269	35
AAL 1274	40
AAL 1278	44
AAL 1283	49
AAL 1293	59
AAL 1314	80

ACCURA ANALYTICAL LABORATORY, INC.

Environmental Analytical Services

2690 E. Ponce de Leon Ave., Decatur, GA 30030 / PO Box 1382, Decatur, GA 30031 (404)378-3877

CLIENT:HAZTECH, INC.
5280 Panola Ind Blvd.
Decatur, GA 30035

PROJECT NO#2310-88-1240
LAB PROJECT NO:170
DATE RECEIVED:9-30-88
REPORT DATE: 10-16-88

ATTENTION:Mr.Steve Holt

The following samples are grouped under Sludge Hydrocarbons:

LAB #	STATION #
AAL 1235	1
AAL 1242	8
AAL 1243	9
AAL 1246	12
AAL 1251	17
AAL 1254	20
AAL 1261	27
AAL 1271	37
AAL 1279	45
AAL 1288	54
AAL 1295	61
AAL 1300	66
AAL 1311	77
AAL 1313	79

ACCURA ANALYTICAL LABORATORY, INC.

Environmental Analytical Services

2690 E. Ponce de Leon Ave., Decatur, GA 30030 / PO Box 1382, Decatur, GA 30031 (404)378-3877

CLIENT: HAZTECH, INC.
5280 Panola Ind Blvd.
Decatur, GA 30035

PROJECT NO#2310-88-1240
LAB PROJECT NO: 170
DATE RECEIVED: 9-30-88
REPORT DATE: 10-16-88

ATTENTION: Mr. Steve Holt

The following samples are grouped under Base Inorganic Liquids:

LAB #	STATION #
AAL 1245	11
AAL 1258	24
AAL 1264	30
AAL 1272	38
AAL 1287	53
AAL 1282	58
AAL 1307	73

APPENDIX E

Chain-of-Custody Forms

CHAIN OF CUSTODY RECORD

HAZTECH
5289 PANOLA INDUSTRIAL BLVD.
DECATUR, GA 30035-4913
(404) 981-9332

PROJ. NO. 231088-1240
PROJECT NAME Spectrum Printing
SAMPLERS (Signature) Steve Holt

Water/Wastewater | Soil/Sed | Sldg/Waste | Misc.

STA. NO.	DATE	TIME	COMP.	GRAB	STATION LOCATION	NO. OF CONTAINERS	Gal G (ext org)	Gal G (EP)	40 ml Vial (VOA)	Gal P (BOD, COD, TSS)	Pt G (phenol)	Pt P (metals, Hg)	Pt. P (metals)	Pt P (TOC, COD)	½ gal P (CN)	½ gal P (Cl,Fl, SO4)	Qt G (ext org, EP)	4 oz G (VOA)	Pt P (met, Hg, CN, S⁻)	4 oz G	8 oz G	8 oz G (EP, S⁻, F.P.)	ext org, VOA, met, Hg, CN	REMARKS/TAG NUMBERS
1	7/30	[illegible]	✓	✓	Drum # 1,2,3,7,8,9,10,11	1																		Compatability
2			✓		12, 13, 14, 15																			
3				✓	16																			
4			✓		4,5																			
5				✓	6																			
7				✓	26																			
8			✓		21,22,23,27,28,29																			
9			✓		36, 37,38, 40,42																			
10				✓	31																			
11				✓	46																			
12				✓	44																			
13				✓	45																			–
14			✓		47,48,49																			
15			✓		50,52																			
16				✓	51																			

Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Remarks
[illegible]	7/30 1100	[illegible]				
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Relinquished by: (Signature)	Date/Time	Received by: (Signature)	

DISTRIBUTION: Each time a sample is relinquished, the person relinquishing same shall keep bottom copy.

FORM #0013-03-86

CHAIN OF CUSTODY RECORD

HAZTECH
5200 PANOLA INDUSTRIAL BLVD.
DECATUR, GA 30035-4013
(404) 981-9332

PROJ. NO.: 2310-88-1240
PROJECT NAME: SpeCtrum Printing
SAMPLERS (Signature): Steve Holt

STA. NO.	DATE	TIME	COMP.	GRAB	STATION LOCATION	NO. OF CONTAINERS	Gal G (ext org)	Gal G (EP)	40 ml vial (VOA)	Gal P (BOD, COD, TSS)	Pt G (phenol)	Pt P (metals, Hg)	Pt. P (metals)	Pt P (TOC, COD)	½ gal P (CN)	½ gal P (Cl, Fl, SO4)	Qt G (ext org, EP)	4 oz G (VOA)	Pt P (met, Hg, CN, S⁻)	4 oz G	8 oz G	8 oz G (EP, S⁻, F.P.)	REMARKS/TAG NUMBERS
17	9-28-88		✓		Drum# 54, 55, 56, 71	1																	Compatability
18			✓		57, 61, 62																		
19				✓	58																		
20			✓		65, 66																		
21			✓		67, 68, 70																		
22				✓	69																		
23			✓		59, 60																		
24				✓	73																		
25				✓	74																		
26				✓	75																		
27			✓		76, 77, 78, 79																		
28				✓	78																		
29			✓		79, 80, 84																		
30				✓	81																		
31				✓	83																		

Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Remarks
E. Bruce	9/30/88 1100	[illegible]				
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Relinquished by: (Signature)	Date/Time	Received by: (Signature)	

DISTRIBUTION: Each time a sample is relinquished, the person relinquishing same shall keep bottom copy.

FORM #0013-03-86

CHAIN OF CUSTODY RECORD

HAZTECH
5260 PANOLA INDUSTRIAL BLVD.
DECATUR, GA 30035-4013
(404) 981-9332

PROJ. NO.: 1310 88 1240
PROJECT NAME: Spectrum Printing
SAMPLERS (Signature): Steve Holt

Water/Wastewater | Soil/Sed | Sldg/Waste | Misc.

STA. NO.	DATE	TIME	COMP.	GRAB	STATION LOCATION	NO. OF CONTAINERS	Gal G (ext org)	Gal G (EP)	40 ml vial (VOA)	Gal P (BOD, COD, TSS,	Pt G (phenol)	Pt P (metals, Hg)	Pt. P (metals,	Pt P (TOC, COD,	½ gal P (CN)	½ gal P (Cl Fl, SO4,	Qt G (ext org, EP)	4 oz G (VOA)	Pt P (met, Hg, CN, S⁻)	ext org, VOA, met, Hg, CN	4 oz G	8 oz G	8 oz G (EP, S⁻, F.P.)				REMARKS/TAG NUMBERS
32	7/23/90			✓	Drum# 85	1																					Compatibility
33				✓	86																						
34				✓	87																						
35				✓	96																						
36				✓	77																						
37			✓		100,101,103,104,107,108,109,110,117,118,119,122																						
38				✓	104 B																						
39				✓	105																						
40				✓	111																						
41				✓	123																						
42				✓	124																						
43			✓	✓	126,127,128																						
44			✓		114,115,116,134,138,139,140,151,152,153,154																						
45			✓		136,142,150,156																						
46			✓		133,135,147																						

Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Remarks
G Bruce	7/30/90 11:00	[illegible]				
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Relinquished by: (Signature)	Date/Time	Received by: (Signature)	

DISTRIBUTION: Each time a sample is relinquished, the person relinquishing same shall keep bottom copy.

FORM #0013-03-86

HAZTECH

5280 PANOLA INDUSTRIAL BLVD.
DECATUR, GA 30035-4013
(404) 981-9332

CHAIN OF CUSTODY RECORD

PROJ. NO.: 1-10-4-1240[illegible]

PROJECT NAME: Spectrum Printing

SAMPLERS (Signature): [signature]

Container types — Water/Wastewater: Gal G (ext org), Gal G (EP), 40 ml vial (VOA), Gal P (BOD, COD, TSS,), Pt G (phenol), Pt P (metals, Hg), Pt. P (metals,), Pt P (TOC, COD,), ½ gal P (CN), ½ gal P (Cl Fl. SO_4), Qt G (ext org, EP), 4 oz G (VOA), Pt P (met, Hg, CN, $S^=$); Soil/Sed (ext org, VOA, met, Hg, CN): 4 oz G, 8 oz G, 8 oz G (EP, $S^=$, F.P.); Sldg/Waste; Misc.

STA. NO.	DATE	TIME	COMP.	GRAB	STATION LOCATION	NO. OF CONTAINERS	REMARKS/TAG NUMBERS
47	1/31			✓	Drum# 143	1	Compatibility
4[illegible]			✓		146, 152, 160		
49			✓		155, 172, 204, 209		
50				✓	159		
51				✓	161		
52				✓	162		
53			✓		164, 165		
54			✓		166, 178, 179, 187, 188, 189, 190		
55				✓	171		
56				✓	173		
57				✓	174		
58				✓	194		
59				✓	195		
60				✓	196		
61			✓		196, 197, 198, 199, 201, 206, 207		

Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Remarks
[signature]	1/31/90	[signature]				
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Relinquished by: (Signature)	Date/Time	Received by: (Signature)	

DISTRIBUTION: Each time a sample is relinquished, the person relinquishing same shall keep bottom copy.

FORM #0013-03-86

PROJ. NO.	PROJECT NAME
3104-88-1240	Spectrum Printing

SAMPLERS (Signature): Steve Holt

Water/Wastewater | Soil

STA. NO.	DATE	TIME	COMP.	GRAB	STATION LOCATION	NO. OF CONTAINERS	Gal G (ext org)	Gal G (EP)	40 ml vial (VOA)	Gal P (BOD, COD, TSS)	Pt G (phenol)	Pt P (metals, Hg)	Pt. P (metals,	Pt P (TOC, COD,	½ gal P (CN)	½ gal P (Cl Fl, SO4	Qt G (ext org, EP)	4 oz G (VOA)	Pt P (met, Hg, CN, S=)	4 oz G	8 oz G	8 oz G (EP, S=, F.P.)	Remarks
62	1/[illegible]		✓		Drum # 200,203	1																	Compatibility
63			✓		202,205																		
64				✓	210																		
65				✓	215																		
66			✓		214,217,218,221,222,223,224,225,226																		
67				✓	217																		
68				✓	220																		
69			✓		227,228,230																		
70				✓	231																		
71			✓		232,234,245																		
72				✓	233																		
73				✓	236																		
74				✓	235																		
75				✓	237																		
76				✓	248																		

Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Remarks
[illegible]	1/[illegible] 1110					
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Relinquished by: (Signature)	Date/Time	Received by: (Signature)	

DISTRIBUTION: Each time a sample is relinquished, the person relinquishing same shall keep bottom copy.

FORM #0013-03-86

CHAIN OF CUSTODY RECORD

HAZTECH
5289 PANOLA INDUSTRIAL BLVD.
DECATUR, GA 30035-4013
(404) 981-9332

PROJ. NO.: 2310-98-1240
PROJECT NAME: Spectrum Printing
SAMPLERS (Signature): Steve Holt

STA. NO.	DATE	TIME	COMP.	GRAB	STATION LOCATION	NO. OF CONTAINERS	Gal G (ext org)	Gal G (EP)	40 ml vial (VOA)	Gal P (BOD, COD, TSS)	Pt G (phenol)	Pt P (metals, Hg)	Pt. P (metals)	Pt P (TOC, COD)	½ gal P (CN)	½ gal P (Cl, Ft, SO4)	Qt G (ext org, EP)	4 oz G (VOA)	Pt P (met, Hg, CN, S=)	4 oz G	8 oz G	8 oz G (EP, S=, F.P.)	ext org, VOA, met, Hg, CN	REMARKS/TAG NUMBERS
77	7/29				Drum# 229, 237, 239, 240, 243, 246, 247, 249, 250, 151	1																		Compatability
77					242, 244																			
77					157																			
80					43																			
81					194																			

Water/Wastewater | Soil/Sed | Sldg/Waste | Misc.

Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Remarks
[illegible]	7/29 1100	[illegible]				
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Relinquished by: (Signature)	Date/Time	Received by: (Signature)	

DISTRIBUTION: Each time a sample is relinquished, the person relinquishing same shall keep bottom copy.

FORM #0013-03-86

ATTACHMENT F

Log Notes

ACCURA ANALYTICAL LABORATORY, INC.

DATA SHEET FOR COMPATIBILITY TEST
****

LABORATORY ID # 1296

SAMPLE STATION# 62

==========

PHYSICAL OBSERVATION:

PHYSICAL STATE: SOLID_____ LIQUID ✓ SLUDGE_____

VISCOSITY: FLUID ✓ OILY _____ VISCOUS_____

COLOR: Brown CLARITY: CLEAR ✓ cloudy OPAQUE_____

SAMPLE pH: 7 VOLATILITY IN PPM: HNU_____ OVA_____

SOLUBILITY TESTING

SOLUBLE IN WATER: pH OF SOLUTION: partly sol 7 pH

HEAT EVOLVED: YES ____ NO ✓

GAS EVOLVED: YES ____ NO ✓

INSOLUBLE IN WATER: LIGHTER THAN WATER: _____

HEAVIER THAN WATER: _____

SOLUBILITY IN METHYLENE CHLORIDE: SOL partly INSOL ____

SOLUBILITY IN 5% HCL: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS ___—___

SULFIDE TEST OF EVOLVED GAS: POS___ NEG ✓

OXIDIZER TEST: POS____ NEG ✓

1295
#61

SOLUBILITY IN 5% NaOH: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES ____ NO ✓

pH OF EVOLVED GAS _____

CYANIDE TEST: POS ____ NEG _____

NH4 OR AMINE TEST: POS ____ NEG ✓

SOLUBILITY IN NaHCO3: SOLUBLE _____ INSOLUBLE ✓

GAS EVOLVED: YES _____ NO ✓

INGNITABILITY TESTING

MELTS: YES ✓ NO ___ DETONATES: YES ___ NO ✓

IGNITES: YES ✓ NO ___ SUPPORTS FLAME: YES ✓ NO ___

ASH: YES ___ NO ✓ CARBON RESIDUE: YES ✓ NO ___

COLOR OF FLAME: Yellow pH OF COMBUSTION GASES: 7

EVAPORATES BEFORE IGNITING: YES ___ NO ✓

HALOGEN FLAME TEST

GREEN FLAME: POSITIVE _____ NEGATIVE ✓

PEROXIDE TESTING

ORGANIC PEROXIDES: POSITIVE _____ NEGATIVE ✓

PCB TESTING

CHLOR-N-OIL PCB SCREEN: POSITIVE _____ NEGATIVE ✓

PERCHLORIC NITRIC ACID TEST

NITRATES or CHLORATES: POSITIVE _____ NEGATIVE ✓

NOTES: Sludge Hydrocarbon

HAZTECH

5280 PANOLA INDUSTRIAL BLVD.
DECATUR, GA 30035-4013
(404) 981-9332

STEVE A. HOLT
OPERATIONS

24 HOUR EMERGENCY NUMBER (404) 981-9339

Westinghouse
Environmental Services

Douglas L. Snyder
Project Supervisor

Westinghouse HAZTECH, Inc.
5280 Panola Industrial Blvd.
Decatur, Georgia 30035
(404) 981-9332
FAX (404) 593-3959

27 September 1988
Spectrum Printing Site
An abandoned facility that has recently been sold.
Jeri Wynn

Camera EPA # 639488

Site located between Hwy 278, West St. and Old Atlanta Hwy.
Jeri Wynn

28 September 1988

0730 Left to reach site (to Spectrum Printing site) in Covington, Newton County, Georgia.

0855 Arrived at Spectrum Printing site with TATM's Karen Gill, Christi Ulner and Jeri Wynn.

0920 Steve Holt (Haztech) arrived at site. Question Holt about drums. Drums are inside of building. The drums will be staged. Drums will be; that is (the contents) ~~be~~ bulked. Contents dumped in roll-off. Drums will be crushed and eventually dumped in roll-off. Residuals under drums will be scraped. Not sure what the PRP wants done with the drums on inside. Will probably use an articulate arm. Haztech contractors wore tyveks instead of serrax or polycoated.

1000 TW ~~[illegible]~~ Asked Steve Holt about HNu. He said New HNu, no calibration log should already be calibrated ~~that~~ it from Tracy ~~[illegible]~~ TW and Neil TW.

1005 Began staging of drums. Decon set up. Oil drum, eye wash 50 gal drum of water. Drums are on top of pallets, 3 or 4 drums to a pallet.

1030 Haztech contractors used serrax instead of tyveks. Discussed with Steve Holt. (2 technicians) Used because of printing ink.

Jeri Wynn


Blue Building
Door
connection
Drum Area
Loading Dock
stop sign
old Atlanta Hwy
West St
Drum located here
PALLETS WOOD pile
TAPED OFF HOT ZONE
DECON
stop sign

28 September 1988

1045 Haztech (Holt) suited up in his sensax to begin sampling. Observed that respirators were worn on outside of hood. Non-sparking tools were used. Samples were placed in mason jars.

1220 Haztech stopped sampling to break for lunch. TATM's Gill, Ulber and Wynn also breaked for lunch.

1325 Arrived back at site (Haztech and TATM's) to set up sampling (Haztech).

1500 TATM's left site to go back to Atlanta. Haztech contractors were still at site sampling drums.

1545 Arrived at Roy F. Weston/S.P.&R. Division.

Jeri Wyn

29 September 1988

1000 Left to reach site destination Spectrum Printing Covington, Newton, County, Georgia, for PRP response. SAIC's Christi Ulrich and Jeri Wyers

1110 Arrived at destination Spectrum Printing. Spoke with Steve Hatt. Said he found a lot of low pH's in the plastic drums, no adhesives. Observed sampling of drums. The operator of the ~~grapple~~ forklift returned two more drums that were not brought out yesterday (28/9/88). There ~~was~~ T.W. is a drum back behind the bushes in front of the building on the side of the warehouse. The Haztech contractors did not sample it.

1345 The drums that ~~were~~ are T.W. being sampled at this point from observation, the contents looked viscous. They seem to have difficulty procuring the contents and placing it in a jar.

1430 The Haztech contractors began decon. Asked Steve Hatt if they had completed the sampling, he replied yes. We spoke about the HHu. He commented about the person he received it from and that it was used once or twice before he got it and that having a calibration log was a good idea.

Jeri Wyers

29 September 1988

1430 I asked Steve Holt about the Manifest, he said it would be a month before it would be ready. I then asked about the business card. He gave me one of his business cards. I asked about the analytical results. I wanted a copy of it sent to me. He replied that it would be up to Spectrum Printing ~~to~~ a T.W. ~~send a~~ copy could be sent to me.

1455 Left site. (Spectrum Printing)

1555 Arrived at destination. Roy F. Weston

Jeri Wyan

29 September 1988

1600 Samples collected by Hastech Contractors samples are being ~~shipped~~ sent to Savannah Labs for analysis. Spoke with Steve Holt ~~to~~ about confirmed laboratory. Asked Steve about drum inventory and per manifests.

Jeri Wilson

8

November 8, 1988

Spectrum Printing
Georgia Environmental Protection
Division. 656-2836
Ramona Kline
Cindy ~~Love~~ T.W. Laws Haztech 981-9332
Renee Goodley Supervisor

When removal begins, give
Renee Goodley a call.
Teri [signature]
11-8-88

8 November 1988

0920 Called Steve Hatt at Westinghouse Haztech. Inquired Hatt about a definite removal date. He could not give me one at this time. The organics in the waste at Spectrum Printing, he had not decided what needed to be done to dispose of them. He is looking for options. He will speak with Mr. Fraiser on Friday November 11, 1988 to try to come up with a solution.

He replied that the inorganics did solidify with Portland Cement. The inorganic portion of the waste may go to Chemical Waste Management Landfill in Emelle, Alabama.

Teri Wynn

November 22, 1988

0900 OSC Bill Klutz telephoned TAT Wynn up at SAPP BATTERY SITE, AIFORD, JACKSON COUNTY, FLORIDA, to inform and query about any new information regarding removal activities at the SPECTRUM PRINTING SITE, COVINGTON, NEWTON COUNTY, GEORGIA. TAT Wynn informed OSC Bill Klutz that in the last telephone conversation with Steve Holt (HAZTECH), Steve Holt informed TAT Wynn that they ~~where~~ are going to have a meeting to discuss disposal of the wastes, and that ~~the~~ he and whomever ~~he~~ T.W. ~~the~~ was meeting with were unsure of what to do with some of the components of the wastes. OSC Bill Klutz informed TAT Wy that they are having a meeting on this day with (HAZTECH) and that the contractors (HAZTECH) wanted to solidify the organics i the waste. OSC Bill Klutz and TAT Wynn disagreed that this was the proper way of handling the waste. Teri Wynn 11-22-88

Steve Hett (Haztech)
TAT Wynn spoke with
Steve Holt on lab results
being sent to TAT office
in care of Jeri Wynn (TAT).
TAT Wynn was told that
lab results would be in
Friday, and as soon as
he recieves them, he
would make TAT Wynn
a facsimile of the results
and FedEx them to me,
TAT Wynn was also told
by Steve Holt that it would
take a month to complete
the manifest on the contents
of the drums. I requested
that a copy be sent as
soon as (the manifest) it
is completed.

Jeri Wynn

December 9, 1988

1500 Cindy T.W. ~~Love~~ Laws of Georgia Environmental Protection Division telephoned TAT Office to speak with TAT Wynn on Spectrum Printing Site. Cindy T.W. ~~Love~~ Laws updated TAT Wynn with the following:

Before December 22, 1988, they will be pulling the tank; all the sampling that was done is worthless, (T.W. ~~Haz Rating~~ Hazardous Categorization for Landfill). Gary Rogers will be the sight supervisor and will be telephoning to inform TAT Wynn of the removal date according to Cindy T.W. ~~Love~~ Laws of Georgia EPD; Bill Klutz wants to categorize the wastes as $(KO_8)_6$; The removal and disposal should run between $12,000 and $115,000; it will be March before the wastes are disposed of and Thermo Kem will probably get the waste.

Cliff of Georgia EPD will also be there.

Cindy informed TAT Wynn that she's been trying to reach Bill Klutz all day and needs to know if he will be out there on site when the tank is pulled.

Teri Wynn 11-9-88

February 28, 1989

Doug Snyder of Westinghouse Haztech telephone TAT Wynn to inform her of a possible remo date, Monday, ~~February~~ T.W. March 6, 1989, at the Spectrum Printing Site in Covington, Newton County, Georgia. Possibly 7 to 10 days to complete the removal. Tricel was mentioned as the disposal facility (Located in Florida).
Doug Snyder has tried to contact OSC Bill Klutz to obtain permission to start the removal actions, but OSC Bill Klutz is out of town and will not be returning until Monday, March 6, 1989.

The Wastestreams consisting of water, inks, isapropyl alcohol, adhesives, and contaminated dirts and sludges will probably be combined. The wastes does not contain anything hazardous.

Cindy Lanus of Haztech informed TAT Wynn on the 1-24-89 that approval was obtained Thursday 1-19-89, to ~~send wastes~~ T.W. begin removal and send wastes to Tricel in Florida

March 6, 1989

0845 arrived at Spectrum Printing Site
Covington, Newton County, Georgia
Weather: cloudy, overcast, slight rain, temp: 43°F.
Removal action to take place.

0900 Haztech arrived on-site.
Doug Snyder will be sight supervisor.
Personnel - 5 ERCS, 1 IAI
Equipment - ~~[illegible]~~ T.W. Forklift
Backhoe w/ AF

Haztech left site to ~~[illegible]~~ T.W. return to office to pick up more drums to overpack rusted bent drums at the site.

1015 Covington Police arrived at site. (766-2774).

1130 Doug Snyder along with 3 other HAZTECH personnel arrived at site with breathing air, eye wash, tool chest, 2 cylinders of air for ambient air monitoring.

1200 Doug said that he will have an explosimeter and an HNu.
IAI asked if the HNu was new, Snyder replied that it was and should already be calibrated.
IAI said that the HNu should be calibrated again on-site before use.

1230 HAZTECH opened door around back of building to set equipment in the building until work actually begins.

1330 All personnel departed site for lunch break.

1430 Personnel arrived at site. HAZTECH still placing personal equipment in building. Caution tape from the sampling period is still around the drums and docking entrance of the building.

1530 The only thing HAZTECH will be concerned with according to Doug Snyder will be the drums that are already staged and numbered and the above-ground storage tank. The other trash and old equipment that has been placed near the drums will not be touched.

1700 SAI departed site back to Atlanta.

Teri Wynn

March 8, 1989

0830 Left office to go to Spectrum Printing in Covington, Newton County, Georgia.

0955 Arrived at Spectrum Printing Site in Covington, Newton County, Georgia, to monitor on-site contractor removal of wastes from drums.

Personnel - 6 ERCS
1 TAT

Equipment - Forklift
Backhoe w/ articulate arm
Compressor

Weather: cold, cloudy, slight rain, temp. - 37°F.

1030 ERCS contractor brought drums to overpack and to combine wastestreams. ERCS contractor using pump to

1200 Lunch break

1430 Haztech (ERCS contractor) have emptied approximately 25 drums. There are 258 drums on-site and a storage tank that will be emptied also.

1730 Left site. Haztech still on-site.

1900 Arrived in Atlanta.

Jeri Wynn

March 9, 1989

0830 Left office to go to Spectrum Printing, Covington, Newton County, Georgia.
Weather: sunny warmer, highs 55°F.
Personnel: 6 ERCS
1 IAI
Equipment: Forklift
Backhoe w/ articulate arm
Compressor

1000 Doug Snyder, Sight Supervisor was inside of empty building in what was called the break room.

1030 Crew (ERCS) removing wastes (printing) from old drums to new drums. Combining wastestreams. Using pump to remove wastes.

1200 Break

1330 Crew resumed work. Weather still cool, but sunny.

1500 Some of wastes spilling over on top and side of drum. Cannot tell when new drum is filled.

1730 Crew still on-site working.
1800 DAD departs sight for Atlanta.
ERCS beginning to shut down
sight for today.
Deri Wynn.

March 10, 1989

0830 Left office for site: Spectrum Printing, Covington, Newton County, Georgia.

1000 Arrived at site. ERCS on-site working.
Weather: Sunny, warmer, high's 60°F.
Personnel: ERCS - 6
IAI - 1

Equipment: Backhoe with articulate arm
Compressor
Forklift

1030 Wastes from staged drums being pumped into ~~[illegible]~~ drums.

1200 Break

1330 Crew (ERCS) resumes work.

1730 IAI departs site. ERCS still on-site. Preparation for ERCS departure taking place.

Jeri Wynn

March 11, 1989

0830 Left to go to Spectrum Printing Site, Covington, Newton County, Georgia

0945 Arrived at site.
Weather: Sunny, warm, high 60's

1000 No one on-site when arrived. Still no ERCS personnel have showed.

1100 Left site for Atlanta.
1230 Arrived in Atlanta.
Jeri Wynn

March 12, 1989

No site work today.

Jeri Wyse

March 13, 1989

0830 Left office for Spectrum Printing Site in Covington, Newton County, Georgia.
0945 Stopped for fuel.
1000 Arrived on-site. ERCS on-site along with two Covington Police Officers. Equipment: Backhoe, Forklift
ERCS - 6
TAT - 1
Other - 2
Weather: cloudy, some sun. Warm; high 60's.

1045 TAT along with Doug Snyder, Sight Supervisor, HAZTECH, in command post area on-site, discussing completion of removal of waste from drums and storage tank.



1100 Only 3 drums were over-packed due to the poor condition of drums. HAZTECH is trying to use as many ~~of~~ the original drums as possible in order to keep costs low.

The backhoe was demobed from the site on Friday and brought back on-site on this date.

The vat (storage tank) has not been emptied yet. Almost all the drums have been emptied of their contents. Plans to begin pumping the vat will begin approximately Tuesday, March 13, 1989, after lunch break.

The contents of the vat is extremely dense. Doug Snyder would like to pump the contents out by ~~using~~ attaching a hose (1/4 inch) to the bottom of the vat where there's a connection and allow the

weight of the contents to push itself ~~the~~ down throu the hose into the drum.

The problem with this plan is that there's no way of telling when the drum is filled.

If the plan does not work, the crew will have to manua empty the tank by dumping 5 gallon drums into the ~~contents and~~ drum and emptying the contents into the drum.

1230 Lunch break.

1430 Staging of already filled drums ~~on~~ into warehouse area of building. Drums are on pallets. Visqueen has been placed underneath pallet to insure no contact of drums' contents with floor.

1530 ERCS assessing condition of tank and contents and best way to empty.

1700 ERCS trying to set up plan.

1730 TAI leaves site for Atlanta. ERCS still on-site.

Jeri Wynn

March 14, 1989

0830 Left to arrive at Spectrum Printing Site in Covington, Newton County, Georgia.

1000 Arrived on-site. ERCS on-site. ERCS - 6
TAT - 1
Security - 2
Weather - sunny mild high 60's

1045 ERCS still emptying contents of drums. Should be through staging after lunch.

1230 Lunch Break.

1400 Crew completing staging and cleaning of work area in front of building on Old Atlanta Highway.

1530 Trying to empty vat. Contents is coming through hose into drum. Some overflow.

1640 Vat still being emptied.

1700 TAT leaves sight. ERCS still on-sight.

Teri Ryan

March 15, 1989

0800 Left to go to site in Covington, Newton County, Georgia.
ERCS - 6
TAT - 1
Security 2

Weather - cloudy, mild.

0945 Still emptying vat. HAZTECH will be delivering drums to Trico.

1230 Lunch break.

1550 Vat almost emptied. Many drums needed to hold its contents.

1700 TAT leaves sight. Work should be completed by today.

Jeri Wynn

27 September 1988
Spectrum Printing Site
An abandoned facility that has recently been sold.
Jeri Wynn

Camera EPA # 639488

Site located between Hwy 278, West St. and Old Atlanta Hwy.
Jeri Wynn

28 September 1988

0730 Left to reach site (to Spectrum Printing Site) in Covington, Newton County, Georgia.

0855 Arrived at Spectrum Printing Site with TATMs Karen Gill, Christi Ulner and Teri Wynn.

0920 Steve Holt (Haztech) arrived at site. Question Holt about drums. Drums are inside of building. The drums will be staged. Drums will be; that is (the contents) ~~be~~ bulked. Contents dumped in roll-off. Drums will be crushed and eventually dumped in roll-off. Residuals under drums will be scraped. Not sure what the PRP wants done with the drums on inside. Will probably use an articulate arm. Haztech contractors wore tyveks instead of sernax or polycoated.

1000 TW ~~1000~~ Asked Steve Holt about HNu. He said New HNu, no calibration log, should already be calibrated. ~~Got~~ it from Tracy ~~[illegible]~~ T.W. and Nevil, T.W.

1005 Began staging of drums. Decon set up. Oil drive, eye wash 50 gal drum of water. Drums are on top of pallets, 3 or 4 drums to a pallet.

1030 Haztech contractors used Sernax instead of tyveks. Discussed with Steve Holt. (2 technicians) Used because of printing ink.

Teri Wynn


Blue Building
Door
connection
No Smoking
Loading Dock
stop sign
Drum Area
old Atlanta Hwy
West St
Drum located here
PALLETS WOOD PILE
TAPED OFF HOT ZONE
X X
X X
DECON
stop sign

28 September 1988

1045 Haztech (Holt) suited up in his Tyvex to begin sampling. Observed that respirators were worn on outside of hood. Non-sparking tools were used. Samples were placed in mason jars.

1220 Haztech stopped sampling to break for lunch. TATM's Gil Ulber and Thyra also breaked for lunch.

1325 Arrived back at site (Haztech and TATM's) to set up sampling (Haztech).

1500 TATM's left site to go back to Atlanta. Haztech contractors were still at site sampling drums.

1545 Arrived at Roy F. Weston/S.P.&R. Division.

Jeri Wyn

29 September 1988

1000 Left to reach site destination Spectrum Printing Covington, Newton, County, Georgia, for PRP response. TATM's Christi Vlaer and Teri Wyan.

1110 Arrived at destination Spectrum Printing. Spoke with Steve Holt. Said he found a lot of low pH's in the plastic drums, no adhesives. Observed sampling of drums. The operator of the ~~grappler~~ forklift T.W. retrieved two more drums that were not brought out yesterday (28/9/88). There ~~was~~ T.W. is a drum back behind the bushes in front of the building on the side of the warehouse. The Haztech contractors did not sample it.

1345 The drums that ~~were~~ are T.W. being sampled at this point from observation, the contents looked viscous. They seem to have difficulty procuring the contents and placing it in a jar.

1430 The Haztech contractors began decon. Asked Steve Holt if they had completed the sampling, he replied yes. We spoke about the HHu. He commented about the person he recieved it from and that it was used once or twice before he got it and that having a calibration log was a good idea.

Teri Wyan

29 September 1988

1430 I asked Steve Holt about the Manifest, he said it would be a month before it would be ready. I then asked about the business card. He gave me one of his business cards. I asked about the analytical results. I wanted a copy of it sent to me. He replied that it would be up to Spectrum Printing if a T.W. ~~to~~ ~~send a~~ copy could be sent to me.

1455 Left site. (Spectrum Printing)

1555 Arrived at destination. Roy F. Weston

— Teri Wyan

29 September 1988

1600 Samples collected by Haztech Contractors samples are being ~~shipped~~ sent to Savannah Labs for analysis. Spoke with Steve Holt ~~to~~ about w. confirmed laboratory. Asked Steve about drum inventory and for manifests.

Teri Wyno

November 8, 1988

Spectrum Printing
Georgia Environmental Protection
Division. 656-2836
Ramona Kline
Cindy ~~Lane~~ Tim Lamus Haztech 981-9332
Renee Goodley Supervisor

When removal begins, give
Renee Goodley a call.
Teri Wyn
11-8-88

8 November 1988

0920 Called Steve Hatt at Westinghouse Haztech. Inquired Hatt about a definite removal date. He could not give me one at this time - The organics in the waste at Spectrum Printing, he had not decided what needed to be done to dispose of them. He is looking for options. He will speak with Mr. Fraiser on Friday November 11, 1988 to try to come up with a solution.

He replied that the inorganics did solidify with Portland Cement. The inorganic portion of the waste may go to Chemical Waste Management Landfill in Emelle, Alabama.

Teri Wynn

November 22, 1988

0900 OSC Bill Klutz telephoned TAT Wynn up at SAPP BATTERY SITE, AIFORD, JACKSON COUNTY, FLORIDA, to inform and query about any new information regarding removal activities at the SPECTRUM PRINTING SITE, COVINGTON, NEWTON COUNTY, GEORGIA. TAT Wynn informed OSC Bill Klutz that in the last telephone conversation with Steve Holt (HAZTECH), Steve Holt informed TAT Wynn that they ~~where~~ are going to have a meeting to discuss disposal of the wastes, and that ~~the~~ he and whomever ~~he was~~ T.W. ~~the~~ meeting with were unsure of what to do with some of the components of the wastes. OSC Bill Klutz informed TAT Wy that they are having a meeting on this day with (HAZTECH) and that the contractors (HAZTECH) wanted to solidify the organics in the waste. OSC Bill Klutz and TAT Wynn disagreed that this was the proper way of handling the waste. Teri Wynn 11-22-88

Steve Hatt (Haztech)
TAT Wynn spoke with
Steve Hatt on lab results
being sent to TAT office
in care of Jeri Wynn (TAT).
TAT Wynn was told that
lab results would be in
Friday, and as soon as
he recieves them, he
would make TAT Wynn
a facsimile of the results
and FedEx them to me.
TAT Wynn was also told
by Steve Hatt that it would
take a month to complete
the manifest on the contents
of the drums. I requested
that a copy be sent as
soon as (the manifest) it
is completed.

Jeri Wynn

December 9, 1988
1500 Cindy T.W. ~~Love~~ Laws of Georgia Environmental Protection Division telephoned TAT Office to speak with TAT Wynn on Spectrum Printing Site. Cindy T.W. ~~Love~~ Laws updated TAT Wynn with the following:

Before December 22, 1988, they will be pulling the tank; all the sampling that was done is worthless, (T.W. ~~Haz Rating~~ Hazardous Categorization for Landfill). Gary Rogers will be the sight supervisor and will be telephoning to inform TAT Wynn of the removal date according to Cindy T.W. ~~Love~~ Laws of Georgia EPD; Bill Klutz wants to categorize the wastes as $(KO_8)_6$; The removal and disposal should run between $12,000 and $115,000; it will be March before the wastes are disposed of and Thermo Kem will probably get the waste.

Cliff of Georgia EPD will also be there.
Cindy informed TAT Wynn that she's been trying to reach Bill Klutz all day and needs to know if he will be out there on site when the tank is pulled.

Teri Wynn 12-9-88

February 28, 1989

Doug Snyder of Westinghouse Haztech telephone TAJ Wynn to inform her of a possible removal date, Monday, ~~February~~ March 6, 1989, at the Spectrum Printing Site in Covington, Newton County, Georgia. Possibly 7 to 10 days to complete the removal. Tricel was mentioned as the disposal facility (Located in Florida).
Doug Snyder has tried to contact OSC Bill Klutz to obtain permission to start the removal actions, but OSC Bill Klutz is out of town and will not be returning until Monday, March 6, 1989.

The Wastestreams consisting of water, inks, isapropyl alcohol, adhesives, and contaminated dirts and sludges will probably be combined. The wastes does not contain anything hazardous.

Cindy Launs of Haztech informed TAJ Wynn on the 1-24-89 that approval was obtained Thursday 1-19-89, to ~~send wastes~~ begin removal and send wastes to Tricel in Florida

March 6, 1989

0845 arrived at Spectrum Printing Site Covington, Newton County, Georgia
Weather: cloudy, overcast, slight rain, temp: 43°F.
Removal action to take place.

0900 Haztech arrived on-site.
Doug Snyder will be sight supervisor.
Personnel - 5 ERCS, 1 IAI
Equipment - ~~[illegible]~~ T.W. Forklift
Backhoe w/ AF

Haztech left site to ~~[illegible]~~ T.W. return to office to pick up more drums to overpack rusted bent drums at the site.

1015 Covington Police arrived at site. (766-2774).

1130 Doug Snyder along with 3 other HAZTECH personnel arrived at site with breathing air, eye wash, tool chest, 2 cylinders of air for ambient air monitoring.

1200 Doug said that he will have an explosimeter and an HNu.
IAI asked if the HNu was new, Snyder replied that it was and should already be calibrated.
IAI said that the HNu should be calibrated again on-site before use.

1230 HAZTECH opened door around back of building to set equipment in the building until work actually begins.

1330 All personnel departed site for lunch break.

1430 Personnel arrived at site. HAZTECH still placing personal equipment in building. Caution tape from the sampling period is still around the drums and docking entrance of the building.

1530 The only thing HAZTECH will be concerned with according to Doug Snyder will be the drums that are already staged and numbered and the above-ground storage tank. The other trash and old equipment that has been placed near the drums will not be touched.

1700 SAI departed site back to Atlanta.

Teri Wynn

March 8, 1989

0830 Left office to go to Spectrum Printing in Covington, Newton County, Georgia.

0955 Arrived at Spectrum Printing Site in Covington, Newton County, Georgia, to monitor on-site contractor removal of wastes from drums.

Personnel - 6 ERCS
1 TAT

Equipment - Forklift
Backhoe w/ articulate arm
Compressor

Weather: cold, cloudy, slight rain, temp. - 37°F.

1030 ERCS contractor brought drums to overpack and to combine wastestreams. ERCS contractor using pump to

1200 Lunch break

1430 Haztech (ERCS contractor) have emptied approximately 25 drums. There are 258 drums on-site and a storage tank that will be emptied also.

1730 Left site. Haztech still on-site.

1900 Arrived in Atlanta.

Teri Wynn

March 9, 1989

0930 Left office to go to Spectrum Printing, Covington, Newton County, Georgia.
Weather: sunny warmer, high 55°F.
Personnel: 6 ERCS
1 IAI
Equipment: Forklift
Backhoe w/ articulate arm
Compressor

1000 Doug Snyder, Sight Supervisor was inside of empty building in what was called the break room.

1030 Crew (ERCS) removing wastes (printing) from old drums to new drums. Combining wastestreams. Using pump to remove wastes.

1200 Break

1330 Crew resumed work. Weather still cool, but sunny.

1500 Some of wastes spilling over on top and side of drum. Cannot tell when new drum is filled.

1730 Crew still on-site working.
1800 DAD departs sight for Atlanta.
ERCS beginning to shut down
sight for today.
Deri Wynn.

March 10, 1989

0830 Left office for site: Spectrum Printing, Covington, Newton County, Georgia.

1000 Arrived at site. ERCS on-site working.
Weather: Sunny, warmer, high's 60°F.
Personnel: ERCS - 6
IAI - 1

Equipment: Backhoe with articulate arm
Compressor
Forklift

1030 Wastes from staged drums being pumped into ~~[illegible]~~ drums.

1200 Break

1330 Crew (ERCS) resumes work.

1730 IAI departs site. ERCS still on-site. Preparation for ERCS departure taking place.

Jeri Wynn

March 11, 1989

0830 Left to go to Spectrum Printing Site, Covington, Newton County, Georgia

0945 Arrived at site.
Weather: Sunny, warm, high 60's

1000 No one on-site when arrived. Still no ERCS personnel have showed.

1100 Left site for Atlanta.
1230 Arrived in Atlanta.
Jeri Wynn

March 12, 1989

No site work today.

Jeri Wyse

March 13, 1989

0830 Left office for Spectrum Printing Site in Covington, Newton County, Georgia.
0945 Stopped for fuel.
1000 Arrived on-site. ERCS on-site along with two Covington Police Officers. Equipment: Backhoe, Forklift.
ERCS - 6
TAT - 1
Other - 2
Weather: cloudy, some sun. Warm; high 60's.

1045 TAT along with Doug Snyder, Sight Supervisor, HAZTECH, in command post area on-site; discussing completion of removal of waste from drums and storage tank.



1100 Only 3 drums were over-packed due to the poor condition of drums. HAZTECH is trying to use as many of the original drums as possible in order to keep costs low.

The backhoe was demobed from the site on Friday and brought back on-site on this date.

The vat (storage tank) has not been emptied yet. Almost all the drums have been emptied of their contents. Plans to begin pumping the vat will begin approximately Tuesday, March 13, 1989, after lunch break.

The contents of the vat is extremely dense. Doug Snyder would like to pump the contents out by ~~using~~ attaching a hose (1/4 inch) to the bottom of the vat where there's a connection and allow the

weight of the contents to push itself ~~the~~ down throu the hose into the drum.

The problem with this plan is that there's no way of telling when the drum is filled.

If the plan does not work, the crew will have to manua empty the tank by dumping 5 gallon drums into the ~~contents and~~ drum and emptying the contents into the drum.

1230 Lunch break.

1430 Staging of already filled drums ~~on~~ into warehouse area of building. Drums are on pallets. Visqueen has been placed underneath pallet to insure no contact of drums' contents with floor.

1530 ERCS assessing condition of tank and contents and best way to empty.

1700 ERCS trying to set up plan.

1730 TAD leaves site for Atlanta. ERCS still on-site.

Teri Wynn

March 14, 1989

0830 Left to arrive at Spectrum Printing Site in Covington, Newton County, Georgia.

1000 Arrived on-site. ERCS on-site.
ERCS - 6
TAT - 1
Security - 2
Weather - sunny mild high 60's

1045 ERCS still emptying contents of drums. Should be through staging after lunch.

1230 Lunch Break.

1400 Crew completing staging and cleaning of work area in front of building on Old Atlanta Highway.

1530 Trying to empty vat. Contents is coming through hose into drum. Some overflow.

1640 Vat still being emptied.

1700 TAT leaves sight. ERCS still on-sight.

Deri Wynn

March 15, 1989

0800 Left to go to site in Covington, Newton County, Georgia.
ERCS - 6
TAT - 1
Security 2

Weather - cloudy, mild.

0945 Still emptying vat. HAZTECH will be delivering drums to Trics.

1230 Lunch break.

1550 Vat almost emptied. Many drums needed to hold its contents.

1700 TAT leaves sight. Work should be completed by today.

Jeri Wynn

APPENDIX G

Site Safety Plan

use for 8810-26 2026 Report

WESTON SPER DIVISION
HAZARDOUS WASTE SITE INVESTIGATION AND EMERGENCY RESPONSE
HEALTH AND SAFETY PLAN

U.S. EPA CONTACT: Bill Klutz
Date of Inspection: 9/28/88 Time: 8:55am TDD No. 8809-14
Original Safety Plan: Yes X No ___ PCS No. 1779
Admendment/Modification No. ___

SITE SAFETY COORDINATOR: Karen Jarrett-Gill (for Weston)

Site Name: Spectrum Printing site

Site Address: Street No. 4132 Highway 278
City Covington
County Newton
State ~~Covington~~ Georgia Zip Code ___

Site Contact: Steve Holt (Contractor-Haztech) Phone 981-9332

Directions to Site: (Attach Map) Go I-20 to Covington Exit. Go under inter toward downtown. Facility located in back. Turn right on Georgia Hwy. 12

SITE HISTORY: An abandoned facility that has recently been sold. Plant went bankrupt and has been shut down since May 1987

INCIDENT DESCRIPTION

TYPE: A) Spill ___ Air Release ___ Fire ___ HW Site X Other ___
B) Assessment ___ Sampling ___ Emergency Response ___
Clean-up/Removal X Other (specify) ___
C) Urban/Residential ___ Commercial ___ Industrial X
Rural ___ Remote ___

PERSONNEL PHYSICAL SAFETY HAZARDS:

Heat ✓ Cold ___ Noise ___ Underground Utilities ___
Overhead Utilities ___ Heavy Equipment ___ Slip, Trip, Fall ✓
Confined Spaces ___ Pressurized Airlines ___ Explosive ___
Ladders ___ Scaffolds ___ Unguarded Openings-Wall, Floor ___
Liquids in Open Containers, Ponds/Lagoons ___
Other Drums are packed on pallets, some of which are unsound

CHEMICAL CONTAMINANTS OF CONCERN

CONTAMINANT	TLV PEL	IDLH	PHYSICAL CHARACTERISTICS	ROUTE OF EXPOSURE	SYMPTOMS OF ACUTE EXPOSURE	FIRST AID	INSTRUMENTS TO DETECT
Tannic Acid	not available	not available	Solid - tan color S.g. - >1 at 20°C H_c = -9,810 Btu/lb bp = (decomposes)	inhalation ingestion	nose & throat irritation coughing -gastric disturbance	move to fresh air -give large amount of water; induce vomit	N/A
Acetone	1000 ppm	20,000 ppm	Colorless liquid mint-like odor BP - 133°F Fl. P. - 1.4°F I.P. - 9.69 eV UEL - 12.8% LEL - 2.8%	inhalation ingestion contact	irritate eyes, nose throat dizziness	wash w/soap and water	HNu 10.2 probe
MEK (methyl ethyl ketone)	200 ppm		liquid, colorless bp: 175.3 F fp: 123.3 °C sg: .806	inhalation absorp-eyes	eye burn, irritate eyes, nose, throat headache dizziness unconscious	move to fresh air flush eyes w/ water	
Gallic Acid	not available	not available	white solid bp decomposes	~~bp-decomposes~~ ~~induce~~ ingestion adsorption	irritate nose, throat, eyes	induce vomiting flush w/water	
Formaldehyde	2 ppm	carcinogen	Colorless liquid IP - 10.88 ev sg: 1.1 @ 25°C	inhalation ingestion absorption	coughing. chest pain . . nausea, vomiting abdominal pain collapse	move to fresh air induce vomiting	HNu 11.7 probe

Description of Decontamination To Be Used: _____

SPECIFY PPE TYPE

TASK TO BE PERFORMED	ANTIC. LEVEL OF PROTECT.	COVERALL	GLOVE IN/OUT.	AIR R RESPI CART
PRP monitoring	D	no site entry		

Anticipated Monitoring

Radiation Meter [ ] CGI [ ] HNU [ ] _____ eV Probe OVA [ ]

Detector Tube [ ] _____ Other _____

EMERGENCY PHONE NUMBERS:	LOCATION	PHONE	NOTIFIED
FIRE	Covington	786-5313	
POLICE	Covington	786-2776	
AMBULANCE	Newton County Service	786-1332	
HOSPITAL	Newton County	786-7053	

CHEMICAL TRAUMA CAPABILITY? _____

DIRECTIONS TO HOSPITAL: (ATTACH MAP) RTE. VERIFIED BY____ DATE_____

Remain on access road, go east to Covington. Go to fifth stoplight, hospital on right; or from I-20, exit 45, take a left, go to fifth stoplight, hospital on right side.

ADDITIONAL EMERGENCY PHONE CONTACTS:

CHEMTREC	(300) 424-9300
TSCA HOTLINE	(300) 424-9065, (202) 544-1404
ATSDR	(DAY) (404) 329-2388
	(NIGHT) (404) 566-7777
AT & F (EXPLOSIVES INFO.)	(300) 424-9555
NATIONAL RESPONSE CENTER	(300) 424-8802
WESTON MEDICAL EMERGENCY SERVICE	(513) 421-3063
WESTON 24 HOUR HOTLINE	(215) 524-1925, 1926
PESTICIDE INFORMATION SERVICE	(800) 845-7633
EPA ERT EMERGENCY	(201) 321-6660
RCRA HOTLINE	(800) 424-9346
CMA CHEMICAL REFERRAL CENTER	(300) 262-8200
NATIONAL POISON CONTROL CENTER	(800) 942-5969
U.S. DOT	(202) 366-0656 (Day only)

Prepared by: [signature] Date: 9/27/88

Pre-Response Approval by: [signature] Date: 9-27-88

TDD# _____ PCS# _____

OBSERVED CONDITIONS/ACTIVITIES

Describe Initial Conditions (Source/Type/Quantity): Approximately 258 drums are stacked on pallets and are unsound.

DOCUMENTATION PERFORMED BY: Jeri Wynn

Type: Photo ✓ Log Book ✓ Recorder _____ Video ___

PHYSICAL DESCRIPTION

Size of Site: 0.25 acres Topography Terrain: Flat Weather Hot Clear

Distance to Nearest: Residence 100yd. School 1/2 mile Hospital 3/4 mile

Public Building 1/4 mile Other _____

Evacuation: Yes ___ No ✓ Number ___ By Whom _____

Nearest Waterway: Indian Creek (dried) Distance: 150 yards South

Condition	Observed	Potential	None
Surface Water Contamination		✓	
Ground Water Contamination		✓	
Drinking Water Contamination		✓	
Air Contamination		✓	
Soil Contamination	✓		
Stressed Vegetation			✓
Dead Fish, Other Animals			✓

ACTIONS TAKEN ON SITE: (Attach Map of Site Control Zones)

Was Entry Made by TAT: YES ✓ NO _____

TASK CONDUCTED: Describe Specific PPE Used and Why

On-site monitoring (PRP Response) of sampling conducted by contractors.

AIR MONITORING LOG

OVA Calibration _____
HNU Calibration _____
OGI Calibration _____

Background O_2 _____
Organics _____
Radiation _____

OGI _____

(ATTACH CALIBRATION DATA TO LOG)

SITE NAME

STATION/ LOCATION	DATE	TIME	NAME OF AIR MONITOR	TYPE OF EQUIPMENT (HNU(MORE/SPAN), OGI, OVA, RAD MTR	READING	SUMMARY/COMMENTS
Spectrum Printing Covington, Newton County, Georgia	9/28/88		PRP Response No on-site air monitoring was done.			

SAMPLING: CONDUCTED? YES_____ NO ✓

If Yes, Describe Sampling Method_____

Has Lab Been Notified of Potential Hazard Level? Yes___ No___

Note: This Health and Safety Plan was prepared for work to b conducted under the Technical Assistance Team (TAT) Contract 68-01 7367 Zone 1. Use of this plan by WESTON and its subcontractors c the TAT contract is intended to fulfill the OSHA requirements four in 29 CFR 1910.120. Items not specifically covered in this plan ar included by reference to 29 CFR 1910 and 1926.

I have read and understand this safety plan.

NAME (PRINTED)	SIGNATURE	AFFILIATION	DATE
Karen Jarrett	Karen Jarrett	TAT	9/28/88
Christi Ulmer	Christi S. Ulmer	TAT	9/29/88
Teri Wynn	Teri Wynn	TAT	10/14/88

Final Submission of Plan by Teri Wynn Date 10/14/88

Post Response Approval Keith M. Kennedy Date 10/15/88

Copy to ZPMO_____ Date_____

SPER HSO Reviewed by:_____ Date:_____
Followup Required: Yes___ No___
Followup Performed: Date: _____ With:_____
Comments: _____

safety and health protection

The Occupational Safety and Health Act of 1970 provides job safety and health protection for workers through the promotion of safe and healthful working conditions throughout the Nation. Requirements of the Act include the following:

Employers:

Each employer shall furnish to each of his employees employment and a place of employment free from recognized hazards that are causing or are likely to cause death or serious harm to his employees; and shall comply with occupational safety and health standards issued under the Act.

Employees:

Each employee shall comply with all occupational safety and health standards, rules, regulations and orders issued under the Act that apply to his own actions and conduct on the job.

The Occupational Safety and Health Administration (OSHA) of the Department of Labor has the primary responsibility for administering the Act. OSHA issues occupational safety and health standards, and its Compliance Safety and Health Officers conduct routine inspections to ensure compliance with the Act.

Inspection:

The Act requires that a representative of the employer and a representative authorized by the employees be given an opportunity to accompany the OSHA inspector for the purpose of aiding the inspection.

Where there is no authorized employee representative, the OSHA Compliance Officer must consult with a reasonable number of employees concerning safety and health conditions in the workplace.

Complaint:

Employees or their representatives have the right to file a complaint with the nearest OSHA office requesting an inspection if they believe unsafe or unhealthful conditions exist in their workplace. OSHA will withhold, on request, names of employees complaining.

The Act provides that employees may not be discharged or discriminated against in any way for filing safety and health complaints or otherwise exercising their rights under the Act.

An employee who believes he has been discriminated against may file a complaint with the nearest OSHA office within 30 days of the alleged discrimination.

[illegible] within which the alleged violation must be corrected.

The OSHA citation must be prominently displayed at or near the place of alleged violation for three days, or until it is corrected, whichever is later, to warn employees of dangers that may exist there.

Proposed Penalty:

The Act provides for mandatory penalties against employers of up to $1,000 for each serious violation and for optional penalties of up to $1,000 for each nonserious violation. Penalties of up to $1,000 per day may be proposed for failure to correct violations within the proposed time period. Also, any employer who willfully or repeatedly violates the Act may be assessed penalties of up to $10,000 for each such violation.

Criminal penalties are also provided for in the Act. Any willful violation resulting in death of an employee, upon conviction, is punishable by a fine of not more than $10,000 or by imprisonment for not more than six months, or by both. Conviction of an employer after a first conviction doubles these maximum penalties.

Voluntary Activity:

While providing penalties for violations, the Act also encourages efforts by labor and management, before an OSHA inspection, to reduce injuries and illnesses arising out of employment.

The Department of Labor encourages employers and employees to reduce workplace hazards voluntarily and to develop and improve safety and health programs in all workplaces and industries.

Such cooperative action would initially focus on the identification and elimination of hazards that could cause death, injury or illness to employees, and subsequently. There are many public and private organizations that can provide information and assistance in this effort, if requested.

More Information:

Additional information and copies of the Act, specific OSHA safety and health standards, and other applicable regulations may be obtained from your employer or from the nearest OSHA Regional Office in the following locations:

Atlanta, Georgia
Boston, Massachusetts
Chicago, Illinois
Dallas, Texas
Denver, Colorado
Kansas City, Missouri
New York, New York
Philadelphia, Pennsylvania
San Francisco, California
Seattle, Washington

Telephone numbers for these offices, and additional Area Office locations, are listed in the telephone directory under the United States Department of Labor in the United States Government listing.

Washington, D.C.
1981
OSHA 2203

Raymond J. Donovan
Secretary of Labor

U. S. Department of Labor

Printed & Distributed by:
MADV
P.O. Box 770, Valley Forge, PA 19482
(215) 666-7300



FEDERAL OSHA AND STATE PLANS JURISDICTIONS

The above map represents the current status of jurisdictional areas for applicable OSHA or state regulations, inspections, and enforcement. At present, only four states (Washington, Oregon, California, and Michigan) have approved plans which differ significantly from federal standards.

All of the states are monitored by OSHA to determine state plan qualification. State plans must be judged "at least as effective as" the federal program in order to be approved. A state plan may receive OSHA approval by demonstrating it will meet all requirements within three years. After completing these steps and operating its program at a fully effective level for at least one year, federal enforcement will end in the areas covered by the state plan. OSHA then continues its monitoring to determine when the plan should be certified and when it should receive final approval.

† Connecticut and New York — state plan covers employees of state only; all other employees are under federal OSHA jurisdiction.

7/88

Copyright © 1986 The Merritt Company

TNA

TANNIC ACID

Common synonyms			
Tannin Chinese tannin Gallotannic acid Gallotannin Glycerite	Solid Sinks and mixes with water.	Light yellow to tan	Faint odor

Avoid contact with solid and dust. Keep people away.
Stop discharge if possible.
Call fire department.
Isolate and remove discharged material.
Notify local health and pollution control agencies.

Fire

Combustible

Extinguish with dry chemical or carbon dioxide.
Water and foam may be ineffective in fire.
Use extreme caution with water.

Exposure

CALL FOR MEDICAL AID.

DUST
Irritating to eyes, nose and throat.
If inhaled will cause coughing.

In eyes, hold eyelids open and flush with plenty of water.
If breathing has stopped, give artificial respiration.
If breathing is difficult, give oxygen.

SOLID
Irritating to skin and eyes.
If swallowed will cause nausea and vomiting.

Remove contaminated clothing and shoes.
Flush affected areas with plenty of water.
IF IN EYES, hold eyelids open and flush with plenty of water.
IF SWALLOWED and victim is CONSCIOUS, have victim drink water or milk and have victim induce vomiting.
IF SWALLOWED and victim is UNCONSCIOUS OR HAVING CONVULSIONS, do nothing except keep victim warm.

Water Pollution

HARMFUL TO AQUATIC LIFE IN VERY LOW CONCENTRATIONS.
May be dangerous if it enters water intakes.

Notify local health and wildlife officials.
Notify operators of nearby water intakes.

1. RESPONSE TO DISCHARGE

(See Response Methods Handbook, CG 446-4)

Disperse and flush

2. LABELS

No hazard label required by Code of Federal Regulations

3. CHEMICAL DESIGNATIONS

3.1 **Synonyms:** Chinese tannin; Gallotannic acid; Gallotannin; Glycerite; Tannin

3.2 **Coast Guard Compatibility Classification:** Not listed

3.3 **Chemical Formula:** $C_{76}H_{52}O_{46}$

3.4 **IMCO/United Nations Numerical Designation:** Not listed

4. OBSERVABLE CHARACTERISTICS

4.1 **Physical State (as shipped):** Solid

4.2 **Color:** Light tan to yellow

4.3 **Odor:** Faint characteristic

5. HEALTH HAZARDS

5.1 **Personal Protective Equipment:** Dust mask; goggles or face shield; protective gloves

5.2 **Symptoms Following Exposure:** Inhalation causes irritation of nose and throat, coughing, and sneezing. Ingestion may cause gastric disturbance. Contact with eyes causes irritation.

5.3 **Treatment for Exposure:** INHALATION: move to fresh air. INGESTION: give large amount of water; induce vomiting. EYES or SKIN: flush with water.

5.4 **Toxicity by Inhalation (Threshold Limit Value):** Data not available

5.5 **Short-Term Inhalation Limits:** Data not available

5.6 **Toxicity by Ingestion:** Grade 2, oral LD_{50} = 2,300 mg/kg (rat)

5.7 **Late Toxicity:** Causes cancer of liver in rats

5.8 **Vapor (Gas) Irritant Characteristics:** Data not available

5.9 **Liquid or Solid Irritant Characteristics:** Data not available

5.10 **Odor Threshold:** Data not available

6. FIRE HAZARDS

6.1 **Flash Point:** Not pertinent (combustible solid)

6.2 **Flammable Limits in Air:** Not pertinent

6.3 **Fire Extinguishing Agents:** Water, foam, dry chemical, carbon dioxide

6.4 **Fire Extinguishing Agents Not to be Used:** Water or foam may cause frothing.

6.5 **Special Hazards of Combustion Products:** Decomposes at 210° to carbon dioxide and pyrogallol, which can form irritating vapors.

6.6 **Behavior in Fire:**

6.7 **Ignition Temperature:** 440°F

6.8 **Electrical Hazard:** Not pertinent

6.9 **Burning Rate:** Not pertinent

7. CHEMICAL REACTIVITY

7.1 **Reactivity with Water:** No reaction

7.2 **Reactivity with Common Materials:**

7.3 **Stability During Transport:** Stable

7.4 **Neutralizing Agents for Acids and Caustics:** Not pertinent

7.5 **Polymerization:** Not pertinent

7.6 **Inhibitor of Polymerization:** Not pertinent

8. WATER POLLUTION

8.1 **Aquatic Toxicity:**
17 ppm/96 hr/mosquitofish/TL_m, fresh water
<1.7 mg/l/72 hr/young chinook salmon/threat level, salt water

8.2 **Waterfowl Toxicity:** Data not available

8.3 **Biological Oxygen Demand (BOD):** 24% 5 days

8.4 **Food Chain Concentration Potential:** None

9. SELECTED MANUFACTURERS

1. The Harshaw Chemical Co.
1945 East 97 Street
Cleveland, Ohio 44106
2. J. T. Baker Chemical Co.
Phillipsburg, N. J. 08865
3. Fisher Scientific Co.
711 Forbes Ave.
Pittsburgh, Pa. 15219

10. SHIPPING INFORMATION

10.1 **Grades or Purity:** Commercial, 84%; Reagent

10.2 **Storage Temperature:** Ambient

10.3 **Inert Atmosphere:** No requirement

10.4 **Venting:** Open

11. HAZARD ASSESSMENT CODE

(See Hazard Assessment Handbook, CG 446-3)

SS

12. HAZARD CLASSIFICATIONS

12.1 **Code of Federal Regulations:** Not listed

12.2 **NAS Hazard Rating for Bulk Water Transportation:** Not listed

12.3 **NFPA Hazard Classifications:**

Category	Classification
Health Hazard (Blue)	0
Flammability (Red)	1
Reactivity (Yellow)	0

13. PHYSICAL AND CHEMICAL PROPERTIES

13.1 **Physical State at 15°C and 1 atm:** Solid

13.2 **Molecular Weight:** 1,701

13.3 **Boiling Point at 1 atm:** Not pertinent (decomposes)

13.4 **Freezing Point:** Not pertinent

13.5 **Critical Temperature:** Not pertinent

13.6 **Critical Pressure:** Not pertinent

13.7 **Specific Gravity:** >1 at 20°C (solid)

13.8 **Liquid Surface Tension:** Not pertinent

13.9 **Liquid-Water Interfacial Tension:** Not pertinent

13.10 **Vapor (Gas) Specific Gravity:** Not pertinent

13.11 **Ratio of Specific Heats of Vapor (Gas):** Not pertinent

13.12 **Latent Heat of Vaporization:** Not pertinent

13.13 **Heat of Combustion:** (est.) −9,810 Btu/lb = −5,450 cal/g = −228 × 10^3 J/kg

13.14 **Heat of Decomposition:** Not pertinent

13.15 **Heat of Solution:** Not pertinent

13.16 **Heat of Polymerization:** Not pertinent

(Continued on page 5 and 6)

NOTES

ACT

ACETONE

Common Synonyms / Distinguishing Properties / Precautions	Watery liquid — Colorless — Sweet odor Floats and mixes with water. Flammable, irritating vapor is produced.

Stay upwind and use water spray to "knock down" vapor.
Shut off ignition sources and call fire department. Keep people away.
Stop discharge if possible.
Isolate and remove discharged material.
Avoid contact with liquid and vapor.
Notify local health and pollution control agencies.

Fire	FLAMMABLE. Flashback along vapor trail may occur. Vapor may explode if ignited in an enclosed area. Extinguish with dry chemical, alcohol foam, or carbon dioxide. Water may be ineffective in fire. Cool exposed containers with water.
Exposure	CALL FOR MEDICAL AID. **VAPOR** Irritating to eyes, nose and throat. If inhaled, may cause difficult breathing or loss of consciousness. Move to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen. **LIQUID** Irritating to eyes. Not irritating to skin. IF IN EYES, hold eyelids open and flush with plenty of water.
Water Pollution	Dangerous to aquatic life in high concentrations. May be dangerous if it enters water intakes. Notify local health and pollution control officials. Notify operators of nearby water intakes.

1. RESPONSE TO DISCHARGE

See Response Methods Handbook, CG 446-4

Issue warning — high flammability
Disperse and flush

2. LABEL

3. CHEMICAL DESIGNATIONS

3.1 **Synonyms:** Dimethyl ketone
2-Propanone

3.2 **Coast Guard Compatibility Classification:** Ketone

3.3 **Chemical Formula:** CH_3COCH_3

3.4 **IMCO United Nations Numerical Designation:** 3.1-1090

4. OBSERVABLE CHARACTERISTICS

4.1 **Physical State (as shipped):** Liquid

4.2 **Color:** Colorless

4.3 **Odor:** Sweetish; pleasant, resembling that of mint or fruit; pungent; sharp, penetrating residual; ketonic, pleasant, non-residual

5. HEALTH HAZARDS

5.1 **Personal Protective Equipment:** Organic vapor canister or air-supplied mask; synthetic rubber gloves, chemical safety goggles or face splash shield.

5.2 **Symptoms Following Exposure:**
INHALATION: vapor irritating to eyes and mucous membranes; acts as an anesthetic in very high concentrations. INGESTION: low order of toxicity but very irritating to mucous membranes. SKIN: prolonged excessive contact causes defatting of the skin, possibly leading to dermatitis.

5.3 **Treatment for Exposure:**
INHALATION: if victim is overcome, remove to fresh air and call a physician; administer artificial respiration if breathing is irregular or stopped. INGESTION: if victim has swallowed large amounts and is conscious and not having convulsions, induce vomiting and get medical help promptly; no specific antidote known. SKIN: wash well with water. EYES: flush with water immediately for at least 15 min. Consult a physician.

5.4 **Toxicity by Inhalation (Threshold Limit Value):** 1000 ppm

5.5 **Short-Term Inhalation Limits:** 1,000 ppm for 30 min

5.6 **Toxicity by Ingestion:** Grade 1; LD_{50} 5 to 15 g/kg (rodent)

5.7 **Late Toxicity:** Not pertinent

5.8 **Vapor (Gas) Irritant Characteristics:** If present in high concentrations, vapors cause moderate irritation of the eyes or respiratory system. Effect is temporary.

5.9 **Liquid or Solid Irritant Characteristics:** No appreciable hazard. Practically harmless to the skin because it is very volatile and evaporates quickly from the skin.

5.10 **Odor Threshold:** 100 ppm

6. FIRE HAZARDS

6.1 **Flash Point:** 4°F O.C., 0°F C.C.

6.2 **Flammable Limits in Air:** 2.6% – 12.8%

6.3 **Fire Extinguishing Agents:** Alcohol foam, dry chemical, carbon dioxide

6.4 **Fire Extinguishing Agents Not to be Used:** Water in straight hose stream will scatter and spread fire and should not be used.

6.5 **Special Hazards of Combustion Products:** Not pertinent

6.6 **Behavior in Fire:** Not pertinent

6.7 **Ignition Temperature:** 869°F

6.8 **Electrical Hazard:** Class I, Group D

6.9 **Burning Rate:** 3.9 mm/min.

7. CHEMICAL REACTIVITY

7.1 **Reactivity with Water:** No reaction

7.2 **Reactivity with Common Materials:** No reaction

7.3 **Stability During Transport:** Stable

7.4 **Neutralizing Agents for Acids and Caustics:** Not pertinent

7.5 **Polymerization:** Not pertinent

7.6 **Inhibitor of Polymerization:** Not pertinent

8. WATER POLLUTION

8.1 **Aquatic Toxicity:**
14,250 ppm, 24 hr, sunfish, killed, tap water
13,000 ppm, 48 hr, mosquito fish, TLm, turbid water

8.2 **Waterfowl Toxicity:** Not pertinent

8.3 **Biological Oxygen Demand (BOD):** 1.Theor 122%, 5 days

8.4 **Food Chain Concentration Potential:** None noted

9. SELECTED MANUFACTURERS

1. Allied Chemical Corp.
Specialty Chemicals Div
Morristown Turnpike
Marcus Hook, Pa. 19061
2. Shell Chemical Co.
Industrial Chemicals Div
Houston, Texas 77001
3. Union Carbide Corp.
Chemicals and Plastics Div.
270 Park Ave.
New York, N.Y. 10017

10. SHIPPING INFORMATION

10.1 **Grades or Purity:**
Technical: 99.5% plus 0.5% water
Reagent: 99.5% plus 0.5% water

10.2 **Storage Temperature:** Ambient

10.3 **Inert Atmosphere:** No requirement

10.4 **Venting:** Open (flame arrester) or pressure-vacuum

11. HAZARD ASSESSMENT CODE

See Hazard Assessment Handbook, CG 446-3

A-P-Q-R-S

12. HAZARD CLASSIFICATIONS

12.1 **Code of Federal Regulations:** Flammable liquid

12.2 **NAS Hazard Rating for Bulk Water Transportation:**

Category	Rating
Fire	3
Health	
Vapor Irritant	1
Liquid or Solid Irritant	0
Poisons	0
Water Pollution	
Human Toxicity	1
Aquatic Toxicity	1
Aesthetic Effect	1
Reactivity	
Other Chemicals	2
Water	0
Self-Reaction	1

12.3 **NFPA Hazard Classifications:**

Category	Classification
Health Hazard (Blue)	1
Flammability (Red)	3
Reactivity (Yellow)	0

13. PHYSICAL AND CHEMICAL PROPERTIES

13.1 **Physical State at 15°C and 1 atm:** Liquid

13.2 **Molecular Weight:** 58.08

13.3 **Boiling Point at 1 atm:** 133°F = 56.1°C = 329.3°K

13.4 **Freezing Point:** −138°F = −94.7°C = 178.5°K

13.5 **Critical Temperature:** 455°F = 235°C = 508°K

13.6 **Critical Pressure:** 682 psia = 46.4 atm = 4.70 MN/m²

13.7 **Specific Gravity:** 0.791 at 20°C (liquid)

13.8 **Liquid Surface Tension:** Not pertinent

13.9 **Liquid-Water Interfacial Tension:** Not pertinent

13.10 **Vapor (Gas) Specific Gravity:** 2.0

13.11 **Ratio of Specific Heats of Vapor (Gas):** 1.127

13.12 **Latent Heat of Vaporization:** 220 Btu/lb = 122 cal/g = 5.11×10^5 J/kg

13.13 **Heat of Combustion:** −12,250 Btu/lb = −6808 cal/g = -285.0×10^5 J/kg

13.14 **Heat of Decomposition:** Not pertinent

13.15 **Heat of Solution:** Not pertinent

13.16 **Heat of Polymerization:** Not pertinent

Continued on page 3 and 4

NOTES

MEK

METHYL ETHYL KETONE

Common Synonyms
MEK
2-Butanone
Ethyl methyl ketone

Liquid — Colorless — Sweet odor

Flush and dilute with water. Flammable, irritating vapor is produced.

Stop discharge if possible. Keep people away.
Shut off ignition sources and call fire department.
Stay upwind and use water spray to "knock down" vapor.
Avoid contact with liquid and vapor.
Isolate and remove discharged material.
Notify local health and pollution control agencies.

Fire

FLAMMABLE.
Flashback along vapor trail may occur.
Vapor may explode if ignited in an enclosed area.
Extinguish with dry chemical, alcohol foam, or carbon dioxide.
Water may be ineffective on fire.
Cool exposed containers with water.

Exposure

CALL FOR MEDICAL AID.

VAPOR
Irritating to eyes, nose and throat.
If inhaled, will cause nausea, vomiting, headache, dizziness, difficult breathing, or loss of consciousness.
Move to fresh air.
If breathing has stopped, give artificial respiration.
If breathing is difficult, give oxygen.

LIQUID
Will burn eyes.
Harmful if swallowed.
Remove contaminated clothing and shoes.
Clean affected areas with plenty of water.
IF IN EYES, hold eyelids open and flush with plenty of water.
IF SWALLOWED and victim is CONSCIOUS, have victim drink water or milk.

Water Pollution

Dangerous to aquatic life in high concentrations.
May be dangerous if it enters water intakes.
Notify local health and wildlife officials.
Notify operators of nearby water intakes.

1. RESPONSE TO DISCHARGE

(See Hazardous Materials Handbook, CG 446-6)

Issue warning – high flammability
Disperse and flush

2. LABEL

3. CHEMICAL DESIGNATIONS

3.1 **Synonyms:** 2-Butanone
Ethyl methyl ketone
MEK

3.2 **Coast Guard Compatibility Classification:** Ketone

3.3 **Chemical Formula:** $CH_3COCH_2CH_3$

3.4 **IMCO/United Nations Numerical Designation:** 3.2/1193

4. OBSERVABLE CHARACTERISTICS

4.1 **Physical State (as shipped):** Liquid

4.2 **Color:** Colorless

4.3 **Odor:** Like acetone; pleasant; pungent

5. HEALTH HAZARDS

5.1 **Personal Protective Equipment:** *Organic canister or air pack; plastic gloves; goggles or face shield.*

5.2 **Symptoms Following Exposure:** Liquid causes eye burn. Vapor irritates eyes, nose, and throat; can cause headache, dizziness, nausea, weakness, and loss of consciousness.

5.3 **Treatment for Exposure:** INHALATION: *remove victim to fresh air; if breathing is irregular or has stopped, start resuscitation and administer oxygen.* EYES: *wash with plenty of water for at least 15 min. and call physician.*

5.4 **Toxicity by Inhalation (Threshold Limit Value):** 200 ppm

5.5 **Short-Term Inhalation Limits:** 290 mg/m^3 for 60 min.

5.6 **Toxicity by Ingestion:** Grade 2; 0.5 to 5 g/kg (rat)

5.7 **Late Toxicity:** None

5.8 **Vapor (Gas) Irritant Characteristics:** Vapors cause a slight smarting of the eyes or respiratory system if present in high concentrations. *The effect is temporary.*

5.9 **Liquid or Solid Irritant Characteristics:** Minimum hazard. If spilled on clothing and allowed to remain, may cause smarting and reddening of the skin.

5.10 **Odor Threshold:** 10 ppm

6. FIRE HAZARDS

6.1 **Flash Point:** 20°F C.C., 22°F O.C.

6.2 **Flammable Limits in Air:** 1.8%—11.5%

6.3 **Fire Extinguishing Agents:** Alcohol foam, dry chemical, or carbon dioxide

6.4 **Fire Extinguishing Agents Not to be Used:** Water may be ineffective

6.5 **Special Hazards of Combustion Products:** Not pertinent

6.6 **Behavior in Fire:** Not pertinent

6.7 **Ignition Temperature:** 961°F

6.8 **Electrical Hazard:** Class I, Group D

6.9 **Burning Rate:** 4.1 mm/min.

7. CHEMICAL REACTIVITY

7.1 **Reactivity with Water:** No reaction

7.2 **Reactivity with Common Materials:** No reaction

7.3 **Stability During Transport:** Stable

7.4 **Neutralizing Agents for Acids and Caustics:** Not pertinent

7.5 **Polymerization:** Not pertinent

7.6 **Inhibitor of Polymerization:** Not pertinent

8. WATER POLLUTION

8.1 **Aquatic Toxicity:** 5640 mg/l/48 hr/bluegill/TL_m/fresh water

8.2 **Waterfowl Toxicity:** Data not available

8.3 **Biological Oxygen Demand (BOD):** 214%, 5 days

8.4 **Food Chain Concentration Potential:** None

9. SELECTED MANUFACTURERS

1. Celanese Corp.
Celanese Chemical Co. Division
245 Park Ave.
New York, N.Y. 10017
2. Exxon Chemical Co.
Houston, Tex. 77001
3. Shell Chemical Co.
Industrial Chemicals Division
Houston, Tex. 77001

10. SHIPPING INFORMATION

10.1 **Grades or Purity:** 99.5+%

10.2 **Storage Temperature:** Ambient

10.3 **Inert Atmosphere:** No requirement

10.4 **Venting:** Open (flame arrester) or pressure-vacuum

11. HAZARD ASSESSMENT CODE

(See Hazardous Materials Handbook, CG 446-3)

A-P-Q-R-S

12. HAZARD CLASSIFICATIONS

12.1 **Code of Federal Regulations:** Flammable liquid

12.2 **NAS Hazard Rating for Bulk Water Transportation:**

Category	Rating
Fire	3
Health	
Vapor Irritant	1
Liquid or Solid Irritant	1
Poisons	2
Water Pollution	
Human Toxicity	2
Aquatic Toxicity	1
Aesthetic Effect	1
Reactivity	
Other Chemicals	2
Water	0
Self-Reaction	0

12.3 **NFPA Hazard Classifications:**

Category	Classification
Health Hazard (Blue)	1
Flammability (Red)	3
Reactivity (Yellow)	0

13. PHYSICAL AND CHEMICAL PROPERTIES

13.1 **Physical State at 15°C and 1 atm:** Liquid

13.2 **Molecular Weight:** 72.11

13.3 **Boiling Point at 1 atm:** 175.3°F = 79.6°C = 352.8°K

13.4 **Freezing Point:** −123.3°F = −86.3°C = 186.9°K

13.5 **Critical Temperature:** 504.5°F = 262.5°C = 535.7°K

13.6 **Critical Pressure:** 603 psia = 41.0 atm = 4.15 MN/m^2

13.7 **Specific Gravity:** 0.806 at 20°C (liquid)

13.8 **Liquid Surface Tension:** Not pertinent

13.9 **Liquid-Water Interfacial Tension:** Not pertinent

13.10 **Vapor (Gas) Specific Gravity:** 2.5

13.11 **Ratio of Specific Heats of Vapor (Gas):** 1.075

13.12 **Latent Heat of Vaporization:** 191 Btu/lb = 106 cal/g = 4.44 × 10^5 J/kg

13.13 **Heat of Combustion:** −13,480 Btu/lb = −7491 cal/g = −313.6 × 10^5 J/kg

13.14 **Heat of Decomposition:** Not pertinent

13.15 **Heat of Solution:** (est.) −9 Btu/lb = −5 cal/g = −0.2 × 10^5 J/kg

13.16 **Heat of Polymerization:** Not pertinent

(Continued on pages 3 and 4)

NOTES

GLA	GALLIC ACID

3,4,5-Trihydroxybenzoic acid Gallic acid monohydrate	Solid	White	Odorless
	Sinks in water.		

Stop discharge if possible. Keep people away.
Shut off ignition sources. Call fire department.
Avoid contact with solid and dust.
Isolate and remove discharged material.
Notify local health and pollution control agencies.

Fire

Combustible.
Extinguish with water, dry chemicals, foam, or carbon dioxide.

Exposure

CALL FOR MEDICAL AID.

DUST
Irritating to eyes, nose and throat.
If inhaled will cause coughing or difficult breathing.

If in eyes, hold eyelids open and flush with plenty of water.
If breathing has stopped, give artificial respiration.
If breathing is difficult, give oxygen.

SOLID
Irritating to skin and eyes.
Harmful if swallowed.

Remove contaminated clothing and shoes.
Flush affected areas with plenty of water.
IF IN EYES, hold eyelids open and flush with plenty of water.
IF SWALLOWED and victim is CONSCIOUS, have victim drink water or milk and have victim induce vomiting.
IF SWALLOWED and victim is UNCONSCIOUS OR HAVING CONVULSIONS, do nothing except keep victim warm.

Water Pollution

HARMFUL TO AQUATIC LIFE IN VERY LOW CONCENTRATIONS.
May be dangerous if it enters water intakes.

Notify local health and wildlife officials.
Notify operators of nearby water intakes.

1. RESPONSE TO DISCHARGE

(See Response Methods Handbook, CG 446-4)

Disperse and flush

2. LABELS

No hazard label required by Code of Federal Regulations

3. CHEMICAL DESIGNATIONS

3.1 **Synonyms:** Gallic acid monohydrate; 3,4,5-Trihydroxybenzoic acid

3.2 **Coast Guard Compatibility Classification:** Not listed

3.3 **Chemical Formula:** $3,4,5\text{-}HO_3C_6H_2COOH \cdot H_2O$

3.4 **IMCO/United Nations Numerical Designation:** Not listed

4. OBSERVABLE CHARACTERISTICS

4.1 **Physical State (as shipped):** Solid

4.2 **Color:** White

4.3 **Odor:** None

5. HEALTH HAZARDS

5.1 **Personal Protective Equipment:** Bu. Mines approved respirator; rubber gloves; safety goggles

5.2 **Symptoms Following Exposure:** Inhalation of dust may irritate nose and throat. Contact with eyes or skin causes irritation.

5.3 **Treatment for Exposure:** INGESTION: give large amount of water; induce vomiting. EYES: flush with water for at least 10 min.; consult a physician if irritation persists. SKIN: wash with soap and water.

5.4 **Toxicity by Inhalation (Threshold Limit Value):** Data not available

5.5 **Short-Term Inhalation Limits:** Data not available

5.6 **Toxicity by Ingestion:** Grade 2; LD=0.5 – 5 g/kg (rat)

5.7 **Late Toxicity:** Data not available

5.8 **Vapor (Gas) Irritant Characteristics:** Data not available

5.9 **Liquid or Solid Irritant Characteristics:** Data not available

5.10 **Odor Threshold:** Data not available

6. FIRE HAZARDS

6.1 **Flash Point:** Not pertinent

6.2 **Flammable Limits in Air:** Not pertinent

6.3 **Fire Extinguishing Agents:** Water, foam, dry chemical, carbon dioxide

6.4 **Fire Extinguishing Agents Not to be Used:**

5.5 **Special Hazards of Combustion Products:**

6.6 **Behavior in Fire:**

5.7 **Ignition Temperature:** Not pertinent

5.8 **Electrical Hazard:** Not pertinent

5.9 **Burning Rate:** Not pertinent

7. CHEMICAL REACTIVITY

7.1 **Reactivity with Water:** No reaction

7.2 **Reactivity with Common Materials:**

7.3 **Stability During Transport:** Stable

7.4 **Neutralizing Agents for Acids and Caustics:** Not pertinent

7.5 **Polymerization:** Not pertinent

7.6 **Inhibitor of Polymerization:** Not pertinent

8. WATER POLLUTION

8.1 **Aquatic Toxicity:**
30 – 35 ppm/6 hr/minnow/MLD/fresh water
15 – 20 ppm/6 hr/minnow/MLD/fresh water

8.2 **Waterfowl Toxicity:** Data not available

8.3 **Biological Oxygen Demand (BOD):** 5% 5 days

8.4 **Food Chain Concentration Potential:** None

9. SELECTED MANUFACTURERS

1. The Harshaw Chemical Co.
1945 E. 97 St.
Cleveland, Ohio 44106
2. Aldrich Chemical Co.
940 W. Saint Paul Ave.
Milwaukee, Wis. 53233
3. Eastman Organic Chemicals
Rochester, N. Y. 14650

10. SHIPPING INFORMATION

10.1 **Grades or Purity:** N.F.; Practical

10.2 **Storage Temperature:** Ambient

10.3 **Inert Atmosphere:** No requirement

10.4 **Venting:** Open

11. HAZARD ASSESSMENT CODE

(See Hazard Assessment Handbook, CG 446-3)

II-SS

12. HAZARD CLASSIFICATIONS

12.1 **Code of Federal Regulations:** Not listed

12.2 **NAS Hazard Rating for Bulk Water Transportation:** Not listed

12.3 **NFPA Hazard Classifications:**

Category	Classification
Health Hazard (Blue)	0
Flammability (Red)	1
Reactivity (Yellow)	0

13. PHYSICAL AND CHEMICAL PROPERTIES

13.1 **Physical State at 15°C and 1 atm:** Solid

13.2 **Molecular Weight:** 188

13.3 **Boiling Point at 1 atm:** Not pertinent (decomposes)

13.4 **Freezing Point:** Not pertinent

13.5 **Critical Temperature:** Not pertinent

13.6 **Critical Pressure:** Not pertinent

13.7 **Specific Gravity:** 1.7 at 20°C (solid)

13.8 **Liquid Surface Tension:** Not pertinent

13.9 **Liquid-Water Interfacial Tension:** Not pertinent

13.10 **Vapor (Gas) Specific Gravity:** Not pertinent

13.11 **Ratio of Specific Heats of Vapor (Gas):** Not pertinent

13.12 **Latent Heat of Vaporization:** Not pertinent

13.13 **Heat of Combustion:** −6,060 Btu/lb = −3,370 cal/g = −141 × 10³ J/kg

13.14 **Heat of Decomposition:** Not pertinent

13.15 **Heat of Solution:** Not pertinent

13.16 **Heat of Polymerization:** Not pertinent

Continued on pages 3 and 4

NOTES

FMS

FORMALDEHYDE SOLUTION

Common Synonyms			
Formalin Fyde Formaldehyde Formaldehyde solution Methanal solution	Watery liquid Sinks and mixes with water.	Colorless	Irritating odor

Avoid contact with liquid.
Wear goggles, self-contained breathing apparatus, and rubber overclothing (including gloves).
Stop discharge if possible.
Call fire department.
Isolate and remove discharged material.
Notify local health and pollution control agencies.

Fire

Combustible.
Wear goggles, self-contained breathing apparatus, and rubber overclothing (including gloves).
Extinguish with water, dry chemical, alcohol foam, or carbon dioxide.
Cool exposed containers with water.

Exposure

CALL FOR MEDICAL AID.

LIQUID
Will burn skin and eyes.
If swallowed, will cause nausea, vomiting or loss of consciousness.
Remove contaminated clothing and shoes.
Flush affected areas with plenty of water.
IF IN EYES, hold eyelids open and flush with plenty of water.
IF SWALLOWED and victim is CONSCIOUS, have victim drink water or milk and have victim induce vomiting.
IF SWALLOWED and victim is UNCONSCIOUS OR HAVING CONVULSIONS, do nothing except keep victim warm.

Water Pollution

HARMFUL TO AQUATIC LIFE IN VERY LOW CONCENTRATIONS.
May be dangerous if it enters water intakes.
Notify local health and wildlife officials.
Notify operators of nearby water intakes.

1. RESPONSE TO DISCHARGE

See Emergency Response Handbook, CG 446-4

Issue warning. Water contaminated.
Dilute and flush.

2. LABELS

No hazard label required by Code of Federal Regulations.

3. CHEMICAL DESIGNATIONS

3.1 **Synonyms:** Formalin, Fyde, Formaldehyde, Methanal, Formic aldehyde

3.2 **Coast Guard Compatibility Classification:** Aldehyde

3.3 **Chemical Formula:** HCHO H_2O CH_3OH

3.4 **IMCO United Nations Numerical Designation:** 1198

4. OBSERVABLE CHARACTERISTICS

4.1 **Physical State (as shipped):** Liquid

4.2 **Color:** Colorless

4.3 **Odor:** Pungent, irritating; characteristic pungent

5. HEALTH HAZARDS

5.1 **Personal Protective Equipment:** Self-contained breathing apparatus; chemical goggles; protective clothing; synthetic rubber or plastic gloves.

5.2 **Symptoms Following Exposure:** INHALATION: vapors are irritating and will cause coughing, chest pain, nausea, and vomiting. INGESTION: causes nausea, vomiting, abdominal pain, and collapse. Contact with skin and eyes causes severe irritation.

5.3 **Treatment for Exposure:** INHALATION: remove victim to fresh air; give oxygen if breathing is difficult; call a physician. INGESTION: induce vomiting at once and repeat until vomit is clear; then give milk or raw egg and call a physician. SKIN OR EYES: flush immediately with plenty of water for at least 15 min.; remove contaminated clothing; call a physician for eyes.

5.4 **Toxicity by Inhalation (Threshold Limit Value):** 2 ppm

5.5 **Short-Term Inhalation Limits:** 5 ppm for 5 min.; 3 ppm for 60 min. (tentative).

5.6 **Toxicity by Ingestion:** (Formaldehyde solution) Grade 2; LD_{50} 0.5 to 5 g/kg

5.7 **Late Toxicity:** None

5.8 **Vapor (Gas) Irritant Characteristics:** Vapor is moderately irritating such that personnel will not usually tolerate moderate or high concentrations.

5.9 **Liquid or Solid Irritant Characteristics:** Causes whitening of the skin and first-degree burns on short exposure. May cause secondary burns on long exposure.

5.10 **Odor Threshold:** 0.8 ppm

6. FIRE HAZARDS

6.1 **Flash Point:** (37% formaldehyde)
Methanol-free: 182°F C.C.
15% methanol: 122°F C.C.

6.2 **Flammable Limits in Air:**
7.0% – 73%

6.3 **Fire Extinguishing Agents:** Water, dry chemical, carbon dioxide, or alcohol foam

6.4 **Fire Extinguishing Agents Not to be Used:** Data not available

6.5 **Special Hazards of Combustion Products:** Toxic vapors are generated.

6.6 **Behavior in Fire:** Not pertinent

6.7 **Ignition Temperature:** 806°F

6.8 **Electrical Hazard:** Not pertinent

6.9 **Burning Rate:** Not pertinent

7. CHEMICAL REACTIVITY

7.1 **Reactivity with Water:** No reaction

7.2 **Reactivity with Common Materials:** No reaction

7.3 **Stability During Transport:** Stable

7.4 **Neutralizing Agents for Acids and Caustics:** Not pertinent

7.5 **Polymerization:** Not pertinent

7.6 **Inhibitor of Polymerization:** Not pertinent

8. WATER POLLUTION

8.1 **Aquatic Toxicity:** (formaldehyde)
25 mg/l, 96 hr channel cat: TL_m, fresh water
32 ppm, 24 hr catfish: TL_m, fresh water
100-330 ppm, 48 hr, flounder: TL_m, salt water

8.2 **Waterfowl Toxicity:** Data not available

8.3 **Biological Oxygen Demand (BOD):**
37% 5 days, 47% (about 1.5 days)

8.4 **Food Chain Concentration Potential:** None

9. SELECTED MANUFACTURERS

1. Borden, Inc.
Borden Chemical Division
[illegible] Broad Street
Columbus, Ohio 43215
2. Celanese Corp.
Celanese Chemical Co. Division
245 Park Ave.
New York, N.Y. 10017
3. E. I. duPont de Nemours & Co., Inc.
Industrial & Biochemicals Dept.
Wilmington, Del. 19898

10. SHIPPING INFORMATION

10.1 **Grades or Purity:**
30-50% formaldehyde in water containing 0-15% methyl alcohol

10.2 **Storage Temperature:** Ambient

10.3 **Inert Atmosphere:** No requirement

10.4 **Venting:** Pressure-vacuum

11. HAZARD ASSESSMENT CODE

(See Hazard Assessment Handbook, CG 446-3)

A-P-Q

12. HAZARD CLASSIFICATIONS

12.1 **Code of Federal Regulations:** Combustible Liquid

12.2 **NAS Hazard Rating for Bulk Water Transportation:**

Category	Rating
Fire	2
Health	
Vapor Irritant	3
Liquid or Solid Irritant	2
Poisons	3
Water Pollution	
Human Toxicity	3
Aquatic Toxicity	3
Aesthetic Effect	2
Reactivity	
Other Chemicals	2
Water	0
Self-Reaction	1

12.3 **NFPA Hazard Classifications:**

Category	Classification
Health Hazard (Blue)	2
Flammability (Red)	2
Reactivity (Yellow)	0

13. PHYSICAL AND CHEMICAL PROPERTIES

13.1 **Physical State at 15°C and 1 atm:** Liquid

13.2 **Molecular Weight:** 30.03

13.3 **Boiling Point at 1 atm:** Not pertinent

13.4 **Freezing Point:** Not pertinent

13.5 **Critical Temperature:** Not pertinent

13.6 **Critical Pressure:** Not pertinent

13.7 **Specific Gravity:** 1.1 at 25°C (liquid)

13.8 **Liquid Surface Tension:** Not pertinent

13.9 **Liquid-Water Interfacial Tension:** Not pertinent

13.10 **Vapor (Gas) Specific Gravity:** Not pertinent

13.11 **Ratio of Specific Heats of Vapor (Gas):** Not pertinent

13.12 **Latent Heat of Vaporization:** Not pertinent

13.13 **Heat of Combustion:** Not pertinent

13.14 **Heat of Decomposition:** Not pertinent

13.15 **Heat of Solution:** (est.) −9 Btu/lb = −5 cal/g = −0.2 × 10³ J/kg

13.16 **Heat of Polymerization:** Not pertinent

(Continued on page 7 and 8)

NOTES