Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R03

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No.	B4771 S36 A1	Volume (L)	1191.9
Client Sample No.	SFBC-H2-1FD-100604	No. of Grid Openings	22
Description		Filter Area (mm2)	385
Analysis Date	10/19/2004	Area Analyzed (mm2)	0.319
Analyst	DW	Analytical Sens. (struc/cc)	0.00101
		Dectection Limit. (struc/cc)	0.00303

Structure Type	Filter Density (s/mm2)	Concentratrion (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	100.4	0.031	0.02124 - 0.04384	32
Total Asbestos Structures	109.8	0.034	0.02367 - 0.04724	35
Asbestos Structures > 5um	31.4	0.0097	0.00466 - 0.01785	10
Asbestos Fibers and Bundles > 5um	12.5	0.00388	0.00106 - 0.00989	4
PCM Equivalent Fibers-US	9.4	0.00291	0.00 - 0.00752	3
PCM Equivalent Structures-ISO	6.3	0.00194	0.00 - 0.00611	2
PROTOCOL ASB STRUCS 5-10	3.1	0.00097	0.00 - 0.00460	1
PROTOCOL ASB STRUCS >10	0.0	<0.00291	0.00 - 0.00291	0
PROTOCOL ASB STRUCS TOTAL	3.1	0.00097	0.00 - 0.00460	1
PROTOCOL CHRYS STRUCS 5-10	3.1	0.00097	0.00 - 0.00460	1
PROTOCOL CHRYS STRUCS >10	0.0	<0.00291	0.00 - 0.00291	0
PROTOCOL CHRYS STRUCS TOTAL	3.1	0.00097	0.00 - 0.00460	1
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00291	0.00 - 0.00291	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00291	0.00 - 0.00291	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00291	0.00 - 0.00291	0
AHERA-like Total Structures 3:1	100.4	0.031	0.02124 - 0.04384	32
AHERA-like Asb Strucs >5 and 3:1	31.4	0.0097	0.00466 - 0.01785	10
AHERA-like Asb Strucs 5 - 10 and 3:1	18.8	0.00582	0.00213 - 0.01271	6
AHERA-like Asb Strucs >10 and 3:1	12.5	0.00388	0.00106 - 0.00989	4
Total Other Amphibole Strucs 3:1	0.0	<0.00291	0.00 - 0.00291	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00291	0.00 - 0.00291	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00291	0.00 - 0.00291	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00291	0.00 - 0.00291	0

Validation Modified

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041176R1

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001- FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No.	B4763 S23 A1	**Volume (L)**	1191.9
Client Sample No.	SFBC-H2-1FD-100604	**No. of Grid Openings**	22
Description	Duplicate Analysis of 041188-36 - Same Grid Openings	**Filter Area (mm2)**	385
Analysis Date	11/18/2004	**Area Analyzed (mm2)**	0.319
Analyst	KM	**Analytical Sens. (struc/cc)**	0.00101
		Dectection Limit. (struc/cc)	0.00303

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	78.4	0.0253	0.0164 - 0.0374	25

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R03

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No.	B4771 S35 A1	Volume (L)	1166.32
Client Sample No.	SFBC-H2-11FD-100604	No. of Grid Openings	23
Description		Filter Area (mm2)	385
Analysis Date	10/19/2004	Area Analyzed (mm2)	0.333
Analyst	JH	Analytical Sens. (struc/cc)	0.000990
		Dectection Limit. (struc/cc)	0.00296

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	12.0	0.00396	0.00108 - 0.0101	4
Total Asbestos Structures	12.0	0.00396	0.00108 - 0.0101	4
Asbestos Structures > 5um	3.0	0.000990	0.00 - 0.00469	1
Asbestos Fibers and Bundles > 5um	3.0	0.000990	0.00 - 0.00469	1
PCM Equivalent Fibers-US	0.0	<0.00296	0.00 - 0.00296	0
PCM Equivalent Structures-ISO	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL ASB STRUCS 5-10	3.0	0.000990	0.00 - 0.00469	1
PROTOCOL ASB STRUCS >10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL ASB STRUCS TOTAL	3.0	0.000990	0.00 - 0.00469	1
PROTOCOL CHRYS STRUCS 5-10	3.0	0.000990	0.00 - 0.00469	1
PROTOCOL CHRYS STRUCS >10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL CHRYS STRUCS TOTAL	3.0	0.000990	0.00 - 0.00469	1
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00296	0.00 - 0.00296	0
AHERA-like Total Structures 3:1	12.0	0.00396	0.00108 - 0.0101	4
AHERA-like Asb Strucs >5 and 3:1	3.0	0.000990	0.00 - 0.00469	1
AHERA-like Asb Strucs 5 - 10 and 3:1	3.0	0.000990	0.00 - 0.00469	1
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
Total Other Amphibole Strucs 3:1	0.0	<0.00296	0.00 - 0.00296	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00296	0.00 - 0.00296	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R03

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S38 A1
Client Sample No. SFBC-H2-3FD-100604
Description
Analysis Date 10/20/2004
Analyst JH

Volume (L) 615.48
No. of Grid Openings 43
Filter Area (mm2) 385
Area Analyzed (mm2) 0.623
Analytical Sens. (struc/cc) 0.00100
Dectection Limit. (struc/cc) 0.00300

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	61.0	0.0381	0.0270 - 0.0524 (Poisson)	38
Total Asbestos Structures	62.6	0.0392	0.0278 - 0.0535 (Poisson)	39
Asbestos Structures > 5um	12.8	0.00803	0.00347 - 0.0158	8
Asbestos Fibers and Bundles > 5um	11.2	0.00703	0.00283 - 0.0145	7
PCM Equivalent Fibers-US	6.4	0.00402	0.00109 - 0.0103	4
PCM Equivalent Structures-ISO	6.4	0.00402	0.00109 - 0.0103	4
PROTOCOL ASB STRUCS 5-10	4.8	0.00301	0.00 - 0.00778	3
PROTOCOL ASB STRUCS >10	0.0	<0.00300	0.00 - 0.00300	0
PROTOCOL ASB STRUCS TOTAL	4.8	0.00301	0.00 - 0.00778	3
PROTOCOL CHRYS STRUCS 5-10	4.8	0.00301	0.00 - 0.00778	3
PROTOCOL CHRYS STRUCS >10	0.0	<0.00300	0.00 - 0.00300	0
PROTOCOL CHRYS STRUCS TOTAL	4.8	0.00301	0.00 - 0.00778	3
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00300	0.00 - 0.00300	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00300	0.00 - 0.00300	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00300	0.00 - 0.00300	0
AHERA-like Total Structures 3:1	61.0	0.0381	0.0270 - 0.0524 (Poisson)	38
AHERA-like Asb Strucs >5 and 3:1	12.8	0.00803	0.00347 - 0.0158	8
AHERA-like Asb Strucs 5 - 10 and 3:1	8.0	0.00502	0.00163 - 0.0117	5
AHERA-like Asb Strucs >10 and 3:1	4.8	0.00301	0.00 - 0.00778	3
Total Other Amphibole Strucs 3:1	0.0	<0.00300	0.00 - 0.00300	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00300	0.00 - 0.00300	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00300	0.00 - 0.00300	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00300	0.00 - 0.00300	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S110 A1
Client Sample No. SFBC-H2-4FD-100604
Description
Analysis Date 1/21/2005
Analyst KM

Volume (L) 1191.84
No. of Grid Openings 23
Filter Area (mm2) 385
Area Analyzed (mm2) 0.333
Analytical Sens. (struc/cc) 0.000969
Dectection Limit. (struc/cc) 0.00290

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	12.0	0.00388	0.00106 - 0.00993	4
Total Asbestos Structures	12.0	0.00388	0.00106 - 0.00993	4
Asbestos Structures > 5um	9.0	0.00291	0.00 - 0.00751	3
Asbestos Fibers and Bundles > 5um	6.0	0.00194	0.00 - 0.00611	2
PCM Equivalent Fibers-US	6.0	0.00194	0.00 - 0.00611	2
PCM Equivalent Structures-US	6.0	0.00194	0.00 - 0.00611	2
PROTOCOL ASB STRUCS 5-10	3.0	0.000969	0.00 - 0.00459	1
PROTOCOL ASB STRUCS >10	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL ASB STRUCS TOTAL	3.0	0.000969	0.00 - 0.00459	1
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL AMPH STRUCS 5-10	3.0	0.000969	0.00 - 0.00459	1
PROTOCOL AMPH STRUCS >10	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL AMPH STRUCS TOTAL	3.0	0.000969	0.00 - 0.00459	1
AHERA-like Total Structures 3:1	12.0	0.00388	0.00106 - 0.00993	4
AHERA-like Asb Strucs >5 and 3:1	9.0	0.00291	0.00 - 0.00751	3
AHERA-like Asb Strucs 5 - 10 and 3:1	9.0	0.00291	0.00 - 0.00751	3
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.00290	0.00 - 0.00290	0
Total Other Amphibole Strucs 3:1	0.0	<0.00290	0.00 - 0.00290	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00290	0.00 - 0.00290	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00290	0.00 - 0.00290	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00290	0.00 - 0.00290	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S112 A1
Client Sample No. SFBC-H2-5FD-100604
Description
Analysis Date 1/21/2005
Analyst KM

Volume (L) 1197.67
No. of Grid Openings 23
Filter Area (mm2) 385
Area Analyzed (mm2) 0.333
Analytical Sens. (struc/cc) 0.000965
Dectection Limit. (struc/cc) 0.00288

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	39.0	0.0125	0.00668 - 0.0214	13
Total Asbestos Structures	39.0	0.0125	0.00668 - 0.0214	13
Asbestos Structures > 5um	21.0	0.00675	0.00271 - 0.0139	7
Asbestos Fibers and Bundles > 5um	21.0	0.00675	0.00271 - 0.0139	7
PCM Equivalent Fibers-US	21.0	0.00675	0.00271 - 0.0139	7
PCM Equivalent Structures-US	21.0	0.00675	0.00271 - 0.0139	7
PROTOCOL ASB STRUCS 5-10	0.0	<0.00288	0.00 - 0.00288	0
PROTOCOL ASB STRUCS >10	0.0	<0.00288	0.00 - 0.00288	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00288	0.00 - 0.00288	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00288	0.00 - 0.00288	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00288	0.00 - 0.00288	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00288	0.00 - 0.00288	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00288	0.00 - 0.00288	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00288	0.00 - 0.00288	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00288	0.00 - 0.00288	0
AHERA-like Total Structures 3:1	39.0	0.0125	0.00668 - 0.0214	13
AHERA-like Asb Strucs >5 and 3:1	21.0	0.00675	0.00271 - 0.0139	7
AHERA-like Asb Strucs 5 - 10 and 3:1	15.0	0.00482	0.00157 - 0.0113	5
AHERA-like Asb Strucs >10 and 3:1	6.0	0.00193	0.00 - 0.00608	2
Total Other Amphibole Strucs 3:1	0.0	<0.00288	0.00 - 0.00288	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00288	0.00 - 0.00288	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00288	0.00 - 0.00288	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00288	0.00 - 0.00288	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S107 A1
Client Sample No. SFBC-H2-1PG-100604
Description
Analysis Date 1/18/2005
Analyst DW

Volume (L) 1289.54
No. of Grid Openings 21
Filter Area (mm2) 385
Area Analyzed (mm2) 0.304
Analytical Sens. (struc/cc) 0.000981
Dectection Limit. (struc/cc) 0.00293

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	216.9	0.0648	0.0501 - 0.0824 (Poisson)	66
Total Asbestos Structures	239.9	0.0716	0.0561 - 0.0901 (Poisson)	73
Asbestos Structures > 5um	69.0	0.0206	0.0128 - 0.0315	21
Asbestos Fibers and Bundles > 5um	13.1	0.00392	0.00107 - 0.0100	4
PCM Equivalent Fibers-US	13.1	0.00392	0.00107 - 0.0100	4
PCM Equivalent Structures-US	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL ASB STRUCS 5-10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL ASB STRUCS >10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00293	0.00 - 0.00293	0
AHERA-like Total Structures 3:1	216.9	0.0648	0.0501 - 0.0824 (Poisson)	66
AHERA-like Asb Strucs >5 and 3:1	69.0	0.0206	0.0128 - 0.0315	21
AHERA-like Asb Strucs 5 - 10 and 3:1	29.6	0.00883	0.00404 - 0.0168	9
AHERA-like Asb Strucs >10 and 3:1	39.4	0.0118	0.00608 - 0.0206	12
Total Other Amphibole Strucs 3:1	0.0	<0.00293	0.00 - 0.00293	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00293	0.00 - 0.00293	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00293	0.00 - 0.00293	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00293	0.00 - 0.00293	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No.	B4771 S108 A1	Volume (L)	1244.4
Client Sample No.	SFBC-H2-2PG-100604	No. of Grid Openings	22
Description		Filter Area (mm2)	385
Analysis Date	1/18/2005	Area Analyzed (mm2)	0.319
Analyst	DW	Analytical Sens. (struc/cc)	0.000971
		Dectection Limit. (struc/cc)	0.00290

Structure Type	Filter Density (s/mm2)	Concentratrion (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	160.0	0.0495	0.03690 - 0.06515	51
Total Asbestos Structures	166.3	0.0514	0.03855 - 0.06729	53
Asbestos Structures > 5um	34.5	0.0107	0.0053 - 0.01913	11
Asbestos Fibers and Bundles > 5um	15.7	0.00485	0.0016 - 0.01136	5
PCM Equivalent Fibers-US	15.7	0.00485	0.0016 - 0.01136	5
PCM Equivalent Structures-ISO	3.1	0.000971	0.00 0.00460	1
PROTOCOL ASB STRUCS 5-10	0.0	< 0.00290329	0.00 - 0.00290	0
PROTOCOL ASB STRUCS >10	0.0	< 0.00290329	0.00 - 0.00290	0
PROTOCOL ASB STRUCS TOTAL	0.0	< 0.00290329	0.00 - 0.00290	0
PROTOCOL CHRYS STRUCS 5-10	0.0	< 0.00290329	0.00 - 0.00290	0
PROTOCOL CHRYS STRUCS >10	0.0	< 0.00290329	0.00 - 0.00290	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	< 0.00290329	0.00 - 0.00290	0
PROTOCOL AMPH STRUCS 5-10	0.0	< 0.00290329	0.00 - 0.00290	0
PROTOCOL AMPH STRUCS >10	0.0	< 0.00290329	0.00 - 0.00290	0
PROTOCOL AMPH STRUCS TOTAL	0.0	< 0.00290329	0.00 - 0.00290	0
AHERA-like Total Structures 3:1	160.0	0.0495	0.03690 - 0.06515	51
AHERA-like Asb Strucs >5 and 3:1	34.5	0.0107	0.00533 - 0.01913	11
AHERA-like Asb Strucs 5 - 10 and 3:1	31.4	0.00971	0.00466 - 0.01787	10
AHERA-like Asb Strucs >10 and 3:1	3.1	0.000971	0.00000 - 0.00460	1
Total Other Amphibole Strucs 3:1	0.0	< 0.00290329	0.00 - 0.00290	0
Other Amphibole Strucs >5 and 3:1	0.0	< 0.00290329	0.00 - 0.00290	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	< 0.00290329	0.00 - 0.00290	0
Other Amphibole Strucs >10 and 3:1	0.0	< 0.00290329	0.00 - 0.00290	0

Validation Modified

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S109 A1
Client Sample No. SFBC-H2-3PG-100604
Description
Analysis Date 1/19/2005
Analyst DW

Volume (L) 1262.32
No. of Grid Openings 21
Filter Area (mm2) 385
Area Analyzed (mm2) 0.304
Analytical Sens. (struc/cc) 0.00100
Dectection Limit. (struc/cc) 0.00300

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	226.8	0.0692	0.0538 - 0.0875 (Poisson)	69
Total Asbestos Structures	236.6	0.0722	0.0565 - 0.0909 (Poisson)	72
Asbestos Structures > 5um	42.7	0.0130	0.00694 - 0.0223	13
Asbestos Fibers and Bundles > 5um	6.6	0.00200	0.00 - 0.00631	2
PCM Equivalent Fibers-US	9.9	0.00301	0.00 - 0.00777	3
PCM Equivalent Structures-US	0.0	<0.00300	0.00 - 0.00300	0
PROTOCOL ASB STRUCS 5-10	3.3	0.00100	0.00 - 0.00475	1
PROTOCOL ASB STRUCS >10	0.0	<0.00300	0.00 - 0.00300	0
PROTOCOL ASB STRUCS TOTAL	3.3	0.00100	0.00 - 0.00475	1
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00300	0.00 - 0.00300	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00300	0.00 - 0.00300	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00300	0.00 - 0.00300	0
PROTOCOL AMPH STRUCS 5-10	3.3	0.00100	0.00 - 0.00475	1
PROTOCOL AMPH STRUCS >10	0.0	<0.00300	0.00 - 0.00300	0
PROTOCOL AMPH STRUCS TOTAL	3.3	0.00100	0.00 - 0.00475	1
AHERA-like Total Structures 3:1	226.8	0.0692	0.0538 - 0.0875 (Poisson)	69
AHERA-like Asb Strucs >5 and 3:1	42.7	0.0130	0.00694 - 0.0223	13
AHERA-like Asb Strucs 5 - 10 and 3:1	23.0	0.00702	0.00282 - 0.0145	7
AHERA-like Asb Strucs >10 and 3:1	19.7	0.00601	0.00221 - 0.0131	6
Total Other Amphibole Strucs 3:1	0.0	<0.00300	0.00 - 0.00300	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00300	0.00 - 0.00300	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00300	0.00 - 0.00300	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00300	0.00 - 0.00300	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S113 A1
Client Sample No. SFBC-H2-5PG-100604
Description
Analysis Date 1/24/2005
Analyst KM

Volume (L) 1178.19
No. of Grid Openings 23
Filter Area (mm2) 385
Area Analyzed (mm2) 0.333
Analytical Sens. (struc/cc) 0.000981
Dectection Limit. (struc/cc) 0.00293

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	105.0	0.0343	0.0239 - 0.0477 (Poisson)	35
Total Asbestos Structures	105.0	0.0343	0.0239 - 0.0477 (Poisson)	35
Asbestos Structures > 5um	33.0	0.0108	0.00538 - 0.0193	11
Asbestos Fibers and Bundles > 5um	33.0	0.0108	0.00538 - 0.0193	11
PCM Equivalent Fibers-US	33.0	0.0108	0.00538 - 0.0193	11
PCM Equivalent Structures-US	24.0	0.00784	0.00339 - 0.0155	8
PROTOCOL ASB STRUCS 5-10	9.0	0.00294	0.00 - 0.00760	3
PROTOCOL ASB STRUCS >10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL ASB STRUCS TOTAL	9.0	0.00294	0.00 - 0.00760	3
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL AMPH STRUCS 5-10	9.0	0.00294	0.00 - 0.00760	3
PROTOCOL AMPH STRUCS >10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL AMPH STRUCS TOTAL	9.0	0.00294	0.00 - 0.00760	3
AHERA-like Total Structures 3:1	105.0	0.0343	0.0239 - 0.0477 (Poisson)	35
AHERA-like Asb Strucs >5 and 3:1	33.0	0.0108	0.00538 - 0.0193	11
AHERA-like Asb Strucs 5 - 10 and 3:1	24.0	0.00784	0.00339 - 0.0155	8
AHERA-like Asb Strucs >10 and 3:1	9.0	0.00294	0.00 - 0.00760	3
Total Other Amphibole Strucs 3:1	0.0	<0.00293	0.00 - 0.00293	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00293	0.00 - 0.00293	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00293	0.00 - 0.00293	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00293	0.00 - 0.00293	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R03

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S46 A1
Client Sample No. SFBC-L2-2CH-100604
Description
Analysis Date 11/11/2004
Analyst KM

Volume (L) 307.56
No. of Grid Openings 50
Filter Area (mm2) 385
Area Analyzed (mm2) 0.724
Analytical Sens. (struc/cc) 0.00173
Dectection Limit. (struc/cc) 0.00517

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	139.4	0.175	0.141 - 0.210 (Poisson)	101
Total Asbestos Structures	142.2	0.178	0.141 - 0.210 (Poisson)	103
Asbestos Structures > 5um	45.5	0.0570	0.0392 - 0.0801 (Poisson)	33
Asbestos Fibers and Bundles > 5um	22.1	0.0276	0.0158 - 0.0449	16
PCM Equivalent Fibers-US	20.7	0.0259	0.0145 - 0.0427	15
PCM Equivalent Structures-ISO	19.3	0.0242	0.0132 - 0.0406	14
PROTOCOL ASB STRUCS 5-10	4.1	0.00518	0.00 - 0.0134	3
PROTOCOL ASB STRUCS >10	0.0	<0.00517	0.00 - 0.00517	0
PROTOCOL ASB STRUCS TOTAL	4.1	0.00518	0.00 - 0.0134	3
PROTOCOL CHRYS STRUCS 5-10	1.4	0.00173	0.00 - 0.00819	1
PROTOCOL CHRYS STRUCS >10	0.0	<0.00517	0.00 - 0.00517	0
PROTOCOL CHRYS STRUCS TOTAL	1.4	0.00173	0.00 - 0.00819	1
PROTOCOL AMPH STRUCS 5-10	2.8	0.00346	0.00 - 0.0109	2
PROTOCOL AMPH STRUCS >10	0.0	<0.00517	0.00 - 0.00517	0
PROTOCOL AMPH STRUCS TOTAL	2.8	0.00346	0.00 - 0.0109	2
AHERA-like Total Structures 3:1	139.4	0.175	0.141 - 0.210 (Poisson)	101
AHERA-like Asb Strucs >5 and 3:1	45.5	0.0570	0.0392 - 0.0801 (Poisson)	33
AHERA-like Asb Strucs 5 - 10 and 3:1	33.1	0.0415	0.0266 - 0.0617	24
AHERA-like Asb Strucs >10 and 3:1	12.4	0.0156	0.00711 - 0.0295	9
Total Other Amphibole Strucs 3:1	0.0	<0.00517	0.00 - 0.00517	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00517	0.00 - 0.00517	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00517	0.00 - 0.00517	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00517	0.00 - 0.00517	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S114 A1
Client Sample No. SFBC-L2-1NA-100604
Description
Analysis Date 1/25/2005
Analyst JH

Volume (L) 304.08
No. of Grid Openings 88
Filter Area (mm2) 385
Area Analyzed (mm2) 1.28
Analytical Sens. (struc/cc) 0.000993
Dectection Limit. (struc/cc) 0.00297

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	43.1	0.0546	0.0411 - 0.0711 (Poisson)	55
Total Asbestos Structures	43.1	0.0546	0.0411 - 0.0711 (Poisson)	55
Asbestos Structures > 5um	15.7	0.0199	0.0121 - 0.0307	20
Asbestos Fibers and Bundles > 5um	11.8	0.0149	0.00834 - 0.0246	15
PCM Equivalent Fibers-US	11.8	0.0149	0.00834 - 0.0246	15
PCM Equivalent Structures-US	7.8	0.00993	0.00476 - 0.0183	10
PROTOCOL ASB STRUCS 5-10	0.8	0.000993	0.00 - 0.00471	1
PROTOCOL ASB STRUCS >10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL ASB STRUCS TOTAL	0.8	0.000993	0.00 - 0.00471	1
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL AMPH STRUCS 5-10	0.8	0.000993	0.00 - 0.00471	1
PROTOCOL AMPH STRUCS >10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL AMPH STRUCS TOTAL	0.8	0.000993	0.00 - 0.00471	1
AHERA-like Total Structures 3:1	43.1	0.0546	0.0411 - 0.0711 (Poisson)	55
AHERA-like Asb Strucs >5 and 3:1	15.7	0.0199	0.0121 - 0.0307	20
AHERA-like Asb Strucs 5 - 10 and 3:1	11.8	0.0149	0.00834 - 0.0246	15
AHERA-like Asb Strucs >10 and 3:1	3.9	0.00496	0.00161 - 0.0116	5
Total Other Amphibole Strucs 3:1	0.0	<0.00297	0.00 - 0.00297	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00297	0.00 - 0.00297	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00297	0.00 - 0.00297	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00297	0.00 - 0.00297	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S115 A1
Client Sample No. SFBC-L2-1ZB-100604
Description
Analysis Date 1/25/2005
Analyst DW

Volume (L) 304.8
No. of Grid Openings 88
Filter Area (mm2) 385
Area Analyzed (mm2) 1.28
Analytical Sens. (struc/cc) 0.000991
Dectection Limit. (struc/cc) 0.00296

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	0.0	<0.00296	0.00 - 0.00296	0
Total Asbestos Structures	0.0	<0.00296	0.00 - 0.00296	0
Asbestos Structures > 5um	0.0	<0.00296	0.00 - 0.00296	0
Asbestos Fibers and Bundles > 5um	0.0	<0.00296	0.00 - 0.00296	0
PCM Equivalent Fibers-US	0.0	<0.00296	0.00 - 0.00296	0
PCM Equivalent Structures-US	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL ASB STRUCS 5-10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL ASB STRUCS >10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00296	0.00 - 0.00296	0
AHERA-like Total Structures 3:1	0.0	<0.00296	0.00 - 0.00296	0
AHERA-like Asb Strucs >5 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
AHERA-like Asb Strucs 5 - 10 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
Total Other Amphibole Strucs 3:1	0.0	<0.00296	0.00 - 0.00296	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00296	0.00 - 0.00296	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R03

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S10 A1
Client Sample No. CC5-L6-1CA-100604
Description
Analysis Date 10/12/2004
Analyst KM

Volume (L) 903.38
No. of Grid Openings 30
Filter Area (mm2) 385
Area Analyzed (mm2) 0.435
Analytical Sens. (struc/cc) 0.000980
Dectection Limit. (struc/cc) 0.00293

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	55.2	0.0235	0.0151 - 0.0350	24
Total Asbestos Structures	55.2	0.0235	0.0151 - 0.0350	24
Asbestos Structures > 5um	4.6	0.00196	0.00 - 0.00618	2
Asbestos Fibers and Bundles > 5um	2.3	0.000980	0.00 - 0.00465	1
PCM Equivalent Fibers-US	2.3	0.000980	0.00 - 0.00465	1
PCM Equivalent Structures-ISO	2.3	0.000980	0.00 - 0.00465	1
PROTOCOL ASB STRUCS 5-10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL ASB STRUCS >10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00293	0.00 - 0.00293	0
AHERA-like Total Structures 3:1	55.2	0.0235	0.0151 - 0.0350	24
AHERA-like Asb Strucs >5 and 3:1	4.6	0.00196	0.00 - 0.00618	2
AHERA-like Asb Strucs 5 - 10 and 3:1	4.6	0.00196	0.00 - 0.00618	2
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.00293	0.00 - 0.00293	0
Total Other Amphibole Strucs 3:1	0.0	<0.00293	0.00 - 0.00293	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00293	0.00 - 0.00293	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00293	0.00 - 0.00293	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00293	0.00 - 0.00293	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041176R1

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001- FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No.	B4763 S20 A1	**Volume (L)**	903.38
Client Sample No.	CC5-L6-1CA-100604	**No. of Grid Openings**	29
Description	Replicate Analysis of 041188-10 - Reprep	**Filter Area (mm2)**	385
Analysis Date	11/18/2004	**Area Analyzed (mm2)**	0.420
Analyst	KM	**Analytical Sens. (struc/cc)**	0.00101
		Dectection Limit. (struc/cc)	0.00303

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	35.7	0.0152	0.00852 - 0.0251	15

Lab/Cor Sample No.	B4763 S21 A1	**Volume (L)**	903.38
Client Sample No.	CC5-L6-1CA-100604	**No. of Grid Openings**	30
Description	Duplicate Analysis of 041188-10 - Different Grid Opening	**Filter Area (mm2)**	385
Analysis Date	12/6/2004	**Area Analyzed (mm2)**	0.435
Analyst	DW	**Analytical Sens. (struc/cc)**	0.000980
		Dectection Limit. (struc/cc)	0.00293

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	39.1	0.0167	0.00971 - 0.0267	17

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R03

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No.	B4771 S11 A1	Volume (L)	877.83
Client Sample No.	CC5-L6-1CB-100604	No. of Grid Openings	26
Description		Filter Area (mm2)	385
Analysis Date	10/13/2004	Area Analyzed (mm2)	0.377
Analyst	DW	Analytical Sens. (struc/cc)	0.00116
		Dectection Limit. (struc/cc)	0.00348

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	138.0	0.0605	0.0452 - 0.0794 (Poisson)	52
Total Asbestos Structures	146.0	0.0640	0.0482 - 0.0833 (Poisson)	55
Asbestos Structures > 5um	39.8	0.0175	0.00977 - 0.0288	15
Asbestos Fibers and Bundles > 5um	23.9	0.0105	0.00479 - 0.0199	9
PCM Equivalent Fibers-US	15.9	0.00698	0.00256 - 0.0152	6
PCM Equivalent Structures-ISO	15.9	0.00698	0.00256 - 0.0152	6
PROTOCOL ASB STRUCS 5-10	8.0	0.00349	0.00 - 0.00902	3
PROTOCOL ASB STRUCS >10	0.0	<0.00348	0.00 - 0.00348	0
PROTOCOL ASB STRUCS TOTAL	8.0	0.00349	0.00 - 0.00902	3
PROTOCOL CHRYS STRUCS 5-10	8.0	0.00349	0.00 - 0.00902	3
PROTOCOL CHRYS STRUCS >10	0.0	<0.00348	0.00 - 0.00348	0
PROTOCOL CHRYS STRUCS TOTAL	8.0	0.00349	0.00 - 0.00902	3
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00348	0.00 - 0.00348	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00348	0.00 - 0.00348	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00348	0.00 - 0.00348	0
AHERA-like Total Structures 3:1	138.0	0.0605	0.0452 - 0.0794 (Poisson)	52
AHERA-like Asb Strucs >5 and 3:1	39.8	0.0175	0.00977 - 0.0288	15
AHERA-like Asb Strucs 5 - 10 and 3:1	31.9	0.0140	0.00722 - 0.0244	12
AHERA-like Asb Strucs >10 and 3:1	8.0	0.00349	0.00 - 0.00902	3
Total Other Amphibole Strucs 3:1	0.0	<0.00348	0.00 - 0.00348	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00348	0.00 - 0.00348	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00348	0.00 - 0.00348	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00348	0.00 - 0.00348	0