TABLE BUILDING 1

WIPE SAMPLE ANALYTICAL DATA SUMMARY - PESTICIDES PCBs

	Boring	WS-01		WS-02		WS-03		WS-04		WS-05		WS-06		WS-07		WS-08		WS-09		WS-10		WS-11		WS-12		WS-13	
	Sample	Building 3 - Southwest Brick Wall		Building 3 - Southeast Corner Steel I-Beam		Building 3 - North Central Concrete Floor		Building 3 - East Side Sheet Metal Surface		Building 2 - East Side Concrete Floor		Building 2 - North Side Brick Wall		Building 2 - Center Metal I-Beam		Building 2 - Southwest Wall Surface Coating		Building 1 - Center Concrete Floor		Building 1 - West Brick Wall		Building 1 - North Wall Metal Sheeting		Building 1 - Center Metal Box Surface		Production Building - North Central Concrete	
Chemical	**Units**	**Result**		**Result**		**Result**		**Result**		**Result**		**Result**		**Result**		**Result**		**Result**		**Result**		**Result**		**Result**		**Result**	
ALDRIN	µg/cm^2	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U
ALPHA BHC (ALPHA HEXACHLOROCYCLOHEXANE)	µg/cm^2	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U
ALPHA ENDOSULFAN	µg/cm^2	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U
ALPHA-CHLORDANE	µg/cm^2	< 0.00050	U	< 0.00050	U	0.00095		< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	0.0028		< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U
BETA BHC (BETA HEXACHLOROCYCLOHEXANE)	µg/cm^2	< 0.00050	U	< 0.00050	U	0.00054		< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U
BETA ENDOSULFAN	µg/cm^2	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	0.0011		< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U
CHLORDANE; GAMMA-	µg/cm^2	< 0.00050	U	< 0.00050	U	0.0013		< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	0.0056		0.00051		< 0.00050	U	< 0.00050	U	0.00054	J
DELTA BHC (DELTA HEXACHLOROCYCLOHEXANE)	µg/cm^2	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U
DIELDRIN	µg/cm^2	< 0.0010	U	< 0.0010	U	0.0013		< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	0.0032		< 0.0010	U	< 0.0010	U	< 0.0010	U	0.0019	J
ENDOSULFAN SULFATE	µg/cm^2	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U
ENDRIN	µg/cm^2	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	0.0026		< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U
ENDRIN ALDEHYDE	µg/cm^2	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	0.0015	J
ENDRIN KETONE	µg/cm^2	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	0.0012	J
GAMMA BHC (LINDANE)	µg/cm^2	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U
HEPTACHLOR	µg/cm^2	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U
HEPTACHLOR EPOXIDE	µg/cm^2	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	0.00079		< 0.00050	U	< 0.00050	U	< 0.00050	U	0.00063		0.00071		< 0.00050	U
METHOXYCHLOR	µg/cm^2	< 0.0050	U	< 0.0050	U	< 0.0050	U	< 0.0050	U	< 0.0050	U	< 0.0050	U	< 0.0050	U	< 0.0050	U	< 0.0050	U	< 0.0050	U	< 0.0050	U	< 0.0050	U	< 0.0050	U
P,P'-DDD	µg/cm^2	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U
P,P'-DDE	µg/cm^2	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	0.0020		< 0.0010	U	< 0.0010	U	< 0.0010	U	0.12		0.0061		0.0036		0.0051		0.0017	J
P,P'-DDT	µg/cm^2	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	0.0025		< 0.0010	U	< 0.0010	U	< 0.0010	U	0.0048		< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U
PCB-1016 (AROCLOR 1016)	µg/cm^2	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U
PCB-1221 (AROCLOR 1221)	µg/cm^2	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U
PCB-1232 (AROCLOR 1232)	µg/cm^2	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U
PCB-1242 (AROCLOR 1242)	µg/cm^2	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U
PCB-1248 (AROCLOR 1248)	µg/cm^2	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U
PCB-1254 (AROCLOR 1254)	µg/cm^2	< 0.010	U	< 0.010	U	0.023		< 0.010	U	0.015		< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	0.013		0.018		< 0.010	U
PCB-1260 (AROCLOR 1260)	µg/cm^2	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U
TOXAPHENE	µg/cm^2	< 0.050	U	< 0.050	U	< 0.050	U	< 0.050	U	< 0.050	U	< 0.050	U	< 0.050	U	< 0.050	U	< 0.050	U	< 0.050	U	< 0.050	U	< 0.050	U	< 0.050	U

TABLE BUILDING 1 (Continued)

WIPE SAMPLE ANALYTICAL DATA SUMMARY - PESTICIDES PCBs

	Boring	WS-13		WS-14		WS-15		WS-16		WS-17		WS-18		WS-19		WS-19		WS-20		WS-21		WS-22		WS-22	
	Sample	Production Building - North Central Concrete		Center of Building Concrete		Production Building - South Central Concrete		Production Building - Central Easter I-Beam		Production Building - Central I-Beam		Production Building - NW Corner I-Beam		Production Building - SE Corner Sheet Metal		Production Building - SE Corner Sheet Metal		Production Building - NW Corner Sheet Metal		Production Building - Central Eastern Brick		Production Building - SW Corner Brick		Production Building - SW Corner Brick	
Chemical	**Units**	**Result**		**Result**		**Result**		**Result**		**Result**		**Result**		**Result**		**Result**		**Result**		**Result**		**Result**		**Result**	
ALDRIN	µg/cm^2	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U
ALPHA BHC (ALPHA HEXACHLOROCYCLOHEXANE)	µg/cm^2	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U
ALPHA ENDOSULFAN	µg/cm^2	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U
ALPHA-CHLORDANE	µg/cm^2	0.00075	J	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U
BETA BHC (BETA HEXACHLOROCYCLOHEXANE)	µg/cm^2	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U
BETA ENDOSULFAN	µg/cm^2	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U
Chlordane; Gamma-	µg/cm^2	0.00083	J	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U
DELTA BHC (DELTA HEXACHLOROCYCLOHEXANE)	µg/cm^2	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U
DIELDRIN	µg/cm^2	0.0028	J	< 0.0010	U	0.0039	J	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U
ENDOSULFAN SULFATE	µg/cm^2	0.0012	J	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U
ENDRIN	µg/cm^2	0.0013	J	0.0025	J	0.0062	J	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U
ENDRIN ALDEHYDE	µg/cm^2	0.0018	J	0.0023	J	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U
ENDRIN KETONE	µg/cm^2	0.0016	J	0.0026	J	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U
GAMMA BHC (LINDANE)	µg/cm^2	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U
HEPTACHLOR	µg/cm^2	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U
HEPTACHLOR EPOXIDE	µg/cm^2	0.00070		0.00052	J	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U	< 0.00050	U
METHOXYCHLOR	µg/cm^2	0.0064	J	< 0.0050	U	0.040	J	< 0.0050	U	< 0.0050	U	< 0.0050	U	< 0.0050	U	< 0.0050	U	< 0.0050	U	< 0.0050	U	< 0.0050	U	< 0.0050	U
P,P'-DDD	µg/cm^2	< 0.0010	U	< 0.0010	U	0.0027	J	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U
P,P'-DDE	µg/cm^2	0.0026	J	0.0047	J	0.0027	J	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U
P,P'-DDT	µg/cm^2	0.0012	J	0.0063	J	0.0028	J	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	< 0.0010	U	0.0035		0.0028	
PCB-1016 (AROCLOR 1016)	µg/cm^2	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U
PCB-1221 (AROCLOR 1221)	µg/cm^2	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U
PCB-1232 (AROCLOR 1232)	µg/cm^2	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U
PCB-1242 (AROCLOR 1242)	µg/cm^2	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U
PCB-1248 (AROCLOR 1248)	µg/cm^2	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U
PCB-1254 (AROCLOR 1254)	µg/cm^2	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	0.016	J	< 0.010	U	< 0.010	U	0.012		< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U
PCB-1260 (AROCLOR 1260)	µg/cm^2	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U	< 0.010	U
TOXAPHENE	µg/cm^2	< 0.050	U	< 0.050	U	< 0.050	U	< 0.050	U	< 0.050	U	< 0.050	U	< 0.050	U	< 0.050	U	< 0.050	U	< 0.050	U	< 0.050	U	< 0.050	U

Notes:

Highlighted value indicates a positive result.

µg/cm^2	Micrograms per centimeter squared
DDD	Dichlorodiphenyldichloroethane
DDE	Dichlorodiphenyldichloroethene
DDT	Dichlorodiphenlytrichloroethane
PCB	Polychlorinated biphenyl
U	Non-detect
J	Estimated