Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No.	B4771 S65 A1	Volume (L)	1220.94
Client Sample No.	JOGA-H2-1TR-100604	No. of Grid Openings	22
Description		Filter Area (mm2)	385
Analysis Date	1/2/2005	Area Analyzed (mm2)	0.318
Analyst	DW	Analytical Sens. (struc/cc)	0.000992
		Dectection Limit. (struc/cc)	0.00297

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	34.6	0.0109	0.00545 - 0.0195	11
Total Asbestos Structures	34.6	0.0109	0.00545 - 0.0195	11
Asbestos Structures > 5um	18.9	0.00595	0.00218 - 0.0130	6
Asbestos Fibers and Bundles > 5um	18.9	0.00595	0.00218 - 0.0130	6
PCM Equivalent Fibers-US	18.9	0.00595	0.00218 - 0.0130	6
PCM Equivalent Structures-US	6.3	0.00198	0.00 - 0.00625	2
PROTOCOL ASB STRUCS 5-10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL ASB STRUCS >10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00297	0.00 - 0.00297	0
AHERA-like Total Structures 3:1	34.6	0.0109	0.00545 - 0.0195	11
AHERA-like Asb Strucs >5 and 3:1	18.9	0.00595	0.00218 - 0.0130	6
AHERA-like Asb Strucs 5 - 10 and 3:1	12.6	0.00397	0.00108 - 0.0102	4
AHERA-like Asb Strucs >10 and 3:1	6.3	0.00198	0.00 - 0.00625	2
Total Other Amphibole Strucs 3:1	0.0	<0.00297	0.00 - 0.00297	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00297	0.00 - 0.00297	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00297	0.00 - 0.00297	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00297	0.00 - 0.00297	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S66 A1
Client Sample No. JOGA-H2-2TR-100604
Description
Analysis Date 1/2/2005
Analyst DW

Volume (L) 1171.2
No. of Grid Openings 23
Filter Area (mm2) 385
Area Analyzed (mm2) 0.333
Analytical Sens. (struc/cc) 0.000986
Dectection Limit. (struc/cc) 0.00295

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	39.0	0.0128	0.00683 - 0.0219	13
Total Asbestos Structures	39.0	0.0128	0.00683 - 0.0219	13
Asbestos Structures > 5um	24.0	0.00789	0.00341 - 0.0155	8
Asbestos Fibers and Bundles > 5um	18.0	0.00592	0.00217 - 0.0129	6
PCM Equivalent Fibers-US	18.0	0.00592	0.00217 - 0.0129	6
PCM Equivalent Structures-US	12.0	0.00395	0.00108 - 0.0101	4
PROTOCOL ASB STRUCS 5-10	0.0	<0.00295	0.00 - 0.00295	0
PROTOCOL ASB STRUCS >10	0.0	<0.00295	0.00 - 0.00295	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00295	0.00 - 0.00295	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00295	0.00 - 0.00295	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00295	0.00 - 0.00295	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00295	0.00 - 0.00295	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00295	0.00 - 0.00295	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00295	0.00 - 0.00295	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00295	0.00 - 0.00295	0
AHERA-like Total Structures 3:1	39.0	0.0128	0.00683 - 0.0219	13
AHERA-like Asb Strucs >5 and 3:1	24.0	0.00789	0.00341 - 0.0155	8
AHERA-like Asb Strucs 5 - 10 and 3:1	15.0	0.00493	0.00160 - 0.0115	5
AHERA-like Asb Strucs >10 and 3:1	9.0	0.00296	0.00 - 0.00764	3
Total Other Amphibole Strucs 3:1	0.0	<0.00295	0.00 - 0.00295	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00295	0.00 - 0.00295	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00295	0.00 - 0.00295	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00295	0.00 - 0.00295	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S67 A1
Client Sample No. JOGA-H2-3TR-100604
Description
Analysis Date 1/2/2005
Analyst TM

Volume (L) 1195.2
No. of Grid Openings 23
Filter Area (mm2) 385
Area Analyzed (mm2) 0.333
Analytical Sens. (struc/cc) 0.000967
Dectection Limit. (struc/cc) 0.00289

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	129.0	0.0416	0.0301 - 0.0560 (Poisson)	43
Total Asbestos Structures	138.0	0.0445	0.0326 - 0.0593 (Poisson)	46
Asbestos Structures > 5um	72.0	0.0232	0.0149 - 0.0345	24
Asbestos Fibers and Bundles > 5um	63.0	0.0203	0.0126 - 0.0310	21
PCM Equivalent Fibers-US	66.0	0.0213	0.0133 - 0.0322	22
PCM Equivalent Structures-US	39.0	0.0126	0.00669 - 0.0215	13
PROTOCOL ASB STRUCS 5-10	6.0	0.00193	0.00 - 0.00609	2
PROTOCOL ASB STRUCS >10	3.0	0.000967	0.00 - 0.00458	1
PROTOCOL ASB STRUCS TOTAL	9.0	0.00290	0.00 - 0.00749	3
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00289	0.00 - 0.00289	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00289	0.00 - 0.00289	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00289	0.00 - 0.00289	0
PROTOCOL AMPH STRUCS 5-10	6.0	0.00193	0.00 - 0.00609	2
PROTOCOL AMPH STRUCS >10	3.0	0.000967	0.00 - 0.00458	1
PROTOCOL AMPH STRUCS TOTAL	9.0	0.00290	0.00 - 0.00749	3
AHERA-like Total Structures 3:1	129.0	0.0416	0.0301 - 0.0560 (Poisson)	43
AHERA-like Asb Strucs >5 and 3:1	72.0	0.0232	0.0149 - 0.0345	24
AHERA-like Asb Strucs 5 - 10 and 3:1	48.0	0.0155	0.00884 - 0.0251	16
AHERA-like Asb Strucs >10 and 3:1	24.0	0.00773	0.00334 - 0.0152	8
Total Other Amphibole Strucs 3:1	0.0	<0.00289	0.00 - 0.00289	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00289	0.00 - 0.00289	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00289	0.00 - 0.00289	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00289	0.00 - 0.00289	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S68 A1
Client Sample No. JOGA-H2-4TR-100604
Description
Analysis Date 1/3/2005
Analyst DW

Volume (L) 1167.39
No. of Grid Openings 23
Filter Area (mm2) 385
Area Analyzed (mm2) 0.333
Analytical Sens. (struc/cc) 0.000990
Dectection Limit. (struc/cc) 0.00296

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	30.0	0.00990	0.00475 - 0.0182	10
Total Asbestos Structures	30.0	0.00990	0.00475 - 0.0182	10
Asbestos Structures > 5um	24.0	0.00792	0.00342 - 0.0156	8
Asbestos Fibers and Bundles > 5um	15.0	0.00495	0.00161 - 0.0115	5
PCM Equivalent Fibers-US	15.0	0.00495	0.00161 - 0.0115	5
PCM Equivalent Structures-US	6.0	0.00198	0.00 - 0.00623	2
PROTOCOL ASB STRUCS 5-10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL ASB STRUCS >10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00296	0.00 - 0.00296	0
AHERA-like Total Structures 3:1	30.0	0.00990	0.00475 - 0.0182	10
AHERA-like Asb Strucs >5 and 3:1	24.0	0.00792	0.00342 - 0.0156	8
AHERA-like Asb Strucs 5 - 10 and 3:1	12.0	0.00396	0.00108 - 0.0101	4
AHERA-like Asb Strucs >10 and 3:1	12.0	0.00396	0.00108 - 0.0101	4
Total Other Amphibole Strucs 3:1	0.0	<0.00296	0.00 - 0.00296	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00296	0.00 - 0.00296	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S69 A1
Client Sample No. JOGA-H2-5TR-100604
Description
Analysis Date 1/3/2005
Analyst DW

Volume (L) 1171.56
No. of Grid Openings 23
Filter Area (mm2) 385
Area Analyzed (mm2) 0.333
Analytical Sens. (struc/cc) 0.000986
Dectection Limit. (struc/cc) 0.00295

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	9.0	0.00296	0.00 - 0.00764	3
Total Asbestos Structures	9.0	0.00296	0.00 - 0.00764	3
Asbestos Structures > 5um	9.0	0.00296	0.00 - 0.00764	3
Asbestos Fibers and Bundles > 5um	9.0	0.00296	0.00 - 0.00764	3
PCM Equivalent Fibers-US	9.0	0.00296	0.00 - 0.00764	3
PCM Equivalent Structures-US	0.0	<0.00295	0.00 - 0.00295	0
PROTOCOL ASB STRUCS 5-10	0.0	<0.00295	0.00 - 0.00295	0
PROTOCOL ASB STRUCS >10	0.0	<0.00295	0.00 - 0.00295	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00295	0.00 - 0.00295	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00295	0.00 - 0.00295	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00295	0.00 - 0.00295	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00295	0.00 - 0.00295	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00295	0.00 - 0.00295	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00295	0.00 - 0.00295	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00295	0.00 - 0.00295	0
AHERA-like Total Structures 3:1	9.0	0.00296	0.00 - 0.00764	3
AHERA-like Asb Strucs >5 and 3:1	9.0	0.00296	0.00 - 0.00764	3
AHERA-like Asb Strucs 5 - 10 and 3:1	6.0	0.00197	0.00 - 0.00621	2
AHERA-like Asb Strucs >10 and 3:1	3.0	0.000986	0.00 - 0.00467	1
Total Other Amphibole Strucs 3:1	0.0	<0.00295	0.00 - 0.00295	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00295	0.00 - 0.00295	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00295	0.00 - 0.00295	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00295	0.00 - 0.00295	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S70 A1
Client Sample No. JOGA-L2-1AD-100604
Description
Analysis Date 1/3/2005
Analyst DW

Volume (L) 299.04
No. of Grid Openings 89
Filter Area (mm2) 385
Area Analyzed (mm2) 1.29
Analytical Sens. (struc/cc) 0.000998
Dectection Limit. (struc/cc) 0.00298

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	14.0	0.0180	0.0107 - 0.0284	18
Total Asbestos Structures	15.5	0.0200	0.0122 - 0.0308	20
Asbestos Structures > 5um	8.5	0.0110	0.00548 - 0.0197	11
Asbestos Fibers and Bundles > 5um	7.0	0.00898	0.00411 - 0.0171	9
PCM Equivalent Fibers-US	6.2	0.00799	0.00345 - 0.0157	8
PCM Equivalent Structures-US	2.3	0.00299	0.00 - 0.00774	3
PROTOCOL ASB STRUCS 5-10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL ASB STRUCS >10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00298	0.00 - 0.00298	0
AHERA-like Total Structures 3:1	14.0	0.0180	0.0107 - 0.0284	18
AHERA-like Asb Strucs >5 and 3:1	8.5	0.0110	0.00548 - 0.0197	11
AHERA-like Asb Strucs 5 - 10 and 3:1	4.7	0.00599	0.00220 - 0.0130	6
AHERA-like Asb Strucs >10 and 3:1	3.9	0.00499	0.00162 - 0.0116	5
Total Other Amphibole Strucs 3:1	0.0	<0.00298	0.00 - 0.00298	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00298	0.00 - 0.00298	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00298	0.00 - 0.00298	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00298	0.00 - 0.00298	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S72 A1
Client Sample No. JOGA-L2-2AD-100604
Description
Analysis Date 1/3/2005
Analyst KM

Volume (L) 299.76
No. of Grid Openings 89
Filter Area (mm2) 385
Area Analyzed (mm2) 1.29
Analytical Sens. (struc/cc) 0.000996
Dectection Limit. (struc/cc) 0.00298

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	45.8	0.0588	0.0447 - 0.0758 (Poisson)	59
Total Asbestos Structures	46.5	0.0598	0.0456 - 0.0769 (Poisson)	60
Asbestos Structures > 5um	33.3	0.0428	0.0310 - 0.0577 (Poisson)	43
Asbestos Fibers and Bundles > 5um	30.2	0.0388	0.0276 - 0.0531 (Poisson)	39
PCM Equivalent Fibers-US	27.9	0.0359	0.0251 - 0.0496 (Poisson)	36
PCM Equivalent Structures-US	19.4	0.0249	0.0161 - 0.0368	25
PROTOCOL ASB STRUCS 5-10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL ASB STRUCS >10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00298	0.00 - 0.00298	0
AHERA-like Total Structures 3:1	45.8	0.0588	0.0447 - 0.0758 (Poisson)	59
AHERA-like Asb Strucs >5 and 3:1	33.3	0.0428	0.0310 - 0.0577 (Poisson)	43
AHERA-like Asb Strucs 5 - 10 and 3:1	24.0	0.0309	0.0210 - 0.0438 (Poisson)	31
AHERA-like Asb Strucs >10 and 3:1	9.3	0.0120	0.00618 - 0.0209	12
Total Other Amphibole Strucs 3:1	0.0	<0.00298	0.00 - 0.00298	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00298	0.00 - 0.00298	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00298	0.00 - 0.00298	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00298	0.00 - 0.00298	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S73 A1
Client Sample No. JOGA-L2-3AD-100604
Description
Analysis Date 1/3/2005
Analyst TM

Volume (L) 294.36
No. of Grid Openings 91
Filter Area (mm2) 385
Area Analyzed (mm2) 1.32
Analytical Sens. (struc/cc) 0.000992
Dectection Limit. (struc/cc) 0.00297

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	28.1	0.0367	0.0258 - 0.0506 (Poisson)	37
Total Asbestos Structures	30.3	0.0397	0.0283 - 0.0540 (Poisson)	40
Asbestos Structures > 5um	18.2	0.0238	0.0153 - 0.0354	24
Asbestos Fibers and Bundles > 5um	15.9	0.0208	0.0129 - 0.0318	21
PCM Equivalent Fibers-US	15.9	0.0208	0.0129 - 0.0318	21
PCM Equivalent Structures-US	15.9	0.0208	0.0129 - 0.0318	21
PROTOCOL ASB STRUCS 5-10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL ASB STRUCS >10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00297	0.00 - 0.00297	0
AHERA-like Total Structures 3:1	28.1	0.0367	0.0258 - 0.0506 (Poisson)	37
AHERA-like Asb Strucs >5 and 3:1	18.2	0.0238	0.0153 - 0.0354	24
AHERA-like Asb Strucs 5 - 10 and 3:1	12.1	0.0159	0.00907 - 0.0258	16
AHERA-like Asb Strucs >10 and 3:1	6.1	0.00794	0.00343 - 0.0156	8
Total Other Amphibole Strucs 3:1	0.0	<0.00297	0.00 - 0.00297	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00297	0.00 - 0.00297	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00297	0.00 - 0.00297	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00297	0.00 - 0.00297	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S74 A1
Client Sample No. JOGA-L2-4AD-100604
Description
Analysis Date 1/3/2005
Analyst KM

Volume (L) 302.4
No. of Grid Openings 88
Filter Area (mm2) 385
Area Analyzed (mm2) 1.28
Analytical Sens. (struc/cc) 0.000998
Dectection Limit. (struc/cc) 0.00299

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	22.0	0.0280	0.0186 - 0.0404	28
Total Asbestos Structures	22.0	0.0280	0.0186 - 0.0404	28
Asbestos Structures > 5um	13.3	0.0170	0.00989 - 0.0272	17
Asbestos Fibers and Bundles > 5um	11.8	0.0150	0.00838 - 0.0247	15
PCM Equivalent Fibers-US	11.0	0.0140	0.00764 - 0.0235	14
PCM Equivalent Structures-US	8.6	0.0110	0.00548 - 0.0197	11
PROTOCOL ASB STRUCS 5-10	0.8	0.000998	0.00 - 0.00473	1
PROTOCOL ASB STRUCS >10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL ASB STRUCS TOTAL	0.8	0.000998	0.00 - 0.00473	1
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL AMPH STRUCS 5-10	0.8	0.000998	0.00 - 0.00473	1
PROTOCOL AMPH STRUCS >10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL AMPH STRUCS TOTAL	0.8	0.000998	0.00 - 0.00473	1
AHERA-like Total Structures 3:1	22.0	0.0280	0.0186 - 0.0404	28
AHERA-like Asb Strucs >5 and 3:1	13.3	0.0170	0.00989 - 0.0272	17
AHERA-like Asb Strucs 5 - 10 and 3:1	8.6	0.0110	0.00548 - 0.0197	11
AHERA-like Asb Strucs >10 and 3:1	4.7	0.00599	0.00220 - 0.0130	6
Total Other Amphibole Strucs 3:1	0.0	<0.00299	0.00 - 0.00299	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00299	0.00 - 0.00299	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00299	0.00 - 0.00299	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00299	0.00 - 0.00299	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S75 A1
Client Sample No. JOGA-L2-5AD-100604
Description
Analysis Date 1/4/2005
Analyst KM

Volume (L) 299.16
No. of Grid Openings 89
Filter Area (mm2) 385
Area Analyzed (mm2) 1.29
Analytical Sens. (struc/cc) 0.000998
Dectection Limit. (struc/cc) 0.00298

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	24.8	0.0319	0.0218 - 0.0451 (Poisson)	32
Total Asbestos Structures	24.8	0.0319	0.0218 - 0.0451 (Poisson)	32
Asbestos Structures > 5um	19.4	0.0249	0.0161 - 0.0368	25
Asbestos Fibers and Bundles > 5um	16.3	0.0210	0.0130 - 0.0320	21
PCM Equivalent Fibers-US	15.5	0.0200	0.0122 - 0.0308	20
PCM Equivalent Structures-US	14.0	0.0180	0.0106 - 0.0284	18
PROTOCOL ASB STRUCS 5-10	0.8	0.000998	0.00 - 0.00473	1
PROTOCOL ASB STRUCS >10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL ASB STRUCS TOTAL	0.8	0.000998	0.00 - 0.00473	1
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL AMPH STRUCS 5-10	0.8	0.000998	0.00 - 0.00473	1
PROTOCOL AMPH STRUCS >10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL AMPH STRUCS TOTAL	0.8	0.000998	0.00 - 0.00473	1
AHERA-like Total Structures 3:1	24.8	0.0319	0.0218 - 0.0451 (Poisson)	32
AHERA-like Asb Strucs >5 and 3:1	19.4	0.0249	0.0161 - 0.0368	25
AHERA-like Asb Strucs 5 - 10 and 3:1	11.6	0.0150	0.00838 - 0.0247	15
AHERA-like Asb Strucs >10 and 3:1	7.8	0.00998	0.00479 - 0.0184	10
Total Other Amphibole Strucs 3:1	0.0	<0.00298	0.00 - 0.00298	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00298	0.00 - 0.00298	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00298	0.00 - 0.00298	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00298	0.00 - 0.00298	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S71 A1
Client Sample No. JOGA-L2-1NA-100604
Description
Analysis Date 1/3/2005
Analyst JH

Volume (L) 301.8
No. of Grid Openings 88
Filter Area (mm2) 385
Area Analyzed (mm2) 1.28
Analytical Sens. (struc/cc) 0.00100
Dectection Limit. (struc/cc) 0.00299

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	18.8	0.0240	0.0154 - 0.0357	24
Total Asbestos Structures	18.8	0.0240	0.0154 - 0.0357	24
Asbestos Structures > 5um	10.2	0.0130	0.00693 - 0.0222	13
Asbestos Fibers and Bundles > 5um	9.4	0.0120	0.00620 - 0.0210	12
PCM Equivalent Fibers-US	9.4	0.0120	0.00620 - 0.0210	12
PCM Equivalent Structures-US	9.4	0.0120	0.00620 - 0.0210	12
PROTOCOL ASB STRUCS 5-10	0.8	0.00100	0.00 - 0.00474	1
PROTOCOL ASB STRUCS >10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL ASB STRUCS TOTAL	0.8	0.00100	0.00 - 0.00474	1
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL AMPH STRUCS 5-10	0.8	0.00100	0.00 - 0.00474	1
PROTOCOL AMPH STRUCS >10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL AMPH STRUCS TOTAL	0.8	0.00100	0.00 - 0.00474	1
AHERA-like Total Structures 3:1	18.8	0.0240	0.0154 - 0.0357	24
AHERA-like Asb Strucs >5 and 3:1	10.2	0.0130	0.00693 - 0.0222	13
AHERA-like Asb Strucs 5 - 10 and 3:1	6.3	0.00800	0.00346 - 0.0158	8
AHERA-like Asb Strucs >10 and 3:1	3.9	0.00500	0.00162 - 0.0117	5
Total Other Amphibole Strucs 3:1	0.0	<0.00299	0.00 - 0.00299	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00299	0.00 - 0.00299	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00299	0.00 - 0.00299	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00299	0.00 - 0.00299	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-H2-1TR-100604

Lab/Cor Sample No.: B4771 S65 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B44	AQ	1	1	F	1.5	0.25	6.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	2	B24		NSD									
A	3	B4		NSD									
A	4	C14		NSD									
A	5	C34		NSD									
A	6	C42		NSD									
A	7	C22	AQ	2		MD1-1	10	10	1.0			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
A	7	C22	AQ		2	MF	6	1.5	4.0			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
A	8	C2	AQ	3	3	F	3.5	0.35	10			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	9	B12		NSD									
A	10	B32	AZQ	4	4	F	7.5	1.2	6.2	5821	15673	Mg, Al, Si, Ca, Fe Actinolite Zone Axis [1 0 0] - KM	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	11	B40	AQ	5	5	F	2.75	0.75	3.7			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	11	B40	AQ	6	6	F	5	1	5.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	11	B40	AQ	7		MD1-1	7.5	7.5	1.0			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
A	11	B40	AQ		7	MF	5.8	0.65	8.9			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
A	12	B20		NSD									
A	13	A21	AQ	8	8	F	1.5	0.25	6.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	14	A1		NSD									
B	15	B44		NSD									
B	16	B24	AQ	9	9	F	15	2.5	6.0			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	16	B24	AQ	10		MD1-1	12	10	1.2			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	16	B24	AQ		10	MF	5.7	0.85	6.7			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
B	17	B4	AQ	11		MD1-1	10	10	1.0			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
B	17	B4	AQ		11	MF	5.5	0.75	7.3			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
B	18	C14		NSD									
B	19	C34		NSD									
B	20	C42		NSD									
B	21	C22		NSD									
B	22	C2		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-H2-2TR-100604

Descripiton:

Lab/Cor Sample No.: B4771 S66 A1

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B44		NSD									
A	2	B24		NSD									
A	3	B4		NSD									
A	4	C14		NSD									
A	5	C34		NSD									
A	6	C42		NSD									
A	7	C22	AQ	1		MD1-0	15	15	1.0			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	7	C22	AQ		1	MF	4.8	0.5	9.6			Mg, Al, Si, Ca, Fe Actinolite	
A	8	C2		NSD									
A	9	B12	AQ	2	2	F	13	2.5	5.2			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	10	B32	AQ	3		MD1-1	10	10	1.0			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
A	10	B32	AQ		3	MF	8	1.2	6.7			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
A	10	B32	AQ	4	4	F	4.5	0.75	6.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	11	B40		NSD									
A	12	B20	AZQ	5	5	F	7.5	0.75	10	5822	15674	Mg, Al, Si, Ca, Fe Actinolite Zone Axis [2 0 1] - KM	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	12	B20	AQ	6	6	F	4	1.2	3.3			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	13	A21	AQ	7	7	B	4	1	4.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	14	A1	AQ	8		MD1-0	26	25	1.0			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	14	A1	AQ		8	MF	4	0.35	11			Mg, Al, Si, Ca, Fe Actinolite	
A	15	D12		NSD									
B	16	B43		NSD									
B	17	B23		NSD									
B	18	B3	AQ	9		MD1-1	10	10	1.0			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
B	18	B3	AQ		9	MF	12	2.5	4.8			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
B	18	B3	AQ	10		MD1-0	5	5	1.0			Actinolite	TAS_AHRA
B	18	B3	AQ		10	MF	4	0.3	13			Mg, Al, Si, Ca, Fe Actinolite	
B	19	C13		NSD									
B	20	C33		NSD									
B	21	C41	AQ	11	11	F	10	2.75	3.6			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-H2-2TR-100604 *Lab/Cor Sample No.:* B4771 S66 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	22	C21	AQ	12		MD1-1	9	2.5	3.6			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
B	22	C21	AQ		12	MF	9	0.75	12			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
B	22	C21	AQ	13	13	F	1.5	0.35	4.3			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	23	C1		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-H2-3TR-100604 *Lab/Cor Sample No.:* B4771 S67 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	C44		NSD									
A	2	C24		NSD									
A	3	C4	AQ	1	1	F	21	3	7.0			Mg, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	3	C4	AQ	2		MD1-1	14	13.5	1.0			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	3	C4	AQ		2	MF	8.2	1.05	7.8			Mg, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
A	3	C4	AZQ	3	3	F	8	1.2	6.7	5790	15633	Mg, Si, Ca, Fe Actinolite Zone Axis - [5 1 4] KBM	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	3	C4	AQ	4	4	F	2.2	0.25	8.8			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
A	3	C4	AQ	5		MD1-1	35	14.5	2.4			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	3	C4	AQ		5	MF	17	3	5.7			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
A	3	C4	AQ	6	6	F	8.5	1.35	6.3			Mg, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	4	B14	AQ	7	7	F	4.2	0.55	7.6			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
A	4	B14	AQ	8	8	F	1.05	0.2	5.2			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
A	5	B23		NSD									
A	6	B3	AQ	9	9	F	25	2.75	9.1			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	6	B3	AQ	10		MD1-1	12.8	8	1.6			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	6	B3	AQ		10	MF	8	0.75	11			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
A	7	C13	AQ	11	11	F	4.5	1.3	3.5			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
A	7	C13	AQ	12	12	F	9.75	2.4	4.1			Mg, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	8	C33	AQ	13	13	F	3.5	0.95	3.7			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	9	C42	AQ	14	14	F	7.5	1.05	7.1			Mg, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	9	C42	AQ	15		MD1-1	9.5	8	1.2			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
A	9	C42	AQ		15	MF	6	0.8	7.5			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
A	10	C22	AQ	16	16	F	6.25	1.6	3.9			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	10	C22	AQ	17	17	F	3.75	0.9	4.2			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
A	11	C2	AQ	18	18	F	10.3	1.6	6.4			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-H2-3TR-100604 *Lab/Cor Sample No.:* B4771 S67 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	11	C2	AQ	19		MD1-1	8	4	2.0			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
A	11	C2	AQ		19	MF	5.5	0.45	12			Mg, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US, PSAS 5-10, PSAS TOT, PSAM 5-10, PSAM TOT
A	11	C2	AQ	20	20	F	2.5	0.5	5.0			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
A	12	B12	AQ	21	21	F	2.25	0.45	5.0			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
A	12	B12	AQ	22		MD1-0	5.5	5.5	1.0			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
A	12	B12	AQ		22	MF	2.75	0.3	9.2			Mg, Si, Ca, Fe Actinolite	
A	12	B12	AQ	23		MD1-1	11.8	4.5	2.6			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	12	B12	AQ		23	MF	11.8	0.5	24			Mg, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US, PSAS >10, PSAS TOT, PSAM >10, PSAM TOT
B	13	B4	AQ	24	24	F	1.3	0.3	4.3			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
B	14	C2	AQ	25	25	F	6	1.2	5.0			Mg, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	14	C2	AQ	26	26	F	4	0.65	6.2			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
B	14	C2	AQ	27		MD1-1	7	3	2.3			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
B	14	C2	AQ		27	MB	7	1.75	4.0			Mg, Si, Ca, Fe Actinolite	PCMEF-US
B	15	C14		NSD									
B	16	C44	AQ	28	28	F	6	1.5	4.0			Mg, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	17	C42		NSD									
B	18	C22	AQ	29	29	F	2.5	0.4	6.2			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
B	18	C22	AQ	30		MD1-1	14	10	1.4			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	18	C22	AQ		30	MF	14	2.5	5.6			Mg, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
B	19	B12	AQ	31	31	F	2.75	0.65	4.2			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
B	19	B12	AQ	32	32	F	2.5	0.75	3.3			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
B	19	B12	AQ	33		MD1-1	7.5	4	1.9			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
B	19	B12	AQ		33	MF	5.5	0.35	16			Mg, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US, PSAS 5-10, PSAS TOT, PSAM 5-10, PSAM TOT
B	19	B12	AQ	34		MD1-0	7.5	2.5	3.0			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
B	19	B12	AQ		34	MF	4	1.3	3.1			Mg, Si, Ca, Fe Actinolite	

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-H2-3TR-100604 *Lab/Cor Sample No.:* B4771 S67 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	19	B12	AQ	35		MD1-0	2	2	1.0			Actinolite	TAS_AHRA
B	19	B12	AQ		35	MF	1.5	0.3	5.0			Mg, Si, Ca, Fe Actinolite	
B	20	A41		NSD									
B	21	A21	AQ	36		MD1-0	4	4	1.0			Actinolite	TAS_AHRA
B	21	A21	AQ		36	MF	1.5	0.35	4.3			Mg, Si, Ca, Fe Actinolite	
B	21	A21	AQ	37	37	F	8	2.5	3.2			Mg, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	22	A1	AQ	38	38	F	4	1.3	3.1			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
B	22	A1	AQ	39	39	F	4.8	0.65	7.4			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
B	23	D11	AQ	40	40	F	6	1.2	5.0			Mg, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	23	D11	AQ	41	41	F	3.5	0.2	18			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
B	23	D11	AQ	42		MD4-1	7.5	7.5	1.0			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
B	23	D11	AQ		42	MF	5.5	1.5	3.7			Mg, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
B	23	D11	AQ		43	MF	4	0.75	5.3			Mg, Si, Ca, Fe Actinolite	
B	23	D11	AQ		44	MF	3	0.85	3.5			Mg, Si, Ca, Fe Actinolite	
B	23	D11	AQ		45	MF	1.5	0.2	7.5			Mg, Si, Ca, Fe Actinolite	
B	23	D11	AQ	43		MD1-0	5	5	1.0			Actinolite	TAS_AHRA
B	23	D11	AQ		46	MF	3.5	0.85	4.1			Mg, Si, Ca, Fe Actinolite	

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-H2-4TR-100604 *Lab/Cor Sample No.:* B4771 S68 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B43		NSD									
A	2	B23		NSD									
A	3	B3		NSD									
A	4	C13	AQ	1		MD1-1	13	12	1.1			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	4	C13	AQ		1	MF	13	2.75	4.7			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
A	5	C33		NSD									
A	6	C41	AQ	2		MD1-0	5.5	3	1.8			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
A	6	C41	AQ		2	MF	2.75	0.75	3.7			Mg, Al, Si, Ca, Fe Actinolite	
A	6	C41	AQ	3	3	F	14	2.5	5.6			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	7	C21	AQ	4		MD1-1	20	10	2.0			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	7	C21	AQ		4	MF	6	1.5	4.0			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
A	8	C1		NSD									
A	9	B11		NSD									
A	10	B31	AQ	5	5	F	7.5	2.5	3.0			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	11	B40		NSD									
A	12	B20	AQ	6	6	B	14	7.5	1.9			Mg, Al, Si, Ca, Fe Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	13	D31	AQ	7		MD1-1	10	7.5	1.3			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
A	13	D31	AQ		7	MF	5.5	0.7	7.9			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
A	13	D31	AQ	8		MD1-0	5	4	1.2			Actinolite	TAS_AHRA
A	13	D31	AQ		8	MF	2.75	0.5	5.5			Mg, Al, Si, Ca, Fe Actinolite	
B	14	B44		NSD									
B	15	B24	AQ	9	9	F	1.7	0.5	3.4			Actinolite	TAS_AHRA
B	16	B4		NSD									
B	17	C14		NSD									
B	18	C34		NSD									
B	19	B42		NSD									
B	20	B22		NSD									
B	21	B2		NSD									
B	22	C12	AQ	10		MD1-0	10	10	1.0			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-H2-4TR-100604 *Lab/Cor Sample No.:* B4771 S68 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	22	C12	AQ		10	MF	2.5	0.65	3.8			Mg, Al, Si, Ca, Fe Actinolite	
B	23	C32		NSD									

Sample No.: JOGA-H2-5TR-100604 *Lab/Cor Sample No.:* B4771 S69 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B33		NSD									
A	2	B13		NSD									
A	3	C3		NSD									
A	4	C23		NSD									
A	5	C43		NSD									
A	6	B21		NSD									
A	7	B1		NSD									
A	8	C11		NSD									
A	9	C31		NSD									
A	10	C40		NSD									
A	11	D40	AQ	1		MD1-1	10	7.5	1.3			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
A	11	D40	AQ		1	MF	5.2	1.2	4.3			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
A	12	D31		NSD									
A	13	D11		NSD									
A	14	A1		NSD									
B	15	A41		NSD									
B	16	A21	AQ	2		MD1-1	8	7.5	1.1			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
B	16	A21	AQ		2	MF	5.5	1.2	4.6			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
B	17	A1		NSD									
B	18	D11		NSD									
B	19	D31		NSD									
B	20	B41		NSD									
B	21	B21		NSD									
B	22	C11		NSD									
B	23	B1	AZQ	3		MD1-1	12	5	2.4			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	23	B1	AZQ		3	MF	9	1.2	7.5	5792	15634	Mg, Al, Si, Ca, Fe Actinolite Zone Axis - [3 1 1] KM	AFB>5, PCMEF-US

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-L2-1AD-100604 *Lab/Cor Sample No.:* B4771 S70 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B44		NSD									
A	2	B34		NSD									
A	3	B24		NSD									
A	4	B14	AZQ	1	1	F	6	2	3.0	5824	15635	Mg, Al, Si, Ca, Fe Actinolite Zone Axis [5 1 0] - KM	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	5	B4		NSD									
A	6	C4		NSD									
A	7	C14	CD	2		MD1-0	7	7	1.0			Chrysotile	AS>5, TAS_AHRA, AS>5_AHRA
A	7	C14	CD		2	MF	2.5	0.1	25	5794		Chrysotile Fiber tilts into particulate - Verified KM	
A	8	C24	AQ	3		MD1-0	4	4	1.0			Actinolite	TAS_AHRA
A	8	C24	AQ		3	MF	4	0.65	6.2			Mg, Al, Si, Ca, Fe Actinolite	
A	9	C34		NSD									
A	10	C44		NSD									
A	11	B42	AQ	4	4	F	11	0.75	15			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	12	B32	CDQ	5	5	F	1	0.1	10			Mg, Si Chrysotile	TAS_AHRA
A	13	B22		NSD									
A	14	B12		NSD									
A	15	B2		NSD									
A	16	C2	AQ	6		MD1-1	11	10	1.1			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	16	C2	AQ		6	MF	6	2	3.0			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
A	17	C12		NSD									
A	18	C22		NSD									
A	19	C32		NSD									
A	20	C42		NSD									
A	21	A41		NSD									
A	22	A31		NSD									
A	23	A21	AQ	7	7	F	13	2	6.5			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	24	A11	AQ	8	8	F	1.3	0.25	5.2			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	25	A1		NSD									
A	26	D1		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-L2-1AD-100604 *Lab/Cor Sample No.:* B4771 S70 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	27	D11		NSD									
A	28	D21		NSD									
A	29	D31		NSD									
A	30	D41		NSD									
B	31	A41	AQ	9		MD1-0	5	5	1.0			Actinolite	TAS_AHRA
B	31	A41	AQ		9	MF	4	1	4.0			Mg, Al, Si, Ca, Fe Actinolite	
B	32	A31		NSD									
B	33	A21		NSD									
B	34	A11		NSD									
B	35	A1		NSD									
B	36	D1		NSD									
B	37	D11		NSD									
B	38	D21		NSD									
B	39	D31		NSD									
B	40	D41		NSD									
B	41	B41		NSD									
B	42	B31	AQ	10		MD1-0	7.5	6	1.2			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
B	42	B31	AQ		10	MF	4.5	1.2	3.7			Mg, Al, Si, Ca, Fe Actinolite	
B	42	B31	AQ	11		MD1-1	25	23	1.1			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	42	B31	AQ		11	MF	13	2.5	5.2			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
B	43	B21		NSD									
B	44	B11		NSD									
B	45	B1		NSD									
B	46	C1		NSD									
B	47	C11		NSD									
B	48	C21		NSD									
B	49	C31		NSD									
B	50	C41		NSD									
B	51	B43		NSD									
B	52	B33		NSD									
B	53	B23		NSD									
B	54	B13	AZQ	12	12	F	16	5.3	3.0	5823	15637	Mg, Al, Si, Ca, Fe Tremolite Zone Axis [2 0 1] - KM	AS>5, AFB>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-L2-1AD-100604 *Lab/Cor Sample No.:* B4771 S70 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	55	B3		NSD									
B	56	C3		NSD									
B	57	C13	AQ	13		MD1-1	10	5	2.0			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
B	57	C13	AQ		13	MF	10	2.75	3.6			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
B	58	C23		NSD									
B	59	C33	AQ	14		MD3-3	10	10	1.0			Mg, Al, Si, Ca, Fe Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
B	59	C33	AQ		14	MF	12	2	6.0			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
B	59	C33	AQ		15	MF	6	1.5	4.0			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
B	59	C33	AQ		16	MF	5	1.5	3.3			Mg, Al, Si, Ca, Fe Actinolite	
B	60	C43		NSD									
C	61	B44		NSD									
C	62	B34		NSD									
C	63	B24		NSD									
C	64	B14		NSD									
C	65	B4		NSD									
C	66	C4		NSD									
C	67	C24	AQ	15		MD1-0	5	5	1.0			Actinolite	TAS_AHRA
C	67	C24	AQ		17	MF	4	1.3	3.1			Mg, Al, Si, Ca, Fe Actinolite	
C	68	C34		NSD									
C	69	C44		NSD									
C	70	B41		NSD									
C	71	B31		NSD									
C	72	B21		NSD									
C	73	B11		NSD									
C	74	B1		NSD									
C	75	C1		NSD									
C	76	C11		NSD									
C	77	C21		NSD									
C	78	C31		NSD									
C	79	C41		NSD									
C	80	A41		NSD									
C	81	A31	AQ	16		MD1-0	10	9	1.1			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-L2-1AD-100604 *Lab/Cor Sample No.:* B4771 S70 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
C	81	A31	AQ		18	MF	4	1.3	3.1			Mg, Al, Si, Ca, Fe Actinolite	
C	82	A21	AQ	17		MD1-0	2	2	1.0			Actinolite	TAS_AHRA
C	82	A21	AQ		19	MF	1	0.2	5.0			Mg, Al, Si, Ca, Fe Actinolite	
C	82	A21	AQ	18	20	F	5	1.2	4.2			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
C	83	A11		NSD									
C	84	A1		NSD									
C	85	D1		NSD									
C	86	D11		NSD									
C	87	D21		NSD									
C	88	D31		NSD									
C	89	D41		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-L2-2AD-100604 *Lab/Cor Sample No.:* B4771 S72 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B24	AZQ	1	1	F	9.5	1.3	7.3	1262	939	Mg, Al, Si, Ca, Fe Actinolite Zone Axis - [1 0 0] KBM	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	2	B44		NSD									
A	3	B4	AQ	2	2	F	6.2	1.8	3.4			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	3	B4	AQ	3	3	F	7	0.7	10			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	4	C14		NSD									
A	5	C34	AQ	4	4	F	9.5	1.3	7.3			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	6	B33	AQ	5		MD1-1	8.5	6	1.4			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
A	6	B33	AQ		5	MF	8.5	1.3	6.5			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
A	7	B13	AQ	6		MD1-1	7	1.5	4.7			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
A	7	B13	AQ		6	MF	7	0.6	12			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
A	8	C3		NSD									
A	9	C23		NSD									
A	10	C43		NSD									
A	11	B42	AQ	7	7	F	6.5	2	3.2			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	12	B22	AQ	8		MD1-1	7.5	7	1.1			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
A	12	B22	AQ		8	MF	7.5	0.6	12			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
A	12	B22	AQ	9		MD1-0	5	4	1.2			Actinolite	TAS_AHRA
A	12	B22	AQ		9	MB	3	0.3	10			Mg, Al, Si, Ca, Fe Actinolite	
A	13	B2		NSD									
A	14	C2	AQ	10		MD1-1	20	15	1.3			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	14	C2	AQ		10	MF	12.5	1.5	8.3			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
A	15	C32		NSD									
A	16	B31		NSD									
A	17	B11		NSD									
A	18	C1		NSD									
A	19	C21		NSD									
A	20	C41		NSD									
A	20	C41	AQ	11	11	F	5.1	1.5	3.4			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-L2-2AD-100604 *Lab/Cor Sample No.:* B4771 S72 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	20	C41	AQ	12	12	F	4.8	0.7	6.9			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	21	A31	AQ	13	13	F	5.6	0.8	7.0			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	21	A31	AQ	14	14	F	2.1	0.4	5.2			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	22	A11		NSD									
A	23	D1	AQ	15	15	F	13	3	4.3			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	24	D21		NSD									
A	25	D41	AQ	16	16	F	2.5	0.8	3.1			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	26	A42	AQ	17	17	F	19	4.5	4.2			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	26	A42	AQ	18	18	F	9.2	2	4.6			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	26	A42	AQ	19	19	F	2.2	0.7	3.1			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	27	A22	AQ	20	20	F	3	0.8	3.8			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	28	A2	AQ	21	21	F	3.7	0.4	9.2			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	29	D12	AQ	22	22	F	7.5	1	7.5			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	30	D32	AQ	23	23	F	8	0.8	10			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	31	A34		NSD									
B	32	D4	AQ	24		MD1-1	15.3	8	1.9			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	32	D4	AQ		24	MF	14.5	0.7	21			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
B	33	D24	AQ	25	25	F	2.8	0.45	6.2			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	34	D44	AQ	26		MD1-1	9.5	5.3	1.8			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
B	34	D44	AQ		26	MF	7.5	1.2	6.2			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
B	35	A43		NSD									
B	36	A23	AQ	27	27	F	8.2	1	8.2			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	37	A13	AQ	28	28	F	6	1.1	5.5			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	38	D13		NSD									
B	39	D33		NSD									
B	40	A32	AQ	29		MD1-1	9	4.5	2.0			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
B	40	A32	AQ		29	MF	6.2	0.6	10			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-L2-2AD-100604 *Lab/Cor Sample No.:* B4771 S72 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	40	A32	AQ	30	30	F	4	0.7	5.7			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	41	A12	AQ	31		MD1-1	8.5	4	2.1			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
B	41	A12	AQ		31	MF	6.8	0.7	9.7			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
B	42	D2		NSD									
B	43	D22		NSD									
B	44	D42		NSD									
B	45	A41	AQ	32		MD1-0	4	1.5	2.7			Actinolite	TAS_AHRA
B	45	A41	AQ		32	MF	1.6	0.15	11			Mg, Al, Si, Ca, Fe Actinolite Ferrianactinolite	
B	46	A21		NSD									
B	47	A1		NSD									
B	48	D11	AQ	33	33	F	4.2	0.7	6.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	48	D11	AQ	34	34	F	3.3	0.5	6.6			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	49	D31		NSD									
B	50	B31	AQ	35		MD1-0	7	5	1.4			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
B	50	B31	AQ		35	MF	3	0.4	7.5			Mg, Al, Si, Ca, Fe Actinolite	
B	51	B11		NSD									
B	52	C1	AQ	36	36	F	9.8	1.5	6.5			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	53	C21	AQ	37		MD2-1	25	18	1.4			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	53	C21	AQ		37	MF	9.3	1.2	7.8			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
B	53	C21	AQ		38	MF	2.5	0.6	4.2			Mg, Al, Si, Ca, Fe Actinolite	
B	54	C41	AQ	38	39	F	2.5	0.4	6.2			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	55	B33	AQ	39	40	F	4	0.8	5.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	56	B13		NSD									
B	57	C3	AQ	40		MD1-0	8.5	7	1.2			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
B	57	C3	AQ		41	MF	4.5	0.7	6.4			Mg, Al, Si, Ca, Fe Actinolite	
B	58	C23	AQ	41	42	F	9	0.8	11			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	58	C23	AQ	42	43	F	26.5	3.5	7.6			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	59	C43	AQ	43		MD1-0	11	8	1.4			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	59	C43	AQ		44	MF	3.8	1.2	3.2			Mg, Al, Si, Ca, Fe Actinolite	

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-L2-2AD-100604 *Lab/Cor Sample No.:* B4771 S72 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	60	A14		NSD									
C	61	A44	AQ	44	45	F	9.6	1.3	7.4			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	61	A44	AQ	45		MD1-0	8.5	6	1.4			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
C	61	A44	AQ		46	MF	4.3	1.2	3.6			Mg, Al, Si, Ca, Fe Actinolite	
C	62	A24		NSD									
C	63	A4		NSD									
C	64	D14		NSD									
C	65	D34		NSD									
C	66	A33		NSD									
C	67	A13	AQ	46	47	F	15	4	3.8			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
C	68	D3		NSD									
C	69	D23	AQ	47	48	F	4.2	0.5	8.4			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
C	69	D23	AQ	48	49	F	8.5	1	8.5			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	70	D43	AQ	49	50	F	5.3	0.8	6.6			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	71	A32	AQ	50	51	F	3.3	0.6	5.5			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
C	72	A12	AQ	51		MD1-1	14	12	1.2			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
C	72	A12	AQ		52	MF	10.5	2.5	4.2			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
C	73	D2	AQ	52	53	F	9.5	3	3.2			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	74	D22		NSD									
C	75	D42		NSD									
C	76	A41		NSD									
C	77	A31		NSD									
C	78	A21		NSD									
C	79	A1		NSD									
C	80	D11		NSD									
C	81	B41	AQ	53	54	F	11	3	3.7			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
C	82	B21	AQ	54		MD1-1	14	5	2.8			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
C	82	B21	AQ		55	MF	10.6	2	5.3			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site-#0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-L2-2AD-100604 *Lab/Cor Sample No.:* B4771 S72 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
C	82	B21	AQ	55		MD1-1	8	4	2.0			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
C	82	B21	AQ		56	MF	8	1.7	4.7			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
C	82	B21	AQ	56	57	F	19.5	2.7	7.2			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
C	83	B1	AQ	57	58	F	5.7	1	5.7			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	84	C11	AQ	58	59	F	8	2.5	3.2			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	85	C31		NSD									
C	86	B12	AQ	59	60	F	9	2.5	3.6			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	87	C2		NSD									
C	88	C22		NSD									
C	89	C42		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-L2-3AD-100604 *Lab/Cor Sample No.:* B4771 S73 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B44		NSD									
A	2	B24		NSD									
A	3	B4		NSD									
A	4	C14		NSD									
A	5	C34	AZQ	1	1	F	3.5	0.3	12			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
A	6	C43	AQ	2	2	F	2.1	0.7	3.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	6	C43	AZQ	3	3	F	6.4	0.8	8.0	5825	15676	Mg, Al, Si, Ca, Fe Actinolite .Zone Axis [2 0 1] - KM	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	6	C43	AQ	4	4	F	1.95	0.45	4.3			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	7	C23	AQ	5		MD1-0	5.6	3.3	1.7			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
A	7	C23	AQ		5	MF	4.3	0.95	4.5			Mg, Si, Ca, Fe Actinolite	
A	8	C3		NSD									
A	9	B13		NSD									
A	10	B33	AQ	6	6	F	8.2	1.5	5.5			Mg, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	10	B33	AQ	7		MD1-0	9.3	3.5	2.7			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
A	10	B33	AQ		7	MF	3.9	0.8	4.9			Mg, Al, Si, Ca, Fe Actinolite Alumino-actinolite	
A	11	B42		NSD									
A	12	B22	AQ	8	8	F	16.5	1.1	15			Mg, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	13	B2		NSD									
A	14	C12		NSD									
A	15	C32		NSD									
A	16	C41		NSD									
A	17	C21		NSD									
A	18	C1		NSD									
A	19	B11		NSD									
A	20	B31	AQ	9		MD1-1	12.5	7.25	1.7			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	20	B31	AQ		9	MF	5.2	1.2	4.3			Mg, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
A	21	B40		NSD									
A	22	B20		NSD									
A	23	C10		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-L2-3AD-100604 *Lab/Cor Sample No.:* B4771 S73 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	24	C30		NSD									
A	25	D40		NSD									
A	26	D20		NSD									
A	27	A10		NSD									
A	28	A30		NSD									
A	29	A41	AQ	10	10	F	1.7	0.45	3.8			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	30	A21		NSD									
A	31	A1		NSD									
B	32	B24	AQ	11		MD1-1	6.5	2.1	3.1			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
B	32	B24	AQ		11	MF	6.5	1.05	6.2			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
B	33	B4	AQ	12	12	F	17.5	1.3	13			Mg, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	34	C14	AQ	13		CD4-0	4	1	4.0			Actinolite	TAS_AHRA
B	34	C14	AQ		13	CF	2.9	0.25	12			Mg, Si, Ca, Fe Actinolite	
B	34	C14	AQ		14	CF	1.8	0.2	9.0			Mg, Si, Ca, Fe Actinolite	
B	34	C14	AQ		15	CF	1.75	0.1	18			Mg, Si, Ca, Fe Actinolite	
B	34	C14	AQ		16	CF	1.25	0.2	6.2			Mg, Si, Ca, Fe Actinolite	
B	35	C3	AQ	14	17	F	3.6	0.75	4.8			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
B	36	B13	AQ	15	18	F	4.15	0.7	5.9			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
B	36	B13	AQ	16		MD1-0	3.2	1.7	1.9			Actinolite	TAS_AHRA
B	36	B13	AQ		19	MF	3.2	0.45	7.1			Mg, Si, Ca, Fe Actinolite	
B	37	B22		NSD									
B	38	C41		NSD									
B	39	C30		NSD									
B	40	B20		NSD									
B	41	D20	AQ	17	20	F	3	0.9	3.3			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	42	D40		NSD									
B	43	D31		NSD									
B	44	D11		NSD									
B	45	D22	AQ	18		MD1-0	7.75	2.5	3.1			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
B	45	D22	AQ		21	MF	4.9	1	4.9			Mg, Si, Ca, Fe Actinolite	
B	46	D42	AQ	19	22	F	5.75	1.05	5.5			Mg, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-L2-3AD-100604 *Lab/Cor Sample No.:* B4771 S73 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	46	D42	AQ	20	23	F	5.4	1.05	5.1			Mg, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	47	D33		NSD									
B	48	D13	AQ	21	24	F	4	0.5	8.0			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
B	49	A4	AQ	22	25	F	5.9	1.2	4.9			Mg, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	50	D14		NSD									
B	51	D34		NSD									
C	52	A34		NSD									
C	53	A14		NSD									
C	54	A4		NSD									
C	55	D4		NSD									
C	56	D24	AQ	23	26	F	9.5	2	4.8			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	57	A43		NSD									
C	58	A23		NSD									
C	59	A3		NSD									
C	60	D13		NSD									
C	61	D33	AQ	24	27	F	11.8	1.2	9.8			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
C	62	A42	AQ	25	28	F	16.5	1.8	9.2			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
C	63	A22		NSD									
C	64	A12		NSD									
C	65	A2	AQ	26		MD1-0	3.5	1.5	2.3			Actinolite	TAS_AHRA
C	65	A2	AQ		29	MF	1.8	0.5	3.6			Mg, Al, Si, Ca, Fe Actinolite	
C	65	A2	AQ	27	30	F	23	1.8	13			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
C	65	A2	AQ	28	31	F	6	1.8	3.3			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	65	A2	AQ	29	32	F	11	2	5.5			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
C	66	D2	AQ	30	33	F	27	1.5	18			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
C	67	D12		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-L2-3AD-100604 *Lab/Cor Sample No.:* B4771 S73 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
C	68	D22		NSD									
C	69	D32	AQ	31	34	F	5.3	0.6	8.8			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	70	D42		NSD									
C	71	A41		NSD									
C	72	A21		NSD									
C	73	A1		NSD									
C	74	D11		NSD									
C	75	D31		NSD									
C	76	D10	AQ	32	35	F	2.8	0.65	4.3			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
C	76	D10	AQ	33	36	F	6	2	3.0			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	76	D10	AQ	34	37	F	5.8	0.7	8.3			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	77	D20		NSD									
C	78	D30	AQ	35	38	F	7	0.7	10			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	79	D40		NSD									
C	80	B30		NSD									
C	81	B10	AQ	36	39	F	3.2	0.38	8.4			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
C	82	B31		NSD									
C	83	B11		NSD									
C	84	C1		NSD									
C	85	C21		NSD									
C	86	C41	AQ	37	40	F	6.8	2	3.4			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	87	B42		NSD									
C	88	B22		NSD									
C	89	B2		NSD									
C	90	C12		NSD									
C	91	C32		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-L2-4AD-100604 *Lab/Cor Sample No.:* B4771 S74 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A34		NSD									
A	2	A14		NSD									
A	3	D4	AQ	1	1	F	11	1.5	7.3			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	4	D24	AQ	2	2	F	4.4	1.2	3.7			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	4	D24	AQ	3	3	F	7.3	1.8	4.1			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	5	D44		NSD									
A	6	A43	AQ	4	4	F	1.7	0.25	6.8			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	6	A43	AQ	5	5	F	10	1.5	6.7			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	7	A23		NSD									
A	8	A3	AQ	6	6	F	7	0.6	12			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	9	D13		NSD									
A	10	D33		NSD									
A	11	A32	AQ	7	7	F	5	1	5.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	12	A12		NSD									
A	13	D2		NSD									
A	14	D22		NSD									
A	15	D42		NSD									
A	16	A41	AZQ	8	8	B	19	5.5	3.5	1263	940	Mg, Al, Si, Ca, Fe Actinolite Zone Axis - [-3 1 1] KM	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	16	A41	AQ	9	9	F	9	0.7	13			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	17	A21	AQ	10	10	F	3.8	0.7	5.4			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	18	A1		NSD									
A	19	D11		NSD									
A	20	D41		NSD									
A	21	B41		NSD									
A	22	B21	AQ	11	11	F	7.2	1	7.2			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	22	B21	AQ	12	12	F	16	4.2	3.8			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	23	B1	AQ	13	13	F	4.7	1	4.7			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	23	B1	AQ	14	14	F	2	0.5	4.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	24	C11		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-L2-4AD-100604 *Lab/Cor Sample No.:* B4771 S74 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	25	C31		NSD									
A	26	B32		NSD									
A	27	B12	AQ	15	15	F	5.8	1.5	3.9			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	27	B12	AQ	16		MD1-1	11.5	4	2.9			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	27	B12	AQ		16	MF	11.5	0.8	14			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
A	28	C2	AQ	17	17	F	4	0.8	5.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	29	C22		NSD									
A	30	C42	AQ	18	18	F	3	0.6	5.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	31	A34	AQ	19		MD1-1	5.1	4.5	1.1			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
B	31	A34	AQ		19	MF	5.1	1.4	3.6			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
B	32	A14		NSD									
B	33	D4		NSD									
B	34	D24	AQ	20	20	F	3	0.7	4.3			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	35	D44		NSD									
B	36	A42		NSD									
B	37	A22		NSD									
B	38	A2		NSD									
B	39	D12		NSD									
B	40	D32		NSD									
B	41	A31		NSD									
B	42	A11		NSD									
B	43	D1		NSD									
B	44	D21		NSD									
B	45	D41		NSD									
B	46	B31		NSD									
B	47	B11	AQ	21	21	F	7.2	1.2	6.0			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	48	C1	AQ	22	22	F	8.5	0.8	11			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	48	C1	AQ	23		MD1-0	14	5	2.8			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	48	C1	AQ		23	MF	4.5	0.6	7.5			Mg, Al, Si, Ca, Fe Actinolite	
B	49	C21		NSD									
B	50	C41		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-L2-4AD-100604 *Lab/Cor Sample No.:* B4771 S74 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	51	B42		NSD									
B	52	B22		NSD									
B	53	B2	AQ	24	24	F	11	0.6	18			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	54	C12		NSD									
B	55	C32		NSD									
B	56	C42		NSD									
B	57	C44		NSD									
B	58	C24		NSD									
B	59	C4		NSD									
C	60	A44		NSD									
C	61	A24		NSD									
C	62	A4		NSD									
C	63	A42		NSD									
C	64	A22		NSD									
C	65	A2		NSD									
C	66	D12		NSD									
C	67	D22		NSD									
C	68	D40	AQ	25	25	F	4.5	1	4.5			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
C	69	D20	AQ	26	26	F	8.5	1	8.5			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	69	D20	AQ	27	27	F	2.5	0.5	5.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
C	70	A10		NSD									
C	71	A30		NSD									
C	72	A40		NSD									
C	73	B41		NSD									
C	74	B21		NSD									
C	75	B1	AQ	28		MD1-1	6.8	5	1.4			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
C	75	B1	AQ		28	MF	6.8	0.25	27			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US, PSAS 5-10, PSAS TOT, PSAM 5-10, PSAM TOT
C	76	C11		NSD									
C	77	C31		NSD									
C	78	C41		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-L2-4AD-100604 *Lab/Cor Sample No.:* B4771 S74 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
C	79	C43		NSD									
C	80	C23		NSD									
C	81	C3		NSD									
C	82	B13		NSD									
C	83	B33		NSD									
C	84	B43		NSD									
C	85	B44		NSD									
C	86	B24		NSD									
C	87	B4		NSD									
C	88	C14		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-L2-5AD-100604 *Lab/Cor Sample No.:* B4771 S75 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A43	AZQ	1	1	F	4.5	0.6	7.5	1278	947	Mg, Al, Si, Ca, Fe Actinolite Zone Axis - [5 1 0] KBM	TAS_AHRA
A	2	A23	AQ	2	2	F	12	2.2	5.5			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	3	A3	AQ	3		MD1-0	8	8	1.0			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
A	3	A3	AQ		3	MF	4.2	0.7	6.0			Mg, Al, Si, Ca, Fe Actinolite	
A	3	A3	AQ	4	4	F	10	1.7	5.9			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	4	D13		NSD									
A	5	D33	AQ	5	5	F	4.5	1	4.5			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	6	A32		NSD									
A	7	A12	AQ	6	6	F	11.2	3	3.7			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	8	D2	AQ	7		MD1-0	14	11	1.3			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	8	D2	AQ		7	MF	4.8	0.45	11			Mg, Al, Si, Ca, Fe Actinolite	
A	9	D22	AQ	8	8	F	7.3	1.5	4.9			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	10	D42	AQ	9	9	F	11.5	0.7	16			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	11	A41	AQ	10	10	F	13	1.5	8.7			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	12	A21		NSD									
A	13	A1	AQ	11	11	F	12	1.3	9.2			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	14	D11		NSD									
A	15	D31	AQ	12	12	F	10	0.8	12			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	16	B41		NSD									
A	17	B21	AQ	13	13	B	7.5	0.3	25			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PSAS 5-10, PSAS TOT, PSAM 5-10, PSAM TOT, TAS_AHRA, AS>5_AHRA
A	18	B1		NSD									
A	19	C11		NSD									
A	20	C31		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-L2-5AD-100604 *Lab/Cor Sample No.:* B4771 S75 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	21	C41		NSD									
A	22	C43	AQ	14	14	F	6	0.8	7.5			Mg, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	23	C23	AQ	15	15	F	4	0.4	10			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
A	23	C23	AQ	16	16	F	24	3.5	6.9			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	24	C3		NSD									
A	25	B13	AQ	17	17	F	6	2	3.0			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	26	B33		NSD									
A	27	B43	AQ	18	18	B	23	3	7.7			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	28	B24	AQ	19	19	B	7.5	2.7	2.8			Mg, Al, Si, Ca, Fe Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
A	29	C4		NSD									
A	30	C24		NSD									
B	31	B24		NSD									
B	32	B4		NSD									
B	33	C14		NSD									
B	34	C34		NSD									
B	35	B33		NSD									
B	36	B13		NSD									
B	37	C3	AQ	20	20	F	2.7	0.7	3.9			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	37	C3	AQ	21		MD1-1	12.5	4	3.1			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	37	C3	AQ		21	MF	7.5	1.2	6.2			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
B	38	C23		NSD									
B	39	C43		NSD									
B	40	B42		NSD									
B	41	B22	AQ	22	22	F	6.2	1.7	3.6			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	42	B2		NSD									
B	43	C12		NSD									
B	44	C32		NSD									
B	45	B31		NSD									
B	46	B11		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-L2-5AD-100604 *Lab/Cor Sample No.:* B4771 S75 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	47	C1		NSD									
B	48	C21		NSD									
B	49	C41		NSD									
B	50	D1		NSD									
B	51	D11		NSD									
B	52	D21		NSD									
B	53	D31		NSD									
B	54	D41		NSD									
B	55	D33	AQ	23	23	F	5.5	0.55	10			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	56	D3		NSD									
B	57	D13		NSD									
B	58	D23		NSD									
B	59	D43	AQ	24	24	F	3.8	0.65	5.8			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
C	60	A44	AQ	25	25	F	8	2	4.0			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	61	A24		NSD									
C	62	A4		NSD									
C	63	D14		NSD									
C	64	D34		NSD									
C	65	A33		NSD									
C	66	A13	AQ	26	26	F	4.5	1	4.5			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
C	67	D3		NSD									
C	68	D23		NSD									
C	69	D43		NSD									
C	70	A42		NSD									
C	71	A22		NSD									
C	72	A2	AQ	27		MD1-1	8	8	1.0			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
C	72	A2	AQ		27	MF	8	1	8.0			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
C	72	A2	AQ	28		MD1-0	9	6	1.5			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
C	72	A2	AQ		28	MF	4.8	0.6	8.0			Mg, Al, Si, Ca, Fe Actinolite	
C	73	D12		NSD									
C	74	D32		NSD									
C	75	A41		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-L2-5AD-100604 *Lab/Cor Sample No.:* B4771 S75 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
C	76	A21		NSD									
C	77	A1	AQ	29	29	F	8.2	1	8.2			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	78	D11		NSD									
C	79	D31		NSD									
C	80	B31		NSD									
C	81	B11		NSD									
C	82	C1		NSD									
C	83	C21	AQ	30	30	F	11.5	1	12			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
C	84	C41		NSD									
C	85	B22		NSD									
C	86	B2	AQ	31	31	F	3.2	0.8	4.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
C	87	C12		NSD									
C	88	C32		NSD									
C	89	B10	AQ	32	32	F	5.7	1.5	3.8			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-L2-1NA-100604 *Lab/Cor Sample No.:* B4771 S71 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A44		NSD									
A	2	A24		NSD									
A	3	A4		NSD									
A	4	D14		NSD									
A	5	D34		NSD									
A	6	D44		NSD									
A	7	D42		NSD									
A	8	D22	CDQ	1	1	F	2.4	0.08	30	1259	936	Mg, Si Chrysotile Verified - KM	TAS_AHRA
A	9	D2		NSD									
A	10	A12		NSD									
A	11	A32		NSD									
A	12	A42		NSD									
A	13	A40		NSD									
A	14	A20		NSD									
A	15	A10		NSD									
A	16	D10		NSD									
A	17	D30		NSD									
A	18	D40		NSD									
A	19	C41		NSD									
A	20	C21		NSD									
A	21	C1	AZQ	2	2	B	7.5	0.8	9.4	1260	937	Mg, Al, Si, Ca, Fe Actinolite Zone Axis - [1 1 0] KBM	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	22	B11		NSD									
A	23	B31	AQ	3	3	F	3	0.9	3.3			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	23	B31	AQ	4	4	F	8	2.5	3.2			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	24	B41		NSD									
A	25	B43	AQ	5	5	F	3	1	3.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	26	B23	AQ	6	6	B	14	1.5	9.3			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	27	B13		NSD									
A	28	C13		NSD									
A	29	C33		NSD									
A	30	C43		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-L2-1NA-100604 *Lab/Cor Sample No.:* B4771 S71 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	31	B44		NSD									
B	32	B24		NSD									
B	33	B4		NSD									
B	34	C14		NSD									
B	35	C34		NSD									
B	36	C42		NSD									
B	37	C22		NSD									
B	38	C2		NSD									
B	39	B12		NSD									
B	40	B32		NSD									
B	41	B42		NSD									
B	42	B40	AQ	7	7	F	4.5	0.8	5.6			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	42	B40	AQ	8	8	F	2.5	0.6	4.2			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	43	B20		NSD									
B	44	B10	AQ	9	9	F	7.5	1.5	5.0			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	44	B10	AQ	10	10	F	2.4	0.4	6.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	45	C10		NSD									
B	46	C30		NSD									
B	47	C40		NSD									
B	48	D41		NSD									
B	49	D21		NSD									
B	50	D1		NSD									
B	51	A11		NSD									
B	52	A31	AQ	11	11	F	4.8	1	4.8			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	53	A41		NSD									
B	54	A43	AZQ	12	12	F	4.9	0.4	12	1261	938	Mg, Si, Ca, Fe Tremolite Zone Axis - [2 0 -3] KBM	TAS_AHRA
B	55	A23		NSD									
B	56	A3		NSD									
B	57	D13	AQ	13	13	F	10.2	1.5	6.8			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	58	D33	AQ	14	14	B	32.5	0.9	36			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	59	D43	AQ	15	15	F	2.4	0.4	6.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-L2-1NA-100604 *Lab/Cor Sample No.:* B4771 S71 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	60	A34	AQ	16	16	F	5.2	0.3	17			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PSAS 5-10, PSAS TOT, PSAM 5-10, PSAM TOT, TAS_AHRA, AS>5_AHRA
B	61	D14		NSD									
C	62	B44		NSD									
C	63	B24		NSD									
C	64	B2	AQ	17	17	F	5.3	0.7	7.6			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	65	C32	AQ	18	18	F	6	0.8	7.5			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	66	C12		NSD									
C	67	B33		NSD									
C	68	B13		NSD									
C	69	C3		NSD									
C	70	C23	AQ	19		MD1-0	15	8	1.9			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
C	70	C23	AQ		19	MF	4	0.6	6.7			Mg, Al, Si, Ca, Fe Actinolite	
C	71	C43	AQ	20	20	F	8	1.2	6.7			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	72	B42		NSD									
C	73	B22		NSD									
C	74	B2		NSD									
C	75	C12		NSD									
C	76	C32		NSD									
C	77	B31	AQ	21	21	B	2.7	0.4	6.8			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
C	77	B31	AQ	22	22	F	2	0.4	5.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
C	78	B11		NSD									
C	79	C1		NSD									
C	80	C41	AQ	23	23	F	9.3	2.5	3.7			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	81	C21		NSD									
C	82	A41		NSD									
C	83	A21		NSD									
C	84	A1		NSD									
C	85	D11		NSD									
C	86	D31		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: JOGA-L2-1NA-100604 *Lab/Cor Sample No.:* B4771 S71 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
C	87	A2		NSD									
C	88	D12	AQ	24	24	F	12.5	1.2	10			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA