1.3

TAT ACTIVITIES REPORT
COMPILE CHEMICAL DATA
WESTERN PROCESSING CLEANUP
KENT, WASHINGTON

Prepared by
Region X
Technical Assistance Team

Environmental Protection Agency
Emergency Response Team
Region X
Seattle, Washington

May 1984

USEPA SF
1518815

TDD #10-8404-08
COMPILE CHEMICAL DATA
WESTERN PROCESSING CLEANUP
KENT, WASHINGTON

The Western Processing hazardous waste site was subject to an EPA immediate removal action from 15 April to 1 July 1983. The site contained materials in drums, storage tanks, lagoons, and other miscellaneous containers. Samples of these materials were analyzed during the removal action. Since this chemical information was never compiled in a clear, succinct way, EPA requested the Region X Technical Assistance Team to perform this task.

Analytical results for materials present at the Western Processing hazardous waste site at the onset of the immediate removal action are based on:

- Field chemical characterization
- Mobile laboratory testing onsite
- Region X Laboratory analyses

Additional analytical work was done on a limited number of tank samples by chemical recycling firms and disposal sites. These tank sample data are not all available in the EPA Western Processing file maintained by the Emergency Response Team since they were derived privately. However, some information was made available.

Field chemical characterization was performed on nearly 3,000 samples. All tank, drum, and lagoon samples were tested. The chemical characterization analyzed organic vapors, radiation, pH, water reactivity, flammability, reduction potential, and presence of chlorides. In addition, the ERT Mobile Laboratory analyzed all samples for PCB concentration. Based on these results, all samples were grouped into one of the eleven classifications shown in Table 1. It should be noted that the last category, nonhazardous, is true only in relation to the tests performed. These "nonhazardous" materials could be determined to pose a hazard if other analyses were made (i.e. EP Toxicity testing).

TABLE 1. CHEMICAL CHARACTERIZATION CLASSES

	SAMPLE CHARACTERISTICS						
CLASSIFICATION	RADIATION	PCB	SOLID	OXIDATION POTENTIAL	pH	FLAMMABILITY	WATER REACTIVE
RADIOACTIVE	Yes	*	*	*	*	*	*
PCB ≥500 PPM	No	≥500 ppm	*	*	*	*	*
PCB 50 ≤ <500 PPM	No	≥50 and <500 ppm	*	*	*	*	*
SOLID	No	<50 ppm	Yes	*	*	*	*
CORROSIVE OXIDIZER	No	<50 ppm	No	≥50 mV	0-2	*	*
NONCORROSIVE OXIDIZER	No	<50 ppm	No	≥50 mV	3-14	*	*
CORROSIVE ACID	No	<50 ppm	No	<50 mV	0-2	*	*
CORROSIVE BASE	No	<50 ppm	No	<50 mV	12-14	*	*
FLAMMABLE (COMBUSTIBLE)	No	<50 ppm	No	<50 mV	3-11	Yes	*
WATER REACTIVE	No	<50 ppm	No	<50 mV	3-11	No	Yes
NONHAZARDOUS	No	<50 ppm	No	<50 mV	3-11	No	No

* Result irrelevant; prior category has greatest importance

The ERT Mobile Laboratory also performed very limited sample analyses for heavy metals. This was done for only a few samples because of time constraints and the data are unavailable. Field testing for cyanide was performed during the batching simulation effort. This testing was a negative test, i.e., that cyanides (and interfering sulfides) were not present. No positive determination of cyanide presence or concentration was made.

Several other parameters were analyzed for samples from storage tanks. This included flash points, methylene chloride content (identified in tank tables as MeCl), and concentration of miscellaneous solvents. These data resulted from field characterization efforts, the ERT Mobile Laboratory, the EPA Region X Laboratory, and from recyclers and disposal sites.

All of the available analytical data have been compiled in the attached tables. Table 2 contains all information on the 2,887 drums sampled at Western Processing. Marginal notations are present indicating whether the drum contents were removed from the site and into what chemical class the drum fit. A complete legend for the marginal notations follows:

S - Solids
2 - PCBs $\geq$50 ppm
5 - Corrosive, oxidizers
6 - Corrosive, nonoxidizing acids
7 - Corrosive, nonoxidizing bases
8 - Water reactive, flammables
9 - Water reactive, nonflammable
10 - Nonwater reactive, flammable
11 - Noncorrosive, oxidizers
12 - Non hazardous
(G) - USCG list says gone; maybe not (usually because its a solid)
G - Gone from site
B - Batching simulation successful

ACE - Acetone
MEK - Methyl ethyl ketone
MCL - Methylene chloride
Per - Perchloroethylene
Trike - Trichloroethylene
IPA - Isopropyl alcohol

Table 3 contains the information derived from the original tank samples collected at Western Processing. The classification category has been obtained from the results of the field characterization program. The classification listed represents positive results from the categorical listing in Table 1; all other results were negative. It should be noted that the volumes listed may not always represent an actual liquid volume within the tank. Whenever possible liquid volumes were calculated; however, no clear distinction was made in the site records to indicate whether the volume listed was a tank capacity or a liquid volume. It should also be noted that the status of the tank (full or empty) does not account for sludges remaining after the tank liquids had been pumped off. The information on the original tank contents was derived primarily from the owner's records.

Table 4 provides additional information on purgeable halocarbon content for selected tank samples from the site. Of the nine tanks listed, the contents of three (T-26, T-64, and T-131) were removed during the emergency action.

Table 5 represents all the available analytical data on the sludges from the various surface impoundments on the site. While heavy metal analyses were run on all the sludges, organic analyses are only available for two of the four paint sludge samples. These results are from the ERT Mobile Laboratory.

Some materials in drums and tanks were left onsite. An examination of the drum listing in Table 2 indicates over 875 drums remain onsite containing primarily materials classed as solids or nonhazardous. However, according to the available records, nearly 150 drums may remain which contain known hazardous materials. It is unclear whether they are actually still on the site. Possibly these hazardous drums were removed (most likely near the end of the immediate removal action), and this fact was simply not recorded in the drum files.

Both hazardous and nonhazardous materials were left intentionally in the storage tanks onsite. Table 6 indicates the contents of the tanks onsite that

contained liquids when the emergency action was terminated. The information in parentheses is provided to identify the tank transfers that were performed to either meet fire codes or remove material from structurally unsound tanks.

TABLE 2

Analytical Results For
Drum Samples Taken at
Western Processing

WESTERN PROCESSING
Drum SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
12 00001						XXX	0000	07	0000	NC	N	N	N	N	- N
12 00002						XXX	0000	06	0000	NC	N	N	N	N	- ↓
12 00003						XXX	0000	06	0000	NC	N	N	N	N	-
10 00004	pH test = 10					XXX	0300	--	0000	C	N	-	Y	N	-
12 00005						XXX	0000	05	0000	NC	N	N	N	N	-
12 00006						XXX	0000	06	0000	NC	N	N	N	N	-
12 00007						XXX	0000	06	0000	NC	N	N	N	N	-
12 00008						XXX	0020	09	0000	NC	N	N	N	N	-
12 00009						XXX	0020	11	0000	NC	N	N	N	N	-
12 00010						XXX	0000	06	0000	NC	N	N	N	N	-
12 00011						XXX	0005	06	0000	NC	N	N	N	N	-
5 00012	V-12	VISCOUS				XXX	0000	04	0000	NC	N	N	N	N	-
5 00013	V-12	VISCOUS				XXX	0000	06	0000	NC	N	N	N	N	-
12 00014						XXX	0300	04	0000	NC	N	N	N	N	-
12 00015						XXX	0000	06	0000	NC	N	N	N	N	-
12 00016						XXX	0000	07	0000	NC	N	N	N	N	-
12 00017		ACIDIC				XXX	0000	08	0000	NC	N	N	N	N	-
12 00018		ACIDIC				XXX	0000	05	0000	NC	N	N	N	N	-
12 00019		ACIDIC				XXX	0000	06	0000	NC	N	N	N	N	-
12 00020		CAUSTIC				XXX	0000	10		NC	N	N	N	N	-
12 00021		ACIDIC				XXX	0010	05	0000	NC	N	N	N	N	-
12 00022		ACIDIC				XXX	0000	06	0000	NC	N	N	N	-	-
12 00023		ACIDIC				XXX	0000	05	0000	NC	N	N	N	-	-
12 00024		ACIDIC				XXX	0000	06	0000	NC	N	N	N	-	-
12 00025		ACIDIC				XXX	0000	06	0000	NC	N	N	N	-	-
12 00026		ACIDIC				XXX	0000	06	0000	NC	N	N	N	-	-
12 00027		ACIDIC				XXX	0000	06	0000	NC	N	N	N	-	-
12 00028		ACIDIC				XXX	0000	06	0000	NC	N	N	N	-	-
12 00029		ACIDIC				XXX	0000	06	0000	NC	N	N	N	-	-
12 00030		ACIDIC				XXX	0000	06	0000	NC	N	N	N	-	-
12 00031		CAUSTIC				XXX	-0	10	-0	NC	N	N	N	-	-
12 00032		ACIDIC				XXX	-0	06	-0	NC	N	N	N	-	-
12 00033		ACIDIC				XXX	-0	06	-0	NC	N	N	N	-	-
12 00034		ACIDIC				XXX	-0	07	-0	NC	N	N	N	-	-
12 00035		ACIDIC				XXX	-0	06	-0	NC	N	N	N	-	-
12 00036		CAUSTIC				XXX	0010	09	-0	NC	N	N	N	-	-
12 00037		CAUSTIC				XXX	0007	09	-0	NC	N	N	N	-	-
12 00038		ACIDIC				XXX	-0	07	-0	NC	N	N	N	-	-
12 00039		CAUSTIC				XXX	0005	09	-0	NC	N	N	N	-	-
12 00040		ACIDIC				XXX	-0	07	-0	NC	N	N	N	-	-
12 00041		ACIDIC				XXX	0009	06	-0-	NC	N	N	N	-	
12 00042		ACIDIC				XXX	-0	04	-0-	NC	N	N	N	-	-
12 00043		ACIDIC				XXX	-0-	06	-0	NC	N	N	N	- ↑	-
12 00044		ACIDIC				XXX	-0	05	-0-	NC	N	N	N	-	-
12 00045		CAUSTIC				XXX	0010	09	-0-	NC	N	N	N	-	-
12 00046		CAUSTIC				XXX	-0	09	-0-	NC	N	N	N	N	-
12 00047		CAUSTIC				XXX	0008	09	-0-	NC	N	N	N	-	-
12 00048		ACIDIC				XXX	0015	04	-↓-	NC	N	N	N	-↑	-
12 00049		ACIDIC				XXX	-0	03	---	NC	N	N	N	N	-

"WESTERN" PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
12 00050		ACIDIC	XXX				0005	06	-4-	NC	N	N	N	-	-
12 00051		ACIDIC	XXX				--	06	-6-	NC	N	N	N	-	-
S 00052		SOLID	XXX				0000	--	0000	NC	N	-	N	N	-
~~00053~~		~~VISCOUS~~	~~XXX~~												
12 00053		ACIDIC	XXX				----	04	----	NC	N	N	N	-	-
12 00054		ACIDIC	XXX				----	07	----	NC	N	N	N	-	-
G6 00055		ACIDIC	XXX				----	02	----	NC	N	Y	N	-	-
G10 00056		ACIDIC	XXX				0050	06	----	C	N	N	Y	N	N
12 00057		ACIDIC	XXX				----	06	----	NC	N	N	N	-	-
12 00058		ACIDIC	XXX				----	06	----	NC	N	N	N	-	-
12 00059		ACIDIC	XXX				----	06	----	NC	N	N	N	N	N
12 00060		CAUSTIC	XXX				----	09	----	NC	N	N	N	N	N
12 00061		CAUSTIC	XXX				0070	10	0000	NC	N	N	N	N	N
G10 00062		ACIDIC	XXX				0050	05	-0-	C	N	N	Y	N	N
S 00063	solid	~~UNK~~	XXX				0030	--	----	C	N	-	Y	N	-
12 00064		CAUSTIC	XXX				0010	09	----	NC	N	N	N	-	N
12 00065		ACIDIC	XXX				----	07	----	NC	N	N	N	-	N
G7 00066		CAUSTIC	XXX				----	14	----	NC	N	Y	N	-	N
G10 00067		ACIDIC	XXX				0180	05	-0-	C	N	N	Y	N	N
12 00068		ACIDIC	XXX				0007	06	----	NC	N	N	N	-	N
12 00069		ACIDIC	XXX				----	06	----	NC	N	N	N	-	N
12 00070		ACIDIC	XXX				0120	04	----	NC	N	N	N	-	N
12 00071		ACIDIC	XXX				0009	07	----	NC	N	N	N	-	N
12 00072		ACIDIC	XXX				0006	06	----	NC	N	N	N	-	N
12 00073		ACIDIC	XXX				0010	06	----	NC	N	N	N	-	N
12 00074		ACIDIC	XXX				0000	06	----	NC	N	N	N	-	N
12 00075		CAUSTIC	XXX				0000	09	----	NC	N	N	N	-	N
12 00076		ACIDIC	XXX				0000	06	----	NC	N	N	N	-	N
12 00077		ACIDIC	XXX				----	06	----	NC	N	N	N	-	N
12 00078		ACIDIC	XXX				----	06	----	NC	N	N	N	-	N
12 00079		ACIDIC	XXX				----	07	----	NC	N	N	N	-	N
12 00080		ACIDIC	XXX				----	06	----	NC	N	N	N	-	N
12 00081		ACIDIC	XXX				----	07	----	NC	N	N	N	N	N
12 00082		ACIDIC	XXX				----	07	----	NC	N	N	N	N	N
12 00083		ACIDIC	XXX				----	07	----	NC	N	N	N	N	N
12 00084		ACIDIC	XXX				----	07	----	NC	N	N	N	N	N
12 00085		ACIDIC	XXX				----	05	----	NC	N	N	N	N	N
S 00086	Solid	~~UNKNOWN~~	XXX				0030	--	0000	NC	N	-	N	N	-
12 00087		ACIDIC	XXX				----	06	----	NC	N	N	N	N	N
S 00088		SOLID	XXX				0200	06	----	C			Y		
12 00089		CAUSTIC	XXX				----	09	-0-	NC	N	N	N	N	N
12 00090		ACIDIC	XXX				----	06	----	NC	N	N	N	N	N
12 00091		ACIDIC	XXX				0000	06	0000	NC	N	N	N	N	N
12 00092		ACIDIC	XXX				0000	06	0000	NC	N	N	N	N	N
12 00093		ACIDIC	XXX				0005	04	0000	NC	N	N	N	N	N
S 00094	Solid	~~UNKNOWN~~	XXX				0000	--	0000	NC	N	-	N	N	-
12 00095		ACIDIC	XXX				0000	07	0000	NC	N	N	N	N	N
12 00096		ACIDIC	XXX				0012	05	0000	NC	N	N	N	N	N
G11 00097		ACIDIC	XXX				0000	05	0140	NC	N	N	N	N	N
S 00098		SOLID	XXX				0050	--	0000	NC	N	-	N	N	-
S 00099		SOLID	XXX				0300	--	0000	C	N	-	Y	N	-

'WESTERN'PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
S 00100		SOLID	XXX				0015	--	0000	C	N	-	Y	N	-
S 00101		SOLID	XXX				0000	--	0000	NC	N	-	N	N	-
S 00102		SOLID-MUD	XXX				0050	--	0000	C	N	-	Y	N	-
S 00103		SOLID	XXX				0000	--	0000	NC	N	-	N	N	-
12 00104		ACIDIC	XXX				0000	06	0000	NC	N	N	N	N	N
12 00105		CAUSTIC	XXX				0005	09	0000	NC	N	N	N	N	N
12 00106		CAUSTIC	XXX				0000	09	0000	NC	N	N	N	N	N
12 00107		ACIDIC	XXX				0010	06	0000	NC	N	N	N	N	N
12 00108		ACIDIC	XXX				0050	07	0000	NC	N	N	N	N	N
12 00109		ACIDIC	XXX				0000	06	0000	NC	N	N	N	N	N
12 00110		ACIDIC	XXX				0000	05	0000	NC	N	N	N	N	N
S 00111		SOLID	XXX				0000	--	0000	NC	N	-	N	N	-
S 00112		SOLID-MUD	XXX				5000	--	0000	C	N	-	Y	N	-
S 00113		SOLID	XXX				0000	--	0000	NC	N	-	N	N	-
S 00114		SOLID	XXX				0020	--	0000	NC	N	-	N	N	-
S 00115		SOLID-MUD	XXX				0000	--	0000	NC	N	-	N	N	-
S 00116		SOLID	XXX				0000	--	0000	C	N	-	Y	N	-
12 00117		ACIDIC	XXX				0000	05	0000	NC	N	N	N	N	-
S 00118		SOLID	XXX				0005	--	0000	NC	N	-	N	N	-
12 00119		ACIDIC	XXX				0000	06	0000	NC	N	N	N	N	N
S 00120		SOLID	XXX				0000	--	----	C	N	-	Y	N	-
S 00121		SOLID	XXX				0000	--	0000	NC	N	N	N	N	-
~~S 00121~~		~~SOLID~~					~~0000~~		~~0000~~	~~NC~~	~~N~~	~~N~~	~~N~~	~~N~~	~~-~~
~~S 00121~~		~~SOLID~~					~~0000~~		~~0000~~	~~NC~~	~~N~~	~~N~~	~~N~~	~~N~~	~~N~~
S 00122 V	ORG	VISCOUS	XXX				0000			C	N	N	Y	N	
12 00123	AQ	ACID					0000	06	0000	NC	N	N	N	N	N
S 00124		SOLID	XXX				0005		0000	NC	N		N	N	
S 00125		SOLID	XXX				0010		0000	SOLID	N		N	N	
S 00126		SOLID	XXX				0015	09	0000	C	N	N	Y	N	
S 00127		SOLID	XXX				0015	09	0000	C	N	N	Y	N	
S 00128		SOLID	XXX				0035	09	0000	C	N	N	Y	N	
S 00129		SOLID	XXX				0000		0000	C	N		Y	N	
S 00130		SOLID	XXX				0200		0000	C	N		Y	N	
12 00131	AQ	ACID	XXX				0000	06	0000	NC	N	N	N	N	
S 00132		SOLID	XXX				----	--	----	--	-	-	-	-	-
~~S 00132~~		~~SOLID~~					~~----~~	~~--~~	~~----~~	~~--~~	~~-~~	~~-~~	~~-~~	~~-~~	~~-~~
S 00133		SOLID	XXX				----	--	----	--	-	-	-	-	-
~~S 00133~~		~~SOLID~~					~~----~~	~~--~~	~~----~~	~~--~~	~~-~~	~~-~~	~~-~~	~~-~~	~~-~~
S 00134		SOLID	XXX				----	--	----	--	-	-	-	-	-
~~S 00134~~		~~SOLID~~					~~----~~	~~--~~	~~----~~	~~--~~	~~-~~	~~-~~	~~-~~	~~-~~	~~-~~
S 00135		SOLID	XXX				0005	--	0000	C	N	-	Y	N	-
S 00136		SOLID-HARD	XXX				----	--	----	--	-	-	-	-	-
S 00137		SOLID	XXX				0010	--	0000	C	N	-	Y	N	-
S 00138		SOLID	XXX				0010	--	0000	C	N	-	Y	N	-
S 00139		SOLID	XXX				0005	--	0000	C	N	-	Y	N	-
S 00140		SOLID	XXX				0020	--	0000	C	N	-	Y	N	-
S 00141		SOLID	XXX				0100	06	0080	C	N	N	Y	N	N
12 00142		ACIDIC	XXX				0007	06	0000	NC	N	N	N	N	N
S 00143		SOLID	XXX				0020	--	0000	C	N	-	Y	N	-
S 00144		SOLID	XXX				0000	--	--	--	N	-	-	-	-
S 00145		SOLID	XXX				0250	--	0000	C	N	N	Y	N	-
S 00146		SOLID	XXX				0010	--	0000	NC	N	N	N	N	-
S 00147		SOLID	XXX				0006	--	----	C	N	N	Y	N	-
S 00148		SOLID	XXX				0070	--	0000	C	N	-	Y	N	-
S 00149		SOLID	XXX				0005	--	0000	C	N	N	Y	N	-

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
S00150		SOLID	XXX				0010	--	0000	C	N	N	Y	N	-
S00151		SOLID	XXX				0010	--	0000	C	N	N	Y	N	-
S00152		SOLID	XXX				0015	--	0000	C	N	N	Y	N	-
S00153		SOLID	XXX				0020	--	0000	NC	N	N	N	N	-
S00154		SOLID	XXX				0000	--	--	--	-	-	-	-	-
S00155		SOLID	XXX				0020	--	----	C	N	-	Y	N	-
S00156		SOLID	XXX				0020	--	----	C	N	-	Y	N	-
S00157		SOLID	XXX				0025	--	----	C	N	-	Y	N	-
S00158		SOLID	XXX				0100	--	----	NC	N	-	N	N	-
S00159		SOLID	XXX				0000	--	--	--	N	-	-	-	-
S00160		SOLID	XXX				0010	--	0000	C	N	-	Y	N	-
S00161		SOLID	XXX				0030	--	0000	C	N	-	Y	N	-
S00162		SOLID	XXX				0020	--	0000	C	N	-	Y	N	-
S00163		SOLID	XXX				0002	--	----	--	-	-	-	-	-
S00164		SOLID	XXX				0180	--	0000	C	N	-	Y	N	-
S00165		SOLID	XXX				0250	--	0000	C	N	-	Y	N	-
S00166		SOLID	XXX				0060	--	0000	C	N	-	Y	N	-
S00167		SOLID	XXX				----	--	----	--	N	-	-	-	-
S00168		SOLID	XXX				0020	--	----	NC	N	-	N	N	N
S00169		SOLID	XXX				0000	--	----	--	N	-	-	-	-
S00170		SOLID	XXX				0004	--	----	--	N	-	-	-	-
S00171		SOLID	XXX				0002	--	----		N	-	-	-	-
S00172		SOLID	XXX				0050	--	----	NC	N	-	N	N	-
S00173		SOLID	XXX				0000	--	----	--	N	-	-	-	-
S00174		SOLID	XXX				0020	--	0000	NC	N	-	N	N	-
S00175		SOLID	XXX				0005	--	0000	NC	N	-	N	N	-
S00176		SOLID	XXX				0020	--	0000	NC	N	-	N	N	-
S00177		SOLID	XXX				0000	--	----	--	N	-	-	-	-
S00178		SOLID	XXX				0110	--	0000	NC	N	-	N	N	-
G5 00179	AQ	ACIDIC					0000	00	0100	NC	N	Y	N	Y	N
G5 00180	AQ	ACIDIC					0000	01	0300	NC	N	Y	N	Y	N
G6 00181		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	Y	N
G6 00182		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	Y	N
G5 00183	AQ	ACIDIC					0000	01	0050	NC	N	Y	N	Y	N
G5 00184	AQ	ACIDIC					0000	01	0140	NC	N	Y	N	Y	N
G5 00185	AQ	ACIDIC					0000	01	0100	NC	N	Y	N	Y	N
G5 00186	AQ	ACIDIC					0000	01	0090	NC	N	Y	N	Y	N
G5 00187	AQ	ACIDIC					0000	01	0070	NC	N	Y	N	Y	N
G6 00188		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	Y	N
G5 00189	AQ	ACIDIC					0000	01	0080	NC	N	Y	N	Y	N
G5 00190	AQ	ACIDIC					0000	01	0200	NC	N	Y	N	Y	N
G6 00191		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	Y	N
G6 00192		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	Y	N
G6 00193		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	Y	N
G6 00194		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	Y	N
G6 00195		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	Y	N
12 00196		ACIDIC	XXX				0040	03	0000	NC	N	XN	N	N	N
G6 00197		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	Y	N
G5 00198	AQ	ACIDIC					0030	01	0320	NC	N	Y	N	Y	N
G6 00199		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	Y	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G5 00200	AQ	ACIDIC					0030	01	0300	NC	N	Y	N	Y	N
G5 00201	AQ	ACIDIC					0050	01	0300	NC	N	Y	N	Y	N
G5 00202	AQ	ACIDIC					0000	01	0300	NC	N	Y	N	Y	N
G5 00203	AQ	ACIDIC					0000	01	0120	NC	N	Y	N	Y	N
G5 00204	AQ	ACIDIC					0000	01	0070	NC	N	Y	N	Y	N
G5 00205	AQ	ACIDIC					0000	01	0050	NC	N	Y	N	Y	N
G5 00206	AQ	ACIDIC					0030	01	0300	NC	N	Y	N	Y	N
G7 00207	AQ	CAUSTIC					0000	12	0000	NC	N	Y	N	Y	N
G7 00208	AQ	CAUSTIC					0000	12	0000	NC	N	Y	N	Y	N
G5 00209	AQ	ACIDIC					0030	01	0300	NC	N	Y	N	Y	N
G5 00210	AQ	ACIDIC					0000	01	0300	NC	N	Y	N	Y	N
G5 00211	AQ	ACIDIC					0000	01	0300	NC	N	Y	N	Y	N
G11 00212		ACIDIC	XXX				0000	06	0050	NC	N	N	N	N	N
G12 00213	AQ	CAUSTIC					0010	11	0000	NC	N	N	N	N	N
G7 00214	AQ	CAUSTIC					0020	12	0000	NC	N	N	N	N	N
12 00215		ACIDIC	XXX				0000	06	0000	NC	N	N	N	N	N
G5 00216	AQ	ACIDIC					0000	01	0250	NC	N	Y	N	Y	N
G5 00217	AQ	ACIDIC					0000	01	0180	NC	N	Y	N	Y	N
G5 00218	AQ	ACIDIC					0000	01	0250	NC	N	Y	N	Y	N
G5 00219	AQ	ACIDIC					0000	01	0150	NC	N	Y	N	Y	N
G5 00220	AQ	ACIDIC					0000	01	0300	NC	N	Y	N	Y	N
G5 00221 B	AQ	ACIDIC					0000	01	0300	NC	N	Y	N	Y	N
G5 00222 B	AQ	ACIDIC					0000	00	0080	NC	N	Y	N	Y	N
5 00223	AQ	ACIDIC					0000	01	0070	NC	N	Y	N	Y	N
G5 00224	AQ	ACIDIC					0000	01	0050	NC	N	Y	N	Y	N
G5 00225 B	AQ	ACIDIC					0000	01	0110	NC	N	Y	N	Y	N
G6 00226	AQ	ACIDIC	XXX				0000	01	0000	NC	N	Y	N	Y	N
G5 00227 B	AQ	ACIDIC					0000	01	0080	NC	N	Y	N	Y	N
9 00228		ACIDIC	XXX				0000	04	0000	NC	N	N	N	Y	N
6 00229		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	Y	N
G11 00230	AQ	ACIDIC					0000	04	0230	NC	N	N	N	Y	N
G5 00231	AQ	ACIDIC					0000	01	0090	NC	N	Y	N	Y	N
G5 00232 B	AQ	ACIDIC					0000	01	0200	NC	N	Y	N	Y	N
G7 00233		CAUSTIC	XXX				0000	13	0000	C	N	Y	Y	Y	N
G5 00234	AQ	ACIDIC					0000	01	0300	NC	N	Y	N	Y	N
G7 00235		CAUSTIC	XXX				0007	13	0000	C	N	Y	Y	Y	N
G 500236	AQ	ACIDIC					0030	01	0300	NC	N	Y	N	Y	N
G 500237	AQ	ACIDIC					0020	01	0160	NC	N	Y	N	Y	N
G5 00238	AQ	ACIDIC					0000	01	0160	NC	N	Y	N	Y	N
G5 00239	AQ	ACIDIC					0000	01	0300	NC	N	Y	N	Y	N
G7 00240	AQ	CAUSTIC					0000	13	0000	NC	N	Y	N	Y	N
G5 00241		ACIDIC	XXX				0000	01	0300	C	N	Y	Y	-	N
G5 00242	AQ	ACIDIC					0000	01	0150	NC	N	Y	N	-	N
G5 00243	AQ	ACIDIC					0000	01	0050	NC	N	Y	N	-	N
5 00244	AQ	ACIDIC					0000	01	0050	NC	N	Y	N	-	N
G5 00245	AQ	ACIDIC					0000	01	0050	NC	N	Y	N	-	N
G5 00246	AQ	ACIDIC					0000	01	0070	NC	N	Y	N	-	N
G5 00247	AQ	ACIDIC					0000	01	0050	NC	N	Y	N	-	N
G5 00248	AQ	ACIDIC					0000	01	0050	NC	N	Y	N	-	N
G5 00249	AQ	ACIDIC					0000	01	0300	NC	N	Y	N	-	N

'WESTERN' PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G6 00250		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	-	N
G5 00251	AQ	ACIDIC					0000	01	0050	NC	N	Y	N	-	N
G5 00252	AQ	ACIDIC	XXX				0000	01	0050	NC	N	Y	N	-	N
G5 00253		ACIDIC	XXX				0000	01	0120	NC	N	Y	N	-	N
G6 00254		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	-	N
G6 00255		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	-	N
G5 00256		ACIDIC	XXX				0000	01	0050	NC	N	Y	N	-	N
G6 00257		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	-	N
G5 00258	AQ	ACIDIC					0000	01	0050	NC	N	Y	N	-	N
G5 00259	AQ	ACIDIC					0007	01	0300	NC	N	Y	N	-	N
G12 00260	AQ	CAUSTIC					0000	10	0000	NC	N	N	N	-	-
G6 00261		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	-	N
G6 00262		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	-	N
G6 00263		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	-	N
G6 00264		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	-	N
G6 00265		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	-	N
G6 00266		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	-	N
G6 00267		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	-	N
G6 00268 B		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	-	N
G6 00269		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	-	N
G6 00270		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	-	N
5 00271		ACIDIC	XXX				0000	01	0150	NC	N	Y	N	Y	N
G6 00272		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	Y	N
G5 00273	AQ	ACIDIC					0000	01	0100	NC	N	Y	N	Y	N
G5 00274	AQ	ACIDIC					0000	01	0100	NC	N	Y	N	Y	N
G5 00275	AQ	ACIDIC					0000	01	0070	NC	N	Y	N	Y	N
G5 00276	AQ	ACIDIC					0000	01	0100	NC	N	Y	N	Y	N
G6 00277	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00278	AQ	ACIDIC					0005	01	0000	NC	N	Y	N	Y	N
G6 00279	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00280	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00281	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
6 00282	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00283	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00284	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00285	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00286	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00287	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00288	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00289	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00290	AQ						0000	01	0000		N	Y	N	Y	N
G6 00291	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00292	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G5 00293	AQ	ACIDIC					0000	01	0050	NC	N	Y	N	Y	N
G6 00294	AQ	ACIDIC	XXX				0000	01	0000	NC	N	Y	N	Y	N
G6 00295	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00296	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00297	AQ	ACIDIC	XXX				0000	01	0000	NC	N	Y	N	Y	N
G6 00298	AQ	ACIDIC	XXX				0005	01	0000	NC	N	Y	N	Y	N
G6 00299	AQ	ACIDIC	XXX				0005	01	0000	NC	N	Y	N	Y	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(pps)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G6 00300	AQ	ACIDIC					0300	01	0000	NC	N	Y	N	Y	N
G6 00301	AQ	ACIDIC					0300	01	0000	NC	N	Y	N	Y	N
G6 00302	AQ	ACIDIC					0300	01	0000	NC	N	Y	N	Y	N
G6 00303	AQ	ACIDIC					0300	01	0000	NC	N	Y	N	Y	N
G6 00304	AQ	ACIDIC					0300	01	0000	NC	N	Y	N	Y	N
G6 00305	AQ	ACIDIC					0300	01	0000	NC	N	Y	N	Y	N
G6 00306	AQ	ACIDIC					0300	01	0000	NC	N	Y	N	Y	N
G6 00307	AQ	ACIDIC					0300	01	0000	NC	N	Y	N	Y	N
G6 00308	AQ	ACIDIC					0300	01	0000	NC	N	Y	N	Y	N
G6 00309	AQ	ACIDIC					0300	01	0000	NC	N	Y	N	Y	N
G6 00310	AQ	ACIDIC					0300	01	0000	NC	N	Y	N	Y	N
G6 00311	AQ	ACIDIC					0300	01	0000	NC	N	Y	N	Y	N
G6 00312	AQ	ACIDIC					0300	01	0000	NC	N	Y	N	Y	N
G6 00313	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00314	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00315	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00316	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00317	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00318	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00319	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00320	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G7 00321	AQ	CAUSTIC					0000	12	0000	NC	N	N	N	N	N
9 00322		ACIDIC		XXX			0040	06	0000	NC	N	N	N	Y	N
9 00323		ACIDIC		XXX			0040	06	0000	NC	N	N	N	Y	N
G10 00324		ACIDIC		XXX			0300	06	0000	C	N	N	Y	N	N
G10 00325		ACIDIC		XXX			0300	06	0000	C	N	N	Y	N	N
G6 00326	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00327	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00328	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00329	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00330	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00331	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
9 00332	AQ	ACIDIC		XXX			0000	06	0000	NC	N	N	N	Y	N
G6 00333 B	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00334 B	AQ	ACIDIC		XXX			0000	01	0000	NC	N	Y	N	Y	N
G6 00335 B	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00336 B	AQ	ACIDIC		XXX			0000	01	0000	NC	N	Y	N	Y	N
G6 00337 B	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00338 B	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00339 B	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
MT 00340 MT		~~NOT SAMPLED~~													
G6 00341 B	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00342 B	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00343 B	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00344 B	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00345 B	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00346 B	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00347 B	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00348 B	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00349 B	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G6 00350 B	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00351 B	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00352 B		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	Y	N
G6 00353	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00354	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00355	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00356	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00357 B		ACIDIC	XXX				0000	01	0000	NC	N	Y	N	Y	N
G6 00358	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00359 B	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
12 00360	AQ	CAUSTIC					0000	11	0000	NC	N	N	N	N	N
G7 00361	AQ	CAUSTIC					0000	12	0000	NC	N	N	N	N	N
G6 00362 B	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00363 B	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00364 B	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
12 00365	AQ	ACIDIC					0000	07 ~~01~~	0000	NC	N	N	N	N	N
9 00366	AQ	ACIDIC					0000	07 ~~01~~	0000	NC	N	N	N	Y	N
10 00367		ACIDIC	XXX				0000	05	0000	C	N	N	Y	N	N
6 00368	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G7 00369	AQ	CAUSTIC					0000	13	0000	NC	N	Y	N	Y	N
GS 00370		SOLID	XXX				0000	--	0000	C	N	~~Y~~	Y	N	N
6 00371	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00372 B	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
6 00373	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
S 00374		SOLID	XXX				0000	--	0000	NC	N	-	N	N	N
6 00375	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
6 00376	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G6 00377	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
6 00378			XXX				0040	01	0000		N	Y	Y	Y	N
G6 00379	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G7 00380		CAUSTIC	XXX				0060	12	0000	NC	N	N	N	N	N
G7 00381		CAUSTIC	XXX				0000	14	0000	C	N	Y	Y	N	N
G6 00382		SOLID	XXX				0000	--	0000	C	N	-	Y	Y	N
G6 00383		SOLID	XXX				0000	--	0000	C	N	-	Y	Y	N
G6 00384		SOLID	XXX				0000	--	0000	C	N	-	Y	Y	N
12 00385	AQ	CAUSTIC					0000	11	0000	NC	N	N	N	N	N
G7 00386		CAUSTIC	XXX				0100	12	0000	NC	N	N	N	N	N
G5 00387		ACIDIC	XXX				0000	02	0300	C	N	Y	Y	Y	N
S 00388		SOLID	XXX				0000	??	0000	SOLID	N	?	N	N	N
12 00389	AQ	CAUSTIC					0000	11	0000	NC	N	N	N	N	N
G7 00390		CAUSTIC	XXX				0000	14	0000	C	N	Y	Y	N	N
G7 00391		CAUSTIC	XXX				0000	14	0000	C	N	Y	Y	Y	N
G7 00392		CAUSTIC	XXX				0000	14	0000	C	N	Y	Y	Y	N
6 00393	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
7 00394	AQ	CAUSTIC					0000	14	0000	NC	N	Y	N	Y	N
7 00395	AQ	CAUSTIC					0000	12	0000	NC	N	N	N	N	N
NA 00396		NO DRUM													
NA 00397		NO DRUM													
NA 00398		NO DRUM													
NA 00399		NO DRUM													

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
NA 00400		NO DRUM													
G7 00401	AQ	CAUSTIC					0000	12	0000	NC	N	N	N	N	N
G7 00402	AQ	CAUSTIC					0000	12	0000	NC	N	N	N	N	N
12 00403	AQ	CAUSTIC					0000	11	0000	NC	N	N	N	N	N
G7 00404	AQ	CAUSTIC					0000	12	0000	NC	N	N	N	N	N
G7 00405	AQ	CAUSTIC					0000	12	0000	NC	N	N	N	N	N
G7 00406	AQ	CAUSTIC					0000	12	0000	NC	N	N	N	N	N
G7 00407	AQ	CAUSTIC					0000	12	0000	NC	N	N	N	N	N
G7 00408	AQ	CAUSTIC					0000	12	0000	NC	N	N	N	N	N
G7 00409	AQ	CAUSTIC					0000	12	0000	NC	N	N	N	N	N
G7 00410	AQ	CAUSTIC					0000	12	0000	NC	N	N	N	N	N
G7 00411	AQ	CAUSTIC					0000	13	0000	NC	N	Y	N	Y	N
12 00412	AQ	CAUSTIC					0000	11	0000	NC	N	N	N	N	N
12 00413	AQ	CAUSTIC					0000	11	0000	NC	N	N	N	N	N
G5 00414	AQ	ACIDIC					0013	01	0300	NC	N	Y	N	Y	N
12 00415	AQ	CAUSTIC					0000	11	0000	NC	N	N	N	N	N
G7 00416	AQ	CAUSTIC					0000	12	0000	NC	N	N	N	N	N
G7 00417	AQ	CAUSTIC					0000	13	0000	NC	N	Y	N	Y	N
12 00418	AQ	CAUSTIC					0000	11	0000	NC	N	N	N	N	N
G8 00419			XXX				0080	06	0000		N	N	Y	Y	N
G7 00420	AQ	CAUSTIC					0000	12	0000	NC	N	N	N	N	N
G7 00421	AQ	CAUSTIC					0000	13	0000	NC	N	Y	N	Y	N
G7 00422	AQ	CAUSTIC					0000	13	0000	NC	N	Y	N	Y	N
G7 00423	AQ	CAUSTIC					0000	12	0000	NC	N	N	N	N	N
G7 00424	AQ	CAUSTIC					0000	12	----	NC	N	N	N	N	N
G7 00425	AQ	CAUSTIC					0000	12	----	NC	N	N	N	N	N
S6 00426	AQ	ACIDIC					0000	01	----	NC	N	Y	N	Y	Y
G7 00427	AQ	CAUSTIC					0000	12	----	NC	N	N	N	N	N
G7 00428	AQ	CAUSTIC					0000	14	----	NC	N	Y	N	Y	
G7 00429	AQ	CAUSTIC					0000	13	----	NC	N	Y	N	Y	
G7 00430	AQ	CAUSTIC					0000	14	----	NC	N	Y	N	Y	
7 00431	AQ	CAUSTIC					0000	12	----	NC	N	N	N	N	N
G7 00432	AQ	CAUSTIC					0000	12	----	NC	N	N	N	N	N
G7 00433	AQ	CAUSTIC					0000	12	0000	NC	N	N	N	N	N
G7 00434	AQ	CAUSTIC					0000	12	0000	NC	N	N	N	N	N
G7 00435	AQ	CAUSTIC					0000	12	0000	NC	N	N	N	N	N
12 00436	AQ	CAUSTIC					0000	11	0000	NC	N	N	N	N	N
G7 00437	AQ	CAUSTIC					0000	12	0000	NC	N	N	N	N	N
9 00438		ACIDIC	XXX				0130	07	----	NC	N	N	N	Y	N
G8 00439			XXX				0150	06	0000		N	N	Y	Y	N
MT 00440		EMPTY DRUM													
9 00441		ACIDIC	XXX				0060	06	----	NC	N	N	N	Y	N
12 00442	AQ		XXX				0000	0	----	NC	N		N	N	N
12 00443	AQ						0000	05	0		N	N	N	N	N
MT 00444		EMPTY DRUM													
MT 00445		EMPTY DRUM													
12 00446	AQ	ACIDIC					0000	04	----	NC	N	N	N	N	N
12 00447			XXX				0000	09	0000		N	N	N	N	N
9 00448		ACIDIC	XXX				0080	07	0000	NC	N	N	N	Y	N
12 00449			XXX				0000	06	0000		N	N	N	N	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G5 00450 MCl		SOLID		XXX			0040	06	0000	SOLID	N	N	Y	N	N
S 00451		SOLID		XXX			0000		0000	C	N		Y	N	N
G7 00452	AQ	CAUSTIC					0000	12	0000	NC	N	N	N	N	N
G7 00453	AQ	CAUSTIC					0000	12	0000	NC	N	N	N	N	N
G7 00454	AQ	CAUSTIC					0000	12	0000	NC	N	N	N	N	N
G7 00455	AQ	CAUSTIC					0000	13	0000	NC	N	Y	N	N	N
12 00456		ACIDIC		XXX			0060	06	0000	NC	N	N	N	N	N
G10 00457 MEK		ACIDIC		XXX			0050	06	0000	C	N	N	Y	N	N
12 00458		ACIDIC		XXX			0000	05	0000	NC	N	N	N	N	N
G7 00459	AQ	CAUSTIC					0000	12	0000	NC	N	N	N	N	N
G7 00460	AQ	CAUSTIC					0000	14	0000	NC	N	Y	N	N	N
G7 00461	AQ	CAUSTIC					0000	14	0000	NC	N	Y	N	N	N
12 00462	AQ	CAUSTIC					0000	11	0000	NC	N	N	N	N	N
9 00463		ACIDIC		XXX			0150	06	0000	NC	N	N	N	Y	N
12 00464		ACIDIC		XXX			0000	04	0000	NC	N	N	N	N	N
12 00465		ACIDIC		XXX			0013	07	0000	NC	N	N	N	N	N
G8 00466				XXX			0050	06	0000		N	N	Y	Y	N
G10 00467		ACIDIC		XXX			0025	06	0000	C	N	N	Y	N	N
12 00468	AQ	ACIDIC					0000	03	0000	NC	N	N	N	N	N
G8 00469				XXX			0070	07	0000		N	N	Y	XY	N
9 00470		ACIDIC		XXX			0060	06	0000	NC	N	N	N	Y	N
9 00471	AQ	ACIDIC					0110	06	0000	NC	N	N	N	Y	N
G8 00472				XXX			0100	06	0000		N	N	Y	Y	N
G8 00473				XXX			0150	07	0000		N	N	Y	Y	N
G8 00474				XXX			0150	06	0000		N	N	Y	Y	N
G10 00475 IPA				XXX			0040	06	0000		N	N	Y	N	N
G8 00476				XXX			0070	04	0000		N	N	Y	Y	N
S 00477		SOLID		XXX			0020	06	0000	SOLID	N	N	Y	N	N
MT 00478		EMPTY DRUM													
G 2 00479					***		0000	06	0000		N	N	Y	N	N
G8 00480				XXX			0200	06	0000		N	N	Y	Y	N
G10 00481				XXX			0000	06	0000		N	N	Y	N	N
G 8 00482				XXX			0020	06	0000		N	N	Y	Y	N
12 00483				XXX			0000	06	0000		N	N	N	N	N
G 10 00484				XXX			0005	11	0000		N	N	Y	N	N
G 10 00485				XXX			0020	11	0000		N	N	Y	N	N
9 00486				XXX			0090	06	0000		N	N	N	Y	N
G10 00487				XXX			0000	06	0000		N	N	Y	N	N
G 8 00488				XXX			0100	07	0000		N	N	Y	Y	N
G8 00489				XXX			0100	06	0000		N	N	Y	Y	N
12 00490				XXX			0000	03	0000		N	N	N	N	N
MT 00491		EMPTY DRUM													
G 10 00492				XXX			0000	06	0000		N	N	Y	N	N
G8 00493				XXX			0100	06	0000		N	N	Y	Y	N
12 00494				XXX			0010	06	0000		N	N	N	N	N
S 00495	solid	UNKNOWN		XXX			0000	(--)	0000	C	N		Y	N	N
12 00496				XXX			0040	05	0000		N	N	N	N	N
12 00497	AQ	ACIDIC					0000	06	0000	NC	N	N	N	N	N
G7 00498	AQ	CAUSTIC					0000	12		NC	N	N	N	N	N
G7 00499	AQ	CAUSTIC		XXX			0000	14		C	N	Y	Y	Y	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
9 00500		ACIDIC	XXX				0050	06	0000	NC	N	N	N	Y	N
G9 00501			XXX				0130	07	0000	NC	N	N	N	Y	N
12 00502	AQ	ACIDIC	XXX				0050	05	0000	NC	N	N	N	N	N
G7 00503		CAUSTIC	XXX				0060	12	0000	C	N	N	Y	N	N
9 00504		ACIDIC	XXX				0300	08	0000	NC	N	N	N	Y	N
9 00505		ACIDIC	XXX				0060	04	0000	NC		N	N	Y	N
S 00506		SOLID	XXX				0000		0000	C	N		Y	N	N
12 00507		ACIDIC	XXX				0100	04	0000	NC	N	N	N	N	N
12 00508	AQ	ACIDIC					0000	04	0000	NC	N	N	N	N	N
G9 00509		ACIDIC	XXX				0060	05	0000	NC	N	N	N	Y	N
12 00510	AQ	ACIDIC					0000	04	0000	NC	N	N	N	N	N
G10 00511		ACIDIC	XXX				0000	06	0000	C	N	N	Y	N	N
G7 00512		CAUSTIC	XXX				0000	12	0000	C	N	N	Y	N	N
G7 00513		CAUSTIC	XXX				0000	13	0000	C	N	Y	Y	Y	N
12 00514	AQ	ACIDIC					0000	03	0000	NC	N	N	N	N	N
G 12 00515 MCl		ACIDIC	XXX				0020	05	0000	C	N	N	Y	N	N
G8 00516			XXX				0200	03	0000		N	N	Y	Y	N
12 00517		ACIDIC	XXX				0010	05	0000	NC	N	N	N	N	N
S 00518	solid	~~CAUSTIC~~	XXX				0010		0000	C	N		Y	N	N
G 10 00519			XXX				0020	06	0000		N	N	Y	N	N
12 00520		ACIDIC	XXX				0070	06	0000	NC	N	N	N	N	N
12 00521		ACIDIC	XXX				0100	06	0000	NC	N	N	N	N	N
12 00522		ACIDIC	XXX				0020	07	0000	NC	N	N	N	N	N
12 00523		ACIDIC	XXX				0050	07	0000	NC	N	N	N	N	N
12 00524		ACIDIC	XXX				0008	04	0000	NC	N	N	N	N	N
12 00525			XXX				0000	06	0000		N	N	N	N	N
12 00526	AQ	ACIDIC					0000	06	0000	NC	N	N	N	N	N
12 00527			XXX				0010	06	0000		N	N	N	N	N
12 00528		CAUSTIC	XXX				0006	09	0000	NC	N	N	N	N	N
12 00529		ACIDIC	XXX				0019	05	0000	NC	N	N	N	N	N
12 00530			XXX				0000	06	0000		N	N	N	N	N
12 00531		ACIDIC	XXX				0000	06	0000	NC	N	N	N	N	N
G 10 00532			XXX				0010	09	0000		N	N	Y	N	N
12 00533		ACIDIC	XXX				0005	08	0000	NC	N	N	N	N	N
12 00534		ACIDIC	XXX				0000	06	0000	NC	N	N	N	N	N
S 00535		SOLID	XXX				0000		0000	C	N		Y	N	N
S 00536		SOLID	XXX				0008		0000	C	N		Y	N	
G 10 00537			XXX				0010	06	0000		N	N	Y	N	N
G10 00538		ACIDIC	XXX				0000	06	0000	C	N	N	Y	N	
G12 00539	AQ	CAUSTIC					0000	11	0000	NC	N	N	N	N	
G8 00540 Ace		ACIDIC	XXX				0300	06	0000	C	N	N	Y	Y	
G 8 00541 Ace			XXX				0200	06	0000		N	N	Y	Y	N
12 00542		ACIDIC	XXX				0100	05	0000	NC	N	N	N	N	
G7 00543	AQ	CAUSTIC					0000	12	0000	NC	N	N	N	N	
12 00544		ACIDIC	XXX				0000	06	0000	NC	N	N	N	N	
MT 00545 MT		~~NOT SAMPLED~~													
12 00546		ACIDIC	XXX				0040	05	0000	NC	N	N	N	N	
12 00547			XXX				0000	06	0000		N	N	N	N	N
12 00548	AQ	CAUSTIC					0000	10	0000	NC	N	N	N	N	
S 00549		SOLID	XXX				0000		0000	C	N		Y	N	

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
S 00550	Too solid to sample	~~NOT SAMPLED~~													
12 00551		ACIDIC			XXX		0000	05	0000	NC	N	N	N	N	
12 00552		ACIDIC			XXX		0000	06	0000	NC	N	N	N	N	
S 00553		SOLID			XXX		0012		0000	C	N		Y	N	
9 00554					XXX		0070	08	0000		N	N	N	Y	N
G10 00555					XXX		0500	07	0000		N	N	Y	N	N
12 00556		ACIDIC			XXX		0150	05	0000	NC	N	N	N	N	N
S 00557		SOLID			XXX		020		0000	C	N		Y	N	N
G10 00558		ACIDIC			XXX		0160	06	0000	C	N	N	Y	N	N
12 00559		ACIDIC			XXX		0000	05	0000	NC	N	N	N	N	N
G 10 00560					XXX		0050	06	0000		N	N	Y	N	N
S 00561		SOLID			XXX		0050		0000	C	N		Y	N	N
G 8 00562		ACIDIC			XXX		0150	06	0000	C	N	N	Y	Y	N
G10 00563	Trike				XXX		0200	06	0000		N	N	Y	N	N
G 8 00564		ACIDIC			XXX		0150	07	0000	C	N	N	Y	Y	N
G 8 00565		ACIDIC			XXX		0200	06	0000	C	N	N	Y	Y	N
G10 00566		ACIDIC			XXX		0005	07	0000	C	N	N	Y	N	N
G8 00567					XXX		0200	06	0000		N	N	Y	Y	N
G10 00568		ACIDIC			XXX		0200	06	0000	C	N	N	Y	N	N
G10 00569		ACIDIC			XXX		0000	06	0000	C	N	N	Y	N	N
MT 00570	MT	~~NOT SAMPLED~~													
12 00571		ACIDIC			XXX		0010	06	0000	NC	N	N	N	N	N
12 00572		ACIDIC			XXX		0030	06	0000	NC	N	N	N	N	N
G10 00573		ACIDIC			XXX		0020	06	0000	C	N	N	Y	N	N
12 00574		ACIDIC			XXX		0020	06	0000	NC	N	N	N	N	N
12 00575		ACIDIC			XXX		0000	06	0000	NC	N	N	N	N	N
12 00576		ACIDIC			XXX		0000	06	0000	NC	N	N	N	N	N
12 00577		ACIDIC			XXX		0070	06	0000	NC	N	N	N	N	N
12 00578		ACIDIC			XXX		0100	05	0000	NC	N	N	N	N	N
12 00579		ACIDIC			XXX		0300	07	0000	NC	N	N	N	N	N
12 00580		ACIDIC			XXX		0030	07	0000	NC	N	N	N	N	N
12 00581		ACIDIC			XXX		0030	05	0000	NC	N	N	N	N	N
9 00582		ACIDIC			XXX		0020	08	0000	NC	N	N	N	Y	N
G8 00583					XXX		0200	06	0000		N	N	Y	Y	N
G10 00584		ACIDIC			XXX		0250	07	0000	C	N	N	Y	N	N
G3 00585		SOLID			XXX		0250	--	0000	C	N	-	Y	N	N
MT 00586	MT	~~NOT SAMPLED~~													
S 00587		SOLID			XXX		0100	--	0000	C	N	-	Y	N	N
S 00588		SOLID			XXX		0000	--	0000	C	N	-	Y	N	N
9 00589		ACIDIC			XXX		0010	08	0000	NC	N	N	N	Y	N
G8 00590					XXX		0200	06	0000		N	N	Y	Y	N
12 00591	AQ	ACIDIC					0000	07	0000	NC	N	N	N	N	N
G8 00592					XXX		0100	06	0000		N	N	Y	Y	N
G10 00593		ACIDIC			XXX		0300	06	0000	C	N	N	Y	N	N
G8 00594		REACTIVE			XXX		0200	08	0	C	N	N	Y	Y	N
G10 00595		ACIDIC			XXX			06	0000	C	N	N	Y	N	N
G 5 00596		REACTIVE			XXX		0300	08	0000	C	N	N	Y	Y	N
G8 00597					XXX		0200	06	0000		N	N	Y	Y	N
S 00598		SOLID			XXX		0200	06	0000	SOLID	N	N	Y	N	N
G8 00599					XXX		0200	06	0000		N	N	Y	Y	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G 8 00600	MEK			XXX			0200	07	0000		N	N	Y	Y	N
G8 00601				XXX			0200	06	0000		N	N	Y	Y	N
G 8 00602	MEK			XXX			0200	06	0000		N	N	Y	Y	N
G 12 00603	MEK	ACIDIC		XXX			0300	07	0000	C	N	N	Y	N	N
G 8 00604	MEK	ACIDIC		XXX			0300	05	0	C	N	N	Y	Y	N
12 00605		ACIDIC		XXX			0010	06	0000	NC	N	N	N	N	N
G 8 00606	Acl	ACIDIC		XXX			0300	08	0000	C	N	N	Y	Y	N
G 8 00607		ACIDIC		XXX			0300	07	0000	C	N	N	Y	Y	N
G 11 00608		ACIDIC		XXX			0030	08	0150	C	N	N	Y	N	N
G 8 00609		ACIDIC		XXX			0300	06	0000	C	N	N	Y	N	N
G 8 00610	Acl	ACIDIC		XXX			0100	06	0000	C	N	N	Y	N	N
G 8 00611	Acl	ACIDIC		XXX			0050	06	0000	C	N	N	Y	N	N
G10 00612	MEK	ACIDIC		XXX			0100	05	0000		N	N	Y	N	N
G 8 00613	MEK	ACIDIC		XXX			0150	05	0000	C	N	N	Y	N	N
G 10 00614				XXX			0100	03	0000	ACIDIC	N	N	Y	N	N
G 8 00615		ACID/REACTV		XXX			0150	05	0000	ACIDIC	N	N	Y	Y	N
G 8 00616	Acl	ACID/REACTV		XXX			0100	07	0000	ACIDIC	N	N	Y	Y	N
G 8 00617	Acl	ACID/REACTV		XXX			0150	07	0000	ACIDIC	N	N	Y	Y	N
G10 00618				XXX			0250	05	0000	ACIDIC	N	N	Y	N	N
G 8 00619		ACID/REACTV		XXX			0100	03	0000	ACIDIC	N	N	Y	Y	N
12 00620				XXX			0000	05	0000	ACIDIC	N	N	N	N	N
G 8 00621	Acl	ACID/REACTV		XXX			0200	06	0000	ACIDIC	N	N	Y	Y	N
12 00622				XXX			0000	05	0000	ACIDIC	N	N	N	N	N
G 8 00623	Acl	ACID/REACTV		XXX			0300	07	0000	ACIDIC	N	N	Y	Y	N
G 6 00624		ACID/REACTV		XXX			0000	01	0000	CORR.	N	Y	N	Y	N
~~00625~~		~~NOT SAMPLED~~													
G10 00625				XXX			0200	06	0000		N	N	Y	N	N
G10 00626	Acl			XXX			0200	06	0000		N	N	Y	N	N
G8 00627				XXX			0200	06	0000		N	N	Y	Y	N
G8 00628		ACID/REACTV		XXX			0250	05	0000	C	N	N	Y	Y	N
12 00629		ACIDIC		XXX			0020	05	0000	NC	N	N	N	N	N
G8 00630				XXX			0200	06	0000		N	N	Y	Y	N
G8 00631		ACID/REACTV		XXX			0100	08	0000	C	N	N	Y	Y	
12 00632		CAUSTIC		XXX			0050	09	0000	NC	N	N	N	N	
12 00633		ACIDIC		XXX			0000	07	0000	NC	N	N	N	N	
G10 00634		CAUSTIC		XXX			0150	10	0000	C	N	N	Y	N	
G8 00635		ACID/REACTV		XXX			0250	05	0000	C	N	N	Y	Y	
G 8 00636				XXX			0200	06	0000		N	N	Y	Y	N
12 00637		ACIDIC		XXX			0000	07	0000	NC	N	N	N	N	0
12 00638		ACIDIC		XXX			0000	07	0000	NC	N	N	N	N	
G8 00639	MEK	ACID/REACTV		XXX			0250	07	0000	C	N	N	Y	Y	
G 10 00640				XXX			0100	04	0000		N	N	Y	N	N
12 00641				XXX			0000	05	0000		N	N	N	N	N
S 00642		SOLID		XXX			0200	77	0000	SOLID	N	?	Y	N	N
G8 00643				XXX			0300	5	0000		N	N	Y	Y	N
G10 00644				XXX			0150	07	0000		N	N	Y	N	N
G10 00645	Acl			XXX			0300	05	0000		N	N	Y	N	N
G 8 00646	Acl			XXX			0200	07	0000		N	N	Y	Y	N
G 8 00647	Acl			XXX			0300	07	0000		N	N	Y	Y	N
9 00648				XXX			0100	07	0000		N	N	N	Y	N
G 8 00649	Acl			XXX			0300	07	0000		N	N	Y	Y	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G10 00650	Ace		XXX				0300	11	0000		N	N	Y	N	N
G10 00651			XXX				0200	11	0000		N	N	Y	N	N
~~00652~~		~~NOT SAMPLED~~													
S 00652		SOLID	XXX				0200	07	0000	SOLID	N	?	Y	N	N
9 00653			XXX				0200	07	0000		N	N	N	Y	N
G10 00654			XXX				0300	07	0000		N	N	Y	N	N
G10 00655			XXX				0150	06	0000		N	N	Y	N	N
G10 00656	MCl		XXX				0300	08	0000		N	N	Y	N	N
~~00657~~		~~NOT SAMPLED~~													
G10 00657	Ace		XXX				0200	06	0000		N	N	Y	N	N
G10 00658			XXX				0300	04	0000		N	N	Y	N	N
G10 00659	Ace		XXX				0180	05	0000		N	N	Y	N	N
G 8 00660	Ace		XXX				0200	06	0000		N	N	Y	Y	N
~~00661~~		~~NOT SAMPLED~~													
G 8 00661	Ace		XXX				0200	06	0000		N	N	Y	Y	N
~~00662~~		~~NOT SAMPLED~~													
G 8 00662	Ace		XXX				0020	07	0000		N	N	Y	Y	N
9 00663			XXX				0150	09	0000		N	N	N	Y	N
G 2 00664	Ace		XXX				0200	08	0000		N	N	Y	Y	N
G10 00665			XXX				0300	08	0000		N	N	Y	N	N
~~00666~~		~~NOT SAMPLED~~													
G 8 00666			XXX				0200	06	0000		N	N	Y	Y	N
~~00667~~		~~NOT SAMPLED~~													
G10 00667			XXX				0020	06	0000		N	N	Y	N	N
G8 00668			XXX				0150	08	0000		N	N	Y	Y	N
9 8 00669			XXX				0300	07	0000		N	N	Y	Y	N
12 00670			XXX				0150	05	0000		N	N	N	N	N
G10 00671			XXX				0120	06	0000		N	N	Y	N	N
G 2 00672				+++			0200	05	0000		N	N	Y	N	N
~~00673~~		~~NOT SAMPLED~~													
G10 00673			XXX				0200	07	0000		N	N	Y	N	N
G 10 00674			XXX				0200	06	0000		N	N	Y	N	N
12 00675			XXX				0300	03	0000		N	N	N	N	N
G 10 00676			XXX				0050	08	0000		N	N	Y	N	N
~~00677~~		~~NOT SAMPLED~~													
G8 00677			XXX				0450	07	0000		N	N	Y	Y	N
G10 00678		2 PHASE	XXX				0050	10	0000		N	N	Y	N	N
7 00679	AQ						0000	12	0000		N	N	N	N	N
G7 00680	AQ						0000	12	0000		N	N	N	N	N
G7 00681			XXX				0000	12	0000		N	N	N	N	N
G 7 00682			XXX				0000	12	0000		N	N	N	N	N
9 00683			XXX				0070	06	0000		N	N	N	Y	N
~~00684~~		~~NOT SAMPLED~~													
G8 00684			XXX				0200	06	0000		N	N	Y	Y	N
G 8 00685			XXX				0200	06	0000		N	N	Y	Y	N
G10 00686			XXX				0030	07	0000		N	N	Y	N	N
G10 00687			XXX				0020	07	0000	C	N	N	Y	N	N
G10 00688			XXX				0130	06	0000	C	N	N	Y	N	N
11 00689			XXX				0150		+050	C	N	N	Y	N	N
G10 00690			XXX				0010	06	0000	C	N	N	Y	N	N
G10 00691			XXX				0030	06	0000	C	N	N	Y	N	N
G10 00692			XXX				0100	03	0000		N	N	Y	N	N
G10 00693			XXX				0030	07	0000	C	N	N	Y	N	N
S 00694		SOLID	XXX				0000		0000	C	N		Y	N	N
G10 00695	LOS		XXX				0020	07	0000	C	N	N	Y	N	N
G10 00696			XXX				0000	07	0000	C	N	N	Y	N	N
7 00697			XXX				0040	13	0000	C	N	Y	Y	Y	N
G12 00698			XXX				0040	07	0000	NC	N	N	N	N	N
G 7 00699			XXX				0020	14	0000	C	N	Y	Y	N	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
12 00700			XXX				0000	06	0000	NC	N	N	N	N	N
G12 00701	AQ	ACIDIC					0012	07	0000	NC	N	N	N	N	-
2 00702		SOLID		174			0000	??	0000	SOLID	N	?	N	N	N
G.3 00703	AQ	ACIDIC					0012	07	0000	NC	N	N	N	N	-
12 00704	AQ	ACIDIC					0012	07	0000	NC	N	N	N	N	-
12 00705	AQ	ACIDIC					0007	04	0000	NC	N	N	N	N	-
G10 00706		ACIDIC	XXX				0025	07	0000	C	N	N	Y	N	-
G10 00707			XXX				0040	03	0000		N	N	Y	N	N
12 00708	AQ	CAUSTIC					0000	11	0000	NC	N	N	N	N	-
12 00709	AQ	CAUSTIC					0000	11	0000	NC	N	N	N	N	-
S 00710		SOLID	XXX				0000	--	0000	NC	N	-	N	N	-
S 00711		SOLID	XXX				0000	--	0000	NC	N	-	N	N	-
G10 00712			XXX				0100	06	0000	C	N	N	Y	N	-
S 00713		SOLID	XXX				0000	--	0000	NC	N	-	N	N	-
12 00714		CAUSTIC	XXX				0000	11	0000	NC	N	N	N	N	-
12 00715	AQ	ACIDIC					0000	04	0000	NC	N	N	N	N	-
G10 00716		ACIDIC	XXX				0300	04	0000	C	N	N	Y	N	N
G10 00717		ACIDIC	XXX				0350	05	0000	C	N	N	Y	N	N
S 00718		SOLID	XXX				0100	--	0000	C	N	-	Y	N	N
12 00719		ACIDIC	XXX				0100	06	0000	NC	N	N	N	N	N
G10 00720	AQ	ACIDIC	XXX				0300	04	0000	C	N	N	Y	N	N
12 00721	AQ	ACIDIC					0000	06	0000	NC	N	N	N	N	N
G8 00722			XXX				0020	07	0000		N	N	Y	Y	N
G6 00723B	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	N	N
6 00724	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	N	N
G7 00725		CAUSTIC	XXX				0030	14	0000	C	N	Y	Y	N	N
G5 00726	AQ	ACIDIC					0000	01	0150	NC	N	Y	N	N	N
G11 00727		ACIDIC	XXX				0150	06	0200	C	N	N	Y	N	N
G6 00728	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	N	N
6 00729	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	N	N
12 00730			XXX				0040	10	0000		N	N	N	N	N
12 00731		ACIDIC	XXX				0030	05	0000	NC	N	N	N	N	N
12 00732			XXX				0000	09	0000		N	N	N	N	N
S 00733		SOLID	XXX				0000	--	0000	NC	N	-	N	N	N
12 00734	AQ	ACIDIC					0000	06	0000	NC	N	N	N	N	N
12 00735	AQ	ACIDIC					0000	06	0000	NC	N	N	N	N	N
12 00736			XXX				0300	09	0000		N	N	N	N	N
6 00737	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
~~00737~~	~~AQ~~	~~ACIDIC~~					~~0000~~	~~01~~	~~0000~~	~~NC~~	~~N~~	~~Y~~	~~N~~	~~Y~~	~~N~~
11 00738	AQ	ACIDIC					0000	03	0300	NC	N	N	N	N	N
12 00739	AQ	CAUSTIC					0000	11	0000	NC	N	N	N	N	N
G6 00740	AQ	ACIDIC					0000	01	0000	NC	N	Y	N	Y	N
G5 00741 B	AQ	ACIDIC					0000	01	0150	NC	N	Y	N	Y	N
S 00742		SOLID-CAU	XXX				0000	12	0000	NC	N	N	N	N	N
G5 00743 B	AQ	ACIDIC					0000	01	0250	NC	N	Y	N	Y	N
MT 00744	MT	~~NOT SAMPLED~~													
12 00745		AQ					0000	07	0000	NC	N	N	N	N	N
G10 00746		AQ					0000	05	0000	C	N	N	Y	N	N
G10 00747			XXX				0010	05	0000	C	N	N	Y	N	N
G5 00748		SLUDGE	XXX				0007		0000	C	N		Y	N	N
S 00749		SOLID	XXX				0007		0000	C	N		Y	N	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G7 00750			XXX				0000	13	0000	C	N	Y	Y	N	N
G11 00751			XXX				0350	06	+150	C-	N	N	Y	N	N
12 00752			XXX				0010	06	0000	NC	N	N	N	N	N
G10 00753			XXX				0010	07	0000	C	N	N	Y	N	N
12 00754		sludge	XXX				0010		0000	NC	N		N	N	N
G10 00755			XXX				0150	06	0000	C	N	N	Y	N	N
S 00756		solid	XXX				0020		+300	NC	N		N	N	N
G10 00757			XXX				0000	07	0000	C	N	N	Y	N	N
12 00758			XXX				0000	07	0000	NC	N	N	N	N	N
9 00759			XXX				0000	08	0000	NC	N	N	N	Y	N
12 00760			XXX				0000	08	0000	NC	N	N	N	N	N
12 00761			XXX				0000	08	0000	NC	N	N	N	N	N
12 00762			XXX				0000	10	0000	NC	N	N	N	N	N
G7 00763			XXX				0000	14	0000	C	N	Y	Y	Y	N
G8 00764			XXX				0020		0000	C	N		Y	Y	N
12 00765			XXX				0010	07	0000	NC	N	N	N	N	N
12 00766			XXX				0015	06	0000	NC	N	N	N	N	N
S 00767		SOLID	XXX				0010	??	0000	SOLID	N	?	N	N	N
12 00768			XXX				0000	07	0000		N	N	N	N	N
12 00769			XXX				0010	08	0000		N	N	N	N	N
S 00770		SOLID	XXX				0000	??	0000	SOLID	N	?	N	N	N
G10 00771			XXX				0150	06	0000		N	N	Y	N	N
9 00772	LOS		XXX				0000	07	0000		N	N	N	Y	N
G10 00773			XXX				0100	08	0000		N	N	Y	N	N
12 00774			XXX				0010	06	0000		N	N	N	N	N
12 00775			XXX				0000	08	0000		N	N	N	N	N
G5 00776			XXX				0010	00	+50	O	N	Y	N	N	N
12 00777			XXX				0000	06	0000		N	N	N	N	N
12 00778			XXX				0000	05	0000		N	N	N	N	N
12 00779			XXX				0000	08	0000		N	N	N	N	N
12 00780			XXX				0000	08	0000		N	N	N	N	N
G10 00781			XXX				0000	07	0000		N	N	Y	N	N
S 00782		SOLID	XXX				0000	??	0000	SOLID	N	?	Y	N	N
7 00783			XXX				0000	13	0000		N	Y	Y	Y	N
12 00784			XXX				0000	08	0000		N	N	N	N	N
G10 00785			XXX				0050	06	0000	C	N	N	Y	N	N
10 00786			XXX				0000	05	0000	C	N	N	Y	N	N
12 00787			XXX				0000	06	0000	NC	N	N	N	N	N
12 00788			XXX				0000	07	0000	NC	N	N	N	N	N
12 00789			XXX				0000	07	0000	NC	N	N	N	N	N
G6 00790	B		XXX				0050	02	0000	C	N	Y	Y	Y	N
S 00791		SLUDGE	XXX				0010		0000	C	N		Y	N	N
G10 00792			XXX				0000	06	0000	C	N	N	Y	N	N
S 00793		SLUDGE	XXX				0020		0000	C	N		Y	N	N
G10 00794			XXX				0300	06	0000	C	N	N	Y	N	N
9 00795			XXX				0020	08	0000	NC	N	N	N	Y	N
12 00796			XXX				0000	06	0000	NC	N	N	N	N	N
S 00797		SLUDGE	XXX				0050		0000	C	N		Y	N	N
G7 00798			XXX				0040	12	0000	C	N	N	Y	N	N
12 00799			XXX				0010	10	0000	NC	N	N	N	N	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
S 00800	solid		XXX				0030	( )	0000	C	N		Y	N	N
G1D 00801		ACID/REACTV	XXX				0150	06	0000	C	N	N	Y	N	N
S 00802		SOLID	XXX				0130		0000	C	N		Y	N	N
S 00803		SOLID	XXX				0300		0000	C	N		Y	N	N
G8 00804		ACID/REACTV	XXX				0130	06	0000	C	N	N	Y	Y	N
12 00805		CAUSTIC	XXX				0100	11	0000	NC	N	N	N	N	N
G8 00806		ACID/REACTV	XXX				0100	07	0000	C	N	N	Y	Y	N
G8 00807		ACID/REACTV	XXX				0150	07	0000	C	N	N	Y	Y	N
G11 00808		ACID/REACTV	XXX				0000	07	0100	NC	N	N	N	Y	N
9 00809		ACID/REACTV	XXX				0100	05	0000	NC	N	N	N	Y	N
G10 00810			XXX				0050	07	0000		N	N	Y	N	N
9 00811		ACID/REACTV	XXX				0150	06	0000	NC	N	N	N	Y	N
G8 00812			XXX				0200	06	0000		N	N	Y	Y	N
G S 00813		SOLID	XXX				0200		0000	C	N		Y	N	N
G1D 00814		ACIDIC	XXX				0100	07	0000	C	N	N	Y	N	N
G1D 00815		ACIDIC	XXX					06	0000	C	N	N	Y	N	N
9 00816		ACID/REACTV	XXX				0200	07	0000	NC	N	N	N	Y	N
G10 00817		ACIDIC	XXX				0250	07	0000	C	N	N	Y	N	N
B10 00818		ACIDIC	XXX				0250	07	0000	C	N	N	Y	N	N
G8 00819 IPA		ACID/REACTV	XXX				0050	07	0000	C	N	N	Y	Y	N
G10 00820 Trike		ACIDIC	XXX				0015	05	0000	C	N	N	Y	N	N
G10 00821 Trike		CAUSTIC	XXX				0300	11	0000	C	N	N	Y	N	N
G10 00822		ACIDIC	XXX				0000	08	0000	C	N	N	Y	N	N
G 10 00823			XXX				0000	07	0000		N	N	Y	N	Y
(NA) 00824		AEROSOLCANS													
G10 00825 Trike			XXX				0200	06	0000		N	N	Y	N	N
G10 00826 Trike			XXX				0200	06	0000		N	N	Y	N	N
G 10 00827 MEK			XXX				0200	06	0000		N	N	Y	N	N
G10 00828 Trike			XXX				0200	06	0000		N	N	Y	N	N
G10 00829		ACIDIC	XXX				0250	06	0000	C	N	N	Y	(N)	N
G2 00830 ✓		ACIDIC		***			0300	06	0000	C	N	N	Y	N	N
G10 00831		ACIDIC	XXX				0300	06	0000	C	N	N	Y	N	N
G10 00832 Trike		ACIDIC	XXX				0300	06	0000	C	N	N	Y	N	N
G 10 00833 MEK			XXX				0200	06	0000		N	N	Y	N	N
G 2 00834 ✓		ACIDIC		***			0300	06	0000	C	N	N	Y	N	N
G10 00835		ACIDIC	XXX				0300	06	0000	C	N	N	Y	N	N
G 10 00836		ACIDIC	XXX				0300	08	0000	C	N	N	Y	N	N
G 2 00837 ✓		ACIDIC		***			0300	06	0000	C	N	N	Y	N	N
~~[illegible]~~		~~ACIDIC~~		~~***~~			~~0300~~	~~06~~	~~0000~~	~~C~~	~~N~~	~~N~~	~~Y~~	~~N~~	~~N~~
G10 00838 Trike		ACIDIC	XXX				0300	06	0000	C	N	N	Y	N	N
G10 00839		ACIDIC	XXX				0300	06	0000	C	N	N	Y	N	N
G10 00840		CAUSTIC	XXX				0300	11	0000	C	N	N	Y	N	N
9 00841		ACID/REACTV	XXX				0100	06	0000	NC	N	N	N	Y	N
9 00842		ACID/REACTV	XXX				0060	06	0000	NC	N	N	N	Y	N
G8 00843 IPA			XXX				0100	06	0000		N	N	Y	Y	N
G9 00844		ACID/REACTV	XXX				0120	06	0000	NC	N	N	N	Y	N
9 00845		ACID/REACTV	XXX				0060	06	0000	NC	N	N	N	Y	N
12 00846		ACID	XXX				0000	06	0000	NC	N	N	N	N	N
12 00847		ACIDIC	XXX				0000	06	0000	NC	N	N	N	N	N
G10 00848 IPA		ACIDIC	XXX				0050	06	0000	C	N	N	Y	N	N
12 00849		ACIDIC	XXX				0150	06	0000	NC	N	N	N	N	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
12 00850		ACIDIC	XXX				0000	06	0000	NC	N	N	N	N	N
12 00851			XXX				0000	06	0000		N	N	N	N	N
G 10 00852			XXX				0200	06	0000		N	N	Y	N	N
12 00853			XXX				0000	07	0000		N	N	N	N	N
12 00854			XXX				0090	07	0000		N	N	N	N	N
12 00855		ACIDIC	XXX				0000	06	0000	NC	N	N	N	N	N
12 00856		ACIDIC	XXX				0000	06	0000	NC	N	N	N	N	N
12 00857		ACIDIC	XXX				0015	06	0000	NC	N	N	N	N	N
G 10 00858	MEK	ACIDIC	XXX				0080	06	0000	C	N	N	Y	N	N
G 2 00859				***			0020	06	0000		N	N	Y	N	N
12 00860		ACIDIC	XXX				0070	08	0000	NC	N	N	N	N	N
G 8 00861			XXX				0100	07	0000	ACIDIC	N	N	Y	Y	N
G 8 00862			XXX				0070	07	0000	ACIDIC	N	N	Y	Y	N
G 8 00863			XXX				0070	07	0000	ACIDIC	N	N	Y	Y	N
G 8 00864			XXX				0070	07	0000	ACIDIC	N	N	Y	Y	N
G 8 00865			XXX				0070	07	0000	ACIDIC	N	N	Y	Y	N
G 8 00866			XXX				0050	07	0000	ACIDIC	N	N	Y	Y	N
G 8 00867			XXX				0120	07	0000	ACIDIC	N	N	Y	Y	N
G 8 00868			XXX				0050	07	0000	ACIDIC	N	N	Y	Y	N
G 2 00869		SOLID		***			0020	??	0000	SOLID	N	?	Y	N	N
S 00870		SOLID	XXX				0000	??	0000	SOLID	N	?	Y	N	N
12 00871			XXX				0020	07	0000	ACIDIC	N	N	N	N	N
G 2 00872				***			0070	07	0000	ACIDIC	N	N	Y	N	N
G 2 00873				***			0100	06	0000	ACIDIC	N	N	Y	N	N
G 2 00874				***			0050	05	0000	ACIDIC	N	N	Y	N	N
G 2 00875				***			0080	06	0000	ACIDIC	N	N	Y	N	N
G 10 00876			XXX				0050	06	0000	ACIDIC	N	N	Y	N	N
G 10 00877			XXX				0120	06	0000	ACIDIC	N	N	Y	N	N
12 00878			XXX				0000	07	0000	ACIDIC	N	N	N	N	N
G 10 00879		ACIDIC	XXX				0020	08	0000	C	N	N	Y	N	N
G 2 00880				***			0200	06	0000		N	N	Y	N	N
G 10 00881			XXX				0020	06	0000		N	N	Y	N	N
G 2 00882 ✓		ACIDIC		***			0180	06	0000	C	N	N	Y	N	N
S 00883		SOLID	XXX				0013		0000	C	N		Y	N	N
S 00884		SOLID	XXX				0020	??	0000	SOLID	N	?	Y	N	N
2 00885 ✓		ACIDIC		***			0100	06	0000	C	N	N	Y	N	N
G 2 00886 ✓		ACIDIC		***			0250	07	0000	C	N	N	Y	N	N
G 10 00887			XXX				0200	06	0000		N	N	Y	N	N
12 00888			XXX				0020	05	0000		N	N	N	N	N
G 2 00889 ✓		ACIDIC		***			0150	08	0000	C	N	N	Y	N	N
G 2 00890 ✓		ACIDIC		***			0150	06	0000	C	N	N	Y	N	N
G 10 00891			XXX				0200	06	0000		N	N	Y	N	N
G 10 00892			XXX				0200	06	0000		N	N	Y	N	N
G 2 00893 ✓		ACIDIC		***			0250	06	0000	C	N	N	Y	N	N
G 2 00894 ✓		ACIDIC		***			0250	06	0000	C	N	N	Y	N	N
G 2 00895 ✓		ACIDIC		***			0200	06	0000	C	N	N	Y	N	N
G 10 00896		ACIDIC	XXX				0000	06	0000	C	N	N	Y	N	N
G 2 00897 ✓		ACIDIC		***			0060	08	0000	NC	N	N	N	N	N
S 00898		SOLID	XXX				0200		0000	C	N		Y	N	N
G 10 00899	IPA		XXX				0200	06	0000		N	N	Y	N	?

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G10 00900			XXX				0040	06	0000		N	N	Y	N	N
G10 00901		ACIDIC	XXX				0050	05	0000	C	N	N	Y	N	N
G10 00902		ACIDIC	XXX				0050	05	0000	C	N	N	Y	N	N
G10 00903		ACIDIC	XXX				0100	06	0000	C	N	N	Y	N	N
G2 00904		SOLID		XXX			0000	07	0000	NC	N	N	N	N	N
G12 00905		UNKNOWN	XXX				0005		0000	NC	N		N	N	N
S 00906		SOLID	XXX				0020		0000	NC	N		N	N	N
12 00907		ACIDIC	XXX				0005	08	0000	NC	N	N	N	N	N
G8 00908			XXX				0000	08	0000		N	N	Y	Y	N
G10 00909 Per		ACIDIC	XXX				0000	06	0000	C	N	N	Y	N	N
G10 00910		ACIDIC	XXX				0100	06	0000	C	N	N	Y	N	N
G10 00911		ACIDIC	XXX				0080	06	0000	C	N	N	Y	N	N
9 00912		ACID/REACTV	XXX				0060	06	0000	NC	N	N	N	Y	N
G8 00913		UNK ~~ACID/REACTV~~	XXX				0080		0000	C	N		Y	Y	N
G8 00914		ACID/REACTV	XXX				0100	06	0000	C	N	N	Y	Y	N
12 00915	AQ						0000	06	0000		N	N	N	N	N
G8 00916		ACD/REACTIV	XXX				0070	06	0000	ACIDIC	N	N	Y	Y	N
G8 00917		ACD/REACTIV	XXX				0070	06	0000	ACIDIC	N	N	Y	Y	N
12 00918		ACIDIC	XXX				0000	06	0000	ACIDIC	N	N	N	N	N
S 00919		SOLID	XXX				0000	??	0000	SOLID	N	?	N	N	N
G8 00920		ACD/REACTIV	XXX				0060	06	0000	ACIDIC	N	N	Y	Y	N
G8 00921			XXX				0050	06	0000		N	N	Y	Y	N
G8 00922		ACD/REACTIV	XXX				0080	06	0000	ACIDIC	N	N	Y	Y	N
G8 00923			XXX				0100	06	0000		N	N	Y	Y	?
G8 00924		ACD/REACTIV	XXX				0100	06	0000	ACIDIC	N	N	Y	Y	N
G8 00925		ACD/REACTIV	XXX				0060	06	0000	ACIDIC	N	N	Y	Y	N
G8 00926		ACD/REACTIV	XXX				0070	06	0000	ACIDIC	N	N	Y	Y	N
G8 00927 MEK		ACD/REACTIV	XXX				0080	06	0000	ACIDIC	N	N	Y	Y	N
G10 00928		ACD/REACTIV	XXX				0350	05	0000	ACIDIC	N	N	Y	N	N
G10 00929			XXX				0200	06	0000		N	N	Y	N	?
G10 00930		ACD/REACTIV	XXX				0350	05	0000	ACIDIC	N	N	Y	N	N
G10 00931 Trike			XXX				0200	06	0000		N	N	Y	N	?
G10 00932		ACD/REACTIV	XXX				0300	06	0000	ACIDIC	N	N	Y	N	N
G10 00933			XXX				0350	06	0000		N	N	Y	N	N
G10 00934		ACIDIC	XXX				0350	05	0000	C	N	N	Y	N	N
G10 00935		ACID	XXX				0350	06	0000	C	N	N	Y	N	N
G10 00936 MEK		ACIDIC	XXX				0300	06	0000	C	N	N	Y	N	N
G10 00937 MEK		ACIDIC	XXX				0350	06	0000	C	N	N	Y	N	N
S 00938		SOLID	XXX				0200		0200	NC	N		N	N	N
G8 00939 IPA			XXX				0200	06	0000		N	N	Y	Y	?
G10 00940		ACIDIC	XXX				0400	06	0000	C	N	N	Y	N	N
G10 00941			XXX				0200	06	0000		N	N	Y	N	?
G10 00942		ACIDIC	XXX				0100	06	0000	C	N	N	Y	N	N
12 00943		CAUSTIC	XXX				0000	11	0000	NC	N	N	N	N	N
G2 00944		SOLID		***			0000		0000	NC	N		N	N	N
G8 00945		ACID/REACTV	XXX				0100	06	0000	C	N	N	Y	Y	N
G10 00946			XXX				0010	06	0000		N	N	Y	N	?
S 00947		SOLID	XXX				0000	??	0000	SOLID	N	?	Y	N	?
G8 00948 IPA			XXX				0100	06	0000		N	N	Y	Y	?
G8 00949 IPA.			XXX				0100	06	0000		N	N	Y	Y	?

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G 800950	IPA	ACID/REACTV	XXX				0250	06	0000	C	N	N	Y	Y	N
G10 00951		ACIDIC	XXX				0000 (0042)	06	0000	C	N	N	Y	N	N
G10 00951A	B		XXX				0070	06	0000		N	N	Y	N	N
G8 00952	IPA		XXX				0200	06	0000		N	N	Y	Y	?
G8 00953	IPA		XXX				0170	06	0000		N	N	Y	Y	N
G10 00954		ACIDIC	XXX				0100	06	0000	C	N	N	Y	N	N
S 00955		SOLID	XXX				0400		0000	NC	N		N	N	N
G10 00956		ACIDIC	XXX				0300	06	0000	C	N	N	Y	N	N
G10 00957		~~ACIDIC~~	XXX				0300		0000	C	N		Y	N	N
G 10 00958	MEK		XXX				0200	06	0000		N	N	Y	N	N
G10 00959	MEK	ACIDIC	XXX				0300	07	0000	C	N	N	Y	N	N
G10 00960	MEK	ACIDIC	XXX				0300	06	0000	C	N	N	Y	N	N
12 00961		ACIDIC	XXX				0200	06	0000	NC	N	N	N	N	N
G10 00962			XXX				0150	07	0000		N	N	Y	N	N
G10 00963	MEK	ACIDIC	XXX				0350	06	0000	C	N	N	Y	N	N
S 00964		SOLID	XXX				0010		0000	C	N		Y	N	N
9 00965		ACID/REACTV	XXX				0100	07	0000	NC	N	N	N	Y	N
12 00966		ACIDIC	XXX				0000	07	0000	NC	N	N	N	N	N
G S 00967	MEK	SLUDGE	XXX				0050	??	0000		N	?	Y	N	N
G10 00968	MEK	ACIDIC	XXX				0200	05	0000	C	N	N	Y	N	N
12 00969		ACIDIC	XXX				0000	05	0000	NC	N	N	N	N	N
G10 00970	MEK	ACIDIC	XXX				0300	07	0000	C	N	N	Y	N	N
G 10 00971	MEK		XXX				0200	06	0000		N	N	Y	N	N
G10 00972	MEK	ACIDIC	XXX				0250	07	0000	C	N	N	Y	N	N
G10 00973	MEK	ACIDIC	XXX				0300	07	0000	C	N	N	Y	N	N
12 00974			XXX				0200	06	0000		N	N	N	N	N
G10 00975	MEK	ACIDIC	XXX				0300	05	0000	C	N	N	Y	N	N
G8 00976	IPA	ACID/REACTV	XXX				0100	06	0000	C	N	N	Y	Y	N
G11 00977		ACID/REACTV	XXX				0100	05	+150	NC		N	N	Y	N
G10 00978		ACIDIC	XXX				0100	04	0000	C	N	N	Y	N	N
G10 00979		ACIDIC	XXX				0060	03	0000	C	N	N	Y	N	N
G 10 00980			XXX				0100	05	0000		N	N	Y	N	N
12 00981		ACIDIC	XXX				0000	05	0000	NC	N	N	N	N	N
G 7 00982		CAUSTIC	XXX				0080	12	0000	C	N	N	Y	N	N
G10 00983		ACIDIC	XXX				0400	05	0000	C	N	N	Y	N	N
12 00984		ACIDIC	XXX				0050	06	0000	NV	N	N	N	N	N
12 00985		ACIDIC	XXX				0035	06	0000	NC	N	N	N	N	N
G 10 00986			XXX				0050	06	0000		N	N	Y	N	N
G10 00987		ACID	XXX				0070	06	0000	C	N	N	Y	N	N
G8 00988		ACID/REACTV	XXX				0070	06	0000	C	N	N	Y	Y	N
G8 00989		ACID/REACTV	XXX				0070	06	0000	C	N	N	Y	Y	N
G 8 00990	MEK	ACID/REACTV	XXX				0070	06	0000	C	N	N	Y	Y	N
G8 00991		ACID/REACTV	XXX				0070	06	0000	C	N	N	Y	Y	N
G 8 00992		ACID/REACTV	XXX				0070	06	0000	C	N	N	Y	Y	N
G8 00993		ACID/REACTV	XXX				0070	06	0000	C	N	N	Y	Y	N
~~G8 00994~~		~~ACIDIC~~					~~0350~~	~~06~~	~~0000~~	~~C~~	~~N~~	~~N~~	~~Y~~	~~N~~	~~N~~
G8 00994		ACID/REACTV	XXX				0070	06	0000	C	N	N	Y	Y	N
9 00995		UNKNOWN	XXX				0070		0000	NC	N		N	Y	N
G 8 00996			XXX				0100	06	0000		N	N	Y	Y	N
G8 00997	MCL	ACID/REACTV	XXX				0070	06	0000	C	N	N	Y	Y	N
G8 00998	MCL	ACID/REACTV	XXX				0070	06	0000	C	N	N	Y	Y	N
12 00999		ACID/REACTV	XXX				0025	06	0000	NC	N	N	N	N	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G801000	IPA	ACID/REACTV	XXX				0070	06	0000	C	N	N	Y	Y	N
G801001		ACID/REACTV	XXX				0070	06	0000	C	N	N	Y	Y	N
G801002		ACID/REACTV	XXX				0070	06	0000	C	N	N	Y	Y	N
G801003		ACID REACTV	XXX				0070	06	0000	C	N	N	Y	Y	N
G801004		ACID/REACTV	XXX				0070	06	0000	C	N	N	Y	Y	N
G801005		ACID/REACTV	XXX				0070	06	0000	C	N	N	Y	Y	N
G801006		ACID/REACTV	XXX				0070	06	0000	C	N	N	Y	Y	N
G801007		ACID/REACTV	XXX				0070	06	0000	C	N	N	Y	Y	N
G801008		ACID/REACTV	XXX				0070	06	0000	C	N	N	Y	Y	N
G801009		ACID/REACTV	XXX				0070	06	0000	C	N	N	Y	Y	N
G801010		ACID/REACTV	XXX				0070	06	0000	C	N	N	Y	Y	N
G801011		ACID/REACTV	XXX				0170	03	0000	C	N	N	Y	Y	N
G801012			XXX				0140	06	0000		N	N	Y	Y	N
G801013		ACID/REACTV	XXX				0100	06	0000	C	N	N	Y	Y	N
G801014		UNKNOWN	XXX				0100	[illegible]	0000	C	N		Y	Y	N
G801015		ACID/REACTV	XXX				0070	06	0000	C	N	N	Y	Y	N
G801016		ACID/REACTV	XXX				0070	06	0000	C	N	N	Y	Y	N
C501017	AQ	AQ					0000	02	+200	NC	N	Y	N	N	N
G801018		ACID/REACTV	XXX				0070	06	0000	C	N	N	Y	Y	N
G801019		ACID/REACTV	XXX				0070	06	0000	C		N	Y	Y	
G801020		ACIDIC	XXX				0070	06	0000	C	N	N	Y	Y	
G801021	IPA	ACID/REACTV	XXX				0070	06	0000	C	N	N	Y	Y	
G801022	IPA	ACID/REACTV	XXX				0070	06	0000	C	N	N	Y	Y	
G901023	IPA	ACID/REACTV	XXX				0070	06	0000	C	N	N	Y	Y	
G801024	IPA		XXX				0200	07	0000		N	N	Y	Y	N
G801025		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	
G801026		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	
G801027		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	
G801028	MEK		XXX				0200	06	0000		N	N	Y	Y	N
G801029		ACID/REACTV	XXX				0080	07	0000	C	N	N	Y	Y	
G801030		ACID/REACTV	XXX				0080	07	0000	C	N	N	Y	Y	
G801031		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	
G801032		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	
G801033		ACID/REACTV	XXX				0100	07	0000	C	N	N	Y	Y	
G801034			XXX				0070	06	0000		N	N	Y	Y	N
G801035		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	
G801036		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	
G801037		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	N
G801038			XXX				0080	07	0000		N	N	Y	Y	N
G101039		ACID/REACTV	XXX				0000	07	+050	C	N	N	Y	Y	N
G801040		ACID/REACTV	XXX				0000	07	0000	C	N	N	Y	Y	N
G801041		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	N
G801042		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	N
1201043		ACID/REACTV	XXX				0000	06	0000	NC	N	N	N	N	N
G801044		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	N
G801045		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	N
G801046		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	N
1201047	AQ	AQ					0000	05	0000	NC	N	N	N	N	N
G801048		ACID/REACTV	XXX				0090	07	0000	C	N	N	Y	Y	N
G801049		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORII
G8 01050		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	N
G8 01051		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	N
G8 01052	Trike	ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	N
G8 01053		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	N
G8 01054		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	N
G8 01055		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	N
G8 01056		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	N
12 01057		ACID/REACTV	XXX				0000	07	0000	NC	N	N	N	N	
G8 01058		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	N
G8 01059		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	N
G8 01060		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	N
G8 01061		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	N
G8 01062		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	N
G8 01063		ACID/REACTV	XXX				0000	07	0000	C	N	N	Y	Y	N
G8 01064		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	N
G8 01065		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	N
G8 01066	IPA	ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	N
G8 01067	IPA	ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	N
G8 01068	IPA	ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	N
G8 01069	IPA	ACID/REACTV	XXX				0250	07	0000	C	N	N	Y	Y	N
G 10 01070			XXX				0060	06	0000		N	N	Y	N	N
G8 01071		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	N
G8 01072		ACID/REACTV	XXX				0070	07	0000	C	N	N	Y	Y	N
G8 01073			XXX				0100	06	0000		N	N	Y	Y	N
G8 01074			XXX				0080	07	0000		N	N	Y	Y	N
G8 01075	IPA		XXX				0080	07	0000		N	N	Y	Y	N
G8 01076	IPA		XXX				0080	07	0000		N	N	Y	Y	N
G8 01077	IPA		XXX				0080	07	0000		N	N	Y	Y	N
G8 01078	IPA		XXX				0080	07	0000		N	N	Y	Y	N
G8 01079	IPA		XXX				0080	07	0000		N	N	Y	Y	N
G8 01080	IPA		XXX				0080	07	0000		N	N	Y	Y	N
G2 01081				***			0300	07	0000		N	N	Y	N	N
G10 01082	Trike		XXX				0050	06	0000		N	N	Y	N	N
~~01083~~		~~NOT SAMPLED~~													
G10 01083	Trike		XXX				0300	07	0000		N	N	Y	N	N
~~01084~~		~~NOT SAMPLED~~													
G10 01084	Trike		XXX				0200	06	0000		N	N	Y	N	N
G 8 01085			XXX				0080	07	0000		N	N	Y	Y	N
G8 01086			XXX				0050	07	0000		N	N	Y	Y	N
G8 01087			XXX				0080	07	0000		N	N	Y	Y	N
G8 01088			XXX				0080	07	0000		N	N	Y	Y	N
G 8 01089			XXX				0080	07	0000		N	N	Y	Y	N
G 8 01090	MCl		XXX				0050	07	0000		N	N	Y	Y	N
G 8 01091			XXX				0080	07	0000		N	N	Y	Y	N
G 8 01092	IPA		XXX				0080	07	0000		N	N	Y	Y	N
G 8 01093			XXX				0080	07	0000		N	N	Y	Y	N
G 8 01094			XXX				0080	07	0000		N	N	Y	Y	N
G 8 01095			XXX				0080	07	0000		N	N	Y	Y	N
G8 01096			XXX				0050	07	0000		N	N	Y	Y	N
G 8 01097	MCl		XXX				0080	07	0000		N	N	Y	Y	N
G 8 01098	IPA		XXX				0050	07	0000		N	N	Y	Y	N
G 8 01099	IPA		XXX				0100	07	0000		N	N	Y	Y	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G 801100					XXX		0080	07	0000		N	N	Y	Y	N
G 801101					XXX		0080	07	0000		N	N	Y	Y	N
G 801102	MCl				XXX		0100	07	0000		N	N	Y	Y	N
G 801103					XXX		0100	??	0000		N	?	Y	Y	N
G 801104					XXX		0100	07	0000		N	N	Y	Y	N
S 801105	gel	UNKNOWN			XXX		0100	0	0000	C	N		Y	N	N
G 801106	MEK	ACID/REACTV			XXX		0400	06	0000	C	N	N	Y	Y	N
G 801107	MEK	ACID/REACTV			XXX		0400	06	0000	C	N	N	Y	Y	N
G 801108	Trike	ACID/REACTV			XXX		0400	06	0000	C	N	N	Y	Y	N
G 801109	MEK	ACID/REACTV			XXX		0400	08	0000	C	N	N	Y	Y	N
G 801110	MEK	ACID.REACTV			XXX		0400	06	0000	C	N	N	Y	Y	N
G 801111	MEK	ACID/REACTV			XXX		0400	08	0000	C	N	N	Y	Y	N
G 801112		ACID/REACTV			XXX		0400	07	0000	C	N	N	Y	Y	N
G 1001113		ACIDIC			XXX		0100	06	0000	C	N	N	Y	N	N
G 1001114					XXX		0150	07	0000		N	N	Y	N	N
G 801115	MEK	ACID/REACTV			XXX		0400	06	0000	C	N	N	Y	Y	N
G 801116		ACID/REACTV			XXX		0400	07	0000	C	N	N	Y	Y	N
G 801117	MEK	ACID/REACTV			XXX		0400	07	0000	C	N	N	Y	Y	N
G 801118					XXX		0200	06	0000		N	N	Y	Y	N
G 801119		ACID/REACTV			XXX		0400	07	0000	C	N	N	Y	Y	N
G 801120	MEK	ACID/REACTV			XXX		0400	06	0000	C	N	N	Y	Y	N
G 801121	Acl	ACID/REACTV			XXX		0050	06	0000	C	N	N	Y	Y	N
12 01122		ACIDIC			XXX		0000	06	0000	NC	N	N	N	N	N
G 801123		ACIDIC/REAC			XXX		0060	06	0000	ACIDIC	N	N	Y	Y	N
12 01124					XXX		0000	06	0000	ACIDIC	N	N	N	N	N
G 801125	IPA				XXX		0100	06	0000		N	N	Y	Y	Y
9 01126					XXX		0060	??	0000	? REAC	N	?	Y	Y	N
G S 01127		SOLID			XXX		0400	??	0000	SOLID	N	?	N	N	N
G 10 01128	Trike				XXX		0400	07	0000	ACIDIC	N	N	Y	N	N
G 0 01129					XXX		0500	08	0000	ACIDIC	N	N	Y	N	N
12 01130					XXX		0060	11	0000	CAUSTI	N	N	N	N	N
S 01131		SEMI-SOLID			XXX		0120	??	0000	SOLID	N	?	Y	N	N
G 0 01132					XXX		0400	07	0000	ACIDIC	N	N	Y	N	N
12 01133					XXX		0150	08	0000	ACIDIC	N	N	N	N	N
G 0 01134	MCl				XXX		0100	05	0000	ACIDIC	N	N	Y	N	N
G 10 01135	Trike				XXX		0400	07	0000	ACIDIC	N	N	Y	N	N
G 0 01136	Trike				XXX		0200	05	0000	ACIDIC	N	N	Y	N	N
G 801137	MEK				XXX		0350	07	0000	ACIDIC	N	N	Y	Y	N
G 801138	MEK				XXX		0400	08	0000	ACIDIC	N	N	Y	Y	N
G 801139	MEK				XXX		0400	07	0000	ACIDIC	N	N	Y	Y	N
G 801140	MEK				XXX		0400	07	0000	ACIDIC	N	N	Y	Y	N
G 801141	MEK	ACID/REACTV			XXX		0400	07	0000	ACIDIC	N	N	Y	Y	N
G 801142		ACID/REACTV			XXX		0400	06	0000	ACIDIC	N	N	Y	Y	N
G 801143	MEK	ACID/REACTV			XXX		0400	08	0000	ACIDIC	N	N	Y	Y	N
G 801144		ACID/REACTV			XXX		0300	08	0000	ACIDIC	N	N	Y	Y	N
		~~NOT SAMPLED~~													
G 10 01145					XXX		0000	06	0000		N	N	Y	N	N
		~~NOT SAMPLED~~													
9 01146					XXX		0100	06	0000		N	N	N	Y	N
G 801147	MEK	ACID/REACTV			XXX		0400	08	0000	ACIDIC	N	N	Y	Y	N
G 801148		ACID/REACTV			XXX		0400	07	0000	ACIDIC	N	N	Y	Y	N
		~~NOT SAMPLED~~													
G 10 01149	MEK				XXX		0200	06	0000		N	N	Y	N	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G 8 01150		ACID/REACTV	XXX				0400	07	0000	ACIDIC	N	N	Y	Y	N
G 8 01151			XXX				0300	07	0000		N	N	Y	Y	Y
G 8 01152		ACID/REACTV	XXX				0350	08	0000	ACIDIC	N	N	Y	Y	N
G 2 01153		ACID/REACTV		***			0400	07	0000	ACIDIC	N	N	Y	N	N
G 8 01154		ACID/REACTV	XXX				0400	07	0000	ACIDIC	N	N	Y	Y	N
G 10 01155		ACID/REACTV	XXX				0400	07	0000	ACIDIC	N	N	Y	N	N
~~01156~~		~~NOT SAMPLED~~													
G 10 01156			XXX				0400	06	0000		N	N	Y	N	N
G 2 01157				***			0400	05	0000		N	N	Y	N	Y
G 2 01158		ACID/REACTV		***			0400	06	0000	ACIDIC	N	N	Y	N	N
12 01159			XXX				0100	06	0000		N	N	N	N	N
~~01160~~		~~NOT SAMPLED~~													
G 10 01160			XXX				0300	05	0000		N	N	Y	N	Y
G 10 01161			XXX				0300	06	0000		N	N	Y	N	N
G 2 01162				***			0400	06	0000		N	N	Y	N	N
G 2 01163				***			0300	??	0000		N	?	Y	N	N
G 10 01164			XXX				0300	06	0000		N	N	Y	N	N
G 10 01165 Trike			XXX				0300	04	0000		N	N	Y	N	N
G 10 01166 Trike			XXX				0400	06	0000		N	N	Y	N	N
G 10 01167 Trike			XXX				0150	04	0000		N	N	Y	N	N
G 10 01168 Trike			XXX				0150	06	0000		N	N	Y	N	N
G 10 01169 Trike			XXX				0160	06	0000	ACIDIC	N	N	Y	N	N
G 2 01170				***			0010	07	0000		N	N	Y	N	Y
G 10 01171 Trike			XXX				0060	05	0000	ACIDIC	N	N	Y	N	N
G 10 01172 Trike			XXX				0200	06	0000	ACIDIC	N	N	Y	N	N
G 10 01173 Trike			XXX				0200	09	0000		N	N	Y	N	N
G 2 01174				***			0300	06	0000	ACIDIC	N	N	Y	N	N
G 2 01175				***			0400	??	0000	ACIDIC	N	?	Y	N	N
G 10 01176 Trike			XXX				0400	07	0000	ACIDIC	N	N	Y	N	N
G 2 01177				***			0050	06	0000	ACIDIC	N	N	Y	N	N
G 10 01178 Trike			XXX				0200	06	0000		N	N	Y	N	N
G 10 01179 Trike			XXX				0400	06	0000	ACIDIC	N	N	Y	N	N
G 10 01180 Trike			XXX				0350	06	0000	ACIDIC	N	N	Y	N	N
G 10 01181 Trike			XXX				0350	06	0000	ACIDIC	N	N	Y	N	N
G 10 01182			XXX				0200	06	0000		N	N	Y	N	N
G 10 01183 Trike			XXX				0050	06	0000	ACIDIC	N	N	Y	N	N
G 10 01184			XXX				0400	06	0000	ACIDIC	N	N	Y	N	N
G 10 01185			XXX				0400	06	0000	ACIDIC	N	N	Y	N	N
~~01186~~		~~NOT SAMPLED~~													
G 10 01186			XXX				0200	06	0000		N	N	Y	N	N
G 10 01187			XXX				0400	[illegible]	0000		N	?	Y	N	[illegible]
G 10 01188			XXX				0400	06	0000		N	N	Y	N	N
G 10 01189			XXX				0020	06	0000		N	N	Y	N	N
G MA 01190		PCB CAPAC.													
G 8 01191 MEK		ACID/REACTV	XXX				0300	06	0000	C	N	N	Y	Y	N
G 8 01192 MEK		ACID/REACTV	XXX				0400	06	0000	C	N	N	Y	Y	N
~~01193~~		~~NOT SAMPLED~~													
G 7 01193			XXX				0100	12	0000		N	N	Y	N	N
G 7 01194		BASE/REACTV	XXX				0150	14	0000	NC	N	Y	N	Y	N
G 7 01195			XXX				0000	12	0000		N	N	Y	N	N
G 10 01196			XXX				0300	11	0000	C	N	N	Y	N	N
G 2 01197		CAUSTIC		***			0400	05	0000	C	N	N	Y	N	N
G 10 01198		ACVIDIC	XXX				0300	06	0000	C	N	N	Y	N	N
G 2 01199		ACIDIC		***			0400	06	0000	C	N	N	Y	N	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORI
G10 01200		ACIDIC	XXX				0400	06	0000	C	N	N	Y	N	N
~~[illegible]~~		~~NOT SAMPLED~~													
G10 01201 Trike			XXX				0015	07	0000		N	N	Y	N	N
G10 01202 Trike		ACIDIC	XXX				0400	06	0000	C	N	N	Y	N	N
12 01203			XXX				0000	08	0000		N	N	N	N	N
G5 01204		ACIDIC/OXI	XXX				0020	02	0250	NC	N	Y	N	N	N
G10 01205		ACIDIC	XXX				0400	06	0000	C	N	N	Y	N	N
G10 01206			XXX				0200	06	0000		N	N	Y	N	N
6 01207		ACIDIC/OXI	XXX				0250	02	0000	NC	N	Y	N	N	N
G5 01208		ACIDIC/OXI	XXX				0020	02	0250	NC	N	Y	N	N	N
G5 01209		ACIDIC/OXID	XXX				0020	02	+200	NC	N	Y	N	N	N
G2 01210				***			0010	06	0000		N	N	Y	N	N
12 01211		ACIDIC	XXX				0005	07	0000	NC	N	N	N	N	N
G2 01212 ✓		ACIDIC		***			0250	05	0000	C	N	N	Y	N	N
G2 01213 ✓		ACIDIC		***			0300	04	0000	C	N	N	Y	N	N
12 01214			XXX				0000	07	0000		N	N	N	N	N
G2 01215 ✓		ACIDIC		***			0050	03	0000	NC	N	N	N	N	N
~~01215~~		~~ACIDIC~~		~~***~~			~~0150~~	~~07~~	~~0000~~	~~C~~	~~N~~	~~N~~	~~Y~~	~~N~~	~~N~~
G2 01216 ✓		ACIDIC		***			0150	07	0000	C	N	N	Y	N	N
G8 01217		ACID/REACTV	XXX				0300	07	0000	C	N	N	Y	Y	N
G6 01218		CAUSTIC	XXX				0150	02	0000	C	N	N	Y	N	N
G10 01219		ACIDIC	XXX				0300	06	0000	C	N	N	Y	N	N
G8 01220			XXX				0200	06	0000		N	N	Y	Y	N
G10 01221			XXX				0200	06	0000		N	N	Y	N	N
G10 01222			XXX				0200	06	0000		N	N	Y	N	N
G10 01223		ACIDIC	XXX				0015	06	0000	C	N	N	Y	N	N
G5 01224	solid	UNKNOWN	XXX				0000	[illegible]	0000	C	N		Y	N	N
G10 01225		ACIDIC	XXX				0050	07	0000	C	N	N	Y	N	N
12 01226		ACIDIC	XXX				0015	06	0000	NC	N	N	N	N	N
12 01227			XXX				0060	06	0000	ACIDIC	N	N	N	N	N
G10 01228			XXX				0200	06	0000	ACIDIC	N	N	Y	N	N
G11 01229		OXIDIZER	XXX				0100	04	0100	ACIDIC	N	N	N	N	N
G8 01230		ACID/REACTV	XXX				0200	06	0000	ACIDIC	N	N	Y	Y	N
G8 01231		ACID/REACTV	XXX				0040	07	0000	ACIDIC	N	N	Y	Y	N
9 01232			XXX				0060	07	0000	ACIDIC	N	N	N	Y	N
G10 01233			XXX				0160	08	0000	ACIDIC	N	N	Y	N	N
12 01234			XXX				0040	06	0000	ACIDIC	N	N	N	N	N
G10 01235			XXX				0020	??	0000	UNKNOW	N	?	Y	N	N
G10 01236			XXX				0050	07	0000	ACIDIC	N	N	Y	N	N
G10 01237			XXX				0060	05	0000	ACIDIC	N	N	Y	N	N
G10 01238			XXX				0020	06	0000	ACIDIC	N	N	Y	N	N
G6 01239		CORR/ACID	XXX				0050	02	0000	ACIDIC	N	Y	N	N	N
G10 01240			XXX				0100	06	0000	ACIDIC	N	N	Y	N	N
12 01241			XXX				0200	05	0000	ACIDIC	N	N	N	N	N
12 01242			XXX				0200	05	0000	ACIDIC	N	N	N	N	N
~~G [illegible]~~		~~NOT SAMPLED~~													
G8 01243			XXX				0200	06	0000		N	N	Y	Y	N
12 01244			XXX				0200	07	0000	ACIDIC	N	N	N	N	N
12 01245			XXX				0150	05	0000	ACIDIC	N	N	N	N	N
G10 01246			XXX				0300	07	0000	ACIDIC	N	N	Y	N	N
G8 01247	Ace		XXX				0300	??	0000	REACTV	N	?	Y	Y	N
G8 01248			XXX				0300	(??	0000	REACTV	N	?	Y	Y	N
12 01249			XXX				0000	06	0000		N	N	N	N	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G8 01250		ACID/REACTV	XXX				0300	05	0000	ACIDIC	N	N	Y	Y	N
G8 01251	Ace		XXX				0200	07	0000		N	?	Y	Y	N
G8 01252	Ace		XXX				0200	07	0000		N	X?	Y	Y	N
G8 01253	Ace	ACID/REACTV	XXX				0300	06	0000	ACIDIC	N	N	Y	Y	N
G8 01254	Ace	ACID/REACTV	XXX				0300	06	0000	C	N	N	Y	Y	N
G8 01255	Ace	ACID/REACTV	XXX				0300	07	0000	C	N	N	Y	Y	N
G8 01256	Ace	ACID/REACTV	XXX				0300	06	0000	C	N	N	Y	Y	N
G8 01257	Ace	ACID/REACTV	XXX				0300	07	0000	C	N	N	Y	Y	N
G10 01258	Ace	ACIDIC	XXX				0300	08	0000	C	N	N	Y	N	N
G8 01259	Ace	ACID/REACTV	XXX				0300	08	0000	C	N	N	Y	Y	N
12 01260		CAUSTIC	XXX				0050	10	0000	NC	N	N	N	N	N
G10 01261	Tvl Ke		XXX				0100	09	0000		N	N	Y	N	N
G10 01262		ACIDIC	XXX				0300	08	0000	C	N	N	Y	N	N
G8 01263	Ace	CAUSTIC/REA	XXX				0300	10	0000	C	N	N	Y	Y	N
G10 01264	Ace		XXX				0200	07	0000		N	N	Y	N	N
G8 01265	Ace	UNKNOWN/REA	XXX				0200	[illegible]	0000	C	N		Y	Y	N
G8 01266	Ace	ACID/REACTV	XXX				0200	07	0000	C	N	N	Y	Y	N
A/10 01267		CAUSTIC	XXX				0350	09	0000	C	N	N	Y	N	N
G8 01268	Ace	ACID/REACTV	XXX				0200	08	0000	C	N	N	Y	Y	N
G8 01269	MEK	ACID/REACTV	XXX				0350	06	0000	C	N	N	Y	Y	N
G11 01270			XXX				0200	09	0150		N	N	Y	N	N
12 01271		CAUSTIC	XXX				0200	09	0000	NC	N	N	N	N	N
G8 01272	MEK	ACID/REACTV	XXX				0350	08	0000	C	N	N	Y	Y	N
G8 01273	Ace		XXX				0200	07	0000		N	N	Y	Y	N
G8 01274	Ace	ACID/REACTV	XXX				0350	08	0000	C	N	N	Y	Y	N
G8 01275			XXX				0200	07	0000		N	N	Y	Y	N
G8 01276		ACID/REACTV	XXX				0350	08	0000	C	N	N	Y	Y	N
G8 01277			XXX				0200	[illegible]	0000		N	?	Y	Y	N
G8 01278	Ace	ACID/REACTV	XXX				0350	07	0000	C	N	N	Y	Y	N
G10 01279	MEK		XXX				0200	06	0000		N	N	Y	N	N
G10 01280		ACIDIC	XXX				0300	08	0000	C	N	N	Y	N	N
MT 01281		EMPTY DRUM													
G8 01282	Ace	CAUS/REACTV	XXX				0350	09	0000	CAUSTI		N	Y	Y	
G8 01283	MEK	ACID/REACTV	XXX				0350	09	0000	ACIDIC		N	Y	Y	
G8 01284	Ace	ACID/REACTV	XXX				0350	08	0000	ACIDIC		N	Y	Y	
G8 01285		CAUS/REACTV	XXX				0350	09	0000	CAUSTI		N	Y	Y	
G8 01286			XXX				0200	06	0000		N	N	Y	Y	N
12 01287			XXX				0350	07	0000	ACIDIC		N	N	N	
G8 01288	Ace	ACID/REACTV	XXX				0350	07	0000	ACIDIC		N	Y	Y	
12 01289			XXX				0250	07	0000	ACIDIC		N	N	N	
G8 01290	MEK	ACID/REACTV	XXX				0350	07	0000	ACIDIC		N	Y	Y	
G8 01291	Ace	ACID/REACTV	XXX				0350	07	0000	ACIDIC		N	Y	Y	
G8 01292	Ace	ACID/REACTV	XXX				0350	07	0000	ACIDIC		N	Y	Y	
G8 01293	Ace	ACID/REACTV	XXX				0350	07	0000	ACIDIC		N	Y	Y	
G8 01294		ACID/REACTV	XXX				0300	07	0000	ACIDIC		N	Y	Y	
G10 01295			XXX				0200	06	0000		N	N	Y	N	N
G8 01296		ACID/REACTV	XXX				0300	07	0000	ACIDIC		N	Y	Y	
G10 01297			XXX				0200	06	0000		N	N	Y	N	N
~~01298~~		~~NOT SAMPLED~~													
G10 01298	MEK		XXX				0200	06	0000		N	N	Y	N	N
9 01299		ACID/REACTV	XXX				0350	07	0000	NC	N	N	N	Y	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G 10 01300	Acl			XXX			0200	06	0000		N	N	Y	N	N
G7 01301		CAUSTIC		XXX			0200	12	0000	C	N	N	Y	N	N
G 8 01302	Acl	ACID/REACTV		XXX			0350	07	0000	C	N	N	Y	Y	N
G11 01303		CAUSTIC/OXI		XXX			0070	11	+100	C	N	N	Y	N	N
G 10 01304		ACID		XXX			0300	06	0000	C	N	N	Y	N	N
12 01305		ACID		XXX			0300	07	0000	C	N	N	N	N	N
G 8 01306	Acl	ACID/REACTV		XXX			0350	08	0000	C	N	N	Y	Y	N
G 8 01307	MEK			XXX			0200	06	0000		N	N	Y	Y	N
9 01308		ACID/REACTV		XXX			0350	07	0000	NC	N	N	N	Y	N
12 01309		ACIDIC		XXX			0020	07	0000	NC	N	N	N	N	N
G8 01310	Acl	ACID/REACTV		XXX			0300	07	0000	C	N	N	Y	Y	N
G 8 01311		CAUSTIC/REA		XXX			0350	08	0000	C	N	N	Y	Y	N
G 8 01312	Acl	CAUSTIC/REA		XXX			0350	08	0000	C	N	N	Y	Y	N
12 01313		ACIDIC		XXX			0350	07	0000	NC	N	N	N	N	N
G8 01314				XXX			0200	06	0000		N	N	Y	Y	N
12 01315		ACIDIC		XXX			0350	07	0000	NC	N	N	N	N	N
9 01316		ACID/REACTV		XXX			0350	07	0000	NC	N	N	N	Y	N
G8 01317	Acl	ACID/REACTV		XXX			0200	08	0000	C	N	N	Y	Y	N
G8 01318				XXX			0200	06	0000		N	N	Y	Y	N
9 01319		CAUSTIC/REA		XXX			0350	09	0000	NC	N	N	N	Y	N
G8 01320	Acl	ACID/REACTV		XXX			0350	07	0000	C	N	N	Y	Y	N
12 01321		ACIDIC		XXX			0200	07	0000	NC	N	N	N	N	N
9 01322		ACID/REACTV		XXX			0350	07	0000	NC.	N	N	N	Y	N
G 10 01323				XXX			0200	06	0000		N	N	Y	N	N
G12 01324		ACIDIC		XXX			0300	07	0000	NC	N	N	N	N	N
G8 01325		CAUSTIC/REA		XXX			0200	11	0000	C	N	N	Y	Y	N
12 01326		ACIDIC		XXX			0350	08	0000	NC	N	N	N	N	N
G 10 01327				XXX			0200	06	0000		N	N	Y	N	N
G 8 01328	Acl	CAUSTIC/REA		XXX			0250	09	0000	C	N	N	Y	Y	N
G8 01329		CAUSTIC/REA		XXX			0300	09	0000	C	N	N	Y	Y	N
G 8 01330	Acl	ACID/REACTV		XXX			0200	09	0000	C	N	N	Y	Y	N
G 10 01331		ACIDIC		XXX			0200	05	0000	C	N	N	Y	N	N
G 8 01332		CAUSTIC		XXX			0350	09	0000	C	N	N	Y	Y	N
12 01333		ACIDIC		XXX			0250	07	0000	C	N	N	N	N	N
G 8 01334	Acl	ACID/REACTV		XXX			0300	08	0000	C	N	N	Y	Y	N
12 01335		CAUSTIC/OXI		XXX			0150	10	0070	C	N	N	Y	N	N
9 01336				XXX			0200	05	0000		N	N	N	Y	N
~~01337~~		~~NOT SAMPLED~~													
G 10 01337				XXX			0200	06	0000		N	N	Y	N	N
G8 01338				XXX			0200	06	0000		N	N	Y	Y	N
12 01339		ACIDIC		XXX			0300	06	0000	NC	N	N	N	N	N
9 01340		ACID/REACTV		XXX			0300	08	0000	NC	N	N	N	Y	N
9 01341		ACID/REACTV		XXX			0350	08	0000	NC	N	N	N	Y	N
~~01342~~		~~NOT SAMPLED~~													
G 10 01342	MEK			XXX			0200	06	0000		N	N	Y	N	N
12 01343		ACIDIC		XXX			0150	07	0000	NC	N	N	N	N	N
G 8 01344	Acl	CAUSTIC/REA		XXX			0300	09	0000	C	N	N	Y	Y	N
12 01345		ACIDIC		XXX			0300	06	0000	NC	N	N	N	N	N
12 01346		ACIDIC		XXX			0000	06	0000	NC	N	N	N	N	N
G 8 01347	Acl	ACID/REACTV		XXX			0300	07	0000	ACIDIC	N	N	Y	Y	N
~~01348~~		~~NOT SAMPLED~~													
NA 01349		NO DRUM													
8 01350				XXX			0000	06	0000	ACIDIC	N	N	Y	Y	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORID
G 10 01350			XXX				0200	06	0000		N	N	Y	N	N
12 01351			XXX				0050	05	0000	ACIDIC	N	N	N	N	N
12 01352		CAUSTIC	XXX				0050	09	0000	CAUSTI	N	N	N	N	N
G 8 01353			XXX				0200	06	0000		N	N	Y	Y	N
G 8 01354	Ace	CAUS/REACTV	XXX				0300	09	0000	CAUSTI	N	N	Y	Y	N
G 8 01355		ACID/REACTV	XXX				0300	08	0000	ACIDIC	N	N	Y	Y	N
12 01356		CAUSTIC	XXX				0200	09	0000	CAUSTI	N	N	N	N	N
G 10 01357	MEK		XXX				0200	06	0000		N	N	Y	N	N
~~01358~~		~~NOT SAMPLED~~													
9 01359			XXX				0000	06	0000		N	N	N	Y	N
G 11 01359		OXID/REACTV	XXX				0010	09	0050	CAUSTI	N	N	Y	Y	N
G 8 01360	Ace	ACID/REACTV	XXX				0300	08	0000	ACIDIC	N	N	Y	Y	N
G 8 01361	Ace	ACID/REACTV	XXX				0300	08	0000	ACIDIC	N	N	Y	Y	N
G 8 01362	Ace	ACID/REACTV	XXX				0300	08	0000	ACIDIC	N	N	Y	Y	N
G 10 01363	Trike	CAUSTIC	XXX				0250	10	0000	CAUSTI	N	N	Y	N	N
G 8 01364	Trike	ACID/REACTV	XXX				0300	08	0000	ACIDIC	N	N	Y	Y	N
G 8 01365	Ace	ACID/REACTV	XXX				0300	07	0000	C	N	N	Y	Y	N
12 01366		ACIDIC	XXX				0250	07	0000	NC	N	N	N	N	N
G 8 01367	Ace	CAUSTIC/REA	XXX				0300	09	0000	C	N	N	Y	Y	N
G 8 01368		ACID/REACTV	XXX				0200	08	0000	C	N	N	Y	Y	N
12 01369		ACIDIC	XXX				0300	07	0000	NC	N	N	N	N	N
9 01370		ACID/REACTV	XXX				0300	07	0000	NC	N	N	N	Y	N
12 01371		ACIDIC	XXX				0200	07	0000	NC	N	N	N	N	N
G 10 01372	Trike	CAUSTIC	XXX				0100	11	0000	C	N	N	Y	N	N
G 10 01373		CAUSTIC	XXX				0200	11	0000	C	N	N	Y	N	N
G 8 01374	Ace	CAUSTIC/REA	XXX				0300	09	0000	C	N	N	Y	Y	N
G 8 01375	Ace	ACID/REACTV	XXX				0300	07	0000	C	N	N	Y	Y	N
G 8 01376	Ace	ACID/REACTV	XXX				0300	07	0000	C	N	N	Y	Y	N
G 8 01377	Ace	ACID/REACTV	XXX				0300	03	0000	C	N	N	Y	Y	N
G 8 01378	Ace	ACID/REACTV	XXX				0300	08	0000	C	N	N	Y	Y	N
G 8 01379	Ace	ACID/REACTV	XXX				0300	08	0000	C	N	N	Y	Y	N
G 8 01380	Ace	ACID/REACTV	XXX				0300	08	0000	C	N	N	Y	Y	N
G 10 01381	MEK	CAUSTIC	XXX				0300	10	0000	C	N	N	Y	N	N
12 01382		CAUSTIC	XXX				0200	09	0000	NC	N	N	N	N	N
12 01383		ACIDIC	XXX				0300	07	0000	NC	N	N	N	N	N
G 10 01384		ACIDIC	XXX				0300	07	0000	C	N	N	Y	N	N
G 10 01385		ACIDIC	XXX				0200	07	0000	C	N	N	Y	N	N
G 8 01386	Ace	ACID/REACTV	XXX				0300	08	0000	C	N	N	Y	Y	N
G 8 01387	Ace	ACID/REACTV	XXX				0250	07	0000	C	N	N	Y	Y	N
G 8 01388	Ace	ACID/REACTV	XXX				0300	07	0000	C	N	N	Y	Y	N
G 8 01389	Ace	ACID/REACTV	XXX				0300	05	0000	C	N	N	Y	Y	N
G 8 01390	Ace	ACID/REACTV	XXX				0300	05	0000	C	N	N	Y	Y	N
G 8 01391	Ace	ACID/REACTV	XXX				0250	07	0000	C	N	N	Y	Y	N
G 8 01392	Ace	ACID/REACTV	XXX				0300	08	0000	C	N	N	Y	Y	N
G 8 01393	Ace	ACID/REACTV	XXX				0300	08	0000	C	N	N	Y	Y	N
G 8 01394	Ace	ACID/REACTV	XXX				0300	07	0000	C	N	N	Y	Y	N
G 8 01395	Ace		XXX				0300	03	0000		N	N	Y	Y	N
G 8 01396	Ace		XXX				0300	03	0000		N	N	Y	Y	N
G 8 01397	Ace		XXX				0200	03	0000		N	N	Y	Y	N
G 8 01398	Ace		XXX				0300	03	0000		N	N	Y	Y	N
~~XXXX~~		~~NOT SAMPLED~~													
G 8 01399	Ace		XXX				0200	06	0000		N	N	Y	Y	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G 1 01400	B		XXX				0100	06	0000		N	N	Y	N	N
MT10 01401	Ace		XXX				0300	06	0000		N	N	Y	N	N
G 8 01402	Ace		XXX				0300	07	0000		N	N	Y	Y	Y
~~01403~~		~~NOT SAMPLED~~													
G 8 01403	Ace		XXX				0500	07	0000		N	N	Y	Y	N
G 8 01404	MEK		XXX				0300	09	0000		N	N	Y	Y	N
G11 01405			XXX				0200	03	0150		N	N	N	N	N
G 8 01406	Ace		XXX				0300	07	0000		N	N	Y	Y	N
G 8 01407	MEK		XXX				0100	06	0000		N	N	Y	Y	N
9 01408			XXX				0100	06	0000		N	N	N	Y	N
12 01409			XXX				0200	06	0000		N	N	N	N	N
G 8 01410	Ace		XXX				0300	04	0000		N	N	Y	Y	N
GMT 01411	Ace	EMPTY					0300	04	0000		N	N	Y	N	N
GMT 01412	Ace	EMPTY					0200	07	0000		N	N	Y	N	N
G10 01413	Ace		XXX				0300	06	0000		N	N	Y	N	N
G 8 01414	Ace		XXX				0300	03	0000		N	N	Y	Y	N
G 8 01415	Ace		XXX				0300	06	0000		N	N	Y	Y	N
G 8 01416	Ace		XXX				0300	04	0000		N	N	Y	Y	N
G 8 01417	Ace		XXX				0300	05	0000		N	N	Y	Y	N
G 8 01418	Ace		XXX				0300	03	0000		N	N	Y	Y	N
G10 01419		Ace	XXX				0300	05	0000		N	N	Y	N	N
G 8 01420	Ace		XXX				0100	06	0000		N	N	Y	Y	N
G 8 01421	Ace		XXX				0200	06	0000		N	N	Y	Y	N
G 8 01422	Ace		XXX				0200	05	0000		N	N	Y	Y	N
G 8 01423	Ace		XXX				0300	05	0000		N	N	Y	Y	N
G 8 01424	Ace		XXX				0300	04	0000		N	N	Y	Y	N
G 8 01425	Ace		XXX				0300	04	0000		N	N	Y	Y	N
G 8 01426	Ace		XXX				0300	05	0000		N	N	Y	Y	N
G 8 01427	Ace		XXX				0300	04	0000		N	N	Y	Y	N
G 8 01428	Ace		XXX				0300	07	0000		N	N	Y	Y	N
G 8 01429	Ace		XXX				0300	04	0000		N	N	Y	Y	N
G 8 01430	Ace	ACID/REACTV	XXX				0300	04	0000	C	N	N	Y	Y	N
G 8 01431	Ace		XXX				0250	04	0000		N	N	Y	Y	N
G 8 01432	Ace	ACID/REACTV	XXX				0300	05	0000	C	N	N	Y	Y	N
S 01433		SOLID	XXX				0200		0000	NC	N		N	N	N
G 8 01434	Ace	ACID/REACTV	XXX				0300	06	0000	C	N	N	Y	Y	N
12 01435		CAUSTIC	XXX				0300	11	0000	NC	N	N	N	N	N
G10 01436	Ace	ACIDIC	XXX				0300	05	0000	C	N	N	Y	N	N
G10 01437	Ace	ACIDIC	XXX				0250	06	0000	C	N	N	Y	N	N
G12 01438		ACIDIC	XXX				0150	06	0000	NC	N	N	N	N	N
G 8 01439	Ace	ACID/REACTV	XXX				0250	06	0000	C	N	N	Y	Y	N
G10 01440		ACIDIC	XXX				0040	04	0000	C	N	N	Y	N	N
2 01441		ACIDIC		***			0250	06	0000	C	N	N	Y	N	N
G 8 01442	Ace	ACID/REACTV	XXX				0300	06	0000	C	N	N	Y	Y	N
G10 01443	Ace		XXX				0300	07	0000	C	N	N	Y	N	N
G 8 01444			XXX				0150	07	0000	C	N	N	Y	Y	N
9 01445			XXX				0300	06	0000	NC	N	N	N	Y	N
G10 01446	Ace		XXX				0300	04	0000		N	N	Y	N	N
G10 01447	Ace		XXX				0150	06	0000	C	N	N	Y	N	N
G10 01448	Ace		XXX				0200	07	0000	C	N	N	Y	N	N
G 8 01449	Ace		XXX				0200	07	0000	C	N	N	Y	Y	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
12 01450				XXX			0200	07	0000	NC	N	N	N	N	N
G 8 01451	Acl			XXX			0200	06	0000		N	N	Y	Y	N
G 8 01452	Acl			XXX			0200	07	0000	C	N	N	Y	Y	N
G 10 01453				XXX			0300	07	0000	C	N	N	Y	N	N
G 8 01454				XXX			0200	07	0000	C	N	N	Y	Y	N
G 10 01455	Acl			XXX			0300	07	0000	C	N	N	Y	N	N
G 8 01456				XXX			0300	07	0000	C	N	N	Y	Y	N
G 8 01457	Acl			XXX			0150	07	0000	C	N	N	Y	Y	N
12 01458				XXX			0250	07	0000	NC	N	N	N	N	N
G 8 01459	Acl			XXX			0250	07	0000	C	N	N	Y	Y	N
G 8 01460	Acl			XXX			0300	07	0000	C	N	N	Y	Y	N
G 10 01461	Acl			XXX			0250	11	0000		N	N	Y	N	N
G 8 01462	Acl			XXX			0200	11	0000		N	N	Y	Y	N
G 8 01463	Acl			XXX			0200	07	0000		N	N	Y	Y	N
G 8 01464	Acl			XXX			0200	06	0000		N	N	Y	Y	N
G 10 01465	Acl			XXX			0300	06	0000		N	N	Y	N	N
G 8 01466	Acl			XXX			0300	06	0000		N	N	Y	Y	N
G 5 01467		SOLID		XXX			0200	??	0000	SOLID	N	?	Y	N	N
G 8 01468	Acl			XXX			0300	03	0000		N	N	Y	Y	N
G 8 01469	Acl			XXX			0200	06	0000		N	N	Y	Y	N
G 8 01470				XXX			0250	03	0000		N	N	Y	Y	N
G 8 01471	Acl			XXX			0300	07	0000		N	N	Y	Y	N
G 8 01472	Acl			XXX			0250	04	0000		N	N	Y	Y	N
G 8 01473	Acl			XXX			0300	06	0000		N	N	Y	Y	N
G 8 01474	Acl			XXX			0200	06	0000		N	N	Y	Y	N
G 8 01475	Acl			XXX			0200	06	0000		N	N	Y	Y	N
G 8 01476	Acl			XXX			0200	06	0000		N	N	Y	Y	N
G 8 01477				XXX			0300	04	0000		N	N	Y	Y	N
G 8 01478				XXX			0300	04	0000		N	N	Y	Y	N
G 8 01479	Acl			XXX			0150	08	0000		N	N	Y	Y	N
G 8 01480	Acl			XXX			0250	07	0000		N	N	Y	Y	N
G 8 01481	Acl			XXX			0150	07	0000		N	N	Y	Y	N
G 10 01482	Acl			XXX			0150	07	0000		N	N	Y	N	N
G 8 01483	Acl			XXX			0200	05	0000		N	N	Y	Y	N
G 8 01484				XXX			0250	05	0000		N	N	Y	Y	N
12 01485				XXX			0250	04	0000		N	N	N	N	N
G 8 01486				XXX			0250	07	0000		N	N	Y	Y	N
S 01486		SOLID		XXX			0250	--			N	-	Y	N	N
12 01487				XXX			0300	06	0000		N	N	N	N	N
G 10 01488	Acl			XXX			0300	06	0000		N	N	Y	N	N
G 10 01489				XXX			0300	06	0000		N	N	Y	N	N
G 10 01490	Acl			XXX			0300	07	0000		N	N	Y	N	N
G 8 01491	Acl			XXX			0300	06	0000		N	N	Y	Y	N
G 10 01492	Acl			XXX			0400	06	0000		N	N	Y	N	N
G 8 01493	Acl			XXX			0300	06	0000		N	N	Y	Y	N
11 01494				XXX			0400	07	0050		N	N	Y	Y	N
G 8 01495	Acl			XXX			0300	06	0000		N	N	Y	Y	N
G 8 01496	Acl			XXX			0300	06	0000		N	N	Y	Y	N
G 10 01497				XXX			0100	06	0000		N	N	Y	N	N
G 10 01498				XXX			0050	06	0000		N	N	Y	N	N
G 8 01499	Acl			XXX			0300	06	0000		N	N	Y	Y	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G8 01500				XXX			0300	06	0000		N	N	Y	Y	N
G10 01501	Acl			XXX			0300	06	0000		N	N	Y	N	N
~~01502~~		~~NOT SAMPLED~~													
S 01502		SOLID		XXX			0250	??	0000	SOLID	N	?	Y	N	N
G8 01503	Acl			XXX			0300	06	0000		N	N	Y	Y	N
S 01504		SOLID		XXX			0100	??	????	SOLID	N	?	Y	?	?
G10 01505				XXX			0300	06	0000		N	N	Y	N	N
G10 01506				XXX			0300	06	0000		N	N	Y	N	N
G8 01507	Acl			XXX			0300	06	0000		N	N	Y	Y	N
G8 01508	Acl			XXX			0300	06	0000		N	N	Y	Y	N
G8 01509	Acl			XXX			0300	06	0000		N	N	Y	Y	N
G8 01510				XXX			0300	06	0000		N	N	Y	Y	N
G8 01511	Acl			XXX			0300	06	0000		N	N	Y	Y	N
G10 01512				XXX			0300	06	0000		N	N	Y	N	N
G8 01513	Acl			XXX			0300	06	0000		N	N	Y	Y	N
G8 01514	Acl			XXX			0300	06	0000		N	N	Y	Y	N
G8 01515	Acl			XXX			0300	06	0000		N	N	Y	Y	N
G8 01516	Acl			XXX			0300	06	0000		N	N	Y	Y	N
G10 01517	Acl			XXX			0300	06	0000		N	N	Y	N	N
G10 01518	Acl			XXX			0100	06	0000		N	N	Y	N	N
G8 01519				XXX			0150	06	0000		N	N	Y	Y	N
G10 01520	Acl			XXX			0300	06	0000		N	N	Y	N	N
G8 01521	Acl			XXX			0300	06	0000		N	N	Y	Y	N
G8 01522	Acl			XXX			0300	06	0000		N	N	Y	Y	N
G8 01523				XXX			0300	06	0000		N	N	Y	Y	N
G8 01524				XXX			0300	06	0000		N	N	Y	Y	N
G10 01525				XXX			0070	06	0000		N	N	Y	N	N
S 01526		SOLID		XXX			0200	06	0000		N	N	Y	N	N
G8 01527				XXX			0250	06	0000		N	N	Y	Y	N
G8 01528	Acl			XXX			0250	05	0000		N	N	Y	Y	N
G10 01529	Acl			XXX			0250	05	0000		N	N	Y	N	N
G10 01530				XXX			0250	05	0000		N	N	Y	N	N
7 01531				XXX			0250	14	0000		N	Y	N	Y	N
12 01532				XXX			0100	06	0000		N	N	N	N	N
G10 01533				XXX			0250	06	0000		N	N	Y	N	N
G10 01534	Acl			XXX			0250	06	0000		N	N	Y	N	N
G10 01535				XXX			0250	06	0000		N	N	Y	N	N
12 01536				XXX			0100	06	0000		N	N	N	N	N
G10 01537	Acl			XXX			0250	07	0000		N	N	Y	N	N
G10 01538	Acl			XXX			0250	07	0000		N	N	Y	N	N
~~01539~~		~~NOT SAMPLED~~													
G10 01539				XXX			0200	06	0000		N	N	Y	N	N
G10 01540				XXX			0250	07	0000		N	N	Y	N	N
G10 01541	Acl			XXX			0250	04	0000		N	N	Y	N	N
12 01542				XXX			0250	05	0000		N	N	N	N	N
G8 01543	Acl			XXX			0250	06	0000		N	N	Y	Y	N
G10 01544	Acl			XXX			0120	07	0000		N	N	Y	N	?
~~01545~~		~~NOT SAMPLED~~													
G8 01545	Acl			XXX			0400	04	0000		N	N	Y	Y	N
G10 01546				XXX			0250	07	0000		N	N	Y	N	N
G10 01547	Acl			XXX			0250	07	0000		N	N	Y	N	N
G10 01548	Acl			XXX			0250	07	0000		N	N	Y	N	N
G10 01549	Acl			XXX			0300	08	0000		N	N	Y	N	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G8 01550			XXX				0300	07	0000		N	N	Y	Y	N
G8 01551			XXX				0300	07	0000		N	N	Y	Y	N
G8 01552			XXX				0300	06	0000		N	N	Y	Y	N
G7 01553			XXX				0100	14	0000		N	Y	N	Y	N
G7 01554 Ace			XXX				0300	14	0000		N	Y	Y	N	N
G8 01555 Ace			XXX				0300	06	0000		N	N	Y	Y	N
G8 1556A Ace			XXX				0300	06	0000		N	N	Y	Y	N
~~1556B~~		~~NOT SAMPLED~~													
G10 1556B			XXX				0400	06	0000		N	N	Y	N	N
G10 01557			XXX				0250	06	0000		N	N	Y	N	N
G8 01558 Ace			XXX				0300	07	0000		N	N	Y	Y	N
G8 01559			XXX				0300	07	0000		N	N	Y	Y	N
G10 01560			XXX				0300	05	0000		N	N	Y	N	N
G8 01561			XXX				0150	09	0000		N	N	Y	Y	N
G8 01562 Ace			XXX				0300	06	0000		N	N	Y	Y	N
G10 01563			XXX				0200	05	0000		N	N	Y	N	N
G7 01564			XXX				0000	13	0000		N	Y	Y	Y	N
12 01565			XXX				0020	07	0000		N	N	N	N	N
12 01566			XXX				0300	07	0000		N	N	N	N	N
12 01567			XXX				0100	06	0000		N	N	N	N	N
12 01568			XXX				0010	10	0000	NC	N	N	N	N	N
12 01569			XXX				0080	05	0000		N	N	N	N	N
G10 01570			XXX				0200	07	0000	C	N	N	Y	N	N
G10 01571 MEK			XXX				0300	07	0000	C	N	N	Y	N	N
G10 01572 Ace			XXX				0300	07	0000	C	N	N	Y	N	N
S 01573	SOLID		XXX				0300	??	0000	SOLID	N	?	Y	N	N
G10 01574			XXX				0300	06	0000		N	N	Y	N	N
12 01575			XXX				0200	05	0000	NC	N	N	N	N	N
G7 01576			XXX				0000	14	0000	NC	N	Y	N	Y	N
G10 01577			XXX				0050	07	0000	C	N	N	Y	N	N
~~1578~~		~~NOT SAMPLED~~													
G8 01579			XXX				0300	03	0000		N	N	Y	Y	N
G12 01579			XXX				0150	07	0000	NC	N	N	N	N	N
12 01580			XXX				0000	07	0000	NC	N	N	N	N	N
G10 01581			XXX				0500	06	0000		N	N	Y	N	N
S 01582	SOLID		XXX				0100	??	0000	SOLID	N	?	Y	N	N
G10 01583			XXX				0300	06	0000		N	N	Y	N	N
G10 01584			XXX				0150	05	0000		N	N	Y	N	N
G10 01585			XXX				0020	05	0000	C	N	N	Y	N	N
12 01586			XXX				0010	06	0000		N	N	N	N	N
9 01587			XXX				0300	06	0000		N	N	N	Y	N
G10 01588			XXX				0030	05	0000		N	N	Y	N	N
G10 01589			XXX				0100	04	0000		N	N	Y	N	N
G10 01590			XXX				0020	04	0000		N	N	Y	N	N
G10 01591			XXX				0040	06	0000		N	N	Y	N	N
G2 01592				***			0010	00	0000		N	Y	Y	Y	N
G10 01593			XXX				0200	06	0000		N	N	Y	N	Y
9 01594			XXX				0010	07	0000		N	N	N	Y	N
G10 01595			XXX				0300	07	0000		N	N	Y	N	N
9 01596			XXX				0050	04	0000		N	N	N	Y	N
G10 01597			XXX				0100	06	0000		N	N	Y	N	N
G10 01598			XXX				0020	08	0000		N	N	Y	N	N
G10 01599			XXX				0020	08	0000		N	N	Y	N	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G 10 01600			030				0180	05	0000		N	N	Y	N	N
G 2 01601				***			0300	05	0000		N	N	Y	N	N
G 10 01602			XXX				0300	06	0000		N	N	Y	N	N
G 10 01603	Trike		XXX				0150	08	0000		N	N	Y	N	N
G 8 01604	MEK		XXX				0300	06	0000	C	N	N	Y	Y	N
G 8 01605			XXX				0150	07	0000	C	N	N	Y	Y	N
G 10 01606	MEK		XXX				0300	07	0000	C	N	N	Y	N	N
G 8 01607	MEK		XXX				0300	11	0000	C	N	N	Y	Y	N
G 8 01608	MEK		XXX				0300	08	0000	C	N	N	Y	Y	N
12 01609			XXX				0050	07	0000	NC	N	N	N	N	N
G 2 01610				***			0100	11	0000	NC	N	N	N	N	N
G 8 01611	MEK		XXX				0300	06	0000	C	N	N	Y	Y	N
G 8 01612	MEK		XXX				0400	07	0000		N	N	Y	Y	N
G 2 01613				***			0200	01	0000	C	N	Y	Y	Y	N
G 2 01614				***			0100	04	0000		N	N	Y	Y	N
G 8 01615	MEK		XXX				0300	06	0000	C	N	N	Y	Y	N
G 8 01616	MEK		XXX				0400	09	0000		N	N	Y	Y	N
G 10 01617			XXX				0200	06	0000	C	N	N	Y	N	N
G 10 01618			XXX				0050	?	0000	C	N	?	Y	N	N
G 10 01619			XXX				0050	?	0000	C	N	?	Y	N	N
G 10 01620			XXX				0050	04	0000	C	N	N	Y	N	N
G 8 01621	MEK		XXX				0300	09	0000	C	N	N	Y	Y	N
G 8 01622	MEK		XXX				0300	08	0000		N	N	Y	Y	N
G 8 01623	MEK		XXX				0300	09	0000		N	N	Y	Y	N
G 8 01624	MEK		XXX				0300	08	0000		N	N	Y	Y	N
G 8 01625	MEK		XXX				0300	08	0000		N	N	Y	Y	N
G 8 01626	MEK		XXX				0300	08	0000		N	N	Y	Y	N
G 8 01627	MEK		XXX				0300	08	0000		N	N	Y	Y	N
G 8 01628	MEK		XXX				0300	08	0000		N	N	Y	Y	N
G 8 01629	MEK		XXX				0300	08	0000		N	N	Y	Y	N
G 8 01630	MEK		XXX				0300	08	0000		N	N	Y	Y	N
G 10 01631	MEK		XXX				0400	06	0000		N	N	Y	N	Y
G 8 01632	MEK		XXX				0300	07	0000		N	N	Y	Y	N
G 10 01633			XXX				0030	06	0000		N	N	Y	N	N
G 11 01634			XXX				0050	06	0100		N	N	Y	Y	N
G 10 01635	MEK		XXX				0300	08	0000		N	N	Y	N	N
G 10 01636	MEK		XXX				0300	09	0000		N	N	Y	N	Y
G 8 01637			XXX				0300	08	0000		N	N	Y	Y	N
G 8 01638	MEK		XXX				0300	08	0000		N	N	Y	Y	N
G 10 01639			XXX				0100	05	0000		N	N	Y	N	N
G 8 01640	MEK		XXX				0300	08	0000		N	N	Y	Y	N
G 10 01641			XXX				0100	06	0000		N	N	Y	N	N
G 8 01642	MEK		XXX				0300	09	0000		N	N	Y	Y	Y
G 8 01643	MEK		XXX				0300	07	0000		N	N	Y	Y	N
G 8 01644	MEK		XXX				0300	07	0000		N	N	Y	Y	N
G 8 01645	MEK		XXX				0300	07	0000		N	N	Y	Y	N
~~[illegible]~~		~~NOT SAMPLED~~													
G 8 01646	MEK		XXX				0300	07	0000		N	N	Y	Y	Y
G 8 01647	MEK		XXX				0300	08	0000		N	N	Y	Y	N
G 8 01648	MEK		XXX				0300	09	0000		N	N	Y	Y	N
~~[illegible]~~		~~NOT SAMPLED~~													
12 01649			XXX				0000	05	0000		N	N	N	N	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
12 01650				XXX			0000	05	0000		N	N	N	N	N
G10 01651				XXX			0050	05	0000		N	N	Y	N	N
G10 01652				XXX			0150	06	0000		N	N	Y	N	N
G 8 01653				XXX			0300	08	0000		N	N	Y	Y	N
~~01654~~		~~NOT SAMPLED~~													
G10 01654				XXX			0150	06	0000		N	N	Y	N	N
G8 01655				XXX			0100	06	0000		N	N	Y	Y	N
G10 01656				XXX			0100	07	0000		N	N	Y	N	N
G12 01657				XXX			0050	07	0000		N	N	N	N	N
G11 01658				XXX			0160	07	0200		N	N	Y	N	N
G10 01659				XXX			0070	07	0000		N	N	Y	N	N
G11 01660				XXX			0400	07	0200		N	N	Y	N	N
S 01661		SOLID		XXX			0060	??	0000		N	?	Y	N	N
G10 01662				XXX			0070	05	0000		N	N	Y	N	N
G 8 01663 MEK				XXX			0300	08	0000		N	N	Y	Y	N
G 8 01664 MEK				XXX			0100	08	0000		N	N	Y	Y	N
G 10 01665				XXX			0100	07	0000		N	N	Y	N	N
G 10 01666				XXX			0010	??	0000		N	?	Y	N	N
S 01667		SOLID		XXX			0070	??	0000	SOLID	N	?	Y	N	N
G 10 01668				XXX			0200	07	0000		N	N	Y	N	N
G 10 01669				XXX			0030	08	0000		N	N	Y	N	N
G 10 01670				XXX			0100	05	0000		N	N	Y	N	N
G 10 01671 MCl				XXX			0000	05	0000		N	N	Y	N	N
G 10 01672				XXX			0300	06	0000		N	N	Y	N	N
G 10 01673				XXX			0300	06	0000		N	N	Y	N	N
G 10 01674				XXX			0030	07	0000		N	N	Y	N	N
G 10 01675				XXX			0020	05	0000		N	N	Y	N	N
G 7 01676				XXX			0040	14	0000		N	Y	Y	N	N
G 8 01677				XXX			0040	07	0000		N	N	Y	Y	Y
~~01678~~		~~NOT SAMPLED~~													
12 01678				XXX			0000	06	0000		N	N	N	N	N
G10 01679				XXX			0070	05	0000		N	N	Y	N	N
G10 01680 Trike				XXX			0010	06	0000		N	N	Y	N	N
G10 01681				XXX			0150	05	0000		N	N	Y	N	N
G7 01682				XXX			0030	14	0000		N	Y	Y	N	N
G10 01683				XXX			0000	06	0000		N	N	Y	N	Y
G10 01684 MEK				XXX			0200	07	0000		N	N	Y	N	Y
12 01685				XXX			0020	06	0000		N	N	N	N	N
G10 01686 Trike				XXX			0100	06	0000		N	N	Y	N	N
12 01687				XXX			0020	04	0000		N	N	N	N	N
12 01688				XXX			0040	04	0000		N	N	N	N	N
12 01689				XXX			0010	04	0000		N	N	N	N	N
G10 01690 Trike				XXX			0150	05	0000		N	N	Y	N	N
G10 01691				XXX			0010	04	0000		N	N	Y	N	N
G10 01692				XXX			0000	??	0000		N	?	Y	N	N
12 01693				XXX			0000	07	0000		N	N	N	N	N
12 01694				XXX			0000	07	0000		N	N	N	N	N
G10 01695				XXX			0030	06	0000		N	N	Y	N	N
G10 01696				XXX			0010	06	0000		N	N	Y	N	Y
G10 01697				XXX			0030	06	0000		N	N	Y	N	N
G 10 01698				XXX			0070	07	0000		N	N	Y	N	N
G 10 01699				XXX			0030	05	0000		N	N	Y	N	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORID
9 01700			XXX				0070	06	0000		N	N	N	Y	N
G 10 01701			XXX				0150	05	0000		N	N	Y	N	N
G 8 01702 MEK			XXX				0300	08	0000		N	N	Y	Y	N
G10 01703 Trike			XXX				0150	06	0000		N	N	Y	N	N
G 10 01704			XXX				0050	06	0000		N	N	Y	N	N
12 01705			XXX				0100	06	0000		N	N	N	N	N
G10 01706 MCl			XXX				0150	04	0000		N	N	Y	N	N
G 10 01707			XXX				0080	07	0000		N	N	Y	N	N
12 01708			XXX				0050	05	0000		N	N	N	N	N
G 10 01709			XXX				0050	11	0000		N	N	Y	N	N
G 10 01710			XXX				0250	05	0000		N	N	Y	N	N
G 6 01711 B			XXX				0050	01	0000		N	Y	N	N	N
G 8 01712			XXX				0300	04	0000		N	N	Y	Y	N
G 5 01713 B			XXX				0300	01	0055		N	Y	Y	N	N
G 2 01714				***			0300	06	0000		N	N	Y	Y	N
G 11 01715			XXX				0300	06	0090		N	N	Y	Y	N
G8 01716			XXX				0200	07	0000		N	N	Y	Y	N
5 01717		SOLID	XXX				0050	??	0000	SOLID	N	?	Y	N	N
5 01718		SOLID	XXX				0150	??	0000	SOLID	N	?	Y	N	N
G 8 01719 Acl			XXX				0400	05	0000		N	N	Y	Y	N
~~01720~~		~~NOT SAMPLED~~													
G 8 01720			XXX				0500	06	0000		N	N	Y	Y	Y
G 8 01721			XXX				0300	04	0000		N	N	Y	Y	N
G8 01722 Acl			XXX				0300	04	0000		N	N	Y	Y	N
G 8 01723			XXX				0300	04	0000		N	N	Y	Y	N
G10 01724 Trike			XXX				0020	06	0000		N	N	Y	N	Y
G 10 01725			XXX				0180	06	0000		N	N	Y	N	N
G 2 01726				***			0080	05	0000		N	N	Y	N	Y
~~01727~~		~~NOT SAMPLED~~													
G 8 01727			XXX				0250	06	0000		N	N	Y	Y	Y
G 8 01728			XXX				0200	06	0000		N	N	Y	Y	Y
G 2 01729				***			0150	04	0000		N	N	Y	N	N
G 10 01730 MCl			XXX				0300	10	0000		N	N	Y	N	N
~~01731~~		~~NOT SAMPLED~~													
G 10 01731 MCl			XXX				0200	06	0000		N	N	Y	N	N
G 10 01732			XXX				0150	04	0000		N	N	Y	N	N
G 12 01733			XXX				0010	06	0000		N	N	N	N	N
G8 01734			XXX				0300	06	0000		N	N	Y	Y	N
G 10 01735 MCl			XXX				0300	06	0000		N	N	Y	N	N
12 01736			XXX				0030	05	0000		N	N	N	N	N
G 10 01737			XXX				0300	06	0000		N	N	Y	N	N
G 10 01738 MCl			XXX				0000	04	0000		N	N	Y	N	N
G 10 01739 MCl			XXX				0100	06	0000		N	N	Y	N	N
G 8 01740			XXX				0100	06	0000		N	N	Y	Y	N
G 11 01741			XXX				0015	06	0200		N	N	N	N	N
G 10 01742 MCl			XXX				0100	06	0000		N	N	Y	N	N
G10 01743 Trike			XXX				0400	06	0000		N	N	Y	N	Y
~~01744~~		~~NOT SAMPLED~~													
12 01744			XXX				0000	06	0000		N	N	N	N	N
12 01745			XXX				0040	06	0000		N	N	N	N	N
G 10 01746			XXX				0100	06	0000		N	N	Y	N	N
12 01747			XXX				0040	06	0000		N	N	N	N	N
G 8 01748			XXX				0050	06	0000		N	N	Y	Y	N
G 10 01749			XXX				0120	06	0000		N	N	Y	N	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G10 01750			XXX				0150	06	0000		N	N	Y	N	N
G10 01751			XXX				0200	06	0000		N	N	Y	N	N
G10 01752			XXX				0300	06	0000		N	N	Y	N	N
G10 01753			XXX				0300	06	0000		N	N	Y	N	N
G 2 01754				***			0300	05	0000		N	N	Y	Y	Y
G 2 01755				***			0100	07	0000		N	N	Y	N	Y
~~01755~~			~~XXX~~				~~0100~~	~~06~~	~~0000~~		~~N~~	~~N~~	~~Y~~	~~N~~	~~N~~
G10 01756			XXX				0150	06	0000		N	N	Y	N	N
12 01757			XXX				0160	05	0000		N	N	N	N	N
G10 01758 Trike			XXX				0120	06	0000		N	N	Y	N	N
G10 01759 Ace			XXX				0060	06	0000		N	N	Y	N	N
~~01760~~		~~NOT SAMPLED~~													
G 10 01760			XXX				0100	07	0000		N	N	Y	N	Y
G 10 01761			XXX				0120	06	0000		N	N	Y	N	N
G 10 01762			XXX				0120	06	0000		N	N	Y	N	N
G 10 01763			XXX				0250	06	0000		N	N	Y	N	N
G 10 01764 MCL			XXX				0250	06	0000		N	N	Y	N	N
G 10 01765			XXX				0130	06	0000		N	N	Y	N	N
G 10 01766			XXX				0130	10	0000		N	N	Y	N	N
G 10 01767 MCL			XXX				0300	06	0000		N	N	Y	N	N
G 10 01768			XXX				0130	06	0000		N	N	Y	N	N
G 10 01769			XXX				0160	06	0000		N	N	Y	N	N
G 10 01770			XXX				0250	06	0000		N	N	Y	N	N
G 10 01771			XXX				0160	06	0000		N	N	Y	N	N
G 10 01772			XXX				0080	05	0000		N	N	Y	N	N
G 2 01773				***			0080	06	0000		N	N	Y	N	N
G 2 01774				***			0080	06	0000		N	N	Y	N	N
G10 01775			XXX				0300	06	0000		N	N	Y	N	N
12 01776			XXX				0050	06	0000		N	N	N	N	N
G10 01777			XXX				0250	06	0000		N	N	Y	N	N
G10 01778			XXX				0250	06	0000		N	N	Y	N	N
G 10 01779			XXX				0250	06	0000		N	N	Y	N	N
G 10 01780			XXX				0300	06	0000		N	N	Y	N	N
12 01781			XXX				0120	05	0000		N	N	N	N	N
G 10 01782			XXX				0300	06	0000		N	N	Y	N	N
11 01783			XXX				0300	04	0070		N	N	Y	N	N
G 10 01784			XXX				0400	06	0000		N	N	Y	N	N
G 8 01785			XXX				0300	07	0000		N	N	Y	Y	N
G8 01786			XXX				0300	06	0000		N	N	Y	Y	N
G 8 01787			XXX				0300	06	0000		N	N	Y	Y	N
G 8 01788			XXX				0300	06	0000		N	N	Y	Y	N
G 10 01789			XXX				0400	06	0000		N	N	Y	N	N
G 8 01790 Ace			XXX				0400	05	0000		N	N	Y	Y	N
G 8 01791 Ace			XXX				0400	05	0000		N	N	Y	Y	N
G 8 01792 Ace			XXX				0400	06	0000		N	N	Y	Y	N
G10 01793 Ace			XXX				0300	05	0000		N	N	Y	N	N
G 10 01794			XXX				0400	05	0000		N	N	Y	Y	N
~~01795~~		~~NOT SAMPLED~~													
12 01795			XXX				0060	07	0000		N	N	N	N	Y
G10 01796			XXX				0400	06	0000		N	N	Y	N	N
G10 01797			XXX				0400	05	0000		N	N	Y	N	N
G10 01798			XXX				0300	05	0.00		N	N	Y	N	N
G10 01799 Trike			XXX				0150	05	0000		N	N	Y	N	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G8 01800			XXX				0300	06	0000		N	N	Y	Y	N
G10 01801			XXX				0180	06	0000		N	N	Y	N	N
5 01802		SOLID	XXX				0400	??	0000	SOLID	N	?	Y	N	N
~~01803~~		~~NOT SAMPLED~~													
G 10 01803			XXX				0040	07	0000		N	N	Y	N	Y
G 8 01804			XXX				0400	06	0000		N	N	Y	Y	N
G 10 01805			XXX				0400	06	0000		N	N	Y	N	N
G10 01806	Acl		XXX				0400	06	0000		N	N	Y	N	N
G8 01807			XXX				0400	05	0000		N	N	Y	Y	N
G 8 01808	Acl		XXX				0400	05	0000		N	N	Y	Y	N
G8 01809			XXX				0400	06	0000		N	N	Y	Y	N
G8 01810			XXX				0400	06	0000		N	N	Y	Y	N
G8 01811	Acl		XXX				0400	05	0000		N	N	Y	Y	N
G2 01812				***			0400	06	0000		N	N	Y	Y	N
G2 01813				***			0400	06	0000		N	N	Y	N	N
G 2 01814				***			0400	06	0000		N	N	Y	N	N
12 01815			XXX				0000	06	0000		N	N	N	N	N
G7 01816			XXX				0200	12	0000		N	N	Y	N	N
G10 01817	Trike		XXX				0250	06	0000		N	N	Y	N	N
G7 01818			XXX				0400	12	0000		N	N	Y	N	N
G7 01819			XXX				0300	12	0000		N	N	Y	N	N
G10 01820	Trike		XXX				0400	08	0000		N	N	Y	N	N
G10 01821			XXX				0400	06	0000		N	N	Y	N	N
01822			XXX				✓0400	06	0000		N	N	Y	N	N
G 2 01822	resample			***			✓0400	05	0000		N	N	Y	N	N
G10 01823			XXX				0250	06	0000		N	N	Y	N	N
G10 01824	Trike		XXX				0300	07	0000		N	N	Y	N	N
G10 01825			XXX				0300	06	0000		N	N	Y	N	N
G10 01826			XXX				0300	05	0000		N	N	Y	N	N
G10 01827			XXX				0450	06	0000		N	N	Y	N	N
G10 01828	Acl		XXX				0500	05	0000		N	N	Y	N	N
G8 01829	Acl		XXX				0400	06	0000		N	N	Y	Y	N
G 8 01830	Acl		XXX				0400	06	0000		N	N	Y	Y	N
G 8 01831	Acl		XXX				0400	06	0000		N	N	Y	Y	N
G8 01832	Acl	~~NOT SAMPLED~~					✓0500	06	0000		N	N	Y	Y	N
01832	resample		XXX				0150	05	0000		N	N	Y	Y	N
G 8 01833	Acl		XXX				0400	06	0000		N	N	Y	Y	N
G 8 01834	Acl		XXX				0400	06	0000		N	N	Y	Y	N
G8 01835	Acl		XXX				0400	06	0000		N	N	Y	Y	N
G 8 01836	Acl		XXX				0400	06	0000		N	N	Y	Y	N
G10 01837	Acl		XXX				0400	06	0000		N	N	Y	N	N
G10 01838			XXX				0300	06	0000		N	N	Y	N	N
G8 01839	Acl		XXX				✓0300	06	0000		N	N	Y	Y	N
01839	resample		XXX				✓0300	05	0000		N	N	Y	Y	N
G10 01840	Acl		XXX				0400	06	0000		N	N	Y	N	N
G8 01841	Acl		XXX				0400	06	0000		N	N	Y	Y	N
G8 01842	Acl		XXX				0400	06	0000		N	N	Y	Y	N
G8 01843	Acl		XXX				0400	06	0000		N	N	Y	Y	N
G8 01844	Acl		XXX				0400	06	0000		N	N	Y	Y	N
G8 01845	Acl		XXX				0400	06	0000		N	N	Y	Y	N
G8 01846	Acl		XXX				0400	06	0000		N	N	Y	Y	N
G8 01847	Acl		XXX				0400	06	0000		N	N	Y	Y	N
5 01848		SOLID	XXX				0030	??	0000	SOLID	N	?	Y	N	N
12 01849			XXX				0020	06	0000		N	N	N	N	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G10 01850				XXX			0250	06	0000		N	N	Y	N	N
G10 01851				XXX			0400	06	0000		N	N	Y	N	N
G10 01852 Trike				XXX			0020	11	0000		N	N	Y	N	Y
G 7 01853				XXX			0020	12	0000		N	N	Y	N	N
G10 01854 Trike				XXX			0400	07	0000		N	N	Y	N	N
G10 01855 Trike				XXX			0250	07	0000		N	N	Y	N	N
G10 01856 Trike				XXX			0250	07	0000		N	N	Y	N	N
G10 01857 Trike				XXX			0250	11	0000		N	N	Y	N	N
G7 01858				XXX			0250	12	0000		N	N	Y	N	N
G10 01859 Trike				XXX			0300	11	0000		N	N	Y	N	N
12 01860				XXX			0400	07	0000		N	N	N	N	N
G10 01861 Trike				XXX			0400	09	0000		N	N	Y	N	N
G10 01862 Trike				XXX			0400	06	0000		N	N	Y	N	N
G10 01863 Trike				XXX			0400	06	0000		N	N	Y	N	N
12 01864				XXX			0400	06	0000		N	N	N	N	N
G 8 01865 Acl				XXX			0400	06	0000		N	N	Y	Y	N
12 01866				XXX			0100	06	0000		N	N	N	N	N
G 8 01867 Acl				XXX			0350	06	0000		N	N	Y	Y	N
9 01868				XXX			0200	06	0000		N	N	N	Y	N
G 8 01869 Acl				XXX			0350	06	0000		N	N	Y	Y	N
G10 01870 Acl				XXX			0400	06	0000		N	N	Y	N	N
G 8 01871 Acl				XXX			0400	06	0000		N	N	Y	Y	N
G11 01872				XXX			0500	06	+100		N	N	Y	Y	N
G 8 01873 Acl				XXX			0500	06	0000		N	N	Y	Y	N
G 8 01874 Acl				XXX			0400	06	0000		N	N	Y	Y	N
G 8 01875 Acl				XXX			0300	06	0000		N	N	Y	Y	N
G 8 01876 Acl				XXX			0400	06	0000		N	N	Y	Y	N
G 8 01877 Acl				XXX			0300	06	0000		N	N	Y	Y	N
G 5 01878 Acl				XXX			0250	06	0000		N	N	Y	Y	N
G10 01879 Acl				XXX			0400	06	0000		N	N	Y	N	N
G 8 01880 Acl				XXX			0500	06	0000		N	N	Y	Y	Y
5 01881		SOLID		XXX			0500	77	0000	SOLID	N	?	Y	N	N
G 8 01882 Acl				XXX			0300	06	0000		N	N	Y	Y	Y
G 8 01883 Acl				XXX			0500	06	0000		N	N	Y	Y	Y
G 8 01884 Acl				XXX			0500	06	0000		N	N	Y	Y	Y
G 8 01885 Acl				XXX			0500	06	0000		N	N	Y	Y	Y
~~[illegible]~~		~~NOT SAMPLED~~													
MT 01886		EMPTY DRUM													
G 8 01887 Acl				XXX			0500	06	0000		N	N	Y	Y	Y
G 8 01888 Acl				XXX			0500	06	0000		N	N	Y	Y	Y
8 01889				XXX			0500	06	0000		N	N	Y	Y	Y
G 8 01890 Acl				XXX			0500	06	0000		N	N	Y	Y	Y
G10 01891 Acl				XXX			0300	06	0000		N	N	Y	N	Y
G10 01892				XXX			0300	06	0000		N	N	Y	N	Y
5 01893		SOLID		XXX			0500	77	0000	SOLID	N	?	Y	N	N
G 8 01894 Acl				XXX			0500	06	0000		N	N	Y	Y	Y
G 8 01895				XXX			0500	06	0000		N	N	Y	Y	Y
G 8 01896 Acl				XXX			0300	06	0000		N	N	Y	Y	Y
G 8 01897				XXX			0500	06	0000		N	N	Y	Y	Y
G 8 01898 Acl				XXX			0500	06	0000		N	N	Y	Y	Y
G10 01899 Acl				XXX			0500	06	0000		N	N	Y	N	Y

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G10 01900	Acl		XXX				0500	06	0000		N	N	Y	N	Y
G8 01901	Acl		XXX				0500	06	0000		N	N	Y	Y	Y
G10 01902			XXX				0300	06	0000		N	N	Y	N	Y
G8 01903	Acl		XXX				0500	06	0000		N	N	Y	Y	Y
G8 01904	Acl		XXX				0500	06	0000		N	N	Y	Y	Y
G8 01905	Acl		XXX				0500	06	0000		N	N	Y	Y	N
G8 01906	Acl		XXX				0500	06	0000		N	N	Y	Y	Y
G8 01907	Acl		XXX				0300	06	0000		N	N	Y	Y	Y
G10 01908	Acl		XXX				0500	06	0000		N	N	Y	N	Y
G10 01909	Acl		XXX				0500	06	0000		N	N	Y	N	Y
G8 01910	Acl		XXX				0400	06	0000		N	N	Y	Y	Y
G10 01911	Acl		XXX				0350	06	0000		N	N	Y	N	Y
G8 01912	Acl		XXX				0400	06	0000		N	N	Y	Y	Y
G10 01913	Acl		XXX				0500	06	0000		N	N	Y	N	N
G8 01914	Acl		XXX				0500	06	0000		N	N	Y	Y	Y
12 01915			XXX				0500	06	0000		N	N	N	N	N
G8 01916	Acl		XXX				0300	06	0000		N	N	Y	Y	Y
G10 01917			XXX				0500	06	0000		N	N	Y	N	Y
G10 01918			XXX				0500	06	0000		N	N	Y	N	Y
G10 01919	Acl		XXX				0500	06	0000		N	N	Y	N	Y
G10 01920	Acl		XXX				0400	06	0000		N	N	Y	N	N
G8 01921	Acl		XXX				0500	06	0000		N	N	Y	Y	Y
G8 01922	Acl		XXX				0500	06	0000		N	N	Y	Y	Y
G8 01923	Acl		XXX				0500	06	0000		N	N	Y	Y	Y
G10 01924	Acl		XXX				0400	06	0000		N	N	Y	N	Y
G10 01925	Acl		XXX				0500	06	0000		N	N	Y	N	Y
G8 01926	Acl		XXX				0500	06	0000		N	N	Y	Y	N
G8 01927	Acl		XXX				0500	06	0000		N	N	Y	Y	N
G8 01928			XXX				0400	06	0000		N	N	Y	Y	Y
G8 01929	Acl		XXX				0300	06	0000		N	N	Y	Y	Y
G8 01930	Acl		XXX				0400	06	0000		N	N	Y	Y	Y
G8 01931			XXX				0400	06	0000		N	N	Y	Y	Y
G8 01932	Acl		XXX				0300	06	0000		N	N	Y	Y	N
11 01933			XXX				0400	06	0050		N	N	Y	Y	Y
G8 01934			XXX				0300	06	0000		N	N	Y	Y	Y
G8 01935			XXX				0300	06	0000		N	N	Y	Y	Y
G10 01936			XXX				0300	06	0000		N	N	Y	N	Y
G8 01937			XXX				0500	06	0000		N	N	Y	Y	Y
G8 01938			XXX				0500	06	0000		N	N	Y	Y	Y
G8 01939			XXX				0300	06	0000		N	N	Y	Y	Y
G10 01940			XXX				0250	06	0000		N	N	Y	N	Y
G8 01941			XXX				0010	06	0000		N	N	Y	Y	Y
G8 01942			XXX				0350	06	0000		N	N	Y	Y	Y
G8 01943			XXX				0400	06	0000		N	N	Y	Y	Y
G8 01944			XXX				0300	04	0000		N	N	Y	Y	Y
G8 01945	Acl		XXX				0500	06	0000		N	N	Y	Y	Y
G8 01946			XXX				0500	05	0000		N	N	Y	Y	Y
G8 01947			XXX				0500	06	0000		N	N	Y	Y	Y
G8 01948	Acl		XXX				0400	06	0000		N	N	Y	Y	Y
~~01949~~		~~NOT SAMPLED~~													
G10 01949			XXX				0050	07	0000		N	N	Y	N	Y

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G2 01950					+++		0100	06	0000		N	N	Y	N	Y
G10 01951	MEK		XXX				0300	06	0000		N	N		N	Y
G10 01952			XXX				0090	05	0000		N	N	Y	N	Y
G 8 01953	Ace		XXX				0500	06	0000		N	N	Y	Y	N
G 8 01954	Ace		XXX				0500	06	0000		N	N	Y	Y	Y
G 8 01955	Ace		XXX				0500	06	0000		N	N	Y	Y	Y
G 8 01956	Ace		XXX				0500	06	0000		N	N	Y	Y	Y
G 8 01957	Ace		XXX				0300	06	0000		N	N	Y	Y	Y
G 8 01958	Ace		XXX				0300	06	0000		N	N	Y	Y	Y
G 8 01959	Ace		XXX				0500	06	0000		N	N	Y	Y	Y
G 8 01960	Ace		XXX				0500	06	0000		N	N	Y	Y	Y
G10 01961	Ace		XXX				0500	05	0000		N	N	Y	N	N
~~01962~~		~~NOT SAMPLED~~													
(G) 5 01962		SOLID	XXX				0030	77	0000	SOLID	N	?	Y	N	N
G 8 01963	Ace		XXX				0300	06	0000		N	N	Y	Y	Y
G 8 01964	Ace		XXX				0300	06	0000		N	N	Y	Y	Y
G 8 01965	Ace		XXX				0500	06	0000		N	N	Y	Y	Y
G 8 01966	Ace		XXX				0500	06	0000		N	N	Y	Y	Y
G 8 01967	Ace		XXX				0500	06	0000		N	N	Y	Y	Y
G 8 01968	Ace		XXX				0500	06	0000		N	N	Y	Y	Y
G 8 01969	Ace		XXX				0500	06	0000		N	N	Y	Y	Y
G11 01970			XXX				0300	05	0050		N	N	Y	N	N
G10 01971	Ace		XXX				0500	06	0000		N	N	Y	N	N
G 8 01972	Ace		XXX				0500	06	0000		N	N	Y	Y	Y
G 8 01973	Ace		XXX				0500	06	0000		N	N	Y	Y	Y
G10 01974	Ace		XXX				0400	06	0000		N	N	Y	N	Y
G 8 01975	Ace		XXX				0500	06	0000		N	N	Y	Y	N
G 8 01976	Ace		XXX				0500	06	0000		N	N	Y	Y	Y
G 8 01977	Ace		XXX				0500	06	0000		N	N	Y	Y	Y
G 8 01978	Ace		XXX				0500	06	0000		N	N	Y	Y	Y
G10 01979	Ace		XXX				0400	06	0000		N	N	Y	N	Y
G 8 01980	Ace		XXX				0500	06	0000		N	N	Y	Y	Y
G 8 01981	Ace		XXX				0500	06	0000		N	N	Y	Y	Y
G 8 01982	Ace		XXX				0250	06	0000		N	N	Y	Y	Y
G 8 01983	Ace		XXX				0250	06	0000		N	N	Y	Y	Y
G 8 01984	Ace		XXX				0500	06	0000		N	N	Y	Y	Y
G 8 01985	Ace		XXX				0500	06	0000		N	N	Y	Y	Y
G 8 01986	Ace		XXX				0400	06	0000		N	N	Y	Y	Y
G 8 01987	Ace		XXX				0400	06	0000		N	N	Y	Y	Y
G 8 01988	Ace		XXX				0400	06	0000		N	N	Y	Y	N
G 8 01989	Ace		XXX				0200	06	0000		N	N	Y	Y	Y
G 8 01990	Ace		XXX				0500	06	0000		N	N	Y	Y	N
G 8 01991	Ace		XXX				0500	06	0000		N	N	Y	Y	Y
G 8 01992	Ace		XXX				0500	06	0000		N	N	Y	Y	N
G 8 01993	Ace		XXX				0500	06	0000		N	N	Y	Y	N
G 8 01994	Ace		XXX				0400	06	0000		N	N	Y	Y	N
G 8 01995	Ace		XXX				0400	06	0000		N	N	Y	Y	N
G 8 01996	Ace		XXX				0500	06	0000		N	N	Y	Y	N
G10 01997	Ace		XXX				0500	04	0000		N	N	Y	N	Y
G10 01998			XXX				0500	77	0000		N	?	Y	N	Y
G 4 01999	Ace		XXX				0500	06	0000		N	N	Y	Y	Y

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORII
G8 02000	ACC		XXX				0500	06	0000		N	N	Y	Y	Y
G10 02001			XXX				0150	05	0000		N	N	Y	N	N
G10 02002			XXX				0030	( )	0000	C	N		Y	N	N
G10 02003			XXX				0300	07	0000		N	N	Y	N	N
~~02004~~		~~NOT SAMPLED~~													
G7 02004			XXX				0300	12	0000		N	N	Y	N	N
12 02005			XXX				0050	06	0000		N	N	N	N	N
G10 02006		~~[illegible]~~	XXX				0020	??	0000		N	?	Y	N	N
12 02007			XXX				0000	09	0000		N	N	N	N	N
12 02008			XXX				0020	10	0000		N	N	N	N	N
12 02009			XXX				0050	10	0000		N	N	N	N	N
[02010]	resample		XXX				0000	11	0000		N	N	N	N	N
G10 [02010]			XXX				0015	11	0000		N	N	Y	N	N
G10 02011			XXX				0060	07	0000		N	N	Y	N	N
12 02012			XXX				0000	06	0000		N	N	N	N	N
12 02013			XXX				0015	06	0000		N	N	N	N	N
G2 02014				***			0200	05	0000		N	N	Y	N	N
12 02015			XXX				0000	07	0000		N	N	N	N	N
G2 02016				***			0020	??	0000		N	?	N	N	N
G8 02017			XXX				0100	11	0000		N	N	Y	Y	N
G8 02018			XXX				0020	06	0000		N	N	Y	Y	N
G10 02019			XXX				0020	11	0000		N	N	Y	N	N
9 02020			XXX				0020	06	0000		N	N	N	Y	N
7 [02021]	resampled			***			✓0150	??	0000		N	?	Y	N	N
[02021]			~~XXX~~			ink	✓0100	??	0000		N	?	Y	Y	N
10 02022			XXX				0000	07	0000		N	N	Y	N	N
G11 02023			XXX				0010	07	0300		N	N	Y	N	N
G7 02024			XXX				0030	12	0000		N	N	Y	N	N
10 02025			XXX				0000	06	0000		N	N	Y	N	N
9 02026			XXX				0020	09	0000		N	N	N	Y	N
G11 02027			XXX				0030	09	0050		N	N	Y	N	N
G8 02028			XXX				0070	07	0000		N	N	Y	Y	N
10 02029			XXX				0200	05	0000		N	N	Y	N	N
9 02030			XXX				0050	07	0000		N	N	N	Y	N
G10 02031			XXX				0020	06	0000		N	N	Y	N	N
G10 02032			XXX				0060	06	0000		N	N	Y	N	N
~~02033~~		~~NOT SAMPLED~~													
G8 02033			XXX				0200	04	0000		N	N	Y	Y	N
G10 02034			XXX				0300	06	0000		N	N	Y	N	N
G8 02035			XXX				0100	06	0000		N	N	Y	Y	N
12 02036			XXX				0010	06	0000		N	N	N	N	N
12 02037			XXX				0020	06	0000		N	N	N	N	N
12 02038			XXX				0030	06	0000		N	N	N	N	N
5 02039		SOLID	XXX				0150	??	0000	SOLID	N	?	Y	N	N
12 02040			XXX				0000	06	0000		N	N	N	N	N
12 02041			XXX				0050	09	0000		N	N	N	N	N
10 02042			XXX				0050	06	0000		N	N	Y	N	N
G8 02043			XXX				0010	07	0000		N	N	Y	Y	N
9 02044			XXX				0000	07	0000		N	N	N	Y	N
9 02045			XXX				0000	07	0000		N	N	N	Y	N
5 02046		SOLID	XXX				0000	??	0050	SOLID	N	?	Y	N	N
G8 02047			XXX				0020	07	0000		N	N	Y	Y	N
G11 02048			XXX				0070	07	0050		N	N	Y	Y	N
G8 02049			XXX				0070	07	0000		N	N	Y	Y	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
12 02050				XXX			0020	07	0000		N	N	N	N	N
G10 ~~02051~~	SOLID			XXX			0060	06	0000		N	N	Y	N	N
G8 02052				XXX			0060	06	0000		N	N	Y	Y	N
G8 02053				XXX			0060	06	0000		N	N	Y	Y	N
G8 02054				XXX			0070	06	0000		N	N	Y	Y	N
G8 02055				XXX			0050	06	0000		N	N	Y	Y	N
12 02056				XXX			0020	06	0000		N	N	N	N	N
G8 02057				XXX			0070	06	0000		N	N	Y	Y	N
G8 02058				XXX			0070	06	0000		N	N	Y	Y	N
G8 02059				XXX			0040	06	0000		N	N	Y	Y	N
G8 02060				XXX			0060	06	0000		N	N	Y	Y	N
G8 02061				XXX			0070	06	0000		N	N	Y	Y	N
G8 02062				XXX			0050	06	0000		N	N	Y	Y	N
G6 02063	B			XXX			0010	01	0000		N	Y	N	N	N
G8 02064				XXX			0060	06	0000		N	N	Y	Y	N
G6 02065				XXX			0020	01	0000		N	Y	N	N	N
G8 02066				XXX			0060	06	0000		N	N	Y	Y	N
G8 02067				XXX			0060	06	0000		N	N	Y	Y	N
G8 02068				XXX			0060	06	0000		N	N	Y	Y	N
G6 02069	B			XXX			0020	01	0000		N	Y	N	N	N
G8 02070				XXX			0060	06	0000		N	N	Y	Y	N
G8 02071				XXX			0060	06	0000		N	N	Y	Y	N
G8 02072				XXX			0060	06	0000		N	N	Y	Y	N
G8 02073				XXX			0020	??	0000		N	?	Y	Y	N
G8 02074				XXX			0020	06	0000		N	N	Y	Y	N
12 02075				XXX			0010	05	0000		N	N	N	N	N
G8 02076				XXX			0060	07	0000		N	N	Y	Y	N
G8 02077				XXX			0060	07	0000		N	N	Y	Y	N
G6 02078	B			XXX			0050	02	0000		N	Y	Y	N	N
S 02079	solid			XXX			0000	??	0000	SOLID	N	?	Y	N	N
G8 02080				XXX			0060	??	0000		N	?	Y	Y	N
12 02081				XXX			0000	05	0000		N	N	N	N	N
G6 02082				XXX			0000	02	0000		N	Y	N	N	N
G10 02083				XXX			0000	07	0000		N	N	Y	N	N
G10 02084				XXX			0015	05	0000		N	N	Y	N	N
12 02085				XXX			0000	08	0000		N	N	N	N	N
S 02086		SOLID		XXX			0040	??	0000	SOLID	N	?	Y	N	N
G10 02087				XXX			0300	07	0000		N	N	Y	N	N
10 02088				XXX			0150	07	0000		N	N	Y	N	N
G8 02089				XXX			0060	07	0000		N	N	Y	Y	N
G10 02090				XXX			0070	07	0000		N	N	Y	N	N
12 02091				XXX			0200	07	0000		N	N	N	N	N
8 02092				XXX			0060	07	0000		N	N	Y	Y	N
G10 02093				XXX			0060	07	0000		N	N	Y	N	N
G10 02094				XXX			0030	07	0000		N	N	Y	N	N
12 02095				XXX			0030	11	0000		N	N	N	N	N
12 02096				XXX			0030	11	0000		N	N	N	N	N
12 02097				XXX			0050	11	0000		N	N	N	N	N
12 02098				XXX			0020	11	0000		N	N	N	N	N
12 02099				XXX			0000	07	0000		N	N	N	N	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORID
G10 02100			XXX				0000	05	0000		N	N	Y	N	N
G10 02101			XXX				0000	06	0000		N	N	Y	N	N
G10 02102			XXX				0000	05	0000		N	N	Y	N	N
7 02103			XXX				0000	12	0000		N	N	N	N	N
G7 02104			XXX				0000	12	0000		N	N	N	N	N
G7 02105			XXX				0000	12	0000		N	N	N	N	N
7 02106			XXX				0000	12	0000		N	N	N	N	N
G7 02107			XXX				0000	12	0000		N	N	N	N	N
G7 02108			XXX				0000	12	0000		N	N	N	N	N
G 7 02109			XXX				0000	12	0000		N	N	N	N	N
G 7 02110			XXX				0000	12	0000		N	N	N	N	N
12 02111			XXX				0100	??	0000		N	?	N	N	N
G10 02112			XXX				0200	06	0000		N	N	Y	N	N
G10 02113			XXX				0250	07	0000		N	N	Y	N	N
12 02114			XXX				0030	06	0000		N	N	N	N	N
12 02115			XXX				0250	06	0000		N	N	Y	N	N
10 02116			XXX				0100	06	0000		N	N	Y	N	Y
G10 02117 Ace			XXX				0140	06	0000		N	N	Y	N	Y
8 02118			XXX				0300	06	0000		N	N	Y	Y	N
G10 02119			XXX				0200	06	0000		N	N	Y	N	Y
7 02120			XXX				0150	06	0000		N	N	N	Y	N
G10 02121			XXX				0080	06	0000		N	N	Y	N	Y
02121 resampled			XXX				0100	06	0000		N	N	Y	N	Y
G 10 02122 MCe			XXX				0300	06	0000		N	N	Y	N	Y
G8 02123 Ace			XXX				0200	06	0000		N	N	Y	Y	Y
G8 02124			XXX				0400	06	0000		N	N	Y	Y	N
G10 02125 Ace			XXX				0400	06	0000		N	N	Y	N	Y
5 02126		SOLID	XXX				0400	06	0000	SOLID	N	N	Y	N	N
G8 02127 Ace			XXX				0400	06	0000		N	N	Y	Y	Y
G8 02128 Ace			XXX				0500	05	0000		N	N	Y	Y	Y
G10 02129 Ace			XXX				0500	05	0000		N	N	Y	N	Y
G8 02130 Ace			XXX				0500	06	0000		N	N	Y	Y	Y
G8 02131 Ace			XXX				0400	06	0000		N	N	Y	Y	Y
G8 02132 Ace			XXX				0400	06	0000		N	N	Y	Y	Y
G 8 02133 Ace			XXX				0500	06	0000		N	N	Y	Y	Y
5 02134		SOLID	XXX				0400	??	0000	SOLID	N	?	Y	N	N
5 02135		SOLID	XXX				0400	??	0000	SOLID	N	?	Y	N	Y
5 02136		SOLID	XXX				0400	??	0000	SOLID	N	?	Y	N	N
G8 02137 Ace			XXX				0300	06	0000		N	N	Y	Y	Y
5 02138		SOLID	XXX				0300	??	0000	SOLID	N	?	Y	N	N
5 02139		SOLID	XXX				0500	06	0000	SOLID	N	N	Y	N	Y
G 8 02140 Ace			XXX				0500	06	0000		N	N	Y	Y	Y
G 8 02141 Ace			XXX				0400	06	0000		N	N	Y	Y	Y
G 8 02142 Ace			XXX				0200	06	0000		N	N	Y	Y	Y
G 8 02143 Ace			XXX				0400	06	0000		N	N	Y	Y	Y
G 8 02144 Ace			XXX				0500	06	0000		N	N	Y	Y	N
G 8 02145 Ace			XXX				0400	06	0000		N	N	Y	Y	Y
G10 02146 Ace			XXX				0100	06	0000		N	N	Y	N	Y
G10 02147			XXX				0400	06	0000		N	N	Y	N	Y
G 8 02148			XXX				0300	06	0000		N	N	Y	Y	N
5 02149		SOLID	XXX				0100	??	0000	SOLID	N	?	Y	N	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
S 02150		SOLID	XXX				0000	??	0000	SOLID	N	?	Y	N	N
12 02151			XXX				0050	06	0000		N	N	N	N	N
12 02152			XXX				0300	06	0000		N	N	N	N	N
G10 02153			XXX				0150	06	0000		N	N	Y	N	Y
G 8 02154			XXX				0500	06	0000		N	N	Y	Y	N
G8 02155			XXX				0500	06	0000		N	N	Y	Y	N
G10 02156			XXX				0300	05	0000		N	N	Y	N	Y
S 02157		SOLID	XXX				0030	??	0000	SOLID	N	?	P	P	N
G10 02158			XXX				0250	06	0000		N	N	Y	N	Y
G10 02159	MCl		XXX				0010	06	0000		N	N	Y	N	Y
G 8 02160			XXX				0200	06	0000		N	N	Y	Y	Y
G10 02161			XXX				0300	06	0000		N	N	Y	N	N
G 8 02162			XXX				0400	06	0000		N	N	Y	Y	Y
G10 02163			XXX				0500	06	0000		N	N	Y	N	N
G10 02164			XXX				0400	06	0000		N	N	Y	N	Y
G10 02165			XXX				0500	06	0000		N	N	Y	N	N
~~[illegible]~~		~~NOT SAMPLED~~													
G8 02166			XXX				0400	05	0000		N	N	Y	Y	N
G10 02167			XXX				0500	06	0000		N	N	Y	N	N
S 02168		SOLID	XXX				0500	06	0000	SOLID	N	N	Y	N	N
G10 02169			XXX				0500	06	0000		N	N	Y	N	N
G10 02170			XXX				0200	06	0000		N	N	Y	N	N
G8 02171			XXX				0400	06	0000		N	N	Y	Y	Y
G8 02172			XXX				0500	06	0000		N	N	Y	Y	N
G8 02173			XXX				0500	06	0000		N	N	Y	Y	N
G8 02174			XXX				0500	06	0000		N	N	Y	Y	N
12 02175			XXX				0100	06	0000		N	N	N	N	N
G10 02176			XXX				0500	06	0000		N	N	Y	N	N
G 8 02177			XXX				0400	06	0000		N	N	Y	Y	N
G 8 02178			XXX				0500	06	0000		N	N	Y	Y	N
G 8 02179			XXX				0500	06	0000		N	N	Y	Y	N
G 8 02180	ACe		XXX				0400	06	0000		N	N	Y	Y	N
G 10 02181			XXX				0500	06	0000		N	N	Y	N	N
G 10 02182			XXX				0400	06	0000		N	N	Y	N	Y
G 10 02183			XXX				0400	06	0000		N	N	Y	N	Y
G S 02184		SOLID	XXX				0050	??	0000	SOLID	N	?	Y	N	N
9 02185			XXX				0400	06	0000		N	N	N	Y	N
9 02186			XXX				0500	06	0000		N	N	N	Y	N
12 02187			XXX				✓0030	06	0000		N	N	N	N	N
02187	resampled		XXX				✓0020	05	0000		N	N	N	N	N
12 02188			XXX				✓0030	06	0000		N	N	N	N	N
02188	resample		XXX				0100	07	0000		N	N	N	N	N
G10 02189			XXX				✓0500	06	0000		N	N	O	N	N
02189	resampled		XXX				✓0400	07	0000		N	N	N	N	N
~~[illegible]~~		~~NOT SAMPLED~~													
(G) S 02190		SOLID	XXX				0020	??	0000	SOLID	N	?	Y	N	N
G8 02191			XXX				0500	06	0000		N	N	Y	Y	N
~~[illegible]~~		~~NOT SAMPLED~~													
S 02192		SOLID	XXX				0000	??	0000	SOLID	N	?	Y	N	N
G8 02193	ACe		XXX				0300	06	0000		N	N	Y	Y	N
G10 02194	ACe		XXX				0500	06	0000		N	N	Y	N	N
G 8 02195	ACe		XXX				0500	06	0000		N	N	Y	Y	N
G 10 02196			XXX				0500	06	0000		N	N	Y	N	N
G10 02197			XXX				0500	05	0000		N	N	Y	N	N
G S 02198	MEK	SOLID	XXX				0400	??	0000		N	?	Y	N	N
G8 02199			XXX				0300	06	0000		N	N	Y	Y	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLOR
G 10 02200				XXX			0500	05	0000		N	N	Y	N	N
G 8 02201				XXX			0300	06	0000		N	N	Y	Y	N
G 8 02202				XXX			0300	06	0000		N	N	Y	Y	N
G 10 02203	ACe			XXX			0500	06	0000		N	N	Y	N	N
~~02204~~		~~NOT SAMPLED~~													
S 02204		SOLID		XXX			0050	??	0000	SOLID	N	?	Y	N	N
G 8 02205				XXX			0500	05	0000		N	N	Y	Y	N
G 10 02206				XXX			0150	11	0000		N	N	Y	N	N
G 10 02207				XXX			0400	06	0000		N	N	Y	N	Y
G 8 02208				XXX			0400	06	0000		N	N	Y	Y	N
G 8 02209				XXX			0300	06	0000		N	N	Y	Y	N
G 10 02210				XXX			0200	06	0000		N	N	Y	N	Y
G 8 02211				XXX			0400	06	0000		N	N	Y	Y	Y
~~02212~~		~~NOT SAMPLED~~													
G 8 02212				XXX			0400	04	0000		N	N	Y	Y	N
~~02213~~		~~NOT SAMPLED~~													
S 02213		SOLID		XXX			0080	??	0000	SOLID	N	?	Y	N	N
G 10 02214				XXX			0400	06	0000		N	N	Y	N	Y
G 8 02215				XXX			0400	06	0000		N	N	Y	Y	Y
G 8 02216				XXX			0400	06	0000		N	N	Y	Y	N
G 8 02217				XXX			0500	05	0000		N	N	Y	Y	N
G 8 02218				XXX			0500	05	0000		N	N	Y	Y	N
G 10 02219				XXX			0500	05	0000		N	N	Y	N	Y
G 8 02220	ACe			XXX			0500	06	0000		N	N	Y	Y	N
S 02221		SOLID		XXX			0020	??	0000	SOLID	N	?	Y	N	N
G 8 02222				XXX			0500	05	0000		N	N	Y	Y	N
G 8 02223				XXX			0500	06	0000		N	N	Y	Y	N
G 8 02224				XXX			0250	06	0000		N	N	Y	Y	N
G 8 02225				XXX			0500	05	0000		N	N	Y	Y	N
(G) S 02226		SOLID		XXX			0200	??	0000	SOLID	N	?	Y	N	N
G 8 02227				XXX			0500	05	0000		N	N	Y	Y	N
~~02228~~		~~NOT SAMPLED~~													
S 02228		SOLID		XXX			0300	??	0000	SOLID	N	?	Y	N	N
G 8 02229				XXX			0200	05	0000		N	N	Y	Y	N
12 02230				XXX			0010	06	0000		N	N	N	N	N
G 8 02231				XXX			0200	06	0000		N	N	Y	Y	N
G 8 02232				XXX			0400	06	0000		N	N	Y	Y	N
G 8 02233				XXX			0500	06	0000		N	N	Y	Y	N
G 8 02234				XXX			0500	06	0000		N	N	Y	Y	N
G 8 02235				XXX			0500	06	0000		N	N	Y	Y	N
G 8 02236				XXX			0500	06	0000		N	N	Y	Y	N
G 8 02237				XXX			0250	06	0000		N	N	Y	Y	Y
G 10 02238				XXX			0250	06	0000		N	N	Y	N	N
G 8 02239				XXX			0500	06	0000		N	N	Y	Y	N
G 10 02240				XXX			0100	06	0000		N	N	Y	N	Y
G 8 02241				XXX			0500	06	0000		N	N	Y	Y	N
G 8 02242				XXX			0500	06	0000		N	N	Y	Y	N
G 8 02243				XXX			0250	06	0000		N	N	Y	Y	N
G 8 02244				XXX			0500	05	0000		N	N	Y	Y	N
G 6 02245				XXX			0200	01	0000		N	Y	N	N	N
G 6 02246				XXX			0200	01	0000		N	Y	N	N	N
G 8 02247				XXX			0500	05	0000		N	N	Y	Y	N
G 10 02248				XXX			0500	06	0000		N	N	Y	N	Y
G 10 02249				XXX			0500	06	0000		N	N	Y	N	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G8 02250			XXX				0500	05	0000		N	N	Y	Y	N
G8 02251			XXX				0500	05	0000		N	N	Y	Y	N
G8 02252			XXX				0500	06	0000		N	N	Y	Y	N
G8 02253			XXX				0500	06	0000		N	N	Y	Y	N
G10 02254			XXX				0500	05	0000		N	N	Y	N	N
G10 02255			XXX				0500	05	0000		N	N	Y	N	Y
G10 02256			XXX				0500	06	0000		N	N	Y	N	Y
~~02257~~		~~NOT SAMPLED~~													
S 02257		SOLID	XXX				0200	??	0000	SOLID	N	N	Y	N	N
G8 02258			XXX				0500	06	0000		N	N	Y	Y	Y
G2 02259				***			0500	05	0000		N	N	Y	N	Y
G10 02260	Trike		XXX				0300	??	0000		N	?	Y	N	N
G8 02261			XXX				0400	05	0000		N	N	Y	Y	N
G2 02262				***			0500	05	0000		N	N	Y	N	Y
G10 02263			XXX				0300	??	0000		N	?	Y	N	N
G10 02264			XXX				0300	06	0000		N	N	Y	N	Y
G10 02265			XXX				0300	??	0000		N	?	Y	N	N
G10 02266			XXX				0300	??	0000		N	?	Y	N	N
G10 02267			XXX				0300	06	0000		N	N	Y	N	N
G10 02268			XXX				0400	06	0000		N	N	Y	N	Y
G8 02269			XXX				0400	06	0000		N	N	Y	Y	N
~~02270~~		~~NOT SAMPLED~~													
12 02270			XXX				0030	05	0000		N	N	N	N	N
G8 02271			XXX				0500	06	0000		N	N	Y	Y	N
G8 02272			XXX				0500	05	0000		N	N	Y	Y	N
G8 02273			XXX				0400	06	0000		N	N	Y	Y	N
G10 02274			XXX				0400	06	0000		N	N	Y	N	N
G6 02275			XXX				0100	01	0000		N	Y	Y	N	N
G2 02276				***			0400	06	0000		N	N	Y	N	Y
G8 02277			XXX				0100	06	0000		N	N	Y	Y	N
G8 02278			XXX				0400	06	0000		N	N	Y	Y	N
S 02279		SOLID	XXX				0400	??	0000	SOLID	N	?	Y	N	N
G8 02280			XXX				0500	06	0000		N	N	Y	Y	N
~~02281~~		~~NOT SAMPLED~~													
G10 02281			XXX				0300	09	0000		N	N	Y	N	N
S 02282		SOLID	XXX				0400	??	0000	SOLID	N	?	Y	N	N
G10 02283			XXX				0300	06	0000		N	N	Y	N	N
G10 02284			XXX				0300	??	0000		N	?	Y	N	N
G10 02285			XXX				0300	??	0000		N	?	Y	N	N
G10 02286			XXX				0300	06	0000		N	N	Y	N	N
G2 02287				***			0400	06	0000		N	N	Y	N	Y
G10 02288	Trike		XXX				0300	06	0000		N	N	Y	N	N
G10 02289	Trike		XXX				0500	05	0000		N	N	Y	N	Y
G8 02290			XXX				0300	05	0000		N	N	Y	Y	Y
G2 02291				***			0500	05	0000		N	N	Y	N	Y
G10 02292	Trike		XXX				0050	06	0000		N	N	Y	N	Y
G8 02293			XXX				0100	06	0000		N	N	Y	Y	N
G8 02294			XXX				0300	06	0000		N	N	Y	Y	Y
G10 02295	Trike		XXX				0500	06	0000		N	N	Y	N	Y
G2 02296				***			0500	06	0000		N	N	Y	N	Y
G8 02297			XXX				0500	05	0000		N	N	Y	Y	N
G8 02298			XXX				0500	05	0000		N	N	Y	Y	N
G8 02299			XXX				0500	06	0000		N	N	Y	Y	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G8 02300 Ace				XXX			0200	06	0000		N	N	Y	Y	N
G6 02301 B				XXX			0150	01	0000		N	Y	Y	N	N
G8 02302				XXX			0300	06	0000		N	N	Y	Y	N
G10 02303				XXX			0100	11	0000		N	N	Y	N	N
S 02304		SOLID		XXX			0300	??	0000	SOLID	N	?	Y	N	N
~~[illegible]~~		~~NOT SAMPLED~~													
G10 02305				XXX			0300	05	0000		N	N	Y	N	N
9 02306				XXX			0040	05	0000		N	N	N	Y	N
12 02307				XXX			0100	05	0000		N	N	N	N	N
G10 02308				XXX			0100	09	0000		N	N	Y	N	N
G10 02309				XXX			0300	07	0000		N	N	Y	N	N
S 02310		SOLID		XXX			0080	??	0000	SOLID	N	?	Y	N	N
S 02311		SOLID		XXX			0080	??	0000	SOLID	N	?	Y	N	N
G10 02312				XXX			0200	06	0000		N	N	Y	N	N
G10 02313				XXX			0100	06	0000		N	N	Y	N	N
G10 02314				XXX			0500	06	0000		N	N	Y	N	N
12 02315				XXX			0020	05	0000		N	N	N	N	N
12 02316				XXX			0150	06	0000		N	N	N	N	N
12 02317				XXX			0100	05	0000		N	N	N	N	N
12 02318				XXX			0100	06	0000		N	N	N	N	N
G6 02319				XXX			0400	01	0000		N	Y	Y	N	N
G10 02320				XXX			0400	06	0000		N	N	Y	N	N
12 02321				XXX			0000	06	0000		N	N	N	N	N
S 02322		SOLID		XXX			0100	??	0000	SOLID	N	?	Y	N	N
G10 02323				XXX			0100	07	0000		N	N	Y	N	N
12 02324				XXX			0000	07	0000		N	N	N	N	N
G10 02325				XXX			0500	07	0000		N	N	Y	N	N
G10 02326				XXX			0150	06	0000		N	N	Y	N	N
~~[illegible]~~		~~NOT SAMPLED~~													
12 02327				XXX			0020	05	0000		N	N	N	N	N
12 02328				XXX			0000	07	0000		N	N	N	N	N
~~[illegible]~~		~~NOT SAMPLED~~													
S 02329		SOLID		XXX			0000	??	0000	SOLID	N	?	Y	N	N
G10 02330				XXX			0500	06	0000		N	N	Y	N	Y
S 02331		SOLID		XXX			0300	??	0000	SOLID	N	?	Y	N	N
6 02332				XXX			0400	01	0000		N	Y	Y	N	N
G8 02333				XXX			0300	06	0000		N	N	Y	Y	N
S 02334		SOLID		XXX			0080	??	0000	SOLID	N	?	Y	N	N
6 02335				XXX			0200	01	0000		N	Y	Y	N	N
G8 02336				XXX			0150	07	0000		N	N	Y	Y	N
G8 02337				XXX			0130	06	0000		N	N	Y	Y	N
G8 02338				XXX			0120	07	0000		N	N	Y	Y	N
S 02339		SOLID		XXX			0020	??	0000	SOLID	N	?	Y	N	Y
6 02340				XXX			0000	01	0000		N	Y	Y	N	N
G6 02341				XXX			0000	01	0000		N	Y	N	N	N
G6 02342				XXX			0000	01	0000		N	Y	N	N	N
G6 02343				XXX			0000	01	0000		N	Y	N	N	N
G6 02344				XXX			0000	02	0000		N	Y	N	N	N
G6 02345 B				XXX			0000	01	0000		N	Y	Y	N	Y
G6 02346 B				XXX			0000	01	0000		N	Y	N	N	N
G6 02347 B				XXX			0000	01	0000		N	Y	N	N	N
12 02348				XXX			0000	07	0000		N	N	N	N	N
G6 02349 B				XXX			0000	01	0000		N	Y	N	N	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
6 02350			XXX				0000	02	0000		N	Y	N	N	N
6 02351			XXX				0040	01	0000		N	Y	N	N	N
G9 02352			XXX				0120	06	0000		N	N	Y	Y	N
12 02353			XXX				0040	05	0000		N	N	N	N	N
G6 02354 B			XXX				0000	01	0000		N	Y	Y	N	Y
G6 02355			XXX				0100	01	0000		N	Y	Y	N	Y
G10 02356			XXX				0060	07	0000		N	N	Y	N	N
~~02357~~		~~NOT SAMPLED~~													
G10 02357			XXX				0100	06	0000		N	N	Y	N	Y
G5 02358		SOLID	XXX				0300	??	0000	SOLID	N	?	Y	N	N
12 02359			XXX				0000	06	0000		N	N	N	N	N
12 02360			XXX				0020	06	0000		N	N	N	N	N
G10 02361			XXX				0250	07	0000		N	N	Y	N	N
12 02362			XXX				0040	06	0000		N	N	N	N	N
7 02363			XXX				0000	14	0000		N	Y	N	N	N
G10 02364			XXX				0030	07	0000		N	N	Y	N	N
G10 02365			XXX				0000	05	0000		N	N	Y	N	N
G10 02366			XXX				0000	05	0000		N	N	Y	N	N
G10 02367			XXX				0020	09	0000		N	N	Y	N	N
G10 02368			XXX				0500	08	0000		N	N	Y	N	N
5 02369		SOLID	XXX				0400	??	0000	SOLID	N	?	Y	N	N
G7 02370			XXX				0100	12	0000		N	N	Y	N	N
G10 02371			XXX				0500	07	0000		N	N	Y	N	N
G10 02372			XXX				0500	06	0000		N	N	Y	N	N
5 02373		SOLID	XXX				0100	??	0000	SOLID	N	?	Y	N	N
12 02374			XXX				0040	06	0000		N	N	N	N	N
G10 02375			XXX				0500	07	0000		N	N	Y	N	N
G10 02376			XXX				0000	06	0000		N	N	Y	N	N
5 02377		SOLID	XXX				0050	??	0000	SOLID	N	?	Y	N	N
G11 02378			XXX				0010	06	0080		N	N	Y	N	N
5 02379		SOLID	XXX				0120	??	0000	SOLID	N	?	Y	N	N
G10 02380			XXX				0100	06	0000		N	N	Y	N	N
G10 02381			XXX				0050	08	0000		N	N	Y	N	N
G10 02382			XXX				0050	06	0000		N	N	Y	N	N
12 02383			XXX				0050	07	0000		N	N	N	N	N
G 2 02384					*****		0500	06	0000		N	N	Y	N	N
12 02385			XXX				0050	03	0000		N	N	N	N	N
G10 02386			XXX				0500	06	0000		N	N	Y	N	N
G 2 02387					*****		0150	05	0000		N	N	Y	N	Y
G5 02388		SOLID	XXX				0200	??	0000	SOLID	N	?	Y	N	N
12 02389			XXX				0100	09	0000		N	N	N	N	N
12 02390			XXX				0100	07	0000		N	N	N	N	N
12 02391			XXX				0040	07	0000		N	N	N	N	N
12 02392			XXX				0020	05	0000		N	N	N	N	N
12 02393			XXX				0030	07	0000		N	N	N	N	N
G10 02394			XXX				0500	07	0000		N	N	Y	N	Y
G 2 02395				XXX			0500	07	0000		N	N	Y	N	N
12 02396			XXX				0080	09	0000		N	N	N	N	N
5 02397		SOLID	XXX				0400	??	0000	SOLID	N	?	Y	N	N
G10 02398			XXX				0070	10	0000		N	N	Y	N	N
G10 02399			XXX				0200	??	0000		N	?	Y	N	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G10 02400			XXX				0200	07	0000		N	N	Y	N	N
G10 02401			XXX				0030	07	0000		N	N	Y	N	N
12 02402			XXX				0040	07	0000		N	N	N	N	N
G10 02403			XXX				0050	07	0000		N	N	Y	N	Y
G 2 02404				***			0050	06	0000		N	N	Y	N	Y
G10 02405			XXX				0100	07	0000		N	N	Y	N	N
G10 02406			XXX				0050	07	0000		N	N	Y	N	Y
5 02407		SOLID	XXX				0100	??	0000	SOLID	N	?	Y	N	N
G8 02408			XXX				0500	07	0000		N	N	Y	Y	N
12 02409			XXX				0000	07	0000		N	N	N	N	N
G7 02410			XXX				0000	14	0000		N	Y	Y	N	N
12 02411			XXX				0050	06	0000		N	N	N	N	N
G 10 02412			XXX				0400	08	0000		N	N	Y	N	N
12 02413			XXX				0000	07	0000		N	N	N	N	N
G10 02414			XXX				0400	07	0000		N	N	Y	N	Y
G7 02415			XXX				0060	14	0000		N	Y	N	N	N
G10 02416			XXX				0070	06	0000		N	N	Y	N	N
G10 02417			XXX				0100	09	0000		N	N	Y	N	N
G10 02418			XXX				0100	07	0000		N	N	Y	N	N
10 02419			XXX				0150	06	0000		N	N	Y	N	N
6 02420			XXX				0050	02	0000		N	Y	N	N	N
G 12 02421			XXX				0000	06	0000		N	N	N	N	N
G5 02422		SOLID	XXX				0040	??	0000	SOLID	N	?	Y	N	N
12 02423			XXX				0020	06	0000		N	N	N	N	N
12 02424			XXX				0000	06	0000		N	N	N	N	N
G 12 02425			XXX				0000	07	0000		N	N	N	N	N
G 6 02426			XXX				0000	01	0000		N	Y	Y	N	N
G8 02427			XXX				0100	07	0000		N	N	Y	Y	Y
G 8 02428			XXX				0100	05	0000		N	N	Y	Y	N
G12 02429			XXX				0020	06	0000		N	N	N	N	N
G8 02430			XXX				0100	07	0000		N	N	Y	Y	Y
G 6 02431 B			XXX				0000	01	0000		N	Y	N	N	N
G10 02432			XXX				0100	06	0000		N	N	Y	N	Y
6 02433			XXX				0000	01	0000		N	Y	N	N	N
G 6 02434			XXX				0000	01	0000		N	Y	N	N	N
G4 02435			XXX				0060	06	0000		N	N	Y	Y	Y
12 02436			XXX				0000	08	0000		N	N	N	N	N
G 6 02437			XXX				0000	01	0000		N	Y	N	N	N
12 02438			XXX				0000	04	0000		N	N	N	N	N
9 02439			XXX				0000	04	0000		N	N	N	Y	N
G8 02440			XXX				0070	07	0000		N	N	Y	Y	N
G8 02441			XXX				0070	07	0000		N	N	Y	Y	N
G8 02442			XXX				0070	07	0000		N	N	Y	Y	N
G8 02443			XXX				0070	07	0000		N	N	Y	Y	N
G8 02444			XXX				0120	07	0000		N	N	Y	Y	N
G8 02445			XXX				0150	07	0000		N	N	Y	Y	N
G8 02446			XXX				0150	07	0000		N	N	Y	Y	N
G 6 02447 B			XXX				0030	02	0000		N	Y	N	Y	N
G 6 02448 B			XXX				0020	01	0000		N	Y	N	Y	N
5 02449			XXX				0000	01	0100		N	Y	N	N	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G7 02450			XXX				0000	14	0000		N	Y	Y	Y	N
S 02451		SOLID	XXX				0000	??	0000	SOLID	N	?	N	N	N
G2 02452		SOLID		176			0000	??	0000	SOLID	N	?	N	N	N
7 02453			XXX				0000	14	0000		N	Y	Y	N	N
G7 02454			XXX				0000	12	0000		N	N	Y	Y	N
7 02455			XXX				0000	14	0000		N	Y	Y	N	N
G7 02456			XXX				0000	14	0000		N	Y	Y	N	N
G7 02457			XXX				0000	14	0000		N	Y	Y	N	N
— 02457			XXX				0000	14	0000		N	Y	N	Y	N
G7 02458			XXX				0000	14	0000		N	Y	Y	N	N
7 02459			XXX				0000	14	0000		N	Y	N	N	N
S 02460		SOLID	XXX				0000	??	0000	SOLID	N	?	N	N	N
12 02461			XXX				0000	08	0000		N	N	N	N	N
12 02462			XXX				0050	08	0000		N	N	N	N	N
G 10 02463			XXX				0400	06	0000		N	N	Y	N	N
12 02464			XXX				0080	05	0000		N	N	N	N	N
G 10 02465			XXX				0200	06	0000		N	N	Y	N	N
G 10 02466			XXX				0100	06	0000		N	N	Y	N	N
G 12 02467			XXX				0050	07	0000		N	N	N	N	N
12 02468			XXX				0100	07	0000		N	N	N	N	N
S 02469		SOLID	XXX				0200	??	0000	SOLID	N	?	Y	N	N
G 10 02470			XXX				0200	??	0000		N	?	Y	N	N
12 02471			XXX				0040	09	0000		N	N	N	N	N
S 02472		SOLID	XXX				0030	??	0000	SOLID	N	?	Y	N	N
12 02473			XXX				0000	07	0000		N	N	N	N	N
12 02474			XXX				0000	07	0000		N	N	N	N	N
G12 02475			XXX				0000	07	0000		N	N	N	N	N
G S 02476		SOLID	XXX				0000	??	0000	SOLID	N	?	N	N	N
S 02477		SOLID	XXX				0000	??	0000	SOLID	N	?	N	N	N
G7 02478			XXX				0000	12	0000		N	N	N	N	N
S 02479		SOLID	XXX				0400	??	0000	SOLID	N	?	Y	N	N
12 02480			XXX				0000	06	0000		N	N	N	N	N
12 02481			XXX				0000	04	0000		N	N	N	N	N
S 02482		SOLID	XXX				0020	??	0000	SOLID	N	?	Y	N	N
02483		NOT SAMPLED													
S 02483		SOLID	XXX				0000	??	0000	SOLID	N	?	Y	N	N
G 10 02484			XXX				0150	06	0000		N	N	Y	N	N
G7 02485			XXX				0100	12	0000		N	N	N	N	N
S 02486		SOLID	XXX				0000	??	0000	SOLID	N	?	N	N	N
12 02487			XXX				0000	07	0000		N	N	N	N	N
12 02488			XXX				0000	07	0000		N	N	N	N	N
12 02489			XXX				0180	06	0000		N	N	N	N	N
S 02490		SOLID	XXX				0250	??	0000	SOLID	N	?	Y	N	N
G 10 02491			XXX				0250	06	0000		N	N	Y	N	Y
G 10 02492			XXX				0180	07	0000		N	N	Y	N	N
S 02493		SOLID	XXX				0200	??	0000	SOLID	N	?	N	N	N
G 10 02494			XXX				0130	07	0000		N	N	Y	N	N
12 02495			XXX				0020	07	0000		N	N	N	N	N
12 02496			XXX				0010	05	0000		N	N	N	N	N
G 10 02497			XXX				0000	06	0000		N	N	Y	N	N
12 02498			XXX				0040	07	0000		N	N	N	N	N
G 10 02499			XXX				0300	06	0000		N	N	Y	N	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORII
S 02500		SOLID	XXX				0050	??	0000	SOLID	N	?	Y	N	N
12 02501			XXX				0010	06	0000		N	N	N	N	N
12 02502			XXX				0000	07	0000		N	N	N	N	N
12 02503			XXX				0020	06	0000		N	N	N	N	N
12 02504			XXX				0000	07	0000		N	N	N	N	N
~~[illegible]~~		~~NOT SAMPLED~~													
S 02505		SOLID	XXX				0000	--	0000		-	-	N	N	N
12 02506			XXX				0000	06	0000		N	N	N	N	N
12 02506 resample		SOLID	XXX				0040	--	0000		-	-	N	N	N
G12 02507			XXX				0000	07	0000		N	N	N	N	N
S 02508		SOLID	XXX				0100	??	0000	SOLID	N	?	Y	N	N
12 02509			XXX				0000	07	0000		N	N	N	N	N
12 02510			XXX				0020	07	0000		N	N	N	N	N
12 02511			XXX				0000	07	0000		N	N	N	N	N
S 02512		SOLID	XXX				0000	??	0000	SOLID	N	?	N	N	N
12 02513			XXX				0000	07	0000		N	N	N	N	N
G 10 02514			XXX				0100	07	0000		N	N	Y	N	N
9 02515			XXX				0100	07	0000		N	N	N	Y	N
12 02516			XXX				0000	07	0000		N	N	N	N	N
12 02517			XXX				0400	06	0000		N	N	N	N	N
G 10 02518			XXX				0400	07	0000		N	N	Y	N	N
12 02519			XXX				0000	06	0000		N	N	N	N	N
G2 02520				***			0250	05	0000		N	N	Y	N	N
~~[illegible]~~		~~NOT SAMPLED~~													
9 02521			XXX				0100	08	0000		N	N	N	Y	N
S 02522		SOLID	XXX				0030	??	0000	SOLID	N	?	Y	N	N
G 10 02523			XXX				0100	07	0000		N	N	Y	N	N
12 02524			XXX				0000	06	0000		N	N	N	N	N
12 02525			XXX				0000	06	0000		N	N	N	N	N
12 02526			XXX				0050	06	0000		N	N	N	N	N
12 02527			XXX				0000	06	0000		N	N	N	N	N
G 10 02528			XXX				0000	??	0000		N	?	Y	N	N
12 02529			XXX				0000	06	0000		N	N	N	N	N
G 10 02530			XXX				0000	??	0000		N	?	Y	N	N
G 10 02531			XXX				0100	07	0000		N	N	Y	N	N
12 02532			XXX				0000	07	0000		N	N	N	N	N
12 02533			XXX				0000	06	0000		N	N	N	N	N
12 02534			XXX				0000	06	0000		N	N	N	N	N
S 02535		SOLID	XXX				0500	??	0000	SOLID	N	?	Y	N	N
S 02536		SOLID	XXX				0000	??	0000	SOLID	N	?	N	N	N
12 02537			XXX				0000	04	0000		N	N	N	N	N
12 02538			XXX				0000	07	0000		N	N	N	N	N
12 02539			XXX				0000	04	0000		N	N	N	N	N
S 02540		SOLID	XXX				0000	??	0000	SOLID	N	?	N	N	N
12 02541			XXX				0000	04	0000		N	N	N	N	N
12 02542			XXX				0000	06	0000		N	N	N	N	N
G7 02543			XXX				0000	12	0000		N	N	N	N	N
12 02544			XXX				0000	04	0000		N	N	N	N	N
S 02545		SOLID	XXX				0000	??	0000	SOLID	N	?	Y	N	N
G S 02546		SOLID	XXX				0000	??	0000	SOLID	N	?	N	N	N
12 02547			XXX				0000	04	0000		N	N	N	N	N
G10 02548			XXX				0200	06	0000		N	N	Y	N	N
12 02549			XXX				0020	06	0000		N	N	N	N	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
12 02550				XXX			0020	06	0000		N	N	N	N	N
G10 02551				XXX			0150	06	0000		N	N	Y	N	N
S 02552		SOLID		XXX			0100	??	0000	SOLID	N	?	Y	N	N
~~02553~~		~~SOLID~~		~~XXX~~			~~0100~~	~~??~~	~~0000~~	~~SOLID~~	~~N~~	~~?~~	~~Y~~	~~N~~	~~N~~
G10 02553				XXX			0100	07	0000		N	N	Y	N	N
12 02554				XXX			0070	07	0000		N	N	N	N	N
12 02555				XXX			0100	07	0000		N	N	N	N	N
12 02556				XXX			0000	07	0000		N	N	N	N	N
G10 02557				XXX			0100	07	0000		N	N	Y	N	Y
G10 02558				XXX			0300	05	0000		N	N	Y	N	N
12 02559				XXX			0200	06	0000		N	N	N	N	N
S 02560		SOLID		XXX			0300	??	0000	SOLID	N	?	Y	N	Y
S 02561		SOLID		XXX			0000	??	0000	SOLID	N	?	Y	N	N
S 02562		SOLID		XXX			0000	??	0000	SOLID	N	?	N	N	N
S 02563		SOLID		XXX			0000	??	0000	SOLID	N	?	N	N	N
7 02564				XXX			0000	13	0000		N	Y	Y	N	N
12 02565				XXX			0000	10	0000		N	N	N	N	N
G10 02566				XXX			0020	05	0000		N	N	Y	N	N
12 02567				XXX			0000	05	0000		N	N	N	N	N
G10 02568				XXX			0020	05	0000		N	N	Y	N	N
S 02569		SOLID		XXX			0000	??	0000	SOLID	N	?	N	N	N
G10 02570				XXX			0020	05	0000		N	N	Y	N	N
12 02571				XXX			0000	07	0000		N	N	N	N	N
G10 02572				XXX			0020	05	0000		N	N	Y	N	N
G10 02573				XXX			0020	04	0000		N	N	Y	N	N
G10 02574				XXX			0020	04	0000		N	N	Y	N	N
G8 02575				XXX			0020	06	0000		N	N	Y	Y	N
G10 02576				XXX			0040	04	0000		N	N	Y	N	N
S 02577		SOLID		XXX			0100	??	0000	SOLID	N	?	Y	N	N
G10 02578				XXX			0000	??	0000		N	?	Y	N	N
G10 02579				XXX			0050	04	0000		N	N	Y	N	Y
12 02580				XXX			0040	06	0000		N	N	N	N	N
G10 02581				XXX			0500	06	0000		N	N	Y	N	N
G10 02582				XXX			0020	06	0000		N	N	Y	N	N
S 02583		SOLID		XXX			0150	??	0000	SOLID	N	?	Y	N	N
G10 02584				XXX			0150	06	0000		N	N	Y	N	N
G10 02585				XXX			0500	06	0000		N	N	Y	N	N
12 02586				XXX			0100	06	0000		N	N	N	N	N
12 02587				XXX			0050	06	0000		N	N	N	N	N
S 02588		SOLID		XXX			0400	??	0000	SOLID	N	?	Y	N	N
G10 02589				XXX			0040	??	0000		N	?	Y	N	N
G10 02590				XXX			0040	07	0000		N	N	Y	N	N
G10 02591				XXX			0400	06	0000		N	N	Y	N	N
12 02592				XXX			0150	06	0000		N	N	N	N	N
G10 02593				XXX			0100	06	0000		N	N	Y	N	N
S 02594		SOLID		XXX			0020	??	????	SOLID	N	?	N	?	N
G8 02595				XXX			0100	06	0000		N	N	Y	Y	N
G10 02596				XXX			0150	06	0000		N	N	Y	N	N
G8 02597				XXX			0130	06	0000		N	N	Y	Y	N
G10 02598				XXX			0170	06	0000		N	N	Y	N	N
S 02599		SOLID		XXX			0020	??	0000	SOLID	N	?	N	N	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
S 02600		SOLID	XXX				0000	??	0000	SOLID	N	?	N	N	N
G10 02601			XXX				0000	07	0000		N	N	Y	N	N
G10 02602			XXX				0000	??	0000		N	?	Y	N	N
10 02603			XXX				0000	07	0000		N	N	Y	N	N
12 02604			XXX				0070	07	0000		N	N	N	N	N
G10 02605			XXX				0120	07	0000		N	N	Y	N	N
12 02606			XXX				0400	07	0000		N	N	N	N	N
G10 02607			XXX				0150	07	0000		N	N	Y	N	N
G10 02608			XXX				0050	07	0000		N	N	Y	N	N
G10 02609			XXX				0150	07	0000		N	N	Y	N	N
G10 02610			XXX				0200	07	0000		N	N	Y	N	Y
G10 02611			XXX				0250	07	0000		N	N	Y	N	Y
G10 02612			XXX				0250	07	0000		N	N	Y	N	Y
G10 02613			XXX				0500	??	0000		N	?	Y	N	Y
G10 02614			XXX				0500	06	0000		N	N	Y	N	N
G10 02615			XXX				0050	05	0000		N	N	Y	N	N
12 02616			XXX				0030	07	0000		N	N	N	N	N
12 02617			XXX				0030	07	0000		N	N	N	N	N
G10 02618			XXX				0150	07	0000		N	N	Y	N	N
12 02619			XXX				0050	07	0000		N	N	N	N	N
G10 02620			XXX				0030	07	0000		N	N	Y	N	N
G10 02621			XXX				0300	07	0000		N	N	Y	N	N
12 02622			XXX				0080	07	0000		N	N	N	N	N
12 02623			XXX				0080	07	0000		N	N	N	N	N
12 02624			XXX				0000	07	0000		N	N	N	N	N
12 02625			XXX				0060	07	0000		N	N	N	N	N
G10 02626			XXX				0250	06	0000		N	N	Y	N	Y
G10 02627			XXX				0200	06	0000		N	N	Y	N	Y
G10 02628			XXX				0200	06	0000		N	N	Y	N	Y
G10 02629			XXX				0500	06	0000		N	N	Y	N	N
G10 02630			XXX				0200	06	0000		N	N	Y	N	N
G10 02631			XXX				0300	06	0000		N	N	Y	N	N
G10 02632			XXX				0080	??	0000		N	?	Y	N	N
G10 02633			XXX				0300	06	0000		N	N	Y	N	N
G10 02634			XXX				0020	06	0000		N	N	Y	N	N
S 02635		SOLID	XXX				0000	??	0000	SOLID	N	?	N	N	N
S 02636		SOLID	XXX				0000	??	0000	SOLID	N	?	N	N	N
G8 02637			XXX				0150	07	0000		N	N	Y	Y	N
12 02638			XXX				0000	07	0000		N	N	N	N	N
12 02639			XXX				0000	04	0000		N	N	N	N	N
S 02640		SOLID	XXX				0000	??	0000	SOLID	N	?	N	N	N
G10 02641			XXX				0015	06	0000		N	N	Y	N	N
G10 02642			XXX				0500	06	0000		N	N	Y	N	N
G10 02643			XXX				0100	06	0000		N	N	Y	N	N
12 02644			XXX				0000	06	0000		N	N	N	N	N
G10 02645			XXX				0050	??	0000		N	?	Y	N	N
G10 02646			XXX				0100	??	0000		N	?	Y	N	N
G10 02647			XXX				0070	06	0000		N	N	Y	N	N
G10 02648			XXX				0070	06	0000		N	N	Y	N	N
S 02649		SLUDGE	XXX				0050	??	0000		N	?	Y	N.	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
12 02650			XXX				0000	06	0000		N	N	N	N	N
G10 02651			XXX				0050	07	0000		N	N	Y	N	N
12 02652			XXX				0000	05	0000		N	N	N	N	N
G10 02653			XXX				0050	06	0000		N	N	Y	N	N
12 02654			XXX				0000	06	0000		N	N	N	N	N
12 02655			XXX				0050	07	0000		N	N	N	N	N
S 02656		SLUDGE	XXX				0100	05	0000		N	N	Y	N	N
12 02657			XXX				0000	06	0000		N	N	N	N	N
12 02658			XXX				0000	05	0000		N	N	N	N	N
G10 02659			XXX				0000	04	0000		N	N	Y	N	N
G10 02660			XXX				0050	06	0000		N	N	Y	N	N
S 02661		SOLID	XXX				✓0000	??	0000	SOLID	N	N	N	N	N
02661 resampled		SOLID	XXX				0000	??	0000	SOLID	N	?	?	N	N
S 02662		TAR LIKE	XXX				0030	07	0000		N	N	Y	N	N
S 02663		SLUDGE	XXX				0000	07	0000		N	N	Y	N	N
S 02664		SLUDGE	XXX				0015	06	0000		N	N	Y	N	N
S 02665		TAR	XXX				0010	06	0000		N	N	Y	N	N
S 02666		SLUDGE	XXX				0000	06	0000		N	N	Y	N	N
G10 02667			XXX				0000	06	0000		N	N	Y	N	N
12 02668			XXX				0030	07	0000		N	N	N	N	N
12 02669			XXX				0020	07	0000		N	N	N	N	N
G12 02670			XXX				0000	05	0000		N	N	N	N	N
12 02671			XXX				0000	05	0000		N	N	N	N	N
G10 02672			XXX				0100	??	0000		N	?	Y	N	N
G10 02673			XXX				0000	07	0000		N	N	Y	N	N
S 02674		SOLID	XXX				0020	??	0000	SOLID	N	?	Y	N	N
12 02675			XXX				0000	07	0000		N	N	N	N	N
12 02676			XXX				0000	07	0000		N	N	N	N	N
G10 02677			XXX				0100	??	0000		N	?	Y	N	N
12 02678			XXX				0000	07	0000		N	N	N	N	N
S 02679		SOLID	XXX				0000	??	0000	SOLID	N	?	N	N	N
12 02680			XXX				0000	06	0000		N	N	N	N	N
S 02681		SOLID	XXX				0000	??	0000	SOLID	N	?	N	N	N
S 02682		SOLID	XXX				0000	??	0000	SOLID	N	?	N	N	N
12 02683			XXX				0000	07	0000		N	N	N	N	N
G10 02684			XXX				0300	05	0000		N	N	Y	N	N
G10 02685			XXX				0020	??	0000		N	?	Y	N	N
12 02686			XXX				0020	07	0000		N	N	N	N	N
G10 02687			XXX				0300	05	0000		N	N	Y	N	N
G10 02688			XXX				0300	07	0000		N	N	Y	N	N
G12 02689			XXX				0050	07	0000		N	N	N	N	N
G10 02690			XXX				0000	06	0000		N	N	Y	N	N
G12 02691			XXX				0050	07	0000		N	N	N	N	N
12 02692			XXX				0100	07	0000		N	N	N	N	N
G10 02693			XXX				0300	??	0000		N	?	Y	N	N
G6 02694			XXX				0100	01	0000		N	Y	N	Y	Y
G10 02695			XXX				0050	07	0000		N	N	Y	N	Y
G10 02696			XXX				0100	??	0000		N	?	Y	N	N
MT 02697		EMPTY DRUM													
G12 02698			XXX				0000	07	0000		N	N	N	N	N
12 02699			XXX				0000	07	0000		N	N	N	N	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G10 02700			XXX				0300	06	0000		N	N	Y	N	N
G10 02701			XXX				0300	06	0000		N	N	Y	N	N
S 02702		SLUDGE	XXX				0200	??	0000		N	?	Y	N	N
G10 02703			XXX				0050	06	0000		N	N	Y	N	N
12 02704			XXX				0000	05	0000		N	N	N	N	N
12 02705			XXX				0000	07	0000		N	N	N	N	N
S 02706		SOLID	XXX				0300	??	0000	SOLID	N	?	Y	N	N
G10 02707			XXX				0300	06	0000		N	N	Y	N	N
G10 02708			XXX				0300	06	0000		N	N	Y	N	N
S 02709		SOLID	XXX				0300	??	0000	SOLID	N	?	Y	N	N
G10 02710			XXX				0300	05	0000		N	N	Y	N	N
S 02711		SOLID	XXX				0200	??	0000	SOLID	N	?	Y	N	N
G10 02712			XXX				0050	06	0000		N	N	Y	N	N
G12 02713			XXX				0000	07	0000		N	N	N	N	N
G12 02714			XXX				0000	07	0000		N	N	N	N	N
G12 02715			XXX				0000	07	0000		N	N	N	N	N
G12 02716			XXX				0060	06	0000		N	N	N	N	N
G8 02717			XXX				0300	??	0000		N	?	Y	Y	N
G12 02718			XXX				0000	07	0000		N	N	N	N	N
G5 02719		SOLID	XXX				0000	??	0000	SOLID	N	?	N	N	N
G12 02720			XXX				0030	07	0000		N	N	N	N	N
G10 02721			XXX				0040	05	0000		N	N	Y	N	N
12 02722			XXX				0000	07	0000		N	N	N	N	N
12 02723			XXX				0400	07	0000		N	N	N	N	N
G12 02724			XXX				0250	07	0000		N	N	N	N	N
G10 02725			XXX				0500	07	0000		N	N	Y	N	N
G10 02726			XXX				0400	07	0000		N	N	Y	N	N
Z 02727		SOLID		XXX			0400	??	0000	SOLID	N	?	Y	N	N
12 02728			XXX				0000	07	0000		N	N	N	N	N
G10 02729			XXX				0060	05	0000		N	N	Y	N	N
12 02730			XXX				0020	07	0000		N	N	N	N	N
G10 02731			XXX				0300	10	0000		N	N	Y	N	N
7 02732			XXX				0020	13	0000		N	Y	N	N	N
G12 02733			XXX				0300	10	0000		N	N	N	N	N
G6 02734		VERY REACT	XXX				0000	01	0000		N	Y	N	Y	N
G2 02735		SOLID				XXXXX	0000	??	0000	SOLID	N	?	Y	N	N
G6 02736 B			XXX				0000	01	0000		N	Y	Y	N	N
G12 02737			XXX				0000	11	0000		N	N	N	N	N
G5 02738 B			XXX				0000	01	0300		N	Y	Y	N	Y
G6 02739 B			XXX				0000	01	0000		N	Y	N	Y	N
G6 02740		H2O REACTIVE	XXX				0120	01	0000		N	Y	Y	Y	N
G5 02741		VERY REACT	XXX				0000	01	0100		N	Y	N	Y	N
G6 02742			XXX				0020	01	0000		N	Y	Y	Y	N
G6 02743			XXX				0000	01	0000		N	Y	N	Y	N
6 02744			XXX				0000	01	0000		N	Y	Y	Y	Y
S 02745		SOLID	XXX				0250	??	0000	SOLID	N	?	Y	N	N
G5 02746			XXX				0040	01	0200		N	Y	Y	N	N
G5 02747		SOLID	XXX				0000	??	0000	SOLID	N	?	N	N	N
G6 02748			XXX				0000	01	0000		N	Y	Y	Y	N
G6 02749			XXX				0000	01	0000		N	Y	Y	Y	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
G6 02750				XXX			0000	01	0000		N	Y	Y	Y	N
G10 02751				XXX			0000	05	0000		N	N	Y	N	N
12 02752				XXX			0000	06	0000		N	N	N	N	N
G6 02753		VERY REACT		XXX			0000	01	0000		N	Y	N	Y	N
G6 02754		VERY REACT		XXX			0000	01	0000		N	Y	Y	Y	Y
G6 02755				XXX			0000	01	0000		N	Y	N	Y	N
G6 02756 B				XXX			0000	01	0000		N	Y	N	N	N
G5 02757				XXX			0000	01	0200		N	Y	Y	N	Y
10 02758				XXX			0000	06	0000		N	N	Y	N	N
12 02759				XXX			0000	07	0000		N	N	N	N	Y
G7 02760				XXX			0000	13	0000		N	Y	Y	Y	N
6 02761				XXX			0000	01	0000		N	Y	N	N	N
S 02762		SOLID		XXX			0000	??	0000	SOLID	N	?	N	N	N
12 02763				XXX			0000	07	0000		N	N	N	N	N
G6 02764				XXX			0000	01	0000		N	Y	N	Y	N
6 02765				XXX			0000	01	0000		N	Y	N	Y	N
G6 02766 B				XXX			0000	01	0000		N	Y	N	N	N
G10 02767				XXX			0000	06	0000		N	N	Y	N	N
G6 02768				XXX			0050	01	0000		N	Y	Y	N	N
G10 02769				XXX			0300	06	0000		N	N	Y	N	N
G10 02770				XXX			0300	06	0000		N	N	Y	N	N
~~02771~~				~~XXX~~											
G10 02771				XXX			0000	06	0000		N	N	Y	N	N
G10 02772				XXX			0100	06	0000		N	N	Y	N	N
G10 02773				XXX			0200	06	0000		N	N	Y	N	N
G10 02774				XXX			0200	06	0000		N	N	Y	N	N
G10 02775				XXX			0015	06	0000		N	N	Y	N	N
6 02776				XXX			0000	01	0000		N	Y	N	N	Y
6 02777				XXX			0000	01	0000		N	Y	N	N	Y
6 02778				XXX			0000	01	0000		N	Y	N	N	Y
9 02779				XXX			0010	08	0000		N	N	N	Y	N
G8 02780				XXX			0010	08	0000		N	N	Y	Y	Y
G10 02781				XXX			0010	08	0000		N	N	Y	N	N
6 02782				XXX			0010	01	0000		N	Y	N	N	N
9 02783				XXX			0010	12	0000		N	N	N	N	N
12 02784				XXX			0010	07	0000		N	N	N	N	N
S 02785		SOLID		XXX			0000	??	0000	SOLID	N	?	N	N	N
12 02786				XXX			0010	06	0000		N	N	N	N	N
12 02787				XXX			0000	08	0000		N	N	N	N	N
G10 02788				XXX			0000	07	0000		N	N	Y	N	Y
G10 02789				XXX			0000	06	0000		N	N	Y	N	Y
G10 02790				XXX			0250	06	0000		N	N	Y	N	Y
G10 02791				XXX			0050	06	0000		N	N	Y	N	N
G7 02792				XXX			0000	14	0000		N	Y	Y	N	N
G7 02793				XXX			0000	13	0000		N	Y	Y	N	N
G5 02794		SOLID		XXX			0000	??	0000	SOLID	N	?	Y	N	N
G10 02795				XXX			0300	06	0000		N	N	Y	N	Y
G10 02796				XXX			0050	06	0000		N	N	Y	N	N
MT 02797		~~[illegible]~~ EMPTY					~~0000~~	~~[illegible]~~	~~[illegible]~~		~~N~~	~~?~~	~~N~~	~~N~~	~~N~~
G8 02798				XXX			0200	??	0000		N	?	Y	Y	N
G10 02799				XXX			0200	??	0000		N	?	Y	N	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
11 02800	resampled (first time solid, [illegible], O-Hill, Redox						0050	07	0050		N	N	Y	N	N
G8 02801			XXX				0150	??	0000		N	?	Y	Y	N
6 02802			XXX				0110	01	0000		N	Y	N	Y	N
G8 02803			XXX				0300	08	0000		N	N	Y	Y	N
G10 02804			XXX				0300	??	0000		N	?	Y	N	Y
G10 02805			XXX				0300	??	0000		N	?	Y	N	Y
G10 02806			XXX				0100	08	0000		N	N	Y	N	N
G12 02807			XXX				0100	07	0000		N	N	N	N	N
G10 02808			XXX				0300	05	0000		N	N	Y	N	Y
G10 02809			XXX				0100	??	0000		N	?	Y	N	Y
G10 02810			XXX				0000	??	0000		N	?	Y	N	Y
G10 02811			XXX				0040	??	0000		N	?	Y	N	Y
G10 02812			XXX				0040	07	0000		N	N	Y	N	N
G10 02813			XXX				0300	07	0000		N	N	Y	N	Y
G10 02814			XXX				0100	??	0000		N	?	Y	N	Y
G12 02815			XXX				0000	06	0000		N	N	N	N	N
G5 02816		SLUDGE	XXX				0020	??	0000		N	?	Y	N	N
G10 02817			XXX				0300	06	0000		N	N	Y	N	Y
S 02818		SOLID	XXX				0000	??	0000	SOLID	N	?	N	N	N
G10 02819			XXX				0020	06	0000		N	N	Y	N	Y
S 02820		SLUDGE	XXX				0020	??	0000		N	?	N	N	N
G10 02821			XXX				0000	06	0000		N	N	Y	N	N
S 02822		SOLID	XXX				0000	??	0000	SOLID	N	?	N	N	N
S 02823		SOLID	XXX				0000	??	0000	SOLID	N	?	N	N	N
G12 02824			XXX				0010	??	0000		N	?	N	N	N
G5 02825		SOLID	XXX				0000	??	0000	SOLID	N	?	N	N	N
G5 02826		SLUDGE	XXX				0000	??	0000		N	?	N	N	N
G10 02827			XXX				0300	05	0000		N	?	Y	N	N
S 02828		SOLID	XXX				0100	??	0000	SOLID	N	?	Y	N	N
G10 02829			XXX				0000	07	0000		N	N	Y	N	Y
G5 02830		SOLID	XXX				0100	??	0000	SOLID	N	?	Y	N	N
G10 02831			XXX				0300	09	0000		N	N	Y	N	N
G12 02832			XXX				0000	06	0000		N	N	N	N	N
G10 02833			XXX				0000	05	0000		N	N	Y	N	Y
Z 02834					*****		0100	07	0000		N	N	Y	N	Y
6 02835			XXX				0000	01	0000		N	Y	N	N	N
G10 02836			XXX				0000	06	0000		N	N	Y	N	N
G10 02837			XXX				0000	05	0000		N	N	Y	N	N
G12 02838			XXX				0000	07	0000		N	N	N	N	N
(NA) 02839		NO DRUM - couldn't find - [illegible] MT													
S 02840		SOLID	XXX				0000	??	0000	SOLID	N	?	Y	N	N
12 02841			XXX				0000	09	0000		N	N	N	N	N
12 02842			XXX				0000	11	0000		N	N	N	N	N
G10 02843			XXX				0050	??	0000		N	?	Y	N	N
G12 02844			XXX				0000	07	0000		N	N	N	N	N
G10 02845			XXX				0000	??	0000		N	?	Y	N	N
G11 02846			XXX				0000	07	0000		N	N	N	[illegible]	N
G5 02847		SOLID	XXX				0000	??	0000	SOLID	N	?	Y	N	N
G12 02848			XXX				0020	05	0000		N	N	N	N	N
6 02849			XXX				0000	01	0000		N	Y	N	Y	N

WESTERN PROCESSING
SAMPLE REPORT
KENT, WASHINGTON

SAMPLE	PHASE	DESCRIPTION	PCB<50	PCB>50<500	PCB>500	METALS	HNU(ppm)	pH	REDOX	CLASS	RAD	CORR	FLAM	H2O-REACT	CHLORIDE
910 02850			XXX				0020	06	0000		N	N	Y	N	N
G12 02851			XXX				0030	05	0000		N	N	N	N	N
G6 02852			XXX				0060	02	0000		N	Y	N	N	N
G6 02853			XXX				0000	01	0000		N	Y	N	Y	N
12 02854			XXX				0020	04	0000		N	N	N	N	N
G10 02855			XXX				0100	05	0000		N	N	Y	N	Y
G10 02856			XXX				0000	(??	0000		N	?	Y	N	Y
G10 02857			XXX				0000	(??	0000		N	?	Y	N	Y
G10 02858			XXX				0000	(??	0000		N	?	Y	N	Y
G8 02859			XXX				0400	07	0000		N	N	Y	Y	Y
G10 02860			XXX				0150	10	0000		N	N	Y	N	Y
G10 02861			XXX				0100	06	0000		N	N	Y	N	N
G10 02862			XXX				0050	06	0000		N	N	Y	N	N
G10 02863			XXX				0000	(??	0000		N	?	Y	N	Y
5 02864		SAMPLE	XXX				0000	07	0000		N	N	Y	N	Y
G10 02865			XXX				0030	05	0000		N	N	Y	N	Y
8 02866			XXX				0080	08	0000		N	N	Y	Y	Y
G10 02867			XXX				0000	07	0000		N	N	Y	N	Y
12 02868			XXX				0050	06	0000		N	N	N	N	N
12 02869			XXX				0070	09	0000		N	N	N	N	N
G10 02870			XXX				0300	07	0000		N	N	Y	N	Y
G10 02871			XXX				0300	07	0000		N	N	Y	N	Y
6 02872			XXX				0000	01	0000		N	Y	N	Y	Y
6 02873			XXX				0000	01	0000		N	Y	N	N	Y
G10 02874			XXX				0020	07	0000		N	N	Y	N	Y
G10 02875			XXX				0000	06	0000		N	N	Y	N	Y
G6 02876 B			XXX				0000	01	0000		N	Y	Y	Y	Y
G6 02877 G			XXX				0000	01	0000		N	Y	Y	Y	Y
12 02878			XXX				0000	07	0000		N	N	N	N	N
G10 02879			XXX				0250	07	0000		N	N	Y	N	N
G6 02880 G			XXX				0100	01	0000		N	Y	N	Y	N
G5 02881 G			XXX				0050	01	0250		N	Y	Y	Y	Y
G5 02882			XXX				0050	01	0100		N	Y	Y	Y	Y
72883							0	14	0		N	Y	Y	Y	N
G122884G							0	7	0		N	N	N	N	N
122885							0	7	0		N	N	N	N	N
G52886 G							0	1	300		N	Y	N	Y	N
122887							0	7	0		N	N	N	N	N

TABLE 3

Information on Original Tank Samples for
Western Processing, Kent, WA

TABLE 3. Information on Original Tank Samples - Western Processing Company, Kent, WA.

Tank Number	Status	Volume (gal)	Structure Integrity	Contents	Classi-fication	pH	MeCL Level (ppm)	PCB Level (ppm)	Flash Point (°F)	Comments
T-3	Empty	2,211	Good	Ink	Non haz	--	67.5	<50	--	Emptied into drums
T-8	Empty	10,436	Bad	Synfuel	Water reactive	7	342	<50	95	Transferred to T-100 and T-53, Arsenic=58 ppm
T-9	Full	10,436	Good	Synfuel	Non haz	7	<20	<50	>150	Arsenic=130 ppm
T-10	Full	2,015	Good	Synfuel	Non haz	6	234	<50	<90	Total organic halides as Chloride=6,700 ppm
T-11	Empty	7,674	Bad	Synfuel	Non haz	7	25	<50	--	Shipped 06/10/83
T-12	Empty	1,650	Bad	Flammable solvent	Water reactive	6	135	<50	--	Shipped 06/08/83
T-21	Full	3,465	Good	Chlorinated solvent	Non haz	6	---	<50	90	
T-22	Empty	3,465	Good	Chlorinated solvent	Water reactive	6	---	<50	<60	Transferred to T-23, 06/26/83
T-23	Full	3,465	Good	Chlorinated solvent	Water reactive	6	---	<50	<60	Toluene=83 ppm, Ethyl-benzene=54 ppm, Xylene= 258 ppm

TABLE 3. Information on Orginal Tank Samples - Western Processing Company, Kent, WA (cont.)

Tank Number	Status	Volume (gal)	Structure Integrity	Contents	Classi-fication	pH	MeCL Level (ppm)	PCB Level (ppm)	Flash Point (^{o}F)	Comments
T-24	Empty	1,324	Bad	Chlorinated solvent	Combust-ible	--	---	<50	--	Shipped 06/09/83
T-25	Full	3,465	Good	---	Flammable	5	---	<50	85	
T-26	Empty	1,437	Bad	---	Flammable	6	---	<50	---	Shipped 06/09/83
T-30	Full	1,043	Bad	Paint wash water	Non haz	7		<50	>150	
T-33	Empty	1,447	Bad	Oily water	Non haz	3	---	<50	>150	Transferred to B-1, 06/24/83
T-39	Empty	3,068	Bad	Synfuel	Caustic	12	237	<50	>150	Shipped 06/24/84
T-51	Full	50,391	Good	Synfuel	Non haz	6	<20	<50	>140	Arsenic=82 ppm
T-52	Full	50,391	Good	Synfuel	Non haz	7	<20	<50	>140	Arsenic=16 ppm
T-53	Full	50,391	Good	Synfuel	Non haz	7	9	<50	>140	Arsenic=34 ppm (some original product removed see T-8, T-104, and T-105

TABLE 3. Information on Original Tank Samples - Western Processing Company, Kent, WA (cont.)

Tank Number	Status	Volume (gal)	Structure Integrity	Contents	Classi-fication	pH	MeCL Level (ppm)	PCB Level (ppm)	Flash Point (^{o}F)	Comments
T-54	Full	7,800	Good	Bunker oil	Non haz	6	450	<50	>150	
T-61	Full	15,153	Good	Synfuel	Flammable	7	198	<50	<90	
T-62	Full	15,153	Good	Mixed organics	Flammable	6	--	<50	90	
T-63	Empty	7,977	Bad	Synfuel	Non haz	6	<20	<50	>140	Transferred to T-62, 06/13/83
T-64	Empty	8,325	Bad	Synfuel	Flammable/ Water reactive	11	--	<50	---	Shipped 06/13/83
T-65	Full	9,600	Good	Solvent	Flammable		--	<50	90-100	
T-66	Full	5,350	Good	Solvent	Flammable	6	21	<50	<90	
T-67	Empty	640	Bad	Ester solvent	Flammable	6	447	<50	<100	Transferred to T-66, 06/16/83
T-68	Full	3,500	Good	Oily water	Flammable		--	<50	<90	

TABLE 3. Information on Original Tank Samples - Western Processing Company, Kent, WA (cont.)

Tank Number	Status	Volume (gal)	Structure Integrity	Contents	Classi-fication	pH	MeCL Level (ppm)	PCB Level (ppm)	Flash Point (°F)	Comments
T-69	Empty	1,281	Bad	MeCL/ Phenol	Oxidizer	9	--	<50	---	Phenol=26,000 ppm Shipped 06/09/83
T-100	Empty	11,570	Bad	Synfuel	Flammable	8	11	<50	95	Shipped 06/22/83
T-101	Full	20,365	Good	Synfuel	Non haz	8	24	<50	>140	
T-102	Full	10,244	Good	Synfuel	Non haz	8	10	<50	>140	
T-103	Full	7,952	Good	Synfuel	Non haz	8	20	<50	90	Arsenic=50 ppm
T-104	Empty (Full)	6,153	Good	Synfuel	Flammable	8	<20	<50	90	Arsenic=31 ppm. Transferred to T-53, 06/09/83 (Refilled with flammable liquids)
T-105	Empty (Full)	6,153	Good	Synfuel	Non haz	8	<20	<50	>150	Transferred to T-53, 06/09/83, (refilled with flammable liquids)
T-106	Full	5,076	Good	Synfuel	Non haz	8	56	<50	>150	Arsenic=49 ppm
T-116	Full	50,750	Good	Synfuel	Non haz	10	24	<50	---	
T-117	Empty	50,750	Bad	Synfuel	Non haz	10	6	<50	>150	Shipped 06/24/83

TABLE 3. Information on Original Tank Samples - Western Processing Company, Kent, WA (cont.)

Tank Number	Status	Volume (gal)	Structure Integrity	Contents	Classi-fication	pH	MeCL Level (ppm)	PCB Level (ppm)	Flash Point (^{o}F)	Comments
T-118	Empty	9,000	Bad	Synfuel	Non haz	8	<20	<50	>150	Shipped 06/14/83
T-121	Full	6,900	Good	Synfuel	Water reactive	9	<20	<50	>140	Arsenic=56 ppm
T-122	Full	6,900	Good	Synfuel	Caustic	12	<20	<50	>150	
T-123	Full	6,900	Good	Synfuel		--	--	<50	>140	
T-130	Full	27,233	Good	Ketone solvent Synfuel	Flammable	7	1,164	<50	<90	
T-131	Empty	8,936	Good	Synfuel	Non haz	7	154	<50		Shipped 06/14/83
T-137	Full	5,568	Good	---	Corrosive	14	--	<50	90	
T-140	Full	18,473	Good	Synfuel	Flammable	10	20	<50	>140	Arsenic=114 ppm
T-141	Empty	519	Bad	Still bottoms	Flammable	7	>450	<50	95	Pumped into T-66, 06/16/83
T-142	Full	4,047	Good	---	Flammable	6	--	<50	<90	

TABLE 3. Information on Original Tank Samples - Western Processing Company, Kent, WA (cont.)

Tank Number	Status	Volume (gal)	Structure Integrity	Contents	Classi-fication	pH	MeCL Level (ppm)	PCB Level (ppm)	Flash Point °F	Comments
T-143	Empty	2,823	Bad	Ketone solvent	Flammable	6	>450	<50	---	Shipped 06/09/83
T-144	Full	19,050	Good	Synfuel	Non haz	8	<20	<50	>140	Arsenic=104 ppm
T-145	Full	19,050	Good	Synfuel	Non haz	8	480	<50	>140	Arsenic=103 ppm
T-200	Full	750	Good	Oily water	Non haz	--	--	<50	>150	
T-201	Full	4,000	Good	Oily water	Non haz	7	0	<50	>150	
T-202	Empty	3,000	Bad	---	Flammable caustic	14	--	<50	<85	Transferred to T-219
T-204	Empty	3,800	Bad	---	Caustic/ Water re-active	14	>450	<50	---	Shipped 06/08/83
T-206	Full	6,245	Good	Synfuel	Non haz	8	--	<50	>150	Arsenic=70 ppm
T-210	Full	2,060	Good	Oily water	Non haz	6	--	<50	>150	
T-211	Full	735	Good	Oily water	Flammable	7	--	<50	87	
T-215	Full	804	Good	---	Non haz	6	--	<50	>150	

TABLE 3. Information on Original Tank Samples - Western Processing Company, Kent, WA (cont.)

Tank Number	Status	Volume (gal)	Structure Integrity	Contents	Classi-fication	pH	MeCL Level (ppm)	PCB Level (ppm)	Flash Point °F	Comments
T-216	Full	2,560	Good	---	Non haz	7	--	<50	>150	
T-217	Full	6,826	Good	---	Non haz	6	--	<50	>150	
T-218	Full	6,826	Good	Zinc oxide	Non haz	6	--	<50	>150	
T-219	Full	3,000	Good	---	Flammable	6	--	<50	<85	
T-220	?	1,000	Bad	Oily water	Non haz	7	--	<50	>150	
T-221	Empty	12,000	Good	NaOh	Flammable/ Caustic	14	--	<50		Pumped to acid waste pond
B-1	Full	46,869	Good	Oily water	Non haz	--	--	<50	>150	
B-2	Empty	35,320	Good	Water	Non haz	7	--	<50	---	Shipped to Crosby & Overton
B-3	Empty	35,320	Good	Water	Non haz	6	--	<50	---	Shipped to Crosby & Overton
B-4	Empty	11,930	Good	Water, Zinc oxide	Non haz	6	--	<50	---	Shipped to Crosby & Overton
B-6	Empty	5,000	Good	Acid	Corrosive	1	--	<50	---	Shipped off

TABLE 4

Purgeable Halocarbon Analyses
on Selected Tank Samples at
Western Processing, Kent, WA

TABLE 4. Purgeable Halocarbon Analyses on Selected Tank Samples - Western Processing, Kent, WA

Lab. No.	Tank No.	Trichloro-ethylene	Tetra-chloro-ethylene	1,1,1-Tri-chloro-ethane	1,1 Dichloro-ethene	Chloro-form	Chloro-benzene	Methylene Chloride	1,1-Dichloro-ethane	1,2-Dichloro-ethane
16151	T10	573,000	81,000	153,000	-	-	-	-	-	-
16155	T52	-	-	-	-	-	-	86,000	-	-
16157	T54	126,000	13,000	584,000	84,000	-	-	-	-	-
16158	T62	-	-	520,000	-	-	-	-	-	-
16170	T130	834,000	120,000	233,000	32,000	28,000	10,000M	186,000	-	-
16153	T26	2,020,000	387,000	2,636,000	259,000	230,000	24,000	410,000	67,000	500,000
16165	T64	-	-	-	-	-	-	-	60,000	-
16171	T131	383,000	32,000	136,000	18,000	116,000	-	130,000	-	-
16175	T61	745,000	35,000	165,000	99,000	110,000	-	-	18,000	-

*Concentrations expressed in micrograms per kilogram of solution.

TABLE 5

Analytical Results For
Heavy Metals and Selected Organics for
Cooling Water, Acid Waste, and Paint Lagoon Sludges,
Western Processing, Kent, WA

TABLE 5. Analytical Results[1] for Heavy Metals and Selected Organics for Cooling Water, Acid Waste, and Paint Lagoon Sludges, Western Processing, Kent, WA.

	Cooling Water				Acid	Paint Sludge			
Parameter	S-1	S-2	S-3	S-4	P-21	P-23	P-24	P-25	P-26
Antimony	BDL[2]	BDL	ND	BDL	ND	28	ND	ND	BDL
Arsenic	4.4	12	12	13	9.7	BDL	28	4.3	1.3
Beryllium	ND[3]	ND	ND	ND	ND	ND	ND	0.5	ND
Cadmium	82	50	19	42	7.6	13	1.8	14	310
Chromium	280	420	370	430	890	960	170	410	5,600
Copper	380	290	250	240	430	3,100	670	18,000	3,300
Lead	960	1,900	1,900	2,500	36,000	5,500	1,400	15,000	2,200
Mercury	0.1	0.2	0.2	BDL	17	1.7	0.1	1.5	0.3
Nickel	21	18	20	29	250	160	98	150	650
Selenium	ND	BDL	ND	BDL	ND	BDL	BDL	BDL	ND
Silver	ND	BDL	ND	0.8	9.4	9.1	ND	7.5	16
Thallium	BDL	BDL	BDL	BDL	ND	BDL	ND	BDL	ND
Zinc	2,800	2,000	1,300	3,600	6,200	8,100	25,000	19,000	18,000
Cyanide	4	2.4	14	5.8	75	135	1.7	12	2.5
Methylene Chloride							31	5.7	
1,1-Dichloroethylene							1.6	7.1	
Chloroform							0.6	2.5	
1,1,1,-Trichloroethane							0.4	5.4	
Trichloroethylene							2.5	5.9	
Benzene							---	2.0	
Toluene							6.9	16.4	
Ethylbenzene							5.6	12.0	
Xylenes							25.7	32.4	
Carbon tetrachloride							4.0	15.4	

1 All readings are expressed in parts per million (ppm).
2 BDL = Below Detection Limit
3 ND = Not Detected

TABLE 6

Updated Information
on Tanks Currently in Use at the
Western Processing, Kent, WA

TABLE 6. Updated Information on Tanks Currently in Use at the Western Processing Company, Kent, WA

Tank Number	Status	Volume (gal)	Structure Integrity	Contents	Classi-fication	pH	MeCL Level (ppm)	PCB Level (ppm)	Flash Point (°F)	Comments
T-9	Full	10,436	Good	Synfuel	Non haz	7	<20	<50	>150	Arsenic=130 ppm
T-10	Full	2,015	Good	Synfuel	Non haz	6	234	<50	<90	Total organic halides as Chloride=6,700 ppm
T-21	Full	3,465	Good	Chlorinated solvent	Non haz	6	---	<50	90	
T-23	Full	3,465	Good	Chlorinated solvent	Water reactive	6	---	<50	<60	Toluene=83 ppm, Ethyl-benzene=54 ppm, Xylene= 258 ppm
(T-22)				(Chlorinated solvents)	(Water reactive)	(6)		(")	(<60)	
T-25	Full	3,465	Good	---	Flammable	5	---	<50	85	
T-30	Full	1,043	Bad	Paint wash water	Non haz	7		<50	>150	
T-51	Full	50,391	Good	Synfuel	Non haz	6	<20	<50	>140	Arsenic=82 ppm
T-52	Full	50,391	Good	Synfuel	Non haz	7	<20	<50	>140	Arsenic=16 ppm

TABLE 6. Updated Information on Tanks Currently in Use at the Western Processing Company, Kent, WA

Tank Number	Status	Volume (gal)	Structure Integrity	Contents	Classi-fication	pH	MeCL Level (ppm)	PCB Level (ppm)	Flash Point (°F)	Comments
T-53	Full	50,391	Good	Synfuel	Non haz	7	9	<50	>140	Arsenic=34 ppm
(T-8)				(Synfuel)	(Water reactive)	(7)	(342)	(")	(95)	(Arsenic=50 ppm)
(T-104)				(Synfuel)	(Flammable)	(9)	(<20)	(")	(90)	(Arsenic=31 ppm)
(T-105)				(Synfuel)	(Non haz)	(8)	(>150)	(")	(>150)	
T-54	Full	7,800	Good	Bunker oil	Non haz	6	450	<50	>150	
T-61	Full	15,153	Good	Synfuel	Flammable	7	198	<50	<90	
T-62	Full	15,153	Good	Mixed organics	Flammable	6	--	<50	90	
T-65	Full	9,600	Good	Solvent	Flammable		--	<50	90-100	
T-66	Full	5,350	Good	Solvent	Flammable	6	21	<50	<90	
(T-67)				(Ester solvent)	(Flammable)	(6)	(447)	(")	(<100)	
T-68	Full	3,500	Good	Oily water	Flammable		--	<50	<90	
T-101	Full	20,365	Good	Synfuel	Non haz	8	24	<50	>140	

TABLE 6. Updated Information on Tanks Currently in Use at the Western Processing Company, Kent, WA

Tank Number	Status	Volume (gal)	Structure Integrity	Contents	Classi-fication	pH	MeCL Level (ppm)	PCB Level (ppm)	Flash Point (^{o}F)	Comments
T-102	Full	10,244	Good	Synfuel	Non haz	8	10	<50	>140	
T-103	Full	7,952	Good	Synfuel	Non haz	8	20	<50	90	Arsenic=50 ppm
T-104	Full	6,153	Good	Flammable liquids	Flammable	--	---	<50	---	Refilled with bulk flammable liquids from drums.
T-105	Full	6,153	Good	Flammable	Flammable	--	---	<50	---	Refilled with bulk flammable liquids from drums.
T-106	Full	5,076	Good	Synfuel	Non haz	8	56	<50	>150	Arsenic=49 ppm
T-116	Full	50,750	Good	Synfuel	Non haz	10	24	<50	---	
T-121	Full	6,900	Good	Synfuel	Water reactive	9	<20	<50	>140	Arsenic=56 ppm
T-122	Full	6,900	Good	Synfuel	Caustic	12	<20	<50	>150	
T-123	Full	6,900	Good	Synfuel		--	--	<50	>140	

TABLE 6. Updated Information on Tanks Currently in Use at the Western Processing Company, Kent, WA

Tank Number	Status	Volume (gal)	Structure Integrity	Contents	Classi-fication	pH	MeCL Level (ppm)	PCB Level (ppm)	Flash Point (^{o}F)	Comments
T-130	Full	27,233	Good	Ketone solvent Synfuel	Flammable	7	1,164	<50	<90	
T-137	Full	5,568	Good	---	Corrosive	14	--	<50	90	
T-140	Full	18,473	Good	Synfuel	Flammable	10	20	<50	>140	Arsenic=114 ppm
T-142	Full	4,047	Good	---	Flammable	6	--	<50	<90	
T-144	Full	19,050	Good	Synfuel	Non haz	8	<20	<50	>140	Arsenic=104 ppm
T-145	Full	19,050	Good	Synfuel	Non haz	8	480	<50	>140	Arsenic=103 ppm
T-200	Full	750	Good	Oily water	Non haz	--	--	<50	>150	
T-201	Full	4,000	Good	Oily water	Non haz	7	0	<50	>150	
T-206	Full	6,245	Good	Synfuel	Non haz	8	--	<50	>150	Arsenic=70 ppm
T-210	Full	2,060	Good	Oily water	Non haz	6	--	<50	>150	

TABLE 6. Updated Information on Tanks Currently in Use at the Western Processing Company, Kent, WA

Tank Number	Status	Volume (gal)	Structure Integrity	Contents	Classi-fication	pH	MeCL Level (ppm)	PCB Level (ppm)	Flash Point °F	Comments
T-211	Full	735	Good	Oily water	Flammable	7	--	<50	87	
T-215	Full	804	Good	---	Non haz	6	--	<50	>150	
T-216	Full	2,560	Good	---	Non haz	7	--	<50	>150	
T-217	Full	6,826	Good	---	Non haz	6	--	<50	>150	
T-218	Full	6,826	Good	Zinc oxide	Non haz	6	--	<50	>150	
T-219	Full	3,000	Good	---	Flammable	6	--	<50	<85	
(T-202)					(Flammable caustic)	(14)	(--)	(")	(<85)	
T-220	?	1,000	Bad	Oily water	Non haz	7	--	<50	>150	
B-1	Full	46,869	Good	Oily water	Non haz	--	--	<50	>150	
(T-33)				(Oily water)	(Non haz)	(3)	(--)	(")	(>150)	