From: Williams, Jonathan
To: Valdez, Heather
Subject: RE: Work Rules and HASP
Date: Wednesday, April 13, 2016 2:36:59 PM

I suggest calling Greg for his advice regarding oversight of FMC contractor work at the RCRA ponds.

Jonathan Williams, LHG
Remedial Project Manager
U.S. Environmental Protection Agency
1200 Sixth Avenue, Suite 900, ECL-122
Seattle, WA 98101

Telephone: (206) 553-1369
E-mail: williams.jonathan@epa.gov

From: Valdez, Heather
Sent: Wednesday, April 13, 2016 2:22 PM
To: Williams, Jonathan <Williams.Jonathan@epa.gov>
Subject: FW: Work Rules and HASP

Ah … this might make more sense, see Greg's comment to me below …. so it is just the RCRA program I bet that would expect that I would have a HASP approved, so I will just deal with that and push back if I see that I think this is not needed for me for the future …

Heather Valdez
Chemical Engineer, Project Manager
RCRA Corrective Actions and Permits Team
EPA Region 10
1200 6th Ave, Suite 900, AWT-150, Seattle WA, 98101
(206) 553-6220
valdez.heather@epa.gov

From: Weigel, Greg
Sent: Wednesday, April 13, 2016 2:11 PM
To: Valdez, Heather <Valdez.Heather@epa.gov>
Subject: RE: Work Rules and HASP

Heather,

Grady does not approve the Emergency Management Program's HASPs. Not sure how Beth's

program does it.

Greg Weigel
Federal On-Scene Coordinator
EPA Region 10, Emergency Response Unit
950 W. Bannock Street, Boise, ID 83702
208-378-5773 office
208-867-3710 cell

From: Valdez, Heather
Sent: Wednesday, April 13, 2016 1:47 PM
To: Maxwell, Grady <maxwell.grady@epa.gov>
Cc: Weigel, Greg <Weigel.Greg@epa.gov>
Subject: FW: Work Rules and HASP

Hi Grady, I am understanding more of what you need to have for your approval, and it sounds like Greg will be working on a EPA HASP specific for this work and getting that done today. He will get what approval he needs, but I should also have my management and you approve this for me, I understand. I am very sorry for the short turn around, I didn't realize that I would need to have you sign something. I'm still learning the all the various processes for my new position. Thanks Grady, I will let you know as soon as I hear from Greg.

Greg, will you still have a EPA HASP by today?
Did you get ahold of Susan?

Thanks!

Heather Valdez
Chemical Engineer, Project Manager
RCRA Corrective Actions and Permits Team
EPA Region 10
1200 6th Ave, Suite 900, AWT-150, Seattle WA, 98101
(206) 553-6220
valdez.heather@epa.gov

From: Weigel, Greg
Sent: Wednesday, April 13, 2016 9:26 AM
To: Valdez, Heather <Valdez.Heather@epa.gov>; McArthur, Lisa <McArthur.Lisa@epa.gov>; Palumbo, Janice <Palumbo.Jan@epa.gov>
Subject: RE: Work Rules and HASP

Also, I will be providing an updated EPA HASP, that incorporates the FMC HASP by reference, later today.

Greg Weigel
Federal On-Scene Coordinator
EPA Region 10, Emergency Response Unit
950 W. Bannock Street, Boise, ID 83702
208-378-5773 office
208-867-3710 cell

From: Valdez, Heather
Sent: Wednesday, April 13, 2016 10:24 AM
To: McArthur, Lisa <McArthur.Lisa@epa.gov>; Palumbo, Janice <Palumbo.Jan@epa.gov>
Cc: Weigel, Greg <Weigel.Greg@epa.gov>
Subject: FW: Work Rules and HASP

Hi Lisa and Jan, The H&S Work Rules for the RCRA Ponds are in Appendix B of the attached.

Heather Valdez
Chemical Engineer, Project Manager
RCRA Corrective Actions and Permits Team
EPA Region 10
1200 6th Ave, Suite 900, AWT-150, Seattle WA, 98101
(206) 553-6220
valdez.heather@epa.gov

From: Rob Hartman [mailto:Rob.J.Hartman@mwhglobal.com]
Sent: Wednesday, April 13, 2016 7:48 AM
To: Weigel, Greg <Weigel.Greg@epa.gov>
Cc: Valdez, Heather <Valdez.Heather@epa.gov>
Subject: RE: Work Rules and HASP

Greg: The operative FMC Site-Wide Health and Safety Plan (SWHASP), November 2015 is attached. The operative RCRA Pond Area Work Rules (December 2013) are contained in Appendix B of the SWHASP. Thanks, Rob

---

From: Weigel, Greg [mailto:Weigel.Greg@epa.gov]
Sent: Wednesday, April 13, 2016 8:38 AM
To: Rob Hartman
Cc: Valdez, Heather

Subject: RE: Work Rules and HASP

Rob,

I have the 12/17/13 RCRA Pond Work Rules, and the March 2011 FMC HASP. Please provide copy of any superseding documents.

Greg Weigel
Federal On-Scene Coordinator
EPA Region 10, Emergency Response Unit
950 W. Bannock Street, Boise, ID 83702
208-378-5773 office
208-867-3710 cell

From: Weigel, Greg
Sent: Tuesday, April 12, 2016 4:05 PM
To: 'Rob Hartman' <Rob.J.Hartman@mwhglobal.com>
Cc: Valdez, Heather <Valdez.Heather@epa.gov>
Subject: Work Rules and HASP

Rob,

Please send me the RCRA Pond Work Rules and FMC HASP that are current and applicable to the Pond 15S standpipe replacement work, so that I can attach those to the EPA HASP for our own needs and purposes. Thanks,

Greg Weigel
Federal On-Scene Coordinator
EPA Region 10, Emergency Response Unit
950 W. Bannock Street, Boise, ID 83702
208-378-5773 office
208-867-3710 cell