00015

DRINKING WATER REGULATIONS

AND HEALTH ADVISORIES

by

Office of Water
U.S. Environmental Protection Agency
Washington, D.C.
202-260-7571

SAFE DRINKING WATER HOTLINE
1-800-426-4791
Monday thru Friday, 8:30 AM to 5:00 PM EST

April 1992

LEGEND

Abbreviations column descriptions are:

MCLG - Maximum Contaminant Level Goal. A non-enforceable concentration of a drinking water contaminant that is protective of adverse human health effects and allows an adequate margin of safety.

MCL - Maximum Contaminant Level. Maximum permissible level of a contaminant in water which is delivered to any user of a public water system.

RfD - Reference Dose. An estimate of a daily exposure to the human population that is likely to be without appreciable risk of deleterious effects over a lifetime.

DWEL - Drinking Water Equivalent Level. A lifetime exposure concentration protective of adverse, non-cancer health effects, that assumes all of the exposure to a contaminant is from a drinking water source.

*) The codes for the Status Reg and Status HA columns are as follows:

F - final
D - draft
L - listed for regulation
P - proposed (Phase II and V proposals)
T - tentative

Other codes found in the table include the following:

NA - not applicable
PS - performance standard 0.5 NTU - 1.0 NTU
TT - treatment technique

** - No more than 5% of the samples per month may be positive. For systems collecting fewer than 40 samples/month, no more than 1 sample per month may be positive.

*** - guidance

- Large discrepancies between Lifetime and Longer-term HA values may occur because of the Agency's conservative policies, especially with regard to carcinogenicity, relative source contribution, and less than lifetime exposures in chronic toxicity testing. These factors can result in a cumulative UF (uncertainty factor) of 10 to 1000 when calculating a Lifetime HA.

Chemical abbreviations include the following:

PAH - polycyclic aromated hydrocarbon
EDB - ethylene dibromide
PAE - phthalate acid ester
PCBs - polychlorinated biphenyls
THM - trihalomethane
DBCP - dibromochloropropane

DRINKING WATER STANDARDS AND HEALTH ADVISORIES

Chemicals	Standards: Status Reg.*	Standards: MCLG (mg/l)	Standards: MCL (mg/l)	Health Advisories: Status HA*	10 kg Child: One-day mg/l	10 kg Child: Ten-day mg/l	10 kg Child: Longer term mg/l	70 kg Adult: Longer term mg/l	70 kg Adult: RfD mg/kg/day	70 kg Adult: DWEL mg/l	70 kg Adult: Lifetime mg/l	mg/l at 10⁻⁶ Cancer Risk	Cancer Group
ORGANICS													
Acenaphthene	-	-	-	-	-	-	-	-	0.06	-	-		-
Acifluorfen	-	-	-	F	2	2	0.1	0.4	0.013	0.4	-	0.1	B2
Acrylamide	F	zero	TT	F	1.5	0.3	0.02	0.07	0.0002	0.007	-	0.001	B2
Acrylonitrile	L	-	-	D	0.02	0.02	0.001	0.004	0.0001	0.004	-	0.007	B1
Adipates (diethylhexyl)	P	0.5	0.5	-	-	-	-	-	0.7	20	0.5	-	C
Alachlor	F	zero	0.002	F	0.1	0.1	-	-	0.01	0.4	-	0.04	B2
Aldicarb	F	0.001	0.003	F	-	-	-		0.0002	0.004	0.001	-	D
Aldicarb sulfone	F	0.001	*0.002*	F	-	-	-	-	*0.0002*	0.004	0.001		D
Aldicarb sulfoxide	F	0.001	*0.004*	F	-	-	-	-	0.0002	0.004	0.001	-	D
Aldrin	-	-	-	D	0.0003	0.0003	0.0003	0.0003	0.00003	0.001	-	0.0002	B2
Ametryn	-	-	-	F	9	9	0.9	3	0.009	0.3	0.06	-	D
Ammonium Sulfamate	-			F	20	20	20	80	0.28	8	2		D
Anthracene (PAH)	-	-	-	-	-	-	-	-	0.3	-	-		D
Atrazine	F	0.003	0.003	F	0.1	0.1	0.05	0.2	0.005	0.2	0.003		C
Baygon	-	-	-	F	0.04	0.04	0.04	0.1	0.004	0.1	0.003		C
Bentazon	L	-	-	F	0.3	0.3	0.3	0.9	0.0025	0.09	0.02		D
Benz(a)anthracene (PAH)	P	zero	0.0001	-	-	-	-	-	-	-	-	-	B2
Benzene	F	zero	0.005	I	0.2	0.2	-	-	-	-		0.1	A
Benzo(a)pyrene (PAH)	P	zero	0.0002	-	-	-	-	-	-	-	-	-	B2*
Benzo(b)fluoranthene (PAH)	P	zero	0.0002	-	-	-	-	-	-	-	-	-	B2
Benzo(g,h,i)perylene (PAH)	-	-	-	-	-	-	-	-	-	-	-	-	D
Benzo(k)fluoranthene (PAH)	P	zero	0.0002	-	-	-	-	-	-	-	-		B2
bis 2 Chloroisopropyl ether	-	-	-	F	4	4	4	13	0.04	1	0.3		D
Bromacil	L	-	-	F	5	5	3	9	0.13	5	0.09	-	C
Bromobenzene	L	-	-	D	-	-	-	-	-	-	-	-	-

* Under review

NOTE: Anthracene and Benzo(g,h,i)perylene — not proposed in Phase V.

Chemicals	Standards: Status Reg.*	Standards: MCLG (mg/l)	Standards: MCL (mg/l)	Health Advisories: Status HA*	10 kg Child: One-day mg/l	10 kg Child: Ten-day mg/l	10 kg Child: Longer-term mg/l	70 kg Adult: Longer-term mg/l	70 kg Adult: RfD mg/kg/day	70 kg Adult: DWEL mg/l	70 kg Adult: Lifetime mg/l	mg/l at 10^{-4} Cancer Risk	Cancer Group
Bromochloroacetonitrile	L	-	-	D	-	-	-	-	-	-	-		
Bromochloromethane	-	-	-	F	50	1	1	5	0.013	0.5	0.09		
Bromodichloromethane (THM)	L	-	0.1	D	7	7	4	13	0.02	0.7	-	0.14	B2
Bromoform (THM)	L	-	0.1	D	5	2	2	6	0.02	0.7	-	0.4	B2
Bromomethane	L	-	-	F	0.1	0.1	0.1	0.5	0.001	0.05	0.01	-	D
Butyl benzyl phthalate (PAE)	P	zero	0.1	-	-	-	-	-	0.2	6	-	-	C
Butylate	-	-	-	F	2	2	1	4	0.05	2	0.35		D
Butylbenzene n-	-	-	-	D	-	-	-	-	-	-	-		
Butylbenzene sec-	-	-	-	D	-	-	-	-	-	-	-		
Butylbenzene tert-	-	-	-	D	-	-	-	-	-	-	-		
Carbaryl	-	-	-	F	1	1	1	1	0.1	4	0.7	-	D
Carbofuran	F	0.04	0.04	F	0.05	0.05	0.05	0.2	0.005	0.2	0.04	-	E
Carbon Tetrachloride	F	zero	0.005	F	4	0.2	0.07	0.3	0.0007	0.03	-	0.03	B2
Carboxin	-	-	-	F	1	1	1	4	0.1	4	0.7	-	D
Chloral Hydrate	L	-	-	D	7	1.4	0.16	0.56	0.0016	0.056	0.045	-	-
Chloramben	-	-	-	F	3	3	0.2	0.5	0.015	0.5	0.1	-	D
Chlordane	F	zero	0.002	F	0.06	0.06	-	-	0.00006	0.002	-	0.003	B2
Chlorodibromomethane (THM)	L	-	0.1	D	7	7	2	8	0.02	0.7	0.06	-	C
Chloroethane	L	-	-	D	-	-	-	-	-	-	-	-	-
Chloroform (THM)	L	-	0.1	D	4	4	0.1	0.4	0.01	0.4	-	0.6	B2
Chloromethane	L	-	-	F	9	0.4	0.4	1	0.004	0.1	0.003	-	C
Chlorophenol (2-)	-	-	-	D	0.05	0.05	0.05	0.2	0.005	0.2	0.04		D
p-Chlorophenyl methyl sulfide/sulfone/sulfoxide	-	-	-	D	-	-	-	-	-	-	-		D
Chloropicrin	L	-	-	-	-	-	-	-	-	-	-	-	-
Chlorothalonil	-	-	-	F	0.2	0.2	0.2	0.5	0.015	0.5	-	0.15	B2
Chlorotoluene o-	L	-	-	F	2	2	2	7	0.02	0.7	0.1	-	D
Chlorotoluene p-	L	-	-	F	2	2	2	7	0.02	0.7	0.1	-	D
Chlorpyrifos	-	-	-	D	0.03	0.03	0.03	0.1	0.003	0.1	0.02	-	D
Chrysene (PAH)	P	zero	0.0002	-	-	-	-	-	-	-	-	-	B2
Cyanazine	L	-	-	F	0.1	0.1	0.02	0.07	0.002*	0.07*	0.001	-	C

* Under review. NOTE: Chrysene was proposed in second option.

Chemicals	Standards: Status Reg.*	Standards: MCLG (mg/l)	Standards: MCL (mg/l)	Health Advisories: Status HA*	10 kg Child: One day mg/l	10 kg Child: Ten day mg/l	10 kg Child: Longer term mg/l	70 kg Adult: Longer term mg/l	70 kg Adult: RfD mg/kg/day	70 kg Adult: DWEL mg/l	70 kg Adult: Lifetime mg/l	mg/l at 10^{-4} Cancer Risk	Cancer Group
Cyanogen Chloride	L	-	-		-	-	-		-	-			
Cymene p	-	-	-	D	-	-	-	-	-	-	-		
2,4 D	F	0.07	0.07	F	1	0.3	0.1	0.4	0.01	0.4	0.07		D
DCPA (Dacthal)	L	-	-	F	80	80	5	20	0.5	20	4		D
Dalapon	P	0.2	0.2	F	3	3	0.3	0.9	0.026	0.9	0.2	-	D
Di(2 ethylhexyl)adipate	P	0.4	0.4	-	20	20	20	60	0.6	20	0.4	3	C
Diazinon	-	-	-	I	0.02	0.02	0.005	0.02	0.00009	0.003	0.0006		E
Dibenz(a,h)anthracene (PAH)	P	zero	0.0003	-	-	-	-	-	-	-	-		B2
Dibromoacetonitrile	L	-	-	D	2	2	2	8	0.02	0.8	0.02		C
Dibromochloropropane (DBCP)	F	zero	0.0002	F	0.2	0.05	-	-	-	-	-	0.003	B2
Dibromomethane	L	-	-	-	-	-	-	-	-	-	-	-	D
Dibutyl phthalate (PAE)	-	-	-	-	-	-	-	-	0.1	4	-	-	D
Dicamba	L	-		F	0.3	0.3	0.3	1	0.03	1	0.2		D
Dichloroacetaldehyde	L	-	-	D	-	-	-	-	-	-	-		
Dichloroacetic acid	L	-	-	D	-	-	-	-	-	-	-	-	-
Dichloroacetonitrile	L	-	-	D	1	1	0.8	3	0.008	0.3	0.006	-	C
Dichlorobenzene o-	F	0.6	0.6	F	9	9	9	30	0.9	3	0.6		D
Dichlorobenzene m- *	F	0.6	0.6	F	9	9	9	30	0.9	3	0.6		D
Dichlorobenzene p-	F	0.075	0.075	F	10	10	10	40	0.1	4	0.075		C
Dichlorodifluoromethane	I	-	-	F	40	40	9	30	0.2	5	1		D
Dichloroethane (1,1)	L	-	-	D	-	-	-	-	-	-	-	-	-
Dichloroethane (1,2)	F	zero	0.005	F	0.7	0.7	0.7	2.6	-	-	-	0.04	B2
Dichloroethylene (1,1)	F	0.007	0.007	F	2	1	1	4	0.009	0.4	0.007	-	C
Dichloroethylene (cis-1,2)	F	0.07	0.07	F	4	3	3	11	0.01	0.4	0.07		D
Dichloroethylene (trans 1,2)	F	0.1	0.1	F	20	2	2	6	0.02	0.6	0.1	-	D
Dichloromethane	P	zero	0.005	F	10	2	-	-	0.06	2	-	0.5	B2
Dichlorophenol (2,4)	-	-	-	D	0.03	0.03	0.03	0.1	0.003	0.1	0.02	-	D
Dichloropropane (1,1)	-	-	-	D	-	-	-	-	-	-	-	-	
Dichloropropane (1,2)	F	zero	0.005	F	-	0.09	-	-	-	-		0.05	B2
Dichloropropane (1,3)	L	-		D	-	-	-	-	-	-	-	-	
Dichloropropane (2,2)	L	-	-	D	-	-	-	-	-	-	-	-	

** The values for m dichlorobenzene are based on data for o dichlorobenzene*

hemicals	Standards: Status Reg.*	Standards: MCLG (mg/l)	Standards: MCL (mg/l)	Health Advisories: Status HA*	10-kg Child: One-day mg/l	10-kg Child: Ten-day mg/l	10-kg Child: Longer-term mg/l	70-kg Adult: Longer-term mg/l	70-kg Adult: RfD mg/kg/day	70-kg Adult: DWEL mg/l	70-kg Adult: Lifetime mg/l	mg/l at 10⁻⁴ Cancer Risk	Cancer Group
ichloropropene (1,1-)	L	-	-	D	-	-	-	-	-	-	-	-	-
ichloropropene (1,3-)	L	-	-	F	0.03	0.03	0.03	0.1	0.0003	0.01	-	0.02	B2
eldrin	-	-	-	F	0.0005	0.0005	0.0005	0.002	0.00005	0.002	-	0.0002	B2
ethyl phthalate (PAE)	-	-	-	D	-	-	-	-	0.8	30	5	-	D
ethylene glycol dinitrate	-	-	-	D	-	-	-	-	-	-	-	-	-
ethylhexyl phthalate (PAE)	P	zero	0.004	D	-	-	-	-	0.02	0.7	-	0.3	B2*
iisopropyl methylphosphonate	-	-	-	F	8	8	8	30	0.08	3	0.6	-	D
imethrin	-	-	-	F	10	10	10	40	0.3	10	2	-	D
imethyl methylphosphonate	-	-	-	D	-	-	-	-	0.2	-	-		C
imethyl phthlate (PAE)	-	-	-	-	-	-	-	-	-	-	-	-	D
,3-Dinitrobenzene	-	-	-	F	0.04	0.04	0.04	0.14	0.0001	0.005	0.001	-	D
initrotoluene (2,4-)	L	-	-	F	0.50	0.50	0.30	1.0	0.002	0.1	-	5.0	B2
initrotoluene (2,6)	L	-	-	F	0.40	0.40	0.40	1.0	0.001	0.04	-	5.0	B2
inoseb	P	0.007	0.007	F	0.3	0.3	0.01	0.04	0.001	0.04	0.007	-	D
ioxane p-	-	-	-	F	4	0.4	-	-	-	-	-	0.7	B2
iphenamid	-	-	-	F	0.3	0.3	0.3	1	0.03	1	0.2	-	D
iquat	P	0.02	0.02	-	-	-	-	-	0.0022	0.08	0.02		D
isulfoton	-	-	-	F	0.01	0.01	0.003	0.009	0.00004	0.001	0.0003		E
,4-Dithiane	-	-	-	D	-	-	-	-	-	-	-		D
iuron	-	-	-	F	1	1	0.3	0.9	0.002	0.07	0.01	-	D
ndothall	P	0.1	0.1	F	0.8	0.8	0.2	0.2	0.02	0.7	0.1	-	D
ndrin	P	0.002	0.002	F	0.02	0.02	0.003	0.01	0.0003	0.01	0.002		D
pichlorohydrin	F	zero	TT	F	0.1	0.1	0.07	0.07	0.002	0.07	-	0.4	B2
thylbenzene	F	0.7	0.7	F	30	3	1	3	0.1	3	0.7		D
thylene dibromide (EDB)	F	zero	0.00005	F	0.008	0.008	-	-	-	-	-	0.00004	B2
thylene glycol	-	-	-	F	20	6	6	20	2	40	7	-	D
TU	L	-	-	F	0.3	0.3	0.1	0.4	0.00008	0.003	-	0.006**	B2
enamiphos	-	-	-	F	0.009	0.009	0.005	0.02	0.00025	0.009	0.002	-	D
luometuron	-	-	-	F	2	2	2	5	0.013	0.4	0.09	-	D
luorene (PAH)	-	-	-	-	-	-	-	-	0.04	-	-	-	D

Under review ** Not verified yet

Chemicals	Standards: Status Reg.*	Standards: MCLG (mg/l)	Standards: MCL (mg/l)	Health Advisories: Status HA*	10 kg Child: One-day mg/l	10 kg Child: Ten-day mg/l	10 kg Child: Longer-term mg/l	70 kg Adult: Longer-term mg/l	70 kg Adult: RfD mg/kg/day	70 kg Adult: DWEL mg/l	70 kg Adult: Lifetime mg/l	mg/l at 10⁻⁴ Cancer Risk	Cancer Group
Fluorotrichloromethane	L	-	-	F	7	7	3	10	0.3	10	2	-	D
Fog Oil	-	-	-	D	-	-	-	-	-	-	-		-
Fonofos	-	-	-	F	0.02	0.02	0.02	0.07	0.002	0.07	0.01		D
Formaldehyde	-	-	-	D	10	5	5	20	0.15	5	1		B1
Gasoline, unleaded (benzene)	-	-	-	D	-	-	-	-	-	-	0.005		-
Glyphosate	P	0.7	0.7	F	20	20	1	1	0.1	4	0.7	-	D
Heptachlor	F	zero	0.0004	F	0.01	0.01	0.005	0.005	0.0005	0.02	-	0.0008	B2
Heptachlor epoxide	F	zero	0.0002	F	0.01	-	0.0001	0.0001	1.3E-05	0.0004	-	0.0004	B2
Hexachlorobenzene	P	zero	0.001	F	0.05	0.05	0.05	0.2	0.0008	0.03	-	0.002	B2
Hexachlorobutadiene	L	-	-	F	0.3	0.3	0.1	0.4	0.002	0.07	0.001	-	C
Hexachlorocyclopentadiene	P	0.05	0.05	-	-	-	-	-	0.007	0.2	-		D
Hexachloroethane	L	-	-	F	5	5	0.1	0.5	0.001	0.04	0.001	-	C
Hexane (n-)	-	-	-	F	10	4	4	10	-	-			D
Hexazinone	-	-	-	F	3	3	3	9	0.033	1	0.2		D
HMX	-	-	-	F	5	5	5	20	0.05	2	0.4	-	D
Hypochlorite	L	-	-	-	-	-	-	-	-	-	-	-	-
Hypochlorous acid	-	-	-	-	-	-	-	-	-	-	-		-
Indeno(1,2,3,-c,d)pyrene (PAH)	P	zero	0.0004	D	-	-	-	-	-	-	-		B2
Isophorone	L	-	-	D	15	15	15	15	0.2	7	0.1	-	C
Isopropyl methylphosphonate	-	-	-	D	30	30	30	100	0.1	4.0	0.7	-	D
Isopropylbenzene	-	-	-	D	-	-	-	-	-	-	-		-
Lindane	F	2E-4	0.0002	F	1	1	0.03	0.1	0.0003	0.01	0.0002		C
Malathion	-	-	-	D	0.2	0.2	0.2	0.8	0.02	0.8	0.2		D
Maleic hydrazide	-	-	-	F	10	10	5	20	0.5	20	4		D
MCPA	-	-	-	F	0.1	0.1	0.1	0.4	0.0015	0.05	0.01	-	E
Methomyl	L	-	-	F	0.3	0.3	0.3	0.3	0.025	0.9	0.2	-	D
Methoxychlor	F	0.04	0.04	F	0.05	0.05	0.05	0.2	0.005	0.2	0.04	-	D
Methyl ethyl ketone	L	-	-	F	80	8	3	9	0.00005	0.9	0.2	-	D
Methyl parathion	-	-	-	F	0.3	0.3	0.03	0.1	0.00025	0.009	0.002	-	D
Methyl tert butyl ether	L	-	-	D	3	3	0.5	2	0.005	0.2	0.04	-	D

Chemicals	Standards: Status Reg.*	Standards: MCLG (mg/l)	Standards: MCL (mg/l)	Health Advisories: Status HA*	10-kg Child: One-day mg/l	10-kg Child: Ten-day mg/l	10-kg Child: Longer-term mg/l	70-kg Adult: Longer-term mg/l	70-kg Adult: RfD mg/kg/day	70-kg Adult: DWEL mg/l	70-kg Adult: Lifetime mg/l	mg/l at 10⁻⁴ Cancer Risk	Cancer Group
Metolachlor	L	-	-	F	2	2	2	5	0.15	5	0.1	-	C
Metribuzin	L	-	-	F	5	5	0.3	0.9	0.025	0.9	0.2		D
Monochloroacetic acid	L	-	-	D	-	-	-	-	-	-	-		-
Monochlorobenzene	F	0.1	0.1	F	2	2	2	7	0.02	0.7	0.1		D
Naphthalene	-	-	-	F	0.5	0.5	0.4	1	0.004	0.1	0.02	-	D
Nitrocellulose (non-toxic)	-	-	-	F	-	-	-	-	-	-	-	-	-
Nitroguanidine	-	-	-	F	10	10	10	40	0.1	4	0.7		D
Nitrophenols p-	-	-	-	D	0.8	0.8	0.8	3	0.008	0.3	0.06	-	D
Oxamyl (Vydate)	P	0.2	0.2	F	0.2	0.2	0.2	0.9	0.025	0.9	0.2		E
Ozone by-products	L	-	-	-	-	-	-	-	-	-	-	-	-
Paraquat	-	-	-	F	0.1	0.1	0.05	0.2	0.0045	0.2	0.03	-	E
Pentachloroethane	-	-	-	D	-	-	-	-	-	-	-		-
Pentachlorophenol	F	zero	0.001	F	1	0.3	0.3	1	0.03	1	-	0.03	B2
Phenanthrene (PAH)	-	-	-	-	-	-	-	-	-	-	-	-	-
Phenol	-	-	-	D	6	6	6	20	0.6	20	4	-	D
Picloram	P	0.5	0.5	F	20	20	0.7	2	0.07	2	0.5	-	D
Polychlorinated byphenyls (PCBs)	F	zero	0.0005	P	-	-	-	-	-	-	-	0.0005	B2
Prometon	L	-	-	F	0.2	0.2	0.2	0.5	0.015	0.5	0.1	-	D
Pronamide	-	-	-	F	0.8	0.8	0.8	3	0.075	3	0.05	-	C
Propachlor	-	-	-	F	0.5	0.5	0.1	0.5	0.013	0.5	0.09	-	D
Propazine	-	-	-	F	1	1	0.5	2	0.02	0.7	0.01	-	C
Propham	-	-	-	F	5	5	5	20	0.02	0.6	0.1		D
Propylbenzene n-	-	-	-	D	-	-	-	-	-	-			
Pyrene (PAH)	-	-	-	-	-	-	-	-	0.03	-	-		D
RDX	-	-	-	F	0.1	0.1	0.1	0.4	0.003	0.1	0.002	0.03	C
Simazine	P	0.004	0.004	F	0.07	0.07	0.07	0.07	0.005	0.2	0.004	-	C
Styrene	F	0.1	0.1	F	20	2	2	7	0.2	7	0.1		C
2,4,5-T	L	-	-	F	0.8	0.8	0.8	1	0.01	0.35	0.07		D
2,3,7,8-TCDD (Dioxin)	P	zero	5E-08	F	1E-06	1E-07	1E-08	4E-08	1E-06	4E-08	-	2E-08	B2
Tebuthiuron	-	-	-	F	3	3	0.7	2	0.07	2	0.5	-	D

Under review. NOTE: Phenanthrene -- not proposed

												Risk	
Terbacil	-	-		F	0.3	0.3	0.3	0.9	0.013	0.4	0.09		E
Terbufos	-	-	-	F	0.005	0.005	0.001	0.005	0.00013	0.005	0.0009	-	D
Tetrachloroethane (1,1,1,2)	L	-	-	F	2	2	0.9	3	0.03	1	0.07	0.1	C
Tetrachloroethane (1,1,2,2)	L	-	-	D	-	-	-	-	-	-	-	-	-
Tetrachloroethylene	F	zero	0.005	F	2	2	1	5	0.01	0.5	-	0.07	-
Tetranitromethane	-	-	-	D	-	-	-	-	-	-	-	-	-
Toluene	F	1	1	F	20	2	2	7	0.2	7	1	-	D
Toxaphene	F	zero	0.003	F	0.5	0.04	-	-	0.1	0.0035	-	0.003	B2
2,4,5-TP	F	0.05	0.05	F	0.2	0.2	0.07	0.3	0.0075	0.3	0.05		D
1,1,2-Trichloro-1,2,2-trifluoroethane	-	-	-	-	-	-	-	-	-	-	-	-	-
Trichloroacetic acid	L	-	-	D	-	-	-	-	-	-	-	-	-
Trichloroactonitrile	L	-	-	D	0.05	0.05	-	-	-	-	-		-
Trichlorobenzene (1,2,4)	P	*0.07*	*0.07*	F	0.1	0.1	0.1	0.5	*0.01*	*0.4*	*0.07*		D
Trichlorobenzene (1,3,5)	-	-	-	F	0.6	0.6	0.6	2	0.006	0.2	0.04	-	D
Trichloroethane (1,1,1)	F	0.2	0.2	F	100	40	40	100	0.035	1	0.2	-	D
Trichloroethane (1,1,2)	P	0.003	0.005	F	0.6	0.4	0.4	1	0.004	0.1	0.003	-	C
Trichloroethanol (2,2,2)	L	-	-	-	-	-	-	-	-	-	-	-	-
Trichloroethylene	F	zero	0.005	F	-	-	-	-	-	0.3	-	0.3	B2
Trichlorophenol (2,4,6)	L	-	-	D	-	-	-	-	-	-	-	0.3	B2
Trichloropropane (1,1,1)	-	-	-	D	-	-	-	-	-	-	-	-	-
Trichloropropane (1,2,3)	L	-	-	F	0.6	0.6	0.6	2	0.006	0.2	0.04		-
Trifluralin	L	-	-	F	0.08	0.08	0.08	0.3	0.0075	0.3	0.005		C
Trimethylbenzene (1,2,4)		-	-	D	-	-	-		-	-			
Trimethylbenzene (1,3,5)	-	-	-	D	-	-	-	-	-	-	-		
Trinitroglycerol	-	-	-	F	0.005	0.005	0.005	0.005	-	-	0.005	-	-
Trinitrotoluene	-	-	-	F	0.02	0.02	0.02	0.02	0.0005	0.02	0.002	0.1	C
Vinyl chloride	F	zero	0.002	F	3	3	0.01	0.05	-	-	-	0.0015	A
White phosphorus	-	-	-	F	-	-	-	-	0.00002	0.0005	0.0001	-	D
Xylenes	F	10	10	F	40	40	40	100	2	60	10	-	D

* Under review.

Chemicals	Standards: Status Reg.*	Standards: MCLG (mg/l)	Standards: MCL (mg/l)	Health Advisories: Status HA*	10 kg Child: One day mg/l	10 kg Child: Ten day mg/l	10 kg Child: Longer-term mg/l	70 kg Adult: Longer-term mg/l	70 kg Adult: RfD mg/kg/day	70 kg Adult: DWEL mg/l	70 kg Adult: Lifetime mg/l	mg/l at 10⁻⁴ Cancer Risk	Cancer Group
IOIRGANICS													
Aluminum	L	-	-	D	-	-	-	-	-	-	-		-
Ammonia	-	-	-	D	-	-	-	-	-	-	30	-	D
Antimony	P	0.003	0.01/0.005	D	0.015	0.015	0.015	0.015	0.0004	0.015	0.003	-	D
Arsenic	*	-	0.05	D	-	-	-	-	-	-	-	*0.002*	A
Asbestos (fibers/l > 10um length)	F	7 MFL	7 MFL	-	-	-	-	-	-	-	-	700 MFL	A
Barium	F	2	2	F	-	-	-	-	0.07	2	2	-	D
Beryllium	P	zero	0.001	D	30	30	4	20	0.005	0.2	-	0.0008	B2
Boron	L	-	-	D	4	0.9	0.9	3	0.09	3	0.6	-	D
Cadmium	F	0.005	0.005	F	0.04	0.04	0.005	0.02	0.0005	0.02	0.005	-	D
Chloramine	L	-	-	D	1	1	1	1	0.1	3.3	2.6	-	-
Chlorate	L	-	-	D	-	-	-	-	-	-	-	-	-
Chlorine	L	-	-	D	-	-	-	-	-	-	-	-	-
Chlorine dioxide	L	-	-	D	-	-	-	-	-	-	-	-	-
Chlorite	L	-	-	D	-	-	-	-	-	-	-	-	-
Chromium (total)	F	0.1	0.1	F	1	1	0.2	0.8	0.005	0.2	0.1	-	D
Copper	P	1.3	TT**	-	-	-	-	-	-	-	-	-	D
Cyanide	P	0.2	0.2	F	0.2	0.2	0.2	0.8	0.022	0.8	0.2	-	D
Fluoride*	F	4	4	-	-	-	-	-	0.12	-	-	-	-
Lead (at tap)	F	zero	TT**	-	-	-	-	-	-	-	-	-	B2
Manganese	-	-	-	D	-	-	-	-	0.14	-	-	-	-
Mercury *(inorganic)*	F	0.002	0.002	F	-	-	-	0.002	0.0003	0.01	0.002	-	D
Molybdenum	L	-	-	D	-	-	-	-	*0.005*	*0.175*	*0.035*		D
Nickel	P	0.1	0.1	F	1	1	*0.5*	*1.7*	0.02	0.6	0.1	-	D
Nitrate (as N)	F	10	10	F	-	10*	-	-	1.6	-	-	-	*
Nitrite (as N)	F	1	1	F	-	1*	-	-	0.16*	-	-	-	*

Under review

* Copper - action level 1.3 mg/l
Lead - action level 0.015 mg/l

Chemicals	Standards: Status Reg.*	MCLG (mg/l)	MCL (mg/l)	Health Advisories: Status HA*	10 kg Child: One-day mg/l	Ten-day mg/l	Longer term mg/l	70 kg Adult: Longer term mg/l	RfD mg/kg/day	DWEL mg/l	Lifetime mg/l	mg/l at 10^{-4} Cancer Risk	Cancer Group
Nitrate + Nitrite (both as N)	F	10	10	F	-	-	-		-	-	-		*
Selenium	F	0.05	0.05	-	-	-	-		0.005	-	-		
Silver	-	-	-	D	0.2	0.2	0.2	0.2	0.005	0.2	0.1		D
Sodium	-	-	-	D	-	-	-	-	-	20***	-		
Strontium	L	-	-	D	25	25	25	90	2.5	90	17	-	D
Sulfate	P	400/500	400/500	-	-	-	-	-	-	-	-	-	
Thallium	P	0.0005	0.002/ 0.001	D	0.007	0.007	0.007	0.02	0.00007	0.002	0.0004		
Vanadium	L	-	-	D	0.08	0.08	0.03	0.11	0.003	0.11	0.02		D
Zinc	L	-	-	D	-	-	-	-	0.3	10.5	2.1		D
Zinc chloride (measured as Zinc)	L	-	-	D	-	-	-	-	0.3	10.5	2.1		D
RADIONUCLIDES													
Beta particle and photon activity (formerly man made radionuclides)	F	zero	4 mrem		-	-	-	-	-	-		4 mrem/y	A
Gross alpha particle activity	F	zero	15 pCi/l	-	-	-	-	-	-				A
Radium 226/228	P	zero	20 pCi/l		-	-	-	-	-	-		22/26 pCi/l	A
Radon	P	zero	300 pCi/l	-	-	-	-	-	-	-		150 pCi/l	A
Uranium	P	zero	20 µg/l	-	-	-	-	-	-	-		170 pCi/l	A

* Under review.

*** Guidance

SECONDARY MAXIMUM CONTAMINANT . . VELS

April 1992

Chemicals	Status	SMCLs (mg/l)
Aluminum	F	0.05 to 0.2
Chloride	F	250
Color	F	15 color units
Copper	F	1
Corrosivity	F	non-corrosive
Fluoride*	F	2
Foaming Agents	F	0.5
Hexachlorocyclopentadiene	P	0.008
Iron	F	0.3
Manganese	F	0.05
Odor	F	3 threshold odor numbers
pH	F	6.5 - 8.5
Silver	F	0.10
Sulfate	F	250
Total Dissolved Solids (TDS)	F	500
Zinc	F	5

Status Codes: P - proposed, F - final

* Under review.

MICROBIOLOGY

	Status	MCLG	MCL
Cryptosporidium	L		
Giardia lamblia	F	zero	TT
Legionella	F[a]	zero	TT
Standard Plate Count	F[a]	NA	TT
Total Coliforms (after 12/31/90)	F	zero	**
Turbidity (after 12/31/90)	F	NA	PS
Viruses	F[a]	zero	TT

Key: PS, TT, F, defined as previously stated.

[a]: Final for systems using surface water; also being considered for regulation under groundwater disinfection rule.