Total VOCs at MW16

- Sampling Events 1-16, conducted June 1999-May 2006

EPA Region 5 Records Ctr.
328398



Total VOCs at MW101A

- Sampling Events 1-16, conducted April 1999 through May 2006



Total VOCs at MW101B

- Sampling Events 1-16, conducted from April 1999 through May 2006



Total VOCs at MW101C

- Sampling Events 1-12, conducted April 1999 through December 2003



Total VOCs at MW101D

- Sampling Events 1-16 (no sample collected at this well for sampling event #2), samples collected April 1999 through June 2006



Total VOCs at MW102A

- Sampling Events 1-16; samples collected May 1999 through June 2006



Total VOCs at MW102C

- Sampling Events 1-16; samples collected May 1999 through June 2006



Total VOCs at MW113A

- Sampling Events 1-16; samples collected May 1999 through May 2006



Total VOCs at MW113B

- Sampling Events 1-16; samples collected April 1999 through May 2006



Total VOCs at MW114A

- Sampling Events 1-16; samples collected April 1999 through May 2006



Total VOCs at MW117B

- Sampling Events 1-16; samples collected April 1999 through June 2006



Total VOCs at MW117C

- Sampling Events 1-16; samples collected April 1999 through May 2006



Total VOCs at MW117D

- Sampling Events 1-16; samples collected April 1999 through May 2006



Total VOCs at MW121

- Sampling Events 1-16; samples collected April 1999 through May 2006



Total VOCs at MW124

- Sampling Events 1-16; samples collected April 1999 through May 2006



Total VOCs at MW130

- Sampling Events 1-16; samples collected April 1999 through May 2006



Total VOCs at MW133B

- Sampling Events 1-16; samples collected April 1999 through June 2006



Total VOCs at MW133C

- Sampling Events 1-16; samples collected April 1999 through June 2006



Total VOCs at MW201

- Sampling Events 3-16 (no samples collected from this location during Sampling Events 1 & 2); samples collected February 2000 through June 2006



Total VOCs at MW202

- Sampling Events 1-16; samples collected May 1999 through June 2006



Total VOCs at MW203

- Sampling Events 1-16; samples collected May 1999 through June 2006



Total VOCs at MW204

- Sampling Events 1-16; samples collected April 1999 through May 2006



Total VOCs at MW205A

- Sample Events 1-16; samples collected April 1999 through May 2006



Total VOCs at MW205B

- Sampling Events 1-16; samples collected April 1999 through May 2006



Total VOCs at MW206A

- Sampling Events 1-16; samples collected April 1999 through May 2006



Total VOCs at MW206B

- Sampling Events 1-16; samples collected April 1999 through May 2006



Total VOCs at MW206C

- Sampling Events 1-16; samples collected April 1999 through May 2006



Total VOCs at MW207

- Sampling Events 1-16; samples collected April 1999 through May 2006



Table 2:
Southeast Rockford NPL Site
Cumuative Ground Water Analytical Results
(as of 6/30/06)

Sample Event			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
MW-16	**MCL**	**CDM NS**	**1Q 6/1/1999**	**2Q 10/26/99**	**3Q 1/31/00**	**4Q 4/24/00**	**5Q 7/27/00**	**6Q 11/13/00**	**1SA 4/12/01**	**2SA 10/31/01**	**3SA 4/25/02**	**4SA 10/15/02**	**5SA 4/22/03**	**6SA 12/31/03**	**7SA 4/28/04**	**8SA 5/21/05**	**9SA 10/20/05**	**10SA 5/8/06**
Methylene Chloride	5		2.0 U	20U	20U	10U	20U	20U	20U	20U	20U	40U	20U	10U	40U	2U	2U	2U
trans-1,2-Dichloroethene	100		1.8	2.5	16.0	16.0	12.0	2.8	14.0	22.0	6.7	22.0	20U	10U	20U	5.6	5.6	7.3
cis-1,2-Dichloroethene	70		140.0	130.0	120.0	130.0	130.0	150.0	150.0	160.0	170.0	240.0	200.0	247.0	254.0	230.0	230.0	290.0
1,1-Dichloroethene	7		24.0	23.0	2.2	2.0	3.8	20.0	3.1	10U	15.0	98.0	24.6	31.7	30.1	28.0	28.0	27.0
1,1-Dichloroethane	NA		76.0	73.0	75.0	79.0	75.0	87.0	74.0	88.0	70.0	130.0	75.6	93.9	100.0	91.0	91.0	94.0
Chloroform	NA		3.0	2.3	2.3	2.5	2.7	2.2	2.3	2.5	2.3	20U	20U	10U	20U	1.8	1.8	2.0
1,2-Dichloroethane	5		1.2	10U	10 U	5.0U	10U	10 U	10 U	10U	10 U	20U	20U	10U	20U	1U	1U	1U
1,1,1-Trichloroethane	200		170.0	170.0	170.0	160.0	160.0	140.0	180.0	210.0	150.0	240.0	172.0	221.0	202.0	160.0	160.0	170.0
Trichloroethene	5		64.0	65.0	68.0	65.0	58.0	55.0	64.0	72.0	62.0	91.0	75.3	92.7	77.3	65.0	65.0	78.0
Tetrachloroethene	5		5.4	5.2	5.9	5.7	5.2	5.0	5.8	7.1	6.6	20U	20U	9.1	20U	6.5	6.5	9.1
Total VOCs		**0.0**	**485.4**	**471.0**	**459.4**	**460.2**	**446.7**	**462.0**	**493.2**	**561.6**	**482.6**	**821.0**	**547.5**	**695.4**	**663.4**	**582.3**	**582.3**	**670.1**

MW-47	**MCL**	**CDM 10/6/93**	**1Q 6/1/99**	**2Q 10/27/99**	**3Q 2/17/00**	**4Q 4/18/00**	**5Q 7/27/00**	**6Q 11/8/00**	**1SA 4/10/01**	**2SA 10/31/01**	**3SA 4/30/02**	**4SA 10/17/02**	**5SA 4/22/03**	**6SA 12/31/03**	**7SA 4/28/04**	**8SA 5/21/05**	**9SA 10/20/05**	**10SA 6/28/06**
Methylene Chloride	5	2U	2.0 U	2U	2U	2U	2U	2U	2U	2.0U	2.0 U	0.6	1U	1U	2.0 U	2U		2U
trans-1,2-Dichloroethene	100	1U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0 U	1.0U	1U	1U	1U	1U		1U
cis-1,2-Dichloroethene	70	3.0	1.3	4.5	0.2	0.4	0.4	0.3	0.3	1.0U	0.1	1.0U	1U	1U	1U	1U		1U
1,1-Dichloroethene	7	2.0	0.5	0.9	0.1	0.2	0.1	0.1	1.0	1.0U	1.0 U	1.0U	1U	0.5	1U	1U		1U
1,1-Dichloroethane	NA	5.0	1.1	1.1	0.3	0.5	0.6	0.6	0.6	0.2	0.1	1.0U	1U	1U	0.5	1U		1U
Chloroform	NA	1U	1.0U	1.0U	1.0 U	1.0 U	1.0 U	0.2	0.3	0.9	1.3	1.0	1U	1U	1U	1U		1U
1,2-Dichloroethane	5	1U	1.0U	1.0U	1.0 U	1.0U	1.0 U	1.0 U	1.0 U	1.0U	1.0 U	1.0U	1U	1U	1U	1U		1U
1,1,1-Trichloroethane	200	9.0	3.5	6.5	1.0 U	1.0	1.2	0.6	1.1	0.3	0.2	1.0U	1.7	0.6	0.9	1.4		1U
Trichloroethene	5	5.0	2.8	5.7	0.6	0.7	0.8	0.4	0.6	0.3	0.3	1.0U	1U	1U	0.6	1U		1U
Tetrachloroethene	5	1.0	0.5	2.2	0.3	0.3	0.6	0.5	0.5	0.4	0.3	1.0U	1U	0.8	1U	1U		1U
Total VOCs		**25.0**	**9.7**	**20.9**	**1.5**	**3.0**	**3.8**	**2.5**	**4.3**	**2.1**	**2.4**	**1.6**	**1.7**	**1.9**	**2.0**	**1.4**	**NS**	**0.0**

MW-101A	**MCL**	**CDM 10/4/93**	**1Q 4/20/99**	**2Q 10/25/99**	**3Q 1/27/00**	**4Q 4/25/00**	**5Q 7/26/00**	**6Q 11/16/00**	**1SA 4/13/01**	**2SA 10/30/01**	**3SA 4/22/02**	**4SA 10/10/02**	**5SA 4/22/03**	**6SA 12/31/03**	**7SA 4/28/04**	**8SA 5/21/05**	**9SA 1/12/06**	**10SA 5/8/06**
Methylene Chloride	5	17U	2.0U	100U	100U	100U	40U	100U	100U	100U	100U	200U	100U	100U	200U	20U	10U	2U
trans-1,2-Dichloroethene	100		9.3	7.0	40.0	7.8	10.0	8.3	8.6	12.0	11.0	100U	100U	100U	100U	13.0	44.0	17.0
cis-1,2-Dichloroethene	70	190.0	540.0	620.0	690.0	720.0	730.0	830.0	780.0	990.0	1000.0	1200.0	1110.0	1260.0	1230.0	1100.0	990.0	1100.0
1,1-Dichloroethene	7	43.0	63.0	64.0	61.0	65.0	51.0	77.0	81.0	79.0	82.0	440.0	45.0	101.0	98.1	89.0	37.0	76.0
1,1-Dichloroethane	NA	150.0	230.0	240.0	270.0	240.0	210.0	310.0	240.0	300.0	250.0	370.0	162.0	268.0	265.0	260.0	220.0	25U
Chloroform	NA	4.0	7.3	5.6	6.2	7.0	6.1	6.3	5.6	6.3	6.8	100U	50U	100U	100U	10U	4.5	4.4
1,2-Dichloroethane	5	17U	3.4	50U	50U	50U	20U	50U	50U	50U	50U	100U	50U	100U	100U	10U	5U	1U
1,1,1-Trichloroethane	200	650.0	580.0	610.0	740.0	690.0	620.0	740.0	830.0	1000.0	890.0	1200.0	656.0	950.0	1040.0	850.0	800.0	970.0
Trichloroethene	5	180.0	200.0	220.0	270.0	220.0	140.0	250.0	270.0	300.0	280.0	340.0	160.0	278.0	302.0	250.0	220.0	270.0
Tetrachloroethene	5	17U	16.0	14.0	15.0	50U	4.4	15.0	14.0	15.0	18.0	64.0	50.7	100U	56.4	80.0	61.0	93.0
Total VOCs		**1217.0**	**1649.0**	**1780.6**	**2092.2**	**1949.8**	**1771.5**	**2236.6**	**2229.2**	**2702.3**	**2537.8**	**3614.0**	**2183.7**	**2857.0**	**2991.5**	**2642.0**	**2376.5**	**2530.4**

Table 2:
Southeast Rockford NPL Site
Cumuative Ground Water Analytical Results
(as of 6/30/06)

MW-101B	MCL	CDM 10/4/93	1Q 4/20/99	2Q 10/25/99	3Q 1/27/00	4Q 4/25/00	5Q 7/26/00	6Q 11/16/00	1SA 4/13/01	2SA 10/30/01	3SA 4/22/02	4SA 10/10/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/21/05	9SA 1/12/06	10SA 5/8/06
Methylene Chloride	5	25U	20 U	50U	100 U	100U	40U	50U	100U	50U	3.3	100U	50U	100U	100U	20U	10U	20U
trans-1,2-Dichloroethene	100		10U	3.2	50 U	5.2	4.0	3.9	50 U	4.0	4.4	50U	50U	100U	50U	10U	6.3	10U
cis-1,2-Dichloroethene	70	190.0	520.0	430.0	490.0	510.0	700.0	550.0	570.0	580.0	630.0	850.0	795.0	963.0	1140.0	920.0	890.0	1100.0
1,1-Dichloroethene	7	42.0	36.0	38.0	33.0	37.0	41.0	35.0	42.0	33.0	37.0	290.0	50U	100U	59.4	50.0	42.0	52.0
1,1-Dichloroethane	NA	140.0	150.0	140.0	140.0	150.0	150.0	170.0	140.0	150.0	140.0	230.0	230.0	188.0	226.0	200.0	200.0	230.0
Chloroform	NA	5.0	3.6	3.6	50 U	4.5	4.4	3.3	50 U	3.5	4.4	50U	50U	100U	50U	10U	5U	10U
1,2-Dichloroethane	5	25U	10U	25U	50U	50U	20U	25U	50U	25U	50U	50U	50U	100U	50U	10U	5U	10U
1,1,1-Trichloroethane	200	560.0	690.0	580.0	570.0	590.0	750.0	450.0	620.0	440.0	580.0	840.0	840.0	696.0	843.0	610.0	570.0	660.0
Trichloroethene	5	180.0	140.0	150.0	150.0	140.0	140.0	120.0	160.0	140.0	140.0	180.0	180.0	148.0	174.0	130.0	120.0	130.0
Tetrachloroethene	5	84.0	45.0	47.0	42.0	33.0	39.0	18.0	39.0	21.0	48.0	80.0	80.0	100U	61.8	47.0	41.0	50.0
Total VOCs		**1201.0**	**1584.6**	**1391.8**	**1425.0**	**1469.7**	**1828.4**	**1350.2**	**1571.0**	**1371.5**	**1587.1**	**2470.0**	**2125.0**	**1995.0**	**2504.2**	**1957.0**	**1863.0**	**2222.0**

MW-101C	MCL	CDM 10/6/93	1Q 4/20/99	2Q 10/25/99	3Q 1/27/00	4Q 4/25/00	5Q 7/26/00	6Q 11/13/00	1SA 4/12/01	2SA 10/30/01	3SA 4/22/02	4SA 10/10/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/21/05	9SA 10/20/05	10SA 5/8/06
Methylene Chloride	5	100U	20U	3.1	40U	100U	40U	50U	50U	50U	50 U	28.0	10U	50U				
trans-1,2-Dichloroethene	100	100.0	10U	2.5	2.8	3.5	2.7	2.7	3.0	11.0	4.2	50U	10U	50U				
cis-1,2-Dichloroethene	70	210.0	550.0	380.0	370.0	420.0	390.0	420.0	420.0	510.0	570.0	660.0	125.0	775.0				
1,1-Dichloroethene	7	59.0	34.0	31.0	28.0	28.0	25.0	24.0	27.0	21.0	31.0	200.0	7.2	42.4				
1,1-Dichloroethane	NA	140.0	140.0	110.0	110.0	120.0	110.0	130.0	100.0	120.0	120.0	200.0	25.0	141.0				
Chloroform	NA	100U	3.5	3.0	20 U	3.9	3.6	2.6	2.5	2.9	3.2	50U	10U	50U				
1,2-Dichloroethane	5	100U	10U	25U	20U	50U	20U	25U	25U	25U	25 U	50U	10U	100U				
1,1,1-Trichloroethane	200	650.0	740.0	480.0	460.0	450.0	390.0	370.0	450.0	470.0	490.0	650.0	97.7	628.0				
Trichloroethene	5	190.0	140.0	130.0	120.0	100.0	82.0	100.0	110.0	110.0	120.0	130.0	24.1	142.0				
Tetrachloroethene	5	72.0	45.0	42.0	42.0	31.0	21.0	34.0	37.0	32.0	41.0	150.0	7.3	44.7				
Total VOCs		**1421.0**	**1652.5**	**1181.6**	**1132.8**	**1156.4**	**1024.3**	**1083.3**	**1149.5**	**1276.9**	**1379.4**	**2018.0**	**286.3**	**1773.1**	**NS**	**NS**	**NS**	**NS**

MW-101D	MCL	CDM 10/6/93	1Q 4/21/99	2Q 10/25/99	3Q 1/27/00	4Q 4/25/00	5Q 7/26/00	6Q 11/16/00	1SA 4/13/01	2SA 10/30/01	3SA 4/30/02	4SA 10/10/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/21/05	9SA 1/12/06	10SA 6/23/06
Methylene Chloride	5	50U	10U		20U	40U	20U	20U	20U	40U	40 U	40U	50U	10U	50U	2U	4U	20U
trans-1,2-Dichloroethene	100	50.0	5.0U		1.5	1.9	1.1	1.3	1.9	2.0	2.0	20U	50U	10U	25U	1U	2U	10U
cis-1,2-Dichloroethene	70	130.0	230.0		130.0	250.0	180.0	210.0	250.0	260.0	260.0	280.0	602.0	179.0	323.0	330.0	85.0	410.0
1,1-Dichloroethene	7	34.0	24.0		14.0	23.0	14.0	17.0	21.0	22.0	22.0	94.0	35.6	17.6	22.2	28.0	5.0	24.0
1,1-Dichloroethane	NA	72.0	80.0		42.0	70.0	60.0	76.0	66.0	70.0	66.0	100.0	128.0	41.8	68.0	74.0	53.0	77.0
Chloroform	NA	50U	2.6		1.6	2.4	2.5	2.2	2.2	2.3	2.5	20U	50U	10U	25U	2.0	2U	10U
1,2-Dichloroethane	5	50U	5.0U		10 U	20U	1.2	1.3	10 U	20U	20U	20U	50U	10U	25U	1U	2U	10U
1,1,1-Trichloroethane	200	300.0	300.0		180.0	270.0	180.0	180.0	250.0	300.0	240.0	300.0	500.0	168.0	249.0	230.0	190.0	220.0
Trichloroethene	5	96.0	80.0		54.0	81.0	33.0	46.0	73.0	80.0	67.0	58.0	122.0	51.6	62.3	61.0	20.0	56.0
Tetrachloroethene	5	31.0	23.0		18.0	23.0	2.9	3.8	18.0	26.0	20.0	20U	35.8	16.0	20.7	22.0	14.0	20.0
Total VOCs		**713.0**	**739.6**	**NS**	**441.1**	**721.3**	**474.7**	**537.6**	**682.1**	**762.3**	**679.5**	**832.0**	**1423.4**	**474.0**	**745.2**	**747.0**	**367.0**	**807.0**

Table 2:
Southeast Rockford NPL Site
Cumuative Ground Water Analytical Results
(as of 6/30/06)

MW-102A	MCL	CDM 9/28/93	1Q 5/20/99	2Q 10/25/99	3Q 2/16/00	4Q 4/25/00	5Q 7/26/00	6Q 11/16/00	1SA 4/10/01	2SA 10/17/01	3SA 4/30/02	4SA 10/10/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/2/05	9SA 11/2/05	10SA 6/22/06
Methylene Chloride	5	23.0	2.0 U	10U	10U	10U	20U	10U	20U	20U	10 U	40U	10U	10U	4U	2U	2U	2U
trans-1,2-Dichloroethene	100	2.0	1.8	1.7	3.0	1.4	2.5	2.7	4.4	4.1	1.9	20U	10U	5.6	1.5	0.8	5.1	1.9
cis-1,2-Dichloroethene	70	32.0	54.0	61.0	90.0	49.0	95.0	110.0	140.0	110.0	65.0	160.0	136.0	156.0	34.2	16.0	110.0	54.0
1,1-Dichloroethene	7	4.0	1.2	2.5	2.8	1.5	2.7	2.8	4.2	2.3	1.6	20U	10U	10U	2U	1U	1.9	1.0
1,1-Dichloroethane	NA	26.0	43.0	43.0	64.0	43.0	71.0	91.0	91.0	77.0	47.0	130.0	92.9	118.0	39.0	19.0	71.0	39.0
Chloroform	NA	2U	1.0U	5.0U	5U	5.0U	10U	5.0U	10U	10U	5.0U	20U	10U	10U	2U	1U	1U	1U
1,2-Dichloroethane	5	2U	0.3	5.0U	5U	5.0U	10U	5.0U	10U	10U	5.0U	20U	10U	10U	2U	1U	1U	1U
1,1,1-Trichloroethane	200	34.0	51.0	57.0	97.0	57.0	100.0	88.0	120.0	88.0	62.0	140.0	102.0	114.0	37.3	19.0	57.0	31.0
Trichloroethene	5	6.0	6.3	15.0	14.0	7.6	16.0	14.0	22.0	16.0	11.0	26.0	22.2	22.4	6.9	3.5	11.0	6.6
Tetrachloroethene	5	2.0	0.6	3.1	5 U	5.0 U	10 U	5.0 U	10 U	10 U	5.0 U	20U	10U	10U	2U	1U	1U	1U
Total VOCs		**129.0**	**158.2**	**183.3**	**270.8**	**159.5**	**287.2**	**308.5**	**381.6**	**297.4**	**188.5**	**456.0**	**353.1**	**416.0**	**118.9**	**58.3**	**256.0**	**133.5**

MW-102B	MCL	CDM 9/28/93	1Q 5/20/99	2Q 10/25/99	3Q 2/16/00	4Q 4/25/00	5Q 7/26/00	6Q 11/16/00	1SA 4/10/01	2SA 10/17/01	3SA 4/30/02	4SA 10/10/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/2/05	9SA 11/2/05	10SA 6/22/06
Methylene Chloride	5	3.0	2.0 U	2U	2U	2U	2U	2U	2U	2U	2.0 U	0.6	1U	1U	2U	2U	2U	2U
trans-1,2-Dichloroethene	100	1U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	0.1	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	1U	2.1	2.7	0.3	0.5	0.5	0.6	0.7	1.2	1.4	2.0	2.3	2.9	3.2	2.4	3.5	4.3
1,1-Dichloroethene	7	1U	0.3	0.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethane	NA	1U	1.0	0.9	0.3	0.4	0.6	0.8	0.7	0.8	1.0	2.0	1.3	1.6	1.7	1.6	1.9	2.3
Chloroform	NA	1U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1U	1U	1U	1U	1U	1U	1U
1,2-Dichloroethane	5	1U	0.6	0.7	0.5	0.5	0.5	1.0 U	0.6	1.0 U	0.6	1U	1U	0.6	0.6	0.5	1U	1U
1,1,1-Trichloroethane	200	1U	1.4	5.1	1.0 U	0.2	1.0U	1.0U	1.0U	1.0U	1.0U	1U	1U	1U	1U	1U	1U	1U
Trichloroethene	5	1U	2.1	3.7	1.0U	0.1	1.0U	1.0U	1.0U	1.0U	1.0 U	1U	1U	1U	1U	1U	1U	1U
Tetrachloroethene	5	1U	1.1	2.0	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0 U	1U	1U	1U	1U	1U	1U	1U
Total VOCs		**3.0**	**8.6**	**15.5**	**1.1**	**1.6**	**1.7**	**1.4**	**2.0**	**2.0**	**3.1**	**4.6**	**3.6**	**5.2**	**5.6**	**4.5**	**5.4**	**6.6**

MW-102C	MCL	CDM 9/28/93	1Q 5/20/99	2Q 10/25/99	3Q 2/16/00	4Q 4/25/00	5Q 7/26/00	6Q 11/16/00	1SA 4/10/01	2SA 10/17/01	3SA 4/30/02	4SA 10/10/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/2/05	9SA 11/2/05	10SA 6/22/06
Methylene Chloride	5	55.0	20 U	50U	0.4	10U	4U	4U	10U	8U	20U	10U	10U	4U	50U	2U	2U	2U
trans-1,2-Dichloroethene	100	12U	10U	25U	0.6	1.0	0.4	0.3	5.0U	0.4	3.3	5U	10U	4U	25U	1U	1U	1U
cis-1,2-Dichloroethene	70	140.0	390.0	460.0	61.0	65.0	39.0	28.0	39.0	53.0	240.0	87.0	112.0	79.1	278.0	22.0	7.4	49.0
1,1-Dichloroethene	7	68.0	59.0	78.0	12.0	5.2	4.5	4.5	2.6	8.9	40.0	54.0	18.6	9.9	38.2	0.6	1.3	8.4
1,1-Dichloroethane	NA	160.0	180.0	210.0	32.0	44.0	29.0	19.0	48.0	29.0	110.0	56.0	48.4	42.6	105.0	69.0	3.4	23.0
Chloroform	NA	12U	2.5	3.0	0.7	0.9	0.6	0.3	0.9	0.6	2.1	5U	10U	4U	25U	0.7	1U	1U
1,2-Dichloroethane	5	12U	4.0	25U	0.9	5.0U	0.8	2.0U	5.0U	4.0U	2.4	5U	10U	4U	25U	1.2	1U	1U
1,1,1-Trichloroethane	200	160.0	170.0	250.0	60.0	60.0	44.0	23.0	90.0	46.0	170.0	69.0	73.2	59.0	136.0	110.0	6.4	19.0
Trichloroethene	5	140.0	140.0	170.0	26.0	10.0	8.2	8.3	5.4	17.0	78.0	20.0	34.8	16.2	70.4	1.5	2.9	15.0
Tetrachloroethene	5	44.0	33.0	46.0	5.9	0.7	1.0	1.1	0.8	3.5	19.0	4J	7.9	4U	20.9	1.1	1U	4.9
Total VOCs		**767.0**	**978.5**	**1217.0**	**199.4**	**186.7**	**127.5**	**84.5**	**186.7**	**158.4**	**664.8**	**286.0**	**294.9**	**206.8**	**648.5**	**206.16**	**21.4**	**119.3**

Table 2:
Southeast Rockford NPL Site
Cumuative Ground Water Analytical Results
(as of 6/30/06)

MW-113A	MCL	CDM 10/8/93	1Q 5/3/99	2Q 11/10/99	3Q 2/15/00	4Q 4/24/00	5Q 7/27/00	6Q 11/16/00	1SA 4/12/01	2SA 10/31/01	3SA 4/29/02	4SA 10/18/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/21/05	9SA 10/20/05	10SA 5/8/06
Methylene Chloride	5	14U	2.0 U	1.9	20U	20U	20U	20U	20U	20U	20 U	40U	25U	20U	50U	10U	2U	20U
trans-1,2-Dichloroethene	100	7U	1.2	2.4	5.7 J	13.0	7.5	12.0	15.0	22.0	23.0	20U	25U	20U	25U	5.7	17.0	9.1
cis-1,2-Dichloroethene	70	110.0	52.0	160.0	160.0	160.0	110.0	200.0	210.0	240.0	200.0	430.0	325.0	318.0	360.0	410.0	330.0	470.0
1,1-Dichloroethene	7	33.0	10.0	27.0	16.0	5.1	4.0	9.4	210.0	3.0	1.5	240.0	33.9	31.4	32.4	45.0	22.0	32.0
1,1-Dichloroethane	NA	92.0	34.0	100.0	91.0	92.0	86.0	130.0	10.0	110.0	100.0	190.0	121.0	109.0	123.0	140.0	110.0	110.0
Chloroform	NA	7U	0.9	2.3	2.1 J	2.1	2.3	2.3	2.4	2.8	2.5	20U	25U	20U	25U	5U	2.6	2.3
1,2-Dichloroethane	5	7U	0.4	10U	10U	10U	10U	10U	10U	10U	10U	20U	25U	20U	25U	5U	1U	1U
1,1,1-Trichloroethane	200	140.0	59.0	160.0	160.0	160.0	130.0	170.0	200.0	200.0	200.0	370.0	245.0	232.0	239.0	260.0	210.0	270.0
Trichloroethene	5	56.0	24.0	69.0	71.0	61.0	22.0	62.0	81.0	75.0	70.0	140.0	101.0	92.9	89.1	100.0	82.0	93.0
Tetrachloroethene	5	7U	1.9	3.2	2.9 J	2.4	10 U	2.1	3.7	3.3	4.5	20U	25U	20U	25U	8.1	8.0	10.0
Total VOCs		**431.0**	**183.4**	**525.8**	**498.0**	**495.6**	**361.8**	**587.8**	**732.1**	**656.1**	**601.5**	**1370.0**	**825.9**	**783.3**	**843.5**	**963.1**	**764.6**	**987.3**

MW-113B	MCL	CDM 10/19/93	1Q 4/29/99	2Q 10/27/99	3Q 2/15/00	4Q 4/24/00	5Q 7/27/00	6Q 11/16/00	1SA 4/12/01	2SA 10/31/01	3SA 4/29/02	4SA 10/18/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/21/05	9SA 10/20/05	10SA 5/8/06
Methylene Chloride	5	3U	2.0 U	10U	10U	10U	10U	10U	10U	10U	10 U	5.0	10U	10U	20U	2U	2U	2U
trans-1,2-Dichloroethene	100	2U	0.7	5.0 U	0.8	1.0	0.9	1.3	1.0	1.1	1.0	10U	10U	10U	10U	1.8	1.9	1.9
cis-1,2-Dichloroethene	70	12.0	38.0	39.0	62.0	56.0	49.0	62.0	53.0	67.0	60.0	120.0	115.0	129.0	143.0	140.0	170.0	140.0
1,1-Dichloroethene	7	4.0	12.0	8.4	11.0	11.0	9.4	11.0	8.9	12.0	9.8	88.0	17.4	19.1	19.8	19.0	22.0	21.0
1,1-Dichloroethane	NA	14.0	33.0	33.0	48.0	43.0	38.0	55.0	40.0	50.0	39.0	84.0	58.6	65.1	70.0	64.0	78.0	64.0
Chloroform	NA	2U	0.5	0.5	0.7	0.6	0.7	0.6	0.6	0.6	0.6	10U	10U	10U	10U	1U	1U	1U
1,2-Dichloroethane	5	2U	0.6	5.0 U	5 U	5.0 U	0.6	5.0 U	5.0 U	5.0 U	5.0 U	10U	10U	10U	10U	1U	1U	1U
1,1,1-Trichloroethane	200	6.0	17.0	13.0	27.0	21.0	17.0	22.0	17.0	24.0	19.0	39.0	45.6	43.1	44.9	39.0	45.0	33.0
Trichloroethene	5	6.0	19.0	20.0	30.0	26.0	20.0	27.0	20.0	29.0	23.0	42.0	41.9	45.9	42.7	39.0	47.0	37.0
Tetrachloroethene	5	2U	1.8	1.3	1.4	1.2	0.9	1.4	5.0 U	5.0 U	1.3	10U	10U	10U	10U	2.9	3.8	3.6
Total VOCs		**42.0**	**122.6**	**115.2**	**180.9**	**159.8**	**136.5**	**180.3**	**140.5**	**183.7**	**153.7**	**378.0**	**278.5**	**302.2**	**320.4**	**305.7**	**365.8**	**298.6**

MW-114A	MCL	CDM 10/5/93	1Q 4/28/99	2Q 10/26/99	3Q 1/31/00	4Q 4/24/00	5Q 7/27/00	6Q 11/13/00	1SA 4/12/01	2SA 10/31/01	3SA 4/25/02	4SA 10/15/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/21/05	9SA 10/20/05	10SA 5/6/06
Methylene Chloride	5	2U	10U	50U	1.5	20U	20U	20U	10U	10U	10U	20U	10U	4U	10U	2U	2U	2U
trans-1,2-Dichloroethene	100	1U	5.0U	25U	10U	10U	10U	10U	5.0U	5.0U	5.0U	10U	10U	4U	5U	1U	1U	1U
cis-1,2-Dichloroethene	70	5.0	14.0	11.0	6.6	5.6	5.4	4.7	3.9	3.6	4.1	7.0	10U	3.6	4.3	3.3	2.9	3.7
1,1-Dichloroethene	7	4.0	46.0	48.0	34.0	26.0	24.0	20.0	18.0	15.0	16.0	140.0	12.9	10.3	12.0	5.7	7.2	9.4
1,1-Dichloroethane	NA	2.0	6.7	7.1	5 J	4.2	3.9	4.2	2.7	2.5	3.1	10U	10U	2.9	3.7	2.5	2.6	3.4
Chloroform	NA	1U	5.0U	25U	10U	10U	10U	10 U	5.0 U	5.0U	5.0U	10U	10U	4U	5U	1U	1U	1U
1,2-Dichloroethane	5	1U	5.0U	25U	10U	10U	10U	10 U	5.0 U	5.0U	5.0U	10U	10U	4U	5U	1U	1U	1U
1,1,1-Trichloroethane	200	6.0	250.0	290.0	220.0	160.0	140.0	120.0	120.0	100.0	100.0	170.0	80.1	70.1	79.9	28.0	39.0	44.0
Trichloroethene	5	2.0	34.0	47.0	33.0	24.0	22.0	19.0	20.0	18.0	22.0	38.0	20.8	15.9	20.8	7.9	9.8	12.0
Tetrachloroethene	5	1U	1.9J	25U	10U	10U	10U	10U	5.0U	5.0U	5.0U	10U	10U	4U	5U	1U	1U	1U
Total VOCs		**19.0**	**350.7**	**403.1**	**295.1**	**219.8**	**195.3**	**167.9**	**164.6**	**139.1**	**145.2**	**355.0**	**113.8**	**102.8**	**120.6**	**47.4**	**61.5**	**72.5**

Table 2:
Southeast Rockford NPL Site
Cumuative Ground Water Analytical Results
(as of 6/30/06)

MW-114B	MCL	CDM 10/4/93	1Q 4/28/99	2Q 10/26/99	3Q 1/31/00	4Q 4/24/00	5Q 7/27/00	6Q 11/13/00	1SA 4/12/01	2SA 10/31/01	3SA 4/25/02	4SA 10/15/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/21/05	9SA 10/20/05	10SA 5/6/06
Methylene Chloride	5	3U	2.0U	2U	2U	2U	2U	2U	2U	2U	2.0 U	0.6	1U	1U	2U	2U	2U	2U
trans-1,2-Dichloroethene	100	2U	1.0U	1.0U	1.0 U	1.0U	1.0U	1.0U	1.0U	1.0U	0.037	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	12.0	3.3	3.3	2.3	1.7	3.0	2.4	2.9	2.2	3	3	2.84	2.98	2.87	2.3	2.3	2.1
1,1-Dichloroethene	7	4.0	0.6	0.46	0.18	0.11	0.26	0.13	0.26	0.13	0.29	1	1U	1.07	1U	1U	1U	1U
1,1-Dichloroethane	NA	14.0	0.89	1	0.81	0.68	1	1.2	0.98	0.96	1.1	2	1.15	1.25	1.21	1.5	1.6	1U
Chloroform	NA	2U	1.0U	1.0U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1U	1U	1U	1U	1U	1U	1U
1,2-Dichloroethane	5	2U	1.0U	1.0U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	3	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	6.0	4	1.2	1.0 U	0.05	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1U	1U	1U	1U	1U	1U	1U
Trichloroethene	5	6.0	6.2	8.2	5.7	1.8	7.9	3.5	8.2	4.8	7.2	9	8.79	8.91	8.82	7.6	8.8	8.7
Tetrachloroethene	5	2U	1	0.66	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1U	1U	1U	1U	1U	1U	1U
Total VOCs		**42.0**	**16.0**	**14.8**	**9.0**	**4.3**	**12.2**	**7.2**	**12.3**	**8.1**	**11.6**	**18.6**	**12.8**	**14.2**	**12.9**	**11.4**	**12.7**	**10.8**

MW-117B	MCL	CDM 10/4/93	1Q 4/22/99	2Q 10/18/99	3Q 1/26/00	4Q 4/17/00	5Q 7/24/00	6Q 11/7/00	1SA 4/9/01	2SA 10/15/01	3SA 4/16/02	4SA 10/7/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/21/05	9SA 10/19/05	10SA 6/28/06
Methylene Chloride	5	2U	2.0 U	10U	10U	4U	4U	4U	4U	4U	2.0 U	10U	1U	1U	2U	2U	2U	2U
trans-1,2-Dichloroethene	100	1U	1.0U	5.0 U	5 U	2.0 U	2.0 U	2.0 U	0.3	2.0 U	0.2	5U	0.6	0.5	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	1.0	16.0	17.0	18.0	19.0	15.0	18.0	13.0	16.0	15.0	20.0	20.1	18.7	11.5	13.0	14.0	70.0
1,1-Dichloroethene	7	1U	14.0	14.0	9.5	11.0	9.6	11.0	7.3	7.5	7.3	54.0	10.4	9.4	4.8	5.7	5.6	23.0
1,1-Dichloroethane	NA	1U	7.3	7.7	8.0	8.1	6.6	10.0	5.8	7.1	5.9	8.0	7.5	6.0	3.8	4.5	4.7	21.0
Chloroform	NA	0.6	0.7	0.6	0.4	0.4	0.5	0.4	0.4	0.4	0.3	5U	1U	1.0	0.7	1U	1U	1U
1,2-Dichloroethane	5	1U	0.5	5.0 U	5 U	0.4	2.0 U	2.0 U	2.0 U	2.0 U	0.2	5U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	2.0	83.0	68.0	59.0	49.0	42.0	37.0	28.0	23.0	22.0	25.0	23.1	21.8	13.5	11.0	12.0	56.0
Trichloroethene	5	5.0	21.0	17.0	22.0	19.0	17.0	19.0	17.0	16.0	16.0	16.0	18.4	16.9	11.5	9.4	9.3	23.0
Tetrachloroethene	5	4.0	3.1	1.3	1.9	1.6	1.7	1.7	1.8	1.3	1.7	3.0	2.3	2.3	2.0	1.6	1.8	24.0
Total VOCs		**12.6**	**145.7**	**125.6**	**118.8**	**108.5**	**92.4**	**97.1**	**73.5**	**71.3**	**68.6**	**126.0**	**82.5**	**76.5**	**47.8**	**45.2**	**47.4**	**217.0**

MW-117C	MCL	CDM 10/4/93	1Q 4/22/99	2Q 10/18/99	3Q 2/16/00	4Q 4/18/00	5Q 7/24/00	6Q 11/7/00	1SA 4/9/01	2SA 10/15/01	3SA 4/16/02	4SA 10/7/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/21/05	9SA 10/19/05	10SA 5/6/06
Methylene Chloride	5	5U	4.0U	10U	0.8	10U	10U	10U	10U	10U	0.3	32.0	10U	10U	20U	2U	2U	2U
trans-1,2-Dichloroethene	100	2U	2.0 U	5.0 U	0.5	0.6	1.1	5.0 U	0.8	0.4	0.7	20U	10U	10U	10U	1U	1U	1U
cis-1,2-Dichloroethene	70	23.0	69.0	82.0	94.0	94.0	99.0	100.0	120.0	110.0	120.0	150.0	123.0	107.0	97.3	91.0	84.0	91.0
1,1-Dichloroethene	7	13.0	44.0	53.0	53.0	49.0	48.0	50.0	59.0	45.0	469.0	330.0	58.2	43.3	37.0	34.0	29.0	26.0
1,1-Dichloroethane	NA	17.0	54.0	60.0	61.0	54.0	55.0	69.0	57.0	48.0	41.0	59.0	40.0	33.1	30.5	28.0	25.0	25.0
Chloroform	NA	2U	0.8	5.0 U	0.8	0.8	1.0	0.8	0.8	0.8	0.8	20U	10U	10U	10U	1U	1U	1U
1,2-Dichloroethane	5	2U	2.3	5.0 U	5.0 U	2.2	2.4	2.4	2.3	5.0 U	1.6	20U	10U	10U	10U	1U	1U	1U
1,1,1-Trichloroethane	200	50.0	75.0	94.0	93.0	91.0	89.0	78.0	99.0	74.0	82.0	110.0	92.9	78.2	66.4	59.0	54.0	50.0
Trichloroethene	5	75.0	36.0	40.0	41.0	39.0	38.0	34.0	42.0	32.0	34.0	42.0	44.3	34.8	30.1	27.0	26.0	26.0
Tetrachloroethene	5	2U	6.0	7.5	9.7	10.0	8.7	8.8	12.0	11.0	16.0	22.0	23.1	19.9	20.3	22.0	20.0	21.0
Total VOCs		**178.0**	**287.1**	**336.5**	**353.8**	**340.6**	**342.2**	**343.0**	**393.0**	**321.3**	**765.4**	**745.0**	**381.5**	**316.3**	**281.6**	**261.0**	**238.0**	**239.0**

Table 2:
Southeast Rockford NPL Site
Cumuative Ground Water Analytical Results
(as of 6/30/06)

MW-117D	MCL	CDM NS	1Q 4/22/99	2Q 10/18/99	3Q 2/17/00	4Q 4/18/00	5Q 7/24/00	6Q 11/7/00	1SA 4/9/01	2SA 10/16/01	3SA 4/16/02	4SA 10/7/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/21/05	9SA 10/19/05	10SA 5/6/06
Methylene Chloride	5		4.0U	20U	10U	10U	10U	10U	10U	10U	10U	18.0	5U	5U	10U	2U	2U	2U
trans-1,2-Dichloroethene	100		2.0U	10U	5 U	5.0U	5.0U	5.0U	0.4	5.0U	5.0U	10U	5U	5U	5U	1U	1U	1U
cis-1,2-Dichloroethene	70		110.0	110.0	100.0	90.0	81.0	87.0	88.0	75.0	72.0	100.0	83.1	110.0	105.0	84.0	73.0	67.0
1,1-Dichloroethene	7		50.0	44.0	41.0	35.0	36.0	33.0	37.0	25.0	24.0	180.0	36.7	32.8	37.7	24.0	21.0	17.0
1,1-Dichloroethane	NA		46.0	39.0	34.0	29.0	27.0	37.0	29.0	23.0	21.0	36.0	28.3	29.0	28.6	20.0	24.0	23.0
Chloroform	NA		0.7	10U	0.8	0.6	0.9	0.6	0.7	0.5	0.6	10U	5U	5U	5U	1U	1U	1U
1,2-Dichloroethane	5		2.0	1.5	1.4	1.1	1.2	1.0	5.0U	5.0U	5.0U	10U	5U	5U	5U	1U	1U	1U
1,1,1-Trichloroethane	200		110.0	97.0	91.0	82.0	80.0	71.0	80.0	57.0	58.0	87.0	64.5	85.1	75.5	60.0	58.0	52.0
Trichloroethene	5		38.0	35.0	35.0	32.0	35.0	30.0	31.0	23.0	23.0	29.0	26.0	31.2	33.2	24.0	22.0	20.0
Tetrachloroethene	5		17.0	17.0	19.0	17.0	16.0	16.0	13.0	17.0	18.0	24.0	4.6	29.6	17.4	21.0	24.0	22.0
Total VOCs		**0.0**	**373.7**	**343.5**	**322.2**	**286.7**	**277.1**	**275.6**	**279.0**	**220.5**	**216.6**	**474.0**	**243.2**	**317.7**	**297.4**	**233.0**	**222.0**	**201.0**

MW-119	MCL	CDM 10/11/93	1Q 5/3/99	2Q 10/27/99	3Q 1/26/00	4Q 4/17/00	5Q 7/25/00	6Q 11/8/00	1SA 4/10/01	2SA 10/16/01	3SA 4/30/02	4SA 10/17/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/21/05	9SA 10/20/05	10SA 5/6/06
Methylene Chloride	5	25U	2.0U	2U	2U	2U	2U	2U	2U	2U	2.0 U	2.0U	1U	1U	2U	2U	2U	2U
trans-1,2-Dichloroethene	100	12U	1.0U	1.0U	1.0 U	1.0 U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	12U	0.4	1.4	1.0 U	1.0 U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1U	0.6	1U	1U	1U	1U
1,1-Dichloroethene	7	12U	1.0U	0.3	1.0 U	1.0 U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1U	0.5	1U	1U	1U	1U
1,1-Dichloroethane	NA	12U	1.0U	0.4	0.2	0.2	0.3	0.3	0.3	0.3	0.3	1.0U	1U	0.7	0.5	1U	1U	1.2
Chloroform	NA	12U	1.0U	0.3	0.2	0.2	0.1	1.0 U	1.0 U	0.1	0.1	1.0U	1U	7.2	1.7	1U	1U	1U
1,2-Dichloroethane	5	12U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	12U	1.8	2.6	0.8	0.8	0.9	0.7	0.9	0.7	1.0	1.0U	1U	0.7	0.6	1.3	1.3	1.1
Trichloroethene	5	12U	1.0	2.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.0U	1U	1U	1U	1U	1U	1U
Tetrachloroethene	5	12U	0.6	1.4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	1.0U	1U	1U	1U	1U	1U	1U
Total VOCs		**0.0**	**3.8**	**8.3**	**1.5**	**1.6**	**1.7**	**1.4**	**1.5**	**1.4**	**1.7**	**0.0**	**0.0**	**9.7**	**2.8**	**1.3**	**1.3**	**2.3**

MW-121	MCL	CDM 10/15/93	1Q 4/28/99	2Q 10/26/99	3Q 1/31/00	4Q 4/18/00	5Q 7/25/00	6Q 11/8/00	1SA 4/10/01	2SA 10/16/01	3SA 4/17/02	4SA 10/17/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/21/05	9SA 10/20/05	10Sa 5/6/06
Methylene Chloride	5	5U	10U	2U	0.4	2U	2U	2U	2U	2U	2U	2U	1U	1U	2U	2U	2U	2U
trans-1,2-Dichloroethene	100	2U	5.0U	0.2	0.2	0.2	0.4	0.2	0.7	0.4	0.6	5U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	27.0	7.2	8.4	6.3	5.6	6.8	7.0	6.7	6.5	6.1	7.0	5.7	4.6	4.8	5.2	5.9	5.3
1,1-Dichloroethene	7	2U	6.0	8.0	5.5	3.0	4.4	8.0	2.0	3.6	3.0	42.0	7.3	5.1	4.6	3.9	3.9	3.3
1,1-Dichloroethane	NA	2U	3.4	3.8	2.9	2.8	3.5	4.6	3.7	3.8	3.8	5.0	4.3	4.8	4.4	2.2	2.9	2.5
Chloroform	NA	2U	5.0U	0.7	0.7	0.6	0.7	0.8	0.8	0.8	0.8	5U	0.6	1U	0.5	1U	1U	1U
1,2-Dichloroethane	5	2U	5.0U	0.8	2 U	0.7	0.8	0.9	0.8	0.8	0.1	5U	0.5	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	7.0	3.8	5.5	3.4	2.8	4.3	5.1	5.5	5.9	6.9	9.0	7.2	5.8	5.8	5.1	5.7	4.8
Trichloroethene	5	82.0	26.0	29.0	23.0	11.0	20.0	22.0	22.0	19.0	20.0	24.0	22.6	20.3	18.8	18.0	20.0	22.0
Tetrachloroethene	5	4.0	2.7	3.4	2.5	0.6	1.8	2.6	2.3	2.4	2.6	3.0	2.9	2.7	2.4	1.9	2.1	2.3
Total VOCs		**120.0**	**49.1**	**51.7**	**44.9**	**27.3**	**42.7**	**51.2**	**44.5**	**43.3**	**43.8**	**90.0**	**51.1**	**43.3**	**41.3**	**36.3**	**40.5**	**40.2**

Table 2:
Southeast Rockford NPL Site
Cumuative Ground Water Analytical Results
(as of 6/30/06)

MW-124	MCL	CDM 10/18/93	1Q 4/28/99	2Q 10/27/99	3Q 1/31/00	4Q 4/24/00	5Q 7/25/00	6Q 11/13/00	1SA 4/12/01	2SA 10/29/01	3SA 4/17/02	4SA 10/17/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/21/05	9SA 10/20/05	10SA 5/6/06
Methylene Chloride	5	120U	20U	8.2	50U	50U	40U	40U	40U	20U	40 U	40U	10U	10U	80U	10U	2U	2U
trans-1,2-Dichloroethene	100		10U	50U	25 U	3.9	20U	20U	2.1	1.4	12.0	20U	10U	10U	40U	5U	1.5	1.5
cis-1,2-Dichloroethene	70	210.0	1200.0	560.0	540.0	440.0	330.0	300.0	240.0	190.0	370.0	360.0	213.0	176.0	389.0	420.0	260.0	370.0
1,1-Dichloroethene	7	410.0	97.0	41.0	36.0	24.0	20.0	20.0	35.0	19.0	35.0	230.0	26.4	20.1	43.6	37.0	25.0	29.0
1,1-Dichloroethane	NA	150.0	75.0	50.0	95.0	92.0	89.0	110.0	47.0	98.0	64.0	92.0	71.4	83.2	197.0	340.0	250.0	320.0
Chloroform	NA	120U	10U	50U	25U	0.7	20U	20U	20U	10U	20U	20U	10U	10U	40U	5U	1U	1U
1,2-Dichloroethane	5	120U	10U	50U	25U	25U	20U	20U	20U	10U	20U	20U	10U	10U	40U	5U	1U	1.2
1,1,1-Trichloroethane	200	1400.0	540.0	280.0	190.0	100.0	79.0	75.0	230.0	110.0	210.0	290.0	119.0	94.7	185.0	120.0	76.0	120.0
Trichloroethene	5	140.0	36.0	28.0	20.0	14.0	10.0	12.0	24.0	16.0	26.0	33.0	18.9	15.6	26.7	18.0	15.0	18.0
Tetrachloroethene	5	50.0	47.0	28.0	12.0	3.8	20U	2.7	30.0	6.2	30.0	35.0	13.5	10.6	34.6	8.4	6.6	15.0
Total VOCs		**2,360.0**	**1,995.0**	**995.2**	**893.0**	**678.4**	**528.0**	**519.7**	**608.1**	**440.6**	**747.0**	**1,040.0**	**462.2**	**400.2**	**875.9**	**943.4**	**632.6**	**873.2**

MW-130	MCL	CDM 10/19/93	1Q 4/28/99	2Q 10/28/99	3Q 2/16/00	4Q 4/24/00	5Q 7/27/00	6Q 11/14/00	1SA 4/12/01	2SA 10/30/01	3SA 4/30/02	4SA 10/17/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/21/05	9SA 10/20/05	10SA 5/8/06
Methylene Chloride	5	8.0	2.0U	3.4	50U	100U	40U	50U	40U	100U	50U	43.0	20U	20U	20U	2U	2U	2U
trans-1,2-Dichloroethene	100		1.0U	25U	25U	50U	20U	25 U	20U	50U	25 U	50U	20U	20U	10U	1U	1U	1U
cis-1,2-Dichloroethene	70	25.0	24.0	7.8	7.5	7.7	7.7	7.2	5.7	50U	5.7	50U	20U	20U	10.6	11.0	14.0	14.0
1,1-Dichloroethene	7	10.0	11.0	4.9	3.6	3.1	3.3	4.3	20U	50U	1.6	54.0	20U	20U	10U	4.0	4.2	4.1
1,1-Dichloroethane	NA	26.0	19.0	10.0	11.0	12.0	13.0	12.0	10.0	14.0	11.0	50U	11.3	10.3	11.0	14.0	16.0	16.0
Chloroform	NA	67U	0.2	25U	25U	50U	20U	25U	20U	50U	25U	50U	20U	20U	10U	1U	1U	1U
1,2-Dichloroethane	5	67U	1.0U	25U	25U	50U	20U	25U	20U	50.0	25U	50U	20U	20U	10U	1U	1U	1U
1,1,1-Trichloroethane	200	1000.0	670.0	370.0	460.0	510.0	670.0	390.0	440.0	660.0	360.0	840.0	341.0	263.0	157.0	210.0	210.0	140.0
Trichloroethene	5	28.0	17.0	8.2	8.5	8.3	8.5	7.0	6.2	50U	5.4	50U	20U	20U	10U	3.5	3.6	3.6
Tetrachloroethene	5	67U	5.3	25U	25 U	50U	20U	25U	20U	50U	1.0	50U	20U	20U	10U	1U	1U	1U
Total VOCs		**1,097.0**	**746.5**	**404.3**	**490.6**	**541.1**	**702.5**	**420.5**	**461.9**	**724.0**	**384.7**	**937.0**	**352.3**	**273.3**	**168.0**	**227.5**	**229.6**	**159.6**

MW-133A	MCL	CDM 10/20/93	1Q 4/26/99	2Q 10/26/99	3Q 2/15/00	4Q 4/25/00	5Q 7/27/00	6Q 11/16/00	1SA 4/10/01	2SA 10/31/01	3SA 4/29/02	4SA 10/16/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/2/05	9SA 11/2/05	10SA 6/22/06
Methylene Chloride	5	2U	2.0U	2U	2U	2U	2U	2U	2U	2U	2.0 U	0.6	1U	1U	2U	2U	2U	2U
trans-1,2-Dichloroethene	100	1U	1U	1U	1.0 U	1U	1U	1.0 U	1U	1U	1.0 U	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	1U	0.3	1.8	0.2	1U	1U	0.5	1U	1.2	0.0	4.0	11.7	6.3	1U	1U	1U	1U
1,1-Dichloroethene	7	1U	1U	0.7	1.0 U	1U	1U	1.0 U	1U	0.1	1.0 U	1U	1.0	0.5	1U	1U	1U	1U
1,1-Dichloroethane	NA	1U	1U	0.5	0.1	1U	1U	1.0 U	1U	0.4	1.0 U	1.0	3.0	1.9	1U	1U	1U	1U
Chloroform	NA	1U	1U	1U	1.0 U	1U	1U	1.0 U	1U	1U	1.0 U	1U	1U	1U	1U	1U	1U	1U
1,2-Dichloroethane	5	1U	1U	1U	1.0 U	1U	1U	1.0 U	1U	1U	1.0 U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	0.8	1.0	4.6	0.4	0.4	1U	0.8	1U	1.0	0.1	3.0	5.2	2.5	1U	1U	1U	1U
Trichloroethene	5	1U	1.1	4.8	1.0 U	1U	1U	0.1	1U	0.2	1.0 U	1U	1.0	1U	1U	1U	1U	1U
Tetrachloroethene	5	1U	0.4	1.0	1.0 U	1U	1U	1.0 U	1U	1.0 U	1.0 U	1U	1U	1U	1U	1U	1U	1U
Total VOCs		**0.8**	**2.7**	**12.4**	**0.6**	**0.4**		**1.4**		**2.9**	**0.1**	**8.6**	**21.9**	**11.3**	**0.0**	**0.0**	**0.0**	**0.0**

Table 2:
Southeast Rockford NPL Site
Cumuative Ground Water Analytical Results
(as of 6/30/06)

MW-133B	MCL	CDM 10/20/93	1Q 4/26/99	2Q 10/26/99	3Q 2/15/00	4Q 4/25/00	5Q 7/27/00	6Q 11/16/00	1SA 4/10/01	2SA 10/31/01	3SA 4/29/02	4SA 10/16/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/2/05	9SA 11/2/05	10SA 6/22/06
Methylene Chloride	5	100U	4.0 U	6.8	100U	100U	40U	50U	100U	100U	50 U	31.0	40U	50U	20U	10U	10U	20U
trans-1,2-Dichloroethene	100		7.0	7.1	50U	50U	10.0	9.5	43.0	49.0	54.0	50U	41.4	50U	10U	17.0	28.0	11.0
cis-1,2-Dichloroethene	70	810.0	780.0	810.0	840.0	600.0	670.0	530.0	660.0	510.0	460.0	820.0	571.0	623.0	803.0	630.0	930.0	720.0
1,1-Dichloroethene	7	130.0	110.0	67.0	100.0	78.0	88.0	88.0	46.0	7.0	25U	650.0	40.4	81.6	106.0	70.0	98.0	54.0
1,1-Dichloroethane	NA	270.0	200.0	170.0	180.0	170.0	160.0	200.0	200.0	180.0	150.0	250.0	158.0	151.0	161.0	120.0	180.0	110.0
Chloroform	NA	100U	10.0	7.9	9.3	12.0	12.0	11.0	13.0	12.0	9.1	50U	40U	50U	10U	5.6	8.2	10U
1,2-Dichloroethane	5	100U	4.6	50U	50U	50U	4.1	25U	50U	50U	3.7	50U	40U	50U	10U	5U	5U	10U
1,1,1-Trichloroethane	200	1200.0	840.0	630.0	730.0	620.0	760.0	570.0	830.0	700.0	570.0	800.0	617.0	577.0	622.0	460.0	620.0	430.0
Trichloroethene	5	380.0	270.0	190.0	250.0	190.0	220.0	230.0	300.0	250.0	170.0	290.0	237.0	240.0	216.0	160.0	220.0	120.0
Tetrachloroethene	5	160.0	110.0	77.0	120.0	76.0	94.0	94.0	140.0	110.0	99.0	140.0	112.0	109.0	111.0	81.0	110.0	68.0
Total VOCs		**2,950.0**	**2,331.6**	**1,965.8**	**2,229.3**	**1,746.0**	**2,018.1**	**1,732.5**	**2,232.0**	**1,818.0**	**1,515.8**	**2,981.0**	**1,776.8**	**1,781.6**	**2,019.0**	**1,526.6**	**2,166.2**	**1,502.0**

MW-133C	MCL	CDM 10/20/93	1Q 4/26/99	2Q 10/26/99	3Q 2/15/00	4Q 4/25/00	5Q 7/27/00	6Q 11/16/00	1SA 4/10/01	2SA 10/31/01	3SA 4/29/02	4SA 10/16/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/2/05	9SA 11/2/05	10SA 6/22/06
Methylene Chloride	5	20U	10U	20U	10U	20U	10U	10U	20U	10U	0.5	6.0	10U	10U	20U	2U	10U	2U
trans-1,2-Dichloroethene	100		5.0U	1.1	0.4	0.3	5.0U	5.0U	10U	5.0U	0.7	10U	10U	10U	10U	0.6	5U	1.3
cis-1,2-Dichloroethene	70	120.0	100.0	91.0	32.0	28.0	30.0	31.0	36.0	31.0	45.0	51.0	39.2	49.5	47.2	53.0	70.0	71.0
1,1-Dichloroethene	7	75.0	47.0	40.0	23.0	21.0	18.0	22.0	28.0	14.0	26.0	150.0	26.5	32.5	29.2	31.0	43.0	42.0
1,1-Dichloroethane	NA	76.0	57.0	49.0	31.0	28.0	28.0	35.0	36.0	31.0	33.0	49.0	31.6	143.0	34.7	37.0	46.0	44.0
Chloroform	NA	20U	8.5	7.2	5.4	4.7	4.9	5.2	6.2	5.1	5.4	6.0	5.0	5.6	5.4	5.7	6.5	7.3
1,2-Dichloroethane	5	20U	2.8	10U	2.3	10U	2.2	2.2	10U	5.0U	1.8	10U	10U	10U	10U	1.8	5U	1U
1,1,1-Trichloroethane	200	340.0	200.0	170.0	110.0	100.0	91.0	95.0	130.0	100.0	120.0	140.0	113.0	136.0	124.0	130.0	150.0	150.0
Trichloroethene	5	170.0	110.0	93.0	55.0	48.0	34.0	47.0	62.0	31.0	58.0	66.0	60.7	74.4	63.7	63.0	75.0	78.0
Tetrachloroethene	5	44.0	28.0	22.0	2.5	1.2	0.8	1.2	1.6	5.0U	4.5	10U	10U	10U	10U	2.6	5U	4.3
Total VOCs		**825.0**	**553.3**	**473.3**	**261.6**	**231.2**	**208.9**	**238.6**	**299.8**	**212.1**	**294.9**	**468.0**	**276.0**	**441.0**	**304.2**	**324.7**	**390.5**	**397.9**

MW-136	MCL	CDM 10/19/93	1Q 4/29/99	2Q 10/28/99	3Q 2/15/00	4Q 4/25/00	5Q 7/27/00	6Q 11/17/00	1SA 4/10/01	2SA 10/31/01	3SA 4/29/02	4SA 10/18/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/2/05	9SA 10/20/05	10SA 6/23/06
Methylene Chloride	5	10U	2.0U	2U	2U	2U	2U	2U	2U	2.0U	2.0 U	2U	1U		2U			1.8
trans-1,2-Dichloroethene	100	5U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1U		1U			1U
cis-1,2-Dichloroethene	70	5U	3.5	1.1	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1U		1U			1U
1,1-Dichloroethene	7	5U	0.9	0.4	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1U		1U			1U
1,1-Dichloroethane	NA	5U	0.4	0.3	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1U		1U			1U
Chloroform	NA	5U	0.4	1.5	0.7	0.6	0.5	0.5	0.5	0.5	0.5	0.6	0.8		1U			1.1
1,2-Dichloroethane	5	5U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1U		1U			1U
1,1,1-Trichloroethane	200	5U	8.0	16.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	1.0U	1U		1U			1U
Trichloroethene	5	5U	3.8	2.4	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1U		1U			1U
Tetrachloroethene	5	5U	1.7	1.4	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	0.5	1.0U	1U		1U			1U
Total VOCs		**0.0**	**18.6**	**23.1**	**1.0**	**0.9**	**0.8**	**0.8**	**0.8**	**0.8**	**1.3**	**0.6**	**0.8**	**NS**	**0.0**	**NS**	**NS**	**2.9**

Table 2:
Southeast Rockford NPL Site
Cumuative Ground Water Analytical Results
(as of 6/30/06)

MW-200	MCL	1Q 4/26/99	2Q 10/27/99	3Q 2/15/00	4Q 4/25/00	5Q 7/27/00	6Q 11/14/00	1SA 4/10/01	2SA 10/29/01	3SA 4/22/02	4SA 10/18/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/21/05	9SA 1/12/06	10SA 5/8/06
Methylene Chloride	5	2.0U	2.0U	2.0U	2.0U	2.0U	2.0U	2.0U	2.0U	2.0U	2.0U	1U	1U	2U	2U	2U	2U
trans-1,2-Dichloroethene	100	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	0.66	1.3	1.0U	1.0U	0.1	1.0U	0.17	1.0U	1.0U	1.0U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethene	7	0.34	0.26	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1U	0.893	1U	1U	1U	1U
1,1-Dichloroethane	NA	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1U	1U	1U	1U	1U	1U
Chloroform	NA	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1U	1U	1U	1U	1U	1U
1,2-Dichloroethane	5	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	2.2	1.9	1.0U	0.065	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1U	1U	1U	1.9	1U	1U
Trichloroethene	5	2.2	1.8	1.0U	1.0U	1.0U	1.0U	1.0U	0.12	1.0U	1.0U	1U	1U	1U	1U	1U	1U
Tetrachloroethene	5	0.61	1.1	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1U	1U	1U	1U	1U	1U
Total VOCs		**6.0**	**6.4**	**0.0**	**0.1**	**0.1**	**0.0**	**0.2**	**0.1**	**0.0**	**0.0**	**0.0**	**0.9**	**0.0**	**1.9**	**0.0**	**0.0**

MW-201	MCL	1Q 4/26/99	2Q 10/27/99	3Q 2/16/00	4Q 4/18/00	5Q 7/25/00	6Q 11/13/00	1SA 4/12/01	2SA 10/29/01	3SA 04/30/02	4SA 10/3/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/21/05	9SA 1/12/06	10SA 6/28/06
Methylene Chloride	5			10U	20U	40U	40U	10U	20U	500U	1000U	500U	400U	1000U	50U	2U	20U
trans-1,2-Dichloroethene	100			5.0U	0.8	20U	20U	0.6	10U	250U	500U	500U	400U	500U	25U	1U	10U
cis-1,2-Dichloroethene	70			85.0	87.0	220.0	180.0	60.0	120.0	2600.0	2200.0	863.0	400U	500U	58.0	23.0	16.0
1,1-Dichloroethene	7			1.1	1.9	6.8	5.2	1.6	3.6	130.0	480.0	500U	400U	500U	25U	1.2	10U
1,1-Dichloroethane	NA			48.0	120.0	330.0	340.0	43.0	150.0	5500.0	7100.0	6350.0	6480.0	4150.0	3500.0	230.0	550.0
Chloroform	NA			5.0U	10U	20U	20U	5.0U	10U	5.0	500U	500U	400U	500U	25U	1U	10U
1,2-Dichloroethane	5			5.0U	10U	20U	20U	5.0U	10U	250U	500U	500U	400U	500U	25U	1U	10U
1,1,1-Trichloroethane	200			4.5	4.9	110.0	39.0	12.0	55.0	1700.0	970.0	294.0	400U	500U	26.0	8.8	32.0
Trichloroethene	5			8.3	15.0	4.5	4.9	19.0	25.0	13.0	500U	500U	400U	500U	25U	14.0	14.0
Tetrachloroethene	5			5.0U	10U	20U	20U	5.0U	10U	250U	500U	500U	400U	500U	25U	1U	10U
Total VOCs		**NS**	**NS**	**146.9**	**229.6**	**671.3**	**569.1**	**136.2**	**353.6**	**9,948.0**	**10,750.0**	**7,507.0**	**6,480.0**	**4,150.0**	**3,584.0**	**277.0**	**612.0**

MW-202	MCL	1Q 5/20/99	2Q 10/28/99	3Q 2/16/00	4Q 4/18/00	5Q 7/27/00	6Q 11/13/00	1SA 4/12/01	2SA 10/29/01	3SA 4/30/02	4SA 10/17/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/21/05	9SA 10/21/05	10SA 6/28/06
Methylene Chloride	5	2.0U	2.0 U	2U	2U	2U	2U	2U	2U	2U	0.5	1U	1U	2U	2U	2U	2U
trans-1,2-Dichloroethene	100	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1U	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	0.8	0.7	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1U	1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethene	7	1.0U	0.2	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1U	1U	1U	0.5	1U	1U	1U	1U
1,1-Dichloroethane	NA	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1U	1U	1U	1U	1U	1U	1U	1U
Chloroform	NA	1.0U	1.0U	1.0U	0.3	0.5	1.0U	1.0U	1.0U	1U	1U	1U	1U	1U	1U	1U	1U
1,2-Dichloroethane	5	1.0U	1.0U	1.0U	1.0U	U	1.0U	1.0U	1.0U	1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	2.0	2.2	0.8	0.7	0.7	0.1	0.1	0.1	1U	1U	1U	1U	1U	1U	1U	1U
Trichloroethene	5	2.1	2.1	0.5	0.6	0.8	0.2	0.1	1.0U	0.1	1U	0.8	1.1	0.7	1U	1U	1U
Tetrachloroethene	5	4.6	5.0	3.6	3.1	3.5	14.0	13.0	12.0	10.0	12.0	2.8	2.8	2.3	1.8	1U	1.5
Total VOCs		**9.5**	**5.2**	**4.9**	**4.6**	**5.5**	**14.3**	**13.2**	**12.1**	**10.1**	**12.5**	**3.6**	**4.4**	**3.0**	**1.8**	**0.0**	**1.5**

Table 2:
Southeast Rockford NPL Site
Cumuative Ground Water Analytical Results
(as of 6/30/06)

MW-203	MCL	1Q 5/20/99	2Q 10/28/99	3Q 2/15/00	4Q 4/18/00	5Q 7/27/00	6Q 11/13/00	1SA 4/12/01	2SA 10/29/01	3SA 4/30/02	4SA 10/17/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/21/05	9SA 10/21/05	10SA 6/28/06
Methylene Chloride	5	2.0U	2.0 U	2U	2U	2U	2U	2U	2U	2U	0.5	1U	1.0U	2U	2U	2U	2U
trans-1,2-Dichloroethene	100	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1U	1.0U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	0.7	1.5	0.1	0.1	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1U	1.0U	1U	1U	1U	1U
1,1-Dichloroethene	7	1.0U	0.4	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1U	1.0U	1U	1U	1U	1U
1,1-Dichloroethane	NA	1.0U	0.3	1.0U	1.0U	1.0U	1.0U	1.0U	0.2	0.1	1U	1U	1.0U	1U	1U	1U	1U
Chloroform	NA	1.0U	1.0U	1.0U	1.0U	1.0U	0.8	1.8	4.3	4.1	1.0	1U	1.0U	1U	1U	1U	1U
1,2-Dichloroethane	5	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1U	1.0U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	0.9	2.7	0.3	0.1	0.2	0.7	0.8	0.8	0.7	1U	1U	1.0U	1U	1U	1U	1U
Trichloroethene	5	1.2	2.6	0.2	0.2	0.2	0.8	0.8	0.8	0.6	0.7	1U	1.0U	1U	1U	1U	1U
Tetrachloroethene	5	14.0	15.0	8.6	11.0	13.0	3.5	3.2	3.1	3.0	3.0	10.2	8.4	8.8	9.6	1U	17.0
Total VOCs		**16.8**	**22.5**	**9.2**	**11.4**	**13.4**	**5.8**	**6.6**	**9.2**	**8.5**	**5.2**	**10.2**	**8.4**	**8.8**	**9.6**	**0.0**	**17.0**

MW-204	MCL	1Q 4/23/99	2Q 10/26/99	3Q 1/31/00	4Q 4/24/00	5Q 7/25/00	6Q 11/8/00	1SA 4/12/01	2SA 10/16/01	3SA 4/17/02	4SA 10/3/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/21/05	9SA 10/19/05	10SA 5/6/06
Methylene Chloride	5	40U	20U	2.0	20U	20U	20U	20U	20U	20U	40U	10U	10U	20U	2U	2U	2U
trans-1,2-Dichloroethene	100	20U	10U	10U	10U	10U	10U	10U	10U	10U	20U	10U	10U	10U	1U	1U	1U
cis-1,2-Dichloroethene	70	56.0	51.0	41.0	44.0	38.0	37.0	27.0	23.0	20.0	23.0	26.8	23.7	20.7	13.0	15.0	13.0
1,1-Dichloroethene	7	6.2	8.6	8.2	9.2	6.9	11.0	11.0	13.0	18.0	140.0	23.9	21.8	21.0	22.0	20.0	21.0
1,1-Dichloroethane	NA	20U	5.2	5.0	4.9	4.4	6.5	5.0	5.4	6.9	14.0	7.6	7.7	6.4	6.0	6.2	5.7
Chloroform	NA	20U	10U	0.7	0.9	1.1	10U	10 U	10U	0.8	20U	10U	10U	10U	1U	1U	1U
1,2-Dichloroethane	5	20U	4.5	5.3	5.7	5.7	6.8	6.0	10U	10.0	20U	9.5	8.3	8.1	5.9	5.7	4.4
1,1,1-Trichloroethane	200	4.7	5.4	4.2	4.0	3.4	4.0	4.5	4.9	6.0	20U	9.3	9.1	9.0	10.0	9.1	10.0
Trichloroethene	5	230.0	230.0	200.0	190.0	120.0	170.0	160.0	140.0	140.0	170.0	165.0	151.0	124.0	96.0	97.0	100.0
Tetrachloroethene	5	20U	2.4	2.4	2.0	1.3	2.4	2.4	2.8	2.9	20U	10U	10U	10U	2.8	2.3	2.9
Total VOCs		**296.9**	**307.1**	**268.8**	**260.7**	**180.8**	**237.7**	**215.9**	**189.1**	**204.6**	**347.0**	**242.1**	**221.6**	**189.1**	**155.7**	**155.3**	**157.0**

MW-205A	MCL	1Q 4/22/99	2Q 10/21/99	3Q 2/7/00	4Q 4/18/00	5Q 7/25/00	6Q 11/7/00	1SA 4/9/01	2SA 10/16/01	3SA 4/16/02	4SA 10/7/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/21/05	9SA 10/19/05	10SA 5/6/06
Methylene Chloride	5	10U	50U	50U	100U	40U	50U	40U	40U	40U	84.0	25U	20U	40U	2U	2U	2U
trans-1,2-Dichloroethene	100	5.0U	25U	25U	50U	20U	25U	20U	20U	20U	50U	25U	20U	20U	1U	1U	1U
cis-1,2-Dichloroethene	70	49.0	57.0	56.0	61.0	50.0	56.0	56.0	44.0	43.0	53.0	46.6	38.5	39.9	43.0	38.0	37.0
1,1-Dichloroethene	7	100.0	110.0	110.0	140.0	92.0	120.0	130.0	87.0	79.0	690.0	111.0	71.9	68.7	51.0	35.0	29.0
1,1-Dichloroethane	NA	23.0	23.0	22.0	23.0	19.0	27.0	23.0	18.0	17.0	50U	19.8	15.4	15.8	15.0	13.0	14.0
Chloroform	NA	0.9	1.1	25U	50U	20U	25U	20U	1.1	1.1	50U	25U	20U	20U	1U	1U	1U
1,2-Dichloroethane	5	4.4	25U	3.5	50U	3.5	25U	20U	20U	20U	50U	25U	20U	20U	1U	1U	1U
1,1,1-Trichloroethane	200	570.0	460.0	450.0	540.0	350.0	410.0	430.0	240.0	270.0	310.0	322.0	237.0	229.0	130.0	89.0	81.0
Trichloroethene	5	69.0	68.0	68.0	80.0	47.0	66.0	68.0	49.0	47.0	49.0	65.3	47.1	43.9	36.0	32.0	32.0
Tetrachloroethene	5	3.9	3.4	3.6	50U	20U	25U	4.3	2.1	6.7	110.0	25U	20U	20U	11.0	11.0	18.0
Total VOCs		**820.2**	**722.5**	**713.1**	**844.0**	**561.5**	**679.0**	**711.3**	**441.2**	**463.8**	**1,296.0**	**564.7**	**409.9**	**397.3**	**286.0**	**218.0**	**211.0**

Table 2:
Southeast Rockford NPL Site
Cumuative Ground Water Analytical Results
(as of 6/30/06)

MW-205B	MCL	1Q 4/22/99	2Q 10/21/99	3Q 2/7/00	4Q 4/18/00	5Q 7/25/00	6Q 11/7/00	1SA 4/9/01	2SA 10/16/01	3SA 4/16/02	4SA 10/7/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/21/05	9SA 10/19/05	10SA 5/6/06
Methylene Chloride	5	10U	50U	50U	40U	40U	40U	40U	40U	0.7	90.0	20U	20U	40U	2U	2U	2U
trans-1,2-Dichloroethene	100	5.0U	25U	25U	20U	20U	20U	20U	20U	1.4	50U	20U	20U	20U	1U	1U	1U
cis-1,2-Dichloroethene	70	47.0	54.0	57.0	59.0	52.0	55.0	68.0	50.0	53.0	65.0	57.3	47.1	54.4	47.0	43.0	52.0
1,1-Dichloroethene	7	74.0	82.0	86.0	90.0	70.0	79.0	110.0	73.0	59.0	470.0	93.1	64.9	75.5	43.0	32.0	26.0
1,1-Dichloroethane	NA	23.0	23.0	24.0	26.0	23.0	31.0	31.0	21.0	22.0	50U	23.7	18.7	22.4	17.0	17.0	18.0
Chloroform	NA	0.7	25U	25U	20U	20U	20U	20U	20U	0.8	50U	20U	20U	20U	1U	1U	1U
1,2-Dichloroethane	5	3.4	25U	25U	20U	20U	2.9	20U	20U	10U	50U	20U	20U	20U	1U	1U	1U
1,1,1-Trichloroethane	200	310.0	340.0	360.0	370.0	270.0	270.0	330.0	250.0	220.0	310.0	262.0	201.0	233.0	110.0	89.0	59.0
Trichloroethene	5	57.0	58.0	60.0	65.0	44.0	53.0	67.0	45.0	48.0	49.0	60.4	44.6	49.3	34.0	31.0	31.0
Tetrachloroethene	5	3.5	3.4	3.8	3.8	20U	3.6	4.5	5.1	5.8	110.0	10.0	10.5	11.4	13.0	14.0	23.0
Total VOCs		**518.6**	**560.4**	**590.8**	**613.8**	**459.0**	**494.5**	**610.5**	**444.1**	**410.7**	**1,094.0**	**506.5**	**386.8**	**446.0**	**264.0**	**226.0**	**209.0**

MW-206A	MCL	1Q 4/23/99	2Q 10/20/99	3Q 2/7/00	4Q 4/18/00	5Q 7/25/00	6Q 11/7/00	1SA 4/9/01	2SA 10/16/01	3SA 4/16/02	4SA 10/8/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/21/05	9SA 10/19/05	10SA 10/19/05
Methylene Chloride	5	4.0U	20U	10U	10U	10U	10U	10U	0.3	4U	10U	2U	2U	4U	2U	2U	2U
trans-1,2-Dichloroethene	100	2.0U	10U	5U	0.4	5.0U	5.0U	5.0U	2.0U	0.4	5U	2U	1.1	2U	1U	1U	1U
cis-1,2-Dichloroethene	70	23.0	21.0	20.0	20.0	21.0	13.0	20.0	18.0	15.0	23.0	28.4	33.6	31.6	16.0	23.0	25.0
1,1-Dichloroethene	7	22.0	21.0	14.0	12.0	14.0	5.9	13.0	9.9	7.1	57.0	11.1	11.4	11.1	6.7	8.8	9.1
1,1-Dichloroethane	NA	8.5	9.8	10.0	9.6	9.4	12.0	9.7	8.8	7.1	11.0	11.0	12.4	10.7	5.6	8.1	9.2
Chloroform	NA	0.6	10U	0.6	0.6	0.7	5.0U	0.7	0.5	0.4	5U	2U	2U	1.3	1.1	1U	1U
1,2-Dichloroethane	5	0.8	10U	5U	5.0U	5.0U	5.0U	5.0U	2.0U	2U	5U	2U	2U	2U	1U	1U	1U
1,1,1-Trichloroethane	200	100.0	87.0	79.0	62.0	66.0	46.0	55.0	39.0	31.0	35.0	26.9	29.8	27.4	17.0	19.0	23.0
Trichloroethene	5	37.0	33.0	25.0	22.0	16.0	7.6	22.0	18.0	16.0	18.0	17.0	16.5	15.1	11.0	11.0	13.0
Tetrachloroethene	5	9.3	6.6	7.0	5.2	3.1	0.8	4.5	3.5	3.4	3.0	3.2	3.4	3.7	2.9	3.1	3.8
Total VOCs		**201.2**	**178.4**	**155.6**	**131.7**	**130.2**	**85.3**	**124.9**	**98.0**	**80.4**	**147.0**	**97.6**	**108.2**	**100.8**	**60.3**	**73.0**	**83.1**

MW-206B	MCL	1Q 4/23/99	2Q 10/20/99	3Q 2/17/00	4Q 4/18/00	5Q 7/25/00	6Q 11/7/00	1SA 4/9/01	2SA 10/16/01	3SA 4/16/02	4SA 10/8/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/21/05	9SA 10/19/05	10SA 5/6/06
Methylene Chloride	5	20U	20U	20U	20U	10U	10U	10U	10U	10U	4.0	5U	4U	8U	2U	2U	2U
trans-1,2-Dichloroethene	100	10U	10U	10U	0.3	5.0U	5.0U	5.0U	5.0U	5U	5U	5U	4U	4U	1U	1U	1U
cis-1,2-Dichloroethene	70	59.0	54.0	36.0	40.0	36.0	34.0	33.0	26.0	23.0	31.0	20.5	17.4	19.5	13.0	13.0	15.0
1,1-Dichloroethene	7	2.5	4.9	8.8	9.0	6.0	8.4	9.1	11.0	10.0	76.0	15.7	14.0	14.2	13.0	12.0	17.0
1,1-Dichloroethane	NA	5.1	9.1	13.0	14.0	12.0	17.0	14.0	14.0	12.0	22.0	15.1	14.8	16.0	16.0	16.0	24.0
Chloroform	NA	10U	10U	10U	0.6	0.6	5.0U	0.5	0.6	0.7	5U	5U	4U	4U	1U	1U	1U
1,2-Dichloroethane	5	10U	10U	10U	10U	5.0U	5.0U	5.0U	5.0U	5U	5U	5U	4U	4U	1U	1U	1U
1,1,1-Trichloroethane	200	4.6	8.4	16.0	16.0	11.0	14.0	16.0	20.0	20.0	35.0	27.1	26.5	26.3	22.0	22.0	24.0
Trichloroethene	5	150.0	160.0	150.0	150.0	86.0	120.0	110.0	80.0	70.0	100.0	68.7	54.5	59.2	33.0	35.0	32.0
Tetrachloroethene	5	13.0	9.6	5.8	5.6	1.0	3.3	2.5	1.7	1.5	5U	5U	4U	4U	1U	1U	1U
Total VOCs		**234.2**	**246.0**	**229.6**	**235.5**	**146.6**	**196.7**	**185.1**	**153.3**	**137.2**	**268.0**	**147.1**	**127.2**	**135.2**	**97.0**	**98.0**	**112.0**

Table 2:
Southeast Rockford NPL Site
Cumuative Ground Water Analytical Results
(as of 6/30/06)

MW-206C	MCL	1Q 4/23/99	2Q 10/20/99	3Q 2/7/00	4Q 4/18/00	5Q 7/25/00	6Q 11/7/00	1SA 4/9/01	2SA 10/16/01	3SA 4/16/02	4SA 10/8/02	5SA 4/22/03	6SA 12/31/03	7SA 4/28/04	8SA 5/21/05	9SA 10/19/05	10SA 5/6/06
Methylene Chloride	5	2.0U	2.0 U	2U	2U	2U	2U	2U	2U	2U	4.0	2.5U	4U	4U	2U	0.1	2U
trans-1,2-Dichloroethene	100	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	5U	2.5U	4U	2U	1U	1U	1U
cis-1,2-Dichloroethene	70	2.7	2.3	3.5	4.0	4.8	2.3	4.3	5.9	6.9	15.0	13.2	14.0	14.9	9.2	15.0	14.0
1,1-Dichloroethene	7	0.3	0.2	1.0U	1.0U	1.3	0.1	0.3	0.1	0.2	5U	2.5U	4U	2U	1.1	2.6	3.5
1,1-Dichloroethane	NA	1.0U	0.2	1.0U	1.0U	1.0U	0.1	0.4	0.2	1.0U	5U	2.5U	4U	1.2	1.5	3.8	5.0
Chloroform	NA	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	5U	2.5U	4U	2U	1U	1U	1U
1,2-Dichloroethane	5	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	5U	2.5U	4U	2U	1U	1U	1U
1,1,1-Trichloroethane	200	1.5	0.3	1.0U	1.0U	1.0U	0.3	0.7	0.2	1.0U	5U	2.5U	4U	2U	1U	1U	1U
Trichloroethene	5	4.1	4.3	5.3	6.0	3.5	3.4	6.6	7.6	14.0	30.0	39.0	44.7	37.7	34.0	47.0	52.0
Tetrachloroethene	5	0.4	1.0U	1.0U	0.0	1.0U	1.0U	0.3	0.2	0.1	5U	2.5U	4U	2U	1U	1U	1U
Total VOCs		**9.0**	**7.2**	**8.8**	**10.0**	**9.6**	**6.3**	**12.5**	**14.2**	**21.1**	**49.0**	**52.2**	**58.7**	**53.8**	**45.8**	**68.5**	**74.5**

MW-207	MCL	1Q 4/23/1999	2Q 10/27/1999	3Q 2/17/2000	4Q 4/18/2000	5Q 7/25/2000	6Q 11/8/2000	1SA 4/10/2001	2SA 10/16/2001	3SA 4/17/2002	4SA 10/8/2002	5SA 4/22/2003	6SA 12/31/2003	7SA 4/28/2004	8SA 5/21/2005	9SA 10/19/05	10SA 5/6/06
Methylene Chloride	5	4.0U	2.0U	2U	2U	2U	2U	2U	2U	4U	0.8	2U	2U	4U	2U	2U	2U
trans-1,2-Dichloroethene	100	2.0U	1.0U	1.0U	0.1	0.2	1.0U	0.4	0.3	0.4	1U	2U	2U	2U	1U	1U	1U
cis-1,2-Dichloroethene	70	1.6	5.1	1.2	1.2	1.4	1.4	3.2	3.4	3.7	5.0	4.9	3.8	4.3	3.0	2.7	3.3
1,1-Dichloroethene	7	2.0U	0.7	0.2	0.1	1.0U	0.2	1.0 U	0.1	0.3	6.0	2.1	2.2	1.9	1.7	1U	1.8
1,1-Dichloroethane	NA	0.8	1.3	1.1	1.2	1.3	2.1	1.5	5.3	6.2	8.0	7.1	5.7	5.9	4.3	4.5	5.2
Chloroform	NA	0.4	0.6	0.5	0.6	0.6	0.7	0.6	0.4	0.4	1U	2U	2U	2U	1U	1U	1U
1,2-Dichloroethane	5	2.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	2U	1U	2U	2U	2U	1U	1U	1U
1,1,1-Trichloroethane	200	2.7	5.9	2.0	2.0	2.0	1.9	1.5	4.2	5.7	5.0	7.6	7.2	8.2	5.4	5.7	6.7
Trichloroethene	5	26.0	25.0	22.0	20.0	17.0	16.0	11.0	22.0	25.0	21.0	27.8	25.8	28.1	18.0	17.0	19.0
Tetrachloroethene	5	2.6	3.9	2.8	2.7	2.1	2.3	0.5	1.0	1.4	0.9	2.3	2.2	2.7	2.1	1.3	2.0
Total VOCs		**34.1**	**42.5**	**29.9**	**25.9**	**24.6**	**24.7**	**18.8**	**36.8**	**43.0**	**46.7**	**51.8**	**46.8**	**51.0**	**34.5**	**31.2**	**38.0**

Notes:

All units in ug/L or "ppb".

Denotes analytical result > than MCL