PORSF 11.3.234.1 v.16
(pt.8) 8/19/2008

FILE COPY

UPLOADED INTO WEBEX
DATE: 11-15-06
BY: DCR

DELTA

LETTER OF TRANSMITTAL

To:	Ms. Henning Larsen	**From:**	Brian Pletcher
Company:	Oregon DEQ-Northwest Region 2020 SW 4th Ave, Ste. 400 Portland, Oregon 97201	**Date:**	November 14, 2006
Re:	Semi Annual Groundwater Monitoring Report (2Q06 & 3Q06)	**Site:**	Willbridge Bulk Fuel Facilities

Copies of the above-referenced groundwater monitoring report will be forwarded to the parties noted below under cc.

Please feel free to call (503) 639-8098 with any questions or comments.

cc: Mr. Mike Noll, Noll Environmental, 11921 185th Avenue SE, Snohomish, WA 98290
Mr. Robert Truedinger, Kinder Morgan Energy Partners, 1140 Canal Blvd., Richmond, VA 94804
Mr. Darin Rouse, Chevron Environmental Management, 6001 Bollinger Canyon Rd, Ste. K2260, San Ramon, CA 94583
Mr. William Platt, Shell Oil Company, 910 Louisiana St, Houston, TX 77002
Mr. Grant Sprick, BB&L, 111 SW Columbia Street, Suite 725, Portland, OR 97201

USEPA SF
1363605
COPPOR00007039

SEMI-ANNUAL GROUNDWATER MONITORING REPORT
(April 2006 through September 2006)

Willbridge Bulk Fuel Facilities

Portland, Oregon

Consent Order WMCSR-NWR-94-06
Delta Project ORZ0922GW-6

November 15, 2006

Prepared for:

Willbridge Terminal Group

DELTA

7150 SW Hampton, Suite 220, Tigard, Oregon 97223
503.639.8098 800.477.7411

TABLE OF CONTENTS

1.0 EXECUTIVE SUMMARY 1

2.0 GROUNDWATER MONITORING AND SAMPLING 2

2.1 HYDROGEOLOGIC ANALYSIS 2
2.2 WILLAMETTE RIVER 3
2.3 GROUNDWATER ANALYTICAL RESULTS 3
2.4 SEPARATE PHASE HYDROCARBON OCCURRENCE 4

3.0 SEPARATE PHASE HYDROCARBON RECOVERY 6

4.0 ISSUES ENCOUNTERED DURING THE SECOND AND THIRD QUARTER 2006 8

5.0 ACTIVITIES SCHEDULED FOR THE FOURTH QUARTER 2006 AND FIRST QUARTER OF 2007 (OCTOBER 2006 THROUGH MARCH 2007) 9

6.0 REMARKS 10

TABLES

TABLE 1A – GROUNDWATER ELEVATION AND SPH RECOVERY DATA
CHEVRON PRODUCTS COMPANY

TABLE 1B – GROUNDWATER ELEVATION AND SPH RECOVERY DATA
KINDER MORGAN LIQUID TERMINALS, LLC

TABLE 1C – GROUNDWATER ELEVATION AND SPH RECOVERY DATA
CONOCOPHILLIPS COMPANY

TABLE 2 – GROUNDWATER ANALYTICAL RESULTS – BTEX & MTBE COMPOUNDS

TABLE 3 – GROUNDWATER ANALYTICAL RESULTS – PAH COMPOUNDS

TABLE 4 – GROUNDWATER ANALYTICAL RESULTS – TOTAL METALS

TABLE 5 - GROUNDWATER SCREENING LEVEL COMPARISONS

FIGURES

FIGURE 1 – SITE LOCATION MAP

FIGURE 2 – GROUNDWATER ELEVATION CONTOURS AND SPH THICKNESS MAP

FIGURE 3 – PRECIPITATION AND RIVER STAGE HYDROGRAPH

APPENDICES

APPENDIX A – GROUNDWATER MONITORING AND SAMPLING PRODCEDURES,
CERTIFIED ANALYTICAL LABORATORY REPORTS AND
CHAIN-OF-CUSTODY DOCUMENTATION

1.0 EXECUTIVE SUMMARY

Delta Environmental Consultants, Inc. (Delta) and Blasland, Bouck, and Lee, Inc. (BBL), and SAIC performed monthly separate-phase hydrocarbon recovery, quarterly well gauging (May, June, and September 2006), and semi-annual (September 2006) groundwater sampling as part of the remedial investigation/feasibility study work at the Willbridge Bulk Fuel Facilities (Willbridge Facility). The Willbridge Facility is comprised of terminals owned by Chevron Products Company (Chevron), Kinder Morgan Liquid Terminals, LLC (KMLT), and ConocoPhillips Company. This report fulfills the requirement of Section 7F of Oregon Department of Environmental Quality (DEQ) Consent Order WMCSR-NW-94-06.

2.0 GROUNDWATER MONITORING AND SAMPLING

Groundwater monitoring and sampling activities, along with separate-phase hydrocarbon (SPH) recovery were performed at the Willbridge Facility from April 2006 through September 2006. The Willbridge Facility is located in northwest Portland, Oregon on Northwest Front Avenue, along the Willamette River (See Figure 1).

Monitoring activities were performed on June 26 and 27, 2006 (Second Quarter 2006) and September 25, 2006 (Third Quarter 2006) and consisted of measuring depth to groundwater and SPH thickness in all wells. Sampling activities performed at the Chevron, KMLT, and ConocoPhillips Terminals on September 25 through 27, 2006 consisted of measuring depth to groundwater and collecting groundwater samples from select wells. Groundwater samples were analyzed for dissolved petroleum hydrocarbon constituents and selected metals. During the Third Quarter 2006 sampling event select wells near the Willamette River were monitored in accordance with the DEQ approved Sampling and Analysis Plan dated September 22, 2006 prepared by Delta. Monitoring and sampling activities are described in the following sections.

Based upon results of the previous quarterly monitoring activities, select wells were monitored for the presence of SPH on a monthly basis. SPH recovery was performed on a monthly basis for wells containing measurable amounts of SPH between April 2006 and September 2006.

2.1 Hydrogeologic Analysis

Depth-to-groundwater measurements were collected from each monitoring well in June 2006 and September 2006 (See Tables 1A through 1C). A map showing groundwater elevation contours and SPH thicknesses measured in wells in September 2006 is presented as Figure 2. Groundwater monitoring procedures are included in Appendix A.

During the second and third quarters of 2006, groundwater elevations across the facility ranged from approximately 9.21 feet to 32.38 feet above mean sea level. Groundwater flow direction is generally northeasterly, toward the Willamette River.

2.2 Willamette River

The Willamette River stage (daily mean, measured at the Morrison Bridge river gauge and converted to the City of Portland (COP) datum) during the second and third quarter of 2006 ranged from a high of 15.49 feet (COP datum) on May 30, 2006 to a low of 4.41 feet (COP datum) on September 17, 2006. The average river stage elevation was approximately 9.31 feet (COP datum) between May 1, 2006 and September 30, 2006. Precipitation and river stage data are presented on Figure 3.

2.3 Groundwater Analytical Results

Groundwater samples were collected from selected Chevron, KMLT, and ConocoPhillips monitoring wells on September 26, 27, and 28, 2006, and analyzed in accordance with consent order WMCSR-NWR-94-06, the revised sampling agreement (May 11, 2001), and the 2006 Groundwater Monitoring Sampling and Analysis Plan Addendum (September 19, 2006). The list of analytes included benzene, toluene, ethylbenzene, total xylenes (BTEX), and methyl tert-butyl ether (MTBE) using EPA Method 8260B, polynuclear aromatic hydrocarbons (PAHs) using EPA Method 8270M-SIM, and total RCRA metals (arsenic, barium, cadmium, chromium, copper, lead, mercury, selenium, silver, and zinc) using EPA Method 6000/7000 Series Methods. Additionally, selected ConocoPhillips wells B-40, P-1, and U-5, Chevron wells B-10 and CR-1, and Kinder Morgan wells MW-33, MW-34, MW-36, and MW-37 were analyzed using lower level reporting limits, consistent with the Environmental Protection Agency's (EPA) 2004 National Recommend Water Quality Criteria (NRWQC) screening levels to complete the groundwater source control evaluation in the areas not addressed by the cutoff walls located at the Chevron and ConocoPhillips facilities. Kinder Morgan Well MW-40 was inaccessible to sample and was not included in this sampling event. Groundwater sampling procedures are presented in Appendix A. Groundwater samples were not collected from wells containing observable sheens or measurable quantities of SPH.

Portland Harbor Joint Source Control Screening Level Comparisons of Select Wells

Analytical results collected from ConocoPhillips wells B-40, P-1, and U-5, Chevron wells B-10 and CR-1, and Kinder Morgan wells MW-33, MW-34, MW-36, and MW-37 were compared to the screening levels presented in Table 3-1 of the Portland Harbor Joint

Source Control guidance document, dated December 2005. Analytical results were compared to the EPA's 2004 NRWQC (organism only) screening level for human health (fish consumption). The DEQ's 2004 AWQC (organism only), the EPA's 2004 NRWQC ecological receptors (chronic), and/or the DEQ's 2004 AWQC ecological receptors (chronic), were not established, the results were compared to the EPA's 2004 NRWQC (organism only) screening levels.

Chevron Well B-10, Kinder Morgan Well MW-37, and ConocoPhillips Wells B-40 and U-4 exceeded the EPA's 2004 NRWQC (organism only) screening level for human health (fish consumption) for one or more PAH compounds. All select wells exceeded the EPA's 2004 NRWQC (organism only) screening level for human health (fish consumption) for arsenic. Additional metals, including cadmium, copper, lead, silver, mercury, and zinc exceeded, or potentially exceeded, screening level values in Chevron well B-40, Kinder Morgan Well MW-33, and ConocoPhillips Wells B-40, P-1, and U-5. BTEX and MTBE concentrations in the select wells did not exceed the Portland Harbor Joint Source Control Screening Levels listed above.

BTEX, PAH, and total metals laboratory analytical results for the third quarter 2006 sampling event are presented in Tables 2 through 4. Portland Harbor Joint Source Control groundwater screening level comparisons of analytes detected in select wells are presented in Table 5. Laboratory analytical reports and chain-of-custody documentation are included in Appendix A.

2.4 Separate Phase Hydrocarbon Occurrence

Based upon the results of the previous quarterly monitoring activities, select wells were monitored for the presence of SPH on a monthly basis. SPH recovery was performed monthly on wells containing measurable amounts of SPH between April and September 2006. The detected SPH thicknesses measured during the June and September 2006 monitoring events are included in Table 1. Observable sheens and SPH thicknesses measured during the September 2006 monitoring event are presented in Figure 2.

Chevron

During quarterly groundwater monitoring in May 2006, SAIC conducted weekly SPH monitoring. Three Chevron Wells (B-20, CR-10, and CR-19) contained measurable thicknesses of SPH, ranging from 0.01 foot in Wells B-20 and CR-10 to 0.13 foot in Well

CR-19. Additionally, a sheen was observed in Wells B-20 and CR-10. SPH thicknesses were consistent with historical measurements.

During quarterly groundwater monitoring in September 2006, five Chevron Wells (CR-7, CR-10, CR-15, CR-19, and CR-25) contained measurable thicknesses of SPH, ranging from 0.02 foot in Well CR-7 to 0.85 foot in Well CR-10. Additionally, trace SPH was observed in Wells B-11, B-19, B-26, B-28, CR-6, CR-22A, CR-24B, and GPW-2 through GPW-4 during the September 2006 monitoring event. SPH thicknesses were consistent with historical measurements.

KMLT

During quarterly groundwater monitoring in June 2006, one KMLT Well (MW-7) contained a measurable thickness SPH thickness of 0.41 foot. Additionally, a sheen was observed in Wells MW-17, MW-19, MW-23, and MW-31. SPH was observed in Well MW-24; however, a thickness could not be measured due to fouling of the oil/water interface probe by highly viscous SPH in the well.

During quarterly groundwater monitoring in September 2006, two KMLT Wells (MW-7 and MW-31) contained measurable thicknesses of SPH, measuring 1.62 foot and 0.08 foot, respectively. SPH was observed in Well MW-24; however, a thickness could not be measured due fouling of the oil/water interface probe by highly viscous SPH. Additionally, a sheen was observed in Wells MW-19, MW-23, and MW-28. The SPH thickness in Well MW-7 is higher this monitoring event than historically observed.

ConocoPhillips

During quarterly groundwater monitoring in June 2006, one ConocoPhillips Well (U-13) contained a measurable thickness of SPH of 0.28 foot. Additionally, a sheen was observed in Wells EX-39B and U-4.

During quarterly groundwater monitoring in September 2006, two ConocoPhillips Wells (U-5 and U-13) contained measurable thicknesses of SPH, measuring 0.06 foot and 0.07 foot, respectively. Sheens were observed in Wells EX-39B and U-4. SPH was observed in Well U-5A; however, a thickness could not be measured due fouling of the oil/water interface probe by highly viscous SPH. SPH has not been observed in Well U-5A since September 2004 (sheen) and measurable SPH has not been observed since September 2002.

3.0 SEPARATE PHASE HYDROCARBON RECOVERY

Monthly manual recovery of SPH was initiated at the Willbridge Facility in February 1997. SPH recovery is performed in each well where measurable SPH is observed during the previous quarterly gauging event. Manual SPH recovery consists of manual bailing, pumping, or the use of a sorbent sock installed in the well.

Approximately 162 gallons of SPH have been removed to date by the above-referenced manual recovery methods. Recovered SPH volumes for this reporting period (April 2006 to September 2006) totaled approximately 5 gallons. The SPH recovery data is presented in Table 1.

In November and December 2001, a "U"-shaped cut-off wall encompassing the stormwater trench backfill was installed on the ConocoPhillips Terminal. The cut-off wall was designed to intercept SPH and groundwater migrating along the backfill of a 60-inch diameter storm sewer trench. The cut-off wall was constructed with 20-foot-long steel sheet-pile with sealed joints between the sheet-piles. A groundwater and SPH recovery system is used to extract groundwater and SPH from a series of wells located behind the cut-off wall.

In addition to the monthly SPH recovery events, SPH recovery has also been conducted near the outfall of the 60-inch diameter storm sewer. Since December of 2001, SPH recovery is performed using permanent recovery wells installed behind the cutoff wall. Approximately 4,210 gallons of SPH have been recovered to date from the backfill material around the storm sewer outfall. During the second and third quarter of 2006, the treatment system continued to recover SPH. During this reporting period, the recovered SPH reached capacity in the batch tank and was transported from the site to Oil-Re-Refining in Portland, Oregon for recycling.

Containment booms currently border the shoreline between the Chevron and ConocoPhillips docks, and from the south edge of the ConocoPhillips dock to the southern property line (beyond the current Doane Avenue storm sewer outfall). Additionally, secondary and tertiary containment booms are located inside of the first boom around the current 60-inch Doane Avenue storm sewer outfall pipe.

A groundwater recovery system was installed in the 1988 trench at the mouth of the Holbrook slough and periodically operated since July 2004. The system included a total fluids, double diaphragm pump with a float control system set to maintain a depressed water level in the recovery sump and trench. Since July 30, 2004, 2,515,105 gallons of water have been recovered and treated at water treatment system at the Chevron terminal. The system was in operation during periods of low river levels. The system was decommission during the third quarter of 2006 and replace by a sheet pile cut-off wall.

The sheet pile cut-off wall was installed during the third quarter of 2006. The design consists of a near linear, 200-foot-length sheet-pile wall along the shoreline in the area between the Chevron and ConocoPhillips docks. Similar to the existing cutoff wall around the 60-inch outfall, extraction wells were installed behind the wall to remove impacted groundwater and recovery SPH. The existing treatment system for the 60-inch cutoff wall will be used to separate any recovered SPH and treat impacted groundwater.

In 2004, during the replacement of a storm drain at the Chevron terminal, a CDF/bentonite wall and recovery sump were installed in the storm drain backfill. The recovery sump (Well CR-8A) and Well CR-8 (downgradient of the wall) have been monitored since installation. A comparison of water elevations indicates that the wall is

effectively blocking the migration of water along the storm drain backfill material. To date no SPH has been measured in the recovery sump.

4.0 ISSUES ENCOUNTERED DURING THE SECOND AND THIRD QUARTER 2006

No notable issues occurred during this last reporting period.

5.0 ACTIVITIES SCHEDULED FOR THE FOURTH QUARTER 2006 AND FIRST QUARTER OF 2007 (OCTOBER 2006 THROUGH MARCH 2007)

The following tasks are planned for the fourth quarter of 2006 and first quarter of 2007:

- Measure depth to water and SPH in all Willbridge Facility wells during the fourth quarter of 2006 (December) and first quarter of 2007 (March) monitoring events.
- Sample selected Willbridge Facility wells during the March (first quarter) 2007 sampling event.
- Perform monthly SPH recovery from wells that have historically contained SPH.
- Operate the 60-inch storm sewer groundwater treatment system.
- Start-up of the Chevron-ConocoPhillips cutoff wall at the mouth of Holbrook Slough (fourth quarter of 2006).

6.0 REMARKS

The services described in this report represent Delta's professional opinions based upon the currently available information and are arrived at in accordance with currently acceptable professional standards. This report is based upon a specific scope of work requested by the client. The Contract between Delta and its client outlines the scope of work, and only those tasks specifically authorized by that contract or outlined in this report were performed. This report is intended only for the use of Delta's Client and anyone else specifically listed on this report. Delta will not and cannot be liable for unauthorized reliance by any other third party. Other than as contained in this paragraph, Delta makes no express or implied warranty as to the contents of this report.

This report was prepared by **DELTA ENVIRONMENTAL CONSULTANTS, INC.**

Delta Environmental Consultants, Inc.

Cale Fleming.
Staff Scientist

Brian Pletcher, R.G.
Senior Geologist

Delta Environmental Consultants, Inc.
7150 SW Hampton Street, Suite 220
Tigard, Oregon 97223

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-7	2/14/2000	18.33	NP	-	17.40	0.1
(35.73)	5/22/2000	18.60	NP	-	17.13	NA
	8/22/2000	19.31	19.30	0.01	16.43	0.1
	11/27/2000	19.47	sheen	-	16.26	NA
	2/20/2001	19.37	NP	-	16.36	NA
	5/15/2001	19.36	sheen	-	16.37	NA
	9/19/2001	19.74	NP	-	15.99	NA
	12/20/2001	18.30	NP	-	17.43	NA
	3/15/2002	18.28	NP	-	17.45	NA
	9/23/2002	18.79	18.78	0.01	16.95	NA
	12/19/2002	19.78	19.79	0.01	15.96	NA
	3/19/2003	18.58	18.57	0.01	17.16	NA
	6/24/2003	19.02	18.97	0.05	16.75	NA
	9/24/2003	19.72	19.71	0.01	16.02	NA
	12/26/2003	18.90	18.85	0.05	16.87	NA
	3/30/2004	18.70	18.66	0.04	17.06	NA
	6/24/2004	19.19	19.18	0.01	16.55	NA
	9/27/2004	19.85	NP	-	15.88	NA
	12/24/2004	19.27	NP	-	16.46	NA
	3/7/2005	19.45	NP	-	16.28	NA
	6/23/2005	19.12	NP	-	16.61	NA
	9/19/2005	19.79	NP	-	15.94	NA
	12/12/2005	19.00	NP	-	16.73	NA
	1/30/2006	17.19	NP	-	18.54	NA
	3/13/2006	18.05	NP	-	17.68	NA
	6/26/2006	18.66	NP	-	17.07	NA
	9/25/2006	**16.98**	**NP**	-	**18.75**	**NA**
B-9	2/14/2000	16.29	16.20	0.09	19.35	0.0
(35.57)	5/22/2000	16.90	NP	-	18.67	NA
	8/22/2000	17.48	NP	-	18.09	NA
	11/27/2000	17.29	NP	-	18.28	NA
	2/20/2001	17.41	NP	-	18.16	NA
	5/15/2001	17.04	NP	-	18.53	NA
	9/19/2001	17.84	NP	-	17.73	NA
	12/20/2001	15.92	NP	-	19.65	NA
	3/5/2002	15.92	NP	-	19.65	NA
	9/23/2002	17.75	NP	-	17.82	NA
	12/19/2002	17.28	NP	-	18.29	NA
	3/19/2003	16.18	NP	-	19.39	NA
	6/24/2003	16.63	NP	-	18.94	NA
	9/24/2003	17.82	NP	-	17.75	NA
	12/26/2003	Well covered by truck				
	3/30/2004	15.93	NP	-	19.64	NA
	6/24/2004	17.12	NP	-	18.45	NA
	9/27/2004	17.97	NP	-	17.60	NA
	12/24/2004	17.32	NP	-	18.25	NA
	3/7/2005	17.42	NP	-	18.15	NA
	6/22/2005	16.19	NP	-	19.38	NA
	9/19/2005	17.77	NP	-	17.80	NA
	12/12/2005	16.81	NP	-	18.76	NA
	1/30/2006	15.02	NP	-	20.55	NA
	3/13/2006	18.65	NP	-	16.92	NA
	6/26/2006	16.64	NP	-	18.93	NA
	9/25/2006	**16.45**	**NP**	-	**19.12**	**NA**

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-10	2/14/2000	15.10	NP	-	19.66	NA
(34.76)	5/22/2000	15.67	NP	-	19.09	NA
	8/22/2000	16.35	NP	-	18.41	NA
	11/27/2000	16.64	NP	-	18.12	NA
	2/20/2001	16.41	NP	-	18.35	NA
	5/15/2001	16.42	NP	-	18.34	NA
	9/19/2001	16.95	NP	-	17.81	NA
	12/20/2001	15.42	NP	-	19.34	NA
	3/15/2002	14.99	NP	-	19.77	NA
	9/23/2002	16.64	NP	-	18.12	NA
	12/19/2002	16.56	NP	-	18.20	NA
	3/19/2003	15.24	NP	-	19.52	NA
	6/24/2003	15.70	NP	-	19.06	NA
	9/24/2003	16.62	NP	-	18.14	NA
	12/26/2003	15.98	NP	-	18.78	NA
	6/24/2004	16.13	NP	-	18.63	NA
	9/27/2004	16.73	NP	-	18.03	NA
	12/14/2004	16.48	NP	-	18.28	NA
	3/7/2005	Well Inaccessible				
	9/19/2005	16.64	NP	-	18.12	NA
	12/12/2005	15.90	NP	-	18.86	NA
	1/30/2006	14.13	NP	-	20.63	NA
	3/13/2006	14.73	NP	-	20.03	NA
	6/26/2006	15.67	NP	-	19.09	NA
	9/25/2006	**16.45**	**NP**	**-**	**18.31**	**NA**
B-11	3/30/2004	15.29	NP		19.47	NA
(34.96)	5/22/2000	15.41	NP	-	19.55	NA
	8/22/2000	16.14	NP	-	18.82	NA
	11/27/2000	16.57	NP	-	18.39	0.1
	2/20/2001	16.30	sheen	-	18.66	NA
	5/15/2001	16.30	NP	-	18.66	NA
	9/19/2001	16.82	NP	-	18.14	NA
	12/20/2001	15.44	NP	-	19.52	NA
	3/15/2002	14.80	NP	-	20.16	NA
	9/23/2002	16.49	NP	-	18.47	NA
	12/19/2002	16.61	sheen	-	18.35	NA
	3/19/2003	15.11	NP	-	19.85	NA
	6/24/2003	15.52	NP	-	19.44	NA
	9/24/2003	16.48	NP	-	18.48	NA
	12/26/2003	15.85	NP	-	19.11	NA
	3/30/2004	15.09	NP	-	19.87	NA
	6/24/2004	15.98	NP	-	18.98	NA
	9/27/2004	16.67	NP	-	18.29	NA
	12/14/2004	16.34	NP	-	18.62	NA
	3/7/2005	16.14	NP	-	18.82	NA
	6/22/2005	15.80	NP	-	19.16	NA
	9/19/2005	16.48	NP	-	18.48	NA
	12/12/2005	15.79	NP	-	19.17	NA
	1/30/2006	13.94	NP	-	21.02	NA
	3/13/2006	14.53	NP	-	20.43	NA
	6/26/2006	15.49	NP	-	19.47	NA
	9/25/2006	**16.36**	**Trace**	**-**	**18.60**	**NA**

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-12	2/14/2000	15.38	NP	-	19.76	NA
(35.14)	5/22/2000	15.85	NP	-	19.29	NA
	8/22/2000	16.55	NP	-	18.59	NA
	11/27/2000	16.98	NP	-	18.16	NA
	2/20/2001	16.73	NP	-	18.41	NA
	5/15/2001	16.72	NP	-	18.42	NA
	9/19/2001	17.20	NP	-	17.94	NA
	12/20/2001	15.94	NP	-	19.20	NA
	3/15/2002	15.32	NP	-	19.82	NA
	9/23/2002	16.89	NP	-	18.25	NA
	12/19/2002	17.01	NP	-	18.13	NA
	3/19/2003	15.56	NP	-	19.58	NA
	6/24/2003	Not Located				
	9/24/2003	Not Located				
	12/26/2003	Not Located				
	3/30/2004	Not Located				
	6/24/2004	16.40	NP	-	18.74	NA
	9/27/2004	17.00	NP	-	18.14	NA
	12/14/2004	16.75	NP	-	18.39	NA
	3/7/2005	16.52	NP	-	18.62	NA
	9/19/2005	16.87	NP	-	18.27	NA
	12/12/2005	16.20	NP	-	18.94	NA
	1/30/2006	14.49	NP	-	20.65	NA
	3/13/2006	15.02	NP	-	20.12	NA
	6/26/2006	15.95	NP	-	19.19	NA
	9/25/2006	**16.78**	**NP**	**-**	**18.36**	**NA**
B-13	2/14/2000	15.46	NP	-	19.30	NA
(34.76)	5/22/2000	15.86	NP	-	18.90	NA
	8/22/2000	16.46	NP	-	18.30	NA
	11/27/2000	19.91	NP	-	14.85	NA
	2/20/2001	16.65	NP	-	18.11	NA
	5/15/2001	16.65	NP	-	18.11	NA
	9/19/2001	17.09	NP	-	17.67	NA
	12/22/2001	15.94	NP	-	18.82	NA
	3/15/2002	15.37	NP	-	19.39	NA
	9/23/2002	16.82	NP	-	17.94	NA
	12/19/2002	16.95	NP	-	17.81	NA
	3/19/2003	15.62	NP	-	19.14	NA
	6/24/2003	15.96	NP	-	18.80	NA
	9/24/2003	16.82	NP	-	17.94	NA
	12/26/2003	16.29	NP	-	18.47	NA
	3/30/2004	15.58	NP	-	19.18	NA
	6/24/2004	16.34	NP	-	18.42	NA
	9/27/2004	16.90	NP	-	17.86	NA
	12/24/2004	16.71	NP	-	18.05	NA
	3/7/2005	16.49	NP	-	18.27	NA
	9/19/2005	16.79	NP	-	17.97	NA
	12/12/2005	16.16	NP	-	18.60	NA
	1/30/2006	14.54	NP	-	20.22	NA
	3/13/2006	15.04	NP	-	19.72	NA
	6/26/2006	15.95	NP	-	18.81	NA
	9/25/2006	**16.78**	**NP**	**-**	**17.98**	**NA**

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-14	2/14/2000	17.27	NP	-	19.32	NA
(36.59)	5/22/2000	17.69	NP	-	18.90	NA
	8/22/2000	18.31	NP	-	18.28	NA
	11/27/2000	18.72	NP	-	17.87	NA
	2/20/2001	18.50	NP	-	18.09	NA
	5/15/2001	18.49	NP	-	18.10	NA
	9/19/2001	18.87	NP	-	17.72	NA
	12/22/2001	17.74	NP	-	18.85	NA
	3/15/2002	17.21	NP	-	19.38	NA
	9/23/2002	18.64	NP	-	17.95	NA
	12/19/2002	18.79	NP	-	17.80	NA
	3/19/2003	17.47	NP	-	19.12	NA
	6/24/2003	17.78	NP	-	18.81	NA
	9/24/2003	18.64	NP	-	17.95	NA
	12/26/2003	18.10	NP	-	18.49	NA
	3/30/2004	17.39	NP	-	19.20	NA
	6/24/2004	18.17	NP	-	18.42	NA
	9/27/2004	18.73	NP	-	17.86	NA
	12/14/2004	18.54	NP	-	18.05	NA
	3/7/2005	18.30	NP	-	18.29	NA
	9/19/2005	18.63	NP	-	17.96	NA
	12/12/2005	17.99	NP	-	18.60	NA
	1/30/2006	16.43	NP	-	20.16	NA
	3/13/2006	16.86	NP	-	19.73	NA
	6/26/2006	17.72	NP	-	18.87	NA
	9/25/2006	**18.45**	**NP**	**-**	**18.14**	**NA**
B-15	2/14/2000	16.48	NP	-	19.07	NA
(35.55)	5/22/2000	16.88	NP	-	18.67	NA
	8/22/2000	17.53	NP	-	18.02	NA
	11/27/2000	17.89	NP	-	17.66	NA
	2/20/2001	17.38	NP	-	18.17	NA
	5/15/2001	17.66	NP	-	17.89	NA
	9/19/2001	18.12	NP	-	17.43	NA
	12/20/2001	16.92	NP	-	18.63	NA
	3/15/2002	16.36	NP	-	19.19	NA
	9/23/2002	17.84	NP	-	17.71	NA
	12/19/2002	18.01	NP	-	17.54	NA
	3/19/2003	16.66	NP	-	18.89	NA
	6/24/2003	16.98	NP	-	18.57	NA
	9/24/2003	17.84	NP	-	17.71	NA
	12/26/2003	17.27	NP	-	18.28	NA
	3/30/2004	16.58	NP	-	18.97	NA
	6/24/2004	17.37	NP	-	18.18	NA
	9/27/2004	17.94	NP	-	17.61	NA
	12/14/2004	17.73	NP	-	17.82	NA
	3/7/2005	17.51	NP	-	18.04	NA
	9/19/2005	17.84	NP	-	17.71	NA
	12/12/2005	17.20	NP	-	18.35	NA
	1/30/2006	15.61	NP	-	19.94	NA
	3/13/2006	16.07	NP	-	19.48	NA
	6/26/2006	16.91	NP		18.64	NA
	9/25/2006	**17.52**	**NP**	**-**	**18.03**	**NA**

COPPOR00007056

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-19	2/14/2000	15.99	NP	-	18.18	NA
(34.17)	5/22/2000	16.34	NP	-	17.83	NA
	8/22/2000	17.04	NP	-	17.13	NA
	11/27/2000	17.35	NP	-	16.82	NA
	2/20/2001	17.17	NP	-	17.00	NA
	5/15/2001	17.14	NP	-	17.03	NA
	9/19/2001	17.67	NP	-	16.50	NA
	12/20/2001	16.32	NP	-	17.85	NA
	3/15/2002	15.88	NP	-	18.29	NA
	9/23/2002	17.37	NP	-	16.80	NA
	12/19/2002	18.47	NP	-	15.70	NA
	3/19/2003	16.13	NP	-	18.04	NA
	6/24/2003	16.50	NP	-	17.67	NA
	9/24/2003	17.35	NP	-	16.82	NA
	12/26/2003	16.71	NP	-	17.46	NA
	3/30/2004	16.08	NP	-	18.09	NA
	6/24/2004	16.87	NP	-	17.30	NA
	9/27/2004	17.44	NP	-	16.73	NA
	12/14/2004	17.28	NP	-	16.89	NA
	3/7/2005	17.02	NP	-	17.15	NA
	6/22/2005	16.72	NP	-	17.45	NA
	9/19/2005	17.34	NP	-	16.83	NA
	12/12/2005	16.69	NP	-	17.48	NA
	1/30/2006	15.06	NP	-	19.11	NA
	3/13/2006	15.55	NP	-	18.62	NA
	6/26/2006	16.36	NP	-	17.81	NA
	9/25/2006	**16.76**	**Trace**	**-**	**17.41**	**NA**
B-20	2/14/2000	16.62	NP	-	16.70	NA
(33.32)	5/22/2000	16.93	NP	-	16.39	NA
	8/22/2000	17.78	NP	-	15.54	NA
	11/27/2000	17.99	sheen	-	15.33	NA
	2/20/2001	17.79	sheen	-	15.53	NA
	5/15/2001	17.89	NP	-	15.43	NA
	9/19/2001	18.40	NP	-	14.92	NA
	12/20/2001	16.61	NP	-	16.71	NA
	3/15/2002	16.45	NP	-	16.87	NA
	9/23/2002	18.27	NP	-	15.05	NA
	12/19/2002	18.22	NP	-	15.10	NA
	3/19/2003	15.96	NP	-	17.36	NA
	6/24/2003	17.06	NP	-	16.26	NA
	9/24/2003	18.30	NP	-	15.02	NA
	12/26/2003	17.31	NP	-	16.01	NA
	3/30/2004	16.47	NP	-	16.85	NA
	6/24/2004	17.32	NP	-	16.00	NA
	9/27/2004	18.29	NP	-	15.03	NA
	12/14/2004	17.77	NP	-	15.55	NA
	3/7/2005	17.82	NP	-	15.50	NA
	6/23/2005	17.41	NP	-	15.91	NA
	9/19/2005	18.20	NP	-	15.12	NA
	12/12/2005	17.34	NP	-	15.98	NA
	1/30/2006	15.70	NP	-	17.62	NA
	3/13/2006	16.09	NP	-	17.23	NA
	6/26/2006	16.96	NP	-	16.36	NA
	9/25/2006	**16.38**	**NP**	**-**	**16.94**	**NA**

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-21	2/14/2000	16.22	NP	-	18.57	NA
(34.79)	5/22/2000	16.57	NP	-	18.22	NA
	8/22/2000	17.15	NP	-	17.64	NA
	11/27/2000	17.45	NP	-	17.34	NA
	2/20/2001	19.29	NP	-	15.50	NA
	5/15/2001	17.27	NP	-	17.52	NA
	9/19/2001	17.66	NP	-	17.13	NA
	12/20/2001	16.48	NP	-	18.31	NA
	3/15/2002	16.18	NP	-	18.61	NA
	9/23/2002	17.45	NP	-	17.34	NA
	12/19/2002	17.56	NP	-	17.23	NA
	3/19/2003	16.35	NP	-	18.44	NA
	6/24/2003	16.70	NP	-	18.09	NA
	9/24/2003	17.42	NP	-	17.37	NA
	12/26/2003	16.91	NP	-	17.88	NA
	3/30/2004	16.36	NP	-	18.43	NA
	6/24/2004	17.02	NP	-	17.77	NA
	9/27/2004	17.49	NP	-	17.30	NA
	12/14/2004	17.41	NP	-	17.38	NA
	3/7/2005	17.04	NP	-	17.75	NA
	6/23/2005	16.87	NP	-	17.92	NA
	9/19/2005	17.45	NP	-	17.34	NA
	12/12/2005	16.84	NP	-	17.95	NA
	1/30/2006	15.30	NP	-	19.49	NA
	3/13/2006	15.93	NP	-	18.86	NA
	6/26/2006	16.62	NP		18.17	NA
	9/25/2006	**16.98**	**NP**	**-**	**17.81**	**NA**
B-24	2/14/2000	15.50	15.49	0.01	19.21	0.0
(34.70)	5/22/2000	15.83	NP	-	18.87	NA
	8/22/2000	16.38	NP	-	18.32	NA
	11/27/2000	16.81	NP	-	17.89	NA
	2/20/2001	16.59	NP	-	18.11	NA
	5/15/2001	16.56	NP	-	18.14	NA
	9/19/2001	16.94	NP	-	17.76	NA
	12/22/2001	16.23	16.07	0.16	18.60	0.0
	3/15/2002	15.54	Sheen	-	19.16	0.0
	9/23/2002	16.86	16.73	0.13	17.94	0.0
	12/19/2002	16.98	NP	-	17.72	NA
	3/19/2003	15.84	15.71	0.13	18.96	0.0
	6/24/2003	15.90	Sheen	-	18.80	0.0
	9/24/2003	16.75	16.71	0.04	17.98	0.0
	12/26/2003	16.32	16.29	0.03	18.40	0.0
	3/30/2004	15.51	NP	-	19.19	NA
	6/24/2004	16.58	16.21	0.37	18.42	NA
	9/27/2004	16.76	16.75	0.01	17.95	0.0
	12/14/2004	16.64	Sheen	-	18.06	0.0
	3/7/2005	16.44	16.43	0.01	18.27	0.004
	6/23/2005	NM	NM	NM	NM	NM
	9/19/2005	16.63	16.61	0.02	18.09	0.004
	12/12/2005	Inaccessible				
	3/13/2006	15.06	15.04	0.02	19.66	0.0
	6/26/2006	15.87	15.84	0.03	18.85	0.0
	9/25/2006	**16.60**	**NP**	**--**	**18.10**	**0.0**

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-26	2/14/2000	15.49	NP	-	19.81	NA
(35.30)	5/22/2000	15.96	NP	-	19.34	NA
	8/22/2000	16.72	NP	-	18.58	NA
	11/27/2000	17.11	NP	-	18.19	NA
	2/20/2001	16.86	NP	-	18.44	NA
	5/15/2001	16.86	NP	-	18.44	NA
	9/19/2001	17.37	NP	-	17.93	NA
	12/20/2001	15.93	NP	-	19.37	NA
	3/15/2002	15.41	NP	-	19.89	NA
	9/23/2002	17.06	NP	-	18.24	NA
	12/19/2002	17.10	NP	-	18.20	NA
	3/19/2003	15.69	NP	-	19.61	NA
	6/24/2003	16.13	NP	-	19.17	NA
	9/24/2003	17.06	NP	-	18.24	NA
	12/26/2003	16.39	NP	-	18.91	NA
	3/30/2004	16.68	NP	-	18.62	NA
	6/24/2004	16.54	NP	-	18.76	NA
	9/27/2004	17.18	NP	-	18.12	NA
	12/14/2004	16.96	NP	-	18.34	NA
	3/7/2005	16.69	NP	-	18.61	NA
	6/22/2005	16.35	NP	-	18.95	NA
	9/19/2005	17.08	NP	-	18.22	NA
	12/12/2005	16.33	NP	-	18.97	NA
	1/30/2006	14.46	NP	-	20.84	NA
	3/13/2006	15.15	NP	-	20.15	NA
	6/26/2006	16.09	NP	-	19.21	NA
	9/25/2006	**16.92**	**Trace**	**-**	**18.38**	**NA**
B-28	2/14/2000	15.45	NP	-	19.81	NA
(35.26)	5/22/2000	14.34	NP	-	20.92	NA
	8/22/2000	16.11	NP	-	19.15	NA
	11/27/2000	16.36	NP	-	18.90	NA
	2/20/2001	16.14	NP	-	19.12	NA
	5/15/2001	16.07	NP	-	19.19	NA
	9/19/2001	16.25	NP	-	19.01	NA
	12/22/2001	15.97	NP	-	19.29	NA
	3/15/2002	15.36	NP	-	19.90	NA
	9/23/2002	16.36	NP	-	18.90	NA
	12/19/2002	16.35	NP	-	18.91	NA
	3/19/2003	15.69	NP	-	19.57	NA
	6/24/2003	15.93	NP	-	19.33	NA
	9/24/2003	16.31	NP	-	18.95	NA
	12/26/2003	16.39	NP	-	18.87	NA
	3/30/2004	15.56	NP	-	19.70	NA
	6/24/2004	16.13	NP	-	19.13	NA
	9/27/2004	16.21	NP	-	19.05	NA
	12/14/2004	16.07	NP	-	19.19	NA
	3/7/2005	16.06	NP	-	19.20	NA
	9/19/2005	16.18	NP	-	19.08	NA
	12/12/2005	15.96	NP	-	19.30	NA
	3/13/2006	14.71	NP	-	20.55	NA
	6/26/2006	14.60	NP	-	20.66	NA
	9/25/2006	**16.06**	**Trace**	**-**	**19.20**	**NA**

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-29	2/14/2000	15.12	NP	-	22.58	NA
(37.70)	5/22/2000	15.43	NP	-	22.27	NA
	8/22/2000	16.24	NP	-	21.46	NA
	11/27/2000	16.63	NP	-	21.07	NA
	2/20/2001	16.27	NP	-	21.43	NA
	5/15/2001	16.22	NP	-	21.48	NA
	9/19/2001	16.80	NP	-	20.90	NA
	12/22/2001	15.68	NP	-	22.02	NA
	3/15/2002	14.98	NP	-	22.72	NA
	9/23/2002	16.73	NP	-	20.97	NA
	12/19/2002	16.82	NP	-	20.88	NA
	3/19/2003	15.28	NP	-	22.42	NA
	6/24/2003	15.60	NP	-	22.10	NA
	9/24/2003	16.59	NP	-	21.11	NA
	12/26/2003	15.11	NP	-	22.59	NA
	3/30/2004	15.24	NP	-	22.46	NA
	6/24/2004	16.28	NP	-	21.42	NA
	9/27/2004	16.92	NP	-	20.78	NA
	12/14/2004	16.58	NP	-	21.12	NA
	3/7/2005	16.33	NP	-	21.37	NA
	9/19/2005	16.84	NP	-	20.86	NA
	12/12/2005	16.45	NP	-	21.25	NA
	3/13/2006	15.00	NP	-	22.70	NA
	6/26/2006	15.77	NP	-	21.93	NA
	9/25/2006	**16.54**	**NP**	-	**21.16**	**NA**
B-30	2/14/2000	14.76	NP	-	20.63	NA
(35.39)	5/22/2000	15.85	NP	-	19.54	NA
	8/22/2000	16.08	NP	-	19.31	NA
	11/27/2000	16.37	NP	-	19.02	NA
	2/20/2001	15.92	NP	-	19.47	NA
	5/15/2001	15.95	NP	-	19.44	NA
	9/19/2001	16.52	NP	-	18.87	NA
	12/22/2001	14.96	NP	-	20.43	NA
	3/15/2002	14.96	NP	-	20.43	NA
	9/23/2002	16.19	NP	-	19.20	NA
	12/19/2002	16.31	NP	-	19.08	NA
	3/19/2003	14.67	NP	-	20.72	NA
	6/24/2003	15.05	NP	-	20.34	NA
	9/24/2003	16.13	NP	-	19.26	NA
	12/26/2003	15.56	NP	-	19.83	NA
	3/30/2004	14.70	NP	-	20.69	NA
	6/24/2004	15.60	NP	-	19.79	NA
	9/27/2004	16.31	NP	-	19.08	NA
	12/14/2004	16.14	16.11	0.03	18.58	0.005
	3/7/2005	15.77	Sheen	Sheen	19.62	NA
	6/22/2005	15.39	NP	-	20.00	NA
	9/19/2005	16.20	NP	-	19.19	NA
	12/12/2005	15.43	15.43	Sheen	19.96	0.0
	3/13/2006	14.12	14.12	Sheen	21.27	0.0
	6/26/2006	15.08	NP	-	20.31	0.0
	9/25/2006	**16.07**	**NP**	-	**19.32**	**0.0**

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-32	2/14/2000	16.37	NP	-	17.86	NA
(34.23)	5/22/2000	26.84	NP	-	7.39	NA
	8/22/2000	17.65	NP	-	16.58	NA
	11/27/2000	17.93	NP	-	16.30	NA
	2/20/2001	17.71	NP	-	16.52	NA
	5/15/2001	17.74	NP	-	16.49	NA
	9/19/2001	18.17	NP	-	16.06	NA
	12/20/2001	16.74	NP	-	17.49	NA
	3/15/2002	16.55	NP	-	17.68	NA
	9/23/2002	18.32	18.32	Sheen	15.91	NA
	12/19/2002	18.15	NP	-	16.08	NA
	3/19/2003	16.83	NP	-	17.40	NA
	6/24/2003	17.09	NP	-	17.14	NA
	9/24/2003	17.99	NP	-	16.24	NA
	12/26/2003	17.20	NP	-	17.03	NA
	3/30/2004	16.78	NP	-	17.45	NA
	6/24/2004	17.41	NP	-	16.82	NA
	9/27/2004	18.01	NP	-	16.22	NA
	12/14/2004	17.89	NP	-	16.34	NA
	3/7/2005	17.65	NP	-	16.58	NA
	6/23/2005	17.39	NP	-	16.84	NA
	9/19/2005	18.00	NP	-	16.23	NA
	12/12/2005	17.13	NP	-	17.10	NA
	1/30/2006	15.81	NP	-	18.42	NA
	3/13/2006	15.98	NP	-	18.25	NA
	6/26/2006	15.81	NP	-	18.42	NA
	9/25/2006	**16.71**	**NP**	**-**	**17.52**	**NA**
B-33	2/14/2000	15.54	15.49	0.05	20.40	0.0
(35.90)	5/22/2000	16.41	NP	-	19.49	NA
	8/22/2000	17.15	NP	-	18.75	NA
	11/27/2000	17.39	NP	-	18.51	NA
	2/20/2001	17.25	NP	-	18.65	NA
	5/15/2001	17.24	NP	-	18.66	NA
	9/19/2001	17.72	NP	-	18.18	NA
	12/20/2001	16.29	NP	-	19.61	NA
	3/15/2002	15.93	NP	-	19.97	NA
	9/23/2002	17.51	NP	-	18.39	NA
	12/19/2002	17.52	NP	-	18.38	NA
	3/19/2003	16.21	NP	-	19.69	NA
	6/24/2003	16.57	NP	-	19.33	NA
	9/24/2003	17.45	NP	-	18.45	NA
	12/26/2003	16.74	NP	-	19.16	NA
	3/30/2004	16.24	NP	-	19.66	NA
	6/24/2004	16.87	NP	-	19.03	NA
	9/27/2004	17.56	NP	-	18.34	NA
	12/14/2004	17.22	NP	-	18.68	NA
	3/7/2005	17.10	NP	-	18.80	NA
	6/22/2005	16.88	NP	-	19.02	NA
	9/19/2005	17.40	NP	-	18.50	NA
	12/12/2005	16.70	NP	-	19.20	NA
	1/30/2006	15.01	NP	-	20.89	NA
	3/13/2006	15.80	NP	-	20.10	NA
	6/26/2006	16.44	NP	-	19.46	NA
		----------Well does not exist----------				

COPPOR00007061

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-1	2/14/2000	2.38	NP	-	19.70	NA
(22.08)	5/22/2000	3.26	NP	-	18.82	NA
	8/22/2000	4.32	NP	-	17.76	NA
	11/27/2000	4.38	NP	-	17.70	NA
	2/20/2001	6.50	NP	-	15.58	NA
	5/15/2001	4.25	NP	-	17.83	NA
	9/19/2001	4.79	NP	-	17.29	NA
	12/22/2001	3.05	NP	-	19.03	NA
	3/15/2002	2.77	NP	-	19.31	NA
	9/23/2002	4.34	NP	-	17.74	NA
	12/19/2002	3.84	NP	-	18.24	NA
	3/19/2003	2.85	NP	-	19.23	NA
	6/24/2003	3.38	NP	-	18.70	NA
	9/24/2003	4.33	NP	-	17.75	NA
	12/26/2003	3.32	NP	-	18.76	NA
	3/30/2004	3.14	NP	-	18.94	NA
	6/24/2004	3.68	NP	-	18.40	NA
	9/27/2004	4.39	NP	-	17.69	NA
	12/14/2004	3.74	NP	-	18.34	NA
	3/7/2005	3.93	NP	-	18.15	NA
	6/23/2005	3.75	NP	-	18.33	NA
	9/19/2005	4.44	NP	-	17.64	NA
	12/12/2005	3.45	NP	-	18.63	NA
	1/30/2006	1.50	NP	-	20.58	NA
	3/13/2006	2.32	NP	-	19.76	NA
	6/26/2006	3.28	NP	-	18.80	NA
	9/25/2006	**4.25**	**NP**	-	**17.83**	**NA**
CR-3	2/14/2000	12.29	12.28	0.01	22.04	0.0
(34.32)	5/22/2000	16.57	NP	-	17.75	NA
	8/22/2000	15.34	NP	-	18.98	NA
	11/27/2000	13.86	NP	-	20.46	NA
	2/20/2001	15.46	NP	-	18.86	NA
	5/15/2001	15.37	NP	-	18.95	NA
	9/19/2001	16.03	NP	-	18.29	NA
	12/22/2001	14.50	NP	-	19.82	NA
	3/15/2002	13.93	NP	-	20.39	NA
	9/23/2002	15.70	NP	-	18.62	NA
	12/19/2002	15.40	NP	-	18.92	NA
	3/19/2003	14.27	NP	-	20.05	NA
	6/24/2003	14.70	NP	-	19.62	NA
	9/24/2003	15.67	NP	-	18.65	NA
	12/26/2003	14.71	NP	-	19.61	NA
	3/30/2004	14.28	NP	-	20.04	NA
	6/24/2004	15.17	NP	-	19.15	NA
	9/27/2004	15.85	NP	-	18.47	NA
	12/14/2004	14.97	NP	-	19.35	NA
	3/7/2005	15.32	NP	-	19.00	NA
	6/22/2005	15.01	NP	-	19.31	NA
	9/19/2005	15.70	NP	-	18.62	NA
	12/12/2005	14.97	NP	-	19.35	NA
	1/30/2006	10.34	NP	-	23.98	NA
	3/13/2006	13.73	NP	-	20.59	NA
	6/26/2006	14.68	NP	-	19.64	NA
	9/25/2006	**15.58**	**NP**	-	**18.74**	**NA**

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-4	2/14/2000	5.08	NP	-	32.06	NA
(37.14)	5/22/2000	5.63	NP	-	31.51	NA
	8/22/2000	7.25	NP	-	29.89	NA
	11/27/2000	8.31	NP	-	28.83	NA
	2/20/2001	6.98	NP	-	30.16	NA
	5/15/2001	6.34	NP	-	30.80	NA
	9/19/2001	8.55	NP	-	28.59	NA
	12/20/2001	5.38	NP	-	31.76	NA
	3/15/2002	4.88	NP	-	32.26	NA
	6/4/2002	6.17	NP	-	30.97	NA
	9/23/2002	7.69	NP	-	29.45	NA
	12/19/2002	7.92	NP	-	29.22	NA
	3/19/2003	4.97	NP	-	32.17	NA
	6/24/2003	5.98	NP	-	31.16	NA
	9/24/2003	7.77	NP	-	29.37	NA
	12/26/2003	4.73	NP	-	32.41	NA
	3/30/2004	4.58	NP	-	32.56	NA
	6/24/2004	6.68	NP	-	30.46	NA
	9/27/2004	7.32	NP	-	29.82	NA
	12/14/2004	6.41	NP	-	30.73	NA
	3/7/2005	6.82	NP	-	30.32	NA
	6/22/2005	6.43	NP	-	30.71	NA
	9/19/2005	7.35	NP	-	29.79	NA
	12/12/2005	2.65	NP	-	34.49	NA
	3/13/2006	NM	NM	NM	NM	NA
	6/26/2006	6.20	NM	NM	NM	NA
	9/25/2006	**8.63**	**NP**	**-**	**28.51**	**NA**
CR-6	2/14/2000	11.75	NP	-	23.86	NA
(35.61)	5/22/2000	12.20	NP	-	23.41	NA
	8/22/2000	13.11	NP	-	22.50	NA
	11/27/2000	NM	NM	-	-	NA
	2/20/2001	13.12	13.11	0.01	22.50	0.0 **
	5/15/2001	12.90	NP	-	22.71	NA **
	9/19/2001	13.95	13.91	0.04	21.69	0.0 **
	12/20/2001	13.02	NP	-	22.59	NA
	3/15/2002	11.54	NP	-	24.07	NA
	6/4/2002	12.70	12.69	0.01	22.92	NA
	9/23/2002	14.56	NP	-	21.05	NA
	12/19/2002	13.26	13.23	0.03	22.37	0.04
	3/19/2003	12.01	11.99	0.02	23.62	0.0
	6/24/2003	12.75	12.73	0.02	22.88	0.0
	9/24/2003	13.43	13.40	0.03	22.20	0.0
	12/26/2003	12.73	12.69	0.04	22.91	0.0
	3/30/2004	12.18	sheen	-	23.43	0.0
	6/24/2004	13.21	13.17	0.04	22.43	0.007
	9/27/2004	13.24	13.19	0.05	22.41	0.009
	12/14/2004	13.01	12.97	0.04	22.63	0.007
	3/7/2005	13.07	13.04	0.03	22.56	0.005
	6/21/2005	13.16	13.13	0.03	22.47	0.005
	9/19/2005	13.63	13.60	0.03	22.00	0.005
	12/12/2005	12.47	12.47	Sheen	23.14	0.0
	3/13/2006	11.61	NP	-	24.00	NA
	6/26/2006	12.48	12.48	Sheen	23.13	NA
	9/25/2006	**13.68**	**Trace**	**-**	**21.93**	**NA**

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-7	2/14/2000	9.46	9.45	0.01	26.12	0.0
(35.57)	5/22/2000	10.09	NP	-	25.48	NA
	8/22/2000	16.34	NP	-	19.23	NA
	11/27/2000	NM	NM	-	NM	-
	2/20/2001	11.30	sheen	-	24.27	0.0
	5/15/2001	11.21	NP	-	24.36	NA
	9/19/2001	12.46	NP	-	23.11	NA
	12/20/2001	9.92	NP	-	25.65	NA
	3/15/2002	9.60	NP	-	25.97	NA
	6/4/2002	11.01	11.00	0.01	24.57	NA
	9/23/2002	12.23	NP	-	23.34	NA
	12/19/2002	11.45	NP	-	24.12	NA
	3/19/2003	10.53	NP	-	25.04	NA
	6/24/2003	11.23	NP	-	24.34	NA
	9/24/2003	12.60	12.58	0.02	22.99	NA
	12/26/2003	10.90	NP	-	24.67	NA
	3/30/2004	10.77	NP	-	24.80	NA
	6/24/2004	11.78	11.75	0.03	23.81	NA
	9/27/2004	11.58	NP	-	23.99	NA
	12/14/2004	11.14	NP	-	24.43	NA
	3/7/2005	11.57	11.56	0.01	24.01	0.002
	6/21/2005	11.27	11.25	0.02	24.32	0.003
	9/19/2005	12.39	12.38	0.01	23.19	0.002
	12/12/2005	10.90	10.90	Sheen	24.67	0.0
	3/13/2006	9.94	NP	-	25.63	NA
	6/26/2006	11.14	11.14	Sheen	24.43	NA
	9/25/2006	**12.42**	**12.40**	**0.02**	**23.17**	**NA**
CR-8	2/14/2000	5.70	NP	-	27.44	NA
(33.14)	5/22/2000	6.23	NP	-	26.91	NA
	8/22/2000	7.44	NP	-	25.70	NA
	11/27/2000	7.61	NP	-	25.53	NA
	2/20/2001	7.03	NP	-	26.11	NA
	5/15/2001	6.98	NP	-	26.16	NA
	9/19/2001	8.29	NP	-	24.85	NA
	12/20/2001	6.18	NP	-	26.96	NA
	3/15/2002	5.77	NP	-	27.37	NA
	6/4/2002	6.82	NP	-	26.32	NA
	9/23/2002	8.04	NP	-	25.10	NA
	12/19/2002	7.36	NP	-	25.78	NA
	3/19/2003	6.12	NP	-	27.02	NA
	6/24/2003	6.84	NP	-	26.30	NA
	9/24/2003	8.24	NP	-	24.90	NA
	12/26/2003	6.99	NP	-	26.15	NA
	3/30/2004	6.31	NP	-	26.83	NA
	6/24/2004	7.19	NP	-	25.95	NA
	9/27/2004	7.42	NP	-	25.72	NA
	12/14/2004	6.80	NP	-	26.34	NA
	3/7/2005	6.86	NP	-	26.28	NA
	6/22/2005	6.71	NP	-	26.43	NA
	9/19/2005	8.03	NP	-	25.11	NA
	12/12/2005	6.96	NP	-	26.18	NA
	3/13/2006	5.33	NP	-	27.81	NA
	6/26/2006	6.78	NP	-	26.36	NA
	9/25/2006	**8.06**	**NP**	**-**	**25.08**	**NA**

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-9	2/14/2000	3.02	NP	-	32.70	NA
(35.72)	5/22/2000	3.78	NP	-	31.94	NA
	8/22/2000	6.51	NP	-	29.21	NA
	11/27/2000	5.20	NP	-	30.52	NA
	2/20/2001	4.71	NP	-	31.01	NA
	5/15/2001	4.95	NP	-	30.77	NA
	9/19/2001	7.26	NP	-	28.46	NA
	12/20/2001	3.47	NP	-	32.25	NA
	3/15/2002	3.25	NP	-	32.47	NA
	9/23/2002	7.11	NP	-	28.61	NA
	12/19/2002	4.35	NP	-	31.37	NA
	3/19/2003	3.46	NP	-	32.26	NA
	6/24/2003	5.95	NP	-	29.77	NA
	9/24/2003	6.82	NP	-	28.90	NA
	12/26/2003	3.53	NP	-	32.19	NA
	3/30/2004	3.69	NP	-	32.03	NA
	6/24/2004	6.06	NP	-	29.66	NA
	9/27/2004	6.32	NP	-	29.40	NA
	2/14/2004	3.81	NP	-	31.91	NA
	3/7/2005	4.66	NP	-	31.06	NA
	6/22/2005	6.71	NP	-	29.01	NA
	9/19/2005	6.94	NP	-	28.78	NA
	12/12/2005	4.01	NP	-	31.71	NA
	3/13/2006	3.12	NP	-	32.60	NA
	6/26/2006	5.33	NP	-	30.39	NA
	9/25/2006	**7.00**	**NP**	-	**28.72**	**NA**
CR-10	2/14/2000	4.12	4.08	0.04	31.48	0.0
(35.57)	5/22/2000	4.95	NP	-	30.62	NA
	8/22/2000	7.00	6.74	0.26	28.78	0.9
	11/27/2000	NM	NM	-	-	1.1
	2/20/2001	6.27	6.03	0.24	29.49	0.5
	5/15/2001		Covered With a Gravel Pile			0.5
	9/19/2001	10.68	7.92	2.76	27.10	NR ***
	12/22/2001	4.18	4.12	0.06	31.44	NR ***
	3/15/2002	4.03	3.95	0.08	31.60	0.1
	6/4/2002	5.72	5.55	0.17	29.99	0.1
	9/23/2002	9.13	7.04	2.09	28.11	3.0
	12/19/2002	7.44	6.35	1.09	29.00	0.53
	3/19/2003	4.25	4.21	0.04	31.35	0.26
	6/24/2003	5.69	5.58	0.11	29.97	0.05
	9/24/2003	8.15	7.41	0.74	28.01	0.53
	12/26/2003	6.45	4.75	1.70	30.48	6.0
	3/30/2004	5.23	NP	-	30.34	Skimmer
	6/24/2004	6.81	6.79	0.02	28.78	Skimmer
	9/27/2004	6.78	NP	-	28.79	Skimmer
	12/14/2004	6.33	6.30	0.03	29.26	Skimmer
	3/7/2005	6.63	6.62	0.01	28.95	Skimmer
	6/21/2005	5.50	5.46	0.04	30.10	0.02
	9/19/2005	8.33	7.94	0.39	27.55	0.28
	12/12/2005	5.61	5.60	Sheen	29.96	0.02
	3/13/2006	4.78	4.78	Sheen	30.79	0.04
	6/26/2006	6.90	6.90	Sheen	28.67	0.02
	9/25/2006	**8.59**	**7.74**	**0.85**	**27.66**	**0.44**

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-11	2/14/2000	2.06	NP	-	32.37	NA
(34.43)	5/22/2000	2.04	NP	-	32.39	NA
	8/22/2000	4.13	NP	-	30.30	NA
	11/27/2000	4.47	sheen	-	29.96	0.1
	2/20/2001	3.27	NP	-	31.16	NA
	5/15/2001	3.02	NP	-	31.41	NA
	9/19/2001	5.26	NP	-	29.17	NA
	12/20/2001	2.34	NP	-	32.09	NA
	3/15/2002	2.02	NP	-	32.41	NA
	9/23/2002	5.12	NP	-	29.31	NA
	12/19/2002	3.86	3.84	0.02	30.59	NA
	3/19/2003	2.06	NP	-	32.37	NA
	6/24/2003	3.25	NP	-	31.18	NA
	9/24/2003	4.80	NP	-	29.63	NA
	12/26/2003	well obstructed				
	3/30/2004	2.53	NP	-	31.90	NA
	6/24/2004	3.85	3.84	0.01	30.59	NA
	9/27/2004	4.60	4.59	0.01	29.84	NA
	12/14/2004	3.24	3.22	0.02	31.21	NA
	3/7/2005	3.27	NP	-	31.16	NA
	6/20/2005	3.20	NP	-	31.23	NA
	9/19/2005	4.47	4.47	0.00	29.96	0.0
	12/12/2005	3.20	3.20	Sheen	31.23	0.0
	3/13/2006	1.98	NP	Sheen	32.45	NA
	6/26/2006	2.05	NP	-	32.38	NA
	9/25/2006	**2.56**	**NP**	**-**	**31.87**	**NA**

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-12	6/9/1999	4.85	NP	-	30.74	NA
(35.59)	7/8/1999	5.08	NP	-	30.51	NA
	8/16/1999	5.63	NP	-	29.96	NA
	9/20/1999	8.90	NP	-	26.69	NA
	2/9/2000	2.66	NP	-	32.93	NA
	5/9/2000	4.44	NP	-	31.15	NA
	5/15/2000	4.12	NP	-	31.47	NA
	7/11/2000	5.21	NP	-	30.38	NA
	8/14/2000	5.76	NP	-	29.83	NA
	12/12/2000	5.61	NP	-	29.98	NA
	4/3/2001	5.49	NP	-	30.10	NA
	6/8/2001	Covered With a Gravel Pile				
	7/16/2001	Covered With a Gravel Pile				
	8/1/2001	6.14	NP	-	29.45	NA
	9/19/2001	Covered With a Gravel Pile				
	12/22/2001	3.82	NP	-	31.77	NA
	3/15/2002	3.89	NP	-	31.70	NA
	6/4/2002	5.13	NP	-	30.46	NA
	9/23/2002	6.69	NP	-	28.90	NA
	12/19/2002	5.53	NP	-	30.06	NA
	3/19/2003	3.99	NP	-	31.60	NA
	6/24/2003	5.15	NP	-	30.44	NA
	9/24/2003	6.67	NP	-	28.92	NA
	12/26/2003	4.48	NP	-	31.11	NA
	3/30/2004	4.76	NP	-	30.83	NA
	6/24/2004	5.94	NP	-	29.65	NA
	9/27/2004	6.28	NP	-	29.31	NA
	12/14/2004	5.27	NP	-	30.32	NA
	3/7/2005	5.84	NP	-	29.75	NA
	6/21/2005	5.39	NP	-	30.20	NA
	9/19/2005	6.55	NP	-	29.04	NA
	12/12/2005	5.14	NP	-	30.45	NA
	3/13/2006	4.55	NP	-	31.04	NA
	6/26/2006	5.31	NP	-	30.28	NA
	9/25/2006	**6.69**	**NP**	**-**	**28.90**	**NA**

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-13	6/9/1999	5.08	NP	-	30.38	NA
(35.46)	7/8/1999	5.27	NP	-	30.19	NA
	8/16/1999	5.77	NP	-	29.69	NA
	9/20/1999	9.05	NP	-	26.41	NA
	2/9/2000	3.86	NP	-	31.60	NA
	5/9/2000	4.63	NP	-	30.83	NA
	5/15/2000	4.37	NP	-	31.09	NA
	7/11/2000	5.28	NP	-	30.18	NA
	8/14/2000	5.81	NP	-	29.65	NA
	12/12/2000	5.64	NP	-	29.82	NA
	4/3/2001	5.80	NP	-	29.66	NA
	6/8/2001	5.75	NP	-	29.71	NA
	7/16/2001	6.29	NP	-	29.17	NA
	8/1/2001	6.52	NP	-	28.94	NA
	9/19/2001	Covered With a Gravel Pile				
	12/22/2001	4.34	NP	-	31.12	NA
	3/15/2002	4.38	NP	-	31.08	NA
	6/4/2002	5.66	NP	-	29.80	NA
	9/23/2002	6.83	NP	-	28.63	NA
	12/19/2002	6.09	NP	-	29.37	NA
	3/19/2003	4.71	NP	-	30.75	NA
	6/24/2003	5.66	NP	-	29.80	NA
	9/24/2003	6.90	NP	-	28.56	NA
	12/26/2003	4.93	NP	-	30.53	NA
	3/30/2004	5.29	NP	-	30.17	NA
	6/24/2004	6.24	NP	-	29.22	NA
	9/27/2004	6.49	NP	-	28.97	NA
	12/14/2004	5.81	NP	-	29.65	NA
	3/7/2005	6.16	NP	-	29.30	NA
	6/21/2005	5.70	NP	-	29.76	NA
	9/19/2005	6.81	NP	-	28.65	NA
	12/12/2005	5.38	NP	-	30.08	NA
	3/13/2006	NM	NM	NM	NM	NM
	6/26/2006	NM	NM	NM	NM	NM
	9/25/2006	**Well not found**				

COPPOR00007068

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-14	6/9/1999	5.03	NP	-	30.40	NA
(35.43)	7/8/1999	5.27	NP	-	30.16	NA
	8/16/1999	5.85	NP	-	29.58	NA
	9/20/1999	6.14	NP	-	29.29	NA
	2/9/2000	3.98	NP	-	31.45	NA
	5/9/2000	4.66	NP	-	30.77	NA
	5/15/2000	4.33	NP	-	31.10	NA
	7/11/2000	5.41	NP	-	30.02	NA
	8/14/2000	6.01	NP	-	29.42	NA
	12/12/2000	5.87	NP	-	29.56	NA
	4/3/2001	5.70	NP	-	29.73	NA
	6/8/2001	5.81	NP	-	29.62	NA
	7/16/2001	6.20	NP	-	29.23	NA
	8/1/2001	6.32	NP	-	29.11	NA
	9/19/2001	6.99	NP	-	28.44	NA
	12/20/2001	4.22	NP	-	31.21	NA
	3/15/2002	4.09	NP	-	31.34	NA
	6/4/2002	5.41	NP	-	30.02	NA
	9/23/2002	6.86	NP	-	28.57	NA
	12/19/2002	5.59	NP	-	29.84	NA
	3/19/2003	4.54	NP	-	30.89	NA
	6/24/2003	5.51	NP	-	29.92	NA
	9/24/2003	7.01	NP	-	28.42	NA
	12/26/2003	4.72	NP	-	30.71	NA
	3/30/2004	5.38	NP	-	30.05	NA
	6/24/2004	6.36	NP	-	29.07	NA
	9/27/2004	6.53	NP	-	28.90	NA
	12/14/2004	5.57	NP	-	29.86	NA
	3/7/2005	6.26	NP	-	29.17	NA
	6/21/2005	5.56	NP	-	29.87	NA
	9/19/2005	6.93	NP	-	28.50	NA
	12/12/2005	5.39	NP	-	30.04	NA
	3/13/2006	4.89	NP	-	30.54	NA
	6/26/2006	5.87	NP	-	29.56	NA
	9/25/2006	**7.25**	**NP**	**-**	**28.18**	**NA**

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-15	6/9/1999	9.06	NP	-	26.36	NA
(35.42)	7/8/1999	9.44	9.41	0.03	26.00	NR ***
	8/16/1999	10.35	10.08	0.27	25.29	NR ***
	9/20/1999	11.07	10.63	0.44	24.70	NR ***
	2/9/2000	8.32	8.01	0.31	27.35	NR ***
	5/9/2000	8.91	8.66	0.25	26.71	NR ***
	5/15/2000	8.74	8.53	0.21	26.85	NR ***
	5/16/2000	8.60	8.45	0.15	26.94	NR ***
	6/7/2000	9.33	8.99	0.34	26.36	NR ***
	7/11/2000	10.02	9.70	0.32	25.66	NR ***
	8/14/2000	10.76	10.39	0.37	24.96	NR ***
	12/12/2000	10.60	10.56	0.04	24.85	NR ***
	4/3/2001	10.17	10.05	0.12	25.35	NR ***
	6/8/2001	10.56	10.37	0.19	25.01	NR ***
	7/16/2001	10.97	10.77	0.20	24.61	NR ***
	9/19/2001	12.17	11.76	0.41	23.58	NR ***
	12/22/2001	8.66	8.50	0.16	26.89	NR ***
	3/15/2002	8.86	8.42	0.44	26.91	0.3
	6/4/2002	10.52	10.25	0.27	25.12	0.5
	9/23/2002	11.40	11.31	0.09	24.09	0.13
	12/19/2002	9.39	9.37	0.02	26.05	0.03
	3/19/2003	9.11	9.04	0.07	26.37	0.13
	6/24/2003	10.63	10.52	0.11	24.88	0.01
	9/24/2003	12.53	12.32	0.21	23.06	0.01
	12/26/2003	10.34	9.78	0.56	25.53	NA
	3/30/2004	10.34	9.92	0.42	25.42	NA
	6/24/2004	11.26	11.11	0.15	24.28	NA
	9/27/2004	11.85	11.76	0.09	23.64	NA
	12/14/2004	9.96	9.95	0.01	25.47	0.002
	3/7/2005	11.02	10.90	0.12	24.50	0.02
	6/21/2005	10.62	10.49	0.13	24.90	0.02
	9/19/2005	12.10	11.89	0.21	23.49	0.16
	12/12/2005	10.04	10.01	0.03	25.40	0.03
	3/13/2006	9.06	8.93	0.13	26.46	0.05
	6/26/2006	10.79	10.51	0.28	24.85	NA
	9/25/2006	**12.18**	**11.90**	**0.28**	**23.46**	**0.00**

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-16	6/9/1999	11.05	NP	-	23.72	NA
(34.77)	7/8/1999	11.61	NP	-	23.16	NA
	8/16/1999	11.82	NP	-	22.95	NA
	9/20/1999	12.00	NP	-	22.77	NA
	2/9/2000	10.39	NP	-	24.38	NA
	5/9/2000	11.10	NP	-	23.67	NA
	5/15/2000	11.12	NP	-	23.65	NA
	7/11/2000	11.86	NP	-	22.91	NA
	8/14/2000	11.96	NP	-	22.81	NA
	12/12/2000	11.95	NP	-	22.82	NA
	4/3/2001	11.93	NP	-	22.84	NA
	6/8/2001	NM	NM	-	NM	-
	7/16/2001	12.06	NP	-	22.71	NA
	9/19/2001	12.60	NP	-	22.17	NA
	12/22/2001	10.40	NP	-	24.37	NA
	3/15/2002	10.64	NP	-	24.13	NA
	6/4/2002	11.89	NP	-	22.88	NA
	9/23/2002	12.16	NP	-	22.61	NA
	12/19/2002	10.89	10.87	0.02	23.90	0.01
	3/19/2003	10.54	NP	-	24.23	NA
	6/24/2003	11.81	NP	-	22.96	NA
	9/24/2003	12.42	NP	-	22.35	NA
	12/26/2003	11.29	NP	-	23.48	NA
	3/30/2004	10.83	NP	-	23.94	NA
	6/24/2004	12.04	12.02	0.02	22.75	NA
	9/27/2004	12.03	NP	-	22.74	NA
	12/14/2004	11.08	NP	-	23.69	NA
	3/7/2005	11.88	NP	-	22.89	NA
	6/21/2005	11.59	NP	-	23.18	NA
	9/19/2005	12.35	12.35	0.00	22.42	NA
	12/12/2005	11.00	10.92	0.08	23.83	0.0
	3/13/2006	10.55	NP	-	24.22	NA
	6/26/2006	11.38	NP	-	23.39	NA
	9/25/2006	**12.37**	**NP**	**-**	**22.40**	**NA**

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-17	6/9/1999	6.90	NP	-	27.56	NA
(34.46)	7/8/1999	7.15	NP	-	27.31	NA
	8/16/1999	7.81	NP	-	26.65	NA
	9/20/1999	8.35	NP	-	26.11	NA
	2/9/2000	6.41	NP	-	28.05	NA
	5/9/2000	6.80	NP	-	27.66	NA
	5/15/2000	6.68	NP	-	27.78	NA
	7/11/2000	7.50	NP	-	26.96	NA
	8/14/2000	8.21	NP	-	26.25	NA
	12/12/2000	8.26	NP	-	26.20	NA
	4/3/2001	7.90	NP	-	26.56	NA
	6/8/2001	NM	NM	-	NM	-
	7/16/2001	8.59	NP	-	25.87	NA
	9/19/2001	9.70	NP	-	24.76	NA
	12/22/2001	6.57	NP	-	27.89	NA
	3/15/2002	6.47	NP	-	27.99	NA
	6/4/2002	7.82	NP	-	26.64	NA
	9/23/2002	8.81	NP	-	25.65	NA
	12/19/2002	7.92	NP	-	26.54	NA
	3/19/2003	6.70	NP	-	27.76	NA
	6/24/2003	7.96	NP	-	26.50	NA
	9/24/2003	9.63	NP	-	24.83	NA
	12/26/2003	7.51	7.10	0.41	27.28	NA
	3/30/2004	7.32	NP	-	27.14	NA
	6/24/2004	8.65	NP	-	25.81	NA
	9/27/2004	8.32	NP	-	26.14	NA
	12/14/2004	7.44	NP	-	27.02	NA
	3/7/2005	8.28	NP	-	26.18	NA
	6/21/2005	7.80	NP	-	26.66	NA
	9/19/2005	9.50	NP	-	24.96	NA
	12/12/2005	7.22	NP	-	27.24	NA
	3/13/2006	6.64	NP	-	27.82	NA
	6/26/2006	7.71	NP	-	26.75	NA
	9/25/2006	**9.57**	**NP**	-	**24.89**	**NA**

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-18	6/9/1999	3.77	NP	-	31.07	NA
(34.84)	7/8/1999	4.14	NP	-	30.70	NA
	8/16/1999	5.19	NP	-	29.65	NA
	9/20/1999	NM	NM	-	NM	-
	2/9/2000	NM	NM	-	NM	-
	5/9/2000	NM	NM	-	NM	-
	5/15/2000	NM	NM	-	NM	-
	7/11/2000	NM	NM	-	NM	-
	8/14/2000	NM	NM	-	NM	-
	12/12/2000	NM	NM	-	NM	-
	4/3/2001	NM	NM	-	NM	-
	6/8/2001	NM	NM	-	NM	-
	7/16/2001	NM	NM	-	NM	-
	9/19/2001	NM	NM	-	NM	-
	12/22/2001	NM	NM	-	NM	-
	3/15/2002	NM	NM	-	NM	-
		Abandoned				

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-19	6/9/1999	5.10	NP	-	30.39	NA
(35.49)	7/8/1999	6.24	5.27	0.97	30.03	NR ***
	8/16/1999	7.65	5.87	1.78	29.26	NR ***
	9/20/1999	8.86	6.38	2.48	28.61	NR ***
	2/9/2000	5.94	3.35	2.59	31.62	NR ***
	5/9/2000	6.19	4.38	1.81	30.75	NR ***
	5/15/2000	4.27	4.22	0.05	31.26	NR ***
	5/16/2000	4.32	4.26	0.06	31.22	NR ***
	6/7/2000	5.57	4.78	0.79	30.55	NR ***
	7/11/2000	6.17	5.35	0.82	29.98	NR ***
	8/14/2000	7.50	5.94	1.56	29.24	NR ***
	12/12/2000	8.69	5.90	2.79	29.03	NR ***
	4/3/2001	8.03	5.61	2.42	29.40	NR ***
	6/8/2001	7.77	5.75	2.02	29.34	NR ***
	7/16/2001	7.99	6.32	1.67	28.84	NR ***
	9/19/2001	8.86	7.14	1.72	28.01	NR ***
	12/22/2001	4.62	4.24	0.38	31.17	NR ***
	3/15/2002	4.47	4.13	0.34	31.29	0.25
	6/4/2002	6.92	5.39	1.53	29.79	1.50
	9/23/2002	8.48	6.91	1.57	28.27	0.53
	12/19/2002	7.09	6.17	0.92	29.14	0.26
	3/19/2003	4.83	4.40	0.43	31.00	0.26
	6/24/2003	6.51	5.50	1.01	29.79	0.75
	9/24/2003	7.68	6.99	0.69	28.36	0.26
	12/26/2003	7.41	5.21	2.20	29.84	2.50
	3/30/2004	7.12	5.49	1.63	29.67	2.50
	6/24/2004	7.40	6.62	0.78	28.71	2.50
	9/27/2004	8.28	7.65	0.63	27.71	2.50
	12/14/2004	6.63	6.37	0.26	29.07	0.04
	3/7/2005	6.94	6.92	0.02	28.57	0.003
	6/21/2005	6.43	5.83	0.60	29.54	0.1
	9/19/2005	8.80	7.32	1.48	27.87	0.3
	12/12/2005	5.19	5.19	Sheen	30.30	0.01
	3/13/2006	4.45	NP	Sheen	31.04	0.10
	6/26/2006	6.00	5.93	0.07	29.55	0.04
	9/25/2006	**8.13**	**7.39**	**0.74**	**27.95**	**0.36**

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-20	7/8/1999	7.69	NP	-	27.45	NA
(35.14)	8/16/1999	8.50	NP	-	26.64	NA
	9/20/1999	9.14	NP	-	26.00	NA
	2/9/2000	6.67	NP	-	28.47	NA
	5/9/2000	7.25	NP	-	27.89	NA
	5/15/2000	6.98	NP	-	28.16	NA
	7/11/2000	8.15	NP	-	26.99	NA
	8/14/2000	8.95	NP	-	26.19	NA
	12/12/2000	9.12	NP	-	26.02	NA
	4/3/2001	8.75	NP	-	26.39	NA
	6/8/2001	9.04	NP	-	26.10	NA
	7/16/2001	9.51	NP	-	25.63	NA
	9/19/2001	10.91	NP	-	24.23	NA
	12/20/2001	6.96	NP	-	28.18	NA
	3/15/2002	6.91	NP	-	28.23	NA
	6/4/2002	8.74	NP	-	26.40	NA
	9/23/2002	10.29	NP	-	24.85	NA
	12/19/2002	8.88	NP	-	26.26	NA
	3/19/2003	7.35	NP	-	27.79	NA
	6/24/2003	9.05	NP	-	26.09	NA
	9/24/2003	11.30	NP	-	23.84	NA
	12/26/2003	8.08	8.06	0.02	27.08	NA
	3/30/2004	8.35	NP	-	26.79	NA
	6/24/2004	9.89	NP	-	25.25	NA
	9/27/2004	9.59	NP	-	25.55	NA
	12/14/2004	8.25	NP	-	26.89	NA
	3/7/2005	9.60	NP	-	25.54	NA
	6/21/2005	8.79	NP	-	26.35	NA
	9/19/2005	10.92	NP	-	24.22	NA
	12/12/2005	8.26	NP	-	26.88	NA
	3/13/2006	7.09	NP	-	28.05	NA
	6/26/2006	8.72	NP	-	26.42	NA
	9/25/2006	**11.00**	**NP**	-	**24.14**	**NA**

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-21A	12/12/2000	5.54	NP	-	28.57	NA
(34.11)	4/5/2001	5.21	5.11	0.10	28.98	NR ***
	6/8/2001	5.61	5.11	0.50	28.90	NR ***
	7/16/2001	6.37	5.25	1.12	28.64	NR ***
	9/19/2001	Covered With Construction Equipment				
	12/22/2001	NM	NM	-	NM	-
	3/15/2002	NM	NM	>1.0E	NM	NM
	6/4/2002	NM	4.85E	>1.5E	NM	NM
	9/23/2002	8.10E	6.10E	2.0E	NM	0.04
	12/19/2002	5.19	4.95	0.24	29.11	0.02
	3/19/2003	3.6E	3.4E	0.2E	NM	0.01
	6/24/2003	5.6E	5.33	0.25E	NM	0.01
	9/24/2003	7.1E	6.80	0.3E	NM	0.01
	12/26/2003	3.75	3.63E	0.12E	NM	0.01
	3/30/2004	5.35	4.99	0.36	29.05	0.25
	6/24/2004	6.52	6.17	0.35	27.87	NA
	9/27/2004	7.09	6.59	0.50	27.42	NA
	12/14/2004	5.69	5.48	0.21	28.59	0.005
	3/7/2005	5.80	5.66	0.14	28.42	0.003
	6/22/2005	5.78	5.53	0.25	28.53	0.006
	9/19/2005	7.41	6.89	0.52	27.12	0.012
	12/12/2005	5.29	5.08	0.21	28.99	0.02
	3/13/2006	4.35	4.18	0.17	29.90	0.01
	6/26/2006	5.35	5.23	0.12	28.86	0.01
	9/25/2006	**6.72**	**NP**	-	**27.39**	**0.01**
CR-21B	12/12/2000	6.53	NP	-	27.83	NA
(34.36)	4/3/2001	5.62	NP	-	28.74	NA
	6/8/2001	NM	NM	NM	NM	-
	7/16/2001	6.88	NP	-	27.48	NA
	9/19/2001	7.41	NP	-	26.95	NA
	12/20/2001	4.68	NP	-	29.68	NA
	3/15/2002	4.48	NP	-	29.88	NA
	6/4/2002	5.59	NP	-	28.77	NA
	9/23/2002	7.77	NP	-	26.59	NA
	12/19/2002	5.79	NP	-	28.57	NA
	3/19/2003	4.92	NP	-	29.44	NA
	6/24/2003	6.21	NP	-	28.15	NA
	9/24/2003	7.77	NP	-	26.59	NA
	12/26/2003	4.41	NP	-	29.95	NA
	3/30/2004	5.30	NP	-	29.06	NA
	6/24/2004	6.67	NP	-	27.69	NA
	9/27/2004	6.99	NP	-	27.37	NA
	12/14/2004	6.52	NP	-	27.84	NA
	3/7/2005	6.27	NP	-	28.09	NA
	6/22/2005	6.09	NP	-	28.27	NA
	9/19/2005	7.75	NP	-	26.61	NA
	12/12/2005	5.65	NP	-	28.71	NA
	3/13/2006	4.45	NP	-	29.91	NA
	6/26/2006	5.89	NP	-	28.47	NA
	9/25/2006	**7.68**	**NP**	-	**26.68**	**NA**

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-22A	12/12/2000	11.92	NP	-	22.88	NA
(34.80)	4/3/2001	11.51	NP	-	23.29	NA
	6/8/2001	NM	NM	NM	NM	-
	7/16/2001	11.89	NP	-	22.91	NA
	9/19/2001	12.52	NP	-	22.28	NA
	12/22/2001	NM	NM	-	NM	-
	3/15/2002	10.36	NP	-	24.44	NA
	6/4/2002	11.32	NP	-	23.48	NA
	9/23/2002	12.12	NP	-	22.68	NA
	12/19/2002	11.93	NP	-	22.87	NA
	3/19/2003	10.99	NP	-	23.81	NA
	6/24/2003	11.83	NP	-	22.97	NA
	9/24/2003	12.96	NP	-	21.84	NA
	12/26/2003	11.65	NP	-	23.15	NA
	3/30/2004	11.79	NP	-	23.01	NA
	6/24/2004	12.28	NP	-	22.52	NA
	9/27/2004	12.33	NP	-	22.47	NA
	12/14/2004	11.98	NP	-	22.82	NA
	3/7/2005	12.02	NP	-	22.78	NA
	6/21/2005	11.85	NP	-	22.95	NA
	9/19/2005	12.73	NP	-	22.07	NA
	12/12/2005	11.59	NP	-	23.21	NA
	3/13/2006	10.98	NP	-	23.82	NA
	6/26/2006	11.42	NP	-	23.38	NA
	9/25/2006	**12.82**	**Trace**	**-**	**21.98**	**NA**
CR-22B	12/12/2000	11.27	NP	-	23.92	NA
(35.19)	4/3/2001	10.70	NP	-	24.49	NA
	6/8/2001	NM	NM	NM	NM	-
	7/16/2001	11.31	NP	-	23.88	NA
	9/19/2001	12.02	NP	-	23.17	NA
	12/20/2001	9.63	NP	-	25.56	NA
	3/15/2002	9.52	NP	-	25.67	NA
	6/4/2002	10.59	NP	-	24.60	NA
	9/23/2002	11.57	NP	-	23.62	NA
	12/19/2002	11.39	NP	-	23.80	NA
	3/19/2003	10.02	NP	-	25.17	NA
	6/24/2003	10.52	NP	-	24.67	NA
	9/24/2003	12.24	NP	-	22.95	NA
	12/26/2003	10.64	NP	-	24.55	NA
	3/30/2004	10.33	NP	-	24.86	NA
	6/24/2004	11.26	NP	-	23.93	NA
	9/27/2004	11.25	NP	-	23.94	NA
	12/14/2004	10.87	NP	-	24.32	NA
	3/7/2005	11.13	NP	-	24.06	NA
	6/21/2005	10.90	NP	-	24.29	NA
	9/19/2005	11.84	NP	-	23.35	NA
	12/12/2005	10.59	NP	-	24.60	NA
	3/13/2006	9.65	NP	-	25.54	NA
	6/26/2006	10.71	NP	-	24.48	NA
	9/25/2006	**12.02**	**NP**	**-**	**23.17**	**NA**

COPPOR00007077

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-23A	12/12/2000	13.56	NP	-	22.79	NA
(36.35)	4/3/2001	13.20	NP	-	23.15	NA
	6/8/2001	NM	NM	NM	NM	-
	7/16/2001	13.52	NP	-	22.83	NA
	9/19/2001	14.19	NP	-	22.16	NA
	12/22/2001	NM	NM	-	NM	-
	3/15/2002	11.84	NP	-	24.51	NA
	6/4/2002	12.83	NP	-	23.52	NA
	9/23/2002	13.66	NP	-	22.69	NA
	12/19/2002	13.66	NP	-	22.69	NA
	3/19/2003	11.97	NP	-	24.38	NA
	6/24/2003	12.64	NP	-	23.71	NA
	9/24/2003	13.95	NP	-	22.40	NA
	12/26/2003	12.70	NP	-	23.65	NA
	3/30/2004	12.47	NP	-	23.88	NA
	6/24/2004	13.46	NP	-	22.89	NA
	9/27/2004	13.45	NP	-	22.90	NA
	12/14/2004	13.14	NP	-	23.21	NA
	3/7/2005	13.35	NP	-	23.00	NA
	6/21/2005	12.92	NP	-	23.43	NA
	9/19/2005	13.95	NP	-	22.40	NA
	12/12/2005	12.74	NP	-	23.61	NA
	3/13/2006	11.96	NP	-	24.39	NA
	6/26/2006	12.96	NP	-	23.39	NA
	9/25/2006	**13.95**	**NP**	**-**	**22.40**	**NA**
CR-23B	12/12/2000	12.57	NP	-	23.70	NA
(36.27)	4/3/2001	12.18	NP	-	24.09	NA
	6/8/2001	NM	NM	NM	NM	-
	7/16/2001	12.71	NP	-	23.56	NA
	9/19/2001	13.79	NP	-	22.48	NA
	12/20/2001	11.04	NP	-	25.23	NA
	3/15/2002	10.94	NP	-	25.33	NA
	6/4/2002	12.96	NP	-	23.31	NA
	9/23/2002	12.79	NP	-	23.48	NA
	12/19/2002	12.79	NP	-	23.48	NA
	3/19/2003	12.55	NP	-	23.72	NA
	6/24/2003	12.65	NP	-	23.62	NA
	9/24/2003	13.57	NP	-	22.70	NA
	12/26/2003	11.85	NP	-	24.42	NA
	3/30/2004	11.46	NP	-	24.81	NA
	6/24/2004	12.73	NP	-	23.54	NA
	9/27/2004	12.62	NP	-	23.65	NA
	12/14/2004	12.36	NP	-	23.91	NA
	3/7/2005	12.61	NP	-	23.66	NA
	6/21/2005	12.33	NP	-	23.94	NA
	9/19/2005	13.29	NP	-	22.98	NA
	12/12/2005	12.00	NP	-	24.27	NA
	3/13/2006	10.98	NP	-	25.29	NA
	6/26/2006	12.11	NP	-	24.16	NA
	9/25/2006	**13.23**	**NP**	**-**	**23.04**	**NA**

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-24A	12/12/2000	15.15	NP	-	21.06	NA
(36.21)	4/3/2001	14.46	NP	-	21.75	NA
	6/8/2001	NM	NM	NM	NM	-
	7/16/2001	14.64	NP	-	21.57	NA
	9/19/2001	15.11	NP	-	21.10	NA
	12/22/2001	NM	NM	-	NM	-
	3/15/2002	13.29	NP	-	22.92	NA
	6/4/2002	14.07	NP	-	22.14	NA
	9/23/2002	14.82	NP	-	21.39	NA
	12/19/2002	14.72	NP	-	21.49	NA
	3/19/2003	13.53	NP	-	22.68	NA
	6/24/2003	14.04	NP	-	22.17	NA
	9/24/2003	14.88	NP	-	21.33	NA
	12/26/2003	14.17	NP	-	22.04	NA
	3/30/2004	12.61	NP	-	23.60	NA
	6/24/2004	14.45	NP	-	21.76	NA
	9/27/2004	14.65	NP	-	21.56	NA
	12/14/2004	14.45	NP	-	21.76	NA
	3/7/2005	14.24	NP	-	21.97	NA
	6/21/2005	14.13	NP	-	22.08	NA
	9/19/2005	14.77	NP	-	21.44	NA
	12/12/2005	13.09	NP	-	23.12	NA
	3/13/2006	12.95	NP	-	23.26	NA
	6/26/2006	13.75	NP	-	22.46	NA
	9/25/2006	**14.65**	**NP**	**-**	**21.56**	**NA**
CR-24B	12/12/2000	13.78	NP	-	22.54	NA
(36.32)	4/3/2001	13.40	NP	-	22.92	NA
	6/8/2001	NM	NM	NM	NM	-
	7/16/2001	13.77	NP	-	22.55	NA
	9/19/2001	14.44	NP	-	21.88	NA
	12/20/2001	12.41	NP	-	23.91	NA
	3/15/2002	12.06	NP	-	24.26	NA
	6/4/2002	12.94	NP	-	23.38	NA
	9/23/2002	13.42	NP	-	22.90	NA
	12/19/2002	13.78	NP	-	22.54	NA
	3/19/2003	12.52	NP	-	23.80	NA
	6/24/2003	13.06	NP	-	23.26	NA
	9/24/2003	14.32	NP	-	22.00	NA
	12/26/2003	12.97	NP	-	23.35	NA
	3/30/2004	13.52	NP	-	22.80	NA
	6/24/2004	13.58	NP	-	22.74	NA
	9/27/2004	13.61	NP	-	22.71	NA
	12/14/2004	13.41	NP	-	22.91	NA
	3/7/2005	13.66	NP	-	22.66	NA
	6/21/2005	13.20	NP	-	23.12	NA
	9/19/2005	14.03	NP	-	22.29	NA
	12/12/2005	12.95	NP	-	23.37	NA
	3/13/2006	12.03	NP	-	24.29	NA
	6/26/2006	12.87	NP	-	23.45	NA
	9/25/2006	**14.03**	**Trace**	**-**	**22.29**	**NA**

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-25	12/12/2000	8.23	NP	-	26.04	NA
(34.27)	4/3/2001	7.69	7.25	0.44	26.93	NR ***
	6/8/2001	7.49	7.15	0.34	27.05	NR ***
	7/16/2001	8.67	7.73	0.94	26.35	NR ***
	9/19/2001	9.02	8.75	0.27	25.47	NR ***
	12/20/2001	6.96	6.81	0.15	27.43	NR ***
	3/15/2002	6.66	6.51	0.15	27.73	0.1
	6/4/2002	7.83	7.62	0.21	26.61	0.25
	9/23/2002	9.02	8.79	0.23	25.43	0.13
	12/19/2002	8.48	8.34	0.14	25.90	0.05
	3/19/2003	6.91	6.74	0.17	27.50	0.2
	6/24/2003	7.79	7.58	0.21	26.65	NR
	9/24/2003	9.06	8.91	0.15	25.33	NR
	12/26/2003	7.51	7.35	0.16	26.89	NR
	3/30/2004	8.00	7.79	0.21	26.44	0.0
	6/24/2004	8.65	8.19	0.46	25.99	0.0
	9/27/2004	8.65	8.42	0.23	25.80	0.0
	12/14/2004	7.62	7.49	0.13	26.75	0.02
	3/7/2005	8.14	7.95	0.19	26.28	0.03
	6/22/2005	8.07	7.79	0.28	26.42	0.05
	9/19/2005	10.34	9.14	1.20	24.89	0.2
	12/12/2005	7.87	7.58	0.29	26.63	0.17
	3/13/2006	6.54	6.40	0.14	27.84	0.05
	6/26/2006	7.83	7.82	0.01	26.45	0.05
	9/25/2006	**9.22**	**9.19**	**0.03**	**25.07**	**0.05**
CR-26	9/24/2003	-	-	-	-	-
(33.19)	12/26/2003	-	-	-	-	-
	3/26/2004	-	-	-	-	-
	6/24/2004	20.42	NP	-	12.77	NA
	9/27/2004	21.88	NP	-	11.31	NA
	12/14/2004	22.96	NP	-	-	NA
	3/7/2005	20.81	NP	-	-	NA
	6/22/2005	20.03	NP	-	-	NA
	9/19/2005	22.80	NP	-	-	NA
	12/12/2005	20.92	NP	-	12.27	NA
	1/30/2006	16.21	NP	-	16.98	NA
	3/13/2006	19.80	NP	-	13.39	NA
	6/26/2006	17.53	NP	-	15.66	NA
	9/25/2006	**27.34**	**NP**	-	**5.85**	**NA**
CR-27C	1/30/2006	16.70	NP	-	16.58	NA
(33.28)	3/13/2006	19.46	NP	-	13.82	NA
	9/25/2006	**21.94**	**NP**	-	**11.34**	**NA**
CR-28B	1/30/2006	13.52	NP		21.35	NA
(34.87)	3/13/2006	14.54	NP	-	20.33	NA
	9/25/2006	**NM**	**NM**	**NM**	**NM**	**NM**
CR-28C	1/30/2006	13.11	NP		21.65	NA
(34.76)	3/13/2006	14.02	NP	-	20.74	NA
	9/25/2006	**NM**	**NM**	**NM**	**NM**	**NM**
CR-29A	1/30/2006	13.03	NP	-	21.13	NA
(34.16)	3/13/2006	13.68	NP	-	20.48	NA
	9/25/2006	**NM**	**NM**	**NM**	**NM**	**NM**
CR-29B	1/30/2006	14.46	NP	-	19.85	NA
(34.31)	3/13/2006	NM	NP	-	NM	NA
	9/25/2006	**NM**	**NM**	**NM**	**NM**	**NM**

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-30A	1/30/2006	12.10	NP	-	20.96	NA
(33.06)	3/13/2006	12.95	NP	-	20.11	NA
	9/25/2006	**NM**	**NM**	**NM**	**NM**	**NM**
CR-30B	1/30/2006	13.97	NP	-	18.33	NA
(32.30)	3/13/2006	16.13	NP	-	16.17	NA
	9/25/2006	**NM**	**NM**	**NM**	**NM**	**NM**
CR-31A	1/30/2006	1.30	NP	-	20.26	NA
(21.56)	3/13/2006	2.14	NP	-	19.42	NA
	9/25/2006	**NM**	**NM**	**NM**	**NM**	**NM**
CR-31B	1/30/2006	5.06	NP	-	16.63	NA
(21.69)	3/13/2006	7.75	NP	-	13.94	NA
	9/25/2006	**NM**	**NM**	**NM**	**NM**	**NM**
CR-32A	1/30/2006	1.56	NP	-	20.13	NA
(21.69)	3/13/2006	2.41	NP	-	19.28	NA
	9/25/2006	**NM**	**NM**	**NM**	**NM**	**NM**
CR-32B	1/30/2006	5.34	NP	-	16.68	NA
(22.02)	3/13/2006	7.99	NP	-	14.03	NA
	9/25/2006	**NM**	**NM**	**NM**	**NM**	**NM**
CR-32C	1/30/2006	5.38	NP	-	16.42	NA
(21.80)	3/13/2006	8.75	NP	-	13.05	NA
	9/25/2006	**NM**	**NM**	**NM**	**NM**	**NM**
GPW-1	12/12/2000	12.99	NP	-	21.67	NA
(34.66)	2/20/2001	12.59	NP	-	22.07	NA
	4/3/2001	12.56	NP	-	22.10	NA
	6/8/2001	NM	NM	NM	NM	-
	7/16/2001	12.70	NP	-	21.96	NA
	9/19/2001	13.15	NP	-	21.51	NA
	12/22/2001	NM	NM	-	NM	-
	3/15/2002	7.46	NP	-	27.20	NA
	6/4/2002	11.71	NP	-	22.95	NA
	9/23/2002	12.95	NP	-	21.71	NA
	12/19/2002	12.71	NP	-	21.95	NA
	3/19/2003	7.19	NP	-	27.47	NA
	6/24/2003	10.06	NP	-	24.60	NA
	9/24/2003	13.07	NP	-	21.59	NA
	12/26/2003	11.01	NP	-	23.65	NA
	3/30/2004	7.61	NP	-	27.05	NA
	6/24/2004	12.36	NP	-	22.30	NA
	9/27/2004	12.99	NP	-	21.67	NA
	12/14/2004	12.93	NP	-	21.73	NA
	3/7/2005	11.52	NP	-	23.14	NA
	6/21/2005	9.65	NP	-	25.01	NA
	9/19/2005	13.01	NP	-	21.65	NA
	12/12/2005	8.75	NP	-	25.91	NA
	3/13/2006	7.60	NP	-	27.06	NA
	6/26/2006	NM	NM	NM	NM	NA
	9/25/2006	**12.89**	**NP**	**-**	**21.77**	**NA**

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
GPW-2	12/12/2000	NM	NM	NM	NM	-
(34.98)	2/20/2001	10.93	10.68	-	24.05	NA
	4/3/2001	NM	NM	NM	NM	-
	6/8/2001	NM	NM	NM	NM	-
	7/16/2001	NM	NM	NM	NM	-
	9/19/2001	12.91	NP	-	22.07	NA
	12/22/2001	NM	NM	-	NM	-
	3/15/2002	7.91	NP	-	27.07	NA
	6/4/2002	NM	NM	1.2E	NM	0.01
	9/23/2002	13.10E	12.97E	0.13E	E	0.05
	12/19/2002	12.32	-	-	-	-
	3/19/2003	9.4E	-	-	-	0.02
	6/24/2003	10.20	NM	Sheen	24.78	NA
	9/24/2003	12.18	11.93	0.25E	23.00	0.01
	12/26/2003	10.80	10.55	0.25	24.38	0.25
	3/30/2004	9.31	8.92	0.39	25.98	0.25
	6/24/2004	10.75	10.73	0.02	24.25	NA
	9/27/2004	12.55	11.83	0.72	23.01	NA
	12/14/2004	12.55	11.94	0.61	22.92	NA
	3/7/2005	10.76	10.75	0.01	24.23	NA
	6/20/2005	10.18	NP	0.00	24.80	NA
	9/19/2005	12.18	11.35	0.83	23.46	0.02
	12/12/2005	9.90	9.90	Sheen	25.08	0.0
	3/13/2006	9.34	9.34	Sheen	25.64	0.0
	6/26/2006	10.77	10.77	Sheen	24.21	0.0
	9/25/2006	**11.88**	**Trace**	-	**23.10**	**0.0**

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
GPW-3	12/12/2000	12.23	NP	-	22.85	NA
(35.08)	2/20/2001	12.03	NP	-	23.05	NA
	4/3/2001	11.97	NP	-	23.11	NA
	6/8/2001	NM	NM	NM	NM	-
	7/16/2001	12.16	NP	-	22.92	NA
	9/19/2001	12.66	NP	-	22.42	NA
	12/22/2001	NM	NM	-	NM	-
	3/15/2002	10.46	NP	-	24.62	NA
	6/4/2002	11.22	NP	-	23.86	NA
	9/23/2002	11.72	NP	-	23.36	NA
	12/19/2002	12.20	-	-	-	0.01
	3/19/2003	10.86E	-	-	-	0.01
	6/24/2003	11.35	11.24	0.11	23.82	0.01
	9/24/2003	11.90	11.78	0.12	23.28	0.01
	12/26/2003	13.49	11.24	2.25	23.39	0.25
	3/30/2004	11.73	10.90	0.83	24.01	0.03
	6/24/2004	11.83	11.59	0.24	23.44	NA
	9/27/2004	12.32	11.86	0.46	23.13	NA
	12/14/2004	12.15	11.87	0.28	23.15	0.006
	3/7/2005	11.81	11.60	0.21	23.44	0.005
	6/21/2005	11.35	11.16	0.19	23.88	0.004
	9/19/2005	11.98	11.85	0.13	23.20	0.003
	12/12/2005	11.27	11.21	0.06	23.86	0.02
	3/13/2006	10.82	10.80	0.02	24.28	0.02
	6/26/2006	11.16	11.16	Sheen	23.92	0.02
	9/25/2006	**11.88**	**Trace**	**-**	**23.20**	**0.00**
GPW-4	12/12/2000	NM	NM	NM	NM	-
(35.07)	2/20/2001	12.29	NP	-	22.78	NA
	4/3/2001	NM	NM	NM	NM	-
	6/8/2001	NM	NM	NM	NM	-
	7/16/2001	NM	NM	NM	NM	-
	9/19/2001	13.02	NP	-	22.05	NA
	12/22/2001	NM	NM	-	NM	-
	3/15/2002	11.08	NP	-	23.99	NA
	6/4/2002	11.98	NP	-	23.09	
	9/23/2002	12.71	NP	-	22.36	NA
	12/19/2002	12.23	NP	-	22.84	NA
	3/19/2003	11.30	NP	-	23.77	NA
	6/24/2003	12.12	NP	-	22.95	NA
	9/24/2003	13.11	13.07	0.04	21.99	Trace
	12/26/2003	12.10	NP	-	22.97	NA
	3/30/2004	12.34	11.78	0.56	23.18	NA
	6/24/2004	12.57	NP	-	22.50	NA
	9/27/2004	12.58	NP	-	22.49	NA
	12/14/2004	12.38	NP	-	22.69	NA
	3/7/2005	12.32	NP	-	22.75	NA
	6/20/2005	12.02	NP	-	23.05	NA
	9/19/2005	12.95	12.93	0.02	22.14	0.003
	12/12/2005	11.89	NP	-	23.18	NA
	3/13/2006	11.27	NP	-	23.80	NA
	6/26/2006	11.96	NP	-	23.11	NA
	9/25/2006	**13.05**	**Trace**	**-**	**22.02**	**NA**

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
GPW-5	12/12/2000	NM	NM	NM	NM	-
(34.85)	2/20/2001	12.02	NP	-	22.83	NA
	4/3/2001	NM	NM	NM	NM	-
	6/8/2001	NM	NM	NM	NM	-
	7/16/2001	NM	NM	NM	NM	-
	9/19/2001	12.79	NP	-	22.06	NA
	12/22/2001	NM	NM	-	NM	-
	3/15/2002	10.72	NP	-	24.13	NA
	6/4/2002	11.66	NP	-	23.19	NA
	9/23/2002	12.46	NP	-	22.39	NA
	12/19/2002	11.96	NP	-	22.89	NA
	3/19/2003	10.97	NP	-	23.88	NA
	6/24/2003	11.80	NP	-	23.05	NA
	9/24/2003	12.92	NP	-	21.93	NA
	12/26/2003	11.64	NP	-	23.21	NA
	3/30/2004	11.57	NP	-	23.28	NA
	6/24/2004	12.21	NP	-	22.64	NA
	9/27/2004	12.21	NP	-	22.64	NA
	12/14/2004	12.05	NP	-	22.80	NA
	3/7/2005	12.04	NP	-	22.81	NA
	6/20/2005	11.72	NP	-	23.13	NA
	9/19/2005	12.70	NP	-	22.15	NA
	12/12/2005	11.56	NP	-	23.29	NA
	3/13/2006	10.84	NP	-	24.01	NA
	6/26/2006	11.68	NP	-	23.17	NA
	9/25/2006	**12.81**	**NP**	**-**	**22.04**	**NA**
EX-1	2/14/2000	15.55	NP	-	18.60	NA
(34.15)	5/22/2000	18.29	NP	-	15.86	NA
	8/22/2000	16.56	NP	-	17.59	NA
	11/27/2000	16.86	NP	-	17.29	NA
	2/20/2001	16.66	NP	-	17.49	NA
	5/15/2001	16.62	NP	-	17.53	NA
	9/19/2001	Covered by Facility Equipment				
	12/22/2001	Covered by Facility Equipment				
	3/15/2002	15.34	NP	-	18.81	NA
	9/23/2002	16.88	NP	-	17.27	NA
	12/19/2002	16.99	NP	-	17.16	NA
	3/19/2003	15.65	NP	-	18.50	NA
	6/24/2003	15.98	NP	-	18.17	NA
	9/24/2003	Could Not Access				
	12/26/2003	Could Not Access				
	3/30/2004	Could Not Access				
	6/24/2004	16.35	NP	-	17.80	NA
	9/27/2004	Could Not Access				
	12/14/2004	16.66	NP	-	17.49	NA
	3/7/2005	16.52	NP	-	17.63	NA
	6/20/2005	16.20	NP	-	17.95	NA
	9/19/2005	16.86	NP	-	17.29	NA
	12/12/2005	16.19	NP	-	17.96	NA
	3/13/2006	15.03	NP	-	19.12	NA
	6/26/2006	15.86	NP	-	18.29	NA
	9/25/2006	**16.23**	**NP**	**-**	**17.92**	**NA**

COPPOR00007084

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)

NOTES:
Wells B-8 and B-31 were abandoned after first quarter 2000
NP = No measurable product
NA = Not Applicable
NM = Not Measured
NR = None Recovered
* = SPH Recovered for latest quarter monitored
** = Well Contains a Sock for Product Recovery
*** = Product Recovery Part of Chevron Ethanol Study
E = 3/4 inch-diameter well/ SPH thickness estimated with bailer
- = No measurable product thickness
Groundwater elevations for wells with product thicknesses have been corrected using 0.8
GWE = TOC -(DTW - (0.8 x DTP - DTW)) Where 0.8 = The density of the SPH

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-1	2/14/2000	3.76	NP	-	31.67	NA
(35.43)	5/22/2000	4.72	NP	-	30.71	NA
	8/23/2000	7.52	NP	-	27.91	NA
	11/28/2000	7.43	NP	-	28.00	NA
	2/21/2001	6.32	NP	-	29.11	NA
	5/15/2001	6.33	NP	-	29.10	NA
	9/19/2001	8.40	NP	-	27.03	NA
	12/19/2001	3.92	NP	-	31.51	NA
	3/13/2002	3.80	NP	-	31.63	NA
	6/24/2002	6.56	NP	-	28.87	NA
	9/26/2002	8.15	NP	-	27.28	NA
	12/20/2002	5.32	NP	-	30.11	NA
	3/17/2003	3.81	NP	-	31.62	NA
	6/26/2003	6.19	NP	-	29.24	NA
	9/24/2003	8.04	NP	-	27.39	NA
	12/30/2003	4.02	NP	-	31.41	NA
	3/29/2004	4.45	NP	-	30.98	NA
	6/29/2004	6.84	NP	-	28.59	NA
	9/27/2004	7.32	NP	-	28.11	NA
	12/14/2004	5.31	NP	-	30.12	NA
	3/7/2005	6.81	NP	-	28.62	NA
	6/20/2005	5.60	NP	-	29.83	NA
	9/19/2005	7.62	NP	-	27.81	NA
	12/12/2005	4.99	NP	-	30.44	NA
	3/13/2006	3.60	NP	-	31.83	NA
	6/27/2006	5.49	NP	-	29.94	NA
	9/25/2006	**7.53**	**NP**	-	**27.90**	**NA**
MW-2	2/14/2000	5.59	NP	-	30.18	NA
(35.77)	5/22/2000	6.74	NP	-	29.03	NA
	8/23/2000	8.44	NP	-	27.33	NA
	11/28/2000	9.15	NP	-	26.62	NA
	2/21/2001	8.29	NP	-	27.48	NA
	5/15/2001	8.11	NP	-	27.66	NA
	9/19/2001	9.93	NP	-	25.84	NA
	12/19/2001	6.02	NP	-	29.75	NA
	3/13/2002	5.51	NP	-	30.26	NA
	6/24/2002	7.67	NP	-	28.10	NA
	9/26/2002	9.41	NP	-	26.36	NA
	12/20/2002	9.32	NP	-	26.45	NA
	3/17/2003	5.85	NP	-	29.92	NA
	6/26/2003	7.34	NP	-	28.43	NA
	9/24/2003	9.33	NP	-	26.44	NA
	12/30/2003	6.79	NP	-	28.98	NA
	3/29/2004	6.35	NP	-	29.42	NA
	6/29/2004	8.11	NP	-	27.66	NA
	9/27/2004	9.13	NP	-	26.64	NA
	12/14/2004	8.47	NP	-	27.30	NA
	3/7/2005	8.40	NP	-	27.37	NA
	6/20/2005	7.27	NP	-	28.50	NA
	9/19/2005	9.09	NP	-	26.68	NA
	12/12/2005	7.42	NP	-	28.35	NA
	3/13/2006	5.75	NP	-	30.02	NA
	6/27/2006	7.15	NP	-	28.62	NA
	9/25/2006	**9.09**	**NP**	-	**26.68**	**NA**

COPPOR00007086

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-3	2/14/2000	7.02	NP	-	29.00	NA
(36.02)	5/22/2000	8.04	NP	-	27.98	NA
	8/23/2000	9.58	NP	-	26.44	NA
	11/28/2000	10.22	NP	-	25.80	NA
	2/21/2001	9.49	NP	-	26.53	NA
	5/15/2001	9.33	NP	-	26.69	NA
	9/19/2001	10.96	NP	-	25.06	NA
	12/19/2001	7.55	NP	-	28.47	NA
	3/13/2002	7.10	NP	-	28.92	NA
	6/24/2002	8.93	NP	-	27.09	NA
	9/26/2002	10.47	NP	-	25.55	NA
	12/20/2002	10.63	NP	-	25.39	NA
	3/17/2003	7.29	NP	-	28.73	NA
	6/26/2003	8.65	NP	-	27.37	NA
	9/24/2003	10.38	NP	-	25.64	NA
	12/30/2003	8.21	NP	-	27.81	NA
	3/29/2004	7.69	NP	-	28.33	NA
	6/29/2004	9.34	NP	-	26.68	NA
	9/27/2004	10.28	NP	-	25.74	NA
	12/14/2004	9.73	NP	-	26.29	NA
	3/7/2005	9.56	NP	-	26.46	NA
	6/20/2005	8.55	NP	-	27.47	NA
	9/19/2005	10.18	NP	-	25.84	NA
	12/12/2005	8.67	NP	-	27.35	NA
	3/13/2006	7.15	NP	-	28.87	NA
	6/27/2006	8.43	NP	-	27.59	NA
	9/25/2006	**10.19**	**NP**	-	**25.83**	**NA**
MW-4	2/14/2000	6.36	NP	-	30.03	NA
(36.39)	5/22/2000	7.54	NP	-	28.85	NA
	8/23/2000	9.18	NP	-	27.21	NA
	11/28/2000	9.83	NP	-	26.56	NA
	2/21/2001	9.07	NP	-	27.32	NA
	5/15/2001	8.93	NP	-	27.46	NA
	9/19/2001	10.59	NP	-	25.80	NA
	12/19/2001	6.98	NP	-	29.41	NA
	3/13/2002	6.42	NP	-	29.97	NA
	6/24/2002	8.49	NP	-	27.90	NA
	9/26/2002	10.10	NP	-	26.29	NA
	12/20/2002	10.21	NP	-	26.18	NA
	3/17/2003	6.57	NP	-	29.82	NA
	6/26/2003	8.15	NP	-	28.24	NA
	9/24/2003	10.00	NP	-	26.39	NA
	12/30/2003	7.65	NP	-	28.74	NA
	3/29/2004	7.07	NP	-	29.32	NA
	6/29/2004	8.88	NP	-	27.51	NA
	9/27/2004	9.89	NP	-	26.50	NA
	12/14/2004	9.29	NP	-	27.10	NA
	3/7/2005	9.10	NP	-	27.29	NA
	6/20/2005	8.03	NP	-	28.36	NA
	9/19/2005	9.78	NP	-	26.61	NA
	12/12/2005	8.15	NP	-	28.24	NA
	3/13/2006	6.40	NP	-	29.99	NA
	6/27/2006	7.91	NP	-	28.48	NA
	9/25/2006	**9.76**	**NP**	-	**26.63**	**NA**

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-5	2/14/2000	6.02	NP	-	27.50	NA
(33.52)	5/22/2000	6.64	NP	-	26.88	NA
	8/23/2000	8.28	NP	-	25.24	NA
	11/28/2000	5.79	NP	-	27.73	NA
	2/21/2001	8.27	NP	-	25.25	NA
	5/15/2001	6.02	sheen	-	27.50	NA
	9/18/2001	9.77	NP	-	23.75	NA
	12/19/2001	6.39	NP	-	27.13	NA
	3/13/2002	6.09	NP	-	27.43	NA
	6/24/2002	7.24	NP	-	26.28	NA
	9/26/2002	9.30	NP	-	24.22	NA
	12/20/2002	8.21	NP	-	25.31	NA
	3/17/2003	5.85	NP	-	27.67	NA
	6/26/2003	7.22	NP	-	26.30	NA
	9/24/2003	9.19	NP	-	24.33	NA
	12/30/2003	7.00	NP	-	26.52	NA
	3/29/2004	6.30	NP	-	27.22	NA
	6/29/2004	8.11	NP	-	25.41	NA
	9/27/2004	9.11	NP	-	24.41	NA
	12/14/2004	8.45	NP	-	25.07	NA
	3/7/2005	8.33	NP	-	25.19	NA
	6/20/2005	7.12	NP	-	26.40	NA
	9/19/2005	9.18	NP	-	24.34	NA
	12/12/2005	7.90	NP	-	25.62	NA
	3/13/2006	5.90	NP	-	27.62	NA
	6/27/2006	6.90	NP	-	26.62	NA
	9/25/2006	**9.14**	**NP**	**-**	**24.38**	**NA**
MW-6	2/14/2000	3.72	3.69	0.03	29.64	2.0
(33.34)	5/22/2000	4.70	NP	-	28.64	NA
	8/23/2000	6.24	NP	-	27.10	NA
	11/28/2000	6.98	NP	-	26.36	0.1
	2/21/2001	6.21	sheen	-	27.13	NA
	5/15/2001	8.10	NP	-	25.24	NA
	9/18/2001	7.71	7.66	0.05	25.67	NA
	12/19/2001	4.05	NP	-	29.29	0.06
	3/13/2002	3.70	sheen	-	29.64	NA
	6/24/2002	5.56	NP	-	27.78	NA
	9/26/2002	7.19	NP	-	26.15	NA
	12/20/2002	7.32	sheen	-	26.02	NA
	3/17/2003	3.87	NP	-	29.47	NA
	6/26/2003	5.20	NP	-	28.14	NA
	9/24/2003	7.09	NP	-	26.25	NA
	12/30/2003	4.80	NP	-	28.54	NA
	3/29/2004	4.29	NP	-	29.05	NA
	6/29/2004	5.23	NP	-	28.11	NA
	9/27/2004	6.98	NP	-	26.36	NA
	12/14/2004	6.37	NP	-	26.97	NA
	3/7/2005	6.03	Sheen	-	27.31	0.1
	6/20/2005	5.15	NP	-	28.19	NA
	9/19/2005	6.92	NP	-	26.42	NA
	12/12/2005	5.45	Sheen	-	27.89	NA
	3/13/2006	4.10	3.88	0.22	29.42	0
	6/27/2006	5.06	NP	-	28.28	NA
	9/25/2006	**7.00**	**NP**	**-**	**26.34**	**NA**

COPPOR00007088

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-7	2/14/2000	8.74	8.54	0.20	25.54	3.7
(34.12)	5/22/2000	9.95	8.92	1.03	24.99	11
	8/23/2000	NM	NM	-	NA	2
	11/28/2000	10.94	10.35	0.59	23.65	2.2
	2/21/2001	10.37	10.01	0.36	24.04	1.9
	5/15/2001	10.27	10.00	0.27	24.07	1.75
	9/19/2001	11.04	11.00	0.04	23.11	0.8
	12/19/2001	9.05	8.78	0.27	25.29	1.1
	3/13/2002	9.11	8.30	0.81	25.66	4.5
	6/24/2002	10.38	9.48	0.90	24.46	3.3
	9/26/2002	11.32	10.53	0.79	23.43	2.65
	12/23/2002	11.05	10.82	0.23	23.25	1.10
	3/17/2003	9.18	8.45	0.73	25.52	1.55
	6/26/2003	10.03	9.28	0.75	24.69	1.25
	9/24/2003	11.17	10.46	0.71	23.52	1.00
	12/30/2003	9.83	9.47	0.36	24.58	1.00
	3/29/2004	9.35	8.62	0.73	25.35	1.00
	6/29/2004	10.36	9.80	0.56	24.21	1.00
	9/27/2004	10.97	10.61	0.36	23.44	0.20
	12/14/2004	10.75	10.30	0.45	23.73	1.95
	3/7/2005	10.25	9.98	0.27	24.09	2.5
	6/20/2005	9.89	9.19	0.70	24.79	0.9
	9/19/2005	10.90	10.45	0.45	23.58	1.75
	12/12/2005	9.82	9.50	0.32	24.56	1.05
	3/13/2006	8.35	8.00	0.35	26.05	1.00
	6/27/2006	9.45	9.04	0.41	25.00	NA
	9/25/2006	**11.07**	**9.45**	**1.62**	**24.35**	**2.30**
MW-8	2/14/2000	7.18	NP	-	26.77	NA
(33.95)	5/22/2000	8.00	NP	-	25.95	NA
	8/23/2000	9.26	NP	-	24.69	NA
	11/28/2000	9.91	NP	-	24.04	NA
	2/21/2001	9.40	NP	-	24.55	NA
	5/15/2001	9.30	NP	-	24.65	NA
	9/19/2001	10.49	NP	-	23.46	NA
	12/19/2001	8.42	NP	-	25.53	NA
	3/13/2002	7.38	NP	-	26.57	NA
	6/24/2002	8.81	NP	-	25.14	NA
	9/26/2002	10.15	NP	-	23.80	NA
	12/20/2002	10.50	NP	-	23.45	NA
	3/17/2003	7.48	NP	-	26.47	NA
	6/26/2003	8.61	NP	-	25.34	NA
	9/24/2003	10.10	NP	-	23.85	NA
	12/30/2003	8.74	NP	-	25.21	NA
	3/29/2004	8.74	NP	-	25.21	NA
	6/29/2004	9.19	NP	-	24.76	NA
	9/27/2004	10.12	NP	-	23.83	NA
	12/14/2004	9.74	NP	-	24.21	NA
	3/7/2005	9.34	NP	-	24.61	NA
	6/20/2005	8.48	NP	-	25.47	NA
	9/19/2005	9.86	NP	-	24.09	NA
	12/12/2005	8.73	NP	-	25.22	NA
	3/13/2006	6.96	NP	-	26.99	NA
	6/27/2006	8.43	NP	-	25.52	NA
	9/25/2006	**9.92**	**NP**	-	**24.03**	**NA**

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-9	2/14/2000	9.66	NP	-	26.87	NA
(36.53)	5/22/2000	10.24	NP	-	26.29	NA
	8/23/2000	11.42	NP	-	25.11	NA
	11/28/2000	12.18	NP	-	24.35	NA
	2/21/2001	11.85	NP	-	24.68	NA
	5/15/2001	11.83	NP	-	24.70	NA
	9/19/2001	12.86	NP	-	23.67	NA
	12/19/2001	11.87	NP	-	24.66	NA
	3/13/2002	10.30	NP	-	26.23	NA
	6/24/2002	11.21	NP	-	25.32	NA
	9/26/2002	11.43	NP	-	25.10	NA
	12/23/2002	12.97	NP	-	23.56	NA
	3/17/2003	10.62	NP	-	25.91	NA
	6/26/2003	10.86	NP	-	25.67	NA
	9/24/2003	12.27	NP	-	24.26	NA
	12/30/2003	11.77	NP	-	24.76	NA
	3/29/2004	10.39	NP	-	26.14	NA
	6/29/2004	11.58	NP	-	24.95	NA
	9/27/2004	12.56	NP	-	23.97	NA
	12/14/2004	12.42	NP	-	24.11	NA
	3/7/2005	11.71	NP	-	24.82	NA
	6/20/2005	10.95	NP	-	25.58	NA
	9/19/2005	12.22	NP	-	24.31	NA
	12/12/2005	11.34	NP	-	25.19	NA
	3/13/2006	9.45	NP	-	27.08	NA
	6/27/2006	10.64	NP	-	25.89	NA
	9/25/2006	**12.10**	**NP**	**-**	**24.43**	**NA**
MW-10	2/14/2000	8.46	NP	-	27.36	NA
(35.82)	5/22/2000	5.59	NP	-	30.23	NA
	8/23/2000	11.21	NP	-	24.61	NA
	11/28/2000	11.86	NP	-	23.96	NA
	2/21/2001	11.16	NP	-	24.66	NA
	5/15/2001	11.04	NP	-	24.78	NA
	9/19/2001	12.59	NP	-	23.23	NA
	12/19/2001	9.42	NP	-	26.40	NA
	3/13/2002	8.58	NP	-	27.24	NA
	6/24/2002	10.54	NP	-	25.28	NA
	9/26/2002	12.12	NP	-	23.70	NA
	12/23/2002	12.14	NP	-	23.68	NA
	3/17/2003	8.78	NP	-	27.04	NA
	6/26/2003	10.24	NP	-	25.58	NA
	9/24/2003	12.02	NP	-	23.80	NA
	12/30/2003	9.98	NP	-	25.84	NA
	3/29/2004	9.26	NP	-	26.56	NA
	6/29/2004	10.98	NP	-	24.84	NA
	9/27/2004	12.00	NP	-	23.82	NA
	12/14/2004	11.38	NP	-	24.44	NA
	3/7/2005	11.19	NP	-	24.63	NA
	6/20/2005	10.13	NP	-	25.69	NA
	9/19/2005	11.84	NP	-	23.98	NA
	12/12/2005	10.29	NP	-	25.53	NA
	3/13/2006	8.35	NP	-	27.47	NA
	6/27/2006	9.98	NP	-	25.84	NA
	9/25/2006	**11.80**	**NP**	**-**	**24.02**	**NA**

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-11	2/14/2000	5.04	NP	-	31.43	NA
(36.47)	5/22/2000	3.11	NP	-	33.36	NA
	8/23/2000	7.97	NP	-	28.50	NA
	11/28/2000	7.66	NP	-	28.81	NA
	2/21/2001	7.48	NP	-	28.99	NA
	5/15/2001	7.30	NP	-	29.17	NA
	9/19/2001	9.29	NP	-	27.18	NA
	12/19/2001	5.44	NP	-	31.03	NA
	3/13/2002	5.23	NP	-	31.24	NA
	6/24/2002	7.71	NP	-	28.76	NA
	9/26/2002	9.01	NP	-	27.46	NA
	12/23/2002	7.07	NP	-	29.40	NA
	3/17/2003	5.72	NP	-	30.75	NA
	6/26/2003	7.55	NP	-	28.92	NA
	9/24/2003	8.89	NP	-	27.58	NA
	12/30/2003	5.77	NP	-	30.70	NA
	3/29/2004	6.17	NP	-	30.30	NA
	6/29/2004	8.10	NP	-	28.37	NA
	9/27/2004	8.54	NP	-	27.93	NA
	12/14/2004	6.56	NP	-	29.91	NA
	3/7/2005	7.90	NP	-	28.57	NA
	6/20/2005	6.69	NP	-	29.78	NA
	9/19/2005	8.69	NP	-	27.78	NA
	12/12/2005	6.49	NP	-	29.98	NA
	3/13/2006	5.35	NP	-	31.12	NA
	6/26/2006	6.68	NP	-	29.79	NA
	9/25/2006	**8.68**	**NP**	**-**	**27.79**	**NA**
MW-12	2/14/2000	4.99	NP	-	30.96	NA
(35.95)	5/22/2000	6.57	NP	-	29.38	NA
	8/23/2000	8.65	NP	-	27.30	NA
	11/28/2000	9.16	NP	-	26.79	NA
	2/21/2001	8.32	NP	-	27.63	NA
	5/15/2001	8.16	NP	-	27.79	NA
	9/19/2001	10.17	NP	-	25.78	NA
	12/19/2001	5.54	NP	-	30.41	NA
	3/13/2002	4.85	NP	-	31.10	NA
	6/24/2002	7.75	NP	-	28.20	NA
	9/26/2002	9.68	NP	-	26.27	NA
	12/23/2002	8.75	NP	-	27.20	NA
	3/17/2003	5.25	NP	-	30.70	NA
	6/26/2003	7.35	NP	-	28.60	NA
	9/24/2003	9.57	NP	-	26.38	NA
	12/30/2003	6.28	NP	-	29.67	NA
	3/29/2004	5.99	NP	-	29.96	NA
	6/29/2004	8.28	NP	-	27.67	NA
	9/27/2004	9.32	NP	-	26.63	NA
	12/14/2004	8.22	NP	-	27.73	NA
	3/7/2005	8.41	NP	-	27.54	NA
	6/20/2005	7.19	NP	-	28.76	NA
	9/19/2005	9.29	NP	-	26.66	NA
	12/12/2005	7.22	NP	-	28.73	NA
	3/13/2006	5.13	NP	-	30.82	NA
	6/27/2006	7.06	NP	-	28.89	NA
	9/25/2006	**9.34**	**NP**	**-**	**26.61**	**NA**

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-13	2/14/2000	3.85	NP	-	34.04	NA
(37.89)	5/22/2000	5.03	NP	-	32.86	NA
	8/23/2000	7.00	NP	-	30.89	NA
	11/28/2000	6.59	NP	-	31.30	NA
	2/21/2001	6.26	NP	-	31.63	NA
	5/15/2001	6.03	NP	-	31.86	NA
	9/19/2001	8.55	NP	-	29.34	NA
	12/19/2001	3.77	NP	-	34.12	NA
	3/13/2002	3.72	NP	-	34.17	NA
	6/24/2002	6.56	NP	-	31.33	NA
	9/26/2002	8.16	NP	-	29.73	NA
	12/23/2002	5.71	NP	-	32.18	NA
	3/17/2003	4.13	NP	-	33.76	NA
	6/26/2003	6.39	NP	-	31.50	NA
	9/24/2003	8.27	NP	-	29.62	NA
	12/30/2003	4.00	NP	-	33.89	NA
	3/29/2004	4.80	NP	-	33.09	NA
	6/29/2004	7.00	NP	-	30.89	NA
	9/27/2004	7.45	NP	-	30.44	NA
	12/14/2004	5.39	NP	-	32.50	NA
	3/7/2005	6.62	NP	-	31.27	NA
	6/20/2005	5.63	NP	-	32.26	NA
	9/19/2005	7.77	NP	-	30.12	NA
	12/12/2005	5.23	NP	-	32.66	NA
	3/13/2006	4.08	NP	-	33.81	NA
	6/27/2006	5.87	NP	-	32.02	NA
	9/25/2006	**7.61**	**NP**	**-**	**30.28**	**NA**
MW-14	2/14/2000	2.73	NP	-	33.55	NA
(36.28)	5/22/2000	4.50	NP	-	31.78	NA
	8/23/2000	6.55	NP	-	29.73	NA
	11/28/2000	6.36	NP	-	29.92	NA
	2/21/2001	5.65	NP	-	30.63	NA
	5/15/2001	4.67	NP	-	31.61	NA
	9/19/2001	7.71	NP	-	28.57	NA
	12/19/2001	3.10	NP	-	33.18	NA
	3/13/2002	2.84	NP	-	33.44	NA
	6/24/2002	5.90	NP	-	30.38	NA
	9/26/2002	7.45	NP	-	28.83	NA
	12/23/2002	5.39	NP	-	30.89	NA
	3/17/2003	3.17	NP	-	33.11	NA
	6/26/2003	5.54	NP	-	30.74	NA
	9/24/2003	7.47	NP	-	28.81	NA
	12/30/2003	3.52	NP	-	32.76	NA
	3/29/2004	3.92	NP	-	32.36	NA
	6/29/2004	6.38	NP	-	29.90	NA
	9/27/2004	6.82	NP	-	29.46	NA
	12/14/2004	5.21	NP	-	31.07	NA
	3/7/2005	5.97	NP	-	30.31	NA
	6/20/2005	5.05	NP	-	31.23	NA
	9/19/2005	7.12	NP	-	29.16	NA
	12/12/2005	4.77	NP	-	31.51	NA
	3/13/2006	3.18	NP	-	33.10	NA
	6/27/2006	5.17	NP	-	31.11	NA
	9/25/2006	**7.10**	**NP**	**-**	**29.18**	**NA**

COPPOR00007092

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-15	2/14/2000	4.09	NP	-	33.41	NA
(37.50)	5/22/2000	5.80	NP	-	31.70	NA
	8/23/2000	9.21	NP	-	28.29	NA
	11/28/2000	8.90	NP	-	28.60	NA
	2/21/2001	7.46	NP	-	30.04	NA
	5/15/2001	7.80	NP	-	29.70	NA
	9/18/2001	10.46	NP	-	27.04	NA
	12/19/2001	4.03	NP	-	33.47	NA
	3/13/2002	4.14	NP	-	33.36	NA
	6/24/2002	7.93	NP	-	29.57	NA
	9/26/2002	10.13	NP	-	27.37	NA
	12/23/2002	5.72	sheen	-	31.78	NA
	3/17/2003	3.62	NP	-	33.88	NA
	6/26/2003	7.25	NP	-	30.25	NA
	9/24/2003	10.02	NP	-	27.48	NA
	12/30/2003	4.07	NP	-	33.43	NA
	3/29/2004	5.09	NP	-	32.41	NA
	6/29/2004	8.50	NP	-	29.00	NA
	9/27/2004	9.01	NP	-	28.49	NA
	12/14/2004	6.25	NP	-	31.25	NA
	3/7/2005	7.99	NP	-	29.51	NA
	6/20/2005	6.71	NP	-	30.79	NA
	9/19/2005	9.54	NP	-	27.96	NA
	12/12/2005	5.66	NP	-	31.84	NA
	3/13/2006	3.99	NP	-	33.51	NA
	6/27/2006	6.68	NP	-	30.82	NA
	9/25/2006	**9.51**	**NP**	**-**	**27.99**	**NA**
MW-16	2/14/2000	3.44	NP	-	31.49	NA
(34.93)	5/22/2000	4.98	NP	-	29.95	NA
	8/23/2000	6.99	NP	-	27.94	NA
	11/28/2000	7.51	NP	-	27.42	NA
	2/21/2001	6.60	NP	-	28.33	NA
	5/15/2001	6.51	NP	-	28.42	NA
	9/19/2001	8.48	NP	-	26.45	NA
	12/19/2001	3.99	NP	-	30.94	NA
	3/13/2002	3.35	NP	-	31.58	NA
	6/24/2002	5.11	NP	-	29.82	NA
	9/26/2002	6.02	NP	-	28.91	NA
	12/23/2002	7.09	NP	-	27.84	NA
	3/17/2003	3.63	NP	-	31.30	NA
	6/26/2003	5.60	NP	-	29.33	NA
	9/24/2003	8.95	NP	-	25.98	NA
	12/30/2003	4.71	NP	-	30.22	NA
	3/29/2004	4.37	NP	-	30.56	NA
	6/29/2004	6.54	NP	-	28.39	NA
	9/27/2004	7.63	NP	-	27.30	NA
	12/14/2004	6.60	NP	-	28.33	NA
	3/7/2005	6.67	NP	-	28.26	NA
	6/20/2005	5.53	NP	-	29.40	NA
	9/19/2005	7.59	NP	-	27.34	NA
	12/12/2005	5.56	NP	-	29.37	NA
	3/13/2006	3.60	NP	-	31.33	NA
	6/27/2006	5.44	NP	-	29.49	NA
	9/25/2006	**7.60**	**NP**	**-**	**27.33**	**NA**

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-17	2/14/2000	4.22	NP	-	31.83	NA
(36.05)	5/22/2000	4.70	NP	-	31.35	NA
	8/23/2000	5.91	NP	-	30.14	NA
	11/28/2000	5.82	NP	-	30.23	NA
	2/21/2001	5.46	NP	-	30.59	NA
	5/15/2001	5.26	NP	-	30.79	NA
	9/18/2001	6.84	NP	-	29.21	NA
	12/19/2001	4.67	NP	-	31.38	NA
	3/13/2002	4.17	NP	-	31.88	NA
	6/24/2002	5.31	NP	-	30.74	NA
	9/26/2002	6.62	NP	-	29.43	NA
	3/17/2003	4.40	NP	-	31.65	NA
	6/26/2003	5.22	NP	-	30.83	NA
	9/24/2003	6.57	NP	-	29.48	NA
	12/30/2003	4.61	NP	-	31.44	NA
	3/29/2004	4.45	NP	-	31.60	NA
	6/29/2004	5.25	NP	-	30.80	NA
	9/27/2004	5.96	NP	-	30.09	NA
	12/14/2004	Unable to Access, Due to Fuel Transfer Activities				
	3/7/2005	5.43	NP	-	30.62	NA
	6/20/2005	4.90	NP	-	31.15	NA
	9/19/2005	6.18	NP	-	29.87	NA
	12/12/2005	5.03	NP	-	31.02	NA
	3/13/2006	4.31	NP	-	31.74	NA
	6/27/2006	4.91	Sheen	-	31.14	NA
	9/25/2006	**6.22**	**NP**	**-**	**29.83**	**NA**
MW-18	2/14/2000	0.87	NP	-	32.89	NA
(33.76)	5/22/2000	2.15	NP	-	31.61	NA
	8/23/2000	3.62	sheen	-	30.14	NA
	11/28/2000	3.55	NP	-	30.21	0.1
	2/21/2001	3.10	NP	-	30.66	0.1
	5/15/2001	2.83	NP	-	30.93	0.1
	9/18/2001	4.68	4.66	0.02	29.10	NA
	12/19/2001	0.25	NP	-	33.51	NA
	3/13/2002	0.97	sheen	-	32.79	NA
	6/24/2002	3.03	NP	-	30.73	NA
	9/26/2002	4.32	NP	-	29.44	NA
	12/20/2002	2.83	NP	-	30.93	NA
	3/17/2003	1.48	NP	-	32.28	NA
	6/26/2003	2.76	NP	-	31.00	NA
	9/24/2003	4.31	NP	-	29.45	NA
	12/30/2003	1.20	NP	-	32.56	NA
	3/29/2004	1.71	NP	-	32.05	NA
	6/29/2004	2.98	NP	-	30.78	NA
	9/27/2004	3.74	NP	-	30.02	NA
	12/14/2004	Unable to Access, Due to Fuel Transfer Activities				
	3/7/2005	3.04	NP	-	30.72	NA
	6/20/2005	2.48	NP	-	31.28	NA
	9/19/2005	3.94	NP	-	29.82	NA
	12/12/2005	2.39	NP	-	31.37	NA
	3/13/2005	1.41	NP	-	32.35	NA
	6/27/2006	2.45	NP	-	31.31	NA
	9/25/2006	**----------Cannot locate well----------**				

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-19	2/14/2000	2.82	NP	-	30.57	NA
(33.39)	5/22/2000	4.62	4.59	0.03	28.79	NA
	8/23/2000	5.89	5.88	0.01	27.51	NA
	11/28/2000	5.91	NP	-	27.48	0.3
	2/21/2001	5.03	sheen	-	28.36	0.1
	5/15/2001	4.09	sheen	-	29.30	NA
	9/18/2001	7.27	7.23	0.04	26.15	NA
	12/19/2001	2.72	NP	-	30.67	NA
	3/13/2002	2.84	sheen	-	30.55	NA
	6/24/2002	4.61	NP	-	28.78	NA
	9/26/2002	6.42	NP	-	26.97	NA
	12/20/2002	5.06	NP	-	28.33	NA
	3/17/2003	2.59	NP	-	30.80	NA
	6/26/2003	3.42	NP	-	29.97	NA
	9/24/2003	6.51	6.48	0.03	26.90	0.2
	12/30/2003	2.84	NP	-	30.55	NA
	3/29/2004	3.32	NP	-	30.07	NA
	6/29/2004	5.34	Sheen	-	28.05	NA
	9/27/2004	6.04	Sheen	-	27.35	NA
	12/14/2004	4.18	NP	-	29.21	0.1
	3/7/2005	4.78	4.77	0.01	28.62	0.1
	6/20/2005	3.21	Sheen	-	30.18	NA
	9/19/2005	6.27	Sheen	-	27.12	NA
	12/12/2005	3.94	NP	-	29.45	NA
	3/13/2006	2.70	Sheen	-	30.69	0
	6/27/2006	3.39	Sheen	-	30.00	0
	9/25/2006	**6.15**	**Sheen**	-	**27.24**	**0**
MW-20	2/14/2000	9.80	NP	-	24.96	NA
(34.76)	5/22/2000	10.23	NP	-	24.53	NA
	8/23/2000	11.47	NP	-	23.29	NA
	11/28/2000	11.45	NP	-	23.31	NA
	2/21/2001	11.21	NP	-	23.55	NA
	5/15/2001	11.20	NP	-	23.56	NA
	9/18/2001	12.48	NP	-	22.28	NA
	12/19/2001	10.21	NP	-	24.55	NA
	3/13/2002	9.80	NP	-	24.96	NA
	6/24/2002	10.71	NP	-	24.05	NA
	9/26/2002	12.11	NP	-	22.65	NA
	12/20/2002	11.91	NP	-	22.85	NA
	3/17/2003	9.80	NP	-	24.96	NA
	6/26/2003	10.83	NP	-	23.93	NA
	9/24/2003	12.12	NP	-	22.64	NA
	12/30/2003	10.61	NP	-	24.15	NA
	3/29/2004	10.27	NP	-	24.49	NA
	6/29/2004	11.31	NP	-	23.45	NA
	9/27/2004	11.94	NP	-	22.82	NA
	12/14/2004	11.48	NP	-	23.28	NA
	3/7/2005	11.34	NP	-	23.42	NA
	6/20/2005	10.58	NP	-	24.18	NA
	9/19/2005	12.05	NP	-	22.71	NA
	12/12/2005	11.28	NP	-	23.48	NA
	3/13/2006	9.54	NP	-	25.22	NA
	6/27/2006	10.45	NP	-	24.31	NA
	9/25/2006	**12.01**	**NP**	-	**22.75**	**NA**

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-21	2/14/2000	1.26	NP	-	33.07	NA
(34.33)	5/22/2000	1.62	NP	-	32.71	NA
	8/23/2000	2.38	NP	-	31.95	NA
	11/28/2000	1.80	NP	-	32.53	NA
	2/21/2001	1.64	NP	-	32.69	NA
	5/15/2001	1.59	NP	-	32.74	NA
	9/18/2001	3.01	NP	-	31.32	NA
	12/19/2001	0.27	NP	-	34.06	NA
	3/13/2002	0.99	NP	-	33.34	NA
	6/24/2002	1.95	NP	-	32.38	NA
	9/26/2002	3.65	NP	-	30.68	NA
	12/20/2002	2.05	NP	-	32.28	NA
	3/17/2003	Unable to Locate				
	6/26/2003	Unable to Access, Covered by Steel Plate				
	9/24/2003	Unable to Access, Covered by Steel Plate				
	12/30/2003	Unable to Access, Covered by Steel Plate				
	3/29/2004	Unable to Access, Covered by Gravel Pile				
	6/29/2004	Unable to Access, Covered by Gravel Pile				
	9/27/2004	Unable to Access, Covered by Gravel Pile				
	12/14/2004	Unable to Access, Covered by Gravel Pile				
	3/7/2005	Unable to Access, Covered by Gravel Pile				
	6/20/2005	Unable to Access, Covered by Gravel Pile				
	9/19/2005	Unable to Access, Covered by Gravel Pile				
	12/12/2005	Unable to Access, Covered by Gravel Pile				
	3/13/2006	Unable to Access, Covered by Gravel Pile				
	6/27/2006	Unable to Access, Covered by Gravel Pile				
	9/25/2006	**Unable to Access, Covered by Gravel Pile**				
MW-22	2/14/2000	2.85	NP	-	32.80	NA
(35.65)	5/22/2000	4.28	NP	-	31.37	NA
	8/23/2000	5.52	NP	-	30.13	NA
	11/28/2000	6.50	NP	-	29.15	NA
	2/21/2001	5.57	sheen	-	30.08	NA
	5/15/2001	5.29	5.28	0.01	30.37	NA
	9/19/2001	6.53	NP	-	29.12	NA
	12/19/2001	3.56	NP	-	32.09	NA
	3/13/2002	3.10	sheen	-	32.55	NA
	6/24/2002	4.89	4.88	0.01	30.77	NA
	9/26/2002	6.14	6.13	0.01	29.52	NA
	12/20/2002	6.29	NP	-	29.36	NA
	3/17/2003	3.81	sheen	-	31.84	0.01
	6/26/2003	4.56	NP	-	31.09	NA
	9/24/2003	6.00	NP	-	29.65	NA
	12/30/2003	4.60	NP	-	31.05	NA
	3/29/2004	4.09	4.08	0.01	31.56	NA
	6/29/2004	5.48	NP	-	30.17	NA
	9/27/2004	5.79	Sheen	-	29.86	NA
	12/14/2004	5.60	NP	-	30.05	NA
	3/7/2005	5.40	Sheen	-	30.25	0.1
	6/20/2005	4.81	NP	-	30.84	NA
	9/19/2005	6.03	Sheen	-	29.62	0.1
	12/12/2005	4.37	Sheen	-	31.28	NA
	3/13/2006	3.44	NP	-	32.21	NA
	6/27/2006	4.68	NP	-	30.97	NA
	9/25/2006	**5.99**	**NP**	-	**29.66**	**NA**

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-23	2/14/2000	3.56	NP	-	32.50	NA
(36.06)	5/22/2000	5.63	NP	-	30.43	NA
	8/23/2000	5.82	5.82	0.00	30.24	NA
	11/28/2000	5.51	5.51	0.00	30.55	0.1
	2/21/2001	5.33	NP	-	30.73	0.1
	5/15/2001	5.01	sheen	-	31.05	NA
	9/19/2001	6.50	6.49	0.01	29.57	NA
	12/19/2001	4.19	NP	-	31.87	NA
	3/13/2002	3.99	NP	-	32.07	NA
	6/24/2002	5.44	NP	-	30.62	NA
	9/26/2002	8.21	sheen	-	27.85	NA
	12/20/2002	5.20	NP	-	30.86	NA
	3/17/2003	4.47	NP	-	31.59	NA
	6/26/2003	5.54	NP	-	30.52	NA
	9/24/2003	6.35	sheen	-	29.71	0.1
	12/30/2003	4.41	NP	-	31.65	NA
	3/29/2004	4.48	NP	-	31.58	NA
	6/29/2004	6.58	sheen	-	29.48	NA
	9/27/2004	5.91	sheen	-	30.15	NA
	12/14/2004	5.05	NP	-	31.01	NA
	3/7/2005	5.12	NP	-	30.94	NA
	6/20/2005	5.19	NP	-	30.87	NA
	9/19/2005	6.22	NP	-	29.84	NA
	12/12/2005	5.09	NP	-	30.97	NA
	3/13/2006	4.10	NP	-	31.96	NA
	6/27/2006	5.14	Sheen	-	30.92	NA
	9/25/2006	**6.31**	**Sheen**	-	**29.75**	**0.1**
MW-24	2/14/2000	5.00	4.50	0.50	30.55	1.0
(35.15)	5/22/2000	5.34	5.21	0.13	29.91	2.0
	8/23/2000	8.56	NP	-	26.59	NA
	11/28/2000	7.79	NP	-	27.36	0.3
	2/21/2001	7.20	7.15	0.05	27.99	0.4
	5/15/2001	5.45	sheen	-	29.70	0.1
	9/19/2001	9.55	9.54	0.01	25.61	NA
	12/19/2001	5.30	4.84	0.46	30.22	0.1
	3/13/2002	6.78	sheen	-	28.37	0.16
	6/24/2002	6.80	6.79	0.01	28.36	0.2
	9/26/2002	8.86	sheen	-	26.29	0.01
	12/20/2002	6.34	6.35	0.01	28.82	NA
	3/17/2003	4.78	4.70	0.08	30.43	0.1
	6/26/2003	6.51	sheen	-	28.64	0.02
	9/24/2003	8.35	NP	-	26.80	NA
	12/30/2003	4.80	4.60	0.2*	30.35	0.10
	3/29/2004	5.35	5.33	0.02*	29.80	NA
	6/29/2004	6.82	6.81	0.01	28.34	NA
	9/27/2004	8.58	8.56	0.02	26.59	NA
	12/14/2004	5.32	sheen	-	29.83	0.30
	3/7/2005	7.71	NP	-	27.44	0.20
	6/20/2005	5.39	5.36	0.03	29.78	0.10
	9/19/2005	-**	8.01	0.02	-**	0.20
	12/12/2005	5.94	5.89	0.05	29.25	0.30
	3/13/2006	4.60	sheen	-	30.55	0.20
	6/27/2006	-**	5.71	-	-**	NA
	9/25/2006	-**	**8.80**	-	-**	**0.40**

COPPOR00007097

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-25	2/14/2000	10.03	NP	-	24.70	NA
(34.73)	5/22/2000	11.66	NP	-	23.07	NA
	8/23/2000	12.20	NP	-	22.53	NA
	11/28/2000	12.34	NP	-	22.39	NA
	2/21/2001	11.97	NP	-	22.76	NA
	5/15/2001	11.91	NP	-	22.82	NA
	9/19/2001	13.12	NP	-	21.61	NA
	12/19/2001	10.45	NP	-	24.28	NA
	3/13/2002	10.35	NP	-	24.38	NA
	6/24/2002	11.38	NP	-	23.35	NA
	9/26/2002	12.77	NP	-	21.96	NA
	12/20/2002	12.14	NP	-	22.59	NA
	3/17/2003	10.38	NP	-	24.35	NA
	6/26/2003	11.60	NP	-	23.13	NA
	9/24/2003	12.77	NP	-	21.96	NA
	12/30/2003	11.00	NP	-	23.73	NA
	3/29/2004	10.46	NP	-	24.27	NA
	6/29/2004	11.93	NP	-	22.80	NA
	9/27/2004	12.67	NP	-	22.06	NA
	12/14/2004	12.52	NP	-	22.21	NA
	3/7/2005	12.10	NP	-	22.63	NA
	6/20/2005	11.40	NP	-	23.33	NA
	9/19/2005	12.71	NP	-	22.02	NA
	12/12/2005	11.52	NP	-	23.21	NA
	3/13/2006	10.16	NP	-	24.57	NA
	6/27/2006	11.21	NP	-	23.52	NA
	9/25/2006	**12.70**	**NP**	**-**	**22.03**	**NA**
MW-26	2/14/2000	10.44	NP	-	24.34	NA
(34.78)	5/22/2000	11.10	NP	-	23.68	NA
	8/23/2000	12.55	NP	-	22.23	NA
	11/28/2000	12.63	NP	-	22.15	NA
	2/21/2001	12.33	sheen	-	22.45	NA
	5/15/2001	12.24	NP	-	22.54	NA
	9/19/2001	13.47	sheen	-	21.31	NA
	12/19/2001	11.04	NP	-	23.74	NA
	3/13/2002	10.91	sheen	-	23.87	NA
	6/24/2002	11.88	NP	-	22.90	NA
	9/26/2002	13.07	NP	-	21.71	NA
	12/20/2002	12.55	NP	-	22.23	NA
	3/17/2003	10.93	NP	-	23.85	NA
	6/26/2003	12.00	NP	-	22.78	NA
	9/24/2003	13.13	NP	-	21.65	NA
	12/30/2003	11.53	NP	-	23.25	NA
	3/29/2004	10.46	NP	-	24.32	NA
	6/29/2004	12.43	NP	-	22.35	NA
	9/27/2004	13.03	NP	-	21.75	NA
	12/14/2004	12.30	NP	-	22.48	NA
	3/7/2005	12.51	NP	-	22.27	NA
	6/20/2005	11.78	NP	-	23.00	NA
	9/19/2005	13.09	NP	-	21.69	NA
	12/12/2005	11.95	NP	-	22.83	NA
	3/13/2006	10.61	NP	-	24.17	NA
	6/27/2006	11.65	NP	-	23.13	NA
	9/25/2006	**13.06**	**NP**	**-**	**21.72**	**NA**

COPPOR00007098

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-27	2/14/2000	3.67	NP	-	32.02	NA
(35.69)	5/22/2000	4.91	NP	-	30.78	NA
	8/23/2000	6.15	NP	-	29.54	NA
	11/28/2000	5.49	NP	-	30.20	NA
	2/21/2001	5.64	NP	-	30.05	NA
	5/15/2001	5.31	NP	-	30.38	NA
	9/19/2001	6.68	NP	-	29.01	NA
	12/19/2001	4.40	NP	-	31.29	NA
	3/13/2002	3.97	NP	-	31.72	NA
	6/24/2002	5.75	NP	-	29.94	NA
	9/26/2002	6.50	NP	-	29.19	NA
	12/20/2002	5.19	NP	-	30.50	NA
	3/17/2003	4.46	NP	-	31.23	NA
	6/26/2003	5.83	NP	-	29.86	NA
	9/24/2003	6.60	NP	-	29.09	NA
	12/30/2003	4.60	NP	-	31.09	NA
	3/29/2004	4.83	NP	-	30.86	NA
	6/29/2004	5.94	NP	-	29.75	NA
	9/27/2004	6.07	NP	-	29.62	NA
	12/14/2004	5.20	NP	-	30.49	NA
	3/7/2005	5.78	NP	-	29.91	NA
	6/20/2005	5.35	NP	-	30.34	NA
	9/19/2005	6.32	NP	-	29.37	NA
	12/12/2005	5.36	NP	-	30.33	NA
	3/13/2006	4.32	NP	-	31.37	NA
	6/27/2006	5.21	NP	-	30.48	NA
	9/25/2006	**6.45**	**NP**	**-**	**29.24**	**NA**
MW-28	2/14/2000	4.03	NP	-	30.36	NA
(34.39)	5/22/2000	5.44	NP	-	28.95	1.0
	8/23/2000	9.55	NP	-	24.84	NA
	11/28/2000	11.34	sheen	-	23.05	0.4
	2/21/2001	8.52	8.51	0.01	25.88	0.1
	5/15/2001	8.54	sheen	-	25.85	NA
	9/19/2001	13.75	13.48	0.27	20.86	0.6
	12/19/2001	4.47	NP	-	29.92	0.4
	3/13/2002	4.49	sheen	-	29.90	NA
	6/24/2002	7.34	NP	-	27.05	NA
	9/26/2002	9.39	NP	-	25.00	NA
	12/23/2002	7.12	7.11	0.01	27.28	NA
	3/17/2003	4.68	4.66	0.02	29.73	0.05
	6/26/2003	7.15	sheen	-	27.24	0.03
	9/24/2003	13.25	13.21	0.04	21.17	0.2
	12/30/2003	5.87	NP	-	29.90	NA
	3/29/2004	5.97	sheen	-	29.80	NA
	6/29/2004	9.68	sheen	-	26.09	NA
	9/27/2004	13.35	13.33	0.02	21.06	NA
	12/14/2004	7.51	sheen	-	26.88	0.4
	3/7/2005	10.65	sheen	-	23.74	0.2
	6/20/2005	7.85	sheen	-	26.54	0.2
	9/19/2005	12.65	sheen	-	21.74	0.3
	12/12/2005	6.87	6.86	0.01	27.53	0.2
	3/13/2006	4.91	NP	-	29.48	0
	6/27/2006	6.95	NP	-	27.44	0
	9/25/2006	**13.05**	**sheen**	**-**	**21.34**	**0.1**

COPPOR00007099

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-29	2/14/2000	12.98	NP	-	22.79	NA
(35.77)	5/22/2000	13.49	NP	-	22.28	NA
	8/23/2000	14.53	NP	-	21.24	NA
	11/28/2000	14.84	NP	-	20.93	NA
	2/21/2001	14.54	NP	-	21.23	NA
	5/15/2001	14.52	NP	-	21.25	NA
	9/19/2001	15.57	NP	-	20.20	NA
	12/19/2001	13.59	NP	-	22.18	NA
	3/13/2002	13.21	NP	-	22.56	NA
	6/24/2002	13.94	NP	-	21.83	NA
	9/26/2002	15.11	NP	-	20.66	NA
	12/20/2002	14.79	NP	-	20.98	NA
	3/17/2003	13.26	NP	-	22.51	NA
	6/26/2003	13.93	NP	-	21.84	NA
	9/24/2003	15.29	NP	-	20.48	NA
	12/30/2003	13.99	NP	-	21.78	NA
	3/29/2004	13.47	NP	-	22.30	NA
	6/29/2004	14.48	NP	-	21.29	NA
	9/27/2004	15.18	NP	-	20.59	NA
	12/14/2004	14.56	NP	-	21.21	NA
	3/7/2005	14.57	NP	-	21.20	NA
	6/20/2005	13.96	NP	-	21.81	NA
	9/19/2005	15.15	NP	-	20.62	NA
	12/12/2005	14.10	NP	-	21.67	NA
	3/13/2006	12.97	NP	-	22.80	NA
	6/27/2006	13.70	NP	-	22.07	NA
	9/25/2006	**15.10**	**NP**	**-**	**20.67**	**NA**
MW-30	2/14/2000	3.97	NP	-	32.42	NA
(36.39)	5/22/2000	5.37	NP	-	31.02	NA
	8/23/2000	7.06	NP	-	29.33	NA
	11/28/2000	7.34	NP	-	29.05	NA
	2/21/2001	6.74	NP	-	29.65	NA
	5/15/2001	6.50	NP	-	29.89	NA
	9/19/2001	8.28	NP	-	28.11	NA
	12/19/2001	4.35	NP	-	32.04	NA
	3/13/2002	4.31	NP	-	32.08	NA
	6/24/2002	6.28	NP	-	30.11	NA
	9/26/2002	7.64	NP	-	28.75	NA
	12/20/2002	7.11	NP	-	29.28	NA
	3/17/2003	4.72	NP	-	31.67	NA
	6/26/2003	6.14	NP	-	30.25	NA
	9/24/2003	7.85	NP	-	28.54	NA
	12/30/2003	4.87	NP	-	31.52	NA
	3/29/2004	5.21	NP	-	31.18	NA
	6/29/2004	6.71	NP	-	29.68	NA
	9/27/2004	7.71	NP	-	28.68	NA
	12/14/2004	6.60	NP	-	29.79	NA
	3/7/2005	6.81	NP	-	29.58	NA
	6/20/2005	5.85	NP	-	30.54	NA
	9/19/2005	7.39	NP	-	29.00	NA
	12/12/2005	5.66	NP	-	30.73	NA
	3/13/2006	4.55	NP	-	31.84	NA
	6/27/2006	5.81	NP	-	30.58	NA
	9/25/2006	**7.51**	**NP**	**-**	**28.88**	**NA**

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-31	2/14/2000	5.19	NP	-	30.47	NA
(35.66)	5/22/2000	6.66	NP	-	29.00	NA
	8/23/2000	8.41	NP	-	27.25	NA
	11/28/2000	8.86	NP	-	26.80	NA
	2/21/2001	8.07	NP	-	27.59	NA
	5/15/2001	7.90	NP	-	27.76	NA
	9/19/2001	9.69	NP	-	25.97	NA
	12/19/2001	5.43	NP	-	30.23	NA
	3/13/2002	5.31	NP	-	30.35	NA
	6/24/2002	7.67	NP	-	27.99	NA
	9/26/2002	9.09	9.06	0.03	26.59	NA
	12/20/2002	8.89	NP	-	26.77	NA
	3/17/2003	6.12	sheen	-	29.54	0.01
	6/26/2003	7.58	NP	-	28.08	NA
	9/24/2003	9.54	9.45	0.09	26.12	0.2
	12/30/2003	6.20	NP	-	29.46	NA
	3/29/2004	6.49	NP	-	29.17	NA
	6/29/2004	8.31	sheen	-	27.35	NA
	9/27/2004	9.38	sheen	-	26.28	NA
	12/14/2004	8.55	NP	-	27.11	NA
	3/7/2005	8.43	NP	-	27.23	NA
	6/20/2005	7.43	sheen	-	28.23	0.1
	9/19/2005	9.02	NP	-	26.64	0.1
	12/12/2005	6.99	NP	-	28.67	NA
	3/13/2006	5.61	NP	-	30.05	NA
	6/27/2006	7.19	sheen	-	28.47	NA
	9/25/2006	**9.34**	**9.26**	**0.08**	**26.32**	**0.21**
MW-32	2/14/2000	3.57	NP	-	33.44	NA
(37.01)	5/22/2000	4.83	NP	-	32.18	NA
	8/23/2000	6.41	NP	-	30.60	NA
	11/28/2000	6.69	NP	-	30.32	NA
	2/21/2001	6.11	NP	-	30.90	NA
	5/15/2001	5.99	NP	-	31.02	NA
	9/19/2001	7.64	NP	-	29.37	NA
	12/19/2001	4.30	NP	-	32.71	NA
	3/13/2002	3.71	NP	-	33.30	NA
	6/24/2002	5.72	NP	-	31.29	NA
	9/26/2002	7.18	NP	-	29.83	NA
	12/20/2002	6.72	NP	-	30.29	NA
	3/17/2003	4.15	sheen	-	32.86	0.01
	6/26/2003	5.53	NP	-	31.48	NA
	9/24/2003	7.28	NP	-	29.73	NA
	12/30/2003	4.58	NP	-	32.43	NA
	3/29/2004	4.65	NP	-	32.36	NA
	6/29/2004	6.25	NP	-	30.76	NA
	9/27/2004	7.16	NP	-	29.85	NA
	12/14/2004	6.28	NP	-	30.73	NA
	3/7/2005	6.32	NP	-	30.69	NA
	6/20/2005	5.42	NP	-	31.59	NA
	9/19/2005	6.91	NP	-	30.10	NA
	12/12/2005	5.21	NP	-	31.80	NA
	3/13/2006	3.99	NP	-	33.02	NA
	6/27/2006	5.32	NP	-	31.69	NA
	9/25/2006	**7.05**	**NP**	-	**29.96**	**NA**

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-33	2/14/2000	19.59	NP	-	19.75	NA
(39.34)	5/22/2000	20.15	NP	-	19.19	NA
	8/23/2000	20.88	NP	-	18.46	NA
	11/28/2000	20.98	NP	-	18.36	NA
	2/21/2001	20.78	NP	-	18.56	NA
	5/15/2001	20.83	NP	-	18.51	NA
	9/19/2001	21.43	NP	-	17.91	NA
	12/19/2001	12.62	NP	-	26.72	NA
	3/13/2002	19.61	NP	-	19.73	NA
	6/24/2002	20.42	NP	-	18.92	NA
	9/26/2002	21.13	NP	-	18.21	NA
	12/20/2002	20.66	NP	-	18.68	NA
	3/17/2003	19.73	NP	-	19.61	NA
	6/26/2003	20.31	NP	-	19.03	NA
	9/24/2003	21.04	NP	-	18.30	NA
	12/30/2003	19.82	NP	-	19.52	NA
	3/29/2004	19.89	NP	-	19.45	NA
	6/29/2004	20.65	NP	-	18.69	NA
	9/27/2004	21.16	NP	-	18.18	NA
	12/14/2004	20.60	NP	-	18.74	NA
	3/7/2005	20.57	NP	-	18.77	NA
	6/20/2005	20.32	NP	-	19.02	NA
	9/19/2005	21.05	NP	-	18.29	NA
	12/12/2005	20.20	NP	-	19.14	NA
	3/13/2006	19.54	NP	-	19.80	NA
	6/27/2006	20.11	NP	-	19.23	NA
	9/25/2006	**20.96**	**NP**	**-**	**18.38**	**NA**
MW-34	2/14/2000	19.31	NP	-	20.36	NA
(39.67)	5/22/2000	19.75	NP	-	19.92	NA
	8/23/2000	20.88	NP	-	18.79	NA
	11/28/2000	20.39	NP	-	19.28	NA
	2/21/2001	20.19	NP	-	19.48	NA
	5/15/2001	20.18	NP	-	19.49	NA
	9/19/2001	20.60	NP	-	19.07	NA
	12/19/2001	19.20	NP	-	20.47	NA
	3/13/2002	19.37	NP	-	20.30	NA
	6/24/2002	19.95	NP	-	19.72	NA
	9/26/2002	20.41	NP	-	19.26	NA
	3/17/2003	19.39	NP	-	20.28	NA
	6/26/2003	19.85	NP	-	19.82	NA
	9/24/2003	20.39	NP	-	19.28	NA
	12/30/2003	19.57	NP	-	20.10	NA
	3/29/2004	19.54	NP	-	20.13	NA
	6/29/2004	20.11	NP	-	19.56	NA
	9/27/2004	20.46	NP	-	19.21	NA
	12/14/2004	20.15	NP	-	19.52	NA
	3/7/2005	20.00	NP	-	19.67	NA
	6/20/2005	19.84	NP	-	19.83	NA
	9/19/2005	20.37	NP	-	19.30	NA
	12/12/2005	19.71	NP	-	19.96	NA
	3/13/2006	19.30	NP	-	20.37	NA
	6/27/2006	19.80	NP	-	19.87	NA
	9/25/2006	**20.33**	**NP**	**-**	**19.34**	**NA**

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-35	2/14/2000	2.34	NP	-	31.05	NA
(33.39)	5/22/2000	3.21	NP	-	30.18	NA
	8/23/2000	4.98	NP	-	28.41	NA
	11/28/2000	5.54	NP	-	27.85	NA
	2/21/2001	4.67	NP	-	28.72	NA
	5/15/2001	4.35	NP	-	29.04	NA
	9/18/2001	6.33	NP	-	27.06	NA
	12/19/2001	5.84	NP	-	27.55	NA
	3/13/2002	2.61	NP	-	30.78	NA
	6/24/2002	--Unable to Locate--				
	9/26/2002	5.85	NP	-	27.54	NA
	12/20/2002	5.91	sheen	-	27.48	NA
	3/17/2003	3.44	NP	-	29.95	NA
	6/26/2003	3.83	NP	-	29.56	NA
	9/24/2003	5.85	NP	-	27.54	NA
	12/30/2003	3.58	NP	-	29.81	NA
	3/29/2004	2.97	NP	-	30.42	NA
	6/29/2004	2.50	NP	-	30.89	NA
	9/27/2004	5.55	NP	-	27.84	NA
	12/14/2004	4.91	NP	-	28.48	NA
	3/7/2005	4.85	NP	-	28.54	NA
	6/20/2005	4.13	NP	-	29.26	NA
	9/19/2005	5.51	NP	-	27.88	NA
	12/12/2005	4.02	NP	-	29.37	NA
	3/13/2006	2.69	NP	-	30.70	NA
	6/27/2006	3.64	NP	-	29.75	NA
	9/25/2006	**5.50**	**NP**	**-**	**27.89**	**NA**
MW-36	2/14/2000	14.04	NP	-	20.84	NA
(34.88)	5/22/2000	14.62	NP	-	20.26	NA
	8/23/2000	15.39	NP	-	19.49	NA
	11/28/2000	15.72	NP	-	19.16	NA
	2/21/2001	15.49	NP	-	19.39	NA
	5/15/2001	15.51	NP	-	19.37	NA
	9/19/2001	16.08	NP	-	18.80	NA
	12/20/2001	14.98	NP	-	19.90	NA
	3/13/2002	14.18	NP	-	20.70	NA
	6/24/2002	--Unable to Access--				
	9/26/2002	17.92	NP	-	16.96	NA
	12/20/2002	15.59	NP	-	19.29	NA
	3/17/2003	14.25	NP	-	20.63	NA
	6/26/2003	--Unable to Access--				
	9/24/2003	15.74	NP	-	19.14	NA
	12/30/2003	14.97	NP	-	19.91	NA
	3/29/2004	14.37	NP	-	20.51	NA
	6/29/2004	15.33	NP	-	19.55	NA
	9/27/2004	15.87	NP	-	19.01	NA
	12/14/2004	15.54	NP	-	19.34	NA
	3/7/2005	--Unable to Access--				
	6/20/2005	14.98	NP	-	19.90	NA
	9/19/2005	15.75	NP	-	19.13	NA
	12/12/2005	15.01	NP	-	19.87	NA
	3/13/2006	13.82	NP	-	21.06	NA
	6/27/2006	14.78	NP	-	20.10	NA
	9/25/2006	**15.61**	**NP**	**-**	**19.27**	**NA**

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-37	2/14/2000	14.71	NP	-	20.15	NA
(34.86)	5/22/2000	15.27	NP	-	19.59	NA
	8/23/2000	16.06	NP	-	18.80	NA
	11/28/2000	16.32	NP	-	18.54	NA
	2/21/2001	16.10	NP	-	18.76	NA
	5/15/2001	16.11	NP	-	18.75	NA
	9/19/2001	16.69	NP	-	18.17	NA
	12/19/2001	15.10	NP	-	19.76	NA
	3/13/2002	14.64	14.62	0.02	20.24	0.1
	6/24/2002	15.66	NP	-	19.20	NA
	9/26/2002	16.39	NP	-	18.47	NA
	12/20/2002	16.11	sheen	-	18.75	NA
	3/17/2003	14.92	NP	-	19.94	NA
	6/26/2003	--Unable to Acess--				
	9/24/2003	16.40	16.37	0.03	18.48	0.1
	12/30/2003	15.35	NP	NP	19.51	NA
	3/29/2004	14.93	14.94	0.01	19.94	0.1
	6/29/2004	15.96	sheen	-	18.90	NA
	9/27/2004	16.52	16.51	0.01	18.35	0.1
	12/14/2004	16.10	NP	-	18.76	NA
	3/7/2005	16.07	NP	-	18.79	0.1
	6/20/2005	15.60	NP	-	19.26	NA
	9/19/2005	16.34	NP	-	18.52	NA
	12/12/2005	15.59	NP	-	19.27	NA
	3/13/2006	14.21	NP	-	20.65	NA
	6/27/2006	15.29	NP	-	19.57	NA
	9/25/2006	**16.19**	**NP**	**-**	**18.67**	**NA**
MW-38	2/14/2000	4.72	NP	-	32.78	NA
(37.50)	5/22/2000	6.17	NP	-	31.33	NA
	8/23/2000	8.02	NP	-	29.48	NA
	11/28/2000	8.41	NP	-	29.09	NA
	2/21/2001	7.62	NP	-	29.88	NA
	5/15/2001	7.65	sheen	-	29.85	NA
	9/18/2001	9.52	NP	-	27.98	NA
	12/19/2001	6.05	NP	-	31.45	NA
	3/13/2002	4.97	NP	-	32.53	NA
	6/24/2002	7.10	NP	-	30.40	NA
	9/26/2002	9.09	NP	-	28.41	NA
	12/23/2002	7.82	NP	-	29.68	NA
	3/17/2003	4.89	NP	-	32.61	NA
	6/26/2003	6.55	NP	-	30.95	NA
	9/24/2003	9.04	NP	-	28.46	NA
	12/30/2003	6.57	NP	-	30.93	NA
	3/29/2004	5.42	NP	-	32.08	NA
	6/29/2004	7.34	NP	-	30.16	NA
	9/27/2004	8.57	NP	-	28.93	NA
	12/14/2004	7.84	NP	-	29.66	NA
	3/7/2005	7.85	NP	-	29.65	NA
	6/20/2005	6.69	NP	-	30.81	NA
	9/19/2005	8.73	NP	-	28.77	NA
	12/12/2005	6.95	NP	-	30.55	NA
	3/13/2006	4.92	NP	-	32.58	NA
	6/27/2006	6.49	NP	-	31.01	NA
	9/25/2006	**8.64**	**NP**	**-**	**28.86**	**NA**

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-39	2/14/2000	NM	NP	-	NA	NA
(35.02)	5/22/2000	13.56	NP	-	21.46	NA
	8/23/2000	14.15	NP	-	20.87	NA
	11/28/2000	14.52	NP	-	20.50	NA
	2/21/2001	14.30	NP	-	20.72	NA
	5/15/2001	14.24	NP	-	20.78	NA
	9/19/2001	14.82	NP	-	20.20	NA
	12/19/2001	13.52	NP	-	21.50	NA
	3/13/2002	13.26	NP	-	21.76	NA
	6/24/2002	--Unable to Locate--				
	9/26/2002	17.01	NP	-	18.01	NA
	12/20/2002	14.71	NP	-	20.31	NA
	3/17/2003	13.37	NP	-	21.65	NA
	6/26/2003	--Unable to Access--				
	9/24/2003	14.59	NP	-	20.43	NA
	12/30/2003	13.97	NP	-	21.05	NA
	3/29/2004	13.42	NP	-	21.60	NA
	6/29/2004	14.17	NP	-	20.85	NA
	9/27/2004	14.71	NP	-	20.31	NA
	12/14/2004	--Unable to Access--				
	3/7/2005	--Unable to Access--				
	6/20/2005	--Unable to Access--				
	9/19/2005	14.54	NP	-	20.48	NA
	12/12/2005	13.98	NP	-	21.04	NA
	3/13/2006	12.96	NP	-	22.06	NA
	6/27/2006	13.61	NP	-	21.41	NA
	9/25/2006	**14.44**	**NP**	-	**20.58**	**NA**

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-40	2/14/2000	13.64	NP	-	20.01	NA
(33.65)	5/22/2000	14.28	NP	-	19.37	NA
	8/23/2000	15.01	NP	-	18.64	NA
	11/28/2000	15.15	NP	-	18.50	NA
	2/21/2001	14.97	NP	-	18.68	NA
	5/15/2001	15.00	NP	-	18.65	NA
	9/19/2001	15.58	NP	-	18.07	NA
	12/19/2001	13.72	NP	-	19.93	NA
	3/13/2002	13.58	NP	-	20.07	NA
	6/24/2002	14.62	NP	-	19.03	NA
	9/26/2002	17.30	NP	-	16.35	NA
	12/20/2002	15.78	NP	-	17.87	NA
	3/17/2003	13.84	NP	-	19.81	NA
	6/26/2003	14.45	NP	-	19.20	NA
	9/24/2003	15.25	NP	-	18.40	NA
	12/30/2003	14.03	NP	-	19.62	NA
	3/29/2004	14.04	NP	-	19.61	NA
	6/29/2004	14.85	NP	-	18.80	NA
	9/27/2004	15.35	NP	-	18.30	NA
	12/14/2004	14.80	NP	-	18.85	NA
	3/7/2005	14.84	NP	-	18.81	NA
	6/20/2005	14.50	NP	-	19.15	NA
	9/19/2005	15.25	NP	-	18.40	NA
	12/12/2005	14.40	NP	-	19.25	NA
	3/13/2006	13.57	NP	-	20.08	NA
	6/27/2006	14.39	NP	-	19.26	NA
	9/25/2006	**15.15**	**NP**	**-**	**18.50**	**NA**

NOTES:
If SPH Thickness equals 0.0 feet, then non-measurable sheen was observed
NP - No measurable product
NA - Not Applicable
NM - Not Measured
* - SPH recovered for latest quarter monitored
** - Unable to determine due to SPH viscosity
GWE = TOC -(DTW - (0.8 x DTP - DTW)) Where 0.8 = The density of the SPH

COPPOR00007106

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-1	2/14/2000	16.82	NP	-	17.86	NA
(34.68)	5/22/2000	17.05	NP	-	17.63	NA
	8/22/2000	17.48	NP	-	17.20	NA
	11/27/2000	17.82	NP	-	16.86	NA
	2/20/2001	17.71	NP	-	16.97	NA
	5/15/2001	17.68	NP	-	17.00	NA
	9/18/2001	18.01	NP	-	16.67	NA
	12/20/2001	17.10	NP	-	17.58	NA
	3/13/2002	16.77	NP	-	17.91	NA
	6/24/2002	17.32	NP	-	17.36	NA
	9/26/2002	17.74	NP	-	16.94	NA
	12/20/2002	17.57	NP	-	17.11	NA
	3/17/2003	16.97	NP	-	17.71	NA
	6/26/2003	17.24	NP	-	17.44	NA
	9/24/2003	17.77	NP	-	16.91	NA
	12/30/2003	17.09	NP	-	17.59	NA
	3/29/2004	16.98	NP	-	17.70	NA
	6/29/2004	17.45	NP	-	17.23	NA
	9/27/2004	17.71	NP	-	16.97	NA
	12/14/2004	17.58	NP	-	17.10	NA
	3/7/2005	17.62	NP	-	17.06	NA
	6/20/2005	17.30	NP	-	17.38	NA
	9/19/2005	17.74	NP	-	16.94	NA
	12/12/2005	17.22	NP	-	17.46	NA
	3/13/2006	16.50	NP	-	18.18	NA
	6/26/2006	17.03	NP	-	17.65	NA
	9/25/2006	**17.39**	**NP**	**-**	**17.29**	**NA**
B-2	2/14/2000	16.68	NP	-	18.67	NA
(35.35)	5/22/2000	17.06	NP	-	18.29	NA
	8/22/2000	17.61	NP	-	17.74	NA
	11/27/2000	17.97	NP	-	17.38	NA
	2/20/2001	17.82	NP	-	17.53	NA
	5/15/2001	17.74	NP	-	17.61	NA
	9/18/2001	18.23	NP	-	17.12	NA
	12/20/2001	17.06	NP	-	18.29	NA
	3/13/2002	16.80	NP	-	18.55	NA
	6/24/2002	17.44	NP	-	17.91	NA
	9/26/2002	17.99	NP	-	17.36	NA
	12/20/2002	18.06	NP	-	17.29	NA
	3/17/2003	17.03	NP	-	18.32	NA
	6/26/2003	17.29	NP	-	18.06	NA
	9/24/2003	18.03	NP	-	17.32	NA
	12/30/2003	17.38	NP	-	17.97	NA
	3/29/2004	16.89	NP	-	18.46	NA
	6/29/2004	17.62	NP	-	17.73	NA
	9/27/2004	18.09	NP	-	17.26	NA
	12/14/2004	17.94	NP	-	17.41	NA
	3/7/2005	17.78	NP	-	17.57	NA
	6/20/2005	17.41	NP	-	17.94	NA
	9/19/2005	17.98	NP	-	17.37	NA
	12/12/2005	17.37	NP	-	17.98	NA
	3/13/2006	16.50	NP	-	18.85	NA
	6/26/2006	17.14	NP	-	18.21	NA
	9/25/2006	**17.63**	**NP**	**-**	**17.72**	**NA**

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-3	2/14/2000	18.14	NP	-	16.67	NA
(34.81)	5/22/2000	18.36	NP	-	16.45	NA
	8/22/2000	19.05	NP	-	15.76	NA
	11/27/2000	19.31	NP	-	15.50	NA
	2/20/2001	19.22	NP	-	15.59	NA
	5/15/2001	19.26	NP	-	15.55	NA
	9/18/2001	19.63	NP	-	15.18	NA
	12/20/2001	18.03	NP	-	16.78	NA
	3/13/2002	18.12	NP	-	16.69	NA
	6/24/2002	18.84	NP	-	15.97	NA
	9/26/2002	19.21	NP	-	15.60	NA
	12/20/2002	18.79	NP	-	16.02	NA
	3/17/2003	18.14	NP	-	16.67	NA
	6/26/2003	18.87	NP	-	15.94	NA
	9/24/2003	19.20	NP	-	15.61	NA
	12/30/2003	18.22	NP	-	16.59	NA
	3/29/2004	18.30	NP		16.51	NA
	6/29/2004	18.93	NP	-	15.88	NA
	9/27/2004	19.19	NP	-	15.62	NA
	12/14/2004	18.89	NP	-	15.92	NA
	3/7/2005	19.14	NP	-	15.67	NA
	6/20/2005	18.88	NP	-	15.93	NA
	9/19/2005	19.24	NP	-	15.57	NA
	12/12/2005	18.50	NP	-	16.31	NA
	3/13/2006	17.75	NP	-	17.06	NA
	6/26/2006	18.43	NP	-	16.38	NA
	9/25/2006	**18.87**	**NP**	**-**	**15.94**	**NA**
B-4	2/14/2000	18.25	17.59	0.66	16.98	3
(34.70)	5/22/2000	17.80	NP	-	16.90	0.5
	8/22/2000	18.22	18.21	0.01	16.49	NA
	11/27/2000	18.55	NP	-	16.15	NA
	2/20/2001	18.49	18.48	0.01	16.22	NA
	5/15/2001	18.47	18.46	0.01	16.24	0.1
	9/18/2001	18.75	18.74	0.01	15.96	0.1
	12/20/2001	18.05	NP	-	16.65	NA
	3/13/2002	17.69	NP	-	17.01	0.1
	6/24/2002	18.10	NP	-	16.60	NA
	9/26/2002	18.43	NP	-	16.27	NA
	12/20/2002	18.43	NP	-	16.27	NA
	3/17/2003	18.14	17.81	0.33	16.82	0.01
	6/26/2003	18.08	18.05	0.03	16.64	0.04
	9/24/2003	18.45	18.44	0.01	16.26	NA
	12/30/2003	18.05	NP	-	16.65	NA
	3/29/2004	17.90	17.70	0.20	16.96	0.1
	6/29/2004	18.61	sheen	-	16.09	NA
	9/27/2004	18.46	NP	-	16.24	NA
	12/14/2004	18.42	NP	-	16.28	NA
	3/7/2005	18.35	NP	-	16.35	NA
	6/20/2005	18.19	18.11	0.08	16.57	0.1
	9/19/2005	18.45	sheen	-	16.25	0.11
	12/12/2005	18.17	NP	-	16.53	0.2
	3/13/2006	17.43	17.24	0.19	17.42	0.1
	6/26/2006	17.79	NP	-	16.91	NA
	9/25/2006	**18.28**	**NP**	**-**	**16.42**	**NA**

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-5	2/14/2000	16.24	NP	-	18.59	NA
(34.83)	5/22/2000	16.63	NP	-	18.20	NA
	8/22/2000	16.98	sheen	-	17.85	NA
	11/27/2000	17.36	NP	-	17.47	NA
	2/20/2001	17.23	NP	-	17.60	NA
	5/15/2001	17.18	NP	-	17.65	NA
	9/18/2001	17.49	NP	-	17.34	NA
	12/20/2001	16.68	NP	-	18.15	NA
	3/13/2002	16.28	NP	-	18.55	NA
	6/24/2002	16.88	NP	-	17.95	NA
	9/26/2002	17.28	NP	-	17.55	NA
	12/20/2002	17.43	NP	-	17.40	NA
	3/17/2003	16.51	NP	-	18.32	NA
	6/26/2003	16.71	NP	-	18.12	NA
	9/24/2003	17.33	NP	-	17.50	NA
	12/30/2003	16.86	NP	-	17.97	NA
	3/29/2004	16.33	NP	-	18.50	NA
	6/29/2004	16.99	NP	-	17.84	NA
	9/27/2004	17.35	NP	-	17.48	NA
	12/14/2004	17.25	NP	-	17.58	NA
	3/7/2005	17.15	NP	-	17.68	NA
	6/20/2005	16.77	NP	-	18.06	NA
	9/19/2005	17.25	NP	-	17.58	NA
	12/12/2005	16.75	NP	-	18.08	NA
	3/13/2006	15.90	NP	-	18.93	NA
	6/26/2006	16.58	NP	-	18.25	NA
	9/25/2006	**17.10**	**NP**	**-**	**17.73**	**NA**
B-6	2/14/2000	16.53	NP	-	18.96	NA
(35.49)	5/22/2000	16.95	NP	-	18.54	NA
	8/22/2000	17.40	NP	-	18.09	NA
	11/27/2000	17.80	NP	-	17.69	NA
	2/20/2001	17.64	NP	-	17.85	NA
	5/15/2001	17.56	NP	-	17.93	NA
	9/18/2001	17.95	NP	-	17.54	NA
	12/20/2001	17.02	NP	-	18.47	NA
	3/13/2002	16.57	NP	-	18.92	NA
	6/24/2002	17.22	NP	-	18.27	NA
	9/26/2002	17.71	NP	-	17.78	NA
	12/20/2002	17.80	NP	-	17.69	NA
	3/17/2003	16.81	NP	-	18.68	NA
	6/26/2003	17.04	NP	-	18.45	NA
	9/24/2003	17.73	NP	-	17.76	NA
	12/30/2003	17.21	NP	-	18.28	NA
	3/29/2004	16.61	NP	-	18.88	NA
	6/29/2004	17.35	NP	-	18.14	NA
	9/27/2004	17.80	NP	-	17.69	NA
	12/14/2004	17.66	NP	-	17.83	NA
	3/7/2005	17.50	NP	-	17.99	NA
	6/20/2005	17.12	NP	-	18.37	NA
	9/19/2005	17.66	NP	-	17.83	NA
	12/12/2005	17.12	NP	-	18.37	NA
	3/13/2006	16.14	NP	-	19.35	NA
	6/26/2006	16.90	NP	-	18.59	NA
	9/25/2006	**17.50**	**NP**	**-**	**17.99**	**NA**

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-16	2/14/2000	16.84	NP	-	18.98	NA
(35.82)	5/22/2000	17.27	NP	-	18.55	NA
	8/22/2000	17.76	NP	-	18.06	NA
	11/27/2000	18.16	NP	-	17.66	NA
	2/20/2001	17.98	NP	-	17.84	NA
	5/15/2001	18.04	NP	-	17.78	NA
	9/18/2001	18.44	NP	-	17.38	NA
	12/20/2001	17.43	NP	-	18.39	NA
	3/13/2002	17.02	NP	-	18.80	NA
	6/24/2002	17.67	NP	-	18.15	NA
	9/26/2002	18.18	NP	-	17.64	NA
	12/20/2002	18.31	NP	-	17.51	NA
	3/17/2003	17.24	NP	-	18.58	NA
	6/26/2003	17.46	NP	-	18.36	NA
	9/24/2003	18.21	NP	-	17.61	NA
	12/30/2003	17.67	NP	-	18.15	NA
	3/29/2004	17.06	NP	-	18.76	NA
	6/29/2004	17.80	NP	-	18.02	NA
	9/27/2004	18.28	NP	-	17.54	NA
	12/14/2004	18.14	NP	-	17.68	NA
	3/7/2005	17.95	NP	-	17.87	NA
	6/20/2005	17.58	NP	-	18.24	NA
	9/19/2005	18.16	NP	-	17.66	NA
	12/12/2005	17.58	NP	-	18.24	NA
	3/13/2006	16.59	NP	-	19.23	NA
	6/26/2006	17.33	NP	-	18.49	NA
	9/25/2006	**17.94**	**NP**	**-**	**17.88**	**NA**
B-17	2/14/2000	16.83	NP	-	18.78	NA
(35.61)	5/22/2000	17.20	NP	-	18.41	NA
	8/22/2000	17.76	NP	-	17.85	NA
	11/27/2000	18.05	NP	-	17.56	NA
	2/20/2001	17.88	NP	-	17.73	NA
	5/15/2001	17.84	NP	-	17.77	NA
	9/18/2001	18.21	NP	-	17.40	NA
	12/20/2001	17.31	NP	-	18.30	NA
	3/13/2002	16.91	NP	-	18.70	NA
	6/24/2002	17.50	NP	-	18.11	NA
	9/26/2002	17.97	NP	-	17.64	NA
	12/20/2002	18.07	NP	-	17.54	NA
	3/17/2003	17.13	NP	-	18.48	NA
	6/26/2003	17.33	NP	-	18.28	NA
	9/24/2003	18.00	NP	-	17.61	NA
	12/30/2003	17.48	NP	-	18.13	NA
	3/29/2004	16.39	NP	-	19.22	NA
	6/29/2004	17.62	NP	-	17.99	NA
	9/27/2004	18.03	NP	-	17.58	NA
	12/14/2004	17.95	NP	-	17.66	NA
	3/7/2005	17.81	NP	-	17.80	NA
	6/20/2005	17.40	NP	-	18.21	NA
	9/19/2005	17.93	NP	-	17.68	NA
	12/12/2005	17.42	NP	-	18.19	NA
	3/13/2006	16.50	NP	-	19.11	NA
	6/26/2006	17.17	NP	-	18.44	NA
	9/25/2006	**17.74**	**NP**	**-**	**17.87**	**NA**

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-18	2/14/2000	18.55	NP	-	16.94	NA
(35.49)	5/22/2000	18.66	NP	-	16.83	NA
	8/22/2000	19.11	NP	-	16.38	NA
	11/27/2000	19.43	NP	-	16.06	NA
	2/20/2001	19.44	NP	-	16.05	NA
	5/15/2001	19.43	NP	-	16.06	NA
	9/18/2001	19.68	NP	-	15.81	NA
	12/20/2001	—Unable to Locate—				
	3/13/2002	—Inaccessible - Covered with Sand—				
	6/24/2002	—Inaccessible - Covered with Sand—				
	9/26/2002	—TOC broken, bentonite blocking well—				
(36.00)	12/20/2002	3.88	NP	-	32.12	NA
	3/17/2003	Unable to access				
	6/26/2003	Well blocked ~5 feet bgs				
	9/24/2003	Well blocked ~5 feet bgs				
	12/30/2003	Well blocked ~5 feet bgs				
	3/29/2004	Well blocked ~5 feet bgs				
	6/29/2004	Abandoned				
B-22	2/14/2000	17.91	NP	-	17.92	1
(35.83)	5/22/2000	18.00	NP	-	17.83	NA
	8/22/2000	18.66	18.65	0.01	17.18	NA
	11/27/2000	19.02	sheen	-	16.81	0.1
	2/20/2001	19.02	18.99	0.03	16.83	NA
	5/15/2001	19.01	19.00	0.01	16.83	0.1
	9/18/2001	—— Well Has Been Buried ——				
	12/20/2001	—Well Damaged During Construction Activities—				
	3/13/2002	—Well Damaged During Construction Activities—				
	6/24/2002	—Well Damaged During Construction Activities—				
	9/26/2002	—Well Damaged During Construction Activities—				
		—— Well Abandoned December 10, 2002 ——				

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-22A	12/20/2002	19.10	NP	-	15.77	NA
(34.87)	3/17/2003	18.33	18.30	0.03	16.54	0.01
	6/26/2003	18.72	18.69	0.03	16.15	0.05
	9/24/2003	19.08	19.05	0.03	15.79	0.10
	12/30/2003	18.52	NP	-	16.35	NA
	3/29/2004	18.25	18.25	sheen	16.62	NA
	6/29/2004	18.78	NP	-	16.09	NA
	9/27/2004	19.07	NP	-	15.80	NA
	12/14/2004	18.95	NP	-	15.92	NA
	3/7/2005	19.08	NP	-	15.79	NA
	6/20/2005	18.75	NP	-	16.12	NA
	9/19/2005	19.07	NP	-	15.80	NA
	12/12/2005	18.55	NP	-	16.32	NA
	3/13/2006	17.66	NP	-	17.21	NA
	6/26/2006	18.12	NP	-	16.75	NA
	9/25/2006	**18.43**	**NP**	**-**	**16.44**	**NA**
B-25	2/14/2000	18.39	NP	-	17.39	NA
(35.78)	5/22/2000	17.67	NP	-	18.11	NA
	8/22/2000	19.09	NP	-	16.69	NA
	11/27/2000	19.51	NP	-	16.27	NA
	2/20/2001	18.79	NP	-	16.99	NA
	5/15/2001	19.54	NP	-	16.24	NA
	9/18/2001	19.86	NP	-	15.92	NA
	12/20/2001	—Could Not Access—				
	3/13/2002	18.52	NP	-	17.26	NA
	6/24/2002	18.89	NP	-	16.89	NA
	9/26/2002	19.33	NP	-	16.45	NA
	12/20/2002	19.43	NP	-	16.35	NA
	3/17/2003	18.65	NP	-	17.13	NA
	6/26/2003	18.82	NP	-	16.96	NA
	9/24/2003	19.24	NP	-	16.54	NA
	12/30/2003	18.95	NP	-	16.83	NA
	3/29/2004	18.42	NP	-	17.36	NA
	6/29/2004	—Could Not Access—				
	9/27/2004	19.25	NP	-	16.53	NA
	12/14/2004	19.21	NP	-	16.57	NA
	3/7/2005	21.57	NP	-	14.21	NA
	6/20/2005	18.89	NP	-	16.89	NA
	9/19/2005	19.26	NP	-	16.52	NA
	12/12/2005	18.89	NP	-	16.89	NA
	3/13/2006	-	-	-	-	-
	6/26/2006	18.27	NP	-	17.51	NA
	9/25/2006	**18.75**	**NP**	**-**	**17.03**	**NA**

COPPOR00007112

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-27	2/14/2000	17.61	NP	-	18.13	NA
(35.74)	5/22/2000	17.76	NP	-	17.98	NA
	8/22/2000	18.27	NP	-	17.47	NA
	11/27/2000	18.71	NP	-	17.03	0.1
	2/20/2001	18.66	18.65	0.01	17.09	0.2
	5/15/2001	18.74	18.66	0.08	17.06	0.2
	9/18/2001	18.99	NP	-	16.75	0.3
	12/20/2001	18.66	NP	-	17.08	0.2
	3/13/2002	17.76	NP	-	17.98	0.02
	6/24/2002	18.09	NP	-	17.65	NA
	9/26/2002	18.50	NP	-	17.24	NA
	12/20/2002	18.65	18.68	0.03	17.11	0.1
	3/17/2003	17.91	17.90	0.01	17.84	0.01
	6/26/2003	17.96	NP	-	17.78	NA
	9/24/2003	18.51	NP	-	17.23	NA
	12/30/2003	18.21	NP	-	17.53	NA
	3/29/2004	17.72	17.31	0.41	18.35	0.1
	6/29/2004	18.03	NP	-	17.71	NA
	9/27/2004	18.53	NP	-	17.21	NA
	12/14/2004	18.50	NP	-	17.24	NA
	3/7/2005	18.34	NP	-	17.40	NA
	6/20/2005	18.03	NP	-	17.71	NA
	9/19/2005	18.48	NP	-	17.26	NA
	12/12/2005	18.13	NP	-	17.61	NA
	3/13/2006	17.20	16.70	0.50	18.94	0.2
	6/26/2006	17.44	NP	-	18.30	NA
	9/25/2006	**18.22**	**NP**	-	**17.52**	**NA**
B-35	2/14/2000	15.71	NP	-	17.85	NA
(33.56)	5/22/2000	16.00	NP	-	17.56	NA
	8/22/2000	16.36	NP	-	17.20	NA
	11/27/2000	16.71	NP	-	16.85	NA
	2/20/2001	16.65	NP	-	16.91	NA
	5/15/2001	15.56	NP	-	18.00	NA
	9/18/2001	16.90	NP	-	16.66	NA
	12/20/2001	15.95	NP	-	17.61	NA
	3/13/2002	15.70	NP	-	17.86	NA
	6/24/2002	16.22	NP	-	17.34	NA
	9/26/2002	16.64	NP	-	16.92	NA
	12/20/2002	16.48	NP	-	17.08	NA
	3/17/2003	15.91	NP	-	17.65	NA
	6/26/2003	16.13	NP	-	17.43	NA
	9/24/2003	16.67	NP	-	16.89	NA
	12/30/2003	16.04	NP	-	17.52	NA
	3/29/2004	15.81	NP	-	17.75	NA
	6/29/2004	16.33	NP	-	17.23	NA
	9/27/2004	16.61	NP	-	16.95	NA
	12/14/2004	16.52	NP	-	17.04	NA
	3/7/2005	16.52	NP	-	17.04	NA
	6/20/2005	16.17	NP	-	17.39	NA
	9/19/2005	16.63	NP	-	16.93	NA
	12/12/2005	16.08	NP	-	17.48	NA
	3/13/2005	15.42	NP	-	18.14	NA
	6/26/2006	15.95	NP	-	17.61	NA
	9/25/2006	**16.30**	**NP**	-	**17.26**	**NA**

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-36	2/14/2000	14.33	NP	-	16.69	NA
(31.02)	5/22/2000	14.64	NP	-	16.38	NA
	8/22/2000	15.28	NP	-	15.74	NA
	11/27/2000	15.55	NP	-	15.47	NA
	2/20/2001	15.48	NP	-	15.54	NA
	5/15/2001	15.47	NP	-	15.55	NA
	9/18/2001	15.83	NP	-	15.19	NA
	12/20/2001	14.17	NP	-	16.85	NA
	3/13/2002	14.31	NP	-	16.71	NA
	6/24/2002	15.06	NP	-	15.96	NA
	9/26/2002	15.43	NP	-	15.59	NA
	12/20/2002	14.98	NP	-	16.04	NA
	3/17/2003	14.35	NP	-	16.67	NA
	6/26/2003	15.09	NP	-	15.93	NA
	9/24/2003	15.44	NP	-	15.58	NA
	12/30/2003	14.41	NP	-	16.61	NA
	3/29/2004	14.53	NP	-	16.49	NA
	6/29/2004	15.19	NP	-	15.83	NA
	9/27/2004	15.41	NP	-	15.61	NA
	12/14/2004	15.10	NP	-	15.92	NA
	3/7/2005	15.39	NP	-	15.63	NA
	6/20/2005	15.08	NP	-	15.94	NA
	9/19/2005	15.45	NP	-	15.57	NA
	12/12/2005	14.68	NP	-	16.34	NA
	3/13/2006	13.97	NP	-	17.05	NA
	6/26/2006	14.64	NP	-	16.38	NA
	9/25/2006	**15.12**	**NP**	**-**	**15.90**	**NA**
B-37	2/14/2000	18.96	NP	-	16.87	NA
(35.83)	5/22/2000	19.05	NP	-	16.78	NA
	8/22/2000	19.77	NP	-	16.06	NA
	11/27/2000	20.18	NP	-	15.65	NA
	2/20/2001	22.05	NP	-	13.78	NA
	5/15/2001	20.16	NP	-	15.67	NA
	9/18/2001	—— Well Has Been Buried ——				
	12/20/2001	—Could Not Locate—				
	3/13/2002	19.09	NP	-	16.74	NA
	6/24/2002	19.58	NP	-	16.25	NA
	9/26/2002	20.00	NP	-	15.83	NA
	12/20/2002	20.08	NP	-	15.75	NA
	3/17/2003	19.17	NP	-	16.66	NA
	6/26/2003	19.52	NP	-	16.31	NA
	9/24/2003	19.88	NP	-	15.95	NA
	12/31/2003	—Well Covered with Ice—				
	3/29/2004	19.07	NP	-	16.76	NA
	6/29/2004	19.96	NP	-	15.87	NA
	9/27/2004	19.88	NP	-	15.95	NA
	12/14/2004	19.76	NP	-	16.07	NA
	3/7/2005	20.92	NP	-	14.91	NA
	6/20/2005	19.57	NP	-	16.26	NA
	9/19/2005	19.89	NP	-	15.94	NA
	12/12/2005	19.40	NP	-	16.43	NA
	3/13/2006	18.42	NP	-	17.41	NA
	6/26/2006	—Unable to locate well; under sand—				
	9/25/2006	**19.08**	**NP**	**-**	**16.75**	**NA**

COPPOR00007114

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-38	9/26/2002	20.91	20.69	0.22	15.74	NA
(36.65)	12/20/2002	20.53	20.75	0.22	16.12	NA
	3/17/2003	19.71	NP	-	16.94	NA
	6/26/2003	20.10	NP	-	16.55	NA
	9/24/2003	Dry at 20.41 feet bgs				
	12/30/2003	19.93	NP	-	16.72	NA
	3/29/2004	dry	NP	-	-	NA
	6/29/2004	Dry at 20.23 feet bgs				
	9/27/2004	dry	NP	-	-	NA
	6/20/2005	20.10	NP	-	16.55	NA
	9/19/2005	20.22	NP	-	16.43	NA
	12/12/2005	19.91	NP	-	16.74	NA
	3/13/2006	18.90	NP	-	17.75	NA
	6/26/2006	dry	NP	-	-	NA
	9/25/2006	**19.60**	**NP**	**-**	**17.05**	**NA**
B-40	2/14/2000	17.34	NP	-	17.36	1
(34.70)	5/22/2000	18.28	17.48	0.80	17.06	5.5
	8/22/2000	19.65	18.21	1.44	16.20	0.6
	11/27/2000	20.03	18.55	1.48	15.85	1.25
	2/20/2001	19.85	18.54	1.31	15.90	1.3
	5/15/2001	19.88	18.58	1.30	15.86	0.85
	9/18/2001	20.90	19.07	1.83	15.26	1
	12/20/2001	18.35	17.36	0.99	17.14	0.65
	3/13/2002	17.51	17.32	0.19	17.34	0.85
	6/24/2002	18.36	18.24	0.12	16.44	0.30
	9/26/2002	19.22	18.53	0.69	16.03	0.46
	12/20/2002	18.27	18.81	0.54	16.86	0.57
	3/17/2003	18.12	17.45	0.67	17.12	0.30
	6/26/2003	18.47	18.30	0.17	16.37	0.10
	9/24/2003	18.61	18.51	0.10	16.17	0.10
	12/30/2003	17.64	17.58	0.06	17.11	0.10
	3/29/2004	17.70	17.69	0.01	17.01	0.10
	6/29/2004	18.58	sheen	-	16.05	NA
	9/27/2004	18.76	sheen	-	15.87	0.10
	12/14/2004	18.18	18.17	0.01	16.53	0.20
	3/7/2005	18.35	sheen	-	16.35	0.70
	6/20/2005	18.37	18.36	0.01	16.34	0.20
	9/19/2005	18.55	sheen	-	16.15	0.12
	12/12/2005	17.71	16.81	0.90	17.71	0.30
	3/13/2006	17.14	NP	-	17.56	0.00
	6/26/2006	17.76	NP	-	16.94	0.00
	9/25/2006	**18.01**	**NP**	**-**	**16.69**	**0.11**
B-41	2/14/2000	17.73	NP	-	16.90	NA
(34.63)	5/22/2000	18.89	NP	-	15.74	NA
	8/22/2000	18.44	NP	-	16.19	NA
	11/27/2000	18.81	NP	-	15.82	NA
	2/20/2001	18.78	sheen	-	15.85	NA
	5/15/2001	18.78	NP	-	15.85	NA
	9/18/2001	------ Well Has Been Buried ------				
	12/20/2001	16.86	NP	-	17.77	NA
	3/13/2002	20.07	20.03	0.04	14.59	NA
	6/24/2002	20.54	20.52	0.02	14.11	NA
	9/26/2002	18.75	18.72	0.03	15.90	NA
	—— Well Abandoned December 9, 2002 ——					

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-41A	12/20/2002	19.13	NP	-	16.00	NA
(35.13)	3/17/2003	18.40	NP	-	16.73	NA
	6/26/2003	18.73	NP	-	16.40	NA
	9/24/2003	19.10	NP	-	16.03	NA
	12/30/2003	18.61	NP	-	16.52	NA
	3/29/2004	18.32	NP	-	16.81	NA
	6/29/2004	18.82	NP	-	16.31	NA
	9/27/2004	19.11	NP	-	16.02	NA
	12/14/2004	19.00	NP	-	16.13	NA
	3/7/2005	19.07	NP	-	16.06	NA
	6/20/2005	18.80	NP	-	16.33	NA
	9/19/2005	19.13	NP	-	16.00	NA
	12/12/2005	18.65	NP	-	16.48	NA
	3/13/2006	17.71	NP	-	17.42	NA
	6/26/2006	18.25	NP	-	16.88	NA
	9/25/2006	**18.60**	**NP**	**-**	**16.53**	**NA**
DW-1	2/14/2000	18.87	NP	-	17.06	NA
(35.93)	5/22/2000	18.94	NP	-	16.99	NA
	8/22/2000	19.51	NP	-	16.42	NA
	11/27/2000	19.88	NP	-	16.05	NA
	2/20/2001	19.83	NP	-	16.10	NA
	5/15/2001	19.87	NP	-	16.06	NA
	9/18/2001	20.19	NP	-	15.74	NA
	12/20/2001	19.56	NP	-	16.37	NA
	3/13/2002	18.96	NP	-	16.97	NA
	6/24/2002	19.38	NP	-	16.55	NA
	9/26/2002	19.77	NP	-	16.16	NA
	12/20/2002	19.77	NP	-	16.16	NA
	3/17/2003	18.85	NP	-	17.08	NA
	6/26/2003	19.33	NP	-	16.60	NA
	9/24/2003	19.66	NP	-	16.27	NA
	12/30/2003	19.27	NP	-	16.66	NA
	3/29/2004	18.87	NP	-	17.06	NA
	6/29/2004	19.39	NP	-	16.54	NA
	9/27/2004	19.69	NP	-	16.24	NA
	12/14/2004	19.65	NP	-	16.28	NA
	3/7/2005	19.66	NP	-	16.27	NA
	6/20/2005	19.41	NP	-	16.52	NA
	9/19/2005	19.71	NP	-	16.22	NA
	12/12/2005	19.30	NP	-	16.63	NA
	3/13/2006	18.30	NP	-	17.63	NA
	6/26/2006	18.85	NP	-	17.08	NA
	9/25/2006	**19.15**	**NP**	**-**	**16.78**	**NA**

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
DW-2	2/14/2000	18.91	NP	-	17.14	NA
(36.05)	5/22/2000	19.03	NP	-	17.02	NA
	8/22/2000	19.62	NP	-	16.43	NA
	11/27/2000	10.01	NP	-	26.04	NA
	2/20/2001	20.02	NP	-	16.03	NA
	5/15/2001	20.00	NP	-	16.05	NA
	9/18/2001	20.35	NP	-	15.70	NA
	12/20/2001	19.62	NP	-	16.43	NA
	3/13/2002	19.06	NP	-	16.99	NA
	6/24/2002	19.44	NP	-	16.61	NA
	9/26/2002	19.85	NP	-	16.20	NA
	12/20/2002	19.88	NP	-	16.17	NA
	3/17/2003	18.97	NP	-	17.08	NA
	6/26/2003	19.40	NP	-	16.65	NA
	9/24/2003	19.78	NP	-	16.27	NA
	12/30/2003	19.37	NP	-	16.68	NA
	3/29/2004	18.97	NP	-	17.08	NA
	6/29/2004	19.46	NP	-	16.59	NA
	9/27/2004	19.85	NP	-	16.20	NA
	12/14/2004	19.75	NP	-	16.30	NA
	3/7/2005	19.74	NP	-	16.31	NA
	6/20/2005	19.49	NP	-	16.56	NA
	9/19/2005	19.81	NP	-	16.24	NA
	12/12/2005	19.41	NP	-	16.64	NA
	3/13/2006	18.40	NP	-	17.65	NA
	6/26/2006	18.89	NP	-	17.16	NA
	9/25/2006	**19.25**	**NP**	**-**	**16.80**	**NA**
EX-39	2/14/2000	17.42	17.09	0.33	15.93	10
(33.09)	5/22/2000	17.35	17.29	0.06	15.79	5
	8/22/2000	17.98	17.95	0.03	15.13	0.1
	11/27/2000	18.38	sheen	-	14.71	0.1
	2/20/2001	18.49	18.36	0.13	14.70	2.55
	5/15/2001	19.29	18.19	1.10	14.68	5.0
	9/18/2001	——— Well Has Been Buried ———				
	12/20/2001	—Well Damaged During Construction Activities—				
	3/13/2002	—Well Damaged During Construction Activities—				
	6/24/2002	—Well Damaged During Construction Activities—				
	9/26/2002	—Well Damaged During Construction Activities—				
		—— Well Abandoned December 9, 2002 ——				
EX-39B	12/20/2002	18.85	18.87	0.02	15.80	0.10
(34.63)	3/17/2003	18.15	18.13	0.02	16.50	0.10
	6/26/2003	18.71	18.71	sheen	15.92	0.05
	9/24/2003	18.98	NP	-	15.65	NA
	12/30/2003	18.30	sheen	sheen	16.33	NA
	3/29/2004	18.12	NP	-	16.51	NA
	6/29/2004	18.37	NP	-	16.26	NA
	9/27/2004	18.83	NP	-	15.80	NA
	12/14/2004	21.18	NP	-	13.45	NA
	3/7/2005	18.97	sheen	-	15.66	0.20
	6/20/2005	16.85	NP	-	17.78	0.10
	9/19/2005	16.65	NP	-	17.98	NA
	12/12/2005	16.67	NP	-	17.96	NA
	3/13/2006	17.20	sheen	-	17.43	0.00
	6/26/2006	18.00	sheen	-	16.63	NA
	9/25/2006	**18.68**	**sheen**	**-**	**15.95**	**NA**

COPPOR00007117

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
IT-E	2/14/2000	19.01	NP	-	17.06	NA
(36.07)	5/22/2000	19.03	NP	-	17.04	NA
	8/22/2000	19.93	NP	-	16.14	NA
	11/27/2000	20.12	NP	-	15.95	NA
	2/20/2001	20.11	NP	-	15.96	NA
	5/15/2001	20.29	NP	-	15.78	NA
	9/18/2001	20.65	NP	-	15.42	NA
	12/20/2001	—Could Not Access Well—				
	3/13/2002	19.31	NP	-	16.76	NA
	6/24/2002	19.80	NP	-	16.27	NA
	9/26/2002	20.18	NP	-	15.89	NA
	12/20/2002	19.95	NP	-	16.12	NA
	3/17/2003	19.25	NP	-	16.82	NA
	6/26/2003	19.68	NP	-	16.39	NA
	9/24/2003	20.01	NP	-	16.06	NA
	12/30/2003	19.45	NP	-	16.62	NA
	3/29/2004	19.28	NP	-	16.79	NA
	6/29/2004	19.79	NP	-	16.28	NA
	9/27/2004	20.05	NP	-	16.02	NA
	12/14/2004	20.00	NP	-	16.07	NA
	3/7/2005	20.11	NP	-	15.96	NA
	6/20/2005	19.74	NP	-	16.33	NA
	9/19/2005	20.18	NP	-	15.89	NA
	12/12/2005	19.65	NP	-	16.42	NA
	3/13/2006	18.62	NP	-	17.45	NA
	6/26/2006	19.30	NP	-	16.77	NA
	9/25/2006	**19.65**	**NP**	-	**16.42**	**NA**
IT-W	2/14/2000	17.46	NP	-	18.53	NA
(35.99)	5/22/2000	17.75	NP	-	18.24	NA
	8/22/2000	18.17	NP	-	17.82	NA
	11/27/2000	18.51	NP	-	17.48	NA
	2/20/2001	18.43	NP	-	17.56	NA
	5/15/2001	18.33	NP	-	17.66	NA
	9/18/2001	18.68	NP	-	17.31	NA
	12/20/2001	17.76	NP	-	18.23	NA
	3/13/2002	17.50	NP	-	18.49	NA
	6/24/2002	17.98	NP	-	18.01	NA
	9/26/2002	18.40	NP	-	17.59	NA
	12/20/2002	18.28	NP	-	17.71	NA
	3/17/2003	17.70	NP	-	18.29	NA
	6/26/2003	17.94	NP	-	18.05	NA
	9/24/2003	18.42	NP	-	17.57	NA
	12/30/2003	17.81	NP	-	18.18	NA
	3/29/2004	17.61	NP	-	18.38	NA
	6/29/2004	18.10	NP	-	17.89	NA
	9/27/2004	18.45	NP	-	17.54	NA
	12/14/2004	18.37	NP	-	17.62	NA
	3/7/2005	18.31	NP	-	17.68	NA
	6/20/2005	18.02	NP	-	17.97	NA
	9/19/2005	18.46	NP	-	17.53	NA
	12/12/2005	17.94	NP	-	18.05	NA
	3/13/2006	17.22	NP	-	18.77	NA
	6/26/2006	17.78	NP	-	18.21	NA
	9/25/2006	**18.18**	**NP**	-	**17.81**	**NA**

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
P-1	2/14/2000	6.26	NP	-	11.98	NA
(18.24)	5/22/2000	6.89	NP	-	11.35	NA
	8/22/2000	10.51	NP	-	7.73	NA
	11/27/2000	8.62	NP	-	9.62	NA
	2/20/2001	9.14	NP	-	9.10	NA
	5/15/2001	9.17	NP	-	9.07	NA
	9/18/2001	9.97	NP	-	8.27	NA
	12/20/2001	6.01	NP	-	12.23	NA
	3/13/2002	7.07	NP	-	11.17	NA
	6/24/2002	5.89	NP	-	12.35	NA
	9/26/2002	9.13	NP	-	9.11	NA
	12/20/2002	7.87	NP	-	10.37	NA
	3/17/2003	8.38	NP	-	9.86	NA
	6/26/2003	Dry at 10 feet bgs				
	9/24/2003	9.62	NP	-	8.62	NA
	12/30/2003	7.21	NP	-	11.03	NA
	3/29/2004	8.17	NP	-	10.07	NA
	6/29/2004	7.89	NP	-	10.35	NA
	9/27/2004	9.19	NP	-	9.05	NA
	12/14/2004	6.79	NP	-	11.45	NA
	3/7/2005	9.16	NP	-	9.08	NA
	6/20/2005	8.80	NP	-	9.44	NA
	9/19/2005	Dry	NP	-	Dry	NA
	12/12/2005	8.38	NP	-	9.86	NA
	3/13/2006	8.56	NP	-	9.68	NA
	6/26/2006	7.60	NP	-	10.64	NA
	9/25/2006	**9.03**	**NP**	**-**	**9.21**	**NA**
P-2	2/14/2000	4.18	NP	-	13.67	NA
(17.85)	5/22/2000	4.66	NP	-	13.19	NA
	8/22/2000	5.27	NP	-	12.58	NA
	11/27/2000	5.28	NP	-	12.57	NA
	2/20/2001	5.32	NP	-	12.53	NA
	5/15/2001	5.18	NP	-	12.67	NA
	9/18/2001	5.50	NP	-	12.35	NA
	12/20/2001	4.21	NP	-	13.64	NA
	3/13/2002	4.40	NP	-	13.45	NA
	6/24/2002	3.26	NP	-	14.59	NA
	9/26/2002	5.74	NP	-	12.11	NA
	12/20/2002	5.93	NP	-	11.92	NA
	3/17/2003	4.84	NP	-	13.01	NA
	6/26/2003	5.31	NP	-	12.54	NA
	9/24/2003	5.70	NP	-	12.15	NA
	12/30/2003	4.66	NP	-	13.19	NA
	3/29/2004	4.97	NP	-	12.88	NA
	6/29/2004	5.35	NP	-	12.50	NA
	9/27/2004	5.95	NP	-	11.90	NA
	12/14/2004	4.98	NP	-	12.87	NA
	3/7/2005	5.52	NP	-	12.33	NA
	6/20/2005	5.55	NP	-	12.30	NA
	9/19/2005	5.89	NP	-	11.96	NA
	12/12/2005	5.04	NP	-	12.81	NA
	3/13/2006	4.39	NP	-	13.46	NA
	6/26/2006	4.90	NP	-	12.95	NA
	Well Abandoned					

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
RES-N	2/14/2000	20.90	NP	-	17.68	NA
(38.58)	5/22/2000	21.01	NP	-	17.57	NA
	8/22/2000	21.58	NP	-	17.00	NA
	11/27/2000	21.95	NP	-	16.63	NA
	2/20/2001	21.98	NP	-	16.60	NA
	5/15/2001	21.94	NP	-	16.64	NA
	9/18/2001	22.27	NP	-	16.31	NA
	12/20/2001	21.55	NP	-	17.03	NA
	3/13/2002	21.02	NP	-	17.56	NA
	6/24/2002	21.41	NP	-	17.17	NA
	9/26/2002	21.79	NP	-	16.79	NA
	12/20/2002	21.83	NP	-	16.75	NA
	6/26/2003	21.35	NP	-	17.23	NA
	9/24/2003	21.72	NP	-	16.86	NA
	12/30/2003	21.34	NP	-	17.24	NA
	3/29/2004	20.93	NP	-	17.65	NA
	9/27/2004	21.15	NP	-	17.43	NA
	12/14/2004	21.66	NP	-	16.92	NA
	3/7/2005	21.70	NP	-	16.88	NA
	6/20/2005	21.44	NP	-	17.14	NA
	9/19/2005	21.74	NP	-	16.84	NA
	12/12/2005	21.37	NP	-	17.21	NA
	3/13/2006	20.40	NP	-	18.18	NA
	6/26/2006	22.00	NP	-	16.58	NA
	9/25/2006	**21.24**	**NP**	-	**17.34**	**NA**
RES-O	2/14/2000	16.89	NP	-	19.14	NA
(36.03)	5/22/2000	17.29	NP	-	18.74	NA
	8/22/2000	17.86	NP	-	18.17	NA
	11/27/2000	18.38	NP	-	17.65	NA
	2/20/2001	NM	NP	-	-	NA
	5/15/2001	18.04	NP	-	17.99	NA
	9/18/2001	18.43	NP	-	17.60	NA
	12/20/2001	17.63	NP	-	18.40	NA
	3/13/2002	16.87	NP	-	19.16	NA
	6/24/2002	18.52	NP	-	17.51	NA
	9/26/2002	19.23	NP	-	16.80	NA
	12/20/2002	18.35	NP	-	17.68	NA
	3/17/2003	17.18	NP	-	18.85	NA
	6/26/2003	17.40	NP	-	18.63	NA
	9/24/2003	18.25	NP	-	17.78	NA
	12/30/2003	17.56	NP	-	18.47	NA
	3/29/2004	16.74	NP	-	19.29	NA
	6/29/2004	No Access To Well				
	9/27/2004	No Access To Well				
	12/14/2004	15.74	NP	-	20.29	NA
	3/7/2005	16.29	NP	-	19.74	NA
	6/20/2005	15.29	sheen	-	20.74	NA
	9/19/2005	15.92	NP	-	20.11	NA
	12/12/2005	15.28	NP	-	20.75	NA
	3/13/2006	14.05	NP	-	21.98	NA
	6/26/2006	14.99	NP	-	21.04	NA
	9/25/2006	**15.97**	**NP**	-	**20.06**	**NA**

COPPOR00007120

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
U-2	2/14/2000	15.31	NP	-	19.71	NA
(35.02)	5/22/2000	15.41	NP	-	19.61	NA
	8/22/2000	16.13	NP	-	18.89	NA
	11/27/2000	16.81	NP	-	18.21	NA
	2/20/2001	16.81	NP	-	18.21	NA
	5/15/2001	16.82	NP	-	18.20	NA
	9/18/2001	17.20	NP	-	17.82	NA
	12/20/2001	16.99	NP	-	18.03	NA
	3/13/2002	15.59	NP	-	19.43	NA
	6/24/2002	15.80	NP	-	19.22	NA
	9/26/2002	16.50	NP	-	18.52	NA
	12/20/2002	16.95	NP	-	18.07	NA
	3/17/2003	15.77	NP	-	19.25	NA
	6/26/2003	15.89	NP	-	19.13	NA
	9/24/2003	16.42	NP	-	18.60	NA
	12/30/2003	16.28	NP	-	18.74	NA
	3/29/2004	15.06	NP	-	19.96	NA
	6/29/2004	15.79	NP	-	19.23	NA
	9/27/2004	16.30	NP	-	18.72	NA
	12/14/2004	16.59	NP	-	18.43	NA
	3/7/2005	17.52	NP	-	17.50	NA
	6/20/2005	15.82	NP	-	19.20	NA
	9/19/2005	16.42	NP	-	18.60	NA
	12/12/2005	15.96	NP	-	19.06	NA
	3/13/2006	14.22	NP	-	20.80	NA
	6/26/2006	15.02	NP	-	20.00	NA
	9/25/2006	**16.07**	**NP**	**-**	**18.95**	**NA**
U-3	2/14/2000	12.95	NP	-	22.30	NA
(35.25)	5/22/2000	13.55	NP	-	21.70	NA
	8/22/2000	14.19	NP	-	21.06	NA
	11/27/2000	15.68	NP	-	19.57	NA
	2/20/2001	14.38	NP	-	20.87	NA
	5/15/2001	14.26	NP	-	20.99	NA
	9/18/2001	14.89	NP	-	20.36	NA
	12/20/2001	13.22	NP	-	22.03	NA
	3/13/2002	13.01	NP	-	22.24	NA
	6/24/2002	13.57	NP	-	21.68	NA
	9/26/2002	14.39	NP	-	20.86	NA
	12/20/2002	14.23	NP	-	21.02	NA
	3/17/2003	13.97	NP	-	21.28	NA
	6/26/2003	13.56	NP	-	21.69	NA
	9/24/2003	14.54	NP	-	20.71	NA
	12/30/2003	13.41	NP	-	21.84	NA
	3/29/2004	12.83	NP	-	22.42	NA
	6/29/2004	14.75	NP	-	20.50	NA
	9/27/2004	14.21	NP	-	21.04	NA
	12/14/2004	13.98	NP	-	21.27	NA
	3/7/2005	14.02	NP	-	21.23	NA
	6/20/2005	13.68	NP	-	21.57	NA
	9/19/2005	14.49	NP	-	20.76	NA
	12/12/2005	13.43	NP	-	21.82	NA
	3/13/2006	12.58	NP	-	22.67	NA
	6/26/2006	14.27	NP	-	20.98	NA
	9/25/2006	**15.24**	**NP**	**-**	**20.01**	**NA**

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
U-4	2/14/2000	15.86	15.77	0.09	18.67	2.5
(34.46)	5/22/2000	16.03	NP	-	18.43	NA
	8/22/2000	16.38	NP	-	18.08	NA
	11/27/2000	16.83	NP	-	17.63	NA
	2/20/2001	16.85	sheen	-	17.61	NA
	5/15/2001	16.61	16.57	0.04	17.88	0.1
	9/18/2001	19.96	sheen	-	14.50	0.1
	12/20/2001	16.37	16.30	0.07	18.15	0.11
	3/13/2002	15.60	NP	-	18.86	0.11
	6/24/2002	15.50	NP	-	18.96	0.06
	9/26/2002	17.64	NP	-	16.82	NA
	12/20/2002	16.77	NP	-	17.69	NA
	3/17/2003	16.05	15.80	0.25	18.61	0.35
	6/26/2003	16.10	15.98	0.12	18.46	0.18
	9/24/2003	16.68	16.61	0.07	17.84	0.1
	12/30/2003	16.28	NP	-	18.18	NA
	3/29/2004	15.45	15.43	0.02	19.03	0.2
	6/29/2004	16.14	NP	-	18.32	NA
	9/27/2004	16.55	NP	-	17.91	NA
	12/14/2004	16.50	NP	-	17.96	NA
	3/7/2005	16.35	NP	-	18.11	NA
	6/20/2005	15.90	NP	-	18.56	NA
	9/19/2005	16.48	16.45	0.03	18.00	0.1
	12/12/2005	16.15	NP	-	18.31	NA
	3/13/2006	14.25	sheen	-	20.21	0
	6/26/2006	15.50	sheen	-	18.96	NA
	9/25/2006	**16.21**	**sheen**		**18.25**	**0.1**
U-5	2/14/2000	17.85	NP	-	16.28	NA
(34.13)	5/22/2000	18.03	NP	-	16.10	NA
	8/22/2000	19.02	NP	-	15.11	NA
	11/27/2000	19.03	NP	-	15.10	NA
	2/20/2001	19.44	NP	-	14.69	NA
	5/15/2001	19.57	19.22	0.35	14.84	0.65
	9/18/2001	20.04	20.02	0.02	14.11	0.6
	12/20/2001	—Unable to Locate—				
	3/13/2002	—Inaccessible - Covered by Sand—				
	6/24/2002	—Inaccessible - Covered by Sand—				
	9/26/2002	19.63	19.41	0.22	14.68	0.20
	12/20/2002	19.49	NP	-	14.64	0.42
	3/17/2003	17.99	NP	-	16.14	NA
	6/26/2003	19.17	NP	-	14.96	NA
	9/24/2003	19.42	NP	-	14.71	NA
	12/30/2003	18.80	NP	-	15.33	NA
	3/29/2004	18.39	NP	-	15.74	NA
	6/29/2004	19.00	NP	-	15.13	NA
	9/27/2004	19.14	Sheen	-	14.99	NA
	12/14/2004	18.55	NP	-	15.58	NA
	3/7/2005	19.23	NP	-	14.90	0.1
	6/20/2005	18.95	NP	-	15.18	NA
	9/19/2005	18.93	NP	-	15.20	0.1
	12/12/2005	18.09	NP	-	16.04	NA
	3/13/2006	17.06	NP	-	17.07	NA
	6/26/2006	—Unable to locate well; under sand—				
	9/25/2006	**18.86**	**18.80**	**0.06**	**15.27**	**NA**

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
U-5A	2/14/2000	6.46	NP	-	27.31	NA
(33.77)	5/22/2000	7.00	6.99	0.01	26.78	1
	8/22/2000	8.58	8.57	0.01	25.20	0.1
	11/27/2000	9.71	NP	-	24.06	0.1
	2/20/2001	9.04	NP	-	24.73	0.1
	5/15/2001	8.99	sheen	-	24.78	NA
	9/18/2001	10.29	sheen	-	23.48	0.1
	12/20/2001	7.81	NP	-	25.96	NA
	3/13/2002	6.51	NP	-	27.26	NA
	6/24/2002	7.60	NP	-	26.17	NA
	9/26/2002	9.31	NP	-	24.46	NA
	12/20/2002	9.43	NP	-	24.34	NA
	3/17/2003	7.03	NP	-	26.74	NA
	6/26/2003	7.41	NP	-	26.36	NA
	9/24/2003	9.16	NP	-	24.61	NA
	12/30/2003	7.79	NP	-	25.98	NA
	3/29/2004	6.49	NP	-	27.28	NA
	6/29/2004	7.76	7.75	0.01	26.02	NA
	9/27/2004	9.03	8.98	0.05	24.78	NA
	12/14/2004	8.60	NP	-	25.17	0.1
	3/7/2005	8.22	sheen	-	25.55	0.2
	6/20/2005	7.41	sheen	-	26.36	0.1
	9/19/2005	19.14	NP	-	14.63	0.1
	12/12/2005	7.91	sheen	-	25.86	0.3
	3/13/2006	5.32	NP	-	28.45	0.2
	6/26/2006	6.83	NP	-	26.94	NA
	9/25/2006	**	**8.68**	**	**NM**	**NA**
U-10	6/26/2003	4.76	NP	-	NM	NA
	9/24/2003	5.00	NP	-	NM	NA
	12/30/2003	3.65	NP	-	NM	NA
	3/29/2004	4.45	NP	-	NM	NA
	9/27/2004	5.03	NP	-	NM	NA
	12/14/2004	4.10	NP	-	NM	NA
	3/7/2005	5.12	NP	-	NM	NA
	6/20/2005	4.94	NP	-	NM	NA
	9/19/2005	5.26	NP	-	NM	NA
	12/12/2005	4.11	sheen	-	NM	NA
	3/13/2006	3.45	NP	-	NM	NA
	6/26/2006	3.96	NP	-	NM	NA
	Well Abandoned					
U-11	6/26/2003	3.30	NP	-	NM	NA
	9/24/2003	3.29	NP	-	NM	NA
	12/30/2003	2.51	NP	-	NM	NA
	3/29/2004	2.94	NP	-	NM	NA
	9/27/2004	3.91	NP	-	NM	NA
	12/14/2004	2.35	NP	-	NM	NA
	3/7/2005	3.43	NP	-	NM	NA
	6/20/2005	3.95	NP	-	NM	NA
	9/19/2005	4.11	NP	-	NM	NA
	12/12/2005	3.09	NP	-	NM	NA
	3/13/2006	2.40	NP	-	NM	NA
	6/26/2006	2.38	NP	-	NM	NA
	Well Abandoned					

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
U-12	6/26/2003	3.08	NP	-	NM	NA
	9/24/2003	3.17	NP	-	NM	NA
	12/30/2003	2.98	NP	-	NM	NA
	3/29/2004	2.97	NP	-	NM	NA
	9/27/2004	4.14	NP	-	NM	NA
	12/14/2004	3.18	NP	-	NM	NA
	3/7/2005	3.72	NP	-	NM	NA
	6/20/2005	3.66	NP	-	NM	NA
	9/19/2005	4.14	NP	-	NM	NA
	12/12/2005	3.44	NP	-	NM	NA
	3/13/2006	2.51	NP	-	NM	NA
	6/26/2006	2.82	NP	-	NM	NA
	Well Abandoned					
U-13	12/14/2004	15.93	NP	-		
	3/7/2005	14.51	14.45	0.01	NM	NA
	6/20/2005	14.71	14.47	0.24	NM	0.1
	9/19/2005	16.30	15.72	0.58	NM	0.2
	12/12/2005	15.28	14.93	0.35	NM	0.3
	3/13/2006	12.79	12.45	0.34	NM	1.15
	6/26/2006	13.92	13.64	0.28	NM	NA
(35.77)	**9/25/2006**	**15.52**	**15.35**	**0.17**	**20.39**	**0.65**
U-14	8/18/2006	14.65	NP	-	NM	NA
(37.21)	**9/25/2006**	**15.22**	**NP**	**-**	**21.99**	NA
U-15	8/18/2006	14.18	NP	-	NM	NA
(35.57)	**9/25/2006**	**14.95**	**NP**	**-**	**20.62**	NA
U-16	8/18/2006	13.46	NP	-	NM	NA
(36.08)	**9/25/2006**	**14.35**	**NP**	**-**	**21.73**	NA
U-17	8/18/2006	14.21	NP	-	NM	NA
(35.77)	**9/25/2006**	**14.86**	**NP**	**-**	**20.91**	NA

NOTES:
NP = No measurable product
NA = Not Applicable
NM = Not Measured
* = SPH Recovered for latest quarter monitored
** - Unable to determine due to SPH viscosity
- = No Measurable Product Thickness
GWE = TOC -(DTW - (0.8 x DTP - DTW)) Where 0.8 = The density of the SPH

COPPOR00007124

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - BTEX COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
CHEVRON								
B-7	02/18/00	-	-	ND	20.1	ND	44.8	-
	05/23/00	-	-	ND	0.678	1.41	1.22	-
dup	05/23/00	-	-	ND	0.691	1.06	ND	-
	08/25/00	-	-	NS/F	NS/F	NS/F	NS/F	-
	11/30/00	-	-	NS/S	NS/S	NS/S	NS/S	-
	02/22/01	-	-	0.690	0.736	ND	ND	-
	05/17/01	-	-	ND	0.700	ND	ND	-
	03/20/03	-	-	ND	0.740	ND	ND	-
	09/29/03	-	-	<0.500	0.870	<0.500	1.93	-
	03/30/04	-	-	<0.500	0.750	<0.500	<1.00	-
	03/09/05	-	-	<1.00	<1.00	<1.00	<2.00	1.54
dup	03/09/05	-	-	<1.00	<1.00	<1.00	<2.00	1.51
	09/22/05	-	-	<1.00	<1.00	<1.00	<3.00	1.08
B-9	05/23/00	-	-	ND	0.535	0.737	ND	-
	08/25/00	-	-	ND	ND	ND	ND	-
	11/30/00	-	-	ND	ND	ND	ND	-
	02/22/01	-	-	ND	ND	ND	ND	-
	05/17/01	-	-	ND	ND	ND	ND	-
	09/19/01	-	-	ND	ND	0.913	ND	-
	03/21/02	-	-	ND	ND	ND	ND	-
	09/24/02	-	-	ND	ND	ND	ND	-
	03/20/03	-	-	ND	ND	ND	ND	-
	03/30/04	-	-	<0.500	0.560	<0.500	<1.00	-
	10/06/04	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/08/05	-	-	<1.00	<1.00	<1.00	<2.00	<1.00
	06/22/05	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
	09/21/05	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
	09/26/06	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
B-10	02/18/00	-	-	3.85	4.42	8.78	14.7	-
dup	02/18/00	-	-	3.72	4.1	7.8	13.8	-
	05/23/00	-	-	3.72	4.1	7.8	13.8	-
dup	05/23/00	-	-	1.2	2.93	4.14	6.53	-
	08/25/00	-	-	1.40	2.80	1.45	4.80	-
	11/30/00	-	-	1.20	2.69	ND	4.60	-
	02/23/01	-	-	3.74	0.983	3.94	6.78	-
	05/17/01	-	-	4.87	1.25	4.36	8.56	-
	09/19/01	-	-	0.711	ND	1.80	2.50	-
	03/21/02	-	-	3.15	2.60	1.19	2.43	-
	09/24/02	-	-	1.41	1.43	0.753	2.46	-
	03/20/03	-	-	0.680	1.76	ND	2.34	-
	09/29/03	-	-	2.26	1.60	0.781	4.29	-
	03/30/04	-	-	<0.500	1.42	<0.500	2.66	-
	10/06/04	-	-	0.810	2.62	<0.500	6.55	-
	03/08/05	-	-	<1.00	2.00	<1.00	2.89	<1.00
	09/21/05	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
	03/14/06	-	-	<1.00	1.08	<1.00	<3.00	<1.00
	09/26/06	-	-	0.970	3.17	0.770	4.09	<2.00

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - BTEX COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
B-11	02/18/00	-	-	29.2	6.14	4.36	14.1	-
	05/23/00	-	-	7.45	4.95	1.42	8.52	-
	08/25/00	-	-	11.2	6.53	2.39	11.2	-
	11/30/00	-	-	8.72	5.36	ND	ND	-
	02/22/01	-	-	24.2	2.13	5.11	8.98	-
	05/17/01	-	-	17.9	2.77	6.46	11.4	-
	03/30/04	-	-	9.20	4.74	0.790	5.90	-
	03/09/05	-	-	4.25	3.72	<1.00	4.18	<1.00
	06/22/05	-	-	3.03	3.77	<1.00	4.66	<1.00
	09/21/05	-	-	1.80	4.57	<1.00	5.63	<1.00
B-14	02/18/00	-	-	119	18.1	80	38	-
	05/23/00	-	-	125	15.9	69.2	30.7	-
	08/25/00	-	-	382	44.6	194	70.3	-
	11/30/00	-	-	292	37.3	148	52.4	-
	02/22/01	-	-	402	229	42.6	78.2	-
	05/17/01	-	-	332	190	37.4	56.2	-
B-19	03/20/03	-	-	7.76	2.09	0.620	2.51	-
	09/29/03	-	-	5.93	1.98	1.56	7.44	-
	03/29/04	-	-	2.26	1.32	<0.500	2.88	-
	03/09/05	-	-	5.53	2.57	<1.00	2.76	<1.00
	06/22/05	-	-	<1.00	2.02	<1.00	2.61	<1.00
	09/22/05	-	-	1.54	1.99	<1.00	3.60	<1.00
	03/14/06	-	-	<1.00	1.11	<1.00	2.21	<1.00
B-20	03/20/03	-	-	ND	ND	ND	ND	-
	09/29/03	-	-	<0.500	<0.500	<0.500	1.38	-
	03/30/04	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/09/05	-	-	<1.00	1.47	<1.00	1.15	<1.00
	09/22/05	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
B-21	09/19/01	-	-	ND	ND	1.47	ND	-
	03/21/02	-	-	ND	0.679	ND	ND	-
	09/24/02	-	-	ND	1.20	0.517	1.20	-
	03/20/03	-	-	ND	ND	ND	ND	-
	09/29/03	-	-	0.659	1.3	<0.500	2.20	-
	03/29/04	-	-	<0.500	0.720	<0.500	<1.00	-
	10/06/04	-	-	<0.500	<0.880	<0.500	<1.00	-
	03/08/05	-	-	<1.00	<1.00	<1.00	<2.00	17.4
	09/22/05	-	-	<1.00	1.15	<1.00	<3.00	11.2
	03/15/06	-	-	<1.00	<1.00	<1.00	<3.00	1.30
	09/26/06	-	-	0.460	0.980	<0.500	1.01	<2.00
B-26	03/30/04	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/09/05	-	-	2.94	<1.00	12.5	2.36	<1.00
	06/22/05	-	-	11.9	<1.00	46.1	4.26	<1.00
	09/22/05	-	-	12.4	1.19	56.8	6.21	<1.00

COPPOR00007126

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - BTEX COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
B-28	02/18/00	-	-	0.754	0.368	0.545	0.986	-
	05/23/00	-	-	ND	ND	ND	ND	-
	08/25/00	-	-	ND	ND	ND	ND	-
	11/30/00	-	-	ND	ND	ND	ND	-
	02/23/01	-	-	ND	ND	ND	ND	-
	05/17/01	-	-	ND	ND	ND	ND	-
	09/20/01	-	-	2.12	2.93	ND	ND	-
	03/21/02	-	-	ND	ND	ND	ND	-
	09/24/02	-	-	ND	ND	ND	ND	-
	03/20/03	-	-	ND	ND	ND	ND	-
	09/29/03	-	-	0.699	<0.500	1.04	<1.00	-
	03/29/04	-	-	<0.500	<0.500	0.930	<1.00	-
	03/09/05	-	-	1.59		4.68	<1.00	<1.00
	09/21/05	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
	03/14/06	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
	09/28/06	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
B-29	09/20/01	-	-	1.30	ND	0.710	ND	-
	03/21/02	-	-	ND	ND	ND	ND	-
	09/24/02	-	-	ND	ND	ND	ND	-
	03/20/03	-	-	ND	ND	ND	ND	-
	09/29/03	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/29/04	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/09/05	-	-	<1.00	<1.00	<1.00	<2.00	<1.00
	09/21/05	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
	03/14/06	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
	09/28/06	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
B-30	02/18/00	-	-	38.9	5.29	2.44	10.3	-
	05/23/00	-	-	18.8	2.53	0.682	4.57	-
	08/25/00	-	-	81.2	12.5	2.35	21.9	-
	11/30/00	-	-	59.6	10.0	1.92	18.8	-
	02/23/01	-	-	61.6	5.31	9.52	19.4	-
dup**	02/23/01	-	-	61.8	3.24	9.23	16.0	-
	05/17/01	-	-	95.1	4.12	18.0	14.6	-
	09/20/01	-	-	38.7	ND	5.66	ND	-
dup	09/20/01	-	-	38.6	ND	6.18	ND	-
	03/21/02	-	-	113	17.0	6.09	24.2	-
	09/24/02	-	-	30.1	6.60	1.56	12.0	-
dup***	09/24/02	-	-	28.0	6.42	1.44	11.3	-
	03/20/03	-	-	17.3	4.49	0.500	5.96	-
dup*	03/20/03	-	-	17.4	4.43	0.510	6.68	-
	09/29/03	-	-	32.6	7.34	1.62	12.2	-
	03/29/04	-	-	15.6	3.13	1.16	7.07	-
dup	03/29/04	-	-	17.5	3.38	1.24	7.32	-
	03/09/05	-	-	12.6	3.04	<1.00	6.26	<1.00
	06/22/05	-	-	19.6	4.53	1.06	7.80	<1.00
	09/21/05	-	-	15.1	2.75	<1.00	3.72	<1.00
dup****	09/21/05	-	-	18.9	3.17	<1.00	4.40	<1.00
	03/14/06	-	-	15.9	2.53	<1.00	4.15	<1.00
dup	03/14/06	-	-	15.8	2.51	1.02	4.42	<1.00
	09/28/06	-	-	48.9	8.50	1.51	12.1	<2.00

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - BTEX COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
B-32	03/20/03	-	-	ND	ND	ND	ND	-
	09/29/03	-	-	<0.500	<0.500	0.636	<1.00	-
	03/29/04	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/09/05	-	-	<1.00	<1.00	<1.00	<2.00	2.17
	09/22/05	-	-	<1.00	<1.00	<1.00	<3.00	1.66
	03/15/06	-	-	<1.00	<1.00	<1.00	<3.00	1.84
B-33	03/20/03	-	-	ND	ND	ND	ND	-
	09/29/03	-	-	0.558	0.735	<0.500	1.35	-
	03/30/04	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/09/05	-	-	<1.00	<1.00	<1.00	<2.00	<1.00
	06/22/05	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
	09/22/05	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
	03/15/06	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
CR-1	09/20/01	-	-	ND	ND	ND	ND	-
	03/21/02	-	-	ND	ND	ND	ND	-
	09/24/02	-	-	ND	ND	ND	ND	-
	03/20/03	-	-	ND	ND	ND	ND	-
	09/29/03	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/30/04	-	-	25.8	1.13	120	9.06	-
	10/06/04	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/08/05	-	-	<1.00	<1.00	<1.00	<2.00	<1.00
	09/21/05	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
	09/27/06	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
CR-3	03/09/05	-	-	<1.00	<1.00	<1.00	<2.00	<1.00
	06/22/05	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
	09/22/05	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
CR-8	02/18/00	-	-	0.314	0.673	3.82	6.55	-
	05/23/00	-	-	ND	ND	ND	ND	-
	08/25/00	-	-	ND	ND	ND	ND	-
	11/30/00	-	-	ND	ND	ND	ND	-
	02/22/01	-	-	ND	ND	ND	ND	-
	05/16/01	-	-	ND	0.841	0.519	1.77	-

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - BTEX COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
CR-9	02/18/00	-	-	ND	ND	ND	ND	-
	05/23/00	-	-	ND	ND	ND	ND	-
	08/25/00	-	-	ND	ND	ND	ND	-
dup	08/25/00	-	-	ND	ND	ND	ND	-
	11/30/00	-	-	ND	ND	ND	ND	-
dup	11/30/00	-	-	ND	ND	ND	ND	-
	02/22/01	-	-	ND	ND	ND	ND	-
	05/16/01	-	-	ND	ND	ND	ND	-
dup	05/16/01	-	-	ND	ND	ND	ND	-
CR-11	02/18/00	-	-	81	4.95	4.41	6.17	-
	05/23/00	-	-	40.2	1.95	2.54	ND	-
	08/25/00	-	-	107	5.30	22.1	8.41	-
	11/30/00	-	-	NS/S	NS/S	NS/S	NS/S	-
	02/22/01	-	-	84.2	3.24	2.47	6.25	-
	05/16/01	-	-	119	5.85	4.43	14.3	-
CR-26	03/09/05	-	-	<1.00	<1.00	<1.00	<2.00	<1.00
	06/22/05	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
	09/22/05	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
TB-LB	02/22/01	-	-	ND	ND	ND	ND	-
	05/16/01	-	-	ND	ND	ND	ND	-
	09/19/01	-	-	ND	ND	ND	ND	-
	03/21/02	-	-	1.16	3.9	ND	1.95	-
	09/24/02	-	-	ND	ND	ND	ND	-
	03/20/03	-	-	ND	ND	ND	ND	-
	09/29/03	-	-	<0.500	<0.500	<0.500	<1.00	-

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - BTEX COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
Kinder Morgan								
MW-8	02/16/00	-	-	9.79	2.51	7.97	12.1	-
	05/31/00	-	-	16.6	3.85	3.05	10.2	-
	08/24/00	-	-	26.0	5.78	28.2	24.0	-
	12/01/00	-	-	17.8	4.59	3.19	11.1	-
	02/22/01	-	-	11.4	ND	2.79	8.88	-
	05/16/01	-	-	15.1	1.18	2.79	6.4	-
	09/21/01	-	-	13.0	1.08	9.54	7.66	-
	03/14/02	-	-	1.95	1.09	0.618	2.22	-
dup	03/14/02	-	-	1.96	0.955	ND	1.93	-
	09/27/02	-	-	4.85	2.30	0.819	4.25	-
	03/18/03	-	-	3.12	ND	ND	2.24	-
dup	03/18/03	-	-	2.36	ND	ND	2.62	-
	09/24/03	-	-	5.00	1.20	0.759	7.05	-
	03/30/04	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/27/04	-	-	3.03	0.576	<0.500	1.80	-
dup	09/27/04	-	-	3.25	<0.500	<0.500	1.75	-
	03/29/05	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/21/05	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/15/06	-	-	<0.500	<0.500	<0.500	<1.00	-
dup	03/15/06	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/26/06	-	-	0.290	<0.500	<0.500	<1.00	<2.00
MW-9	03/29/05	-	-	-	-	-	-	<2.00
	09/21/05	-	-	-	-	-	-	<2.00
MW-10	02/16/00	-	-	6.6	2.33	0.996	3.33	-
	05/31/00	-	-	6.78	0.794	ND	1.02	-
	08/24/00	-	-	ND	ND	ND	ND	-
	12/01/00	-	-	5.40	1.32	ND	1.78	-
	02/22/01	-	-	1.15	ND	1.15	1.98	-
	05/16/01	-	-	11.6	0.894	1.42	2.92	-
	03/29/05	-	-	-	-	-	-	<2.00
	09/21/05	-	-	-	-	-	-	<2.00
MW-11	02/16/00	-	-	5,260	2,360	2,580	11,200	-
	05/31/00	-	-	4,120	1,460	2,720	9,290	-
	08/24/00	-	-	2,490	787	2,020	5,960	-
	12/01/00	-	-	2,330	755	1,610	5,420	-
	02/22/01	-	-	3,520	2,230	1,230	8,130	-
	05/16/01	-	-	3,800	2,510	1,290	8,980	-
	03/29/05	-	-	-	-	-	-	<100
1,2,4=1590	09/21/05	-	-	-	-	-	-	<40.0
MW-13	02/16/00	-	-	ND	0.392	ND	0.903	-
	05/31/00	-	-	ND	ND	ND	ND	-
	08/24/00	-	-	ND	ND	ND	ND	-
	12/01/00	-	-	ND	ND	ND	ND	-
dup	12/01/00	-	-	ND	ND	ND	ND	-
	02/22/01	-	-	ND	ND	ND	ND	-
	05/16/01	-	-	ND	ND	ND	ND	-

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - BTEX COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
MW-15	02/17/00	-	-	2.89	0.493	0.442	1.15	-
	05/30/00	-	-	ND	ND	ND	ND	-
	08/24/00	-	-	ND	ND	ND	ND	-
	12/01/00	-	-	ND	ND	ND	ND	-
	02/22/01	-	-	ND	ND	ND	ND	-
	05/16/01	-	-	ND	ND	ND	ND	-
MW-20	03/29/05	-	-	-	-	-	-	<2.00
	09/21/05	-	-	-	-	-	-	<2.00
MW-21	02/17/00	-	-	ND	1.21	0.997	3.36	-
	05/30/00	-	-	ND	ND	ND	ND	-
	08/23/00	-	-	ND	ND	ND	ND	-
	12/01/00	-	-	ND	ND	ND	ND	-
	02/22/01	-	-	ND	ND	ND	ND	-
	05/16/01	-	-	ND	ND	ND	ND	-
MW-22	02/17/00	-	-	2060	2060	4720	13200	-
	05/30/00	-	-	2140	1560	4240	9150	-
	08/23/00	-	-	1670	1500	3670	7720	-
	12/01/00	-	-	1450	1330	3960	8280	-
	02/21/01	-	-	NS/S	NS/S	NS/S	NS/S	-
	05/16/01	-	-	NS/F	NS/F	NS/F	NS/F	-
MW-23	02/17/00	-	-	NS/F	NS/F	NS/F	NS/F	-
	05/30/00	-	-	NS/F	NS/F	NS/F	NS/F	-
	08/23/00	-	-	NS/F	NS/F	NS/F	NS/F	-
	12/01/00	-	-	NS/F	NS/F	NS/F	NS/F	-
	02/22/01	-	-	76.8	102	12.6	90.4	-
	05/16/01	-	-	NS/S	NS/S	NS/S	NS/S	-
MW-25	09/21/01	-	-	ND	ND	ND	ND	-
	03/14/02	-	-	ND	ND	ND	ND	-
	09/27/02	-	-	ND	ND	ND	ND	-
	03/18/03	-	-	ND	ND	ND	ND	-
	09/29/03	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/30/04	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/27/04	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/28/05	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/21/05	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/15/06	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/26/06	-	-	<0.200	<0.500	<0.500	<1.00	<2.00

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - BTEX COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
MW-26	02/17/00	-	-	1.31	4.01	18.6	26.2	-
dup	02/17/00	-	-	1.04	3.11	11.9	17.1	-
	05/30/00	-	-	ND	7.11	7.4	9.62	-
	08/23/00	-	-	ND	3.67	10.8	3.54	-
dup	08/23/00	-	-	ND	4.81	15.9	6.20	-
	12/01/00	-	-	3.43	29.8	7.28	15.6	-
	02/21/01	-	-	NS/S	NS/S	NS/S	NS/S	-
	05/17/01	-	-	15.1	8.76	10.1	10.6	-
	09/27/02	-	-	7.66	7.24	5.90	6.44	-
	03/18/03	-	-	9.11	ND	1.57	4.80	-
	09/24/03	-	-	2.18	<0.500	2.90	12.7	-
	03/30/04	-	-	<0.500	<0.500	<0.500	1.67	-
	09/27/04	-	-	2.41	1.42	4.64	7.57	-
	03/28/05	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/21/05	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/15/06	-	-	<0.500	<0.500	0.540	1.85	-
	09/26/06	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
dup	09/26/06	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
MW-28	02/16/00	-	-	1.29	3.13	8.26	14.7	-
	05/30/00	-	-	NS/S	NS/S	NS/S	NS/S	-
	08/23/00	-	-	NS/S	NS/S	NS/S	NS/S	-
	12/01/00	-	-	NS/S	NS/S	NS/S	NS/S	-
	02/21/01	-	-	NS/F	NS/F	NS/F	NS/F	-
	05/16/01	-	-	NS/S	NS/S	NS/S	NS/S	-
MW-29	03/28/05	-	-	-	-	-	-	<2.00
	09/21/05	-	-	-	-	-	-	<2.00
MW-31	02/16/00	-	-	0.579	0.629	0.481	1.51	-
	05/30/00	-	-	ND	ND	ND	ND	-
	08/23/00	-	-	ND	ND	ND	ND	-
	12/01/00	-	-	ND	ND	ND	ND	-
	02/22/01	-	-	ND	ND	ND	ND	-
	05/17/01	-	-	ND	ND	ND	ND	-
MW-32	02/16/00	-	-	ND	0.608	0.379	1.31	-
	05/30/00	-	-	ND	ND	ND	ND	-
	08/23/00	-	-	ND	ND	ND	ND	-
	12/01/00	-	-	ND	ND	ND	ND	-
	02/22/01	-	-	ND	ND	ND	ND	-
	05/16/01	-	-	ND	ND	ND	ND	-

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - BTEX COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
MW-33	02/16/00	-	-	ND	0.718	0.589	1.21	-
	05/30/00	-	-	ND	ND	ND	ND	-
	08/24/00	-	-	ND	ND	ND	ND	-
	11/30/00	-	-	ND	ND	ND	ND	-
	02/22/01	-	-	ND	ND	ND	ND	-
dup	02/22/01	-	-	ND	ND	ND	ND	-
	05/16/01	-	-	ND	ND	ND	ND	-
	09/21/01	-	-	ND	ND	ND	ND	-
	03/14/02	-	-	ND	ND	ND	ND	-
	09/27/02	-	-	ND	ND	ND	ND	-
	03/18/03	-	-	ND	ND	ND	ND	-
	09/24/03	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/29/04	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/27/04	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/29/05	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/21/05	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
dup	09/21/05	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/15/06	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/27/06	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
MW-34	09/21/01	-	-	ND	ND	ND	ND	-
	03/14/02	-	-	ND	ND	ND	ND	-
	09/27/02	-	-	ND	ND	ND	ND	-
	03/18/03	-	-	ND	ND	ND	ND	-
	09/24/03	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/29/04	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/27/04	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/29/05	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
dup	03/29/05	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/21/05	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/15/06	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/27/06	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
MW-36	02/16/00	-	-	0.322	2.36	1.32	6.29	-
	05/31/00	-	-	ND	ND	ND	ND	-
	08/24/00	-	-	ND	ND	ND	ND	-
	11/30/00	-	-	ND	ND	0.548	ND	-
	02/21/01	-	-	ND	ND	ND	ND	-
	05/16/01	-	-	0.882	ND	ND	ND	-
	09/21/01	-	-	ND	ND	ND	ND	-
	03/13/02	-	-	ND	ND	ND	ND	-
	03/18/03	-	-	ND	ND	ND	ND	-
	09/24/03	-	-	0.727	<0.500	<0.500	1.38	-
	03/29/04	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/27/04	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/21/05	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/15/06	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/27/06	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
dup	09/27/06	-	-	<0.200	<0.500	<0.500	<1.00	<2.00

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - BTEX COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
MW-37	02/16/00	-	-	1.06	0.456	0.492	1.78	-
	05/30/00	-	-	33	0.957	ND	2.1	-
dup	05/30/00	-	-	31.4	0.775	0.786	1.72	-
	08/24/00	-	-	40.9	0.731	ND	1.44	-
	11/30/00	-	-	10.7	0.594	ND	ND	-
	02/21/01	-	-	ND	ND	ND	ND	-
	05/16/01	-	-	0.691	ND	0.740	1.25	-
	09/21/01	-	-	ND	ND	1.04	1.31	-
	09/27/02	-	-	ND	ND	ND	ND	-
dup	09/27/02	-	-	ND	ND	ND	ND	-
	03/18/03	-	-	ND	ND	ND	ND	-
	09/24/03	-	-	NS/F	NS/F	NS/F	NS/F	-
	09/27/04	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/29/05	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/21/05	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/15/06	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/27/06	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
MW-38	03/29/05	-	-	-	-	-	-	10.2
	09/21/05	-	-	-	-	-	-	22.0
MW-39	09/27/04	-	-	<0.500	<0.500	<0.500	7.45	-
	09/21/05	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
MW-40	02/16/00	-	-	ND	0.424	0.492	0.759	-
	05/30/00	-	-	ND	ND	ND	ND	-
	08/24/00	-	-	ND	ND	ND	ND	-
	11/30/00	-	-	ND	ND	ND	ND	-
	02/21/01	-	-	ND	ND	ND	ND	-
	05/16/01	-	-	ND	ND	0.505	ND	-
	09/21/01	-	-	ND	ND	ND	ND	-
	03/13/02	-	-	ND	ND	ND	ND	-
	09/27/02	-	-	ND	ND	ND	ND	-
	03/18/03	-	-	ND	ND	ND	ND	-
	09/24/03	-	-	<0.500	<0.500	<0.500	<1.00	-
dup	09/24/03	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/29/04	-	-	<0.500	<0.500	<0.500	<1.00	-
dup	03/29/04	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/27/04	-	-	<0.500	<0.500	<0.500	<1.00	
	03/29/05	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/21/05	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/15/06	-	-	<0.500	<0.500	<0.500	<1.00	-

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - BTEX COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
CONOCOPHILLIPS								
B-2	03/28/05	-	-	-	-	-	-	3.47
dup	03/28/05	-	-	-	-	-	-	3.52
	09/20/05	-	-	-	-	-	-	4.30
B-3	03/28/05	-	-	-	-	-	-	10.7
	09/20/05	-	-	-	-	-	-	8.26
B-4	05/26/00	-	-	82.3	12.7	4	14.8	-
dup	05/26/00	-	-	74.8	10.7	2.77	10.3	-
	08/23/00	-	-	NS/F	NS/F	NS/F	NS/F	-
	11/29/00	-	-	7.04	5.81	2.10	8.09	-
	02/20/01	-	-	NS/F	NS/F	NS/F	NS/F	-
	05/17/01	-	-	NS/F	NS/F	NS/F	NS/F	-
	09/26/02	-	-	16.5	8.36	5.14	27.6	-
	09/25/03	-	-	48.1	7.55	6.02	17.9	-
	03/28/05	-	-	-	-	-	-	<2.00
	09/26/06	-	-	25.6	5.03	<0.500	6.46	<2.00
B-6	03/28/05	-	-	-	-	-	-	<2.00
	09/20/05	-	-	-	-	-	-	<2.00
B-16	03/28/05	-	-	-	-	-	-	2.11
	09/20/05	-	-	-	-	-	-	<2.00
B-17	02/17/00	-	-	274	24	15.4	37.7	-
	05/26/00	-	-	434	44.4	49.9	158	-
	08/28/00	-	-	372	21.1	10.8	15.4	-
	11/29/00	-	-	293	18.2	9.89	13.6	-
	02/23/01	-	-	258	11.8	21.3	21.6	-
dup	02/23/01	-	-	238	10.2	19.6	17.3	-
	05/17/01	-	-	165	6.82	17.0	15.7	-
dup	05/17/01	-	-	173	7.14	17.2	15.6	-
B-18	02/17/00	-	-	ND	1.04	3.46	6.13	-
	05/26/00	-	-	ND	ND	ND	ND	-
	08/28/00	-	-	ND	ND	ND	ND	-
	11/29/00	-	-	ND	ND	ND	ND	-
	02/23/01	-	-	ND	ND	ND	ND	-
	05/17/01	-	-	ND	0.502	ND	ND	-
B-22	02/17/00	-	-	NS/S	NS/S	NS/S	NS/S	-
	05/26/00	-	-	0.508	0.522	0.543	2.17	-
	08/28/00	-	-	NS/F	NS/F	NS/F	NS/F	-
	11/29/00	-	-	NS/S	NS/S	NS/S	NS/S	-
	02/20/01	-	-	NS/F	NS/F	NS/F	NS/F	-
	05/17/01	-	-	NS/F	NS/F	NS/F	NS/F	-
B-27	03/28/05	-	-	-	-	-	-	2.16

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - BTEX COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
B-35	02/17/00	-	-	31.6	13.5	11	27.4	-
	05/26/00	-	-	194	16.3	12.5	39.8	-
	08/28/00	-	-	287	15.3	8.42	ND	-
	11/29/00	-	-	384	17.0	12.0	30.2	-
	02/23/01	-	-	45.6	4.87	12.4	20.5	-
	05/17/01	-	-	15.2	4.32	5.62	7.99	-
	09/20/01	-	-	58.0	3.31	9.78	15.9	-
	03/14/02	-	-	34.1	15.8	2.41	11.4	-
	09/26/02	-	-	95.8	11.3	14.0	26.3	-
	03/18/03	-	-	8.11	6.39	1.42	3.20	-
	09/25/03	-	-	66.7	7.41	3.74	19.2	-
	03/30/04	-	-	15.1	1.39	6.49	13.0	-
	09/28/04	-	-	93.4	11.7	<5.00	19.7	-
	03/28/05	-	-	3.71	6.72	0.660	10.5	7.20
	09/20/05	-	-	82.0	10.4	1.79	12.2	6.48
	03/14/06	-	-	18.8	7.31	1.32	10.9	-
	09/26/06	-	-	20.9	7.63	2.45	10.2	<2.00
B-36	02/17/00	-	-	0.925	1.16	0.762	3.16	-
	05/26/00	-	-	ND	0.82	0.502	ND	-
	08/28/00	-	-	2.08	2.54	0.693	2.53	-
	11/29/00	-	-	1.14	2.53	1.02	2.78	-
	02/23/01	-	-	ND	0.512	1.15	1.44	-
	05/17/01	-	-	ND	0.545	0.819	1.8	-
	09/20/01	-	-	ND	0.609	0.761	1.50	-
dup	09/20/01	-	-	ND	0.547	0.820	1.51	-
	03/14/02	-	-	ND	ND	ND	ND	-
	09/26/02	-	-	1.18	1.33	0.635	2.48	-
	03/18/03	-	-	ND	ND	ND	ND	-
	09/25/03	-	-	0.940	1.10	0.954	2.90	-
	03/30/04	-	-	<0.500	<0.500	<0.500	1.23	-
	09/28/04	-	-	0.614	0.679	<0.500	<1.00	-
	03/28/05	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/20/05	-	-	0.390	0.930	<0.500	<1.00	2.63
	03/14/06	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/26/06	-	-	0.760	1.18	<0.500	1.57	3.50

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - BTEX COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
B-37	02/17/00	-	-	ND	0.517	0.63	1.18	-
dup	02/17/00	-	-	0.342	1.06	0.795	1.97	-
	05/26/00	-	-	ND	ND	ND	ND	-
	08/28/00	-	-	ND	ND	ND	ND	-
	11/29/00	-	-	ND	ND	ND	ND	-
	02/23/01	-	-	ND	ND	ND	ND	-
	05/17/01	-	-	ND	ND	ND	ND	-
	03/14/02	-	-	ND	ND	ND	ND	-
	09/26/02	-	-	ND	ND	ND	ND	-
	03/18/03	-	-	ND	ND	ND	ND	-
dup	03/18/03	-	-	ND	ND	ND	ND	-
	09/25/03	-	-	<0.500	<0.500	0.639	1.30	-
dup	09/25/03	-	-	<0.500	<0.500	0.628	1.24	-
	03/31/04	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/28/04	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/28/05	-	-	<0.200	<0.500	<0.500	<1.00	3.98
	09/20/05	-	-	<0.200	<0.500	<0.500	<1.00	6.14
	09/20/05	-	-	-	-	-	-	5.82
	03/14/06	-	-	<0.500	<0.500	<0.500	<1.00	-
dup	03/14/06	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/26/06	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
B-40	02/17/00	-	-	NS/S	NS/S	NS/S	NS/S	-
	05/26/00	-	-	NS/F	NS/F	NS/F	NS/F	-
	08/28/00	-	-	NS/F	NS/F	NS/F	NS/F	-
	11/29/00	-	-	NS/F	NS/F	NS/F	NS/F	-
	02/20/01	-	-	NS/F	NS/F	NS/F	NS/F	-
	05/17/01	-	-	NS/F	NS/F	NS/F	NS/F	-
	09/26/06	-	-	21.5	2.94	89.4	225	<4.00
P-1	03/17/03	-	-	ND	ND	ND	ND	-
	03/31/04	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/28/04	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/28/05	-	-	-	-	-	-	<2.00
	03/14/06	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/26/06	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
P-2	03/17/03	-	-	ND	0.534	ND	ND	-
	09/25/03	-	-	<0.500	<0.500	0.823	<1.00	-
	03/30/04	-	-	0.540	<0.500	<0.500	<1.00	-
	09/28/04	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/28/05	-	-	<0.200	<0.500	<0.500	<1.00	2.84
	09/20/05	-	-	<0.200	<0.500	<0.500	<1.00	4.48
	03/14/06	-	-	<0.500	<0.500	<0.500	<1.00	-

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - BTEX COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
U-2	02/17/00	-	-	3.13	1.93	3.59	3.43	-
	05/26/00	-	-	0.885	1.45	ND	ND	-
	08/28/00	-	-	ND	ND	0.604	ND	-
	11/29/00	-	-	ND	ND	ND	ND	-
	02/23/01	-	-	ND	ND	ND	ND	-
	05/17/01	-	-	ND	ND	ND	ND	-
	09/20/01	-	-	ND	ND	ND	ND	-
	03/14/02	-	-	0.986	1.60	0.905	ND	
	09/26/02	-	-	ND	ND	ND	ND	
	03/18/03	-	-	ND	ND	ND	ND	
	09/25/03	-	-	<0.500	<0.500	<0.500	<1.00	
	03/31/04	-	-	2.60	<0.500	0.820	<1.00	-
	09/28/04	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/28/05	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/20/05	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/14/06	-	-	4.71	<0.500	3.19	1.05	-
	09/27/06	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
U-3	02/17/00	-	-	0.355	0.993	0.952	3.17	-
	05/26/00	-	-	1.5	0.954	1.01	2.39	-
	08/28/00	-	-	ND	ND	0.793	ND	-
	11/29/00	-	-	ND	ND	0.744	ND	-
dup	11/29/00	-	-	0.500	0.567	0.727	ND	-
	02/23/01	-	-	14.8	1.84	2.58	ND	-
	05/17/01	-	-	7.83	ND	0.620	1.16	-
	03/28/05	-	-	-	-	-	-	<2.00
	09/20/05	-	-	-	-	-	-	5.09
U-4	05/26/00	-	-	62.3	ND	ND	ND	-
	08/28/00	-	-	15.0	ND	1.76	ND	-
dup	08/28/00	-	-	14.3	0.509	2.99	1.04	-
	11/29/00	-	-	ND	ND	ND	ND	-
	02/23/01	-	-	0.844	6.84	1.07	11.2	-
	05/17/01	-	-	NS/F	NS/F	NS/F	NS/F	-
	09/26/02	-	-	0.760	0.552	1.07	2.99	-
dup	09/26/02	-	-	0.771	0.623	2.21	4.14	-
	03/28/05	-	-	-	-	-	-	5.62
	09/27/06	-	-	<0.200	<0.500	<0.500	<1.00	6.69
U-5	02/17/00	-	-	3.86	0.654	0.501	2.54	-
	05/26/00	-	-	3.49	ND	ND	ND	-
	08/28/00	-	-	ND	ND	ND	ND	-
	11/29/00	-	-	ND	ND	ND	ND	-
	02/23/01	-	-	1.56	1.16	ND	ND	-
	05/17/01	-	-	NS/F	NS/F	NS/F	NS/F	-
	03/18/03	-	-	2.49	2.21	5.77	33.7	-
	09/25/03	-	-	2.39	1.71	7.89	7.66	-
	03/31/04	-	-	1.53	<0.500	<0.500	<1.00	-
	09/28/04	-	-	<0.500	0.806	<0.500	1.80	-
	03/28/05	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/20/05	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/14/06	-	-	0.560	<0.500	<0.500	<1.00	-
	09/26/06	-	-	<0.200	<0.500	<0.500	<1.00	<2.00

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - BTEX COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
U-10	03/18/03	-	-	ND	ND	ND	ND	-
	09/25/03	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/30/04	-	-	0.680	2.08	<0.500	4.01	-
	09/28/04	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/28/05	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/20/05	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/14/06	-	-	<0.500	<0.500	<0.500	<1.00	-
U-11	03/18/03	-	-	ND	ND	ND	ND	-
	09/25/03	-	-	1.74	1.37	1.04	1.74	-
	03/30/04	-	-	<0.500	<0.500	<0.500	<1.00	-
dup	03/30/04	-	-	0.650	1.93	<0.500	3.26	-
	09/28/04	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/28/05	-	-	0.360	0.830	<0.500	1.09	<2.00
	09/20/05	-	-	0.480	1.10	<0.500	1.17	<2.00
	03/14/06	-	-	0.780	1.74	<0.500	2.86	-
U-12	03/18/03	-	-	5.30	2.12	0.642	3.72	-
	09/25/03	-	-	<0.500	0.563	<0.500	2.00	-
	03/30/04	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/28/04	-	-	1.03	0.978	0.719	2.58	-
	03/28/05	-	-	<0.200	<0.500	<0.500	<1.00	4.21
	09/20/05	-	-	<0.200	<0.500	<0.500	<1.00	4.54
	03/14/06	-	-	<0.500	<0.500	<0.500	<1.00	-
U-14	09/27/06	3,980[1]	<526[1]	<0.200	<0.500	<0.500	<1.00	<2.00
U-15	09/27/06	466	<485	7.01	<0.500	1.38	<1.00	<2.00
U-16	09/27/06	2,530	<500	0.440	<0.500	5.43	<1.00	<2.00
U-17	09/27/06	4,540	<500	<0.200	<0.500	<0.500	<1.00	<2.00
TB-LB	08/24/00	-	-	ND	ND	ND	ND	-
	08/25/00	-	-	ND	ND	ND	ND	-
	08/28/00	-	-	ND	ND	ND	ND	-
	11/29/00	-	-	ND	ND	ND	ND	-
	11/30/00	-	-	ND	ND	ND	ND	-
	12/01/00	-	-	ND	ND	ND	ND	-
	02/23/01	-	-	ND	ND	ND	ND	-

Notes:
2/00 and 5/00 data from IT Corporation
8/00, 11/00, 2/01 and 5/01 data from KHM Environmental Management, Inc.
NS/F = Not sampled floating product present
NS/S = Not sampled sheen present
µg/l = Micrograms per Liter
ND = Not detected at or below detection limit
<0.200 = Not detected above the laboratory method reporting limit (MRL) of 0.200 µg/L.
BTEX analysis by USEPA Method 8021B
dup* = duplicate for B-30 submitted as blind duplicate labeled as B-50
dup** = duplicate for B-30 submitted as blind duplicate labled as B-31
dup*** = duplicate for B-30 submitted as blind duplicate labeled as B-99
TB-LB = trip blank
[1] = The reporting limit for this analyte was raised to compensate for the limited sample quantity available for analysis.
[2] = The reporting limit for this analyte was raised to compensate for the limited sample quantity available for analysis.

Printer Friendly Version

Confirmation

Your Reservation Confirmation Number: **378826961**

Your reservation is confirmed. A copy of your reservation has been sent to kmcquinn@deltaenv.com. You may also print this page for future reference.

Thank you for booking at bestwestern.com.

If you have any questions regarding your reservation, please call 1-800-780-7234 (U.S. and Canada), email us, or click here for International Reservation Numbers.

Reservation Information

Best Western Humboldt Bay Inn
232 W 5th Street
Eureka, California
95501-0221, United States
Phone: 707-443-2234
Fax: 707-443-3489

Guest Information

Kathryn McQuinn
7150 SW Hampton # 220
Tigard Oregon, 97223
United States

Tel: 50-970-8543
Email: kmcquinn@deltaenv.com

Payment Information

Kathryn McQuinn
2006 NE 14th Ave
Portland Oregon, 97212
United States

Visa
xxxx-xxxx-xxxx-7180
Expires December 31, 2009

Room 1 Summary

Check-In: November 15, 2006; 2PM (14:00)
Check-Out: November 16, 2006; 12PM (12:00)

Guests: 1
Rate: Standard Rate

Room Details: Two Double Beds, No Smoking, Coffee Maker, Hairdryer, Continental Breakfast

Special Requests (not guaranteed): Lower Floor

Room Rate Subtotal: $99.00 (USD)

Policies:

Deposit Policy: Guaranteed to your credit card for late arrival

Cancel Policy: Cancel before 4PM hotel time on November 15, 2006 to avoid a charge

Guarantee Policy: Reservation has been guaranteed

Child Policy: Children 12 And Under Are Free In Room With One Paying Adult In Existing Bedding.

Reservation Amount

$99.00 USD

Tax: 9% Not Included In Reservation.

Book another stay: at this Hotel > | at a different Hotel >

If you want, you can also email this confirmation to someone else:

Send Email

e.g. john@name.com

Avis

Get an Avis Upgrade plus Double Gold Crown Club points!

More >

Budget

A really good price for a really great car.

More >

Reserve a Super Shuttle.

More >

Protect your vacation with Access America.

Travel Insurance and Assistance

More >

For reservations (U.S. and Canada) by phone call: **1-800-780-7234** or contact any of our Worldwide Reservations Numbers >

Security and Privacy Policies

The security of your personal information is important to Best Western. Our site uses SSL encryption to ensure your personal information is sent directly to and can only be viewed by Best Western International, Inc. For more information, please view our Privacy Policy. >

Best Western hotels are independently owned and operated.© 2002 - 2006 Best Western International, Inc. All rights reserved.

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
CHEVRON																	
B-7	02/18/00	5.22	ND	ND	ND	ND	ND	ND	ND	0.528	ND	7.26	16.3	ND	ND	17.6	0.962
	05/23/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	17.2	ND	ND	13.6	ND
dup	05/23/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	20.9	ND	ND	15.8	ND
	08/25/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	11/30/00	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	02/22/01	1.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.64	ND	ND	2.82	ND
	05/17/01	0.934	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.59	ND	ND	0.564	ND
	03/20/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/29/03	2.12	ND	0.287	ND	ND	ND	ND	ND	ND	ND	ND	7.74	ND	ND	6.11	ND
	03/30/04	1.95	<0.200	0.436	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	7.73	<0.200	<1.60	5.95	<0.200
	03/09/05	2.42	<0.800	<0.400	<0.400	<0.400	<0.400	<0.400	<0.400	<0.400	<0.800	<0.400	9.07	<0.400	<1.40	6.82	<0.400
dup	03/09/05	2.66	<1.00	<0.250	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	9.74	<0.100	<2.00	7.30	0.154
	09/22/05	2.65	<0.990	<0.990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.198	<0.990	10.4	<0.0990	<1.98	8.16	0.177
B-9	02/18/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	05/23/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.43	ND	ND	1.3	ND
	08/25/00	2.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.40	ND	ND	1.33	ND
	11/30/00	0.700	ND	0.600	0.460	0.240	0.400	ND	ND	ND	ND	ND	6.70	ND	0.780	0.200	0.160
	02/22/01	1.78	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.20	ND	ND	0.528	ND
	05/17/01	1.50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.60	ND	ND	0.386	ND
	09/19/01	1.08	0.240	ND	ND	ND	ND	0.120	ND	ND	0.100	ND	4.00	0.100	0.260	0.780	0.100
	03/21/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/24/02	1.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.09	ND	ND	0.358	ND
	03/20/03	0.242	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.508	ND	ND	ND	ND
	09/30/03	1.29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.38	ND	ND	0.265	ND
	03/30/04	0.964	<0.300	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	3.10	<0.200	<1.50	0.951	0.234
	03/08/05	0.910	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	2.78	<0.100	<0.700	0.679	<0.100
	06/22/05	0.887	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	3.05	<0.100	<0.500	0.873	<0.100
	09/21/05	0.832	<0.198	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.198	<0.0990	2.93	<0.0990	<0.891	0.702	<0.0990
	09/26/06	0.780	<0.150	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	0.105	<0.100	0.221	1.99	<0.100	<0.550	0.805	0.226

COPPOR00007142

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
B-10	02/18/00	3.58	ND	ND	0.0670	ND	ND	ND	ND	0.14	ND	0.632	11.8	ND	ND	12.9	0.513
dup	02/18/00	4.83	ND	2.9	5.47	ND	0.66	ND	ND	0.689	ND	1.95	15.9	ND	ND	23.4	1.85
	05/23/00	ND	ND	ND	ND	ND	ND	ND	ND	0.101	ND	ND	11.9	ND	ND	12.7	0.818
	08/25/00	1.63	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.18	ND	ND	2.91	ND
	11/30/00	1.42	ND	0.320	ND	ND	ND	ND	ND	ND	ND	ND	2.24	ND	0.980	0.160	0.120
	02/23/01	1.01	ND	0.252	ND	ND	ND	ND	ND	ND	ND	0.234	1.25	ND	ND	1.33	0.225
	05/17/01	0.635	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.976	ND	ND	0.521	ND
	09/19/01	0.420	ND	ND	ND	ND	ND	0.100	ND	ND	ND	0.200	0.300	0.100	0.360	ND	0.240
	03/21/02	ND	ND	0.188	ND	ND	ND	ND	ND	ND	ND	0.190	1.23	ND	ND	1.23	0.220
	09/24/02	1.04	0.132	1.49	ND	ND	0.170	ND	0.189	ND	ND	ND	1.32	ND	0.717	1.34	0.245
	03/20/03	1.05	ND	0.190	ND	ND	ND	ND	ND	ND	ND	0.194	1.30	ND	ND	1.27	0.236
	09/29/03	1.09	ND	0.234	ND	ND	ND	ND	ND	ND	ND	0.463	1.91	ND	ND	2.11	0.436
	03/30/04	1.65	<0.200	0.671	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	0.588	5.22	<0.200	<2.40	5.67	0.891
	03/08/05	1.41	<0.300	0.638	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.400	0.814	4.46	<0.200	<1.40	2.76	0.829
	09/21/05	1.27	<0.990	<0.990	<0.990	<0.990	<0.990	<0.990	<0.990	<0.990	<1.98	<0.990	2.22	<0.990	<1.98	1.89	<0.990
	03/14/06	1.05	<0.200	0.170	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	0.154	2.15	<0.0200	<1.50	1.68	0.211
	09/26/06	1.64	<0.388	0.527	0.0463	0.0590	0.0717	0.110	0.0542	0.0928	0.0265	0.469	4.89	0.0768	<1.17	3.66	0.635
B-11	02/18/00	1.75	ND	ND	ND	ND	0.547	ND	ND	ND	ND	ND	2.15	ND	ND	1.53	0.764
	05/23/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.891	0.169
	08/25/00	1.35	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.47	ND	ND	1.76	ND
	11/30/00	2.10	0.400	1.02	0.400	0.180	0.180	ND	ND	ND	ND	ND	2.88	ND	1.20	0.260	ND
	02/22/01	ND	ND	0.106	ND	ND	ND	ND	ND	ND	ND	ND	1.12	ND	ND	0.815	ND
	05/17/01	0.478	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.729	ND	ND	0.358	ND
	03/30/04	0.931	<0.300	<0.300	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	1.06	<0.200	<3.50	0.604	0.418
	03/09/05	0.664	<0.150	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	1.15	<0.100	<1.40	0.623	0.172
	06/22/05	0.685	<0.150	117	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	0.111	1.04	<0.100	<1.00	0.471	0.181
	09/21/05	0.854	<0.149	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.198	<0.0990	1.36	<0.0990	<1.58	0.743	0.124

COPPOR0007143

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
B-14	02/18/00	1.08	ND	0.222	0.01	ND	ND	ND	ND	0.104	ND	0.561	1.84	ND	7	1.9	0.582
	05/23/00	ND	ND	1.85	ND	ND	ND	ND	ND	ND	ND	0.467	ND	ND	ND	1.36	0.621
	08/25/00	1.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.75	ND	24.5	2.06	ND
	11/30/00	0.920	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.60	ND	0.980	ND	ND
	02/22/01	ND	ND	0.187	ND	ND	ND	ND	ND	ND	ND	0.390	1.10	ND	ND	1.16	0.489
	05/17/01	0.738	ND	0.106	ND	ND	ND	ND	ND	ND	ND	0.341	0.966	ND	1.72	0.892	0.336
B-19	03/20/03	1.69	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.440	ND	ND	6.62	ND
	09/29/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.68	ND	ND	13.2	ND
	03/29/04	2.12	<1.00	<1.00	<1.00	0.0213	<0.0200	<0.0200	<0.0200	<1.00	<0.0200	<1.00	7.01	<0.0200	<3.50	11.9	<1.00
	03/09/05	2.40	<1.00	0.973	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<1.00	<0.500	8.85	<0.500	<3.00	16.0	0.537
	06/22/05	2.96	<2.00	0.849	<0.100	<0.100	<0.100	<0.100	<0.100	0.141	<0.200	<0.300	9.59	<0.100	<2.50	15.8	0.277
	09/22/05	<1.34	<0.396	<0.297	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.198	<0.149	4.14	<0.0990	<1.98	6.40	0.209
	03/14/06	1.97	<0.472	0.291	<0.0189	<0.0189	<0.0189	<0.0189	<0.0189	0.0427	<0.0189	<0.0943	4.60	<0.0189	<2.17	8.98	0.113
B-20	03/20/03	0.322	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.577	ND	ND	ND	ND
	09/29/03	1.52	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.86	ND	ND	4.27	ND
	03/30/04	1.07	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	3.81	<0.200	<1.50	0.988	<0.200
	03/09/05	1.29	<0.400	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.400	<0.200	4.58	<0.200	<0.800	3.03	<0.200
	09/22/05	<0.891	<0.248	<0.347	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.198	<0.0990	3.13	<0.0990	<0.693	0.812	<0.0990
B-21	09/19/01	3.40	0.200	1.78	0.360	0.360	0.320	0.400	0.300	0.540	0.160	1.52	16.1	0.320	1.18	16.8	1.54
	03/21/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.38	ND	ND	3.84	ND
	09/24/02	2.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.66	ND	ND	4.15	ND
	03/20/03	2.71	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	11.0	ND	ND	7.00	ND
	09/29/03	3.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.94	ND	ND	8.86	0.394
	03/29/04	2.52	<0.500	<0.500	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	0.0396	<0.0200	<0.500	8.76	<0.0200	<3.00	7.58	0.259
	03/08/05	2.79	<0.800	<0.600	<0.400	<0.400	<0.400	<0.400	<0.400	<0.400	<0.800	<0.400	10.5	<0.400	<2.20	10.8	0.430
	09/22/05	2.26	<0.990	<0.990	<0.990	<0.990	<0.990	<0.990	<0.990	<0.990	<1.98	<0.990	8.41	<0.990	<1.98	5.22	<0.990
	03/15/06	2.66	<0.755	<0.189	<0.0189	<0.0189	<0.0189	<0.0189	<0.0189	<0.0189	<0.0189	<0.189	9.04	<0.0189	<1.79	7.34	0.0789
	09/26/06	2.39	<0.693	<0.198	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.149	9.45	<0.0990	<1.39	6.85	<0.149

COPPOR0007144

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
B-26	03/30/04	0.778	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	0.299	0.649	<0.200	27.5	1.08	0.447
	03/09/05	0.778	<0.100	<0.100	<0.100	<0.100	0.140	<0.100	<0.100	<0.100	<0.200	0.236	0.421	<0.100	5.37	0.912	0.371
	06/22/05	0.651	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.400	0.264	0.588	<0.200	10.9	0.639	0.293
	09/22/05	0.841	<0.149	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.198	0.161	0.440	<0.0990	7.80	0.701	0.224
B-28	02/18/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.09	ND	ND
	05/23/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/25/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/30/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02/23/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/17/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/20/01	ND	ND	ND	ND	ND	ND	0.100	ND	ND	ND	ND	ND	0.100	ND	ND	ND
	03/21/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/24/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/20/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/30/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.767	ND	ND
	03/29/04	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0400	<0.0200	<0.100	<0.0400	<0.0200
	03/09/05	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	1.18	<0.100	<0.100
	09/21/05	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.198	<0.0990	<0.0990	<0.0990	0.395	<0.0990	<0.0990
	03/14/06	<0.0404	<0.0404	<0.0404	0.0735	0.0823	0.0839	0.105	0.0695	0.111	<0.0404	0.180	<0.0404	0.0734	<0.0404	0.112	0.179
	09/28/06	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0294	<0.0196	<0.0196	<0.0196	<0.0196
B-29	09/20/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/21/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/24/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/20/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/30/03	ND	ND	ND	ND	0.121	0.136	0.157	0.114	0.111	ND	0.132	ND	0.123	ND	ND	0.138
	03/29/04	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0300	<0.0200	<0.0600	<0.0200	<0.0200
	03/09/05	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
	09/21/05	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.198	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990
	03/14/06	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0490	<0.0294	0.0238
	09/28/06	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194

COPPOR0007145

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
B-30	02/18/00	0.121	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.113	0.177	ND	ND	0.175	0.202
	05/23/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.105	ND
	08/25/00	0.385	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.530	ND	ND	0.423	ND
	11/30/00	0.280	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.440	ND	0.280	0.300	0.100
	02/23/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
dup**	02/23/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/17/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.116	ND	ND	0.108	ND
	09/20/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.100	ND	0.100	ND	ND
dup	09/20/01	ND	ND	ND	ND	ND	ND	0.100	ND	ND	0.100	ND	ND	0.120	0.100	ND	ND
	03/21/02	0.162	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.312	ND	ND	0.157	0.114
dup	03/21/02	0.162	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.314	ND	ND	0.164	0.123
	09/24/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/20/03	0.142	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.133	ND	ND	0.132	ND
dup*	03/20/03	0.108	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.126	ND	ND	0.105	ND
	09/30/03	ND	ND	ND	0.582	0.585	0.421	0.323	0.443	0.531	ND	0.827	0.349	0.272	ND	0.451	1.51
dup***	09/30/03	ND	ND	ND	0.473	0.416	0.410	0.291	0.357	0.450	ND	0.728	ND	0.248	ND	0.432	1.26
	03/29/04	0.119	<0.0200	0.0449	0.0576	0.0507	0.0420	0.0344	0.0393	0.0633	<0.0200	0.123	0.173	0.0295	<0.320	0.170	0.240
dup***	03/29/04	<0.280	<0.800	0.0485	0.0605	0.0596	0.0452	0.0417	0.0438	0.0637	<0.0200	0.112	0.216	0.0361	<0.640	0.170	0.244
	03/09/05	0.242	<0.200	<0.200	0.223	0.209	<0.200	<0.200	<0.200	0.217	<0.400	0.400	<0.300	<0.200	<0.400	0.284	0.637
	09/21/05	0.103	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	0.198	<0.0990	<0.0990	<0.0990	<0.297	<0.0990	<0.0990
dup****	09/21/05	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	0.198	<0.0990	<0.0990	<0.0990	<0.248	<0.0990	<0.0990
	03/14/06	0.310	<0.142	0.0684	0.0761	0.0628	0.0455	0.0480	0.0368	0.0783	<0.0189	0.152	0.369	0.0353	<0.292	0.260	0.323
dup	03/14/06	0.375	<0.182	0.0933	0.106	0.0871	0.0607	0.0674	0.0564	0.109	<0.0404	0.202	0.375	0.0491	<0.404	0.275	0.424
	09/28/06	0.157	<0.0891	0.0317	0.0371	0.0391	0.0320	0.0316	0.0216	0.0344	<0.0198	0.0477	0.108	0.0246	<0.297	0.0869	0.133
B-32	03/20/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.161	ND	ND	ND	0.108
	09/29/03	ND	ND	ND	0.114	0.112	0.114	ND	0.114	0.188	ND	0.557	1.06	ND	ND	ND	0.498
	03/09/05	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
	09/22/05	<1.00	<1.00	<0.150	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	0.171	<1.00	<1.00	<0.300	<0.150	0.256
	03/15/06	<0.0190	<0.0190	<0.0952	<0.0190	<0.0190	<0.0190	<0.0190	<0.0190	0.0280	<0.0190	0.193	<0.0762	<0.0190	<0.152	<0.0381	0.206

COPPOR0007146

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Number of benzene rings		Acenaphthene 2	Acenaphthylene 2	Anthracene 3	Benzo (a) anthracene 4	Benzo (a) pyrene 5	Benzo (b) fluoranthene 4	Benzo (g,h,i) perylene 5	Benzo (k) fluoranthene 4	Chrysene 4	Dibenzo (a,h) anthracene 5	Fluoranthene 3	Fluorene 2	Indeno (1,2,3-cd) pyrene 5	Naphthalene 2	Phenanthrene 3	Pyrene 4
Well Identification	Date Sampled	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
B-33	03/20/03	0.589	ND	ND	ND	ND	0.385	0.370	ND	0.306	ND	0.449	2.01	0.300	ND	0.914	0.458
	09/30/03	11.0	ND	3.30	8.28	19.2	44.0	37.5	26.4	34.1	7.35	20.2	33.3	30.6	ND	39.7	29.5
	03/30/04	3.03	<2.00	2.42	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	12.5	<2.00	<4.50	13.6	3.28
	03/09/05	2.42	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<2.00	<1.00	9.36	<1.00	<2.00	10.6	1.07
	06/22/05	3.00	<1.50	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<2.00	<1.00	10.0	<1.00	<2.00	10.2	<1.00
	09/22/05	2.56	<0.990	<1.49	<0.990	<0.990	<0.990	<0.990	<0.990	<0.990	<1.98	<0.990	8.31	<0.990	<1.98	6.82	<0.990
	03/15/06	1.08	<0.308	<0.154	0.153	0.233	0.270	0.266	0.292	0.400	0.0854	0.336	2.94	0.270	<0.615	2.45	0.533
CR-1	09/20/01	0.520	ND	ND	ND	0.120	0.100	0.140	0.100	ND	0.120	ND	1.94	0.140	0.300	0.160	ND
	03/21/02	0.216	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.789	ND	ND	0.194	ND
	09/24/02	1.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.32	ND	0.687	0.660	ND
	03/20/03	0.758	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.53	ND	ND	0.748	ND
	09/30/03	1.31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.02	ND	ND	1.11	ND
	03/30/04	0.473	<0.150	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	1.59	<0.100	<0.650	0.322	<0.100
	03/08/05	0.825	<0.150	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	3.18	<0.100	<0.850	0.766	<0.100
	09/21/05	1.22	<0.297	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.198	<0.0990	4.63	<0.0990	<1.63	1.52	<0.0990
	09/27/06	0.978	<0.197	0.0747	<0.00985	<0.00985	<0.0197	<0.0493	<0.0197	<0.00985	<0.00985	<0.0493	3.19	<0.00985	<0.788	1.07	0.0513
CR-3	03/09/05	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
	06/22/05	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
	09/22/05	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.198	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990
CR-8	02/18/00	0.749	ND	0.264	0.981	2.47	1.6	2.92	1.3	1.28	3.42	1.34	ND	1.96	ND	0.125	1.97
	05/23/00	ND	ND	0.223	0.232	0.61	0.46	0.981	0.331	0.326	ND	0.27	ND	0.613	ND	ND	0.458
	08/25/00	ND	ND	ND	0.313	0.666	0.445	0.755	0.455	0.434	ND	0.674	ND	ND	ND	ND	0.913
	11/30/00	ND	ND	ND	ND	0.120	ND	0.160	ND	ND	ND	ND	ND	0.100	ND	ND	0.180
	02/22/01	ND	0.284	0.105	0.536	1.25	0.970	1.46	0.628	0.923	ND	0.749	0.103	0.960	ND	0.108	1.41
	05/16/01	ND	ND	ND	ND	0.389	0.301	0.459	ND	0.229	ND	0.371	ND	0.326	ND	ND	0.472

COPPOR00007147

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
CR-9	02/18/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/23/00	ND	ND	0.115	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/25/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
dup	08/25/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/30/00	ND	ND	ND	ND	ND	ND	0.160	0.120	ND	ND	ND	ND	0.120	ND	ND	0.100
dup	11/30/00	ND	ND	ND	0.140	0.260	0.260	0.400	0.300	0.200	ND	0.160	ND	0.320	ND	ND	0.240
	02/22/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/16/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
dup	05/16/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CR-11	02/18/00	0.333	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.982	ND	ND	0.327	ND
	05/23/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/25/00	0.402	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.20	ND	ND	0.450	ND
	11/30/00	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	02/22/01	0.208	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.457	ND	ND	ND	ND
	05/16/01	0.149	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.221	ND	ND	ND	ND
CR-26	03/09/05	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	0.215	<0.100	<0.200	0.165	<0.100
	06/22/05	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	0.264	<0.100	<0.100	<0.100	<0.100
	09/22/05	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.198	<0.0990	0.172	<0.0990	<0.0990	<0.0990	<0.0990

COPPOR0007148

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
KINDER MORGAN																	
MW-8	02/16/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.66	ND	ND
	05/31/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/24/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.53	ND	ND
	12/01/00	0.240	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.680	0.140	0.160
	02/22/01	0.221	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.104	ND
	05/16/01	0.149	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
dup	05/16/01	0.128	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/21/01	0.160	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.260	0.100	ND
	03/14/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
dup	03/14/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/27/02	0.148	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/18/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
dup	03/18/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/24/03	0.181	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/30/04	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100
	09/27/04	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.350	<0.100	<0.100
dup	09/27/04	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.300	<0.100	<0.100
	03/29/05	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
	09/21/05	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204
	03/15/06	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.155	<0.0194	<0.0194
dup	03/15/06	0.0260	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.125	<0.0192	<0.0192
	09/26/06	0.147	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.600[6]	0.0601	0.0326
MW-10	02/16/00	0.113	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0759	0.0845
	05/31/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/24/00	0.119	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/01/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.180	ND	ND
	02/22/01	0.134	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/16/01	0.104	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

COPPOR0007149

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
MW-11	02/16/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.66	ND	410	ND	ND
	05/31/00	ND	ND	0.159	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	555	0.256	ND
	08/24/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	451	ND	ND
	12/01/00	0.200	0.120	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.300	ND	ND	0.160	ND
	02/22/01	0.247	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	411	0.184	ND
	05/16/01	0.117	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.185	ND	572	0.108	ND
MW-13	02/16/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/31/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/24/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/01/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
dup	12/01/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02/22/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/16/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-15	02/17/00	0.118	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0743	ND	ND	ND	ND
	05/30/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/24/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/01/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02/22/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/16/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-21	02/17/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/30/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/23/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/01/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02/22/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/16/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

COPPOR0007150

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
MW-22	02/17/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.23	ND	356	1.09	ND
	05/30/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	345	ND	ND
	08/23/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	386	ND	ND
	12/01/00	0.300	0.160	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.500	ND	ND	0.400	ND
	02/21/01	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	05/16/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
MW-23	02/17/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	05/30/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	08/23/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	12/01/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	02/22/01	2.31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.12	ND	35.0	3.27	ND
	05/16/01	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
MW-25	09/21/01	0.240	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.120	ND	ND
	03/14/02	0.172	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/27/02	0.194	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.101
	03/18/03	0.163	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/24/03	0.289	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/30/04	0.233	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.350	<0.100	<0.100
	09/27/04	0.384	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.500	<0.100	<0.100
	03/28/05	0.177	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.250	<0.100	<0.100
	09/21/05	0.205	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	0.0344	0.0401
	03/15/06	0.112	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.135	<0.0192	0.0255
	09/26/06	0.190	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.184[6]	<0.0306[6]	0.0633

COPPOR0007151

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
MW-26	02/17/00	2.05	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.19	1.7	ND	2.69	2.27	1.05
dup	02/17/00	1.78	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.99	1.43	ND	2.24	1.74	0.714
	05/30/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.84	ND	ND	1.84	ND
	08/23/00	2.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.23	1.92	ND	ND	2.39	ND
dup	08/23/00	2.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.12	1.98	ND	ND	2.63	ND
	12/01/00	0.640	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.580	0.320	ND	0.380	ND	0.360
	02/21/01	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	05/17/01	1.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.40	ND	ND	1.88	ND
	09/18/01	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	03/13/02	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	09/27/02	1.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.510	1.43	ND	ND	2.36	ND
	03/18/03	1.07	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.641	0.974	ND	7.16	1.51	ND
	09/24/03	1.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.596	1.61	ND	ND	2.3	ND
	03/30/04	1.33	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.400	<0.200	1.52	<0.200	<3.80	0.357	0.219
	09/27/04	2.33	<0.200	0.277	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.400	0.985	2.07	<0.200	<2.00	2.01	0.664
	03/28/05	2.02	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<1.00	1.26	1.63	<0.500	<1.62	2.51	0.924
	09/21/05	1.32	<0.200	0.165	0.0459	<0.0400	0.0560	<0.0400	<0.0400	0.0875	<0.0400	0.521	0.967	<0.0400	<0.980	1.48	0.396
	03/15/06	1.01	<0.192	<0.192	<0.192	<0.192	<0.192	<0.192	<0.192	<0.192	<0.192	0.225	0.883	<0.192	<3.75	0.538	<0.192
	09/26/06	1.63	<0.202	<0.202	<0.202	<0.202	<0.202	<0.202	<0.202	<0.202	<0.202	0.243	1.24	<0.202	<1.21[6]	1.48	<0.202
dup	09/26/06	1.61	<0.0750[6]	0.100	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	0.226	1.17	<0.0500	<1.18[6,7]	1.60	0.151

COPPOR0007152

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	Acenaphthene (µg/l)	Acenaphthylene (µg/l)	Anthracene (µg/l)	Benzo (a) anthracene (µg/l)	Benzo (a) pyrene (µg/l)	Benzo (b) fluoranthene (µg/l)	Benzo (g,h,i) perylene (µg/l)	Benzo (k) fluoranthene (µg/l)	Chrysene (µg/l)	Dibenzo (a,h) anthracene (µg/l)	Fluoranthene (µg/l)	Fluorene (µg/l)	Indeno (1,2,3-cd) pyrene (µg/l)	Naphthalene (µg/l)	Phenanthrene (µg/l)	Pyrene (µg/l)
Number of benzene rings		2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
MW-28	02/16/00	2.68	ND	ND	ND	ND	ND	ND	ND	1.00	ND	0.792	6.69	ND	ND	8.54	2.71
	05/30/00	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	08/24/00	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	12/01/00	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	02/21/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	05/16/01	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
MW-31	02/16/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.988	ND	ND	0.457	0.0887
	05/30/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/23/00	0.243	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.666	ND	ND	0.463	ND
	12/01/00	0.100	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.300	ND	ND	ND	ND
	02/22/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.568	ND	ND	0.363	ND
	05/17/01	0.206	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.597	ND	ND	0.352	ND
MW-32	02/16/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/30/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/23/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/01/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.12	ND	ND
	02/22/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/16/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

COPPOR0007153

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
MW-33	02/16/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/30/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/24/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/30/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02/22/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.222	ND	ND
dup	02/22/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.161	ND	ND
	05/16/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/21/01	0.340	ND	ND	0.100	ND	0.220	0.140	0.120	0.200	ND	0.180	ND	0.120	0.160	ND	0.160
	03/14/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/27/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/18/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/24/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/29/04	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	0.0209
	09/27/04	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
	03/29/05	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
	09/21/05	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0396	<0.0198	0.0321
dup	09/21/05	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	0.0384
	03/15/06	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200
	09/27/06	<0.00990	<0.00990	<0.00990	<0.00615	<0.00495	0.00540	<0.00990	0.00659	<0.00718	<0.00495	<0.00990	<0.00990	<0.00510	0.0468[4,5]	<0.00990	0.0189
MW-34	09/21/01	0.280	ND	ND	ND	ND	ND	0.100	ND	ND	ND	ND	ND	0.120	0.120	ND	ND
	03/14/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/27/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/18/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/24/03	0.151	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/29/04	0.0524	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0600	<0.0200	<0.0200
	09/27/04	0.135	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.150	<0.100	<0.100
dup	03/29/05	<0.111	<0.111	<0.111	<0.111	<0.111	<0.111	<0.111	<0.111	<0.111	<0.222	<0.111	<0.111	<0.111	<0.111	<0.111	<0.111
	03/29/05	0.129	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
	09/21/05	0.332	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0297	<0.0198	<0.218	<0.0198	<0.0222
	03/15/06	0.118	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0990	<0.0198	<0.0198
	09/27/06	<0.00990	<0.00990	<0.00990	<0.00615	<0.00495	0.00540	<0.00990	0.00659	<0.00718	<0.00495	<0.00990	<0.00990	<0.00510	0.0468[4,5]	<0.00990	0.0189

COPPOR0007154

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	Acenaphthene (µg/l)	Acenaphthylene (µg/l)	Anthracene (µg/l)	Benzo (a) anthracene (µg/l)	Benzo (a) pyrene (µg/l)	Benzo (b) fluoranthene (µg/l)	Benzo (g,h,i) perylene (µg/l)	Benzo (k) fluoranthene (µg/l)	Chrysene (µg/l)	Dibenzo (a,h) anthracene (µg/l)	Fluoranthene (µg/l)	Fluorene (µg/l)	Indeno (1,2,3-cd) pyrene (µg/l)	Naphthalene (µg/l)	Phenanthrene (µg/l)	Pyrene (µg/l)
Number of benzene rings		2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
MW-36	02/16/00	0.143	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/31/00	0.228	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/24/00	0.269	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/30/00	0.420	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.180	ND	ND
	02/21/01	0.304	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/16/01	0.247	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/21/01	0.240	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.140	ND	ND
	03/13/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/18/03	0.178	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/24/03	0.307	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/29/04	0.246	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.200	0.0525	0.0487
	09/27/04	0.710	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.150	<0.100	<1.00	<0.100	<0.100
	09/21/05	0.382	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0300	<0.0200	<0.0200	<0.0200	0.0574	0.0616
	03/15/06	0.0302	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0388	<0.0194	0.0226
	09/27/06	0.606	<0.0200[6]	<0.0200[6]	<0.00500	<0.00500	<0.00500	<0.0100	<0.00500	<0.00500	<0.00500	<0.0100	<0.0200[6]	<0.00500	<0.400[6,7]	0.103	0.121
dup	09/27/06	0.528	<0.0199[6]	<0.0249[6]	0.00544	<0.00498	<0.00498	<0.00995	0.00498	0.00527	<0.00522	<0.00995	<0.0149[6]	<0.00559	<0.279[6,7]	0.104	0.109
MW-37	02/16/00	1.56	ND	0.0862	0.0584	0.0773	0.0564	ND	ND	583	ND	0.158	3.02	ND	ND	0.605	0.214
	05/30/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.126	ND	ND	ND	0.451	0.153
	08/24/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.25	ND	ND	ND	ND
	11/30/00	0.680	0.180	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.600	ND	0.660	0.200	0.120
	02/21/01	0.183	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.228	ND	ND	ND	ND
	02/21/01[1]	0.588	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.513	ND	ND	0.207	ND
	05/16/01	0.401	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.327	ND	ND	0.146	ND
	09/21/01	0.140	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.280	0.120	ND
	03/13/02	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	09/27/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.499	ND	ND	0.166	0.122
dup	09/27/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.147	ND
	03/18/03	0.435	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.731	ND	ND	ND	ND
	09/27/04	<1.00	<1.00	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	0.122	<1.00	<0.100	<1.00	0.184	0.251
	03/29/05	2.39	<0.250	0.344	<0.200	<0.200	<0.200	<0.200	<0.200	0.241	<0.400	1.39	1.93	<0.200	<2.00	2.86	1.05
	09/21/05	0.77	<0.350	<0.100	<0.100	<0.100	<0.100	0.110	<0.100	<0.100	<0.100	<0.100	0.478	<0.100	<1.90	<0.100	0.131
	03/15/06	0.737	<0.433	<0.0962	<0.0962	0.150	<0.0962	0.319	<0.0962	<0.0962	<0.0962	<0.0962	1.18	0.214	<1.49	0.160	0.119
	09/27/06	0.653	<0.250[6]	<0.0400[6]	0.0212	0.0486	0.0326	0.0717	0.0314	0.0296	0.0120	0.0562	0.342	0.0456	<1.20[6,7]	0.135	0.123

COPPOR0007155

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	Acenaphthene (µg/l)	Acenaphthylene (µg/l)	Anthracene (µg/l)	Benzo (a) anthracene (µg/l)	Benzo (a) pyrene (µg/l)	Benzo (b) fluoranthene (µg/l)	Benzo (g,h,i) perylene (µg/l)	Benzo (k) fluoranthene (µg/l)	Chrysene (µg/l)	Dibenzo (a,h) anthracene (µg/l)	Fluoranthene (µg/l)	Fluorene (µg/l)	Indeno (1,2,3-cd) pyrene (µg/l)	Naphthalene (µg/l)	Phenanthrene (µg/l)	Pyrene (µg/l)
Number of benzene rings		2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
MW-39	09/27/04	4.30	<0.100	0.159	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	0.338	1.23	<0.100	<1.60	1.16	0.348
	09/21/05	2.33	<0.200	0.0920	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	0.211	0.826	<0.0200	<0.900	0.802	0.239
MW-40	02/16/00	0.0972	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/30/00	0.124	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/24/00	0.141	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/30/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02/21/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/16/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/21/01	ND	ND	ND	ND	ND	ND	0.120	ND	ND	0.100	0.380	ND	0.140	ND	0.120	0.240
	03/13/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/27/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/18/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/24/03	0.109	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
dup	09/24/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/29/04	0.0609	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0900	<0.0300	<0.0200
dup	03/29/04	0.0588	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0900	0.0266	<0.0200
	09/27/04	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
	03/29/05	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
	09/21/05	0.0732	<0.0190	<0.0190	<0.0190	<0.0190	<0.0190	<0.0190	<0.0190	<0.0190	<0.0190	<0.0190	<0.0190	<0.0190	0.105	0.0381	<0.0190
	03/15/06	0.0716	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0769	0.0297	<0.0192

COPPOR00007156

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
CONOCOPHILLIPS																	
B-4	02/17/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	05/26/00	13.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.19	17.3	ND	ND	28.4	2.24
dup	05/26/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.2	ND	ND	ND	20.9	1.72
	08/28/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	11/29/00	2.50	ND	0.620	0.140	ND	ND	ND	ND	ND	ND	1.60	2.54	ND	8.80	4.72	1.24
	02/20/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	09/18/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	03/13/02	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	09/26/02	2.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.889	3.42	ND	ND	4.26	0.859
	03/17/03	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	09/25/03	2.79	ND	0.857	ND	ND	ND	ND	ND	ND	ND	1.24	5.10	ND	ND	6.24	1.23
	09/26/06	2.75	<0.300[6]	0.670	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	1.00	2.86	<0.200	<1.90[6]	3.68	1.00
B-17	02/17/00	2.28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.42	ND	ND	4.25	ND
	05/26/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.1	ND	ND	5.33	ND
	08/28/00	2.92	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.5	ND	ND	7.10	
	11/29/00	1.72	0.340	0.180	ND	ND	ND	ND	ND	ND	ND	0.320	5.50	ND	0.880	4.96	0.260
	02/23/01	2.36	ND	0.139	ND	ND	ND	ND	ND	ND	ND	ND	8.20	ND	ND	2.93	ND
dup	02/23/01	2.52	ND	0.236	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.372	ND	3.84	ND
	05/17/01	2.19	ND	0.294	ND	ND	ND	ND	ND	ND	ND	ND	7.83	ND	ND	4.24	ND
dup	05/17/01	2.19	ND	0.265	ND	ND	ND	ND	ND	ND	ND	ND	8.25	ND	ND	4.14	ND
B-18	02/17/00	1.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.39	ND	ND	1.83	ND
	05/26/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/28/00	1.28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.84	ND	ND	1.17	ND
	11/29/00	0.220	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.440	ND	ND	0.220	ND
	02/23/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.11	ND	ND	ND	ND
	05/17/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.529	ND	ND	ND	ND
B-22	02/17/00	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	05/26/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	15.4	ND	ND	21.5	ND
	08/28/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	11/29/00	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	02/20/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	05/17/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F

COPPOR00007157

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
B-35	02/17/00	11	ND	5.15	1.19	ND	ND	ND	ND	1.1	ND	8.29	30	ND	ND	35.8	4.33
	05/26/00	ND	ND	2.61	ND	ND	ND	ND	ND	ND	ND	2.93	22.5	ND	ND	20.7	1.73
	08/28/00	6.77	ND	0.807	0.123	ND	ND	ND	ND	0.127	ND	1.12	13.7	ND	ND	8.35	0.584
	11/29/00	2.84	0.360	0.520	0.240	ND	ND	ND	ND	0.200	ND	1.46	6.30	ND	1.22	7.16	0.760
	02/23/01	8.44	ND	ND	0.304	ND	0.102	ND	ND	0.330	ND	ND	16.2	ND	ND	17.3	1.15
	05/17/01	4.34	ND	0.493	0.103	ND	ND	ND	ND	0.106	ND	0.692	11.3	ND	ND	5.50	0.425
	09/20/01	2.92	0.360	0.680	0.200	ND	0.120	ND	ND	0.200	ND	1.20	6.74	ND	1.00	10.0	0.700
	03/14/02	3.02	ND	0.620	ND	ND	ND	ND	ND	ND	ND	0.844	7.62	ND	ND	6.78	0.468
	09/26/02	4.76	ND	0.740	0.109	ND	ND	ND	ND	ND	ND	1.00	11.6	ND	ND	9.41	0.570
	03/18/03	3.46	ND	0.493	ND	ND	ND	ND	ND	ND	ND	0.578	14.3	ND	ND	7.51	0.434
	09/25/03	5.36	ND	0.779	ND	ND	ND	ND	ND	ND	ND	0.884	10.2	ND	ND	8.86	0.399
	03/30/04	3.52	<0.200	0.456	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	0.419	7.21	<0.200	<2.10	5.18	0.274
	09/28/04	5.25	<0.200	0.579	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.400	0.662	9.23	<0.200	<2.70	6.80	0.455
	03/28/05	<7.25	<1.00	1.13	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<2.00	2.12	15.6	<1.00	<3.50	14.7	1.24
	09/20/05	7.51	<0.400	2.37	0.792	<0.400	<0.400	<0.400	<0.400	0.797	<0.400	5.150	16.900	<0.400	<3.60	24.9	3.23
	03/14/06	4.63	<0.495	0.438	0.107	0.0259	0.0402	<0.0198	0.0201	0.0972	<0.0198	0.419	8.83	<0.0198	<2.23	7.60	0.496
	09/26/06	5.99	<0.619[6]	0.609	<0.206	<0.206	<0.206	<0.206	<0.206	<0.206	<0.206	1.03	11.2	<0.206	<2.27[6]	9.46	0.644
B-36	02/17/00	0.251	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.537	ND	ND	ND	ND
	05/26/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/28/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/29/00	0.720	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.34	ND	0.520	0.180	ND
	02/23/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/17/01	0.642	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.91	ND	ND	ND	ND
	09/20/01	0.360	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.920	ND	0.320	0.200	ND
dup	09/20/01	0.320	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.880	ND	0.300	0.100	ND
	03/14/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.262	ND	ND	ND	ND
	09/26/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.26	ND	ND	ND	ND
	03/18/03	0.240	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.811	ND	ND	ND	ND
	09/25/03	0.584	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.22	ND	ND	ND	ND
	03/30/04	3.51	<0.200	0.490	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	0.429	6.79	<0.200	<2.10	5.07	0.268
	09/28/04	0.653	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	1.51	<0.100	<1.60	<0.100	<0.100
dup	09/28/04	0.723	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	1.24	<0.100	<1.35	<0.100	<0.150
	03/28/05	0.728	<0.175	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	1.60	<0.100	<1.25	<0.125	<0.100
	09/20/05	0.274	<0.0200	<0.0300	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	0.606	<0.0200	<0.610	<0.0200	0.0285
	03/14/06	0.0866	<0.0288	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	0.259	<0.0192	<0.462	<0.0192	<0.0288
	09/26/06	0.706	<0.198[6]	<0.0495[6]	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	1.59	<0.0198	<1.98[6]	<0.0495[6]	<0.0693[6]

COPPOR00007158

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
B-37	02/17/00	0.0698	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0547
dup	02/17/00	0.0683	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0731
	05/26/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/28/00	0.124	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/29/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02/23/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.128	ND
	05/17/01	0.110	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/14/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/26/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/18/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
dup	03/18/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/25/03	0.120	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
dup	09/25/03	0.113	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.118	ND
	03/31/04	0.0737	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.320	<0.0300	0.0431
	09/28/04	0.142	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.300	<0.100	<0.100
	03/28/05	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.225	<0.100	<0.100
	09/20/05	0.347	<0.0303	<0.0303	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.222	<0.0707	0.0454
	03/14/06	0.0725	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.277	<0.0198	<0.0396
dup	03/14/06	<0.0891	<0.0198	0.0217	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	0.0217	<0.0198	<0.0198	<0.0198	<0.0198	<0.277	0.0813	0.0591
	09/26/06	0.270	<0.0392[6]	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.225[6]	0.0214	0.0208
B-40	02/17/00	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	05/26/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	08/28/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	11/29/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	02/20/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	05/17/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	09/26/06[6]	8.45	<1.75[6]	1.39	0.189	0.0804	<0.100[6]	<0.500	<0.100[6]	0.337	<0.0500	<0.500	9.06	<0.0500	<213[6]	13.8	1.42

COPPOR0007159

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
P-1	03/18/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/31/04	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	0.0405
	09/26/06	0.0137	<0.0102	<0.0102	<0.00508	<0.00508	<0.00508	<0.0102	<0.00508	0.00513	<0.00508	<0.0102	0.0225	<0.00508	<0.0457[6,7]	0.0468	0.0195
P-2	03/17/03	2.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.62	ND	ND	2.05	ND
	9/25/03[2]	1.93	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.85	ND	ND	4.23	ND
	03/30/04	1.97	<0.200	<0.300	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	7.66	<0.200	<1.70	3.28	<0.200
	09/28/04	2.28	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.400	<0.200	8.23	<0.200	<1.40	3.56	<0.200
	03/28/05	2.62	<0.600	<0.400	<0.400	<0.400	<0.400	<0.400	<0.400	<0.400	<0.800	<0.400	8.77	<0.400	<1.60	3.48	<0.400
	03/14/06	3.45	<0.777	<0.777	<0.0388	<0.0388	<0.0388	<0.0388	<0.0388	<0.0388	<0.0388	<0.777	12.1	<0.0388	<1.94	4.17	<0.0583
U-2	02/17/00	0.140	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.683	0.224	ND	ND	0.104	0.0856
	05/26/00	0.119	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.239	ND	ND	0.122	ND
	08/28/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.73	ND	ND	ND	ND
	11/29/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02/23/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/17/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/20/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/14/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/26/02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/18/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/25/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/31/04	0.166	<0.0200	0.0201	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.100	0.237	<0.0200	<1.12	0.0680	0.0787
	09/28/04	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.150	<0.100	<0.100
	03/28/05	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
	09/20/05	0.0232	<0.0196	0.0308	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	0.0197	0.0283	<0.0196	<0.118	0.0318	0.0292
	03/14/06	0.352	<0.106	0.0232	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	0.0392	0.454	<0.0192	<4.71	0.135	0.0798
	09/27/06	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.168[6]	<0.0198	0.0414
U-3	02/17/00	0.142	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.17	ND	ND	0.066	ND
	05/26/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.119	ND	ND	ND	ND
	08/28/00	0.145	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.163	ND	ND	ND	ND
	11/29/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.120	ND	0.160	ND	ND
dup	11/29/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.120	ND	ND
	02/23/01	0.117	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.152	ND	ND	ND	ND
	05/17/01	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.134	ND	ND	ND	ND

COPPOR00007160

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
U-4	02/16/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.92	ND	ND	7.42	ND
	05/26/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.44	ND	ND	7.11	ND
	08/28/00	5.05	ND	1.32	ND	ND	ND	ND	ND	ND	ND	ND	11.6	ND	ND	12.4	1.17
dup	08/28/00	4.47	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.367	10.4	ND	ND	6.48	0.544
	11/29/00	1.66	ND	0.660	ND	ND	ND	ND	ND	ND	ND	0.220	3.38	ND	0.760	1.92	0.340
	02/23/01	13.0	ND	4.14	ND	ND	ND	ND	ND	0.727	ND	ND	31.6	ND	ND	40.6	4.08
	05/17/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	09/18/01	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	03/13/02	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	09/26/02	2.88	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.60	ND	ND	8.14	0.571
dup	09/26/02	3.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.72	ND	ND	9.70	0.842
	03/17/03	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	09/27/06	2.13	<0.990[6]	0.443	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	0.113	5.81	<0.0990	<2.97[6]	4.59	0.351
U-5	02/17/00	1.19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.63	ND	ND	1.42	0.0674
	05/26/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.04	ND
	08/28/00	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.52	ND	ND	2.29	ND
	11/29/00	0.800	0.100	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.02	ND	2.60	1.06	ND
	02/23/01	ND	ND	0.124	ND	ND	ND	ND	ND	ND	ND	ND	3.28	ND	ND	1.64	ND
	05/17/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	09/18/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	09/26/02	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	03/18/03	ND	ND	ND	1.08	ND	ND	2.54	ND	1.89	ND	ND	36.0	ND	ND	55.0	11.3
	09/25/03	5.52	ND	1.13	ND	ND	ND	ND	ND	ND	ND	ND	9.61	ND	4.71	10.7	1.31
	03/31/04	3.15	<0.400	0.921	<0.400	<0.400	<0.400	<0.400	<0.400	<0.400	<0.400	<0.400	5.18	<0.400	<2.50	5.49	1.06
	09/28/04	4.54	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<1.00	<0.500	6.51	<0.500	<3.25	5.66	<0.500
	03/28/05	4.25	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<2.00	<1.00	6.87	<1.00	<2.50	7.64	<1.00
	09/20/05	3.69	<0.192	0.545	<0.192	<0.192	<0.192	<0.192	<0.192	<0.192	<0.192	<0.192	5.80	<0.192	<2.31	6.37	0.443
	03/14/06	3.50	<0.784	<0.490	<0.196	<0.196	<0.196	<0.196	<0.196	<0.196	<0.196	<0.196	5.78	<0.196	<3.04	6.09	0.374
	09/26/06[8]	204	<72.8[6]	108	9.40	5.79	<6.07[6]	28.3	<7.28[6]	23.3	3.69	27.6	374	2.33	<121[6,7]	996	119

COPPOR00007161

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	Acenaphthene (µg/l)	Acenaphthylene (µg/l)	Anthracene (µg/l)	Benzo (a) anthracene (µg/l)	Benzo (a) pyrene (µg/l)	Benzo (b) fluoranthene (µg/l)	Benzo (g,h,i) perylene (µg/l)	Benzo (k) fluoranthene (µg/l)	Chrysene (µg/l)	Dibenzo (a,h) anthracene (µg/l)	Fluoranthene (µg/l)	Fluorene (µg/l)	Indeno (1,2,3-cd) pyrene (µg/l)	Naphthalene (µg/l)	Phenanthrene (µg/l)	Pyrene (µg/l)
Number of benzene rings		2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
U-10	03/18/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.345	ND	ND
	09/25/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/30/04	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	0.0302	<0.0200	<0.0200
	09/28/04	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
	03/28/05	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
	09/20/05	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0297	<0.0198	<0.0198
	03/14/06	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0291	<0.0194	<0.0291
U-11	03/18/03	0.711	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.44	ND	ND	0.951	ND
	09/25/03	1.45	ND	0.229	ND	ND	ND	ND	ND	ND	ND	0.391	4.69	ND	ND	3.25	0.396
	03/30/04	1.73	<0.200	0.395	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	0.610	5.29	<0.200	<2.60	4.32	0.821
	09/28/04	<0.171	<0.114	<0.171	<0.114	<0.114	<0.114	<0.114	<0.114	0.114	<0.229	<0.286	<0.343	<0.114	<0.343	<0.343	0.341
	03/28/05	1.74	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<2.00	<1.00	5.56	<1.00	<2.00	4.14	<1.00
	09/20/05	1.39	<0.102	0.296	0.200	<0.102	<0.102	<0.102	<0.102	0.175	<0.102	0.608	3.19	<0.102	<1.68	3.30	0.830
	03/14/06	1.78	<0.481	0.579	0.281	<0.192	<0.192	<0.192	<0.192	0.238	<0.192	0.926	4.54	<0.192	<2.64	4.10	1.59
U-12	03/18/03	1.72	ND	0.308	ND	ND	ND	ND	ND	ND	ND	0.384	7.94	ND	ND	3.91	0.541
	09/25/03	0.277	ND	0.138	ND	ND	ND	ND	ND	ND	ND	ND	1.25	ND	0.231	1.59	ND
	03/30/04	0.151	<0.0400	<0.0600	<0.0400	<0.0400	<0.0400	<0.0400	<0.0400	<0.0400	<0.0400	<0.0400	0.621	<0.0400	<0.320	0.238	0.0434
	09/28/04	1.21	<0.100	0.304	0.193	<0.100	<0.100	<0.100	<0.100	0.153	<0.200	0.616	2.56	<0.100	<1.20	2.56	0.832
	03/28/05	<0.325	<0.275	<0.225	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	1.00	<0.100	<0.275	0.615	<0.100
	09/20/05	<0.0816	<0.0408	<0.0408	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	0.313	<0.0204	<0.153	<0.0714	0.0344
	04/06/06[3]	0.502	<0.410	0.256	<0.0190	<0.0190	<0.0190	<0.0190	<0.0190	0.0425	<0.0190	0.0749	1.15	<0.0190	<0.524	2.20	0.0762
U-14	09/27/06	0.329	<0.202[6]	<0.0303[6]	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	0.0242	0.750	<0.0202	<4.14[6]	0.189	0.0400
U-15	09/27/06	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0784[6]	<0.0196	0.0261
U-16	09/27/06	0.577	<0.303	<0.202	<0.202	<0.202	<0.202	<0.202	<0.202	<0.202	<0.202	<0.202	1.14	<0.202	<1.92[6]	0.655	<0.202
U-17	09/27/06	<0.404[6]	<0.404[6]	<0.404[6]	0.0241	<0.0202	<0.0202	<0.0202	<0.0202	0.0221	<0.0202	<0.0202	0.698	<0.0202	<1.62[6]	0.406	0.124

COPPOR0007162

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)

NOTES:
- = Not sampled, not analyzed, not applicable
µg/l = Micrograms per Liter
ND = Not detected at or above method detection limit
2/00 and 5/00 data from IT Corporation
8/00, 11/00, 2/01 and 5/01 data from KHM Environmental Management, Inc.
IT Corp Data recorded as reported in Second Quarter 2000 Report
Analytes reported in alphabetical order
NS/F = Not sampled floating product present
NS/S = Not sampled sheen present
[1] = Sample rerun outside of hold time due to low surrogate recovery reported in the initial sample as a result of an extraction error.
[2] = Sample ID was misidentified by the laboratory as D-2
[3] = Analytical results are from a re-sample due to container breakage at the laboratory of the sample collected on 3/14/06.
[4] = Analyte was detected in the associated Method Blank.
[5] = Naphthalene was detected in the Method Blank at 0.0165 µg/L. Sample has a detection for naphthalene at 0.0468 µg/L. The result has been qualified and should be considered an estimate. Unable to perform corrective action due to insufficient volume left.
[6] = The reporting limit for this analyte was raised due to matrix interference.
[7] = Analyte was detected in the blank at greater than one-half of the MRL, but samples are ND.
[8] = The reporting limit was raised due to dilution necessary for analysis. Sample contains high levels of reported analyte, non-target analyte, and/or matrix interference.
[9] = Analyte was detected in the associated method blank. Analyte concentration in the sample is greater than 10 times the concentration found in the method blank.
dup* = duplicate for B-30 submitted as blind duplicate labeled as B-50
dup**= duplicate for B-30 submitted as blind duplicate labled as B-31
dup***= duplicate for B-30 submitted as blind duplicate labeled as B-130
PAHs by EPA Method 8270M-SIM

COPPOR0007163

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
CHEVRON											
B-7	02/18/00	0.028	0.122	0.00107	0.0066	0.0134	0.00425	ND	0.00125	ND	0.0234
	05/23/00	0.0268	0.228	ND	0.0264	0.0441	0.0115	ND	0.00193	ND	0.0863
dup	05/23/00	0.0276	0.259	ND	0.0304	0.051	0.0137	ND	0.00211	ND	0.104
	08/25/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	11/30/00	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	02/22/01	0.0310	0.0719	ND	ND	0.00311	ND	ND	ND	ND	0.00513
	05/17/01	0.0364	0.0587	ND	ND	0.00157	ND	ND	ND	ND	ND
	03/20/03	0.0275	0.0642	ND	ND	0.0209	ND	ND	ND	ND	ND
	09/29/03	0.0304	0.0815	ND	0.00278	0.00608	0.00121	ND	0.00132	ND	0.00782
	03/30/04	0.0303	0.0869	0.00138	0.00320	0.00647	0.00175	<0.000200	<0.00100	<0.00100	0.0135
	03/09/05	0.0342	0.110	<0.00100	0.00434	0.00822	0.00239	<0.000200	<0.00200	<0.00100	0.0193
dup	03/09/05	0.0338	0.108	<0.00100	0.00490	0.00978	0.00273	<0.000200	<0.00200	<0.00100	0.0218
	09/22/05	0.0363	0.0857	<0.00100	0.00241	0.00483	<0.00100	<0.000200	<0.00200	<0.00100	0.00787
B-9	05/23/00	0.0177	0.139	ND	0.0176	0.0286	0.00848	ND	0.00123	ND	0.0616
	08/25/00	0.0116	0.0534	ND	0.00270	0.00750	0.00214	ND	ND	ND	0.0228
	11/30/00	0.0108	0.153	0.00149	0.0159	0.0354	0.0114	ND	0.00125	ND	0.0823
	02/22/01	0.0173	0.0460	ND	ND	0.00213	ND	ND	0.00127	ND	ND
	05/17/01	0.0208	0.0706	ND	0.00444	0.00634	0.00241	ND	ND	ND	0.0161
	09/19/01	0.0161	0.0753	ND	0.00256	0.00993	0.00266	ND	ND	ND	0.0136
	03/21/02	0.0105	0.0488	ND	0.00257	0.00683	0.00398	ND	ND	ND	0.0506
	09/24/02	0.0185	0.0469	ND	ND	ND	ND	ND	ND	ND	ND
	03/20/03	0.00992	0.0401	ND	0.00165	0.00421	0.00317	ND	ND	ND	0.0283
	09/30/03	0.00905	0.137	0.00136	0.00812	0.0285	0.0155	ND	ND	ND	0.0532
	03/30/04	0.0384	0.349	0.00382	0.0395	0.0991	0.0467	<0.000200	0.00147	<0.00100	0.331
	03/08/05	0.0305	0.0592	<0.00100	<0.00100	<0.00200	<0.00100	<0.000200	<0.00200	<0.00100	0.00759
	06/22/05	0.0268	0.0481	<0.00100	<0.00100	0.00225	<0.00100	<0.000200	<0.00200	<0.00100	0.0187
	09/21/05	0.0338	0.0579	<0.00100	<0.00100	<0.00200	<0.00100	<0.000200	<0.00200	<0.00100	0.00648
	09/26/05	0.0298	0.0708	<0.00100	<0.00100	0.00315	0.00218	<0.000200	<0.00100	<0.00100	0.0338

COPPOR00007164

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
B-10	02/18/00	0.0367	0.337	0.00084	0.0355	0.0572	0.0202	ND	0.00053	0.00019	0.0965
dup	02/18/00	0.0394	0.375	0.00141	0.0448	0.0745	0.027	ND	0.00525	0.0002	0.123
	05/23/00	0.0354	0.211	ND	0.0265	0.0384	0.0115	ND	0.00229	ND	0.0631
	08/25/00	0.0314	0.0657	ND	0.00199	0.00366	0.00141	ND	0.00105	ND	0.177
	11/30/00	0.0307	0.0946	ND	0.00590	0.00800	0.00257	ND	0.00131	ND	0.0165
	02/23/01	0.0323	0.0611	ND	ND	ND	ND	ND	0.00184	ND	ND
	05/17/01	0.0395	0.0567	ND	ND	ND	ND	ND	ND	ND	ND
	09/19/01	0.0234	0.194	ND	0.0249	0.0466	0.0161	ND	0.00104	ND	0.0793
	03/21/02	0.0301	0.0644	ND	ND	ND	ND	ND	ND	ND	ND
	09/24/02	0.0290	0.0607	ND	ND	ND	ND	ND	ND	ND	ND
	03/20/03	0.0327	0.0620	ND	ND	ND	ND	ND	ND	ND	ND
	09/29/03	0.0337	0.0820	ND	0.00285	0.00441	0.00217	ND	0.00165	ND	0.0132
	03/30/04	0.0332	0.128	<0.00100	0.0100	0.0162	0.00783	<0.000200	<0.00100	<0.00100	0.0402
	03/08/05	0.0395	0.0881	<0.00100	0.00231	0.00359	0.00305	<0.000200	<0.00200	<0.00100	0.0111
	09/21/05	0.0369	0.0641	<0.00100	<0.00100	<0.00200	<0.00100	<0.000200	<0.00200	<0.00100	<0.00500
	03/14/06	0.0366	0.0659	<0.00100	<0.00100	<0.00200	<0.00100	<0.000200	<0.00200	<0.00100	<0.00500
	09/26/06	0.0274	0.0902	0.0000800	0.00227	<0.00160	0.00155	<0.00500	<0.0100	<0.0000960	0.0103
B-11	02/18/00	0.0386	0.985	0.00408	0.130	0.214	0.0959	ND	0.0034	0.00047	0.356
	05/23/00	0.0219	0.236	ND	0.0258	0.0407	0.0172	ND	0.00233	ND	0.0732
	08/25/00	0.0292	0.0809	ND	0.00543	0.00765	0.00398	ND	ND	ND	0.0273
	11/30/00	0.0277	0.113	ND	0.00986	0.0127	0.00575	ND	0.00146	ND	0.0288
	02/22/01	0.0234	0.0573	ND	ND	ND	ND	ND	ND	ND	ND
	05/17/01	0.0291	0.0553	ND	ND	ND	ND	ND	ND	ND	ND
	03/30/04	0.0241	0.115	0.00164	0.00904	0.0152	0.00896	<0.000200	<0.00100	<0.00100	0.0315
	03/09/05	0.0265	0.0972	0.00208	0.00534	0.00943	0.00615	<0.000200	<0.00200	<0.00100	0.0261
	06/22/05	0.0269	0.106	<0.00100	0.00978	0.0123	0.00543	<0.000200	<0.00200	<0.00100	0.0258
	09/21/05	0.0308	0.0603	<0.00100	0.00182	0.00313	0.00166	<0.000200	<0.00200	<0.00100	0.00732
B-14	02/18/00	0.0367	0.297	0.0006	0.029	0.053	0.0403	0.000095	0.00134	0.00016	0.0874
	05/23/00	0.0327	0.155	ND	0.0152	0.0264	0.0186	ND	0.00168	ND	0.0421
	08/25/00	0.0300	0.0774	ND	0.00175	0.00339	0.00568	ND	0.00113	ND	0.0207
	11/30/00	0.0292	0.0724	ND	ND	ND	0.00326	ND	0.00124	ND	ND
	02/22/01	0.0299	0.0603	ND	ND	0.00202	0.00102	ND	0.00104	ND	0.00696
	05/17/01	0.0373	0.0553	ND	ND	ND	ND	ND	ND	ND	ND
B-19	03/20/03	0.0453	0.0693	ND	ND	ND	ND	ND	ND	ND	ND
	09/29/03	0.0404	0.208	ND	0.0203	0.0297	0.00909	0.000234	ND	ND	0.0577
	03/29/04	0.0435	0.104	<0.00100	0.00487	0.00831	0.00279	<0.000200	<0.00100	<0.00100	0.0192
	03/09/05	0.0407	0.210	<0.00100	0.0181	0.0307	0.00918	<0.000200	<0.00200	<0.00100	0.0545
	06/22/05	0.0478	0.223	<0.00100	0.0265	0.0370	0.00922	<0.000200	<0.00200	<0.00100	0.0633
	09/22/05	0.0481	0.101	<0.00100	0.00347	0.0060	0.00159	<0.000200	<0.00200	<0.00100	0.0105
	03/14/06	0.0523	0.113	<0.00100	0.00391	0.0057	0.00167	<0.000200	<0.00200	<0.00100	0.0117

COPPOR00007165

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
B-20	03/20/03	0.0107	0.0459	ND	0.00109	0.00389	ND	ND	ND	ND	0.00501
	09/29/03	0.130	4.35	0.0494	0.808	1.14	0.643	0.000934	0.00840	ND	3.96
	03/30/04	0.00165	0.0417	<0.00100	0.00184	0.00508	0.00121	<0.00200	<0.00100	<0.00100	0.00910
	03/09/05	0.0360	0.0795	<0.00100	0.00113	0.00212	<0.00100	<0.000200	<0.00200	<0.00100	<0.00500
	09/22/05	0.0374	0.0691	<0.00100	<0.00100	<0.00200	<0.00100	<0.000200	<0.00200	<0.00100	<0.00500
B-21	09/19/01	0.0306	0.107	ND	0.00833	0.0107	0.00322	ND	ND	ND	0.0259
	03/21/02	0.0405	0.0662	ND	ND	ND	ND	ND	ND	0.00109	0.00852
	09/24/02	0.0412	0.0695	ND	ND	ND	ND	ND	ND	ND	ND
	03/20/03	0.0740	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/29/03	0.0474	0.0759	ND	ND	ND	ND	ND	ND	ND	ND
	03/29/04	0.0469	0.132	<0.00100	0.00984	0.0141	0.00478	<0.00200	<0.00100	<0.00100	0.0340
	03/08/05	0.0559	0.179	<0.00100	0.0143	0.0188	0.00535	<0.000200	<0.00200	<0.00100	0.0374
	09/22/05	0.0554	0.0884	<0.00100	<0.00100	<0.00200	<0.00100	<0.000200	<0.00200	<0.00100	<0.00500
	03/15/06	0.0531	0.0866	<0.00100	0.00102	<0.00200	<0.00100	<0.000200	<0.00200	<0.00100	<0.00500
	09/26/06	0.0432	0.0854	<0.00100	<0.00100	<0.00100	<0.00100	<0.000200	<0.00100	<0.00100	<0.0100
B-26	03/30/04	0.00345	0.232	0.0305	0.0220	0.0485	0.0415	<0.000200	<0.00100	<0.00100	0.140
	03/09/05	0.0345	0.0852	0.00411	0.00274	0.00801	0.00696	<0.000200	<0.00200	<0.00100	0.0176
	06/22/05	0.0397	0.146	0.0130	0.0152	0.0319	0.0208	<0.000200	<0.00200	<0.00100	0.0689
	09/22/05	0.0351	0.0812	0.00601	0.00320	0.0103	0.00754	<0.000200	<0.00200	<0.00100	0.0261
B-28	02/18/00	0.0122	0.422	0.00368	0.0437	0.104	0.0496	0.000088	0.00156	0.00025	0.165
	05/23/00	0.00956	0.245	0.00144	0.0258	0.0468	0.0205	ND	0.00277	ND	0.0913
	08/25/00	0.00530	0.120	ND	0.00825	0.0152	0.00565	ND	0.00134	ND	0.0504
	11/30/00	0.0179	0.459	ND	0.0421	0.0640	0.0303	ND	0.00271	ND	0.149
	02/23/01	0.00756	0.131	ND	0.00896	0.0142	0.00555	ND	0.00181	ND	0.0363
	05/17/01	0.00561	0.0914	ND	0.00498	0.00737	0.00272	ND	0.00199	ND	0.0200
	09/20/01	0.0434	0.0821	ND	0.00166	0.00546	ND	ND	0.00109	ND	0.00782
	03/21/02	0.00407	0.0692	ND	0.00311	0.0115	0.00292	ND	ND	ND	0.0148
	09/24/02	0.00298	0.0519	ND	ND	ND	ND	ND	0.00244	ND	ND
	03/20/03	0.00220	0.0489	ND	ND	ND	ND	ND	0.00164	ND	ND
	09/30/03	0.0219	0.483	0.00173	0.0572	0.109	0.0404	ND	ND	ND	0.205
	03/29/04	0.00600	0.111	0.00118	0.00942	0.0287	0.00852	<0.000200	<0.00100	<0.00100	0.0341
	09/21/05	0.00508	0.0838	<0.00100	0.00364	0.00980	0.00268	<0.000200	<0.00200	<0.00100	0.0179
	03/14/06	0.00640	0.192	0.00287	0.0316	0.139	0.172	<0.000200	<0.00200	<0.00100	0.451
	09/28/06	0.00396	0.0880	<0.00100	0.00417	0.0451	0.00370	<0.000200	<0.00200	<0.00100	0.0201
B-29	09/20/01	0.0110	0.292	ND	0.0286	0.0531	0.0264	ND	0.00385	ND	0.122
	03/21/02	0.00126	0.0600	ND	ND	0.00372	ND	ND	ND	ND	0.00710
	09/24/02	ND	0.0601	ND	ND	ND	ND	ND	0.00103	0.00102	ND
	03/20/03	ND	0.0593	ND	ND	0.00263	ND	ND	0.00143	ND	ND
	09/30/03	0.00332	0.322	0.0133	0.0295	0.167	0.0280	ND	ND	ND	0.125
	03/29/04	0.00528	0.367	0.0206	0.0293	0.162	0.0457	<0.000200	<0.00100	<0.00100	0.146
	09/21/05	0.00308	0.193	0.00290	0.0159	0.059	0.0127	<0.000200	<0.00200	<0.00100	0.0720
	03/14/06	0.00126	0.0986	<0.00100	0.00234	0.00834	0.00352	<0.000200	<0.00200	<0.00100	0.0136
	09/28/06	<0.00100	0.0641	<0.00100	<0.00100	0.0122	<0.00100	<0.000200	<0.00200	<0.00100	0.0132

COPPOR00007166

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
B-30	02/18/00	0.0185	0.327	0.0355	0.0269	0.0671	0.0482	ND	0.00265	0.00021	0.238
	05/23/00	0.0141	0.117	0.00978	0.00904	0.0713	0.0108	ND	0.00267	ND	0.0527
	08/25/00	0.0221	0.0497	0.01460	0.00153	0.0176	0.00449	ND	ND	ND	0.0632
	11/30/00	0.0175	0.0513	ND	ND	ND	ND	ND	0.00103	ND	0.0116
	02/23/01	0.0144	0.0704	ND	ND	ND	ND	ND	ND	ND	ND
dup**	02/23/01	0.0140	0.0670	ND	ND	ND	ND	ND	ND	ND	ND
	05/17/01	0.0177	0.0477	ND	ND	ND	ND	ND	0.00175	ND	ND
	09/20/01	0.00211	0.0825	0.00167	0.00347	0.0208	0.0161	ND	0.00190	ND	0.0308
dup	09/20/01	0.0138	0.0564	ND	ND	0.00218	ND	ND	0.00110	ND	ND
	03/21/02	0.0177	0.0438	0.00823	0.00111	0.00533	0.00227	ND	ND	0.00100	0.0191
dup	03/21/01	0.0210	0.0489	0.00302	0.00142	0.00698	0.00458	ND	ND	ND	0.0220
	09/24/02	0.0126	0.0495	ND	ND	ND	ND	ND	0.00197	0.00126	ND
	03/20/03	0.0158	0.0483	ND	ND	ND	ND	ND	ND	ND	ND
dup*	03/20/03	0.0144	0.0486	ND	ND	ND	ND	ND	ND	ND	ND
	09/30/30	0.0238	0.193	0.0221	0.0195	0.0631	0.0392	ND	ND	ND	0.159
dup***	09/30/30	0.0267	0.276	0.0301	0.0268	0.0842	0.0574	ND	ND	ND	0.211
	03/29/04	0.0183	0.0529	0.00229	0.00106	0.00405	0.00330	<0.000200	<0.00100	<0.00100	0.00752
	09/21/05	0.0179	0.0567	0.00180	<0.00100	0.00501	0.00332	<0.000200	<0.00200	<0.00100	0.0113
dup****	09/21/05	0.0177	0.0544	<0.00100	0.00117	0.00384	0.00294	<0.000200	<0.00200	<0.00100	0.0106
	03/14/06	0.0206	0.0668	<0.00100	<0.00100	0.00269	0.00202	<0.000200	<0.00200	<0.00100	0.00557
dup	03/14/06	0.0204	0.0692	0.00102	0.00103	0.00323	0.00255	<0.000200	<0.00200	<0.00100	0.00750
	09/28/06	*0.0164*	*0.058*	*<0.00100*	*<0.00100*	*<0.00200*	*0.00202*	*<0.000200*	*<0.00200*	*<0.00100*	*0.00910*
B-32	03/20/03	0.00367	0.0429	ND	0.00110	ND	ND	ND	ND	ND	ND
	09/29/03	0.122	6.84	0.0170	1.04	1.64	1.15	0.000754	0.0190	ND	3.74
	03/29/04	0.00917	0.434	0.00202	0.0615	0.108	0.0387	0.000221	0.0224	<0.00100	0.215
	03/09/05	0.00780	0.128	<0.00100	-	0.0180	0.00680	<0.000200	0.00203	<0.00100	0.0394
	09/22/05	0.0100	0.227	<0.00100	0.0230	0.0336	0.01180	<0.000200	<0.00200	<0.00100	0.0737
	03/15/06	0.00684	0.0823	<0.00100	0.00316	0.00551	0.00222	<0.000200	<0.00200	<0.00100	0.0110
B-33	03/20/03	0.00483	0.0430	ND	0.00437	0.0114	0.0124	ND	ND	ND	0.0223
	09/30/03	0.0342	0.242	0.00699	0.0711	0.248	0.128	ND	0.00124	ND	0.385
	03/30/04	0.0155	0.199	0.00830	0.0451	0.164	0.110	<0.00200	<0.00100	<0.00100	0.389
	03/09/05	0.0264	0.175	0.00106	0.0342	0.0668	0.0513	<0.000200	0.00204	<0.00100	0.157
	06/22/05	0.0156	0.140	<0.00100	0.0221	0.0560	0.0264	<0.000200	<0.00200	<0.00100	0.0998
	09/22/05	0.0237	0.111	<0.00100	0.00916	0.0250	0.0109	<0.000200	<0.00200	<0.00100	0.0484
	03/15/06	0.00579	0.0494	<0.00100	0.00261	0.00665	0.00441	<0.000200	<0.00200	<0.00100	0.0683
CR-1	09/21/01	0.0143	0.0606	ND	0.00203	0.00468	0.00283	ND	0.00118	ND	0.00846
	03/21/02	0.00173	0.0188	ND	0.00113	0.00397	ND	ND	ND	ND	0.0163
	09/24/02	0.00204	0.0274	ND	ND	ND	ND	ND	ND	ND	0.00609
	03/20/03	0.0119	0.0300	ND	0.00156	0.0112	0.00211	ND	ND	ND	0.0179
	09/30/03	0.00832	0.0479	ND	0.00249	0.00836	0.00391	ND	0.00189	ND	0.0139
	03/30/04	0.00210	0.261	0.00583	0.0220	0.0535	0.0676	<0.000200	<0.00100	<0.00100	0.212
	03/08/05	0.00167	0.0245	<0.00100	<0.00100	0.00262	<0.00100	<0.000200	<0.00200	<0.00100	0.0102
	09/21/05	0.00325	0.0215	<0.00100	<0.00100	0.00231	<0.00100	<0.000200	<0.00200	<0.00100	<0.00500
	09/27/06	0.00194	0.0207	0.000144	<0.000800	0.00277	0.000440	<0.00500	<0.00200	<0.0000960	0.0109

COPPOR00007167

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
CR-3	03/09/05	0.0156	0.414	0.00283	0.0239	0.0591	0.0410	<0.000200	<0.00200	<0.00100	0.216
	06/22/05	0.0259	0.431	0.00206	0.0414	0.0708	0.0504	<0.000200	<0.00200	<0.00100	0.218
	09/22/05	0.00191	0.0280	<0.00100	<0.00100	0.00346	0.00123	<0.000200	<0.00200	<0.00100	0.00706
CR-8	02/18/00	0.0827	0.762	0.00345	0.0578	0.127	0.0997	ND	0.00321	0.00037	0.404
	05/23/00	0.0256	0.342	0.00312	0.0228	0.0684	0.0365	ND	0.00204	ND	0.155
	08/25/00	0.0203	0.105	ND	0.00697	0.0151	0.0101	ND	ND	ND	0.0442
	11/30/00	0.0167	0.0890	ND	0.00565	0.0149	0.00781	ND	0.00158	ND	0.0331
	02/22/01	0.0215	0.116	ND	0.00485	0.0123	0.00666	ND	ND	ND	0.0288
	05/16/01	0.0135	0.0374	ND	0.00128	0.00231	0.00147	ND	ND	ND	ND
CR-9	02/18/00	0.0167	0.236	0.00026	0.0194	0.0286	0.0156	ND	0.00187	0.0001	0.0769
	05/23/00	0.00298	0.0413	ND	0.003	0.00381	0.00188	ND	0.00112	ND	0.00893
	08/25/00	0.00160	0.0305	ND	ND	0.00143	ND	ND	ND	ND	ND
dup	08/25/00	0.00160	0.0305	ND	ND	0.00170	ND	ND	ND	ND	0.0165
	11/30/00	0.00162	0.0222	ND	ND	ND	ND	ND	0.00283	ND	0.00503
dup	11/30/00	ND	0.0222	ND	ND	ND	ND	ND	0.00114	ND	ND
	02/22/01	ND	0.0235	ND	ND	ND	ND	ND	ND	ND	ND
	05/16/01	0.00142	0.0291	ND	ND	0.00246	ND	ND	ND	ND	ND
	05/16/01	0.00145	0.0339	ND	0.00151	0.00205	ND	ND	ND	ND	ND
CR-11	02/18/00	0.0656	0.440	0.00559	0.0252	0.0571	0.0296	ND	0.00453	0.00014	0.123
	05/23/00	0.0493	0.382	0.00659	0.0358	0.0685	0.0391	ND	0.00321	ND	0.168
	08/25/00	0.0631	0.0834	ND	0.00101	0.00325	0.00137	ND	0.00183	ND	0.0179
	11/30/00	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	02/22/01	0.0536	0.126	ND	0.00104	0.00356	ND	ND	0.00324	ND	0.00784
	05/16/01	0.0587	0.111	ND	0.00362	0.00628	0.00314	ND	0.00243	ND	0.0193
CR-26	03/09/05	0.143	0.319	<0.00100	0.0182	0.0229	0.0109	<0.000200	0.00209	<0.00100	0.0670
	06/22/05	0.157	0.212	<0.00100	0.00599	0.00661	0.00268	<0.000200	<0.00200	<0.00100	0.0175
	09/22/05	0.210	0.164	<0.00100	<0.00100	<0.00200	<0.00100	<0.000200	<0.00200	<0.00100	<0.00500

COPPOR00007168

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
KINDER MORGAN											
MW-8	02/16/00	0.00974	0.0566	0.00073	0.00396	0.00476	0.00569	ND	ND	ND	0.0344
	05/31/00	0.00348	0.0226	ND	ND	ND	ND	ND	ND	ND	0.00788
	08/24/00	0.0136	0.0381	ND	ND	ND	ND	ND	ND	ND	0.00799
	12/01/00	0.0177	0.0710	0.00236	0.00195	0.00272	0.00250	ND	0.00239	ND	0.0207
	02/22/01	0.0111	0.0249	ND	0.00130	0.00234	ND	ND	ND	ND	0.00720
	05/16/01	0.00942	0.0308	ND	ND	0.00119	ND	ND	ND	ND	ND
dup	05/16/01	0.00931	0.0316	ND	ND	0.00135	ND	ND	ND	ND	0.0208
	09/21/01	0.0168	0.0637	0.00141	0.00219	0.00350	ND	ND	ND	ND	0.0138
	03/14/02	0.00198	0.0213	ND	ND	0.00376	ND	ND	ND	ND	0.00824
dup	03/14/02	0.00281	0.0220	ND	ND	0.00337	ND	ND	ND	ND	0.0115
	09/27/02	0.0116	0.0592	0.00130	0.00258	0.00514	0.00294	ND	ND	ND	0.0230
	03/18/03	0.00412	0.0408	ND	ND	NS	ND	ND	ND	ND	NS
dup	03/18/03	0.00352	0.0408	ND	ND	NS	ND	ND	ND	ND	NS
	09/24/03	0.01080	0.0281	ND	ND	ND	ND	ND	ND	ND	0.00670
	03/30/04	0.00150	0.0238	<0.00100	<0.00100	<0.00200	<0.00100	<0.000200	<0.00100	<0.00100	0.0107
	09/27/04	0.0160	0.0858	0.00268	0.00598	0.00898	0.00562	<0.000200	<0.00100	<0.00100	0.0613
dup	09/27/04	0.0167	0.110	0.00395	0.00454	0.0130	0.00705	<0.000200	<0.00100	<0.00100	0.0888
	03/29/05	0.00373	0.0147	0.00146	0.000360	0.00164	0.00115	<0.000200	<0.00100	<0.00100	0.0229
	09/21/05	0.00867	0.0258	0.00128	<0.00100	0.00425	0.00181	<0.000200	<0.00200	<0.00100	0.0217
	03/15/06	0.00216	0.0244	<0.00100	<0.00100	0.00234	<0.00100	<0.000200	<0.00200	<0.00100	0.0234
dup	03/15/06	0.00164	0.0245	<0.00100	<0.00100	0.00204	<0.00100	<0.000200	<0.00200	<0.00100	0.0222
	09/26/06	0.00884	0.0276	0.00408	<0.00100	0.00298	0.00149	<0.000200	<0.00200	<0.00100	0.0430
MW-10	02/16/00	0.0311	0.266	0.00027	0.025	0.0493	0.0256	ND	0.00200	<0.00100	0.113
	05/31/00	0.0158	0.199	ND	0.0155	0.0292	0.0182	ND	0.00179	ND	0.0756
	08/24/00	0.0196	0.0518	ND	ND	ND	ND	ND	0.00130	ND	0.00549
	12/01/00	0.0284	0.0284	ND	0.00424	0.00704	0.00437	ND	0.00125	ND	0.0181
	02/22/01	0.0222	0.0670	ND	0.00169	0.00331	0.00102	ND	ND	ND	0.00893
	05/16/01	0.0199	0.0729	ND	ND	ND	ND	ND	ND	ND	ND
MW-11	02/16/00	0.0677	0.398	0.00018	0.0344	0.0672	0.0786	0.000065	0.00134	0.00015	0.168
	05/31/00	0.0595	0.454	ND	0.0291	0.0577	0.0705	0.000201	0.00296	ND	0.153
	08/24/00	0.0509	0.111	ND	0.00484	0.00828	0.0210	ND	0.00315	ND	0.0203
	12/01/00	0.0478	0.125	ND	0.00719	0.0114	0.0372	ND	0.00438	ND	0.0311
	02/22/01	0.0509	0.113	ND	0.00590	0.0110	0.0399	ND	ND	ND	0.0310
	05/16/01	0.0445	0.0816	ND	0.00184	0.00388	0.0300	ND	ND	ND	0.0158

COPPOR00007169

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
MW-13	02/16/00	0.017	0.305	0.00011	0.0285	0.0438	0.0235	ND	0.00072	0.00016	0.130
	05/31/00	0.0115	0.411	ND	0.0264	0.0409	0.0228	ND	0.002	ND	0.114
	08/24/00	0.00331	0.0854	ND	0.00500	0.00817	0.00373	ND	0.00431	ND	0.0207
	12/01/00	0.00384	0.0784	ND	0.00494	0.00752	0.00139	ND	0.00146	ND	0.0201
dup	12/01/00	0.00465	0.0795	ND	0.00504	0.00682	0.00344	ND	0.00162	ND	0.0207
	02/22/01	0.00146	0.0621	ND	0.00409	0.00581	0.00237	ND	ND	ND	0.0176
	05/16/01	0.00174	0.0523	ND	0.00218	0.00308	0.00169	ND	ND	ND	0.0123
MW-15	02/17/00	0.0017	0.0874	0.00004	0.00651	0.00546	0.00206	ND	0.00034	ND	0.0219
dup	02/17/00	0.00152	0.0877	0.00008	0.00655	0.00532	0.0034	-	0.00046	ND	0.021
	05/31/00	ND	0.0941	ND	0.006	0.00597	0.00322	ND	ND	ND	0.0298
	08/24/00	ND	0.141	ND	0.00989	0.00879	0.00420	ND	0.00481	ND	0.0388
	12/01/00	0.00316	0.148	ND	0.0133	0.0120	0.00697	ND	0.00115	ND	0.0534
	02/22/01	0.00129	0.108	ND	0.00840	0.00951	0.00664	ND	ND	ND	0.208
	05/16/01	ND	0.0681	ND	0.00126	0.00154	0.00113	ND	ND	ND	0.0246
MW-21	02/17/00	0.004	0.188	0.00219	0.00777	0.0091	0.00988	ND	0.00071	ND	0.0459
	05/30/00	0.00599	0.335	0.00701	0.0196	0.0248	0.0247	ND	0.00185	ND	0.126
	08/23/00	0.00339	0.185	ND	0.00202	0.00295	0.00126	ND	0.00153	ND	0.0140
	12/01/00	0.00344	0.141	0.00148	ND	ND	ND	ND	0.00176	ND	0.0140
	02/22/01	0.00350	0.184	ND	0.00117	ND	ND	ND	ND	ND	0.0107
	05/16/01	0.00471	0.0219	ND	ND	0.00127	0.00103	ND	ND	ND	0.0182
MW-22	02/17/00	0.0928	0.251	0.00017	0.0121	0.00834	0.0391	ND	0.00121	ND	0.0492
dup	02/17/00	-	-	-	-	-	-	ND	-	-	-
	05/30/00	0.0945	0.244	ND	0.0097	0.0095	0.0216	ND	0.00242	ND	0.0388
	08/23/00	0.104	0.194	ND	0.00125	0.00201	0.00695	ND	0.00274	ND	ND
	12/01/00	0.0831	0.295	ND	0.00199	0.00213	0.0105	ND	0.00300	ND	0.0265
	02/21/01	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	05/16/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
MW-23	02/17/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	05/30/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	08/23/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	11/30/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	02/22/01	0.00909	0.0582	ND	0.00175	0.00817	0.00441	ND	ND	ND	0.00983
	05/16/01	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S

COPPOR00007170

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
MW-25	09/21/01	0.0563	0.0958	ND	0.00339	0.00365	0.00411	ND	ND	ND	0.0258
	03/14/02	0.0406	0.115	ND	0.00573	0.00832	0.00969	ND	ND	0.00115	0.0278
	09/27/02	0.116	0.186	ND	0.00606	0.00897	0.00990	ND	ND	ND	0.0334
	03/18/03	0.0386	0.0440	ND	ND	NS	ND	ND	0.00115	0.00110	NS
	09/24/03	0.0661	0.181	0.00125	0.0144	0.0230	0.0201	ND	0.00179	ND	0.0712
	03/30/04	0.0521	0.0580	<0.00100	0.00157	<0.00200	<0.00115	<0.000200	<0.00100	<0.00100	0.00810
	09/27/04	0.0712	0.140	<0.00100	0.00506	0.0112	0.0112	<0.000200	<0.00100	<0.00100	0.0304
	03/28/05	0.0616	0.0941	<0.00100	0.00116	0.00253	0.00474	<0.000200	0.000400	<0.00100	0.0118
	09/21/05	0.0622	0.0647	<0.00100	0.00140	0.00299	0.00189	<0.000200	<0.00200	<0.00100	0.00838
	03/15/06	0.0607	0.0701	<0.00100	<0.00100	0.00469	0.00183	<0.000200	<0.00200	<0.00100	0.00920
	09/26/06	0.0529	0.0763	<0.00100	0.00179	0.00258	0.0034	<0.000200	<0.00200	<0.00100	0.0117
MW-26	02/17/00	0.0474	0.0943	0.00005	0.00468	0.00368	0.00342	ND	0.0006	ND	0.0141
dup	02/17/00	0.0487	0.0904	0.0005	0.00434	0.00496	0.00312	ND	0.00033	ND	0.0422
	05/30/00	0.0443	0.102	ND	0.00453	0.00501	0.00492	ND	ND	ND	0.0162
	08/23/00	0.0530	0.0594	ND	0.00218	0.00249	0.00228	ND	ND	ND	ND
dup	08/23/00	0.0576	0.0642	ND	0.00227	0.00384	0.00228	ND	ND	ND	0.00791
	12/01/00	0.0526	0.0620	ND	0.00158	ND	0.00254	ND	0.00116	ND	0.00796
	02/21/01	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	05/17/01	0.0590	0.0678	ND	0.00221	0.00170	0.00225	ND	ND	ND	0.0120
	09/27/02	0.0450	0.0524	ND	0.00123	ND	0.00220	ND	ND	ND	0.0169
	03/18/03	0.0205	0.0670	ND	ND	NS	ND	ND	ND	0.00109	
	09/24/03	0.0510	0.0512	ND	ND	ND	0.00214	ND	ND	ND	0.00507
	03/30/04	0.0431	0.0661	<0.00100	<0.00100	<0.00100	0.00102	<0.000200	<0.00100	<0.00100	<0.00500
	09/27/04	0.0657	0.0662	<0.00100	0.00206	0.00448	0.00654	<0.000200	<0.00100	<0.00100	0.0188
	03/28/05	0.0554	0.0749	0.00104	0.00129	0.00313	0.00586	<0.000200	0.000530	<0.00100	0.0158
	09/21/05	0.0623	0.0462	<0.00100	<0.00100	<0.00200	0.00122	<0.000200	<0.00200	<0.00100	<0.00500
	03/15/06	0.0476	0.0771	<0.00100	<0.00100	<0.00200	<0.00100	<0.000200	<0.00200	<0.00100	<0.00500
	09/26/06	0.0457	0.0684	<0.00100	<0.00100	<0.00200	<0.00100	<0.000200	<0.00200	<0.00100	0.00505
dup	09/26/06	0.0480	0.0692	<0.00100	<0.00100	0.00212	<0.00100	<0.000200	<0.00200	<0.00100	<0.00500
MW-28	02/16/00	0.00032	0.00803	ND	0.00047	0.002	0.00387	ND	ND	ND	0.0172
	05/30/00	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	08/23/00	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	11/30/00	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	02/21/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	05/16/01	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
MW-31	02/16/00	0.00504	0.016	ND	0.00042	0.00222	0.00135	ND	ND	ND	0.00218
	05/30/00	0.00664	0.019	ND	ND	ND	ND	ND	ND	ND	ND
	08/23/00	0.0181	0.0200	ND	ND	ND	ND	ND	ND	ND	ND
	12/01/00	0.0134	0.0179	ND	ND	ND	0.00280	ND	ND	ND	ND
	02/22/01	0.0148	0.0228	ND	ND	ND	ND	ND	ND	ND	0.00723
	05/17/01	0.0150	0.0210	ND	ND	ND	0.00244	ND	ND	ND	0.0132

COPPOR00007171

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
MW-32	02/16/00	0.00071	0.0189	0.00007	0.00297	0.00399	0.00309	ND	ND	ND	0.00603
	05/30/00	0.00147	0.0268	ND	0.00195	0.0043	0.00159	ND	ND	ND	0.0069
	08/23/00	ND	0.0147	ND	ND	0.00251	ND	ND	ND	ND	ND
	12/01/00	0.00193	0.0142	ND	ND	ND	ND	ND	0.00120	ND	ND
	02/22/01	ND	0.00921	ND	0.00119	ND	ND	ND	ND	ND	ND
	05/16/01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-33	02/16/00	0.00842	0.0768	0.00006	0.00162	0.00423	0.00368	ND	ND	ND	0.00746
	05/30/00	0.00655	0.111	ND	0.00179	0.00338	0.00154	ND	ND	ND	0.00721
	08/24/00	0.0103	0.227	ND	0.00104	0.00246	ND	ND	0.00259	ND	ND
	11/30/00	0.0580	0.563	ND	0.00223	0.00343	ND	ND	0.00163	ND	0.00882
	02/22/01	0.0142	0.0910	ND	0.00179	0.00339	0.00103	ND	ND	ND	0.00944
dup	02/22/01	0.0142	0.104	ND	0.00188	0.00390	0.00155	ND	ND	ND	0.0110
	05/16/01	0.0178	0.184	ND	ND	0.00128	ND	ND	ND	ND	ND
	09/21/01	0.0100	0.0757	ND	ND	ND	ND	ND	0.00151	ND	ND
	03/14/02	0.00975	0.0722	ND	ND	ND	ND	ND	ND	0.00202	ND
	09/27/02	0.0302	0.356	ND	0.00206	0.00303	0.00136	ND	ND	ND	0.0205
	03/18/03	0.00867	0.0401	ND	ND	NS	ND	ND	ND	0.00140	NS
	09/24/03	0.0232	0.191	ND	ND	ND	ND	ND	ND	ND	ND
	03/29/04	0.0124	0.0552	<0.00100	0.00114	<0.00200	<0.00100	<0.000200	<0.00100	<0.00100	<0.00500
	09/27/04	0.132	1.41	<0.00200	0.00628	0.0135	<0.00200	0.000490	<0.00200	<0.00200	0.0319
	03/29/05	0.00757	0.325	<0.00100	0.000360	0.00244	0.000210	<0.000200	<0.00100	<0.00100	0.00737
	09/21/05	0.0181	0.398	<0.00100	0.00165	0.00290	<0.00100	<0.000200	<0.00200	<0.00100	0.00580
dup	09/21/05	0.0163	0.366	<0.00100	0.00151	0.00292	<0.00100	<0.000200	<0.00200	<0.00100	0.00516
	03/15/06	0.0112	0.0588	<0.00100	<0.00100	<0.00200	<0.00100	<0.000200	<0.00200	<0.00100	0.00600
	09/27/06	0.0263	0.409	<0.0000752	<0.000800	<0.00160	<0.000432	0.00724	<0.00160	<0.0000960	0.0244
MW-34	09/21/01	0.0697	0.381	0.00239	0.0143	0.144	0.0146	ND	0.00146	ND	0.104
	03/14/02	0.0376	0.178	ND	0.00582	0.0132	0.00549	ND	ND	0.00151	0.0321
	09/27/02	0.162	0.670	0.00164	0.0264	0.0676	0.0226	ND	0.00130	ND	0.126
	03/18/03	0.0148	0.0934	ND	0.00602	NS	0.00541	ND	ND	0.00113	NS
	09/24/03	0.0109	0.0654	ND	0.00106	0.00236	0.00117	ND	ND	ND	0.00994
	03/29/04	0.00364	0.0350	<0.00100	0.00114	<0.00200	<0.00100	<0.000200	<0.00100	<0.00100	<0.00500
	09/27/04	0.0879	0.355	<0.00100	0.0114	0.0285	0.0111	<0.000200	0.00131	<0.00100	0.0547
dup	03/29/05	0.0126		<0.00100	0.000530	0.00475	0.00158	<0.000200	0.000350	<0.00100	0.0127
	03/29/05	0.0125	0.0756	<0.00100	0.000460	0.00382	0.00148	<0.000200	0.000430	<0.00100	0.0119
	09/21/05	0.0537	0.133	<0.00100	0.00105	0.00354	0.00113	<0.000200	<0.00200	<0.00100	0.00754
	03/15/06	0.00590	0.0572	<0.00100	0.00308	0.00329	0.00246	<0.000200	<0.00200	<0.00100	0.0132
	09/27/06	0.0143	0.0700	0.000103	0.000899	0.00318	0.00139	<0.00000500	<0.00160	<0.0000960	0.0150

COPPOR00007172

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
MW-36	02/16/00	0.0146	0.0575	0.00005	0.00413	0.00614	0.00355	ND	0.00022	ND	0.0131
	05/31/00	0.0149	0.0512	ND	0.0018	0.00308	ND	ND	ND	ND	ND
	08/24/00	0.0187	0.0570	ND	ND	0.00222	ND	ND	0.00111	ND	0.0108
	11/30/00	0.0225	0.0701	ND	ND	ND	ND	ND	0.00147	ND	ND
	02/21/01	0.0201	0.0560	ND	0.00151	0.00280	ND	ND	ND	ND	0.00677
	05/16/01	0.0297	0.0826	ND	ND	0.0169	ND	ND	ND	ND	0.0149
	09/21/01	0.0168	0.0541	ND	ND	ND	ND	ND	0.00108	ND	ND
	03/13/02	0.00442	0.0252	ND	ND	0.00297	ND	ND	ND	ND	0.0122
	03/18/03	0.00541	0.0316	ND	0.00122	NS	ND	ND	ND	ND	NS
	09/24/03	0.0436	0.116	ND	0.00103	0.00234	ND	ND	ND	ND	ND
	3/29/04	0.0108	0.0339	<0.00100	0.00131	0.00385	0.00144	<0.000200	<0.00100	<0.00100	<0.00500
	9/27/2004	0.0320	0.0679	<0.00100	0.00238	0.00739	0.00334	<0.000200	0.00140	<0.00100	0.00675
	09/21/05	0.0336	0.0567	<0.00100	<0.00100	0.00307	<0.00100	<0.000200	<0.00200	<0.00100	<0.00500
	03/15/06	0.00590	0.0238	<0.00100	<0.00100	0.00384	<0.00100	<0.000200	<0.00200	<0.00100	<0.00500
	09/27/06	0.0176	0.0545	<0.0000752	<0.000800	0.00170	<0.000432	<0.00000500	<0.00160	<0.0000960	0.00450
dup	09/27/06	0.0157	0.0480	<0.0000752	<0.000800	0.00160	<0.000432	<0.00000500	<0.00160	<0.0000960	<0.00400
MW-37	02/16/00	0.0184	0.0748	0.00022	0.00721	0.0118	0.00469	ND	0.00032	ND	0.0184
	05/30/00	0.0199	0.0567	ND	0.00356	0.00572	0.0018	ND	0.00158	ND	0.0111
dup	05/30/00	0.0189	0.0586	ND	0.00408	0.00637	0.00205	ND	ND	ND	0.0121
	08/24/00	0.0227	0.0453	ND	ND	ND	ND	ND	0.00158	ND	0.00598
	11/30/00	0.0221	0.0693	ND	0.00419	0.00605	0.00353	ND	0.00123	ND	0.0123
	02/21/01	0.0223	0.0404	ND	0.00153	0.00206	ND	ND	ND	ND	0.00526
	05/16/01	0.0209	0.0403	ND	ND	ND	ND	ND	ND	ND	ND
	09/21/01	0.0222	0.0432	ND	0.00127	ND	0.00147	ND	ND	ND	ND
	09/27/02	0.0190	0.0429	ND	ND	ND	ND	ND	ND	ND	ND
dup	09/27/02	0.0194	0.0423	ND	ND	ND	ND	ND	ND	ND	0.00923
	03/18/03	0.00864	0.0259	ND	ND	NS	ND	ND	ND	0.00141	NS
	09/27/04	0.0242	0.0679	<0.00100	0.00308	0.00565	0.00334	<0.000200	<0.00100	<0.00100	0.0181
	03/29/05	0.0153	0.0300	<0.00100	0.000230	<0.00100	0.000580	<0.000200	<0.00100	<0.00100	0.00449
	09/21/05	0.0194	0.0390	<0.00100	<0.00100	<0.00200	0.00144	<0.000200	<0.00200	<0.00100	<0.00500
	03/15/06	0.0120	0.0493	<0.00100	<0.00100	<0.00200	0.00141	<0.000200	<0.00200	<0.00100	0.00959
	09/27/06	0.0199	0.0394	<0.0000752	<0.000800	<0.00160	<0.000432	<0.00000500	<0.00160	<0.0000960	<0.00400
MW-39	03/29/04	0.0174	0.110	<0.00100	0.00988	0.0163	0.00823	<0.000200	<0.00100	<0.00100	0.0346
	09/27/04	0.0304	0.281	<0.00100	0.0248	0.0832	0.0190	<0.000200	0.00140	<0.00100	0.113
	09/21/05	0.0199	0.0891	<0.00100	0.00218	0.0110	0.00238	<0.000200	<0.00200	<0.00100	0.0139

COPPOR0007173

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
MW-40	02/16/00	0.0221	0.185	0.00011	0.0202	0.0289	0.0254	ND	0.00047	0.00012	0.0669
	05/30/00	0.025	0.107	ND	0.00783	0.0107	0.00837	ND	ND	ND	0.0245
	08/24/00	0.0270	0.123	ND	0.00162	0.00316	0.00141	ND	0.00385	ND	0.0160
	11/30/00	0.0319	0.144	ND	0.00433	0.00734	0.00491	ND	0.00187	ND	0.0178
	02/21/01	0.0387	0.119	ND	0.00375	0.00607	0.00330	ND	ND	ND	0.0183
	05/16/01	0.0239	0.102	ND	0.00224	0.00314	0.00193	ND	ND	ND	0.00862
	09/21/01	0.0248	0.106	ND	0.00306	0.00343	0.00254	ND	0.00232	ND	0.0107
	03/13/02	0.0126	0.0538	ND	0.00197	0.00336	0.00194	ND	ND	ND	0.0124
	09/27/02	0.0281	0.219	ND	0.00881	0.0104	0.00808	ND	ND	ND	0.0250
	03/18/03	0.0174	0.0485	ND	0.00135	NS	0.00130	ND	ND	ND	NS
	09/24/03	0.0448	0.254	ND	0.00895	0.0131	0.0316	ND	ND	ND	0.0326
dup	09/24/03	0.0678	0.397	ND	0.0179	0.0249	0.0538	ND	ND	ND	0.0627
	03/29/04	0.0180	0.0897	<0.00100	0.00124	0.00264	0.00124	<0.000200	<0.00100	<0.00100	<0.00500
dup	03/29/04	0.0178	0.0797	<0.00100	0.00719	<0.00200	0.00128	<0.000200	<0.00100	<0.00100	<0.00500
	9/27/2004	0.0611	0.343	<0.00100	0.0179	0.0293	0.0308	<0.000200	<0.00100	<0.00100	0.0764
	3/29/2005	0.0198	0.0627	<0.00100	0.000380	0.00360	0.00229	<0.000200	0.000480	<0.00100	0.00718
	09/21/05	0.0295	0.0807	<0.00100	<0.00100	0.00434	0.00126	<0.000200	<0.00200	<0.00100	0.00592
	03/15/06	0.0162	0.0540	<0.00100	0.00139	0.00368	0.00157	<0.000200	<0.00200	<0.00100	0.00758

COPPOR00007174

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
CONOCOPHILLIPS											
B-4	05/26/00	0.035	0.245	ND	0.0275	0.0425	0.014	ND	ND	ND	0.075
dup	05/26/00	0.0367	0.259	ND	0.0283	0.0443	0.0147	ND	ND	ND	0.0785
	08/28/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	11/29/00	0.0316	0.106	ND	0.00532	0.00968	0.00285	ND	0.00165	ND	0.0176
	02/20/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	05/17/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	09/26/02	0.0308	0.0999	ND	0.00541	0.00885	0.00272	ND	0.00129	ND	0.0259
	09/25/03	0.0316	0.0928	ND	0.00258	0.00497	0.00155	ND	0.00129	ND	0.0147
	09/26/06	0.0361	0.113	<0.00100	0.00384	0.00673	0.00231	<0.000200	<0.00200	<0.00100	0.0216
B-17	02/17/00	0.0579	0.549	0.00036	0.091	0.140	0.0676	ND	0.00152	0.00028	0.215
	05/26/00	0.0509	0.195	ND	0.0191	0.029	0.0171	ND	0.00126	ND	0.0485
	08/28/00	0.0532	0.113	ND	0.00279	0.00417	0.00660	ND	ND	ND	0.0120
	11/29/00	0.0525	0.111	ND	0.00217	0.00695	0.00636	ND	0.00220	ND	0.00979
	02/23/01	0.0519	0.0821	ND	0.00130	0.00302	0.00470	ND	ND	ND	0.00966
dup	02/23/01	0.0511	0.0885	ND	0.00305	0.00691	0.00535	ND	0.00119	ND	0.0143
	05/17/01	0.0656	0.125	ND	0.00518	0.00746	0.00812	ND	ND	ND	0.0287
dup	05/17/01	0.0650	0.114	ND	0.00406	0.00546	0.00718	ND	0.00126	ND	0.0150
B-18	02/17/00	0.0223	0.507	0.00044	0.0797	0.110	0.0293	0.000098	0.00158	0.00022	0.174
	05/26/00	0.0228	0.203	ND	0.0211	0.0313	0.00922	ND	ND	ND	0.0558
	08/28/00	0.0221	0.130	0.00111	0.00563	0.00684	0.00315	ND	ND	ND	0.0270
	11/29/00	0.0171	0.128	ND	0.00238	0.00451	0.00120	ND	0.00153	ND	0.0157
	02/23/01	0.0256	0.118	ND	0.00538	0.0107	0.00294	ND	ND	ND	0.0506
	05/17/01	0.0372	0.138	ND	0.00774	0.00959	0.00310	ND	0.00106	0.00101	0.0309
B-22	02/17/00	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	05/26/00	0.0255	0.126	ND	0.0105	0.0187	0.00561	ND	ND	ND	0.0385
	08/28/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	11/29/00	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	02/20/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	05/17/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
B-35	02/17/00	0.0602	0.480	0.00062	0.0893	0.122	0.0828	ND	0.00164	0.00021	0.311
	05/26/00	0.0102	0.116	ND	0.00786	0.0114	0.00264	ND	0.0013	ND	0.0233
	08/28/00	0.0377	0.128	0.00153	0.00467	0.00612	0.00643	ND	ND	ND	0.0339
	11/29/00	0.0468	0.131	ND	0.00316	0.00691	0.00619	ND	0.00212	ND	0.0208
	02/23/01	0.0347	0.0816	ND	0.00200	0.00380	0.00305	ND	0.00100	ND	0.0308
	05/17/01	0.0504	0.153	ND	0.0107	0.0141	0.0106	ND	ND	ND	0.0511
	09/20/01	0.0344	0.0901	ND	0.00178	0.00420	0.00160	ND	ND	ND	0.00632
	03/14/02	0.0335	0.308	ND	0.0463	0.0534	0.0298	ND	0.00139	0.00145	0.146
	09/26/02	0.0296	0.225	ND	0.0298	0.0314	0.0147	ND	0.00131	ND	0.0816
	03/18/03	0.0387	0.0958	ND	0.00155	0.00422	0.00277	ND	ND	ND	0.00700
	09/25/03	0.0517	0.132	ND	0.00334	0.00631	0.00536	ND	ND	ND	0.0171
	03/30/04	0.0291	0.135	<0.00100	0.0119	0.0149	0.00779	<0.000200	<0.00100	<0.00100	0.0152
	09/26/04	0.0422	0.182	<0.00100	0.00829	NA	0.00993	0.00171	<0.00100	<0.00100	NA
	03/28/05	0.0381	0.160	<0.00100	0.0124	0.0180	0.0156	<0.000200	<0.00100	<0.00100	0.0776
	09/20/05	0.0426	0.282	<0.00100	0.0329	0.0408	0.0306	<0.000200	<0.00200	<0.00100	0.107
	03/14/06	0.0423	0.105	<0.00100	0.00192	0.00534	0.00285	<0.000200	<0.00200	<0.00100	0.0396
	09/26/06	0.0387	0.116	<0.00100	0.00233	0.00424	0.00344	<0.000200	<0.00200	<0.00100	0.0233
B-36	02/17/00	0.0105	0.168	0.00021	0.0222	0.0306	0.00779	ND	0.00064	ND	0.0551
	05/26/00	0.0105	0.120	ND	0.00819	0.012	0.00251	ND	ND	ND	0.025
	08/28/00	0.0224	0.156	ND	0.00784	0.00876	0.00322	ND	ND	ND	0.0474
	11/29/00	0.0223	0.130	ND	0.00525	0.00834	0.00171	ND	0.00202	ND	0.0171
	02/23/01	0.0488	0.174	ND	0.00371	0.00666	0.00142	ND	0.00234	ND	0.0244
	05/17/01	0.0387	0.476	ND	0.05720	0.06960	0.01650	ND	0.00301	ND	0.138
	09/20/01	0.0185	0.0861	ND	0.00154	0.00302	ND	ND	ND	ND	0.00761
dup	09/20/01	0.0204	0.0974	ND	0.00294	0.00411	ND	ND	ND	ND	0.0132
	03/14/02	0.00840	0.0901	ND	0.00874	0.0114	0.00271	ND	ND	ND	0.0294
	09/26/02	0.0170	0.109	ND	0.00688	0.00910	0.00440	ND	ND	ND	0.0334
	03/18/03	0.00402	0.0409	ND	0.00234	0.00393	0.00144	ND	ND	ND	0.00729
	09/25/03	0.0200	0.0644	ND	ND	ND	ND	ND	0.00105	ND	ND
	03/30/04	0.00719	0.0586	<0.00100	0.00313	0.00580	0.00149	<0.000200	<0.00100	<0.00100	0.0152
	09/28/04	0.0233	0.112	<0.00100	0.00349	NA	0.00120	0.000285	<0.00100	<0.00100	NA
dup	09/28/04	0.0221	0.0814	<0.00100	0.00222	NA	<0.00100	<0.000200	<0.00100	<0.00100	NA
	03/28/05	0.0240	0.104	<0.00100	0.00367	0.00482	0.00153	<0.000200	<0.00100	<0.00100	0.0195
	09/20/05	0.0205	0.103	<0.00100	0.00450	0.00637	0.00145	<0.000200	<0.00200	<0.00100	0.0132
	03/14/06	0.00803	0.0401	<0.00100	<0.00100	0.00331	<0.00100	<0.000200	<0.00200	<0.00100	0.00531
	09/26/06	0.0217	0.0874	<0.00100	<0.00100	<0.00200	<0.00100	<0.000200	<0.00200	<0.00100	0.00671

COPPOR00007176

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
B-37	02/17/00	0.369	0.152	0.00033	0.0159	0.0297	0.00705	ND	0.00159	ND	0.0544
dup	02/17/00	0.327	0.0344	0.0004	0.00066	0.00145	0.00236	ND	0.00025	ND	0.00159
	05/26/00	0.418	0.092	ND	0.00526	0.0131	0.00234	ND	ND	ND	0.0215
	08/28/00	0.897	0.227	ND	0.00462	0.00938	0.00209	ND	ND	ND	0.0303
	11/29/00	0.391	0.0990	ND	0.00221	0.00608	ND	ND	0.00132	ND	0.0120
	02/23/01	0.198	0.0747	ND	ND	0.00339	ND	ND	ND	ND	0.0170
	05/17/01	0.521	0.168	ND	0.00408	0.00984	0.00164	ND	ND	ND	0.0355
	03/14/02	0.0869	0.252	ND	0.0170	0.0409	0.00746	ND	ND	ND	0.0764
	09/26/02	0.117	0.119	ND	0.00603	0.0100	0.00625	ND	ND	ND	0.0348
	03/18/03	0.0758	0.121	ND	0.00829	0.0178	0.00429	ND	ND	0.00222	0.0539
dup	03/18/03	0.0683	0.0958	ND	0.00572	0.0115	0.00288	ND	ND	0.00141	0.0364
	09/25/03	0.260	0.158	ND	0.00290	0.00853	0.00119	ND	0.00169	ND	0.0215
dup	09/25/03	0.247	0.182	ND	0.00513	0.0143	0.00217	ND	ND	ND	0.0330
	03/31/04	0.125	0.0546	<0.00100	0.00137	0.00454	0.00131	<0.000200	<0.00100	<0.00100	0.00842
	09/28/04	0.131	0.0784	<0.00100	0.00218	NA	<0.00100	<0.000200	<0.00100	<0.00100	NA
	03/28/05	0.0734	0.0798	<0.00100	0.00187	0.00593	0.00157	<0.000200	<0.00100	<0.00100	0.0270
	09/20/05	0.0802	0.0827	<0.00100	0.00115	0.00229	<0.00100	<0.000200	<0.00200	<0.00100	0.0133
	03/14/06	0.230	0.0616	<0.00100	<0.00100	0.00434	<0.00100	<0.000200	<0.00200	<0.00100	0.00615
dup	03/14/06	0.217	0.0720	<0.00100	0.00110	0.00481	<0.00100	<0.000200	<0.00200	<0.00100	0.00820
	09/26/06	0.165	0.0613	<0.00100	<0.00100	0.00288	<0.00100	<0.000200	<0.00200	<0.00100	0.0110
B-40	02/17/00	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	05/26/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	08/28/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	11/29/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	02/20/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	05/17/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	09/26/06	0.0184	0.0673	<0.0000752	<0.000800	0.00367	<0.000432	<0.00000500	<0.00160	<0.0000960	0.0166
U-2	02/17/00	0.0186	0.0632	0.00023	0.00363	0.0116	0.00499	ND	0.00034	ND	0.0241
	05/26/00	0.011	0.0503	ND	0.00137	0.00537	0.00145	ND	ND	ND	0.0109
	08/28/00	0.0119	0.0503	0.00120	0.00109	0.00377	0.00169	ND	ND	ND	0.0147
	11/29/00	0.00729	0.0499	ND	0.00158	0.00314	0.00109	ND	0.00105	ND	0.0131
	02/23/01	0.00887	0.0373	ND	ND	0.00935	0.00173	ND	ND	ND	0.0212
	05/17/01	0.00953	0.0427	ND	0.00129	0.00916	0.00257	ND	ND	ND	0.0205
	09/20/01	0.00680	0.0397	ND	ND	0.00421	ND	ND	ND	ND	0.00700
	03/14/02	0.0108	0.0534	ND	0.00168	0.00666	0.00183	ND	ND	ND	0.0436
	09/26/02	0.00678	0.0443	ND	ND	0.00277	ND	ND	0.00127	ND	0.0116
	03/18/03	0.00998	0.0487	ND	0.00100	0.00583	0.00111	ND	ND	ND	0.0398
	09/25/03	0.00978	0.0749	ND	0.00658	0.00896	0.00268	ND	ND	ND	0.0636
	03/31/04	0.0158	0.0646	<0.00100	0.00243	0.0107	0.00313	<0.000200	0.00116	<0.00100	0.0500
	09/28/04	0.0111	0.0762	<0.00100	0.00318	NA	0.00282	<0.000200	<0.00100	<0.00100	NA
	03/28/05	0.0132	0.0996	<0.00100	0.00326	0.0187	0.00531	<0.000200	<0.00100	<0.00100	0.0944
	09/20/05	0.0198	0.129	<0.00100	0.00174	0.0170	0.00550	<0.000200	<0.00200	<0.00100	0.0520
	03/14/06	0.0156	0.0451	<0.00100	<0.00100	0.00775	0.00228	<0.000200	<0.00200	<0.00100	0.0327
	09/27/06	0.0160	0.0617	<0.00100	<0.00100	0.0196	<0.00100	<0.000200	<0.00200	<0.00100	0.0106

COPPOR00007177

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
U-3	02/17/00	0.0421	0.194	0.00023	0.0241	0.0171	0.0225	ND	0.00102	ND	0.268
	05/26/00	0.040	0.171	ND	0.0149	0.0116	0.0182	ND	0.00145	ND	0.139
	08/28/00	0.0365	0.124	ND	0.00704	0.00673	0.0212	ND	0.00202	ND	0.103
	11/29/00	0.0428	0.170	ND	0.00994	0.00949	0.0167	ND	0.00342	ND	0.107
dup	11/29/00	0.0413	0.172	ND	0.00996	0.00932	0.0149	ND	0.00284	ND	0.0973
	02/23/01	0.119	0.631	ND	0.170	0.107	303	ND	ND	ND	1.47
	05/17/01	0.0450	0.111	ND	0.00359	0.00439	0.00427	ND	0.00170	ND	0.0258
U-4	05/26/00	0.0188	0.101	ND	0.00367	0.00749	0.00268	ND	ND	ND	0.0149
	08/28/00	0.0198	0.0930	ND	ND	0.00214	0.00129	ND	ND	ND	0.0150
dup	08/28/00	0.0189	0.0922	ND	ND	0.00299	0.00131	ND	ND	ND	0.0157
	11/29/00	0.0198	0.0911	ND	ND	ND	ND	ND	0.00194	ND	0.00895
	02/23/01	0.0216	0.0802	ND	ND	ND	ND	ND	ND	ND	0.00587
	05/17/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	09/26/02	0.0183	0.106	ND	0.00432	0.0105	0.00484	ND	0.00180	ND	0.0377
dup	09/26/02	0.0183	0.106	ND	0.00403	0.00976	0.00379	ND	0.00128	ND	0.0313
	09/27/06	0.0171	0.0816	<0.00100	<0.00100	0.00234	<0.00100	<0.000200	<0.00200	<0.00100	0.00996
U-5	02/17/00	0.0127	0.164	0.00094	0.0175	0.0456	0.0189	ND	0.00095	ND	0.933
	05/26/00	0.0104	0.0748	ND	0.00225	0.00912	0.0037	ND	ND	ND	0.286
	08/28/00	0.0109	0.219	ND	0.00759	0.0216	0.0143	ND	0.00165	ND	0.884
	11/29/00	0.0123	0.124	ND	0.00547	0.0216	0.00856	ND	0.00216	ND	0.825
	02/23/01	0.0126	0.101	ND	0.00692	0.0345	0.0140	ND	0.00100	ND	1.17
	05/17/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	03/18/03	0.0110	0.170	ND	0.0129	0.0663	0.0158	ND	ND	0.00323	2.59
	09/25/03	0.0126	0.102	ND	0.00736	0.0201	0.00947	ND	0.00118	ND	0.800
	03/31/04	0.00802	0.0852	<0.00100	0.00758	0.0230	0.0115	<0.000200	<0.00100	<0.00100	0.785
	09/28/04	0.00987	0.103	<0.00100	0.00623	NA	0.0108	0.000228	<0.00100	<0.00100	NA
	03/28/05	0.0123	0.131	<0.00100	0.0229	0.0645	0.0381	<0.000200	<0.00100	<0.00100	1.98
	09/20/05	0.00704	0.107	<0.00100	0.00583	0.0188	0.0124	<0.000200	<0.00200	<0.00100	0.720
	03/14/06	0.00816	0.132	<0.00100	0.0117	0.0307	0.0127	<0.000200	<0.00200	<0.00100	0.669
	09/26/06[2]	0.00621	0.122	0.000532	0.00960	0.0310	0.0151	0.0000182	<0.00320[3]	<0.0000960	1.07[3]
U-10	03/18/03	0.107	3.39	ND	0.313	0.403	0.176	0.000551	ND	ND	1.22
	09/25/03	0.00975	0.196	ND	0.0132	0.0149	0.00904	ND	ND	ND	0.0493
	03/30/04	0.0316	0.128	<0.00100	0.00481	0.00573	0.0225	<0.000200	<0.00100	<0.00100	0.0288
	09/28/04	0.00657	0.201	<0.00100	0.00966	NA	0.00852	<0.000200	<0.00100	<0.00100	NA
	03/28/05	0.00643	0.127	<0.00100	0.00529	0.00600	0.00462	<0.000200	<0.00100	<0.00100	0.0293
	09/20/05	0.00686	0.123	<0.00100	0.00120	0.00258	0.00205	<0.000200	<0.00200	<0.00100	0.0106
	03/14/06	0.00918	0.140	<0.00100	0.00607	0.00933	0.00486	<0.000200	<0.00200	<0.00100	0.0403

COPPOR00007178

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
U-11	03/18/03	0.00942	0.372	ND	0.0297	0.0339	0.0336	0.000211	0.00153	ND	0.110
	09/25/03	0.0343	0.0893	ND	0.00220	0.00287	0.00830	ND	0.00101	ND	0.0124
	03/30/04	0.00679	0.363	<0.00100	0.0341	0.312	0.0212	<0.000200	0.00165	<0.00100	0.103
dup	03/30/04	0.0357	0.108	<0.00100	0.00400	0.00594	0.0201	<0.000200	<0.00100	<0.00100	0.0292
	09/28/04	0.0106	0.534	<0.00100	0.05610	NA	0.0684	0.000472	0.00192	<0.00100	NA
	03/28/05	0.0388	0.106	<0.00100	0.00152	0.00218	0.00562	<0.000200	<0.00100	<0.00100	0.0137
	09/20/05	0.0453	0.273	<0.00100	0.0242	0.0309	0.116	0.000270	<0.00200	<0.00100	0.140
	03/14/06	0.0420	0.101	<0.00100	0.00137	0.0172	0.00669	<0.000200	<0.00200	<0.00100	0.0120
U-12	03/18/03	0.0323	0.136	ND	0.00600	0.00711	0.0228	ND	ND	ND	0.0338
	09/25/03	0.0418	1.91	ND	0.362	0.372	0.302	0.000559	0.00480	ND	1.2
	03/30/04	0.00655	0.248	<0.00100	0.0179	0.0233	0.0220	<0.000200	0.00185	<0.00100	0.0728
	09/28/04	0.0369	0.208	<0.00100	0.0102	NA	0.0499	<0.000200	<0.00100	<0.00100	NA
	03/28/05	0.0172	1.01	0.00211	0.132	0.140	0.146	<0.000200	0.00345	<0.00100	0.570
	09/20/05	0.00626	0.176	<0.00100	0.00798	0.00998	0.0125	<0.000200	<0.00200	<0.00100	0.0417
	03/14/06	0.00453	0.216	<0.00100	0.00823	0.0105	0.00692	<0.000200	<0.00200	<0.00100	0.0273
U-14	09/27/06	0.0674	1.97	0.00184	0.122	0.159	0.175	0.000558	<0.00200	<0.00100	0.496
U-15	09/27/06	0.0899	0.777	0.00126	0.0903	0.109	0.179	0.000221	<0.00200	<0.00100	0.292
U-16	09/27/06	0.0854	0.866	0.00131	0.0847	0.113	0.111	0.00170	<0.00200	<0.00100	0.239
U-17	09/27/06	0.0581	0.606	<0.00100	0.0694	0.0873	0.0552	<0.000200	<0.00200	<0.00100	0.183
P-1	03/17/03	0.0225	1.27	ND	0.216	0.239	0.0946	0.000604	ND	ND	0.625
	03/31/04	0.0527	4.37	<0.0100	0.642	0.848	0.244	0.000816	<0.0100	<0.0100	1.73
	03/14/06	0.00334	0.141	0.00168	0.0205	0.0291	0.00779	<0.000200	<0.00200	<0.00100	0.0646
	09/26/06	0.0140	1.21	0.00458	0.130	0.185	0.0418	0.000300[4,5]	<0.00160	0.000732	0.358
P-2	03/17/03	0.0111	0.0783	ND	0.00232	0.00722	0.00288	ND	ND	0.00106	0.00979
	09/25/03[1]	0.00966	0.116	ND	0.00443	0.0116	0.00553	ND	0.00109	ND	0.0137
	03/30/04	0.00805	0.131	<0.00100	0.00187	0.00447	0.00126	<0.000200	<0.00100	<0.00100	0.0123
	09/28/04	0.0103	0.163	<0.00100	0.00570	NA	0.00742	0.000214	0.00103	<0.00100	NA
	03/28/05	0.00951	0.141	<0.00100	0.00335	0.00900	0.00454	<0.000200	<0.00100	<0.00100	0.0119
	09/20/05	0.00659	0.144	<0.00100	0.00567	0.0152	0.00728	<0.000200	<0.00200	<0.00100	0.0131
	03/14/06	0.00540	0.0517	<0.00100	<0.00100	0.00266	<0.00100	<0.000200	<0.00200	<0.00100	<0.00500

COPPOR00007179

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)

NOTES:
ND - Not detected at laboratory reporting limits
NS/F = Not sampled floating product present
NS/S = Not sampled sheen present
2/00 and 5/00 data from IT Corporation
8/00, 11/00, 2/01 and 5/01 data from KHM Environmental Management, Inc.
Sample locations are shown on Figure 2
Analytical Reports are included in Attachment B
dup* = duplicate for B-30 submitted as blind duplicate labeled as B-50
dup**= duplicate for B-30 submitted as blind duplicate labeled as B-31
dup***= duplicate for B-30 submitted as blind duplicate labeled as B-130
[1] = Sample ID was misidentified by the laboratory as D-2
[2] = Sample ID was misidentified by the laboratory as U-2
[3] = The reporting limit for this analyte was raised due to matrix interference.
[4] = The sample container type or preservation does not meet method specifications using EPA Method 1631 modified. The sample was also analyzed for total mercury by EPA Method 7470A. Total mercury was not detected above the laboratory MRL of 0.000200 mg/l.
[5] = Estimated value
[5] = Estimated value
Total Metals Analysis by EPA 6000/7000 Series Methods
Total mercury analysis by EPA 6000/7000 Series Methods or EPA Method 1631 Modified

COPPOR00007180

TABLE 5
GROUNDWATER SCREENING LEVEL COMPARISONS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	VOCs: Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)	PAHs: Acenaphthene (µg/l)	Acenaphthylene (µg/l)	Anthracene (µg/l)	Benzo (a) anthracene (µg/l)	Benzo (a) pyrene (µg/l)	Benzo (b) fluoranthene (µg/l)	Benzo (g,h,i) perylene (µg/l)	Benzo (k) fluoranthene (µg/l)	Chrysene (µg/l)	Dibenzo (a,h) anthracene (µg/l)	Fluoranthene (µg/l)	Fluorene (µg/l)	Indeno (1,2,3-cd) pyrene (µg/l)	Naphthalene (µg/l)	Phenanthrene (µg/l)	Pyrene (µg/l)	Metals: Arsenic (µg/l)	Cadmium (µg/l)	Chromium (µg/l)	Copper (µg/l)	Lead (µg/l)	Mercury (µg/l)	Selenium (µg/l)	Silver	Zinc (µg/l)
CHEVRON																														
B-10	09/26/06	0.970	3.17	0.770	4.09	<2.00	1.64	<0.366	0.527	**0.0463**	**0.0590**	**0.0717**	0.110	**0.0542**	**0.0928**	**0.0265**	0.469	4.89	**0.0768**	<1.17	3.66	0.635	**27.4**	0.08	2.27	<1.60	1.65	**<5.00**	<10.0	<0.0960	10.3
CR-1	09/27/06	<0.200	<0.500	<0.500	<1.00	<2.00	0.978	<0.197	0.0747	<0.00985	<0.00985	**<0.0197**	<0.0493	**<0.0197**	<0.00985	<0.00985	<0.0493	3.19	<0.00985	<0.788	1.07	0.0513	**1.94**	**0.144**	<0.800	**2.77**	0.44	**<5.00**	<2.00	<0.0960	10.9
KINDER MORGAN																														
MW-33	09/27/06	<0.200	<0.500	<0.500	<1.00	<2.00	<0.00990	<0.00990	<0.00990	<0.00615	<0.00495	0.00540	<0.00990	0.00659	<0.00718	<0.00495	<0.00990	<0.00990	<0.00510	0.0468[3,4]	<0.00990	0.0189	**26.3**	<0.0752	<0.800	<1.60	<0.432	**7.24**	<1.60	<0.0960	24.4
MW-34	09/27/06	<0.200	<0.500	<0.500	<1.00	<2.00	<0.00990	<0.00990	<0.00990	<0.00500	<0.00500	<0.00500	<0.00990	<0.00500	<0.00500	<0.00500	<0.00990	<0.00990	<0.00500	0.0468[3,4]	<0.00990	0.0189	**14.3**	**0.103**	0.899	**3.18**	**1.39**	<0.00500	<1.60	<0.0960	15.0
MW-36	09/27/06	<0.200	<0.500	<0.500	<1.00	<2.00	0.606	<0.0200[2]	<0.0200[2]	<0.00500	<0.00500	<0.00500	<0.0100	<0.00500	<0.00500	<0.00500	<0.0100	<0.0200[2]	<0.00500	<0.400[2,5]	0.103	0.121	**17.6**	<0.0752	<0.800	1.70	<0.432	<0.00500	<1.60	<0.0960	**4.50**
dup	09/27/06	<0.200	<0.500	<0.500	<1.00	<2.00	0.528	<0.0199[2]	<0.0249[2]	0.00544	<0.00498	<0.00498	<0.00995	0.00498	0.00527	<0.00522	<0.00995	<0.0149[2]	<0.00559	<0.279[2,5]	0.104	0.109	**15.7**	<0.0752	<0.800	1.60	<0.432	<0.00500	<1.60	<0.0960	**<4.00**
MW-37	09/27/06	<0.200	<0.500	<0.500	<1.00	<2.00	0.653	<0.250[2]	<0.0400[2]	**0.0212**	**0.0486**	**0.0326**	0.0717	**0.0314**	**0.0296**[6]	0.0120	0.0562	0.342	**0.0456**	<1.20[2,5]	0.135	0.123	**19.9**	<0.0752	<0.800	<1.60	<0.432	<0.00500	<1.60	<0.0960	**<4.00**
MW-40	09/26/06	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
CONOCOPHILLIPS																														
B-40	09/26/06[1]	21.5	2.94	89.4	225	<4.00	8.45	<1.75[2]	1.39	**0.189**	**0.0804**	**<0.100[2]**	<0.500	**<0.100[2]**	**0.337**	<0.0500	<0.500	9.06	**<0.0500**	<213[6]	13.8	1.42	**18.4**	<0.0752	<0.800	**3.67**	<0.432	<0.00500	<1.60	<0.0960	16.6
P-1	09/26/06	<0.200	<0.500	<0.500	<1.00	<2.00	0.0137	<0.0102	<0.0102	<0.00508	<0.00508	<0.00508	<0.0102	<0.00508	0.00513	<0.00508	<0.0102	0.0225	<0.00508	<0.0457[2,5]	0.0468	0.0195	**14.0**	**4.58**	130	**185**	**41.8**	**<0.300**	<1.60	**0.732**	358
U-5	09/26/06[1]	<0.200	<0.500	<0.500	<1.00	<2.00	204	<72.8[2]	108	**9.40**	**5.79**	**<6.07[2]**	28.3	**<7.28[2]**	**23.3**	**3.69**	27.6	374	**2.33**	<121[2,5]	996	119	**6.21**	**0.532**	9.60	**31.0**	**15.1**	<0.0182	3.20	<0.0960	**1,070**
Portland Harbor Joint Source Control Screening Level Values																														
EPA's 2004 NRWQC (organism only)		51	15,000	2,100	N/A	N/A	990	N/A	40,000	0.018	0.018	0.018	N/A	0.018	0.018	0.018	140	5,300	0.018	N/A	N/A	4,000	0.14	N/A	N/A	N/A	N/A	N/A	4,200	N/A	26,000
DEQ's 2004 AWQC (organism only)		51	3.3	2,100	N/A	N/A	990	N/A	40,000	0.018	0.018	0.018	N/A	0.018	0.018	0.018	140	5,300	0.018	N/A	N/A	4,000	0.14	N/A	N/A	N/A	N/A	0.146	4,200	N/A	26,000
EPA's 2004 NRWQC ecological receptors (chronic)		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	150	0.094	N/A	2.7	0.54	0.77	5	N/A	36
DEQ's 2004 NRWQC ecological receptors (chronic)		N/A	N/A	N/A	N/A	N/A	520	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	620	N/A	N/A	N/A	0.36	N/A	3.6	0.54	0.012	35	0.12	33

NOTES:
µg/l = micrograms per Liter
<0.00985 = Analyte not detected above the laboratory method reporting limit (MRL) of 0.00985 µg/L
Screening Level Values (SLVs) taken from Table 3-1 of the Portland Harbor Joint Source Control Strategy (JSCS) guidance document, dated December 2005.
NRWQC = National Recommended Water Quality Criteria
AWQC = Ambient Water Quality Criteria
Bold face font indicates analyte was detected above the applicable screening levels presented in Table 3-1 of the Portland Harbor JSCS guidance document, dated December 2005.
NS = Not sampled
N/A = Not applicable
ND = Not detected
VOCs = Volatile Organic Compounds
PAHs = Polynuclear Aromatic Compounds
[1] = The reporting limit was raised due to dilution necessary for analysis. Sample contains high levels of reported analyte, non-target analyte, and/or matrix interference.
[2] = The reporting limit for this analyte was raised due to matrix interference.
[3] = Analyte was detected in the associated method blank.
[4] = Naphthalene was detected in the Method Blank at 0.0165 µg/L. Sample has a detection for naphthalene at 0.0468 µg/L. The result has been qualified and should be considered an estimate. Unable to perform corrective action due to insufficient volume left.
[5] = Analyte was detected in the associated blank at greater than one-half the MRL, but samples are ND.
[6] = Analyte was detected in the associated method blank. Analyte concentration in the sample is greater than 10 times the concentration found in the method blank.

COPPOR00007181



REFERENCES

USGS 7.5 Minute Topographic Maps
Portland, Oregon-Washington
Linnton, Oregon
DeLorme TopoQuads, 1999
SCALE: 1 inch = 3750 feet

North



FIGURE 1

SITE LOCATION MAP

Willbridge Petroleum Terminals
Portland, Oregon

PROJECT NO. ORZ0922GW-6	DRAWN BY KNT 6-12-03	DELTA
FILE NO.	PREPARED BY CRF 3/15/07	
REVISION NO.	REVIEWED BY	

COPPOR00007183



FIGURE 2

GROUNDWATER ELEVATION CONTOUR AND SPH THICKNESS MAP - THIRD QUARTER 2006

WILLBRIDGE PETROLEUM TERMINALS
PORTLAND, OREGON

DELTA

FIGURE 3
PRECIPITATION AND RIVER STAGE
April 2006 - September 2006
Willbridge Petroleum Terminals
Portland, Oregon



COPPOR0000718484

APPENDIX A

GROUNDWATER MONITORING AND SAMPLING PROCEDURES, CERTIFIED ANALYTICAL LABORATORY REPORTS AND CHAIN-OF-CUSTODY DOCUMENTATION

Groundwater Monitoring and Sampling

Before the sampling event, Delta measured depth to water in each groundwater monitoring well at the facility with a Solinst Electronic Oil/Water Interface Probe. This information was recorded on waterproof field sheets. Groundwater elevations (GWE) were measured to an accuracy of 0.01 feet. Wells were sampled after purging three casing volumes of water from the well (or until dry). Wells with observable amounts of SPH were not sampled. After the well had recharged to approximately 80% of static level, samples were collected using a disposable polyethylene bailer and placed in the appropriate laboratory-provided containers. Samples were labeled, placed into ice filled coolers, logged onto chain-of-custody forms and transported to the laboratory.

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

October 13, 2006

Grant V. Sprick
BBL, Inc
.111 SW Columbia Street
.Portland, OR 97201

RE: CVX Willbridge / Chevron #100-1868

Enclosed are the results of analyses for samples received by the laboratory on 09/26/06 17:00. The following list is a summary of the Work Orders contained in this report, generated on 10/13/06 12:26.

If you have any questions concerning this report, please feel free to contact me.

Work Order	Project	ProjectNumber
PPI1103	CVX Willbridge / Chevron #1	100-1868-OML

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
.111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
.Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
CR-27C	PPI1103-01	Water	09/25/06 15:54	09/26/06 17:00
B-20	PPI1103-02	Water	09/25/06 17:25	09/26/06 17:00
CR-26	PPI1103-03	Water	09/26/06 07:30	09/26/06 17:00
B-9	PPI1103-04	Water	09/26/06 09:01	09/26/06 17:00
B-7	PPI1103-05	Water	09/26/06 09:20	09/26/06 17:00
B-32	PPI1103-06	Water	09/26/06 11:05	09/26/06 17:00
B-21	PPI1103-07	Water	09/26/06 11:15	09/26/06 17:00
B-26	PPI1103-08	Water	09/26/06 15:45	09/26/06 17:00
TB#156	PPI1103-09	Water	09/25/06 12:00	09/26/06 17:00
B-19	PPI1103-10	Water	09/26/06 14:10	09/26/06 17:00

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
.111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
.Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Gasoline Hydrocarbons per NW TPH-Gx Method

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-01 (CR-27C)			**Water**			**Sampled: 09/25/06 15:54**				
Gasoline Range Hydrocarbons	NW TPH-Gx	ND	---	80.0	ug/l	1x	6091258	09/29/06 11:41	09/29/06 15:51	
Surrogate(s): 4-BFB			*101%*		*50 - 150 %*	"			"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Diesel and Heavy Range Hydrocarbons per NWTPH-Dx Method

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-01 (CR-27C)		Water			Sampled: 09/25/06 15:54					
Diesel Range Organics	NWTPH-Dx	0.547	—	0.250	mg/l	1x	6091269	09/30/06 10:15	10/02/06 14:41	D-19
Heavy Oil Range Hydrocarbons	"	ND	-----	0.500	"	"	"	"	"	
Surrogate(s): 1-Chlorooctadecane			83.4%		50 - 150 %	"			"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
.111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
.Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Dissolved Mercury per EPA Method 7470A

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-01 (CR-27C)		**Water**				**Sampled: 09/25/06 15:54**				
Mercury	EPA 7470A	ND	—	0.000200	mg/l	1x	6100436	10/09/06 15:28	10/10/06 09:54	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007191

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**
.111 SW Columbia Street	Project Number:	100-1868-OML
.Portland, OR 97201	Project Manager:	Grant V. Sprick
		Report Created: 10/13/06 12:26

Total Mercury per EPA Method 7470A

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-01 (CR-27C)		**Water**				**Sampled: 09/25/06 15:54**				
Mercury	EPA 7470A	ND	—	0.000200	mg/l	1x	6100066	10/02/06 15:19	10/03/06 09:54	
PPI1103-02 (B-20)		**Water**				**Sampled: 09/25/06 17:25**				
Mercury	EPA 7470A	ND	—	0.000200	mg/l	1x	6100066	10/02/06 15:19	10/03/06 09:56	
PPI1103-03 (CR-26)		**Water**				**Sampled: 09/26/06 07:30**				
Mercury	EPA 7470A	ND	—	0.000200	mg/l	1x	6100066	10/02/06 15:19	10/03/06 09:59	
PPI1103-04 (B-9)		**Water**				**Sampled: 09/26/06 09:01**				
Mercury	EPA 7470A	ND	—	0.000200	mg/l	1x	6100066	10/02/06 15:19	10/03/06 10:06	
PPI1103-05 (B-7)		**Water**				**Sampled: 09/26/06 09:20**				
Mercury	EPA 7470A	ND	—	0.000200	mg/l	1x	6100066	10/02/06 15:19	10/03/06 10:08	
PPI1103-06 (B-32)		**Water**				**Sampled: 09/26/06 11:05**				
Mercury	EPA 7470A	ND	—	0.000200	mg/l	1x	6100066	10/02/06 15:19	10/03/06 10:10	
PPI1103-07 (B-21)		**Water**				**Sampled: 09/26/06 11:15**				
Mercury	EPA 7470A	ND	—	0.000200	mg/l	1x	6100066	10/02/06 15:19	10/03/06 10:13	
PPI1103-08 (B-26)		**Water**				**Sampled: 09/26/06 15:45**				
Mercury	EPA 7470A	ND	—	0.000200	mg/l	1x	6100066	10/02/06 15:19	10/03/06 10:15	
PPI1103-10 (B-19)		**Water**				**Sampled: 09/26/06 14:10**				
Mercury	EPA 7470A	ND	—	0.000200	mg/l	1x	6100066	10/02/06 15:19	10/03/06 10:17	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-01 (CR-27C)		**Water**			**Sampled: 09/25/06 15:54**					
Acetone	EPA 8260B	ND	—	25.0	ug/l	1x	6100286	10/05/06 16:04	10/05/06 20:39	
Benzene	"	ND	—	1.00	"	"	"	"	"	
Bromobenzene	"	ND	—	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	—	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	—	1.00	"	"	"	"	"	
Bromoform	"	ND	—	1.00	"	"	"	"	"	
Bromomethane	"	ND	—	5.00	"	"	"	"	"	
2-Butanone (MEK)	"	ND	—	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	—	5.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	—	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	—	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	—	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	—	1.00	"	"	"	"	"	
Chlorobenzene	"	ND	—	1.00	"	"	"	"	"	
Chloroethane	"	ND	—	1.00	"	"	"	"	"	
Chloroform	"	ND	—	1.00	"	"	"	"	"	
Chloromethane	"	ND	—	5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	—	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	—	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	—	5.00	"	"	"	"	"	
Dibromochloromethane	"	ND	—	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	—	1.00	"	"	"	"	"	
Dibromomethane	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	—	5.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichloroethane	"	**1.50**	—	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
Ethylbenzene	"	ND	—	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	—	4.00	"	"	"	"	"	
2-Hexanone	"	ND	—	10.0	"	"	"	"	"	
Isopropylbenzene	"	ND	—	2.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	—	2.00	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-01 (CR-27C)		**Water**			**Sampled: 09/25/06 15:54**					
4-Methyl-2-pentanone	EPA 8260B	ND	—	5.00	ug/l	1x	6100286	10/05/06 16:04	10/05/06 20:39	
Methyl tert-butyl ether	"	ND	—	1.00	"	"	"	"	"	
Methylene chloride	"	ND	—	5.00	"	"	"	"	"	
Naphthalene	"	ND	—	2.00	"	"	"	"	"	
n-Propylbenzene	"	ND	—	1.00	"	"	"	"	"	
Styrene	"	ND	—	1.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	—	1.00	"	"	"	"	"	
Toluene	"	ND	—	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	—	1.00	"	"	"	"	"	
Trichloroethene	"	ND	—	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	—	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	—	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	—	1.00	"	"	"	"	"	
Vinyl chloride	"	ND	—	1.00	"	"	"	"	"	
o-Xylene	"	ND	—	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	—	2.00	"	"	"	"	"	
Surrogate(s): 4-BFB		*98.0%*			*80 - 120 %*	"			"	
1,2-DCA-d4		*102%*			*80 - 120 %*	"			"	
Dibromofluoromethane		*104%*			*80 - 120 %*	"			"	
Toluene-d8		*100%*			*80 - 120 %*	"			"	
PPI1103-02 (B-20)		**Water**			**Sampled: 09/25/06 17:25**					
Acetone	EPA 8260B	ND	—	25.0	ug/l	1x	6100286	10/05/06 16:04	10/05/06 21:06	
Benzene	"	ND	—	1.00	"	"	"	"	"	
Bromobenzene	"	ND	—	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	—	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	—	1.00	"	"	"	"	"	
Bromoform	"	ND	—	1.00	"	"	"	"	"	
Bromomethane	"	ND	—	5.00	"	"	"	"	"	
2-Butanone (MEK)	"	ND	—	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	—	5.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	—	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	—	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	—	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	—	1.00	"	"	"	"	"	
Chlorobenzene	"	ND	—	1.00	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007194

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-02 (B-20)		**Water**			**Sampled: 09/25/06 17:25**					
Chloroethane	EPA 8260B	ND	----	1.00	ug/l	1x	6100286	10/05/06 16:04	10/05/06 21:06	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Chloromethane	"	ND	----	5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	----	5.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	4.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Isopropylbenzene	"	**2.71**	----	2.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	2.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	5.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	5.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
n-Propylbenzene	"	**2.26**	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007195

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-02 (B-20)		**Water**			**Sampled: 09/25/06 17:25**					
Trichloroethene	EPA 8260B	ND		1.00	ug/l	1x	6100286	10/05/06 16:04	10/05/06 21:06	
Trichlorofluoromethane	"	ND		1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND		1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND		1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND		1.00	"	"	"	"	"	
Vinyl chloride	"	ND		1.00	"	"	"	"	"	
o-Xylene	"	ND		1.00	"	"	"	"	"	
m,p-Xylene	"	ND		2.00	"	"	"	"	"	
Surrogate(s): 4-BFB		*108%*			*80 - 120 %*	"			"	
1,2-DCA-d4		*103%*			*80 - 120 %*	"			"	
Dibromofluoromethane		*106%*			*80 - 120 %*	"			"	
Toluene-d8		*98.5%*			*80 - 120 %*	"			"	
PPI1103-03 (CR-26)		**Water**			**Sampled: 09/26/06 07:30**					
Acetone	EPA 8260B	ND		25.0	ug/l	1x	6100286	10/05/06 16:04	10/05/06 21:33	
Benzene	"	ND		1.00	"	"	"	"	"	
Bromobenzene	"	ND		1.00	"	"	"	"	"	
Bromochloromethane	"	ND		1.00	"	"	"	"	"	
Bromodichloromethane	"	ND		1.00	"	"	"	"	"	
Bromoform	"	ND		1.00	"	"	"	"	"	
Bromomethane	"	ND		5.00	"	"	"	"	"	
2-Butanone (MEK)	"	ND		10.0	"	"	"	"	"	
n-Butylbenzene	"	ND		5.00	"	"	"	"	"	
sec-Butylbenzene	"	ND		1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND		1.00	"	"	"	"	"	
Carbon disulfide	"	ND		10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND		1.00	"	"	"	"	"	
Chlorobenzene	"	ND		1.00	"	"	"	"	"	
Chloroethane	"	ND		1.00	"	"	"	"	"	
Chloroform	"	ND		1.00	"	"	"	"	"	
Chloromethane	"	ND		5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND		1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND		1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND		5.00	"	"	"	"	"	
Dibromochloromethane	"	ND		1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND		1.00	"	"	"	"	"	
Dibromomethane	"	ND		1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND		1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND		1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND		1.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND		5.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND		1.00	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007196

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-03 (CR-26)		**Water**			**Sampled: 09/26/06 07:30**					
1,2-Dichloroethane	EPA 8260B	ND	----	1.00	ug/l	1x	6100286	10/05/06 16:04	10/05/06 21:33	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	4.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Isopropylbenzene	"	ND	----	2.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	2.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	5.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	5.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	1.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
Surrogate(s): *4-BFB*			*100%*		*80 - 120 %*	"			"	
1,2-DCA-d4			*97.5%*		*80 - 120 %*	"			"	
Dibromofluoromethane			*101%*		*80 - 120 %*	"			"	
Toluene-d8			*97.5%*		*80 - 120 %*	"			"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007197

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-05 (B-7)		**Water**					**Sampled: 09/26/06 09:20**			
Acetone	EPA 8260B	ND	-----	25.0	ug/l	1x	6100286	10/05/06 16:04	10/05/06 22:26	
Benzene	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
2-Butanone (MEK)	"	ND	----	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	----	5.00	"	"	"	"	"	
sec-Butylbenzene	"	**1.16**	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
Chlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Chloromethane	"	ND	----	5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	----	5.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	4.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Isopropylbenzene	"	**2.10**	----	2.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	2.00	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007198

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-05 (B-7)		**Water**			**Sampled: 09/26/06 09:20**					
4-Methyl-2-pentanone	EPA 8260B	ND	---	5.00	ug/l	1x	6100286	10/05/06 16:04	10/05/06 22:26	
Methyl tert-butyl ether	"	ND	---	1.00	"	"	"	"	"	
Methylene chloride	"	ND	---	5.00	"	"	"	"	"	
Naphthalene	"	ND	---	2.00	"	"	"	"	"	
n-Propylbenzene	"	**2.23**	---	1.00	"	"	"	"	"	
Styrene	"	ND	---	1.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	---	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	---	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	---	1.00	"	"	"	"	"	
Toluene	"	ND	---	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	---	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	---	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	---	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	---	1.00	"	"	"	"	"	
Trichloroethene	"	ND	---	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	---	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	---	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	---	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	---	1.00	"	"	"	"	"	
Vinyl chloride	"	ND	---	1.00	"	"	"	"	"	
o-Xylene	"	ND	---	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	---	2.00	"	"	"	"	"	
Surrogate(s): 4-BFB		*105%*			*80 - 120 %*	"			"	
1,2-DCA-d4		*94.5%*			*80 - 120 %*	"			"	
Dibromofluoromethane		*97.5%*			*80 - 120 %*	"			"	
Toluene-d8		*95.0%*			*80 - 120 %*	"			"	
PPI1103-06 (B-32)		**Water**			**Sampled: 09/26/06 11:05**					
Acetone	EPA 8260B	ND	---	25.0	ug/l	1x	6100286	10/05/06 16:04	10/05/06 22:53	
Benzene	"	ND	---	1.00	"	"	"	"	"	
Bromobenzene	"	ND	---	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	---	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	---	1.00	"	"	"	"	"	
Bromoform	"	ND	---	1.00	"	"	"	"	"	
Bromomethane	"	ND	---	5.00	"	"	"	"	"	
2-Butanone (MEK)	"	ND	---	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	---	5.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	---	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	---	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	---	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	---	1.00	"	"	"	"	"	
Chlorobenzene	"	ND	---	1.00	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007199

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-06 (B-32)		**Water**					**Sampled: 09/26/06 11:05**			
Chloroethane	EPA 8260B	ND	——	1.00	ug/l	1x	6100286	10/05/06 16:04	10/05/06 22:53	
Chloroform	"	ND	——	1.00	"	"	"	"	"	
Chloromethane	"	ND	——	5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	——	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	——	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	——	5.00	"	"	"	"	"	
Dibromochloromethane	"	ND	——	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	——	1.00	"	"	"	"	"	
Dibromomethane	"	ND	——	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	——	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	——	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	——	1.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	——	5.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	——	1.00	"	"	"	"	"	
1,2-Dichloroethane	"	ND	——	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	——	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	——	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	——	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	——	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	——	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	——	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	——	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	——	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	——	1.00	"	"	"	"	"	
Ethylbenzene	"	ND	——	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	——	4.00	"	"	"	"	"	
2-Hexanone	"	ND	——	10.0	"	"	"	"	"	
Isopropylbenzene	"	ND	——	2.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	——	2.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	——	5.00	"	"	"	"	"	
Methyl tert-butyl ether	"	2.42	——	1.00	"	"	"	"	"	
Methylene chloride	"	ND	——	5.00	"	"	"	"	"	
Naphthalene	"	ND	——	2.00	"	"	"	"	"	
n-Propylbenzene	"	ND	——	1.00	"	"	"	"	"	
Styrene	"	ND	——	1.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	——	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	——	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	——	1.00	"	"	"	"	"	
Toluene	"	ND	——	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	——	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	——	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	——	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	——	1.00	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007200

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-06 (B-32)		**Water**			**Sampled: 09/26/06 11:05**					
Trichloroethene	EPA 8260B	ND	—	1.00	ug/l	1x	6100286	10/05/06 16:04	10/05/06 22:53	
Trichlorofluoromethane	"	ND	—	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	—	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	—	1.00	"	"	"	"	"	
Vinyl chloride	"	ND	—	1.00	"	"	"	"	"	
o-Xylene	"	ND	—	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	—	2.00	"	"	"	"	"	
Surrogate(s):	*4-BFB*		*106%*		*80 - 120 %*	"			"	
	1,2-DCA-d4		*94.0%*		*80 - 120 %*	"			"	
	Dibromofluoromethane		*98.0%*		*80 - 120 %*	"			"	
	Toluene-d8		*92.0%*		*80 - 120 %*	"			"	
PPI1103-08 (B-26)		**Water**			**Sampled: 09/26/06 15:45**					
Acetone	EPA 8260B	ND	—	50.0	ug/l	2x	6100286	10/05/06 16:04	10/05/06 23:47	
Benzene	"	**53.6**	—	2.00	"	"	"	"	"	
Bromobenzene	"	ND	—	2.00	"	"	"	"	"	
Bromochloromethane	"	ND	—	2.00	"	"	"	"	"	
Bromodichloromethane	"	ND	—	2.00	"	"	"	"	"	
Bromoform	"	ND	—	2.00	"	"	"	"	"	
Bromomethane	"	ND	—	10.0	"	"	"	"	"	
2-Butanone (MEK)	"	ND	—	20.0	"	"	"	"	"	
n-Butylbenzene	"	**17.9**	—	10.0	"	"	"	"	"	
sec-Butylbenzene	"	**7.78**	—	2.00	"	"	"	"	"	
tert-Butylbenzene	"	**5.90**	—	2.00	"	"	"	"	"	
Carbon disulfide	"	ND	—	20.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	—	2.00	"	"	"	"	"	
Chlorobenzene	"	ND	—	2.00	"	"	"	"	"	
Chloroethane	"	**4.66**	—	2.00	"	"	"	"	"	
Chloroform	"	ND	—	2.00	"	"	"	"	"	
Chloromethane	"	ND	—	10.0	"	"	"	"	"	
2-Chlorotoluene	"	ND	—	2.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	—	2.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	—	10.0	"	"	"	"	"	
Dibromochloromethane	"	ND	—	2.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	—	2.00	"	"	"	"	"	
Dibromomethane	"	ND	—	2.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	—	2.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	—	2.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	—	2.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	—	10.0	"	"	"	"	"	
1,1-Dichloroethane	"	ND	—	2.00	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007201

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-08 (B-26)		**Water**			**Sampled: 09/26/06 15:45**					
1,2-Dichloroethane	EPA 8260B	ND	----	2.00	ug/l	2x	6100286	10/05/06 16:04	10/05/06 23:47	
1,1-Dichloroethene	"	ND	----	2.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	2.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	2.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	2.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	2.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	2.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	2.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	2.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	2.00	"	"	"	"	"	
Ethylbenzene	"	**319**	----	2.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	8.00	"	"	"	"	"	
2-Hexanone	"	ND	----	20.0	"	"	"	"	"	
Isopropylbenzene	"	**96.8**	----	4.00	"	"	"	"	"	
p-Isopropyltoluene	"	**4.74**	----	4.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	10.0	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	2.00	"	"	"	"	"	
Methylene chloride	"	ND	----	10.0	"	"	"	"	"	
Naphthalene	"	**177**	----	4.00	"	"	"	"	"	
n-Propylbenzene	"	**215**	----	2.00	"	"	"	"	"	
Styrene	"	**4.16**	----	2.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	----	2.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	2.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	2.00	"	"	"	"	"	
Toluene	"	**2.76**	----	2.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	2.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	2.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	2.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	2.00	"	"	"	"	"	
Trichloroethene	"	ND	----	2.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	2.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	2.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	**3.44**	----	2.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	**49.1**	----	2.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	2.00	"	"	"	"	"	
o-Xylene	"	ND	----	2.00	"	"	"	"	"	
m,p-Xylene	"	**31.6**	----	4.00	"	"	"	"	"	
Surrogate(s): *4-BFB*			*104%*		*80 - 120 %*	*1x*			"	
1,2-DCA-d4			*93.5%*		*80 - 120 %*	"			"	
Dibromofluoromethane			*99.5%*		*80 - 120 %*	"			"	
Toluene-d8			*100%*		*80 - 120 %*	"			"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-09 (TB#156)		**Water**			**Sampled: 09/25/06 12:00**					
Acetone	EPA 8260B	ND	——	25.0	ug/l	1x	6100286	10/05/06 16:04	10/05/06 19:19	
Benzene	"	ND	——	1.00	"	"	"	"	"	
Bromobenzene	"	ND	——	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	——	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	——	1.00	"	"	"	"	"	
Bromoform	"	ND	——	1.00	"	"	"	"	"	
Bromomethane	"	ND	——	5.00	"	"	"	"	"	
2-Butanone (MEK)	"	ND	——	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	——	5.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	——	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	——	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	——	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	——	1.00	"	"	"	"	"	
Chlorobenzene	"	ND	——	1.00	"	"	"	"	"	
Chloroethane	"	ND	——	1.00	"	"	"	"	"	
Chloroform	"	ND	——	1.00	"	"	"	"	"	
Chloromethane	"	ND	——	5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	——	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	——	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	——	5.00	"	"	"	"	"	
Dibromochloromethane	"	ND	——	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	——	1.00	"	"	"	"	"	
Dibromomethane	"	ND	——	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	——	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	——	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	——	1.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	——	5.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	——	1.00	"	"	"	"	"	
1,2-Dichloroethane	"	ND	——	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	——	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	——	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	——	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	——	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	——	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	——	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	——	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	——	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	——	1.00	"	"	"	"	"	
Ethylbenzene	"	ND	——	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	——	4.00	"	"	"	"	"	
2-Hexanone	"	ND	——	10.0	"	"	"	"	"	
Isopropylbenzene	"	ND	——	2.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	——	2.00	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007203

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-09 (TB#156)		**Water**			**Sampled: 09/25/06 12:00**					
4-Methyl-2-pentanone	EPA 8260B	ND	—	5.00	ug/l	1x	6100286	10/05/06 16:04	10/05/06 19:19	
Methyl tert-butyl ether	"	ND	—	1.00	"	"	"	"	"	
Methylene chloride	"	ND	—	5.00	"	"	"	"	"	
Naphthalene	"	ND	—	2.00	"	"	"	"	"	
n-Propylbenzene	"	ND	—	1.00	"	"	"	"	"	
Styrene	"	ND	—	1.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	—	1.00	"	"	"	"	"	
Toluene	"	ND	—	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	—	1.00	"	"	"	"	"	
Trichloroethene	"	ND	—	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	—	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	—	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	—	1.00	"	"	"	"	"	
Vinyl chloride	"	ND	—	1.00	"	"	"	"	"	
o-Xylene	"	ND	—	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	—	2.00	"	"	"	"	"	
Surrogate(s): 4-BFB		*97.0%*		*80 - 120 %*	"				"	
1,2-DCA-d4		*95.5%*		*80 - 120 %*	"				"	
Dibromofluoromethane		*97.0%*		*80 - 120 %*	"				"	
Toluene-d8		*104%*		*80 - 120 %*	"				"	
PPI1103-10RE1 (B-19)		**Water**			**Sampled: 09/26/06 14:10**					
Acetone	EPA 8260B	ND	—	25.0	ug/l	1x	6100372	10/08/06 09:11	10/08/06 19:26	
Benzene	"	ND	—	1.00	"	"	"	"	"	
Bromobenzene	"	ND	—	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	—	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	—	1.00	"	"	"	"	"	
Bromoform	"	ND	—	1.00	"	"	"	"	"	
Bromomethane	"	ND	—	5.00	"	"	"	"	"	
2-Butanone (MEK)	"	ND	—	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	—	5.00	"	"	"	"	"	
sec-Butylbenzene	"	**3.25**	—	1.00	"	"	"	"	"	
tert-Butylbenzene	"	**1.44**	—	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	—	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	—	1.00	"	"	"	"	"	
Chlorobenzene	"	ND	—	1.00	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
.111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
.Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-10RE1 (B-19)		**Water**			**Sampled: 09/26/06 14:10**					
Chloroethane	EPA 8260B	ND	----	1.00	ug/l	1x	6100372	10/08/06 09:11	10/08/06 19:26	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Chloromethane	"	ND	----	5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	----	5.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	4.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Isopropylbenzene	"	**16.3**	----	2.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	2.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	5.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	5.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
n-Propylbenzene	"	**24.3**	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-10RE1 (B-19)		**Water**			**Sampled: 09/26/06 14:10**					
Trichloroethene	EPA 8260B	ND	----	1.00	ug/l	1x	6100372	10/08/06 09:11	10/08/06 19:26	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	1.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
Surrogate(s):	*4-BFB*		*102%*		*80 - 120 %*	"			"	
	1,2-DCA-d4		*108%*		*80 - 120 %*	"			"	
	Dibromofluoromethane		*104%*		*80 - 120 %*	"			"	
	Toluene-d8		*97.0%*		*80 - 120 %*	"			"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

eSarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Selected Volatile Organic Compounds (Including BTEX) per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-04 (B-9)		**Water**			**Sampled: 09/26/06 09:01**					
1,2-Dibromoethane	EPA 8260B	ND	—	0.500	ug/l	1x	6100286	10/05/06 16:04	10/05/06 22:00	
1,2-Dichloroethane	"	ND	—	0.500	"	"	"	"	"	
Benzene	"	ND	—	0.200	"	"	"	"	"	
Toluene	"	ND	—	0.500	"	"	"	"	"	
Ethylbenzene	"	ND	—	0.500	"	"	"	"	"	
Xylenes (total)	"	ND	—	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	—	2.00	"	"	"	"	"	
Naphthalene	"	ND	—	2.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	—	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	—	0.500	"	"	"	"	"	
Isopropylbenzene	"	**3.03**	—	2.00	"	"	"	"	"	
n-Propylbenzene	"	**1.94**	—	0.500	"	"	"	"	"	
Surrogate(s): *4-BFB*		*104%*		*80 - 120 %*	"				"	
1,2-DCA-d4		*93.0%*		*80 - 120 %*	"				"	
Dibromofluoromethane		*96.5%*		*80 - 120 %*	"				"	
Toluene-d8		*94.0%*		*80 - 120 %*	"				"	
PPI1103-07 (B-21)		**Water**			**Sampled: 09/26/06 11:15**					
1,2-Dibromoethane	EPA 8260B	ND	—	0.500	ug/l	1x	6100286	10/05/06 16:04	10/05/06 23:20	
1,2-Dichloroethane	"	ND	—	0.500	"	"	"	"	"	
Benzene	"	**0.460**	—	0.200	"	"	"	"	"	
Toluene	"	**0.980**	—	0.500	"	"	"	"	"	
Ethylbenzene	"	ND	—	0.500	"	"	"	"	"	
Xylenes (total)	"	**1.01**	—	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	—	2.00	"	"	"	"	"	
Naphthalene	"	ND	—	2.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	**3.79**	—	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	—	0.500	"	"	"	"	"	
Isopropylbenzene	"	**7.79**	—	2.00	"	"	"	"	"	
n-Propylbenzene	"	**10.2**	—	0.500	"	"	"	"	"	
Surrogate(s): *4-BFB*		*106%*		*80 - 120 %*	"				"	
1,2-DCA-d4		*89.0%*		*80 - 120 %*	"				"	
Dibromofluoromethane		*95.0%*		*80 - 120 %*	"				"	
Toluene-d8		*93.5%*		*80 - 120 %*	"				"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
.111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
.Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Polynuclear Aromatic Compounds per EPA 8270M-SIM

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-01RE1 (CR-27C)		**Water**				**Sampled: 09/25/06 15:54**				
Acenaphthene	EPA 8270m	**0.0395**	----	0.0202	ug/l	1x	6100062	10/02/06 18:15	10/05/06 22:45	
Acenaphthylene	"	ND	----	0.0303	"	"	"	"	"	R-03
Anthracene	"	**0.0497**	----	0.0202	"	"	"	"	"	
Benzo (a) anthracene	"	**0.237**	----	0.0202	"	"	"	"	"	
Benzo (a) pyrene	"	**0.289**	----	0.0202	"	"	"	"	"	
Benzo (b) fluoranthene	"	**0.334**	----	0.0202	"	"	"	"	"	
Benzo (ghi) perylene	"	**0.291**	----	0.0202	"	"	"	"	"	
Benzo (k) fluoranthene	"	**0.294**	----	0.0202	"	"	"	"	"	
Chrysene	"	**0.352**	----	0.0202	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	**0.0916**	----	0.0202	"	"	"	"	"	
Fluoranthene	"	**0.539**	----	0.0202	"	"	"	"	"	
Fluorene	"	**0.0702**	----	0.0202	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	**0.261**	----	0.0202	"	"	"	"	"	
Naphthalene	"	ND	----	0.0505	"	"	"	"	"	R-03
Phenanthrene	"	**0.304**	----	0.0202	"	"	"	"	"	
Pyrene	"	**0.549**	----	0.0202	"	"	"	"	"	
Surrogate(s):	*Fluorene-d10*		*83.8%*		*25 - 125 %*	"			"	
	Pyrene-d10		*95.7%*		*23 - 150 %*	"			"	
	Benzo (a) pyrene-d12		*56.1%*		*10 - 125 %*	"			"	
PPI1103-02RE1 (B-20)		**Water**				**Sampled: 09/25/06 17:25**				**R-05**
Acenaphthene	EPA 8270m	**1.21**	----	0.100	ug/l	5x	6100062	10/02/06 18:15	10/05/06 19:57	
Acenaphthylene	"	ND	----	0.250	"	"	"	"	"	R-03
Anthracene	"	ND	----	0.200	"	"	"	"	"	R-03
Benzo (a) anthracene	"	ND	----	0.100	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	0.100	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	0.100	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.100	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	0.100	"	"	"	"	"	
Chrysene	"	ND	----	0.100	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.100	"	"	"	"	"	
Fluoranthene	"	ND	----	0.100	"	"	"	"	"	
Fluorene	"	**3.61**	----	0.100	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.100	"	"	"	"	"	
Naphthalene	"	ND	----	0.600	"	"	"	"	"	R-03
Phenanthrene	"	**0.814**	----	0.100	"	"	"	"	"	
Pyrene	"	**0.117**	----	0.100	"	"	"	"	"	
Surrogate(s):	*Fluorene-d10*		*96.0%*		*25 - 125 %*	"			"	
	Pyrene-d10		*105%*		*23 - 150 %*	"			"	
	Benzo (a) pyrene-d12		*60.0%*		*10 - 125 %*	"			"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007208

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Polynuclear Aromatic Compounds per EPA 8270M-SIM

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-03RE1 (CR-26)		**Water**			**Sampled: 09/26/06 07:30**					
Acenaphthene	EPA 8270m	ND	—	0.0200	ug/l	1x	6100062	10/02/06 18:15	10/05/06 19:01	
Acenaphthylene	"	ND	—	0.0200	"	"	"	"	"	
Anthracene	"	ND	—	0.0200	"	"	"	"	"	
Benzo (a) anthracene	"	**0.0214**	—	0.0200	"	"	"	"	"	
Benzo (a) pyrene	"	**0.0292**	—	0.0200	"	"	"	"	"	
Benzo (b) fluoranthene	"	**0.0256**	—	0.0200	"	"	"	"	"	
Benzo (ghi) perylene	"	**0.0252**	—	0.0200	"	"	"	"	"	
Benzo (k) fluoranthene	"	**0.0285**	—	0.0200	"	"	"	"	"	
Chrysene	"	**0.0297**	—	0.0200	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	—	0.0200	"	"	"	"	"	
Fluoranthene	"	**0.0526**	—	0.0200	"	"	"	"	"	
Fluorene	"	**0.0764**	—	0.0200	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	**0.0219**	—	0.0200	"	"	"	"	"	
Naphthalene	"	ND	—	0.0800	"	"	"	"	"	R-03
Phenanthrene	"	**0.0368**	—	0.0200	"	"	"	"	"	
Pyrene	"	**0.0520**	—	0.0200	"	"	"	"	"	
Surrogate(s):	*Fluorene-d10*		*87.6%*		*25 - 125 %*	"			"	
	Pyrene-d10		*83.6%*		*23 - 150 %*	"			"	
	Benzo (a) pyrene-d12		*64.8%*		*10 - 125 %*	"			"	
PPI1103-04RE1 (B-9)		**Water**			**Sampled: 09/26/06 09:01**					R-05
Acenaphthene	EPA 8270m	**0.780**	—	0.100	ug/l	5x	6100062	10/02/06 18:15	10/05/06 20:25	
Acenaphthylene	"	ND	—	0.150	"	"	"	"	"	R-03
Anthracene	"	ND	—	0.100	"	"	"	"	"	
Benzo (a) anthracene	"	ND	—	0.100	"	"	"	"	"	
Benzo (a) pyrene	"	ND	—	0.100	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	—	0.100	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	—	0.100	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	—	0.100	"	"	"	"	"	
Chrysene	"	**0.105**	—	0.100	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	—	0.100	"	"	"	"	"	
Fluoranthene	"	**0.221**	—	0.100	"	"	"	"	"	
Fluorene	"	**1.99**	—	0.100	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	—	0.100	"	"	"	"	"	
Naphthalene	"	ND	—	0.550	"	"	"	"	"	R-03
Phenanthrene	"	**0.805**	—	0.100	"	"	"	"	"	
Pyrene	"	**0.226**	—	0.100	"	"	"	"	"	
Surrogate(s):	*Fluorene-d10*		*101%*		*25 - 125 %*	"			"	
	Pyrene-d10		*106%*		*23 - 150 %*	"			"	
	Benzo (a) pyrene-d12		*65.6%*		*10 - 125 %*	"			"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007209

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Polynuclear Aromatic Compounds per EPA 8270M-SIM

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-05RE1 (B-7)		Water			Sampled: 09/26/06 09:20					R-05
Acenaphthene	EPA 8270m	7.44	----	0.990	ug/l	50x	6100062	10/02/06 18:15	10/06/06 16:48	
Acenaphthylene	"	ND	----	6.44	"	"	"	"	"	R-03
Anthracene	"	3.55	----	0.990	"	"	"	"	"	
Benzo (a) anthracene	"	ND	----	0.990	"	"	"	"	"	R-03
Benzo (a) pyrene	"	ND	----	0.396	"	20x	"	"	10/05/06 20:53	
Benzo (b) fluoranthene	"	ND	----	0.396	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.396	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	0.396	"	"	"	"	"	
Chrysene	"	ND	----	0.990	"	50x	"	"	10/06/06 16:48	R-03
Dibenzo (a,h) anthracene	"	ND	----	0.396	"	20x	"	"	10/05/06 20:53	
Fluoranthene	"	ND	----	1.49	"	50x	"	"	10/06/06 16:48	R-03
Fluorene	"	27.9	----	0.990	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.396	"	20x	"	"	10/05/06 20:53	
Naphthalene	"	ND	----	5.45	"	50x	"	"	10/06/06 16:48	R-03
Phenanthrene	"	30.9	----	0.990	"	"	"	"	"	
Pyrene	"	1.64	----	0.990	"	"	"	"	"	
Surrogate(s): Fluorene-d10			*NR*		*25 - 125 %*	"			"	*S-02*
Pyrene-d10			*NR*		*23 - 150 %*	"			"	*S-02*
Benzo (a) pyrene-d12			*52.4%*		*10 - 125 %*	*20x*			*10/05/06 20:53*	
PPI1103-06RE1 (B-32)		Water			Sampled: 09/26/06 11:05					
Acenaphthene	EPA 8270m	ND	----	0.0495	ug/l	1x	6100062	10/02/06 18:15	10/05/06 19:29	R-03
Acenaphthylene	"	ND	----	0.0198	"	"	"	"	"	
Anthracene	"	ND	----	0.119	"	"	"	"	"	R-03
Benzo (a) anthracene	"	0.0226	----	0.0198	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	0.0198	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	0.0198	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.0198	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	0.0198	"	"	"	"	"	
Chrysene	"	0.0385	----	0.0198	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.0198	"	"	"	"	"	
Fluoranthene	"	0.191	----	0.0198	"	"	"	"	"	
Fluorene	"	ND	----	0.0396	"	"	"	"	"	R-03
Indeno (1,2,3-cd) pyrene	"	ND	----	0.0198	"	"	"	"	"	
Naphthalene	"	ND	----	0.119	"	"	"	"	"	R-03
Phenanthrene	"	ND	----	0.0693	"	"	"	"	"	R-03
Pyrene	"	0.235	----	0.0198	"	"	"	"	"	
Surrogate(s): Fluorene-d10			*84.3%*		*25 - 125 %*	"			"	
Pyrene-d10			*103%*		*23 - 150 %*	"			"	
Benzo (a) pyrene-d12			*63.3%*		*10 - 125 %*	"			"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007210

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	CVX Willbridge / Chevron #100-1868	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Polynuclear Aromatic Compounds per EPA 8270M-SIM

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-07RE1 (B-21)		Water			Sampled: 09/26/06 11:15					R-05
Acenaphthene	EPA 8270m	2.39	—	0.0990	ug/l	5x	6100062	10/02/06 18:15	10/05/06 21:21	
Acenaphthylene	"	ND	—	0.693	"	"	"	"	"	R-03
Anthracene	"	ND	----	0.198	"	"	"	"	"	R-03
Benzo (a) anthracene	"	ND	—	0.0990	"	"	"	"	"	
Benzo (a) pyrene	"	ND	—	0.0990	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	—	0.0990	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	—	0.0990	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	—	0.0990	"	"	"	"	"	
Chrysene	"	ND	—	0.0990	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	—	0.0990	"	"	"	"	"	
Fluoranthene	"	ND	—	0.149	"	"	"	"	"	R-03
Fluorene	"	9.45	—	0.0990	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	—	0.0990	"	"	"	"	"	
Naphthalene	"	ND	—	1.39	"	"	"	"	"	R-03
Phenanthrene	"	6.85	—	0.0990	"	"	"	"	"	
Pyrene	"	ND	----	0.149	"	"	"	"	"	R-03
Surrogate(s): *Fluorene-d10*		*119%*		*25 - 125 %*	"				"	
Pyrene-d10		*85.5%*		*23 - 150 %*	"				"	
Benzo (a) pyrene-d12		*43.5%*		*10 - 125 %*	"				"	
PPI1103-08RE1 (B-26)		Water			Sampled: 09/26/06 15:45					R-05
Acenaphthene	EPA 8270m	0.499	—	0.495	ug/l	25x	6100062	10/02/06 18:15	10/05/06 21:49	
Acenaphthylene	"	ND	—	0.495	"	"	"	"	"	
Anthracene	"	ND	—	0.495	"	"	"	"	"	
Benzo (a) anthracene	"	ND	—	0.495	"	"	"	"	"	
Benzo (a) pyrene	"	ND	—	0.495	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	—	0.495	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	—	0.495	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	—	0.495	"	"	"	"	"	
Chrysene	"	ND	—	0.495	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	—	0.495	"	"	"	"	"	
Fluoranthene	"	ND	—	0.495	"	"	"	"	"	
Fluorene	"	1.79	—	0.495	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	—	0.495	"	"	"	"	"	
Naphthalene	"	96.5	—	0.495	"	"	"	"	"	
Phenanthrene	"	1.08	—	0.495	"	"	"	"	"	
Pyrene	"	ND	—	0.495	"	"	"	"	"	
Surrogate(s): *Fluorene-d10*		*86.7%*		*25 - 125 %*	"				"	
Pyrene-d10		*90.3%*		*23 - 150 %*	"				"	
Benzo (a) pyrene-d12		*45.6%*		*10 - 125 %*	"				"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007211

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Polynuclear Aromatic Compounds per EPA 8270M-SIM

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-10RE1 (B-19)		**Water**			**Sampled: 09/26/06 14:10**					**R-05**
Acenaphthene	EPA 8270m	**2.34**	---	0.495	ug/l	25x	6100062	10/02/06 18:15	10/05/06 22:17	
Acenaphthylene	"	ND	---	0.743	"	"	"	"	"	R-03
Anthracene	"	**0.636**	---	0.495	"	"	"	"	"	
Benzo (a) anthracene	"	ND	---	0.495	"	"	"	"	"	
Benzo (a) pyrene	"	ND	---	0.495	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	---	0.495	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	---	0.495	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	---	0.495	"	"	"	"	"	
Chrysene	"	ND	---	0.495	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	---	0.495	"	"	"	"	"	
Fluoranthene	"	ND	---	0.495	"	"	"	"	"	
Fluorene	"	**7.01**	---	0.495	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	---	0.495	"	"	"	"	"	
Naphthalene	"	ND	---	2.48	"	"	"	"	"	R-03
Phenanthrene	"	**11.4**	---	0.495	"	"	"	"	"	
Pyrene	"	ND	---	0.495	"	"	"	"	"	
Surrogate(s): Fluorene-d10			*117%*		*25 - 125 %*	"			"	
Pyrene-d10			*82.7%*		*23 - 150 %*	"			"	
Benzo (a) pyrene-d12			*50.4%*		*10 - 125 %*	"			"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Total Metals by EPA 6000/7000 Series Methods

TestAmerica - Seattle, WA

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-01 (CR-27C)		Water			Sampled: 09/25/06 15:54					
Arsenic	EPA 6020	**0.00949**	—	0.00100	mg/l	1x	6J03039	10/03/06 12:40	10/04/06 17:41	
Barium	"	**0.110**	—	0.0100	"	"	"	"	"	
Cadmium	"	ND	—	0.00100	"	"	"	"	"	
Chromium	"	ND	—	0.00100	"	"	"	"	"	
Copper	"	**0.00251**	—	0.00100	"	"	"	"	"	
Lead	"	**0.00120**	—	0.00100	"	"	"	"	"	
Selenium	"	**0.00301**	—	0.00100	"	"	"	"	"	
Silver	"	ND	—	0.00100	"	"	"	"	"	
Zinc	"	**0.0135**	—	0.0100	"	"	"	"	"	
PPI1103-02 (B-20)		Water			Sampled: 09/25/06 17:25					
Arsenic	EPA 6020	**0.0141**	—	0.00100	mg/l	1x	6J03039	10/03/06 12:40	10/04/06 17:47	
Barium	"	**0.0785**	—	0.0100	"	"	"	"	"	
Cadmium	"	ND	—	0.00100	"	"	"	"	"	
Chromium	"	ND	—	0.00100	"	"	"	"	"	
Copper	"	**0.00251**	—	0.00100	"	"	"	"	"	
Lead	"	**0.00154**	—	0.00100	"	"	"	"	"	
Selenium	"	ND	—	0.00100	"	"	"	"	"	
Silver	"	ND	—	0.00100	"	"	"	"	"	
Zinc	"	ND	—	0.0100	"	"	"	"	"	
PPI1103-03 (CR-26)		Water			Sampled: 09/26/06 07:30					
Arsenic	EPA 6020	**0.150**	—	0.00100	mg/l	1x	6J03039	10/03/06 12:40	10/04/06 17:53	
Barium	"	**0.156**	—	0.0100	"	"	"	"	"	
Cadmium	"	ND	—	0.00100	"	"	"	"	"	
Chromium	"	ND	—	0.00100	"	"	"	"	"	
Copper	"	**0.00183**	—	0.00100	"	"	"	"	"	
Lead	"	ND	—	0.00100	"	"	"	"	"	
Selenium	"	**0.00159**	—	0.00100	"	"	"	"	"	
Silver	"	ND	—	0.00100	"	"	"	"	"	
Zinc	"	ND	—	0.0100	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	CVX Willbridge / Chevron #100-1868	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Total Metals by EPA 6000/7000 Series Methods

TestAmerica - Seattle, WA

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-04 (B-9)		**Water**			**Sampled: 09/26/06 09:01**					
Arsenic	EPA 6020	0.0298	—	0.00100	mg/l	1x	6J03039	10/03/06 12:40	10/04/06 17:58	
Barium	"	0.0708	—	0.0100	"	"	"	"	"	
Cadmium	"	ND	—	0.00100	"	"	"	"	"	
Chromium	"	ND	—	0.00100	"	"	"	"	"	
Copper	"	0.00315	—	0.00100	"	"	"	"	"	
Lead	"	0.00218	—	0.00100	"	"	"	"	"	
Selenium	"	ND	—	0.00100	"	"	"	"	"	
Silver	"	ND	—	0.00100	"	"	"	"	"	
Zinc	"	0.0338	—	0.0100	"	"	"	"	"	
PPI1103-05 (B-7)		**Water**			**Sampled: 09/26/06 09:20**					
Arsenic	EPA 6020	0.0150	—	0.00100	mg/l	1x	6J03039	10/03/06 12:40	10/04/06 18:04	
Barium	"	0.0850	—	0.0100	"	"	"	"	"	
Cadmium	"	ND	—	0.00100	"	"	"	"	"	
Chromium	"	ND	—	0.00100	"	"	"	"	"	
Copper	"	0.00416	—	0.00100	"	"	"	"	"	
Lead	"	ND	—	0.00100	"	"	"	"	"	
Selenium	"	ND	—	0.00100	"	"	"	"	"	
Silver	"	ND	—	0.00100	"	"	"	"	"	
Zinc	"	ND	—	0.0100	"	"	"	"	"	
PPI1103-06 (B-32)		**Water**			**Sampled: 09/26/06 11:05**					
Arsenic	EPA 6020	0.00616	—	0.00100	mg/l	1x	6J03039	10/03/06 12:40	10/04/06 18:10	
Barium	"	0.0999	—	0.0100	"	"	"	"	"	
Cadmium	"	ND	—	0.00100	"	"	"	"	"	
Chromium	"	0.00218	—	0.00100	"	"	"	"	"	
Copper	"	0.00502	—	0.00100	"	"	"	"	"	
Lead	"	0.00224	—	0.00100	"	"	"	"	"	
Selenium	"	0.00128	—	0.00100	"	"	"	"	"	
Silver	"	ND	—	0.00100	"	"	"	"	"	
Zinc	"	0.0105	—	0.0100	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Total Metals by EPA 6000/7000 Series Methods

TestAmerica - Seattle, WA

Analyte	Method	Result	MDL[A]	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-07 (B-21)		**Water**			**Sampled: 09/26/06 11:15**					
Arsenic	EPA 6020	**0.0432**	—	0.00100	mg/l	1x	6J03039	10/03/06 12:40	10/04/06 18:27	
Barium	"	**0.0854**	—	0.0100	"	"	"	"	"	
Cadmium	"	ND	—	0.00100	"	"	"	"	"	
Chromium	"	ND	—	0.00100	"	"	"	"	"	
Copper	"	ND	—	0.00100	"	"	"	"	"	
Lead	"	ND	—	0.00100	"	"	"	"	"	
Selenium	"	ND	—	0.00100	"	"	"	"	"	
Silver	"	ND	—	0.00100	"	"	"	"	"	
Zinc	"	ND	—	0.0100	"	"	"	"	"	
PPI1103-08 (B-26)		**Water**			**Sampled: 09/26/06 15:45**					
Arsenic	EPA 6020	**0.0145**	—	0.00100	mg/l	1x	6J03039	10/03/06 12:40	10/04/06 18:33	
Barium	"	**0.0415**	—	0.0100	"	"	"	"	"	
Cadmium	"	ND	—	0.00100	"	"	"	"	"	
Chromium	"	ND	—	0.00100	"	"	"	"	"	
Copper	"	**0.00244**	—	0.00100	"	"	"	"	"	
Lead	"	**0.00553**	—	0.00100	"	"	"	"	"	
Selenium	"	ND	—	0.00100	"	"	"	"	"	
Silver	"	ND	—	0.00100	"	"	"	"	"	
Zinc	"	ND	—	0.0100	"	"	"	"	"	
PPI1103-10 (B-19)		**Water**			**Sampled: 09/26/06 14:10**					
Arsenic	EPA 6020	**0.0544**	—	0.00100	mg/l	1x	6J03039	10/03/06 12:40	10/04/06 18:50	
Barium	"	**0.0931**	—	0.0100	"	"	"	"	"	
Cadmium	"	ND	—	0.00100	"	"	"	"	"	
Chromium	"	ND	—	0.00100	"	"	"	"	"	
Copper	"	ND	—	0.00100	"	"	"	"	"	
Lead	"	ND	—	0.00100	"	"	"	"	"	
Selenium	"	ND	—	0.00100	"	"	"	"	"	
Silver	"	ND	—	0.00100	"	"	"	"	"	
Zinc	"	ND	—	0.0100	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007215

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Dissolved Metals by EPA 6000/7000 Series Methods

TestAmerica - Seattle, WA

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1103-01 (CR-27C)		**Water**			**Sampled: 09/25/06 15:54**					
Arsenic	EPA 6020 - Diss	**0.00796**	—	0.00100	mg/l	1x	6J02027	10/02/06 11:23	10/03/06 00:35	
Barium	"	**0.0948**	—	0.0100	"	"	"	"	10/03/06 10:11	
Cadmium	"	ND	—	0.00100	"	"	"	"	10/03/06 00:35	
Chromium	"	ND	—	0.00100	"	"	"	"	"	
Copper	"	ND	—	0.00100	"	"	"	"	"	
Lead	"	ND	—	0.00100	"	"	"	"	10/03/06 10:11	
Selenium	"	**0.00163**	—	0.00100	"	"	"	"	10/03/06 00:35	
Silver	"	ND	—	0.00100	"	"	"	"	"	
Zinc	"	ND	—	0.0100	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007216

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Gasoline Hydrocarbons per NW TPH-Gx Method - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6091258 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6091258-BLK1)								Extracted: 09/29/06 10:46						
Gasoline Range Hydrocarbons	NW TPH-Gx	ND	--	80.0	ug/l	1x	--	--	--	--	--	--	09/29/06 11:06	
Surrogate(s): 4-BFB		*Recovery: 92.0%*			*Limits: 50-150%*	"							*09/29/06 11:06*	
LCS (6091258-BS1)								Extracted: 09/29/06 10:46						
Gasoline Range Hydrocarbons	NW TPH-Gx	402	--	80.0	ug/l	1x	--	500	80.4%	(70-130)	--	--	09/29/06 11:32	
Surrogate(s): 4-BFB		*Recovery: 103%*			*Limits: 50-150%*	"							*09/29/06 11:32*	
LCS Dup (6091258-BSD1)								Extracted: 09/29/06 10:46						
Gasoline Range Hydrocarbons	NW TPH-Gx	426	--	80.0	ug/l	1x	--	500	85.2%	(70-130)	5.80%	(40)	09/29/06 11:58	
Surrogate(s): 4-BFB		*Recovery: 110%*			*Limits: 50-150%*	"							*09/29/06 11:58*	
Duplicate (6091258-DUP1)					QC Source: PPI1076-02			Extracted: 09/29/06 10:46						
Gasoline Range Hydrocarbons	NW TPH-Gx	460	--	80.0	ug/l	1x	454	--	--	--	1.31%	(40)	09/29/06 13:14	
Surrogate(s): 4-BFB		*Recovery: 96.2%*			*Limits: 50-150%*	"							*09/29/06 13:14*	
Duplicate (6091258-DUP2)					QC Source: PPI1703-01			Extracted: 09/29/06 10:46						
Gasoline Range Hydrocarbons	NW TPH-Gx	ND	--	80.0	ug/l	1x	ND	--	--	--	33.2%	(40)	09/29/06 16:17	
Surrogate(s): 4-BFB		*Recovery: 97.2%*			*Limits: 50-150%*	"							*09/29/06 16:17*	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007217

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Spriek	10/13/06 12:26

Diesel and Heavy Range Hydrocarbons per NWTPH-Dx Method - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6091269 **Water Preparation Method: EPA 3520/600 Series**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6091269-BLK1)								Extracted: 09/30/06 10:15						
Diesel Range Organics	NWTPH-Dx	ND	---	0.250	mg/l	1x	--	--	--	--	--	--	10/02/06 19:57	
Heavy Oil Range Hydrocarbons	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Surrogate(s): 1-Chlorooctadecane		*Recovery: 96.4%*			*Limits: 50-150%*	"							*10/02/06 19:57*	
LCS (6091269-BS1)								Extracted: 09/30/06 10:15						
Diesel Range Organics	NWTPH-Dx	2.38	---	0.250	mg/l	1x	--	2.55	93.3%	(50-150)	--	--	10/02/06 19:24	
Heavy Oil Range Hydrocarbons	"	1.47	---	0.500	"	"	--	1.60	91.9%	"	--	--	"	
Surrogate(s): 1-Chlorooctadecane		*Recovery: 82.2%*			*Limits: 50-150%*	"							*10/02/06 19:24*	
LCS Dup (6091269-BSD1)								Extracted: 09/30/06 10:15						
Diesel Range Organics	NWTPH-Dx	2.38	---	0.250	mg/l	1x	--	2.55	93.3%	(50-150)	0.00%	(50)	10/02/06 18:52	
Heavy Oil Range Hydrocarbons	"	1.46	---	0.500	"	"	--	1.60	91.2%	"	0.683%	"	"	
Surrogate(s): 1-Chlorooctadecane		*Recovery: 99.9%*			*Limits: 50-150%*	"							*10/02/06 18:52*	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
.111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
.Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Dissolved Mercury per EPA Method 7470A - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100436 **Water Preparation Method: EPA 7470A**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100436-BLK1)								Extracted: 10/09/06 15:28						
Mercury	EPA 7470A	ND	--	0.000200	mg/l	1x	--	--	--	--	--	--	10/10/06 09:38	
LCS (6100436-BS1)								Extracted: 10/09/06 15:28						
Mercury	EPA 7470A	0.00520	--	0.000200	mg/l	1x	--	0.00500	104%	(85-115)	--	--	10/10/06 09:41	
LCS Dup (6100436-BSD1)								Extracted: 10/09/06 15:28						
Mercury	EPA 7470A	0.00512	--	0.000200	mg/l	1x	--	0.00500	102%	(85-115)	1.55%	(20)	10/10/06 09:43	
Duplicate (6100436-DUP1)				QC Source: PPI1103-01				Extracted: 10/09/06 15:28						
Mercury	EPA 7470A	ND	--	0.000200	mg/l	1x	ND	--	--	--	NR	(20)	10/10/06 09:46	
Matrix Spike (6100436-MS1)				QC Source: PPI1103-01				Extracted: 10/09/06 15:28						
Mercury	EPA 7470A	0.00487	--	0.000200	mg/l	1x	ND	0.00500	97.4%	(75-125)	--	--	10/10/06 09:48	
Matrix Spike Dup (6100436-MSD1)				QC Source: PPI1103-01				Extracted: 10/09/06 15:28						
Mercury	EPA 7470A	0.00481	--	0.000200	mg/l	1x	ND	0.00500	96.2%	(75-125)	1.24%	(20)	10/10/06 09:51	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Total Mercury per EPA Method 7470A - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100066 **Water Preparation Method: EPA 7470A**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100066-BLK1)								Extracted: 10/02/06 15:19						
Mercury	EPA 7470A	ND	---	0.000200	mg/l	1x	--	--	--	--	--	--	10/03/06 09:37	
LCS (6100066-BS1)								Extracted: 10/02/06 15:19						
Mercury	EPA 7470A	0.00522	---	0.000200	mg/l	1x	--	0.00500	104%	(85-115)	--	--	10/03/06 09:39	
LCS Dup (6100066-BSD1)								Extracted: 10/02/06 15:19						
Mercury	EPA 7470A	0.00521	---	0.000200	mg/l	1x	--	0.00500	104%	(85-115)	0.192%	(20)	10/03/06 09:42	
Duplicate (6100066-DUP1)				QC Source: PPI1103-01				Extracted: 10/02/06 15:19						
Mercury	EPA 7470A	ND	---	0.000200	mg/l	1x	ND	--	--	--		(20)	10/03/06 09:44	
Matrix Spike (6100066-MS1)				QC Source: PPI1103-01				Extracted: 10/02/06 15:19						
Mercury	EPA 7470A	0.00484	---	0.000200	mg/l	1x	ND	0.00500	96.8%	(75-125)	--	--	10/03/06 09:47	
Matrix Spike Dup (6100066-MSD1)				QC Source: PPI1103-01				Extracted: 10/02/06 15:19						
Mercury	EPA 7470A	0.00469	---	0.000200	mg/l	1x	ND	0.00500	93.8%	(75-125)	3.15%	(20)	10/03/06 09:49	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Volatile Organic Compounds per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100286 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100286-BLK1)							Extracted: 10/05/06 15:57							
Acetone	EPA 8260B	ND	---	25.0	ug/l	1x	--	--	--	--	--	--	10/05/06 18:52	
Benzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromochloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromodichloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromoform	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromomethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
2-Butanone (MEK)	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
n-Butylbenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
sec-Butylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
tert-Butylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Carbon disulfide	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Carbon tetrachloride	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Chlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Chloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Chloroform	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Chloromethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
2-Chlorotoluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
4-Chlorotoluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dibromo-3-chloropropane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Dibromochloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dibromoethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Dibromomethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3-Dichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,4-Dichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Dichlorodifluoromethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
cis-1,2-Dichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
trans-1,2-Dichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3-Dichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
2,2-Dichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1-Dichloropropene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
cis-1,3-Dichloropropene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
trans-1,3-Dichloropropene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Ethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007221

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	CVX Willbridge / Chevron #100-1868	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Volatile Organic Compounds per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100286 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100286-BLK1)									Extracted: 10/05/06 15:57					
Hexachlorobutadiene	EPA 8260B	ND	---	4.00	ug/l	1x	--	--	--	--	--	--	10/05/06 18:52	
2-Hexanone	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Isopropylbenzene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
p-Isopropyltoluene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
4-Methyl-2-pentanone	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Methyl tert-butyl ether	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Methylene chloride	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Naphthalene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
n-Propylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Styrene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,1,2-Tetrachloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,2,2-Tetrachloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Tetrachloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Toluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,1-Trichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,2-Trichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Trichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Trichlorofluoromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trimethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3,5-Trimethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Vinyl chloride	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
o-Xylene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
m,p-Xylene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
Surrogate(s): 4-BFB		*Recovery: 103%*			*Limits: 80-120%*	"							*10/05/06 18:52*	
1,2-DCA-d4		*94.5%*			*80-120%*	"							"	
Dibromofluoromethane		*97.5%*			*80-120%*	"							"	
Toluene-d8		*103%*			*80-120%*	"							"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**
111 SW Columbia Street	Project Number:	100-1868-OML
Portland, OR 97201	Project Manager:	Grant V. Sprick
		Report Created: 10/13/06 12:26

Volatile Organic Compounds per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100286 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
LCS (6100286-BS1)									Extracted: 10/05/06 15:57					
Benzene	EPA 8260B	20.0	--	1.00	ug/l	1x	--	20.0	100%	(80-120)	--	--	10/05/06 17:05	
Chlorobenzene	"	19.6	--	1.00	"	"	--	"	98.0%	(80-124)	--	--	"	
1,1-Dichloroethene	"	19.2	--	1.00	"	"	--	"	96.0%	(78-120)	--	--	"	
Toluene	"	20.3	--	1.00	"	"	--	"	102%	(80-124)	--	--	"	
Trichloroethene	"	22.0	--	1.00	"	"	--	"	110%	(80-132)	--	--	"	
Surrogate(s):	*4-BFB*	*Recovery:*	*108%*		*Limits: 80-120%*	"							*10/05/06 17:05*	
	1,2-DCA-d4		*95.0%*		*80-120%*	"							"	
	Dibromofluoromethane		*97.5%*		*80-120%*	"							"	
	Toluene-d8		*99.0%*		*80-120%*	"							"	
Matrix Spike (6100286-MS1)					QC Source: PPI1103-01				Extracted: 10/05/06 15:57					
Benzene	EPA 8260B	18.9	--	1.00	ug/l	1x	ND	20.0	94.5%	(80-124)	--	--	10/05/06 17:32	
Chlorobenzene	"	18.9	--	1.00	"	"	ND	"	94.5%	(72.9-134)	--	--	"	
1,1-Dichloroethene	"	18.2	--	1.00	"	"	ND	"	91.0%	(79.3-127)	--	--	"	
Toluene	"	18.9	--	1.00	"	"	ND	"	94.5%	(79.7-131)	--	--	"	
Trichloroethene	"	18.3	--	1.00	"	"	ND	"	91.5%	(68.4-130)	--	--	"	
Surrogate(s):	*4-BFB*	*Recovery:*	*104%*		*Limits: 80-120%*	"							*10/05/06 17:32*	
	1,2-DCA-d4		*97.0%*		*80-120%*	"							"	
	Dibromofluoromethane		*99.0%*		*80-120%*	"							"	
	Toluene-d8		*100%*		*80-120%*	"							"	
Matrix Spike Dup (6100286-MSD1)					QC Source: PPI1103-01				Extracted: 10/05/06 15:57					
Benzene	EPA 8260B	18.6	--	1.00	ug/l	1x	ND	20.0	93.0%	(80-124)	1.60%	(25)	10/05/06 17:59	
Chlorobenzene	"	18.9	--	1.00	"	"	ND	"	94.5%	(72.9-134)	0.00%	"	"	
1,1-Dichloroethene	"	18.0	--	1.00	"	"	ND	"	90.0%	(79.3-127)	1.10%	"	"	
Toluene	"	18.8	--	1.00	"	"	ND	"	94.0%	(79.7-131)	0.531%	"	"	
Trichloroethene	"	18.2	--	1.00	"	"	ND	"	91.0%	(68.4-130)	0.548%	"	"	
Surrogate(s):	*4-BFB*	*Recovery:*	*105%*		*Limits: 80-120%*	"							*10/05/06 17:59*	
	1,2-DCA-d4		*93.0%*		*80-120%*	"							"	
	Dibromofluoromethane		*95.5%*		*80-120%*	"							"	
	Toluene-d8		*98.0%*		*80-120%*	"							"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007223

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Volatile Organic Compounds per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100372 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100372-BLK1)							Extracted: 10/08/06 09:11							
Acetone	EPA 8260B	ND	---	25.0	ug/l	1x	---	---	---	---	---	---	10/08/06 11:49	
Benzene	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
Bromobenzene	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
Bromochloromethane	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
Bromodichloromethane	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
Bromoform	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
Bromomethane	"	ND	---	5.00	"	"	---	---	---	---	---	---	"	
2-Butanone (MEK)	"	ND	---	10.0	"	"	---	---	---	---	---	---	"	
n-Butylbenzene	"	ND	---	5.00	"	"	---	---	---	---	---	---	"	
sec-Butylbenzene	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
tert-Butylbenzene	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
Carbon disulfide	"	ND	---	10.0	"	"	---	---	---	---	---	---	"	
Carbon tetrachloride	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
Chlorobenzene	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
Chloroethane	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
Chloroform	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
Chloromethane	"	ND	---	5.00	"	"	---	---	---	---	---	---	"	
2-Chlorotoluene	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
4-Chlorotoluene	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
1,2-Dibromo-3-chloropropane	"	ND	---	5.00	"	"	---	---	---	---	---	---	"	
Dibromochloromethane	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
1,2-Dibromoethane	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
Dibromomethane	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
1,2-Dichlorobenzene	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
1,3-Dichlorobenzene	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
1,4-Dichlorobenzene	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
Dichlorodifluoromethane	"	ND	---	5.00	"	"	---	---	---	---	---	---	"	
1,1-Dichloroethane	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
1,2-Dichloroethane	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
1,1-Dichloroethene	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
cis-1,2-Dichloroethene	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
trans-1,2-Dichloroethene	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
1,2-Dichloropropane	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
1,3-Dichloropropane	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
2,2-Dichloropropane	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
1,1-Dichloropropene	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
cis-1,3-Dichloropropene	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
trans-1,3-Dichloropropene	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	
Ethylbenzene	"	ND	---	1.00	"	"	---	---	---	---	---	---	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007224

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Volatile Organic Compounds per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100372 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100372-BLK1)								Extracted: 10/08/06 09:11						
Hexachlorobutadiene	EPA 8260B	ND	—	4.00	ug/l	1x	--	--	--	--	--	--	10/08/06 11:49	
2-Hexanone	"	ND	—	10.0	"	"	--	--	--	--	--	--	"	
Isopropylbenzene	"	ND	—	2.00	"	"	--	--	--	--	--	--	"	
p-Isopropyltoluene	"	ND	—	2.00	"	"	--	--	--	--	--	--	"	
4-Methyl-2-pentanone	"	ND	—	5.00	"	"	--	--	--	--	--	--	"	
Methyl tert-butyl ether	"	ND	—	1.00	"	"	--	--	--	--	--	--	"	
Methylene chloride	"	ND	—	5.00	"	"	--	--	--	--	--	--	"	
Naphthalene	"	ND	—	2.00	"	"	--	--	--	--	--	--	"	
n-Propylbenzene	"	ND	—	1.00	"	"	--	--	--	--	--	--	"	
Styrene	"	ND	—	1.00	"	"	--	--	--	--	--	--	"	
1,1,1,2-Tetrachloroethane	"	ND	—	1.00	"	"	--	--	--	--	--	--	"	
1,1,2,2-Tetrachloroethane	"	ND	—	1.00	"	"	--	--	--	--	--	--	"	
Tetrachloroethene	"	ND	—	1.00	"	"	--	--	--	--	--	--	"	
Toluene	"	ND	—	1.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichlorobenzene	"	ND	—	1.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trichlorobenzene	"	ND	—	1.00	"	"	--	--	--	--	--	--	"	
1,1,1-Trichloroethane	"	ND	—	1.00	"	"	--	--	--	--	--	--	"	
1,1,2-Trichloroethane	"	ND	—	1.00	"	"	--	--	--	--	--	--	"	
Trichloroethene	"	ND	—	1.00	"	"	--	--	--	--	--	--	"	
Trichlorofluoromethane	"	ND	—	1.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichloropropane	"	ND	—	1.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trimethylbenzene	"	ND	—	1.00	"	"	--	--	--	--	--	--	"	
1,3,5-Trimethylbenzene	"	ND	—	1.00	"	"	--	--	--	--	--	--	"	
Vinyl chloride	"	ND	—	1.00	"	"	--	--	--	--	--	--	"	
o-Xylene	"	ND	—	1.00	"	"	--	--	--	--	--	--	"	
m,p-Xylene	"	ND	—	2.00	"	"	--	--	--	--	--	--	"	
Surrogate(s): 4-BFB		*Recovery: 97.5%*			*Limits: 80-120%*	"							*10/08/06 11:49*	
1,2-DCA-d4		*94.5%*			*80-120%*	"							"	
Dibromofluoromethane		*98.0%*			*80-120%*	"							"	
Toluene-d8		*94.5%*			*80-120%*	"							"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Volatile Organic Compounds per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100372 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
LCS (6100372-BS1)								Extracted: 10/08/06 09:11						
Benzene	EPA 8260B	20.6	---	1.00	ug/l	1x	---	20.0	103%	(80-120)	--	--	10/08/06 10:02	
Chlorobenzene	"	20.2	---	1.00	"	"	--	"	101%	(80-124)	--	--	"	
1,1-Dichloroethene	"	20.4	---	1.00	"	"	--	"	102%	(78-120)	--	--	"	
Toluene	"	20.9	---	1.00	"	"	--	"	104%	(80-124)	--	--	"	
Trichloroethene	"	20.6	---	1.00	"	"	--	"	103%	(80-132)	--	--	"	
Surrogate(s): 4-BFB		*Recovery: 106%*			*Limits: 80-120%*	"							*10/08/06 10:02*	
1,2-DCA-d4		*98.0%*			*80-120%*	"							"	
Dibromofluoromethane		*100%*			*80-120%*	"							"	
Toluene-d8		*99.0%*			*80-120%*	"							"	
Matrix Spike (6100372-MS1)					QC Source: PPJ0032-01			Extracted: 10/08/06 09:11						
Benzene	EPA 8260B	19.1	---	1.00	ug/l	1x	0.150	20.0	94.8%	(80-124)	--	--	10/08/06 10:29	
Chlorobenzene	"	18.9	---	1.00	"	"	ND	"	94.5%	(72.9-134)	--	--	"	
1,1-Dichloroethene	"	18.6	---	1.00	"	"	ND	"	93.0%	(79.3-127)	--	--	"	
Toluene	"	19.8	---	1.00	"	"	0.910	"	94.4%	(79.7-131)	--	--	"	
Trichloroethene	"	18.8	---	1.00	"	"	ND	"	94.0%	(68.4-130)	--	--	"	
Surrogate(s): 4-BFB		*Recovery: 98.5%*			*Limits: 80-120%*	"							*10/08/06 10:29*	
1,2-DCA-d4		*93.0%*			*80-120%*	"							"	
Dibromofluoromethane		*95.5%*			*80-120%*	"							"	
Toluene-d8		*94.0%*			*80-120%*	"							"	
Matrix Spike Dup (6100372-MSD1)					QC Source: PPJ0032-01			Extracted: 10/08/06 09:11						
Benzene	EPA 8260B	20.1	---	1.00	ug/l	1x	0.150	20.0	99.8%	(80-124)	5.10%	(25)	10/08/06 10:56	
Chlorobenzene	"	19.6	---	1.00	"	"	ND	"	98.0%	(72.9-134)	3.64%	"	"	
1,1-Dichloroethene	"	20.1	---	1.00	"	"	ND	"	100%	(79.3-127)	7.75%	"	"	
Toluene	"	20.8	---	1.00	"	"	0.910	"	99.4%	(79.7-131)	4.93%	"	"	
Trichloroethene	"	19.8	---	1.00	"	"	ND	"	99.0%	(68.4-130)	5.18%	"	"	
Surrogate(s): 4-BFB		*Recovery: 105%*			*Limits: 80-120%*	"							*10/08/06 10:56*	
1,2-DCA-d4		*95.0%*			*80-120%*	"							"	
Dibromofluoromethane		*98.5%*			*80-120%*	"							"	
Toluene-d8		*96.0%*			*80-120%*	"							"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007226

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Selected Volatile Organic Compounds (Including BTEX) per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100286 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100286-BLK1)								Extracted: 10/05/06 15:57						
1,2-Dibromoethane	EPA 8260B	ND	--	0.500	ug/l	1x	--	--	--	--	--	--	10/05/06 18:52	
1,2-Dichloroethane	"	ND	--	0.500	"	"	--	--	--	--	--	--	"	
Benzene	"	ND	--	0.200	"	"	--	--	--	--	--	--	"	
Toluene	"	ND	--	0.500	"	"	--	--	--	--	--	--	"	
Ethylbenzene	"	ND	--	0.500	"	"	--	--	--	--	--	--	"	
Xylenes (total)	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
Methyl tert-butyl ether	"	ND	--	2.00	"	"	--	--	--	--	--	--	"	
Naphthalene	"	ND	--	2.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trimethylbenzene	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
1,3,5-Trimethylbenzene	"	ND	--	0.500	"	"	--	--	--	--	--	--	"	
Isopropylbenzene	"	ND	--	2.00	"	"	--	--	--	--	--	--	"	
n-Propylbenzene	"	ND	--	0.500	"	"	--	--	--	--	--	--	"	
Surrogate(s): 4-BFB		*Recovery: 103%*			*Limits: 80-120%*	"							*10/05/06 18:52*	
1,2-DCA-d4		*94.5%*			*80-120%*	"							"	
Dibromofluoromethane		*97.5%*			*80-120%*	"							"	
Toluene-d8		*103%*			*80-120%*	"							"	
LCS (6100286-BS1)								Extracted: 10/05/06 15:57						
Benzene	EPA 8260B	20.0	--	0.200	ug/l	1x	--	20.0	100%	(80-120)	--	--	10/05/06 17:05	
Toluene	"	20.3	--	0.500	"	"	--	"	102%	(80-124)	--	--	"	
Ethylbenzene	"	21.1	--	0.500	"	"	--	"	106%	(80-120)	--	--	"	
Xylenes (total)	"	63.3	--	1.00	"	"	--	60.0	106%	(73-124)	--	--	"	
Methyl tert-butyl ether	"	21.9	--	2.00	"	"	--	20.0	110%	(80-129)	--	--	"	
Naphthalene	"	23.2	--	2.00	"	"	--	"	116%	(72-149)	--	--	"	
Surrogate(s): 4-BFB		*Recovery: 108%*			*Limits: 80-120%*	"							*10/05/06 17:05*	
1,2-DCA-d4		*95.0%*			*80-120%*	"							"	
Dibromofluoromethane		*97.5%*			*80-120%*	"							"	
Toluene-d8		*99.0%*			*80-120%*	"							"	
Matrix Spike (6100286-MS1)					QC Source: PPI1103-01			Extracted: 10/05/06 15:57						
Benzene	EPA 8260B	18.9	--	0.200	ug/l	1x	ND	20.0	94.5%	(80-124)	--	--	10/05/06 17:32	
Toluene	"	18.9	--	0.500	"	"	ND	"	94.5%	(79.7-131)	--	--	"	
Ethylbenzene	"	18.6	--	0.500	"	"	ND	"	93.0%	(80-124)	--	--	"	
Xylenes (total)	"	52.7	--	1.00	"	"	ND	60.0	87.8%	(44.6-154)	--	--	"	
Methyl tert-butyl ether	"	20.2	--	2.00	"	"	ND	20.0	101%	(80-130)	--	--	"	
Naphthalene	"	21.5	--	2.00	"	"	ND	"	108%	(69-163)	--	--	"	
Surrogate(s): 4-BFB		*Recovery: 104%*			*Limits: 80-120%*	"							*10/05/06 17:32*	
1,2-DCA-d4		*97.0%*			*80-120%*	"							"	
Dibromofluoromethane		*99.0%*			*80-120%*	"							"	
Toluene-d8		*100%*			*80-120%*	"							"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007227

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Selected Volatile Organic Compounds (Including BTEX) per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100286 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Matrix Spike Dup (6100286-MSD1)				QC Source: PPI1103-01				Extracted: 10/05/06 15:57						
Benzene	EPA 8260B	18.6	---	0.200	ug/l	1x	ND	20.0	93.0%	(80-124)	1.60%	(25)	10/05/06 17:59	
Toluene	"	18.8	---	0.500	"	"	ND	"	94.0%	(79.7-131)	0.531%	"	"	
Ethylbenzene	"	19.1	---	0.500	"	"	ND	"	95.5%	(80-124)	2.65%	"	"	
Xylenes (total)	"	53.6	---	1.00	"	"	ND	60.0	89.3%	(44.6-154)	1.69%	"	"	
Methyl tert-butyl ether	"	20.0	---	2.00	"	"	ND	20.0	100%	(80-130)	0.995%	"	"	
Naphthalene	"	20.9	---	2.00	"	"	ND	"	104%	(69-163)	2.83%	"	"	
Surrogate(s):	*4-BFB*	*Recovery:*	*105%*		*Limits: 80-120%*	"							*10/05/06 17:59*	
	1,2-DCA-d4		*93.0%*		*80-120%*	"							"	
	Dibromofluoromethane		*95.5%*		*80-120%*	"							"	
	Toluene-d8		*98.0%*		*80-120%*	"							"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Polynuclear Aromatic Compounds per EPA 8270M-SIM - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100062 **Water Preparation Method: 3520B Liq-Liq**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100062-BLK1)								Extracted: 10/02/06 18:15						
Acenaphthene	EPA 8270m	ND	---	0.0200	ug/l	1x	--	--	--	--	--	--	10/05/06 14:47	
Acenaphthylene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Anthracene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Benzo (a) anthracene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Benzo (a) pyrene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Benzo (b) fluoranthene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Benzo (ghi) perylene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Benzo (k) fluoranthene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Chrysene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Dibenzo (a,h) anthracene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Fluoranthene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Fluorene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Indeno (1,2,3-cd) pyrene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Naphthalene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Phenanthrene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Pyrene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Surrogate(s): Fluorene-d10		*Recovery: 102%*			*Limits: 25-125%*	"							*10/05/06 14:47*	
Pyrene-d10		*107%*			*23-130%*	"							"	
Benzo (a) pyrene-d12		*104%*			*10-125%*	"							"	
LCS (6100062-BS1)								Extracted: 10/02/06 18:15						
Acenaphthene	EPA 8270m	2.24	---	0.0200	ug/l	1x	--	2.50	89.6%	(35-120)	--	--	10/05/06 13:51	
Acenaphthylene	"	2.25	---	0.0200	"	"	--	"	90.0%	(34-116)	--	--	"	
Anthracene	"	2.00	---	0.0200	"	"	--	"	80.0%	(24-119)	--	--	"	
Benzo (a) anthracene	"	2.26	---	0.0200	"	"	--	"	90.4%	(36-128)	--	--	"	
Benzo (a) pyrene	"	2.23	---	0.0200	"	"	--	"	89.2%	(17-128)	--	--	"	
Benzo (b) fluoranthene	"	2.30	---	0.0200	"	"	--	"	92.0%	(37-131)	--	--	"	
Benzo (ghi) perylene	"	1.91	---	0.0200	"	"	--	"	76.4%	(26-126)	--	--	"	
Benzo (k) fluoranthene	"	2.41	---	0.0200	"	"	--	"	96.4%	(18-145)	--	--	"	
Chrysene	"	2.11	---	0.0200	"	"	--	"	84.4%	(16-137)	--	--	"	
Dibenzo (a,h) anthracene	"	1.78	---	0.0200	"	"	--	"	71.2%	(20-141)	--	--	"	
Fluoranthene	"	2.31	---	0.0200	"	"	--	"	92.4%	(31-125)	--	--	"	
Fluorene	"	2.28	---	0.0200	"	"	--	"	91.2%	(27-124)	--	--	"	
Indeno (1,2,3-cd) pyrene	"	2.16	---	0.0200	"	"	--	"	86.4%	(30-135)	--	--	"	
Naphthalene	"	2.10	---	0.0200	"	"	--	"	84.0%	(30-113)	--	--	"	
Phenanthrene	"	2.32	---	0.0200	"	"	--	"	92.8%	(34-126)	--	--	"	
Pyrene	"	2.22	---	0.0200	"	"	--	"	88.8%	(21-141)	--	--	"	
Surrogate(s): Fluorene-d10		*Recovery: 100%*			*Limits: 25-125%*	"							*10/05/06 13:51*	
Pyrene-d10		*103%*			*23-130%*	"							"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007229

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Polynuclear Aromatic Compounds per EPA 8270M-SIM - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100062 **Water Preparation Method: 3520B Liq-Liq**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
LCS (6100062-BS1)													Extracted: 10/02/06 18:15	
Surrogate(s): Benzo (a) pyrene-d12		*Recovery: 104%*			*Limits: 10-125%*	*1x*							*10/05/06 13:51*	
LCS Dup (6100062-BSD1)													Extracted: 10/02/06 18:15	
Acenaphthene	EPA 8270m	2.23	---	0.0200	ug/l	1x	--	2.50	89.2%	(35-120)	0.447%	(50)	10/05/06 14:19	
Acenaphthylene	"	2.31	---	0.0200	"	"	--	"	92.4%	(34-116)	2.63%	"	"	
Anthracene	"	2.03	---	0.0200	"	"	--	"	81.2%	(24-119)	1.49%	"	"	
Benzo (a) anthracene	"	2.25	---	0.0200	"	"	--	"	90.0%	(36-128)	0.443%	"	"	
Benzo (a) pyrene	"	2.21	---	0.0200	"	"	--	"	88.4%	(17-128)	0.901%	"	"	
Benzo (b) fluoranthene	"	2.28	---	0.0200	"	"	--	"	91.2%	(37-131)	0.873%	"	"	
Benzo (ghi) perylene	"	1.74	---	0.0200	"	"	--	"	69.6%	(26-126)	9.32%	"	"	
Benzo (k) fluoranthene	"	2.38	---	0.0200	"	"	--	"	95.2%	(18-145)	1.25%	"	"	
Chrysene	"	2.11	---	0.0200	"	"	--	"	84.4%	(16-137)	0.00%	"	"	
Dibenzo (a,h) anthracene	"	1.58	---	0.0200	"	"	--	"	63.2%	(20-141)	11.9%	"	"	
Fluoranthene	"	2.33	---	0.0200	"	"	--	"	93.2%	(31-125)	0.862%	"	"	
Fluorene	"	2.31	---	0.0200	"	"	--	"	92.4%	(27-124)	1.31%	"	"	
Indeno (1,2,3-cd) pyrene	"	2.11	---	0.0200	"	"	--	"	84.4%	(30-135)	2.34%	"	"	
Naphthalene	"	2.11	---	0.0200	"	"	--	"	84.4%	(30-113)	0.475%	"	"	
Phenanthrene	"	2.32	---	0.0200	"	"	--	"	92.8%	(34-126)	0.00%	"	"	
Pyrene	"	2.17	---	0.0200	"	"	--	"	86.8%	(21-141)	2.28%	"	"	
Surrogate(s): Fluorene-d10		*Recovery: 101%*			*Limits: 25-125%*	"							*10/05/06 14:19*	
Pyrene-d10		*99.6%*			*25-150%*	"							"	
Benzo (a) pyrene-d12		*101%*			*10-125%*	"							"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Total Metals by EPA 6000/7000 Series Methods - Laboratory Quality Control Results

TestAmerica - Seattle, WA

QC Batch: 6J03039 **Water Preparation Method: EPA 3020A**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6J03039-BLK1)									Extracted: 10/03/06 12:40					
Silver	EPA 6020	ND	---	0.00100	mg/l	1x	--	--	--	--	--	--	10/04/06 16:44	
Selenium	"	ND	---	0.00100	"	"	--	--	--	--	--	--	"	
Zinc	"	ND	---	0.0100	"	"	--	--	--	--	--	--	"	
Lead	"	ND	---	0.00100	"	"	--	--	--	--	--	--	"	
Arsenic	"	ND	---	0.00100	"	"	--	--	--	--	--	--	"	
Cadmium	"	ND	---	0.00100	"	"	--	--	--	--	--	--	"	
Chromium	"	ND	---	0.00100	"	"	--	--	--	--	--	--	"	
Barium	"	ND	---	0.0100	"	"	--	--	--	--	--	--	"	
Copper	"	ND	---	0.00100	"	"	--	--	--	--	--	--	"	
LCS (6J03039-BS1)									Extracted: 10/03/06 12:40					
Cadmium	EPA 6020	0.0834	---	0.00100	mg/l	1x	--	0.0800	104%	(80-120)	--	--	10/04/06 17:18	
Silver	"	0.0820	---	0.00100	"	"	--	"	102%	"	--	--	"	
Zinc	"	0.0806	---	0.0100	"	"	--	"	101%	"	--	--	"	
Chromium	"	0.0819	---	0.00100	"	"	--	"	102%	"	--	--	"	
Arsenic	"	0.0828	---	0.00100	"	"	--	"	104%	"	--	--	"	
Selenium	"	0.0828	---	0.00100	"	"	--	"	104%	"	--	--	"	
Barium	"	0.0850	---	0.0100	"	"	--	"	106%	"	--	--	"	
Copper	"	0.0842	---	0.00100	"	"	--	"	105%	"	--	--	"	
Lead	"	0.0841	---	0.00100	"	"	--	"	105%	"	--	--	"	
Duplicate (6J03039-DUP1)							QC Source: PPJ1103-01		Extracted: 10/03/06 12:40					
Lead	EPA 6020	0.00109	---	0.00100	mg/l	1x	0.00120	--	--	--	9.61%	(20)	10/04/06 16:49	
Cadmium	"	ND	---	0.00100	"	"	ND	--	--	--	8.82%	"	"	
Chromium	"	ND	---	0.00100	"	"	ND	--	--	--	25.0%	"	"	DP-1
Copper	"	0.00238	---	0.00100	"	"	0.00251	--	--	--	5.32%	"	"	
Barium	"	0.106	---	0.0100	"	"	0.110	--	--	--	3.70%	"	"	
Arsenic	"	0.00905	---	0.00100	"	"	0.00949	--	--	--	4.75%	"	"	
Zinc	"	0.0133	---	0.0100	"	"	0.0135	--	--	--	1.49%	"	"	
Selenium	"	0.00205	---	0.00100	"	"	0.00301	--	--	--	37.9%	"	"	DP-1
Silver	"	ND	---	0.00100	"	"	ND	--	--	--	NR	(50)	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Total Metals by EPA 6000/7000 Series Methods - Laboratory Quality Control Results

TestAmerica - Seattle, WA

QC Batch: 6J03039 **Water Preparation Method: EPA 3020A**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Matrix Spike (6J03039-MS1)				QC Source: PPI1103-01				Extracted: 10/03/06 12:40						
Cadmium	EPA 6020	0.0847	—	0.00100	mg/l	1x	0.000710	0.0800	105%	(80-120)	--	--	10/04/06 17:30	
Selenium	"	0.0865	—	0.00100	"	"	0.00301	"	104%	(78-120)	--	--	"	
Barium	"	0.193	—	0.0100	"	"	0.110	"	104%	(53-142)	--	--	"	
Lead	"	0.0863	—	0.00100	"	"	0.00120	"	106%	(80-120)	--	--	"	
Arsenic	"	0.0939	—	0.00100	"	"	0.00949	"	106%	(75-125)	--	--	"	
Chromium	"	0.0768	—	0.00100	"	"	0.000350	"	95.6%	(80-120)	--	--	"	
Zinc	"	0.0969	—	0.0100	"	"	0.0135	"	104%	(68-128)	--	--	"	
Silver	"	0.0640	—	0.00100	"	"	ND	"	80.0%	(21-142)	--	--	"	
Copper	"	0.0831	—	0.00100	"	"	0.00251	"	101%	(70-125)	--	--	"	
Post Spike (6J03039-PS1)				QC Source: PPI1103-01				Extracted: 10/03/06 12:40						
Zinc	EPA 6020	0.110	—		ug/ml	1x	0.0135	0.0995	97.0%	(75-125)	--	--	10/04/06 17:24	
Chromium	"	0.0882	—		"	"	0.000350	0.100	87.8%	"	--	--	"	
Silver	"	0.0881	—		"	"	-0.0000100	"	88.1%	"	--	--	"	
Selenium	"	0.0992	—		"	"	0.00301	"	96.2%	"	--	--	"	
Barium	"	0.209	—		"	"	0.110	0.0995	99.5%	"	--	--	"	
Cadmium	"	0.0962	—		"	"	0.000710	0.100	95.5%	"	--	--	"	
Copper	"	0.0972	—		"	"	0.00251	0.101	93.8%	"	--	--	"	
Lead	"	0.0990	—		"	"	0.00120	0.0995	98.3%	"	--	--	"	
Arsenic	"	0.112	—		"	"	0.00949	0.100	103%	"	--	--	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007232

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Dissolved Metals by EPA 6000/7000 Series Methods - Laboratory Quality Control Results

TestAmerica - Seattle, WA

QC Batch: 6J02027 **Water Preparation Method: EPA 3005A**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6J02027-BLK1)								Extracted: 10/02/06 11:23						
Lead	EPA 6020 - Diss	ND	---	0.00100	mg/l	1x	--	--	--	--	--	--	10/03/06 09:13	
Selenium	"	ND	---	0.00100	"	"	--	--	--	--	--	--	10/03/06 00:29	
Zinc	"	ND	---	0.0100	"	"	--	--	--	--	--	--	"	
Barium	"	ND	---	0.0100	"	"	--	--	--	--	--	--	10/03/06 09:13	
Silver	"	ND	---	0.00100	"	"	--	--	--	--	--	--	10/03/06 00:29	
Copper	"	ND	---	0.00100	"	"	--	--	--	--	--	--	"	
Arsenic	"	ND	---	0.00100	"	"	--	--	--	--	--	--	"	
Cadmium	"	ND	---	0.00100	"	"	--	--	--	--	--	--	"	
Chromium	"	ND	---	0.00100	"	"	--	--	--	--	--	--	"	
LCS (6J02027-BS1)								Extracted: 10/02/06 11:23						
Silver	EPA 6020 - Diss	0.195	---	0.00100	mg/l	1x	--	0.200	97.5%	(80-120)	--	--	10/03/06 00:52	
Zinc	"	0.202	---	0.0100	"	"	--	"	101%	"	--	--	"	
Arsenic	"	0.199	---	0.00100	"	"	--	"	99.5%	"	--	--	"	
Selenium	"	0.205	---	0.00100	"	"	--	"	102%	"	--	--	"	
Barium	"	0.199	---	0.0100	"	"	--	"	99.5%	"	--	--	10/03/06 09:19	
Copper	"	0.196	---	0.00100	"	"	--	"	98.0%	"	--	--	10/03/06 00:52	
Lead	"	0.197	---	0.00100	"	"	--	"	98.5%	"	--	--	10/03/06 09:19	
Chromium	"	0.208	---	0.00100	"	"	--	"	104%	"	--	--	10/03/06 00:52	
Cadmium	"	0.197	---	0.00100	"	"	--	"	98.5%	"	--	--	"	
Duplicate (6J02027-DUP1)					QC Source: BPI0805-01			Extracted: 10/02/06 11:23						
Arsenic	EPA 6020 - Diss	0.236	---	0.00100	mg/l	1x	0.234	--	--	--	0.851%	(20)	10/03/06 01:04	
Copper	"	0.00256	---	0.00100	"	"	0.00259	--	--	--	1.17%	"	"	
Lead	"	ND	---	0.00100	"	"	ND	--	--	--		"	10/03/06 09:31	
Cadmium	"	ND	---	0.00100	"	"	ND	--	--	--	NR	"	10/03/06 01:04	
Silver	"	ND	---	0.00100	"	"	ND	--	--	--	100%	(50)	"	DP-1
Selenium	"	0.00295	---	0.00100	"	"	0.00285	--	--	--	3.45%	(20)	"	
Zinc	"	0.0142	---	0.0100	"	"	0.0142	--	--	--	0.00%	"	"	
Chromium	"	0.0153	---	0.00100	"	"	0.0150	--	--	--	1.98%	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007233

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
.111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
.Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Dissolved Metals by EPA 6000/7000 Series Methods - Laboratory Quality Control Results

TestAmerica - Seattle, WA

QC Batch: 6J02027 **Water Preparation Method: EPA 3005A**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Duplicate (6J02027-DUP2)				QC Source: BPI0805-01RE1				Extracted: 10/02/06 11:23						
Barium	EPA 6020 - Diss	0.468	---	0.0500	mg/l	5x	0.478	--	--	--	2.11%	(20)	10/03/06 09:42	
Matrix Spike (6J02027-MS1)				QC Source: BPI0805-01				Extracted: 10/02/06 11:23						
Silver	EPA 6020 - Diss	0.0674	---	0.00100	mg/l	1x	0.0000700	0.100	67.3%	(33-122)	--	--	10/03/06 00:58	
Copper	"	0.0938	---	0.00500	"	5x	0.00259	0.101	90.3%	(68-120)	--	--	10/03/06 09:36	
Chromium	"	0.113	---	0.00500	"	"	0.0150	0.100	98.0%	(75-125)	--	--	"	
Zinc	"	0.115	---	0.0500	"	"	0.0142	0.0995	101%	(77-120)	--	--	"	
Lead	"	0.101	---	0.00100	"	1x	ND	"	102%	"	--	--	10/03/06 09:25	
Selenium	"	0.0976	---	0.00500	"	5x	0.00285	0.100	94.8%	(64-143)	--	--	10/03/06 09:36	
Cadmium	"	0.0912	---	0.00100	"	1x	ND	"	91.2%	(68-125)	--	--	10/03/06 00:58	
Arsenic	"	0.353	---	0.00500	"	5x	0.234	"	119%	(80-128)	--	--	10/03/06 09:36	
Matrix Spike (6J02027-MS2)				QC Source: BPI0805-01RE1				Extracted: 10/02/06 11:23						
Barium	EPA 6020 - Diss	0.606	---	0.0500	mg/l	5x	0.478	0.0995	129%	(75-120)	--	--	10/03/06 09:36	Q-02

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007234

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
.111 SW Columbia Street	Project Number:	100-1868-OML	Report Created:
.Portland, OR 97201	Project Manager:	Grant V. Sprick	10/13/06 12:26

Notes and Definitions

Report Specific Notes:

D-19	-	Detected hydrocarbons do not have pattern and range consistent with typical petroleum products and may be due to biogenic interference.
DP-1	-	Sample RPD exceeded the laboratory control limit.
Q-02	-	The spike recovery for this QC sample is outside of the laboratory's established control limits due to sample matrix interference.
R-03	-	The reporting limit for this analyte was raised due to matrix interference.
R-05	-	Reporting limits raised due to dilution necessary for analysis. Sample contains high levels of reported analyte, non-target analyte, and/or matrix interference.
S-02	-	The surrogate recovery for this sample cannot be accurately quantified due to interference from coeluting organic compounds present.

Laboratory Reporting Conventions:

DET	-	Analyte DETECTED at or above the Reporting Limit. Qualitative Analyses only.
ND	-	Analyte NOT DETECTED at or above the reporting limit (MDL or MRL, as appropriate).
NR/NA	-	Not Reported / Not Available
dry	-	Sample results reported on a Dry Weight Basis. Results and Reporting Limits have been corrected for Percent Dry Weight.
wet	-	Sample results and reporting limits reported on a Wet Weight Basis (as received). Results with neither 'wet' nor 'dry' are reported on a Wet Weight Basis.
RPD	-	RELATIVE PERCENT DIFFERENCE (RPDs calculated using Results, not Percent Recoveries).
MRL	-	METHOD REPORTING LIMIT. Reporting Level at, or above, the lowest level standard of the Calibration Table.
MDL*	-	METHOD DETECTION LIMIT. Reporting Level at, or above, the statistically derived limit based on 40CFR, Part 136, Appendix B. *MDLs are listed on the report only if the data has been evaluated below the MRL. Results between the MDL and MRL are reported as Estimated Results.
Dil	-	Dilutions are calculated based on deviations from the standard dilution performed for an analysis, and may not represent the dilution found on the analytical raw data.
Reporting Limits	-	Reporting limits (MDLs and MRLs) are adjusted based on variations in sample preparation amounts, analytical dilutions and percent solids, where applicable.
Electronic Signature	-	Electronic Signature added in accordance with TestAmerica's *Electronic Reporting and Electronic Signatures Policy*. Application of electronic signature indicates that the report has been reviewed and approved for release by the laboratory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

October 20, 2006

Tim Browning
Delta Environmental Consultants - Tigard
7150 SW Hampton - Suite 220
Tigard, OR 97223

RE: Willbridge / KMEP

Enclosed are the results of analyses for samples received by the laboratory on 09/28/06 10:30. The following list is a summary of the Work Orders contained in this report, generated on 10/20/06 19:01.

If you have any questions concerning this report, please feel free to contact me.

Work Order	Project	ProjectNumber
PPI1206	Willbridge / KMEP	PTWB-03A-6

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / KMEP**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/20/06 19:01

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-33	PPI1206-01	Water	09/27/06 14:50	09/28/06 10:30
MW-34	PPI1206-02	Water	09/27/06 14:40	09/28/06 10:30
MW-36	PPI1206-03	Water	09/27/06 15:30	09/28/06 10:30
MW-37	PPI1206-04	Water	09/27/06 13:40	09/28/06 10:30
Dup 2	PPI1206-05	Water	09/27/06 12:00	09/28/06 10:30

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007237

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / KMEP**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/20/06 19:01

Analytical Case Narrative
TestAmerica - Portland, OR

PPI1206

Polynuclear Aromatic Compounds per EPA 8270M-SIM

Naphthalene was detected in the Method Blank at 0.0165 ug/L. Sample MW-33 has a detection for Naphthalene at 0.0468 ug/L. The result for MW-33 has been qualified and should be considered an estimate. Unable to perform corrective action due to insufficient volume left.

No additional anomalies or discrepancies were associated with this analysis other than those already qualified in the data.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / KMEP**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/20/06 19:01

Total Metals per EPA 6000/7000 Series Methods

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1206-01 (MW-33)		**Water**				**Sampled: 09/27/06 14:50**				
Arsenic	EPA 6020	**0.0263**	----	0.0000360	mg/l	1x	6100143	10/03/06 16:42	10/12/06 23:40	
Barium	"	**0.409**	----	0.000800	"	"	"	"	"	
Cadmium	"	ND	----	0.0000752	"	"	"	"	10/07/06 09:22	
Chromium	"	ND	----	0.000800	"	"	"	"	10/12/06 23:40	
Copper	"	ND	----	0.00160	"	"	"	"	"	
Lead	"	ND	----	0.000432	"	"	"	"	"	
Selenium	"	ND	----	0.00160	"	"	"	"	"	
Silver	"	ND	----	0.0000960	"	"	"	"	"	
Zinc	"	**0.0244**	----	0.00400	"	"	"	"	"	
PPI1206-02 (MW-34)		**Water**				**Sampled: 09/27/06 14:40**				
Arsenic	EPA 6020	**0.0143**	----	0.0000360	mg/l	1x	6100143	10/03/06 16:42	10/12/06 23:48	
Barium	"	**0.0700**	----	0.000800	"	"	"	"	"	
Cadmium	"	**0.000103**	----	0.0000752	"	"	"	"	10/07/06 09:30	
Chromium	"	**0.000899**	----	0.000800	"	"	"	"	10/12/06 23:48	
Copper	"	**0.00318**	----	0.00160	"	"	"	"	"	
Lead	"	**0.00139**	----	0.000432	"	"	"	"	"	
Selenium	"	ND	----	0.00160	"	"	"	"	"	
Silver	"	ND	----	0.0000960	"	"	"	"	"	
Zinc	"	**0.0150**	----	0.00400	"	"	"	"	"	
PPI1206-03 (MW-36)		**Water**				**Sampled: 09/27/06 15:30**				
Arsenic	EPA 6020	**0.0176**	----	0.0000360	mg/l	1x	6100143	10/03/06 16:42	10/12/06 23:57	
Barium	"	**0.0545**	----	0.000800	"	"	"	"	"	
Cadmium	"	ND	----	0.0000752	"	"	"	"	10/07/06 09:38	
Chromium	"	ND	----	0.000800	"	"	"	"	10/12/06 23:57	
Copper	"	**0.00170**	----	0.00160	"	"	"	"	"	
Lead	"	ND	----	0.000432	"	"	"	"	"	
Selenium	"	ND	----	0.00160	"	"	"	"	"	
Silver	"	ND	----	0.0000960	"	"	"	"	"	
Zinc	"	**0.00450**	----	0.00400	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007239

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / KMEP**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/20/06 19:01

Total Metals per EPA 6000/7000 Series Methods

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1206-04 (MW-37)		**Water**				**Sampled: 09/27/06 13:40**				
Arsenic	EPA 6020	**0.0199**	—	0.0000360	mg/l	1x	6100143	10/03/06 16:42	10/13/06 00:05	
Barium	"	**0.0394**	—	0.000800	"	"	"	"	"	
Cadmium	"	ND	—	0.0000752	"	"	"	"	10/07/06 09:46	
Chromium	"	ND	—	0.000800	"	"	"	"	10/13/06 00:05	
Copper	"	ND	—	0.00160	"	"	"	"	"	
Lead	"	ND	—	0.000432	"	"	"	"	"	
Selenium	"	ND	—	0.00160	"	"	"	"	10/13/06 19:22	
Silver	"	ND	—	0.0000960	"	"	"	"	10/13/06 00:05	
Zinc	"	ND	—	0.00400	"	"	"	"	"	
PPI1206-05 (Dup 2)		**Water**				**Sampled: 09/27/06 12:00**				
Arsenic	EPA 6020	**0.0157**	—	0.0000360	mg/l	1x	6100143	10/03/06 16:42	10/13/06 00:28	
Barium	"	**0.0480**	—	0.000800	"	"	"	"	"	
Cadmium	"	ND	—	0.0000752	"	"	"	"	10/07/06 09:54	
Chromium	"	ND	—	0.000800	"	"	"	"	10/13/06 00:28	
Copper	"	ND	—	0.00160	"	"	"	"	"	
Lead	"	ND	—	0.000432	"	"	"	"	"	
Selenium	"	ND	—	0.00160	"	"	"	"	"	
Silver	"	ND	—	0.0000960	"	"	"	"	"	
Zinc	"	ND	—	0.00400	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name: **Willbridge / KMEP**	
7150 SW Hampton - Suite 220	Project Number: PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager: Tim Browning	10/20/06 19:01

Mercury by EPA Method 1631 Modified

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1206-01 (MW-33)		**Water**				**Sampled: 09/27/06 14:50**				
Mercury	EPA 1631M	0.00724	—	0.00500	ug/l	1x	6100124	10/03/06 13:58	10/04/06 09:40	
PPI1206-02 (MW-34)		**Water**				**Sampled: 09/27/06 14:40**				
Mercury	EPA 1631M	ND	—	0.00500	ug/l	1x	6100124	10/03/06 13:58	10/04/06 09:43	
PPI1206-03 (MW-36)		**Water**				**Sampled: 09/27/06 15:30**				
Mercury	EPA 1631M	ND	—	0.00500	ug/l	1x	6100124	10/03/06 13:58	10/04/06 09:45	
PPI1206-04 (MW-37)		**Water**				**Sampled: 09/27/06 13:40**				
Mercury	EPA 1631M	ND	—	0.00500	ug/l	1x	6100124	10/03/06 13:58	10/04/06 09:48	
PPI1206-05 (Dup 2)		**Water**				**Sampled: 09/27/06 12:00**				
Mercury	EPA 1631M	ND	—	0.00500	ug/l	1x	6100124	10/03/06 13:58	10/04/06 09:50	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name: **Willbridge / KMEP**	
7150 SW Hampton - Suite 220	Project Number: PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager: Tim Browning	10/20/06 19:01

Selected Volatile Organic Compounds (Including BTEX) per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL[A]	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1206-01 (MW-33)		**Water**			**Sampled: 09/27/06 14:50**					
Benzene	EPA 8260B	ND	—	0.200	ug/l	1x	6100179	10/04/06 09:07	10/04/06 15:24	
Toluene	"	ND	—	0.500	"	"	"	"	"	
Ethylbenzene	"	ND	—	0.500	"	"	"	"	"	
Xylenes (total)	"	ND	—	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	—	2.00	"	"	"	"	"	
Surrogate(s):	*4-BFB*		*100%*		*80 - 120 %*	"			"	
	1,2-DCA-d4		*112%*		*80 - 120 %*	"			"	
	Dibromofluoromethane		*104%*		*80 - 120 %*	"			"	
	Toluene-d8		*100%*		*80 - 120 %*	"			"	
PPI1206-02 (MW-34)		**Water**			**Sampled: 09/27/06 14:40**					
Benzene	EPA 8260B	ND	—	0.200	ug/l	1x	6100179	10/04/06 09:07	10/04/06 15:51	
Toluene	"	ND	—	0.500	"	"	"	"	"	
Ethylbenzene	"	ND	—	0.500	"	"	"	"	"	
Xylenes (total)	"	ND	—	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	—	2.00	"	"	"	"	"	
Surrogate(s):	*4-BFB*		*100%*		*80 - 120 %*	"			"	
	1,2-DCA-d4		*109%*		*80 - 120 %*	"			"	
	Dibromofluoromethane		*102%*		*80 - 120 %*	"			"	
	Toluene-d8		*102%*		*80 - 120 %*	"			"	
PPI1206-03 (MW-36)		**Water**			**Sampled: 09/27/06 15:30**					
Benzene	EPA 8260B	ND	—	0.200	ug/l	1x	6100179	10/04/06 09:07	10/04/06 16:18	
Toluene	"	ND	—	0.500	"	"	"	"	"	
Ethylbenzene	"	ND	—	0.500	"	"	"	"	"	
Xylenes (total)	"	ND	—	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	—	2.00	"	"	"	"	"	
Surrogate(s):	*4-BFB*		*99.5%*		*80 - 120 %*	"			"	
	1,2-DCA-d4		*106%*		*80 - 120 %*	"			"	
	Dibromofluoromethane		*101%*		*80 - 120 %*	"			"	
	Toluene-d8		*100%*		*80 - 120 %*	"			"	

The results in this report apply to the samples analyzed in accordance with the chain of custody documents. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007242

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / KMEP**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/20/06 19:01

Selected Volatile Organic Compounds (Including BTEX) per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1206-04 (MW-37)		**Water**				**Sampled: 09/27/06 13:40**				
Benzene	EPA 8260B	ND	----	0.200	ug/l	1x	6100179	10/04/06 09:07	10/04/06 16:45	
Toluene	"	ND	----	0.500	"	"	"	"	"	
Ethylbenzene	"	ND	----	0.500	"	"	"	"	"	
Xylenes (total)	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	2.00	"	"	"	"	"	
Surrogate(s): *4-BFB*			*106%*		*80 - 120 %*	"			"	
1,2-DCA-d4			*109%*		*80 - 120 %*	"			"	
Dibromofluoromethane			*104%*		*80 - 120 %*	"			"	
Toluene-d8			*100%*		*80 - 120 %*	"			"	
PPI1206-05 (Dup 2)		**Water**				**Sampled: 09/27/06 12:00**				
Benzene	EPA 8260B	ND	----	0.200	ug/l	1x	6100179	10/04/06 09:07	10/04/06 17:12	
Toluene	"	ND	----	0.500	"	"	"	"	"	
Ethylbenzene	"	ND	----	0.500	"	"	"	"	"	
Xylenes (total)	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	2.00	"	"	"	"	"	
Surrogate(s): *4-BFB*			*96.0%*		*80 - 120 %*	"			"	
1,2-DCA-d4			*103%*		*80 - 120 %*	"			"	
Dibromofluoromethane			*102%*		*80 - 120 %*	"			"	
Toluene-d8			*101%*		*80 - 120 %*	"			"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / KMEP**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/20/06 19:01

Polynuclear Aromatic Compounds per EPA 8270M-SIM

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PP11206-01 (MW-33)		**Water**				**Sampled: 09/27/06 14:50**				
Acenaphthene	EPA 8270m	ND	----	0.00990	ug/l	1x	6091266	09/29/06 15:30	10/09/06 18:57	
Benzo (a) anthracene	"	**0.00615**	----	0.00495	"	"	"	"	10/16/06 17:53	
Acenaphthylene	"	ND	----	0.00990	"	"	"	"	10/09/06 18:57	
Benzo (a) pyrene	"	ND	----	0.00495	"	"	"	"	10/16/06 17:53	
Anthracene	"	ND	----	0.00990	"	"	"	"	10/09/06 18:57	
Benzo (b) fluoranthene	"	**0.00540**	----	0.00495	"	"	"	"	10/16/06 17:53	
Benzo (k) fluoranthene	"	**0.00659**	----	0.00495	"	"	"	"	"	
Chrysene	"	**0.00718**	----	0.00495	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.00495	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.00990	"	"	"	"	10/09/06 18:57	
Indeno (1,2,3-cd) pyrene	"	**0.00510**	----	0.00495	"	"	"	"	10/16/06 17:53	
Fluoranthene	"	ND	----	0.00990	"	"	"	"	10/09/06 18:57	
Fluorene	"	ND	----	0.00990	"	"	"	"	"	
Naphthalene	"	**0.0468**	----	0.00990	"	"	"	"	"	BK-2, X
Phenanthrene	"	ND	----	0.00990	"	"	"	"	"	
Pyrene	"	**0.0189**	----	0.00990	"	"	"	"	"	
Surrogate(s): Benzo (a) pyrene-d12		*65.3%*		*10 - 125 %*	"				*10/16/06 17:53*	
Fluorene-d10		*83.9%*		*25 - 125 %*	"				*10/09/06 18:57*	
Pyrene-d10		*105%*		*25 - 150 %*	"				"	
PP11206-02 (MW-34)		**Water**				**Sampled: 09/27/06 14:40**				
Acenaphthene	EPA 8270m	**0.271**	----	0.0200	ug/l	2x	6091266	09/29/06 15:30	10/12/06 07:16	
Benzo (a) anthracene	"	ND	----	0.00500	"	1x	"	"	10/16/06 18:20	
Acenaphthylene	"	ND	----	0.0200	"	2x	"	"	10/12/06 07:16	R-03
Benzo (a) pyrene	"	ND	----	0.00500	"	1x	"	"	10/16/06 18:20	
Anthracene	"	ND	----	0.0250	"	"	"	"	10/09/06 19:25	R-03
Benzo (b) fluoranthene	"	ND	----	0.00500	"	"	"	"	10/16/06 18:20	
Benzo (k) fluoranthene	"	ND	----	0.00500	"	"	"	"	"	
Chrysene	"	ND	----	0.00500	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.00500	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.0100	"	"	"	"	10/09/06 19:25	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.00500	"	"	"	"	10/16/06 18:20	
Fluoranthene	"	ND	----	0.0100	"	"	"	"	10/09/06 19:25	
Fluorene	"	ND	----	0.0200	"	2x	"	"	10/12/06 07:16	R-03
Naphthalene	"	ND	----	0.400	"	"	"	"	"	R-03, B-15
Phenanthrene	"	ND	----	0.0150	"	1x	"	"	10/09/06 19:25	R-03
Pyrene	"	**0.0206**	----	0.0100	"	"	"	"	"	
Surrogate(s): Benzo (a) pyrene-d12		*59.7%*		*10 - 125 %*	"				*10/16/06 18:20*	
Fluorene-d10		*61.8%*		*25 - 125 %*	*2x*				*10/12/06 07:16*	
Pyrene-d10		*99.2%*		*25 - 150 %*	*1x*				*10/09/06 19:25*	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007244

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / KMEP**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/20/06 19:01

Polynuclear Aromatic Compounds per EPA 8270M-SIM

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1206-03 (MW-36)		**Water**				**Sampled: 09/27/06 15:30**				
Acenaphthene	EPA 8270m	0.606	—	0.0200	ug/l	2x	6091266	09/29/06 15:30	10/12/06 18:17	
Benzo (a) anthracene	"	ND	—	0.00500	"	1x	"	"	10/16/06 18:48	
Acenaphthylene	"	ND	—	0.0200	"	2x	"	"	10/12/06 18:17	R-03
Benzo (a) pyrene	"	ND	—	0.00500	"	1x	"	"	10/16/06 18:48	
Anthracene	"	ND	—	0.0200	"	"	"	"	10/09/06 19:53	R-03
Benzo (b) fluoranthene	"	ND	—	0.00500	"	"	"	"	10/16/06 18:48	
Benzo (k) fluoranthene	"	ND	—	0.00500	"	"	"	"	"	
Chrysene	"	ND	—	0.00500	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	—	0.00500	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	—	0.0100	"	"	"	"	10/09/06 19:53	
Indeno (1,2,3-cd) pyrene	"	ND	—	0.00500	"	"	"	"	10/16/06 18:48	
Fluoranthene	"	ND	—	0.0100	"	"	"	"	10/09/06 19:53	
Fluorene	"	ND	—	0.0200	"	2x	"	"	10/12/06 18:17	R-03
Naphthalene	"	ND	—	0.400	"	"	"	"	"	R-03, B-18
Phenanthrene	"	0.103	—	0.0100	"	1x	"	"	10/09/06 19:53	
Pyrene	"	0.121	—	0.0100	"	"	"	"	"	
Surrogate(s): Benzo (a) pyrene-d12			*76.2%*		*10 - 125 %*	"			*10/16/06 18:48*	
Fluorene-d10			*85.6%*		*25 - 125 %*	*2x*			*10/12/06 18:17*	
Pyrene-d10			*112%*		*23 - 150 %*	*1x*			*10/09/06 19:53*	
PPI1206-04 (MW-37)		**Water**				**Sampled: 09/27/06 13:40**				
Acenaphthene	EPA 8270m	0.653	—	0.0500	ug/l	5x	6091266	09/29/06 15:30	10/12/06 18:45	
Benzo (a) anthracene	"	0.0212	—	0.0100	"	2x	"	"	10/16/06 19:16	
Acenaphthylene	"	ND	—	0.250	"	5x	"	"	10/12/06 18:45	R-03
Benzo (a) pyrene	"	0.0486	—	0.0100	"	2x	"	"	10/16/06 19:16	
Anthracene	"	ND	—	0.0400	"	1x	"	"	10/09/06 20:21	R-03
Benzo (b) fluoranthene	"	0.0326	—	0.0100	"	2x	"	"	10/16/06 19:16	
Benzo (k) fluoranthene	"	0.0314	—	0.0100	"	"	"	"	"	
Chrysene	"	0.0296	—	0.0100	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	0.0120	—	0.0100	"	"	"	"	"	
Benzo (ghi) perylene	"	0.0717	—	0.0100	"	1x	"	"	10/09/06 20:21	
Indeno (1,2,3-cd) pyrene	"	0.0456	—	0.0100	"	2x	"	"	10/16/06 19:16	
Fluoranthene	"	0.0562	—	0.0100	"	1x	"	"	10/09/06 20:21	
Fluorene	"	0.342	—	0.0500	"	5x	"	"	10/12/06 18:45	
Naphthalene	"	ND	—	1.20	"	"	"	"	"	R-03, B-18
Phenanthrene	"	0.135	—	0.0100	"	1x	"	"	10/09/06 20:21	
Pyrene	"	0.123	—	0.0100	"	"	"	"	"	
Surrogate(s): Benzo (a) pyrene-d12			*59.3%*		*10 - 125 %*	*2x*			*10/16/06 19:16*	
Fluorene-d10			*73.5%*		*25 - 125 %*	*5x*			*10/12/06 18:45*	
Pyrene-d10			*96.8%*		*23 - 150 %*	*1x*			*10/09/06 20:21*	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / KMEP**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/20/06 19:01

Polynuclear Aromatic Compounds per EPA 8270M-SIM

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1206-05 (Dup 2)		Water			Sampled: 09/27/06 12:00					
Acenaphthene	EPA 8270m	**0.528**	—	0.00995	ug/l	1x	6091266	09/29/06 15:30	10/09/06 20:49	
Benzo (a) anthracene	"	**0.00544**	—	0.00498	"	"	"	"	10/16/06 19:43	
Acenaphthylene	"	ND	—	0.0199	"	"	"	"	10/09/06 20:49	R-03
Benzo (a) pyrene	"	ND	—	0.00498	"	"	"	"	10/16/06 19:43	
Anthracene	"	ND	—	0.0249	"	"	"	"	10/09/06 20:49	R-03
Benzo (b) fluoranthene	"	ND	—	0.00498	"	"	"	"	10/16/06 19:43	
Benzo (k) fluoranthene	"	ND	—	0.00498	"	"	"	"	"	
Chrysene	"	**0.00527**	—	0.00498	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	**0.00522**	—	0.00498	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	—	0.00995	"	"	"	"	10/09/06 20:49	
Indeno (1,2,3-cd) pyrene	"	**0.00559**	—	0.00498	"	"	"	"	10/16/06 19:43	
Fluoranthene	"	ND	—	0.00995	"	"	"	"	10/09/06 20:49	
Fluorene	"	ND	—	0.0149	"	"	"	"	"	R-03
Naphthalene	"	ND	—	0.279	"	"	"	"	"	R-03, B-18
Phenanthrene	"	**0.104**	—	0.00995	"	"	"	"	"	
Pyrene	"	**0.109**	—	0.00995	"	"	"	"	"	
Surrogate(s): Benzo (a) pyrene-d12		*68.5%*		*10 - 125 %*	"				*10/16/06 19:43*	
Fluorene-d10		*76.5%*		*25 - 125 %*	"				*10/09/06 20:49*	
Pyrene-d10		*104%*		*23 - 150 %*	"				"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007246

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / KMEP**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/20/06 19:01

Total Metals per EPA 6000/7000 Series Methods - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100143 **Water Preparation Method: EPA 200/3005**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100143-BLK1)								Extracted: 10/03/06 16:42						
Arsenic	EPA 6020	ND	--	0.0000450	mg/l	1x	--	--	--	--	--	--	10/09/06 22:52	
Barium	"	ND	--	0.00100	"	"	--	--	--	--	--	--	10/07/06 07:36	
Cadmium	"	ND	--	0.0000940	"	"	--	--	--	--	--	--	"	
Chromium	"	ND	--	0.00100	"	"	--	--	--	--	--	--	"	
Copper	"	ND	--	0.00200	"	"	--	--	--	--	--	--	"	
Lead	"	ND	--	0.000540	"	"	--	--	--	--	--	--	"	
Selenium	"	ND	--	0.00200	"	"	--	--	--	--	--	--	10/09/06 22:52	
Silver	"	ND	--	0.00100	"	"	--	--	--	--	--	--	10/12/06 09:04	
Zinc	"	ND	--	0.00500	"	"	--	--	--	--	--	--	10/09/06 22:52	
LCS (6100143-BS1)								Extracted: 10/03/06 16:42						
Arsenic	EPA 6020	0.111	--	0.00100	mg/l	1x	--	0.100	111%	(80-120)	--	--	10/07/06 07:45	
Barium	"	0.0964	--	0.00100	"	"	--	"	96.4%	"	--	--	10/11/06 09:17	
Cadmium	"	0.0898	--	0.00100	"	"	--	"	89.8%	"	--	--	"	
Chromium	"	0.120	--	0.00100	"	"	--	"	120%	"	--	--	10/07/06 07:45	
Copper	"	0.116	--	0.00200	"	"	--	"	116%	"	--	--	"	
Lead	"	0.108	--	0.00100	"	"	--	"	108%	"	--	--	"	
Selenium	"	0.0567	--	0.00200	"	"	--	0.0500	113%	"	--	--	10/09/06 23:00	
Silver	"	0.0476	--	0.00100	"	"	--	"	95.2%	"	--	--	10/11/06 09:17	
Zinc	"	0.118	--	0.00500	"	"	--	0.100	118%	"	--	--	10/09/06 23:00	
Duplicate (6100143-DUP1)							QC Source: PP11204-01	Extracted: 10/03/06 16:42						
Arsenic	EPA 6020	0.0177	--	0.00100	mg/l	1x	0.0140	--	--	--	23.3%	(20)	10/09/06 23:14	Q-03
Barium	"	1.46	--	0.0100	"	10x	1.21	--	--	--	18.7%	"	10/13/06 18:38	
Cadmium	"	0.00557	--	0.00100	"	1x	0.00458	--	--	--	19.5%	"	10/07/06 07:58	
Chromium	"	0.166	--	0.00100	"	"	0.130	--	--	--	24.3%	"	10/11/06 09:31	Q-03
Copper	"	0.234	--	0.00200	"	"	0.185	--	--	--	23.4%	"	10/09/06 23:14	Q-03
Lead	"	0.0475	--	0.00100	"	"	0.0418	--	--	--	12.8%	"	10/07/06 07:58	
Selenium	"	ND	--	0.00200	"	"	ND	--	--	--	17.5%	"	10/09/06 23:14	
Silver	"	ND	--	0.00100	"	"	ND	--	--	--	44.6%	"	10/11/06 09:31	Q-06
Zinc	"	0.453	--	0.00500	"	"	0.358	--	--	--	23.4%	"	10/09/06 23:14	Q-03

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007247

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / KMEP**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/20/06 19:01

Total Metals per EPA 6000/7000 Series Methods - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100143 **Water Preparation Method: EPA 200/3005**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Matrix Spike (6100143-MS1)				QC Source: PPI1204-01				Extracted: 10/03/06 16:42						
Arsenic	EPA 6020	0.101	--	0.00100	mg/l	1x	0.0140	0.100	87.0%	(75-125)	--	--	10/07/06 08:13	
Barium	"	1.72	--	0.00500	"	5x	1.21	"	510%	"	--	--	10/07/06 08:06	Q-03
Cadmium	"	0.111	--	0.00100	"	1x	0.00458	"	106%	"	--	--	10/07/06 08:13	
Chromium	"	0.277	--	0.00100	"	"	0.130	"	147%	"	--	--	"	Q-03
Copper	"	0.331	--	0.00200	"	"	0.185	"	146%	"	--	--	"	Q-03
Lead	"	0.145	--	0.00100	"	"	0.0418	"	103%	"	--	--	"	
Selenium	"	0.0363	--	0.00200	"	"	0.000547	0.0500	71.5%	"	--	--	10/09/06 23:29	Q-02
Silver	"	0.0566	--	0.00100	"	"	0.000732	"	112%	"	--	--	10/12/06 22:23	
Zinc	"	0.528	--	0.00500	"	"	0.358	0.100	170%	"	--	--	10/09/06 23:29	Q-03
Matrix Spike (6100143-MS2)				QC Source: PPI1207-07				Extracted: 10/03/06 16:42						
Arsenic	EPA 6020	0.148	--	0.00100	mg/l	1x	0.0674	0.100	80.6%	(75-125)	--	--	10/13/06 18:53	
Barium	"	2.53	--	0.0100	"	10x	1.97	"	560%	"	--	--	10/13/06 18:45	Q-03
Cadmium	"	0.102	--	0.00100	"	1x	0.00184	"	100%	"	--	--	10/13/06 18:53	
Chromium	"	0.333	--	0.0100	"	10x	0.122	"	211%	"	--	--	"	Q-03
Copper	"	0.433	--	0.0200	"	"	0.159	"	274%	"	--	--	"	Q-03
Lead	"	0.320	--	0.00100	"	1x	0.175	"	145%	"	--	--	"	Q-03
Selenium	"	0.0172	--	0.00200	"	"	0.000851	0.0500	32.7%	"	--	--	"	Q-02
Silver	"	0.0519	--	0.00100	"	"	0.000549	"	103%	"	--	--	"	
Zinc	"	1.17	--	0.0500	"	10x	0.496	0.100	674%	"	--	--	"	Q-03

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007248

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / KMEP**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/20/06 19:01

Mercury by EPA Method 1631 Modified - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100124 **Water Preparation Method: EPA 1631**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100124-BLK1)								Extracted: 10/03/06 13:58						
Mercury	EPA 1631M	ND	---	0.00500	ug/l	1x	--	--	--	--	--	--	10/04/06 09:04	
LCS (6100124-BS1)								Extracted: 10/03/06 13:58						
Mercury	EPA 1631M	0.0522	---	0.00500	ug/l	1x	--	0.0500	104%	(85-115)	--	--	10/04/06 09:06	
LCS Dup (6100124-BSD1)								Extracted: 10/03/06 13:58						
Mercury	EPA 1631M	0.0518	---	0.00500	ug/l	1x	--	0.0500	104%	(85-115)	0.769%	(20)	10/04/06 09:09	
Duplicate (6100124-DUP1)				QC Source: PPI1206-02				Extracted: 10/03/06 13:58						
Mercury	EPA 1631M	ND	---	0.00500	ug/l	1x	ND	--	--	--	53.5%	(20)	10/04/06 09:12	Q-06
Matrix Spike (6100124-MS1)				QC Source: PPI1206-02				Extracted: 10/03/06 13:58						
Mercury	EPA 1631M	0.0509	---	0.00500	ug/l	1x	0.00289	0.0500	96.0%	(75-125)	--	--	10/04/06 09:14	
Matrix Spike (6100124-MS2)				QC Source: PPI1213-01				Extracted: 10/03/06 13:58						
Mercury	EPA 1631M	0.0525	---	0.00500	ug/l	1x	ND	0.0500	105%	(75-125)	--	--	10/04/06 09:20	
Matrix Spike Dup (6100124-MSD1)				QC Source: PPI1206-02				Extracted: 10/03/06 13:58						
Mercury	EPA 1631M	0.0496	---	0.00500	ug/l	1x	0.00289	0.0500	93.4%	(75-125)	2.59%	(20)	10/04/06 09:17	
Matrix Spike Dup (6100124-MSD2)				QC Source: PPI1213-01				Extracted: 10/03/06 13:58						
Mercury	EPA 1631M	0.0509	---	0.00500	ug/l	1x	ND	0.0500	102%	(75-125)	3.09%	(20)	10/04/06 09:22	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / KMEP**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/20/06 19:01

Selected Volatile Organic Compounds (Including BTEX) per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100179 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100179-BLK1)								Extracted: 10/04/06 09:07						
1,2-Dibromoethane	EPA 8260B	ND	---	0.500	ug/l	1x	--	--	--	--	--	--	10/04/06 14:30	
1,2-Dichloroethane	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Benzene	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
Toluene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Ethylbenzene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Xylenes (total)	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Methyl tert-butyl ether	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
Naphthalene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trimethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3,5-Trimethylbenzene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Isopropylbenzene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
n-Propylbenzene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Surrogate(s):	*4-BFB*	*Recovery:*	*102%*		*Limits: 80-120%*	"							*10/04/06 14:30*	
	1,2-DCA-d4		*104%*		*80-120%*	"							"	
	Dibromofluoromethane		*100%*		*80-120%*	"							"	
	Toluene-d8		*99.5%*		*80-120%*	"							"	
LCS (6100179-BS1)								Extracted: 10/04/06 09:07						
Benzene	EPA 8260B	19.4	---	0.200	ug/l	1x	--	20.0	97.0%	(80-120)	--	--	10/04/06 12:39	
Toluene	"	19.5	---	0.500	"	"	--	"	97.5%	(80-124)	--	--	"	
Ethylbenzene	"	20.2	---	0.500	"	"	--	"	101%	(80-120)	--	--	"	
Xylenes (total)	"	61.8	---	1.00	"	"	--	60.0	103%	(73-124)	--	--	"	
Methyl tert-butyl ether	"	21.2	---	2.00	"	"	--	20.0	106%	(80-129)	--	--	"	
Naphthalene	"	27.0	---	2.00	"	"	--	"	135%	(72-149)	--	--	"	
Surrogate(s):	*4-BFB*	*Recovery:*	*100%*		*Limits: 80-120%*	"							*10/04/06 12:39*	
	1,2-DCA-d4		*106%*		*80-120%*	"							"	
	Dibromofluoromethane		*99.0%*		*80-120%*	"							"	
	Toluene-d8		*101%*		*80-120%*	"							"	
Matrix Spike (6100179-MS1)					QC Source: PPJ1206-01			Extracted: 10/04/06 09:07						
Benzene	EPA 8260B	18.4	---	0.200	ug/l	1x	ND	20.0	92.0%	(80-124)	--	--	10/04/06 13:10	
Toluene	"	18.9	---	0.500	"	"	ND	"	94.5%	(79.7-131)	--	--	"	
Ethylbenzene	"	19.9	---	0.500	"	"	ND	"	99.5%	(80-124)	--	--	"	
Xylenes (total)	"	59.8	---	1.00	"	"	ND	60.0	99.7%	(44.6-154)	--	--	"	
Methyl tert-butyl ether	"	21.1	---	2.00	"	"	ND	20.0	106%	(80-130)	--	--	"	
Naphthalene	"	28.3	---	2.00	"	"	ND	"	142%	(69-163)	--	--	"	
Surrogate(s):	*4-BFB*	*Recovery:*	*101%*		*Limits: 80-120%*	"							*10/04/06 13:10*	
	1,2-DCA-d4		*110%*		*80-120%*	"							"	
	Dibromofluoromethane		*102%*		*80-120%*	"							"	
	Toluene-d8		*99.5%*		*80-120%*	"							"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007250

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / KMEP**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/20/06 19:01

Selected Volatile Organic Compounds (Including BTEX) per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100179 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Matrix Spike Dup (6100179-MSD1)					QC Source: PPI1206-01				Extracted: 10/04/06 09:07					
Benzene	EPA 8260B	19.0	—	0.200	ug/l	1x	ND	20.0	95.0%	(80-124)	3.21%	(25)	10/04/06 13:37	
Toluene	"	19.5	—	0.500	"	"	ND	"	97.5%	(79.7-131)	3.13%	"	"	
Ethylbenzene	"	20.2	—	0.500	"	"	ND	"	101%	(80-124)	1.50%	"	"	
Xylenes (total)	"	61.7	—	1.00	"	"	ND	60.0	103%	(44.6-154)	3.13%	"	"	
Methyl tert-butyl ether	"	21.4	—	2.00	"	"	ND	20.0	107%	(80-130)	1.41%	"	"	
Naphthalene	"	27.8	—	2.00	"	"	ND	"	139%	(69-163)	1.78%	"	"	
Surrogate(s): 4-BFB		*Recovery: 100%*			*Limits: 80-120%*	"							*10/04/06 13:37*	
1,2-DCA-d4		*110%*			*80-120%*	"							"	
Dibromofluoromethane		*99.5%*			*80-120%*	"							"	
Toluene-d8		*101%*			*80-120%*	"							"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007251

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / KMEP**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/20/06 19:01

Polynuclear Aromatic Compounds per EPA 8270M-SIM - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6091266 **Water Preparation Method: 3520B Liq-Liq**

Analyte	Method	Result	MDL^	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6091266-BLK1)							Extracted: 09/29/06 15:30							
Benzo (a) anthracene	EPA 8270m	ND	---	0.00500	ug/l	1x	--	--	--	--	--	--	10/16/06 17:25	
Acenaphthene	"	ND	---	0.0100	"	"	--	--	--	--	--	--	10/09/06 13:53	
Benzo (a) pyrene	"	ND	---	0.00500	"	"	--	--	--	--	--	--	10/16/06 17:25	
Acenaphthylene	"	ND	---	0.0100	"	"	--	--	--	--	--	--	10/09/06 13:53	
Anthracene	"	ND	---	0.0100	"	"	--	--	--	--	--	--	"	
Benzo (b) fluoranthene	"	ND	---	0.00500	"	"	--	--	--	--	--	--	10/16/06 17:25	
Benzo (k) fluoranthene	"	ND	---	0.00500	"	"	--	--	--	--	--	--	"	
Chrysene	"	ND	---	0.00500	"	"	--	--	--	--	--	--	"	
Dibenzo (a,h) anthracene	"	ND	---	0.00500	"	"	--	--	--	--	--	--	"	
Benzo (ghi) perylene	"	ND	---	0.0100	"	"	--	--	--	--	--	--	10/09/06 13:53	
Indeno (1,2,3-cd) pyrene	"	ND	---	0.00500	"	"	--	--	--	--	--	--	10/16/06 17:25	
Fluoranthene	"	ND	---	0.0100	"	"	--	--	--	--	--	--	10/09/06 13:53	
Fluorene	"	ND	---	0.0100	"	"	--	--	--	--	--	--	"	
Naphthalene	"	0.0165	---	0.0100	"	"	--	--	--	--	--	--	"	A-01
Phenanthrene	"	ND	---	0.0100	"	"	--	--	--	--	--	--	"	
Pyrene	"	ND	---	0.0100	"	"	--	--	--	--	--	--	"	
Benzo (a) pyrene-d12		*96.8%*			*10-125%*	"							*10/16/06 17:25*	
Fluorene-d10		*118%*			*25-125%*	"							*10/09/06 13:53*	
Surrogate(s): Pyrene-d10	*Recovery:*	*81.6%*		*Limits:*	*23-150%*	"							*10/09/06 13:53*	
LCS (6091266-BS1)							Extracted: 09/29/06 15:30							
Acenaphthene	EPA 8270m	1.15	---	0.0100	ug/l	1x	--	1.25	92.0%	(35-120)	--	--	10/09/06 14:21	
Acenaphthylene	"	1.26	---	0.0100	"	"	--	"	101%	(34-116)	--	--	"	
Benzo (a) pyrene	"	1.20	---	0.00500	"	"	--	"	96.0%	(38-137)	--	--	10/16/06 16:57	
Anthracene	"	1.13	---	0.0100	"	"	--	"	90.4%	(24-119)	--	--	10/09/06 14:21	
Benzo (a) anthracene	"	1.22	---	0.0100	"	"	--	"	97.6%	(36-128)	--	--	"	
Benzo (a) pyrene	"	1.21	---	0.0100	"	"	--	"	96.8%	(17-128)	--	--	"	
Benzo (b) fluoranthene	"	1.40	---	0.0100	"	"	--	"	112%	(37-131)	--	--	"	
Benzo (ghi) perylene	"	1.22	---	0.0100	"	"	--	"	97.6%	(26-126)	--	--	"	
Benzo (k) fluoranthene	"	1.22	---	0.0100	"	"	--	"	97.6%	(18-145)	--	--	"	
Chrysene	"	1.14	---	0.0100	"	"	--	"	91.2%	(16-137)	--	--	"	
Dibenzo (a,h) anthracene	"	1.35	---	0.0100	"	"	--	"	108%	(20-141)	--	--	"	
Fluoranthene	"	1.28	---	0.0100	"	"	--	"	102%	(31-125)	--	--	"	
Fluorene	"	1.36	---	0.0100	"	"	--	"	109%	(27-124)	--	--	"	
Indeno (1,2,3-cd) pyrene	"	1.31	---	0.0100	"	"	--	"	105%	(30-135)	--	--	"	
Naphthalene	"	1.13	---	0.0100	"	"	--	"	90.4%	(30-113)	--	--	"	BK-3
Phenanthrene	"	1.24	---	0.0100	"	"	--	"	99.2%	(34-126)	--	--	"	
Pyrene	"	1.17	---	0.0100	"	"	--	"	93.6%	(21-141)	--	--	"	
Benzo (a) pyrene-d12		*98.4%*			*10-125%*	"							*10/16/06 16:57*	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007252

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / KMEP**
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6
Tigard, OR 97223	Project Manager:	Tim Browning
		Report Created: 10/20/06 19:01

Polynuclear Aromatic Compounds per EPA 8270M-SIM - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6091266 **Water Preparation Method: 3520B Liq-Liq**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
LCS (6091266-BS1)													Extracted: 09/29/06 15:30	
Fluorene-d10		*107%*			*25-125%*	*1x*							*10/09/06 14:21*	
Surrogate(s): Pyrene-d10	*Recovery:*	*99.2%*			*Limits: 23-150%*	"							*10/09/06 14:21*	
Benzo (a) pyrene-d12		*102%*			*10-125%*	"							"	
LCS Dup (6091266-BSD1)													Extracted: 09/29/06 15:30	
Acenaphthene	EPA 8270m	1.10	---	0.0100	ug/l	1x	--	1.25	88.0%	(35-120)	4.44%	(50)	10/09/06 14:49	
Acenaphthylene	"	1.23	---	0.0100	"	"	--	"	98.4%	(34-116)	2.61%	"	"	
Benzo (a) pyrene	"	1.22	---	0.00500	"	"	--	"	97.6%	(38-137)	1.65%	(60)	10/16/06 16:29	
Anthracene	"	1.14	---	0.0100	"	"	--	"	91.2%	(24-119)	0.881%	(50)	10/09/06 14:49	
Benzo (a) anthracene	"	1.23	---	0.0100	"	"	--	"	98.4%	(36-128)	0.816%	"	"	
Benzo (a) pyrene	"	1.23	---	0.0100	"	"	--	"	98.4%	(17-128)	1.64%	"	"	
Benzo (b) fluoranthene	"	1.41	---	0.0100	"	"	--	"	113%	(37-131)	0.889%	"	"	
Benzo (ghi) perylene	"	1.20	---	0.0100	"	"	--	"	96.0%	(26-126)	1.65%	"	"	
Benzo (k) fluoranthene	"	1.16	---	0.0100	"	"	--	"	92.8%	(18-145)	5.04%	"	"	
Chrysene	"	1.14	---	0.0100	"	"	--	"	91.2%	(16-137)	0.00%	"	"	
Dibenzo (a,h) anthracene	"	1.33	---	0.0100	"	"	--	"	106%	(20-141)	1.87%	"	"	
Fluoranthene	"	1.25	---	0.0100	"	"	--	"	100%	(31-125)	1.98%	"	"	
Fluorene	"	1.23	---	0.0100	"	"	--	"	98.4%	(27-124)	10.2%	"	"	
Indeno (1,2,3-cd) pyrene	"	1.28	---	0.0100	"	"	--	"	102%	(30-135)	2.90%	"	"	
Naphthalene	"	1.10	---	0.0100	"	"	--	"	88.0%	(30-113)	2.69%	"	"	BK-3
Phenanthrene	"	1.19	---	0.0100	"	"	--	"	95.2%	(34-126)	4.12%	"	"	
Pyrene	"	1.15	---	0.0100	"	"	--	"	92.0%	(21-141)	1.72%	"	"	
Benzo (a) pyrene-d12		*102%*			*10-125%*	"							*10/16/06 16:29*	
Fluorene-d10		*107%*			*25-125%*	"							*10/09/06 14:49*	
Surrogate(s): Pyrene-d10	*Recovery:*	*100%*			*Limits: 23-150%*	"							*10/09/06 14:49*	
Benzo (a) pyrene-d12		*105%*			*10-125%*	"							"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007253

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / KMEP**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/20/06 19:01

Notes and Definitions

Report Specific Notes:

A-01	-	Suspected lab contamination
B-18	-	Analyte was detected in the blank at greater than one-half of the MRL, but samples are ND.
BK-2	-	Analyte was detected in the associated Method Blank.
BK-3	-	Analyte was detected in the associated Method Blank. Analyte concentration in the sample is greater than 10x the concentration found in the method blank.
Q-02	-	The matrix spike recovery, and/or RPD, for this QC sample is outside of established control limits due to sample matrix interference.
Q-03	-	The matrix spike recovery, and/or RPD, for this QC sample cannot be accurately calculated due to the high concentration of analyte already present in the source sample.
Q-06	-	RPD is not applicable for analyte concentrations less than 5 times the MRL.
R-03	-	The reporting limit for this analyte was raised due to matrix interference.
X	-	See case narrative.

Laboratory Reporting Conventions:

DET	-	Analyte DETECTED at or above the Reporting Limit. Qualitative Analyses only.
ND	-	Analyte NOT DETECTED at or above the reporting limit (MDL or MRL, as appropriate).
NR/NA	-	Not Reported / Not Available
dry	-	Sample results reported on a Dry Weight Basis. Results and Reporting Limits have been corrected for Percent Dry Weight.
wet	-	Sample results and reporting limits reported on a Wet Weight Basis (as received). Results with neither 'wet' nor 'dry' are reported on a Wet Weight Basis.
RPD	-	RELATIVE PERCENT DIFFERENCE (RPDs calculated using Results, not Percent Recoveries).
MRL	-	METHOD REPORTING LIMIT. Reporting Level at, or above, the lowest level standard of the Calibration Table.
MDL*	-	METHOD DETECTION LIMIT. Reporting Level at, or above, the statistically derived limit based on 40CFR, Part 136, Appendix B. *MDLs are listed on the report only if the data has been evaluated below the MRL. Results between the MDL and MRL are reported as Estimated Results.
Dil	-	Dilutions are calculated based on deviations from the standard dilution performed for an analysis, and may not represent the dilution found on the analytical raw data.
Reporting Limits	-	Reporting limits (MDLs and MRLs) are adjusted based on variations in sample preparation amounts, analytical dilutions and percent solids, where applicable.
Electronic Signature	-	Electronic Signature added in accordance with TestAmerica's *Electronic Reporting and Electronic Signatures Policy*. Application of electronic signature indicates that the report has been reviewed and approved for release by the laboratory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

11720 North Creek Pkwy N Suite 400, Bothell, WA 98011-8244 425-420-9200 FAX 420-9210
11922 E. First Ave, Spokane, WA 99206-5302 509-924-9200 FAX 924-9290
9405 SW Nimbus Ave, Beaverton, OR 97008-7145 503-906-9200 FAX 906-9210
2000 W International Airport Rd Ste A10, Anchorage AK 99502-1119 907-563-9200 FAX 563-9210

CHAIN OF CUSTODY REPORT

Work Order #: PPI1206

CLIENT: Delta Environmental

REPORT TO: Tim Browning ADDRESS: 17130 SW Upper Boones Ferry Rd Suite 220 / Tigard, OR 97223

PHONE: 503-639-8098 FAX: 503 639 7619

PROJECT NAME: Kinder Morgan Willbridge

PROJECT NUMBER: PTWB-0316

SAMPLED BY: KCM / BNL

INVOICE TO: Kinder Morgan c/o Delta Environmental

P.O. NUMBER:

TURNAROUND REQUEST in Business Days *

Organic & Inorganic Analysis: 10 STD | 7 | 5 | 4 | 3 | 2 | 1 | <1

Petroleum Hydrocarbon Analysis: 5 STD | 4 | 3 | 2 | 1 | <1

OTHER Specify:

* Turnaround Requests less than standard may incur Rush Charges.

PRESERVATIVE: HCl | — | HNO3 | HCl

REQUESTED ANALYSES: BTEX | PAHs | Metals | Hg LL

	CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	BTEX	PAHs	Metals	Hg LL	MATRIX (W, S, O)	# OF CONT.	LOCATION / COMMENTS	TA WO ID
1	MW 33	9/27/06 1450	✓	✓	✓	✓	W	7		
2	MW 34	9/27/06 1440	✓	✓	✓	✓	W	7		
3	MW 36	9/27/06 1530	✓	✓	✓	✓	W	7		
4	MW 37	9/27/06 1340	✓	✓	✓	✓	W	7		
5	DUP 2	9/27/06	✓	✓	✓	✓	W	7		
6										
7										
8										
9										
10										

RELEASED BY: [signature] PRINT NAME: KATY McGUINN FIRM: Delta DATE: 9/28/06 TIME: 1030

RECEIVED BY: [signature] PRINT NAME: [illegible] FIRM: TAL DATE: 9.28.06 TIME: 10:30

RELEASED BY: PRINT NAME: FIRM: DATE: TIME:

RECEIVED BY: PRINT NAME: FIRM: DATE: TIME:

ADDITIONAL REMARKS: use lower Portland Harbor detection limits

TEMP: PAGE 1 OF 1

CDC REV 03 2006

Note: By relinquishing samples to TestAmerica, client agrees to pay for the services requested on this chain of custody form and for any additional analyses performed on this project.
Payment for services is due within 30 days from the date of invoice unless otherwise contracted. Sample(s) will be disposed of after 30 days unless otherwise contracted.

COPPOR0007255

Circle Y or N
(If Y, see other side)

TEST AMERICA SAMPLE RECEIPT CHECKLIST

Received By: (applies to temp at receipt)
Date: 9.28.06
Time: 10:30
Initials: JD

Logged-in By:
Date: 9/28
Initials: LF

Unpacked/Labeled By:
Date: 9/28
Initials: LF

Cooler ID: ____ (___ of ___)

Work Order No PPI1204
Client: Delta
Project: _____

Container Type:	COC Seals:	Packing Material
2 Cooler	___ Ship. Container	___ Sign By	___ Bubble Bags	___ Styrofoam
___ Box	___ On Bottles	___ Date	___ Foam Packs	
___ None/Other ___	6 None		X None/Other Other cardboard	

Refrigerant:
___ Gel Ice Pack ___ ___ None
2 Loose Ice
___ None/Other ___

Received Via: Bill#
___ Fed Ex X Client
___ UPS ___ NCA Courier
___ DHL ___ Mid Valley
___ Senvoy ___ TDP
___ GS ___ Other___

4.8 1.6 4.2 3.8
Cooler Temperature (IR): ___°C Plastic Glass (Frozen filters, Tedlars and aqueous Metals exempt)
(circle one)

Temperature Blank? ___°C or NA
Trip Blank? (Y) or N or NA Not on COC

Sample Containers:		ID			ID
Intact?	Y or N		Metals Preserved?	(Y) or N or NA	
Provided by NCA?	(Y) or N		Client QAPP Preserved?	Y or N or (NA)	
Correct Type?	(Y) or N		Adequate Volume? (for tests requested)	(Y) or N	
#Containers match COC?	Y or (N)	UNK	Water VOAs: Headspace?	Y or (N) or NA	
IDs/time/date match COC?	(Y) or N		Comments:		
Hold Times in hold?	(Y) or N				

PROJECT MANAGEMENT

Is the Chain of Custody complete? Y or N If N, circle the items that were incomplete

Comments, Problems _____

Total access set up? Y or N
Has client been contacted regarding non-conformances? Y or N If Y, ___/___ Date Time

PM Initials. _____ Date: _____ Time: _____

rev 3 09/12/05

NOTIFICATION OF DISCREPANCY

DATE: 9/28 TIME: 11:45 PM: _____ SC INITIALS: SAM

Rush/Short Hold? ☐ *Yes* ☐ *No*	

☐ Project Not Set Up in ELM ☐ New Client ☐ COC Received ON HOLD
☐ Analysis Requested on COC – Not Listed for Project in ELM

☐ PM To Add Analysis: _____
☐ Clarification of Analysis: _____
☐ Hold Time Expired: (Analysis) _____
☐ Turnaround Time Not Checked: _____
☐ Did Not Receive Sample(s) Listed on COC: _____
☒ Received Extra Sample(s) Not Listed on COC: DUP-1 not listed
☐ Sample Description(s) or Date/Time Sampled Do Not Match COC:

☐ Improper Preservative For method: _____
☐ Sample Received Broken: _____
☐ Insufficient Sample Volume: _____
☐ Sample preserved upon receipt: _____
☐ Temperature Outside recommended range (4°C±2°C): _____
  ☐ Received on-ice within 4 hours of collection, temperature between ambient to 2°C acceptable.
☐ Other:

PROJECT MANAGER RESOLUTION:	(Date & Time when returned to SC)
Approval By:	Date: Time:

rev 2 09/12/05

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

October 24, 2006

Grant V. Sprick
BBL, Inc
111 SW Columbia Street - Suite 725
Portland, OR 97201

RE: Willbridge / Chevron #100-1868

Enclosed are the results of analyses for samples received by the laboratory on 09/27/06 16:35. The following list is a summary of the Work Orders contained in this report, generated on 10/24/06 09:47.

If you have any questions concerning this report, please feel free to contact me.

Work Order	Project	ProjectNumber
PP11165	Willbridge / Chevron #100-18	100-1868-OML

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
B-11	PPI1165-01	Water	09/26/06 17:15	09/27/06 16:35
CR-31A	PPI1165-02	Water	09/27/06 09:55	09/27/06 16:35
CR-32A	PPI1165-03	Water	09/27/06 09:20	09/27/06 16:35
CR-30A	PPI1165-04	Water	09/27/06 10:30	09/27/06 16:35
CR-32B	PPI1165-05	Water	09/27/06 12:00	09/27/06 16:35
CR-32C	PPI1165-06	Water	09/27/06 12:45	09/27/06 16:35
CR-1	PPI1165-07	Water	09/27/06 14:00	09/27/06 16:35
CR-31B	PPI1165-08	Water	09/27/06 14:14	09/27/06 16:35
CR-30B	PPI1165-09	Water	09/27/06 15:25	09/27/06 16:35
TB-157	PPI1165-10	Water	09/26/06 17:00	09/27/06 16:35
BD-2	PPI1165-11	Water	09/27/06 07:00	09/27/06 16:35

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Gasoline Hydrocarbons per NW TPH-Gx Method

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-02 (CR-31A)			**Water**		**Sampled: 09/27/06 09:55**					
Gasoline Range Hydrocarbons	NW TPH-Gx	304	----	80.0	ug/l	1x	6091258	09/29/06 11:41	09/29/06 16:43	
Surrogate(s): 4-BFB			*94.4%*		*50 - 150 %*	"			"	
PPI1165-03 (CR-32A)			**Water**		**Sampled: 09/27/06 09:20**					
Gasoline Range Hydrocarbons	NW TPH-Gx	346	----	80.0	ug/l	1x	6091258	09/29/06 11:41	09/29/06 17:09	
Surrogate(s): 4-BFB			*102%*		*50 - 150 %*	"			"	
PPI1165-04 (CR-30A)			**Water**		**Sampled: 09/27/06 10:30**					
Gasoline Range Hydrocarbons	NW TPH-Gx	893	----	80.0	ug/l	1x	6091258	09/29/06 11:41	09/29/06 17:35	
Surrogate(s): 4-BFB			*100%*		*50 - 150 %*	"			"	
PPI1165-05 (CR-32B)			**Water**		**Sampled: 09/27/06 12:00**					
Gasoline Range Hydrocarbons	NW TPH-Gx	ND	----	80.0	ug/l	1x	6091258	09/29/06 11:41	09/29/06 18:01	
Surrogate(s): 4-BFB			*95.4%*		*50 - 150 %*	"			"	
PPI1165-06 (CR-32C)			**Water**		**Sampled: 09/27/06 12:45**					
Gasoline Range Hydrocarbons	NW TPH-Gx	ND	----	80.0	ug/l	1x	6091258	09/29/06 11:41	09/29/06 18:27	
Surrogate(s): 4-BFB			*97.4%*		*50 - 150 %*	"			"	
PPI1165-08 (CR-31B)			**Water**		**Sampled: 09/27/06 14:14**					
Gasoline Range Hydrocarbons	NW TPH-Gx	ND	----	80.0	ug/l	1x	6091258	09/29/06 11:41	09/29/06 18:53	
Surrogate(s): 4-BFB			*96.2%*		*50 - 150 %*	"			"	
PPI1165-09 (CR-30B)			**Water**		**Sampled: 09/27/06 15:25**					
Gasoline Range Hydrocarbons	NW TPH-Gx	ND	----	80.0	ug/l	1x	6091258	09/29/06 11:41	09/29/06 19:19	
Surrogate(s): 4-BFB			*96.0%*		*50 - 150 %*	"			"	
PPI1165-11 (BD-2)			**Water**		**Sampled: 09/27/06 07:00**					
Gasoline Range Hydrocarbons	NW TPH-Gx	ND	----	80.0	ug/l	1x	6091258	09/29/06 11:41	09/29/06 19:45	
Surrogate(s): 4-BFB			*97.0%*		*50 - 150 %*	"			"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007260

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Diesel and Heavy Range Hydrocarbons per NWTPH-Dx Method

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-02 (CR-31A)		**Water**			**Sampled: 09/27/06 09:55**					
Diesel Range Organics	NWTPH-Dx	11.1	----	0.263	mg/l	1x	6100041	10/03/06 11:15	10/04/06 00:26	R-01
Heavy Oil Range Hydrocarbons	"	ND	----	0.526	"	"	"	"	"	R-01
Surrogate(s): 1-Chlorooctadecane		*65.0%*		*50 - 150 %*	"				"	
PPI1165-03 (CR-32A)		**Water**			**Sampled: 09/27/06 09:20**					
Diesel Range Organics	NWTPH-Dx	14.0	----	0.263	mg/l	1x	6100041	10/03/06 11:15	10/04/06 00:58	R-01
Heavy Oil Range Hydrocarbons	"	ND	----	0.526	"	"	"	"	"	R-01
Surrogate(s): 1-Chlorooctadecane		*60.2%*		*50 - 150 %*	"				"	
PPI1165-04 (CR-30A)		**Water**			**Sampled: 09/27/06 10:30**					
Diesel Range Organics	NWTPH-Dx	3.66	----	0.263	mg/l	1x	6100041	10/03/06 11:15	10/04/06 01:31	R-01
Heavy Oil Range Hydrocarbons	"	ND	----	0.526	"	"	"	"	"	R-01
Surrogate(s): 1-Chlorooctadecane		*65.6%*		*50 - 150 %*	"				"	
PPI1165-05 (CR-32B)		**Water**			**Sampled: 09/27/06 12:00**					
Diesel Range Organics	NWTPH-Dx	ND	----	0.250	mg/l	1x	6100041	10/03/06 11:15	10/04/06 02:04	
Heavy Oil Range Hydrocarbons	"	ND	----	0.500	"	"	"	"	"	
Surrogate(s): 1-Chlorooctadecane		*59.6%*		*50 - 150 %*	"				"	
PPI1165-06 (CR-32C)		**Water**			**Sampled: 09/27/06 12:45**					
Diesel Range Organics	NWTPH-Dx	0.313	----	0.250	mg/l	1x	6100041	10/03/06 11:15	10/04/06 02:36	
Heavy Oil Range Hydrocarbons	"	ND	----	0.500	"	"	"	"	"	
Surrogate(s): 1-Chlorooctadecane		*67.1%*		*50 - 150 %*	"				"	
PPI1165-08 (CR-31B)		**Water**			**Sampled: 09/27/06 14:14**					
Diesel Range Organics	NWTPH-Dx	ND	----	0.243	mg/l	1x	6100041	10/03/06 11:15	10/04/06 03:09	
Heavy Oil Range Hydrocarbons	"	ND	----	0.485	"	"	"	"	"	
Surrogate(s): 1-Chlorooctadecane		*63.8%*		*50 - 150 %*	"				"	
PPI1165-09 (CR-30B)		**Water**			**Sampled: 09/27/06 15:25**					
Diesel Range Organics	NWTPH-Dx	ND	----	0.263	mg/l	1x	6100041	10/03/06 11:15	10/04/06 04:47	R-01
Heavy Oil Range Hydrocarbons	"	ND	----	0.526	"	"	"	"	"	R-01
Surrogate(s): 1-Chlorooctadecane		*73.6%*		*50 - 150 %*	"				"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007261

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Diesel and Heavy Range Hydrocarbons per NWTPH-Dx Method

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-11 (BD-2)		**Water**			**Sampled: 09/27/06 07:00**					
Diesel Range Organics	NWTPH-Dx	ND	—	0.240	mg/l	1x	6100041	10/03/06 11:15	10/04/06 05:19	
Heavy Oil Range Hydrocarbons	"	ND	—	0.481	"	"	"	"	"	
Surrogate(s): 1-Chlorooctadecane			*58.9%*		*50 - 150 %*	"			"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Total Metals per EPA 6000/7000 Series Methods

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-07 (CR-1)		**Water**			**Sampled: 09/27/06 14:00**					
Arsenic	EPA 6020	**0.00194**	—	0.0000360	mg/l	1x	6100115	10/03/06 12:48	10/05/06 07:10	**B-17**
Barium	"	**0.0207**	—	0.000800	"	"	"	"	"	**B-17**
Cadmium	"	**0.000144**	—	0.0000752	"	"	"	"	"	
Chromium	"	ND	—	0.000800	"	"	"	"	"	
Copper	"	**0.00277**	—	0.00160	"	"	"	"	"	
Lead	"	**0.000440**	—	0.000432	"	"	"	"	10/05/06 19:21	
Silver	"	ND	—	0.0000960	"	"	"	"	10/05/06 07:10	
Zinc	"	**0.0109**	—	0.00400	"	"	"	"	"	
PPI1165-07RE1 (CR-1)		**Water**			**Sampled: 09/27/06 14:00**					
Selenium	EPA 6020	ND	—	0.00200	mg/l	1x	6100498	10/10/06 14:18	10/12/06 09:47	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name: **Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number: 100-1868-OML	Report Created:
Portland, OR 97201	Project Manager: Grant V. Sprick	10/24/06 09:47

Dissolved Mercury per EPA Method 7470A

TestAmerica - Portland, OR .

Analyte	Method	Result	MDL[A]	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-02 (CR-31A)		**Water**			**Sampled: 09/27/06 09:55**					
Mercury	EPA 7470A	ND	—	0.000200	mg/l	1x	6100198	10/04/06 15:09	10/05/06 10:42	
PPI1165-03 (CR-32A)		**Water**			**Sampled: 09/27/06 09:20**					
Mercury	EPA 7470A	ND	—	0.000200	mg/l	1x	6100198	10/04/06 15:09	10/05/06 10:44	
PPI1165-04 (CR-30A)		**Water**			**Sampled: 09/27/06 10:30**					
Mercury	EPA 7470A	ND	—	0.000200	mg/l	1x	6100198	10/04/06 15:09	10/05/06 10:52	
PPI1165-05 (CR-32B)		**Water**			**Sampled: 09/27/06 12:00**					
Mercury	EPA 7470A	ND	—	0.000200	mg/l	1x	6100198	10/04/06 15:09	10/05/06 10:54	
PPI1165-06 (CR-32C)		**Water**			**Sampled: 09/27/06 12:45**					
Mercury	EPA 7470A	ND	—	0.000200	mg/l	1x	6100198	10/04/06 15:09	10/05/06 10:56	
PPI1165-08 (CR-31B)		**Water**			**Sampled: 09/27/06 14:14**					
Mercury	EPA 7470A	ND	—	0.000200	mg/l	1x	6100198	10/04/06 15:09	10/05/06 10:58	
PPI1165-09 (CR-30B)		**Water**			**Sampled: 09/27/06 15:25**					
Mercury	EPA 7470A	ND	—	0.000200	mg/l	1x	6100198	10/04/06 15:09	10/05/06 11:00	
PPI1165-11 (BD-2)		**Water**			**Sampled: 09/27/06 07:00**					
Mercury	EPA 7470A	ND	—	0.000200	mg/l	1x	6100198	10/04/06 15:09	10/05/06 11:03	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Mercury by EPA Method 1631 Modified

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-07 (CR-1)		**Water**				**Sampled: 09/27/06 14:00**				
Mercury	EPA 1631M	ND	----	0.00500	ug/l	1x	6100054	10/02/06 13:14	10/03/06 09:45	

The results in this report apply to the samples analyzed in accordance with the chain of custody documents. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML
Portland, OR 97201	Project Manager:	Grant V. Sprick

Report Created: 10/24/06 09:47

Total Mercury per EPA Method 7470A

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-01 (B-11)			**Water**			**Sampled: 09/26/06 17:15**				
Mercury	EPA 7470A	ND	----	0.000200	mg/l	1x	6100066	10/02/06 15:19	10/03/06 10:19	
PPI1165-02 (CR-31A)			**Water**			**Sampled: 09/27/06 09:55**				
Mercury	EPA 7470A	**0.000220**	----	0.000200	mg/l	1x	6100066	10/02/06 15:19	10/03/06 10:22	
PPI1165-03 (CR-32A)			**Water**			**Sampled: 09/27/06 09:20**				
Mercury	EPA 7470A	ND	----	0.000200	mg/l	1x	6100066	10/02/06 15:19	10/03/06 10:24	
PPI1165-04 (CR-30A)			**Water**			**Sampled: 09/27/06 10:30**				
Mercury	EPA 7470A	**0.000495**	----	0.000200	mg/l	1x	6100066	10/02/06 15:19	10/03/06 10:26	
PPI1165-05 (CR-32B)			**Water**			**Sampled: 09/27/06 12:00**				
Mercury	EPA 7470A	ND	----	0.000200	mg/l	1x	6100066	10/02/06 15:19	10/03/06 10:33	
PPI1165-06 (CR-32C)			**Water**			**Sampled: 09/27/06 12:45**				
Mercury	EPA 7470A	ND	----	0.000200	mg/l	1x	6100066	10/02/06 15:19	10/03/06 10:35	
PPI1165-08 (CR-31B)			**Water**			**Sampled: 09/27/06 14:14**				
Mercury	EPA 7470A	ND	----	0.000200	mg/l	1x	6100066	10/02/06 15:19	10/03/06 10:38	
PPI1165-09 (CR-30B)			**Water**			**Sampled: 09/27/06 15:25**				
Mercury	EPA 7470A	ND	----	0.000200	mg/l	1x	6100066	10/02/06 15:19	10/03/06 10:40	
PPI1165-11 (BD-2)			**Water**			**Sampled: 09/27/06 07:00**				
Mercury	EPA 7470A	ND	----	0.000200	mg/l	1x	6100066	10/02/06 15:19	10/03/06 10:42	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-01 (B-11)		**Water**			**Sampled: 09/26/06 17:15**					
Acetone	EPA 8260B	ND	——	25.0	ug/l	1x	6100296	10/06/06 08:19	10/06/06 11:51	
Benzene	"	**2.26**	——	1.00	"	"	"	"	"	
Bromobenzene	"	ND	——	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	——	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	——	1.00	"	"	"	"	"	
Bromoform	"	ND	——	1.00	"	"	"	"	"	
Bromomethane	"	ND	——	5.00	"	"	"	"	"	
2-Butanone (MEK)	"	ND	——	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	——	5.00	"	"	"	"	"	
sec-Butylbenzene	"	**2.93**	——	1.00	"	"	"	"	"	
tert-Butylbenzene	"	**1.05**	——	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	——	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	——	1.00	"	"	"	"	"	
Chlorobenzene	"	ND	——	1.00	"	"	"	"	"	
Chloroethane	"	**1.32**	——	1.00	"	"	"	"	"	
Chloroform	"	ND	——	1.00	"	"	"	"	"	
Chloromethane	"	ND	——	5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	——	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	——	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	——	5.00	"	"	"	"	"	
Dibromochloromethane	"	ND	——	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	——	1.00	"	"	"	"	"	
Dibromomethane	"	ND	——	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	——	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	——	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	——	1.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	——	5.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	——	1.00	"	"	"	"	"	
1,2-Dichloroethane	"	ND	——	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	——	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	——	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	——	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	——	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	——	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	——	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	——	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	——	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	——	1.00	"	"	"	"	"	
Ethylbenzene	"	ND	——	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	——	4.00	"	"	"	"	"	
2-Hexanone	"	ND	——	10.0	"	"	"	"	"	
Isopropylbenzene	"	**21.7**	——	2.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	——	2.00	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007267

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-01 (B-11)		**Water**			**Sampled: 09/26/06 17:15**					
4-Methyl-2-pentanone	EPA 8260B	ND	---	5.00	ug/l	1x	6100296	10/06/06 08:19	10/06/06 11:51	
Methyl tert-butyl ether	"	ND	---	1.00	"	"	"	"	"	
Methylene chloride	"	ND	---	5.00	"	"	"	"	"	
Naphthalene	"	ND	---	2.00	"	"	"	"	"	
n-Propylbenzene	"	22.9	---	1.00	"	"	"	"	"	
Styrene	"	ND	---	1.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	---	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	---	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	---	1.00	"	"	"	"	"	
Toluene	"	3.06	---	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	---	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	---	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	---	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	---	1.00	"	"	"	"	"	
Trichloroethene	"	ND	---	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	---	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	---	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	---	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	---	1.00	"	"	"	"	"	
Vinyl chloride	"	ND	---	1.00	"	"	"	"	"	
o-Xylene	"	ND	---	1.00	"	"	"	"	"	
m,p-Xylene	"	3.49	---	2.00	"	"	"	"	"	
Surrogate(s):	*4-BFB*		*116%*		*80 - 120 %*	"			"	
	1,2-DCA-d4		*96.0%*		*80 - 120 %*	"			"	
	Dibromofluoromethane		*105%*		*80 - 120 %*	"			"	
	Toluene-d8		*100%*		*80 - 120 %*	"			"	
PPI1165-02RE1 (CR-31A)		**Water**			**Sampled: 09/27/06 09:55**					
Acetone	EPA 8260B	47.8	---	25.0	ug/l	1x	6100372	10/08/06 09:11	10/08/06 19:53	
Benzene	"	ND	---	1.00	"	"	"	"	"	
Bromobenzene	"	ND	---	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	---	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	---	1.00	"	"	"	"	"	
Bromoform	"	ND	---	1.00	"	"	"	"	"	
Bromomethane	"	ND	---	5.00	"	"	"	"	"	
2-Butanone (MEK)	"	ND	---	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	---	5.00	"	"	"	"	"	
sec-Butylbenzene	"	1.40	---	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	---	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	---	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	---	1.00	"	"	"	"	"	
Chlorobenzene	"	ND	---	1.00	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007268

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-02RE1 (CR-31A)		**Water**			**Sampled: 09/27/06 09:55**					
Chloroethane	EPA 8260B	ND	—	1.00	ug/l	1x	6100372	10/08/06 09:11	10/08/06 19:53	
Chloroform	"	ND	—	1.00	"	"	"	"	"	
Chloromethane	"	ND	—	5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	—	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	—	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	—	5.00	"	"	"	"	"	
Dibromochloromethane	"	ND	—	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	—	1.00	"	"	"	"	"	
Dibromomethane	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	—	5.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
Ethylbenzene	"	ND	—	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	—	4.00	"	"	"	"	"	
2-Hexanone	"	ND	—	10.0	"	"	"	"	"	
Isopropylbenzene	"	**2.76**	—	2.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	—	2.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	—	5.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	—	1.00	"	"	"	"	"	
Methylene chloride	"	ND	—	5.00	"	"	"	"	"	
Naphthalene	"	ND	—	2.00	"	"	"	"	"	
n-Propylbenzene	"	**3.67**	—	1.00	"	"	"	"	"	
Styrene	"	ND	—	1.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	—	1.00	"	"	"	"	"	
Toluene	"	ND	—	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	—	1.00	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007269

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL^	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-02RE1 (CR-31A)		**Water**			**Sampled: 09/27/06 09:55**					
Trichloroethene	EPA 8260B	ND	----	1.00	ug/l	1x	6100372	10/08/06 09:11	10/08/06 19:53	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	1.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
Surrogate(s): 4-BFB		*106%*			*80 - 120 %*	"			"	
1,2-DCA-d4		*108%*			*80 - 120 %*	"			"	
Dibromofluoromethane		*108%*			*80 - 120 %*	"			"	
Toluene-d8		*97.5%*			*80 - 120 %*	"			"	
PPI1165-03 (CR-32A)		**Water**			**Sampled: 09/27/06 09:20**					
Acetone	EPA 8260B	ND	----	25.0	ug/l	1x	6100296	10/06/06 08:19	10/06/06 12:45	
Benzene	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
2-Butanone (MEK)	"	ND	----	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	----	5.00	"	"	"	"	"	
sec-Butylbenzene	"	**1.78**	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
Chlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Chloroethane	"	**1.09**	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Chloromethane	"	ND	----	5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	----	5.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007270

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-03 (CR-32A)		**Water**			**Sampled: 09/27/06 09:20**					
1,2-Dichloroethane	EPA 8260B	ND	—	1.00	ug/l	1x	6100296	10/06/06 08:19	10/06/06 12:45	
1,1-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
Ethylbenzene	"	ND	—	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	—	4.00	"	"	"	"	"	
2-Hexanone	"	ND	—	10.0	"	"	"	"	"	
Isopropylbenzene	"	**2.31**	—	2.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	—	2.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	—	5.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	—	1.00	"	"	"	"	"	
Methylene chloride	"	ND	—	5.00	"	"	"	"	"	
Naphthalene	"	ND	—	2.00	"	"	"	"	"	
n-Propylbenzene	"	**2.58**	—	1.00	"	"	"	"	"	
Styrene	"	ND	—	1.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	—	1.00	"	"	"	"	"	
Toluene	"	ND	—	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	—	1.00	"	"	"	"	"	
Trichloroethene	"	ND	—	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	—	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	—	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	—	1.00	"	"	"	"	"	
Vinyl chloride	"	ND	—	1.00	"	"	"	"	"	
o-Xylene	"	ND	—	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	—	2.00	"	"	"	"	"	
Surrogate(s): *4-BFB*		*116%*		*80 - 120 %*	"				"	
1,2-DCA-d4		*90.5%*		*80 - 120 %*	"				"	
Dibromofluoromethane		*99.5%*		*80 - 120 %*	"				"	
Toluene-d8		*96.0%*		*80 - 120 %*	"				"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007271

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPH16S-04 (CR-30A)		**Water**			**Sampled: 09/27/06 10:30**					
Acetone	EPA 8260B	ND	—	25.0	ug/l	1x	6100296	10/06/06 08:19	10/06/06 13:11	
Benzene	"	ND	—	1.00	"	"	"	"	"	
Bromobenzene	"	ND	—	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	—	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	—	1.00	"	"	"	"	"	
Bromoform	"	ND	—	1.00	"	"	"	"	"	
Bromomethane	"	ND	—	5.00	"	"	"	"	"	
2-Butanone (MEK)	"	ND	—	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	—	5.00	"	"	"	"	"	
sec-Butylbenzene	"	**3.56**	—	1.00	"	"	"	"	"	
tert-Butylbenzene	"	**2.78**	—	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	—	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	—	1.00	"	"	"	"	"	
Chlorobenzene	"	ND	—	1.00	"	"	"	"	"	
Chloroethane	"	ND	—	1.00	"	"	"	"	"	
Chloroform	"	ND	—	1.00	"	"	"	"	"	
Chloromethane	"	ND	—	5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	—	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	—	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	—	5.00	"	"	"	"	"	
Dibromochloromethane	"	ND	—	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	—	1.00	"	"	"	"	"	
Dibromomethane	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	—	5.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
Ethylbenzene	"	ND	—	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	—	4.00	"	"	"	"	"	
2-Hexanone	"	ND	—	10.0	"	"	"	"	"	
Isopropylbenzene	"	**17.9**	—	2.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	—	2.00	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007272

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-04 (CR-30A)		**Water**			**Sampled: 09/27/06 10:30**					
4-Methyl-2-pentanone	EPA 8260B	ND	—	5.00	ug/l	1x	6100296	10/06/06 08:19	10/06/06 13:11	
Methyl tert-butyl ether	"	ND	—	1.00	"	"	"	"	"	
Methylene chloride	"	ND	—	5.00	"	"	"	"	"	
Naphthalene	"	ND	—	2.00	"	"	"	"	"	
n-Propylbenzene	"	42.2	—	1.00	"	"	"	"	"	
Styrene	"	ND	—	1.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	—	1.00	"	"	"	"	"	
Toluene	"	ND	—	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	—	1.00	"	"	"	"	"	
Trichloroethene	"	ND	—	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	—	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	—	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	—	1.00	"	"	"	"	"	
Vinyl chloride	"	ND	—	1.00	"	"	"	"	"	
o-Xylene	"	ND	—	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	—	2.00	"	"	"	"	"	
Surrogate(s): 4-BFB		*116%*		*80 - 120 %*	"				"	
1,2-DCA-d4		*91.5%*		*80 - 120 %*	"				"	
Dibromofluoromethane		*100%*		*80 - 120 %*	"				"	
Toluene-d8		*102%*		*80 - 120 %*	"				"	
PPI1165-05 (CR-32B)		**Water**			**Sampled: 09/27/06 12:00**					
Acetone	EPA 8260B	ND	—	25.0	ug/l	1x	6100296	10/06/06 08:19	10/06/06 13:38	
Benzene	"	ND	—	1.00	"	"	"	"	"	
Bromobenzene	"	ND	—	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	—	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	—	1.00	"	"	"	"	"	
Bromoform	"	ND	—	1.00	"	"	"	"	"	
Bromomethane	"	ND	—	5.00	"	"	"	"	"	
2-Butanone (MEK)	"	ND	—	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	—	5.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	—	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	—	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	—	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	—	1.00	"	"	"	"	"	
Chlorobenzene	"	ND	—	1.00	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007273

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-05 (CR-32B)		**Water**			**Sampled: 09/27/06 12:00**					
Chloroethane	EPA 8260B	ND	----	1.00	ug/l	1x	6100296	10/06/06 08:19	10/06/06 13:38	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Chloromethane	"	ND	----	5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	----	5.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	4.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Isopropylbenzene	"	ND	----	2.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	2.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	5.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	5.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007274

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-05 (CR-32B)		**Water**			**Sampled: 09/27/06 12:00**					
Trichloroethene	EPA 8260B	ND	---	1.00	ug/l	1x	6100296	10/06/06 08:19	10/06/06 13:38	
Trichlorofluoromethane	"	ND	---	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	---	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	---	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	---	1.00	"	"	"	"	"	
Vinyl chloride	"	ND	---	1.00	"	"	"	"	"	
o-Xylene	"	ND	---	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	---	2.00	"	"	"	"	"	
Surrogate(s): 4-BFB		*111%*		*80 - 120 %*		"			"	
1,2-DCA-d4		*91.0%*		*80 - 120 %*		"			"	
Dibromofluoromethane		*100%*		*80 - 120 %*		"			"	
Toluene-d8		*104%*		*80 - 120 %*		"			"	
PPI1165-06 (CR-32C)		**Water**			**Sampled: 09/27/06 12:45**					
Acetone	EPA 8260B	ND	---	25.0	ug/l	1x	6100296	10/06/06 08:19	10/06/06 14:05	
Benzene	"	ND	---	1.00	"	"	"	"	"	
Bromobenzene	"	ND	---	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	---	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	---	1.00	"	"	"	"	"	
Bromoform	"	ND	---	1.00	"	"	"	"	"	
Bromomethane	"	ND	---	5.00	"	"	"	"	"	
2-Butanone (MEK)	"	139	---	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	---	5.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	---	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	---	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	---	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	---	1.00	"	"	"	"	"	
Chlorobenzene	"	ND	---	1.00	"	"	"	"	"	
Chloroethane	"	ND	---	1.00	"	"	"	"	"	
Chloroform	"	ND	---	1.00	"	"	"	"	"	
Chloromethane	"	ND	---	5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	---	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	---	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	---	5.00	"	"	"	"	"	
Dibromochloromethane	"	ND	---	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	---	1.00	"	"	"	"	"	
Dibromomethane	"	ND	---	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	---	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	---	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	---	1.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	---	5.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	---	1.00	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-06 (CR-32C)		**Water**				**Sampled: 09/27/06 12:45**				
1,2-Dichloroethane	EPA 8260B	ND	----	1.00	ug/l	1x	6100296	10/06/06 08:19	10/06/06 14:05	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	4.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Isopropylbenzene	"	ND	----	2.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	2.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	5.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	5.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	1.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
Surrogate(s): *4-BFB*		*111%*		*80 - 120 %*	"				"	
1,2-DCA-d4		*89.5%*		*80 - 120 %*	"				"	
Dibromofluoromethane		*98.5%*		*80 - 120 %*	"				"	
Toluene-d8		*101%*		*80 - 120 %*	"				"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007276

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-08 (CR-31B)		**Water**			**Sampled: 09/27/06 14:14**					
Acetone	EPA 8260B	ND	—	25.0	ug/l	1x	6100296	10/06/06 08:19	10/06/06 14:32	
Benzene	"	ND	—	1.00	"	"	"	"	"	
Bromobenzene	"	ND	—	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	—	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	—	1.00	"	"	"	"	"	
Bromoform	"	ND	—	1.00	"	"	"	"	"	
Bromomethane	"	ND	—	5.00	"	"	"	"	"	
2-Butanone (MEK)	"	ND	—	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	—	5.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	—	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	—	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	—	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	—	1.00	"	"	"	"	"	
Chlorobenzene	"	ND	—	1.00	"	"	"	"	"	
Chloroethane	"	ND	—	1.00	"	"	"	"	"	
Chloroform	"	ND	—	1.00	"	"	"	"	"	
Chloromethane	"	ND	—	5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	—	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	—	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	—	5.00	"	"	"	"	"	
Dibromochloromethane	"	ND	—	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	—	1.00	"	"	"	"	"	
Dibromomethane	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	—	5.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
Ethylbenzene	"	ND	—	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	—	4.00	"	"	"	"	"	
2-Hexanone	"	ND	—	10.0	"	"	"	"	"	
Isopropylbenzene	"	ND	—	2.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	—	2.00	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-08 (CR-31B)		**Water**			**Sampled: 09/27/06 14:14**					
4-Methyl-2-pentanone	EPA 8260B	ND	—	5.00	ug/l	1x	6100296	10/06/06 08:19	10/06/06 14:32	
Methyl tert-butyl ether	"	ND	—	1.00	"	"	"	"	"	
Methylene chloride	"	ND	—	5.00	"	"	"	"	"	
Naphthalene	"	ND	—	2.00	"	"	"	"	"	
n-Propylbenzene	"	ND	—	1.00	"	"	"	"	"	
Styrene	"	ND	—	1.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	—	1.00	"	"	"	"	"	
Toluene	"	ND	—	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	—	1.00	"	"	"	"	"	
Trichloroethene	"	ND	—	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	—	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	—	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	—	1.00	"	"	"	"	"	
Vinyl chloride	"	ND	—	1.00	"	"	"	"	"	
o-Xylene	"	ND	—	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	—	2.00	"	"	"	"	"	
Surrogate(s): 4-BFB		*109%*			*80 - 120 %*	"			"	
1,2-DCA-d4		*90.0%*			*80 - 120 %*	"			"	
Dibromofluoromethane		*100%*			*80 - 120 %*	"			"	
Toluene-d8		*100%*			*80 - 120 %*	"			"	
PPI1165-09 (CR-30B)		**Water**			**Sampled: 09/27/06 15:25**					
Acetone	EPA 8260B	ND	—	25.0	ug/l	1x	6100296	10/06/06 08:19	10/06/06 14:59	
Benzene	"	ND	—	1.00	"	"	"	"	"	
Bromobenzene	"	ND	—	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	—	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	—	1.00	"	"	"	"	"	
Bromoform	"	ND	—	1.00	"	"	"	"	"	
Bromomethane	"	ND	—	5.00	"	"	"	"	"	
2-Butanone (MEK)	"	ND	—	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	—	5.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	—	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	—	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	—	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	—	1.00	"	"	"	"	"	
Chlorobenzene	"	ND	—	1.00	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007278

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPIJ165-09 (CR-30B)		**Water**			**Sampled: 09/27/06 15:25**					
Chloroethane	EPA 8260B	ND	—	1.00	ug/l	1x	6100296	10/06/06 08:19	10/06/06 14:59	
Chloroform	"	ND	—	1.00	"	"	"	"	"	
Chloromethane	"	ND	—	5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	—	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	—	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	—	5.00	"	"	"	"	"	
Dibromochloromethane	"	ND	—	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	—	1.00	"	"	"	"	"	
Dibromomethane	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	—	5.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
Ethylbenzene	"	ND	—	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	—	4.00	"	"	"	"	"	
2-Hexanone	"	ND	—	10.0	"	"	"	"	"	
Isopropylbenzene	"	ND	—	2.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	—	2.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	—	5.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	—	1.00	"	"	"	"	"	
Methylene chloride	"	ND	—	5.00	"	"	"	"	"	
Naphthalene	"	ND	—	2.00	"	"	"	"	"	
n-Propylbenzene	"	ND	—	1.00	"	"	"	"	"	
Styrene	"	ND	—	1.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	—	1.00	"	"	"	"	"	
Toluene	"	ND	—	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	—	1.00	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007279

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906-9200 fax: (503) 906-9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-09 (CR-30B)		**Water**			**Sampled: 09/27/06 15:25**					
Trichloroethene	EPA 8260B	ND	----	1.00	ug/l	1x	6100296	10/06/06 08:19	10/06/06 14:59	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	1.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
Surrogate(s): 4-BFB		*108%*		*50 - 120 %*	"				"	
1,2-DCA-d4		*91.0%*		*80 - 120 %*	"				"	
Dibromofluoromethane		*101%*		*80 - 120 %*	"				"	
Toluene-d8		*102%*		*80 - 120 %*	"				"	
PPI1165-10 (TB-157)		**Water**			**Sampled: 09/26/06 17:00**					
Acetone	EPA 8260B	ND	----	25.0	ug/l	1x	6100296	10/06/06 08:19	10/06/06 11:24	
Benzene	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
2-Butanone (MEK)	"	ND	----	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	----	5.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
Chlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Chloromethane	"	ND	----	5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	----	5.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007280

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-10 (TB-157)		**Water**			**Sampled: 09/26/06 17:00**					
1,2-Dichloroethane	EPA 8260B	ND	—	1.00	ug/l	1x	6100296	10/06/06 08:19	10/06/06 11:24	
1,1-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
Ethylbenzene	"	ND	—	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	—	4.00	"	"	"	"	"	
2-Hexanone	"	ND	—	10.0	"	"	"	"	"	
Isopropylbenzene	"	ND	—	2.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	—	2.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	—	5.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	—	1.00	"	"	"	"	"	
Methylene chloride	"	ND	—	5.00	"	"	"	"	"	
Naphthalene	"	ND	—	2.00	"	"	"	"	"	
n-Propylbenzene	"	ND	—	1.00	"	"	"	"	"	
Styrene	"	ND	—	1.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	—	1.00	"	"	"	"	"	
Toluene	"	ND	—	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	—	1.00	"	"	"	"	"	
Trichloroethene	"	ND	—	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	—	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	—	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	—	1.00	"	"	"	"	"	
Vinyl chloride	"	ND	—	1.00	"	"	"	"	"	
o-Xylene	"	ND	—	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	—	2.00	"	"	"	"	"	
Surrogate(s): *4-BFB*		*100%*		*80 - 120 %*	"				"	
1,2-DCA-d4		*87.0%*		*80 - 120 %*	"				"	
Dibromofluoromethane		*95.5%*		*80 - 120 %*	"				"	
Toluene-d8		*97.0%*		*80 - 120 %*	"				"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007281

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-11 (BD-2)		**Water**			**Sampled: 09/27/06 07:00**					
Acetone	EPA 8260B	ND	---	25.0	ug/l	1x	6100296	10/06/06 08:19	10/06/06 15:25	
Benzene	"	ND	---	1.00	"	"	"	"	"	
Bromobenzene	"	ND	---	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	---	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	---	1.00	"	"	"	"	"	
Bromoform	"	ND	---	1.00	"	"	"	"	"	
Bromomethane	"	ND	---	5.00	"	"	"	"	"	
2-Butanone (MEK)	"	ND	---	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	---	5.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	---	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	---	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	---	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	---	1.00	"	"	"	"	"	
Chlorobenzene	"	ND	---	1.00	"	"	"	"	"	
Chloroethane	"	ND	---	1.00	"	"	"	"	"	
Chloroform	"	ND	---	1.00	"	"	"	"	"	
Chloromethane	"	ND	---	5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	---	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	---	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	---	5.00	"	"	"	"	"	
Dibromochloromethane	"	ND	---	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	---	1.00	"	"	"	"	"	
Dibromomethane	"	ND	---	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	---	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	---	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	---	1.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	---	5.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	---	1.00	"	"	"	"	"	
1,2-Dichloroethane	"	ND	---	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	---	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	---	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	---	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	---	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	---	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	---	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	---	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	---	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	---	1.00	"	"	"	"	"	
Ethylbenzene	"	ND	---	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	---	4.00	"	"	"	"	"	
2-Hexanone	"	ND	---	10.0	"	"	"	"	"	
Isopropylbenzene	"	ND	---	2.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	---	2.00	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007282

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-11 (BD-2)		**Water**			**Sampled: 09/27/06 07:00**					
4-Methyl-2-pentanone	EPA 8260B	ND	—	5.00	ug/l	1x	6100296	10/06/06 08:19	10/06/06 15:25	
Methyl tert-butyl ether	"	ND	—	1.00	"	"	"	"	"	
Methylene chloride	"	ND	—	5.00	"	"	"	"	"	
Naphthalene	"	ND	—	2.00	"	"	"	"	"	
n-Propylbenzene	"	ND	—	1.00	"	"	"	"	"	
Styrene	"	ND	—	1.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	—	1.00	"	"	"	"	"	
Toluene	"	ND	—	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	—	1.00	"	"	"	"	"	
Trichloroethene	"	ND	—	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	—	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	—	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	—	1.00	"	"	"	"	"	
Vinyl chloride	"	ND	—	1.00	"	"	"	"	"	
o-Xylene	"	ND	—	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	—	2.00	"	"	"	"	"	
Surrogate(s): *4-BFB*			*104%*		*80 - 120 %*	"			"	
1,2-DCA-d4			*86.5%*		*80 - 120 %*	"			"	
Dibromofluoromethane			*95.0%*		*80 - 120 %*	"			"	
Toluene-d8			*96.0%*		*80 - 120 %*	"			"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Selected Volatile Organic Compounds (Including BTEX) per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-07 (CR-1)		**Water**			**Sampled: 09/27/06 14:00**					
1,2-Dibromoethane	EPA 8260B	ND	—	0.500	ug/l	1x	6100562	10/11/06 14:31	10/11/06 17:41	
1,2-Dichloroethane	"	ND	—	0.500	"	"	"	"	"	
Benzene	"	ND	—	0.200	"	"	"	"	"	
Toluene	"	ND	—	0.500	"	"	"	"	"	
Ethylbenzene	"	ND	—	0.500	"	"	"	"	"	
Xylenes (total)	"	ND	—	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	—	2.00	"	"	"	"	"	
Naphthalene	"	ND	—	2.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	—	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	—	0.500	"	"	"	"	"	
Isopropylbenzene	"	ND	—	2.00	"	"	"	"	"	
n-Propylbenzene	"	**0.630**	—	0.500	"	"	"	"	"	
Surrogate(s): 4-BFB		*105%*		*80 - 120 %*	"				"	
1,2-DCA-d4		*108%*		*80 - 120 %*	"				"	
Dibromofluoromethane		*99.0%*		*80 - 120 %*	"				"	
Toluene-d8		*100%*		*80 - 120 %*	"				"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Polynuclear Aromatic Compounds per EPA 8270M-SIM

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-01RE1 (B-11)		Water			Sampled: 09/26/06 17:15					R-05
Acenaphthene	EPA 8270m	0.714	---	0.0980	ug/l	5x	6100062	10/02/06 18:15	10/05/06 23:13	
Acenaphthylene	"	ND	---	0.0980	"	"	"	"	"	
Anthracene	"	ND	---	0.0980	"	"	"	"	"	
Benzo (a) anthracene	"	ND	---	0.0980	"	"	"	"	"	
Benzo (a) pyrene	"	ND	---	0.0980	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	---	0.0980	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	---	0.0980	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	---	0.0980	"	"	"	"	"	
Chrysene	"	ND	---	0.0980	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	---	0.0980	"	"	"	"	"	
Fluoranthene	"	0.110	---	0.0980	"	"	"	"	"	
Fluorene	"	0.842	---	0.0980	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	---	0.0980	"	"	"	"	"	
Naphthalene	"	ND	---	1.18	"	"	"	"	"	R-03
Phenanthrene	"	0.242	---	0.0980	"	"	"	"	"	
Pyrene	"	0.161	---	0.0980	"	"	"	"	"	
Surrogate(s): Fluorene-d10		*73.1%*		*25 - 125 %*	"				"	
Pyrene-d10		*68.6%*		*23 - 150 %*	"				"	
Benzo (a) pyrene-d12		*38.6%*		*10 - 125 %*	"				"	
PPI1165-02RE1 (CR-31A)		Water			Sampled: 09/27/06 09:55					R-05
Acenaphthene	EPA 8270m	1.70	---	0.396	ug/l	20x	6100062	10/02/06 18:15	10/05/06 15:16	
Acenaphthylene	"	ND	---	0.792	"	"	"	"	"	R-03
Anthracene	"	0.508	---	0.396	"	"	"	"	"	
Benzo (a) anthracene	"	ND	---	0.396	"	"	"	"	"	
Benzo (a) pyrene	"	ND	---	0.396	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	---	0.396	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	---	0.396	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	---	0.396	"	"	"	"	"	
Chrysene	"	ND	---	0.396	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	---	0.396	"	"	"	"	"	
Fluoranthene	"	ND	---	0.396	"	"	"	"	"	
Fluorene	"	7.96	---	0.396	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	---	0.396	"	"	"	"	"	
Naphthalene	"	ND	---	1.98	"	"	"	"	"	R-03
Phenanthrene	"	1.39	---	0.396	"	"	"	"	"	
Pyrene	"	ND	---	0.396	"	"	"	"	"	
Surrogate(s): Fluorene-d10		*90.3%*		*25 - 125 %*	"				"	
Pyrene-d10		*63.7%*		*23 - 150 %*	"				"	
Benzo (a) pyrene-d12		*31.6%*		*10 - 125 %*	"				"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Polynuclear Aromatic Compounds per EPA 8270M-SIM

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPH1165-03RE1 (CR-32A)		Water			Sampled: 09/27/06 09:20					R-05
Acenaphthene	EPA 8270m	2.42	----	0.500	ug/l	25x	6100062	10/02/06 18:15	10/05/06 16:12	
Acenaphthylene	"	ND	----	1.50	"	"	"	"	"	R-03
Anthracene	"	0.743	----	0.500	"	"	"	"	"	
Benzo (a) anthracene	"	ND	----	0.500	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	0.500	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	0.500	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.500	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	0.500	"	"	"	"	"	
Chrysene	"	ND	----	0.500	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.500	"	"	"	"	"	
Fluoranthene	"	ND	----	0.500	"	"	"	"	"	
Fluorene	"	8.97	----	0.500	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.500	"	"	"	"	"	
Naphthalene	"	ND	----	3.00	"	"	"	"	"	R-03
Phenanthrene	"	4.69	----	0.500	"	"	"	"	"	
Pyrene	"	ND	----	0.500	"	"	"	"	"	
Surrogate(s): *Fluorene-d10*		*92.0%*		*25 - 125 %*	"				"	
Pyrene-d10		*71.2%*		*23 - 150 %*	"				"	
Benzo (a) pyrene-d12		*39.8%*		*10 - 125 %*	"				"	
PPH1165-04RE1 (CR-30A)		Water			Sampled: 09/27/06 10:30					R-05
Acenaphthene	EPA 8270m	1.41	----	0.100	ug/l	5x	6100062	10/02/06 18:15	10/05/06 16:40	
Acenaphthylene	"	ND	----	0.700	"	"	"	"	"	R-03
Anthracene	"	0.319	----	0.100	"	"	"	"	"	
Benzo (a) anthracene	"	ND	----	0.100	"	"	"	"	"	
Benzo (a) pyrene	"	0.106	----	0.100	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	0.100	"	"	"	"	"	
Benzo (ghi) perylene	"	0.114	----	0.100	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	0.100	"	"	"	"	"	
Chrysene	"	0.129	----	0.100	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.100	"	"	"	"	"	
Fluoranthene	"	0.198	----	0.100	"	"	"	"	"	
Fluorene	"	5.27	----	0.100	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.100	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	R-03
Phenanthrene	"	3.11	----	0.100	"	"	"	"	"	
Pyrene	"	0.346	----	0.100	"	"	"	"	"	
Surrogate(s): *Fluorene-d10*		*69.2%*		*25 - 125 %*	"				"	
Pyrene-d10		*42.4%*		*23 - 150 %*	"				"	
Benzo (a) pyrene-d12		*21.2%*		*10 - 125 %*	"				"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007286

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Polynuclear Aromatic Compounds per EPA 8270M-SIM

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-05RE1 (CR-32B)		**Water**			**Sampled: 09/27/06 12:00**					
Acenaphthene	EPA 8270m	ND	----	0.0200	ug/l	1x	6100062	10/02/06 18:15	10/05/06 17:08	
Acenaphthylene	"	ND	----	0.0200	"	"	"	"	"	
Anthracene	"	ND	----	0.0200	"	"	"	"	"	
Benzo (a) anthracene	"	ND	----	0.0200	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	0.0200	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	0.0200	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.0200	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	0.0200	"	"	"	"	"	
Chrysene	"	ND	----	0.0200	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.0200	"	"	"	"	"	
Fluoranthene	"	ND	----	0.0200	"	"	"	"	"	
Fluorene	"	ND	----	0.0200	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.0200	"	"	"	"	"	
Naphthalene	"	**0.0545**	----	0.0200	"	"	"	"	"	
Phenanthrene	"	ND	----	0.0200	"	"	"	"	"	
Pyrene	"	ND	----	0.0200	"	"	"	"	"	
Surrogate(s): *Fluorene-d10*			*88.8%*		*25 - 125 %*	"			"	
Pyrene-d10			*88.8%*		*23 - 150 %*	"			"	
Benzo (a) pyrene-d12			*62.0%*		*10 - 125 %*	"			"	
PPI1165-06RE1 (CR-32C)		**Water**			**Sampled: 09/27/06 12:45**					
Acenaphthene	EPA 8270m	ND	----	0.0198	ug/l	1x	6100062	10/02/06 18:15	10/05/06 17:36	
Acenaphthylene	"	ND	----	0.0198	"	"	"	"	"	
Anthracene	"	ND	----	0.0198	"	"	"	"	"	
Benzo (a) anthracene	"	ND	----	0.0198	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	0.0198	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	0.0198	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.0198	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	0.0198	"	"	"	"	"	
Chrysene	"	ND	----	0.0198	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.0198	"	"	"	"	"	
Fluoranthene	"	ND	----	0.0198	"	"	"	"	"	
Fluorene	"	ND	----	0.0198	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.0198	"	"	"	"	"	
Naphthalene	"	ND	----	0.0495	"	"	"	"	"	R-03
Phenanthrene	"	ND	----	0.0198	"	"	"	"	"	
Pyrene	"	ND	----	0.0198	"	"	"	"	"	
Surrogate(s): *Fluorene-d10*			*82.7%*		*25 - 125 %*	"			"	
Pyrene-d10			*97.6%*		*23 - 150 %*	"			"	
Benzo (a) pyrene-d12			*72.6%*		*10 - 125 %*	"			"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007287

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Polynuclear Aromatic Compounds per EPA 8270M-SIM

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-07 (CR-1)		Water			Sampled: 09/27/06 14:00					R-05
Acenaphthene	EPA 8270m	0.978	----	0.0493	ug/l	5x	6091266	09/29/06 15:30	10/09/06 17:34	
Benzo (a) anthracene	"	ND	----	0.00985	"	2x	"	"	10/17/06 21:09	
Acenaphthylene	"	ND	----	0.197	"	5x	"	"	10/09/06 17:34	R-03
Benzo (a) pyrene	"	ND	----	0.00985	"	2x	"	"	10/17/06 21:09	
Anthracene	"	0.0747	----	0.0493	"	5x	"	"	10/09/06 17:34	
Benzo (b) fluoranthene	"	ND	----	0.0197	"	2x	"	"	10/17/06 21:09	R-03
Benzo (k) fluoranthene	"	ND	----	0.0197	"	"	"	"	"	R-03
Chrysene	"	ND	----	0.00985	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.00985	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.0493	"	5x	"	"	10/09/06 17:34	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.00985	"	2x	"	"	10/17/06 21:09	
Fluoranthene	"	ND	----	0.0493	"	5x	"	"	10/09/06 17:34	
Fluorene	"	3.19	----	0.0493	"	"	"	"	"	
Naphthalene	"	ND	----	0.788	"	"	"	"	"	R-03, B-18
Phenanthrene	"	1.07	----	0.0493	"	"	"	"	"	
Pyrene	"	0.0513	----	0.0493	"	"	"	"	"	
Surrogate(s): Benzo (a) pyrene-d12			*69.3%*		*10 - 125 %*	*2x*			*10/17/06 21:09*	
Fluorene-d10			*102%*		*25 - 125 %*	*5x*			*10/09/06 17:34*	
Pyrene-d10			*111%*		*23 - 150 %*	"			"	
Benzo (a) pyrene-d12			*77.7%*		*10 - 125 %*	"			"	
PPI1165-08REI (CR-31B)		Water			Sampled: 09/27/06 14:14					
Acenaphthene	EPA 8270m	ND	----	0.0194	ug/l	1x	6100062	10/02/06 18:15	10/05/06 18:04	
Acenaphthylene	"	ND	----	0.0194	"	"	"	"	"	
Anthracene	"	ND	----	0.0194	"	"	"	"	"	
Benzo (a) anthracene	"	ND	----	0.0194	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	0.0194	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	0.0194	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.0194	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	0.0194	"	"	"	"	"	
Chrysene	"	ND	----	0.0194	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.0194	"	"	"	"	"	
Fluoranthene	"	ND	----	0.0194	"	"	"	"	"	
Fluorene	"	ND	----	0.0194	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.0194	"	"	"	"	"	
Naphthalene	"	ND	----	0.0388	"	"	"	"	"	R-03
Phenanthrene	"	ND	----	0.0194	"	"	"	"	"	
Pyrene	"	ND	----	0.0194	"	"	"	"	"	
Surrogate(s): Fluorene-d10			*96.7%*		*25 - 125 %*	"			"	
Pyrene-d10			*99.6%*		*23 - 150 %*	"			"	
Benzo (a) pyrene-d12			*70.0%*		*10 - 125 %*	"			"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007288

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Polynuclear Aromatic Compounds per EPA 8270M-SIM

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-09RE1 (CR-30B)		**Water**			**Sampled: 09/27/06 15:25**					
Acenaphthene	EPA 8270m	ND	----	0.0204	ug/l	1x	6100062	10/02/06 18:15	10/05/06 23:42	
Acenaphthylene	"	ND	----	0.0204	"	"	"	"	"	
Anthracene	"	ND	----	0.0204	"	"	"	"	"	
Benzo (a) anthracene	"	ND	----	0.0204	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	0.0204	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	0.0204	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.0204	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	0.0204	"	"	"	"	"	
Chrysene	"	ND	----	0.0204	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.0204	"	"	"	"	"	
Fluoranthene	"	ND	----	0.0204	"	"	"	"	"	
Fluorene	"	ND	----	0.0204	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.0204	"	"	"	"	"	
Naphthalene	"	0.0297	----	0.0204	"	"	"	"	"	
Phenanthrene	"	ND	----	0.0204	"	"	"	"	"	
Pyrene	"	ND	----	0.0204	"	"	"	"	"	
Surrogate(s): Fluorene-d10			*80.0%*		*25 - 125 %*	"			"	
Pyrene-d10			*94.1%*		*23 - 150 %*	"			"	
Benzo (a) pyrene-d12			*63.9%*		*10 - 125 %*	"			"	
PPI1165-11RE1 (BD-2)		**Water**			**Sampled: 09/27/06 07:00**					
Acenaphthene	EPA 8270m	ND	----	0.0190	ug/l	1x	6100062	10/02/06 18:15	10/05/06 18:32	
Acenaphthylene	"	ND	----	0.0190	"	"	"	"	"	
Anthracene	"	ND	----	0.0190	"	"	"	"	"	
Benzo (a) anthracene	"	ND	----	0.0190	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	0.0190	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	0.0190	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.0190	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	0.0190	"	"	"	"	"	
Chrysene	"	ND	----	0.0190	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.0190	"	"	"	"	"	
Fluoranthene	"	ND	----	0.0190	"	"	"	"	"	
Fluorene	"	ND	----	0.0190	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.0190	"	"	"	"	"	
Naphthalene	"	ND	----	0.0381	"	"	"	"	"	R-03
Phenanthrene	"	ND	----	0.0190	"	"	"	"	"	
Pyrene	"	ND	----	0.0190	"	"	"	"	"	
Surrogate(s): Fluorene-d10			*95.0%*		*25 - 125 %*	"			"	
Pyrene-d10			*105%*		*23 - 150 %*	"			"	
Benzo (a) pyrene-d12			*81.1%*		*10 - 125 %*	"			"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007289

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name: **Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number: 100-1868-OML	Report Created:
Portland, OR 97201	Project Manager: Grant V. Sprick	10/24/06 09:47

Total Metals by EPA 6000/7000 Series Methods

TestAmerica - Seattle, WA

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-01 (B-11)		**Water**			**Sampled: 09/26/06 17:15**					
Arsenic	EPA 6020	**0.0247**	—	0.00100	mg/l	1x	6J03039	10/03/06 12:40	10/04/06 18:56	
Barium	"	**0.128**	—	0.0100	"	"	"	"	"	
Cadmium	"	ND	—	0.00100	"	"	"	"	"	
Chromium	"	**0.00332**	—	0.00100	"	"	"	"	"	
Copper	"	**0.00974**	—	0.00100	"	"	"	"	"	
Lead	"	**0.00864**	—	0.00100	"	"	"	"	"	
Selenium	"	ND	—	0.00100	"	"	"	"	"	
Silver	"	ND	—	0.00100	"	"	"	"	"	
Zinc	"	**0.0351**	—	0.0100	"	"	"	"	"	
PPI1165-02 (CR-31A)		**Water**			**Sampled: 09/27/06 09:55**					
Arsenic	EPA 6020	**0.0127**	—	0.00100	mg/l	1x	6J03039	10/03/06 12:40	10/04/06 19:02	
Barium	"	**0.230**	—	0.0100	"	"	"	"	"	
Cadmium	"	ND	—	0.00100	"	"	"	"	"	
Chromium	"	**0.00784**	—	0.00100	"	"	"	"	"	
Copper	"	**0.00552**	—	0.00100	"	"	"	"	"	
Lead	"	**0.00753**	—	0.00100	"	"	"	"	"	
Selenium	"	ND	—	0.00100	"	"	"	"	"	
Silver	"	ND	—	0.00100	"	"	"	"	"	
Zinc	"	**0.0472**	—	0.0100	"	"	"	"	"	
PPI1165-03 (CR-32A)		**Water**			**Sampled: 09/27/06 09:20**					
Arsenic	EPA 6020	**0.00313**	—	0.00100	mg/l	1x	6J03039	10/03/06 12:40	10/04/06 19:07	
Barium	"	**0.0969**	—	0.0100	"	"	"	"	"	
Cadmium	"	ND	—	0.00100	"	"	"	"	"	
Chromium	"	**0.00202**	—	0.00100	"	"	"	"	"	
Copper	"	**0.00909**	—	0.00100	"	"	"	"	"	
Lead	"	**0.00270**	—	0.00100	"	"	"	"	"	
Selenium	"	ND	—	0.00100	"	"	"	"	"	
Silver	"	ND	—	0.00100	"	"	"	"	"	
Zinc	"	**0.0186**	—	0.0100	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Total Metals by EPA 6000/7000 Series Methods

TestAmerica - Seattle, WA

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-04 (CR-30A)		**Water**			**Sampled: 09/27/06 10:30**					
Arsenic	EPA 6020	**0.0127**	—	0.00100	mg/l	1x	6J03039	10/03/06 12:40	10/04/06 19:13	
Cadmium	"	ND	—	0.00100	"	"	"	"	"	
Chromium	"	**0.00933**	—	0.00100	"	"	"	"	"	
Copper	"	**0.0347**	—	0.00100	"	"	"	"	"	
Lead	"	**0.0255**	—	0.00100	"	"	"	"	"	
Selenium	"	**0.00155**	—	0.00100	"	"	"	"	"	
Silver	"	ND	—	0.00100	"	"	"	"	"	
Zinc	"	**0.0937**	—	0.0100	"	"	"	"	"	
PPI1165-04RE1 (CR-30A)		**Water**			**Sampled: 09/27/06 10:30**					
Barium	EPA 6020	**0.410**	—	0.0200	mg/l	2x	6J03039	10/03/06 12:40	10/05/06 10:44	
PPI1165-05 (CR-32B)		**Water**			**Sampled: 09/27/06 12:00**					
Arsenic	EPA 6020	**0.0527**	—	0.00100	mg/l	1x	6J03039	10/03/06 12:40	10/04/06 19:19	
Barium	"	**0.140**	—	0.0100	"	"	"	"	"	
Cadmium	"	ND	—	0.00100	"	"	"	"	"	
Chromium	"	ND	—	0.00100	"	"	"	"	"	
Copper	"	**0.00741**	—	0.00100	"	"	"	"	"	
Lead	"	**0.00182**	—	0.00100	"	"	"	"	"	
Selenium	"	**0.00159**	—	0.00100	"	"	"	"	"	
Silver	"	ND	—	0.00100	"	"	"	"	"	
Zinc	"	ND	—	0.0100	"	"	"	"	"	
PPI1165-06 (CR-32C)		**Water**			**Sampled: 09/27/06 12:45**					
Arsenic	EPA 6020	**0.0102**	—	0.00100	mg/l	1x	6J03039	10/03/06 12:40	10/04/06 19:36	
Barium	"	**0.174**	—	0.0100	"	"	"	"	"	
Cadmium	"	**0.00134**	—	0.00100	"	"	"	"	"	
Chromium	"	ND	—	0.00100	"	"	"	"	"	
Copper	"	**0.00833**	—	0.00100	"	"	"	"	"	
Lead	"	**0.00412**	—	0.00100	"	"	"	"	"	
Selenium	"	**0.00175**	—	0.00100	"	"	"	"	"	
Silver	"	ND	—	0.00100	"	"	"	"	"	
Zinc	"	**0.0203**	—	0.0100	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007291

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Total Metals by EPA 6000/7000 Series Methods

TestAmerica - Seattle, WA

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-08 (CR-31B)		**Water**			**Sampled: 09/27/06 14:14**					
Arsenic	EPA 6020	**0.0928**	----	0.00100	mg/l	1x	6J03039	10/03/06 12:40	10/04/06 19:42	
Barium	"	**0.187**	----	0.0100	"	"	"	"	"	
Cadmium	"	**0.00265**	----	0.00100	"	"	"	"	"	
Chromium	"	**0.00282**	----	0.00100	"	"	"	"	"	
Copper	"	**0.0259**	----	0.00100	"	"	"	"	"	
Lead	"	**0.00465**	----	0.00100	"	"	"	"	"	
Selenium	"	**0.00302**	----	0.00100	"	"	"	"	"	
Silver	"	ND	----	0.00100	"	"	"	"	"	
Zinc	"	**0.0171**	----	0.0100	"	"	"	"	"	
PPI1165-09 (CR-30B)		**Water**			**Sampled: 09/27/06 15:25**					
Arsenic	EPA 6020	**0.0166**	----	0.00100	mg/l	1x	6J03039	10/03/06 12:40	10/04/06 19:47	
Barium	"	**0.141**	----	0.0100	"	"	"	"	"	
Cadmium	"	ND	----	0.00100	"	"	"	"	"	
Chromium	"	ND	----	0.00100	"	"	"	"	"	
Copper	"	**0.00716**	----	0.00100	"	"	"	"	"	
Lead	"	**0.00297**	----	0.00100	"	"	"	"	"	
Selenium	"	**0.00252**	----	0.00100	"	"	"	"	"	
Silver	"	ND	----	0.00100	"	"	"	"	"	
Zinc	"	**0.0318**	----	0.0100	"	"	"	"	"	
PPI1165-11 (BD-2)		**Water**			**Sampled: 09/27/06 07:00**					
Arsenic	EPA 6020	**0.0860**	----	0.00100	mg/l	1x	6J04032	10/04/06 13:18	10/04/06 20:28	
Barium	"	**0.118**	----	0.0100	"	"	"	"	"	
Cadmium	"	ND	----	0.00100	"	"	"	"	"	
Chromium	"	ND	----	0.00100	"	"	"	"	"	
Copper	"	ND	----	0.00100	"	"	"	"	"	
Lead	"	ND	----	0.00100	"	"	"	"	"	
Selenium	"	**0.00108**	----	0.00100	"	"	"	"	"	
Silver	"	ND	----	0.00100	"	"	"	"	"	
Zinc	"	ND	----	0.0100	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007292

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name: **Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number: 100-1868-OML	Report Created:
Portland, OR 97201	Project Manager: Grant V. Sprick	10/24/06 09:47

Dissolved Metals by EPA 6000/7000 Series Methods

TestAmerica - Seattle, WA

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-02 (CR-31A)		**Water**				**Sampled: 09/27/06 09:55**				
Arsenic	EPA 6020 - Diss	**0.0131**	-----	0.00100	mg/l	1x	6J02027	10/02/06 11:23	10/03/06 01:38	
Barium	"	**0.0659**	----	0.0100	"	"	"	"	10/03/06 10:16	
Cadmium	"	ND	-----	0.00100	"	"	"	"	10/03/06 01:38	
Chromium	"	ND	----	0.00100	"	"	"	"	"	
Copper	"	ND	----	0.00100	"	"	"	"	"	
Lead	"	ND	----	0.00100	"	"	"	"	10/03/06 10:16	
Selenium	"	ND	----	0.00100	"	"	"	"	10/03/06 01:38	
Silver	"	ND	----	0.00100	"	"	"	"	"	
Zinc	"	ND	----	0.0100	"	"	"	"	"	
PPI1165-03 (CR-32A)		**Water**				**Sampled: 09/27/06 09:20**				
Arsenic	EPA 6020 - Diss	**0.00242**	-----	0.00100	mg/l	1x	6J02027	10/02/06 11:23	10/03/06 01:44	
Barium	"	**0.0272**	----	0.0100	"	"	"	"	10/03/06 10:22	
Cadmium	"	ND	----	0.00100	"	"	"	"	10/03/06 01:44	
Chromium	"	ND	-----	0.00100	"	"	"	"	"	
Copper	"	**0.00108**	----	0.00100	"	"	"	"	"	
Lead	"	ND	-----	0.00100	"	"	"	"	10/03/06 10:22	
Selenium	"	ND	-----	0.00100	"	"	"	"	10/03/06 01:44	
Silver	"	ND	----	0.00100	"	"	"	"	"	
Zinc	"	ND	----	0.0100	"	"	"	"	"	
PPI1165-04 (CR-30A)		**Water**				**Sampled: 09/27/06 10:30**				
Arsenic	EPA 6020 - Diss	**0.0120**	-----	0.00100	mg/l	1x	6J02027	10/02/06 11:23	10/03/06 02:01	
Barium	"	**0.0467**	----	0.0100	"	"	"	"	"	
Cadmium	"	ND	-----	0.00100	"	"	"	"	"	
Chromium	"	ND	-----	0.00100	"	"	"	"	"	
Copper	"	ND	----	0.00100	"	"	"	"	"	
Lead	"	ND	----	0.00100	"	"	"	"	"	
Selenium	"	ND	----	0.00100	"	"	"	"	"	
Silver	"	ND	----	0.00100	"	"	"	"	"	
Zinc	"	ND	----	0.0100	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Dissolved Metals by EPA 6000/7000 Series Methods

TestAmerica - Seattle, WA

Analyte	Method	Result	MDL[A]	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-05 (CR-32B)		**Water**				**Sampled: 09/27/06 12:00**				
Arsenic	EPA 6020 - Diss	0.0438	—	0.00100	mg/l	1x	6J02027	10/02/06 11:23	10/03/06 02:07	
Barium	"	0.110	—	0.0100	"	"	"	"	"	
Cadmium	"	ND	—	0.00100	"	"	"	"	"	
Chromium	"	ND	—	0.00100	"	"	"	"	"	
Copper	"	ND	—	0.00100	"	"	"	"	"	
Lead	"	ND	—	0.00100	"	"	"	"	"	
Selenium	"	ND	—	0.00100	"	"	"	"	"	
Silver	"	ND	—	0.00100	"	"	"	"	"	
Zinc	"	ND	—	0.0100	"	"	"	"	"	
PPI1165-06 (CR-32C)		**Water**				**Sampled: 09/27/06 12:45**				
Arsenic	EPA 6020 - Diss	0.00869	—	0.00100	mg/l	1x	6J02027	10/02/06 11:23	10/03/06 02:13	
Barium	"	0.152	—	0.0100	"	"	"	"	"	
Cadmium	"	ND	—	0.00100	"	"	"	"	"	
Chromium	"	ND	—	0.00100	"	"	"	"	"	
Copper	"	ND	—	0.00100	"	"	"	"	"	
Lead	"	ND	—	0.00100	"	"	"	"	"	
Selenium	"	0.00115	—	0.00100	"	"	"	"	"	
Silver	"	ND	—	0.00100	"	"	"	"	"	
Zinc	"	ND	—	0.0100	"	"	"	"	"	
PPI1165-08 (CR-31B)		**Water**				**Sampled: 09/27/06 14:14**				
Arsenic	EPA 6020 - Diss	0.0917	—	0.00100	mg/l	1x	6J02027	10/02/06 11:23	10/03/06 02:19	
Barium	"	0.122	—	0.0100	"	"	"	"	"	
Cadmium	"	ND	—	0.00100	"	"	"	"	"	
Chromium	"	ND	—	0.00100	"	"	"	"	"	
Copper	"	ND	—	0.00100	"	"	"	"	"	
Lead	"	ND	—	0.00100	"	"	"	"	"	
Selenium	"	0.00116	—	0.00100	"	"	"	"	"	
Silver	"	ND	—	0.00100	"	"	"	"	"	
Zinc	"	ND	—	0.0100	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Dissolved Metals by EPA 6000/7000 Series Methods

TestAmerica - Seattle, WA

Analyte	Method	Result	MDL^	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1165-09 (CR-30B)		**Water**				**Sampled: 09/27/06 15:25**				
Arsenic	EPA 6020 - Diss	**0.0153**	—	0.00100	mg/l	1x	6J02027	10/02/06 11:23	10/03/06 02:24	
Barium	"	**0.0845**	—	0.0100	"	"	"	"	"	
Cadmium	"	ND	—	0.00100	"	"	"	"	"	
Chromium	"	**0.00140**	—	0.00100	"	"	"	"	"	
Copper	"	ND	—	0.00100	"	"	"	"	"	
Lead	"	ND	—	0.00100	"	"	"	"	"	
Selenium	"	**0.00115**	—	0.00100	"	"	"	"	"	
Silver	"	ND	—	0.00100	"	"	"	"	"	
Zinc	"	ND	—	0.0100	"	"	"	"	"	
PPI1165-11 (BD-2)		**Water**				**Sampled: 09/27/06 07:00**				
Arsenic	EPA 6020 - Diss	**0.0915**	—	0.00100	mg/l	1x	6J02027	10/02/06 11:23	10/03/06 02:30	
Barium	"	**0.122**	—	0.0100	"	"	"	"	"	
Cadmium	"	ND	—	0.00100	"	"	"	"	"	
Chromium	"	ND	—	0.00100	"	"	"	"	"	
Copper	"	ND	—	0.00100	"	"	"	"	"	
Lead	"	ND	—	0.00100	"	"	"	"	"	
Selenium	"	**0.00112**	—	0.00100	"	"	"	"	"	
Silver	"	ND	—	0.00100	"	"	"	"	"	
Zinc	"	ND	—	0.0100	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007295

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Gasoline Hydrocarbons per NW TPH-Gx Method - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6091258 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6091258-BLK1)								Extracted: 09/29/06 10:46						
Gasoline Range Hydrocarbons	NW TPH-Gx	ND	--	80.0	ug/l	1x	--	--	--	--	--	--	09/29/06 11:06	
Surrogate(s): 4-BFB		*Recovery: 92.0%*			*Limits: 50-150%*	"							*09/29/06 11:06*	
LCS (6091258-BS1)								Extracted: 09/29/06 10:46						
Gasoline Range Hydrocarbons	NW TPH-Gx	402	--	80.0	ug/l	1x	--	500	80.4%	(70-130)	--	--	09/29/06 11:32	
Surrogate(s): 4-BFB		*Recovery: 103%*			*Limits: 50-150%*	"							*09/29/06 11:32*	
LCS Dup (6091258-BSD1)								Extracted: 09/29/06 10:46						
Gasoline Range Hydrocarbons	NW TPH-Gx	426	--	80.0	ug/l	1x	--	500	85.2%	(70-130)	5.80%	(40)	09/29/06 11:58	
Surrogate(s): 4-BFB		*Recovery: 110%*			*Limits: 50-150%*	"							*09/29/06 11:58*	
Duplicate (6091258-DUP1)					QC Source: PPI1076-02			Extracted: 09/29/06 10:46						
Gasoline Range Hydrocarbons	NW TPH-Gx	460	--	80.0	ug/l	1x	454	--	--	--	1.31%	(40)	09/29/06 13:14	
Surrogate(s): 4-BFB		*Recovery: 96.2%*			*Limits: 50-150%*	"							*09/29/06 13:14*	
Duplicate (6091258-DUP2)					QC Source: PPI1103-01			Extracted: 09/29/06 10:46						
Gasoline Range Hydrocarbons	NW TPH-Gx	ND	--	80.0	ug/l	1x	ND	--	--	--	33.2%	(40)	09/29/06 16:17	
Surrogate(s): 4-BFB		*Recovery: 97.2%*			*Limits: 50-150%*	"							*09/29/06 16:17*	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Diesel and Heavy Range Hydrocarbons per NWTPH-Dx Method - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100041 **Water Preparation Method: EPA 3520/600 Series**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100041-BLK1)									Extracted: 10/03/06 11:15					
Diesel Range Organics	NWTPH-Dx	ND	---	0.250	mg/l	1x	--	--	--	--	--	--	10/04/06 03:09	
Heavy Oil Range Hydrocarbons	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Surrogate(s): 1-Chlorooctadecane		*Recovery: 99.4%*			*Limits: 50-150%*	"							*10/04/06 03:09*	
LCS (6100041-BS1)									Extracted: 10/03/06 11:15					
Diesel Range Organics	NWTPH-Dx	2.33	---	0.250	mg/l	1x	--	2.55	91.4%	(50-150)	--	--	10/04/06 02:04	
Heavy Oil Range Hydrocarbons	"	1.45	---	0.500	"	"	--	1.60	90.6%	"	--	--	"	
Surrogate(s): 1-Chlorooctadecane		*Recovery: 88.8%*			*Limits: 50-150%*	"							*10/04/06 02:04*	
LCS Dup (6100041-BSD1)									Extracted: 10/03/06 11:15					
Diesel Range Organics	NWTPH-Dx	2.43	---	0.250	mg/l	1x	--	2.55	95.3%	(50-150)	4.20%	(50)	10/04/06 02:36	
Heavy Oil Range Hydrocarbons	"	1.58	---	0.500	"	"	--	1.60	98.8%	"	8.58%	"	"	
Surrogate(s): 1-Chlorooctadecane		*Recovery: 93.6%*			*Limits: 50-150%*	"							*10/04/06 02:36*	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Total Metals per EPA 6000/7000 Series Methods - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100115 **Water Preparation Method: EPA 200/3005**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100115-BLK1)							Extracted: 10/03/06 12:48							
Arsenic	EPA 6020	ND	---	0.0000360	mg/l	1x	--	--	--	--	--	--	10/05/06 05:48	BK-2
Barium	"	ND	---	0.000800	"	"	--	--	--	--	--	--	"	BK-2
Cadmium	"	ND	---	0.0000752	"	"	--	--	--	--	--	--	"	
Chromium	"	ND	---	0.000800	"	"	--	--	--	--	--	--	"	
Copper	"	ND	---	0.00160	"	"	--	--	--	--	--	--	"	
Lead	"	ND	---	0.000432	"	"	--	--	--	--	--	--	"	
Selenium	"	ND	---	0.00160	"	"	--	--	--	--	--	--	10/07/06 02:46	
Silver	"	ND	---	0.0000960	"	"	--	--	--	--	--	--	10/05/06 05:48	
Zinc	"	ND	---	0.00400	"	"	--	--	--	--	--	--	"	
LCS (6100115-BS1)							Extracted: 10/03/06 12:48							
Arsenic	EPA 6020	0.0849	---	0.00160	mg/l	2x	--	0.100	84.9%	(80-120)	--	--	10/05/06 05:54	
Barium	"	0.0902	---	0.00160	"	"	--	"	90.2%	"	--	--	"	
Cadmium	"	0.0814	---	0.00160	"	"	--	"	81.4%	"	--	--	"	
Chromium	"	0.0866	---	0.00160	"	"	--	"	86.6%	"	--	--	"	
Copper	"	0.0902	---	0.00320	"	"	--	"	90.2%	"	--	--	"	
Lead	"	0.0946	---	0.00160	"	"	--	"	94.6%	"	--	--	"	
Selenium	"	0.0378	---	0.00160	"	1x	--	0.0500	75.6%	"	--	--	10/07/06 02:53	
Silver	"	0.0438	---	0.00160	"	2x	--	"	87.6%	"	--	--	10/05/06 05:54	
Zinc	"	0.0805	---	0.00800	"	"	--	0.100	80.5%	"	--	--	"	
Duplicate (6100115-DUP1)					QC Source: PPI1104-01				Extracted: 10/03/06 12:48					
Arsenic	EPA 6020	0.0272	---	0.000800	mg/l	1x	0.0274	--	--	--	0.733%	(20)	10/05/06 06:32	
Barium	"	0.0863	---	0.000800	"	"	0.0902	--	--	--	4.42%	"	"	
Cadmium	"	ND	---	0.000800	"	"	ND	--	--	--	10.5%	"	"	
Chromium	"	0.00228	---	0.000800	"	"	0.00227	--	--	--	0.440%	"	"	
Copper	"	ND	---	0.00160	"	"	ND	--	--	--	15.9%	"	"	
Lead	"	0.00151	---	0.000800	"	"	0.00155	--	--	--	2.61%	"	"	
Silver	"	ND	---	0.000800	"	"	ND	--	--	--	NR	"	"	
Zinc	"	0.0105	---	0.00400	"	"	0.0103	--	--	--	1.92%	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Total Metals per EPA 6000/7000 Series Methods - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100115 **Water Preparation Method: EPA 200/3005**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Matrix Spike (6100115-MS1)				QC Source: PP11104-01				Extracted: 10/03/06 12:48						
Arsenic	EPA 6020	0.112	---	0.000800	mg/l	1x	0.0274	0.100	84.6%	(75-125)	--	--	10/05/06 06:38	
Barium	"	0.181	---	0.000800	"	"	0.0902	"	90.8%	"	--	--	"	
Cadmium	"	0.0871	---	0.000800	"	"	0.0000800	"	87.0%	"	--	--	"	
Chromium	"	0.0964	---	0.000800	"	"	0.00227	"	94.1%	"	--	--	"	
Copper	"	0.0838	---	0.00160	"	"	0.000904	"	82.9%	"	--	--	"	
Lead	"	0.0962	---	0.000800	"	"	0.00155	"	94.6%	"	--	--	"	
Silver	"	0.0446	---	0.000800	"	"	ND	0.0500	89.2%	"	--	--	"	
Zinc	"	0.0846	---	0.00400	"	"	0.0103	0.100	74.3%	"	--	--	"	Q-02
Matrix Spike (6100115-MS2)				QC Source: PP11239-06				Extracted: 10/03/06 12:48						
Arsenic	EPA 6020	0.0913	---	0.000800	mg/l	1x	ND	0.100	91.3%	(75-125)	--	--	10/05/06 07:54	
Barium	"	0.0888	---	0.000800	"	"	0.000296	"	88.5%	"	--	--	"	
Cadmium	"	0.0847	---	0.000800	"	"	ND	"	84.7%	"	--	--	"	
Chromium	"	0.0871	---	0.000800	"	"	ND	"	87.1%	"	--	--	"	
Copper	"	0.0890	---	0.00160	"	"	0.000408	"	88.6%	"	--	--	"	
Lead	"	0.0957	---	0.000800	"	"	0.000912	"	94.8%	"	--	--	10/05/06 20:16	
Silver	"	0.0436	---	0.000800	"	"	ND	0.0500	87.2%	"	--	--	10/05/06 07:54	
Zinc	"	0.0838	---	0.00400	"	"	ND	0.100	83.8%	"	--	--	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Total Metals per EPA 6000/7000 Series Methods - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100498 **Water Preparation Method: EPA 200/3005**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100498-BLK1)								Extracted: 10/10/06 14:18						
Selenium	EPA 6020	ND	---	0.00200	mg/l	1x	--	--	--	--	--	--	10/12/06 09:38	
LCS (6100498-BS1)								Extracted: 10/10/06 14:18						
Selenium	EPA 6020	0.0530	---	0.0100	mg/l	5x	--	0.0500	106%	(80-120)	--	--	10/12/06 06:30	
Duplicate (6100498-DUP1)				QC Source: PPJ0198-02				Extracted: 10/10/06 14:18						
Selenium	EPA 6020	ND	---	0.00200	mg/l	1x	ND	--	--	--	NR	(20)	10/12/06 10:03	
Matrix Spike (6100498-MS1)				QC Source: PPJ0198-02				Extracted: 10/10/06 14:18						
Selenium	EPA 6020	0.0406	---	0.00200	mg/l	1x	ND	0.0500	81.2%	(75-125)	--	--	10/12/06 10:11	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Dissolved Mercury per EPA Method 7470A - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100198 **Water Preparation Method: EPA 7470A**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100198-BLK1)								Extracted: 10/04/06 15:09						
Mercury	EPA 7470A	ND	—	0.000200	mg/l	1x	—	—	—	—	—	—	10/05/06 10:22	
LCS (6100198-BS1)								Extracted: 10/04/06 15:09						
Mercury	EPA 7470A	0.00522	—	0.000200	mg/l	1x	—	0.00500	104%	(85-115)	—	—	10/05/06 10:24	
LCS Dup (6100198-BSD1)								Extracted: 10/04/06 15:09						
Mercury	EPA 7470A	0.00489	—	0.000200	mg/l	1x	—	0.00500	97.8%	(85-115)	6.53%	(20)	10/05/06 10:27	
Duplicate (6100198-DUP1)				QC Source: PP11165-02				Extracted: 10/04/06 15:09						
Mercury	EPA 7470A	ND	—	0.000200	mg/l	1x	ND	—	—	—		(20)	10/05/06 10:29	
Matrix Spike (6100198-MS1)				QC Source: PP11165-02				Extracted: 10/04/06 15:09						
Mercury	EPA 7470A	0.00501	—	0.000200	mg/l	1x	ND	0.00500	100%	(75-125)	—	—	10/05/06 10:32	
Matrix Spike (6100198-MS2)				QC Source: PP11295-06				Extracted: 10/04/06 15:09						
Mercury	EPA 7470A	0.00566	—	0.000200	mg/l	1x	ND	0.00500	113%	(75-125)	—	—	10/05/06 10:37	
Matrix Spike Dup (6100198-MSD1)				QC Source: PP11165-02				Extracted: 10/04/06 15:09						
Mercury	EPA 7470A	0.00494	—	0.000200	mg/l	1x	ND	0.00500	98.8%	(75-125)	1.41%	(20)	10/05/06 10:34	
Matrix Spike Dup (6100198-MSD2)				QC Source: PP11295-06				Extracted: 10/04/06 15:09						
Mercury	EPA 7470A	0.00470	—	0.000200	mg/l	1x	ND	0.00500	94.0%	(75-125)	18.5%	(20)	10/05/06 10:39	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Mercury by EPA Method 1631 Modified - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100054 **Water Preparation Method: EPA 1631**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100054-BLK1)								Extracted: 10/02/06 13:14						
Mercury	EPA 1631M	ND	---	0.00500	ug/l	1x	--	--	--	--	--	--	10/03/06 08:41	
LCS (6100054-BS1)								Extracted: 10/02/06 13:14						
Mercury	EPA 1631M	0.0495	---	0.00500	ug/l	1x	--	0.0500	99.0%	(85-115)	--	--	10/03/06 08:44	
LCS Dup (6100054-BSD1)								Extracted: 10/02/06 13:14						
Mercury	EPA 1631M	0.0492	---	0.00500	ug/l	1x	--	0.0500	98.4%	(85-115)	0.608%	(20)	10/03/06 08:47	
Duplicate (6100054-DUP1)				QC Source: PPI1154-02				Extracted: 10/02/06 13:14						
Mercury	EPA 1631M	ND	---	0.00500	ug/l	1x	ND	--	--	--	NR	(20)	10/03/06 08:50	
Matrix Spike (6100054-MS1)				QC Source: PPI1154-02				Extracted: 10/02/06 13:14						
Mercury	EPA 1631M	0.0408	---	0.00500	ug/l	1x	ND	0.0500	81.6%	(75-125)	--	--	10/03/06 08:52	
Matrix Spike (6100054-MS2)				QC Source: PPI1155-01				Extracted: 10/02/06 13:14						
Mercury	EPA 1631M	0.0412	---	0.00500	ug/l	1x	ND	0.0500	82.4%	(75-125)	--	--	10/03/06 08:58	
Matrix Spike Dup (6100054-MSD1)				QC Source: PPI1154-02				Extracted: 10/02/06 13:14						
Mercury	EPA 1631M	0.0411	---	0.00500	ug/l	1x	ND	0.0500	82.2%	(75-125)	0.733%	(20)	10/03/06 08:55	
Matrix Spike Dup (6100054-MSD2)				QC Source: PPI1155-01				Extracted: 10/02/06 13:14						
Mercury	EPA 1631M	0.0420	---	0.00500	ug/l	1x	ND	0.0500	84.0%	(75-125)	1.92%	(20)	10/03/06 09:00	

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Total Mercury per EPA Method 7470A - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100066 **Water Preparation Method: EPA 7470A**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100066-BLK1)								Extracted: 10/02/06 15:19						
Mercury	EPA 7470A	ND	--	0.000200	mg/l	1x	--	--	--	--	--	--	10/03/06 09:37	
LCS (6100066-BS1)								Extracted: 10/02/06 15:19						
Mercury	EPA 7470A	0.00522	--	0.000200	mg/l	1x	--	0.00500	104%	(85-115)	--	--	10/03/06 09:39	
LCS Dup (6100066-BSD1)								Extracted: 10/02/06 15:19						
Mercury	EPA 7470A	0.00521	--	0.000200	mg/l	1x	--	0.00500	104%	(85-115)	0.192%	(20)	10/03/06 09:42	
Duplicate (6100066-DUP1)				QC Source: PPI1103-01				Extracted: 10/02/06 15:19						
Mercury	EPA 7470A	ND	--	0.000200	mg/l	1x	ND	--	--	--		(20)	10/03/06 09:44	
Matrix Spike (6100066-MS1)				QC Source: PPI1103-01				Extracted: 10/02/06 15:19						
Mercury	EPA 7470A	0.00484	--	0.000200	mg/l	1x	ND	0.00500	96.8%	(75-125)	--	--	10/03/06 09:47	
Matrix Spike Dup (6100066-MSD1)				QC Source: PPI1103-01				Extracted: 10/02/06 15:19						
Mercury	EPA 7470A	0.00469	--	0.000200	mg/l	1x	ND	0.00500	93.8%	(75-125)	3.15%	(20)	10/03/06 09:49	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Volatile Organic Compounds per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100296 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100296-BLK1)							Extracted: 10/06/06 08:19							
Acetone	EPA 8260B	ND	—	25.0	ug/l	1x	—	—	—	—	—	—	10/06/06 10:30	
Benzene	"	ND	—	1.00	"	"	"	"	"	"	"	"	"	
Bromobenzene	"	ND	—	1.00	"	"	"	"	"	"	"	"	"	
Bromochloromethane	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
Bromodichloromethane	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
Bromoform	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
Bromomethane	"	ND	—	5.00	"	"	—	—	—	—	—	—	"	
2-Butanone (MEK)	"	ND	—	10.0	"	"	—	—	—	—	—	—	"	
n-Butylbenzene	"	ND	—	5.00	"	"	—	—	—	—	—	—	"	
sec-Butylbenzene	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
tert-Butylbenzene	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
Carbon disulfide	"	ND	—	10.0	"	"	—	—	—	—	—	—	"	
Carbon tetrachloride	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
Chlorobenzene	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
Chloroethane	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
Chloroform	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
Chloromethane	"	ND	—	5.00	"	"	—	—	—	—	—	—	"	
2-Chlorotoluene	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
4-Chlorotoluene	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
1,2-Dibromo-3-chloropropane	"	ND	—	5.00	"	"	—	—	—	—	—	—	"	
Dibromochloromethane	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
1,2-Dibromoethane	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
Dibromomethane	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
1,2-Dichlorobenzene	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
1,3-Dichlorobenzene	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
1,4-Dichlorobenzene	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
Dichlorodifluoromethane	"	ND	—	5.00	"	"	—	—	—	—	—	—	"	
1,1-Dichloroethane	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
1,2-Dichloroethane	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
1,1-Dichloroethene	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
cis-1,2-Dichloroethene	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
trans-1,2-Dichloroethene	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
1,2-Dichloropropane	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
1,3-Dichloropropane	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
2,2-Dichloropropane	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
1,1-Dichloropropene	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
cis-1,3-Dichloropropene	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
trans-1,3-Dichloropropene	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
Ethylbenzene	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Volatile Organic Compounds per EPA Method 8260B - Laboratory Quality Control Results
TestAmerica - Portland, OR

QC Batch: 6100296 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL^	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100296-BLK1)								Extracted: 10/06/06 08:19						
Hexachlorobutadiene	EPA 8260B	ND	---	4.00	ug/l	1x	--	--	--	--	--	--	10/06/06 10:30	
2-Hexanone	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Isopropylbenzene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
p-Isopropyltoluene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
4-Methyl-2-pentanone	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Methyl tert-butyl ether	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Methylene chloride	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Naphthalene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
n-Propylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Styrene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,1,2-Tetrachloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,2,2-Tetrachloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Tetrachloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Toluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,1-Trichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,2-Trichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Trichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Trichlorofluoromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trimethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3,5-Trimethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Vinyl chloride	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
o-Xylene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
m,p-Xylene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
Surrogate(s): 4-BFB		*Recovery: 107%*			*Limits: 80-120%*	"							*10/06/06 10:30*	
1,2-DCA-d4		*84.5%*			*80-120%*	"							"	
Dibromofluoromethane		*92.5%*			*80-120%*	"							"	
Toluene-d8		*98.0%*			*80-120%*	"							"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name: **Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number: 100-1868-OML	Report Created:
Portland, OR 97201	Project Manager: Grant V. Sprick	10/24/06 09:47

Volatile Organic Compounds per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100296 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
LCS (6100296-BS1)								Extracted: 10/06/06 08:19						
Benzene	EPA 8260B	20.4	---	1.00	ug/l	1x	--	20.0	102%	(80-120)	--	--	10/06/06 08:43	
Chlorobenzene	"	20.1	---	1.00	"	"	--	"	100%	(80-124)	--	--	"	
1,1-Dichloroethene	"	19.8	---	1.00	"	"	--	"	99.0%	(78-120)	--	--	"	
Toluene	"	20.9	---	1.00	"	"	--	"	104%	(80-124)	--	--	"	
Trichloroethene	"	19.7	---	1.00	"	"	--	"	98.5%	(80-132)	--	--	"	
Surrogate(s): *4-BFB*		*Recovery: 114%*			*Limits: 80-120%*	"							*10/06/06 08:43*	
1,2-DCA-d4		*88.0%*			*80-120%*	"							"	
Dibromofluoromethane		*96.5%*			*80-120%*	"							"	
Toluene-d8		*100%*			*80-120%*	"							"	
Matrix Spike (6100296-MS1)					QC Source: PP11165-01			Extracted: 10/06/06 08:19						
Benzene	EPA 8260B	19.6	---	1.00	ug/l	1x	2.26	20.0	86.7%	(80-124)	--	--	10/06/06 09:10	
Chlorobenzene	"	18.8	---	1.00	"	"	ND	"	94.0%	(72.9-134)	--	--	"	
1,1-Dichloroethene	"	17.0	---	1.00	"	"	ND	"	85.0%	(79.3-127)	--	--	"	
Toluene	"	19.4	---	1.00	"	"	3.06	"	81.7%	(79.7-131)	--	--	"	
Trichloroethene	"	17.6	---	1.00	"	"	ND	"	88.0%	(68.4-130)	--	--	"	
Surrogate(s): *4-BFB*		*Recovery: 108%*			*Limits: 80-120%*	"							*10/06/06 09:10*	
1,2-DCA-d4		*87.5%*			*80-120%*	"							"	
Dibromofluoromethane		*97.0%*			*80-120%*	"							"	
Toluene-d8		*95.0%*			*80-120%*	"							"	
Matrix Spike Dup (6100296-MSD1)					QC Source: PP11165-01			Extracted: 10/06/06 08:19						
Benzene	EPA 8260B	22.1	---	1.00	ug/l	1x	2.26	20.0	99.2%	(80-124)	12.0%	(25)	10/06/06 09:37	
Chlorobenzene	"	21.0	---	1.00	"	"	ND	"	105%	(72.9-134)	11.1%	"	"	
1,1-Dichloroethene	"	18.5	---	1.00	"	"	ND	"	92.5%	(79.3-127)	8.45%	"	"	
Toluene	"	20.8	---	1.00	"	"	3.06	"	88.7%	(79.7-131)	6.97%	"	"	
Trichloroethene	"	19.4	---	1.00	"	"	ND	"	97.0%	(68.4-130)	9.73%	"	"	
Surrogate(s): *4-BFB*		*Recovery: 115%*			*Limits: 80-120%*	"							*10/06/06 09:37*	
1,2-DCA-d4		*92.0%*			*80-120%*	"							"	
Dibromofluoromethane		*101%*			*80-120%*	"							"	
Toluene-d8		*100%*			*80-120%*	"							"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Volatile Organic Compounds per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100372 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100372-BLK1)								Extracted: 10/08/06 09:18						
Acetone	EPA 8260B	ND	---	25.0	ug/l	1x	--	--	--	--	--	--	10/08/06 11:49	
Benzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromochloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromodichloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromoform	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Bromomethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
2-Butanone (MEK)	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
n-Butylbenzene	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
sec-Butylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
tert-Butylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Carbon disulfide	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Carbon tetrachloride	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Chlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Chloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Chloroform	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Chloromethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
2-Chlorotoluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
4-Chlorotoluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dibromo-3-chloropropane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Dibromochloromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dibromoethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Dibromomethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3-Dichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,4-Dichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Dichlorodifluoromethane	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
cis-1,2-Dichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
trans-1,2-Dichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3-Dichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
2,2-Dichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1-Dichloropropene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
cis-1,3-Dichloropropene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
trans-1,3-Dichloropropene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Ethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Volatile Organic Compounds per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100372 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100372-BLK1)								Extracted: 10/08/06 09:11						
Hexachlorobutadiene	EPA 8260B	ND	---	4.00	ug/l	1x	--	--	--	--	--	--	10/08/06 11:49	
2-Hexanone	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Isopropylbenzene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
p-Isopropyltoluene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
4-Methyl-2-pentanone	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Methyl tert-butyl ether	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Methylene chloride	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Naphthalene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
n-Propylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Styrene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,1,2-Tetrachloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,2,2-Tetrachloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Tetrachloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Toluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,1-Trichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,2-Trichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Trichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Trichlorofluoromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trimethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3,5-Trimethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Vinyl chloride	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
o-Xylene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
m,p-Xylene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
Surrogate(s): *4-BFB*		*Recovery:* 97.5%			*Limits:* 80-120%	"							*10/08/06 11:49*	
1,2-DCA-d4		94.5%			80-120%	"							"	
Dibromofluoromethane		98.0%			80-120%	"							"	
Toluene-d8		94.5%			80-120%	"							"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Volatile Organic Compounds per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100372 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
LCS (6100372-BS1)								Extracted: 10/08/06 09:11						
Benzene	EPA 8260B	20.6	---	1.00	ug/l	1x	--	20.0	103%	(80-120)	--	--	10/08/06 10:02	
Chlorobenzene	"	20.2	---	1.00	"	"	--	"	101%	(80-124)	--	--	"	
1,1-Dichloroethene	"	20.4	---	1.00	"	"	--	"	102%	(78-120)	--	--	"	
Toluene	"	20.9	---	1.00	"	"	--	"	104%	(80-124)	--	--	"	
Trichloroethene	"	20.6	---	1.00	"	"	--	"	103%	(80-132)	--	--	"	
Surrogate(s):	*4-BFB*	*Recovery:*	*106%*		*Limits: 80-120%*	"							*10/08/06 10:02*	
	1,2-DCA-d4		*98.0%*		*80-120%*	"							"	
	Dibromofluoromethane		*100%*		*80-120%*	"							"	
	Toluene-d8		*99.0%*		*80-120%*	"							"	
Matrix Spike (6100372-MS1)						QC Source: PPJ0032-01		Extracted: 10/08/06 09:11						
Benzene	EPA 8260B	19.1	---	1.00	ug/l	1x	0.150	20.0	94.8%	(80-124)	--	--	10/08/06 10:29	
Chlorobenzene	"	18.9	---	1.00	"	"	ND	"	94.5%	(72.9-134)	--	--	"	
1,1-Dichloroethene	"	18.6	---	1.00	"	"	ND	"	93.0%	(79.3-127)	--	--	"	
Toluene	"	19.8	---	1.00	"	"	0.910	"	94.4%	(79.7-131)	--	--	"	
Trichloroethene	"	18.8	---	1.00	"	"	ND	"	94.0%	(68.4-130)	--	--	"	
Surrogate(s):	*4-BFB*	*Recovery:*	*98.5%*		*Limits: 80-120%*	"							*10/08/06 10:29*	
	1,2-DCA-d4		*93.0%*		*80-120%*	"							"	
	Dibromofluoromethane		*95.5%*		*80-120%*	"							"	
	Toluene-d8		*94.0%*		*80-120%*	"							"	
Matrix Spike Dup (6100372-MSD1)						QC Source: PPJ0032-01		Extracted: 10/08/06 09:11						
Benzene	EPA 8260B	20.1	---	1.00	ug/l	1x	0.150	20.0	99.8%	(80-124)	5.10%	(25)	10/08/06 10:56	
Chlorobenzene	"	19.6	---	1.00	"	"	ND	"	98.0%	(72.9-134)	3.64%	"	"	
1,1-Dichloroethene	"	20.1	---	1.00	"	"	ND	"	100%	(79.3-127)	7.75%	"	"	
Toluene	"	20.8	---	1.00	"	"	0.910	"	99.4%	(79.7-131)	4.93%	"	"	
Trichloroethene	"	19.8	---	1.00	"	"	ND	"	99.0%	(68.4-130)	5.18%	"	"	
Surrogate(s):	*4-BFB*	*Recovery:*	*103%*		*Limits: 80-120%*	"							*10/08/06 10:56*	
	1,2-DCA-d4		*95.0%*		*80-120%*	"							"	
	Dibromofluoromethane		*98.5%*		*80-120%*	"							"	
	Toluene-d8		*96.0%*		*80-120%*	"							"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Selected Volatile Organic Compounds (Including BTEX) per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100562 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL[a]	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100562-BLK1)							Extracted: 10/11/06 14:31							
1,2-Dibromoethane	EPA 8260B	ND	—	0.500	ug/l	1x	--	--	--	--	--	--	10/11/06 17:14	
1,2-Dichloroethane	"	ND	—	0.500	"	"	--	--	--	--	--	--	"	
Benzene	"	ND	--	0.200	"	"	--	--	--	--	--	--	"	
Toluene	"	ND	--	0.500	"	"	--	--	--	--	--	--	"	
Ethylbenzene	"	ND	—	0.500	"	"	--	--	--	--	--	--	"	
Xylenes (total)	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
Methyl tert-butyl ether	"	ND	—	2.00	"	"	--	--	--	--	--	--	"	
Naphthalene	"	ND	--	2.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trimethylbenzene	"	ND	—	1.00	"	"	--	--	--	--	--	--	"	
1,3,5-Trimethylbenzene	"	ND	--	0.500	"	"	--	--	--	--	--	--	"	
Isopropylbenzene	"	ND	--	2.00	"	"	--	--	--	--	--	--	"	
n-Propylbenzene	"	ND	—	0.500	"	"	--	--	--	--	--	--	"	
Surrogate(s): 4-BFB		*Recovery: 103%*			*Limits: 80-120%*	"							*10/11/06 17:14*	
1,2-DCA-d4		*105%*			*80-120%*	"							"	
Dibromofluoromethane		*97.5%*			*80-120%*	"							"	
Toluene-d8		*99.0%*			*80-120%*	"							"	
LCS (6100562-BS1)							Extracted: 10/11/06 14:31							
Benzene	EPA 8260B	18.8	--	0.200	ug/l	1x	--	20.0	94.0%	(80-120)	--	--	10/11/06 15:27	
Toluene	"	19.4	--	0.500	"	"	--	"	97.0%	(80-124)	--	--	"	
Ethylbenzene	"	20.0	--	0.500	"	"	--	"	100%	(80-120)	--	--	"	
Xylenes (total)	"	60.6	--	1.00	"	"	--	60.0	101%	(73-124)	--	--	"	
Methyl tert-butyl ether	"	19.8	--	2.00	"	"	--	20.0	99.0%	(80-129)	--	--	"	
Naphthalene	"	26.4	--	2.00	"	"	--	"	132%	(72-149)	--	--	"	
Surrogate(s): 4-BFB		*Recovery: 102%*			*Limits: 80-120%*	"							*10/11/06 15:27*	
1,2-DCA-d4		*101%*			*80-120%*	"							"	
Dibromofluoromethane		*95.0%*			*80-120%*	"							"	
Toluene-d8		*98.0%*			*80-120%*	"							"	
Matrix Spike (6100562-MS1)					QC Source: PP11165-07		Extracted: 10/11/06 14:31							
Benzene	EPA 8260B	19.2	--	0.200	ug/l	1x	ND	20.0	96.0%	(80-124)	--	--	10/11/06 15:54	
Toluene	"	19.7	--	0.500	"	"	ND	"	98.5%	(79.7-131)	--	--	"	
Ethylbenzene	"	20.3	--	0.500	"	"	ND	"	102%	(80-124)	--	--	"	
Xylenes (total)	"	62.0	--	1.00	"	"	ND	60.0	103%	(44.6-154)	--	--	"	
Methyl tert-butyl ether	"	20.7	--	2.00	"	"	ND	20.0	104%	(80-130)	--	--	"	
Naphthalene	"	26.5	--	2.00	"	"	ND	"	132%	(69-163)	--	--	"	
Surrogate(s): 4-BFB		*Recovery: 103%*			*Limits: 80-120%*	"							*10/11/06 15:54*	
1,2-DCA-d4		*102%*			*80-120%*	"							"	
Dibromofluoromethane		*100%*			*80-120%*	"							"	
Toluene-d8		*99.5%*			*80-120%*	"							"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007310

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Selected Volatile Organic Compounds (Including BTEX) per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100562 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Matrix Spike Dup (6100562-MSD1)				QC Source: PPH1165-07				Extracted: 10/11/06 14:31						
Benzene	EPA 8260B	18.6	—	0.200	ug/l	1x	ND	20.0	93.0%	(80-124)	3.17%	(25)	10/11/06 16:20	
Toluene	"	19.0	—	0.500	"	"	ND	"	95.0%	(79.7-131)	3.62%	"	"	
Ethylbenzene	"	19.3	—	0.500	"	"	ND	"	96.5%	(80-124)	3.05%	"	"	
Xylenes (total)	"	58.6	—	1.00	"	"	ND	60.0	97.7%	(44.6-154)	3.64%	"	"	
Methyl tert-butyl ether	"	19.5	—	2.00	"	"	ND	20.0	97.5%	(80-130)	5.97%	"	"	
Naphthalene	"	24.6	—	2.00	"	"	ND	"	123%	(69-163)	7.44%	"	"	
Surrogate(s):	*4-BFB*	*Recovery:*	*99.0%*		*Limits: 80-120%*	"							*10/11/06 16:20*	
	1,2-DCA-d4		*104%*		*80-120%*	"							"	
	Dibromofluoromethane		*98.0%*		*80-120%*	"							"	
	Toluene-d8		*100%*		*80-120%*	"							"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Polynuclear Aromatic Compounds per EPA 8270M-SIM - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6091266 **Water Preparation Method: 3520B Liq-Liq**

Analyte	Method	Result	MDL[A]	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6091266-BLK1)							Extracted: 09/29/06 15:30							
Benzo (a) anthracene	EPA 8270m	ND	---	0.00500	ug/l	1x	---	---	---	---	---	---	10/16/06 17:25	
Acenaphthene	"	ND	---	0.0100	"	"	---	---	---	---	---	---	10/09/06 13:53	
Benzo (a) pyrene	"	ND	---	0.00500	"	"	---	---	---	---	---	---	10/16/06 17:25	
Acenaphthylene	"	ND	---	0.0100	"	"	---	---	---	---	---	---	10/09/06 13:53	
Benzo (b) fluoranthene	"	ND	---	0.00500	"	"	---	---	---	---	---	---	10/16/06 17:25	
Anthracene	"	ND	---	0.0100	"	"	---	---	---	---	---	---	10/09/06 13:53	
Benzo (k) fluoranthene	"	ND	---	0.00500	"	"	---	---	---	---	---	---	10/16/06 17:25	
Chrysene	"	ND	---	0.00500	"	"	---	---	---	---	---	---	"	
Dibenzo (a,h) anthracene	"	ND	---	0.00500	"	"	---	---	---	---	---	---	"	
Indeno (1,2,3-cd) pyrene	"	ND	---	0.00500	"	"	---	---	---	---	---	---	"	
Benzo (ghi) perylene	"	ND	---	0.0100	"	"	---	---	---	---	---	---	10/09/06 13:53	
Fluoranthene	"	ND	---	0.0100	"	"	---	---	---	---	---	---	"	
Fluorene	"	ND	---	0.0100	"	"	---	---	---	---	---	---	"	
Naphthalene	"	0.0165	---	0.0100	"	"	---	---	---	---	---	---	"	A-01, B-18
Phenanthrene	"	ND	---	0.0100	"	"	---	---	---	---	---	---	"	
Pyrene	"	ND	---	0.0100	"	"	---	---	---	---	---	---	"	
Benzo (a) pyrene-d12		*96.8%*			*10-125%*	"							*10/16/06 17:25*	
Fluorene-d10		*118%*			*25-125%*	"							*10/09/06 13:53*	
Surrogate(s): Pyrene-d10		*Recovery:*	*81.6%*		*Limits: 23-150%*	"							*10/09/06 13:53*	
LCS (6091266-BS1)							Extracted: 09/29/06 15:30							
Acenaphthene	EPA 8270m	1.15	---	0.0100	ug/l	1x	---	1.25	92.0%	(35-120)	---	---	10/09/06 14:21	
Benzo (a) pyrene	"	1.20	---	0.00500	"	"	---	"	96.0%	(38-137)	---	---	10/16/06 16:57	
Acenaphthylene	"	1.26	---	0.0100	"	"	---	"	101%	(34-116)	---	---	10/09/06 14:21	
Anthracene	"	1.13	---	0.0100	"	"	---	"	90.4%	(24-119)	---	---	"	
Benzo (a) anthracene	"	1.22	---	0.0100	"	"	---	"	97.6%	(36-128)	---	---	"	
Benzo (a) pyrene	"	1.21	---	0.0100	"	"	---	"	96.8%	(17-128)	---	---	"	
Benzo (b) fluoranthene	"	1.40	---	0.0100	"	"	---	"	112%	(37-131)	---	---	"	
Benzo (ghi) perylene	"	1.22	---	0.0100	"	"	---	"	97.6%	(26-126)	---	---	"	
Benzo (k) fluoranthene	"	1.22	---	0.0100	"	"	---	"	97.6%	(18-145)	---	---	"	
Chrysene	"	1.14	---	0.0100	"	"	---	"	91.2%	(16-137)	---	---	"	
Dibenzo (a,h) anthracene	"	1.35	---	0.0100	"	"	---	"	108%	(20-141)	---	---	"	
Fluoranthene	"	1.28	---	0.0100	"	"	---	"	102%	(31-125)	---	---	"	
Fluorene	"	1.36	---	0.0100	"	"	---	"	109%	(27-124)	---	---	"	
Indeno (1,2,3-cd) pyrene	"	1.31	---	0.0100	"	"	---	"	105%	(30-135)	---	---	"	
Naphthalene	"	1.13	---	0.0100	"	"	---	"	90.4%	(30-113)	---	---	"	BK-3
Phenanthrene	"	1.24	---	0.0100	"	"	---	"	99.2%	(34-126)	---	---	"	
Pyrene	"	1.17	---	0.0100	"	"	---	"	93.6%	(21-141)	---	---	"	
Benzo (a) pyrene-d12		*98.4%*			*10-125%*	"							*10/16/06 16:57*	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007312

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Polynuclear Aromatic Compounds per EPA 8270M-SIM - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6091266 **Water Preparation Method: 3520B Liq-Liq**

Analyte		Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
LCS (6091266-BS1)														Extracted: 09/29/06 15:30	
	Fluorene-d10			*107%*		*25-125%*	*1x*							*10/09/06 14:21*	
Surrogate(s):	*Pyrene-d10*		*Recovery:*	*99.2%*		*Limits: 23-150%*	"							*10/09/06 14:21*	
	Benzo (a) pyrene-d12			*102%*		*10-125%*	"							"	
LCS Dup (6091266-BSD1)														Extracted: 09/29/06 15:30	
Acenaphthene		EPA 8270m	1.10	---	0.0100	ug/l	1x	--	1.25	88.0%	(35-120)	4.44%	(50)	10/09/06 14:49	
Benzo (a) pyrene		"	1.22	---	0.00500	"	"	--	"	97.6%	(38-137)	1.65%	(60)	10/16/06 16:29	
Acenaphthylene		"	1.23	---	0.0100	"	"	--	"	98.4%	(34-116)	2.61%	(50)	10/09/06 14:49	
Anthracene		"	1.14	---	0.0100	"	"	--	"	91.2%	(24-119)	0.881%	"	"	
Benzo (a) anthracene		"	1.23	---	0.0100	"	"	--	"	98.4%	(36-128)	0.816%	"	"	
Benzo (a) pyrene		"	1.23	---	0.0100	"	"	--	"	98.4%	(17-128)	1.64%	"	"	
Benzo (b) fluoranthene		"	1.41	---	0.0100	"	"	--	"	113%	(37-131)	0.889%	"	"	
Benzo (ghi) perylene		"	1.20	---	0.0100	"	"	--	"	96.0%	(26-126)	1.65%	"	"	
Benzo (k) fluoranthene		"	1.16	---	0.0100	"	"	--	"	92.8%	(18-145)	5.04%	"	"	
Chrysene		"	1.14	---	0.0100	"	"	--	"	91.2%	(16-137)	0.00%	"	"	
Dibenzo (a,h) anthracene		"	1.33	---	0.0100	"	"	--	"	106%	(20-141)	1.87%	"	"	
Fluoranthene		"	1.25	---	0.0100	"	"	--	"	100%	(31-125)	1.98%	"	"	
Fluorene		"	1.23	---	0.0100	"	"	--	"	98.4%	(27-124)	10.2%	"	"	
Indeno (1,2,3-cd) pyrene		"	1.28	---	0.0100	"	"	--	"	102%	(30-135)	2.90%	"	"	
Naphthalene		"	1.10	---	0.0100	"	"	--	"	88.0%	(30-113)	2.69%	"	"	BK-3
Phenanthrene		"	1.19	---	0.0100	"	"	--	"	95.2%	(34-126)	4.12%	"	"	
Pyrene		"	1.15	---	0.0100	"	"	--	"	92.0%	(21-141)	1.72%	"	"	
	Benzo (a) pyrene-d12			*102%*		*10-125%*	"							*10/16/06 16:29*	
	Fluorene-d10			*107%*		*25-125%*	"							*10/09/06 14:49*	
Surrogate(s):	*Pyrene-d10*		*Recovery:*	*100%*		*Limits: 23-150%*	"							*10/09/06 14:49*	
	Benzo (a) pyrene-d12			*105%*		*10-125%*	"							"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Polynuclear Aromatic Compounds per EPA 8270M-SIM - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100062 **Water Preparation Method: 3520B Liq-Liq**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100062-BLK1)									Extracted: 10/02/06 18:15					
Acenaphthene	EPA 8270m	ND	---	0.0200	ug/l	1x	---	---	---	---	---	---	10/05/06 14:47	
Acenaphthylene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Anthracene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Benzo (a) anthracene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Benzo (a) pyrene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Benzo (b) fluoranthene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Benzo (ghi) perylene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Benzo (k) fluoranthene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Chrysene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Dibenzo (a,h) anthracene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Fluoranthene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Fluorene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Indeno (1,2,3-cd) pyrene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Naphthalene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Phenanthrene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Pyrene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Surrogate(s): Fluorene-d10		*Recovery: 102%*			*Limits: 25-125%*	"							*10/05/06 14:47*	
Pyrene-d10		*107%*			*23-150%*	"							"	
Benzo (a) pyrene-d12		*104%*			*10-125%*	"							"	
LCS (6100062-BS1)									Extracted: 10/02/06 18:15					
Acenaphthene	EPA 8270m	2.24	---	0.0200	ug/l	1x	---	2.50	89.6%	(35-120)	---	---	10/05/06 13:51	
Acenaphthylene	"	2.25	---	0.0200	"	"	---	"	90.0%	(34-116)	---	---	"	
Anthracene	"	2.00	---	0.0200	"	"	---	"	80.0%	(24-119)	---	---	"	
Benzo (a) anthracene	"	2.26	---	0.0200	"	"	---	"	90.4%	(36-128)	---	---	"	
Benzo (a) pyrene	"	2.23	---	0.0200	"	"	---	"	89.2%	(17-128)	---	---	"	
Benzo (b) fluoranthene	"	2.30	---	0.0200	"	"	---	"	92.0%	(37-131)	---	---	"	
Benzo (ghi) perylene	"	1.91	---	0.0200	"	"	---	"	76.4%	(26-126)	---	---	"	
Benzo (k) fluoranthene	"	2.41	---	0.0200	"	"	---	"	96.4%	(18-145)	---	---	"	
Chrysene	"	2.11	---	0.0200	"	"	---	"	84.4%	(16-137)	---	---	"	
Dibenzo (a,h) anthracene	"	1.78	---	0.0200	"	"	---	"	71.2%	(20-141)	---	---	"	
Fluoranthene	"	2.31	---	0.0200	"	"	---	"	92.4%	(31-125)	---	---	"	
Fluorene	"	2.28	---	0.0200	"	"	---	"	91.2%	(27-124)	---	---	"	
Indeno (1,2,3-cd) pyrene	"	2.16	---	0.0200	"	"	---	"	86.4%	(30-135)	---	---	"	
Naphthalene	"	2.10	---	0.0200	"	"	---	"	84.0%	(30-113)	---	---	"	
Phenanthrene	"	2.32	---	0.0200	"	"	---	"	92.8%	(34-126)	---	---	"	
Pyrene	"	2.22	---	0.0200	"	"	---	"	88.8%	(21-141)	---	---	"	
Surrogate(s): Fluorene-d10		*Recovery: 100%*			*Limits: 25-125%*	"							*10/05/06 13:51*	
Pyrene-d10		*103%*			*23-150%*	"							"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Polynuclear Aromatic Compounds per EPA 8270M-SIM - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100062 **Water Preparation Method: 3520B Liq-Liq**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
LCS (6100062-BS1)													Extracted: 10/02/06 18:15	
Surrogate(s): Benzo (a) pyrene-d12		*Recovery: 104%*			*Limits: 10-125%*	*1x*							*10/05/06 13:51*	
LCS Dup (6100062-BSD1)													Extracted: 10/02/06 18:15	
Acenaphthene	EPA 8270m	2.23	---	0.0200	ug/l	1x	--	2.50	89.2%	(35-120)	0.447%	(50)	10/05/06 14:19	
Acenaphthylene	"	2.31	---	0.0200	"	"	--	"	92.4%	(34-116)	2.63%	"	"	
Anthracene	"	2.03	---	0.0200	"	"	--	"	81.2%	(24-119)	1.49%	"	"	
Benzo (a) anthracene	"	2.25	---	0.0200	"	"	--	"	90.0%	(36-128)	0.443%	"	"	
Benzo (a) pyrene	"	2.21	---	0.0200	"	"	--	"	88.4%	(17-128)	0.901%	"	"	
Benzo (b) fluoranthene	"	2.28	---	0.0200	"	"	--	"	91.2%	(37-131)	0.873%	"	"	
Benzo (ghi) perylene	"	1.74	---	0.0200	"	"	--	"	69.6%	(26-126)	9.32%	"	"	
Benzo (k) fluoranthene	"	2.38	---	0.0200	"	"	--	"	95.2%	(18-145)	1.25%	"	"	
Chrysene	"	2.11	---	0.0200	"	"	--	"	84.4%	(16-137)	0.00%	"	"	
Dibenzo (a,h) anthracene	"	1.58	---	0.0200	"	"	--	"	63.2%	(20-141)	11.9%	"	"	
Fluoranthene	"	2.33	---	0.0200	"	"	--	"	93.2%	(31-125)	0.862%	"	"	
Fluorene	"	2.31	---	0.0200	"	"	--	"	92.4%	(27-124)	1.31%	"	"	
Indeno (1,2,3-cd) pyrene	"	2.11	---	0.0200	"	"	--	"	84.4%	(30-135)	2.34%	"	"	
Naphthalene	"	2.11	---	0.0200	"	"	--	"	84.4%	(30-113)	0.475%	"	"	
Phenanthrene	"	2.32	---	0.0200	"	"	--	"	92.8%	(34-126)	0.00%	"	"	
Pyrene	"	2.17	---	0.0200	"	"	--	"	86.8%	(21-141)	2.28%	"	"	
Surrogate(s): Fluorene-d10		*Recovery: 101%*			*Limits: 25-125%*	"							*10/05/06 14:19*	
Pyrene-d10		*99.6%*			*23-150%*	"							"	
Benzo (a) pyrene-d12		*101%*			*10-125%*	"							"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Total Metals by EPA 6000/7000 Series Methods - Laboratory Quality Control Results

TestAmerica - Seattle, WA

QC Batch: 6J03039 **Water Preparation Method: EPA 3020A**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6J03039-BLK1)							Extracted: 10/03/06 12:40							
Selenium	EPA 6020	ND	---	0.00100	mg/l	1x	---	---	---	---	---	---	10/04/06 16:44	
Silver	"	ND	---	0.00100	"	"	---	---	---	---	---	---	"	
Arsenic	"	ND	---	0.00100	"	"	---	---	---	---	---	---	"	
Chromium	"	ND	---	0.00100	"	"	---	---	---	---	---	---	"	
Zinc	"	ND	---	0.0100	"	"	---	---	---	---	---	---	"	
Copper	"	ND	---	0.00100	"	"	---	---	---	---	---	---	"	
Barium	"	ND	---	0.0100	"	"	---	---	---	---	---	---	"	
Lead	"	ND	---	0.00100	"	"	---	---	---	---	---	---	"	
Cadmium	"	ND	---	0.00100	"	"	---	---	---	---	---	---	"	
LCS (6J03039-BS1)							Extracted: 10/03/06 12:40							
Copper	EPA 6020	0.0842	---	0.00100	mg/l	1x	---	0.0800	105%	(80-120)	---	---	10/04/06 17:18	
Selenium	"	0.0828	---	0.00100	"	"	---	"	104%	"	---	---	"	
Zinc	"	0.0806	---	0.0100	"	"	---	"	101%	"	---	---	"	
Lead	"	0.0841	---	0.00100	"	"	---	"	105%	"	---	---	"	
Barium	"	0.0850	---	0.0100	"	"	---	"	106%	"	---	---	"	
Cadmium	"	0.0834	---	0.00100	"	"	---	"	104%	"	---	---	"	
Arsenic	"	0.0828	---	0.00100	"	"	---	"	104%	"	---	---	"	
Silver	"	0.0820	---	0.00100	"	"	---	"	102%	"	---	---	"	
Chromium	"	0.0819	---	0.00100	"	"	---	"	102%	"	---	---	"	
Duplicate (6J03039-DUP1)							QC Source: BP10810-01							
Cadmium	EPA 6020	ND	---	0.00100	mg/l	1x	ND	---	---	---	8.82%	(20)	10/04/06 16:49	
Barium	"	0.106	---	0.0100	"	"	0.110	---	---	---	3.70%	"	"	
Arsenic	"	0.00905	---	0.00100	"	"	0.00949	---	---	---	4.75%	"	"	
Zinc	"	0.0133	---	0.0100	"	"	0.0135	---	---	---	1.49%	"	"	
Selenium	"	0.00205	---	0.00100	"	"	0.00301	---	---	---	37.9%	"	"	DP-1
Silver	"	ND	---	0.00100	"	"	ND	---	---	---	NR	(50)	"	
Lead	"	0.00109	---	0.00100	"	"	0.00120	---	---	---	9.61%	(20)	"	
Copper	"	0.00238	---	0.00100	"	"	0.00251	---	---	---	5.32%	"	"	
Chromium	"	ND	---	0.00100	"	"	ND	---	---	---	25.0%	"	"	DP-1

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Total Metals by EPA 6000/7000 Series Methods - Laboratory Quality Control Results

TestAmerica - Seattle, WA

QC Batch: 6J03039 **Water Preparation Method: EPA 3020A**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Matrix Spike (6J03039-MS1)				QC Source: BPI0810-01				Extracted: 10/03/06 12:40						
Selenium	EPA 6020	0.0865	---	0.00100	mg/l	1x	0.00301	0.0800	104%	(78-120)	--	--	10/04/06 17:30	
Arsenic	"	0.0939	---	0.00100	"	"	0.00949	"	106%	(75-125)	--	--	"	
Chromium	"	0.0768	---	0.00100	"	"	0.000350	"	95.6%	(80-120)	--	--	"	
Copper	"	0.0831	---	0.00100	"	"	0.00251	"	101%	(70-125)	--	--	"	
Silver	"	0.0640	---	0.00100	"	"	ND	"	80.0%	(21-142)	--	--	"	
Zinc	"	0.0969	---	0.0100	"	"	0.0135	"	104%	(68-128)	--	--	"	
Barium	"	0.193	---	0.0100	"	"	0.110	"	104%	(53-142)	--	--	"	
Lead	"	0.0863	---	0.00100	"	"	0.00120	"	106%	(80-120)	--	--	"	
Cadmium	"	0.0847	---	0.00100	"	"	0.000710	"	105%	"	--	--	"	
Post Spike (6J03039-PS1)				QC Source: BPI0810-01				Extracted: 10/03/06 12:40						
Chromium	EPA 6020	0.0882	---		ug/ml	1x	0.000350	0.100	87.8%	(75-125)	--	--	10/04/06 17:24	
Silver	"	0.0881	---		"	"	-0.0000100	"	88.1%	"	--	--	"	
Cadmium	"	0.0962	---		"	"	0.000710	"	95.5%	"	--	--	"	
Lead	"	0.0990	---		"	"	0.00120	0.0995	98.3%	"	--	--	"	
Selenium	"	0.0992	---		"	"	0.00301	0.100	96.2%	"	--	--	"	
Copper	"	0.0972	---		"	"	0.00251	0.101	93.8%	"	--	--	"	
Zinc	"	0.110	---		"	"	0.0135	0.0995	97.0%	"	--	--	"	
Arsenic	"	0.112	---		"	"	0.00949	0.100	103%	"	--	--	"	
Barium	"	0.209	---		"	"	0.110	0.0995	99.5%	"	--	--	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007317

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Total Metals by EPA 6000/7000 Series Methods - Laboratory Quality Control Results

TestAmerica - Seattle, WA

QC Batch: 6J04032 **Water Preparation Method: EPA 3020A**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6J04032-BLK1)								Extracted: 10/04/06 13:18						
Zinc	EPA 6020	ND	--	0.0100	mg/l	1x	--	--	--	--	--	--	10/04/06 19:59	
Arsenic	"	ND	--	0.00100	"	"	--	--	--	--	--	--	"	
Chromium	"	ND	--	0.00100	"	"	--	--	--	--	--	--	"	
Selenium	"	ND	--	0.00100	"	"	--	--	--	--	--	--	"	
Cadmium	"	ND	--	0.00100	"	"	--	--	--	--	--	--	"	
Barium	"	ND	--	0.0100	"	"	--	--	--	--	--	--	"	
Lead	"	ND	--	0.00100	"	"	--	--	--	--	--	--	"	
Silver	"	ND	--	0.00100	"	"	--	--	--	--	--	--	"	
Copper	"	ND	--	0.00100	"	"	--	--	--	--	--	--	"	
LCS (6J04032-BS1)								Extracted: 10/04/06 13:18						
Copper	EPA 6020	0.0807	--	0.00100	mg/l	1x	--	0.0800	101%	(80-120)	--	--	10/04/06 20:05	
Arsenic	"	0.0773	--	0.00100	"	"	--	"	96.6%	"	--	--	"	
Silver	"	0.0786	--	0.00100	"	"	--	"	98.2%	"	--	--	"	
Chromium	"	0.0772	--	0.00100	"	"	--	"	96.5%	"	--	--	"	
Cadmium	"	0.0794	--	0.00100	"	"	--	"	99.3%	"	--	--	"	
Barium	"	0.0822	--	0.0100	"	"	--	"	103%	"	--	--	"	
Selenium	"	0.0784	--	0.00100	"	"	--	"	98.0%	"	--	--	"	
Lead	"	0.0807	--	0.00100	"	"	--	"	101%	"	--	--	"	
Zinc	"	0.0769	--	0.0100	"	"	--	"	96.1%	"	--	--	"	
Duplicate (6J04032-DUP1)					QC Source: BP10849-01			Extracted: 10/04/06 13:18						
Zinc	EPA 6020	ND	--	0.0100	mg/l	1x	0.0418	--	--	--	--	(20)	10/04/06 20:22	
Arsenic	"	0.00298	--	0.00100	"	"	0.00294	--	--	--	1.35%	"	"	
Barium	"	0.0114	--	0.0100	"	"	0.0120	--	--	--	5.13%	"	"	
Silver	"	ND	--	0.00100	"	"	ND	--	--	--		(50)	"	
Chromium	"	ND	--	0.00100	"	"	ND	--	--	--	25.5%	(20)	"	DP-1
Copper	"	ND	--	0.00100	"	"	ND	--	--	--	9.20%	"	"	
Lead	"	ND	--	0.00100	"	"	ND	--	--	--	NR	"	"	
Selenium	"	ND	--	0.00100	"	"	ND	--	--	--	15.8%	"	"	
Cadmium	"	ND	--	0.00100	"	"	ND	--	--	--		"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007318

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Total Metals by EPA 6000/7000 Series Methods - Laboratory Quality Control Results

TestAmerica - Seattle, WA

QC Batch: 6J04032 **Water Preparation Method: EPA 3020A**

Analyte	Method	Result	MDL[A]	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Matrix Spike (6J04032-MS1)				QC Source: BPI0849-01				Extracted: 10/04/06 13:18						
Barium	EPA 6020	0.0931	—	0.0100	mg/l	1x	0.0120	0.0800	101%	(53-142)	--	--	10/04/06 20:16	
Lead	"	0.0816	—	0.00100	"	"	ND	"	102%	(80-120)	--	--	"	
Cadmium	"	0.0806	—	0.00100	"	"	ND	"	101%	"	--	--	"	
Silver	"	0.0773	—	0.00100	"	"	ND	"	96.6%	(21-142)	--	--	"	
Selenium	"	0.0802	—	0.00100	"	"	0.000700	"	99.4%	(78-120)	--	--	"	
Arsenic	"	0.0847	—	0.00100	"	"	0.00294	"	102%	(75-125)	--	--	"	
Zinc	"	0.0787	—	0.0100	"	"	0.0418	"	46.1%	(68-128)	--	--	"	Q-01
Copper	"	0.0792	—	0.00100	"	"	0.000910	"	97.9%	(70-125)	--	--	"	
Chromium	"	0.0742	—	0.00100	"	"	0.000310	"	92.4%	(80-120)	--	--	"	
Post Spike (6J04032-PS1)				QC Source: BPI0849-01				Extracted: 10/04/06 13:18						
Zinc	EPA 6020	0.0996	---		ug/ml	1x	0.0418	0.0995	58.1%	(75-125)	--	--	10/04/06 20:10	Q-02a
Lead	"	0.0980	---		"	"	-0.000260	"	98.8%	"	--	--	"	
Cadmium	"	0.0960	---		"	"	-0.0000100	0.100	96.0%	"	--	--	"	
Silver	"	0.0915	---		"	"	-0.0000700	"	91.6%	"	--	--	"	
Selenium	"	0.0979	---		"	"	0.000700	"	97.2%	"	--	--	"	
Arsenic	"	0.107	---		"	"	0.00294	"	104%	"	--	--	"	
Chromium	"	0.0921	---		"	"	0.000310	"	91.8%	"	--	--	"	
Barium	"	0.114	---		"	"	0.0120	0.0995	103%	"	--	--	"	
Copper	"	0.0978	---		"	"	0.000910	0.101	95.9%	"	--	--	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Dissolved Metals by EPA 6000/7000 Series Methods - Laboratory Quality Control Results

TestAmerica - Seattle, WA

QC Batch: 6J02027 **Water Preparation Method: EPA 3005A**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6J02027-BLK1)							Extracted: 10/02/06 11:23							
Lead	EPA 6020 - Diss	ND	---	0.00100	mg/l	1x	--	--	--	--	--	--	10/03/06 09:13	
Barium	"	ND	---	0.0100	"	"	--	--	--	--	--	--	"	
Chromium	"	ND	---	0.00100	"	"	--	--	--	--	--	--	10/03/06 00:29	
Cadmium	"	ND	---	0.00100	"	"	--	--	--	--	--	--	"	
Selenium	"	ND	---	0.00100	"	"	--	--	--	--	--	--	"	
Copper	"	ND	---	0.00100	"	"	--	--	--	--	--	--	"	
Arsenic	"	ND	---	0.00100	"	"	--	--	--	--	--	--	"	
Zinc	"	ND	---	0.0100	"	"	--	--	--	--	--	--	"	
Silver	"	ND	---	0.00100	"	"	--	--	--	--	--	--	"	
LCS (6J02027-BS1)							Extracted: 10/02/06 11:23							
Silver	EPA 6020 - Diss	0.195	---	0.00100	mg/l	1x	--	0.200	97.5%	(80-120)	--	--	10/03/06 00:52	
Arsenic	"	0.199	---	0.00100	"	"	--	"	99.5%	"	--	--	"	
Selenium	"	0.205	---	0.00100	"	"	--	"	102%	"	--	--	"	
Barium	"	0.199	---	0.0100	"	"	--	"	99.5%	"	--	--	10/03/06 09:19	
Cadmium	"	0.197	---	0.00100	"	"	--	"	98.5%	"	--	--	10/03/06 00:52	
Copper	"	0.196	---	0.00100	"	"	--	"	98.0%	"	--	--	"	
Zinc	"	0.202	---	0.0100	"	"	--	"	101%	"	--	--	"	
Lead	"	0.197	---	0.00100	"	"	--	"	98.5%	"	--	--	10/03/06 09:19	
Chromium	"	0.208	---	0.00100	"	"	--	"	104%	"	--	--	10/03/06 00:52	
Duplicate (6J02027-DUP1)							QC Source: BPI0805-01							
Copper	EPA 6020 - Diss	0.00256	---	0.00100	mg/l	1x	0.00259	--	--	--	1.17%	(20)	10/03/06 01:04	
Silver	"	ND	---	0.00100	"	"	ND	--	--	--	100%	(50)	"	DP-1
Lead	"	ND	---	0.00100	"	"	ND	--	--	--		(20)	10/03/06 09:31	
Zinc	"	0.0142	---	0.0100	"	"	0.0142	--	--	--	0.00%	"	10/03/06 01:04	
Selenium	"	0.00295	---	0.00100	"	"	0.00285	--	--	--	3.45%	"	"	
Arsenic	"	0.236	---	0.00100	"	"	0.234	--	--	--	0.851%	"	"	
Cadmium	"	ND	---	0.00100	"	"	ND	--	--	--	NR	"	"	
Chromium	"	0.0153	---	0.00100	"	"	0.0150	--	--	--	1.98%	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007320

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Dissolved Metals by EPA 6000/7000 Series Methods - Laboratory Quality Control Results

TestAmerica - Seattle, WA

QC Batch: 6J02027 **Water Preparation Method: EPA 3005A**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Duplicate (6J02027-DUP2)					QC Source: BPI0805-01RE1				Extracted: 10/02/06 11:23					
Barium	EPA 6020 - Diss	0.468	---	0.0500	mg/l	5x	0.478	--	--	--	2.11%	(20)	10/03/06 09:42	
Matrix Spike (6J02027-MS1)					QC Source: BPI0805-01				Extracted: 10/02/06 11:23					
Selenium	EPA 6020 - Diss	0.0976	---	0.00500	mg/l	5x	0.00285	0.100	94.8%	(64-143)	--	--	10/03/06 09:36	
Zinc	"	0.115	---	0.0500	"	"	0.0142	0.0995	101%	(77-120)	--	--	"	
Lead	"	0.101	---	0.00100	"	1x	ND	"	102%	"	--	--	10/03/06 09:25	
Arsenic	"	0.353	---	0.00500	"	5x	0.234	0.100	119%	(80-128)	--	--	10/03/06 09:36	
Chromium	"	0.113	---	0.00500	"	"	0.0150	"	98.0%	(75-125)	--	--	"	
Copper	"	0.0938	---	0.00500	"	"	0.00259	0.101	90.3%	(68-120)	--	--	"	
Cadmium	"	0.0912	---	0.00100	"	1x	ND	0.100	91.2%	(68-125)	--	--	10/03/06 00:58	
Silver	"	0.0674	---	0.00100	"	"	0.0000700	"	67.3%	(33-122)	--	--	"	
Matrix Spike (6J02027-MS2)					QC Source: BPI0805-01RE1				Extracted: 10/02/06 11:23					
Barium	EPA 6020 - Diss	0.606	---	0.0500	mg/l	5x	0.478	0.0995	129%	(75-120)	--	--	10/03/06 09:36	Q-02a

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/24/06 09:47

Notes and Definitions

Report Specific Notes:

A-01	-	Suspected lab contamination
B-17	-	Analyte was detected in the blank at greater than one-half of the MRL but less than 1/10 the concentration in the sample.
B-18	-	Analyte was detected in the blank at greater than one-half of the MRL, but samples are ND.
BK-2	-	Analyte was detected in the associated Method Blank.
BK-3	-	Analyte was detected in the associated Method Blank. Analyte concentration in the sample is greater than 10x the concentration found in the method blank.
DP-1	-	Sample RPD exceeded the laboratory control limit.
Q-01	-	The spike recovery for this QC sample is outside of established control limits. Review of associated batch QC indicates the recovery for this analyte does not represent an out-of-control condition for the batch.
Q-02	-	The matrix spike recovery, and/or RPD, for this QC sample is outside of established control limits due to sample matrix interference.
Q-02a	-	The spike recovery for this QC sample is outside of the laboratory's established control limits due to sample matrix interference.
R-01	-	The reporting limit for this analyte was raised to compensate for the limited sample quantity available for the analysis.
R-03	-	The reporting limit for this analyte was raised due to matrix interference.
R-05	-	Reporting limits raised due to dilution necessary for analysis. Sample contains high levels of reported analyte, non-target analyte, and/or matrix interference.

Laboratory Reporting Conventions:

DET	-	Analyte DETECTED at or above the Reporting Limit. Qualitative Analyses only.
ND	-	Analyte NOT DETECTED at or above the reporting limit (MDL or MRL, as appropriate).
NR/NA	-	Not Reported / Not Available
dry	-	Sample results reported on a Dry Weight Basis. Results and Reporting Limits have been corrected for Percent Dry Weight.
wet	-	Sample results and reporting limits reported on a Wet Weight Basis (as received). Results with neither 'wet' nor 'dry' are reported on a Wet Weight Basis.
RPD	-	RELATIVE PERCENT DIFFERENCE (RPDs calculated using Results, not Percent Recoveries).
MRL	-	METHOD REPORTING LIMIT. Reporting Level at, or above, the lowest level standard of the Calibration Table.
MDL*	-	METHOD DETECTION LIMIT. Reporting Level at, or above, the statistically derived limit based on 40CFR, Part 136, Appendix B. *MDLs are listed on the report only if the data has been evaluated below the MRL. Results between the MDL and MRL are reported as Estimated Results.
Dil	-	Dilutions are calculated based on deviations from the standard dilution performed for an analysis, and may not represent the dilution found on the analytical raw data.
Reporting Limits	-	Reporting limits (MDLs and MRLs) are adjusted based on variations in sample preparation amounts, analytical dilutions and percent solids, where applicable.
Electronic Signature	-	Electronic Signature added in accordance with TestAmerica's *Electronic Reporting and Electronic Signatures Policy*. Application of electronic signature indicates that the report has been reviewed and approved for release by the laboratory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Crystal Jones For Sarah Rockwell, Project Manager

COPPOR00007322

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

October 24, 2006

Tim Browning
Delta Environmental Consultants - Tigard
7150 SW Hampton - Suite 220
Tigard, OR 97223

RE: Willbridge / Kindermorgan

Enclosed are the results of analyses for samples received by the laboratory on 09/28/06 10:30. The following list is a summary of the Work Orders contained in this report, generated on 10/24/06 17:12.

If you have any questions concerning this report, please feel free to contact me.

Work Order	Project	ProjectNumber
PPI1205	Willbridge / Kindermorgan	PTWB-03A-6

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / Kindermorgan**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/24/06 17:12

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-8	PPI1205-01	Water	09/26/06 18:15	09/28/06 10:30
MW-25	PPI1205-02	Water	09/26/06 17:30	09/28/06 10:30
MW-26	PPI1205-03	Water	09/26/06 16:54	09/28/06 10:30
DUP1	PPI1205-04	Water	09/26/06 16:54	09/28/06 10:30

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / Kindermorgan**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/24/06 17:12

Total Metals per EPA 6000/7000 Series Methods

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1205-01 (MW-8)		**Water**				**Sampled: 09/26/06 18:15**				
Arsenic	EPA 6020	**0.00884**	----	0.00100	mg/l	1x	6100143	10/03/06 16:42	10/07/06 08:35	
Barium	"	**0.0276**	----	0.00100	"	"	"	"	"	
Cadmium	"	**0.00408**	----	0.00100	"	"	"	"	"	
Chromium	"	ND	----	0.00100	"	"	"	"	"	
Copper	"	**0.00298**	----	0.00200	"	"	"	"	"	
Lead	"	**0.00149**	----	0.00100	"	"	"	"	"	
Selenium	"	ND	----	0.00200	"	"	"	"	10/09/06 23:51	
Silver	"	ND	----	0.00100	"	"	"	"	10/12/06 23:08	
Zinc	"	**0.0430**	----	0.00500	"	"	"	"	10/09/06 23:51	
PPI1205-02 (MW-25)		**Water**				**Sampled: 09/26/06 17:30**				
Arsenic	EPA 6020	**0.0529**	----	0.00100	mg/l	1x	6100143	10/03/06 16:42	10/12/06 23:16	
Barium	"	**0.0763**	----	0.00100	"	"	"	"	"	
Cadmium	"	ND	----	0.00100	"	"	"	"	10/07/06 08:58	
Chromium	"	**0.00179**	----	0.00100	"	"	"	"	10/12/06 23:16	
Copper	"	**0.00258**	----	0.00200	"	"	"	"	"	
Lead	"	**0.00340**	----	0.00100	"	"	"	"	"	
Selenium	"	ND	----	0.00200	"	"	"	"	"	
Silver	"	ND	----	0.00100	"	"	"	"	"	
Zinc	"	**0.0117**	----	0.00500	"	"	"	"	"	
PPI1205-03 (MW-26)		**Water**				**Sampled: 09/26/06 16:54**				
Arsenic	EPA 6020	**0.0457**	----	0.00100	mg/l	1x	6100143	10/03/06 16:42	10/12/06 23:24	
Barium	"	**0.0684**	----	0.00100	"	"	"	"	"	
Cadmium	"	ND	----	0.00100	"	"	"	"	10/07/06 09:06	
Chromium	"	ND	----	0.00100	"	"	"	"	10/12/06 23:24	
Copper	"	ND	----	0.00200	"	"	"	"	"	
Lead	"	ND	----	0.00100	"	"	"	"	"	
Selenium	"	ND	----	0.00200	"	"	"	"	"	
Silver	"	ND	----	0.00100	"	"	"	"	"	
Zinc	"	0.00505	----	0.00500	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / Kindermorgan**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/24/06 17:12

Total Metals per EPA 6000/7000 Series Methods

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1205-04 (DUP1)		**Water**				**Sampled: 09/26/06 16:54**				
Arsenic	EPA 6020	**0.0480**	----	0.00100	mg/l	1x	6100143	10/03/06 16:42	10/12/06 23:32	
Barium	"	**0.0692**	----	0.00100	"	"	"	"	"	
Cadmium	"	ND	----	0.00100	"	"	"	"	10/07/06 09:14	
Chromium	"	ND	----	0.00100	"	"	"	"	10/12/06 23:32	
Copper	"	**0.00212**	----	0.00200	"	"	"	"	"	
Lead	"	ND	----	0.00100	"	"	"	"	"	
Selenium	"	ND	----	0.00200	"	"	"	"	"	
Silver	"	ND	----	0.00100	"	"	"	"	"	
Zinc	"	ND	----	0.00500	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007326

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / Kindermorgan**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/24/06 17:12

Total Mercury per EPA Method 7470A

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1205-01 (MW-8)		**Water**				**Sampled: 09/26/06 18:15**				
Mercury	EPA 7470A	ND	—	0.000200	mg/l	1x	6100135	10/03/06 15:17	10/04/06 15:38	
PPI1205-02 (MW-25)		**Water**				**Sampled: 09/26/06 17:30**				
Mercury	EPA 7470A	ND	—	0.000200	mg/l	1x	6100135	10/03/06 15:17	10/04/06 15:41	
PPI1205-03 (MW-26)		**Water**				**Sampled: 09/26/06 16:54**				
Mercury	EPA 7470A	ND	—	0.000200	mg/l	1x	6100135	10/03/06 15:17	10/04/06 15:43	
PPI1205-04 (DUP1)		**Water**				**Sampled: 09/26/06 16:54**				
Mercury	EPA 7470A	ND	—	0.000200	mg/l	1x	6100135	10/03/06 15:17	10/04/06 15:50	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / Kindermorgan**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/24/06 17:12

Selected Volatile Organic Compounds (Including BTEX) per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1205-01 (MW-8)		Water			Sampled: 09/26/06 18:15					
Benzene	EPA 8260B	0.290	---	0.200	ug/l	1x	6100159	10/04/06 09:46	10/04/06 15:39	
Toluene	"	ND	---	0.500	"	"	"	"	"	
Ethylbenzene	"	ND	---	0.500	"	"	"	"	"	
Xylenes (total)	"	ND	---	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	---	2.00	"	"	"	"	"	
Surrogate(s): 4-BFB			*94.5%*		*80 - 120 %*	"			"	
1,2-DCA-d4			*106%*		*80 - 120 %*	"			"	
Dibromofluoromethane			*99.0%*		*80 - 120 %*	"			"	
Toluene-d8			*92.5%*		*80 - 120 %*	"			"	
PPI1205-02 (MW-25)		Water			Sampled: 09/26/06 17:30					
Benzene	EPA 8260B	ND	---	0.200	ug/l	1x	6100159	10/04/06 09:46	10/04/06 16:06	
Toluene	"	ND	---	0.500	"	"	"	"	"	
Ethylbenzene	"	ND	---	0.500	"	"	"	"	"	
Xylenes (total)	"	ND	---	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	---	2.00	"	"	"	"	"	
Surrogate(s): 4-BFB			*93.0%*		*80 - 120 %*	"			"	
1,2-DCA-d4			*108%*		*80 - 120 %*	"			"	
Dibromofluoromethane			*102%*		*80 - 120 %*	"			"	
Toluene-d8			*90.5%*		*80 - 120 %*	"			"	
PPI1205-03 (MW-26)		Water			Sampled: 09/26/06 16:54					
Benzene	EPA 8260B	ND	---	0.200	ug/l	1x	6100159	10/04/06 09:46	10/04/06 16:33	
Toluene	"	ND	---	0.500	"	"	"	"	"	
Ethylbenzene	"	ND	---	0.500	"	"	"	"	"	
Xylenes (total)	"	ND	---	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	---	2.00	"	"	"	"	"	
Surrogate(s): 4-BFB			*94.0%*		*80 - 120 %*	"			"	
1,2-DCA-d4			*105%*		*80 - 120 %*	"			"	
Dibromofluoromethane			*102%*		*80 - 120 %*	"			"	
Toluene-d8			*89.0%*		*80 - 120 %*	"			"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007328

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / Kindermorgan**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/24/06 17:12

Selected Volatile Organic Compounds (Including BTEX) per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1205-04 (DUP1)		**Water**			**Sampled: 09/26/06 16:54**					
Benzene	EPA 8260B	ND	—	0.200	ug/l	1x	6100159	10/04/06 09:46	10/04/06 17:00	
Toluene	"	ND	—	0.500	"	"	"	"	"	
Ethylbenzene	"	ND	—	0.500	"	"	"	"	"	
Xylenes (total)	"	ND	—	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	—	2.00	"	"	"	"	"	
Surrogate(s): 4-BFB			*96.0%*		*80 - 120 %*	"			"	
1,2-DCA-d4			*108%*		*80 - 120 %*	"			"	
Dibromofluoromethane			*104%*		*80 - 120 %*	"			"	
Toluene-d8			*92.0%*		*80 - 120 %*	"			"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007329

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / Kindermorgan**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/24/06 17:12

Polynuclear Aromatic Compounds per EPA 8270M-SIM

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1205-01 (MW-8)		Water			Sampled: 09/26/06 18:15					
Acenaphthene	EPA 8270m	**0.147**	----	0.0200	ug/l	1x	6091292	09/30/06 13:40	10/04/06 23:00	
Acenaphthylene	"	ND	----	0.0200	"	"	"	"	"	
Anthracene	"	ND	----	0.0200	"	"	"	"	"	
Benzo (a) anthracene	"	ND	----	0.0200	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	0.0200	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	0.0200	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.0200	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	0.0200	"	"	"	"	"	
Chrysene	"	ND	----	0.0200	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.0200	"	"	"	"	"	
Fluoranthene	"	ND	----	0.0200	"	"	"	"	"	
Fluorene	"	ND	----	0.0200	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.0200	"	"	"	"	"	
Naphthalene	"	ND	----	0.600	"	"	"	"	"	R-03
Phenanthrene	"	**0.0601**	----	0.0200	"	"	"	"	"	
Pyrene	"	**0.0326**	----	0.0200	"	"	"	"	"	
Surrogate(s): Fluorene-d10			*88.8%*		*25 - 125 %*	"			"	
Pyrene-d10			*93.2%*		*23 - 150 %*	"			"	
Benzo (a) pyrene-d12			*80.0%*		*10 - 125 %*	"			"	
PPI1205-02 (MW-25)		Water			Sampled: 09/26/06 17:30					
Acenaphthene	EPA 8270m	**0.190**	----	0.0204	ug/l	1x	6091292	09/30/06 13:40	10/04/06 23:28	
Acenaphthylene	"	ND	----	0.0204	"	"	"	"	"	
Anthracene	"	ND	----	0.0204	"	"	"	"	"	
Benzo (a) anthracene	"	ND	----	0.0204	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	0.0204	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	0.0204	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.0204	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	0.0204	"	"	"	"	"	
Chrysene	"	ND	----	0.0204	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.0204	"	"	"	"	"	
Fluoranthene	"	ND	----	0.0204	"	"	"	"	"	
Fluorene	"	ND	----	0.0204	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.0204	"	"	"	"	"	
Naphthalene	"	ND	----	0.184	"	"	"	"	"	R-03
Phenanthrene	"	ND	----	0.0306	"	"	"	"	"	R-03
Pyrene	"	**0.0633**	----	0.0204	"	"	"	"	"	
Surrogate(s): Fluorene-d10			*80.4%*		*25 - 125 %*	"			"	
Pyrene-d10			*99.2%*		*23 - 150 %*	"			"	
Benzo (a) pyrene-d12			*85.1%*		*10 - 125 %*	"			"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007330

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / Kindermorgan**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/24/06 17:12

Polynuclear Aromatic Compounds per EPA 8270M-SIM

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1205-03 (MW-26)		**Water**			**Sampled: 09/26/06 16:54**					**R-05**
Acenaphthene	EPA 8270m	**1.63**	—	0.202	ug/l	10x	6091292	09/30/06 13:40	10/04/06 19:44	
Acenaphthylene	"	ND	—	0.202	"	"	"	"	"	
Anthracene	"	ND	—	0.202	"	"	"	"	"	
Benzo (a) anthracene	"	ND	—	0.202	"	"	"	"	"	
Benzo (a) pyrene	"	ND	—	0.202	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	—	0.202	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	—	0.202	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	—	0.202	"	"	"	"	"	
Chrysene	"	ND	—	0.202	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	—	0.202	"	"	"	"	"	
Fluoranthene	"	**0.243**	—	0.202	"	"	"	"	"	
Fluorene	"	**1.24**	—	0.202	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	—	0.202	"	"	"	"	"	
Naphthalene	"	ND	—	1.21	"	"	"	"	"	R-03
Phenanthrene	"	**1.48**	—	0.202	"	"	"	"	"	
Pyrene	"	ND	—	0.202	"	"	"	"	"	
Surrogate(s): *Fluorene-d10*		*88.5%*		*25 - 125 %*	"				"	
Pyrene-d10		*95.7%*		*23 - 150 %*	"				"	
Benzo (a) pyrene-d12		*87.4%*		*10 - 125 %*	"				"	
PPI1205-04 (DUP1)		**Water**			**Sampled: 09/26/06 16:54**					**R-05**
Acenaphthene	EPA 8270m	**1.61**	—	0.0500	ug/l	5x	6091266	09/29/06 15:30	10/09/06 18:01	
Acenaphthylene	"	ND	—	0.0750	"	"	"	"	"	R-03
Anthracene	"	**0.100**	—	0.0500	"	"	"	"	"	
Benzo (a) anthracene	"	ND	—	0.0500	"	"	"	"	"	
Benzo (a) pyrene	"	ND	—	0.0500	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	—	0.0500	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	—	0.0500	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	—	0.0500	"	"	"	"	"	
Chrysene	"	ND	—	0.0500	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	—	0.0500	"	"	"	"	"	
Fluoranthene	"	**0.226**	—	0.0500	"	"	"	"	"	
Fluorene	"	**1.17**	—	0.0500	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	—	0.0500	"	"	"	"	"	
Naphthalene	"	ND	—	1.18	"	"	"	"	"	R-03, B-18
Phenanthrene	"	**1.60**	—	0.0500	"	"	"	"	"	
Pyrene	"	**0.151**	—	0.0500	"	"	"	"	"	
Surrogate(s): *Fluorene-d10*		*77.5%*		*25 - 125 %*	"				"	
Pyrene-d10		*92.0%*		*23 - 150 %*	"				"	
Benzo (a) pyrene-d12		*70.9%*		*10 - 125 %*	"				"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007331

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / Kindermorgan**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/24/06 17:12

Total Metals per EPA 6000/7000 Series Methods - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100143 **Water Preparation Method: EPA 200/3005**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100143-BLK1)								Extracted: 10/03/06 16:42						
Arsenic	EPA 6020	ND	—	0.00100	mg/l	1x	—	—	—	—	—	—	10/09/06 22:52	
Barium	"	ND	—	0.00100	"	"	—	—	—	—	—	—	10/07/06 07:36	
Cadmium	"	ND	—	0.00100	"	"	—	—	—	—	—	—	"	
Chromium	"	ND	—	0.00100	"	"	—	—	—	—	—	—	"	
Copper	"	ND	—	0.00200	"	"	—	—	—	—	—	—	"	
Lead	"	ND	—	0.00100	"	"	—	—	—	—	—	—	"	
Selenium	"	ND	—	0.00200	"	"	—	—	—	—	—	—	10/09/06 22:52	
Silver	"	ND	—	0.00100	"	"	—	—	—	—	—	—	10/12/06 09:04	
Zinc	"	ND	—	0.00500	"	"	—	—	—	—	—	—	10/09/06 22:52	
LCS (6100143-BS1)								Extracted: 10/03/06 16:42						
Arsenic	EPA 6020	0.111	—	0.00100	mg/l	1x	—	0.100	111%	(80-120)	—	—	10/07/06 07:45	
Barium	"	0.0964	—	0.00100	"	"	—	"	96.4%	"	—	—	10/11/06 09:17	
Cadmium	"	0.0898	—	0.00100	"	"	—	"	89.8%	"	—	—	"	
Chromium	"	0.120	—	0.00100	"	"	—	"	120%	"	—	—	10/07/06 07:45	
Copper	"	0.116	—	0.00200	"	"	—	"	116%	"	—	—	"	
Lead	"	0.108	—	0.00100	"	"	—	"	108%	"	—	—	"	
Selenium	"	0.0567	—	0.00200	"	"	—	0.0500	113%	"	—	—	10/09/06 23:00	
Silver	"	0.0476	—	0.00100	"	"	—	"	95.2%	"	—	—	10/11/06 09:17	
Zinc	"	0.118	—	0.00500	"	"	—	0.100	118%	"	—	—	10/09/06 23:00	
Duplicate (6100143-DUP1)						QC Source: PPI1204-01		Extracted: 10/03/06 16:42						
Arsenic	EPA 6020	0.0177	—	0.00100	mg/l	1x	0.0140	—	—	—	23.3%	(20)	10/09/06 23:14	Q-03
Barium	"	1.46	—	0.0100	"	10x	1.21	—	—	—	18.7%	"	10/13/06 18:38	
Cadmium	"	0.00557	—	0.00100	"	1x	0.00458	—	—	—	19.5%	"	10/07/06 07:58	
Chromium	"	0.166	—	0.00100	"	"	0.130	—	—	—	24.3%	"	10/11/06 09:31	Q-03
Copper	"	0.234	—	0.00200	"	"	0.185	—	—	—	23.4%	"	10/09/06 23:14	Q-03
Lead	"	0.0475	—	0.00100	"	"	0.0418	—	—	—	12.8%	"	10/07/06 07:58	
Selenium	"	ND	—	0.00200	"	"	ND	—	—	—	17.5%	"	10/09/06 23:14	
Silver	"	ND	—	0.00100	"	"	ND	—	—	—	44.6%	"	10/11/06 09:31	Q-06
Zinc	"	0.453	—	0.00500	"	"	0.358	—	—	—	23.4%	"	10/09/06 23:14	Q-03

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / Kindermorgan**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/24/06 17:12

Total Metals per EPA 6000/7000 Series Methods - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100143 **Water Preparation Method: EPA 200/3005**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Matrix Spike (6100143-MS1)					QC Source: PPI1204-01				Extracted: 10/03/06 16:42					
Arsenic	EPA 6020	0.101	---	0.00100	mg/l	1x	0.0140	0.100	87.0%	(75-125)	--	--	10/07/06 08:13	
Barium	"	1.72	---	0.00500	"	5x	1.21	"	510%	"	--	--	10/07/06 08:06	Q-03
Cadmium	"	0.111	---	0.00100	"	1x	0.00458	"	106%	"	--	--	10/07/06 08:13	
Chromium	"	0.277	---	0.00100	"	"	0.130	"	147%	"	--	--	"	Q-03
Copper	"	0.331	---	0.00200	"	"	0.185	"	146%	"	--	--	"	Q-03
Lead	"	0.145	---	0.00100	"	"	0.0418	"	103%	"	--	--	"	
Selenium	"	0.0363	---	0.00200	"	"	0.000547	0.0500	71.5%	"	--	--	10/09/06 23:29	Q-02
Silver	"	0.0566	---	0.00100	"	"	0.000732	"	112%	"	--	--	10/12/06 22:23	
Zinc	"	0.528	---	0.00500	"	"	0.358	0.100	170%	"	--	--	10/09/06 23:29	Q-03
Matrix Spike (6100143-MS2)					QC Source: PPI1207-07				Extracted: 10/03/06 16:42					
Arsenic	EPA 6020	0.148	---	0.00100	mg/l	1x	0.0674	0.100	80.6%	(75-125)	--	--	10/13/06 18:53	
Barium	"	2.53	---	0.0100	"	10x	1.97	"	560%	"	--	--	10/13/06 18:45	Q-03
Cadmium	"	0.102	---	0.00100	"	1x	0.00184	"	100%	"	--	--	10/13/06 18:53	
Chromium	"	0.333	---	0.0100	"	10x	0.122	"	211%	"	--	--	"	Q-03
Copper	"	0.433	---	0.0200	"	"	0.159	"	274%	"	--	--	"	Q-03
Lead	"	0.320	---	0.00100	"	1x	0.175	"	145%	"	--	--	"	Q-03
Selenium	"	0.0172	---	0.00200	"	"	0.000851	0.0500	32.7%	"	--	--	"	Q-02
Silver	"	0.0519	---	0.00100	"	"	0.000549	"	103%	"	--	--	"	
Zinc	"	1.17	---	0.0500	"	10x	0.496	0.100	674%	"	--	--	"	Q-03

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007333

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / Kindermorgan**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/24/06 17:12

Total Mercury per EPA Method 7470A - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100135 **Water Preparation Method: EPA 1311/7470A**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100135-BLK1)								Extracted: 10/03/06 15:17						
Mercury	EPA 7470A	ND	---	0.000200	mg/l	1x	--	--	--	--	--	--	10/04/06 15:22	
LCS (6100135-BS1)								Extracted: 10/03/06 15:17						
Mercury	EPA 7470A	0.00523	---	0.000200	mg/l	1x	--	0.00500	105%	(85-115)	--	--	10/04/06 15:24	
LCS Dup (6100135-BSD1)								Extracted: 10/03/06 15:17						
Mercury	EPA 7470A	0.00506	---	0.000200	mg/l	1x	--	0.00500	101%	(85-115)	3.30%	(20)	10/04/06 15:26	
Duplicate (6100135-DUP1)				QC Source: PPI1205-01				Extracted: 10/03/06 15:17						
Mercury	EPA 7470A	ND	---	0.000200	mg/l	1x	ND	--	--	--		(20)	10/04/06 15:29	
Matrix Spike (6100135-MS1)				QC Source: PPI1205-01				Extracted: 10/03/06 15:17						
Mercury	EPA 7470A	0.00499	---	0.000200	mg/l	1x	ND	0.00500	99.8%	(75-125)	--	--	10/04/06 15:31	
Matrix Spike Dup (6100135-MSD1)				QC Source: PPI1205-01				Extracted: 10/03/06 15:17						
Mercury	EPA 7470A	0.00482	---	0.000200	mg/l	1x	ND	0.00500	96.4%	(75-125)	3.47%	(20)	10/04/06 15:34	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / Kindermorgan**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/24/06 17:12

Selected Volatile Organic Compounds (Including BTEX) per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100159 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL^	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100159-BLK1)								Extracted: 10/04/06 09:40						
1,2-Dibromoethane	EPA 8260B	ND	---	0.500	ug/l	1x	--	--	--	--	--	--	10/04/06 12:01	
1,2-Dichloroethane	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Benzene	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
Toluene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Ethylbenzene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Xylenes (total)	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Methyl tert-butyl ether	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
Naphthalene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trimethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3,5-Trimethylbenzene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Isopropylbenzene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
n-Propylbenzene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Surrogate(s): *4-BFB*		*Recovery:* *93.0%*			*Limits:* *80-120%*	"							*10/04/06 12:01*	
1,2-DCA-d4		*105%*			*80-120%*	"							"	
Dibromofluoromethane		*98.0%*			*80-120%*	"							"	
Toluene-d8		*98.0%*			*80-120%*	"							"	
LCS (6100159-BS1)								Extracted: 10/04/06 09:40						
Benzene	EPA 8260B	20.8	---	0.200	ug/l	1x	--	20.0	104%	(80-120)	--	--	10/04/06 09:44	
Toluene	"	19.3	---	0.500	"	"	--	"	96.5%	(80-124)	--	--	"	
Ethylbenzene	"	19.3	---	0.500	"	"	--	"	96.5%	(80-120)	--	--	"	
Xylenes (total)	"	57.7	---	1.00	"	"	--	60.0	96.2%	(73-124)	--	--	"	
Methyl tert-butyl ether	"	21.2	---	2.00	"	"	--	20.0	106%	(80-129)	--	--	"	
Naphthalene	"	17.1	---	2.00	"	"	--	"	85.5%	(72-149)	--	--	"	
Surrogate(s): *4-BFB*		*Recovery:* *98.5%*			*Limits:* *80-120%*	"							*10/04/06 09:44*	
1,2-DCA-d4		*107%*			*80-120%*	"							"	
Dibromofluoromethane		*104%*			*80-120%*	"							"	
Toluene-d8		*99.5%*			*80-120%*	"							"	
Matrix Spike (6100159-MS1)					QC Source: PPI1204-01			Extracted: 10/04/06 09:40						
Benzene	EPA 8260B	22.0	---	0.200	ug/l	1x	0.150	20.0	109%	(80-124)	--	--	10/04/06 10:11	
Toluene	"	19.0	---	0.500	"	"	ND	"	95.0%	(79.7-131)	--	--	"	
Ethylbenzene	"	18.9	---	0.500	"	"	ND	"	94.5%	(80-124)	--	--	"	
Xylenes (total)	"	49.9	---	1.00	"	"	ND	60.0	83.2%	(44.6-154)	--	--	"	
Methyl tert-butyl ether	"	22.8	---	2.00	"	"	ND	20.0	114%	(80-130)	--	--	"	
Naphthalene	"	16.1	---	2.00	"	"	ND	"	80.5%	(69-163)	--	--	"	
Surrogate(s): *4-BFB*		*Recovery:* *99.0%*			*Limits:* *80-120%*	"							*10/04/06 10:11*	
1,2-DCA-d4		*105%*			*80-120%*	"							"	
Dibromofluoromethane		*105%*			*80-120%*	"							"	
Toluene-d8		*96.0%*			*80-120%*	"							"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007335

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / Kindermorgan**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/24/06 17:12

Selected Volatile Organic Compounds (Including BTEX) per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100159 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Matrix Spike Dup (6100159-MSD1)				QC Source: PPI1204-01				Extracted: 10/04/06 09:40						
Benzene	EPA 8260B	22.4	--	0.200	ug/l	1x	0.150	20.0	111%	(80-124)	1.80%	(25)	10/04/06 10:38	
Toluene	"	19.1	--	0.500	"	"	ND	"	95.5%	(79.7-131)	0.525%	"	"	
Ethylbenzene	"	18.5	--	0.500	"	"	ND	"	92.5%	(80-124)	2.14%	"	"	
Xylenes (total)	"	49.5	--	1.00	"	"	ND	60.0	82.5%	(44.6-154)	0.805%	"	"	
Methyl tert-butyl ether	"	23.2	--	2.00	"	"	ND	20.0	116%	(80-130)	1.74%	"	"	
Naphthalene	"	16.6	--	2.00	"	"	ND	"	83.0%	(69-163)	3.06%	"	"	
Surrogate(s): 4-BFB		*Recovery: 97.0%*			*Limits: 80-120%*	"							*10/04/06 10:38*	
1,2-DCA-d4		*111%*			*80-120%*	"							"	
Dibromofluoromethane		*108%*			*80-120%*	"							"	
Toluene-d8		*100%*			*80-120%*	"							"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / Kindermorgan**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/24/06 17:12

Polynuclear Aromatic Compounds per EPA 8270M-SIM - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6091266 **Water Preparation Method: 3520B Liq-Liq**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6091266-BLK1)							**Extracted: 09/29/06 15:30**							
Acenaphthene	EPA 8270m	ND	—	0.0100	ug/l	1x	—	—	—	—	—	—	10/09/06 13:53	
Acenaphthylene	"	ND	—	0.0100	"	"	—	—	—	—	—	—	"	
Anthracene	"	ND	—	0.0100	"	"	—	—	—	—	—	—	"	
Benzo (a) anthracene	"	ND	—	0.0100	"	"	—	—	—	—	—	—	"	
Benzo (a) pyrene	"	ND	—	0.0100	"	"	—	—	—	—	—	—	"	
Benzo (b) fluoranthene	"	ND	—	0.0100	"	"	—	—	—	—	—	—	"	
Benzo (ghi) perylene	"	ND	—	0.0100	"	"	—	—	—	—	—	—	"	
Benzo (k) fluoranthene	"	ND	—	0.0100	"	"	—	—	—	—	—	—	"	
Chrysene	"	ND	—	0.0100	"	"	—	—	—	—	—	—	"	
Dibenzo (a,h) anthracene	"	ND	—	0.0100	"	"	—	—	—	—	—	—	"	
Fluoranthene	"	ND	—	0.0100	"	"	—	—	—	—	—	—	"	
Fluorene	"	ND	—	0.0100	"	"	—	—	—	—	—	—	"	
Indeno (1,2,3-cd) pyrene	"	ND	—	0.0100	"	"	—	—	—	—	—	—	"	
Naphthalene	"	0.0165	—	0.0100	"	"	—	—	—	—	—	—	"	A-01, B-18
Phenanthrene	"	ND	—	0.0100	"	"	—	—	—	—	—	—	"	
Pyrene	"	ND	—	0.0100	"	"	—	—	—	—	—	—	"	
Surrogate(s): Fluorene-d10		*Recovery: 115%*			*Limits: 25-125%*	"							*10/09/06 13:53*	
Pyrene-d10		*81.6%*			*23-150%*	"							"	
Benzo (a) pyrene-d12		*102%*			*10-125%*	"							"	
LCS (6091266-BS1)							**Extracted: 09/29/06 15:30**							
Acenaphthene	EPA 8270m	1.15	—	0.0100	ug/l	1x	—	1.25	92.0%	(35-120)	—	—	10/09/06 14:21	
Acenaphthylene	"	1.26	—	0.0100	"	"	—	"	101%	(34-116)	—	—	"	
Anthracene	"	1.13	—	0.0100	"	"	—	"	90.4%	(24-119)	—	—	"	
Benzo (a) anthracene	"	1.22	—	0.0100	"	"	—	"	97.6%	(36-128)	—	—	"	
Benzo (a) pyrene	"	1.21	—	0.0100	"	"	—	"	96.8%	(17-128)	—	—	"	
Benzo (b) fluoranthene	"	1.40	—	0.0100	"	"	—	"	112%	(37-131)	—	—	"	
Benzo (ghi) perylene	"	1.22	—	0.0100	"	"	—	"	97.6%	(26-126)	—	—	"	
Benzo (k) fluoranthene	"	1.22	—	0.0100	"	"	—	"	97.6%	(18-145)	—	—	"	
Chrysene	"	1.14	—	0.0100	"	"	—	"	91.2%	(16-137)	—	—	"	
Dibenzo (a,h) anthracene	"	1.35	—	0.0100	"	"	—	"	108%	(20-141)	—	—	"	
Fluoranthene	"	1.28	—	0.0100	"	"	—	"	102%	(31-125)	—	—	"	
Fluorene	"	1.36	—	0.0100	"	"	—	"	109%	(27-124)	—	—	"	
Indeno (1,2,3-cd) pyrene	"	1.31	—	0.0100	"	"	—	"	105%	(30-135)	—	—	"	
Naphthalene	"	1.13	—	0.0100	"	"	—	"	90.4%	(30-113)	—	—	"	BK-3
Phenanthrene	"	1.24	—	0.0100	"	"	—	"	99.2%	(34-126)	—	—	"	
Pyrene	"	1.17	—	0.0100	"	"	—	"	93.6%	(21-141)	—	—	"	
Surrogate(s): Fluorene-d10		*Recovery: 107%*			*Limits: 25-125%*	"							*10/09/06 14:21*	
Pyrene-d10		*99.2%*			*23-150%*	"							"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007337

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / Kindermorgan**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/24/06 17:12

Polynuclear Aromatic Compounds per EPA 8270M-SIM - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6091266 **Water Preparation Method: 3520B Liq-Liq**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
LCS (6091266-BS1)													Extracted: 09/29/06 15:30	
Surrogate(s): Benzo (a) pyrene-d12		*Recovery: 107%*			*Limits: 10-125%*	*1x*							*10/09/06 14:21*	
LCS Dup (6091266-BSD1)													Extracted: 09/29/06 15:30	
Acenaphthene	EPA 8270m	1.10	---	0.0100	ug/l	1x	--	1.25	88.0%	(35-120)	4.44%	(50)	10/09/06 14:49	
Acenaphthylene	"	1.23	---	0.0100	"	"	--	"	98.4%	(34-116)	2.61%	"	"	
Anthracene	"	1.14	---	0.0100	"	"	--	"	91.2%	(24-119)	0.8815%	"	"	
Benzo (a) anthracene	"	1.23	---	0.0100	"	"	--	"	98.4%	(36-128)	0.816%	"	"	
Benzo (a) pyrene	"	1.23	---	0.0100	"	"	--	"	98.4%	(17-128)	1.64%	"	"	
Benzo (b) fluoranthene	"	1.41	---	0.0100	"	"	--	"	113%	(37-131)	0.889%	"	"	
Benzo (ghi) perylene	"	1.20	---	0.0100	"	"	--	"	96.0%	(26-126)	1.65%	"	"	
Benzo (k) fluoranthene	"	1.16	---	0.0100	"	"	--	"	92.8%	(18-145)	5.04%	"	"	
Chrysene	"	1.14	---	0.0100	"	"	--	"	91.2%	(16-137)	0.00%	"	"	
Dibenzo (a,h) anthracene	"	1.33	---	0.0100	"	"	--	"	106%	(20-141)	1.87%	"	"	
Fluoranthene	"	1.25	---	0.0100	"	"	--	"	100%	(31-125)	1.98%	"	"	
Fluorene	"	1.23	---	0.0100	"	"	--	"	98.4%	(27-124)	10.2%	"	"	
Indeno (1,2,3-cd) pyrene	"	1.28	---	0.0100	"	"	--	"	102%	(30-135)	2.90%	"	"	
Naphthalene	"	1.10	---	0.0100	"	"	--	"	88.0%	(30-113)	2.69%	"	"	BK-3
Phenanthrene	"	1.19	---	0.0100	"	"	--	"	95.2%	(34-126)	4.12%	"	"	
Pyrene	"	1.15	---	0.0100	"	"	--	"	92.0%	(21-141)	1.72%	"	"	
Surrogate(s): Fluorene-d10		*Recovery: 107%*			*Limits: 25-125%*	"							*10/09/06 14:49*	
Pyrene-d10		*100%*			*23-150%*	"							"	
Benzo (a) pyrene-d12		*105%*			*10-125%*	"							"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007338

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / Kindermorgan**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/24/06 17:12

Polynuclear Aromatic Compounds per EPA 8270M-SIM - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6091292 **Water Preparation Method: 3520B Liq-Liq**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6091292-BLK1)							Extracted: 09/30/06 13:40							
Acenaphthene	EPA 8270m	ND	--	0.0200	ug/l	1x	--	--	--	--	--	--	10/04/06 20:40	
Acenaphthylene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Anthracene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Benzo (a) anthracene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Benzo (a) pyrene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Benzo (b) fluoranthene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Benzo (ghi) perylene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Benzo (k) fluoranthene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Chrysene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Dibenzo (a,h) anthracene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Fluoranthene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Fluorene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Indeno (1,2,3-cd) pyrene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Naphthalene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Phenanthrene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Pyrene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Surrogate(s): Fluorene-d10		*Recovery: 87.6%*			*Limits: 25-125%*	"							*10/04/06 20:40*	
Pyrene-d10		*91.2%*			*23-150%*	"							"	
Benzo (a) pyrene-d12		*94.8%*			*10-125%*	"							"	
LCS (6091292-BS1)							Extracted: 09/30/06 13:40							
Acenaphthene	EPA 8270m	2.25	--	0.0200	ug/l	1x	--	2.50	90.0%	(35-120)	--	--	10/04/06 21:08	
Acenaphthylene	"	2.37	--	0.0200	"	"	--	"	94.8%	(34-116)	--	--	"	
Anthracene	"	2.01	--	0.0200	"	"	--	"	80.4%	(24-119)	--	--	"	
Benzo (a) anthracene	"	2.23	--	0.0200	"	"	--	"	89.2%	(36-128)	--	--	"	
Benzo (a) pyrene	"	2.16	--	0.0200	"	"	--	"	86.4%	(17-128)	--	--	"	
Benzo (b) fluoranthene	"	2.13	--	0.0200	"	"	--	"	85.2%	(37-131)	--	--	"	
Benzo (ghi) perylene	"	2.25	--	0.0200	"	"	--	"	90.0%	(26-126)	--	--	"	
Benzo (k) fluoranthene	"	2.44	--	0.0200	"	"	--	"	97.6%	(18-145)	--	--	"	
Chrysene	"	2.03	--	0.0200	"	"	--	"	81.2%	(16-137)	--	--	"	
Dibenzo (a,h) anthracene	"	2.45	--	0.0200	"	"	--	"	98.0%	(20-141)	--	--	"	
Fluoranthene	"	2.24	--	0.0200	"	"	--	"	89.6%	(31-125)	--	--	"	
Fluorene	"	2.42	--	0.0200	"	"	--	"	96.8%	(27-124)	--	--	"	
Indeno (1,2,3-cd) pyrene	"	2.38	--	0.0200	"	"	--	"	95.2%	(30-135)	--	--	"	
Naphthalene	"	2.11	--	0.0200	"	"	--	"	84.4%	(30-113)	--	--	"	
Phenanthrene	"	2.29	--	0.0200	"	"	--	"	91.6%	(34-126)	--	--	"	
Pyrene	"	2.14	--	0.0200	"	"	--	"	85.6%	(21-141)	--	--	"	
Surrogate(s): Fluorene-d10		*Recovery: 101%*			*Limits: 25-125%*	"							*10/04/06 21:08*	
Pyrene-d10		*93.6%*			*23-150%*	"							"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007339

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / Kindermorgan**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/24/06 17:12

Polynuclear Aromatic Compounds per EPA 8270M-SIM - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6091292 **Water Preparation Method: 3520B Liq-Liq**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
LCS (6091292-BS1)													Extracted: 09/30/06 13:48	
Surrogate(s): Benzo (a) pyrene-d12		*Recovery: 98.0%*			*Limits: 10-125%*	*1x*							*10/04/06 21:08*	
LCS Dup (6091292-BSD1)													Extracted: 09/30/06 13:40	
Acenaphthene	EPA 8270m	2.26	---	0.0200	ug/l	1x	--	2.50	90.4%	(35-120)	0.443%	(50)	10/04/06 21:36	
Acenaphthylene	"	2.43	---	0.0200	"	"	--	"	97.2%	(34-116)	2.50%	"	"	
Anthracene	"	2.05	---	0.0200	"	"	--	"	82.0%	(24-119)	1.97%	"	"	
Benzo (a) anthracene	"	2.27	---	0.0200	"	"	--	"	90.8%	(36-128)	1.78%	"	"	
Benzo (a) pyrene	"	2.27	---	0.0200	"	"	--	"	90.8%	(17-128)	4.97%	"	"	
Benzo (b) fluoranthene	"	2.18	---	0.0200	"	"	--	"	87.2%	(37-131)	2.32%	"	"	
Benzo (ghi) perylene	"	2.27	---	0.0200	"	"	--	"	90.8%	(26-126)	0.885%	"	"	
Benzo (k) fluoranthene	"	2.56	---	0.0200	"	"	--	"	102%	(18-145)	4.41%	"	"	
Chrysene	"	2.06	---	0.0200	"	"	--	"	82.4%	(16-137)	1.47%	"	"	
Dibenzo (a,h) anthracene	"	2.52	---	0.0200	"	"	--	"	101%	(20-141)	3.02%	"	"	
Fluoranthene	"	2.28	---	0.0200	"	"	--	"	91.2%	(31-125)	1.77%	"	"	
Fluorene	"	2.26	---	0.0200	"	"	--	"	90.4%	(27-124)	6.84%	"	"	
Indeno (1,2,3-cd) pyrene	"	2.42	---	0.0200	"	"	--	"	96.8%	(30-135)	1.67%	"	"	
Naphthalene	"	2.12	---	0.0200	"	"	--	"	84.8%	(30-113)	0.473%	"	"	
Phenanthrene	"	2.33	---	0.0200	"	"	--	"	93.2%	(34-126)	1.73%	"	"	
Pyrene	"	2.16	---	0.0200	"	"	--	"	86.4%	(21-141)	0.930%	"	"	
Surrogate(s): Fluorene-d10		*Recovery: 94.0%*			*Limits: 25-125%*	"							*10/04/06 21:36*	
Pyrene-d10		*96.8%*			*23-150%*	"							"	
Benzo (a) pyrene-d12		*102%*			*10-125%*	"							"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007340

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge / Kindermorgan**	
7150 SW Hampton - Suite 220	Project Number:	PTWB-03A-6	Report Created:
Tigard, OR 97223	Project Manager:	Tim Browning	10/24/06 17:12

Notes and Definitions

Report Specific Notes:

A-01	-	Suspected lab contamination
B-18	-	Analyte was detected in the blank at greater than one-half of the MRL, but samples are ND.
BK-3	-	Analyte was detected in the associated Method Blank. Analyte concentration in the sample is greater than 10x the concentration found in the method blank.
Q-02	-	The matrix spike recovery, and/or RPD, for this QC sample is outside of established control limits due to sample matrix interference.
Q-03	-	The matrix spike recovery, and/or RPD, for this QC sample cannot be accurately calculated due to the high concentration of analyte already present in the source sample.
Q-06	-	RPD is not applicable for analyte concentrations less than 5 times the MRL.
R-03	-	The reporting limit for this analyte was raised due to matrix interference.
R-05	-	Reporting limits raised due to dilution necessary for analysis. Sample contains high levels of reported analyte, non-target analyte, and/or matrix interference.

Laboratory Reporting Conventions:

DET	-	Analyte DETECTED at or above the Reporting Limit. Qualitative Analyses only.
ND	-	Analyte NOT DETECTED at or above the reporting limit (MDL or MRL, as appropriate).
NR/NA	-	Not Reported / Not Available
dry	-	Sample results reported on a Dry Weight Basis. Results and Reporting Limits have been corrected for Percent Dry Weight.
wet	-	Sample results and reporting limits reported on a Wet Weight Basis (as received). Results with neither 'wet' nor 'dry' are reported on a Wet Weight Basis.
RPD	-	RELATIVE PERCENT DIFFERENCE (RPDs calculated using Results, not Percent Recoveries).
MRL	-	METHOD REPORTING LIMIT. Reporting Level at, or above, the lowest level standard of the Calibration Table.
MDL*	-	METHOD DETECTION LIMIT. Reporting Level at, or above, the statistically derived limit based on 40CFR, Part 136, Appendix B. *MDLs are listed on the report only if the data has been evaluated below the MRL. Results between the MDL and MRL are reported as Estimated Results.
Dil	-	Dilutions are calculated based on deviations from the standard dilution performed for an analysis, and may not represent the dilution found on the analytical raw data.
Reporting Limits	-	Reporting limits (MDLs and MRLs) are adjusted based on variations in sample preparation amounts, analytical dilutions and percent solids, where applicable.
Electronic Signature	-	Electronic Signature added in accordance with TestAmerica's *Electronic Reporting and Electronic Signatures Policy*. Application of electronic signature indicates that the report has been reviewed and approved for release by the laboratory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

11720 North Creek Pkwy N Suite 400, Bothell, WA 98011-8244 425-420-9200 FAX 420-9210
11922 E. First Ave, Spokane, WA 99206-5302 509-924-9200 FAX 924-9290
9405 SW Nimbus Ave, Beaverton, OR 97008-7145 503-906-9200 FAX 906-9210
2000 W International Airport Rd Ste A10, Anchorage, AK 99502-1119 907-563-9200 FAX 563-9210

CHAIN OF CUSTODY REPORT

Work Order #: PPI1205

CLIENT: Delta Environmental

REPORT TO: Tim Browning / 7150 SW Hampton
ADDRESS: Suite 220 / Tigard Or 97223

PHONE: 503-639-8098 FAX: 503-639-7619

INVOICE TO: Kinder Morgan c/o Delta Environmental

P.O. NUMBER

PROJECT NAME: Kinder Morgan Wilsonville

PROJECT NUMBER: PTWB-03A-6

SAMPLED BY: KCM / BNL

PRESERVATIVE: HCl | HNO3

REQUESTED ANALYSES

TURNAROUND REQUEST (In Business Days) *
Organic & Inorganic Analyses: 10 Std | 7 | 5 | 4 | 3 | 2 | 1 | <1
Petroleum Hydrocarbon Analyses: 5 Std | 4 | 3 | 2 | 1 | <1
OTHER Specify:
* Turnaround Requests less than standard may incur Rush Charges.

#	CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	BTEX	PAHs	Metals	MATRIX (W, S, O)	# OF CONT.	LOCATION / COMMENTS	TA WO ID
1	MW-8	9/26/06 1815	✓	✓	✓	W	6		
2	MW-25	9/26/06 1730	✓	✓	✓	W	6		
3	MW-26	9/26/06 1654	✓	✓	✓	W	6		
4									
5									
6									
7									
8									
9									
10									

RELEASED BY: [signature] DATE: 9/28/06
PRINT NAME: KATY McQuinn FIRM: Delta TIME: 1030

RECEIVED BY: [signature] DATE: 9-28-06
PRINT NAME: [signature] FIRM: TA TIME: 10:30

RELEASED BY: DATE:
PRINT NAME: FIRM: TIME:

RECEIVED BY: DATE:
PRINT NAME: FIRM: TIME:

ADDITIONAL REMARKS:

TEMP: PAGE 1 OF 1

CTOC REV 11 2006

Note: By relinquishing samples to TestAmerica, client agrees to pay for the services requested on this chain of custody form and for any additional analyses performed on this project.
Payment for services is due within 30 days from the date of invoice unless otherwise contracted. Sample(s) will be disposed of after 30 days unless otherwise contracted.

4.8 44 1.8 38

COPPOR0007342

Circle Y or N

(If Y, see other side)

TEST AMERICA SAMPLE RECEIPT CHECKLIST

Received By: (applies to temp at receipt)
Date: 9.28.05
Time: 10:30
Initials: JS

Logged-in By:
Date: 9/28
Initials: LK

Unpacked/Labeled By:
Date: 9/28
Initials: LK

Cooler ID: ____ (___ of ___)

Work Order No.: PPI1205

Client: Delta

Project: _____

Container Type

(1) Cooler
___ Box
___ None/Other _____

COC Seals:

___ Ship. Container
___ On Bottles
(1) None

_____ Sign By
_____ Date

Packing Material

___ Bubble Bags
___ Foam Packs
(1) None/Other Other Cardboard

___ Styrofoam

Refrigerant:

___ Gel Ice Pack _____
(1) Loose Ice
___ None/Other _____

___ None

Received Via: Bill#

___ Fed Ex
(1) Client
___ UPS
___ NCA Courier
___ DHL
___ Mid Valley
___ Senvoy
___ TDP
___ GS
___ Other_____

Cooler Temperature (IR): 4.8 4.8 1.8 3.8 °C Plastic Glass (circle one) (Frozen filters, Tedlars and aqueous Metals exempt)

Temperature Blank? _____ °C or (NA)

Trip Blank? Y or (N) or NA

Sample Containers:		ID			ID
Intact?	Y or N	_____	Metals Preserved?	(Y) or N or NA	_____
Provided by NCA?	Y or N	_____	Client QAPP Preserved?	Y or N or (NA)	_____
Correct Type?	Y or N	_____	Adequate Volume? (for tests requested)	(Y) or N	_____
#Containers match COC?	Y or N	_____	Water VOAs: Headspace?	Y or (N) or NA	_____
IDs/time/date match COC?	Y or N	_____	Comments:		
Hold Times in hold?	(Y) or N	_____			

PROJECT MANAGEMENT

Is the Chain of Custody complete? Y or N If N, circle the items that were incomplete

Comments.Problems_____

Total access set up? Y or N

Has client been contacted regarding non-conformances? Y or N If Y, ____/____ Date Time

PM Initials: _____ Date: _____ Time: _____

(rev 3, 09/12/05)

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

October 24, 2006

Brian Pletcher
Delta Environmental Consultants - Tigard
7150 SW Hampton - Suite 220
Tigard, OR 97223

RE: Willbridge Terminal -Conoco Phillips

Enclosed are the results of analyses for samples received by the laboratory on 09/28/06 10:30. The following list is a summary of the Work Orders contained in this report, generated on 10/24/06 16:42.

If you have any questions concerning this report, please feel free to contact me.

Work Order	Project	ProjectNumber
PPI1207	Willbridge Terminal -Conoco	ORZ0922GW6

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
B-4	PPI1207-01	Water	09/26/06 15:30	09/28/06 10:30
B-35	PPI1207-02	Water	09/26/06 14:10	09/28/06 10:30
B-36	PPI1207-03	Water	09/26/06 14:45	09/28/06 10:30
B-37	PPI1207-04	Water	09/26/06 11:20	09/28/06 10:30
U-2	PPI1207-05	Water	09/27/06 09:25	09/28/06 10:30
U-4	PPI1207-06	Water	09/27/06 08:20	09/28/06 10:30
U-14	PPI1207-07	Water	09/27/06 11:30	09/28/06 10:30
U-15	PPI1207-08	Water	09/27/06 09:50	09/28/06 10:30
U-16	PPI1207-09	Water	09/27/06 10:45	09/28/06 10:30
U-17	PPI1207-10	Water	09/27/06 10:20	09/28/06 10:30

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Diesel and Heavy Range Hydrocarbons per NWTPH-Dx Method

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1207-07 (U-14)		Water			Sampled: 09/27/06 11:30					
Diesel Range Organics	NWTPH-Dx	3.98	—	0.263	mg/l	1x	6100041	10/03/06 11:15	10/03/06 23:20	R-01
Heavy Oil Range Hydrocarbons	"	ND	—	0.526	"	"	"	"	"	R-01
Surrogate(s): 1-Chlorooctadecane			*52.0%*		*50 - 150 %*	"			"	
PPI1207-08 (U-15)		Water			Sampled: 09/27/06 09:50					
Diesel Range Organics	NWTPH-Dx	0.466	—	0.243	mg/l	1x	6100041	10/03/06 11:15	10/03/06 22:48	
Heavy Oil Range Hydrocarbons	"	ND	—	0.485	"	"	"	"	"	
Surrogate(s): 1-Chlorooctadecane			*44.0%*		*50 - 150 %*	"			"	*S-09*
PPI1207-09 (U-16)		Water			Sampled: 09/27/06 10:45					
Diesel Range Organics	NWTPH-Dx	2.53	—	0.250	mg/l	1x	6100041	10/03/06 11:15	10/03/06 22:15	
Heavy Oil Range Hydrocarbons	"	ND	—	0.500	"	"	"	"	"	
Surrogate(s): 1-Chlorooctadecane			*40.1%*		*50 - 150 %*	"			"	*S-09*
PPI1207-10 (U-17)		Water			Sampled: 09/27/06 10:20					
Diesel Range Organics	NWTPH-Dx	4.54	—	0.250	mg/l	1x	6100041	10/03/06 11:15	10/03/06 23:53	
Heavy Oil Range Hydrocarbons	"	ND	—	0.500	"	"	"	"	"	
Surrogate(s): 1-Chlorooctadecane			*43.2%*		*50 - 150 %*	"			"	*S-09*

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007346

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Total Metals per EPA 6000/7000 Series Methods

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1207-01 (B-4)		**Water**			**Sampled: 09/26/06 15:30**					
Arsenic	EPA 6020	0.0361	—	0.00100	mg/l	1x	6100143	10/03/06 16:42	10/13/06 00:36	
Barium	"	0.113	—	0.00100	"	"	"	"	"	
Cadmium	"	ND	—	0.00100	"	"	"	"	10/07/06 10:02	
Chromium	"	0.00384	—	0.00100	"	"	"	"	10/13/06 00:36	
Copper	"	0.00673	—	0.00200	"	"	"	"	"	
Lead	"	0.00231	—	0.00100	"	"	"	"	"	
Selenium	"	ND	—	0.00200	"	"	"	"	10/13/06 19:31	
Silver	"	ND	—	0.00100	"	"	"	"	10/13/06 00:36	
Zinc	"	0.0216	—	0.00500	"	"	"	"	"	
PPI1207-02 (B-35)		**Water**			**Sampled: 09/26/06 14:10**					
Arsenic	EPA 6020	0.0387	—	0.00100	mg/l	1x	6100143	10/03/06 16:42	10/13/06 00:44	
Barium	"	0.116	—	0.00100	"	"	"	"	"	
Cadmium	"	ND	—	0.00100	"	"	"	"	10/07/06 10:10	
Chromium	"	0.00233	—	0.00100	"	"	"	"	10/13/06 00:44	
Copper	"	0.00424	—	0.00200	"	"	"	"	"	
Lead	"	0.00344	—	0.00100	"	"	"	"	"	
Selenium	"	ND	—	0.00200	"	"	"	"	10/13/06 19:39	
Silver	"	ND	—	0.00100	"	"	"	"	10/13/06 00:44	
Zinc	"	0.0233	—	0.00500	"	"	"	"	"	
PPI1207-03 (B-36)		**Water**			**Sampled: 09/26/06 14:45**					
Arsenic	EPA 6020	0.0217	—	0.00100	mg/l	1x	6100143	10/03/06 16:42	10/13/06 00:52	
Barium	"	0.0874	—	0.00100	"	"	"	"	"	
Cadmium	"	ND	—	0.00100	"	"	"	"	10/13/06 19:47	
Chromium	"	ND	—	0.00100	"	"	"	"	10/13/06 00:52	
Copper	"	ND	—	0.00200	"	"	"	"	"	
Lead	"	ND	—	0.00100	"	"	"	"	"	
Selenium	"	ND	—	0.00200	"	"	"	"	10/13/06 19:47	
Silver	"	ND	—	0.00100	"	"	"	"	10/13/06 00:52	
Zinc	"	0.00671	—	0.00500	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007347

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Total Metals per EPA 6000/7000 Series Methods

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1207-04 (B-37)		**Water**				**Sampled: 09/26/06 11:20**				
Arsenic	EPA 6020	0.165	----	0.00100	mg/l	1x	6100143	10/03/06 16:42	10/13/06 01:00	
Barium	"	0.0613	----	0.00100	"	"	"	"	"	
Cadmium	"	ND	----	0.00100	"	"	"	"	10/13/06 20:10	
Chromium	"	ND	----	0.00100	"	"	"	"	10/13/06 01:00	
Copper	"	0.00288	----	0.00200	"	"	"	"	"	
Lead	"	ND	----	0.00100	"	"	"	"	"	
Selenium	"	ND	----	0.00200	"	"	"	"	10/13/06 20:10	
Silver	"	ND	----	0.00100	"	"	"	"	10/13/06 01:00	
Zinc	"	0.0110	----	0.00500	"	"	"	"	"	
PPI1207-05 (U-2)		**Water**				**Sampled: 09/27/06 09:25**				
Arsenic	EPA 6020	0.0160	----	0.00100	mg/l	1x	6100143	10/03/06 16:42	10/13/06 20:18	
Barium	"	0.0617	----	0.00100	"	"	"	"	"	
Cadmium	"	ND	----	0.00100	"	"	"	"	"	
Chromium	"	ND	----	0.00100	"	"	"	"	"	
Copper	"	0.0196	----	0.00200	"	"	"	"	"	
Lead	"	ND	----	0.00100	"	"	"	"	"	
Selenium	"	ND	----	0.00200	"	"	"	"	"	
Silver	"	ND	----	0.00100	"	"	"	"	"	
Zinc	"	0.0106	----	0.00500	"	"	"	"	"	
PPI1207-06 (U-4)		**Water**				**Sampled: 09/27/06 08:20**				
Arsenic	EPA 6020	0.0171	----	0.00100	mg/l	1x	6100143	10/03/06 16:42	10/13/06 20:26	
Barium	"	0.0816	----	0.00100	"	"	"	"	"	
Cadmium	"	ND	----	0.00100	"	"	"	"	"	
Chromium	"	ND	----	0.00100	"	"	"	"	"	
Copper	"	0.00234	----	0.00200	"	"	"	"	"	
Lead	"	ND	----	0.00100	"	"	"	"	"	
Selenium	"	ND	----	0.00200	"	"	"	"	"	
Silver	"	ND	----	0.00100	"	"	"	"	"	
Zinc	"	0.00996	----	0.00500	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007348

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Total Metals per EPA 6000/7000 Series Methods

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1207-07 (U-14)		**Water**				**Sampled: 09/27/06 11:30**				
Arsenic	EPA 6020	0.0674	----	0.00100	mg/l	1x	6100143	10/03/06 16:42	10/13/06 20:42	
Barium	"	1.97	----	0.0100	"	10x	"	"	10/13/06 20:34	
Cadmium	"	0.00184	----	0.00100	"	1x	"	"	10/13/06 20:42	
Chromium	"	0.122	----	0.00100	"	"	"	"	"	
Copper	"	0.159	----	0.00200	"	"	"	"	"	
Lead	"	0.175	----	0.00100	"	"	"	"	"	
Selenium	"	ND	----	0.00200	"	"	"	"	"	
Silver	"	ND	----	0.00100	"	"	"	"	"	
Zinc	"	0.496	----	0.00500	"	"	"	"	"	
PPI1207-08 (U-15)		**Water**				**Sampled: 09/27/06 09:50**				
Arsenic	EPA 6020	0.0899	----	0.00100	mg/l	1x	6100144	10/03/06 16:44	10/17/06 18:57	
Barium	"	0.777	----	0.00100	"	"	"	"	"	
Cadmium	"	0.00126	----	0.00100	"	"	"	"	10/16/06 19:14	
Chromium	"	0.0903	----	0.00100	"	"	"	"	10/17/06 18:57	
Copper	"	0.109	----	0.00200	"	"	"	"	"	
Lead	"	0.179	----	0.00100	"	"	"	"	10/16/06 19:14	
Selenium	"	ND	----	0.00200	"	"	"	"	"	
Silver	"	ND	----	0.00100	"	"	"	"	"	
Zinc	"	0.292	----	0.00500	"	"	"	"	10/19/06 05:41	
PPI1207-09 (U-16)		**Water**				**Sampled: 09/27/06 10:45**				
Arsenic	EPA 6020	0.0854	----	0.00100	mg/l	1x	6100144	10/03/06 16:44	10/17/06 19:03	
Barium	"	0.866	----	0.00100	"	"	"	"	"	
Cadmium	"	0.00131	----	0.00100	"	"	"	"	10/16/06 19:21	
Chromium	"	0.0847	----	0.00100	"	"	"	"	10/17/06 19:03	
Copper	"	0.113	----	0.00200	"	"	"	"	"	
Lead	"	0.111	----	0.00100	"	"	"	"	10/16/06 19:21	
Selenium	"	ND	----	0.00200	"	"	"	"	"	
Silver	"	ND	----	0.00100	"	"	"	"	"	
Zinc	"	0.239	----	0.00500	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Total Metals per EPA 6000/7000 Series Methods

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1207-10 (U-17)		Water			Sampled: 09/27/06 10:20					
Arsenic	EPA 6020	0.0581	—	0.00100	mg/l	1x	6100144	10/03/06 16:44	10/17/06 19:10	
Barium	"	0.606	—	0.00100	"	"	"	"	"	
Cadmium	"	ND	—	0.00100	"	"	"	"	10/16/06 19:28	
Chromium	"	0.0694	—	0.00100	"	"	"	"	10/17/06 19:10	
Copper	"	0.0873	—	0.00200	"	"	"	"	"	
Lead	"	0.0552	—	0.00100	"	"	"	"	10/16/06 19:28	
Selenium	"	ND	—	0.00200	"	"	"	"	"	
Silver	"	ND	—	0.00100	"	"	"	"	"	
Zinc	"	0.183	—	0.00500	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name: **Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number: ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager: Brian Pletcher	10/24/06 16:42

Total Mercury per EPA Method 7470A

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1207-01 (B-4)		**Water**				**Sampled: 09/26/06 15:30**				
Mercury	EPA 7470A	ND	----	0.000200	mg/l	1x	6100135	10/03/06 15:17	10/04/06 15:53	
PPI1207-02 (B-35)		**Water**				**Sampled: 09/26/06 14:10**				
Mercury	EPA 7470A	ND	----	0.000200	mg/l	1x	6100135	10/03/06 15:17	10/04/06 15:55	
PPI1207-03 (B-36)		**Water**				**Sampled: 09/26/06 14:45**				
Mercury	EPA 7470A	ND	----	0.000200	mg/l	1x	6100135	10/03/06 15:17	10/04/06 15:57	
PPI1207-04 (B-37)		**Water**				**Sampled: 09/26/06 11:20**				
Mercury	EPA 7470A	ND	----	0.000200	mg/l	1x	6100135	10/03/06 15:17	10/04/06 15:59	
PPI1207-05 (U-2)		**Water**				**Sampled: 09/27/06 09:25**				
Mercury	EPA 7470A	ND	----	0.000200	mg/l	1x	6100135	10/03/06 15:17	10/04/06 16:01	
PPI1207-06 (U-4)		**Water**				**Sampled: 09/27/06 08:20**				
Mercury	EPA 7470A	ND	----	0.000200	mg/l	1x	6100135	10/03/06 15:17	10/04/06 16:04	
PPI1207-07 (U-14)		**Water**				**Sampled: 09/27/06 11:30**				
Mercury	EPA 7470A	0.000558	----	0.000200	mg/l	1x	6100135	10/03/06 15:17	10/04/06 16:06	
PPI1207-08 (U-15)		**Water**				**Sampled: 09/27/06 09:50**				
Mercury	EPA 7470A	0.000221	----	0.000200	mg/l	1x	6100135	10/03/06 15:17	10/04/06 16:08	
PPI1207-09 (U-16)		**Water**				**Sampled: 09/27/06 10:45**				
Mercury	EPA 7470A	0.00170	----	0.000200	mg/l	1x	6100135	10/03/06 15:17	10/04/06 16:10	
PPI1207-10 (U-17)		**Water**				**Sampled: 09/27/06 10:20**				
Mercury	EPA 7470A	ND	----	0.000200	mg/l	1x	6100135	10/03/06 15:17	10/04/06 16:17	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Selected Volatile Organic Compounds (Including BTEX) per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1207-01 (B-4)		Water			Sampled: 09/26/06 15:30					
Benzene	EPA 8260B	25.6	----	0.200	ug/l	1x	6100179	10/04/06 09:07	10/04/06 17:39	
Toluene	"	5.03	----	0.500	"	"	"	"	"	
Ethylbenzene	"	ND	----	0.500	"	"	"	"	"	
Xylenes (total)	"	6.46	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	2.00	"	"	"	"	"	
Surrogate(s): *4-BFB*			*102%*		*80 - 120 %*	"			"	
1,2-DCA-d4			*112%*		*80 - 120 %*	"			"	
Dibromofluoromethane			*104%*		*80 - 120 %*	"			"	
Toluene-d8			*102%*		*80 - 120 %*	"			"	
PPI1207-02 (B-35)		Water			Sampled: 09/26/06 14:10					
Benzene	EPA 8260B	20.9	----	0.200	ug/l	1x	6100179	10/04/06 09:07	10/04/06 18:06	
Toluene	"	7.63	----	0.500	"	"	"	"	"	
Ethylbenzene	"	2.45	----	0.500	"	"	"	"	"	
Xylenes (total)	"	10.2	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	2.00	"	"	"	"	"	
Surrogate(s): *4-BFB*			*100%*		*80 - 120 %*	"			"	
1,2-DCA-d4			*109%*		*80 - 120 %*	"			"	
Dibromofluoromethane			*100%*		*80 - 120 %*	"			"	
Toluene-d8			*102%*		*80 - 120 %*	"			"	
PPI1207-03 (B-36)		Water			Sampled: 09/26/06 14:45					
Benzene	EPA 8260B	0.760	----	0.200	ug/l	1x	6100179	10/04/06 09:07	10/04/06 18:32	
Toluene	"	1.18	----	0.500	"	"	"	"	"	
Ethylbenzene	"	ND	----	0.500	"	"	"	"	"	
Xylenes (total)	"	1.57	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	3.50	----	2.00	"	"	"	"	"	
Surrogate(s): *4-BFB*			*98.5%*		*80 - 120 %*	"			"	
1,2-DCA-d4			*106%*		*80 - 120 %*	"			"	
Dibromofluoromethane			*99.0%*		*80 - 120 %*	"			"	
Toluene-d8			*101%*		*80 - 120 %*	"			"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Selected Volatile Organic Compounds (Including BTEX) per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL^A	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1207-04 (B-37)		**Water**			**Sampled: 09/26/06 11:20**					
Benzene	EPA 8260B	ND	—	0.200	ug/l	1x	6100179	10/04/06 09:07	10/04/06 19:00	
Toluene	"	ND	—	0.500	"	"	"	"	"	
Ethylbenzene	"	ND	—	0.500	"	"	"	"	"	
Xylenes (total)	"	ND	—	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	—	2.00	"	"	"	"	"	
Surrogate(s): 4-BFB			*102%*		*80 - 120 %*	"			"	
1,2-DCA-d4			*104%*		*80 - 120 %*	"			"	
Dibromofluoromethane			*98.5%*		*80 - 120 %*	"			"	
Toluene-d8			*98.5%*		*80 - 120 %*	"			"	
PPI1207-05 (U-2)		**Water**			**Sampled: 09/27/06 09:25**					
Benzene	EPA 8260B	ND	—	0.200	ug/l	1x	6100179	10/04/06 09:07	10/04/06 19:27	
Toluene	"	ND	—	0.500	"	"	"	"	"	
Ethylbenzene	"	ND	—	0.500	"	"	"	"	"	
Xylenes (total)	"	ND	—	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	—	2.00	"	"	"	"	"	
Surrogate(s): 4-BFB			*102%*		*80 - 120 %*	"			"	
1,2-DCA-d4			*109%*		*80 - 120 %*	"			"	
Dibromofluoromethane			*101%*		*80 - 120 %*	"			"	
Toluene-d8			*101%*		*80 - 120 %*	"			"	
PPI1207-06 (U-4)		**Water**			**Sampled: 09/27/06 08:20**					
Benzene	EPA 8260B	ND	—	0.200	ug/l	1x	6100179	10/04/06 09:07	10/04/06 19:54	
Toluene	"	ND	—	0.500	"	"	"	"	"	
Ethylbenzene	"	ND	—	0.500	"	"	"	"	"	
Xylenes (total)	"	ND	—	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	6.69	—	2.00	"	"	"	"	"	
Surrogate(s): 4-BFB			*104%*		*80 - 120 %*	"			"	
1,2-DCA-d4			*104%*		*80 - 120 %*	"			"	
Dibromofluoromethane			*100%*		*80 - 120 %*	"			"	
Toluene-d8			*99.0%*		*80 - 120 %*	"			"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Selected Volatile Organic Compounds (Including BTEX) per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1207-07 (U-14)		Water			Sampled: 09/27/06 11:30					
Benzene	EPA 8260B	ND	—	0.200	ug/l	1x	6100179	10/04/06 09:07	10/04/06 20:21	
Toluene	"	ND	—	0.500	"	"	"	"	"	
Ethylbenzene	"	ND	—	0.500	"	"	"	"	"	
Xylenes (total)	"	ND	—	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	—	2.00	"	"	"	"	"	
Surrogate(s): 4-BFB			*106%*		*80 - 120 %*	"			"	
1,2-DCA-d4			*110%*		*80 - 120 %*	"			"	
Dibromofluoromethane			*102%*		*80 - 120 %*	"			"	
Toluene-d8			*101%*		*80 - 120 %*	"			"	
PPI1207-08 (U-15)		Water			Sampled: 09/27/06 09:50					
Benzene	EPA 8260B	7.01	—	0.200	ug/l	1x	6100179	10/04/06 09:07	10/04/06 20:48	
Toluene	"	ND	—	0.500	"	"	"	"	"	
Ethylbenzene	"	1.38	—	0.500	"	"	"	"	"	
Xylenes (total)	"	ND	—	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	—	2.00	"	"	"	"	"	
Surrogate(s): 4-BFB			*105%*		*80 - 120 %*	"			"	
1,2-DCA-d4			*111%*		*80 - 120 %*	"			"	
Dibromofluoromethane			*100%*		*80 - 120 %*	"			"	
Toluene-d8			*100%*		*80 - 120 %*	"			"	
PPI1207-09 (U-16)		Water			Sampled: 09/27/06 10:45					
Benzene	EPA 8260B	0.440	—	0.200	ug/l	1x	6100179	10/04/06 09:07	10/04/06 21:15	
Toluene	"	ND	—	0.500	"	"	"	"	"	
Ethylbenzene	"	5.43	—	0.500	"	"	"	"	"	
Xylenes (total)	"	ND	—	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	—	2.00	"	"	"	"	"	
Surrogate(s): 4-BFB			*104%*		*80 - 120 %*	"			"	
1,2-DCA-d4			*108%*		*80 - 120 %*	"			"	
Dibromofluoromethane			*100%*		*80 - 120 %*	"			"	
Toluene-d8			*100%*		*80 - 120 %*	"			"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Selected Volatile Organic Compounds (Including BTEX) per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL[A]	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1207-10 (U-17)		**Water**			**Sampled: 09/27/06 10:20**					
Benzene	EPA 8260B	ND	—	0.200	ug/l	1x	6100179	10/04/06 09:07	10/04/06 21:42	
Toluene	"	ND	—	0.500	"	"	"	"	"	
Ethylbenzene	"	ND	—	0.500	"	"	"	"	"	
Xylenes (total)	"	ND	—	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	—	2.00	"	"	"	"	"	
Surrogate(s): *4-BFB*			*103%*		*80 - 120 %*	"			"	
1,2-DCA-d4			*104%*		*80 - 120 %*	"			"	
Dibromofluoromethane			*101%*		*80 - 120 %*	"			"	
Toluene-d8			*100%*		*80 - 120 %*	"			"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Polynuclear Aromatic Compounds per EPA 8270M-SIM

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1207-01 (B-4)		Water			Sampled: 09/26/06 15:30					R-05
Acenaphthene	EPA 8270m	2.75	—	0.200	ug/l	10x	6091292	09/30/06 13:40	10/06/06 00:10	
Acenaphthylene	"	ND	—	0.300	"	"	"	"	"	R-03
Anthracene	"	0.670	—	0.200	"	"	"	"	"	
Benzo (a) anthracene	"	ND	—	0.200	"	"	"	"	"	
Benzo (a) pyrene	"	ND	—	0.200	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	—	0.200	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	—	0.200	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	—	0.200	"	"	"	"	"	
Chrysene	"	ND	—	0.200	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	—	0.200	"	"	"	"	"	
Fluoranthene	"	1.00	—	0.200	"	"	"	"	"	
Fluorene	"	2.86	—	0.200	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	—	0.200	"	"	"	"	"	
Naphthalene	"	ND	—	1.90	"	"	"	"	"	R-03
Phenanthrene	"	3.68	—	0.200	"	"	"	"	"	
Pyrene	"	1.00	—	0.200	"	"	"	"	"	
Surrogate(s): Fluorene-d10			*89.6%*		*25 - 125 %*	"			"	
Pyrene-d10			*89.6%*		*23 - 150 %*	"			"	
Benzo (a) pyrene-d12			*61.6%*		*10 - 125 %*	"			"	
PPI1207-02 (B-35)		Water			Sampled: 09/26/06 14:10					R-05
Acenaphthene	EPA 8270m	5.99	—	0.206	ug/l	10x	6091292	09/30/06 13:40	10/06/06 14:34	
Acenaphthylene	"	ND	—	0.619	"	"	"	"	"	R-03
Anthracene	"	0.609	—	0.206	"	"	"	"	"	
Benzo (a) anthracene	"	ND	—	0.206	"	"	"	"	"	
Benzo (a) pyrene	"	ND	—	0.206	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	—	0.206	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	—	0.206	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	—	0.206	"	"	"	"	"	
Chrysene	"	ND	—	0.206	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	—	0.206	"	"	"	"	"	
Fluoranthene	"	1.03	—	0.206	"	"	"	"	"	
Fluorene	"	11.2	—	0.206	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	—	0.206	"	"	"	"	"	
Naphthalene	"	ND	—	2.27	"	"	"	"	"	R-03
Phenanthrene	"	9.46	—	0.206	"	"	"	"	"	
Pyrene	"	0.644	—	0.206	"	"	"	"	"	
Surrogate(s): Fluorene-d10			*107%*		*25 - 125 %*	"			"	
Pyrene-d10			*85.3%*		*23 - 150 %*	"			"	
Benzo (a) pyrene-d12			*56.6%*		*10 - 125 %*	"			"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007356

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Polynuclear Aromatic Compounds per EPA 8270M-SIM

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1207-03 (B-36)		**Water**			**Sampled: 09/26/06 14:45**					
Acenaphthene	EPA 8270m	**0.706**	----	0.198	ug/l	10x	6100114	10/03/06 17:30	10/12/06 20:08	
Acenaphthylene	"	ND	----	0.198	"	"	"	"	"	R-03
Anthracene	"	ND	----	0.0495	"	1x	"	"	10/12/06 02:37	R-03
Benzo (a) anthracene	"	ND	----	0.0198	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	0.0198	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	0.0198	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.0198	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	0.0198	"	"	"	"	"	
Chrysene	"	ND	----	0.0198	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.0198	"	"	"	"	"	
Fluoranthene	"	ND	----	0.0198	"	"	"	"	"	
Fluorene	"	**1.59**	----	0.198	"	10x	"	"	10/12/06 20:08	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.0198	"	1x	"	"	10/12/06 02:37	
Naphthalene	"	ND	----	1.98	"	10x	"	"	10/12/06 20:08	R-03
Phenanthrene	"	ND	----	0.0495	"	1x	"	"	10/12/06 02:37	R-03
Pyrene	"	ND	----	0.0693	"	"	"	"	"	R-03
Surrogate(s): *Fluorene-d10*			*67.3%*		*25 - 125 %*	*10x*			*10/12/06 20:08*	
Pyrene-d10			*70.6%*		*23 - 150 %*	*1x*			*10/12/06 02:37*	
Benzo (a) pyrene-d12			*49.2%*		*10 - 125 %*	"			"	
PPI1207-04 (B-37)		**Water**			**Sampled: 09/26/06 11:20**					
Acenaphthene	EPA 8270m	**0.270**	----	0.0196	ug/l	1x	6100114	10/03/06 17:30	10/11/06 21:30	
Acenaphthylene	"	ND	----	0.0392	"	"	"	"	"	R-03
Anthracene	"	ND	----	0.0196	"	"	"	"	"	
Benzo (a) anthracene	"	ND	----	0.0196	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	0.0196	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	0.0196	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.0196	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	0.0196	"	"	"	"	"	
Chrysene	"	ND	----	0.0196	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.0196	"	"	"	"	"	
Fluoranthene	"	ND	----	0.0196	"	"	"	"	"	
Fluorene	"	ND	----	0.0196	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.0196	"	"	"	"	"	
Naphthalene	"	ND	----	0.225	"	"	"	"	"	R-03
Phenanthrene	"	**0.0214**	----	0.0196	"	"	"	"	"	
Pyrene	"	**0.0208**	----	0.0196	"	"	"	"	"	
Surrogate(s): *Fluorene-d10*			*60.4%*		*25 - 125 %*	"			"	
Pyrene-d10			*45.3%*		*23 - 150 %*	"			"	
Benzo (a) pyrene-d12			*61.6%*		*10 - 125 %*	"			"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Polynuclear Aromatic Compounds per EPA 8270M-SIM

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1207-05 (U-2)		**Water**			**Sampled: 09/27/06 09:25**					
Acenaphthene	EPA 8270m	ND	----	0.0198	ug/l	1x	6100114	10/03/06 17:30	10/11/06 21:59	
Acenaphthylene	"	ND	----	0.0198	"	"	"	"	"	
Anthracene	"	ND	----	0.0198	"	"	"	"	"	
Benzo (a) anthracene	"	ND	----	0.0198	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	0.0198	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	0.0198	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.0198	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	0.0198	"	"	"	"	"	
Chrysene	"	ND	----	0.0198	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.0198	"	"	"	"	"	
Fluoranthene	"	ND	----	0.0198	"	"	"	"	"	
Fluorene	"	ND	----	0.0198	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.0198	"	"	"	"	"	
Naphthalene	"	ND	----	0.168	"	"	"	"	"	R-03
Phenanthrene	"	ND	----	0.0198	"	"	"	"	"	
Pyrene	"	0.0414	----	0.0198	"	"	"	"	"	
Surrogate(s): *Fluorene-d10*		*66.5%*		*25 - 125 %*		"			"	
Pyrene-d10		*62.9%*		*23 - 150 %*		"			"	
Benzo (a) pyrene-d12		*39.4%*		*10 - 125 %*		"			"	
PPI1207-06 (U-4)		**Water**			**Sampled: 09/27/06 08:20**					R-05
Acenaphthene	EPA 8270m	2.13	----	0.990	ug/l	50x	6100114	10/03/06 17:30	10/12/06 20:35	
Acenaphthylene	"	ND	----	0.990	"	"	"	"	"	R-03
Anthracene	"	0.443	----	0.0990	"	5x	"	"	10/12/06 04:28	
Benzo (a) anthracene	"	ND	----	0.0990	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	0.0990	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	0.0990	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.0990	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	0.0990	"	"	"	"	"	
Chrysene	"	ND	----	0.0990	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.0990	"	"	"	"	"	
Fluoranthene	"	0.113	----	0.0990	"	"	"	"	"	
Fluorene	"	5.81	----	0.990	"	50x	"	"	10/12/06 20:35	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.0990	"	5x	"	"	10/12/06 04:28	
Naphthalene	"	ND	----	2.97	"	50x	"	"	10/12/06 20:35	R-03
Phenanthrene	"	4.59	----	0.0990	"	5x	"	"	10/12/06 04:28	
Pyrene	"	0.351	----	0.0990	"	"	"	"	"	
Surrogate(s): *Fluorene-d10*		*68.1%*		*25 - 125 %*	*50x*				*10/12/06 20:35*	
Pyrene-d10		*61.7%*		*23 - 150 %*	*5x*				*10/12/06 04:28*	
Benzo (a) pyrene-d12		*52.8%*		*10 - 125 %*	"				"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007358

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Polynuclear Aromatic Compounds per EPA 8270M-SIM

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1207-07 (U-14)		**Water**			**Sampled: 09/27/06 11:30**					
Acenaphthene	EPA 8270m	**0.329**	----	0.202	ug/l	10x	6100114	10/03/06 17:30	10/12/06 21:03	
Acenaphthylene	"	ND	----	0.202	"	"	"	"	"	R-03
Anthracene	"	ND	----	0.0303	"	1x	"	"	10/12/06 03:05	R-03
Benzo (a) anthracene	"	ND	----	0.0202	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	0.0202	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	0.0202	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.0202	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	0.0202	"	"	"	"	"	
Chrysene	"	ND	----	0.0202	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.0202	"	"	"	"	"	
Fluoranthene	"	**0.0242**	----	0.0202	"	"	"	"	"	
Fluorene	"	**0.750**	----	0.202	"	10x	"	"	10/12/06 21:03	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.0202	"	1x	"	"	10/12/06 03:05	
Naphthalene	"	ND	----	4.14	"	10x	"	"	10/12/06 21:03	R-03
Phenanthrene	"	**0.189**	----	0.0202	"	1x	"	"	10/12/06 03:05	
Pyrene	"	**0.0400**	----	0.0202	"	"	"	"	"	
Surrogate(s):	*Fluorene-d10*		*56.1%*		*25 - 125 %*	*10x*			*10/12/06 21:03*	
	Pyrene-d10		*35.3%*		*23 - 150 %*	*1x*			*10/12/06 03:05*	
	Benzo (a) pyrene-d12		*34.9%*		*10 - 125 %*	"			"	
PPI1207-08 (U-15)		**Water**			**Sampled: 09/27/06 09:50**					
Acenaphthene	EPA 8270m	ND	----	0.0196	ug/l	1x	6100114	10/03/06 17:30	10/12/06 03:33	
Acenaphthylene	"	ND	----	0.0196	"	"	"	"	"	
Anthracene	"	ND	----	0.0196	"	"	"	"	"	
Benzo (a) anthracene	"	ND	----	0.0196	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	0.0196	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	0.0196	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.0196	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	0.0196	"	"	"	"	"	
Chrysene	"	ND	----	0.0196	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.0196	"	"	"	"	"	
Fluoranthene	"	ND	----	0.0196	"	"	"	"	"	
Fluorene	"	ND	----	0.0196	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.0196	"	"	"	"	"	
Naphthalene	"	ND	----	0.0784	"	"	"	"	"	R-03
Phenanthrene	"	ND	----	0.0196	"	"	"	"	"	
Pyrene	"	**0.0161**	----	0.0196	"	"	"	"	"	
Surrogate(s):	*Fluorene d10*		*60.4%*		*25 - 125 %*	"			"	
	Pyrene-d10		*55.1%*		*23 - 150 %*	"			"	
	Benzo (a) pyrene-d12		*32.6%*		*10 - 125 %*	"			"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007359

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Polynuclear Aromatic Compounds per EPA 8270M-SIM

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1207-09 (U-16)		**Water**			**Sampled: 09/27/06 10:45**					**R-05**
Acenaphthene	EPA 8270m	**0.577**	----	0.202	ug/l	10x	6100114	10/03/06 17:30	10/12/06 04:56	
Acenaphthylene	"	ND	----	0.303	"	"	"	"	"	
Anthracene	"	ND	----	0.202	"	"	"	"	"	
Benzo (a) anthracene	"	ND	----	0.202	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	0.202	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	0.202	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.202	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	0.202	"	"	"	"	"	
Chrysene	"	ND	----	0.202	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.202	"	"	"	"	"	
Fluoranthene	"	ND	----	0.202	"	"	"	"	"	
Fluorene	"	**1.14**	----	0.202	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.202	"	"	"	"	"	
Naphthalene	"	ND	----	1.92	"	"	"	"	"	R-03
Phenanthrene	"	0.655	----	0.202	"	"	"	"	"	
Pyrene	"	ND	----	0.202	"	"	"	"	"	
Surrogate(s): *Fluorene-d10*			*38.7%*		*25 - 125 %*	"			"	
Pyrene-d10			*45.5%*		*23 - 150 %*	"			"	
Benzo (a) pyrene-d12			*38.8%*		*10 - 125 %*	"			"	
PPI1207-10 (U-17)		**Water**			**Sampled: 09/27/06 10:20**					
Acenaphthene	EPA 8270m	ND	----	0.404	ug/l	20x	6100114	10/03/06 17:30	10/12/06 21:30	R-03
Acenaphthylene	"	ND	----	0.404	"	"	"	"	"	R-03
Anthracene	"	ND	----	0.404	"	"	"	"	"	R-03
Benzo (a) anthracene	"	**0.0241**	----	0.0202	"	1x	"	"	10/12/06 04:01	
Benzo (a) pyrene	"	ND	----	0.0202	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	0.0202	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.0202	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	0.0202	"	"	"	"	"	
Chrysene	"	**0.0221**	----	0.0202	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.0202	"	"	"	"	"	
Fluoranthene	"	ND	----	0.0202	"	"	"	"	"	
Fluorene	"	**0.698**	----	0.404	"	20x	"	"	10/12/06 21:30	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.0202	"	1x	"	"	10/12/06 04:01	
Naphthalene	"	ND	----	1.62	"	20x	"	"	10/12/06 21:30	R-03
Phenanthrene	"	**0.406**	----	0.404	"	"	"	"	"	
Pyrene	"	**0.124**	----	0.0202	"	1x	"	"	10/12/06 04:01	
Surrogate(s): *Fluorene-d10*			*67.6%*		*25 - 125 %*	*20x*			*10/12/06 21:30*	
Pyrene-d10			*67.6%*		*23 - 150 %*	*1x*			*10/12/06 04:01*	
Benzo (a) pyrene-d12			*45.5%*		*10 - 125 %*	"			"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007360

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Diesel and Heavy Range Hydrocarbons per NWTPH-Dx Method - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100041 **Water Preparation Method: EPA 3520/600 Series**

Analyte	Method	Result	MDL^	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100041-BLK1)								Extracted: 10/03/06 11:15						
Diesel Range Organics	NWTPH-Dx	ND	—	0.250	mg/l	1x	—	—	—	—	—	—	10/04/06 03:09	
Heavy Oil Range Hydrocarbons	"	ND	—	0.500	"	"	—	—	—	—	—	—	"	
Surrogate(s): 1-Chlorooctadecane		*Recovery: 99.4%*			*Limits: 50-150%*	"							*10/04/06 03:09*	
LCS (6100041-BS1)								Extracted: 10/03/06 11:15						
Diesel Range Organics	NWTPH-Dx	2.33	—	0.250	mg/l	1x	—	2.55	91.4%	(50-150)	—	—	10/04/06 02:04	
Heavy Oil Range Hydrocarbons	"	1.45	—	0.500	"	"	—	1.60	90.6%	"	—	—	"	
Surrogate(s): 1-Chlorooctadecane		*Recovery: 88.8%*			*Limits: 50-150%*	"							*10/04/06 02:04*	
LCS Dup (6100041-BSD1)								Extracted: 10/03/06 11:15						
Diesel Range Organics	NWTPH-Dx	2.43	—	0.250	mg/l	1x	—	2.55	95.3%	(50-150)	4.20%	(50)	10/04/06 02:36	
Heavy Oil Range Hydrocarbons	"	1.58	—	0.500	"	"	—	1.60	98.8%	"	8.58%	"	"	
Surrogate(s): 1-Chlorooctadecane		*Recovery: 93.6%*			*Limits: 50-150%*	"							*10/04/06 02:36*	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Total Metals per EPA 6000/7000 Series Methods - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100143 **Water Preparation Method: EPA 200/3005**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100143-BLK1)								Extracted: 10/03/06 16:42						
Arsenic	EPA 6020	ND	---	0.0000450	mg/l	1x	--	--	--	--	--	--	10/09/06 22:52	
Barium	"	ND	---	0.00100	"	"	--	--	--	--	--	--	10/07/06 07:36	
Cadmium	"	ND	---	0.0000940	"	"	--	--	--	--	--	--	"	
Chromium	"	ND	---	0.00100	"	"	--	--	--	--	--	--	"	
Copper	"	ND	---	0.00200	"	"	--	--	--	--	--	--	"	
Lead	"	ND	---	0.000540	"	"	--	--	--	--	--	--	"	
Selenium	"	ND	---	0.00200	"	"	--	--	--	--	--	--	10/09/06 22:52	
Silver	"	ND	---	0.00100	"	"	--	--	--	--	--	--	10/12/06 09:04	
Zinc	"	ND	---	0.00500	"	"	--	--	--	--	--	--	10/09/06 22:52	
LCS (6100143-BS1)								Extracted: 10/03/06 16:42						
Arsenic	EPA 6020	0.111	---	0.00100	mg/l	1x	--	0.100	111%	(80-120)	--	--	10/07/06 07:45	
Barium	"	0.0964	---	0.00100	"	"	--	"	96.4%	"	--	--	10/11/06 09:17	
Cadmium	"	0.0898	---	0.00100	"	"	--	"	89.8%	"	--	--	"	
Chromium	"	0.120	---	0.00100	"	"	--	"	120%	"	--	--	10/07/06 07:45	
Copper	"	0.116	---	0.00200	"	"	--	"	116%	"	--	--	"	
Lead	"	0.108	---	0.00100	"	"	--	"	108%	"	--	--	"	
Selenium	"	0.0567	---	0.00200	"	"	--	0.0500	113%	"	--	--	10/09/06 23:00	
Silver	"	0.0476	---	0.00100	"	"	--	"	95.2%	"	--	--	10/11/06 09:17	
Zinc	"	0.118	---	0.00500	"	"	--	0.100	118%	"	--	--	10/09/06 23:00	
Duplicate (6100143-DUP1)							QC Source: PPI1204-01		Extracted: 10/03/06 16:42					
Arsenic	EPA 6020	0.0177	---	0.00100	mg/l	1x	0.0140	--	--	--	23.3%	(20)	10/09/06 23:14	Q-03
Barium	"	1.46	---	0.0100	"	10x	1.21	--	--	--	18.7%	"	10/13/06 18:38	
Cadmium	"	0.00557	---	0.00100	"	1x	0.00458	--	--	--	19.5%	"	10/07/06 07:58	
Chromium	"	0.166	---	0.00100	"	"	0.130	--	--	--	24.3%	"	10/11/06 09:31	Q-03
Copper	"	0.234	---	0.00200	"	"	0.185	--	--	--	23.4%	"	10/09/06 23:14	Q-03
Lead	"	0.0475	---	0.00100	"	"	0.0418	--	--	--	12.8%	"	10/07/06 07:58	
Selenium	"	ND	---	0.00200	"	"	ND	--	--	--	17.5%	"	10/09/06 23:14	
Silver	"	ND	---	0.00100	"	"	ND	--	--	--	44.6%	"	10/11/06 09:31	Q-06
Zinc	"	0.453	---	0.00500	"	"	0.358	--	--	--	23.4%	"	10/09/06 23:14	Q-03

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Total Metals per EPA 6000/7000 Series Methods - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100143 **Water Preparation Method: EPA 200/3005**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Matrix Spike (6100143-MS1)					QC Source: PPI1204-01				Extracted: 10/03/06 16:42					
Arsenic	EPA 6020	0.101	---	0.00100	mg/l	1x	0.0140	0.100	87.0%	(75-125)	--	--	10/07/06 08:13	
Barium	"	1.72	---	0.00500	"	5x	1.21	"	510%	"	--	--	10/07/06 02:06	Q-03
Cadmium	"	0.111	---	0.00100	"	1x	0.00458	"	106%	"	--	--	10/07/06 08:13	
Chromium	"	0.277	---	0.00100	"	"	0.130	"	147%	"	--	--	"	Q-03
Copper	"	0.331	---	0.00200	"	"	0.185	"	146%	"	--	--	"	Q-03
Lead	"	0.145	---	0.00100	"	"	0.0418	"	103%	"	--	--	"	
Selenium	"	0.0363	---	0.00200	"	"	0.000547	0.0500	71.5%	"	--	--	10/09/06 23:29	Q-02
Silver	"	0.0566	---	0.00100	"	"	0.000732	"	112%	"	--	--	10/12/06 22:23	
Zinc	"	0.528	---	0.00500	"	"	0.358	0.100	170%	"	--	--	10/09/06 23:29	Q-03
Matrix Spike (6100143-MS2)					QC Source: PPI1207-07				Extracted: 10/03/06 16:42					
Arsenic	EPA 6020	0.148	---	0.00100	mg/l	1x	0.0674	0.100	80.6%	(75-125)	--	--	10/13/06 18:53	
Barium	"	2.53	---	0.0100	"	10x	1.97	"	560%	"	--	--	10/13/06 18:45	Q-03
Cadmium	"	0.102	---	0.00100	"	1x	0.00184	"	100%	"	--	--	10/13/06 18:53	
Chromium	"	0.333	---	0.0100	"	10x	0.122	"	211%	"	--	--	"	Q-03
Copper	"	0.433	---	0.0200	"	"	0.159	"	274%	"	--	--	"	Q-03
Lead	"	0.320	---	0.00100	"	1x	0.175	"	145%	"	--	--	"	Q-03
Selenium	"	0.0172	---	0.00200	"	"	0.000851	0.0500	32.7%	"	--	--	"	Q-02
Silver	"	0.0519	---	0.00100	"	"	0.000549	"	103%	"	--	--	"	
Zinc	"	1.17	---	0.0500	"	10x	0.496	0.100	674%	"	--	--	"	Q-03

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007363

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Total Metals per EPA 6000/7000 Series Methods - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100144 **Water Preparation Method: EPA 200/3005**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100144-BLK1)							Extracted: 10/03/06 16:44							
Arsenic	EPA 6020	ND	---	0.00100	mg/l	1x	--	--	--	--	--	--	10/17/06 18:44	
Barium	"	ND	---	0.00100	"	"	--	--	--	--	--	--	10/16/06 19:00	
Cadmium	"	ND	---	0.00100	"	"	--	--	--	--	--	--	"	
Chromium	"	ND	---	0.00100	"	"	--	--	--	--	--	--	10/17/06 18:44	
Copper	"	ND	---	0.00200	"	"	--	--	--	--	--	--	"	
Lead	"	ND	---	0.00100	"	"	--	--	--	--	--	--	10/16/06 19:00	
Selenium	"	ND	---	0.00200	"	"	--	--	--	--	--	--	"	
Silver	"	ND	---	0.00100	"	"	--	--	--	--	--	--	"	
Zinc	"	ND	---	0.00500	"	"	--	--	--	--	--	--	10/19/06 05:28	BK-3
LCS (6100144-BS1)							Extracted: 10/03/06 16:44							
Arsenic	*EPA 6020*	*0.0914*	---	*0.00100*	*mg/l*	1x	--	*0.100*	*91.4%*	*(80-120)*	--	--	*10/17/06 18:50*	
Barium	"	0.120	---	0.00200	"	2x	--	"	120%	"	--	--	10/16/06 19:07	
Cadmium	"	0.117	---	0.00200	"	"	--	"	117%	"	--	--	"	
Chromium	"	0.0877	---	0.00100	"	1x	--	"	87.7%	"	--	--	10/17/06 18:50	
Copper	"	0.0915	---	0.00200	"	"	--	"	91.5%	"	--	--	"	
Lead	"	0.117	---	0.00200	"	2x	--	"	117%	"	--	--	10/16/06 19:07	
Selenium	"	0.0571	---	0.00400	"	"	--	0.0500	114%	"	--	--	"	
Silver	"	0.0577	---	0.00200	"	"	--	"	115%	"	--	--	"	
Zinc	"	0.109	---	0.0100	"	"	--	0.100	109%	"	--	--	"	
Duplicate (6100144-DUP1)							QC Source: PPI1295-06						Extracted: 10/03/06 16:44	
Arsenic	EPA 6020	0.00410	---	0.00100	mg/l	1x	0.00438	--	--	--	6.60%	(20)	10/17/06 20:10	
Barium	"	0.0753	---	0.00100	"	"	0.0778	--	--	--	3.27%	"	10/16/06 23:25	
Cadmium	"	ND	---	0.00100	"	"	ND	--	--	--	48.6%	"	"	Q-06
Chromium	"	ND	---	0.00100	"	"	0.00111	--	--	--	11.4%	"	10/17/06 20:10	
Copper	"	ND	---	0.00200	"	"	ND	--	--	--	1.79%	"	"	
Lead	"	ND	---	0.00100	"	"	0.00104	--	--	--	10.1%	"	10/16/06 23:25	
Selenium	"	ND	---	0.00200	"	"	ND	--	--	--	NR	"	"	
Silver	"	ND	---	0.00100	"	"	ND	--	--	--	NR	"	"	
Zinc	"	0.0114	---	0.00500	"	"		--	--	--		"	10/19/06 06:55	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007364

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Total Metals per EPA 6000/7000 Series Methods - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100144 **Water Preparation Method: EPA 200/3005**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Matrix Spike (6100144-MS1)				QC Source: PPI1295-06				Extracted: 10/03/06 16:44						
Arsenic	EPA 6020	0.102	---	0.00100	mg/l	1x	0.00438	0.100	97.6%	(75-125)	--	--	10/17/06 20:17	
Barium	"	0.180	---	0.00100	"	"	0.0778	"	102%	"	--	--	10/16/06 23:32	
Cadmium	"	0.0964	---	0.00100	"	"	0.000230	"	96.2%	"	--	--	"	
Chromium	"	0.0952	---	0.00100	"	"	0.00111	"	94.1%	"	--	--	10/17/06 20:17	
Copper	"	0.0931	---	0.00200	"	"	0.00169	"	91.4%	"	--	--	"	
Lead	"	0.0910	---	0.00100	"	"	0.00104	"	90.0%	"	--	--	10/16/06 23:32	
Selenium	"	0.0443	---	0.00200	"	"	ND	0.0500	88.6%	"	--	--	"	
Silver	"	0.0466	---	0.00100	"	"	ND	"	93.2%	"	--	--	"	
Zinc	"	0.0932	---	0.00500	"	"		0.100	93.2%	"	--	--	"	
Matrix Spike Dup (6100144-MSD1)				QC Source: PPI1295-06				Extracted: 10/03/06 16:44						
Arsenic	EPA 6020	0.103	---	0.00100	mg/l	1x	0.00438	0.100	98.6%	(75-125)	0.976%	(20)	10/17/06 20:30	
Barium	"	0.184	---	0.00100	"	"	0.0778	"	106%	"	2.20%	"	10/16/06 23:46	
Cadmium	"	0.100	---	0.00100	"	"	0.000230	"	99.8%	"	3.67%	"	"	
Chromium	"	0.0957	---	0.00100	"	"	0.00111	"	94.6%	"	0.524%	"	10/17/06 20:30	
Copper	"	0.0948	---	0.00200	"	"	0.00169	"	93.1%	"	1.81%	"	"	
Lead	"	0.0926	---	0.00100	"	"	0.00104	"	91.6%	"	1.74%	"	10/16/06 23:46	
Selenium	"	0.0458	---	0.00200	"	"	ND	0.0500	91.6%	"	3.33%	"	"	
Silver	"	0.0479	---	0.00100	"	"	ND	"	95.8%	"	2.75%	"	"	
Zinc	"	0.0949	---	0.00500	"	"		0.100	94.9%	"	1.81%	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007365

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Total Mercury per EPA Method 7470A - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100135 **Water Preparation Method: EPA 1311/7470A**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100135-BLK1)								Extracted: 10/03/06 15:17						
Mercury	EPA 7470A	ND	--	0.000200	mg/l	1x	--	--	--	--	--	--	10/04/06 15:22	
LCS (6100135-BS1)								Extracted: 10/03/06 15:17						
Mercury	EPA 7470A	0.00523	--	0.000200	mg/l	1x	--	0.00500	105%	(85-115)	--	--	10/04/06 15:24	
LCS Dup (6100135-BSD1)								Extracted: 10/03/06 15:17						
Mercury	EPA 7470A	0.00506	--	0.000200	mg/l	1x	--	0.00500	101%	(85-115)	3.30%	(20)	10/04/06 15:26	
Duplicate (6100135-DUP1)					QC Source: PPI1205-01			Extracted: 10/03/06 15:17						
Mercury	EPA 7470A	ND	--	0.000200	mg/l	1x	ND	--	--	--		(20)	10/04/06 15:29	
Matrix Spike (6100135-MS1)					QC Source: PPI1205-01			Extracted: 10/03/06 15:17						
Mercury	EPA 7470A	0.00499	--	0.000200	mg/l	1x	ND	0.00500	99.8%	(75-125)	--	--	10/04/06 15:31	
Matrix Spike Dup (6100135-MSD1)					QC Source: PPI1205-01			Extracted: 10/03/06 15:17						
Mercury	EPA 7470A	0.00482	--	0.000200	mg/l	1x	ND	0.00500	96.4%	(75-125)	3.47%	(20)	10/04/06 15:34	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007366

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Selected Volatile Organic Compounds (Including BTEX) per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100179 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100179-BLK1)									Extracted: 10/04/06 09:07					
1,2-Dibromoethane	EPA 8260B	ND	—	0.500	ug/l	1x	—	—	—	—	—	—	10/04/06 14:30	
1,2-Dichloroethane	"	ND	—	0.500	"	"	—	—	—	—	—	—	"	
Benzene	"	ND	—	0.200	"	"	—	—	—	—	—	—	"	
Toluene	"	ND	—	0.500	"	"	—	—	—	—	—	—	"	
Ethylbenzene	"	ND	—	0.500	"	"	—	—	—	—	—	—	"	
Xylenes (total)	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
Methyl tert-butyl ether	"	ND	—	2.00	"	"	—	—	—	—	—	—	"	
Naphthalene	"	ND	—	2.00	"	"	—	—	—	—	—	—	"	
1,2,4-Trimethylbenzene	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
1,3,5-Trimethylbenzene	"	ND	—	0.500	"	"	—	—	—	—	—	—	"	
Isopropylbenzene	"	ND	—	2.00	"	"	—	—	—	—	—	—	"	
n-Propylbenzene	"	ND	—	0.500	"	"	—	—	—	—	—	—	"	
Surrogate(s): 4-BFB		*Recovery: 102%*			*Limits: 80-120%*	"							*10/04/06 14:30*	
1,2-DCA-d4		*104%*			*80-120%*	"							"	
Dibromofluoromethane		*100%*			*80-120%*	"							"	
Toluene-d8		*99.5%*			*80-120%*	"							"	
LCS (6100179-BS1)									Extracted: 10/04/06 09:07					
Benzene	EPA 8260B	19.4	—	0.200	ug/l	1x	—	20.0	97.0%	(80-120)	—	—	10/04/06 12:39	
Toluene	"	19.5	—	0.500	"	"	—	"	97.5%	(80-124)	—	—	"	
Ethylbenzene	"	20.2	—	0.500	"	"	—	"	101%	(80-120)	—	—	"	
Xylenes (total)	"	61.8	—	1.00	"	"	—	60.0	103%	(73-124)	—	—	"	
Methyl tert-butyl ether	"	21.2	—	2.00	"	"	—	20.0	106%	(80-129)	—	—	"	
Naphthalene	"	27.0	—	2.00	"	"	—	"	135%	(72-149)	—	—	"	
Surrogate(s): 4-BFB		*Recovery: 100%*			*Limits: 80-120%*	"							*10/04/06 12:39*	
1,2-DCA-d4		*106%*			*80-120%*	"							"	
Dibromofluoromethane		*99.0%*			*80-120%*	"							"	
Toluene-d8		*101%*			*80-120%*	"							"	
Matrix Spike (6100179-MS1)					QC Source: PPI1206-01				Extracted: 10/04/06 09:07					
Benzene	EPA 8260B	18.4	—	0.200	ug/l	1x	ND	20.0	92.0%	(80-124)	—	—	10/04/06 13:10	
Toluene	"	18.9	—	0.500	"	"	ND	"	94.5%	(79.7-131)	—	—	"	
Ethylbenzene	"	19.9	—	0.500	"	"	ND	"	99.5%	(80-124)	—	—	"	
Xylenes (total)	"	59.8	—	1.00	"	"	ND	60.0	99.7%	(44.6-154)	—	—	"	
Methyl tert-butyl ether	"	21.1	—	2.00	"	"	ND	20.0	106%	(80-130)	—	—	"	
Naphthalene	"	28.3	—	2.00	"	"	ND	"	142%	(69-163)	—	—	"	
Surrogate(s): 4-BFB		*Recovery: 101%*			*Limits: 80-120%*	"							*10/04/06 13:10*	
1,2-DCA-d4		*110%*			*80-120%*	"							"	
Dibromofluoromethane		*102%*			*80-120%*	"							"	
Toluene-d8		*99.5%*			*80-120%*	"							"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007367

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Selected Volatile Organic Compounds (Including BTEX) per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100179 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL^	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Matrix Spike Dup (6100179-MSD1)				QC Source: PPI1206-01				Extracted: 10/04/06 09:07						
Benzene	EPA 8260B	19.0	—	0.200	ug/l	1x	ND	20.0	95.0%	(80-124)	3.21%	(25)	10/04/06 13:37	
Toluene	"	19.5	—	0.500	"	"	ND	"	97.5%	(79.7-131)	3.13%	"	"	
Ethylbenzene	"	20.2	—	0.500	"	"	ND	"	101%	(80-124)	1.50%	"	"	
Xylenes (total)	"	61.7	—	1.00	"	"	ND	60.0	103%	(44.6-154)	3.13%	"	"	
Methyl tert-butyl ether	"	21.4	—	2.00	"	"	ND	20.0	107%	(80-130)	1.41%	"	"	
Naphthalene	"	27.8	—	2.00	"	"	ND	"	139%	(69-163)	1.78%	"	"	
Surrogate(s): *4-BFB*		*Recovery:* *100%*			*Limits:* *80-120%*	"							*10/04/06 13:37*	
1,2-DCA-d4			*110%*			*80-120%*	"						"	
Dibromofluoromethane			*99.5%*			*80-120%*	"						"	
Toluene-d8			*101%*			*80-120%*	"						"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007368

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Polynuclear Aromatic Compounds per EPA 8270M-SIM - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6091292 **Water Preparation Method: 3520B Liq-Liq**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6091292-BLK1)									Extracted: 09/30/06 13:40					
Acenaphthene	EPA 8270m	ND	---	0.0200	ug/l	1x	---	---	---	---	---	---	10/04/06 20:40	
Acenaphthylene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Anthracene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Benzo (a) anthracene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Benzo (a) pyrene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Benzo (b) fluoranthene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Benzo (ghi) perylene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Benzo (k) fluoranthene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Chrysene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Dibenzo (a,h) anthracene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Fluoranthene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Fluorene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Indeno (1,2,3-cd) pyrene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Naphthalene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Phenanthrene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Pyrene	"	ND	---	0.0200	"	"	---	---	---	---	---	---	"	
Surrogate(s): Fluorene-d10		*Recovery: 87.6%*			*Limits: 25-125%*	"							*10/04/06 20:40*	
Pyrene-d10		*91.2%*			*23-150%*	"							"	
Benzo (a) pyrene-d12		*94.8%*			*10-125%*	"							"	
LCS (6091292-BS1)									Extracted: 09/30/06 13:40					
Acenaphthene	EPA 8270m	2.25	---	0.0200	ug/l	1x	---	2.50	90.0%	(35-120)	---	---	10/04/06 21:08	
Acenaphthylene	"	2.37	---	0.0200	"	"	---	"	94.8%	(34-116)	---	---	"	
Anthracene	"	2.01	---	0.0200	"	"	---	"	80.4%	(24-119)	---	---	"	
Benzo (a) anthracene	"	2.23	---	0.0200	"	"	---	"	89.2%	(36-128)	---	---	"	
Benzo (a) pyrene	"	2.16	---	0.0200	"	"	---	"	86.4%	(17-128)	---	---	"	
Benzo (b) fluoranthene	"	2.17	---	0.0200	"	"	---	"	85.2%	(37-131)	---	---	"	
Benzo (ghi) perylene	"	2.25	---	0.0200	"	"	---	"	90.0%	(26-126)	---	---	"	
Benzo (k) fluoranthene	"	2.44	---	0.0200	"	"	---	"	97.6%	(18-145)	---	---	"	
Chrysene	"	2.03	---	0.0200	"	"	---	"	81.2%	(16-137)	---	---	"	
Dibenzo (a,h) anthracene	"	2.45	---	0.0200	"	"	---	"	98.0%	(20-141)	---	---	"	
Fluoranthene	"	2.24	---	0.0200	"	"	---	"	89.6%	(31-125)	---	---	"	
Fluorene	"	2.42	---	0.0200	"	"	---	"	96.8%	(27-124)	---	---	"	
Indeno (1,2,3-cd) pyrene	"	2.38	---	0.0200	"	"	---	"	95.2%	(30-135)	---	---	"	
Naphthalene	"	2.11	---	0.0200	"	"	---	"	84.4%	(30-113)	---	---	"	
Phenanthrene	"	2.29	---	0.0200	"	"	---	"	91.6%	(34-126)	---	---	"	
Pyrene	"	2.14	---	0.0200	"	"	---	"	85.6%	(21-141)	---	---	"	
Surrogate(s): Fluorene-d10		*Recovery: 101%*			*Limits: 25-125%*	"							*10/04/06 21:08*	
Pyrene-d10		*95.6%*			*23-150%*	"							"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007369

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Polynuclear Aromatic Compounds per EPA 8270M-SIM - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6091292 **Water Preparation Method: 3520B Liq-Liq**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
LCS (6091292-BS1)													Extracted: 09/30/06 13:40	
Surrogate(s): Benzo (a) pyrene-d12		*Recovery: 98.0%*			*Limits: 10-125%*	*1x*							*10/04/06 21:08*	
LCS Dup (6091292-BSD1)													Extracted: 09/30/06 13:40	
Acenaphthene	EPA 8270m	2.26	--	0.0200	ug/l	1x	--	2.50	90.4%	(35-120)	0.443%	(50)	10/04/06 21:36	
Acenaphthylene	"	2.43	--	0.0200	"	"	--	"	97.2%	(34-116)	2.50%	"	"	
Anthracene	"	2.05	--	0.0200	"	"	--	"	82.0%	(24-119)	1.97%	"	"	
Benzo (a) anthracene	"	2.27	--	0.0200	"	"	--	"	90.8%	(36-128)	1.78%	"	"	
Benzo (a) pyrene	"	2.27	--	0.0200	"	"	--	"	90.8%	(17-128)	4.97%	"	"	
Benzo (b) fluoranthene	"	2.18	--	0.0200	"	"	--	"	87.2%	(37-131)	2.32%	"	"	
Benzo (ghi) perylene	"	2.27	--	0.0200	"	"	--	"	90.8%	(26-126)	0.885%	"	"	
Benzo (k) fluoranthene	"	2.56	--	0.0200	"	"	--	"	102%	(18-145)	4.41%	"	"	
Chrysene	"	2.06	--	0.0200	"	"	--	"	82.4%	(16-137)	1.47%	"	"	
Dibenzo (a,h) anthracene	"	2.52	--	0.0200	"	"	--	"	101%	(20-141)	3.02%	"	"	
Fluoranthene	"	2.28	--	0.0200	"	"	--	"	91.2%	(31-125)	1.77%	"	"	
Fluorene	"	2.26	--	0.0200	"	"	--	"	90.4%	(27-124)	6.84%	"	"	
Indeno (1,2,3-cd) pyrene	"	2.42	--	0.0200	"	"	--	"	96.8%	(30-135)	1.67%	"	"	
Naphthalene	"	2.12	--	0.0200	"	"	--	"	84.8%	(30-113)	0.473%	"	"	
Phenanthrene	"	2.33	--	0.0200	"	"	--	"	93.2%	(34-126)	1.73%	"	"	
Pyrene	"	2.16	--	0.0200	"	"	--	"	86.4%	(21-141)	0.930%	"	"	
Surrogate(s): Fluorene-d10		*Recovery: 94.0%*			*Limits: 25-125%*	"							*10/04/06 21:36*	
Pyrene-d10		*96.8%*			*23-150%*	"							"	
Benzo (a) pyrene-d12		*102%*			*10-125%*	"							"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Polynuclear Aromatic Compounds per EPA 8270M-SIM - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100114 **Water Preparation Method: 3520B Liq-Liq**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100114-BLK1)									Extracted: 10/03/06 17:30					
Acenaphthene	EPA 8270m	ND	---	0.0200	ug/l	1x	--	--	--	--	--	--	10/11/06 20:35	
Acenaphthylene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Anthracene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Benzo (a) anthracene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Benzo (a) pyrene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Benzo (b) fluoranthene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Benzo (ghi) perylene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Benzo (k) fluoranthene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Chrysene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Dibenzo (a,h) anthracene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Fluoranthene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Fluorene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Indeno (1,2,3-cd) pyrene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Naphthalene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Phenanthrene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Pyrene	"	ND	---	0.0200	"	"	--	--	--	--	--	--	"	
Surrogate(s): Fluorene-d10		*Recovery: 81.2%*			*Limits: 25-125%*	"							*10/11/06 20:35*	
Pyrene-d10		*84.0%*			*23-150%*	"							"	
Benzo (a) pyrene-d12		*65.6%*			*10-125%*	"							"	
LCS (6100114-BS1)									Extracted: 10/03/06 17:30					
Acenaphthene	EPA 8270m	2.20	---	0.0200	ug/l	1x	--	2.50	88.0%	(35-120)	--	--	10/11/06 21:03	
Acenaphthylene	"	2.13	---	0.0200	"	"	--	"	85.2%	(34-116)	--	--	"	
Anthracene	"	1.83	---	0.0200	"	"	--	"	73.2%	(24-119)	--	--	"	
Benzo (a) anthracene	"	2.07	---	0.0200	"	"	--	"	82.8%	(36-128)	--	--	"	
Benzo (a) pyrene	"	1.92	---	0.0200	"	"	--	"	76.8%	(17-128)	--	--	"	
Benzo (b) fluoranthene	"	2.02	---	0.0200	"	"	--	"	80.8%	(37-131)	--	--	"	
Benzo (ghi) perylene	"	1.98	---	0.0200	"	"	--	"	79.2%	(26-126)	--	--	"	
Benzo (k) fluoranthene	"	2.16	---	0.0200	"	"	--	"	86.4%	(18-145)	--	--	"	
Chrysene	"	2.07	---	0.0200	"	"	--	"	82.8%	(16-137)	--	--	"	
Dibenzo (a,h) anthracene	"	1.94	---	0.0200	"	"	--	"	77.6%	(20-141)	--	--	"	
Fluoranthene	"	2.13	---	0.0200	"	"	--	"	85.2%	(31-125)	--	--	"	
Fluorene	"	2.16	---	0.0200	"	"	--	"	86.4%	(27-124)	--	--	"	
Indeno (1,2,3-cd) pyrene	"	2.13	---	0.0200	"	"	--	"	85.2%	(30-135)	--	--	"	
Naphthalene	"	1.91	---	0.0200	"	"	--	"	76.4%	(30-113)	--	--	"	
Phenanthrene	"	2.06	---	0.0200	"	"	--	"	82.4%	(34-126)	--	--	"	
Pyrene	"	2.03	---	0.0200	"	"	--	"	81.2%	(21-141)	--	--	"	
Surrogate(s): Fluorene-d10		*Recovery: 73.2%*			*Limits: 25-125%*	"							*10/11/06 21:03*	
Pyrene-d10		*70.0%*			*23-150%*	"							"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007371

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Polynuclear Aromatic Compounds per EPA 8270M-SIM - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100114 **Water Preparation Method: 3520B Liq-Liq**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
LCS (6100114-BS1)								Extracted: 10/03/06 17:30						
Surrogate(s): Benzo (a) pyrene-d12		*Recovery: 68.8%*			*Limits: 10-125%*	*1x*							*10/11/06 21:03*	
Matrix Spike (6100114-MS1)					QC Source: PPI1295-06				Extracted: 10/03/06 17:30					
Acenaphthene	EPA 8270m	1.46	---	0.0388	ug/l	2x	ND	2.43	60.1%	(35-120)	--	--	10/12/06 06:20	
Acenaphthylene	"	1.54	---	0.0388	"	"	ND	"	63.4%	(34-116)	--	--	"	
Anthracene	"	1.61	---	0.0388	"	"	ND	"	66.3%	(24-119)	--	--	"	
Benzo (a) anthracene	"	1.51	---	0.0388	"	"	ND	"	62.1%	(22-129)	--	--	"	
Benzo (a) pyrene	"	1.27	---	0.0388	"	"	ND	"	52.3%	(4-112)	--	--	"	
Benzo (b) fluoranthene	"	1.29	---	0.0388	"	"	ND	"	53.1%	(0-136)	--	--	"	
Benzo (ghi) perylene	"	1.04	---	0.0388	"	"	ND	"	42.8%	(0-126)	--	--	"	
Benzo (k) fluoranthene	"	1.23	---	0.0388	"	"	ND	"	50.6%	(0-145)	--	--	"	
Chrysene	"	1.49	---	0.0388	"	"	ND	"	61.3%	(7-137)	--	--	"	
Dibenzo (a,h) anthracene	"	0.798	---	0.0388	"	"	ND	"	32.8%	(0-141)	--	--	"	
Fluoranthene	"	1.56	---	0.0388	"	"	ND	"	64.2%	(30-125)	--	--	"	
Fluorene	"	1.53	---	0.0388	"	"	ND	"	63.0%	(27-124)	--	--	"	
Indeno (1,2,3-cd) pyrene	"	0.994	---	0.0388	"	"	ND	"	40.9%	(0-135)	--	--	"	
Naphthalene	"	1.55	---	0.0388	"	"	0.0557	"	61.5%	(30-126)	--	--	"	
Phenanthrene	"	1.71	---	0.0388	"	"	ND	"	70.4%	(34-126)	--	--	"	
Pyrene	"	1.85	---	0.0388	"	"	ND	"	76.1%	(14-168)	--	--	"	
Surrogate(s): Fluorene-d10		*Recovery: 53.5%*			*Limits: 25-125%*	"							*10/12/06 06:20*	
Pyrene-d10		*69.5%*			*23-150%*	"							"	
Benzo (a) pyrene-d12		*54.7%*			*10-125%*	"							"	
Matrix Spike Dup (6100114-MSD1)					QC Source: PPI1295-06				Extracted: 10/03/06 17:30					
Acenaphthene	EPA 8270m	1.61	---	0.0388	ug/l	2x	ND	2.43	66.3%	(35-120)	9.81%	(50)	10/12/06 06:48	
Acenaphthylene	"	1.70	---	0.0388	"	"	ND	"	70.0%	(34-116)	9.90%	"	"	
Anthracene	"	1.68	---	0.0388	"	"	ND	"	69.1%	(24-119)	4.14%	"	"	
Benzo (a) anthracene	"	1.56	---	0.0388	"	"	ND	"	64.2%	(22-129)	3.33%	"	"	
Benzo (a) pyrene	"	1.27	---	0.0388	"	"	ND	"	52.3%	(4-112)	0.00%	"	"	
Benzo (b) fluoranthene	"	1.27	---	0.0388	"	"	ND	"	52.3%	(0-136)	1.52%	"	"	
Benzo (ghi) perylene	"	1.05	---	0.0388	"	"	ND	"	43.2%	(0-126)	0.930%	"	"	
Benzo (k) fluoranthene	"	1.26	---	0.0388	"	"	ND	"	51.9%	(0-145)	2.54%	"	"	
Chrysene	"	1.55	---	0.0388	"	"	ND	"	63.8%	(7-137)	4.00%	"	"	
Dibenzo (a,h) anthracene	"	0.813	---	0.0388	"	"	ND	"	33.5%	(0-141)	2.11%	"	"	
Fluoranthene	"	1.65	---	0.0388	"	"	ND	"	67.9%	(30-125)	5.60%	"	"	
Fluorene	"	1.62	---	0.0388	"	"	ND	"	66.7%	(27-124)	5.71%	"	"	
Indeno (1,2,3-cd) pyrene	"	0.942	---	0.0388	"	"	ND	"	38.8%	(0-135)	5.27%	"	"	
Naphthalene	"	1.77	---	0.0388	"	"	0.0557	"	70.5%	(30-126)	13.6%	"	"	
Phenanthrene	"	1.79	---	0.0388	"	"	ND	"	73.7%	(34-126)	4.58%	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007372

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Polynuclear Aromatic Compounds per EPA 8270M-SIM - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100114 **Water Preparation Method: 3520B Liq-Liq**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Matrix Spike Dup (6100114-MSD1)					QC Source: PPI1295-06				Extracted: 10/03/06 17:30					
Pyrene	EPA 8270m	1.92	--	0.0388	ug/l	2x	ND	2.43	79.0%	(14-168)	3.74%	(50)	10/12/06 06:48	
Surrogate(s): *Fluorene-d10*		*Recovery: 57.2%*			*Limits: 25-115%*	"							*10/12/06 06:48*	
Pyrene-d10		*75.3%*			*25-150%*	"							"	
Benzo (a) pyrene-d12		*63.8%*			*10-125%*	"							"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

Delta Environmental Consultants - Tigard	Project Name:	**Willbridge Terminal -Conoco Phillips**	
7150 SW Hampton - Suite 220	Project Number:	ORZ0922GW6	Report Created:
Tigard, OR 97223	Project Manager:	Brian Pletcher	10/24/06 16:42

Notes and Definitions

Report Specific Notes:

BK-3	-	Analyte was detected in the associated Method Blank. Analyte concentration in the sample is greater than 10x the concentration found in the method blank.
Q-02	-	The matrix spike recovery, and/or RPD, for this QC sample is outside of established control limits due to sample matrix interference.
Q-03	-	The matrix spike recovery, and/or RPD, for this QC sample cannot be accurately calculated due to the high concentration of analyte already present in the source sample.
Q-06	-	RPD is not applicable for analyte concentrations less than 5 times the MRL.
R-01	-	The reporting limit for this analyte was raised to compensate for the limited sample quantity available for the analysis.
R-03	-	The reporting limit for this analyte was raised due to matrix interference.
R-05	-	Reporting limits raised due to dilution necessary for analysis. Sample contains high levels of reported analyte, non-target analyte, and/or matrix interference.
S-09	-	Surrogate recovery is outside control limits due to matrix interference.

Laboratory Reporting Conventions:

DET	-	Analyte DETECTED at or above the Reporting Limit. Qualitative Analyses only.
ND	-	Analyte NOT DETECTED at or above the reporting limit (MDL or MRL, as appropriate).
NR/NA	-	Not Reported / Not Available
dry	-	Sample results reported on a Dry Weight Basis. Results and Reporting Limits have been corrected for Percent Dry Weight.
wet	-	Sample results and reporting limits reported on a Wet Weight Basis (as received). Results with neither 'wet' nor 'dry' are reported on a Wet Weight Basis.
RPD	-	RELATIVE PERCENT DIFFERENCE (RPDs calculated using Results, not Percent Recoveries).
MRL	-	METHOD REPORTING LIMIT. Reporting Level at, or above, the lowest level standard of the Calibration Table.
MDL*	-	METHOD DETECTION LIMIT. Reporting Level at, or above, the statistically derived limit based on 40CFR, Part 136, Appendix B. *MDLs are listed on the report only if the data has been evaluated below the MRL. Results between the MDL and MRL are reported as Estimated Results.
Dil	-	Dilutions are calculated based on deviations from the standard dilution performed for an analysis, and may not represent the dilution found on the analytical raw data.
Reporting Limits	-	Reporting limits (MDLs and MRLs) are adjusted based on variations in sample preparation amounts, analytical dilutions and percent solids, where applicable.
Electronic Signature	-	Electronic Signature added in accordance with TestAmerica's *Electronic Reporting and Electronic Signatures Policy.* Application of electronic signature indicates that the report has been reviewed and approved for release by the laboratory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

11720 North Creek Pkwy N Suite 400, Bothell, WA 98011-8244 425-420-9200 FAX 420-9210
11922 E. First Ave, Spokane, WA 99206-5302 509-924-9200 FAX 924-9290
9405 SW Nimbus Ave, Beaverton, OR 97008-7145 503-906-9200 FAX 906-9210 ☒
2000 W International Airport Rd Ste A10, Anchorage, AK 99502-1119 907-563-9200 FAX 563-9210

CHAIN OF CUSTODY REPORT

Work Order #: PPI 1207

CLIENT: Delta Environmental

REPORT TO: Brian Pletcher
ADDRESS: 7150 SW Hampton #220
Tigard, OR 97223
PHONE: 503-639-8098 FAX: -7619

INVOICE TO: Mike Noll
ConocoPhillips

P.O. NUMBER

PROJECT NAME: ConocoPhillips Willbridge
PROJECT NUMBER: 012200922GW6
SAMPLED BY: KCM / NL

TURNAROUND REQUEST
In Business Days *
Organic & Inorganic Analyses: 10 (STD) | 7 | 5 | 4 | 3 | 2 | 1 | <1
Petroleum Hydrocarbon Analyses: 5 (STD) | 4 | 3 | 2 | 1 | <1
OTHER Specify:
* Turnaround Requests less than standard may incur Rush Charges.

PRESERVATIVE: HCl | – | HNO3 | HCl

REQUESTED ANALYSES: BTEX | PAHs | Methyl | TPH-Dx

	CLIENT SAMPLE IDENTIFICATION	SAMPLING DATE/TIME	BTEX	PAHs	Methyl	TPH-Dx	MATRIX (W, S, O)	# OF CONT.	LOCATION / COMMENTS	TA WO ID
1	B-4	9/26/06 1530	X	X	X			6		
2	B-35	9/26/06 1410	X	X	X			6		
3	B-36	9/26/06 1445	X	X	X			6		
4	B-37	9/26/06 1120	X	X	X			6		
5	U-2	9/27/06 0925	X	X	X			6		
6	U-4	9/27/06 0820	X	X	X			6	HOTSample	
7	U-14	9/27/06 1130	X	X	X	X		7		
8	U-15	9/27/06 0950	X	X	X	X		7		
9	U-16	9/27/06 1045	X	X	X	X		7		
10	U-17	9/27/06 1020	X	X	X	X		7		

RELEASED BY: KMC PRINT NAME: KATY MCQUINN FIRM: DELTA DATE: 9/28/06 TIME: 1030
RECEIVED BY: PRINT NAME: FIRM: TAP DATE: 9-28-06 TIME: 10:30
RELEASED BY: PRINT NAME: FIRM: DATE: TIME:
RECEIVED BY: PRINT NAME: FIRM: DATE: TIME:

ADDITIONAL REMARKS

TEMP:

PAGE 1 OF 1

Note: By relinquishing samples to TestAmerica, client agrees to pay for the services requested on this chain of custody form and for any additional analyses performed on this project.
Payment for services is due within 30 days from the date of invoice unless otherwise contracted. Sample(s) will be disposed of after 30 days unless otherwise contracted.

COPPOR0007375

Circle Y or N
(If Y, see other side)

TEST AMERICA SAMPLE RECEIPT CHECKLIST

Received By: (applies to temp at receipt)
Date: 9/28/06
Time: 1030
Initials: JD

Logged-in By:
Date: 9/28
Initials: LF

Unpacked/Labeled By:
Date: 9/28
Initials: LF

Cooler ID: ____ (___ of ___)
Work Order No PPI1207
Client: Delta
Project: _____

Container Type:
5 Cooler
___ Box
___ None/Other ___

COC Seals:
___ Ship. Container
___ On Bottles
6 None
___ Sign By
___ Date

Packing Material
___ Bubble Bags
___ Styrofoam
___ Foam Packs
X None/Other Other Cardboard

Refrigerant:
___ Gel Ice Pack ___
X Loose Ice
___ None/Other ___
___ None

Received Via: Bill#
___ Fed Ex
X Client
___ UPS
___ NCA Courier
___ DHL
___ Mid Valley
___ Senvoy
___ TDP
___ GS
___ Other ___

Cooler Temperature (*IR*): 4.8 1.8 4.4 3.8 °C Plastic Glass (circle one) (Frozen filters, Tedlars and aqueous Metals exempt)

Temperature Blank? ___ °C or NA

Trip Blank? Y or N or NA

Sample Containers:		ID			ID
Intact?	Y or N		Metals Preserved?	Y or N or NA	
Provided by NCA?	Y or N		Client QAPP Preserved?	Y or N or NA	
Correct Type?	Y or N		Adequate Volume? (for tests requested)	Y or N	
#Containers match COC?	Y or N		Water VOAs: Headspace?	Y or N or NA	
IDs/time/date match COC?	Y or N		Comments:		
Hold Times in hold?	Y or N				

PROJECT MANAGEMENT

Is the Chain of Custody complete? Y or N If N, circle the items that were incomplete

Comments, Problems _____

Total access set up? Y or N
Has client been contacted regarding non-conformances? Y or N If Y, ___/___ Date Time

PM Initials: _____ Date: _____ Time: _____

Rev 3 09/12/05

NOTIFICATION OF DISCREPANCY

DATE: 9/28 TIME: 11:45 PM: _____ SC INITIALS: SAM

Rush/Short Hold? ☐ Yes ☐ No	

☐ Project Not Set Up in ELM ☐ New Client ☐ COC Received ON HOLD
☐ Analysis Requested on COC – Not Listed for Project in ELM

☐ PM To Add Analysis: _____
☐ Clarification of Analysis: _____
☐ Hold Time Expired: (Analysis) _____
☐ Turnaround Time Not Checked: _____
☐ Did Not Receive Sample(s) Listed on COC: _____
☐ Received Extra Sample(s) Not Listed on COC: _____
X ☐ Sample Description(s) or Date/Time Sampled Do Not Match COC: B-27 on COC; Amber, poly labels say B-27; times match (VOAs say correct ID on bottles)
☐ Improper Preservative For method: _____
☐ Sample Received Broken: _____
☐ Insufficient Sample Volume: _____
☐ Sample preserved upon receipt: _____
☐ Temperature Outside recommended range (4°C±2°C): _____
  ☐ Received on-ice within 4 hours of collection, temperature between ambient to 2°C acceptable.
☐ Other:

PROJECT MANAGER RESOLUTION:	(Date & Time when returned to SC)
Approval By:	Date: Time:

(rev 2 09/12/05)

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

October 30, 2006

Grant V. Sprick
BBL, Inc
111 SW Columbia Street - Suite 725
Portland, OR 97201

RE: CVX Willbridge / Chevron #100-1868

Enclosed are the results of analyses for samples received by the laboratory on 09/28/06 17:15. The following list is a summary of the Work Orders contained in this report, generated on 10/30/06 14:56.

If you have any questions concerning this report, please feel free to contact me.

Work Order	Project	ProjectNumber
PPI1295	CVX Willbridge / Chevron #1	100-1868-OML

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
CR-29A	PPI1295-01	Water	09/28/06 08:20	09/28/06 17:15
CR-29B	PPI1295-02	Water	09/28/06 08:24	09/28/06 17:15
B-13	PPI1295-03	Water	09/28/06 10:30	09/28/06 17:15
CR-3	PPI1295-04	Water	09/28/06 15:50	09/28/06 17:15
CR-28C	PPI1295-05	Water	09/28/06 10:55	09/28/06 17:15
CR-28B	PPI1295-06	Water	09/28/06 12:35	09/28/06 17:15
B-30	PPI1295-07	Water	09/28/06 16:00	09/28/06 17:15
B-29	PPI1295-08	Water	09/28/06 14:45	09/28/06 17:15
B-28	PPI1295-09	Water	09/28/06 15:00	09/28/06 17:15
FB-2	PPI1295-10	Water	09/28/06 11:45	09/28/06 17:15
Trip 156	PPI1295-11	Water	09/28/06 00:00	09/28/06 17:15
FB-1	PPI1295-12	Water	09/27/06 16:20	09/28/06 17:15

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Gasoline Hydrocarbons per NW TPH-Gx Method

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-01 (CR-29A)			**Water**				**Sampled: 09/28/06 08:20**			
Gasoline Range Hydrocarbons	NW TPH-Gx	3400	----	80.0	ug/l	1x	6100042	10/02/06 11:05	10/02/06 14:44	
Surrogate(s): 4-BFB			*109%*		*50 - 150 %*	"			"	
PPI1295-02 (CR-29B)			**Water**				**Sampled: 09/28/06 08:24**			
Gasoline Range Hydrocarbons	NW TPH-Gx	ND	----	80.0	ug/l	1x	6100042	10/02/06 11:05	10/02/06 15:10	
Surrogate(s): 4-BFB			*97.4%*		*50 - 150 %*	"			"	
PPI1295-05 (CR-28C)			**Water**				**Sampled: 09/28/06 10:55**			
Gasoline Range Hydrocarbons	NW TPH-Gx	ND	----	80.0	ug/l	1x	6100042	10/02/06 11:05	10/02/06 16:28	
Surrogate(s): 4-BFB			*94.2%*		*50 - 150 %*	"			"	
PPI1295-06 (CR-28B)			**Water**				**Sampled: 09/28/06 12:35**			
Gasoline Range Hydrocarbons	NW TPH-Gx	ND	----	80.0	ug/l	1x	6100042	10/02/06 11:05	10/02/06 16:54	
Surrogate(s): 4-BFB			*97.6%*		*50 - 150 %*	"			"	
PPI1295-10 (FB-2)			**Water**				**Sampled: 09/28/06 11:45**			
Gasoline Range Hydrocarbons	NW TPH-Gx	ND	----	80.0	ug/l	1x	6100042	10/02/06 11:05	10/02/06 19:56	
Surrogate(s): 4-BFB			*95.6%*		*50 - 150 %*	"			"	
PPI1295-12 (FB-1)			**Water**				**Sampled: 09/27/06 16:20**			
Gasoline Range Hydrocarbons	NW TPH-Gx	ND	----	80.0	ug/l	1x	6100042	10/02/06 11:05	10/02/06 20:21	
Surrogate(s): 4-BFB			*94.2%*		*50 - 150 %*	"			"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Diesel and Heavy Range Hydrocarbons per NWTPH-Dx Method

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-01 (CR-29A)		**Water**			**Sampled: 09/28/06 08:20**					
Diesel Range Organics	NWTPH-Dx	**3.23**	----	0.243	mg/l	1x	6100192	10/04/06 16:10	10/06/06 06:30	**A-01**
Heavy Oil Range Hydrocarbons	"	ND	----	0.485	"	"	"	"	"	
Surrogate(s): 1-Chlorooctadecane			*82.5%*		*50 - 150 %*	"			"	
PPI1295-02 (CR-29B)		**Water**			**Sampled: 09/28/06 08:24**					
Diesel Range Organics	NWTPH-Dx	ND	----	0.240	mg/l	1x	6100192	10/04/06 16:10	10/06/06 07:06	
Heavy Oil Range Hydrocarbons	"	ND	----	0.481	"	"	"	"	"	
Surrogate(s): 1-Chlorooctadecane			*99.5%*		*50 - 150 %*	"			"	
PPI1295-05 (CR-28C)		**Water**			**Sampled: 09/28/06 10:55**					
Diesel Range Organics	NWTPH-Dx	**0.281**	----	0.240	mg/l	1x	6100192	10/04/06 16:10	10/06/06 07:41	**D-15**
Heavy Oil Range Hydrocarbons	"	ND	----	0.481	"	"	"	"	"	
Surrogate(s): 1-Chlorooctadecane			*94.3%*		*50 - 150 %*	"			"	
PPI1295-06 (CR-28B)		**Water**			**Sampled: 09/28/06 12:35**					
Diesel Range Organics	NWTPH-Dx	**0.368**	----	0.278	mg/l	1x	6100192	10/04/06 16:10	10/06/06 09:28	**R-01, D-15**
Heavy Oil Range Hydrocarbons	"	ND	----	0.556	"	"	"	"	"	**R-01**
Surrogate(s): 1-Chlorooctadecane			*97.2%*		*50 - 150 %*	"			"	
PPI1295-10 (FB-2)		**Water**			**Sampled: 09/28/06 11:45**					
Diesel Range Organics	NWTPH-Dx	ND	----	0.248	mg/l	1x	6100192	10/04/06 16:10	10/06/06 10:03	
Heavy Oil Range Hydrocarbons	"	ND	----	0.495	"	"	"	"	"	
Surrogate(s): 1-Chlorooctadecane			*99.5%*		*50 - 150 %*	"			"	
PPI1295-12 (FB-1)		**Water**			**Sampled: 09/27/06 16:20**					
Diesel Range Organics	NWTPH-Dx	ND	----	0.250	mg/l	1x	6100192	10/04/06 16:10	10/06/06 10:38	
Heavy Oil Range Hydrocarbons	"	ND	----	0.500	"	"	"	"	"	
Surrogate(s): 1-Chlorooctadecane			*99.7%*		*50 - 150 %*	"			"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Total Metals per EPA 6000/7000 Series Methods

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-01 (CR-29A)		**Water**			**Sampled: 09/28/06 08:20**					
Arsenic	EPA 6020	**0.0301**	----	0.00100	mg/l	1x	6100144	10/03/06 16:44	10/17/06 19:17	
Barium	"	**0.787**	----	0.00100	"	"	"	"	"	
Cadmium	"	**0.00119**	----	0.00100	"	"	"	"	10/16/06 19:35	
Chromium	"	**0.125**	----	0.00100	"	"	"	"	10/17/06 19:17	
Copper	"	**0.167**	----	0.00200	"	"	"	"	"	
Lead	"	**0.0712**	----	0.00100	"	"	"	"	10/16/06 19:35	
Selenium	"	ND	----	0.00200	"	"	"	"	"	
Silver	"	ND	----	0.00100	"	"	"	"	"	
Zinc	"	**0.289**	----	0.00500	"	"	"	"	"	
PPI1295-02 (CR-29B)		**Water**			**Sampled: 09/28/06 08:24**					
Arsenic	EPA 6020	**0.00538**	----	0.00100	mg/l	1x	6100144	10/03/06 16:44	10/17/06 19:23	
Barium	"	**0.0930**	----	0.00100	"	"	"	"	10/16/06 19:42	
Cadmium	"	ND	----	0.00100	"	"	"	"	"	
Chromium	"	**0.00176**	----	0.00100	"	"	"	"	10/17/06 19:23	
Copper	"	**0.00407**	----	0.00200	"	"	"	"	"	
Lead	"	**0.00169**	----	0.00100	"	"	"	"	10/16/06 19:42	
Selenium	"	ND	----	0.00200	"	"	"	"	"	
Silver	"	ND	----	0.00100	"	"	"	"	"	
PPI1295-02RE1 (CR-29B)		**Water**			**Sampled: 09/28/06 08:24**					
Zinc	EPA 6020	**0.0142**	----	0.00500	mg/l	1x	6101060	10/20/06 11:16	10/25/06 23:04	
PPI1295-03 (B-13)		**Water**			**Sampled: 09/28/06 10:30**					
Arsenic	EPA 6020	**0.0321**	----	0.00100	mg/l	1x	6100144	10/03/06 16:44	10/17/06 19:30	
Barium	"	**0.136**	----	0.00100	"	"	"	"	10/16/06 19:49	
Cadmium	"	**0.00201**	----	0.00100	"	"	"	"	"	
Chromium	"	**0.0106**	----	0.00100	"	"	"	"	10/17/06 19:30	
Copper	"	**0.0252**	----	0.00200	"	"	"	"	"	
Lead	"	**0.0337**	----	0.00100	"	"	"	"	10/16/06 19:49	
Selenium	"	ND	----	0.00200	"	"	"	"	"	
Silver	"	ND	----	0.00100	"	"	"	"	"	
Zinc	"	**0.0467**	----	0.00500	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Total Metals per EPA 6000/7000 Series Methods

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-04 (CR-3)		**Water**			**Sampled: 09/28/06 15:50**					
Arsenic	EPA 6020	**0.00537**	----	0.00100	mg/l	1x	6100144	10/03/06 16:44	10/17/06 19:37	
Barium	"	**0.0619**	----	0.00100	"	"	"	"	10/16/06 19:56	
Cadmium	"	ND	----	0.00100	"	"	"	"	"	
Chromium	"	**0.00556**	----	0.00100	"	"	"	"	10/17/06 19:37	
Copper	"	**0.0111**	----	0.00200	"	"	"	"	"	
Lead	"	**0.0105**	----	0.00100	"	"	"	"	10/16/06 19:56	
Selenium	"	ND	----	0.00200	"	"	"	"	"	
Silver	"	ND	----	0.00100	"	"	"	"	"	
PPI1295-04RE1 (CR-3)		**Water**			**Sampled: 09/28/06 15:50**					
Zinc	EPA 6020	**0.0281**	----	0.00500	mg/l	1x	6101060	10/20/06 11:16	10/25/06 23:11	
PPI1295-05 (CR-28C)		**Water**			**Sampled: 09/28/06 10:55**					
Arsenic	EPA 6020	ND	----	0.00100	mg/l	1x	6100144	10/03/06 16:44	10/17/06 19:43	
Barium	"	**0.143**	----	0.00100	"	"	"	"	10/16/06 20:03	
Cadmium	"	ND	----	0.00100	"	"	"	"	"	
Chromium	"	ND	----	0.00100	"	"	"	"	10/17/06 19:43	
Copper	"	**0.00236**	----	0.00200	"	"	"	"	"	
Lead	"	**0.00136**	----	0.00100	"	"	"	"	10/16/06 20:03	
Selenium	"	ND	----	0.00200	"	"	"	"	"	
Silver	"	ND	----	0.00100	"	"	"	"	"	
PPI1295-05RE1 (CR-28C)		**Water**			**Sampled: 09/28/06 10:55**					
Zinc	EPA 6020	**0.0237**	----	0.00500	mg/l	1x	6101060	10/20/06 11:16	10/25/06 23:18	
PPI1295-06 (CR-28B)		**Water**			**Sampled: 09/28/06 12:35**					
Arsenic	EPA 6020	**0.00438**	----	0.00100	mg/l	1x	6100144	10/03/06 16:44	10/17/06 20:03	
Barium	"	**0.0778**	----	0.00100	"	"	"	"	10/16/06 23:18	
Cadmium	"	ND	----	0.00100	"	"	"	"	"	
Chromium	"	**0.00111**	----	0.00100	"	"	"	"	10/17/06 20:03	
Copper	"	ND	----	0.00200	"	"	"	"	"	
Lead	"	**0.00104**	----	0.00100	"	"	"	"	10/16/06 23:18	
Selenium	"	ND	----	0.00200	"	"	"	"	"	
Silver	"	ND	----	0.00100	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Total Metals per EPA 6000/7000 Series Methods

TestAmerica - Portland, OR

Analyte	Method	Result	MDL[A]	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-06RE1 (CR-28B)		Water			Sampled: 09/28/06 12:35					
Zinc	EPA 6020	0.00856	----	0.00500	mg/l	1x	6101060	10/20/06 11:16	10/25/06 23:24	
PPI1295-07 (B-30)		Water			Sampled: 09/28/06 16:00					
Arsenic	EPA 6020	0.0164	----	0.00100	mg/l	1x	6100144	10/03/06 16:44	10/17/06 20:37	
Barium	"	0.0580	----	0.00100	"	"	"	"	10/16/06 23:53	
Cadmium	"	ND	----	0.00100	"	"	"	"	"	
Chromium	"	ND	----	0.00100	"	"	"	"	10/17/06 20:37	
Copper	"	ND	----	0.00200	"	"	"	"	"	
Lead	"	0.00202	----	0.00100	"	"	"	"	10/16/06 23:53	
Selenium	"	ND	----	0.00200	"	"	"	"	"	
Silver	"	ND	----	0.00100	"	"	"	"	"	
PPI1295-07RE1 (B-30)		Water			Sampled: 09/28/06 16:00					
Zinc	EPA 6020	0.00910	----	0.00500	mg/l	1x	6101060	10/20/06 11:16	10/25/06 23:51	
PPI1295-08 (B-29)		Water			Sampled: 09/28/06 14:45					
Arsenic	EPA 6020	ND	----	0.00100	mg/l	1x	6100144	10/03/06 16:44	10/17/06 20:43	
Barium	"	0.0641	----	0.00100	"	"	"	"	10/17/06 00:00	
Cadmium	"	ND	----	0.00100	"	"	"	"	"	
Chromium	"	ND	----	0.00100	"	"	"	"	10/17/06 20:43	
Copper	"	0.0122	----	0.00200	"	"	"	"	"	
Lead	"	ND	----	0.00100	"	"	"	"	10/17/06 00:00	
Selenium	"	ND	----	0.00200	"	"	"	"	"	
Silver	"	ND	----	0.00100	"	"	"	"	"	
PPI1295-08RE1 (B-29)		Water			Sampled: 09/28/06 14:45					
Zinc	EPA 6020	0.0132	----	0.00500	mg/l	1x	6101060	10/20/06 11:16	10/26/06 00:11	
PPI1295-09 (B-28)		Water			Sampled: 09/28/06 15:00					
Arsenic	EPA 6020	0.00396	----	0.00100	mg/l	1x	6100144	10/03/06 16:44	10/17/06 20:50	
Barium	"	0.0880	----	0.00100	"	"	"	"	10/17/06 00:07	
Cadmium	"	ND	----	0.00100	"	"	"	"	"	
Chromium	"	0.00417	----	0.00100	"	"	"	"	10/17/06 20:50	
Copper	"	0.0451	----	0.00200	"	"	"	"	"	
Lead	"	0.00370	----	0.00100	"	"	"	"	10/17/06 00:07	
Selenium	"	ND	----	0.00200	"	"	"	"	"	
Silver	"	ND	----	0.00100	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Total Metals per EPA 6000/7000 Series Methods
TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-09RE1 (B-28)		**Water**			**Sampled: 09/28/06 15:00**					
Zinc	EPA 6020	0.0201	---	0.00500	mg/l	1x	6101060	10/20/06 11:16	10/26/06 00:18	
PPI1295-10 (FB-2)		**Water**			**Sampled: 09/28/06 11:45**					
Arsenic	EPA 6020	ND	---	0.00100	mg/l	1x	6100144	10/03/06 16:44	10/17/06 20:57	
Barium	"	ND	---	0.00100	"	"	"	"	10/17/06 00:14	
Cadmium	"	ND	---	0.00100	"	"	"	"	"	
Chromium	"	ND	---	0.00100	"	"	"	"	10/17/06 20:57	
Copper	"	ND	---	0.00200	"	"	"	"	"	
Lead	"	ND	---	0.00100	"	"	"	"	10/17/06 00:14	
Selenium	"	ND	---	0.00200	"	"	"	"	"	
Silver	"	ND	---	0.00100	"	"	"	"	"	
Zinc	"	ND	---	0.00500	"	"	"	"	10/19/06 07:43	
PPI1295-12 (FB-1)		**Water**			**Sampled: 09/27/06 16:20**					
Arsenic	EPA 6020	ND	---	0.00100	mg/l	1x	6100144	10/03/06 16:44	10/17/06 21:03	
Barium	"	ND	---	0.00100	"	"	"	"	10/17/06 00:21	
Cadmium	"	ND	---	0.00100	"	"	"	"	"	
Chromium	"	ND	---	0.00100	"	"	"	"	10/17/06 21:03	
Copper	"	ND	---	0.00200	"	"	"	"	"	
Lead	"	ND	---	0.00100	"	"	"	"	10/17/06 00:21	
Selenium	"	ND	---	0.00200	"	"	"	"	"	
Silver	"	ND	---	0.00100	"	"	"	"	"	
PPI1295-12RE1 (FB-1)		**Water**			**Sampled: 09/27/06 16:20**					
Zinc	EPA 6020	0.0109	---	0.00500	mg/l	1x	6101060	10/20/06 11:16	10/26/06 00:25	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Dissolved Metals per EPA 6000/7000 Series Methods

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-01 (CR-29A)		**Water**			**Sampled: 09/28/06 08:20**					
Arsenic	EPA 6020	**0.0304**	—	0.00100	mg/l	1x	6100382	10/08/06 17:04	10/26/06 09:40	
Barium	"	**0.0496**	—	0.00100	"	"	"	"	"	
Cadmium	"	ND	—	0.00100	"	"	"	"	"	
Chromium	"	ND	—	0.00100	"	"	"	"	"	
Copper	"	ND	—	0.00200	"	"	"	"	"	
Lead	"	ND	—	0.00100	"	"	"	"	"	
Selenium	"	ND	—	0.00200	"	"	"	"	"	
Silver	"	ND	—	0.00100	"	"	"	"	"	
Zinc	"	ND	—	0.00500	"	"	"	"	"	
PPI1295-02 (CR-29B)		**Water**			**Sampled: 09/28/06 08:24**					
Arsenic	EPA 6020	**0.00557**	—	0.00100	mg/l	1x	6100382	10/08/06 17:04	10/26/06 09:48	
Barium	"	**0.0853**	—	0.00100	"	"	"	"	"	
Cadmium	"	ND	—	0.00100	"	"	"	"	"	
Chromium	"	**0.00226**	—	0.00100	"	"	"	"	"	
Copper	"	**0.0180**	—	0.00200	"	"	"	"	"	
Lead	"	**0.00111**	—	0.00100	"	"	"	"	"	
Selenium	"	ND	—	0.00200	"	"	"	"	"	
Silver	"	ND	—	0.00100	"	"	"	"	"	
Zinc	"	**0.00851**	—	0.00500	"	"	"	"	"	
PPI1295-05 (CR-28C)		**Water**			**Sampled: 09/28/06 10:55**					
Arsenic	EPA 6020	ND	—	0.00100	mg/l	1x	6100382	10/08/06 17:04	10/26/06 09:56	
Barium	"	**0.157**	—	0.00100	"	"	"	"	"	
Cadmium	"	ND	—	0.00100	"	"	"	"	"	
Chromium	"	ND	—	0.00100	"	"	"	"	"	
Copper	"	ND	—	0.00200	"	"	"	"	"	
Lead	"	ND	—	0.00100	"	"	"	"	"	
Selenium	"	ND	—	0.00200	"	"	"	"	"	
Silver	"	ND	—	0.00100	"	"	"	"	"	
Zinc	"	**0.0175**	—	0.00500	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007386

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Dissolved Metals per EPA 6000/7000 Series Methods

TestAmerica - Portland, OR

Analyte	Method	Result	MDL[a]	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-06 (CR-28B)		**Water**				**Sampled: 09/28/06 12:35**				
Arsenic	EPA 6020	**0.00440**	----	0.00100	mg/l	1x	6100382	10/08/06 17:04	10/26/06 10:05	
Barium	"	**0.0843**	----	0.00100	"	"	"	"	"	
Cadmium	"	ND	----	0.00100	"	"	"	"	"	
Chromium	"	ND	----	0.00100	"	"	"	"	"	
Copper	"	ND	----	0.00200	"	"	"	"	"	
Lead	"	ND	----	0.00100	"	"	"	"	"	
Selenium	"	ND	----	0.00200	"	"	"	"	"	
Silver	"	ND	----	0.00100	"	"	"	"	"	
Zinc	"	**0.00686**	----	0.00500	"	"	"	"	"	
PPI1295-10 (FB-2)		**Water**				**Sampled: 09/28/06 11:45**				
Arsenic	EPA 6020	ND	----	0.00100	mg/l	1x	6100382	10/08/06 17:04	10/26/06 11:15	
Barium	"	**0.00112**	----	0.00100	"	"	"	"	"	
Cadmium	"	ND	----	0.00100	"	"	"	"	"	
Chromium	"	**0.00155**	----	0.00100	"	"	"	"	"	
Copper	"	**0.00393**	----	0.00200	"	"	"	"	"	
Lead	"	ND	----	0.00100	"	"	"	"	"	
Selenium	"	ND	----	0.00200	"	"	"	"	"	
Silver	"	ND	----	0.00100	"	"	"	"	"	
Zinc	"	**0.00566**	----	0.00500	"	"	"	"	"	
PPI1295-12 (FB-1)		**Water**				**Sampled: 09/27/06 16:20**				
Arsenic	EPA 6020	ND	----	0.00100	mg/l	1x	6100382	10/08/06 17:04	10/26/06 11:24	
Barium	"	ND	----	0.00100	"	"	"	"	"	
Cadmium	"	ND	----	0.00100	"	"	"	"	"	
Chromium	"	**0.00158**	----	0.00100	"	"	"	"	"	
Copper	"	ND	----	0.00200	"	"	"	"	"	
Lead	"	ND	----	0.00100	"	"	"	"	"	
Selenium	"	ND	----	0.00200	"	"	"	"	"	
Silver	"	ND	----	0.00100	"	"	"	"	"	
Zinc	"	ND	----	0.00500	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Dissolved Mercury per EPA Method 7470A

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-01 (CR-29A)		**Water**				**Sampled: 09/28/06 08:20**				
Mercury	EPA 7470A	ND	---	0.000200	mg/l	1x	6100198	10/04/06 15:09	10/05/06 11:05	
PPI1295-02 (CR-29B)		**Water**				**Sampled: 09/28/06 08:24**				
Mercury	EPA 7470A	ND	---	0.000200	mg/l	1x	6100198	10/04/06 15:09	10/05/06 11:07	
PPI1295-05 (CR-28C)		**Water**				**Sampled: 09/28/06 10:55**				
Mercury	EPA 7470A	ND	---	0.000200	mg/l	1x	6100198	10/04/06 15:09	10/05/06 11:09	
PPI1295-06 (CR-28B)		**Water**				**Sampled: 09/28/06 12:35**				
Mercury	EPA 7470A	ND	---	0.000200	mg/l	1x	6100198	10/04/06 15:09	10/05/06 11:12	
PPI1295-10 (FB-2)		**Water**				**Sampled: 09/28/06 11:45**				
Mercury	EPA 7470A	ND	---	0.000200	mg/l	1x	6100198	10/04/06 15:09	10/05/06 11:19	
PPI1295-12 (FB-1)		**Water**				**Sampled: 09/27/06 16:20**				
Mercury	EPA 7470A	ND	---	0.000200	mg/l	1x	6100198	10/04/06 15:09	10/05/06 11:21	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Total Mercury per EPA Method 7470A

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-01 (CR-29A)		**Water**			**Sampled: 09/28/06 08:20**					
Mercury	EPA 7470A	ND	---	0.000200	mg/l	1x	6100227	10/05/06 09:30	10/05/06 13:22	
PPI1295-02 (CR-29B)		**Water**			**Sampled: 09/28/06 08:24**					
Mercury	EPA 7470A	ND	---	0.000200	mg/l	1x	6100227	10/05/06 09:30	10/05/06 13:24	
PPI1295-03 (B-13)		**Water**			**Sampled: 09/28/06 10:30**					
Mercury	EPA 7470A	ND	---	0.000200	mg/l	1x	6100227	10/05/06 09:30	10/05/06 13:26	
PPI1295-04 (CR-3)		**Water**			**Sampled: 09/28/06 15:50**					
Mercury	EPA 7470A	ND	---	0.000200	mg/l	1x	6100227	10/05/06 09:30	10/05/06 13:28	
PPI1295-05 (CR-28C)		**Water**			**Sampled: 09/28/06 10:55**					
Mercury	EPA 7470A	ND	---	0.000200	mg/l	1x	6100227	10/05/06 09:30	10/05/06 13:36	
PPI1295-06 (CR-28B)		**Water**			**Sampled: 09/28/06 12:35**					
Mercury	EPA 7470A	ND	---	0.000200	mg/l	1x	6100227	10/05/06 09:30	10/05/06 13:38	
PPI1295-07 (B-30)		**Water**			**Sampled: 09/28/06 16:00**					
Mercury	EPA 7470A	ND	---	0.000200	mg/l	1x	6100227	10/05/06 09:30	10/05/06 13:40	
PPI1295-08 (B-29)		**Water**			**Sampled: 09/28/06 14:45**					
Mercury	EPA 7470A	ND	---	0.000200	mg/l	1x	6100227	10/05/06 09:30	10/05/06 13:43	
PPI1295-09 (B-28)		**Water**			**Sampled: 09/28/06 15:00**					
Mercury	EPA 7470A	ND	---	0.000200	mg/l	1x	6100227	10/05/06 09:30	10/05/06 13:45	
PPI1295-10 (FB-2)		**Water**			**Sampled: 09/28/06 11:45**					
Mercury	EPA 7470A	ND	---	0.000200	mg/l	1x	6100227	10/05/06 09:30	10/05/06 13:47	
PPI1295-12 (FB-1)		**Water**			**Sampled: 09/27/06 16:20**					
Mercury	EPA 7470A	ND	---	0.000200	mg/l	1x	6100227	10/05/06 09:30	10/05/06 13:49	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPH1295-01 (CR-29A)		**Water**				**Sampled: 09/28/06 08:20**				
Acetone	EPA 8260B	ND	—	25.0	ug/l	1x	6100212	10/05/06 07:39	10/05/06 11:44	
Benzene	"	ND	—	1.00	"	"	"	"	"	
Bromobenzene	"	ND	—	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	—	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	—	1.00	"	"	"	"	"	
Bromoform	"	ND	—	1.00	"	"	"	"	"	
Bromomethane	"	ND	—	5.00	"	"	"	"	"	
2-Butanone (MEK)	"	ND	—	10.0	"	"	"	"	"	
n-Butylbenzene	"	**24.9**	—	5.00	"	"	"	"	"	
sec-Butylbenzene	"	**9.04**	—	1.00	"	"	"	"	"	
tert-Butylbenzene	"	**9.58**	—	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	—	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	—	1.00	"	"	"	"	"	
Chlorobenzene	"	ND	—	1.00	"	"	"	"	"	
Chloroethane	"	ND	—	1.00	"	"	"	"	"	
Chloroform	"	ND	—	1.00	"	"	"	"	"	
Chloromethane	"	ND	—	5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	—	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	—	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	—	5.00	"	"	"	"	"	
Dibromochloromethane	"	ND	—	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	—	1.00	"	"	"	"	"	
Dibromomethane	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
Dichlorodifluromethane	"	ND	—	5.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
Ethylbenzene	"	**42.4**	—	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	—	4.00	"	"	"	"	"	
2-Hexanone	"	ND	—	10.0	"	"	"	"	"	
Isopropylbenzene	"	**49.8**	—	2.00	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007390

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-01 (CR-29A)		**Water**			**Sampled: 09/28/06 08:20**					
p-Isopropyltoluene	EPA 8260B	**3.60**	----	2.00	ug/l	1x	6100212	10/05/06 07:39	10/05/06 11:44	
4-Methyl-2-pentanone	"	ND	----	5.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	5.00	"	"	"	"	"	
Naphthalene	"	**35.0**	----	2.00	"	"	"	"	"	
n-Propylbenzene	"	**85.5**	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	**1.65**	----	1.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	1.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	3.95	----	2.00	"	"	"	"	"	
Surrogate(s): *4-BFB*			*102%*		*80 - 120 %*	"			"	
1,2-DCA-d4			*104%*		*80 - 120 %*	"			"	
Dibromofluoromethane			*104%*		*80 - 120 %*	"			"	
Toluene-d8			*109%*		*80 - 120 %*	"			"	
PPI1295-02RE1 (CR-29B)		**Water**			**Sampled: 09/28/06 08:24**					
Acetone	EPA 8260B	ND	----	25.0	ug/l	1x	6100372	10/08/06 09:11	10/08/06 20:19	
Benzene	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
2-Butanone (MEK)	"	ND	----	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	----	5.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007391

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-02RE1 (CR-29B)		**Water**			**Sampled: 09/28/06 08:24**					
Chlorobenzene	EPA 8260B	ND	—	1.00	ug/l	1x	6100372	10/08/06 09:11	10/08/06 20:19	
Chloroethane	"	ND	—	1.00	"	"	"	"	"	
Chloroform	"	ND	—	1.00	"	"	"	"	"	
Chloromethane	"	ND	—	5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	—	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	—	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	—	5.00	"	"	"	"	"	
Dibromochloromethane	"	ND	—	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	—	1.00	"	"	"	"	"	
Dibromomethane	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	—	5.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
Ethylbenzene	"	ND	—	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	—	4.00	"	"	"	"	"	
2-Hexanone	"	ND	—	10.0	"	"	"	"	"	
Isopropylbenzene	"	ND	—	2.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	—	2.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	—	5.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	—	1.00	"	"	"	"	"	
Methylene chloride	"	ND	—	5.00	"	"	"	"	"	
Naphthalene	"	ND	—	2.00	"	"	"	"	"	
n-Propylbenzene	"	ND	—	1.00	"	"	"	"	"	
Styrene	"	ND	—	1.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	—	1.00	"	"	"	"	"	
Toluene	"	ND	—	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	—	1.00	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-02RE1 (CR-29B)		**Water**			**Sampled: 09/28/06 08:24**					
1,1,2-Trichloroethane	EPA 8260B	ND	---	1.00	ug/l	1x	6100372	10/08/06 09:11	10/08/06 20:19	
Trichloroethene	"	ND	---	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	---	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	---	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	---	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	---	1.00	"	"	"	"	"	
Vinyl chloride	"	ND	---	1.00	"	"	"	"	"	
o-Xylene	"	ND	---	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	---	2.00	"	"	"	"	"	
Surrogate(s): 4-BFB			*103%*		*80 - 120 %*	"			"	
1,2-DCA-d4			*107%*		*80 - 120 %*	"			"	
Dibromofluoromethane			*106%*		*80 - 120 %*	"			"	
Toluene-d8			*103%*		*80 - 120 %*	"			"	
PPI1295-03 (B-13)		**Water**			**Sampled: 09/28/06 10:30**					
Acetone	EPA 8260B	ND	---	25.0	ug/l	1x	6100212	10/05/06 07:39	10/05/06 12:37	
Benzene	"	1.61	---	1.00	"	"	"	"	"	
Bromobenzene	"	ND	---	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	---	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	---	1.00	"	"	"	"	"	
Bromoform	"	ND	---	1.00	"	"	"	"	"	
Bromomethane	"	ND	---	5.00	"	"	"	"	"	
2-Butanone (MEK)	"	ND	---	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	---	5.00	"	"	"	"	"	
sec-Butylbenzene	"	2.75	---	1.00	"	"	"	"	"	
tert-Butylbenzene	"	1.07	---	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	---	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	---	1.00	"	"	"	"	"	
Chlorobenzene	"	ND	---	1.00	"	"	"	"	"	
Chloroethane	"	1.07	---	1.00	"	"	"	"	"	
Chloroform	"	ND	---	1.00	"	"	"	"	"	
Chloromethane	"	ND	---	5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	---	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	---	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	---	5.00	"	"	"	"	"	
Dibromochloromethane	"	ND	---	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	---	1.00	"	"	"	"	"	
Dibromomethane	"	ND	---	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	---	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	---	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	---	1.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	---	5.00	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007393

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-03 (B-13)		**Water**			**Sampled: 09/28/06 10:30**					
1,1-Dichloroethane	EPA 8260B	ND	----	1.00	ug/l	1x	6100212	10/05/06 07:39	10/05/06 12:37	
1,2-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	4.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Isopropylbenzene	"	**16.6**	----	2.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	2.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	5.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	5.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
n-Propylbenzene	"	**23.6**	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	**2.71**	----	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	1.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	**3.60**	----	2.00	"	"	"	"	"	
Surrogate(s): *4-BFB*		*103%*		*80 - 120 %*	"				"	
1,2-DCA-d4		*98.0%*		*80 - 120 %*	"				"	
Dibromofluoromethane		*100%*		*80 - 120 %*	"				"	
Toluene-d8		*95.0%*		*80 - 120 %*	"				"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007394

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL[A]	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-04 (CR-3)		**Water**			**Sampled: 09/28/06 15:50**					
Acetone	EPA 8260B	ND	—	25.0	ug/l	1x	6100212	10/05/06 07:39	10/05/06 13:04	
Benzene	"	ND	—	1.00	"	"	"	"	"	
Bromobenzene	"	ND	—	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	—	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	—	1.00	"	"	"	"	"	
Bromoform	"	ND	—	1.00	"	"	"	"	"	
Bromomethane	"	ND	—	5.00	"	"	"	"	"	
2-Butanone (MEK)	"	ND	—	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	—	5.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	—	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	—	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	—	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	—	1.00	"	"	"	"	"	
Chlorobenzene	"	ND	—	1.00	"	"	"	"	"	
Chloroethane	"	ND	—	1.00	"	"	"	"	"	
Chloroform	"	ND	—	1.00	"	"	"	"	"	
Chloromethane	"	ND	—	5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	—	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	—	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	—	5.00	"	"	"	"	"	
Dibromochloromethane	"	ND	—	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	—	1.00	"	"	"	"	"	
Dibromomethane	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	—	5.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
Ethylbenzene	"	ND	—	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	—	4.00	"	"	"	"	"	
2-Hexanone	"	ND	—	10.0	"	"	"	"	"	
Isopropylbenzene	"	ND	—	2.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	—	2.00	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007395

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-04 (CR-3)		**Water**			**Sampled: 09/28/06 15:50**					
4-Methyl-2-pentanone	EPA 8260B	ND	—	5.00	ug/l	1x	6100212	10/05/06 07:39	10/05/06 13:04	
Methyl tert-butyl ether	"	ND	—	1.00	"	"	"	"	"	
Methylene chloride	"	ND	—	5.00	"	"	"	"	"	
Naphthalene	"	ND	—	2.00	"	"	"	"	"	
n-Propylbenzene	"	ND	—	1.00	"	"	"	"	"	
Styrene	"	ND	—	1.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	—	1.00	"	"	"	"	"	
Toluene	"	ND	—	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	—	1.00	"	"	"	"	"	
Trichloroethene	"	ND	—	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	—	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	—	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	—	1.00	"	"	"	"	"	
Vinyl chloride	"	ND	—	1.00	"	"	"	"	"	
o-Xylene	"	ND	—	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	—	2.00	"	"	"	"	"	
Surrogate(s): *4-BFB*			*96.5%*		*80 - 120 %*	"			"	
1,2-DCA-d4			*94.0%*		*80 - 120 %*	"			"	
Dibromofluoromethane			*97.0%*		*80 - 120 %*	"			"	
Toluene-d8			*91.0%*		*80 - 120 %*	"			"	
PPI1295-05 (CR-28C)		**Water**			**Sampled: 09/28/06 10:55**					
Acetone	EPA 8260B	ND	—	25.0	ug/l	1x	6100212	10/05/06 07:39	10/05/06 13:31	
Benzene	"	ND	—	1.00	"	"	"	"	"	
Bromobenzene	"	ND	—	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	—	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	—	1.00	"	"	"	"	"	
Bromoform	"	ND	—	1.00	"	"	"	"	"	
Bromomethane	"	ND	—	5.00	"	"	"	"	"	
2-Butanone (MEK)	"	ND	—	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	—	5.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	—	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	—	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	—	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	—	1.00	"	"	"	"	"	
Chlorobenzene	"	ND	—	1.00	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007396

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-05 (CR-28C)		**Water**			**Sampled: 09/28/06 10:55**					
Chloroethane	EPA 8260B	ND	—	1.00	ug/l	1x	6100212	10/05/06 07:39	10/05/06 13:31	
Chloroform	"	ND	—	1.00	"	"	"	"	"	
Chloromethane	"	ND	—	5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	—	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	—	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	—	5.00	"	"	"	"	"	
Dibromochloromethane	"	ND	—	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	—	1.00	"	"	"	"	"	
Dibromomethane	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	—	5.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
Ethylbenzene	"	ND	—	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	—	4.00	"	"	"	"	"	
2-Hexanone	"	ND	—	10.0	"	"	"	"	"	
Isopropylbenzene	"	ND	—	2.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	—	2.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	—	5.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	—	1.00	"	"	"	"	"	
Methylene chloride	"	ND	—	5.00	"	"	"	"	"	
Naphthalene	"	ND	—	2.00	"	"	"	"	"	
n-Propylbenzene	"	ND	—	1.00	"	"	"	"	"	
Styrene	"	ND	—	1.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	—	1.00	"	"	"	"	"	
Toluene	"	ND	—	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	—	1.00	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-05 (CR-28C)		**Water**			**Sampled: 09/28/06 10:55**					
Trichloroethene	EPA 8260B	ND	----	1.00	ug/l	1x	6100212	10/05/06 07:39	10/05/06 13:31	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	1.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
Surrogate(s): 4-BFB		*102%*			*80 - 120 %*	"			"	
1,2-DCA-d4		*99.0%*			*80 - 120 %*	"			"	
Dibromofluoromethane		*104%*			*80 - 120 %*	"			"	
Toluene-d8		*102%*			*80 - 120 %*	"			"	
PPI1295-06 (CR-28B)		**Water**			**Sampled: 09/28/06 12:35**					
Acetone	EPA 8260B	ND	----	25.0	ug/l	1x	6100212	10/05/06 07:39	10/05/06 11:17	
Benzene	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
2-Butanone (MEK)	"	ND	----	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	----	5.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
Chlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Chloromethane	"	ND	----	5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	----	5.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007398

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-06 (CR-28B)		**Water**				**Sampled: 09/28/06 12:35**				
1,2-Dichloroethane	EPA 8260B	ND	—	1.00	ug/l	1x	6100212	10/05/06 07:39	10/05/06 11:17	
1,1-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	—	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	—	1.00	"	"	"	"	"	
Ethylbenzene	"	ND	—	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	—	4.00	"	"	"	"	"	
2-Hexanone	"	ND	—	10.0	"	"	"	"	"	
Isopropylbenzene	"	ND	—	2.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	—	2.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	—	5.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	—	1.00	"	"	"	"	"	
Methylene chloride	"	ND	—	5.00	"	"	"	"	"	
Naphthalene	"	ND	—	2.00	"	"	"	"	"	
n-Propylbenzene	"	ND	—	1.00	"	"	"	"	"	
Styrene	"	ND	—	1.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	—	1.00	"	"	"	"	"	
Toluene	"	ND	—	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	—	1.00	"	"	"	"	"	
Trichloroethene	"	ND	—	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	—	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	—	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	—	1.00	"	"	"	"	"	
Vinyl chloride	"	ND	—	1.00	"	"	"	"	"	
o-Xylene	"	ND	—	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	—	2.00	"	"	"	"	"	
Surrogate(s): *4-BFB*			*95.0%*		*80 - 120 %*	"			"	
1,2-DCA-d4			*106%*		*80 - 120 %*	"			"	
Dibromofluoromethane			*105%*		*80 - 120 %*	"			"	
Toluene-d8			*101%*		*80 - 120 %*	"			"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007399

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-10 (FB-2)		**Water**			**Sampled: 09/28/06 11:45**					
Acetone	EPA 8260B	ND	----	25.0	ug/l	1x	6100212	10/05/06 07:39	10/05/06 15:18	
Benzene	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
2-Butanone (MEK)	"	ND	----	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	----	5.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
Chlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Chloromethane	"	ND	----	5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	----	5.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	4.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Isopropylbenzene	"	ND	----	2.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	2.00	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007400

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-10 (FB-2)		**Water**			**Sampled: 09/28/06 11:45**					
4-Methyl-2-pentanone	EPA 8260B	ND	—	5.00	ug/l	1x	6100212	10/05/06 07:39	10/05/06 15:18	
Methyl tert-butyl ether	"	ND	—	1.00	"	"	"	"	"	
Methylene chloride	"	ND	—	5.00	"	"	"	"	"	
Naphthalene	"	ND	—	2.00	"	"	"	"	"	
n-Propylbenzene	"	ND	—	1.00	"	"	"	"	"	
Styrene	"	ND	—	1.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	—	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	—	1.00	"	"	"	"	"	
Toluene	"	ND	—	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	—	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	—	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	—	1.00	"	"	"	"	"	
Trichloroethene	"	ND	—	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	—	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	—	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	—	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	—	1.00	"	"	"	"	"	
Vinyl chloride	"	ND	—	1.00	"	"	"	"	"	
o-Xylene	"	ND	—	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	—	2.00	"	"	"	"	"	
Surrogate(s): *4-BFB*			*96.0%*		*80 - 120 %*	"			"	
1,2-DCA-d4			*94.0%*		*80 - 120 %*	"			"	
Dibromofluoromethane			*97.0%*		*80 - 120 %*	"			"	
Toluene-d8			*97.0%*		*80 - 120 %*	"			"	
PPI1295-11 (Trip 156)		**Water**			**Sampled: 09/28/06 00:00**					
Acetone	EPA 8260B	ND	—	25.0	ug/l	1x	6100212	10/05/06 07:39	10/05/06 10:50	
Benzene	"	ND	—	1.00	"	"	"	"	"	
Bromobenzene	"	ND	—	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	—	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	—	1.00	"	"	"	"	"	
Bromoform	"	ND	—	1.00	"	"	"	"	"	
Bromomethane	"	ND	—	5.00	"	"	"	"	"	
2-Butanone (MEK)	"	ND	—	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	—	5.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	—	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	—	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	—	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	—	1.00	"	"	"	"	"	
Chlorobenzene	"	ND	—	1.00	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-11 (Trip 156)		**Water**			**Sampled: 09/28/06 00:00**					
Chloroethane	EPA 8260B	ND	----	1.00	ug/l	1x	6100212	10/05/06 07:39	10/05/06 10:50	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Chloromethane	"	ND	----	5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	----	5.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	4.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Isopropylbenzene	"	ND	----	2.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	2.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	5.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	5.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-11 (Trip 156)		**Water**			**Sampled: 09/28/06 00:00**					
Trichloroethene	EPA 8260B	ND	----	1.00	ug/l	1x	6100212	10/05/06 07:39	10/05/06 10:50	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	1.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	
Surrogate(s): *4-BFB*		*87.5%*		*80 - 120 %*	"				"	
1,2-DCA-d4		*101%*		*80 - 120 %*	"				"	
Dibromofluoromethane		*101%*		*80 - 120 %*	"				"	
Toluene-d8		*95.0%*		*80 - 120 %*	"				"	
PPI1295-12 (FB-1)		**Water**			**Sampled: 09/27/06 16:20**					
Acetone	EPA 8260B	ND	----	25.0	ug/l	1x	6100212	10/05/06 07:39	10/05/06 15:45	
Benzene	"	ND	----	1.00	"	"	"	"	"	
Bromobenzene	"	ND	----	1.00	"	"	"	"	"	
Bromochloromethane	"	ND	----	1.00	"	"	"	"	"	
Bromodichloromethane	"	ND	----	1.00	"	"	"	"	"	
Bromoform	"	ND	----	1.00	"	"	"	"	"	
Bromomethane	"	ND	----	5.00	"	"	"	"	"	
2-Butanone (MEK)	"	ND	----	10.0	"	"	"	"	"	
n-Butylbenzene	"	ND	----	5.00	"	"	"	"	"	
sec-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
tert-Butylbenzene	"	ND	----	1.00	"	"	"	"	"	
Carbon disulfide	"	ND	----	10.0	"	"	"	"	"	
Carbon tetrachloride	"	ND	----	1.00	"	"	"	"	"	
Chlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Chloroethane	"	ND	----	1.00	"	"	"	"	"	
Chloroform	"	ND	----	1.00	"	"	"	"	"	
Chloromethane	"	ND	----	5.00	"	"	"	"	"	
2-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
4-Chlorotoluene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromo-3-chloropropane	"	ND	----	5.00	"	"	"	"	"	
Dibromochloromethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dibromoethane	"	ND	----	1.00	"	"	"	"	"	
Dibromomethane	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,4-Dichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
Dichlorodifluoromethane	"	ND	----	5.00	"	"	"	"	"	
1,1-Dichloroethane	"	ND	----	1.00	"	"	"	"	"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007403

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Volatile Organic Compounds per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-12 (FB-1)		**Water**			**Sampled: 09/27/06 16:20**					
1,2-Dichloroethane	EPA 8260B	ND	----	1.00	ug/l	1x	6100212	10/05/06 07:39	10/05/06 15:45	
1,1-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
cis-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
trans-1,2-Dichloroethene	"	ND	----	1.00	"	"	"	"	"	
1,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,3-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
2,2-Dichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,1-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
cis-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
trans-1,3-Dichloropropene	"	ND	----	1.00	"	"	"	"	"	
Ethylbenzene	"	ND	----	1.00	"	"	"	"	"	
Hexachlorobutadiene	"	ND	----	4.00	"	"	"	"	"	
2-Hexanone	"	ND	----	10.0	"	"	"	"	"	
Isopropylbenzene	"	ND	----	2.00	"	"	"	"	"	
p-Isopropyltoluene	"	ND	----	2.00	"	"	"	"	"	
4-Methyl-2-pentanone	"	ND	----	5.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	1.00	"	"	"	"	"	
Methylene chloride	"	ND	----	5.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	1.00	"	"	"	"	"	
Styrene	"	ND	----	1.00	"	"	"	"	"	
1,1,1,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1,2,2-Tetrachloroethane	"	ND	----	1.00	"	"	"	"	"	
Tetrachloroethene	"	ND	----	1.00	"	"	"	"	"	
Toluene	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trichlorobenzene	"	ND	----	1.00	"	"	"	"	"	
1,1,1-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
1,1,2-Trichloroethane	"	ND	----	1.00	"	"	"	"	"	
Trichloroethene	"	ND	----	1.00	"	"	"	"	"	
Trichlorofluoromethane	"	ND	----	1.00	"	"	"	"	"	
1,2,3-Trichloropropane	"	ND	----	1.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
Vinyl chloride	"	ND	----	1.00	"	"	"	"	"	
o-Xylene	"	ND	----	1.00	"	"	"	"	"	
m,p-Xylene	"	ND	----	2.00	"	"	"	"	"	

Surrogate(s):	*4-BFB*	*94.5%*	*80 - 120 %*	"	"
	1,2-DCA-d4	*95.5%*	*80 - 120 %*	"	"
	Dibromofluoromethane	*99.0%*	*80 - 120 %*	"	"
	Toluene-d8	*96.0%*	*80 - 120 %*	"	"

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Selected Volatile Organic Compounds (Including BTEX) per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-07 (B-30)		Water			Sampled: 09/28/06 16:00					
1,2-Dibromoethane	EPA 8260B	ND	----	0.500	ug/l	1x	6100212	10/05/06 07:39	10/05/06 13:58	
1,2-Dichloroethane	"	ND	----	0.500	"	"	"	"	"	
Benzene	"	**48.9**	----	0.200	"	"	"	"	"	
Toluene	"	**8.50**	----	0.500	"	"	"	"	"	
Ethylbenzene	"	**1.51**	----	0.500	"	"	"	"	"	
Xylenes (total)	"	**12.1**	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	2.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	0.500	"	"	"	"	"	
Isopropylbenzene	"	**9.26**	----	2.00	"	"	"	"	"	
n-Propylbenzene	"	**12.8**	----	0.500	"	"	"	"	"	
Surrogate(s): 4-BFB		*102%*		*80 - 120 %*	"				"	
1,2-DCA-d4		*93.5%*		*80 - 120 %*	"				"	
Dibromofluoromethane		*97.0%*		*80 - 120 %*	"				"	
Toluene-d8		*97.5%*		*80 - 120 %*	"				"	
PPI1295-08 (B-29)		Water			Sampled: 09/28/06 14:45					
1,2-Dibromoethane	EPA 8260B	ND	----	0.500	ug/l	1x	6100212	10/05/06 07:39	10/05/06 14:24	
1,2-Dichloroethane	"	ND	----	0.500	"	"	"	"	"	
Benzene	"	ND	----	0.200	"	"	"	"	"	
Toluene	"	ND	----	0.500	"	"	"	"	"	
Ethylbenzene	"	ND	----	0.500	"	"	"	"	"	
Xylenes (total)	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	2.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	0.500	"	"	"	"	"	
Isopropylbenzene	"	ND	----	2.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	0.500	"	"	"	"	"	
Surrogate(s): 4-BFB		*98.5%*		*80 - 120 %*	"				"	
1,2-DCA-d4		*92.5%*		*80 - 120 %*	"				"	
Dibromofluoromethane		*97.5%*		*80 - 120 %*	"				"	
Toluene-d8		*95.5%*		*80 - 120 %*	"				"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007405

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Selected Volatile Organic Compounds (Including BTEX) per EPA Method 8260B

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PP11295-09 (B-28)		**Water**			**Sampled: 09/28/06 15:00**					
1,2-Dibromoethane	EPA 8260B	ND	----	0.500	ug/l	1x	6100212	10/05/06 07:39	10/05/06 14:51	
1,2-Dichloroethane	"	ND	----	0.500	"	"	"	"	"	
Benzene	"	ND	----	0.200	"	"	"	"	"	
Toluene	"	ND	----	0.500	"	"	"	"	"	
Ethylbenzene	"	ND	----	0.500	"	"	"	"	"	
Xylenes (total)	"	ND	----	1.00	"	"	"	"	"	
Methyl tert-butyl ether	"	ND	----	2.00	"	"	"	"	"	
Naphthalene	"	ND	----	2.00	"	"	"	"	"	
1,2,4-Trimethylbenzene	"	ND	----	1.00	"	"	"	"	"	
1,3,5-Trimethylbenzene	"	ND	----	0.500	"	"	"	"	"	
Isopropylbenzene	"	ND	----	2.00	"	"	"	"	"	
n-Propylbenzene	"	ND	----	0.500	"	"	"	"	"	
Surrogate(s):	*4-BFB*		*99.5%*		*80 - 120 %*	"			"	
	1,2-DCA-d4		*95.0%*		*80 - 120 %*	"			"	
	Dibromofluoromethane		*98.5%*		*80 - 120 %*	"			"	
	Toluene-d8		*97.0%*		*80 - 120 %*	"			"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Polynuclear Aromatic Compounds per EPA 8270M-SIM

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-01 (CR-29A)		**Water**			**Sampled: 09/28/06 08:20**					**R-05**
Acenaphthene	EPA 8270m	ND	----	0.657	ug/l	5x	6100114	10/03/06 17:30	10/12/06 05:24	R-03
Acenaphthylene	"	ND	----	0.202	"	"	"	"	"	R-03
Anthracene	"	ND	----	0.101	"	"	"	"	"	
Benzo (a) anthracene	"	ND	----	0.101	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	0.101	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	0.101	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.101	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	0.101	"	"	"	"	"	
Chrysene	"	ND	----	0.101	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.101	"	"	"	"	"	
Fluoranthene	"	**0.104**	----	0.101	"	"	"	"	"	
Fluorene	"	**0.617**	----	0.101	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.101	"	"	"	"	"	
Naphthalene	"	**18.7**	----	1.01	"	50x	"	"	10/12/06 19:13	
Phenanthrene	"	**1.07**	----	0.101	"	5x	"	"	10/12/06 05:24	
Pyrene	"	**0.164**	----	0.101	"	"	"	"	"	
Surrogate(s): *Fluorene-d10*			*59.7%*		*25 - 125 %*	"			"	
Pyrene-d10			*58.5%*		*23 - 150 %*	"			"	
Benzo (a) pyrene-d12			*50.6%*		*10 - 125 %*	"			"	
PPI1295-02 (CR-29B)		**Water**			**Sampled: 09/28/06 08:24**					
Acenaphthene	EPA 8270m	ND	----	0.0194	ug/l	1x	6100114	10/03/06 17:30	10/11/06 22:27	
Acenaphthylene	"	ND	----	0.0194	"	"	"	"	"	
Anthracene	"	ND	----	0.0194	"	"	"	"	"	
Benzo (a) anthracene	"	ND	----	0.0194	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	0.0194	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	0.0194	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.0194	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	0.0194	"	"	"	"	"	
Chrysene	"	ND	----	0.0194	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.0194	"	"	"	"	"	
Fluoranthene	"	ND	----	0.0194	"	"	"	"	"	
Fluorene	"	ND	----	0.0194	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.0194	"	"	"	"	"	
Naphthalene	"	ND	----	0.0583	"	"	"	"	"	R-03
Phenanthrene	"	ND	----	0.0194	"	"	"	"	"	
Pyrene	"	ND	----	0.0194	"	"	"	"	"	
Surrogate(s): *Fluorene-d10*			*72.8%*		*25 - 125 %*	"			"	
Pyrene-d10			*77.0%*		*23 - 150 %*	"			"	
Benzo (a) pyrene-d12			*71.2%*		*10 - 125 %*	"			"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007407

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9208 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Polynuclear Aromatic Compounds per EPA 8270M-SIM

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-03 (B-13)		**Water**			**Sampled: 09/28/06 10:30**					**R-05**
Acenaphthene	EPA 8270m	**0.513**	----	0.0971	ug/l	5x	6100114	10/03/06 17:30	10/12/06 21:58	
Acenaphthylene	"	ND	----	0.0971	"	"	"	"	"	
Anthracene	"	ND	----	0.0971	"	"	"	"	"	
Benzo (a) anthracene	"	ND	----	0.0971	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	0.0971	"	"	"	"	"	
Benzo (b) fluoranthene	"	**0.0977**	----	0.0971	"	"	"	"	"	
Benzo (ghi) perylene	"	**0.115**	----	0.0971	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	0.0971	"	"	"	"	"	
Chrysene	"	**0.144**	----	0.0971	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.0971	"	"	"	"	"	
Fluoranthene	"	**0.239**	----	0.0971	"	"	"	"	"	
Fluorene	"	**0.718**	----	0.0971	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.0971	"	"	"	"	"	
Naphthalene	"	ND	----	1.36	"	"	"	"	"	**R-03**
Phenanthrene	"	**0.539**	----	0.0971	"	"	"	"	"	
Pyrene	"	**0.325**	----	0.0971	"	"	"	"	"	
Surrogate(s): Fluorene-d10			*59.7%*		*25 - 125 %*	"			"	
Pyrene-d10			*60.9%*		*23 - 150 %*	"			"	
Benzo (a) pyrene-d12			*41.2%*		*10 - 125 %*	"			"	
PPI1295-04 (CR-3)		**Water**			**Sampled: 09/28/06 15:50**					
Acenaphthene	EPA 8270m	ND	----	0.0200	ug/l	1x	6100114	10/03/06 17:30	10/12/06 01:14	
Acenaphthylene	"	ND	----	0.0200	"	"	"	"	"	
Anthracene	"	ND	----	0.0200	"	"	"	"	"	
Benzo (a) anthracene	"	ND	----	0.0200	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	0.0200	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	0.0200	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.0200	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	0.0200	"	"	"	"	"	
Chrysene	"	**0.0207**	----	0.0200	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.0200	"	"	"	"	"	
Fluoranthene	"	**0.0235**	----	0.0200	"	"	"	"	"	
Fluorene	"	**0.0343**	----	0.0200	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.0200	"	"	"	"	"	
Naphthalene	"	ND	----	0.0600	"	"	"	"	"	**R-03**
Phenanthrene	"	ND	----	0.0200	"	"	"	"	"	
Pyrene	"	**0.0428**	----	0.0200	"	"	"	"	"	
Surrogate(s): Fluorene-d10			*61.6%*		*25 - 125 %*	"			"	
Pyrene-d10			*70.4%*		*23 - 150 %*	"			"	
Benzo (a) pyrene-d12			*31.9%*		*10 - 125 %*	"			"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Polynuclear Aromatic Compounds per EPA 8270M-SIM

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-05 (CR-28C)		**Water**			**Sampled: 09/28/06 10:55**					
Acenaphthene	EPA 8270m	ND	----	0.0196	ug/l	1x	6100114	10/03/06 17:30	10/11/06 22:55	
Acenaphthylene	"	ND	----	0.0196	"	"	"	"	"	
Anthracene	"	ND	----	0.0196	"	"	"	"	"	
Benzo (a) anthracene	"	ND	----	0.0196	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	0.0196	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	0.0196	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.0196	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	0.0196	"	"	"	"	"	
Chrysene	"	ND	----	0.0196	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.0196	"	"	"	"	"	
Fluoranthene	"	ND	----	0.0196	"	"	"	"	"	
Fluorene	"	ND	----	0.0196	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.0196	"	"	"	"	"	
Naphthalene	"	ND	----	0.0392	"	"	"	"	"	R-03
Phenanthrene	"	ND	----	0.0196	"	"	"	"	"	
Pyrene	"	0.0247	----	0.0196	"	"	"	"	"	
Surrogate(s): *Fluorene-d10*		*53.5%*		*25 - 125 %*	"				"	
Pyrene-d10		*72.2%*		*23 - 150 %*	"				"	
Benzo (a) pyrene-d12		*58.4%*		*10 - 125 %*	"				"	
PPI1295-06 (CR-28B)		**Water**			**Sampled: 09/28/06 12:35**					
Acenaphthene	EPA 8270m	ND	----	0.0202	ug/l	1x	6100114	10/03/06 17:30	10/11/06 23:23	
Acenaphthylene	"	ND	----	0.0202	"	"	"	"	"	
Anthracene	"	ND	----	0.0202	"	"	"	"	"	
Benzo (a) anthracene	"	ND	----	0.0202	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	0.0202	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	0.0202	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.0202	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	0.0202	"	"	"	"	"	
Chrysene	"	ND	----	0.0202	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.0202	"	"	"	"	"	
Fluoranthene	"	ND	----	0.0202	"	"	"	"	"	
Fluorene	"	ND	----	0.0202	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.0202	"	"	"	"	"	
Naphthalene	"	0.0557	----	0.0202	"	"	"	"	"	
Phenanthrene	"	ND	----	0.0202	"	"	"	"	"	
Pyrene	"	ND	----	0.0202	"	"	"	"	"	
Surrogate(s): *Fluorene-d10*		*66.4%*		*25 - 125 %*	"				"	
Pyrene-d10		*80.2%*		*23 - 150 %*	"				"	
Benzo (a) pyrene-d12		*62.1%*		*10 - 125 %*	"				"	

The results in this report apply to the samples analyzed in accordance with the chain of custody documents. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007409

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Polynuclear Aromatic Compounds per EPA 8270M-SIM

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-07 (B-30)		**Water**			**Sampled: 09/28/06 16:00**					
Acenaphthene	EPA 8270m	0.157	----	0.0198	ug/l	1x	6100114	10/03/06 17:30	10/12/06 01:42	
Acenaphthylene	"	ND	----	0.0891	"	"	"	"	"	R-03
Anthracene	"	0.0317	----	0.0198	"	"	"	"	"	
Benzo (a) anthracene	"	0.0371	----	0.0198	"	"	"	"	"	
Benzo (a) pyrene	"	0.0391	----	0.0198	"	"	"	"	"	
Benzo (b) fluoranthene	"	0.0320	----	0.0198	"	"	"	"	"	
Benzo (ghi) perylene	"	0.0316	----	0.0198	"	"	"	"	"	
Benzo (k) fluoranthene	"	0.0216	----	0.0198	"	"	"	"	"	
Chrysene	"	0.0344	----	0.0198	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.0198	"	"	"	"	"	
Fluoranthene	"	0.0477	----	0.0198	"	"	"	"	"	
Fluorene	"	0.108	----	0.0198	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	0.0246	----	0.0198	"	"	"	"	"	
Naphthalene	"	ND	----	0.297	"	10x	"	"	10/12/06 19:41	R-03
Phenanthrene	"	0.0869	----	0.0198	"	1x	"	"	10/12/06 01:42	
Pyrene	"	0.133	----	0.0198	"	"	"	"	"	
Surrogate(s): *Fluorene-d10*		*57.3%*		*25 - 125 %*	"				"	
Pyrene-d10		*70.2%*		*23 - 150 %*	"				"	
Benzo (a) pyrene-d12		*55.2%*		*10 - 125 %*	"				"	
PPI1295-08 (B-29)		**Water**			**Sampled: 09/28/06 14:45**					
Acenaphthene	EPA 8270m	ND	----	0.0194	ug/l	1x	6100114	10/03/06 17:30	10/11/06 23:51	
Acenaphthylene	"	ND	----	0.0194	"	"	"	"	"	
Anthracene	"	ND	----	0.0194	"	"	"	"	"	
Benzo (a) anthracene	"	ND	----	0.0194	"	"	"	"	"	
Benzo (a) pyrene	"	ND	----	0.0194	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	----	0.0194	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	----	0.0194	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	----	0.0194	"	"	"	"	"	
Chrysene	"	ND	----	0.0194	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	----	0.0194	"	"	"	"	"	
Fluoranthene	"	ND	----	0.0194	"	"	"	"	"	
Fluorene	"	ND	----	0.0194	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	----	0.0194	"	"	"	"	"	
Naphthalene	"	ND	----	0.0194	"	"	"	"	"	
Phenanthrene	"	ND	----	0.0194	"	"	"	"	"	
Pyrene	"	ND	----	0.0194	"	"	"	"	"	
Surrogate(s): *Fluorene-d10*		*68.7%*		*25 - 125 %*	"				"	
Pyrene-d10		*78.2%*		*23 - 150 %*	"				"	
Benzo (a) pyrene-d12		*63.4%*		*10 - 125 %*	"				"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Polynuclear Aromatic Compounds per EPA 8270M-SIM

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-09 (B-28)		**Water**			**Sampled: 09/28/06 15:00**					
Acenaphthene	EPA 8270m	ND	—	0.0196	ug/l	1x	6100114	10/03/06 17:30	10/12/06 02:09	
Acenaphthylene	"	ND	—	0.0196	"	"	"	"	"	
Anthracene	"	ND	—	0.0196	"	"	"	"	"	
Benzo (a) anthracene	"	ND	—	0.0196	"	"	"	"	"	
Benzo (a) pyrene	"	ND	—	0.0196	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	—	0.0196	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	—	0.0196	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	—	0.0196	"	"	"	"	"	
Chrysene	"	ND	—	0.0196	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	—	0.0196	"	"	"	"	"	
Fluoranthene	"	ND	—	0.0196	"	"	"	"	"	
Fluorene	"	ND	—	0.0294	"	"	"	"	"	R-03
Indeno (1,2,3-cd) pyrene	"	ND	—	0.0196	"	"	"	"	"	
Naphthalene	"	ND	—	0.0196	"	"	"	"	"	
Phenanthrene	"	ND	—	0.0196	"	"	"	"	"	
Pyrene	"	ND	—	0.0196	"	"	"	"	"	
Surrogate(s): Fluorene-d10			*72.7%*		*25 - 125 %*	"			"	
Pyrene-d10			*76.7%*		*23 - 150 %*	"			"	
Benzo (a) pyrene-d12			*55.1%*		*10 - 125 %*	"			"	
PPI1295-10 (FB-2)		**Water**			**Sampled: 09/28/06 11:45**					
Acenaphthene	EPA 8270m	ND	—	0.0196	ug/l	1x	6100114	10/03/06 17:30	10/12/06 00:18	
Acenaphthylene	"	ND	—	0.0196	"	"	"	"	"	
Anthracene	"	ND	—	0.0196	"	"	"	"	"	
Benzo (a) anthracene	"	ND	—	0.0196	"	"	"	"	"	
Benzo (a) pyrene	"	ND	—	0.0196	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	—	0.0196	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	—	0.0196	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	—	0.0196	"	"	"	"	"	
Chrysene	"	ND	—	0.0196	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	—	0.0196	"	"	"	"	"	
Fluoranthene	"	ND	—	0.0196	"	"	"	"	"	
Fluorene	"	ND	—	0.0196	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	—	0.0196	"	"	"	"	"	
Naphthalene	"	ND	—	0.0196	"	"	"	"	"	
Phenanthrene	"	ND	—	0.0196	"	"	"	"	"	
Pyrene	"	ND	—	0.0196	"	"	"	"	"	
Surrogate(s): Fluorene-d10			*72.2%*		*25 - 125 %*	"			"	
Pyrene-d10			*78.8%*		*23 - 150 %*	"			"	
Benzo (a) pyrene-d12			*67.8%*		*10 - 125 %*	"			"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007411

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Polynuclear Aromatic Compounds per EPA 8270M-SIM

TestAmerica - Portland, OR

Analyte	Method	Result	MDL*	MRL	Units	Dil	Batch	Prepared	Analyzed	Notes
PPI1295-12 (FB-1)		**Water**			**Sampled: 09/27/06 16:20**					
Acenaphthene	EPA 8270m	ND	—	0.0200	ug/l	1x	6100114	10/03/06 17:30	10/12/06 00:46	
Acenaphthylene	"	ND	—	0.0200	"	"	"	"	"	
Anthracene	"	ND	—	0.0200	"	"	"	"	"	
Benzo (a) anthracene	"	ND	—	0.0200	"	"	"	"	"	
Benzo (a) pyrene	"	ND	—	0.0200	"	"	"	"	"	
Benzo (b) fluoranthene	"	ND	—	0.0200	"	"	"	"	"	
Benzo (ghi) perylene	"	ND	—	0.0200	"	"	"	"	"	
Benzo (k) fluoranthene	"	ND	—	0.0200	"	"	"	"	"	
Chrysene	"	ND	—	0.0200	"	"	"	"	"	
Dibenzo (a,h) anthracene	"	ND	—	0.0200	"	"	"	"	"	
Fluoranthene	"	ND	—	0.0200	"	"	"	"	"	
Fluorene	"	ND	—	0.0200	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	"	ND	—	0.0200	"	"	"	"	"	
Naphthalene	"	ND	—	0.0200	"	"	"	"	"	
Phenanthrene	"	ND	—	0.0200	"	"	"	"	"	
Pyrene	"	ND	—	0.0200	"	"	"	"	"	
Surrogate(s): *Fluorene-d10*			*70.0%*		*25 - 125 %*	"			"	
Pyrene-d10			*84.8%*		*23 - 150 %*	"			"	
Benzo (a) pyrene-d12			*64.4%*		*10 - 125 %*	"			"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-QML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Gasoline Hydrocarbons per NW TPH-Gx Method - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100042 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100042-BLK1)							Extracted: 10/02/06 11:05							
Gasoline Range Hydrocarbons	NW TPH-Gx	ND	---	80.0	ug/l	1x	--	--	--	--	--	--	10/02/06 11:56	
Surrogate(s): 4-BFB		*Recovery: 83.0%*			*Limits: 50-150%*	"							*10/02/06 11:56*	
LCS (6100042-BS1)							Extracted: 10/02/06 11:05							
Gasoline Range Hydrocarbons	NW TPH-Gx	415	---	80.0	ug/l	1x	--	500	83.0%	(70-130)	--	--	10/02/06 12:22	
Surrogate(s): 4-BFB		*Recovery: 94.8%*			*Limits: 50-150%*	"							*10/02/06 12:22*	
Duplicate (6100042-DUP1)					QC Source: PPI1300-01		Extracted: 10/02/06 11:05							
Gasoline Range Hydrocarbons	NW TPH-Gx	20400	---	800	ug/l	10x	20300	--	--	--	0.491%	(40)	10/02/06 21:13	
Surrogate(s): 4-BFB		*Recovery: 96.4%*			*Limits: 50-150%*	*1x*							*10/02/06 21:13*	
Duplicate (6100042-DUP2)					QC Source: PPI1300-04		Extracted: 10/02/06 11:05							
Gasoline Range Hydrocarbons	NW TPH-Gx	14700	---	800	ug/l	10x	14000	--	--	--	4.88%	(40)	10/02/06 23:23	
Surrogate(s): 4-BFB		*Recovery: 101%*			*Limits: 50-150%*	*1x*							*10/02/06 23:23*	
Matrix Spike (6100042-MS1)					QC Source: PPI1295-06		Extracted: 10/02/06 11:05							
Gasoline Range Hydrocarbons	NW TPH-Gx	320	---	80.0	ug/l	1x	6.37	500	62.7%	(70-130)	--	--	10/02/06 17:46	Q-01
Surrogate(s): 4-BFB		*Recovery: 84.0%*			*Limits: 50-150%*	"							*10/02/06 17:46*	
Matrix Spike Dup (6100042-MSD1)					QC Source: PPI1295-06		Extracted: 10/02/06 11:05							
Gasoline Range Hydrocarbons	NW TPH-Gx	389	---	80.0	ug/l	1x	6.37	500	76.5%	(70-130)	19.5%	(30)	10/02/06 18:12	
Surrogate(s): 4-BFB		*Recovery: 83.4%*			*Limits: 50-150%*	"							*10/02/06 18:12*	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	CVX Willbridge / Chevron #100-1868	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Diesel and Heavy Range Hydrocarbons per NWTPH-Dx Method - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100192 **Water Preparation Method: EPA 3520/600 Series**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100192-BLK1)								Extracted: 10/04/06 16:10						
Diesel Range Organics	NWTPH-Dx	ND	--	0.250	mg/l	1x	--	--	--	--	--	--	10/06/06 18:17	
Heavy Oil Range Hydrocarbons	"	ND	--	0.500	"	"	--	--	--	--	--	--	"	
Surrogate(s): 1-Chlorooctadecane		*Recovery: 104%*			*Limits: 50-150%*	"							*10/06/06 18:17*	
LCS (6100192-BS1)								Extracted: 10/04/06 16:10						
Diesel Range Organics	NWTPH-Dx	2.47	--	0.250	mg/l	1x	--	2.55	96.9%	(50-150)	--	--	10/06/06 18:51	
Heavy Oil Range Hydrocarbons	"	1.49	--	0.500	"	"	--	1.60	93.1%	"	--	--	"	
Surrogate(s): 1-Chlorooctadecane		*Recovery: 116%*			*Limits: 50-150%*	"							*10/06/06 18:51*	
LCS Dup (6100192-BSD1)								Extracted: 10/04/06 16:10						
Diesel Range Organics	NWTPH-Dx	2.47	--	0.250	mg/l	1x	--	2.55	96.9%	(50-150)	0.00%	(50)	10/06/06 19:24	
Heavy Oil Range Hydrocarbons	"	1.48	--	0.500	"	"	--	1.60	92.5%	"	0.673%	"	"	
Surrogate(s): 1-Chlorooctadecane		*Recovery: 116%*			*Limits: 50-150%*	"							*10/06/06 19:24*	
Matrix Spike (6100192-MS1)							QC Source: PP11295-06	Extracted: 10/04/06 16:10						
Diesel Range Organics	NWTPH-Dx	2.38	--	0.243	mg/l	1x	0.368	2.48	81.1%	(50-150)	--	--	10/06/06 14:23	
Heavy Oil Range Hydrocarbons	"	1.43	--	0.485	"	"	0.119	1.55	84.6%	"	--	--	"	
Surrogate(s): 1-Chlorooctadecane		*Recovery: 103%*			*Limits: 50-150%*	"							*10/06/06 14:23*	
Matrix Spike Dup (6100192-MSD1)							QC Source: PP11295-06	Extracted: 10/04/06 16:10						
Diesel Range Organics	NWTPH-Dx	2.38	--	0.245	mg/l	1x	0.368	2.50	80.5%	(50-150)	0.00%	(50)	10/06/06 14:58	
Heavy Oil Range Hydrocarbons	"	1.42	--	0.490	"	"	0.119	1.57	82.9%	"	0.702%	"	"	
Surrogate(s): 1-Chlorooctadecane		*Recovery: 101%*			*Limits: 50-150%*	"							*10/06/06 14:58*	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Total Metals per EPA 6000/7000 Series Methods - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100144 **Water Preparation Method: EPA 200/3005**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100144-BLK1)							Extracted: 10/03/06 16:44							
Arsenic	EPA 6020	ND	---	0.00100	mg/l	1x	--	--	--	--	--	--	10/17/06 18:44	
Barium	"	ND	---	0.00100	"	"	--	--	--	--	--	--	10/16/06 19:00	
Cadmium	"	ND	---	0.00100	"	"	--	--	--	--	--	--	"	
Chromium	"	ND	---	0.00100	"	"	--	--	--	--	--	--	10/17/06 18:44	
Copper	"	ND	---	0.00200	"	"	--	--	--	--	--	--	"	
Lead	"	ND	---	0.00100	"	"	--	--	--	--	--	--	10/16/06 19:00	
Selenium	"	ND	---	0.00200	"	"	--	--	--	--	--	--	"	
Silver	"	ND	---	0.00100	"	"	--	--	--	--	--	--	"	
Zinc	"	ND	---	0.00500	"	"	--	--	--	--	--	--	10/19/06 05:28	BK-3
LCS (6100144-BS1)							Extracted: 10/03/06 16:44							
Arsenic	EPA 6020	0.0914	---	0.00100	mg/l	1x	--	0.100	91.4%	(80-120)	--	--	10/17/06 18:50	
Barium	"	0.120	---	0.00200	"	2x	--	"	120%	"	--	--	10/16/06 19:07	
Cadmium	"	0.117	---	0.00200	"	"	--	"	117%	"	--	--	"	
Chromium	"	0.0877	---	0.00100	"	1x	--	"	87.7%	"	--	--	10/17/06 18:50	
Copper	"	0.0915	---	0.00200	"	"	--	"	91.5%	"	--	--	"	
Lead	"	0.117	---	0.00200	"	2x	--	"	117%	"	--	--	10/16/06 19:07	
Selenium	"	0.0571	---	0.00400	"	"	--	0.0500	114%	"	--	--	"	
Silver	"	0.0577	---	0.00200	"	"	--	"	115%	"	--	--	"	
Zinc	"	0.109	---	0.0100	"	"	--	0.100	109%	"	--	--	"	
Duplicate (6100144-DUP1)					QC Source: PPI1295-06			Extracted: 10/03/06 16:44						
Arsenic	EPA 6020	0.00410	---	0.00100	mg/l	1x	0.00438	--	--	--	6.60%	(20)	10/17/06 20:10	
Barium	"	0.0753	---	0.00100	"	"	0.0778	--	--	--	3.27%	"	10/16/06 23:25	
Cadmium	"	ND	---	0.00100	"	"	ND	--	--	--	48.6%	"	"	Q-06
Chromium	"	ND	---	0.00100	"	"	0.00111	--	--	--	11.4%	"	10/17/06 20:10	
Copper	"	ND	---	0.00200	"	"	ND	--	--	--	1.79%	"	"	
Lead	"	ND	---	0.00100	"	"	0.00104	--	--	--	10.1%	"	10/16/06 23:25	
Selenium	"	ND	---	0.00200	"	"	ND	--	--	--	NR	"	"	
Silver	"	ND	---	0.00100	"	"	ND	--	--	--	NR	"	"	
Zinc	"	0.0114	---	0.00500	"	"	0.00856	--	--	--	28.5%	"	10/19/06 06:55	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007415

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Total Metals per EPA 6000/7000 Series Methods - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100144 **Water Preparation Method: EPA 200/3005**

Analyte	Method	Result	MDL*	MRL	Units	DF	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Matrix Spike (6100144-MS1)				QC Source: PPI1295-06				Extracted: 10/03/06 16:44						
Arsenic	EPA 6020	0.102	---	0.00100	mg/l	1x	0.00438	0.100	97.6%	(75-125)	--	--	10/17/06 20:17	
Barium	"	0.180	---	0.00100	"	"	0.0778	"	102%	"	--	--	10/16/06 23:32	
Cadmium	"	0.0964	---	0.00100	"	"	0.000230	"	96.2%	"	--	--	"	
Chromium	"	0.0952	---	0.00100	"	"	0.00111	"	94.1%	"	--	--	10/17/06 20:17	
Copper	"	0.0931	---	0.00200	"	"	0.00169	"	91.4%	"	--	--	"	
Lead	"	0.0910	---	0.00100	"	"	0.00104	"	90.0%	"	--	--	10/16/06 23:32	
Selenium	"	0.0443	---	0.00200	"	"	ND	0.0500	88.6%	"	--	--	"	
Silver	"	0.0466	---	0.00100	"	"	ND	"	93.2%	"	--	--	"	
Zinc	"	0.0932	---	0.00500	"	"	0.00856	0.100	84.6%	"	--	--	"	
Matrix Spike Dup (6100144-MSD1)				QC Source: PPI1295-06				Extracted: 10/03/06 16:44						
Arsenic	EPA 6020	0.103	---	0.00100	mg/l	1x	0.00438	0.100	98.6%	(75-125)	0.976%	(20)	10/17/06 20:30	
Barium	"	0.184	---	0.00100	"	"	0.0778	"	106%	"	2.20%	"	10/16/06 23:46	
Cadmium	"	0.100	---	0.00100	"	"	0.000230	"	99.8%	"	3.67%	"	"	
Chromium	"	0.0957	---	0.00100	"	"	0.00111	"	94.6%	"	0.524%	"	10/17/06 20:30	
Copper	"	0.0948	---	0.00200	"	"	0.00169	"	93.1%	"	1.81%	"	"	
Lead	"	0.0926	---	0.00100	"	"	0.00104	"	91.6%	"	1.74%	"	10/16/06 23:46	
Selenium	"	0.0458	---	0.00200	"	"	ND	0.0500	91.6%	"	3.33%	"	"	
Silver	"	0.0479	---	0.00100	"	"	ND	"	95.8%	"	2.75%	"	"	
Zinc	"	0.0949	---	0.00500	"	"	0.00856	0.100	86.3%	"	1.81%	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007416

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Total Metals per EPA 6000/7000 Series Methods - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6101060 **Water Preparation Method: EPA 200/3005**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6101060-BLK1)								Extracted: 10/20/06 11:16						
Zinc	EPA 6020	ND	--	0.00500	mg/l	1x	--	--	--	--	--	--	10/25/06 22:50	
LCS (6101060-BS1)								Extracted: 10/20/06 11:16						
Zinc	EPA 6020	0.0909	--	0.00500	mg/l	1x	--	0.100	90.9%	(80-120)	--	--	10/25/06 22:57	
Duplicate (6101060-DUP1)					QC Source: PPI1295-06RE1			Extracted: 10/20/06 11:16						
Zinc	EPA 6020	0.00745	--	0.00500	mg/l	1x	0.00856	--	--	--	13.9%	(20)	10/25/06 23:31	
Matrix Spike (6101060-MS1)					QC Source: PPI1295-06RE1			Extracted: 10/20/06 11:16						
Zinc	EPA 6020	0.0951	--	0.00500	mg/l	1x	0.00856	0.100	86.5%	(75-125)	--	--	10/25/06 23:38	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Dissolved Metals per EPA 6000/7000 Series Methods - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100382 **Water Preparation Method: EPA 200/3005 Diss**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100382-BLK1)								Extracted: 10/08/06 17:04						
Arsenic	EPA 6020	ND	—	0.00100	mg/l	1x	--	--	--	--	--	--	10/26/06 05:50	
Barium	"	ND	—	0.00100	"	"	--	--	--	--	--	--	"	
Cadmium	"	ND	—	0.00100	"	"	--	--	--	--	--	--	"	
Copper	"	ND	—	0.00200	"	"	--	--	--	--	--	--	10/23/06 02:11	
Lead	"	ND	—	0.00100	"	"	--	--	--	--	--	--	10/26/06 05:50	
Selenium	"	ND	—	0.00200	"	"	--	--	--	--	--	--	"	
Silver	"	ND	—	0.00100	"	"	--	--	--	--	--	--	"	
Zinc	"	ND	—	0.00500	"	"	--	--	--	--	--	--	10/23/06 02:11	
Blank (6100382-BLK2)								Extracted: 10/08/06 17:04						
Chromium	EPA 6020	ND	—	0.00100	mg/l	1x	--	--	--	--	--	--	10/26/06 14:28	
LCS (6100382-BS1)								Extracted: 10/08/06 17:04						
Arsenic	EPA 6020	0.105	—	0.00100	mg/l	1x	--	0.100	105%	(80-120)	--	--	10/26/06 05:58	
Barium	"	0.112	—	0.00100	"	"	--	"	112%	"	--	--	"	
Cadmium	"	0.0972	—	0.00100	"	"	--	"	97.2%	"	--	--	10/23/06 02:20	
Chromium	"	0.112	—	0.00100	"	"	--	"	112%	"	--	--	10/26/06 05:58	
Copper	"	0.107	—	0.00200	"	"	--	"	107%	"	--	--	10/23/06 02:20	
Lead	"	0.110	—	0.00100	"	"	--	"	110%	"	--	--	"	
Selenium	"	0.0476	—	0.00200	"	"	--	0.0500	95.2%	"	--	--	10/26/06 05:58	
Silver	"	0.0532	—	0.00100	"	"	--	"	106%	"	--	--	10/23/06 02:20	
Zinc	"	0.0922	—	0.00500	"	"	--	0.100	92.2%	"	--	--	"	
LCS Dup (6100382-BSD1)								Extracted: 10/08/06 17:04						
Arsenic	EPA 6020	0.107	—	0.00100	mg/l	1x	--	0.100	107%	(80-120)	1.89%	(20)	10/26/06 06:06	
Barium	"	0.110	—	0.00100	"	"	--	"	110%	"	1.80%	"	"	
Cadmium	"	0.0953	—	0.00100	"	"	--	"	95.3%	"	1.97%	"	10/23/06 02:26	
Chromium	"	0.112	—	0.00100	"	"	--	"	112%	"	0.00%	"	10/26/06 06:06	
Copper	"	0.104	—	0.00200	"	"	--	"	104%	"	2.84%	"	10/23/06 02:26	
Lead	"	0.109	—	0.00100	"	"	--	"	109%	"	0.913%	"	"	
Selenium	"	0.0474	—	0.00200	"	"	--	0.0500	94.8%	"	0.421%	"	10/26/06 06:06	
Silver	"	0.0466	—	0.00100	"	"	--	"	93.2%	"	13.2%	"	10/23/06 02:26	
Zinc	"	0.0914	—	0.00500	"	"	--	0.100	91.4%	"	0.871%	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007418

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Dissolved Metals per EPA 6000/7000 Series Methods - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100382 **Water Preparation Method: EPA 200/3005 Diss**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Duplicate (6100382-DUP1)				QC Source: PPI0658-01				Extracted: 10/08/06 17:04						
Arsenic	EPA 6020	0.00161	--	0.00100	mg/l	1x	0.00156	--	--	--	3.15%	(20)	10/26/06 06:22	
Barium	"	0.0373	--	0.00100	"	"	0.0366	--	--	--	1.89%	"	"	
Cadmium	"	ND	--	0.00100	"	"	ND	--	--	--	NR	"	"	
Chromium	"	0.00499	--	0.00100	"	"	0.00285	--	--	--	54.6%	"	10/27/06 16:11	Q-06
Copper	"	0.00300	--	0.00200	"	"	0.00295	--	--	--	1.68%	"	10/26/06 06:22	
Lead	"	ND	--	0.00100	"	"	ND	--	--	--	NR	"	"	
Selenium	"	ND	--	0.00200	"	"	ND	--	--	--	NR	"	"	
Silver	"	ND	--	0.00100	"	"	ND	--	--	--	NR	"	"	
Zinc	"	ND	--	0.00500	"	"	0.00765	--	--	--	57.8%	"	"	Q-06
Matrix Spike (6100382-MS1)				QC Source: PPI1295-06				Extracted: 10/08/06 17:04						
Arsenic	EPA 6020	0.119	--	0.00100	mg/l	1x	0.00440	0.100	115%	(75-125)	--	--	10/26/06 10:21	
Barium	"	0.205	--	0.00100	"	"	0.0843	"	121%	"	--	--	"	
Cadmium	"	0.115	--	0.00100	"	"	0.0000755	"	115%	"	--	--	"	
Chromium	"	0.118	--	0.00100	"	"	0.000405	"	118%	"	--	--	"	
Copper	"	0.110	--	0.00200	"	"	0.00106	"	109%	"	--	--	"	
Lead	"	0.112	--	0.00100	"	"	ND	"	112%	"	--	--	"	
Selenium	"	0.0511	--	0.00200	"	"	ND	0.0500	102%	"	--	--	"	
Silver	"	0.0558	--	0.00100	"	"	ND	"	112%	"	--	--	"	
Zinc	"	0.108	--	0.00500	"	"	0.00686	0.100	101%	"	--	--	"	
Matrix Spike Dup (6100382-MSD1)				QC Source: PPI1295-06				Extracted: 10/08/06 17:04						
Arsenic	EPA 6020	0.121	--	0.00100	mg/l	1x	0.00440	0.100	117%	(75-125)	1.67%	(20)	10/26/06 11:08	
Barium	"	0.198	--	0.00100	"	"	0.0843	"	114%	"	3.47%	"	"	
Cadmium	"	0.115	--	0.00100	"	"	0.0000755	"	115%	"	0.00%	"	"	
Chromium	"	0.119	--	0.00100	"	"	0.000405	"	119%	"	0.844%	"	"	
Copper	"	0.108	--	0.00200	"	"	0.00106	"	107%	"	1.83%	"	"	
Lead	"	0.112	--	0.00100	"	"	ND	"	112%	"	0.00%	"	"	
Selenium	"	0.0513	--	0.00200	"	"	ND	0.0500	103%	"	0.391%	"	"	
Silver	"	0.0542	--	0.00100	"	"	ND	"	108%	"	2.91%	"	"	
Zinc	"	0.108	--	0.00500	"	"	0.00686	0.100	101%	"	0.00%	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Dissolved Mercury per EPA Method 7470A - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100198 **Water Preparation Method: EPA 7470A**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100198-BLK1)								Extracted: 10/04/06 15:09						
Mercury	EPA 7470A	ND	--	0.000200	mg/l	1x	--	--	--	--	--	--	10/05/06 10:22	
LCS (6100198-BS1)								Extracted: 10/04/06 15:09						
Mercury	EPA 7470A	0.00522	--	0.000200	mg/l	1x	--	0.00500	104%	(85-115)	--	--	10/05/06 10:24	
LCS Dup (6100198-BSD1)								Extracted: 10/04/06 15:09						
Mercury	EPA 7470A	0.00489	--	0.000200	mg/l	1x	--	0.00500	97.8%	(85-115)	6.53%	(20)	10/05/06 10:27	
Duplicate (6100198-DUP1)				QC Source: PPI1165-02				Extracted: 10/04/06 15:09						
Mercury	EPA 7470A	ND	--	0.000200	mg/l	1x	ND	--	--	--		(20)	10/05/06 10:29	
Matrix Spike (6100198-MS1)				QC Source: PPI1165-02				Extracted: 10/04/06 15:09						
Mercury	EPA 7470A	0.00501	--	0.000200	mg/l	1x	ND	0.00500	100%	(75-125)	--	--	10/05/06 10:32	
Matrix Spike (6100198-MS2)				QC Source: PPI1295-06				Extracted: 10/04/06 15:09						
Mercury	EPA 7470A	0.00566	--	0.000200	mg/l	1x	ND	0.00500	113%	(75-125)	--	--	10/05/06 10:37	
Matrix Spike Dup (6100198-MSD1)				QC Source: PPI1165-02				Extracted: 10/04/06 15:09						
Mercury	EPA 7470A	0.00494	--	0.000200	mg/l	1x	ND	0.00500	98.8%	(75-125)	1.41%	(20)	10/05/06 10:34	
Matrix Spike Dup (6100198-MSD2)				QC Source: PPI1295-06				Extracted: 10/04/06 15:09						
Mercury	EPA 7470A	0.00470	--	0.000200	mg/l	1x	ND	0.00500	94.0%	(75-125)	18.5%	(20)	10/05/06 10:39	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Total Mercury per EPA Method 7470A - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100227 **Water Preparation Method: EPA 7470A**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100227-BLK1)								Extracted: 10/05/06 09:30						
Mercury	EPA 7470A	ND	---	0.000200	mg/l	1x	--	--	--	--	--	--	10/05/06 13:07	
LCS (6100227-BS1)								Extracted: 10/05/06 09:30						
Mercury	EPA 7470A	0.00510	---	0.000200	mg/l	1x	--	0.00500	102%	(85-115)	--	--	10/05/06 13:09	
LCS Dup (6100227-BSD1)								Extracted: 10/05/06 09:30						
Mercury	EPA 7470A	0.00499	---	0.000200	mg/l	1x	--	0.00500	99.8%	(85-115)	2.18%	(20)	10/05/06 13:11	
Duplicate (6100227-DUP1)				QC Source: PPI1295-06				Extracted: 10/05/06 09:30						
Mercury	EPA 7470A	ND	---	0.000200	mg/l	1x	ND	--	--	--	NR	(20)	10/05/06 13:14	
Matrix Spike (6100227-MS1)				QC Source: PPI1295-06				Extracted: 10/05/06 09:30						
Mercury	EPA 7470A	0.00515	---	0.000200	mg/l	1x	ND	0.00500	103%	(75-125)	--	--	10/05/06 13:16	
Matrix Spike Dup (6100227-MSD1)				QC Source: PPI1295-06				Extracted: 10/05/06 09:30						
Mercury	EPA 7470A	0.00497	---	0.000200	mg/l	1x	ND	0.00500	99.4%	(75-125)	3.56%	(20)	10/05/06 13:19	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	CVX Willbridge / Chevron #100-1868	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Volatile Organic Compounds per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100212 Water Preparation Method: EPA 5030B

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100212-BLK1)								Extracted: 10/05/06 07:39						
Acetone	EPA 8260B	ND	---	25.0	ug/l	1x	--	--	--	--	--	--	10/05/06 10:23	
Benzene	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
Bromobenzene	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
Bromochloromethane	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
Bromodichloromethane	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
Bromoform	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
Bromomethane	"	ND	--	5.00	"	"	--	--	--	--	--	--	"	
2-Butanone (MEK)	"	ND	--	10.0	"	"	--	--	--	--	--	--	"	
n-Butylbenzene	"	ND	--	5.00	"	"	--	--	--	--	--	--	"	
sec-Butylbenzene	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
tert-Butylbenzene	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
Carbon disulfide	"	ND	--	10.0	"	"	--	--	--	--	--	--	"	
Carbon tetrachloride	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
Chlorobenzene	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
Chloroethane	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
Chloroform	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
Chloromethane	"	ND	--	5.00	"	"	--	--	--	--	--	--	"	
2-Chlorotoluene	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
4-Chlorotoluene	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dibromo-3-chloropropane	"	ND	--	5.00	"	"	--	--	--	--	--	--	"	
Dibromochloromethane	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dibromoethane	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
Dibromomethane	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dichlorobenzene	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
1,3-Dichlorobenzene	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
1,4-Dichlorobenzene	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
Dichlorodifluoromethane	"	ND	--	5.00	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethane	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dichloroethane	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
1,1-Dichloroethene	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
cis-1,2-Dichloroethene	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
trans-1,2-Dichloroethene	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
1,2-Dichloropropane	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
1,3-Dichloropropane	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
2,2-Dichloropropane	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
1,1-Dichloropropene	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
cis-1,3-Dichloropropene	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
trans-1,3-Dichloropropene	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	
Ethylbenzene	"	ND	--	1.00	"	"	--	--	--	--	--	--	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007422

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Volatile Organic Compounds per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100212 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100212-BLK1)								**Extracted: 10/05/06 07:39**						
Hexachlorobutadiene	EPA 8260B	ND	---	4.00	ug/l	1x	--	--	--	--	--	--	10/05/06 10:23	
2-Hexanone	"	ND	---	10.0	"	"	--	--	--	--	--	--	"	
Isopropylbenzene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
p-Isopropyltoluene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
4-Methyl-2-pentanone	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Methyl tert-butyl ether	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Methylene chloride	"	ND	---	5.00	"	"	--	--	--	--	--	--	"	
Naphthalene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
n-Propylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Styrene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,1,2-Tetrachloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,2,2-Tetrachloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Tetrachloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Toluene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trichlorobenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,1-Trichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,1,2-Trichloroethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Trichloroethene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Trichlorofluoromethane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,3-Trichloropropane	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trimethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3,5-Trimethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Vinyl chloride	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
o-Xylene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
m,p-Xylene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
Surrogate(s): 4-BFB		*Recovery: 94.5%*			*Limits: 80-120%*	"							*10/05/06 10:23*	
1,2-DCA-d4		*100%*			*80-120%*	"							"	
Dibromofluoromethane		*99.5%*			*80-120%*	"							"	
Toluene-d8		*96.5%*			*80-120%*	"							"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML
Portland, OR 97201	Project Manager:	Grant V. Sprick

Report Created: 10/30/06 14:56

Volatile Organic Compounds per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100212 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
LCS (6100212-BS1)								Extracted: 10/05/06 07:39						
Benzene	EPA 8260B	21.3	---	1.00	ug/l	1x	--	20.0	106%	(80-120)	--	--	10/05/06 08:36	
Chlorobenzene	"	20.5	---	1.00	"	"	--	"	102%	(80-124)	--	--	"	
1,1-Dichloroethene	"	20.4	---	1.00	"	"	--	"	102%	(78-120)	--	--	"	
Toluene	"	21.2	---	1.00	"	"	--	"	106%	(80-124)	--	--	"	
Trichloroethene	"	21.1	---	1.00	"	"	--	"	106%	(80-132)	--	--	"	
Surrogate(s):	*4-BFB*	*Recovery:*	*103%*		*Limits: 80-120%*	"							*10/05/06 08:36*	
	1,2-DCA-d4		*107%*		*80-120%*	"							"	
	Dibromofluoromethane		*106%*		*80-120%*	"							"	
	Toluene-d8		*104%*		*80-120%*	"							"	
Matrix Spike (6100212-MS1)						QC Source: PPI1295-06		Extracted: 10/05/06 07:39						
Benzene	EPA 8260B	21.7	---	1.00	ug/l	1x	0.150	20.0	108%	(80-124)	--	--	10/05/06 09:02	
Chlorobenzene	"	21.0	---	1.00	"	"	ND	"	105%	(72.9-134)	--	--	"	
1,1-Dichloroethene	"	21.5	---	1.00	"	"	ND	"	108%	(79.3-127)	--	--	"	
Toluene	"	21.9	---	1.00	"	"	0.300	"	108%	(79.7-131)	--	--	"	
Trichloroethene	"	21.6	---	1.00	"	"	ND	"	108%	(68.4-130)	--	--	"	
Surrogate(s):	*4-BFB*	*Recovery:*	*102%*		*Limits: 80-120%*	"							*10/05/06 09:02*	
	1,2-DCA-d4		*106%*		*80-120%*	"							"	
	Dibromofluoromethane		*103%*		*80-120%*	"							"	
	Toluene-d8		*102%*		*80-120%*	"							"	
Matrix Spike Dup (6100212-MSD1)						QC Source: PPI1295-06		Extracted: 10/05/06 07:39						
Benzene	EPA 8260B	20.1	---	1.00	ug/l	1x	0.150	20.0	99.8%	(80-124)	7.66%	(25)	10/05/06 09:29	
Chlorobenzene	"	19.9	---	1.00	"	"	ND	"	99.5%	(72.9-134)	5.38%	"	"	
1,1-Dichloroethene	"	20.0	---	1.00	"	"	ND	"	100%	(79.3-127)	7.23%	"	"	
Toluene	"	20.6	---	1.00	"	"	0.300	"	102%	(79.7-131)	6.12%	"	"	
Trichloroethene	"	19.9	---	1.00	"	"	ND	"	99.5%	(68.4-130)	8.19%	"	"	
Surrogate(s):	*4-BFB*	*Recovery:*	*103%*		*Limits: 80-120%*	"							*10/05/06 09:29*	
	1,2-DCA-d4		*104%*		*80-120%*	"							"	
	Dibromofluoromethane		*104%*		*80-120%*	"							"	
	Toluene-d8		*104%*		*80-120%*	"							"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Volatile Organic Compounds per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100372 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100372-BLK1)									Extracted: 10/08/06 09:11					
Acetone	EPA 8260B	ND		25.0	ug/l	1x							10/08/06 11:49	
Benzene	"	ND		1.00	"	"							"	
Bromobenzene	"	ND		1.00	"	"							"	
Bromochloromethane	"	ND		1.00	"	"							"	
Bromodichloromethane	"	ND		1.00	"	"							"	
Bromoform	"	ND		1.00	"	"							"	
Bromomethane	"	ND		5.00	"	"							"	
2-Butanone (MEK)	"	ND		10.0	"	"							"	
n-Butylbenzene	"	ND		5.00	"	"							"	
sec-Butylbenzene	"	ND		1.00	"	"							"	
tert-Butylbenzene	"	ND		1.00	"	"							"	
Carbon disulfide	"	ND		10.0	"	"							"	
Carbon tetrachloride	"	ND		1.00	"	"							"	
Chlorobenzene	"	ND		1.00	"	"							"	
Chloroethane	"	ND		1.00	"	"							"	
Chloroform	"	ND		1.00	"	"							"	
Chloromethane	"	ND		5.00	"	"							"	
2-Chlorotoluene	"	ND		1.00	"	"							"	
4-Chlorotoluene	"	ND		1.00	"	"							"	
1,2-Dibromo-3-chloropropane	"	ND		5.00	"	"							"	
Dibromochloromethane	"	ND		1.00	"	"							"	
1,2-Dibromoethane	"	ND		1.00	"	"							"	
Dibromomethane	"	ND		1.00	"	"							"	
1,2-Dichlorobenzene	"	ND		1.00	"	"							"	
1,3-Dichlorobenzene	"	ND		1.00	"	"							"	
1,4-Dichlorobenzene	"	ND		1.00	"	"							"	
Dichlorodifluoromethane	"	ND		5.00	"	"							"	
1,1-Dichloroethane	"	ND		1.00	"	"							"	
1,2-Dichloroethane	"	ND		1.00	"	"							"	
1,1-Dichloroethene	"	ND		1.00	"	"							"	
cis-1,2-Dichloroethene	"	ND		1.00	"	"							"	
trans-1,2-Dichloroethene	"	ND		1.00	"	"							"	
1,2-Dichloropropane	"	ND		1.00	"	"							"	
1,3-Dichloropropane	"	ND		1.00	"	"							"	
2,2-Dichloropropane	"	ND		1.00	"	"							"	
1,1-Dichloropropene	"	ND		1.00	"	"							"	
cis-1,3-Dichloropropene	"	ND		1.00	"	"							"	
trans-1,3-Dichloropropene	"	ND		1.00	"	"							"	
Ethylbenzene	"	ND		1.00	"	"							"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007425

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Volatile Organic Compounds per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100372 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100372-BLK1)								Extracted: 10/08/06 09:11						
Hexachlorobutadiene	EPA 8260B	ND	—	4.00	ug/l	1x	—	—	—	—	—	—	10/08/06 11:49	
2-Hexanone	"	ND	—	10.0	"	"	—	—	—	—	—	—	"	
Isopropylbenzene	"	ND	—	2.00	"	"	—	—	—	—	—	—	"	
p-Isopropyltoluene	"	ND	—	2.00	"	"	—	—	—	—	—	—	"	
4-Methyl-2-pentanone	"	ND	—	5.00	"	"	—	—	—	—	—	—	"	
Methyl tert-butyl ether	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
Methylene chloride	"	ND	—	5.00	"	"	—	—	—	—	—	—	"	
Naphthalene	"	ND	—	2.00	"	"	—	—	—	—	—	—	"	
n-Propylbenzene	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
Styrene	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
1,1,1,2-Tetrachloroethane	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
1,1,2,2-Tetrachloroethane	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
Tetrachloroethene	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
Toluene	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
1,2,3-Trichlorobenzene	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
1,2,4-Trichlorobenzene	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
1,1,1-Trichloroethane	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
1,1,2-Trichloroethane	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
Trichloroethene	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
Trichlorofluoromethane	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
1,2,3-Trichloropropane	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
1,2,4-Trimethylbenzene	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
1,3,5-Trimethylbenzene	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
Vinyl chloride	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
o-Xylene	"	ND	—	1.00	"	"	—	—	—	—	—	—	"	
m,p-Xylene	"	ND	—	2.00	"	"	—	—	—	—	—	—	"	
Surrogate(s):	*4-BFB*	*Recovery:*	*97.5%*		*Limits: 80-120%*	"							*10/08/06 11:49*	
	1,2-DCA-d4		*94.5%*		*80-120%*	"							"	
	Dibromofluoromethane		*98.0%*		*80-120%*	"							"	
	Toluene-d8		*94.5%*		*80-120%*	"							"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML
Portland, OR 97201	Project Manager:	Grant V. Sprick

Report Created: 10/30/06 14:56

Volatile Organic Compounds per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100372 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
LCS (6100372-BS1)								Extracted: 10/08/06 09:11						
Benzene	EPA 8260B	20.6	---	1.00	ug/l	1x	---	20.0	103%	(80-120)	---	---	10/08/06 10:02	
Chlorobenzene	"	20.2	---	1.00	"	"	---	"	101%	(80-124)	---	---	"	
1,1-Dichloroethene	"	20.4	---	1.00	"	"	---	"	102%	(78-120)	---	---	"	
Toluene	"	20.9	---	1.00	"	"	---	"	104%	(80-124)	---	---	"	
Trichloroethene	"	20.6	---	1.00	"	"	---	"	103%	(80-132)	---	---	"	
Surrogate(s):	*4-BFB*	*Recovery:*	*106%*		*Limits:*	*80-120%*	"						*10/08/06 10:02*	
	1,2-DCA-d4		*98.0%*			*80-120%*	"						"	
	Dibromofluoromethane		*100%*			*80-120%*	"						"	
	Toluene-d8		*99.0%*			*80-120%*	"						"	
Matrix Spike (6100372-MS1)							QC Source: PPJ0032-01	Extracted: 10/08/06 09:11						
Benzene	EPA 8260B	19.1	---	1.00	ug/l	1x	0.150	20.0	94.8%	(80-124)	---	---	10/08/06 10:29	
Chlorobenzene	"	18.9	---	1.00	"	"	ND	"	94.5%	(72.9-134)	---	---	"	
1,1-Dichloroethene	"	18.6	---	1.00	"	"	ND	"	93.0%	(79.3-127)	---	---	"	
Toluene	"	19.8	---	1.00	"	"	0.910	"	94.4%	(79.7-131)	---	---	"	
Trichloroethene	"	18.8	---	1.00	"	"	ND	"	94.0%	(68.4-130)	---	---	"	
Surrogate(s):	*4-BFB*	*Recovery:*	*98.5%*		*Limits:*	*80-120%*	"						*10/08/06 10:29*	
	1,2-DCA-d4		*93.0%*			*80-120%*	"						"	
	Dibromofluoromethane		*95.5%*			*80-120%*	"						"	
	Toluene-d8		*94.0%*			*80-120%*	"						"	
Matrix Spike Dup (6100372-MSD1)							QC Source: PPJ0032-01	Extracted: 10/08/06 09:11						
Benzene	EPA 8260B	20.1	---	1.00	ug/l	1x	0.150	20.0	99.8%	(80-124)	5.10%	(25)	10/08/06 10:56	
Chlorobenzene	"	19.6	---	1.00	"	"	ND	"	98.0%	(72.9-134)	3.64%	"	"	
1,1-Dichloroethene	"	20.1	---	1.00	"	"	ND	"	100%	(79.3-127)	7.75%	"	"	
Toluene	"	20.8	---	1.00	"	"	0.910	"	99.4%	(79.7-131)	4.93%	"	"	
Trichloroethene	"	19.8	---	1.00	"	"	ND	"	99.0%	(68.4-130)	5.18%	"	"	
Surrogate(s):	*4-BFB*	*Recovery:*	*105%*		*Limits:*	*80-120%*	"						*10/08/06 10:56*	
	1,2-DCA-d4		*95.0%*			*80-120%*	"						"	
	Dibromofluoromethane		*98.5%*			*80-120%*	"						"	
	Toluene-d8		*96.0%*			*80-120%*	"						"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Selected Volatile Organic Compounds (Including BTEX) per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100212 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL^	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100212-BLK1)								Extracted: 10/05/06 07:39						
1,2-Dibromoethane	EPA 8260B	ND	---	0.500	ug/l	1x	--	--	--	--	--	--	10/05/06 10:23	
1,2-Dichloroethane	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Benzene	"	ND	---	0.200	"	"	--	--	--	--	--	--	"	
Toluene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Ethylbenzene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Xylenes (total)	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
Methyl tert-butyl ether	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
Naphthalene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
1,2,4-Trimethylbenzene	"	ND	---	1.00	"	"	--	--	--	--	--	--	"	
1,3,5-Trimethylbenzene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Isopropylbenzene	"	ND	---	2.00	"	"	--	--	--	--	--	--	"	
n-Propylbenzene	"	ND	---	0.500	"	"	--	--	--	--	--	--	"	
Surrogate(s): *4-BFB*		*Recovery:* *94.5%*			*Limits:* *80-120%*	"							*10/05/06 10:23*	
1,2-DCA-d4		*100%*			*80-120%*	"							"	
Dibromofluoromethane		*99.5%*			*80-120%*	"							"	
Toluene-d8		*96.5%*			*80-120%*	"							"	
LCS (6100212-BS1)								Extracted: 10/05/06 07:39						
Benzene	EPA 8260B	21.3	---	0.200	ug/l	1x	--	20.0	106%	(80-120)	--	--	10/05/06 08:36	
Toluene	"	21.2	---	0.500	"	"	--	"	106%	(80-124)	--	--	"	
Ethylbenzene	"	20.6	---	0.500	"	"	--	"	103%	(80-120)	--	--	"	
Xylenes (total)	"	61.9	---	1.00	"	"	--	60.0	103%	(73-124)	--	--	"	
Methyl tert-butyl ether	"	23.2	---	2.00	"	"	--	20.0	116%	(80-129)	--	--	"	
Naphthalene	"	23.0	---	2.00	"	"	--	"	115%	(72-149)	--	--	"	
Surrogate(s): *4-BFB*		*Recovery:* *106%*			*Limits:* *80-120%*	"							*10/05/06 08:36*	
1,2-DCA-d4		*107%*			*80-120%*	"							"	
Dibromofluoromethane		*106%*			*80-120%*	"							"	
Toluene-d8		*104%*			*80-120%*	"							"	
Matrix Spike (6100212-MS1)					QC Source: FPI1295-06			Extracted: 10/05/06 07:39						
Benzene	EPA 8260B	21.7	---	0.200	ug/l	1x	0.150	20.0	108%	(80-124)	--	--	10/05/06 09:02	
Toluene	"	21.9	---	0.500	"	"	0.300	"	108%	(79.7-131)	--	--	"	
Ethylbenzene	"	20.8	---	0.500	"	"	ND	"	104%	(80-124)	--	--	"	
Xylenes (total)	"	61.0	---	1.00	"	"	ND	60.0	102%	(44.6-154)	--	--	"	
Methyl tert-butyl ether	"	22.8	---	2.00	"	"	ND	20.0	114%	(80-130)	--	--	"	
Naphthalene	"	23.5	---	2.00	"	"	ND	"	118%	(69-163)	--	--	"	
Surrogate(s): *4-BFB*		*Recovery:* *102%*			*Limits:* *80-120%*	"							*10/05/06 09:02*	
1,2-DCA-d4		*106%*			*80-120%*	"							"	
Dibromofluoromethane		*105%*			*80-120%*	"							"	
Toluene-d8		*102%*			*80-120%*	"							"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007428

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 Fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Selected Volatile Organic Compounds (Including BTEX) per EPA Method 8260B - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100212 **Water Preparation Method: EPA 5030B**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Matrix Spike Dup (6100212-MSD1)					QC Source: PPH1295-06				Extracted: 10/05/06 07:39					
Benzene	EPA 8260B	20.1	---	0.200	ug/l	1x	0.150	20.0	99.8%	(80-124)	7.66%	(25)	10/05/06 09:29	
Toluene	"	20.6	---	0.500	"	"	0.300	"	102%	(79.7-131)	6.12%	"	"	
Ethylbenzene	"	19.7	---	0.500	"	"	ND	"	98.5%	(80-124)	5.43%	"	"	
Xylenes (total)	"	59.0	---	1.00	"	"	ND	60.0	98.3%	(44.6-154)	3.33%	"	"	
Methyl tert-butyl ether	"	21.6	---	2.00	"	"	ND	20.0	108%	(80-130)	5.41%	"	"	
Naphthalene	"	22.0	---	2.00	"	"	ND	"	110%	(69-163)	6.59%	"	"	
Surrogate(s):	*4-BFB*	*Recovery:*	*105%*		*Limits:*	*80-120%*	"						*10/05/06 09:29*	
	1,2-DCA-d4		*104%*			*80-120%*	"						"	
	Dibromofluoromethane		*104%*			*80-120%*	"						"	
	Toluene-d8		*104%*			*80-120%*	"						"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Polynuclear Aromatic Compounds per EPA 8270M-SIM - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100114 **Water Preparation Method: 3520B Liq-Liq**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Blank (6100114-BLK1)							Extracted: 10/03/06 17:30							
Acenaphthene	EPA 8270m	ND	--	0.0200	ug/l	1x	--	--	--	--	--	--	10/11/06 20:35	
Acenaphthylene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Anthracene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Benzo (a) anthracene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Benzo (a) pyrene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Benzo (b) fluoranthene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Benzo (ghi) perylene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Benzo (k) fluoranthene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Chrysene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Dibenzo (a,h) anthracene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Fluoranthene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Fluorene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Indeno (1,2,3-cd) pyrene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Naphthalene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Phenanthrene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Pyrene	"	ND	--	0.0200	"	"	--	--	--	--	--	--	"	
Surrogate(s):	*Fluorene-d10*	*Recovery:*	*81.2%*		*Limits:*	*25-125%*	"						*10/11/06 20:35*	
	Pyrene-d10		*84.0%*			*23-150%*	"						"	
	Benzo (a) pyrene-d12		*65.6%*			*10-125%*	"						"	
LCS (6100114-BS1)							Extracted: 10/03/06 17:30							
Acenaphthene	EPA 8270m	2.20	--	0.0200	ug/l	1x	--	2.50	88.0%	(35-120)	--	--	10/11/06 21:03	
Acenaphthylene	"	2.13	--	0.0200	"	"	--	"	85.2%	(34-116)	--	--	"	
Anthracene	"	1.83	--	0.0200	"	"	--	"	73.2%	(24-119)	--	--	"	
Benzo (a) anthracene	"	2.07	--	0.0200	"	"	--	"	82.8%	(36-128)	--	--	"	
Benzo (a) pyrene	"	1.92	--	0.0200	"	"	--	"	76.8%	(17-128)	--	--	"	
Benzo (b) fluoranthene	"	2.02	--	0.0200	"	"	--	"	80.8%	(37-131)	--	--	"	
Benzo (ghi) perylene	"	1.98	--	0.0200	"	"	--	"	79.2%	(26-126)	--	--	"	
Benzo (k) fluoranthene	"	2.16	--	0.0200	"	"	--	"	86.4%	(18-145)	--	--	"	
Chrysene	"	2.07	--	0.0200	"	"	--	"	82.8%	(16-137)	--	--	"	
Dibenzo (a,h) anthracene	"	1.94	--	0.0200	"	"	--	"	77.6%	(20-141)	--	--	"	
Fluoranthene	"	2.13	--	0.0200	"	"	--	"	85.2%	(31-125)	--	--	"	
Fluorene	"	2.16	--	0.0200	"	"	--	"	86.4%	(27-124)	--	--	"	
Indeno (1,2,3-cd) pyrene	"	2.13	--	0.0200	"	"	--	"	85.2%	(30-135)	--	--	"	
Naphthalene	"	1.91	--	0.0200	"	"	--	"	76.4%	(30-115)	--	--	"	
Phenanthrene	"	2.06	--	0.0200	"	"	--	"	82.4%	(34-126)	--	--	"	
Pyrene	"	2.03	--	0.0200	"	"	--	"	81.2%	(21-141)	--	--	"	
Surrogate(s):	*Fluorene-d10*	*Recovery:*	*73.2%*		*Limits:*	*25-125%*	"						*10/11/06 21:03*	
	Pyrene-d10		*70.0%*			*23-150%*	"						"	

TestAmerica - Portland, OR

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell

Sarah Rockwell, Project Manager

COPPOR00007430

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Polynuclear Aromatic Compounds per EPA 8270M-SIM - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100114 **Water Preparation Method: 3520B Liq-Liq**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
LCS (6100114-BS1)													Extracted: 10/03/06 17:30	
Surrogate(s): Benzo (a) pyrene-d12		*Recovery: 68.5%*			*Limits: 10-125%*	*1x*							*10/11/06 21:03*	
Matrix Spike (6100114-MS1)					QC Source: PPI1295-06								Extracted: 10/03/06 17:30	
Acenaphthene	EPA 8270m	1.46	—	0.0388	ug/l	2x	ND	2.43	60.1%	(35-120)	—	—	10/12/06 06:20	
Acenaphthylene	"	1.54	—	0.0388	"	"	ND	"	63.4%	(34-116)	—	—	"	
Anthracene	"	1.61	—	0.0388	"	"	ND	"	66.3%	(24-119)	—	—	"	
Benzo (a) anthracene	"	1.51	—	0.0388	"	"	ND	"	62.1%	(22-129)	—	—	"	
Benzo (a) pyrene	"	1.27	—	0.0388	"	"	ND	"	52.3%	(4-112)	—	—	"	
Benzo (b) fluoranthene	"	1.29	—	0.0388	"	"	ND	"	53.1%	(0-136)	—	—	"	
Benzo (ghi) perylene	"	1.04	—	0.0388	"	"	ND	"	42.8%	(0-126)	—	—	"	
Benzo (k) fluoranthene	"	1.23	—	0.0388	"	"	ND	"	50.6%	(0-145)	—	—	"	
Chrysene	"	1.49	—	0.0388	"	"	ND	"	61.3%	(7-137)	—	—	"	
Dibenzo (a,h) anthracene	"	0.798	—	0.0388	"	"	ND	"	32.8%	(0-141)	—	—	"	
Fluoranthene	"	1.56	—	0.0388	"	"	ND	"	64.2%	(30-125)	—	—	"	
Fluorene	"	1.53	—	0.0388	"	"	ND	"	63.0%	(27-124)	—	—	"	
Indeno (1,2,3-cd) pyrene	"	0.994	—	0.0388	"	"	ND	"	40.9%	(0-135)	—	—	"	
Naphthalene	"	1.55	—	0.0388	"	"	0.0557	"	61.5%	(30-126)	—	—	"	
Phenanthrene	"	1.71	—	0.0388	"	"	ND	"	70.4%	(34-126)	—	—	"	
Pyrene	"	1.85	—	0.0388	"	"	ND	"	76.1%	(14-168)	—	—	"	
Surrogate(s): Fluorene-d10		*Recovery: 53.5%*			*Limits: 25-125%*	"							*10/12/06 06:20*	
Pyrene-d10		*69.5%*			*23-150%*	"							"	
Benzo (a) pyrene-d12		*54.7%*			*10-125%*	"							"	
Matrix Spike Dup (6100114-MSD1)					QC Source: PPI1295-06								Extracted: 10/03/06 17:30	
Acenaphthene	EPA 8270m	1.61	—	0.0388	ug/l	2x	ND	2.43	66.3%	(35-120)	9.81%	(50)	10/12/06 06:48	
Acenaphthylene	"	1.70	—	0.0388	"	"	ND	"	70.0%	(34-116)	9.90%	"	"	
Anthracene	"	1.68	—	0.0388	"	"	ND	"	69.1%	(24-119)	4.14%	"	"	
Benzo (a) anthracene	"	1.56	—	0.0388	"	"	ND	"	64.2%	(22-129)	3.33%	"	"	
Benzo (a) pyrene	"	1.27	—	0.0388	"	"	ND	"	52.3%	(4-112)	0.00%	"	"	
Benzo (b) fluoranthene	"	1.27	—	0.0388	"	"	ND	"	52.3%	(0-136)	1.52%	"	"	
Benzo (ghi) perylene	"	1.05	—	0.0388	"	"	ND	"	43.2%	(0-126)	0.930%	"	"	
Benzo (k) fluoranthene	"	1.26	—	0.0388	"	"	ND	"	51.9%	(0-145)	2.54%	"	"	
Chrysene	"	1.55	—	0.0388	"	"	ND	"	63.8%	(7-137)	4.00%	"	"	
Dibenzo (a,h) anthracene	"	0.813	—	0.0388	"	"	ND	"	33.5%	(0-141)	2.11%	"	"	
Fluoranthene	"	1.65	—	0.0388	"	"	ND	"	67.9%	(30-125)	5.60%	"	"	
Fluorene	"	1.62	—	0.0388	"	"	ND	"	66.7%	(27-124)	5.71%	"	"	
Indeno (1,2,3-cd) pyrene	"	0.942	—	0.0388	"	"	ND	"	38.8%	(0-135)	5.27%	"	"	
Naphthalene	"	1.77	—	0.0388	"	"	0.0557	"	70.5%	(30-126)	13.6%	"	"	
Phenanthrene	"	1.79	—	0.0388	"	"	ND	"	73.7%	(34-126)	4.58%	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007431

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Polynuclear Aromatic Compounds per EPA 8270M-SIM - Laboratory Quality Control Results

TestAmerica - Portland, OR

QC Batch: 6100114 **Water Preparation Method: 3520B Liq-Liq**

Analyte	Method	Result	MDL*	MRL	Units	Dil	Source Result	Spike Amt	% REC	(Limits)	% RPD	(Limits)	Analyzed	Notes
Matrix Spike Dup (6100114-MSD1)					**QC Source: PPI1295-06**				**Extracted: 10/03/06 17:30**					
Pyrene	EPA 8270m	1.92	---	0.0388	ug/l	2x	ND	2.43	79.0%	(14-168)	3.74%	(50)	10/12/06 06:48	
Surrogate(s): *Fluorene-d10*		*Recovery:* *57.2%*			*Limits:* *25-125%*	"							*10/12/06 06:48*	
Pyrene-d10		*75.3%*			*23-150%*	"							"	
Benzo (a) pyrene-d12		*63.8%*			*10-125%*	"							"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION

PORTLAND, OR 9405 S.W. NIMBUS AVENUE
BEAVERTON, OR 97008-7132
ph: (503) 906.9200 fax: (503) 906.9210

BBL, Inc	Project Name:	**CVX Willbridge / Chevron #100-1868**	
111 SW Columbia Street - Suite 725	Project Number:	100-1868-OML	Report Created:
Portland, OR 97201	Project Manager:	Grant V. Sprick	10/30/06 14:56

Notes and Definitions

Report Specific Notes:

A-01	-	The detected hydrocarbons appear to be due to heavy gas/light diesel components.
BK-3	-	Analyte was detected in the associated Method Blank. Analyte concentration in the sample is greater than 10x the concentration found in the method blank.
D-15	-	Detected hydrocarbons have non-petroleum peaks or elution pattern that suggests the presence of biogenic interference.
Q-01	-	The matrix spike recovery, and/or RPD, for this QC sample is outside of established control limits. Failure of a matrix spike QC sample does not represent an out-of-control condition for the batch.
Q-06	-	RPD is not applicable for analyte concentrations less than 5 times the MRL.
R-01	-	The reporting limit for this analyte was raised to compensate for the limited sample quantity available for the analysis.
R-03	-	The reporting limit for this analyte was raised due to matrix interference.
R-05	-	Reporting limits raised due to dilution necessary for analysis. Sample contains high levels of reported analyte, non-target analyte, and/or matrix interference.

Laboratory Reporting Conventions:

DET	-	Analyte DETECTED at or above the Reporting Limit. Qualitative Analyses only.
ND	-	Analyte NOT DETECTED at or above the reporting limit (MDL or MRL, as appropriate).
NR/NA	-	Not Reported / Not Available
dry	-	Sample results reported on a Dry Weight Basis. Results and Reporting Limits have been corrected for Percent Dry Weight.
wet	-	Sample results and reporting limits reported on a Wet Weight Basis (as received). Results with neither 'wet' nor 'dry' are reported on a Wet Weight Basis.
RPD	-	RELATIVE PERCENT DIFFERENCE (RPDs calculated using Results, not Percent Recoveries).
MRL	-	METHOD REPORTING LIMIT. Reporting Level at, or above, the lowest level standard of the Calibration Table.
MDL*	-	METHOD DETECTION LIMIT. Reporting Level at, or above, the statistically derived limit based on 40CFR, Part 136, Appendix B. *MDLs are listed on the report only if the data has been evaluated below the MRL. Results between the MDL and MRL are reported as Estimated Results.
Dil	-	Dilutions are calculated based on deviations from the standard dilution performed for an analysis, and may not represent the dilution found on the analytical raw data.
Reporting Limits	-	Reporting limits (MDLs and MRLs) are adjusted based on variations in sample preparation amounts, analytical dilutions and percent solids, where applicable.
Electronic Signature	-	Electronic Signature added in accordance with TestAmerica's *Electronic Reporting and Electronic Signatures Policy*. Application of electronic signature indicates that the report has been reviewed and approved for release by the laboratory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sarah Rockwell, Project Manager

COPPOR00007433

FILE

ENTERED

DELTA

LETTER OF TRANSMITTAL

To:	Mr. Mike Romero	**From:**	Brian Pletcher
Company:	Oregon DEQ-Northwest Region 2020 SW 4th Ave, Ste. 400 Portland, Oregon 97201	**Date:**	November 15, 2007
Re:	Semi Annual Groundwater Monitoring Report (2Q07 & 3Q07)	**Site:**	Willbridge Bulk Fuel Facilities

Copies of the above-referenced groundwater monitoring report will be forwarded to the parties noted below under cc.

Please feel free to call (503) 639-8098 with any questions or comments.

cc: Mr. Mike Noll, ConocoPhillips Company, 11921 185th Avenue SE, Snohomish, WA 98290
Mr. Robert Truedinger, Kinder Morgan Energy Partners, 1140 Canal Blvd., Richmond, VA 94804
Mr. Darin Rouse, Chevron Environmental Management, 6001 Bollinger Canyon Rd, Ste. K2260, San Ramon, CA 94583
Mr. William Platt, Shell Oil Company, 910 Louisiana St, Houston, TX 77002
Mr. Grant Sprick, Arcadis BBL, 111 SW Columbia Street, Suite 725, Portland, OR 97201

SEMI-ANNUAL GROUNDWATER MONITORING REPORT
(April 2007 through September 2007)

Willbridge Bulk Fuel Facilities

Portland, Oregon

Consent Order WMCSR-NWR-94-06
Delta Project ORZ0922GW-7

November 15, 2007

Prepared for:

Willbridge Terminal Group

DELTA

7150 SW Hampton, Suite 220, Tigard, Oregon 97223
503.639.8098 800.477.7411

TABLE OF CONTENTS

1.0 EXECUTIVE SUMMARY 2

2.0 GROUNDWATER MONITORING AND SAMPLING 3

- 2.1 Hydrogeologic Analysis 3
- 2.2 Willamette River 4
- 2.3 Groundwater Analytical Results 4
- 2.4 Separate Phase Hydrocarbon Occurrence 6

3.0 SEPARATE PHASE HYDROCARBON RECOVERY 8

4.0 ISSUES ENCOUNTERED DURING THE SECOND AND THIRD QUARTER OF 2007 10

5.0 ACTIVITIES SCHEDULED FOR THE FOURTH QUARTER OF 2007 AND FIRST QUARTER OF 2008 (OCTOBER 2007 THROUGH MARCH 2008) 11

6.0 REMARKS 12

TABLES

TABLE 1A – GROUNDWATER ELEVATION AND SPH RECOVERY DATA
CHEVRON PRODUCTS COMPANY

TABLE 1B – GROUNDWATER ELEVATION AND SPH RECOVERY DATA
KINDER MORGAN LIQUID TERMINALS, LLC

TABLE 1C – GROUNDWATER ELEVATION AND SPH RECOVERY DATA
CONOCOPHILLIPS COMPANY

TABLE 2 – GROUNDWATER ANALYTICAL RESULTS – BTEX & MTBE COMPOUNDS

TABLE 3 – GROUNDWATER ANALYTICAL RESULTS – PAH COMPOUNDS

TABLE 4 – GROUNDWATER ANALYTICAL RESULTS – TOTAL METALS

TABLE 5 - GROUNDWATER SCREENING LEVEL COMPARISONS

FIGURES

FIGURE 1 – SITE LOCATION MAP

FIGURE 2 – GROUNDWATER ELEVATION CONTOURS AND SPH THICKNESS MAP

FIGURE 3 – RIVERFRONT SITE MAP WITH GROUNDWATER ELEVATION CONTOURS

FIGURE 4 – PRECIPITATION AND RIVER STAGE HYDROGRAPH

APPENDICES

APPENDIX A – GROUNDWATER MONITORING AND SAMPLING PRODCEDURES,
CERTIFIED ANALYTICAL LABORATORY REPORTS AND
CHAIN-OF-CUSTODY DOCUMENTATION

1.0 EXECUTIVE SUMMARY

Delta Consultants (Delta) and ARCADIS U.S., Inc. (ABBL [formerly known as Blasland, Bouck & Lee, Inc.]) performed monthly separate-phase hydrocarbon recovery, quarterly well gauging (June 2007 and September 2007), and semi-annual (September 2007) groundwater sampling as part of the remedial investigation/feasibility study work at the Willbridge Bulk Fuel Facilities (Willbridge Facility). The Willbridge Facility is comprised of terminals owned by Chevron Products Company (Chevron), Kinder Morgan Liquid Terminals, LLC (KMLT), and ConocoPhillips Company (ConocoPhillips). This report fulfills the requirement of Section 7F of Oregon Department of Environmental Quality (DEQ) Consent Order WMCSR-NW-94-06.

2.0 GROUNDWATER MONITORING AND SAMPLING

Groundwater monitoring and sampling activities, along with separate-phase hydrocarbon (SPH) recovery were performed at the Willbridge Facility from April 2007 through September 2007. The Willbridge Facility is located in northwest Portland, Oregon on Northwest Front Avenue, along the Willamette River (see Figure 1).

Monitoring activities were performed on June 18, 2007 (second quarter 2007) and September 17 through September 20, 2007 (third quarter 2007) and consisted of measuring depth to groundwater and SPH thickness in all wells. Sampling activities performed at the Chevron, KMLT, and ConocoPhillips Terminals on September 17 through September 20, 2007 consisted of measuring depth to groundwater and collecting groundwater samples from select wells. Groundwater samples were analyzed for dissolved petroleum hydrocarbon constituents and selected metals. During the third quarter 2007 sampling event, select wells near the Willamette River were also monitored in accordance with the DEQ approved Sampling and Analysis Plan Addendum dated September 22, 2006 prepared by Delta to complete the groundwater source control evaluation in the areas not addressed by the cutoff walls located at the Chevron and ConocoPhillips facilities. Monitoring and sampling activities are described in the following sections.

Based upon results of the previous quarterly monitoring activities, several wells were monitored for the presence of SPH on a monthly basis. SPH recovery was performed on a monthly basis for wells containing measurable amounts of SPH between April and September of 2007.

2.1 Hydrogeologic Analysis

Depth-to-groundwater measurements were collected from each monitoring well in June and September of 2007 (see Tables 1A through 1C). A site facility map showing groundwater elevation contours and SPH thicknesses measured in wells in September 2007 is presented as Figure 2. Figure 3 shows the groundwater elevation contours and SPH thicknesses measured in wells located north east of Front Avenue (riverfront wells). Groundwater monitoring procedures are included in Appendix A.

During the second quarter 2007 and third quarter 2007, groundwater elevations across the facility ranged from approximately 8.31 feet to 31.97 feet above mean sea level. Groundwater flow direction is generally northeasterly, toward the Willamette River.

2.2 Willamette River

The daily mean Willamette River stage, measured at the Morrison Bridge river gauge and converted to the City of Portland (COP) datum during the second quarter 2007 and third quarter of 2007 ranged from a high of 11.39 feet (COP datum) on April 1, 2007 to a low of 4.26 feet (COP datum) on September 20, 2007. The average river stage elevation was approximately 7.74 feet (COP datum) between April 1, 2007 and September 30, 2007. Precipitation and river stage data are presented on Figure 4.

2.3 Groundwater Analytical Results

Groundwater samples were collected from selected Chevron, KMLT, and ConocoPhillips monitoring wells on September 18, 19, and 20, 2007, and analyzed in accordance with consent order WMCSR-NWR-94-06, the revised sampling agreement (May 11, 2001), and the 2006 Groundwater Monitoring Sampling and Analysis Plan Addendum (September 22, 2006). The list of analytes included benzene, toluene, ethylbenzene, total xylenes (BTEX), and methyl tert-butyl ether (MTBE) using Environmental Protection Agency (EPA) Method 8260B, polynuclear aromatic hydrocarbons (PAHs) using EPA Method 8270M-SIM, and total RCRA metals (arsenic, barium, cadmium, chromium, copper, lead, mercury, selenium, silver, and zinc) using EPA Method 6000/7000 Series Methods. ConocoPhillips wells U-14 through U-21 were additionally analyzed for TPH using Northwest Methods NWTPH-Gx and NWTPH-Dx with silica gel cleanup. Selected ConocoPhillips wells B-40, P-1, and U-5, Chevron wells B-10 and CR-1 and Kinder Morgan wells MW-33, MW-34, MW-36, MW-37, and MW-40 were analyzed using lower level reporting limits, consistent with the EPA's 2004 National Recommended Water Quality Criteria (NRWQC) screening levels. The purpose of using lower level reporting limits is to provide usable comparison data for evaluating groundwater source control in the areas not addressed by the cutoff walls located at the Chevron and ConocoPhillips facilities. Groundwater sampling procedures are presented in Appendix A. Groundwater samples were not collected from wells containing observable sheens or measurable quantities of SPH.

Portland Harbor Joint Source Control Screening Level Comparisons of Select Wells

Groundwater analytical results collected from ConocoPhillips wells B-40, P-1, and U-5, Chevron wells B-10 and CR-1, and Kinder Morgan wells MW-33, MW-34, MW-36, MW-37, and MW-40 were compared to the screening level values (SLVs) presented in Table 3-1 of the *Portland Harbor Joint Source Control Strategy* guidance document, dated December 2005. Analytical results were compared to the EPA's 2004 NRWQC (organism only) SLVs for human health (fish consumption), and SLVs for ecological receptors (chronic). Results were also compared to the DEQ's 2004 AWQC (organism only) and SLVs for Human Health and ecological receptors (chronic).

BTEX, PAH, and total metals laboratory analytical results for the third quarter 2007 sampling event are presented in Tables 2 through 4. Portland Harbor Joint Source Control groundwater screening level comparisons of analytes detected in select wells are presented in Table 5. Laboratory analytical reports and chain-of-custody documentation are included in Appendix A.

Evaluation of the groundwater data collected from the selected wells from the past three sampling events identifies Chevron well B-10, Kinder Morgan well MW-37, and ConocoPhillips wells B-40 and U-5 as monitoring points which exceed PHJSCS PAH screening levels in groundwater, specifically benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, dibenzo(a,h)anthracene, and indeno(1,2,3-cd)pyrene. All source control evaluation monitoring wells exceeded one or more metals screening levels. ConocoPhillips well P-1 did not yield sufficient sample for PAH and metals analyses, with the exception of mercury analysis, during the third quarter 2007 sampling event. None of the source control monitoring wells exceeded the BTEX and MTBE screening levels.

The March 2007 sampling event concluded the requested additional sampling of these selected wells in response to the DEQ Revised Source Control Evaluation letter dated June 15, 2006 and subsequent sampling addendum dated September 22, 2006. These wells will continue to be sampled on a semiannual basis to evaluate concentration trends. PAH concentrations are generally decreasing in the selected wells based on a comparison of concentrations from the previous sampling events.

2.4 Separate Phase Hydrocarbon Occurrence

Based upon the results of the previous quarterly monitoring activities, appropriate wells were monitored for the presence of SPH on a monthly basis. SPH recovery was performed monthly on wells containing measurable amounts of SPH between April and September 2007. The detected SPH thicknesses measured during the June and September 2007 monitoring events are included in Table 1A to 1C. Observable sheens and SPH thicknesses measured during the September 2007 monitoring event are presented in Figure 2.

Chevron

During quarterly groundwater monitoring in June 2007, ABBL conducted monthly SPH monitoring. Six Chevron Wells (CR-6, CR-10, CR-15, CR-19, CR-25, and GPW-2) contained measurable thicknesses of SPH, ranging from 0.04 foot in Wells CR-6 and CR-10 to 0.77 foot in Well GPW-2. Additionally, trace SPH was observed in Wells B-24 and CR-7. SPH thicknesses were consistent with historical measurements.

During quarterly groundwater monitoring in September 2007, seven Chevron Wells (CR-10, CR-11, CR-15, CR-19, CR-21A, CR-25, and GPW-2) contained measurable thicknesses of SPH, ranging from 0.05 foot in Well CR-11 to 0.75 foot in Well CR-10. Additionally, trace SPH was observed in Wells B-9, B-20, CR-6, CR-7, EX-1. SPH thicknesses were consistent with historical measurements.

KMLT

During quarterly groundwater monitoring in June 2007, one KMLT Well (MW-7) contained a measurable SPH thickness of 0.22 foot. Additionally, sheen was observed in Wells MW-6, MW-19, MW-23, MW-28, and MW-31. SPH was observed in Well MW-24; however, a thickness could not be measured due to fouling of the oil/water interface probe by highly viscous SPH in the well.

During quarterly groundwater monitoring in September 2007, three KMLT Wells (MW-7, and MW-31) contained measurable thicknesses of SPH, ranging from 0.18 foot in Well MW-31 to 0.26 foot in Well MW-7. SPH was observed in Well MW-24; however, a thickness could not be measured due to fouling of the oil/water interface probe by highly viscous SPH. Additionally, sheen was observed in Wells MW-19, MW-22, MW-23, and MW-35.

ConocoPhillips

During quarterly groundwater monitoring in June 2007, ConocoPhillips Well U-13 contained a thickness of SPH measuring 0.31 foot. SPH was observed in U-5A; however, a thickness could not be measured due to fouling of the oil/water interface probe by highly viscous SPH.

During quarterly groundwater monitoring in September 2007, ConocoPhillips Well U-13 contained a thickness of SPH measuring 0.03 foot. Additionally, sheen was observed in Wells B-4, B-40, and U-4.

3.0 SEPARATE PHASE HYDROCARBON RECOVERY

Monthly manual recovery of SPH was initiated at the Willbridge Facility in February 1997. SPH recovery is performed in each well where measurable SPH is observed during the previous quarterly gauging event. Manual SPH recovery consists of bailing, pumping, or the use of a sorbent sock installed in the well.

Approximately 179 gallons of SPH have been removed to date by the above-referenced manual recovery methods. Recovered SPH volumes for this reporting period (April 2007 to September 2007) totaled approximately 8 gallons. The SPH recovery data is presented in Table 1.

In November and December 2001, a "U"-shaped cut-off wall encompassing the stormwater trench backfill was installed on the ConocoPhillips Terminal. The cut-off wall was designed to intercept SPH and groundwater migrating along the backfill of a 60-inch diameter storm sewer trench. The cut-off wall was constructed with 20-foot-long steel sheet-pile with sealed joints between the sheet-piles. A groundwater and SPH recovery system is used to extract groundwater and SPH from a series of wells located behind the cut-off wall.

In addition to the monthly SPH recovery events, SPH recovery has also been conducted near the outfall of the 60-inch storm sewer outfall. Since December of 2001, SPH recovery is performed using permanent recovery wells installed behind the cutoff wall. Approximately 4,265 gallons of SPH have been recovered to date from the backfill material around the storm sewer outfall. During the second and third quarter of 2007, the treatment system continued to recover SPH. The recovered SPH for this reporting period is presently stored in an on-site batch tank and has not reached capacity for transport to Oil-Re-refining in Portland, Oregon for recycling.

Containment booms currently border the shoreline between the Chevron and ConocoPhillips docks, and from the south edge of the ConocoPhillips dock to the southern property line (beyond the current 60-inch storm sewer outfall). Additionally, secondary and tertiary containment booms are located inside of the first boom around the 60-inch storm sewer outfall.

A groundwater recovery system was installed in the 1988 trench at the mouth of the Holbrook slough and periodically operated since July 2004. The system included a total fluids double diaphragm pump with a float control system set to maintain a depressed water level in the recovery sump and trench. Since July 30, 2004, 2,515,105 gallons of water have been recovered and treated at the water treatment system at the Chevron terminal. The system was in operation during periods of low river levels. The system was decommissioned during the third quarter of 2006 and replaced by a sheet pile cut-off wall (discussed below).

In 2004, during the replacement of a storm drain at the Chevron terminal, a CDF/bentonite wall and recovery sump were installed in the storm drain backfill. The recovery sump (Well CR-8A) and Well CR-8 (downgradient of the wall) have been monitored since installation. A comparison of water elevations indicates that the wall is effectively blocking the migration of water along the storm drain backfill material. To date, no SPH has been measured in the recovery sump.

A sheet pile cut-off wall at the former 27-inch storm sewer outfall was installed during the third quarter of 2006. This wall replaced the Holbrook Slough recovery sump and trench. The design consists of a near linear, 200-foot-length sheet-pile wall along the shoreline in the area between the Chevron and ConocoPhillips docks. Similar to the existing cutoff wall around the 60-inch storm sewer outfall, extraction wells were installed behind the wall to remove impacted groundwater and recovery SPH.

The former 27-inch storm sewer outfall cutoff wall treatment system began operation in January 2007. The existing treatment system for the 60-inch storm sewer cutoff wall is used to separate recovered SPH and treat impacted groundwater from the former 27-inch storm sewer area.

4.0 ISSUES ENCOUNTERED DURING THE SECOND AND THIRD QUARTER OF 2007

During the second and third quarter COP continued to pursue permits with the City of Portland to repair the storm sewer system in Tank Farm 1 and laterals in Doane Avenue. This work will be completed during the fourth quarter 2007. During the second and third quarter KMLT repaired cracks in the concrete flume channeling Saltzman Creek through the facility toward the Willamette River. During the second and third quarter, Chevron continued to evaluate the onsite storm water system which included conducting video survey and line cleanouts. Results from this investigation was submitted in the Draft Storm Water Sampling Plan (ABBL 2007). The Draft Storm Water Sampling Plan also included proposed catch basin sediment sampling locations, aqueous storm water sampling locations, and methodology for reduction in in storm water sampling scope. Catch basin sediment sampling was conducted in October. Aqueous storm water sampling will be conducted during the fourth quarter. During the second and third quarter ABBL repaired select groundwater monitoring well monuments, abandoned poorly installed wells (B-9, B-13, and B-32), and installed new groundwater monitoring wells (B-9A, CR-28A, and CR-33). Well repair and installation activities will be documented in a technical memorandum. In addition, ABBL conducted a small excavation down gradient of the newly installed 27-inch groundwater cutoff wall to remove residual contamination associated with the former Holbrook Trench. This removal was targeted during low River stage to maximize exposed area. This excavation will be documented in a technical memorandum.

5.0 ACTIVITIES SCHEDULED FOR THE FOURTH QUARTER OF 2007 AND FIRST QUARTER OF 2008 (OCTOBER 2007 THROUGH MARCH 2008)

The following tasks are planned for the fourth quarter of 2007 and first quarter of 2008:

- Measure depth to water and SPH in all Willbridge Facility wells during the fourth quarter (December 2007) and first quarter (March 2008) monitoring events.
- Sample selected Willbridge Facility wells during the March (second quarter) 2008 sampling event.
- Perform monthly SPH recovery from wells that have historically contained SPH.
- Continue operation of the 60-inch storm sewer outfall cutoff wall and the former 27-inch storm sewer outfall cutoff wall treatment system.
- Line in place storm sewer laterals at the ConocoPhillips terminal and repair COP manhole #12. (December 2007)
- Installation of monitoring well network to evaluate cutoff walls effectiveness (December 2007)
- Installation of deep monitoring wells for locality of facility evaluation at COP and KLMT Terminals.
- Submittal of Chevron Well Repair Technical Memorandum and the Wedge Excavation Technical Memorandum
- Collection of aqueous storm water samples from the Chevron Terminal and preparation of summary technical memorandums
- Evaluation of the former 1973 sump at the Chevron Terminal

6.0 REMARKS

The services described in this report represent Delta's professional opinions based upon the currently available information and are arrived at in accordance with currently acceptable professional standards. This report is based upon a specific scope of work requested by the client. The Contract between Delta and its client outlines the scope of work, and only those tasks specifically authorized by that contract or outlined in this report were performed. This report is intended only for the use of Delta's Client and anyone else specifically listed on this report. Delta will not and cannot be liable for unauthorized reliance by any other third party. Other than as contained in this paragraph, Delta makes no express or implied warranty as to the contents of this report.

This report was prepared by **DELTA CONSULTANTS**

Delta Consultants

(FOR)

Cale Fleming.
Staff Scientist

Brian Pletcher, R.G.
Senior Project Geologist

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-7	2/14/2000	18.33	NP	-	17.40	0.1
(35.73)	5/22/2000	18.60	NP	-	17.13	NA
	8/22/2000	19.31	19.30	0.01	16.43	0.1
	11/27/2000	19.47	sheen	-	16.26	NA
	2/20/2001	19.37	NP	-	16.36	NA
	5/15/2001	19.36	sheen	-	16.37	NA
	9/19/2001	19.74	NP	-	15.99	NA
	12/20/2001	18.30	NP	-	17.43	NA
	3/15/2002	18.28	NP	-	17.45	NA
	9/23/2002	18.79	18.78	0.01	16.95	NA
	12/19/2002	19.78	19.79	0.01	15.96	NA
	3/19/2003	18.58	18.57	0.01	17.16	NA
	6/24/2003	19.02	18.97	0.05	16.75	NA
	9/24/2003	19.72	19.71	0.01	16.02	NA
	12/26/2003	18.90	18.85	0.05	16.87	NA
	3/30/2004	18.70	18.66	0.04	17.06	NA
	6/24/2004	19.19	19.18	0.01	16.55	NA
	9/27/2004	19.85	NP	-	15.88	NA
	12/24/2004	19.27	NP	-	16.46	NA
	3/7/2005	19.45	NP	-	16.28	NA
	6/23/2005	19.12	NP	-	16.61	NA
	9/19/2005	19.79	NP	-	15.94	NA
	12/12/2005	19.00	NP	-	16.73	NA
	1/30/2006	17.19	NP	-	18.54	NA
	3/13/2006	18.05	NP	-	17.68	NA
	6/26/2006	18.66	NP	-	17.07	NA
	9/25/2006	16.98	NP	-	18.75	NA
	12/11/2006	16.34	NP	-	19.39	NA
	3/19/2007	16.13	NP	-	19.60	NA
(33.85)	6/18/2007	16.76	NP	-	17.09	NA
	9/17/2007	17.23	NP	-	16.62	NA
B-9	2/14/2000	16.29	16.20	0.09	19.35	0.0
(35.57)	5/22/2000	16.90	NP	-	18.67	NA
	8/22/2000	17.48	NP	-	18.09	NA
	11/27/2000	17.29	NP	-	18.28	NA
	2/20/2001	17.41	NP	-	18.16	NA
	5/15/2001	17.04	NP	-	18.53	NA
	9/19/2001	17.84	NP	-	17.73	NA
	12/20/2001	15.92	NP	-	19.65	NA
	3/5/2002	15.92	NP	-	19.65	NA
	9/23/2002	17.75	NP	-	17.82	NA
	12/19/2002	17.28	NP	-	18.29	NA
	3/19/2003	16.18	NP	-	19.39	NA
	6/24/2003	16.63	NP	-	18.94	NA
	9/24/2003	17.82	NP	-	17.75	NA
	12/26/2003	Well covered by truck				
	3/30/2004	15.93	NP	-	19.64	NA
	6/24/2004	17.12	NP	-	18.45	NA
	9/27/2004	17.97	NP	-	17.60	NA
	12/24/2004	17.32	NP	-	18.25	NA
	3/7/2005	17.42	NP	-	18.15	NA
	6/22/2005	16.19	NP	-	19.38	NA
	9/19/2005	17.77	NP	-	17.80	NA
	12/12/2005	16.81	NP	-	18.76	NA
	1/30/2006	15.02	NP	-	20.55	NA
	3/13/2006	18.65	NP	-	16.92	NA
	6/26/2006	16.64	NP	-	18.93	NA
	9/25/2006	16.45	NP	-	19.12	NA
	12/11/2006	15.39	NP	-	20.18	NA
	3/19/2007	15.45	NP	-	20.12	NA
(33.89)	6/18/2007	16.14	NP	-	17.75	NA
		Abandoned				
B-9A	9/17/2007	16.23	Trace	-	17.35	NA
(33.58)						

COPPOR00007449

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-10	2/14/2000	15.10	NP	-	19.66	NA
(34.76)	5/22/2000	15.67	NP	-	19.09	NA
	8/22/2000	16.35	NP	-	18.41	NA
	11/27/2000	16.64	NP	-	18.12	NA
	2/20/2001	16.41	NP	-	18.35	NA
	5/15/2001	16.42	NP	-	18.34	NA
	9/19/2001	16.95	NP	-	17.81	NA
	12/20/2001	15.42	NP	-	19.34	NA
	3/15/2002	14.99	NP	-	19.77	NA
	9/23/2002	16.64	NP	-	18.12	NA
	12/19/2002	16.56	NP	-	18.20	NA
	3/19/2003	15.24	NP	-	19.52	NA
	6/24/2003	15.70	NP	-	19.06	NA
	9/24/2003	16.62	NP	-	18.14	NA
	12/26/2003	15.98	NP	-	18.78	NA
	6/24/2004	16.13	NP	-	18.63	NA
	9/27/2004	16.73	NP	-	18.03	NA
	12/14/2004	16.48	NP	-	18.28	NA
	3/7/2005	Well Inaccessible				
	9/19/2005	16.64	NP	-	18.12	NA
	12/12/2005	15.90	NP	-	18.86	NA
	1/30/2006	14.13	NP	-	20.63	NA
	3/13/2006	14.73	NP	-	20.03	NA
	6/26/2006	15.67	NP	-	19.09	NA
	9/25/2006	16.45	NP	-	18.31	NA
	12/11/2006	15.44	NP	-	19.32	NA
	3/19/2007	14.92	NP	-	19.84	NA
(34.78)	6/18/2007	15.88	NP	-	18.90	NA
	9/17/2007	16.46	NP	-	18.32	NA
B-11	3/30/2004	15.29	NP		19.47	NA
(34.96)	5/22/2000	15.41	NP	-	19.55	NA
	8/22/2000	16.14	NP	-	18.82	NA
	11/27/2000	16.57	NP	-	18.39	0.1
	2/20/2001	16.30	sheen	-	18.66	NA
	5/15/2001	16.30	NP	-	18.66	NA
	9/19/2001	16.82	NP	-	18.14	NA
	12/20/2001	15.44	NP	-	19.52	NA
	3/15/2002	14.80	NP	-	20.16	NA
	9/23/2002	16.49	NP	-	18.47	NA
	12/19/2002	16.61	sheen	-	18.35	NA
	3/19/2003	15.11	NP	-	19.85	NA
	6/24/2003	15.52	NP	-	19.44	NA
	9/24/2003	16.48	NP	-	18.48	NA
	12/26/2003	15.85	NP	-	19.11	NA
	3/30/2004	15.09	NP	-	19.87	NA
	6/24/2004	15.98	NP	-	18.98	NA
	9/27/2004	16.67	NP	-	18.29	NA
	12/14/2004	16.34	NP	-	18.62	NA
	3/7/2005	16.14	NP	-	18.82	NA
	6/22/2005	15.80	NP	-	19.16	NA
	9/19/2005	16.48	NP	-	18.48	NA
	12/12/2005	15.79	NP	-	19.17	NA
	1/30/2006	13.94	NP	-	21.02	NA
	3/13/2006	14.53	NP	-	20.43	NA
	6/26/2006	15.49	NP	-	19.47	NA
	9/25/2006	16.36	Trace	-	18.60	NA
	12/11/2006	15.35	NP	-	19.61	NA
	3/19/2007	14.74	NP	-	20.22	NA
(34.99)	6/18/2007	15.74	NP	-	19.25	NA
	9/17/2007	16.54	NP	-	18.45	NA

COPPOR00007450

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-12	2/14/2000	15.38	NP	-	19.76	NA
(35.14)	5/22/2000	15.85	NP	-	19.29	NA
	8/22/2000	16.55	NP	-	18.59	NA
	11/27/2000	16.98	NP	-	18.16	NA
	2/20/2001	16.73	NP	-	18.41	NA
	5/15/2001	16.72	NP	-	18.42	NA
	9/19/2001	17.20	NP	-	17.94	NA
	12/20/2001	15.94	NP	-	19.20	NA
	3/15/2002	15.32	NP	-	19.82	NA
	9/23/2002	16.89	NP	-	18.25	NA
	12/19/2002	17.01	NP	-	18.13	NA
	3/19/2003	15.56	NP	-	19.58	NA
	6/24/2003	Not Located				
	9/24/2003	Not Located				
	12/26/2003	Not Located				
	3/30/2004	Not Located				
	6/24/2004	16.40	NP	-	18.74	NA
	9/27/2004	17.00	NP	-	18.14	NA
	12/14/2004	16.75	NP	-	18.39	NA
	3/7/2005	16.52	NP	-	18.62	NA
	9/19/2005	16.87	NP	-	18.27	NA
	12/12/2005	16.20	NP	-	18.94	NA
	1/30/2006	14.49	NP	-	20.65	NA
	3/13/2006	15.02	NP	-	20.12	NA
	6/26/2006	15.95	NP	-	19.19	NA
	9/25/2006	16.78	NP	-	18.36	NA
	12/11/2006	15.84	NP	-	19.30	NA
	3/19/2007	15.24	NP	-	19.90	NA
(35.17)	6/18/2007	16.18	NP	-	18.99	NA
	9/17/2007	16.92	NP	-	18.25	NA
B-13	2/14/2000	15.46	NP	-	19.30	NA
(34.76)	5/22/2000	15.86	NP	-	18.90	NA
	8/22/2000	16.46	NP	-	18.30	NA
	11/27/2000	19.91	NP	-	14.85	NA
	2/20/2001	16.65	NP	-	18.11	NA
	5/15/2001	16.65	NP	-	18.11	NA
	9/19/2001	17.09	NP	-	17.67	NA
	12/22/2001	15.94	NP	-	18.82	NA
	3/15/2002	15.37	NP	-	19.39	NA
	9/23/2002	16.82	NP	-	17.94	NA
	12/19/2002	16.95	NP	-	17.81	NA
	3/19/2003	15.62	NP	-	19.14	NA
	6/24/2003	15.96	NP	-	18.80	NA
	9/24/2003	16.82	NP	-	17.94	NA
	12/26/2003	16.29	NP	-	18.47	NA
	3/30/2004	15.58	NP	-	19.18	NA
	6/24/2004	16.34	NP	-	18.42	NA
	9/27/2004	16.90	NP	-	17.86	NA
	12/24/2004	16.71	NP	-	18.05	NA
	3/7/2005	16.49	NP	-	18.27	NA
	9/19/2005	16.79	NP	-	17.97	NA
	12/12/2005	16.16	NP	-	18.60	NA
	1/30/2006	14.54	NP	-	20.22	NA
	3/13/2006	15.04	NP	-	19.72	NA
	6/26/2006	15.95	NP	-	18.81	NA
	9/25/2006	16.78	NP	-	17.98	NA
	12/11/2006	15.82	NP	-	18.94	NA
	3/19/2007	15.26	NP	-	19.50	NA
(34.87)	6/18/2007	16.14	NP	-	18.73	NA
		Abandoned				

COPPOR00007451

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-14	2/14/2000	17.27	NP	-	19.32	NA
(36.59)	5/22/2000	17.69	NP	-	18.90	NA
	8/22/2000	18.31	NP	-	18.28	NA
	11/27/2000	18.72	NP	-	17.87	NA
	2/20/2001	18.50	NP	-	18.09	NA
	5/15/2001	18.49	NP	-	18.10	NA
	9/19/2001	18.87	NP	-	17.72	NA
	12/22/2001	17.74	NP	-	18.85	NA
	3/15/2002	17.21	NP	-	19.38	NA
	9/23/2002	18.64	NP	-	17.95	NA
	12/19/2002	18.79	NP	-	17.80	NA
	3/19/2003	17.47	NP	-	19.12	NA
	6/24/2003	17.78	NP	-	18.81	NA
	9/24/2003	18.64	NP	-	17.95	NA
	12/26/2003	18.10	NP	-	18.49	NA
	3/30/2004	17.39	NP	-	19.20	NA
	6/24/2004	18.17	NP	-	18.42	NA
	9/27/2004	18.73	NP	-	17.86	NA
	12/14/2004	18.54	NP	-	18.05	NA
	3/7/2005	18.30	NP	-	18.29	NA
	9/19/2005	18.63	NP	-	17.96	NA
	12/12/2005	17.99	NP	-	18.60	NA
	1/30/2006	16.43	NP	-	20.16	NA
	3/13/2006	16.86	NP	-	19.73	NA
	6/26/2006	17.72	NP	-	18.87	NA
	9/25/2006	18.45	NP	-	18.14	NA
	12/11/2006	17.62	NP	-	18.97	NA
	3/19/2007	17.04	NP	-	19.55	NA
(36.62)	6/18/2007	17.92	NP	-	18.70	NA
	9/17/2007	18.58	NP	-	18.04	NA
B-15	2/14/2000	16.48	NP	-	19.07	NA
(35.55)	5/22/2000	16.88	NP	-	18.67	NA
	8/22/2000	17.53	NP	-	18.02	NA
	11/27/2000	17.89	NP	-	17.66	NA
	2/20/2001	17.38	NP	-	18.17	NA
	5/15/2001	17.66	NP	-	17.89	NA
	9/19/2001	18.12	NP	-	17.43	NA
	12/20/2001	16.92	NP	-	18.63	NA
	3/15/2002	16.36	NP	-	19.19	NA
	9/23/2002	17.84	NP	-	17.71	NA
	12/19/2002	18.01	NP	-	17.54	NA
	3/19/2003	16.66	NP	-	18.89	NA
	6/24/2003	16.98	NP	-	18.57	NA
	9/24/2003	17.84	NP	-	17.71	NA
	12/26/2003	17.27	NP	-	18.28	NA
	3/30/2004	16.58	NP	-	18.97	NA
	6/24/2004	17.37	NP	-	18.18	NA
	9/27/2004	17.94	NP	-	17.61	NA
	12/14/2004	17.73	NP	-	17.82	NA
	3/7/2005	17.51	NP	-	18.04	NA
	9/19/2005	17.84	NP	-	17.71	NA
	12/12/2005	17.20	NP	-	18.35	NA
	1/30/2006	15.61	NP	-	19.94	NA
	3/13/2006	16.07	NP	-	19.48	NA
	6/26/2006	16.91	NP	-	18.64	NA
	9/25/2006	17.52	NP	-	18.03	NA
	12/11/2006	16.65	NP	-	18.90	NA
	3/19/2007	16.17	NP	-	19.38	NA
(35.58)	6/18/2007	17.02	NP	-	18.56	NA
	9/17/2007	17.67	NP	-	17.91	NA

COPPOR00007452

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-19	2/14/2000	15.99	NP	-	18.18	NA
(34.17)	5/22/2000	16.34	NP	-	17.83	NA
	8/22/2000	17.04	NP	-	17.13	NA
	11/27/2000	17.35	NP	-	16.82	NA
	2/20/2001	17.17	NP	-	17.00	NA
	5/15/2001	17.14	NP	-	17.03	NA
	9/19/2001	17.67	NP	-	16.50	NA
	12/20/2001	16.32	NP	-	17.85	NA
	3/15/2002	15.88	NP	-	18.29	NA
	9/23/2002	17.37	NP	-	16.80	NA
	12/19/2002	18.47	NP	-	15.70	NA
	3/19/2003	16.13	NP	-	18.04	NA
	6/24/2003	16.50	NP	-	17.67	NA
	9/24/2003	17.35	NP	-	16.82	NA
	12/26/2003	16.71	NP	-	17.46	NA
	3/30/2004	16.08	NP	-	18.09	NA
	6/24/2004	16.87	NP	-	17.30	NA
	9/27/2004	17.44	NP	-	16.73	NA
	12/14/2004	17.28	NP	-	16.89	NA
	3/7/2005	17.02	NP	-	17.15	NA
	6/22/2005	16.72	NP	-	17.45	NA
	9/19/2005	17.34	NP	-	16.83	NA
	12/12/2005	16.69	NP	-	17.48	NA
	1/30/2006	15.06	NP	-	19.11	NA
	3/13/2006	15.55	NP	-	18.62	NA
	6/26/2006	16.36	NP	-	17.81	NA
	9/25/2006	16.76	Trace	-	17.41	NA
	12/11/2006	15.94	NP	-	18.23	NA
	3/19/2007	15.50	NP	-	18.67	NA
	6/18/2007	16.31	NP	-	17.86	NA
	9/17/2007	16.93	NP	-	17.24	NA
B-20	2/14/2000	16.62	NP	-	16.70	NA
(33.32)	5/22/2000	16.93	NP	-	16.39	NA
	8/22/2000	17.78	NP	-	15.54	NA
	11/27/2000	17.99	sheen	-	15.33	NA
	2/20/2001	17.79	sheen	-	15.53	NA
	5/15/2001	17.89	NP	-	15.43	NA
	9/19/2001	18.40	NP	-	14.92	NA
	12/20/2001	16.61	NP	-	16.71	NA
	3/15/2002	16.45	NP	-	16.87	NA
	9/23/2002	18.27	NP	-	15.05	NA
	12/19/2002	18.22	NP	-	15.10	NA
	3/19/2003	15.96	NP	-	17.36	NA
	6/24/2003	17.06	NP	-	16.26	NA
	9/24/2003	18.30	NP	-	15.02	NA
	12/26/2003	17.31	NP	-	16.01	NA
	3/30/2004	16.47	NP	-	16.85	NA
	6/24/2004	17.32	NP	-	16.00	NA
	9/27/2004	18.29	NP	-	15.03	NA
	12/14/2004	17.77	NP	-	15.55	NA
	3/7/2005	17.82	NP	-	15.50	NA
	6/23/2005	17.41	NP	-	15.91	NA
	9/19/2005	18.20	NP	-	15.12	NA
	12/12/2005	17.34	NP	-	15.98	NA
	1/30/2006	15.70	NP	-	17.62	NA
	3/13/2006	16.09	NP	-	17.23	NA
	6/26/2006	16.96	NP	-	16.36	NA
	9/25/2006	16.38	NP	-	16.94	NA
	12/11/2006	16.02	NP	-	17.30	NA
	3/19/2007	15.87	NP	-	17.45	NA
(33.33)	6/18/2007	16.29	NP	-	17.04	NA
	9/17/2007	16.59	Trace	-	16.74	NA

COPPOR00007453

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Wiltbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-21	2/14/2000	16.22	NP	-	18.57	NA
(34.79)	5/22/2000	16.57	NP	-	18.22	NA
	8/22/2000	17.15	NP	-	17.64	NA
	11/27/2000	17.45	NP	-	17.34	NA
	2/20/2001	19.29	NP	-	15.50	NA
	5/15/2001	17.27	NP	-	17.52	NA
	9/19/2001	17.66	NP	-	17.13	NA
	12/20/2001	16.48	NP	-	18.31	NA
	3/15/2002	16.18	NP	-	18.61	NA
	9/23/2002	17.45	NP	-	17.34	NA
	12/19/2002	17.56	NP	-	17.23	NA
	3/19/2003	16.35	NP	-	18.44	NA
	6/24/2003	16.70	NP	-	18.09	NA
	9/24/2003	17.42	NP	-	17.37	NA
	12/26/2003	16.91	NP	-	17.88	NA
	3/30/2004	16.36	NP	-	18.43	NA
	6/24/2004	17.02	NP	-	17.77	NA
	9/27/2004	17.49	NP	-	17.30	NA
	12/14/2004	17.41	NP	-	17.38	NA
	3/7/2005	17.04	NP	-	17.75	NA
	6/23/2005	16.87	NP	-	17.92	NA
	9/19/2005	17.45	NP	-	17.34	NA
	12/12/2005	16.84	NP	-	17.95	NA
	1/30/2006	15.30	NP	-	19.49	NA
	3/13/2006	15.93	NP	-	18.86	NA
	6/26/2006	16.62	NP		18.17	NA
	9/25/2006	16.98	NP	-	17.81	NA
	12/11/2006	16.23	NP	-	18.56	NA
	3/19/2007	15.88	NP	-	18.91	NA
(34.62)	6/18/2007	16.60	NP	-	18.22	NA
	9/17/2007	17.14	NP	-	17.68	NA
B-24	2/14/2000	15.50	15.49	0.01	19.21	0.0
(34.70)	5/22/2000	15.83	NP	-	18.87	NA
	8/22/2000	16.38	NP	-	18.32	NA
	11/27/2000	16.81	NP	-	17.89	NA
	2/20/2001	16.59	NP	-	18.11	NA
	5/15/2001	16.56	NP	-	18.14	NA
	9/19/2001	16.94	NP	-	17.76	NA
	12/22/2001	16.23	16.07	0.16	18.60	0.0
	3/15/2002	15.54	Sheen	-	19.16	0.0
	9/23/2002	16.86	16.73	0.13	17.94	0.0
	12/19/2002	16.98	NP	-	17.72	NA
	3/19/2003	15.84	15.71	0.13	18.96	0.0
	6/24/2003	15.90	Sheen	-	18.80	0.0
	9/24/2003	16.75	16.71	0.04	17.98	0.0
	12/26/2003	16.32	16.29	0.03	18.40	0.0
	3/30/2004	15.51	NP	-	19.19	NA
	6/24/2004	16.58	16.21	0.37	18.42	NA
	9/27/2004	16.76	16.75	0.01	17.95	0.0
	12/14/2004	16.64	Sheen	-	18.06	0.0
	3/7/2005	16.44	16.43	0.01	18.27	0.004
	6/23/2005	NM	NM	NM	NM	NM
	9/19/2005	16.63	16.61	0.02	18.09	0.004
	12/12/2005	Inaccessible				
	3/13/2006	15.06	15.04	0.02	19.66	0.0
	6/26/2006	15.87	15.84	0.03	18.85	0.0
	9/25/2006	16.60	NP	-	18.10	0.0
	12/11/2006	15.84	Trace	-	18.86	0.0
	3/19/2007	15.21	NP	-	19.49	0.0
	6/18/2007	6.14	Trace	-	28.56	0.0
	9/17/2007	-	-	-	-	0.0

COPPOR00007454

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-26	2/14/2000	15.49	NP	-	19.81	NA
(35.30)	5/22/2000	15.96	NP	-	19.34	NA
	8/22/2000	16.72	NP	-	18.58	NA
	11/27/2000	17.11	NP	-	18.19	NA
	2/20/2001	16.86	NP	-	18.44	NA
	5/15/2001	16.86	NP	-	18.44	NA
	9/19/2001	17.37	NP	-	17.93	NA
	12/20/2001	15.93	NP	-	19.37	NA
	3/15/2002	15.41	NP	-	19.89	NA
	9/23/2002	17.06	NP	-	18.24	NA
	12/19/2002	17.10	NP	-	18.20	NA
	3/19/2003	15.69	NP	-	19.61	NA
	6/24/2003	16.13	NP	-	19.17	NA
	9/24/2003	17.06	NP	-	18.24	NA
	12/26/2003	16.39	NP	-	18.91	NA
	3/30/2004	16.68	NP	-	18.62	NA
	6/24/2004	16.54	NP	-	18.76	NA
	9/27/2004	17.18	NP	-	18.12	NA
	12/14/2004	16.98	NP	-	18.34	NA
	3/7/2005	16.69	NP	-	18.61	NA
	6/22/2005	16.35	NP	-	18.95	NA
	9/19/2005	17.08	NP	-	18.22	NA
	12/12/2005	16.33	NP	-	18.97	NA
	1/30/2006	14.46	NP	-	20.84	NA
	3/13/2006	15.15	NP	-	20.15	NA
	6/26/2006	16.09	NP	-	19.21	NA
	9/25/2006	16.92	Trace	-	18.38	NA
	12/11/2006	15.83	NP	-	19.47	NA
	3/19/2007	15.32	NP	-	19.98	NA
(35.33)	6/18/2007	16.32	NP	-	19.01	NA
	9/17/2007	17.07	NP	-	18.26	NA
B-28	2/14/2000	15.45	NP	-	19.81	NA
(35.26)	5/22/2000	14.34	NP	-	20.92	NA
	8/22/2000	16.11	NP	-	19.15	NA
	11/27/2000	16.36	NP	-	18.90	NA
	2/20/2001	16.14	NP	-	19.12	NA
	5/15/2001	16.07	NP	-	19.19	NA
	9/19/2001	16.25	NP	-	19.01	NA
	12/22/2001	15.97	NP	-	19.29	NA
	3/15/2002	15.36	NP	-	19.90	NA
	9/23/2002	16.36	NP	-	18.90	NA
	12/19/2002	16.35	NP	-	18.91	NA
	3/19/2003	15.69	NP	-	19.57	NA
	6/24/2003	15.93	NP	-	19.33	NA
	9/24/2003	16.31	NP	-	18.95	NA
	12/26/2003	16.39	NP	-	18.87	NA
	3/30/2004	15.56	NP	-	19.70	NA
	6/24/2004	16.13	NP	-	19.13	NA
	9/27/2004	16.21	NP	-	19.05	NA
	12/14/2004	16.07	NP	-	19.19	NA
	3/7/2005	16.06	NP	-	19.20	NA
	9/19/2005	16.18	NP	-	19.08	NA
	12/12/2005	15.96	NP	-	19.30	NA
	3/13/2006	14.71	NP	-	20.55	NA
	6/26/2006	14.60	NP	-	20.66	NA
	9/25/2006	16.06	Trace	-	19.20	NA
	12/11/2006	-	-	-	-	-
	3/19/2007	-	-	-	-	-
(35.26)	6/18/2007	-	-	-	-	-
	9/17/2007	16.37	NP	-	18.91	-

COPPOR00007455

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-29	2/14/2000	15.12	NP	-	22.58	NA
(37.70)	5/22/2000	15.43	NP	-	22.27	NA
	8/22/2000	16.24	NP	-	21.46	NA
	11/27/2000	16.63	NP	-	21.07	NA
	2/20/2001	16.27	NP	-	21.43	NA
	5/15/2001	16.22	NP	-	21.48	NA
	8/19/2001	16.80	NP	-	20.90	NA
	12/22/2001	15.68	NP	-	22.02	NA
	3/15/2002	14.98	NP	-	22.72	NA
	9/23/2002	16.73	NP	-	20.97	NA
	12/19/2002	16.82	NP	-	20.88	NA
	3/19/2003	15.28	NP	-	22.42	NA
	6/24/2003	15.60	NP	-	22.10	NA
	9/24/2003	16.59	NP	-	21.11	NA
	12/26/2003	15.11	NP	-	22.59	NA
	3/30/2004	15.24	NP	-	22.46	NA
	6/24/2004	16.28	NP	-	21.42	NA
	9/27/2004	16.92	NP	-	20.78	NA
	12/14/2004	16.58	NP	-	21.12	NA
	3/7/2005	16.33	NP	-	21.37	NA
	9/19/2005	16.84	NP	-	20.86	NA
	12/12/2005	16.45	NP	-	21.25	NA
	3/13/2006	15.00	NP	-	22.70	NA
	6/26/2006	15.77	NP	-	21.93	NA
	9/25/2006	16.54	NP	-	21.16	NA
	12/11/2006	15.74	Trace	-	21.96	NA
	3/19/2007	14.95	NP	-	22.75	NA
(36.00)	6/18/2007	15.97	NP	-	20.03	NA
	9/17/2007	16.82	NP	-	19.18	NA
B-30	2/14/2000	14.76	NP	-	20.63	NA
(35.39)	5/22/2000	15.85	NP	-	19.54	NA
	8/22/2000	16.08	NP	-	19.31	NA
	11/27/2000	16.37	NP	-	19.02	NA
	2/20/2001	15.92	NP	-	19.47	NA
	5/15/2001	15.95	NP	-	19.44	NA
	9/19/2001	16.52	NP	-	18.87	NA
	12/22/2001	14.96	NP	-	20.43	NA
	3/15/2002	14.96	NP	-	20.43	NA
	9/23/2002	16.19	NP	-	19.20	NA
	12/19/2002	16.31	NP	-	19.08	NA
	3/19/2003	14.67	NP	-	20.72	NA
	6/24/2003	15.05	NP	-	20.34	NA
	9/24/2003	16.13	NP	-	19.26	NA
	12/26/2003	15.56	NP	-	19.83	NA
	3/30/2004	14.70	NP	-	20.69	NA
	6/24/2004	15.60	NP	-	19.79	NA
	9/27/2004	16.31	NP	-	19.08	NA
	12/14/2004	16.14	16.11	0.03	18.58	0.005
	3/7/2005	15.77	Sheen	Sheen	19.62	NA
	6/22/2005	15.39	NP	-	20.00	NA
	9/19/2005	16.20	NP	-	19.19	NA
	12/12/2005	15.43	15.43	Sheen	19.96	0.0
	3/13/2006	14.12	14.12	Sheen	21.27	0.0
	6/26/2006	15.08	NP	-	20.31	0.0
	9/25/2006	16.07	NP	-	19.32	0.0
	12/11/2006	14.96	NP	-	20.43	0.0
	3/19/2007	14.30	NP	-	21.09	0.0
	6/18/2007	15.34	NP	-	20.05	0.0
	9/17/2007	16.68	NP	-	18.71	0.0

COPPOR00007456

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-32	2/14/2000	16.37	NP	-	17.86	NA
(34.23)	5/22/2000	26.84	NP	-	7.39	NA
	8/22/2000	17.65	NP	-	16.58	NA
	11/27/2000	17.93	NP	-	16.30	NA
	2/20/2001	17.71	NP	-	16.52	NA
	5/15/2001	17.74	NP	-	16.49	NA
	9/19/2001	18.17	NP	-	16.06	NA
	12/20/2001	16.74	NP	-	17.49	NA
	3/15/2002	16.55	NP	-	17.68	NA
	9/23/2002	18.32	18.32	Sheen	15.91	NA
	12/19/2002	18.15	NP	-	16.08	NA
	3/19/2003	16.83	NP	-	17.40	NA
	6/24/2003	17.09	NP	-	17.14	NA
	9/24/2003	17.99	NP	-	16.24	NA
	12/26/2003	17.20	NP	-	17.03	NA
	3/30/2004	16.78	NP	-	17.45	NA
	6/24/2004	17.41	NP	-	16.82	NA
	9/27/2004	18.01	NP	-	16.22	NA
	12/14/2004	17.89	NP	-	16.34	NA
	3/7/2005	17.65	NP	-	16.58	NA
	6/23/2005	17.39	NP	-	16.84	NA
	9/19/2005	18.00	NP	-	16.23	NA
	12/12/2005	17.13	NP	-	17.10	NA
	1/30/2006	15.81	NP	-	18.42	NA
	3/13/2006	15.98	NP	-	18.25	NA
	6/26/2006	15.81	NP	-	18.42	NA
	9/25/2006	16.71	NP	-	17.52	NA
	12/11/2006	15.66	NP	-	18.57	NA
	3/19/2007	15.82	NP	-	18.41	NA
(34.20)	6/18/2007	16.50	NP	-	17.70	NA
	9/17/2007	16.50	NP	-	17.70	NA
				Abandoned		
B-33	2/14/2000	15.54	15.49	0.05	20.40	0.0
(35.90)	5/22/2000	16.41	NP	-	19.49	NA
	8/22/2000	17.15	NP	-	18.75	NA
	11/27/2000	17.39	NP	-	18.51	NA
	2/20/2001	17.25	NP	-	18.65	NA
	5/15/2001	17.24	NP	-	18.66	NA
	9/19/2001	17.72	NP	-	18.18	NA
	12/20/2001	16.29	NP	-	19.61	NA
	3/15/2002	15.93	NP	-	19.97	NA
	9/23/2002	17.51	NP	-	18.39	NA
	12/19/2002	17.52	NP	-	18.38	NA
	3/19/2003	16.21	NP	-	19.69	NA
	6/24/2003	16.57	NP	-	19.33	NA
	9/24/2003	17.45	NP	-	18.45	NA
	12/26/2003	16.74	NP	-	19.16	NA
	3/30/2004	16.24	NP	-	19.66	NA
	6/24/2004	16.87	NP	-	19.03	NA
	9/27/2004	17.56	NP	-	18.34	NA
	12/14/2004	17.22	NP	-	18.68	NA
	3/7/2005	17.10	NP	-	18.80	NA
	6/22/2005	16.88	NP	-	19.02	NA
	9/19/2005	17.40	NP	-	18.50	NA
	12/12/2005	16.70	NP	-	19.20	NA
	1/30/2006	15.01	NP	-	20.89	NA
	3/13/2006	15.80	NP	-	20.10	NA
	6/26/2006	16.44	NP	-	19.46	NA
	12/11/2006	15.76	NP	-	20.14	NA
	3/19/2007	15.34	NP	-	20.56	NA
(34.34)	6/18/2007	16.21	NP	-	18.13	NA
	9/17/2007	16.82	NP	-	17.52	NA

COPPOR00007457

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-1	2/14/2000	2.38	NP	-	19.70	NA
(22.08)	5/22/2000	3.26	NP	-	18.82	NA
	8/22/2000	4.32	NP	-	17.76	NA
	11/27/2000	4.38	NP	-	17.70	NA
	2/20/2001	6.50	NP	-	15.58	NA
	5/15/2001	4.25	NP	-	17.83	NA
	9/19/2001	4.79	NP	-	17.29	NA
	12/22/2001	3.05	NP	-	19.03	NA
	3/15/2002	2.77	NP	-	19.31	NA
	9/23/2002	4.34	NP	-	17.74	NA
	12/19/2002	3.84	NP	-	18.24	NA
	3/19/2003	2.85	NP	-	19.23	NA
	6/24/2003	3.38	NP	-	18.70	NA
	9/24/2003	4.33	NP	-	17.75	NA
	12/26/2003	3.32	NP	-	18.76	NA
	3/30/2004	3.14	NP	-	18.94	NA
	6/24/2004	3.68	NP	-	18.40	NA
	9/27/2004	4.39	NP	-	17.69	NA
	12/14/2004	3.74	NP	-	18.34	NA
	3/7/2005	3.93	NP	-	18.15	NA
	6/23/2005	3.75	NP	-	18.33	NA
	9/19/2005	4.44	NP	-	17.64	NA
	12/12/2005	3.45	NP	-	18.63	NA
	1/30/2006	1.50	NP	-	20.58	NA
	3/13/2006	2.32	NP	-	19.76	NA
	6/26/2006	3.28	NP	-	18.80	NA
	9/25/2006	4.25	NP	-	17.83	NA
	12/11/2006	-	-	-	-	-
	3/19/2007	2.71	NP	-	19.37	NA
(21.71)	6/18/2007	3.50	NP	-	18.21	NA
	9/17/2007	4.21	NP	-	17.50	NA
CR-3	2/14/2000	12.29	12.28	0.01	22.04	0.0
(34.32)	5/22/2000	16.57	NP	-	17.75	NA
	8/22/2000	15.34	NP	-	18.98	NA
	11/27/2000	13.86	NP	-	20.46	NA
	2/20/2001	15.46	NP	-	18.86	NA
	5/15/2001	15.37	NP	-	18.95	NA
	9/19/2001	16.03	NP	-	18.29	NA
	12/22/2001	14.50	NP	-	19.82	NA
	3/15/2002	13.93	NP	-	20.39	NA
	9/23/2002	15.70	NP	-	18.62	NA
	12/19/2002	15.40	NP	-	18.92	NA
	3/19/2003	14.27	NP	-	20.05	NA
	6/24/2003	14.70	NP	-	19.62	NA
	9/24/2003	15.67	NP	-	18.65	NA
	12/26/2003	14.71	NP	-	19.61	NA
	3/30/2004	14.28	NP	-	20.04	NA
	6/24/2004	15.17	NP	-	19.15	NA
	9/27/2004	15.85	NP	-	18.47	NA
	12/14/2004	14.97	NP	-	19.35	NA
	3/7/2005	15.32	NP	-	19.00	NA
	6/22/2005	15.01	NP	-	19.31	NA
	9/19/2005	15.70	NP	-	18.62	NA
	12/12/2005	14.97	NP	-	19.35	NA
	1/30/2006	10.34	NP	-	23.98	NA
	3/13/2006	13.73	NP	-	20.59	NA
	6/26/2006	14.68	NP	-	19.64	NA
	9/25/2006	15.58	NP	-	18.74	NA
	12/11/2006	14.53	NP	-	19.79	NA
	3/19/2007	13.93	NP	-	20.39	NA
(34.31)	6/18/2007	14.94	NP	-	19.37	NA
	9/17/2007	15.75	NP	-	18.56	NA

COPPOR00007458

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Wilfbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-4	2/14/2000	5.08	NP	-	32.06	NA
(37.14)	5/22/2000	5.63	NP	-	31.51	NA
	8/22/2000	7.25	NP	-	29.89	NA
	11/27/2000	8.31	NP	-	28.83	NA
	2/20/2001	6.98	NP	-	30.16	NA
	5/15/2001	6.34	NP	-	30.80	NA
	9/19/2001	8.55	NP	-	28.59	NA
	12/20/2001	5.38	NP	-	31.76	NA
	3/15/2002	4.88	NP	-	32.26	NA
	6/4/2002	6.17	NP	-	30.97	NA
	9/23/2002	7.69	NP	-	29.45	NA
	12/19/2002	7.92	NP	-	29.22	NA
	3/19/2003	4.97	NP	-	32.17	NA
	6/24/2003	5.98	NP	-	31.16	NA
	9/24/2003	7.77	NP	-	29.37	NA
	12/26/2003	4.73	NP	-	32.41	NA
	3/30/2004	4.58	NP	-	32.56	NA
	6/24/2004	6.68	NP	-	30.46	NA
	9/27/2004	7.32	NP	-	29.82	NA
	12/14/2004	6.41	NP	-	30.73	NA
	3/7/2005	6.82	NP	-	30.32	NA
	6/22/2005	6.43	NP	-	30.71	NA
	9/19/2005	7.35	NP	-	29.79	NA
	12/12/2005	2.65	NP	-	34.49	NA
	3/13/2006	NM	NM	NM	NM	NA
	6/26/2006	6.20	NM	NM	NM	NA
	9/25/2006	8.63	NP	-	28.51	NA
	12/11/2006	-	-	-	-	NA
	3/19/2007	5.25	NP	-	31.89	NA
	6/18/2007	6.67	NP	-	30.47	NA
	9/17/2007	8.78	NP	-	28.36	NA
CR-6	2/14/2000	11.75	NP	-	23.86	NA
(35.61)	5/22/2000	12.20	NP	-	23.41	NA
	8/22/2000	13.11	NP	-	22.50	NA
	11/27/2000	NM	NM	-	-	NA
	2/20/2001	13.12	13.11	0.01	22.50	0.0 **
	5/15/2001	12.90	NP	-	22.71	NA **
	9/19/2001	13.95	13.91	0.04	21.69	0.0 **
	12/20/2001	13.02	NP	-	22.59	NA
	3/15/2002	11.54	NP	-	24.07	NA
	6/4/2002	12.70	12.69	0.01	22.92	NA
	9/23/2002	14.56	NP	-	21.05	NA
	12/19/2002	13.26	13.23	0.03	22.37	0.04
	3/19/2003	12.01	11.99	0.02	23.62	0.0
	6/24/2003	12.75	12.73	0.02	22.88	0.0
	9/24/2003	13.43	13.40	0.03	22.20	0.0
	12/26/2003	12.73	12.69	0.04	22.91	0.0
	3/30/2004	12.18	sheen	-	23.43	0.0
	6/24/2004	13.21	13.17	0.04	22.43	0.007
	9/27/2004	13.24	13.19	0.05	22.41	0.009
	12/14/2004	13.01	12.97	0.04	22.63	0.007
	3/7/2005	13.07	13.04	0.03	22.56	0.005
	6/21/2005	13.16	13.13	0.03	22.47	0.005
	9/19/2005	13.63	13.60	0.03	22.00	0.005
	12/12/2005	12.47	12.47	Sheen	23.14	0.0
	3/13/2006	11.61	NP	-	24.00	NA
	6/26/2006	12.48	12.48	Sheen	23.13	NA
	9/25/2006	13.68	Trace	-	21.93	NA
	12/11/2006	12.39	12.37	0.02	23.24	NA
	3/19/2007	11.67	11.61	0.06	23.99	NA
	6/18/2007	12.88	12.84	0.04	22.76	NA
	9/17/2007	13.86	Trace	-	21.75	NA

COPPOR00007459

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-7	2/14/2000	9.46	9.45	0.01	26.12	0.0
(35.57)	5/22/2000	10.09	NP	-	25.48	NA
	8/22/2000	16.34	NP	-	19.23	NA
	11/27/2000	NM	NM	-	NM	-
	2/20/2001	11.30	sheen	-	24.27	0.0
	5/15/2001	11.21	NP	-	24.36	NA
	9/19/2001	12.46	NP	-	23.11	NA
	12/20/2001	9.92	NP	-	25.65	NA
	3/15/2002	9.60	NP	-	25.97	NA
	6/4/2002	11.01	11.00	0.01	24.57	NA
	9/23/2002	12.23	NP	-	23.34	NA
	12/19/2002	11.45	NP	-	24.12	NA
	3/19/2003	10.53	NP	-	25.04	NA
	6/24/2003	11.23	NP	-	24.34	NA
	9/24/2003	12.60	12.58	0.02	22.99	NA
	12/26/2003	10.90	NP	-	24.67	NA
	3/30/2004	10.77	NP	-	24.80	NA
	6/24/2004	11.78	11.75	0.03	23.81	NA
	9/27/2004	11.58	NP	-	23.99	NA
	12/14/2004	11.14	NP	-	24.43	NA
	3/7/2005	11.57	11.56	0.01	24.01	0.002
	6/21/2005	11.27	11.25	0.02	24.32	0.003
	9/19/2005	12.39	12.38	0.01	23.19	0.002
	12/12/2005	10.90	10.90	Sheen	24.67	0.0
	3/13/2006	9.94	NP	-	25.63	NA
	6/26/2006	11.14	11.14	Sheen	24.43	NA
	9/25/2006	12.42	12.40	0.02	23.17	NA
	12/11/2006	10.74	Trace	-	24.83	NA
	3/19/2007	-	-	-	-	-
	6/18/2007	**11.40**	**Trace**	-	**24.17**	-
	9/17/2007	**12.59**	**Trace**	-	**22.98**	-
CR-8	2/14/2000	5.70	NP	-	27.44	NA
(33.14)	5/22/2000	6.23	NP	-	26.91	NA
	8/22/2000	7.44	NP	-	25.70	NA
	11/27/2000	7.61	NP	-	25.53	NA
	2/20/2001	7.03	NP	-	26.11	NA
	5/15/2001	6.98	NP	-	26.16	NA
	9/19/2001	8.29	NP	-	24.85	NA
	12/20/2001	6.18	NP	-	26.96	NA
	3/15/2002	5.77	NP	-	27.37	NA
	6/4/2002	6.82	NP	-	26.32	NA
	9/23/2002	8.04	NP	-	25.10	NA
	12/19/2002	7.36	NP	-	25.78	NA
	3/19/2003	6.12	NP	-	27.02	NA
	6/24/2003	6.84	NP	-	26.30	NA
	9/24/2003	8.24	NP	-	24.90	NA
	12/26/2003	6.99	NP	-	26.15	NA
	3/30/2004	6.31	NP	-	26.83	NA
	6/24/2004	7.19	NP	-	25.95	NA
	9/27/2004	7.42	NP	-	25.72	NA
	12/14/2004	6.80	NP	-	26.34	NA
	3/7/2005	6.86	NP	-	26.28	NA
	6/22/2005	6.71	NP	-	26.43	NA
	9/19/2005	8.03	NP	-	25.11	NA
	12/12/2005	6.96	NP	-	26.18	NA
	3/13/2006	5.33	NP	-	27.81	NA
	6/26/2006	6.78	NP	-	26.36	NA
	9/25/2006	8.06	NP	-	25.08	NA
	12/11/2006	6.25	NP	-	26.89	NA
	3/19/2007	5.90	NP	-	27.24	NA
	6/18/2007	**7.15**	**NP**	-	**25.99**	**NA**
	9/17/2007	**8.23**	**NP**	-	**24.91**	**NA**
CR-8A	6/26/2006	6.52	NP	-	-	NA
(Sump)	9/25/2006	7.12	NP	-	-	NA
	12/11/2006	4.53	NP	-	-	NA
	3/19/2007	4.62	NP	-	-	NA
	6/18/2007	**6.07**	**NP**	-	-	**NA**
	9/17/2007	**7.38**	**NP**	-	-	**NA**

COPPOR00007460

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-9	2/14/2000	3.02	NP	-	32.70	NA
(35.72)	5/22/2000	3.78	NP	-	31.94	NA
	8/22/2000	6.51	NP	-	29.21	NA
	11/27/2000	5.20	NP	-	30.52	NA
	2/20/2001	4.71	NP	-	31.01	NA
	5/15/2001	4.95	NP	-	30.77	NA
	9/19/2001	7.26	NP	-	28.46	NA
	12/20/2001	3.47	NP	-	32.25	NA
	3/15/2002	3.25	NP	-	32.47	NA
	9/23/2002	7.11	NP	-	28.81	NA
	12/19/2002	4.35	NP	-	31.37	NA
	3/19/2003	3.46	NP	-	32.26	NA
	6/24/2003	5.95	NP	-	29.77	NA
	9/24/2003	6.82	NP	-	28.90	NA
	12/26/2003	3.53	NP	-	32.19	NA
	3/30/2004	3.69	NP	-	32.03	NA
	6/24/2004	6.06	NP	-	29.66	NA
	9/27/2004	6.32	NP	-	29.40	NA
	2/14/2004	3.81	NP	-	31.91	NA
	3/7/2005	4.66	NP	-	31.06	NA
	6/22/2005	6.71	NP	-	29.01	NA
	9/19/2005	6.94	NP	-	28.78	NA
	12/12/2005	4.01	NP	-	31.71	NA
	3/13/2006	3.12	NP	-	32.60	NA
	6/26/2006	5.33	NP	-	30.39	NA
	9/25/2006	7.00	NP	-	28.72	NA
	12/11/2006	4.13	NP	-	31.59	NA
	3/19/2007	3.40	NP	-	32.32	NA
	6/18/2007	**5.88**	**NP**	**-**	**29.84**	**NA**
	9/17/2007	**-**	**-**	**-**	**-**	**NA**
CR-10	2/14/2000	4.12	4.08	0.04	31.48	0.0
(35.57)	5/22/2000	4.95	NP	-	30.62	NA
	8/22/2000	7.00	6.74	0.26	28.78	0.9
	11/27/2000	NM	NM	-	-	1.1
	2/20/2001	6.27	6.03	0.24	29.49	0.5
	5/15/2001		Covered With a Gravel Pile			0.5
	9/19/2001	10.68	7.92	2.76	27.10	NR ***
	12/22/2001	4.18	4.12	0.06	31.44	NR ***
	3/15/2002	4.03	3.95	0.08	31.60	0.1
	6/4/2002	5.72	5.55	0.17	29.99	0.1
	9/23/2002	9.13	7.04	2.09	28.11	3.0
	12/19/2002	7.44	6.35	1.09	29.00	0.53
	3/19/2003	4.25	4.21	0.04	31.35	0.26
	6/24/2003	5.69	5.58	0.11	29.97	0.05
	9/24/2003	8.15	7.41	0.74	28.01	0.53
	12/26/2003	6.45	4.75	1.70	30.48	6.0
	3/30/2004	5.23	NP	-	30.34	Skimmer
	6/24/2004	6.81	6.79	0.02	28.78	Skimmer
	9/27/2004	6.78	NP	-	28.79	Skimmer
	12/14/2004	6.33	6.30	0.03	29.26	Skimmer
	3/7/2005	6.63	6.62	0.01	28.95	Skimmer
	6/21/2005	5.50	5.46	0.04	30.10	0.02
	9/19/2005	8.33	7.94	0.39	27.55	0.28
	12/12/2005	5.61	5.60	Sheen	29.96	0.02
	3/13/2006	4.78	4.78	Sheen	30.79	0.04
	6/26/2006	6.90	6.90	Sheen	28.67	0.02
	9/25/2006	8.59	7.74	0.85	27.66	0.44
	12/11/2006	4.93	Trace	-	30.64	0.80
	3/19/2007	4.60	4.55	0.05	31.01	0.00
	6/18/2007	**6.30**	**6.26**	**0.04**	**29.30**	**0.03**
	9/17/2007	**8.55**	**7.80**	**0.75**	**27.62**	**0.05**

COPPOR00007461

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-11	2/14/2000	2.06	NP	-	32.37	NA
(34.43)	5/22/2000	2.04	NP	-	32.39	NA
	8/22/2000	4.13	NP	-	30.30	NA
	11/27/2000	4.47	sheen	-	29.96	0.1
	2/20/2001	3.27	NP	-	31.16	NA
	5/15/2001	3.02	NP	-	31.41	NA
	9/19/2001	5.26	NP	-	29.17	NA
	12/20/2001	2.34	NP	-	32.09	NA
	3/15/2002	2.02	NP	-	32.41	NA
	9/23/2002	5.12	NP	-	29.31	NA
	12/19/2002	3.86	3.84	0.02	30.59	NA
	3/19/2003	2.06	NP	-	32.37	NA
	6/24/2003	3.25	NP	-	31.18	NA
	9/24/2003	4.80	NP	-	29.63	NA
	12/26/2003	well obstructed				
	3/30/2004	2.53	NP	-	31.90	NA
	6/24/2004	3.85	3.84	0.01	30.59	NA
	9/27/2004	4.60	4.59	0.01	29.84	NA
	12/14/2004	3.24	3.22	0.02	31.21	NA
	3/7/2005	3.27	NP	-	31.16	NA
	6/20/2005	3.20	NP	-	31.23	NA
	9/19/2005	4.47	4.47	0.00	29.96	0.0
	12/12/2005	3.20	3.20	Sheen	31.23	0.0
	3/13/2006	1.98	NP	Sheen	32.45	NA
	6/26/2006	2.05	NP	-	32.38	NA
	9/25/2006	2.56	NP	-	31.87	NA
	12/11/2006	2.58	2.56	0.02	31.87	NA
	3/19/2007	2.34	NP	-	32.09	NA
	6/18/2007	2.46	NP	-	31.97	NA
	9/17/2007	3.69	3.64	0.05	30.78	NA

COPPOR00007462

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-12	6/9/1999	4.85	NP	-	30.74	NA
(35.59)	7/8/1999	5.08	NP	-	30.51	NA
	8/16/1999	5.63	NP	-	29.96	NA
	9/20/1999	8.90	NP	-	26.69	NA
	2/9/2000	2.66	NP	-	32.93	NA
	5/9/2000	4.44	NP	-	31.15	NA
	5/15/2000	4.12	NP	-	31.47	NA
	7/11/2000	5.21	NP	-	30.38	NA
	8/14/2000	5.76	NP	-	29.83	NA
	12/12/2000	5.61	NP	-	29.98	NA
	4/3/2001	5.49	NP	-	30.10	NA
	6/8/2001	Covered With a Gravel Pile				
	7/16/2001	Covered With a Gravel Pile				
	8/1/2001	6.14	NP	-	29.45	NA
	9/19/2001	Covered With a Gravel Pile				
	12/22/2001	3.82	NP	-	31.77	NA
	3/15/2002	3.89	NP	-	31.70	NA
	6/4/2002	5.13	NP	-	30.46	NA
	9/23/2002	6.69	NP	-	28.90	NA
	12/19/2002	5.53	NP	-	30.06	NA
	3/19/2003	3.99	NP	-	31.60	NA
	6/24/2003	5.15	NP	-	30.44	NA
	9/24/2003	6.67	NP	-	28.92	NA
	12/26/2003	4.48	NP	-	31.11	NA
	3/30/2004	4.76	NP	-	30.83	NA
	6/24/2004	5.94	NP	-	29.65	NA
	9/27/2004	6.28	NP	-	29.31	NA
	12/14/2004	5.27	NP	-	30.32	NA
	3/7/2005	5.84	NP	-	29.75	NA
	6/21/2005	5.39	NP	-	30.20	NA
	9/19/2005	6.55	NP	-	29.04	NA
	12/12/2005	5.14	NP	-	30.45	NA
	3/13/2006	4.55	NP	-	31.04	NA
	6/26/2006	5.31	NP	-	30.28	NA
	9/25/2006	6.69	NP	-	28.90	NA
	12/11/2006	4.91	NP	-	30.68	NA
	3/19/2007	4.45	NP	-	31.14	NA
	6/18/2007	5.86	NP	-	29.73	NA
	9/17/2007	6.86	NP	-	28.73	NA

COPPOR00007463

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-13	6/9/1999	5.08	NP	-	30.38	NA
(35.46)	7/8/1999	5.27	NP	-	30.19	NA
	8/16/1999	5.77	NP	-	29.69	NA
	9/20/1999	9.05	NP	-	26.41	NA
	2/9/2000	3.86	NP	-	31.60	NA
	5/9/2000	4.63	NP	-	30.83	NA
	5/15/2000	4.37	NP	-	31.09	NA
	7/11/2000	5.28	NP	-	30.18	NA
	8/14/2000	5.81	NP	-	29.65	NA
	12/12/2000	5.64	NP	-	29.82	NA
	4/3/2001	5.80	NP	-	29.66	NA
	6/8/2001	5.75	NP	-	29.71	NA
	7/16/2001	6.29	NP	-	29.17	NA
	8/1/2001	6.52	NP	-	28.94	NA
	9/19/2001	Covered With a Gravel Pile				
	12/22/2001	4.34	NP	-	31.12	NA
	3/15/2002	4.38	NP	-	31.08	NA
	6/4/2002	5.66	NP	-	29.80	NA
	9/23/2002	6.83	NP	-	28.63	NA
	12/19/2002	6.09	NP	-	29.37	NA
	3/19/2003	4.71	NP	-	30.75	NA
	6/24/2003	5.66	NP	-	29.80	NA
	9/24/2003	6.90	NP	-	28.56	NA
	12/26/2003	4.93	NP	-	30.53	NA
	3/30/2004	5.29	NP	-	30.17	NA
	6/24/2004	6.24	NP	-	29.22	NA
	9/27/2004	6.49	NP	-	28.97	NA
	12/14/2004	5.81	NP	-	29.65	NA
	3/7/2005	6.16	NP	-	29.30	NA
	6/21/2005	5.70	NP	-	29.76	NA
	9/19/2005	6.81	NP	-	28.65	NA
	12/12/2005	5.38	NP	-	30.08	NA
	3/13/2006	NM	NM	NM	NM	NM
	6/26/2006	NM	NM	NM	NM	NM
	9/25/2006	Well not found				
	12/11/2006	-	-	-	-	-
	3/19/2007	-	-	-	-	-
	6/18/2007	-	-	-	-	-
	9/17/2007	-	-	-	-	-

COPPOR00007464

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-14	6/9/1999	5.03	NP	-	30.40	NA
(35.43)	7/8/1999	5.27	NP	-	30.16	NA
	8/16/1999	5.85	NP	-	29.58	NA
	9/20/1999	6.14	NP	-	29.29	NA
	2/9/2000	3.98	NP	-	31.45	NA
	5/9/2000	4.66	NP	-	30.77	NA
	5/15/2000	4.33	NP	-	31.10	NA
	7/11/2000	5.41	NP	-	30.02	NA
	8/14/2000	6.01	NP	-	29.42	NA
	12/12/2000	5.87	NP	-	29.56	NA
	4/3/2001	5.70	NP	-	29.73	NA
	6/8/2001	5.81	NP	-	29.62	NA
	7/16/2001	6.20	NP	-	29.23	NA
	8/1/2001	6.32	NP	-	29.11	NA
	9/19/2001	6.99	NP	-	28.44	NA
	12/20/2001	4.22	NP	-	31.21	NA
	3/15/2002	4.09	NP	-	31.34	NA
	6/4/2002	5.41	NP	-	30.02	NA
	9/23/2002	6.86	NP	-	28.57	NA
	12/19/2002	5.59	NP	-	29.84	NA
	3/19/2003	4.54	NP	-	30.89	NA
	6/24/2003	5.51	NP	-	29.92	NA
	9/24/2003	7.01	NP	-	28.42	NA
	12/26/2003	4.72	NP	-	30.71	NA
	3/30/2004	5.38	NP	-	30.05	NA
	6/24/2004	6.36	NP	-	29.07	NA
	9/27/2004	6.53	NP	-	28.90	NA
	12/14/2004	5.57	NP	-	29.86	NA
	3/7/2005	6.26	NP	-	29.17	NA
	6/21/2005	5.56	NP	-	29.87	NA
	9/19/2005	6.93	NP	-	28.50	NA
	12/12/2005	5.39	NP	-	30.04	NA
	3/13/2006	4.89	NP	-	30.54	NA
	6/26/2006	5.87	NP	-	29.56	NA
	9/25/2006	7.25	NP	-	28.18	NA
	12/11/2006	5.52	NP	-	29.91	NA
	3/19/2007	5.19	NP	-	30.24	NA
	6/18/2007	6.13	NP	-	29.30	NA
	9/17/2007	7.33	NP	-	28.10	NA

COPPOR00007465

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-15	6/9/1999	9.06	NP	-	26.36	NA
(35.42)	7/8/1999	9.44	9.41	0.03	26.00	NR ***
	8/16/1999	10.35	10.08	0.27	25.29	NR ***
	9/20/1999	11.07	10.63	0.44	24.70	NR ***
	2/9/2000	8.32	8.01	0.31	27.35	NR ***
	5/9/2000	8.91	8.66	0.25	26.71	NR ***
	5/15/2000	8.74	8.53	0.21	26.85	NR ***
	5/16/2000	8.60	8.45	0.15	26.94	NR ***
	6/7/2000	9.33	8.99	0.34	26.36	NR ***
	7/11/2000	10.02	9.70	0.32	25.66	NR ***
	8/14/2000	10.76	10.39	0.37	24.96	NR ***
	12/12/2000	10.60	10.56	0.04	24.85	NR ***
	4/3/2001	10.17	10.05	0.12	25.35	NR ***
	6/8/2001	10.56	10.37	0.19	25.01	NR ***
	7/16/2001	10.97	10.77	0.20	24.61	NR ***
	9/19/2001	12.17	11.76	0.41	23.58	NR ***
	12/22/2001	8.66	8.50	0.16	26.89	NR ***
	3/15/2002	8.86	8.42	0.44	26.91	0.3
	6/4/2002	10.52	10.25	0.27	25.12	0.5
	9/23/2002	11.40	11.31	0.09	24.09	0.13
	12/19/2002	9.39	9.37	0.02	26.05	0.03
	3/19/2003	9.11	9.04	0.07	26.37	0.13
	6/24/2003	10.63	10.52	0.11	24.88	0.01
	9/24/2003	12.53	12.32	0.21	23.06	0.01
	12/26/2003	10.34	9.78	0.56	25.53	NA
	3/30/2004	10.34	9.92	0.42	25.42	NA
	6/24/2004	11.26	11.11	0.15	24.28	NA
	9/27/2004	11.85	11.76	0.09	23.64	NA
	12/14/2004	9.96	9.95	0.01	25.47	0.002
	3/7/2005	11.02	10.90	0.12	24.50	0.02
	6/21/2005	10.62	10.49	0.13	24.90	0.02
	9/19/2005	12.10	11.89	0.21	23.49	0.16
	12/12/2005	10.04	10.01	0.03	25.40	0.03
	3/13/2006	9.06	8.93	0.13	26.46	0.05
	6/26/2006	10.79	10.51	0.28	24.85	NA
	9/25/2006	12.18	11.90	0.28	23.46	0.00
	12/11/2006	9.96	9.93	0.03	25.48	0.12
	3/19/2007	6.21	6.08	0.13	29.31	0.20
	6/18/2007	**10.81**	**10.70**	**0.11**	**24.70**	**0.09**
	9/17/2007	**12.09**	**12.00**	**0.09**	**23.40**	**0.04**

COPPOR00007466

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-16	6/9/1999	11.05	NP	-	23.72	NA
(34.77)	7/8/1999	11.61	NP	-	23.16	NA
	8/16/1999	11.82	NP	-	22.95	NA
	9/20/1999	12.00	NP	-	22.77	NA
	2/9/2000	10.39	NP	-	24.38	NA
	5/9/2000	11.10	NP	-	23.67	NA
	5/15/2000	11.12	NP	-	23.65	NA
	7/11/2000	11.86	NP	-	22.91	NA
	8/14/2000	11.96	NP	-	22.81	NA
	12/12/2000	11.95	NP	-	22.82	NA
	4/3/2001	11.93	NP	-	22.84	NA
	6/8/2001	NM	NM	-	NM	-
	7/16/2001	12.06	NP	-	22.71	NA
	9/19/2001	12.60	NP	-	22.17	NA
	12/22/2001	10.40	NP	-	24.37	NA
	3/15/2002	10.64	NP	-	24.13	NA
	6/4/2002	11.89	NP	-	22.88	NA
	9/23/2002	12.16	NP	-	22.61	NA
	12/19/2002	10.89	10.87	0.02	23.90	0.01
	3/19/2003	10.54	NP	-	24.23	NA
	6/24/2003	11.81	NP	-	22.96	NA
	9/24/2003	12.42	NP	-	22.35	NA
	12/26/2003	11.29	NP	-	23.48	NA
	3/30/2004	10.83	NP	-	23.94	NA
	6/24/2004	12.04	12.02	0.02	22.75	NA
	9/27/2004	12.03	NP	-	22.74	NA
	12/14/2004	11.08	NP	-	23.69	NA
	3/7/2005	11.88	NP	-	22.89	NA
	6/21/2005	11.59	NP	-	23.18	NA
	9/19/2005	12.35	12.35	0.00	22.42	NA
	12/12/2005	11.00	10.92	0.08	23.83	0.0
	3/13/2006	10.55	NP	-	24.22	NA
	6/26/2006	11.38	NP	-	23.39	NA
	9/25/2006	12.37	NP	-	22.40	NA
	12/11/2006	11.10	11.08	0.02	23.69	NA
	3/19/2007	10.34	NP	-	24.43	NA
	6/18/2007	11.85	NP	-	22.92	NA
	9/17/2007	12.49	NP	-	22.28	NA

COPPOR00007467

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-17	6/9/1999	6.90	NP	-	27.56	NA
(34.46)	7/8/1999	7.15	NP	-	27.31	NA
	8/16/1999	7.81	NP	-	26.65	NA
	9/20/1999	8.35	NP	-	26.11	NA
	2/9/2000	6.41	NP	-	28.05	NA
	5/9/2000	6.80	NP	-	27.66	NA
	5/15/2000	6.68	NP	-	27.78	NA
	7/11/2000	7.50	NP	-	26.96	NA
	8/14/2000	8.21	NP	-	26.25	NA
	12/12/2000	8.26	NP	-	26.20	NA
	4/3/2001	7.90	NP	-	26.56	NA
	6/8/2001	NM	NM	-	NM	-
	7/16/2001	8.59	NP	-	25.87	NA
	9/19/2001	9.70	NP	-	24.76	NA
	12/22/2001	6.57	NP	-	27.89	NA
	3/15/2002	6.47	NP	-	27.99	NA
	6/4/2002	7.82	NP	-	26.64	NA
	9/23/2002	8.81	NP	-	25.65	NA
	12/19/2002	7.92	NP	-	26.54	NA
	3/19/2003	6.70	NP	-	27.76	NA
	6/24/2003	7.96	NP	-	26.50	NA
	9/24/2003	9.63	NP	-	24.83	NA
	12/26/2003	7.51	7.10	0.41	27.28	NA
	3/30/2004	7.32	NP	-	27.14	NA
	6/24/2004	8.65	NP	-	25.81	NA
	9/27/2004	8.32	NP	-	26.14	NA
	12/14/2004	7.44	NP	-	27.02	NA
	3/7/2005	8.28	NP	-	26.18	NA
	6/21/2005	7.80	NP	-	26.66	NA
	9/19/2005	9.50	NP	-	24.96	NA
	12/12/2005	7.22	NP	-	27.24	NA
	3/13/2006	6.64	NP	-	27.82	NA
	6/26/2006	7.71	NP	-	26.75	NA
	9/25/2006	9.57	NP	-	24.89	NA
	12/11/2006	7.11	NP	-	27.35	NA
	3/19/2007	6.91	NP	-	27.55	NA
	6/18/2007	8.17	NP	-	26.29	NA
	9/17/2007	9.98	NP	-	24.48	NA

COPPOR00007468

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-18	6/9/1999	3.77	NP	-	31.07	NA
(34.84)	7/8/1999	4.14	NP	-	30.70	NA
	8/16/1999	5.19	NP	-	29.65	NA
	9/20/1999	NM	NM	-	NM	-
	2/9/2000	NM	NM	-	NM	-
	5/9/2000	NM	NM	-	NM	-
	5/15/2000	NM	NM	-	NM	-
	7/11/2000	NM	NM	-	NM	-
	8/14/2000	NM	NM	-	NM	-
	12/12/2000	NM	NM	-	NM	-
	4/3/2001	NM	NM	-	NM	-
	6/8/2001	NM	NM	-	NM	-
	7/16/2001	NM	NM	-	NM	-
	9/19/2001	NM	NM	-	NM	-
	12/22/2001	NM	NM	-	NM	-
	3/15/2002	NM	NM	-	NM	-
		Abandoned				

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-19	6/9/1999	5.10	NP	-	30.39	NA
(35.49)	7/8/1999	6.24	5.27	0.97	30.03	NR ***
	8/16/1999	7.65	5.87	1.78	29.26	NR ***
	9/20/1999	8.86	6.38	2.48	28.61	NR ***
	2/9/2000	5.94	3.35	2.59	31.62	NR ***
	5/9/2000	6.19	4.38	1.81	30.75	NR ***
	5/15/2000	4.27	4.22	0.05	31.26	NR ***
	5/16/2000	4.32	4.26	0.06	31.22	NR ***
	6/7/2000	5.57	4.78	0.79	30.55	NR ***
	7/11/2000	6.17	5.35	0.82	29.98	NR ***
	8/14/2000	7.50	5.94	1.56	29.24	NR ***
	12/12/2000	8.69	5.90	2.79	29.03	NR ***
	4/3/2001	8.03	5.61	2.42	29.40	NR ***
	6/8/2001	7.77	5.75	2.02	29.34	NR ***
	7/16/2001	7.99	6.32	1.67	28.84	NR ***
	9/19/2001	8.86	7.14	1.72	28.01	NR ***
	12/22/2001	4.62	4.24	0.38	31.17	NR ***
	3/15/2002	4.47	4.13	0.34	31.29	0.25
	6/4/2002	6.92	5.39	1.53	29.79	1.50
	9/23/2002	8.48	6.91	1.57	28.27	0.53
	12/19/2002	7.09	6.17	0.92	29.14	0.26
	3/19/2003	4.83	4.40	0.43	31.00	0.26
	6/24/2003	6.51	5.50	1.01	29.79	0.75
	9/24/2003	7.68	6.99	0.69	28.36	0.26
	12/26/2003	7.41	5.21	2.20	29.84	2.50
	3/30/2004	7.12	5.49	1.63	29.67	2.50
	6/24/2004	7.40	6.62	0.78	28.71	2.50
	9/27/2004	8.28	7.65	0.63	27.71	2.50
	12/14/2004	6.63	6.37	0.26	29.07	0.04
	3/7/2005	6.94	6.92	0.02	28.57	0.003
	6/21/2005	6.43	5.83	0.60	29.54	0.1
	9/19/2005	8.80	7.32	1.48	27.87	0.3
	12/12/2005	5.19	5.19	Sheen	30.30	0.01
	3/13/2006	4.45	NP	Sheen	31.04	0.10
	6/26/2006	6.00	5.93	0.07	29.55	0.04
	9/25/2006	8.13	7.39	0.74	27.85	0.36
	12/11/2006	4.78	Trace	-	30.71	0.50
	3/19/2007	4.63	NP	-	30.86	0.30
	6/18/2007	**6.51**	**6.29**	**0.22**	**29.16**	**0.38**
	9/17/2007	**7.89**	**7.54**	**0.35**	**27.88**	**0.03**

COPPOR00007470

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-20	7/8/1999	7.69	NP	-	27.45	NA
(35.14)	8/16/1999	8.50	NP	-	26.64	NA
	9/20/1999	9.14	NP	-	26.00	NA
	2/9/2000	6.67	NP	-	28.47	NA
	5/9/2000	7.25	NP	-	27.89	NA
	5/15/2000	6.98	NP	-	28.16	NA
	7/11/2000	8.15	NP	-	26.99	NA
	8/14/2000	8.95	NP	-	26.19	NA
	12/12/2000	9.12	NP	-	26.02	NA
	4/3/2001	8.75	NP	-	26.39	NA
	6/8/2001	9.04	NP	-	26.10	NA
	7/16/2001	9.51	NP	-	25.63	NA
	9/19/2001	10.91	NP	-	24.23	NA
	12/20/2001	6.96	NP	-	28.18	NA
	3/15/2002	6.91	NP	-	28.23	NA
	6/4/2002	8.74	NP	-	26.40	NA
	9/23/2002	10.29	NP	-	24.85	NA
	12/19/2002	8.88	NP	-	26.26	NA
	3/19/2003	7.35	NP	-	27.79	NA
	6/24/2003	9.05	NP	-	26.09	NA
	9/24/2003	11.30	NP	-	23.84	NA
	12/26/2003	8.08	8.06	0.02	27.08	NA
	3/30/2004	8.35	NP	-	26.79	NA
	6/24/2004	9.89	NP	-	25.25	NA
	9/27/2004	9.59	NP	-	25.55	NA
	12/14/2004	8.25	NP	-	26.89	NA
	3/7/2005	9.60	NP	-	25.54	NA
	6/21/2005	8.79	NP	-	26.35	NA
	9/19/2005	10.92	NP	-	24.22	NA
	12/12/2005	8.26	NP	-	26.88	NA
	3/13/2006	7.09	NP	-	28.05	NA
	6/26/2006	8.72	NP	-	26.42	NA
	9/25/2006	11.00	NP	-	24.14	NA
	12/11/2006	8.23	NP	-	26.91	NA
	3/19/2007	7.22	NP	-	27.92	NA
	6/18/2007	9.13	NP	-	26.01	NA
	9/17/2007	11.02	NP	-	24.12	NA

COPPOR00007471

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-21A	12/12/2000	5.54	NP	-	28.57	NA
(34.11)	4/5/2001	5.21	5.11	0.10	28.98	NR ***
	6/8/2001	5.61	5.11	0.50	28.90	NR ***
	7/16/2001	6.37	5.25	1.12	28.64	NR ***
	9/19/2001	Covered With Construction Equipment				
	12/22/2001	NM	NM	-	NM	-
	3/15/2002	NM	NM	>1.0E	NM	NM
	6/4/2002	NM	4.85E	>1.5E	NM	NM
	9/23/2002	8.10E	6.10E	2.0E	NM	0.04
	12/19/2002	5.19	4.95	0.24	29.11	0.02
	3/19/2003	3.6E	3.4E	0.2E	NM	0.01
	6/24/2003	5.6E	5.33	0.25E	NM	0.01
	9/24/2003	7.1E	6.80	0.3E	NM	0.01
	12/26/2003	3.75	3.63E	0.12E	NM	0.01
	3/30/2004	5.35	4.99	0.36	29.05	0.25
	6/24/2004	6.52	6.17	0.35	27.87	NA
	9/27/2004	7.09	6.59	0.50	27.42	NA
	12/14/2004	5.69	5.48	0.21	28.59	0.005
	3/7/2005	5.80	5.66	0.14	28.42	0.003
	6/22/2005	5.78	5.53	0.25	28.53	0.006
	9/19/2005	7.41	6.89	0.52	27.12	0.012
	12/12/2005	5.29	5.08	0.21	28.99	0.02
	3/13/2006	4.35	4.18	0.17	29.90	0.01
	6/26/2006	5.35	5.23	0.12	28.86	0.01
	9/25/2006	6.72	NP	-	27.39	0.01
	12/11/2006	4.92	4.68	0.24	29.38	NA
	3/19/2007	5.00	4.50	0.50	29.51	NA
	6/18/2007	-	-	-	-	-
	9/17/2007	7.36	7.30	0.06	26.80	-
CR-21B	12/12/2000	6.53	NP	-	27.83	NA
(34.36)	4/3/2001	5.62	NP	-	28.74	NA
	6/8/2001	NM	NM	NM	NM	-
	7/16/2001	6.88	NP	-	27.48	NA
	9/19/2001	7.41	NP	-	26.95	NA
	12/20/2001	4.68	NP	-	29.68	NA
	3/15/2002	4.48	NP	-	29.88	NA
	6/4/2002	5.59	NP	-	28.77	NA
	9/23/2002	7.77	NP	-	26.59	NA
	12/19/2002	5.78	NP	-	28.57	NA
	3/19/2003	4.92	NP	-	29.44	NA
	6/24/2003	6.21	NP	-	28.15	NA
	9/24/2003	7.77	NP	-	26.59	NA
	12/26/2003	4.41	NP	-	29.95	NA
	3/30/2004	5.30	NP	-	29.06	NA
	6/24/2004	6.67	NP	-	27.69	NA
	9/27/2004	6.99	NP	-	27.37	NA
	12/14/2004	6.52	NP	-	27.84	NA
	3/7/2005	6.27	NP	-	28.09	NA
	6/22/2005	6.09	NP	-	28.27	NA
	9/19/2005	7.75	NP	-	26.61	NA
	12/12/2005	5.65	NP	-	28.71	NA
	3/13/2006	4.45	NP	-	29.91	NA
	6/26/2006	5.89	NP	-	28.47	NA
	9/25/2006	7.68	NP	-	26.68	NA
	12/11/2006	5.33	NP	-	29.03	NA
	3/19/2007	4.47	NP	-	29.89	NA
	6/18/2007	-	-	-	-	-
	9/17/2007	-	-	-	-	-

COPPOR00007472

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-22A	12/12/2000	11.92	NP	-	22.88	NA
(34.80)	4/3/2001	11.51	NP	-	23.29	NA
	6/8/2001	NM	NM	NM	NM	-
	7/16/2001	11.89	NP	-	22.91	NA
	9/19/2001	12.52	NP	-	22.28	NA
	12/22/2001	NM	NM	-	NM	-
	3/15/2002	10.36	NP	-	24.44	NA
	6/4/2002	11.32	NP	-	23.48	NA
	9/23/2002	12.12	NP	-	22.68	NA
	12/19/2002	11.93	NP	-	22.87	NA
	3/19/2003	10.99	NP	-	23.81	NA
	6/24/2003	11.83	NP	-	22.97	NA
	9/24/2003	12.96	NP	-	21.84	NA
	12/26/2003	11.65	NP	-	23.15	NA
	3/30/2004	11.79	NP	-	23.01	NA
	6/24/2004	12.28	NP	-	22.52	NA
	9/27/2004	12.33	NP	-	22.47	NA
	12/14/2004	11.98	NP	-	22.82	NA
	3/7/2005	12.02	NP	-	22.78	NA
	6/21/2005	11.85	NP	-	22.95	NA
	9/19/2005	12.73	NP	-	22.07	NA
	12/12/2005	11.59	NP	-	23.21	NA
	3/13/2006	10.98	NP	-	23.82	NA
	6/26/2006	11.42	NP	-	23.38	NA
	9/25/2006	12.82	Trace	-	21.98	NA
	12/11/2006	11.42	NP	-	23.38	NA
	3/19/2007	10.84	NP	-	23.96	NA
	6/18/2007	11.93	NP	-	22.87	NA
	9/17/2007	12.67	NP	-	22.13	NA
CR-22B	12/12/2000	11.27	NP	-	23.92	NA
(35.19)	4/3/2001	10.70	NP	-	24.49	NA
	6/8/2001	NM	NM	NM	NM	-
	7/16/2001	11.31	NP	-	23.88	NA
	9/19/2001	12.02	NP	-	23.17	NA
	12/20/2001	9.63	NP	-	25.56	NA
	3/15/2002	9.52	NP	-	25.67	NA
	6/4/2002	10.59	NP	-	24.60	NA
	9/23/2002	11.57	NP	-	23.62	NA
	12/19/2002	11.39	NP	-	23.80	NA
	3/19/2003	10.02	NP	-	25.17	NA
	6/24/2003	10.52	NP	-	24.67	NA
	9/24/2003	12.24	NP	-	22.95	NA
	12/26/2003	10.64	NP	-	24.55	NA
	3/30/2004	10.33	NP	-	24.86	NA
	6/24/2004	11.26	NP	-	23.93	NA
	9/27/2004	11.25	NP	-	23.94	NA
	12/14/2004	10.87	NP	-	24.32	NA
	3/7/2005	11.13	NP	-	24.06	NA
	6/21/2005	10.90	NP	-	24.29	NA
	9/19/2005	11.84	NP	-	23.35	NA
	12/12/2005	10.59	NP	-	24.60	NA
	3/13/2006	9.65	NP	-	25.54	NA
	6/26/2006	10.71	NP	-	24.48	NA
	9/25/2006	12.02	NP	-	23.17	NA
	12/11/2006	10.39	NP	-	24.80	NA
	3/19/2007	9.64	NP	-	25.55	NA
	6/18/2007	11.00	NP	-	24.19	NA
	9/17/2007	12.10	NP	-	23.09	NA

COPPOR00007473

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-23A	12/12/2000	13.56	NP	-	22.79	NA
(36.35)	4/3/2001	13.20	NP	-	23.15	NA
	6/8/2001	NM	NM	NM	NM	-
	7/16/2001	13.52	NP	-	22.83	NA
	9/19/2001	14.19	NP	-	22.18	NA
	12/22/2001	NM	NM	-	NM	-
	3/15/2002	11.84	NP	-	24.51	NA
	6/4/2002	12.83	NP	-	23.52	NA
	9/23/2002	13.66	NP	-	22.69	NA
	12/19/2002	13.66	NP	-	22.69	NA
	3/19/2003	11.97	NP	-	24.38	NA
	6/24/2003	12.64	NP	-	23.71	NA
	9/24/2003	13.95	NP	-	22.40	NA
	12/26/2003	12.70	NP	-	23.65	NA
	3/30/2004	12.47	NP	-	23.88	NA
	6/24/2004	13.46	NP	-	22.89	NA
	9/27/2004	13.45	NP	-	22.90	NA
	12/14/2004	13.14	NP	-	23.21	NA
	3/7/2005	13.35	NP	-	23.00	NA
	6/21/2005	12.92	NP	-	23.43	NA
	9/19/2005	13.95	NP	-	22.40	NA
	12/12/2005	12.74	NP	-	23.61	NA
	3/13/2006	11.96	NP	-	24.39	NA
	6/26/2006	12.96	NP	-	23.39	NA
	9/25/2006	13.95	NP	-	22.40	NA
	12/11/2006	12.62	NP	-	23.73	NA
	3/19/2007	11.93	NP	-	24.42	NA
	6/18/2007	13.16	NP	-	23.19	NA
	9/17/2007	14.38	NP	-	21.97	NA
CR-23B	12/12/2000	12.57	NP	-	23.70	NA
(36.27)	4/3/2001	12.18	NP	-	24.09	NA
	6/8/2001	NM	NM	NM	NM	-
	7/16/2001	12.71	NP	-	23.56	NA
	9/19/2001	13.79	NP	-	22.48	NA
	12/20/2001	11.04	NP	-	25.23	NA
	3/15/2002	10.94	NP	-	25.33	NA
	6/4/2002	12.96	NP	-	23.31	NA
	9/23/2002	12.79	NP	-	23.48	NA
	12/19/2002	12.79	NP	-	23.48	NA
	3/19/2003	12.55	NP	-	23.72	NA
	6/24/2003	12.65	NP	-	23.62	NA
	9/24/2003	13.57	NP	-	22.70	NA
	12/26/2003	11.85	NP	-	24.42	NA
	3/30/2004	11.46	NP	-	24.81	NA
	6/24/2004	12.73	NP	-	23.54	NA
	9/27/2004	12.62	NP	-	23.65	NA
	12/14/2004	12.36	NP	-	23.91	NA
	3/7/2005	12.61	NP	-	23.66	NA
	6/21/2005	12.33	NP	-	23.94	NA
	9/19/2005	13.29	NP	-	22.98	NA
	12/12/2005	12.00	NP	-	24.27	NA
	3/13/2006	10.98	NP	-	25.29	NA
	6/26/2006	12.11	NP	-	24.16	NA
	9/25/2006	13.23	NP	-	23.04	NA
	12/11/2006	11.81	NP	-	24.46	NA
	3/19/2007	11.25	NP	-	25.02	NA
	6/18/2007	12.40	NP	-	23.87	NA
	9/17/2007	13.99	NP	-	22.28	NA

COPPOR00007474

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-24A	12/12/2000	15.15	NP	-	21.06	NA
(36.21)	4/3/2001	14.46	NP	-	21.75	NA
	6/8/2001	NM	NM	NM	NM	-
	7/16/2001	14.64	NP	-	21.57	NA
	9/19/2001	15.11	NP	-	21.10	NA
	12/22/2001	NM	NM	-	NM	-
	3/15/2002	13.29	NP	-	22.92	NA
	6/4/2002	14.07	NP	-	22.14	NA
	9/23/2002	14.82	NP	-	21.39	NA
	12/19/2002	14.72	NP	-	21.49	NA
	3/19/2003	13.53	NP	-	22.68	NA
	6/24/2003	14.04	NP	-	22.17	NA
	9/24/2003	14.88	NP	-	21.33	NA
	12/26/2003	14.17	NP	-	22.04	NA
	3/30/2004	12.61	NP	-	23.60	NA
	6/24/2004	14.45	NP	-	21.76	NA
	9/27/2004	14.65	NP	-	21.56	NA
	12/14/2004	14.45	NP	-	21.76	NA
	3/7/2005	14.24	NP	-	21.97	NA
	6/21/2005	14.13	NP	-	22.08	NA
	9/19/2005	14.77	NP	-	21.44	NA
	12/12/2005	13.09	NP	-	23.12	NA
	3/13/2006	12.95	NP	-	23.26	NA
	6/26/2006	13.75	NP	-	22.46	NA
	9/25/2006	14.65	NP	-	21.56	NA
	12/11/2006	13.05	NP	-	23.16	NA
	3/19/2007	12.69	NP	-	23.52	NA
	6/18/2007	**14.14**	**NP**	-	**22.07**	**NA**
	9/17/2007	**14.98**	**NP**	-	**21.23**	**NA**
CR-24B	12/12/2000	13.78	NP	-	22.54	NA
(36.32)	4/3/2001	13.40	NP	-	22.92	NA
	6/8/2001	NM	NM	NM	NM	-
	7/16/2001	13.77	NP	-	22.55	NA
	9/19/2001	14.44	NP	-	21.88	NA
	12/20/2001	12.41	NP	-	23.91	NA
	3/15/2002	12.06	NP	-	24.26	NA
	6/4/2002	12.94	NP	-	23.38	NA
	9/23/2002	13.42	NP	-	22.90	NA
	12/19/2002	13.78	NP	-	22.54	NA
	3/19/2003	12.52	NP	-	23.80	NA
	6/24/2003	13.06	NP	-	23.26	NA
	9/24/2003	14.32	NP	-	22.00	NA
	12/26/2003	12.97	NP	-	23.35	NA
	3/30/2004	13.52	NP	-	22.80	NA
	6/24/2004	13.58	NP	-	22.74	NA
	9/27/2004	13.61	NP	-	22.71	NA
	12/14/2004	13.41	NP	-	22.91	NA
	3/7/2005	13.66	NP	-	22.66	NA
	6/21/2005	13.20	NP	-	23.12	NA
	9/19/2005	14.03	NP	-	22.29	NA
	12/12/2005	12.95	NP	-	23.37	NA
	3/13/2006	12.03	NP	-	24.29	NA
	6/26/2006	12.87	NP	-	23.45	NA
	9/25/2006	14.03	Trace	-	22.29	NA
	12/11/2006	13.72	NP	-	22.60	NA
	3/19/2007	12.09	NP	-	24.23	NA
	6/18/2007	**13.22**	**NP**	-	**23.10**	**NA**
	9/17/2007	**14.23**	**NP**	-	**22.09**	**NA**

COPPOR00007475

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Wilbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-25	12/12/2000	8.23	NP	-	26.04	NA
(34.27)	4/3/2001	7.69	7.25	0.44	26.93	NR ***
	6/8/2001	7.49	7.15	0.34	27.05	NR ***
	7/16/2001	8.67	7.73	0.94	26.35	NR ***
	9/19/2001	9.02	8.75	0.27	25.47	NR ***
	12/20/2001	6.96	6.81	0.15	27.43	NR ***
	3/15/2002	6.66	6.51	0.15	27.73	0.1
	6/4/2002	7.83	7.62	0.21	26.61	0.25
	9/23/2002	9.02	8.79	0.23	25.43	0.13
	12/19/2002	8.48	8.34	0.14	25.90	0.05
	3/19/2003	6.91	6.74	0.17	27.50	0.2
	6/24/2003	7.79	7.68	0.21	26.65	NR
	9/24/2003	9.06	8.91	0.15	25.33	NR
	12/26/2003	7.51	7.35	0.16	26.89	NR
	3/30/2004	8.00	7.79	0.21	26.44	0.0
	6/24/2004	8.65	8.19	0.46	25.99	0.0
	9/27/2004	8.65	8.42	0.23	25.80	0.0
	12/14/2004	7.62	7.49	0.13	26.75	0.02
	3/7/2005	8.14	7.95	0.19	26.28	0.03
	6/22/2005	8.07	7.79	0.28	26.42	0.05
	9/19/2005	10.34	9.14	1.20	24.89	0.2
	12/12/2005	7.87	7.58	0.29	26.63	0.17
	3/13/2006	6.54	6.40	0.14	27.84	0.05
	6/26/2006	7.83	7.82	0.01	26.45	0.05
	9/25/2006	9.22	9.19	0.03	25.07	0.05
	12/11/2006	7.65	NP	-	26.62	NA
	3/19/2007	7.75	6.70	1.05	27.36	0.90
	6/18/2007	**8.13**	**7.99**	**0.14**	**26.25**	**1.28**
	9/17/2007	**9.08**	**9.02**	**0.06**	**25.24**	**0.05**
CR-26	9/24/2003	-	-	-	-	-
(33.19)	12/26/2003	-	-	-	-	-
	3/26/2004	-	-	-	-	-
	6/24/2004	20.42	NP	-	12.77	NA
	9/27/2004	21.88	NP	-	11.31	NA
	12/14/2004	22.96	NP	-	-	NA
	3/7/2005	20.81	NP	-	-	NA
	6/22/2005	20.03	NP	-	-	NA
	9/19/2005	22.80	NP	-	-	NA
	12/12/2005	20.92	NP	-	12.27	NA
	1/30/2006	16.21	NP	-	16.98	NA
	3/13/2006	19.80	NP	-	13.39	NA
	6/26/2006	17.53	NP	-	15.66	NA
	9/25/2006	27.34	NP	-	5.85	NA
	12/11/2006	20.37	NP	-	12.82	NA
	3/19/2007	18.99	NP	-	14.20	NA
(33.21)	**6/18/2007**	**20.00**	**NP**	-	**13.21**	**NA**
	9/17/2007	**24.46**	**NP**	-	**8.75**	**NA**
CR-27C	1/30/2006	16.70	NP	-	16.58	NA
(33.28)	3/13/2006	19.46	NP	-	13.82	NA
	9/25/2006	21.94	NP	-	11.34	NA
	12/11/2006	20.48	NP	-	12.80	NA
	3/19/2007	19.26	NP	-	14.02	NA
(33.31)	**6/18/2007**	**19.95**	**NP**	-	**13.36**	**NA**
	9/17/2007	**22.15**	**NP**	-	**11.16**	**NA**
CR-28A	9/17/2007	NM	NM	NM	NM	NM
(34.90)						
CR-28B	1/30/2006	13.52	NP		21.35	NA
(34.87)	3/13/2006	14.54	NP	-	20.33	NA
	9/25/2006	NM	NM	NM	NM	NM
	12/11/2006	15.39	NP	-	19.48	NA
	3/19/2007	14.81	NP	-	20.06	NA
(34.87)	**6/18/2007**	**15.26**	**NP**	-	**19.61**	**NA**
	9/17/2007	**16.72**	**NP**	-	**18.15**	**NA**
CR-28C	1/30/2006	13.11	NP		21.65	NA
(34.76)	3/13/2006	14.02	NP	-	20.74	NA
	9/25/2006	NM	NM	NM	NM	NM
	12/11/2006	14.80	NP	-	19.96	NA
	3/19/2007	14.10	NP	-	20.66	NA
(34.75)	**6/18/2007**	**14.54**	**NP**	-	**20.21**	**NA**
	9/17/2007	**16.39**	**NP**	-	**18.36**	**NA**

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
CR-29A	1/30/2006	13.03	NP	-	21.13	NA
(34.16)	3/13/2006	13.68	NP	-	20.48	NA
	9/25/2006	NM	NM	NM	NM	NM
	12/11/2006	14.50	NP	-	19.66	NA
	3/19/2007	13.91	NP	-	20.25	NA
(34.19)	6/18/2007	14.93	NP	-	19.26	NA
	9/17/2007	15.73	NP	-	18.46	NA
CR-29B	1/30/2006	14.46	NP	-	19.85	NA
(34.31)	3/13/2006	NM	NP	-	NM	NA
	9/25/2006	NM	NM	NM	NM	NM
	12/11/2006	15.96	NP	-	18.35	NA
	3/19/2007	15.26	NP	-	19.05	NA
(34.32)	6/18/2007	15.86	NP	-	18.46	NA
	9/17/2007	17.72	NP	-	16.60	NA
CR-30A	1/30/2006	12.10	NP	-	20.96	NA
(33.06)	3/13/2006	12.95	NP	-	20.11	NA
	9/25/2006	NM	NM	NM	NM	NM
	12/11/2006	13.66	NP	-	19.40	NA
	3/19/2007	13.17	NP	-	19.89	NA
(33.08)	6/18/2007	14.15	NP	-	18.93	NA
	9/17/2007	15.91	NP	-	17.17	NA
CR-30B	1/30/2006	13.97	NP	-	18.33	NA
(32.30)	3/13/2006	16.13	NP	-	16.17	NA
	9/25/2006	NM	NM	NM	NM	NM
	12/11/2006	16.97	NP	-	15.33	NA
	3/19/2007	15.70	NP	-	16.60	NA
(32.33)	6/18/2007	16.73	NP	-	15.60	NA
	9/17/2007	14.88	NP	-	17.45	NA
CR-31A	1/30/2006	1.30	NP	-	20.26	NA
(21.56)	3/13/2006	2.14	NP	-	19.42	NA
	9/25/2006	NM	NM	NM	NM	NM
	12/11/2006	2.51	NP	-	19.05	NA
	3/19/2007	2.48	NP	-	19.08	NA
(21.58)	6/18/2007	3.37	NP	-	18.21	NA
	9/17/2007	4.02	NP	-	17.56	NA
CR-31B	1/30/2006	5.06	NP	-	16.63	NA
(21.69)	3/13/2006	7.75	NP	-	13.94	NA
	9/25/2006	NM	NM	NM	NM	NM
	12/11/2006	8.68	NP	-	13.01	NA
	3/19/2007	7.30	NP	-	14.39	NA
(21.70)	6/18/2007	8.37	NP	-	13.33	NA
	9/17/2007	10.96	NP	-	10.74	NA
CR-32A	1/30/2006	1.56	NP	-	20.13	NA
(21.69)	3/13/2006	2.41	NP	-	19.28	NA
	9/25/2006	NM	NM	NM	NM	NM
	12/11/2006	2.96	NP	-	18.73	NA
	3/19/2007	2.74	NP	-	18.95	NA
(21.91)	6/18/2007	3.63	NP	-	18.28	NA
	9/17/2007	4.32	NP	-	17.59	NA
CR-32B	1/30/2006	5.34	NP	-	16.68	NA
(22.02)	3/13/2006	7.99	NP	-	14.03	NA
	9/25/2006	NM	NM	NM	NM	NM
	12/11/2006	8.69	NP	-	13.33	NA
	3/19/2007	7.41	NP	-	14.61	NA
(22.02)	6/18/2007	8.39	NP	-	13.63	NA
	9/17/2007	10.44	NP	-	11.58	NA
CR-32C	1/30/2006	5.38	NP	-	16.42	NA
(21.80)	3/13/2006	8.75	NP	-	13.05	NA
	9/25/2006	NM	NM	NM	NM	NM
	12/11/2006	9.17	NP	-	12.63	NA
	3/19/2007	7.75	NP	-	14.05	NA
(21.76)	6/18/2007	8.94	NP	-	12.82	NA
	9/17/2007	11.38	NP	-	10.38	NA

COPPOR00007477

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
GPW-1	12/12/2000	12.99	NP	-	21.67	NA
(34.66)	2/20/2001	12.59	NP	-	22.07	NA
	4/3/2001	12.56	NP	-	22.10	NA
	6/6/2001	NM	NM	NM	NM	-
	7/16/2001	12.70	NP	-	21.96	NA
	9/19/2001	13.15	NP	-	21.51	NA
	12/22/2001	NM	NM	-	NM	-
	3/15/2002	7.46	NP	-	27.20	NA
	6/4/2002	11.71	NP	-	22.95	NA
	9/23/2002	12.95	NP	-	21.71	NA
	12/19/2002	12.71	NP	-	21.95	NA
	3/19/2003	7.19	NP	-	27.47	NA
	6/24/2003	10.06	NP	-	24.60	NA
	9/24/2003	13.07	NP	-	21.59	NA
	12/26/2003	11.01	NP	-	23.65	NA
	3/30/2004	7.61	NP	-	27.05	NA
	6/24/2004	12.36	NP	-	22.30	NA
	9/27/2004	12.99	NP	-	21.67	NA
	12/14/2004	12.93	NP	-	21.73	NA
	3/7/2005	11.52	NP	-	23.14	NA
	6/21/2005	9.66	NP	-	25.01	NA
	9/19/2005	13.01	NP	-	21.65	NA
	12/12/2005	8.75	NP	-	25.91	NA
	3/13/2006	7.60	NP	-	27.06	NA
	6/26/2006	NM	NM	NM	NM	NA
	9/26/2006	12.89	NP	-	21.77	NA
	12/11/2006	7.21	NP	-	27.45	NA
	3/19/2007	7.04	NP	-	27.62	NA
	6/18/2007	12.19	NP	-	22.47	NA
	9/17/2007	13.31	NP	-	21.35	NA

COPPOR00007478

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
GPW-2	12/12/2000	NM	NM	NM	NM	-
(34.98)	2/20/2001	10.93	10.68	-	24.05	NA
	4/3/2001	NM	NM	NM	NM	-
	6/8/2001	NM	NM	NM	NM	-
	7/16/2001	NM	NM	NM	NM	-
	9/19/2001	12.91	NP	-	22.07	NA
	12/22/2001	NM	NM	-	NM	-
	3/15/2002	7.91	NP	-	27.07	NA
	6/4/2002	NM	NM	1.2E	NM	0.01
	9/23/2002	13.10E	12.97E	0.13E	E	0.05
	12/19/2002	12.32	-	-	-	-
	3/19/2003	9.4E	-	-	-	0.02
	6/24/2003	10.20	NM	Sheen	24.78	NA
	9/24/2003	12.18	11.93	0.25E	23.00	0.01
	12/26/2003	10.80	10.55	0.25	24.38	0.25
	3/30/2004	9.31	8.92	0.39	25.98	0.25
	6/24/2004	10.75	10.73	0.02	24.25	NA
	9/27/2004	12.55	11.83	0.72	23.01	NA
	12/14/2004	12.55	11.94	0.61	22.92	NA
	3/7/2005	10.76	10.75	0.01	24.23	NA
	6/20/2005	10.18	NP	0.00	24.80	NA
	9/19/2005	12.18	11.35	0.83	23.46	0.02
	12/12/2005	9.90	9.90	Sheen	25.08	0.0
	3/13/2006	9.34	9.34	Sheen	25.64	0.0
	6/26/2006	10.77	10.77	Sheen	24.21	0.0
	9/25/2006	11.88	Trace	-	23.10	0.0
	12/11/2006	9.59	NP	-	25.39	0.0
	3/19/2007	9.02	9.00	0.02	25.98	NA
	6/18/2007	**11.85**	**11.08**	**0.77**	**23.75**	**NA**
	9/17/2007	**12.44**	**12.28**	**0.16**	**22.67**	**NA**
GPW-3	12/12/2000	12.23	NP	-	22.85	NA
(35.08)	2/20/2001	12.03	NP	-	23.05	NA
	4/3/2001	11.97	NP	-	23.11	NA
	6/8/2001	NM	NM	NM	NM	-
	7/16/2001	12.16	NP	-	22.92	NA
	9/19/2001	12.66	NP	-	22.42	NA
	12/22/2001	NM	NM	-	NM	-
	3/15/2002	10.46	NP	-	24.62	NA
	6/4/2002	11.22	NP	-	23.86	NA
	9/23/2002	11.72	NP	-	23.36	NA
	12/19/2002	12.20	-	-	-	0.01
	3/19/2003	10.86E	-	-	-	0.01
	6/24/2003	11.35	11.24	0.11	23.82	0.01
	9/24/2003	11.90	11.78	0.12	23.28	0.01
	12/26/2003	13.49	11.24	2.25	23.39	0.25
	3/30/2004	11.73	10.90	0.83	24.01	0.03
	6/24/2004	11.83	11.59	0.24	23.44	NA
	9/27/2004	12.32	11.86	0.46	23.13	NA
	12/14/2004	12.15	11.87	0.28	23.15	0.006
	3/7/2005	11.81	11.60	0.21	23.44	0.005
	6/21/2005	11.35	11.16	0.19	23.88	0.004
	9/19/2005	11.98	11.85	0.13	23.20	0.003
	12/12/2005	11.27	11.21	0.06	23.86	0.02
	3/13/2006	10.82	10.80	0.02	24.28	0.02
	6/26/2006	11.16	11.16	Sheen	23.92	0.02
	9/25/2006	11.88	Trace	-	23.20	0.00
	12/11/2006	7.85	7.81	0.04	27.26	NA
	3/19/2007	10.57	NP	-	24.51	NA
	6/18/2007	**11.47**	**NP**	-	**23.61**	**NA**
	9/17/2007	**12.05**	**NP**	-	**23.03**	**NA**

COPPOR00007479

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
GPW-4	12/12/2000	NM	NM	NM	NM	-
(35.07)	2/20/2001	12.29	NP	-	22.78	NA
	4/3/2001	NM	NM	NM	NM	-
	6/8/2001	NM	NM	NM	NM	-
	7/16/2001	NM	NM	NM	NM	-
	9/19/2001	13.02	NP	-	22.05	NA
	12/22/2001	NM	NM	-	NM	-
	3/15/2002	11.08	NP	-	23.99	NA
	6/4/2002	11.98	NP	-	23.09	
	9/23/2002	12.71	NP	-	22.36	NA
	12/19/2002	12.23	NP	-	22.84	NA
	3/19/2003	11.30	NP	-	23.77	NA
	6/24/2003	12.12	NP	-	22.95	NA
	9/24/2003	13.11	13.07	0.04	21.99	Trace
	12/26/2003	12.10	NP	-	22.97	NA
	3/30/2004	12.34	11.78	0.56	23.18	NA
	6/24/2004	12.57	NP	-	22.50	NA
	9/27/2004	12.58	NP	-	22.49	NA
	12/14/2004	12.38	NP	-	22.69	NA
	3/7/2005	12.32	NP	-	22.75	NA
	6/20/2005	12.02	NP	-	23.05	NA
	9/19/2005	12.95	12.93	0.02	22.14	0.003
	12/12/2005	11.89	NP	-	23.18	NA
	3/13/2006	11.27	NP	-	23.80	NA
	6/26/2006	11.96	NP	-	23.11	NA
	9/25/2006	13.05	Trace	-	22.02	NA
	12/11/2006	11.70	NP	-	23.37	NA
	3/19/2007	11.16	NP	-	23.91	NA
	6/18/2007	12.21	NP	-	22.86	NA
	9/17/2007	13.22	NP	-	21.85	NA
GPW-5	12/12/2000	NM	NM	NM	NM	-
(34.85)	2/20/2001	12.02	NP	-	22.83	NA
	4/3/2001	NM	NM	NM	NM	-
	6/8/2001	NM	NM	NM	NM	-
	7/16/2001	NM	NM	NM	NM	-
	9/19/2001	12.79	NP	-	22.06	NA
	12/22/2001	NM	NM	-	NM	-
	3/15/2002	10.72	NP	-	24.13	NA
	6/4/2002	11.66	NP	-	23.19	NA
	9/23/2002	12.46	NP	-	22.39	NA
	12/19/2002	11.96	NP	-	22.89	NA
	3/19/2003	10.97	NP	-	23.88	NA
	6/24/2003	11.80	NP	-	23.05	NA
	9/24/2003	12.92	NP	-	21.93	NA
	12/26/2003	11.64	NP	-	23.21	NA
	3/30/2004	11.57	NP	-	23.28	NA
	6/24/2004	12.21	NP	-	22.64	NA
	9/27/2004	12.21	NP	-	22.64	NA
	12/14/2004	12.05	NP	-	22.80	NA
	3/7/2005	12.04	NP	-	22.81	NA
	6/20/2005	11.72	NP	-	23.13	NA
	9/19/2005	12.70	NP	-	22.15	NA
	12/12/2005	11.56	NP	-	23.29	NA
	3/13/2006	10.84	NP	-	24.01	NA
	6/26/2006	11.68	NP	-	23.17	NA
	9/25/2006	12.81	NP	-	22.04	NA
	12/11/2006	11.42	Trace	-	23.43	NA
	3/19/2007	-	-	-	-	-
	6/18/2007	11.86	NP	-	22.99	-
	9/17/2007	12.82	NP	-	22.03	-

COPPOR00007480

TABLE 1A
GROUNDWATER ELEVATION AND SPH RECOVERY DATA
ChevronTexaco Company - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
EX-1	2/14/2000	15.55	NP	-	18.60	NA
(34.15)	5/22/2000	18.29	NP	-	15.86	NA
	8/22/2000	16.56	NP	-	17.59	NA
	11/27/2000	16.86	NP	-	17.29	NA
	2/20/2001	16.66	NP	-	17.49	NA
	5/15/2001	16.62	NP	-	17.53	NA
	9/19/2001	Covered by Facility Equipment				
	12/22/2001	Covered by Facility Equipment				
	3/15/2002	15.34	NP	-	18.81	NA
	9/23/2002	16.88	NP	-	17.27	NA
	12/19/2002	16.99	NP	-	17.16	NA
	3/19/2003	15.65	NP	-	18.50	NA
	6/24/2003	15.98	NP	-	18.17	NA
	9/24/2003	Could Not Access				
	12/26/2003	Could Not Access				
	3/30/2004	Could Not Access				
	6/24/2004	16.35	NP	-	17.80	NA
	9/27/2004	Could Not Access				
	12/14/2004	16.66	NP	-	17.49	NA
	3/7/2005	16.52	NP	-	17.63	NA
	6/20/2005	16.20	NP	-	17.95	NA
	9/19/2005	16.86	NP	-	17.29	NA
	12/12/2005	16.19	NP	-	17.96	NA
	3/13/2006	15.03	NP	-	19.12	NA
	6/26/2006	15.86	NP	-	18.29	NA
	9/25/2006	16.23	NP	-	17.92	NA
	12/11/2006	15.43	NP	-	18.72	NA
	3/19/2007	14.98	NP	-	19.17	NA
(34.35)	6/18/2007	15.82	NP	-	18.53	NA
	9/17/2007	16.45	Trace	-	17.90	NA

NOTES:
Wells B-8 and B-31 were abandoned after first quarter 2000
NP = No measurable product
NA = Not Applicable
NM = Not Measured
NR = None Recovered
* = SPH Recovered for latest quarter monitored
** = Well Contains a Sock for Product Recovery
*** = Product Recovery Part of Chevron Ethanol Study
E = 3/4 inch-diameter well/ SPH thickness estimated with bailer
- = No measurable product thickness
Groundwater elevations for wells with product thicknesses have been corrected using 0.8
GWE = TOC -(DTW - (0.8 x DTP - DTW)) Where 0.8 = The density of the SPH

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-1	2/14/2000	3.76	NP	-	31.67	NA
(35.43)	5/22/2000	4.72	NP	-	30.71	NA
	8/23/2000	7.52	NP	-	27.91	NA
	11/28/2000	7.43	NP	-	28.00	NA
	2/21/2001	6.32	NP	-	29.11	NA
	5/15/2001	6.33	NP	-	29.10	NA
	9/19/2001	8.40	NP	-	27.03	NA
	12/19/2001	3.92	NP	-	31.51	NA
	3/13/2002	3.80	NP	-	31.63	NA
	6/24/2002	6.56	NP	-	28.87	NA
	9/26/2002	8.15	NP	-	27.28	NA
	12/20/2002	5.32	NP	-	30.11	NA
	3/17/2003	3.81	NP	-	31.62	NA
	6/26/2003	6.19	NP	-	29.24	NA
	9/24/2003	8.04	NP	-	27.39	NA
	12/30/2003	4.02	NP	-	31.41	NA
	3/29/2004	4.45	NP	-	30.98	NA
	6/29/2004	6.84	NP	-	28.59	NA
	9/27/2004	7.32	NP	-	28.11	NA
	12/14/2004	5.31	NP	-	30.12	NA
	3/7/2005	6.81	NP	-	28.62	NA
	6/20/2005	5.60	NP	-	29.83	NA
	9/19/2005	7.62	NP	-	27.81	NA
	12/12/2005	4.99	NP	-	30.44	NA
	3/13/2006	3.60	NP	-	31.83	NA
	6/27/2006	5.49	NP	-	29.94	NA
	9/25/2006	7.53	NP	-	27.90	NA
	12/11/2006	4.48	NP	-	30.95	NA
	3/19/2007	4.05	NP	-	31.38	NA
	4/20/2007	4.29	NP	-	31.14	NA
	6/18/2007	5.85	NP	-	29.58	NA
	9/17/2007	7.60	NP	-	27.83	NA
MW-2	2/14/2000	5.59	NP	-	30.18	NA
(35.77)	5/22/2000	6.74	NP	-	29.03	NA
	8/23/2000	8.44	NP	-	27.33	NA
	11/28/2000	9.15	NP	-	26.62	NA
	2/21/2001	8.29	NP	-	27.48	NA
	5/15/2001	8.11	NP	-	27.66	NA
	9/19/2001	9.93	NP	-	25.84	NA
	12/19/2001	6.02	NP	-	29.75	NA
	3/13/2002	5.51	NP	-	30.26	NA
	6/24/2002	7.67	NP	-	28.10	NA
	9/26/2002	9.41	NP	-	26.36	NA
	12/20/2002	9.32	NP	-	26.45	NA
	3/17/2003	5.85	NP	-	29.92	NA
	6/26/2003	7.34	NP	-	28.43	NA
	9/24/2003	9.33	NP	-	26.44	NA
	12/30/2003	6.79	NP	-	28.98	NA
	3/29/2004	6.35	NP	-	29.42	NA
	6/29/2004	8.11	NP	-	27.66	NA
	9/27/2004	9.13	NP	-	26.64	NA
	12/14/2004	8.47	NP	-	27.30	NA
	3/7/2005	8.40	NP	-	27.37	NA
	6/20/2005	7.27	NP	-	28.50	NA
	9/19/2005	9.09	NP	-	26.68	NA
	12/12/2005	7.42	NP	-	28.35	NA
	3/13/2006	5.75	NP	-	30.02	NA
	6/27/2006	7.15	NP	-	28.62	NA
	9/25/2006	9.09	NP	-	26.68	NA
	12/11/2006	6.57	NP	-	29.20	NA
	3/19/2007	5.89	NP	-	29.88	NA
	4/20/2007	6.37	NP	-	29.40	NA
	6/18/2007	7.52	NP	-	28.25	NA
	9/17/2007	9.22	NP	-	26.55	NA

COPPOR00007482

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-3	2/14/2000	7.02	NP	-	29.00	NA
(36.02)	5/22/2000	8.04	NP	-	27.98	NA
	8/23/2000	9.58	NP	-	26.44	NA
	11/28/2000	10.22	NP	-	25.80	NA
	2/21/2001	9.49	NP	-	26.53	NA
	5/15/2001	9.33	NP	-	26.69	NA
	9/19/2001	10.96	NP	-	25.06	NA
	12/19/2001	7.55	NP	-	28.47	NA
	3/13/2002	7.10	NP	-	28.92	NA
	6/24/2002	8.93	NP	-	27.09	NA
	9/26/2002	10.47	NP	-	25.55	NA
	12/20/2002	10.63	NP	-	25.39	NA
	3/17/2003	7.29	NP	-	28.73	NA
	6/26/2003	8.65	NP	-	27.37	NA
	9/24/2003	10.38	NP	-	25.64	NA
	12/30/2003	8.21	NP	-	27.81	NA
	3/29/2004	7.69	NP	-	28.33	NA
	6/29/2004	9.34	NP	-	26.68	NA
	9/27/2004	10.28	NP	-	25.74	NA
	12/14/2004	9.73	NP	-	26.29	NA
	3/7/2005	9.56	NP	-	26.46	NA
	6/20/2005	8.55	NP	-	27.47	NA
	9/19/2005	10.18	NP	-	25.84	NA
	12/12/2005	8.67	NP	-	27.35	NA
	3/13/2006	7.15	NP	-	28.87	NA
	6/27/2006	8.43	NP	-	27.59	NA
	9/25/2006	10.19	NP	-	25.83	NA
	12/11/2006	7.95	NP	-	28.07	NA
	3/19/2007	7.20	NP	-	28.82	NA
	4/20/2007	7.68	NP	-	28.34	NA
	6/18/2007	**8.76**	**NP**	**-**	**27.26**	**NA**
	9/17/2007	**10.31**	**NP**	**-**	**25.71**	**NA**
MW-4	2/14/2000	6.36	NP	-	30.03	NA
(36.39)	5/22/2000	7.54	NP	-	28.85	NA
	8/23/2000	9.18	NP	-	27.21	NA
	11/28/2000	9.83	NP	-	26.56	NA
	2/21/2001	9.07	NP	-	27.32	NA
	5/15/2001	8.93	NP	-	27.46	NA
	9/19/2001	10.59	NP	-	25.80	NA
	12/19/2001	6.98	NP	-	29.41	NA
	3/13/2002	6.42	NP	-	29.97	NA
	6/24/2002	8.49	NP	-	27.90	NA
	9/26/2002	10.10	NP	-	26.29	NA
	12/20/2002	10.21	NP	-	26.18	NA
	3/17/2003	6.57	NP	-	29.82	NA
	6/26/2003	8.15	NP	-	28.24	NA
	9/24/2003	10.00	NP	-	26.39	NA
	12/30/2003	7.65	NP	-	28.74	NA
	3/29/2004	7.07	NP	-	29.32	NA
	6/29/2004	8.88	NP	-	27.51	NA
	9/27/2004	9.89	NP	-	26.50	NA
	12/14/2004	9.29	NP	-	27.10	NA
	3/7/2005	9.10	NP	-	27.29	NA
	6/20/2005	8.03	NP	-	28.36	NA
	9/19/2005	9.78	NP	-	26.61	NA
	12/12/2005	8.15	NP	-	28.24	NA
	3/13/2006	6.40	NP	-	29.99	NA
	6/27/2006	7.91	NP	-	28.48	NA
	9/25/2006	9.76	NP	-	26.63	NA
	12/11/2006	7.30	NP	-	29.09	NA
	3/19/2007	6.48	NP	-	29.91	NA
	4/20/2007	7.02	NP	-	29.37	NA
	6/18/2007	**8.27**	**NP**	**-**	**28.12**	**NA**
	9/17/2007	**9.89**	**NP**	**-**	**26.50**	**NA**

COPPOR00007483

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-5	2/14/2000	6.02	NP	-	27.50	NA
(33.52)	5/22/2000	6.64	NP	-	26.88	NA
	8/23/2000	8.28	NP	-	25.24	NA
	11/28/2000	5.79	NP	-	27.73	NA
	2/21/2001	8.27	NP	-	25.25	NA
	5/15/2001	6.02	sheen	-	27.50	NA
	9/18/2001	9.77	NP	-	23.75	NA
	12/19/2001	6.39	NP	-	27.13	NA
	3/13/2002	6.09	NP	-	27.43	NA
	6/24/2002	7.24	NP	-	26.28	NA
	9/26/2002	9.30	NP	-	24.22	NA
	12/20/2002	8.21	NP	-	25.31	NA
	3/17/2003	5.85	NP	-	27.67	NA
	6/26/2003	7.22	NP	-	26.30	NA
	9/24/2003	9.19	NP	-	24.33	NA
	12/30/2003	7.00	NP	-	26.52	NA
	3/29/2004	6.30	NP	-	27.22	NA
	6/29/2004	8.11	NP	-	25.41	NA
	9/27/2004	9.11	NP	-	24.41	NA
	12/14/2004	8.45	NP	-	25.07	NA
	3/7/2005	8.33	NP	-	25.19	NA
	6/20/2005	7.12	NP	-	26.40	NA
	9/19/2005	9.18	NP	-	24.34	NA
	12/12/2005	7.90	NP	-	25.62	NA
	3/13/2006	5.90	NP	-	27.62	NA
	6/27/2006	6.90	NP	-	26.62	NA
	9/25/2006	9.14	NP	-	24.38	NA
	12/11/2006	6.71	NP	-	26.81	NA
	3/19/2007	5.74	NP	-	27.78	NA
	4/20/2007	6.25	NP	-	27.27	NA
	6/18/2007	**7.41**	**NP**	**-**	**26.11**	**NA**
	9/17/2007	**9.28**	**NP**	**-**	**24.24**	**NA**
MW-6	2/14/2000	3.72	3.69	0.03	29.64	2.0
(33.34)	5/22/2000	4.70	NP	-	28.64	NA
	8/23/2000	6.24	NP	-	27.10	NA
	11/28/2000	6.98	NP	-	26.36	0.1
	2/21/2001	6.21	sheen	-	27.13	NA
	5/15/2001	8.10	NP	-	25.24	NA
	9/18/2001	7.71	7.66	0.05	25.67	NA
	12/19/2001	4.05	NP	-	29.29	0.06
	3/13/2002	3.70	sheen	-	29.64	NA
	6/24/2002	5.56	NP	-	27.78	NA
	9/26/2002	7.19	NP	-	26.15	NA
	12/20/2002	7.32	sheen	-	26.02	NA
	3/17/2003	3.87	NP	-	29.47	NA
	6/26/2003	5.20	NP	-	28.14	NA
	9/24/2003	7.09	NP	-	26.25	NA
	12/30/2003	4.80	NP	-	28.54	NA
	3/29/2004	4.29	NP	-	29.05	NA
	6/29/2004	5.23	NP	-	28.11	NA
	9/27/2004	6.98	NP	-	26.36	NA
	12/14/2004	6.37	NP	-	26.97	NA
	3/7/2005	6.03	sheen	-	27.31	0.1
	6/20/2005	5.15	NP	-	28.19	NA
	9/19/2005	6.92	NP	-	26.42	NA
	12/12/2005	5.45	sheen	-	27.89	NA
	3/13/2006	4.10	3.88	0.22	29.42	0
	6/27/2006	5.06	NP	-	28.28	NA
	9/25/2006	7.00	NP	-	26.34	NA
	12/11/2006	4.56	NP	-	28.78	0.2
	3/19/2007	4.01	3.98	0.03	29.35	0.35
	4/20/2007	4.35	4.32	0.03	29.01	NA
	6/18/2007	**5.40**	**sheen**	**-**	**27.94**	**0.3**
	9/17/2007	**6.95**	**NP**	**-**	**26.39**	**NA**

COPPOR00007484

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-7	2/14/2000	8.74	8.54	0.20	25.54	3.7
(34.12)	5/22/2000	9.95	8.92	1.03	24.99	11
	8/23/2000	NM	NM	-	NA	2
	11/28/2000	10.94	10.35	0.59	23.65	2.2
	2/21/2001	10.37	10.01	0.36	24.04	1.9
	5/15/2001	10.27	10.00	0.27	24.07	1.75
	9/19/2001	11.04	11.00	0.04	23.11	0.8
	12/19/2001	9.05	8.78	0.27	25.29	1.1
	3/13/2002	9.11	8.30	0.81	25.66	4.5
	6/24/2002	10.38	9.48	0.90	24.46	3.3
	9/26/2002	11.32	10.53	0.79	23.43	2.65
	12/23/2002	11.05	10.82	0.23	23.25	1.10
	3/17/2003	9.18	8.45	0.73	25.52	1.55
	6/26/2003	10.03	9.28	0.75	24.69	1.25
	9/24/2003	11.17	10.46	0.71	23.52	1.00
	12/30/2003	9.83	9.47	0.36	24.58	1.00
	3/29/2004	9.35	8.62	0.73	25.35	1.00
	6/29/2004	10.36	9.80	0.56	24.21	1.00
	9/27/2004	10.97	10.61	0.36	23.44	0.20
	12/14/2004	10.75	10.30	0.45	23.73	1.95
	3/7/2005	10.25	9.98	0.27	24.09	2.5
	6/20/2005	9.89	9.19	0.70	24.79	0.9
	9/19/2005	10.90	10.45	0.45	23.58	1.75
	12/12/2005	9.82	9.50	0.32	24.56	1.05
	3/13/2006	8.35	8.00	0.35	26.05	1.00
	6/27/2006	9.45	9.04	0.41	25.00	NA
	9/25/2006	11.07	9.45	1.62	24.35	2.30
	12/11/2006	9.10	8.92	0.18	25.16	0.60
	3/19/2007	8.40	8.24	0.16	25.85	0.60
	4/20/2007	8.68	8.52	0.16	25.57	NA
	6/18/2007	**9.53**	**9.31**	**0.22**	**24.77**	**0.75**
	9/17/2007	**10.71**	**10.45**	**0.26**	**23.62**	**0.75**
MW-8	2/14/2000	7.18	NP	-	26.77	NA
(33.95)	5/22/2000	8.00	NP	-	25.95	NA
	8/23/2000	9.26	NP	-	24.69	NA
	11/28/2000	9.91	NP	-	24.04	NA
	2/21/2001	9.40	NP	-	24.55	NA
	5/15/2001	9.30	NP	-	24.65	NA
	9/19/2001	10.49	NP	-	23.46	NA
	12/19/2001	8.42	NP	-	25.53	NA
	3/13/2002	7.38	NP	-	26.57	NA
	6/24/2002	8.81	NP	-	25.14	NA
	9/26/2002	10.15	NP	-	23.80	NA
	12/20/2002	10.50	NP	-	23.45	NA
	3/17/2003	7.48	NP	-	26.47	NA
	6/26/2003	8.61	NP	-	25.34	NA
	9/24/2003	10.10	NP	-	23.85	NA
	12/30/2003	8.74	NP	-	25.21	NA
	3/29/2004	8.74	NP	-	25.21	NA
	6/29/2004	9.19	NP	-	24.76	NA
	9/27/2004	10.12	NP	-	23.83	NA
	12/14/2004	9.74	NP	-	24.21	NA
	3/7/2005	9.34	NP	-	24.61	NA
	6/20/2005	8.48	NP	-	25.47	NA
	9/19/2005	9.86	NP	-	24.09	NA
	12/12/2005	8.73	NP	-	25.22	NA
	3/13/2006	6.96	NP	-	26.99	NA
	6/27/2006	8.43	NP	-	25.52	NA
	9/25/2006	9.92	NP	-	24.03	NA
	12/11/2006	7.95	NP	-	26.00	NA
	3/19/2007	7.00	NP	-	26.95	NA
	6/18/2007	**8.53**	**NP**	**-**	**25.42**	**NA**
	9/17/2007	**9.92**	**NP**	**-**	**24.03**	**NA**

COPPOR00007485

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-9	2/14/2000	9.66	NP	-	26.87	NA
(36.53)	5/22/2000	10.24	NP	-	26.29	NA
	8/23/2000	11.42	NP	-	25.11	NA
	11/28/2000	12.18	NP	-	24.35	NA
	2/21/2001	11.85	NP	-	24.68	NA
	5/15/2001	11.83	NP	-	24.70	NA
	9/19/2001	12.86	NP	-	23.67	NA
	12/19/2001	11.87	NP	-	24.66	NA
	3/13/2002	10.30	NP	-	26.23	NA
	6/24/2002	11.21	NP	-	25.32	NA
	9/26/2002	11.43	NP	-	25.10	NA
	12/23/2002	12.97	NP	-	23.56	NA
	3/17/2003	10.62	NP	-	25.91	NA
	6/26/2003	10.86	NP	-	25.67	NA
	9/24/2003	12.27	NP	-	24.26	NA
	12/30/2003	11.77	NP	-	24.76	NA
	3/29/2004	10.39	NP	-	26.14	NA
	6/29/2004	11.58	NP	-	24.95	NA
	9/27/2004	12.56	NP	-	23.97	NA
	12/14/2004	12.42	NP	-	24.11	NA
	3/7/2005	11.71	NP	-	24.82	NA
	6/20/2005	10.95	NP	-	25.58	NA
	9/19/2005	12.22	NP	-	24.31	NA
	12/12/2005	11.34	NP	-	25.19	NA
	3/13/2006	9.45	NP	-	27.08	NA
	6/27/2006	10.64	NP	-	25.89	NA
	9/25/2006	12.10	NP	-	24.43	NA
	12/11/2006	10.47	NP	-	26.06	NA
	3/19/2007	9.33	NP	-	27.20	NA
	6/18/2007	**10.68**	**NP**	**-**	**25.85**	**NA**
	9/17/2007	**11.98**	**NP**	**-**	**24.55**	**NA**
MW-10	2/14/2000	8.46	NP	-	27.36	NA
(35.82)	5/22/2000	5.59	NP	-	30.23	NA
	8/23/2000	11.21	NP	-	24.61	NA
	11/28/2000	11.86	NP	-	23.96	NA
	2/21/2001	11.16	NP	-	24.66	NA
	5/15/2001	11.04	NP	-	24.78	NA
	9/19/2001	12.59	NP	-	23.23	NA
	12/19/2001	9.42	NP	-	26.40	NA
	3/13/2002	8.58	NP	-	27.24	NA
	6/24/2002	10.54	NP	-	25.28	NA
	9/26/2002	12.12	NP	-	23.70	NA
	12/23/2002	12.14	NP	-	23.68	NA
	3/17/2003	8.78	NP	-	27.04	NA
	6/26/2003	10.24	NP	-	25.58	NA
	9/24/2003	12.02	NP	-	23.80	NA
	12/30/2003	9.98	NP	-	25.84	NA
	3/29/2004	9.26	NP	-	26.56	NA
	6/29/2004	10.98	NP	-	24.84	NA
	9/27/2004	12.00	NP	-	23.82	NA
	12/14/2004	11.38	NP	-	24.44	NA
	3/7/2005	11.19	NP	-	24.63	NA
	6/20/2005	10.13	NP	-	25.69	NA
	9/19/2005	11.84	NP	-	23.98	NA
	12/12/2005	10.29	NP	-	25.53	NA
	3/13/2006	8.35	NP	-	27.47	NA
	6/27/2006	9.98	NP	-	25.84	NA
	9/25/2006	11.80	NP	-	24.02	NA
	12/11/2006	9.49	NP	-	26.33	NA
	3/19/2007	8.57	NP	-	27.25	NA
	6/18/2007	**10.30**	**NP**	**-**	**25.52**	**NA**
	9/17/2007	**11.91**	**NP**	**-**	**23.91**	**NA**

COPPOR00007486

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-11	2/14/2000	5.04	NP	-	31.43	NA
(36.47)	5/22/2000	3.11	NP	-	33.36	NA
	8/23/2000	7.97	NP	-	28.50	NA
	11/28/2000	7.66	NP	-	28.81	NA
	2/21/2001	7.48	NP	-	28.99	NA
	5/15/2001	7.30	NP	-	29.17	NA
	9/19/2001	9.29	NP	-	27.18	NA
	12/19/2001	5.44	NP	-	31.03	NA
	3/13/2002	5.23	NP	-	31.24	NA
	6/24/2002	7.71	NP	-	28.76	NA
	9/26/2002	9.01	NP	-	27.46	NA
	12/23/2002	7.07	NP	-	29.40	NA
	3/17/2003	5.72	NP	-	30.75	NA
	6/26/2003	7.55	NP	-	28.92	NA
	9/24/2003	8.89	NP	-	27.58	NA
	12/30/2003	5.77	NP	-	30.70	NA
	3/29/2004	6.17	NP	-	30.30	NA
	6/29/2004	8.10	NP	-	28.37	NA
	9/27/2004	8.54	NP	-	27.93	NA
	12/14/2004	6.56	NP	-	29.91	NA
	3/7/2005	7.90	NP	-	28.57	NA
	6/20/2005	6.69	NP	-	29.78	NA
	9/19/2005	8.69	NP	-	27.78	NA
	12/12/2005	6.49	NP	-	29.98	NA
	3/13/2006	5.35	NP	-	31.12	NA
	6/26/2006	6.68	NP	-	29.79	NA
	9/25/2006	8.68	NP	-	27.79	NA
	12/11/2006	9.11	NP	-	27.36	NA
	3/19/2007	5.71	NP	-	30.76	NA
	6/18/2007	**7.53**	**NP**	-	**28.94**	**NA**
	9/17/2007	**8.66**	**NP**	-	**27.81**	**NA**
MW-12	2/14/2000	4.99	NP	-	30.96	NA
(35.95)	5/22/2000	6.57	NP	-	29.38	NA
	8/23/2000	8.65	NP	-	27.30	NA
	11/28/2000	9.16	NP	-	26.79	NA
	2/21/2001	8.32	NP	-	27.63	NA
	5/15/2001	8.16	NP	-	27.79	NA
	9/19/2001	10.17	NP	-	25.78	NA
	12/19/2001	5.54	NP	-	30.41	NA
	3/13/2002	4.85	NP	-	31.10	NA
	6/24/2002	7.75	NP	-	28.20	NA
	9/26/2002	9.68	NP	-	26.27	NA
	12/23/2002	8.75	NP	-	27.20	NA
	3/17/2003	5.25	NP	-	30.70	NA
	6/26/2003	7.35	NP	-	28.60	NA
	9/24/2003	9.57	NP	-	26.38	NA
	12/30/2003	6.28	NP	-	29.67	NA
	3/29/2004	5.99	NP	-	29.96	NA
	6/29/2004	8.28	NP	-	27.67	NA
	9/27/2004	9.32	NP	-	26.63	NA
	12/14/2004	8.22	NP	-	27.73	NA
	3/7/2005	8.41	NP	-	27.54	NA
	6/20/2005	7.19	NP	-	28.76	NA
	9/19/2005	9.29	NP	-	26.66	NA
	12/12/2005	7.22	NP	-	28.73	NA
	3/13/2006	5.13	NP	-	30.82	NA
	6/27/2006	7.06	NP	-	28.89	NA
	9/25/2006	9.34	NP	-	26.61	NA
	12/11/2006	6.12	NP	-	29.83	NA
	3/19/2007	5.40	NP	-	30.55	NA
	6/18/2007	**7.56**	**NP**	-	**28.39**	**NA**
	9/17/2007	**9.47**	**NP**	-	**26.48**	**NA**

COPPOR00007487

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-13	2/14/2000	3.85	NP	-	34.04	NA
(37.89)	5/22/2000	5.03	NP	-	32.86	NA
	8/23/2000	7.00	NP	-	30.89	NA
	11/28/2000	6.59	NP	-	31.30	NA
	2/21/2001	6.26	NP	-	31.63	NA
	5/15/2001	6.03	NP	-	31.86	NA
	9/19/2001	8.55	NP	-	29.34	NA
	12/19/2001	3.77	NP	-	34.12	NA
	3/13/2002	3.72	NP	-	34.17	NA
	6/24/2002	6.56	NP	-	31.33	NA
	9/26/2002	8.16	NP	-	29.73	NA
	12/23/2002	5.71	NP	-	32.18	NA
	3/17/2003	4.13	NP	-	33.76	NA
	6/26/2003	6.39	NP	-	31.50	NA
	9/24/2003	8.27	NP	-	29.62	NA
	12/30/2003	4.00	NP	-	33.89	NA
	3/29/2004	4.80	NP	-	33.09	NA
	6/29/2004	7.00	NP	-	30.89	NA
	9/27/2004	7.45	NP	-	30.44	NA
	12/14/2004	5.39	NP	-	32.50	NA
	3/7/2005	6.62	NP	-	31.27	NA
	6/20/2005	5.63	NP	-	32.26	NA
	9/19/2005	7.77	NP	-	30.12	NA
	12/12/2005	5.23	NP	-	32.66	NA
	3/13/2006	4.08	NP	-	33.81	NA
	6/27/2006	5.87	NP	-	32.02	NA
	9/25/2006	7.61	NP	-	30.28	NA
	12/11/2006	5.55	NP	-	32.34	NA
	3/19/2007	4.43	NP	-	33.46	NA
	6/18/2007	**6.34**	**NP**	**-**	**31.55**	**NA**
	9/17/2007	**7.55**	**NP**	**-**	**30.34**	**NA**
MW-14	2/14/2000	2.73	NP	-	33.55	NA
(36.28)	5/22/2000	4.50	NP	-	31.78	NA
	8/23/2000	6.55	NP	-	29.73	NA
	11/28/2000	6.36	NP	-	29.92	NA
	2/21/2001	5.65	NP	-	30.63	NA
	5/15/2001	4.67	NP	-	31.61	NA
	9/19/2001	7.71	NP	-	28.57	NA
	12/19/2001	3.10	NP	-	33.18	NA
	3/13/2002	2.84	NP	-	33.44	NA
	6/24/2002	5.90	NP	-	30.38	NA
	9/26/2002	7.45	NP	-	28.83	NA
	12/23/2002	5.39	NP	-	30.89	NA
	3/17/2003	3.17	NP	-	33.11	NA
	6/26/2003	5.54	NP	-	30.74	NA
	9/24/2003	7.47	NP	-	28.81	NA
	12/30/2003	3.52	NP	-	32.76	NA
	3/29/2004	3.92	NP	-	32.36	NA
	6/29/2004	6.38	NP	-	29.90	NA
	9/27/2004	6.82	NP	-	29.46	NA
	12/14/2004	5.21	NP	-	31.07	NA
	3/7/2005	5.97	NP	-	30.31	NA
	6/20/2005	5.05	NP	-	31.23	NA
	9/19/2005	7.12	NP	-	29.16	NA
	12/12/2005	4.77	NP	-	31.51	NA
	3/13/2006	3.18	NP	-	33.10	NA
	6/27/2006	5.17	NP	-	31.11	NA
	9/25/2006	7.10	NP	-	29.18	NA
	12/11/2006	3.81	NP	-	32.47	NA
	3/19/2007	3.44	NP	-	32.84	NA
	6/18/2007	**5.62**	**NP**	**-**	**30.66**	**NA**
	9/17/2007	**7.15**	**NP**	**-**	**29.13**	**NA**

COPPOR00007488

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-15	2/14/2000	4.09	NP	-	33.41	NA
(37.50)	5/22/2000	5.80	NP	-	31.70	NA
	8/23/2000	9.21	NP	-	28.29	NA
	11/28/2000	8.90	NP	-	28.60	NA
	2/21/2001	7.46	NP	-	30.04	NA
	5/15/2001	7.80	NP	-	29.70	NA
	9/16/2001	10.46	NP	-	27.04	NA
	12/19/2001	4.03	NP	-	33.47	NA
	3/13/2002	4.14	NP	-	33.36	NA
	6/24/2002	7.93	NP	-	29.57	NA
	9/26/2002	10.13	NP	-	27.37	NA
	12/23/2002	5.72	sheen	-	31.78	NA
	3/17/2003	3.62	NP	-	33.88	NA
	6/26/2003	7.25	NP	-	30.25	NA
	9/24/2003	10.02	NP	-	27.48	NA
	12/30/2003	4.07	NP	-	33.43	NA
	3/29/2004	5.09	NP	-	32.41	NA
	6/29/2004	8.50	NP	-	29.00	NA
	9/27/2004	9.01	NP	-	28.49	NA
	12/14/2004	6.25	NP	-	31.25	NA
	3/7/2005	7.99	NP	-	29.51	NA
	6/20/2005	6.71	NP	-	30.79	NA
	9/19/2005	9.54	NP	-	27.96	NA
	12/12/2005	5.66	NP	-	31.84	NA
	3/13/2006	3.99	NP	-	33.51	NA
	6/27/2006	6.68	NP	-	30.82	NA
	9/25/2006	9.51	NP	-	27.99	NA
	12/11/2006	5.21	NP	-	32.29	NA
	3/19/2007	4.49	NP	-	33.01	NA
	6/18/2007	**7.30**	**NP**	-	**30.20**	**NA**
	9/17/2007	**8.83**	**NP**	-	**28.67**	**NA**
MW-16	2/14/2000	3.44	NP	-	31.49	NA
(34.93)	5/22/2000	4.98	NP	-	29.95	NA
	8/23/2000	6.99	NP	-	27.94	NA
	11/28/2000	7.51	NP	-	27.42	NA
	2/21/2001	6.60	NP	-	28.33	NA
	5/15/2001	6.51	NP	-	28.42	NA
	9/19/2001	8.48	NP	-	26.45	NA
	12/19/2001	3.99	NP	-	30.94	NA
	3/13/2002	3.35	NP	-	31.58	NA
	6/24/2002	5.11	NP	-	29.82	NA
	9/26/2002	6.02	NP	-	28.91	NA
	12/23/2002	7.09	NP	-	27.84	NA
	3/17/2003	3.63	NP	-	31.30	NA
	6/26/2003	5.60	NP	-	29.33	NA
	9/24/2003	8.95	NP	-	25.98	NA
	12/30/2003	4.71	NP	-	30.22	NA
	3/29/2004	4.37	NP	-	30.56	NA
	6/29/2004	6.54	NP	-	28.39	NA
	9/27/2004	7.63	NP	-	27.30	NA
	12/14/2004	6.60	NP	-	28.33	NA
	3/7/2005	6.67	NP	-	28.26	NA
	6/20/2005	5.53	NP	-	29.40	NA
	9/19/2005	7.59	NP	-	27.34	NA
	12/12/2005	5.56	NP	-	29.37	NA
	3/13/2006	3.60	NP	-	31.33	NA
	6/27/2006	5.44	NP	-	29.49	NA
	9/25/2006	7.60	NP	-	27.33	NA
	12/11/2006	4.52	NP	-	30.41	NA
	3/19/2007	3.83	NP	-	31.10	NA
	4/20/2007	4.41	NP	-	30.52	NA
	6/18/2007	**5.87**	**NP**	-	**29.06**	**NA**
	9/17/2007	**7.79**	**NP**	-	**27.14**	**NA**

COPPOR00007489

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-17	2/14/2000	4.22	NP	-	31.83	NA
(36.05)	5/22/2000	4.70	NP	-	31.35	NA
	8/23/2000	5.91	NP	-	30.14	NA
	11/28/2000	5.82	NP	-	30.23	NA
	2/21/2001	5.46	NP	-	30.59	NA
	5/15/2001	5.26	NP	-	30.79	NA
	9/18/2001	6.84	NP	-	29.21	NA
	12/19/2001	4.67	NP	-	31.38	NA
	3/13/2002	4.17	NP	-	31.88	NA
	6/24/2002	5.31	NP	-	30.74	NA
	9/26/2002	6.62	NP	-	29.43	NA
	3/17/2003	4.40	NP	-	31.65	NA
	6/26/2003	5.22	NP	-	30.83	NA
	9/24/2003	6.57	NP	-	29.48	NA
	12/30/2003	4.61	NP	-	31.44	NA
	3/29/2004	4.45	NP	-	31.60	NA
	6/29/2004	5.25	NP	-	30.80	NA
	9/27/2004	5.96	NP	-	30.09	NA
	12/14/2004	Unable to Access, Due to Fuel Transfer Activities				
	3/7/2005	5.43	NP	-	30.62	NA
	6/20/2005	4.90	NP	-	31.15	NA
	9/19/2005	6.18	NP	-	29.87	NA
	12/12/2005	5.03	NP	-	31.02	NA
	3/13/2006	4.31	NP	-	31.74	NA
	6/27/2006	4.91	Sheen	-	31.14	NA
	9/25/2006	6.22	NP	-	29.83	NA
	12/11/2006	4.42	NP	-	31.63	NA
	3/19/2007	4.35	NP	-	31.70	NA
	4/20/2007	4.48	NP	-	31.57	NA
	6/18/2007	**5.10**	**NP**	**-**	**30.95**	**NA**
	9/17/2007	**6.28**	**NP**	**-**	**29.77**	**NA**
MW-18	2/14/2000	0.87	NP	-	32.89	NA
(33.76)	5/22/2000	2.15	NP	-	31.61	NA
	8/23/2000	3.62	sheen	-	30.14	NA
	11/28/2000	3.55	NP	-	30.21	0.1
	2/21/2001	3.10	NP	-	30.66	0.1
	5/15/2001	2.83	NP	-	30.93	0.1
	9/18/2001	4.68	4.66	0.02	29.10	NA
	12/19/2001	0.25	NP	-	33.51	NA
	3/13/2002	0.97	sheen	-	32.79	NA
	6/24/2002	3.03	NP	-	30.73	NA
	9/26/2002	4.32	NP	-	29.44	NA
	12/20/2002	2.83	NP	-	30.93	NA
	3/17/2003	1.48	NP	-	32.28	NA
	6/26/2003	2.76	NP	-	31.00	NA
	9/24/2003	4.31	NP	-	29.45	NA
	12/30/2003	1.20	NP	-	32.56	NA
	3/29/2004	1.71	NP	-	32.05	NA
	6/29/2004	2.98	NP	-	30.78	NA
	9/27/2004	3.74	NP	-	30.02	NA
	12/14/2004	Unable to Access, Due to Fuel Transfer Activities				
	3/7/2005	3.04	NP	-	30.72	NA
	6/20/2005	2.48	NP	-	31.28	NA
	9/19/2005	3.94	NP	-	29.82	NA
	12/12/2005	2.39	NP	-	31.37	NA
	3/13/2006	1.41	NP	-	32.35	NA
	6/27/2006	2.45	NP	-	31.31	NA
	9/25/2006	Cannot locate well				
	12/11/2006	Cannot locate well				
	3/19/2007	Cannot locate well				
	4/20/2007	Cannot locate well				
	6/18/2007	Cannot locate well				
	9/17/2002	Cannot locate well				

COPPOR00007490

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-19	2/14/2000	2.82	NP	-	30.57	NA
(33.39)	5/22/2000	4.62	4.59	0.03	28.79	NA
	8/23/2000	5.89	5.88	0.01	27.51	NA
	11/28/2000	5.91	NP	-	27.48	0.3
	2/21/2001	5.03	sheen	-	28.36	0.1
	5/15/2001	4.09	sheen	-	29.30	NA
	9/18/2001	7.27	7.23	0.04	26.15	NA
	12/19/2001	2.72	NP	-	30.67	NA
	3/13/2002	2.84	sheen	-	30.55	NA
	6/24/2002	4.61	NP	-	28.78	NA
	9/26/2002	6.42	NP	-	26.97	NA
	12/20/2002	5.06	NP	-	28.33	NA
	3/17/2003	2.59	NP	-	30.80	NA
	6/26/2003	3.42	NP	-	29.97	NA
	9/24/2003	6.51	6.48	0.03	26.90	0.2
	12/30/2003	2.84	NP	-	30.55	NA
	3/29/2004	3.32	NP	-	30.07	NA
	6/29/2004	5.34	sheen	-	28.05	NA
	9/27/2004	6.04	sheen	-	27.35	NA
	12/14/2004	4.18	NP	-	29.21	0.1
	3/7/2005	4.78	4.77	0.01	28.62	0.1
	6/20/2005	3.21	sheen	-	30.18	NA
	9/19/2005	6.27	sheen	-	27.12	NA
	12/12/2005	3.94	NP	-	29.45	NA
	3/13/2006	2.70	sheen	-	30.69	0
	6/27/2006	3.39	sheen	-	30.00	0
	9/25/2006	6.15	sheen	-	27.24	0
	12/11/2006	3.08	NP	-	30.31	0
	3/19/2007	2.85	sheen	-	30.54	0
	4/20/2007	3.08	sheen	-	30.31	0
	6/18/2007	**4.06**	**sheen**	**-**	**29.33**	**0.11**
	9/17/2007	**6.26**	**sheen**	**-**	**27.13**	**0.12**
MW-20	2/14/2000	9.80	NP	-	24.96	NA
(34.76)	5/22/2000	10.23	NP	-	24.53	NA
	8/23/2000	11.47	NP	-	23.29	NA
	11/28/2000	11.45	NP	-	23.31	NA
	2/21/2001	11.21	NP	-	23.55	NA
	5/15/2001	11.20	NP	-	23.56	NA
	9/18/2001	12.48	NP	-	22.28	NA
	12/19/2001	10.21	NP	-	24.55	NA
	3/13/2002	9.80	NP	-	24.96	NA
	6/24/2002	10.71	NP	-	24.05	NA
	9/26/2002	12.11	NP	-	22.65	NA
	12/20/2002	11.91	NP	-	22.85	NA
	3/17/2003	9.80	NP	-	24.96	NA
	6/26/2003	10.83	NP	-	23.93	NA
	9/24/2003	12.12	NP	-	22.64	NA
	12/30/2003	10.61	NP	-	24.15	NA
	3/29/2004	10.27	NP	-	24.49	NA
	6/29/2004	11.31	NP	-	23.45	NA
	9/27/2004	11.94	NP	-	22.82	NA
	12/14/2004	11.48	NP	-	23.28	NA
	3/7/2005	11.34	NP	-	23.42	NA
	6/20/2005	10.58	NP	-	24.18	NA
	9/19/2005	12.05	NP	-	22.71	NA
	12/12/2005	11.28	NP	-	23.48	NA
	3/13/2006	9.54	NP	-	25.22	NA
	6/27/2006	10.45	NP	-	24.31	NA
	9/25/2006	12.01	NP	-	22.75	NA
	12/11/2006	10.27	NP	-	24.49	NA
	3/19/2007	9.47	NP	-	25.29	NA
	4/20/2007	10.00	NP		24.76	NA
	4/20/2007	10.00	NP		24.76	NA
	6/18/2007	**10.75**	**NP**		**24.01**	**NA**
	9/17/2007	**12.04**	**NP**		**22.72**	**NA**

COPPOR00007491

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-21	2/14/2000	1.26	NP	-	33.07	NA
(34.33)	5/22/2000	1.62	NP	-	32.71	NA
	8/23/2000	2.38	NP	-	31.95	NA
	11/28/2000	1.80	NP	-	32.53	NA
	2/21/2001	1.64	NP	-	32.69	NA
	5/15/2001	1.59	NP	-	32.74	NA
	9/18/2001	3.01	NP	-	31.32	NA
	12/19/2001	0.27	NP	-	34.06	NA
	3/13/2002	0.99	NP	-	33.34	NA
	6/24/2002	1.95	NP	-	32.38	NA
	9/26/2002	3.65	NP	-	30.68	NA
	12/20/2002	2.05	NP	-	32.28	NA
	3/17/2003	Unable to Locate				
	6/26/2003	Unable to Access, Covered by Steel Plate				
	9/24/2003	Unable to Access, Covered by Steel Plate				
	12/30/2003	Unable to Access, Covered by Steel Plate				
	3/29/2004	Unable to Access, Covered by Gravel Pile				
	6/29/2004	Unable to Access, Covered by Gravel Pile				
	9/27/2004	Unable to Access, Covered by Gravel Pile				
	12/14/2004	Unable to Access, Covered by Gravel Pile				
	3/7/2005	Unable to Access, Covered by Gravel Pile				
	6/20/2005	Unable to Access, Covered by Gravel Pile				
	9/19/2005	Unable to Access, Covered by Gravel Pile				
	12/12/2005	Unable to Access, Covered by Gravel Pile				
	3/13/2006	Unable to Access, Covered by Gravel Pile				
	6/27/2006	Unable to Access, Covered by Gravel Pile				
	9/25/2006	Unable to Access, Covered by Gravel Pile				
	12/11/2006	Unable to Access, Covered by Gravel Pile				
	3/19/2007	Unable to Access, Covered by Gravel Pile				
	6/18/2007	**Unable to Access, Covered by Gravel Pile**				
	9/17/2007	**Unable to Access, Covered by Gravel Pile**				
MW-22	2/14/2000	2.85	NP	-	32.80	NA
(35.65)	5/22/2000	4.28	NP	-	31.37	NA
	8/23/2000	5.52	NP	-	30.13	NA
	11/28/2000	6.50	NP	-	29.15	NA
	2/21/2001	5.57	sheen	-	30.08	NA
	5/15/2001	5.29	5.28	0.01	30.37	NA
	9/19/2001	6.53	NP	-	29.12	NA
	12/19/2001	3.56	NP	-	32.09	NA
	3/13/2002	3.10	sheen	-	32.55	NA
	6/24/2002	4.89	4.88	0.01	30.77	NA
	9/26/2002	6.14	6.13	0.01	29.52	NA
	12/20/2002	6.29	NP	-	29.36	NA
	3/17/2003	3.81	sheen	-	31.84	0.01
	6/26/2003	4.56	NP	-	31.09	NA
	9/24/2003	6.00	NP	-	29.65	NA
	12/30/2003	4.60	NP	-	31.05	NA
	3/29/2004	4.09	4.08	0.01	31.56	NA
	6/29/2004	5.48	NP	-	30.17	NA
	9/27/2004	5.79	Sheen	-	29.86	NA
	12/14/2004	5.60	NP	-	30.05	NA
	3/7/2005	5.40	Sheen	-	30.25	0.1
	6/20/2005	4.81	NP	-	30.84	NA
	9/19/2005	6.03	Sheen	-	29.62	0.1
	12/12/2005	4.37	Sheen	-	31.28	NA
	3/13/2006	3.44	NP	-	32.21	NA
	6/27/2006	4.68	NP	-	30.97	NA
	9/25/2006	5.99	NP	-	29.66	NA
	12/11/2006	3.40	NP	-	32.25	NA
	3/19/2007	3.31	NP	-	32.34	NA
	6/18/2007	**4.89**	**NP**	-	**30.76**	**NA**
	9/17/2007	**6.35**	**sheen**	-	**29.30**	**0.1**

COPPOR00007492

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-23	2/14/2000	3.56	NP	-	32.50	NA
(36.06)	5/22/2000	5.63	NP	-	30.43	NA
	8/23/2000	5.82	5.82	0.00	30.24	NA
	11/28/2000	5.51	5.51	0.00	30.55	0.1
	2/21/2001	5.33	NP	-	30.73	0.1
	5/15/2001	5.01	sheen	-	31.05	NA
	9/19/2001	6.50	6.49	0.01	29.57	NA
	12/19/2001	4.19	NP	-	31.87	NA
	3/13/2002	3.99	NP	-	32.07	NA
	6/24/2002	5.44	NP	-	30.62	NA
	9/26/2002	8.21	sheen	-	27.85	NA
	12/20/2002	5.20	NP	-	30.86	NA
	3/17/2003	4.47	NP	-	31.59	NA
	6/26/2003	5.54	NP	-	30.52	NA
	9/24/2003	6.35	sheen	-	29.71	0.1
	12/30/2003	4.41	NP	-	31.65	NA
	3/29/2004	4.48	NP	-	31.58	NA
	6/29/2004	6.58	sheen	-	29.48	NA
	9/27/2004	5.91	sheen	-	30.15	NA
	12/14/2004	5.05	NP	-	31.01	NA
	3/7/2005	5.12	NP	-	30.94	NA
	6/20/2005	5.19	NP	-	30.87	NA
	9/19/2005	6.22	NP	-	29.84	NA
	12/12/2005	5.09	NP	-	30.97	NA
	3/13/2006	4.10	NP	-	31.96	NA
	6/27/2006	5.14	sheen	-	30.92	NA
	9/25/2006	6.31	sheen	-	29.75	0.1
	12/11/2006	4.41	NP	-	31.65	0.2
	3/19/2007	4.31	NP	-	31.75	0.15
	6/18/2007	**5.20**	**sheen**	**-**	**30.86**	**0.2**
	9/17/2007	**6.27**	**sheen**	**-**	**29.79**	**0.21**
MW-24	2/14/2000	5.00	4.50	0.50	30.55	1.0
(35.15)	5/22/2000	5.34	5.21	0.13	29.91	2.0
	8/23/2000	8.56	NP	-	26.59	NA
	11/28/2000	7.79	NP	-	27.36	0.3
	2/21/2001	7.20	7.15	0.05	27.99	0.4
	5/15/2001	5.45	sheen	-	29.70	0.1
	9/19/2001	9.55	9.54	0.01	25.61	NA
	12/19/2001	5.30	4.84	0.46	30.22	0.1
	3/13/2002	6.78	sheen	-	28.37	0.16
	6/24/2002	6.80	6.79	0.01	28.36	0.2
	9/26/2002	8.86	sheen	-	26.29	0.01
	12/20/2002	6.34	6.35	0.01	28.82	NA
	3/17/2003	4.78	4.70	0.08	30.43	0.1
	6/26/2003	6.51	sheen	-	28.64	0.02
	9/24/2003	8.35	NP	-	26.80	NA
	12/30/2003	4.80	4.60	0.2*	30.35	0.10
	3/29/2004	5.35	5.33	0.02*	29.80	NA
	6/29/2004	6.82	6.81	0.01	28.34	NA
	9/27/2004	8.58	8.56	0.02	26.59	NA
	12/14/2004	5.32	sheen	-	29.83	0.30
	3/7/2005	7.71	NP	-	27.44	0.20
	6/20/2005	5.39	5.36	0.03	29.78	0.10
	9/19/2005	-**	8.01	0.02	-**	0.20
	12/12/2005	5.94	5.89	0.05	29.25	0.30
	3/13/2006	4.60	sheen	-	30.55	0.20
	6/27/2006	-**	5.71	-	-**	NA
	9/25/2006	-**	8.80	-	-**	0.40
	12/11/2006	NM	NM	NM	NM	0.30
	3/19/2007	4.71	sheen	-	30.44	0.20
	4/20/2007	NM	4.86	-	-**	NA
	6/18/2007	**NM**	**5.75**	**-**	**-****	**0.30**
	9/17/2007	**NM**	**8.70**	**-**	**-****	**0.20**

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-25	2/14/2000	10.03	NP	-	24.70	NA
(34.73)	5/22/2000	11.66	NP	-	23.07	NA
	8/23/2000	12.20	NP	-	22.53	NA
	11/28/2000	12.34	NP	-	22.39	NA
	2/21/2001	11.97	NP	-	22.76	NA
	5/15/2001	11.91	NP	-	22.82	NA
	9/19/2001	13.12	NP	-	21.61	NA
	12/19/2001	10.45	NP	-	24.28	NA
	3/13/2002	10.35	NP	-	24.38	NA
	6/24/2002	11.38	NP	-	23.35	NA
	9/26/2002	12.77	NP	-	21.96	NA
	12/20/2002	12.14	NP	-	22.59	NA
	3/17/2003	10.38	NP	-	24.35	NA
	6/26/2003	11.60	NP	-	23.13	NA
	9/24/2003	12.77	NP	-	21.96	NA
	12/30/2003	11.00	NP	-	23.73	NA
	3/29/2004	10.46	NP	-	24.27	NA
	6/29/2004	11.93	NP	-	22.80	NA
	9/27/2004	12.67	NP	-	22.06	NA
	12/14/2004	12.52	NP	-	22.21	NA
	3/7/2005	12.10	NP	-	22.63	NA
	6/20/2005	11.40	NP	-	23.33	NA
	9/19/2005	12.71	NP	-	22.02	NA
	12/12/2005	11.52	NP	-	23.21	NA
	3/13/2006	10.16	NP	-	24.57	NA
	6/27/2006	11.21	NP	-	23.52	NA
	9/25/2006	12.70	NP	-	22.03	NA
	12/11/2006	10.97	NP	-	23.76	NA
	3/19/2007	10.13	NP	-	24.60	NA
	4/20/2007	10.51	NP		24.22	NA
	6/18/2007	**11.47**	**NP**		**23.26**	**NA**
	9/17/2007	**12.72**	**NP**		**22.01**	**NA**
MW-26	2/14/2000	10.44	NP	-	24.34	NA
(34.78)	5/22/2000	11.10	NP	-	23.68	NA
	8/23/2000	12.55	NP	-	22.23	NA
	11/28/2000	12.63	NP	-	22.15	NA
	2/21/2001	12.33	sheen	-	22.45	NA
	5/15/2001	12.24	NP	-	22.54	NA
	9/19/2001	13.47	sheen	-	21.31	NA
	12/19/2001	11.04	NP	-	23.74	NA
	3/13/2002	10.91	sheen	-	23.87	NA
	6/24/2002	11.88	NP	-	22.90	NA
	9/26/2002	13.07	NP	-	21.71	NA
	12/20/2002	12.55	NP	-	22.23	NA
	3/17/2003	10.93	NP	-	23.85	NA
	6/26/2003	12.00	NP	-	22.78	NA
	9/24/2003	13.13	NP	-	21.65	NA
	12/30/2003	11.53	NP	-	23.25	NA
	3/29/2004	10.46	NP	-	24.32	NA
	6/29/2004	12.43	NP	-	22.35	NA
	9/27/2004	13.03	NP	-	21.75	NA
	12/14/2004	12.30	NP	-	22.48	NA
	3/7/2005	12.51	NP	-	22.27	NA
	6/20/2005	11.78	NP	-	23.00	NA
	9/19/2005	13.09	NP	-	21.69	NA
	12/12/2005	11.95	NP	-	22.83	NA
	3/13/2006	10.61	NP	-	24.17	NA
	6/27/2006	11.65	NP	-	23.13	NA
	9/25/2006	13.06	NP	-	21.72	NA
	12/11/2006	11.46	NP	-	23.32	NA
	3/19/2007	10.65	NP	-	24.13	NA
	6/18/2007	**11.86**	**NP**	-	**22.92**	**NA**
	9/17/2007	**13.11**	**NP**	-	**21.67**	**NA**

COPPOR00007494

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-27	2/14/2000	3.67	NP	-	32.02	NA
(35.69)	5/22/2000	4.91	NP	-	30.78	NA
	8/23/2000	6.15	NP	-	29.54	NA
	11/28/2000	5.49	NP	-	30.20	NA
	2/21/2001	5.64	NP	-	30.05	NA
	5/15/2001	5.31	NP	-	30.38	NA
	9/19/2001	6.68	NP	-	29.01	NA
	12/19/2001	4.40	NP	-	31.29	NA
	3/13/2002	3.97	NP	-	31.72	NA
	6/24/2002	5.75	NP	-	29.94	NA
	9/26/2002	6.50	NP	-	29.19	NA
	12/20/2002	5.19	NP	-	30.50	NA
	3/17/2003	4.46	NP	-	31.23	NA
	6/26/2003	5.83	NP	-	29.86	NA
	9/24/2003	6.60	NP	-	29.09	NA
	12/30/2003	4.60	NP	-	31.09	NA
	3/29/2004	4.83	NP	-	30.86	NA
	6/29/2004	5.94	NP	-	29.75	NA
	9/27/2004	6.07	NP	-	29.62	NA
	12/14/2004	5.20	NP	-	30.49	NA
	3/7/2005	5.78	NP	-	29.91	NA
	6/20/2005	5.35	NP	-	30.34	NA
	9/19/2005	6.32	NP	-	29.37	NA
	12/12/2005	5.36	NP	-	30.33	NA
	3/13/2006	4.32	NP	-	31.37	NA
	6/27/2006	5.21	NP	-	30.48	NA
	9/25/2006	6.45	NP	-	29.24	NA
	12/11/2006	4.67	NP	-	31.02	NA
	3/19/2007	4.70	NP	-	30.99	NA
	6/18/2007	**5.39**	**NP**	**-**	**30.30**	**NA**
	9/17/2007	**6.41**	**NP**	**-**	**29.28**	**NA**
MW-28	2/14/2000	4.03	NP	-	30.36	NA
(34.39)	5/22/2000	5.44	NP	-	28.95	1.0
	8/23/2000	9.55	NP	-	24.84	NA
	11/28/2000	11.34	sheen	-	23.05	0.4
	2/21/2001	8.52	8.51	0.01	25.88	0.1
	5/15/2001	8.54	sheen	-	25.85	NA
	9/19/2001	13.75	13.48	0.27	20.86	0.6
	12/19/2001	4.47	NP	-	29.92	0.4
	3/13/2002	4.49	sheen	-	29.90	NA
	6/24/2002	7.34	NP	-	27.05	NA
	9/26/2002	9.39	NP	-	25.00	NA
	12/23/2002	7.12	7.11	0.01	27.28	NA
	3/17/2003	4.68	4.66	0.02	29.73	0.05
	6/26/2003	7.15	sheen	-	27.24	0.03
	9/24/2003	13.25	13.21	0.04	21.17	0.2
	12/30/2003	5.87	NP	-	29.90	NA
	3/29/2004	5.97	sheen	-	29.80	NA
	6/29/2004	9.68	sheen	-	26.09	NA
	9/27/2004	13.35	13.33	0.02	21.06	NA
	12/14/2004	7.51	sheen	-	26.88	0.4
	3/7/2005	10.65	sheen	-	23.74	0.2
	6/20/2005	7.85	sheen	-	26.54	0.2
	9/19/2005	12.65	sheen	-	21.74	0.3
	12/12/2005	6.87	6.86	0.01	27.53	0.2
	3/13/2006	4.91	NP	-	29.48	0
	6/27/2006	6.95	NP	-	27.44	0
	9/25/2006	13.05	sheen	-	21.34	0.1
	12/11/2006	5.53	NP	-	28.86	0.3
	3/19/2007	5.40	NP	-	28.99	0
	6/18/2007	**7.15**	**sheen**	**-**	**27.24**	**0.1**
	9/17/2007	**13.14**	**NP**	**-**	**21.25**	**0.02**

COPPOR00007495

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-29	2/14/2000	12.98	NP	-	22.79	NA
(35.77)	5/22/2000	13.49	NP	-	22.28	NA
	8/23/2000	14.53	NP	-	21.24	NA
	11/28/2000	14.84	NP	-	20.93	NA
	2/21/2001	14.54	NP	-	21.23	NA
	5/15/2001	14.52	NP	-	21.25	NA
	9/19/2001	15.57	NP	-	20.20	NA
	12/19/2001	13.59	NP	-	22.18	NA
	3/13/2002	13.21	NP	-	22.56	NA
	6/24/2002	13.94	NP	-	21.83	NA
	9/26/2002	15.11	NP	-	20.66	NA
	12/20/2002	14.79	NP	-	20.98	NA
	3/17/2003	13.26	NP	-	22.51	NA
	6/26/2003	13.93	NP	-	21.84	NA
	9/24/2003	15.29	NP	-	20.48	NA
	12/30/2003	13.99	NP	-	21.78	NA
	3/29/2004	13.47	NP	-	22.30	NA
	6/29/2004	14.48	NP	-	21.29	NA
	9/27/2004	15.18	NP	-	20.59	NA
	12/14/2004	14.56	NP	-	21.21	NA
	3/7/2005	14.57	NP	-	21.20	NA
	6/20/2005	13.96	NP	-	21.81	NA
	9/19/2005	15.15	NP	-	20.62	NA
	12/12/2005	14.10	NP	-	21.67	NA
	3/13/2006	12.97	NP	-	22.80	NA
	6/27/2006	13.70	NP	-	22.07	NA
	9/25/2006	15.10	NP	-	20.67	NA
	12/11/2006	13.65	NP	-	22.12	NA
	3/19/2007	13.07	NP	-	22.70	NA
	6/18/2007	**13.93**	**NP**	**-**	**21.84**	**NA**
	9/17/2007	**15.22**	**NP**	**-**	**20.55**	**NA**
MW-30	2/14/2000	3.97	NP	-	32.42	NA
(36.39)	5/22/2000	5.37	NP	-	31.02	NA
	8/23/2000	7.06	NP	-	29.33	NA
	11/28/2000	7.34	NP	-	29.05	NA
	2/21/2001	6.74	NP	-	29.65	NA
	5/15/2001	6.50	NP	-	29.89	NA
	9/19/2001	8.28	NP	-	28.11	NA
	12/19/2001	4.35	NP	-	32.04	NA
	3/13/2002	4.31	NP	-	32.08	NA
	6/24/2002	6.28	NP	-	30.11	NA
	9/26/2002	7.64	NP	-	28.75	NA
	12/20/2002	7.11	NP	-	29.28	NA
	3/17/2003	4.72	NP	-	31.67	NA
	6/26/2003	6.14	NP	-	30.25	NA
	9/24/2003	7.85	NP	-	28.54	NA
	12/30/2003	4.87	NP	-	31.52	NA
	3/29/2004	5.21	NP	-	31.18	NA
	6/29/2004	6.71	NP	-	29.68	NA
	9/27/2004	7.71	NP	-	28.68	NA
	12/14/2004	6.60	NP	-	29.79	NA
	3/7/2005	6.81	NP	-	29.58	NA
	6/20/2005	5.85	NP	-	30.54	NA
	9/19/2005	7.39	NP	-	29.00	NA
	12/12/2005	5.66	NP	-	30.73	NA
	3/13/2006	4.55	NP	-	31.84	NA
	6/27/2006	5.81	NP	-	30.58	NA
	9/25/2006	7.51	NP	-	28.88	NA
	12/11/2006	4.92	NP	-	31.47	NA
	3/19/2007	4.80	NP	-	31.59	NA
	6/18/2007	**6.05**	**NP**	**-**	**30.34**	**NA**
	9/17/2007	**7.65**	**NP**	**-**	**28.74**	**NA**

COPPOR00007496

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-31	2/14/2000	5.19	NP	-	30.47	NA
(35.66)	5/22/2000	6.66	NP	-	29.00	NA
	8/23/2000	8.41	NP	-	27.25	NA
	11/28/2000	8.86	NP	-	26.80	NA
	2/21/2001	8.07	NP	-	27.59	NA
	5/15/2001	7.90	NP	-	27.76	NA
	9/19/2001	9.69	NP	-	25.97	NA
	12/19/2001	5.43	NP	-	30.23	NA
	3/13/2002	5.31	NP	-	30.35	NA
	6/24/2002	7.67	NP	-	27.99	NA
	9/26/2002	9.09	9.06	0.03	26.59	NA
	12/20/2002	8.89	NP	-	26.77	NA
	3/17/2003	6.12	sheen	-	29.54	0.01
	6/26/2003	7.58	NP	-	28.08	NA
	9/24/2003	9.54	9.45	0.09	26.12	0.2
	12/30/2003	6.20	NP	-	29.46	NA
	3/29/2004	6.49	NP	-	29.17	NA
	6/29/2004	8.31	sheen	-	27.35	NA
	9/27/2004	9.38	sheen	-	26.28	NA
	12/14/2004	8.55	NP	-	27.11	NA
	3/7/2005	8.43	NP	-	27.23	NA
	6/20/2005	7.43	sheen	-	28.23	0.1
	9/19/2005	9.02	NP	-	26.64	0.1
	12/12/2005	6.99	NP	-	28.67	NA
	3/13/2006	5.61	NP	-	30.05	NA
	6/27/2006	7.19	sheen	-	28.47	NA
	9/25/2006	9.34	9.26	0.08	26.32	0.21
	12/11/2006	5.85	sheen	-	29.81	0.1
	3/19/2007	5.00	sheen	-	30.66	0.3
	6/18/2007	**7.58**	**sheen**	-	**28.08**	**0.3**
	9/17/2007	**9.53**	**9.35**	**0.18**	**26.27**	**0.3**
MW-32	2/14/2000	3.57	NP	-	33.44	NA
(37.01)	5/22/2000	4.83	NP	-	32.18	NA
	8/23/2000	6.41	NP	-	30.60	NA
	11/28/2000	6.69	NP	-	30.32	NA
	2/21/2001	6.11	NP	-	30.90	NA
	5/15/2001	5.99	NP	-	31.02	NA
	9/19/2001	7.64	NP	-	29.37	NA
	12/19/2001	4.30	NP	-	32.71	NA
	3/13/2002	3.71	NP	-	33.30	NA
	6/24/2002	5.72	NP	-	31.29	NA
	9/26/2002	7.18	NP	-	29.83	NA
	12/20/2002	6.72	NP	-	30.29	NA
	3/17/2003	4.15	sheen	-	32.86	0.01
	6/26/2003	5.53	NP	-	31.48	NA
	9/24/2003	7.28	NP	-	29.73	NA
	12/30/2003	4.58	NP	-	32.43	NA
	3/29/2004	4.65	NP	-	32.36	NA
	6/29/2004	6.25	NP	-	30.76	NA
	9/27/2004	7.16	NP	-	29.85	NA
	12/14/2004	6.28	NP	-	30.73	NA
	3/7/2005	6.32	NP	-	30.69	NA
	6/20/2005	5.42	NP	-	31.59	NA
	9/19/2005	6.91	NP	-	30.10	NA
	12/12/2005	5.21	NP	-	31.80	NA
	3/13/2006	3.99	NP	-	33.02	NA
	6/27/2006	5.32	NP	-	31.69	NA
	9/25/2006	7.05	NP	-	29.96	NA
	12/11/2006	4.41	NP	-	32.60	NA
	3/19/2007	4.00	NP	-	33.01	NA
	6/18/2007	**5.68**	**NP**	-	**31.33**	**NA**
	9/17/2007	**7.26**	**NP**	-	**29.75**	**NA**

COPPOR00007497

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-33	2/14/2000	19.59	NP	-	19.75	NA
(39.34)	5/22/2000	20.15	NP	-	19.19	NA
	8/23/2000	20.88	NP	-	18.46	NA
	11/28/2000	20.98	NP	-	18.36	NA
	2/21/2001	20.78	NP	-	18.56	NA
	5/15/2001	20.83	NP	-	18.51	NA
	9/19/2001	21.43	NP	-	17.91	NA
	12/19/2001	12.62	NP	-	26.72	NA
	3/13/2002	19.61	NP	-	19.73	NA
	6/24/2002	20.42	NP	-	18.92	NA
	9/26/2002	21.13	NP	-	18.21	NA
	12/20/2002	20.66	NP	-	18.68	NA
	3/17/2003	19.73	NP	-	19.61	NA
	6/26/2003	20.31	NP	-	19.03	NA
	9/24/2003	21.04	NP	-	18.30	NA
	12/30/2003	19.82	NP	-	19.52	NA
	3/29/2004	19.89	NP	-	19.45	NA
	6/29/2004	20.65	NP	-	18.69	NA
	9/27/2004	21.16	NP	-	18.18	NA
	12/14/2004	20.60	NP	-	18.74	NA
	3/7/2005	20.57	NP	-	18.77	NA
	6/20/2005	20.32	NP	-	19.02	NA
	9/19/2005	21.05	NP	-	18.29	NA
	12/12/2005	20.20	NP	-	19.14	NA
	3/13/2006	19.54	NP	-	19.80	NA
	6/27/2006	20.11	NP	-	19.23	NA
	9/25/2006	20.96	NP	-	18.38	NA
	12/11/2006	19.84	NP	-	19.50	NA
	3/19/2007	19.58	NP	-	19.76	NA
(39.33)	**6/18/2007**	**20.27**	**NP**	**-**	**19.06**	**NA**
	9/17/2007	**20.98**	**NP**	**-**	**18.35**	**NA**
MW-34	2/14/2000	19.31	NP	-	20.36	NA
(39.67)	5/22/2000	19.75	NP	-	19.92	NA
	8/23/2000	20.88	NP	-	18.79	NA
	11/28/2000	20.39	NP	-	19.28	NA
	2/21/2001	20.19	NP	-	19.48	NA
	5/15/2001	20.18	NP	-	19.49	NA
	9/19/2001	20.60	NP	-	19.07	NA
	12/19/2001	19.20	NP	-	20.47	NA
	3/13/2002	19.37	NP	-	20.30	NA
	6/24/2002	19.95	NP	-	19.72	NA
	9/26/2002	20.41	NP	-	19.26	NA
	3/17/2003	19.39	NP	-	20.28	NA
	6/26/2003	19.85	NP	-	19.82	NA
	9/24/2003	20.39	NP	-	19.28	NA
	12/30/2003	19.57	NP	-	20.10	NA
	3/29/2004	19.54	NP	-	20.13	NA
	6/29/2004	20.11	NP	-	19.56	NA
	9/27/2004	20.46	NP	-	19.21	NA
	12/14/2004	20.15	NP	-	19.52	NA
	3/7/2005	20.00	NP	-	19.67	NA
	6/20/2005	19.84	NP	-	19.83	NA
	9/19/2005	20.37	NP	-	19.30	NA
	12/12/2005	19.71	NP	-	19.96	NA
	3/13/2006	19.30	NP	-	20.37	NA
	6/27/2006	19.80	NP	-	19.87	NA
	9/25/2006	20.33	NP	-	19.34	NA
	12/11/2006	19.50	NP	-	20.17	NA
	3/19/2007	19.27	NP	-	20.40	NA
(39.64)	**6/18/2007**	**19.87**	**NP**	**-**	**19.77**	**NA**
	9/17/2007	**20.32**	**NP**	**-**	**19.32**	**NA**

COPPOR00007498

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-35	2/14/2000	2.34	NP	-	31.05	NA
(33.39)	5/22/2000	3.21	NP	-	30.18	NA
	8/23/2000	4.98	NP	-	28.41	NA
	11/28/2000	5.54	NP	-	27.85	NA
	2/21/2001	4.67	NP	-	28.72	NA
	5/15/2001	4.35	NP	-	29.04	NA
	9/18/2001	6.33	NP	-	27.06	NA
	12/19/2001	5.84	NP	-	27.55	NA
	3/13/2002	2.61	NP	-	30.78	NA
	6/24/2002	--Unable to Locate--				
	9/26/2002	5.85	NP	-	27.54	NA
	12/20/2002	5.91	sheen	-	27.48	NA
	3/17/2003	3.44	NP	-	29.95	NA
	6/26/2003	3.83	NP	-	29.56	NA
	9/24/2003	5.85	NP	-	27.54	NA
	12/30/2003	3.58	NP	-	29.81	NA
	3/29/2004	2.97	NP	-	30.42	NA
	6/29/2004	2.50	NP	-	30.89	NA
	9/27/2004	5.55	NP	-	27.84	NA
	12/14/2004	4.91	NP	-	28.48	NA
	3/7/2005	4.85	NP	-	28.54	NA
	6/20/2005	4.13	NP	-	29.26	NA
	9/19/2005	5.51	NP	-	27.88	NA
	12/12/2005	4.02	NP	-	29.37	NA
	3/13/2006	2.69	NP	-	30.70	NA
	6/27/2006	3.64	NP	-	29.75	NA
	9/25/2006	5.50	NP	-	27.89	NA
	12/11/2006	3.35	NP	-	30.04	NA
	3/19/2007	2.81	NP	-	30.58	NA
	4/20/2007	3.06	NP	-	30.33	NA
	6/18/2007	**3.98**	**NP**	-	**29.41**	**NA**
	9/17/2007	**6.60**	**sheen**	-	**26.79**	**0**
MW-36	2/14/2000	14.04	NP	-	20.84	NA
(34.88)	5/22/2000	14.62	NP	-	20.26	NA
	8/23/2000	15.39	NP	-	19.49	NA
	11/28/2000	15.72	NP	-	19.16	NA
	2/21/2001	15.49	NP	-	19.39	NA
	5/15/2001	15.51	NP	-	19.37	NA
	9/19/2001	16.08	NP	-	18.80	NA
	12/20/2001	14.98	NP	-	19.90	NA
	3/13/2002	14.18	NP	-	20.70	NA
	6/24/2002	--Unable to Access--				
	9/26/2002	17.92	NP	-	16.96	NA
	12/20/2002	15.59	NP	-	19.29	NA
	3/17/2003	14.25	NP	-	20.63	NA
	6/26/2003	--Unable to Access--				
	9/24/2003	15.74	NP	-	19.14	NA
	12/30/2003	14.97	NP	-	19.91	NA
	3/29/2004	14.37	NP	-	20.51	NA
	6/29/2004	15.33	NP	-	19.55	NA
	9/27/2004	15.87	NP	-	19.01	NA
	12/14/2004	15.54	NP	-	19.34	NA
	3/7/2005	--Unable to Access--				
	6/20/2005	14.98	NP	-	19.90	NA
	9/19/2005	15.75	NP	-	19.13	NA
	12/12/2005	15.01	NP	-	19.87	NA
	3/13/2006	13.82	NP	-	21.06	NA
	6/27/2006	14.78	NP	-	20.10	NA
	9/25/2006	15.61	NP	-	19.27	NA
	12/11/2006	14.45	NP	-	20.43	NA
	3/19/2007	13.98	NP	-	20.90	NA
(35.00)	**6/18/2007**	**14.88**	**NP**	-	**20.12**	**NA**
	9/17/2007	**15.70**	**NP**	-	**19.30**	**NA**

COPPOR00007499

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-37	2/14/2000	14.71	NP	-	20.15	NA
(34.86)	5/22/2000	15.27	NP	-	19.59	NA
	8/23/2000	16.06	NP	-	18.80	NA
	11/28/2000	16.32	NP	-	18.54	NA
	2/21/2001	16.10	NP	-	18.76	NA
	5/15/2001	16.11	NP	-	18.75	NA
	9/19/2001	16.69	NP	-	18.17	NA
	12/19/2001	15.10	NP	-	19.76	NA
	3/13/2002	14.64	14.62	0.02	20.24	0.1
	6/24/2002	15.66	NP	-	19.20	NA
	9/26/2002	16.39	NP	-	18.47	NA
	12/20/2002	16.11	sheen	-	18.75	NA
	3/17/2003	14.92	NP	-	19.94	NA
	6/26/2003	-Unable to Acess-				
	9/24/2003	16.40	16.37	0.03	18.48	0.1
	12/30/2003	15.35	NP	NP	19.51	NA
	3/29/2004	14.93	14.94	0.01	19.94	0.1
	6/29/2004	15.96	sheen	-	18.90	NA
	9/27/2004	16.52	16.51	0.01	18.35	0.1
	12/14/2004	16.10	NP	-	18.76	NA
	3/7/2005	16.07	NP	-	18.79	0.1
	6/20/2005	15.60	NP	-	19.26	NA
	9/19/2005	16.34	NP	-	18.52	NA
	12/12/2005	15.59	NP	-	19.27	NA
	3/13/2006	14.21	NP	-	20.65	NA
	6/27/2006	15.29	NP	-	19.57	NA
	9/25/2006	16.19	NP	-	18.67	NA
	12/11/2006	15.04	NP	-	19.82	NA
	3/19/2007	14.44	NP	-	20.42	NA
(34.97)	6/18/2007	15.54	NP	-	19.43	NA
	9/17/2007	16.34	NP	-	18.63	NA
MW-38	2/14/2000	4.72	NP	-	32.78	NA
(37.50)	5/22/2000	6.17	NP	-	31.33	NA
	8/23/2000	8.02	NP	-	29.48	NA
	11/28/2000	8.41	NP	-	29.09	NA
	2/21/2001	7.62	NP	-	29.88	NA
	5/15/2001	7.65	sheen	-	29.85	NA
	9/18/2001	9.52	NP	-	27.98	NA
	12/19/2001	6.05	NP	-	31.45	NA
	3/13/2002	4.97	NP	-	32.53	NA
	6/24/2002	7.10	NP	-	30.40	NA
	9/26/2002	9.09	NP	-	28.41	NA
	12/23/2002	7.82	NP	-	29.68	NA
	3/17/2003	4.89	NP	-	32.61	NA
	6/26/2003	6.55	NP	-	30.95	NA
	9/24/2003	9.04	NP	-	28.46	NA
	12/30/2003	6.57	NP	-	30.93	NA
	3/29/2004	5.42	NP	-	32.08	NA
	6/29/2004	7.34	NP	-	30.16	NA
	9/27/2004	8.57	NP	-	28.93	NA
	12/14/2004	7.84	NP	-	29.66	NA
	3/7/2005	7.85	NP	-	29.65	NA
	6/20/2005	6.69	NP	-	30.81	NA
	9/19/2005	8.73	NP	-	28.77	NA
	12/12/2005	6.95	NP	-	30.55	NA
	3/13/2006	4.92	NP	-	32.58	NA
	6/27/2006	6.49	NP	-	31.01	NA
	9/25/2006	8.64	NP	-	28.86	NA
	12/11/2006	5.70	NP	-	31.80	NA
	3/19/2007	4.66	NP	-	32.84	NA
	6/18/2007	6.87	NP	-	30.63	NA
	9/17/2007	9.52	NP	-	27.98	NA

COPPOR00007500

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-39	2/14/2000	NM	NP	-	NA	NA
(35.02)	5/22/2000	13.56	NP	-	21.46	NA
	8/23/2000	14.15	NP	-	20.87	NA
	11/28/2000	14.52	NP	-	20.50	NA
	2/21/2001	14.30	NP	-	20.72	NA
	5/15/2001	14.24	NP	-	20.78	NA
	9/19/2001	14.82	NP	-	20.20	NA
	12/19/2001	13.52	NP	-	21.50	NA
	3/13/2002	13.26	NP	-	21.76	NA
	6/24/2002	--Unable to Locate--				
	9/26/2002	17.01	NP	-	18.01	NA
	12/20/2002	14.71	NP	-	20.31	NA
	3/17/2003	13.37	NP	-	21.65	NA
	6/26/2003	--Unable to Access--				
	9/24/2003	14.59	NP	-	20.43	NA
	12/30/2003	13.97	NP	-	21.05	NA
	3/29/2004	13.42	NP	-	21.60	NA
	6/29/2004	14.17	NP	-	20.85	NA
	9/27/2004	14.71	NP	-	20.31	NA
	12/14/2004	--Unable to Access--				
	3/7/2005	--Unable to Access--				
	6/20/2005	--Unable to Access--				
	9/19/2005	14.54	NP	-	20.48	NA
	12/12/2005	13.98	NP	-	21.04	NA
	3/13/2006	12.96	NP	-	22.06	NA
	6/27/2006	13.61	NP	-	21.41	NA
	9/25/2006	14.44	NP	-	20.58	NA
	12/11/2006	5.67	NP	-	29.35	NA
	3/19/2007	12.96	NP	-	22.06	NA
(35.18)	6/18/2007	13.73	NP	-	21.45	NA
	9/17/2007	14.41	NP	-	20.77	NA

TABLE 1B
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
Kinder Morgan - Willbridge Terminal
Portland, Oregon

Well Designation	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
MW-40	2/14/2000	13.64	NP	-	20.01	NA
(33.65)	5/22/2000	14.28	NP	-	19.37	NA
	8/23/2000	15.01	NP	-	18.64	NA
	11/28/2000	15.15	NP	-	18.50	NA
	2/21/2001	14.97	NP	-	18.68	NA
	5/15/2001	15.00	NP	-	18.65	NA
	9/19/2001	15.58	NP	-	18.07	NA
	12/19/2001	13.72	NP	-	19.93	NA
	3/13/2002	13.58	NP	-	20.07	NA
	6/24/2002	14.62	NP	-	19.03	NA
	9/26/2002	17.30	NP	-	16.35	NA
	12/20/2002	15.78	NP	-	17.87	NA
	3/17/2003	13.84	NP	-	19.81	NA
	6/26/2003	14.45	NP	-	19.20	NA
	9/24/2003	15.25	NP	-	18.40	NA
	12/30/2003	14.03	NP	-	19.62	NA
	3/29/2004	14.04	NP	-	19.61	NA
	6/29/2004	14.85	NP	-	18.80	NA
	9/27/2004	15.35	NP	-	18.30	NA
	12/14/2004	14.80	NP	-	18.85	NA
	3/7/2005	14.84	NP	-	18.81	NA
	6/20/2005	14.50	NP	-	19.15	NA
	9/19/2005	15.25	NP	-	18.40	NA
	12/12/2005	14.40	NP	-	19.25	NA
	3/13/2006	13.57	NP	-	20.08	NA
	6/27/2006	14.39	NP	-	19.26	NA
	9/25/2006	15.15	NP	-	18.50	NA
	12/11/2006	14.04	NP	-	19.61	NA
	3/19/2007	13.67	NP	-	19.98	NA
(33.75)	6/18/2007	14.52	NP	-	19.23	NA
	9/17/2007	15.19	NP	-	18.56	NA

NOTES:
If SPH Thickness equals 0.0 feet, then non-measurable sheen was observed
NP - No measurable product
NA - Not Applicable
NM - Not Measured
* - SPH recovered for latest quarter monitored
** - Unable to determine due to SPH viscosity
GWE = TOC -(DTW - (0.8 x DTP - DTW)) Where 0.8 = The density of the SPH

COPPOR00007502

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-1	2/14/2000	16.82	NP	-	17.86	NA
(34.68)	5/22/2000	17.05	NP	-	17.63	NA
	8/22/2000	17.48	NP	-	17.20	NA
	11/27/2000	17.82	NP	-	16.86	NA
	2/20/2001	17.71	NP	-	16.97	NA
	5/15/2001	17.68	NP	-	17.00	NA
	9/18/2001	18.01	NP	-	16.67	NA
	12/20/2001	17.10	NP	-	17.58	NA
	3/13/2002	16.77	NP	-	17.91	NA
	6/24/2002	17.32	NP	-	17.36	NA
	9/26/2002	17.74	NP	-	16.94	NA
	12/20/2002	17.57	NP	-	17.11	NA
	3/17/2003	16.97	NP	-	17.71	NA
	6/26/2003	17.24	NP	-	17.44	NA
	9/24/2003	17.77	NP	-	16.91	NA
	12/30/2003	17.09	NP	-	17.59	NA
	3/29/2004	16.98	NP	-	17.70	NA
	6/29/2004	17.45	NP	-	17.23	NA
	9/27/2004	17.71	NP	-	16.97	NA
	12/14/2004	17.58	NP	-	17.10	NA
	3/7/2005	17.62	NP	-	17.06	NA
	6/20/2005	17.30	NP	-	17.38	NA
	9/19/2005	17.74	NP	-	16.94	NA
	12/12/2005	17.22	NP	-	17.46	NA
	3/13/2006	16.50	NP	-	18.18	NA
	6/26/2006	17.03	NP	-	17.65	NA
	9/25/2006	17.39	NP	-	17.29	NA
	12/11/2006	16.96	NP	-	17.72	NA
	3/19/2007	16.63	NP	-	18.05	NA
(34.65)	6/18/2007	17.15	NP	-	17.50	NA
	9/17/2007	17.63	NP	-	17.02	NA
B-2	2/14/2000	16.68	NP	-	18.67	NA
(35.35)	5/22/2000	17.06	NP	-	18.29	NA
	8/22/2000	17.61	NP	-	17.74	NA
	11/27/2000	17.97	NP	-	17.38	NA
	2/20/2001	17.82	NP	-	17.53	NA
	5/15/2001	17.74	NP	-	17.61	NA
	9/18/2001	18.23	NP	-	17.12	NA
	12/20/2001	17.06	NP	-	18.29	NA
	3/13/2002	16.80	NP	-	18.55	NA
	6/24/2002	17.44	NP	-	17.91	NA
	9/26/2002	17.99	NP	-	17.36	NA
	12/20/2002	18.06	NP	-	17.29	NA
	3/17/2003	17.03	NP	-	18.32	NA
	6/26/2003	17.29	NP	-	18.06	NA
	9/24/2003	18.03	NP	-	17.32	NA
	12/30/2003	17.38	NP	-	17.97	NA
	3/29/2004	16.89	NP	-	18.46	NA
	6/29/2004	17.62	NP	-	17.73	NA
	9/27/2004	18.09	NP	-	17.26	NA
	12/14/2004	17.94	NP	-	17.41	NA
	3/7/2005	17.78	NP	-	17.57	NA
	6/20/2005	17.41	NP	-	17.94	NA
	9/19/2005	17.98	NP	-	17.37	NA
	12/12/2005	17.37	NP	-	17.98	NA
	3/13/2006	16.50	NP	-	18.85	NA
	6/26/2006	17.14	NP	-	18.21	NA
	9/25/2006	17.63	NP	-	17.72	NA
	12/11/2006	16.90	NP	-	18.45	NA
	3/19/2007	16.47	NP	-	18.88	NA
(35.54)	6/18/2007	17.18	NP	-	18.36	NA
	9/17/2007	17.77	NP	-	17.77	NA

COPPOR00007503

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-3	2/14/2000	18.14	NP	-	16.67	NA
(34.81)	5/22/2000	18.36	NP	-	16.45	NA
	8/22/2000	19.05	NP	-	15.76	NA
	11/27/2000	19.31	NP	-	15.50	NA
	2/20/2001	19.22	NP	-	15.59	NA
	5/15/2001	19.26	NP	-	15.55	NA
	9/18/2001	19.63	NP	-	15.18	NA
	12/20/2001	18.03	NP	-	16.78	NA
	3/13/2002	18.12	NP	-	16.69	NA
	6/24/2002	18.84	NP	-	15.97	NA
	9/26/2002	19.21	NP	-	15.60	NA
	12/20/2002	18.79	NP	-	16.02	NA
	3/17/2003	18.14	NP	-	16.67	NA
	6/26/2003	18.87	NP	-	15.94	NA
	9/24/2003	19.20	NP	-	15.61	NA
	12/30/2003	18.22	NP	-	16.59	NA
	3/29/2004	18.30	NP		16.51	NA
	6/29/2004	18.93	NP	-	15.88	NA
	9/27/2004	19.19	NP	-	15.62	NA
	12/14/2004	18.89	NP	-	15.92	NA
	3/7/2005	19.14	NP	-	15.67	NA
	6/20/2005	18.88	NP	-	15.93	NA
	9/19/2005	19.24	NP	-	15.57	NA
	12/12/2005	18.50	NP	-	16.31	NA
	3/13/2006	17.75	NP	-	17.06	NA
	6/26/2006	18.43	NP	-	16.38	NA
	9/25/2006	18.87	NP	-	15.94	NA
	12/11/2006	18.04	NP	-	16.77	NA
	3/19/2007	18.02	NP	-	16.79	NA
(34.80)	**6/18/2007**	**18.76**	**NP**	-	**16.04**	**NA**
	9/17/2007	**19.18**	**NP**	-	**15.62**	**NA**
B-4	2/14/2000	18.25	17.59	0.66	16.98	3
(34.70)	5/22/2000	17.80	NP	-	16.90	0.5
	8/22/2000	18.22	18.21	0.01	16.49	NA
	11/27/2000	18.55	NP	-	16.15	NA
	2/20/2001	18.49	18.48	0.01	16.22	NA
	5/15/2001	18.47	18.46	0.01	16.24	0.1
	9/18/2001	18.75	18.74	0.01	15.96	0.1
	12/20/2001	18.05	NP	-	16.65	NA
	3/13/2002	17.69	NP	-	17.01	0.1
	6/24/2002	18.10	NP	-	16.60	NA
	9/26/2002	18.43	NP	-	16.27	NA
	12/20/2002	18.43	NP	-	16.27	NA
	3/17/2003	18.14	17.81	0.33	16.82	0.01
	6/26/2003	18.08	18.05	0.03	16.64	0.04
	9/24/2003	18.45	18.44	0.01	16.26	NA
	12/30/2003	18.05	NP	-	16.65	NA
	3/29/2004	17.90	17.70	0.20	16.96	0.1
	6/29/2004	18.61	sheen	-	16.09	NA
	9/27/2004	18.46	NP	-	16.24	NA
	12/14/2004	18.42	NP	-	16.28	NA
	3/7/2005	18.35	NP	-	16.35	NA
	6/20/2005	18.19	18.11	0.08	16.57	0.1
	9/19/2005	18.45	sheen	-	16.25	0.11
	12/12/2005	18.17	NP	-	16.53	0.2
	3/13/2006	17.43	17.24	0.19	17.42	0.1
	6/26/2006	17.79	NP	-	16.91	NA
	9/25/2006	18.28	NP	-	16.42	NA
	12/11/2006	**	17.87	-	-	0
	3/19/2007	17.51	NP	-	17.19	0.3
(34.69)	**6/18/2007**	**18.00**	**NP**	-	**16.69**	**0.12**
	9/17/2007	**18.38**	**sheen**	-	**16.31**	**0.03**

COPPOR00007504

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-5	2/14/2000	16.24	NP	-	18.59	NA
(34.83)	5/22/2000	16.63	NP	-	18.20	NA
	8/22/2000	16.98	sheen	-	17.85	NA
	11/27/2000	17.36	NP	-	17.47	NA
	2/20/2001	17.23	NP	-	17.60	NA
	5/15/2001	17.18	NP	-	17.65	NA
	9/18/2001	17.49	NP	-	17.34	NA
	12/20/2001	16.68	NP	-	18.15	NA
	3/13/2002	16.28	NP	-	18.55	NA
	6/24/2002	16.88	NP	-	17.95	NA
	9/26/2002	17.28	NP	-	17.55	NA
	12/20/2002	17.43	NP	-	17.40	NA
	3/17/2003	16.51	NP	-	18.32	NA
	6/26/2003	16.71	NP	-	18.12	NA
	9/24/2003	17.33	NP	-	17.50	NA
	12/30/2003	16.86	NP	-	17.97	NA
	3/29/2004	16.33	NP	-	18.50	NA
	6/29/2004	16.99	NP	-	17.84	NA
	9/27/2004	17.35	NP	-	17.48	NA
	12/14/2004	17.25	NP	-	17.58	NA
	3/7/2005	17.15	NP	-	17.68	NA
	6/20/2005	16.77	NP	-	18.06	NA
	9/19/2005	17.25	NP	-	17.58	NA
	12/12/2005	16.75	NP	-	18.08	NA
	3/13/2006	15.90	NP	-	18.93	NA
	6/26/2006	16.58	NP	-	18.25	NA
	9/25/2006	17.10	NP	-	17.73	NA
	12/11/2006	16.50	NP	-	18.33	NA
	3/19/2007	15.90	NP	-	18.93	NA
(34.83)	**6/18/2007**	**16.66**	**NP**	**-**	**18.17**	**NA**
	9/17/2007	**17.23**	**NP**	**-**	**17.60**	**NA**
B-6	2/14/2000	16.53	NP	-	18.96	NA
(35.49)	5/22/2000	16.95	NP	-	18.54	NA
	8/22/2000	17.40	NP	-	18.09	NA
	11/27/2000	17.80	NP	-	17.69	NA
	2/20/2001	17.64	NP	-	17.85	NA
	5/15/2001	17.56	NP	-	17.93	NA
	9/18/2001	17.95	NP	-	17.54	NA
	12/20/2001	17.02	NP	-	18.47	NA
	3/13/2002	16.57	NP	-	18.92	NA
	6/24/2002	17.22	NP	-	18.27	NA
	9/26/2002	17.71	NP	-	17.78	NA
	12/20/2002	17.80	NP	-	17.69	NA
	3/17/2003	16.81	NP	-	18.68	NA
	6/26/2003	17.04	NP	-	18.45	NA
	9/24/2003	17.73	NP	-	17.76	NA
	12/30/2003	17.21	NP	-	18.28	NA
	3/29/2004	16.61	NP	-	18.88	NA
	6/29/2004	17.35	NP	-	18.14	NA
	9/27/2004	17.80	NP	-	17.69	NA
	12/14/2004	17.66	NP	-	17.83	NA
	3/7/2005	17.50	NP	-	17.99	NA
	6/20/2005	17.12	NP	-	18.37	NA
	9/19/2005	17.66	NP	-	17.83	NA
	12/12/2005	17.12	NP	-	18.37	NA
	3/13/2006	16.14	NP	-	19.35	NA
	6/26/2006	16.90	NP	-	18.59	NA
	9/25/2006	17.50	NP	-	17.99	NA
	12/11/2006	16.82	NP	-	18.67	NA
	3/19/2007	16.23	NP	-	19.26	NA
(35.47)	**6/18/2007**	**17.01**	**NP**	**-**	**18.46**	**NA**
	9/17/2007	**17.63**	**NP**	**-**	**17.84**	**NA**

COPPOR00007505

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-16	2/14/2000	16.84	NP	-	18.98	NA
(35.82)	5/22/2000	17.27	NP	-	18.55	NA
	8/22/2000	17.76	NP	-	18.06	NA
	11/27/2000	18.16	NP	-	17.66	NA
	2/20/2001	17.98	NP	-	17.84	NA
	5/15/2001	18.04	NP	-	17.78	NA
	9/18/2001	18.44	NP	-	17.38	NA
	12/20/2001	17.43	NP	-	18.39	NA
	3/13/2002	17.02	NP	-	18.80	NA
	6/24/2002	17.67	NP	-	18.15	NA
	9/26/2002	18.18	NP	-	17.64	NA
	12/20/2002	18.31	NP	-	17.51	NA
	3/17/2003	17.24	NP	-	18.58	NA
	6/26/2003	17.46	NP	-	18.36	NA
	9/24/2003	18.21	NP	-	17.61	NA
	12/30/2003	17.67	NP	-	18.15	NA
	3/29/2004	17.06	NP	-	18.76	NA
	6/29/2004	17.60	NP	-	18.02	NA
	9/27/2004	18.28	NP	-	17.54	NA
	12/14/2004	18.14	NP	-	17.68	NA
	3/7/2005	17.95	NP	-	17.87	NA
	6/20/2005	17.58	NP	-	18.24	NA
	9/19/2005	18.16	NP	-	17.66	NA
	12/12/2005	17.58	NP	-	18.24	NA
	3/13/2006	16.59	NP	-	19.23	NA
	6/26/2006	17.33	NP	-	18.49	NA
	9/25/2006	17.94	NP	-	17.88	NA
	12/11/2006	17.18	NP	-	18.64	NA
	3/19/2007	16.65	NP	-	19.17	NA
(35.93)	**6/18/2007**	**17.38**	**NP**	-	**18.55**	**NA**
	9/17/2007	**18.08**	**NP**	-	**17.85**	**NA**
B-17	2/14/2000	16.83	NP	-	18.78	NA
(35.61)	5/22/2000	17.20	NP	-	18.41	NA
	8/22/2000	17.76	NP	-	17.85	NA
	11/27/2000	18.05	NP	-	17.56	NA
	2/20/2001	17.88	NP	-	17.73	NA
	5/15/2001	17.84	NP	-	17.77	NA
	9/18/2001	18.21	NP	-	17.40	NA
	12/20/2001	17.31	NP	-	18.30	NA
	3/13/2002	16.91	NP	-	18.70	NA
	6/24/2002	17.50	NP	-	18.11	NA
	9/26/2002	17.97	NP	-	17.64	NA
	12/20/2002	18.07	NP	-	17.54	NA
	3/17/2003	17.13	NP	-	18.48	NA
	6/26/2003	17.33	NP	-	18.28	NA
	9/24/2003	18.00	NP	-	17.61	NA
	12/30/2003	17.48	NP	-	18.13	NA
	3/29/2004	16.39	NP	-	19.22	NA
	6/29/2004	17.62	NP	-	17.99	NA
	9/27/2004	18.03	NP	-	17.58	NA
	12/14/2004	17.95	NP	-	17.66	NA
	3/7/2005	17.81	NP	-	17.80	NA
	6/20/2005	17.40	NP	-	18.21	NA
	9/19/2005	17.93	NP	-	17.68	NA
	12/12/2005	17.42	NP	-	18.19	NA
	3/13/2006	16.50	NP	-	19.11	NA
	6/26/2006	17.17	NP	-	18.44	NA
	9/25/2006	17.74	NP	-	17.87	NA
	12/11/2006	17.08	NP	-	18.53	NA
	3/19/2007	16.56	NP	-	19.05	NA
(35.61)	**6/18/2007**	**17.30**	**NP**	-	**18.31**	**NA**
	9/17/2007	**17.86**	**NP**	-	**17.75**	**NA**

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-18	2/14/2000	18.55	NP	-	16.94	NA
(35.49)	5/22/2000	18.66	NP	-	16.83	NA
	8/22/2000	19.11	NP	-	16.38	NA
	11/27/2000	19.43	NP	-	16.06	NA
	2/20/2001	19.44	NP	-	16.05	NA
	5/15/2001	19.43	NP	-	16.06	NA
	9/18/2001	19.68	NP	-	15.81	NA
	12/20/2001	—Unable to Locate—				
	3/13/2002	—Inaccessible - Covered with Sand—				
	6/24/2002	—Inaccessible - Covered with Sand—				
	9/26/2002	—TOC broken, bentonite blocking well—				
(36.00)	12/20/2002	3.88	NP	-	32.12	NA
	3/17/2003	Unable to access				
	6/26/2003	Well blocked ~5 feet bgs				
	9/24/2003	Well blocked ~5 feet bgs				
	12/30/2003	Well blocked ~5 feet bgs				
	3/29/2004	Well blocked ~5 feet bgs				
	6/29/2004	Abandoned				
B-22	2/14/2000	17.91	NP	-	17.92	1
(35.83)	5/22/2000	18.00	NP	-	17.83	NA
	8/22/2000	18.66	18.65	0.01	17.18	NA
	11/27/2000	19.02	sheen	-	16.81	0.1
	2/20/2001	19.02	18.99	0.03	16.83	NA
	5/15/2001	19.01	19.00	0.01	16.83	0.1
	9/18/2001	—— Well Has Been Buried ——				
	12/20/2001	—Well Damaged During Construction Activities—				
	3/13/2002	—Well Damaged During Construction Activities—				
	6/24/2002	—Well Damaged During Construction Activities—				
	9/26/2002	—Well Damaged During Construction Activities—				
		—— Well Abandoned December 10, 2002 ——				

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-22A	12/20/2002	19.10	NP	-	15.77	NA
(34.87)	3/17/2003	18.33	18.30	0.03	16.54	0.01
	6/26/2003	18.72	18.69	0.03	16.15	0.05
	9/24/2003	19.08	19.05	0.03	15.79	0.10
	12/30/2003	18.52	NP	-	16.35	NA
	3/29/2004	18.25	18.25	sheen	16.62	NA
	6/29/2004	18.78	NP	-	16.09	NA
	9/27/2004	19.07	NP	-	15.80	NA
	12/14/2004	18.95	NP	-	15.92	NA
	3/7/2005	19.08	NP	-	15.79	NA
	6/20/2005	18.75	NP	-	16.12	NA
	9/19/2005	19.07	NP	-	15.80	NA
	12/12/2005	18.55	NP	-	16.32	NA
	3/13/2006	17.66	NP	-	17.21	NA
	6/26/2006	18.12	NP	-	16.75	NA
	9/25/2006	18.43	NP	-	16.44	NA
	12/11/2006	18.49	NP	-	16.38	NA
	3/19/2007	17.97	NP	-	16.90	NA
(34.85)	**6/18/2007**	**18.59**	**NP**	-	**16.26**	**NA**
	9/17/2007	**19.02**	**NP**	-	**15.83**	**NA**
B-25	2/14/2000	18.39	NP	-	17.39	NA
(35.78)	5/22/2000	17.67	NP	-	18.11	NA
	8/22/2000	19.09	NP	-	16.69	NA
	11/27/2000	19.51	NP	-	16.27	NA
	2/20/2001	18.79	NP	-	16.99	NA
	5/15/2001	19.54	NP	-	16.24	NA
	9/18/2001	19.86	NP	-	15.92	NA
	12/20/2001	—Could Not Access—				
	3/13/2002	18.52	NP	-	17.26	NA
	6/24/2002	18.89	NP	-	16.89	NA
	9/26/2002	19.33	NP	-	16.45	NA
	12/20/2002	19.43	NP	-	16.35	NA
	3/17/2003	18.65	NP	-	17.13	NA
	6/26/2003	18.82	NP	-	16.96	NA
	9/24/2003	19.24	NP	-	16.54	NA
	12/30/2003	18.95	NP	-	16.83	NA
	3/29/2004	18.42	NP	-	17.36	NA
	6/29/2004	—Could Not Access—				
	9/27/2004	19.25	NP	-	16.53	NA
	12/14/2004	19.21	NP	-	16.57	NA
	3/7/2005	21.57	NP	-	14.21	NA
	6/20/2005	18.89	NP	-	16.89	NA
	9/19/2005	19.26	NP	-	16.52	NA
	12/12/2005	18.89	NP	-	16.89	NA
	3/13/2006	-	-	-	-	-
	6/26/2006	18.27	NP	-	17.51	NA
	9/25/2006	18.75	NP	-	17.03	NA
	12/11/2006	18.68	NP	-	17.10	NA
	3/19/2007	18.00	NP	-	17.78	NA
(35.76)	**6/18/2007**	**18.55**	**NP**	-	**17.21**	**NA**
	9/17/2007	**19.10**	**NP**	-	**16.66**	**NA**

COPPOR00007508

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-27	2/14/2000	17.61	NP	-	18.13	NA
(35.74)	5/22/2000	17.76	NP	-	17.98	NA
	8/22/2000	18.27	NP	-	17.47	NA
	11/27/2000	18.71	NP	-	17.03	0.1
	2/20/2001	18.66	18.65	0.01	17.09	0.2
	5/15/2001	18.74	18.66	0.08	17.06	0.2
	9/18/2001	18.99	NP	-	16.75	0.3
	12/20/2001	18.66	NP	-	17.08	0.2
	3/13/2002	17.76	NP	-	17.98	0.02
	6/24/2002	18.09	NP	-	17.65	NA
	9/26/2002	18.50	NP	-	17.24	NA
	12/20/2002	18.65	18.68	0.03	17.11	0.1
	3/17/2003	17.91	17.90	0.01	17.84	0.01
	6/26/2003	17.96	NP	-	17.78	NA
	9/24/2003	18.51	NP	-	17.23	NA
	12/30/2003	18.21	NP	-	17.53	NA
	3/29/2004	17.72	17.31	0.41	18.35	0.1
	6/29/2004	18.03	NP	-	17.71	NA
	9/27/2004	18.53	NP	-	17.21	NA
	12/14/2004	18.50	NP	-	17.24	NA
	3/7/2005	18.34	NP	-	17.40	NA
	6/20/2005	18.03	NP	-	17.71	NA
	9/19/2005	18.48	NP	-	17.26	NA
	12/12/2005	18.13	NP	-	17.61	NA
	3/13/2006	17.20	16.70	0.50	18.94	0.2
	6/26/2006	17.44	NP	-	18.30	NA
	9/25/2006	18.22	NP	-	17.52	NA
	12/11/2006	17.84	17.81	0.03	17.92	0
	3/19/2007	17.14	NP	-	18.60	0
	6/18/2007	**17.70**	**NP**	-	**18.04**	**0.01**
	9/17/2007	**18.30**	**NP**	-	**17.44**	**0.02**
B-35	2/14/2000	15.71	NP	-	17.85	NA
(33.56)	5/22/2000	16.00	NP	-	17.56	NA
	8/22/2000	16.36	NP	-	17.20	NA
	11/27/2000	16.71	NP	-	16.85	NA
	2/20/2001	16.65	NP	-	16.91	NA
	5/15/2001	15.56	NP	-	18.00	NA
	9/18/2001	16.90	NP	-	16.66	NA
	12/20/2001	15.95	NP	-	17.61	NA
	3/13/2002	15.70	NP	-	17.86	NA
	6/24/2002	16.22	NP	-	17.34	NA
	9/26/2002	16.64	NP	-	16.92	NA
	12/20/2002	16.48	NP	-	17.08	NA
	3/17/2003	15.91	NP	-	17.65	NA
	6/26/2003	16.13	NP	-	17.43	NA
	9/24/2003	16.67	NP	-	16.89	NA
	12/30/2003	16.04	NP	-	17.52	NA
	3/29/2004	15.81	NP	-	17.75	NA
	6/29/2004	16.33	NP	-	17.23	NA
	9/27/2004	16.61	NP	-	16.95	NA
	12/14/2004	16.52	NP	-	17.04	NA
	3/7/2005	16.52	NP	-	17.04	NA
	6/20/2005	16.17	NP	-	17.39	NA
	9/19/2005	16.63	NP	-	16.93	NA
	12/12/2005	16.08	NP	-	17.48	NA
	3/13/2006	15.42	NP	-	18.14	NA
	6/26/2006	15.95	NP	-	17.61	NA
	9/25/2006	16.30	NP	-	17.26	NA
	12/11/2006	15.90	sheen	-	17.66	NA
	3/19/2007	15.52	NP	-	18.04	NA
(33.54)	**6/18/2007**	**16.04**	**NP**	-	**17.50**	**NA**
	9/17/2007	**16.53**	**NP**	-	**17.01**	**NA**

COPPOR00007509

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-36	2/14/2000	14.33	NP	-	16.69	NA
(31.02)	5/22/2000	14.64	NP	-	16.38	NA
	8/22/2000	15.28	NP	-	15.74	NA
	11/27/2000	15.55	NP	-	15.47	NA
	2/20/2001	15.48	NP	-	15.54	NA
	5/15/2001	15.47	NP	-	15.55	NA
	9/18/2001	15.83	NP	-	15.19	NA
	12/20/2001	14.17	NP	-	16.85	NA
	3/13/2002	14.31	NP	-	16.71	NA
	6/24/2002	15.06	NP	-	15.96	NA
	9/26/2002	15.43	NP	-	15.59	NA
	12/20/2002	14.98	NP	-	16.04	NA
	3/17/2003	14.35	NP	-	16.67	NA
	6/26/2003	15.09	NP	-	15.93	NA
	9/24/2003	15.44	NP	-	15.58	NA
	12/30/2003	14.41	NP	-	16.61	NA
	3/29/2004	14.53	NP	-	16.49	NA
	6/29/2004	15.19	NP	-	15.83	NA
	9/27/2004	15.41	NP	-	15.61	NA
	12/14/2004	15.10	NP	-	15.92	NA
	3/7/2005	15.39	NP	-	15.63	NA
	6/20/2005	15.08	NP	-	15.94	NA
	9/19/2005	15.45	NP	-	15.57	NA
	12/12/2005	14.68	NP	-	16.34	NA
	3/13/2006	13.97	NP	-	17.05	NA
	6/26/2006	14.64	NP	-	16.38	NA
	9/25/2006	15.12	NP	-	15.90	NA
	12/11/2007	14.46	NP	-	16.56	NA
	3/19/2007	13.98	NP	-	17.04	NA
(31.00)	6/18/2007	15.04	NP	-	15.96	NA
	9/17/2007	15.39	NP	-	15.61	NA
B-37	2/14/2000	18.96	NP	-	16.87	NA
(35.83)	5/22/2000	19.05	NP	-	16.78	NA
	8/22/2000	19.77	NP	-	16.06	NA
	11/27/2000	20.18	NP	-	15.65	NA
	2/20/2001	22.05	NP	-	13.78	NA
	5/15/2001	20.16	NP	-	15.67	NA
	9/18/2001	—— Well Has Been Buried ——				
	12/20/2001	—Could Not Locate—				
	3/13/2002	19.09	NP	-	16.74	NA
	6/24/2002	19.58	NP	-	16.25	NA
	9/26/2002	20.00	NP	-	15.83	NA
	12/20/2002	20.08	NP	-	15.75	NA
	3/17/2003	19.17	NP	-	16.66	NA
	6/26/2003	19.52	NP	-	16.31	NA
	9/24/2003	19.88	NP	-	15.95	NA
	12/31/2003	—Well Covered with Ice—				
	3/29/2004	19.07	NP	-	16.76	NA
	6/29/2004	19.96	NP	-	15.87	NA
	9/27/2004	19.88	NP	-	15.95	NA
	12/14/2004	19.76	NP	-	16.07	NA
	3/7/2005	20.92	NP	-	14.91	NA
	6/20/2005	19.57	NP	-	16.26	NA
	9/19/2005	19.89	NP	-	15.94	NA
	12/12/2005	19.40	NP	-	16.43	NA
	3/13/2006	18.42	NP	-	17.41	NA
	6/26/2006	—Unable to locate well; under sand—				
	9/25/2006	19.08	NP	-	16.75	NA
	12/11/2006	NM	NM	NM	NM	NA
	3/19/2007	18.69	NP	-	17.14	NA
(35.79)	6/18/2007	19.28	NP	-	16.51	NA
	9/17/2007	19.77	NP	-	16.02	NA

COPPOR00007510

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-38	9/26/2002	20.91	20.69	0.22	15.74	NA
(36.65)	12/20/2002	20.53	20.75	0.22	16.12	NA
	3/17/2003	19.71	NP	-	16.94	NA
	6/26/2003	20.10	NP	-	16.55	NA
	9/24/2003	Dry at 20.41 feet bgs				
	12/30/2003	19.93	NP	-	16.72	NA
	3/29/2004	dry	NP	-	-	NA
	6/29/2004	Dry at 20.23 feet bgs				
	9/27/2004	dry	NP	-	-	NA
	6/20/2005	20.10	NP	-	16.55	NA
	9/19/2005	20.22	NP	-	16.43	NA
	12/12/2005	19.91	NP	-	16.74	NA
	3/13/2006	18.90	NP	-	17.75	NA
	6/26/2006	dry	NP	-	-	NA
	9/25/2006	19.60	NP	-	17.05	NA
	12/11/2006	19.71	NP	-	16.94	NA
	3/19/2007	19.26	NP	-	17.39	NA
(36.07)	**6/18/2007**	**Dry**	**NP**	-	-	**NA**
	9/17/2007	**Dry**	**NP**	-	-	**NA**
B-40	2/14/2000	17.34	NP	-	17.36	1
(34.70)	5/22/2000	18.28	17.48	0.80	17.06	5.5
	8/22/2000	19.65	18.21	1.44	16.20	0.6
	11/27/2000	20.03	18.55	1.48	15.85	1.25
	2/20/2001	19.85	18.54	1.31	15.90	1.3
	5/15/2001	19.88	18.58	1.30	15.86	0.85
	9/18/2001	20.90	19.07	1.83	15.26	1
	12/20/2001	18.35	17.36	0.99	17.14	0.65
	3/13/2002	17.51	17.32	0.19	17.34	0.85
	6/24/2002	18.36	18.24	0.12	16.44	0.30
	9/26/2002	19.22	18.53	0.69	16.03	0.46
	12/20/2002	18.27	18.81	0.54	16.86	0.57
	3/17/2003	18.12	17.45	0.67	17.12	0.30
	6/26/2003	18.47	18.30	0.17	16.37	0.10
	9/24/2003	18.61	18.51	0.10	16.17	0.10
	12/30/2003	17.64	17.58	0.06	17.11	0.10
	3/29/2004	17.70	17.69	0.01	17.01	0.10
	6/29/2004	18.58	sheen	-	16.05	NA
	9/27/2004	18.76	sheen	-	15.87	0.10
	12/14/2004	18.18	18.17	0.01	16.53	0.20
	3/7/2005	18.35	sheen	-	16.35	0.70
	6/20/2005	18.37	18.36	0.01	16.34	0.20
	9/19/2005	18.55	sheen	-	16.15	0.12
	12/12/2005	17.71	16.81	0.90	17.71	0.30
	3/13/2006	17.14	NP	-	17.56	0.00
	6/26/2006	17.76	NP	-	16.94	0.00
	9/25/2006	18.01	NP	-	16.69	0.11
	12/11/2006	18.22	17.95	0.27	16.70	0.20
	3/19/2007	15.57	NP	-	19.13	0.30
(33.68)	**6/18/2007**	**18.40**	**NP**	-	**15.28**	**0.21**
	9/17/2007	**18.75**	**sheen**	-	**14.93**	**0.11**
B-41	2/14/2000	17.73	NP	-	16.90	NA
(34.63)	5/22/2000	18.89	NP	-	15.74	NA
	8/22/2000	18.44	NP	-	16.19	NA
	11/27/2000	18.81	NP	-	15.82	NA
	2/20/2001	18.78	sheen	-	15.85	NA
	5/15/2001	18.78	NP	-	15.85	NA
	9/18/2001	—— Well Has Been Buried ——				
	12/20/2001	16.86	NP	-	17.77	NA
	3/13/2002	20.07	20.03	0.04	14.59	NA
	6/24/2002	20.54	20.52	0.02	14.11	NA
	9/26/2002	18.75	18.72	0.03	15.90	NA
	—— Well Abandoned December 9, 2002 ——					

COPPOR00007511

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
B-41A	12/20/2002	19.13	NP	-	16.00	NA
(35.13)	3/17/2003	18.40	NP	-	16.73	NA
	6/26/2003	18.73	NP	-	16.40	NA
	9/24/2003	19.10	NP	-	16.03	NA
	12/30/2003	18.61	NP	-	16.52	NA
	3/29/2004	18.32	NP	-	16.81	NA
	6/29/2004	18.82	NP	-	16.31	NA
	9/27/2004	19.11	NP	-	16.02	NA
	12/14/2004	19.00	NP	-	16.13	NA
	3/7/2005	19.07	NP	-	16.06	NA
	6/20/2005	18.80	NP	-	16.33	NA
	9/19/2005	19.13	NP	-	16.00	NA
	12/12/2005	18.65	NP	-	16.48	NA
	3/13/2006	17.71	NP	-	17.42	NA
	6/26/2006	18.25	NP	-	16.88	NA
	9/25/2006	18.60	NP	-	16.53	NA
	12/11/2006	18.54	NP	-	16.59	NA
	3/19/2007	18.04	NP	-	17.09	NA
(35.08)	**6/18/2007**	**18.62**	**NP**	-	**16.46**	**NA**
	9/17/2007	**19.06**	**NP**	-	**16.02**	**NA**
DW-1	2/14/2000	18.87	NP	-	17.06	NA
(35.93)	5/22/2000	18.94	NP	-	16.99	NA
	8/22/2000	19.51	NP	-	16.42	NA
	11/27/2000	19.88	NP	-	16.05	NA
	2/20/2001	19.83	NP	-	16.10	NA
	5/15/2001	19.87	NP	-	16.06	NA
	9/18/2001	20.19	NP	-	15.74	NA
	12/20/2001	19.56	NP	-	16.37	NA
	3/13/2002	18.96	NP	-	16.97	NA
	6/24/2002	19.38	NP	-	16.55	NA
	9/26/2002	19.77	NP	-	16.16	NA
	12/20/2002	19.77	NP	-	16.16	NA
	3/17/2003	18.85	NP	-	17.08	NA
	6/26/2003	19.33	NP	-	16.60	NA
	9/24/2003	19.66	NP	-	16.27	NA
	12/30/2003	19.27	NP	-	16.66	NA
	3/29/2004	18.87	NP	-	17.06	NA
	6/29/2004	19.39	NP	-	16.54	NA
	9/27/2004	19.69	NP	-	16.24	NA
	12/14/2004	19.65	NP	-	16.28	NA
	3/7/2005	19.66	NP	-	16.27	NA
	6/20/2005	19.41	NP	-	16.52	NA
	9/19/2005	19.71	NP	-	16.22	NA
	12/12/2005	19.30	NP	-	16.63	NA
	3/13/2006	18.30	NP	-	17.63	NA
	6/26/2006	18.85	NP	-	17.08	NA
	9/25/2006	19.15	NP	-	16.78	NA
	12/11/2006	19.12	NP	-	16.81	NA
	3/19/2007	18.62	NP	-	17.31	NA
(35.90)	**6/18/2007**	**19.05**	**NP**	-	**16.85**	**NA**
	9/17/2007	**19.60**	**NP**	-	**16.30**	**NA**

COPPOR00007512

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
DW-2	2/14/2000	18.91	NP	-	17.14	NA
(36.05)	5/22/2000	19.03	NP	-	17.02	NA
	8/22/2000	19.62	NP	-	16.43	NA
	11/27/2000	10.01	NP	-	26.04	NA
	2/20/2001	20.02	NP	-	16.03	NA
	5/15/2001	20.00	NP	-	16.05	NA
	9/18/2001	20.35	NP	-	15.70	NA
	12/20/2001	19.62	NP	-	16.43	NA
	3/13/2002	19.06	NP	-	16.99	NA
	6/24/2002	19.44	NP	-	16.61	NA
	9/26/2002	19.85	NP	-	16.20	NA
	12/20/2002	19.88	NP	-	16.17	NA
	3/17/2003	18.97	NP	-	17.08	NA
	6/26/2003	19.40	NP	-	16.65	NA
	9/24/2003	19.78	NP	-	16.27	NA
	12/30/2003	19.37	NP	-	16.68	NA
	3/29/2004	18.97	NP	-	17.08	NA
	6/29/2004	19.46	NP	-	16.59	NA
	9/27/2004	19.85	NP	-	16.20	NA
	12/14/2004	19.75	NP	-	16.30	NA
	3/7/2005	19.74	NP	-	16.31	NA
	6/20/2005	19.49	NP	-	16.56	NA
	9/19/2005	19.81	NP	-	16.24	NA
	12/12/2005	19.41	NP	-	16.64	NA
	3/13/2006	18.40	NP	-	17.65	NA
	6/26/2006	18.89	NP	-	17.16	NA
	9/25/2006	19.25	NP	-	16.80	NA
	12/11/2006	19.23	19.22	0.01	16.83	NA
	3/19/2007	18.69	NP	-	17.36	NA
(36.04)	**6/18/2007**	**19.15**	**NP**	-	**16.89**	**NA**
	9/17/2007	**19.69**	**NP**	-	**16.35**	**NA**
EX-39	2/14/2000	17.42	17.09	0.33	15.93	10
(33.09)	5/22/2000	17.35	17.29	0.06	15.79	5
	8/22/2000	17.98	17.95	0.03	15.13	0.1
	11/27/2000	18.38	sheen	-	14.71	0.1
	2/20/2001	18.49	18.36	0.13	14.70	2.55
	5/15/2001	19.29	18.19	1.10	14.68	5.0
	9/18/2001	——— Well Has Been Buried ———				
	12/20/2001	—Well Damaged During Construction Activities—				
	3/13/2002	—Well Damaged During Construction Activities—				
	6/24/2002	—Well Damaged During Construction Activities—				
	9/26/2002	—Well Damaged During Construction Activities—				
	—— Well Abandoned December 9, 2002 ——					
EX-39B	12/20/2002	18.85	18.87	0.02	15.80	0.10
(34.63)	3/17/2003	18.15	18.13	0.02	16.50	0.10
	6/26/2003	18.71	18.71	sheen	15.92	0.05
	9/24/2003	18.98	NP	-	15.65	NA
	12/30/2003	18.30	sheen	sheen	16.33	NA
	3/29/2004	18.12	NP	-	16.51	NA
	6/29/2004	18.37	NP	-	16.26	NA
	9/27/2004	18.83	NP	-	15.80	NA
	12/14/2004	21.18	NP	-	13.45	NA
	3/7/2005	18.97	sheen	-	15.66	0.20
	6/20/2005	16.85	NP	-	17.78	0.10
	9/19/2005	16.65	NP	-	17.98	NA
	12/12/2005	16.67	NP	-	17.96	NA
	3/13/2006	17.20	sheen	-	17.43	0.00
	6/26/2006	18.00	sheen	-	16.63	NA
	9/25/2006	18.68	sheen	-	15.95	NA
	12/11/2006	**	18.33	-	-	NA
	3/19/2007	NM	NM	NM	NM	NA
(34.46)	**6/18/2007**	**NM**	**NM**	**NM**	**NM**	**NA**
	9/17/2007	**NM**	**NM**	**NM**	**NM**	**NA**

COPPOR00007513

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
IT-E	2/14/2000	19.01	NP	-	17.06	NA
(36.07)	5/22/2000	19.03	NP	-	17.04	NA
	8/22/2000	19.93	NP	-	16.14	NA
	11/27/2000	20.12	NP	-	15.95	NA
	2/20/2001	20.11	NP	-	15.96	NA
	5/15/2001	20.29	NP	-	15.78	NA
	9/18/2001	20.65	NP	-	15.42	NA
	12/20/2001	---Could Not Access Well---				
	3/13/2002	19.31	NP	-	16.76	NA
	6/24/2002	19.80	NP	-	16.27	NA
	9/26/2002	20.18	NP	-	15.89	NA
	12/20/2002	19.95	NP	-	16.12	NA
	3/17/2003	19.25	NP	-	16.82	NA
	6/26/2003	19.68	NP	-	16.39	NA
	9/24/2003	20.01	NP	-	16.06	NA
	12/30/2003	19.45	NP	-	16.62	NA
	3/29/2004	19.28	NP	-	16.79	NA
	6/29/2004	19.79	NP	-	16.28	NA
	9/27/2004	20.05	NP	-	16.02	NA
	12/14/2004	20.00	NP	-	16.07	NA
	3/7/2005	20.11	NP	-	15.96	NA
	6/20/2005	19.74	NP	-	16.33	NA
	9/19/2005	20.18	NP	-	15.89	NA
	12/12/2005	19.65	NP	-	16.42	NA
	3/13/2006	18.62	NP	-	17.45	NA
	6/26/2006	19.30	NP	-	16.77	NA
	9/25/2006	19.65	NP	-	16.42	NA
	12/11/2006	19.47	NP	-	16.60	NA
	3/19/2007	18.97	NP	-	17.10	NA
(36.07)	**6/18/2007**	**19.64**	**NP**	-	**16.43**	**NA**
	9/17/2007	**20.06**	**NP**	-	**16.01**	**NA**
IT-W	2/14/2000	17.46	NP	-	18.53	NA
(35.99)	5/22/2000	17.75	NP	-	18.24	NA
	8/22/2000	18.17	NP	-	17.82	NA
	11/27/2000	18.51	NP	-	17.48	NA
	2/20/2001	18.43	NP	-	17.56	NA
	5/15/2001	18.33	NP	-	17.66	NA
	9/18/2001	18.68	NP	-	17.31	NA
	12/20/2001	17.76	NP	-	18.23	NA
	3/13/2002	17.50	NP	-	18.49	NA
	6/24/2002	17.98	NP	-	18.01	NA
	9/26/2002	18.40	NP	-	17.59	NA
	12/20/2002	18.28	NP	-	17.71	NA
	3/17/2003	17.70	NP	-	18.29	NA
	6/26/2003	17.94	NP	-	18.05	NA
	9/24/2003	18.42	NP	-	17.57	NA
	12/30/2003	17.81	NP	-	18.18	NA
	3/29/2004	17.61	NP	-	18.38	NA
	6/29/2004	18.10	NP	-	17.89	NA
	9/27/2004	18.45	NP	-	17.54	NA
	12/14/2004	18.37	NP	-	17.62	NA
	3/7/2005	18.31	NP	-	17.68	NA
	6/20/2005	18.02	NP	-	17.97	NA
	9/19/2005	18.46	NP	-	17.53	NA
	12/12/2005	17.94	NP	-	18.05	NA
	3/13/2006	17.22	NP	-	18.77	NA
	6/26/2006	17.78	NP	-	18.21	NA
	9/25/2006	18.18	NP	-	17.81	NA
	12/11/2006	17.68	NP	-	18.31	NA
	3/19/2007	17.35	NP	-	18.64	NA
(35.91)	**6/18/2007**	**17.84**	**NP**	-	**18.07**	**NA**
	9/17/2007	**18.34**	**NP**	-	**17.57**	**NA**

COPPOR00007514

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
P-1	2/14/2000	6.26	NP	-	11.98	NA
(18.24)	5/22/2000	6.89	NP	-	11.35	NA
	8/22/2000	10.51	NP	-	7.73	NA
	11/27/2000	8.62	NP	-	9.62	NA
	2/20/2001	9.14	NP	-	9.10	NA
	5/15/2001	9.17	NP	-	9.07	NA
	9/18/2001	9.97	NP	-	8.27	NA
	12/20/2001	6.01	NP	-	12.23	NA
	3/13/2002	7.07	NP	-	11.17	NA
	6/24/2002	5.89	NP	-	12.35	NA
	9/26/2002	9.13	NP	-	9.11	NA
	12/20/2002	7.87	NP	-	10.37	NA
	3/17/2003	8.38	NP	-	9.86	NA
	6/26/2003	Dry at 10 feet bgs				
	9/24/2003	9.62	NP	-	8.62	NA
	12/30/2003	7.21	NP	-	11.03	NA
	3/29/2004	8.17	NP	-	10.07	NA
	6/29/2004	7.89	NP	-	10.35	NA
	9/27/2004	9.19	NP	-	9.05	NA
	12/14/2004	6.79	NP	-	11.45	NA
	3/7/2005	9.16	NP	-	9.08	NA
	6/20/2005	8.80	NP	-	9.44	NA
	9/19/2005	Dry	NP	-	Dry	NA
	12/12/2005	8.38	NP	-	9.86	NA
	3/13/2006	8.56	NP	-	9.68	NA
	6/26/2006	7.60	NP	-	10.64	NA
	9/25/2006	9.03	NP	-	9.21	NA
	12/11/2006	7.40	NP	-	10.84	NA
	3/19/2007	7.54	NP	-	10.70	NA
(18.19)	6/18/2007	8.58	NP	-	9.61	NA
	9/17/2007	9.88	NP	-	8.31	NA
P-2	2/14/2000	4.18	NP	-	13.67	NA
(17.85)	5/22/2000	4.66	NP	-	13.19	NA
	8/22/2000	5.27	NP	-	12.58	NA
	11/27/2000	5.28	NP	-	12.57	NA
	2/20/2001	5.32	NP	-	12.53	NA
	5/15/2001	5.18	NP	-	12.67	NA
	9/18/2001	5.50	NP	-	12.35	NA
	12/20/2001	4.21	NP	-	13.64	NA
	3/13/2002	4.40	NP	-	13.45	NA
	6/24/2002	3.26	NP	-	14.59	NA
	9/26/2002	5.74	NP	-	12.11	NA
	12/20/2002	5.93	NP	-	11.92	NA
	3/17/2003	4.84	NP	-	13.01	NA
	6/26/2003	5.31	NP	-	12.54	NA
	9/24/2003	5.70	NP	-	12.15	NA
	12/30/2003	4.66	NP	-	13.19	NA
	3/29/2004	4.97	NP	-	12.88	NA
	6/29/2004	5.35	NP	-	12.50	NA
	9/27/2004	5.95	NP	-	11.90	NA
	12/14/2004	4.98	NP	-	12.87	NA
	3/7/2005	5.52	NP	-	12.33	NA
	6/20/2005	5.55	NP	-	12.30	NA
	9/19/2005	5.89	NP	-	11.96	NA
	12/12/2005	5.04	NP	-	12.81	NA
	3/13/2006	4.39	NP	-	13.46	NA
	6/26/2006	4.90	NP	-	12.95	NA
	Well Abandoned					

COPPOR00007515

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
RES-N	2/14/2000	20.90	NP	-	17.68	NA
(38.58)	5/22/2000	21.01	NP	-	17.57	NA
	8/22/2000	21.58	NP	-	17.00	NA
	11/27/2000	21.95	NP	-	16.63	NA
	2/20/2001	21.98	NP	-	16.60	NA
	5/15/2001	21.94	NP	-	16.64	NA
	9/18/2001	22.27	NP	-	16.31	NA
	12/20/2001	21.55	NP	-	17.03	NA
	3/13/2002	21.02	NP	-	17.56	NA
	6/24/2002	21.41	NP	-	17.17	NA
	9/26/2002	21.79	NP	-	16.79	NA
	12/20/2002	21.83	NP	-	16.75	NA
	6/26/2003	21.35	NP	-	17.23	NA
	9/24/2003	21.72	NP	-	16.86	NA
	12/30/2003	21.34	NP	-	17.24	NA
	3/29/2004	20.93	NP	-	17.65	NA
	9/27/2004	21.15	NP	-	17.43	NA
	12/14/2004	21.66	NP	-	16.92	NA
	3/7/2005	21.70	NP	-	16.88	NA
	6/20/2005	21.44	NP	-	17.14	NA
	9/19/2005	21.74	NP	-	16.84	NA
	12/12/2005	21.37	NP	-	17.21	NA
	3/13/2006	20.40	NP	-	18.18	NA
	6/26/2006	22.00	NP	-	16.58	NA
	9/25/2006	21.24	NP	-	17.34	NA
	12/11/2006	21.19	sheen	-	17.39	NA
	3/19/2007	19.66	NP	-	18.92	NA
(38.00)	**6/18/2007**	**21.19**	**NP**	**-**	**16.81**	**NA**
	9/17/2007	**20.61**	**NP**	**-**	**17.39**	**NA**
RES-O	2/14/2000	16.89	NP	-	19.14	NA
(36.03)	5/22/2000	17.29	NP	-	18.74	NA
	8/22/2000	17.86	NP	-	18.17	NA
	11/27/2000	18.38	NP	-	17.65	NA
	2/20/2001	NM	NP	-	-	NA
	5/15/2001	18.04	NP	-	17.99	NA
	9/18/2001	18.43	NP	-	17.60	NA
	12/20/2001	17.63	NP	-	18.40	NA
	3/13/2002	16.87	NP	-	19.16	NA
	6/24/2002	18.52	NP	-	17.51	NA
	9/26/2002	19.23	NP	-	16.80	NA
	12/20/2002	18.35	NP	-	17.68	NA
	3/17/2003	17.18	NP	-	18.85	NA
	6/26/2003	17.40	NP	-	18.63	NA
	9/24/2003	18.25	NP	-	17.78	NA
	12/30/2003	17.56	NP	-	18.47	NA
	3/29/2004	16.74	NP	-	19.29	NA
	6/29/2004	No Access To Well				
	9/27/2004	No Access To Well				
	12/14/2004	15.74	NP	-	20.29	NA
	3/7/2005	16.29	NP	-	19.74	NA
	6/20/2005	15.29	sheen	-	20.74	NA
	9/19/2005	15.92	NP	-	20.11	NA
	12/12/2005	15.28	NP	-	20.75	NA
	3/13/2006	14.05	NP	-	21.98	NA
	6/26/2006	14.99	NP	-	21.04	NA
	9/25/2006	15.97	NP	-	20.06	NA
	12/11/2006	15.02	NP	-	21.01	NA
	3/19/2007	14.26	NP	-	21.77	NA
(34.65)	**6/18/2007**	**15.20**	**NP**	**-**	**19.45**	**NA**
	9/17/2007	**16.03**	**NP**	**-**	**18.62**	**NA**

COPPOR00007516

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
U-2	2/14/2000	15.31	NP	-	19.71	NA
(35.02)	5/22/2000	15.41	NP	-	19.61	NA
	8/22/2000	16.13	NP	-	18.89	NA
	11/27/2000	16.81	NP	-	18.21	NA
	2/20/2001	16.81	NP	-	18.21	NA
	5/15/2001	16.82	NP	-	18.20	NA
	9/18/2001	17.20	NP	-	17.82	NA
	12/20/2001	16.99	NP	-	18.03	NA
	3/13/2002	15.59	NP	-	19.43	NA
	6/24/2002	15.80	NP	-	19.22	NA
	9/26/2002	16.50	NP	-	18.52	NA
	12/20/2002	16.95	NP	-	18.07	NA
	3/17/2003	15.77	NP	-	19.25	NA
	6/26/2003	15.89	NP	-	19.13	NA
	9/24/2003	16.42	NP	-	18.60	NA
	12/30/2003	16.28	NP	-	18.74	NA
	3/29/2004	15.06	NP	-	19.96	NA
	6/29/2004	15.79	NP	-	19.23	NA
	9/27/2004	16.30	NP	-	18.72	NA
	12/14/2004	16.59	NP	-	18.43	NA
	3/7/2005	17.52	NP	-	17.50	NA
	6/20/2005	15.82	NP	-	19.20	NA
	9/19/2005	16.42	NP	-	18.60	NA
	12/12/2005	15.96	NP	-	19.06	NA
	3/13/2006	14.22	NP	-	20.80	NA
	6/26/2006	15.02	NP	-	20.00	NA
	9/25/2006	16.07	NP	-	18.95	NA
	12/11/2006	15.67	NP	-	19.35	NA
	3/19/2007	14.63	NP	-	20.39	NA
	6/18/2007	15.33	NP	-	19.69	NA
	9/17/2007	16.18	NP	-	18.84	NA
U-3	2/14/2000	12.95	NP	-	22.30	NA
(35.25)	5/22/2000	13.55	NP	-	21.70	NA
	8/22/2000	14.19	NP	-	21.06	NA
	11/27/2000	15.68	NP	-	19.57	NA
	2/20/2001	14.38	NP	-	20.87	NA
	5/15/2001	14.26	NP	-	20.99	NA
	9/18/2001	14.89	NP	-	20.36	NA
	12/20/2001	13.22	NP	-	22.03	NA
	3/13/2002	13.01	NP	-	22.24	NA
	6/24/2002	13.57	NP	-	21.68	NA
	9/26/2002	14.39	NP	-	20.86	NA
	12/20/2002	14.23	NP	-	21.02	NA
	3/17/2003	13.97	NP	-	21.28	NA
	6/26/2003	13.56	NP	-	21.69	NA
	9/24/2003	14.54	NP	-	20.71	NA
	12/30/2003	13.41	NP	-	21.84	NA
	3/29/2004	12.83	NP	-	22.42	NA
	6/29/2004	14.75	NP	-	20.50	NA
	9/27/2004	14.21	NP	-	21.04	NA
	12/14/2004	13.98	NP	-	21.27	NA
	3/7/2005	14.02	NP	-	21.23	NA
	6/20/2005	13.68	NP	-	21.57	NA
	9/19/2005	14.49	NP	-	20.76	NA
	12/12/2005	13.43	NP	-	21.82	NA
	3/13/2006	12.58	NP	-	22.67	NA
	6/26/2006	14.27	NP	-	20.98	NA
	9/25/2006	15.24	NP	-	20.01	NA
	12/11/2006	15.08	NP	-	20.17	NA
	3/19/2007	13.54	NP	-	21.71	NA
	6/18/2007	13.60	NP	-	21.65	NA
	9/17/2007	-	-	-	-	NA

COPPOR00007517

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
U-4	2/14/2000	15.86	15.77	0.09	18.67	2.5
(34.46)	5/22/2000	16.03	NP	-	18.43	NA
	8/22/2000	16.38	NP	-	18.08	NA
	11/27/2000	16.83	NP	-	17.63	NA
	2/20/2001	16.85	sheen	-	17.61	NA
	5/15/2001	16.61	16.57	0.04	17.88	0.1
	9/18/2001	19.96	sheen	-	14.50	0.1
	12/20/2001	16.37	16.30	0.07	18.15	0.11
	3/13/2002	15.60	NP	-	18.86	0.11
	6/24/2002	15.50	NP	-	18.96	0.06
	9/26/2002	17.64	NP	-	16.82	NA
	12/20/2002	16.77	NP	-	17.69	NA
	3/17/2003	16.05	15.80	0.25	18.61	0.35
	6/26/2003	16.10	15.98	0.12	18.46	0.18
	9/24/2003	16.68	16.61	0.07	17.84	0.1
	12/30/2003	16.28	NP	-	18.18	NA
	3/29/2004	15.45	15.43	0.02	19.03	0.2
	6/29/2004	16.14	NP	-	18.32	NA
	9/27/2004	16.55	NP	-	17.91	NA
	12/14/2004	16.50	NP	-	17.96	NA
	3/7/2005	16.35	NP	-	18.11	NA
	6/20/2005	15.90	NP	-	18.56	NA
	9/19/2005	16.48	16.45	0.03	18.00	0.1
	12/12/2005	16.15	NP	-	18.31	NA
	3/13/2006	14.25	sheen	-	20.21	0
	6/26/2006	15.50	sheen	-	18.96	NA
	9/25/2006	16.21	sheen		18.25	0.1
	12/11/2006	15.76	15.75	0.01	18.71	0.1
	3/19/2007	14.56	NP	-	19.90	0.3
(34.06)	6/18/2007	15.87	NP	-	18.19	0.3
	9/17/2007	16.42	sheen	-	17.64	0.03
U-5	2/14/2000	17.85	NP	-	16.28	NA
(34.13)	5/22/2000	18.03	NP	-	16.10	NA
	8/22/2000	19.02	NP	-	15.11	NA
	11/27/2000	19.03	NP	-	15.10	NA
	2/20/2001	19.44	NP	-	14.69	NA
	5/15/2001	19.57	19.22	0.35	14.84	0.65
	9/18/2001	20.04	20.02	0.02	14.11	0.6
	12/20/2001	—Unable to Locate—				
	3/13/2002	---Inaccessible - Covered by Sand—				
	6/24/2002	—Inaccessible - Covered by Sand—				
	9/26/2002	19.63	19.41	0.22	14.68	0.20
	12/20/2002	19.49	NP	-	14.64	0.42
	3/17/2003	17.99	NP	-	16.14	NA
	6/26/2003	19.17	NP	-	14.96	NA
	9/24/2003	19.42	NP	-	14.71	NA
	12/30/2003	18.80	NP	-	15.33	NA
	3/29/2004	18.39	NP	-	15.74	NA
	6/29/2004	19.00	NP	-	15.13	NA
	9/27/2004	19.14	Sheen	-	14.99	NA
	12/14/2004	18.55	NP	-	15.58	NA
	3/7/2005	19.23	NP	-	14.90	0.1
	6/20/2005	18.95	NP	-	15.18	NA
	9/19/2005	18.93	NP	-	15.20	0.1
	12/12/2005	18.09	NP	-	16.04	NA
	3/13/2006	17.06	NP	-	17.07	NA
	6/26/2006	—Unable to locate well; under sand—				
	9/25/2006	18.86	18.80	0.06	15.27	NA
	12/11/2006	NM	NM	NM	NM	0.1
	3/19/2007	18.00	NP	-	16.13	NA
(34.10)	6/18/2007	18.52	NP	-	15.58	NA
	9/17/2007	19.60	NP	-	14.50	NA

COPPOR00007518

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
U-5A	2/14/2000	6.46	NP	-	27.31	NA
(33.77)	5/22/2000	7.00	6.99	0.01	26.78	1
	8/22/2000	8.58	8.57	0.01	25.20	0.1
	11/27/2000	9.71	NP	-	24.06	0.1
	2/20/2001	9.04	NP	-	24.73	0.1
	5/15/2001	8.99	sheen	-	24.78	NA
	9/18/2001	10.29	sheen	-	23.48	0.1
	12/20/2001	7.81	NP	-	25.96	NA
	3/13/2002	6.51	NP	-	27.26	NA
	6/24/2002	7.60	NP	-	26.17	NA
	9/26/2002	9.31	NP	-	24.46	NA
	12/20/2002	9.43	NP	-	24.34	NA
	3/17/2003	7.03	NP	-	26.74	NA
	6/26/2003	7.41	NP	-	26.36	NA
	9/24/2003	9.16	NP	-	24.61	NA
	12/30/2003	7.79	NP	-	25.98	NA
	3/29/2004	6.49	NP	-	27.28	NA
	6/29/2004	7.76	7.75	0.01	26.02	NA
	9/27/2004	9.03	8.98	0.05	24.78	NA
	12/14/2004	8.60	NP	-	25.17	0.1
	3/7/2005	8.22	sheen	-	25.55	0.2
	6/20/2005	7.41	sheen	-	26.36	0.1
	9/19/2005	19.14	NP	-	14.63	0.1
	12/12/2005	7.91	sheen	-	25.86	0.3
	3/13/2006	5.32	NP	-	28.45	0.2
	6/26/2006	6.83	NP	-	26.94	NA
	9/25/2006	**	8.68	**	NM	NA
	12/11/2006	7.31	7.30	0.01	26.47	0.2
	3/19/2007	5.98	5.96	0.02	27.81	0.1
	6/18/2007	NM	7.30	**	-	0.3
	9/17/2007	9.03	NP	-	24.74	0.3
U-10	6/26/2003	4.76	NP	-	NM	NA
	9/24/2003	5.00	NP	-	NM	NA
	12/30/2003	3.65	NP	-	NM	NA
	3/29/2004	4.45	NP	-	NM	NA
	9/27/2004	5.03	NP	-	NM	NA
	12/14/2004	4.10	NP	-	NM	NA
	3/7/2005	5.12	NP	-	NM	NA
	6/20/2005	4.94	NP	-	NM	NA
	9/19/2005	5.26	NP	-	NM	NA
	12/12/2005	4.11	sheen	-	NM	NA
	3/13/2006	3.45	NP	-	NM	NA
	6/26/2006	3.96	NP	-	NM	NA
	Well Abandoned					
U-11	6/26/2003	3.30	NP	-	NM	NA
	9/24/2003	3.29	NP	-	NM	NA
	12/30/2003	2.51	NP	-	NM	NA
	3/29/2004	2.94	NP	-	NM	NA
	9/27/2004	3.91	NP	-	NM	NA
	12/14/2004	2.35	NP	-	NM	NA
	3/7/2005	3.43	NP	-	NM	NA
	6/20/2005	3.95	NP	-	NM	NA
	9/19/2005	4.11	NP	-	NM	NA
	12/12/2005	3.09	NP	-	NM	NA
	3/13/2006	2.40	NP	-	NM	NA
	6/26/2006	2.38	NP	-	NM	NA
	Well Abandoned					

COPPOR00007519

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)
U-12	6/26/2003	3.08	NP	-	NM	NA
	9/24/2003	3.17	NP	-	NM	NA
	12/30/2003	2.98	NP	-	NM	NA
	3/29/2004	2.97	NP	-	NM	NA
	9/27/2004	4.14	NP	-	NM	NA
	12/14/2004	3.18	NP	-	NM	NA
	3/7/2005	3.72	NP	-	NM	NA
	6/20/2005	3.66	NP	-	NM	NA
	9/19/2005	4.14	NP	-	NM	NA
	12/12/2005	3.44	NP	-	NM	NA
	3/13/2006	2.51	NP	-	NM	NA
	6/26/2006	2.82	NP	-	NM	NA
	Well Abandoned					
U-13	12/14/2004	15.93	NP	-		
(35.77)	3/7/2005	14.51	14.45	0.01	NM	NA
	6/20/2005	14.71	14.47	0.24	NM	0.1
	9/19/2005	16.30	15.72	0.58	NM	0.2
	12/12/2005	15.28	14.93	0.35	NM	0.3
	3/13/2006	12.79	12.45	0.34	NM	1.15
	6/26/2006	13.92	13.64	0.28	NM	NA
	9/25/2006	15.52	15.35	0.17	20.39	0.65
	12/11/2006	13.98	NP	-	21.79	0.65
	3/19/2007	13.27	13.10	0.17	22.64	0.6
	6/18/2007	14.48	14.17	0.31	21.54	0.5
	9/17/2007	15.67	15.64	0.03	20.12	0.3
U-14	8/18/2006	14.65	NP	-	NM	NA
(37.21)	9/25/2006	15.22	NP	-	21.99	NA
	12/11/2006	13.21	NP	-	24.00	NA
	3/19/2007	12.66	NP	-	24.55	NA
	6/18/2007	14.33	NP	-	22.88	NA
	9/17/2007	15.24	NP	-	21.97	NA
U-15	8/18/2006	14.18	NP	-	NM	NA
(35.57)	9/25/2006	14.95	NP	-	20.62	NA
	12/11/2006	NM	NM	NM	NM	NA
	3/19/2007	12.90	NP	-	22.67	NA
	6/18/2007	13.87	NP	-	21.70	NA
	9/17/2007	14.81	NP	-	20.76	NA
U-16	8/18/2006	13.46	NP	-	NM	NA
(36.08)	9/25/2006	14.35	NP	-	21.73	NA
	12/11/2006	13.32	NP	-	22.76	NA
	3/19/2007	12.19	NP	-	23.89	NA
	6/18/2007	13.26	NP	-	22.82	NA
	9/17/2007	14.55	NP	-	21.53	NA
U-17	8/18/2006	14.21	NP	-	NM	NA
(35.77)	9/25/2006	14.86	NP	-	20.91	NA
	12/11/2006	14.19	NP	-	21.58	NA
	3/19/2007	12.72	NP	-	23.05	NA
	6/18/2007	13.76	NP	-	22.01	NA
	9/17/2007	15.07	NP	-	20.70	NA
U-18	3/19/2007	8.08	NP	-	27.69	NA
(34.83)	6/18/2007	9.16	NP	-	26.61	NA
	9/17/2007	10.89	NP	-	24.88	NA
U-19	3/19/2007	14.89	NP	-	20.88	NA
(34.22)	6/18/2007	15.14	NP	-	20.63	NA
	9/17/2007	15.29	NP	-	20.48	NA
U-20	3/19/2007	13.50	NP	-	21.89	NA
(35.39)	6/18/2007	14.50	NP	-	20.89	NA
	9/17/2007	15.29	NP	-	20.10	NA
U-21	3/19/2007	13.71	NP	-	22.03	NA
(35.74)	6/18/2007	14.71	NP	-	21.03	NA
	9/17/2007	15.50	NP	-	20.24	NA

COPPOR00007520

TABLE 1C
GROUNDWATER ELEVATION AND SPH REMOVAL DATA
ConocoPhillips - Willbridge Terminal
Portland, Oregon

Well Designation (TOC)	Date Gauged	Depth to Groundwater	Depth to SPH (feet)	SPH Thickness (feet)	Groundwater Elevation	SPH Recovered* (gallons)

NOTES:
NP = No measurable product
NA = Not Applicable
NM = Not Measured
* = SPH Recovered for latest quarter monitored
** - Unable to determine due to SPH viscosity
- = No Measurable Product Thickness
GWE = TOC -(DTW - (0.8 x DTP - DTW)) Where 0.8 = The density of the SPH

COPPOR00007521

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - TPH, BTEX, AND MTBE COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
CHEVRON									
B-7	02/18/00	-	-	-	ND	20.1	ND	44.8	-
	05/23/00	-	-	-	ND	0.678	1.41	1.22	-
dup	05/23/00	-	-	-	ND	0.691	1.06	ND	-
	08/25/00	-	-	-	NS/F	NS/F	NS/F	NS/F	-
	11/30/00	-	-	-	NS/S	NS/S	NS/S	NS/S	-
	02/22/01	-	-	-	0.690	0.736	ND	ND	-
	05/17/01	-	-	-	ND	0.700	ND	ND	-
	03/20/03	-	-	-	ND	0.740	ND	ND	-
	09/29/03	-	-	-	<0.500	0.870	<0.500	1.93	-
	03/30/04	-	-	-	<0.500	0.750	<0.500	<1.00	-
	03/09/05	-	-	-	<1.00	<1.00	<1.00	<2.00	1.54
dup	03/09/05	-	-	-	<1.00	<1.00	<1.00	<2.00	1.51
	09/22/05	-	-	-	<1.00	<1.00	<1.00	<3.00	1.08
B-9	05/23/00	-	-	-	ND	0.535	0.737	ND	-
	08/25/00	-	-	-	ND	ND	ND	ND	-
	11/30/00	-	-	-	ND	ND	ND	ND	-
	02/22/01	-	-	-	ND	ND	ND	ND	-
	05/17/01	-	-	-	ND	ND	ND	ND	-
	09/19/01	-	-	-	ND	ND	0.913	ND	-
	03/21/02	-	-	-	ND	ND	ND	ND	-
	09/24/02	-	-	-	ND	ND	ND	ND	-
	03/20/03	-	-	-	ND	ND	ND	ND	-
	03/30/04	-	-	-	<0.500	0.560	<0.500	<1.00	-
	10/06/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/08/05	-	-	-	<1.00	<1.00	<1.00	<2.00	<1.00
	06/22/05	-	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
	09/21/05	-	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
	09/26/06	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/22/07	-	-	-	<0.200	<1.00	<1.00	<2.00	<1.00
B-9A	09/19/07	-	-	-	0.900	2.08	<1.00[10]	3.28	<4.00[10]
B-10	02/18/00	-	-	-	3.85	4.42	8.78	14.7	-
dup	02/18/00	-	-	-	3.72	4.1	7.8	13.8	-
	05/23/00	-	-	-	3.72	4.1	7.8	13.8	-
dup	05/23/00	-	-	-	1.2	2.93	4.14	6.53	-
	08/25/00	-	-	-	1.40	2.80	1.45	4.80	-
	11/30/00	-	-	-	1.20	2.69	ND	4.60	-
	02/23/01	-	-	-	3.74	0.983	3.94	6.78	-
	05/17/01	-	-	-	4.87	1.25	4.36	8.56	-
	09/19/01	-	-	-	0.711	ND	1.80	2.50	-
	03/21/02	-	-	-	3.15	2.60	1.19	2.43	-
	09/24/02	-	-	-	1.41	1.43	0.753	2.46	-
	03/20/03	-	-	-	0.680	1.76	ND	2.34	-
	09/29/03	-	-	-	2.26	1.60	0.781	4.29	-
	03/30/04	-	-	-	<0.500	1.42	<0.500	2.66	-
	10/06/04	-	-	-	0.810	2.62	<0.500	6.55	-
	03/08/05	-	-	-	<1.00	2.00	<1.00	2.89	<1.00
	09/21/05	-	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
	03/14/06	-	-	-	<1.00	1.08	<1.00	<3.00	<1.00
	09/26/06	-	-	-	0.970	3.17	0.770	4.09	<2.00
	03/21/07	-	-	-	0.770	1.79	<1.00	6.20	<1.00
dup	03/21/07	-	-	-	0.720	1.74	<1.00	5.52	<1.00
	09/18/07	-	-	-	<0.400[10]	<1.00[10]	<1.00[10]	<2.00[10]	<4.00[10]

COPPOR00007522

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - TPH, BTEX, AND MTBE COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
B-11	02/18/00	-	-	-	29.2	6.14	4.36	14.1	-
	05/23/00	-	-	-	7.45	4.95	1.42	8.52	-
	08/25/00	-	-	-	11.2	6.53	2.39	11.2	-
	11/30/00	-	-	-	8.72	5.36	ND	ND	-
	02/22/01	-	-	-	24.2	2.13	5.11	8.98	-
	05/17/01	-	-	-	17.9	2.77	6.46	11.4	-
	03/30/04	-	-	-	9.20	4.74	0.790	5.90	-
	03/09/05	-	-	-	4.25	3.72	<1.00	4.18	<1.00
	06/22/05	-	-	-	3.03	3.77	<1.00	4.66	<1.00
	09/21/05	-	-	-	1.80	4.57	<1.00	5.63	<1.00
B-14	02/18/00	-	-	-	119	18.1	80	38	-
	05/23/00	-	-	-	125	15.9	69.2	30.7	-
	08/25/00	-	-	-	382	44.6	194	70.3	-
	11/30/00	-	-	-	292	37.3	148	52.4	-
	02/22/01	-	-	-	402	229	42.6	78.2	-
	05/17/01	-	-	-	332	190	37.4	56.2	-
B-19	03/20/03	-	-	-	7.76	2.09	0.620	2.51	-
	09/29/03	-	-	-	5.93	1.98	1.56	7.44	-
	03/29/04	-	-	-	2.26	1.32	<0.500	2.88	-
	03/09/05	-	-	-	5.53	2.57	<1.00	2.76	<1.00
	06/22/05	-	-	-	<1.00	2.02	<1.00	2.61	<1.00
	09/22/05	-	-	-	1.54	1.99	<1.00	3.60	<1.00
	03/14/06	-	-	-	<1.00	1.11	<1.00	2.21	<1.00
B-20	03/20/03	-	-	-	ND	ND	ND	ND	-
	09/29/03	-	-	-	<0.500	<0.500	<0.500	1.38	-
	03/30/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/09/05	-	-	-	<1.00	1.47	<1.00	1.15	<1.00
	09/22/05	-	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
B-21	09/19/01	-	-	-	ND	ND	1.47	ND	-
	03/21/02	-	-	-	ND	0.679	ND	ND	-
	09/24/02	-	-	-	ND	1.20	0.517	1.20	-
	03/20/03	-	-	-	ND	ND	ND	ND	-
	09/29/03	-	-	-	0.659	1.3	<0.500	2.20	-
	03/29/04	-	-	-	<0.500	0.720	<0.500	<1.00	-
	10/06/04	-	-	-	<0.500	<0.880	<0.500	<1.00	-
	03/08/05	-	-	-	<1.00	<1.00	<1.00	<2.00	17.4
	09/22/05	-	-	-	<1.00	1.15	<1.00	<3.00	11.2
	03/15/06	-	-	-	<1.00	<1.00	<1.00	<3.00	1.30
	09/26/06	-	-	-	0.460	0.980	<0.500	1.01	<2.00
	03/21/07	-	-	-	0.400	1.64	<1.00	<2.00	1.20
	09/19/07	-	-	-	0.330	1.78	<0.500	1.03	<2.00
B-26	03/30/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/09/05	-	-	-	2.94	<1.00	12.5	2.36	<1.00
	06/22/05	-	-	-	11.9	<1.00	46.1	4.26	<1.00
	09/22/05	-	-	-	12.4	1.19	56.8	6.21	<1.00

COPPOR00007523

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - TPH, BTEX, AND MTBE COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
B-28	02/18/00	-	-	-	0.754	0.368	0.545	0.986	-
	05/23/00	-	-	-	ND	ND	ND	ND	-
	08/25/00	-	-	-	ND	ND	ND	ND	-
	11/30/00	-	-	-	ND	ND	ND	ND	-
	02/23/01	-	-	-	ND	ND	ND	ND	-
	05/17/01	-	-	-	ND	ND	ND	ND	-
	09/20/01	-	-	-	2.12	2.93	ND	ND	-
	03/21/02	-	-	-	ND	ND	ND	ND	-
	09/24/02	-	-	-	ND	ND	ND	ND	-
	03/20/03	-	-	-	ND	ND	ND	ND	-
	09/29/03	-	-	-	0.699	<0.500	1.04	<1.00	-
	03/29/04	-	-	-	<0.500	<0.500	0.930	<1.00	-
	03/09/05	-	-	-	1.59		4.68	<1.00	<1.00
	09/21/05	-	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
	03/14/06	-	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
	09/28/06	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/18/07	-	-	-	0.350	<0.500	<0.500	<1.00	<2.00
B-29	09/20/01	-	-	-	1.30	ND	0.710	ND	-
	03/21/02	-	-	-	ND	ND	ND	ND	-
	09/24/02	-	-	-	ND	ND	ND	ND	-
	03/20/03	-	-	-	ND	ND	ND	ND	-
	09/29/03	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/29/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/09/05	-	-	-	<1.00	<1.00	<1.00	<2.00	<1.00
	09/21/05	-	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
	03/14/06	-	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
	09/28/06	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/22/07	-	-	-	<0.200	<1.00	<1.00	<2.00	<1.00
	09/18/07	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
B-30	02/18/00	-	-	-	38.9	5.29	2.44	10.3	-
	05/23/00	-	-	-	18.8	2.53	0.682	4.57	-
	08/25/00	-	-	-	81.2	12.5	2.35	21.9	-
	11/30/00	-	-	-	59.6	10.0	1.92	18.8	-
	02/23/01	-	-	-	61.6	5.31	9.52	19.4	-
dup**	02/23/01	-	-	-	61.8	3.24	9.23	16.0	-
	05/17/01	-	-	-	95.1	4.12	18.0	14.6	-
	09/20/01	-	-	-	38.7	ND	5.66	ND	-
dup	09/20/01	-	-	-	38.6	ND	6.18	ND	-
	03/21/02	-	-	-	113	17.0	6.09	24.2	-
	09/24/02	-	-	-	30.1	6.60	1.56	12.0	-
dup***	09/24/02	-	-	-	28.0	6.42	1.44	11.3	-
	03/20/03	-	-	-	17.3	4.49	0.500	5.96	-
dup*	03/20/03	-	-	-	17.4	4.43	0.510	6.68	-
	09/29/03	-	-	-	32.6	7.34	1.62	12.2	-
	03/29/04	-	-	-	15.6	3.13	1.16	7.07	-
dup	03/29/04	-	-	-	17.5	3.38	1.24	7.32	-
	03/09/05	-	-	-	12.6	3.04	<1.00	6.26	<1.00
	06/22/05	-	-	-	19.6	4.53	1.06	7.80	<1.00
	09/21/05	-	-	-	15.1	2.75	<1.00	3.72	<1.00
dup****	09/21/05	-	-	-	18.9	3.17	<1.00	4.40	<1.00
	03/14/06	-	-	-	15.9	2.53	<1.00	4.15	<1.00
dup	03/14/06	-	-	-	15.8	2.51	1.02	4.42	<1.00
	09/28/06	-	-	-	48.9	8.50	1.51	12.1	<2.00
	03/22/07	-	-	-	28.5	1.09	<1.00	<2.00	<1.00
	09/18/07	-	-	-	2.78	1.78	<0.500	4.31	<2.00
dup	09/18/07	-	-	-	2.55	1.23	<1.00	2.99	<1.00

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - TPH, BTEX, AND MTBE COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
B-32	03/20/03	-	-	-	ND	ND	ND	ND	-
	09/29/03	-	-	-	<0.500	<0.500	0.636	<1.00	-
	03/29/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/09/05	-	-	-	<1.00	<1.00	<1.00	<2.00	2.17
	09/22/05	-	-	-	<1.00	<1.00	<1.00	<3.00	1.66
	03/15/06	-	-	-	<1.00	<1.00	<1.00	<3.00	1.84
B-33	03/20/03	-	-	-	ND	ND	ND	ND	-
	09/29/03	-	-	-	0.558	0.735	<0.500	1.35	-
	03/30/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/09/05	-	-	-	<1.00	<1.00	<1.00	<2.00	<1.00
	06/22/05	-	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
	09/22/05	-	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
	03/15/06	-	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
CR-1	09/20/01	-	-	-	ND	ND	ND	ND	-
	03/21/02	-	-	-	ND	ND	ND	ND	-
	09/24/02	-	-	-	ND	ND	ND	ND	-
	03/20/03	-	-	-	ND	ND	ND	ND	-
	09/29/03	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/30/04	-	-	-	25.8	1.13	120	9.06	-
	10/06/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/08/05	-	-	-	<1.00	<1.00	<1.00	<2.00	<1.00
	09/21/05	-	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
	09/27/06	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/22/07	-	-	-	<0.200	<1.00	<1.00	<2.00	<1.00
	09/20/07	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
CR-3	03/09/05	-	-	-	<1.00	<1.00	<1.00	<2.00	<1.00
	06/22/05	-	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
	09/22/05	-	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
CR-8	02/18/00	-	-	-	0.314	0.673	3.82	6.55	-
	05/23/00	-	-	-	ND	ND	ND	ND	-
	08/25/00	-	-	-	ND	ND	ND	ND	-
	11/30/00	-	-	-	ND	ND	ND	ND	-
	02/22/01	-	-	-	ND	ND	ND	ND	-
	05/16/01	-	-	-	ND	0.841	0.519	1.77	-

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - TPH, BTEX, AND MTBE COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
CR-9	02/18/00	-	-	-	ND	ND	ND	ND	-
	05/23/00	-	-	-	ND	ND	ND	ND	-
	08/25/00	-	-	-	ND	ND	ND	ND	-
dup	08/25/00	-	-	-	ND	ND	ND	ND	-
	11/30/00	-	-	-	ND	ND	ND	ND	-
dup	11/30/00	-	-	-	ND	ND	ND	ND	-
	02/22/01	-	-	-	ND	ND	ND	ND	-
	05/16/01	-	-	-	ND	ND	ND	ND	-
dup	05/16/01	-	-	-	ND	ND	ND	ND	-
CR-11	02/18/00	-	-	-	81	4.95	4.41	6.17	-
	05/23/00	-	-	-	40.2	1.95	2.54	ND	-
	08/25/00	-	-	-	107	5.30	22.1	8.41	-
	11/30/00	-	-	-	NS/S	NS/S	NS/S	NS/S	-
	02/22/01	-	-	-	84.2	3.24	2.47	6.25	-
	05/16/01	-	-	-	119	5.85	4.43	14.3	-
CR-26	03/09/05	-	-	-	<1.00	<1.00	<1.00	<2.00	<1.00
	06/22/05	-	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
	09/22/05	-	-	-	<1.00	<1.00	<1.00	<3.00	<1.00
TB-LB	02/22/01	-	-	-	ND	ND	ND	ND	-
	05/16/01	-	-	-	ND	ND	ND	ND	-
	09/19/01	-	-	-	ND	ND	ND	ND	-
	03/21/02	-	-	-	1.16	3.9	ND	1.95	-
	09/24/02	-	-	-	ND	ND	ND	ND	-
	03/20/03	-	-	-	ND	ND	ND	ND	-
	09/29/03	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/22/07	-	-	-	<0.200	<1.00	<1.00	<2.00	<1.00

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - TPH, BTEX, AND MTBE COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
Kinder Morgan									
MW-8	02/16/00	-	-	-	9.79	2.51	7.97	12.1	-
	05/31/00	-	-	-	16.6	3.85	3.05	10.2	-
	08/24/00	-	-	-	26.0	5.78	28.2	24.0	-
	12/01/00	-	-	-	17.8	4.59	3.19	11.1	-
	02/22/01	-	-	-	11.4	ND	2.79	8.88	-
	05/16/01	-	-	-	15.1	1.18	2.79	6.4	-
	09/21/01	-	-	-	13.0	1.08	9.54	7.66	-
	03/14/02	-	-	-	1.95	1.09	0.618	2.22	-
dup	03/14/02	-	-	-	1.96	0.955	ND	1.93	-
	09/27/02	-	-	-	4.85	2.30	0.819	4.25	-
	03/18/03	-	-	-	3.12	ND	ND	2.24	-
dup	03/18/03	-	-	-	2.36	ND	ND	2.62	-
	09/24/03	-	-	-	5.00	1.20	0.759	7.05	-
	03/30/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/27/04	-	-	-	3.03	0.576	<0.500	1.80	-
dup	09/27/04	-	-	-	3.25	<0.500	<0.500	1.75	-
	03/29/05	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/21/05	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/15/06	-	-	-	<0.500	<0.500	<0.500	<1.00	-
dup	03/15/06	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/26/06	-	-	-	0.290	<0.500	<0.500	<1.00	<2.00
	03/22/07	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/20/07	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
dup	09/20/07	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
MW-9	03/29/05	-	-	-	-	-	-	-	<2.00
	09/21/05	-	-	-	-	-	-	-	<2.00
MW-10	02/16/00	-	-	-	6.6	2.33	0.996	3.33	-
	05/31/00	-	-	-	6.78	0.794	ND	1.02	-
	08/24/00	-	-	-	ND	ND	ND	ND	-
	12/01/00	-	-	-	5.40	1.32	ND	1.78	-
	02/22/01	-	-	-	1.15	ND	1.15	1.98	-
	05/16/01	-	-	-	11.6	0.894	1.42	2.92	-
	03/29/05	-	-	-	-	-	-	-	<2.00
	09/21/05	-	-	-	-	-	-	-	<2.00
MW-11	02/16/00	-	-	-	5,260	2,360	2,580	11,200	-
	05/31/00	-	-	-	4,120	1,460	2,720	9,290	-
	08/24/00	-	-	-	2,490	787	2,020	5,960	-
	12/01/00	-	-	-	2,330	755	1,610	5,420	-
	02/22/01	-	-	-	3,520	2,230	1,230	8,130	-
	05/16/01	-	-	-	3,800	2,510	1,290	8,980	-
	03/29/05	-	-	-	-	-	-	-	<100
1,2,4=1590	09/21/05	-	-	-	-	-	-	-	<40.0
MW-13	02/16/00	-	-	-	ND	0.392	ND	0.903	-
	05/31/00	-	-	-	ND	ND	ND	ND	-
	08/24/00	-	-	-	ND	ND	ND	ND	-
	12/01/00	-	-	-	ND	ND	ND	ND	-
dup	12/01/00	-	-	-	ND	ND	ND	ND	-
	02/22/01	-	-	-	ND	ND	ND	ND	-
	05/16/01	-	-	-	ND	ND	ND	ND	-

COPPOR00007527

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - TPH, BTEX, AND MTBE COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
MW-15	02/17/00	-	-	-	2.89	0.493	0.442	1.15	-
	05/30/00	-	-	-	ND	ND	ND	ND	-
	08/24/00	-	-	-	ND	ND	ND	ND	-
	12/01/00	-	-	-	ND	ND	ND	ND	-
	02/22/01	-	-	-	ND	ND	ND	ND	-
	05/16/01	-	-	-	ND	ND	ND	ND	-
MW-20	03/29/05	-	-	-	-	-	-	-	<2.00
	09/21/05	-	-	-	-	-	-	-	<2.00
MW-21	02/17/00	-	-	-	ND	1.21	0.997	3.36	-
	05/30/00	-	-	-	ND	ND	ND	ND	-
	08/23/00	-	-	-	ND	ND	ND	ND	-
	12/01/00	-	-	-	ND	ND	ND	ND	-
	02/22/01	-	-	-	ND	ND	ND	ND	-
	05/16/01	-	-	-	ND	ND	ND	ND	-
MW-22	02/17/00	-	-	-	2060	2060	4720	13200	-
	05/30/00	-	-	-	2140	1560	4240	9150	-
	08/23/00	-	-	-	1670	1500	3670	7720	-
	12/01/00	-	-	-	1450	1330	3960	8280	-
	02/21/01	-	-	-	NS/S	NS/S	NS/S	NS/S	-
	05/16/01	-	-	-	NS/F	NS/F	NS/F	NS/F	-
MW-23	02/17/00	-	-	-	NS/F	NS/F	NS/F	NS/F	-
	05/30/00	-	-	-	NS/F	NS/F	NS/F	NS/F	-
	08/23/00	-	-	-	NS/F	NS/F	NS/F	NS/F	-
	12/01/00	-	-	-	NS/F	NS/F	NS/F	NS/F	-
	02/22/01	-	-	-	76.8	102	12.6	90.4	-
	05/16/01	-	-	-	NS/S	NS/S	NS/S	NS/S	-
MW-25	09/21/01	-	-	-	ND	ND	ND	ND	-
	03/14/02	-	-	-	ND	ND	ND	ND	-
	09/27/02	-	-	-	ND	ND	ND	ND	-
	03/18/03	-	-	-	ND	ND	ND	ND	-
	09/29/03	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/30/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/27/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/28/05	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/21/05	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/15/06	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/26/06	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/22/07	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/20/07	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00

COPPOR00007528

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - TPH, BTEX, AND MTBE COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
MW-26	02/17/00	-	-	-	1.31	4.01	18.6	26.2	-
dup	02/17/00	-	-	-	1.04	3.11	11.9	17.1	-
	05/30/00	-	-	-	ND	7.11	7.4	9.62	-
	08/23/00	-	-	-	ND	3.67	10.8	3.54	-
dup	08/23/00	-	-	-	ND	4.81	15.9	6.20	-
	12/01/00	-	-	-	3.43	29.8	7.28	15.6	-
	02/21/01	-	-	-	NS/S	NS/S	NS/S	NS/S	-
	05/17/01	-	-	-	15.1	8.76	10.1	10.6	-
	09/27/02	-	-	-	7.66	7.24	5.90	6.44	-
	03/18/03	-	-	-	9.11	ND	1.57	4.80	-
	09/24/03	-	-	-	2.18	<0.500	2.90	12.7	-
	03/30/04	-	-	-	<0.500	<0.500	<0.500	1.67	-
	09/27/04	-	-	-	2.41	1.42	4.64	7.57	-
	03/28/05	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/21/05	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/15/06	-	-	-	<0.500	<0.500	0.540	1.85	-
	09/26/06	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
dup	09/26/06	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/22/07	-	-	-	<0.200	<0.500	0.600	2.35	<2.00
	09/20/07	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
MW-28	02/16/00	-	-	-	1.29	3.13	8.26	14.7	-
	05/30/00	-	-	-	NS/S	NS/S	NS/S	NS/S	-
	08/23/00	-	-	-	NS/S	NS/S	NS/S	NS/S	-
	12/01/00	-	-	-	NS/S	NS/S	NS/S	NS/S	-
	02/21/01	-	-	-	NS/F	NS/F	NS/F	NS/F	-
	05/16/01	-	-	-	NS/S	NS/S	NS/S	NS/S	-
MW-29	03/28/05	-	-	-	-	-	-	-	<2.00
	09/21/05	-	-	-	-	-	-	-	<2.00
MW-31	02/16/00	-	-	-	0.579	0.629	0.481	1.51	-
	05/30/00	-	-	-	ND	ND	ND	ND	-
	08/23/00	-	-	-	ND	ND	ND	ND	-
	12/01/00	-	-	-	ND	ND	ND	ND	-
	02/22/01	-	-	-	ND	ND	ND	ND	-
	05/17/01	-	-	-	ND	ND	ND	ND	-
MW-32	02/16/00	-	-	-	ND	0.608	0.379	1.31	-
	05/30/00	-	-	-	ND	ND	ND	ND	-
	08/23/00	-	-	-	ND	ND	ND	ND	-
	12/01/00	-	-	-	ND	ND	ND	ND	-
	02/22/01	-	-	-	ND	ND	ND	ND	-
	05/16/01	-	-	-	ND	ND	ND	ND	-

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - TPH, BTEX, AND MTBE COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
MW-33	02/16/00	-	-	-	ND	0.718	0.589	1.21	-
	05/30/00	-	-	-	ND	ND	ND	ND	-
	08/24/00	-	-	-	ND	ND	ND	ND	-
	11/30/00	-	-	-	ND	ND	ND	ND	-
	02/22/01	-	-	-	ND	ND	ND	ND	-
dup	02/22/01	-	-	-	ND	ND	ND	ND	-
	05/16/01	-	-	-	ND	ND	ND	ND	-
	09/21/01	-	-	-	ND	ND	ND	ND	-
	03/14/02	-	-	-	ND	ND	ND	ND	-
	09/27/02	-	-	-	ND	ND	ND	ND	-
	03/18/03	-	-	-	ND	ND	ND	ND	-
	09/24/03	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/29/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/27/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/29/05	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/21/05	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
dup	09/21/05	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/15/06	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/27/06	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/22/07	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
dup	03/22/07	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/18/07	-	-	-	<0.400	<0.400	<0.400	<2.00	<1.00
MW-34	09/21/01	-	-	-	ND	ND	ND	ND	-
	03/14/02	-	-	-	ND	ND	ND	ND	-
	09/27/02	-	-	-	ND	ND	ND	ND	-
	03/18/03	-	-	-	ND	ND	ND	ND	-
	09/24/03	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/29/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/27/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/29/05	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
dup	03/29/05	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/21/05	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/15/06	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/27/06	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/22/07	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/18/07	-	-	-	<0.400	<0.400	<0.400	<2.00	<1.00
MW-36	02/16/00	-	-	-	0.322	2.36	1.32	6.29	-
	05/31/00	-	-	-	ND	ND	ND	ND	-
	08/24/00	-	-	-	ND	ND	ND	ND	-
	11/30/00	-	-	-	ND	ND	0.548	ND	-
	02/21/01	-	-	-	ND	ND	ND	ND	-
	05/16/01	-	-	-	0.882	ND	ND	ND	-
	09/21/01	-	-	-	ND	ND	ND	ND	-
	03/13/02	-	-	-	ND	ND	ND	ND	-
	03/18/03	-	-	-	ND	ND	ND	ND	-
	09/24/03	-	-	-	0.727	<0.500	<0.500	1.38	-
	03/29/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/27/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/21/05	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/15/06	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/27/06	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
dup	09/27/06	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/22/07	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/18/07	-	-	-	<0.400	<0.400	<0.400	<2.00	<1.00
dup	09/18/07	-	-	-	<0.400	<0.400	<0.400	<2.00	<1.00

COPPOR00007530

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - TPH, BTEX, AND MTBE COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
MW-37	02/16/00	-	-	-	1.06	0.456	0.492	1.78	-
	05/30/00	-	-	-	33	0.957	ND	2.1	-
dup	05/30/00	-	-	-	31.4	0.775	0.786	1.72	-
	08/24/00	-	-	-	40.9	0.731	ND	1.44	-
	11/30/00	-	-	-	10.7	0.594	ND	ND	-
	02/21/01	-	-	-	ND	ND	ND	ND	-
	05/16/01	-	-	-	0.691	ND	0.740	1.25	-
	09/21/01	-	-	-	ND	ND	1.04	1.31	-
	09/27/02	-	-	-	ND	ND	ND	ND	-
dup	09/27/02	-	-	-	ND	ND	ND	ND	-
	03/18/03	-	-	-	ND	ND	ND	ND	-
	09/24/03	-	-	-	NS/F	NS/F	NS/F	NS/F	-
	09/27/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/29/05	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/21/05	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/15/06	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/27/06	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/22/07	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/18/07	-	-	-	<0.400	<0.400	<0.400	<2.00	<1.00
MW-38	03/29/05	-	-	-	-	-	-	-	10.2
	09/21/05	-	-	-	-	-	-	-	22.0
MW-39	09/27/04	-	-	-	<0.500	<0.500	<0.500	7.45	-
	09/21/05	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
MW-40	02/16/00	-	-	-	ND	0.424	0.492	0.759	-
	05/30/00	-	-	-	ND	ND	ND	ND	-
	08/24/00	-	-	-	ND	ND	ND	ND	-
	11/30/00	-	-	-	ND	ND	ND	ND	-
	02/21/01	-	-	-	ND	ND	ND	ND	-
	05/16/01	-	-	-	ND	ND	0.505	ND	-
	09/21/01	-	-	-	ND	ND	ND	ND	-
	03/13/02	-	-	-	ND	ND	ND	ND	-
	09/27/02	-	-	-	ND	ND	ND	ND	-
	03/18/03	-	-	-	ND	ND	ND	ND	-
	09/24/03	-	-	-	<0.500	<0.500	<0.500	<1.00	-
dup	09/24/03	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/29/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
dup	03/29/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/27/04	-	-	-	<0.500	<0.500	<0.500	<1.00	
	03/29/05	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/21/05	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/15/06	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/22/07	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/18/07	-	-	-	<0.400	<0.400	<0.400	<2.00	<1.00

COPPOR00007531

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - TPH, BTEX, AND MTBE COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
CONOCOPHILLIPS									
B-2	03/28/05	-	-	-	-	-	-	-	3.47
dup	03/28/05	-	-	-	-	-	-	-	3.52
	09/20/05	-	-	-	-	-	-	-	4.30
B-3	03/28/05	-	-	-	-	-	-	-	10.7
	09/20/05	-	-	-	-	-	-	-	8.26
B-4	05/26/00	-	-	-	82.3	12.7	4	14.8	-
dup	05/26/00	-	-	-	74.8	10.7	2.77	10.3	-
	08/23/00	-	-	-	NS/F	NS/F	NS/F	NS/F	-
	11/29/00	-	-	-	7.04	5.81	2.10	8.09	-
	02/20/01	-	-	-	NS/F	NS/F	NS/F	NS/F	-
	05/17/01	-	-	-	NS/F	NS/F	NS/F	NS/F	-
	09/26/02	-	-	-	16.5	8.36	5.14	27.6	-
	09/25/03	-	-	-	48.1	7.55	6.02	17.9	-
	03/28/05	-	-	-	-	-	-	-	<2.00
	09/26/06	-	-	-	25.6	5.03	<0.500	6.46	<2.00
	03/21/07	-	-	-	43.2	5.10	1.33	7.02	<2.00
	09/20/07	-	-	-	2.65	2.59	<0.500	4.46	<2.00
B-6	03/28/05	-	-	-	-	-	-	-	<2.00
	09/20/05	-	-	-	-	-	-	-	<2.00
B-16	03/28/05	-	-	-	-	-	-	-	2.11
	09/20/05	-	-	-	-	-	-	-	<2.00
B-17	02/17/00	-	-	-	274	24	15.4	37.7	-
	05/26/00	-	-	-	434	44.4	49.9	158	-
	08/28/00	-	-	-	372	21.1	10.8	15.4	-
	11/29/00	-	-	-	293	18.2	9.89	13.6	-
	02/23/01	-	-	-	258	11.8	21.3	21.6	-
dup	02/23/01	-	-	-	238	10.2	19.6	17.3	-
	05/17/01	-	-	-	165	6.82	17.0	15.7	-
dup	05/17/01	-	-	-	173	7.14	17.2	15.6	-
B-18	02/17/00	-	-	-	ND	1.04	3.46	6.13	-
	05/26/00	-	-	-	ND	ND	ND	ND	-
	08/28/00	-	-	-	ND	ND	ND	ND	-
	11/29/00	-	-	-	ND	ND	ND	ND	-
	02/23/01	-	-	-	ND	ND	ND	ND	-
	05/17/01	-	-	-	ND	0.502	ND	ND	-
B-22	02/17/00	-	-	-	NS/S	NS/S	NS/S	NS/S	-
	05/26/00	-	-	-	0.508	0.522	0.543	2.17	-
	08/28/00	-	-	-	NS/F	NS/F	NS/F	NS/F	-
	11/29/00	-	-	-	NS/S	NS/S	NS/S	NS/S	-
	02/20/01	-	-	-	NS/F	NS/F	NS/F	NS/F	-
	05/17/01	-	-	-	NS/F	NS/F	NS/F	NS/F	-
B-27	03/28/05	-	-	-	-	-	-	-	2.16

COPPOR00007532

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - TPH, BTEX, AND MTBE COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
B-35	02/17/00	-	-	-	31.6	13.5	11	27.4	-
	05/26/00	-	-	-	194	16.3	12.5	39.8	-
	08/28/00	-	-	-	287	15.3	8.42	ND	-
	11/29/00	-	-	-	384	17.0	12.0	30.2	-
	02/23/01	-	-	-	45.6	4.87	12.4	20.5	-
	05/17/01	-	-	-	15.2	4.32	5.62	7.99	-
	09/20/01	-	-	-	58.0	3.31	9.78	15.9	-
	03/14/02	-	-	-	34.1	15.8	2.41	11.4	-
	09/26/02	-	-	-	95.8	11.3	14.0	26.3	-
	03/18/03	-	-	-	8.11	6.39	1.42	3.20	-
	09/25/03	-	-	-	66.7	7.41	3.74	19.2	-
	03/30/04	-	-	-	15.1	1.39	6.49	13.0	-
	09/28/04	-	-	-	93.4	11.7	<5.00	19.7	-
	03/28/05	-	-	-	3.71	6.72	0.660	10.5	7.20
	09/20/05	-	-	-	82.0	10.4	1.79	12.2	6.48
	03/14/06	-	-	-	18.8	7.31	1.32	10.9	-
	09/26/06	-	-	-	20.9	7.63	2.45	10.2	<2.00
	03/20/07	-	-	-	11.4	5.16	1.02	11.2	<2.00
	09/20/07	-	-	-	3.44	6.55	<0.500	10.1	<2.00
B-36	02/17/00	-	-	-	0.925	1.16	0.762	3.16	-
	05/26/00	-	-	-	ND	0.82	0.502	ND	-
	08/28/00	-	-	-	2.08	2.54	0.693	2.53	-
	11/29/00	-	-	-	1.14	2.53	1.02	2.78	-
	02/23/01	-	-	-	ND	0.512	1.15	1.44	-
	05/17/01	-	-	-	ND	0.545	0.819	1.8	-
	09/20/01	-	-	-	ND	0.609	0.761	1.50	-
dup	09/20/01	-	-	-	ND	0.547	0.820	1.51	-
	03/14/02	-	-	-	ND	ND	ND	ND	-
	09/26/02	-	-	-	1.18	1.33	0.635	2.48	-
	03/18/03	-	-	-	ND	ND	ND	ND	-
	09/25/03	-	-	-	0.940	1.10	0.954	2.90	-
	03/30/04	-	-	-	<0.500	<0.500	<0.500	1.23	-
	09/28/04	-	-	-	0.614	0.679	<0.500	<1.00	-
	03/28/05	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/20/05	-	-	-	0.390	0.930	<0.500	<1.00	2.63
	03/14/06	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/26/06	-	-	-	0.760	1.18	<0.500	1.57	3.50
	03/20/07	-	-	-	0.610	0.500	<0.500	1.37	<2.00
	09/20/07	-	-	-	1.32	1.67	<0.500	1.72	3.47

COPPOR00007533

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - TPH, BTEX, AND MTBE COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
B-37	02/17/00	-	-	-	ND	0.517	0.63	1.18	-
dup	02/17/00	-	-	-	0.342	1.06	0.795	1.97	-
	05/26/00	-	-	-	ND	ND	ND	ND	-
	08/28/00	-	-	-	ND	ND	ND	ND	-
	11/29/00	-	-	-	ND	ND	ND	ND	-
	02/23/01	-	-	-	ND	ND	ND	ND	-
	05/17/01	-	-	-	ND	ND	ND	ND	-
	03/14/02	-	-	-	ND	ND	ND	ND	-
	09/26/02	-	-	-	ND	ND	ND	ND	-
	03/18/03	-	-	-	ND	ND	ND	ND	-
dup	03/18/03	-	-	-	ND	ND	ND	ND	-
	09/25/03	-	-	-	<0.500	<0.500	0.639	1.30	-
dup	09/25/03	-	-	-	<0.500	<0.500	0.628	1.24	-
	03/31/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/28/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/28/05	-	-	-	<0.200	<0.500	<0.500	<1.00	3.98
	09/20/05	-	-	-	<0.200	<0.500	<0.500	<1.00	6.14
	09/20/05	-	-	-	-	-	-	-	5.82
	03/14/06	-	-	-	<0.500	<0.500	<0.500	<1.00	-
dup	03/14/06	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/26/06	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/20/07	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/20/07	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
B-40	02/17/00	-	-	-	NS/S	NS/S	NS/S	NS/S	-
	05/26/00	-	-	-	NS/F	NS/F	NS/F	NS/F	-
	08/28/00	-	-	-	NS/F	NS/F	NS/F	NS/F	-
	11/29/00	-	-	-	NS/F	NS/F	NS/F	NS/F	-
	02/20/01	-	-	-	NS/F	NS/F	NS/F	NS/F	-
	05/17/01	-	-	-	NS/F	NS/F	NS/F	NS/F	-
	09/26/06	-	-	-	21.5	2.94	89.4	225	<4.00
	03/20/07	-	-	-	15.2	2.74	86	213	<4.00
	09/20/07	-	-	-	15.9	2.12	63.6	153	<2.00
P-1	03/17/03	-	-	-	ND	ND	ND	ND	-
	03/31/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/28/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/28/05	-	-	-	-	-	-	-	<2.00
	03/14/06	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/26/06	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/20/07	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/20/07	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
P-2	03/17/03	-	-	-	ND	0.534	ND	ND	-
	09/25/03	-	-	-	<0.500	<0.500	0.823	<1.00	-
	03/30/04	-	-	-	0.540	<0.500	<0.500	<1.00	-
	09/28/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/28/05	-	-	-	<0.200	<0.500	<0.500	<1.00	2.84
	09/20/05	-	-	-	<0.200	<0.500	<0.500	<1.00	4.48
	03/14/06	-	-	-	<0.500	<0.500	<0.500	<1.00	-

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - TPH, BTEX, AND MTBE COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
U-2	02/17/00	-	-	-	3.13	1.93	3.59	3.43	-
	05/26/00	-	-	-	0.885	1.45	ND	ND	-
	08/28/00	-	-	-	ND	ND	0.604	ND	-
	11/29/00	-	-	-	ND	ND	ND	ND	-
	02/23/01	-	-	-	ND	ND	ND	ND	-
	05/17/01	-	-	-	ND	ND	ND	ND	-
	09/20/01	-	-	-	ND	ND	ND	ND	-
	03/14/02	-	-	-	0.986	1.60	0.905	ND	
	09/26/02	-	-	-	ND	ND	ND	ND	
	03/18/03	-	-	-	ND	ND	ND	ND	
	09/25/03	-	-	-	<0.500	<0.500	<0.500	<1.00	
	03/31/04	-	-	-	2.60	<0.500	0.820	<1.00	-
	09/28/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/28/05	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/20/05	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/14/06	-	-	-	4.71	<0.500	3.19	1.05	-
	09/27/06	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/20/07	-	-	-	4.05	<0.500	1.10	<1.00	<2.00
	09/19/07	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
U-3	02/17/00	-	-	-	0.355	0.993	0.952	3.17	-
	05/26/00	-	-	-	1.5	0.954	1.01	2.39	-
	08/28/00	-	-	-	ND	ND	0.793	ND	-
	11/29/00	-	-	-	ND	ND	0.744	ND	-
dup	11/29/00	-	-	-	0.500	0.567	0.727	ND	-
	02/23/01	-	-	-	14.8	1.84	2.58	ND	-
	05/17/01	-	-	-	7.83	ND	0.620	1.16	-
	03/28/05	-	-	-	-	-	-	-	<2.00
	09/20/05	-	-	-	-	-	-	-	5.09
U-4	05/26/00	-	-	-	62.3	ND	ND	ND	-
	08/28/00	-	-	-	15.0	ND	1.76	ND	-
dup	08/28/00	-	-	-	14.3	0.509	2.99	1.04	-
	11/29/00	-	-	-	ND	ND	ND	ND	-
	02/23/01	-	-	-	0.844	6.84	1.07	11.2	-
	05/17/01	-	-	-	NS/F	NS/F	NS/F	NS/F	-
	09/26/02	-	-	-	0.760	0.552	1.07	2.99	-
dup	09/26/02	-	-	-	0.771	0.623	2.21	4.14	-
	03/28/05	-	-	-	-	-	-	-	5.62
	09/27/06	-	-	-	<0.200	<0.500	<0.500	<1.00	6.69
	03/21/07	-	-	-	<0.200	<0.500	<0.500	<1.00	5.24
	09/19/07	-	-	-	<0.200	<0.500	<0.500	<1.00	6.36
U-5	02/17/00	-	-	-	3.86	0.654	0.501	2.54	-
	05/26/00	-	-	-	3.49	ND	ND	ND	-
	08/28/00	-	-	-	ND	ND	ND	ND	-
	11/29/00	-	-	-	ND	ND	ND	ND	-
	02/23/01	-	-	-	1.56	1.16	ND	ND	-
	05/17/01	-	-	-	NS/F	NS/F	NS/F	NS/F	-
	03/18/03	-	-	-	2.49	2.21	5.77	33.7	-
	09/25/03	-	-	-	2.39	1.71	7.89	7.66	-
	03/31/04	-	-	-	1.53	<0.500	<0.500	<1.00	-
	09/28/04	-	-	-	<0.500	0.806	<0.500	1.80	-
	03/28/05	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/20/05	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/14/06	-	-	-	0.560	<0.500	<0.500	<1.00	-
	09/26/06	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/20/07	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/20/07	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00

COPPOR00007535

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - TPH, BTEX, AND MTBE COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)
U-10	03/18/03	-	-	-	ND	ND	ND	ND	-
	09/25/03	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/30/04	-	-	-	0.680	2.08	<0.500	4.01	-
	09/28/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/28/05	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	09/20/05	-	-	-	<0.200	<0.500	<0.500	<1.00	<2.00
	03/14/06	-	-	-	<0.500	<0.500	<0.500	<1.00	-
U-11	03/18/03	-	-	-	ND	ND	ND	ND	-
	09/25/03	-	-	-	1.74	1.37	1.04	1.74	-
	03/30/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
dup	03/30/04	-	-	-	0.650	1.93	<0.500	3.26	-
	09/28/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	03/28/05	-	-	-	0.360	0.830	<0.500	1.09	<2.00
	09/20/05	-	-	-	0.480	1.10	<0.500	1.17	<2.00
	03/14/06	-	-	-	0.780	1.74	<0.500	2.86	-
U-12	03/18/03	-	-	-	5.30	2.12	0.642	3.72	-
	09/25/03	-	-	-	<0.500	0.563	<0.500	2.00	-
	03/30/04	-	-	-	<0.500	<0.500	<0.500	<1.00	-
	09/28/04	-	-	-	1.03	0.978	0.719	2.58	-
	03/28/05	-	-	-	<0.200	<0.500	<0.500	<1.00	4.21
	09/20/05	-	-	-	<0.200	<0.500	<0.500	<1.00	4.54
	03/14/06	-	-	-	<0.500	<0.500	<0.500	<1.00	-
U-14	09/27/06	-	3,980[1]	<526[1]	<0.200	<0.500	<0.500	<1.00	<2.00
	03/21/07	<80.0	428[3]	<500	<0.200	<0.500	<0.500	<1.00	<2.00
	09/19/07	2,760	1,920[9]	<500	<1.00[10]	<2.50[10]	<2.50[10]	<5.00[10]	<10.0[10]
U-15	09/27/06	-	466	<485	7.01	<0.500	1.38	<1.00	<2.00
	03/21/07	<80.0	465[4]	<490	0.560	<0.500	<0.500	<1.00	<2.00
	09/19/07	88.7	377[4]	<500	1.72	<0.500	<0.500	<1.00	<2.00
U-16	09/27/06	-	2,530	<500	0.440	<0.500	5.43	<1.00	<2.00
	03/21/07	277	3,630[5]	860[6]	0.220	<0.500	0.930	<1.00	<2.00
	09/19/07	456	2,800[5]	590	<0.200	<0.500	<0.500	<1.00	<2.00
U-17	09/27/06	-	4,540	<500	<0.200	<0.500	<0.500	<1.00	<2.00
	03/21/07	305	5,560[4]	<500	<0.450	<0.500	<0.500	<1.00	<2.00
	09/19/07	277	2,810[5]	<500	<0.200	<0.500	<0.500	<1.00	<2.00
U-18	03/21/07	207	16,300	6,000	0.210	0.540	<0.500	<1.00	<2.00
	09/19/07	517	9,980[5]	1,860	3.06	0.890	<0.500	1.05	<2.00
U-19	03/21/07	2,540	2,020	<490	<0.200	<0.500	0.670	<1.00	9.31
	09/19/07	3,160	1,470[3]	<485	<0.200	<0.500	1.02	<1.00	22.0
U-20	03/20/07	561	4,530	561[8]	<0.200	<0.500	<0.500	<1.00	4.28
	09/19/07	512	1,460[3]	<526	<0.200	<0.500	<0.500	<1.00	6.90
U-21	03/20/07	2,060	3,600[7]	<490	0.270	<0.500	2.50	<1.00	<2.00
	09/19/07	2,070	3,050[3]	<500	<1.00[10]	<2.50[10]	3.60	<5.00[10]	<10.0[10]
TB-LB	08/24/00	-	-	-	ND	ND	ND	ND	-
	08/25/00	-	-	-	ND	ND	ND	ND	-
	08/28/00	-	-	-	ND	ND	ND	ND	-
	11/29/00	-	-	-	ND	ND	ND	ND	-
	11/30/00	-	-	-	ND	ND	ND	ND	-
	12/01/00	-	-	-	ND	ND	ND	ND	-
	02/23/01	-	-	-	ND	ND	ND	ND	-

COPPOR00007536

TABLE 2
GROUNDWATER ANALYTICAL RESULTS - TPH, BTEX, AND MTBE COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well/Sample Identification	Date Sampled	TPH-G (µg/L)	TPH-D (µg/L)	TPH-O (µg/L)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)

Notes:
2/00 and 5/00 data from IT Corporation
8/00, 11/00, 2/01 and 5/01 data from KHM Environmental Management, Inc.
NS/F = Not sampled floating product present
NS/S = Not sampled sheen present
µg/l = Micrograms per Liter
ND = Not detected at or below detection limit
<0.200 = Not detected above the laboratory method reporting limit (MRL) of 0.200 µg/L.
BTEX analysis by USEPA Method 8021B
dup* = duplicate for B-30 submitted as blind duplicate labeled as B-50
dup**= duplicate for B-30 submitted as blind duplicate labled as B-31
dup*** = duplicate for B-30 submitted as blind duplicate labeled as B-99
TB-LB = trip blank
[1] = The reporting limit for this analyte was raised to compensate for the limited sample quantity available for analysis.
[2] = The reporting limit for this analyte was raised to compensate for the limited sample quantity available for analysis.
[3] = Detected hydrocarbons appear to be due to heavy gas/light diesel range components as well as weathered diesel.
[4] = Detected hydrocarbons in the diesel range do not have a distinct diesel pattern and may be due to heavily weathered diesel or possibly biogenic interference.
[5] = Hydrocarbon pattern most closely resembles weathered diesel.
[6] = The hydrocarbons present are a complex mixture of diesel range and heavy oil range organics.
[7] = Detected hydrocarbons appear to be due to heavy gas/light diesel range components as well as biogenic interference.
[8] = Detected hydrocarbons do not have a pattern and range consistent with typical petroleum products and may be due to biogenic interference.
[9] = Hydrocarbon pattern most closely resembles weathered jet fuel or similar light diesel range product.
[10] = The reporting limit for this analyte was raised due to sample matrix effects.

COPPOR00007537

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	2-Methyl-naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
CHEVRON																		
B-7	02/18/00	-	5.22	ND	ND	ND	ND	ND	ND	ND	0.528	ND	7.26	16.3	ND	ND	17.6	0.952
	05/23/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	17.2	ND	ND	13.6	ND
dup	05/23/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	20.9	ND	ND	15.6	ND
	08/25/00	-	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	11/30/00	-	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	02/22/01	-	1.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.64	ND	ND	2.82	ND
	05/17/01	-	0.934	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.59	ND	ND	0.564	ND
	03/20/03	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/29/03	-	2.12	ND	0.287	ND	ND	ND	ND	ND	ND	ND	ND	7.74	ND	ND	6.11	ND
	03/30/04	-	1.95	<0.200	0.436	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	7.73	<0.200	<1.60	5.95	<0.200
	03/09/05	-	2.42	<0.800	<0.400	<0.400	<0.400	<0.400	<0.400	<0.400	<0.400	<0.800	<0.400	9.07	<0.400	<1.40	6.82	<0.400
dup	03/09/05	-	2.66	<1.00	<0.250	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	9.74	<0.100	<2.00	7.30	0.154
	09/22/05	-	2.65	<0.990	<0.990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.198	<0.990	10.4	<0.0990	<1.98	8.16	0.177
B-9	02/18/00	-	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	05/23/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.43	ND	ND	1.3	ND
	08/25/00	-	2.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.40	ND	ND	1.33	ND
	11/30/00	-	0.700	ND	0.600	0.460	0.240	0.400	ND	ND	ND	ND	ND	6.70	ND	0.780	0.200	0.160
	02/22/01	-	1.78	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.20	ND	ND	0.528	ND
	05/17/01	-	1.50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.60	ND	ND	0.386	ND
	09/19/01	-	1.08	0.240	ND	ND	ND	ND	0.120	ND	ND	0.100	ND	4.00	0.100	0.260	0.780	0.100
	03/21/02	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/24/02	-	1.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.09	ND	ND	0.358	ND
	03/20/03	-	0.242	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.508	ND	ND	ND	ND
	09/30/03	-	1.29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.38	ND	ND	0.265	ND
	03/30/04	-	0.964	<0.300	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	3.10	<0.200	<1.50	0.951	0.234
	03/08/05	-	0.910	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	2.78	<0.100	<0.700	0.679	<0.100
	06/22/05	-	0.887	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	3.05	<0.100	<0.500	0.873	<0.100
	09/21/05	-	0.832	<0.198	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.198	<0.0990	2.93	<0.0990	<0.891	0.702	<0.0990
	09/26/06	-	0.780	<0.150	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	0.105	<0.100	0.221	1.99	<0.100	<0.550	0.805	0.226
	03/22/07	-	0.489	<0.146	<0.0976	0.171	0.225	0.328	0.357	0.343	0.389	0.0970	0.519	1.95	0.288	<0.829	0.531	0.610
B-9A	09/19/07	<9.76[6]	<9.76[6]	<9.76[6]	<9.76[6]	0.341	0.189	0.156	<1.95	0.117	0.498	<0.0976	<9.76[6]	68.2	0.120	<19.5[6]	34.1	5.96

COPPOR00007538

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	2-Methyl-naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
B-10	02/18/00	-	3.58	ND	ND	0.0670	ND	ND	ND	ND	0.14	ND	0.632	11.8	ND	ND	12.9	0.513
dup	02/18/00	-	4.83	ND	2.9	5.47	ND	0.66	ND	ND	0.689	ND	1.95	15.9	ND	ND	23.4	1.85
	05/23/00	-	ND	ND	ND	ND	ND	ND	ND	ND	0.101	ND	ND	11.9	ND	ND	12.7	0.818
	08/25/00	-	1.63	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.18	ND	ND	2.91	ND
	11/30/00	-	1.42	ND	0.320	ND	ND	ND	ND	ND	ND	ND	ND	2.24	ND	0.980	0.160	0.120
	02/23/01	-	1.01	ND	0.252	ND	ND	ND	ND	ND	ND	ND	0.234	1.25	ND	ND	1.33	0.225
	05/17/01	-	0.635	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.976	ND	ND	0.521	ND
	09/19/01	-	0.420	ND	ND	ND	ND	ND	0.100	ND	ND	ND	0.200	0.300	0.100	0.360	ND	0.240
	03/21/02	-	ND	ND	0.188	ND	ND	ND	ND	ND	ND	ND	0.190	1.23	ND	ND	1.23	0.220
	09/24/02	-	1.04	0.132	1.49	ND	ND	0.170	ND	0.189	ND	ND	ND	1.32	ND	0.717	1.34	0.245
	03/20/03	-	1.05	ND	0.190	ND	ND	ND	ND	ND	ND	ND	0.194	1.30	ND	ND	1.27	0.236
	09/29/03	-	1.09	ND	0.234	ND	ND	ND	ND	ND	ND	ND	0.463	1.91	ND	ND	2.11	0.436
	03/30/04	-	1.65	<0.200	0.671	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	0.588	5.22	<0.200	<2.40	5.67	0.891
	03/08/05	-	1.41	<0.300	0.638	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.400	0.814	4.46	<0.200	<1.40	2.76	0.829
	09/21/05	-	1.27	<0.990	<0.990	<0.990	<0.990	<0.990	<0.990	<0.990	<0.990	<1.98	<0.990	2.22	<0.990	<1.98	1.89	<0.990
	03/14/06	-	1.05	<0.200	0.170	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	0.154	2.15	<0.0200	<1.50	1.68	0.211
	09/26/06	-	1.64	<0.388	0.527	0.0463	0.0590	0.0717	0.110	0.0542	0.0828	0.0265	0.469	4.89	0.0768	<1.17	3.66	0.635
	03/21/07	-	1.18	<0.383[6]	<0.153[6]	0.0376	0.0329	0.0403	0.0420	0.0329	0.0510	0.0121	0.238	6.81	0.0335	<3.44[6]	2.83	0.416
dup	03/21/07	-	1.06	<0.291[6]	<0.194[6]	0.058	0.0606	0.0576	0.0643	0.0677	0.0846	0.0216	0.275	5.26	0.0545	<2.43[6]	1.80	0.440
	09/18/07	<0.962[6]	0.889	<0.192	<0.962[6]	0.0293	0.0288	0.0270	<0.192	0.0292	0.0413	0.0102	<0.962[6]	2.20	0.0218	<3.85[6]	<0.962[6]	1.35
B-11	02/18/00	-	1.75	ND	ND	ND	ND	0.547	ND	ND	ND	ND	ND	2.15	ND	ND	1.53	0.764
	05/23/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.891	0.169
	08/25/00	-	1.35	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.47	ND	ND	1.76	ND
	11/30/00	-	2.10	0.400	1.02	0.400	0.180	0.180	ND	ND	ND	ND	ND	2.88	ND	1.20	0.260	ND
	02/22/01	-	ND	ND	0.106	ND	ND	ND	ND	ND	ND	ND	ND	1.12	ND	ND	0.815	ND
	05/17/01	-	0.478	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.729	ND	ND	ND	0.358	ND
	03/30/04	-	0.931	<0.300	<0.300	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	1.06	<0.200	<3.50	0.604	0.418
	03/09/05	-	0.664	<0.150	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	1.15	<0.100	<1.40	0.623	0.172
	06/22/05	-	0.685	<0.150	117	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	0.111	1.04	<0.100	<1.00	0.471	0.161
	09/21/05	-	0.854	<0.149	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.198	<0.0990	1.36	<0.0990	<1.58	0.743	0.124

COPPOR00007539

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	2-Methyl-naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
B-14	02/16/00	-	1.08	ND	0.222	0.01	ND	ND	ND	ND	0.104	ND	0.561	1.64	ND	7	1.9	0.582
	05/23/00	-	ND	ND	1.85	ND	ND	ND	ND	ND	ND	ND	0.467	ND	ND	ND	1.36	0.621
	08/25/00	-	1.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.75	ND	24.5	2.06	ND
	11/30/00	-	0.920	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.60	ND	0.980	ND	ND
	02/22/01	-	ND	ND	0.187	ND	ND	ND	ND	ND	ND	ND	0.360	1.10	ND	ND	1.16	0.489
	05/17/01	-	0.738	ND	0.106	ND	ND	ND	ND	ND	ND	ND	0.341	0.966	ND	1.72	0.892	0.338
B-19	03/20/03	-	1.69	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.440	ND	ND	6.62	ND
	09/29/03	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.68	ND	ND	13.2	ND
	03/29/04	-	2.12	<1.00	<1.00	<1.00	0.0213	<0.0200	<0.0200	<0.0200	<1.00	<0.0200	<1.00	7.01	<0.0200	<3.50	11.9	<1.00
	03/09/05	-	2.40	<1.00	0.973	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<1.00	<0.500	8.85	<0.500	<3.00	16.0	0.537
	06/22/05	-	2.96	<2.00	0.849	<0.100	<0.100	<0.100	<0.100	<0.100	0.141	<0.200	<0.300	9.59	<0.100	<2.50	15.8	0.277
	09/22/05	-	<1.34	<0.396	<0.297	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.198	<0.149	4.14	<0.0990	<1.98	6.40	0.209
	03/14/06	-	1.97	<0.472	0.291	<0.0189	<0.0189	<0.0189	<0.0189	<0.0189	0.0427	<0.0189	<0.0943	4.60	<0.0189	<2.17	8.98	0.113
B-20	03/20/03	-	0.322	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.577	ND	ND	ND	ND
	09/29/03	-	1.52	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.86	ND	ND	4.27	ND
	03/30/04	-	1.07	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	3.81	<0.200	<1.50	0.988	<0.200
	03/09/05	-	1.29	<0.400	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.400	<0.200	4.58	<0.200	<0.800	3.03	<0.200
	09/22/05	-	<0.891	<0.248	<0.347	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.198	<0.0990	3.13	<0.0990	<0.693	0.812	<0.0990
B-21	09/19/01	-	3.40	0.200	1.78	0.360	0.360	0.320	0.400	0.300	0.540	0.160	1.52	16.1	0.320	1.18	16.8	1.54
	03/21/02	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.38	ND	ND	3.84	ND
	09/24/02	-	2.30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.66	ND	ND	4.15	ND
	03/20/03	-	2.71	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	11.0	ND	ND	7.00	ND
	09/29/03	-	3.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.94	ND	ND	8.86	0.394
	03/29/04	-	2.52	<0.500	<0.500	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	0.0396	<0.0200	<0.500	8.76	<0.0200	<3.00	7.58	0.259
	03/08/05	-	2.79	<0.800	<0.600	<0.400	<0.400	<0.400	<0.400	<0.400	<0.400	<0.800	<0.400	10.5	<0.400	<2.20	10.8	0.430
	09/22/05	-	2.26	<0.990	<0.990	<0.990	<0.990	<0.990	<0.990	<0.990	<0.990	<1.98	<0.990	8.41	<0.990	<1.98	5.22	<0.990
	03/15/06	-	2.66	<0.755	<0.189	<0.0189	<0.0189	<0.0189	<0.0189	<0.0189	<0.0189	<0.0189	<0.189	9.04	<0.0189	<1.79	7.34	0.0789
	09/26/06	-	2.39	<0.693	<0.198	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.149	9.45	<0.0990	<1.39	6.85	<0.149
	03/21/07	-	1.87	<0.585[6]	<0.146[6]	0.00839	0.00665	0.00618	<0.00976	<0.00488	0.0172	<0.00488	<0.0976[6]	11.2	<0.00488	<2.63[6]	4.77	0.142
	09/19/07	<0.498	1.92	<1.49[6]	<1.49[6]	<0.0249	<0.0249	<0.0249	<0.498	<0.0249	0.0368	<0.0249	<0.498	11.9	<0.0249	<4.98[6]	6.68	<0.498

COPPOR0007540

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	2-Methyl-naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
B-26	03/30/04	-	0.778	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	0.299	0.649	<0.200	27.5	1.08	0.447
	03/09/05	-	0.778	<0.100	<0.100	<0.100	<0.100	0.140	<0.100	<0.100	<0.100	<0.200	0.236	0.421	<0.100	5.37	0.912	0.371
	06/22/05	-	0.651	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.400	0.264	0.588	<0.200	10.9	0.639	0.293
	09/22/05	-	0.841	<0.149	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.198	0.161	0.440	<0.0990	7.80	0.701	0.224
B-28	02/18/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.09	ND	ND
	05/23/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/25/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/30/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02/23/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/17/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/20/01	-	ND	ND	ND	ND	ND	ND	0.100	ND	ND	ND	ND	ND	0.100	ND	ND	ND
	03/21/02	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/24/02	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/20/03	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/30/03	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.767	ND	ND
	03/29/04	-	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0400	<0.0200	<0.100	<0.0400	<0.0200
	03/09/05	-	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	1.18	<0.100	<0.100
	09/21/05	-	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.198	<0.0990	<0.0990	<0.0990	0.395	<0.0990	<0.0990
	03/14/06	-	<0.0404	<0.0404	<0.0404	0.0735	0.0823	0.0839	0.105	0.0695	0.111	<0.0404	0.160	<0.0404	0.0734	<0.0404	0.112	0.179
	09/28/06	-	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0294	<0.0196	<0.0196	<0.0196	<0.0196
	09/18/07	<0.0971	<0.0971	<0.0971	<0.0971	<0.00485	<0.00485	0.00584	<0.0971	<0.00485	0.00541	<0.00485	<0.0971	<0.0971	<0.00485	0.130	<0.0971	<0.0971
B-29	09/20/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/21/02	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/24/02	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/20/03	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/30/03	-	ND	ND	ND	ND	0.121	0.136	0.157	0.114	0.111	ND	0.132	ND	0.123	ND	ND	0.138
	03/29/04	-	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0300	<0.0200	<0.0600	<0.0200	<0.0200
	03/09/05	-	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
	09/21/05	-	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.198	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990
	03/14/06	-	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0490	<0.0294	0.0238
	09/28/06	-	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194
	03/22/07	-	<0.00990	<0.00990	<0.00990	<0.00495	<0.00495	0.00524	<0.00990	<0.00495	0.00663	<0.00495	<0.0198	<0.0792	<0.00495	<0.0198	0.126	0.0201
	09/18/07	<0.0971	<0.0971	<0.0971	<0.0971	<0.00485	<0.00485	0.00624	<0.0971	0.00561	<0.00485	<0.00485	<0.0971	<0.0971	0.00573	<0.0971	<0.0971	<0.0971

COPPOR00007541

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	2-Methyl-naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
B-30	02/18/00	-	0.121	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.113	0.177	ND	ND	0.175	0.202
	05/23/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.105	ND
	08/25/00	-	0.385	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.530	ND	ND	0.423	ND
	11/30/00	-	0.280	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.440	ND	0.280	0.300	0.100
	02/23/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
dup**	02/23/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/17/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.116	ND	ND	0.108	ND
	09/20/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.100	ND	0.100	ND	ND
dup	09/20/01	-	ND	ND	ND	ND	ND	ND	0.100	ND	ND	0.100	ND	ND	0.120	0.100	ND	ND
	03/21/02	-	0.162	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.312	ND	ND	0.157	0.114
dup	03/21/02	-	0.162	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.314	ND	ND	0.164	0.123
	09/24/02	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/20/03	-	0.142	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.133	ND	ND	0.132	ND
dup*	03/20/03	-	0.108	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.126	ND	ND	0.105	ND
	09/30/03	-	ND	ND	ND	0.582	0.585	0.421	0.323	0.443	0.531	ND	0.827	0.349	0.272	ND	0.451	1.51
dup***	09/30/03	-	ND	ND	ND	0.473	0.416	0.410	0.291	0.357	0.450	ND	0.728	ND	0.248	ND	0.432	1.26
	03/29/04	-	0.119	<0.0200	0.0449	0.0576	0.0507	0.0420	0.0344	0.0393	0.0633	<0.0200	0.123	0.173	0.0295	<0.320	0.170	0.240
dup***	03/29/04	-	<0.280	<0.800	0.0485	0.0605	0.0596	0.0452	0.0417	0.0438	0.0637	<0.0200	0.112	0.216	0.0361	<0.640	0.170	0.244
	03/09/05	-	0.242	<0.200	<0.200	0.223	0.209	<0.200	<0.200	<0.200	0.217	<0.400	0.400	<0.300	<0.200	<0.400	0.284	0.637
	09/21/05	-	0.103	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	0.198	<0.0990	<0.0990	<0.0990	<0.297	<0.0990	<0.0990
dup****	09/21/05	-	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	0.198	<0.0990	<0.0990	<0.0990	<0.248	<0.0990	<0.0990
	03/14/06	-	0.310	<0.142	0.0684	0.0761	0.0628	0.0455	0.0480	0.0368	0.0783	<0.0189	0.152	0.369	0.0353	<0.292	0.260	0.323
dup	03/14/06	-	0.375	<0.182	0.0933	0.106	0.0871	0.0607	0.0674	0.0564	0.109	<0.0404	0.202	0.375	0.0491	<0.404	0.275	0.424
	09/28/06	-	0.157	<0.0891	0.0317	0.0371	0.0391	0.0320	0.0316	0.0216	0.0344	<0.0198	0.0477	0.108	0.0246	<0.297	0.0869	0.133
	03/22/07	-	0.0691	<0.0392	<0.00980	0.0230	0.0222	0.0173	0.0167	0.0193	0.0291	0.00518	0.0242	0.200	0.0134	<0.245	0.201	0.114
	09/10/07	<0.0990	<0.0990	<0.0990	<0.0990	0.00633	<0.00495	0.00528	<0.0990	<0.00495	0.00735	<0.00495	<0.0990	<0.0990	<0.00495	<0.693[6]	<0.0990	0.118
dup	09/18/07	<0.0962	<0.0962	<0.0962	<0.0962	<0.00481	<0.00481	<0.00481	<0.0962	<0.00495	<0.00481	<0.00481	<0.0962	<0.0962	<0.00481	<0.481[6]	<0.0962	<0.0962
B-32	03/20/03	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.161	ND	ND	ND	0.108
	09/29/03	-	ND	ND	ND	0.114	0.112	0.114	ND	0.114	0.188	ND	0.557	1.06	ND	ND	ND	0.498
	03/09/05	-	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
	09/22/05	-	<1.00	<1.00	<0.150	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	0.171	<1.00	<1.00	<0.300	<0.150	0.256
	03/15/06	-	<0.0190	<0.0190	<0.0952	<0.0190	<0.0190	<0.0190	<0.0190	<0.0190	0.0280	<0.0190	0.193	<0.0762	<0.0190	<0.152	<0.0381	0.206

COPPOR00007542

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	2-Methyl-naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
B-33	03/20/03	-	0.589	ND	ND	ND	ND	0.385	0.370	ND	0.306	ND	0.449	2.01	0.300	ND	0.914	0.458
	09/30/03	-	11.0	ND	3.30	8.28	19.2	44.0	37.5	26.4	34.1	7.35	20.2	33.3	30.6	ND	39.7	29.5
	03/30/04	-	3.03	<2.00	2.42	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	12.5	<2.00	<4.50	13.6	3.28
	03/09/05	-	2.42	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<2.00	<1.00	9.36	<1.00	<2.00	10.8	1.07
	06/22/05	-	3.00	<1.50	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<2.00	<1.00	10.0	<1.00	<2.00	10.2	<1.00
	09/22/05	-	2.56	<0.990	<1.49	<0.990	<0.990	<0.990	<0.990	<0.990	<0.990	<1.98	<0.990	8.31	<0.990	<1.98	6.82	<0.990
	03/15/06	-	1.08	<0.308	<0.154	0.153	0.233	0.270	0.286	0.292	0.400	0.0854	0.336	2.94	0.270	<0.615	2.45	0.533
CR-1	09/20/01	-	0.520	ND	ND	ND	0.120	0.100	0.140	0.100	ND	0.120	ND	1.94	0.140	0.300	0.160	ND
	03/21/02	-	0.216	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.789	ND	ND	0.194	ND
	09/24/02	-	1.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.32	ND	0.887	0.660	ND
	03/20/03	-	0.758	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.53	ND	ND	0.748	ND
	09/30/03	-	1.31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.02	ND	ND	1.11	ND
	03/30/04	-	0.473	<0.150	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	1.59	<0.100	<0.650	0.322	<0.100
	03/08/05	-	0.825	<0.150	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	3.18	<0.100	<0.850	0.766	<0.100
	09/21/05	-	1.22	<0.297	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.198	<0.0990	4.63	<0.0990	<1.63	1.52	<0.0990
	09/27/06	-	0.978	<0.197	0.0747	<0.00985	<0.00985	<0.0197	<0.0493	<0.0197	<0.00985	<0.00985	<0.0493	3.19	<0.00985	<0.788	1.07	0.0513
	03/22/07	-	0.118	<0.0343[6]	<0.0490[6]	<0.00490	<0.00490	<0.00490	<0.00980	<0.00490	<0.0147[6]	<0.00490	<0.0245[6]	0.838	<0.00490	<0.275[6]	0.140	<0.0784[6]
	09/20/07	<0.500[6]	1.01	<0.500[6]	<0.500[6]	<0.0250[6]	0.0112[4]	0.0146[4]	<0.100	0.0120[4]	<0.0250[6]	0.00524[4]	<0.500[6]	9.81	0.00512[4]	<2.50	1.03	<0.500[6]
CR-3	03/09/05	-	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
	06/22/05	-	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
	09/22/05	-	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.198	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990
CR-8	02/18/00	-	0.749	ND	0.264	0.981	2.47	1.6	2.92	1.3	1.28	3.42	1.34	ND	1.96	ND	0.125	1.97
	05/23/00	-	ND	ND	0.223	0.232	0.61	0.46	0.981	0.331	0.326	ND	0.27	ND	0.613	ND	ND	0.458
	08/25/00	-	ND	ND	ND	0.313	0.666	0.445	0.755	0.455	0.434	ND	0.674	ND	ND	ND	ND	0.913
	11/30/00	-	ND	ND	ND	ND	0.120	ND	0.160	ND	ND	ND	ND	ND	0.100	ND	ND	0.180
	02/22/01	-	ND	0.284	0.105	0.536	1.25	0.970	1.46	0.628	0.923	ND	0.749	0.103	0.960	ND	0.108	1.41
	05/16/01	-	ND	ND	ND	ND	0.389	0.301	0.459	ND	0.229	ND	0.371	ND	0.326	ND	ND	0.472

COPPOR0007543

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	2-Methyl-naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
CR-9	02/18/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/23/00	-	ND	ND	0.115	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/25/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
dup	08/25/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/30/00	-	ND	ND	ND	ND	ND	ND	0.160	0.120	ND	ND	ND	ND	0.120	ND	ND	0.100
dup	11/30/00	-	ND	ND	ND	0.140	0.260	0.260	0.400	0.300	0.200	ND	0.160	ND	0.320	ND	ND	0.240
	02/22/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/16/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
dup	05/16/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
CR-11	02/18/00	-	0.333	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.982	ND	ND	0.327	ND
	05/23/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/25/00	-	0.402	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.20	ND	ND	0.450	ND
	11/30/00	-	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	02/22/01	-	0.208	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.457	ND	ND	ND	ND
	05/16/01	-	0.149	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.221	ND	ND	ND	ND
CR-26	03/09/05	-	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	0.215	<0.100	<0.200	0.165	<0.100
	06/22/05	-	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	0.264	<0.100	<0.100	<0.100	<0.100
	09/22/05	-	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.198	<0.0990	0.172	<0.0990	<0.0990	<0.0990	<0.0990

COPPOR0007544

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Number of benzene rings		2-Methyl-naphthalene 2	Acenaphthene 2	Acenaphthylene 2	Anthracene 3	Benzo (a) anthracene 4	Benzo (a) pyrene 5	Benzo (b) fluoranthene 4	Benzo (g,h,i) perylene 5	Benzo (k) fluoranthene 4	Chrysene 4	Dibenzo (a,h) anthracene 5	Fluoranthene 3	Fluorene 2	Indeno (1,2,3-cd) pyrene 5	Naphthalene 2	Phenanthrene 3	Pyrene 4
Well Identification	Date Sampled	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
KINDER MORGAN		-																
MW-8	02/16/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.66	ND	ND
	05/31/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/24/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.53	ND	ND
	12/01/00	-	0.240	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.680	0.140	0.160
	02/22/01	-	0.221	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.104	ND
	05/16/01	-	0.149	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
dup	05/16/01	-	0.128	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/21/01	-	0.160	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.260	0.100	ND
	03/14/02	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
dup	03/14/02	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/27/02	-	0.148	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/18/03	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
dup	03/18/03	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/24/03	-	0.181	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/30/04	-	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100
	09/27/04	-	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.350	<0.100	<0.100
dup	09/27/04	-	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.300	<0.100	<0.100
	03/29/05	-	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
	09/21/05	-	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204
	03/15/06	-	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.155	<0.0194	<0.0194
dup	03/15/06	-	0.0260	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.125	<0.0192	<0.0192
	09/26/06	-	0.147	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.600[6]	0.0601	0.0326
	03/22/07	-	0.0292	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.314[6]	<0.0196	<0.0196
	09/20/07	<0.0100	0.0625	<0.0150[6]	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<1.55[6]	0.0153	<0.0200[6]
dup	09/20/07	<0.0100	0.0662	<0.0150[6]	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<1.05[6]	0.0143	<0.0150[6]
MW-10	02/16/00	-	0.113	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0759	0.0845
	05/31/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/24/00	-	0.119	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/01/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.180	ND	ND
	02/22/01	-	0.134	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/16/01	-	0.104	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

COPPOR0007545

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	2-Methyl-naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
MW-11	02/16/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.66	ND	410	ND	ND
	05/31/00	-	ND	ND	0.159	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	555	0.256	ND
	08/24/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	451	ND	ND
	12/01/00	-	0.200	0.120	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.300	ND	ND	0.160	ND
	02/22/01	-	0.247	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	411	0.184	ND
	05/16/01	-	0.117	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.185	ND	572	0.108	ND
MW-13	02/16/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/31/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/24/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/01/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
dup	12/01/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02/22/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/16/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-15	02/17/00	-	0.118	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0743	ND	ND	ND	ND
	05/30/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/24/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/01/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02/22/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/16/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-21	02/17/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/30/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/23/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/01/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02/22/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/16/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

COPPOR00007546

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	2-Methyl-naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
MW-22	02/17/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.23	ND	356	1.09	ND
	05/30/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	345	ND	ND
	08/23/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	386	ND	ND
	12/01/00	-	0.300	0.160	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.500	ND	ND	0.400	ND
	02/21/01	-	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	05/16/01	-	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
MW-23	02/17/00	-	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	05/30/00	-	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	08/23/00	-	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	12/01/00	-	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	02/22/01	-	2.31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.12	ND	35.0	3.27	ND
	05/16/01	-	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
MW-25	09/21/01	-	0.240	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.120	ND	ND
	03/14/02	-	0.172	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/27/02	-	0.194	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.101
	03/18/03	-	0.163	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/24/03	-	0.289	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/30/04	-	0.233	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.350	<0.100	<0.100
	09/27/04	-	0.384	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.500	<0.100	<0.100
	03/28/05	-	0.177	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.250	<0.100	<0.100
	09/21/05	-	0.205	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	0.0344	0.0401
	03/15/06	-	0.112	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.135	<0.0192	0.0255
	09/26/06	-	0.190	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.184[6]	<0.0306[6]	0.0633
	03/22/07	-	0.175	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.382[6]	<0.0294[6]	0.0537
	09/20/07	<0.0150	0.224	<0.0150	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.400[6]	0.0338	0.0577

COPPOR0000754?

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	2-Methyl-naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
MW-26	02/17/00	-	2.05	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.19	1.7	ND	2.69	2.27	1.05
dup	02/17/00	-	1.78	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.99	1.43	ND	2.24	1.74	0.714
	05/30/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.84	ND	ND	1.84	ND
	08/23/00	-	2.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.23	1.92	ND	ND	2.39	ND
dup	08/23/00	-	2.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.12	1.98	ND	ND	2.63	ND
	12/01/00	-	0.840	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.580	0.320	ND	0.380	ND	0.360
	02/21/01	-	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	05/17/01	-	1.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.40	ND	ND	1.88	ND
	09/18/01	-	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	03/13/02	-	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	09/27/02	-	1.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.510	1.43	ND	ND	2.36	ND
	03/18/03	-	1.07	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.641	0.974	ND	7.16	1.51	ND
	09/24/03	-	1.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.596	1.61	ND	ND	2.3	ND
	03/30/04	-	1.33	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.400	<0.200	1.52	<0.200	<3.80	0.357	0.219
	09/27/04	-	2.33	<0.200	0.277	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.400	0.985	2.07	<0.200	<2.00	2.01	0.664
	03/28/05	-	2.02	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<1.00	1.26	1.63	<0.500	<1.62	2.51	0.924
	09/21/05	-	1.32	<0.200	0.165	0.0459	<0.0400	0.0560	<0.0400	<0.0400	0.0875	<0.0400	0.521	0.867	<0.0400	<0.980	1.46	0.396
	03/15/06	-	1.01	<0.192	<0.192	<0.192	<0.192	<0.192	<0.192	<0.192	<0.192	<0.192	0.225	0.883	<0.192	<3.75	0.538	<0.192
	09/26/06	-	1.63	<0.202	<0.202	<0.202	<0.202	<0.202	<0.202	<0.202	<0.202	<0.202	0.243	1.24	<0.202	<1.21[5]	1.46	<0.202
dup	09/26/06	-	1.61	<0.0750[6]	0.100	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	0.226	1.17	<0.0500	<1.18[5,7]	1.60	0.151
	03/22/07	-	0.431	<0.0980	<0.0980	<0.0980	<0.0980	<0.0980	<0.0980	<0.0980	<0.0980	<0.0980	0.133	0.372	<0.0980	<1.96[5]	0.331	<0.0980
	09/20/07	<0.0500[9]	0.602	<0.0300[6]	0.0440	0.0125	<0.0100	<0.0100	0.0114[4]	<0.0100	0.0196	<0.0100	0.390	0.477	<0.0100	<1.25[5]	0.0903	0.334

COPPOR00007548

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	2-Methyl-naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
MW-28	02/16/00	-	2.68	ND	ND	ND	ND	ND	ND	ND	1.00	ND	0.792	6.69	ND	ND	8.54	2.71
	05/30/00	-	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	08/24/00	-	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	12/01/00	-	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	02/21/01	-	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	05/16/01	-	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
MW-31	02/16/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.988	ND	ND	0.457	0.0887
	05/30/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/23/00	-	0.243	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.666	ND	ND	0.463	ND
	12/01/00	-	0.100	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.300	ND	ND	ND	ND
	02/22/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.568	ND	ND	0.363	ND
	05/17/01	-	0.206	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.597	ND	ND	0.352	ND
MW-32	02/16/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/30/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/23/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	12/01/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.12	ND	ND
	02/22/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/16/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

COPPOR00007549

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	2-Methyl-naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
MW-33	02/16/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/30/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/24/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/30/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02/22/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.222	ND	ND
dup	02/22/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.161	ND	ND
	05/16/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/21/01	-	0.340	ND	ND	0.100	ND	0.220	0.140	0.120	0.200	ND	0.180	ND	0.120	0.160	ND	0.160
	03/14/02	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/27/02	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/18/03	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/24/03	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/29/04	-	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	0.0209
	09/27/04	-	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
	03/29/05	-	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
	09/21/05	-	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0396	<0.0198	0.0321
dup	09/21/05	-	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	0.0384
	03/15/06	-	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200
	09/27/06	-	<0.00990	<0.00990	<0.00990	<0.00815	<0.00495	0.00540	<0.00990	0.00659	<0.00718	<0.00495	<0.00990	<0.00990	<0.00510	0.0468[4,5]	<0.00990	0.0189
	03/22/07	-	<0.00976	<0.00976	<0.00976	<0.00488	<0.00488	<0.00488	<0.00976	<0.00488	<0.00488	<0.00488	<0.00976	<0.00976	<0.00488	0.0146	<0.00976	0.0193
dup	03/22/07	-	<0.00971	<0.00971	<0.00971	<0.00485	<0.00485	<0.00485	<0.00971	<0.00485	<0.00485	<0.00485	<0.00971	<0.00971	<0.00485	0.0145	<0.00971	0.0157
	09/18/07	<0.0976	<0.0976	<0.0976	<0.0976	<0.00488	<0.00488	<0.00488	<0.0976	<0.00488	<0.00488	<0.00488	<0.0976	<0.0976	<0.00488	<0.0976	<0.0976	<0.0976
MW-34	09/21/01	-	0.280	ND	ND	ND	ND	ND	0.100	ND	ND	ND	ND	ND	0.120	0.120	ND	ND
	03/14/02	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/27/02	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/18/03	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/24/03	-	0.151	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/29/04	-	0.0524	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0600	<0.0200	<0.0200
	09/27/04	-	0.135	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.150	<0.100	<0.100
dup	03/29/05	-	<0.111	<0.111	<0.111	<0.111	<0.111	<0.111	<0.111	<0.111	<0.111	<0.222	<0.111	<0.111	<0.111	<0.111	<0.111	<0.111
	03/29/05	-	0.129	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
	09/21/05	-	0.332	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0297	<0.0198	<0.218	<0.0198	<0.0222
	03/15/06	-	0.118	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0990	<0.0198	<0.0198
	09/27/06	-	<0.00990	<0.00990	<0.00990	<0.00815	<0.00495	0.00540	<0.00990	0.00659	<0.00718	<0.00495	<0.00990	<0.00990	<0.00510	0.0468[4,5]	<0.00990	0.0189
	03/22/07	-	0.0215	<0.00985	<0.00985	<0.00493	<0.00493	<0.00493	<0.00985	<0.00493	<0.00493	<0.00493	<0.00985	<0.00985	<0.00493	<0.0591[6]	<0.00985	<0.00985
	09/18/07	<0.0971	0.375	<0.0971	<0.0971	<0.00485	<0.00485	<0.00485	<0.0971	<0.00485	<0.00485	<0.00485	<0.0971	<0.0971	<0.00485	<0.971[6]	<0.0971	<0.0971

COPPOR00007550

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	2-Methyl-naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
MW-36	02/16/00	-	0.143	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/31/00	-	0.228	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/24/00	-	0.269	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/30/00	-	0.420	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.180	ND	ND
	02/21/01	-	0.304	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/16/01	-	0.247	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/21/01	-	0.240	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.140	ND	ND
	03/13/02	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/18/03	-	0.178	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/24/03	-	0.307	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/29/04	-	0.246	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.200	0.0525	0.0487
	09/27/04	-	0.710	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.150	<0.100	<1.00	<0.100	<0.100
	09/21/05	-	0.382	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0300	<0.0200	<0.0200	<0.0200	0.0574	0.0616
	03/15/06	-	0.0302	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0388	<0.0194	0.0226
	09/27/06	-	0.606	<0.0200[6]	<0.0200[6]	<0.00500	<0.00500	<0.00500	<0.0100	<0.00500	<0.00500	<0.00500	<0.0100	<0.0200[6]	<0.00500	<0.400[6,7]	0.103	0.121
dup	09/27/06	-	0.528	<0.0199[6]	<0.0249[6]	0.00544	<0.00498	<0.00498	<0.00995	0.00498	0.00527	<0.00522	<0.00995	<0.0149[6]	<0.00559	<0.279[6,7]	0.104	0.109
	03/22/07	-	0.289	<0.0146[6]	<0.00971	<0.00485	<0.00485	<0.00485	<0.00971	<0.00485	<0.00485	<0.00485	<0.00971	<0.00971	<0.00485	<0.320[6]	0.0513	0.0478
	09/18/07	<0.0995	0.564	<0.0995	<0.0995	<0.00498	<0.00498	<0.00498	<0.0995	<0.00498	<0.00498	<0.00498	<0.0995	<0.0995	<0.00498	<0.896[6]	<0.0995	0.148
dup	09/18/07	<0.0980	0.552	<0.0980	<0.0980	<0.00490	<0.00490	<0.00490	<0.0980	<0.00490	<0.00490	<0.00490	<0.0980	<0.0980	<0.00490	<0.882[6]	0.110	0.151
MW-37	02/16/00	-	1.56	ND	0.0882	0.0584	0.0773	0.0564	ND	ND	583	ND	0.168	3.02	ND	ND	0.805	0.214
	05/30/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.126	ND	ND	ND	0.451	0.153
	08/24/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.25	ND	ND	ND	ND
	11/30/00	-	0.680	0.180	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.600	ND	0.660	0.200	0.120
	02/21/01	-	0.183	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.228	ND	ND	ND	ND
	02/21/01[1]	-	0.588	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.513	ND	ND	0.207	ND
	05/16/01	-	0.401	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.327	ND	ND	0.146	ND
	09/21/01	-	0.140	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.280	0.120	ND
	03/13/02	-	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	09/27/02	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.499	ND	ND	0.166	0.122
dup	09/27/02	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.147	ND
	03/18/03	-	0.435	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.731	ND	ND	ND	ND
	09/27/04	-	<1.00	<1.00	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	0.122	<1.00	<0.100	<1.00	0.184	0.251
	03/29/05	-	2.39	<0.250	0.344	<0.200	<0.200	<0.200	<0.200	<0.200	0.241	<0.400	1.39	1.93	<0.200	<2.00	2.86	1.05
	09/21/05	-	0.77	<0.350	<0.100	<0.100	<0.100	<0.100	0.110	<0.100	<0.100	<0.100	<0.100	0.478	<0.100	<1.90	<0.100	0.131
	03/15/06	-	0.737	<0.433	<0.0962	<0.0962	0.150	<0.0962	0.319	<0.0962	<0.0962	<0.0962	<0.0962	1.18	0.214	<1.49	0.160	0.119
	09/27/06	-	0.653	<0.250[6]	<0.0400[6]	0.0212	0.0486	0.0326	0.0717	0.0314	0.0286	0.0120	0.0562	0.342	0.0456	<1.20[6,7]	0.135	0.123
	03/22/07	-	0.579	<0.194[6]	<0.0971[6]	0.0183	0.0330	0.0190	0.0389	0.0230	0.0270	0.00858	<0.0971[6]	0.820	0.0315	<2.14[6]	<0.0971[6]	0.133
	09/18/07	<0.388[6]	<0.971[6]	<0.971[6]	<0.0971	0.0132	0.0297	<0.0194[6]	<0.388[6]	<0.0194[6]	0.0167	<0.0194[6]	<0.0971	<0.971[6]	0.0334	<3.11[6]	<0.971[6]	0.120

COPPOR0007551

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	2-Methyl-naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
MW-39	09/27/04	-	4.30	<0.100	0.159	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	0.338	1.23	<0.100	<1.60	1.16	0.348
	09/21/05	-	2.33	<0.200	0.0920	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	0.211	0.826	<0.0200	<0.900	0.802	0.239
MW-40	02/16/00	-	0.0972	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/30/00	-	0.124	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/24/00	-	0.141	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/30/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02/21/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/16/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/21/01	-	ND	ND	ND	ND	ND	ND	0.120	ND	ND	0.100	0.380	ND	0.140	ND	0.120	0.240
	03/13/02	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/27/02	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/18/03	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/24/03	-	0.109	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
dup	09/24/03	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/29/04	-	0.0609	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0900	<0.0300	<0.0200
dup	03/29/04	-	0.0588	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0900	0.0268	<0.0200
	09/27/04	-	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
	03/29/05	-	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
	09/21/05	-	0.0732	<0.0190	<0.0190	<0.0190	<0.0190	<0.0190	<0.0190	<0.0190	<0.0190	<0.0190	<0.0190	<0.0190	<0.0190	0.105	0.0381	<0.0190
	03/15/06	-	0.0716	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0769	0.0297	<0.0192
	03/22/07	-	0.0655	<0.00971	<0.00971	<0.00485	<0.00485	<0.00485	<0.00971	<0.00485	<0.00485	<0.00485	<0.00971	<0.00971	<0.00485	<0.126[6]	0.0259	0.0114
	09/18/07	<0.0990	<0.0990	<0.0990	<0.0990	<0.00495	<0.00495	<0.00485	<0.0990	<0.00495	<0.00495	<0.00495	<0.0990	<0.0990	<0.00495	<0.297[6]	<0.0990	<0.0990

COPPOR0007552

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	2-Methyl-naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
CONOCOPHILLIPS																		
B-4	02/17/00	-	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	05/26/00	-	13.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.19	17.3	ND	ND	28.4	2.24
dup	05/26/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.2	ND	ND	ND	20.9	1.72
	08/28/00	-	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	11/29/00	-	2.50	ND	0.620	0.140	ND	ND	ND	ND	ND	ND	1.60	2.54	ND	8.80	4.72	1.24
	02/20/01	-	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	09/18/01	-	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	03/13/02	-	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	09/26/02	-	2.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.889	3.42	ND	ND	4.26	0.859
	03/17/03	-	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	09/25/03	-	2.79	ND	0.857	ND	ND	ND	ND	ND	ND	ND	1.24	5.10	ND	ND	6.24	1.23
	09/26/06	-	2.75	<0.300[6]	0.670	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	1.00	2.86	<0.200	<1.90[6]	3.68	1.00
	03/21/07	-	2.39	<0.680	<2.04	<0.0971	<0.0971	<0.0971	<0.0971	<0.0971	0.103	<0.0971	0.420	8.07	<0.0971	<5.34	11.0	1.01
	09/20/07	<0.0500[6]	1.73	<0.125[6]	0.318	0.0232	<0.0100	<0.0100	0.0122[4]	<0.0100	0.0198	<0.0100	0.512	2.55	<0.100	<2.75[6]	2.21	0.523
B-17	02/17/00	-	2.28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.42	ND	ND	4.25	ND
	05/26/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.1	ND	ND	5.33	ND
	08/28/00	-	2.92	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.5	ND	ND	7.10	
	11/29/00	-	1.72	0.340	0.180	ND	ND	ND	ND	ND	ND	ND	0.320	5.50	ND	0.880	4.96	0.260
	02/23/01	-	2.36	ND	0.139	ND	ND	ND	ND	ND	ND	ND	ND	8.20	ND	ND	2.93	ND
dup	02/23/01	-	2.52	ND	0.236	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.372	ND	3.84	ND
	05/17/01	-	2.19	ND	0.294	ND	ND	ND	ND	ND	ND	ND	ND	7.83	ND	ND	4.24	ND
dup	05/17/01	-	2.19	ND	0.265	ND	ND	ND	ND	ND	ND	ND	ND	8.25	ND	ND	4.14	ND
B-18	02/17/00	-	1.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.39	ND	ND	1.83	ND
	05/26/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/28/00	-	1.28	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.84	ND	ND	1.17	ND
	11/29/00	-	0.220	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.440	ND	ND	0.220	ND
	02/23/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.11	ND	ND	ND	ND
	05/17/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.529	ND	ND	ND	ND
B-22	02/17/00	-	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	05/26/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	15.4	ND	ND	21.5	ND
	08/28/00	-	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	11/29/00	-	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	02/20/01	-	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	05/17/01	-	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F

COPPOR00007553

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	2-Methyl-naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
B-35	02/17/00	-	11	ND	5.15	1.19	ND	ND	ND	ND	1.1	ND	8.29	30	ND	ND	35.8	4.33
	05/26/00	-	ND	ND	2.61	ND	ND	ND	ND	ND	ND	ND	2.93	22.5	ND	ND	20.7	1.73
	08/28/00	-	6.77	ND	0.807	0.123	ND	ND	ND	ND	0.127	ND	1.12	13.7	ND	ND	8.35	0.584
	11/29/00	-	2.84	0.360	0.520	0.240	ND	ND	ND	ND	0.200	ND	1.46	6.30	ND	1.22	7.16	0.760
	02/23/01	-	8.44	ND	ND	0.304	ND	0.102	ND	ND	0.330	ND	ND	16.2	ND	ND	17.3	1.15
	05/17/01	-	4.34	ND	0.493	0.103	ND	ND	ND	ND	0.106	ND	0.692	11.3	ND	ND	5.50	0.425
	09/20/01	-	2.92	0.360	0.680	0.200	ND	0.120	ND	ND	0.200	ND	1.20	6.74	ND	1.00	10.0	0.700
	03/14/02	-	3.02	ND	0.620	ND	ND	ND	ND	ND	ND	ND	0.844	7.62	ND	ND	6.78	0.468
	09/26/02	-	4.76	ND	0.740	0.109	ND	ND	ND	ND	ND	ND	1.00	11.6	ND	ND	9.41	0.570
	03/18/03	-	3.46	ND	0.493	ND	ND	ND	ND	ND	ND	ND	0.578	14.3	ND	ND	7.51	0.434
	09/25/03	-	5.36	ND	0.779	ND	ND	ND	ND	ND	ND	ND	0.884	10.2	ND	ND	8.86	0.399
	03/30/04	-	3.52	<0.200	0.456	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	0.419	7.21	<0.200	<2.10	5.18	0.274
	09/28/04	-	5.25	<0.200	0.579	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.400	0.662	9.23	<0.200	<2.70	6.80	0.455
	03/28/05	-	<7.25	<1.00	1.13	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<2.00	2.12	15.6	<1.00	<3.50	14.7	1.24
	09/20/05	-	7.51	<0.400	2.37	0.792	<0.400	<0.400	<0.400	<0.400	0.797	<0.400	5.150	16.900	<0.400	<3.60	24.9	3.23
	03/14/06	-	4.63	<0.495	0.438	0.107	0.0259	0.0402	<0.0198	0.0201	0.0972	<0.0198	0.419	8.83	<0.0198	<2.23	7.60	0.496
	09/26/06	-	5.99	<0.619[6]	0.609	<0.206	<0.206	<0.206	<0.206	<0.206	<0.206	<0.206	1.03	11.2	<0.206	<2.27[6]	9.46	0.644
	03/20/07	-	9.21	<1.26	2.21	0.549	0.113	0.133	<0.0971	0.123	0.587	<0.0971	3.04	21.7	<0.0971	<7.28	20.8	2.96
	09/20/07	<0.750[6]	7.05	<1.00[6]	0.540	0.086	<0.0500	<0.0500	<0.0500	<0.0500	0.0960	<0.0500	1.03	13.5	<0.0500	<6.00	10.2[6]	0.616
B-36	02/17/00	-	0.251	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.537	ND	ND	ND	ND
	05/26/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/28/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/29/00	-	0.720	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.34	ND	0.520	0.180	ND
	02/23/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/17/01	-	0.642	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.91	ND	ND	ND	ND
	09/20/01	-	0.360	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.920	ND	0.320	0.200	ND
dup	09/20/01	-	0.320	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.880	ND	0.300	0.100	ND
	03/14/02	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.262	ND	ND	ND	ND
	09/26/02	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.26	ND	ND	ND	ND
	03/18/03	-	0.240	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.811	ND	ND	ND	ND
	09/25/03	-	0.584	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.22	ND	ND	ND	ND
	03/30/04	-	3.91	<0.200	0.490	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	0.429	6.79	<0.200	<2.10	5.07	0.268
	09/28/04	-	0.653	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	1.51	<0.100	<1.60	<0.100	<0.100
dup	09/28/04	-	0.723	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	1.24	<0.100	<1.35	<0.100	<0.150
	03/28/05	-	0.728	<0.175	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	1.60	<0.100	<1.25	<0.125	<0.100
	09/20/05	-	0.274	<0.0200	<0.0300	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	0.606	<0.0200	<0.610	<0.0200	0.0285
	03/14/06	-	0.0866	<0.0288	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	0.259	<0.0192	<0.462	<0.0192	<0.0288
	09/26/06	-	0.706	<0.198[6]	<0.0495[6]	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	1.58	<0.0198	<1.98[6]	<0.0495[6]	<0.0693[6]
	03/20/07	-	<0.245	<0.0686	<0.0686	<0.0392	<0.0196	<0.0196	0.0255	<0.0196	<0.0392	<0.0196	<0.0686	0.724	<0.0196	<1.18	<0.0490	<0.196
	09/20/07	<0.125[6]	0.911	<0.250[6]	<0.250[6]	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.250[6]	2.24	<0.0500	<4.25[6]	<0.250[6]	<0.250[6]

COPPOR0007554

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Number of benzene rings		2-Methyl-naphthalene 2	Acenaphthene 2	Acenaphthylene 2	Anthracene 3	Benzo (a) anthracene 4	Benzo (a) pyrene 5	Benzo (b) fluoranthene 4	Benzo (g,h,i) perylene 5	Benzo (k) fluoranthene 4	Chrysene 4	Dibenzo (a,h) anthracene 5	Fluoranthene 3	Fluorene 2	Indeno (1,2,3-cd) pyrene 5	Naphthalene 2	Phenanthrene 3	Pyrene 4
Well Identification	Date Sampled	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
B-37	02/17/00	-	0.0698	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0547
dup	02/17/00	-	0.0683	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0731
	05/26/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	08/28/00	-	0.124	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	11/29/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02/23/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.128	ND
	05/17/01	-	0.110	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/14/02	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/26/02	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/18/03	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
dup	03/18/03	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/25/03	-	0.120	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
dup	09/25/03	-	0.113	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.118	ND
	03/31/04	-	0.0737	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.320	<0.0300	0.0431
	09/28/04	-	0.142	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.300	<0.100	<0.100
	03/28/05	-	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.225	<0.100	<0.100
	09/20/05	-	0.347	<0.0303	<0.0303	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.222	<0.0707	0.0454
	03/14/06	-	0.0725	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.277	<0.0198	<0.0396
dup	03/14/06	-	<0.0891	<0.0198	0.0217	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	0.0217	<0.0198	<0.0198	<0.0198	<0.0198	<0.277	0.0813	0.0591
	09/26/06	-	0.270	<0.0392[6]	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.225[6]	0.0214	0.0208
	03/20/07	-	0.186	<0.0288	0.0199	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.962	0.0517	0.0636
	09/20/07	<0.0150[6]	0.208	<0.0300[6]	<0.0500[6]	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0500[6]	<0.0400[6]	<0.0100	<0.550[6]	0.0826	0.0789
B-40	02/17/00	-	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	05/26/00	-	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	08/28/00	-	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	11/29/00	-	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	02/20/01	-	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	05/17/01	-	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	09/26/06[8]	-	8.45	<1.75[6]	1.39	0.189	0.0804	<0.100[6]	<0.500	<0.100[6]	0.337	<0.0500	<0.500	9.08	<0.0500	<213[6]	13.8	1.42
	03/20/07	-	26.0	<9.95	<9.95	2.01	0.749	<0.498	<4.98	<0.498	3.86	0.298	<4.98	40.5	0.167	389	87.0	16.6
	09/20/07	260	5.71	<1.75[6]	<2.00[6]	<0.500	<0.500	<0.500	<0.500[4]	<0.500	0.507	<0.500	<0.500	6.97	<0.500	141	12.7	1.90

COPPOR00007555

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	2-Methyl-naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
P-1	03/18/03	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/31/04	-	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	0.0405
	09/26/06	-	0.0137	<0.0102	<0.0102	<0.00508	<0.00508	<0.00508	<0.0102	<0.00508	0.00513	<0.00508	<0.0102	0.0225	<0.00508	<0.0457[6,7]	0.0468	0.0195
	03/20/07	-	<0.00976	<0.00976	<0.00976	<0.00488	<0.00488	<0.00488	<0.00976	<0.00488	<0.00488	<0.00488	<0.00976	<0.00976	<0.00488	<0.0341	0.0139	0.0134
P-2	03/17/03	-	2.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	9.62	ND	ND	2.05	ND
	9/25/03[2]	-	1.93	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.85	ND	ND	4.23	ND
	03/30/04	-	1.97	<0.200	<0.300	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	7.66	<0.200	<1.70	3.28	<0.200
	09/28/04	-	2.28	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.400	<0.200	8.23	<0.200	<1.40	3.56	<0.200
	03/28/05	-	2.62	<0.600	<0.400	<0.400	<0.400	<0.400	<0.400	<0.400	<0.400	<0.800	<0.400	8.77	<0.400	<1.60	3.48	<0.400
	03/14/06	-	3.45	<0.777	<0.777	<0.0388	<0.0388	<0.0388	<0.0388	<0.0388	<0.0388	<0.0388	<0.777	12.1	<0.0388	<1.94	4.17	<0.0583
U-2	02/17/00	-	0.140	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.683	0.224	ND	ND	0.104	0.0856
	05/26/00	-	0.119	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.239	ND	ND	0.122	ND
	08/28/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.73	ND	ND	ND	ND
	11/29/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	02/23/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	05/17/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/20/01	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/14/02	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/26/02	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/18/03	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	09/25/03	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/31/04	-	0.166	<0.0200	0.0201	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.100	0.237	<0.0200	<1.12	0.0680	0.0787
	09/28/04	-	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.150	<0.100	<0.100
	03/28/05	-	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
	09/20/05	-	0.0232	<0.0196	0.0308	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	0.0197	0.0283	<0.0196	<0.118	0.0318	0.0292
	03/14/06	-	0.352	<0.106	0.0232	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	<0.0192	0.0392	0.454	<0.0192	<4.71	0.135	0.0798
	09/27/06	-	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.168[6]	<0.0198	0.0414
	03/21/07	-	0.135	<0.0291	0.0310	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	0.0447	0.451	<0.0194	<2.43	0.163	0.0874
	09/19/07	<0.0985	<0.0985	<0.0985	<0.0985	<0.00493	<0.00493	<0.00493	<0.0985	<0.00493	0.00585	<0.00493	<0.0985	<0.0985	<0.00493	<0.0985	<0.0985	<0.0985
U-3	02/17/00	-	0.142	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.17	ND	ND	0.066	ND
	05/26/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.119	ND	ND	ND	ND
	08/28/00	-	0.145	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.163	ND	ND	ND	ND
	11/29/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.120	ND	0.160	ND	ND
dup	11/29/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.120	ND	ND
	02/23/01	-	0.117	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.152	ND	ND	ND	ND
	05/17/01	-	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.134	ND	ND	ND	ND

COPPOR00007556

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	2-Methyl-naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
U-4	02/16/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.92	ND	ND	7.42	ND
	05/26/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.44	ND	ND	7.11	ND
	08/28/00	-	5.05	ND	1.32	ND	ND	ND	ND	ND	ND	ND	ND	11.6	ND	ND	12.4	1.17
dup	08/28/00	-	4.47	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.367	10.4	ND	ND	6.48	0.544
	11/29/00	-	1.66	ND	0.660	ND	ND	ND	ND	ND	ND	ND	0.220	3.38	ND	0.760	1.92	0.340
	02/23/01	-	13.0	ND	4.14	ND	ND	ND	ND	ND	0.727	ND	ND	31.6	ND	ND	40.6	4.08
	05/17/01	-	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	09/18/01	-	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	03/13/02	-	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S
	09/26/02	-	2.88	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.60	ND	ND	8.14	0.571
dup	09/26/02	-	3.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.72	ND	ND	9.70	0.842
	03/17/03	-	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	09/27/06	-	2.13	<0.990[5]	0.443	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	<0.0990	0.113	5.81	<0.0990	<2.97[5]	4.59	0.351
	03/21/07	-	2.92	<0.980	<1.96	<0.0980	<0.0980	<0.0980	<0.0980	<0.0980	0.104	<0.0980	0.263	11.2	<0.0980	<4.51	6.69	1.06
	09/19/07	<0.493	1.75	<0.985[5]	<0.985[5]	<0.0246	<0.0246	<0.0246	<0.493	<0.0246	0.0255	<0.0246	<0.493	6.00	<0.0246	<4.43[5]	2.92	<0.493
U-5	02/17/00	-	1.19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.63	ND	ND	1.42	0.0674
	05/26/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.04	ND
	08/28/00	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.52	ND	ND	2.29	ND
	11/29/00	-	0.800	0.100	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.02	ND	2.60	1.06	ND
	02/23/01	-	ND	ND	0.124	ND	ND	ND	ND	ND	ND	ND	ND	3.28	ND	ND	1.64	ND
	05/17/01	-	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	09/18/01	-	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	09/26/02	-	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F
	03/18/03	-	ND	ND	ND	1.08	ND	ND	2.54	ND	1.89	ND	ND	36.0	ND	ND	55.0	11.3
	09/25/03	-	5.52	ND	1.13	ND	ND	ND	ND	ND	ND	ND	ND	9.61	ND	4.71	10.7	1.31
	03/31/04	-	3.15	<0.400	0.921	<0.400	<0.400	<0.400	<0.400	<0.400	<0.400	<0.400	<0.400	5.18	<0.400	<2.50	5.49	1.06
	09/28/04	-	4.54	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<1.00	<0.500	6.51	<0.500	<3.25	5.66	<0.500
	03/28/05	-	4.25	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<2.00	<1.00	6.87	<1.00	<2.50	7.64	<1.00
	09/20/05	-	3.69	<0.192	0.545	<0.192	<0.192	<0.192	<0.192	<0.192	<0.192	<0.192	<0.192	5.80	<0.192	<2.31	6.37	0.443
	03/14/06	-	3.50	<0.784	<0.490	<0.196	<0.196	<0.196	<0.196	<0.196	<0.196	<0.196	<0.196	5.78	<0.196	<3.04	6.09	0.374
	09/26/06[5]	-	204	<72.8[5]	108	9.40	5.79	<6.07[5]	28.3	<7.28[5]	23.3	3.69	27.6	374	2.33	<121[5,7]	996	119
	03/20/07	-	4.58	<1.17	<2.14	0.189	0.0981	<0.0971	0.420	<0.0971	0.403	0.0577	<0.388	12.5	0.0459	<5.44	11.6	2.56
	09/20/07	19.2	12.4	<5.00[5]	<15.0[5]	0.548	<0.500	<0.500	1.20[9]	<0.500	0.999	<0.500	<5.00[5]	19.9	<0.500	<12.0[5]	37.6	8.00

COPPOR00007557

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Number of benzene rings		2-Methyl-naphthalene 2	Acenaphthene 2	Acenaphthylene 2	Anthracene 3	Benzo (a) anthracene 4	Benzo (a) pyrene 5	Benzo (b) fluoranthene 4	Benzo (g,h,i) perylene 5	Benzo (k) fluoranthene 4	Chrysene 4	Dibenzo (a,h) anthracene 5	Fluoranthene 3	Fluorene 2	Indeno (1,2,3-cd) pyrene 5	Naphthalene 2	Phenanthrene 3	Pyrene 4
Well Identification	Date Sampled	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
U-10	03/18/03	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.345	ND	ND
	09/25/03	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	03/30/04	-	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	0.0302	<0.0200	<0.0200
	09/28/04	-	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
	03/28/05	-	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100
	09/20/05	-	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0198	<0.0297	<0.0198	<0.0198
	03/14/06	-	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0291	<0.0194	<0.0291
U-11	03/18/03	-	0.711	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.44	ND	ND	0.951	ND
	09/25/03	-	1.45	ND	0.229	ND	ND	ND	ND	ND	ND	ND	ND	0.391	4.69	ND	ND	3.25	0.396
	03/30/04	-	1.73	<0.200	0.395	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	0.610	5.29	<0.200	<2.60	4.32	0.821
	09/28/04	-	<0.171	<0.114	<0.171	<0.114	<0.114	<0.114	<0.114	<0.114	0.114	<0.229	<0.286	<0.343	<0.114	<0.343	<0.343	0.341
	03/28/05	-	1.74	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<2.00	<1.00	5.56	<1.00	<2.00	4.14	<1.00
	09/20/05	-	1.39	<0.102	0.296	0.200	<0.102	<0.102	<0.102	<0.102	0.175	<0.102	0.608	3.19	<0.102	<1.68	3.30	0.830
	03/14/06	-	1.78	<0.481	0.579	0.281	<0.192	<0.192	<0.192	<0.192	0.238	<0.192	0.926	4.54	<0.192	<2.64	4.10	1.59
U-12	03/18/03	-	1.72	ND	0.308	ND	ND	ND	ND	ND	ND	ND	0.384	7.94	ND	ND	3.91	0.541
	09/25/03	-	0.277	ND	0.138	ND	ND	ND	ND	ND	ND	ND	ND	1.25	ND	0.231	1.59	ND
	03/30/04	-	0.151	<0.0400	<0.0600	<0.0400	<0.0400	<0.0400	<0.0400	<0.0400	<0.0400	<0.0400	<0.0400	0.621	<0.0400	<0.320	0.238	0.0434
	09/28/04	-	1.21	<0.100	0.304	0.193	<0.100	<0.100	<0.100	<0.100	0.153	<0.200	0.616	2.56	<0.100	<1.20	2.56	0.832
	03/28/05	-	<0.325	<0.275	<0.225	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.200	<0.100	1.00	<0.100	<0.275	0.615	<0.100
	09/20/05	-	<0.0816	<0.0408	<0.0408	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	<0.0204	0.313	<0.0204	<0.153	<0.0714	0.0344
	04/06/06[3]	-	0.502	<0.410	0.256	<0.0190	<0.0190	<0.0190	<0.0190	<0.0190	<0.0190	0.0425	<0.0190	0.0749	1.15	<0.0190	<0.524	2.20	0.0762
U-14	09/27/06	-	0.329	<0.202[6]	<0.0303[6]	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	0.0242	0.750	<0.0202	<4.14[6]	0.189	0.0400
	03/21/07	-	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	<0.0194	0.0284	<0.0194	<0.369	0.0292	<0.0194
	09/19/07	<0.498[6]	<0.498[6]	<0.498[6]	<0.0995	0.00719	<0.00498	<0.00498	<0.0995	<0.00498	0.0114	<0.00498	<0.0995	1.58	<0.00498	<2.49[6]	<0.0995	<0.0995
U-15	09/27/06	-	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0784[6]	<0.0196	0.0261
	03/21/07	-	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	<0.0196	0.0211	<0.0196	<0.123	<0.0196	<0.0196
	09/19/07	<0.0990	<0.0990	<0.0990	<0.0990	0.00654	0.00874	0.00875	<0.0990	0.00808	0.00725	<0.00495	<0.0990	<0.0990	0.00785	<0.0990	<0.0990	<0.0990
U-16	09/27/06	-	0.577	<0.303	<0.202	<0.202	<0.202	<0.202	<0.202	<0.202	<0.202	<0.202	<0.202	1.14	<0.202	<1.92[6]	0.655	<0.202
	03/21/07	-	<0.583	<0.233	<0.311	<0.0777	<0.0777	<0.0777	<0.0777	<0.0777	0.0979	<0.0777	0.107	1.50	<0.0777	<1.71	0.824	0.339
	09/19/07	<0.498[6]	0.449	<0.398[6]	<0.398[6]	0.0264	0.0106	<0.00995	<0.199	<0.00995	0.0404	<0.00995	<0.199	1.93	<0.00995	<3.48[6]	0.364	0.351
U-17	09/27/06	-	<0.404[4]	<0.404[4]	<0.404[6]	0.0241	<0.0202	<0.0202	<0.0202	<0.0202	<0.0202	0.0221	<0.0202	<0.0202	0.698	<0.0202	<1.62[6]	0.406	0.124
	03/21/07	-	<0.713	<0.238	0.113	<0.0792	<0.0792	<0.0792	<0.0792	<0.0792	<0.0792	<0.0792	<0.0792	0.135	1.15	<0.0792	<3.72	1.57	0.327
	09/19/07	<0.490[6]	<0.490[6]	<0.490[6]	<0.490[6]	0.0291	0.00937	0.00833	<0.0980	0.00666	0.0272	<0.00490	<0.490[6]	0.739	<0.00490	<2.45[6]	<0.490[6]	0.553
U-18	03/21/07	-	1.60	<0.385	<0.192	<0.192	<0.192	<0.192	<0.192	<0.192	<0.192	<0.192	<0.192	5.40	<0.192	<3.08	1.76	0.277
	09/19/07	<4.98[6]	<4.98[6]	<4.98[6]	<4.98[6]	<0.0249	<0.0249	<0.0249	<0.498	<0.0249	0.0338	<0.0249	<4.98[6]	5.91	<0.0249	<4.98[6]	<4.98[6]	<0.498
U-19	03/21/07	-	<0.175	<0.0583	<0.175	0.0606	<0.0388	<0.0388	<0.0388	<0.0388	0.0878	<0.0388	0.222	0.451	<0.0388	<5.83	0.239	0.239
	09/19/07	<0.396	<0.396	<0.396	<0.396	<0.0198	<0.0198	<0.0198	<0.396	<0.0198	<0.0198	<0.0198	<0.396	<0.396	<0.0198	<4.75[6]	<0.396	<0.396
U-20	03/20/07	-	1.42	<0.505	<0.233	<0.0777	<0.0777	<0.0777	<0.0777	<0.0777	0.0921	<0.0777	0.0954	3.49	<0.0777	<5.44	4.56	0.195
	09/19/07	<0.493[6]	1.01	<0.591[6]	<0.394[6]	<0.00985	<0.00985	<0.00985	<0.197	<0.00985	<0.00985	<0.00985	<0.197	2.78	<0.00985	<2.96[6]	1.50	<0.197
U-21	03/20/07	-	1.29	<0.654	0.170	0.0845	<0.0777	<0.0777	<0.0777	<0.0777	0.0987	<0.0777	0.298	1.24	<0.0777	<8.16	0.694	0.330
	09/19/07	<4.93[6]	1.07	<0.985[6]	<0.493[6]	0.0158	<0.00493	<0.00493	<0.0985	<0.00493	0.0186	<0.00493	<0.493[6]	1.39	<0.00493	<9.85[6]	<0.493[6]	0.352

COPPOR00007558

TABLE 3
GROUNDWATER ANALYTICAL RESULTS - PAH COMPOUNDS
Willbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	2-Methyl-naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene
Number of benzene rings		2	2	2	3	4	5	4	5	4	4	5	3	2	5	2	3	4
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)

NOTES:
- = Not sampled, not analyzed, not applicable
µg/l = Micrograms per Liter
ND = Not detected at or above method detection limit
2/00 and 5/00 data from IT Corporation
8/00, 11/00, 2/01 and 5/01 data from KHM Environmental Management, Inc.
IT Corp Data recorded as reported in Second Quarter 2000 Report
Analytes reported in alphabetical order
NS/F = Not sampled floating product present
NS/S = Not sampled sheen present
[1] = Sample rerun outside of hold time due to low surrogate recovery reported in the initial sample as a result of an extraction error.
[2] = Sample ID was misidentified by the laboratory as D-2
[3] = Analytical results are from a re-sample due to container breakage at the laboratory of the sample collected on 3/14/06.
[4] = Analyte was detected in the associated Method Blank.
[5] = Naphthalene was detected in the Method Blank at 0.0165 µg/L. Sample has a detection for naphthalene at 0.0468 µg/L. The result has been qualified and should be considered an estimate. Unable to perform corrective action due to insufficient volume left.
[6] = The reporting limit for this analyte was raised due to matrix interference or sample matrix effects.
[7] = Analyte was detected in the blank at greater than one-half of the MRL, but samples are ND.
[8] = The reporting limit was raised due to dilution necessary for analysis. Sample contains high levels of reported analyte, non-target analyte, and/or matrix interference.
[9] = Analyte was detected in the associated method blank. Analyte concentration in the sample is greater than 10 times the concentration found in the method blank.
dup* = duplicate for B-30 submitted as blind duplicate labeled as B-50
dup**= duplicate for B-30 submitted as blind duplicate labled as B-31
dup***= duplicate for B-30 submitted as blind duplicate labeled as B-130
PAHs by EPA Method 8270M-SIM

COPPOR00007559

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Manganese (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
CHEVRON												
B-7	02/18/00	0.028	0.122	0.00107	0.0066	0.0134	0.00425	NA	ND	0.00125	ND	0.0234
	05/23/00	0.0268	0.228	ND	0.0264	0.0441	0.0115	NA	ND	0.00193	ND	0.0863
dup	05/23/00	0.0276	0.259	ND	0.0304	0.051	0.0137	NA	ND	0.00211	ND	0.104
	08/25/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NA	NS/F	NS/F	NS/F	NS/F
	11/30/00	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NA	NS/S	NS/S	NS/S	NS/S
	02/22/01	0.0310	0.0719	ND	ND	0.00311	ND	NA	ND	ND	ND	0.00513
	05/17/01	0.0364	0.0587	ND	ND	0.00157	ND	NA	ND	ND	ND	ND
	03/20/03	0.0275	0.0642	ND	ND	0.0209	ND	NA	ND	ND	ND	ND
	09/29/03	0.0304	0.0815	ND	0.00278	0.00608	0.00121	NA	ND	0.00132	ND	0.00782
	03/30/04	0.0303	0.0869	0.00138	0.00320	0.00647	0.00175	NA	<0.000200	<0.00100	<0.00100	0.0135
	03/09/05	0.0342	0.110	<0.00100	0.00434	0.00822	0.00239	NA	<0.000200	<0.00200	<0.00100	0.0193
dup	03/09/05	0.0338	0.108	<0.00100	0.00490	0.00978	0.00273	NA	<0.000200	<0.00200	<0.00100	0.0218
	09/22/05	0.0363	0.0857	<0.00100	0.00241	0.00483	<0.00100	NA	<0.000200	<0.00200	<0.00100	0.00787
B-9	05/23/00	0.0177	0.139	ND	0.0176	0.0286	0.00848	NA	ND	0.00123	ND	0.0616
	08/25/00	0.0116	0.0534	ND	0.00270	0.00750	0.00214	NA	ND	ND	ND	0.0228
	11/30/00	0.0108	0.153	0.00149	0.0159	0.0354	0.0114	NA	ND	0.00125	ND	0.0823
	02/22/01	0.0173	0.0460	ND	ND	0.00213	ND	NA	ND	0.00127	ND	ND
	05/17/01	0.0208	0.0706	ND	0.00444	0.00634	0.00241	NA	ND	ND	ND	0.0161
	09/19/01	0.0161	0.0753	ND	0.00256	0.00993	0.00266	NA	ND	ND	ND	0.0136
	03/21/02	0.0105	0.0488	ND	0.00257	0.00683	0.00398	NA	ND	ND	ND	0.0506
	09/24/02	0.0185	0.0469	ND	ND	ND	ND	NA	ND	ND	ND	ND
	03/20/03	0.00992	0.0401	ND	0.00165	0.00421	0.00317	NA	ND	ND	ND	0.0283
	09/30/03	0.00905	0.137	0.00136	0.00812	0.0285	0.0155	NA	ND	ND	ND	0.0532
	03/30/04	0.0384	0.349	0.00382	0.0395	0.0991	0.0467	NA	<0.000200	0.00147	<0.00100	0.331
	03/08/05	0.0305	0.0592	<0.00100	<0.00100	<0.00200	<0.00100	NA	<0.000200	<0.00200	<0.00100	0.00759
	06/22/05	0.0268	0.0481	<0.00100	<0.00100	0.00225	<0.00100	NA	<0.000200	<0.00200	<0.00100	0.0187
	09/21/05	0.0338	0.0579	<0.00100	<0.00100	<0.00200	<0.00100	NA	<0.000200	<0.00200	<0.00100	0.00648
	09/26/06	0.0298	0.0708	<0.00100	<0.00100	0.00315	0.00218	NA	<0.000200	<0.00100	<0.00100	0.0338
	03/22/07	0.0198	0.0724	0.000352	0.00575	0.0165	0.0268	2.43	0.00000989	<0.00160	<0.000800	0.0711
B-9A	09/19/07	0.00760	0.341	<0.0000752	0.0545	0.0638	0.0240	2.28	<0.000200	<0.00160	0.000138	0.177

COPPOR00007560

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Manganese (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
B-10	02/18/00	0.0367	0.337	0.00084	0.0355	0.0572	0.0202	NA	ND	0.00053	0.00019	0.0965
dup	02/18/00	0.0394	0.375	0.00141	0.0448	0.0745	0.027	NA	ND	0.00525	0.0002	0.123
	05/23/00	0.0354	0.211	ND	0.0265	0.0384	0.0115	NA	ND	0.00229	ND	0.0631
	08/25/00	0.0314	0.0657	ND	0.00199	0.00366	0.00141	NA	ND	0.00105	ND	0.177
	11/30/00	0.0307	0.0946	ND	0.00590	0.00800	0.00257	NA	ND	0.00131	ND	0.0165
	02/23/01	0.0323	0.0611	ND	ND	ND	ND	NA	ND	0.00184	ND	ND
	05/17/01	0.0395	0.0567	ND	ND	ND	ND	NA	ND	ND	ND	ND
	09/19/01	0.0234	0.194	ND	0.0249	0.0466	0.0161	NA	ND	0.00104	ND	0.0793
	03/21/02	0.0301	0.0644	ND	ND	ND	ND	NA	ND	ND	ND	ND
	09/24/02	0.0290	0.0607	ND	ND	ND	ND	NA	ND	ND	ND	ND
	03/20/03	0.0327	0.0620	ND	ND	ND	ND	NA	ND	ND	ND	ND
	09/29/03	0.0337	0.0820	ND	0.00285	0.00441	0.00217	NA	ND	0.00165	ND	0.0132
	03/30/04	0.0332	0.128	<0.00100	0.0100	0.0162	0.00783	NA	<0.000200	<0.00100	<0.00100	0.0402
	03/08/05	0.0395	0.0881	<0.00100	0.00231	0.00359	0.00305	NA	<0.000200	<0.00200	<0.00100	0.0111
	09/21/05	0.0369	0.0641	<0.00100	<0.00100	<0.00200	<0.00100	NA	<0.000200	<0.00200	<0.00100	<0.00500
	03/14/06	0.0366	0.0659	<0.00100	<0.00100	<0.00200	<0.00100	NA	<0.000200	<0.00200	<0.00100	<0.00500
	09/26/06	0.0274	0.0902	0.0000800	0.00227	<0.00160	0.00155	NA	<0.00500	<0.0100	<0.0000960	0.0103
	03/21/07	0.0286	0.0808	0.0000800	0.00339	0.00435	0.00215	4.29	0.00000618	<0.00160	<0.0000960	0.0142
dup	03/21/07	0.0310	0.0877	0.0001040	0.00450	0.00581	0.00290	3.95	0.00000833	<0.00160	<0.0000960	0.0169
	09/18/07	0.0360	0.0843	<0.0000752	0.00316	0.00591	0.00187	4.66	<0.000200	<0.00160	<0.0000970	0.0151
B-11	02/18/00	0.0386	0.985	0.00408	0.130	0.214	0.0959	NA	ND	0.0034	0.00047	0.356
	05/23/00	0.0219	0.236	ND	0.0258	0.0407	0.0172	NA	ND	0.00233	ND	0.0732
	08/25/00	0.0292	0.0809	ND	0.00543	0.00765	0.00368	NA	ND	ND	ND	0.0273
	11/30/00	0.0277	0.113	ND	0.00986	0.0127	0.00575	NA	ND	0.00146	ND	0.0288
	02/22/01	0.0234	0.0573	ND	ND	ND	ND	NA	ND	ND	ND	ND
	05/17/01	0.0291	0.0553	ND	ND	ND	ND	NA	ND	ND	ND	ND
	03/30/04	0.0241	0.115	0.00164	0.00904	0.0152	0.00896	NA	<0.000200	<0.00100	<0.00100	0.0315
	03/09/05	0.0265	0.0972	0.00208	0.00534	0.00943	0.00615	NA	<0.000200	<0.00200	<0.00100	0.0261
	06/22/05	0.0269	0.106	<0.00100	0.00978	0.0123	0.00543	NA	<0.000200	<0.00200	<0.00100	0.0258
	09/21/05	0.0308	0.0603	<0.00100	0.00182	0.00313	0.00166	NA	<0.000200	<0.00200	<0.00100	0.00732
B-14	02/18/00	0.0367	0.297	0.0006	0.029	0.053	0.0403	NA	0.000095	0.00134	0.00016	0.0874
	05/23/00	0.0327	0.155	ND	0.0152	0.0264	0.0166	NA	ND	0.00168	ND	0.0421
	08/25/00	0.0300	0.0774	ND	0.00175	0.00339	0.00568	NA	ND	0.00113	ND	0.0207
	11/30/00	0.0292	0.0724	ND	ND	ND	0.00326	NA	ND	0.00124	ND	ND
	02/22/01	0.0299	0.0603	ND	ND	0.00202	0.00102	NA	ND	0.00104	ND	0.00696
	05/17/01	0.0373	0.0553	ND	ND	ND	ND	NA	ND	ND	ND	ND
B-19	03/20/03	0.0453	0.0693	ND	ND	ND	ND	NA	ND	ND	ND	ND
	09/29/03	0.0404	0.208	ND	0.0203	0.0297	0.00909	NA	0.000234	ND	ND	0.0577
	03/29/04	0.0435	0.104	<0.00100	0.00487	0.00831	0.00279	NA	<0.000200	<0.00100	<0.00100	0.0192
	03/09/05	0.0407	0.210	<0.00100	0.0181	0.0307	0.00918	NA	<0.000200	<0.00200	<0.00100	0.0545
	06/22/05	0.0478	0.223	<0.00100	0.0265	0.0370	0.00922	NA	<0.000200	<0.00200	<0.00100	0.0633
	09/22/05	0.0481	0.101	<0.00100	0.00347	0.0060	0.00159	NA	<0.000200	<0.00200	<0.00100	0.0105
	03/14/06	0.0523	0.113	<0.00100	0.00391	0.0057	0.00167	NA	<0.000200	<0.00200	<0.00100	0.0117

COPPOR00007561

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Manganese (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
B-20	03/20/03	0.0107	0.0459	ND	0.00109	0.00389	ND	NA	ND	ND	ND	0.00501
	09/29/03	0.130	4.35	0.0494	0.808	1.14	0.643	NA	0.000934	0.00840	ND	3.98
	03/30/04	0.00165	0.0417	<0.00100	0.00184	0.00508	0.00121	NA	<0.00200	<0.00100	<0.00100	0.00910
	03/09/05	0.0360	0.0795	<0.00100	0.00113	0.00212	<0.00100	NA	<0.000200	<0.00200	<0.00100	<0.00500
	09/22/05	0.0374	0.0691	<0.00100	<0.00100	<0.00200	<0.00100	NA	<0.000200	<0.00200	<0.00100	<0.00500
B-21	09/19/01	0.0306	0.107	ND	0.00833	0.0107	0.00322	NA	ND	ND	ND	0.0259
	03/21/02	0.0405	0.0662	ND	ND	ND	ND	NA	ND	ND	0.00109	0.00852
	09/24/02	0.0412	0.0695	ND	ND	ND	ND	NA	ND	ND	ND	ND
	03/20/03	0.0740	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND
	09/29/03	0.0474	0.0759	ND	ND	ND	ND	NA	ND	ND	ND	ND
	03/29/04	0.0469	0.132	<0.00100	0.00984	0.0141	0.00478	NA	<0.00200	<0.00100	<0.00100	0.0340
	03/08/05	0.0559	0.179	<0.00100	0.0143	0.0188	0.00535	NA	<0.000200	<0.00200	<0.00100	0.0374
	09/22/05	0.0554	0.0884	<0.00100	<0.00100	<0.00200	<0.00100	NA	<0.000200	<0.00200	<0.00100	<0.00500
	03/15/06	0.0531	0.0866	<0.00100	0.00102	<0.00200	<0.00100	NA	<0.000200	<0.00200	<0.00100	<0.00500
	09/26/06	0.0432	0.0854	<0.00100	<0.00100	<0.00100	<0.00100	NA	<0.000200	<0.00100	<0.00100	<0.0100
	03/21/07	0.0390	0.0947	0.0000880	0.00213	0.00362	0.00262	2.76	0.0000144	<0.00160	<0.0000960	0.0136
	09/19/07	0.0430	0.130	<0.000800	0.00880	0.0108	0.00378	2.74	<0.000200	<0.00160	<0.000800	0.0185
B-26	03/30/04	0.00345	0.232	0.0305	0.0220	0.0485	0.0415	NA	<0.000200	<0.00100	<0.00100	0.140
	03/09/05	0.0345	0.0852	0.00411	0.00274	0.00801	0.00696	NA	<0.000200	<0.00200	<0.00100	0.0176
	06/22/05	0.0397	0.146	0.0130	0.0152	0.0319	0.0208	NA	<0.000200	<0.00200	<0.00100	0.0689
	09/22/05	0.0351	0.0812	0.00601	0.00320	0.0103	0.00754	NA	<0.000200	<0.00200	<0.00100	0.0261
B-28	02/18/00	0.0122	0.422	0.00368	0.0437	0.104	0.0496	NA	0.000088	0.00156	0.00025	0.165
	05/23/00	0.00956	0.245	0.00144	0.0258	0.0468	0.0205	NA	ND	0.00277	ND	0.0913
	08/25/00	0.00530	0.120	ND	0.00825	0.0152	0.00585	NA	ND	0.00134	ND	0.0504
	11/30/00	0.0179	0.459	ND	0.0421	0.0640	0.0303	NA	ND	0.00271	ND	0.149
	02/23/01	0.00756	0.131	ND	0.00896	0.0142	0.00555	NA	ND	0.00181	ND	0.0363
	05/17/01	0.00561	0.0914	ND	0.00498	0.00737	0.00272	NA	ND	0.00199	ND	0.0200
	09/20/01	0.0434	0.0821	ND	0.00166	0.00546	ND	NA	ND	0.00109	ND	0.00782
	03/21/02	0.00407	0.0692	ND	0.00311	0.0115	0.00292	NA	ND	ND	ND	0.0148
	09/24/02	0.00298	0.0519	ND	ND	ND	ND	NA	ND	0.00244	ND	ND
	03/20/03	0.00220	0.0489	ND	ND	ND	ND	NA	ND	0.00164	ND	ND
	09/30/03	0.0219	0.483	0.00173	0.0572	0.109	0.0404	NA	ND	ND	ND	0.205
	03/29/04	0.00600	0.111	0.00118	0.00942	0.0287	0.00852	NA	<0.000200	<0.00100	<0.00100	0.0341
	09/21/05	0.00508	0.0838	<0.00100	0.00364	0.00980	0.00268	NA	<0.000200	<0.00200	<0.00100	0.0179
	03/14/06	0.00640	0.192	0.00287	0.0316	0.139	0.172	NA	<0.000200	<0.00200	<0.00100	0.451
	09/28/06	0.00396	0.0880	<0.00100	0.00417	0.0451	0.00370	NA	<0.000200	<0.00200	<0.00100	0.0201
	09/18/07	0.00277	0.0530	0.000228	<0.000800	0.00288	0.000989	1.27	<0.000200	<0.00160	<0.0000970	0.00712
B-29	09/20/01	0.0110	0.292	ND	0.0286	0.0531	0.0264	NA	ND	0.00385	ND	0.122
	03/21/02	0.00126	0.0600	ND	ND	0.00372	ND	NA	ND	ND	ND	0.00710
	09/24/02	ND	0.0601	ND	ND	ND	ND	NA	ND	0.00103	0.00102	ND
	03/20/03	ND	0.0593	ND	ND	0.00263	ND	NA	ND	0.00143	ND	ND
	09/30/03	0.00332	0.322	0.0133	0.0295	0.167	0.0280	NA	ND	ND	ND	0.125
	03/29/04	0.00528	0.367	0.0206	0.0293	0.162	0.0457	NA	<0.000200	<0.00100	<0.00100	0.146
	09/21/05	0.00308	0.193	0.00290	0.0159	0.059	0.0127	NA	<0.000200	<0.00200	<0.00100	0.0720
	03/14/06	0.00126	0.0986	<0.00100	0.00234	0.00834	0.00352	NA	<0.000200	<0.00200	<0.00100	0.0136
	09/28/06	<0.00100	0.0641	<0.00100	<0.00100	0.0122	<0.00100	NA	<0.000200	<0.00200	<0.00100	0.0132
	03/22/07	0.00155	0.158	0.00346	0.0110	0.0882	0.0122	3.47	<0.00000500	<0.00160	<0.000800[5]	0.0367[7]
	09/18/07	0.00162	0.120	0.00309	0.00709	0.0954	0.00629	3.89	<0.000200	<0.00160	<0.0000970	0.0429

COPPOR0007562

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Manganese (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
B-30	02/18/00	0.0185	0.327	0.0355	0.0269	0.0671	0.0482	NA	ND	0.00265	0.00021	0.238
	05/23/00	0.0141	0.117	0.00978	0.00904	0.0713	0.0108	NA	ND	0.00267	ND	0.0527
	08/25/00	0.0221	0.0497	0.01460	0.00153	0.0176	0.00449	NA	ND	ND	ND	0.0632
	11/30/00	0.0175	0.0513	ND	ND	ND	ND	NA	ND	0.00103	ND	0.0116
	02/23/01	0.0144	0.0704	ND	ND	ND	ND	NA	ND	ND	ND	ND
dup**	02/23/01	0.0140	0.0670	ND	ND	ND	ND	NA	ND	ND	ND	ND
	05/17/01	0.0177	0.0477	ND	ND	ND	ND	NA	ND	0.00175	ND	ND
	09/20/01	0.00211	0.0825	0.00167	0.00347	0.0208	0.0161	NA	ND	0.00190	ND	0.0308
dup	09/20/01	0.0138	0.0564	ND	ND	0.00218	ND	NA	ND	0.00110	ND	ND
	03/21/02	0.0177	0.0438	0.00823	0.00111	0.00533	0.00227	NA	ND	ND	0.00100	0.0191
dup	03/21/01	0.0210	0.0489	0.00302	0.00142	0.00698	0.00458	NA	ND	ND	ND	0.0220
	09/24/02	0.0126	0.0495	ND	ND	ND	ND	NA	ND	0.00197	0.00126	ND
	03/20/03	0.0158	0.0483	ND	ND	ND	ND	NA	ND	ND	ND	ND
dup*	03/20/03	0.0144	0.0486	ND	ND	ND	ND	NA	ND	ND	ND	ND
	09/30/30	0.0238	0.193	0.0221	0.0195	0.0631	0.0392	NA	ND	ND	ND	0.159
dup***	09/30/30	0.0267	0.276	0.0301	0.0268	0.0842	0.0574	NA	ND	ND	ND	0.211
	03/29/04	0.0183	0.0529	0.00229	0.00106	0.00405	0.00330	NA	<0.000200	<0.00100	<0.00100	0.00752
	09/21/05	0.0179	0.0567	0.00180	<0.00100	0.00501	0.00332	NA	<0.000200	<0.00200	<0.00100	0.0113
dup****	09/21/05	0.0177	0.0544	<0.00100	0.00117	0.00384	0.00294	NA	<0.000200	<0.00200	<0.00100	0.0106
	03/14/06	0.0206	0.0668	<0.00100	<0.00100	0.00269	0.00202	NA	<0.000200	<0.00200	<0.00100	0.00557
dup	03/14/06	0.0204	0.0692	0.00102	0.00103	0.00323	0.00255	NA	<0.000200	<0.00200	<0.00100	0.00750
	09/28/06	0.0164	0.058	<0.00100	<0.00100	<0.00200	0.00202	NA	<0.000200	<0.00200	<0.00100	0.00910
	03/22/07	0.0136	0.0725	0.000800	0.00283	0.00719	0.00308	2.10	0.0000235	<0.00160	<0.000800[5]	0.0146
	09/18/07	0.0211	0.0511	0.000394	0.000941	0.00531	0.00155	3.17	<0.000200	<0.00160	<0.0000970	0.00893
dup	09/18/07	0.0192	0.0517	0.000280	0.000970	0.00533	0.00184	3.39	<0.000200	<0.00160	<0.0000970	0.00892
B-32	03/20/03	0.00367	0.0429	ND	0.00110	ND	ND	NA	ND	ND	ND	ND
	09/29/03	0.122	6.84	0.0170	1.04	1.64	1.15	NA	0.000754	0.0190	ND	3.74
	03/29/04	0.00917	0.434	0.00202	0.0615	0.108	0.0387	NA	0.000221	0.0224	<0.00100	0.215
	03/09/05	0.00780	0.128	<0.00100	-	0.0180	0.00680	NA	<0.000200	0.00203	<0.00100	0.0394
	09/22/05	0.0100	0.227	<0.00100	0.0230	0.0336	0.01180	NA	<0.000200	<0.00200	<0.00100	0.0737
	03/15/06	0.00684	0.0823	<0.00100	0.00316	0.00551	0.00222	NA	<0.000200	<0.00200	<0.00100	0.0110
B-33	03/20/03	0.00483	0.0430	ND	0.00437	0.0114	0.0124	NA	ND	ND	ND	0.0223
	09/30/03	0.0342	0.242	0.00699	0.0711	0.248	0.128	NA	ND	0.00124	ND	0.385
	03/30/04	0.0155	0.199	0.00830	0.0451	0.164	0.110	NA	<0.00200	<0.00100	<0.00100	0.389
	03/09/05	0.0264	0.175	0.00106	0.0342	0.0668	0.0513	NA	<0.000200	0.00204	<0.00100	0.157
	06/22/05	0.0156	0.140	<0.00100	0.0221	0.0560	0.0264	NA	<0.000200	<0.00200	<0.00100	0.0998
	09/22/05	0.0237	0.111	<0.00100	0.00916	0.0250	0.0109	NA	<0.000200	<0.00200	<0.00100	0.0484
	03/15/06	0.00579	0.0494	<0.00100	0.00261	0.00665	0.00441	NA	<0.000200	<0.00200	<0.00100	0.0683
CR-1	09/21/01	0.0143	0.0606	ND	0.00203	0.00468	0.00283	NA	ND	0.00118	ND	0.00846
	03/21/02	0.00173	0.0188	ND	0.00113	0.00397	ND	NA	ND	ND	ND	0.0163
	09/24/02	0.00204	0.0274	ND	ND	ND	ND	NA	ND	ND	ND	0.00609
	03/20/03	0.0119	0.0300	ND	0.00156	0.0112	0.00211	NA	ND	ND	ND	0.0179
	09/30/03	0.00832	0.0479	ND	0.00249	0.00836	0.00391	NA	ND	0.00189	ND	0.0139
	03/30/04	0.00210	0.261	0.00583	0.0220	0.0535	0.0676	NA	<0.000200	<0.00100	<0.00100	0.212
	03/08/05	0.00167	0.0245	<0.00100	<0.00100	0.00262	<0.00100	NA	<0.000200	<0.00200	<0.00100	0.0102
	09/21/05	0.00325	0.0215	<0.00100	<0.00100	0.00231	<0.00100	NA	<0.000200	<0.00200	<0.00100	<0.00500
	09/27/06	0.00194	0.0207	0.000144	<0.000800	0.00277	0.000440	NA	<0.00500	<0.00200	<0.0000960	0.0109
	03/22/07	0.000912	0.0122	<0.0000752	<0.000800[5]	0.00392	<0.000432[5]	0.185	<0.00000500	<0.00160	<0.000800[5]	0.00958
	09/20/07	0.00141	0.0201	<0.000800	<0.000800	<0.00160	<0.000800	0.862	<0.000200	<0.00160	<0.000800	<0.00400

COPPOR00007563

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Manganese (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
CR-3	03/09/05	0.0156	0.414	0.00283	0.0239	0.0591	0.0410	NA	<0.000200	<0.00200	<0.00100	0.216
	06/22/05	0.0259	0.431	0.00206	0.0414	0.0708	0.0504	NA	<0.000200	<0.00200	<0.00100	0.218
	09/22/05	0.00191	0.0280	<0.00100	<0.00100	0.00346	0.00123	NA	<0.000200	<0.00200	<0.00100	0.00706
CR-8	02/18/00	0.0827	0.762	0.00345	0.0578	0.127	0.0997	NA	ND	0.00321	0.00037	0.404
	05/23/00	0.0256	0.342	0.00312	0.0228	0.0684	0.0365	NA	ND	0.00204	ND	0.155
	08/25/00	0.0203	0.105	ND	0.00697	0.0151	0.0101	NA	ND	ND	ND	0.0442
	11/30/00	0.0167	0.0890	ND	0.00565	0.0149	0.00781	NA	ND	0.00158	ND	0.0331
	02/22/01	0.0215	0.116	ND	0.00485	0.0123	0.00666	NA	ND	ND	ND	0.0288
	05/16/01	0.0135	0.0374	ND	0.00128	0.00231	0.00147	NA	ND	ND	ND	ND
CR-9	02/18/00	0.0167	0.236	0.00026	0.0194	0.0286	0.0156	NA	ND	0.00187	0.0001	0.0769
	05/23/00	0.00298	0.0413	ND	0.003	0.00381	0.00188	NA	ND	0.00112	ND	0.00893
	08/25/00	0.00160	0.0305	ND	ND	0.00143	ND	NA	ND	ND	ND	ND
dup	08/25/00	0.00160	0.0305	ND	ND	0.00170	ND	NA	ND	ND	ND	0.0165
	11/30/00	0.00162	0.0222	ND	ND	ND	ND	NA	ND	0.00283	ND	0.00503
dup	11/30/00	ND	0.0222	ND	ND	ND	ND	NA	ND	0.00114	ND	ND
	02/22/01	ND	0.0235	ND	ND	ND	ND	NA	ND	ND	ND	ND
	05/16/01	0.00142	0.0291	ND	ND	0.00246	ND	NA	ND	ND	ND	ND
	05/16/01	0.00145	0.0339	ND	0.00151	0.00205	ND	NA	ND	ND	ND	ND
CR-11	02/18/00	0.0656	0.440	0.00559	0.0252	0.0571	0.0296	NA	ND	0.00453	0.00014	0.123
	05/23/00	0.0493	0.382	0.00659	0.0358	0.0685	0.0391	NA	ND	0.00321	ND	0.168
	08/25/00	0.0631	0.0834	ND	0.00101	0.00325	0.00137	NA	ND	0.00183	ND	0.0179
	11/30/00	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NA	NS/S	NS/S	NS/S	NS/S
	02/22/01	0.0536	0.125	ND	0.00104	0.00356	ND	NA	ND	0.00324	ND	0.00784
	05/16/01	0.0587	0.111	ND	0.00362	0.00628	0.00314	NA	ND	0.00243	ND	0.0193
CR-26	03/09/05	0.143	0.319	<0.00100	0.0182	0.0229	0.0109	NA	<0.000200	0.00209	<0.00100	0.0670
	06/22/05	0.157	0.212	<0.00100	0.00599	0.00661	0.00268	NA	<0.000200	<0.00200	<0.00100	0.0175
	09/22/05	0.210	0.164	<0.00100	<0.00100	<0.00200	<0.00100	NA	<0.000200	<0.00200	<0.00100	<0.00500

COPPOR0007564

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Manganese (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
KINDER MORGAN												
MW-8	02/16/00	0.00974	0.0566	0.00073	0.00396	0.00476	0.00569	NA	ND	ND	ND	0.0344
	05/31/00	0.00348	0.0226	ND	ND	ND	ND	NA	ND	ND	ND	0.00788
	08/24/00	0.0136	0.0381	ND	ND	ND	ND	NA	ND	ND	ND	0.00799
	12/01/00	0.0177	0.0710	0.00236	0.00195	0.00272	0.00250	NA	ND	0.00239	ND	0.0207
	02/22/01	0.0111	0.0249	ND	0.00130	0.00234	ND	NA	ND	ND	ND	0.00720
	05/16/01	0.00942	0.0308	ND	ND	0.00119	ND	NA	ND	ND	ND	ND
dup	05/16/01	0.00931	0.0316	ND	ND	0.00135	ND	NA	ND	ND	ND	0.0208
	09/21/01	0.0168	0.0637	0.00141	0.00219	0.00350	ND	NA	ND	ND	ND	0.0138
	03/14/02	0.00198	0.0213	ND	ND	0.00376	ND	NA	ND	ND	ND	0.00824
dup	03/14/02	0.00281	0.0220	ND	ND	0.00337	ND	NA	ND	ND	ND	0.0115
	09/27/02	0.0116	0.0592	0.00130	0.00258	0.00514	0.00294	NA	ND	ND	ND	0.0230
	03/18/03	0.00412	0.0408	ND	ND	NS	ND	NA	ND	ND	ND	NS
dup	03/18/03	0.00352	0.0408	ND	ND	NS	ND	NA	ND	ND	ND	NS
	09/24/03	0.01080	0.0281	ND	ND	ND	ND	NA	ND	ND	ND	0.00670
	03/30/04	0.00150	0.0238	<0.00100	<0.00100	<0.00200	<0.00100	NA	<0.000200	<0.00100	<0.00100	0.0107
	09/27/04	0.0160	0.0858	0.00266	0.00598	0.00898	0.00562	NA	<0.000200	<0.00100	<0.00100	0.0613
dup	09/27/04	0.0167	0.110	0.00395	0.00454	0.0130	0.00705	NA	<0.000200	<0.00100	<0.00100	0.0888
	03/29/05	0.00373	0.0147	0.00146	0.000360	0.00164	0.00115	NA	<0.000200	<0.00100	<0.00100	0.0229
	09/21/05	0.00867	0.0258	0.00128	<0.00100	0.00425	0.00181	NA	<0.000200	<0.00200	<0.00100	0.0217
	03/15/06	0.00216	0.0244	<0.00100	<0.00100	0.00234	<0.00100	NA	<0.000200	<0.00200	<0.00100	0.0234
dup	03/15/06	0.00164	0.0245	<0.00100	<0.00100	0.00204	<0.00100	NA	<0.000200	<0.00200	<0.00100	0.0222
	09/26/06	0.00884	0.0276	0.00408	<0.00100	0.00298	0.00149	NA	<0.000200	<0.00200	<0.00100	0.0430
	03/22/07	0.00208	0.0205	<0.00100	<0.00100	<0.00100	<0.00100	NA	<0.000200	<0.00100	<0.00100	0.0138
	09/20/07	0.00720	0.0222	<0.00100	0.00209	0.00522	0.00268	NA	<0.000200	<0.00200	<0.00100	0.0209
dup	09/20/07	0.00690	0.0137	<0.00100	<0.00100	<0.00200	<0.00100	NA	<0.000200	<0.00200	<0.00100	0.0122
MW-10	02/16/00	0.0311	0.266	0.00027	0.025	0.0493	0.0256	NA	ND	0.00200	<0.00100	0.113
	05/31/00	0.0158	0.199	ND	0.0155	0.0292	0.0182	NA	ND	0.00179	ND	0.0756
	08/24/00	0.0196	0.0518	ND	ND	ND	ND	NA	ND	0.00130	ND	0.00649
	12/01/00	0.0284	0.0284	ND	0.00424	0.00704	0.00437	NA	ND	0.00125	ND	0.0181
	02/22/01	0.0222	0.0670	ND	0.00189	0.00331	0.00102	NA	ND	ND	ND	0.00893
	05/16/01	0.0199	0.0729	ND	ND	ND	ND	NA	ND	ND	ND	ND
MW-11	02/16/00	0.0677	0.398	0.00018	0.0344	0.0672	0.0786	NA	0.000065	0.00134	0.00015	0.168
	05/31/00	0.0595	0.454	ND	0.0291	0.0577	0.0705	NA	0.000201	0.00296	ND	0.153
	08/24/00	0.0509	0.111	ND	0.00484	0.00828	0.0210	NA	ND	0.00315	ND	0.0203
	12/01/00	0.0478	0.125	ND	0.00719	0.0114	0.0372	NA	ND	0.00438	ND	0.0311
	02/22/01	0.0509	0.113	ND	0.00590	0.0110	0.0399	NA	ND	ND	ND	0.0310
	05/16/01	0.0445	0.0816	ND	0.00184	0.00388	0.0300	NA	ND	ND	ND	0.0158

COPPOR0007565

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Manganese (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
MW-13	02/16/00	0.017	0.305	0.00011	0.0285	0.0438	0.0235	NA	ND	0.00072	0.00016	0.130
	05/31/00	0.0115	0.411	ND	0.0264	0.0409	0.0228	NA	ND	0.002	ND	0.114
	08/24/00	0.00331	0.0854	ND	0.00500	0.00817	0.00373	NA	ND	0.00431	ND	0.0207
	12/01/00	0.00384	0.0784	ND	0.00494	0.00752	0.00139	NA	ND	0.00146	ND	0.0201
dup	12/01/00	0.00465	0.0795	ND	0.00504	0.00682	0.00344	NA	ND	0.00162	ND	0.0207
	02/22/01	0.00146	0.0621	ND	0.00409	0.00581	0.00237	NA	ND	ND	ND	0.0176
	05/16/01	0.00174	0.0523	ND	0.00218	0.00308	0.00169	NA	ND	ND	ND	0.0123
MW-15	02/17/00	0.0017	0.0874	0.00004	0.00651	0.00546	0.00206	NA	ND	0.00034	ND	0.0219
dup	02/17/00	0.00152	0.0877	0.00008	0.00655	0.00532	0.0034	NA	-	0.00046	ND	0.021
	05/31/00	ND	0.0941	ND	0.006	0.00597	0.00322	NA	ND	ND	ND	0.0298
	08/24/00	ND	0.141	ND	0.00989	0.00879	0.00420	NA	ND	0.00481	ND	0.0388
	12/01/00	0.00316	0.148	ND	0.0133	0.0120	0.00697	NA	ND	0.00115	ND	0.0534
	02/22/01	0.00129	0.108	ND	0.00840	0.00951	0.00664	NA	ND	ND	ND	0.208
	05/16/01	ND	0.0681	ND	0.00126	0.00154	0.00113	NA	ND	ND	ND	0.0246
MW-21	02/17/00	0.004	0.188	0.00219	0.00777	0.0091	0.00988	NA	ND	0.00071	ND	0.0459
	05/30/00	0.00599	0.335	0.00701	0.0196	0.0248	0.0247	NA	ND	0.00185	ND	0.126
	08/23/00	0.00339	0.185	ND	0.00202	0.00295	0.00126	NA	ND	0.00153	ND	0.0140
	12/01/00	0.00344	0.141	0.00148	ND	ND	ND	NA	ND	0.00176	ND	0.0140
	02/22/01	0.00350	0.184	ND	0.00117	ND	ND	NA	ND	ND	ND	0.0107
	05/16/01	0.00471	0.0219	ND	ND	0.00127	0.00103	NA	ND	ND	ND	0.0182
MW-22	02/17/00	0.0928	0.251	0.00017	0.0121	0.00834	0.0391	NA	ND	0.00121	ND	0.0492
dup	02/17/00	-	-	-	-	-	-	NA	ND	-	-	-
	05/30/00	0.0945	0.244	ND	0.0097	0.0095	0.0216	NA	ND	0.00242	ND	0.0388
	08/23/00	0.104	0.194	ND	0.00125	0.00201	0.00695	NA	ND	0.00274	ND	ND
	12/01/00	0.0831	0.295	ND	0.00199	0.00213	0.0105	NA	ND	0.00300	ND	0.0265
	02/21/01	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NA	NS/S	NS/S	NS/S	NS/S
	05/16/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NA	NS/F	NS/F	NS/F	NS/F
MW-23	02/17/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NA	NS/F	NS/F	NS/F	NS/F
	05/30/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NA	NS/F	NS/F	NS/F	NS/F
	08/23/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NA	NS/F	NS/F	NS/F	NS/F
	11/30/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NA	NS/F	NS/F	NS/F	NS/F
	02/22/01	0.00909	0.0582	ND	0.00175	0.00817	0.00441	NA	ND	ND	ND	0.00983
	05/16/01	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NA	NS/S	NS/S	NS/S	NS/S

COPPOR0007566

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Manganese (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
MW-25	09/21/01	0.0563	0.0958	ND	0.00339	0.00365	0.00411	NA	ND	ND	ND	0.0258
	03/14/02	0.0406	0.115	ND	0.00573	0.00832	0.00969	NA	ND	ND	0.00115	0.0278
	09/27/02	0.116	0.186	ND	0.00606	0.00897	0.00990	NA	ND	ND	ND	0.0334
	03/18/03	0.0386	0.0440	ND	ND	NS	ND	NA	ND	0.00115	0.00110	NS
	09/24/03	0.0661	0.181	0.00125	0.0144	0.0230	0.0201	NA	ND	0.00179	ND	0.0712
	03/30/04	0.0521	0.0580	<0.00100	0.00157	<0.00200	<0.00115	NA	<0.000200	<0.00100	<0.00100	0.00810
	09/27/04	0.0712	0.140	<0.00100	0.00506	0.0112	0.0112	NA	<0.000200	<0.00100	<0.00100	0.0304
	03/28/05	0.0616	0.0941	<0.00100	0.00116	0.00253	0.00474	NA	<0.000200	0.000400	<0.00100	0.0118
	09/21/05	0.0622	0.0647	<0.00100	0.00140	0.00299	0.00189	NA	<0.000200	<0.00200	<0.00100	0.00838
	03/15/06	0.0607	0.0701	<0.00100	<0.00100	0.00469	0.00183	NA	<0.000200	<0.00200	<0.00100	0.00920
	09/26/06	0.0529	0.0763	<0.00100	0.00179	0.00258	0.0034	NA	<0.000200	<0.00200	<0.00100	0.0117
	03/22/07	0.0468	0.0771	<0.00100	0.00288	0.00393	0.00452	NA	<0.000200	<0.00100	<0.00100	0.0162
	09/20/07	0.121	0.201	<0.00100	0.00885	0.0126	0.0157	NA	<0.000200	<0.00200	<0.00100	0.0436
MW-26	02/17/00	0.0474	0.0943	0.00005	0.00468	0.00368	0.00342	NA	ND	0.0006	ND	0.0141
dup	02/17/00	0.0487	0.0904	0.0005	0.00434	0.00496	0.00312	NA	ND	0.00033	ND	0.0422
	05/30/00	0.0443	0.102	ND	0.00453	0.00501	0.00492	NA	ND	ND	ND	0.0162
	08/23/00	0.0530	0.0594	ND	0.00218	0.00249	0.00228	NA	ND	ND	ND	ND
dup	08/23/00	0.0576	0.0642	ND	0.00227	0.00384	0.00228	NA	ND	ND	ND	0.00791
	12/01/00	0.0526	0.0620	ND	0.00158	ND	0.00254	NA	ND	0.00116	ND	0.00796
	02/21/01	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NA	NS/S	NS/S	NS/S	NS/S
	05/17/01	0.0590	0.0678	ND	0.00221	0.00170	0.00225	NA	ND	ND	ND	0.0120
	09/27/02	0.0450	0.0524	ND	0.00123	ND	0.00220	NA	ND	ND	ND	0.0169
	03/18/03	0.0205	0.0670	ND	ND	NS	ND	NA	ND	ND	0.00109	
	09/24/03	0.0510	0.0512	ND	ND	ND	0.00214	NA	ND	ND	ND	0.00507
	03/30/04	0.0431	0.0661	<0.00100	<0.00100	<0.00100	0.00102	NA	<0.000200	<0.00100	<0.00100	<0.00500
	09/27/04	0.0657	0.0662	<0.00100	0.00206	0.00448	0.00654	NA	<0.000200	<0.00100	<0.00100	0.0188
	03/28/05	0.0554	0.0749	0.00104	0.00129	0.00313	0.00586	NA	<0.000200	0.000530	<0.00100	0.0158
	09/21/05	0.0623	0.0462	<0.00100	<0.00100	<0.00200	0.00122	NA	<0.000200	<0.00200	<0.00100	<0.00500
	03/15/06	0.0476	0.0771	<0.00100	<0.00100	<0.00200	<0.00100	NA	<0.000200	<0.00200	<0.00100	<0.00500
	09/26/06	0.0457	0.0684	<0.00100	<0.00100	<0.00200	<0.00100	NA	<0.000200	<0.00200	<0.00100	0.00505
dup	09/26/06	0.0480	0.0692	<0.00100	<0.00100	0.00212	<0.00100	NA	<0.000200	<0.00200	<0.00100	<0.00500
	03/22/07	0.0438	0.0710	<0.00100	<0.00100	<0.00100	<0.00100	NA	<0.000200	<0.00100	<0.00100	0.0135
	09/20/07	0.0501	0.0685	<0.00100	<0.00100	<0.00200	0.00118	NA	<0.000200	<0.00200	<0.00100	0.00764
MW-28	02/16/00	0.00032	0.00803	ND	0.00047	0.002	0.00387	NA	ND	ND	ND	0.0172
	05/30/00	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NA	NS/S	NS/S	NS/S	NS/S
	08/23/00	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NA	NS/S	NS/S	NS/S	NS/S
	11/30/00	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NA	NS/S	NS/S	NS/S	NS/S
	02/21/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NA	NS/F	NS/F	NS/F	NS/F
	05/16/01	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NA	NS/S	NS/S	NS/S	NS/S
MW-31	02/16/00	0.00504	0.016	ND	0.00042	0.00222	0.00135	NA	ND	ND	ND	0.00218
	05/30/00	0.00664	0.019	ND	ND	ND	ND	NA	ND	ND	ND	ND
	08/23/00	0.0181	0.0200	ND	ND	ND	ND	NA	ND	ND	ND	ND
	12/01/00	0.0134	0.0179	ND	ND	ND	0.00280	NA	ND	ND	ND	ND
	02/22/01	0.0148	0.0228	ND	ND	ND	ND	NA	ND	ND	ND	0.00723
	05/17/01	0.0150	0.0210	ND	ND	ND	0.00244	NA	ND	ND	ND	0.0132

COPPOR00007567

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Manganese (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
MW-32	02/16/00	0.00071	0.0189	0.00007	0.00297	0.00399	0.00309	NA	ND	ND	ND	0.00603
	05/30/00	0.00147	0.0268	ND	0.00195	0.0043	0.00159	NA	ND	ND	ND	0.0069
	08/23/00	ND	0.0147	ND	ND	0.00251	ND	NA	ND	ND	ND	ND
	12/01/00	0.00193	0.0142	ND	ND	ND	ND	NA	ND	0.00120	ND	ND
	02/22/01	ND	0.00921	ND	0.00119	ND	ND	NA	ND	ND	ND	ND
	05/16/01	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	ND
MW-33	02/16/00	0.00842	0.0768	0.00006	0.00162	0.00423	0.00368	NA	ND	ND	ND	0.00746
	05/30/00	0.00655	0.111	ND	0.00179	0.00338	0.00154	NA	ND	ND	ND	0.00721
	08/24/00	0.0103	0.227	ND	0.00104	0.00246	ND	NA	ND	0.00259	ND	ND
	11/30/00	0.0580	0.563	ND	0.00223	0.00343	ND	NA	ND	0.00163	ND	0.00882
	02/22/01	0.0142	0.0910	ND	0.00179	0.00339	0.00103	NA	ND	ND	ND	0.00944
dup	02/22/01	0.0142	0.104	ND	0.00188	0.00390	0.00155	NA	ND	ND	ND	0.0110
	05/16/01	0.0178	0.184	ND	ND	0.00128	ND	NA	ND	ND	ND	ND
	09/21/01	0.0100	0.0757	ND	ND	ND	ND	NA	ND	0.00151	ND	ND
	03/14/02	0.00975	0.0722	ND	ND	ND	ND	NA	ND	ND	0.00202	ND
	09/27/02	0.0302	0.356	ND	0.00206	0.00303	0.00136	NA	ND	ND	ND	0.0205
	03/18/03	0.00867	0.0401	ND	ND	NS	ND	NA	ND	ND	0.00140	NS
	09/24/03	0.0232	0.191	ND	ND	ND	ND	NA	ND	ND	ND	ND
	03/29/04	0.0124	0.0552	<0.00100	0.00114	<0.00200	<0.00100	NA	<0.000200	<0.00100	<0.00100	<0.00500
	09/27/04	0.132	1.41	<0.00200	0.00628	0.0135	<0.00200	NA	0.000490	<0.00200	<0.00200	0.0319
	03/29/05	0.00757	0.325	<0.00100	0.000360	0.00244	0.000210	NA	<0.000200	<0.00100	<0.00100	0.00737
	09/21/05	0.0181	0.398	<0.00100	0.00165	0.00290	<0.00100	NA	<0.000200	<0.00200	<0.00100	0.00580
dup	09/21/05	0.0163	0.366	<0.00100	0.00151	0.00292	<0.00100	NA	<0.000200	<0.00200	<0.00100	0.00516
	03/15/06	0.0112	0.0588	<0.00100	<0.00100	<0.00200	<0.00100	NA	<0.000200	<0.00200	<0.00100	0.00600
	09/27/06	0.0263	0.409	<0.0000752	<0.000800	<0.00160	<0.000432	NA	0.00724	<0.00160	<0.0000960	0.0244
	03/22/07	0.0139	0.123	0.000205	<0.000800	<0.00160	<0.000432	NA	0.00000767	<0.00160	<0.0000960	0.00827
dup	03/22/07	0.0373	0.380	0.000952	0.00110	0.00242	<0.000432	NA	<0.00000500	<0.00160	<0.0000960	0.0184
	09/18/07	0.0329	0.488	<0.00100	0.00133	0.00273	<0.00100	NA	0.0000166	<0.00200	<0.00100	0.0245
MW-34	09/21/01	0.0697	0.381	0.00239	0.0143	0.144	0.0146	NA	ND	0.00146	ND	0.104
	03/14/02	0.0376	0.178	ND	0.00582	0.0132	0.00549	NA	ND	ND	0.00151	0.0321
	09/27/02	0.162	0.670	0.00164	0.0264	0.0676	0.0226	NA	ND	0.00130	ND	0.126
	03/18/03	0.0148	0.0934	ND	0.00602	NS	0.00541	NA	ND	ND	0.00113	NS
	09/24/03	0.0109	0.0654	ND	0.00106	0.00236	0.00117	NA	ND	ND	ND	0.00994
	03/29/04	0.00364	0.0350	<0.00100	0.00114	<0.00200	<0.00100	NA	<0.000200	<0.00100	<0.00100	<0.00500
	09/27/04	0.0879	0.355	<0.00100	0.0114	0.0285	0.0111	NA	<0.000200	0.00131	<0.00100	0.0547
dup	03/29/05	0.0126		<0.00100	0.000530	0.00475	0.00158	NA	<0.000200	0.000350	<0.00100	0.0127
	03/29/05	0.0125	0.0756	<0.00100	0.000460	0.00382	0.00148	NA	<0.000200	0.000430	<0.00100	0.0119
	09/21/05	0.0537	0.133	<0.00100	0.00105	0.00354	0.00113	NA	<0.000200	<0.00200	<0.00100	0.00754
	03/15/06	0.00590	0.0572	<0.00100	0.00308	0.00329	0.00246	NA	<0.000200	<0.00200	<0.00100	0.0132
	09/27/06	0.0143	0.0700	0.000103	0.000899	0.00318	0.00139	NA	<0.00000500	<0.00160	<0.0000960	0.0150
	03/22/07	0.0252	0.117	0.000176	0.00401	0.00922	0.00501	NA	0.00000877	<0.00160	<0.0000960	0.0329
	09/18/07	0.0325	0.114	<0.00100	0.00314	0.00800	0.00351	NA	0.0000208	<0.00200	<0.00100	0.0202

COPPOR0007568

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Manganese (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
MW-36	02/16/00	0.0146	0.0575	0.00005	0.00413	0.00614	0.00355	NA	ND	0.00022	ND	0.0131
	05/31/00	0.0149	0.0512	ND	0.0018	0.00308	ND	NA	ND	ND	ND	ND
	08/24/00	0.0187	0.0570	ND	ND	0.00222	ND	NA	ND	0.00111	ND	0.0108
	11/30/00	0.0225	0.0701	ND	ND	ND	ND	NA	ND	0.00147	ND	ND
	02/21/01	0.0201	0.0560	ND	0.00151	0.00280	ND	NA	ND	ND	ND	0.00877
	05/16/01	0.0297	0.0826	ND	ND	0.0169	ND	NA	ND	ND	ND	0.0149
	09/21/01	0.0168	0.0541	ND	ND	ND	ND	NA	ND	0.00108	ND	ND
	03/13/02	0.00442	0.0252	ND	ND	0.00297	ND	NA	ND	ND	ND	0.0122
	03/18/03	0.00541	0.0316	ND	0.00122	NS	ND	NA	ND	ND	ND	NS
	09/24/03	0.0436	0.116	ND	0.00103	0.00234	ND	NA	ND	ND	ND	ND
	3/29/04	0.0108	0.0339	<0.00100	0.00131	0.00385	0.00144	NA	<0.000200	<0.00100	<0.00100	<0.00500
	9/27/2004	0.0320	0.0679	<0.00100	0.00238	0.00739	0.00334	NA	<0.000200	0.00140	<0.00100	0.00675
	09/21/05	0.0336	0.0567	<0.00100	<0.00100	0.00307	<0.00100	NA	<0.000200	<0.00200	<0.00100	<0.00500
	03/15/06	0.00590	0.0238	<0.00100	<0.00100	0.00384	<0.00100	NA	<0.000200	<0.00200	<0.00100	<0.00500
	09/27/06	0.0176	0.0545	<0.0000752	<0.000800	0.00170	<0.000432	NA	<0.00000500	<0.00160	<0.0000960	0.00450
dup	09/27/06	0.0157	0.0480	<0.0000752	<0.000800	0.00160	<0.000432	NA	<0.00000500	<0.00160	<0.0000960	<0.00400
	03/22/07	0.00858	0.0334	<0.0000752	<0.000800	0.00264	0.000652	NA	0.00000540	<0.00160	<0.0000960	0.00628
	09/18/07	0.0189	0.0510	<0.00100	<0.00100	<0.00200	<0.00100	NA	<0.00000500	<0.00200	<0.00100	<0.00500
dup	09/18/07	0.0304	0.0783	<0.00100	<0.00100	0.00449	0.00107	NA	<0.00000500	<0.00200	<0.00100	0.00978
MW-37	02/16/00	0.0184	0.0748	0.00022	0.00721	0.0118	0.00469	NA	ND	0.00032	ND	0.0184
	05/30/00	0.0199	0.0567	ND	0.00356	0.00572	0.0018	NA	ND	0.00158	ND	0.0111
dup	05/30/00	0.0189	0.0586	ND	0.00408	0.00637	0.00205	NA	ND	ND	ND	0.0121
	08/24/00	0.0227	0.0453	ND	ND	ND	ND	NA	ND	0.00158	ND	0.00598
	11/30/00	0.0221	0.0693	ND	0.00419	0.00605	0.00353	NA	ND	0.00123	ND	0.0123
	02/21/01	0.0223	0.0404	ND	0.00153	0.00206	ND	NA	ND	ND	ND	0.00526
	05/16/01	0.0209	0.0403	ND	ND	ND	ND	NA	ND	ND	ND	ND
	09/21/01	0.0222	0.0432	ND	0.00127	ND	0.00147	NA	ND	ND	ND	ND
	09/27/02	0.0190	0.0429	ND	ND	ND	ND	NA	ND	ND	ND	ND
dup	09/27/02	0.0194	0.0423	ND	ND	ND	ND	NA	ND	ND	ND	0.00923
	03/18/03	0.00864	0.0259	ND	ND	NS	ND	NA	ND	ND	0.00141	NS
	09/27/04	0.0242	0.0679	<0.00100	0.00308	0.00565	0.00334	NA	<0.000200	<0.00100	<0.00100	0.0181
	03/29/05	0.0153	0.0300	<0.00100	0.000230	<0.00100	0.000580	NA	<0.000200	<0.00100	<0.00100	0.00449
	09/21/05	0.0194	0.0390	<0.00100	<0.00100	<0.00200	0.00144	NA	<0.000200	<0.00200	<0.00100	<0.00500
	03/15/06	0.0120	0.0493	<0.00100	<0.00100	<0.00200	0.00141	NA	<0.000200	<0.00200	<0.00100	0.00959
	09/27/06	0.0199	0.0394	<0.0000752	<0.000800	<0.00160	<0.000432	NA	<0.00000500	<0.00160	<0.0000960	<0.00400
	03/22/07	0.0210	0.0468	0.000173	<0.000800	<0.00160	0.000810	NA	<0.00000500	<0.00160	<0.0000960	0.00843
	09/18/07	0.0236	0.0378	<0.00100	<0.00100	<0.00200	0.00308	NA	<0.00000500	<0.00200	<0.00100	0.00803
MW-39	03/29/04	0.0174	0.110	<0.00100	0.00988	0.0163	0.00823	NA	<0.000200	<0.00100	<0.00100	0.0346
	09/27/04	0.0304	0.281	<0.00100	0.0248	0.0832	0.0190	NA	<0.000200	0.00140	<0.00100	0.113
	09/21/05	0.0199	0.0891	<0.00100	0.00218	0.0110	0.00238	NA	<0.000200	<0.00200	<0.00100	0.0139

COPPOR0007569

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Manganese (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
MW-40	02/16/00	0.0221	0.185	0.00011	0.0202	0.0289	0.0254	NA	ND	0.00047	0.00012	0.0669
	05/30/00	0.025	0.107	ND	0.00783	0.0107	0.00837	NA	ND	ND	ND	0.0245
	08/24/00	0.0270	0.123	ND	0.00162	0.00316	0.00141	NA	ND	0.00385	ND	0.0160
	11/30/00	0.0319	0.144	ND	0.00433	0.00734	0.00491	NA	ND	0.00187	ND	0.0178
	02/21/01	0.0387	0.119	ND	0.00375	0.00607	0.00330	NA	ND	ND	ND	0.0183
	05/16/01	0.0239	0.102	ND	0.00224	0.00314	0.00193	NA	ND	ND	ND	0.00862
	09/21/01	0.0248	0.106	ND	0.00306	0.00343	0.00254	NA	ND	0.00232	ND	0.0107
	03/13/02	0.0126	0.0538	ND	0.00197	0.00336	0.00194	NA	ND	ND	ND	0.0124
	09/27/02	0.0281	0.219	ND	0.00881	0.0104	0.00808	NA	ND	ND	ND	0.0250
	03/18/03	0.0174	0.0485	ND	0.00135	NS	0.00130	NA	ND	ND	ND	NS
	09/24/03	0.0448	0.254	ND	0.00895	0.0131	0.0316	NA	ND	ND	ND	0.0326
dup	09/24/03	0.0678	0.397	ND	0.0179	0.0249	0.0538	NA	ND	ND	ND	0.0627
	03/29/04	0.0190	0.0897	<0.00100	0.00124	0.00264	0.00124	NA	<0.000200	<0.00100	<0.00100	<0.00500
dup	03/29/04	0.0178	0.0797	<0.00100	0.00719	<0.00200	0.00128	NA	<0.000200	<0.00100	<0.00100	<0.00500
	9/27/2004	0.0611	0.343	<0.00100	0.0179	0.0293	0.0308	NA	<0.000200	<0.00100	<0.00100	0.0764
	3/29/2005	0.0198	0.0627	<0.00100	0.000380	0.00360	0.00229	NA	<0.000200	0.000480	<0.00100	0.00718
	09/21/05	0.0295	0.0807	<0.00100	<0.00100	0.00434	0.00126	NA	<0.000200	<0.00200	<0.00100	0.00592
	03/15/06	0.0162	0.0540	<0.00100	0.00139	0.00368	0.00157	NA	<0.000200	<0.00200	<0.00100	0.00758
	03/22/07	0.0191	0.0538	<0.0000752	<0.000800	0.00205	0.000886	NA	0.00000558	<0.00160	<0.0000960	0.00751
	09/18/07	0.0220	0.0914	<0.00100	<0.00100	<0.00200	<0.00100	NA	<0.00000500	<0.00200	<0.00100	0.00558

COPPOR0007570

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Manganese (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
CONOCOPHILLIPS												
B-4	05/26/00	0.035	0.245	ND	0.0275	0.0425	0.014	NA	ND	ND	ND	0.075
dup	05/26/00	0.0367	0.259	ND	0.0283	0.0443	0.0147	NA	ND	ND	ND	0.0785
	08/28/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NA	NS/F	NS/F	NS/F	NS/F
	11/29/00	0.0316	0.106	ND	0.00532	0.00968	0.00285	NA	ND	0.00165	ND	0.0176
	02/20/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NA	NS/F	NS/F	NS/F	NS/F
	05/17/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NA	NS/F	NS/F	NS/F	NS/F
	09/26/02	0.0308	0.0999	ND	0.00541	0.00885	0.00272	NA	ND	0.00129	ND	0.0259
	09/25/03	0.0316	0.0928	ND	0.00258	0.00497	0.00155	NA	ND	0.00129	ND	0.0147
	09/26/06	0.0361	0.113	<0.00100	0.00384	0.00673	0.00231	NA	<0.000200	<0.00200	<0.00100	0.0216
	03/21/07	0.0338	0.0955	<0.00100	0.00182	0.00362	0.00159	NA	<0.000200	<0.00100	<0.00100	0.0182
	09/20/07	0.0395	0.0891	<0.000800	0.00129	0.00421	0.000898	NA	<0.000200	<0.00160	<0.000800	0.0158
B-17	02/17/00	0.0579	0.549	0.00036	0.091	0.140	0.0676	NA	ND	0.00152	0.00028	0.215
	05/26/00	0.0509	0.195	ND	0.0191	0.029	0.0171	NA	ND	0.00126	ND	0.0485
	08/28/00	0.0532	0.113	ND	0.00279	0.00417	0.00660	NA	ND	ND	ND	0.0120
	11/29/00	0.0525	0.111	ND	0.00217	0.00695	0.00636	NA	ND	0.00220	ND	0.00979
	02/23/01	0.0519	0.0821	ND	0.00130	0.00302	0.00470	NA	ND	ND	ND	0.00966
dup	02/23/01	0.0511	0.0885	ND	0.00305	0.00691	0.00535	NA	ND	0.00119	ND	0.0143
	05/17/01	0.0656	0.125	ND	0.00518	0.00746	0.00812	NA	ND	ND	ND	0.0287
dup	05/17/01	0.0650	0.114	ND	0.00406	0.00546	0.00718	NA	ND	0.00126	ND	0.0150
B-18	02/17/00	0.0223	0.507	0.00044	0.0797	0.110	0.0293	NA	0.000098	0.00158	0.00022	0.174
	05/26/00	0.0228	0.203	ND	0.0211	0.0313	0.00922	NA	ND	ND	ND	0.0558
	08/28/00	0.0221	0.130	0.00111	0.00563	0.00684	0.00315	NA	ND	ND	ND	0.0270
	11/29/00	0.0171	0.128	ND	0.00238	0.00451	0.00120	NA	ND	0.00153	ND	0.0157
	02/23/01	0.0256	0.118	ND	0.00538	0.0107	0.00294	NA	ND	ND	ND	0.0506
	05/17/01	0.0372	0.138	ND	0.00774	0.00959	0.00310	NA	ND	0.00108	0.00101	0.0309
B-22	02/17/00	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NA	NS/S	NS/S	NS/S	NS/S
	05/26/00	0.0255	0.126	ND	0.0105	0.0187	0.00561	NA	ND	ND	ND	0.0385
	08/28/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NA	NS/F	NS/F	NS/F	NS/F
	11/29/00	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NA	NS/S	NS/S	NS/S	NS/S
	02/20/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NA	NS/F	NS/F	NS/F	NS/F
	05/17/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NA	NS/F	NS/F	NS/F	NS/F

COPPOR0007571

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Manganese (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
B-35	02/17/00	0.0602	0.480	0.00062	0.0893	0.122	0.0828	NA	ND	0.00164	0.00021	0.311
	05/26/00	0.0102	0.116	ND	0.00786	0.0114	0.00264	NA	ND	0.0013	ND	0.0233
	08/28/00	0.0377	0.128	0.00153	0.00467	0.00612	0.00643	NA	ND	ND	ND	0.0339
	11/29/00	0.0468	0.131	ND	0.00316	0.00691	0.00619	NA	ND	0.00212	ND	0.0208
	02/23/01	0.0347	0.0816	ND	0.00200	0.00380	0.00305	NA	ND	0.00100	ND	0.0308
	05/17/01	0.0504	0.153	ND	0.0107	0.0141	0.0106	NA	ND	ND	ND	0.0511
	09/20/01	0.0344	0.0901	ND	0.00178	0.00420	0.00160	NA	ND	ND	ND	0.00632
	03/14/02	0.0335	0.308	ND	0.0463	0.0534	0.0298	NA	ND	0.00139	0.00145	0.146
	09/26/02	0.0296	0.225	ND	0.0298	0.0314	0.0147	NA	ND	0.00131	ND	0.0816
	03/18/03	0.0387	0.0958	ND	0.00165	0.00422	0.00277	NA	ND	ND	ND	0.00700
	09/25/03	0.0517	0.132	ND	0.00334	0.00631	0.00536	NA	ND	ND	ND	0.0171
	03/30/04	0.0291	0.135	<0.00100	0.0119	0.0149	0.00779	NA	<0.000200	<0.00100	<0.00100	0.0152
	09/28/04	0.0422	0.182	<0.00100	0.00829	NA	0.00993	NA	0.00171	<0.00100	<0.00100	NA
	03/28/05	0.0381	0.160	<0.00100	0.0124	0.0180	0.0156	NA	<0.000200	<0.00100	<0.00100	0.0776
	09/20/05	0.0426	0.282	<0.00100	0.0329	0.0408	0.0306	NA	<0.000200	<0.00200	<0.00100	0.107
	03/14/06	0.0423	0.105	<0.00100	0.00192	0.00534	0.00285	NA	<0.000200	<0.00200	<0.00100	0.0396
	09/26/06	0.0387	0.116	<0.00100	0.00233	0.00424	0.00344	NA	<0.000200	<0.00200	<0.00100	0.0233
	03/21/07	0.0336	0.272	<0.00100	0.0265	0.0270	0.0207	NA	<0.000200	<0.00100	<0.00100	0.114
	09/20/07	0.0398	0.135	<0.000800	0.00766	0.0121	0.0057	NA	<0.000200	<0.00160	<0.000800	0.0386
B-36	02/17/00	0.0105	0.168	0.00021	0.0222	0.0306	0.00779	NA	ND	0.00064	ND	0.0551
	05/26/00	0.0105	0.120	ND	0.00819	0.012	0.00251	NA	ND	ND	ND	0.025
	08/28/00	0.0224	0.166	ND	0.00784	0.00876	0.00322	NA	ND	ND	ND	0.0474
	11/29/00	0.0223	0.130	ND	0.00525	0.00834	0.00171	NA	ND	0.00202	ND	0.0171
	02/23/01	0.0488	0.174	ND	0.00371	0.00666	0.00142	NA	ND	0.00234	ND	0.0244
	05/17/01	0.0387	0.476	ND	0.05720	0.06960	0.01650	NA	ND	0.00301	ND	0.138
	09/20/01	0.0185	0.0861	ND	0.00154	0.00302	ND	NA	ND	ND	ND	0.00761
dup	09/20/01	0.0204	0.0974	ND	0.00294	0.00411	ND	NA	ND	ND	ND	0.0132
	03/14/02	0.00840	0.0901	ND	0.00874	0.0114	0.00271	NA	ND	ND	ND	0.0294
	09/26/02	0.0170	0.109	ND	0.00688	0.00910	0.00440	NA	ND	ND	ND	0.0334
	03/18/03	0.00402	0.0409	ND	0.00234	0.00393	0.00144	NA	ND	ND	ND	0.00729
	09/25/03	0.0200	0.0644	ND	ND	ND	ND	NA	ND	0.00105	ND	ND
	03/30/04	0.00719	0.0586	<0.00100	0.00313	0.00580	0.00149	NA	<0.000200	<0.00100	<0.00100	0.0162
	09/28/04	0.0233	0.112	<0.00100	0.00349	NA	0.00120	NA	0.000285	<0.00100	<0.00100	NA
dup	09/28/04	0.0221	0.0814	<0.00100	0.00222	NA	<0.00100	NA	<0.000200	<0.00100	<0.00100	NA
	03/28/05	0.0240	0.104	<0.00100	0.00367	0.00482	0.00153	NA	<0.000200	<0.00100	<0.00100	0.0195
	09/20/05	0.0205	0.103	<0.00100	0.00450	0.00637	0.00145	NA	<0.000200	<0.00200	<0.00100	0.0132
	03/14/06	0.00803	0.0401	<0.00100	<0.00100	0.00331	<0.00100	NA	<0.000200	<0.00200	<0.00100	0.00531
	09/26/06	0.0217	0.0874	<0.00100	<0.00100	<0.00200	<0.00100	NA	<0.000200	<0.00200	<0.00100	0.00671
	03/21/07	0.0151	0.259	<0.0010	0.02840	0.0384	0.00970	NA	<0.000200	<0.00100	<0.00100	0.0812
	09/20/07	0.0241	0.169	<0.000800	0.0112	0.0180	0.00447	NA	<0.000200	<0.00160	<0.000800	0.0500

COPPOR0007572

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Manganese (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
B-37	02/17/00	0.369	0.152	0.00033	0.0159	0.0297	0.00705	NA	ND	0.00159	ND	0.0544
dup	02/17/00	0.327	0.0344	0.0004	0.00056	0.00145	0.00236	NA	ND	0.00025	ND	0.00159
	05/26/00	0.418	0.092	ND	0.00526	0.0131	0.00234	NA	ND	ND	ND	0.0215
	08/28/00	0.897	0.227	ND	0.00462	0.00938	0.00209	NA	ND	ND	ND	0.0303
	11/29/00	0.391	0.0990	ND	0.00221	0.00608	ND	NA	ND	0.00132	ND	0.0120
	02/23/01	0.198	0.0747	ND	ND	0.00339	ND	NA	ND	ND	ND	0.0170
	05/17/01	0.521	0.168	ND	0.00408	0.00984	0.00164	NA	ND	ND	ND	0.0355
	03/14/02	0.0869	0.252	ND	0.0170	0.0409	0.00746	NA	ND	ND	ND	0.0764
	09/26/02	0.117	0.119	ND	0.00603	0.0100	0.00625	NA	ND	ND	ND	0.0348
	03/18/03	0.0758	0.121	ND	0.00629	0.0178	0.00429	NA	ND	ND	0.00222	0.0539
dup	03/18/03	0.0683	0.0958	ND	0.00572	0.0115	0.00288	NA	ND	ND	0.00141	0.0364
	09/25/03	0.260	0.158	ND	0.00290	0.00853	0.00119	NA	ND	0.00169	ND	0.0215
dup	09/25/03	0.247	0.182	ND	0.00513	0.0143	0.00217	NA	ND	ND	ND	0.0330
	03/31/04	0.125	0.0546	<0.00100	0.00137	0.00454	0.00131	NA	<0.000200	<0.00100	<0.00100	0.00842
	09/28/04	0.131	0.0784	<0.00100	0.00218	NA	<0.00100	NA	<0.000200	<0.00100	<0.00100	NA
	03/28/05	0.0734	0.0798	<0.00100	0.00187	0.00593	0.00157	NA	<0.000200	<0.00100	<0.00100	0.0270
	09/20/05	0.0802	0.0827	<0.00100	0.00115	0.00229	<0.00100	NA	<0.000200	<0.00200	<0.00100	0.0133
	03/14/06	0.230	0.0616	<0.00100	<0.00100	0.00434	<0.00100	NA	<0.000200	<0.00200	<0.00100	0.00815
dup	03/14/06	0.217	0.0720	<0.00100	0.00110	0.00481	<0.00100	NA	<0.000200	<0.00200	<0.00100	0.00820
	09/26/06	0.165	0.0613	<0.00100	<0.00100	0.00288	<0.00100	NA	<0.000200	<0.00200	<0.00100	0.0110
	03/21/07	0.151	0.0458	<0.00100	<0.00100	<0.00100	<0.00100	NA	<0.000200	<0.00100	<0.00100	<0.0100
	09/20/07	0.0978	0.0666	<0.000800	0.00128	0.00392	0.000963	NA	<0.000200	<0.00160	<0.000800	0.0143
B-40	02/17/00	NS/S	NS/S	NS/S	NS/S	NS/S	NS/S	NA	NS/S	NS/S	NS/S	NS/S
	05/26/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NA	NS/F	NS/F	NS/F	NS/F
	08/28/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NA	NS/F	NS/F	NS/F	NS/F
	11/29/00	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NA	NS/F	NS/F	NS/F	NS/F
	02/20/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NA	NS/F	NS/F	NS/F	NS/F
	05/17/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NA	NS/F	NS/F	NS/F	NS/F
	09/26/06	0.0184	0.0673	<0.0000752	<0.000800	0.00367	<0.000432	NA	<0.00000500	<0.00160	<0.0000960	0.0166
	03/20/07	0.0214	0.0808	<0.000752	0.00185	0.00712	0.00201	NA	<0.00000500	<0.00160	<0.000800	0.0570
	09/20/07	0.0242	0.0640	<0.000800	<0.000800	0.00185	<0.000800	<0.000800	<0.00000500	<0.00160	<0.000800	0.0136
U-2	02/17/00	0.0188	0.0632	0.00023	0.00363	0.0116	0.00499	NA	ND	0.00034	ND	0.0241
	05/26/00	0.011	0.0503	ND	0.00137	0.00537	0.00145	NA	ND	ND	ND	0.0109
	08/28/00	0.0119	0.0503	0.00120	0.00109	0.00377	0.00169	NA	ND	ND	ND	0.0147
	11/29/00	0.00729	0.0499	ND	0.00158	0.00314	0.00109	NA	ND	0.00105	ND	0.0131
	02/23/01	0.00887	0.0373	ND	ND	0.00935	0.00173	NA	ND	ND	ND	0.0212
	05/17/01	0.00953	0.0427	ND	0.00129	0.00916	0.00257	NA	ND	ND	ND	0.0205
	09/20/01	0.00680	0.0397	ND	ND	0.00421	ND	NA	ND	ND	ND	0.00700
	03/14/02	0.0108	0.0534	ND	0.00168	0.00666	0.00183	NA	ND	ND	ND	0.0436
	09/26/02	0.00678	0.0443	ND	ND	0.00277	ND	NA	ND	0.00127	ND	0.0116
	03/18/03	0.00998	0.0487	ND	0.00100	0.00583	0.00111	NA	ND	ND	ND	0.0398
	09/25/03	0.00978	0.0749	ND	0.00658	0.00896	0.00268	NA	ND	ND	ND	0.0636
	03/31/04	0.0158	0.0646	<0.00100	0.00243	0.0107	0.00313	NA	<0.000200	0.00116	<0.00100	0.0500
	09/28/04	0.0111	0.0762	<0.00100	0.00318	NA	0.00282	NA	<0.000200	<0.00100	<0.00100	NA
	03/28/05	0.0132	0.0996	<0.00100	0.00326	0.0187	0.00531	NA	<0.000200	<0.00100	<0.00100	0.0944
	09/20/05	0.0198	0.129	<0.00100	0.00174	0.0170	0.00550	NA	<0.000200	<0.00200	<0.00100	0.0520
	03/14/06	0.0156	0.0451	<0.00100	<0.00100	0.00775	0.00228	NA	<0.000200	<0.00200	<0.00100	0.0327
	09/27/06	0.0160	0.0617	<0.00100	<0.00100	0.0196	<0.00100	NA	<0.000200	<0.00200	<0.00100	0.0106
	03/21/07	0.0181	0.0702	<0.00100	0.00117	-	0.00158	NA	<0.000200	<0.00100	<0.00100	-
	09/19/07	0.0135	0.0925	<0.000800	0.00181	0.00747	0.00236	NA	<0.000200	<0.00160	<0.000800	0.0392

COPPOR00007573

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Manganese (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
U-3	02/17/00	0.0421	0.194	0.00023	0.0241	0.0171	0.0225	NA	ND	0.00102	ND	0.268
	05/26/00	0.040	0.171	ND	0.0149	0.0116	0.0182	NA	ND	0.00145	ND	0.139
	08/28/00	0.0365	0.124	ND	0.00704	0.00673	0.0212	NA	ND	0.00202	ND	0.103
	11/29/00	0.0428	0.170	ND	0.00994	0.00949	0.0167	NA	ND	0.00342	ND	0.107
dup	11/29/00	0.0413	0.172	ND	0.00996	0.00932	0.0149	NA	ND	0.00284	ND	0.0973
	02/23/01	0.119	0.631	ND	0.170	0.107	303	NA	ND	ND	ND	1.47
	05/17/01	0.0450	0.111	ND	0.00359	0.00439	0.00427	NA	ND	0.00170	ND	0.0258
U-4	05/26/00	0.0188	0.101	ND	0.00367	0.00749	0.00268	NA	ND	ND	ND	0.0149
	08/28/00	0.0198	0.0930	ND	ND	0.00214	0.00129	NA	ND	ND	ND	0.0150
dup	08/28/00	0.0189	0.0922	ND	ND	0.00299	0.00131	NA	ND	ND	ND	0.0157
	11/29/00	0.0198	0.0911	ND	ND	ND	ND	NA	ND	0.00194	ND	0.00895
	02/23/01	0.0216	0.0802	ND	ND	ND	ND	NA	ND	ND	ND	0.00587
	05/17/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NA	NS/F	NS/F	NS/F	NS/F
	09/26/02	0.0183	0.106	ND	0.00432	0.0105	0.00484	NA	ND	0.00180	ND	0.0377
dup	09/26/02	0.0183	0.106	ND	0.00403	0.00976	0.00379	NA	ND	0.00128	ND	0.0313
	09/27/06	0.0171	0.0816	<0.00100	<0.00100	0.00234	<0.00100	NA	<0.000200	<0.00200	<0.00100	0.00996
	03/21/07	0.0182	0.0944	<0.00100	0.000308	0.00863	0.00253	NA	<0.000200	<0.00100	<0.00100	0.0294
	09/19/07	0.0184	0.0842	<0.000800	<0.000800	0.00235	<0.000800	NA	<0.000200	<0.00160	<0.000800	0.0105
U-5	02/17/00	0.0127	0.164	0.00094	0.0175	0.0456	0.0189	NA	ND	0.00095	ND	0.933
	05/26/00	0.0104	0.0748	ND	0.00225	0.00912	0.0037	NA	ND	ND	ND	0.286
	08/28/00	0.0109	0.219	ND	0.00759	0.0216	0.0143	NA	ND	0.00165	ND	0.884
	11/29/00	0.0123	0.124	ND	0.00547	0.0216	0.00856	NA	ND	0.00216	ND	0.825
	02/23/01	0.0126	0.101	ND	0.00692	0.0345	0.0140	NA	ND	0.00100	ND	1.17
	05/17/01	NS/F	NS/F	NS/F	NS/F	NS/F	NS/F	NA	NS/F	NS/F	NS/F	NS/F
	03/18/03	0.0110	0.170	ND	0.0129	0.0663	0.0158	NA	ND	ND	0.00323	2.59
	09/25/03	0.0126	0.102	ND	0.00736	0.0201	0.00947	NA	ND	0.00118	ND	0.800
	03/31/04	0.00802	0.0852	<0.00100	0.00758	0.0230	0.0115	NA	<0.000200	<0.00100	<0.00100	0.785
	09/28/04	0.00987	0.103	<0.00100	0.00623	NA	0.0106	NA	0.000228	<0.00100	<0.00100	NA
	03/28/05	0.0123	0.131	<0.00100	0.0229	0.0645	0.0381	NA	<0.000200	<0.00100	<0.00100	1.98
	09/20/05	0.00704	0.107	<0.00100	0.00583	0.0188	0.0124	NA	<0.000200	<0.00200	<0.00100	0.720
	03/14/06	0.00816	0.132	<0.00100	0.0117	0.0307	0.0127	NA	<0.000200	<0.00200	<0.00100	0.669
	09/26/06[2]	0.00621	0.122	0.000532	0.00960	0.0310	0.0151	NA	0.0000182	<0.00320[3]	<0.0000960	1.07[3]
	03/20/07	0.0117	0.301	0.00145	0.0268	0.0548	0.0432	NA	0.0000248	<0.00160	<0.000800	2.13
	09/20/07	0.026	0.334	<0.00800	0.0167	0.1310	0.0224	NA	0.0000233	<0.0160	<0.000800	2.97
U-10	03/18/03	0.107	3.39	ND	0.313	0.403	0.176	NA	0.000551	ND	ND	1.22
	09/25/03	0.00975	0.196	ND	0.0132	0.0149	0.00904	NA	ND	ND	ND	0.0493
	03/30/04	0.0316	0.128	<0.00100	0.00481	0.00573	0.0225	NA	<0.000200	<0.00100	<0.00100	0.0288
	09/28/04	0.00657	0.201	<0.00100	0.00966	NA	0.00852	NA	<0.000200	<0.00100	<0.00100	NA
	03/28/05	0.00643	0.127	<0.00100	0.00529	0.00600	0.00462	NA	<0.000200	<0.00100	<0.00100	0.0293
	09/20/05	0.00686	0.123	<0.00100	0.00120	0.00258	0.00205	NA	<0.000200	<0.00200	<0.00100	0.0106
	03/14/06	0.00918	0.140	<0.00100	0.00607	0.00933	0.00486	NA	<0.000200	<0.00200	<0.00100	0.0403

COPPOR00007574

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Manganese (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)
U-11	03/18/03	0.00942	0.372	ND	0.0297	0.0339	0.0336	NA	0.000211	0.00153	ND	0.110
	09/25/03	0.0343	0.0893	ND	0.00220	0.00287	0.00830	NA	ND	0.00101	ND	0.0124
	03/30/04	0.00679	0.363	<0.00100	0.0341	0.312	0.0212	NA	<0.000200	0.00165	<0.00100	0.103
dup	03/30/04	0.0357	0.108	<0.00100	0.00400	0.00594	0.0201	NA	<0.000200	<0.00100	<0.00100	0.0292
	09/28/04	0.0106	0.534	<0.00100	0.05610	NA	0.0684	NA	0.000472	0.00192	<0.00100	NA
	03/28/05	0.0388	0.106	<0.00100	0.00152	0.00218	0.00562	NA	<0.000200	<0.00100	<0.00100	0.0137
	09/20/05	0.0453	0.273	<0.00100	0.0242	0.0309	0.116	NA	0.000270	<0.00200	<0.00100	0.140
	03/14/06	0.0420	0.101	<0.00100	0.00137	0.0172	0.00669	NA	<0.000200	<0.00200	<0.00100	0.0120
U-12	03/18/03	0.0323	0.136	ND	0.00600	0.00711	0.0228	NA	ND	ND	ND	0.0338
	09/25/03	0.0418	1.91	ND	0.362	0.372	0.302	NA	0.000559	0.00480	ND	1.2
	03/30/04	0.00655	0.248	<0.00100	0.0179	0.0233	0.0220	NA	<0.000200	0.00185	<0.00100	0.0728
	09/28/04	0.0369	0.208	<0.00100	0.0102	NA	0.0499	NA	<0.000200	<0.00100	<0.00100	NA
	03/28/05	0.0172	1.01	0.00211	0.132	0.140	0.146	NA	<0.000200	0.00345	<0.00100	0.570
	09/20/05	0.00626	0.176	<0.00100	0.00798	0.00998	0.0125	NA	<0.000200	<0.00200	<0.00100	0.0417
	03/14/06	0.00453	0.216	<0.00100	0.00823	0.0105	0.00692	NA	<0.000200	<0.00200	<0.00100	0.0273
U-14	09/27/06	0.0674	1.97	0.00184	0.122	0.159	0.175	NA	0.000558	<0.00200	<0.00100	0.496
	03/21/07	0.00993	0.266	<0.00100	0.0141	0.0181	0.0250	NA	<0.000200	0.00152	<0.00100	0.0831
	09/19/07	0.163	2.50	<0.000800	0.0833	0.106	0.120	NA	0.000452	0.00310	<0.000800	0.822
U-15	09/27/06	0.0899	0.777	0.00126	0.0903	0.109	0.179	NA	0.000221	<0.00200	<0.00100	0.292
	03/21/07	0.0751	0.416	<0.00100	0.0461	0.0581	0.08631	NA	<0.000200	0.00115	<0.00100	0.158
	09/19/07	0.126	4.79	0.00199	0.232	0.388	0.508	NA	0.000780	0.00538	0.00142	2.15
U-16	09/27/06	0.0854	0.866	0.00131	0.0847	0.113	0.111	NA	0.00170	<0.00200	<0.00100	0.239
	03/21/07	0.112	0.746	0.00153	0.0764	0.113	0.107	NA	0.00135	0.00174	<0.00100	0.260
	09/19/07	0.105	3.280	<0.000800	0.0156	0.0262	0.0191	NA	0.000247	<0.00160	<0.000800	0.0764
U-17	09/27/06	0.0581	0.606	<0.00100	0.0694	0.0873	0.0552	NA	<0.000200	<0.00200	<0.00100	0.183
	03/21/07	0.0239	0.141	<0.00100	0.0123	0.0185	0.0252	NA	<0.000200	<0.00100	<0.00100	0.0454
	09/19/07	0.0476	0.294	<0.000800	0.0261	0.0423	0.0381	NA	<0.000200	<0.00160	<0.000800	0.0982
U-18	03/21/07	0.0690	0.491	<0.00100	0.0539	0.0920	0.0642	NA	<0.000200	0.00112	<0.00100	0.213
	09/19/07	0.0857	0.259	<0.000800	0.0204	0.0403	0.0219	NA	<0.000200	<0.00160	<0.000800	0.101
U-19	03/21/07	0.0766	0.262	<0.00100	0.012	0.0224	0.0232	NA	0.000201	<0.00100	<0.00100	0.139
	09/19/07	0.0968	0.100	<0.000800	0.00442	0.0106	0.00899	NA	<0.000200	<0.00160	<0.000800	0.163
U-20	03/21/07	0.0500	0.352	<0.00100	0.0411	0.0456	0.0534	NA	<0.000200	0.00103	<0.00100	0.157
	09/19/07	0.0281	0.0819	<0.000800	<0.000800	<0.00160	<0.000800	NA	<0.000200	<0.00160	<0.000800	0.00438
U-21	03/21/07	0.00828	0.280	<0.00100	0.0244	0.0306	0.0241	NA	<0.000200	<0.00100	<0.00100	0.0886
	09/19/07	0.00628	0.0748	<0.000800	0.000954	0.00311	0.00400	NA	<0.000200	<0.00160	<0.000800	0.00939
P-1	03/17/03	0.0225	1.27	ND	0.216	0.239	0.0946	NA	0.000604	ND	ND	0.625
	03/31/04	0.0527	4.37	<0.0100	0.642	0.848	0.244	NA	0.000816	<0.0100	<0.0100	1.73
	03/14/06	0.00334	0.141	0.00168	0.0205	0.0291	0.00779	NA	<0.000200	<0.00200	<0.00100	0.0646
	09/26/06	0.0140	1.21	0.00458	0.130	0.185	0.0418	NA	0.000300[4,5]	<0.00160	0.000732	0.358
	03/20/07	<0.000800	0.0208	<0.000752	0.00226	0.00311	<0.000800	NA	<0.00000500	<0.00160	<0.000800	0.00698
	09/20/07	NA	NA	NA	NA	NA	NA	NA	0.0000665	NA	NA	NA
P-2	03/17/03	0.0111	0.0783	ND	0.00232	0.00722	0.00288	NA	ND	ND	0.00106	0.00979
	09/25/03[1]	0.00966	0.116	ND	0.00443	0.0116	0.00553	NA	ND	0.00109	ND	0.0137
	03/30/04	0.00805	0.131	<0.00100	0.00187	0.00447	0.00126	NA	<0.000200	<0.00100	<0.00100	0.0123
	09/28/04	0.0103	0.163	<0.00100	0.00570	NA	0.00742	NA	0.000214	0.00103	<0.00100	NA
	03/28/05	0.00951	0.141	<0.00100	0.00335	0.00900	0.00454	NA	<0.000200	<0.00100	<0.00100	0.0119
	09/20/05	0.00659	0.144	<0.00100	0.00567	0.0152	0.00728	NA	<0.000200	<0.00200	<0.00100	0.0131
	03/14/06	0.00540	0.0517	<0.00100	<0.00100	0.00266	<0.00100	NA	<0.000200	<0.00200	<0.00100	<0.00500

COPPOR00007575

TABLE 4
GROUNDWATER ANALYTICAL RESULTS - TOTAL METALS
Willbridge Terminals
Portland, Oregon

Sample I.D.	Sample Date	Arsenic (mg/l)	Barium (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Copper (mg/l)	Lead (mg/l)	Manganese (mg/l)	Mercury (mg/l)	Selenium (mg/l)	Silver (mg/l)	Zinc (mg/l)

NOTES:

ND - Not Analyzed
ND - Not detected at laboratory reporting limits
NS/F = Not sampled floating product present
NS/S = Not sampled sheen present
2/00 and 5/00 data from IT Corporation
8/00, 11/00, 2/01 and 5/01 data from KHM Environmental Management, Inc.
Sample locations are shown on Figure 2
Analytical Reports are included in Attachment B
dup* = duplicate for B-30 submitted as blind duplicate labeled as B-50
dup**= duplicate for B-30 submitted as blind duplicate labeled as B-31
dup***= duplicate for B-30 submitted as blind duplicate labeled as B-130
[1] = Sample ID was misidentified by the laboratory as D-2
[2] = Sample ID was misidentified by the laboratory as U-2
[3] = The reporting limit for this analyte was raised due to matrix interference.
[4] = The sample container type or preservation does not meet method specifications using EPA Method 1631 modified. The sample was also analyzed for total mercury by EPA Method 7470A. Total mercury was not detected above the laboratory MRL of 0.000200 mg/l.
[5] = Estimated value
[6] = The laboratory control sample (LCS) and/or LCS Duplicate recovery was above the acceptance limits.
[7] = Analyte was detected in the associated method blank. Analyte concentration in the sample is greater than 10 times the concentration found in the method blank.
Total Metals Analysis by EPA 6000/7000 Series Methods
Total mercury analysis by EPA 6000/7000 Series Methods or EPA Method 1631 Modified

COPPOR00007576

TABLE 5
GROUNDWATER SCREENING LEVEL COMPARISONS
Willbridge Terminals
Portland, Oregon

		VOCs					PAHs																Metals								
Well Identification	Date Sampled	Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Xylenes (µg/l)	MTBE (µg/l)	2-Methyl-naphthalene (µg/l)	Acenaphthene (µg/l)	Acenaphthylene (µg/l)	Anthracene (µg/l)	Benzo (a) anthracene (µg/l)	Benzo (a) pyrene (µg/l)	Benzo (b) fluoranthene (µg/l)	Benzo (g,h,i) perylene (µg/l)	Benzo (k) fluoranthene (µg/l)	Chrysene (µg/l)	Dibenzo (a,h) anthracene (µg/l)	Fluoranthene (µg/l)	Fluorene (µg/l)	Indeno (1,2,3-cd) pyrene (µg/l)	Naphthalene (µg/l)	Phenanthrene (µg/l)	Pyrene (µg/l)	Arsenic (µg/l)	Cadmium (µg/l)	Chromium (µg/l)	Copper (µg/l)	Lead (µg/l)	Mercury (µg/l)	Selenium (µg/l)	Silver (µg/l)	Zinc (µg/l)
CHEVRON																															
B-10	09/26/06	0.970	3.17	0.770	4.09	<2.00	NA	1.64	<0.388	0.527	0.0463	0.0590	0.0717	0.110	0.0542	0.0928	0.0255	0.469	4.89	0.0768	<1.17	3.66	0.635	27.4	0.08	2.27	<1.60	1.55	<5.00	<10.0	<0.0960	10.3
	03/21/07	0.770	1.79	<1.00	5.20	<1.00	NA	1.18	<0.383[1]	<0.153[2]	0.0376	0.0329	0.0403	0.0420	0.0329	0.0510	0.0121	0.236	6.61	0.0335	<3.44[2]	2.63	0.419	28.6	0.08	3.39	4.35	2.15	0.00616	<1.60	<0.0960	14.2
dup	03/21/07	0.720	1.74	<1.00	5.52	<1.00	NA	1.06	<0.291[2]	<0.194[2]	0.058	0.0606	0.0576	0.0643	0.0677	0.0846	0.0216	0.275	5.26	0.0545	<2.43[2]	1.60	0.440	31.0	0.104	4.50	5.81	2.90	0.00833	<1.60	<0.0960	19.9
	09/18/07	<0.400[2]	<1.00[2]	<1.00[2]	<2.00[2]	<4.00[2]	<0.962[2]	0.669	<0.192	<0.962[2]	0.0293	0.0258	0.0270	<0.192	0.0292	0.0413	0.0102	<0.962[2]	2.20	0.0218	<3.85[2]	<0.962[2]	1.35	36.0	<0.0752	3.16	5.91	1.87	<0.200	<1.60	<0.0970	15.1
CR-1	09/27/06	<0.200	<0.500	<0.500	<1.00	<2.00	NA	0.978	<0.197	0.0747	<0.00985	<0.00985	<0.0197	<0.0493	<0.0197	<0.00985	<0.00985	<0.0493	3.19	<0.00985	<0.788	1.07	0.0513	1.84	0.144	<0.800	2.77	0.44	<5.00	<2.00	<0.0960	10.9
	03/22/07	<0.200	<1.00	<1.00	<2.00	<1.00	NA	0.118	<0.0343[2]	<0.0490[2]	<0.00490	<0.00490	<0.00490	<0.00980	<0.00490	<0.0147[2]	<0.00490	<0.0245[2]	0.838	<0.00980	<0.275[2]	0.140	<0.0784[2]	0.912	<0.0752	<0.800[2]	3.92	<0.432[2]	<0.00500	<1.60	<0.800[2]	8.6
	09/20/07	<0.200	<0.500	<0.500	<1.00	<2.00	<0.500[2]	1.01	<0.500[2]	<0.500[2]	<0.0250[2]	0.0112[2]	0.0146[2]	<0.100	0.0120[2]	<0.0250[2]	0.00524[2]	<0.500[2]	6.61	0.00512[2]	<2.50	1.03	<0.500[2]	1.41	<0.800	<0.800	<1.60	<0.800	<0.200	<1.60	<0.800	<4.00
KINDER MORGAN																															
MW-33	09/27/06	<0.200	<0.500	<0.500	<1.00	<2.00	NA	<0.00990	<0.00990	<0.00990	<0.00515	<0.00495	0.00540	<0.00990	0.00659	<0.00718	<0.00495	<0.00990	<0.00990	<0.00510	0.0458[3,4]	<0.00990	0.0189	25.3	<0.0752	<0.800	<1.60	<0.432	7.24	<1.60	<0.0950	24.4
	03/22/07	<0.200	<0.500	<0.500	<1.00	<2.00	NA	<0.00976	<0.00976	<0.00976	<0.00488	<0.00488	<0.00488	<0.00976	<0.00488	<0.00488	<0.00488	<0.00976	<0.00976	<0.00488	0.0146	<0.00976	0.0193	13.9	0.205	<0.800	<1.60	<0.432	0.00767	<1.60	<0.0950	8.27
	03/22/07	<0.200	<0.500	<0.500	<1.00	<2.00	NA	<0.00971	<0.00971	<0.00971	<0.00485	<0.00485	<0.00485	<0.00971	<0.00485	<0.00485	<0.00485	<0.00971	<0.00971	<0.00485	0.0145	<0.00971	0.0157	37.3	0.952	1.10	2.42	<0.432	<0.00500	<1.60	<0.0960	18.4
	09/18/07	<0.400	<0.400	<0.400	<2.00	<1.00	<0.0976	<0.0976	<0.0976	<0.0976	<0.00488	<0.00488	<0.00488	<0.0976	<0.00488	<0.00488	<0.00488	<0.0976	<0.0976	<0.00488	<0.0976	<0.0976	<0.0976	32.9	<1.00	1.33	2.73	<1.00	0.0166	<2.00	<1.00	24.5
MW-34	09/27/06	<0.200	<0.500	<0.500	<1.00	<2.00	NA	<0.00990	<0.00990	<0.00990	<0.00500	<0.00500	<0.00500	<0.00990	<0.00500	<0.00500	<0.00500	<0.00990	<0.00990	<0.00500	0.0468[3,4]	<0.00990	0.0189	14.3	0.103	0.899	3.18	1.39	<0.00500	<1.60	<0.0950	15.0
	03/22/07	<0.200	<0.500	<0.500	<1.00	<2.00	NA	0.0215	<0.00985	<0.00985	<0.00493	<0.00493	<0.00493	<0.00985	<0.00493	<0.00493	<0.00493	<0.00985	<0.00985	<0.00493	<0.0591[2]	<0.00985	<0.00985	25.2	0.176	4.01	9.22	5.01	0.00877	<1.60	<0.0950	32.9
	09/18/07	<0.400	<0.400	<0.400	<2.00	<1.00	<0.0971	0.375	<0.0971	<0.0971	<0.00485	<0.00485	<0.00485	<0.0971	<0.00485	<0.00485	<0.00485	<0.0971	<0.0971	<0.00485	<0.971[2]	<0.0971	<0.0971	32.6	<1.00	3.14	8.00	3.51	0.0208	<2.00	<1.00	20.2
MW-36	09/27/06	<0.200	<0.500	<0.500	<1.00	<2.00	NA	0.606	<0.0200[2]	<0.0200[2]	<0.00500	<0.00500	<0.00500	<0.0100	<0.00500	<0.00500	<0.00500	<0.0100	<0.0200[2]	<0.00500	<0.400[2,5]	0.103	0.121	17.6	<0.0752	<0.800	1.70	<0.432	<0.00500	<1.60	<0.0960	4.50
dup	09/27/06	<0.200	<0.500	<0.500	<1.00	<2.00	NA	0.528	<0.0199[2]	<0.0249[2]	0.00544	<0.00498	<0.00498	<0.00995	0.00498	0.00527	<0.00522	<0.00995	<0.0149[2]	<0.00559	<0.279[2,5]	0.104	0.109	15.7	<0.0752	<0.800	1.60	<0.432	<0.00500	<1.60	<0.0960	<4.00
	03/22/07	<0.200	<0.500	<0.500	<1.00	<2.00	NA	0.289	<0.0146[2]	<0.00971	<0.00485	<0.00485	<0.00485	<0.00971	<0.00485	<0.00485	<0.00485	<0.00971	<0.00971	<0.00485	<0.320[2]	0.0513	0.0478	8.6	<0.0752	<0.800	2.64	0.652	0.00540	<1.60	<0.0960	6.28
	09/18/07	<0.400	<0.400	<0.400	<2.00	<1.00	<0.0995	0.564	<0.0995	<0.0995	<0.00498	<0.00498	<0.00498	<0.0995	<0.00498	<0.00498	<0.00498	<0.0995	<0.0995	<0.00498	<0.886[2]	<0.0995	0.148	18.9	<1.00	<1.00	<2.00	<1.00	<0.00500	<2.00	<1.00	<5.00
dup	09/18/07	<0.400	<0.400	<0.400	<2.00	<1.00	<0.0980	0.552	<0.0980	<0.0980	<0.00490	<0.00490	<0.00490	<0.0980	<0.00490	<0.00490	<0.00490	<0.0980	<0.0980	<0.00490	<0.882[2]	0.110	0.151	30.4	<1.00	<1.00	4.49	1.07	<0.00500	<2.00	<1.00	9.78
MW-37	09/27/06	<0.200	<0.500	<0.500	<1.00	<2.00	NA	0.653	<0.250[2]	<0.0400[2]	0.0212	0.0486	0.0325	0.0717	0.0314	0.0296	0.0120	0.0562	0.342	0.0436	<1.20[2,5]	0.135	0.123	19.9	<0.0752	<0.800	<1.60	<0.432	<0.00500	<1.60	<0.0960	<4.00
	03/22/07	<0.200	<0.500	<0.500	<1.00	<2.00	NA	0.578	<0.194[2]	<0.0971[2]	0.0183	0.0330	0.0199	0.0389	0.0230	0.0270	0.00858	<0.0971[2]	0.820	0.0315	<2.14[2]	<0.0971[2]	0.133	21.0	0.173	<0.800	<1.60	0.61	<0.00500	<1.60	<0.0950	8.43
	09/18/07	<0.400	<0.400	<0.400	<2.00	<1.00	<0.388[2]	<0.971[2]	<0.971[2]	<0.0971	0.0132	0.0287	<0.0194[2]	<0.388[2]	<0.0194[2]	0.0157	<0.0194[2]	<0.0971	<0.971[2]	0.0334	<3.11[2]	<0.971[2]	0.120	23.6	<1.00	<1.00	<2.00	3.08	<0.00500	<2.00	<1.00	8.03
MW-40	09/26/06	NS	NS	NS	NS	NS	NA	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	03/22/07	<0.200	<0.500	<0.500	<1.00	<2.00	NA	0.0655	<0.00971	<0.00971	<0.00485	<0.00485	<0.00485	<0.00971	<0.00485	<0.00485	<0.00485	<0.00971	<0.00971	<0.00485	<0.126[2]	0.0259	0.0114	19.1	<0.0752	<0.800	2.05	0.686	0.00558	<1.60	<0.0960	7.51
	09/18/07	<0.400	<0.400	<0.400	<2.00	<1.00	<0.0990	<0.0990	<0.0990	<0.0990	<0.00495	<0.00495	<0.00495	<0.0990	<0.00495	<0.00495	<0.00495	<0.0990	<0.0990	<0.00495	<0.297[2]	<0.0990	<0.0990	22.0	<1.00	<1.00	<2.00	<1.00	<0.00500	<2.00	<1.00	5.58
CONOCOPHILLIPS																															
B-40	09/26/06[1]	21.5	2.84	59.4	225	<4.00	NA	8.45	<1.75[2]	1.39	0.189	0.0804	<0.100[2]	<0.500	<0.100[2]	0.337	<0.0500	<0.500	9.06	<0.0500	<213[6]	13.8	1.42	18.4	<0.0752	<0.800	3.57	<0.432	<0.00500	<1.60	<0.0960	16.6
	03/20/07	15.2	2.74	66	213	<4.00	NA	26.0	<9.85	<9.85	2.01	0.749	<0.498	<4.98	<0.498	3.85	0.298	<4.98	40.6	0.167	389	87.0	16.6	21.4	<0.752	1.85	7.12	2.01	<0.00500	<1.60	<0.800	57.0
	09/20/07	15.9	2.12	63.6	153	<2.00	260	5.71	<1.75[2]	<2.00[2]	<0.500[1]	<0.500[1]	<0.500[1]	<0.500[2]	<0.500[1]	0.507	<0.500[1]	<0.500[1]	6.97	<0.500[1]	141	12.7	1.90	24.2	<0.800	<0.800	1.85	<0.800	<0.00500	<1.60	<0.800	13.6
P-1	09/26/06	<0.200	<0.500	<0.500	<1.00	<2.00	NA	0.0137	<0.0102	<0.0102	<0.00508	<0.00508	<0.00508	<0.0102	<0.00508	0.00513	<0.00508	<0.0102	0.0225	<0.00508	<0.0457[2,5]	0.0468	0.0195	14.0	4.58	130	185	41.8	<0.300	<1.60	0.732	358
	03/20/07	<0.200	<0.500	<0.500	<1.00	<2.00	NA	<0.00976	<0.00976	<0.00976	<0.00488	<0.00488	<0.00488	<0.00976	<0.00488	<0.00488	<0.00488	<0.00976	<0.00976	<0.00488	<0.0341	0.0139	0.0134	<0.800	<0.752	2.26	3.11	<0.800	<0.00500	<1.60	<0.800	6.88
	09/20/07	<0.200	<0.500	<0.500	<1.00	<2.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.0665	NA	NA	NA
U-5	09/26/06[1]	<0.200	<0.500	<0.500	<1.00	<2.00	NA	204	<72.5[2]	106	8.40	5.79	<6.07[2]	28.3	<7.26[2]	23.3	3.69	27.6	374	2.33	<121[2,5]	998	119	6.21	0.532	9.50	31.0	15.1	<0.0182	3.20	<0.0960	1,070
	03/20/07	<0.200	<0.500	<0.500	<1.00	<2.00	NA	4.58	<1.17	<2.14	0.189	0.0981	<0.0971	0.420	<0.0971	0.403	0.0577	<0.388	12.5	0.0459	<5.44	11.8	2.56	11.7	1.45	26.6	5.48	43.2	0.0248	<1.60	<0.800	2,130
	09/20/07	<0.200	<0.500	<0.500	<1.00	<2.00	19.2	12.4	<5.00[2]	<15.0[2]	0.548	<0.500[1]	<0.500[1]	1.20[4]	<0.500[1]	0.999	<0.500[1]	<5.00[2]	19.9	<0.500[1]	<12.0[2]	37.8	8.00	28.1	<8.00[2]	16.7	131	22.4	0.0233	<16.0[2]	<0.800	2,970

COPPOR00007577

TABLE 5
GROUNDWATER SCREENING LEVEL COMPARISONS
Wilbridge Terminals
Portland, Oregon

Well Identification	Date Sampled	VOCs					PAHs															Metals								
		Benzene	Toluene	Ethylbenzene	Xylenes	MTBE	2-Methyl-naphthalene	Acenaphthene	Acenaphthylene	Anthracene	Benzo (a) anthracene	Benzo (a) pyrene	Benzo (b) fluoranthene	Benzo (g,h,i) perylene	Benzo (k) fluoranthene	Chrysene	Dibenzo (a,h) anthracene	Fluoranthene	Fluorene	Indeno (1,2,3-cd) pyrene	Naphthalene	Phenanthrene	Pyrene	Arsenic	Cadmium	Chromium	Copper	Lead	Mercury	Selenium	Silver	Zinc
		(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
Portland Harbor Joint Source Control Screening Level Values																														
EPA's 2004 NRWQC (organism only)		51	15,000	2,100	N/A	N/A	N/A	990	N/A	40,000	0.018	0.018	0.018	N/A	0.018	0.018	0.018	140	5,300	0.018	N/A	N/A	4,000	0.14	N/A	N/A	N/A	N/A	N/A	4,200	N/A	26,000
DEQ's 2004 AWQC (organism only)		51	N/A	2,100	N/A	N/A	N/A	990	N/A	40,000	0.018	0.018	0.018	N/A	0.018	0.018	0.018	140	5,300	0.018	N/A	N/A	4,000	0.14	N/A	N/A	N/A	N/A	0.146	4,200	N/A	26,000
EPA's 2004 NRWQC ecological receptors (chronic)		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	150	8.094	N/A	2.7	0.54	0.77	5	N/A	36
DEQ's 2004 AWQC ecological receptors (chronic)		N/A	N/A	N/A	N/A	N/A	N/A	520	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	620	N/A	N/A	N/A	0.38	N/A	3.6	0.54	0.012	35	0.12	33

NOTES:
µg/l = micrograms per Liter
<0.00985 = Analyte not detected above the laboratory method reporting limit (MRL) of 0.00985 µg/L
Screening Level Values (SLVs) taken from Table 3-1 of the Portland Harbor Joint Source Control Strategy (JSCS) guidance document, dated December 2005.
NRWQC = National Recommended Water Quality Criteria
AWQC = Ambient Water Quality Criteria
Bold face font indicates analyte was detected above the applicable screening levels presented in Table 3-1 of the Portland Harbor JSCS guidance document, dated December 2005.
NA = Not analyzed
NS = Not sampled
N/A = Not applicable
ND = Not detected
VOCs = Volatile Organic Compounds
PAHs = Polynuclear Aromatic Compounds
[1] = The reporting limit was raised due to dilution necessary for analysis. Sample contains high levels of reported analyte, non-target analyte, and/or matrix interference.
[2] = The reporting limit for this analyte was raised due to matrix interference or sample matrix effects.
[3] = Analyte was detected in the associated method blank.
[4] = Naphthalene was detected in the Method Blank at 0.0165 µg/L. Sample has a detection for naphthalene at 0.0468 µg/L. The result has been qualified and should be considered an estimate. The lab was unable to perform corrective action due to insufficient volume remaining.
[5] = Analyte was detected in the associated blank at greater than one-half the MRL, but samples are ND.
[6] = Analyte was detected in the associated method blank. Analyte concentration in the sample is greater than 10 times the concentration found in the method blank.
[7] = The laboratory control sample (LCS) and/or LCS Duplicate recovery was above the acceptance limits.

COPPOR00007578



REFERENCES

USGS 7.5 Minute Topographic Maps
Portland, Oregon-Washington
Linnton, Oregon
DeLorme TopoQuads, 1999
SCALE: 1 inch = 3750 feet

North



FIGURE 1

SITE LOCATION MAP

Willbridge Petroleum Terminals
Portland, Oregon

PROJECT NO. ORZ0922GW-6	DRAWN BY KNT 6-12-03
FILE NO.	PREPARED BY CRF 11/7/07
REVISION NO.	REVIEWED BY

DELTA



COPPOR00007580



LEGEND

B-26	MONITORING WELL
(18.26)	GROUNDWATER ELEVATION
*	GROUNDWATER ELEVATION NOT USED TO CONSTRUCT CONTOURS
18	GROUNDWATER ELEVATION CONTOUR, FEET
—x—x—x—	FENCE LINE
	TOPOGRAPHIC CONTOUR LINES

North

0 100

SCALE IN FEET

FIGURE 3
RIVERFRONT SITE MAP WITH GROUNDWATER ELEVATION CONTOURS

WILLBRIDGE PETROLEUM TERMINALS
PORTLAND, OREGON

PROJECT NO.	PREPARED BY	DRAWN BY
PTWB-01M-2	BP	DR
DATE	REVIEWED BY	FILE NAME
10/16/07		PTWB01M2-Site

DELTA

COPPOR0007581

FIGURE 4
PRECIPITATION AND RIVER STAGE
April 2007 - September 2007
Willbridge Petroleum Terminals
Portland, Oregon



COPPOR00007582

APPENDIX A

GROUNDWATER MONITORING AND SAMPLING PROCEDURES, CERTIFIED ANALYTICAL LABORATORY REPORTS AND CHAIN-OF-CUSTODY DOCUMENTATION

Groundwater Monitoring and Sampling

Before the sampling event, Delta measured depth to water in each groundwater monitoring well at the facility with a Solinst Electronic Oil/Water Interface Probe. This information was recorded on waterproof field sheets. Groundwater elevations (GWE) were measured to an accuracy of 0.01 feet. Wells were sampled after purging three casing volumes of water from the well (or until dry). Wells with observable amounts of SPH were not sampled. After the well had recharged to approximately 80% of static level, samples were collected using a disposable polyethylene bailer and placed in the appropriate laboratory-provided containers. Samples were labeled, placed into ice filled coolers, logged onto chain-of-custody forms and transported to the laboratory.