Resource Recovery Corporation
5501 AIRPORT WAY SOUTH
SEATTLE, WASHINGTON 98108
PHONE (206) 767-0355

RECEIVED
DEPARTMENT OF ECOLOGY
SPOKANE REGIONAL OFFICE

N-13

RANCH OFFICE:
O. Box 650
asco, Washington 99301

File
Franklin Co
Resource Recovery
Land Fill
JRM

July 2, 1980

Department of Ecology
E. 103 Indiana
Spokane, WA. 99207

Dear Sirs:

Attached is a breakdown of industrial waste materials brought into the Pasco landfill during the years 1972, 1973, and 1974. Their location in the site is indicated by reference to the survey map prepared by A.D. Stanley & Associates Inc. dated 6/5/80.

Sincerely,

John R. Kimberly, Jr.
President

Memo for File 9-10-80

Checked recording info. with Auditor and it is correct.

JRM

USEPA SF
1452315

Drums	1972	1973	1974	Site
Paint Waste SLU 24200	6314	9195	8691	A
Caustic Wastes BASE	959	3277	4538	A
Acid Wastes ACID	85	459	----	A
2-4 D mfg. Waste PEST	588	4492	----	B
Carcenogenics	----	9	----	A
Pesticide Containers PSD	----	863	----	A
Aromatic Tar OCC	----	160	----	A
Oil Sludge SLU 433	----	----	433	A
Cedimum Waste	----	11	----	A
Pesticides PSD	----	425	----	A
Metal Finishing MES	----	----	304	A

Gallons	1972	1973	1974	Site
Waste Cutting Oil OLW	3000	28500	52800	D
Lime Phenol Waste SOL	----	217724	467243	C
Metal Cleaning Waste MES	----	3703 138938	46224	C
Paint Waste SLU 1330	----	6005	60511	D
Acids ACD	----	6000	1000	C
Solvents SOL	----	12648	----	D
Oily Sludges SLU 1327	----	11000	55340	D
Metal Finishing MES	----	34017000	----	C

Pounds	1972	1973	1974	Site
Acid metal Cleaning ACD	----	490810	1810750	C
Plywood Resin Wastes SLU 5539	----	212520	2002920	D
Paint Wastes SLU 1119	----	27200	420218	D
57910 Barium Waste with mercury SLU	----	5439	tons 6143 tons	E
Fertilizer Mfg. Waste SLU 571	----	----	228288	D
Aromatic Tar OCC	----	----	499270	D
Metal Finishing MES	----	----3652	1460602	C

Quano
17881
57910

Resource Recovery, Inc
Pasco Landfill Records

*exclusive categories

Description of Waste	Period	Tons	Units and Quantities* gallons	drums	pounds	CAT.
1) Paint Waste (& Solvent & sludge)	1974 - 12; 11; 10; 9; 8; 7; 6; 5; 4; 3; 2;		35200	15674	339253	
2) Fertilizer Mfg. W.	1; 1973 - 12; 11; 10; 8; 7				228288	
3) Metal Finishing W.	missing 9 (73)		41470	1252	1949652	
4) Plywood Resin W.	6; 5				1357380	
5) Resin Mfg. W.			392553			
6) Cutting Oil W.			55000			
7) Bilge Cleaning PCB? Heavy hydrocarb.			1000			
8) Metal Casting W.				4266		
9) Barium Sludge (Magnesia Barium Sulfate Sl.)		8427			504900	
10) Benzoic Acid & Tars					176,000	
11) Oily Wastes/Sludge				433	166680	
12) Solidified Caustic Soda					44,550	
13) Chem. Lab Reagents				1		
14) Acid Wash Solution					312350	
15) Metal Rinse Solution			35,724			
16) Acid Sludge			1000			
17) Chrome Rinse			115244		562400	
18) Detergent Metal Wash			10,500			
19) Wood Preservat. W.			46542	238		
20) Wood Treatment W.			148120			
21) Tar Aromatic				248		
22) Paint Waste - Cleaning			60,511			
23) Metal Finish Brine			5500			
24) Lime Sludge			(327,000) - DOE 1973 104318			

Resource Recovery Inc. Cont pg 2

Description of Waste	Period	Tons	gallons	drums	lbs	~~CAT~~ YARDS
25) Cleaning Sol. NH_4 & NaOH			17,238			
26) Weed killers MCP tar				939 + 680 pails		
27) Emulsion Cutting Oils			15600			
28) Pesticide Containers - 35 empty 400, 360, 250						
29) Miscel. Lab Chemicals - 29 small containers						
30) Oil Separator Sludge			5000			
31) Garbage						6896
? distinction						
32) Refuse						1808
33) Etching Solution				80		
34) Insecticide				191		
35) Mercury Contaminated Barium Sludge		340				
36) 2-4 D tar			(105,500)	2011		
37) MCPA Bleed			(149,000)	3037 DOE 2965		
38) "Other misc" (from Rhodia Corp. Portland) Chipman Division				435		

MAP OF SURVEY

for

RESOURCE RECOVERY, Inc.

Exact Locations of Haz. Waste Disp. Sites A, B, C, D, & E

ENGINEER'S CERTIFICATE

THIS MAP CORRECTLY REPRESENTS A SURVEY MADE UNDER MY DIRECT SUPERVISION IN CONFORMANCE WITH THE SURVEY RECORDING ACT, CHAPTER 50, LAWS OF 1973, AT THE REQUEST OF RESOURCE RECOVERY, Inc. IN JUNE 1980

Allen D. Stanley

ALLEN D. STANLEY WASH. REG. No. 7890

6-5-80

DATE

ALLEN D. STANLEY STATE OF WASHINGTON REGISTERED PROFESSIONAL ENGINEER

AUDITOR'S CERTIFICATE

SET

FILED FOR RECORD THIS 16 DAY OF JUNE, 1980, AT 2:16 P.M., IN BOOK 1 OF SURVEYS AT PAGE 272 AT THE REQUEST OF

FRANKLIN COUNTY AUDITOR

FEE No. 402472

7°32'26"E
32.29'
91.96'
30.30'
8"W
S 0°23'44"W

N 01°04'48"E - 1328.64'

DESCRIPTIONS

THE FOLLOWING DISPOSAL SITES ARE ALL LOCATED IN THE W½ OF THE NW¼ OF SECTION 22, T. 9 N., R. 30 E., W.M., FRANKLIN COUNTY, WASHINGTON, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

SITE 'A'

COMMENCING AT THE WEST ¼ CORNER OF SAID SECTION 22; THENCE N 01°05'52"E, ALONG THE WEST LINE OF SAID SECTION 22, A DISTANCE OF 849.53 FT.; THENCE EAST 127.81 FT. TO THE TRUE POINT OF BEGINNING; THENCE N 89°30'04" E A DISTANCE OF 195.22 FT.; THENCE S 00°05'59" W A DISTANCE OF 67.02 FT.; THENCE S 86°03'08" W A DISTANCE OF 79.08 FT.; THENCE S 02°18'49" W A DISTANCE OF 210.37 FT.; THENCE N 88°13'04" W A DISTANCE OF 103.42 FT.; THENCE N 0°53'36" W A DISTANCE OF 277.78 FT. TO THE TRUE POINT OF BEGINNING.

CONTAINING 36,510 SQ. FT. MORE OR LESS

SITE 'B'

COMMENCING AT THE WEST ¼ CORNER OF SAID SECTION 22; THENCE N 01°05'52" E, ALONG THE WEST LINE OF SAID SECTION 22, A DISTANCE OF 844.17 FT.; THENCE EAST 1208.99 FT. TO THE TRUE POINT OF BEGINNING; THENCE N 87°32'26" E A DISTANCE OF 82.29 FT.; THENCE S 00°23'44" W A DISTANCE OF 91.96 FT.; THENCE N 83°55'18" W A DISTANCE OF 80.30 FT.; THENCE N 01°14'04" W A DISTANCE OF 79.94 FT. TO THE TRUE POINT OF BEGINNING.

CONTAINING 6,962 SQ. FT. MORE OR LESS

SITE 'C'

COMMENCING AT THE WEST ¼ CORNER OF SAID SECTION 22; THENCE N 01°05'52" E, ALONG THE WEST LINE OF SAID SECTION 22, A DISTANCE OF 1355.55 FT.; THENCE EAST 488.78 FT. TO THE TRUE POINT OF BEGINNING; THENCE N 89°31'52" E A DISTANCE OF [illegible]02 FT.; THENCE S 01°27'37" E A DISTANCE OF 127.00 FT.; THENCE S 88° [illegible] "W A DISTANCE OF 94.47 FT.; THENCE



SITE 'D'

COMMEN
ALONG THE
EAST 598.57
OF 81.04 FT.; TH
DISTANCE OF
POINT OF BE
CONTAI

SITE 'E'

COMMEN
ALONG THE

SITE 'B'
6,962 ±'
80.30'
N 83°55'18" W
S 0°25'

N 01°04'48" E - 1328.64'

NOTE: ALL OF THE W½ OF NW¼ OF SECTION 22 IS UNDER THE SAME OWNERSHIP. THESE PARCELS ARE FOR MANAGEMENT PURPOSES ONLY.

AT THE WEST ¼ CORNER OF SAID SECTION 22; THENCE N 01°05'52"E, LINE OF SAID SECTION 22, A DISTANCE OF 1356.97 FT.; THENCE TO THE TRUE POINT OF BEGINNING; THENCE N 89°41'04"E A DISTANCE E S 02°43'49"E A DISTANCE OF 126.37 FT.; THENCE S 89°02'48"W A FT.; THENCE N 00°08'42"E A DISTANCE OF 127.24 FT. TO THE TRUE ING.

10,674 SQ. FT. MORE OR LESS

AT THE WEST ¼ CORNER OF SAID SECTION 22; THENCE N 01°05'52"E, LINE OF SAID SECTION 22, A DISTANCE OF 1577.93 FT.; THENCE TO T TRUE POINT OF BEGINNING; THENCE N 87°15'19"E A DISTANCE ICE 01°50'10"E A DISTANCE OF 180.23 FT.; THENCE S 85°31'16"W 0.85 FT.; THENCE N 04°40'16"W A DISTANCE OF 185.48 FT. TO THE TRUE NG.

NG 32,050 SQ. FT. MORE OR LESS

1325.11'
89°35'19" E

DESCRIPTIONS

THE FOLLOWING DISPOSAL SITES ARE ALL LOCATED IN THE W½ OF THE NW¼ OF SECTION 22, T. 9 N., R. 30 E., W.M., FRANKLIN COUNTY, WASHINGTON, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

SITE 'A'

COMMENCING AT THE WEST ¼ CORNER OF SAID SECTION 22; THENCE N 01°05'52"E, ALONG THE WEST LINE OF SAID SECTION 22, A DISTANCE OF 849.53 FT.; THENCE EAST 127.81 FT. TO THE TRUE POINT OF BEGINNING; THENCE N 89°30'04"E A DISTANCE OF 195.22 FT.; THENCE S 00°05'59"W A DISTANCE OF 67.02 FT.; THENCE S 86°03'08"W A DISTANCE OF 79.08 FT.; THENCE S 02°18'49"W A DISTANCE OF 210.37 FT. THENCE N 88°13'04"W A DISTANCE OF 103.42 FT.; THENCE N 0°53'36"W A DISTANCE OF 277.78 FT. TO THE TRUE POINT OF BEGINNING.

CONTAINING 36,510 SQ. FT. MORE OR LESS

SITE 'B'

COMMENCING AT THE WEST ¼ CORNER OF SAID SECTION 22; THENCE N 01°05'52"E, ALONG THE WEST LINE OF SAID SECTION 22, A DISTANCE OF 844.17 FT.; THENCE EAST 1208.99 FT. TO THE TRUE POINT OF BEGINNING; THENCE N 87°32'26"E A DISTANCE OF 82.29 FT.; THENCE S 00°23'44"W A DISTANCE OF 91.96 FT.; THENCE N 83°55'18"W A DISTANCE OF 80.30 FT.; THENCE N 01°14'04"W A DISTANCE OF 79.94 FT. TO THE TRUE POINT OF BEGINNING

CONTAINING 6,962 SQ. FT. MORE OR LESS

SITE 'C'

COMMENCING AT THE WEST ¼ CORNER OF SAID SECTION 22; THENCE N 01°05'52"E, ALONG THE WEST LINE OF SAID SECTION 22, A DISTANCE OF 1355.55 FT.; THENCE EAST 488.78 FT. TO THE TRUE POINT OF BEGINNING; THENCE N 89°31'52"E A DISTANCE OF 90.02 FT.; THENCE S 01°27'37"E A DISTANCE OF 127.00 FT.; THENCE S 88°55'25"W A DISTANCE OF 94.47 FT.; THENCE N 00°32'06"E A DISTANCE OF 128.00 FT. TO THE TRUE POINT OF BEGINNING.

CONTAINING 11,758 SQ. FT. MORE OR LESS

A.D. STANLEY & ASSOCIATES INC.
CONSULTING ENGINEERS
LAND SURVEYORS
PASCO WASHINGTON



NOTE: ALL OF THE W½ OF NW¼ OF SECTION 22 IS UNDER THE SAME OWNERSHIP. THESE PARCELS ARE FOR MANAGEMENT PURPOSES ONLY.

SITE 'D'

COMMENCING AT THE WEST ¼ CORNER OF SAID SECTION 22; THENCE N 01°05'52"E, ALONG THE WEST LINE OF SAID SECTION 22, A DISTANCE OF 1356.97 FT.; THENCE EAST 598.57 FT. TO THE TRUE POINT OF BEGINNING; THENCE N 89°41'04"E A DISTANCE OF 81.04 FT.; THENCE S 02°43'49"E A DISTANCE OF 126.37 FT.; THENCE S 89°02'48"W A DISTANCE OF 87.39 FT.; THENCE N 00°08'42"E A DISTANCE OF 127.24 FT. TO THE TRUE POINT OF BEGINNING.

CONTAINING 10,674 SQ. FT. MORE OR LESS

SITE 'E'

COMMENCING AT THE WEST ¼ CORNER OF SAID SECTION 22; THENCE N 01°05'52"E, ALONG THE WEST LINE OF SAID SECTION 22, A DISTANCE OF 1577.93 FT.; THENCE