1.5

"Rite in the Rain"
WEATHERPROOF

Book 2 of ~~2~~3

TRANSIT

CC2

NOTEBOOK NO. 301

Resource Recovery / Pasco Landfill

March 1987

S. NIEMUTH

USEPA SF
1452410

DISTANCES FROM SIDE STAKES FOR CROSS-SECTIONING

Roadway of any Width. Side Slopes 1½ to 1.

In the figure below: opposite 7 under "Cut or Fill" and under .3 read 11.0, the distance out from the side stake at left. Also, opposite 11 under "Cut or Fill" and under .1 read 16.7. the distance out from the side stake at right



Cut or Fill	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	Cut or Fill
	Distance out from Side or Shoulder Stake										
0	0.0	0.2	0.3	0.5	0.6	0.8	0.9	1.1	1.2	1.4	0
1	1.5	1.7	1.8	2.0	2.1	2.3	2.4	2.6	2.7	2.9	1
2	3.0	3.2	3.3	3.5	3.6	3.8	3.9	4.1	4.2	4.4	2
3	4.5	4.7	4.8	5.0	5.1	5.3	5.4	5.6	5.7	5.9	3
4	6.0	6.2	6.3	6.5	6.6	6.8	6.9	7.1	7.2	7.4	4
5	7.5	7.7	7.8	8.0	8.1	8.3	8.4	8.6	8.7	8.9	5
6	9.0	9.2	9.3	9.5	9.6	9.8	9.9	10.1	10.2	10.4	6
7	10.5	10.7	10.8	11.0	11.1	11.3	11.4	11.6	11.7	11.9	7
8	12.0	12.2	12.3	12.5	12.6	12.8	12.9	13.1	13.2	13.4	8
9	13.5	13.7	13.8	14.0	14.1	14.3	14.4	14.6	14.7	14.9	9
10	15.0	15.2	15.3	15.5	15.6	15.8	15.9	16.1	16.2	16.4	10
11	16.5	16.7	16.8	17.0	17.1	17.3	17.4	17.6	17.7	17.9	11
12	18.0	18.2	18.3	18.5	18.6	18.8	18.9	19.1	19.2	19.4	12
13	19.5	19.7	19.8	20.0	20.1	20.3	20.4	20.6	20.7	20.9	13
14	21.0	21.2	21.3	21.5	21.6	21.8	21.9	22.1	22.2	22.4	14
15	22.5	22.7	22.8	23.0	23.1	23.3	23.4	23.6	23.7	23.9	15
16	24.0	24.2	24.3	24.5	24.6	24.8	24.9	25.1	25.2	25.4	16
17	25.5	25.7	25.8	26.0	26.1	26.3	26.4	26.6	26.7	26.9	17
18	27.0	27.2	27.3	27.5	27.6	27.8	27.9	28.1	28.2	28.4	18
19	28.5	28.7	28.8	29.0	29.1	29.3	29.4	29.6	29.7	29.9	19
20	30.0	30.2	30.3	30.5	30.6	30.8	30.9	31.1	31.2	31.4	20
21	31.5	31.7	31.8	32.0	32.1	32.3	32.4	32.6	32.7	32.9	21
22	33.0	33.2	33.3	33.5	33.6	38.8	33.9	34.1	34.2	34.4	22
23	34.5	34.7	34.8	35.0	35.1	35.3	35.4	35.6	35.7	35.9	23
24	36.0	36.2	36.3	36.5	36.6	36.8	36.9	37.1	37.2	37.4	24
25	37.5	37.7	37.8	38.0	38.1	38.3	38.4	38.6	38.7	38.9	25
26	39.0	39.2	39.3	39.5	39.6	39.8	39.9	40.1	40.2	40.4	26
27	40.5	40.7	40.8	41.0	41.1	41.3	41.4	41.6	41.7	41.9	27
28	42.0	42.2	42.3	42.5	42.6	42.8	42.9	43.1	43.2	43.4	28
29	43.5	43.7	43.8	44.0	44.1	44.3	44.4	44.6	44.7	44.9	29
30	45.0	45.2	45.3	45.5	45.6	45.8	45.9	46.1	46.2	46.4	30
31	46.5	46.7	46.8	47.0	47.1	47.3	47.4	47.6	47.7	47.9	31
32	48.0	48.2	48.3	48.5	48.6	48.8	48.9	49.1	49.2	49.4	32
33	49.5	49.7	49.8	50.0	50.1	50.3	50.4	50.6	50.7	50.9	33
34	51.0	51.2	51.3	51.5	51.6	51.8	51.9	52.1	52.2	52.4	34
35	52.5	52.7	52.8	53.0	53.1	53.3	53.4	53.6	53.7	53.9	35
36	54.0	54.2	54.3	54.5	54.6	54.8	54.9	55.1	55.2	55.4	36
37	55.5	55.7	55.8	56.0	56.1	56.3	56.4	56.6	56.7	56.9	37
38	57.0	57.2	57.3	57.5	57.6	57.8	57.9	58.1	58.2	58.4	38
39	58.5	58.7	58.8	59.0	59.1	59.3	59.4	59.6	59.7	59.9	39
40	60.0	60.2	60.3	60.5	60.6	60.8	60.9	61.1	61.2	61.4	40

CC2

Savage

Rada

Old Yenney

New Yenney

Bonnie Brae

Hommes

tap water samples

Susan Niemuth

Marcia Knadle EPA

John Eddich, JUB

RADA & SONS 547-3974

Rada well - Deby Bell

- tap water sample
- 0930

6 houses and 1 shop on this well

surrounding environment: residential, commercial



Rada shop - only pour concrete, no other except maintenance oils

water at 87' when new irrigation pump installed 2 1/2 years ago

Welding shop houses, hangers
field


Devon Dall residence own well?
Russell Trucking
Yenney
new well
main shop
Deby Bell's
vacant field
RADA SHOP
E Lewis St
Bonnie Brae
(Cons)
motel trailers
autoelectric
auto wrecks co.
orange wells?
Hideaway field

Ron Rada - said that first right on Kahlotus - two double wide trailers

Alec _____ - algae growing business, said that chemicals were found in well, "may have to drill deeper to get clean water" didn't know what kind of chemicals

3/18/87

Jean Brown 547-3697
Hommes Hideaway
- samples obtained
at 1010; tap samples

W/L kept 70' new well
116' deep 5 HP Sub
screen below 108'
in summer - add old well
Mr. Brown thinks the
place and 2 ~~wells~~
neighbors have wells

Their well was put in in 86
summer

New ~~Old~~ Yenney well

lots of ~~water on~~ wet ground in pump house; leak around casing; ground wet;

pump has probably been running quite a while so will consider it purged

1045 Samples obtained from spigot



Mrs Yenney refused access to ~~old~~ well - said they were too busy

1105 Bonnie Brae rap
samples taken at
motel

Robert Lawrence
2508 E Lewis
Pasco WA 99301

Mr. Lawrence

R & A Plant soils Inc
Alex Buxbaum 5456867
(two wells)
24 Pasco Kahlotus Rd
Pasco
USGS has taken lots of H_2O/L
measurements

SE of Landfill, about (BP)
1/2 mi NE of ~~trans~~ sub station

found nitrates in ~~the~~ one
wells, turned on now
occasionally just to keep
the pump functional

1215

- will take water level

get their water from another well

80.00
1.77
78.23 feet w/l

from top of casing

BONNIE BRIDGE PUMP
Stopped at 1259
1304 down to 75 ft from top of casing
not wet

will go to 80 ft at 1305

80 ft
0.39
79.61 at 1305

80 ft at 1307
0.39
79.61 final w/l
recovered

0.13 feet to casing

+

fill in.

well log info

original depth 110½ (1961)

(will make well log copy)

Hommes Hideaway

Mr. Brown 1335

~~well dept~~ to take
W/L on new well

no well log because is w/in
100 ft of other well

drilled by Lindsay water
Systems

well depth
~~[illegible]~~ 116' from top of casing
according to Mr Brown

75.00 W/L at 1340
- 3.02
71.98 - 1 ft for the casing

$\boxed{70.98 \text{ W/L}}$

Alex Bumbaugh

obtained samples from
faucet on far east
green shed - 1650
SE of dump
NE of Franklin substation

7.65
7.2

.45 miles down access
road to property

3-20-87

1030 L. C. sampled the Old Yenny well from a faucet inside the bathroom. Al (owner) says that the water is untreated.

TRIGONOMETRIC FORMULÆ



Right Triangle — Oblique Triangles

Solution of Right Triangles

For Angle A. $\sin = \frac{a}{c}$, $\cos = \frac{b}{c}$, $\tan = \frac{a}{b}$, $\cot = \frac{b}{a}$, $\sec = \frac{c}{b}$, $\operatorname{cosec} = \frac{c}{a}$

Given	Required	
a, b	A, B, c	$\tan A = \frac{a}{b} = \cot B,\ c = \sqrt{a^2+b^2} = a\sqrt{1+\frac{b^2}{a^2}}$
a, c	A, B, b	$\sin A = \frac{a}{c} = \cos B,\ b = \sqrt{(c+a)(c-a)} = c\sqrt{1-\frac{a^2}{c^2}}$
A, a	B, b, c	$B = 90° - A,\ b = a \cot A,\ c = \frac{a}{\sin A}.$
A, b	B, a, c	$B = 90° - A,\ a = b \tan A,\ c = \frac{b}{\cos A}.$
A, c	B, a, b	$B = 90° - A,\ a = c \sin A,\ b = c \cos A,$

Solution of Oblique Triangles

Given	Required	
A, B, a	b, c, C	$b = \frac{a \sin B}{\sin A},\ C = 180° - (A+B),\ c = \frac{a \sin C}{\sin A}$
A, a, b	B, c, C	$\sin B = \frac{b \sin A}{a},\ C = 180° - (A+B),\ c = \frac{a \sin C}{\sin A}$
a, b, C	A, B, c	$A+B = 180° - C,\ \tan \frac{1}{2}(A-B) = \frac{(a-b)\tan\frac{1}{2}(A+B)}{a+b},$ $c = \frac{a \sin C}{\sin A}$
a, b, c	A, B, C	$s = \frac{a+b+c}{2},\ \sin\frac{1}{2}A = \sqrt{\frac{(s-b)(s-c)}{b\,c}},$ $\sin\frac{1}{2}B = \sqrt{\frac{(s-a)(s-c)}{a\,c}},\ C = 180° - (A+B)$
a, b, c	Area	$s = \frac{a+b+c}{2},\ \text{area} = \sqrt{s(s-a)(s-b)(s-c)}$
A, b, c	Area	$\text{area} = \frac{b\,c \sin A}{2}$
A, B, C, a	Area	$\text{area} = \frac{a^2 \sin B \sin C}{2 \sin A}$

REDUCTION TO HORIZONTAL



Horizontal distance = Slope distance multiplied by the cosine of the vertical angle. Thus: slope distance = 319.4 ft. Vert. angle = 5° 10′. From Table, Page IX. cos 5° 10′ = .9959. Horizontal distance = 319.4 × .9959 = 318.09 ft. Horizontal distance also = Slope distance minus slope distance times (1 − cosine of vertical angle). With the same figures as in the preceding example, the following result is obtained. Cosine 5° 10′ = .9959. 1 − .9959 = .0041. 319.4 × .0041 = 1.31. 319.4 − 1.31 = 318.09 ft.

When the rise is known, the horizontal distance is approximately:—the slope distance less the square of the rise divided by twice the slope distance. Thus: rise = 14 ft., slope distance = 302.6 ft. Horizontal distance = $302.6 - \frac{14 \times 14}{2 \times 302.6} = 302.6 - 0.32 = 302.28$ ft.

MADE IN U. S. A.

a product of

J. L. DARLING CORPORATION

TACOMA, WASHINGTON 98421 U.S.A.