From: Jeffrey R Marcell (Generation - 3) [/O=DOMINION/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=JEFF136]
Sent: 5/3/2016 8:47:02 AM
To: Dana West (Generation - 3) [/O=DOMINION/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=DANA0608a5]
Subject: FW: Possum ABC Dam Inspection Forms - Email 2
Attachments: Possum Pond ABC Inspection Form 2 17 2016.pdf; Possum Pond ABC Inspection Form 2 26 2016.pdf; Possum Pond ABC Inspection Form 3 1 2016.pdf; Possum Pond ABC Inspection Form 1 5 2016.pdf; Possum Pond ABC Inspection Form 1 12 2016.pdf; Possum Pond ABC Inspection Form 1 19 2016.pdf; Possum Pond ABC Inspection Form 1 27 16.pdf; Possum Pond ABC Inspection Form 2 2 2016.pdf; Possum Pond ABC Inspection Form 2 8 2016.pdf

FYI

Jeff Marcell

Environmental Supervisor

Possum Point Power Station

Ladysmith & Remington CT Sites

703-441-3813 (phone)

8-795-3813 (tie)

703-441-3897 (fax)

From: John Klamut [mailto:J.Klamut@gaiconsultants.com]
Sent: Tuesday, May 03, 2016 8:29 AM
To: Kenneth Roller (Services - 6)
Cc: Jeffrey R Marcell (Generation - 3)
Subject: Possum ABC Dam Inspection Forms - Email 2

Email 2

Also please see correction below in Red, we do have ABC December inspections, but I am waiting for them to be scanned and sent to me.

From: John Klamut
Sent: Tuesday, May 03, 2016 8:22 AM
To: 'Kenneth Roller (Services - 6)' <kenneth.roller@dom.com>
Cc: 'Jeffrey R Marcell (Generation - 3)' <jeffrey.r.marcell@dom.com>
Subject: Possum ABC Dam Inspection Forms - Email 1

Ken,

See the attached inspection forms Jeff asked me to send you. Note that we did not inspect in November ~~and December~~ since the pond had been dredged. We started the inspections again in December after clarification on the inspection requirements from Dominion.

I am still trying to track down the missing forms for the week of 8/30/2015, 9/6/2015 and 9/27/2015.

We are pulling together the S107 and S108 Industrial SWPPP Inspections Forms and will send this later this morning.

John R. Klamut, P.E.
Engineering Manager

GAI Consultants

4200 Triangle Lane, Export, PA 15632-1358

T 724.387.2170 | **D** 412.399.5425 | **M** 724.421.6740 | gaiconsultants.com |

* Please update your records with my new direct telephone number

transforming ideas into reality, since 1958

CONFIDENTIALITY NOTICE: This communication contains confidential information belonging to the sender and may be legally privileged. This communication is solely for the use of its intended recipient. If you are not the intended recipient, inform the sender of the error and remove this email from your system. If this transmission includes any technical information, design data, and/or recommendations, they are provided only as a matter of convenience and may not be used for final design and/or construction.