RCRA FACILITY INVESTIGATION
PHASE I REPORT

ENVIRITE CORPORATION
THOMASTON, CONNECTICUT

DOCKET NO. I-90-1032
MARCH 1995

Envirite Corp
CT Doc Records
#103253

VOLUME VIII OF X
APPENDIX H

PREPARED FOR:
Envirite Corporation
198 Old Waterbury Road
Thomaston, Connecticut 06787

PREPARED BY:
GZA GeoEnvironmental, Inc.
27 Naek Road
Vernon, Connecticut 06066

RDMS DocID 103253

Copyright© 1995 GZA GeoEnvironmental, Inc.

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401893B
Lab Sample ID: 9401893
Date Received: 04-20-94
Date Analyzed: 04-25-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	4.4	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	2.1	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401893B
Lab Sample ID: 9401893
Date Received: 04-20-94
Date Analyzed: 04-25-94

Number TIC's found: 3

CAS NO.	Compound	RT	EST. CONC.	Q
420-56-4	Silane, Fluorotrimethyl	3:07	8	
1825-61-2	Silane, Methoxytrimethyl	5:57	8	
1066-40-6	Silanol, Trimethyl	6:30	24	

Form 1 VOA

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401894R
Lab Sample ID: 9401894
Date Received: 04-20-94
Date Analyzed: 04-25-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	0.7	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401894R
Lab Sample ID: 9401894
Date Received: 04-20-94
Date Analyzed: 04-25-94

Number TIC's found: 2

CAS NO.	Compound	RT	EST. CONC.	Q
1825-61-2	Silane, Methoxytrimethyl	5:54	9	
1066-40-6	Silanol, Trimethyl	6:26	40	

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401895R
Lab Sample ID: 9401895
Date Received: 04-20-94
Date Analyzed: 04-25-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	0.7	J
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	0.7	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	0.9	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401895R
Lab Sample ID: 9401895
Date Received: 04-20-94
Date Analyzed: 04-25-94

Number TIC's found: 2

CAS NO.	Compound	RT	EST. CONC.	Q
1825-61-2	Silane, Methoxytrimethyl	5:58	7	
1066-40-6	Silanol, Trimethyl	6:31	24	

Form 1 VOA

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401896A
Lab Sample ID: 9401896
Date Received: 04-20-94
Date Analyzed: 04-25-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	13	
67-66-3	Chloroform	0.6	J
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	7.6	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	3.9	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401896A
Lab Sample ID: 9401896
Date Received: 04-20-94
Date Analyzed: 04-25-94

Number TIC's found: 2

CAS NO.	Compound	RT	EST. CONC.	Q
1825-61-2	Silane, Methoxytrimethyl	5:57	4	
1066-40-6	Silanol, Trimethyl	6:29	16	

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401897A
Lab Sample ID: 9401897
Date Received: 04-20-94
Date Analyzed: 04-25-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	8.8	J
67-66-3	Chloroform	0.6	J
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	4.7	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	4.3	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401897A
Lab Sample ID: 9401897
Date Received: 04-20-94
Date Analyzed: 04-25-94

Number TIC's found: 3

CAS NO.	Compound	RT	EST. CONC.	Q
420-56-4	Silane, Fluorotrimethyl	3:09	18	
1825-61-2	Silane, Methoxytrimethyl	5:57	9	
1066-40-6	Silanol, Trimethyl	6:29	37	

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401898A
Lab Sample ID: 9401898
Date Received: 04-20-94
Date Analyzed: 04-25-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	
67-66-3	Chloroform	0.7	J
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	5.4	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	4.9	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401898A
Lab Sample ID: 9401898
Date Received: 04-20-94
Date Analyzed: 04-25-94

Number TIC's found: 3

CAS NO.	Compound	RT	EST. CONC.	Q
420-56-4	Silane, Fluorotrimethyl	3:09	24	
1825-61-2	Silane, Methoxytrimethyl	5:59	8	
1066-40-6	Silanol, Trimethyl	6:32	38	

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401899A
Lab Sample ID: 9401899
Date Received: 04-20-94
Date Analyzed: 04-25-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	57	
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	0.9	J
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	290	E
67-66-3	Chloroform	4.3	J
107-06-2	1,2-Dichloroethane	5.4	J
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	2.7	J
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	100	
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	1.1	J
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	43	
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	1.0	J
110-75-8	2-Chloroethylvinyl ether	10	U

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401899A
Lab Sample ID: 9401899
Date Received: 04-20-94
Date Analyzed: 04-25-94

Number TIC's found: 3

CAS NO.	Compound	RT	EST. CONC.	Q
420-56-4	Silane, Fluorotrimethyl	3:08	14	
1825-61-2	Silane, Methoxytrimethyl	5:55	7	
1066-40-6	Silanol, Trimethyl	6:27	29	

Form 1 VOA

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 1 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401899D
Lab Sample ID: 9401899
Date Received: 04-20-94
Date Analyzed: 04-26-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	50	U
74-83-9	Bromomethane	50	U
75-01-4	Vinyl Chloride	56	D
75-00-3	Chloroethane	50	U
75-09-2	Methylene Chloride	50	U
67-64-1	Acetone	50	U
108-05-4	Vinyl Acetate	50	U
75-15-0	Carbon Disulfide	50	U
75-35-4	1,1-Dichloroethene	50	U
75-34-3	1,1-Dichloroethane	50	U
156-60-5	Trans-1,2-Dichloroethene	50	U
156-59-4	Cis-1,2-Dichloroethene	310	D
67-66-3	Chloroform	3.2	J,D
107-06-2	1,2-Dichloroethane	3.4	J,D
78-93-3	2-Butanone	50	U
71-55-6	1,1,1-Trichloroethane	50	U
56-23-5	Carbon Tetrachloride	50	U
75-27-4	Bromodichloromethane	50	U
78-87-5	1,2-Dichloropropane	50	U
10061-02-6	Trans-1,3 Dichloropropene	50	U
79-01-6	Trichloroethene	110	D
124-48-1	Dibromochloromethane	50	U
79-00-5	1,1,2-Trichloroethane	50	U
71-43-2	Benzene	50	U
10061-01-5	Cis-1,3-Dichloropropene	50	U
75-25-2	Bromoform	50	U
591-78-6	2-Hexanone	50	U
108-10-1	4-Methyl-2-Pentanone	50	U
127-18-4	Tetrachloroethene	45	J,D
79-34-5	1,1,2,2-Tetrachloroethane	50	U
108-88-3	Toluene	50	U
108-90-7	Chlorobenzene	50	U
100-41-4	Ethyl Benzene	50	U
100-42-5	Styrene	50	U
108-38-3/106-42-3	m/p/o-Xylene (total)	50	J
110-75-8	2-Chloroethylvinyl ether	50	U

only .05 on original

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 1 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401899D
Lab Sample ID: 9401899
Date Received: 04-20-94
Date Analyzed: 04-26-94

Number TIC's found: 1

CAS NO.	Compound	RT	EST. CONC.	Q
1066-40-6	Silanol, Trimethyl	6:25	38	D

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401962R
Lab Sample ID: 9401962
Date Received: 04-22-94
Date Analyzed: 04-26-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401962R
Lab Sample ID: 9401962
Date Received: 04-22-94
Date Analyzed: 04-26-94

Number TIC's found: 1

CAS NO.	Compound	RT	EST. CONC.	Q
1066-40-6	Silanol, Trimethyl	6:21	16	

Form 1 VCA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401963A
Lab Sample ID: 9401963
Date Received: 04-22-94
Date Analyzed: 04-26-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	150	B
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Form 1 VOA

Is there an und. Int'd run?

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 250 ul
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401964D
Lab Sample ID: 9401964
Date Received: 04-22-94
Date Analyzed: 04-27-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	200	U
74-83-9	Bromomethane	200	U
75-01-4	Vinyl Chloride	430	
75-00-3	Chloroethane	200	U
75-09-2	Methylene Chloride	24	J,B
67-64-1	Acetone	290	B
108-05-4	Vinyl Acetate	200	U
75-15-0	Carbon Disulfide	200	U
75-35-4	1,1-Dichloroethene	200	U
75-34-3	1,1-Dichloroethane	200	U
156-60-5	Trans-1,2-Dichloroethene	200	U
156-59-4	Cis-1,2-Dichloroethene	550	
67-66-3	Chloroform	200	U
107-06-2	1,2-Dichloroethane	200	U
78-93-3	2-Butanone	560	
71-55-6	1,1,1-Trichloroethane	200	U
56-23-5	Carbon Tetrachloride	200	U
75-27-4	Bromodichloromethane	200	U
78-87-5	1,2-Dichloropropane	200	U
10061-02-6	Trans-1,3 Dichloropropene	200	U
79-01-6	Trichloroethene	33	J
124-48-1	Dibromochloromethane	200	U
79-00-5	1,1,2-Trichloroethane	200	U
71-43-2	Benzene	19	J
10061-01-5	Cis-1,3-Dichloropropene	200	U
75-25-2	Bromoform	200	U
591-78-6	2-Hexanone	200	U
108-10-1	4-Methyl-2-Pentanone	4000	
127-18-4	Tetrachloroethene	94	J
79-34-5	1,1,2,2-Tetrachloroethane	200	U
108-88-3	Toluene	2500	
108-90-7	Chlorobenzene	200	U
100-41-4	Ethyl Benzene	930	
100-42-5	Styrene	200	U
108-38-3/106-42-3	m/p/o-Xylene (total)	2000	
110-75-8	2-Chloroethylvinyl ether	200	U

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 250 ul
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401964D
Lab Sample ID: 9401964
Date Received: 04-22-94
Date Analyzed: 04-27-94

Number TIC's found: 1

CAS NO.	Compound	RT	EST. CONC.	Q
815-24-7	3-Pentanone, 2,2,4,4-Tetramethyl	22:01	1,100	

Sample: MW31B

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9401965B
Lab Sample ID: 9401965
Date Received: 04-22-94
Date Analyzed: 04-29-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	8.0	J
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	0.6	J,B
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	0.7	J
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	120	
67-66-3	Chloroform	0.6	J
107-06-2	1,2-Dichloroethane	1.0	J
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	70	
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	0.6	J
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	33	
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

10 u

Sample: MW31B

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9401965B
Lab Sample ID: 9401965
Date Received: 04-22-94
Date Analyzed: 04-29-94

Number TIC's found: 1

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown	2:52	11	

Sample: MW31D

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9401966B
Lab Sample ID: 9401966
Date Received: 04-22-94
Date Analyzed: 04-29-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	23	
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	1.2	J
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	130	
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	70	
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	1.0	J
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	49	
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	0.8	J
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW31D

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9401966B
Lab Sample ID: 9401966
Date Received: 04-22-94
Date Analyzed: 04-29-94

Number TIC's found: 1

CAS NO.	Compound	RT	EST. CONC.	Q
1066-40-6	Silanol, Trimethyl	6:09	9.9	

Form 1 VOA

MW-32D

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9401967B
Lab Sample ID: 9401967
Date Received: 04-22-94
Date Analyzed: 05-03-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW32D

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9401967B
Lab Sample ID: 9401967
Date Received: 04-22-94
Date Analyzed: 05-03-94

Number TIC's found: 1

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown	3:11	12	

Sample: MW32S

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9401968B
Lab Sample ID: 9401968
Date Received: 04-22-94
Date Analyzed: 05-03-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	0.5	J,B
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroetnane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW32S

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9401968B
Lab Sample ID: 9401968
Date Received: 04-22-94
Date Analyzed: 05-03-94

Number TIC's found: 1

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown	3:11	12	

Form 1 VOA

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9401969B
Lab Sample ID: 9401969
Date Received: 04-22-94
Date Analyzed: 05-03-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	1.8	J,B
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	0.67	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9401969B
Lab Sample ID: 9401969
Date Received: 04-22-94
Date Analyzed: 05-03-94

Number TIC's found: 1

CAS NO.	Compound	RT	EST. CONC.	Q
420-56-4	Silane, Fluorotrimethyl	3:13	11	

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9401970B
Lab Sample ID: 9401970
Date Received: 04-22-94
Date Analyzed: 04-29-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Tricnloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	*Cis-1,3-Dichloropropene*	*10*	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW42B

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9401970B
Lab Sample ID: 9401970
Date Received: 04-22-94
Date Analyzed: 04-29-94

Number TIC's found: 2

CAS NO.	Compound	RT	EST. CONC.	Q
420-56-4	Silane, Fluorotrimethyl	3:18	100	
1066-40-6	Silanol, Trimethyl	6:11	17	

Sample: MW55

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9401971B
Lab Sample ID: 9401971
Date Received: 04-22-94
Date Analyzed: 05-02-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	1.4	J.B
67-64-1	Acetone	1.4	J.B
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroetnene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

10 U
10 U

Sample: MW55

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9401971B
Lab Sample ID: 9401971
Date Received: 04-22-94
Date Analyzed: 05-02-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW61B

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9401972B
Lab Sample ID: 9401972
Date Received: 04-22-94
Date Analyzed: 05-03-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	0.5	J.B
67-64-1	Acetone	2.1	J.B
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	4.7	J
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	1.2	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401963A
Lab Sample ID: 9401963
Date Received: 04-22-94
Date Analyzed: 04-26-94

Number TIC's found: 1

CAS NO.	Compound	RT	EST. CONC.	Q
1066-40-6	Silanol, Trimethyl	6:20	7.6	

Sample: MW61B

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9401972B
Lab Sample ID: 9401972
Date Received: 04-22-94
Date Analyzed: 05-03-94

Number TIC's found: 1

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401973A
Lab Sample ID: 9401973
Date Received: 04-22-94
Date Analyzed: 04-27-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401973A
Lab Sample ID: 9401973
Date Received: 04-22-94
Date Analyzed: 04-27-94

Number TIC's found: 2

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown	3:07	12	
1066-40-6	Silanol, Trimethyl	6:21	52	

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401974A
Lab Sample ID: 9401974
Date Received: 04-22-94
Date Analyzed: 04-27-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401974A
Lab Sample ID: 9401974
Date Received: 04-22-94
Date Analyzed: 04-27-94

Number TIC's found: 2

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown	3:07	6.2	
1066-40-6	Silanol, Trimethyl	6:21	17	

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401975A
Lab Sample ID: 9401975
Date Received: 04-22-94
Date Analyzed: 04-27-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroetnane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9401975A
Lab Sample ID: 9401975
Date Received: 04-22-94
Date Analyzed: 04-27-94

Number TIC's found: 1

CAS NO.	Compound	RT	EST. CONC.	Q
1066-40-6	Silanol, Trimethyl	6:26	22	

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402063B
Lab Sample ID: 9402063
Date Received: 04-27-94
Date Analyzed: 04-29-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	0.8	J
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402063B
Lab Sample ID: 9402063
Date Received: 04-27-94
Date Analyzed: 04-29-94

Number TIC's found: 1

CAS NO.	Compound	RT	EST. CONC.	Q
1066-40-6	Silanol, Trimethyl	6:12	8	

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402065B
Lab Sample ID: 9402065
Date Received: 04-27-94
Date Analyzed: 05-05-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	30	
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	3.9	J,B
67-64-1	Acetone	4.0	J,B
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	1.6	J
75-34-3	1,1-Dichloroethane	0.8	J
156-60-5	Trans-1,2-Dichloroethene	2.4	U
156-59-4	Cis-1,2-Dichloroethene	460	E
67-66-3	Chloroform	6.0	J
107-06-2	1,2-Dichloroethane	6.6	J
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	8.9	J
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	170	
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	2.7	J
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	65	
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	6.1	J
110-75-8	2-Chloroethylvinyl ether	10	U

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402065B
Lab Sample ID: 9402065
Date Received: 04-27-94
Date Analyzed: 05-05-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 VOA

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 1 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402065D
Lab Sample ID: 9402065
Date Received: 04-27-94
Date Analyzed: 05-05-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	50	U
74-83-9	Bromomethane	50	U
75-01-4	Vinyl Chloride	30	D
75-00-3	Chloroethane	50	U
75-09-2	Methylene Chloride	9.2	J,D,B
67-64-1	Acetone	7.8	J,D,B
108-05-4	Vinyl Acetate	50	U
75-15-0	Carbon Disulfide	50	U
75-35-4	1,1-Dichloroethene	50	U
75-34-3	1,1-Dichloroethane	50	U
156-60-5	Trans-1,2-Dichloroethene	50	U
156-59-4	Cis-1,2-Dichloroethene	420	D
67-66-3	Chloroform	6.5	J,D
107-06-2	1,2-Dichloroethane	6.1	J,D
78-93-3	2-Butanone	50	U
71-55-6	1,1,1-Trichloroethane	7.8	J,D
56-23-5	Carbon Tetrachloride	50	U
75-27-4	Bromodichloromethane	50	U
78-87-5	1,2-Dichloropropane	50	U
10061-02-6	Trans-1,3 Dichloropropene	50	U
79-01-6	Trichloroethene	160	D
124-48-1	Dibromochloromethane	50	U
79-00-5	1,1,2-Trichloroethane	50	U
71-43-2	Benzene	2.6	J,D
10061-01-5	Cis-1,3-Dichloropropene	50	U
75-25-2	Bromoform	50	U
591-78-6	2-Hexanone	50	U
108-10-1	4-Methyl-2-Pentanone	50	U
127-18-4	Tetrachloroethene	65	D
79-34-5	1,1,2,2-Tetrachloroethane	50	U
108-88-3	Toluene	50	U
108-90-7	Chlorobenzene	50	U
100-41-4	Ethyl Benzene	50	U
100-42-5	Styrene	50	U
108-38-3/106-42-3	m/p/o-Xylene (total)	6.5	J,D
110-75-8	2-Chloroethylvinyl ether	50	U

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 1 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402065D
Lab Sample ID: 9402065
Date Received: 04-27-94
Date Analyzed: 05-05-94

Number TIC's found: 1

CAS NO.	Compound	RT	EST. CONC.	Q
420-56-4	Silane, Fluorotrimethyl	3:23	8.7	

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402066B
Lab Sample ID: 9402066
Date Received: 04-27-94
Date Analyzed: 04-29-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	66	
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	2.6	J,B
67-64-1	Acetone	3.2	J
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	2.6	J
75-34-3	1,1-Dichloroethane	0.8	J
156-60-5	Trans-1,2-Dichloroethene	2.6	J
156-59-4	Cis-1,2-Dichloroethene	390	E
67-66-3	Chloroform	6.3	J
107-06-2	1,2-Dichloroethane	8.3	J
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	5.3	J
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	140	
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	2.5	J
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	63	
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	2.4	J
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW44D

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402066B
Lab Sample ID: 9402066
Date Received: 04-27-94
Date Analyzed: 04-29-94

Number TIC's found: 1

CAS NO.	Compound	RT	EST. CONC.	Q
420-56-4	Silane, Fluorotrimethyl	3:19	63	

Form 1 VOA

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 1 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402066D
Lab Sample ID: 9402066
Date Received: 04-27-94
Date Analyzed: 04-29-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	50	U
74-83-9	Bromomethane	50	U
75-01-4	Vinyl Chloride	45	J,D
75-00-3	Chloroethane	50	U
75-09-2	Methylene Chloride	9.3	J,D,B
67-64-1	Acetone	50	U
108-05-4	Vinyl Acetate	50	U
75-15-0	Carbon Disulfide	50	U
75-35-4	1,1-Dichloroethene	50	U
75-34-3	1,1-Dichloroethane	50	U
156-60-5	Trans-1,2-Dichloroethene	50	U
156-59-4	Cis-1,2-Dichloroethene	330	D
67-66-3	Chloroform	6.2	J,D
107-06-2	1,2-Dichloroethane	8.0	J,D
78-93-3	2-Butanone	50	U
71-55-6	1,1,1-Trichloroethane	4.6	J,D
56-23-5	Carbon Tetrachloride	50	U
75-27-4	Bromodichloromethane	50	U
78-87-5	1,2-Dichloropropane	50	U
10061-02-6	Trans-1,3 Dichloropropene	50	U
79-01-6	Trichloroethene	130	D
124-48-1	Dibromochloromethane	50	U
79-00-5	1,1,2-Trichloroethane	50	U
71-43-2	Benzene	2.7	J,D
10061-01-5	Cis-1,3-Dichloropropene	50	U
75-25-2	Bromoform	50	U
591-78-6	2-Hexanone	50	U
108-10-1	4-Methyl-2-Pentanone	50	U
127-18-4	Tetrachloroethene	56	D
79-34-5	1,1,2,2-Tetrachloroethane	50	U
108-88-3	Toluene	50	U
108-90-7	Chlorobenzene	50	U
100-41-4	Ethyl Benzene	50	U
100-42-5	Styrene	50	U
108-38-3/106-42-3	m/p/o-Xylene (total)	50	U
110-75-8	2-Chloroethylvinyl ether	50	U

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402066D
Lab Sample ID: 9402066
Date Received: 04-27-94
Date Analyzed: 04-29-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW44S

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thornaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402067B
Lab Sample ID: 9402067
Date Received: 04-27-94
Date Analyzed: 04-29-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	6.2	J
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	3.0	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	8.0	J
79-34-5	1,1,2,2-Tetrachloroetnane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW44S

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402067B
Lab Sample ID: 9402067
Date Received: 04-27-94
Date Analyzed: 04-29-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW50S

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402068B
Lab Sample ID: 9402068
Date Received: 04-27-94
Date Analyzed: 04-29-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	3.5	J
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	2.2	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	3.4	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW50S

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402068B
Lab Sample ID: 9402068
Date Received: 04-27-94
Date Analyzed: 04-29-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW51B

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402069B
Lab Sample ID: 9402069
Date Received: 04-27-94
Date Analyzed: 04-29-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	4.8	J
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	1.6	J.B
67-64-1	Acetone	2.4	J
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	0.8	J
156-59-4	Cis-1,2-Dichloroethene	180	
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	2.2	J
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	47	
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	13	
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW51B

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402069B
Lab Sample ID: 9402069
Date Received: 04-27-94
Date Analyzed: 04-29-94

Number TIC's found: 2

CAS NO.	Compound	RT	EST. CONC.	Q
420-56-4	Silane, Fluorotrimethyl	3:20	33	
1066-40-6	Silanol, Trimethyl	6:32	57	

Sample: MW62

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402072B
Lab Sample ID: 9402072
Date Received: 04-27-94
Date Analyzed: 04-29-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	2.9	J
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	2.3	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	3.4	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW62

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402072B
Lab Sample ID: 9402072
Date Received: 04-27-94
Date Analyzed: 04-29-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW62B

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402073B
Lab Sample ID: 9402073
Date Received: 04-27-94
Date Analyzed: 04-29-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	1.3	J
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	1.2	J
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW62B

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402073B
Lab Sample ID: 9402073
Date Received: 04-27-94
Date Analyzed: 04-29-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: TBLK0428

Form 1 VCA

Lab Name: EAS Laboratories

Project: Thomaston

T3

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402152B
Lab Sample ID: 9402152
Date Received: 04-29-94
Date Analyzed: 04-29-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	0.7	J
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: TBLK0428

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402152B
Lab Sample ID: 9402152
Date Received: 04-29-94
Date Analyzed: 04-29-94

Number TIC's found: 1

CAS NO.	Compound	RT	EST. CONC.	Q
1066-40-6	Silanol, Trimethyl	6:12	9.8	

Sample: EQBLK0428

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402153B
Lab Sample ID: 9402153
Date Received: 04-29-94
Date Analyzed: 05-02-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	71	B
67-64-1	Acetone	3.8	J.B
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: EQBLK0428

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402153B
Lab Sample ID: 9402153
Date Received: 04-29-94
Date Analyzed: 05-02-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 VOA

D03

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 300 ul
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402154B
Lab Sample ID: 9402154
Date Received: 04-29-94
Date Analyzed: 05-03-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	170	U
74-83-9	Bromomethane	170	U
75-01-4	Vinyl Chloride	180	D
75-00-3	Chloroethane	170	U
75-09-2	Methylene Chloride	22	J,D,B
67-64-1	Acetone	170	U
108-05-4	Vinyl Acetate	170	U
75-15-0	Carbon Disulfide	170	U
75-35-4	1,1-Dichloroethene	170	U
75-34-3	1,1-Dichloroethane	170	U
156-60-5	Trans-1,2-Dichloroethene	170	U
156-59-4	Cis-1,2-Dichloroethene	2400	D
67-66-3	Chloroform	170	U
107-06-2	1,2-Dichloroethane	17	J,D
78-93-3	2-Butanone	170	U
71-55-6	1,1,1-Trichloroethane	170	U
56-23-5	Carbon Tetrachloride	170	U
75-27-4	Bromodichloromethane	170	U
78-87-5	1,2-Dichloropropane	170	U
10061-02-6	Trans-1,3 Dichloropropene	170	U
79-01-6	Trichloroethene	740	D
124-48-1	Dibromochloromethane	170	U
79-00-5	1,1,2-Trichloroethane	170	U
71-43-2	Benzene	15	J,D
10061-01-5	Cis-1,3-Dichloropropene	170	U
75-25-2	Bromoform	170	U
591-78-6	2-Hexanone	170	U
108-10-1	4-Methyl-2-Pentanone	170	U
127-18-4	Tetrachloroethene	240	D
79-34-5	1,1,2,2-Tetrachloroethane	170	U
108-88-3	Toluene	170	U
108-90-7	Chlorobenzene	170	U
100-41-4	Ethyl Benzene	170	U
100-42-5	Styrene	170	U
108-38-3/106-42-3	m/p/o-Xylene (total)	26	J,D
110-75-8	2-Chloroethylvinyl ether	170	U

Sample: MW30 DL

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 300 ul
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402154B
Lab Sample ID: 9402154
Date Received: 04-29-94
Date Analyzed: 05-03-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW30

Form 1 VOA

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402155B
Lab Sample ID: 9402154
Date Received: 04-29-94
Date Analyzed: 05-02-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	240	E
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	3.0	J,B
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	9.3	J
75-34-3	1,1-Dichloroethane	1.0	J
156-60-5	Trans-1,2-Dichloroethene	10	
156-59-4	Cis-1,2-Dichloroethene	1500	E
67-66-3	Chloroform	4.6	J
107-06-2	1,2-Dichloroethane	21	
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	6.3	J
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	1.1	J
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	790	E
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	1.1	J
71-43-2	Benzene	17	
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	1.4	J
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	330	E
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	33	
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW30

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402155B
Lab Sample ID: 9402154
Date Received: 04-29-94
Date Analyzed: 05-02-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 VOA

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402155R
Lab Sample ID: 9402155
Date Received: 04-29-94
Date Analyzed: 05-02-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW36

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402155R
Lab Sample ID: 9402155
Date Received: 04-29-94
Date Analyzed: 05-02-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW51D

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402156B
Lab Sample ID: 9402156
Date Received: 04-29-94
Date Analyzed: 05-02-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	12	
67-66-3	Chloroform	2.1	J
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	14	
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW51D

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402156B
Lab Sample ID: 9402156
Date Received: 04-29-94
Date Analyzed: 05-02-94

Number TIC's found: 1

CAS NO.	Compound	RT	EST. CONC.	Q
420-56-4	Silane, Fluorotrimethyl	3:19	17	

Sample: MW56D

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402158B
Lab Sample ID: 9402158
Date Received: 04-29-94
Date Analyzed: 05-05-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10.	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	1.0	J,B
67-64-1	Acetone	15	B
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	34	
67-66-3	Chloroform	2.8	J
107-06-2	1,2-Dichloroethane	1.3	J
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	1.1	J
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78 6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	5.7	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U
96-18-4	1,2,3-Trichloropropane	10	U
	Iodomethane	10	U
	1,4-dichloro-2-butene	10	U
97-63-2	Ethyl methacrylate	10	U
107-02-8	Acrolein	10	U
107-13-1	Acrlonitrile	10	U
	Allyl Chloride	10	U
	Acetonitrile	10	U
	Chloroprene	10	U
	Methacrylonitrile	10	U
	Methyl Methacrylate	10	U
	1,4-Dioxane	10	U
	1,2-Dibromoethane	10	U
	1,1,1,2-Tetrachloroethane	10	U
	Pentachloroethane	10	U
	1,2-Dibromo-3-chloropropane	10	U

Sample: MW56D

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402158B
Lab Sample ID: 9402158
Date Received: 04-29-94
Date Analyzed: 05-05-94

Number TIC's found: 1

CAS NO.	Compound	RT	EST. CONC.	Q
420-56-4	Silane, Fluorotrimethyl	3:20	75	

Sample: MW56S.

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402159B
Lab Sample ID: 9402159
Date Received: 04-29-94
Date Analyzed: 05-02-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	2.5	J.B
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW56S

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402159B
Lab Sample ID: 9402159
Date Received: 04-29-94
Date Analyzed: 05-02-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW57

Form 1 VOA

DC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402160B
Lab Sample ID: 9402160
Date Received: 04-29-94
Date Analyzed: 05-02-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	3.6	J,B
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	3.5	J
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	2.0	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	1.2	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

10U 12

Sample: MW57

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402160B
Lab Sample ID: 9402160
Date Received: 04-29-94
Date Analyzed: 05-02-94

Number TIC's found: 1

CAS NO.	Compound	RT	EST. CONC.	Q
1066-40-6	Silanol, Trimethyl	6:33	46	

Sample: MW58D

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402161B
Lab Sample ID: 9402161
Date Received: 04-29-94
Date Analyzed: 05-02-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	0.7	J.B
67-64-1	Acetone	3.7	J.B
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	2.9	J
67-66-3	Chloroform	19	
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	3.4	J
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	1.0	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	1.5	J
127-18-4	Tetrachloroethene	1.0	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW58D

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402161B
Lab Sample ID: 9402161
Date Received: 04-29-94
Date Analyzed: 05-02-94

Number TIC's found: 1

CAS NO.	Compound	RT	EST. CONC.	Q
1066-40-6	Silanol, Trimethyl	6:15	13	

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402162B
Lab Sample ID: 9402162
Date Received: 04-29-94
Date Analyzed: 05-02-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	1.0	J
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	1.0	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	1.1	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW58S

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402162B
Lab Sample ID: 9402162
Date Received: 04-29-94
Date Analyzed: 05-02-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW59D

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402163B
Lab Sample ID: 9402163
Date Received: 04-29-94
Date Analyzed: 05-02-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402163B
Lab Sample ID: 9402163
Date Received: 04-29-94
Date Analyzed: 05-02-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 VOA

MW - 59 S

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402164B
Lab Sample ID: 9402164
Date Received: 04-29-94
Date Analyzed: 05-02-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW59S

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402164B
Lab Sample ID: 9402164
Date Received: 04-29-94
Date Analyzed: 05-02-94

Number TIC's found: 2

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown	3:10	13	
1066-40-6	Silanol, Trimethyl	6:13	16	

Sample: MW60

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402165B
Lab Sample ID: 9402165
Date Received: 04-29-94
Date Analyzed: 05-02-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	1.9	J,B
67-64-1	Acetone	11	B
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

10 u ug/L
10 u

Sample: MW60

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402165B
Lab Sample ID: 9402165
Date Received: 04-29-94
Date Analyzed: 05-02-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402509B
Lab Sample ID: 9402509
Date Received: 05-18-94
Date Analyzed: 05-19-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	3.9	J,B
67-64-1	Acetone	1.4	J
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	9.0	J
67-66-3	Chloroform	8.9	J
107-06-2	1,2-Dichloroethane	1.3	J
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	0.9	J
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	2.9	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	1.3	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW37B

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402509B
Lab Sample ID: 9402509
Date Received: 05-18-94
Date Analyzed: 05-19-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402510B
Lab Sample ID: 9402510
Date Received: 05-18-94
Date Analyzed: 05-19-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	2.1	J
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW37D

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9402510B
Lab Sample ID: 9402510
Date Received: 05-18-94
Date Analyzed: 05-19-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401893
Lab File ID: 9401893C
Date Received: 04/20/94
Date Extracted:04/25/94
Date Analyzed:05/17/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401893
Lab File ID: 9401893C
Date Received: 04/20/94
Date Extracted:04/25/94
Date Analyzed:05/17/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-41B

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found: 0

Lab Sample ID: 9401893
Lab File ID: 9401893C
Date Received: 04/20/94
Date Extracted:04/25/94
Date Analyzed:05/17/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401894
Lab File ID: 9401894C
Date Received: 04/20/94
Date Extracted:04/25/94
Date Analyzed:05/17/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401894
Lab File ID: 9401894C
Date Received: 04/20/94
Date Extracted:04/25/94
Date Analyzed:05/17/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-41S

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found: 0

Lab Sample ID: 9401894
Lab File ID: 9401894C
Date Received: 04/20/94
Date Extracted:04/25/94
Date Analyzed:05/17/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume: 1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401895
Lab File ID: 9401895C
Date Received: 04/20/94
Date Extracted: 04/25/94
Date Analyzed: 05/17/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	58	
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	1.5	B,J
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401895
Lab File ID: 9401895C
Date Received: 04/20/94
Date Extracted:04/25/94
Date Analyzed:05/17/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-41D

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found: 0

Lab Sample ID: 9401895
Lab File ID: 9401895C
Date Received: 04/20/94
Date Extracted:04/25/94
Date Analyzed:05/17/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1B Semivolatile

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401896
Lab File ID: 9401896C
Date Received: 04/20/94
Date Extracted:04/25/94
Date Analyzed:05/17/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	1.4	B,J
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401896
Lab File ID: 9401896C
Date Received: 04/20/94
Date Extracted:04/25/94
Date Analyzed:05/17/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-42S

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found: 0

Lab Sample ID: 9401896
Lab File ID: 9401896C
Date Received: 04/20/94
Date Extracted:04/25/94
Date Analyzed:05/17/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401897
Lab File ID: 9401897C
Date Received: 04/20/94
Date Extracted:04/25/94
Date Analyzed:05/18/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	3.5	J
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	11	B
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	1.9	J
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

DB

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401897
Lab File ID: 9401897C
Date Received: 04/20/94
Date Extracted:04/25/94
Date Analyzed:05/18/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-43S

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found: 0

Lab Sample ID: 9401897
Lab File ID: 9401897C
Date Received: 04/20/94
Date Extracted:04/25/94
Date Analyzed:05/18/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW-43S DUP.

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401898
Lab File ID: 9401898C
Date Received: 04/20/94
Date Extracted:04/25/94
Date Analyzed:05/18/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	2.3	J
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Sample: MW-43S DUP.

Form 1C Semivolatile

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401898
Lab File ID: 9401898C
Date Received: 04/20/94
Date Extracted:04/25/94
Date Analyzed:05/18/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-43S DUP.

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found: 0

Lab Sample ID: 9401898
Lab File ID: 9401898C
Date Received: 04/20/94
Date Extracted:04/25/94
Date Analyzed:05/18/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW-43~~S~~ D~~W~~ -43D

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401899
Lab File ID: 9401899C
Date Received: 04/20/94
Date Extracted:04/25/94
Date Analyzed:05/18/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume: 1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401899
Lab File ID: 9401899C
Date Received: 04/20/94
Date Extracted: 04/25/94
Date Analyzed: 05/18/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	6.9	J
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	68	
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-43D

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found: 1

Lab Sample ID: 9401899
Lab File ID: 9401899C
Date Received: 04/20/94
Date Extracted:04/25/94
Date Analyzed:05/18/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
95-95-4	2,4,5-Trichlorophenol	16:32	68	

Form 1B Semivolatile

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401963
Lab File ID: 9401963C
Date Received: 04/22/94
Date Extracted:04/25/94
Date Analyzed:05/18/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	1.9	J,B
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume: 1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401963
Lab File ID: 9401963C
Date Received: 04/22/94
Date Extracted: 04/25/94
Date Analyzed: 05/18/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample:Equipment Blank

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found: 0

Lab Sample ID: 9401963
Lab File ID: 9401963C
Date Received: 04/22/94
Date Extracted:04/25/94
Date Analyzed:05/17/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401964
Lab File ID: 9401964R
Date Received: 04/22/94
Date Extracted:04/25/94
Date Analyzed:05/18/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	25	
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	31	
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	2.4	J
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	4.1	J
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume: 1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401964
Lab File ID: 9401964R
Date Received: 04/22/94
Date Extracted: 04/25/94
Date Analyzed: 05/18/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	42	
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	4.0	J
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	2.9	J
105-67-9	2,4-Dimethylphenol	59	
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	20	
88-06-2	2,4,6-Trichlorophenol	10	U

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found: 27

Lab Sample ID: 9401964
Lab File ID: 9401964R
Date Received: 04/22/94
Date Extracted:04/25/94
Date Analyzed:05/18/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
95-48-7	2-Methylphenol	11:20	32	
106-44-5	4-Methylphenol	11:44	210	
	Unknown hydrocarbon	4:46	81	J
	Unknown hydrocarbon	07:08	97	J
	Unknown hydrocarbon	07:55	48	J
	Unknown alkylbenzene	08:34	70	J
	Unknown hydrocarbon	09:23	46	J
	Unknown ketone	09:38	69	J
	Unknown	10:00	54	J
	Unknown alkylbenzene	10:05	140	J
	Unknown acid/ester	10:13	160	J
	Unknown alcohol	10:21	200	J
	Unknown alkylbenzene	10:41	190	J
	Unknown ketone	11:03	190	J
	Unknown alcohol	11:14	150	J
	Unknown alcohol	11:23	190	J
	Unknown ketone	13:00	140	J
	Unknown ketone	13:03	140	J
	Unknown	13:42	47	J
65-85-0	Benzoic Acid	13:46	48	J
	Unknoen Alkene	14:06	44	J
88-99-3	1,2-Benzenedicarboxylic acid	15:49	30	J
88-19-7	2-Methylsulfonamide	20:20	110	J
70-55-3	4-Methylsulfonamide	20:43	62	J
	Unknown Phthalate	25:15	27	J
	Unknown Phthalate	25:28	28	J
	Unknown phenolic compound	26:07	21	J

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume: 1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401965
Lab File ID: 9401965C
Date Received: 04/22/94
Date Extracted: 04/26/94
Date Analyzed: 05/18/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	5.8	J
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	5.9	J
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401965
Lab File ID: 9401965C
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/18/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-31B

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:

Lab Sample ID: 9401965
Lab File ID: 9401965C
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/18/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown Alkene	6:29	58	J
	Unknown Alkene	10:37	43	J

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume: 1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401966
Lab File ID: 9401966C
Date Received: 04/22/94
Date Extracted: 04/26/94
Date Analyzed: 05/18/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401966
Lab File ID: 9401966C
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/18/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-31D

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found: 0

Lab Sample ID: 9401966
Lab File ID: 9401966C
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/18/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401967
Lab File ID: 9401967C
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/18/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401967
Lab File ID: 9401967C
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/18/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-32D

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found: 0

Lab Sample ID: 9401967
Lab File ID: 9401967C
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/18/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401968
Lab File ID: 9401968C
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/19/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Sample: MW-32S

DB

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401968
Lab File ID: 9401968C
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/19/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-32S

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9401968
Lab File ID: 9401968C
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/19/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

DB

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401969
Lab File ID: 9401969C
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/31/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401969
Lab File ID: 9401969C
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/31/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9401969
Lab File ID: 9401969C
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/31/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401970
Lab File ID: 9401970C
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/19/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401970
Lab File ID: 9401970C
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/19/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-42B

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9401970
Lab File ID: 9401970C
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/19/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401971
Lab File ID: 9401971C
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/19/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401971
Lab File ID: 9401971C
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/19/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9401971
Lab File ID: 9401971C
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/19/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume: 1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401972
Lab File ID: 9401972C
Date Received: 04/22/94
Date Extracted: 04/26/94
Date Analyzed: 05/19/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	4.0	J
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401972
Lab File ID: 9401972C
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/19/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:14

Lab Sample ID: 9401972
Lab File ID: 9401972C
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/19/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
105-60-2	Caprolactum	15:34	600	J
2136-72-3	2-(Octadecyloxy)-Ethanol	24:02	7.3	J
	Unknown	24:49	4.7	J
	Unknown Acid/Ester	26:30	7.2	J
	Unknown Hydrocarbon	26:42	11	J
	Unknown Hydrocarbon	26:52	12	J
	Unknown Hydrocarbon	27:04	120	J
	Unknown Hydrocarbon	27:16	35	J
	Unknown	28:15	16	J
	Unknown Hydrocarbon	29:12	15	J
85-60-9	4,4'-Butylidenebis[2-(1,1-Dimethylethyl)-5-Methyl-]Phenol	31:15	45	J
	Unknown Acid/Ester	34:21	44	J
	Unknown Acid/Ester	38:41	61	J
	Unknown Acid/Ester	45:10	20	J

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401973
Lab File ID: 9401973C
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/19/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	3.0	J
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	1.5	J,B
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401973
Lab File ID: 9401973C
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/19/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-61D

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:19

Lab Sample ID: 9401973
Lab File ID: 9401973C
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/19/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
105-60-2	Caprolactum	15:33	230	J
2136-72-3	2-(Octadecyloxy)-Ethanol	24:00	6	J
	Unknown	24:47	5.3	J
	Unknown Acid/Ester	26:00	6.2	J
	Unknown Acid/Ester	26:29	14	J
	Unknown Acid/Ester	26:40	17	J
	Unknown Hydrocarbon	27:02	110	J
	Unknown Hydrocarbon	27:13	27	J
	Unknown	28:13	18	J
	Unknown Acid/Ester	28:28	7.4	J
	Unknown Acid/Ester	30:10	6.8	J
85-60-9	4,4'Butylidene[2-(1,1-Dimethylethyl)-5-Methyl-]Phenol	31:20	7.7	J
	Unknown Acid/Ester	31:33	9.5	J
	Unknown Acid/Ester	32:36	9.7	J
	Unknown Acid/Ester	32:59	8.7	J
	Unknown Alkane	33:20	13	J
	Unknown Acid/Ester	34:19	54	J
	Unknown Acid/Ester	38:44	63	J
	Unknown Acid/Ester	45:10	20	J

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401974
Lab File ID: 9401974R
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/31/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

37

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401974
Lab File ID: 9401974R
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/31/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-61S

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:1

Lab Sample ID: 9401974
Lab File ID: 9401974R
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/31/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
105-60-2	Caprolactum	15:05	11	J

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401975
Lab File ID: 9401975C
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/24/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	5.1	J
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	1.6	J
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	3.6	J

Sample: MW-63

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9401975
Lab File ID: 9401975C
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/24/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	2.5	J
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9401975
Lab File ID: 9401975C
Date Received: 04/22/94
Date Extracted:04/26/94
Date Analyzed:05/24/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402064
Lab File ID: 9402064R
Date Received: 04/27/94
Date Extracted:04/29/94
Date Analyzed:06/01/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	1.8	J
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	3.3	J
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402064
Lab File ID: 9402064R
Date Received: 04/27/94
Date Extracted:04/29/94
Date Analyzed:06/01/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:4

Lab Sample ID: 9402064
Lab File ID: 9402064R
Date Received: 04/27/94
Date Extracted:04/29/94
Date Analyzed:06/01/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown Alcohol	10:23	21	J
	Unknown Alcohol	12:26	30	J
	Unknown	13:02	8.1	J
	Unknown Hydrocarbon	15:52	5.2	J

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402065
Lab File ID: 9402065C
Date Received: 04/27/94
Date Extracted:05/03/94
Date Analyzed:06/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
98-86-2	Acetophenone	10	U
53-96-3	2-Acetylaminofluorene	10	U
92-67-1	4-Aminobiphenyl	10	U
62-53-3	Aniline	10	U
120-12-7	Anthracene	10	U
140-57-8	Aramite	10	U
56-55-3	Benzo[a]anthracene	10	U
205-99-2	Benzo[b]fluoranthene	10	U
207-08-9	Benzo[k]fluoranthene	10	U
191-24-2	Benzo[ghi]perylene	10	U
50-32-8	Benzo[a]pyrene	10	U
100-51-6	Benzyl alcohol	20	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
108-60-1	Bis(2-chloro-1-methylethyl)ether	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
85-68-7	Butyl benzyl phthalate	10	U
106-47-8	p-Chloroaniline	20	U
510-15-6	Chlorobenzilate	10	U
59-50-7	p-Chlorom-cresol	20	U
91-58-7	2-Chloronaphthalene	10	U
95-57-8	2-Chlorophenol	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
108-39-4	m-Cresol	10	U
95-48-7	0-Cresol	10	U
106-44-5	p-Cresol	10	U
2302-16-4	Diallate	10	U
53-70-3	Dibenz[a,h]anthracene	10	U
132-62-9	Dibenzofuran	10	U
84-74-2	Di-n-butylphthalate	10	U
95-50-1	1,2-Dichlorobenzene	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'Dichlorobenzidine	20	U
120-83-2	2,4-Dichlorophenol	120	
87-65-0	2,6-Dichlorophenol	10	U
84-66-2	Diethylphthalate	10	U
297-97-2	Thionazin	10	U
60-51-5	Dimethoate	10	U
60-11-7	p-(Dimethylamino)azobenzene	10	U
57-97-6	7,12-Dimethylbenz[a]anthracene	10	U

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402065
Lab File ID: 9402065C
Date Received: 04/27/94
Date Extracted:05/03/94
Date Analyzed:06/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
119-93-7	3,3'Dimethylbenzidine	10	U
122-09-8	alpha,alpha-Dimethylphenethylamine	10	U
105-67-9	2,4-Dimethylphenol	10	U
131-11-3	Dimethyl phthalate	10	U
99-65-0	m-Dinitrobenzene	10	U
534-52-1	4,6-Dinitro-o-cresol	50	U
51-28-5	2,4-Dinitrophenol	50	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octyl phthalate	10	U
122-39-4	Diphenylamine	10	U
298-04-4	Disulfoton	10	U
62-50-0	Ethyl methanesulfonate	10	U
52-85-7	Famphur	10	U
206-44-0	Fluoranthene	10	U
86-73-7	Fluorene	10	U
118-74-1	Hexachlorobenzene	10	U
87-68-3	Hexachlorobutadiene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
67-72-1	Hexachloroethane	10	U
70-30-4	Hexachlorophene	10	U
1881-71-7	Hexachloropropene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
465-73-6	Isodrin	10	U
78-59-1	Isophorone	10	U
120-58-1	Isosafrole	10	U
143-50-0	Kepone	10	U
91-80-5	Methapyrilene	10	U
56-49-5	3-Methylcholanthrene	10	U
66-27-3	Methyl methanesulfonate	10	U
91-57-6	2-Methylnaphthalnene	10	U
298-00-0	Methylparathion	10	U
91-20-3	Naphthalene	10	U
130-15-4	1,4-Naphthoquinone	10	U
134-32-7	1-Naphthylamine	10	U
91-59-8	2-Naphthylamine	10	U
88-74-4	o-Nitroaniline	50	U
99-09-2	m-Nitroaniline	50	U
100-01-6	p-Nitroaniline	50	U
98-95-3	Nitrobenzene	10	U
88-75-5	o-Nitrophenol	10	U
100-02-7	p-Nitrophenol	50	U
56-57-5	4-Nitroquinoline 1-oxide	10	U
924-16-3	N-Nitrosodi-n-butylamine	10	U
55-18-5	N-Nitrosodiethylamine	10	U
62-75-9	N-Nitrosodimethylamine	15	

Sample: MW-44B

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume: 1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402065
Lab File ID: 9402065C
Date Received: 04/27/94
Date Extracted: 05/03/94
Date Analyzed: 06/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodipropylamine	10	U
10595-95-6	N-Nitrosomethylethylamine	10	U
59-89-2	N-Nitrosomorpholine	10	U
100-75-4	N-Nitrosopiperidine	10	U
930-55-2	N-Nitrosopyrrolidine	10	U
99-55-8	5-Nitro-o-toluidine	10	U
56-38-2	Parathion	10	U
608-93-5	Pentachlorobenzene	10	U
82-68-8	Pentachloronitrobenzene	50	U
87-86-5	Pentachlorophenol	50	U
62-44-2	Phenacetin	10	U
85-01-8	Phenanthrene	10	U
105-95-2	Phenol	10	U
106-50-3	p-Phenylenediamine	10	U
298-02-2	Phorate	10	U
109-06-8	2-Picoline	10	U
23950-58-5	Pronamide	10	U
129-00-0	Pyrene	10	U
110-86-1	Pyridine	10	U
94-59-7	Safrole	10	U
3689-24-5	Sulfotep	10	U
95-94-3	1,2,4,5-Tetrachlorobenzene	20	U
58-90-2	2,3,4,6-Tetrachlorophenol	10	U
95-53-4	o-Toluidine	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
95-95-4	2,4,5-Trichlorophenol	22	
88-06-2	2,4,6-Trichlorophenol	10	U
126-68-1	O,O,O-Triethylphosphorothioate	10	U
99-35-4	sym-Trinitrobenzene	10	U

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:6

Lab Sample ID: 9402065
Lab File ID: 9402065C
Date Received: 04/27/94
Date Extracted:05/03/94
Date Analyzed:06/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown Amine	14:05	12	J
	Dichloro-nitrophenol	18:13	100	J
	Chloromethylnitrophenol isomer	17:19	11	J
	Unknown	17:29	13	J
85-34-7	2,3,6-Trichlorobenzeneacetic acid	22:11	12	J
	Unknown	26:04	6.1	J

Sample: MW-44D

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume: 1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402066
Lab File ID: 9402066C
Date Received: 04/27/94
Date Extracted: 04/29/94
Date Analyzed: 06/09/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	1.4	J
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	2.0	J
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	1.3	J
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402066
Lab File ID: 9402066C
Date Received: 04/27/94
Date Extracted:04/29/94
Date Analyzed:06/09/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	9.1	J
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	120.0	
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-44D

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:5

Lab Sample ID: 9402066
Lab File ID: 9402066C
Date Received: 04/27/94
Date Extracted:04/29/94
Date Analyzed:06/09/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
95-95-4	2,4,5-Trichlorophenol	16:40	22	
	Unknown Phenolic Compound	17:40	6.6	J
	Unknown	17:07	11	J
	Unknown Phenolic Compound	17:49	48	J
35-34-7	2,3,6-Trichlorobenzeneacetic acid	21:50	12	J

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402067
Lab File ID: 9402067R
Date Received: 04/27/94
Date Extracted:04/29/94
Date Analyzed:06/01/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402067
Lab File ID: 9402067R
Date Received: 04/27/94
Date Extracted:04/29/94
Date Analyzed:06/01/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-44S

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9402067
Lab File ID: 9402067R
Date Received: 04/27/94
Date Extracted:04/29/94
Date Analyzed:06/01/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402068
Lab File ID: 9402068C
Date Received: 04/27/94
Date Extracted:04/29/94
Date Analyzed:05/24/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Sample: MW-50S

Form 1C Semivolatile

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402068
Lab File ID: 9402068C
Date Received: 04/27/94
Date Extracted:04/29/94
Date Analyzed:05/24/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-50S

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9402068
Lab File ID: 9402068C
Date Received: 04/27/94
Date Extracted:04/29/94
Date Analyzed:05/24/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402069
Lab File ID: 9402069C
Date Received: 04/27/94
Date Extracted:04/29/94
Date Analyzed:05/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	3.4	J
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	1.2	J
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402069
Lab File ID: 9402069C
Date Received: 04/27/94
Date Extracted:04/29/94
Date Analyzed:05/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-51B

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:1

Lab Sample ID: 9402069
Lab File ID: 9402069C
Date Received: 04/27/94
Date Extracted:04/29/94
Date Analyzed:05/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
105-60-2	Caprolactum	14:13	13	J

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID:9402070
Lab File ID: 9402070R
Date Received: 04/27/94
Date Extracted:04/29/94
Date Analyzed:06/07/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
98-86-2	Acetophenone	10	U
53-96-3	2-Acetylaminofluorene	10	U
92-67-1	4-Aminobiphenyl	10	U
62-53-3	Aniline	10	U
120-12-7	Anthracene	10	U
140-57-8	Aramite	10	U
56-55-3	Benzo[a]anthracene	10	U
205-99-2	Benzo[b]fluoranthene	10	U
207-08-9	Benzo[k]fluoranthene	10	U
191-24-2	Benzo[ghi]perylene	10	U
50-32-8	Benzo[a]pyrene	10	U
100-51-6	Benzyl alcohol	20	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
108-60-1	Bis(2-chloro-1-methylethyl)ether	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	1.3	J
101-55-3	4-Bromophenyl phenyl ether	10	U
85-68-7	Butyl benzyl phthalate	10	U
106-47-8	p-Chloroaniline	20	U
510-15-6	Chlorobenzilate	10	U
59-50-7	p-Chlorom-cresol	20	U
91-58-7	2-Chloronaphthalene	10	U
95-57-8	2-Chlorophenol	1.2	J
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
108-39-4	m-Cresol	10	U
95-48-7	0-Cresol	10	U
106-44-5	p-Cresol	10	U
2302-16-4	Diallate	10	U
53-70-3	Dibenz[a,h]anthracene	10	U
132-62-9	Dibenzofuran	10	U
84-74-2	Di-n-butylphthalate	10	U
95-50-1	1,2-Dichlorobenzene	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'Dichlorobenzidine	20	U
120-83-2	2,4-Dichlorophenol	730	E
87-65-0	2,6-Dichlorophenol	43	
84-66-2	Diethylphthalate	10	U
297-97-2	Thionazin	10	U
60-51-5	Dimethoate	10	U
60-11-7	p-(Dimethylamino)azobenzene	10	U
57-97-6	7,12-Dimethylbenz[a]anthracene	10	U

Sample: MW-52D

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume: 1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402070
Lab File ID: 9402070R
Date Received: 04/27/94
Date Extracted: 04/29/94
Date Analyzed: 06/07/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
119-93-7	3,3'Dimethylbenzidine	10	U
122-09-8	alpha,alpha-Dimethylphenethylamine	10	U
105-67-9	2,4-Dimethylphenol	10	U
131-11-3	Dimethyl phthalate	10	U
99-65-0	m-Dinitrobenzene	10	U
534-52-1	4,6-Dinitro-o-cresol	50	U
51-28-5	2,4-Dinitrophenol	50	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octyl phthalate	10	U
122-39-4	Diphenylamine	10	U
298-04-4	Disulfoton	10	U
62-50-0	Ethyl methanesulfonate	10	U
52-85-7	Famphur	10	U
206-44-0	Fluoranthene	10	U
86-73-7	Fluorene	10	U
118-74-1	Hexachlorobenzene	10	U
87-68-3	Hexachlorobutadiene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
67-72-1	Hexachloroethane	10	U
70-30-4	Hexachlorophene	10	U
1881-71-7	Hexachloropropene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
465-73-6	Isodrin	10	U
78-59-1	Isophorone	10	U
120-58-1	Isosafrole	10	U
143-50-0	Kepone	10	U
91-80-5	Methapyrilene	10	U
56-49-5	3-Methylcholanthrene	10	U
66-27-3	Methyl methanesulfonate	10	U
91-57-6	2-Methylnaphthalnene	10	U
298-00-0	Methylparathion	10	U
91-20-3	Naphthalene	10	U
130-15-4	1,4-Naphthoquinone	10	U
134-32-7	1-Naphthylamine	10	U
91-59-8	2-Naphthylamine	10	U
88-74-4	o-Nitroaniline	50	U
99-09-2	m-Nitroaniline	50	U
100-01-6	p-Nitroaniline	50	U
98-95-3	Nitrobenzene	10	U
88-75-5	o-Nitrophenol	10	U
100-02-7	p-Nitrophenol	50	U
56-57-5	4-Nitroquinoline 1-oxide	10	U
924-16-3	N-Nitrosodi-n-butylamine	10	U
55-18-5	N-Nitrosodiethylamine	10	U
62-75-9	N-Nitrosodimethylamine	53	

Sample: MW-52D

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID:9402070
Lab File ID: 9402070R
Date Received: 04/27/94
Date Extracted:04/29/94
Date Analyzed:06/07/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodipropylamine	10	U
10595-95-6	N-Nitrosomethylethylamine	10	U
59-89-2	N-Nitrosomorpholine	10	U
100-75-4	N-Nitrosopiperidine	10	U
930-55-2	N-Nitrosopyrrolidine	10	U
99-55-8	5-Nitro-o-toluidine	10	U
56-38-2	Parathion	10	U
608-93-5	Pentachlorobenzene	10	U
82-68-8	Pentachloronitrobenzene	50	U
87-86-5	Pentachlorophenol	50	U
62-44-2	Phenacetin	10	U
85-01-8	Phenanthrene	10	U
105-95-2	Phenol	10	U
106-50-3	p-Phenylenediamine	10	U
298-02-2	Phorate	10	U
109-06-8	2-Picoline	10	U
23950-58-5	Pronamide	10	U
129-00-0	Pyrene	10	U
110-86-1	Pyridine	10	U
94-59-7	Safrole	10	U
3689-24-5	Sulfotep	10	U
95-94-3	1,2,4,5-Tetrachlorobenzene	20	U
58-90-2	2,3,4,6-Tetrachlorophenol	10	U
95-53-4	o-Toluidine	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
95-95-4	2,4,5-Trichlorophenol	16	
88-06-2	2,4,6-Trichlorophenol	183	E
126-68-1	O,O,O-Triethylphosphorothioate	10	U
99-35-4	sym-Trinitrobenzene	10	U

Sample: MW-52D

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:13

Lab Sample ID:9402070
Lab File ID: 9402070R
Date Received: 04/27/94
Date Extracted:04/29/94
Date Analyzed:06/07/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown Alcohol	7:47	5.6	J
	Unknown Alcohol	8:06	12	J
	Unknown	8:48	8.6	J
	Unknown Amine	10:04	5.6	J
	Unknown Amine	14:12	15	J
87-64-9	2-Chloro-6-methylphenol	15:31	57	J
	Dibromophenol isomer	17:24	34	J
	Unknown	17:33	56	J
	Dichloro-nitrophenol isomer	18:16	17	J
1689-84-5	3,5-Dibromo-4-hydroxy-benzonitrile	21:26	21	J
85-34-7	2,3,6-Trichlorobenzeneacetic acid	22:19	33	J
26445-01-2	Naphthaleneacetic acid	22:41	28	J
	Unknown	26:12	9.6	J

Sample: MW-53D

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID:9402071
Lab File ID: 9402071R
Date Received: 04/27/94
Date Extracted:04/29/94
Date Analyzed:06/07/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
98-86-2	Acetophenone	10	U
53-96-3	2-Acetylaminofluorene	10	U
92-67-1	4-Aminobiphenyl	10	U
62-53-3	Aniline	10	U
120-12-7	Anthracene	10	U
140-57-8	Aramite	10	U
56-55-3	Benzo[a]anthracene	10	U
205-99-2	Benzo[b]fluoranthene	10	U
207-08-9	Benzo[k]fluoranthene	10	U
191-24-2	Benzo[ghi]perylene	10	U
50-32-8	Benzo[a]pyrene	10	U
100-51-6	Benzyl alcohol	20	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
108-60-1	Bis(2-chloro-1-methylethyl)ether	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
85-68-7	Butyl benzyl phthalate	10	U
106-47-8	p-Chloroaniline	20	U
510-15-6	Chlorobenzilate	10	U
59-50-7	p-Chlorom-cresol	20	U
91-58-7	2-Chloronaphthalene	10	U
95-57-8	2-Chlorophenol	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
108-39-4	m-Cresol	10	U
95-48-7	0-Cresol	10	U
106-44-5	p-Cresol	10	U
2302-16-4	Diallate	10	U
53-70-3	Dibenz[a,h]anthracene	10	U
132-62-9	Dibenzofuran	10	U
84-74-2	Di-n-butylphthalate	10	U
95-50-1	1,2-Dichlorobenzene	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'Dichlorobenzidine	20	U
120-83-2	2,4-Dichlorophenol	3.3	J
87-65-0	2,6-Dichlorophenol	10	U
84-66-2	Diethylphthalate	10	U
297-97-2	Thionazin	10	U
60-51-5	Dimethoate	10	U
60-11-7	p-(Dimethylamino)azobenzene	10	U
57-97-6	7,12-Dimethylbenz[a]anthracene	10	U

Form 1C Semivolatile

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID:9402071
Lab File ID: 9402071R
Date Received: 04/27/94
Date Extracted:04/29/94
Date Analyzed:06/07/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
119-93-7	3,3'Dimethylbenzidine	10	U
122-09-8	alpha,alpha-Dimethylphenethylamine	10	U
105-67-9	2,4-Dimethylphenol	10	U
131-11-3	Dimethyl phthalate	10	U
99-65-0	m-Dinitrobenzene	10	U
534-52-1	4,6-Dinitro-o-cresol	50	U
51-28-5	2,4-Dinitrophenol	50	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octyl phthalate	10	U
122-39-4	Diphenylamine	10	U
298-04-4	Disulfoton	10	U
62-50-0	Ethyl methanesulfonate	10	U
52-85-7	Famphur	10	U
206-44-0	Fluoranthene	10	U
86-73-7	Fluorene	10	U
118-74-1	Hexachlorobenzene	10	U
87-68-3	Hexachlorobutadiene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
67-72-1	Hexachloroethane	10	U
70-30-4	Hexachlorophene	10	U
1881-71-7	Hexachloropropene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
465-73-6	Isodrin	10	U
78-59-1	Isophorone	10	U
120-58-1	Isosafrole	10	U
143-50-0	Kepone	10	U
91-80-5	Methapyrilene	10	U
56-49-5	3-Methylcholanthrene	10	U
66-27-3	Methyl methanesulfonate	10	U
91-57-6	2-Methylnaphthalnene	10	U
298-00-0	Methylparathion	10	U
91-20-3	Naphthalene	10	U
130-15-4	1,4-Naphthoquinone	10	U
134-32-7	1-Naphthylamine	10	U
91-59-8	2-Naphthylamine	10	U
88-74-4	o-Nitroaniline	50	U
99-09-2	m-Nitroaniline	50	U
100-01-6	p-Nitroaniline	50	U
98-95-3	Nitrobenzene	10	U
88-75-5	o-Nitrophenol	10	U
100-02-7	p-Nitrophenol	50	U
56-57-5	4-Nitroquinoline 1-oxide	10	U
924-16-3	N-Nitrosodi-n-butylamine	10	U
55-18-5	N-Nitrosodiethylamine	10	U
62-75-9	N-Nitrosodimethylamine	10	U

Sample: MW-53D

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID:9402071
Lab File ID: 9402071R
Date Received: 04/27/94
Date Extracted:04/29/94
Date Analyzed:06/07/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodipropylamine	10	U
10595-95-6	N-Nitrosomethylethylamine	10	U
59-89-2	N-Nitrosomorpholine	10	U
100-75-4	N-Nitrosopiperidine	10	U
930-55-2	N-Nitrosopyrrolidine	10	U
99-55-8	5-Nitro-o-toluidine	10	U
56-38-2	Parathion	10	U
608-93-5	Pentachlorobenzene	10	U
82-68-8	Pentachloronitrobenzene	50	U
87-86-5	Pentachlorophenol	50	U
62-44-2	Phenacetin	10	U
85-01-8	Phenanthrene	10	U
105-95-2	Phenol	10	U
106-50-3	p-Phenylenediamine	10	U
298-02-2	Phorate	10	U
109-06-8	2-Picoline	10	U
23950-58-5	Pronamide	10	U
129-00-0	Pyrene	10	U
110-86-1	Pyridine	10	U
94-59-7	Safrole	10	U
3689-24-5	Sulfotep	10	U
95-94-3	1,2,4,5-Tetrachlorobenzene	20	U
58-90-2	2,3,4,6-Tetrachlorophenol	10	U
95-53-4	o-Toluidine	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
126-68-1	O,O,O-Triethylphosphorothioate	10	U
99-35-4	sym-Trinitrobenzene	10	U

Sample: MW-53D

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:3

Lab Sample ID:9402071
Lab File ID: 9402071R
Date Received: 04/27/94
Date Extracted:04/29/94
Date Analyzed:06/07/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown Hydrocarbon	8:06	11	J
88-19-7	2-Methyl-benzenesulfonamide	20:39	27	J
70-55-3	4-Methyl-benzenesulfonamide	21:07	12	J

Form 1B Semivolatile

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402072
Lab File ID: 9402072C
Date Received: 04/27/94
Date Extracted:04/29/94
Date Analyzed:05/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume: 1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402072
Lab File ID: 9402072C
Date Received: 04/27/94
Date Extracted: 04/29/94
Date Analyzed: 05/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-62

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:3

Lab Sample ID: 9402072
Lab File ID: 9402072C
Date Received: 04/27/94
Date Extracted:04/29/94
Date Analyzed:05/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
105-60-2	Caprolactum	14:13	100	J
	Unknown Alkene	27:37	84	J
	Unknown Alkene	27:47	25	J

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402073
Lab File ID: 9402073C
Date Received: 04/27/94
Date Extracted:04/29/94
Date Analyzed:05/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	3.6	J
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	1.7	J
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402073
Lab File ID: 9402073C
Date Received: 04/27/94
Date Extracted:04/29/94
Date Analyzed:05/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-62B

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:14

Lab Sample ID: 9402073
Lab File ID: 9402073C
Date Received: 04/27/94
Date Extracted:04/29/94
Date Analyzed:05/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown Siloxane	06:31	5.0	J
556-67-2	Octamethylcyclotetrasiloxane	10:24	9.5	J
541-02-6	Decamethylcyclopentasiloxane	13:13	18	J
	Unknown	14:25	12	J
105-60-2	Caprolactum	15:54	170	J
540-97-6	Dodecamethylcyclohexasiloxane	15:58	17	J
	Unknown Siloxane	18:24	10	J
	Unknown Acid/Ester	26:05	5.0	J
	Unknown Alkene	27:46	200	J
	Unknown Alkene	27:53	72	J
	Unknown Alkene	28:00	57	J
85-60-9	4,4'-Butylidenebis[2-(1,1-dimethylethyl)-5-methyl]Phen	32:14	96	J
	Unknown Acid/Ester	36:07	13	J
	Unknown Acid/Ester	41:22	10	J

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402153
Lab File ID: 9402153C
Date Received: 04/29/94
Date Extracted:04/29/94
Date Analyzed:05/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	1.4	J
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	1.0	J
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402153
Lab File ID: 9402153C
Date Received: 04/29/94
Date Extracted:04/29/94
Date Analyzed:05/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: Equipment Blank 04-28-94

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9402153
Lab File ID: 9402153C
Date Received: 04/29/94
Date Extracted:04/29/94
Date Analyzed:05/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402154
Lab File ID: 9402154C
Date Received: 04/29/94
Date Extracted:04/29/94
Date Analyzed:05/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	180	E
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	3.1	J
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Sample: MW-30

DS-

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402154
Lab File ID: 9402154C
Date Received: 04/29/94
Date Extracted:04/29/94
Date Analyzed:05/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	2.1	J
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	23	
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-30

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:15

Lab Sample ID: 9402154
Lab File ID: 9402154C
Date Received: 04/29/94
Date Extracted:04/29/94
Date Analyzed:05/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
88-06-2	2,4,6-Trichlorophenol	16:57	68	
	Unknown Alcohol	11:43	8.5	J
	Unknown Amine	14:02	11	J
87-64-9	2-Chloro-6-methylphenol	15:25	4.6	J
	Dibromophenol isomer	17:18	5.0	J
	Unknown	17:26	9.1	J
	Dichloronitrophenol isomer	18:10	4.8	J
88-19-7	2-Methyl-benzenesulfonamide	20:36	13	J
119-61-9	Benzophenone	20:41	17	J
70-55-3	4-Methyl-benzenesulfonamide	21:05	12	J
94-75-7	2,4-D	21:46	14	J
85-34-7	2,3,6-Trichlorobenzeneacetic acid	22:07	12	J
26445-01-2	Napthaleneacetic acid	22:29	7.3	J
	Unknown	26:02	24	J
	Unknown Phenolic Compound	27:52	14	J

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402155
Lab File ID: 9402155C
Date Received: 04/29/94
Date Extracted:05/02/94
Date Analyzed:06/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402155
Lab File ID: 9402155C
Date Received: 04/29/94
Date Extracted:05/02/94
Date Analyzed:06/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-36

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9402155
Lab File ID: 9402155C
Date Received: 04/29/94
Date Extracted:05/02/94
Date Analyzed:06/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1B Semivolatile

3B

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402156
Lab File ID: 9402156C
Date Received: 04/29/94
Date Extracted:05/03/94
Date Analyzed:05/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402156
Lab File ID: 9402156C
Date Received: 04/29/94
Date Extracted:05/03/94
Date Analyzed:05/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	2.4	J
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	1.2	J
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-51D

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9402156
Lab File ID: 9402156C
Date Received: 04/29/94
Date Extracted:05/03/94
Date Analyzed:05/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID:9402158
Lab File ID: 9402158C
Date Received: 04/29/94
Date Extracted:05/02/94
Date Analyzed:06/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
98-86-2	Acetophenone	10	U
53-96-3	2-Acetylaminofluorene	10	U
92-67-1	4-Aminobiphenyl	10	U
62-53-3	Aniline	10	U
120-12-7	Anthracene	10	U
140-57-8	Aramite	10	U
56-55-3	Benzo[a]anthracene	10	U
205-99-2	Benzo[b]fluoranthene	10	U
207-08-9	Benzo[k]fluoranthene	10	U
191-24-2	Benzo[ghi]perylene	10	U
50-32-8	Benzo[a]pyrene	10	U
100-51-6	Benzyl alcohol	20	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
108-60-1	Bis(2-chloro-1-methylethyl)ether	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	6.2	J
101-55-3	4-Bromophenyl phenyl ether	10	U
85-68-7	Butyl benzyl phthalate	10	U
106-47-8	p-Chloroaniline	20	U
510-15-6	Chlorobenzilate	10	U
59-50-7	p-Chlorom-cresol	20	U
91-58-7	2-Chloronaphthalene	10	U
95-57-8	2-Chlorophenol	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
108-39-4	m-Cresol	10	U
95-48-7	0-Cresol	10	U
106-44-5	p-Cresol	10	U
2302-16-4	Diallate	10	U
53-70-3	Dibenz[a,h]anthracene	10	U
132-62-9	Dibenzofuran	10	U
84-74-2	Di-n-butylphthalate	10	U
95-50-1	1,2-Dichlorobenzene	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'Dichlorobenzidine	20	U
120-83-2	2,4-Dichlorophenol	10	U
87-65-0	2,6-Dichlorophenol	10	U
84-66-2	Diethylphthalate	10	U
297-97-2	Thionazin	10	U
60-51-5	Dimethoate	10	U
60-11-7	p-(Dimethylamino)azobenzene	10	U
57-97-6	7,12-Dimethylbenz[a]anthracene	10	U

Sample: MW-56D

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID:9402158
Lab File ID: 9402158C
Date Received: 04/29/94
Date Extracted:05/02/94
Date Analyzed:06/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
119-93-7	3,3'Dimethylbenzidine	10	U
122-09-8	alpha,alpha-Dimethylphenethylamine	10	U
105-67-9	2,4-Dimethylphenol	10	U
131-11-3	Dimethyl phthalate	10	U
99-65-0	m-Dinitrobenzene	10	U
534-52-1	4,6-Dinitro-o-cresol	50	U
51-28-5	2,4-Dinitrophenol	50	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octyl phthalate	10	U
122-39-4	Diphenylamine	10	U
298-04-4	Disulfoton	10	U
62-50-0	Ethyl methanesulfonate	10	U
52-85-7	Famphur	10	U
206-44-0	Fluoranthene	10	U
86-73-7	Fluorene	10	U
118-74-1	Hexachlorobenzene	10	U
87-68-3	Hexachlorobutadiene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
67-72-1	Hexachloroethane	10	U
70-30-4	Hexachlorophene	10	U
1881-71-7	Hexachloropropene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
465-73-6	Isodrin	10	U
78-59-1	Isophorone	10	U
120-58-1	Isosafrole	10	U
143-50-0	Kepone	10	U
91-80-5	Methapyrilene	10	U
56-49-5	3-Methylcholanthrene	10	U
66-27-3	Methyl methanesulfonate	10	U
91-57-6	2-Methylnaphthalnene	10	U
298-00-0	Methylparathion	10	U
91-20-3	Naphthalene	10	U
130-15-4	1,4-Naphthoquinone	10	U
134-32-7	1-Naphthylamine	10	U
91-59-8	2-Naphthylamine	10	U
88-74-4	o-Nitroaniline	50	U
99-09-2	m-Nitroaniline	50	U
100-01-6	p-Nitroaniline	50	U
98-95-3	Nitrobenzene	10	U
88-75-5	o-Nitrophenol	10	U
100-02-7	p-Nitrophenol	50	U
56-57-5	4-Nitroquinoline 1-oxide	10	U
924-16-3	N-Nitrosodi-n-butylamine	10	U
55-18-5	N-Nitrosodiethylamine	10	U
62-75-9	N-Nitrosodimethylamine	10	U

Sample: MW-56D

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID:9402158
Lab File ID: 9402158C
Date Received: 04/29/94
Date Extracted:05/02/94
Date Analyzed:06/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodipropylamine	10	U
10595-95-6	N-Nitrosomethylethylamine	10	U
59-89-2	N-Nitrosomorpholine	10	U
100-75-4	N-Nitrosopiperidine	10	U
930-55-2	N-Nitrosopyrrolidine	10	U
99-55-8	5-Nitro-o-toluidine	10	U
56-38-2	Parathion	10	U
608-93-5	Pentachlorobenzene	10	U
82-68-8	Pentachloronitrobenzene	50	U
87-86-5	Pentachlorophenol	50	U
62-44-2	Phenacetin	10	U
85-01-8	Phenanthrene	10	U
105-95-2	Phenol	10	U
106-50-3	p-Phenylenediamine	10	U
298-02-2	Phorate	10	U
109-06-8	2-Picoline	10	U
23950-58-5	Pronamide	10	U
129-00-0	Pyrene	10	U
110-86-1	Pyridine	10	U
94-59-7	Safrole	10	U
3689-24-5	Sulfotep	10	U
95-94-3	1,2,4,5-Tetrachlorobenzene	20	U
58-90-2	2,3,4,6-Tetrachlorophenol	10	U
95-53-4	o-Toluidine	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
126-68-1	O,O,O-Triethylphosphorothioate	10	U
99-35-4	sym-Trinitrobenzene	10	U

Sample: MW-56D

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID:9402158
Lab File ID: 9402158C
Date Received: 04/29/94
Date Extracted:05/02/94
Date Analyzed:06/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1B Semivolatile

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402160
Lab File ID: 9402160C
Date Received: 04/29/94
Date Extracted:05/03/94
Date Analyzed:05/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402160
Lab File ID: 9402160C
Date Received: 04/29/94
Date Extracted:05/03/94
Date Analyzed:05/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-57

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:1

Lab Sample ID: 9402160
Lab File ID: 9402160C
Date Received: 04/29/94
Date Extracted:05/03/94
Date Analyzed:05/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
105-60-2	Caprolactam	15:13	4.4	J

Form 1B Semivolatile

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402161
Lab File ID: 9402161C
Date Received: 04/29/94
Date Extracted:05/03/94
Date Analyzed:05/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	4.7	J
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402161
Lab File ID: 9402161C
Date Received: 04/29/94
Date Extracted:05/03/94
Date Analyzed:05/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-58D

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9402161
Lab File ID: 9402161C
Date Received: 04/29/94
Date Extracted:05/03/94
Date Analyzed:05/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1B Semivolatile

D3

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402162
Lab File ID: 9402162C
Date Received: 04/29/94
Date Extracted:05/03/94
Date Analyzed:05/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402162
Lab File ID: 9402162C
Date Received: 04/29/94
Date Extracted:05/03/94
Date Analyzed:05/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-58S

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9402162
Lab File ID: 9402162C
Date Received: 04/29/94
Date Extracted:05/03/94
Date Analyzed:05/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1B Semivolatile

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402163
Lab File ID: 9402163C
Date Received: 04/29/94
Date Extracted:05/03/94
Date Analyzed:05/24/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	7.4	J
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402163
Lab File ID: 9402163C
Date Received: 04/29/94
Date Extracted:05/03/94
Date Analyzed:05/24/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-59D

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:1

Lab Sample ID: 9402163
Lab File ID: 9402163C
Date Received: 04/29/94
Date Extracted:05/03/94
Date Analyzed:05/24/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
105-60-2	Caprolactum	15:13	72	J

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402164
Lab File ID: 9402164C
Date Received: 04/29/94
Date Extracted:05/03/94
Date Analyzed:05/24/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402164
Lab File ID: 9402164C
Date Received: 04/29/94
Date Extracted:05/03/94
Date Analyzed:05/24/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-59S

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:1

Lab Sample ID: 9402164
Lab File ID: 9402164C
Date Received: 04/29/94
Date Extracted:05/03/94
Date Analyzed:05/24/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
105-60-2	Caprolactum	14:11	55	J

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402165
Lab File ID: 9402165C
Date Received: 04/29/94
Date Extracted:05/03/94
Date Analyzed:05/24/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402165
Lab File ID: 9402165C
Date Received: 04/29/94
Date Extracted:05/03/94
Date Analyzed:05/24/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-60

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:1

Lab Sample ID: 9402165
Lab File ID: 9402165C
Date Received: 04/29/94
Date Extracted:05/03/94
Date Analyzed:05/24/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
105-60-2	Caprolactum	14:11	19	J

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume: 1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402248
Lab File ID: 9402248C
Date Received: 05/03/94
Date Extracted: 05/03/94
Date Analyzed: 05/24/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402248
Lab File ID: 9402248C
Date Received: 05/03/94
Date Extracted:05/03/94
Date Analyzed:05/24/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-56S

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:1

Lab Sample ID: 9402248
Lab File ID: 9402248C
Date Received: 05/03/94
Date Extracted:05/03/94
Date Analyzed:05/24/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
105-60-2	Caprolactum	14:11	9.700	J

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402509
Lab File ID: 9402509C
Date Received: 05/18/94
Date Extracted:05/08/94
Date Analyzed:06/02/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	5.2	J
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	6.3	J
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

D3

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402509
Lab File ID: 9402509C
Date Received: 05/18/94
Date Extracted:05/08/94
Date Analyzed:06/02/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-37B

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH: 4

Lab Sample ID: 9402509
Lab File ID: 9402509C
Date Received: 05/18/94
Date Extracted:05/08/94
Date Analyzed:06/02/94
Dilution Factor: 1

Concentration Units: (ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown Acid/Ester	14:02	21	J
105-60-2	Caprolactum	15:17	180	J
	Unknown Acid/Ester	27:23	100	J
	Unknown Acid/Ester	27:36	42	J

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402510
Lab File ID: 9402510C
Date Received: 05/18/94
Date Extracted:05/18/94
Date Analyzed:06/02/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	2.4	J
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Sample: MW-37D

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402510
Lab File ID: 9402510C
Date Received: 05/18/94
Date Extracted:05/18/94
Date Analyzed:06/02/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample: MW-37D

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:4

Lab Sample ID: 9402510
Lab File ID: 9402510C
Date Received: 05/18/94
Date Extracted:05/18/94
Date Analyzed:06/02/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown Acid/Ester	13:52	7.7	J
105-60-2	Caprolactum	15:08	56	J
	Unknown Acid/Ester	27:11	54	J
	Unknown Acid/Ester	27:27	43	J

Form 1B Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402511
Lab File ID: 9402511C
Date Received: 05/18/94
Date Extracted:05/18/94
Date Analyzed:06/02/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
83-32-9	Acenaphthene	10	U
208-96-8	Acenaphthylene	10	U
120-12-7	Anthracene	10	U
309-00-2	Aldrin	10	U
92-87-5	Benzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoroanthene	10	U
50-32-8	Benzo(a)pyrene	10	U
191-24-2	Benzo((ghi)perylene	10	U
85-68-7	Benzyl butyl phthalate	10	U
319-84-6	alpha-BHC	10	U
319-85-7	beta-BHC	10	U
319-86-8	delta-BHC	10	U
58-89-9	gamma-BHC	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
101-55-3	4-Bromophenyl phenyl ether	10	U
57-74-9	Chlordane	200	U
91-58-7	2-Chloronapthalene	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	U
72-54-8	4,4'-DDD	10	U
72-55-9	4,4'-DDE	10	U
50-29-3	4,4'-DDT	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
541-73-1	1,3-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	20	U
60-57-1	Dieldrin	10	U
84-66-2	Diethyl phthalate	10	U
131-11-3	Dimethyl phthalate	10	U
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	U
117-84-0	Di-n-octylphthalate	10	U
959-98-8	Endosulfan I	10	U
33213-65-9	Endosulfan II	10	U
1031-07-8	Endosulfan sulfate	10	U
72-20-8	Endrin	10	U
7421-36-3	Endrin Aldehyde	10	U
206-44-0	Fluoranthene	10	U

Form 1C Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9402511
Lab File ID: 9402511C
Date Received: 05/18/94
Date Extracted:05/18/94
Date Analyzed:06/02/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
86-73-7	Fluorene	10	U
76-44-8	Heptachlor	10	U
1024-57-3	Heptachlor Epoxide	10	U
118-74-1	Hexachlorobenzene	10	U
77-47-4	Hexachlorocylopentadiene	10	U
87-68-3	Hexachlorobutadiene	10	U
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
78-59-1	Isophorone	10	U
91-20-3	Naphthalene	10	U
98-95-3	Nitrobenzene	10	U
62-75-9	N-Nitrosodimethylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U
621-64-7	N-Nitrosodi-n-propylamine	10	U
12674-11-2	PCB-1016	250	U
11104-28-2	PCB-1221	250	U
11141-16-5	PCB-1232	250	U
53469-21-9	PCB-1242	250	U
12672-29-6	PCB-1248	250	U
11097-69-1	PCB-1254	250	U
11096-82-5	PCB-1260	250	U
85-01-8	Phenanthrene	10	U
129-00-0	Pyrene	10	U
8001-35-2	Toxaphene	1000	U
120-82-1	1,2,4-Trichlorobenzene	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
95-57-8	2-Chlorophenol	10	U
120-83-2	2,4-Dichlorophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
51-28-5	2,4-Dinitrophenol	50	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
88-75-5	2-Nitrophenol	10	U
100-02-7	4-Nitrophenol	50	U
87-86-5	Pentachlorophenol	50	U
108-95-2	Phenol	10	U
88-06-2	2,4,6-Trichlorophenol	10	U

Sample:Equipment Blank 05-17-94

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9402511
Lab File ID: 9402511C
Date Received: 05/18/94
Date Extracted:05/18/94
Date Analyzed:06/02/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/19/1994
Sample Description: MW-41B
EAS Sample Number: 9401893
Date Sample Received: 04/20/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/25/94
Alkalinity, Total	32.	10.	mgCaCO3/L	04/29/94
Chloride	60.	5.0	mg/L	04/25/94
Cyanide, Total	BQL	0.010	mg/L	04/25/94
Ammonia-Nitrogen	0.072	0.050	mg/L	04/21/94
Nitrite-Nitrogen	0.41	0.050	mg/L	04/20/94
Nitrate-Nitrogen	7.4	0.50	mg/L	04/25/94
pH	6.8	1.0		04/20/94
Phenols, Total	BQL	5.0	ug/L	04/28/94
Sulfate	140.	50.	mg/L	04/26/94
Specific Conductivity	600.	10.	umho/cm²	05/02/94
Total Dissolved Solids	400.	10.	mg/L	04/22/94
Total Organic Carbon	BQL	5.0	mg/L	04/28/94
Total Organic Halogens	BQL	0.10	mg/L	04/29/94
Total Suspended Solids	10.	4.0	mg/L	04/22/94
Silver, Total	BQL	0.030	mg/L	05/06/94
Arsenic, Total	BQL	0.0050	mg/L	05/06/94
Barium, Total	BQL	0.50	mg/L	05/06/94
Beryllium, Total	BQL	0.020	mg/L	05/06/94
Calcium, Total	80.	1.0	mg/L	05/06/94
Cadmium, Total	BQL	0.010	mg/L	05/06/94
Chromium, Total	BQL	0.040	mg/L	05/06/94
Copper, Total	BQL	0.020	mg/L	05/06/94
Iron, Total	0.28	0.030	mg/L	05/06/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	5.2	0.10	mg/L	05/06/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	4.4	0.50	mg/L	05/06/94
Manganese, Total	0.17	0.020	mg/L	05/06/94
Sodium, Total	29.	1.0	mg/L	05/06/94
Nickel, Total	BQL	0.030	mg/L	05/06/94
Lead, Total	BQL	0.060	mg/L	05/06/94
Antimony, Total	BQL	0.40	mg/L	05/06/94
Selenium, Total	BQL	0.0050	mg/L	05/04/94
Thallium, Total	BQL	0.40	mg/L	05/06/94
Zinc, Total	0.060	0.010	mg/L	05/06/94
Specialized GC/MS Test	BQL		mg/kg	06/11/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/19/1994
Sample Description: MW-41B
EAS Sample Number: 9401893
Date Sample Received: 04/20/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558

New York Certified Laboratory Number: 10916

Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/19/1994
Sample Description: MW-41S
EAS Sample Number: 9401894
Date Sample Received: 04/20/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/25/94
Alkalinity, Total	21.	10.	mgCaCO3/L	04/29/94
Chloride	87.	5.0	mg/L	04/25/94
Cyanide, Total	BQL	0.010	mg/L	04/25/94
Ammonia-Nitrogen	BQL	0.050	mg/L	04/21/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/20/94
Nitrate-Nitrogen	9.2	0.50	mg/L	04/25/94
pH	6.0	1.0		04/20/94
Phenols, Total	BQL	5.0	ug/L	04/28/94
Sulfate	66.	5.0	mg/L	04/26/94
Specific Conductivity	540.	10.	umho/cm²	05/02/94
Total Dissolved Solids	310.	10.	mg/L	04/22/94
Total Organic Carbon	BQL	5.0	mg/L	04/28/94
Total Organic Halogens	BQL	0.10	mg/L	04/29/94
Total Suspended Solids	320.	4.0	mg/L	04/22/94
Silver, Total	BQL	0.030	mg/L	05/06/94
Arsenic, Total	BQL	0.0050	mg/L	05/06/94
Barium, Total	BQL	0.50	mg/L	05/06/94
Beryllium, Total	BQL	0.020	mg/L	05/06/94
Calcium, Total	33.	1.0	mg/L	05/06/94
Cadmium, Total	BQL	0.010	mg/L	05/06/94
Chromium, Total	0.070	0.040	mg/L	05/06/94
Copper, Total	0.070	0.020	mg/L	05/06/94
Iron, Total	10.	0.30	mg/L	05/06/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	5.4	0.10	mg/L	05/06/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	15.	0.50	mg/L	05/06/94
Manganese, Total	0.20	0.020	mg/L	05/06/94
Sodium, Total	47.	1.0	mg/L	05/06/94
Nickel, Total	BQL	0.030	mg/L	05/06/94
Lead, Total	BQL	0.060	mg/L	05/06/94
Antimony, Total	BQL	0.40	mg/L	05/06/94
Selenium, Total	BQL	0.0050	mg/L	05/04/94
Thallium, Total	BQL	0.40	mg/L	05/06/94
Zinc, Total	0.25	0.010	mg/L	05/06/94
Specialized GC/MS Test	BQL		mg/kg	06/11/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/19/1994
Sample Description: MW-41S
EAS Sample Number: 9401894
Date Sample Received: 04/20/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558

New York Certified Laboratory Number: 10916

Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/19/1994
Sample Description: MW-41D
EAS Sample Number: 9401895
Date Sample Received: 04/20/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/25/94
Alkalinity, Total	27.	10.	mgCaCO3/L	04/29/94
Chloride	62.	5.0	mg/L	04/25/94
Cyanide, Total	BQL	0.010	mg/L	04/25/94
Ammonia-Nitrogen	BQL	0.050	mg/L	04/21/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/20/94
Nitrate-Nitrogen	4.3	0.50	mg/L	04/25/94
pH	6.1	1.0		04/20/94
Phenols, Total	BQL	5.0	ug/L	04/28/94
Sulfate	46.	5.0	mg/L	04/26/94
Specific Conductivity	380.	10.	umho/cm²	05/02/94
Total Dissolved Solids	210.	10.	mg/L	04/22/94
Total Organic Carbon	BQL	5.0	mg/L	04/28/94
Total Organic Halogens	BQL	0.10	mg/L	04/29/94
Total Suspended Solids	180.	4.0	mg/L	04/22/94
Silver, Total	BQL	0.030	mg/L	05/06/94
Arsenic, Total	BQL	0.0050	mg/L	05/06/94
Barium, Total	BQL	0.50	mg/L	05/06/94
Beryllium, Total	BQL	0.020	mg/L	05/06/94
Calcium, Total	20.	1.0	mg/L	05/06/94
Cadmium, Total	BQL	0.010	mg/L	05/06/94
Chromium, Total	BQL	0.040	mg/L	05/06/94
Copper, Total	0.020	0.020	mg/L	05/06/94
Iron, Total	6.1	0.30	mg/L	05/06/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	4.4	0.10	mg/L	05/06/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	9.5	0.50	mg/L	05/06/94
Manganese, Total	0.68	0.020	mg/L	05/06/94
Sodium, Total	35.	1.0	mg/L	05/06/94
Nickel, Total	BQL	0.030	mg/L	05/06/94
Lead, Total	BQL	0.060	mg/L	05/06/94
Antimony, Total	BQL	0.40	mg/L	05/06/94
Selenium, Total	BQL	0.0050	mg/L	05/04/94
Thallium, Total	BQL	0.40	mg/L	05/06/94
Zinc, Total	0.12	0.010	mg/L	05/06/94
Specialized GC/MS Test	BQL		mg/kg	06/11/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/19/1994
Sample Description: MW-41D
EAS Sample Number: 9401895
Date Sample Received: 04/20/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558

New York Certified Laboratory Number: 10916

Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/19/1994
Sample Description: MW-42S + MS
EAS Sample Number: 9401896
Date Sample Received: 04/20/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/25/94
Alkalinity, Total	26.	10.	mgCaCO3/L	04/29/94
Chloride	250.	50.	mg/L	04/25/94
Cyanide, Total	BQL	0.010	mg/L	04/25/94
Ammonia-Nitrogen	0.14	0.050	mg/L	04/21/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/20/94
Nitrate-Nitrogen	40.	1.3	mg/L	04/25/94
pH	6.0	1.0		04/20/94
Phenols, Total	BQL	5.0	ug/L	04/28/94
Sulfate	250.	50.	mg/L	04/26/94
Specific Conductivity	1500.	10.	umho/cm²	05/02/94
Total Dissolved Solids	920.	20.	mg/L	04/22/94
tal Organic Carbon	BQL	5.0	mg/L	05/11/94
tal Organic Halogens	BQL	0.10	mg/L	04/29/94
Total Suspended Solids	140.	8.0	mg/L	04/22/94
Silver, Total	BQL	0.030	mg/L	05/06/94
Arsenic, Total	BQL	0.0050	mg/L	05/06/94
Barium, Total	BQL	0.50	mg/L	05/06/94
Beryllium, Total	BQL	0.020	mg/L	05/06/94
Calcium, Total	89.	1.0	mg/L	05/06/94
Cadmium, Total	BQL	0.010	mg/L	05/06/94
Chromium, Total	BQL	0.040	mg/L	05/06/94
Copper, Total	0.16	0.020	mg/L	05/06/94
Iron, Total	11.	0.30	mg/L	05/06/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	17.	1.0	mg/L	05/06/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	49.	0.50	mg/L	05/06/94
Manganese, Total	0.35	0.020	mg/L	05/06/94
Sodium, Total	130.	1.0	mg/L	05/06/94
Nickel, Total	0.15	0.030	mg/L	05/06/94
Lead, Total	BQL	0.060	mg/L	05/06/94
Antimony, Total	BQL	0.40	mg/L	05/06/94
Selenium, Total	BQL	0.0050	mg/L	05/04/94
Thallium, Total	BQL	0.40	mg/L	05/06/94
Zinc, Total	0.34	0.010	mg/L	05/06/94
Specialized GC/MS Test	BQL		mg/kg	06/11/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/19/1994
Sample Description: MW-42S + MS
EAS Sample Number: 9401896
Date Sample Received: 04/20/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558

New York Certified Laboratory Number: 10916

Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/19/1994
Sample Description: MW-43S
EAS Sample Number: 9401897
Date Sample Received: 04/20/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/25/94
Alkalinity, Total	BQL	10.	mgCaCO3/L	04/29/94
Chloride	510.	50.	mg/L	04/25/94
Cyanide, Total	BQL	0.010	mg/L	04/25/94
Ammonia-Nitrogen	0.84	0.50	mg/L	04/21/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/20/94
Nitrate-Nitrogen	83.	2.5	mg/L	04/25/94
pH	5.3	1.0		04/20/94
Phenols, Total	BQL	5.0	ug/L	04/28/94
Sulfate	380.	50.	mg/L	04/26/94
Specific Conductivity	2800.	10.	umho/cm²	05/02/94
Total Dissolved Solids	1700.	20.	mg/L	04/22/94
Total Organic Carbon	BQL	5.0	mg/L	04/28/94
Total Organic Halogens	BQL	0.10	mg/L	05/05/94
Total Suspended Solids	64.	8.0	mg/L	04/22/94
Silver, Total	BQL	0.030	mg/L	05/06/94
Arsenic, Total	0.012	0.0050	mg/L	05/06/94
Barium, Total	BQL	0.50	mg/L	05/06/94
Beryllium, Total	BQL	0.020	mg/L	05/06/94
Calcium, Total	110.	10.	mg/L	05/06/94
Cadmium, Total	BQL	0.010	mg/L	05/06/94
Chromium, Total	BQL	0.040	mg/L	05/06/94
Copper, Total	0.19	0.020	mg/L	05/06/94
Iron, Total	2.1	0.030	mg/L	05/06/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	24.	1.0	mg/L	05/06/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	59.	5.0	mg/L	05/06/94
Manganese, Total	1.2	0.020	mg/L	05/06/94
Sodium, Total	250.	10.	mg/L	05/06/94
Nickel, Total	0.29	0.030	mg/L	05/06/94
Lead, Total	BQL	0.060	mg/L	05/06/94
Antimony, Total	BQL	0.40	mg/L	05/06/94
Selenium, Total	BQL	0.0050	mg/L	05/04/94
Thallium, Total	BQL	0.40	mg/L	05/06/94
Zinc, Total	0.75	0.010	mg/L	05/06/94
Specialized GC/MS Test	BQL		mg/kg	06/11/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/19/1994
Sample Description: MW-43S
EAS Sample Number: 9401897
Date Sample Received: 04/20/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558

New York Certified Laboratory Number: 10916

Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/19/1994
Sample Description: MW-43S Duplicate
EAS Sample Number: 9401898
Date Sample Received: 04/20/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/25/94
Alkalinity, Total	BQL	10.	mgCaCO3/L	04/29/94
Chloride	520.	50.	mg/L	04/25/94
Cyanide, Total	BQL	0.010	mg/L	04/25/94
Ammonia-Nitrogen	0.71	0.050	mg/L	04/21/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/20/94
Nitrate-Nitrogen	83.	2.5	mg/L	04/25/94
pH	5.3	1.0		04/20/94
Phenols, Total	BQL	5.0	ug/L	04/28/94
Sulfate	390.	50.	mg/L	04/26/94
Specific Conductivity	2800.	10.	umho/cm²	05/02/94
Total Dissolved Solids	1700.	20.	mg/L	04/22/94
Total Organic Carbon	BQL	5.0	mg/L	04/28/94
Total Organic Halogens	BQL	0.10	mg/L	05/02/94
Total Suspended Solids	60.	8.0	mg/L	04/22/94
Silver, Total	BQL	0.030	mg/L	05/06/94
Arsenic, Total	0.013	0.0050	mg/L	05/06/94
Barium, Total	BQL	0.50	mg/L	05/06/94
Beryllium, Total	BQL	0.020	mg/L	05/06/94
Calcium, Total	120.	10.	mg/L	05/06/94
Cadmium, Total	BQL	0.010	mg/L	05/06/94
Chromium, Total	BQL	0.040	mg/L	05/06/94
Copper, Total	0.19	0.020	mg/L	05/06/94
Iron, Total	2.9	0.030	mg/L	05/06/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	25.	1.0	mg/L	05/06/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	62.	5.0	mg/L	05/06/94
Manganese, Total	1.4	0.020	mg/L	05/06/94
Sodium, Total	260.	10.	mg/L	05/06/94
Nickel, Total	0.30	0.030	mg/L	05/06/94
Lead, Total	BQL	0.060	mg/L	05/06/94
Antimony, Total	BQL	0.40	mg/L	05/06/94
Selenium, Total	BQL	0.0050	mg/L	05/04/94
Thallium, Total	BQL	0.40	mg/L	05/06/94
Zinc, Total	0.75	0.010	mg/L	05/06/94
Specialized GC/MS Test	BQL		mg/kg	06/11/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/19/1994
Sample Description: MW-43S Duplicate
EAS Sample Number: 9401898
Date Sample Received: 04/20/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558

New York Certified Laboratory Number: 10916

Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/19/1994
Sample Description: MW-43D
EAS Sample Number: 9401899
Date Sample Received: 04/20/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/25/94
Alkalinity, Total	BQL	10.	mgCaCO3/L	04/29/94
Chloride	780.	50.	mg/L	04/25/94
Cyanide, Total	0.012	0.010	mg/L	04/26/94
Ammonia-Nitrogen	7.2	0.50	mg/L	04/21/94
Nitrite-Nitrogen	0.078	0.050	mg/L	04/20/94
Nitrate-Nitrogen	140.	5.0	mg/L	04/25/94
pH	4.7	1.0		04/20/94
Phenols, Total	BQL	5.0	ug/L	04/28/94
Sulfate	670.	50.	mg/L	04/26/94
Specific Conductivity	4400.	10.	umho/cm²	05/02/94
Total Dissolved Solids	2800.	20.	mg/L	04/22/94
tal Organic Carbon	BQL	5.0	mg/L	05/11/94
tal Organic Halogens	0.47	0.10	mg/L	05/02/94
Total Suspended Solids	13.	4.0	mg/L	04/22/94
Silver, Total	BQL	0.030	mg/L	05/06/94
Arsenic, Total	0.0092	0.0050	mg/L	05/06/94
Barium, Total	BQL	0.50	mg/L	05/06/94
Beryllium, Total	0.041	0.020	mg/L	05/06/94
Calcium, Total	200.	10.	mg/L	05/06/94
Cadmium, Total	0.033	0.010	mg/L	05/06/94
Chromium, Total	BQL	0.040	mg/L	05/06/94
Copper, Total	9.7	0.20	mg/L	05/06/94
Iron, Total	0.34	0.030	mg/L	05/06/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	24.	1.0	mg/L	05/06/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	130.	5.0	mg/L	05/06/94
Manganese, Total	8.8	0.20	mg/L	05/06/94
Sodium, Total	380.	10.	mg/L	05/06/94
Nickel, Total	2.3	0.030	mg/L	05/06/94
Lead, Total	BQL	0.060	mg/L	05/06/94
Antimony, Total	BQL	0.40	mg/L	05/06/94
Selenium, Total	BQL	0.0050	mg/L	05/04/94
Thallium, Total	BQL	0.40	mg/L	05/06/94
Zinc, Total	10.	0.10	mg/L	05/06/94
Specialized GC/MS Test	BQL		mg/kg	06/11/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/19/1994
Sample Description: MW-43D
EAS Sample Number: 9401899
Date Sample Received: 04/20/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558

New York Certified Laboratory Number: 10916

Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/21/1994
Sample Description: Equipment Blank
EAS Sample Number: 9401963
Date Sample Received: 04/22/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/25/94
Alkalinity, Total	BQL	10.	mgCaCO3/L	05/02/94
Chloride	BQL	5.0	mg/L	04/25/94
Cyanide, Total	BQL	0.010	mg/L	04/25/94
Ammonia-Nitrogen	BQL	0.050	mg/L	05/04/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/22/94
Nitrate-Nitrogen	BQL	0.050	mg/L	04/25/94
pH	6.8			05/02/94
Phenols, Total	BQL	5.0	ug/L	04/28/94
Sulfate	BQL	5.0	mg/L	04/26/94
Specific Conductivity	BQL	10.	umho/cm²	05/02/94
Total Dissolved Solids	BQL	10.	mg/L	04/27/94
Total Organic Carbon	BQL	5.0	mg/L	05/11/94
Total Organic Halogens	BQL	0.10	mg/L	05/02/94
Total Suspended Solids	BQL	4.0	mg/L	04/27/94
Silver, Total	BQL	0.030	mg/L	05/06/94
Arsenic, Total	BQL	0.0050	mg/L	05/06/94
Barium, Total	BQL	0.50	mg/L	05/06/94
Beryllium, Total	BQL	0.020	mg/L	05/06/94
Calcium, Total	BQL	0.10	mg/L	05/06/94
Cadmium, Total	BQL	0.010	mg/L	05/06/94
Chromium, Total	BQL	0.040	mg/L	05/06/94
Copper, Total	BQL	0.020	mg/L	05/06/94
Iron, Total	BQL	0.030	mg/L	05/06/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	BQL	0.10	mg/L	05/06/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	BQL	0.050	mg/L	05/06/94
Manganese, Total	BQL	0.020	mg/L	05/06/94
Sodium, Total	0.24	0.10	mg/L	05/06/94
Nickel, Total	BQL	0.030	mg/L	05/06/94
Lead, Total	BQL	0.060	mg/L	05/06/94
Antimony, Total	BQL	0.40	mg/L	05/06/94
Selenium, Total	BQL	0.0050	mg/L	05/04/94
Thallium, Total	BQL	0.40	mg/L	05/06/94
Zinc, Total	0.019	0.010	mg/L	05/06/94
Specialized GC/MS Test	0.00		mg/kg	/ /

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/21/1994
Sample Description: MW-31
EAS Sample Number: 9401964
Date Sample Received: 04/22/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/25/94
Alkalinity, Total	140.	10.	mgCaCO3/L	05/02/94
Chloride	190.	50.	mg/L	04/25/94
Cyanide, Total	BQL	0.010	mg/L	04/25/94
Ammonia-Nitrogen	6.0	0.40	mg/L	05/04/94
Nitrite-Nitrogen	0.12	0.050	mg/L	04/22/94
Nitrate-Nitrogen	24.	2.5	mg/L	04/25/94
pH	6.3			05/02/94
Phenols, Total	220.	5.0	ug/L	04/28/94
Sulfate	760.	50.	mg/L	04/26/94
Specific Conductivity	2300.	10.	umho/cm²	05/02/94
Total Dissolved Solids	1600.	20.	mg/L	04/27/94
Total Organic Carbon	32.	5.0	mg/L	05/11/94
Total Organic Halogens	0.74	0.10	mg/L	05/02/94
Total Suspended Solids	130.	8.0	mg/L	04/27/94
Silver, Total	BQL	0.030	mg/L	05/06/94
Arsenic, Total	BQL	0.0050	mg/L	05/06/94
Barium, Total	BQL	0.50	mg/L	05/06/94
Beryllium, Total	BQL	0.020	mg/L	05/06/94
Calcium, Total	160.	10.	mg/L	05/06/94
Cadmium, Total	0.041	0.010	mg/L	05/06/94
Chromium, Total	BQL	0.040	mg/L	05/06/94
Copper, Total	0.10	0.020	mg/L	05/06/94
Iron, Total	68.	3.0	mg/L	05/06/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	12.	1.0	mg/L	05/06/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	130.	5.0	mg/L	05/06/94
Manganese, Total	6.6	0.20	mg/L	05/06/94
Sodium, Total	89.	1.0	mg/L	05/06/94
Nickel, Total	0.12	0.030	mg/L	05/06/94
Lead, Total	BQL	0.060	mg/L	05/06/94
Antimony, Total	BQL	0.40	mg/L	05/06/94
Selenium, Total	BQL	0.0050	mg/L	05/04/94
Thallium, Total	BQL	0.40	mg/L	05/06/94
Zinc, Total	4.3	0.10	mg/L	05/06/94
Specialized GC/MS Test	0.00		mg/kg	/ /

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/21/1994
Sample Description: MW-31B
EAS Sample Number: 9401965
Date Sample Received: 04/22/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/26/94
Alkalinity, Total	99.	10.	mgCaCO3/L	05/02/94
Chloride	450.	50.	mg/L	04/25/94
Cyanide, Total	BQL	0.010	mg/L	05/02/94
Ammonia-Nitrogen	0.84	0.050	mg/L	05/04/94
Nitrite-Nitrogen	4.7	0.50	mg/L	04/22/94
Nitrate-Nitrogen	150.	2.5	mg/L	04/25/94
pH	7.1			05/02/94
Phenols, Total	BQL	5.0	ug/L	04/28/94
Sulfate	920.	50.	mg/L	04/26/94
Specific Conductivity	3900.	10.	umho/cm²	05/02/94
Total Dissolved Solids	2700.	40.	mg/L	04/27/94
Total Organic Carbon	5.3	5.0	mg/L	05/11/94
Total Organic Halogens	0.22	0.10	mg/L	05/03/94
Total Suspended Solids	16.	4.0	mg/L	04/27/94
Silver, Total	BQL	0.030	mg/L	05/06/94
Arsenic, Total	BQL	0.0050	mg/L	05/06/94
Barium, Total	BQL	0.50	mg/L	05/06/94
Beryllium, Total	BQL	0.020	mg/L	05/06/94
Calcium, Total	430.	10.	mg/L	05/06/94
Cadmium, Total	BQL	0.010	mg/L	05/06/94
Chromium, Total	BQL	0.040	mg/L	05/06/94
Copper, Total	0.040	0.020	mg/L	05/06/94
Iron, Total	1.6	0.030	mg/L	05/06/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	32.	1.0	mg/L	05/06/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	160.	5.0	mg/L	05/06/94
Manganese, Total	0.67	0.020	mg/L	05/06/94
Sodium, Total	120.	1.0	mg/L	05/06/94
Nickel, Total	0.11	0.030	mg/L	05/06/94
Lead, Total	0.25	0.060	mg/L	05/06/94
Antimony, Total	BQL	0.40	mg/L	05/06/94
Selenium, Total	BQL	0.0050	mg/L	05/04/94
Thallium, Total	BQL	0.40	mg/L	05/06/94
Zinc, Total	0.17	0.010	mg/L	05/06/94
Specialized GC/MS Test	BQL		mg/kg	06/09/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/21/1994
Sample Description: MW-31D
EAS Sample Number: 9401966
Date Sample Received: 04/22/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/26/94
Alkalinity, Total	78.	10.	mgCaCO3/L	05/02/94
Chloride	790.	50.	mg/L	04/25/94
Cyanide, Total	BQL	0.010	mg/L	05/02/94
Ammonia-Nitrogen	4.6	1.0	mg/L	05/04/94
Nitrite-Nitrogen	0.68	0.050	mg/L	04/22/94
Nitrate-Nitrogen	270.	5.0	mg/L	04/25/94
pH	6.1			05/02/94
Phenols, Total	BQL	5.0	ug/L	04/28/94
Sulfate	1500.	50.	mg/L	04/26/94
Specific Conductivity	6400.	10.	umho/cm²	05/02/94
Total Dissolved Solids	4700.	40.	mg/L	04/27/94
Total Organic Carbon	8.2	5.0	mg/L	05/11/94
Total Organic Halogens	0.25	0.10	mg/L	05/03/94
Total Suspended Solids	4900.	16.	mg/L	04/27/94
Silver, Total	BQL	0.030	mg/L	05/06/94
Arsenic, Total	0.065	0.010	mg/L	05/06/94
Barium, Total	1.4	0.50	mg/L	05/06/94
Beryllium, Total	BQL	0.020	mg/L	05/06/94
Calcium, Total	340.	10.	mg/L	05/06/94
Cadmium, Total	BQL	0.010	mg/L	05/06/94
Chromium, Total	0.31	0.040	mg/L	05/06/94
Copper, Total	0.59	0.020	mg/L	05/06/94
Iron, Total	220.	3.0	mg/L	05/06/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	55.	1.0	mg/L	05/06/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	430.	5.0	mg/L	05/06/94
Manganese, Total	5.1	0.20	mg/L	05/06/94
Sodium, Total	370.	10.	mg/L	05/06/94
Nickel, Total	0.39	0.030	mg/L	05/06/94
Lead, Total	0.25	0.060	mg/L	05/06/94
Antimony, Total	BQL	0.40	mg/L	05/06/94
Selenium, Total	BQL	0.0050	mg/L	05/04/94
Thallium, Total	BQL	0.40	mg/L	05/06/94
Zinc, Total	1.1	0.10	mg/L	05/06/94
Specialized GC/MS Test	BQL		mg/kg	06/09/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/21/1994
Sample Description: MW-32D
EAS Sample Number: 9401967
Date Sample Received: 04/22/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/26/94
Alkalinity, Total	11.	10.	mgCaCO3/L	05/02/94
Chloride	120.	5.0	mg/L	04/25/94
Cyanide, Total	BQL	0.010	mg/L	05/02/94
Ammonia-Nitrogen	0.050	0.050	mg/L	05/04/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/22/94
Nitrate-Nitrogen	0.59	0.050	mg/L	04/25/94
pH	6.0			05/02/94
Phenols, Total	BQL	5.0	ug/L	04/28/94
Sulfate	30.	5.0	mg/L	04/26/94
Specific Conductivity	510.	10.	umho/cm²	05/02/94
Total Dissolved Solids	270.	10.	mg/L	04/27/94
Total Organic Carbon	BQL	5.0	mg/L	04/28/94
Total Organic Halogens	BQL	0.10	mg/L	05/03/94
Total Suspended Solids	42.	4.0	mg/L	04/27/94
Silver, Total	BQL	0.030	mg/L	05/06/94
Arsenic, Total	BQL	0.0050	mg/L	05/06/94
Barium, Total	BQL	0.50	mg/L	05/06/94
Beryllium, Total	BQL	0.020	mg/L	05/06/94
Calcium, Total	10.	1.0	mg/L	05/06/94
Cadmium, Total	BQL	0.010	mg/L	05/06/94
Chromium, Total	BQL	0.040	mg/L	05/06/94
Copper, Total	0.030	0.020	mg/L	05/06/94
Iron, Total	1.7	0.030	mg/L	05/06/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	5.3	0.10	mg/L	05/06/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	3.0	0.50	mg/L	05/06/94
Manganese, Total	0.045	0.020	mg/L	05/06/94
Sodium, Total	77.	1.0	mg/L	05/06/94
Nickel, Total	BQL	0.030	mg/L	05/06/94
Lead, Total	BQL	0.060	mg/L	05/06/94
Antimony, Total	BQL	0.40	mg/L	05/06/94
Selenium, Total	BQL	0.0050	mg/L	05/04/94
Thallium, Total	BQL	0.40	mg/L	05/06/94
Zinc, Total	0.13	0.010	mg/L	05/06/94
Specialized GC/MS Test			mg/kg	07/18/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/21/1994
Sample Description: MW-32D
EAS Sample Number: 9401967
Date Sample Received: 04/22/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558

New York Certified Laboratory Number: 10916

Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/21/1994
Sample Description: MW-32S
EAS Sample Number: 9401968
Date Sample Received: 04/22/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/26/94
Alkalinity, Total	10.	10.	mgCaCO3/L	05/02/94
Chloride	140.	5.0	mg/L	04/25/94
Cyanide, Total	BQL	0.010	mg/L	05/02/94
Ammonia-Nitrogen	BQL	0.050	mg/L	05/04/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/22/94
Nitrate-Nitrogen	0.62	0.050	mg/L	04/25/94
pH	6.0			05/02/94
Phenols, Total	BQL	5.0	ug/L	04/28/94
Sulfate	27.	5.0	mg/L	04/26/94
Specific Conductivity	570.	10.	umho/cm²	05/02/94
Total Dissolved Solids	300.	10.	mg/L	04/27/94
Total Organic Carbon	BQL	5.0	mg/L	05/11/94
Total Organic Halogens	BQL	0.10	mg/L	05/03/94
Total Suspended Solids	91.	4.0	mg/L	04/27/94
Silver, Total	BQL	0.030	mg/L	05/06/94
Arsenic, Total	BQL	0.0050	mg/L	05/06/94
Barium, Total	BQL	0.50	mg/L	05/06/94
Beryllium, Total	BQL	0.020	mg/L	05/06/94
Calcium, Total	9.8	1.0	mg/L	05/06/94
Cadmium, Total	BQL	0.010	mg/L	05/06/94
Chromium, Total	BQL	0.040	mg/L	05/06/94
Copper, Total	0.020	0.020	mg/L	05/06/94
Iron, Total	6.4	0.30	mg/L	05/06/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	6.3	0.10	mg/L	05/06/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	4.1	0.50	mg/L	05/06/94
Manganese, Total	0.18	0.020	mg/L	05/06/94
Sodium, Total	76.	1.0	mg/L	05/06/94
Nickel, Total	0.040	0.030	mg/L	05/06/94
Lead, Total	BQL	0.060	mg/L	05/06/94
Antimony, Total	BQL	0.40	mg/L	05/06/94
Selenium, Total	BQL	0.0050	mg/L	05/04/94
Thallium, Total	BQL	0.40	mg/L	05/06/94
Zinc, Total	0.084	0.010	mg/L	05/06/94
Specialized GC/MS Test			mg/kg	07/18/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/21/1994
Sample Description: MW-32S
EAS Sample Number: 9401968
Date Sample Received: 04/22/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558

New York Certified Laboratory Number: 10916

Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/21/1994
Sample Description: MW-33
EAS Sample Number: 9401969
Date Sample Received: 04/22/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/26/94
Alkalinity, Total	14.	10.	mgCaCO3/L	05/02/94
Chloride	79.	5.0	mg/L	04/25/94
Cyanide, Total	BQL	0.010	mg/L	05/02/94
Ammonia-Nitrogen	BQL	0.050	mg/L	05/04/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/22/94
Nitrate-Nitrogen	11.	0.50	mg/L	04/25/94
pH	6.8			05/02/94
Phenols, Total	BQL	5.0	ug/L	04/28/94
Sulfate	140.	50.	mg/L	04/26/94
Specific Conductivity	580.	10.	umho/cm²	05/02/94
Total Dissolved Solids	320.	20.	mg/L	04/27/94
Total Organic Carbon	BQL	5.0	mg/L	04/28/94
Total Organic Halogens	BQL	0.10	mg/L	05/03/94
Total Suspended Solids	750.	8.0	mg/L	04/27/94
Silver, Total	BQL	0.030	mg/L	05/06/94
Arsenic, Total	0.0077	0.0050	mg/L	05/06/94
Barium, Total	BQL	0.50	mg/L	05/06/94
Beryllium, Total	BQL	0.020	mg/L	05/06/94
Calcium, Total	32.	1.0	mg/L	05/06/94
Cadmium, Total	BQL	0.010	mg/L	05/06/94
Chromium, Total	0.11	0.040	mg/L	05/06/94
Copper, Total	0.070	0.020	mg/L	05/06/94
Iron, Total	32.	0.30	mg/L	05/06/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	8.0	0.10	mg/L	05/06/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	20.	0.50	mg/L	05/06/94
Manganese, Total	0.83	0.020	mg/L	05/06/94
Sodium, Total	49.	1.0	mg/L	05/06/94
Nickel, Total	0.090	0.030	mg/L	05/06/94
Lead, Total	BQL	0.060	mg/L	05/06/94
Antimony, Total	BQL	0.40	mg/L	05/06/94
Selenium, Total	BQL	0.0050	mg/L	05/04/94
Thallium, Total	BQL	0.40	mg/L	05/06/94
Zinc, Total	0.16	0.010	mg/L	05/06/94
Specialized GC/MS Test			mg/kg	07/18/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/21/1994
Sample Description: MW-33
EAS Sample Number: 9401969
Date Sample Received: 04/22/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558

New York Certified Laboratory Number: 10916

Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/21/1994
Sample Description: MW-42B
EAS Sample Number: 9401970
Date Sample Received: 04/22/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/26/94
Alkalinity, Total	BQL	10.	mgCaCO3/L	05/02/94
Chloride	17.	5.0	mg/L	04/25/94
Cyanide, Total	BQL	0.010	mg/L	05/02/94
Ammonia-Nitrogen	BQL	0.050	mg/L	05/04/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/22/94
Nitrate-Nitrogen	0.24	0.050	mg/L	04/25/94
pH	8.0			05/02/94
Phenols, Total	BQL	5.0	ug/L	04/28/94
Sulfate	240.	50.	mg/L	04/26/94
Specific Conductivity	450.	10.	umho/cm²	05/02/94
Total Dissolved Solids	290.	10.	mg/L	04/27/94
Total Organic Carbon	BQL	5.0	mg/L	04/28/94
Total Organic Halogens	BQL	0.10	mg/L	05/03/94
Total Suspended Solids	77.	4.0	mg/L	04/27/94
Silver, Total	BQL	0.030	mg/L	05/06/94
Arsenic, Total	BQL	0.0050	mg/L	05/06/94
Barium, Total	BQL	0.50	mg/L	05/06/94
Beryllium, Total	BQL	0.020	mg/L	05/06/94
Calcium, Total	55.	1.0	mg/L	05/06/94
Cadmium, Total	BQL	0.010	mg/L	05/06/94
Chromium, Total	BQL	0.040	mg/L	05/06/94
Copper, Total	BQL	0.020	mg/L	05/06/94
Iron, Total	0.23	0.030	mg/L	05/06/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	5.0	0.10	mg/L	05/06/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	0.29	0.050	mg/L	05/06/94
Manganese, Total	0.030	0.020	mg/L	05/06/94
Sodium, Total	30.	1.0	mg/L	05/06/94
Nickel, Total	BQL	0.030	mg/L	05/06/94
Lead, Total	BQL	0.060	mg/L	05/06/94
Antimony, Total	BQL	0.40	mg/L	05/06/94
Selenium, Total	BQL	0.0050	mg/L	05/04/94
Thallium, Total	BQL	0.40	mg/L	05/06/94
Zinc, Total	0.025	0.010	mg/L	05/06/94
Specialized GC/MS Test	0.00		mg/kg	/ /

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/21/1994
Sample Description: MW-55
EAS Sample Number: 9401971
Date Sample Received: 04/22/1994

DG 6IM

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/26/94
Alkalinity, Total	10.	10.	mgCaCO3/L	05/02/94
Chloride	14.	5.0	mg/L	04/25/94
Cyanide, Total	BQL	0.010	mg/L	05/02/94
Ammonia-Nitrogen	BQL	0.050	mg/L	05/04/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/22/94
Nitrate-Nitrogen	0.25	0.050	mg/L	04/25/94
pH	6.1			05/02/94
Phenols, Total	10.	5.0	ug/L	04/28/94
Sulfate	23.	5.0	mg/L	04/26/94
Specific Conductivity	120.	10.	umho/cm²	05/02/94
Total Dissolved Solids	67.	10.	mg/L	04/27/94
tal Organic Carbon	BQL	5.0	mg/L	04/28/94
tal Organic Halogens	BQL	0.10	mg/L	05/05/94
Total Suspended Solids	260.	4.0	mg/L	04/27/94
Silver, Total	BQL	0.030	mg/L	05/06/94
Arsenic, Total	BQL	0.0050	mg/L	05/06/94
Barium, Total	BQL	0.50	mg/L	05/06/94
Beryllium, Total	BQL	0.020	mg/L	05/06/94
Calcium, Total	8.6	1.0	mg/L	05/06/94
Cadmium, Total	BQL	0.010	mg/L	05/06/94
Chromium, Total	0.050	0.040	mg/L	05/06/94
Copper, Total	0.050	0.020	mg/L	05/06/94
Iron, Total	16.	0.30	mg/L	05/06/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	5.5	0.10	mg/L	05/06/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	4.9	0.050	mg/L	05/06/94
Manganese, Total	0.40	0.020	mg/L	05/06/94
Sodium, Total	9.4	0.10	mg/L	05/06/94
Nickel, Total	BQL	0.030	mg/L	05/06/94
Lead, Total	BQL	0.060	mg/L	05/06/94
Antimony, Total	BQL	0.40	mg/L	05/06/94
Selenium, Total	BQL	0.0050	mg/L	05/04/94
Thallium, Total	BQL	0.40	mg/L	05/06/94
Zinc, Total	0.16	0.010	mg/L	05/06/94
Specialized GC/MS Test	BQL		mg/kg	06/09/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/21/1994
Sample Description: MW-55
EAS Sample Number: 9401971
Date Sample Received: 04/22/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558

New York Certified Laboratory Number: 10916

Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/21/1994
Sample Description: MW-61B
EAS Sample Number: 9401972
Date Sample Received: 04/22/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/26/94
Alkalinity, Total	65.	10.	mgCaCO3/L	05/02/94
Chloride	110.	5.0	mg/L	04/25/94
Cyanide, Total	BQL	0.010	mg/L	05/02/94
Ammonia-Nitrogen	BQL	0.050	mg/L	05/04/94
Nitrite-Nitrogen	0.087	0.050	mg/L	04/22/94
Nitrate-Nitrogen	6.0	0.50	mg/L	04/25/94
pH	7.0			05/03/94
Phenols, Total	BQL	5.0	ug/L	04/28/94
Sulfate	74.	5.0	mg/L	04/26/94
Specific Conductivity	710.	10.	umho/cm²	05/03/94
Total Dissolved Solids	430.	10.	mg/L	04/27/94
al Organic Carbon	20.	5.0	mg/L	05/13/94
al Organic Halogens	0.13	0.10	mg/L	05/05/94
Total Suspended Solids	910.	4.0	mg/L	04/27/94
Silver, Total	BQL	0.030	mg/L	05/06/94
Arsenic, Total	0.016	0.0050	mg/L	05/06/94
Barium, Total	BQL	0.50	mg/L	05/06/94
Beryllium, Total	BQL	0.020	mg/L	05/06/94
Calcium, Total	98.	10.	mg/L	05/06/94
Cadmium, Total	BQL	0.010	mg/L	05/06/94
Chromium, Total	0.070	0.040	mg/L	05/06/94
Copper, Total	0.090	0.020	mg/L	05/06/94
Iron, Total	19.	0.30	mg/L	05/06/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	18.	1.0	mg/L	05/06/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	15.	0.50	mg/L	05/06/94
Manganese, Total	0.60	0.020	mg/L	05/06/94
Sodium, Total	37.	1.0	mg/L	05/06/94
Nickel, Total	0.050	0.030	mg/L	05/06/94
Lead, Total	BQL	0.060	mg/L	05/06/94
Antimony, Total	BQL	0.40	mg/L	05/06/94
Selenium, Total	BQL	0.0050	mg/L	05/04/94
Thallium, Total	BQL	0.40	mg/L	05/06/94
Zinc, Total	0.30	0.010	mg/L	05/06/94
Specialized GC/MS Test	0.00		mg/kg	/ /

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/21/1994
Sample Description: MW-61D
EAS Sample Number: 9401973
Date Sample Received: 04/22/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/26/94
Alkalinity, Total	22.	10.	mgCaCO3/L	05/02/94
Chloride	130.	5.0	mg/L	04/25/94
Cyanide, Total	BQL	0.010	mg/L	05/02/94
Ammonia-Nitrogen	BQL	0.050	mg/L	05/04/94
Nitrite-Nitrogen	0.14	0.050	mg/L	04/22/94
Nitrate-Nitrogen	1.3	0.050	mg/L	04/25/94
pH	6.0			05/03/94
Phenols, Total	12.	5.0	ug/L	04/28/94
Sulfate	42.	5.0	mg/L	04/26/94
Specific Conductivity	600.	10.	umho/cm²	05/03/94
Total Dissolved Solids	320.	10.	mg/L	04/27/94
Total Organic Carbon	BQL	5.0	mg/L	05/13/94
Total Organic Halogens	BQL	0.10	mg/L	05/05/94
Total Suspended Solids	110.	4.0	mg/L	04/27/94
Silver, Total	BQL	0.030	mg/L	05/06/94
Arsenic, Total	BQL	0.0050	mg/L	05/06/94
Barium, Total	BQL	0.50	mg/L	05/06/94
Beryllium, Total	BQL	0.020	mg/L	05/06/94
Calcium, Total	22.	1.0	mg/L	05/06/94
Cadmium, Total	BQL	0.010	mg/L	05/06/94
Chromium, Total	BQL	0.040	mg/L	05/06/94
Copper, Total	0.050	0.020	mg/L	05/06/94
Iron, Total	7.0	0.30	mg/L	05/06/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	9.1	0.10	mg/L	05/06/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	6.0	0.50	mg/L	05/06/94
Manganese, Total	0.14	0.020	mg/L	05/06/94
Sodium, Total	81.	1.0	mg/L	05/06/94
Nickel, Total	BQL	0.030	mg/L	05/06/94
Lead, Total	BQL	0.060	mg/L	05/06/94
Antimony, Total	BQL	0.40	mg/L	05/06/94
Selenium, Total	BQL	0.0050	mg/L	05/04/94
Thallium, Total	BQL	0.40	mg/L	05/06/94
Zinc, Total	0.11	0.010	mg/L	05/06/94
Specialized GC/MS Test	0.00		mg/kg	/ /

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/21/1994
Sample Description: MW-61S
EAS Sample Number: 9401974
Date Sample Received: 04/22/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/26/94
Alkalinity, Total	10.	10.	mgCaCO3/L	05/02/94
Chloride	78.	5.0	mg/L	04/25/94
Cyanide, Total	BQL	0.010	mg/L	05/02/94
Ammonia-Nitrogen	BQL	0.050	mg/L	05/04/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/22/94
Nitrate-Nitrogen	0.65	0.050	mg/L	04/25/94
pH	6.0			05/03/94
Phenols, Total	BQL	5.0	ug/L	04/28/94
Sulfate	27.	5.0	mg/L	04/26/94
Specific Conductivity	360.	10.	umho/cm²	05/03/94
Total Dissolved Solids	200.	40.	mg/L	04/27/94
Total Organic Carbon	5.1	5.0	mg/L	05/13/94
Total Organic Halogens	BQL	0.10	mg/L	05/05/94
Total Suspended Solids	1500.	16.	mg/L	04/27/94
Silver, Total	BQL	0.030	mg/L	05/06/94
Arsenic, Total	0.0060	0.0050	mg/L	05/06/94
Barium, Total	BQL	0.50	mg/L	05/06/94
Beryllium, Total	BQL	0.020	mg/L	05/06/94
Calcium, Total	19.	1.0	mg/L	05/06/94
Cadmium, Total	BQL	0.010	mg/L	05/06/94
Chromium, Total	0.080	0.040	mg/L	05/06/94
Copper, Total	0.22	0.020	mg/L	05/06/94
Iron, Total	67.	3.0	mg/L	05/06/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	11.	0.10	mg/L	05/06/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	14.	0.50	mg/L	05/06/94
Manganese, Total	0.62	0.020	mg/L	05/06/94
Sodium, Total	40.	1.0	mg/L	05/06/94
Nickel, Total	0.10	0.030	mg/L	05/06/94
Lead, Total	BQL	0.060	mg/L	05/06/94
Antimony, Total	BQL	0.40	mg/L	05/06/94
Selenium, Total	BQL	0.0050	mg/L	05/04/94
Thallium, Total	BQL	0.40	mg/L	05/06/94
Zinc, Total	0.29	0.010	mg/L	05/06/94
Specialized GC/MS Test	0.00		mg/kg	/ /

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Thomaston
Date Sample Collected: 04/21/1994
Sample Description: MW-63
EAS Sample Number: 9401975
Date Sample Received: 04/22/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/26/94
Alkalinity, Total	BQL	10.	mgCaCO3/L	05/02/94
Chloride	190.	5.0	mg/L	04/25/94
Cyanide, Total	0.062	0.010	mg/L	05/02/94
Ammonia-Nitrogen	0.12	0.050	mg/L	05/04/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/22/94
Nitrate-Nitrogen	0.79	0.050	mg/L	04/25/94
pH	5.9			05/02/94
Phenols, Total	BQL	5.0	ug/L	04/28/94
Sulfate	34.	5.0	mg/L	04/26/94
Specific Conductivity	720.	10.	umho/cm²	05/02/94
Total Dissolved Solids	410.	40.	mg/L	04/27/94
Total Organic Carbon	7.2	5.0	mg/L	05/13/94
Total Organic Halogens	BQL	0.10	mg/L	05/05/94
Total Suspended Solids	5100.	16.	mg/L	04/27/94
Silver, Total	BQL	0.030	mg/L	05/06/94
Arsenic, Total	0.010	0.010	mg/L	05/06/94
Barium, Total	0.78	0.50	mg/L	05/06/94
Beryllium, Total	BQL	0.020	mg/L	05/06/94
Calcium, Total	34.	1.0	mg/L	05/06/94
Cadmium, Total	BQL	0.010	mg/L	05/06/94
Chromium, Total	0.60	0.040	mg/L	05/06/94
Copper, Total	1.7	0.020	mg/L	05/06/94
Iron, Total	210.	3.0	mg/L	05/06/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	18.	1.0	mg/L	05/06/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	36.	0.50	mg/L	05/06/94
Manganese, Total	2.7	0.20	mg/L	05/06/94
Sodium, Total	120.	1.0	mg/L	05/06/94
Nickel, Total	0.36	0.030	mg/L	05/06/94
Lead, Total	0.30	0.060	mg/L	05/06/94
Antimony, Total	BQL	0.40	mg/L	05/06/94
Selenium, Total	BQL	0.0050	mg/L	05/04/94
Thallium, Total	BQL	0.40	mg/L	05/06/94
Zinc, Total	1.3	0.10	mg/L	05/06/94
Specialized GC/MS Test	0.00		mg/kg	/ /

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/26/1994
Sample Description: Equipment Blank for 04-26-94
EAS Sample Number: 9402064
Date Sample Received: 04/27/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/29/94
Alkalinity, Total	BQL	10.	mgCaCO3/L	05/03/94
Chloride	BQL	5.0	mg/L	05/03/94
Cyanide, Total	BQL	0.010	mg/L	05/02/94
Ammonia-Nitrogen	BQL	0.050	mg/L	05/04/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/27/94
Nitrate-Nitrogen	BQL	0.050	mg/L	04/29/94
pH	6.9			05/02/94
Phenols, Total	BQL	5.0	ug/L	05/05/94
Sulfate	BQL	5.0	mg/L	05/03/94
Specific Conductivity	BQL	10.	umho/cm²	05/02/94
Total Dissolved Solids	BQL	10.	mg/L	04/29/94
Total Organic Carbon	BQL	5.0	mg/L	05/13/94
Total Organic Halogens	BQL	0.10	mg/L	05/06/94
Total Suspended Solids	BQL	4.0	mg/L	04/29/94
Silver, Total	BQL	0.030	mg/L	05/12/94
Arsenic, Total	BQL	0.0050	mg/L	05/12/94
Barium, Total	BQL	0.50	mg/L	05/18/94
Beryllium, Total	BQL	0.020	mg/L	05/18/94
Calcium, Total	BQL	0.10	mg/L	05/18/94
Cadmium, Total	BQL	0.010	mg/L	05/18/94
Chromium, Total	BQL	0.040	mg/L	05/18/94
Copper, Total	BQL	0.020	mg/L	05/18/94
Iron, Total	BQL	0.030	mg/L	05/18/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	BQL	0.10	mg/L	05/17/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	BQL	0.050	mg/L	05/18/94
Manganese, Total	BQL	0.020	mg/L	05/18/94
Sodium, Total	BQL	0.10	mg/L	05/18/94
Nickel, Total	BQL	0.030	mg/L	05/18/94
Lead, Total	BQL	0.060	mg/L	05/18/94
Antimony, Total	BQL	0.40	mg/L	05/18/94
Selenium, Total	BQL	0.0050	mg/L	05/12/94
Thallium, Total	BQL	0.40	mg/L	05/18/94
Zinc, Total	BQL	0.010	mg/L	05/18/94
Specialized GC/MS Test	0.00		mg/kg	/ /

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/26/1994
Sample Description: MW-44B (Appendix IX)
EAS Sample Number: 9402065
Date Sample Received: 04/27/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
~~Base/Neutral & Acidic Extraction~~				~~05/02/94~~
~~Pesticide Extraction~~				~~05/02/94~~
Herbicide Extraction				05/02/94
Alkalinity, Total	14.	10.	mgCaCO3/L	05/03/94
Chloride	1100.	50.	mg/L	05/03/94
Cyanide, Total	BQL	0.010	mg/L	05/10/94
Ammonia-Nitrogen	3.6	0.40	mg/L	05/04/94
Nitrite-Nitrogen	0.80	0.050	mg/L	04/27/94
Nitrate-Nitrogen	280.	5.0	mg/L	04/29/94
pH	5.5			05/02/94
Phenols, Total	20.	5.0	ug/L	05/05/94
Sulfate	730.	50.	mg/L	05/03/94
Specific Conductivity	6200.	10.	umho/cm²	05/02/94
Total Dissolved Solids	4000.	40.	mg/L	04/29/94
Total Organic Carbon	5.8	5.0	mg/L	05/13/94
Total Organic Halogens	0.63	0.10	mg/L	05/06/94
Total Suspended Solids	13.	4.0	mg/L	04/29/94
Silver, Total	BQL	0.030	mg/L	05/12/94
Arsenic, Total	0.0056	0.0050	mg/L	05/12/94
Barium, Total	BQL	0.50	mg/L	05/18/94
Beryllium, Total	BQL	0.020	mg/L	05/18/94
Calcium, Total	480.	10.	mg/L	05/18/94
Cadmium, Total	0.018	0.010	mg/L	05/18/94
Cobalt, Total	0.12	0.10	mg/L	05/25/94
Chromium, Total	BQL	0.040	mg/L	05/18/94
Copper, Total	0.20	0.020	mg/L	05/18/94
Iron, Total	0.42	0.030	mg/L	05/18/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	29.	1.0	mg/L	05/17/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	270.	5.0	mg/L	05/18/94
Manganese, Total	8.3	0.20	mg/L	05/18/94
Sodium, Total	550.	10.	mg/L	05/18/94
Nickel, Total	0.65	0.030	mg/L	05/18/94
Lead, Total	BQL	0.060	mg/L	05/18/94
Antimony, Total	BQL	0.40	mg/L	05/18/94
Selenium, Total	BQL	0.0050	mg/L	05/12/94
Tin, Total	BQL	0.80	mg/L	05/25/94
Thallium, Total	BQL	0.40	mg/L	05/18/94
Vanadium-Total	BQL	1.0	mg/L	05/25/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/26/1994
Sample Description: MW-44B (Appendix IX)
EAS Sample Number: 9402065
Date Sample Received: 04/27/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Zinc, Total	2.3	0.10	mg/L	05/18/94
~~Appendix IX - Method 8270 (GC/MS)~~				
1,2,4,5-Tetrachlorobenzene	0.00	10.	ug/L	/ /
1,2,4-Trichlorobenzene	0.00	10.	ug/L	/ /
1,4-Naphthoquinone	0.00	10.	ug/L	/ /
1-Naphthylamine	0.00	10.	ug/L	/ /
2-Acetylaminofluorene (2-AAF)	0.00	10.	ug/L	/ /
2,3,4,6-Tetrachlorophenol	0.00	10.	ug/L	/ /
2,3,7,8-Tetrachlorodibenzo-p-	0.00	0.0050	ug/L	/ /
2,4,5-Trichlorophenol	0.00	10.	ug/L	/ /
2,4,6-Trichlorophenol	0.00	10.	ug/L	/ /
2,4-Dichlorophenol	0.00	10.	ug/L	/ /
2,4-Dimethylphenol	0.00	10.	ug/L	/ /
2,4-Dinitrophenol	0.00	50.	ug/L	/ /
2,4-Dinitrotoluene	0.00	10.	ug/L	/ /
2,6-Dichlorophenol	0.00	10.	ug/L	/ /
2,6-Dinitrotoluene	0.00	10.	ug/L	/ /
2-Chloronaphthalene	0.00	10.	ug/L	/ /
2-Chlorophenol	0.00	10.	ug/L	/ /
2-Methylnaphthalene	0.00	10.	ug/L	/ /
p-(Dimethylamino)azobenzene	0.00	10.	ug/L	/ /
2-Naphthylamine	0.00	10.	ug/L	/ /
2-Picoline	0.00	10.	ug/L	/ /
3,3'-Dichlorobenzidine	0.00	20.	ug/L	/ /
3,3'-Dimethylbenzidine	0.00	10.	ug/L	/ /
3-Methylcholanthrene	0.00	10.	ug/L	/ /
4,6-Dinitro-o-cresol	0.00	50.	ug/L	/ /
4-Aminobiphenyl	0.00	10.	ug/L	/ /
4-Bromophenyl phenyl ether	0.00	10.	ug/L	/ /
4-Chlorophenyl phenyl ether	0.00	10.	ug/L	/ /
4-Nitroquinoline 1-oxide	0.00	10.	ug/L	/ /
5-Nitro-o-toluidine	0.00	10.	ug/L	/ /
Hexachlorophene	0.00	10.	ug/L	/ /
Hexachloropropene	0.00	10.	ug/L	/ /
7,12-Dimethylbenz[a]antracene	0.00	10.	ug/L	/ /
alpha, alpha-Dimethylphenethy	0.00	10.	ug/L	/ /
Acenaphthene	0.00	10.	ug/L	/ /
Acenaphthylene	0.00	10.	ug/L	/ /
Acetophenone	0.00	10.	ug/L	/ /
Aniline	0.00	10.	ug/L	/ /

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/26/1994
Sample Description: MW-44D
EAS Sample Number: 9402066
Date Sample Received: 04/27/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/29/94
Alkalinity, Total	BQL	10.	mgCaCO3/L	05/03/94
Chloride	830.	50.	mg/L	05/03/94
Cyanide, Total	BQL	0.010	mg/L	05/10/94
Ammonia-Nitrogen	6.9	0.40	mg/L	05/04/94
Nitrite-Nitrogen	0.42	0.050	mg/L	04/27/94
Nitrate-Nitrogen	190.	5.0	mg/L	04/29/94
pH	5.3			05/02/94
Phenols, Total	17.	5.0	ug/L	05/05/94
Sulfate	620.	50.	mg/L	05/03/94
Specific Conductivity	4900.	10.	umho/cm²	05/02/94
Total Dissolved Solids	3000.	40.	mg/L	04/29/94
Total Organic Carbon	BQL	5.0	mg/L	05/13/94
Total Organic Halogens	0.59	0.10	mg/L	05/06/94
Total Suspended Solids	BQL	4.0	mg/L	04/29/94
Silver, Total	BQL	0.030	mg/L	05/12/94
Arsenic, Total	0.0051	0.0050	mg/L	05/12/94
Barium, Total	BQL	0.50	mg/L	05/18/94
Beryllium, Total	BQL	0.020	mg/L	05/18/94
Calcium, Total	250.	10.	mg/L	05/18/94
Cadmium, Total	BQL	0.010	mg/L	05/18/94
Chromium, Total	BQL	0.040	mg/L	05/18/94
Copper, Total	1.4	0.020	mg/L	05/18/94
Iron, Total	0.32	0.030	mg/L	05/18/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	26.	1.0	mg/L	05/17/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	190.	5.0	mg/L	05/18/94
Manganese, Total	4.0	0.20	mg/L	05/18/94
Sodium, Total	470.	10.	mg/L	05/18/94
Nickel, Total	0.36	0.030	mg/L	05/18/94
Lead, Total	BQL	0.060	mg/L	05/18/94
Antimony, Total	BQL	0.40	mg/L	05/18/94
Selenium, Total	BQL	0.0050	mg/L	05/12/94
Thallium, Total	BQL	0.40	mg/L	05/18/94
Zinc, Total	1.6	0.10	mg/L	05/18/94
Specialized GC/MS Test	BQL		mg/kg	06/07/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/26/1994
Sample Description: MW-44S
EAS Sample Number: 9402067
Date Sample Received: 04/27/1994

DG-3N1

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/29/94
Alkalinity, Total	20.	10.	mgCaCO3/L	05/03/94
Chloride	150.	50.	mg/L	05/03/94
Cyanide, Total	BQL	0.010	mg/L	05/10/94
Ammonia-Nitrogen	BQL	0.050	mg/L	05/04/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/27/94
Nitrate-Nitrogen	27.	1.3	mg/L	04/29/94
pH	6.0			05/02/94
Phenols, Total	BQL	5.0	ug/L	05/05/94
Sulfate	120.	50.	mg/L	05/03/94
Specific Conductivity	1000.	10.	umho/cm²	05/02/94
Total Dissolved Solids	620.	10.	mg/L	04/29/94
al Organic Carbon	BQL	5.0	mg/L	05/13/94
al Organic Halogens	BQL	0.10	mg/L	05/06/94
Total Suspended Solids	71.	4.0	mg/L	04/29/94
Silver, Total	BQL	0.030	mg/L	05/12/94
Arsenic, Total	BQL	0.0050	mg/L	05/12/94
Barium, Total	BQL	0.50	mg/L	05/18/94
Beryllium, Total	BQL	0.020	mg/L	05/18/94
Calcium, Total	54.	1.0	mg/L	05/18/94
Cadmium, Total	BQL	0.010	mg/L	05/18/94
Chromium, Total	0.040	0.040	mg/L	05/18/94
Copper, Total	0.020	0.020	mg/L	05/18/94
Iron, Total	9.4	0.30	mg/L	05/18/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	8.5	0.10	mg/L	05/17/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	36.	0.50	mg/L	05/18/94
Manganese, Total	0.50	0.020	mg/L	05/18/94
Sodium, Total	97.	1.0	mg/L	05/18/94
Nickel, Total	0.060	0.030	mg/L	05/18/94
Lead, Total	BQL	0.060	mg/L	05/18/94
Antimony, Total	BQL	0.40	mg/L	05/18/94
Selenium, Total	BQL	0.0050	mg/L	05/12/94
Thallium, Total	BQL	0.40	mg/L	05/18/94
Zinc, Total	0.079	0.010	mg/L	05/18/94
Specialized GC/MS Test	0.00		mg/kg	/ /

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/26/1994
Sample Description: MW-50S
EAS Sample Number: 9402068
Date Sample Received: 04/27/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/29/94
Alkalinity, Total	68.	10.	mgCaCO3/L	05/03/94
Chloride	46.	5.0	mg/L	05/03/94
Cyanide, Total	BQL	0.010	mg/L	05/10/94
Ammonia-Nitrogen	0.26	0.050	mg/L	05/04/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/27/94
Nitrate-Nitrogen	1.6	0.50	mg/L	04/29/94
pH	6.2			05/02/94
Phenols, Total	BQL	5.0	ug/L	05/05/94
Sulfate	29.	5.0	mg/L	05/03/94
Specific Conductivity	370.	10.	umho/cm²	05/02/94
Total Dissolved Solids	210.	10.	mg/L	04/29/94
Total Organic Carbon	BQL	5.0	mg/L	05/13/94
Total Organic Halogens	BQL	0.10	mg/L	05/06/94
Total Suspended Solids	360.	4.0	mg/L	04/29/94
Silver, Total	BQL	0.030	mg/L	05/12/94
Arsenic, Total	BQL	0.0050	mg/L	05/12/94
Barium, Total	BQL	0.50	mg/L	05/18/94
Beryllium, Total	BQL	0.020	mg/L	05/18/94
Calcium, Total	28.	1.0	mg/L	05/18/94
Cadmium, Total	BQL	0.010	mg/L	05/18/94
Chromium, Total	0.12	0.040	mg/L	05/18/94
Copper, Total	0.12	0.020	mg/L	05/18/94
Iron, Total	27.	0.30	mg/L	05/18/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	6.7	0.10	mg/L	05/17/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	16.	0.50	mg/L	05/18/94
Manganese, Total	2.8	0.20	mg/L	05/18/94
Sodium, Total	28.	1.0	mg/L	05/18/94
Nickel, Total	0.080	0.030	mg/L	05/18/94
Lead, Total	BQL	0.060	mg/L	05/18/94
Antimony, Total	BQL	0.40	mg/L	05/18/94
Selenium, Total	BQL	0.0050	mg/L	05/12/94
Thallium, Total	BQL	0.40	mg/L	05/18/94
Zinc, Total	0.32	0.010	mg/L	05/18/94
Specialized GC/MS Test	BQL		mg/kg	06/07/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/26/1994
Sample Description: MW-51B
EAS Sample Number: 9402069
Date Sample Received: 04/27/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/29/94
Alkalinity, Total	40.	10.	mgCaCO3/L	05/03/94
Chloride	240.	50.	mg/L	05/03/94
Cyanide, Total	BQL	0.010	mg/L	05/10/94
Ammonia-Nitrogen	0.10	0.050	mg/L	05/04/94
Nitrite-Nitrogen	0.068	0.050	mg/L	04/27/94
Nitrate-Nitrogen	58.	2.5	mg/L	04/29/94
pH	7.2			05/02/94
Phenols, Total	BQL	5.0	ug/L	05/05/94
Sulfate	190.	50.	mg/L	05/03/94
Specific Conductivity	1700.	10.	umho/cm²	05/02/94
Total Dissolved Solids	1100.	20.	mg/L	04/29/94
al Organic Carbon	BQL	5.0	mg/L	05/13/94
al Organic Halogens	0.15	0.10	mg/L	05/06/94
Total Suspended Solids	BQL	4.0	mg/L	04/29/94
Silver, Total	BQL	0.030	mg/L	05/12/94
Arsenic, Total	BQL	0.0050	mg/L	05/12/94
Barium, Total	BQL	0.50	mg/L	05/18/94
Beryllium, Total	BQL	0.020	mg/L	05/18/94
Calcium, Total	290.	10.	mg/L	05/18/94
Cadmium, Total	BQL	0.010	mg/L	05/18/94
Chromium, Total	BQL	0.040	mg/L	05/18/94
Copper, Total	BQL	0.020	mg/L	05/18/94
Iron, Total	0.76	0.030	mg/L	05/18/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	13.	1.0	mg/L	05/17/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	34.	0.50	mg/L	05/18/94
Manganese, Total	0.28	0.020	mg/L	05/18/94
Sodium, Total	14.	1.0	mg/L	05/18/94
Nickel, Total	0.040	0.030	mg/L	05/18/94
Lead, Total	BQL	0.060	mg/L	05/18/94
Antimony, Total	BQL	0.40	mg/L	05/18/94
Selenium, Total	BQL	0.0050	mg/L	05/12/94
Thallium, Total	BQL	0.40	mg/L	05/18/94
Zinc, Total	0.060	0.010	mg/L	05/18/94
Specialized GC/MS Test	0.00		mg/kg	/ /

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/26/1994
Sample Description: MW-52D Appendix IX
EAS Sample Number: 9402070
Date Sample Received: 04/27/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
~~Base/Neutral & Acidic Extraction~~				~~04/29/94~~
Alkalinity, Total	76.	10.	mgCaCO3/L	05/03/94
Chloride	1300.	50.	mg/L	05/03/94
Cyanide, Total	BQL	0.010	mg/L	05/10/94
Ammonia-Nitrogen	23.	1.0	mg/L	05/04/94
Nitrite-Nitrogen	1.6	0.050	mg/L	04/27/94
Nitrate-Nitrogen	230.	5.0	mg/L	04/29/94
pH	6.5			05/02/94
Phenols, Total	170.	5.0	ug/L	05/05/94
Sulfate	670.	50.	mg/L	05/03/94
Specific Conductivity	1600.	10.	umho/cm²	05/02/94
Total Dissolved Solids	3900.	40.	mg/L	04/29/94
Total Organic Carbon	9.5	5.0	mg/L	05/13/94
Total Organic Halogens	1.6	0.10	mg/L	05/09/94
Total Suspended Solids	27.	4.0	mg/L	04/29/94
Silver, Total	BQL	0.030	mg/L	05/12/94
Arsenic, Total	BQL	0.0050	mg/L	05/12/94
Barium, Total	BQL	0.50	mg/L	05/18/94
Beryllium, Total	BQL	0.020	mg/L	05/18/94
Calcium, Total	410.	10.	mg/L	05/18/94
Cadmium, Total	BQL	0.010	mg/L	05/18/94
Cobalt, Total	BQL	0.10	mg/L	05/25/94
Chromium, Total	0.050	0.040	mg/L	05/18/94
Copper, Total	0.090	0.020	mg/L	05/18/94
Iron, Total	2.0	0.030	mg/L	05/18/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	28.	1.0	mg/L	05/17/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	310.	5.0	mg/L	05/18/94
Manganese, Total	4.1	0.20	mg/L	05/18/94
Sodium, Total	530.	10.	mg/L	05/18/94
Nickel, Total	0.14	0.030	mg/L	05/18/94
Lead, Total	BQL	0.060	mg/L	05/18/94
Antimony, Total	BQL	0.40	mg/L	05/18/94
Selenium, Total	BQL	0.0050	mg/L	05/12/94
Tin, Total	BQL	0.80	mg/L	05/25/94
Thallium, Total	BQL	0.40	mg/L	05/18/94
Vanadium-Total	BQL	1.0	mg/L	05/25/94
Zinc, Total	0.27	0.010	mg/L	05/18/94
~~Appendix IX - Method 8270 (GC/MS)~~				

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/26/1994
Sample Description: MW-53D (MS/MSD) Appendix IX
EAS Sample Number: 9402071
Date Sample Received: 04/27/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/29/94
Pesticide Extraction				05/02/94
Herbicide Extraction				05/02/94
Alkalinity, Total	110.	10.	mgCaCO3/L	05/03/94
Chloride	56.	5.0	mg/L	05/03/94
Cyanide, Total	BQL	0.010	mg/L	05/10/94
Ammonia-Nitrogen	2.7	0.40	mg/L	05/04/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/27/94
Nitrate-Nitrogen	1.9	0.050	mg/L	04/29/94
pH	6.1			05/02/94
Phenols, Total	BQL	5.0	ug/L	05/05/94
Sulfate	32.	5.0	mg/L	05/03/94
Specific Conductivity	510.	10.	umho/cm²	05/02/94
Total Dissolved Solids	270.	10.	mg/L	04/29/94
Total Organic Carbon	6.4	5.0	mg/L	05/13/94
Total Organic Halogens	BQL	0.10	mg/L	05/09/94
Total Suspended Solids	52.	4.0	mg/L	04/29/94
Silver, Total	BQL	0.030	mg/L	05/12/94
Arsenic, Total	BQL	0.0050	mg/L	05/12/94
Barium, Total	BQL	0.50	mg/L	05/18/94
Beryllium, Total	BQL	0.020	mg/L	05/18/94
Calcium, Total	40.	1.0	mg/L	05/18/94
Cadmium, Total	BQL	0.010	mg/L	05/18/94
Cobalt, Total	BQL	0.10	mg/L	05/25/94
Chromium, Total	BQL	0.040	mg/L	05/18/94
Copper, Total	BQL	0.020	mg/L	05/18/94
Iron, Total	16.	0.30	mg/L	05/18/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	4.9	0.10	mg/L	05/17/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	11.	0.50	mg/L	05/18/94
Manganese, Total	12.	0.20	mg/L	05/18/94
Sodium, Total	27.	1.0	mg/L	05/18/94
Nickel, Total	BQL	0.030	mg/L	05/18/94
Lead, Total	BQL	0.060	mg/L	05/18/94
Antimony, Total	BQL	0.40	mg/L	05/18/94
Selenium, Total	BQL	0.0050	mg/L	05/12/94
Tin, Total	BQL	0.80	mg/L	05/25/94
Thallium, Total	BQL	0.40	mg/L	05/18/94
Vanadium-Total	BQL	1.0	mg/L	05/25/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/26/1994
Sample Description: MW-53D (MS/MSD) Appendix IX
EAS Sample Number: 9402071
Date Sample Received: 04/27/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Zinc, Total	0.080	0.010	mg/L	05/18/94
~~Appendix IX - Method 8270 (GC/MS)~~				
1,2,4,5-Tetrachlorobenzene	0.00	10.	ug/L	/ /
1,2,4-Trichlorobenzene	0.00	10.	ug/L	/ /
1,4-Naphthoquinone	0.00	10.	ug/L	/ /
1-Naphthylamine	0.00	10.	ug/L	/ /
2-Acetylaminofluorene (2-AAF)	0.00	10.	ug/L	/ /
2,3,4,6-Tetrachlorophenol	0.00	10.	ug/L	/ /
2,3,7,8-Tetrachlorodibenzo-p-	0.00	0.0050	ug/L	/ /
2,4,5-Trichlorophenol	0.00	10.	ug/L	/ /
2,4,6-Trichlorophenol	0.00	10.	ug/L	/ /
2,4-Dichlorophenol	0.00	10.	ug/L	/ /
2,4-Dimethylphenol	0.00	10.	ug/L	/ /
2,4-Dinitrophenol	0.00	50.	ug/L	/ /
2,4-Dinitrotoluene	0.00	10.	ug/L	/ /
2,6-Dichlorophenol	0.00	10.	ug/L	/ /
2,6-Dinitrotoluene	0.00	10.	ug/L	/ /
2-Chloronaphthalene	0.00	10.	ug/L	/ /
2-Chlorophenol	0.00	10.	ug/L	/ /
2-Methylnaphthalene	0.00	10.	ug/L	/ /
p-(Dimethylamino)azobenzene	0.00	10.	ug/L	/ /
2-Naphthylamine	0.00	10.	ug/L	/ /
2-Picoline	0.00	10.	ug/L	/ /
3,3'-Dichlorobenzidine	0.00	20.	ug/L	/ /
3,3'-Dimethylbenzidine	0.00	10.	ug/L	/ /
3-Methylcholanthrene	0.00	10.	ug/L	/ /
4,6-Dinitro-o-cresol	0.00	50.	ug/L	/ /
4-Aminobiphenyl	0.00	10.	ug/L	/ /
4-Bromophenyl phenyl ether	0.00	10.	ug/L	/ /
4-Chlorophenyl phenyl ether	0.00	10.	ug/L	/ /
4-Nitroquinoline 1-oxide	0.00	10.	ug/L	/ /
5-Nitro-o-toluidine	0.00	10.	ug/L	/ /
Hexachlorophene	0.00	10.	ug/L	/ /
Hexachloropropene	0.00	10.	ug/L	/ /
7,12-Dimethylbenz[a]antracene	0.00	10.	ug/L	/ /
alpha, alpha-Dimethylphenethy	0.00	10.	ug/L	/ /
Acenaphthene	0.00	10.	ug/L	/ /
Acenaphthylene	0.00	10.	ug/L	/ /
Acetophenone	0.00	10.	ug/L	/ /
Aniline	0.00	10.	ug/L	/ /

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/26/1994
Sample Description: MW-62
EAS Sample Number: 9402072
Date Sample Received: 04/27/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/29/94
Alkalinity, Total	50.	10.	mgCaCO3/L	05/03/94
Chloride	59.	5.0	mg/L	05/03/94
Cyanide, Total	BQL	0.010	mg/L	05/10/94
Ammonia-Nitrogen	BQL	0.050	mg/L	05/04/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/27/94
Nitrate-Nitrogen	3.9	0.50	mg/L	04/29/94
pH	6.1			05/02/94
Phenols, Total	BQL	5.0	ug/L	05/05/94
Sulfate	39.	5.0	mg/L	05/03/94
Specific Conductivity	400.	10.	umho/cm²	05/02/94
Total Dissolved Solids	300.	40.	mg/L	04/29/94
Total Organic Carbon	6.8	5.0	mg/L	05/13/94
Total Organic Halogens	BQL	0.10	mg/L	05/09/94
Total Suspended Solids	840.	40.	mg/L	04/29/94
Silver, Total	BQL	0.030	mg/L	05/12/94
Arsenic, Total	0.027	0.0050	mg/L	05/12/94
Barium, Total	0.59	0.50	mg/L	05/18/94
Beryllium, Total	BQL	0.020	mg/L	05/18/94
Calcium, Total	36.	1.0	mg/L	05/18/94
Cadmium, Total	BQL	0.010	mg/L	05/18/94
Chromium, Total	0.10	0.040	mg/L	05/18/94
Copper, Total	0.42	0.020	mg/L	05/18/94
Iron, Total	110.	3.0	mg/L	05/18/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	16.	1.0	mg/L	05/17/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	37.	0.50	mg/L	05/18/94
Manganese, Total	1.5	0.020	mg/L	05/18/94
Sodium, Total	36.	1.0	mg/L	05/18/94
Nickel, Total	0.20	0.030	mg/L	05/18/94
Lead, Total	0.060	0.060	mg/L	05/18/94
Antimony, Total	BQL	0.40	mg/L	05/18/94
Selenium, Total	BQL	0.0050	mg/L	05/12/94
Thallium, Total	BQL	0.40	mg/L	05/18/94
Zinc, Total	0.50	0.010	mg/L	05/18/94
Specialized GC/MS Test			mg/kg	06/07/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/26/1994
Sample Description: MW-62B
EAS Sample Number: 9402073
Date Sample Received: 04/27/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/29/94
Alkalinity, Total	92.	10.	mgCaCO3/L	05/03/94
Chloride	19.	5.0	mg/L	05/03/94
Cyanide, Total	BQL	0.010	mg/L	05/10/94
Ammonia-Nitrogen	BQL	0.050	mg/L	05/04/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/27/94
Nitrate-Nitrogen	0.66	0.050	mg/L	04/29/94
pH	7.3			05/02/94
Phenols, Total	BQL	5.0	ug/L	05/05/94
Sulfate	33.	5.0	mg/L	05/03/94
Specific Conductivity	330.	10.	umho/cm²	05/02/94
Total Dissolved Solids	220.	20.	mg/L	04/29/94
Total Organic Carbon	BQL	5.0	mg/L	05/13/94
Total Organic Halogens	BQL	0.10	mg/L	05/09/94
Total Suspended Solids	830.	8.0	mg/L	04/29/94
Silver, Total	BQL	0.030	mg/L	05/12/94
Arsenic, Total	BQL	0.0050	mg/L	05/12/94
Barium, Total	BQL	0.50	mg/L	05/18/94
Beryllium, Total	BQL	0.020	mg/L	05/18/94
Calcium, Total	37.	1.0	mg/L	05/18/94
Cadmium, Total	BQL	0.010	mg/L	05/18/94
Chromium, Total	0.070	0.040	mg/L	05/18/94
Copper, Total	0.080	0.020	mg/L	05/18/94
Iron, Total	24.	0.30	mg/L	05/18/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	16.	1.0	mg/L	05/17/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	13.	0.50	mg/L	05/18/94
Manganese, Total	0.46	0.020	mg/L	05/18/94
Sodium, Total	27.	1.0	mg/L	05/18/94
Nickel, Total	0.060	0.030	mg/L	05/18/94
Lead, Total	BQL	0.060	mg/L	05/18/94
Antimony, Total	BQL	0.40	mg/L	05/18/94
Selenium, Total	BQL	0.0050	mg/L	05/12/94
Thallium, Total	BQL	0.40	mg/L	05/18/94
Zinc, Total	0.21	0.010	mg/L	05/18/94
Specialized GC/MS Test			mg/kg	06/07/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/28/1994
Sample Description: Equipment Blank 04-28-94
EAS Sample Number: 9402153
Date Sample Received: 04/29/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/29/94
Alkalinity, Total	BQL	10.	mgCaCO3/L	05/10/94
Chloride	BQL	5.0	mg/L	05/09/94
Cyanide, Total	BQL	0.010	mg/L	05/10/94
Ammonia-Nitrogen	BQL	0.050	mg/L	05/04/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/29/94
Nitrate-Nitrogen	BQL	0.050	mg/L	04/29/94
pH	7.0			05/02/94
Phenols, Total	BQL	5.0	ug/L	05/06/94
Sulfate	BQL	5.0	mg/L	05/09/94
Specific Conductivity	BQL	10.	umho/cm²	05/02/94
Total Dissolved Solids	BQL	10.	mg/L	05/03/94
Total Organic Carbon	BQL	5.0	mg/L	05/13/94
Total Organic Halogens	BQL	0.10	mg/L	05/09/94
Total Suspended Solids	BQL	4.0	mg/L	05/03/94
Silver, Total	BQL	0.030	mg/L	05/12/94
Arsenic, Total	BQL	0.0050	mg/L	05/12/94
Barium, Total	BQL	0.50	mg/L	05/18/94
Beryllium, Total	BQL	0.020	mg/L	05/18/94
Calcium, Total	BQL	0.10	mg/L	05/18/94
Cadmium, Total	BQL	0.010	mg/L	05/18/94
Chromium, Total	BQL	0.040	mg/L	05/18/94
Copper, Total	BQL	0.020	mg/L	05/18/94
Iron, Total	BQL	0.030	mg/L	05/18/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	BQL	0.10	mg/L	05/17/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	BQL	0.050	mg/L	05/18/94
Manganese, Total	BQL	0.020	mg/L	05/18/94
Sodium, Total	BQL	0.10	mg/L	05/18/94
Nickel, Total	BQL	0.030	mg/L	05/18/94
Lead, Total	BQL	0.060	mg/L	05/18/94
Antimony, Total	BQL	0.40	mg/L	05/18/94
Selenium, Total	BQL	0.0050	mg/L	05/12/94
Thallium, Total	BQL	0.40	mg/L	05/18/94
Zinc, Total	BQL	0.010	mg/L	05/18/94
Specialized GC/MS Test	BQL		mg/kg	06/09/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/28/1994
Sample Description: Equipment Blank 04-28-94
EAS Sample Number: 9402153
Date Sample Received: 04/29/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558

New York Certified Laboratory Number: 10916

Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/28/1994
Sample Description: MW-30
EAS Sample Number: 9402154
Date Sample Received: 04/29/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				04/29/94
Alkalinity, Total	130.	10.	mgCaCO3/L	05/10/94
Chloride	1700.	50.	mg/L	05/09/94
Cyanide, Total	BQL	0.010	mg/L	05/10/94
Ammonia-Nitrogen	20.	1.0	mg/L	05/04/94
Nitrite-Nitrogen	2.0	0.050	mg/L	04/29/94
Nitrate-Nitrogen	560.	10.	mg/L	04/29/94
pH	6.2			05/02/94
Phenols, Total	31.	5.0	ug/L	05/06/94
Sulfate	1800.	130.	mg/L	05/09/94
Specific Conductivity	11000.	10.	umho/cm²	05/02/94
Total Dissolved Solids	7500.	40.	mg/L	05/03/94
Total Organic Carbon	12.	5.0	mg/L	05/13/94
Total Organic Halogens	2.3	0.10	mg/L	05/09/94
Total Suspended Solids	44.	4.0	mg/L	05/03/94
Silver, Total	0.030	0.030	mg/L	05/12/94
Arsenic, Total	0.0074	0.0050	mg/L	05/12/94
Barium, Total	BQL	0.50	mg/L	05/18/94
Beryllium, Total	BQL	0.020	mg/L	05/18/94
Calcium, Total	600.	10.	mg/L	05/18/94
Cadmium, Total	BQL	0.010	mg/L	05/18/94
Chromium, Total	BQL	0.040	mg/L	05/18/94
Copper, Total	0.060	0.020	mg/L	05/18/94
Iron, Total	0.60	0.030	mg/L	05/18/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	43.	1.0	mg/L	05/17/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	650.	50.	mg/L	05/18/94
Manganese, Total	6.2	0.20	mg/L	05/18/94
Sodium, Total	970.	10.	mg/L	05/18/94
Nickel, Total	0.14	0.030	mg/L	05/18/94
Lead, Total	BQL	0.060	mg/L	05/18/94
Antimony, Total	BQL	0.40	mg/L	05/18/94
Selenium, Total	BQL	0.0050	mg/L	05/12/94
Thallium, Total	BQL	0.40	mg/L	05/18/94
Zinc, Total	0.092	0.010	mg/L	05/18/94
Specialized GC/MS Test	BQL		mg/kg	06/10/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/28/1994
Sample Description: MW-36
EAS Sample Number: 9402155
Date Sample Received: 04/29/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				05/02/94
Alkalinity, Total	BQL	10.	mgCaCO3/L	05/10/94
Chloride	43.	5.0	mg/L	05/09/94
Cyanide, Total	BQL	0.010	mg/L	05/10/94
Ammonia-Nitrogen	BQL	0.050	mg/L	05/04/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/29/94
Nitrate-Nitrogen	0.76	0.050	mg/L	04/29/94
pH	6.3			05/02/94
Phenols, Total	BQL	5.0	ug/L	05/06/94
Sulfate	52.	5.0	mg/L	05/09/94
Specific Conductivity	280.	10.	umho/cm²	05/02/94
Total Dissolved Solids	150.	10.	mg/L	05/03/94
Total Organic Carbon	BQL	5.0	mg/L	05/13/94
Total Organic Halogens	BQL	0.10	mg/L	05/10/94
Total Suspended Solids	8.0	4.0	mg/L	05/03/94
Silver, Total	BQL	0.030	mg/L	05/12/94
Arsenic, Total	BQL	0.0050	mg/L	05/12/94
Barium, Total	BQL	0.50	mg/L	05/18/94
Beryllium, Total	BQL	0.020	mg/L	05/18/94
Calcium, Total	19.	1.0	mg/L	05/18/94
Cadmium, Total	BQL	0.010	mg/L	05/18/94
Chromium, Total	BQL	0.040	mg/L	05/18/94
Copper, Total	BQL	0.020	mg/L	05/18/94
Iron, Total	1.1	0.030	mg/L	05/18/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	5.8	0.10	mg/L	05/17/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	3.8	0.50	mg/L	05/18/94
Manganese, Total	0.047	0.020	mg/L	05/18/94
Sodium, Total	26.	1.0	mg/L	05/18/94
Nickel, Total	BQL	0.030	mg/L	05/18/94
Lead, Total	BQL	0.060	mg/L	05/18/94
Antimony, Total	BQL	0.40	mg/L	05/18/94
Selenium, Total	BQL	0.0050	mg/L	05/12/94
Thallium, Total	BQL	0.40	mg/L	05/18/94
Zinc, Total	0.038	0.010	mg/L	05/18/94
Specialized GC/MS Test	BQL		mg/kg	06/09/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/28/1994
Sample Description: MW-36
EAS Sample Number: 9402155
Date Sample Received: 04/29/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558

New York Certified Laboratory Number: 10916

Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/28/1994
Sample Description: MW-51D
EAS Sample Number: 9402156
Date Sample Received: 04/29/1994

DG-3 IN

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				05/03/94
Alkalinity, Total	37.	10.	mgCaCO3/L	05/10/94
Chloride	260.	50.	mg/L	05/09/94
Cyanide, Total	BQL	0.010	mg/L	05/10/94
Ammonia-Nitrogen	3.9	0.40	mg/L	05/04/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/29/94
Nitrate-Nitrogen	44.	2.5	mg/L	04/29/94
pH	6.3			05/02/94
Phenols, Total	BQL	5.0	ug/L	05/06/94
Sulfate	230.	50.	mg/L	05/09/94
Specific Conductivity	1600.	10.	umho/cm²	05/02/94
Total Dissolved Solids	930.	20.	mg/L	05/03/94
Total Organic Carbon	BQL	5.0	mg/L	05/13/94
Total Organic Halogens	BQL	0.10	mg/L	05/10/94
Total Suspended Solids	56.	8.0	mg/L	05/03/94
Silver, Total	BQL	0.030	mg/L	05/12/94
Arsenic, Total	BQL	0.0050	mg/L	05/12/94
Barium, Total	BQL	0.50	mg/L	05/18/94
Beryllium, Total	BQL	0.020	mg/L	05/18/94
Calcium, Total	78.	1.0	mg/L	05/18/94
Cadmium, Total	BQL	0.010	mg/L	05/18/94
Chromium, Total	0.19	0.040	mg/L	05/18/94
Copper, Total	0.40	0.020	mg/L	05/18/94
Iron, Total	2.4	0.030	mg/L	05/18/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	13.	1.0	mg/L	05/17/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	66.	5.0	mg/L	05/18/94
Manganese, Total	0.63	0.020	mg/L	05/18/94
Sodium, Total	130.	1.0	mg/L	05/18/94
Nickel, Total	0.17	0.030	mg/L	05/18/94
Lead, Total	BQL	0.060	mg/L	05/18/94
Antimony, Total	BQL	0.40	mg/L	05/18/94
Selenium, Total	BQL	0.0050	mg/L	05/12/94
Thallium, Total	BQL	0.40	mg/L	05/18/94
Zinc, Total	0.54	0.010	mg/L	05/18/94
Specialized GC/MS Test	BQL		mg/kg	06/10/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/28/1994
Sample Description: MW-51D
EAS Sample Number: 9402156
Date Sample Received: 04/29/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558

New York Certified Laboratory Number: 10916

Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/28/1994
Sample Description: MW-56D (Appendix IX)
EAS Sample Number: 9402158
Date Sample Received: 04/29/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/~~Neutral & Acidic Extraction~~				05/02/94
~~Pesticide Extraction~~				~~05/02/94~~
~~Herbicide Extraction~~				~~05/02/94~~
Alkalinity, Total	45.	10.	mgCaCO3/L	05/10/94
Chloride	1200.	50.	mg/L	05/09/94
Cyanide, Total	BQL	0.010	mg/L	05/10/94
Ammonia-Nitrogen	5.6	0.40	mg/L	05/04/94
Nitrite-Nitrogen	0.28	0.050	mg/L	04/29/94
Nitrate-Nitrogen	250.	5.0	mg/L	04/29/94
pH	6.2			05/02/94
Phenols, Total	BQL	5.0	ug/L	05/06/94
Sulfate	650.	50.	mg/L	05/09/94
Specific Conductivity	6500.	10.	umho/cm²	05/02/94
Total Dissolved Solids	4100.	40.	mg/L	05/03/94
Total Organic Carbon	5.2	5.0	mg/L	05/13/94
Total Organic Halogens	BQL	0.10	mg/L	05/10/94
Total Suspended Solids	15.	4.0	mg/L	05/03/94
Silver, Total	BQL	0.030	mg/L	05/12/94
Arsenic, Total	0.032	0.0050	mg/L	05/12/94
Barium, Total	BQL	0.50	mg/L	05/18/94
Beryllium, Total	BQL	0.020	mg/L	05/18/94
Calcium, Total	470.	10.	mg/L	05/18/94
Cadmium, Total	0.11	0.010	mg/L	05/18/94
Cobalt, Total	0.19	0.10	mg/L	05/25/94
Chromium, Total	BQL	0.040	mg/L	05/18/94
Copper, Total	0.39	0.020	mg/L	05/18/94
Iron, Total	0.92	0.030	mg/L	05/18/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	39.	1.0	mg/L	05/17/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	120.	5.0	mg/L	05/18/94
Manganese, Total	14.	0.20	mg/L	05/18/94
Sodium, Total	630.	10.	mg/L	05/18/94
Nickel, Total	2.2	0.030	mg/L	05/18/94
Lead, Total	BQL	0.060	mg/L	05/18/94
Antimony, Total	BQL	0.40	mg/L	05/18/94
Selenium, Total	BQL	0.0050	mg/L	05/12/94
Tin, Total	BQL	0.80	mg/L	05/25/94
Thallium, Total	BQL	0.40	mg/L	05/18/94
Vanadium-Total	BQL	1.0	mg/L	05/25/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/28/1994
Sample Description: MW-56D (Appendix IX)
EAS Sample Number: 9402158
Date Sample Received: 04/29/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Zinc, Total	4.5	0.10	mg/L	05/18/94
~~Appendix IX - Method 8270 (GC/MS)~~				
1,2,4,5-Tetrachlorobenzene	0.00	10.	ug/L	/ /
1,2,4-Trichlorobenzene	0.00	10.	ug/L	/ /
1,4-Naphthoquinone	0.00	10.	ug/L	/ /
1-Naphthylamine	0.00	10.	ug/L	/ /
2-Acetylaminofluorene (2-AAF)	0.00	10.	ug/L	/ /
2,3,4,6-Tetrachlorophenol	0.00	10.	ug/L	/ /
2,3,7,8-Tetrachlorodibenzo-p-	0.00	0.0050	ug/L	/ /
2,4,5-Trichlorophenol	0.00	10.	ug/L	/ /
2,4,6-Trichlorophenol	0.00	10.	ug/L	/ /
2,4-Dichlorophenol	0.00	10.	ug/L	/ /
2,4-Dimethylphenol	0.00	10.	ug/L	/ /
2,4-Dinitrophenol	0.00	50.	ug/L	/ /
2,4-Dinitrotoluene	0.00	10.	ug/L	/ /
2,6-Dichlorophenol	0.00	10.	ug/L	/ /
2,6-Dinitrotoluene	0.00	10.	ug/L	/ /
2-Chloronaphthalene	0.00	10.	ug/L	/ /
2-Chlorophenol	0.00	10.	ug/L	/ /
2-Methylnaphthalene	0.00	10.	ug/L	/ /
p-(Dimethylamino)azobenzene	0.00	10.	ug/L	/ /
2-Naphthylamine	0.00	10.	ug/L	/ /
2-Picoline	0.00	10.	ug/L	/ /
3,3'-Dichlorobenzidine	0.00	20.	ug/L	/ /
3,3'-Dimethylbenzidine	0.00	10.	ug/L	/ /
3-Methylcholanthrene	0.00	10.	ug/L	/ /
4,6-Dinitro-o-cresol	0.00	50.	ug/L	/ /
4-Aminobiphenyl	0.00	10.	ug/L	/ /
4-Bromophenyl phenyl ether	0.00	10.	ug/L	/ /
4-Chlorophenyl phenyl ether	0.00	10.	ug/L	/ /
4-Nitroquinoline 1-oxide	0.00	10.	ug/L	/ /
5-Nitro-o-toluidine	0.00	10.	ug/L	/ /
Hexachlorophene	0.00	10.	ug/L	/ /
Hexachloropropene	0.00	10.	ug/L	/ /
7,12-Dimethylbenz[a]antracene	0.00	10.	ug/L	/ /
alpha, alpha-Dimethylphenethy	0.00	10.	ug/L	/ /
Acenaphthene	0.00	10.	ug/L	/ /
Acenaphthylene	0.00	10.	ug/L	/ /
Acetophenone	0.00	10.	ug/L	/ /
Aniline	0.00	10.	ug/L	/ /

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/28/1994
Sample Description: MW-56S
EAS Sample Number: 9402159
Date Sample Received: 04/29/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Total	36.	10.	mgCaCO3/L	05/10/94
Chloride	39.	5.0	mg/L	05/09/94
Cyanide, Total	BQL	0.010	mg/L	05/10/94
Ammonia-Nitrogen	0.070	0.050	mg/L	05/04/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/29/94
Nitrate-Nitrogen	12.	0.50	mg/L	04/29/94
pH	6.2			05/02/94
Phenols, Total	BQL	5.0	ug/L	05/06/94
Sulfate	27.	5.0	mg/L	05/09/94
Specific Conductivity	340.	10.	umho/cm²	05/02/94
Total Dissolved Solids	200.	40.	mg/L	05/03/94
Total Organic Carbon	23.	5.0	mg/L	05/13/94
Total Organic Halogens	BQL	0.10	mg/L	05/10/94
Total Suspended Solids	4300.	16.	mg/L	05/03/94
Silver, Total	BQL	0.030	mg/L	05/12/94
Arsenic, Total	0.026	0.010	mg/L	05/12/94
Barium, Total	1.6	0.50	mg/L	05/18/94
Beryllium, Total	BQL	0.020	mg/L	05/18/94
Calcium, Total	58.	1.0	mg/L	05/18/94
Cadmium, Total	BQL	0.010	mg/L	05/18/94
Chromium, Total	0.34	0.040	mg/L	05/18/94
Copper, Total	0.60	0.020	mg/L	05/18/94
Iron, Total	290.	3.0	mg/L	05/18/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	40.	1.0	mg/L	05/17/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	62.	5.0	mg/L	05/18/94
Manganese, Total	5.3	0.20	mg/L	05/18/94
Sodium, Total	13.	1.0	mg/L	05/18/94
Nickel, Total	0.39	0.030	mg/L	05/18/94
Lead, Total	0.16	0.060	mg/L	05/18/94
Antimony, Total	BQL	0.40	mg/L	05/18/94
Selenium, Total	BQL	0.0050	mg/L	05/12/94
Thallium, Total	BQL	0.40	mg/L	05/18/94
Zinc, Total	1.3	0.010	mg/L	05/18/94
Specialized GC/MS Test	BQL		mg/kg	06/09/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/28/1994
Sample Description: MW-56S
EAS Sample Number: 9402159
Date Sample Received: 04/29/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558

New York Certified Laboratory Number: 10916

Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/28/1994
Sample Description: MW-57
EAS Sample Number: 9402160
Date Sample Received: 04/29/1994

D0-014

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				05/03/94
Alkalinity, Total	17.	10.	mgCaCO3/L	05/10/94
Chloride	130.	5.0	mg/L	05/09/94
Cyanide, Total	BQL	0.010	mg/L	05/10/94
Ammonia-Nitrogen	0.22	0.050	mg/L	05/04/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/29/94
Nitrate-Nitrogen	23.	0.50	mg/L	04/29/94
pH	6.3			05/02/94
Phenols, Total	BQL	5.0	ug/L	05/06/94
Sulfate	98.	5.0	mg/L	05/09/94
Specific Conductivity	850.	10.	umho/cm²	05/02/94
Total Dissolved Solids	450.	40.	mg/L	05/03/94
Total Organic Carbon	28.	5.0	mg/L	05/13/94
Total Organic Halogens	BQL	0.10	mg/L	05/10/94
Total Suspended Solids	12000.	16.	mg/L	05/03/94
Silver, Total	0.050	0.030	mg/L	05/12/94
Arsenic, Total	0.019	0.010	mg/L	05/12/94
Barium, Total	1.4	0.50	mg/L	05/18/94
Beryllium, Total	BQL	0.020	mg/L	05/18/94
Calcium, Total	87.	1.0	mg/L	05/18/94
Cadmium, Total	0.013	0.010	mg/L	05/18/94
Chromium, Total	0.45	0.040	mg/L	05/18/94
Copper, Total	0.59	0.020	mg/L	05/18/94
Iron, Total	340.	3.0	mg/L	05/18/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	43.	1.0	mg/L	05/17/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	74.	5.0	mg/L	05/18/94
Manganese, Total	7.8	0.20	mg/L	05/18/94
Sodium, Total	70.	1.0	mg/L	05/18/94
Nickel, Total	0.45	0.030	mg/L	05/18/94
Lead, Total	0.080	0.060	mg/L	05/18/94
Antimony, Total	BQL	0.40	mg/L	05/18/94
Selenium, Total	BQL	0.0050	mg/L	05/12/94
Thallium, Total	BQL	0.40	mg/L	05/18/94
Zinc, Total	1.5	0.010	mg/L	05/18/94
Specialized GC/MS Test	BQL		mg/kg	06/10/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/28/1994
Sample Description: MW-57
EAS Sample Number: 9402160
Date Sample Received: 04/29/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558

New York Certified Laboratory Number: 10916

Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/28/1994
Sample Description: MW-58D
EAS Sample Number: 9402161
Date Sample Received: 04/29/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				05/03/94
Alkalinity, Total	49.	10.	mgCaCO3/L	05/10/94
Chloride	210.	5.0	mg/L	05/09/94
Cyanide, Total	0.050	0.010	mg/L	05/10/94
Ammonia-Nitrogen	0.20	0.050	mg/L	05/04/94
Nitrite-Nitrogen	0.48	0.050	mg/L	04/29/94
Nitrate-Nitrogen	37.	0.50	mg/L	04/29/94
pH	7.2			05/02/94
Phenols, Total	BQL	5.0	ug/L	05/06/94
Sulfate	110.	25.	mg/L	05/09/94
Specific Conductivity	1300.	10.	umho/cm²	05/02/94
Total Dissolved Solids	720.	20.	mg/L	05/03/94
Total Organic Carbon	BQL	5.0	mg/L	05/13/94
Total Organic Halogens	BQL	0.10	mg/L	05/10/94
Total Suspended Solids	15.	4.0	mg/L	05/03/94
Silver, Total	BQL	0.030	mg/L	05/12/94
Arsenic, Total	0.0088	0.0050	mg/L	05/12/94
Barium, Total	BQL	0.50	mg/L	05/18/94
Beryllium, Total	BQL	0.020	mg/L	05/18/94
Calcium, Total	100.	1.0	mg/L	05/18/94
Cadmium, Total	BQL	0.010	mg/L	05/18/94
Chromium, Total	BQL	0.040	mg/L	05/18/94
Copper, Total	0.060	0.020	mg/L	05/18/94
Iron, Total	0.90	0.030	mg/L	05/18/94
Mercury, Total	BQL	0.0020	mg/L	05/06/94
Potassium, Total	4.6	0.10	mg/L	05/17/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	28.	0.50	mg/L	05/18/94
Manganese, Total	1.5	0.020	mg/L	05/18/94
Sodium, Total	90.	1.0	mg/L	05/18/94
Nickel, Total	0.13	0.030	mg/L	05/18/94
Lead, Total	BQL	0.060	mg/L	05/18/94
Antimony, Total	BQL	0.40	mg/L	05/18/94
Selenium, Total	BQL	0.0050	mg/L	05/12/94
Thallium, Total	BQL	0.40	mg/L	05/18/94
Zinc, Total	0.50	0.010	mg/L	05/18/94
Specialized GC/MS Test	BQL		mg/kg	06/10/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/28/1994
Sample Description: MW-58D
EAS Sample Number: 9402161
Date Sample Received: 04/29/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558

New York Certified Laboratory Number: 10916

Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/28/1994
Sample Description: MW-58S
EAS Sample Number: 9402162
Date Sample Received: 04/29/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				05/03/94
Alkalinity, Total	34.	10.	mgCaCO3/L	05/10/94
Chloride	78.	5.0	mg/L	05/09/94
Cyanide, Total	BQL	0.010	mg/L	05/10/94
Ammonia-Nitrogen	0.14	0.050	mg/L	05/04/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/29/94
Nitrate-Nitrogen	13.	0.50	mg/L	04/29/94
pH	6.4			05/02/94
Phenols, Total	BQL	5.0	ug/L	05/06/94
Sulfate	48.	5.0	mg/L	05/09/94
Specific Conductivity	530.	10.	umho/cm²	05/02/94
Total Dissolved Solids	290.	40.	mg/L	05/03/94
tal Organic Carbon	35.	5.0	mg/L	05/13/94
tal Organic Halogens	BQL	0.10	mg/L	05/11/94
Total Suspended Solids	9200.	16.	mg/L	05/03/94
Silver, Total	0.030	0.030	mg/L	05/12/94
Arsenic, Total	0.029	0.010	mg/L	05/12/94
Barium, Total	1.9	0.50	mg/L	05/18/94
Beryllium, Total	BQL	0.020	mg/L	05/18/94
Calcium, Total	79.	1.0	mg/L	05/18/94
Cadmium, Total	BQL	0.010	mg/L	05/18/94
Chromium, Total	0.60	0.040	mg/L	05/18/94
Copper, Total	0.80	0.020	mg/L	05/18/94
Iron, Total	390.	3.0	mg/L	05/18/94
Mercury, Total	BQL	0.0050	mg/L	05/09/94
Potassium, Total	44.	1.0	mg/L	05/17/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	75.	5.0	mg/L	05/18/94
Manganese, Total	14.	0.20	mg/L	05/18/94
Sodium, Total	41.	1.0	mg/L	05/18/94
Nickel, Total	0.55	0.030	mg/L	05/18/94
Lead, Total	0.13	0.060	mg/L	05/18/94
Antimony, Total	BQL	0.40	mg/L	05/18/94
Selenium, Total	BQL	0.0050	mg/L	05/12/94
Thallium, Total	BQL	0.40	mg/L	05/18/94
Zinc, Total	1.1	0.010	mg/L	05/18/94
Specialized GC/MS Test	BQL		mg/kg	06/09/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/28/1994
Sample Description: MW-58S
EAS Sample Number: 9402162
Date Sample Received: 04/29/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558

New York Certified Laboratory Number: 10916

Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/28/1994
Sample Description: MW-59D
EAS Sample Number: 9402163
Date Sample Received: 04/29/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				05/03/94
Alkalinity, Total	20.	10.	mgCaCO3/L	05/10/94
Chloride	50.	5.0	mg/L	05/09/94
Cyanide, Total	BQL	0.010	mg/L	05/10/94
Ammonia-Nitrogen	0.057	0.050	mg/L	05/04/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/29/94
Nitrate-Nitrogen	0.80	0.50	mg/L	04/29/94
pH	6.5			05/02/94
Phenols, Total	BQL	5.0	ug/L	05/06/94
Sulfate	13.	5.0	mg/L	05/09/94
Specific Conductivity	250.	10.	umho/cm²	05/02/94
Total Dissolved Solids	120.	10.	mg/L	05/03/94
Total Organic Carbon	BQL	5.0	mg/L	05/13/94
Total Organic Halogens	BQL	0.10	mg/L	05/11/94
Total Suspended Solids	25.	4.0	mg/L	05/03/94
Silver, Total	BQL	0.030	mg/L	05/12/94
Arsenic, Total	BQL	0.0050	mg/L	05/12/94
Barium, Total	BQL	0.50	mg/L	05/18/94
Beryllium, Total	BQL	0.020	mg/L	05/18/94
Calcium, Total	14.	1.0	mg/L	05/18/94
Cadmium, Total	BQL	0.010	mg/L	05/18/94
Chromium, Total	BQL	0.040	mg/L	05/18/94
Copper, Total	0.040	0.020	mg/L	05/18/94
Iron, Total	0.85	0.030	mg/L	05/18/94
Mercury, Total	BQL	0.0050	mg/L	05/09/94
Potassium, Total	3.5	0.10	mg/L	05/17/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	4.2	0.50	mg/L	05/18/94
Manganese, Total	0.034	0.020	mg/L	05/18/94
Sodium, Total	21.	1.0	mg/L	05/18/94
Nickel, Total	BQL	0.030	mg/L	05/18/94
Lead, Total	BQL	0.060	mg/L	05/18/94
Antimony, Total	BQL	0.40	mg/L	05/18/94
Selenium, Total	BQL	0.0050	mg/L	05/12/94
Thallium, Total	BQL	0.40	mg/L	05/18/94
Zinc, Total	0.068	0.010	mg/L	05/18/94
Specialized GC/MS Test	BQL		mg/kg	06/09/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/28/1994
Sample Description: MW-59D
EAS Sample Number: 9402163
Date Sample Received: 04/29/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558

New York Certified Laboratory Number: 10916

Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989

2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989

3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/28/1994
Sample Description: MW-59S
EAS Sample Number: 9402164
Date Sample Received: 04/29/1994

D3.6 N

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				05/03/94
Alkalinity, Total	13.	10.	mgCaCO3/L	05/10/94
Chloride	43.	5.0	mg/L	05/09/94
Cyanide, Total	BQL	0.010	mg/L	05/10/94
Ammonia-Nitrogen	BQL	0.050	mg/L	05/04/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/29/94
Nitrate-Nitrogen	1.4	0.50	mg/L	04/29/94
pH	6.1			05/02/94
Phenols, Total	BQL	5.0	ug/L	05/06/94
Sulfate	16.	5.0	mg/L	05/09/94
Specific Conductivity	220.	10.	umho/cm²	05/02/94
Total Dissolved Solids	100.	40.	mg/L	05/03/94
tal Organic Carbon	13.	5.0	mg/L	05/13/94
tal Organic Halogens	BQL	0.10	mg/L	05/11/94
Total Suspended Solids	6400.	16.	mg/L	05/03/94
Silver, Total	BQL	0.030	mg/L	05/12/94
Arsenic, Total	0.015	0.010	mg/L	05/12/94
Barium, Total	1.1	0.50	mg/L	05/18/94
Beryllium, Total	BQL	0.020	mg/L	05/18/94
Calcium, Total	27.	1.0	mg/L	05/18/94
Cadmium, Total	BQL	0.010	mg/L	05/18/94
Chromium, Total	0.25	0.040	mg/L	05/18/94
Copper, Total	0.33	0.020	mg/L	05/18/94
Iron, Total	270.	3.0	mg/L	05/18/94
Mercury, Total	BQL	0.0050	mg/L	05/09/94
Potassium, Total	25.	1.0	mg/L	05/17/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	36.	0.50	mg/L	05/18/94
Manganese, Total	6.1	0.20	mg/L	05/18/94
Sodium, Total	24.	1.0	mg/L	05/18/94
Nickel, Total	0.25	0.030	mg/L	05/18/94
Lead, Total	BQL	0.060	mg/L	05/18/94
Antimony, Total	BQL	0.40	mg/L	05/18/94
Selenium, Total	BQL	0.0050	mg/L	05/12/94
Thallium, Total	BQL	0.40	mg/L	05/18/94
Zinc, Total	0.63	0.010	mg/L	05/18/94
Specialized GC/MS Test	BQL		mg/kg	06/09/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/28/1994
Sample Description: MW-59S
EAS Sample Number: 9402164
Date Sample Received: 04/29/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558

New York Certified Laboratory Number: 10916

Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/28/1994
Sample Description: MW-60
EAS Sample Number: 9402165
Date Sample Received: 04/29/1994

D3-3 IN

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				05/03/94
Alkalinity, Total	11.	10.	mgCaCO3/L	05/10/94
Chloride	69.	5.0	mg/L	05/09/94
Cyanide, Total	BQL	0.010	mg/L	05/10/94
Ammonia-Nitrogen	0.13	0.050	mg/L	05/04/94
Nitrite-Nitrogen	BQL	0.050	mg/L	04/29/94
Nitrate-Nitrogen	1.9	0.50	mg/L	04/29/94
pH	6.5			05/02/94
Phenols, Total	BQL	5.0	ug/L	05/06/94
Sulfate	14.	5.0	mg/L	05/09/94
Specific Conductivity	310.	10.	umho/cm²	05/02/94
Total Dissolved Solids	140.	40.	mg/L	05/03/94
Total Organic Carbon	33.	5.0	mg/L	05/13/94
Total Organic Halogens	BQL	0.10	mg/L	05/11/94
Total Suspended Solids	7100.	16.	mg/L	05/03/94
Silver, Total	0.030	0.030	mg/L	05/12/94
Arsenic, Total	0.050	0.010	mg/L	05/12/94
Barium, Total	2.0	0.50	mg/L	05/18/94
Beryllium, Total	BQL	0.020	mg/L	05/18/94
Calcium, Total	35.	1.0	mg/L	05/18/94
Cadmium, Total	BQL	0.010	mg/L	05/18/94
Chromium, Total	0.48	0.040	mg/L	05/18/94
Copper, Total	0.85	0.020	mg/L	05/18/94
Iron, Total	530.	30.	mg/L	05/18/94
Mercury, Total	BQL		mg/L	05/09/94
Potassium, Total	39.	1.0	mg/L	05/17/94
Metals Digestion - Aqueous Sample				05/06/94
Magnesium, Total	72.	5.0	mg/L	05/18/94
Manganese, Total	9.6	0.20	mg/L	05/18/94
Sodium, Total	34.	1.0	mg/L	05/18/94
Nickel, Total	0.51	0.030	mg/L	05/18/94
Lead, Total	0.19	0.060	mg/L	05/18/94
Antimony, Total	BQL	0.40	mg/L	05/18/94
Selenium, Total	BQL	0.0050	mg/L	05/12/94
Thallium, Total	BQL	0.40	mg/L	05/18/94
Zinc, Total	2.5	0.10	mg/L	05/18/94
Specialized GC/MS Test	BQL		mg/kg	06/09/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite Thomaston
Date Sample Collected: 04/28/1994
Sample Description: MW-60
EAS Sample Number: 9402165
Date Sample Received: 04/29/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558

New York Certified Laboratory Number: 10916

Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite - Thomaston
Date Sample Collected: 05/17/1994
Sample Description: Equipment Blank 05-17-94
EAS Sample Number: 9402511
Date Sample Received: 05/18/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				05/18/94
Alkalinity, Total	BQL	10.	mgCaCO3/L	05/20/94
Chloride	BQL	5.0	mg/L	05/23/94
Cyanide, Total	BQL	0.010	mg/L	05/24/94
Ammonia-Nitrogen	BQL	0.050	mg/L	05/20/94
Nitrite-Nitrogen	BQL	0.050	mg/L	05/18/94
Nitrate-Nitrogen	BQL	0.050	mg/L	05/19/94
pH	5.9			05/18/94
Phenols, Total	BQL	5.0	ug/L	05/23/94
Sulfate	BQL	5.0	mg/L	05/24/94
Specific Conductivity	BQL	1.0	umho/cm²	05/18/94
Total Dissolved Solids	BQL	10.	mg/L	05/20/94
Total Organic Carbon	BQL	5.0	mg/L	05/27/94
Total Organic Halogens	BQL	0.10	mg/L	05/27/94
Total Suspended Solids	BQL	4.0	mg/L	05/18/94
Silver, Total	BQL	0.030	mg/L	05/26/94
Arsenic, Total	BQL	0.0050	mg/L	05/26/94
Barium, Total	BQL	0.50	mg/L	05/25/94
Beryllium, Total	BQL	0.020	mg/L	05/25/94
Calcium, Total	BQL	0.10	mg/L	05/25/94
Cadmium, Total	BQL	0.010	mg/L	05/25/94
Chromium, Total	BQL	0.040	mg/L	05/25/94
Copper, Total	BQL	0.020	mg/L	05/25/94
Iron, Total	BQL	0.030	mg/L	05/25/94
Mercury, Total	BQL	0.0010	mg/L	05/19/94
Potassium, Total	BQL	0.10	mg/L	05/25/94
Metals Digestion - Aqueous Sample				05/19/94
Magnesium, Total	BQL	0.050	mg/L	05/25/94
Manganese, Total	BQL	0.020	mg/L	05/25/94
Sodium, Total	BQL	0.10	mg/L	05/25/94
Nickel, Total	BQL	0.030	mg/L	05/25/94
Lead, Total	BQL	0.060	mg/L	05/25/94
Antimony, Total	BQL	0.40	mg/L	05/25/94
Selenium, Total	BQL	0.0050	mg/L	05/26/94
Thallium, Total	BQL	0.40	mg/L	05/25/94
Zinc, Total	BQL	0.010	mg/L	05/25/94
Specialized GC/MS Test			mg/kg	07/18/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite - Thomaston
Date Sample Collected: 05/17/1994
Sample Description: Equipment Blank 05-17-94
EAS Sample Number: 9402511
Date Sample Received: 05/18/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558

New York Certified Laboratory Number: 10916

Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite - Thomaston Landfill
Date Sample Collected: 05/24/1994
Sample Description: MW-53D
EAS Sample Number: 9402675
Date Sample Received: 05/24/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Sulfide, Total	BQL	1.0	mg/L	05/24/94
~~Volatile Organic Comp. Appendix IX - Method SW-846-8260~~				
1,1,1-Trichloroethane		10.	ug/L	07/20/94
1,1,2,2-Tetrachloroethane	BQL	10.	ug/L	07/20/94
1,1,2-Trichloroethane	BQL	10.	ug/L	07/20/94
1,1-Dichloroethane	BQL	10.	ug/L	07/20/94
1,1-Dichloroethene	BQL	10.	ug/L	07/20/94
1,2-Dichloroethane	BQL	10.	ug/L	07/20/94
1,2-Dichloropropane	BQL	10.	ug/L	07/20/94
Dibromochloromethane	BQL	10.	ug/L	07/20/94
2-Chloroethyl vinyl ether	BQL	10.	ug/L	07/20/94
2-Hexanone	BQL	10.	ug/L	07/20/94
4-Methyl-2-pentanone	BQL	10.	ug/L	07/20/94
Acetone	BQL	10.	ug/L	07/20/94
Benzene	BQL	10.	ug/L	07/20/94
Bromodichloromethane	BQL	10.	ug/L	07/20/94
Bromomethane	BQL	10.	ug/L	07/20/94
Bromoform	BQL	10.	ug/L	07/20/94
cis-1,2-Dichloroethene	BQL	10.	ug/L	07/20/94
cis-1,3-Dichloropropene	BQL	10.	ug/L	07/20/94
Carbon disulfide	BQL	10.	ug/L	07/20/94
Carbon tetrachloride	BQL	10.	ug/L	07/20/94
Chloroform	BQL	10.	ug/L	07/20/94
Chlorobenzene	BQL	10.	ug/L	07/20/94
Chloroethane	BQL	10.	ug/L	07/20/94
Chloromethane	BQL	10.	ug/L	07/20/94
Ethylbenzene	BQL	10.	ug/L	07/20/94
Methylene chloride	BQL	10.	ug/L	07/20/94
2-Butanone (MEK)	BQL	10.	ug/L	07/20/94
Styrene	BQL	10.	ug/L	07/20/94
trans-1,2-Dichloroethene	BQL	10.	ug/L	07/20/94
trans-1,3-Dichloropropene	BQL	10.	ug/L	07/20/94
Tetrachloroethylene	BQL	10.	ug/L	07/20/94
Toluene	BQL	10.	ug/L	07/20/94
Total Xylenes	BQL	10.	ug/L	07/20/94
Trichloroethylene	BQL	10.	ug/L	07/20/94
Vinyl chloride	BQL	10.	ug/L	07/20/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite - Thomaston
Date Sample Collected: 05/17/1994
Sample Description: MW-37B
EAS Sample Number: 9402509
Date Sample Received: 05/18/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				05/18/94
Alkalinity, Total	25.	10.	mgCaCO3/L	05/20/94
Chloride	420.	50.	mg/L	05/23/94
Cyanide, Total	BQL	0.010	mg/L	05/24/94
Ammonia-Nitrogen	0.067	0.050	mg/L	05/20/94
Nitrite-Nitrogen	0.11	0.050	mg/L	05/18/94
Nitrate-Nitrogen	100.	2.5	mg/L	05/19/94
pH	6.2			05/18/94
Phenols, Total	BQL	5.0	ug/L	05/23/94
Sulfate	130.	50.	mg/L	05/24/94
Specific Conductivity	2400.	100.	umho/cm²	05/18/94
Total Dissolved Solids	1500.	20.	mg/L	05/20/94
Total Organic Carbon	BQL	5.0	mg/L	05/27/94
Total Organic Halogens	BQL	0.10	mg/L	05/27/94
Total Suspended Solids	39.	4.0	mg/L	05/18/94
Silver, Total	BQL	0.030	mg/L	05/26/94
Arsenic, Total	BQL	0.0050	mg/L	05/26/94
Barium, Total	BQL	0.50	mg/L	05/25/94
Beryllium, Total	BQL	0.020	mg/L	05/25/94
Calcium, Total	190.	10.	mg/L	05/25/94
Cadmium, Total	BQL	0.010	mg/L	05/25/94
Chromium, Total	BQL	0.040	mg/L	05/25/94
Copper, Total	0.040	0.020	mg/L	05/25/94
Iron, Total	2.2	0.030	mg/L	05/25/94
Mercury, Total	BQL	0.0010	mg/L	05/19/94
Potassium, Total	12.	1.0	mg/L	05/25/94
Metals Digestion - Aqueous Sample				05/19/94
Magnesium, Total	45.	0.50	mg/L	05/25/94
Manganese, Total	0.72	0.020	mg/L	05/25/94
Sodium, Total	37.	1.0	mg/L	05/25/94
Nickel, Total	0.040	0.030	mg/L	05/25/94
Lead, Total	BQL	0.060	mg/L	05/25/94
Antimony, Total	BQL	0.40	mg/L	05/25/94
Selenium, Total	BQL	0.0050	mg/L	05/26/94
Thallium, Total	BQL	0.40	mg/L	05/25/94
Zinc, Total	0.16	0.010	mg/L	05/25/94
Specialized GC/MS Test			mg/kg	07/18/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite - Thomaston
Date Sample Collected: 05/17/1994
Sample Description: MW-37B
EAS Sample Number: 9402509
Date Sample Received: 05/18/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558

New York Certified Laboratory Number: 10916

Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite - Thomaston
Date Sample Collected: 05/17/1994
Sample Description: MW-37D
EAS Sample Number: 9402510
Date Sample Received: 05/18/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Base/Neutral & Acidic Extraction				05/18/94
Alkalinity, Total	15.	10.	mgCaCO3/L	05/20/94
Chloride	31.	5.0	mg/L	05/23/94
Cyanide, Total	BQL	0.010	mg/L	05/24/94
Ammonia-Nitrogen	BQL	0.050	mg/L	05/20/94
Nitrite-Nitrogen	BQL	0.050	mg/L	05/18/94
Nitrate-Nitrogen	0.90	0.050	mg/L	05/19/94
pH	6.3			05/18/94
Phenols, Total	BQL	5.0	ug/L	05/23/94
Sulfate	33.	5.0	mg/L	05/24/94
Specific Conductivity	240.	10.	umho/cm²	05/18/94
Total Dissolved Solids	150.	10.	mg/L	05/20/94
Total Organic Carbon	BQL	5.0	mg/L	05/27/94
Total Organic Halogens	BQL	0.10	mg/L	05/27/94
Total Suspended Solids	17.	4.0	mg/L	05/18/94
Silver, Total	BQL	0.030	mg/L	05/26/94
Arsenic, Total	BQL	0.0050	mg/L	05/26/94
Barium, Total	BQL	0.50	mg/L	05/25/94
Beryllium, Total	BQL	0.020	mg/L	05/25/94
Calcium, Total	17.	1.0	mg/L	05/25/94
Cadmium, Total	BQL	0.010	mg/L	05/25/94
Chromium, Total	BQL	0.040	mg/L	05/25/94
Copper, Total	0.020	0.020	mg/L	05/25/94
Iron, Total	2.0	0.030	mg/L	05/25/94
Mercury, Total	BQL	0.0010	mg/L	05/19/94
Potassium, Total	4.2	0.10	mg/L	05/25/94
Metals Digestion - Aqueous Sample				05/19/94
Magnesium, Total	3.0	0.050	mg/L	05/25/94
Manganese, Total	0.11	0.020	mg/L	05/25/94
Sodium, Total	18.	0.10	mg/L	05/25/94
Nickel, Total	BQL	0.030	mg/L	05/25/94
Lead, Total	BQL	0.060	mg/L	05/25/94
Antimony, Total	BQL	0.40	mg/L	05/25/94
Selenium, Total	BQL	0.0050	mg/L	05/26/94
Thallium, Total	BQL	0.40	mg/L	05/25/94
Zinc, Total	0.073	0.010	mg/L	05/25/94
Specialized GC/MS Test			mg/kg	07/18/94

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: Envirite - Thomaston
Date Sample Collected: 05/17/1994
Sample Description: MW-37D
EAS Sample Number: 9402510
Date Sample Received: 05/18/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558

New York Certified Laboratory Number: 10916

Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989

2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989

3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

Herbicide Analysis Data Sheet

EAS Sample No.
9402065
MW 448

D3

Lab Name: EAS Laboratories

Lab Sample ID : 9402065

Lab Code: ENVRTE

Date Received : 4/27/94

Matrix (soil/water) : WATER

Date Extracted : 5/2/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed : (Col A) - 5/3/94 ; (Col B) - 5/3/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed : (Col A) - 14:36 ; (Col B) - 14:36

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	29	E	15.68	15.63	15.83	Col B	Yes
94-82-6	2,4-DB	0.5	U		22.49	22.69	Col A	
93-72-1	2,4,5-TP (Silvex)	16	E	19.46	19.45	19.65	Col A	Yes
93-76-5	2,4,5-T	8.7	E	21.22	21.22	21.42	Col A	Yes
75-99-0	Dalapon	2.4		3.28	3.27	3.47	Col A	Yes
1918-00-9	Dicamba	3.8	E	14.08	13.97	14.17	Col B	Yes
120-36-5	Dichloroprop	0.5	U		16.43	16.63	Col A	
88-85-7	Dinoseb	0.25	U		23.90	24.10	Col A	
94-74-6	MCPA	2400	E	14.73	14.62	14.82	Col B	
93-65-2	MCPP	7500	E	15.31	15.25	15.45	Col A	Yes
	DCAA (Surrogate)	1.8		13.83	13.74	13.94	Col B	Yes

Herbicide Analysis Data Sheet

EAS Sample No.
9402065DL

Lab Name: EAS Laboratories

Lab Sample ID : 9402065DL

Lab Code: ENVRTE

Date Received : 4/27/94

Matrix (soil/water) : WATER

Date Extracted : 5/2/94

Sample wt/vol : 1 liter

Dilution Factor: 100

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed : (Col A) - 5/4/94 ; (Col B) - 5/4/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed : (Col A) - 11:59 ; (Col B) - 11:59

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	230	D	15.74	15.63	15.83	Col B	Yes
94-82-6	2,4-DB	50	D,U	22.56	22.49	22.69	Col A	No
93-72-1	2,4,5-TP (Silvex)	45	D	19.56	19.45	19.65	Col A	Yes
93-76-5	2,4,5-T	26	D	21.32	21.22	21.42	Col A	Yes
75-99-0	Dalapon	200	D,U	3.29	3.27	3.47	Col A	No
1918-00-9	Dicamba	8.2	D,J	14.08	13.97	14.17	Col B	Yes
120-36-5	Dichloroprop	97	D	16.53	16.43	16.63	Col A	Yes
88-85-7	Dinoseb	25	D,U		23.90	24.10	Col A	
94-74-6	MCPA	5600	D,J	14.74	14.62	14.82	Col B	Yes
93-65-2	MCPP	25000	D,U	15.36	15.25	15.45	Col A	No
	DCAA (Surrogate)	50	D,U		13.74	13.94	Col B	

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9402065DL2

Lab Name: EAS Laboratories

Lab Sample ID : 9402065DL2

Lab Code: ENVRTE

Date Received : 4/27/94

Matrix (soil/water) : WATER

Date Extracted : 5/2/94

Sample wt/vol : 1 liter

Dilution Factor: 20

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed : (Col A) - 5/4/94 ; (Col B) - 5/4/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed : (Col A) - 13:40 ; (Col B) - 13:40

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	160	D,E	15.70	15.63	15.83	Col B	Yes
94-82-6	2,4-DB	10	U	22.51	22.49	22.69	Col A	No
93-72-1	2,4,5-TP (Silvex)	30	D	19.51	19.45	19.65	Col A	Yes
93-76-5	2,4,5-T	18	D	21.26	21.22	21.42	Col A	Yes
75-99-0	Dalapon	3.4	D,J	3.40	3.27	3.47	Col A	Yes
1918-00-9	Dicamba	6.2	D	14.05	13.97	14.17	Col B	Yes
120-36-5	Dichloroprop	10	D,U		16.43	16.63	Col A	
88-85-7	Dinoseb	5.0	D,U		23.90	24.10	Col A	
94-74-6	MCPA	3700	D	14.70	14.62	14.82	Col B	Yes
93-65-2	MCPP	10000	D	15.31	15.25	15.45	Col A	Yes
	DCAA (Surrogate)	10	D,U		13.74	13.94	Col B	

FORM I

D13

Herbicide Analysis Data Sheet

EAS Sample No.
9402070
MW 52 D

Lab Name: EAS Laboratories

Lab Sample ID : 9402070

Lab Code: ENVRTE

Date Received : 4/29/94

Matrix (soil/water) : WATER

Date Extracted : 5/2/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed : (Col A) - 5/3/94 ; (Col B) - 5/3/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed : (Col A) - 15:51 ; (Col B) - 15:51

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	33	E	15.65	15.63	15.83	Col B	Yes
94-82-6	2,4-DB	0.5	U		22.49	22.69	Col A	
93-72-1	2,4,5-TP (Silvex)	0.25	U		19.45	19.65	Col A	
93-76-5	2,4,5-T	0.25	U		21.22	21.42	Col A	
75-99-0	Dalapon	2.0	U	3.38	3.27	3.47	Col A	No
1918-00-9	Dicamba	6.3	E	14.05	13.97	14.17	Col B	Yes
120-36-5	Dichloroprop	0.5	U		16.43	16.63	Col A	
88-85-7	Dinoseb	0.25	U		23.90	24.10	Col A	
94-74-6	MCPA	3300	E	14.69	14.62	14.82	Col B	Yes
93-65-2	MCPP	250	U		15.25	15.45	Col A	
	DCAA (Surrogate)	2.8		13.82	13.74	13.94	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9402070DL

Lab Name: EAS Laboratories

Lab Sample ID : 9402070

Lab Code: ENVRTE

Date Received : 4/29/94

Matrix (soil/water) : WATER

Date Extracted : 5/2/94

Sample wt/vol : 1 liter

Dilution Factor: 100

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed : (Col A) - 5/4/94 ; (Col B) - 5/4/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed : (Col A) - 11:21 ; (Col B) - 11:21

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	570	D,E	15.73	15.63	15.83	Col B	Yes
94-82-6	2,4-DB	84	D	22.60	22.49	22.69	Col A	Yes
93-72-1	2,4,5-TP (Silvex)	180	D	19.55	19.45	19.65	Col A	Yes
93-76-5	2,4,5-T	80	D	21.31	21.22	21.42	Col A	Yes
75-99-0	Dalapon	200	U	3.32	3.27	3.47	Col A	No
1918-00-9	Dicamba	20	DJ	14.08	13.97	14.17	Col B	Yes
120-36-5	Dichloroprop	190	D	16.53	16.43	16.63	Col A	Yes
88-85-7	Dinoseb	25	U		23.90	24.10	Col A	
94-74-6	MCPA	1400	D	14.73	14.62	14.82	Col B	Yes
93-65-2	MCPP	29000	D	15.34	15.25	15.45	Col A	Yes
	DCAA (Surrogate)	6.7	DJ	13.84	13.74	13.94	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9402070DL2

Lab Name: EAS Laboratories

Lab Sample ID : 9402070

Lab Code: ENVRTE

Date Received : 4/29/94

Matrix (soil/water) : WATER

Date Extracted : 5/2/94

Sample wt/vol : 1 liter

Dilution Factor: 200

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed : (Col A) - 5/4/94 ; (Col B) - 5/4/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed : (Col A) - 13:10 ; (Col B) - 13:10

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	620	D	15.73	15.63	15.83	Col B	Yes
94-82-6	2,4-DB	100	D,U		22.49	22.69	Col A	
93-72-1	2,4,5-TP (Silvex)	190	D	19.54	19.45	19.65	Col A	Yes
93-76-5	2,4,5-T	85	D	21.30	21.22	21.42	Col A	Yes
75-99-0	Dalapon	400	D,U		3.27	3.47	Col A	
1918-00-9	Dicamba	21	D,J	14.07	13.97	14.17	Col B	Yes
120-36-5	Dichloroprop	200	D	16.52	16.43	16.63	Col A	
88-85-7	Dinoseb	50	D,U		23.90	24.10	Col A	
94-74-6	MCPA	12000	D,J	14.73	14.62	14.82	Col B	Yes
93-65-2	MCPP	32000	D,J	15.34	15.25	15.45	Col A	Yes
	DCAA (Surrogate)	100	D,U		13.74	13.94	Col B	

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9402071
mw 53D

Lab Name: EAS Laboratories

Lab Sample ID : 9402071

Lab Code: ENVRTE

Date Received : 4/27/94

Matrix (soil/water) : WATER

Date Extracted : 5/2/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed : (Col A) - 5/3/94 ; (Col B) - 5/3/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed : (Col A) - 15:13 ; (Col B) - 15:13

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	1.1		15.61	15.63	15.83	Col B	Yes
94-82-6	2,4-DB	0.5	U		22.49	22.69	Col A	
93-72-1	2,4,5-TP (Silvex)	0.51		19.52	19.45	19.65	Col A	Yes
93-76-5	2,4,5-T	0.38		21.26	21.22	21.42	Col A	Yes
75-99-0	Dalapon	4.2		3.39	3.27	3.47	Col A	Yes
1918-00-9	Dicamba	0.25	U	14.05	13.97	14.17	Col B	No
120-36-5	Dichloroprop	0.90		16.51	16.43	16.63	Col A	Yes
88-85-7	Dinoseb	0.25	U	24.00	23.90	24.10	Col A	No
94-74-6	MCPA	51	J	14.71	14.62	14.82	Col B	Yes
93-65-2	MCPP	200	J	15.31	15.25	15.45	Col A	Yes
	DCAA (Surrogate)	1.9		13.82	13.74	13.94	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9402071RE

Lab Name: EAS Laboratories

Lab Sample ID : 9402071

Lab Code: ENVRTE

Date Received : 4/27/94

Matrix (soil/water) : WATER

Date Extracted : 5/2/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed : (Col A) - 5/4/94 ; (Col B) - 5/4/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed : (Col A) - 10:43 ; (Col B) - 10:43

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	1.0		15.63	15.63	15.83	Col B	Yes
94-82-6	2,4-DB	0.5	U	22.53	22.49	22.69	Col A	No
93-72-1	2,4,5-TP (Silvex)	0.23	J	19.56	19.45	19.65	Col A	Yes
93-76-5	2,4,5-T	0.14	J	21.30	21.22	21.42	Col A	Yes
75-99-0	Dalapon	4.2		3.38	3.27	3.47	Col A	Yes
1918-00-9	Dicamba	0.10	J	14.08	13.97	14.17	Col B	Yes
120-36-5	Dichloroprop	0.45	J	16.54	16.43	16.63	Col A	Yes
88-85-7	Dinoseb	0.25	U	24.03	23.90	24.10	Col A	No
94-74-6	MCPA	31	J	14.74	14.62	14.82	Col B	Yes
93-65-2	MCPP	100	J	15.34	15.25	15.45	Col A	Yes
	DCAA (Surrogate)	1.9		13.84	13.74	13.94	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9402158

Lab Name: EAS Laboratories

Lab Sample ID : 9402158

Lab Code: ENVRTE

Date Received : 4/29/94

Matrix (soil/water) : WATER

Date Extracted : 5/2/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed : (Col A) - 5/3/94 ; (Col B) - 5/3/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed : (Col A) - 16:28 ; (Col B) - 16:28

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	12	E	15.72	15.63	15.83	Col B	Yes
94-82-6	2,4-DB	7.9	E	22.50	22.49	22.69	Col A	Yes
93-72-1	2,4,5-TP (Silvex)	2.7	E	19.53	19.45	19.65	Col A	Yes
93-76-5	2,4,5-T	2.1		21.25	21.22	21.42	Col A	Yes
75-99-0	Dalapon	2.0	U	3.29	3.27	3.47	Col A	No
1918-00-9	Dicamba	0.69		14.07	13.97	14.17	Col B	Yes
120-36-5	Dichloroprop	4.9		16.45	16.43	16.63	Col A	Yes
88-85-7	Dinoseb	0.25	U		23.90	24.10	Col A	
94-74-6	MCPA	390		14.73	14.62	14.82	Col B	Yes
93-65-2	MCPP	1800		15.27	15.25	15.45	Col A	Yes
	DCAA (Surrogate)	2.1		13.84	13.74	13.94	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9402158DL

Lab Name: EAS Laboratories

Lab Sample ID : 9402158

Lab Code: ENVRTE

Date Received : 4/29/94

Matrix (soil/water) : WATER

Date Extracted : 5/2/94

Sample wt/vol : 1 liter

Dilution Factor: 4

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed : (Col A) - 5/4/94 ; (Col B) - 5/4/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed : (Col A) - 12:36 ; (Col B) - 12:36

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	14	D	15.72	15.63	15.83	Col B	Yes
94-82-6	2,4-DB	4.5	D	22.54	22.49	22.69	Col A	Yes
93-72-1	2,4,5-TP (Silvex)	2.5	D	19.55	19.45	19.65	Col A	Yes
93-76-5	2,4,5-T	1.9	D	21.29	21.22	21.42	Col A	Yes
75-99-0	Dalapon	8.0	D,U		3.27	3.47	Col A	
1918-00-9	Dicamba	0.82	D,J	14.06	13.97	14.17	Col B	Yes
120-36-5	Dichloroprop	5.0	D	16.46	16.43	16.63	Col A	Yes
88-85-7	Dinoseb	1.0	D,U		23.90	24.10	Col A	
94-74-6	MCPA	400	D	14.72	14.62	14.82	Col B	Yes
93-65-2	MCPP	1800	D	15.26	15.25	15.45	Col A	Yes
	DCAA (Surrogate)	2.6	D	13.83	13.74	13.94	Col B	Yes

Herbicide Analysis Data Sheet

EAS Sample No.
9402158RE
mw-56D

Lab Name: EAS Laboratories

Lab Sample ID : 9402158

Lab Code: ENVRTE

Date Received : 4/29/94

Matrix (soil/water) : WATER

Date Extracted : 5/2/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed : (Col A) - 5/4/94 ; (Col B) - 5/4/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed : (Col A) - 10:06 ; (Col B) - 10:06

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	10	E	15.72	15.63	15.83	Col B	Yes
94-82-6	2,4-DB	10	E	22.55	22.49	22.69	Col A	Yes
93-72-1	2,4,5-TP (Silvex)	1.9		19.55	19.45	19.65	Col A	Yes
93-76-5	2,4,5-T	1.6		21.28	21.22	21.42	Col A	Yes
75-99-0	Dalapon	2.0	U	3.30	3.27	3.47	Col A	No
1918-00-9	Dicamba	0.68		14.07	13.97	14.17	Col B	Yes
120-36-5	Dichloroprop	4.2		16.46	16.43	16.63	Col A	Yes
88-85-7	Dinoseb	0.25	U		23.90	24.10	Col A	
94-74-6	MCPA	360		14.73	14.62	14.82	Col B	Yes
93-65-2	MCPP	1800		15.28	15.25	15.45	Col A	Yes
	DCAA (Surrogate)	2.2		13.84	13.74	13.94	Col B	Yes

Sample: MW61D

Form 1 VOA

Lab Name: EAS Laboratories

Project. Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405510B
Lab Sample ID: 9405510
Date Received: 10-12-94
Date Analyzed: 10-12-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW61D

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405510B
Lab Sample ID: 9405510
Date Received: 10-12-94
Date Analyzed: 10-12-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW61S

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405511B
Lab Sample ID: 9405511
Date Received: 10-12-94
Date Analyzed: 10-12-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW61S

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405511B
Lab Sample ID: 9405511
Date Received: 10-12-94
Date Analyzed: 10-12-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW32S

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405512B
Lab Sample ID: 9405512
Date Received: 10-12-94
Date Analyzed: 10-12-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	3.6	J
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW32S

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405512B
Lab Sample ID: 9405512
Date Received: 10-12-94
Date Analyzed: 10-12-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW63

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405513B
Lab Sample ID: 9405513
Date Received: 10-12-94
Date Analyzed: 10-12-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW63

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405513B
Lab Sample ID: 9405513
Date Received: 10-12-94
Date Analyzed: 10-12-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW-X1

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405514B
Lab Sample ID: 9405514
Date Received: 10-12-94
Date Analyzed: 10-12-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW-X1

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405514B
Lab Sample ID: 9405514
Date Received: 10-12-94
Date Analyzed: 10-12-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: Equip. Blank

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405515B
Lab Sample ID: 9405515
Date Received: 10-12-94
Date Analyzed: 10-12-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	0.9	J
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: Equip. Blank

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405515B
Lab Sample ID: 9405515
Date Received: 10-12-94
Date Analyzed: 10-12-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW55B

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405516B
Lab Sample ID: 9405516
Date Received: 10-12-94
Date Analyzed: 10-12-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	3.3	J
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW55B

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405516B
Lab Sample ID: 9405516
Date Received: 10-12-94
Date Analyzed: 10-12-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW32D

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405517B
Lab Sample ID: 9405517
Date Received: 10-12-94
Date Analyzed: 10-12-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	2.2	J
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW32D

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405517B
Lab Sample ID: 9405517
Date Received: 10-12-94
Date Analyzed: 10-12-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: Field Blank

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405518B
Lab Sample ID: 9405518
Date Received: 10-12-94
Date Analyzed: 10-12-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	1.4	J
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: Field Blank

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405518B
Lab Sample ID: 9405518
Date Received: 10-12-94
Date Analyzed: 10-12-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: Trip Blank

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405519B
Lab Sample ID: 9405519
Date Received: 10-12-94
Date Analyzed: 10-12-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: Trip Blank

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405519B
Lab Sample ID: 9405519
Date Received: 10-12-94
Date Analyzed: 10-12-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405548B
Lab Sample ID: 9405548
Date Received: 10-13-94
Date Analyzed: 10-13-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	0.8	J
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	0.3	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	1.1	U J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW 44S

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405548B
Lab Sample ID: 9405548
Date Received: 10-13-94
Date Analyzed: 10-13-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW 44D

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405549B
Lab Sample ID: 9405549
Date Received: 10-13-94
Date Analyzed: 10-13-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	28	
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	2.8	J
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	1.6	J
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	1.7	J
156-59-4	Cis-1,2-Dichloroethene	300	E
67-66-3	Chloroform	4.7	J
107-06-2	1,2-Dichloroethane	5.9	J
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	6.0	J
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	120	
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	2.5	J
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	49	
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	4.2	J
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW 44D

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405549B
Lab Sample ID: 9405549
Date Received: 10-13-94
Date Analyzed: 10-13-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW 44D Dil.

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 1 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405549D
Lab Sample ID: 9405549
Date Received: 10-13-94
Date Analyzed: 10-14-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	50	U
74-83-9	Bromomethane	50	U
75-01-4	Vinyl Chloride	23	J,D
75-00-3	Chloroethane	50	U
75-09-2	Methylene Chloride	13	J,D
67-64-1	Acetone	50	U
108-05-4	Vinyl Acetate	50	U
75-15-0	Carbon Disulfide	50	U
75-35-4	1,1-Dichloroethene	50	U
75-34-3	1,1-Dichloroethane	50	U
156-60-5	Trans-1,2-Dichloroethene	50	U
156-59-4	Cis-1,2-Dichloroethene	260	D
67-66-3	Chloroform	9.0	J,D
107-06-2	1,2-Dichloroethane	3.6	J,D
78-93-3	2-Butanone	50	U
71-55-6	1,1,1-Trichloroethane	3.2	J,D
56-23-5	Carbon Tetrachloride	50	U
75-27-4	Bromodichloromethane	50	U
78-87-5	1,2-Dichloropropane	50	U
10061-02-6	Trans-1,3 Dichloropropene	50	U
79-01-6	Trichloroethene	109	D
124-48-1	Dibromochloromethane	50	U
79-00-5	1,1,2-Trichloroethane	50	U
71-43-2	Benzene	50	U
10061-01-5	Cis-1,3-Dichloropropene	50	U
75-25-2	Bromoform	50	U
591-78-6	2-Hexanone	50	U
108-10-1	4-Methyl-2-Pentanone	50	U
127-18-4	Tetrachloroethene	48	D
79-34-5	1,1,2,2-Tetrachloroethane	50	U
108-88-3	Toluene	50	U
108-90-7	Chlorobenzene	50	U
100-41-4	Ethyl Benzene	50	U
100-42-5	Styrene	50	U
108-38-3/106-42-3	m/p/o-Xylene (total)	50	J
110-75-8	2-Chloroethylvinyl ether	50	U

Form 1 VOA-TIC

Sample: MW 44D Dil.

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 1 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405549D
Lab Sample ID: 9405549
Date Received: 10-13-94
Date Analyzed: 10-14-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW33

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : MW33
Lab Sample ID: 9405550
Date Received: 10-13-94
Date Analyzed: 10-13-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW33

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : MW33
Lab Sample ID: 9405550
Date Received: 10-13-94
Date Analyzed: 10-13-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW 44B

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405551B
Lab Sample ID: 9405551
Date Received: 10-13-94
Date Analyzed: 10-13-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	33	
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	3.6	J
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	2.0	J
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	2.1	J
156-59-4	Cis-1,2-Dichloroethene	370	E
67-66-3	Chloroform	5.5	J
107-06-2	1,2-Dichloroethane	6.5	J
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	6.5	J
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	130	
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	2.7	J
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	58	
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42 5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	6.6	J
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW 44B

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405551B
Lab Sample ID: 9405551
Date Received: 10-13-94
Date Analyzed: 10-13-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW 44B Dil.

Form 1 VOA

D03

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 1 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405551D
Lab Sample ID: 9405551
Date Received: 10-13-94
Date Analyzed: 10-13-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	50	U
74-83-9	Bromomethane	50	U
75-01-4	Vinyl Chloride	44	D
75-00-3	Chloroethane	50	U
75-09-2	Methylene Chloride	6.8	J,D
67-64-1	Acetone	50	U
108-05-4	Vinyl Acetate	50	U
75-15-0	Carbon Disulfide	50	U
75-35-4	1,1-Dichloroethene	50	U
75-34-3	1,1-Dichloroethane	50	U
156-60-5	Trans-1,2-Dichloroethene	50	U
156-59-4	Cis-1,2-Dichloroethene	490	D
67-66-3	Chloroform	11	J,D
107-06-2	1,2-Dichloroethane	7.1	J,D
78-93-3	2-Butanone	50	U
71-55-6	1,1,1-Trichloroethane	6.0	J,D
56-23-5	Carbon Tetrachloride	50	U
75-27-4	Bromodichloromethane	50	U
78-87-5	1,2-Dichloropropane	50	U
10061-02-6	Trans-1,3 Dichloropropene	50	U
79-01-6	Trichloroethene	170	D
124-48-1	Dibromochloromethane	50	U
79-00-5	1,1,2-Trichloroethane	50	U
71-43-2	Benzene	2.1	J,D
10061-01-5	Cis-1,3-Dichloropropene	50	U
75-25-2	Bromoform	50	U
591-78-6	2-Hexanone	50	U
108-10-1	4-Methyl-2-Pentanone	50	U
127-18-4	Tetrachloroethene	67	D
79-34-5	1,1,2,2-Tetrachloroethane	50	U
108-88-3	Toluene	50	U
108-90-7	Chlorobenzene	50	U
100-41-4	Ethyl Benzene	50	U
100-42-5	Styrene	50	U
108-38-3/106-42-3	m/p/o-Xylene (total)	4.4	J,D
110-75-8	2-Chloroethylvinyl ether	50	U

Sample: MW 44B Dil.

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 1 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405551D
Lab Sample ID: 9405551
Date Received: 10-13-94
Date Analyzed: 10-13-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW42S

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : MW42S
Lab Sample ID: 9405552
Date Received: 10-13-94
Date Analyzed: 10-13-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	6.8	J
67-66-3	Chloroform	0.60	J,B
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	4.6	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	3.9	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Form 1 VOA-TIC

Sample: MW42S

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water

Sample Vol: 5 ml

Column: 0.53(mm) 502.2 105m

Instrument: MSA

File ID : MW42S

Lab Sample ID: 9405552

Date Received: 10-13-94

Date Analyzed: 10-13-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW43S

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9405553A
Lab Sample ID: 9405553
Date Received: 10-13-94
Date Analyzed: 10-13-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	4.9	J
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	56	
67-66-3	Chloroform	2.2	J,B
107-06-2	1,2-Dichloroethane	1.5	J
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	21	
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	28	
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW43S

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9405553A
Lab Sample ID: 9405553
Date Received: 10-13-94
Date Analyzed: 10-13-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW 43D

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405554B
Lab Sample ID: 9405554
Date Received: 10-13-94
Date Analyzed: 10-13-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	9.2	J
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	106	
67-66-3	Chloroform	2.0	J
107-06-2	1,2-Dichloroethane	2.3	J
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	1.1	J
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	35	
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	19	
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW 43D

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405554B
Lab Sample ID: 9405554
Date Received: 10-13-94
Date Analyzed: 10-13-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MWX2

MW42S-DUP

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

D65

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : MWX2
Lab Sample ID: 9405555
Date Received: 10-13-94
Date Analyzed: 10-13-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	
67-66-3	Chloroform	0.8	J
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	6.8	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	5.5	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MWX2

Form 1 VOA-TIC

MW-42S
DUP

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : MWX2
Lab Sample ID: 9405555
Date Received: 10-13-94
Date Analyzed: 10-13-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: Equip. Blank 10-12-94

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 1013VWBLB
Lab Sample ID: 9405556
Date Received: 10-13-94
Date Analyzed: 10-13-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	2.8	J
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	0.9	J
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: Equip. Blank 10-12-94

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 1013VWBLB
Lab Sample ID: 9405556
Date Received: 10-13-94
Date Analyzed: 10-13-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW 41S

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405557B
Lab Sample ID: 9405557
Date Received: 10-13-94
Date Analyzed: 10-13-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	1.0	J
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	1.2	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	1.6	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Form 1 VOA-TIC

Sample: MW 41S

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405557B
Lab Sample ID: 9405557
Date Received: 10-13-94
Date Analyzed: 10-13-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW 41D

Form 1 VCA

D3

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405558R
Lab Sample ID: 9405558
Date Received: 10-13-94
Date Analyzed: 10-14-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	3.2	J
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	2.1	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	2.7	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW 41D

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405558R
Lab Sample ID: 9405558
Date Received: 10-13-94
Date Analyzed: 10-14-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405559B
Lab Sample ID: 9405559
Date Received: 10-13-94
Date Analyzed: 10-13-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	1.0	J
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	1.2	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	1.7	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW X3

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405559B
Lab Sample ID: 9405559
Date Received: 10-13-94
Date Analyzed: 10-13-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW 418

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405560R
Lab Sample ID: 9405560
Date Received: 10-13-94
Date Analyzed: 10-14-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	25	
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	4.9	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	3.6	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW 41B

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405560R
Lab Sample ID: 9405560
Date Received: 10-13-94
Date Analyzed: 10-14-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 94055561A
Lab Sample ID: 9405561
Date Received: 10-13-94
Date Analyzed: 10-13-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	3.7	J
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	1.7	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	2.6	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW62

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 94055561A
Lab Sample ID: 9405561
Date Received: 10-13-94
Date Analyzed: 10-13-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: Equip. Blank 10-13-94

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405562B
Lab Sample ID: 9405562
Date Received: 10-13-94
Date Analyzed: 10-13-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	4.9	J
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	2.6	J
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: Equip. Blank 10-13-94

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405562B
Lab Sample ID: 9405562
Date Received: 10-13-94
Date Analyzed: 10-13-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405563B
Lab Sample ID: 9405563
Date Received: 10-13-94
Date Analyzed: 10-13-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	.00 2.1	J
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	.011	
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	.00 5.2	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	00 6.3	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW 50S

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405563B
Lab Sample ID: 9405563
Date Received: 10-13-94
Date Analyzed: 10-13-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9405564A
Lab Sample ID: 9405564
Date Received: 10-13-94
Date Analyzed: 10-14-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	.011	
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	.095	
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	.088	J
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	.060	J
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	.054	
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	.090	J
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	.041	
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9405564A
Lab Sample ID: 9405564
Date Received: 10-13-94
Date Analyzed: 10-14-94

Number TIC's found: 1

CAS NO.	Compound	RT	EST. CONC.	Q
34180-11-5	Propane,1-(chloromethoxy)-2-Methyl	24:41	5.8	J

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9405565A
Lab Sample ID: 9405565
Date Received: 10-13-94
Date Analyzed: 10-14-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	0.99	J
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	1.0	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	1.3	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW59D

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9405565A
Lab Sample ID: 9405565
Date Received: 10-13-94
Date Analyzed: 10-14-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9405566A
Lab Sample ID: 9405566
Date Received: 10-13-94
Date Analyzed: 10-14-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW59S

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9405566A
Lab Sample ID: 9405566
Date Received: 10-13-94
Date Analyzed: 10-14-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 94055567A
Lab Sample ID: 9405567
Date Received: 10-13-94
Date Analyzed: 10-13-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 94055567A
Lab Sample ID: 9405567
Date Received: 10-13-94
Date Analyzed: 10-13-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: Field Blank 10-12-94

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : FB101294
Lab Sample ID: 9405568
Date Received: 10-13-94
Date Analyzed: 10-13-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : FB101294
Lab Sample ID: 9405568
Date Received: 10-13-94
Date Analyzed: 10-13-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	3.4	J
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	1.1	J
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : MW61B
Lab Sample ID: 9405569
Date Received: 10-13-94
Date Analyzed: 10-13-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	3.1	J
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	0.33	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW61B

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : MW61B
Lab Sample ID: 9405569
Date Received: 10-13-94
Date Analyzed: 10-13-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: TB101294

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 101294TB
Lab Sample ID: 9405570
Date Received: 10-13-94
Date Analyzed: 10-13-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	3.0	J
67-64-1	Acetone	0.99	J
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	1.2	J,B
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: TB101294

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 101294TB
Lab Sample ID: 9405570
Date Received: 10-13-94
Date Analyzed: 10-13-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW36

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : MW36
Lab Sample ID: 9405599
Date Received: 10-14-94
Date Analyzed: 10-14-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW36

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : MW36
Lab Sample ID: 9405599
Date Received: 10-14-94
Date Analyzed: 10-14-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW 37D

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : MW37D
Lab Sample ID: 9405600
Date Received: 10-14-94
Date Analyzed: 10-14-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW 37D

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : MW37D
Lab Sample ID: 9405600
Date Received: 10-14-94
Date Analyzed: 10-14-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW 37B

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : MW37B
Lab Sample ID: 9405601
Date Received: 10-14-94
Date Analyzed: 10-14-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	5.7	J
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	11	
67-66-3	Chloroform	5.3	J
107-06-2	1,2-Dichloroethane	2.0	J
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	0.6	J
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	4.0	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	2.2	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW 37B

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : MW37B
Lab Sample ID: 9405601
Date Received: 10-14-94
Date Analyzed: 10-14-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : MW51B
Lab Sample ID: 9405602
Date Received: 10-14-94
Date Analyzed: 10-14-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	160	
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	2.0	J
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	35	
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	7.5	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW 51B

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : MW51B
Lab Sample ID: 9405602
Date Received: 10-14-94
Date Analyzed: 10-14-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : TB101394
Lab Sample ID: 9405603
Date Received: 10-14-94
Date Analyzed: 10-14-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	3.2	J
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	0.9	J
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: Trip Blank 10-13-94

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : TB101394
Lab Sample ID: 9405603
Date Received: 10-14-94
Date Analyzed: 10-14-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9405604A
Lab Sample ID: 9405604
Date Received: 10-14-94
Date Analyzed: 10-16-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	2.6	J
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	2.2	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	2.6	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW57

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9405604A
Lab Sample ID: 9405604
Date Received: 10-14-94
Date Analyzed: 10-16-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW 56D

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : MW56D
Lab Sample ID: 9405605
Date Received: 10-14-94
Date Analyzed: 10-14-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	1.9	J
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	0.5	J
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	11	
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	9	
67-66-3	Chloroform	3.5	J
107-06-2	1,2-Dichloroethane	1.6	J
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	1.2	J
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	7	
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	8.5	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW 56D

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : MW56D
Lab Sample ID: 9405605
Date Received: 10-14-94
Date Analyzed: 10-14-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW 56S

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : MW56S
Lab Sample ID: 9405606
Date Received: 10-14-94
Date Analyzed: 10-14-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	>4.0	J
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	>2.3	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	>2.0	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW 56S

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : MW56S
Lab Sample ID: 9405606
Date Received: 10-14-94
Date Analyzed: 10-14-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : MW58S
Lab Sample ID: 9405607
Date Received: 10-14-94
Date Analyzed: 10-14-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	0.9	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	1.0	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW 58S

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : MW58S
Lab Sample ID: 9405607
Date Received: 10-14-94
Date Analyzed: 10-14-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW 58D

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : MW58D
Lab Sample ID: 9405608
Date Received: 10-14-94
Date Analyzed: 10-14-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	4.3	J
67-64-1	Acetone	4.7	J
108-05-4	Vinyl Acetate	23	
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	22	
67-66-3	Chloroform	5.2	J
107-06-2	1,2-Dichloroethane	1.2	J
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	1.0	J
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	7.8	J
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	5.4	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW 58D

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : MW58D
Lab Sample ID: 9405608
Date Received: 10-14-94
Date Analyzed: 10-14-94

Number TIC's found: 1

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown Hydrocarbon	6:05	7.6	

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : MW52D
Lab Sample ID: 9405609
Date Received: 10-14-94
Date Analyzed: 10-14-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	140	
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	1.5	J,B
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	5.2	J
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	4.7	J
156-59-4	Cis-1,2-Dichloroethene	820	E
67-66-3	Chloroform	7.7	J,B
107-06-2	1,2-Dichloroethane	17	
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	7.1	J
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	360	E
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	8.3	J
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	170	
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	12	
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW52D

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : MW52D
Lab Sample ID: 9405609
Date Received: 10-14-94
Date Analyzed: 10-14-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW 52D Dil.

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 250 ul
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405609D
Lab Sample ID: 9405609
Date Received: 10-14-94
Date Analyzed: 10-16-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	200	U
74-83-9	Bromomethane	200	U
75-01-4	Vinyl Chloride	79	D,J
75-00-3	Chloroethane	200	U
75-09-2	Methylene Chloride	30	D,J,B
67-64-1	Acetone	200	U
108-05-4	Vinyl Acetate	200	U
75-15-0	Carbon Disulfide	200	U
75-35-4	1,1-Dichloroethene	200	U
75-34-3	1,1-Dichloroethane	200	U
156-60-5	Trans-1,2-Dichloroethene	200	U
156-59-4	Cis-1,2-Dichloroethene	870	D
67-66-3	Chloroform	22	D,J,B
107-06-2	1,2-Dichloroethane	10	D,J
78-93-3	2-Butanone	200	U
71-55-6	1,1,1-Trichloroethane	200	U
56-23-5	Carbon Tetrachloride	200	U
75-27-4	Bromodichloromethane	200	U
78-87-5	1,2-Dichloropropane	200	U
10061-02-6	Trans-1,3 Dichloropropene	200	U
79-01-6	Trichloroethene	340	D
124-48-1	Dibromochloromethane	200	U
79-00-5	1,1,2-Trichloroethane	200	U
71-43-2	Benzene	200	U
10061-01-5	Cis-1,3-Dichloropropene	200	U
75-25-2	Bromoform	200	U
591-78-6	2-Hexanone	200	U
108-10-1	4-Methyl-2-Pentanone	200	U
127-18-4	Tetrachloroethene	130	D,J
79-34-5	1,1,2,2-Tetrachloroethane	200	U
108-88-3	Toluene	200	U
108-90-7	Chlorobenzene	200	U
100-41-4	Ethyl Benzene	200	U
100-42-5	Styrene	200	U
108-38-3/106-42-3	m/p/o-Xylene (total)	200	U
110-75-8	2-Chloroethylvinyl ether	200	U

Sample: MW 52D Dil.

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 250 ul
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405609D
Lab Sample ID: 9405609
Date Received: 10-14-94
Date Analyzed: 10-16-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW31D

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9405610A
Lab Sample ID: 9405610
Date Received: 10-14-94
Date Analyzed: 10-16-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	.170	
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	.005.1	J
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	.002.8	J
156-59-4	Cis-1,2-Dichloroethene	1.8 850	E
67-66-3	Chloroform	.00 1.9	J,B
107-06-2	1,2-Dichloroethane	.00 8.6	J
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	.00 1.2	J
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	.450 350	E
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	.00 7.7	J
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	.350 270	E
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	.017	
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW31D

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9405610A
Lab Sample ID: 9405610
Date Received: 10-14-94
Date Analyzed: 10-16-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 500 ul
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405610D
Lab Sample ID: 9405610
Date Received: 10-14-94
Date Analyzed: 10-16-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	100	U
74-83-9	Bromomethane	100	U
75-01-4	Vinyl Chloride	120	D
75-00-3	Chloroethane	100	U
75-09-2	Methylene Chloride	14	D,J,B
67-64-1	Acetone	100	U
108-05-4	Vinyl Acetate	100	U
75-15-0	Carbon Disulfide	100	U
75-35-4	1,1-Dichloroethene	100	U
75-34-3	1,1-Dichloroethane	100	U
156-60-5	Trans-1,2-Dichloroethene	100	U
156-59-4	Cis-1,2-Dichloroethene	1200	D
67-66-3	Chloroform	10	D,J,B
107-06-2	1,2-Dichloroethane	7.5	D,J
78-93-3	2-Butanone	100	U
71-55-6	1,1,1-Trichloroethane	100	U
56-23-5	Carbon Tetrachloride	100	U
75-27-4	Bromodichloromethane	100	U
78-87-5	1,2-Dichloropropane	100	U
10061-02-6	Trans-1,3 Dichloropropene	100	U
79-01-6	Trichloroethene	430	D
124-48-1	Dibromochloromethane	100	U
79-00-5	1,1,2-Trichloroethane	100	U
71-43-2	Benzene	8.3	D,J
10061-01-5	Cis-1,3-Dichloropropene	100	U
75-25-2	Bromoform	100	U
591-78-6	2-Hexanone	100	U
108-10-1	4-Methyl-2-Pentanone	100	U
127-18-4	Tetrachloroethene	330	D,J
79-34-5	1,1,2,2-Tetrachloroethane	100	U
108-88-3	Toluene	100	U
108-90-7	Chlorobenzene	100	U
100-41-4	Ethyl Benzene	100	U
100-42-5	Styrene	100	U
108-38-3/106-42-3	m/p/o-Xylene (total)	17	D,J
110-75-8	2-Chloroethylvinyl ether	100	U

Sample: MW 31D Dil.

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 500 ul
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405610D
Lab Sample ID: 9405610
Date Received: 10-14-94
Date Analyzed: 10-16-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ML
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405611B
Lab Sample ID: 9405611
Date Received: 10-14-94
Date Analyzed: 10-16-94

CAS NO.	Compound	Concentration ug/kg	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	230 ~~240~~	E
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	.00 0.7	J,B
67-64-1	Acetone	2.4 ~~2700~~	E
108-05-4	Vinyl Acetate	.00 5.6	J
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	.00 2.5	J
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	.013	
156-59-4	Cis-1,2-Dichloroethene	1160	E
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	3200	E
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	.00 0.9	J
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	.022	
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	.072	
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	1.9 ~~590~~	E
127-18-4	Tetrachloroethene	.110	
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	160	
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	500	E
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	5 ~~800~~	E
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW 31

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405611B
Lab Sample ID: 9405611
Date Received: 10-14-94
Date Analyzed: 10-16-94

Number TIC's found: 5

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown	7:21	100	
	Unknown	11:42	120	
	Ethyl- methyl benxene isomer	20:38	760	
	Unknown	21:38	3200	
	Trimethyl benzene isomer	21:50	150	

Sample: MW31 DIL

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 250 UL
Col umn: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9405611D
Lab Sample ID: 9405611
Date Received: 10-14-94
Date Analyzed: 10-16-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	200	U
74-83-9	Bromomethane	200	U
75-01-4	Vinyl Chloride	280	D
75-00-3	Chloroethane	200	U
75-09-2	Methylene Chloride	200	U
67-64-1	Acetone	2400	D
108-05-4	Vinyl Acetate	200	U
75-15-0	Carbon Disulfide	200	U
75-35-4	1,1-Dichloroethene	200	U
75-34-3	1,1-Dichloroethane	200	U
156-60-5	Trans-1,2-Dichloroethene	200	U
156-59-4	Cis-1,2-Dichloroethene	2100	D
67-66-3	Chloroform	11	J,D,B
107-06-2	1,2-Dichloroethane	200	U
78-93-3	2-Butanone	~~8400~~	~~E,D~~
71-55-6	1,1,1-Trichloroethane	200	U
56-23-5	Carbon Tetrachloride	200	U
75-27-4	Bromodichloromethane	200	U
78-87-5	1,2-Dichloropropane	200	U
10061-02-6	Trans-1,3 Dichloropropene	200	U
79-01-6	Trichloroethene	12	J,D
124-48-1	Dibromochloromethane	200	U
79-00-5	1,1,2-Trichloroethane	200	U
71-43-2	Benzene	53	J,D
10061-01-5	Cis-1,3-Dichloropropene	200	U
75-25-2	Bromoform	200	U
591-78-6	2-Hexanone	200	U
108-10-1	4-Methyl-2-Pentanone	13000	E,D
127-18-4	Tetrachloroethene	90	J,D
79-34-5	1,1,2,2-Tetrachloroethane	200	U
108-88-3	Toluene	5600	E,D
108-90-7	Chlorobenzene	200	U
100-41-4	Ethyl Benzene	1900	D
100-42-5	Styrene	200	U
108-38-3/106-42-3	m/p/o-Xylene (total)	5000	D
110-75-8	2-Chloroethylvinyl ether	200	U

Sample: MW31 DIL

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 250 UL
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9405611D
Lab Sample ID: 9405611
Date Received: 10-14-94
Date Analyzed: 10-16-94

Number TIC's found: 6

CAS NO.	Compound	RT	EST. CONC.	Q
108-11-2	2-Pentanol, 4-methyl	14:55	460	D
815-24-7	3-Pentanone,2,2,4,4-Tetramethyl	22:14	1800	D
	Unknown alcohol	22:47	160	D
	Benzene, ethyl-methyl isomer	22:32	140	D
	Unknown ketone	23:00	220	D
	Unknown alkyl benzene	23:35	240	D

Sample: MW31 DIL2

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 250 UL
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : 9405611D2
Lab Sample ID: 9405611
Date Received: 10-14-94
Date Analyzed: 10-16-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	1000	U
74-83-9	Bromomethane	1000	U
75-01-4	Vinyl Chloride	140	J,D
75-00-3	Chloroethane	1000	U
75-09-2	Methylene Chloride	1000	U
67-64-1	Acetone	3300	D
108-05-4	Vinyl Acetate	1000	U
75-15-0	Carbon Disulfide	1000	U
75-35-4	1,1-Dichloroethene	1000	U
75-34-3	1,1-Dichloroethane	1000	U
156-60-5	Trans-1,2-Dichloroethene	1000	U
156-59-4	Cis-1,2-Dichloroethene	1000	D
67-66-3	Chloroform	1000	U
107-06-2	1,2-Dichloroethane	1000	U
78-93-3	2-Butanone	6900	D
71-55-6	1,1,1-Trichloroethane	1000	U
56-23-5	Carbon Tetrachloride	1000	U
75-27-4	Bromodichloromethane	1000	U
78-87-5	1,2-Dichloropropane	1000	U
10061-02-6	Trans-1,3 Dichloropropene	1000	U
79-01-6	Trichloroethene	1000	U
124-48-1	Dibromochloromethane	1000	U
79-00-5	1,1,2-Trichloroethane	1000	U
71-43-2	Benzene	1000	U
10061-01-5	Cis-1,3-Dichloropropene	1000	U
75-25-2	Bromoform	1000	U
591-78-6	2-Hexanone	1000	U
108-10-1	4-Methyl-2-Pentanone	18000	D
127-18-4	Tetrachloroethene	53	J,D
79-34-5	1,1,2,2-Tetrachloroethane	1000	U
108-88-3	Toluene	6700	D
108-90-7	Chlorobenzene	1000	U
100-41-4	Ethyl Benzene	1600	D
100-42-5	Styrene	1000	U
108-38-3/106-42-3	m/p/o-Xylene (total)	4300	D
110-75-8	2-Chloroethylvinyl ether	1000	U

Sample: MW51D

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : MW51D
Lab Sample ID: 9405612
Date Received: 10-14-94
Date Analyzed: 10-14-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	11	
67-66-3	Chloroform	2.5	J,B
107-06-2	1,2-Dichloroethane	0.60	J
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	0.72	J
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	19	
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	13	
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW51D

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : MW51D
Lab Sample ID: 9405612
Date Received: 10-14-94
Date Analyzed: 10-14-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW 30

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405613B
Lab Sample ID: 9405613
Date Received: 10-14-94
Date Analyzed: 10-16-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	0.110	
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	.003.2	J,B
67-64-1	Acetone	.00 2.5	J
108-05-4	Vinyl Acetate	.00 0.8	J
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	.00 8.3	J
75-34-3	1,1-Dichloroethane	.00 0.6	J
156-60-5	Trans-1,2-Dichloroethene	.012	
156-59-4	Cis-1,2-Dichloroethene	2.3 1100	E
67-66-3	Chloroform	.00 3.8	J,B
107-06-2	1,2-Dichloroethane	.0 24	
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	.00 4.4	J
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	.00 1.0	J
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	0.63 370	E
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	.00 0.6	J
71-43-2	Benzene	.0 16	
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	.00 1.0	J
127-18-4	Tetrachloroethene	0.180	
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	.025	
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW 30

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405613B
Lab Sample ID: 9405613
Date Received: 10-14-94
Date Analyzed: 10-16-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW 30 Dil.

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 250 ul
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405613D
Lab Sample ID: 9405613
Date Received: 10-14-94
Date Analyzed: 10-16-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	200	U
74-83-9	Bromomethane	200	U
75-01-4	Vinyl Chloride	110	D,J
75-00-3	Chloroethane	200	U
75-09-2	Methylene Chloride	30	D,J,B
67-64-1	Acetone	200	U
108-05-4	Vinyl Acetate	200	U
75-15-0	Carbon Disulfide	200	U
75-35-4	1,1-Dichloroethene	200	U
75-34-3	1,1-Dichloroethane	200	U
156-60-5	Trans-1,2-Dichloroethene	200	U
156-59-4	Cis-1,2-Dichloroethene	2300	D
67-66-3	Chloroform	20	D,J,B
107-06-2	1,2-Dichloroethane	23	D,J
78-93-3	2-Butanone	200	U
71-55-6	1,1,1-Trichloroethane	200	U
56-23-5	Carbon Tetrachloride	200	U
75-27-4	Bromodichloromethane	200	U
78-87-5	1,2-Dichloropropane	200	U
10061-02-6	Trans-1,3 Dichloropropene	200	U
79-01-6	Trichloroethene	630	D
124-48-1	Dibromochloromethane	200	U
79-00-5	1,1,2-Trichloroethane	200	U
71-43-2	Benzene	15	D,J
10061-01-5	Cis-1,3-Dichloropropene	200	U
75-25-2	Bromoform	200	U
591-78-6	2-Hexanone	200	U
108-10-1	4-Methyl-2-Pentanone	200	U
127-18-4	Tetrachloroethene	220	D
79-34-5	1,1,2,2-Tetrachloroethane	200	U
108-88-3	Toluene	200	U
108-90-7	Chlorobenzene	200	U
100-41-4	Ethyl Benzene	200	U
100-42-5	Styrene	200	U
108-38-3/106-42-3	m/p/o-Xylene (total)	25	D,J
110-75-8	2-Chloroethylvinyl ether	200	U

Sample: MW 30 Dil.

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 250 ul
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405613D
Lab Sample ID: 9405613
Date Received: 10-14-94
Date Analyzed: 10-16-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: TB101494

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : TB1014
Lab Sample ID: 9405614
Date Received: 10-14-94
Date Analyzed: 10-14-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	2.1	J,B
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	3.0	J,B
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: TB101494

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSA

File ID : TB1014
Lab Sample ID: 9405614
Date Received: 10-14-94
Date Analyzed: 10-14-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW 31B

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405673B
Lab Sample ID: 9405673
Date Received: 10-19-94
Date Analyzed: 10-20-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	.015	
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	.002.7	J,B
67-64-1	Acetone	.008.1	J,B
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	.000.4	J
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	0.160	
67-66-3	Chloroform	.000 9.4	J,B
107-06-2	1,2-Dichloroethane	.000 1.3	J
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	.080	
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	.001.2	J
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	.046	
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	.00 0.7	J
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW 31B

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405673B
Lab Sample ID: 9405673
Date Received: 10-19-94
Date Analyzed: 10-20-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW 42B

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405674B
Lab Sample ID: 9405674
Date Received: 10-19-94
Date Analyzed: 10-20-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	.00 1.5	J,B
67-64-1	Acetone	.010 4.8	J,B
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW 42B

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405674B
Lab Sample ID: 9405674
Date Received: 10-19-94
Date Analyzed: 10-20-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW 62B

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405675B
Lab Sample ID: 9405675
Date Received: 10-19-94
Date Analyzed: 10-20-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	.60 0.5	J,B
67-64-1	Acetone	.80 3.2	J,B
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	.20 9.4	J,B
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	.20 1.1	J
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: MW 62B

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405675B
Lab Sample ID: 9405675
Date Received: 10-19-94
Date Analyzed: 10-20-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: Trip Blk. 10-19-94

Form 1 VOA

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405676B
Lab Sample ID: 9405676
Date Received: 10-19-94
Date Analyzed: 10-20-94

CAS NO.	Compound	Concentration ug/L	Q
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene Chloride	3.9	J,B
67-64-1	Acetone	10	U
108-05-4	Vinyl Acetate	10	U
75-15-0	Carbon Disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-60-5	Trans-1,2-Dichloroethene	10	U
156-59-4	Cis-1,2-Dichloroethene	10	U
67-66-3	Chloroform	3.1	j,B
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-02-6	Trans-1,3 Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-01-5	Cis-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
591-78-6	2-Hexanone	10	U
108-10-1	4-Methyl-2-Pentanone	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethyl Benzene	10	U
100-42-5	Styrene	10	U
108-38-3/106-42-3	m/p/o-Xylene (total)	10	U
110-75-8	2-Chloroethylvinyl ether	10	U

Sample: Trip Blk. 10-19-94

Form 1 VOA-TIC

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample Vol: 5 ml
Column: 0.53(mm) 502.2 105m
Instrument: MSB

File ID : 9405676B
Lab Sample ID: 9405676
Date Received: 10-19-94
Date Analyzed: 10-20-94

Number TIC's found: 0

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405510
Lab File ID: 9405510C
Date Recieved: 10/12/94
Date Extracted: 10/12/94
Date Analyzed: 11/07/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	1.4	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	1.3	J,B
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 61D

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9405510
Lab File ID: 9405510C
Date Recieved: 10/12/94
Date Extracted: 10/12/94
Date Analyzed: 11/07/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405511
Lab File ID: 9405511C
Date Recieved: 10/12/94
Date Extracted: 10/12/94
Date Analyzed: 11/07/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.9	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	0.5	J,B
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 61S

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9405511
Lab File ID: 9405511C
Date Recieved: 10/12/94
Date Extracted: 10/12/94
Date Analyzed: 11/07/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405512
Lab File ID: 9405512C
Date Recieved: 10/12/94
Date Extracted: 10/12/94
Date Analyzed: 11/07/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.8	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	0.3	J,B
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 32S

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9405512
Lab File ID: 9405512C
Date Recieved: 10/12/94
Date Extracted: 10/12/94
Date Analyzed: 11/07/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 Semivolatile

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405513
Lab File ID: 9405513C
Date Recieved: 10/12/94
Date Extracted: 10/12/94
Date Analyzed: 11/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	0.2	J
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	0.9	J
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	1.0	J,B
206-44-0	Fluoranthene	1.6	J
92-87-5	Benzidine	50	U
129-00-0	Pyrene	1.1	J
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	0.5	J
117-81-7	Bis(2-ethylhexyl)phthalate	1.5	J,B
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	0.7	J
205-99-2	Benzo(b)fluoranthene	0.6	J
207-08-9	Benzo(k)fluoranthene	0.6	J
50-32-8	Benzo(a)pyrene	0.6	J
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 63

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:8

Lab Sample ID: 9405513
Lab File ID: 9405513C
Date Recieved: 10/12/94
Date Extracted: 10/12/94
Date Analyzed: 11/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown Acid/Ester	13:19	8.6	J
	Unknown Dichlorobenzoic acid isomer	18:35	5.5	J
	Unknown Alcohol	21:49	6.8	J
	Unknown Alcohol	24:50	18	J
	Unknown Alcohol	27:30	42	J
	Unknown	30:05	2.9	J
	Unknown	30:07	3.2	J
	Unknown	30:32	33	J

Form 1 Semivolatile

DTS

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405514
Lab File ID: 9405514C
Date Recieved: 10/12/94
Date Extracted: 10/12/94
Date Analyzed: 11/07/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.8	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	2.8	J,B
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW-X1

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9405514
Lab File ID: 9405514C
Date Recieved: 10/12/94
Date Extracted: 10/12/94
Date Analyzed: 11/07/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: Equipment Blank

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

DB

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405515
Lab File ID: 9405515C
Date Recieved: 10/12/94
Date Extracted: 10/12/94
Date Analyzed: 11/07/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.9	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	0.5	J,B
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: Equipment Blank

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9405515
Lab File ID: 9405515C
Date Recieved: 10/12/94
Date Extracted: 10/12/94
Date Analyzed: 11/07/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405516
Lab File ID: 9405516C
Date Recieved: 10/12/94
Date Extracted: 10/12/94
Date Analyzed: 11/07/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	0.1	J
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	1.6	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	2.7	J
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	25	
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 55B

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9405516
Lab File ID: 9405516C
Date Recieved: 10/12/94
Date Extracted: 10/12/94
Date Analyzed: 11/07/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 Semivolatile

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405517
Lab File ID: 9405517C
Date Recieved: 10/12/94
Date Extracted: 10/12/94
Date Analyzed: 11/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	1.5	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	8.7	J,B
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 32D

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water

Lab Sample ID: 9405517

Sample wt/vol: 1000ml

Lab File ID: 9405517C

Level: (low/med) low

Date Recieved: 10/12/94

Instrument: MSC

Date Extracted: 10/12/94

% Moisture: decanted: (Y/N)

Date Analyzed: 11/08/94

Concentrated Extract Volume:1000 (ul)

Dilution Factor: 1

Injection Volume: 1 (ul)

GPC Cleanup: (Y/N): N pH:

Concentration Units:

#TIC's Found:6

(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown ketone	5:23	9.5	J
	Unknown alcohol	6:55	4.7	J
	Unknown alcohol	7:50	9.3	J
	Unknown alcohol	9:03	8.3	J
	Unknown alcohol	12:27	19	J
	Unknown	12:59	4.6	J

Sample: Field Blank

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume: 1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405518
Lab File ID: 9405518C
Date Recieved: 10/12/94
Date Extracted: 10/12/94
Date Analyzed: 11/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	0.1	J
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	1.8	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	0.4	J,B
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: Field Blank

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:2

Lab Sample ID: 9405518
Lab File ID: 9405518C
Date Recieved: 10/12/94
Date Extracted: 10/12/94
Date Analyzed: 11/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown alcohol	9:03	5.5	J
	Unknown Hydrocarbon	35:47	33	J

Form 1 Semivolatile

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405548
Lab File ID: 9405548C
Date Recieved: 10/13/94
Date Extracted: 10/17/94
Date Analyzed: 11/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	1.1	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	0.8	J,B
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 44S

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:4

Lab Sample ID: 9405548
Lab File ID: 9405548C
Date Recieved: 10/13/94
Date Extracted: 10/17/94
Date Analyzed: 11/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown alcohol	6:55	6.6	J
	Unknown	24:42	9.2	J
	Unknown hydrocarbon	41:18	6.3	J
	Unknown hydrocarbon	41:20	15	J

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405549
Lab File ID: 9405549C
Date Recieved: 10/13/94
Date Extracted: 10/17/94
Date Analyzed: 11/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	4.8	J
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	78	
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	12	
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.8	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	1.6	J,B
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 44D

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:9

Lab Sample ID: 9405549
Lab File ID: 9405549C
Date Recieved: 10/13/94
Date Extracted: 10/17/94
Date Analyzed: 11/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown Phenolic compound	17:04	6.4	J
	Unknown Phenolic compound	17:49	24	J
	Dichlorobenzoic acid isomer	18:36	6.9	J
	Unknown Phenolic compound	21:20	11	J
85-34-7	2,3,6-Trichlorobenzeneactic acid	21:42	7.4	J
	Unknown Acid/Ester	25:22	11	J
	Unknown	25:34	7.8	J
	Unknown Acid/Ester	27:07	31	J
	Unknown	41:11	0.2	J

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume: 1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405550
Lab File ID: 9405550C
Date Recieved: 10/13/94
Date Extracted: 10/17/94
Date Analyzed: 11/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.8	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	0.8	J,B
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:3

Lab Sample ID: 9405550
Lab File ID: 9405550C
Date Recieved: 10/13/94
Date Extracted: 10/17/94
Date Analyzed: 11/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown	27:06	16	J
	Unknown	27:32	3.9	J
	Unknown Hydrocarbon	35:47	24	J

Form 1 Semivolatile

DTS

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume: 1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405551
Lab File ID: 9405551C
Date Recieved: 10/13/94
Date Extracted: 10/17/94
Date Analyzed: 11/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	8.5	J
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	J
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	120	
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	0.3	J
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	21	
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.9	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	1.6	J,B
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 44B

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:16

Lab Sample ID: 9405551
Lab File ID: 9405551C
Date Recieved: 10/13/94
Date Extracted: 10/17/94
Date Analyzed: 11/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown Acid/Ester	13:22	7.9	J
	Unknown	13:43	12	J
	Unknown Phenolic Compound	16:55	5.2	J
	Unknown Phenolic Compound	17:03	7.0	J
	Unknown	20:53	4.9	J
85-34-7	2,3,6-Trichlorobenzeneacetic acid	21:43	15	J
26445-01-2	Naphthaleneacetic acid	22:50	8.6	J
	Unknown Acid/Ester	23:30	7.4	J
	Unknown	24:51	7.6	J
	Unknown	25:34	19	J
	Unknown	27:31	18	J
	Unknown	29:57	10	J
	Unknown	30:32	20	J
	Unknown Hydrocarbon	34:08	4.7	J
	Unknown	35:16	6.0	J
	Unknown Hydrocarbon	35:47	11	J

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405552
Lab File ID: 9405552C
Date Recieved: 10/13/94
Date Extracted: 10/17/94
Date Analyzed: 11/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	0.6	J
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	1.1	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	0.6	J
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	6.1	J,B
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 42S

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:2

Lab Sample ID: 9405552
Lab File ID: 9405552C
Date Recieved: 10/13/94
Date Extracted: 10/17/94
Date Analyzed: 11/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown Alcohol	12:23	5.6	J
	Unknown Alcohol	13:38	5.0	J

Form 1 Semivolatile

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405553
Lab File ID: 9405553C
Date Recieved: 10/13/94
Date Extracted: 10/17/94
Date Analyzed: 11/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	6.6	J
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	85	
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	0.3	J
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	0.6	J
95-95-4	2,4,5-Trichlorophenol	15	
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.9	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:5

Lab Sample ID: 9405553
Lab File ID: 9405553C
Date Recieved: 10/13/94
Date Extracted: 10/17/94
Date Analyzed: 11/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown Phenolic	16:51	5.5	J
	Unknown Phenolic	17:00	9.5	J
	Dichloronitrophenol isomer	17:44	43	J
85-34-7	2,3,6-Trichlorbenzeneacetic acid	21:37	9.8	J
	Unknown	25:27	7.7	J

Sample: MW 43D

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume: 1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405554
Lab File ID: 5554SR3
Date Recieved: 10/13/94
Date Extracted: 10/17/94
Date Analyzed: 11/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	5.7	J
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	86	
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	0.6	J
95-95-4	2,4,5-Trichlorophenol	15	
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	1.0	J
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.7	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	1.1	J
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 43D

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:3

Lab Sample ID: 9405554
Lab File ID: 5554SR3
Date Recieved: 10/13/94
Date Extracted: 10/17/94
Date Analyzed: 11/23/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown Phenolic Compound	16:38	11	J
	Dichloronitrophenol isomer	17:19	48	J
	Trichlorobenzeneacetic acid isomer	21:11	12	J

Form 1 Semivolatile

D63

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405555
Lab File ID: 9405555C
Date Recieved: 10/13/94
Date Extracted: 10/17/94
Date Analyzed: 11/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	0.6	J
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	1.0	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	4.5	J,B
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW X2

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9405555
Lab File ID: 9405555C
Date Recieved: 10/13/94
Date Extracted: 10/17/94
Date Analyzed: 11/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405556
Lab File ID: 9405556C
Date Recieved: 10/13/94
Date Extracted: 10/17/94
Date Analyzed: 11/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.6	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9405556
Lab File ID: 9405556C
Date Recieved: 10/13/94
Date Extracted: 10/17/94
Date Analyzed: 11/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW 41S

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405557
Lab File ID: 9405557C
Date Recieved: 10/13/94
Date Extracted: 10/17/94
Date Analyzed: 11/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.9	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	4.7	J,B
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 41S

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9405557
Lab File ID: 9405557C
Date Recieved: 10/13/94
Date Extracted: 10/17/94
Date Analyzed: 11/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405558
Lab File ID: 9405558C
Date Recieved: 10/13/94
Date Extracted: 10/17/94
Date Analyzed: 11/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	1.0	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	7.6	J
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	110	B
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 41D

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9405558
Lab File ID: 9405558C
Date Recieved: 10/13/94
Date Extracted: 10/17/94
Date Analyzed: 11/08/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume: 1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405559
Lab File ID: 9405559C
Date Recieved: 10/13/94
Date Extracted: 10/18/94
Date Analyzed: 11/09/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.4	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	2.1	J
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	25	
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW X3

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9405559
Lab File ID: 9405559C
Date Recieved: 10/13/94
Date Extracted: 10/18/94
Date Analyzed: 11/09/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405560
Lab File ID: 9405560C
Date Recieved: 10/13/94
Date Extracted: 10/18/94
Date Analyzed: 11/09/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.7	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	20.0	
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	160	
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 41B

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:7

Lab Sample ID: 9405560
Lab File ID: 9405560C
Date Recieved: 10/13/94
Date Extracted: 10/18/94
Date Analyzed: 11/09/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown Acid/Ester	18:51	11	J
	Unknown Alcohol	24:44	4.9	J
	Unknown Acid/Ester	25:16	27	J
	Unknown	27:00	6.7	J
	Unknown	34:56	4.0	J
	Unknown Hydrocarbon	40:56	15	J
	Unknown	47:26	27	J

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume: 1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405561
Lab File ID: 9405561C
Date Recieved: 10/13/94
Date Extracted: 10/18/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.4	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:2

Lab Sample ID: 9405561
Lab File ID: 9405561C
Date Recieved: 10/13/94
Date Extracted: 10/18/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown Amine	34:59	69	J
	Unknown	35:31	18	J

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405562
Lab File ID: 9405562C
Date Recieved: 10/13/94
Date Extracted: 10/18/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	*Di-n-butylphthalate*	*0.5*	*J,B*
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9405562
Lab File ID: 9405562C
Date Recieved: 10/13/94
Date Extracted: 10/18/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405563
Lab File ID: 9405563C
Date Recieved: 10/13/94
Date Extracted: 10/18/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.5	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	1.3	J
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	20.0	
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:2

Lab Sample ID: 9405563
Lab File ID: 9405563C
Date Recieved: 10/13/94
Date Extracted: 10/18/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
88-19-7	2-Methylbenzenesulfonamide	20:04	9.2	J
70-55-3	4-Methylbenzenesulfonamide	20:33	14	J

Form 1 Semivolatile

D63

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405564
Lab File ID: 9405564C
Date Recieved: 10/13/94
Date Extracted: 10/18/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	1.4	J
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	0.1	J
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	27	
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	5.0	J
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.5	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	0.9	J
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	9.2	J
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 53D

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:3

Lab Sample ID: 9405564
Lab File ID: 9405564C
Date Recieved: 10/13/94
Date Extracted: 10/18/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown Hydrocarbon	11:19	5.8	J
88-19-7	2-Methylbenzenesulfonamide	20:04	16	J
70-55-3	4-Methylbenzenesulfonamide	20:33	24	J

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

D5

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume: 1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405565
Lab File ID: 9405565C
Date Recieved: 10/13/94
Date Extracted: 10/18/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	J
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.5	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	9.6	J
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:25

Lab Sample ID: 9405565
Lab File ID: 9405565C
Date Recieved: 10/13/94
Date Extracted: 10/18/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown Acid/Ester	13:23	26	J
	Unknown Acid/Ester	16:16	26	J
	Unknown Acid/Ester	18:53	47	J
	Unknown Acid/Ester	18:59	160	J
	Unknown Acid/Ester	21:17	58	J
	Unknown Alcohol	21:44	22	J
	Unknown Acid/Ester	23:26	27	J
	Unknown Alcohol	24:46	95	J
	Unknown Alcohol	27:27	137	J
	Unknown Alcohol	30:26	150	J
	Unknown Hydrocarbon	33:23	15	J
	Unknown Hydrocarbon	33:53	3.7	J
	Unknown Hydrocarbon	34:32	10	J
	Unknown Hydrocarbon	34:46	20	J
	Unknown Hydrocarbon	35:03	144	J
	Unknown Hydrocarbon	35:14	20	J
	Unknown Hydrocarbon	37:45	2.6	J
	Unknown Hydrocarbon	37:54	2.5	J
	Unknown Hydrocarbon	38:39	2.1	J
	Unknown Hydrocarbon	38:52	2.5	J
	Unknown Hydrocarbon	39:38	2.7	J
	Unknown Hydrocarbon	40:00	4.1	J
	Unknown Hydrocarbon	40:20	17	J
	Unknown Hydrocarbon	40:39	3.4	J
	Unknown Hydrocarbon	40:56	58	J
				J

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405566
Lab File ID: 9405566C
Date Recieved: 10/13/94
Date Extracted: 10/18/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	J
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.5	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	0.7	J
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	22	
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 59S

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9405566
Lab File ID: 9405566C
Date Recieved: 10/13/94
Date Extracted: 10/18/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405567
Lab File ID: 9405567
Date Recieved: 10/13/94
Date Extracted: 10/18/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	20	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.5	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	9.3	J
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 60

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9405567
Lab File ID: 9405567
Date Recieved: 10/13/94
Date Extracted: 10/18/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: Field Blank 10-12-94

Form 1 Semivolatile

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405568
Lab File ID: 9405568C
Date Recieved: 10/13/94
Date Extracted: 10/18/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	J
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.6	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: Field Blank 10-12-94

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9405568
Lab File ID: 9405568C
Date Recieved: 10/13/94
Date Extracted: 10/18/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405569
Lab File ID: 9405569
Date Recieved: 10/13/94
Date Extracted: 10/25/94
Date Analyzed: 11/22/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.6	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	1.5	J
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 61B

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9405569
Lab File ID: 9405569
Date Recieved: 10/13/94
Date Extracted: 10/25/94
Date Analyzed: 11/22/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 Semivolatile

20B

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume: 1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405599
Lab File ID: 9405599C
Date Recieved: 10/14/94
Date Extracted: 10/18/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.6	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	5.5	J
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	110	
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 36

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9405599
Lab File ID: 9405599C
Date Recieved: 10/14/94
Date Extracted: 10/18/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405600
Lab File ID: 9405600
Date Recieved: 10/14/94
Date Extracted: 10/18/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.6	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	2.2	J,B
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 37D

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:12

Lab Sample ID: 9405600
Lab File ID: 9405600
Date Recieved: 10/14/94
Date Extracted: 10/18/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown Alcohol	12:22	6.9	J
	Unknown Acid/Ester	13:19	13	J
	Unknown Acid/Ester	16:13	7.8	J
	Unknown Acid/Ester	18:54	42	J
	Unknown Acid/Ester	21:15	9.2	J
	Unknown Alcohol	21:43	12	J
	Unknown Hydrocarbon	24:45	33	J
	Unknown Hydrocarbon	27:25	65	J
	Unknown Hydrocarbon	30:23	66	J
	Unknown Acid/Ester	37:40	11	J
	Unknown Acid/Ester	40:15	7.4	J
	Unknown Acid/Ester	40:51	23	J

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume: 1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405601
Lab File ID: 9405601
Date Recieved: 10/14/94
Date Extracted: 10/18/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	20	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.6	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	5.5	J
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	110	
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 37B

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9405601
Lab File ID: 9405601
Date Recieved: 10/14/94
Date Extracted: 10/18/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume: 1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405602
Lab File ID: 9405602R
Date Recieved: 10/14/94
Date Extracted: 10/25/94
Date Analyzed: 11/22/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	0.6	J
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	1.1	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	9.2	J
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	58	
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9405602
Lab File ID: 9405602R
Date Recieved: 10/14/94
Date Extracted: 10/25/94
Date Analyzed: 11/22/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown	21:08	48	J
	Unknown Hydrocarbon	24:21	23	J
	Unknown Hydrocarbon	27:00	28	J
	Unknown Hydrocarbon	29:47	39	J
	Unknown Hydrocarbon	34:02	93	J

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405604
Lab File ID: 9405604C
Date Recieved: 10/14/94
Date Extracted: 10/19/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	10	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.5	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	10	U
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 57

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9405604
Lab File ID: 9405604C
Date Recieved: 10/14/94
Date Extracted: 10/19/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Sample: MW 56D

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405605
Lab File ID: 9405605C
Date Recieved: 10/15/94
Date Extracted: 10/19/94
Date Analyzed: 11/09/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	1.8	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	0.3	J
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	0.8	J
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.7	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	0.5	J
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	6	J
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

should be "J"

Sample: MW 56D

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:1

Lab Sample ID: 9405605
Lab File ID: 9405605C
Date Recieved: 10/15/94
Date Extracted: 10/19/94
Date Analyzed: 11/09/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown	21:34	10	J

Sample: MW 56S

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405606
Lab File ID: 9405606C
Date Recieved: 10/14/94
Date Extracted: 10/19/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	0.4	J
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	10	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	0.3	J
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.5	J,B
206-44-0	Fluoranthene	0.7	J
92-87-5	Benzidine	50	U
129-00-0	Pyrene	0.5	J
85-68-7	Benzylbutylphthalate	0.5	J
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	12.0	
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	0.4	J
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 56S

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9405606
Lab File ID: 9405606C
Date Recieved: 10/14/94
Date Extracted: 10/19/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 Semivolatile

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405607
Lab File ID: 9405607
Date Recieved: 10/14/94
Date Extracted: 10/19/94
Date Analyzed: 11/09/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.6	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	7	J
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 58S

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9405607
Lab File ID: 9405607
Date Recieved: 10/14/94
Date Extracted: 10/19/94
Date Analyzed: 11/09/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405608
Lab File ID: 9405608
Date Recieved: 10/14/94
Date Extracted: 10/19/94
Date Analyzed: 11/09/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.5	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	1.1	J
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	11	
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 58D

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:1

Lab Sample ID: 9405608
Lab File ID: 9405608
Date Recieved: 10/14/94
Date Extracted: 10/19/94
Date Analyzed: 11/09/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown	21:41	87	J

Form 1 Semivolatile

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405609
Lab File ID: 9405609
Date Recieved: 10/14/94
Date Extracted: 10/19/94
Date Analyzed: 11/09/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	28	
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	0.8	J
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	540	
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	1.3	J
87-65-0	2,6-Dichlorophenol	23	
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	8.5	J
95-95-4	2,4,5-Trichlorophenol	140	
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.9	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	3.6	J
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	71	
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 52D

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:11

Lab Sample ID: 9405609
Lab File ID: 9405609
Date Recieved: 10/14/94
Date Extracted: 10/19/94
Date Analyzed: 11/09/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown Alcohol	9:44	8.1	J
	Chloromethylphenol isomer	15:03	2.4	J
	Dibromophenol isomer	16:51	21	J
	Unknown	17:01	29	J
	Dichloronitrophenol isomer	17:43	26	J
	Methylbenzenesulfonamide isomer	20:36	8.0	J
	Unknown	20:49	5.7	J
	Dichlorophenol isomer	21:16	11	J
85-34-7	2,3,6-Trichlorobenzeneacetic acid	21:39	33	J
	Naphthaleneacetic acid	22:01	26	J
	Unknown	25:27	21	J

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405610
Lab File ID: 9405610
Date Recieved: 10/14/94
Date Extracted: 10/19/94
Date Analyzed: 11/09/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	8.0	J
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	125	
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	0.4	J
87-65-0	2,6-Dichlorophenol	1.9	J
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	1.2	J
95-95-4	2,4,5-Trichlorophenol	23	
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.9	J,B
206-44-0	Fluoranthene	0.5	J
92-87-5	Benzidine	50	U
129-00-0	Pyrene	0.3	J
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	230	
117-84-0	Di-n-octylphthalate	0.9	J
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 31D

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:12

Lab Sample ID: 9405610
Lab File ID: 9405610
Date Recieved: 10/14/94
Date Extracted: 10/19/94
Date Analyzed: 11/09/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown Hydrocarbon	11:23	6.2	J
	UnKnown Alkane	19:21	5.9	J
	Tetramethylphenol isomer	19:43	14	J
	Methylbenzenesulfonamide isomer	20:08	6.7	J
	Benzophenone	20:12	6.8	J
	Unknown Alkane	20:33	13	J
	Methylbenzenesulfonamide isomer	20:37	17	J
	Unknown Alkane	21:15	15	J
	Unknown Alkane	21:41	7.5	J
	Unknown Alkane	22:47	7.8	J
	Unknown	23:49	5.7	J
		25:28	16	J

Form 1 Semivolatile

TOB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume: 1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405611
Lab File ID: 9405611R
Date Recieved: 10/14/94
Date Extracted: 10/19/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	25	
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	6.1	J
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	66	
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	44	
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	10	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	1.6	J
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	0.2	J
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	24	B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	2.2	J
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	65	
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:25

Lab Sample ID: 9405611
Lab File ID: 9405611R
Date Recieved: 10/14/94
Date Extracted: 10/19/94
Date Analyzed: 11/10/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown Ketone	4:40	12	
	Unknown Hydrocarbon	5:08	260	
	Unknown Hydrocarbon	7:25	41	
	Unknown Hydrocarbon	7:38	44	
	Unknown Hydrocarbon	8:11	48	
	Unknown	8:20	85	
	Unknown	8:28	21	
	Unknown	8:30	35	
	Trimethylbenzene Isomer	9:35	24	
	Unknown Alcohol	9:43	19	
	Unknown Alcohol	9:46	21	
	Unknown Alcohol	9:50	30	
	Unknown Ketone	10:12	15	
	Unknown alkylbenzene	10:17	32	
	Unknown Alcohol	10:25	13	
	Unknown Alcohol	10:27	8.9	
	Unknown Alkylbenzene	10:51	11	
	Unknown Hydrocarbon	11:17	5.6	
	Unknown Hydrocarbon	11:24	13	
	Unknown	13:10	38	
	Unknown	13:15	37	
88-99-3	1,2-Benzenedicarboxylic acid	16:01	7.7	
	Methylbenzenesulfonamide isomer	20:39	200	
	Methylbenzenesulfonamide isomer	21:19	500	
	Unknown Acid/Ester	8:00	38	

Sample: MW ~~51B~~ 51D

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume: 1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405612
Lab File ID: 9405612
Date Recieved: 10/14/94
Date Extracted: 10/19/94
Date Analyzed: 11/09/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	5.4	J
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	93	
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	0.1	J
87-65-0	2,6-Dichlorophenol	2.3	J
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	0.8	J
95-95-4	2,4,5-Trichlorophenol	11	
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.6	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	2.5	J
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	30	
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 51B

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:1

Lab Sample ID: 9405612
Lab File ID: 9405612
Date Recieved: 10/14/94
Date Extracted: 10/19/94
Date Analyzed: 11/09/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown Phenolic Compound	16:59	4.5	J

Form 1 Semivolatile

TB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405613
Lab File ID: 9405613
Date Recieved: 10/14/94
Date Extracted: 10/19/94
Date Analyzed: 11/09/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	20.0	
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	0.3	J
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	260	
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	0.6	J
87-65-0	2,6-Dichlorophenol	3.8	J
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	4.3	J
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	2.0	J
95-95-4	2,4,5-Trichlorophenol	79	
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.8	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	2.2	J
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	34	
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:8

Lab Sample ID: 9405613
Lab File ID: 9405613
Date Recieved: 10/14/94
Date Extracted: 10/19/94
Date Analyzed: 11/09/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q
	Unknown Hydocarbon	07:47	12.8	J
	Unknown Phenolic Compound	17:00	8.9	J
	Dichloronitrophenol isomer	17:00	5.0	J
	Methylbenzenesulfonamide isomer	17:00	11	J
119-61-9	Benzophenone	17:00	7.1	J
	Methylbenzenesulfonamide isomer	17:00	16	J
85-34-7	2,3,6-Dichlorobenzeneacetic acid	17:00	6.6	J
26445-01-2	Naphthaleneacetic Acid	17:00	5.7	J
	Unknown	17:00	20	J

Form 1 Semivolatile

DB

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405673
Lab File ID: 9405673
Date Recieved: 10/19/94
Date Extracted: 10/25/94
Date Analyzed: 11/22/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	2.1	J
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	6.7	J
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	1.7	J
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	0.7	J,B
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	5.7	J
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9405673
Lab File ID: 9405673
Date Recieved: 10/19/94
Date Extracted: 10/25/94
Date Analyzed: 11/22/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

D13

Form 1 Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:

Lab Sample ID: 9405674
Lab File ID: 9405674
Date Recieved: 10/19/94
Date Extracted: 10/25/94
Date Analyzed: 11/22/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	Concentration	Q
62-75-9	N-Nitrosodimethylamine	10	U
108-95-2	Phenol	10	U
111-44-4	Bis(2-chloroethyl)ether	10	U
95-57-8	2-Chlorophenol	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
108-60-1	Bis(2-chloroisopropyl)ether	10	U
621-64-7	N-Nitroso-n-propylamine	10	U
67-72-1	Hexachloroethane	10	U
98-95-3	Nitrobenzene	10	U
78-59-1	Isophorone	10	U
88-75-5	2-Nitrophenol	10	U
105-67-9	2,4-Dimethylphenol	10	U
111-91-1	Bis(2-chloroethoxy)methane	10	U
120-83-2	2,4-Dichlorophenol	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
91-20-3	Naphthalene	10	U
87-65-0	2,6-Dichlorophenol	10	U
87-68-3	Hexachlorobutadiene	10	U
59-50-7	4-Chloro-3-methylphenol	20	U
91-57-6	2-Methylnaphthalene	10	U
77-47-4	Hexachlorocyclopentadiene	10	U
88-06-2	2,4,6-Trichlorophenol	10	U
95-95-4	2,4,5-Trichlorophenol	10	U
91-58-7	2-Chloronaphthalene	10	U
131-11-3	Dimethylphthalate	10	U
606-20-2	2,6-Dinitrotoluene	10	U
208-96-8	Acenaphthylene	10	U
83-32-9	Acenaphthene	10	U
51-28-5	2,4-Dinitrophenol	50	U
100-02-7	4-Nitrophenol	50	U
132-62-9	Dibenzofuran	10	U
121-14-2	2,4-Dinitrotoluene	10	U
84-66-2	Diethylphthalate	10	U
7000-72-3	4-Chlorophenylphenylether	10	U
86-73-7	Fluorene	10	U
534-52-1	2-Methyl-4,6-dinitrophenol	50	U
86-30-6	N-Nitrosodiphenylamine	10	U
122-66-7	1,2-Diphenylhydrazine	10	U
101-55-3	4-Bromophenylphenylether	10	U
118-74-1	Hexachlorobenzene	10	U
87-86-5	Pentachlorophenol	50	U
85-01-8	Phenanthrene	10	U
120-12-7	Anthracene	10	U
84-74-2	Di-n-butylphthalate	10	U
206-44-0	Fluoranthene	10	U
92-87-5	Benzidine	50	U
129-00-0	Pyrene	10	U
85-68-7	Benzylbutylphthalate	10	U
91-94-1	3,3-Dichlorobenzidine	50	U
56-55-3	Benzo(a)anthracene	10	U
117-81-7	Bis(2-ethylhexyl)phthalate	3.7	J
117-84-0	Di-n-octylphthalate	10	U
218-01-9	Chrysene	10	U
205-99-2	Benzo(b)fluoranthene	10	U
207-08-9	Benzo(k)fluoranthene	10	U
50-32-8	Benzo(a)pyrene	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	U
53-70-3	Dibenzo(a,h)anthracene	10	U
191-24-2	Benzo(ghi)perylene	10	U

Sample: MW 42B

Form 1 TIC Semivolatile

Lab Name: EAS Laboratories

Project: Thomaston

Matrix: Water
Sample wt/vol: 1000ml
Level: (low/med) low
Instrument: MSC
% Moisture: decanted: (Y/N)
Concentrated Extract Volume:1000 (ul)
Injection Volume: 1 (ul)
GPC Cleanup: (Y/N): N pH:
#TIC's Found:0

Lab Sample ID: 9405674
Lab File ID: 9405674
Date Recieved: 10/19/94
Date Extracted: 10/25/94
Date Analyzed: 11/22/94
Dilution Factor: 1

Concentration Units:
(ug/L or ug/kg) ug/L

CAS NO.	Compound	RT	EST. CONC.	Q

Herbicide Analysis Data Sheet

EAS Sample No.
9405448
BB EQ BLK
10/6/94

Lab Name: EAS Laboratories

Lab Sample ID : 9405448

Lab Code: ENVRTE

Date Received : 10/06/94

Matrix (soil/water) : WATER

Date Extracted : 10/10/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/17/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 04:27

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2.4-D	0.50	U		15.72	16.05	Col B	
94-82-6	2.4-DB	2.46	U	23.55	23.32	23.65	Col A	No
93-72-1	2.4.5-TP (Silvex)	0.25	U		20.58	20.91	Col A	
93-76-5	2.4.5-T	0.25	U		22.14	22.47	Col A	
75-99-0	Dalapon	0.15	U	3.67	3.65	3.98	Col A	No
1918-00-9	Dicamba	0.25	U		15.39	15.73	Col A	
120-36-5	Dichloroprop	0.50	U		17.07	17.40	Col A	
88-85-7	Dinoseb	0.25	U		24.78	25.12	Col A	
94-74-6	MCPA	18	U	16.50	16.32	16.66	Col A	No
93-65-2	MCPP	210	U	16.03	15.74	16.08	Col A	No
	DCAA (Surrogate)	2.0		15.17	15.01	15.34	Col A	

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405463
NR 60 GLK 10/7/94

Lab Name: EAS Laboratories

Lab Sample ID : 9405463

Lab Code: ENVRTE

Date Received : 10/07/94

Matrix (soil/water) : WATER

Date Extracted : 10/10/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/17/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 05:05

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2.4-D	0.50	U		15.72	16.05	Col B	
94-82-6	2.4-DB	0.62	U	23.56	23.32	23.65	Col A	No
93-72-1	2.4.5-TP (Silvex)	0.25	U		20.58	20.91	Col A	
93-76-5	2.4.5-T	0.25	U		22.14	22.47	Col A	
75-99-0	Dalapon	0.11	U	3.74	3.65	3.98	Col A	No
1918-00-9	Dicamba	0.25	U		15.39	15.73	Col A	
120-36-5	Dichloroprop	0.50	U		17.07	17.40	Col A	
88-85-7	Dinoseb	0.25	U		24.78	25.12	Col A	
94-74-6	MCPA	11	U	16.52	16.32	16.66	Col A	No
93-65-2	MCPP	180	U	16.03	15.74	16.08	Col A	No
	DCAA (Surrogate)	1.7		15.18	15.01	15.34	Col A	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405510
MW 61D

Lab Name: EAS Laboratories

Lab Sample ID : 9405510

Lab Code: ENVRTE

Date Received : 10/12/94

Matrix (soil/water) : WATER

Date Extracted : 10/17/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/22/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 17:35

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	0.50	U		15.66	16.00	Col B	
94-82-6	2,4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	0.25	U		17.82	18.15	Col B	
93-76-5	2,4,5-T	0.25	U		18.46	18.79	Col B	
75-99-0	Dalapon	2.5	U	3.39	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.25	U		14.01	14.35	Col B	
120-36-5	Dichloroprop	0.34	U	15.45	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	20	U	14.85	14.68	15.02	Col B	No
93-65-2	MCPP	110	J	14.65	14.44	14.78	Col B	Yes
	DCAA (Surrogate)	2.2		13.95	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405511
MW-61S

Lab Name: EAS Laboratories

Lab Sample ID : 9405511

Lab Code: ENVRTE

Date Received : 10/12/94

Matrix (soil/water) : WATER

Date Extracted : 10/17/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/22/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 18:13

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2.4-D	0.50	U		15.66	16.00	Col B	
94-82-6	2.4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2.4.5-TP (Silvex)	0.25	U		17.82	18.15	Col B	
93-76-5	2.4.5-T	0.25	U		18.46	18.79	Col B	
75-99-0	Dalapon	4.8	U	3.39	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.25	U		14.01	14.35	Col B	
120-36-5	Dichloroprop	0.40	U	15.44	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	16	U	14.84	14.68	15.02	Col B	No
93-65-2	MCPP	240	U	14.64	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.3		13.94	13.77	14.10	Col B	Yes

Herbicide Analysis Data Sheet

EAS Sample No.
9405512
MW 32S

Lab Name: EAS Laboratories

Lab Code: ENVRTE

Matrix (soil/water) : WATER

Sample wt/vol : 1 liter

GC Column A (Col A): Restek Rtx-1701, 30m.

GC Column B (Col B): Restek Rtx-5, 30m.

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

Lab Sample ID : 9405512

Date Received : 10/12/94

Date Extracted : 10/17/94

Dilution Factor: 1

Date Analyzed (Col A and B) - 10/22/94

Time Analyzed (Col A and B) - 18:50

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	0.50	U		15.66	16.00	Col B	
94-82-6	2,4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	0.25	U		17.82	18.15	Col B	
93-76-5	2,4,5-T	0.25	U		18.46	18.79	Col B	
75-99-0	Dalapon	2.0	U		3.36	3.69	Col B	
1918-00-9	Dicamba	0.25	U		14.01	14.35	Col B	
120-36-5	Dichloroprop	0.40	U	15.44	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	12	U	14.84	14.68	15.02	Col B	No
93-65-2	MCPP	260	U	14.64	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.3		13.94	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405513
MW 63

Lab Name: EAS Laboratories

Lab Sample ID : 9405513

Lab Code: ENVRTE

Date Received : 10/12/94

Matrix (soil/water) : WATER

Date Extracted : 10/17/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/22/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 19:27

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2.4-D	0.50	U		15.66	16.00	Col B	
94-82-6	2.4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2.4.5-TP (Silvex)	0.25	U		17.82	18.15	Col B	
93-76-5	2.4.5-T	0.25	U		18.46	18.79	Col B	
75-99-0	Dalapon	2.0	U		3.36	3.69	Col B	
1918-00-9	Dicamba	0.25	U		14.01	14.35	Col B	
120-36-5	Dichloroprop	0.19	U	15.45	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	>100	U		14.68	15.02	Col B	
93-65-2	MCPP	>230	U	14.64	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.3		13.95	13.77	14.10	Col B	Yes

Herbicide Analysis Data Sheet

EAS Sample No.
9405514
MW XL

Lab Name: EAS Laboratories

Lab Sample ID : 9405514

Lab Code: ENVRTE

Date Received : 10/12/94

Matrix (soil/water) : WATER

Date Extracted : 10/17/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/22/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 20:05

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2.4-D	0.50	U		15.66	16.00	Col B	
94-82-6	2.4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2.4.5-TP (Silvex)	0.25	U		17.82	18.15	Col B	
93-76-5	2.4.5-T	0.25	U		18.46	18.79	Col B	
75-99-0	Dalapon	1.3	U	3.62	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.25	U		14.01	14.35	Col B	
120-36-5	Dichloroprop	0.23	U	15.45	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	100	U		14.68	15.02	Col B	
93-65-2	MCPP	120	J	14.66	14.44	14.78	Col B	Yes
	DCAA (Surrogate)	2.3		13.95	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405515
EQ BLK 10/12

Lab Name: EAS Laboratories

Lab Sample ID : 9405515

Lab Code: ENVRTE

Date Received : 10/12/94

Matrix (soil/water) : WATER

Date Extracted : 10/17/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/22/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 20:42

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2.4-D	0.50	U		15.66	16.00	Col B	
94-82-6	2.4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2.4.5-TP (Silvex)	0.25	U		17.82	18.15	Col B	
93-76-5	2.4.5-T	0.25	U		18.46	18.79	Col B	
75-99-0	Dalapon	2.7	U	3.39	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.25	U		14.01	14.35	Col B	
120-36-5	Dichloroprop	0.11	U	15.44	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	120	U	17.73	14.68	15.02	Col B	No
93-65-2	MCPP	250	U		14.44	14.78	Col B	
	DCAA (Surrogate)	2.1		13.95	13.77	14.10	Col B	Yes

Herbicide Analysis Data Sheet

EAS Sample No.
9405516
MW 55B

Lab Name: EAS Laboratories

Lab Sample ID : 9405516

Lab Code: ENVRTE

Date Received : 10/12/94

Matrix (soil/water) : WATER

Date Extracted : 10/17/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/22/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 21:20

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	0.50	U		15.66	16.00	Col B	
94-82-6	2,4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	0.25	U		17.82	18.15	Col B	
93-76-5	2,4,5-T	0.25	U		18.46	18.79	Col B	
75-99-0	Dalapon	1.8	U	3.62	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.25	U		14.01	14.35	Col B	
120-36-5	Dichloroprop	0.16	U	15.45	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	100	U		14.68	15.02	Col B	
93-65-2	MCPP	300	U	14.65	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.1		13.95	13.77	14.10	Col B	Yes

Herbicide Analysis Data Sheet

EAS Sample No.
9405517
MW 32 D

Lab Name: EAS Laboratories

Lab Sample ID : 9405517

Lab Code: ENVRTE

Date Received : 10/12/94

Matrix (soil/water) : WATER

Date Extracted : 10/17/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/22/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 21:58

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	0.23	U	15.69	15.66	16.00	Col B	No
94-82-6	2,4-DB	0.24	U	20.24	20.16	20.50	Col B	No
93-72-1	2,4,5-TP (Silvex)	0.25	U		17.82	18.15	Col B	
93-76-5	2,4,5-T	0.021	J	18.53	18.46	18.79	Col B	Yes
75-99-0	Dalapon	8.8	U	3.63	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.25	U		14.01	14.35	Col B	
120-36-5	Dichloroprop	0.32	U	15.46	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	180	U	14.76	14.68	15.02	Col B	No
93-65-2	MCPP	250	U		14.44	14.78	Col B	
	DCAA (Surrogate)	1.8		13.95	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405518
FIELD BLANK

Lab Name: EAS Laboratories

Lab Sample ID : 9405518

Lab Code: ENVRTE

Date Received : 10/12/94

Matrix (soil/water) : WATER

Date Extracted : 10/17/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/22/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 22:36

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	0.50	U		15.66	16.00	Col B	
94-82-6	2,4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	0.25	U		17.82	18.15	Col B	
93-76-5	2,4,5-T	0.25	U		18.46	18.79	Col B	
75-99-0	Dalapon	3.7	U	3.41	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.25	U		14.01	14.35	Col B	
120-36-5	Dichloroprop	0.10	U	15.45	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	180	U	14.75	14.68	15.02	Col B	No
93-65-2	MCPP	250	U		14.44	14.78	Col B	
	DCAA (Surrogate)	2.3		13.95	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405548
MW 445

Lab Name: EAS Laboratories

Lab Sample ID : 9405548

Lab Code: ENVRTE

Date Received : 10/13/94

Matrix (soil/water) : WATER

Date Extracted : 10/17/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/23/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 00:29

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	0.22	U	15.84	15.66	16.00	Col B	No
94-82-6	2,4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	0.32		18.00	17.82	18.15	Col B	Yes
93-76-5	2,4,5-T	0.084	J	18.56	18.46	18.79	Col B	Yes
75-99-0	Dalapon	2.0	U		3.36	3.69	Col B	
1918-00-9	Dicamba	0.15	J	14.20	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	0.85	U	15.53	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	20	J	14.74	14.68	15.02	Col B	Yes
93-65-2	MCPP	100	J	14.52	14.44	14.78	Col B	Yes
	DCAA (Surrogate)	2.2		13.95	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405549
MW-44D

Lab Name: EAS Laboratories

Lab Code: ENVRTE

Matrix (soil/water) : WATER

Sample wt/vol : 1 liter

GC Column A (Col A): Restek Rtx-1701, 30m.

GC Column B (Col B): Restek Rtx-5, 30m.

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

Lab Sample ID : 9405549

Date Received : 10/13/94

Date Extracted : 10/17/94

Dilution Factor: 1

Date Analyzed (Col A and B) - 10/23/94

Time Analyzed (Col A and B) - 01:06

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	20	E	15.86	15.66	16.00	Col B	Yes
94-82-6	2,4-DB	2.7		20.38	20.16	20.50	Col B	Yes
93-72-1	2,4,5-TP (Silvex)	8.1	E	18.00	17.82	18.15	Col B	Yes
93-76-5	2,4,5-T	10	E	18.58	18.46	18.79	Col B	Yes
75-99-0	Dalapon	16	U	3.63	3.36	3.69	Col B	No
1918-00-9	Dicamba	1.9		14.21	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	19	E	15.54	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	~~1100~~	~~E~~	14.87	14.68	15.02	Col B	Yes
93-65-2	MCPP	3100	E	14.58	14.44	14.78	Col B	Yes
	DCAA (Surrogate)	2.9		13.97	13.77	14.10	Col B	Yes

Herbicide Analysis Data Sheet

EAS Sample No.
9405549DL
MW 44D

Lab Name: EAS Laboratories

Lab Sample ID : 9405549DL

Lab Code: ENVRTE

Date Received : 10/13/94

Matrix (soil/water) : WATER

Date Extracted : 10/17/94

Sample wt/vol : 1 liter

Dilution Factor: 100

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/24/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 10:49

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	76	D	15.89	15.66	16.00	Col B	Yes
94-82-6	2,4-DB	50	D,U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	25	D,J	18.08	17.82	18.15	Col B	Yes
93-76-5	2,4,5-T	19	D,J	18.64	18.46	18.79	Col B	Yes
75-99-0	Dalapon	200	D,U		3.36	3.69	Col B	
1918-00-9	Dicamba	6.9	D,J	14.24	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	48	D,J	15.57	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	25	D,U		20.32	20.66	Col B	
94-74-6	MCPA	10000	D,U		14.68	15.02	Col B	
93-65-2	MCPP	5200	D,J	14.60	14.44	14.78	Col B	Yes
	DCAA (Surrogate)	50	D,U		13.77	14.10	Col B	

Herbicide Analysis Data Sheet

EAS Sample No.
9405549DL2

Lab Name: EAS Laboratories

Lab Sample ID : 9405549DL2

Lab Code: ENVRTE

Date Received : 10/13/94

Matrix (soil/water) : WATER

Date Extracted : 10/17/94

Sample wt/vol : 1 liter

Dilution Factor: 50

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/25/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 11:15

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	89	D	15.87	15.66	16.00	Col B	Yes
94-82-6	2,4-DB	26	D,U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	33	D	18.05	17.82	18.15	Col B	Yes
93-76-5	2,4,5-T	27	D	18.62	18.46	18.79	Col B	Yes
75-99-0	Dalapon	100	D,U		3.36	3.69	Col B	
1918-00-9	Dicamba	6.7	D,J	14.22	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	59	D	15.56	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	13	D,U		20.32	20.66	Col B	
94-74-6	MCPA	2100	D,J	14.88	14.68	15.02	Col B	Yes
93-65-2	MCPP	6400	D,J	14.58	14.44	14.78	Col B	Yes
	DCAA (Surrogate)	33	D,U		13.77	14.10	Col B	

Herbicide Analysis Data Sheet

EAS Sample No.
9405550
MW 33

Lab Name: EAS Laboratories

Lab Sample ID : 9405550

Lab Code: ENVRTE

Date Received : 10/13/94

Matrix (soil/water) : WATER

Date Extracted : 10/17/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/23/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 01:44

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	0.49	U	15.85	15.66	16.00	Col B	No
94-82-6	2,4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	0.058	U	18.03	17.82	18.15	Col B	No
93-76-5	2,4,5-T	0.25	U		18.46	18.79	Col B	
75-99-0	Dalapon	2.0	U		3.36	3.69	Col B	
1918-00-9	Dicamba	0.042	U	14.27	14.01	14.35	Col B	No
120-36-5	Dichloroprop	0.11	U	15.44	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	34	U	14.76	14.68	15.02	Col B	No
93-65-2	MCPP	50	U	14.59	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.1		13.96	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405551
MW 44B

Lab Name: EAS Laboratories

Lab Sample ID : 9405551

Lab Code: ENVRTE

Date Received : 10/13/94

Matrix (soil/water) : WATER

Date Extracted : 10/17/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/23/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 02:22

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2.4-D	24	E	15.85	15.66	16.00	Col B	Yes
94-82-6	2.4-DB	5.1	E	20.37	20.16	20.50	Col B	Yes
93-72-1	2.4.5-TP (Silvex)	9.0	E	17.98	17.82	18.15	Col B	Yes
93-76-5	2.4.5-T	13	E	18.52	18.46	18.79	Col B	Yes
75-99-0	Dalapon	1.3	U	3.62	3.36	3.69	Col B	No
1918-00-9	Dicamba	3.6	E	14.20	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	25	E	15.53	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	2200	E	14.86	14.68	15.02	Col B	Yes
93-65-2	MCPP	5300	E	14.56	14.44	14.78	Col B	Yes
	DCAA (Surrogate)	3.8		13.96	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405551DL
MW 44B

Lab Name: EAS Laboratories

Lab Code: ENVRTE

Matrix (soil/water) : WATER

Sample wt/vol : 1 liter

GC Column A (Col A): Restek Rtx-1701, 30m.

GC Column B (Col B): Restek Rtx-5, 30m.

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

Lab Sample ID : 9405551DL

Date Received : 10/13/94

Date Extracted : 10/17/94

Dilution Factor: 100

Date Analyzed (Col A and B) - 10/24/94

Time Analyzed (Col A and B) - 11:27

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	.210	D	15.86	15.66	16.00	Col B	Yes
94-82-6	2,4-DB	~~50~~	~~D,U~~		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	.062	D	18.03	17.82	18.15	Col B	Yes
93-76-5	2,4,5-T	.069	D	18.59	18.46	18.79	Col B	Yes
75-99-0	Dalapon	200	D,U		3.36	3.69	Col B	
1918-00-9	Dicamba	.012	D,J	14.21	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	.110	D	15.55	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	25	D,U		20.32	20.66	Col B	
94-74-6	MCPA	5000	D,J	14.87	14.68	15.02	Col B	Yes
93-65-2	MCPP	14000	D,J	14.58	14.44	14.78	Col B	Yes
	DCAA (Surrogate)	50	D,U		13.77	14.10	Col B	

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405552
MW 42S

Lab Name: EAS Laboratories

Lab Sample ID : 9405552

Lab Code: ENVRTE

Date Received : 10/13/94

Matrix (soil/water) : WATER

Date Extracted : 10/17/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/23/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 03:00

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2.4-D	1.8	U	15.85	15.66	16.00	Col B	No
94-82-6	2.4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2.4.5-TP (Silvex)	0.77		18.02	17.82	18.15	Col B	Yes
93-76-5	2.4.5-T	0.52	U	18.57	18.46	18.79	Col B	No
75-99-0	Dalapon	2.0	U		3.36	3.69	Col B	
1918-00-9	Dicamba	0.38		14.20	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	3.1	U	15.53	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	52	U	14.73	14.68	15.02	Col B	No
93-65-2	MCPP	840	U	14.52	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.2		13.96	13.77	14.10	Col B	Yes

Herbicide Analysis Data Sheet

EAS Sample No.
9405553
MW435

Lab Name: EAS Laboratories

Lab Code: ENVRTE

Matrix (soil/water) : WATER

Sample wt/vol : 1 liter

GC Column A (Col A): Restek Rtx-1701, 30m.

GC Column B (Col B): Restek Rtx-5, 30m.

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

Lab Sample ID : 9405553

Date Received : 10/13/94

Date Extracted : 10/17/94

Dilution Factor: 1

Date Analyzed (Col A and B) - 10/23/94

Time Analyzed (Col A and B) - 03:38

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	.011	U	15.85	15.66	16.00	Col B	No
94-82-6	2,4-DB	.0000.37	U	20.16	20.16	20.50	Col B	No
93-72-1	2,4,5-TP (Silvex)	5.7	E	18.02	17.82	18.15	Col B	Yes
93-76-5	2,4,5-T	7.0	E	18.57	18.46	18.79	Col B	Yes
75-99-0	Dalapon	.002.0	U		3.36	3.69	Col B	
1918-00-9	Dicamba	✓ .001.2		14.20	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	12	E	15.54	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	✓ .000.062	J	20.49	20.32	20.66	Col B	Yes
94-74-6	MCPA	740	U	14.86	14.68	15.02	Col B	No
93-65-2	MCPP	✓ 1800		14.56	14.44	14.78	Col B	Yes
	DCAA (Surrogate)	2.5		13.96	13.77	14.10	Col B	Yes

E?

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405553DL
MW435

Lab Name: EAS Laboratories

Lab Sample ID : 9405553DL

Lab Code: ENVRTE

Date Received : 10/13/94

Matrix (soil/water) : WATER

Date Extracted : 10/17/94

Sample wt/vol : 1 liter

Dilution Factor: 20

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/24/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 12:05

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	21	D,U	15.85	15.66	16.00	Col B	No
94-82-6	2,4-DB	10	D,U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	.011	D	18.01	17.82	18.15	Col B	Yes
93-76-5	2,4,5-T	.011	D	18.57	18.46	18.79	Col B	Yes
75-99-0	Dalapon	40	D,U		3.36	3.69	Col B	
1918-00-9	Dicamba	1.9	D,J	14.20	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	.022	D,J	15.53	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	5.0	D,U		20.32	20.66	Col B	
94-74-6	MCPA	1300	D,J	14.86	14.68	15.02	Col B	Yes
93-65-2	MCPP	2900	D,J	14.56	14.44	14.78	Col B	Yes
	DCAA (Surrogate)	10	D,U		13.77	14.10	Col B	

Herbicide Analysis Data Sheet

EAS Sample No.
9405553DL2
MW 435

Lab Name: EAS Laboratories

Lab Sample ID : 9405553DL2

Lab Code: ENVRTE

Date Received : 10/13/94

Matrix (soil/water) : WATER

Date Extracted : 10/17/94

Sample wt/vol : 1 liter

Dilution Factor: 40

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/25/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 12:31

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	25	D,U	15.81	15.66	16.00	Col B	No
94-82-6	2,4-DB	20	D,U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	13	D	18.06	17.82	18.15	Col B	Yes
93-76-5	2,4,5-T	14	D	18.62	18.46	18.79	Col B	Yes
75-99-0	Dalapon	80	D,U		3.36	3.69	Col B	
1918-00-9	Dicamba	2.1	D,J	14.23	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	31	D	15.57	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	10	D,U		20.32	20.66	Col B	
94-74-6	MCPA	1200	D,J	14.89	14.68	15.02	Col B	Yes
93-65-2	MCPP	3100	D,J	14.59	14.44	14.78	Col B	Yes
	DCAA (Surrogate)	20	D,U		13.77	14.10	Col B	

Herbicide Analysis Data Sheet

EAS Sample No.
9405554
MW 43D

Lab Name: EAS Laboratories

Lab Code: ENVRTE

Matrix (soil/water) : WATER

Sample wt/vol : 1 liter

GC Column A (Col A): Restek Rtx-1701, 30m.

GC Column B (Col B): Restek Rtx-5, 30m.

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

Lab Sample ID : 9405554

Date Received : 10/13/94

Date Extracted : 10/17/94

Dilution Factor: 1

Date Analyzed (Col A and B) - 10/23/94

Time Analyzed (Col A and B) - 04:15

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	22	E	15.82	15.66	16.00	Col B	Yes
94-82-6	2,4-DB	✓ 604.3		20.35	20.16	20.50	Col B	Yes
93-72-1	2,4,5-TP (Silvex)	8.9	E	18.00	17.82	18.15	Col B	Yes
93-76-5	2,4,5-T	12	E	18.53	18.46	18.79	Col B	Yes
75-99-0	Dalapon	2.0	U		3.36	3.69	Col B	
1918-00-9	Dicamba	✓ 1.2		14.20	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	23	E	15.55	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	1700	U	14.86	14.68	15.02	Col B	No
93-65-2	MCPP	4300	E	14.56	14.44	14.78	Col B	Yes
	DCAA (Surrogate)	3.5		13.95	13.77	14.10	Col B	Yes

E?

Herbicide Analysis Data Sheet

EAS Sample No.
9405554DL

Lab Name: EAS Laboratories

Lab Sample ID : 9405554DL

Lab Code: ENVRTE

Date Received : 10/13/94

Matrix (soil/water) : WATER

Date Extracted : 10/17/94

Sample wt/vol : 1 liter

Dilution Factor: 100

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/24/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 12:42

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	✓ 140	D	15.85	15.66	16.00	Col B	Yes
94-82-6	2,4-DB	50	D,U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	✓ 57	D	18.01	17.82	18.15	Col B	Yes
93-76-5	2,4,5-T	✓ 60	D	18.57	18.46	18.79	Col B	Yes
75-99-0	Dalapon	200	D,U		3.36	3.69	Col B	
1918-00-9	Dicamba	6.7	D,J	14.20	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	✓ 89	D	15.54	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	25	D,U		20.32	20.66	Col B	
94-74-6	MCPA	✓ 3800	D,J	14.86	14.68	15.02	Col B	Yes
93-65-2	MCPP	✓ 10000	D,J	14.56	14.44	14.78	Col B	Yes
	DCAA (Surrogate)	50	D,U		13.77	14.10	Col B	

Herbicide Analysis Data Sheet

EAS Sample No.
9405555
MW x2

Lab Name: EAS Laboratories

Lab Sample ID : 9405555

Lab Code: ENVRTE

Date Received : 10/13/94

Matrix (soil/water) : WATER

Date Extracted : 10/17/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/23/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 04:53

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2.4-D	2.1	U	15.84	15.66	16.00	Col B	No
94-82-6	2.4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2.4.5-TP (Silvex)	0.92		18.01	17.82	18.15	Col B	Yes
93-76-5	2.4.5-T	0.69	U	18.56	18.46	18.79	Col B	No
75-99-0	Dalapon	2.0	U		3.36	3.69	Col B	
1918-00-9	Dicamba	0.44		14.20	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	3.8		15.53	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	,360		14.85	14.68	15.02	Col B	Yes
93-65-2	MCPP	,830	U	14.52	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.1		13.95	13.77	14.10	Col B	Yes

Herbicide Analysis Data Sheet

EAS Sample No.
9405556
EQ BLK 10/12

Lab Name: EAS Laboratories

Lab Sample ID : 9405556

Lab Code: ENVRTE

Date Received : 10/13/94

Matrix (soil/water) : WATER

Date Extracted : 10/17/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/23/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 05:31

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	0.61		15.79	15.66	16.00	Col B	Yes
94-82-6	2,4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	0.049	J	18.01	17.82	18.15	Col B	Yes
93-76-5	2,4,5-T	0.048	U	18.56	18.46	18.79	Col B	No
75-99-0	Dalapon	3.2	U	3.40	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.25	U		14.01	14.35	Col B	
120-36-5	Dichloroprop	0.18	J	15.45	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	100	U		14.68	15.02	Col B	
93-65-2	MCPP	110	J	14.66	14.44	14.78	Col B	Yes
	DCAA (Surrogate)	2.2		13.95	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405557
MW 4.3

Lab Name: EAS Laboratories

Lab Code: ENVRTE

Matrix (soil/water) : WATER

Sample wt/vol : 1 liter

GC Column A (Col A): Restek Rtx-1701, 30m.

GC Column B (Col B): Restek Rtx-5, 30m.

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

Lab Sample ID : 9405557

Date Received : 10/13/94

Date Extracted : 10/17/94

Dilution Factor: 1

Date Analyzed (Col A and B) - 10/23/94

Time Analyzed (Col A and B) - 06:09

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	0.35	J	15.81	15.66	16.00	Col B	Yes
94-82-6	2,4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	0.041	U	18.03	17.82	18.15	Col B	No
93-76-5	2,4,5-T	0.038	U	18.59	18.46	18.79	Col B	No
75-99-0	Dalapon	2.0	U		3.36	3.69	Col B	
1918-00-9	Dicamba	0.25	U		14.01	14.35	Col B	
120-36-5	Dichloroprop	0.18	U	15.47	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	14	U	14.87	14.68	15.02	Col B	No
93-65-2	MCPP	37	U	14.53	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.3		13.97	13.77	14.10	Col B	Yes

Herbicide Analysis Data Sheet

EAS Sample No.
9405558
MW 4D

Lab Name: EAS Laboratories

Lab Sample ID : 9405558

Lab Code: ENVRTE

Date Received : 10/13/94

Matrix (soil/water) : WATER

Date Extracted : 10/17/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/23/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 08:02

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2.4-D	0.50	U		15.66	16.00	Col B	
94-82-6	2.4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2.4.5-TP (Silvex)	0.055	U	18.10	17.82	18.15	Col B	No
93-76-5	2.4.5-T	0.25	U		18.46	18.79	Col B	
75-99-0	Dalapon	3.8	U	3.42	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.25	U		14.01	14.35	Col B	
120-36-5	Dichloroprop	0.55	U	15.48	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	100	U		14.68	15.02	Col B	
93-65-2	MCPP	71	U	14.69	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.3		13.98	13.77	14.10	Col B	Yes

Herbicide Analysis Data Sheet

EAS Sample No.
9405559
MW x3

Lab Name: EAS Laboratories

Lab Sample ID : 9405559

Lab Code: ENVRTE

Date Received : 10/13/94

Matrix (soil/water) : WATER

Date Extracted : 10/19/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/23/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 10:33

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	0.50	U		15.66	16.00	Col B	
94-82-6	2,4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	0.25	U		17.82	18.15	Col B	
93-76-5	2,4,5-T	0.25	U		18.46	18.79	Col B	
75-99-0	Dalapon	19	U	3.44	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.25	U		14.01	14.35	Col B	
120-36-5	Dichloroprop	0.22	U	15.46	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	16	U	14.87	14.68	15.02	Col B	No
93-65-2	MCPP	55	U	14.67	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.4		13.96	13.77	14.10	Col B	Yes

Herbicide Analysis Data Sheet

EAS Sample No.
9405560
MW 41B

Lab Name: EAS Laboratories

Lab Sample ID : 9405560

Lab Code: ENVRTE

Date Received : 10/13/94

Matrix (soil/water) : WATER

Date Extracted : 10/19/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/23/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 11:11

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	X 2.6		15.85	15.66	16.00	Col B	Yes
94-82-6	2,4-DB	X 0.62		20.26	20.16	20.50	Col B	Yes
93-72-1	2,4,5-TP (Silvex)	0.18	J	18.03	17.82	18.15	Col B	Yes
93-76-5	2,4,5-T	0.16	J	18.67	18.46	18.79	Col B	Yes
75-99-0	Dalapon	14	U	3.43	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.25	U		14.01	14.35	Col B	
120-36-5	Dichloroprop	X 0.95		15.47	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	87	J	14.86	14.68	15.02	Col B	Yes
93-65-2	MCPP	49	U	14.59	14.44	14.78	Col B	No
	DCAA (Surrogate)	1.7		13.96	13.77	14.10	Col B	Yes

Herbicide Analysis Data Sheet

EAS Sample No.
9405561
MW 62

Lab Name: EAS Laboratories

Lab Sample ID : 9405561

Lab Code: ENVRTE

Date Received : 10/13/94

Matrix (soil/water) : WATER

Date Extracted : 10/19/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/23/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 11:49

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2.4-D	0.20	U	15.93	15.66	16.00	Col B	No
94-82-6	2.4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2.4.5-TP (Silvex)	0.10	J	18.06	17.82	18.15	Col B	Yes
93-76-5	2.4.5-T	0.25	U		18.46	18.79	Col B	
75-99-0	Dalapon	1.4	U	3.63	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.25	U		14.01	14.35	Col B	
120-36-5	Dichloroprop	0.21	U	15.48	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	50	U	14.79	14.68	15.02	Col B	No
93-65-2	MCPP	59	U	14.60	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.6		13.98	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405562
EA MK 10/13

Lab Name: EAS Laboratories

Lab Sample ID : 9405562

Lab Code: ENVRTE

Date Received : 10/13/94

Matrix (soil/water) : WATER

Date Extracted : 10/19/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/23/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 12:27

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	0.50	U		15.66	16.00	Col B	
94-82-6	2,4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	0.25	U		17.82	18.15	Col B	
93-76-5	2,4,5-T	0.25	U		18.46	18.79	Col B	
75-99-0	Dalapon	14	U	3.45	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.25	U		14.01	14.35	Col B	
120-36-5	Dichloroprop	0.39	U	15.50	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	.016	U	14.81	14.68	15.02	Col B	No
93-65-2	MCPP	.130	U	14.63	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.1		14.00	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405563
MW 505

Lab Name: EAS Laboratories

Lab Sample ID : 9405563

Lab Code: ENVRTE

Date Received : 10/13/94

Matrix (soil/water) : WATER

Date Extracted : 10/19/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/23/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 13:05

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	0.54	U	15.75	15.66	16.00	Col B	No
94-82-6	2,4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	0.15	U	18.09	17.82	18.15	Col B	No
93-76-5	2,4,5-T	0.25	U		18.46	18.79	Col B	
75-99-0	Dalapon	15	U	3.46	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.048	J	14.26	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	0.42	U	15.57	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	22	J	14.82	14.68	15.02	Col B	Yes
93-65-2	MCPP	250	U		14.44	14.78	Col B	
	DCAA (Surrogate)	2.4		14.00	13.77	14.10	Col B	Yes

Herbicide Analysis Data Sheet

EAS Sample No.
9405564
MW 53D

Lab Name: EAS Laboratories

Lab Sample ID : 9405564

Lab Code: ENVRTE

Date Received : 10/13/94

Matrix (soil/water) : WATER

Date Extracted : 10/19/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/23/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 13:43

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	6.3	U	15.89	15.66	16.00	Col B	No
94-82-6	2,4-DB	0.21	U	20.25	20.16	20.50	Col B	No
93-72-1	2,4,5-TP (Silvex)	1.8		18.08	17.82	18.15	Col B	Yes
93-76-5	2,4,5-T	2.0		18.73	18.46	18.79	Col B	Yes
75-99-0	Dalapon	12	U	3.45	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.24	J	14.24	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	2.8	U	15.57	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	270		14.90	14.68	15.02	Col B	Yes
93-65-2	MCPP	200	U	14.57	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.3		14.00	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405565
MW 59D

Lab Name: EAS Laboratories

Lab Sample ID : 9405565

Lab Code: ENVRTE

Date Received : 10/13/94

Matrix (soil/water) : WATER

Date Extracted : 10/19/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/23/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 15:38

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	0.50	U		15.66	16.00	Col B	
94-82-6	2,4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	0.25	U		17.82	18.15	Col B	
93-76-5	2,4,5-T	0.25	U		18.46	18.79	Col B	
75-99-0	Dalapon	.015	U	3.46	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.25	U		14.01	14.35	Col B	
120-36-5	Dichloroprop	1.3	U	15.51	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	.100	U		14.68	15.02	Col B	
93-65-2	MCPP	.063	U	14.72	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.3		14.00	13.77	14.10	Col B	Yes

Herbicide Analysis Data Sheet

EAS Sample No.
9405566
MW59S

Lab Name: EAS Laboratories

Lab Sample ID : 9405566

Lab Code: ENVRTE

Date Received : 10/13/94

Matrix (soil/water) : WATER

Date Extracted : 10/19/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/23/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 16:16

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2.4-D	0.50	U		15.66	16.00	Col B	
94-82-6	2.4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2.4.5-TP (Silvex)	0.25	U		17.82	18.15	Col B	
93-76-5	2.4.5-T	0.25	U		18.46	18.79	Col B	
75-99-0	Dalapon	14	U	3.45	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.25	U		14.01	14.35	Col B	
120-36-5	Dichloroprop	0.53	U	15.50	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	25	U	14.91	14.68	15.02	Col B	No
93-65-2	MCPP	220	U	14.71	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.7		14.00	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405567
m4 60

Lab Name: EAS Laboratories

Lab Code: ENVRTE

Matrix (soil/water) : WATER

Sample wt/vol : 1 liter

GC Column A (Col A): Restek Rtx-1701, 30m.

GC Column B (Col B): Restek Rtx-5, 30m.

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

Lab Sample ID : 9405567

Date Received : 10/13/94

Date Extracted : 10/19/94

Dilution Factor: 1

Date Analyzed (Col A and B) - 10/23/94

Time Analyzed (Col A and B) - 16:54

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2.4-D	0.50	U		15.66	16.00	Col B	
94-82-6	2.4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2.4.5-TP (Silvex)	0.25	U		17.82	18.15	Col B	
93-76-5	2.4.5-T	0.25	U		18.46	18.79	Col B	
75-99-0	Dalapon	.12	U	3.45	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.25	U		14.01	14.35	Col B	
120-36-5	Dichloroprop	0.34	U	15.50	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	.100	U		14.68	15.02	Col B	
93-65-2	MCPP	.110	U	14.71	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.7		14.00	13.77	14.10	Col B	Yes

Herbicide Analysis Data Sheet

EAS Sample No.
9405568
FB 10/12

Lab Name: EAS Laboratories

Lab Sample ID : 9405568

Lab Code: ENVRTE

Date Received : 10/13/94

Matrix (soil/water) : WATER

Date Extracted : 10/19/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/23/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 17:32

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2.4-D	0.50	U		15.66	16.00	Col B	
94-82-6	2.4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2.4.5-TP (Silvex)	0.25	U		17.82	18.15	Col B	
93-76-5	2.4.5-T	0.25	U		18.46	18.79	Col B	
75-99-0	Dalapon	12	U	3.45	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.25	U		14.01	14.35	Col B	
120-36-5	Dichloroprop	0.25	U	15.50	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	100	U		14.68	15.02	Col B	
93-65-2	MCPP	48	U	14.71	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.7		14.00	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405569
MW 6-B

Lab Name: EAS Laboratories

Lab Sample ID : 9405569

Lab Code: ENVRTE

Date Received : 10/14/94

Matrix (soil/water) : WATER

Date Extracted : 10/21/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/23/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 23:51

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	0.93		15.88	15.66	16.00	Col B	Yes
94-82-6	2,4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	0.12	J	18.07	17.82	18.15	Col B	Yes
93-76-5	2,4,5-T	0.18	J	18.72	18.46	18.79	Col B	Yes
75-99-0	Dalapon	.11	U	3.45	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.12	J	14.23	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	0.56		15.49	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	.100	U		14.68	15.02	Col B	
93-65-2	MCPP	.035	U	14.70	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.2		13.99	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405599
MW 36

Lab Name: EAS Laboratories

Lab Sample ID : 9405599

Lab Code: ENVRTE

Date Received : 10/14/94

Matrix (soil/water) : WATER

Date Extracted : 10/19/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/23/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 23:51

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2.4-D	0.50	U		15.66	16.00	Col B	
94-82-6	2.4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2.4.5-TP (Silvex)	0.25	U		17.82	18.15	Col B	
93-76-5	2.4.5-T	0.25	U		18.46	18.79	Col B	
75-99-0	Dalapon	18	U	3.47	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.25	U		14.01	14.35	Col B	
120-36-5	Dichloroprop	0.33	U	15.51	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	020	U	14.92	14.68	15.02	Col B	
93-65-2	MCPP	049	J	14.72	14.44	14.78	Col B	Yes
	DCAA (Surrogate)	2.7		14.01	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405600
MW 370

Lab Name: EAS Laboratories

Lab Sample ID : 9405600

Lab Code: ENVRTE

Date Received : 10/14/94

Matrix (soil/water) : WATER

Date Extracted : 10/19/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/23/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 18:48

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	0.19	J	15.89	15.66	16.00	Col B	Yes
94-82-6	2,4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	0.25	U		17.82	18.15	Col B	
93-76-5	2,4,5-T	0.25	U		18.46	18.79	Col B	
75-99-0	Dalapon	12	U	3.45	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.25	U		14.01	14.35	Col B	
120-36-5	Dichloroprop	0.31	U	15.51	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	16	U	14.91	14.68	15.02	Col B	No
93-65-2	MCPP	66	U	14.71	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.7		14.00	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405601
MW 37B

Lab Name: EAS Laboratories

Lab Sample ID : 9405601

Lab Code: ENVRTE

Date Received : 10/14/94

Matrix (soil/water) : WATER

Date Extracted : 10/19/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/23/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 19:25

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2.4-D	7.3	E	15.91	15.66	16.00	Col B	Yes
94-82-6	2.4-DB	0.16	U	20.28	20.16	20.50	Col B	No
93-72-1	2.4.5-TP (Silvex)	0.54		18.10	17.82	18.15	Col B	Yes
93-76-5	2.4.5-T	2.0	U	18.66	18.46	18.79	Col B	No
75-99-0	Dalapon	1	U	3.45	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.25	U		14.01	14.35	Col B	
120-36-5	Dichloroprop	1.8	U	15.59	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	100		14.91	14.68	15.02	Col B	Yes
93-65-2	MCPP	220	J	14.62	14.44	14.78	Col B	Yes
	DCAA (Surrogate)	2.9		14.01	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405601DL

Lab Name: EAS Laboratories

Lab Code: ENVRTE

Matrix (soil/water) : WATER

Sample wt/vol : 1 liter

GC Column A (Col A): Restek Rtx-1701, 30m.

GC Column B (Col B): Restek Rtx-5, 30m.

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

Lab Sample ID : 9405601DL

Date Received : 10/14/94

Date Extracted : 10/19/94

Dilution Factor: 4

Date Analyzed (Col A and B) - 10/24/94

Time Analyzed (Col A and B) - 14:36

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	[illegible]10	D	15.92	15.66	16.00	Col B	Yes
94-82-6	2,4-DB	2.0	D,U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	0.62	D,U	18.13	17.82	18.15	Col B	No
93-76-5	2,4,5-T	2.28	D,U	18.70	18.46	18.79	Col B	No
75-99-0	Dalapon	9.1	U	3.44	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.68	D,J	14.27	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	3.2	D	15.53	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	1.0	D,U		20.32	20.66	Col B	
94-74-6	MCPA	400	D,U		14.68	15.02	Col B	
93-65-2	MCPP	500	D,J	14.63	14.44	14.78	Col B	Yes
	DCAA (Surrogate)	3.2	D	14.02	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405602
MW 51B

Lab Name: EAS Laboratories

Lab Code: ENVRTE

Matrix (soil/water) : WATER

Sample wt/vol : 1 liter

GC Column A (Col A): Restek Rtx-1701, 30m.

GC Column B (Col B): Restek Rtx-5, 30m.

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

Lab Sample ID : 9405602

Date Received : 10/14/94

Date Extracted : 10/21/94

Dilution Factor: 1

Date Analyzed (Col A and B) - 10/24/94

Time Analyzed (Col A and B) - 00:29

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	4.1	U	15.89	15.66	16.00	Col B	No
94-82-6	2,4-DB	0.40	U	20.26	20.16	20.50	Col B	No
93-72-1	2,4,5-TP (Silvex)	1.4		18.08	17.82	18.15	Col B	Yes
93-76-5	2,4,5-T	3.2	U	18.73	18.46	18.79	Col B	No
75-99-0	Dalapon	12	U	3.45	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.80		14.25	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	4.1		15.58	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	270		14.90	14.68	15.02	Col B	Yes
93-65-2	MCPP	460	U	14.60	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.2		14.00	13.77	14.10	Col B	Yes

Herbicide Analysis Data Sheet

EAS Sample No.
9405604
MW 57

Lab Name: EAS Laboratories

Lab Sample ID : 9405604

Lab Code: ENVRTE

Date Received : 10/14/94

Matrix (soil/water) : WATER

Date Extracted : 10/19/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/23/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 20:04

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	0.50	U		15.66	16.00	Col B	
94-82-6	2,4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	0.14	J	18.07	17.82	18.15	Col B	Yes
93-76-5	2,4,5-T	0.25	U		18.46	18.79	Col B	
75-99-0	Dalapon	15	U	3.45	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.059	J	14.23	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	1.6	U	15.56	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	,200		14.89	14.68	15.02	Col B	Yes
93-65-2	MCPP	,950	U	14.55	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.6		13.99	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405605
MW 56D

Lab Name: EAS Laboratories

Lab Sample ID : 9405605

Lab Code: ENVRTE

Date Received : 10/14/94

Matrix (soil/water) : WATER

Date Extracted : 10/21/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/24/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 01:07

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	.00 9.5	U	15.89	15.66	16.00	Col B	No
94-82-6	2,4-DB	.00 0.82	U	20.26	20.16	20.50	Col B	No
93-72-1	2,4,5-TP (Silvex)	X .00 2.3		18.08	17.82	18.15	Col B	Yes
93-76-5	2,4,5-T	.00 3.5	U	18.65	18.46	18.79	Col B	No
75-99-0	Dalapon	.014	U	3.45	3.36	3.69	Col B	No
1918-00-9	Dicamba	X .00 0.95		14.24	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	6.7	E	15.58	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	.00 0.023	U	20.44	20.32	20.66	Col B	No
94-74-6	MCPA	X 500		14.90	14.68	15.02	Col B	Yes
93-65-2	MCPP	X 1700		14.60	14.44	14.78	Col B	Yes
	DCAA (Surrogate)	2.8		14.00	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405605DL

Lab Name: EAS Laboratories

Lab Code: ENVRTE

Matrix (soil/water) : WATER

Sample wt/vol : 1 liter

GC Column A (Col A): Restek Rtx-1701, 30m.

GC Column B (Col B): Restek Rtx-5, 30m.

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

Lab Sample ID : 9405605DL

Date Received : 10/14/94

Date Extracted : 10/21/94

Dilution Factor: 20

Date Analyzed (Col A and B) - 10/24/94

Time Analyzed (Col A and B) - 16:32

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	17	D,U	15.96	15.66	16.00	Col B	No
94-82-6	2,4-DB	10	D,U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	1.3	D,U	17.84	17.82	18.15	Col B	No
93-76-5	2,4,5-T	5.0	D,U		18.46	18.79	Col B	
75-99-0	Dalapon	40	D,U		3.36	3.69	Col B	
1918-00-9	Dicamba	1.6	D,J	14.31	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	713	D	15.64	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	5.0	D,U		20.32	20.66	Col B	
94-74-6	MCPA	740	D,J	14.97	14.68	15.02	Col B	Yes
93-65-2	MCPP	2800	D,J	14.67	14.44	14.78	Col B	Yes
	DCAA (Surrogate)	10	D,U		13.77	14.10	Col B	

Herbicide Analysis Data Sheet

EAS Sample No.
9405606
MW 565

Lab Name: EAS Laboratories

Lab Sample ID : 9405606

Lab Code: ENVRTE

Date Received : 10/14/94

Matrix (soil/water) : WATER

Date Extracted : 10/21/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/24/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 01:45

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	0.38	U	15.90	15.66	16.00	Col B	No
94-82-6	2,4-DB	0.16	U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	0.21	J	18.09	17.82	18.15	Col B	Yes
93-76-5	2,4,5-T	0.089	J	18.66	18.46	18.79	Col B	Yes
75-99-0	Dalapon	.014	U	3.46	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.12	J	14.25	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	1.4	U	15.58	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	.160		14.91	14.68	15.02	Col B	Yes
93-65-2	MCPP	.610	U	14.57	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.3		14.01	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405607
MW 585

Lab Name: EAS Laboratories

Lab Code: ENVRTE

Matrix (soil/water) : WATER

Sample wt/vol : 1 liter

GC Column A (Col A): Restek Rtx-1701, 30m.

GC Column B (Col B): Restek Rtx-5, 30m.

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

Lab Sample ID : 9405607

Date Received : 10/14/94

Date Extracted : 10/21/94

Dilution Factor: 1

Date Analyzed (Col A and B) - 10/24/94

Time Analyzed (Col A and B) - 02:23

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2.4-D	0.50	U		15.66	16.00	Col B	
94-82-6	2.4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2.4.5-TP (Silvex)	0.25	U		17.82	18.15	Col B	
93-76-5	2.4.5-T	0.25	U		18.46	18.79	Col B	
75-99-0	Dalapon	15	U	3.46	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.25	U		14.01	14.35	Col B	
120-36-5	Dichloroprop	0.27	U	15.50	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	18	U	14.90	14.68	15.02	Col B	No
93-65-2	MCPP	78	J	14.71	14.44	14.78	Col B	Yes
	DCAA (Surrogate)	2.4		14.00	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405608
MW 58D

Lab Name: EAS Laboratories

Lab Sample ID : 9405608

Lab Code: ENVRTE

Date Received : 10/14/94

Matrix (soil/water) : WATER

Date Extracted : 10/21/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/24/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 03:01

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2.4-D	4.8	U	15.89	15.66	16.00	Col B	No
94-82-6	2.4-DB	0.50	U		20.16	20.50	Col B	
93-72-1	2.4.5-TP (Silvex)	0.80		18.09	17.82	18.15	Col B	Yes
93-76-5	2.4.5-T	1.2		18.73	18.46	18.79	Col B	Yes
75-99-0	Dalapon	15	U	3.46	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.46		14.24	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	2.1	U	15.58	15.36	15.69	Col B	No
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	.190	U	14.90	14.68	15.02	Col B	No
93-65-2	MCPP	.970		14.57	14.44	14.78	Col B	Yes
	DCAA (Surrogate)	2.4		14.00	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405609
MW 52D

Lab Name: EAS Laboratories

Lab Sample ID : 9405609

Lab Code: ENVRTE

Date Received : 10/14/94

Matrix (soil/water) : WATER

Date Extracted : 10/21/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/24/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 03:39

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2.4-D	.027	E	15.83	15.66	16.00	Col B	Yes
94-82-6	2.4-DB	.004.9	U	20.23	20.16	20.50	Col B	No
93-72-1	2.4.5-TP (Silvex)	.012	E	18.07	17.82	18.15	Col B	Yes
93-76-5	2.4.5-T	.013	E	18.60	18.46	18.79	Col B	Yes
75-99-0	Dalapon	.016	U	3.46	3.36	3.69	Col B	No
1918-00-9	Dicamba	.004.9		14.24	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	30	E	15.56	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	2.2	U	20.47	20.32	20.66	Col B	No
94-74-6	MCPA	2700	E	14.92	14.68	15.02	Col B	Yes
93-65-2	MCPP	5000		14.61	14.44	14.78	Col B	Yes
	DCAA (Surrogate)	3.5		13.99	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405609DL

Lab Name: EAS Laboratories

Lab Sample ID : 9405609DL

Lab Code: ENVRTE

Date Received : 10/14/94

Matrix (soil/water) : WATER

Date Extracted : 10/21/94

Sample wt/vol : 1 liter

Dilution Factor: 100

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/24/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 19:46

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	190	D,U	15.95	15.66	16.00	Col B	No
94-82-6	2,4-DB	50	D,U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	3.3	D,J	17.83	17.82	18.15	Col B	Yes
93-76-5	2,4,5-T	74	D,U	18.74	18.46	18.79	Col B	No
75-99-0	Dalapon	200	D,U		3.36	3.69	Col B	
1918-00-9	Dicamba	12	D,J	14.30	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	D 150	D	15.63	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	25	D,U		20.32	20.66	Col B	
94-74-6	MCPA	D J 7600	D,J	14.96	14.68	15.02	Col B	Yes
93-65-2	MCPP	9400	D,U	14.67	14.44	14.78	Col B	No
	DCAA (Surrogate)	50	D,U		13.77	14.10	Col B	

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405610
MW 31D

Lab Name: EAS Laboratories

Lab Sample ID : 9405610

Lab Code: ENVRTE

Date Received : 10/14/94

Matrix (soil/water) : WATER

Date Extracted : 10/21/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/24/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 04:16

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	.014	U	15.89	15.66	16.00	Col B	No
94-82-6	2,4-DB	.00 1.8	U	20.19	20.16	20.50	Col B	No
93-72-1	2,4,5-TP (Silvex)	.00 6.2	U	18.07	17.82	18.15	Col B	No
93-76-5	2,4,5-T	.010	U	18.63	18.46	18.79	Col B	No
75-99-0	Dalapon	.017	U	3.46	3.36	3.69	Col B	No
1918-00-9	Dicamba	X .00 4.9			14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	8.1	E	15.58	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	.00 0.26	U	20.49	20.32	20.66	Col B	No
94-74-6	MCPA	X .880		14.90	14.68	15.02	Col B	Yes
93-65-2	MCPP	.800	U	14.56	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.6		13.99	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405610DL

Lab Name: EAS Laboratories

Lab Sample ID : 9405610DL

Lab Code: ENVRTE

Date Received : 10/14/94

Matrix (soil/water) : WATER

Date Extracted : 10/21/94

Sample wt/vol : 1 liter

Dilution Factor: 20

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/24/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 20:24

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	26	D,U	15.91	15.66	16.00	Col B	No
94-82-6	2,4-DB	10	D,U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	12	D,U	18.11	17.82	18.15	Col B	No
93-76-5	2,4,5-T	26	D,U	18.68	18.46	18.79	Col B	No
75-99-0	Dalapon	40	D,U		3.36	3.69	Col B	
1918-00-9	Dicamba	1.7	D,J	14.26	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	016	D	15.60	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	5.0	D,U		20.32	20.66	Col B	
94-74-6	MCPA	700	D,U	14.92	14.68	15.02	Col B	No
93-65-2	MCPP	1100	D,U	14.58	14.44	14.78	Col B	No
	DCAA (Surrogate)	10	D,U		13.77	14.10	Col B	

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405611
MW 31

Lab Name: EAS Laboratories

Lab Sample ID : 9405611

Lab Code: ENVRTE

Date Received : 10/14/94

Matrix (soil/water) : WATER

Date Extracted : 10/21/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/24/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 04:54

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2.4-D	17	U	15.78	15.66	16.00	Col B	No
94-82-6	2.4-DB	4.7	U	20.26	20.16	20.50	Col B	No
93-72-1	2.4.5-TP (Silvex)	2.6	U	18.08	17.82	18.15	Col B	No
93-76-5	2.4.5-T	1.9	U	18.64	18.46	18.79	Col B	No
75-99-0	Dalapon	15	U	3.45	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.21	J	14.24	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	1.7		15.57	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	2.2	U		20.32	20.66	Col B	No
94-74-6	MCPA	210	U	14.89	14.68	15.02	Col B	No
93-65-2	MCPP	180	U	14.56	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.3		13.99	13.77	14.10	Col B	Yes

Herbicide Analysis Data Sheet

EAS Sample No.
9405612
MW 51D

Lab Name: EAS Laboratories

Lab Sample ID : 9405612

Lab Code: ENVRTE

Date Received : 10/14/94

Matrix (soil/water) : WATER

Date Extracted : 10/21/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/24/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 21:41

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	18	U	15.92	15.66	16.00	Col B	No
94-82-6	2,4-DB	1.8	U	20.30	20.16	20.50	Col B	No
93-72-1	2,4,5-TP (Silvex)	8.3	E	18.11	17.82	18.15	Col B	Yes
93-76-5	2,4,5-T	10	E	18.75	18.46	18.79	Col B	Yes
75-99-0	Dalapon	9.3	U	3.46	3.36	3.69	Col B	No
1918-00-9	Dicamba	2.0		14.26	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	17	E	15.60	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	0.1	J	20.64	20.32	20.66	Col B	Yes
94-74-6	MCPA	100	U	14.92	14.68	15.02	Col B	No
93-65-2	MCPP	1000	U	14.58	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.3		14.01	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405612DL

Lab Name: EAS Laboratories

Lab Sample ID : 9405612DL

Lab Code: ENVRTE

Date Received : 10/14/94

Matrix (soil/water) : WATER

Date Extracted : 10/21/94

Sample wt/vol : 1 liter

Dilution Factor: 50

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/25/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 20:43

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	78	D,U	15.89	15.66	16.00	Col B	No
94-82-6	2,4-DB	25	D,U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	030	D	18.07	17.82	18.15	Col B	Yes
93-76-5	2,4,5-T	030	D	18.72	18.46	18.79	Col B	Yes
75-99-0	Dalapon	100	D,U		3.36	3.69	Col B	
1918-00-9	Dicamba	3.8	D,J	14.24	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	040	D	15.57	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	13	J		20.32	20.66	Col B	Yes
94-74-6	MCPA	1800	D,J	14.89	14.68	15.02	Col B	Yes
93-65-2	MCPP	1200	D,U	14.55	14.44	14.78	Col B	No
	DCAA (Surrogate)	25	D,U		13.77	14.10	Col B	

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405613
MW 30

Lab Name: EAS Laboratories

Lab Sample ID : 9405613

Lab Code: ENVRTE

Date Received : 10/14/94

Matrix (soil/water) : WATER

Date Extracted : 10/21/94

Sample wt/vol : 1 liter

Dilution Factor: 1

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/24/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 22:19

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2.4-D	.023	U	15.89	15.66	16.00	Col B	No
94-82-6	2.4-DB	.006.2	U	20.29	20.16	20.50	Col B	No
93-72-1	2.4.5-TP (Silvex)	8.2	E	18.08	17.82	18.15	Col B	Yes
93-76-5	2.4.5-T	14	E	18.62	18.46	18.79	Col B	Yes
75-99-0	Dalapon	.012	U	3.46	3.36	3.69	Col B	No
1918-00-9	Dicamba	x .002.1		14.26	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	19	E	15.60	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	c .0000.092	J	20.49	20.32	20.66	Col B	Yes
94-74-6	MCPA	1600	E	14.92	14.68	15.02	Col B	Yes
93-65-2	MCPP	1700	U	14.63	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.5		14.01	13.77	14.10	Col B	Yes

Herbicide Analysis Data Sheet

EAS Sample No.
9405613DL

Lab Name: EAS Laboratories

Lab Sample ID : 9405613DL

Lab Code: ENVRTE

Date Received : 10/14/94

Matrix (soil/water) : WATER

Date Extracted : 10/21/94

Sample wt/vol : 1 liter

Dilution Factor: 50

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/25/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 22:20

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	150	D,U	15.89	15.66	16.00	Col B	No
94-82-6	2,4-DB	25	D,U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	32	D	18.07	17.82	18.15	Col B	Yes
93-76-5	2,4,5-T	85	D	18.64	18.46	18.79	Col B	Yes
75-99-0	Dalapon	100	D,U		3.36	3.69	Col B	
1918-00-9	Dicamba	3.8	D,J	14.24	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	49	D	15.57	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	13	D,U		20.32	20.66	Col B	
94-74-6	MCPA	3000	D,J	14.90	14.68	15.02	Col B	Yes
93-65-2	MCPP	3100	D,U	14.61	14.44	14.78	Col B	No
	DCAA (Surrogate)	25	D,U		13.77	14.10	Col B	

Herbicide Analysis Data Sheet

EAS Sample No.
9405673
MW 31B

Lab Name: EAS Laboratories

Lab Code: ENVRTE

Matrix (soil/water) : WATER

Sample wt/vol : 1 liter

GC Column A (Col A): Restek Rtx-1701, 30m.

GC Column B (Col B): Restek Rtx-5, 30m.

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

Lab Sample ID : 9405673

Date Received : 10/19/94

Date Extracted : 10/21/94

Dilution Factor: 1

Date Analyzed (Col A and B) - 10/24/94

Time Analyzed (Col A and B) - 22:57

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2.4-D	14	E	15.89	15.66	16.00	Col B	Yes
94-82-6	2.4-DB	.00 0.74	U	20.26	20.16	20.50	Col B	No
93-72-1	2.4.5-TP (Silvex)	X .00 2.5		18.08	17.82	18.15	Col B	Yes
93-76-5	2.4.5-T	8.9	E	18.65	18.46	18.79	Col B	Yes
75-99-0	Dalapon	.008.7	U	3.44	3.36	3.69	Col B	No
1918-00-9	Dicamba	X .00 0.58		14.24	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	X .00 4.9		15.58	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	X .00 0.062	J	20.60	20.32	20.66	Col B	Yes
94-74-6	MCPA	X .340		14.90	14.68	15.02	Col B	Yes
93-65-2	MCPP	.370	U	14.56	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.0		14.00	13.77	14.10	Col B	Yes

FORM I

Herbicide Analysis Data Sheet

EAS Sample No.
9405673DL

Lab Name: EAS Laboratories

Lab Sample ID : 9405673DL

Lab Code: ENVRTE

Date Received : 10/19/94

Matrix (soil/water) : WATER

Date Extracted : 10/21/94

Sample wt/vol : 1 liter

Dilution Factor: 5

GC Column A (Col A): Restek Rtx-1701, 30m.

Date Analyzed (Col A and B) - 10/25/94

GC Column B (Col B): Restek Rtx-5, 30m.

Time Analyzed (Col A and B) - 21:58

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	22	D	15.89	15.66	16.00	Col B	Yes
94-82-6	2,4-DB	2.5	D,U		20.16	20.50	Col B	
93-72-1	2,4,5-TP (Silvex)	3.6	D,U	18.08	17.82	18.15	Col B	No
93-76-5	2,4,5-T	13	D	18.64	18.46	18.79	Col B	Yes
75-99-0	Dalapon	10	D,U		3.36	3.69	Col B	
1918-00-9	Dicamba	0.75	D,J	14.24	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	7.5	D	15.58	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	1.3	D,U		20.32	20.66	Col B	
94-74-6	MCPA	420	D,J	14.90	14.68	15.02	Col B	Yes
93-65-2	MCPP	600	D,U	14.56	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.5	D,U		13.77	14.10	Col B	

Herbicide Analysis Data Sheet

EAS Sample No.
9405674
MW 42B

Lab Name: EAS Laboratories

Lab Code: ENVRTE

Matrix (soil/water) : WATER

Sample wt/vol : 1 liter

GC Column A (Col A): Restek Rtx-1701, 30m.

GC Column B (Col B): Restek Rtx-5, 30m.

Extraction (SepF/Cont/Sonc/Wrist) : SepF

Concentrated Extract Volume : 10000 uL

Injection Volume : 2.0 uL

Lab Sample ID : 9405674

Date Received : 10/19/94

Date Extracted : 10/21/94

Dilution Factor: 1

Date Analyzed (Col A and B) - 10/24/94

Time Analyzed (Col A and B) - 23:35

CAS NO.	Compound	Conc. Units: ug/L	Q	RT Time	RT Window of STD From	RT Window of STD To	Quant? (Col A or Col B)	Confirmed on Opp Col?
94-75-7	2,4-D	2.8		15.90	15.66	16.00	Col B	Yes
94-82-6	2,4-DB	0.26	J	20.25	20.16	20.50	Col B	Yes
93-72-1	2,4,5-TP (Silvex)	0.70		18.09	17.82	18.15	Col B	Yes
93-76-5	2,4,5-T	1.4		18.65	18.46	18.79	Col B	Yes
75-99-0	Dalapon	12	U	3.45	3.36	3.69	Col B	No
1918-00-9	Dicamba	0.18	J	14.24	14.01	14.35	Col B	Yes
120-36-5	Dichloroprop	1.2		15.58	15.36	15.69	Col B	Yes
88-85-7	Dinoseb	0.25	U		20.32	20.66	Col B	
94-74-6	MCPA	78	J	14.90	14.68	15.02	Col B	Yes
93-65-2	MCPP	58	U	14.57	14.44	14.78	Col B	No
	DCAA (Surrogate)	2.6		14.00	13.77	14.10	Col B	Yes

ENVIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/11/1994
Sample Description: MW 61D
EAS Sample Number: 9405510
Date Sample Received: 10/12/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	25.	10.	mgCaCO3/L	10/24/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/24/94
Chloride	130.	5.0	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	BQL	0.050	mg/L	10/24/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/13/94
Nitrate-Nitrogen	1.0	0.50	mg/L	10/14/94
pH	6.1			11/08/94
Phenols, Total	BQL	5.0	ug/L	11/04/94
Sulfate	60.	25.	mg/L	10/21/94
Specific Conductivity	550.	10.	umho/cm²	11/08/94
Total Dissolved Solids	360.	20.	mg/L	10/14/94
Total Organic Carbon	11.	5.0	mg/L	11/02/94
Total Organic Halogens	BQL	0.10	mg/L	11/03/94
tal Suspended Solids	150.	4.0	mg/L	10/14/94
tals Digestion - Aqueous Sample				11/01/94
Silver, Dissolved	BQL	0.030	mg/L	12/01/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/01/94
Barium, Dissolved	BQL	0.50	mg/L	12/01/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/01/94
Calcium, Dissolved	25.	1.0	mg/L	12/01/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/01/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/01/94
Chromium, Dissolved	BQL	0.040	mg/L	12/01/94
Copper, Dissolved	BQL	0.020	mg/L	12/01/94
Iron, Dissolved	BQL	0.030	mg/L	12/01/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/01/94
Potassium, Dissolved	6.4	1.0	mg/L	12/01/94
Magnesium, Dissolved	5.3	0.50	mg/L	12/01/94
Manganese, Dissolved	BQL	0.050	mg/L	12/02/94
Sodium, Dissolved	85.	1.0	mg/L	12/02/94
Nickel, Dissolved	BQL	0.030	mg/L	12/02/94
Lead, Dissolved	BQL	0.060	mg/L	12/02/94
Antimony, Dissolved	BQL	0.40	mg/L	12/02/94
Tin-Dissolved	BQL	0.80	mg/L	12/02/94
Thalium-Dissolved	BQL	0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/02/94
Zinc, Dissolved	BQL	0.010	mg/L	12/02/94

VIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/11/1994
Sample Description: MW 61D
EAS Sample Number: 9405510
Date Sample Received: 10/12/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/01/94
Arsenic, Total	BQL	0.0050	mg/L	12/01/94
Barium, Total	BQL	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	28.	1.0	mg/L	12/01/94
Cadmium, Total	BQL	0.010	mg/L	12/01/94
Cobalt, Total	BQL	0.10	mg/L	12/01/94
Chromium, Total	BQL	0.040	mg/L	12/01/94
Copper, Total	0.020	0.020	mg/L	12/01/94
Iron, Total	14.	0.30	mg/L	12/01/94
Mercury, Total	BQL	0.0050	mg/L	11/01/94
Potassium, Total	8.5	1.0	mg/L	12/01/94
Magnesium, Total	8.6	0.50	mg/L	12/01/94
anganese, Total	0.35	0.050	mg/L	12/01/94
dium, Total	88.	1.0	mg/L	12/01/94
Nickel, Total	BQL	0.030	mg/L	12/01/94
Lead, Total	BQL	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	0.049	0.010	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
d Waterbury Road
homaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/11/1994
Sample Description: MW 61S
EAS Sample Number: 9405511
Date Sample Received: 10/12/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	28.	10.	mgCaCO3/L	10/24/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/24/94
Chloride	56.	5.0	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	BQL	0.050	mg/L	10/24/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/13/94
Nitrate-Nitrogen	1.3	0.050	mg/L	10/14/94
pH	6.3			11/08/94
Phenols, Total	BQL	5.0	ug/L	10/20/94
Sulfate	36.	5.0	mg/L	10/21/94
Specific Conductivity	320.	10.	umho/cm²	11/08/94
Total Dissolved Solids	230.	20.	mg/L	10/14/94
Total Organic Carbon	36.	5.0	mg/L	11/02/94
Total Organic Halogens	BQL	0.10	mg/L	11/03/94
tal Suspended Solids	250.	8.0	mg/L	10/14/94
tals Digestion - Aqueous Sample				11/01/94
Silver, Dissolved	BQL	0.030	mg/L	12/01/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/01/94
Barium, Dissolved	BQL	0.50	mg/L	12/01/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/01/94
Calcium, Dissolved	11.	1.0	mg/L	12/01/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/01/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/01/94
Chromium, Dissolved	BQL	0.040	mg/L	12/01/94
Copper, Dissolved	BQL	0.020	mg/L	12/01/94
Iron, Dissolved	BQL	0.030	mg/L	12/01/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/01/94
Potassium, Dissolved	5.3	1.0	mg/L	12/01/94
Magnesium, Dissolved	4.0	0.50	mg/L	12/01/94
Manganese, Dissolved	BQL	0.050	mg/L	12/02/94
Sodium, Dissolved	49.	1.0	mg/L	12/02/94
Nickel, Dissolved	BQL	0.030	mg/L	12/02/94
Lead, Dissolved	BQL	0.060	mg/L	12/02/94
Antimony, Dissolved	BQL	0.40	mg/L	12/02/94
Tin-Dissolved	BQL	0.80	mg/L	12/02/94
Thalium-Dissolved	BQL	0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/02/94
Zinc, Dissolved	0.018	0.010	mg/L	12/02/94

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/11/1994
Sample Description: MW 61S
EAS Sample Number: 9405511
Date Sample Received: 10/12/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/01/94
Arsenic, Total	BQL	0.0050	mg/L	12/01/94
Barium, Total	BQL	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	13.	1.0	mg/L	12/01/94
Cadmium, Total	BQL	0.010	mg/L	12/01/94
Cobalt, Total	BQL	0.10	mg/L	12/01/94
Chromium, Total	BQL	0.040	mg/L	12/01/94
Copper, Total	0.030	0.020	mg/L	12/01/94
Iron, Total	10.	0.30	mg/L	12/01/94
Mercury, Total	BQL	0.0050	mg/L	11/01/94
Potassium, Total	5.9	1.0	mg/L	12/01/94
Magnesium, Total	5.8	0.50	mg/L	12/01/94
Manganese, Total	0.12	0.050	mg/L	12/01/94
[illegible]dium, Total	50.	1.0	mg/L	12/01/94
[illegible]ckel, Total	BQL	0.030	mg/L	12/01/94
Lead, Total	BQL	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	0.049	0.010	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/11/1994
Sample Description: MW 32S
EAS Sample Number: 9405512
Date Sample Received: 10/12/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	28.	10.	mgCaCO3/L	10/24/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/24/94
Chloride	91.	5.0	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	BQL	0.050	mg/L	10/24/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/13/94
Nitrate-Nitrogen	1.6	0.50	mg/L	10/14/94
pH	5.9			11/08/94
Phenols, Total	BQL	.00 5.0	ug/L	10/20/94
Sulfate	29.	5.0	mg/L	10/21/94
Specific Conductivity	390.	10.	umho/cm²	11/08/94
Total Dissolved Solids	270.	20.	mg/L	10/14/94
Total Organic Carbon	BQL	5.0	mg/L	11/02/94
Total Organic Halogens	BQL	0.10	mg/L	10/14/94
[illegible]tal Suspended Solids	270.	8.0	mg/L	10/14/94
[illegible]etals Digestion - Aqueous Sample				11/01/94
Silver, Dissolved	BQL	0.030	mg/L	12/01/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/01/94
Barium, Dissolved	BQL	0.50	mg/L	12/01/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/01/94
Calcium, Dissolved	11.	1.0	mg/L	12/01/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/01/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/01/94
Chromium, Dissolved	BQL	0.040	mg/L	12/01/94
Copper, Dissolved	BQL	0.020	mg/L	12/01/94
Iron, Dissolved	BQL	0.030	mg/L	12/01/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/01/94
Potassium, Dissolved	5.0	1.0	mg/L	12/01/94
Magnesium, Dissolved	1.9	0.50	mg/L	12/01/94
Manganese, Dissolved	BQL	0.050	mg/L	12/02/94
Sodium, Dissolved	65.	1.0	mg/L	12/02/94
Nickel, Dissolved	BQL	0.030	mg/L	12/02/94
Lead, Dissolved	BQL	0.060	mg/L	12/02/94
Antimony, Dissolved	BQL	0.40	mg/L	12/02/94
Tin-Dissolved	BQL	0.80	mg/L	12/02/94
Thalium-Dissolved	BQL	0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/02/94
Zinc, Dissolved	0.018	0.010	mg/L	12/02/94

VIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/11/1994
Sample Description: MW 32S
EAS Sample Number: 9405512
Date Sample Received: 10/12/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/01/94
Arsenic, Total	BQL	0.0050	mg/L	12/01/94
Barium, Total	BQL	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	12.	1.0	mg/L	12/01/94
Cadmium, Total	BQL	0.010	mg/L	12/01/94
Cobalt, Total	BQL	0.10	mg/L	12/01/94
Chromium, Total	BQL	0.040	mg/L	12/01/94
Copper, Total	0.020	0.020	mg/L	12/01/94
Iron, Total	7.0	0.30	mg/L	12/01/94
Mercury, Total	BQL	0.0050	mg/L	11/01/94
Potassium, Total	5.8	1.0	mg/L	12/01/94
Magnesium, Total	3.5	0.50	mg/L	12/01/94
nganese, Total	0.27	0.050	mg/L	12/01/94
dium, Total	68.	1.0	mg/L	12/01/94
Nickel, Total	BQL	0.030	mg/L	12/01/94
Lead, Total	BQL	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	0.049	0.010	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/11/1994
Sample Description: MW 63
EAS Sample Number: 9405513
Date Sample Received: 10/12/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	28.	10.	mgCaCO3/L	10/24/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/24/94
Chloride	120.	5.0	mg/L	10/21/94
Cyanide, Total	0.046	0.010	mg/L	10/24/94
Ammonia-Nitrogen	0.16	0.050	mg/L	10/24/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/13/94
Nitrate-Nitrogen	0.90	0.50	mg/L	10/14/94
pH	6.0			11/08/94
Phenols, Total	BQL	5.0	ug/L	10/20/94
Sulfate	37.	5.0	mg/L	10/21/94
Specific Conductivity	490.	10.	umho/cm²	11/08/94
Total Dissolved Solids	370.	20.	mg/L	10/14/94
Total Organic Carbon	12.	5.0	mg/L	11/02/94
Total Organic Halogens	BQL	0.10	mg/L	10/14/94
[illegible]tal Suspended Solids	21000.	40.	mg/L	10/14/94
Metals Digestion - Aqueous Sample				11/01/94
Silver, Dissolved	BQL	0.030	mg/L	12/01/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/01/94
Barium, Dissolved	BQL	0.50	mg/L	12/01/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/01/94
Calcium, Dissolved	16.	1.0	mg/L	12/01/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/01/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/01/94
Chromium, Dissolved	BQL	0.040	mg/L	12/01/94
Copper, Dissolved	BQL	0.020	mg/L	12/01/94
Iron, Dissolved	0.16	0.030	mg/L	12/01/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/01/94
Potassium, Dissolved	5.9	1.0	mg/L	12/01/94
Magnesium, Dissolved	2.2	0.50	mg/L	12/01/94
Manganese, Dissolved	BQL	0.050	mg/L	12/02/94
Sodium, Dissolved	79.	1.0	mg/L	12/02/94
Nickel, Dissolved	BQL	0.030	mg/L	12/02/94
Lead, Dissolved	BQL	0.060	mg/L	12/02/94
Antimony, Dissolved	BQL	0.40	mg/L	12/02/94
Tin-Dissolved	BQL	0.80	mg/L	12/02/94
Thalium-Dissolved	BQL	0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/02/94
Zinc, Dissolved	0.024	0.010	mg/L	12/02/94

VIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/11/1994
Sample Description: MW 63
EAS Sample Number: 9405513
Date Sample Received: 10/12/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/01/94
Arsenic, Total	0.0096	0.0050	mg/L	12/01/94
Barium, Total	0.52	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	27.	1.0	mg/L	12/01/94
Cadmium, Total	BQL	0.010	mg/L	12/01/94
Cobalt, Total	BQL	0.10	mg/L	12/01/94
Chromium, Total	0.32	0.040	mg/L	12/01/94
Copper, Total	1.0	0.020	mg/L	12/01/94
Iron, Total	140.	3.0	mg/L	12/01/94
Mercury, Total	BQL	0.0050	mg/L	11/01/94
Potassium, Total	21.	1.0	mg/L	12/01/94
Magnesium, Total	26.	0.50	mg/L	12/01/94
Manganese, Total	1.7	0.050	mg/L	12/01/94
dium, Total	87.	1.0	mg/L	12/01/94
ickel, Total	0.21	0.030	mg/L	12/01/94
Lead, Total	0.15	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	0.68	0.010	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/11/1994
Sample Description: MW-X1
EAS Sample Number: 9405514
Date Sample Received: 10/12/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	28.	10.	mgCaCO3/L	10/24/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/24/94
Chloride	90.	5.0	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	BQL	0.050	mg/L	10/24/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/13/94
Nitrate-Nitrogen	1.2	0.50	mg/L	10/14/94
Phenols, Total	BQL	5.0	ug/L	10/20/94
Sulfate	29.	5.0	mg/L	10/21/94
Total Dissolved Solids	280.	20.	mg/L	10/14/94
Total Organic Carbon	BQL	5.0	mg/L	11/02/94
Total Organic Halogens	BQL	0.10	mg/L	10/14/94
Total Suspended Solids	930.	8.0	mg/L	10/14/94
Metals Digestion - Aqueous Sample				11/01/94
lver, Dissolved	BQL	0.030	mg/L	12/01/94
rsenic, Dissolved	BQL	0.0050	mg/L	12/01/94
Barium, Dissolved	BQL	0.50	mg/L	12/01/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/01/94
Calcium, Dissolved	11.	1.0	mg/L	12/01/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/01/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/01/94
Chromium, Dissolved	BQL	0.040	mg/L	12/01/94
Copper, Dissolved	BQL	0.020	mg/L	12/01/94
Iron, Dissolved	BQL	0.030	mg/L	12/01/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/01/94
Potassium, Dissolved	5.3	1.0	mg/L	12/01/94
Magnesium, Dissolved	2.0	0.50	mg/L	12/01/94
Manganese, Dissolved	BQL	0.050	mg/L	12/02/94
Sodium, Dissolved	70.	1.0	mg/L	12/02/94
Nickel, Dissolved	BQL	0.030	mg/L	12/02/94
Lead, Dissolved	BQL	0.060	mg/L	12/02/94
Antimony, Dissolved	BQL	0.40	mg/L	12/02/94
Tin-Dissolved	BQL	0.80	mg/L	12/02/94
Thalium-Dissolved	BQL	0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/02/94
Zinc, Dissolved	0.018	0.010	mg/L	12/02/94
Silver, Total	BQL	0.030	mg/L	12/01/94
Arsenic, Total	BQL	0.0050	mg/L	12/01/94

ENVIRITE CORP. (THOMASTON)
d Waterbury Road
homaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/11/1994
Sample Description: MW-X1
EAS Sample Number: 9405514
Date Sample Received: 10/12/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Barium, Total	BQL	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	13.	1.0	mg/L	12/01/94
Cadmium, Total	BQL	0.010	mg/L	12/01/94
Cobalt, Total	BQL	0.10	mg/L	12/01/94
Chromium, Total	0.040	0.040	mg/L	12/01/94
Copper, Total	0.040	0.020	mg/L	12/01/94
Iron, Total	28.	0.30	mg/L	12/01/94
Mercury, Total	BQL	0.0050	mg/L	11/01/94
Potassium, Total	9.7	1.0	mg/L	12/01/94
Magnesium, Total	8.8	0.50	mg/L	12/01/94
Manganese, Total	0.92	0.050	mg/L	12/01/94
Sodium, Total	70.	1.0	mg/L	12/01/94
Nickel, Total	0.050	0.030	mg/L	12/01/94
ad, Total	BQL	0.060	mg/L	12/01/94
timony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	0.10	0.010	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/11/1994
Sample Description: EQUIPMENT BLANK
EAS Sample Number: 9405515
Date Sample Received: 10/12/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	BQL	10.	mgCaCO3/L	10/24/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/24/94
Chloride	BQL	5.0	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	BQL	0.050	mg/L	10/19/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/13/94
Nitrate-Nitrogen	BQL	0.050	mg/L	10/14/94
Phenols, Total	BQL	5.0	ug/L	10/20/94
Sulfate	BQL	5.0	mg/L	10/21/94
Total Dissolved Solids	15.	10.	mg/L	10/14/94
Total Organic Carbon	BQL	5.0	mg/L	11/02/94
Total Organic Halogens	BQL	0.10	mg/L	10/14/94
Total Suspended Solids	BQL	4.0	mg/L	10/14/94
Metals Digestion - Aqueous Sample				11/01/94
Silver, Dissolved	BQL	0.030	mg/L	12/01/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/01/94
Barium, Dissolved	BQL	0.50	mg/L	12/01/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/01/94
Calcium, Dissolved	BQL	1.0	mg/L	12/01/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/01/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/01/94
Chromium, Dissolved	BQL	0.040	mg/L	12/01/94
Copper, Dissolved	BQL	0.020	mg/L	12/01/94
Iron, Dissolved	BQL	0.030	mg/L	12/01/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/01/94
Potassium, Dissolved	BQL	1.0	mg/L	12/01/94
Magnesium, Dissolved	BQL	0.50	mg/L	12/01/94
Manganese, Dissolved	BQL	0.050	mg/L	12/02/94
Sodium, Dissolved	BQL	1.0	mg/L	12/02/94
Nickel, Dissolved	BQL	0.030	mg/L	12/02/94
Lead, Dissolved	BQL	0.060	mg/L	12/02/94
Antimony, Dissolved	BQL	0.40	mg/L	12/02/94
Tin-Dissolved	BQL	0.80	mg/L	12/02/94
Thalium-Dissolved	BQL	0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/02/94
Zinc, Dissolved	BQL	0.010	mg/L	12/02/94
Silver, Total	BQL	0.030	mg/L	12/01/94
Arsenic, Total	BQL	0.0050	mg/L	12/01/94

VIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/11/1994
Sample Description: EQUIPMENT BLANK
EAS Sample Number: 9405515
Date Sample Received: 10/12/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Barium, Total	BQL	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	BQL	1.0	mg/L	12/01/94
Cadmium, Total	BQL	0.010	mg/L	12/01/94
Cobalt, Total	BQL	0.10	mg/L	12/01/94
Chromium, Total	BQL	0.040	mg/L	12/01/94
Copper, Total	BQL	0.020	mg/L	12/01/94
Iron, Total	BQL	0.030	mg/L	12/01/94
Mercury, Total	BQL	0.0050	mg/L	11/01/94
Potassium, Total	BQL	1.0	mg/L	12/01/94
Magnesium, Total	BQL	0.50	mg/L	12/01/94
Manganese, Total	BQL	0.050	mg/L	12/01/94
Sodium, Total	BQL	1.0	mg/L	12/01/94
Nickel, Total	BQL	0.030	mg/L	12/01/94
ad, Total	BQL	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	BQL	0.010	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/12/1994
Sample Description: MW 55B
EAS Sample Number: 9405516
Date Sample Received: 10/12/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	24.	10.	mgCaCO3/L	10/24/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/24/94
Chloride	22.	5.0	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	BQL	0.050	mg/L	10/24/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/13/94
Nitrate-Nitrogen	0.20	0.050	mg/L	10/19/94
pH	6.3			11/08/94
Phenols, Total	BQL	5.0	ug/L	10/20/94
Sulfate	19.	5.0	mg/L	10/21/94
Specific Conductivity	250.	10.	umho/cm²	11/08/94
Total Dissolved Solids	150.	20.	mg/L	10/14/94
Total Organic Carbon	BQL	5.0	mg/L	11/02/94
Total Organic Halogens	BQL	0.10	mg/L	10/14/94
[illegible]tal Suspended Solids	480.	10.	mg/L	10/14/94
[illegible]etals Digestion - Aqueous Sample				11/01/94
Silver, Dissolved	BQL	0.030	mg/L	12/01/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/01/94
Barium, Dissolved	BQL	0.50	mg/L	12/01/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/01/94
Calcium, Dissolved	13.	1.0	mg/L	12/01/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/01/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/01/94
Chromium, Dissolved	BQL	0.040	mg/L	12/01/94
Copper, Dissolved	BQL	0.020	mg/L	12/01/94
Iron, Dissolved	BQL	0.030	mg/L	12/01/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/01/94
Potassium, Dissolved	3.6	1.0	mg/L	12/01/94
Magnesium, Dissolved	2.2	0.50	mg/L	12/01/94
Manganese, Dissolved	BQL	0.050	mg/L	12/02/94
Sodium, Dissolved	14.	1.0	mg/L	12/02/94
Nickel, Dissolved	BQL	0.030	mg/L	12/02/94
Lead, Dissolved	BQL	0.060	mg/L	12/02/94
Antimony, Dissolved	BQL	0.40	mg/L	12/02/94
Tin-Dissolved	BQL	0.80	mg/L	12/02/94
Thalium-Dissolved	BQL	0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/02/94
Zinc, Dissolved	0.033	0.010	mg/L	12/02/94

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/12/1994
Sample Description: MW 55B
EAS Sample Number: 9405516
Date Sample Received: 10/12/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/01/94
Arsenic, Total	BQL	0.0050	mg/L	12/01/94
Barium, Total	BQL	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	15.	1.0	mg/L	12/01/94
Cadmium, Total	BQL	0.010	mg/L	12/01/94
Cobalt, Total	BQL	0.10	mg/L	12/01/94
Chromium, Total	BQL	0.040	mg/L	12/01/94
Copper, Total	0.080	0.020	mg/L	12/01/94
Iron, Total	28.	0.30	mg/L	12/01/94
Mercury, Total	BQL	0.0050	mg/L	11/01/94
Potassium, Total	9.6	1.0	mg/L	12/01/94
Magnesium, Total	10.	0.50	mg/L	12/01/94
Manganese, Total	0.88	0.050	mg/L	12/01/94
[illegible]dium, Total	14.	1.0	mg/L	12/01/94
[illegible]ckel, Total	0.030	0.030	mg/L	12/01/94
Lead, Total	BQL	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	0.17	0.010	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
d Waterbury Road
omaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/12/1994
Sample Description: MW 32D
EAS Sample Number: 9405517
Date Sample Received: 10/12/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	26.	10.	mgCaCO3/L	10/24/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/24/94
Chloride	110.	5.0	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	BQL	0.050	mg/L	10/24/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/13/94
Nitrate-Nitrogen	1.1	0.050	mg/L	10/14/94
pH	3.5			11/08/94
Phenols, Total	BQL	5.0	ug/L	10/20/94
Sulfate	29.	5.0	mg/L	10/21/94
Specific Conductivity	860.	10.	umho/cm²	11/08/94
Total Dissolved Solids	280.	20.	mg/L	10/14/94
Total Organic Carbon	BQL	5.0	mg/L	11/02/94
Total Organic Halogens	BQL	0.10	mg/L	10/14/94
Total Suspended Solids	250.	8.0	mg/L	10/14/94
tals Digestion - Aqueous Sample				11/01/94
Silver, Dissolved	BQL	0.030	mg/L	12/01/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/01/94
Barium, Dissolved	BQL	0.50	mg/L	12/01/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/01/94
Calcium, Dissolved	16.	1.0	mg/L	12/01/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/01/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/01/94
Chromium, Dissolved	BQL	0.040	mg/L	12/01/94
Copper, Dissolved	BQL	0.020	mg/L	12/01/94
Iron, Dissolved	BQL	0.030	mg/L	12/01/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/01/94
Potassium, Dissolved	5.8	1.0	mg/L	12/01/94
Magnesium, Dissolved	2.7	0.50	mg/L	12/01/94
Manganese, Dissolved	BQL	0.050	mg/L	12/02/94
Sodium, Dissolved	80.	1.0	mg/L	12/02/94
Nickel, Dissolved	BQL	0.030	mg/L	12/02/94
Lead, Dissolved	BQL	0.060	mg/L	12/02/94
Antimony, Dissolved	BQL	0.40	mg/L	12/02/94
Tin-Dissolved	BQL	0.80	mg/L	12/02/94
Thalium-Dissolved	BQL	0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/02/94
Zinc, Dissolved	0.015	0.010	mg/L	12/02/94

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/12/1994
Sample Description: MW 32D
EAS Sample Number: 9405517
Date Sample Received: 10/12/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/01/94
Arsenic, Total	BQL	0.0050	mg/L	12/01/94
Barium, Total	BQL	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	15.	1.0	mg/L	12/01/94
Cadmium, Total	BQL	0.010	mg/L	12/01/94
Cobalt, Total	BQL	0.10	mg/L	12/01/94
Chromium, Total	BQL	0.040	mg/L	12/01/94
Copper, Total	0.030	0.020	mg/L	12/01/94
Iron, Total	11.	0.30	mg/L	12/01/94
Mercury, Total	BQL	0.0050	mg/L	11/01/94
Potassium, Total	7.8	1.0	mg/L	12/01/94
Magnesium, Total	4.8	0.50	mg/L	12/01/94
Manganese, Total	0.27	0.050	mg/L	12/01/94
[illegible]dium, Total	74.	1.0	mg/L	12/01/94
[illegible]ckel, Total	BQL	0.030	mg/L	12/01/94
Lead, Total	BQL	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	0.055	0.010	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/11/1994
Sample Description: FIELD BLANK
EAS Sample Number: 9405518
Date Sample Received: 10/12/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	BQL	10.	mgCaCO3/L	10/24/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/24/94
Chloride	BQL	5.0	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	BQL	0.050	mg/L	10/19/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/13/94
Nitrate-Nitrogen	0.16	0.050	mg/L	10/19/94
Phenols, Total	BQL	5.0	ug/L	10/20/94
Sulfate	BQL	5.0	mg/L	10/21/94
Total Dissolved Solids	BQL	20.	mg/L	10/14/94
Total Organic Carbon	BQL	5.0	mg/L	11/02/94
Total Organic Halogens	BQL	0.10	mg/L	11/03/94
Total Suspended Solids	BQL	4.0	mg/L	10/14/94
Metals Digestion - Aqueous Sample				11/08/94
[illegible]lver, Total	BQL	0.030	mg/L	12/01/94
[illegible]rsenic, Total	BQL	0.0050	mg/L	12/01/94
Barium, Total	BQL	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	BQL	1.0	mg/L	12/01/94
Cadmium, Total	BQL	0.010	mg/L	12/01/94
Cobalt, Total	BQL	0.10	mg/L	12/01/94
Chromium, Total	BQL	0.040	mg/L	12/01/94
Copper, Total	BQL	0.020	mg/L	12/01/94
Iron, Total	BQL	0.030	mg/L	12/01/94
Mercury, Total	BQL	0.0010	mg/L	11/08/94
Potassium, Total	BQL	1.0	mg/L	12/01/94
Magnesium, Total	BQL	0.50	mg/L	12/01/94
Manganese, Total	BQL	0.050	mg/L	12/01/94
Sodium, Total	BQL	1.0	mg/L	12/01/94
Nickel, Total	BQL	0.030	mg/L	12/01/94
Lead, Total	BQL	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	BQL	0.010	mg/L	12/01/94

VIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/11/1994
Sample Description: FIELD BLANK
EAS Sample Number: 9405518
Date Sample Received: 10/12/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916

Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989

2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989

3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/12/1994
Sample Description: MW 44S
EAS Sample Number: 9405548
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	14.	10.	mgCaCO3/L	10/24/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/24/94
Chloride	37.	5.0	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	BQL	0.050	mg/L	10/24/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/13/94
Nitrate-Nitrogen	7.1	1.3	mg/L	10/16/94
pH	6.5			11/08/94
Phenols, Total	BQL	5.0	ug/L	10/20/94
Sulfate	92.	5.0	mg/L	10/21/94
Specific Conductivity	450.	10.	umho/cm²	11/08/94
Total Dissolved Solids	250.	20.	mg/L	10/18/94
Total Organic Carbon	BQL	5.0	mg/L	11/02/94
Total Organic Halogens	BQL	0.10	mg/L	11/04/94
[illegible]tal Suspended Solids	75.	4.0	mg/L	10/18/94
[illegible]tals Digestion - Aqueous Sample				11/08/94
Silver, Dissolved	BQL	0.030	mg/L	12/01/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/01/94
Barium, Dissolved	BQL	0.50	mg/L	12/01/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/01/94
Calcium, Dissolved	23.	1.0	mg/L	12/01/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/01/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/01/94
Chromium, Dissolved	BQL	0.040	mg/L	12/01/94
Copper, Dissolved	BQL	0.020	mg/L	12/01/94
Iron, Dissolved	BQL	0.030	mg/L	12/01/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	5.6	1.0	mg/L	12/01/94
Magnesium, Dissolved	14.	0.50	mg/L	12/01/94
Manganese, Dissolved	0.10	0.050	mg/L	12/02/94
Sodium, Dissolved	41.	1.0	mg/L	12/02/94
Nickel, Dissolved	BQL	0.030	mg/L	12/02/94
Lead, Dissolved	BQL	0.060	mg/L	12/02/94
Antimony, Dissolved	BQL	0.40	mg/L	12/02/94
Tin-Dissolved	BQL	0.80	mg/L	12/02/94
Thalium-Dissolved	BQL	0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/02/94
Zinc, Dissolved	0.046	0.010	mg/L	12/02/94

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/12/1994
Sample Description: MW 44S
EAS Sample Number: 9405548
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/01/94
Arsenic, Total	BQL	0.0050	mg/L	12/01/94
Barium, Total	BQL	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	23.	1.0	mg/L	12/01/94
Cadmium, Total	BQL	0.010	mg/L	12/01/94
Cobalt, Total	BQL	0.10	mg/L	12/01/94
Chromium, Total	BQL	0.040	mg/L	12/01/94
Copper, Total	0.030	0.020	mg/L	12/01/94
Iron, Total	4.2	0.30	mg/L	12/01/94
Mercury, Total	BQL	0.0010	mg/L	11/08/94
Potassium, Total	6.1	1.0	mg/L	12/01/94
Magnesium, Total	15.	0.50	mg/L	12/01/94
Manganese, Total	0.32	0.050	mg/L	12/01/94
[illegible]dium, Total	40.	1.0	mg/L	12/01/94
[illegible]ckel, Total	0.030	0.030	mg/L	12/01/94
Lead, Total	BQL	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	0.087	0.010	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/12/1994
Sample Description: MW 44D
EAS Sample Number: 9405549
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	12.	10.	mgCaCO3/L	10/24/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/24/94
Chloride	580.	50.	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	3.0	0.50	mg/L	10/19/94
Nitrite-Nitrogen	0.31	0.050	mg/L	10/13/94
Nitrate-Nitrogen	120.	5.0	mg/L	10/16/94
pH	6.2			11/08/94
Phenols, Total	7.8	5.0	ug/L	10/20/94
Sulfate	380.	50.	mg/L	10/21/94
Specific Conductivity	2600.	10.	umho/cm²	11/08/94
Total Dissolved Solids	2000.	40.	mg/L	10/18/94
Total Organic Carbon	BQL	5.0	mg/L	11/02/94
Total Organic Halogens	0.48	0.10	mg/L	11/04/94
[illegible]tal Suspended Solids	56.	4.0	mg/L	10/18/94
[illegible]etals Digestion - Aqueous Sample				11/08/94
Silver, Dissolved	BQL	0.030	mg/L	12/01/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/01/94
Barium, Dissolved	BQL	0.50	mg/L	12/01/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/01/94
Calcium, Dissolved	150.	10.	mg/L	12/01/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/01/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/01/94
Chromium, Dissolved	BQL	0.040	mg/L	12/01/94
Copper, Dissolved	0.29	0.020	mg/L	12/01/94
Iron, Dissolved	0.040	0.030	mg/L	12/01/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	15.	1.0	mg/L	12/01/94
Magnesium, Dissolved	110.	0.50	mg/L	12/01/94
Manganese, Dissolved	2.0	0.050	mg/L	12/02/94
Sodium, Dissolved	250.	10.	mg/L	12/02/94
Nickel, Dissolved	0.22	0.030	mg/L	12/02/94
Lead, Dissolved	BQL	0.060	mg/L	12/02/94
Antimony, Dissolved	BQL	0.40	mg/L	12/02/94
Tin-Dissolved	BQL	0.80	mg/L	12/02/94
Thalium-Dissolved	BQL	0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/02/94
Zinc, Dissolved	0.60	0.010	mg/L	12/02/94

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/12/1994
Sample Description: MW 44D
EAS Sample Number: 9405549
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/01/94
Arsenic, Total	0.0057	0.0050	mg/L	12/01/94
Barium, Total	BQL	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	170.	10.	mg/L	12/01/94
Cadmium, Total	BQL	0.010	mg/L	12/01/94
Cobalt, Total	BQL	0.10	mg/L	12/01/94
Chromium, Total	BQL	0.040	mg/L	12/01/94
Copper, Total	0.38	0.020	mg/L	12/01/94
Iron, Total	1.4	0.030	mg/L	12/01/94
Mercury, Total	BQL	0.0010	mg/L	11/08/94
Potassium, Total	16.	1.0	mg/L	12/01/94
Magnesium, Total	130.	5.0	mg/L	12/01/94
Manganese, Total	3.0	0.050	mg/L	12/01/94
[illegible]dium, Total	290.	10.	mg/L	12/01/94
[illegible]ckel, Total	0.25	0.030	mg/L	12/01/94
Lead, Total	BQL	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	0.67	0.010	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/12/1994
Sample Description: MW 33
EAS Sample Number: 9405550
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	12.	10.	mgCaCO3/L	10/24/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/24/94
Chloride	15.	5.0	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	BQL	0.050	mg/L	10/19/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/13/94
Nitrate-Nitrogen	2.9	0.050	mg/L	10/16/94
pH	6.5			11/08/94
Phenols, Total	BQL	5.0	ug/L	10/20/94
Sulfate	30.	5.0	mg/L	10/21/94
Specific Conductivity	290.	10.	umho/cm²	11/08/94
Total Dissolved Solids	100.	20.	mg/L	10/18/94
Total Organic Carbon	5.6	5.0	mg/L	11/06/94
Total Organic Halogens	BQL	0.10	mg/L	11/04/94
[illegible]tal Suspended Solids	770.	8.0	mg/L	10/18/94
Metals Digestion - Aqueous Sample				10/20/94
Silver, Dissolved	BQL	0.030	mg/L	12/01/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/01/94
Barium, Dissolved	BQL	0.50	mg/L	12/01/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/01/94
Calcium, Dissolved	9.1	1.0	mg/L	12/01/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/01/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/01/94
Chromium, Dissolved	BQL	0.040	mg/L	12/01/94
Copper, Dissolved	BQL	0.020	mg/L	12/01/94
Iron, Dissolved	BQL	0.030	mg/L	12/01/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	3.5	1.0	mg/L	12/01/94
Magnesium, Dissolved	4.4	0.50	mg/L	12/01/94
Manganese, Dissolved	0.051	0.050	mg/L	12/02/94
Sodium, Dissolved	16.	1.0	mg/L	12/02/94
Nickel, Dissolved	0.030	0.030	mg/L	12/02/94
Lead, Dissolved	BQL	0.060	mg/L	12/02/94
Antimony, Dissolved	BQL	0.40	mg/L	12/02/94
Tin-Dissolved	BQL	0.80	mg/L	12/02/94
Thalium-Dissolved	BQL	0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/02/94
Zinc, Dissolved	0.025	0.010	mg/L	12/02/94

VIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/12/1994
Sample Description: MW 33
EAS Sample Number: 9405550
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/01/94
Arsenic, Total	0.013	0.0050	mg/L	12/01/94
Barium, Total	BQL	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	11.	1.0	mg/L	12/01/94
Cadmium, Total	BQL	0.010	mg/L	12/01/94
Cobalt, Total	BQL	0.10	mg/L	12/01/94
Chromium, Total	BQL	0.040	mg/L	12/01/94
Copper, Total	0.11	0.020	mg/L	12/01/94
Iron, Total	44.	0.30	mg/L	12/01/94
Mercury, Total	BQL	0.0010	mg/L	11/08/94
Potassium, Total	7.5	1.0	mg/L	12/01/94
Magnesium, Total	10.	0.50	mg/L	12/01/94
Manganese, Total	1.2	0.050	mg/L	12/01/94
dium, Total	15.	1.0	mg/L	12/01/94
Nickel, Total	0.090	0.030	mg/L	12/01/94
Lead, Total	BQL	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	0.14	0.010	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/12/1994
Sample Description: MW 44B
EAS Sample Number: 9405551
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	13.	10.	mgCaCO3/L	10/24/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/24/94
Chloride	920.	50.	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	3.1	0.50	mg/L	10/19/94
Nitrite-Nitrogen	0.58	0.050	mg/L	10/13/94
Nitrate-Nitrogen	200.	5.0	mg/L	10/16/94
pH	6.1			11/08/94
Phenols, Total	12.	5.0	ug/L	10/20/94
Sulfate	640.	130.	mg/L	10/21/94
Specific Conductivity	3800.	10.	umho/cm²	11/08/94
Total Dissolved Solids	3300.	40.	mg/L	10/18/94
Total Organic Carbon	6.5	5.0	mg/L	11/06/94
Total Organic Halogens	0.50	0.10	mg/L	11/04/94
tal Suspended Solids	21.	4.0	mg/L	10/18/94
etals Digestion - Aqueous Sample				11/08/94
Silver, Dissolved	BQL	0.030	mg/L	12/01/94
Arsenic, Dissolved	0.0059	0.0050	mg/L	12/01/94
Barium, Dissolved	BQL	0.50	mg/L	12/01/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/01/94
Calcium, Dissolved	300.	10.	mg/L	12/01/94
Cadmium, Dissolved	0.011	0.010	mg/L	12/01/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/01/94
Chromium, Dissolved	BQL	0.040	mg/L	12/01/94
Copper, Dissolved	0.16	0.020	mg/L	12/01/94
Iron, Dissolved	0.15	0.030	mg/L	12/01/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	21.	1.0	mg/L	12/01/94
Magnesium, Dissolved	19.	0.50	mg/L	12/01/94
Manganese, Dissolved	6.0	0.50	mg/L	12/02/94
Sodium, Dissolved	370.	10.	mg/L	12/02/94
Nickel, Dissolved	0.47	0.030	mg/L	12/02/94
Lead, Dissolved	BQL	0.060	mg/L	12/02/94
Antimony, Dissolved	BQL	0.40	mg/L	12/02/94
Tin-Dissolved	BQL	0.80	mg/L	12/02/94
Thalium-Dissolved	BQL	0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/02/94
Zinc, Dissolved	1.5	0.10	mg/L	12/02/94

ENVIRITE CORP. (THOMASTON)
d Waterbury Road
homaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/12/1994
Sample Description: MW 44B
EAS Sample Number: 9405551
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/01/94
Arsenic, Total	0.0069	0.0050	mg/L	12/01/94
Barium, Total	BQL	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	330.	10.	mg/L	12/01/94
Cadmium, Total	0.012	0.010	mg/L	12/01/94
Cobalt, Total	0.10	0.10	mg/L	12/01/94
Chromium, Total	BQL	0.040	mg/L	12/01/94
Copper, Total	0.14	0.020	mg/L	12/01/94
Iron, Total	0.74	0.030	mg/L	12/01/94
Mercury, Total	BQL	0.0010	mg/L	11/08/94
Potassium, Total	23.	1.0	mg/L	12/01/94
Magnesium, Total	210.	5.0	mg/L	12/01/94
Manganese, Total	7.2	0.050	mg/L	12/01/94
dium, Total	410.	10.	mg/L	12/01/94
ckel, Total	0.53	0.030	mg/L	12/01/94
Lead, Total	BQL	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	1.6	0.10	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

VIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/12/1994
Sample Description: MW 42S
EAS Sample Number: 9405552
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	14.	10.	mgCaCO3/L	10/24/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/24/94
Chloride	220.	50.	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	0.37	0.050	mg/L	10/19/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/13/94
Nitrate-Nitrogen	39.	1.3	mg/L	10/16/94
pH	6.4			11/08/94
Phenols, Total	BQL	5.0	ug/L	10/20/94
Sulfate	190.	50.	mg/L	10/21/94
Specific Conductivity	1200.	10.	umho/cm²	11/08/94
Total Dissolved Solids	770.	20.	mg/L	10/18/94
Total Organic Carbon	BQL	5.0	mg/L	11/06/94
Total Organic Halogens	BQL	0.10	mg/L	11/03/94
tal Suspended Solids	160.	4.0	mg/L	10/18/94
Metals Digestion - Aqueous Sample				11/08/94
Silver, Dissolved	BQL	0.030	mg/L	12/01/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/01/94
Barium, Dissolved	BQL	0.50	mg/L	12/01/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/01/94
Calcium, Dissolved	62.	10.	mg/L	12/01/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/01/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/01/94
Chromium, Dissolved	BQL	0.040	mg/L	12/01/94
Copper, Dissolved	0.11	0.020	mg/L	12/01/94
Iron, Dissolved	BQL	0.030	mg/L	12/01/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	13.	1.0	mg/L	12/01/94
Magnesium, Dissolved	4.2	0.50	mg/L	12/01/94
Manganese, Dissolved	0.62	0.050	mg/L	12/02/94
Sodium, Dissolved	110.	10.	mg/L	12/02/94
Nickel, Dissolved	0.24	0.030	mg/L	12/02/94
Lead, Dissolved	BQL	0.060	mg/L	12/02/94
Antimony, Dissolved	BQL	0.40	mg/L	12/02/94
Tin-Dissolved	BQL	0.80	mg/L	12/02/94
Thalium-Dissolved	BQL	0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/02/94
Zinc, Dissolved	0.57	0.010	mg/L	12/02/94

VIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/12/1994
Sample Description: MW 42S
EAS Sample Number: 9405552
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/01/94
Arsenic, Total	0.0054	0.0050	mg/L	12/01/94
Barium, Total	BQL	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	65.	10.	mg/L	12/01/94
Cadmium, Total	BQL	0.010	mg/L	12/01/94
Cobalt, Total	BQL	0.10	mg/L	12/01/94
Chromium, Total	BQL	0.040	mg/L	12/01/94
Copper, Total	0.25	0.020	mg/L	12/01/94
Iron, Total	15.	0.30	mg/L	12/01/94
Mercury, Total	BQL	0.0010	mg/L	11/08/94
Potassium, Total	16.	1.0	mg/L	12/01/94
Magnesium, Total	47.	5.0	mg/L	12/01/94
Manganese, Total	0.81	0.050	mg/L	12/01/94
dium, Total	110.	10.	mg/L	12/01/94
Nickel, Total	0.30	0.030	mg/L	12/01/94
Lead, Total	BQL	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	0.68	0.010	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/12/1994
Sample Description: MW 43S
EAS Sample Number: 9405553
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	BQL	10.	mgCaCO3/L	10/24/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/24/94
Chloride	710.	50.	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	2.4	0.050	mg/L	10/19/94
Nitrite-Nitrogen	0.11	0.050	mg/L	10/13/94
Nitrate-Nitrogen	110.	2.5	mg/L	10/16/94
pH	5.7			11/08/94
Phenols, Total	BQL	5.0	ug/L	10/20/94
Sulfate	470.	50.	mg/L	10/21/94
Specific Conductivity	3000.	10.	umho/cm²	11/08/94
Total Dissolved Solids	2300.	20.	mg/L	10/18/94
Total Organic Carbon	BQL	5.0	mg/L	11/06/94
Total Organic Halogens	0.14	0.10	mg/L	11/03/94
[illegible]al Suspended Solids	66.	4.0	mg/L	10/18/94
[illegible]tals Digestion - Aqueous Sample				11/08/94
Silver, Dissolved	BQL	0.030	mg/L	12/01/94
Arsenic, Dissolved	0.0078	0.0050	mg/L	12/01/94
Barium, Dissolved	BQL	0.50	mg/L	12/01/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/01/94
Calcium, Dissolved	170.	10.	mg/L	12/01/94
Cadmium, Dissolved	0.015	0.010	mg/L	12/01/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/01/94
Chromium, Dissolved	BQL	0.040	mg/L	12/01/94
Copper, Dissolved	0.24	0.020	mg/L	12/01/94
Iron, Dissolved	0.050	0.030	mg/L	12/01/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	29.	1.0	mg/L	12/01/94
Magnesium, Dissolved	13.	0.50	mg/L	12/01/94
Manganese, Dissolved	4.0	0.50	mg/L	12/02/94
Sodium, Dissolved	390.	10.	mg/L	12/02/94
Nickel, Dissolved	0.63	0.030	mg/L	12/02/94
Lead, Dissolved	BQL	0.060	mg/L	12/02/94
Antimony, Dissolved	BQL	0.40	mg/L	12/02/94
Tin-Dissolved	BQL	0.80	mg/L	12/02/94
Thalium-Dissolved	BQL	0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/02/94
Zinc, Dissolved	2.0	0.10	mg/L	12/02/94

NVIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/12/1994
Sample Description: MW 43S
EAS Sample Number: 9405553
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/01/94
Arsenic, Total	BQL	0.0050	mg/L	12/01/94
Barium, Total	BQL	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	170.	10.	mg/L	12/01/94
Cadmium, Total	0.012	0.010	mg/L	12/01/94
Cobalt, Total	BQL	0.10	mg/L	12/01/94
Chromium, Total	BQL	0.040	mg/L	12/01/94
Copper, Total	0.25	0.020	mg/L	12/01/94
Iron, Total	3.4	0.030	mg/L	12/01/94
Mercury, Total	BQL	0.0010	mg/L	11/08/94
Potassium, Total	29.	1.0	mg/L	12/01/94
Magnesium, Total	130.	5.0	mg/L	12/01/94
Manganese, Total	4.1	0.050	mg/L	12/01/94
dium, Total	390.	10.	mg/L	12/01/94
ickel, Total	0.64	0.030	mg/L	12/01/94
Lead, Total	BQL	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	2.0	0.10	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/12/1994
Sample Description: MW 43D
EAS Sample Number: 9405554
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	BQL	10.	mgCaCO3/L	10/24/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/24/94
Chloride	730.	50.	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	5.5	0.50	mg/L	10/19/94
Nitrite-Nitrogen	0.16	0.050	mg/L	10/13/94
Nitrate-Nitrogen	150.	5.0	mg/L	10/16/94
pH	4.7			11/08/94
Phenols, Total	6.2	5.0	ug/L	10/20/94
Sulfate	470.	50.	mg/L	10/21/94
Specific Conductivity	3000.	10.	umho/cm²	11/08/94
Total Dissolved Solids	2300.	40.	mg/L	10/18/94
Total Organic Carbon	BQL	5.0	mg/L	11/06/94
Total Organic Halogens	0.54	0.10	mg/L	11/03/94
[illegible]tal Suspended Solids	BQL	4.0	mg/L	10/18/94
[illegible]tals Digestion - Aqueous Sample				11/08/94
Silver, Dissolved	BQL	0.030	mg/L	12/01/94
Arsenic, Dissolved	0.0072	0.0050	mg/L	12/01/94
Barium, Dissolved	BQL	0.50	mg/L	12/01/94
Beryllium-Dissolved	0.023	0.020	mg/L	12/01/94
Calcium, Dissolved	200.	10.	mg/L	12/01/94
Cadmium, Dissolved	0.020	0.010	mg/L	12/01/94
Cobalt, Dissolved	0.16	0.10	mg/L	12/01/94
Chromium, Dissolved	BQL	0.040	mg/L	12/01/94
Copper, Dissolved	5.9	0.20	mg/L	12/01/94
Iron, Dissolved	0.050	0.030	mg/L	12/01/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	23.	1.0	mg/L	12/01/94
Magnesium, Dissolved	13.	0.50	mg/L	12/01/94
Manganese, Dissolved	5.9	0.50	mg/L	12/02/94
Sodium, Dissolved	330.	10.	mg/L	12/02/94
Nickel, Dissolved	1.2	0.030	mg/L	12/02/94
Lead, Dissolved	BQL	0.060	mg/L	12/02/94
Antimony, Dissolved	BQL	0.40	mg/L	12/02/94
Tin-Dissolved	BQL	0.80	mg/L	12/02/94
Thalium-Dissolved	BQL	0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/02/94
Zinc, Dissolved	5.1	0.10	mg/L	12/02/94

NVIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/12/1994
Sample Description: MW 43D
EAS Sample Number: 9405554
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/01/94
Arsenic, Total	BQL	0.0050	mg/L	12/01/94
Barium, Total	BQL	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	190.	10.	mg/L	12/01/94
Cadmium, Total	0.021	0.010	mg/L	12/01/94
Cobalt, Total	0.19	0.10	mg/L	12/01/94
Chromium, Total	BQL	0.040	mg/L	12/01/94
Copper, Total	6.7	0.20	mg/L	12/01/94
Iron, Total	0.14	0.030	mg/L	12/01/94
Mercury, Total	BQL	0.0010	mg/L	11/08/94
Potassium, Total	20.	1.0	mg/L	12/01/94
Magnesium, Total	140.	5.0	mg/L	12/01/94
Manganese, Total	6.8	0.050	mg/L	12/01/94
dium, Total	310.	10.	mg/L	12/01/94
ickel, Total	1.4	0.030	mg/L	12/01/94
Lead, Total	BQL	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	5.9	0.10	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/12/1994
Sample Description: MW X2
EAS Sample Number: 9405555
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	14.	10.	mgCaCO3/L	10/24/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/24/94
Chloride	210.	50.	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	0.36	0.050	mg/L	10/19/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/13/94
Nitrate-Nitrogen	41.	0.50	mg/L	10/16/94
Phenols, Total	BQL	5.0	ug/L	11/04/94
Sulfate	170.	5.0	mg/L	10/21/94
Total Dissolved Solids	800.	20.	mg/L	10/18/94
Total Organic Carbon	BQL	5.0	mg/L	11/06/94
Total Organic Halogens	BQL	0.10	mg/L	11/04/94
Total Suspended Solids	380.	10.	mg/L	10/18/94
Metals Digestion - Aqueous Sample				11/08/94
[illegible]lver, Dissolved	BQL	0.030	mg/L	12/01/94
[illegible]senic, Dissolved	BQL	0.0050	mg/L	12/01/94
Barium, Dissolved	BQL	0.50	mg/L	12/01/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/01/94
Calcium, Dissolved	66.	10.	mg/L	12/01/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/01/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/01/94
Chromium, Dissolved	BQL	0.040	mg/L	12/01/94
Copper, Dissolved	0.14	0.020	mg/L	12/01/94
Iron, Dissolved	BQL	0.030	mg/L	12/01/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	14.	1.0	mg/L	12/01/94
Magnesium, Dissolved	4.5	0.50	mg/L	12/01/94
Manganese, Dissolved	0.68	0.050	mg/L	12/02/94
Sodium, Dissolved	110.	10.	mg/L	12/02/94
Nickel, Dissolved	0.26	0.030	mg/L	12/02/94
Lead, Dissolved	BQL	0.060	mg/L	12/02/94
Antimony, Dissolved	BQL	0.40	mg/L	12/02/94
Tin-Dissolved	BQL	0.80	mg/L	12/02/94
Thalium-Dissolved	BQL	0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/02/94
Zinc, Dissolved	0.62	0.010	mg/L	12/02/94
Silver, Total	BQL	0.030	mg/L	12/01/94
Arsenic, Total	0.0057	0.0050	mg/L	12/01/94

VIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/12/1994
Sample Description: MW X2
EAS Sample Number: 9405555
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Barium, Total	BQL	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	67.	10.	mg/L	12/01/94
Cadmium, Total	BQL	0.010	mg/L	12/01/94
Cobalt, Total	BQL	0.10	mg/L	12/01/94
Chromium, Total	BQL	0.040	mg/L	12/01/94
Copper, Total	0.32	0.020	mg/L	12/01/94
Iron, Total	22.	0.30	mg/L	12/01/94
Mercury, Total	BQL	0.0010	mg/L	11/08/94
Potassium, Total	17.	1.0	mg/L	12/01/94
Magnesium, Total	51.	5.0	mg/L	12/01/94
Manganese, Total	0.92	0.050	mg/L	12/01/94
Sodium, Total	120.	10.	mg/L	12/01/94
Nickel, Total	0.32	0.030	mg/L	12/01/94
Lead, Total	BQL	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	0.75	0.010	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
d Waterbury Road
homaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/12/1994
Sample Description: EQUIPMENT BLANK 10-12-94
EAS Sample Number: 9405556
Date Sample Received: 10/13/1994

Parameter	Data		Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	BQL		10.	mgCaCO3/L	10/24/94
Alkalinity, Carbonate	BQL		10.	mgCaCO3/L	10/24/94
Chloride	BQL		5.0	mg/L	10/21/94
Cyanide, Total	BQL		0.010	mg/L	10/24/94
Ammonia-Nitrogen	BQL		0.050	mg/L	10/19/94
Nitrite-Nitrogen	BQL		0.050	mg/L	10/13/94
Nitrate-Nitrogen	BQL		0.050	mg/L	10/16/94
Phenols, Total	BQL		5.0	ug/L	11/04/94
Sulfate	BQL		5.0	mg/L	10/21/94
Total Dissolved Solids	BQL		10.	mg/L	10/18/94
Total Organic Carbon	BQL		5.0	mg/L	11/06/94
Total Organic Halogens	BQL		0.10	mg/L	11/04/94
Total Suspended Solids	BQL		4.0	mg/L	10/18/94
Metals Digestion - Aqueous Sample					11/08/94
lver, Dissolved	BQL		0.030	mg/L	12/01/94
senic, Dissolved	BQL		0.0050	mg/L	12/01/94
Barium, Dissolved	BQL		0.50	mg/L	12/01/94
Beryllium-Dissolved	BQL		0.020	mg/L	12/01/94
Calcium, Dissolved	0.26	J	1.0	mg/L	12/01/94
Cadmium, Dissolved	BQL		0.010	mg/L	12/01/94
Cobalt, Dissolved	BQL		0.10	mg/L	12/01/94
Chromium, Dissolved	BQL		0.040	mg/L	12/01/94
Copper, Dissolved	0.030		0.020	mg/L	12/01/94
Iron, Dissolved	BQL		0.030	mg/L	12/01/94
Mercury, Dissolved	BQL		0.0010	mg/L	11/10/94
Potassium, Dissolved	BQL		1.0	mg/L	12/01/94
Magnesium, Dissolved	BQL		0.50	mg/L	12/01/94
Manganese, Dissolved	BQL		0.050	mg/L	12/02/94
Sodium, Dissolved	BQL		1.0	mg/L	12/02/94
Nickel, Dissolved	0.030		0.030	mg/L	12/02/94
Lead, Dissolved	BQL		0.060	mg/L	12/02/94
Antimony, Dissolved	BQL		0.40	mg/L	12/02/94
Tin-Dissolved	BQL		0.80	mg/L	12/02/94
Thalium-Dissolved	BQL		0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL		1.0	mg/L	12/02/94
Zinc, Dissolved	0.015		0.010	mg/L	12/02/94
Silver, Total	BQL		0.030	mg/L	12/01/94
Arsenic, Total	BQL		0.0050	mg/L	12/01/94

VIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/12/1994
Sample Description: EQUIPMENT BLANK 10-12-94
EAS Sample Number: 9405556
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Barium, Total	BQL	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	BQL	1.0	mg/L	12/01/94
Cadmium, Total	BQL	0.010	mg/L	12/01/94
Cobalt, Total	BQL	0.10	mg/L	12/01/94
Chromium, Total	BQL	0.040	mg/L	12/01/94
Copper, Total	BQL	0.020	mg/L	12/01/94
Iron, Total	0.030	0.030	mg/L	12/01/94
Mercury, Total	BQL	0.0010	mg/L	11/08/94
Potassium, Total	BQL	1.0	mg/L	12/01/94
Magnesium, Total	BQL	0.50	mg/L	12/01/94
Manganese, Total	BQL	0.050	mg/L	12/01/94
Sodium, Total	BQL	1.0	mg/L	12/01/94
Nickel, Total	BQL	0.030	mg/L	12/01/94
ad, Total	BQL	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	0.019	0.010	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: MW 41S
EAS Sample Number: 9405557
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	25.	10.	mgCaCO3/L	10/24/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/24/94
Chloride	160.	5.0	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	BQL	0.050	mg/L	10/24/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/14/94
Nitrate-Nitrogen	16.	0.50	mg/L	10/16/94
pH	6.4			11/08/94
Phenols, Total	BQL	5.0	ug/L	11/04/94
Sulfate	83.	25.	mg/L	10/27/94
Specific Conductivity	810.	10.	umho/cm²	11/08/94
Total Dissolved Solids	490.	20.	mg/L	10/18/94
Total Organic Carbon	BQL	5.0	mg/L	11/06/94
Total Organic Halogens	BQL	0.10	mg/L	11/07/94
[illegible]tal Suspended Solids	210.	8.0	mg/L	10/18/94
[illegible]etals Digestion - Aqueous Sample				11/10/94
Silver, Dissolved	BQL	0.030	mg/L	12/01/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/01/94
Barium, Dissolved	BQL	0.50	mg/L	12/01/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/01/94
Calcium, Dissolved	49.	1.0	mg/L	12/01/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/01/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/01/94
Chromium, Dissolved	BQL	0.040	mg/L	12/01/94
Copper, Dissolved	BQL	0.020	mg/L	12/01/94
Iron, Dissolved	0.040	0.030	mg/L	12/01/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	5.4	1.0	mg/L	12/01/94
Magnesium, Dissolved	21.	0.50	mg/L	12/01/94
Manganese, Dissolved	0.10	0.050	mg/L	12/02/94
Sodium, Dissolved	74.	1.0	mg/L	12/02/94
Nickel, Dissolved	0.030	0.030	mg/L	12/02/94
Lead, Dissolved	BQL	0.060	mg/L	12/02/94
Antimony, Dissolved	BQL	0.40	mg/L	12/02/94
Tin-Dissolved	BQL	0.80	mg/L	12/02/94
Thalium-Dissolved	BQL	0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/02/94
Zinc, Dissolved	0.29	0.010	mg/L	12/02/94

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: MW 41S
EAS Sample Number: 9405557
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/01/94
Arsenic, Total	BQL	0.0050	mg/L	12/01/94
Barium, Total	BQL	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	49.	1.0	mg/L	12/01/94
Cadmium, Total	BQL	0.010	mg/L	12/01/94
Cobalt, Total	BQL	0.10	mg/L	12/01/94
Chromium, Total	BQL	0.040	mg/L	12/01/94
Copper, Total	0.070	0.020	mg/L	12/01/94
Iron, Total	5.8	0.30	mg/L	12/01/94
Mercury, Total	BQL	0.0010	mg/L	11/10/94
Potassium, Total	5.9	1.0	mg/L	12/01/94
Magnesium, Total	23.	0.50	mg/L	12/01/94
Manganese, Total	0.20	0.050	mg/L	12/01/94
[illegible]dium, Total	78.	1.0	mg/L	12/01/94
[illegible]ickel, Total	0.060	0.030	mg/L	12/01/94
Lead, Total	BQL	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	0.34	0.010	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

`IVIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: MW 41D
EAS Sample Number: 9405558
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	27.	10.	mgCaCO3/L	10/24/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/24/94
Chloride	96.	5.0	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	BQL	0.050	mg/L	10/19/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/14/94
Nitrate-Nitrogen	8.8	0.50	mg/L	10/16/94
pH	6.2			11/08/94
Phenols, Total	BQL	5.0	ug/L	11/04/94
Sulfate	50.	25.	mg/L	10/27/94
Specific Conductivity	580.	10.	umho/cm²	11/08/94
Total Dissolved Solids	310.	20.	mg/L	10/18/94
Total Organic Carbon	BQL	5.0	mg/L	11/06/94
Total Organic Halogens	BQL	0.10	mg/L	11/07/94
tal Suspended Solids	74.	8.0	mg/L	10/18/94
Metals Digestion - Aqueous Sample				11/10/94
Silver, Dissolved	BQL	0.030	mg/L	12/01/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/01/94
Barium, Dissolved	BQL	0.50	mg/L	12/01/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/01/94
Calcium, Dissolved	31.	1.0	mg/L	12/01/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/01/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/01/94
Chromium, Dissolved	BQL	0.040	mg/L	12/01/94
Copper, Dissolved	BQL	0.020	mg/L	12/01/94
Iron, Dissolved	BQL	0.030	mg/L	12/01/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	3.8	1.0	mg/L	12/01/94
Magnesium, Dissolved	13.	0.50	mg/L	12/01/94
Manganese, Dissolved	0.45	0.050	mg/L	12/02/94
Sodium, Dissolved	45.	1.0	mg/L	12/02/94
Nickel, Dissolved	BQL	0.030	mg/L	12/02/94
Lead, Dissolved	BQL	0.060	mg/L	12/02/94
Antimony, Dissolved	BQL	0.40	mg/L	12/02/94
Tin-Dissolved	BQL	0.80	mg/L	12/02/94
Thalium-Dissolved	BQL	0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/02/94
Zinc, Dissolved	0.025	0.010	mg/L	12/02/94

VIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: MW 41D
EAS Sample Number: 9405558
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/01/94
Arsenic, Total	BQL	0.0050	mg/L	12/01/94
Barium, Total	BQL	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	30.	1.0	mg/L	12/01/94
Cadmium, Total	BQL	0.010	mg/L	12/01/94
Cobalt, Total	BQL	0.10	mg/L	12/01/94
Chromium, Total	BQL	0.040	mg/L	12/01/94
Copper, Total	BQL	0.020	mg/L	12/01/94
Iron, Total	2.9	0.030	mg/L	12/01/94
Mercury, Total	BQL	0.0010	mg/L	11/10/94
Potassium, Total	4.2	1.0	mg/L	12/01/94
Magnesium, Total	13.	0.50	mg/L	12/01/94
Manganese, Total	0.50	0.050	mg/L	12/01/94
Sodium, Total	44.	1.0	mg/L	12/01/94
Nickel, Total	0.040	0.030	mg/L	12/01/94
Lead, Total	BQL	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	0.031	0.010	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: MW X3
EAS Sample Number: 9405559
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	27.	10.	mgCaCO3/L	10/24/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/24/94
Chloride	160.	5.0	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	BQL	0.050	mg/L	10/24/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/14/94
Nitrate-Nitrogen	15.	0.50	mg/L	10/16/94
Phenols, Total	BQL	5.0	ug/L	11/04/94
Sulfate	76.	25.	mg/L	10/27/94
Total Dissolved Solids	500.	20.	mg/L	10/18/94
Total Organic Carbon	BQL	5.0	mg/L	11/06/94
Total Organic Halogens	BQL	0.10	mg/L	11/03/94
Total Suspended Solids	280.	10.	mg/L	10/18/94
Metals Digestion - Aqueous Sample				11/10/94
[illegible]lver, Dissolved	BQL	0.030	mg/L	12/01/94
[illegible]rsenic, Dissolved	BQL	0.0050	mg/L	12/01/94
Barium, Dissolved	BQL	0.50	mg/L	12/01/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/01/94
Calcium, Dissolved	49.	1.0	mg/L	12/01/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/01/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/01/94
Chromium, Dissolved	BQL	0.040	mg/L	12/01/94
Copper, Dissolved	0.030	0.020	mg/L	12/01/94
Iron, Dissolved	0.050	0.030	mg/L	12/01/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	5.2	1.0	mg/L	12/01/94
Magnesium, Dissolved	22.	0.50	mg/L	12/01/94
Manganese, Dissolved	0.12	0.050	mg/L	12/02/94
Sodium, Dissolved	80.	1.0	mg/L	12/02/94
Nickel, Dissolved	BQL	0.030	mg/L	12/02/94
Lead, Dissolved	BQL	0.060	mg/L	12/02/94
Antimony, Dissolved	BQL	0.40	mg/L	12/02/94
Tin-Dissolved	BQL	0.80	mg/L	12/02/94
Thalium-Dissolved	BQL	0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/02/94
Zinc, Dissolved	0.34	0.010	mg/L	12/02/94
Silver, Total	BQL	0.030	mg/L	12/01/94
Arsenic, Total	BQL	0.0050	mg/L	12/01/94

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: MW X3
EAS Sample Number: 9405559
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Barium, Total	BQL	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	55.	1.0	mg/L	12/01/94
Cadmium, Total	BQL	0.010	mg/L	12/01/94
Cobalt, Total	BQL	0.10	mg/L	12/01/94
Chromium, Total	0.12	0.040	mg/L	12/01/94
Copper, Total	0.12	0.020	mg/L	12/01/94
Iron, Total	13.	0.30	mg/L	12/01/94
Mercury, Total	BQL	0.0010	mg/L	11/10/94
Potassium, Total	6.5	1.0	mg/L	12/01/94
Magnesium, Total	25.	0.50	mg/L	12/01/94
Manganese, Total	0.25	0.050	mg/L	12/01/94
Sodium, Total	83.	1.0	mg/L	12/01/94
Nickel, Total	0.070	0.030	mg/L	12/01/94
[illegible]ad, Total	BQL	0.060	mg/L	12/01/94
[illegible]timony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	0.44	0.010	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

VIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: MW 41B
EAS Sample Number: 9405560
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	28.	10.	mgCaCO3/L	10/24/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/24/94
Chloride	78.	5.0	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	0.11	0.050	mg/L	10/24/94
Nitrite-Nitrogen	0.81	0.050	mg/L	10/14/94
Nitrate-Nitrogen	11.	0.50	mg/L	10/16/94
pH	5.7			11/08/94
Phenols, Total	7.4	5.0	ug/L	11/04/94
Sulfate	160.	50.	mg/L	10/27/94
Specific Conductivity	640.	10.	umho/cm²	11/08/94
Total Dissolved Solids	500.	20.	mg/L	10/18/94
Total Organic Carbon	21.	5.0	mg/L	11/08/94
Total Organic Halogens	0.10	0.10	mg/L	11/04/94
tal Suspended Solids	110.	8.0	mg/L	10/18/94
tals Digestion - Aqueous Sample				11/10/94
Silver, Dissolved	BQL	0.030	mg/L	12/01/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/01/94
Barium, Dissolved	BQL	0.50	mg/L	12/01/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/01/94
Calcium, Dissolved	110.	1.0	mg/L	12/01/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/01/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/01/94
Chromium, Dissolved	BQL	0.040	mg/L	12/01/94
Copper, Dissolved	0.020	0.020	mg/L	12/01/94
Iron, Dissolved	0.070	0.030	mg/L	12/01/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	6.8	1.0	mg/L	12/01/94
Magnesium, Dissolved	7.4	0.50	mg/L	12/01/94
Manganese, Dissolved	0.47	0.050	mg/L	12/02/94
Sodium, Dissolved	35.	1.0	mg/L	12/02/94
Nickel, Dissolved	BQL	0.030	mg/L	12/02/94
Lead, Dissolved	BQL	0.060	mg/L	12/02/94
Antimony, Dissolved	BQL	0.40	mg/L	12/02/94
Tin-Dissolved	BQL	0.80	mg/L	12/02/94
Thalium-Dissolved	BQL	0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/02/94
Zinc, Dissolved	0.035	0.010	mg/L	12/02/94

ENVIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: MW 41B
EAS Sample Number: 9405560
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/01/94
Arsenic, Total	BQL	0.0050	mg/L	12/01/94
Barium, Total	BQL	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	100.	10.	mg/L	12/01/94
Cadmium, Total	BQL	0.010	mg/L	12/01/94
Cobalt, Total	BQL	0.10	mg/L	12/01/94
Chromium, Total	0.090	0.040	mg/L	12/01/94
Copper, Total	0.070	0.020	mg/L	12/01/94
Iron, Total	7.9	0.30	mg/L	12/01/94
Mercury, Total	BQL	0.0010	mg/L	11/10/94
Potassium, Total	6.7	1.0	mg/L	12/01/94
Magnesium, Total	8.5	0.50	mg/L	12/01/94
Manganese, Total	0.60	0.050	mg/L	12/01/94
dium, Total	33.	1.0	mg/L	12/01/94
ckel, Total	0.080	0.030	mg/L	12/01/94
Lead, Total	BQL	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	0.068	0.010	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: MW 62
EAS Sample Number: 9405561
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	60.	10.	mgCaCO3/L	10/24/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/24/94
Chloride	67.	5.0	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	BQL	0.050	mg/L	10/19/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/14/94
Nitrate-Nitrogen	3.4	0.50	mg/L	10/16/94
pH	6.5			11/08/94
Phenols, Total	BQL	5.0	ug/L	11/04/94
Sulfate	41.	5.0	mg/L	10/27/94
Specific Conductivity	500.	10.	umho/cm²	11/08/94
Total Dissolved Solids	260.	20.	mg/L	10/18/94
Total Organic Carbon	BQL	5.0	mg/L	11/06/94
Total Organic Halogens	BQL	0.10	mg/L	11/05/94
[illegible]tal Suspended Solids	2800.	40.	mg/L	10/18/94
Metals Digestion - Aqueous Sample				11/10/94
Silver, Dissolved	BQL	0.030	mg/L	12/01/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/01/94
Barium, Dissolved	BQL	0.50	mg/L	12/01/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/01/94
Calcium, Dissolved	23.	1.0	mg/L	12/01/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/01/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/01/94
Chromium, Dissolved	BQL	0.040	mg/L	12/01/94
Copper, Dissolved	BQL	0.020	mg/L	12/01/94
Iron, Dissolved	0.26	0.030	mg/L	12/01/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	3.2	1.0	mg/L	12/01/94
Magnesium, Dissolved	14.	0.50	mg/L	12/01/94
Manganese, Dissolved	0.64	0.050	mg/L	12/02/94
Sodium, Dissolved	39.	1.0	mg/L	12/02/94
Nickel, Dissolved	BQL	0.030	mg/L	12/02/94
Lead, Dissolved	BQL	0.060	mg/L	12/02/94
Antimony, Dissolved	BQL	0.40	mg/L	12/02/94
Tin-Dissolved	BQL	0.80	mg/L	12/02/94
Thalium-Dissolved	BQL	0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/02/94
Zinc, Dissolved	0.065	0.010	mg/L	12/02/94

VIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: MW 62
EAS Sample Number: 9405561
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/01/94
Arsenic, Total	0.034	0.010	mg/L	12/01/94
Barium, Total	0.77	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	40.	1.0	mg/L	12/01/94
Cadmium, Total	BQL	0.010	mg/L	12/01/94
Cobalt, Total	0.11	0.10	mg/L	12/01/94
Chromium, Total	0.10	0.040	mg/L	12/01/94
Copper, Total	0.57	0.020	mg/L	12/01/94
Iron, Total	140.	3.0	mg/L	12/01/94
Mercury, Total	BQL	0.0010	mg/L	11/10/94
Potassium, Total	21.	1.0	mg/L	12/01/94
Magnesium, Total	49.	0.50	mg/L	12/01/94
anganese, Total	2.8	0.050	mg/L	12/01/94
dium, Total	44.	1.0	mg/L	12/01/94
Nickel, Total	0.25	0.030	mg/L	12/01/94
Lead, Total	0.080	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	0.61	0.10	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

VIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: EQUIPMENT BLANK 10-13-94
EAS Sample Number: 9405562
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	BQL	10.	mgCaCO3/L	10/24/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/24/94
Chloride	BQL	5.0	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	BQL	0.050	mg/L	10/19/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/14/94
Nitrate-Nitrogen	BQL	0.050	mg/L	10/16/94
Phenols, Total	BQL	5.0	ug/L	11/04/94
Sulfate	BQL	5.0	mg/L	10/27/94
Total Dissolved Solids	BQL	10.	mg/L	10/18/94
Total Organic Carbon	BQL	5.0	mg/L	11/06/94
Total Organic Halogens	BQL	0.10	mg/L	11/05/94
Total Suspended Solids	BQL	4.0	mg/L	10/19/94
Metals Digestion - Aqueous Sample				11/10/94
lver, Dissolved	BQL	0.030	mg/L	12/01/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/01/94
Barium, Dissolved	BQL	0.50	mg/L	12/01/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/01/94
Calcium, Dissolved	BQL	1.0	mg/L	12/01/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/01/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/01/94
Chromium, Dissolved	BQL	0.040	mg/L	12/01/94
Copper, Dissolved	BQL	0.020	mg/L	12/01/94
Iron, Dissolved	0.080	0.030	mg/L	12/01/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	BQL	1.0	mg/L	12/01/94
Magnesium, Dissolved	BQL	0.50	mg/L	12/01/94
Manganese, Dissolved	BQL	0.050	mg/L	12/02/94
Sodium, Dissolved	BQL	1.0	mg/L	12/02/94
Nickel, Dissolved	BQL	0.030	mg/L	12/02/94
Lead, Dissolved	BQL	0.060	mg/L	12/02/94
Antimony, Dissolved	BQL	0.40	mg/L	12/02/94
Tin-Dissolved	BQL	0.80	mg/L	12/02/94
Thalium-Dissolved	BQL	0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/02/94
Zinc, Dissolved	0.014	0.010	mg/L	12/02/94
Silver, Total	BQL	0.030	mg/L	12/01/94
Arsenic, Total	BQL	0.0050	mg/L	12/01/94

ENVIRITE CORP. (THOMASTON)
[illegible] Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: EQUIPMENT BLANK 10-13-94
EAS Sample Number: 9405562
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Barium, Total	BQL	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	BQL	1.0	mg/L	12/01/94
Cadmium, Total	BQL	0.010	mg/L	12/01/94
Cobalt, Total	BQL	0.10	mg/L	12/01/94
Chromium, Total	BQL	0.040	mg/L	12/01/94
Copper, Total	BQL	0.020	mg/L	12/01/94
Iron, Total	0.080	0.030	mg/L	12/01/94
Mercury, Total	BQL	0.0010	mg/L	11/10/94
Potassium, Total	BQL	1.0	mg/L	12/01/94
Magnesium, Total	BQL	0.50	mg/L	12/01/94
Manganese, Total	BQL	0.050	mg/L	12/01/94
Sodium, Total	BQL	1.0	mg/L	12/01/94
Nickel, Total	BQL	0.030	mg/L	12/01/94
Lead, Total	BQL	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	0.011	0.010	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: MW 50S
EAS Sample Number: 9405563
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	78.	10.	mgCaCO3/L	10/24/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/24/94
Chloride	49.	5.0	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	0.067	0.050	mg/L	10/24/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/14/94
Nitrate-Nitrogen	3.4	0.50	mg/L	10/16/94
pH	6.4			11/08/94
Phenols, Total	BQL	5.0	ug/L	11/04/94
Sulfate	41.	5.0	mg/L	11/03/94
Specific Conductivity	380.	10.	umho/cm²	11/08/94
Total Dissolved Solids	260.	20.	mg/L	10/18/94
Total Organic Carbon	BQL	5.0	mg/L	11/06/94
Total Organic Halogens	BQL	0.10	mg/L	11/05/94
[illegible]tal Suspended Solids	360.	16.	mg/L	10/18/94
Metals Digestion - Aqueous Sample				11/10/94
Silver, Dissolved	BQL	0.030	mg/L	12/01/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/01/94
Barium, Dissolved	BQL	0.50	mg/L	12/01/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/01/94
Calcium, Dissolved	30.	1.0	mg/L	12/01/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/01/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/01/94
Chromium, Dissolved	BQL	0.040	mg/L	12/01/94
Copper, Dissolved	BQL	0.020	mg/L	12/01/94
Iron, Dissolved	0.070	0.030	mg/L	12/01/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	4.3	1.0	mg/L	12/01/94
Magnesium, Dissolved	16.	0.50	mg/L	12/01/94
Manganese, Dissolved	3.6	0.050	mg/L	12/02/94
Sodium, Dissolved	33.	1.0	mg/L	12/02/94
Nickel, Dissolved	BQL	0.030	mg/L	12/02/94
Lead, Dissolved	BQL	0.060	mg/L	12/02/94
Antimony, Dissolved	BQL	0.40	mg/L	12/02/94
Tin-Dissolved	BQL	0.80	mg/L	12/02/94
Thalium-Dissolved	BQL	0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/02/94
Zinc, Dissolved	0.12	0.010	mg/L	12/02/94

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: MW 50S
EAS Sample Number: 9405563
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/01/94
Arsenic, Total	BQL	0.0050	mg/L	12/01/94
Barium, Total	BQL	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	35.	1.0	mg/L	12/01/94
Cadmium, Total	BQL	0.010	mg/L	12/01/94
Cobalt, Total	BQL	0.10	mg/L	12/01/94
Chromium, Total	0.040	0.040	mg/L	12/01/94
Copper, Total	0.090	0.020	mg/L	12/01/94
Iron, Total	16.	0.30	mg/L	12/01/94
Mercury, Total	BQL	0.0010	mg/L	11/10/94
Potassium, Total	5.8	1.0	mg/L	12/01/94
Magnesium, Total	21.	0.50	mg/L	12/01/94
Manganese, Total	3.8	0.50	mg/L	12/01/94
[illegible]dium, Total	37.	1.0	mg/L	12/01/94
[illegible]ckel, Total	0.040	0.030	mg/L	12/01/94
Lead, Total	BQL	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	0.24	0.010	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

VIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: MW 53D
EAS Sample Number: 9405564
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	110.	10.	mgCaCO3/L	10/24/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/24/94
Chloride	150.	5.0	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	2.4	0.25	mg/L	10/19/94
Nitrite-Nitrogen	0.054	0.050	mg/L	10/14/94
Nitrate-Nitrogen	28.	0.50	mg/L	10/16/94
pH	6.5			11/08/94
Phenols, Total	BQL	5.0	ug/L	11/04/94
Sulfate	120.	25.	mg/L	11/03/94
Specific Conductivity	740.	10.	umho/cm²	11/08/94
Total Dissolved Solids	660.	20.	mg/L	10/18/94
Total Organic Carbon	5.8	5.0	mg/L	11/06/94
Total Organic Halogens	0.28	0.10	mg/L	11/05/94
tal Suspended Solids	110.	16.	mg/L	10/18/94
Metals Digestion - Aqueous Sample				11/10/94
Silver, Dissolved	BQL	0.030	mg/L	12/01/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/01/94
Barium, Dissolved	BQL	0.50	mg/L	12/01/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/01/94
Calcium, Dissolved	66.	1.0	mg/L	12/01/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/01/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/01/94
Chromium, Dissolved	BQL	0.040	mg/L	12/01/94
Copper, Dissolved	BQL	0.020	mg/L	12/01/94
Iron, Dissolved	17.	0.30	mg/L	12/01/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	5.5	1.0	mg/L	12/01/94
Magnesium, Dissolved	30.	0.50	mg/L	12/01/94
Manganese, Dissolved	17.	0.50	mg/L	12/02/94
Sodium, Dissolved	48.	1.0	mg/L	12/02/94
Nickel, Dissolved	BQL	0.030	mg/L	12/02/94
Lead, Dissolved	BQL	0.060	mg/L	12/02/94
Antimony, Dissolved	BQL	0.40	mg/L	12/02/94
Tin-Dissolved	BQL	0.80	mg/L	12/02/94
Thalium-Dissolved	BQL	0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/02/94
Zinc, Dissolved	0.036	0.010	mg/L	12/02/94

VIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: MW 53D
EAS Sample Number: 9405564
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/01/94
Arsenic, Total	BQL	0.0050	mg/L	12/01/94
Barium, Total	BQL	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	84.	1.0	mg/L	12/01/94
Cadmium, Total	BQL	0.010	mg/L	12/01/94
Cobalt, Total	BQL	0.10	mg/L	12/01/94
Chromium, Total	BQL	0.040	mg/L	12/01/94
Copper, Total	0.020	0.020	mg/L	12/01/94
Iron, Total	28.	0.30	mg/L	12/01/94
Mercury, Total	BQL	0.0010	mg/L	11/10/94
Potassium, Total	6.6	1.0	mg/L	12/01/94
Magnesium, Total	44.	0.50	mg/L	12/01/94
Manganese, Total	20.	0.50	mg/L	12/01/94
Sodium, Total	60.	1.0	mg/L	12/01/94
Nickel, Total	0.050	0.030	mg/L	12/01/94
Lead, Total	BQL	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	0.045	0.010	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

NVIRITE CORP. (THOMASTON)
1d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: MW 59D
EAS Sample Number: 9405565
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	25.	10.	mgCaCO3/L	10/25/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/25/94
Chloride	43.	5.0	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	BQL	0.050	mg/L	10/19/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/14/94
Nitrate-Nitrogen	3.4	0.50	mg/L	10/16/94
pH	6.4			11/08/94
Phenols, Total	BQL	5.0	ug/L	11/04/94
Sulfate	20.	5.0	mg/L	11/03/94
Specific Conductivity	250.	10.	umho/cm²	11/08/94
Total Dissolved Solids	170.	20.	mg/L	10/18/94
Total Organic Carbon	BQL	5.0	mg/L	11/06/94
Total Organic Halogens	BQL	0.10	mg/L	11/05/94
tal Suspended Solids	160.	8.0	mg/L	10/18/94
Metals Digestion - Aqueous Sample				11/10/94
Silver, Dissolved	BQL	0.030	mg/L	12/01/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/01/94
Barium, Dissolved	BQL	0.50	mg/L	12/01/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/01/94
Calcium, Dissolved	18.	1.0	mg/L	12/01/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/01/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/01/94
Chromium, Dissolved	BQL	0.040	mg/L	12/01/94
Copper, Dissolved	0.020	0.020	mg/L	12/01/94
Iron, Dissolved	0.090	0.030	mg/L	12/01/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	2.9	1.0	mg/L	12/01/94
Magnesium, Dissolved	6.0	0.50	mg/L	12/01/94
Manganese, Dissolved	BQL	0.050	mg/L	12/02/94
Sodium, Dissolved	28.	1.0	mg/L	12/02/94
Nickel, Dissolved	BQL	0.030	mg/L	12/02/94
Lead, Dissolved	BQL	0.060	mg/L	12/02/94
Antimony, Dissolved	BQL	0.40	mg/L	12/02/94
Tin-Dissolved	BQL	0.80	mg/L	12/02/94
Thalium-Dissolved	BQL	0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/02/94
Zinc, Dissolved	0.036	0.010	mg/L	12/02/94

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: MW 59D
EAS Sample Number: 9405565
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/01/94
Arsenic, Total	BQL	0.0050	mg/L	12/01/94
Barium, Total	BQL	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	18.	1.0	mg/L	12/01/94
Cadmium, Total	BQL	0.010	mg/L	12/01/94
Cobalt, Total	BQL	0.10	mg/L	12/01/94
Chromium, Total	BQL	0.040	mg/L	12/01/94
Copper, Total	0.050	0.020	mg/L	12/01/94
Iron, Total	7.8	0.30	mg/L	12/01/94
Mercury, Total	BQL	0.0010	mg/L	11/10/94
Potassium, Total	3.8	1.0	mg/L	12/01/94
Magnesium, Total	6.9	0.50	mg/L	12/01/94
Manganese, Total	0.13	0.050	mg/L	12/01/94
[illegible]dium, Total	28.	1.0	mg/L	12/01/94
Nickel, Total	BQL	0.030	mg/L	12/01/94
Lead, Total	BQL	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	0.068	0.010	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: MW 59S
EAS Sample Number: 9405566
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	28.	10.	mgCaCO3/L	10/25/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/25/94
Chloride	36.	5.0	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	BQL	0.050	mg/L	10/19/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/14/94
Nitrate-Nitrogen	1.4	0.50	mg/L	10/16/94
pH	6.6			11/08/94
Phenols, Total	BQL	5.0	ug/L	11/04/94
Sulfate	16.	5.0	mg/L	11/03/94
Specific Conductivity	200.	10.	umho/cm²	11/08/94
Total Dissolved Solids	140.	20.	mg/L	10/20/94
Total Organic Carbon	9.4	5.0	mg/L	11/06/94
Total Organic Halogens	BQL	0.10	mg/L	11/05/94
[illegible]tal Suspended Solids	2000.	40.	mg/L	10/18/94
Metals Digestion - Aqueous Sample				11/10/94
Silver, Dissolved	BQL	0.030	mg/L	12/01/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/01/94
Barium, Dissolved	BQL	0.50	mg/L	12/01/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/01/94
Calcium, Dissolved	11.	1.0	mg/L	12/01/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/01/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/01/94
Chromium, Dissolved	BQL	0.040	mg/L	12/01/94
Copper, Dissolved	BQL	0.020	mg/L	12/01/94
Iron, Dissolved	0.050	0.030	mg/L	12/01/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	2.8	1.0	mg/L	12/01/94
Magnesium, Dissolved	3.0	0.50	mg/L	12/01/94
Manganese, Dissolved	0.096	0.050	mg/L	12/02/94
Sodium, Dissolved	25.	1.0	mg/L	12/02/94
Nickel, Dissolved	BQL	0.030	mg/L	12/02/94
Lead, Dissolved	BQL	0.060	mg/L	12/02/94
Antimony, Dissolved	BQL	0.40	mg/L	12/02/94
Tin-Dissolved	BQL	0.80	mg/L	12/02/94
Thalium-Dissolved	BQL	0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/02/94
Zinc, Dissolved	0.052	0.010	mg/L	12/02/94

ENVIRITE CORP. (THOMASTON)
[illegible] Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: MW 59S
EAS Sample Number: 9405566
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/01/94
Arsenic, Total	0.0066	0.0050	mg/L	12/01/94
Barium, Total	BQL	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	17.	1.0	mg/L	12/01/94
Cadmium, Total	BQL	0.010	mg/L	12/01/94
Cobalt, Total	BQL	0.10	mg/L	12/01/94
Chromium, Total	0.070	0.040	mg/L	12/01/94
Copper, Total	0.11	0.020	mg/L	12/01/94
Iron, Total	89.	3.0	mg/L	12/01/94
Mercury, Total	BQL	0.0010	mg/L	11/10/94
Potassium, Total	12.	1.0	mg/L	12/01/94
Magnesium, Total	17.	0.50	mg/L	12/01/94
Manganese, Total	2.1	0.050	mg/L	12/01/94
[illegible]dium, Total	26.	1.0	mg/L	12/01/94
[illegible]ckel, Total	0.090	0.030	mg/L	12/01/94
Lead, Total	BQL	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	0.30	0.010	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: MW 60
EAS Sample Number: 9405567
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	25.	10.	mgCaCO3/L	10/25/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/25/94
Chloride	47.	5.0	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	BQL	0.050	mg/L	10/19/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/14/94
Nitrate-Nitrogen	1.4	0.50	mg/L	10/16/94
pH	6.4			11/08/94
Phenols, Total	BQL	5.0	ug/L	11/04/94
Sulfate	15.	5.0	mg/L	11/03/94
Specific Conductivity	220.	10.	umho/cm²	11/08/94
Total Dissolved Solids	160.	20.	mg/L	10/20/94
Total Organic Carbon	16.	5.0	mg/L	11/08/94
Total Organic Halogens	BQL	0.10	mg/L	11/07/94
[illegible]tal Suspended Solids	4000.	40.	mg/L	10/18/94
[illegible]tals Digestion - Aqueous Sample				11/15/94
Silver, Dissolved	BQL	0.030	mg/L	12/01/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/01/94
Barium, Dissolved	BQL	0.50	mg/L	12/01/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/01/94
Calcium, Dissolved	11.	1.0	mg/L	12/01/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/01/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/01/94
Chromium, Dissolved	BQL	0.040	mg/L	12/01/94
Copper, Dissolved	BQL	0.020	mg/L	12/01/94
Iron, Dissolved	0.070	0.030	mg/L	12/01/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	2.5	1.0	mg/L	12/01/94
Magnesium, Dissolved	2.9	0.50	mg/L	12/01/94
Manganese, Dissolved	0.13	0.050	mg/L	12/02/94
Sodium, Dissolved	30.	1.0	mg/L	12/02/94
Nickel, Dissolved	BQL	0.030	mg/L	12/02/94
Lead, Dissolved	BQL	0.060	mg/L	12/02/94
Antimony, Dissolved	BQL	0.40	mg/L	12/02/94
Tin-Dissolved	BQL	0.80	mg/L	12/02/94
Thalium-Dissolved	BQL	0.40	mg/L	12/02/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/02/94
Zinc, Dissolved	0.078	0.010	mg/L	12/02/94

VIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: MW 60
EAS Sample Number: 9405567
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/01/94
Arsenic, Total	0.035	0.020	mg/L	12/01/94
Barium, Total	1.5	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	30.	1.0	mg/L	12/01/94
Cadmium, Total	BQL	0.010	mg/L	12/01/94
Cobalt, Total	0.20	0.10	mg/L	12/01/94
Chromium, Total	0.31	0.040	mg/L	12/01/94
Copper, Total	0.56	0.020	mg/L	12/01/94
Iron, Total	400.	3.0	mg/L	12/01/94
Mercury, Total	BQL	0.0010	mg/L	11/10/94
Potassium, Total	31.	1.0	mg/L	12/01/94
Magnesium, Total	60.	5.0	mg/L	12/01/94
Manganese, Total	7.1	0.50	mg/L	12/01/94
Sodium, Total	38.	1.0	mg/L	12/01/94
Nickel, Total	0.41	0.030	mg/L	12/01/94
Lead, Total	0.080	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	1.8	0.10	mg/L	12/01/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/12/1994
Sample Description: FIELD BLANK 10-12-94
EAS Sample Number: 9405568
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	BQL	10.	mgCaCO3/L	10/24/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/24/94
Chloride	BQL	5.0	mg/L	10/21/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	BQL	0.050	mg/L	10/19/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/13/94
Nitrate-Nitrogen	BQL	0.050	mg/L	10/16/94
Phenols, Total	BQL	5.0	ug/L	11/04/94
Sulfate	BQL	5.0	mg/L	11/03/94
Total Dissolved Solids	BQL	10.	mg/L	10/18/94
Total Organic Carbon	BQL	5.0	mg/L	11/08/94
Total Organic Halogens	BQL	0.10	mg/L	11/04/94
Total Suspended Solids	BQL	4.0	mg/L	10/18/94
Metals Digestion - Aqueous Sample				11/15/94
[illegible]lver, Total	BQL	0.030	mg/L	12/01/94
[illegible]senic, Total	BQL	0.0050	mg/L	12/01/94
Barium, Total	BQL	0.50	mg/L	12/01/94
Beryllium, Total	BQL	0.020	mg/L	12/01/94
Calcium, Total	BQL	1.0	mg/L	12/01/94
Cadmium, Total	BQL	0.010	mg/L	12/01/94
Cobalt, Total	BQL	0.10	mg/L	12/01/94
Chromium, Total	BQL	0.040	mg/L	12/01/94
Copper, Total	BQL	0.020	mg/L	12/01/94
Iron, Total	0.090	0.030	mg/L	12/01/94
Mercury, Total	BQL	0.0010	mg/L	11/10/94
Potassium, Total	BQL	1.0	mg/L	12/01/94
Magnesium, Total	BQL	0.50	mg/L	12/01/94
Manganese, Total	BQL	0.050	mg/L	12/01/94
Sodium, Total	BQL	1.0	mg/L	12/01/94
Nickel, Total	BQL	0.030	mg/L	12/01/94
Lead, Total	BQL	0.060	mg/L	12/01/94
Antimony, Total	BQL	0.40	mg/L	12/01/94
Tin, Total	BQL	0.80	mg/L	12/01/94
Thallium, Total	BQL	0.40	mg/L	12/01/94
Vanadium-Total	BQL	1.0	mg/L	12/01/94
Zinc, Total	0.012	0.010	mg/L	12/01/94

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/12/1994
Sample Description: FIELD BLANK 10-12-94
EAS Sample Number: 9405568
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Vinyl chloride	BQL	10.	ug/L	10/24/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558

New York Certified Laboratory Number: 10916

[illegible]ssachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989

2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989

3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/12/1994
Sample Description: MW 61B
EAS Sample Number: 9405569
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	55.	10.	mgCaCO3/L	10/25/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/25/94
Chloride	120.	5.0	mg/L	10/26/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	BQL	0.050	mg/L	10/24/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/19/94
Nitrate-Nitrogen	5.3	0.050	mg/L	10/19/94
pH	7.3			11/08/94
Phenols, Total	BQL	5.0	ug/L	11/04/94
Sulfate	75.	25.	mg/L	10/27/94
Specific Conductivity	600.	10.	umho/cm²	11/08/94
Total Dissolved Solids	450.	20.	mg/L	10/26/94
Total Organic Carbon	BQL	5.0	mg/L	11/08/94
Total Organic Halogens	BQL	0.10	mg/L	11/04/94
[illegible]tal Suspended Solids	30.	4.0	mg/L	10/20/94
[illegible]tals Digestion - Aqueous Sample				11/15/94
Silver, Dissolved	BQL	0.030	mg/L	12/06/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/06/94
Barium, Dissolved	BQL	0.50	mg/L	12/06/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/06/94
Calcium, Dissolved	86.	1.0	mg/L	12/06/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/06/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/06/94
Chromium, Dissolved	BQL	0.040	mg/L	12/06/94
Copper, Dissolved	BQL	0.020	mg/L	12/06/94
Iron, Dissolved	0.050	0.030	mg/L	12/06/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/14/94
Potassium, Dissolved	6.6	1.0	mg/L	12/06/94
Magnesium, Dissolved	7.3	0.50	mg/L	12/06/94
Manganese, Dissolved	BQL	0.050	mg/L	12/06/94
Sodium, Dissolved	33.	1.0	mg/L	12/06/94
Nickel, Dissolved	BQL	0.030	mg/L	12/06/94
Lead, Dissolved	BQL	0.060	mg/L	12/06/94
Antimony, Dissolved	BQL	0.40	mg/L	12/06/94
Tin-Dissolved	BQL	0.80	mg/L	12/06/94
Thalium-Dissolved	BQL	0.40	mg/L	12/06/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/06/94
Zinc, Dissolved	0.027	0.010	mg/L	12/06/94

ENVIRITE CORP. (THOMASTON)
d Waterbury Road
homaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/12/1994
Sample Description: MW 61B
EAS Sample Number: 9405569
Date Sample Received: 10/13/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/06/94
Arsenic, Total	BQL	0.0050	mg/L	12/06/94
Barium, Total	BQL	0.50	mg/L	12/06/94
Beryllium, Total	BQL	0.020	mg/L	12/06/94
Calcium, Total	93.	10.	mg/L	12/06/94
Cadmium, Total	BQL	0.010	mg/L	12/06/94
Cobalt, Total	BQL	0.10	mg/L	12/06/94
Chromium, Total	BQL	0.040	mg/L	12/06/94
Copper, Total	BQL	0.020	mg/L	12/06/94
Iron, Total	1.5	0.030	mg/L	12/06/94
Mercury, Total	BQL	0.0010	mg/L	11/10/94
Potassium, Total	7.3	1.0	mg/L	12/06/94
Magnesium, Total	8.1	0.50	mg/L	12/06/94
Manganese, Total	0.093	0.050	mg/L	12/06/94
dium, Total	32.	1.0	mg/L	12/06/94
ckel, Total	BQL	0.030	mg/L	12/06/94
Lead, Total	BQL	0.060	mg/L	12/06/94
Antimony, Total	BQL	0.40	mg/L	12/06/94
Tin, Total	BQL	0.80	mg/L	12/06/94
Thallium, Total	BQL	0.40	mg/L	12/06/94
Vanadium-Total	BQL	1.0	mg/L	12/06/94
Zinc, Total	0.033	0.010	mg/L	12/06/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: MW 36
EAS Sample Number: 9405599
Date Sample Received: 10/14/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	BQL	10.	mgCaCO3/L	10/25/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/25/94
Chloride	47.	5.0	mg/L	10/26/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	BQL	0.050	mg/L	10/19/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/14/94
Nitrate-Nitrogen	0.65	0.25	mg/L	10/19/94
pH	6.3			11/08/94
Phenols, Total	BQL	5.0	ug/L	11/04/94
Sulfate	47.	5.0	mg/L	10/27/94
Specific Conductivity	260.	10.	umho/cm²	11/08/94
Total Dissolved Solids	200.	20.	mg/L	10/20/94
Total Organic Carbon	11.	5.0	mg/L	11/08/94
Total Organic Halogens	BQL	0.10	mg/L	11/02/94
[illegible]tal Suspended Solids	52.	8.0	mg/L	10/19/94
[illegible]lver, Dissolved	BQL	0.030	mg/L	12/06/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/06/94
Barium, Dissolved	BQL	0.50	mg/L	12/06/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/06/94
Calcium, Dissolved	21.	1.0	mg/L	12/06/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/06/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/06/94
Chromium, Dissolved	BQL	0.040	mg/L	12/06/94
Copper, Dissolved	BQL	0.020	mg/L	12/06/94
Iron, Dissolved	BQL	0.030	mg/L	12/06/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	6.1	1.0	mg/L	12/06/94
Magnesium, Dissolved	4.2	0.50	mg/L	12/06/94
Manganese, Dissolved	BQL	0.050	mg/L	12/06/94
Sodium, Dissolved	29.	1.0	mg/L	12/06/94
Nickel, Dissolved	BQL	0.030	mg/L	12/06/94
Lead, Dissolved	BQL	0.060	mg/L	12/06/94
Antimony, Dissolved	BQL	0.40	mg/L	12/06/94
Tin-Dissolved	BQL	0.80	mg/L	12/06/94
Thalium-Dissolved	BQL	0.40	mg/L	12/06/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/06/94
Zinc, Dissolved	0.022	0.010	mg/L	12/06/94

ENVIRITE CORP. (THOMASTON)
d Waterbury Road
homaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: MW 36
EAS Sample Number: 9405599
Date Sample Received: 10/14/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/06/94
Arsenic, Total	BQL	0.0050	mg/L	12/06/94
Barium, Total	BQL	0.50	mg/L	12/06/94
Beryllium, Total	BQL	0.020	mg/L	12/06/94
Calcium, Total	23.	1.0	mg/L	12/06/94
Cadmium, Total	BQL	0.010	mg/L	12/06/94
Cobalt, Total	BQL	0.10	mg/L	12/06/94
Chromium, Total	BQL	0.040	mg/L	12/06/94
Copper, Total	BQL	0.020	mg/L	12/06/94
Iron, Total	3.7	0.030	mg/L	12/06/94
Mercury, Total	BQL	0.0010	mg/L	11/10/94
Potassium, Total	6.0	1.0	mg/L	12/06/94
Metals Digestion - Aqueous Sample				11/15/94
Magnesium, Total	4.8	0.50	mg/L	12/06/94
nganese, Total	0.18	0.050	mg/L	12/06/94
dium, Total	28.	1.0	mg/L	12/06/94
Nickel, Total	BQL	0.030	mg/L	12/06/94
Lead, Total	BQL	0.060	mg/L	12/06/94
Antimony, Total	BQL	0.40	mg/L	12/06/94
Tin, Total	BQL	0.80	mg/L	12/06/94
Thallium, Total	BQL	0.40	mg/L	12/06/94
Vanadium-Total	BQL	1.0	mg/L	12/06/94
Zinc, Total	0.024	0.010	mg/L	12/06/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989

2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989

3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

VIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: MW 37D
EAS Sample Number: 9405600
Date Sample Received: 10/14/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	12.	10.	mgCaCO3/L	10/25/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/25/94
Chloride	29.	5.0	mg/L	10/26/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	BQL	0.050	mg/L	10/19/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/14/94
Nitrate-Nitrogen	0.65	0.50	mg/L	10/19/94
pH	6.5			11/08/94
Phenols, Total	5.9	5.0	ug/L	11/04/94
Sulfate	38.	5.0	mg/L	10/27/94
Specific Conductivity	210.	10.	umho/cm²	11/08/94
Total Dissolved Solids	140.	20.	mg/L	10/20/94
Total Organic Carbon	18.	5.0	mg/L	11/08/94
Total Organic Halogens	BQL	0.10	mg/L	11/04/94
Total Suspended Solids	68.	8.0	mg/L	10/19/94
Metals Digestion - Aqueous Sample				11/15/94
Silver, Dissolved	BQL	0.030	mg/L	12/06/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/06/94
Barium, Dissolved	BQL	0.50	mg/L	12/06/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/06/94
Calcium, Dissolved	14.	1.0	mg/L	12/06/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/06/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/06/94
Chromium, Dissolved	BQL	0.040	mg/L	12/06/94
Copper, Dissolved	BQL	0.020	mg/L	12/06/94
Iron, Dissolved	BQL	0.030	mg/L	12/06/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	3.5	1.0	mg/L	12/06/94
Magnesium, Dissolved	2.8	0.50	mg/L	12/06/94
Manganese, Dissolved	BQL	0.050	mg/L	12/06/94
Sodium, Dissolved	23.	1.0	mg/L	12/06/94
Nickel, Dissolved	BQL	0.030	mg/L	12/06/94
Lead, Dissolved	BQL	0.060	mg/L	12/06/94
Antimony, Dissolved	BQL	0.40	mg/L	12/06/94
Tin-Dissolved	BQL	0.80	mg/L	12/06/94
Thalium-Dissolved	BQL	0.40	mg/L	12/06/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/06/94
Zinc, Dissolved	0.020	0.010	mg/L	12/06/94

VIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: MW 37D
EAS Sample Number: 9405600
Date Sample Received: 10/14/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/06/94
Arsenic, Total	BQL	0.0050	mg/L	12/06/94
Barium, Total	BQL	0.50	mg/L	12/06/94
Beryllium, Total	BQL	0.020	mg/L	12/06/94
Calcium, Total	16.	1.0	mg/L	12/06/94
Cadmium, Total	BQL	0.010	mg/L	12/06/94
Cobalt, Total	BQL	0.10	mg/L	12/06/94
Chromium, Total	BQL	0.040	mg/L	12/06/94
Copper, Total	BQL	0.020	mg/L	12/06/94
Iron, Total	6.2	0.30	mg/L	12/06/94
Mercury, Total	BQL	0.0010	mg/L	11/10/94
Potassium, Total	4.2	1.0	mg/L	12/06/94
Magnesium, Total	80.	5.0	mg/L	12/06/94
Manganese, Total	0.17	0.050	mg/L	12/06/94
dium, Total	23.	1.0	mg/L	12/06/94
Nickel, Total	BQL	0.030	mg/L	12/06/94
Lead, Total	BQL	0.060	mg/L	12/06/94
Antimony, Total	BQL	0.40	mg/L	12/06/94
Tin, Total	BQL	0.80	mg/L	12/06/94
Thallium, Total	BQL	0.40	mg/L	12/06/94
Vanadium-Total	BQL	1.0	mg/L	12/06/94
Zinc, Total	0.030	0.010	mg/L	12/06/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: MW 51B
EAS Sample Number: 9405602
Date Sample Received: 10/14/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	33.	10.	mgCaCO3/L	10/25/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/25/94
Chloride	270.	50.	mg/L	10/26/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	0.052	0.050	mg/L	10/24/94
Nitrite-Nitrogen	0.20	0.050	mg/L	10/19/94
Nitrate-Nitrogen	50.	1.3	mg/L	10/19/94
pH	7.0			11/08/94
Phenols, Total	BQL	5.0	ug/L	11/04/94
Sulfate	250.	50.	mg/L	10/27/94
Specific Conductivity	1500.	10.	umho/cm²	11/08/94
Total Dissolved Solids	1200.	20.	mg/L	10/26/94
Total Organic Carbon	BQL	5.0	mg/L	11/08/94
Total Organic Halogens	0.46	0.10	mg/L	11/07/94
[illegible]tal Suspended Solids	BQL	4.0	mg/L	10/20/94
[illegible]etals Digestion - Aqueous Sample				11/15/94
Silver, Dissolved	BQL	0.030	mg/L	12/06/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/06/94
Barium, Dissolved	BQL	0.50	mg/L	12/06/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/06/94
Calcium, Dissolved	280.	10.	mg/L	12/06/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/06/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/06/94
Chromium, Dissolved	BQL	0.040	mg/L	12/06/94
Copper, Dissolved	BQL	0.020	mg/L	12/06/94
Iron, Dissolved	0.030	0.030	mg/L	12/06/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	14.	1.0	mg/L	12/06/94
Magnesium, Dissolved	37.	5.0	mg/L	12/06/94
Manganese, Dissolved	0.34	0.050	mg/L	12/06/94
Sodium, Dissolved	17.	1.0	mg/L	12/06/94
Nickel, Dissolved	0.060	0.030	mg/L	12/06/94
Lead, Dissolved	BQL	0.060	mg/L	12/06/94
Antimony, Dissolved	BQL	0.40	mg/L	12/06/94
Tin-Dissolved	BQL	0.80	mg/L	12/06/94
Thalium-Dissolved	BQL	0.40	mg/L	12/06/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/06/94
Zinc, Dissolved	0.033	0.010	mg/L	12/06/94

'IVIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/13/1994
Sample Description: MW 51B
EAS Sample Number: 9405602
Date Sample Received: 10/14/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/06/94
Arsenic, Total	BQL	0.0050	mg/L	12/06/94
Barium, Total	BQL	0.50	mg/L	12/06/94
Beryllium, Total	BQL	0.020	mg/L	12/06/94
Calcium, Total	310.	10.	mg/L	12/06/94
Cadmium, Total	BQL	0.010	mg/L	12/06/94
Cobalt, Total	BQL	0.10	mg/L	12/06/94
Chromium, Total	BQL	0.040	mg/L	12/06/94
Copper, Total	BQL	0.020	mg/L	12/06/94
Iron, Total	0.12	0.030	mg/L	12/06/94
Mercury, Total	BQL	0.0010	mg/L	11/10/94
Potassium, Total	14.	1.0	mg/L	12/06/94
Magnesium, Total	42.	5.0	mg/L	12/06/94
Manganese, Total	0.45	0.050	mg/L	12/06/94
dium, Total	16.	1.0	mg/L	12/06/94
Nickel, Total	0.050	0.030	mg/L	12/06/94
Lead, Total	BQL	0.060	mg/L	12/06/94
Antimony, Total	BQL	0.40	mg/L	12/06/94
Tin, Total	BQL	0.80	mg/L	12/06/94
Thallium, Total	BQL	0.40	mg/L	12/06/94
Vanadium-Total	BQL	1.0	mg/L	12/06/94
Zinc, Total	0.025	0.010	mg/L	12/06/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

`IVIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/14/1994
Sample Description: MW 57
EAS Sample Number: 9405604
Date Sample Received: 10/14/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	16.	10.	mgCaCO3/L	10/25/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/25/94
Chloride	200.	50.	mg/L	10/26/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	0.068	0.050	mg/L	10/19/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/14/94
Nitrate-Nitrogen	41.	1.3	mg/L	10/19/94
pH	5.9			11/08/94
Phenols, Total	BQL	5.0	ug/L	11/04/94
Sulfate	180.	50.	mg/L	10/27/94
Specific Conductivity	1200.	10.	umho/cm²	11/08/94
Total Dissolved Solids	860.	20.	mg/L	10/20/94
Total Organic Carbon	12.	5.0	mg/L	11/08/94
Total Organic Halogens	BQL	0.10	mg/L	11/02/94
tal Suspended Solids	6400.	40.	mg/L	10/20/94
etals Digestion - Aqueous Sample				11/15/94
Silver, Dissolved	BQL	0.030	mg/L	12/06/94
Arsenic, Dissolved	0.0066	0.0050	mg/L	12/06/94
Barium, Dissolved	BQL	0.50	mg/L	12/06/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/06/94
Calcium, Dissolved	80.	1.0	mg/L	12/06/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/06/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/06/94
Chromium, Dissolved	BQL	0.040	mg/L	12/06/94
Copper, Dissolved	BQL	0.020	mg/L	12/06/94
Iron, Dissolved	0.050	0.030	mg/L	12/06/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	16.	1.0	mg/L	12/06/94
Magnesium, Dissolved	37.	0.50	mg/L	12/06/94
Manganese, Dissolved	0.31	0.050	mg/L	12/06/94
Sodium, Dissolved	130.	1.0	mg/L	12/06/94
Nickel, Dissolved	0.11	0.030	mg/L	12/06/94
Lead, Dissolved	BQL	0.060	mg/L	12/06/94
Antimony, Dissolved	BQL	0.40	mg/L	12/06/94
Tin-Dissolved	BQL	0.80	mg/L	12/06/94
Thalium-Dissolved	BQL	0.40	mg/L	12/06/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/06/94
Zinc, Dissolved	0.22	0.010	mg/L	12/06/94

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/14/1994
Sample Description: MW 57
EAS Sample Number: 9405604
Date Sample Received: 10/14/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/06/94
Arsenic, Total	0.024	0.010	mg/L	12/06/94
Barium, Total	1.3	0.50	mg/L	12/06/94
Beryllium, Total	BQL	0.020	mg/L	12/06/94
Calcium, Total	120.	10.	mg/L	12/06/94
Cadmium, Total	BQL	0.010	mg/L	12/06/94
Cobalt, Total	0.23	0.10	mg/L	12/06/94
Chromium, Total	0.34	0.040	mg/L	12/06/94
Copper, Total	0.45	0.020	mg/L	12/06/94
Iron, Total	280.	3.0	mg/L	12/06/94
Mercury, Total	BQL	0.0010	mg/L	11/10/94
Potassium, Total	44.	1.0	mg/L	12/06/94
Magnesium, Total	85.	5.0	mg/L	12/06/94
Manganese, Total	6.6	0.50	mg/L	12/06/94
[illegible]dium, Total	130.	1.0	mg/L	12/06/94
[illegible]ickel, Total	0.41	0.030	mg/L	12/06/94
Lead, Total	0.070	0.060	mg/L	12/06/94
Antimony, Total	BQL	0.40	mg/L	12/06/94
Tin, Total	BQL	0.80	mg/L	12/06/94
Thallium, Total	BQL	0.40	mg/L	12/06/94
Vanadium-Total	BQL	1.0	mg/L	12/06/94
Zinc, Total	1.3	0.10	mg/L	12/06/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

VIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/14/1994
Sample Description: MW 56D
EAS Sample Number: 9405605
Date Sample Received: 10/14/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	26.	10.	mgCaCO3/L	10/25/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/25/94
Chloride	1100.	50.	mg/L	10/26/94
Cyanide, Total	0.012	0.010	mg/L	10/24/94
Ammonia-Nitrogen	5.9	0.50	mg/L	10/24/94
Nitrite-Nitrogen	0.21	0.050	mg/L	10/14/94
Nitrate-Nitrogen	200.	5.0	mg/L	11/03/94
pH	5.9			11/08/94
Phenols, Total	BQL	5.0	ug/L	11/04/94
Sulfate	650.	50.	mg/L	10/27/94
Specific Conductivity	3900.	10.	umho/cm²	11/08/94
Total Dissolved Solids	3700.	20.	mg/L	10/20/94
Total Organic Carbon	5.4	5.0	mg/L	11/08/94
Total Organic Halogens	0.12	0.10	mg/L	11/04/94
tal Suspended Solids	22.	4.0	mg/L	10/19/94
Metals Digestion - Aqueous Sample				11/15/94
Silver, Dissolved	BQL	0.030	mg/L	12/06/94
Arsenic, Dissolved	0.032	0.0050	mg/L	12/06/94
Barium, Dissolved	BQL	0.50	mg/L	12/06/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/06/94
Calcium, Dissolved	430.	10.	mg/L	12/06/94
Cadmium, Dissolved	0.065	0.010	mg/L	12/06/94
Cobalt, Dissolved	0.12	0.10	mg/L	12/06/94
Chromium, Dissolved	BQL	0.040	mg/L	12/06/94
Copper, Dissolved	0.030	0.020	mg/L	12/06/94
Iron, Dissolved	0.060	0.030	mg/L	12/06/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	36.	1.0	mg/L	12/06/94
Magnesium, Dissolved	130.	5.0	mg/L	12/06/94
Manganese, Dissolved	15.	0.50	mg/L	12/06/94
Sodium, Dissolved	650.	10.	mg/L	12/06/94
Nickel, Dissolved	1.5	0.030	mg/L	12/06/94
Lead, Dissolved	BQL	0.060	mg/L	12/06/94
Antimony, Dissolved	BQL	0.40	mg/L	12/06/94
Tin-Dissolved	BQL	0.80	mg/L	12/06/94
Thalium-Dissolved	BQL	0.40	mg/L	12/06/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/06/94
Zinc, Dissolved	2.3	0.10	mg/L	12/06/94

VIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/14/1994
Sample Description: MW 56D
EAS Sample Number: 9405605
Date Sample Received: 10/14/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/06/94
Arsenic, Total	0.036	0.0050	mg/L	12/06/94
Barium, Total	BQL	0.50	mg/L	12/06/94
Beryllium, Total	BQL	0.020	mg/L	12/06/94
Calcium, Total	390.	10.	mg/L	12/06/94
Cadmium, Total	0.089	0.010	mg/L	12/06/94
Cobalt, Total	0.18	0.10	mg/L	12/06/94
Chromium, Total	BQL	0.040	mg/L	12/06/94
Copper, Total	0.31	0.020	mg/L	12/06/94
Iron, Total	1.2	0.030	mg/L	12/06/94
Mercury, Total	BQL	0.0010	mg/L	11/10/94
Potassium, Total	35.	1.0	mg/L	12/06/94
Magnesium, Total	130.	5.0	mg/L	12/06/94
nganese, Total	17.	0.50	mg/L	12/06/94
dium, Total	650.	10.	mg/L	12/06/94
Nickel, Total	2.1	0.030	mg/L	12/06/94
Lead, Total	BQL	0.060	mg/L	12/06/94
Antimony, Total	BQL	0.40	mg/L	12/06/94
Tin, Total	BQL	0.80	mg/L	12/06/94
Thallium, Total	BQL	0.40	mg/L	12/06/94
Vanadium-Total	BQL	1.0	mg/L	12/06/94
Zinc, Total	4.7	0.10	mg/L	12/06/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/14/1994
Sample Description: MW 56S
EAS Sample Number: 9405606
Date Sample Received: 10/14/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	27.	10.	mgCaCO3/L	10/25/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/25/94
Chloride	300.	50.	mg/L	10/26/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	0.10	0.050	mg/L	10/19/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/14/94
Nitrate-Nitrogen	52.	1.3	mg/L	10/19/94
pH	6.3			11/08/94
Phenols, Total	BQL	5.0	ug/L	11/04/94
Sulfate	230.	50.	mg/L	10/27/94
Specific Conductivity	1100.	10.	umho/cm²	11/08/94
Total Dissolved Solids	1100.	20.	mg/L	10/20/94
Total Organic Carbon	10.	5.0	mg/L	11/08/94
Total Organic Halogens	BQL	0.10	mg/L	11/07/94
[illegible]tal Suspended Solids	3200.	40.	mg/L	10/20/94
Metals Digestion - Aqueous Sample				11/15/94
Silver, Dissolved	BQL	0.030	mg/L	12/06/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/06/94
Barium, Dissolved	BQL	0.50	mg/L	12/06/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/06/94
Calcium, Dissolved	94.	1.0	mg/L	12/06/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/06/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/06/94
Chromium, Dissolved	BQL	0.040	mg/L	12/06/94
Copper, Dissolved	BQL	0.020	mg/L	12/06/94
Iron, Dissolved	0.030	0.030	mg/L	12/06/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	16.	1.0	mg/L	12/06/94
Magnesium, Dissolved	35.	0.50	mg/L	12/06/94
Manganese, Dissolved	0.28	0.050	mg/L	12/06/94
Sodium, Dissolved	120.	1.0	mg/L	12/06/94
Nickel, Dissolved	0.060	0.030	mg/L	12/06/94
Lead, Dissolved	BQL	0.060	mg/L	12/06/94
Antimony, Dissolved	BQL	0.40	mg/L	12/06/94
Tin-Dissolved	BQL	0.80	mg/L	12/06/94
Thalium-Dissolved	BQL	0.40	mg/L	12/06/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/06/94
Zinc, Dissolved	0.077	0.010	mg/L	12/06/94

VIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/14/1994
Sample Description: MW 56S
EAS Sample Number: 9405606
Date Sample Received: 10/14/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/06/94
Arsenic, Total	0.016	0.0050	mg/L	12/06/94
Barium, Total	0.97	0.50	mg/L	12/06/94
Beryllium, Total	BQL	0.020	mg/L	12/06/94
Calcium, Total	150.	10.	mg/L	12/06/94
Cadmium, Total	BQL	0.010	mg/L	12/06/94
Cobalt, Total	0.12	0.10	mg/L	12/06/94
Chromium, Total	0.18	0.040	mg/L	12/06/94
Copper, Total	0.30	0.020	mg/L	12/06/94
Iron, Total	140.	3.0	mg/L	12/06/94
Mercury, Total	BQL	0.0010	mg/L	11/10/94
Potassium, Total	37.	1.0	mg/L	12/06/94
Magnesium, Total	91.	5.0	mg/L	12/06/94
Manganese, Total	4.0	0.50	mg/L	12/06/94
dium, Total	200.	1.0	mg/L	12/06/94
Nickel, Total	0.24	0.030	mg/L	12/06/94
Lead, Total	BQL	0.060	mg/L	12/06/94
Antimony, Total	BQL	0.40	mg/L	12/06/94
Tin, Total	BQL	0.80	mg/L	12/06/94
Thallium, Total	BQL	0.40	mg/L	12/06/94
Vanadium-Total	BQL	1.0	mg/L	12/06/94
Zinc, Total	0.89	0.10	mg/L	12/06/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/14/1994
Sample Description: MW 58S
EAS Sample Number: 9405607
Date Sample Received: 10/14/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	36.	10.	mgCaCO3/L	10/25/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/25/94
Chloride	110.	5.0	mg/L	10/26/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	BQL	0.050	mg/L	10/19/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/14/94
Nitrate-Nitrogen	18.	0.50	mg/L	10/19/94
pH	6.4			11/08/94
Phenols, Total	BQL	5.0	ug/L	11/04/94
Sulfate	74.	25.	mg/L	10/27/94
Specific Conductivity	570.	10.	umho/cm²	11/08/94
Total Dissolved Solids	450.	20.	mg/L	10/20/94
Total Organic Carbon	24.	5.0	mg/L	11/08/94
Total Organic Halogens	BQL	0.10	mg/L	11/04/94
[illegible]tal Suspended Solids	6400.	40.	mg/L	10/20/94
[illegible]etals Digestion - Aqueous Sample				11/15/94
Silver, Dissolved	BQL	0.030	mg/L	12/06/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/06/94
Barium, Dissolved	BQL	0.50	mg/L	12/06/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/06/94
Calcium, Dissolved	52.	1.0	mg/L	12/06/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/06/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/06/94
Chromium, Dissolved	BQL	0.040	mg/L	12/06/94
Copper, Dissolved	BQL	0.020	mg/L	12/06/94
Iron, Dissolved	0.030	0.030	mg/L	12/06/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	7.5	1.0	mg/L	12/06/94
Magnesium, Dissolved	15.	0.50	mg/L	12/06/94
Manganese, Dissolved	BQL	0.050	mg/L	12/06/94
Sodium, Dissolved	57.	1.0	mg/L	12/06/94
Nickel, Dissolved	0.030	0.030	mg/L	12/06/94
Lead, Dissolved	BQL	0.060	mg/L	12/06/94
Antimony, Dissolved	BQL	0.40	mg/L	12/06/94
Tin-Dissolved	BQL	0.80	mg/L	12/06/94
Thalium-Dissolved	BQL	0.40	mg/L	12/06/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/06/94
Zinc, Dissolved	0.023	0.010	mg/L	12/06/94

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/14/1994
Sample Description: MW 58S
EAS Sample Number: 9405607
Date Sample Received: 10/14/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/06/94
Arsenic, Total	0.021	0.010	mg/L	12/06/94
Barium, Total	1.7	0.50	mg/L	12/06/94
Beryllium, Total	BQL	0.020	mg/L	12/06/94
Calcium, Total	91.	10.	mg/L	12/06/94
Cadmium, Total	BQL	0.010	mg/L	12/06/94
Cobalt, Total	0.24	0.10	mg/L	12/06/94
Chromium, Total	0.39	0.040	mg/L	12/06/94
Copper, Total	0.48	0.020	mg/L	12/06/94
Iron, Total	260.	3.0	mg/L	12/06/94
Mercury, Total	BQL	0.0010	mg/L	11/10/94
Potassium, Total	37.	1.0	mg/L	12/06/94
Magnesium, Total	66.	5.0	mg/L	12/06/94
Manganese, Total	1.4	0.50	mg/L	12/06/94
[illegible]dium, Total	65.	1.0	mg/L	12/06/94
[illegible]ickel, Total	0.43	0.030	mg/L	12/06/94
Lead, Total	0.080	0.060	mg/L	12/06/94
Antimony, Total	BQL	0.40	mg/L	12/06/94
Tin, Total	BQL	0.80	mg/L	12/06/94
Thallium, Total	BQL	0.40	mg/L	12/06/94
Vanadium-Total	BQL	1.0	mg/L	12/06/94
Zinc, Total	0.76	0.10	mg/L	12/06/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/14/1994
Sample Description: MW 58D
EAS Sample Number: 9405608
Date Sample Received: 10/14/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	29.	10.	mgCaCO3/L	10/25/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/25/94
Chloride	1100.	50.	mg/L	10/26/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	1.1	0.050	mg/L	10/19/94
Nitrite-Nitrogen	0.18	0.050	mg/L	10/14/94
Nitrate-Nitrogen	200.	5.0	mg/L	11/03/94
pH	6.0			11/08/94
Phenols, Total	BQL	[illegible]5.0	ug/L	11/04/94
Sulfate	550.	50.	mg/L	10/27/94
Specific Conductivity	3600.	10.	umho/cm²	11/08/94
Total Dissolved Solids	3500.	20.	mg/L	10/20/94
Total Organic Carbon	BQL	5.0	mg/L	11/08/94
Total Organic Halogens	0.61	0.10	mg/L	11/02/94
[illegible]tal Suspended Solids	79.	4.0	mg/L	10/19/94
[illegible]tals Digestion - Aqueous Sample				11/15/94
Silver, Dissolved	BQL	0.030	mg/L	12/06/94
Arsenic, Dissolved	0.039	0.0050	mg/L	12/06/94
Barium, Dissolved	BQL	0.50	mg/L	12/06/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/06/94
Calcium, Dissolved	500.	10.	mg/L	12/06/94
Cadmium, Dissolved	0.027	0.010	mg/L	12/06/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/06/94
Chromium, Dissolved	BQL	0.040	mg/L	12/06/94
Copper, Dissolved	0.15	0.020	mg/L	12/06/94
Iron, Dissolved	0.26	0.030	mg/L	12/06/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	19.	1.0	mg/L	12/06/94
Magnesium, Dissolved	170.	0.50	mg/L	12/06/94
Manganese, Dissolved	9.4	0.050	mg/L	12/06/94
Sodium, Dissolved	520.	10.	mg/L	12/06/94
Nickel, Dissolved	0.66	0.030	mg/L	12/06/94
Lead, Dissolved	BQL	0.060	mg/L	12/06/94
Antimony, Dissolved	BQL	0.40	mg/L	12/06/94
Tin-Dissolved	BQL	0.80	mg/L	12/06/94
Thalium-Dissolved	BQL	0.40	mg/L	12/06/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/06/94
Zinc, Dissolved	2.2	0.10	mg/L	12/06/94

VIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/14/1994
Sample Description: MW 58D
EAS Sample Number: 9405608
Date Sample Received: 10/14/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/06/94
Arsenic, Total	0.034	0.0050	mg/L	12/06/94
Barium, Total	BQL	0.50	mg/L	12/06/94
Beryllium, Total	BQL	0.020	mg/L	12/06/94
Calcium, Total	420.	10.	mg/L	12/06/94
Cadmium, Total	0.026	0.010	mg/L	12/06/94
Cobalt, Total	BQL	0.10	mg/L	12/06/94
Chromium, Total	BQL	0.040	mg/L	12/06/94
Copper, Total	0.18	0.020	mg/L	12/06/94
Iron, Total	2.4	0.030	mg/L	12/06/94
Mercury, Total	BQL	0.0010	mg/L	11/10/94
Potassium, Total	18.	1.0	mg/L	12/06/94
Magnesium, Total	150.	5.0	mg/L	12/06/94
Manganese, Total	9.2	0.50	mg/L	12/06/94
[illegible]dium, Total	460.	10.	mg/L	12/06/94
Nickel, Total	0.64	0.030	mg/L	12/06/94
Lead, Total	BQL	0.060	mg/L	12/06/94
Antimony, Total	BQL	0.40	mg/L	12/06/94
Tin, Total	BQL	0.80	mg/L	12/06/94
Thallium, Total	BQL	0.40	mg/L	12/06/94
Vanadium-Total	BQL	1.0	mg/L	12/06/94
Zinc, Total	2.3	0.10	mg/L	12/06/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/14/1994
Sample Description: MW 52D
EAS Sample Number: 9405609
Date Sample Received: 10/14/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	83.	10.	mgCaCO3/L	10/25/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/25/94
Chloride	1200.	130.	mg/L	10/26/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	17.	1.3	mg/L	10/19/94
Nitrite-Nitrogen	0.95	0.050	mg/L	10/14/94
Nitrate-Nitrogen	300.	5.0	mg/L	10/19/94
pH	6.4			11/08/94
Phenols, Total	160.	5.0	ug/L	11/04/94
Sulfate	1000.	130.	mg/L	10/27/94
Specific Conductivity	4500.	10.	umho/cm²	11/08/94
Total Dissolved Solids	4800.	40.	mg/L	10/20/94
Total Organic Carbon	9.1	5.0	mg/L	11/08/94
Total Organic Halogens	2.6	0.10	mg/L	11/02/94
[illegible]tal Suspended Solids	23.	4.0	mg/L	10/19/94
[illegible]etals Digestion - Aqueous Sample				11/15/94
Silver, Dissolved	BQL	0.030	mg/L	12/06/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/09/94
Barium, Dissolved	BQL	0.50	mg/L	12/06/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/06/94
Calcium, Dissolved	260.	10.	mg/L	12/06/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/06/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/06/94
Chromium, Dissolved	BQL	0.040	mg/L	12/06/94
Copper, Dissolved	0.020	0.020	mg/L	12/06/94
Iron, Dissolved	0.070	0.030	mg/L	12/06/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	16.	1.0	mg/L	12/06/94
Magnesium, Dissolved	250.	5.0	mg/L	12/06/94
Manganese, Dissolved	4.6	0.50	mg/L	12/06/94
Sodium, Dissolved	320.	10.	mg/L	12/06/94
Nickel, Dissolved	0.10	0.030	mg/L	12/06/94
Lead, Dissolved	BQL	0.060	mg/L	12/06/94
Antimony, Dissolved	BQL	0.40	mg/L	12/06/94
Tin-Dissolved	BQL	0.80	mg/L	12/06/94
Thalium-Dissolved	BQL	0.40	mg/L	12/06/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/07/94
Zinc, Dissolved	0.056	0.010	mg/L	12/06/94

ENVIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/14/1994
Sample Description: MW 52D
EAS Sample Number: 9405609
Date Sample Received: 10/14/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/06/94
Arsenic, Total	BQL	0.0050	mg/L	12/09/94
Barium, Total	BQL	0.50	mg/L	12/06/94
Beryllium, Total	BQL	0.020	mg/L	12/06/94
Calcium, Total	440.	10.	mg/L	12/06/94
Cadmium, Total	BQL	0.010	mg/L	12/06/94
Cobalt, Total	BQL	0.10	mg/L	12/06/94
Chromium, Total	BQL	0.040	mg/L	12/06/94
Copper, Total	0.040	0.020	mg/L	12/06/94
Iron, Total	0.56	0.030	mg/L	12/06/94
Mercury, Total	BQL	0.0010	mg/L	11/10/94
Potassium, Total	30.	1.0	mg/L	12/06/94
Magnesium, Total	450.	5.0	mg/L	12/06/94
Manganese, Total	8.2	0.50	mg/L	12/06/94
dium, Total	590.	10.	mg/L	12/06/94
ckel, Total	0.16	0.030	mg/L	12/06/94
Lead, Total	BQL	0.060	mg/L	12/06/94
Antimony, Total	BQL	0.40	mg/L	12/06/94
Tin, Total	BQL	0.80	mg/L	12/06/94
Thallium, Total	BQL	0.40	mg/L	12/06/94
Vanadium-Total	BQL	1.0	mg/L	12/07/94
Zinc, Total	0.097	0.010	mg/L	12/06/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/14/1994
Sample Description: MW 31D
EAS Sample Number: 9405610
Date Sample Received: 10/14/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	100.	10.	mgCaCO3/L	10/25/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/25/94
Chloride	1000.	130.	mg/L	10/26/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	11.	0.50	mg/L	10/24/94
Nitrite-Nitrogen	0.71	0.050	mg/L	10/14/94
Nitrate-Nitrogen	340.	5.0	mg/L	10/19/94
pH	6.5			11/08/94
Phenols, Total	37.	5.0	ug/L	11/04/94
Sulfate	2100.	130.	mg/L	10/27/94
Specific Conductivity	5400.	10.	umho/cm²	11/08/94
Total Dissolved Solids	6300.	20.	mg/L	10/20/94
Total Organic Carbon	18.	5.0	mg/L	11/08/94
Total Organic Halogens	2.0	0.10	mg/L	11/02/94
[illegible]tal Suspended Solids	2900.	25.	mg/L	10/20/94
Metals Digestion - Aqueous Sample				11/15/94
Silver, Dissolved	BQL	0.030	mg/L	12/06/94
Arsenic, Dissolved	0.0073	0.0050	mg/L	12/19/94
Barium, Dissolved	BQL	0.50	mg/L	12/06/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/06/94
Calcium, Dissolved	510.	10.	mg/L	12/06/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/06/94
Cobalt, Dissolved	0.10	0.10	mg/L	12/06/94
Chromium, Dissolved	BQL	0.040	mg/L	12/06/94
Copper, Dissolved	0.040	0.020	mg/L	12/06/94
Iron, Dissolved	0.10	0.030	mg/L	12/06/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	46.	1.0	mg/L	12/06/94
Magnesium, Dissolved	680.	50.	mg/L	12/06/94
Manganese, Dissolved	3.2	0.050	mg/L	12/06/94
Sodium, Dissolved	640.	10.	mg/L	12/06/94
Nickel, Dissolved	0.13	0.030	mg/L	12/06/94
Lead, Dissolved	BQL	0.060	mg/L	12/06/94
Antimony, Dissolved	BQL	0.40	mg/L	12/06/94
Tin-Dissolved	BQL	0.80	mg/L	12/06/94
Thalium-Dissolved	BQL	0.40	mg/L	12/06/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/07/94

ENVIRITE CORP. (THOMASTON)
d Waterbury Road
homaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/14/1994
Sample Description: MW 31D
EAS Sample Number: 9405610
Date Sample Received: 10/14/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Zinc, Dissolved	0.043	0.010	mg/L	12/06/94
Silver, Total	BQL	0.030	mg/L	12/06/94
Arsenic, Total	0.052	0.0050	mg/L	12/09/94
Barium, Total	0.91	0.50	mg/L	12/06/94
Beryllium, Total	BQL	0.020	mg/L	12/06/94
Calcium, Total	480.	10.	mg/L	12/06/94
Cadmium, Total	BQL	0.010	mg/L	12/06/94
Cobalt, Total	0.21	0.10	mg/L	12/06/94
Chromium, Total	0.20	0.040	mg/L	12/06/94
Copper, Total	0.48	0.020	mg/L	12/06/94
Iron, Total	160.	3.0	mg/L	12/06/94
Mercury, Total	BQL	0.0010	mg/L	11/10/94
Potassium, Total	64.	1.0	mg/L	12/06/94
Magnesium, Total	690.	50.	mg/L	12/06/94
nganese, Total	8.1	0.50	mg/L	12/06/94
dium, Total	620.	10.	mg/L	12/06/94
Nickel, Total	0.38	0.030	mg/L	12/06/94
Lead, Total	0.17	0.060	mg/L	12/06/94
Antimony, Total	BQL	0.40	mg/L	12/06/94
Tin, Total	BQL	0.80	mg/L	12/06/94
Thallium, Total	BQL	0.40	mg/L	12/06/94
Vanadium-Total	BQL	1.0	mg/L	12/07/94
Zinc, Total	0.74	0.10	mg/L	12/06/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

VIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/14/1994
Sample Description: MW 31
EAS Sample Number: 9405611
Date Sample Received: 10/14/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	210.	10.	mgCaCO3/L	10/25/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/25/94
Chloride	220.	50.	mg/L	10/26/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	9.0	0.50	mg/L	10/24/94
Nitrite-Nitrogen	0.054	0.050	mg/L	10/14/94
Nitrate-Nitrogen	15.	1.3	mg/L	10/19/94
pH	6.6			11/08/94
Phenols, Total	520.	25.	ug/L	11/04/94
Sulfate	1100.	50.	mg/L	10/27/94
Specific Conductivity	2600.	10.	umho/cm²	11/08/94
Total Dissolved Solids	2200.	40.	mg/L	10/20/94
Total Organic Carbon	140.	10.	mg/L	11/08/94
Total Organic Halogens	2.5	0.10	mg/L	11/02/94
tal Suspended Solids	100.	16.	mg/L	10/20/94
Metals Digestion - Aqueous Sample				11/15/94
Silver, Dissolved	BQL	0.030	mg/L	12/06/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/09/94
Barium, Dissolved	BQL	0.50	mg/L	12/06/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/06/94
Calcium, Dissolved	180.	10.	mg/L	12/06/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/06/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/06/94
Chromium, Dissolved	0.040	0.040	mg/L	12/06/94
Copper, Dissolved	BQL	0.020	mg/L	12/06/94
Iron, Dissolved	82.	3.0	mg/L	12/19/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	16.	1.0	mg/L	12/06/94
Magnesium, Dissolved	170.	5.0	mg/L	12/06/94
Manganese, Dissolved	9.6	0.50	mg/L	12/06/94
Sodium, Dissolved	100.	10.	mg/L	12/06/94
Nickel, Dissolved	0.11	0.030	mg/L	12/06/94
Lead, Dissolved	BQL	0.060	mg/L	12/06/94
Antimony, Dissolved	BQL	0.40	mg/L	12/06/94
Tin-Dissolved	BQL	0.80	mg/L	12/06/94
Thalium-Dissolved	BQL	0.40	mg/L	12/06/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/07/94

VIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/14/1994
Sample Description: MW 31
EAS Sample Number: 9405611
Date Sample Received: 10/14/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Zinc, Dissolved	0.31	0.010	mg/L	12/06/94
Silver, Total	BQL	0.030	mg/L	12/06/94
Arsenic, Total	BQL	0.0050	mg/L	12/09/94
Barium, Total	BQL	0.50	mg/L	12/06/94
Beryllium, Total	BQL	0.020	mg/L	12/06/94
Calcium, Total	200.	10.	mg/L	12/06/94
Cadmium, Total	0.023	0.010	mg/L	12/06/94
Cobalt, Total	BQL	0.10	mg/L	12/06/94
Chromium, Total	BQL	0.040	mg/L	12/06/94
Copper, Total	0.070	0.020	mg/L	12/06/94
Iron, Total	63.	3.0	mg/L	12/06/94
Mercury, Total	BQL	0.0010	mg/L	11/10/94
Potassium, Total	16.	1.0	mg/L	12/06/94
gnesium, Total	210.	5.0	mg/L	12/06/94
nganese, Total	6.4	0.50	mg/L	12/06/94
Sodium, Total	110.	10.	mg/L	12/06/94
Nickel, Total	0.13	0.030	mg/L	12/06/94
Lead, Total	BQL	0.060	mg/L	12/06/94
Antimony, Total	BQL	0.40	mg/L	12/06/94
Tin, Total	BQL	0.80	mg/L	12/06/94
Thallium, Total	BQL	0.40	mg/L	12/06/94
Vanadium-Total	BQL	1.0	mg/L	12/07/94
Zinc, Total	3.2	0.10	mg/L	12/06/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

VIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/14/1994
Sample Description: MW 51D
EAS Sample Number: 9405612
Date Sample Received: 10/14/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	45.	10.	mgCaCO3/L	10/25/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/25/94
Chloride	470.	50.	mg/L	10/26/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	6.2	0.50	mg/L	10/24/94
Nitrite-Nitrogen	0.12	0.050	mg/L	10/14/94
Nitrate-Nitrogen	94.	1.3	mg/L	10/19/94
pH	6.3			11/08/94
Phenols, Total	14.	5.0	ug/L	11/04/94
Sulfate	350.	50.	mg/L	10/27/94
Specific Conductivity	2100.	10.	umho/cm²	11/08/94
Total Dissolved Solids	1800.	40.	mg/L	10/20/94
Total Organic Carbon	BQL	5.0	mg/L	11/08/94
Total Organic Halogens	0.21	0.10	mg/L	11/07/94
[illegible]tal Suspended Solids	110.	8.0	mg/L	10/19/94
Metals Digestion - Aqueous Sample				11/15/94
Silver, Dissolved	BQL	0.030	mg/L	12/06/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/09/94
Barium, Dissolved	BQL	0.50	mg/L	12/06/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/06/94
Calcium, Dissolved	110.	10.	mg/L	12/06/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/06/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/06/94
Chromium, Dissolved	BQL	0.040	mg/L	12/06/94
Copper, Dissolved	0.17	0.020	mg/L	12/06/94
Iron, Dissolved	0.050	0.030	mg/L	12/06/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/15/94
Potassium, Dissolved	22.	1.0	mg/L	12/06/94
Magnesium, Dissolved	120.	5.0	mg/L	12/06/94
Manganese, Dissolved	0.79	0.050	mg/L	12/06/94
Sodium, Dissolved	270.	10.	mg/L	12/06/94
Nickel, Dissolved	0.12	0.030	mg/L	12/06/94
Lead, Dissolved	BQL	0.060	mg/L	12/06/94
Antimony, Dissolved	BQL	0.40	mg/L	12/06/94
Tin-Dissolved	BQL	0.80	mg/L	12/06/94
Thalium-Dissolved	BQL	0.40	mg/L	12/06/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/07/94

VIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/14/1994
Sample Description: MW 51D
EAS Sample Number: 9405612
Date Sample Received: 10/14/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Zinc, Dissolved	0.32	0.010	mg/L	12/06/94
Silver, Total	BQL	0.030	mg/L	12/06/94
Arsenic, Total	BQL	0.0050	mg/L	12/09/94
Barium, Total	BQL	0.50	mg/L	12/06/94
Beryllium, Total	BQL	0.020	mg/L	12/06/94
Calcium, Total	110.	10.	mg/L	12/06/94
Cadmium, Total	BQL	0.010	mg/L	12/06/94
Cobalt, Total	BQL	0.10	mg/L	12/06/94
Chromium, Total	0.53	0.040	mg/L	12/06/94
Copper, Total	0.56	0.020	mg/L	12/06/94
Iron, Total	7.7	0.30	mg/L	12/06/94
Mercury, Total	0.0014	0.0010	mg/L	11/10/94
Potassium, Total	24.	1.0	mg/L	12/06/94
Magnesium, Total	120.	5.0	mg/L	12/06/94
Manganese, Total	8.1	0.50	mg/L	12/06/94
Sodium, Total	280.	10.	mg/L	12/06/94
Nickel, Total	0.16	0.030	mg/L	12/06/94
Lead, Total	BQL	0.060	mg/L	12/06/94
Antimony, Total	BQL	0.40	mg/L	12/06/94
Tin, Total	BQL	0.80	mg/L	12/06/94
Thallium, Total	BQL	0.40	mg/L	12/06/94
Vanadium-Total	BQL	1.0	mg/L	12/07/94
Zinc, Total	0.40	0.010	mg/L	12/06/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/14/1994
Sample Description: MW 30
EAS Sample Number: 9405613
Date Sample Received: 10/14/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	130.	10.	mgCaCO3/L	10/25/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/25/94
Chloride	1600.	130.	mg/L	10/26/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	14.	1.3	mg/L	10/24/94
Nitrite-Nitrogen	1.8	0.050	mg/L	10/14/94
Nitrate-Nitrogen	470.	10.	mg/L	10/19/94
pH	6.5			11/08/94
Phenols, Total	50.	5.0	ug/L	11/04/94
Sulfate	1800.	130.	mg/L	10/27/94
Specific Conductivity	6500.	10.	umho/cm²	11/08/94
Total Dissolved Solids	7000.	50.	mg/L	10/20/94
Total Organic Carbon	12.	5.0	mg/L	11/08/94
Total Organic Halogens	3.4	0.10	mg/L	11/02/94
[illegible]tal Suspended Solids	61.	4.0	mg/L	10/19/94
[illegible]etals Digestion - Aqueous Sample				11/15/94
Silver, Dissolved	BQL	0.030	mg/L	12/06/94
Arsenic, Dissolved	0.0075	0.0050	mg/L	12/09/94
Barium, Dissolved	BQL	0.50	mg/L	12/06/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/06/94
Calcium, Dissolved	570.	10.	mg/L	12/06/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/06/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/06/94
Chromium, Dissolved	BQL	0.040	mg/L	12/06/94
Copper, Dissolved	0.040	0.020	mg/L	12/06/94
Iron, Dissolved	0.090	0.030	mg/L	12/06/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	38.	1.0	mg/L	12/06/94
Magnesium, Dissolved	700.	50.	mg/L	12/06/94
Manganese, Dissolved	7.0	0.50	mg/L	12/06/94
Sodium, Dissolved	840.	10.	mg/L	12/06/94
Nickel, Dissolved	0.15	0.030	mg/L	12/06/94
Lead, Dissolved	BQL	0.060	mg/L	12/06/94
Antimony, Dissolved	BQL	0.40	mg/L	12/06/94
Tin-Dissolved	BQL	0.80	mg/L	12/06/94
Thalium-Dissolved	BQL	0.40	mg/L	12/06/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/07/94

VIRITE CORP. (THOMASTON)
d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/14/1994
Sample Description: MW 30
EAS Sample Number: 9405613
Date Sample Received: 10/14/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Zinc, Dissolved	0.036	0.010	mg/L	12/06/94
Silver, Total	BQL	0.030	mg/L	12/06/94
Arsenic, Total	0.0062	0.0050	mg/L	12/09/94
Barium, Total	BQL	0.50	mg/L	12/06/94
Beryllium, Total	BQL	0.020	mg/L	12/06/94
Calcium, Total	460.	10.	mg/L	12/06/94
Cadmium, Total	BQL	0.010	mg/L	12/06/94
Cobalt, Total	0.10	0.10	mg/L	12/06/94
Chromium, Total	BQL	0.040	mg/L	12/06/94
Copper, Total	0.050	0.020	mg/L	12/06/94
Iron, Total	3.1	0.30	mg/L	12/06/94
Mercury, Total	BQL	0.0010	mg/L	11/10/94
Potassium, Total	37.	1.0	mg/L	12/06/94
Magnesium, Total	630.	50.	mg/L	12/06/94
Manganese, Total	0.82	0.050	mg/L	12/06/94
Sodium, Total	780.	10.	mg/L	12/06/94
Nickel, Total	0.16	0.030	mg/L	12/06/94
Lead, Total	BQL	0.060	mg/L	12/06/94
Antimony, Total	BQL	0.40	mg/L	12/06/94
Tin, Total	BQL	0.80	mg/L	12/06/94
Thallium, Total	BQL	0.40	mg/L	12/06/94
Vanadium-Total	BQL	1.0	mg/L	12/07/94
Zinc, Total	0.074	0.010	mg/L	12/06/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987

ENVIRITE CORP. (THOMASTON)
[illegible]d Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/19/1994
Sample Description: MW 42B
EAS Sample Number: 9405674
Date Sample Received: 10/19/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Alkalinity, Bicarbonate	12.	10.	mgCaCO3/L	10/25/94
Alkalinity, Carbonate	BQL	10.	mgCaCO3/L	10/25/94
Chloride	25.	5.0	mg/L	10/26/94
Cyanide, Total	BQL	0.010	mg/L	10/24/94
Ammonia-Nitrogen	0.13	0.050	mg/L	10/24/94
Nitrite-Nitrogen	BQL	0.050	mg/L	10/19/94
Nitrate-Nitrogen	1.9	0.050	mg/L	10/19/94
pH	7.1			11/08/94
Phenols, Total	BQL	5.0	ug/L	11/04/94
Sulfate	180.	25.	mg/L	10/27/94
Specific Conductivity	460.	10.	umho/cm²	11/08/94
Total Dissolved Solids	340.	20.	mg/L	10/26/94
Total Organic Carbon	BQL	5.0	mg/L	11/09/94
Total Organic Halogens	1.7	0.10	mg/L	11/02/94
[illegible]tal Suspended Solids	220.	8.0	mg/L	10/20/94
[illegible]etals Digestion - Aqueous Sample				11/15/94
Silver, Dissolved	BQL	0.030	mg/L	12/06/94
Arsenic, Dissolved	BQL	0.0050	mg/L	12/09/94
Barium, Dissolved	BQL	0.50	mg/L	12/06/94
Beryllium-Dissolved	BQL	0.020	mg/L	12/06/94
Calcium, Dissolved	60.	1.0	mg/L	12/06/94
Cadmium, Dissolved	BQL	0.010	mg/L	12/06/94
Cobalt, Dissolved	BQL	0.10	mg/L	12/06/94
Chromium, Dissolved	BQL	0.040	mg/L	12/06/94
Copper, Dissolved	BQL	0.020	mg/L	12/06/94
Iron, Dissolved	0.040	0.030	mg/L	12/06/94
Mercury, Dissolved	BQL	0.0010	mg/L	11/10/94
Potassium, Dissolved	4.6	1.0	mg/L	12/06/94
Magnesium, Dissolved	1.5	0.50	mg/L	12/06/94
Manganese, Dissolved	0.20	0.050	mg/L	12/06/94
Sodium, Dissolved	35.	1.0	mg/L	12/06/94
Nickel, Dissolved	BQL	0.030	mg/L	12/06/94
Lead, Dissolved	BQL	0.060	mg/L	12/06/94
Antimony, Dissolved	BQL	0.40	mg/L	12/06/94
Tin-Dissolved	BQL	0.80	mg/L	12/06/94
Thalium-Dissolved	BQL	0.40	mg/L	12/06/94
Vanadium-Dissolved	BQL	1.0	mg/L	12/07/94
Zinc, Dissolved	0.010	0.010	mg/L	12/06/94

VIRITE CORP. (THOMASTON)
Old Waterbury Road
Thomaston, CT 06787-

Location Collected: ENVIRITE THOMASTON, CT
Date Sample Collected: 10/19/1994
Sample Description: MW 42B
EAS Sample Number: 9405674
Date Sample Received: 10/19/1994

Parameter	Data	Quantitation Limit	Units	Analysis Date
Silver, Total	BQL	0.030	mg/L	12/06/94
Arsenic, Total	BQL	0.0050	mg/L	12/09/94
Barium, Total	BQL	0.50	mg/L	12/06/94
Beryllium, Total	BQL	0.020	mg/L	12/06/94
Calcium, Total	61.	1.0	mg/L	12/06/94
Cadmium, Total	BQL	0.010	mg/L	12/06/94
Cobalt, Total	BQL	0.10	mg/L	12/06/94
Chromium, Total	BQL	0.040	mg/L	12/06/94
Copper, Total	0.060	0.020	mg/L	12/06/94
Iron, Total	24.	0.30	mg/L	12/06/94
Mercury, Total	BQL	0.0010	mg/L	11/10/94
Potassium, Total	7.1	1.0	mg/L	12/06/94
Magnesium, Total	3.6	0.50	mg/L	12/06/94
nganese, Total	0.47	0.050	mg/L	12/06/94
dium, Total	35.	1.0	mg/L	12/06/94
Nickel, Total	0.070	0.030	mg/L	12/06/94
Lead, Total	BQL	0.060	mg/L	12/06/94
Antimony, Total	BQL	0.40	mg/L	12/06/94
Tin, Total	BQL	0.80	mg/L	12/06/94
Thallium, Total	BQL	0.40	mg/L	12/06/94
Vanadium-Total	BQL	1.0	mg/L	12/07/94
Zinc, Total	0.15	0.010	mg/L	12/06/94

BQL = Below Quantitation Limit

* Certification *

Connecticut Certified Laboratory Number: PH 0558
New York Certified Laboratory Number: 10916
Massachusetts Certified Laboratory Number: CT 020

The above analyses were conducted in accordance with:

1. APHA Standard Methods for the Examination of Water and Wastewater, 17th Edition, 1989
2. Clean Water Act, List of Approved Test Procedures, 40 CFR, 136.3 July 1, 1989
3. EPA Test Methods for the Evaluation of Solid Waste, SW-846, 3rd Edition, December, 1987