Table X. **Summary of Shallow Groundwater Sample VOC Analytical Results‡**
Grenada Manufacturing Facility, Grenada, MS

Location ID	Sample Depth (feet)	Sample Date	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2,4-Trichlorobenzene	1,2-Dibromo-3-Chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3-Dichlorobenzene	1,4-Dichlorobenzene	2-Butanone (MEK)
USEPA VISL Residential Groundwater Screening Levels (µg/L)†			**9,300**	**4.4**	**1,800**	**6.8**	**9.4**	**230**	**52**	**0.04**	**3,700**	**2.9**	**3.1**	**NL**	**3.6**	**2,800,000**
Well/Sample Details																
VAP-1-GW	12-13	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.72 J
VAP-2 GW	15-16	10/5/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
VAP-3-GW	15-16	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
VAP-4-GW	15-16	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
VAP-5-GW	15-16	10/7/2015	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	< 16 U	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	< 80 U
VAP-6-GW	12-13	10/8/2015	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 20 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 100 U
VAP-7-GW	13-14	10/9/2015	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 4 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 20 U
VAP-8-GW	18-19	10/8/2015	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 6.7 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 33 U
VAP-9-GW	15-16	10/1/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	1.3 J
VAP-10-GW	16-17	10/20/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.64 J

Notes

‡	Groundwater samples collected by vertical aquifer profile method. Analyzed by Method 8260B. Presented in µg/L.
†	USEPA VISL Calculator Version 3.4, June 2015 RSLs used to calculate target residential screening levels for groundwater concentration based an average groundwater temperature of 20 degrees celsius and on the lower of either a
µg/L	micrograms per liter
NL	No screening criteria calculated
BOLD and SHADED	Bold values in the shallowest groundwater interval exceed the calculate target residential vapor intrusion screening levels for groundwater to vapor based on the lower of either a target cancer risk of 1E-06 or a target hazard index of 1.0.
RSL	Regional Screening Level
USEPA	United States Environmental Protection Agency
VISL	Vapor Intrusion Screening Level
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value
B	Compound was found in the blank and sample
U	Indicates the analyte was analyzed for but not detected.
*	LCS or LCSD is outside acceptable limits
F1	MS and/or MSD recovery is outside acceptable limits
F2	MS/MSD RPD exceeds control limits

Table X. **Summary of Shallow Groundwate**
Grenada Manufacturing Facility, G

Location ID	Sample Depth (feet)	Sample Date	2-Hexanone	4-Methyl-2-pentanone (MIBK)	Acetone	Benzene	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodi-bromomethane	Chloroethane	Chloroform	Chloromethane	cis-1,2-Dichloroethene
USEPA VISL Residential Groundwater Screening Levels (µg/L)†			**11,000**	**730,000**	**1,100,000**	**2**	**160**	**20**	**1,500**	**0.52**	**540**	**NL**	**NL**	**1**	**300**	**NL**
Well/Sample Details																
VAP-1-GW	12-13	10/2/2015	< 10 U	< 10 U	2.9 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
VAP-2 GW	15-16	10/5/2015	< 10 U	< 10 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.74 J
VAP-3-GW	15-16	10/6/2015	< 10 U	< 10 U	1.6 J	< 1 U	< 1 U	< 1 U	0.56 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
VAP-4-GW	15-16	10/6/2015	< 10 U	< 10 U	1.3 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.47 J
VAP-5-GW	15-16	10/7/2015	< 80 U	< 80 U	< 80 U	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	220
VAP-6-GW	12-13	10/8/2015	< 100 U	< 100 U	< 100 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	170
VAP-7-GW	13-14	10/9/2015	< 20 U	< 20 U	< 20 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	44
VAP-8-GW	18-19	10/8/2015	< 33 U	< 33 U	< 33 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	85
VAP-9-GW	15-16	10/1/2015	< 10 U	< 10 U	8.3 J B	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
VAP-10-GW	16-17	10/20/2015	< 10 U	< 10 U	2.2 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U

Notes

‡	Groundwater samples collected by v
†	USEPA VISL Calculator Version 3.4,
µg/L	micrograms per liter
NL	No screening criteria calculated
BOLD and SHADED	Bold values in the shallowest ground
RSL	Regional Screening Level
USEPA	United States Environmental Protecti
VISL	Vapor Intrusion Screening Level
J	Result is less than the RL but greate
B	Compound was found in the blank an
U	Indicates the analyte was analyzed fo
*	LCS or LCSD is outside acceptable l
F1	MS and/or MSD recovery is outside a
F2	MS/MSD RPD exceeds control limits

Table X. **Summary of Shallow Groundwate**
Grenada Manufacturing Facility, G

Location ID	Sample Depth (feet)	Sample Date	cis-1,3-Dichloropropene	Cyclohexane	Dichloro-bromomethane	Dichloro-difluoromethane	Ethylbenzene	Ethylene Dibromide	Isopropyl-benzene	Methyl Acetate	Methyl tert-butyl ether	Methyl-cyclohexane	Methylene Chloride	Styrene	Tetra-chloroethene	Toluene
USEPA VISL Residential Groundwater Screening Levels (µg/L)†			**NL**	**1,300**	**NL**	**9.4**	**4.7**	**NL**	**NL**	**3,300**	**550**	**NL**	**930**	**12,000**	**20**	**25,000**
Well/Sample Details																
VAP-1-GW	12-13	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
VAP-2 GW	15-16	10/5/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
VAP-3-GW	15-16	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
VAP-4-GW	15-16	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
VAP-5-GW	15-16	10/7/2015	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	< 80 U	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U
VAP-6-GW	12-13	10/8/2015	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 100 U	< 10 U	< 10 U	6.7 J B	< 10 U	< 10 U	< 10 U
VAP-7-GW	13-14	10/9/2015	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 20 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U
VAP-8-GW	18-19	10/8/2015	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 33 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U
VAP-9-GW	15-16	10/1/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
VAP-10-GW	16-17	10/20/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.28 J

Notes

‡	Groundwater samples collected by v
†	USEPA VISL Calculator Version 3.4,
µg/L	micrograms per liter
NL	No screening criteria calculated
BOLD and SHADED	Bold values in the shallowest ground
RSL	Regional Screening Level
USEPA	United States Environmental Protecti
VISL	Vapor Intrusion Screening Level
J	Result is less than the RL but greate
B	Compound was found in the blank an
U	Indicates the analyte was analyzed fo
*	LCS or LCSD is outside acceptable l
F1	MS and/or MSD recovery is outside a
F2	MS/MSD RPD exceeds control limits

Table X. **Summary of Shallow Groundwater**
Grenada Manufacturing Facility, G

Location ID	Sample Depth (feet)	Sample Date	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride	Total Xylenes
USEPA VISL Residential Groundwater Screening Levels (µg/L)†			**NL**	**NL**	**1.5**	**220**	**0.17**	**660**
Well/Sample Details								
VAP-1-GW	12-13	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
VAP-2 GW	15-16	10/5/2015	< 1 U	< 1 U	**2.1**	< 1 U	< 1 U	< 2 U
VAP-3-GW	15-16	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
VAP-4-GW	15-16	10/6/2015	< 1 U	< 1 U	0.83 J	< 1 U	< 1 U	< 2 U
VAP-5-GW	15-16	10/7/2015	< 8 U	< 8 U	**81**	< 8 U	< 8 U	< 16 U
VAP-6-GW	12-13	10/8/2015	< 10 U	< 10 U	**160**	< 10 U	< 10 U	< 20 U
VAP-7-GW	13-14	10/9/2015	< 2 U	< 2 U	**21**	< 2 U	< 2 U	< 4 U
VAP-8-GW	18-19	10/8/2015	< 3.3 U	< 3.3 U	**39**	< 3.3 U	< 3.3 U	< 6.7 U
VAP-9-GW	15-16	10/1/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
VAP-10-GW	16-17	10/20/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U

Notes

‡	Groundwater samples collected by ve
†	USEPA VISL Calculator Version 3.4,
µg/L	micrograms per liter
NL	No screening criteria calculated
BOLD and SHADED	Bold values in the shallowest groundw
RSL	Regional Screening Level
USEPA	United States Environmental Protecti
VISL	Vapor Intrusion Screening Level
J	Result is less than the RL but greater
B	Compound was found in the blank an
U	Indicates the analyte was analyzed fo
*	LCS or LCSD is outside acceptable l
F1	MS and/or MSD recovery is outside a
F2	MS/MSD RPD exceeds control limits

Table X. **Summary of Groundwater Sample VOC Analytical Results‡**
Grenada Manufacturing Facility, Grenada, MS

Location ID	Sample Depth (feet)	Sample Date	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2,4-Trichlorobenzene	1,2-Dibromo-3-Chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3-Dichlorobenzene	1,4-Dichlorobenzene	2-Butanone (MEK)
Well/Sample Details																
VAP-1-GW	12-13	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.72 J
	15-16	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.56 J
	20-21	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.79 J
	25-26	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	30-31	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	35-36	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	40-41	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.91 J
	45-46	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.8 J
	49-50	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.59 J
VAP-2 GW	15-16	10/5/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	20-21	10/5/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	25-26	10/5/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	30-31	10/5/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	35-36	10/5/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	40-41	10/5/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	40-41 (DUP-1)	10/5/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	45-46	10/5/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	49-50	10/5/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
VAP-3-GW	15-16	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	20-21	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.73 J
	25-26	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	30-31	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	1.3 J
	35-36	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.67 J
	40-41	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	1.4 J
	45-46	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.81 J
	49-50	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.83 J
VAP-4-GW	15-16	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	20-21	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	1.3 J
	25-26	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	30-31	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	35-36	10/7/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.86 J
	40-41	10/7/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.53 J
	45-46	10/7/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.54 J
	48-49	10/7/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	1.5 J
VAP-5-GW	15-16	10/7/2015	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	< 16 U	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	< 80 U
	20-21	10/7/2015	< 10 U F2	< 10 U	< 10 U	< 10 U	< 10 U F2	< 10 U F2	< 10 U	< 20 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 100 U
	25-26	10/7/2015	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 10 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 50 U
	30-31	10/7/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	35-36	10/7/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	40-41	10/7/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	45-46	10/7/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	49-50	10/7/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	2.3 J
VAP-6-GW	12-13	10/8/2015	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 20 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 100 U
	15-16	10/8/2015	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 20 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 100 U
	20-21	10/8/2015	< 33 U	< 33 U	< 33 U	< 33 U	< 33 U	< 33 U	< 33 U	< 67 U	< 33 U	< 33 U	< 33 U	< 33 U	< 33 U	< 330 U
	25-26	10/8/2015	< 40 U	< 40 U	< 40 U	< 40 U	< 40 U	< 40 U	< 40 U	< 80 U	< 40 U	< 40 U	< 40 U	< 40 U	< 40 U	< 400 U
	30-31	10/8/2015	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 100 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 500 U
	30-31 (DUP-2)	10/8/2015	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 100 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 500 U
	30-35	10/8/2015	< 40 U	< 40 U	< 40 U	< 40 U	< 40 U	< 40 U	< 40 U	< 80 U	< 40 U	< 40 U	< 40 U	< 40 U	< 40 U	< 400 U
	40-41	10/8/2015	< 25 U F2	< 25 U F2	< 25 U F2	< 25 U	< 25 U	< 25 U	< 25 U	< 50 U	< 25 U F2	< 25 U	< 25 U	< 25 U F2	< 25 U F2	< 250 U F2
	45-46	10/8/2015	< 4 U	< 4 U	< 4 U	< 4 U	< 4 U	< 4 U	< 4 U	< 8 U	< 4 U	< 4 U	< 4 U	< 4 U	< 4 U	< 40 U
	49-50	10/8/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
VAP-7-GW	13-14	10/9/2015	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 4 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 20 U
	15-16	10/9/2015	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 10 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 50 U
	20-21	10/9/2015	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 10 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 50 U
	25-26	10/9/2015	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 6.7 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 33 U
	30-31	10/9/2015	< 2 U F2	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 4 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 20 U
	30-31 (DUP-3)	10/9/2015	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 4 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 20 U
	35-36	10/9/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	43-44	10/9/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	1.7 J
	48-49	10/9/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
VAP-8-GW	18-19	10/8/2015	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 6.7 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 33 U
	20-21	10/8/2015	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U	< 5 U	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U	< 25 U
	25-26	10/8/2015	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 4 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 20 U
	30-31	10/8/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	35-36	10/8/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	40-41	10/8/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.72 J
	45-46	10/8/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	49-50	10/8/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	15-16	10/1/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	1.3 J
	20-21	10/1/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	1.2 J
	25-26	10/1/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.66 J

Table X. **Summary of Groundwater Sample VOC Analytical Results‡**
Grenada Manufacturing Facility, Grenada, MS

Location ID	Sample Depth (feet)	Sample Date	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2,4-Trichlorobenzene	1,2-Dibromo-3-Chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3-Dichlorobenzene	1,4-Dichlorobenzene	2-Butanone (MEK)
Well/Sample Details																
VAP-9-GW	30-31	10/1/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	35-36	10/1/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	40-41	10/1/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	45-46	10/1/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.68 J
	49-50	10/1/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.65 J
VAP-10-GW	16-17	10/20/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.64 J
	20-21	10/20/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	25-26	10/20/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	30-31	10/20/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	35-36	10/20/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	40-41	10/20/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	1.9 J
	45-46	10/20/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U
	49-50	10/20/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U

Notes

‡	Groundwater samples collected by vertical aquifer profile method. Analyzed by Method 8260B. Presented in µg/L.
µg/L	micrograms per liter
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value
B	Compound was found in the blank and sample
U	Indicates the analyte was analyzed for but not detected.
*	LCS or LCSD is outside acceptable limits
F1	MS and/or MSD recovery is outside acceptable limits
F2	MS/MSD RPD exceeds control limits

Table X. **Summary of Groundwater Sample**
Grenada Manufacturing Facility, G

Location ID	Sample Depth (feet)	Sample Date	2-Hexanone	4-Methyl-2-pentanone (MIBK)	Acetone	Benzene	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodi-bromomethane	Chloroethane	Chloroform	Chloromethane	cis-1,2-Dichloroethene
Well/Sample Details																
VAP-1-GW	12-13	10/2/2015	< 10 U	< 10 U	2.9 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	15-16	10/2/2015	< 10 U	< 10 U	6.6 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	20-21	10/2/2015	< 10 U	< 10 U	4.9 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	25-26	10/2/2015	< 10 U	< 10 U	2.1 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	30-31	10/2/2015	< 10 U	< 10 U	4 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	35-36	10/2/2015	< 10 U	< 10 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	40-41	10/2/2015	< 10 U	< 10 U	14	< 1 U	< 1 U	< 1 U	0.47 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	45-46	10/2/2015	< 10 U	< 10 U	1.6 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	49-50	10/2/2015	< 10 U	< 10 U	3.2 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
VAP-2 GW	15-16	10/5/2015	< 10 U	< 10 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.74 J
	20-21	10/5/2015	< 10 U	< 10 U	4.8 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.51 J
	25-26	10/5/2015	< 10 U	< 10 U	6.2 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.54 J
	30-31	10/5/2015	< 10 U	< 10 U	2.3 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	35-36	10/5/2015	< 10 U	< 10 U	6.5 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	40-41	10/5/2015	< 10 U	< 10 U	9.5 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	40-41 (DUP-1)	10/5/2015	< 10 U	< 10 U	5.6 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	45-46	10/5/2015	< 10 U	< 10 U	4.7 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	49-50	10/5/2015	< 10 U	< 10 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
VAP-3-GW	15-16	10/6/2015	< 10 U	< 10 U	1.6 J	< 1 U	< 1 U	< 1 U	0.56 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	20-21	10/6/2015	< 10 U	< 10 U	3.7 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	25-26	10/6/2015	< 10 U	< 10 U	4.5 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	30-31	10/6/2015	< 10 U	< 10 U	5.2 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	35-36	10/6/2015	< 10 U	< 10 U	4.6 J	< 1 U	< 1 U	< 1 U	0.38 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	40-41	10/6/2015	< 10 U	< 10 U	6.1 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	45-46	10/6/2015	< 10 U	< 10 U	2.8 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	49-50	10/6/2015	< 10 U	< 10 U	4.5 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
VAP-4-GW	15-16	10/6/2015	< 10 U	< 10 U	1.3 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.47 J
	20-21	10/6/2015	< 10 U	< 10 U	3 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	10
	25-26	10/6/2015	< 10 U	< 10 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	18
	30-31	10/6/2015	< 10 U	< 10 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	5.2
	35-36	10/7/2015	< 10 U	< 10 U	1.4 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	1.2
	40-41	10/7/2015	< 10 U	< 10 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	45-46	10/7/2015	< 10 U	< 10 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	48-49	10/7/2015	< 10 U	< 10 U	1.7 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
VAP-5-GW	15-16	10/7/2015	< 80 U	< 80 U	< 80 U	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	220
	20-21	10/7/2015	< 100 U	< 100 U	< 100 U	< 10 U F2	< 10 U	< 10 U	< 10 U F2	< 10 U F2	< 10 U	< 10 U	< 10 U	< 10 U F2	< 10 U	390 F1
	25-26	10/7/2015	< 50 U	< 50 U	< 50 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	130
	30-31	10/7/2015	< 10 U	< 10 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	2.8
	35-36	10/7/2015	< 10 U	< 10 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.46 J
	40-41	10/7/2015	< 10 U	< 10 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	45-46	10/7/2015	< 10 U	< 10 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	49-50	10/7/2015	< 10 U	< 10 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.27 J
VAP-6-GW	12-13	10/8/2015	< 100 U	< 100 U	< 100 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	170
	15-16	10/8/2015	< 100 U	< 100 U	< 100 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	270
	20-21	10/8/2015	< 330 U	< 330 U	< 330 U	< 33 U	< 33 U	< 33 U	< 33 U	< 33 U	< 33 U	< 33 U	< 33 U	< 33 U	< 33 U	580
	25-26	10/8/2015	< 400 U	< 400 U	< 400 U	< 40 U	< 40 U	< 40 U	< 40 U	< 40 U	< 40 U	< 40 U	< 40 U	< 40 U	< 40 U	1100
	30-31	10/8/2015	< 500 U	< 500 U	< 500 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	1300
	30-31 (DUP-2)	10/8/2015	< 500 U	< 500 U	< 500 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	1300
	30-35	10/8/2015	< 400 U	< 400 U	< 400 U	< 40 U	< 40 U	< 40 U	< 40 U	< 40 U	< 40 U	< 40 U	< 40 U	< 40 U	< 40 U	1000
	40-41	10/8/2015	< 250 U	< 250 U	< 250 U	< 25 U F2	< 25 U	< 25 U	< 25 U	< 25 U F2	< 25 U F2	< 25 U	< 25 U	< 25 U	< 25 U	630 F1
	45-46	10/8/2015	< 40 U	< 40 U	< 40 U	< 4 U	< 4 U	< 4 U	< 4 U	< 4 U	< 4 U	< 4 U	< 4 U	< 4 U	< 4 U	76
	49-50	10/8/2015	< 10 U	< 10 U	< 10 U	< 1 U	< 1 U	< 1 U	0.9 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	3.5
VAP-7-GW	13-14	10/9/2015	< 20 U	< 20 U	< 20 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	44
	15-16	10/9/2015	< 50 U	< 50 U	< 50 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	130
	20-21	10/9/2015	< 50 U	< 50 U	< 50 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	140
	25-26	10/9/2015	< 33 U	< 33 U	< 33 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	100
	30-31	10/9/2015	< 20 U	< 20 U	< 20 U	< 2 U	< 2 U	< 2 U F2	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U F2	< 2 U	< 2 U F2 F1	54
	30-31 (DUP-3)	10/9/2015	< 20 U	< 20 U	< 20 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	55
	35-36	10/9/2015	< 10 U	< 10 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	14
	43-44	10/9/2015	< 10 U	< 10 U	< 10 U	< 1 U	< 1 U	< 1 U	0.45 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	10
	48-49	10/9/2015	< 10 U	< 10 U	< 10 U	< 1 U	< 1 U	< 1 U	0.4 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	3.9
VAP-8-GW	18-19	10/8/2015	< 33 U	< 33 U	< 33 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	85
	20-21	10/8/2015	< 25 U	< 25 U	< 25 U	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U	63
	25-26	10/8/2015	< 20 U	< 20 U	< 20 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	54
	30-31	10/8/2015	< 10 U	< 10 U	1.2 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	24
	35-36	10/8/2015	< 10 U	< 10 U	3.9 J	< 1 U	< 1 U	< 1 U	0.75 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	7.5
	40-41	10/8/2015	< 10 U	12	56	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.53 J	< 1 U	< 1 U	0.37 J	< 1 U	< 1 U
	45-46	10/8/2015	< 10 U	< 10 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.83 J
	49-50	10/8/2015	< 10 U	< 10 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	15-16	10/1/2015	< 10 U	< 10 U	8.3 J B	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	20-21	10/1/2015	< 10 U	< 10 U	2.3 J	< 1 U	< 1 U	< 1 U	0.64 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	25-26	10/1/2015	< 10 U	< 10 U	2.8 J B	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U

Table X. **Summary of Groundwater Sample**
Grenada Manufacturing Facility, G

Location ID	Sample Depth (feet)	Sample Date	2-Hexanone	4-Methyl-2-pentanone (MIBK)	Acetone	Benzene	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodi-bromomethane	Chloroethane	Chloroform	Chloromethane	cis-1,2-Dichloroethene
Well/Sample Details																
VAP-9-GW	30-31	10/1/2015	< 10 U	< 10 U	< 10 U	< 1 U	< 1 U	< 1 U	0.56 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	35-36	10/1/2015	< 10 U	< 10 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	40-41	10/1/2015	< 10 U	< 10 U	< 10 U	< 1 U	< 1 U	< 1 U	0.52 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	45-46	10/1/2015	< 10 U	< 10 U	1 J	< 1 U	< 1 U	< 1 U	0.47 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	49-50	10/1/2015	< 10 U	< 10 U	5.1 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
VAP-10-GW	16-17	10/20/2015	< 10 U	< 10 U	2.2 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	20-21	10/20/2015	< 10 U	< 10 U	1.1 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	25-26	10/20/2015	< 10 U	< 10 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	30-31	10/20/2015	< 10 U	< 10 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	35-36	10/20/2015	< 10 U	< 10 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	40-41	10/20/2015	< 10 U	< 10 U	4.5 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.37 J	< 1 U	< 1 U
	45-46	10/20/2015	< 10 U	< 10 U	< 10 U	< 1 U	< 1 U	< 1 U	0.59 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	49-50	10/20/2015	< 10 U	< 10 U	< 10 U	< 1 U	< 1 U	< 1 U	0.43 J	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U

Notes

‡	Groundwater samples collected by ve
µg/L	micrograms per liter
J	Result is less than the RL but greater
B	Compound was found in the blank an
U	Indicates the analyte was analyzed fo
*	LCS or LCSD is outside acceptable l
F1	MS and/or MSD recovery is outside a
F2	MS/MSD RPD exceeds control limits

Table X. **Summary of Groundwater Sample**
Grenada Manufacturing Facility, G

Location ID	Sample Depth (feet)	Sample Date	cis-1,3-Dichloropropene	Cyclohexane	Dichloro-bromomethane	Dichloro-difluoromethane	Ethylbenzene	Ethylene Dibromide	Isopropyl-benzene	Methyl Acetate	Methyl tert-butyl ether	Methyl-cyclohexane	Methylene Chloride	Styrene	Tetra-chloroethene	Toluene
Well/Sample Details																
VAP-1-GW	12-13	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	15-16	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	20-21	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	25-26	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	30-31	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	35-36	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	40-41	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	45-46	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	49-50	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
VAP-2 GW	15-16	10/5/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	20-21	10/5/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	25-26	10/5/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	30-31	10/5/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	35-36	10/5/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	40-41	10/5/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	40-41 (DUP-1)	10/5/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	45-46	10/5/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	49-50	10/5/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
VAP-3-GW	15-16	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	20-21	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	25-26	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	30-31	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	35-36	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	40-41	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	45-46	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	49-50	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
VAP-4-GW	15-16	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	20-21	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	25-26	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	30-31	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	35-36	10/7/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	40-41	10/7/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	45-46	10/7/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	48-49	10/7/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.26 J
VAP-5-GW	15-16	10/7/2015	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	< 80 U	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U	< 8 U
	20-21	10/7/2015	< 10 U	< 10 U F2	< 10 U	< 10 U	< 10 U F2	< 10 U	< 10 U F2	< 100 U	< 10 U F2	< 10 U F2	< 10 U F2	< 10 U	< 10 U F2	< 10 U F2
	25-26	10/7/2015	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 50 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
	30-31	10/7/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	35-36	10/7/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	40-41	10/7/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	45-46	10/7/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	49-50	10/7/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
VAP-6-GW	12-13	10/8/2015	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 100 U	< 10 U	< 10 U	6.7 J B	< 10 U	< 10 U	< 10 U
	15-16	10/8/2015	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 100 U	< 10 U	< 10 U	6.3 J B	< 10 U	< 10 U	< 10 U
	20-21	10/8/2015	< 33 U	< 33 U	< 33 U	< 33 U	< 33 U	< 33 U	< 33 U	< 330 U	< 33 U	< 33 U	23 J B	< 33 U	< 33 U	< 33 U
	25-26	10/8/2015	< 40 U	< 40 U	< 40 U	< 40 U	< 40 U	< 40 U	< 40 U	< 400 U	< 40 U	< 40 U	33 J B	< 40 U	< 40 U	< 40 U
	30-31	10/8/2015	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 500 U	< 50 U	< 50 U	31 J B	< 50 U	< 50 U	< 50 U
	30-31 (DUP-2)	10/8/2015	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 500 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U
	30-35	10/8/2015	< 40 U	< 40 U	< 40 U	< 40 U	< 40 U	< 40 U	< 40 U	< 400 U	< 40 U	< 40 U	29 J B	< 40 U	< 40 U	< 40 U
	40-41	10/8/2015	< 25 U	< 25 U	< 25 U	< 25 U F2	< 25 U F2	< 25 U	< 25 U	< 250 U F2	< 25 U F2	< 25 U	17 J B	< 25 U	< 25 U F2	< 25 U F2
	45-46	10/8/2015	< 4 U	< 4 U	< 4 U	< 4 U	< 4 U	< 4 U	< 4 U	< 40 U	< 4 U	< 4 U	< 4 U	< 4 U	< 4 U	< 4 U
	49-50	10/8/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
VAP-7-GW	13-14	10/9/2015	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 20 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U
	15-16	10/9/2015	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 50 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
	20-21	10/9/2015	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 50 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
	25-26	10/9/2015	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 33 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U
	30-31	10/9/2015	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 20 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U
	30-31 (DUP-3)	10/9/2015	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 20 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U
	35-36	10/9/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	43-44	10/9/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	48-49	10/9/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
VAP-8-GW	18-19	10/8/2015	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 33 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U	< 3.3 U
	20-21	10/8/2015	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U	< 25 U	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
	25-26	10/8/2015	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 20 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U
	30-31	10/8/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	35-36	10/8/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	40-41	10/8/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	45-46	10/8/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	49-50	10/8/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	15-16	10/1/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	20-21	10/1/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	25-26	10/1/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U

Table X. **Summary of Groundwater Sample**
Grenada Manufacturing Facility, G

Location ID	Sample Depth (feet)	Sample Date	cis-1,3-Dichloropropene	Cyclohexane	Dichloro-bromomethane	Dichloro-difluoromethane	Ethylbenzene	Ethylene Dibromide	Isopropyl-benzene	Methyl Acetate	Methyl tert-butyl ether	Methyl-cyclohexane	Methylene Chloride	Styrene	Tetra-chloroethene	Toluene
Well/Sample Details																
VAP-9-GW	30-31	10/1/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	35-36	10/1/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	40-41	10/1/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	45-46	10/1/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	49-50	10/1/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
VAP-10-GW	16-17	10/20/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.28 J
	20-21	10/20/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	25-26	10/20/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	30-31	10/20/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	35-36	10/20/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	40-41	10/20/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	45-46	10/20/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U
	49-50	10/20/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 10 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U

Notes

‡	Groundwater samples collected by ve
µg/L	micrograms per liter
J	Result is less than the RL but greater
B	Compound was found in the blank an
U	Indicates the analyte was analyzed fo
*	LCS or LCSD is outside acceptable l
F1	MS and/or MSD recovery is outside a
F2	MS/MSD RPD exceeds control limits

Table X. **Summary of Groundwater Sample**
Grenada Manufacturing Facility, G

Location ID	Sample Depth (feet)	Sample Date	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride	Total Xylenes
Well/Sample Details								
VAP-1-GW	12-13	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	15-16	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	20-21	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	25-26	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	30-31	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	35-36	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	40-41	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	45-46	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	49-50	10/2/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
VAP-2 GW	15-16	10/5/2015	< 1 U	< 1 U	2.1	< 1 U	< 1 U	< 2 U
	20-21	10/5/2015	< 1 U	< 1 U	0.4 J	< 1 U	< 1 U	< 2 U
	25-26	10/5/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	30-31	10/5/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	35-36	10/5/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	40-41	10/5/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	40-41 (DUP-1)	10/5/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	45-46	10/5/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	49-50	10/5/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
VAP-3-GW	15-16	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	20-21	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	25-26	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	30-31	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	35-36	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	40-41	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	45-46	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	49-50	10/6/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
VAP-4-GW	15-16	10/6/2015	< 1 U	< 1 U	0.83 J	< 1 U	< 1 U	< 2 U
	20-21	10/6/2015	< 1 U	< 1 U	12	< 1 U	< 1 U	< 2 U
	25-26	10/6/2015	< 1 U	< 1 U	19	< 1 U	< 1 U	< 2 U
	30-31	10/6/2015	< 1 U	< 1 U	6.6	< 1 U	< 1 U	< 2 U
	35-36	10/7/2015	< 1 U	< 1 U	0.95 J	< 1 U	< 1 U	< 2 U
	40-41	10/7/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	45-46	10/7/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	48-49	10/7/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
VAP-5-GW	15-16	10/7/2015	< 8 U	< 8 U	81	< 8 U	< 8 U	< 16 U
	20-21	10/7/2015	< 10 U F2	< 10 U	130	< 10 U	< 10 U	< 20 U F2
	25-26	10/7/2015	< 5 U	< 5 U	57	< 5 U	< 5 U	< 10 U
	30-31	10/7/2015	< 1 U	< 1 U	1.3	< 1 U	< 1 U	< 2 U
	35-36	10/7/2015	< 1 U	< 1 U	0.27 J	< 1 U	< 1 U	< 2 U
	40-41	10/7/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	45-46	10/7/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	49-50	10/7/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
VAP-6-GW	12-13	10/8/2015	< 10 U	< 10 U	160	< 10 U	< 10 U	< 20 U
	15-16	10/8/2015	< 10 U	< 10 U	260	< 10 U	< 10 U	< 20 U
	20-21	10/8/2015	< 33 U	< 33 U	900	< 33 U	< 33 U	< 67 U
	25-26	10/8/2015	< 40 U	< 40 U	1300	< 40 U	< 40 U	< 80 U
	30-31	10/8/2015	< 50 U	< 50 U	1600	< 50 U	< 50 U	< 100 U
	30-31 (DUP-2)	10/8/2015	21 J	< 50 U	1600	< 50 U	< 50 U	< 100 U
	30-35	10/8/2015	< 40 U	< 40 U	1300	< 40 U	< 40 U	< 80 U
	40-41	10/8/2015	< 25 U	< 25 U	690 F1	< 25 U F2	< 25 U	< 50 U F2
	45-46	10/8/2015	< 4 U	< 4 U	110	< 4 U	< 4 U	< 8 U
	49-50	10/8/2015	< 1 U	< 1 U	6.5	< 1 U	< 1 U	< 2 U
VAP-7-GW	13-14	10/9/2015	< 2 U	< 2 U	21	< 2 U	< 2 U	< 4 U
	15-16	10/9/2015	< 5 U	< 5 U	62	< 5 U	< 5 U	< 10 U
	20-21	10/9/2015	< 5 U	< 5 U	79	< 5 U	< 5 U	< 10 U
	25-26	10/9/2015	< 3.3 U	< 3.3 U	76	< 3.3 U	< 3.3 U	< 6.7 U
	30-31	10/9/2015	< 2 U	< 2 U	33 F1	< 2 U	< 2 U	< 4 U
	30-31 (DUP-3)	10/9/2015	< 2 U	< 2 U	37	< 2 U	< 2 U	< 4 U
	35-36	10/9/2015	< 1 U	< 1 U	10	< 1 U	< 1 U	< 2 U
	43-44	10/9/2015	< 1 U	< 1 U	11	< 1 U	< 1 U	< 2 U
	48-49	10/9/2015	< 1 U	< 1 U	6.6	< 1 U	< 1 U	< 2 U
VAP-8-GW	18-19	10/8/2015	< 3.3 U	< 3.3 U	39	< 3.3 U	< 3.3 U	< 6.7 U
	20-21	10/8/2015	< 2.5 U	< 2.5 U	31	< 2.5 U	< 2.5 U	< 5 U
	25-26	10/8/2015	< 2 U	< 2 U	24	< 2 U	< 2 U	< 4 U
	30-31	10/8/2015	< 1 U	< 1 U	12	< 1 U	< 1 U	< 2 U
	35-36	10/8/2015	< 1 U	< 1 U	5	< 1 U	< 1 U	< 2 U
	40-41	10/8/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	0.56 J
	45-46	10/8/2015	< 1 U	< 1 U	1.4	< 1 U	< 1 U	< 2 U
	49-50	10/8/2015	< 1 U	< 1 U	0.31 J	< 1 U	< 1 U	< 2 U
	15-16	10/1/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	20-21	10/1/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	25-26	10/1/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U

Table X. **Summary of Groundwater Sample**
Grenada Manufacturing Facility, G

Location ID	Sample Depth (feet)	Sample Date	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichloro-fluoromethane	Vinyl Chloride	Total Xylenes
Well/Sample Details								
VAP-9-GW	30-31	10/1/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	35-36	10/1/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	40-41	10/1/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	45-46	10/1/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	49-50	10/1/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
VAP-10-GW	16-17	10/20/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	20-21	10/20/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	25-26	10/20/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	30-31	10/20/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	35-36	10/20/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	40-41	10/20/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	45-46	10/20/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U
	49-50	10/20/2015	< 1 U	< 1 U	< 1 U	< 1 U	< 1 U	< 2 U

Notes

‡	Groundwater samples collected by v
µg/L	micrograms per liter
J	Result is less than the RL but greate
B	Compound was found in the blank an
U	Indicates the analyte was analyzed fo
*	LCS or LCSD is outside acceptable l
F1	MS and/or MSD recovery is outside a
F2	MS/MSD RPD exceeds control limits

Table X. **Summary of Groundwater Sample SVOC Analytical Results‡**
Grenada Manufacturing Facility, Grenada, MS

Location ID	Sample Depth (feet)	Sample Date	1,1'-Biphenyl	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichloro-phenol	2,4-Dimethyl-phenol	2,4-Dinitro-phenol
Well/Sample Details								
VAP-1-GW	12-13	10/2/2015	< 0.93 U	< 4.6 U	< 4.6 U	< 1.9 U	< 1.9 U	< 37 U
	15-16	10/2/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
	20-21	10/2/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
	25-26	10/2/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
	30-31	10/2/2015	< 0.93 U	< 4.6 U	< 4.6 U	< 1.9 U	< 1.9 U	< 37 U
	35-36	10/2/2015	< 0.94 U	< 4.7 U	< 4.7 U	< 1.9 U	< 1.9 U	< 38 U
	40-41	10/2/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
	45-46	10/2/2015	< 0.93 U	< 4.6 U	< 4.6 U	< 1.9 U	< 1.9 U	< 37 U
	49-50	10/2/2015	< 1 U	< 5 U	< 5 U	< 2 U	< 2 U	< 40 U
VAP-2 GW	15-16	10/5/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
	20-21	10/5/2015	< 0.93 U	< 4.6 U	< 4.6 U	< 1.9 U	< 1.9 U	< 37 U
	25-26	10/5/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
	30-31	10/5/2015	< 0.93 U	< 4.6 U	< 4.6 U	< 1.9 U	< 1.9 U	< 37 U
	35-36 RE	10/5/2015	< 0.96 U H	< 4.8 U H	< 4.8 U H	< 1.9 U H	< 1.9 U H	< 38 U H
	40-41 RE	10/5/2015	< 0.96 U H	< 4.8 U H	< 4.8 U H	< 1.9 U H	< 1.9 U H	< 38 U H
	40-41 (DUP-1) RE	10/5/2015	< 0.96 U H	< 4.8 U H	< 4.8 U H	< 1.9 U H	< 1.9 U H	< 38 U H
	45-46 RE	10/5/2015	< 0.96 U H	< 4.8 U H	< 4.8 U H	< 1.9 U H	< 1.9 U H	< 38 U H
	49-50	10/5/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
VAP-3-GW	15-16	10/6/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
	20-21	10/6/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
	25-26	10/6/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
	30-31	10/6/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
	35-36	10/6/2015	< 0.93 U	< 4.6 U	< 4.6 U	< 1.9 U	< 1.9 U	< 37 U
	40-41	10/6/2015	< 0.93 U	< 4.6 U	< 4.6 U	< 1.9 U	< 1.9 U	< 37 U
	45-46	10/6/2015	< 0.93 U	< 4.6 U	< 4.6 U	< 1.9 U	< 1.9 U	< 37 U
	49-50	10/6/2015	< 0.93 U	< 4.6 U	< 4.6 U	< 1.9 U	< 1.9 U	< 37 U
VAP-4-GW	15-16	10/6/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
	20-21	10/6/2015	< 1 U	< 5 U	< 5 U	< 2 U	< 2 U	< 40 U
	25-26	10/6/2015	< 1 U	< 5 U	< 5 U	< 2 U	< 2 U	< 40 U
	30-31	10/6/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
	35-36	10/7/2015	< 1 U	< 5 U	< 5 U	< 2 U	< 2 U	< 40 U
	40-41	10/7/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
	45-46	10/7/2015	< 0.93 U	< 4.6 U	< 4.6 U	< 1.9 U	< 1.9 U	< 37 U
	48-49	10/7/2015	< 0.93 U	< 4.6 U	< 4.6 U	< 1.9 U	< 1.9 U	< 37 U
VAP-5-GW	15-16	10/7/2015	< 1 U	< 5 U	< 5 U	< 2 U	< 2 U	< 40 U
	20-21	10/7/2015	< 0.93 U	< 4.6 U	< 4.6 U	< 1.9 U	< 1.9 U	< 37 U
	25-26	10/7/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
	30-31	10/7/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
	35-36	10/7/2015	< 1 U	< 5 U	< 5 U	< 2 U	< 2 U	< 40 U
	40-41	10/7/2015	< 1 U	< 5 U	< 5 U	< 2 U	< 2 U	< 40 U
	45-46	10/7/2015	< 1 U	< 5 U	< 5 U	< 2 U	< 2 U	< 40 U
	49-50	10/7/2015	--	--	--	--	--	--
VAP-6-GW	12-13	10/8/2015	--	--	--	--	--	--
	15-16 RE	10/8/2015	< 1 U H	< 5 U H	< 5 U H	< 2 U H	< 2 U H	< 40 U H
	20-21	10/8/2015	< 0.93 U	< 4.6 U	< 4.6 U	< 1.9 U	< 1.9 U	< 37 U
	20-21 RE	10/8/2015	< 0.96 U H	< 4.8 U H	< 4.8 U H	< 1.9 U H	< 1.9 U H	< 38 U H
	25-26	10/8/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
	25-26 RE	10/8/2015	< 0.93 U H	< 4.6 U H	< 4.6 U H	< 1.9 U H	< 1.9 U H	< 37 U H
	30-31	10/8/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
	30-31 RE	10/8/2015	< 0.93 U H	< 4.6 U H	< 4.6 U H	< 1.9 U H	< 1.9 U H	< 37 U H
	30-31 (DUP-2)	10/8/2015	< 0.93 U	< 4.6 U	< 4.6 U	< 1.9 U	< 1.9 U	< 37 U
	30-35	10/8/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
	40-41	10/8/2015	< 1 U	< 5 U	< 5 U	< 2 U	< 2 U	< 40 U
	45-46	10/8/2015	< 1 U	< 5 U	< 5 U	< 2 U	< 2 U	< 40 U
	49-50	10/8/2015	< 1 U	< 5 U	< 5 U	< 2 U	< 2 U	< 40 U
VAP-7-GW	13-14	10/9/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
	15-16	10/9/2015	< 1 U	< 5 U	< 5 U	< 2 U	< 2 U	< 40 U
	20-21	10/9/2015	< 0.93 U	< 4.6 U	< 4.6 U	< 1.9 U	< 1.9 U	< 37 U
	25-26	10/9/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
	30-31	10/9/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
	30-31 (DUP-3) RE	10/9/2015	< 1 U H	< 5 U H	< 5 U H	< 2 U H	< 2 U H	< 40 U H
	35-36 RE	10/9/2015	< 1.1 U H	< 5.4 U H	< 5.4 U H	< 2.2 U H	< 2.2 U H	< 43 U H
	43-44 RE	10/9/2015	< 1 U H	< 5 U H	< 5 U H	< 2 U H	< 2 U H	< 40 U H
	48-49 RE	10/9/2015	< 1.2 U H	< 6 U H	< 6 U H	< 2.4 U H	< 2.4 U H	< 48 U H
VAP-8-GW	18-19 RE	10/8/2015	< 1.3 U H	< 6.3 U H	< 6.3 U H	< 2.5 U H	< 2.5 U H	< 50 U H
	20-21 RE	10/8/2015	< 1.3 U H	6.6 U H	6.6 U H	< 2.6 U H	< 2.6 U H	< 53 U H
	25-26	10/8/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
	30-31	10/8/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
	35-36	10/8/2015	< 1 U	< 5 U	< 5 U	< 2 U	< 2 U	< 40 U
	40-41	10/8/2015	< 1 U	< 5 U	< 5 U	< 2 U	< 2 U	< 40 U
	45-46	10/8/2015	< 0.93 U	< 4.6 U	< 4.6 U	< 1.9 U	< 1.9 U	< 37 U
	49-50	10/8/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
VAP-9-GW	15-16	10/1/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
	20-21	10/1/2015	< 1 U	< 5 U	< 5 U	< 2 U	< 2 U	< 40 U
	25-26	10/1/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
	30-31	10/1/2015	< 1 U	< 5.1 U	< 5.1 U	< 2 U	< 2 U	< 41 U
	35-36	10/1/2015	< 1 U	< 5 U	< 5 U	< 2 U	< 2 U	< 40 U
	40-41	10/1/2015	< 0.89 U	< 4.5 U	< 4.5 U	< 1.8 U	< 1.8 U	< 36 U
	45-46	10/1/2015	< 0.93 U	< 4.6 U	< 4.6 U	< 1.9 U	< 1.9 U	< 37 U
	49-50	10/1/2015	< 0.93 U	< 4.6 U	< 4.6 U	< 1.9 U	< 1.9 U	< 37 U
VAP-10-GW	16-17	10/20/2015	< 0.93 U	< 4.6 U	< 4.6 U	< 1.9 U	< 1.9 U	< 37 U
	20-21	10/20/2015	< 0.93 U	< 4.6 U	< 4.6 U	< 1.9 U	< 1.9 U	< 37 U
	25-26	10/20/2015	< 0.93 U	< 4.6 U	< 4.6 U	< 1.9 U	< 1.9 U	< 37 U
	30-31	10/20/2015	< 0.93 U	< 4.6 U	< 4.6 U	< 1.9 U	< 1.9 U	< 37 U
	35-36	10/20/2015	< 0.89 U	< 4.5 U	< 4.5 U	< 1.8 U	< 1.8 U	< 36 U
	40-41	10/20/2015	< 0.93 U	< 4.6 U	< 4.6 U	< 1.9 U	< 1.9 U	< 37 U
	45-46	10/20/2015	< 0.96 U	< 4.8 U	< 4.8 U	< 1.9 U	< 1.9 U	< 38 U
	49-50	10/20/2015	< 0.93 U	< 4.6 U	< 4.6 U	< 1.9 U	< 1.9 U	< 37 U

Notes

‡	Groundwater samples collected by vertical aquifer profile method. Analyzed by Method 8270C. Presented in µg/L.
--	Insufficient sample volume to analyze
µg/L	micrograms per liter
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value
B	Compound was found in the blank and sample
U	Indicates the analyte was analyzed for but not detected.
*	LCS or LCSD is outside acceptable limits
F1	MS and/or MSD recovery is outside acceptable limits
F2	MS/MSD RPD exceeds control limits
H	Sample was prepped or analyzed beyond the specified holding time
RE	Sample was re-analyzed

Table X. **Summary of Groundwater Sample SVOC Ana**
Grenada Manufacturing Facility, Grenada, MS

Location ID	Sample Depth (feet)	Sample Date	2,4-Dinitro-toluene	2,6-Dinitro-toluene	2-Chloro-naphthalene	2-Chloro-phenol	2-Methyl-naphthalene	2-Methyl-phenol
Well/Sample Details								
VAP-1-GW	12-13	10/2/2015	< 4.6 U	< 4.6 U	< 0.93 U	< 0.93 U	< 0.19 U	< 0.93 U
	15-16	10/2/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
	20-21	10/2/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
	25-26	10/2/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
	30-31	10/2/2015	< 4.6 U	< 4.6 U	< 0.93 U	< 0.93 U	< 0.19 U	< 0.93 U
	35-36	10/2/2015	< 4.7 U	< 4.7 U	< 0.94 U	< 0.94 U	< 0.19 U	< 0.94 U
	40-41	10/2/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
	45-46	10/2/2015	< 4.6 U	< 4.6 U	< 0.93 U	< 0.93 U	< 0.19 U	< 0.93 U
	49-50	10/2/2015	< 5 U	< 5 U	< 1 U	< 1 U	< 0.2 U	< 1 U
VAP-2 GW	15-16	10/5/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
	20-21	10/5/2015	< 4.6 U	< 4.6 U	< 0.93 U	< 0.93 U	< 0.19 U	< 0.93 U
	25-26	10/5/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
	30-31	10/5/2015	< 4.6 U	< 4.6 U	< 0.93 U	< 0.93 U	< 0.19 U	< 0.93 U
	35-36 RE	10/5/2015	< 4.8 U H	< 4.8 U H	< 0.96 U H	< 0.96 U H	< 0.19 U H	< 0.96 U H
	40-41 RE	10/5/2015	< 4.8 U H	< 4.8 U H	< 0.96 U H	< 0.96 U H	< 0.19 U H	< 0.96 U H
	40-41 (DUP-1) RE	10/5/2015	< 4.8 U H	< 4.8 U H	< 0.96 U H	< 0.96 U H	< 0.19 U H	< 0.96 U H
	45-46 RE	10/5/2015	< 4.8 U H	< 4.8 U H	< 0.96 U H	< 0.96 U H	< 0.19 U H	< 0.96 U H
	49-50	10/5/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
VAP-3-GW	15-16	10/6/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
	20-21	10/6/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
	25-26	10/6/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
	30-31	10/6/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
	35-36	10/6/2015	< 4.6 U	< 4.6 U	< 0.93 U	< 0.93 U	< 0.19 U	< 0.93 U
	40-41	10/6/2015	< 4.6 U	< 4.6 U	< 0.93 U	< 0.93 U	< 0.19 U	< 0.93 U
	45-46	10/6/2015	< 4.6 U	< 4.6 U	< 0.93 U	< 0.93 U	< 0.19 U	< 0.93 U
	49-50	10/6/2015	< 4.6 U	< 4.6 U	< 0.93 U	< 0.93 U	< 0.19 U	< 0.93 U
VAP-4-GW	15-16	10/6/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
	20-21	10/6/2015	< 5 U	< 5 U	< 1 U	< 1 U	< 0.2 U	< 1 U
	25-26	10/6/2015	< 5 U	< 5 U	< 1 U	< 1 U	< 0.2 U	< 1 U
	30-31	10/6/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
	35-36	10/7/2015	< 5 U	< 5 U	< 1 U	< 1 U	< 0.2 U	< 1 U
	40-41	10/7/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
	45-46	10/7/2015	< 4.6 U	< 4.6 U	< 0.93 U	< 0.93 U	< 0.19 U	< 0.93 U
	48-49	10/7/2015	< 4.6 U	< 4.6 U	< 0.93 U	< 0.93 U	< 0.19 U	< 0.93 U
VAP-5-GW	15-16	10/7/2015	< 5 U	< 5 U	< 1 U	< 1 U	< 0.2 U	< 1 U
	20-21	10/7/2015	< 4.6 U	< 4.6 U	< 0.93 U	< 0.93 U	< 0.19 U	< 0.93 U
	25-26	10/7/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
	30-31	10/7/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
	35-36	10/7/2015	< 5 U	< 5 U	< 1 U	< 1 U	< 0.2 U	< 1 U
	40-41	10/7/2015	< 5 U	< 5 U	< 1 U	< 1 U	< 0.2 U	< 1 U
	45-46	10/7/2015	< 5 U	< 5 U	< 1 U	< 1 U	< 0.2 U	< 1 U
	49-50	10/7/2015	--	--	--	--	--	--
VAP-6-GW	12-13	10/8/2015	--	--	--	--	--	--
	15-16 RE	10/8/2015	< 5 U H	< 5 U H	< 1 U H	< 1 U H	< 0.2 U H	< 1 U H
	20-21	10/8/2015	< 4.6 U	< 4.6 U	< 0.93 U	< 0.93 U	< 0.19 U	< 0.93 U
	20-21 RE	10/8/2015	< 4.8 U H	< 4.8 U H	< 0.96 U H	< 0.96 U H	< 0.19 U H	< 0.96 U H
	25-26	10/8/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
	25-26 RE	10/8/2015	< 4.6 U H	< 4.6 U H	< 0.93 U H	< 0.93 U H	< 0.19 U H	< 0.93 U H
	30-31	10/8/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
	30-31 RE	10/8/2015	< 4.6 U H	< 4.6 U H	< 0.93 U H	< 0.93 U H	< 0.19 U H	< 0.93 U H
	30-31 (DUP-2)	10/8/2015	< 4.6 U	< 4.6 U	< 0.93 U	< 0.93 U	< 0.19 U	< 0.93 U
	30-35	10/8/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
	40-41	10/8/2015	< 5 U	< 5 U	< 1 U	< 1 U	< 0.2 U	< 1 U
	45-46	10/8/2015	< 5 U	< 5 U	< 1 U	< 1 U	< 0.2 U	< 1 U
	49-50	10/8/2015	< 5 U	< 5 U	< 1 U	< 1 U	< 0.2 U	< 1 U
VAP-7-GW	13-14	10/9/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
	15-16	10/9/2015	< 5 U	< 5 U	< 1 U	< 1 U	< 0.2 U	< 1 U
	20-21	10/9/2015	< 4.6 U	< 4.6 U	< 0.93 U	< 0.93 U	< 0.19 U	< 0.93 U
	25-26	10/9/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
	30-31	10/9/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
	30-31 (DUP-3) RE	10/9/2015	< 5 U H	< 5 U H	< 1 U H	< 1 U H	< 0.2 U H	< 1 U H
	35-36 RE	10/9/2015	< 5.4 U H	< 5.4 U H	< 1.1 U H	< 1.1 U H	< 0.22 U H	< 1.1 U H
	43-44 RE	10/9/2015	< 5 U H	< 5 U H	< 1 U H	< 1 U H	< 0.2 U H	< 1 U H
	48-49 RE	10/9/2015	< 6 U H	< 6 U H	< 1.2 U H	< 1.2 U H	< 0.24 U H	< 1.2 U H
VAP-8-GW	18-19 RE	10/8/2015	< 6.3 U H	< 6.3 U H	< 1.3 U H	< 1.3 U H	< 0.25 U H	< 1.3 U H
	20-21 RE	10/8/2015	6.6 U H	6.6 U H	< 1.3 U H	< 1.3 U H	< 0.26 U H	< 1.3 U H
	25-26	10/8/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
	30-31	10/8/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
	35-36	10/8/2015	< 5 U	< 5 U	< 1 U	< 1 U	< 0.2 U	< 1 U
	40-41	10/8/2015	< 5 U	< 5 U	< 1 U	< 1 U	< 0.2 U	< 1 U
	45-46	10/8/2015	< 4.6 U	< 4.6 U	< 0.93 U	< 0.93 U	< 0.19 U	< 0.93 U
	49-50	10/8/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
VAP-9-GW	15-16	10/1/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
	20-21	10/1/2015	< 5 U	< 5 U	< 1 U	< 1 U	< 0.2 U	< 1 U
	25-26	10/1/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
	30-31	10/1/2015	< 5.1 U	< 5.1 U	< 1 U	< 1 U	< 0.2 U	< 1 U
	35-36	10/1/2015	< 5 U	< 5 U	< 1 U	< 1 U	< 0.2 U	< 1 U
	40-41	10/1/2015	< 4.5 U	< 4.5 U	< 0.89 U	< 0.89 U	< 0.18 U	< 0.89 U
	45-46	10/1/2015	< 4.6 U	< 4.6 U	< 0.93 U	< 0.93 U	< 0.19 U	< 0.93 U
	49-50	10/1/2015	< 4.6 U	< 4.6 U	< 0.93 U	< 0.93 U	< 0.19 U	< 0.93 U
VAP-10-GW	16-17	10/20/2015	< 4.6 U	< 4.6 U	< 0.93 U	< 0.93 U	< 0.19 U	< 0.93 U
	20-21	10/20/2015	< 4.6 U	< 4.6 U	< 0.93 U	< 0.93 U	< 0.19 U	< 0.93 U
	25-26	10/20/2015	< 4.6 U	< 4.6 U	< 0.93 U	< 0.93 U	< 0.19 U	< 0.93 U
	30-31	10/20/2015	< 4.6 U	< 4.6 U	< 0.93 U	< 0.93 U	< 0.19 U	< 0.93 U
	35-36	10/20/2015	< 4.5 U	< 4.5 U	< 0.89 U	< 0.89 U	< 0.18 U	< 0.89 U
	40-41	10/20/2015	< 4.6 U	< 4.6 U	< 0.93 U	< 0.93 U	< 0.19 U	< 0.93 U
	45-46	10/20/2015	< 4.8 U	< 4.8 U	< 0.96 U	< 0.96 U	< 0.19 U	< 0.96 U
	49-50	10/20/2015	< 4.6 U	< 4.6 U	< 0.93 U	< 0.93 U	< 0.19 U	< 0.93 U

Notes

‡	Groundwater samples collected by vertical aquif
--	Insufficient sample volume to analyze
µg/L	micrograms per liter
J	Result is less than the RL but greater than or eq
B	Compound was found in the blank and sample
U	Indicates the analyte was analyzed for but not de
*	LCS or LCSD is outside acceptable limits
F1	MS and/or MSD recovery is outside acceptable l
F2	MS/MSD RPD exceeds control limits
H	Sample was prepped or analyzed beyond the sp
RE	Sample was re-analyzed

Table X. **Summary of Groundwater Sample SVOC Ana**
Grenada Manufacturing Facility, Grenada, MS

Location ID	Sample Depth (feet)	Sample Date	2-Nitroaniline	2-Nitrophenol	3 & 4 Methyl-phenol	3,3'-Dichloro-benzidine	3-Nitroaniline	4,6-Dinitro-2-methylphenol
Well/Sample Details								
VAP-1-GW	12-13	10/2/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U	< 1.9 U	< 4.6 U
	15-16	10/2/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U	< 1.9 U	< 4.8 U
	20-21	10/2/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U	< 1.9 U	< 4.8 U
	25-26	10/2/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U	< 1.9 U	< 4.8 U
	30-31	10/2/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U	< 1.9 U	< 4.6 U
	35-36	10/2/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.7 U	< 1.9 U	< 4.7 U
	40-41	10/2/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U	< 1.9 U	< 4.8 U
	45-46	10/2/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U	< 1.9 U	< 4.6 U
	49-50	10/2/2015	< 2 U	< 2 U	< 2 U	< 5 U	< 2 U	< 5 U
VAP-2 GW	15-16	10/5/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U	< 1.9 U	< 4.8 U
	20-21	10/5/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U	< 1.9 U	< 4.6 U
	25-26	10/5/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U	< 1.9 U	< 4.8 U
	30-31	10/5/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U	< 1.9 U	< 4.6 U
	35-36 RE	10/5/2015	< 1.9 U H	< 1.9 U H	< 1.9 U H	< 4.8 U H F2	< 1.9 U H	< 4.8 U H
	40-41 RE	10/5/2015	< 1.9 U H	< 1.9 U H	< 1.9 U H	< 4.8 U H	< 1.9 U H	< 4.8 U H
	40-41 (DUP-1) RE	10/5/2015	< 1.9 U H	< 1.9 U H	< 1.9 U H	< 4.8 U H	< 1.9 U H	< 4.8 U H
	45-46 RE	10/5/2015	< 1.9 U H	< 1.9 U H	< 1.9 U H	< 4.8 U H	< 1.9 U H	< 4.8 U H
	49-50	10/5/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U	< 1.9 U	< 4.8 U
VAP-3-GW	15-16	10/6/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U	< 1.9 U	< 4.8 U
	20-21	10/6/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U	< 1.9 U	< 4.8 U
	25-26	10/6/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U	< 1.9 U	< 4.8 U
	30-31	10/6/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U	< 1.9 U	< 4.8 U
	35-36	10/6/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U	< 1.9 U	< 4.6 U
	40-41	10/6/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U	< 1.9 U	< 4.6 U
	45-46	10/6/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U	< 1.9 U	< 4.6 U
	49-50	10/6/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U	< 1.9 U	< 4.6 U
VAP-4-GW	15-16	10/6/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U	< 1.9 U	< 4.8 U
	20-21	10/6/2015	< 2 U	< 2 U	< 2 U	< 5 U	< 2 U	< 5 U
	25-26	10/6/2015	< 2 U	< 2 U	< 2 U	< 5 U	< 2 U	< 5 U
	30-31	10/6/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U	< 1.9 U	< 4.8 U
	35-36	10/7/2015	< 2 U	< 2 U	< 2 U	< 5 U	< 2 U	< 5 U
	40-41	10/7/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U	< 1.9 U	< 4.8 U
	45-46	10/7/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U	< 1.9 U	< 4.6 U
	48-49	10/7/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U	< 1.9 U	< 4.6 U
VAP-5-GW	15-16	10/7/2015	< 2 U	< 2 U	< 2 U	< 5 U	< 2 U	< 5 U
	20-21	10/7/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U	< 1.9 U	< 4.6 U
	25-26	10/7/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U	< 1.9 U	< 4.8 U
	30-31	10/7/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U	< 1.9 U	< 4.8 U
	35-36	10/7/2015	< 2 U	< 2 U	< 2 U	< 5 U	< 2 U	< 5 U
	40-41	10/7/2015	< 2 U	< 2 U	< 2 U	< 5 U	< 2 U	< 5 U
	45-46	10/7/2015	< 2 U	< 2 U	< 2 U	< 5 U	< 2 U	< 5 U
	49-50	10/7/2015	--	--	--	--	--	--
VAP-6-GW	12-13	10/8/2015	--	--	--	--	--	--
	15-16 RE	10/8/2015	< 2 U H	< 2 U H	< 2 U H	< 5 U H *	< 2 U H	< 5 U H
	20-21	10/8/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U	< 1.9 U	< 4.6 U
	20-21 RE	10/8/2015	< 1.9 U H	< 1.9 U H	< 1.9 U H	< 4.8 U H *	< 1.9 U H	< 4.8 U H
	25-26	10/8/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U	< 1.9 U	< 4.8 U
	25-26 RE	10/8/2015	< 1.9 U H	< 1.9 U H	< 1.9 U H	< 4.6 U H *	< 1.9 U H	< 4.6 U H
	30-31	10/8/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U	< 1.9 U	< 4.8 U
	30-31 RE	10/8/2015	< 1.9 U H	< 1.9 U H	< 1.9 U H	< 4.6 U H *	< 1.9 U H	< 4.6 U H
	30-31 (DUP-2)	10/8/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U	< 1.9 U	< 4.6 U
	30-35	10/8/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U	< 1.9 U	< 4.8 U
	40-41	10/8/2015	< 2 U	< 2 U	< 2 U	< 5 U	< 2 U	< 5 U
	45-46	10/8/2015	< 2 U	< 2 U	< 2 U	< 5 U	< 2 U	< 5 U
	49-50	10/8/2015	< 2 U	< 2 U	< 2 U	< 5 U	< 2 U	< 5 U
VAP-7-GW	13-14	10/9/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U	< 1.9 U	< 4.8 U
	15-16	10/9/2015	< 2 U	< 2 U	< 2 U	< 5 U	< 2 U	< 5 U
	20-21	10/9/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U	< 1.9 U	< 4.6 U
	25-26	10/9/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U	< 1.9 U	< 4.8 U
	30-31	10/9/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U	< 1.9 U	< 4.8 U
	30-31 (DUP-3) RE	10/9/2015	< 2 U H	< 2 U H	< 2 U H	< 5 U H *	< 2 U H	< 5 U H
	35-36 RE	10/9/2015	< 2.2 U H	< 2.2 U H	< 2.2 U H	< 5.4 U H *	< 2.2 U H	< 5.4 U H
	43-44 RE	10/9/2015	< 2 U H	< 2 U H	< 2 U H	< 5 U H *	< 2 U H	< 5 U H
	48-49 RE	10/9/2015	< 2.4 U H	< 2.4 U H	< 2.4 U H	< 6 U H *	< 2.4 U H	< 6 U H
VAP-8-GW	18-19 RE	10/8/2015	< 2.5 U H	< 2.5 U H	< 2.5 U H	< 6.3 U H *	< 2.5 U H	< 6.3 U H
	20-21 RE	10/8/2015	< 2.6 U H	< 2.6 U H	< 2.6 U H	6.6 U H *	< 2.6 U H	6.6 U H
	25-26	10/8/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U	< 1.9 U	< 4.8 U
	30-31	10/8/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U	< 1.9 U	< 4.8 U
	35-36	10/8/2015	< 2 U	< 2 U	< 2 U	< 5 U	< 2 U	< 5 U
	40-41	10/8/2015	< 2 U	< 2 U	< 2 U	< 5 U	< 2 U	< 5 U
	45-46	10/8/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U	< 1.9 U	< 4.6 U
	49-50	10/8/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U	< 1.9 U	< 4.8 U
VAP-9-GW	15-16	10/1/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U	< 1.9 U	< 4.8 U
	20-21	10/1/2015	< 2 U	< 2 U	< 2 U	< 5 U	< 2 U	< 5 U
	25-26	10/1/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U	< 1.9 U	< 4.8 U
	30-31	10/1/2015	< 2 U	< 2 U	< 2 U	< 5.1 U	< 2 U	< 5.1 U
	35-36	10/1/2015	< 2 U	< 2 U	< 2 U	< 5 U	< 2 U	< 5 U
	40-41	10/1/2015	< 1.8 U	< 1.8 U	< 1.8 U	< 4.5 U	< 1.8 U	< 4.5 U
	45-46	10/1/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U	< 1.9 U	< 4.6 U
	49-50	10/1/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U	< 1.9 U	< 4.6 U
VAP-10-GW	16-17	10/20/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U *	< 1.9 U	< 4.6 U
	20-21	10/20/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U *	< 1.9 U	< 4.6 U
	25-26	10/20/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U *	< 1.9 U	< 4.6 U
	30-31	10/20/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U *	< 1.9 U	< 4.6 U
	35-36	10/20/2015	< 1.8 U	< 1.8 U	< 1.8 U	< 4.5 U *	< 1.8 U	< 4.5 U
	40-41	10/20/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U *	< 1.9 U	< 4.6 U
	45-46	10/20/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U *	< 1.9 U	< 4.8 U
	49-50	10/20/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U *	< 1.9 U	< 4.6 U

Notes

‡	Groundwater samples collected by vertical aquif
--	Insufficient sample volume to analyze
µg/L	micrograms per liter
J	Result is less than the RL but greater than or eq
B	Compound was found in the blank and sample
U	Indicates the analyte was analyzed for but not de
*	LCS or LCSD is outside acceptable limits
F1	MS and/or MSD recovery is outside acceptable l
F2	MS/MSD RPD exceeds control limits
H	Sample was prepped or analyzed beyond the sp
RE	Sample was re-analyzed

Table X. **Summary of Groundwater Sample SVOC Ana**
Grenada Manufacturing Facility, Grenada, MS

Location ID	Sample Depth (feet)	Sample Date	4-Bromophenyl Phenyl Ether	4-Chloro-3-methylphenol	4-Chloro-aniline	4-Chlorophenyl Phenyl Ether	4-Nitroaniline	4-Nitrophenol
Well/Sample Details								
VAP-1-GW	12-13	10/2/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U
	15-16	10/2/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U
	20-21	10/2/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U
	25-26	10/2/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U
	30-31	10/2/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U
	35-36	10/2/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.7 U
	40-41	10/2/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U
	45-46	10/2/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U
	49-50	10/2/2015	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 5 U
VAP-2 GW	15-16	10/5/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U
	20-21	10/5/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U
	25-26	10/5/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U
	30-31	10/5/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U
	35-36 RE	10/5/2015	< 1.9 U H	< 1.9 U H	< 1.9 U H	< 1.9 U H	< 1.9 U H	< 4.8 U H
	40-41 RE	10/5/2015	< 1.9 U H	< 1.9 U H	< 1.9 U H	< 1.9 U H	< 1.9 U H	< 4.8 U H
	40-41 (DUP-1) RE	10/5/2015	< 1.9 U H	< 1.9 U H	< 1.9 U H	< 1.9 U H	< 1.9 U H	< 4.8 U H
	45-46 RE	10/5/2015	< 1.9 U H	< 1.9 U H	< 1.9 U H	< 1.9 U H	< 1.9 U H	< 4.8 U H
	49-50	10/5/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U
VAP-3-GW	15-16	10/6/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U
	20-21	10/6/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U
	25-26	10/6/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U
	30-31	10/6/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U
	35-36	10/6/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U
	40-41	10/6/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U
	45-46	10/6/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U
	49-50	10/6/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U
VAP-4-GW	15-16	10/6/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U
	20-21	10/6/2015	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 5 U
	25-26	10/6/2015	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 5 U
	30-31	10/6/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U
	35-36	10/7/2015	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 5 U
	40-41	10/7/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U
	45-46	10/7/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U
	48-49	10/7/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U
VAP-5-GW	15-16	10/7/2015	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 5 U
	20-21	10/7/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U
	25-26	10/7/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U
	30-31	10/7/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U
	35-36	10/7/2015	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 5 U
	40-41	10/7/2015	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 5 U
	45-46	10/7/2015	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 5 U
	49-50	10/7/2015	--	--	--	--	--	--
VAP-6-GW	12-13	10/8/2015	--	--	--	--	--	--
	15-16 RE	10/8/2015	< 2 U H	< 2 U H	< 2 U H *	< 2 U H	< 2 U H	< 5 U H
	20-21	10/8/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U
	20-21 RE	10/8/2015	< 1.9 U H	< 1.9 U H	< 1.9 U H *	< 1.9 U H	< 1.9 U H	< 4.8 U H
	25-26	10/8/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U
	25-26 RE	10/8/2015	< 1.9 U H	< 1.9 U H	< 1.9 U H *	< 1.9 U H	< 1.9 U H	< 4.6 U H
	30-31	10/8/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U
	30-31 RE	10/8/2015	< 1.9 U H	< 1.9 U H	< 1.9 U H *	< 1.9 U H	< 1.9 U H	< 4.6 U H
	30-31 (DUP-2)	10/8/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U
	30-35	10/8/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U
	40-41	10/8/2015	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 5 U
	45-46	10/8/2015	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 5 U
	49-50	10/8/2015	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 5 U
VAP-7-GW	13-14	10/9/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U
	15-16	10/9/2015	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 5 U
	20-21	10/9/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U
	25-26	10/9/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U
	30-31	10/9/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U
	30-31 (DUP-3) RE	10/9/2015	< 2 U H	< 2 U H	< 2 U H *	< 2 U H	< 2 U H	< 5 U H
	35-36 RE	10/9/2015	< 2.2 U H	< 2.2 U H	< 2.2 U H *	< 2.2 U H	< 2.2 U H	< 5.4 U H
	43-44 RE	10/9/2015	< 2 U H	< 2 U H	< 2 U H *	< 2 U H	< 2 U H	< 5 U H
	48-49 RE	10/9/2015	< 2.4 U H	< 2.4 U H	< 2.4 U H *	< 2.4 U H	< 2.4 U H	< 6 U H
VAP-8-GW	18-19 RE	10/8/2015	< 2.5 U H	< 2.5 U H	< 2.5 U H *	< 2.5 U H	< 2.5 U H	< 6.3 U H
	20-21 RE	10/8/2015	< 2.6 U H	< 2.6 U H	< 2.6 U H *	< 2.6 U H	< 2.6 U H	6.6 U H
	25-26	10/8/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U
	30-31	10/8/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U
	35-36	10/8/2015	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 5 U
	40-41	10/8/2015	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 5 U
	45-46	10/8/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U
	49-50	10/8/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U
VAP-9-GW	15-16	10/1/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U
	20-21	10/1/2015	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 5 U
	25-26	10/1/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.8 U
	30-31	10/1/2015	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 5.1 U
	35-36	10/1/2015	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U	< 5 U
	40-41	10/1/2015	< 1.8 U	< 1.8 U	< 1.8 U	< 1.8 U	< 1.8 U	< 4.5 U
	45-46	10/1/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U
	49-50	10/1/2015	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 1.9 U	< 4.6 U
VAP-10-GW	16-17	10/20/2015	< 1.9 U	< 1.9 U	< 1.9 U *	< 1.9 U	< 1.9 U	< 4.6 U
	20-21	10/20/2015	< 1.9 U	< 1.9 U	< 1.9 U *	< 1.9 U	< 1.9 U	< 4.6 U
	25-26	10/20/2015	< 1.9 U	< 1.9 U	< 1.9 U *	< 1.9 U	< 1.9 U	< 4.6 U
	30-31	10/20/2015	< 1.9 U	< 1.9 U	< 1.9 U *	< 1.9 U	< 1.9 U	< 4.6 U
	35-36	10/20/2015	< 1.8 U	< 1.8 U	< 1.8 U *	< 1.8 U	< 1.8 U	< 4.5 U
	40-41	10/20/2015	< 1.9 U	< 1.9 U	< 1.9 U *	< 1.9 U	< 1.9 U	< 4.6 U
	45-46	10/20/2015	< 1.9 U	< 1.9 U	< 1.9 U *	< 1.9 U	< 1.9 U	< 4.8 U
	49-50	10/20/2015	< 1.9 U	< 1.9 U	< 1.9 U *	< 1.9 U	< 1.9 U	< 4.6 U

Notes

‡	Groundwater samples collected by vertical aquif
--	Insufficient sample volume to analyze
µg/L	micrograms per liter
J	Result is less than the RL but greater than or eq
B	Compound was found in the blank and sample
U	Indicates the analyte was analyzed for but not de
*	LCS or LCSD is outside acceptable limits
F1	MS and/or MSD recovery is outside acceptable l
F2	MS/MSD RPD exceeds control limits
H	Sample was prepped or analyzed beyond the sp
RE	Sample was re-analyzed

Table X. **Summary of Groundwater Sample SVOC Ana**
Grenada Manufacturing Facility, Grenada, MS

Location ID	Sample Depth (feet)	Sample Date	Acenaphthene	Acenaphthylene	Acetophenone	Anthracene	Atrazine	Benzaldehyde
Well/Sample Details								
VAP-1-GW	12-13	10/2/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U *
	15-16	10/2/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U *
	20-21	10/2/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U *
	25-26	10/2/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	30-31	10/2/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U *
	35-36	10/2/2015	< 0.19 U	< 0.19 U	< 0.94 U	< 0.19 U	< 0.94 U	< 0.94 U
	40-41	10/2/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	45-46	10/2/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U *
	49-50	10/2/2015	< 0.2 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U *
VAP-2 GW	15-16	10/5/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U *
	20-21	10/5/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U *
	25-26	10/5/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U *
	30-31	10/5/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U *
	35-36 RE	10/5/2015	< 0.19 U H	< 0.19 U H	< 0.96 U H	< 0.19 U H	< 0.96 U H	< 0.96 U H *
	40-41 RE	10/5/2015	< 0.19 U H	< 0.19 U H	< 0.96 U H	< 0.19 U H	< 0.96 U H	< 0.96 U H *
	40-41 (DUP-1) RE	10/5/2015	< 0.19 U H	< 0.19 U H	< 0.96 U H	< 0.19 U H	< 0.96 U H	< 0.96 U H *
	45-46 RE	10/5/2015	< 0.19 U H	< 0.19 U H	0.22 J H	< 0.19 U H	< 0.96 U H	< 0.96 U H *
	49-50	10/5/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U *
VAP-3-GW	15-16	10/6/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U *
	20-21	10/6/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U *
	25-26	10/6/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U *
	30-31	10/6/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U *
	35-36	10/6/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U *
	40-41	10/6/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U *
	45-46	10/6/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U *
	49-50	10/6/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U *
VAP-4-GW	15-16	10/6/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U *
	20-21	10/6/2015	< 0.2 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U *
	25-26	10/6/2015	< 0.2 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U *
	30-31	10/6/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	35-36	10/7/2015	< 0.2 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
	40-41	10/7/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	45-46	10/7/2015	< 0.19 U	< 0.19 U	0.28 J	< 0.19 U	< 0.93 U	< 0.93 U *
	48-49	10/7/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U
VAP-5-GW	15-16	10/7/2015	< 0.2 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
	20-21	10/7/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U
	25-26	10/7/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	30-31	10/7/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	35-36	10/7/2015	< 0.2 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
	40-41	10/7/2015	< 0.2 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
	45-46	10/7/2015	< 0.2 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
	49-50	10/7/2015	--	--	--	--	--	--
VAP-6-GW	12-13	10/8/2015	--	--	--	--	--	--
	15-16 RE	10/8/2015	< 0.2 U H	< 0.2 U H	< 1 U H	< 0.2 U H	< 1 U H	< 1 U H *
	20-21	10/8/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U
	20-21 RE	10/8/2015	< 0.19 U H	< 0.19 U H	< 0.96 U H	< 0.19 U H	< 0.96 U H	< 0.96 U H *
	25-26	10/8/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	25-26 RE	10/8/2015	< 0.19 U H	< 0.19 U H	< 0.93 U H	< 0.19 U H	< 0.93 U H	< 0.93 U H *
	30-31	10/8/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	30-31 RE	10/8/2015	< 0.19 U H	< 0.19 U H	< 0.93 U H	< 0.19 U H	< 0.93 U H	< 0.93 U H *
	30-31 (DUP-2)	10/8/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U
	30-35	10/8/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	40-41	10/8/2015	< 0.2 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
	45-46	10/8/2015	< 0.2 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
	49-50	10/8/2015	< 0.2 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
VAP-7-GW	13-14	10/9/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	15-16	10/9/2015	< 0.2 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
	20-21	10/9/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U
	25-26	10/9/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	30-31	10/9/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	30-31 (DUP-3) RE	10/9/2015	< 0.2 U H	< 0.2 U H	< 1 U H	< 0.2 U H	< 1 U H	< 1 U H *
	35-36 RE	10/9/2015	< 0.22 U H	< 0.22 U H	< 1.1 U H	< 0.22 U H	< 1.1 U H	< 1.1 U H *
	43-44 RE	10/9/2015	< 0.2 U H	< 0.2 U H	< 1 U H	< 0.2 U H	< 1 U H	< 1 U H *
	48-49 RE	10/9/2015	< 0.24 U H	< 0.24 U H	< 1.2 U H	< 0.24 U H	< 1.2 U H	< 1.2 U H *
VAP-8-GW	18-19 RE	10/8/2015	< 0.25 U H	< 0.25 U H	< 1.3 U H	< 0.25 U H	< 1.3 U H	< 1.3 U H *
	20-21 RE	10/8/2015	< 0.26 U H	< 0.26 U H	< 1.3 U H	< 0.26 U H	< 1.3 U H	< 1.3 U H *
	25-26	10/8/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	30-31	10/8/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	35-36	10/8/2015	< 0.2 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
	40-41	10/8/2015	< 0.2 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
	45-46	10/8/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U
	49-50	10/8/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
VAP-9-GW	15-16	10/1/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U *
	20-21	10/1/2015	< 0.2 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U *
	25-26	10/1/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	30-31	10/1/2015	< 0.2 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U *
	35-36	10/1/2015	< 0.2 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U *
	40-41	10/1/2015	< 0.18 U	< 0.18 U	< 0.89 U	< 0.18 U	< 0.89 U	< 0.89 U *
	45-46	10/1/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U *
	49-50	10/1/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U *
VAP-10-GW	16-17	10/20/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U *
	20-21	10/20/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U *
	25-26	10/20/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U *
	30-31	10/20/2015	< 0.19 U	< 0.19 U	0.2 J	< 0.19 U	< 0.93 U	< 0.93 U *
	35-36	10/20/2015	< 0.18 U	< 0.18 U	< 0.89 U	< 0.18 U	< 0.89 U	< 0.89 U *
	40-41	10/20/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U *
	45-46	10/20/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U *
	49-50	10/20/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U *

Notes

‡	Groundwater samples collected by vertical aquif
--	Insufficient sample volume to analyze
µg/L	micrograms per liter
J	Result is less than the RL but greater than or eq
B	Compound was found in the blank and sample
U	Indicates the analyte was analyzed for but not de
*	LCS or LCSD is outside acceptable limits
F1	MS and/or MSD recovery is outside acceptable l
F2	MS/MSD RPD exceeds control limits
H	Sample was prepped or analyzed beyond the sp
RE	Sample was re-analyzed

Table X. **Summary of Groundwater Sample SVOC Ana**
Grenada Manufacturing Facility, Grenada, MS

Location ID	Sample Depth (feet)	Sample Date	Benzo[a] anthracene	Benzo[a] pyrene	Benzo[b] fluoranthene	Benzo[g,h,i] perylene	Benzo[k] fluoranthene	bis (2-chloro-isopropyl) ether
Well/Sample Details								
VAP-1-GW	12-13	10/2/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.93 U
	15-16	10/2/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
	20-21	10/2/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
	25-26	10/2/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
	30-31	10/2/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.93 U
	35-36	10/2/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.94 U
	40-41	10/2/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
	45-46	10/2/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.93 U
	49-50	10/2/2015	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U
VAP-2 GW	15-16	10/5/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
	20-21	10/5/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.93 U
	25-26	10/5/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
	30-31	10/5/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.93 U
	35-36 RE	10/5/2015	< 0.19 U H	< 0.19 U H	< 0.19 U H	< 0.19 U H	< 0.19 U H	< 0.96 U H
	40-41 RE	10/5/2015	< 0.19 U H	< 0.19 U H	< 0.19 U H	< 0.19 U H	< 0.19 U H	< 0.96 U H
	40-41 (DUP-1) RE	10/5/2015	< 0.19 U H	< 0.19 U H	< 0.19 U H	< 0.19 U H	< 0.19 U H	< 0.96 U H
	45-46 RE	10/5/2015	< 0.19 U H	< 0.19 U H	< 0.19 U H	< 0.19 U H	< 0.19 U H	< 0.96 U H
	49-50	10/5/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
VAP-3-GW	15-16	10/6/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
	20-21	10/6/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
	25-26	10/6/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
	30-31	10/6/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
	35-36	10/6/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.93 U
	40-41	10/6/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.93 U
	45-46	10/6/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.93 U
	49-50	10/6/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.93 U
VAP-4-GW	15-16	10/6/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
	20-21	10/6/2015	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U
	25-26	10/6/2015	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U
	30-31	10/6/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
	35-36	10/7/2015	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U
	40-41	10/7/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
	45-46	10/7/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.93 U
	48-49	10/7/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.93 U
VAP-5-GW	15-16	10/7/2015	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U
	20-21	10/7/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.93 U
	25-26	10/7/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
	30-31	10/7/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
	35-36	10/7/2015	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U
	40-41	10/7/2015	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U
	45-46	10/7/2015	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U
	49-50	10/7/2015	--	--	--	--	--	--
VAP-6-GW	12-13	10/8/2015	--	--	--	--	--	--
	15-16 RE	10/8/2015	< 0.2 U H	< 0.2 U H	< 0.2 U H	< 0.2 U H	< 0.2 U H	< 1 U H
	20-21	10/8/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.93 U
	20-21 RE	10/8/2015	< 0.19 U H	< 0.19 U H	< 0.19 U H	< 0.19 U H	< 0.19 U H	< 0.96 U H
	25-26	10/8/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
	25-26 RE	10/8/2015	< 0.19 U H	< 0.19 U H	< 0.19 U H	< 0.19 U H	< 0.19 U H	< 0.93 U H
	30-31	10/8/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
	30-31 RE	10/8/2015	< 0.19 U H	< 0.19 U H	< 0.19 U H	< 0.19 U H	< 0.19 U H	< 0.93 U H
	30-31 (DUP-2)	10/8/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.93 U
	30-35	10/8/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
	40-41	10/8/2015	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U
	45-46	10/8/2015	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U
	49-50	10/8/2015	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U
VAP-7-GW	13-14	10/9/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
	15-16	10/9/2015	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U
	20-21	10/9/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.93 U
	25-26	10/9/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
	30-31	10/9/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
	30-31 (DUP-3) RE	10/9/2015	< 0.2 U H	< 0.2 U H	< 0.2 U H	< 0.2 U H	< 0.2 U H	< 1 U H
	35-36 RE	10/9/2015	< 0.22 U H	< 0.22 U H	< 0.22 U H	< 0.22 U H	< 0.22 U H	< 1.1 U H
	43-44 RE	10/9/2015	< 0.2 U H	< 0.2 U H	< 0.2 U H	< 0.2 U H	< 0.2 U H	< 1 U H
	48-49 RE	10/9/2015	< 0.24 U H	< 0.24 U H	< 0.24 U H	< 0.24 U H	< 0.24 U H	< 1.2 U H
VAP-8-GW	18-19 RE	10/8/2015	< 0.25 U H	< 0.25 U H	< 0.25 U H	< 0.25 U H	< 0.25 U H	< 1.3 U H
	20-21 RE	10/8/2015	< 0.26 U H	< 0.26 U H	< 0.26 U H	< 0.26 U H	< 0.26 U H	< 1.3 U H
	25-26	10/8/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
	30-31	10/8/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
	35-36	10/8/2015	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U
	40-41	10/8/2015	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U
	45-46	10/8/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.93 U
	49-50	10/8/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
VAP-9-GW	15-16	10/1/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
	20-21	10/1/2015	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U
	25-26	10/1/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
	30-31	10/1/2015	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U
	35-36	10/1/2015	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 0.2 U	< 1 U
	40-41	10/1/2015	< 0.18 U	< 0.18 U	< 0.18 U	< 0.18 U	< 0.18 U	< 0.89 U
	45-46	10/1/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.93 U
	49-50	10/1/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.93 U
VAP-10-GW	16-17	10/20/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.93 U
	20-21	10/20/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.93 U
	25-26	10/20/2015	< 0.19 U	< 0.19 U	0.33	0.22	0.2	< 0.93 U
	30-31	10/20/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.93 U
	35-36	10/20/2015	< 0.18 U	< 0.18 U	< 0.18 U	< 0.18 U	< 0.18 U	< 0.89 U
	40-41	10/20/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.93 U
	45-46	10/20/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.96 U
	49-50	10/20/2015	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.19 U	< 0.93 U

Notes

‡	Groundwater samples collected by vertical aquif
--	Insufficient sample volume to analyze
µg/L	micrograms per liter
J	Result is less than the RL but greater than or eq
B	Compound was found in the blank and sample
U	Indicates the analyte was analyzed for but not de
*	LCS or LCSD is outside acceptable limits
F1	MS and/or MSD recovery is outside acceptable l
F2	MS/MSD RPD exceeds control limits
H	Sample was prepped or analyzed beyond the sp
RE	Sample was re-analyzed

Table X. **Summary of Groundwater Sample SVOC Ana**
Grenada Manufacturing Facility, Grenada, MS

Location ID	Sample Depth (feet)	Sample Date	Bis(2-chloroethoxy) methane	Bis(2-chloroethyl) ether	Bis(2-ethylhexyl) phthalate	Butyl Benzyl Phthalate	Caprolactam	Carbazole
Well/Sample Details								
VAP-1-GW	12-13	10/2/2015	< 0.93 U	< 0.93 U	< 1.9 U	< 0.93 U	28	< 0.93 U
	15-16	10/2/2015	< 0.96 U	< 0.96 U	< 1.9 U	< 0.96 U	35	< 0.96 U
	20-21	10/2/2015	< 0.96 U	< 0.96 U	< 1.9 U	< 0.96 U	100	< 0.96 U
	25-26	10/2/2015	< 0.96 U	< 0.96 U	< 1.9 U	< 0.96 U	14 B	< 0.96 U
	30-31	10/2/2015	< 0.93 U	< 0.93 U	< 1.9 U	< 0.93 U	24	< 0.93 U
	35-36	10/2/2015	< 0.94 U	< 0.94 U	< 1.9 U	< 0.94 U	25 B	< 0.94 U
	40-41	10/2/2015	< 0.96 U	< 0.96 U	< 1.9 U	< 0.96 U	9.4 B	< 0.96 U
	45-46	10/2/2015	< 0.93 U	< 0.93 U	< 1.9 U	< 0.93 U	9.5	< 0.93 U
	49-50	10/2/2015	< 1 U	< 1 U	< 2 U	< 1 U	28	< 1 U
VAP-2 GW	15-16	10/5/2015	< 0.96 U	< 0.96 U	1.8 J B	< 0.96 U	160 B	< 0.96 U
	20-21	10/5/2015	< 0.93 U	< 0.93 U	1.5 J B	< 0.93 U	3.2 J B	< 0.93 U
	25-26	10/5/2015	< 0.96 U	< 0.96 U	2.8 B	< 0.96 U	52 B	< 0.96 U
	30-31	10/5/2015	< 0.93 U	< 0.93 U	< 1.9 U	< 0.93 U	29 B	< 0.93 U
	35-36 RE	10/5/2015	< 0.96 U H	< 0.96 U H	< 1.9 U H	< 0.96 U H	4.7 J H F2 B	< 0.96 U H
	40-41 RE	10/5/2015	< 0.96 U H	< 0.96 U H	< 1.9 U H	< 0.96 U H	9.6 H B	< 0.96 U H
	40-41 (DUP-1) RE	10/5/2015	< 0.96 U H	< 0.96 U H	< 1.9 U H	< 0.96 U H	42 H B	< 0.96 U H
	45-46 RE	10/5/2015	< 0.96 U H	< 0.96 U H	< 1.9 U H	< 0.96 U H	7.6 H B	< 0.96 U H
	49-50	10/5/2015	< 0.96 U	< 0.96 U	2 B	< 0.96 U	180 B	< 0.96 U
VAP-3-GW	15-16	10/6/2015	< 0.96 U	< 0.96 U	2.1 B	< 0.96 U	2 J B	< 0.96 U
	20-21	10/6/2015	< 0.96 U	< 0.96 U	1.5 J	< 0.96 U	95 B	< 0.96 U
	25-26	10/6/2015	< 0.96 U	< 0.96 U	1.8 J B	< 0.96 U	1000 B	< 0.96 U
	30-31	10/6/2015	< 0.96 U	< 0.96 U	1.5 J	< 0.96 U	190 B	< 0.96 U
	35-36	10/6/2015	< 0.93 U	< 0.93 U	2.1 B	< 0.93 U	1500 B	< 0.93 U
	40-41	10/6/2015	< 0.93 U	< 0.93 U	2.1 B	< 0.93 U	800 B	< 0.93 U
	45-46	10/6/2015	< 0.93 U	< 0.93 U	< 1.9 U	< 0.93 U	330 B	< 0.93 U
	49-50	10/6/2015	< 0.93 U	< 0.93 U	1.6 J B	< 0.93 U	1600 B	< 0.93 U
VAP-4-GW	15-16	10/6/2015	< 0.96 U	< 0.96 U	3 B	< 0.96 U	240 B	< 0.96 U
	20-21	10/6/2015	< 1 U	< 1 U	2.3 B	< 1 U	170 B	< 1 U
	25-26	10/6/2015	< 1 U	< 1 U	2.2 B	< 1 U	45 B	< 1 U
	30-31	10/6/2015	< 0.96 U	< 0.96 U	1.6 J B	< 0.96 U	190 B	< 0.96 U
	35-36	10/7/2015	< 1 U	< 1 U	< 2 U	< 1 U	72 B	< 1 U
	40-41	10/7/2015	< 0.96 U	< 0.96 U	< 1.9 U	< 0.96 U	6.8 B	< 0.96 U
	45-46	10/7/2015	< 0.93 U	< 0.93 U	1.6 J	< 0.93 U	58 B	< 0.93 U
	48-49	10/7/2015	< 0.93 U	< 0.93 U	< 1.9 U	< 0.93 U	110 B	< 0.93 U
VAP-5-GW	15-16	10/7/2015	< 1 U	< 1 U	1.7 J B	< 1 U	120 B	< 1 U
	20-21	10/7/2015	< 0.93 U	< 0.93 U	3.1 B	< 0.93 U	260 B	< 0.93 U
	25-26	10/7/2015	< 0.96 U	< 0.96 U	< 1.9 U	< 0.96 U	20 B	< 0.96 U
	30-31	10/7/2015	< 0.96 U	< 0.96 U	1.7 J B	< 0.96 U	52 B	< 0.96 U
	35-36	10/7/2015	< 1 U	< 1 U	< 2 U	< 1 U	30 B	< 1 U
	40-41	10/7/2015	< 1 U	< 1 U	< 2 U	< 1 U	320 B	< 1 U
	45-46	10/7/2015	< 1 U	< 1 U	< 2 U	< 1 U	150 B	< 1 U
	49-50	10/7/2015	--	--	--	--	--	--
VAP-6-GW	12-13	10/8/2015	--	--	--	--	--	--
	15-16 RE	10/8/2015	< 1 U H	< 1 U H	1.5 J H	< 1 U H	13 H B	< 1 U H
	20-21	10/8/2015	< 0.93 U	< 0.93 U	4.2 B	< 0.93 U	160 B	< 0.93 U
	20-21 RE	10/8/2015	< 0.96 U H	< 0.96 U H	3.7 H	< 0.96 U H	71 H B	< 0.96 U H
	25-26	10/8/2015	< 0.96 U	< 0.96 U	1.9 B	< 0.96 U	30 B	< 0.96 U
	25-26 RE	10/8/2015	< 0.93 U H	< 0.93 U H	< 1.9 U H	< 0.93 U H	52 H B	< 0.93 U H
	30-31	10/8/2015	< 0.96 U	< 0.96 U	2.2 B	< 0.96 U	91 B	< 0.96 U
	30-31 RE	10/8/2015	< 0.93 U H	< 0.93 U H	< 1.9 U H	< 0.93 U H	22 H B	< 0.93 U H
	30-31 (DUP-2)	10/8/2015	< 0.93 U	< 0.93 U	2.2 B	< 0.93 U	31 B	< 0.93 U
	30-35	10/8/2015	< 0.96 U	< 0.96 U	1.5 J B	< 0.96 U	150 B	< 0.96 U
	40-41	10/8/2015	< 1 U	< 1 U	1.7 J B	< 1 U	18 B	< 1 U
	45-46	10/8/2015	< 1 U	< 1 U	< 2 U	< 1 U	1.8 J B	< 1 U
	49-50	10/8/2015	< 1 U	< 1 U	1.8 J B	< 1 U	1.3 J B	< 1 U
VAP-7-GW	13-14	10/9/2015	< 0.96 U	< 0.96 U	1.7 J B	< 0.96 U	1.5 J B	< 0.96 U
	15-16	10/9/2015	< 1 U	< 1 U	< 2 U	< 1 U	1.1 J B	< 1 U
	20-21	10/9/2015	< 0.93 U	< 0.93 U	1.8 J B	< 0.93 U	1.8 J B	< 0.93 U
	25-26	10/9/2015	< 0.96 U	< 0.96 U	1.5 J B	< 0.96 U	< 4.8 U	< 0.96 U
	30-31	10/9/2015	< 0.96 U	< 0.96 U	< 1.9 U	< 0.96 U	0.68 J B	< 0.96 U
	30-31 (DUP-3) RE	10/9/2015	< 1 U H	< 1 U H	< 2 U H	< 1 U H	1.3 J H B	< 1 U H
	35-36 RE	10/9/2015	< 1.1 U H	< 1.1 U H	< 2.2 U H	< 1.1 U H	2 J H B	< 1.1 U H
	43-44 RE	10/9/2015	< 1 U H	< 1 U H	< 2 U H	< 1 U H	3.9 J H B	< 1 U H
	48-49 RE	10/9/2015	< 1.2 U H	< 1.2 U H	< 2.4 U H	< 1.2 U H	2.3 J H B	< 1.2 U H
VAP-8-GW	18-19 RE	10/8/2015	< 1.3 U H	< 1.3 U H	< 2.5 U H	< 1.3 U H	270 H B	< 1.3 U H
	20-21 RE	10/8/2015	< 1.3 U H	< 1.3 U H	< 2.6 U H	< 1.3 U H	16 H B	< 1.3 U H
	25-26	10/8/2015	< 0.96 U	< 0.96 U	< 1.9 U	< 0.96 U	150 B	< 0.96 U
	30-31	10/8/2015	< 0.96 U	< 0.96 U	2 B	< 0.96 U	70 B	< 0.96 U
	35-36	10/8/2015	< 1 U	< 1 U	1.6 J B	< 1 U	75 B	< 1 U
	40-41	10/8/2015	< 1 U	< 1 U	1.5 J B	< 1 U	3.3 J B	< 1 U
	45-46	10/8/2015	< 0.93 U	< 0.93 U	< 1.9 U	< 0.93 U	2.3 J B	< 0.93 U
	49-50	10/8/2015	< 0.96 U	< 0.96 U	< 1.9 U	< 0.96 U	3.5 J B	< 0.96 U
VAP-9-GW	15-16	10/1/2015	< 0.96 U	< 0.96 U	< 1.9 U	< 0.96 U	< 4.8 U	< 0.96 U
	20-21	10/1/2015	< 1 U	< 1 U	< 2 U	< 1 U	2.5 J	< 1 U
	25-26	10/1/2015	< 0.96 U	< 0.96 U	1.7 J	< 0.96 U	1.6 J B	< 0.96 U
	30-31	10/1/2015	< 1 U	< 1 U	< 2 U	< 1 U	2.1 J	< 1 U
	35-36	10/1/2015	< 1 U	< 1 U	< 2 U	< 1 U	2 J	< 1 U
	40-41	10/1/2015	< 0.89 U	< 0.89 U	< 1.8 U	< 0.89 U	< 4.5 U	< 0.89 U
	45-46	10/1/2015	< 0.93 U	< 0.93 U	< 1.9 U	< 0.93 U	1.1 J	< 0.93 U
	49-50	10/1/2015	< 0.93 U	< 0.93 U	4.3	< 0.93 U	17	< 0.93 U
VAP-10-GW	16-17	10/20/2015	< 0.93 U	< 0.93 U	< 1.9 U	< 0.93 U	8.5	< 0.93 U
	20-21	10/20/2015	< 0.93 U	< 0.93 U	1.6 J	< 0.93 U	30	< 0.93 U
	25-26	10/20/2015	< 0.93 U	< 0.93 U	1.7 J	< 0.93 U	0.82 J	< 0.93 U
	30-31	10/20/2015	< 0.93 U	< 0.93 U	1.8 J	< 0.93 U	0.85 J	< 0.93 U
	35-36	10/20/2015	< 0.89 U	< 0.89 U	1.4 J	< 0.89 U	0.72 J	< 0.89 U
	40-41	10/20/2015	< 0.93 U	< 0.93 U	1.8 J	< 0.93 U	0.85 J	< 0.93 U
	45-46	10/20/2015	< 0.96 U	< 0.96 U	1.8 J	< 0.96 U	0.91 J	< 0.96 U
	49-50	10/20/2015	< 0.93 U	< 0.93 U	1.5 J	< 0.93 U	0.68 J	< 0.93 U

Notes

‡	Groundwater samples collected by vertical aquif
--	Insufficient sample volume to analyze
µg/L	micrograms per liter
J	Result is less than the RL but greater than or eq
B	Compound was found in the blank and sample
U	Indicates the analyte was analyzed for but not de
*	LCS or LCSD is outside acceptable limits
F1	MS and/or MSD recovery is outside acceptable l
F2	MS/MSD RPD exceeds control limits
H	Sample was prepped or analyzed beyond the sp
RE	Sample was re-analyzed

Table X. **Summary of Groundwater Sample SVOC Ana**
Grenada Manufacturing Facility, Grenada, MS

Location ID	Sample Depth (feet)	Sample Date	Chrysene	Dibenz(a,h) anthracene	Dibenzofuran	Diethyl Phthalate	Dimethyl Phthalate	Di-n-butyl Phthalate
Well/Sample Details								
VAP-1-GW	12-13	10/2/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 0.93 U	0.59 J B
	15-16	10/2/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 0.96 U	0.38 J B
	20-21	10/2/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 0.96 U	0.87 J B
	25-26	10/2/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 0.96 U	0.84 J B
	30-31	10/2/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 0.93 U	0.8 J B
	35-36	10/2/2015	< 0.19 U	< 0.19 U	< 0.94 U	< 0.94 U	< 0.94 U	0.79 J B
	40-41	10/2/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 0.96 U	0.63 J B
	45-46	10/2/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 0.93 U	0.7 J B
	49-50	10/2/2015	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U	0.84 J B
VAP-2 GW	15-16	10/5/2015	< 0.19 U	< 0.19 U	< 0.96 U	1.9	< 0.96 U	0.96 B
	20-21	10/5/2015	< 0.19 U	< 0.19 U	< 0.93 U	0.42 J	< 0.93 U	0.52 J B
	25-26	10/5/2015	< 0.19 U	< 0.19 U	< 0.96 U	0.32 J	< 0.96 U	0.87 J B
	30-31	10/5/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 0.93 U	0.53 J B
	35-36 RE	10/5/2015	< 0.19 U H	< 0.19 U H	< 0.96 U H	< 0.96 U H	< 0.96 U H	0.72 J H
	40-41 RE	10/5/2015	< 0.19 U H	< 0.19 U H	< 0.96 U H	0.23 J H	< 0.96 U H	0.96 H
	40-41 (DUP-1) RE	10/5/2015	< 0.19 U H	< 0.19 U H	< 0.96 U H	0.23 J H	< 0.96 U H	1.2 H
	45-46 RE	10/5/2015	< 0.19 U H	< 0.19 U H	< 0.96 U H	0.22 J H	< 0.96 U H	0.58 J H
	49-50	10/5/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 0.96 U	0.58 J B
VAP-3-GW	15-16	10/6/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 0.96 U	0.47 J B
	20-21	10/6/2015	< 0.19 U	< 0.19 U	< 0.96 U	0.41 J	< 0.96 U	0.68 J
	25-26	10/6/2015	< 0.19 U	< 0.19 U	< 0.96 U	0.23 J	< 0.96 U	0.71 J B
	30-31	10/6/2015	< 0.19 U	< 0.19 U	< 0.96 U	0.57 J	< 0.96 U	1.3
	35-36	10/6/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 0.93 U	0.9 J B
	40-41	10/6/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 0.93 U	0.66 J B
	45-46	10/6/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 0.93 U	0.56 J B
	49-50	10/6/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 0.93 U	1.1 B
VAP-4-GW	15-16	10/6/2015	< 0.19 U	< 0.19 U	< 0.96 U	0.31 J	< 0.96 U	1.2 B
	20-21	10/6/2015	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U	1 B
	25-26	10/6/2015	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U	1.1 B
	30-31	10/6/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 0.96 U	1.2
	35-36	10/7/2015	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U	0.67 J
	40-41	10/7/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 0.96 U	0.61 J
	45-46	10/7/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 0.93 U	1.5
	48-49	10/7/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 0.93 U	0.94
VAP-5-GW	15-16	10/7/2015	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U	0.72 J
	20-21	10/7/2015	< 0.19 U	< 0.19 U	< 0.93 U	0.22 J	< 0.93 U	1.1
	25-26	10/7/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 0.96 U	0.6 J
	30-31	10/7/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 0.96 U	0.53 J
	35-36	10/7/2015	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U	0.57 J
	40-41	10/7/2015	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U	0.71 J
	45-46	10/7/2015	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U	0.83 J
	49-50	10/7/2015	--	--	--	--	--	--
VAP-6-GW	12-13	10/8/2015	--	--	--	--	--	--
	15-16 RE	10/8/2015	< 0.2 U H	< 0.2 U H	< 1 U H	< 1 U H	< 1 U H	0.71 J H
	20-21	10/8/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 0.93 U	0.67 J B
	20-21 RE	10/8/2015	< 0.19 U H	< 0.19 U H	< 0.96 U H	< 0.96 U H	< 0.96 U H	0.38 J H
	25-26	10/8/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 0.96 U	0.81 J B
	25-26 RE	10/8/2015	< 0.19 U H	< 0.19 U H	< 0.93 U H	< 0.93 U H	< 0.93 U H	0.37 J H
	30-31	10/8/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 0.96 U	1.1 B
	30-31 RE	10/8/2015	< 0.19 U H	< 0.19 U H	< 0.93 U H	< 0.93 U H	< 0.93 U H	< 0.93 U H
	30-31 (DUP-2)	10/8/2015	< 0.19 U	< 0.19 U	< 0.93 U	0.3 J	< 0.93 U	1.3 B
	30-35	10/8/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 0.96 U	0.87 J B
	40-41	10/8/2015	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U	0.84 J B
	45-46	10/8/2015	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U	0.8 J B
	49-50	10/8/2015	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U	0.86 J B
VAP-7-GW	13-14	10/9/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 0.96 U	0.63 J B
	15-16	10/9/2015	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U	0.56 J B
	20-21	10/9/2015	< 0.19 U	< 0.19 U	< 0.93 U	0.21 J	< 0.93 U	0.74 J B
	25-26	10/9/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 0.96 U	0.71 J B
	30-31	10/9/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 0.96 U	0.51 J B
	30-31 (DUP-3) RE	10/9/2015	< 0.2 U H	< 0.2 U H	< 1 U H	< 1 U H	< 1 U H	< 1 U H
	35-36 RE	10/9/2015	< 0.22 U H	< 0.22 U H	< 1.1 U H	< 1.1 U H	< 1.1 U H	0.62 J H B
	43-44 RE	10/9/2015	< 0.2 U H	< 0.2 U H	< 1 U H	0.22 J H	< 1 U H	0.55 J H B
	48-49 RE	10/9/2015	< 0.24 U H	< 0.24 U H	< 1.2 U H	< 1.2 U H	< 1.2 U H	< 1.2 U H
VAP-8-GW	18-19 RE	10/8/2015	< 0.25 U H	< 0.25 U H	< 1.3 U H	0.65 J H	< 1.3 U H	0.72 J H B
	20-21 RE	10/8/2015	< 0.26 U H	< 0.26 U H	< 1.3 U H	0.51 J H	< 1.3 U H	0.84 J H B
	25-26	10/8/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 0.96 U	0.65 J B
	30-31	10/8/2015	< 0.19 U	< 0.19 U	< 0.96 U	0.24 J	< 0.96 U	1.2 B
	35-36	10/8/2015	< 0.2 U	< 0.2 U	< 1 U	0.29 J	< 1 U	1.2 B
	40-41	10/8/2015	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U	0.71 J B
	45-46	10/8/2015	< 0.19 U	< 0.19 U	< 0.93 U	0.22 J	< 0.93 U	0.75 J B
	49-50	10/8/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 0.96 U	0.59 J B
VAP-9-GW	15-16	10/1/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 0.96 U	0.56 J B
	20-21	10/1/2015	< 0.2 U	< 0.2 U	< 1 U	0.26 J	< 1 U	0.7 J B
	25-26	10/1/2015	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 0.96 U	0.6 J B
	30-31	10/1/2015	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U	0.75 J B
	35-36	10/1/2015	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 1 U	0.53 J B
	40-41	10/1/2015	< 0.18 U	< 0.18 U	< 0.89 U	< 0.89 U	< 0.89 U	0.48 J B
	45-46	10/1/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 0.93 U	< 0.93 U
	49-50	10/1/2015	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 0.93 U	0.58 J B
VAP-10-GW	16-17	10/20/2015	< 0.19 U	< 0.19 U	< 0.93 U	0.31 J	< 0.93 U	< 0.93 U
	20-21	10/20/2015	< 0.19 U	< 0.19 U	< 0.93 U	0.78 J	< 0.93 U	0.93
	25-26	10/20/2015	0.29	< 0.19 U	< 0.93 U	0.21 J	< 0.93 U	0.69 J
	30-31	10/20/2015	< 0.19 U	< 0.19 U	< 0.93 U	0.29 J	< 0.93 U	0.85 J
	35-36	10/20/2015	< 0.18 U	< 0.18 U	< 0.89 U	< 0.89 U	< 0.89 U	0.76 J
	40-41	10/20/2015	< 0.19 U	< 0.19 U	< 0.93 U	0.25 J	< 0.93 U	0.65 J
	45-46	10/20/2015	< 0.19 U	< 0.19 U	< 0.96 U	0.33 J	< 0.96 U	1.2
	49-50	10/20/2015	< 0.19 U	< 0.19 U	< 0.93 U	0.25 J	< 0.93 U	0.7 J

Notes

‡	Groundwater samples collected by vertical aquif
--	Insufficient sample volume to analyze
µg/L	micrograms per liter
J	Result is less than the RL but greater than or eq
B	Compound was found in the blank and sample
U	Indicates the analyte was analyzed for but not de
*	LCS or LCSD is outside acceptable limits
F1	MS and/or MSD recovery is outside acceptable l
F2	MS/MSD RPD exceeds control limits
H	Sample was prepped or analyzed beyond the sp
RE	Sample was re-analyzed

Table X. **Summary of Groundwater Sample SVOC Ana**
Grenada Manufacturing Facility, Grenada, MS

Location ID	Sample Depth (feet)	Sample Date	Di-n-octyl Phthalate	Fluoranthene	Fluorene	Hexachloro-benzene	Hexachloro-butadiene	Hexachlorocyclo pentadiene
Well/Sample Details								
VAP-1-GW	12-13	10/2/2015	< 0.93 U	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 9.3 U
	15-16	10/2/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
	20-21	10/2/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
	25-26	10/2/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
	30-31	10/2/2015	< 0.93 U	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 9.3 U
	35-36	10/2/2015	< 0.94 U	< 0.19 U	< 0.19 U	< 0.94 U	< 0.94 U	< 9.4 U
	40-41	10/2/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
	45-46	10/2/2015	< 0.93 U	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 9.3 U
	49-50	10/2/2015	< 1 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 10 U
VAP-2 GW	15-16	10/5/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
	20-21	10/5/2015	< 0.93 U	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 9.3 U
	25-26	10/5/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
	30-31	10/5/2015	< 0.93 U	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 9.3 U
	35-36 RE	10/5/2015	< 0.96 U H	< 0.19 U H	< 0.19 U H	< 0.96 U H	< 0.96 U H	< 9.6 U H
	40-41 RE	10/5/2015	< 0.96 U H	< 0.19 U H	< 0.19 U H	< 0.96 U H	< 0.96 U H	< 9.6 U H
	40-41 (DUP-1) RE	10/5/2015	< 0.96 U H	< 0.19 U H	< 0.19 U H	< 0.96 U H	< 0.96 U H	< 9.6 U H
	45-46 RE	10/5/2015	< 0.96 U H	< 0.19 U H	< 0.19 U H	< 0.96 U H	< 0.96 U H	< 9.6 U H
	49-50	10/5/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
VAP-3-GW	15-16	10/6/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
	20-21	10/6/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
	25-26	10/6/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
	30-31	10/6/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
	35-36	10/6/2015	< 0.93 U	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 9.3 U
	40-41	10/6/2015	< 0.93 U	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 9.3 U
	45-46	10/6/2015	< 0.93 U	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 9.3 U
	49-50	10/6/2015	< 0.93 U	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 9.3 U
VAP-4-GW	15-16	10/6/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
	20-21	10/6/2015	< 1 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 10 U
	25-26	10/6/2015	< 1 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 10 U
	30-31	10/6/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
	35-36	10/7/2015	< 1 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 10 U
	40-41	10/7/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
	45-46	10/7/2015	< 0.93 U	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 9.3 U
	48-49	10/7/2015	< 0.93 U	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 9.3 U
VAP-5-GW	15-16	10/7/2015	< 1 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 10 U
	20-21	10/7/2015	< 0.93 U	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 9.3 U
	25-26	10/7/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
	30-31	10/7/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
	35-36	10/7/2015	< 1 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 10 U
	40-41	10/7/2015	< 1 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 10 U
	45-46	10/7/2015	< 1 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 10 U
	49-50	10/7/2015	--	--	--	--	--	--
VAP-6-GW	12-13	10/8/2015	--	--	--	--	--	--
	15-16 RE	10/8/2015	< 1 U H	< 0.2 U H	< 0.2 U H	< 1 U H	< 1 U H	< 10 U H
	20-21	10/8/2015	< 0.93 U	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 9.3 U
	20-21 RE	10/8/2015	< 0.96 U H	< 0.19 U H	< 0.19 U H	< 0.96 U H	< 0.96 U H	< 9.6 U H
	25-26	10/8/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
	25-26 RE	10/8/2015	< 0.93 U H	< 0.19 U H	< 0.19 U H	< 0.93 U H	< 0.93 U H	< 9.3 U H
	30-31	10/8/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
	30-31 RE	10/8/2015	< 0.93 U H	< 0.19 U H	< 0.19 U H	< 0.93 U H	< 0.93 U H	< 9.3 U H
	30-31 (DUP-2)	10/8/2015	< 0.93 U	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 9.3 U
	30-35	10/8/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
	40-41	10/8/2015	< 1 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 10 U
	45-46	10/8/2015	< 1 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 10 U
	49-50	10/8/2015	< 1 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 10 U
VAP-7-GW	13-14	10/9/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
	15-16	10/9/2015	< 1 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 10 U
	20-21	10/9/2015	< 0.93 U	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 9.3 U
	25-26	10/9/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
	30-31	10/9/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
	30-31 (DUP-3) RE	10/9/2015	< 1 U H	< 0.2 U H	< 0.2 U H	< 1 U H	< 1 U H	< 10 U H
	35-36 RE	10/9/2015	< 1.1 U H	< 0.22 U H	< 0.22 U H	< 1.1 U H	< 1.1 U H	< 11 U H
	43-44 RE	10/9/2015	< 1 U H	< 0.2 U H	< 0.2 U H	< 1 U H	< 1 U H	< 10 U H
	48-49 RE	10/9/2015	< 1.2 U H	< 0.24 U H	< 0.24 U H	< 1.2 U H	< 1.2 U H	< 12 U H
VAP-8-GW	18-19 RE	10/8/2015	< 1.3 U H	< 0.25 U H	< 0.25 U H	< 1.3 U H	< 1.3 U H	< 13 U H
	20-21 RE	10/8/2015	< 1.3 U H	< 0.26 U H	< 0.26 U H	< 1.3 U H	< 1.3 U H	< 13 U H
	25-26	10/8/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
	30-31	10/8/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
	35-36	10/8/2015	< 1 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 10 U
	40-41	10/8/2015	< 1 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 10 U
	45-46	10/8/2015	< 0.93 U	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 9.3 U
	49-50	10/8/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
VAP-9-GW	15-16	10/1/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
	20-21	10/1/2015	< 1 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 10 U
	25-26	10/1/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
	30-31	10/1/2015	< 1 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 10 U
	35-36	10/1/2015	< 1 U	< 0.2 U	< 0.2 U	< 1 U	< 1 U	< 10 U
	40-41	10/1/2015	< 0.89 U	< 0.18 U	< 0.18 U	< 0.89 U	< 0.89 U	< 8.9 U
	45-46	10/1/2015	< 0.93 U	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 9.3 U
	49-50	10/1/2015	< 0.93 U	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 9.3 U
VAP-10-GW	16-17	10/20/2015	< 0.93 U	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 9.3 U
	20-21	10/20/2015	< 0.93 U	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 9.3 U
	25-26	10/20/2015	< 0.93 U	0.35	< 0.19 U	< 0.93 U	< 0.93 U	< 9.3 U
	30-31	10/20/2015	< 0.93 U	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 9.3 U
	35-36	10/20/2015	< 0.89 U	< 0.18 U	< 0.18 U	< 0.89 U	< 0.89 U	< 8.9 U
	40-41	10/20/2015	< 0.93 U	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 9.3 U
	45-46	10/20/2015	< 0.96 U	< 0.19 U	< 0.19 U	< 0.96 U	< 0.96 U	< 9.6 U
	49-50	10/20/2015	< 0.93 U	< 0.19 U	< 0.19 U	< 0.93 U	< 0.93 U	< 9.3 U

Notes

‡	Groundwater samples collected by vertical aquif
--	Insufficient sample volume to analyze
µg/L	micrograms per liter
J	Result is less than the RL but greater than or eq
B	Compound was found in the blank and sample
U	Indicates the analyte was analyzed for but not de
*	LCS or LCSD is outside acceptable limits
F1	MS and/or MSD recovery is outside acceptable l
F2	MS/MSD RPD exceeds control limits
H	Sample was prepped or analyzed beyond the sp
RE	Sample was re-analyzed

Table X. **Summary of Groundwater Sample SVOC Ana**
Grenada Manufacturing Facility, Grenada, MS

Location ID	Sample Depth (feet)	Sample Date	Hexachloro-ethane	Indeno[1,2,3-cd]-pyrene	Isophorone	Naphthalene	Nitrobenzene	N-Nitrosodi-n-propylamine
Well/Sample Details								
VAP-1-GW	12-13	10/2/2015	< 0.93 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U
	15-16	10/2/2015	< 0.96 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	20-21	10/2/2015	< 0.96 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	25-26	10/2/2015	< 0.96 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	30-31	10/2/2015	< 0.93 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U
	35-36	10/2/2015	< 0.94 U	< 0.19 U	< 0.94 U	< 0.19 U	< 0.94 U	< 0.94 U
	40-41	10/2/2015	< 0.96 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	45-46	10/2/2015	< 0.93 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U
	49-50	10/2/2015	< 1 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
VAP-2 GW	15-16	10/5/2015	< 0.96 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	20-21	10/5/2015	< 0.93 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U
	25-26	10/5/2015	< 0.96 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	30-31	10/5/2015	< 0.93 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U
	35-36 RE	10/5/2015	< 0.96 U H	< 0.19 U H	< 0.96 U H	< 0.19 U H	< 0.96 U H	< 0.96 U H
	40-41 RE	10/5/2015	< 0.96 U H	< 0.19 U H	< 0.96 U H	< 0.19 U H	< 0.96 U H	< 0.96 U H
	40-41 (DUP-1) RE	10/5/2015	< 0.96 U H	< 0.19 U H	< 0.96 U H	< 0.19 U H	< 0.96 U H	< 0.96 U H
	45-46 RE	10/5/2015	< 0.96 U H	< 0.19 U H	< 0.96 U H	0.22 H	< 0.96 U H	< 0.96 U H
	49-50	10/5/2015	< 0.96 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
VAP-3-GW	15-16	10/6/2015	< 0.96 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	20-21	10/6/2015	< 0.96 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	25-26	10/6/2015	< 0.96 U	< 0.19 U	0.069 J	< 0.19 U	< 0.96 U	< 0.96 U
	30-31	10/6/2015	< 0.96 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	35-36	10/6/2015	< 0.93 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U
	40-41	10/6/2015	< 0.93 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U
	45-46	10/6/2015	< 0.93 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U
	49-50	10/6/2015	< 0.93 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U
VAP-4-GW	15-16	10/6/2015	< 0.96 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	20-21	10/6/2015	< 1 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
	25-26	10/6/2015	< 1 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
	30-31	10/6/2015	< 0.96 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	35-36	10/7/2015	< 1 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
	40-41	10/7/2015	< 0.96 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	45-46	10/7/2015	< 0.93 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U
	48-49	10/7/2015	< 0.93 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U
VAP-5-GW	15-16	10/7/2015	< 1 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
	20-21	10/7/2015	< 0.93 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U
	25-26	10/7/2015	< 0.96 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	30-31	10/7/2015	< 0.96 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	35-36	10/7/2015	< 1 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
	40-41	10/7/2015	< 1 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
	45-46	10/7/2015	< 1 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
	49-50	10/7/2015	--	--	--	--	--	--
VAP-6-GW	12-13	10/8/2015	--	--	--	--	--	--
	15-16 RE	10/8/2015	< 1 U H	< 0.2 U H	< 1 U H	< 0.2 U H	< 1 U H	< 1 U H
	20-21	10/8/2015	< 0.93 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U
	20-21 RE	10/8/2015	< 0.96 U H	< 0.19 U H	< 0.96 U H	< 0.19 U H	< 0.96 U H	< 0.96 U H
	25-26	10/8/2015	< 0.96 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	25-26 RE	10/8/2015	< 0.93 U H	< 0.19 U H	< 0.93 U H	< 0.19 U H	< 0.93 U H	< 0.93 U H
	30-31	10/8/2015	< 0.96 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	30-31 RE	10/8/2015	< 0.93 U H	< 0.19 U H	< 0.93 U H	< 0.19 U H	< 0.93 U H	< 0.93 U H
	30-31 (DUP-2)	10/8/2015	< 0.93 U	< 0.19 U	< 0.93 U	0.21	< 0.93 U	< 0.93 U
	30-35	10/8/2015	< 0.96 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	40-41	10/8/2015	< 1 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
	45-46	10/8/2015	< 1 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
	49-50	10/8/2015	< 1 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
VAP-7-GW	13-14	10/9/2015	< 0.96 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	15-16	10/9/2015	< 1 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
	20-21	10/9/2015	< 0.93 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U
	25-26	10/9/2015	< 0.96 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	30-31	10/9/2015	< 0.96 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	30-31 (DUP-3) RE	10/9/2015	< 1 U H	< 0.2 U H	< 1 U H	< 0.2 U H	< 1 U H	< 1 U H
	35-36 RE	10/9/2015	< 1.1 U H	< 0.22 U H	< 1.1 U H	< 0.22 U H	< 1.1 U H	< 1.1 U H
	43-44 RE	10/9/2015	< 1 U H	< 0.2 U H	< 1 U H	< 0.2 U H	< 1 U H	< 1 U H
	48-49 RE	10/9/2015	< 1.2 U H	< 0.24 U H	< 1.2 U H	< 0.24 U H	< 1.2 U H	< 1.2 U H
VAP-8-GW	18-19 RE	10/8/2015	< 1.3 U H	< 0.25 U H	< 1.3 U H	< 0.25 U H	< 1.3 U H	< 1.3 U H
	20-21 RE	10/8/2015	< 1.3 U H	< 0.26 U H	< 1.3 U H	< 0.26 U H	< 1.3 U H	< 1.3 U H
	25-26	10/8/2015	< 0.96 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	30-31	10/8/2015	< 0.96 U	< 0.19 U	< 0.96 U	0.21	< 0.96 U	< 0.96 U
	35-36	10/8/2015	< 1 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
	40-41	10/8/2015	< 1 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
	45-46	10/8/2015	< 0.93 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U
	49-50	10/8/2015	< 0.96 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
VAP-9-GW	15-16	10/1/2015	< 0.96 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	20-21	10/1/2015	< 1 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
	25-26	10/1/2015	< 0.96 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	30-31	10/1/2015	< 1 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
	35-36	10/1/2015	< 1 U	< 0.2 U	< 1 U	< 0.2 U	< 1 U	< 1 U
	40-41	10/1/2015	< 0.89 U	< 0.18 U	< 0.89 U	< 0.18 U	< 0.89 U	< 0.89 U
	45-46	10/1/2015	< 0.93 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U
	49-50	10/1/2015	< 0.93 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U
VAP-10-GW	16-17	10/20/2015	< 0.93 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U
	20-21	10/20/2015	< 0.93 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U
	25-26	10/20/2015	< 0.93 U	0.2	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U
	30-31	10/20/2015	< 0.93 U	< 0.19 U	0.22 J	< 0.19 U	< 0.93 U	< 0.93 U
	35-36	10/20/2015	< 0.89 U	< 0.18 U	< 0.89 U	0.22	< 0.89 U	< 0.89 U
	40-41	10/20/2015	< 0.93 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U
	45-46	10/20/2015	< 0.96 U	< 0.19 U	< 0.96 U	< 0.19 U	< 0.96 U	< 0.96 U
	49-50	10/20/2015	< 0.93 U	< 0.19 U	< 0.93 U	< 0.19 U	< 0.93 U	< 0.93 U

Notes

‡	Groundwater samples collected by vertical aquif
--	Insufficient sample volume to analyze
µg/L	micrograms per liter
J	Result is less than the RL but greater than or eq
B	Compound was found in the blank and sample
U	Indicates the analyte was analyzed for but not de
*	LCS or LCSD is outside acceptable limits
F1	MS and/or MSD recovery is outside acceptable l
F2	MS/MSD RPD exceeds control limits
H	Sample was prepped or analyzed beyond the sp
RE	Sample was re-analyzed

Table X. **Summary of Groundwater Sample SVOC Ana**
Grenada Manufacturing Facility, Grenada, MS

Location ID	Sample Depth (feet)	Sample Date	N-Nitrosodi-phenylamine	Penta-chlorophenol	Phenanthrene	Phenol	Pyrene
Well/Sample Details							
VAP-1-GW	12-13	10/2/2015	< 0.93 U	< 37 U	< 0.19 U	< 0.93 U	< 0.19 U
	15-16	10/2/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U	< 0.19 U
	20-21	10/2/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U	< 0.19 U
	25-26	10/2/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U	< 0.19 U
	30-31	10/2/2015	< 0.93 U	< 37 U	< 0.19 U	< 0.93 U	< 0.19 U
	35-36	10/2/2015	< 0.94 U	< 38 U	< 0.19 U	< 0.94 U	< 0.19 U
	40-41	10/2/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U	< 0.19 U
	45-46	10/2/2015	< 0.93 U	< 37 U	< 0.19 U	< 0.93 U	< 0.19 U
	49-50	10/2/2015	< 1 U	< 40 U	< 0.2 U	< 1 U	< 0.2 U
VAP-2 GW	15-16	10/5/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U	< 0.19 U
	20-21	10/5/2015	< 0.93 U	< 37 U	< 0.19 U	< 0.93 U	< 0.19 U
	25-26	10/5/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U	< 0.19 U
	30-31	10/5/2015	< 0.93 U	< 37 U	< 0.19 U	< 0.93 U	< 0.19 U
	35-36 RE	10/5/2015	< 0.96 U H	< 38 U H	< 0.19 U H	< 0.96 U H	< 0.19 U H
	40-41 RE	10/5/2015	< 0.96 U H	< 38 U H	< 0.19 U H	< 0.96 U H	< 0.19 U H
	40-41 (DUP-1) RE	10/5/2015	< 0.96 U H	< 38 U H	< 0.19 U H	< 0.96 U H	< 0.19 U H
	45-46 RE	10/5/2015	< 0.96 U H	< 38 U H	< 0.19 U H	< 0.96 U H	< 0.19 U H
	49-50	10/5/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U	< 0.19 U
VAP-3-GW	15-16	10/6/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U	< 0.19 U
	20-21	10/6/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U	< 0.19 U
	25-26	10/6/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U	< 0.19 U
	30-31	10/6/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U	< 0.19 U
	35-36	10/6/2015	< 0.93 U	< 37 U	< 0.19 U	< 0.93 U	< 0.19 U
	40-41	10/6/2015	< 0.93 U	< 37 U	< 0.19 U	< 0.93 U	< 0.19 U
	45-46	10/6/2015	< 0.93 U	< 37 U	< 0.19 U	< 0.93 U	< 0.19 U
	49-50	10/6/2015	< 0.93 U	< 37 U	< 0.19 U	< 0.93 U	< 0.19 U
VAP-4-GW	15-16	10/6/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U	< 0.19 U
	20-21	10/6/2015	< 1 U	< 40 U	< 0.2 U	< 1 U	< 0.2 U
	25-26	10/6/2015	< 1 U	< 40 U	< 0.2 U	< 1 U	< 0.2 U
	30-31	10/6/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U	< 0.19 U
	35-36	10/7/2015	< 1 U	< 40 U	< 0.2 U	12	< 0.2 U
	40-41	10/7/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U	< 0.19 U
	45-46	10/7/2015	< 0.93 U	< 37 U	0.33	< 0.93 U	< 0.19 U
	48-49	10/7/2015	< 0.93 U	< 37 U	< 0.19 U	< 0.93 U	< 0.19 U
VAP-5-GW	15-16	10/7/2015	< 1 U	< 40 U	< 0.2 U	6.1	< 0.2 U
	20-21	10/7/2015	< 0.93 U	< 37 U	< 0.19 U	< 0.93 U	< 0.19 U
	25-26	10/7/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U	< 0.19 U
	30-31	10/7/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U	< 0.19 U
	35-36	10/7/2015	< 1 U	< 40 U	< 0.2 U	< 1 U	< 0.2 U
	40-41	10/7/2015	< 1 U	< 40 U	< 0.2 U	< 1 U	< 0.2 U
	45-46	10/7/2015	< 1 U	< 40 U	< 0.2 U	< 1 U	< 0.2 U
	49-50	10/7/2015	--	--	--	--	--
VAP-6-GW	12-13	10/8/2015	--	--	--	--	--
	15-16 RE	10/8/2015	< 1 U H	< 40 U H	< 0.2 U H	< 1 U H	< 0.2 U H
	20-21	10/8/2015	< 0.93 U	< 37 U	< 0.19 U	< 0.93 U	< 0.19 U
	20-21 RE	10/8/2015	< 0.96 U H	< 38 U H	< 0.19 U H	< 0.96 U H	< 0.19 U H
	25-26	10/8/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U	< 0.19 U
	25-26 RE	10/8/2015	< 0.93 U H	< 37 U H	< 0.19 U H	< 0.93 U H	< 0.19 U H
	30-31	10/8/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U	< 0.19 U
	30-31 RE	10/8/2015	< 0.93 U H	< 37 U H	< 0.19 U H	< 0.93 U H	< 0.19 U H
	30-31 (DUP-2)	10/8/2015	< 0.93 U	< 37 U	< 0.19 U	< 0.93 U *	< 0.19 U
	30-35	10/8/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U	< 0.19 U
	40-41	10/8/2015	< 1 U	< 40 U	< 0.2 U	< 1 U	< 0.2 U
	45-46	10/8/2015	< 1 U	< 40 U	< 0.2 U	< 1 U	< 0.2 U
	49-50	10/8/2015	< 1 U	< 40 U	< 0.2 U	< 1 U *	< 0.2 U
VAP-7-GW	13-14	10/9/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U *	< 0.19 U
	15-16	10/9/2015	< 1 U	< 40 U	< 0.2 U	< 1 U *	< 0.2 U
	20-21	10/9/2015	< 0.93 U	< 37 U	< 0.19 U	< 0.93 U *	< 0.19 U
	25-26	10/9/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U *	< 0.19 U
	30-31	10/9/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U *	< 0.19 U
	30-31 (DUP-3) RE	10/9/2015	< 1 U H	< 40 U H	< 0.2 U H	< 1 U H	< 0.2 U H
	35-36 RE	10/9/2015	< 1.1 U H	< 43 U H	< 0.22 U H	< 1.1 U H	< 0.22 U H
	43-44 RE	10/9/2015	< 1 U H	< 40 U H	< 0.2 U H	< 1 U H	< 0.2 U H
	48-49 RE	10/9/2015	< 1.2 U H	< 48 U H	< 0.24 U H	< 1.2 U H	< 0.24 U H
VAP-8-GW	18-19 RE	10/8/2015	< 1.3 U H	< 50 U H	< 0.25 U H	< 1.3 U H	< 0.25 U H
	20-21 RE	10/8/2015	< 1.3 U H	< 53 U H	< 0.26 U H	< 1.3 U H	< 0.26 U H
	25-26	10/8/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U *	< 0.19 U
	30-31	10/8/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U *	< 0.19 U
	35-36	10/8/2015	< 1 U	< 40 U	< 0.2 U	< 1 U *	< 0.2 U
	40-41	10/8/2015	< 1 U	< 40 U	< 0.2 U	< 1 U *	< 0.2 U
	45-46	10/8/2015	< 0.93 U	< 37 U	< 0.19 U	< 0.93 U *	< 0.19 U
	49-50	10/8/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U *	< 0.19 U
VAP-9-GW	15-16	10/1/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U	< 0.19 U
	20-21	10/1/2015	< 1 U	< 40 U	< 0.2 U	< 1 U	< 0.2 U
	25-26	10/1/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U	< 0.19 U
	30-31	10/1/2015	< 1 U	< 41 U	< 0.2 U	< 1 U	< 0.2 U
	35-36	10/1/2015	< 1 U	< 40 U	< 0.2 U	< 1 U	< 0.2 U
	40-41	10/1/2015	< 0.89 U	< 36 U	< 0.18 U	< 0.89 U	< 0.18 U
	45-46	10/1/2015	< 0.93 U	< 37 U	< 0.19 U	< 0.93 U	< 0.19 U
	49-50	10/1/2015	< 0.93 U	< 37 U	< 0.19 U	< 0.93 U	< 0.19 U
VAP-10-GW	16-17	10/20/2015	< 0.93 U	< 37 U	< 0.19 U	< 0.93 U	< 0.19 U
	20-21	10/20/2015	< 0.93 U	< 37 U	< 0.19 U	< 0.93 U	< 0.19 U
	25-26	10/20/2015	< 0.93 U	< 37 U	0.27	< 0.93 U	0.37
	30-31	10/20/2015	< 0.93 U	< 37 U	< 0.19 U	< 0.93 U	< 0.19 U
	35-36	10/20/2015	< 0.89 U	< 36 U	< 0.18 U	< 0.89 U	< 0.18 U
	40-41	10/20/2015	< 0.93 U	< 37 U	< 0.19 U	< 0.93 U	< 0.19 U
	45-46	10/20/2015	< 0.96 U	< 38 U	< 0.19 U	< 0.96 U	< 0.19 U
	49-50	10/20/2015	< 0.93 U	< 37 U	< 0.19 U	< 0.93 U	< 0.19 U

Notes

‡	Groundwater samples collected by vertical aquif
--	Insufficient sample volume to analyze
µg/L	micrograms per liter
J	Result is less than the RL but greater than or eq
B	Compound was found in the blank and sample
U	Indicates the analyte was analyzed for but not de
*	LCS or LCSD is outside acceptable limits
F1	MS and/or MSD recovery is outside acceptable l
F2	MS/MSD RPD exceeds control limits
H	Sample was prepped or analyzed beyond the sp
RE	Sample was re-analyzed

Table X. **Summary of Groundwater Sample Analytical Results‡**
Grenada Manufacturing Facility, Grenada, MS

Location ID	Sample Depth (feet)	Sample Date	Arsenic	Barium	Cadmium	Chromium	Chromium VI	Lead	Selenium	Silver	Mercury
Well/Sample Details											
VAP-1-GW	12-13	10/2/2015	60	370 B	1 J	120	< 0.00001 U	42	< 5 U	< 5 U	0.11 J
	15-16	10/2/2015	< 10 U	34 J B	< 2 U	14	< 0.00001 U	3.5	< 5 U	< 5 U	< 0.2 U
	20-21	10/2/2015	< 10 U	50 J B	0.14 J	18	< 0.00001 U	4.3	< 5 U	< 5 U	< 0.2 U
	25-26	10/2/2015	30	520 B	1.4 J	200	< 0.00001 U	82	7.7	< 5 U	< 0.2 U
	30-31	10/2/2015	12	830 B	0.71 J	280	< 0.00001 U	45	< 5 U	< 5 U	< 0.2 U
	35-36	10/2/2015	24	360 B	0.67 J	320	< 0.00001 U	81	< 5 U	< 5 U	< 0.2 U
	40-41	10/2/2015	38	630 B	1.2 J	430	< 0.00001 U	62	4.9 J	< 5 U	< 0.2 U
	45-46	10/2/2015	7.2 J	660 B	1 J	210	< 0.00001 U	75	4.9 J	< 5 U	< 0.2 U
	49-50	10/2/2015	12	490 B	0.89 J	200	< 0.00001 U	31	< 5 U	< 5 U	< 0.2 U
VAP-2 GW	15-16	10/5/2015	7.9 J	180 J	0.2 J	38 B	0.000016	10	4.5 J	< 5 U	< 0.2 U
	20-21	10/5/2015	5.5 J	83 J	< 2 U	12 B	< 0.00001 U	5.1	< 5 U	< 5 U	< 0.2 U
	25-26	10/5/2015	61	1300	1.2 J	460 B	< 0.00001 U	150	8.7	< 5 U	1.8
	30-31	10/5/2015	5.4 J	180 J	0.14 J	21 B	< 0.00001 U	9	< 5 U	< 5 U	< 0.2 U
	35-36	10/5/2015	5.7 J	180 J	0.3 J	51 B	< 0.00001 U	15	< 5 U	< 5 U	< 0.2 U F1
	40-41	10/5/2015	120	1800	5.5	660 B	< 0.00001 U	230	67	< 5 U	1.2
	40-41 (DUP-1)	10/5/2015	41	1100	2.4	200 B	< 0.00001 U	85	22	< 5 U	0.32
	45-46	10/5/2015	22	450	0.8 J	120 B	< 0.00001 U	44	< 5 U	< 5 U	0.11 J
	49-50	10/5/2015	< 10 U	36 J	< 2 U	1.2 J B	< 0.00001 U	< 3 U	< 5 U	< 5 U	< 0.2 U
VAP-3-GW	15-16	10/6/2015	10	230	0.62 J	35 B	< 0.00001 U	11	< 5 U	< 5 U	< 0.2 U
	20-21	10/6/2015	13	210	0.23 J	73 B	< 0.00001 U	9.8	< 5 U	< 5 U	< 0.2 U
	25-26	10/6/2015	16	120 J	0.41 J	29 B	< 0.00001 U	13	< 5 U	< 5 U	< 0.2 U
	30-31	10/6/2015	27	2300	1.3 J	870 B	< 0.00001 U	260	19	< 5 U L	1
	35-36	10/6/2015	8.6 J	380	0.31 J	140 B	< 0.00001 U	35	< 5 U	< 5 U	< 0.2 U
	40-41	10/6/2015	17	1100	1.2 J	470 B	< 0.00001 U	150	9.5	< 5 U	0.17 J
	45-46	10/6/2015	8.1 J	410	2.7	140 B	< 0.00001 U	39	21	< 5 U	0.095 J
	49-50	10/6/2015	23	380	0.54 J	140 B	< 0.00001 U	34	< 5 U	< 5 U	0.16 J
VAP-4-GW	15-16	10/6/2015	130	980	1.9 J	260 B	< 0.00001 U	57	4.1 J	< 5 U	0.22
	20-21	10/6/2015	19	410	0.24 J	130 B	< 0.00001 U	32	< 5 U	< 5 U	< 0.2 U
	25-26	10/6/2015	19	260	0.21 J	100 B	< 0.00001 U	34	< 5 U	< 5 U	0.38
	30-31	10/6/2015	96	1300 B	1.6 J	550	< 0.00001 U	280	< 5 U	< 5 U L	2.3
	35-36	10/7/2015	66	2400 B	3.9	670	< 0.00001 U	230	11	< 5 U L	1
	40-41	10/7/2015	15	1400 B	1.4 J	380	< 0.00001 U	130	7	< 5 U	< 0.2 U
	45-46	10/7/2015	15	1500 B	2.1	690	< 0.00001 U	190	11	< 5 U	0.15 J
	48-49	10/7/2015	56	2400 B	4.1	2000	< 0.00001 U	220	12	< 5 U L	0.54
VAP-5-GW	15-16	10/7/2015	14	440 B	1 J	100	< 0.00001 U	37	< 5 U	< 5 U	1
	20-21	10/7/2015	35	140 J B	0.26 J	40	< 0.00001 U	11	< 5 U	< 5 U	0.2
	25-26	10/7/2015	9.2 J	240 B	0.18 J	55	< 0.00001 U	23	< 5 U	< 5 U	0.11 J
	30-31	10/7/2015	7.8 J	380 B	3.6	210	< 0.00001 U	96	29	< 5 U	0.28
	35-36	10/7/2015	12	280 B	0.48 J	48	< 0.00001 U	30	< 5 U	< 5 U	0.15 J
	40-41	10/7/2015	14	190 J B	0.66 J	33	< 0.00001 U	18	< 5 U	< 5 U	< 0.2 U
	45-46	10/7/2015	16	220 B	0.68 J	54	< 0.00001 U	28	< 5 U	< 5 U	< 0.2 U
	49-50	10/7/2015	--	--	--	--	--	--	--	--	--
VAP-6-GW	12-13	10/8/2015	--	--	--	--	--	--	--	--	--
	15-16	10/8/2015	51	960 B	0.93 J	250	< 0.00001 U	79	< 5 U	< 5 U	0.24
	20-21	10/8/2015	< 10 U	21 J B	< 2 U	2.4 J	< 0.00001 U	< 3 U	< 5 U	< 5 U	< 0.2 U
	25-26	10/8/2015	34	590 B	0.55 J	260	< 0.00001 U	90	< 5 U	< 5 U	2.1
	30-31	10/8/2015	12	210 B	0.19 J	78	< 0.00001 U	29	< 5 U	< 5 U	< 0.2 U
	30-31 (DUP-2)	10/8/2015	12	250 B	0.43 J	92	< 0.00001 U	31	< 5 U	< 5 U	< 0.2 U
	30-35	10/8/2015	< 10 U	69 J B	< 2 U	5.1	< 0.00001 U	< 3 U	< 5 U	< 5 U	< 0.2 U
	40-41	10/8/2015	5.3 J	180 J B	0.19 J	53	< 0.00001 U	13	< 5 U	< 5 U	0.1 J
	45-46	10/8/2015	77	1400 B	1.2 J	740	< 0.00001 U	180	54	< 5 U	3
	49-50	10/8/2015	9.3 J	340 B	1 J	160	< 0.00001 U	92	42	< 5 U	0.21
VAP-7-GW	13-14	10/9/2015	18	350 B	0.32 J	130	< 0.00001 U	33	8.3	< 5 U	0.11 J
	15-16	10/9/2015	18	320 B	0.5 J	120	< 0.00001 U	33	< 5 U	< 5 U	0.14 J
	20-21	10/9/2015	6.4 J	190 J B	< 2 U	43	< 0.00001 U	11	< 5 U	< 5 U	< 0.2 U
	25-26	10/9/2015	12	390 B	0.44 J	140	< 0.00001 U	47	< 5 U	< 5 U	0.093 J
	30-31	10/9/2015	9.4 J	280 B	0.4 J	93	< 0.00001 U	38	4.9 J	< 5 U	0.099 J
	30-31 (DUP-3)	10/9/2015	11	310 B	0.4 J	110	< 0.00001 U	46	4 J	< 5 U	0.19 J
	35-36	10/9/2015	35	790 B	1.5 J	380	< 0.00001 U	390	51	< 5 U	1.2
	43-44	10/9/2015	46	330 B	0.73 J	180	< 0.00001 U	39	< 5 U	< 5 U	0.17 J
	48-49	10/9/2015	28	250 B	0.31 J	86	0.000018	27	< 5 U	< 5 U	0.18 J
VAP-8-GW	18-19	10/8/2015	26	680 B	0.7 J	200	< 0.00001 U	70	< 5 U	< 5 U	0.31
	20-21	10/8/2015	120	570 B	0.84 J	180	< 0.00001 U	77	< 5 U	< 5 U	< 0.2 U
	25-26	10/8/2015	14	920 B	0.42 J	260	< 0.00001 U	100	4.5 J	< 5 U	0.21
	30-31	10/8/2015	10	520 B	0.2 J	190	< 0.00001 U	47	< 5 U	< 5 U	0.17 J
	35-36	10/8/2015	17	820 B	0.41 J	480	< 0.00001 U	280	13	< 5 U L	0.35
	40-41	10/8/2015	69	1100 B	12	500	< 0.00001 U	470	190	< 5 U	0.91
	45-46	10/8/2015	84	440 B	2.5	180	< 0.00001 U	80	14	< 5 U	0.22
	49-50	10/8/2015	4 J	250 B	0.17 J	39	< 0.00001 U	13	< 5 U	< 5 U	< 0.2 U
VAP-9-GW	15-16	10/1/2015	43	280 B	0.77 J	130	< 0.00001 U	31	< 5 U	< 5 U	0.28
	20-21	10/1/2015	48	1600 B	4.7	680	< 0.00001 U	280	26	< 5 U	1.6
	25-26	10/1/2015	19	900 B	1.4 J	330	< 0.00001 U	82	< 5 U	< 5 U	0.12 J
	30-31	10/1/2015	9.8 J	420 B	0.59 J	120	< 0.00001 U	56	12	< 5 U	0.26
	35-36	10/1/2015	< 10 U	120 J B	0.21 J	1.3 J	0.000013	< 3 U	< 5 U	< 5 U	< 0.2 U
	40-41	10/1/2015	8.8 J	540 B	0.69 J	180	< 0.00001 U	75	< 5 U	< 5 U	< 0.2 U
	45-46	10/1/2015	13	510 B	1.7 J	150	< 0.00001 U	42	< 5 U	< 5 U	0.14 J
	49-50	10/1/2015	25	590 B	2	270	< 0.00001 U	71	6.9	< 5 U	< 0.2 U
VAP-10-GW	16-17	10/20/2015	24	460 B	0.77 J	130	< 0.00001 U	34	< 5 U	< 5 U	0.17 J
	20-21	10/20/2015	4.2 J	43 J B	0.18 J	5	< 0.00001 U	< 3 U	< 5 U	< 5 U	< 0.2 U
	20-25	10/20/2015	49	490 B	1.2 J	410	< 0.00001 U	76	< 5 U	< 5 U	0.43
	30-31	10/20/2015	16	720 B	1 J	400	< 0.00001 U	64	4.4 J	< 5 U L	0.82
	35-36	10/20/2015	3.7 J	330 B	0.57 J	96	< 0.00001 U	43	4.4 J	< 5 U	< 0.2 U
	40-41	10/20/2015	--	--	--	--	--	--	--	--	--
	45-46	10/20/2015	36	750 B	1.6 J	570	< 0.00001 U	73	4.8 J	< 5 U	0.15 J
	49-50	10/20/2015	--	--	--	--	--	--	--	--	--

Notes

‡	Groundwater samples collected by vertical aquifer profile method. Analyzed by Method 6010B, Method SM 3500-Cr B for Cr VI, and Method 7470A for Mercury. Presented in µg/L.
--	Insufficient sample volume to analyze
µg/L	micrograms per liter
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B	Compound was found in the blank and sample
U	Indicates the analyte was analyzed for but not detected.

Table X. **Summary of Groundwater Waste Sample Analytical Results‡**
Grenada Manufacturing Facility, Grenada, MS

Location ID	DRUM DECON/ PURGE WATER
Sample Location	PURGE DRUM
Sample Date	10/9/2015
VOCs	
1,1-Dichloroethene	< 0.000025 U
1,2-Dichloroethane	< 0.000025 U
2-Butanone (MEK)	< 0.00025 U
Benzene	< 0.000025 U
Carbon tetrachloride	< 0.000025 U
Chlorobenzene	< 0.000025 U
Chloroform	< 0.000025 U
Tetrachloroethene	< 0.000025 U
Trichloroethene	< 0.000025 U
Vinyl chloride	< 0.000025 U
SVOCs	
1,4-Dichlorobenzene	< 0.000004 U
2,4,5-Trichlorophenol	< 0.000004 U
2,4,6-Trichlorophenol	< 0.000004 U
2,4-Dinitrotoluene	< 0.000004 U
2-Methylphenol	< 0.000004 U
3 & 4 Methylphenol	< 0.000004 U
Hexachlorobenzene	< 0.0000008 U
Hexachlorobutadiene	< 0.000004 U
Hexachloroethane	< 0.000004 U
Nitrobenzene	< 0.000004 U
Pentachlorophenol	< 0.000016 U
Pyridine	< 0.000004 U
Metals	
Arsenic	0.0062 J
Barium	0.0094 J
Cadmium	0.00025 J
Chromium	0.02 J B
Lead	< 0.5 U
Selenium	< 0.25 U
Silver	< 0.5 U
Mercury	0.002 U
General**	
Corrosivity	10.3
pH	10.3
Flashpoint	> 200

Notes

‡	Groundwater samples collected by vertical aquifer profile method. Analyzed by Method 8260-TCLP, Method 8270-TCLP, Method 6010B-TCLP and Method 7470A-TCLP for Mercury. Presented in µg/L.
µg/L	micrograms per liter
**	Flashpoint presented in degrees fahrenheit, corrosivity and pH presented in standard units
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B	Compound was found in the blank and sample
U	Indicates the analyte was analyzed for but not detected.

Table X. **Summary of Trip Blank VOC Sample Analytical Results‡**
Grenada Manufacturing Facility, Grenada, MS

Location ID	TB-01 (100115)	TB-01 (101915)	TB-02 (100515)	TB-03 (100715)
Sample Date	**10/1/2015**	**10/19/2015**	**10/5/2015**	**10/7/2015**
1,1,1-Trichloroethane	< 1 U	< 1 U	< 1 U	< 1 U
1,1,2,2-Tetrachloroethane	< 1 U	< 1 U	< 1 U	< 1 U
1,1,2-Trichloro-1,2,2-trifluoroethane	< 1 U	< 1 U	< 1 U	< 1 U
1,1,2-Trichloroethane	< 1 U	< 1 U	< 1 U	< 1 U
1,1-Dichloroethane	< 1 U	< 1 U	< 1 U	< 1 U
1,1-Dichloroethene	< 1 U	< 1 U	< 1 U	< 1 U
1,2,4-Trichlorobenzene	< 1 U	< 1 U	< 1 U	< 1 U
1,2-Dibromo-3-Chloropropane	< 2 U	< 2 U	< 2 U	< 2 U
1,2-Dichlorobenzene	< 1 U	< 1 U	< 1 U	< 1 U
1,2-Dichloroethane	< 1 U	< 1 U	< 1 U	< 1 U
1,2-Dichloropropane	< 1 U	< 1 U	< 1 U	< 1 U
1,3-Dichlorobenzene	< 1 U	< 1 U	< 1 U	< 1 U
1,4-Dichlorobenzene	< 1 U	< 1 U	< 1 U	< 1 U
2-Butanone (MEK)	< 10 U	< 10 U	< 10 U	< 10 U
2-Hexanone	< 10 U	< 10 U	< 10 U	< 10 U
4-Methyl-2-pentanone (MIBK)	< 10 U	< 10 U	< 10 U	< 10 U
Acetone	3.2 J	3 J	1 J	2.2 J
Benzene	< 1 U	< 1 U	< 1 U	< 1 U
Bromoform	< 1 U	< 1 U	< 1 U	< 1 U
Bromomethane	< 1 U	< 1 U	< 1 U	< 1 U
Carbon disulfide	< 1 U	< 1 U	< 1 U	< 1 U
Carbon tetrachloride	< 1 U	< 1 U	< 1 U	< 1 U
Chlorobenzene	< 1 U	< 1 U	< 1 U	< 1 U
Chlorodibromomethane	< 1 U	< 1 U	< 1 U	< 1 U
Chloroethane	< 1 U	< 1 U	< 1 U	< 1 U
Chloroform	< 1 U	< 1 U	< 1 U	< 1 U
Chloromethane	< 1 U	< 1 U	< 1 U	< 1 U
cis-1,2-Dichloroethene	< 1 U	< 1 U	< 1 U	< 1 U
cis-1,3-Dichloropropene	< 1 U	< 1 U	< 1 U	< 1 U
Cyclohexane	< 1 U	< 1 U	< 1 U	< 1 U
Dichlorobromomethane	< 1 U	< 1 U	< 1 U	< 1 U
Dichlorodifluoromethane	< 1 U	< 1 U	< 1 U	< 1 U
Ethylbenzene	< 1 U	< 1 U	< 1 U	< 1 U
Ethylene Dibromide	< 1 U	< 1 U	< 1 U	< 1 U
Isopropylbenzene	< 1 U	< 1 U	< 1 U	< 1 U
Methyl acetate	< 10 U	< 10 U	< 10 U	< 10 U
Methyl tert-butyl ether	< 1 U	< 1 U	< 1 U	< 1 U
Methylcyclohexane	< 1 U	< 1 U	< 1 U	< 1 U
Methylene Chloride	< 1 U	< 1 U	< 1 U	< 1 U
Styrene	< 1 U	< 1 U	< 1 U	< 1 U
Tetrachloroethene	< 1 U	< 1 U	< 1 U	< 1 U
Toluene	< 1 U	< 1 U	< 1 U	< 1 U
trans-1,2-Dichloroethene	< 1 U	< 1 U	< 1 U	< 1 U
trans-1,3-Dichloropropene	< 1 U	< 1 U	< 1 U	< 1 U
Trichloroethene	< 1 U	< 1 U	< 1 U	< 1 U
Trichlorofluoromethane	< 1 U	< 1 U	< 1 U	< 1 U
Vinyl chloride	< 1 U	< 1 U	< 1 U	< 1 U
Xylenes, Total	< 2 U	< 2 U	< 2 U	< 2 U

Notes

‡ Analyzed by Method 8260B. Presented in µg/L.

TB-04 (100715)	TB-05(100815)	TB-06(100815)	TB-07(100915)
10/7/2015	10/8/2015	10/8/2015	10/9/2015
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 2 U	< 2 U	< 2 U	< 2 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 10 U	< 10 U	< 10 U	< 10 U
< 10 U	< 10 U	< 10 U	< 10 U
< 10 U	< 10 U	< 10 U	< 10 U
3.9 J	2.1 J B	< 10 U	3.3 J
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	0.63 J	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 10 U	< 10 U	< 10 U	< 10 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 1 U	< 1 U	< 1 U	< 1 U
< 2 U	< 2 U	< 2 U	< 2 U