From: Belke, Jim
To: Parasram, Vidisha
Subject: RE: RMP Request
Date: Thursday, March 21, 2019 1:34:00 PM

Region 6 has on-scene coordinators there, and we've been doing air sampling, overflights with the ASPECT aircraft, etc. If you are asking whether another RMP inspection will be done, that remains to be seen.

From: Parasram, Vidisha <Vidisha.Parasram@csb.gov>
Sent: Thursday, March 21, 2019 1:27 PM
To: Belke, Jim <Belke.Jim@epa.gov>
Subject: RE: RMP Request

Thanks Jim.

Are you all responding? I know the OEM team is there.

Vidisha Parasram
Director of Incident Screening and Selection/Investigator
U.S. Chemical Safety Board
1750 Pennsylvania Ave
Suite 910
Washington DC 20006
Office: 202.261.7652
Cell: 202.631.2440
Fax: 202-974-7652
vidisha.parasram@csb.gov

From: Belke, Jim <Belke.Jim@epa.gov>
Sent: Thursday, March 21, 2019 1:28 PM
To: Parasram, Vidisha <Vidisha.Parasram@csb.gov>
Subject: RE: RMP Request

Hi Vidisha – glad you were able to obtain the current RMP. They changed the facility name on their RMP after the 2009 submission and I think that was a bit confusing.

Jim

From: Parasram, Vidisha <Vidisha.Parasram@csb.gov>
Sent: Thursday, March 21, 2019 12:50 PM

To: Belke, Jim <Belke.Jim@epa.gov>
Subject: RE: RMP Request

Hi Jim,

Please abort my request below. I just received a copy of the 2018 RMP.

Please take care,

Vidisha

Vidisha Parasram
Director of Incident Screening and Selection/Investigator
U.S. Chemical Safety Board
1750 Pennsylvania Ave
Suite 910
Washington DC 20006
Office: 202.261.7652
Cell: 202.631.2440
Fax: 202-974-7652
vidisha.parasram@csb.gov

From: Parasram, Vidisha
Sent: Thursday, March 21, 2019 12:44 PM
To: Belke, Jim <Belke.Jim@epa.gov>
Subject: RMP Request

Hi Jim,
I hope this email finds you well. It has been a while since we touched base. I am writing because the CSB is in the process of determining whether to deploy a team to investigate the Intercontinental Terminals Company, ITC incident in Deer Park, TX and would like the most recent RMP on file. I looked on the https://cdx.epa.gov/CDX/MyCDX database, but could only find the 2009 RMP. If you have the latest version, I hear there is a 2018 submission, would you mind sharing a copy with us.

Incident: https://www.bloomberg.com/news/articles/2019-03-21/texas-city-residents-warned-to-stay-indoors-on-benzene-levels

Thank you so much.

Take Care,

Vidisha

Vidisha Parasram
Director of Incident Screening and Selection/Investigator
U.S. Chemical Safety Board
1750 Pennsylvania Ave
Suite 910
Washington DC 20006
Office: 202.261.7652
Cell: 202.631.2440
Fax: 202-974-7652
vidisha.parasram@csb.gov