Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Facsimile Transmittal Form

To:	Bill Mehnert, Ecology & Environment
Fax #:	503-248-5577
From:	Kate March
Date:	August 5, 2004
Re:	TEM results
# pages:	11

Bill

Attached are results for the ISO samples submitted earlier.

Please let us know if you should need any more information.

Sincerely,

Kate March

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report Number: 040827 *Report Date:* August 5, 2004

Client Information		Tracking Information			Analysis Information	
Project Name:	START-2 Portland OR	*Login:*	Jul 26, 2004	*By:* DJ	*Analysis Type:*	ISO
Project No.:	001281.0293.01RS	*Prep:*	Jul 26, 2004	*By:* MQ	*Reference No.:*	10312
	TDD 03-07-0011	*Verified:*	Jul 26, 2004	*By:* MQ	*Min. Aspect Ratio:*	3:1(PCM),
P. O. No.:	100066-S10	*Reviewed:*	Aug 5, 2004	*By:* KM		5:1(Other)
Sample Type:	Air	*Final Review:*	Aug 5, 2004	*By:* KM	*Min. Length:*	5.0 µm (PCM)
						0.5 µm (Other)
					Min. Width:	0.2 - 3.0 µm (PCM)
						NA (Other)

PRELIMINARY TABLE

Transmission Electron Microscopy – ISO 10312 (Direct) – Air Sample Analysis

Lab/Cor Sample No.	Client Sample No.	Structure Type	Detection Limit (str/L)	Concen-tration (struc/L)	95% Confidence Interval (struc/L)	Struc. Count	Analytical Sens. (struc/L)	Volume (L)	Number of Grid Openings	Filter Area (mm^2)	Area Analyzed (mm^2)	Analyst	Analysis Date
040827-02	04070004	PRIMARY STRUCTURES	6.77	704.44	569.05 – 839.83	104	6.77	58.8	83	385	0.9667	JH	7/28/04
		ASBESTOS STRUCTURES	6.77	731.53	593.56 – 869.50	108							
Air		ASBESTOS STRUCTURES > 5 µm	6.77	264.16	181.26 -347.07	39							
		ASB. FIBERS & BUNDLES > 5 µm	6.77	54.19	23.40 -106.78	8							
		PCM EQUIVALENT STRUCTURES	6.77	67.73	32.48 -124.57	10							
		PCM EQUIVALENT FIBERS	6.77	33.87	11.00 -79.04	5							
		PROTOCOL ASB STRUCS 5-10	6.77	40.64	14.92 -88.46	6							
		PROTOCOL ASB STRUCS >10	6.77	13.55	6.77 -48.94	2							
		PROTOCOL ASB STRUCS TOTAL	6.77	54.19	23.40 -106.78	8							
		PROTOCOL CHRYS STRUCS 5-10	6.77	33.87	11.00 -79.04	5							
		PROTOCOL CHRYS STRUCS >10	6.77	13.55	6.77 -48.94	2							
		PROTOCOL CHRYS STRUCS TOTAL	6.77	47.41	19.06 -97.69	7							
		PROTOCOL AMPH STRUCS 5-10	<20.25	<20.25	20.25 -24.99	0							
		PROTOCOL AMPH STRUCS >10	<20.25	<20.25	20.25 -24.99	0							
		PROTOCOL AMPH STRUCS TOTAL	<20.25	<20.25	20.25 -24.99	0							

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report Number: 040827 *Report Date:* August 5, 2004

Client Information		Tracking Information			Analysis Information	
Project Name:	START-2 Portland OR	*Login:*	Jul 26, 2004	*By:* DJ	*Analysis Type:*	ISO
Project No.:	001281.0293.01RS	*Prep:*	Jul 26, 2004	*By:* MQ	*Reference No.:*	10312
	TDD 03-07-0011	*Verified:*	Jul 26, 2004	*By:* MQ	*Min. Aspect Ratio:*	3:1(PCM),
P. O. No.:	100066-S10	*Reviewed:*	Aug 5, 2004	*By:* KM		5:1(Other)
Sample Type:	Air	*Final Review:*	Aug 5, 2004	*By:* KM	*Min. Length:*	5.0 µm (PCM)
						0.5 µm (Other)
					Min. Width:	0.2 - 3.0 µm (PCM)
						NA (Other)

PRELIMINARY TABLE

Transmission Electron Microscopy – ISO 10312 (Direct) – Air Sample Analysis

Lab/Cor Sample No.	Client Sample No.	Structure Type	Detection Limit (str/L)	Concen-tration (struc/L)	95% Confidence Interval (struc/L)	Struc. Count	Analytical Sens. (struc/L)	Volume (L)	Number of Grid Openings	Filter Area (mm^2)	Area Analyzed (mm^2)	Analyst	Analysis Date
040827-05	04070012	PRIMARY STRUCTURES	3.05	112.74	76.41 – 149.07	37	3.05	105.06	83	385	1.2027	KM	8/1/04
		ASBESTOS STRUCTURES	3.05	127.98	89.27 – 166.68	42							
Air		ASBESTOS STRUCTURES > 5 µm	3.05	33.52	16.73 – 59.97	11							
		ASB. FIBERS & BUNDLES > 5 µm	<9.11	<9.11	9.11 – 11.24	0							
		PCM EQUIVALENT STRUCTURES	3.05	12.19	3.32 – 31.21	4							
		PCM EQUIVALENT FIBERS	<9.11	<9.11	9.11 – 11.24	0							
		PROTOCOL ASB STRUCS 5-10	<9.11	<9.11	9.11 – 11.24	0							
		PROTOCOL ASB STRUCS >10	<9.11	<9.11	9.11 – 11.24	0							
		PROTOCOL ASB STRUCS TOTAL	<9.11	<9.11	9.11 – 11.24	0							
		PROTOCOL CHRYS STRUCS 5-10	<9.11	<9.11	9.11 – 11.24	0							
		PROTOCOL CHRYS STRUCS >10	<9.11	<9.11	9.11 – 11.24	0							
		PROTOCOL CHRYS STRUCS TOTAL	<9.11	<9.11	9.11 – 11.24	0							
		PROTOCOL AMPH STRUCS 5-10	<9.11	<9.11	9.11 – 11.24	0							
		PROTOCOL AMPH STRUCS >10	<9.11	<9.11	9.11 – 11.24	0							
		PROTOCOL AMPH STRUCS TOTAL	<9.11	<9.11	9.11 – 11.24	0							

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report Number: 040827 *Report Date:* August 5, 2004

Client Information		Tracking Information			Analysis Information	
Project Name:	START-2 Portland OR	*Login:*	Jul 26, 2004	*By:* DJ	*Analysis Type:*	ISO
Project No.:	001281.0293.01RS	*Prep:*	Jul 26, 2004	*By:* MQ	*Reference No.:*	10312
	TDD 03-07-0011	*Verified:*	Jul 26, 2004	*By:* MQ	*Min. Aspect Ratio:*	3:1(PCM),
P. O. No.:	100066-S10	*Reviewed:*	Aug 5, 2004	*By:* KM		5:1(Other)
Sample Type:	Air	*Final Review:*	Aug 5, 2004	*By:* KM	*Min. Length:*	5.0 µm (PCM)
						0.5 µm (Other)
					Min. Width:	0.2 - 3.0 µm (PCM)
						NA (Other)

PRELIMINARY TABLE

Transmission Electron Microscopy – ISO 10312 (Direct) – Air Sample Analysis

Lab/Cor Sample No.	Client Sample No.	Structure Type	Detection Limit (str/L)	Concen-tration (struc/L)	95% Confidence Interval (struc/L)	Struc. Count	Analytical Sens. (struc/L)	Volume (L)	Number of Grid Openings	Filter Area (mm^2)	Area Analyzed (mm^2)	Analyst	Analysis Date
040827-07	04070014	PRIMARY STRUCTURES	2.93	52.67	31.21 – 83.24	18	2.93	112.11	81	385	1.1737	KM	8/2/04
		ASBESTOS STRUCTURES	2.93	52.67	31.21 – 83.24	18							
Air		ASBESTOS STRUCTURES > 5 µm	2.93	23.41	10.11 – 46.12	8							
		ASB. FIBERS & BUNDLES > 5 µm	18.43	18.43	18.43 – 21.14	2							
		PCM EQUIVALENT STRUCTURES	18.43	18.43	18.43 – 21.14	2							
		PCM EQUIVALENT FIBERS	<8.75	<8.75	8.75 – 10.79	0							
		PROTOCOL ASB STRUCS 5-10	2.93	5.85	2.93 – 21.14	2							
		PROTOCOL ASB STRUCS >10	<8.75	<8.75	8.75 – 10.79	0							
		PROTOCOL ASB STRUCS TOTAL	2.93	5.85	2.93 – 21.14	2							
		PROTOCOL CHRYS STRUCS 5-10	2.93	5.85	2.93 – 21.14	2							
		PROTOCOL CHRYS STRUCS >10	<8.75	<8.75	8.75 – 10.79	0							
		PROTOCOL CHRYS STRUCS TOTAL	2.93	5.85	2.93 – 21.14	2							
		PROTOCOL AMPH STRUCS 5-10	<8.75	<8.75	8.75 – 10.79	0							
		PROTOCOL AMPH STRUCS >10	<8.75	<8.75	8.75 – 10.79	0							
		PROTOCOL AMPH STRUCS TOTAL	<8.75	<8.75	8.75 – 10.79	0							

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report Number: 040827 *Report Date:* August 5, 2004

Client Information		Tracking Information			Analysis Information	
Project Name:	START-2 Portland OR	*Login:*	Jul 26, 2004	*By:* DJ	*Analysis Type:*	ISO
Project No.:	001281.0293.01RS	*Prep:*	Jul 26, 2004	*By:* MQ	*Reference No.:*	10312
	TDD 03-07-0011	*Verified:*	Jul 26, 2004	*By:* MQ	*Min. Aspect Ratio:*	3:1(PCM),
P. O. No.:	100066-S10	*Reviewed:*	Aug 5, 2004	*By:* KM		5:1(Other)
Sample Type:	Air	*Final Review:*	Aug 5, 2004	*By:* KM	*Min. Length:*	5.0 µm (PCM)
						0.5 µm (Other)
					Min. Width:	0.2 - 3.0 µm (PCM)
						NA (Other)

PRELIMINARY TABLE

Transmission Electron Microscopy – ISO 10312 (Direct) – Air Sample Analysis

Lab/Cor Sample No.	Client Sample No.	Structure Type	Detection Limit (str/L)	Concen-tration (struc/L)	95% Confidence Interval (struc/L)	Struc. Count	Analytical Sens. (struc/L)	Volume (L)	Number of Grid Openings	Filter Area (mm^2)	Area Analyzed (mm^2)	Analyst	Analysis Date
040827-08	04070015	PRIMARY STRUCTURES	3.12	193.73	145.50 – 241.95	62	3.13	103.70	82	385	1.1882	KM	8/3/04
		ASBESTOS STRUCTURES	3.12	215.60	164.73 – 266.47	69							
Air		ASBESTOS STRUCTURES > 5 µm	3.12	84.37	55.60 – 119.62	27							
		ASB. FIBERS & BUNDLES > 5 µm	3.12	21.87	8.79 – 45.07	7							
		PCM EQUIVALENT STRUCTURES	3.12	18.75	6.88 – 40.81	6							
		PCM EQUIVALENT FIBERS	14.81	14.81	14.81 – 17.41	1							
		PROTOCOL ASB STRUCS 5-10	3.12	12.50	3.41 – 32.00	4							
		PROTOCOL ASB STRUCS >10	3.12	9.37	3.12 – 27.39	3							
		PROTOCOL ASB STRUCS TOTAL	3.12	21.87	8.79 – 45.07	7							
		PROTOCOL CHRYS STRUCS 5-10	3.12	12.50	3.41 – 32.00	4							
		PROTOCOL CHRYS STRUCS >10	3.12	9.37	3.12 – 27.39	3							
		PROTOCOL CHRYS STRUCS TOTAL	3.12	21.87	8.79 – 45.07	7							
		PROTOCOL AMPH STRUCS 5-10	<9.34	<9.34	9.34 – 11.53	0							
		PROTOCOL AMPH STRUCS >10	<9.34	<9.34	9.34 – 11.53	0							
		PROTOCOL AMPH STRUCS TOTAL	<9.34	<9.34	9.34 – 11.53	0							

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report Number: 040827 *Report Date:* August 5, 2004

Client Information		Tracking Information			Analysis Information	
Project Name:	START-2 Portland OR	*Login:*	Jul 26, 2004	*By:* DJ	*Analysis Type:*	ISO
Project No.:	001281.0293.01RS	*Prep:*	Jul 26, 2004	*By:* MQ	*Reference No.:*	10312
	TDD 03-07-0011	*Verified:*	Jul 26, 2004	*By:* MQ	*Min. Aspect Ratio:*	3:1(PCM),
P. O. No.:	100066-S10	*Reviewed:*	Aug 5, 2004	*By:* KM		5:1(Other)
Sample Type:	Air	*Final Review:*	Aug 5, 2004	*By:* KM	*Min. Length:*	5.0 µm (PCM)
						0.5 µm (Other)
					Min. Width:	0.2 - 3.0 µm (PCM)
						NA (Other)

PRELIMINARY TABLE

Transmission Electron Microscopy – ISO 10312 (Direct) – Air Sample Analysis

Lab/Cor Sample No.	Client Sample No.	Structure Type	Detection Limit (str/L)	Concen-tration (struc/L)	95% Confidence Interval (struc/L)	Struc. Count	Analytical Sens. (struc/L)	Volume (L)	Number of Grid Openings	Filter Area (mm^2)	Area Analyzed (mm^2)	Analyst	Analysis Date
040827-10	04070018	PRIMARY STRUCTURES	3.32	208.87	157.29 – 260.45	63	3.32	82.62	97	385	1.4055	KM	8/4/04
		ASBESTOS STRUCTURES	3.32	222.13	168.94 – 275.32	67							
Air		ASBESTOS STRUCTURES > 5 µm	3.32	56.36	32.84 – 90.24	17							
		ASB. FIBERS & BUNDLES > 5 µm	<9.91	<9.91	9.91 – 12.23	0							
		PCM EQUIVALENT STRUCTURES	25.69	25.69	25.69 – 29.07	3							
		PCM EQUIVALENT FIBERS	<9.91	<9.91	9.91 – 12.23	0							
		PROTOCOL ASB STRUCS 5-10	<9.91	<9.91	9.91 – 12.23	0							
		PROTOCOL ASB STRUCS >10	<9.91	<9.91	9.91 – 12.23	0							
		PROTOCOL ASB STRUCS TOTAL	<9.91	<9.91	9.91 – 12.23	0							
		PROTOCOL CHRYS STRUCS 5-10	<9.91	<9.91	9.91 – 12.23	0							
		PROTOCOL CHRYS STRUCS >10	<9.91	<9.91	9.91 – 12.23	0							
		PROTOCOL CHRYS STRUCS TOTAL	<9.91	<9.91	9.91 – 12.23	0							
		PROTOCOL AMPH STRUCS 5-10	<9.91	<9.91	9.91 – 12.23	0							
		PROTOCOL AMPH STRUCS >10	<9.91	<9.91	9.91 – 12.23	0							
		PROTOCOL AMPH STRUCS TOTAL	<9.91	<9.91	9.91 – 12.23	0							

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report Number: 040827 *Report Date:* August 5, 2004

Client Information		Tracking Information			Analysis Information	
Project Name:	START-2 Portland OR	*Login:*	Jul 26, 2004	*By:* DJ	*Analysis Type:*	ISO
Project No.:	001281.0293.01RS	*Prep:*	Jul 26, 2004	*By:* MQ	*Reference No.:*	10312
	TDD 03-07-0011	*Verified:*	Jul 26, 2004	*By:* MQ	*Min. Aspect Ratio:*	3:1(PCM),
P. O. No.:	100066-S10	*Reviewed:*	Aug 5, 2004	*By:* KM		5:1(Other)
Sample Type:	Air	*Final Review:*	Aug 5, 2004	*By:* KM	*Min. Length:*	5.0 µm (PCM)
						0.5 µm (Other)
					Min. Width:	0.2 - 3.0 µm (PCM)
						NA (Other)

PRELIMINARY TABLE

Transmission Electron Microscopy – ISO 10312 (Direct) – Air Sample Analysis

Lab/Cor Sample No.	Client Sample No.	Structure Type	Detection Limit (str/L)	Concen-tration (struc/L)	95% Confidence Interval (struc/L)	Struc. Count	Analytical Sens. (struc/L)	Volume (L)	Number of Grid Openings	Filter Area (mm^2)	Area Analyzed (mm^2)	Analyst	Analysis Date
040827-11	04070019	PRIMARY STRUCTURES	3.34	203.50	152.43 – 254.57	61	3.34	81.27	98	385	1.4200	DW/KM	8/4/04
		ASBESTOS STRUCTURES	3.34	240.20	184.71 – 295.68	72							
Air		ASBESTOS STRUCTURES > 5 µm	3.34	76.73	48.64 – 115.13	23							
		ASB. FIBERS & BUNDLES > 5 µm	15.81	15.81	15.81 – 18.59	1							
		PCM EQUIVALENT STRUCTURES	21.02	21.02	21.02 – 24.10	2							
		PCM EQUIVALENT FIBERS	<9.97	<9.97	9.97 – 12.31	0							
		PROTOCOL ASB STRUCS 5-10	3.34	3.34	3.34 – 18.59	1							
		PROTOCOL ASB STRUCS >10	<9.97	<9.97	9.97 – 12.31	0							
		PROTOCOL ASB STRUCS TOTAL	3.34	3.34	3.34 – 18.59	1							
		PROTOCOL CHRYS STRUCS 5-10	3.34	3.34	3.34 – 18.59	1							
		PROTOCOL CHRYS STRUCS >10	<9.97	<9.97	9.97 – 12.31	0							
		PROTOCOL CHRYS STRUCS TOTAL	3.34	3.34	3.34 – 18.59	1							
		PROTOCOL AMPH STRUCS 5-10	<9.97	<9.97	9.97 – 12.31	0							
		PROTOCOL AMPH STRUCS >10	<9.97	<9.97	9.97 – 12.31	0							
		PROTOCOL AMPH STRUCS TOTAL	<9.97	<9.97	9.97 – 12.31	0							

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report Number: 040827 *Report Date:* August 5, 2004

Client Information		Tracking Information			Analysis Information	
Project Name:	START-2 Portland OR	*Login:*	Jul 26, 2004	*By:* DJ	*Analysis Type:*	ISO
Project No.:	001281.0293.01RS	*Prep:*	Jul 26, 2004	*By:* MQ	*Reference No.:*	10312
	TDD 03-07-0011	*Verified:*	Jul 26, 2004	*By:* MQ	*Min. Aspect Ratio:*	3:1(PCM),
P. O. No.:	100066-S10	*Reviewed:*	Aug 5, 2004	*By:* KM		5:1(Other)
Sample Type:	Air	*Final Review:*	Aug 5, 2004	*By:* KM	*Min. Length:*	5.0 µm (PCM)
						0.5 µm (Other)
					Min. Width:	0.2 - 3.0 µm (PCM)
						NA (Other)

PRELIMINARY TABLE

Transmission Electron Microscopy – ISO 10312 (Direct) – Air Sample Analysis

Lab/Cor Sample No.	Client Sample No.	Structure Type	Detection Limit (str/L)	Concen-tration (struc/L)	95% Confidence Interval (struc/L)	Struc. Count	Analytical Sens. (struc/L)	Volume (L)	Number of Grid Openings	Filter Area (mm^2)	Area Analyzed (mm^2)	Analyst	Analysis Date
040827-13	04070023	PRIMARY STRUCTURES	9.63	9.63	9.63 – 11.32	1	2.03	4702.5	4	385	0.0403	KM	7/27/04
		ASBESTOS STRUCTURES	9.63	9.63	9.63 – 11.32	1							
Air		ASBESTOS STRUCTURES > 5 µm	9.63	9.63	9.63 – 11.32	1							
		ASB. FIBERS & BUNDLES > 5 µm	<6.07	<6.07	6.07 – 7.49	0							
		PCM EQUIVALENT STRUCTURES	<6.07	<6.07	6.07 – 7.49	0							
		PCM EQUIVALENT FIBERS	<6.07	<6.07	6.07 – 7.49	0							
		PROTOCOL ASB STRUCS 5-10	<6.07	<6.07	6.07 – 7.49	0							
		PROTOCOL ASB STRUCS >10	<6.07	<6.07	6.07 – 7.49	0							
		PROTOCOL ASB STRUCS TOTAL	<6.07	<6.07	6.07 – 7.49	0							
		PROTOCOL CHRYS STRUCS 5-10	<6.07	<6.07	6.07 – 7.49	0							
		PROTOCOL CHRYS STRUCS >10	<6.07	<6.07	6.07 – 7.49	0							
		PROTOCOL CHRYS STRUCS TOTAL	<6.07	<6.07	6.07 – 7.49	0							
		PROTOCOL AMPH STRUCS 5-10	<6.07	<6.07	6.07 – 7.49	0							
		PROTOCOL AMPH STRUCS >10	<6.07	<6.07	6.07 – 7.49	0							
		PROTOCOL AMPH STRUCS TOTAL	<6.07	<6.07	6.07 – 7.49	0							

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report Number: 040827 *Report Date:* August 5, 2004

Client Information		Tracking Information			Analysis Information	
Project Name:	START-2 Portland OR	*Login:*	Jul 26, 2004	*By:* DJ	*Analysis Type:*	ISO
Project No.:	001281.0293.01RS	*Prep:*	Jul 26, 2004	*By:* MQ	*Reference No.:*	10312
	TDD 03-07-0011	*Verified:*	Jul 26, 2004	*By:* MQ	*Min. Aspect Ratio:*	3:1(PCM),
P. O. No.:	100066-S10	*Reviewed:*	Aug 5, 2004	*By:* KM		5:1(Other)
Sample Type:	Air	*Final Review:*	Aug 5, 2004	*By:* KM	*Min. Length:*	5.0 µm (PCM)
						0.5 µm (Other)
					Min. Width:	0.2 - 3.0 µm (PCM)
						NA (Other)

PRELIMINARY TABLE

Transmission Electron Microscopy – ISO 10312 (Direct) – Air Sample Analysis

Lab/Cor Sample No.	Client Sample No.	Structure Type	Detection Limit (str/L)	Concen-tration (struc/L)	95% Confidence Interval (struc/L)	Struc. Count	Analytical Sens. (struc/L)	Volume (L)	Number of Grid Openings	Filter Area (mm^2)	Area Analyzed (mm^2)	Analyst	Analysis Date
040827-14	04070024	PRIMARY STRUCTURES	<5.29	<5.29	5.29 – 6.53	0	1.77	5400	4	385	0.0403	KM	7/27/04
		ASBESTOS STRUCTURES	<5.29	<5.29	5.29 – 6.53	0							
Air		ASBESTOS STRUCTURES > 5 µm	<5.29	<5.29	5.29 – 6.53	0							
		ASB. FIBERS & BUNDLES > 5 µm	<5.29	<5.29	5.29 – 6.53	0							
		PCM EQUIVALENT STRUCTURES	<5.29	<5.29	5.29 – 6.53	0							
		PCM EQUIVALENT FIBERS	<5.29	<5.29	5.29 – 6.53	0							
		PROTOCOL ASB STRUCS 5-10	<5.29	<5.29	5.29 – 6.53	0							
		PROTOCOL ASB STRUCS >10	<5.29	<5.29	5.29 – 6.53	0							
		PROTOCOL ASB STRUCS TOTAL	<5.29	<5.29	5.29 – 6.53	0							
		PROTOCOL CHRYS STRUCS 5-10	<5.29	<5.29	5.29 – 6.53	0							
		PROTOCOL CHRYS STRUCS >10	<5.29	<5.29	5.29 – 6.53	0							
		PROTOCOL CHRYS STRUCS TOTAL	<5.29	<5.29	5.29 – 6.53	0							
		PROTOCOL AMPH STRUCS 5-10	<5.29	<5.29	5.29 – 6.53	0							
		PROTOCOL AMPH STRUCS >10	<5.29	<5.29	5.29 – 6.53	0							
		PROTOCOL AMPH STRUCS TOTAL	<5.29	<5.29	5.29 – 6.53	0							

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report Number: 040827 *Report Date:* August 5, 2004

Client Information		Tracking Information		Analysis Information	
Project Name: START-2 Portland OR		*Login:* Jul 26, 2004	*By:* DJ	*Analysis Type:*	ISO
Project No.: 001281.0293.01RS		*Prep:* Jul 26, 2004	*By:* MQ	*Reference No.:*	10312
TDD 03-07-0011		*Verified:* Jul 26, 2004	*By:* MQ	*Min. Aspect Ratio:*	3:1(PCM),
P. O. No.: 100066-S10		*Reviewed:* Aug 5, 2004	*By:* KM		5:1(Other)
Sample Type: Air		*Final Review:* Aug 5, 2004	*By:* KM	*Min. Length:*	5.0 µm (PCM)
					0.5 µm (Other)
				Min. Width:	0.2 - 3.0 µm (PCM)
					NA (Other)

PRELIMINARY TABLE

Transmission Electron Microscopy – ISO 10312 (Direct) – Air Sample Analysis

Lab/Cor Sample No.	Client Sample No.	Structure Type	Detection Limit (str/L)	Concen-tration (struc/L)	95% Confidence Interval (struc/L)	Struc. Count	Analytical Sens. (struc/L)	Volume (L)	Number of Grid Openings	Filter Area (mm^2)	Area Analyzed (mm^2)	Analyst	Analysis Date
040827-15	04070025	PRIMARY STRUCTURES	<6.53	6.53	6.53 – 8.18	0	2.22	4310	4	385	0.0403	KM	7/27/04
		ASBESTOS STRUCTURES	<6.53	6.53	6.53 – 8.18	0							
Air		ASBESTOS STRUCTURES > 5 µm	<6.53	6.53	6.53 – 8.18	0							
		ASB. FIBERS & BUNDLES > 5 µm	<6.53	6.53	6.53 – 8.18	0							
		PCM EQUIVALENT STRUCTURES	<6.53	6.53	6.53 – 8.18	0							
		PCM EQUIVALENT FIBERS	<6.53	6.53	6.53 – 8.18	0							
		PROTOCOL ASB STRUCS 5-10	<6.53	6.53	6.53 – 8.18	0							
		PROTOCOL ASB STRUCS >10	<6.53	6.53	6.53 – 8.18	0							
		PROTOCOL ASB STRUCS TOTAL	<6.53	6.53	6.53 – 8.18	0							
		PROTOCOL CHRYS STRUCS 5-10	<6.53	6.53	6.53 – 8.18	0							
		PROTOCOL CHRYS STRUCS >10	<6.53	6.53	6.53 – 8.18	0							
		PROTOCOL CHRYS STRUCS TOTAL	<6.53	6.53	6.53 – 8.18	0							
		PROTOCOL AMPH STRUCS 5-10	<6.53	6.53	6.53 – 8.18	0							
		PROTOCOL AMPH STRUCS >10	<6.53	6.53	6.53 – 8.18	0							
		PROTOCOL AMPH STRUCS TOTAL	<6.53	6.53	6.53 – 8.18	0							

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report Number: 040827 *Report Date:* August 5, 2004

Client Information		Tracking Information			Analysis Information	
Project Name:	START-2 Portland OR	*Login:*	Jul 26, 2004	*By:* DJ	*Analysis Type:*	ISO
Project No.:	001281.0293.01RS	*Prep:*	Jul 26, 2004	*By:* MQ	*Reference No.:*	10312
	TDD 03-07-0011	*Verified:*	Jul 26, 2004	*By:* MQ	*Min. Aspect Ratio:*	3:1(PCM),
P. O. No.:	100066-S10	*Reviewed:*	Aug 5, 2004	*By:* KM		5:1(Other)
Sample Type:	Air	*Final Review:*	Aug 5, 2004	*By:* KM	*Min. Length:*	5.0 µm (PCM)
						0.5 µm (Other)
					Min. Width:	0.2 - 3.0 µm (PCM)
						NA (Other)

PRELIMINARY TABLE

Transmission Electron Microscopy – ISO 10312 (Direct) – Air Sample Analysis

Lab/Cor Sample No.	Client Sample No.	Structure Type	Detection Limit (str/L)	Concen-tration (struc/L)	95% Confidence Interval (struc/L)	Struc. Count	Analytical Sens. (struc/L)	Volume (L)	Number of Grid Openings	Filter Area (mm^2)	Area Analyzed (mm^2)	Analyst	Analysis Date
040827-16	04070026	PRIMARY STRUCTURES	NA	NA	NA	0	NA	0	10	385	0.01007	KM	7/27/04
		ASBESTOS STRUCTURES	NA	NA	NA	0							
Air		ASBESTOS STRUCTURES > 5 µm	NA	NA	NA	0							
		ASB. FIBERS & BUNDLES > 5 µm	NA	NA	NA	0							
		PCM EQUIVALENT STRUCTURES	NA	NA	NA	0							
		PCM EQUIVALENT FIBERS	NA	NA	NA	0							
		PROTOCOL ASB STRUCS 5-10	NA	NA	NA	0							
		PROTOCOL ASB STRUCS >10	NA	NA	NA	0							
		PROTOCOL ASB STRUCS TOTAL	NA	NA	NA	0							
		PROTOCOL CHRYS STRUCS 5-10	NA	NA	NA	0							
		PROTOCOL CHRYS STRUCS >10	NA	NA	NA	0							
		PROTOCOL CHRYS STRUCS TOTAL	NA	NA	NA	0							
		PROTOCOL AMPH STRUCS 5-10	NA	NA	NA	0							
		PROTOCOL AMPH STRUCS >10	NA	NA	NA	0							
		PROTOCOL AMPH STRUCS TOTAL	NA	NA	NA	0							