SERC

Ohio State Emergency Response Commission
Ohio EPA Emergency Planning and Community Right-to-Know
P.O. Box 163669, 1800 WaterMark Dr.
Columbus, Ohio 43216-3669

EPA Region 5 Records Ctr.
253902

Facility Identification Form

Please check, as applicable
- EHS Reported ☐
- HS Reported ☐
- No change (from last year's) ☒
- Exempt ☐
- Negative ☐
- First time filer ☐

(Important: Type or print: Read Instructions before completing form.)

For filing Date: 0 3 / 0 1 / 9 4 /

☒ Check if form is identical to form submitted last year

County: Montgomery

Where to send completed forms:

Ohio EPA
SERC
P.O. Box 163669, 1800 WaterMark Dr.
Columbus, Ohio 43216-3669

County Local Emergency Planning Committee

Local Fire Department within the jurisdiction of the facility

RECEIVED
95 MAR -1 AM 9:59
OHIO STATE EMERGENCY RESPONSE COMMISSION

1. Parent Company or Public Entity Identification

1.1 Name of Parent Company (30 char max): NA (11)

1.2 Address (30 char max):

Address (30 char max): (12)

City (25 char max): State:

Zip Code: 1.3-Parent Company: Dun & Bradstreet # (13)

2. Facility Identification

2.1 Operating Division Name (30 char max): (14)

2.2 Facility Name (30 char max): Dayton Electroplate, Inc. (15)

Street Location (30 char max): 1030 Valley St. (16)

Mailing Address (if different from Street Location) (30 char max): (17)

City (25 char max): Dayton State: OH

Zip Code: 45404 2.3-Facility: Dun & Bradstreet #: NA a. SIC Code: 3471 24 Hr. Telephone Number (Include area code): (513) 228-6121 (18)

2.4 Emergency Contact (30 char max): Charles J. Borum Telephone Number (Include area code): (513) 228-6121 (19)

2.5 Alternate Contact (30 char max): Morgan Moore Telephone Number (Include area code): (513) 228-6121 (20)

2.6 Fire Department Name (25 char max): Dayton City Fire Dept. Fire Department Telephone Number: (513) 224-9241 (21)

2.7 Latitude Deg. Min. Sec.: Ø Longitude Deg. Min. Sec.: Ø a. # of Employees

2.8 RCRA Identification #: OH a. NPDES Permit #: OH

2.9 State Wastewater Facility # a. Pretreatment # (22)

2.10 Air Permit Facility # a. Check if list of Facility Permit numbers is attached.

(This Space for EPA use only)

3. Certification (Read and sign after completing all sections.)

I hereby certify that I have reviewed the attached documents and that, to the best of my knowledge and belief, the submitted information is true and complete and that the amounts and values in this report are accurate based on data available to the owners/operator of this facility.

3.1 -Name and official title of owner/operator or senior management official at facility: Charles J. Borum, President Office Telephone Number: (513) 228-6121 (23)

3.2 -Signature: Charles J. Borum Date Signed: 02/22/95

EPA 0316 (Rev. 10-92)

SERC

Ohio EPA Emergency Planning and Community Right-to-Know
P.O. Box 1049, 1800 WaterMark Dr.
Columbus, Ohio 43266-0149

REP 13887

Facility Identification Form

1808 02/23/94

EHS Reported X
HS Reported X
No change (from last year's) ☐
Exempt ☐
Negative ☐
First time filer ☐

(Important: Type or print: Read Instructions before completing form.)

For filing Date: 0 3 / 0 1 / 9 3 /

☐ Check if form is identical to form submitted last year

County: Montgomery

Where to send completed forms:

Ohio EPA
SERC
P.O. Box 1049, 1800 WaterMark Dr.
Columbus, Ohio 43266-0149

County Local Emergency Planning Committee

Local Fire Department within the jurisdiction of the facility

RECEIVED
94 FEB 28 AM 8:01
OHIO STATE EMERGENCY RESPONSE COMMISSION

1. Parent Company or Public Entity Identification

1.1 Name of Parent Company (30 char max): NA — 11

1.2 Address (30 char max):
Address (30 char max): — 12
City (25 char max):
State:
Zip Code: -
1.3 - Parent Company: Dun & Bradstreet #: - - — 13

2. Facility Identification

2.1 Operating Division Name (30 char max): — 14

2.2 Facility Name (30 char max): Dayton Electroplate, Inc. — 15
Street Location (30 char max): 1030 Valley St. — 16
Mailing Address (if different from Street Location) (30 char max): — 17
City (25 char max): Dayton
State: OH
Zip Code: 45404-
2.3 - Facility: Dun & Bradstreet #: NA- -
a. SIC Code: 3471
24 Hr. Telephone Number (Include area code): (513) 228-6121 — 18

2.4 Emergency Contact (30 char max): Charles J. Borum
Telephone Number (Include area code): (513) 228-6121 — 19

2.5 Alternate Contact (30 char max): Morgan Moore
Telephone Number (Include area code): (513) 228-6121 — 20

2.6 Fire Department Name (25 char max): Dayton City Fire Dept.
Fire Department Telephone Number: (513) 224-9241 — 21

2.7 Latitude: Deg. Min. Sec. Ø
Longitude: Deg. Min. Sec. Ø
a. # of Employees:

2.8 RCRA Identification #: OH
a. NPDES Permit #: OH

2.9 State Wastewater Facility #:
a. Pretreatment # — 22

2.10 Air Permit Facility:
a. Check if list of Facility Permit numbers is attached.

(This Space for EPA use only)

3. Certification (Read and sign after completing all sections.)

I hereby certify that I have reviewed the attached documents and that, to the best of my knowledge and belief, the submitted information is true and complete and that the amounts and values in this report are accurate based on data available to the owners/operator of this facility.

3.1 -Name and official title of owner/operator or senior management official at facility: Charles J. Borum, President
Office Telephone Number: (513) 228-6121 — 23

3.2 -Signature: Charles J. Borum
Date Signed: 02/25/94

EPA 0316 (Rev. 10-92)

Tier Two

EMERGENCY AND HAZARDOUS CHEMICAL INVENTORY

Specific Information by Chemical

Facility Identification

Name: Dayton Electroplate, Inc.
Street Address: 1030 Valley St.
City: Dayton County: Montgomery State: OH Zip: 45404

SIC Code 3471 Dun & Brad Number NA

FOR OFFICIAL USE ONLY — ID# — Date Received

Owner/Operator Name

Name: Dayton Electroplate, Inc. Phone: (513)228-6121
Mail Address: 1030 Valley St. Dayton, OH 45404

Emergency Contact

Name: Charles J. Borum Title: President
Phone: (513)228-6121 24 Hr. Phone: (513)228-6121

Name: Morgan Moore Title: Director of Operation
Phone: (513)228-6121 24 Hr. Phone: (513)228-6121

Important: Read all instructions before completing form

Reporting Period From January 1 to December 31, 19 93

☐ Check if information below is identical to the information submitted last year.

160B 02/23/94

Chemical Description	Physical and Health Hazards (Check all that apply)	Inventory	Storage Codes and Locations (Non-confidential) Storage Locations	Optional
CAS 7664393 Trade Secret ☐ Chem. Name: HYDROFLUORIC ACID Check all That apply: Pure ☐ Mix X Solid ☐ Liquid X Gas ☐ EHS X EHS Name: HYDROFLUORIC ACID	Fire ☐ Sudden Release of Pressure ☐ Reactivity ☐ Immediate (acute) X Delayed (chronic) X	Max Daily Amount (code): 02 Avg. Daily Amount (code): 02 No. of Days On-site (days): 365	Container Type / Pressure / Temperature: E 1 4 Constituent in Autophoretic 35 Activator and '20359' located in Chemical Storage B-4,B-5,B-7 [9,23]	☐
CAS 7647010 Trade Secret ☐ Chem. Name: HYDROGEN CHLORIDE Check all That apply: Pure ☐ Mix X Solid ☐ Liquid X Gas ☐ EHS X EHS Name: HYDROGEN CHLORIDE	Fire ☐ Sudden Release of Pressure ☐ Reactivity ☐ Immediate (acute) X Delayed (chronic) X	Max Daily Amount (code): 03 Avg. Daily Amount (code): 03 No. of Days On-site (days): 365	C 1 4 E 1 4 Located in areas G-3,H-1 Located in Chemical Storage B-2 [71,31]	☐
CAS 7697372 Trade Secret ☐ Chem. Name: NITRIC ACID Check all That apply: Pure ☐ Mix X Solid ☐ Liquid X Gas ☐ EHS X EHS Name: NITRIC ACID	Fire ☐ Sudden Release of Pressure ☐ Reactivity ☐ Immediate (acute) X Delayed (chronic) X	Max Daily Amount (code): 02 Avg. Daily Amount (code): 02 No. of Days On-site (days): 365	N 1 4 Constituent in Enthobrite CNZ Clarifier located in Chemical Storage B-1 D 1 4 Constituent in Enthox 747 located in Chemical Storage B-2 D 1 4 Located in Chemical Storage B-2 [26,18,23,12]	☐

Certification *(Read and sign after completing all sections)*

I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 3, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete.

Charles J. Borum, President
Name and official title of owner/operator OR owner/operator's authorized representative

Signature: Charles J. Borum Date signed: 2/25/94

Optional Attachments

- X I have attached a site plan
- ☐ I have attached a list of site coordinate abbreviations
- ☐ I have attached a description of dikes and other safeguard measures

Tier Two

EMERGENCY AND HAZARDOUS CHEMICAL INVENTORY

Specific Information by Chemical

Facility Identification

Name: Dayton Electroplate, Inc.
Street Address: 1030 Valley St.
City: Dayton County: Montgomery State: OH Zip: 45404
SIC Code 3471 Dun & Brad Number NA

FOR OFFICIAL USE ONLY
ID#
Date Received

Owner/Operator Name

Name: Dayton Electroplate, Inc. Phone: (513)228-6121
Mail Address: 1030 Valley St. Dayton, OH 45404

Emergency Contact

Name: Charles J. Borum Title: President
Phone: (513)228-6121 24 Hr. Phone: (513)228-6121

Name: Morgan Moore Title: Director of Operation
Phone: (513)228-6121 24 Hr. Phone: (513)228-6121

Important: Read all instructions before completing form

Reporting Period From January 1 to December 31, 19 93

☐ Check if information below is identical to the information submitted last year.

1608 02/23/94

Chemical Description	Physical and Health Hazards (Check all that apply)	Inventory	Storage Codes and Locations (Non-confidential) Storage Locations	Optional
CAS 1443339 Trade Secret ☐ Chem. Name: SODIUM CYANIDE Check all That apply: Pure ☐ Mix X Solid X Liquid ☐ Gas ☐ EHS X EHS Name: SODIUM CYANIDE	Fire ☐ Sudden Release of Pressure ☐ Reactivity ☐ Immediate (acute) X Delayed (chronic) X	Max Daily Amount (code): 03 Avg. Daily Amount (code): 03 No. of Days On-site (days): 365	Container Type / Pressure / Temperature: D 1 4 Located in Chemical Storage B-8; Plater G-5 [45]	☐
CAS 7664939 Trade Secret ☐ Chem. Name: SULFURIC ACID, CONCENTRATED Check all That apply: Pure ☐ Mix X Solid ☐ Liquid X Gas ☐ EHS X EHS Name: SULFURIC ACID	Fire ☐ Sudden Release of Pressure ☐ Reactivity X Immediate (acute) X Delayed (chronic) X	Max Daily Amount (code): 04 Avg. Daily Amount (code): 04 No. of Days On-site (days): 365	E 1 4 Located in Chemical Storage B-2,B-3 28	☐
CAS 1333864 Trade Secret ☐ Chem. Name: AUTOPHORETIC 866 REPLENISHER Check all That apply: Pure ☐ Mix X Solid ☐ Liquid X Gas ☐ EHS ☐ EHS Name:	Fire ☐ Sudden Release of Pressure ☐ Reactivity ☐ Immediate (acute) X Delayed (chronic) X	Max Daily Amount (code): 04 Avg. Daily Amount (code): 04 No. of Days On-site (days): 365	I 1 4 Located in Chemical Storage B-4,B-5 32	☐

Certification *(Read and sign after completing all sections)*

I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 3, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete.

Charles J. Borum, President
Name and official title of owner/operator OR owner/operator's authorized representative

Signature: Charles J. Borum Date signed: 2/25/94

Optional Attachments

- X I have attached a site plan
- ☐ I have attached a list of site coordinate abbreviations
- ☐ I have attached a description of dikes and other safeguard measures

Tier Two

EMERGENCY AND HAZARDOUS CHEMICAL INVENTORY

Specific Information by Chemical

Facility Identification

Name: Dayton Electroplate, Inc.
Street Address: 1030 Valley St.
City: Dayton County: Montgomery State: OH Zip: 45404
SIC Code 3471 Dun & Brad Number NA

FOR OFFICIAL USE ONLY — ID# — Date Received

Owner/Operator Name

Name: Dayton Electroplate, Inc. Phone: (513)228-6121
Mail Address: 1030 Valley St. Dayton, OH 45404

Emergency Contact

Name: Charles J. Borum Title: President
Phone: (513)228-6121 24 Hr. Phone: (513)228-6121

Name: Morgan Moore Title: Director of Operation
Phone: (513)228-6121 24 Hr. Phone: (513)228-6121

Important: Read all instructions before completing form

Reporting Period From January 1 to December 31, 19 93

☐ Check if information below is identical to the information submitted last year.

1608 02/23/94

Chemical Description	Physical and Health Hazards (Check all that apply)	Inventory	Storage Codes and Locations (Non-confidential) Storage Locations	Optional
CAS 1310732 Trade Secret ☐ Chem. Name: 50% CAUSTIC SODA-DIAPHRAGM Check all That apply: Pure ☐ Mix X Solid ☐ Liquid X Gas ☐ EHS ☐ EHS Name:	Fire ☐ Sudden Release of Pressure ☐ Reactivity ☐ Immediate (acute) X Delayed (chronic) X	Max Daily Amount (code): 04 Avg. Daily Amount (code): 04 No. of Days On-site (days): 365	Container Type: E Pressure: 1 Temperature: 4 Located in Chemical Storage B-2,B-3 43	☐
CAS Trade Secret ☐ Chem. Name: Check all That apply: Pure ☐ Mix ☐ Solid ☐ Liquid ☐ Gas ☐ EHS ☐ EHS Name:	Fire ☐ Sudden Release of Pressure ☐ Reactivity ☐ Immediate (acute) ☐ Delayed (chronic) ☐	Max Daily Amount (code): Avg. Daily Amount (code): No. of Days On-site (days):		☐
CAS Trade Secret ☐ Chem. Name: Check all That apply: Pure ☐ Mix ☐ Solid ☐ Liquid ☐ Gas ☐ EHS ☐ EHS Name:	Fire ☐ Sudden Release of Pressure ☐ Reactivity ☐ Immediate (acute) ☐ Delayed (chronic) ☐	Max Daily Amount (code): Avg. Daily Amount (code): No. of Days On-site (days):		☐

Certification *(Read and sign after completing all sections)*

I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 3, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete.

Charles J. Borum, President
Name and official title of owner/operator OR owner/operator's authorized representative

Signature: Charles J. Borum Date signed: 2/25/94

Optional Attachments

- X I have attached a site plan
- ☐ I have attached a list of site coordinate abbreviations
- ☐ I have attached a description of dikes and other safeguard measures


B3
B2
EMPTY DRUM STRG.
BOILER HOUSE
LUNCH ROOM
PLATER 1
OFFICES
OFFICES
BLDG. 1
TRANSFORMERS
CORR. DRUMS
B7
PLATER 4
CORR. DRUMS
B10
BLDG. 3
FACILITY LAYOUT
COMPANY: Dayton Electroplate, Inc.
ADDRESS: 1030 Valley Street
CITY: Dayton
STATE: OH
COUNTY: Montgomery
SCALE: NA
DATE: Feb 23, 1994
JOB: 1608
N
OFFICE
BOILER
A
MAINTENANCE DEPT.
TOOL ROOM
SHIPPING + RECEIVING
B1
OXY B5 PLASTIC CONTAINERS
B8
GENERATOR ROOM
PLATER 3
PLATER 2
CORR. PLASTIC CONTAINERS
B4
CORR. DRUMS PLASTIC CONTAINERS
B6
FL DRUMS
B11
BLDG. 2

SARA SERVICES
INCORPORATED
A Subsidiary of SARA Environmental, Inc.

23 Feb 1994

Bill Ford
Fire Prevention
300 N. Main
Dayton, OH 45402

Ken LeBlanc, Planning Manager
Montgomery County LEPC
400 Miami Valley Tower
40 West 4th St.
Dayton, OH 45402

Ohio Emergency Response Commission
Ohio Environmental Protection Agency
P.O. Box 1049
Columbus, OH 43266-0149
Attn: R-T-K

Dear Sirs:

Enclosed is the EPA SARA Title III Tier II information report which we are submitting on behalf of Dayton Electroplate, Inc.. If there are any questions regarding the report, please do not hesitate to contact us.

Thank you,

James Walters/JG

James E. Walters
President/CEO
SARA Services, Inc.

JW/jg

Enclosures

cc: Dayton Electroplate, Inc.

8506 E. 61st Street • Tulsa, Oklahoma 74133-1921
Tel.-(918)252-9600 • FAX-(918)252-3417 • 1-800-333-8053
"Helping You Keep It Together"