EPA Region 5 Records Ctr.
255477

APPENDIX F

Laboratory Analytical Reports

STL - Chicago, University Park, Illinois

APPENDIX F

SECOR

Laboratory Analytical Reports

Southeast Rockford Groundwater Contamination Superfund Site
Rockford, Illinois

STL SOIL LABORATORY RESULTS	BORING LOCATIONS
221687	SMW-1,SMW-2, SMW-4,SMW-5, SMW-15
221823	S5
221824	S4
221825	S1
221826	S3
221827	S2
221831	S9, S11, S12, S13, S14, SMW-18
221906	S6
221911	S7
221908	S8
222131	SMW-14, SMW-12
222279	S10, S9
224821	SMW-16, SMW-18, SMW-10
224881	SMW-6, S15, SMW-17
225257	SMW-16A, SMW-17
231689	SMW-19 through SMW-22
STL GROUNDWATER LABORATORY RESULTS	**MONITORING WELL LOCATIONS**
	APRIL 2004 - ROUND 01
226233	SMW-1, SMW-2, SMW-3, SMW-4, SMW-6, MW-7FGA, SMW-8, SMW-9, SMW-10, SMW-13, SMW-14, SMW-15, SMW-16,SMW-17, SMW-18, MW-3FGA, MW127
226234	SW7, MW201, MW202, MW203, SMW5, SMW-11, SMW-12
	NOVEMBER 2004 - ROUND 02
232105	SMW-1 through SMW-22*, MW3FGA, MW7FGA, MW127
232134	MW201, MW202, MW203
STL IDW LABORATORY RESULTS	**INVESTIGATION DERIVED WASTE (IDW)**
22280	OSA-IDW-SOIL, OSA-IDW-WATER, IDW-SOIL, IDW-WATER
232660	IDWRW3

SDG - Sample delivery group

* Samples SMW-19 through SMW-22 - Round 01

SEVERN TRENT STL

STL Chicago
2417 Bond Street
University Park, IL 60466

Tel: 708 534 5200 Fax: 708 534 5211
www.stl-inc.com

SEVERN TRENT LABORATORIES ANALYTICAL REPORT

JOB NUMBER: 221687

Prepared For:

SECOR
446 Eisenhower Lane North
Lombard, IL 60148

Project: SE Rockford Area 9/10

Attention: Dave Curnock

Date: 12/02/2003

Signature

Name: Richard C. Wright

Title: Project Manager

E-Mail: rwright@stl-inc.com

12/2/03
Date

STL Chicago
2417 Bond Street
University Park, IL 60466

PHONE: (708) 534-5200
FAX..: (708) 534-5211

This Report Contains (46) Pages

STL Chicago is part of Severn Trent Laboratories, Inc.

SAMPLE INFORMATION
Date: 12/02/2003

Job Number.: 221687
Customer...: SECOR
Attn.....: Dave Curnock

Project Number.....: 20003080
Customer Project ID....: SE ROCKFORD
Project Description....: SE Rockford Area 9/10

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
221687-1	RD-SB-SMW2(9-11)-01	Soil	10/21/2003	09:00	10/24/2003	15:15
221687-2	RD-SB-SMW2(27-29)-01	Soil	10/21/2003	10:15	10/24/2003	15:15
221687-3	RD-SB-SMW1(10-12)-01	Soil	10/22/2003	09:20	10/24/2003	15:15
221687-4	RD-SB-SMW1(28-30)-01	Soil	10/22/2003	10:50	10/24/2003	15:15
221687-5	RD-SB-SMW4(5-7)-01	Soil	10/23/2003	08:30	10/24/2003	15:15
221687-6	RD-SB-SMW4(27-29)-01	Soil	10/23/2003	09:15	10/24/2003	15:15
221687-7	RD-SB-SMW5(5-7)-01	Soil	10/23/2003	12:45	10/24/2003	15:15
221687-8	RD-SB-SMW5(27-29)-01	Soil	10/23/2003	13:30	10/24/2003	15:15
221687-9	RD-SB-SMW15(3-5)-01	Soil	10/24/2003	09:20	10/24/2003	15:15
221687-10	RD-SB-SMW15(29-31)-01	Soil	10/24/2003	10:10	10/24/2003	15:15
221687-11	TRIP BLANK	Water	10/21/2003	09:00	10/24/2003	15:15

L Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221687

Date:12/02/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-SMW2(9-11)-01
Date Sampled.....: 10/21/2003
Time Sampled.....: 09:00
Sample Matrix.....: Soil

Laboratory Sample ID: 221687-1
Date Received.....: 10/24/2003
Time Received.....: 15:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.2	U		4.2	4.2	1.00000	mg/Kg	101048		11/05/03 1942	pjg
	TPH - Jet Fuel (JP4), 3541 Solid*	4.3	U	*	4.3	4.3	1.00000	mg/Kg	101047	RE	11/06/03 2101	pjg
Method	% Solids Determination											
	% Solids, Solid	95.9			0.10	0.10	1	%	99923		10/28/03 1710	pfk
	% Moisture, Solid	4.1			0.10	0.10	1	%	99923		10/28/03 1710	pfk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0050	U		0.00094	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	Bromomethane, Solid*	0.0050	U		0.0029	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	1,1-Dichloroethene, Solid*	0.0050	U		0.00099	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	Chloroethane, Solid*	0.0050	U		0.0016	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	Carbon disulfide, Solid*	0.0050	U		0.0020	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	Acetone, Solid*	0.017		B	0.0041	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	1,1-Dichloroethane, Solid*	0.0050	U		0.00088	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	2-Butanone (MEK), Solid*	0.0050	U		0.0042	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	1,2-Dichloroethane, Solid*	0.0050	U		0.00058	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	Chloroform, Solid*	0.0050	U		0.00062	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	Carbon tetrachloride, Solid*	0.0050	U		0.00083	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	Benzene, Solid*	0.0030	J	a	0.00066	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	1,2-Dichloropropane, Solid*	0.0050	U		0.00096	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	Bromodichloromethane, Solid*	0.0050	U		0.00068	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	cis-1,3-Dichloropropene, Solid*	0.0050	U		0.00079	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	1,2-Dichloroethene (total), Solid*	0.0050	U		0.0019	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	4-Methyl-2-pentanone (MIBK), Solid*	0.0050	U		0.0030	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	Toluene, Solid*	0.0072			0.00099	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	trans-1,3-Dichloropropene, Solid*	0.0050	U		0.00084	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	2-Hexanone, Solid*	0.0050	U		0.0017	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso

* In Description = Dry Wgt.

'L Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221687

Date:12/02/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-SMW2(9-11)-01
Date Sampled.....: 10/21/2003
Time Sampled.....: 09:00
Sample Matrix.....: Soil

Laboratory Sample ID: 221687-1
Date Received.....: 10/24/2003
Time Received.....: 15:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Dibromochloromethane, Solid*	0.0050	U		0.00069	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	Chlorobenzene, Solid*	0.0050	U		0.00091	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	Styrene, Solid*	0.0050	U		0.00099	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	Bromoform, Solid*	0.0050	U		0.00091	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	1,1,2,2-Tetrachloroethane, Solid*	0.0050	U		0.00064	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	Xylenes (total), Solid*	0.0036	J	a	0.0029	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	Ethylbenzene, Solid*	0.0027	J	a	0.0011	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	Methylene chloride, Solid*	0.0050	U		0.0018	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	Tetrachloroethene, Solid*	0.0050	U		0.00067	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	1,1,1-Trichloroethane, Solid*	0.0050	U		0.00061	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	1,1,2-Trichloroethane, Solid*	0.0050	U		0.00071	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	Trichloroethene, Solid*	0.0050	U		0.00059	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso
	Vinyl chloride, Solid*	0.0050	U		0.00074	0.0050	1.00000	mg/Kg	100913		10/31/03 2117	jso

* In Description = Dry Wgt.

L Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221687

Date:12/02/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-SMW2(27-29)-01
Date Sampled.....: 10/21/2003
Time Sampled.....: 10:15
Sample Matrix.....: Soil

Laboratory Sample ID: 221687-2
Date Received.....: 10/24/2003
Time Received.....: 15:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.2	U		4.2	4.2	1.00000	mg/Kg	101048		11/05/03 2201	pjg
Method	% Solids Determination											
	% Solids, Solid	98.0			0.10	0.10	1	%	99923		10/28/03 1710	pfk
	% Moisture, Solid	2.0			0.10	0.10	1	%	99923		10/28/03 1710	pfk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0046	U		0.00086	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	Bromomethane, Solid*	0.0046	U		0.0027	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	1,1-Dichloroethene, Solid*	0.0046	U		0.00092	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	Chloroethane, Solid*	0.0046	U		0.0015	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	Carbon disulfide, Solid*	0.0046	U		0.0018	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	Acetone, Solid*	0.014		B	0.0038	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	1,1-Dichloroethane, Solid*	0.0046	U		0.00081	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	2-Butanone (MEK), Solid*	0.0046	U		0.0039	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	1,2-Dichloroethane, Solid*	0.0046	U		0.00053	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	Chloroform, Solid*	0.0046	U		0.00057	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	Carbon tetrachloride, Solid*	0.0046	U		0.00076	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	Benzene, Solid*	0.0024	J	a	0.00061	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	1,2-Dichloropropane, Solid*	0.0046	U		0.00088	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	Bromodichloromethane, Solid*	0.0046	U		0.00063	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	cis-1,3-Dichloropropene, Solid*	0.0046	U		0.00073	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	1,2-Dichloroethene (total), Solid*	0.0046	U		0.0017	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	4-Methyl-2-pentanone (MIBK), Solid*	0.0046	U		0.0028	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	Toluene, Solid*	0.0066			0.00092	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	trans-1,3-Dichloropropene, Solid*	0.0046	U		0.00077	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	2-Hexanone, Solid*	0.0046	U		0.0016	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	Dibromochloromethane, Solid*	0.0046	U		0.00063	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 221687

Date:12/02/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-SMW2(27-29)-01
Date Sampled.....: 10/21/2003
Time Sampled.....: 10:15
Sample Matrix.....: Soil

Laboratory Sample ID: 221687-2
Date Received.....: 10/24/2003
Time Received.....: 15:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0046	U		0.00084	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	Styrene, Solid*	0.0046	U		0.00092	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	Bromoform, Solid*	0.0046	U		0.00084	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	1,1,2,2-Tetrachloroethane, Solid*	0.0046	U		0.00059	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	Xylenes (total), Solid*	0.0034	J	a	0.0027	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	Ethylbenzene, Solid*	0.0027	J	a	0.0010	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	Methylene chloride, Solid*	0.0046	U		0.0017	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	Tetrachloroethene, Solid*	0.0046	U		0.00062	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	1,1,1-Trichloroethane, Solid*	0.0046	U		0.00056	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	1,1,2-Trichloroethane, Solid*	0.0046	U		0.00065	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	Trichloroethene, Solid*	0.0046	U		0.00054	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso
	Vinyl chloride, Solid*	0.0046	U		0.00068	0.0046	1.00000	mg/Kg	100913		10/31/03 1711	jso

* In Description = Dry Wgt.

L Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221687

Date:12/02/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-SMW1(10-12)-01
Date Sampled.....: 10/22/2003
Time Sampled.....: 09:20
Sample Matrix.....: Soil

Laboratory Sample ID: 221687-3
Date Received.....: 10/24/2003
Time Received.....: 15:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.2	U		4.2	4.2	1.00000	mg/Kg	101048		11/05/03 2247	pjg
Method	% Solids Determination											
	% Solids, Solid	97.2			0.10	0.10	1	%	99923		10/28/03 1710	pfk
	% Moisture, Solid	2.8			0.10	0.10	1	%	99923		10/28/03 1710	pfk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0048	U		0.00090	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	Bromomethane, Solid*	0.0048	U		0.0028	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	1,1-Dichloroethene, Solid*	0.0048	U		0.00096	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	Chloroethane, Solid*	0.0048	U		0.0015	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	Carbon disulfide, Solid*	0.0048	U		0.0019	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	Acetone, Solid*	0.017		B	0.0039	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	1,1-Dichloroethane, Solid*	0.0048	U		0.00084	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	2-Butanone (MEK), Solid*	0.0048	U		0.0040	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	1,2-Dichloroethane, Solid*	0.0048	U		0.00056	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	Chloroform, Solid*	0.0048	U		0.00059	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	Carbon tetrachloride, Solid*	0.0048	U		0.00080	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	Benzene, Solid*	0.0048	U		0.00063	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	1,2-Dichloropropane, Solid*	0.0048	U		0.00092	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	Bromodichloromethane, Solid*	0.0048	U		0.00065	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	cis-1,3-Dichloropropene, Solid*	0.0048	U		0.00076	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	1,2-Dichloroethene (total), Solid*	0.0048	U		0.0018	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	4-Methyl-2-pentanone (MIBK), Solid*	0.0048	U		0.0029	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	Toluene, Solid*	0.0065			0.00096	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	trans-1,3-Dichloropropene, Solid*	0.0048	U		0.00080	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	2-Hexanone, Solid*	0.0048	U		0.0016	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	Dibromochloromethane, Solid*	0.0048	U		0.00066	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso

* In Description = Dry Wgt.

L Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221687

Date:12/02/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-SMW1(10-12)-01
Date Sampled.....: 10/22/2003
Time Sampled.....: 09:20
Sample Matrix.....: Soil

Laboratory Sample ID: 221687-3
Date Received.....: 10/24/2003
Time Received.....: 15:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0048	U		0.00087	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	Styrene, Solid*	0.0048	U		0.00096	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	Bromoform, Solid*	0.0048	U		0.00087	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	1,1,2,2-Tetrachloroethane, Solid*	0.0048	U		0.00061	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	Xylenes (total), Solid*	0.0033	J	a	0.0028	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	Ethylbenzene, Solid*	0.0024	J	a	0.0011	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	Methylene chloride, Solid*	0.0048	U		0.0017	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	Tetrachloroethene, Solid*	0.0048	U		0.00064	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	1,1,1-Trichloroethane, Solid*	0.0048	U		0.00058	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	1,1,2-Trichloroethane, Solid*	0.0048	U		0.00068	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	Trichloroethene, Solid*	0.0048	U		0.00057	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso
	Vinyl chloride, Solid*	0.0048	U		0.00071	0.0048	1.00000	mg/Kg	100913		10/31/03 1738	jso

* In Description = Dry Wgt.

L Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221687

Date:12/02/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-SMW1(28-30)-01
Date Sampled.....: 10/22/2003
Time Sampled.....: 10:50
Sample Matrix.....: Soil

Laboratory Sample ID: 221687-4
Date Received.....: 10/24/2003
Time Received.....: 15:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.2	U		4.2	4.2	1.00000	mg/Kg	101048		11/05/03 2334	pjg
Method	% Solids Determination											
	% Solids, Solid	96.4			0.10	0.10	1	%	99923		10/28/03 1710	pfk
	% Moisture, Solid	3.6			0.10	0.10	1	%	99923		10/28/03 1710	pfk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0048	U		0.00091	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	Bromomethane, Solid*	0.0048	U		0.0028	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	1,1-Dichloroethene, Solid*	0.0048	U		0.00096	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	Chloroethane, Solid*	0.0048	U		0.0015	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	Carbon disulfide, Solid*	0.0048	U		0.0019	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	Acetone, Solid*	0.018		B	0.0040	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	1,1-Dichloroethane, Solid*	0.0048	U		0.00085	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	2-Butanone (MEK), Solid*	0.0048	U		0.0040	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	1,2-Dichloroethane, Solid*	0.0048	U		0.00056	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	Chloroform, Solid*	0.0048	U		0.00060	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	Carbon tetrachloride, Solid*	0.0048	U		0.00080	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	Benzene, Solid*	0.0030	J	a	0.00064	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	1,2-Dichloropropane, Solid*	0.0048	U		0.00093	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	Bromodichloromethane, Solid*	0.0048	U		0.00066	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	cis-1,3-Dichloropropene, Solid*	0.0048	U		0.00076	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	1,2-Dichloroethene (total), Solid*	0.0048	U		0.0018	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	4-Methyl-2-pentanone (MIBK), Solid*	0.0048	U		0.0029	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	Toluene, Solid*	0.0073			0.00096	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	trans-1,3-Dichloropropene, Solid*	0.0048	U		0.00081	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	2-Hexanone, Solid*	0.0048	U		0.0016	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	Dibromochloromethane, Solid*	0.0048	U		0.00067	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso

* In Description = Dry Wgt.

L Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221687

Date:12/02/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-SMW1(28-30)-01
Date Sampled.....: 10/22/2003
Time Sampled.....: 10:50
Sample Matrix.....: Soil

Laboratory Sample ID: 221687-4
Date Received.....: 10/24/2003
Time Received.....: 15:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0048	U		0.00088	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	Styrene, Solid*	0.0048	U		0.00096	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	Bromoform, Solid*	0.0048	U		0.00088	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	1,1,2,2-Tetrachloroethane, Solid*	0.0048	U		0.00062	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	Xylenes (total), Solid*	0.0038	J	a	0.0028	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	Ethylbenzene, Solid*	0.0029	J	a	0.0011	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	Methylene chloride, Solid*	0.0048	U		0.0017	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	Tetrachloroethene, Solid*	0.0048	U		0.00065	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	1,1,1-Trichloroethane, Solid*	0.0048	U		0.00059	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	1,1,2-Trichloroethane, Solid*	0.0048	U		0.00068	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	Trichloroethene, Solid*	0.0048	U		0.00057	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso
	Vinyl chloride, Solid*	0.0048	U		0.00071	0.0048	1.00000	mg/Kg	100913		10/31/03 1806	jso

* In Description = Dry Wgt.

L Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221687

Date:12/02/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-SMW4(5-7)-01
Date Sampled.....: 10/23/2003
Time Sampled.....: 08:30
Sample Matrix.....: Soil

Laboratory Sample ID: 221687-5
Date Received.....: 10/24/2003
Time Received.....: 15:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.6	U		4.6	4.6	1.00000	mg/Kg	101048		11/06/03 0020	pjg
Method	% Solids Determination											
	% Solids, Solid	88.8			0.10	0.10	1	%	99923		10/28/03 1710	pfk
	% Moisture, Solid	11.2			0.10	0.10	1	%	99923		10/28/03 1710	pfk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0043	U		0.00080	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	Bromomethane, Solid*	0.0043	U		0.0025	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	1,1-Dichloroethene, Solid*	0.0043	U		0.00085	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	Chloroethane, Solid*	0.0043	U		0.0014	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	Carbon disulfide, Solid*	0.0043	U		0.0017	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	Acetone, Solid*	0.043		B	0.0035	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	1,1-Dichloroethane, Solid*	0.0043	U		0.00075	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	2-Butanone (MEK), Solid*	0.0050			0.0036	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	1,2-Dichloroethane, Solid*	0.0043	U		0.00049	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	Chloroform, Solid*	0.0043	U		0.00053	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	Carbon tetrachloride, Solid*	0.0043	U		0.00071	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	Benzene, Solid*	0.0043	U		0.00056	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	1,2-Dichloropropane, Solid*	0.0043	U		0.00082	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	Bromodichloromethane, Solid*	0.0043	U		0.00058	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	cis-1,3-Dichloropropene, Solid*	0.0043	U		0.00067	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	1,2-Dichloroethene (total), Solid*	0.0043	U		0.0016	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	4-Methyl-2-pentanone (MIBK), Solid*	0.0043	U		0.0026	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	Toluene, Solid*	0.0043	U		0.00085	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	trans-1,3-Dichloropropene, Solid*	0.0043	U		0.00071	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	2-Hexanone, Solid*	0.0043	U		0.0014	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	Dibromochloromethane, Solid*	0.0043	U		0.00059	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso

* In Description = Dry Wgt.

L Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221687

Date:12/02/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-SMW4(5-7)-01
Date Sampled.....: 10/23/2003
Time Sampled.....: 08:30
Sample Matrix.....: Soil

Laboratory Sample ID: 221687-5
Date Received.....: 10/24/2003
Time Received.....: 15:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0043	U		0.00077	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	Styrene, Solid*	0.0043	U		0.00085	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	Bromoform, Solid*	0.0043	U		0.00077	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	1,1,2,2-Tetrachloroethane, Solid*	0.0043	U		0.00054	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	Xylenes (total), Solid*	0.0043	U		0.0025	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	Ethylbenzene, Solid*	0.0043	U		0.00094	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	Methylene chloride, Solid*	0.0043	U		0.0015	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	Tetrachloroethene, Solid*	0.0043	U		0.00057	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	1,1,1-Trichloroethane, Solid*	0.0043	U		0.00052	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	1,1,2-Trichloroethane, Solid*	0.0043	U		0.00060	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	Trichloroethene, Solid*	0.0043	U		0.00050	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso
	Vinyl chloride, Solid*	0.0043	U		0.00063	0.0043	1.00000	mg/Kg	100913		10/31/03 1833	jso

* In Description = Dry Wgt.

'L Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221687

Date:12/02/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-SMW4(27-29)-01
Date Sampled.....: 10/23/2003
Time Sampled.....: 09:15
Sample Matrix.....: Soil

Laboratory Sample ID: 221687-6
Date Received.....: 10/24/2003
Time Received.....: 15:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.2	U		4.2	4.2	1.00000	mg/Kg	101048		11/06/03 0152	pjg
Method	% Solids Determination											
	% Solids, Solid	96.6			0.10	0.10	1	%	99923		10/28/03 1710	pfk
	% Moisture, Solid	3.4			0.10	0.10	1	%	99923		10/28/03 1710	pfk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0051	U		0.00097	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	Bromomethane, Solid*	0.0051	U		0.0030	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	1,1-Dichloroethene, Solid*	0.0051	U		0.0010	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	Chloroethane, Solid*	0.0051	U		0.0016	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	Carbon disulfide, Solid*	0.0051	U		0.0021	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	Acetone, Solid*	0.029		B	0.0042	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	1,1-Dichloroethane, Solid*	0.0051	U		0.00091	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	2-Butanone (MEK), Solid*	0.0056			0.0043	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	1,2-Dichloroethane, Solid*	0.0051	U		0.00060	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	Chloroform, Solid*	0.0051	U		0.00064	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	Carbon tetrachloride, Solid*	0.0051	U		0.00085	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	Benzene, Solid*	0.0051	U		0.00068	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	1,2-Dichloropropane, Solid*	0.0051	U		0.00099	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	Bromodichloromethane, Solid*	0.0051	U		0.00070	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	cis-1,3-Dichloropropene, Solid*	0.0051	U		0.00081	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	1,2-Dichloroethene (total), Solid*	0.0051	U		0.0020	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	4-Methyl-2-pentanone (MIBK), Solid*	0.0051	U		0.0031	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	Toluene, Solid*	0.0052			0.0010	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	trans-1,3-Dichloropropene, Solid*	0.0051	U		0.00086	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	2-Hexanone, Solid*	0.0051	U		0.0017	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	Dibromochloromethane, Solid*	0.0051	U		0.00071	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso

* In Description = Dry Wgt.

L Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221687

Date:12/02/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-SMW4(27-29)-01
Date Sampled.....: 10/23/2003
Time Sampled.....: 09:15
Sample Matrix.....: Soil

Laboratory Sample ID: 221687-6
Date Received.....: 10/24/2003
Time Received.....: 15:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0051	U		0.00094	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	Styrene, Solid*	0.0051	U		0.0010	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	Bromoform, Solid*	0.0051	U		0.00094	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	1,1,2,2-Tetrachloroethane, Solid*	0.0051	U		0.00066	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	Xylenes (total), Solid*	0.0051	U		0.0030	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	Ethylbenzene, Solid*	0.0051	U		0.0011	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	Methylene chloride, Solid*	0.0051	U		0.0019	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	Tetrachloroethene, Solid*	0.0051	U		0.00069	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	1,1,1-Trichloroethane, Solid*	0.0051	U		0.00063	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	1,1,2-Trichloroethane, Solid*	0.0051	U		0.00073	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	Trichloroethene, Solid*	0.0051	U		0.00061	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso
	Vinyl chloride, Solid*	0.0051	U		0.00076	0.0051	1.00000	mg/Kg	100913		10/31/03 2050	jso

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221687

Date:12/02/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-SMW5(5-7)-01
Date Sampled.....: 10/23/2003
Time Sampled.....: 12:45
Sample Matrix.....: Soil

Laboratory Sample ID: 221687-7
Date Received.....: 10/24/2003
Time Received.....: 15:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.5	U		4.5	4.5	1.00000	mg/Kg	101048		11/06/03 0238	pjg
Method	% Solids Determination											
	% Solids, Solid	91.8			0.10	0.10	1	%	99923		10/28/03 1710	pfk
	% Moisture, Solid	8.2			0.10	0.10	1	%	99923		10/28/03 1710	pfk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0039	U		0.00073	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	Bromomethane, Solid*	0.0039	U		0.0022	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	1,1-Dichloroethene, Solid*	0.0039	U		0.00077	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	Chloroethane, Solid*	0.0039	U		0.0012	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	Carbon disulfide, Solid*	0.0039	U		0.0015	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	Acetone, Solid*	0.021		B	0.0032	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	1,1-Dichloroethane, Solid*	0.0039	U		0.00068	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	2-Butanone (MEK), Solid*	0.0039	U	a	0.0032	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	1,2-Dichloroethane, Solid*	0.0039	U		0.00045	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	Chloroform, Solid*	0.0039	U		0.00048	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	Carbon tetrachloride, Solid*	0.0039	U		0.00064	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	Benzene, Solid*	0.0039	U		0.00051	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	1,2-Dichloropropane, Solid*	0.0039	U		0.00074	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	Bromodichloromethane, Solid*	0.0039	U		0.00052	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	cis-1,3-Dichloropropene, Solid*	0.0039	U		0.00061	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	1,2-Dichloroethene (total), Solid*	0.0039	U		0.0015	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	4-Methyl-2-pentanone (MIBK), Solid*	0.0039	U		0.0023	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	Toluene, Solid*	0.0039	U		0.00077	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	trans-1,3-Dichloropropene, Solid*	0.0039	U		0.00065	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	2-Hexanone, Solid*	0.0039	U		0.0013	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	Dibromochloromethane, Solid*	0.0039	U		0.00053	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 221687

Date:12/02/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-SMW5(5-7)-01
Date Sampled.....: 10/23/2003
Time Sampled.....: 12:45
Sample Matrix.....: Soil

Laboratory Sample ID: 221687-7
Date Received.....: 10/24/2003
Time Received.....: 15:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0039	U		0.00070	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	Styrene, Solid*	0.0039	U		0.00077	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	Bromoform, Solid*	0.0039	U		0.00070	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	1,1,2,2-Tetrachloroethane, Solid*	0.0039	U		0.00049	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	Xylenes (total), Solid*	0.0039	U		0.0022	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	Ethylbenzene, Solid*	0.0039	U		0.00085	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	Methylene chloride, Solid*	0.0039	U		0.0014	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	Tetrachloroethene, Solid*	0.11			0.00052	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	1,1,1-Trichloroethane, Solid*	0.0097			0.00047	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	1,1,2-Trichloroethane, Solid*	0.0039	U		0.00055	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	Trichloroethene, Solid*	0.0094			0.00046	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso
	Vinyl chloride, Solid*	0.0039	U		0.00057	0.0039	1.00000	mg/Kg	100913		10/31/03 1900	jso

* In Description = Dry Wgt.

L Chicago is part of Severn Trent Laboratories, Inc.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 221687

Date:12/02/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-SMW5(27-29)-01
Date Sampled.....: 10/23/2003
Time Sampled.....: 13:30
Sample Matrix.....: Soil

Laboratory Sample ID: 221687-8
Date Received.....: 10/24/2003
Time Received.....: 15:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.3	U		4.3	4.3	1.00000	mg/Kg	101048		11/06/03 0325	pjg
Method	% Solids Determination											
	% Solids, Solid	95.8			0.10	0.10	1	%	99923		10/28/03 1710	pfk
	% Moisture, Solid	4.2			0.10	0.10	1	%	99923		10/28/03 1710	pfk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0050	U		0.00095	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	Bromomethane, Solid*	0.0050	U		0.0029	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	1,1-Dichloroethene, Solid*	0.0050	U		0.0010	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	Chloroethane, Solid*	0.0050	U		0.0016	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	Carbon disulfide, Solid*	0.0050	U		0.0020	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	Acetone, Solid*	0.010		B	0.0041	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	1,1-Dichloroethane, Solid*	0.0050	U		0.00089	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	2-Butanone (MEK), Solid*	0.0050	U		0.0042	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	1,2-Dichloroethane, Solid*	0.0050	U		0.00059	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	Chloroform, Solid*	0.0050	U		0.00063	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	Carbon tetrachloride, Solid*	0.0050	U		0.00084	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	Benzene, Solid*	0.0028	J	a	0.00067	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	1,2-Dichloropropane, Solid*	0.0050	U		0.00097	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	Bromodichloromethane, Solid*	0.0050	U		0.00069	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	cis-1,3-Dichloropropene, Solid*	0.0050	U		0.00080	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	1,2-Dichloroethene (total), Solid*	0.0050	U		0.0019	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	4-Methyl-2-pentanone (MIBK), Solid*	0.0050	U		0.0030	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	Toluene, Solid*	0.0075			0.0010	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	trans-1,3-Dichloropropene, Solid*	0.0050	U		0.00085	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	2-Hexanone, Solid*	0.0050	U		0.0017	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	Dibromochloromethane, Solid*	0.0050	U		0.00070	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso

* In Description = Dry Wgt.

L Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221687

Date:12/02/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-SMW5(27-29)-01
Date Sampled.....: 10/23/2003
Time Sampled.....: 13:30
Sample Matrix.....: Soil

Laboratory Sample ID: 221687-8
Date Received.....: 10/24/2003
Time Received.....: 15:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0050	U		0.00092	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	Styrene, Solid*	0.0050	U		0.0010	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	Bromoform, Solid*	0.0050	U		0.00092	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	1,1,2,2-Tetrachloroethane, Solid*	0.0050	U		0.00065	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	Xylenes (total), Solid*	0.0036	J	a	0.0029	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	Ethylbenzene, Solid*	0.0029	J	a	0.0011	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	Methylene chloride, Solid*	0.0050	U		0.0018	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	Tetrachloroethene, Solid*	0.0050	U		0.00068	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	1,1,1-Trichloroethane, Solid*	0.0050	U		0.00062	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	1,1,2-Trichloroethane, Solid*	0.0050	U		0.00072	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	Trichloroethene, Solid*	0.0050	U		0.00060	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso
	Vinyl chloride, Solid*	0.0050	U		0.00075	0.0050	1.00000	mg/Kg	100913		10/31/03 1928	jso

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 221687

Date:12/02/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-SMW15(3-5)-01
Date Sampled.....: 10/24/2003
Time Sampled.....: 09:20
Sample Matrix.....: Soil

Laboratory Sample ID: 221687-9
Date Received.....: 10/24/2003
Time Received.....: 15:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.8	U		4.8	4.8	1.00000	mg/Kg	101048		11/06/03 0411	pjg
8260B	Volatile Organics											
	Tetrachloroethene, High/Med Level*	550			23	99	1.0000	ug/Kg	100573		11/03/03 1232	jdn
Method	% Solids Determination											
	% Solids, Solid	84.9			0.10	0.10	1	%	99923		10/28/03 1710	pfk
	% Moisture, Solid	15.1			0.10	0.10	1	%	99923		10/28/03 1710	pfk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0049	U		0.00092	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	Bromomethane, Solid*	0.0049	U		0.0028	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	1,1-Dichloroethene, Solid*	0.0049	U		0.00098	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	Chloroethane, Solid*	0.0049	U		0.0016	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	Carbon disulfide, Solid*	0.0052			0.0020	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	Acetone, Solid*	0.024		B	0.0040	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	1,1-Dichloroethane, Solid*	0.0049	U		0.00086	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	2-Butanone (MEK), Solid*	0.0049	U		0.0041	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	1,2-Dichloroethane, Solid*	0.0049	U		0.00057	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	Chloroform, Solid*	0.0049	U		0.00061	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	Carbon tetrachloride, Solid*	0.0049	U		0.00081	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	Benzene, Solid*	0.0049	U		0.00064	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	1,2-Dichloropropane, Solid*	0.0049	U		0.00094	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	Bromodichloromethane, Solid*	0.0049	U		0.00066	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	cis-1,3-Dichloropropene, Solid*	0.0049	U		0.00077	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	1,2-Dichloroethene (total), Solid*	0.0049	U		0.0019	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	4-Methyl-2-pentanone (MIBK), Solid*	0.0049	U		0.0029	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	Toluene, Solid*	0.0049	U		0.00098	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso

* In Description = Dry Wgt.

L Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221687

Date:12/02/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-SMW15(3-5)-01
Date Sampled.....: 10/24/2003
Time Sampled.....: 09:20
Sample Matrix.....: Soil

Laboratory Sample ID: 221687-9
Date Received.....: 10/24/2003
Time Received.....: 15:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	trans-1,3-Dichloropropene, Solid*	0.0049	U		0.00082	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	2-Hexanone, Solid*	0.0049	U		0.0017	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	Dibromochloromethane, Solid*	0.0049	U		0.00067	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	Chlorobenzene, Solid*	0.0049	U		0.00089	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	Styrene, Solid*	0.0049	U		0.00098	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	Bromoform, Solid*	0.0049	U		0.00089	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	1,1,2,2-Tetrachloroethane, Solid*	0.0049	U		0.00063	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	Xylenes (total), Solid*	0.0049	U		0.0028	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	Ethylbenzene, Solid*	0.0049	U		0.0011	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	Methylene chloride, Solid*	0.0049	U		0.0018	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	1,1,1-Trichloroethane, Solid*	0.0068		M	0.00060	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	1,1,2-Trichloroethane, Solid*	0.0049	U		0.00069	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	Trichloroethene, Solid*	0.0049	U		0.00058	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso
	Vinyl chloride, Solid*	0.0049	U		0.00072	0.0049	1.00000	mg/Kg	100913		10/31/03 1955	jso

* In Description = Dry Wgt.

L Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221687

Date:12/02/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-SMW15(29-31)-01
Date Sampled.....: 10/24/2003
Time Sampled.....: 10:10
Sample Matrix.....: Soil

Laboratory Sample ID: 221687-10
Date Received.....: 10/24/2003
Time Received.....: 15:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.1	U		4.1	4.1	1.00000	mg/Kg	101048		11/06/03 0457	pjg
Method	% Solids Determination											
	% Solids, Solid	96.3			0.10	0.10	1	%	99923		10/28/03 1710	pfk
	% Moisture, Solid	3.7			0.10	0.10	1	%	99923		10/28/03 1710	pfk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0048	U		0.00089	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	Bromomethane, Solid*	0.0048	U		0.0028	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	1,1-Dichloroethene, Solid*	0.0048	U		0.00095	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	Chloroethane, Solid*	0.0048	U		0.0015	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	Carbon disulfide, Solid*	0.0048	U		0.0019	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	Acetone, Solid*	0.014		B	0.0039	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	1,1-Dichloroethane, Solid*	0.0048	U		0.00084	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	2-Butanone (MEK), Solid*	0.0048	U		0.0040	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	1,2-Dichloroethane, Solid*	0.0048	U		0.00055	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	Chloroform, Solid*	0.0048	U		0.00059	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	Carbon tetrachloride, Solid*	0.0048	U	M	0.00079	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	Benzene, Solid*	0.0026	J	a	0.00063	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	1,2-Dichloropropane, Solid*	0.0048	U		0.00091	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	Bromodichloromethane, Solid*	0.0048	U		0.00065	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	cis-1,3-Dichloropropene, Solid*	0.0048	U		0.00075	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	1,2-Dichloroethene (total), Solid*	0.0048	U		0.0018	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	4-Methyl-2-pentanone (MIBK), Solid*	0.0048	U		0.0029	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	Toluene, Solid*	0.0073		M	0.00095	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	trans-1,3-Dichloropropene, Solid*	0.0048	U		0.00080	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	2-Hexanone, Solid*	0.0048	U		0.0016	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	Dibromochloromethane, Solid*	0.0048	U		0.00066	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 221687

Date:12/02/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-SMW15(29-31)-01
Date Sampled.....: 10/24/2003
Time Sampled.....: 10:10
Sample Matrix.....: Soil

Laboratory Sample ID: 221687-10
Date Received.....: 10/24/2003
Time Received.....: 15:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0048	U		0.00087	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	Styrene, Solid*	0.0048	U		0.00095	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	Bromoform, Solid*	0.0048	U		0.00087	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	1,1,2,2-Tetrachloroethane, Solid*	0.0048	U		0.00061	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	Xylenes (total), Solid*	0.0036	J	a	0.0028	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	Ethylbenzene, Solid*	0.0027	J	a	0.0010	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	Methylene chloride, Solid*	0.0048	U		0.0017	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	Tetrachloroethene, Solid*	0.020			0.00064	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	1,1,1-Trichloroethane, Solid*	0.0048	U		0.00058	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	1,1,2-Trichloroethane, Solid*	0.0048	U		0.00068	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	Trichloroethene, Solid*	0.0048	U		0.00056	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso
	Vinyl chloride, Solid*	0.0048	U		0.00070	0.0048	1.00000	mg/Kg	100913		10/31/03 2023	jso

* In Description = Dry Wgt.

L Chicago is part of Severn Trent Laboratories, Inc.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 221687

Date:12/02/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: TRIP BLANK
Date Sampled.....: 10/21/2003
Time Sampled.....: 09:00
Sample Matrix.....: Water

Laboratory Sample ID: 221687-11
Date Received.....: 10/24/2003
Time Received.....: 15:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Chloromethane	0.0010	U	*	0.00016	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm
	Bromomethane	0.0010	U	*	0.00018	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm
	1,1-Dichloroethene	0.0010	U		0.00019	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm
	Chloroethane	0.0010	U		0.00021	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm
	Carbon disulfide	0.0050	U		0.00040	0.0050	1.00000	mg/L	100389		11/01/03 1541	lm
	Acetone	0.0050	U		0.0015	0.0050	1.00000	mg/L	100389		11/01/03 1541	lm
	1,1-Dichloroethane	0.0010	U		0.00020	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm
	1,2-Dichloroethane	0.0010	U		0.00025	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm
	2-Butanone (MEK)	0.0050	U		0.0017	0.0050	1.00000	mg/L	100389		11/01/03 1541	lm
	Chloroform	0.0010	U		0.00023	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm
	Carbon tetrachloride	0.0010	U		0.00024	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm
	Benzene	0.0010	U		0.00020	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm
	1,2-Dichloropropane	0.0010	U		0.00022	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm
	1,2-Dichloroethene (total)	0.0010	U		0.00042	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm
	Bromodichloromethane	0.0010	U		0.00023	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm
	cis-1,3-Dichloropropene	0.0010	U		0.00022	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm
	4-Methyl-2-pentanone (MIBK)	0.0050	U		0.00092	0.0050	1.00000	mg/L	100389		11/01/03 1541	lm
	Toluene	0.0010	U		0.00021	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm
	trans-1,3-Dichloropropene	0.0010	U		0.00024	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm
	2-Hexanone	0.0050	U		0.0012	0.0050	1.00000	mg/L	100389		11/01/03 1541	lm
	Dibromochloromethane	0.0010	U		0.00023	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm
	Chlorobenzene	0.0010	U		0.00022	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm
	Styrene	0.0010	U		0.00023	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm
	Bromoform	0.0010	U		0.00022	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm
	1,1,2,2-Tetrachloroethane	0.0010	U		0.00025	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm
	Xylenes (total)	0.0010	U		0.00028	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm
	Ethylbenzene	0.0010	U		0.00020	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm
	Methylene chloride	0.0010	U		0.00019	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 221687

Date:12/02/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: TRIP BLANK
Date Sampled.....: 10/21/2003
Time Sampled.....: 09:00
Sample Matrix.....: Water

Laboratory Sample ID: 221687-11
Date Received.....: 10/24/2003
Time Received.....: 15:15

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	0.0010	U		0.00020	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm
	1,1,1-Trichloroethane	0.0010	U		0.00022	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm
	1,1,2-Trichloroethane	0.0010	U		0.00033	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm
	Trichloroethene	0.0010	U		0.00021	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm
	Vinyl chloride	0.0010	U		0.00018	0.0010	1.00000	mg/L	100389		11/01/03 1541	lm

* In Description = Dry Wgt.

Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY CHRONICLE

Job Number: 221687 Date: 12/02/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221687-1 Client ID: RD-SB-SMW2(9-11)-01 Date Recvd: 10/24/2003 Sample Date: 10/21/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	99923		10/28/2003	1710	
5035	5035 Archon Closed Purge & Trap	1	100395		10/31/2003	2117	
5035	5035 Preservation High (Methanol)	1	100578		10/21/2003	0900	
5035	5035 Preservation Low	1	100915		10/21/2003	0911	
5035	5035 Preservation Low	2	100915		10/21/2003	0900	
EDD	Electronic Data Deliverable	1	101217				
3541	Extraction Soxhlet (Jet Fuel)	1	100271		10/31/2003	0800	
3541	Extraction Soxhlet (Jet Fuel)	2	100847		11/06/2003	0925	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101048	100271	11/05/2003	1942	1.00000
8015B MDRO	TPH - Diesel Range Organics (DRO)	2	101047	100847	11/06/2003	2101	1.00000
8260B	Volatile Organics	1	100913	100915-100395	10/31/2003	2117	1.00000

Lab ID: 221687-2 Client ID: RD-SB-SMW2(27-29)-01 Date Recvd: 10/24/2003 Sample Date: 10/21/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	99923		10/28/2003	1710	
5035	5035 Archon Closed Purge & Trap	1	100395		10/31/2003	1711	
5035	5035 Preservation High (Methanol)	1	100578		10/21/2003	1015	
5035	5035 Preservation Low	1	100915		10/21/2003	0943	
5035	5035 Preservation Low	2	100915		10/21/2003	0954	
3541	Extraction Soxhlet (Jet Fuel)	1	100271		10/31/2003	0800	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101048	100271	11/05/2003	2201	1.00000
8260B	Volatile Organics	1	100913	100915-100395	10/31/2003	1711	1.00000

Lab ID: 221687-3 Client ID: RD-SB-SMW1(10-12)-01 Date Recvd: 10/24/2003 Sample Date: 10/22/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	99923		10/28/2003	1710	
5035	5035 Archon Closed Purge & Trap	1	100395		10/31/2003	1738	
5035	5035 Preservation High (Methanol)	1	100578		10/22/2003	0920	
5035	5035 Preservation Low	1	100915		10/22/2003	0933	
5035	5035 Preservation Low	2	100915		10/22/2003	0920	
3541	Extraction Soxhlet (Jet Fuel)	1	100271		10/31/2003	0800	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101048	100271	11/05/2003	2247	1.00000
8260B	Volatile Organics	1	100913	100915-100395	10/31/2003	1738	1.00000

Lab ID: 221687-4 Client ID: RD-SB-SMW1(28-30)-01 Date Recvd: 10/24/2003 Sample Date: 10/22/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	99923		10/28/2003	1710	
5035	5035 Archon Closed Purge & Trap	1	100395		10/31/2003	1806	
5035	5035 Preservation High (Methanol)	1	100578		10/22/2003	1050	
5035	5035 Preservation Low	1	100915		10/22/2003	1011	
5035	5035 Preservation Low	1	100915		10/22/2003	1024	
5035	5035 Preservation Low	2	100915		10/22/2003	1011	
5035	5035 Preservation Low	2	100915		10/22/2003	1024	
3541	Extraction Soxhlet (Jet Fuel)	1	100271		10/31/2003	0800	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101048	100271	11/05/2003	2334	1.00000
8260B	Volatile Organics	1	100913	100915-100395	10/31/2003	1806	1.00000

Lab ID: 221687-5 Client ID: RD-SB-SMW4(5-7)-01 Date Recvd: 10/24/2003 Sample Date: 10/23/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	99923		10/28/2003	1710	
5035	5035 Archon Closed Purge & Trap	1	100395		10/31/2003	1833	
5035	5035 Preservation High (Methanol)	1	100578		10/23/2003	0830	
5035	5035 Preservation Low	1	100915		10/23/2003	0830	
5035	5035 Preservation Low	1	100915		10/23/2003	0850	
5035	5035 Preservation Low	2	100915		10/23/2003	0830	

Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY CHRONICLE

Job Number: 221687 Date: 12/02/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221687-5 Client ID: RD-SB-SMW4(5-7)-01 Date Recvd: 10/24/2003 Sample Date: 10/23/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
5035	5035 Preservation Low	2	100915		10/23/2003	0850	
3541	Extraction Soxhlet (Jet Fuel)	1	100271		10/31/2003	0800	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101048	100271	11/06/2003	0020	1.00000
8260B	Volatile Organics	1	100913	100915-100395	10/31/2003	1833	1.00000

Lab ID: 221687-6 Client ID: RD-SB-SMW4(27-29)-01 Date Recvd: 10/24/2003 Sample Date: 10/23/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	99923		10/28/2003	1710	
5035	5035 Archon Closed Purge & Trap	1	100395		10/31/2003	2050	
5035	5035 Preservation High (Methanol)	1	100578		10/23/2003	0915	
5035	5035 Preservation Low	1	100915		10/23/2003	0950	
5035	5035 Preservation Low	2	100915		10/23/2003	1010	
3541	Extraction Soxhlet (Jet Fuel)	1	100271		10/31/2003	0800	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101048	100271	11/06/2003	0152	1.00000
8260B	Volatile Organics	1	100913	100915-100395	10/31/2003	2050	1.00000

Lab ID: 221687-7 Client ID: RD-SB-SMW5(5-7)-01 Date Recvd: 10/24/2003 Sample Date: 10/23/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	99923		10/28/2003	1710	
5035	5035 Archon Closed Purge & Trap	1	100395		10/31/2003	1900	
5035	5035 Preservation High (Methanol)	1	100578		10/23/2003	1245	
5035	5035 Preservation Low	1	100915		10/23/2003	1110	
5035	5035 Preservation Low	1	100915		10/23/2003	1130	
5035	5035 Preservation Low	2	100915		10/23/2003	1110	
5035	5035 Preservation Low	2	100915		10/23/2003	1130	
3541	Extraction Soxhlet (Jet Fuel)	1	100271		10/31/2003	0800	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101048	100271	11/06/2003	0238	1.00000
8260B	Volatile Organics	1	100913	100915-100395	10/31/2003	1900	1.00000

Lab ID: 221687-8 Client ID: RD-SB-SMW5(27-29)-01 Date Recvd: 10/24/2003 Sample Date: 10/23/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	99923		10/28/2003	1710	
5035	5035 Archon Closed Purge & Trap	1	100395		10/31/2003	1928	
5035	5035 Preservation High (Methanol)	1	100578		10/23/2003	1330	
5035	5035 Preservation Low	1	100915		10/23/2003	1230	
5035	5035 Preservation Low	1	100915		10/23/2003	1250	
5035	5035 Preservation Low	2	100915		10/23/2003	1230	
5035	5035 Preservation Low	2	100915		10/23/2003	1250	
3541	Extraction Soxhlet (Jet Fuel)	1	100271		10/31/2003	0800	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101048	100271	11/06/2003	0325	1.00000
8260B	Volatile Organics	1	100913	100915-100395	10/31/2003	1928	1.00000

Lab ID: 221687-9 Client ID: RD-SB-SMW15(3-5)-01 Date Recvd: 10/24/2003 Sample Date: 10/24/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	99923		10/28/2003	1710	
5030A	5030 Purge & Trap of Methanol Extract	1	100571		11/03/2003	1232	
5035	5035 Archon Closed Purge & Trap	1	100395		10/31/2003	1955	
5035	5035 Preservation High (Methanol)	1	100578		10/24/2003	0920	
5035	5035 Preservation Low	1	100915		10/24/2003	0927	
5035	5035 Preservation Low	2	100915		10/24/2003	0920	
3541	Extraction Soxhlet (Jet Fuel)	1	100271		10/31/2003	0800	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101048	100271	11/06/2003	0411	1.00000
8260B	Volatile Organics	1	100913	100915-100395	10/31/2003	1955	1.00000
8260B	Volatile Organics	1	100573	100578-100571	11/03/2003	1232	1.0000

Lab ID: 221687-10 Client ID: RD-SB-SMW15(29-31)-01 Date Recvd: 10/24/2003 Sample Date: 10/24/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	99923		10/28/2003	1710	

LABORATORY CHRONICLE

Job Number: 221687 Date: 12/02/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221687-10 Client ID: RD-SB-SMW15(29-31)-01 Date Recvd: 10/24/2003 Sample Date: 10/24/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
5035	5035 Archon Closed Purge & Trap	1	100395		10/31/2003	2023	
5035	5035 Preservation High (Methanol)	1	100578		10/24/2003	1010	
5035	5035 Preservation Low	1	100915		10/24/2003	0949	
5035	5035 Preservation Low	1	100915		10/24/2003	0956	
5035	5035 Preservation Low	2	100915		10/24/2003	0949	
5035	5035 Preservation Low	2	100915		10/24/2003	0956	
3541	Extraction Soxhlet (Jet Fuel)	1	100271		10/31/2003	0800	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101048	100271	11/06/2003	0457	1.00000
8260B	Volatile Organics	1	100913	100915-100395	10/31/2003	2023	1.00000

Lab ID: 221687-11 Client ID: TRIP BLANK Date Recvd: 10/24/2003 Sample Date: 10/21/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
5030B	5030 25 mL Purge Prep	1	100388		11/01/2003	1541	
5030B	5030 25 mL Purge Prep	2	100762		11/04/2003	1318	
8260B	Volatile Organics	1	100389	100388	11/01/2003	1541	1.00000

STL Chicago is part of Severn Trent Laboratories, Inc.

SURROGATE RECOVERIES REPORT

Job Number.: 221687 Report Date.: 12/02/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Method.....: TPH - Diesel Range Organics (DRO) Test Matrix...: 3541 Solid Prep Batch..: 100271
Method Code...: 8015D Batch(s).....: 101048

Lab ID	DT	Sample ID	Date	2FLUBP	OTERPH
LCS			11/05/2003	141*	140*
MB			11/05/2003	130*	126
221687- 1		RD-SB-SMW2(9-11)-01	11/05/2003	40*	41*
221687- 1	MS	RD-SB-SMW2(9-11)-01	11/05/2003	104*	106
221687- 1	MSD	RD-SB-SMW2(9-11)-01	11/05/2003	112*	115
221687- 2		RD-SB-SMW2(27-29)-01	11/05/2003	56	58
221687- 3		RD-SB-SMW1(10-12)-01	11/05/2003	60	61
221687- 4		RD-SB-SMW1(28-30)-01	11/05/2003	61	62
221687- 5		RD-SB-SMW4(5-7)-01	11/06/2003	52	54
221687- 6		RD-SB-SMW4(27-29)-01	11/06/2003	121*	123
221687- 7		RD-SB-SMW5(5-7)-01	11/06/2003	101	109
221687- 8		RD-SB-SMW5(27-29)-01	11/06/2003	123*	120
221687- 9		RD-SB-SMW15(3-5)-01	11/06/2003	70	74
221687- 10		RD-SB-SMW15(29-31)-01	11/06/2003	124*	121

Test	Test Description	Limits
2FLUBP	2-Fluorobiphenyl (surr)	48 - 103
OTERPH	o-Terphenyl (surr)	44 - 128

Method.....: TPH - Diesel Range Organics (DRO) Test Matrix...: 3541 Solid Prep Batch..: 100847
Method Code...: 8015D Batch(s).....: 101047

Lab ID	DT	Sample ID	Date	2FLUBP	OTERPH
LCD	RE		11/06/2003	111*	107
LCS	RE		11/06/2003	105*	102
MB	RE		11/06/2003	109*	106
221687- 1	RE	RD-SB-SMW2(9-11)-01	11/06/2003	104*	99

Test	Test Description	Limits
2FLUBP	2-Fluorobiphenyl (surr)	48 - 103
OTERPH	o-Terphenyl (surr)	44 - 128

STL Chicago is part of Severn Trent Laboratories, Inc.

SURROGATE RECOVERIES REPORT

Job Number.: 221687 Report Date.: 12/02/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Method.....: Volatile Organics Test Matrix...: Water Prep Batch..: 100388
Method Code...: 8260B Batch(s).....: 100389

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			11/01/2003	104	96	100	101
MB			11/01/2003	101	95	102	101
221687- 11		TRIP BLANK	11/01/2003	100	96	103	101

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	61 - 131
BRFLBE	4-Bromofluorobenzene (surr)	73 - 122
DBRFLM	Dibromofluoromethane (surr)	66 - 132
TOLD8	Toluene-d8 (surr)	78 - 128

Method.....: Volatile Organics Test Matrix...: Solid Prep Batch..: 100395
Method Code...: 8260B Batch(s).....: 100913

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
CS			10/31/2003	99	98	98	99
MB			10/31/2003	104	98	102	100

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	50 - 145
BRFLBE	4-Bromofluorobenzene (surr)	60 - 140
DBRFLM	Dibromofluoromethane (surr)	60 - 140
TOLD8	Toluene-d8 (surr)	66 - 141

Method.....: Volatile Organics Test Matrix...: High/Med Level Prep Batch..: 100571
Method Code...: 8260B Batch(s).....: 100573

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			11/03/2003	86	98	94	106
MB			11/03/2003	89	94	94	104

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	43 - 139
BRFLBE	4-Bromofluorobenzene (surr)	57 - 124
DBRFLM	Dibromofluoromethane (surr)	64 - 132
TOLD8	Toluene-d8 (surr)	70 - 128

Method.....: Volatile Organics Test Matrix...: High/Med Level Prep Batch..: 100578
Method Code...: 8260B Batch(s).....: 100573

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
221687- 9		RD-SB-SMW15(3-5)-01	11/03/2003	85	97	91	106

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	43 - 139
BRFLBE	4-Bromofluorobenzene (surr)	57 - 124

STL Chicago is part of Severn Trent Laboratories, Inc.

SURROGATE RECOVERIES REPORT

Job Number.: 221687 Report Date.: 12/02/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: High/Med Level
Batch(s).....: 100573
Prep Batch..: 100578

Test	Test Description	Limits
DBRFLM	Dibromofluoromethane (surr)	64 - 132
TOLD8	Toluene-d8 (surr)	70 - 128

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: Solid
Batch(s).....: 100913
Prep Batch..: 100915

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
221687- 1		RD-SB-SMW2(9-11)-01	10/31/2003	98	86	91	89
221687- 2		RD-SB-SMW2(27-29)-01	10/31/2003	98	88	91	90
221687- 3		RD-SB-SMW1(10-12)-01	10/31/2003	99	86	90	90
221687- 4		RD-SB-SMW1(28-30)-01	10/31/2003	97	85	91	88
221687- 5		RD-SB-SMW4(5-7)-01	10/31/2003	105	89	96	91
221687- 6		RD-SB-SMW4(27-29)-01	10/31/2003	111	90	100	95
221687- 7		RD-SB-SMW5(5-7)-01	10/31/2003	98	81	93	89
221687- 8		RD-SB-SMW5(27-29)-01	10/31/2003	100	86	92	89
221687- 9		RD-SB-SMW15(3-5)-01	10/31/2003	107	86	97	94
221687- 10		RD-SB-SMW15(29-31)-01	10/31/2003	99	86	90	88

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	50 - 145
BRFLBE	4-Bromofluorobenzene (surr)	60 - 140
DBRFLM	Dibromofluoromethane (surr)	60 - 140
TOLD8	Toluene-d8 (surr)	66 - 141

QUALITY CONTROL RESULTS

Job Number.: 221687

Report Date.: 12/02/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)

Equipment Code....: INST09
Batch.....: 101047

Analyst...: pjg

LCD	Laboratory Control Sample Duplicate	003JWLJP4A	100847-003		11/06/2003	2015

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
TPH - Jet Fuel (JP4), 3541 Solid	mg/Kg	32.518	35.580	66.670	4.199 U	49	%	50-150	*
						9	R	30	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221687

Report Date.: 12/02/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)

Equipment Code....: INST09
Batch.....: 101047

Analyst...: pjg

LCS	Laboratory Control Sample	D03JWLJP4A	100847-002		11/06/2003	1929

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
TPH - Jet Fuel (JP4), 3541 Solid	mg/Kg	35.580		66.670	4.199 U	53	%	50-150	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221687

Report Date.: 12/02/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)

Equipment Code....: INST09
Batch.....: 101047

Analyst...: pjg

MB	Method Blank		100847-001		11/06/2003	1843

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
TPH - Jet Fuel (JP4), 3541 Solid	mg/Kg	4.199	U						

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221687

Report Date.: 12/02/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
LCS	Laboratory Control Sample	003JWLJP4A	100271-002		11/05/2003	1856

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)

Equipment Code....: INST09
Batch.....: 101048

Analyst...: pjg

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits
TPH - Jet Fuel (JP4), 3541 Solid	mg/Kg	44.678		66.670	4.199 U	67	%	50-150

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221687

Report Date.: 12/02/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)

Equipment Code....: INST09
Batch.....: 101048

Analyst...: pjg

MB	Method Blank		100271-001		11/05/2003	1810

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	
TPH - Jet Fuel (JP4), 3541 Solid	mg/Kg	4.199	U						

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221687

Report Date.: 12/02/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)

Equipment Code....: INST09
Batch.....: 101048

Analyst...: pjg

MS	Matrix Spike	003JWLJP4A	221687-1		11/05/2003	2028

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits
TPH - Jet Fuel (JP4), 3541 Solid	mg/Kg	34.771		68.240	4.298 U	51	%	50-150

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221687

Report Date.: 12/02/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)

Equipment Code....: INST09
Batch.....: 101048

Analyst...: pjg

MSD	Matrix Spike Duplicate	003JWLJP4A	221687-1		11/05/2003	2115

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits
TPH - Jet Fuel (JP4), 3541 Solid	mg/Kg	28.798	34.771	68.050	4.286 U	42	%	50-150
						19	R	30

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221687 Report Date.: 12/02/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B Equipment Code....: GCL9 Analyst...: lm
Method Description.: Volatile Organics Batch.....: 100389

LCS	Laboratory Control Sample	V03K01DSE	100388-023		11/01/2003	1122

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane	mg/L	0.005387		0.010000	0.001000 U	54	%	56-129	*
Vinyl chloride	mg/L	0.008111		0.010000	0.001000 U	81	%	67-137	
Bromomethane	mg/L	0.004768		0.010000	0.001000 U	48	%	51-152	*
Chloroethane	mg/L	0.008672		0.010000	0.001000 U	87	%	68-135	
1,1-Dichloroethene	mg/L	0.008516		0.010000	0.001000 U	85	%	54-127	
Carbon disulfide	mg/L	0.006857		0.010000	0.005000 U	69	%	29-136	
Acetone	mg/L	0.007500		0.010000	0.005000 U	75	%	43-150	
Methylene chloride	mg/L	0.008626		0.010000	0.001000 U	86	%	52-133	
1,1-Dichloroethane	mg/L	0.009644		0.010000	0.001000 U	96	%	69-127	
2-Butanone (MEK)	mg/L	0.010798		0.010000	0.005000 U	108	%	54-145	
Chloroform	mg/L	0.009826		0.010000	0.001000 U	98	%	74-128	
1,1,1-Trichloroethane	mg/L	0.009863		0.010000	0.001000 U	99	%	66-129	
Carbon tetrachloride	mg/L	0.009973		0.010000	0.001000 U	100	%	66-136	
,2-Dichloroethene (total)	mg/L	0.018852		0.020000	0.001000 U	94	%	72-121	
Benzene	mg/L	0.009463		0.010000	0.001000 U	95	%	74-116	
1,2-Dichloroethane	mg/L	0.009691		0.010000	0.001000 U	97	%	63-133	
Trichloroethene	mg/L	0.009800		0.010000	0.001000 U	98	%	70-120	
1,2-Dichloropropane	mg/L	0.009668		0.010000	0.001000 U	97	%	71-132	
Bromodichloromethane	mg/L	0.010366		0.010000	0.001000 U	104	%	76-129	
cis-1,3-Dichloropropene	mg/L	0.009964		0.010400	0.001000 U	96	%	75-123	
4-Methyl-2-pentanone (MIBK)	mg/L	0.010212		0.010000	0.005000 U	102	%	66-147	
Toluene	mg/L	0.009680		0.010000	0.001000 U	97	%	71-122	
trans-1,3-Dichloropropene	mg/L	0.009454		0.009600	0.001000 U	98	%	76-126	
1,1,2-Trichloroethane	mg/L	0.009682		0.010000	0.001000 U	97	%	69-138	
Tetrachloroethene	mg/L	0.009682		0.010000	0.001000 U	97	%	69-128	
2-Hexanone	mg/L	0.009913		0.010000	0.005000 U	99	%	70-144	
Dibromochloromethane	mg/L	0.009673		0.010000	0.001000 U	97	%	74-137	
Chlorobenzene	mg/L	0.009463		0.010000	0.001000 U	95	%	76-124	
Ethylbenzene	mg/L	0.010059		0.010000	0.001000 U	101	%	74-121	
Styrene	mg/L	0.010254		0.010000	0.001000 U	103	%	80-125	
Bromoform	mg/L	0.008790		0.010000	0.001000 U	88	%	73-139	
1,1,2,2-Tetrachloroethane	mg/L	0.009758		0.010000	0.001000 U	98	%	72-127	
Xylenes (total)	mg/L	0.032973		0.030000	0.001000 U	110	%	76-138	

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221687

Report Date.: 12/02/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MB	Method Blank		100388-022		11/01/2003	1053

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL9
Batch.....: 100389

Analyst...: lm

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits
Chloromethane	mg/L	0.001000 U						
Vinyl chloride	mg/L	0.001000 U						
Bromomethane	mg/L	0.001000 U						
Chloroethane	mg/L	0.001000 U						
1,1-Dichloroethene	mg/L	0.001000 U						
Carbon disulfide	mg/L	0.005000 U						
Acetone	mg/L	0.005000 U						
Methylene chloride	mg/L	0.001000 U						
1,1-Dichloroethane	mg/L	0.001000 U						
2-Butanone (MEK)	mg/L	0.005000 U						
Chloroform	mg/L	0.001000 U						
1,1,1-Trichloroethane	mg/L	0.001000 U						
Carbon tetrachloride	mg/L	0.001000 U						
1,2-Dichloroethene (total)	mg/L	0.001000 U						
Benzene	mg/L	0.001000 U						
1,2-Dichloroethane	mg/L	0.001000 U						
Trichloroethene	mg/L	0.001000 U						
1,2-Dichloropropane	mg/L	0.001000 U						
Bromodichloromethane	mg/L	0.001000 U						
cis-1,3-Dichloropropene	mg/L	0.001000 U						
4-Methyl-2-pentanone (MIBK)	mg/L	0.005000 U						
Toluene	mg/L	0.001000 U						
trans-1,3-Dichloropropene	mg/L	0.001000 U						
1,1,2-Trichloroethane	mg/L	0.001000 U						
Tetrachloroethene	mg/L	0.001000 U						
2-Hexanone	mg/L	0.005000 U						
Dibromochloromethane	mg/L	0.001000 U						
Chlorobenzene	mg/L	0.001000 U						
Ethylbenzene	mg/L	0.001000 U						
Styrene	mg/L	0.001000 U						
Bromoform	mg/L	0.001000 U						
1,1,2,2-Tetrachloroethane	mg/L	0.001000 U						
Xylenes (total)	mg/L	0.001000 U						

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221687

Report Date.: 12/02/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL16
Batch.....: 100573

Analyst...: jdn

LCS	Laboratory Control Sample	V03K03DSB	100571-003		11/03/2003	1136

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Tetrachloroethene, High/Med Level	ug/Kg	2550.895		2500.000	100.000 U	102	%	75-125	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221687

Report Date.: 12/02/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL16
Batch.....: 100573

Analyst...: jdn

MB	Method Blank		100571-002		11/03/2003	1114

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Tetrachloroethene, High/Med Level	ug/Kg	100.000 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221687

Report Date.: 12/02/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
LCS	Laboratory Control Sample	V03J31DSC	100395-021		10/31/2003	1643

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL6
Batch.....: 100913

Analyst...: jso

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value		QC Calc.	*	Limits
Chloromethane, Solid	mg/Kg	0.036		0.050	0.005	U	71	%	45-141
Vinyl chloride, Solid	mg/Kg	0.036		0.050	0.005	U	72	%	58-140
Bromomethane, Solid	mg/Kg	0.045		0.050	0.005	U	89	%	48-127
Chloroethane, Solid	mg/Kg	0.040		0.050	0.005	U	81	%	59-163
1,1-Dichloroethene, Solid	mg/Kg	0.045		0.050	0.005	U	91	%	51-132
Carbon disulfide, Solid	mg/Kg	0.039		0.050	0.005	U	77	%	23-138
Acetone, Solid	mg/Kg	0.041		0.050	0.008		83	%	46-167
Methylene chloride, Solid	mg/Kg	0.047		0.050	0.005	U	95	%	58-143
1,1-Dichloroethane, Solid	mg/Kg	0.046		0.050	0.005	U	92	%	63-133
2-Butanone (MEK), Solid	mg/Kg	0.050		0.050	0.005	U	100	%	50-150
Chloroform, Solid	mg/Kg	0.047		0.050	0.005	U	94	%	73-135
1,1,1-Trichloroethane, Solid	mg/Kg	0.047		0.050	0.005	U	94	%	63-133
Carbon tetrachloride, Solid	mg/Kg	0.048		0.050	0.005	U	95	%	67-127
1,2-Dichloroethene (total), Solid	mg/Kg	0.092		0.100	0.005	U	92	%	63-144
Benzene, Solid	mg/Kg	0.047		0.050	0.005	U	94	%	72-128
1,2-Dichloroethane, Solid	mg/Kg	0.047		0.050	0.005	U	93	%	69-125
Trichloroethene, Solid	mg/Kg	0.047		0.050	0.005	U	94	%	75-129
1,2-Dichloropropane, Solid	mg/Kg	0.048		0.050	0.005	U	95	%	76-132
Bromodichloromethane, Solid	mg/Kg	0.051		0.050	0.005	U	102	%	74-128
cis-1,3-Dichloropropene, Solid	mg/Kg	0.052		0.052	0.005	U	100	%	80-124
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.050		0.050	0.005	U	100	%	68-134
Toluene, Solid	mg/Kg	0.046		0.050	0.005	U	93	%	75-125
trans-1,3-Dichloropropene, Solid	mg/Kg	0.049		0.048	0.005	U	102	%	75-134
1,1,2-Trichloroethane, Solid	mg/Kg	0.049		0.050	0.005	U	98	%	71-143
Tetrachloroethene, Solid	mg/Kg	0.049		0.050	0.005	U	98	%	75-129
2-Hexanone, Solid	mg/Kg	0.051		0.050	0.005	U	103	%	69-140
Dibromochloromethane, Solid	mg/Kg	0.054		0.050	0.005	U	107	%	77-127
Chlorobenzene, Solid	mg/Kg	0.047		0.050	0.005	U	94	%	83-125
Ethylbenzene, Solid	mg/Kg	0.048		0.050	0.005	U	95	%	79-123
Styrene, Solid	mg/Kg	0.050		0.050	0.005	U	99	%	85-126
Bromoform, Solid	mg/Kg	0.053		0.050	0.005	U	106	%	78-132
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.052		0.050	0.005	U	103	%	68-139
Xylenes (total), Solid	mg/Kg	0.142		0.150	0.005	U	95	%	82-125

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221687

Report Date.: 12/02/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MB	Method Blank		100395-020		10/31/2003	1550

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL6
Batch.....: 100913

Analyst...: jso

Parameter/Test Description	Units	QC Result		QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, Solid	mg/Kg	0.005	U							
Vinyl chloride, Solid	mg/Kg	0.005	U							
Bromomethane, Solid	mg/Kg	0.005	U							
Chloroethane, Solid	mg/Kg	0.005	U							
1,1-Dichloroethene, Solid	mg/Kg	0.005	U							
Carbon disulfide, Solid	mg/Kg	0.005	U							
Acetone, Solid	mg/Kg	0.008								B
Methylene chloride, Solid	mg/Kg	0.005	U							
1,1-Dichloroethane, Solid	mg/Kg	0.005	U							
2-Butanone (MEK), Solid	mg/Kg	0.005	U							
Chloroform, Solid	mg/Kg	0.005	U							
1,1,1-Trichloroethane, Solid	mg/Kg	0.005	U							
Carbon tetrachloride, Solid	mg/Kg	0.005	U							
,2-Dichloroethene (total), Solid	mg/Kg	0.005	U							
Benzene, Solid	mg/Kg	0.005	U							
1,2-Dichloroethane, Solid	mg/Kg	0.005	U							
Trichloroethene, Solid	mg/Kg	0.005	U							
1,2-Dichloropropane, Solid	mg/Kg	0.005	U							
Bromodichloromethane, Solid	mg/Kg	0.005	U							
cis-1,3-Dichloropropene, Solid	mg/Kg	0.005	U							
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.005	U							
Toluene, Solid	mg/Kg	0.005	U							
trans-1,3-Dichloropropene, Solid	mg/Kg	0.005	U							
1,1,2-Trichloroethane, Solid	mg/Kg	0.005	U							
Tetrachloroethene, Solid	mg/Kg	0.005	U							
2-Hexanone, Solid	mg/Kg	0.005	U							
Dibromochloromethane, Solid	mg/Kg	0.005	U							
Chlorobenzene, Solid	mg/Kg	0.005	U							
Ethylbenzene, Solid	mg/Kg	0.005	U							
Styrene, Solid	mg/Kg	0.005	U							
Bromoform, Solid	mg/Kg	0.005	U							
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.005	U							
Xylenes (total), Solid	mg/Kg	0.005	U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221687

Report Date.: 12/02/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Test Method.....: Method
Method Description.: % Solids Determination
Parameter.....: % Solids

Batch.....: 99923
Equipment Code....:

Analyst...: pfk
Test Code.: %SOLID

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	99923-001		%	0.1000 U								10/28/2003	1710
MD	221687-3		%	97.30000			97.20000	0.1		R	5.0	10/28/2003	1710

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

REPORT COMMENTS

1) All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.
2) Soil, sediment and sludge sample results are reported on a "dry weight" basis except when analyzed for landfill disposal or incineration parameters. All other solid matrix samples are reported on an "as received" basis unless noted differently.
3) Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.
4) The test results for the noted analytical method(s) meet the requirements of NELAC. Lab Cert. ID# 100201
5) According to 40CFR Part 136.3, pH, Chlorine Residual and Dissolved Oxygen analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH Field) they were not analyzed immediately, but as soon as possible on laboratory receipt.

Glossary of flags, qualifiers and abbreviations (any number of which may appear in the report)

Inorganic Qualifiers (Q-Column)

U Analyte was not detected at or above the stated limit.
< Not detected at or above the reporting limit.
J Result is less than the RL, but greater than or equal to the method detection limit.
B Result is less than the CRDL/RL, but greater than or equal to the IDL/MDL.
S Result was determined by the Method of Standard Additions.
F AFCEE: Result is less than the RL, but greater than or equal to the method detection limit.

Inorganic Flags (Flag Column)

^ ICV,CCV,ICB,CCB,ISA,ISB,CRI,CRA,MRL: Instrument related QC exceed the upper or lower control limits.
* LCS, LCD, MD: Batch QC exceeds the upper or lower control limits.
+ MSA correlation coefficient is less than 0.995.
4 MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
E SD: Serial dilution exceeds the control limits.
H MB, EB1, EB2, EB3: Batch QC is greater than reporting limit or had a negative instrument reading lower than the absolute value of the reporting limit.
N MS, MSD: Spike recovery exceeds the upper or lower control limits.
W AS(GFAA) Post-digestion spike was outside 85-115% control limits.

Organic Qualifiers (Q - Column)

U Analyte was not detected at or above the stated limit.
ND Compound not detected.
J Result is an estimated value below the reporting limit or a tentatively identified compound (TIC).
Q Result was qualitatively confirmed, but not quantified.
C Pesticide identification was confirmed by GC/MS.
Y The chromatographic response resembles a typical fuel pattern.
Z The chromatographic response does not resemble a typical fuel pattern.
E Result exceeded calibration range, secondary dilution required.
F AFCEE:Result is an estimated value below the reporting limit or a tentatively identified compound (TIC)

Organic Flags (Flags Column)

B MB: Batch QC is greater than reporting limit.
* LCS, LCD, ELC, ELD, CV, MS, MSD, Surrogate: Batch QC exceeds the upper or lower control limits.
^ EB1, EB2, EB3, MLE: Batch QC is greater than reporting Limit
A Concentration exceeds the instrument calibration range
a Concentration is below the method Reporting Limit (RL)
B Compound was found in the blank and sample.
D Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution will be flagged with a D.
H Alternate peak selection upon analytical review
I Indicates the presence of an interfence, recovery is not calculated.
M Manually integrated compound.
P The lower of the two values is reported when the % difference between the results of two GC columns is

greater than 25%.

Abbreviations

AS	Post Digestion Spike (GFAA Samples - See Note 1 below)
Batch	Designation given to identify a specific extraction, digestion, preparation set, or analysis set
CAP	Capillary Column CCB Continuing Calibration Blank
CCV	Continuing Calibration Verification
CF	Confirmation analysis of original
C1	Confirmation analysis of A1 or D1
C2	Confirmation analysis of A2 or D2
C3	Confirmation analysis of A3 or D3
CRA	Low Level Standard Check - GFAA; Mercury
CRI	Low Level Standard Check - ICP
CV	Calilbration Verification Standard
Dil Fac	Dilution Factor - Secondary dilution analysis
D1	Dilution 1
D2	Dilution 2
D3	Dilution 3
DLFac	Detection Limit Factor
DSH	Distilled Standard - High Level
DSL	Distilled Standard - Low Level
DSM	Distilled Standard - Medium Level
EB1	Extraction Blank 1
EB2	Extraction Blank 2
EB3	DI Blank
ELC	Method Extracted LCS
ELD	Method Extracted LCD
ICAL	Initial calibration
ICB	Initial Calibration Blank
ICV	Initial Calibration Verification
IDL	Instrument Detection Limit
ISA	Interference Check Sample A - ICAP
ISB	Interference Check Sample B - ICAP
Job No.	The first six digits of the sample ID which refers to a specific client, project and sample group
	Lab ID An 8 number unique laboratory identification
LCD	Laboratory Control Standard Duplicate
LCS	Laboratory Control Standard with reagent grade water or a matrix free from the analyte of interest
MB	Method Blank or (PB) Preparation Blank
MD	Method Duplicate
MDL	Method Detection Limit
MLE	Medium Level Extraction Blank
MRL	Method Reporting Limit Standard
MSA	Method of Standard Additions
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ND	Not Detected
PREPF	Preparation factor used by the Laboratory's Information Management System (LIMS)
PDS	Post Digestion Spike (ICAP)
RA	Re-analysis of original
A1	Re-analysis of D1
A2	Re-analysis of D2
A3	Re-analysis of D3
RD	Re-extraction of dilution
RE	Re-extraction of original
RC	Re-extraction Confirmation
RL	Reporting Limit
RPD	Relative Percent Difference of duplicate (unrounded) analyses
RRF	Relative Response Factor
RT	Retention Time

RTW	Retention Time Window Sample ID A 9 digit number unique for each sample, the first six digits are referred as the job number
SCB	Seeded Control Blank
SD	Serial Dilution (Calculated when sample concentration exceeds 50 times the MDL)
UCB	Unseeded Control Blank
SSV	Second Source Verification Standard
SLCS	Solid Laboratory Control Standard(LCS)
PHC	pH Calibration Check LCSP pH Laboratory Control Sample
LCDP	pH Laboratory Control Sample Duplicate
MDPH	pH Sample Duplicate
MDFP	Flashpoint Sample Duplicate
LCFP	Flashpoint LCS
G1	Gelex Check Standard Range 0-1
G2	Gelex Check Standard Range 1-10
G3	Gelex Check Standard Range 10-100
G4	Gelex Check Standard Range 100-1000

Note 1: The Post Spike Designation on Batch QC for GFAA is designated with an "S" added to the current abbreviation used. EX. LCS S=LCS Post Spike (GFAA); MSS=MS Post Spike (GFAA)

Note 2: The MD calculates an absolute difference (A) when the sample concentration is less than 5 times the reporting limit. The control limit is represented as +/- the RL.

SEVERN TRENT **STL**

STL Chicago
2417 Bond Street
University Park, IL 60466
Phone: 708-534-5200
Fax: 708-534-5211

Report To:
Contact: Dave Curnock
Company: SECOR International
Address: 446 Eisenhower Lane North, Lombard, IL 60148
Phone: 630.792.1680
Fax: 630.792.1691
E-Mail: dcurnock@secor.com

Bill To:
Contact: Dave Curnock
Company: SECOR International
Address: 446 Eisenhower Lane North, Lombard, IL. 60148
Phone: 630.792.1680
Fax: 630.792.1691
PO#: 013-01410 Quote:

Shaded Areas For Internal Use ___ of ___

Lab Lot# 221687

Package Sealed	Samples Sealed
Yes (No)	Yes (No)
Received on Ice	**Samples Intact**
(Yes) No	(Yes) No

Temperature °C of Cooler 4.6

Within Hold Time	Preserv. Indicated
(Yes) No	(Yes) No NA
pH Check OK	**Res Cl_2 Check OK**
Yes No (NA)	Yes No (NA)

Sample Labels and COC Agree: (Yes) No COC not present

Sampler Name: Kelli McDonald
Signature: Kelli McDonald
Project Name: Southeast Rockford
Project Number: 13UN.02072.02.0001
Project Location: SER Area 9/10
Date Required Hard Copy: __/__/__ Fax: __/__/__
Lab PM: Richard Wright

Refrg # / # / Cont. / Volume / Preserv

Laboratory ID	MS-MSD	Client Sample ID	Sampling Date	Sampling Time	Matrix	Comp/Grab	VOC Method 5035/8260B	DRO Method 8015B	Additional Analyses / Remarks
1		RD-SB-SMW2(9-11)-01	10/21/03	0900	S	G	X	X	Standard Turnaround
2		RD-SB-SMW2(27-29)-01	10/21/03	1015	S	G	X	X	Time
3		RD-SB-SMW1(10-12)-01	10/22/03	0920	S	G	X	X	
4		RD-SB-SMW1(28-30)-01	10/22/03	1050	S	G	X	X	
5		RD-SB-SMW4(5-7)-01	10/23/03	0830	S	G	X	X	
6		RD-SB-SMW4(27-29)-01	10/23/03	0915	S	G	X	X	
7		RD-SB-SMW5(5-7)-01	10/23/03	1245	S	G	X	X	
8		RD-SB-SMW5(27-29)-01	10/23/03	1330	S	G	X	X	
9		RD-SB-SMW15(3-5)-01	10/24/03	0920	S	G	X	X	
10		RD-SB-SMW15(29-31)-01	10/24/03	1010	S	G	X	X	
11		TRIP BLANK					X		

RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
Kelli A. McDonald	SECOR	10/24/03		[illegible]	STL	10/24/03	1515
RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME

Matrix Key
WW = Wastewater
W = Water
S = Soil
SL = Sludge
MS = Miscellaneous
OL = Oil
A = Air
SE = Sediment
SO = Solid
DS = Drum Solid
DL = Drum Liquid
L = Leachate
WI = Wipe
O = ____

Container Key
1. Plastic
2. VOA Vial
3. Sterile Plastic
4. Amber Glass
5. Widemouth Glass
6. Other ____

Preservative Key
1. HCl, Cool to 4°
2. H2SO4, Cool to 4°
3. HNO3, Cool to 4°
4. NaOH, Cool to 4°
5. NaOH/Zn, Cool to 4°
6. Cool to 4°
7. None

COMMENTS
Cooler Custody Seal No.: 492709

Date Received 10, 24, 03
Courier: STL **Hand Delivered** [X]
Bill of Lading

SEVERN TRENT STL

STL Chicago
2417 Bond Street
University Park, IL 60466

Tel: 708 534 5200 Fax: 708 534 5211
www.stl-inc.com

SEVERN TRENT LABORATORIES ANALYTICAL REPORT

JOB NUMBER: 221823

Prepared For:

SECOR
446 Eisenhower Lane North
Lombard, IL 60148

Project: SE Rockford Area 9/10

Attention: Dave Curnock

Date: 11/21/2003

Signature

Name: Richard C. Wright

Title: Project Manager

E-Mail: rwright@stl-inc.com

11/21/03
Date

STL Chicago
2417 Bond Street
University Park, IL 60466

PHONE: (708) 534-5200
FAX..: (708) 534-5211

This Report Contains (94) Pages

Leaders in Environmental Testing

Severn Trent Laboratories - Chicago
METALS CASE NARRATIVE

Client: SECOR
Project ID: SE Rockford
STL#: 221823

Date Rec'd: 10/29/03

1. This narrative covers the metals analysis of TCLP Leachates in Job 221823.

   Method Refs: USEPA, SW-846

2. All analyses were performed within the required holding times.

3. All Initial and Continuing Calibration Verification (ICV/CCV's) were within control limits.

4. All Initial and Continuing Calibration Blanks (ICB/CCB's) were within control limits.

5. All Preparation/Method Blanks were below RL.

6. All ICP Interference Check Samples (ICSA and ICSAB) were within control limits.

7. Laboratory Control Sample (LCS) recoveries were within the 80-120% control limits.

8. Matrix QC was performed on Sample 4.

   Serial Dilution analysis was within control limits except for Cd.

   Matrix Spike recoveries were greater than 50%.

   Duplicate results were within the 20% RPD control limits.

Jodi L. Wojcik
Metals Unit Leader

11-21-03
Date

Severn Trent Laboratories Chicago
GC/MS Case Narrative

Secor
SE Rockford
Job Number: 221823
VOA DATA

1. The samples were properly prepared and analyses within the recommended hold time from the date of collection.

2. All Method Blanks had all target compounds below reporting limits.

3. The LCS (Laboratory Control Samples) had all five-controlled spike recoveries within the in-house generated QC limits.

4. Matrix Spike/Matrix Spike Duplicate analyses were performed on sample 4. In the QC analyses of sample 4(MS, MSD), three and five controlled compound recoveries were outside limits, respectively. The LCS (Laboratory Control Samples) had all five-controlled spike recoveries within the in-house generated QC limits.

5. The volatile samples had all surrogate recoveries within the in-house generated QC limits.

6. The water samples were prepared using Method 5030. The soil samples were prepared using Method 5035 low and high level. All samples were analyzed following SW846 Method 8260B and 8000B. All calibration criteria are met per method or SOP (for minimum R values for certain compounds). The low point in the initial calibration verifies the base reporting limits. The target compounds were quantitated using the initial calibration.

7. Sample 4 had two internal standard areas outside of the 50 % acceptance limits. Sample 4 was reanalyzed at a dilution with all internal standard areas within QC limits. All other samples had internal standard areas and retention times within the SOP acceptance limits as compared to the corresponding calibration verification standard.

8. Due to sample matrix, samples 1, 2, 3, 5, and 10 required an initial dilution using the high-level methanol procedure. All other soil samples were analyzed without dilution using the low-level soil method. Secondary dilutions using the high-level methanol method were required on samples 4 and 11 to accurately quantitate target compounds. The soil results and reporting limits were adjusted for sample weights and the analytical procedure on a dry weight basis.

John Nagel
GC/MS Dept.

11-19-03
Date

STL Chicago
JP-4 Case Narrative

Secor
SE Rockford Area 9/10
Job #: 221823-1 through 8 and 10 through 16
JP-4

1. These samples were extracted based on SW846 method 3541. The extracts were analyzed for JP-4 Range Organics based on a modified SW846 method 8015B. An HP5890 gas chromatograph equipped with a flame ionization detector and a Xti-5 column was used for the analysis.

2. All required hold times were met for the extraction and analysis.

3. The method blank was below the reporting limit for JP-4.

4. Statistical limits for surrogate recoveries derived from DRO analyses were applied to the JP-4 analysis and are advisory until enough data points can be collected for statistical control limits.

5. The surrogate compounds used for this analysis were 2-Fluorobiphenyl and o-Terphenyl. All surrogate recoveries were within statistical control limits for o-Terphenyl except those samples that were interfered with and flagged "I" (interference from hydrocarbon present but not JP4). Numerous 2-Fluorobiphenyl recoveries were above statistical control limits: 100541-1MB, 100541-2LCS, 221823-1, -2, -3, -4, -4MS, -4MSD, -5, -6, -7, -8, -14, and -15. Upper limit for 2-Fluorobiphenyl was 103%. All samples were non-detects for JP4.

6. The blank spike recovery for JP4 was within statistical control limits. A solution of JP-4 was used for spiking.

7. A matrix spike and a matrix spike duplicate were performed on sample 221823-4 [RD-SB-S5(8-10)-01]. The matrix spike duplicate was within non-statistical control limits of 50%-150%. The matrix spike duplicate recovery was 156%. The RPD was <30%. This could be attributed to sample matrix, which had a hydrocarbon present that was not JP4.

8. The initial calibration for this analysis consisted of a six-point curve of JP-4. The average calibration factor from the JP-4 curve was used to quantify the JP-4 results. An alkane standard ranging from C8 through C36 was used for qualitative purposes to determine the retention time range to be used for the JP-4. The total peak area from C8-C12 was used to quantify JP-4 results.

9. All initial and continuing standard calibrations associated with these samples were in control.

10. JP4 was not detected in these samples.

Patti Gibson
Organics Section Manager

11/10/03
Date

STL Chicago is part of Severn Trent Laboratories, Inc.

SAMPLE INFORMATION
Date: 11/21/2003

Job Number.: 221823
Customer...: SECOR
Attn.....: Dave Curnock

Project Number.....: 20003080
Customer Project ID....: SE ROCKFORD
Project Description....: SE Rockford Area 9/10

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
221823-1	RD-SB-S5(2-4)-01	Soil	10/29/2003	11:00	10/29/2003	17:00
221823-2	RD-SB-S5(4-6)-01	Soil	10/29/2003	11:05	10/29/2003	17:00
221823-3	RD-SB-S5(6-8)-01	Soil	10/29/2003	11:10	10/29/2003	17:00
221823-4	RD-SB-S5(8-10)-01	Soil	10/29/2003	11:15	10/29/2003	17:00
221823-5	RD-SB-S5(10-12)-01	Soil	10/29/2003	11:15	10/29/2003	17:00
221823-6	RD-SB-S5(12-14)-01	Soil	10/29/2003	11:20	10/29/2003	17:00
221823-7	RD-SB-S5(14-16)-01	Soil	10/29/2003	11:25	10/29/2003	17:00
221823-8	RD-SB-S5(16-18)-01	Soil	10/29/2003	11:30	10/29/2003	17:00
221823-9	TRIP BLANK	Water	10/29/2003	11:00	10/29/2003	17:00
221823-10	RD-SB-S5(18-20)-01	Soil	10/29/2003	11:40	10/29/2003	17:00
221823-11	RD-SB-S5(20-22)-01	Soil	10/29/2003	11:45	10/29/2003	17:00
221823-12	RD-SB-S5(22-24)-01	Soil	10/29/2003	11:50	10/29/2003	17:00
221823-13	RD-SB-S5(24-26)-01	Soil	10/29/2003	11:55	10/29/2003	17:00
221823-14	RD-SB-S5(26-28)-01	Soil	10/29/2003	12:00	10/29/2003	17:00
221823-15	RD-SB-S5(28-30)-01	Soil	10/29/2003	12:05	10/29/2003	17:00
221823-16	RD-SB-S5(30-32)-01	Soil	10/29/2003	12:10	10/29/2003	17:00
221823-17	TRIP BLANK	Soil	10/29/2003	11:40	10/29/2003	17:00

:TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(2-4)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:00
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-1
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	5.1	U		5.1	5.1	1.00000	mg/Kg	101054		11/06/03 1451	pjg
8260B	Volatile Organics											
	Chloromethane, High/Med Level*	0.090	U		0.021	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	Bromomethane, High/Med Level*	0.090	U		0.0095	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	1,1-Dichloroethene, High/Med Level*	0.090	U		0.013	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	Chloroethane, High/Med Level*	0.090	U		0.018	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	Carbon disulfide, High/Med Level*	0.090	U		0.018	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	Acetone, High/Med Level*	0.090	U		0.026	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	1,1-Dichloroethane, High/Med Level*	0.090	U		0.012	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	2-Butanone (MEK), High/Med Level*	0.090	U		0.046	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	1,2-Dichloroethane, High/Med Level*	0.090	U		0.019	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	Chloroform, High/Med Level*	0.090	U		0.016	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	Carbon tetrachloride, High/Med Level*	0.090	U		0.015	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	Benzene, High/Med Level*	0.023	U		0.013	0.023	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	1,2-Dichloropropane, High/Med Level*	0.090	U		0.016	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	Bromodichloromethane, High/Med Level*	0.090	U		0.017	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	cis-1,3-Dichloropropene, High/Med Level*	0.090	U		0.020	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	1,2-Dichloroethene (total), High/Med Leve*	0.090	U		0.026	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	4-Methyl-2-pentanone (MIBK), High/Med Lev*l	0.090	U		0.034	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	Toluene, High/Med Level*	0.023	U		0.016	0.023	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	trans-1,3-Dichloropropene, High/Med Level*	0.090	U		0.018	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	2-Hexanone, High/Med Level*	0.090	U		0.047	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	Dibromochloromethane, High/Med Level*	0.090	U		0.017	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	Chlorobenzene, High/Med Level*	0.090	U		0.020	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	Styrene, High/Med Level*	0.090	U		0.026	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	Bromoform, High/Med Level*	0.090	U		0.016	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	1,1,2,2-Tetrachloroethane, High/Med Level*	0.090	U		0.017	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(2-4)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:00
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-1
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Xylenes (total), High/Med Level*	0.068	U		0.045	0.068	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	Ethylbenzene, High/Med Level*	0.023	U		0.020	0.023	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	Methylene chloride, High/Med Level*	0.090	U		0.018	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	Tetrachloroethene, High/Med Level*	1.7			0.021	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	1,1,1-Trichloroethane, High/Med Level*	0.23			0.015	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	1,1,2-Trichloroethane, High/Med Level*	0.090	U		0.028	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	Trichloroethene, High/Med Level*	0.090	U		0.019	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
	Vinyl chloride, High/Med Level*	0.090	U		0.016	0.090	1.0000	mg/Kg	100573		11/03/03 1402	jdn
Method	% Solids Determination											
	% Solids, Solid	81.8			0.10	0.10	1	%	100277		10/31/03 0935	pfk
	% Moisture, Solid	18.2			0.10	0.10	1	%	100277		10/31/03 0935	pfk
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100793		11/05/03 1513	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0556	tds
	Barium, TCLP Leach	0.93	B		0.010	1.0	1	mg/L	102110		11/19/03 0556	tds
	Cadmium, TCLP Leach	3.9			0.002	0.005	1	mg/L	102110		11/19/03 0556	tds
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0556	tds
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	102110		11/19/03 0556	tds
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0556	tds
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102110		11/19/03 0556	tds

* In Description = Dry Wgt.

L Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(4-6)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:05
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-2
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.9	U		4.9	4.9	1.00000	mg/Kg	101054		11/06/03 1537	pjg
8260B	Volatile Organics											
	Chloromethane, High/Med Level*	0.085	U		0.020	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	Bromomethane, High/Med Level*	0.085	U		0.0089	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	1,1-Dichloroethene, High/Med Level*	0.085	U		0.012	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	Chloroethane, High/Med Level*	0.085	U		0.017	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	Carbon disulfide, High/Med Level*	0.085	U		0.017	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	Acetone, High/Med Level*	0.085	U		0.025	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	1,1-Dichloroethane, High/Med Level*	0.085	U		0.011	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	2-Butanone (MEK), High/Med Level*	0.085	U		0.043	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	1,2-Dichloroethane, High/Med Level*	0.085	U		0.018	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	Chloroform, High/Med Level*	0.085	U		0.015	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	Carbon tetrachloride, High/Med Level*	0.085	U		0.014	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	Benzene, High/Med Level*	0.021	U		0.012	0.021	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	1,2-Dichloropropane, High/Med Level*	0.085	U		0.015	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	Bromodichloromethane, High/Med Level*	0.085	U		0.016	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	cis-1,3-Dichloropropene, High/Med Level*	0.085	U		0.019	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	1,2-Dichloroethene (total), High/Med Leve*	0.097			0.025	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	4-Methyl-2-pentanone (MIBK), High/Med Lev*l	0.085	U		0.032	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	Toluene, High/Med Level*	0.021	U		0.015	0.021	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	trans-1,3-Dichloropropene, High/Med Level*	0.085	U		0.017	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	2-Hexanone, High/Med Level*	0.085	U		0.044	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	Dibromochloromethane, High/Med Level*	0.085	U		0.016	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	Chlorobenzene, High/Med Level*	0.085	U		0.019	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	Styrene, High/Med Level*	0.085	U		0.024	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	Bromoform, High/Med Level*	0.085	U		0.015	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	1,1,2,2-Tetrachloroethane, High/Med Level*	0.085	U		0.016	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(4-6)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:05
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-2
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Xylenes (total), High/Med Level*	0.064	U		0.042	0.064	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	Ethylbenzene, High/Med Level*	0.021	U		0.019	0.021	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	Methylene chloride, High/Med Level*	0.085	U		0.017	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	Tetrachloroethene, High/Med Level*	8.1			0.020	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	1,1,1-Trichloroethane, High/Med Level*	0.86			0.014	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	1,1,2-Trichloroethane, High/Med Level*	0.085	U		0.027	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	Trichloroethene, High/Med Level*	0.19			0.018	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
	Vinyl chloride, High/Med Level*	0.085	U		0.015	0.085	1.0000	mg/Kg	100573		11/03/03 1425	jdn
Method	% Solids Determination											
	% Solids, Solid	85.7			0.10	0.10	1	%	100277		10/31/03 0935	pfk
	% Moisture, Solid	14.3			0.10	0.10	1	%	100277		10/31/03 0935	pfk
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100793		11/05/03 1519	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0602	tds
	Barium, TCLP Leach	1.3			0.010	1.0	1	mg/L	102110		11/19/03 0602	tds
	Cadmium, TCLP Leach	0.003	B		0.002	0.005	1	mg/L	102110		11/19/03 0602	tds
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0602	tds
	Lead, TCLP Leach	0.022			0.0050	0.0075	1	mg/L	102110		11/19/03 0602	tds
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0602	tds
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102110		11/19/03 0602	tds

* In Description = Dry Wgt.

L Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(6-8)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:10
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-3
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.4	U		4.4	4.4	1.00000	mg/Kg	101054		11/06/03 1710	pjg
8260B	Volatile Organics											
	Chloromethane, High/Med Level*	0.077	U		0.018	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	Bromomethane, High/Med Level*	0.077	U		0.0080	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	1,1-Dichloroethene, High/Med Level*	0.077	U		0.011	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	Chloroethane, High/Med Level*	0.077	U		0.015	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	Carbon disulfide, High/Med Level*	0.077	U		0.016	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	Acetone, High/Med Level*	0.077	U		0.022	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	1,1-Dichloroethane, High/Med Level*	0.077	U		0.010	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	2-Butanone (MEK), High/Med Level*	0.077	U		0.039	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	1,2-Dichloroethane, High/Med Level*	0.077	U		0.016	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	Chloroform, High/Med Level*	0.077	U		0.014	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	Carbon tetrachloride, High/Med Level*	0.077	U		0.013	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	Benzene, High/Med Level*	0.019	U		0.011	0.019	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	1,2-Dichloropropane, High/Med Level*	0.077	U		0.013	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	Bromodichloromethane, High/Med Level*	0.077	U		0.015	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	cis-1,3-Dichloropropene, High/Med Level*	0.077	U		0.017	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	1,2-Dichloroethene (total), High/Med Leve*	0.077	U		0.022	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	4-Methyl-2-pentanone (MIBK), High/Med Lev*l	0.077	U		0.029	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	Toluene, High/Med Level*	0.019	U		0.014	0.019	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	trans-1,3-Dichloropropene, High/Med Level*	0.077	U		0.015	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	2-Hexanone, High/Med Level*	0.077	U		0.040	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	Dibromochloromethane, High/Med Level*	0.077	U		0.015	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	Chlorobenzene, High/Med Level*	0.077	U		0.017	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	Styrene, High/Med Level*	0.077	U		0.022	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	Bromoform, High/Med Level*	0.077	U		0.014	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	1,1,2,2-Tetrachloroethane, High/Med Level*	0.077	U		0.014	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(6-8)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:10
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-3
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Xylenes (total), High/Med Level*	0.057	U		0.038	0.057	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	Ethylbenzene, High/Med Level*	0.019	U		0.017	0.019	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	Methylene chloride, High/Med Level*	0.077	U		0.015	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	Tetrachloroethene, High/Med Level*	2.5			0.018	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	1,1,1-Trichloroethane, High/Med Level*	0.13			0.013	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	1,1,2-Trichloroethane, High/Med Level*	0.077	U		0.024	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	Trichloroethene, High/Med Level*	0.077	U		0.016	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
	Vinyl chloride, High/Med Level*	0.077	U		0.014	0.077	1.0000	mg/Kg	100573		11/03/03 1447	jdn
Method	% Solids Determination											
	% Solids, Solid	91.9			0.10	0.10	1	%	100277		10/31/03 0935	pfk
	% Moisture, Solid	8.1			0.10	0.10	1	%	100277		10/31/03 0935	pfk
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100793		11/05/03 1521	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0609	tds
	Barium, TCLP Leach	0.91	B		0.010	1.0	1	mg/L	102110		11/19/03 0609	tds
	Cadmium, TCLP Leach	0.007			0.002	0.005	1	mg/L	102110		11/19/03 0609	tds
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0609	tds
	Lead, TCLP Leach	0.012			0.0050	0.0075	1	mg/L	102110		11/19/03 0609	tds
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0609	tds
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102110		11/19/03 0609	tds

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(8-10)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:15
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-4
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.3	U		4.3	4.3	1.00000	mg/Kg	101054		11/07/03 1148	pjg
8260B	Volatile Organics											
	Tetrachloroethene, High/Med Level*	0.93			0.023	0.10	1.0000	mg/Kg	100721	D1	11/05/03 0856	jdn
Method	% Solids Determination											
	% Solids, Solid	95.0			0.10	0.10	1	%	100277		10/31/03 0935	pfk
	% Moisture, Solid	5.0			0.10	0.10	1	%	100277		10/31/03 0935	pfk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0050	U		0.00093	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	Bromomethane, Solid*	0.0050	U		0.0029	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	1,1-Dichloroethene, Solid*	0.0050	U		0.00099	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	Chloroethane, Solid*	0.0050	U		0.0016	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	Carbon disulfide, Solid*	0.0050	U		0.0020	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	Acetone, Solid*	0.0050	U		0.0041	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	1,1-Dichloroethane, Solid*	0.0050	U		0.00087	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	2-Butanone (MEK), Solid*	0.0050	U		0.0042	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	1,2-Dichloroethane, Solid*	0.0050	U		0.00058	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	Chloroform, Solid*	0.0050	U		0.00062	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	Carbon tetrachloride, Solid*	0.0050	U		0.00082	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	Benzene, Solid*	0.0050	U		0.00066	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	1,2-Dichloropropane, Solid*	0.0050	U		0.00095	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	Bromodichloromethane, Solid*	0.0050	U		0.00068	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	cis-1,3-Dichloropropene, Solid*	0.0050	U		0.00078	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	1,2-Dichloroethene (total), Solid*	0.0043	J	a	0.0019	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0050	U		0.0030	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	Toluene, Solid*	0.0050	U		0.00099	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date: 11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(8-10)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:15
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-4
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	trans-1,3-Dichloropropene, Solid*	0.0050	U		0.00083	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	2-Hexanone, Solid*	0.0050	U		0.0017	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	Dibromochloromethane, Solid*	0.0050	U		0.00069	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	Chlorobenzene, Solid*	0.0050	U		0.00090	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	Styrene, Solid*	0.0050	U		0.00099	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	Bromoform, Solid*	0.0050	U		0.00090	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0050	U		0.00064	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	Xylenes (total), Solid*	0.0050	U		0.0029	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	Ethylbenzene, Solid*	0.0050	U		0.0011	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	Methylene chloride, Solid*	0.013			0.0018	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	1,1,1-Trichloroethane, Solid*	0.018		H	0.00061	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	1,1,2-Trichloroethane, Solid*	0.0050	U		0.00071	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	Trichloroethene, Solid*	0.0057			0.00059	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
	Vinyl chloride, Solid*	0.0050	U		0.00073	0.0050	1.00000	mg/Kg	100782		11/04/03 1626	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100793		11/05/03 1523	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 1742	lmr
	Barium, TCLP Leach	0.68	B		0.010	1.0	1	mg/L	102288		11/20/03 1742	lmr
	Cadmium, TCLP Leach	0.12			0.002	0.005	1	mg/L	102288		11/20/03 1742	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 1742	lmr
	Lead, TCLP Leach	0.043			0.0050	0.0075	1	mg/L	102288		11/20/03 1742	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 1742	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102288		11/20/03 1742	lmr

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(10-12)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:15
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-5
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.3	U	a	4.3	4.3	1.00000	mg/Kg	101054		11/07/03 1408	pjg
8260B	Volatile Organics											
	Chloromethane, High/Med Level*	0.10	U		0.024	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	Bromomethane, High/Med Level*	0.10	U		0.011	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	1,1-Dichloroethene, High/Med Level*	0.10	U		0.014	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	Chloroethane, High/Med Level*	0.10	U		0.020	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	Carbon disulfide, High/Med Level*	0.10	U		0.021	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	Acetone, High/Med Level*	0.10	U		0.029	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	1,1-Dichloroethane, High/Med Level*	0.10	U		0.014	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	2-Butanone (MEK), High/Med Level*	0.10	U		0.052	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	1,2-Dichloroethane, High/Med Level*	0.10	U		0.022	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	Chloroform, High/Med Level*	0.10	U		0.018	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	Carbon tetrachloride, High/Med Level*	0.10	U		0.017	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	Benzene, High/Med Level*	0.025	U		0.014	0.025	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	1,2-Dichloropropane, High/Med Level*	0.10	U		0.018	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	Bromodichloromethane, High/Med Level*	0.10	U		0.019	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	cis-1,3-Dichloropropene, High/Med Level*	0.10	U		0.023	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	1,2-Dichloroethene (total), High/Med Leve*	0.10	U		0.029	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	4-Methyl-2-pentanone (MIBK), High/Med Lev*l	0.10	U		0.038	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	Toluene, High/Med Level*	0.025	U		0.018	0.025	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	trans-1,3-Dichloropropene, High/Med Level*	0.10	U		0.020	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	2-Hexanone, High/Med Level*	0.10	U		0.053	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	Dibromochloromethane, High/Med Level*	0.10	U		0.019	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	Chlorobenzene, High/Med Level*	0.10	U		0.022	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	Styrene, High/Med Level*	0.10	U		0.029	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	Bromoform, High/Med Level*	0.10	U		0.018	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	1,1,2,2-Tetrachloroethane, High/Med Level*	0.10	U		0.019	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(10-12)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:15
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-5
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Xylenes (total), High/Med Level*	0.076	U		0.051	0.076	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	Ethylbenzene, High/Med Level*	0.025	U		0.023	0.025	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	Methylene chloride, High/Med Level*	0.10	U		0.020	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	Tetrachloroethene, High/Med Level*	1.6			0.023	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	1,1,1-Trichloroethane, High/Med Level*	0.10	U		0.017	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	1,1,2-Trichloroethane, High/Med Level*	0.10	U		0.032	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	Trichloroethene, High/Med Level*	0.10	U		0.022	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
	Vinyl chloride, High/Med Level*	0.10	U		0.018	0.10	1.0000	mg/Kg	100573		11/03/03 1510	jdn
Method	% Solids Determination											
	% Solids, Solid	96.8			0.10	0.10	1	%	100277		10/31/03 0935	pfk
	% Moisture, Solid	3.2			0.10	0.10	1	%	100277		10/31/03 0935	pfk
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100793		11/05/03 1530	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0650	tds
	Barium, TCLP Leach	0.53	B		0.010	1.0	1	mg/L	102110		11/19/03 0650	tds
	Cadmium, TCLP Leach	0.31			0.002	0.005	1	mg/L	102110		11/19/03 0650	tds
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0650	tds
	Lead, TCLP Leach	0.0063	B		0.0050	0.0075	1	mg/L	102110		11/19/03 0650	tds
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0650	tds
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102110		11/19/03 0650	tds

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(12-14)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:20
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-6
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.2	U		4.2	4.2	1.00000	mg/Kg	101054		11/06/03 2148	pjg
Method	% Solids Determination											
	% Solids, Solid	96.1			0.10	0.10	1	%	100277		10/31/03 0935	pfk
	% Moisture, Solid	3.9			0.10	0.10	1	%	100277		10/31/03 0935	pfk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0045	U		0.00085	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	Bromomethane, Solid*	0.0045	U		0.0026	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	1,1-Dichloroethene, Solid*	0.0045	U		0.00090	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	Chloroethane, Solid*	0.0045	U		0.0014	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	Carbon disulfide, Solid*	0.0045	U		0.0018	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	Acetone, Solid*	0.0045	U		0.0037	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	1,1-Dichloroethane, Solid*	0.0045	U		0.00079	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	2-Butanone (MEK), Solid*	0.0045	U		0.0038	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	1,2-Dichloroethane, Solid*	0.0045	U		0.00052	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	Chloroform, Solid*	0.0045	U		0.00056	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	Carbon tetrachloride, Solid*	0.0045	U		0.00075	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	Benzene, Solid*	0.0045	U		0.00059	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	1,2-Dichloropropane, Solid*	0.0045	U		0.00086	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	Bromodichloromethane, Solid*	0.0045	U		0.00061	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	cis-1,3-Dichloropropene, Solid*	0.0045	U		0.00071	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	1,2-Dichloroethene (total), Solid*	0.0071			0.0017	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0045	U		0.0027	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	Toluene, Solid*	0.0045	U		0.00090	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	trans-1,3-Dichloropropene, Solid*	0.0045	U		0.00076	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	2-Hexanone, Solid*	0.0045	U		0.0015	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	Dibromochloromethane, Solid*	0.0045	U		0.00062	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn

* In Description = Dry Wgt.

L Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(14-16)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:25
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-7
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.3	U		4.3	4.3	1.00000	mg/Kg	101054		11/06/03 2234	pjg
Method	% Solids Determination											
	% Solids, Solid	95.8			0.10	0.10	1	%	100277		10/31/03 0935	pfk
	% Moisture, Solid	4.2			0.10	0.10	1	%	100277		10/31/03 0935	pfk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0049	U		0.00091	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	Bromomethane, Solid*	0.0049	U		0.0028	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	1,1-Dichloroethene, Solid*	0.0049	U		0.00097	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	Chloroethane, Solid*	0.0049	U		0.0016	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	Carbon disulfide, Solid*	0.0049	U		0.0019	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	Acetone, Solid*	0.0049	U		0.0040	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	1,1-Dichloroethane, Solid*	0.0049	U		0.00085	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	2-Butanone (MEK), Solid*	0.0049	U		0.0041	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	1,2-Dichloroethane, Solid*	0.0049	U		0.00056	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	Chloroform, Solid*	0.0049	U		0.00060	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	Carbon tetrachloride, Solid*	0.0049	U		0.00081	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	Benzene, Solid*	0.0049	U		0.00064	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	1,2-Dichloropropane, Solid*	0.0049	U		0.00093	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	Bromodichloromethane, Solid*	0.0049	U		0.00066	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	cis-1,3-Dichloropropene, Solid*	0.0049	U		0.00077	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	1,2-Dichloroethene (total), Solid*	0.0056			0.0018	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0049	U		0.0029	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	Toluene, Solid*	0.0049	U		0.00097	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	trans-1,3-Dichloropropene, Solid*	0.0049	U		0.00081	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	2-Hexanone, Solid*	0.0049	U		0.0016	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	Dibromochloromethane, Solid*	0.0049	U		0.00067	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(14-16)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:25
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-7
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0049	U		0.00088	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	Styrene, Solid*	0.0049	U		0.00097	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	Bromoform, Solid*	0.0049	U		0.00088	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0049	U		0.00062	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	Xylenes (total), Solid*	0.0049	U		0.0028	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	Ethylbenzene, Solid*	0.0049	U		0.0011	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	Methylene chloride, Solid*	0.0049			0.0017	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	Tetrachloroethene, Solid*	0.12			0.00065	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	1,1,1-Trichloroethane, Solid*	0.022		H	0.00059	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	1,1,2-Trichloroethane, Solid*	0.0049	U		0.00069	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	Trichloroethene, Solid*	0.0056			0.00057	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
	Vinyl chloride, Solid*	0.0049	U		0.00072	0.0049	1.00000	mg/Kg	100782		11/04/03 1313	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100793		11/05/03 1534	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0728	tds
	Barium, TCLP Leach	0.49	B		0.010	1.0	1	mg/L	102110		11/19/03 0728	tds
	Cadmium, TCLP Leach	0.058			0.002	0.005	1	mg/L	102110		11/19/03 0728	tds
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0728	tds
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	102110		11/19/03 0728	tds
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0728	tds
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102110		11/19/03 0728	tds

* In Description = Dry Wgt.

L Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(16-18)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:30
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-8
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.3	U	a	4.3	4.3	1.00000	mg/Kg	101054		11/06/03 2320	pjg
Method	% Solids Determination											
	% Solids, Solid	96.2			0.10	0.10	1	%	100277		10/31/03 0935	pfk
	% Moisture, Solid	3.8			0.10	0.10	1	%	100277		10/31/03 0935	pfk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0052	U		0.00098	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	Bromomethane, Solid*	0.0052	U		0.0030	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	1,1-Dichloroethene, Solid*	0.0052	U		0.0010	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	Chloroethane, Solid*	0.0052	U		0.0017	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	Carbon disulfide, Solid*	0.0052	U		0.0021	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	Acetone, Solid*	0.0052	U		0.0043	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	1,1-Dichloroethane, Solid*	0.0052	U		0.00092	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	2-Butanone (MEK), Solid*	0.0052	U		0.0044	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	1,2-Dichloroethane, Solid*	0.0052	U		0.00060	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	Chloroform, Solid*	0.0052	U		0.00065	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	Carbon tetrachloride, Solid*	0.0052	U		0.00086	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	Benzene, Solid*	0.0052	U		0.00069	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	1,2-Dichloropropane, Solid*	0.0052	U		0.0010	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	Bromodichloromethane, Solid*	0.0052	U		0.00071	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	cis-1,3-Dichloropropene, Solid*	0.0052	U		0.00082	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	1,2-Dichloroethene (total), Solid*	0.0069			0.0020	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0052	U		0.0031	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	Toluene, Solid*	0.0052	U		0.0010	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	trans-1,3-Dichloropropene, Solid*	0.0052	U		0.00087	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	2-Hexanone, Solid*	0.0052	U		0.0018	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	Dibromochloromethane, Solid*	0.0052	U		0.00072	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(16-18)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:30
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-8
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0052	U		0.00095	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	Styrene, Solid*	0.0052	U		0.0010	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	Bromoform, Solid*	0.0052	U		0.00095	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0052	U		0.00067	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	Xylenes (total), Solid*	0.0052	U		0.0030	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	Ethylbenzene, Solid*	0.0052	U		0.0011	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	Methylene chloride, Solid*	0.011			0.0019	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	Tetrachloroethene, Solid*	0.17			0.00070	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	1,1,1-Trichloroethane, Solid*	0.035			0.00064	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	1,1,2-Trichloroethane, Solid*	0.0052	U		0.00074	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	Trichloroethene, Solid*	0.0082			0.00061	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
	Vinyl chloride, Solid*	0.0052	U		0.00077	0.0052	1.00000	mg/Kg	100782		11/04/03 1341	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100793		11/05/03 1536	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0745	tds
	Barium, TCLP Leach	0.45	B		0.010	1.0	1	mg/L	102110		11/19/03 0745	tds
	Cadmium, TCLP Leach	0.048			0.002	0.005	1	mg/L	102110		11/19/03 0745	tds
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0745	tds
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	102110		11/19/03 0745	tds
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0745	tds
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102110		11/19/03 0745	tds

* In Description = Dry Wgt.

L Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(18-20)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:40
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-10
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.6	U		4.6	4.6	1.00000	mg/Kg	101054		11/07/03 0006	pjg
8260B	Volatile Organics											
	Chloromethane, High/Med Level*	0.091	U		0.021	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	Bromomethane, High/Med Level*	0.091	U		0.0095	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	1,1-Dichloroethene, High/Med Level*	0.091	U		0.013	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	Chloroethane, High/Med Level*	0.091	U		0.018	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	Carbon disulfide, High/Med Level*	0.091	U		0.019	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	Acetone, High/Med Level*	0.091	U		0.026	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	1,1-Dichloroethane, High/Med Level*	0.091	U		0.012	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	2-Butanone (MEK), High/Med Level*	0.091	U		0.046	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	1,2-Dichloroethane, High/Med Level*	0.091	U		0.020	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	Chloroform, High/Med Level*	0.091	U		0.016	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	Carbon tetrachloride, High/Med Level*	0.091	U		0.015	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	Benzene, High/Med Level*	0.023	U		0.013	0.023	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	1,2-Dichloropropane, High/Med Level*	0.091	U		0.016	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	Bromodichloromethane, High/Med Level*	0.091	U		0.017	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	cis-1,3-Dichloropropene, High/Med Level*	0.091	U		0.020	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	1,2-Dichloroethene (total), High/Med Leve*	0.11			0.026	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	4-Methyl-2-pentanone (MIBK), High/Med Lev*l	0.091	U		0.034	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	Toluene, High/Med Level*	0.023	U		0.016	0.023	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	trans-1,3-Dichloropropene, High/Med Level*	0.091	U		0.018	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	2-Hexanone, High/Med Level*	0.091	U		0.047	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	Dibromochloromethane, High/Med Level*	0.091	U		0.017	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	Chlorobenzene, High/Med Level*	0.091	U		0.020	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	Styrene, High/Med Level*	0.091	U		0.026	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	Bromoform, High/Med Level*	0.091	U		0.016	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	1,1,2,2-Tetrachloroethane, High/Med Level*	0.091	U		0.017	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn

* In Description = Dry Wgt.

. Chicago is part of Severn Trent Laboratories, Inc.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(18-20)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:40
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-10
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Xylenes (total), High/Med Level*	0.068	U		0.045	0.068	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	Ethylbenzene, High/Med Level*	0.023	U		0.020	0.023	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	Methylene chloride, High/Med Level*	0.091	U		0.018	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	Tetrachloroethene, High/Med Level*	1.1			0.021	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	1,1,1-Trichloroethane, High/Med Level*	0.25			0.015	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	1,1,2-Trichloroethane, High/Med Level*	0.091	U		0.029	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	Trichloroethene, High/Med Level*	0.067	J	a	0.020	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
	Vinyl chloride, High/Med Level*	0.091	U		0.016	0.091	1.0000	mg/Kg	100573		11/03/03 1532	jdn
Method	% Solids Determination											
	% Solids, Solid	90.8			0.10	0.10	1	%	100277		10/31/03 0935	pfk
	% Moisture, Solid	9.2			0.10	0.10	1	%	100277		10/31/03 0935	pfk
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100793		11/05/03 1538	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0752	tds
	Barium, TCLP Leach	0.56	B		0.010	1.0	1	mg/L	102110		11/19/03 0752	tds
	Cadmium, TCLP Leach	0.14			0.002	0.005	1	mg/L	102110		11/19/03 0752	tds
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0752	tds
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	102110		11/19/03 0752	tds
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0752	tds
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102110		11/19/03 0752	tds

* In Description = Dry Wgt.

L Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(20-22)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:45
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-11
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	5.0	U		5.0	5.0	1.00000	mg/Kg	101054		11/07/03 0052	pjg
8260B	Volatile Organics											
	Tetrachloroethene, High/Med Level*	0.89			0.022	0.098	1.0000	mg/Kg	100721	D1	11/05/03 0919	jdn
	1,1,1-Trichloroethane, High/Med Level*	0.30			0.016	0.098	1.0000	mg/Kg	100721	D1	11/05/03 0919	jdn
Method	% Solids Determination											
	% Solids, Solid	81.6			0.10	0.10	1	%	100277		10/31/03 0935	pfk
	% Moisture, Solid	18.4			0.10	0.10	1	%	100277		10/31/03 0935	pfk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0050	U		0.00095	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	Bromomethane, Solid*	0.0050	U		0.0029	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	1,1-Dichloroethene, Solid*	0.0050	U		0.0010	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	Chloroethane, Solid*	0.0050	U		0.0016	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	Carbon disulfide, Solid*	0.0050	U		0.0020	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	Acetone, Solid*	0.0050	U		0.0041	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	1,1-Dichloroethane, Solid*	0.055			0.00089	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	2-Butanone (MEK), Solid*	0.0050	U		0.0042	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	1,2-Dichloroethane, Solid*	0.0050	U		0.00058	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	Chloroform, Solid*	0.0050	U		0.00062	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	Carbon tetrachloride, Solid*	0.0050	U		0.00084	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	Benzene, Solid*	0.0050	U		0.00067	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	1,2-Dichloropropane, Solid*	0.0050	U		0.00097	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	Bromodichloromethane, Solid*	0.0050	U		0.00069	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	cis-1,3-Dichloropropene, Solid*	0.0050	U		0.00080	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	1,2-Dichloroethene (total), Solid*	0.13			0.0019	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0050	U		0.0030	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn

* In Description = Dry Wgt.

L Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(20-22)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:45
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-11
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene, Solid*	0.0050	U		0.0010	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	trans-1,3-Dichloropropene, Solid*	0.0050	U		0.00085	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	2-Hexanone, Solid*	0.0050	U		0.0017	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	Dibromochloromethane, Solid*	0.0050	U		0.00070	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	Chlorobenzene, Solid*	0.0050	U		0.00092	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	Styrene, Solid*	0.0050	U		0.0010	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	Bromoform, Solid*	0.0050	U		0.00092	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0050	U		0.00065	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	Xylenes (total), Solid*	0.0050	U		0.0029	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	Ethylbenzene, Solid*	0.0050	U		0.0011	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	Methylene chloride, Solid*	0.0050	U		0.0018	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	1,1,2-Trichloroethane, Solid*	0.0050	U		0.00072	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	Trichloroethene, Solid*	0.054			0.00059	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
	Vinyl chloride, Solid*	0.0050	U		0.00075	0.0050	1.00000	mg/Kg	100782		11/04/03 1748	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100793		11/05/03 1544	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0759	tds
	Barium, TCLP Leach	0.47	B		0.010	1.0	1	mg/L	102110		11/19/03 0759	tds
	Cadmium, TCLP Leach	0.15			0.002	0.005	1	mg/L	102110		11/19/03 0759	tds
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0759	tds
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	102110		11/19/03 0759	tds
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0759	tds
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102110		11/19/03 0759	tds

* In Description = Dry Wgt.

L Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(22-24)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:50
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-12
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.3	U		4.3	4.3	1.00000	mg/Kg	101054		11/07/03 0224	pjg
Method	% Solids Determination											
	% Solids, Solid	95.6			0.10	0.10	1	%	100277		10/31/03 0935	pfk
	% Moisture, Solid	4.4			0.10	0.10	1	%	100277		10/31/03 0935	pfk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0050	U		0.00094	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	Bromomethane, Solid*	0.0050	U		0.0029	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	1,1-Dichloroethene, Solid*	0.0050	U		0.0010	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	Chloroethane, Solid*	0.0050	U		0.0016	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	Carbon disulfide, Solid*	0.0050	U		0.0020	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	Acetone, Solid*	0.0068			0.0041	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	1,1-Dichloroethane, Solid*	0.0034	J	a	0.00088	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	2-Butanone (MEK), Solid*	0.0050	U		0.0042	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	1,2-Dichloroethane, Solid*	0.0050	U		0.00058	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	Chloroform, Solid*	0.0050	U		0.00062	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	Carbon tetrachloride, Solid*	0.0050	U		0.00083	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	Benzene, Solid*	0.0050	U		0.00066	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	1,2-Dichloropropane, Solid*	0.0050	U		0.00096	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	Bromodichloromethane, Solid*	0.0050	U		0.00068	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	cis-1,3-Dichloropropene, Solid*	0.0050	U		0.00079	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	1,2-Dichloroethene (total), Solid*	0.0075			0.0019	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0050	U		0.0030	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	Toluene, Solid*	0.0050	U		0.0010	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	trans-1,3-Dichloropropene, Solid*	0.0050	U		0.00084	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	2-Hexanone, Solid*	0.0050	U		0.0017	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	Dibromochloromethane, Solid*	0.0050	U		0.00069	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn

* In Description = Dry Wgt.

L Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(22-24)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:50
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-12
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0050	U		0.00091	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	Styrene, Solid*	0.0050	U		0.0010	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	Bromoform, Solid*	0.0050	U		0.00091	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0050	U		0.00064	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	Xylenes (total), Solid*	0.0050	U		0.0029	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	Ethylbenzene, Solid*	0.0050	U		0.0011	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	Methylene chloride, Solid*	0.012			0.0018	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	Tetrachloroethene, Solid*	0.058			0.00067	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	1,1,1-Trichloroethane, Solid*	0.023		H	0.00061	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	1,1,2-Trichloroethane, Solid*	0.0050	U		0.00071	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	Trichloroethene, Solid*	0.0050	U		0.00059	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
	Vinyl chloride, Solid*	0.0050	U		0.00074	0.0050	1.00000	mg/Kg	100782		11/04/03 1408	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100793		11/05/03 1547	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0806	tds
	Barium, TCLP Leach	0.47	B		0.010	1.0	1	mg/L	102110		11/19/03 0806	tds
	Cadmium, TCLP Leach	0.008			0.002	0.005	1	mg/L	102110		11/19/03 0806	tds
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0806	tds
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	102110		11/19/03 0806	tds
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0806	tds
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102110		11/19/03 0806	tds

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(24-26)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:55
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-13
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.2	U		4.2	4.2	1.00000	mg/Kg	101054		11/07/03 0310	pjg
Method	% Solids Determination											
	% Solids, Solid	97.4			0.10	0.10	1	%	100277		10/31/03 0935	pfk
	% Moisture, Solid	2.6			0.10	0.10	1	%	100277		10/31/03 0935	pfk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0049	U		0.00092	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	Bromomethane, Solid*	0.0049	U		0.0028	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	1,1-Dichloroethene, Solid*	0.0049	U		0.00098	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	Chloroethane, Solid*	0.0049	U		0.0016	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	Carbon disulfide, Solid*	0.0049	U		0.0020	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	Acetone, Solid*	0.0049	U		0.0040	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	1,1-Dichloroethane, Solid*	0.0049	U		0.00086	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	2-Butanone (MEK), Solid*	0.0049	U		0.0041	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	1,2-Dichloroethane, Solid*	0.0049	U		0.00057	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	Chloroform, Solid*	0.0049	U		0.00061	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	Carbon tetrachloride, Solid*	0.0049	U		0.00081	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	Benzene, Solid*	0.0049	U		0.00064	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	1,2-Dichloropropane, Solid*	0.0049	U		0.00094	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	Bromodichloromethane, Solid*	0.0049	U		0.00066	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	cis-1,3-Dichloropropene, Solid*	0.0049	U		0.00077	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	1,2-Dichloroethene (total), Solid*	0.0049	U		0.0019	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0049	U		0.0029	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	Toluene, Solid*	0.0049	U		0.00098	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	trans-1,3-Dichloropropene, Solid*	0.0049	U		0.00082	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	2-Hexanone, Solid*	0.0049	U		0.0017	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	Dibromochloromethane, Solid*	0.0049	U		0.00067	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(24-26)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:55
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-13
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0049	U		0.00089	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	Styrene, Solid*	0.0049	U		0.00098	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	Bromoform, Solid*	0.0049	U		0.00089	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0049	U		0.00062	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	Xylenes (total), Solid*	0.0049	U		0.0028	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	Ethylbenzene, Solid*	0.0049	U		0.0011	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	Methylene chloride, Solid*	0.0072			0.0018	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	Tetrachloroethene, Solid*	0.045			0.00065	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	1,1,1-Trichloroethane, Solid*	0.012		H	0.00060	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	1,1,2-Trichloroethane, Solid*	0.0049	U		0.00069	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	Trichloroethene, Solid*	0.0049	U		0.00058	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
	Vinyl chloride, Solid*	0.0049	U		0.00072	0.0049	1.00000	mg/Kg	100782		11/04/03 1436	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100793		11/05/03 1549	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0813	tds
	Barium, TCLP Leach	0.46	B		0.010	1.0	1	mg/L	102110		11/19/03 0813	tds
	Cadmium, TCLP Leach	0.020			0.002	0.005	1	mg/L	102110		11/19/03 0813	tds
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0813	tds
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	102110		11/19/03 0813	tds
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0813	tds
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102110		11/19/03 0813	tds

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(26-28)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 12:00
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-14
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.5	U		4.5	4.5	1.00000	mg/Kg	101054		11/07/03 0356	pjg
Method	% Solids Determination											
	% Solids, Solid	94.1			0.10	0.10	1	%	100277		10/31/03 0935	pfk
	% Moisture, Solid	5.9			0.10	0.10	1	%	100277		10/31/03 0935	pfk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0050	U		0.00094	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	Bromomethane, Solid*	0.0050	U		0.0029	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	1,1-Dichloroethene, Solid*	0.0050	U		0.0010	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	Chloroethane, Solid*	0.0050	U		0.0016	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	Carbon disulfide, Solid*	0.0050	U		0.0020	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	Acetone, Solid*	0.0050	U		0.0041	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	1,1-Dichloroethane, Solid*	0.0053			0.00088	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	2-Butanone (MEK), Solid*	0.0050	U		0.0042	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	1,2-Dichloroethane, Solid*	0.0050	U		0.00058	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	Chloroform, Solid*	0.0050	U		0.00062	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	Carbon tetrachloride, Solid*	0.0050	U		0.00083	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	Benzene, Solid*	0.0050	U		0.00066	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	1,2-Dichloropropane, Solid*	0.0050	U		0.00096	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	Bromodichloromethane, Solid*	0.0050	U		0.00068	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	cis-1,3-Dichloropropene, Solid*	0.0050	U		0.00079	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	1,2-Dichloroethene (total), Solid*	0.011			0.0019	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0050	U		0.0030	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	Toluene, Solid*	0.0050	U		0.0010	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	trans-1,3-Dichloropropene, Solid*	0.0050	U		0.00084	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	2-Hexanone, Solid*	0.0050	U		0.0017	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	Dibromochloromethane, Solid*	0.0050	U		0.00069	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(26-28)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 12:00
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-14
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0050	U		0.00091	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	Styrene, Solid*	0.0050	U		0.0010	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	Bromoform, Solid*	0.0050	U		0.00091	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0050	U		0.00064	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	Xylenes (total), Solid*	0.0050	U		0.0029	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	Ethylbenzene, Solid*	0.0050	U		0.0011	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	Methylene chloride, Solid*	0.0050	U		0.0018	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	Tetrachloroethene, Solid*	0.058			0.00067	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	1,1,1-Trichloroethane, Solid*	0.021		H	0.00061	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	1,1,2-Trichloroethane, Solid*	0.0050	U		0.00071	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	Trichloroethene, Solid*	0.0050	U		0.00059	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
	Vinyl chloride, Solid*	0.0050	U		0.00074	0.0050	1.00000	mg/Kg	100782		11/04/03 1503	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100793		11/05/03 1551	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0819	tds
	Barium, TCLP Leach	0.43	B		0.010	1.0	1	mg/L	102110		11/19/03 0819	tds
	Cadmium, TCLP Leach	0.018			0.002	0.005	1	mg/L	102110		11/19/03 0819	tds
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0819	tds
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	102110		11/19/03 0819	tds
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0819	tds
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102110		11/19/03 0819	tds

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(28-30)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 12:05
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-15
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.3	U		4.3	4.3	1.00000	mg/Kg	101054		11/07/03 0442	pjg
Method	% Solids Determination											
	% Solids, Solid	96.3			0.10	0.10	1	%	100277		10/31/03 0935	pfk
	% Moisture, Solid	3.7			0.10	0.10	1	%	100277		10/31/03 0935	pfk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0047	U		0.00088	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	Bromomethane, Solid*	0.0047	U		0.0027	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	1,1-Dichloroethene, Solid*	0.0047	U		0.00094	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	Chloroethane, Solid*	0.0047	U		0.0015	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	Carbon disulfide, Solid*	0.0047	U		0.0019	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	Acetone, Solid*	0.0040	J	a	0.0039	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	1,1-Dichloroethane, Solid*	0.0039	J	a	0.00083	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	2-Butanone (MEK), Solid*	0.0047	U		0.0040	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	1,2-Dichloroethane, Solid*	0.0047	U		0.00055	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	Chloroform, Solid*	0.0047	U		0.00058	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	Carbon tetrachloride, Solid*	0.0047	U		0.00078	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	Benzene, Solid*	0.0047	U		0.00062	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	1,2-Dichloropropane, Solid*	0.0047	U		0.00090	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	Bromodichloromethane, Solid*	0.0047	U		0.00064	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	cis-1,3-Dichloropropene, Solid*	0.0047	U		0.00074	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	1,2-Dichloroethene (total), Solid*	0.0079			0.0018	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0047	U		0.0028	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	Toluene, Solid*	0.0047	U		0.00094	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	trans-1,3-Dichloropropene, Solid*	0.0047	U		0.00079	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	2-Hexanone, Solid*	0.0047	U		0.0016	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	Dibromochloromethane, Solid*	0.0047	U		0.00065	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(28-30)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 12:05
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-15
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0047	U		0.00086	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	Styrene, Solid*	0.0047	U		0.00094	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	Bromoform, Solid*	0.0047	U		0.00086	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0047	U		0.00060	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	Xylenes (total), Solid*	0.0047	U		0.0027	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	Ethylbenzene, Solid*	0.0047	U		0.0010	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	Methylene chloride, Solid*	0.0047	U		0.0017	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	Tetrachloroethene, Solid*	0.051			0.00063	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	1,1,1-Trichloroethane, Solid*	0.020		H	0.00057	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	1,1,2-Trichloroethane, Solid*	0.0047	U		0.00067	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	Trichloroethene, Solid*	0.0047	U		0.00055	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
	Vinyl chloride, Solid*	0.0047	U		0.00070	0.0047	1.00000	mg/Kg	100782		11/04/03 1531	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100793		11/05/03 1553	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0827	tds
	Barium, TCLP Leach	0.44	B		0.010	1.0	1	mg/L	102110		11/19/03 0827	tds
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	102110		11/19/03 0827	tds
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0827	tds
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	102110		11/19/03 0827	tds
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0827	tds
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102110		11/19/03 0827	tds

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(30-32)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 12:10
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-16
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.2	U		4.2	4.2	1.00000	mg/Kg	101054		11/07/03 0528	pjg
Method	% Solids Determination											
	% Solids, Solid	96.1			0.10	0.10	1	%	100277		10/31/03 0935	pfk
	% Moisture, Solid	3.9			0.10	0.10	1	%	100277		10/31/03 0935	pfk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0048	U		0.00090	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	Bromomethane, Solid*	0.0048	U		0.0028	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	1,1-Dichloroethene, Solid*	0.0048	U		0.00096	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	Chloroethane, Solid*	0.0048	U		0.0015	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	Carbon disulfide, Solid*	0.0048	U		0.0019	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	Acetone, Solid*	0.0048	U		0.0039	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	1,1-Dichloroethane, Solid*	0.0048	U		0.00084	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	2-Butanone (MEK), Solid*	0.0048	U		0.0040	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	1,2-Dichloroethane, Solid*	0.0048	U		0.00055	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	Chloroform, Solid*	0.0048	U		0.00059	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	Carbon tetrachloride, Solid*	0.0048	U		0.00079	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	Benzene, Solid*	0.0048	U		0.00063	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	1,2-Dichloropropane, Solid*	0.0048	U		0.00092	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	Bromodichloromethane, Solid*	0.0048	U		0.00065	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	cis-1,3-Dichloropropene, Solid*	0.0048	U		0.00076	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	1,2-Dichloroethene (total), Solid*	0.0092			0.0018	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0048	U		0.0029	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	Toluene, Solid*	0.0048	U		0.00096	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	trans-1,3-Dichloropropene, Solid*	0.0048	U		0.00080	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	2-Hexanone, Solid*	0.0048	U		0.0016	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	Dibromochloromethane, Solid*	0.0048	U		0.00066	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn

* In Description = Dry Wgt.

L Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(30-32)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 12:10
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-16
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0048	U		0.00087	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	Styrene, Solid*	0.0048	U		0.00096	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	Bromoform, Solid*	0.0048	U		0.00087	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0048	U		0.00061	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	Xylenes (total), Solid*	0.0048	U		0.0028	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	Ethylbenzene, Solid*	0.0048	U		0.0011	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	Methylene chloride, Solid*	0.0066			0.0017	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	Tetrachloroethene, Solid*	0.055			0.00064	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	1,1,1-Trichloroethane, Solid*	0.024		H	0.00058	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	1,1,2-Trichloroethane, Solid*	0.0048	U		0.00068	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	Trichloroethene, Solid*	0.0048	U		0.00056	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
	Vinyl chloride, Solid*	0.0048	U		0.00071	0.0048	1.00000	mg/Kg	100782		11/04/03 1558	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100793		11/05/03 1555	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0834	tds
	Barium, TCLP Leach	0.39	B		0.010	1.0	1	mg/L	102110		11/19/03 0834	tds
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	102110		11/19/03 0834	tds
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0834	tds
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	102110		11/19/03 0834	tds
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0834	tds
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102110		11/19/03 0834	tds

* In Description = Dry Wgt.

L Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: TRIP BLANK
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:40
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-17
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Chloromethane	0.0010	U		0.00016	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn
	Bromomethane	0.0010	U		0.00018	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn
	1,1-Dichloroethene	0.0010	U		0.00019	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn
	Chloroethane	0.0010	U		0.00021	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn
	Carbon disulfide	0.0050	U		0.00040	0.0050	1.00000	mg/L	100905		11/05/03 1825	jdn
	Acetone	0.0050	U		0.0015	0.0050	1.00000	mg/L	100905		11/05/03 1825	jdn
	2-Butanone (MEK)	0.0050	U		0.0017	0.0050	1.00000	mg/L	100905		11/05/03 1825	jdn
	1,2-Dichloroethane	0.0010	U		0.00025	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn
	Chloroform	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn
	Carbon tetrachloride	0.0010	U		0.00024	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn
	Benzene	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn
	1,2-Dichloropropane	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn
	Bromodichloromethane	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn
	1,2-Dichloroethene (total)	0.0010	U		0.00042	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn
	cis-1,3-Dichloropropene	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn
	4-Methyl-2-pentanone (MIBK)	0.0050	U		0.00092	0.0050	1.00000	mg/L	100905		11/05/03 1825	jdn
	Toluene	0.0010	U		0.00021	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn
	trans-1,3-Dichloropropene	0.0010	U		0.00024	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn
	1,1-Dichloroethane	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn
	2-Hexanone	0.0050	U		0.0012	0.0050	1.00000	mg/L	100905		11/05/03 1825	jdn
	Dibromochloromethane	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn
	Chlorobenzene	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn
	Styrene	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn
	Bromoform	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn
	1,1,2,2-Tetrachloroethane	0.0010	U		0.00025	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn
	Xylenes (total)	0.0010	U		0.00028	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn
	Ethylbenzene	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn
	Methylene chloride	0.0010			0.00019	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: TRIP BLANK
Date Sampled.....: 10/28/2003
Time Sampled.....: 14:05
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-17
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn
	1,1,1-Trichloroethane	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn
	1,1,2-Trichloroethane	0.0010	U		0.00033	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn
	Trichloroethene	0.0010	U		0.00021	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn
	Vinyl chloride	0.0010	U		0.00018	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn

* In Description = Dry Wgt.

LABORATORY CHRONICLE

Job Number: 221823 Date: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221823-1 Client ID: RD-SB-S5(2-4)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100277		10/31/2003	0935	
5030A	5030 Purge & Trap of Methanol Extract	1	100571		11/03/2003	1402	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	1100	
5035	5035 Preservation Low	1	100529		10/29/2003	1100	
5035	5035 Preservation Low	2	100529		10/29/2003	1100	
3010A	Acid Dig. Leachates (ICAP)	1	100758	100521	11/05/2003	1005	
EDD	Electronic Data Deliverable	1					
3541	Extraction Soxhlet (Jet Fuel)	1	100541		11/04/2003	0900	
7470A	Leachable, Mercury (CVAA)	1	100793	100792-100521	11/05/2003	1513	
6010B	Leachable, Metals Analysis (ICAP)	1	102110	100758-100521	11/19/2003	0556	
7470	SW846 Dig. Leachates (Hg)	1	100792		11/05/2003	1110	
1311	TCLP Extraction	1	100521		11/03/2003	0000	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101054	100541	11/06/2003	1451	1.00000
8260B	Volatile Organics	1	100573	100513-100571	11/03/2003	1402	1.0000

Lab ID: 221823-2 Client ID: RD-SB-S5(4-6)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100277		10/31/2003	0935	
5030A	5030 Purge & Trap of Methanol Extract	1	100571		11/03/2003	1425	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	1105	
5035	5035 Preservation Low	1	100529		10/29/2003	1105	
5035	5035 Preservation Low	2	100529		10/29/2003	1105	
3010A	Acid Dig. Leachates (ICAP)	1	100758	100521	11/05/2003	1005	
3541	Extraction Soxhlet (Jet Fuel)	1	100541		11/04/2003	0900	
7470A	Leachable, Mercury (CVAA)	1	100793	100792-100521	11/05/2003	1519	
6010B	Leachable, Metals Analysis (ICAP)	1	102110	100758-100521	11/19/2003	0602	
7470	SW846 Dig. Leachates (Hg)	1	100792		11/05/2003	1110	
1311	TCLP Extraction	1	100521		11/03/2003	0000	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101054	100541	11/06/2003	1537	1.00000
8260B	Volatile Organics	1	100573	100513-100571	11/03/2003	1425	1.0000

Lab ID: 221823-3 Client ID: RD-SB-S5(6-8)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100277		10/31/2003	0935	
5030A	5030 Purge & Trap of Methanol Extract	1	100571		11/03/2003	1447	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	1110	
5035	5035 Preservation Low	1	100529		10/29/2003	1110	
5035	5035 Preservation Low	2	100529		10/29/2003	1110	
3010A	Acid Dig. Leachates (ICAP)	1	100758	100521	11/05/2003	1005	
3541	Extraction Soxhlet (Jet Fuel)	1	100541		11/04/2003	0900	
7470A	Leachable, Mercury (CVAA)	1	100793	100792-100521	11/05/2003	1521	
6010B	Leachable, Metals Analysis (ICAP)	1	102110	100758-100521	11/19/2003	0609	
7470	SW846 Dig. Leachates (Hg)	1	100792		11/05/2003	1110	
1311	TCLP Extraction	1	100521		11/03/2003	0000	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101054	100541	11/06/2003	1710	1.00000
8260B	Volatile Organics	1	100573	100513-100571	11/03/2003	1447	1.0000

Lab ID: 221823-4 Client ID: RD-SB-S5(8-10)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100277		10/31/2003	0935	
5030A	5030 Purge & Trap of Methanol Extract	1	100716		11/05/2003	0856	
5035	5035 Archon Closed Purge & Trap	1	100761		11/04/2003	1626	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	1115	
5035	5035 Preservation Low	1	100529		10/29/2003	1115	
5035	5035 Preservation Low	2	100529		10/29/2003	1115	

LABORATORY CHRONICLE

Job Number: 221823 Date: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221823-4 Client ID: RD-SB-S5(8-10)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
3010A	Acid Dig. Leachates (ICAP)	1	100758	100521	11/05/2003	1005	
3010A	Acid Dig. Leachates (ICAP)	2	102082	100521	11/19/2003	1045	
3541	Extraction Soxhlet (Jet Fuel)	1	100541		11/04/2003	0900	
7470A	Leachable, Mercury (CVAA)	1	100793	100792-100521	11/05/2003	1523	
6010B	Leachable, Metals Analysis (ICAP)	1	102288	102082-100521	11/20/2003	1742	
7470	SW846 Dig. Leachates (Hg)	1	100792		11/05/2003	1110	
1311	TCLP Extraction	1	100521		11/03/2003	0000	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101054	100541	11/07/2003	1148	1.00000
8260B	Volatile Organics	1	100782	100529-100761	11/04/2003	1626	1.00000
8260B	Volatile Organics	1	100721	100513-100716	11/05/2003	0856	1.0000

Lab ID: 221823-5 Client ID: RD-SB-S5(10-12)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100277		10/31/2003	0935	
5030A	5030 Purge & Trap of Methanol Extract	1	100571		11/03/2003	1510	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	1115	
5035	5035 Preservation Low	1	100529		10/29/2003	1115	
5035	5035 Preservation Low	2	100529		10/29/2003	1115	
3010A	Acid Dig. Leachates (ICAP)	1	100758	100521	11/05/2003	1005	
3541	Extraction Soxhlet (Jet Fuel)	1	100541		11/04/2003	0900	
7470A	Leachable, Mercury (CVAA)	1	100793	100792-100521	11/05/2003	1530	
6010B	Leachable, Metals Analysis (ICAP)	1	102110	100758-100521	11/19/2003	0650	
7470	SW846 Dig. Leachates (Hg)	1	100792		11/05/2003	1110	
1311	TCLP Extraction	1	100521		11/03/2003	0000	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101054	100541	11/07/2003	1408	1.00000
8260B	Volatile Organics	1	100573	100513-100571	11/03/2003	1510	1.0000

Lab ID: 221823-6 Client ID: RD-SB-S5(12-14)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100277		10/31/2003	0935	
5035	5035 Archon Closed Purge & Trap	1	100761		11/04/2003	1245	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	1120	
5035	5035 Preservation Low	1	100529		10/29/2003	1120	
5035	5035 Preservation Low	2	100529		10/29/2003	1120	
3010A	Acid Dig. Leachates (ICAP)	1	100758	100521	11/05/2003	1005	
3541	Extraction Soxhlet (Jet Fuel)	1	100541		11/04/2003	0900	
7470A	Leachable, Mercury (CVAA)	1	100793	100792-100521	11/05/2003	1532	
6010B	Leachable, Metals Analysis (ICAP)	1	102110	100758-100521	11/19/2003	0721	
7470	SW846 Dig. Leachates (Hg)	1	100792		11/05/2003	1110	
1311	TCLP Extraction	1	100521		11/03/2003	0000	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101054	100541	11/06/2003	2148	1.00000
8260B	Volatile Organics	1	100782	100529-100761	11/04/2003	1245	1.00000

Lab ID: 221823-7 Client ID: RD-SB-S5(14-16)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100277		10/31/2003	0935	
5035	5035 Archon Closed Purge & Trap	1	100761		11/04/2003	1313	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	1125	
5035	5035 Preservation Low	1	100529		10/29/2003	1125	
5035	5035 Preservation Low	2	100529		10/29/2003	1125	
3010A	Acid Dig. Leachates (ICAP)	1	100758	100521	11/05/2003	1005	
3541	Extraction Soxhlet (Jet Fuel)	1	100541		11/04/2003	0900	
7470A	Leachable, Mercury (CVAA)	1	100793	100792-100521	11/05/2003	1534	
6010B	Leachable, Metals Analysis (ICAP)	1	102110	100758-100521	11/19/2003	0728	
7470	SW846 Dig. Leachates (Hg)	1	100792		11/05/2003	1110	

LABORATORY CHRONICLE

Job Number: 221823 Date: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221823-7 Client ID: RD-SB-S5(14-16)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
1311	TCLP Extraction	1	100521		11/03/2003	0000	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101054	100541	11/06/2003	2234	1.00000
8260B	Volatile Organics	1	100782	100529-100761	11/04/2003	1313	1.00000

Lab ID: 221823-8 Client ID: RD-SB-S5(16-18)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100277		10/31/2003	0935	
5035	5035 Archon Closed Purge & Trap	1	100761		11/04/2003	1341	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	1130	
5035	5035 Preservation Low	1	100529		10/29/2003	1130	
5035	5035 Preservation Low	2	100529		10/29/2003	1130	
3010A	Acid Dig. Leachates (ICAP)	1	100758	100521	11/05/2003	1005	
3541	Extraction Soxhlet (Jet Fuel)	1	100541		11/04/2003	0900	
7470A	Leachable, Mercury (CVAA)	1	100793	100792-100521	11/05/2003	1536	
6010B	Leachable, Metals Analysis (ICAP)	1	102110	100758-100521	11/19/2003	0745	
7470	SW846 Dig. Leachates (Hg)	1	100792		11/05/2003	1110	
1311	TCLP Extraction	1	100521		11/03/2003	0000	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101054	100541	11/06/2003	2320	1.00000
8260B	Volatile Organics	1	100782	100529-100761	11/04/2003	1341	1.00000

Lab ID: 221823-9 Client ID: TRIP BLANK Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
[illegible]30B	5030 25 mL Purge Prep	1	100843		11/05/2003	1755	
[illegible]260B	Volatile Organics	1	100905	100843	11/05/2003	1755	1.00000

Lab ID: 221823-10 Client ID: RD-SB-S5(18-20)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100277		10/31/2003	0935	
5030A	5030 Purge & Trap of Methanol Extract	1	100571		11/03/2003	1532	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	1140	
5035	5035 Preservation Low	1	100529		10/29/2003	1140	
5035	5035 Preservation Low	2	100529		10/29/2003	1140	
5035	5035 Preservation Low	2	100529		10/29/2004	1140	
3010A	Acid Dig. Leachates (ICAP)	1	100758	100521	11/05/2003	1005	
3541	Extraction Soxhlet (Jet Fuel)	1	100541		11/04/2003	0900	
7470A	Leachable, Mercury (CVAA)	1	100793	100792-100521	11/05/2003	1538	
6010B	Leachable, Metals Analysis (ICAP)	1	102110	100758-100521	11/19/2003	0752	
7470	SW846 Dig. Leachates (Hg)	1	100792		11/05/2003	1110	
1311	TCLP Extraction	1	100521		11/03/2003	0000	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101054	100541	11/07/2003	0006	1.00000
8260B	Volatile Organics	1	100573	100513-100571	11/03/2003	1532	1.0000

Lab ID: 221823-11 Client ID: RD-SB-S5(20-22)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100277		10/31/2003	0935	
5030A	5030 Purge & Trap of Methanol Extract	1	100716		11/05/2003	0919	
5035	5035 Archon Closed Purge & Trap	1	100761		11/04/2003	1748	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	1145	
5035	5035 Preservation Low	1	100529		10/29/2003	1145	
5035	5035 Preservation Low	2	100529		10/29/2003	1145	
3010A	Acid Dig. Leachates (ICAP)	1	100758	100521	11/05/2003	1005	
3541	Extraction Soxhlet (Jet Fuel)	1	100541		11/04/2003	0900	
7470A	Leachable, Mercury (CVAA)	1	100793	100792-100521	11/05/2003	1544	
6010B	Leachable, Metals Analysis (ICAP)	1	102110	100758-100521	11/19/2003	0759	
7470	SW846 Dig. Leachates (Hg)	1	100792		11/05/2003	1110	

Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY CHRONICLE

Job Number: 221827 Date: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221827-7 Client ID: RD-SB-S2(14-16)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
6010B	Leachable, Metals Analysis (ICAP)	1	101804	101106-100940	11/15/2003	1838	
7470	SW846 Dig. Leachates (Hg)	1	101194		11/10/2003	1115	
1311	TCLP Extraction	1	100940		11/06/2003	1800	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101508	101153	11/12/2003	2126	1.00000
8260B	Volatile Organics	1	101176	100614-101144	11/09/2003	1846	1.00000

Lab ID: 221827-8 Client ID: RD-SB-S2(16-18)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100279		10/31/2003	1020	
5030A	5030 Purge & Trap of Methanol Extract	1	100716		11/05/2003	0704	
5035	5035 Archon Closed Purge & Trap	1	101144		11/09/2003	1913	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1400	
5035	5035 Preservation Low	1	100614		10/28/2003	1400	
5035	5035 Preservation Low	2	100614		10/28/2003	1400	
3010A	Acid Dig. Leachates (ICAP)	1	101106	100940	11/09/2003	2120	
3550B	Extraction Ultrasonic (JP4)	1	101153		11/10/2003	1245	
7470A	Leachable, Mercury (CVAA)	1	101195	101194-100940	11/10/2003	1558	
6010B	Leachable, Metals Analysis (ICAP)	1	101804	101106-100940	11/15/2003	1844	
7470	SW846 Dig. Leachates (Hg)	1	101194		11/10/2003	1115	
1311	TCLP Extraction	1	100940		11/06/2003	1800	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101508	101153	11/12/2003	2213	1.00000
8260B	Volatile Organics	1	101176	100614-101144	11/09/2003	1913	1.00000

Lab ID: 221827-9 Client ID: TRIP BLANK Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
5030B	5030 25 mL Purge Prep	1	100843		11/05/2003	1957	
8260B	Volatile Organics	1	100905	100843	11/05/2003	1957	1.00000

Lab ID: 221827-10 Client ID: RD-SB-S2(18-20)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100279		10/31/2003	1020	
5030A	5030 Purge & Trap of Methanol Extract	1	100716		11/05/2003	0727	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1405	
5035	5035 Preservation Low	1	100614		10/28/2003	1405	
5035	5035 Preservation Low	2	100614		10/28/2003	1405	
3010A	Acid Dig. Leachates (ICAP)	1	101106	100940	11/09/2003	2120	
3550B	Extraction Ultrasonic (JP4)	1	101153		11/10/2003	1245	
7470A	Leachable, Mercury (CVAA)	1	101195	101194-100940	11/10/2003	1600	
6010B	Leachable, Metals Analysis (ICAP)	1	101804	101106-100940	11/15/2003	1851	
7470	SW846 Dig. Leachates (Hg)	1	101194		11/10/2003	1115	
1311	TCLP Extraction	1	100940		11/06/2003	1800	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101508	101153	11/12/2003	2300	1.00000
8260B	Volatile Organics	1	100721	100654-100716	11/05/2003	0727	1.0000

Lab ID: 221827-11 Client ID: RD-SB-S2(20-22)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100279		10/31/2003	1020	
5030A	5030 Purge & Trap of Methanol Extract	1	100716		11/05/2003	0749	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1410	
5035	5035 Preservation Low	1	100614		10/28/2003	1410	
5035	5035 Preservation Low	2	100614		10/28/2003	1410	
3010A	Acid Dig. Leachates (ICAP)	1	101106	100940	11/09/2003	2120	
3550B	Extraction Ultrasonic (JP4)	1	101153		11/10/2003	1245	
7470A	Leachable, Mercury (CVAA)	1	101195	101194-100940	11/10/2003	1602	
6010B	Leachable, Metals Analysis (ICAP)	1	101804	101106-100940	11/15/2003	1858	

LABORATORY CHRONICLE

Job Number: 221827 Date: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221827-11 Client ID: RD-SB-S2(20-22)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
7470	SW846 Dig. Leachates (Hg)	1	101194		11/10/2003	1115	
1311	TCLP Extraction	1	100940		11/06/2003	1800	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101508	101153	11/12/2003	2348	1.00000
8260B	Volatile Organics	1	100721	100654-100716	11/05/2003	0749	1.0000

Lab ID: 221827-12 Client ID: RD-SB-S2(22-24)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100279		10/31/2003	1020	
5035	5035 Archon Closed Purge & Trap	1	100761		11/04/2003	2033	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1415	
5035	5035 Preservation Low	1	100614		10/28/2003	1415	
5035	5035 Preservation Low	2	100614		10/28/2003	1415	
3010A	Acid Dig. Leachates (ICAP)	1	101106	100940	11/09/2003	2120	
3550B	Extraction Ultrasonic (JP4)	1	101153		11/10/2003	1245	
7470A	Leachable, Mercury (CVAA)	1	101195	101194-100940	11/10/2003	1604	
6010B	Leachable, Metals Analysis (ICAP)	1	101804	101106-100940	11/15/2003	1904	
7470	SW846 Dig. Leachates (Hg)	1	101194		11/10/2003	1115	
1311	TCLP Extraction	1	100940		11/06/2003	1800	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101508	101153	11/13/2003	0035	1.00000
8260B	Volatile Organics	1	100782	100614-100761	11/04/2003	2033	1.00000

ab ID: 221827-13 Client ID: RD-SB-S2(24-26)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100279		10/31/2003	1020	
5035	5035 Archon Closed Purge & Trap	1	100761		11/04/2003	2100	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1420	
5035	5035 Preservation Low	1	100614		10/28/2003	1420	
5035	5035 Preservation Low	2	100614		10/28/2003	1420	
3010A	Acid Dig. Leachates (ICAP)	1	101106	100940	11/09/2003	2120	
3550B	Extraction Ultrasonic (JP4)	1	101153		11/10/2003	1245	
7470A	Leachable, Mercury (CVAA)	1	101195	101194-100940	11/10/2003	1607	
6010B	Leachable, Metals Analysis (ICAP)	1	101804	101106-100940	11/15/2003	1911	
7470	SW846 Dig. Leachates (Hg)	1	101194		11/10/2003	1115	
1311	TCLP Extraction	1	100940		11/06/2003	1800	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101508	101153	11/13/2003	0122	1.00000
8260B	Volatile Organics	1	100782	100614-100761	11/04/2003	2100	1.00000

Lab ID: 221827-14 Client ID: RD-SB-S2(26-28)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100279		10/31/2003	1020	
5035	5035 Archon Closed Purge & Trap	1	100757		11/05/2003	0758	
5035	5035 Archon Closed Purge & Trap	2	101144		11/09/2003	1941	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1425	
5035	5035 Preservation Low	1	100614		10/28/2003	1425	
5035	5035 Preservation Low	2	100614		10/28/2003	1425	
3010A	Acid Dig. Leachates (ICAP)	1	101106	100940	11/09/2003	2120	
3550B	Extraction Ultrasonic (JP4)	1	101153		11/10/2003	1245	
7470A	Leachable, Mercury (CVAA)	1	101195	101194-100940	11/10/2003	1613	
6010B	Leachable, Metals Analysis (ICAP)	1	101804	101106-100940	11/15/2003	1918	
7470	SW846 Dig. Leachates (Hg)	1	101194		11/10/2003	1115	
1311	TCLP Extraction	1	100940		11/06/2003	1800	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101508	101153	11/13/2003	0209	1.00000
8260B	Volatile Organics	1	100767	100614-100757	11/05/2003	0758	1.00000

Lab ID: 221827-15 Client ID: RD-SB-S2(28-30)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
ethod	% Solids Determination	1	100279		10/31/2003	1020	

LABORATORY CHRONICLE

Job Number: 221823 Date: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221823-11 Client ID: RD-SB-S5(20-22)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
1311	TCLP Extraction	1	100521		11/03/2003	0000	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101054	100541	11/07/2003	0052	1.00000
8260B	Volatile Organics	1	100782	100529-100761	11/04/2003	1748	1.00000
8260B	Volatile Organics	1	100721	100513-100716	11/05/2003	0919	1.0000

Lab ID: 221823-12 Client ID: RD-SB-S5(22-24)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100277		10/31/2003	0935	
5035	5035 Archon Closed Purge & Trap	1	100761		11/04/2003	1408	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	1150	
5035	5035 Preservation Low	1	100529		10/29/2003	1150	
5035	5035 Preservation Low	2	100529		10/29/2003	1150	
3010A	Acid Dig. Leachates (ICAP)	1	100758	100521	11/05/2003	1005	
3541	Extraction Soxhlet (Jet Fuel)	1	100541		11/04/2003	0900	
7470A	Leachable, Mercury (CVAA)	1	100793	100792-100521	11/05/2003	1547	
6010B	Leachable, Metals Analysis (ICAP)	1	102110	100758-100521	11/19/2003	0806	
7470	SW846 Dig. Leachates (Hg)	1	100792		11/05/2003	1110	
1311	TCLP Extraction	1	100521		11/03/2003	0000	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101054	100541	11/07/2003	0224	1.00000
8260B	Volatile Organics	1	100782	100529-100761	11/04/2003	1408	1.00000

Lab ID: 221823-13 Client ID: RD-SB-S5(24-26)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100277		10/31/2003	0935	
5035	5035 Archon Closed Purge & Trap	1	100761		11/04/2003	1436	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	1155	
5035	5035 Preservation Low	1	100529		10/29/2003	1155	
5035	5035 Preservation Low	2	100529		10/29/2003	1155	
3010A	Acid Dig. Leachates (ICAP)	1	100758	100521	11/05/2003	1005	
3541	Extraction Soxhlet (Jet Fuel)	1	100541		11/04/2003	0900	
7470A	Leachable, Mercury (CVAA)	1	100793	100792-100521	11/05/2003	1549	
6010B	Leachable, Metals Analysis (ICAP)	1	102110	100758-100521	11/19/2003	0813	
7470	SW846 Dig. Leachates (Hg)	1	100792		11/05/2003	1110	
1311	TCLP Extraction	1	100521		11/03/2003	0000	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101054	100541	11/07/2003	0310	1.00000
8260B	Volatile Organics	1	100782	100529-100761	11/04/2003	1436	1.00000

Lab ID: 221823-14 Client ID: RD-SB-S5(26-28)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100277		10/31/2003	0935	
5035	5035 Archon Closed Purge & Trap	1	100761		11/04/2003	1503	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	1200	
5035	5035 Preservation Low	1	100529		10/29/2003	1200	
5035	5035 Preservation Low	2	100529		10/29/2003	1200	
3010A	Acid Dig. Leachates (ICAP)	1	100758	100521	11/05/2003	1005	
3541	Extraction Soxhlet (Jet Fuel)	1	100541		11/04/2003	0900	
7470A	Leachable, Mercury (CVAA)	1	100793	100792-100521	11/05/2003	1551	
6010B	Leachable, Metals Analysis (ICAP)	1	102110	100758-100521	11/19/2003	0819	
7470	SW846 Dig. Leachates (Hg)	1	100792		11/05/2003	1110	
1311	TCLP Extraction	1	100521		11/03/2003	0000	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101054	100541	11/07/2003	0356	1.00000
8260B	Volatile Organics	1	100782	100529-100761	11/04/2003	1503	1.00000

Lab ID: 221823-15 Client ID: RD-SB-S5(28-30)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100277		10/31/2003	0935	

LABORATORY CHRONICLE

Job Number: 221827 Date: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221827-15 Client ID: RD-SB-S2(28-30)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
5035	5035 Archon Closed Purge & Trap	1	100757		11/05/2003	0948	
5035	5035 Archon Closed Purge & Trap	2	100757		11/05/2003	0826	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1430	
5035	5035 Preservation Low	1	100614		10/28/2003	1430	
5035	5035 Preservation Low	2	100614		10/28/2003	1430	
3010A	Acid Dig. Leachates (ICAP)	1	101106	100940	11/09/2003	2120	
3550B	Extraction Ultrasonic (JP4)	1	101153		11/10/2003	1245	
7470A	Leachable, Mercury (CVAA)	1	101195	101194-100940	11/10/2003	1615	
6010B	Leachable, Metals Analysis (ICAP)	1	101804	101106-100940	11/15/2003	1925	
7470	SW846 Dig. Leachates (Hg)	1	101194		11/10/2003	1115	
1311	TCLP Extraction	1	100940		11/06/2003	1800	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101508	101153	11/13/2003	0342	1.00000
8260B	Volatile Organics	1	100767	100614-100757	11/05/2003	0948	1.00000

Lab ID: 221827-16 Client ID: RD-SB-S2(30-32)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100279		10/31/2003	1020	
5035	5035 Archon Closed Purge & Trap	1	100757		11/05/2003	1015	
5035	5035 Archon Closed Purge & Trap	2	100757		11/05/2003	0853	
5035	5035 Archon Closed Purge & Trap	3	101144		11/09/2003	2008	
5035	5035 Archon Closed Purge & Trap	4	101223		11/10/2003	1218	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1435	
5035	5035 Preservation Low	1	100614		10/28/2003	1435	
5035	5035 Preservation Low	2	100614		10/28/2003	1435	
3010A	Acid Dig. Leachates (ICAP)	1	101106	100940	11/09/2003	2120	
3550B	Extraction Ultrasonic (JP4)	1	101153		11/10/2003	1245	
7470A	Leachable, Mercury (CVAA)	1	101195	101194-100940	11/10/2003	1618	
6010B	Leachable, Metals Analysis (ICAP)	1	101804	101106-100940	11/15/2003	1954	
7470	SW846 Dig. Leachates (Hg)	1	101194		11/10/2003	1115	
1311	TCLP Extraction	1	100940		11/06/2003	1800	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101508	101153	11/13/2003	0428	1.00000
8260B	Volatile Organics	1	102107	100614-101223	11/10/2003	1218	1.00000

Lab ID: 221827-17 Client ID: TRIP BLANK Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
5030B	5030 25 mL Purge Prep	1	100843		11/05/2003	2027	
8260B	Volatile Organics	1	100905	100843	11/05/2003	2027	1.00000

S[illegible]cago is part of Severn Trent Laboratories, Inc.

LABORATORY CHRONICLE

Job Number: 221823 Date: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221823-15 Client ID: RD-SB-S5(28-30)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
5035	5035 Archon Closed Purge & Trap	1	100761		11/04/2003	1531	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	1205	
5035	5035 Preservation Low	1	100529		10/29/2003	1205	
5035	5035 Preservation Low	2	100529		10/29/2003	1205	
3010A	Acid Dig. Leachates (ICAP)	1	100758	100521	11/05/2003	1005	
3541	Extraction Soxhlet (Jet Fuel)	1	100541		11/04/2003	0900	
7470A	Leachable, Mercury (CVAA)	1	100793	100792-100521	11/05/2003	1553	
6010B	Leachable, Metals Analysis (ICAP)	1	102110	100758-100521	11/19/2003	0827	
7470	SW846 Dig. Leachates (Hg)	1	100792		11/05/2003	1110	
1311	TCLP Extraction	1	100521		11/03/2003	0000	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101054	100541	11/07/2003	0442	1.00000
8260B	Volatile Organics	1	100782	100529-100761	11/04/2003	1531	1.00000

Lab ID: 221823-16 Client ID: RD-SB-S5(30-32)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100277		10/31/2003	0935	
5035	5035 Archon Closed Purge & Trap	1	100761		11/04/2003	1558	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	1210	
5035	5035 Preservation Low	1	100529		10/29/2003	1210	
5035	5035 Preservation Low	2	100529		10/29/2003	1210	
3010A	Acid Dig. Leachates (ICAP)	1	100758	100521	11/05/2003	1005	
3541	Extraction Soxhlet (Jet Fuel)	1	100541		11/04/2003	0900	
[illegible]70A	Leachable, Mercury (CVAA)	1	100793	100792-100521	11/05/2003	1555	
[illegible]10B	Leachable, Metals Analysis (ICAP)	1	102110	100758-100521	11/19/2003	0834	
7470	SW846 Dig. Leachates (Hg)	1	100792		11/05/2003	1110	
1311	TCLP Extraction	1	100521		11/03/2003	0000	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101054	100541	11/07/2003	0528	1.00000
8260B	Volatile Organics	1	100782	100529-100761	11/04/2003	1558	1.00000

Lab ID: 221823-17 Client ID: TRIP BLANK Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
5030B	5030 25 mL Purge Prep	1	100843		11/05/2003	1825	
8260B	Volatile Organics	1	100905	100843	11/05/2003	1825	1.00000

STL Chicago is part of Severn Trent Laboratories, Inc.

SURROGATE RECOVERIES REPORT

Job Number.: 221823 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Method.....: TPH - Diesel Range Organics (DRO) Test Matrix...: 3541 Solid Prep Batch..: 100541
Method Code...: 8015D Batch(s).....: 101054

Lab ID	DT	Sample ID	Date	2FLUBP	OTERPH
LCS			11/06/2003	112*	116
MB			11/06/2003	108*	109
221823- 1		RD-SB-S5(2-4)-01	11/06/2003	114*	0 *I
221823- 2		RD-SB-S5(4-6)-01	11/06/2003	180*	0 *I
221823- 3		RD-SB-S5(6-8)-01	11/06/2003	107*	0 *I
221823- 4		RD-SB-S5(8-10)-01	11/07/2003	124*	0 *I
221823- 4	MS	RD-SB-S5(8-10)-01	11/07/2003	125*	0 *I
221823- 4	MSD	RD-SB-S5(8-10)-01	11/07/2003	123*	0 *I
221823- 5		RD-SB-S5(10-12)-01	11/07/2003	133*	0 *I
221823- 6		RD-SB-S5(12-14)-01	11/06/2003	111*	106
221823- 7		RD-SB-S5(14-16)-01	11/06/2003	113*	106
221823- 8		RD-SB-S5(16-18)-01	11/06/2003	116*	107
221823- 10		RD-SB-S5(18-20)-01	11/07/2003	56	53
221823- 11		RD-SB-S5(20-22)-01	11/07/2003	81	73
221823- 12		RD-SB-S5(22-24)-01	11/07/2003	87	80
221823- 13		RD-SB-S5(24-26)-01	11/07/2003	88	81
221823- 14		RD-SB-S5(26-28)-01	11/07/2003	111*	101
[illegible]923- 15		RD-SB-S5(28-30)-01	11/07/2003	105*	97
3- 16		RD-SB-S5(30-32)-01	11/07/2003	94	85

Test	Test Description	Limits
2FLUBP	2-Fluorobiphenyl (surr)	48 - 103
OTERPH	o-Terphenyl (surr)	44 - 128

STL Chicago is part of Severn Trent Laboratories, Inc.

SURROGATE RECOVERIES REPORT

Job Number.: 221823 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: High/Med Level
Batch(s).....: 100573 100721
Prep Batch..: 100513

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
221823- 1		RD-SB-S5(2-4)-01	11/03/2003	88	95	89	103
221823- 2		RD-SB-S5(4-6)-01	11/03/2003	87	94	90	104
221823- 3		RD-SB-S5(6-8)-01	11/03/2003	88	95	90	102
221823- 4	D1	RD-SB-S5(8-10)-01	11/05/2003	87	94	88	102
221823- 5		RD-SB-S5(10-12)-01	11/03/2003	90	95	89	104
221823- 10		RD-SB-S5(18-20)-01	11/03/2003	88	94	90	105
221823- 11	D1	RD-SB-S5(20-22)-01	11/05/2003	90	94	90	103

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	43 - 139
BRFLBE	4-Bromofluorobenzene (surr)	57 - 124
DBRFLM	Dibromofluoromethane (surr)	64 - 132
TOLD8	Toluene-d8 (surr)	70 - 128

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: Solid
Batch(s).....: 100782
Prep Batch..: 100529

ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
221823- 4		RD-SB-S5(8-10)-01	11/04/2003	102	94	98	98
221823- 4 MS		RD-SB-S5(8-10)-01	11/04/2003	99	93	100	94
221823- 4 MSD		RD-SB-S5(8-10)-01	11/04/2003	105	89	99	90
221823- 6		RD-SB-S5(12-14)-01	11/04/2003	104	93	97	99
221823- 7		RD-SB-S5(14-16)-01	11/04/2003	99	94	93	97
221823- 8		RD-SB-S5(16-18)-01	11/04/2003	102	94	99	98
221823- 11		RD-SB-S5(20-22)-01	11/04/2003	100	94	94	97
221823- 12		RD-SB-S5(22-24)-01	11/04/2003	104	92	97	95
221823- 13		RD-SB-S5(24-26)-01	11/04/2003	104	94	99	97
221823- 14		RD-SB-S5(26-28)-01	11/04/2003	102	93	96	100
221823- 15		RD-SB-S5(28-30)-01	11/04/2003	103	95	96	98
221823- 16		RD-SB-S5(30-32)-01	11/04/2003	104	91	98	96

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	50 - 145
BRFLBE	4-Bromofluorobenzene (surr)	60 - 140
DBRFLM	Dibromofluoromethane (surr)	60 - 140
TOLD8	Toluene-d8 (surr)	66 - 141

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: High/Med Level
Batch(s).....: 100573
Prep Batch..: 100571

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			11/03/2003	86	98	94	106
MB			11/03/2003	89	94	94	104

Test	Test Description	Limits
ED	1,2-Dichloroethane-d4 (surr)	43 - 139
BE	4-Bromofluorobenzene (surr)	57 - 124
DBRFLM	Dibromofluoromethane (surr)	64 - 132

STL Chicago is part of Severn Trent Laboratories, Inc.

SURROGATE RECOVERIES REPORT

Job Number.: 221823 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: High/Med Level
Batch(s).....: 100573
Prep Batch..: 100571

Test	Test Description	Limits
TOLD8	Toluene-d8 (surr)	70 - 128

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: High/Med Level
Batch(s).....: 100721
Prep Batch..: 100690

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
EB2			11/05/2003	88	96	90	105

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	43 - 139
BRFLBE	4-Bromofluorobenzene (surr)	57 - 124
DBRFLM	Dibromofluoromethane (surr)	64 - 132
TOLD8	Toluene-d8 (surr)	70 - 128

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: High/Med Level
Batch(s).....: 100721
Prep Batch..: 100716

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			11/05/2003	84	96	92	105
MB			11/04/2003	91	94	95	105

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	43 - 139
BRFLBE	4-Bromofluorobenzene (surr)	57 - 124
DBRFLM	Dibromofluoromethane (surr)	64 - 132
TOLD8	Toluene-d8 (surr)	70 - 128

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: Solid
Batch(s).....: 100782
Prep Batch..: 100761

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			11/04/2003	98	98	101	100
MB			11/04/2003	104	98	96	104

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	50 - 145
BRFLBE	4-Bromofluorobenzene (surr)	60 - 140
DBRFLM	Dibromofluoromethane (surr)	60 - 140
TOLD8	Toluene-d8 (surr)	66 - 141

STL Chicago is part of Severn Trent Laboratories, Inc.

SURROGATE RECOVERIES REPORT

Job Number.: 221823 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Method.....: Volatile Organics Test Matrix...: Water Prep Batch..: 100843
Method Code...: 8260B Batch(s).....: 100905

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			11/05/2003	103	94	103	100
MB			11/05/2003	101	94	105	100
221823- 9		TRIP BLANK	11/05/2003	104	96	105	99
221823- 17		TRIP BLANK	11/05/2003	107	98	107	100

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	61 - 131
BRFLBE	4-Bromofluorobenzene (surr)	73 - 122
DBRFLM	Dibromofluoromethane (surr)	66 - 132
TOLD8	Toluene-d8 (surr)	78 - 128

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)

Equipment Code....: INST09
Batch.....: 101054

Analyst...: pjg

LCS	Laboratory Control Sample	003JWLJP4A	100541-002		11/06/2003	1404

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
TPH - Jet Fuel (JP4), 3541 Solid	mg/Kg	38.470		66.670	4.199 U	58	%	50-150	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

STL Chicago is part of Severn Trent Laboratories, Inc.

SURROGATE RECOVERIES REPORT

Job Number.: 221827 Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Method.....: Volatile Organics Test Matrix...: Solid Prep Batch..: 100614
Method Code...: 8260B Batch(s).....: 100767 100782 101176 102107

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
221827- 3		RD-SB-S2(6-8)-01	11/04/2003	100	94	93	96
221827- 4		RD-SB-S2(8-10)-01	11/04/2003	99	92	98	95
221827- 4	MS	RD-SB-S2(8-10)-01	11/04/2003	93	94	95	97
221827- 4	MSD	RD-SB-S2(8-10)-01	11/04/2003	96	95	98	97
221827- 5		RD-SB-S2(10-12)-01	11/05/2003	164*	130	114	112
221827- 6		RD-SB-S2(12-14)-01	11/09/2003	93	90	90	95
221827- 7		RD-SB-S2(14-16)-01	11/09/2003	94	91	95	95
221827- 8		RD-SB-S2(16-18)-01	11/09/2003	92	91	91	92
221827- 12		RD-SB-S2(22-24)-01	11/04/2003	108	100	101	103
221827- 13		RD-SB-S2(24-26)-01	11/04/2003	102	93	95	96
221827- 14		RD-SB-S2(26-28)-01	11/05/2003	142	104	107	98
221827- 15		RD-SB-S2(28-30)-01	11/05/2003	99	98	104	106
221827- 16		RD-SB-S2(30-32)-01	11/10/2003	86	85	80	86

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	50 - 145
BRFLBE	4-Bromofluorobenzene (surr)	60 - 140
DBRFLM	Dibromofluoromethane (surr)	60 - 140
TOLD8	Toluene-d8 (surr)	66 - 141

Method.....: Volatile Organics Test Matrix...: High/Med Level Prep Batch..: 100654
Method Code...: 8260B Batch(s).....: 100721

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
221827- 1		RD-SB-S2(2-4)-01	11/05/2003	88	101	97	104
221827- 1	D1	RD-SB-S2(2-4)-01	11/05/2003	92	97	95	103
221827- 2		RD-SB-S2(4-6)-01	11/05/2003	88	94	88	104
221827- 10		RD-SB-S2(18-20)-01	11/05/2003	89	94	89	104
221827- 11		RD-SB-S2(20-22)-01	11/05/2003	88	94	89	104

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	43 - 139
BRFLBE	4-Bromofluorobenzene (surr)	57 - 124
DBRFLM	Dibromofluoromethane (surr)	64 - 132
TOLD8	Toluene-d8 (surr)	70 - 128

Method.....: Volatile Organics Test Matrix...: High/Med Level Prep Batch..: 100690
Method Code...: 8260B Batch(s).....: 100721

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
EB2			11/05/2003	88	96	90	105

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	43 - 139
BRFLBE	4-Bromofluorobenzene (surr)	57 - 124
DBRFLM	Dibromofluoromethane (surr)	64 - 132
TOLD8	Toluene-d8 (surr)	70 - 128

STL Chicago is part of Severn Trent Laboratories, Inc.

SURROGATE RECOVERIES REPORT

Job Number.: 221827 Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Method.....: Volatile Organics Test Matrix...: High/Med Level Prep Batch..: 100716
Method Code...: 8260B Batch(s).....: 100721

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			11/05/2003	84	96	92	105
MB			11/04/2003	91	94	95	105

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	43 - 139
BRFLBE	4-Bromofluorobenzene (surr)	57 - 124
DBRFLM	Dibromofluoromethane (surr)	64 - 132
TOLD8	Toluene-d8 (surr)	70 - 128

Method.....: Volatile Organics Test Matrix...: Solid Prep Batch..: 100757
Method Code...: 8260B Batch(s).....: 100767

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			11/04/2003	101	96	98	102
			11/04/2003	97	93	97	98

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	50 - 145
BRFLBE	4-Bromofluorobenzene (surr)	60 - 140
DBRFLM	Dibromofluoromethane (surr)	60 - 140
TOLD8	Toluene-d8 (surr)	66 - 141

Method.....: Volatile Organics Test Matrix...: Solid Prep Batch..: 100761
Method Code...: 8260B Batch(s).....: 100782

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			11/04/2003	98	98	101	100
MB			11/04/2003	104	98	96	104

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	50 - 145
BRFLBE	4-Bromofluorobenzene (surr)	60 - 140
DBRFLM	Dibromofluoromethane (surr)	60 - 140
TOLD8	Toluene-d8 (surr)	66 - 141

Method.....: Volatile Organics Test Matrix...: Water Prep Batch..: 100843
Method Code...: 8260B Batch(s).....: 100905

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			11/05/2003	103	94	103	100
MB			11/05/2003	101	94	105	100
221827- 9		TRIP BLANK	11/05/2003	110	97	108	100
221827- 17		TRIP BLANK	11/05/2003	114	98	110	100

STL Chicago is part of Severn Trent Laboratories, Inc.

SURROGATE RECOVERIES REPORT

Job Number.: 221827 Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: Water
Batch(s).....: 100905
Prep Batch..: 100843

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	61 - 131
BRFLBE	4-Bromofluorobenzene (surr)	73 - 122
DBRFLM	Dibromofluoromethane (surr)	66 - 132
TOLD8	Toluene-d8 (surr)	78 - 128

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: Solid
Batch(s).....: 101176
Prep Batch..: 101144

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			11/09/2003	90	95	90	99
MB			11/09/2003	93	93	91	98

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	50 - 145
BRFLBE	4-Bromofluorobenzene (surr)	60 - 140
DBRFLM	Dibromofluoromethane (surr)	60 - 140
TOLD8	Toluene-d8 (surr)	66 - 141

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: Solid
Batch(s).....: 102107
Prep Batch..: 101223

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			11/10/2003	87	100	90	103
MB			11/10/2003	79	100	73	104

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	50 - 145
BRFLBE	4-Bromofluorobenzene (surr)	60 - 140
DBRFLM	Dibromofluoromethane (surr)	60 - 140
TOLD8	Toluene-d8 (surr)	66 - 141

QUALITY CONTROL RESULTS

Job Number.: 221827

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)

Equipment Code....: INST09
Batch.....: 101508

Analyst...: mgk

MB	Method Blank		101153-001		11/12/2003	1201

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
TPH - Jet Fuel (JP4), Solid	mg/Kg	4.199	U						

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)

Equipment Code....: INST09
Batch.....: 101054

Analyst...: pjg

MB	Method Blank		100541-001		11/06/2003	1318

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
TPH - Jet Fuel (JP4), 3541 Solid	mg/Kg	4.199	U						

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MS	Matrix Spike	003JWLJP4A	221827-4		11/12/2003	1730

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)

Equipment Code....: INST09
Batch.....: 101508

Analyst...: mgk

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
TPH - Jet Fuel (JP4), Solid	mg/Kg	43.953		70.230	4.424 U	63	%	50-150	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)

Equipment Code....: INST09
Batch.....: 101054

Analyst...: pjg

MS	Matrix Spike	003JWLJP4A	221823-4		11/07/2003	1235

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
TPH - Jet Fuel (JP4), 3541 Solid	mg/Kg	101.775		68.850	4.337 U	148	%	50-150	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)

Equipment Code....: INST09
Batch.....: 101054

Analyst...: pjg

MSD	Matrix Spike Duplicate	003JWLJP4A	221823-4		11/07/2003	1321

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
TPH - Jet Fuel (JP4), 3541 Solid	mg/Kg	106.553	101.775	68.470	4.313 U	156 5	% R	50-150 30	*

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827

Report Date.: 11/24/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)

Equipment Code....: INST09
Batch.....: 101508

Analyst...: mgk

MSD	Matrix Spike Duplicate	003JWLJP4A	221827-4		11/12/2003	1817

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
TPH - Jet Fuel (JP4), Solid	mg/Kg	42.363	43.953	68.590	4.320 U	62 2	% R	50-150 30	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL16
Batch.....: 100721

Analyst...: jdn

EB2	Extraction Blank 2	221904	100690-011		11/05/2003	1026

Parameter/Test Description	Units	QC Result		QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, High/Med Level	mg/Kg	0.100	U							
Vinyl chloride, High/Med Level	mg/Kg	0.100	U							
Bromomethane, High/Med Level	mg/Kg	0.100	U							
Chloroethane, High/Med Level	mg/Kg	0.100	U							
1,1-Dichloroethene, High/Med Level	mg/Kg	0.100	U							
Carbon disulfide, High/Med Level	mg/Kg	0.100	U							
Acetone, High/Med Level	mg/Kg	0.100	U							
Methylene chloride, High/Med Level	mg/Kg	0.100	U							
1,1-Dichloroethane, High/Med Level	mg/Kg	0.100	U							
2-Butanone (MEK), High/Med Level	mg/Kg	0.100	U							
Chloroform, High/Med Level	mg/Kg	0.100	U							
1,1,1-Trichloroethane, High/Med Level	mg/Kg	0.100	U							
Carbon tetrachloride, High/Med Level	mg/Kg	0.100	U							
-Dichloroethene (total), High/Med L	mg/Kg	0.100	U							
zene, High/Med Level	mg/Kg	0.025	U							
1,2-Dichloroethane, High/Med Level	mg/Kg	0.100	U							
Trichloroethene, High/Med Level	mg/Kg	0.100	U							
1,2-Dichloropropane, High/Med Level	mg/Kg	0.100	U							
Bromodichloromethane, High/Med Level	mg/Kg	0.100	U							
cis-1,3-Dichloropropene, High/Med Leve	mg/Kg	0.100	U							
4-Methyl-2-pentanone (MIBK), High/Med	mg/Kg	0.100	U							
Toluene, High/Med Level	mg/Kg	0.025	U							
trans-1,3-Dichloropropene, High/Med Le	mg/Kg	0.100	U							
1,1,2-Trichloroethane, High/Med Level	mg/Kg	0.100	U							
Tetrachloroethene, High/Med Level	mg/Kg	0.100	U							
2-Hexanone, High/Med Level	mg/Kg	0.100	U							
Dibromochloromethane, High/Med Level	mg/Kg	0.100	U							
Chlorobenzene, High/Med Level	mg/Kg	0.100	U							
Ethylbenzene, High/Med Level	mg/Kg	0.025	U							
Styrene, High/Med Level	mg/Kg	0.100	U							
Bromoform, High/Med Level	mg/Kg	0.100	U							
1,1,2,2-Tetrachloroethane, High/Med Le	mg/Kg	0.100	U							
Xylenes (total), High/Med Level	mg/Kg	0.075	U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827

Report Date.: 11/24/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL16
Batch.....: 100721

Analyst...: jdn

LCS	Laboratory Control Sample	V03K04DSB	100716-002		11/05/2003	0041

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, High/Med Level	mg/Kg	1.540		2.500	0.100 U	62	%	55-129	
Vinyl chloride, High/Med Level	mg/Kg	1.680		2.500	0.100 U	67	%	61-135	
Bromomethane, High/Med Level	mg/Kg	3.572		2.500	0.100 U	143	%	36-164	
Chloroethane, High/Med Level	mg/Kg	2.712		2.500	0.100 U	108	%	33-207	
1,1-Dichloroethene, High/Med Level	mg/Kg	1.612		2.500	0.100 U	64	%	44-143	
Carbon disulfide, High/Med Level	mg/Kg	1.246		2.500	0.100 U	50	%	21-124	
Acetone, High/Med Level	mg/Kg	1.573		2.500	0.100 U	63	%	34-143	
Methylene chloride, High/Med Level	mg/Kg	1.850		2.500	0.100 U	74	%	57-129	
1,1-Dichloroethane, High/Med Level	mg/Kg	1.904		2.500	0.100 U	76	%	68-119	
2-Butanone (MEK), High/Med Level	mg/Kg	1.794		2.500	0.100 U	72	%	40-125	
Chloroform, High/Med Level	mg/Kg	2.014		2.500	0.100 U	81	%	61-129	
1,1,1-Trichloroethane, High/Med Level	mg/Kg	2.075		2.500	0.100 U	83	%	69-133	
Carbon tetrachloride, High/Med Level	mg/Kg	2.203		2.500	0.100 U	88	%	59-127	
Dichloroethene (total), High/Med L	mg/Kg	3.924		5.000	0.100 U	78	%	60-139	
ene, High/Med Level	mg/Kg	2.125		2.500	0.025 U	85	%	67-122	
,2-Dichloroethane, High/Med Level	mg/Kg	1.929		2.500	0.100 U	77	%	64-115	
Trichloroethene, High/Med Level	mg/Kg	2.382		2.500	0.100 U	95	%	70-123	
1,2-Dichloropropane, High/Med Level	mg/Kg	2.132		2.500	0.100 U	85	%	70-122	
Bromodichloromethane, High/Med Level	mg/Kg	2.280		2.500	0.100 U	91	%	66-128	
cis-1,3-Dichloropropene, High/Med Leve	mg/Kg	2.289		2.600	0.100 U	88	%	68-123	
4-Methyl-2-pentanone (MIBK), High/Med	mg/Kg	2.059		2.500	0.100 U	82	%	54-119	
Toluene, High/Med Level	mg/Kg	2.256		2.500	0.025 U	90	%	72-123	
trans-1,3-Dichloropropene, High/Med Le	mg/Kg	2.194		2.400	0.100 U	91	%	60-115	
1,1,2-Trichloroethane, High/Med Level	mg/Kg	2.099		2.500	0.100 U	84	%	67-133	
Tetrachloroethene, High/Med Level	mg/Kg	2.492		2.500	0.100 U	100	%	75-125	
2-Hexanone, High/Med Level	mg/Kg	1.954		2.500	0.100 U	78	%	50-116	
Dibromochloromethane, High/Med Level	mg/Kg	2.380		2.500	0.100 U	95	%	70-119	
Chlorobenzene, High/Med Level	mg/Kg	2.302		2.500	0.100 U	92	%	80-125	
Ethylbenzene, High/Med Level	mg/Kg	2.428		2.500	0.025 U	97	%	78-128	
Styrene, High/Med Level	mg/Kg	2.522		2.500	0.100 U	101	%	80-129	
Bromoform, High/Med Level	mg/Kg	2.168		2.500	0.100 U	87	%	70-123	
1,1,2,2-Tetrachloroethane, High/Med Le	mg/Kg	2.040		2.500	0.100 U	82	%	70-126	
Xylenes (total), High/Med Level	mg/Kg	7.127		7.500	0.075 U	95	%	77-131	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MB	Method Blank		100716-001		11/04/2003	2356

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL16
Batch.....: 100721

Analyst...: jdn

Parameter/Test Description	Units	QC Result		QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, High/Med Level	mg/Kg	0.100	U							
Vinyl chloride, High/Med Level	mg/Kg	0.100	U							
Bromomethane, High/Med Level	mg/Kg	0.100	U							
Chloroethane, High/Med Level	mg/Kg	0.100	U							
1,1-Dichloroethene, High/Med Level	mg/Kg	0.100	U							
Carbon disulfide, High/Med Level	mg/Kg	0.100	U							
Acetone, High/Med Level	mg/Kg	0.100	U							
Methylene chloride, High/Med Level	mg/Kg	0.100	U							
1,1-Dichloroethane, High/Med Level	mg/Kg	0.100	U							
2-Butanone (MEK), High/Med Level	mg/Kg	0.100	U							
Chloroform, High/Med Level	mg/Kg	0.100	U							
1,1,1-Trichloroethane, High/Med Level	mg/Kg	0.100	U							
Carbon tetrachloride, High/Med Level	mg/Kg	0.100	U							
Dichloroethene (total), High/Med L	mg/Kg	0.100	U							
[illegible]ene, High/Med Level	mg/Kg	0.025	U							
1,2-Dichloroethane, High/Med Level	mg/Kg	0.100	U							
Trichloroethene, High/Med Level	mg/Kg	0.100	U							
1,2-Dichloropropane, High/Med Level	mg/Kg	0.100	U							
Bromodichloromethane, High/Med Level	mg/Kg	0.100	U							
cis-1,3-Dichloropropene, High/Med Leve	mg/Kg	0.100	U							
4-Methyl-2-pentanone (MIBK), High/Med	mg/Kg	0.100	U							
Toluene, High/Med Level	mg/Kg	0.025	U							
trans-1,3-Dichloropropene, High/Med Le	mg/Kg	0.100	U							
1,1,2-Trichloroethane, High/Med Level	mg/Kg	0.100	U							
Tetrachloroethene, High/Med Level	mg/Kg	0.100	U							
2-Hexanone, High/Med Level	mg/Kg	0.100	U							
Dibromochloromethane, High/Med Level	mg/Kg	0.100	U							
Chlorobenzene, High/Med Level	mg/Kg	0.100	U							
Ethylbenzene, High/Med Level	mg/Kg	0.025	U							
Styrene, High/Med Level	mg/Kg	0.100	U							
Bromoform, High/Med Level	mg/Kg	0.100	U							
1,1,2,2-Tetrachloroethane, High/Med Le	mg/Kg	0.100	U							
Xylenes (total), High/Med Level	mg/Kg	0.075	U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827

Report Date.: 11/24/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL6
Batch.....: 100767

Analyst...: jdn

LCS	Laboratory Control Sample	V03K04DSD	100757-025		11/04/2003	2336

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, Solid	mg/Kg	0.034		0.050	0.005 U	69	%	45-141	
Vinyl chloride, Solid	mg/Kg	0.038		0.050	0.005 U	76	%	58-140	
Bromomethane, Solid	mg/Kg	0.036		0.050	0.005 U	71	%	48-127	
Chloroethane, Solid	mg/Kg	0.042		0.050	0.005 U	83	%	59-163	
1,1-Dichloroethene, Solid	mg/Kg	0.039		0.050	0.005 U	79	%	51-132	
Carbon disulfide, Solid	mg/Kg	0.034		0.050	0.005 U	68	%	23-138	
Acetone, Solid	mg/Kg	0.031		0.050	0.005 U	62	%	46-167	
Methylene chloride, Solid	mg/Kg	0.041		0.050	0.005 U	82	%	58-143	
1,1-Dichloroethane, Solid	mg/Kg	0.044		0.050	0.005 U	89	%	63-133	
2-Butanone (MEK), Solid	mg/Kg	0.042		0.050	0.005 U	83	%	50-150	
Chloroform, Solid	mg/Kg	0.045		0.050	0.005 U	91	%	73-135	
1,1,1-Trichloroethane, Solid	mg/Kg	0.047		0.050	0.005 U	95	%	63-133	
Carbon tetrachloride, Solid	mg/Kg	0.048		0.050	0.005 U	96	%	67-127	
Dichloroethene (total), Solid	mg/Kg	0.089		0.100	0.005 U	89	%	63-144	
[illegible]ene, Solid	mg/Kg	0.047		0.050	0.005 U	93	%	72-128	
1,2-Dichloroethane, Solid	mg/Kg	0.047		0.050	0.005 U	94	%	69-125	
Trichloroethene, Solid	mg/Kg	0.047		0.050	0.005 U	93	%	75-129	
1,2-Dichloropropane, Solid	mg/Kg	0.047		0.050	0.005 U	93	%	76-132	
Bromodichloromethane, Solid	mg/Kg	0.050		0.050	0.005 U	100	%	74-128	
cis-1,3-Dichloropropene, Solid	mg/Kg	0.049		0.052	0.005 U	95	%	80-124	
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.043		0.050	0.005 U	86	%	68-134	
Toluene, Solid	mg/Kg	0.046		0.050	0.005 U	92	%	75-125	
trans-1,3-Dichloropropene, Solid	mg/Kg	0.047		0.048	0.005 U	98	%	75-134	
1,1,2-Trichloroethane, Solid	mg/Kg	0.047		0.050	0.005 U	93	%	71-143	
Tetrachloroethene, Solid	mg/Kg	0.047		0.050	0.005 U	95	%	75-129	
2-Hexanone, Solid	mg/Kg	0.045		0.050	0.005 U	91	%	69-140	
Dibromochloromethane, Solid	mg/Kg	0.049		0.050	0.005 U	99	%	77-127	
Chlorobenzene, Solid	mg/Kg	0.046		0.050	0.005 U	92	%	83-125	
Ethylbenzene, Solid	mg/Kg	0.047		0.050	0.005 U	93	%	79-123	
Styrene, Solid	mg/Kg	0.048		0.050	0.005 U	95	%	85-126	
Bromoform, Solid	mg/Kg	0.048		0.050	0.005 U	96	%	78-132	
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.048		0.050	0.005 U	97	%	68-139	
Xylenes (total), Solid	mg/Kg	0.139		0.150	0.005 U	93	%	82-125	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827

Report Date.: 11/24/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MB	Method Blank		100757-024		11/04/2003	2308

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL6
Batch.....: 100767

Analyst...: jdn

Parameter/Test Description	Units	QC Result		QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, Solid	mg/Kg	0.005	U							
Vinyl chloride, Solid	mg/Kg	0.005	U							
Bromomethane, Solid	mg/Kg	0.005	U							
Chloroethane, Solid	mg/Kg	0.005	U							
1,1-Dichloroethene, Solid	mg/Kg	0.005	U							
Carbon disulfide, Solid	mg/Kg	0.005	U							
Acetone, Solid	mg/Kg	0.005	U							
Methylene chloride, Solid	mg/Kg	0.005	U							
1,1-Dichloroethane, Solid	mg/Kg	0.005	U							
2-Butanone (MEK), Solid	mg/Kg	0.005	U							
Chloroform, Solid	mg/Kg	0.005	U							
1,1,1-Trichloroethane, Solid	mg/Kg	0.005	U							
Carbon tetrachloride, Solid	mg/Kg	0.005	U							
1,2-Dichloroethene (total), Solid	mg/Kg	0.005	U							
Benzene, Solid	mg/Kg	0.005	U							
1,2-Dichloroethane, Solid	mg/Kg	0.005	U							
Trichloroethene, Solid	mg/Kg	0.005	U							
1,2-Dichloropropane, Solid	mg/Kg	0.005	U							
Bromodichloromethane, Solid	mg/Kg	0.005	U							
cis-1,3-Dichloropropene, Solid	mg/Kg	0.005	U							
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.005	U							
Toluene, Solid	mg/Kg	0.005	U							
trans-1,3-Dichloropropene, Solid	mg/Kg	0.005	U							
1,1,2-Trichloroethane, Solid	mg/Kg	0.005	U							
Tetrachloroethene, Solid	mg/Kg	0.005	U							
2-Hexanone, Solid	mg/Kg	0.005	U							
Dibromochloromethane, Solid	mg/Kg	0.005	U							
Chlorobenzene, Solid	mg/Kg	0.005	U							
Ethylbenzene, Solid	mg/Kg	0.005	U							
Styrene, Solid	mg/Kg	0.005	U							
Bromoform, Solid	mg/Kg	0.005	U							
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.005	U							
Xylenes (total), Solid	mg/Kg	0.005	U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827 Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B Equipment Code....: GCL6 Analyst...: jdn
Method Description.: Volatile Organics Batch.....: 100782

LCS	Laboratory Control Sample	V03K04DSG	100761-021		11/04/2003	1204

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, Solid	mg/Kg	0.043		0.050	0.005 U	87	%	45-141	
Vinyl chloride, Solid	mg/Kg	0.041		0.050	0.005 U	83	%	58-140	
Bromomethane, Solid	mg/Kg	0.039		0.050	0.005 U	79	%	48-127	
Chloroethane, Solid	mg/Kg	0.046		0.050	0.005 U	92	%	59-163	
1,1-Dichloroethene, Solid	mg/Kg	0.046		0.050	0.005 U	92	%	51-132	
Carbon disulfide, Solid	mg/Kg	0.038		0.050	0.005 U	76	%	23-138	
Acetone, Solid	mg/Kg	0.043		0.050	0.005 U	87	%	46-167	
Methylene chloride, Solid	mg/Kg	0.049		0.050	0.005 U	97	%	58-143	
1,1-Dichloroethane, Solid	mg/Kg	0.049		0.050	0.005 U	98	%	63-133	
2-Butanone (MEK), Solid	mg/Kg	0.049		0.050	0.005 U	98	%	50-150	
Chloroform, Solid	mg/Kg	0.052		0.050	0.005 U	105	%	73-135	
1,1,1-Trichloroethane, Solid	mg/Kg	0.052		0.050	0.005 U	103	%	63-133	
Carbon tetrachloride, Solid	mg/Kg	0.048		0.050	0.005 U	96	%	67-127	
-Dichloroethene (total), Solid	mg/Kg	0.100		0.100	0.005 U	100	%	63-144	
zene, Solid	mg/Kg	0.047		0.050	0.005 U	94	%	72-128	
1,2-Dichloroethane, Solid	mg/Kg	0.049		0.050	0.005 U	98	%	69-125	
Trichloroethene, Solid	mg/Kg	0.047		0.050	0.005 U	93	%	75-129	
1,2-Dichloropropane, Solid	mg/Kg	0.048		0.050	0.005 U	96	%	76-132	
Bromodichloromethane, Solid	mg/Kg	0.053		0.050	0.005 U	105	%	74-128	
cis-1,3-Dichloropropene, Solid	mg/Kg	0.052		0.052	0.005 U	101	%	80-124	
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.049		0.050	0.005 U	97	%	68-134	
Toluene, Solid	mg/Kg	0.048		0.050	0.005 U	97	%	75-125	
trans-1,3-Dichloropropene, Solid	mg/Kg	0.050		0.048	0.005 U	105	%	75-134	
1,1,2-Trichloroethane, Solid	mg/Kg	0.054		0.050	0.005 U	108	%	71-143	
Tetrachloroethene, Solid	mg/Kg	0.048		0.050	0.005 U	96	%	75-129	
2-Hexanone, Solid	mg/Kg	0.048		0.050	0.005 U	96	%	69-140	
Dibromochloromethane, Solid	mg/Kg	0.051		0.050	0.005 U	102	%	77-127	
Chlorobenzene, Solid	mg/Kg	0.048		0.050	0.005 U	95	%	83-125	
Ethylbenzene, Solid	mg/Kg	0.048		0.050	0.005 U	96	%	79-123	
Styrene, Solid	mg/Kg	0.050		0.050	0.005 U	100	%	85-126	
Bromoform, Solid	mg/Kg	0.051		0.050	0.005 U	102	%	78-132	
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.049		0.050	0.005 U	99	%	68-139	
Xylenes (total), Solid	mg/Kg	0.142		0.150	0.005 U	95	%	82-125	

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MB	Method Blank		100761-020		11/04/2003	1136

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL6
Batch.....: 100782

Analyst...: jdn

Parameter/Test Description	Units	QC Result		QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, Solid	mg/Kg	0.005	U							
Vinyl chloride, Solid	mg/Kg	0.005	U							
Bromomethane, Solid	mg/Kg	0.005	U							
Chloroethane, Solid	mg/Kg	0.005	U							
1,1-Dichloroethene, Solid	mg/Kg	0.005	U							
Carbon disulfide, Solid	mg/Kg	0.005	U							
Acetone, Solid	mg/Kg	0.005	U							
Methylene chloride, Solid	mg/Kg	0.005	U							
1,1-Dichloroethane, Solid	mg/Kg	0.005	U							
2-Butanone (MEK), Solid	mg/Kg	0.005	U							
Chloroform, Solid	mg/Kg	0.005	U							
1,1,1-Trichloroethane, Solid	mg/Kg	0.005	U							
Carbon tetrachloride, Solid	mg/Kg	0.005	U							
1,2-Dichloroethene (total), Solid	mg/Kg	0.005	U							
Benzene, Solid	mg/Kg	0.005	U							
1,2-Dichloroethane, Solid	mg/Kg	0.005	U							
Trichloroethene, Solid	mg/Kg	0.005	U							
1,2-Dichloropropane, Solid	mg/Kg	0.005	U							
Bromodichloromethane, Solid	mg/Kg	0.005	U							
cis-1,3-Dichloropropene, Solid	mg/Kg	0.005	U							
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.005	U							
Toluene, Solid	mg/Kg	0.005	U							
trans-1,3-Dichloropropene, Solid	mg/Kg	0.005	U							
1,1,2-Trichloroethane, Solid	mg/Kg	0.005	U							
Tetrachloroethene, Solid	mg/Kg	0.005	U							
2-Hexanone, Solid	mg/Kg	0.005	U							
Dibromochloromethane, Solid	mg/Kg	0.005	U							
Chlorobenzene, Solid	mg/Kg	0.005	U							
Ethylbenzene, Solid	mg/Kg	0.005	U							
Styrene, Solid	mg/Kg	0.005	U							
Bromoform, Solid	mg/Kg	0.005	U							
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.005	U							
Xylenes (total), Solid	mg/Kg	0.005	U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827

Report Date.: 11/24/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL6
Batch.....: 100782

Analyst...: jdn

MS	Matrix Spike	V03K04DSG	221827-4		11/04/2003	1911

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, Solid	mg/Kg	0.034		0.047	0.005 U	72	%	45-141	
Vinyl chloride, Solid	mg/Kg	0.036		0.047	0.005 U	77	%	58-140	
Bromomethane, Solid	mg/Kg	0.032		0.047	0.005 U	69	%	48-127	
Chloroethane, Solid	mg/Kg	0.039		0.047	0.005 U	83	%	59-163	
1,1-Dichloroethene, Solid	mg/Kg	0.035		0.047	0.005 U	74	%	51-132	
Carbon disulfide, Solid	mg/Kg	0.028		0.047	0.005 U	59	%	23-138	
Acetone, Solid	mg/Kg	0.035		0.047	0.005 U	74	%	46-167	
Methylene chloride, Solid	mg/Kg	0.049		0.047	0.005 U	103	%	58-143	
1,1-Dichloroethane, Solid	mg/Kg	0.039		0.047	0.003 J	83	%	63-133	
2-Butanone (MEK), Solid	mg/Kg	0.045		0.047	0.005 U	96	%	50-150	
Chloroform, Solid	mg/Kg	0.037		0.047	0.005 U	78	%	73-135	
1,1,1-Trichloroethane, Solid	mg/Kg	0.053		0.047	0.023	62	%	63-133	*
Carbon tetrachloride, Solid	mg/Kg	0.035		0.047	0.005 U	75	%	67-127	
1,2-Dichloroethene (total), Solid	mg/Kg	0.085		0.094	0.013	77	%	63-144	
Benzene, Solid	mg/Kg	0.034		0.047	0.005 U	73	%	72-128	
1,2-Dichloroethane, Solid	mg/Kg	0.036		0.047	0.005 U	77	%	69-125	
Trichloroethene, Solid	mg/Kg	0.035		0.047	0.007	59	%	75-129	*
1,2-Dichloropropane, Solid	mg/Kg	0.036		0.047	0.005 U	77	%	76-132	
Bromodichloromethane, Solid	mg/Kg	0.038		0.047	0.005 U	81	%	74-128	
cis-1,3-Dichloropropene, Solid	mg/Kg	0.036		0.049	0.005 U	73	%	80-124	*
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.041		0.047	0.005 U	87	%	68-134	
Toluene, Solid	mg/Kg	0.029		0.047	0.005 U	62	%	75-125	*
trans-1,3-Dichloropropene, Solid	mg/Kg	0.034		0.045	0.005 U	75	%	75-134	
1,1,2-Trichloroethane, Solid	mg/Kg	0.039		0.047	0.005 U	83	%	71-143	
Tetrachloroethene, Solid	mg/Kg	0.076		0.047	0.117	-88	%	75-129	*
2-Hexanone, Solid	mg/Kg	0.042		0.047	0.005 U	90	%	69-140	
Dibromochloromethane, Solid	mg/Kg	0.036		0.047	0.005 U	76	%	77-127	*
Chlorobenzene, Solid	mg/Kg	0.026		0.047	0.005 U	55	%	83-125	*
Ethylbenzene, Solid	mg/Kg	0.023		0.047	0.005 U	49	%	79-123	*
Styrene, Solid	mg/Kg	0.025		0.047	0.005 U	53	%	85-126	*
Bromoform, Solid	mg/Kg	0.036		0.047	0.005 U	76	%	78-132	*
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.039		0.047	0.005 U	82	%	68-139	
Xylenes (total), Solid	mg/Kg	0.068		0.142	0.005 U	48	%	82-125	*

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827

Report Date.: 11/24/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MSD	Matrix Spike Duplicate	V03K04DSG	221827-4		11/04/2003	1938

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL6
Batch.....: 100782

Analyst...: jdn

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value		QC Calc.	*	Limits	F
Chloromethane, Solid	mg/Kg	0.036	0.034	0.049	0.005	U	75 4	% R	45-141 20	
Vinyl chloride, Solid	mg/Kg	0.037	0.036	0.049	0.005	U	76 1	% R	58-140 20	
Bromomethane, Solid	mg/Kg	0.032	0.032	0.049	0.005	U	66 4	% R	48-127 20	
Chloroethane, Solid	mg/Kg	0.040	0.039	0.049	0.005	U	81 2	% R	59-163 20	
1,1-Dichloroethene, Solid	mg/Kg	0.036	0.035	0.049	0.005	U	74 0	% R	51-132 20	
Carbon disulfide, Solid	mg/Kg	0.028	0.028	0.049	0.005	U	57 3	% R	23-138 20	
Acetone, Solid	mg/Kg	0.038	0.035	0.049	0.005	U	77 4	% R	46-167 20	
Methylene chloride, Solid	mg/Kg	0.041	0.049	0.049	0.005	U	84 20	% R	58-143 20	
1,1-Dichloroethane, Solid	mg/Kg	0.040	0.039	0.049	0.003	J	83 0	% R	63-133 20	
2-Butanone (MEK), Solid	mg/Kg	0.046	0.045	0.049	0.005	U	93 3	% R	50-150 30	
Chloroform, Solid	mg/Kg	0.039	0.037	0.049	0.005	U	81 4	% R	73-135 20	
1,1,1-Trichloroethane, Solid	mg/Kg	0.052	0.053	0.049	0.023		58 7	% R	63-133 20	*
Carbon tetrachloride, Solid	mg/Kg	0.037	0.035	0.049	0.005	U	75 0	% R	67-127 20	
1,2-Dichloroethene (total), Solid	mg/Kg	0.084	0.085	0.098	0.013		74 4	% R	63-144 20	
Benzene, Solid	mg/Kg	0.035	0.034	0.049	0.005	U	73 0	% R	72-128 20	
1,2-Dichloroethane, Solid	mg/Kg	0.038	0.036	0.049	0.005	U	77 0	% R	69-125 20	
Trichloroethene, Solid	mg/Kg	0.034	0.035	0.049	0.007		56 5	% R	75-129 20	*
1,2-Dichloropropane, Solid	mg/Kg	0.039	0.036	0.049	0.005	U	79 3	% R	76-132 20	
Bromodichloromethane, Solid	mg/Kg	0.039	0.038	0.049	0.005	U	81 0	% R	74-128 20	
cis-1,3-Dichloropropene, Solid	mg/Kg	0.037	0.036	0.051	0.005	U	73 0	% R	80-124 20	*
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.045	0.041	0.049	0.005	U	92 6	% R	68-134 20	
Toluene, Solid	mg/Kg	0.029	0.029	0.049	0.005	U	59 5	% R	75-125 20	*
trans-1,3-Dichloropropene, Solid	mg/Kg	0.037	0.034	0.047	0.005	U	78 4	% R	75-134 20	
1,1,2-Trichloroethane, Solid	mg/Kg	0.042	0.039	0.049	0.005	U	87 5	% R	71-143 20	
Tetrachloroethene, Solid	mg/Kg	0.064	0.076	0.049	0.117		-109 0	% R	75-129 20	*

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827 Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MSD	Matrix Spike Duplicate	V03K04DSG	221827-4	--	11/04/2003	1938

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value		QC Calc.	*	Limits	F
2-Hexanone, Solid	mg/Kg	0.047	0.042	0.049	0.005	U	95 5	% R	69-140 20	
Dibromochloromethane, Solid	mg/Kg	0.038	0.036	0.049	0.005	U	77 1	% R	77-127 20	
Chlorobenzene, Solid	mg/Kg	0.026	0.026	0.049	0.005	U	53 4	% R	83-125 20	*
Ethylbenzene, Solid	mg/Kg	0.023	0.023	0.049	0.005	U	47 4	% R	79-123 20	*
Styrene, Solid	mg/Kg	0.025	0.025	0.049	0.005	U	50 6	% R	85-126 20	*
Bromoform, Solid	mg/Kg	0.038	0.036	0.049	0.005	U	77 1	% R	78-132 20	*
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.042	0.039	0.049	0.005	U	87 6	% R	68-139 20	
Xylenes (total), Solid	mg/Kg	0.066	0.068	0.146	0.005	U	45 6	% R	82-125 20	*

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827

Report Date.: 11/24/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL9
Batch.....: 100905

Analyst...: jdn

LCS	Laboratory Control Sample	V03K05DSE	100843-023		11/05/2003	1009

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane	mg/L	0.006551		0.010000	0.001000 U	66	%	56-129	
Vinyl chloride	mg/L	0.008451		0.010000	0.001000 U	85	%	67-137	
Bromomethane	mg/L	0.006548		0.010000	0.001000 U	65	%	51-152	
Chloroethane	mg/L	0.009361		0.010000	0.001000 U	94	%	68-135	
1,1-Dichloroethene	mg/L	0.007985		0.010000	0.001000 U	80	%	54-127	
Carbon disulfide	mg/L	0.006247		0.010000	0.005000 U	62	%	29-136	
Acetone	mg/L	0.010456		0.010000	0.005000 U	105	%	43-150	
Methylene chloride	mg/L	0.008925		0.010000	0.001000 U	89	%	52-133	
1,1-Dichloroethane	mg/L	0.009621		0.010000	0.001000 U	96	%	69-127	
2-Butanone (MEK)	mg/L	0.012743		0.010000	0.005000 U	127	%	54-145	
Chloroform	mg/L	0.010046		0.010000	0.001000 U	100	%	74-128	
1,1,1-Trichloroethane	mg/L	0.009743		0.010000	0.001000 U	97	%	66-129	
Carbon tetrachloride	mg/L	0.009671		0.010000	0.001000 U	97	%	66-136	
-Dichloroethene (total)	mg/L	0.018765		0.020000	0.001000 U	94	%	72-121	
zene	mg/L	0.009267		0.010000	0.001000 U	93	%	74-116	
1,2-Dichloroethane	mg/L	0.009995		0.010000	0.001000 U	100	%	63-133	
Trichloroethene	mg/L	0.009692		0.010000	0.001000 U	97	%	70-120	
1,2-Dichloropropane	mg/L	0.009875		0.010000	0.001000 U	99	%	71-132	
Bromodichloromethane	mg/L	0.010812		0.010000	0.001000 U	108	%	76-129	
cis-1,3-Dichloropropene	mg/L	0.010491		0.010400	0.001000 U	101	%	75-123	
4-Methyl-2-pentanone (MIBK)	mg/L	0.010192		0.010000	0.005000 U	102	%	66-147	
Toluene	mg/L	0.009597		0.010000	0.001000 U	96	%	71-122	
trans-1,3-Dichloropropene	mg/L	0.009977		0.009600	0.001000 U	104	%	76-126	
1,1,2-Trichloroethane	mg/L	0.010179		0.010000	0.001000 U	102	%	69-138	
Tetrachloroethene	mg/L	0.009358		0.010000	0.001000 U	94	%	69-128	
2-Hexanone	mg/L	0.010454		0.010000	0.005000 U	105	%	70-144	
Dibromochloromethane	mg/L	0.010187		0.010000	0.001000 U	102	%	74-137	
Chlorobenzene	mg/L	0.009326		0.010000	0.001000 U	93	%	76-124	
Ethylbenzene	mg/L	0.009721		0.010000	0.001000 U	97	%	74-121	
Styrene	mg/L	0.010264		0.010000	0.001000 U	103	%	80-125	
Bromoform	mg/L	0.009197		0.010000	0.001000 U	92	%	73-139	
1,1,2,2-Tetrachloroethane	mg/L	0.010161		0.010000	0.001000 U	102	%	72-127	
Xylenes (total)	mg/L	0.031732		0.030000	0.001000 U	106	%	76-138	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MB	Method Blank		100843-022		11/05/2003	0941

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL9
Batch.....: 100905

Analyst...: jdn

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane	mg/L	0.001000 U							
Vinyl chloride	mg/L	0.001000 U							
Bromomethane	mg/L	0.001000 U							
Chloroethane	mg/L	0.001000 U							
1,1-Dichloroethene	mg/L	0.001000 U							
Carbon disulfide	mg/L	0.005000 U							
Acetone	mg/L	0.005000 U							
Methylene chloride	mg/L	0.001000 U							
1,1-Dichloroethane	mg/L	0.001000 U							
2-Butanone (MEK)	mg/L	0.005000 U							
Chloroform	mg/L	0.001000 U							
1,1,1-Trichloroethane	mg/L	0.001000 U							
Carbon tetrachloride	mg/L	0.001000 U							
1,2-Dichloroethene (total)	mg/L	0.001000 U							
Benzene	mg/L	0.001000 U							
1,2-Dichloroethane	mg/L	0.001000 U							
Trichloroethene	mg/L	0.001000 U							
1,2-Dichloropropane	mg/L	0.001000 U							
Bromodichloromethane	mg/L	0.001000 U							
cis-1,3-Dichloropropene	mg/L	0.001000 U							
4-Methyl-2-pentanone (MIBK)	mg/L	0.005000 U							
Toluene	mg/L	0.001000 U							
trans-1,3-Dichloropropene	mg/L	0.001000 U							
1,1,2-Trichloroethane	mg/L	0.001000 U							
Tetrachloroethene	mg/L	0.001000 U							
2-Hexanone	mg/L	0.005000 U							
Dibromochloromethane	mg/L	0.001000 U							
Chlorobenzene	mg/L	0.001000 U							
Ethylbenzene	mg/L	0.001000 U							
Styrene	mg/L	0.001000 U							
Bromoform	mg/L	0.001000 U							
1,1,2,2-Tetrachloroethane	mg/L	0.001000 U							
Xylenes (total)	mg/L	0.001000 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827

Report Date.: 11/24/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
LCS	Laboratory Control Sample	V03K09DSG	101144-022		11/09/2003	1118

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL6
Batch.....: 101176

Analyst...: jdn

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, Solid	mg/Kg	0.068		0.050	0.005 U	137	%	45-141	
Vinyl chloride, Solid	mg/Kg	0.053		0.050	0.005 U	106	%	58-140	
Bromomethane, Solid	mg/Kg	0.049		0.050	0.005 U	98	%	48-127	
Chloroethane, Solid	mg/Kg	0.051		0.050	0.005 U	102	%	59-163	
1,1-Dichloroethene, Solid	mg/Kg	0.047		0.050	0.005 U	94	%	51-132	
Carbon disulfide, Solid	mg/Kg	0.042		0.050	0.005 U	85	%	23-138	
Acetone, Solid	mg/Kg	0.058		0.050	0.005 U	116	%	46-167	
Methylene chloride, Solid	mg/Kg	0.046		0.050	0.005 U	93	%	58-143	
1,1-Dichloroethane, Solid	mg/Kg	0.047		0.050	0.005 U	93	%	63-133	
2-Butanone (MEK), Solid	mg/Kg	0.050		0.050	0.005 U	99	%	50-150	
Chloroform, Solid	mg/Kg	0.047		0.050	0.005 U	94	%	73-135	
1,1,1-Trichloroethane, Solid	mg/Kg	0.047		0.050	0.005 U	95	%	63-133	
Carbon tetrachloride, Solid	mg/Kg	0.049		0.050	0.005 U	98	%	67-127	
[illegible]-Dichloroethene (total), Solid	mg/Kg	0.093		0.100	0.005 U	93	%	63-144	
[illegible]nzene, Solid	mg/Kg	0.046		0.050	0.005 U	93	%	72-128	
1,2-Dichloroethane, Solid	mg/Kg	0.048		0.050	0.005 U	95	%	69-125	
Trichloroethene, Solid	mg/Kg	0.047		0.050	0.005 U	95	%	75-129	
1,2-Dichloropropane, Solid	mg/Kg	0.048		0.050	0.005 U	96	%	76-132	
Bromodichloromethane, Solid	mg/Kg	0.052		0.050	0.005 U	105	%	74-128	
cis-1,3-Dichloropropene, Solid	mg/Kg	0.051		0.052	0.005 U	97	%	80-124	
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.049		0.050	0.005 U	99	%	68-134	
Toluene, Solid	mg/Kg	0.050		0.050	0.005 U	99	%	75-125	
trans-1,3-Dichloropropene, Solid	mg/Kg	0.049		0.048	0.005 U	102	%	75-134	
1,1,2-Trichloroethane, Solid	mg/Kg	0.047		0.050	0.005 U	95	%	71-143	
Tetrachloroethene, Solid	mg/Kg	0.047		0.050	0.005 U	95	%	75-129	
2-Hexanone, Solid	mg/Kg	0.046		0.050	0.005 U	92	%	69-140	
Dibromochloromethane, Solid	mg/Kg	0.049		0.050	0.005 U	98	%	77-127	
Chlorobenzene, Solid	mg/Kg	0.048		0.050	0.005 U	96	%	83-125	
Ethylbenzene, Solid	mg/Kg	0.050		0.050	0.005 U	99	%	79-123	
Styrene, Solid	mg/Kg	0.053		0.050	0.005 U	105	%	85-126	
Bromoform, Solid	mg/Kg	0.050		0.050	0.005 U	100	%	78-132	
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.048		0.050	0.005 U	96	%	68-139	
Xylenes (total), Solid	mg/Kg	0.149		0.150	0.005 U	99	%	82-125	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL6
Batch.....: 101176

Analyst...: jdn

MB	Method Blank		101144-021		11/09/2003	1050

Parameter/Test Description	Units	QC Result		QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, Solid	mg/Kg	0.005	U							
Vinyl chloride, Solid	mg/Kg	0.005	U							
Bromomethane, Solid	mg/Kg	0.005	U							
Chloroethane, Solid	mg/Kg	0.005	U							
1,1-Dichloroethene, Solid	mg/Kg	0.005	U							
Carbon disulfide, Solid	mg/Kg	0.005	U							
Acetone, Solid	mg/Kg	0.005	U							
Methylene chloride, Solid	mg/Kg	0.005	U							
1,1-Dichloroethane, Solid	mg/Kg	0.005	U							
2-Butanone (MEK), Solid	mg/Kg	0.005	U							
Chloroform, Solid	mg/Kg	0.005	U							
1,1,1-Trichloroethane, Solid	mg/Kg	0.005	U							
Carbon tetrachloride, Solid	mg/Kg	0.005	U							
1,2-Dichloroethene (total), Solid	mg/Kg	0.005	U							
Benzene, Solid	mg/Kg	0.005	U							
1,2-Dichloroethane, Solid	mg/Kg	0.005	U							
Trichloroethene, Solid	mg/Kg	0.005	U							
1,2-Dichloropropane, Solid	mg/Kg	0.005	U							
Bromodichloromethane, Solid	mg/Kg	0.005	U							
cis-1,3-Dichloropropene, Solid	mg/Kg	0.005	U							
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.005	U							
Toluene, Solid	mg/Kg	0.005	U							
trans-1,3-Dichloropropene, Solid	mg/Kg	0.005	U							
1,1,2-Trichloroethane, Solid	mg/Kg	0.005	U							
Tetrachloroethene, Solid	mg/Kg	0.005	U							
2-Hexanone, Solid	mg/Kg	0.005	U							
Dibromochloromethane, Solid	mg/Kg	0.005	U							
Chlorobenzene, Solid	mg/Kg	0.005	U							
Ethylbenzene, Solid	mg/Kg	0.005	U							
Styrene, Solid	mg/Kg	0.005	U							
Bromoform, Solid	mg/Kg	0.005	U							
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.005	U							
Xylenes (total), Solid	mg/Kg	0.005	U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
LCS	Laboratory Control Sample	V03K10DSB	101223-020		11/10/2003	1016

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL6
Batch.....: 102107

Analyst...: jdn

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, Solid	mg/Kg	0.065		0.050	0.005 U	131	%	45-141	
Vinyl chloride, Solid	mg/Kg	0.055		0.050	0.005 U	110	%	58-140	
Bromomethane, Solid	mg/Kg	0.056		0.050	0.005 U	112	%	48-127	
Chloroethane, Solid	mg/Kg	0.054		0.050	0.005 U	109	%	59-163	
1,1-Dichloroethene, Solid	mg/Kg	0.049		0.050	0.005 U	99	%	51-132	
Carbon disulfide, Solid	mg/Kg	0.043		0.050	0.005 U	86	%	23-138	
Acetone, Solid	mg/Kg	0.035		0.050	0.005 U	70	%	46-167	
Methylene chloride, Solid	mg/Kg	0.049		0.050	0.005 U	98	%	58-143	
1,1-Dichloroethane, Solid	mg/Kg	0.048		0.050	0.005 U	97	%	63-133	
2-Butanone (MEK), Solid	mg/Kg	0.043		0.050	0.005 U	86	%	50-150	
Chloroform, Solid	mg/Kg	0.049		0.050	0.005 U	98	%	73-135	
1,1,1-Trichloroethane, Solid	mg/Kg	0.050		0.050	0.005 U	100	%	63-133	
Carbon tetrachloride, Solid	mg/Kg	0.050		0.050	0.005 U	100	%	67-127	
-Dichloroethene (total), Solid	mg/Kg	0.095		0.100	0.005 U	95	%	63-144	
Benzene, Solid	mg/Kg	0.048		0.050	0.005 U	96	%	72-128	
1,2-Dichloroethane, Solid	mg/Kg	0.048		0.050	0.005 U	96	%	69-125	
Trichloroethene, Solid	mg/Kg	0.048		0.050	0.005 U	96	%	75-129	
1,2-Dichloropropane, Solid	mg/Kg	0.047		0.050	0.005 U	95	%	76-132	
Bromodichloromethane, Solid	mg/Kg	0.054		0.050	0.005 U	108	%	74-128	
cis-1,3-Dichloropropene, Solid	mg/Kg	0.050		0.052	0.005 U	96	%	80-124	
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.057		0.050	0.005 U	114	%	68-134	
Toluene, Solid	mg/Kg	0.053		0.050	0.005 U	107	%	75-125	
trans-1,3-Dichloropropene, Solid	mg/Kg	0.051		0.048	0.005 U	106	%	75-134	
1,1,2-Trichloroethane, Solid	mg/Kg	0.052		0.050	0.005 U	103	%	71-143	
Tetrachloroethene, Solid	mg/Kg	0.049		0.050	0.005 U	99	%	75-129	
2-Hexanone, Solid	mg/Kg	0.054		0.050	0.005 U	109	%	69-140	
Dibromochloromethane, Solid	mg/Kg	0.048		0.050	0.005 U	96	%	77-127	
Chlorobenzene, Solid	mg/Kg	0.051		0.050	0.005 U	101	%	83-125	
Ethylbenzene, Solid	mg/Kg	0.052		0.050	0.005 U	104	%	79-123	
Styrene, Solid	mg/Kg	0.056		0.050	0.005 U	111	%	85-126	
Bromoform, Solid	mg/Kg	0.053		0.050	0.005 U	105	%	78-132	
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.053		0.050	0.005 U	105	%	68-139	
Xylenes (total), Solid	mg/Kg	0.157		0.150	0.005 U	105	%	82-125	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827 Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MB	Method Blank		101223-019		11/10/2003	0921

Test Method.....: 8260B
Method Description.: Volatile Organics
Equipment Code....: GCL6
Batch.....: 102107
Analyst...: jdn

Parameter/Test Description	Units	QC Result		QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, Solid	mg/Kg	0.005	U							
Vinyl chloride, Solid	mg/Kg	0.005	U							
Bromomethane, Solid	mg/Kg	0.005	U							
Chloroethane, Solid	mg/Kg	0.005	U							
1,1-Dichloroethene, Solid	mg/Kg	0.005	U							
Carbon disulfide, Solid	mg/Kg	0.005	U							
Acetone, Solid	mg/Kg	0.005	U							
Methylene chloride, Solid	mg/Kg	0.005	U							
1,1-Dichloroethane, Solid	mg/Kg	0.005	U							
2-Butanone (MEK), Solid	mg/Kg	0.005	U							
Chloroform, Solid	mg/Kg	0.005	U							
1,1,1-Trichloroethane, Solid	mg/Kg	0.005	U							
Carbon tetrachloride, Solid	mg/Kg	0.005	U							
1,2-Dichloroethene (total), Solid	mg/Kg	0.005	U							
Benzene, Solid	mg/Kg	0.005	U							
1,2-Dichloroethane, Solid	mg/Kg	0.005	U							
Trichloroethene, Solid	mg/Kg	0.005	U							
1,2-Dichloropropane, Solid	mg/Kg	0.005	U							
Bromodichloromethane, Solid	mg/Kg	0.005	U							
cis-1,3-Dichloropropene, Solid	mg/Kg	0.005	U							
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.005	U							
Toluene, Solid	mg/Kg	0.005	U							
trans-1,3-Dichloropropene, Solid	mg/Kg	0.005	U							
1,1,2-Trichloroethane, Solid	mg/Kg	0.005	U							
Tetrachloroethene, Solid	mg/Kg	0.005	U							
2-Hexanone, Solid	mg/Kg	0.005	U							
Dibromochloromethane, Solid	mg/Kg	0.005	U							
Chlorobenzene, Solid	mg/Kg	0.005	U							
Ethylbenzene, Solid	mg/Kg	0.005	U							
Styrene, Solid	mg/Kg	0.005	U							
Bromoform, Solid	mg/Kg	0.005	U							
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.005	U							
Xylenes (total), Solid	mg/Kg	0.005	U							

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827 | Report Date.: 11/24/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B | Equipment Code....: ICP5 | Analyst...: lmr
Method Description.: Leachable, Metals Analysis (ICAP) | Batch.....: 101804

CCB	Continuing Calibration Blank		101804-016		11/15/2003	1648

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		101804-028		11/15/2003	1817

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
enic	mg/L	0.01000 U							
ium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		101804-040		11/15/2003	1947

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		101804-046		11/15/2003	2036

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827 Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCB	Continuing Calibration Blank		101804-058		11/15/2003	2215

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		101804-070		11/15/2003	2344

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
d	mg/L	0.00500 U							
enium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		101804-075		11/16/2003	0024

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01382 B							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827 | Report Date.: 11/24/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B | Equipment Code....: ICP5 | Analyst...: lmr
Method Description.: Leachable, Metals Analysis (ICAP) | Batch.....: 101804

CCV	Continuing Calibration Verification	M03KCCV001	101804-015		11/15/2003 1639

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.50452		0.50000		101	%	90-110	
Barium	mg/L	0.49620 B		0.50000		99	%	90-110	
Cadmium	mg/L	0.49688		0.50000		99	%	90-110	
Chromium	mg/L	0.49821		0.50000		100	%	90-110	
Lead	mg/L	0.50371		0.50000		101	%	90-110	
Selenium	mg/L	0.51994		0.50000		104	%	90-110	
Silver	mg/L	0.50820		0.50000		102	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV001	101804-027		11/15/2003 1806

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
enic	mg/L	0.50357		0.50000		101	%	90-110	
ium	mg/L	0.49859 B		0.50000		100	%	90-110	
Cadmium	mg/L	0.49180		0.50000		98	%	90-110	
Chromium	mg/L	0.49447		0.50000		99	%	90-110	
Lead	mg/L	0.50359		0.50000		101	%	90-110	
Selenium	mg/L	0.52120		0.50000		104	%	90-110	
Silver	mg/L	0.51013		0.50000		102	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV001	101804-039		11/15/2003 1936

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.50872		0.50000		102	%	90-110	
Barium	mg/L	0.50141 B		0.50000		100	%	90-110	
Cadmium	mg/L	0.49550		0.50000		99	%	90-110	
Chromium	mg/L	0.49807		0.50000		100	%	90-110	
Lead	mg/L	0.50622		0.50000		101	%	90-110	
Selenium	mg/L	0.52459		0.50000		105	%	90-110	
Silver	mg/L	0.51531		0.50000		103	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV001	101804-045		11/15/2003 2025

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.50568		0.50000		101	%	90-110	
Barium	mg/L	0.49832 B		0.50000		100	%	90-110	
Cadmium	mg/L	0.49699		0.50000		99	%	90-110	
Chromium	mg/L	0.49952		0.50000		100	%	90-110	
Lead	mg/L	0.50399		0.50000		101	%	90-110	
Selenium	mg/L	0.51834		0.50000		104	%	90-110	
Silver	mg/L	0.51007		0.50000		102	%	90-110	

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827

Report Date.: 11/24/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03KCCV001	101804-057		11/15/2003	2204

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.51115		0.50000		102	%	90-110	
Barium	mg/L	0.50708 B		0.50000		101	%	90-110	
Cadmium	mg/L	0.49866		0.50000		100	%	90-110	
Chromium	mg/L	0.50285		0.50000		101	%	90-110	
Lead	mg/L	0.50934		0.50000		102	%	90-110	
Selenium	mg/L	0.52770		0.50000		106	%	90-110	
Silver	mg/L	0.51976		0.50000		104	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV001	101804-069		11/15/2003 2333

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.50257		0.50000		101	%	90-110	
Barium	mg/L	0.50942 B		0.50000		102	%	90-110	
Cadmium	mg/L	0.49026		0.50000		98	%	90-110	
Chromium	mg/L	0.49506		0.50000		99	%	90-110	
Lead	mg/L	0.50544		0.50000		101	%	90-110	
Selenium	mg/L	0.52700		0.50000		105	%	90-110	
Silver	mg/L	0.51666		0.50000		103	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV001	101804-074		11/16/2003 0012

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.50291		0.50000		101	%	90-110	
Barium	mg/L	0.49977 B		0.50000		100	%	90-110	
Cadmium	mg/L	0.49707		0.50000		99	%	90-110	
Chromium	mg/L	0.50135		0.50000		100	%	90-110	
Lead	mg/L	0.50980		0.50000		102	%	90-110	
Selenium	mg/L	0.52260		0.50000		105	%	90-110	
Silver	mg/L	0.51401		0.50000		103	%	90-110	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827 | Report Date.: 11/24/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B | Equipment Code....: ICP5 | Analyst...: lmr
Method Description.: Leachable, Metals Analysis (ICAP) | Batch.....: 101804

CRI	Contract Required Detection Limits	M03KCRI001	101804-012		11/15/2003	1619

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.02314 B		0.02000		116	%	50-150	
Barium	mg/L	0.02102 B		0.02000		105	%	50-150	
Cadmium	mg/L	0.00439 B		0.00400		110	%	50-150	
Chromium	mg/L	0.02093 B		0.02000-		105	%	50-150	
Lead	mg/L	0.01025 B		0.01000		102	%	50-150	
Selenium	mg/L	0.01000 U		0.01000		92	%	50-150	
Silver	mg/L	0.00904 B		0.01000		90	%	50-150	

CRI	Contract Required Detection Limits	M03KCRI001	101804-042		11/15/2003	2005

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
[illegible]enic	mg/L	0.02336 B		0.02000		117	%	50-150	
[illegible]ium	mg/L	0.02070 B		0.02000		104	%	50-150	
Cadmium	mg/L	0.00436 B		0.00400		109	%	50-150	
Chromium	mg/L	0.02119 B		0.02000		106	%	50-150	
Lead	mg/L	0.01031 B		0.01000		103	%	50-150	
Selenium	mg/L	0.01000 U		0.01000		99	%	50-150	
Silver	mg/L	0.00917 B		0.01000		92	%	50-150	

CRI	Contract Required Detection Limits	M03KCRI001	101804-071		11/15/2003	2351

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.02167 B		0.02000		108	%	50-150	
Barium	mg/L	0.02081 B		0.02000		104	%	50-150	
Cadmium	mg/L	0.00442 B		0.00400		110	%	50-150	
Chromium	mg/L	0.02091 B		0.02000		105	%	50-150	
Lead	mg/L	0.01034 B		0.01000		103	%	50-150	
Selenium	mg/L	0.01039 B		0.01000		104	%	50-150	
Silver	mg/L	0.00989 B		0.01000		99	%	50-150	

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827

Report Date.: 11/24/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)
Equipment Code....: ICP5
Batch.....: 101804
Analyst...: lmr

EB1	Extraction Blank 1	101106	101106-001		11/15/2003	1655

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.01000 U							
Barium, TCLP Leach	mg/L	0.32895 B							
Cadmium, TCLP Leach	mg/L	0.00200 U							
Chromium, TCLP Leach	mg/L	0.01000 U							
Lead, TCLP Leach	mg/L	0.00500 U							
Selenium, TCLP Leach	mg/L	0.01000 U							
Silver, TCLP Leach	mg/L	0.00500 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
EB3	DI Blank	T-064	101106-020		11/15/2003	2043

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)
Equipment Code....: ICP5
Batch.....: 101804
Analyst...: lmr

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.01000 U							
Barium, TCLP Leach	mg/L	0.03464 B							
Cadmium, TCLP Leach	mg/L	0.00200 U							
Chromium, TCLP Leach	mg/L	0.01000 U							
Lead, TCLP Leach	mg/L	0.00500 U							
Selenium, TCLP Leach	mg/L	0.01000 U							
Silver, TCLP Leach	mg/L	0.00500 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
ICB	Initial Calibration Blank		101804-011		11/15/2003	1612

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)

Equipment Code....: ICP5
Batch.....: 101804

Analyst...: lmr

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)

Equipment Code....: ICP5
Batch.....: 101804

Analyst...: lmr

ICV	Initial Calibration Verification	M03JICV001	101804-010		11/15/2003	1601

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.39683		0.40000		99	%	90-110	
Barium	mg/L	0.39948 B		0.40000		100	%	90-110	
Cadmium	mg/L	0.39297		0.40000		98	%	90-110	
Chromium	mg/L	0.39324		0.40000-		98	%	90-110	
Lead	mg/L	0.39973		0.40000		100	%	90-110	
Selenium	mg/L	0.41480		0.40000		104	%	90-110	
Silver	mg/L	0.40086		0.40000		100	%	90-110	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827 Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP5 Analyst...: lmr
Method Description.: Leachable, Metals Analysis (ICAP) Batch.....: 101804

ISB	Interference Check Sample B	M03KISB001	101804-014		11/15/2003	1632

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.09492 B		0.10000		95	%	80-120	
Barium	mg/L	0.50612 B		0.50000		101	%	80-120	
Cadmium	mg/L	0.87427		1.00000		87	%	80-120	
Chromium	mg/L	0.46049		0.50000		92	%	80-120	
Lead	mg/L	0.04455 B		0.05000		89	%	80-120	
Selenium	mg/L	0.04056 B		0.05000		81	%	80-120	
Silver	mg/L	0.20807		0.20000		104	%	80-120	

ISB	Interference Check Sample B	M03KISB001	101804-044		11/15/2003	2018

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
enic	mg/L	0.09445 B		0.10000		94	%	80-120	
ium	mg/L	0.51681 B		0.50000		103	%	80-120	
Cadmium	mg/L	0.87130		1.00000		87	%	80-120	
Chromium	mg/L	0.46120		0.50000		92	%	80-120	
Lead	mg/L	0.04361 B		0.05000		87	%	80-120	
Selenium	mg/L	0.04194 B		0.05000		84	%	80-120	
Silver	mg/L	0.21311		0.20000		107	%	80-120	

ISB	Interference Check Sample B	M03KISB001	101804-073		11/16/2003	0005

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.09732 B		0.10000		97	%	80-120	
Barium	mg/L	0.51253 B		0.50000		103	%	80-120	
Cadmium	mg/L	0.88444		1.00000		88	%	80-120	
Chromium	mg/L	0.46620		0.50000		93	%	80-120	
Lead	mg/L	0.04527 B		0.05000		91	%	80-120	
Selenium	mg/L	0.03995 B		0.05000		80	%	80-120	
Silver	mg/L	0.21293		0.20000		106	%	80-120	

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
LCS	Laboratory Control Sample	M03KSPK003	101106-002		11/15/2003	1701

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)

Equipment Code....: ICP5
Batch.....: 101804

Analyst...: lmr

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.09590 B		0.10000	0.01000 U	96	%	80-120	
Barium, TCLP Leach	mg/L	1.98646		2.00000	0.32895 B	99	%	80-120	
Cadmium, TCLP Leach	mg/L	0.04827 B		0.05000	0.00200 U	97	%	80-120	
Chromium, TCLP Leach	mg/L	0.19968		0.20000-	0.01000 U	100	%	80-120	
Lead, TCLP Leach	mg/L	0.10087		0.10000	0.00500 U	101	%	80-120	
Selenium, TCLP Leach	mg/L	0.08712 B		0.10000	0.01000 U	87	%	80-120	
Silver, TCLP Leach	mg/L	0.04721 B		0.05000	0.00500 U	94	%	80-120	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)

Equipment Code....: ICP5
Batch.....: 101804

Analyst...: lmr

MD	Method Duplicate		221827-4		11/15/2003	1742

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.01000 U			0.01000 U	0.00064	A	0.10000	
Barium, TCLP Leach	mg/L	0.19919 B			0.19804 B	0.00115	A	1.00000	
Cadmium, TCLP Leach	mg/L	0.00200 U			0.00200 U	0.00009	A	0.05000	
Chromium, TCLP Leach	mg/L	0.01000 U			0.01000 U	0.00016	A	0.05000	
Lead, TCLP Leach	mg/L	0.00500 U			0.00500 U	0.00005	A	0.05000	
Selenium, TCLP Leach	mg/L	0.01000 U			0.01000 U	0.00024	A	0.10000	
Silver, TCLP Leach	mg/L	0.00500 U			0.00500 U	0	A	0.05000	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)

Equipment Code....: ICP5
Batch.....: 101804

Analyst...: lmr

MS	Matrix Spike	M03DSPK001	221827-4		11/15/2003	1748

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	4.92967		5.00000	0.01000 U	99	%	50-150	
Barium, TCLP Leach	mg/L	63.23276		100.00000	0.19804 B	63	%	50-150	
Cadmium, TCLP Leach	mg/L	0.91715		1.00000	0.00200 U	92	%	50-150	
Chromium, TCLP Leach	mg/L	4.78317		5.00000	0.01000 U	96	%	50-150	
Lead, TCLP Leach	mg/L	4.39944		5.00000	0.00500 U	88	%	50-150	
Selenium, TCLP Leach	mg/L	0.90222		1.00000	0.01000 U	90	%	50-150	
Silver, TCLP Leach	mg/L	1.04078		1.00000	0.00500 U	104	%	50-150	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827 Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP5 Analyst...: lmr
Method Description.: Leachable, Metals Analysis (ICAP) Batch.....: 101804

SD	Serial Dilution		221827-4		11/15/2003	1735

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.01000 U			0.01000 U				
Barium, TCLP Leach	mg/L	0.03976 B			0.19804 B				
Cadmium, TCLP Leach	mg/L	0.00200 U			0.00200 U				
Chromium, TCLP Leach	mg/L	0.01000 U			0.01000 U				
Lead, TCLP Leach	mg/L	0.00500 U			0.00500 U				
Selenium, TCLP Leach	mg/L	0.01000 U			0.01000 U				
Silver, TCLP Leach	mg/L	0.00500 U			0.00500 U				

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221827 | Report Date.: 11/24/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

Test Method.....: Method | Batch.....: 100279 | Analyst...: pfk
Method Description.: % Solids Determination | Equipment Code....: | Test Code.: %SOLID
Parameter.....: % Solids

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	100279-001		%	0.1000 U								10/31/2003	1020
MD	221827-4		%	94.40000			94.30000	0.1		R	5.0	10/31/2003	1020

Test Method.....: 7470A | Batch.....: 101195 | Analyst...: gok
Method Description.: Leachable, Mercury (CVAA) | Equipment Code....: HG3 | Test Code.: HG
Parameter.....: Mercury

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICV	101195-007	M02ESTK010	ug/L	1.99		2.00		99		%	90-110	11/10/2003	1412
ICB	101195-008		ug/L	0.20 U								11/10/2003	1415
CRA	101195-009	M03JSTK030	ug/L	0.23		0.20		116		%	50-150	11/10/2003	1417
MB	101192-007		ug/L	0.20 U								11/10/2003	1419
LCS	101192-008	M02ESTK010	ug/L	2.19		2.00	0.20 U	109		%	80-120	11/10/2003	1421
EB1	101192-009	065	mg/L	0.00200 U								11/10/2003	1423
	101192-010	065	mg/L	0.00200 U								11/10/2003	1425
	101195-017	M02ESTK010	ug/L	0.97		1.00		97		%	80-120	11/10/2003	1434
CCB	101195-018		ug/L	0.20 U								11/10/2003	1436
CCV	101195-029	M02ESTK010	ug/L	0.96		1.00		96		%	80-120	11/10/2003	1459
CCB	101195-030		ug/L	0.20 U								11/10/2003	1501
CCV	101195-040	M02ESTK010	ug/L	0.94		1.00		94		%	80-120	11/10/2003	1523
CCB	101195-041		ug/L	0.20 U								11/10/2003	1525
MB	101194-007		ug/L	0.20 U								11/10/2003	1527
LCS	101194-008	M02ESTK010	ug/L	2.00		2.00	0.20 U	100		%	80-120	11/10/2003	1529
EB1	101194-009	066	mg/L	0.00200 U								11/10/2003	1532
CCV	101195-049	M02ESTK010	ug/L	0.96		1.00		96		%	80-120	11/10/2003	1542
CCB	101195-050		ug/L	0.20 U								11/10/2003	1545
MD	221827-4		mg/L	0.00200 U			0.00200 U	0.00042		A	0.00200	11/10/2003	1547
MS	221827-4	M03JSTK030	mg/L	0.00927		0.01000	0.00200 U	93		%	50-150	11/10/2003	1549
CCV	101195-061	M02ESTK010	ug/L	0.96		1.00		96		%	80-120	11/10/2003	1609
CCB	101195-062		ug/L	0.20 U								11/10/2003	1611
EB3	101194-027	064	mg/L	0.00200 U								11/10/2003	1620
EB1	101194-031	067	ug/L	2.00 U								11/10/2003	1629
CCV	101195-072	M02ESTK010	ug/L	0.95		1.00		95		%	80-120	11/10/2003	1633
CCB	101195-073		ug/L	0.20 U								11/10/2003	1636

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

REPORT COMMENTS

1) All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.
2) Soil, sediment and sludge sample results are reported on a "dry weight" basis except when analyzed for landfill disposal or incineration parameters. All other solid matrix samples are reported on an "as received" basis unless noted differently.
3) Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.
4) The test results for the noted analytical method(s) meet the requirements of NELAC. Lab Cert. ID# 100201
5) According to 40CFR Part 136.3, pH, Chlorine Residual and Dissolved Oxygen analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH Field) they were not analyzed immediately, but as soon as possible on laboratory receipt.

Glossary of flags, qualifiers and abbreviations (any number of which may appear in the report)

Inorganic Qualifiers (Q-Column)

U Analyte was not detected at or above the stated limit.
< Not detected at or above the reporting limit.
J Result is less than the RL, but greater than or equal to the method detection limit.
B Result is less than the CRDL/RL, but greater than or equal to the IDL/MDL.
S Result was determined by the Method of Standard Additions.
F AFCEE: Result is less than the RL, but greater than or equal to the method detection limit.

Inorganic Flags (Flag Column)

- ICV,CCV,ICB,CCB,ISA,ISB,CRI,CRA,MRL: Instrument related QC exceed the upper or lower control limits.
* LCS, LCD, MD: Batch QC exceeds the upper or lower control limits.
+ MSA correlation coefficient is less than 0.995.
4 MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
E SD: Serial dilution exceeds the control limits.
H MB, EB1, EB2, EB3: Batch QC is greater than reporting limit or had a negative instrument reading lower than the absolute value of the reporting limit.
N MS, MSD: Spike recovery exceeds the upper or lower control limits.
W AS(GFAA) Post-digestion spike was outside 85-115% control limits.

Organic Qualifiers (Q - Column)

U Analyte was not detected at or above the stated limit.
ND Compound not detected.
J Result is an estimated value below the reporting limit or a tentatively identified compound (TIC).
Q Result was qualitatively confirmed, but not quantified.
C Pesticide identification was confirmed by GC/MS.
Y The chromatographic response resembles a typical fuel pattern.
Z The chromatographic response does not resemble a typical fuel pattern.
E Result exceeded calibration range, secondary dilution required.
F AFCEE:Result is an estimated value below the reporting limit or a tentatively identified compound (TIC)

Organic Flags (Flags Column)

B MB: Batch QC is greater than reporting limit.
* LCS, LCD, ELC, ELD, CV, MS, MSD, Surrogate: Batch QC exceeds the upper or lower control limits.
- EB1, EB2, EB3, MLE: Batch QC is greater than reporting Limit
A Concentration exceeds the instrument calibration range
a Concentration is below the method Reporting Limit (RL)
B Compound was found in the blank and sample.
D Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution will be flagged with a D.
H Alternate peak selection upon analytical review
I Indicates the presence of an interfence, recovery is not calculated.
M Manually integrated compound.
P The lower of the two values is reported when the % difference between the results of two GC columns is

greater than 25%.

Abbreviations

AS	Post Digestion Spike (GFAA Samples - See Note 1 below)
Batch	Designation given to identify a specific extraction, digestion, preparation set, or analysis set
CAP	Capillary Column CCB Continuing Calibration Blank
CCV	Continuing Calibration Verification
CF	Confirmation analysis of original
C1	Confirmation analysis of A1 or D1
C2	Confirmation analysis of A2 or D2
C3	Confirmation analysis of A3 or D3
CRA	Low Level Standard Check - GFAA; Mercury
CRI	Low Level Standard Check - ICP
CV	Calilbration Verification Standard
Dil Fac	Dilution Factor - Secondary dilution analysis
D1	Dilution 1
D2	Dilution 2
D3	Dilution 3
DLFac	Detection Limit Factor
DSH	Distilled Standard - High Level
DSL	Distilled Standard - Low Level
DSM	Distilled Standard - Medium Level
EB1	Extraction Blank 1
EB2	Extraction Blank 2
EB3	DI Blank
ELC	Method Extracted LCS
ELD	Method Extracted LCD
ICAL	Initial calibration
ICB	Initial Calibration Blank
ICV	Initial Calibration Verification
IDL	Instrument Detection Limit
ISA	Interference Check Sample A - ICAP
ISB	Interference Check Sample B - ICAP
Job No.	The first six digits of the sample ID which refers to a specific client, project and sample group
	Lab ID An 8 number unique laboratory identification
LCD	Laboratory Control Standard Duplicate
LCS	Laboratory Control Standard with reagent grade water or a matrix free from the analyte of interest
MB	Method Blank or (PB) Preparation Blank
MD	Method Duplicate
MDL	Method Detection Limit
MLE	Medium Level Extraction Blank
MRL	Method Reporting Limit Standard
MSA	Method of Standard Additions
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ND	Not Detected
PREPF	Preparation factor used by the Laboratory's Information Management System (LIMS)
PDS	Post Digestion Spike (ICAP)
RA	Re-analysis of original
A1	Re-analysis of D1
A2	Re-analysis of D2
A3	Re-analysis of D3
RD	Re-extraction of dilution
RE	Re-extraction of original
RC	Re-extraction Confirmation
RL	Reporting Limit
RPD	Relative Percent Difference of duplicate (unrounded) analyses
RRF	Relative Response Factor
RT	Retention Time

RTW	Retention Time Window Sample ID A 9 digit number unique for each sample, the first six digits are referred as the job number
SCB	Seeded Control Blank
SD	Serial Dilution (Calculated when sample concentration exceeds 50 times the MDL)
UCB	Unseeded Control Blank
SSV	Second Source Verification Standard
SLCS	Solid Laboratory Control Standard(LCS)
PHC	pH Calibration Check LCSP pH Laboratory Control Sample
LCDP	pH Laboratory Control Sample Duplicate
MDPH	pH Sample Duplicate
MDFP	Flashpoint Sample Duplicate
LCFP	Flashpoint LCS
G1	Gelex Check Standard Range 0-1
G2	Gelex Check Standard Range 1-10
G3	Gelex Check Standard Range 10-100
G4	Gelex Check Standard Range 100-1000

Note 1: The Post Spike Designation on Batch QC for GFAA is designated with an "S" added to the current abbreviation used. EX. LCS S=LCS Post Spike (GFAA); MSS=MS Post Spike (GFAA)

Note 2: The MD calculates an absolute difference (A) when the sample concentration is less than 5 times the reporting limit. The control limit is represented as +/- the RL.

SEVERN TRENT **STL**

STL Chicago
2417 Bond Street
University Park, IL 60466
Phone: 708-534-5200
Fax: 708-534-5211

Shaded Areas For Internal Use Only 1 of 2

Report To:
Contact: Dave Cornock
Company: SECOR International
Address: 446 Eisenhower Lane
North-Lombard, IL 60148
Phone: 630-792-1680
Fax: 630-792-1691
E-Mail: dcornock@secor.com

Bill To:
Contact: Dave Cornock
Company: Secor International
Address: 446 Eisenhower Lane
North-Lombard, IL 60148
Phone: 630-792-1680
Fax: 630-792-1691
PO#: 013-01410 Quote:

Lab Lot# 221827

Package Sealed: (Yes) No	Samples Sealed: Yes (No)
Received on Ice: (Yes) No	Samples Intact: (Yes) No
Temperature °C of Cooler: (4.3) (4.1)	
Within Hold Time: (Yes) No	Preserv. Indicated: (Yes) No NA
pH Check OK: Yes No (NA)	Res Cl_2 Check OK: Yes No (NA)
Sample Labels and COC Agree: (Yes) No COC not present	

Sampler Name: Kelli McDonald, Thom Kettinger
Signature: Kelli McDonald
Project Name: Southeast Rockford
Project Number:
Project Location: SER Area 9/10
Date Required — Hard Copy: __/__/__ Fax: __/__/__
Lab PM: Richard Wright

Laboratory ID	MS-MSD	Client Sample ID	Sampling Date	Sampling Time	Matrix	Comp/Grab	VOC 5035/8260B	DRO 8015B	1311/6010B/7470A TCLP RCRA METALS	Additional Analyses / Remarks
1		RD-SB-S2(2-4)-01	10/28/03	1320	S	G	X	X	X	Standard Turnaround
2		RD-SB-S2(4-6)-01	10/28/03	1335	S	G	X	X	X	TIME
3		RD-SB-S2(6-8)-01	10/28/03	1330	S	G	X	X	X	
4		RD-SB-S2(8-10)-01	10/28/03	1340	S	G	X	X	X	
		~~RD-SB-S2~~ KM				G				
4	X	RD-SBD-S2(8-10)-01	10/28/03	1340	S	G	X	X	X	
5		RD-SB-S2(10-12)-01	10/28/03	1345	S	G	X	X	X	
6		RD-SB-S2(12-14)-01	10/28/03	1350	S	G	X	X	X	
7		RD-SB-S2(14-16)-01	10/28/03	1355	S	G	X	X	X	
8		RD-SB-S2(16-18)-01	10/28/03	1400	S	G	X	X	X	
9		Trip BLANK		—			X			

Relinquished By	Company	Date	Time	Received By	Company	Date	Time
Kelli McDonald	SECOR	10/29/03	1315	[illegible]	STL	[illegible]	[illegible]
Relinquished By	Company	Date	Time	Received By	Company	Date	Time
				[illegible]	STL	10/29/03	1700

Matrix Key
WW = Wastewater
W = Water
S = Soil
SL = Sludge
MS = Miscellanr
OL = Oil
A = Air
SE = Sediment
SO = Solid
DS = Drum Solid
DL = Drum Liquid
L = Leachate
WI = Wipe
O = _____

Container Key
1. Plastic
2. VOA Vial
3. Sterile Plastic
4. Amber Glass
5. Widemouth Glass
6. Other _____

Preservative Key
1. HCl, Cool to 4°
2. H2SO4, Cool to 4°
3. HNO3, Cool to 4°
4. NaOH, Cool to 4°
5. NaOH/Zn, Cool to 4°
6. Cool to 4°
7. None

COMMENTS
Cooler Custody Seal No.
457396

Date Received 10 / 29 / 03
Courier: STL
Hand Delivered [X]
Bill of Lading

SEVERN TRENT **STL**

STL Chicago
2417 Bond Street
University Park, IL 60466
Phone: 708-534-5200
Fax: 708-534-5211

Report To:
Contact: DAVE COENOCK
Company: SECOR International
Address: 446 EISENHOWER LANE
NORTH-LOMBARD, IL 60148
Phone: 630-792-1680
Fax: 630-792-1691
E-Mail: dcoenock@secor.com

Bill To:
Contact: DAVE COENOCK
Company: SECOR International
Address: 446 EISENHOWER LANE
North-LOMBARD, IL 60148
Phone: 630-792-1680
Fax: 630-792-1691
PO#: 013-01410 Quote:

Shaded Areas For Internal Use Only 2 of 2

Lab Lot# 221827

Package Sealed	Samples Sealed
Yes No	Yes No
Received on Ice	**Samples Intact**
Yes No	Yes No

Temperature °C of Cooler

Within Hold Time	Preserv. Indicated
Yes No	Yes No NA
pH Check OK	**Res Cl_2 Check OK**
Yes No NA	Yes No NA

Sample Labels and COC Agree
Yes No COC not present

Sampler Name: KELLI McDONALD TOM KETTINGER
Signature: Kelli McDonald
Project Name: SOUTHEAST ROCKFORD
Project Number:
Project Location: SER Area 9/10
Date Required Hard Copy: ___/___/___ Fax: ___/___/___
Lab PM: Richard Wright

Laboratory ID	MS-MSD	Client Sample ID	Sampling Date	Sampling Time	Matrix	Comp/Grab	5035/ VOC 8260B	8015B DRO	1311/6010&7470A TCLP RCRA METALS							Additional Analyses / Remarks
10		RD-SB-S2(18-20)-01	10/28/03	1405	S	G	X	X	X							STANDARD TURNAROUND
11		RD-SB-S2(20-22)-01	10/28/03	1410	S	G	X	X	X							TIME
12		RD-SB-S2(22-24)-01	10/28/03	1415	S	G	X	X	X							
13		RD-SB-S2(24-26)-01	10/28/03	1420	S	G	X	X	X							
14		RD-SB-S2(26-28)-01	10/28/03	1425	S	G	X	X	X							
15		RD-SB-S2(28-30)-01	10/28/03	1430	S	G	X	X	X							
16		RD-SB-S2(30-32)-01	10/28/03	1435	S	G	X	X	X							
17		Trip BLANK			W		X									

RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
Kelli McDonald	SECOR	10/29/03	1315	[illegible]	SIL	10/29/03	1715
RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
				[illegible]	STL	10/29/03	1700

Matrix Key
WW = Wastewater
W = Water
S = Soil
SL = Sludge
MS = Miscellaneous
OL = Oil
A = Air
SE = Sediment
SO = Solid
DS = Drum Solid
DL = Drum Liquid
L = Leachate
WI = Wipe
O = _____

Container Key
1. Plastic
2. VOA Vial
3. Sterile Plastic
4. Amber Glass
5. Widemouth Glass
6. Other _____

Preservative Key
1. HCl, Cool to 4°
2. H2SO4, Cool to 4°
3. HNO3, Cool to 4°
4. NaOH, Cool to 4°
5. NaOH/Zn, Cool to 4°
6. Cool to 4°
7. None

COMMENTS
Cooler Custody Seal No.
496137

Date Received 10, 29, 03
Courier: STL **Hand Delivered** [X]
Bill of Lading

STL Chicago is a part of Severn Trent Laboratories, Inc.

QUALITY CONTROL RESULTS

Job Number.: 221823 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP5 Analyst...: lmr
Method Description.: Leachable, Metals Analysis (ICAP) Batch.....: 102288

LCS	Laboratory Control Sample	M03KSPK003	102082-002		11/20/2003	1736

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.09102 B		0.10000	0.01000 U	91	%	80-120	
Barium, TCLP Leach	mg/L	1.90507		2.00000	0.20769 B	95	%	80-120	
Cadmium, TCLP Leach	mg/L	0.04644 B		0.05000	0.00200 U	93	%	80-120	
Chromium, TCLP Leach	mg/L	0.19212		0.20000	0.01000 U	96	%	80-120	
Lead, TCLP Leach	mg/L	0.09735		0.10000	0.00500 U	97	%	80-120	
Selenium, TCLP Leach	mg/L	0.08778 B		0.10000	0.01000 U	88	%	80-120	
Silver, TCLP Leach	mg/L	0.04649 B		0.05000	0.00500 U	93	%	80-120	

LCS	Laboratory Control Sample	M03KSPK003	101077-002		11/20/2003	1905

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
enic, TCLP Leach	mg/L	0.09404 B		0.10000	0.01000 U	94	%	80-120	
ium, TCLP Leach	mg/L	1.95404		2.00000	0.51648 B	98	%	80-120	
Cadmium, TCLP Leach	mg/L	0.04794 B		0.05000	0.00200 U	96	%	80-120	
Chromium, TCLP Leach	mg/L	0.19827		0.20000	0.01000 U	99	%	80-120	
Lead, TCLP Leach	mg/L	0.09958		0.10000	0.00500 U	100	%	80-120	
Selenium, TCLP Leach	mg/L	0.08952 B		0.10000	0.01000 U	90	%	80-120	
Silver, TCLP Leach	mg/L	0.04736 B		0.05000	0.00500 U	95	%	80-120	

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)

Equipment Code....: ICP5
Batch.....: 102288

Analyst...: lmr

MS	Matrix Spike	M03KSPK003	221823-4		11/20/2003	1803

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.09438 B		0.10000	0.01000 U	94	%	50-150	
Barium, TCLP Leach	mg/L	2.13533		2.00000	0.67842 B	107	%	50-150	
Cadmium, TCLP Leach	mg/L	0.16570		0.05000	0.11724	97	%	50-150	
Chromium, TCLP Leach	mg/L	0.18240		0.20000	0.01000 U	91	%	50-150	
Lead, TCLP Leach	mg/L	0.12809		0.10000	0.04315 B	128	%	50-150	
Selenium, TCLP Leach	mg/L	0.09560 B		0.10000	0.01000 U	96	%	50-150	
Silver, TCLP Leach	mg/L	0.04938 B		0.05000	0.00500 U	99	%	50-150	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP5 Analyst...: lmr
Method Description.: Leachable, Metals Analysis (ICAP) Batch.....: 102288

SD	Serial Dilution		221823-4		11/20/2003	1749

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.01000 U			0.01000 U				
Barium, TCLP Leach	mg/L	0.13881 B			0.67842 B				
Cadmium, TCLP Leach	mg/L	0.02688 B			0.11724	14.6	D	10.0	E
Chromium, TCLP Leach	mg/L	0.01000 U			0.01000 U				
Lead, TCLP Leach	mg/L	0.01020 B			0.04315 B				
Selenium, TCLP Leach	mg/L	0.01000 U			0.01000 U				
Silver, TCLP Leach	mg/L	0.00500 U			0.00500 U				

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Test Method.....: Method Batch.....: 100277 Analyst...: pfk
Method Description.: % Solids Determination Equipment Code....: Test Code.: %SOLID
Parameter.....: % Solids

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	100277-001		%	0.1000 U								10/31/2003	0935
MD	221823-4		%	95.00000			95.00000	0.0		R	5.0	10/31/2003	0935

Test Method.....: 7470A Batch.....: 100793 Analyst...: gok
Method Description.: Leachable, Mercury (CVAA) Equipment Code....: HG3 Test Code.: HG
Parameter.....: Mercury

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICV	100793-007	M02ESTK010	ug/L	1.98		2.00		99		%	90-110	11/05/2003	1454
ICB	100793-008		ug/L	0.20 U								11/05/2003	1456
CRA	100793-009	M03JSTK030	ug/L	0.23		0.20		115		%	50-150	11/05/2003	1458
MB	100792-007		ug/L	0.20 U								11/05/2003	1500
LCS	100792-008	M02ESTK010	ug/L	2.02		2.00	0.20 U	101		%	80-120	11/05/2003	1502
FB1	100792-009	058	mg/L	0.00200 U								11/05/2003	1505
	100793-017	M02ESTK010	ug/L	1.03		1.00		103		%	80-120	11/05/2003	1515
	100793-018		ug/L	0.20 U								11/05/2003	1517
MD	221823-4		mg/L	0.00200 U			0.00200 U	0.00016		A	0.00200	11/05/2003	1525
MS	221823-4	M02HSTK003	mg/L	0.00988		0.01000	0.00200 U	99		%	50-150	11/05/2003	1527
CCV	100793-029	M02ESTK010	ug/L	1.03		1.00		103		%	80-120	11/05/2003	1540
CCB	100793-030		ug/L	0.20 U								11/05/2003	1542
CCV	100793-039	M02ESTK010	ug/L	1.01		1.00		101		%	80-120	11/05/2003	1601
CCB	100793-040		ug/L	0.20 U								11/05/2003	1603

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

REPORT COMMENTS

1) All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.
2) Soil, sediment and sludge sample results are reported on a "dry weight" basis except when analyzed for landfill disposal or incineration parameters. All other solid matrix samples are reported on an "as received" basis unless noted differently.
3) Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.
4) The test results for the noted analytical method(s) meet the requirements of NELAC. Lab Cert. ID# 100201
5) According to 40CFR Part 136.3, pH, Chlorine Residual and Dissolved Oxygen analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH Field) they were not analyzed immediately, but as soon as possible on laboratory receipt.

Glossary of flags, qualifiers and abbreviations (any number of which may appear in the report)

Inorganic Qualifiers (Q-Column)

U Analyte was not detected at or above the stated limit.
< Not detected at or above the reporting limit.
J Result is less than the RL, but greater than or equal to the method detection limit.
B Result is less than the CRDL/RL, but greater than or equal to the IDL/MDL.
S Result was determined by the Method of Standard Additions.
F AFCEE: Result is less than the RL, but greater than or equal to the method detection limit.

Inorganic Flags (Flag Column)

^ ICV,CCV,ICB,CCB,ISA,ISB,CRI,CRA,MRL: Instrument related QC exceed the upper or lower control limits.
* LCS, LCD, MD: Batch QC exceeds the upper or lower control limits.
+ MSA correlation coefficient is less than 0.995.
4 MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
E SD: Serial dilution exceeds the control limits.
H MB, EB1, EB2, EB3: Batch QC is greater than reporting limit or had a negative instrument reading lower than the absolute value of the reporting limit.
N MS, MSD: Spike recovery exceeds the upper or lower control limits.
W AS(GFAA) Post-digestion spike was outside 85-115% control limits.

Organic Qualifiers (Q - Column)

U Analyte was not detected at or above the stated limit.
ND Compound not detected.
J Result is an estimated value below the reporting limit or a tentatively identified compound (TIC).
Q Result was qualitatively confirmed, but not quantified.
C Pesticide identification was confirmed by GC/MS.
Y The chromatographic response resembles a typical fuel pattern.
Z The chromatographic response does not resemble a typical fuel pattern.
E Result exceeded calibration range, secondary dilution required.
F AFCEE:Result is an estimated value below the reporting limit or a tentatively identified compound (TIC)

Organic Flags (Flags Column)

B MB: Batch QC is greater than reporting limit.
* LCS, LCD, ELC, ELD, CV, MS, MSD, Surrogate: Batch QC exceeds the upper or lower control limits.
- EB1, EB2, EB3, MLE: Batch QC is greater than reporting Limit
A Concentration exceeds the instrument calibration range
a Concentration is below the method Reporting Limit (RL)
B *Compound was found in the blank and sample.*
D Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution will be flagged with a D.
H Alternate peak selection upon analytical review
I Indicates the presence of an interfence, recovery is not calculated.
M Manually integrated compound.
P The lower of the two values is reported when the % difference between the results of two GC columns is

RTW	Retention Time Window Sample ID A 9 digit number unique for each sample, the first six digits are referred as the job number
SCB	Seeded Control Blank
SD	Serial Dilution (Calculated when sample concentration exceeds 50 times the MDL)
UCB	Unseeded Control Blank
SSV	Second Source Verification Standard
SLCS	Solid Laboratory Control Standard(LCS)
PHC	pH Calibration Check LCSP pH Laboratory Control Sample
LCDP	pH Laboratory Control Sample Duplicate
MDPH	pH Sample Duplicate
MDFP	Flashpoint Sample Duplicate
LCFP	Flashpoint LCS
G1	Gelex Check Standard Range 0-1
G2	Gelex Check Standard Range 1-10
G3	Gelex Check Standard Range 10-100
G4	Gelex Check Standard Range 100-1000

Note 1: The Post Spike Designation on Batch QC for GFAA is designated with an "S" added to the current abbreviation used. EX. LCS S=LCS Post Spike (GFAA); MSS=MS Post Spike (GFAA)

Note 2: The MD calculates an absolute difference (A) when the sample concentration is less than 5 times the reporting limit. The control limit is represented as +/- the RL.

greater than 25%.

Abbreviations

AS	Post Digestion Spike (GFAA Samples - See Note 1 below)
Batch	Designation given to identify a specific extraction, digestion, preparation set, or analysis set
CAP	Capillary Column CCB Continuing Calibration Blank
CCV	Continuing Calibration Verification
CF	Confirmation analysis of original
C1	Confirmation analysis of A1 or D1
C2	Confirmation analysis of A2 or D2
C3	Confirmation analysis of A3 or D3
CRA	Low Level Standard Check - GFAA; Mercury
CRI	Low Level Standard Check - ICP
CV	Calilbration Verification Standard
Dil Fac	Dilution Factor - Secondary dilution analysis
D1	Dilution 1
D2	Dilution 2
D3	Dilution 3
DLFac	Detection Limit Factor
DSH	Distilled Standard - High Level
DSL	Distilled Standard - Low Level
DSM	Distilled Standard - Medium Level
EB1	Extraction Blank 1
EB2	Extraction Blank 2
EB3	DI Blank
ELC	Method Extracted LCS
ELD	Method Extracted LCD
ICAL	Initial calibration
ICB	Initial Calibration Blank
ICV	Initial Calibration Verification
IDL	Instrument Detection Limit
ISA	Interference Check Sample A - ICAP
ISB	Interference Check Sample B - ICAP
Job No.	The first six digits of the sample ID which refers to a specific client, project and sample group
	Lab ID An 8 number unique laboratory identification
LCD	Laboratory Control Standard Duplicate
LCS	Laboratory Control Standard with reagent grade water or a matrix free from the analyte of interest
MB	Method Blank or (PB) Preparation Blank
MD	Method Duplicate
MDL	Method Detection Limit
MLE	Medium Level-Extraction Blank
MRL	Method Reporting Limit Standard
MSA	Method of Standard Additions
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ND	Not Detected
PREPF	Preparation factor used by the Laboratory's Information Management System (LIMS)
PDS	Post Digestion Spike (ICAP)
RA	Re-analysis of original
A1	Re-analysis of D1
A2	Re-analysis of D2
A3	Re-analysis of D3
RD	Re-extraction of dilution
RE	Re-extraction of original
RC	Re-extraction Confirmation
RL	Reporting Limit
RPD	Relative Percent Difference of duplicate (unrounded) analyses
RRF	Relative Response Factor
RT	Retention Time

SEVERN TRENT **STL**

STL Chicago
2417 Bond Street
University Park, IL 60466
Phone: 708-534-5200
Fax: 708-534-5211

Shaded Areas For Internal Use Only 1 of 2

Report To:
Contact: Dave Curnock
Company: SECOR International
Address: 446 Eisenhower Lane North, Lombard, IL. 60148
Phone: 630.792.1680
Fax: 630.792.1691
E-Mail: dcurnock@secor.com

Bill To:
Contact: Dave Curnock
Company: SECOR International
Address: 446 Eisenhower Lane North, Lombard, IL. 60148
Phone: 630.792.1680
Fax: 630.792.1691
PO#: 013.01410 Quote:

Lab Lot# 221823

Package Sealed	Samples Sealed
Yes (circled) No	Yes No (circled)
Received on Ice	**Samples Intact**
Yes (circled) No	Yes (circled) No

Temperature °C of Cooler: 4.5 3.9

Within Hold Time	Preserv. Indicated
Yes (circled) No	Yes (circled) No NA
pH Check OK	**Res Cl_2 Check OK**
Yes No NA (circled)	Yes No NA (circled)

Sample Labels and COC Agree: Yes (circled) No COC not present

Sampler Name: Kelli McDonald, Thom Kettinger
Signature: Kelli McDonald
Project Name: SOUTHEAST ROCKFORD
Project Number: 13UN.02072.02.0001
Project Location: SER Area 9/10
Date Required Hard Copy: ___/___/___ Fax: ___/___/___
Lab PM: Richard Wright

Laboratory ID	MS-MSD	Client Sample ID	Sampling Date	Sampling Time	Matrix	Comp/Grab	Additional Analyses / Remarks
1		RD-SB-S5(2-4)-01	10/29/03	1100	S		Standard Turnaround Time
2		RD-SB-S5(4-6)-01		1105	S		
3		RD-SB-S5(6-8)-01		1110	S		
4		RD-SB-S5(8-10)-01		1115	S		
~~5~~ 5R	X	RD-SBD-S5(8-10)-01		1115	S		
5 ~~6~~		RD-SB-S5(10-12)-01		1120	S		
6 ~~7~~		RD-SB-S5(12-14)-01		1125	S		
7 ~~8~~		RD-SB-S5(14-16)-01		1130	S		
8 ~~9~~		RD-SB-S5(16-18)-01		1135	S		
9 ~~10~~		TRIP BLANK					

RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
[signature]	SECOR	10/29/03	1:30 PM	[signature]	STL	10/29/03	1:32
RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
				[signature]	SR	10/29/03	1700

Matrix Key
WW = Wastewater
W = Water
S = Soil
SL = Sludge
MS = Miscellaneous
OL = Oil
A = Air
SE = Sediment
SO = Solid
DS = Drum Solid
DL = Drum Liquid
L = Leachate
WI = Wipe
O = _____

Container Key
1. Plastic
2. VOA Vial
3. Sterile Plastic
4. Amber Glass
5. Widemouth Glass
6. Other _____

Preservative Key
1. HCl, Cool to 4°
2. H2SO4, Cool to 4°
3. HNO3, Cool to 4°
4. NaOH, Cool to 4°
5. NaOH/Zn, Cool to 4°
6. Cool to 4°
7. None

COMMENTS
Cooler Custody Seal No. 496527

Date Received 10, 29, 03
Courier: SR
Hand Delivered ☒
Bill of Lading

SEVERN TRENT **STL**

STL Chicago
2417 Bond Street
University Park, IL 60466
Phone: 708-534-5200
Fax: 708-534-5211

Report To:
Contact: Dave Curnock
Company: SECOR International
Address: 446 Eisenhower Lane
North, Lombard, IL. 60148
Phone: 630.792.1680
Fax: 630.792.1691
E-Mail: dcurnock@secor.com

Bill To:
Contact: Dave Curnock
Company: SECOR International
Address: 446 Eisenhower Lane
North, Lombard, IL. 60148
Phone: 630.792.1680
Fax: 630.792.1691
PO#: 013.01410 Quote:

Shaded Areas For Internal Use Only 2 of 2

Lab Lot# 221823

Package Sealed	Samples Sealed
Yes No	Yes No
Received on Ice	**Samples Intact**
Yes No	Yes No
Temperature °C of Cooler	

Sampler Name: Kelli McDonald, Thom Kettinger
Signature: Kelli McDonald
Project Name: SOUTHEAST ROCKFORD
Project Number: 13UN.02072.02.0001
Project Location: SER Area 9/10
Lab PM: Richard Wright
Date Required — Hard Copy: ___/___/___ Fax: ___/___/___

Within Hold Time	Preserv. Indicated
Yes No	Yes No NA
pH Check OK	**Res Cl_2 Check OK**
Yes No NA	Yes No NA
Sample Labels and COC Agree	
Yes No	COC not present

Laboratory ID	MS-MSD	Client Sample ID	Sampling Date	Sampling Time	Matrix	Comp/Grab	VOC 5035/8260B	DRO 8015B	TCLP RCRA METALS 1311/6010B/7470A	Additional Analyses / Remarks
10 ~~11~~ 12		RD-SB-S5(18-20)-01	10/29/03	1140	S	G	X	X	X	Standard Turnaround Time
11 ~~12~~		RD-SB-S5(20-22)-01		1145	S	G	X	X	X	
12 ~~13~~		RD-SB-S5(22-24)-01		1150	S	G	X	X	X	
13 ~~14~~		RD-SB-S5(24-26)-01		1155	S	G	X	X	X	
14 ~~15~~		RD-SB-S5(26-28)-01		1200	S	G	X	X	X	
15 ~~16~~		RD-SB-S5(28-30)-01		1205	S	G	X	X	X	
16 ~~17~~		RD-SB-S5(30-32)-01		1210	S	G	X	X	X	
17 ~~18~~		TRIP BLANK					X			

RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
[signature]	SECOR	10/29/03	1:30 PM	[signature]	STL	10/29/03	1:30
RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
				[signature]	STL	10/29/03	1700

Matrix Key
WW = Wastewater
W = Water
S = Soil
SL = Sludge
MS = Miscellaneous
OL = Oil
A = Air
SE = Sediment
SO = Solid
DS = Drum Solid
DL = Drum Liquid
L = Leachate
WI = Wipe
O = _____

Container Key
1. Plastic
2. VOA Vial
3. Sterile Plastic
4. Amber Glass
5. Widemouth Glass
6. Other _____

Preservative Key
1. HCl, Cool to 4°
2. H2SO4, Cool to 4°
3. HNO3, Cool to 4°
4. NaOH, Cool to 4°
5. NaOH/Zn, Cool to 4°
6. Cool to 4°
7. None

COMMENTS
Cooler Custody Seal No. 457356

Date Received 10/29/03
Courier: STL
Hand Delivered ☒
Bill of Lading

SEVERN TRENT STL

STL Chicago
2417 Bond Street
University Park, IL 60466

Tel: 708 534 5200 Fax: 708 534 5211
www.stl-inc.com

SEVERN TRENT LABORATORIES ANALYTICAL REPORT

JOB NUMBER: 221824

Prepared For:

SECOR
446 Eisenhower Lane North
Lombard, IL 60148

Project: SE Rockford Area 9/10

Attention: Dave Curnock

Date: 11/21/2003

Signature

Name: Richard C. Wright

Title: Project Manager

E-Mail: rwright@stl-inc.com

11/21/03
Date

STL Chicago
2417 Bond Street
University Park, IL 60466

PHONE: (708) 534-5200
FAX..: (708) 534-5211

This Report Contains (80) Pages

Leaders in Environmental Testing

Severn Trent Laboratories - Chicago
METALS CASE NARRATIVE

Client: SECOR
Project ID: SE Rockford
STL#: 221824

Date Rec'd: 10/29/03

1. This narrative covers the metals analysis of TCLP Leachates in Job 221824.

   Method Refs: USEPA,SW-846

2. All analyses were performed within the required holding times.

3. All Initial and Continuing Calibration Verification (ICV/CCV's) were within control limits.

4. All Initial and Continuing Calibration Blanks (ICB/CCB's) were within control limits.

5. All Preparation/Method Blanks were below RL.

6. All ICP Interference Check Samples (ICSA and ICSAB) were within control limits.

7. Laboratory Control Sample (LCS) recoveries were within the 80-120% control limits.

8. Matrix QC was performed on Sample 6 for Hg only.

   Matrix Spike recoveries were greater than 50%.

   Duplicate results were within the 20% RPD control limits.

Jodi L. Wojcik
Metals Unit Leader

11/17/03
Date

STL Chicago
JP-4 Case Narrative

Secor
SE Rockford Area 9/10
Job #: 221824-1 through 10 and 12 through 17
JP-4

1. These samples were extracted based on SW846 method 3550. The extracts were analyzed for JP-4 Range Organics based on a modified SW846 method 8015B. An HP5890 gas chromatograph equipped with a flame ionization detector and a Xti-5 column was used for the analysis.

2. All required hold times were met for the extraction and analysis.

3. The method blank was below the reporting limit for JP-4.

4. Statistical limits for surrogate recoveries derived from DRO analyses were applied to the JP-4 analysis and are advisory until enough data points can be collected for statistical control limits.

5. The surrogate compounds used for this analysis were 2-Fluorobiphenyl and o-Terphenyl. All surrogate recoveries were within statistical control limits.

6. The blank spike recovery for JP4 was just below non-statistical control limits of 50%-150% with 46% recovery. A solution of JP-4 was used for spiking.

7. A matrix spike and a matrix spike duplicate were performed on sample 221824-5 [RD-SB-S4(8-10)-01]. All matrix spike duplicate and matrix spike duplicate recoveries and RPDs were outside non-statistical control limits of 50%-150% with recoveries of 43% and 48%, respectively.

8. The initial calibration for this analysis consisted of a six-point curve of JP-4. The average calibration factor from the JP-4 curve was used to quantify the JP-4 results. An alkane standard ranging from C8 through C36 was used for qualitative purposes to determine the retention time range to be used for the JP-4. The total peak area from C8-C12 was used to quantify JP-4 results.

9. All initial and continuing standard calibrations associated with these samples were in control.

10. JP4 was not detected in these samples.

Patti Gibson
Organics Section Manager

11/20/03
Date

STL Chicago is part of Severn Trent Laboratories, Inc.

SAMPLE INFORMATION
Date: 11/21/2003

Job Number.: 221824
Customer...: SECOR
Attn.....: Dave Curnock

Project Number.....: 20003080
Customer Project ID....: SE ROCKFORD
Project Description....: SE Rockford Area 9/10

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
221824-1	RD-SB-S4(0-2)-01	Soil	10/29/2003	08:25	10/29/2003	17:00
221824-2	RD-SB-S4(2-4)-01	Soil	10/29/2003	08:30	10/29/2003	17:00
221824-3	RD-SB-S4(4-6)-01	Soil	10/29/2003	08:40	10/29/2003	17:00
221824-4	RD-SB-S4(6-8)-01	Soil	10/29/2003	08:45	10/29/2003	17:00
221824-5	RD-SB-S4(8-10)-01	Soil	10/29/2003	08:50	10/29/2003	17:00
221824-6	RD-SB-S4(10-12)-01	Soil	10/29/2003	08:55	10/29/2003	17:00
221824-7	RD-SB-S4(12-14)-01	Soil	10/29/2003	09:00	10/29/2003	17:00
221824-8	RD-SB-S4(16-18)-01	Soil	10/29/2003	09:05	10/29/2003	17:00
221824-9	RD-SB-S4(18-20)-01	Soil	10/29/2003	09:10	10/29/2003	17:00
221824-10	RD-SBD-S4(18-20)-01	Soil	10/29/2003	09:10	10/29/2003	17:00
221824-11	TRIP BLANK	Water	10/29/2003	08:25	10/29/2003	17:00
221824-12	RD-SB-S4(20-22)-01	Soil	10/29/2003	09:15	10/29/2003	17:00
221824-13	RD-SB-S4(22-24)-01	Soil	10/29/2003	09:20	10/29/2003	17:00
221824-14	RD-SB-S4(24-26)-01	Soil	10/29/2003	09:30	10/29/2003	17:00
221824-15	RD-SB-S4(26-28)-01	Soil	10/29/2003	09:35	10/29/2003	17:00
221824-16	RD-SB-S4(28-30)-01	Soil	10/29/2003	09:40	10/29/2003	17:00
221824-17	RD-SB-S4(30-32)-01	Soil	10/29/2003	09:45	10/29/2003	17:00
221824-18	TRIP BLANK	Water	10/29/2003	09:15	10/29/2003	17:00

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(0-2)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 08:25
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-1
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Chloromethane, High/Med Level*	0.10	U		0.024	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	Bromomethane, High/Med Level*	0.10	U		0.011	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	1,1-Dichloroethene, High/Med Level*	0.10	U		0.014	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	Chloroethane, High/Med Level*	0.10	U		0.020	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	Carbon disulfide, High/Med Level*	0.10	U		0.021	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	Acetone, High/Med Level*	0.10	U		0.029	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	1,1-Dichloroethane, High/Med Level*	0.10	U		0.014	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	2-Butanone (MEK), High/Med Level*	0.10	U		0.051	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	1,2-Dichloroethane, High/Med Level*	0.10	U		0.022	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	Chloroform, High/Med Level*	0.10	U		0.018	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	Carbon tetrachloride, High/Med Level*	0.10	U		0.017	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	Benzene, High/Med Level*	0.025	U		0.014	0.025	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	1,2-Dichloropropane, High/Med Level*	0.10	U		0.018	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	Bromodichloromethane, High/Med Level*	0.10	U		0.019	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	cis-1,3-Dichloropropene, High/Med Level*	0.10	U		0.023	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	1,2-Dichloroethene (total), High/Med Leve*	0.30			0.029	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	4-Methyl-2-pentanone (MIBK), High/Med Lev*l	0.10	U		0.038	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	Toluene, High/Med Level*	0.025	U		0.018	0.025	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	trans-1,3-Dichloropropene, High/Med Level*	0.10	U		0.020	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	2-Hexanone, High/Med Level*	0.10	U		0.052	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	Dibromochloromethane, High/Med Level*	0.10	U		0.019	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	Chlorobenzene, High/Med Level*	0.10	U		0.022	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	Styrene, High/Med Level*	0.10	U		0.029	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	Bromoform, High/Med Level*	0.10	U		0.018	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	1,1,2,2-Tetrachloroethane, High/Med Level*	0.10	U		0.019	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	Xylenes (total), High/Med Level*	0.075	U		0.050	0.075	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	Ethylbenzene, High/Med Level*	0.025	U		0.023	0.025	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	Methylene chloride, High/Med Level*	0.10	U		0.020	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(0-2)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 08:25
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-1
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene, High/Med Level*	5.1			0.023	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	1,1,1-Trichloroethane, High/Med Level*	1.2			0.017	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	1,1,2-Trichloroethane, High/Med Level*	0.10	U		0.032	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	Trichloroethene, High/Med Level*	0.30			0.022	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
	Vinyl chloride, High/Med Level*	0.10	U		0.018	0.10	1.0000	mg/Kg	100573		11/03/03 1555	jdn
Method	% Solids Determination											
	% Solids, Solid	91.2			0.10	0.10	1	%	100316		10/31/03 1300	crp
	% Moisture, Solid	8.8			0.10	0.10	1	%	100316		10/31/03 1300	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.6	U	*	4.6	4.6	1.00000	mg/Kg	102106		11/10/03 1320	mgk
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100930		11/06/03 1550	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0401	lmr
	Barium, TCLP Leach	0.33	B		0.010	1.0	1	mg/L	101764		11/15/03 0401	lmr
	Cadmium, TCLP Leach	0.007			0.002	0.005	1	mg/L	101764		11/15/03 0401	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0401	lmr
	Lead, TCLP Leach	0.0055	B		0.0050	0.0075	1	mg/L	101764		11/15/03 0401	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0401	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0401	lmr

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(2-4)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 08:30
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-2
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Chloromethane, High/Med Level*	0.092	U		0.022	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	Bromomethane, High/Med Level*	0.092	U		0.0097	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	1,1-Dichloroethene, High/Med Level*	0.092	U		0.013	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	Chloroethane, High/Med Level*	0.092	U		0.018	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	Carbon disulfide, High/Med Level*	0.092	U		0.019	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	Acetone, High/Med Level*	0.092	U		0.027	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	1,1-Dichloroethane, High/Med Level*	0.17			0.012	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	2-Butanone (MEK), High/Med Level*	0.092	U		0.047	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	1,2-Dichloroethane, High/Med Level*	0.092	U		0.020	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	Chloroform, High/Med Level*	0.092	U		0.017	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	Carbon tetrachloride, High/Med Level*	0.092	U		0.015	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	Benzene, High/Med Level*	0.023	U		0.013	0.023	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	1,2-Dichloropropane, High/Med Level*	0.092	U		0.016	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	Bromodichloromethane, High/Med Level*	0.092	U		0.017	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	cis-1,3-Dichloropropene, High/Med Level*	0.092	U		0.021	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	1,2-Dichloroethene (total), High/Med Leve*	0.45			0.027	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	4-Methyl-2-pentanone (MIBK), High/Med Lev*l	0.092	U		0.034	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	Toluene, High/Med Level*	0.023	U		0.017	0.023	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	trans-1,3-Dichloropropene, High/Med Level*	0.092	U		0.018	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	2-Hexanone, High/Med Level*	0.092	U		0.048	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	Dibromochloromethane, High/Med Level*	0.092	U		0.017	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	Chlorobenzene, High/Med Level*	0.092	U		0.020	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	Styrene, High/Med Level*	0.092	U		0.026	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	Bromoform, High/Med Level*	0.092	U		0.017	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	1,1,2,2-Tetrachloroethane, High/Med Level*	0.092	U		0.017	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	Xylenes (total), High/Med Level*	0.069	U		0.046	0.069	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	Ethylbenzene, High/Med Level*	0.023	U		0.021	0.023	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	Methylene chloride, High/Med Level*	0.092	U		0.018	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(2-4)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 08:30
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-2
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene, High/Med Level*	4.4			0.021	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	1,1,1-Trichloroethane, High/Med Level*	1.5			0.015	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	1,1,2-Trichloroethane, High/Med Level*	0.092	U		0.029	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	Trichloroethene, High/Med Level*	0.31			0.020	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
	Vinyl chloride, High/Med Level*	0.092	U		0.017	0.092	1.0000	mg/Kg	100573		11/03/03 1617	jdn
Method	% Solids Determination											
	% Solids, Solid	82.3			0.10	0.10	1	%	100316		10/31/03 1300	crp
	% Moisture, Solid	17.7			0.10	0.10	1	%	100316		10/31/03 1300	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	5.1	U	*	5.1	5.1	1.00000	mg/Kg	102106		11/10/03 1453	mgk
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100930		11/06/03 1552	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0430	lmr
	Barium, TCLP Leach	0.84	B		0.010	1.0	1	mg/L	101764		11/15/03 0430	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101764		11/15/03 0430	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0430	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0430	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0430	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0430	lmr

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(4-6)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 08:40
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-3
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	1,2-Dichloroethene (total), High/Med Leve*	0.20			0.025	0.085	1.0000	mg/Kg	101387	D1	11/11/03 1527	jdn
	Tetrachloroethene, High/Med Level*	0.58			0.020	0.085	1.0000	mg/Kg	101387	D1	11/11/03 1527	jdn
	1,1,1-Trichloroethane, High/Med Level*	0.44			0.014	0.085	1.0000	mg/Kg	101387	D1	11/11/03 1527	jdn
Method	% Solids Determination											
	% Solids, Solid	87.4			0.10	0.10	1	%	100316		10/31/03 1300	crp
	% Moisture, Solid	12.6			0.10	0.10	1	%	100316		10/31/03 1300	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.7	U	*	4.7	4.7	1.00000	mg/Kg	102106		11/10/03 1539	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0096	U		0.0018	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	Bromomethane, Solid*	0.0096	U		0.0056	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	1,1-Dichloroethene, Solid*	0.0096	U		0.0019	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	Chloroethane, Solid*	0.0096	U		0.0031	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	Carbon disulfide, Solid*	0.0096	U		0.0038	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	Acetone, Solid*	0.0096	U		0.0079	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	1,1-Dichloroethane, Solid*	0.31			0.0017	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	2-Butanone (MEK), Solid*	0.0096	U		0.0081	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	1,2-Dichloroethane, Solid*	0.0096	U		0.0011	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	Chloroform, Solid*	0.0096	U		0.0012	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	Carbon tetrachloride, Solid*	0.0096	U		0.0016	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	Benzene, Solid*	0.0096	U		0.0013	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	1,2-Dichloropropane, Solid*	0.0096	U		0.0018	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	Bromodichloromethane, Solid*	0.0096	U		0.0013	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	cis-1,3-Dichloropropene, Solid*	0.0096	U		0.0015	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0096	U		0.0058	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(4-6)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 08:40
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-3
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene, Solid*	0.0096	U		0.0019	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	trans-1,3-Dichloropropene, Solid*	0.0096	U		0.0016	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	2-Hexanone, Solid*	0.0096	U		0.0033	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	Dibromochloromethane, Solid*	0.0096	U		0.0013	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	Chlorobenzene, Solid*	0.0096	U		0.0017	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	Styrene, Solid*	0.0096	U		0.0019	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	Bromoform, Solid*	0.0096	U		0.0017	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0096	U		0.0012	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	Xylenes (total), Solid*	0.0096	U		0.0056	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	Ethylbenzene, Solid*	0.0096	U		0.0021	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	Methylene chloride, Solid*	0.012			0.0035	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	1,1,2-Trichloroethane, Solid*	0.0083	J	a	0.0014	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	Trichloroethene, Solid*	0.12			0.0011	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
	Vinyl chloride, Solid*	0.0096	U		0.0014	0.0096	1.00000	mg/Kg	101191		11/09/03 1305	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100930		11/06/03 1554	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0437	lmr
	Barium, TCLP Leach	0.79	B		0.010	1.0	1	mg/L	101764		11/15/03 0437	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101764		11/15/03 0437	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0437	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0437	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0437	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0437	lmr

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(6-8)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 08:45
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-4
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	91.5			0.10	0.10	1	%	100316		10/31/03 1300	crp
	% Moisture, Solid	8.5			0.10	0.10	1	%	100316		10/31/03 1300	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.6	U	*	4.6	4.6	1.00000	mg/Kg	102106		11/10/03 1625	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0044	U		0.00084	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	Bromomethane, Solid*	0.0044	U		0.0026	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	1,1-Dichloroethene, Solid*	0.0044	U		0.00089	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	Chloroethane, Solid*	0.0044	U		0.0014	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	Carbon disulfide, Solid*	0.0044	U		0.0018	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	Acetone, Solid*	0.0044	U		0.0036	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	1,1-Dichloroethane, Solid*	0.032			0.00078	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	2-Butanone (MEK), Solid*	0.0044	U		0.0037	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	1,2-Dichloroethane, Solid*	0.0044	U		0.00052	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	Chloroform, Solid*	0.0044	U		0.00055	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	Carbon tetrachloride, Solid*	0.0044	U		0.00074	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	Benzene, Solid*	0.0044	U		0.00059	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	1,2-Dichloropropane, Solid*	0.0044	U		0.00085	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	Bromodichloromethane, Solid*	0.0044	U		0.00061	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	cis-1,3-Dichloropropene, Solid*	0.0044	U		0.00070	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	1,2-Dichloroethene (total), Solid*	0.078			0.0017	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0044	U		0.0027	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	Toluene, Solid*	0.0044	U		0.00089	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	trans-1,3-Dichloropropene, Solid*	0.0044	U		0.00075	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	2-Hexanone, Solid*	0.0044	U		0.0015	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	Dibromochloromethane, Solid*	0.0044	U		0.00061	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(6-8)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 08:45
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-4
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0044	U		0.00081	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	Styrene, Solid*	0.0044	U		0.00089	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	Bromoform, Solid*	0.0044	U		0.00081	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0044	U		0.00057	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	Xylenes (total), Solid*	0.0044	U		0.0026	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	Ethylbenzene, Solid*	0.0044	U		0.00098	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	Methylene chloride, Solid*	0.011			0.0016	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	Tetrachloroethene, Solid*	0.11			0.00060	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	1,1,1-Trichloroethane, Solid*	0.13			0.00054	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	1,1,2-Trichloroethane, Solid*	0.0044	U		0.00063	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	Trichloroethene, Solid*	0.013			0.00053	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
	Vinyl chloride, Solid*	0.0044	U		0.00066	0.0044	1.00000	mg/Kg	101191		11/09/03 1329	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100930		11/06/03 1556	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0443	lmr
	Barium, TCLP Leach	0.53	B		0.010	1.0	1	mg/L	101764		11/15/03 0443	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101764		11/15/03 0443	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0443	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0443	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0443	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0443	lmr

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(8-10)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 08:50
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-5
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	95.9			0.10	0.10	1	%	100316		10/31/03 1300	crp
	% Moisture, Solid	4.1			0.10	0.10	1	%	100316		10/31/03 1300	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.3	U	*	4.3	4.3	1.00000	mg/Kg	102106		11/10/03 1712	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0053	U		0.00099	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	Bromomethane, Solid*	0.0053	U		0.0031	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	1,1-Dichloroethene, Solid*	0.0053	U		0.0011	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	Chloroethane, Solid*	0.0053	U		0.0017	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	Carbon disulfide, Solid*	0.0053	U		0.0021	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	Acetone, Solid*	0.0053	U		0.0043	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	1,1-Dichloroethane, Solid*	0.0053	U		0.00093	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	2-Butanone (MEK), Solid*	0.0053	U		0.0044	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	1,2-Dichloroethane, Solid*	0.0053	U		0.00061	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	Chloroform, Solid*	0.0053	U		0.00066	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	Carbon tetrachloride, Solid*	0.0053	U		0.00088	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	Benzene, Solid*	0.0053	U		0.00070	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	1,2-Dichloropropane, Solid*	0.0053	U		0.0010	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	Bromodichloromethane, Solid*	0.0053	U		0.00072	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	cis-1,3-Dichloropropene, Solid*	0.0053	U		0.00084	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	1,2-Dichloroethene (total), Solid*	0.0051	J	a	0.0020	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0053	U		0.0032	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	Toluene, Solid*	0.0053	U		0.0011	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	trans-1,3-Dichloropropene, Solid*	0.0053	U		0.00089	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	2-Hexanone, Solid*	0.0053	U		0.0018	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	Dibromochloromethane, Solid*	0.0053	U		0.00073	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn

* In Description = Dry Wgt.

;TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(8-10)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 08:50
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-5
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0053	U		0.00096	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	Styrene, Solid*	0.0053	U		0.0011	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	Bromoform, Solid*	0.0053	U		0.00096	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0053	U		0.00068	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	Xylenes (total), Solid*	0.0053	U		0.0031	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	Ethylbenzene, Solid*	0.0053	U		0.0012	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	Methylene chloride, Solid*	0.0082			0.0019	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	Tetrachloroethene, Solid*	0.051			0.00071	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	1,1,1-Trichloroethane, Solid*	0.018			0.00065	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	1,1,2-Trichloroethane, Solid*	0.0053	U		0.00075	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	Trichloroethene, Solid*	0.0027	J	a	0.00062	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
	Vinyl chloride, Solid*	0.0053	U		0.00078	0.0053	1.00000	mg/Kg	101191		11/09/03 1353	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100930		11/06/03 1603	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0450	lmr
	Barium, TCLP Leach	0.53	B		0.010	1.0	1	mg/L	101764		11/15/03 0450	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101764		11/15/03 0450	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0450	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0450	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0450	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0450	lmr

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(10-12)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 08:55
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-6
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	95.9			0.10	0.10	1	%	100316		10/31/03 1300	crp
	% Moisture, Solid	4.1			0.10	0.10	1	%	100316		10/31/03 1300	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.3	U	*	4.3	4.3	1.00000	mg/Kg	102106		11/10/03 2017	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0051	U		0.00095	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	Bromomethane, Solid*	0.0051	U		0.0029	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	1,1-Dichloroethene, Solid*	0.0051	U		0.0010	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	Chloroethane, Solid*	0.0051	U		0.0016	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	Carbon disulfide, Solid*	0.0051	U		0.0020	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	Acetone, Solid*	0.0051	U		0.0042	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	1,1-Dichloroethane, Solid*	0.0051	U		0.00089	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	2-Butanone (MEK), Solid*	0.0051	U		0.0043	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	1,2-Dichloroethane, Solid*	0.0051	U		0.00059	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	Chloroform, Solid*	0.0051	U		0.00063	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	Carbon tetrachloride, Solid*	0.0051	U		0.00084	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	Benzene, Solid*	0.0051	U		0.00067	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	1,2-Dichloropropane, Solid*	0.0051	U		0.00097	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	Bromodichloromethane, Solid*	0.0051	U		0.00069	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	cis-1,3-Dichloropropene, Solid*	0.0051	U		0.00080	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	1,2-Dichloroethene (total), Solid*	0.0071			0.0019	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0051	U		0.0030	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	Toluene, Solid*	0.0051	U		0.0010	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	trans-1,3-Dichloropropene, Solid*	0.0051	U		0.00085	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	2-Hexanone, Solid*	0.0051	U		0.0017	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	Dibromochloromethane, Solid*	0.0051	U		0.00070	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(10-12)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 08:55
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-6
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0051	U		0.00092	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	Styrene, Solid*	0.0051	U		0.0010	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	Bromoform, Solid*	0.0051	U		0.00092	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0051	U		0.00065	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	Xylenes (total), Solid*	0.0051	U		0.0029	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	Ethylbenzene, Solid*	0.0051	U		0.0011	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	Methylene chloride, Solid*	0.0051	U		0.0018	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	Tetrachloroethene, Solid*	0.046			0.00068	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	1,1,1-Trichloroethane, Solid*	0.022			0.00062	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	1,1,2-Trichloroethane, Solid*	0.0051	U		0.00072	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	Trichloroethene, Solid*	0.0031	J	a	0.00060	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
	Vinyl chloride, Solid*	0.0051	U		0.00075	0.0051	1.00000	mg/Kg	101191		11/09/03 1418	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100930		11/06/03 1605	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0457	lmr
	Barium, TCLP Leach	0.12	B		0.010	1.0	1	mg/L	101764		11/15/03 0457	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101764		11/15/03 0457	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0457	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0457	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0457	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0457	lmr

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(12-14)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 09:00
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-7
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	95.4			0.10	0.10	1	%	100316		10/31/03 1300	crp
	% Moisture, Solid	4.6			0.10	0.10	1	%	100316		10/31/03 1300	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.3	U	*	4.3	4.3	1.00000	mg/Kg	102106		11/10/03 2104	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0051	U		0.00096	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	Bromomethane, Solid*	0.0051	U		0.0030	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	1,1-Dichloroethene, Solid*	0.0051	U		0.0010	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	Chloroethane, Solid*	0.0051	U		0.0016	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	Carbon disulfide, Solid*	0.0051	U		0.0020	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	Acetone, Solid*	0.0051	U		0.0042	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	1,1-Dichloroethane, Solid*	0.0073			0.00090	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	2-Butanone (MEK), Solid*	0.0051	U		0.0043	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	1,2-Dichloroethane, Solid*	0.0051	U		0.00059	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	Chloroform, Solid*	0.0051	U		0.00063	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	Carbon tetrachloride, Solid*	0.0051	U		0.00085	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	Benzene, Solid*	0.0051	U		0.00067	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	1,2-Dichloropropane, Solid*	0.0051	U		0.00098	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	Bromodichloromethane, Solid*	0.0051	U		0.00069	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	cis-1,3-Dichloropropene, Solid*	0.0051	U		0.00081	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	1,2-Dichloroethene (total), Solid*	0.017			0.0019	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0051	U		0.0031	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	Toluene, Solid*	0.0051	U		0.0010	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	trans-1,3-Dichloropropene, Solid*	0.0051	U		0.00086	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	2-Hexanone, Solid*	0.0051	U		0.0017	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	Dibromochloromethane, Solid*	0.0051	U		0.00070	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(12-14)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 09:00
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-7
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0051	U		0.00093	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	Styrene, Solid*	0.0051	U		0.0010	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	Bromoform, Solid*	0.0051	U		0.00093	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0051	U		0.00065	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	Xylenes (total), Solid*	0.0051	U		0.0030	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	Ethylbenzene, Solid*	0.0051	U		0.0011	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	Methylene chloride, Solid*	0.0094			0.0018	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	Tetrachloroethene, Solid*	0.10			0.00068	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	1,1,1-Trichloroethane, Solid*	0.045			0.00062	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	1,1,2-Trichloroethane, Solid*	0.0051	U		0.00072	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	Trichloroethene, Solid*	0.0066			0.00060	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
	Vinyl chloride, Solid*	0.0051	U		0.00075	0.0051	1.00000	mg/Kg	101191		11/09/03 1442	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100930		11/06/03 1611	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0504	lmr
	Barium, TCLP Leach	0.45	B		0.010	1.0	1	mg/L	101764		11/15/03 0504	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101764		11/15/03 0504	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0504	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0504	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0504	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0504	lmr

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(16-18)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 09:05
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-8
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	96.4			0.10	0.10	1	%	100316		10/31/03 1300	crp
	% Moisture, Solid	3.6			0.10	0.10	1	%	100316		10/31/03 1300	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.3	U	*	4.3	4.3	1.00000	mg/Kg	102106		11/10/03 2151	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0057	U		0.0011	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	Bromomethane, Solid*	0.0057	U		0.0033	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	1,1-Dichloroethene, Solid*	0.0057	U		0.0011	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	Chloroethane, Solid*	0.0057	U		0.0018	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	Carbon disulfide, Solid*	0.0057	U		0.0023	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	Acetone, Solid*	0.0057	U		0.0047	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	1,1-Dichloroethane, Solid*	0.0057	U		0.0010	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	2-Butanone (MEK), Solid*	0.0057	U		0.0048	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	1,2-Dichloroethane, Solid*	0.0057	U		0.00066	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	Chloroform, Solid*	0.0057	U		0.00071	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	Carbon tetrachloride, Solid*	0.0057	U		0.00095	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	Benzene, Solid*	0.0057	U		0.00075	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	1,2-Dichloropropane, Solid*	0.0057	U		0.0011	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	Bromodichloromethane, Solid*	0.0057	U		0.00078	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	cis-1,3-Dichloropropene, Solid*	0.0057	U		0.00090	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	1,2-Dichloroethene (total), Solid*	0.010			0.0022	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0057	U		0.0034	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	Toluene, Solid*	0.0057	U		0.0011	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	trans-1,3-Dichloropropene, Solid*	0.0057	U		0.00096	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	2-Hexanone, Solid*	0.0057	U		0.0019	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	Dibromochloromethane, Solid*	0.0057	U		0.00079	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn

* In Description = Dry Wgt.

;TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(16-18)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 09:05
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-8
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0057	U		0.0010	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	Styrene, Solid*	0.0057	U		0.0011	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	Bromoform, Solid*	0.0057	U		0.0010	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0057	U		0.00073	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	Xylenes (total), Solid*	0.0057	U		0.0033	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	Ethylbenzene, Solid*	0.0057	U		0.0013	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	Methylene chloride, Solid*	0.0057	U		0.0021	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	Tetrachloroethene, Solid*	0.12			0.00077	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	1,1,1-Trichloroethane, Solid*	0.047			0.00070	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	1,1,2-Trichloroethane, Solid*	0.0057	U		0.00081	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	Trichloroethene, Solid*	0.0071			0.00067	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
	Vinyl chloride, Solid*	0.0057	U		0.00085	0.0057	1.00000	mg/Kg	101191		11/09/03 1507	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100930		11/06/03 1613	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0510	lmr
	Barium, TCLP Leach	0.31	B		0.010	1.0	1	mg/L	101764		11/15/03 0510	lmr
	Cadmium, TCLP Leach	0.16			0.002	0.005	1	mg/L	101764		11/15/03 0510	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0510	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0510	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0510	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0510	lmr

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(18-20)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 09:10
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-9
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Chloromethane, High/Med Level*	0.10	U		0.023	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	Bromomethane, High/Med Level*	0.10	U		0.010	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	1,1-Dichloroethene, High/Med Level*	0.10	U		0.014	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	Chloroethane, High/Med Level*	0.10	U		0.020	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	Carbon disulfide, High/Med Level*	0.10	U		0.020	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	Acetone, High/Med Level*	0.10	U		0.029	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	1,1-Dichloroethane, High/Med Level*	0.13			0.013	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	2-Butanone (MEK), High/Med Level*	0.10	U		0.051	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	1,2-Dichloroethane, High/Med Level*	0.10	U		0.021	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	Chloroform, High/Med Level*	0.10	U		0.018	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	Carbon tetrachloride, High/Med Level*	0.10	U		0.016	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	Benzene, High/Med Level*	0.025	U		0.014	0.025	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	1,2-Dichloropropane, High/Med Level*	0.10	U		0.017	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	Bromodichloromethane, High/Med Level*	0.10	U		0.019	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	cis-1,3-Dichloropropene, High/Med Level*	0.10	U		0.022	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	1,2-Dichloroethene (total), High/Med Leve*	0.31			0.029	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	4-Methyl-2-pentanone (MIBK), High/Med Lev*l	0.10	U		0.037	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	Toluene, High/Med Level*	0.025	U		0.018	0.025	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	trans-1,3-Dichloropropene, High/Med Level*	0.10	U		0.019	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	2-Hexanone, High/Med Level*	0.10	U		0.052	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	Dibromochloromethane, High/Med Level*	0.10	U		0.019	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	Chlorobenzene, High/Med Level*	0.10	U		0.022	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	Styrene, High/Med Level*	0.10	U		0.028	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	Bromoform, High/Med Level*	0.10	U		0.018	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	1,1,2,2-Tetrachloroethane, High/Med Level*	0.10	U		0.018	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	Xylenes (total), High/Med Level*	0.075	U		0.050	0.075	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	Ethylbenzene, High/Med Level*	0.025	U		0.022	0.025	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	Methylene chloride, High/Med Level*	0.10	U		0.020	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(18-20)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 09:10
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-9
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene, High/Med Level*	1.6			0.023	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	1,1,1-Trichloroethane, High/Med Level*	0.71			0.016	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	1,1,2-Trichloroethane, High/Med Level*	0.10	U		0.031	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	Trichloroethene, High/Med Level*	0.10			0.021	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
	Vinyl chloride, High/Med Level*	0.10	U		0.018	0.10	1.0000	mg/Kg	100573		11/03/03 1640	jdn
Method	% Solids Determination											
	% Solids, Solid	88.0			0.10	0.10	1	%	100316		10/31/03 1300	crp
	% Moisture, Solid	12.0			0.10	0.10	1	%	100316		10/31/03 1300	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.7	U	*	4.7	4.7	1.00000	mg/Kg	102106		11/10/03 2238	mgk
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100930		11/06/03 1615	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0517	lmr
	Barium, TCLP Leach	0.35	B		0.010	1.0	1	mg/L	101764		11/15/03 0517	lmr
	Cadmium, TCLP Leach	0.090			0.002	0.005	1	mg/L	101764		11/15/03 0517	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0517	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0517	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0517	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0517	lmr

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SBD-S4(18-20)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 09:10
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-10
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	*Volatile Organics*											
	Chloromethane, High/Med Level*	0.093	U		0.022	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	Bromomethane, High/Med Level*	0.093	U		0.0097	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	1,1-Dichloroethene, High/Med Level*	0.093	U		0.013	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	Chloroethane, High/Med Level*	0.093	U		0.019	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	Carbon disulfide, High/Med Level*	0.093	U		0.019	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	Acetone, High/Med Level*	0.093	U		0.027	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	1,1-Dichloroethane, High/Med Level*	0.10			0.013	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	2-Butanone (MEK), High/Med Level*	0.093	U		0.047	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	1,2-Dichloroethane, High/Med Level*	0.093	U		0.020	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	Chloroform, High/Med Level*	0.093	U		0.017	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	Carbon tetrachloride, High/Med Level*	0.093	U		0.015	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	Benzene, High/Med Level*	0.023	U		0.013	0.023	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	1,2-Dichloropropane, High/Med Level*	0.093	U		0.016	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	Bromodichloromethane, High/Med Level*	0.093	U		0.018	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	cis-1,3-Dichloropropene, High/Med Level*	0.093	U		0.021	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	1,2-Dichloroethene (total), High/Med Leve*	0.24			0.027	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	4-Methyl-2-pentanone (MIBK), High/Med Lev*l	0.093	U		0.035	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	Toluene, High/Med Level*	0.023	U		0.017	0.023	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	trans-1,3-Dichloropropene, High/Med Level*	0.093	U		0.018	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	2-Hexanone, High/Med Level*	0.093	U		0.048	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	Dibromochloromethane, High/Med Level*	0.093	U		0.018	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	Chlorobenzene, High/Med Level*	0.093	U		0.020	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	Styrene, High/Med Level*	0.093	U		0.026	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	Bromoform, High/Med Level*	0.093	U		0.017	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	1,1,2,2-Tetrachloroethane, High/Med Level*	0.093	U		0.017	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	Xylenes (total), High/Med Level*	0.070	U		0.046	0.070	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	Ethylbenzene, High/Med Level*	0.023	U		0.021	0.023	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	Methylene chloride, High/Med Level*	0.093	U		0.019	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SBD-S4(18-20)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 09:10
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-10
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene, High/Med Level*	1.4			0.021	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	1,1,1-Trichloroethane, High/Med Level*	0.60			0.015	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	1,1,2-Trichloroethane, High/Med Level*	0.093	U		0.029	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	Trichloroethene, High/Med Level*	0.091	J	a	0.020	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
	Vinyl chloride, High/Med Level*	0.093	U		0.017	0.093	1.0000	mg/Kg	100573		11/03/03 1702	jdn
Method	% Solids Determination											
	% Solids, Solid	94.2			0.10	0.10	1	%	100316		10/31/03 1300	crp
	% Moisture, Solid	5.8			0.10	0.10	1	%	100316		10/31/03 1300	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.4	U	*	4.4	4.4	1.00000	mg/Kg	102106		11/10/03 2325	mgk
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100930		11/06/03 1617	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0524	lmr
	Barium, TCLP Leach	0.35	B		0.010	1.0	1	mg/L	101764		11/15/03 0524	lmr
	Cadmium, TCLP Leach	0.14			0.002	0.005	1	mg/L	101764		11/15/03 0524	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0524	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0524	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0524	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0524	lmr

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: TRIP BLANK
Date Sampled.....: 10/29/2003
Time Sampled.....: 08:25
Sample Matrix.....: Water

Laboratory Sample ID: 221824-11
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Chloromethane	0.0010	U		0.00016	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn
	Bromomethane	0.0010	U		0.00018	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn
	1,1-Dichloroethene	0.0010	U		0.00019	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn
	Chloroethane	0.0010	U		0.00021	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn
	Carbon disulfide	0.0050	U		0.00040	0.0050	1.00000	mg/L	100905		11/05/03 1038	jdn
	Acetone	0.0050	U		0.0015	0.0050	1.00000	mg/L	100905		11/05/03 1038	jdn
	2-Butanone (MEK)	0.0050	U		0.0017	0.0050	1.00000	mg/L	100905		11/05/03 1038	jdn
	1,2-Dichloroethane	0.0010	U		0.00025	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn
	Chloroform	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn
	Carbon tetrachloride	0.0010	U		0.00024	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn
	Benzene	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn
	1,2-Dichloropropane	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn
	Bromodichloromethane	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn
	1,2-Dichloroethene (total)	0.0010	U		0.00042	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn
	cis-1,3-Dichloropropene	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn
	4-Methyl-2-pentanone (MIBK)	0.0050	U		0.00092	0.0050	1.00000	mg/L	100905		11/05/03 1038	jdn
	Toluene	0.0010	U		0.00021	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn
	trans-1,3-Dichloropropene	0.0010	U		0.00024	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn
	1,1-Dichloroethane	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn
	2-Hexanone	0.0050	U		0.0012	0.0050	1.00000	mg/L	100905		11/05/03 1038	jdn
	Dibromochloromethane	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn
	Chlorobenzene	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn
	Styrene	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn
	Bromoform	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn
	1,1,2,2-Tetrachloroethane	0.0010	U		0.00025	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn
	Xylenes (total)	0.0010	U		0.00028	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn
	Ethylbenzene	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn
	Methylene chloride	0.0010			0.00019	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: TRIP BLANK
Date Sampled.....: 10/29/2003
Time Sampled.....: 08:25
Sample Matrix.....: Water

Laboratory Sample ID: 221824-11
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn
	1,1,1-Trichloroethane	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn
	1,1,2-Trichloroethane	0.0010	U		0.00033	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn
	Trichloroethene	0.0010	U		0.00021	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn
	Vinyl chloride	0.0010	U		0.00018	0.0010	1.00000	mg/L	100905		11/05/03 1038	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(20-22)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 09:15
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-12
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Chloromethane, High/Med Level*	0.085	U		0.020	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	Bromomethane, High/Med Level*	0.085	U		0.0089	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	1,1-Dichloroethene, High/Med Level*	0.085	U		0.012	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	Chloroethane, High/Med Level*	0.085	U		0.017	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	Carbon disulfide, High/Med Level*	0.085	U		0.017	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	Acetone, High/Med Level*	0.085	U		0.025	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	1,1-Dichloroethane, High/Med Level*	0.18			0.011	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	2-Butanone (MEK), High/Med Level*	0.085	U		0.043	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	1,2-Dichloroethane, High/Med Level*	0.085	U		0.018	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	Chloroform, High/Med Level*	0.085	U		0.015	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	Carbon tetrachloride, High/Med Level*	0.085	U		0.014	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	Benzene, High/Med Level*	0.021	U		0.012	0.021	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	1,2-Dichloropropane, High/Med Level*	0.085	U		0.015	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	Bromodichloromethane, High/Med Level*	0.085	U		0.016	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	cis-1,3-Dichloropropene, High/Med Level*	0.085	U		0.019	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	1,2-Dichloroethene (total), High/Med Leve*	0.38			0.025	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	4-Methyl-2-pentanone (MIBK), High/Med Lev*l	0.085	U		0.032	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	Toluene, High/Med Level*	0.021	U		0.015	0.021	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	trans-1,3-Dichloropropene, High/Med Level*	0.085	U		0.017	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	2-Hexanone, High/Med Level*	0.085	U		0.044	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	Dibromochloromethane, High/Med Level*	0.085	U		0.016	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	Chlorobenzene, High/Med Level*	0.085	U		0.019	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	Styrene, High/Med Level*	0.085	U		0.024	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	Bromoform, High/Med Level*	0.085	U		0.015	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	1,1,2,2-Tetrachloroethane, High/Med Level*	0.085	U		0.016	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	Xylenes (total), High/Med Level*	0.064	U		0.042	0.064	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	Ethylbenzene, High/Med Level*	0.021	U		0.019	0.021	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	Methylene chloride, High/Med Level*	0.085	U		0.017	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(20-22)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 09:15
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-12
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene, High/Med Level*	1.4			0.019	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	1,1,1-Trichloroethane, High/Med Level*	0.89			0.014	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	1,1,2-Trichloroethane, High/Med Level*	0.085	U		0.027	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	Trichloroethene, High/Med Level*	0.11			0.018	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
	Vinyl chloride, High/Med Level*	0.085	U		0.015	0.085	1.0000	mg/Kg	100573		11/03/03 1725	jdn
Method	% Solids Determination											
	% Solids, Solid	80.4			0.10	0.10	1	%	100316		10/31/03 1300	crp
	% Moisture, Solid	19.6			0.10	0.10	1	%	100316		10/31/03 1300	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	5.2	U	*	5.2	5.2	1.00000	mg/Kg	102106		11/11/03 0012	mgk
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100930		11/06/03 1619	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0531	lmr
	Barium, TCLP Leach	0.46	B		0.010	1.0	1	mg/L	101764		11/15/03 0531	lmr
	Cadmium, TCLP Leach	0.002	B		0.002	0.005	1	mg/L	101764		11/15/03 0531	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0531	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0531	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0531	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0531	lmr

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(22-24)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 09:20
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-13
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	97.0			0.10	0.10	1	%	100316		10/31/03 1300	crp
	% Moisture, Solid	3.0			0.10	0.10	1	%	100316		10/31/03 1300	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.2	U	*	4.2	4.2	1.00000	mg/Kg	102106		11/11/03 0059	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0053	U		0.0010	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	Bromomethane, Solid*	0.0053	U		0.0031	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	1,1-Dichloroethene, Solid*	0.0053	U		0.0011	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	Chloroethane, Solid*	0.0053	U		0.0017	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	Carbon disulfide, Solid*	0.0053	U		0.0021	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	Acetone, Solid*	0.0053	U		0.0044	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	1,1-Dichloroethane, Solid*	0.0053	U		0.00094	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	2-Butanone (MEK), Solid*	0.0053	U		0.0045	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	1,2-Dichloroethane, Solid*	0.0053	U		0.00062	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	Chloroform, Solid*	0.0053	U		0.00066	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	Carbon tetrachloride, Solid*	0.0053	U		0.00088	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	Benzene, Solid*	0.0053	U		0.00070	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	1,2-Dichloropropane, Solid*	0.0053	U		0.0010	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	Bromodichloromethane, Solid*	0.0053	U		0.00072	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	cis-1,3-Dichloropropene, Solid*	0.0053	U		0.00084	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	1,2-Dichloroethene (total), Solid*	0.0034	J	a	0.0020	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0053	U		0.0032	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	Toluene, Solid*	0.0053	U		0.0011	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	trans-1,3-Dichloropropene, Solid*	0.0053	U		0.00089	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	2-Hexanone, Solid*	0.0053	U		0.0018	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	Dibromochloromethane, Solid*	0.0053	U		0.00073	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(22-24)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 09:20
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-13
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0053	U		0.00097	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	Styrene, Solid*	0.0053	U		0.0011	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	Bromoform, Solid*	0.0053	U		0.00097	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0053	U		0.00068	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	Xylenes (total), Solid*	0.0053	U		0.0031	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	Ethylbenzene, Solid*	0.0053	U		0.0012	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	Methylene chloride, Solid*	0.0053	U		0.0019	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	Tetrachloroethene, Solid*	0.040			0.00071	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	1,1,1-Trichloroethane, Solid*	0.011			0.00065	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	1,1,2-Trichloroethane, Solid*	0.0053	U		0.00076	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	Trichloroethene, Solid*	0.0053	U		0.00063	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
	Vinyl chloride, Solid*	0.0053	U		0.00079	0.0053	1.00000	mg/Kg	101191		11/09/03 1532	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100930		11/06/03 1622	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0600	lmr
	Barium, TCLP Leach	0.36	B		0.010	1.0	1	mg/L	101764		11/15/03 0600	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101764		11/15/03 0600	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0600	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0600	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0600	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0600	lmr

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(24-26)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 09:30
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-14
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	97.3			0.10	0.10	1	%	100316		10/31/03 1300	crp
	% Moisture, Solid	2.7			0.10	0.10	1	%	100316		10/31/03 1300	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.3	U	*	4.3	4.3	1.00000	mg/Kg	102106		11/11/03 0146	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0052	U		0.00097	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	Bromomethane, Solid*	0.0052	U		0.0030	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	1,1-Dichloroethene, Solid*	0.0052	U		0.0010	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	Chloroethane, Solid*	0.0052	U		0.0017	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	Carbon disulfide, Solid*	0.0052	U		0.0021	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	Acetone, Solid*	0.0052	U		0.0042	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	1,1-Dichloroethane, Solid*	0.0052	U		0.00091	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	2-Butanone (MEK), Solid*	0.0052	U		0.0043	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	1,2-Dichloroethane, Solid*	0.0052	U		0.00060	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	Chloroform, Solid*	0.0052	U		0.00064	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	Carbon tetrachloride, Solid*	0.0052	U		0.00086	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	Benzene, Solid*	0.0052	U		0.00068	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	1,2-Dichloropropane, Solid*	0.0052	U		0.00099	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	Bromodichloromethane, Solid*	0.0052	U		0.00070	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	cis-1,3-Dichloropropene, Solid*	0.0052	U		0.00082	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	1,2-Dichloroethene (total), Solid*	0.0052	U		0.0020	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0052	U		0.0031	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	Toluene, Solid*	0.0052	U		0.0010	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	trans-1,3-Dichloropropene, Solid*	0.0052	U		0.00087	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	2-Hexanone, Solid*	0.0052	U		0.0018	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	Dibromochloromethane, Solid*	0.0052	U		0.00071	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(24-26)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 09:30
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-14
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0052	U		0.00094	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	Styrene, Solid*	0.0052	U		0.0010	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	Bromoform, Solid*	0.0052	U		0.00094	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0052	U		0.00066	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	Xylenes (total), Solid*	0.0052	U		0.0030	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	Ethylbenzene, Solid*	0.0052	U		0.0011	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	Methylene chloride, Solid*	0.0052	U		0.0019	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	Tetrachloroethene, Solid*	0.029			0.00069	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	1,1,1-Trichloroethane, Solid*	0.0079			0.00063	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	1,1,2-Trichloroethane, Solid*	0.0052	U		0.00073	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	Trichloroethene, Solid*	0.0052	U		0.00061	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
	Vinyl chloride, Solid*	0.0052	U		0.00077	0.0052	1.00000	mg/Kg	101191		11/09/03 1556	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100930		11/06/03 1628	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0606	lmr
	Barium, TCLP Leach	0.37	B		0.010	1.0	1	mg/L	101764		11/15/03 0606	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101764		11/15/03 0606	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0606	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0606	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0606	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0606	lmr

* In Description = Dry Wgt.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(26-28)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 09:35
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-15
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	96.5			0.10	0.10	1	%	100316		10/31/03 1300	crp
	% Moisture, Solid	3.5			0.10	0.10	1	%	100316		10/31/03 1300	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.2	U	*	4.2	4.2	1.00000	mg/Kg	102106		11/11/03 0233	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0049	U		0.00093	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	Bromomethane, Solid*	0.0049	U		0.0029	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	1,1-Dichloroethene, Solid*	0.0049	U		0.00099	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	Chloroethane, Solid*	0.0049	U		0.0016	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	Carbon disulfide, Solid*	0.0049	U		0.0020	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	Acetone, Solid*	0.0049	U		0.0040	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	1,1-Dichloroethane, Solid*	0.0049	U		0.00087	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	2-Butanone (MEK), Solid*	0.0049	U		0.0041	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	1,2-Dichloroethane, Solid*	0.0049	U		0.00057	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	Chloroform, Solid*	0.0049	U		0.00061	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	Carbon tetrachloride, Solid*	0.0049	U		0.00082	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	Benzene, Solid*	0.0049	U		0.00065	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	1,2-Dichloropropane, Solid*	0.0049	U		0.00095	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	Bromodichloromethane, Solid*	0.0049	U		0.00067	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	cis-1,3-Dichloropropene, Solid*	0.0049	U		0.00078	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	1,2-Dichloroethene (total), Solid*	0.0049	U		0.0019	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0049	U		0.0030	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	Toluene, Solid*	0.0049	U		0.00099	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	trans-1,3-Dichloropropene, Solid*	0.0049	U		0.00083	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	2-Hexanone, Solid*	0.0049	U		0.0017	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	Dibromochloromethane, Solid*	0.0049	U		0.00068	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(26-28)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 09:35
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-15
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0049	U		0.00090	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	Styrene, Solid*	0.0049	U		0.00099	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	Bromoform, Solid*	0.0049	U		0.00090	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0049	U		0.00063	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	Xylenes (total), Solid*	0.0049	U		0.0029	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	Ethylbenzene, Solid*	0.0049	U		0.0011	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	Methylene chloride, Solid*	0.0049	U		0.0018	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	Tetrachloroethene, Solid*	0.035			0.00066	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	1,1,1-Trichloroethane, Solid*	0.0094			0.00060	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	1,1,2-Trichloroethane, Solid*	0.0049	U		0.00070	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	Trichloroethene, Solid*	0.0049	U		0.00058	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
	Vinyl chloride, Solid*	0.0049	U		0.00073	0.0049	1.00000	mg/Kg	102107		11/10/03 1407	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100930		11/06/03 1630	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0613	lmr
	Barium, TCLP Leach	0.36	B		0.010	1.0	1	mg/L	101764		11/15/03 0613	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101764		11/15/03 0613	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0613	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0613	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0613	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0613	lmr

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(28-30)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 09:40
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-16
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	95.6			0.10	0.10	1	%	100316		10/31/03 1300	crp
	% Moisture, Solid	4.4			0.10	0.10	1	%	100316		10/31/03 1300	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.3	U	*	4.3	4.3	1.00000	mg/Kg	102106		11/11/03 0319	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0050	U		0.00093	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	Bromomethane, Solid*	0.0050	U		0.0029	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	1,1-Dichloroethene, Solid*	0.0050	U		0.00099	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	Chloroethane, Solid*	0.0050	U		0.0016	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	Carbon disulfide, Solid*	0.0050	U		0.0020	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	Acetone, Solid*	0.017			0.0041	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	1,1-Dichloroethane, Solid*	0.0050	U		0.00088	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	2-Butanone (MEK), Solid*	0.0050	U		0.0042	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	1,2-Dichloroethane, Solid*	0.0050	U		0.00058	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	Chloroform, Solid*	0.0050	U		0.00062	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	Carbon tetrachloride, Solid*	0.0050	U		0.00083	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	Benzene, Solid*	0.0050	U		0.00066	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	1,2-Dichloropropane, Solid*	0.0050	U		0.00095	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	Bromodichloromethane, Solid*	0.0050	U		0.00068	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	cis-1,3-Dichloropropene, Solid*	0.0050	U		0.00079	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	1,2-Dichloroethene (total), Solid*	0.0051			0.0019	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0050	U		0.0030	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	Toluene, Solid*	0.0063			0.00099	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	trans-1,3-Dichloropropene, Solid*	0.0050	U		0.00084	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	2-Hexanone, Solid*	0.0050	U		0.0017	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	Dibromochloromethane, Solid*	0.0050	U		0.00069	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(28-30)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 09:40
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-16
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0050	U		0.00090	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	Styrene, Solid*	0.0050	U		0.00099	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	Bromoform, Solid*	0.0050	U		0.00090	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0050	U		0.00064	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	Xylenes (total), Solid*	0.0050	U		0.0029	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	Ethylbenzene, Solid*	0.0050	U		0.0011	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	Methylene chloride, Solid*	0.0050	U		0.0018	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	Tetrachloroethene, Solid*	0.067			0.00067	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	1,1,1-Trichloroethane, Solid*	0.025			0.00061	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	1,1,2-Trichloroethane, Solid*	0.0050	U		0.00071	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	Trichloroethene, Solid*	0.0050	U		0.00059	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
	Vinyl chloride, Solid*	0.0050	U		0.00074	0.0050	1.00000	mg/Kg	102107		11/10/03 1653	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100930		11/06/03 1632	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0620	lmr
	Barium, TCLP Leach	0.38	B		0.010	1.0	1	mg/L	101764		11/15/03 0620	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101764		11/15/03 0620	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0620	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0620	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0620	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0620	lmr

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(30-32)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 09:45
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-17
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	96.3			0.10	0.10	1	%	100316		10/31/03 1300	crp
	% Moisture, Solid	3.7			0.10	0.10	1	%	100316		10/31/03 1300	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.3	U	*	4.3	4.3	1.00000	mg/Kg	102106		11/11/03 0453	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0045	U		0.00084	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	Bromomethane, Solid*	0.0045	U		0.0026	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	1,1-Dichloroethene, Solid*	0.0045	U		0.00089	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	Chloroethane, Solid*	0.0045	U		0.0014	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	Carbon disulfide, Solid*	0.0045	U		0.0018	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	Acetone, Solid*	0.0045	U		0.0037	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	1,1-Dichloroethane, Solid*	0.0034	J	a	0.00078	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	2-Butanone (MEK), Solid*	0.0045	U		0.0037	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	1,2-Dichloroethane, Solid*	0.0045	U		0.00052	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	Chloroform, Solid*	0.0045	U		0.00055	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	Carbon tetrachloride, Solid*	0.0045	U		0.00074	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	Benzene, Solid*	0.0045	U		0.00059	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	1,2-Dichloropropane, Solid*	0.0045	U		0.00085	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	Bromodichloromethane, Solid*	0.0045	U		0.00061	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	cis-1,3-Dichloropropene, Solid*	0.0045	U		0.00070	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	1,2-Dichloroethene (total), Solid*	0.0062			0.0017	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0045	U		0.0027	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	Toluene, Solid*	0.0045	U		0.00089	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	trans-1,3-Dichloropropene, Solid*	0.0045	U		0.00075	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	2-Hexanone, Solid*	0.0045	U		0.0015	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	Dibromochloromethane, Solid*	0.0045	U		0.00061	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S4(30-32)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 09:45
Sample Matrix.....: Soil

Laboratory Sample ID: 221824-17
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0045	U		0.00081	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	Styrene, Solid*	0.0045	U		0.00089	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	Bromoform, Solid*	0.0045	U		0.00081	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0045	U		0.00057	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	Xylenes (total), Solid*	0.0045	U		0.0026	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	Ethylbenzene, Solid*	0.0045	U		0.00098	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	Methylene chloride, Solid*	0.0075			0.0016	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	Tetrachloroethene, Solid*	0.053			0.00060	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	1,1,1-Trichloroethane, Solid*	0.019			0.00054	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	1,1,2-Trichloroethane, Solid*	0.0045	U		0.00063	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	Trichloroethene, Solid*	0.0030	J	a	0.00053	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
	Vinyl chloride, Solid*	0.0045	U		0.00066	0.0045	1.00000	mg/Kg	101191		11/09/03 1645	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100930		11/06/03 1634	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0627	lmr
	Barium, TCLP Leach	0.37	B		0.010	1.0	1	mg/L	101764		11/15/03 0627	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101764		11/15/03 0627	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0627	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0627	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0627	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0627	lmr

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: TRIP BLANK
Date Sampled.....: 10/29/2003
Time Sampled.....: 09:15
Sample Matrix.....: Water

Laboratory Sample ID: 221824-18
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Chloromethane	0.0010	U		0.00016	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn
	Bromomethane	0.0010	U		0.00018	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn
	1,1-Dichloroethene	0.0010	U		0.00019	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn
	Chloroethane	0.0010	U		0.00021	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn
	Carbon disulfide	0.0050	U		0.00040	0.0050	1.00000	mg/L	100905		11/05/03 1106	jdn
	Acetone	0.0050	U		0.0015	0.0050	1.00000	mg/L	100905		11/05/03 1106	jdn
	2-Butanone (MEK)	0.0050	U		0.0017	0.0050	1.00000	mg/L	100905		11/05/03 1106	jdn
	1,2-Dichloroethane	0.0010	U		0.00025	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn
	Chloroform	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn
	Carbon tetrachloride	0.0010	U		0.00024	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn
	Benzene	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn
	1,2-Dichloropropane	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn
	Bromodichloromethane	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn
	1,2-Dichloroethene (total)	0.0010	U		0.00042	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn
	cis-1,3-Dichloropropene	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn
	4-Methyl-2-pentanone (MIBK)	0.0050	U		0.00092	0.0050	1.00000	mg/L	100905		11/05/03 1106	jdn
	Toluene	0.0010	U		0.00021	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn
	trans-1,3-Dichloropropene	0.0010	U		0.00024	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn
	1,1-Dichloroethane	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn
	2-Hexanone	0.0050	U		0.0012	0.0050	1.00000	mg/L	100905		11/05/03 1106	jdn
	Dibromochloromethane	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn
	Chlorobenzene	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn
	Styrene	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn
	Bromoform	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn
	1,1,2,2-Tetrachloroethane	0.0010	U		0.00025	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn
	Xylenes (total)	0.0010	U		0.00028	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn
	Ethylbenzene	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn
	Methylene chloride	0.0010	U		0.00019	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221824

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: TRIP BLANK
Date Sampled.....: 10/29/2003
Time Sampled.....: 09:15
Sample Matrix.....: Water

Laboratory Sample ID: 221824-18
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn
	1,1,1-Trichloroethane	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn
	1,1,2-Trichloroethane	0.0010	U		0.00033	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn
	Trichloroethene	0.0010	U		0.00021	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn
	Vinyl chloride	0.0010	U		0.00018	0.0010	1.00000	mg/L	100905		11/05/03 1106	jdn

* In Description = Dry Wgt.

LABORATORY CHRONICLE

Job Number: 221824 Date: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221824-1 Client ID: RD-SB-S4(0-2)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100316		10/31/2003	1300	
5030A	5030 Purge & Trap of Methanol Extract	1	100571		11/03/2003	1555	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	0825	
5035	5035 Preservation Low	1	100529		10/29/2003	0825	
5035	5035 Preservation Low	2	100529		10/29/2003	0825	
3010A	Acid Dig. Leachates (ICAP)	1	100804	100627	11/05/2003	1840	
EDD	Electronic Data Deliverable	1					
3541	Extraction Soxhlet (Jet Fuel)	1	100542		11/04/2003	0900	
3550B	Extraction Ultrasonic (JP4)	1	101009		11/07/2003	1300	
7470A	Leachable, Mercury (CVAA)	1	100930	100928-100627	11/06/2003	1550	
6010B	Leachable, Metals Analysis (ICAP)	1	101764	100804-100627	11/15/2003	0401	
7470	SW846 Dig. Leachates (Hg)	1	100928		11/04/2003	1225	
1311	TCLP Extraction	1	100627		11/04/2003	1555	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102106	101009	11/10/2003	1320	1.00000
8260B	Volatile Organics	1	100573	100513-100571	11/03/2003	1555	1.0000

Lab ID: 221824-2 Client ID: RD-SB-S4(2-4)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100316		10/31/2003	1300	
5030A	5030 Purge & Trap of Methanol Extract	1	100571		11/03/2003	1617	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	0830	
5035	5035 Preservation Low	1	100529		10/29/2003	0830	
5035	5035 Preservation Low	2	100529		10/29/2003	0830	
3010A	Acid Dig. Leachates (ICAP)	1	100804	100627	11/05/2003	1840	
3541	Extraction Soxhlet (Jet Fuel)	1	100542		11/04/2003	0900	
3550B	Extraction Ultrasonic (JP4)	1	101009		11/07/2003	1300	
7470A	Leachable, Mercury (CVAA)	1	100930	100928-100627	11/06/2003	1552	
6010B	Leachable, Metals Analysis (ICAP)	1	101764	100804-100627	11/15/2003	0430	
7470	SW846 Dig. Leachates (Hg)	1	100928		11/04/2003	1512	
1311	TCLP Extraction	1	100627		11/04/2003	1555	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102106	101009	11/10/2003	1453	1.00000
8260B	Volatile Organics	1	100573	100513-100571	11/03/2003	1617	1.0000

Lab ID: 221824-3 Client ID: RD-SB-S4(4-6)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100316		10/31/2003	1300	
5030A	5030 Purge & Trap of Methanol Extract	1	101388		11/11/2003	1527	
5035	5035 Archon Closed Purge & Trap	1	101135		11/09/2003	1305	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	0840	
5035	5035 Preservation Low	1	100529		10/29/2003	0840	
5035	5035 Preservation Low	2	100529		10/29/2003	0840	
3010A	Acid Dig. Leachates (ICAP)	1	100804	100627	11/05/2003	1840	
3541	Extraction Soxhlet (Jet Fuel)	1	100542		11/04/2003	0900	
3550B	Extraction Ultrasonic (JP4)	1	101009		11/07/2003	1300	
7470A	Leachable, Mercury (CVAA)	1	100930	100928-100627	11/06/2003	1554	
6010B	Leachable, Metals Analysis (ICAP)	1	101764	100804-100627	11/15/2003	0437	
7470	SW846 Dig. Leachates (Hg)	1	100928		11/04/2003	1758	
1311	TCLP Extraction	1	100627		11/04/2003	1555	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102106	101009	11/10/2003	1539	1.00000
8260B	Volatile Organics	1	101191	100529-101135	11/09/2003	1305	1.00000
8260B	Volatile Organics	1	101387	100513-101388	11/11/2003	1527	1.0000

Lab ID: 221824-4 Client ID: RD-SB-S4(6-8)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100316		10/31/2003	1300	

LABORATORY CHRONICLE

Job Number: 221824 Date: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221824-4 Client ID: RD-SB-S4(6-8)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
5035	5035 Archon Closed Purge & Trap	1	101135		11/09/2003	1329	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	0845	
5035	5035 Preservation Low	1	100529		10/29/2003	0845	
5035	5035 Preservation Low	2	100529		10/29/2003	0845	
3010A	Acid Dig. Leachates (ICAP)	1	100804	100627	11/05/2003	1840	
3541	Extraction Soxhlet (Jet Fuel)	1	100542		11/04/2003	0900	
3550B	Extraction Ultrasonic (JP4)	1	101009		11/07/2003	1300	
7470A	Leachable, Mercury (CVAA)	1	100930	100928-100627	11/06/2003	1556	
6010B	Leachable, Metals Analysis (ICAP)	1	101764	100804-100627	11/15/2003	0443	
7470	SW846 Dig. Leachates (Hg)	1	100928		11/04/2003	2044	
1311	TCLP Extraction	1	100627		11/04/2003	1555	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102106	101009	11/10/2003	1625	1.00000
8260B	Volatile Organics	1	101191	100529-101135	11/09/2003	1329	1.00000

Lab ID: 221824-5 Client ID: RD-SB-S4(8-10)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100316		10/31/2003	1300	
5035	5035 Archon Closed Purge & Trap	1	101135		11/09/2003	1353	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	0850	
5035	5035 Preservation Low	1	100529		10/29/2003	0850	
5035	5035 Preservation Low	2	100529		10/29/2003	0850	
3010A	Acid Dig. Leachates (ICAP)	1	100804	100627	11/05/2003	1840	
3541	Extraction Soxhlet (Jet Fuel)	1	100542		11/04/2003	0900	
3550B	Extraction Ultrasonic (JP4)	1	101009		11/07/2003	1300	
7470A	Leachable, Mercury (CVAA)	1	100930	100928-100627	11/06/2003	1603	
6010B	Leachable, Metals Analysis (ICAP)	1	101764	100804-100627	11/15/2003	0450	
7470	SW846 Dig. Leachates (Hg)	1	100928		11/04/2003	2330	
1311	TCLP Extraction	1	100627		11/04/2003	1555	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102106	101009	11/10/2003	1712	1.00000
8260B	Volatile Organics	1	101191	100529-101135	11/09/2003	1353	1.00000

Lab ID: 221824-6 Client ID: RD-SB-S4(10-12)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100316		10/31/2003	1300	
5035	5035 Archon Closed Purge & Trap	1	101135		11/09/2003	1418	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	0855	
5035	5035 Preservation Low	1	100529		10/29/2003	0855	
5035	5035 Preservation Low	2	100529		10/29/2003	0855	
3010A	Acid Dig. Leachates (ICAP)	1	100804	100627	11/05/2003	1840	
3541	Extraction Soxhlet (Jet Fuel)	1	100542		11/04/2003	0900	
3550B	Extraction Ultrasonic (JP4)	1	101009		11/07/2003	1300	
7470A	Leachable, Mercury (CVAA)	1	100930	100928-100627	11/06/2003	1605	
6010B	Leachable, Metals Analysis (ICAP)	1	101764	100804-100627	11/15/2003	0457	
7470	SW846 Dig. Leachates (Hg)	1	100928		11/05/2003	0216	
1311	TCLP Extraction	1	100627		11/04/2003	1555	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102106	101009	11/10/2003	2017	1.00000
8260B	Volatile Organics	1	101191	100529-101135	11/09/2003	1418	1.00000

Lab ID: 221824-7 Client ID: RD-SB-S4(12-14)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100316		10/31/2003	1300	
5035	5035 Archon Closed Purge & Trap	1	101135		11/09/2003	1442	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	0900	
5035	5035 Preservation Low	1	100529		10/29/2003	0900	
5035	5035 Preservation Low	2	100529		10/29/2003	0900	

LABORATORY CHRONICLE

Job Number: 221824 Date: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221824-7 Client ID: RD-SB-S4(12-14)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
3010A	Acid Dig. Leachates (ICAP)	1	100804	100627	11/05/2003	1840	
3541	Extraction Soxhlet (Jet Fuel)	1	100542		11/04/2003	0900	
3550B	Extraction Ultrasonic (JP4)	1	101009		11/07/2003	1300	
7470A	Leachable, Mercury (CVAA)	1	100930	100928-100627	11/06/2003	1611	
6010B	Leachable, Metals Analysis (ICAP)	1	101764	100804-100627	11/15/2003	0504	
7470	SW846 Dig. Leachates (Hg)	1	100928		11/05/2003	1035	
1311	TCLP Extraction	1	100627		11/04/2003	1555	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102106	101009	11/10/2003	2104	1.00000
8260B	Volatile Organics	1	101191	100529-101135	11/09/2003	1442	1.00000

Lab ID: 221824-8 Client ID: RD-SB-S4(16-18)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100316		10/31/2003	1300	
5035	5035 Archon Closed Purge & Trap	1	101135		11/09/2003	1507	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	0905	
5035	5035 Preservation Low	1	100529		10/29/2003	0905	
5035	5035 Preservation Low	2	100529		10/29/2003	0905	
3010A	Acid Dig. Leachates (ICAP)	1	100804	100627	11/05/2003	1840	
3541	Extraction Soxhlet (Jet Fuel)	1	100542		11/04/2003	0900	
3550B	Extraction Ultrasonic (JP4)	1	101009		11/07/2003	1300	
7470A	Leachable, Mercury (CVAA)	1	100930	100928-100627	11/06/2003	1613	
6010B	Leachable, Metals Analysis (ICAP)	1	101764	100804-100627	11/15/2003	0510	
7470	SW846 Dig. Leachates (Hg)	1	100928		11/05/2003	1321	
1311	TCLP Extraction	1	100627		11/04/2003	1555	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102106	101009	11/10/2003	2151	1.00000
8260B	Volatile Organics	1	101191	100529-101135	11/09/2003	1507	1.00000

Lab ID: 221824-9 Client ID: RD-SB-S4(18-20)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100316		10/31/2003	1300	
5030A	5030 Purge & Trap of Methanol Extract	1	100571		11/03/2003	1640	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	0910	
5035	5035 Preservation Low	1	100529		10/29/2003	0910	
5035	5035 Preservation Low	2	100529		10/29/2003	0910	
3010A	Acid Dig. Leachates (ICAP)	1	100804	100627	11/05/2003	1840	
3541	Extraction Soxhlet (Jet Fuel)	1	100542		11/04/2003	0900	
3550B	Extraction Ultrasonic (JP4)	1	101009		11/07/2003	1300	
7470A	Leachable, Mercury (CVAA)	1	100930	100928-100627	11/06/2003	1615	
6010B	Leachable, Metals Analysis (ICAP)	1	101764	100804-100627	11/15/2003	0517	
7470	SW846 Dig. Leachates (Hg)	1	100928		11/05/2003	1607	
1311	TCLP Extraction	1	100627		11/04/2003	1555	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102106	101009	11/10/2003	2238	1.00000
8260B	Volatile Organics	1	100573	100513-100571	11/03/2003	1640	1.0000

Lab ID: 221824-10 Client ID: RD-SBD-S4(18-20)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100316		10/31/2003	1300	
5030A	5030 Purge & Trap of Methanol Extract	1	100571		11/03/2003	1702	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	0910	
5035	5035 Preservation Low	1	100529		10/29/2003	0910	
5035	5035 Preservation Low	2	100529		10/29/2003	0910	
3010A	Acid Dig. Leachates (ICAP)	1	100804	100627	11/05/2003	1840	
3541	Extraction Soxhlet (Jet Fuel)	1	100542		11/04/2003	0900	
3550B	Extraction Ultrasonic (JP4)	1	101009		11/07/2003	1300	
7470A	Leachable, Mercury (CVAA)	1	100930	100928-100627	11/06/2003	1617	

LABORATORY CHRONICLE

Job Number: 221824 Date: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221824-10 Client ID: RD-SBD-S4(18-20)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
6010B	Leachable, Metals Analysis (ICAP)	1	101764	100804-100627	11/15/2003	0524	
7470	SW846 Dig. Leachates (Hg)	1	100928		11/05/2003	1853	
1311	TCLP Extraction	1	100627		11/04/2003	1555	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102106	101009	11/10/2003	2325	1.00000
8260B	Volatile Organics	1	100573	100513-100571	11/03/2003	1702	1.0000

Lab ID: 221824-11 Client ID: TRIP BLANK Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
5030B	5030 25 mL Purge Prep	1	100843		11/05/2003	1038	
8260B	Volatile Organics	1	100905	100843	11/05/2003	1038	1.00000

Lab ID: 221824-12 Client ID: RD-SB-S4(20-22)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100316		10/31/2003	1300	
5030A	5030 Purge & Trap of Methanol Extract	1	100571		11/03/2003	1725	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	0915	
5035	5035 Preservation Low	1	100529		10/29/2003	0915	
5035	5035 Preservation Low	2	100529		10/29/2003	0915	
3010A	Acid Dig. Leachates (ICAP)	1	100804	100627	11/05/2003	1840	
3541	Extraction Soxhlet (Jet Fuel)	1	100542		11/04/2003	0900	
3550B	Extraction Ultrasonic (JP4)	1	101009		11/07/2003	1300	
7470A	Leachable, Mercury (CVAA)	1	100930	100928-100627	11/06/2003	1619	
6010B	Leachable, Metals Analysis (ICAP)	1	101764	100804-100627	11/15/2003	0531	
7470	SW846 Dig. Leachates (Hg)	1	100928		11/05/2003	2139	
1311	TCLP Extraction	1	100627		11/04/2003	1555	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102106	101009	11/11/2003	0012	1.00000
8260B	Volatile Organics	1	100573	100513-100571	11/03/2003	1725	1.0000

Lab ID: 221824-13 Client ID: RD-SB-S4(22-24)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100316		10/31/2003	1300	
5035	5035 Archon Closed Purge & Trap	1	101135		11/09/2003	1532	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	0920	
5035	5035 Preservation Low	1	100529		10/29/2003	0920	
5035	5035 Preservation Low	2	100529		10/29/2003	0920	
3010A	Acid Dig. Leachates (ICAP)	1	100804	100627	11/05/2003	1840	
3541	Extraction Soxhlet (Jet Fuel)	1	100542		11/04/2003	0900	
3550B	Extraction Ultrasonic (JP4)	1	101009		11/07/2003	1300	
7470A	Leachable, Mercury (CVAA)	1	100930	100928-100627	11/06/2003	1622	
6010B	Leachable, Metals Analysis (ICAP)	1	101764	100804-100627	11/15/2003	0600	
7470	SW846 Dig. Leachates (Hg)	1	100928		11/06/2003	0025	
1311	TCLP Extraction	1	100627		11/04/2003	1555	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102106	101009	11/11/2003	0059	1.00000
8260B	Volatile Organics	1	101191	100529-101135	11/09/2003	1532	1.00000

Lab ID: 221824-14 Client ID: RD-SB-S4(24-26)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100316		10/31/2003	1300	
5035	5035 Archon Closed Purge & Trap	1	101135		11/09/2003	1556	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	0930	
5035	5035 Preservation Low	1	100529		10/29/2003	0930	
5035	5035 Preservation Low	2	100529		10/29/2003	0930	
3010A	Acid Dig. Leachates (ICAP)	1	100804	100627	11/05/2003	1840	
3541	Extraction Soxhlet (Jet Fuel)	1	100542		11/04/2003	0900	
3550B	Extraction Ultrasonic (JP4)	1	101009		11/07/2003	1300	

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY CHRONICLE

Job Number: 221824 Date: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221824-14 Client ID: RD-SB-S4(24-26)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
7470A	Leachable, Mercury (CVAA)	1	100930	100928-100627	11/06/2003	1628	
6010B	Leachable, Metals Analysis (ICAP)	1	101764	100804-100627	11/15/2003	0606	
7470	SW846 Dig. Leachates (Hg)	1	100928		11/06/2003	0312	
1311	TCLP Extraction	1	100627		11/04/2003	1555	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102106	101009	11/11/2003	0146	1.00000
8260B	Volatile Organics	1	101191	100529-101135	11/09/2003	1556	1.00000

Lab ID: 221824-15 Client ID: RD-SB-S4(26-28)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100316		10/31/2003	1300	
5035	5035 Archon Closed Purge & Trap	1	101135		11/09/2003	1621	
5035	5035 Archon Closed Purge & Trap	2	101223		11/10/2003	1407	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	0935	
5035	5035 Preservation Low	1	100529		10/29/2003	0935	
5035	5035 Preservation Low	2	100529		10/29/2003	0935	
3010A	Acid Dig. Leachates (ICAP)	1	100804	100627	11/05/2003	1840	
3541	Extraction Soxhlet (Jet Fuel)	1	100542		11/04/2003	0900	
3550B	Extraction Ultrasonic (JP4)	1	101009		11/07/2003	1300	
7470A	Leachable, Mercury (CVAA)	1	100930	100928-100627	11/06/2003	1630	
6010B	Leachable, Metals Analysis (ICAP)	1	101764	100804-100627	11/15/2003	0613	
7470	SW846 Dig. Leachates (Hg)	1	100928		11/06/2003	0558	
311	TCLP Extraction	1	100627		11/04/2003	1555	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102106	101009	11/11/2003	0233	1.00000
8260B	Volatile Organics	1	102107	100529-101223	11/10/2003	1407	1.00000

Lab ID: 221824-16 Client ID: RD-SB-S4(28-30)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100316		10/31/2003	1300	
5030A	5030 Purge & Trap of Methanol Extract	1	100571		11/03/2003	1747	
5035	5035 Archon Closed Purge & Trap	1	101223		11/10/2003	1435	
5035	5035 Archon Closed Purge & Trap	2	101223		11/10/2003	1653	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	0940	
5035	5035 Preservation Low	1	100529		10/29/2003	0940	
5035	5035 Preservation Low	2	100529		10/29/2003	0940	
3010A	Acid Dig. Leachates (ICAP)	1	100804	100627	11/05/2003	1840	
3541	Extraction Soxhlet (Jet Fuel)	1	100542		11/04/2003	0900	
3550B	Extraction Ultrasonic (JP4)	1	101009		11/07/2003	1300	
7470A	Leachable, Mercury (CVAA)	1	100930	100928-100627	11/06/2003	1632	
6010B	Leachable, Metals Analysis (ICAP)	1	101764	100804-100627	11/15/2003	0620	
7470	SW846 Dig. Leachates (Hg)	1	100928		11/06/2003	0844	
1311	TCLP Extraction	1	100627		11/04/2003	1555	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102106	101009	11/11/2003	0319	1.00000
8260B	Volatile Organics	1	102107	100529-101223	11/10/2003	1653	1.00000

Lab ID: 221824-17 Client ID: RD-SB-S4(30-32)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100316		10/31/2003	1300	
5030A	5030 Purge & Trap of Methanol Extract	1	100571		11/03/2003	1810	
5035	5035 Archon Closed Purge & Trap	1	101135		11/09/2003	1645	
5035	5035 Preservation High (Methanol)	1	100513		10/29/2003	0945	
5035	5035 Preservation Low	1	100529		10/29/2003	0945	
5035	5035 Preservation Low	2	100529		10/29/2003	0945	
3010A	Acid Dig. Leachates (ICAP)	1	100804	100627	11/05/2003	1840	
3541	Extraction Soxhlet (Jet Fuel)	1	100542		11/04/2003	0900	
3550B	Extraction Ultrasonic (JP4)	1	101009		11/07/2003	1300	

LABORATORY CHRONICLE

Job Number: 221824 Date: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221824-17 Client ID: RD-SB-S4(30-32)-01 Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
7470A	Leachable, Mercury (CVAA)	1	100930	100928-100627	11/06/2003	1634	
6010B	Leachable, Metals Analysis (ICAP)	1	101764	100804-100627	11/15/2003	0627	
7470	SW846 Dig. Leachates (Hg)	1	100928		11/06/2003	1130	
1311	TCLP Extraction	1	100627		11/04/2003	1555	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102106	101009	11/11/2003	0453	1.00000
8260B	Volatile Organics	1	101191	100529-101135	11/09/2003	1645	1.00000

Lab ID: 221824-18 Client ID: TRIP BLANK Date Recvd: 10/29/2003 Sample Date: 10/29/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
5030B	5030 25 mL Purge Prep	1	100843		11/05/2003	1106	
8260B	Volatile Organics	1	100905	100843	11/05/2003	1106	1.00000

STL Chicago is part of Severn Trent Laboratories, Inc.

SURROGATE RECOVERIES REPORT

Job Number.: 221824 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Method.....: TPH - Diesel Range Organics (DRO) Test Matrix...: Solid Prep Batch..: 101009
Method Code...: 8015D Batch(s).....: 102106

Lab ID	DT	Sample ID	Date	2FLUBP	OTERPH
LCS			11/10/2003	97	98
MB			11/10/2003	100	99
221824- 1		RD-SB-S4(0-2)-01	11/10/2003	92	102
221824- 2		RD-SB-S4(2-4)-01	11/10/2003	94	107
221824- 3		RD-SB-S4(4-6)-01	11/10/2003	97	96
221824- 4		RD-SB-S4(6-8)-01	11/10/2003	100	96
221824- 5		RD-SB-S4(8-10)-01	11/10/2003	97	96
221824- 5	MS	RD-SB-S4(8-10)-01	11/10/2003	93	92
221824- 5	MSD	RD-SB-S4(8-10)-01	11/10/2003	93	94
221824- 6		RD-SB-S4(10-12)-01	11/10/2003	94	95
221824- 7		RD-SB-S4(12-14)-01	11/10/2003	83	88
221824- 8		RD-SB-S4(16-18)-01	11/10/2003	87	89
221824- 9		RD-SB-S4(18-20)-01	11/10/2003	87	88
221824- 10		RD-SBD-S4(18-20)-01	11/10/2003	81	85
221824- 12		RD-SB-S4(20-22)-01	11/11/2003	83	91
221824- 13		RD-SB-S4(22-24)-01	11/11/2003	97	101
221824- 14		RD-SB-S4(24-26)-01	11/11/2003	101	97
221824- 15		RD-SB-S4(26-28)-01	11/11/2003	86	90
221824- 16		RD-SB-S4(28-30)-01	11/11/2003	83	92
221824- 17		RD-SB-S4(30-32)-01	11/11/2003	100	100

Test	Test Description	Limits
2FLUBP	2-Fluorobiphenyl (surr)	48 - 103
OTERPH	o-Terphenyl (surr)	44 - 128

STL Chicago is part of Severn Trent Laboratories, Inc.

SURROGATE RECOVERIES REPORT

Job Number.: 221824 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: High/Med Level
Batch(s).....: 100573 101387
Prep Batch..: 100513

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
221824- 1		RD-SB-S4(0-2)-01	11/03/2003	88	94	90	104
221824- 2		RD-SB-S4(2-4)-01	11/03/2003	88	95	89	104
221824- 3	D1	RD-SB-S4(4-6)-01	11/11/2003	90	96	94	107
221824- 9		RD-SB-S4(18-20)-01	11/03/2003	88	96	90	105
221824- 10		RD-SBD-S4(18-20)-01	11/03/2003	87	96	91	104
221824- 12		RD-SB-S4(20-22)-01	11/03/2003	89	97	91	106

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	43 - 139
BRFLBE	4-Bromofluorobenzene (surr)	57 - 124
DBRFLM	Dibromofluoromethane (surr)	64 - 132
TOLD8	Toluene-d8 (surr)	70 - 128

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: Solid
Batch(s).....: 101191 102107
Prep Batch..: 100529

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
221824- 3		RD-SB-S4(4-6)-01	11/09/2003	95	101	110	109
221824- 4		RD-SB-S4(6-8)-01	11/09/2003	83	98	103	106
221824- 5		RD-SB-S4(8-10)-01	11/09/2003	84	101	103	106
221824- 6		RD-SB-S4(10-12)-01	11/09/2003	86	101	106	107
221824- 7		RD-SB-S4(12-14)-01	11/09/2003	83	98	103	106
221824- 8		RD-SB-S4(16-18)-01	11/09/2003	86	99	104	106
221824- 13		RD-SB-S4(22-24)-01	11/09/2003	85	99	105	106
221824- 14		RD-SB-S4(24-26)-01	11/09/2003	83	99	105	106
221824- 15		RD-SB-S4(26-28)-01	11/10/2003	96	94	97	93
221824- 16		RD-SB-S4(28-30)-01	11/10/2003	90	85	86	82
221824- 17		RD-SB-S4(30-32)-01	11/09/2003	86	99	105	105

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	50 - 145
BRFLBE	4-Bromofluorobenzene (surr)	60 - 140
DBRFLM	Dibromofluoromethane (surr)	60 - 140
TOLD8	Toluene-d8 (surr)	66 - 141

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: High/Med Level
Batch(s).....: 100573
Prep Batch..: 100571

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			11/03/2003	86	98	94	106
MB			11/03/2003	89	94	94	104

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	43 - 139
BRFLBE	4-Bromofluorobenzene (surr)	57 - 124
DBRFLM	Dibromofluoromethane (surr)	64 - 132
TOLD8	Toluene-d8 (surr)	70 - 128

STL Chicago is part of Severn Trent Laboratories, Inc.

SURROGATE RECOVERIES REPORT

Job Number.: 221824 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: Water
Batch(s).....: 100905
Prep Batch..: 100843

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			11/05/2003	103	94	103	100
MB			11/05/2003	101	94	105	100
221824- 11		TRIP BLANK	11/05/2003	98	92	101	100
221824- 18		TRIP BLANK	11/05/2003	96	92	99	99

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	61 - 131
BRFLBE	4-Bromofluorobenzene (surr)	73 - 122
DBRFLM	Dibromofluoromethane (surr)	66 - 132
TOLD8	Toluene-d8 (surr)	78 - 128

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: Solid
Batch(s).....: 101191
Prep Batch..: 101135

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
			11/09/2003	78	106	101	106
MB			11/09/2003	82	99	100	105

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	50 - 145
BRFLBE	4-Bromofluorobenzene (surr)	60 - 140
DBRFLM	Dibromofluoromethane (surr)	60 - 140
TOLD8	Toluene-d8 (surr)	66 - 141

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: Solid
Batch(s).....: 102107
Prep Batch..: 101223

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			11/10/2003	87	100	90	103
MB			11/10/2003	79	100	73	104

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	50 - 145
BRFLBE	4-Bromofluorobenzene (surr)	60 - 140
DBRFLM	Dibromofluoromethane (surr)	60 - 140
TOLD8	Toluene-d8 (surr)	66 - 141

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: High/Med Level
Batch(s).....: 101387
Prep Batch..: 101381

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
CB2			11/11/2003	88	96	93	105

STL Chicago is part of Severn Trent Laboratories, Inc.

SURROGATE RECOVERIES REPORT

Job Number.: 221824 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: High/Med Level
Batch(s).....: 101387
Prep Batch..: 101381

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	43 - 139
BRFLBE	4-Bromofluorobenzene (surr)	57 - 124
DBRFLM	Dibromofluoromethane (surr)	64 - 132
TOLD8	Toluene-d8 (surr)	70 - 128

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: High/Med Level
Batch(s).....: 101387
Prep Batch..: 101388

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			11/11/2003	88	101	96	107
MB			11/11/2003	91	96	96	106

Test	Test Description	Limits
CED	1,2-Dichloroethane-d4 (surr)	43 - 139
BE	4-Bromofluorobenzene (surr)	57 - 124
FLM	Dibromofluoromethane (surr)	64 - 132
TOLD8	Toluene-d8 (surr)	70 - 128

QUALITY CONTROL RESULTS

Job Number.: 221824

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)

Equipment Code....: INST09
Batch.....: 102106

Analyst...: mgk

LCS	Laboratory Control Sample	003JWLJP4A	101009-002		11/10/2003	1234

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
TPH - Jet Fuel (JP4), Solid	mg/Kg	30.990		66.670	4.199 U	46	%	50-150	*

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221824

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)

Equipment Code....: INST09
Batch.....: 102106

Analyst...: mgk

MB	Method Blank		101009-001		11/10/2003	1148

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
TPH - Jet Fuel (JP4), Solid	mg/Kg	4.199	U						

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221824

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)

Equipment Code....: INST09
Batch.....: 102106

Analyst...: mgk

MS	Matrix Spike	003JWLJP4A	221824-5		11/10/2003	1758

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
TPH - Jet Fuel (JP4), Solid	mg/Kg	29.431		68.160	4.293 U	43	%	50-150	*

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221824

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)

Equipment Code....: INST09
Batch.....: 102106

Analyst...: mgk

MSD	Matrix Spike Duplicate	D03JWLJP4A	221824-5		11/10/2003	1844

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
TPH - Jet Fuel (JP4), Solid	mg/Kg	32.302	29.431	67.550	4.255 U	48 11	% R	50-150 30	*

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221824

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL16
Batch.....: 100573

Analyst...: jdn

LCS	Laboratory Control Sample	V03K03DSB	100571-003		11/03/2003	1136

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, High/Med Level	mg/Kg	2.604		2.500	0.100	U 104	%	55-129	
Vinyl chloride, High/Med Level	mg/Kg	2.682		2.500	0.100	U 107	%	61-135	
Bromomethane, High/Med Level	mg/Kg	3.096		2.500	0.100	U 124	%	36-164	
Chloroethane, High/Med Level	mg/Kg	2.883		2.500	0.100	U 115	%	33-207	
1,1-Dichloroethene, High/Med Level	mg/Kg	1.802		2.500	0.100	U 72	%	44-143	
Carbon disulfide, High/Med Level	mg/Kg	1.413		2.500	0.100	U 57	%	21-124	
Acetone, High/Med Level	mg/Kg	2.026		2.500	0.100	U 81	%	34-143	
Methylene chloride, High/Med Level	mg/Kg	2.022		2.500	0.100	U 81	%	57-129	
1,1-Dichloroethane, High/Med Level	mg/Kg	2.036		2.500	0.100	U 81	%	68-119	
2-Butanone (MEK), High/Med Level	mg/Kg	2.142		2.500	0.100	U 86	%	40-125	
Chloroform, High/Med Level	mg/Kg	2.132		2.500	0.100	U 85	%	61-129	
1,1,1-Trichloroethane, High/Med Level	mg/Kg	2.176		2.500	0.100	U 87	%	69-133	
bon tetrachloride, High/Med Level	mg/Kg	2.331		2.500	0.100	U 93	%	59-127	
-Dichloroethene (total), High/Med L	mg/Kg	4.261		5.000	0.100	U 85	%	60-139	
zene, High/Med Level	mg/Kg	2.261		2.500	0.025	U 90	%	67-122	
1,2-Dichloroethane, High/Med Level	mg/Kg	2.080		2.500	0.100	U 83	%	64-115	
Trichloroethene, High/Med Level	mg/Kg	2.498		2.500	0.100	U 100	%	70-123	
1,2-Dichloropropane, High/Med Level	mg/Kg	2.275		2.500	0.100	U 91	%	70-122	
Bromodichloromethane, High/Med Level	mg/Kg	2.425		2.500	0.100	U 97	%	66-128	
cis-1,3-Dichloropropene, High/Med Leve	mg/Kg	2.448		2.600	0.100	U 94	%	68-123	
4-Methyl-2-pentanone (MIBK), High/Med	mg/Kg	2.164		2.500	0.100	U 87	%	54-119	
Toluene, High/Med Level	mg/Kg	2.391		2.500	0.025	U 96	%	72-123	
trans-1,3-Dichloropropene, High/Med Le	mg/Kg	2.336		2.400	0.100	U 97	%	60-115	
1,1,2-Trichloroethane, High/Med Level	mg/Kg	2.200		2.500	0.100	U 88	%	67-133	
Tetrachloroethene, High/Med Level	mg/Kg	2.551		2.500	0.100	U 102	%	75-125	
2-Hexanone, High/Med Level	mg/Kg	2.088		2.500	0.100	U 84	%	50-116	
Dibromochloromethane, High/Med Level	mg/Kg	2.467		2.500	0.100	U 99	%	70-119	
Chlorobenzene, High/Med Level	mg/Kg	2.399		2.500	0.100	U 96	%	80-125	
Ethylbenzene, High/Med Level	mg/Kg	2.518		2.500	0.025	U 101	%	78-128	
Styrene, High/Med Level	mg/Kg	2.655		2.500	0.100	U 106	%	80-129	
Bromoform, High/Med Level	mg/Kg	2.305		2.500	0.100	U 92	%	70-123	
1,1,2,2-Tetrachloroethane, High/Med Le	mg/Kg	2.166		2.500	0.100	U 87	%	70-126	
Xylenes (total), High/Med Level	mg/Kg	7.418		7.500	0.075	U 99	%	77-131	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221824

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MB	Method Blank		100571-002		11/03/2003	1114

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL16
Batch.....: 100573

Analyst...: jdn

Parameter/Test Description	Units	QC Result		QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, High/Med Level	mg/Kg	0.100	U							
Vinyl chloride, High/Med Level	mg/Kg	0.100	U							
Bromomethane, High/Med Level	mg/Kg	0.100	U							
Chloroethane, High/Med Level	mg/Kg	0.100	U							
1,1-Dichloroethene, High/Med Level	mg/Kg	0.100	U							
Carbon disulfide, High/Med Level	mg/Kg	0.100	U							
Acetone, High/Med Level	mg/Kg	0.100	U							
Methylene chloride, High/Med Level	mg/Kg	0.100	U							
1,1-Dichloroethane, High/Med Level	mg/Kg	0.100	U							
2-Butanone (MEK), High/Med Level	mg/Kg	0.100	U							
Chloroform, High/Med Level	mg/Kg	0.100	U							
1,1,1-Trichloroethane, High/Med Level	mg/Kg	0.100	U							
bon tetrachloride, High/Med Level	mg/Kg	0.100	U							
-Dichloroethene (total), High/Med L	mg/Kg	0.100	U							
zene, High/Med Level	mg/Kg	0.025	U							
1,2-Dichloroethane, High/Med Level	mg/Kg	0.100	U							
Trichloroethene, High/Med Level	mg/Kg	0.100	U							
1,2-Dichloropropane, High/Med Level	mg/Kg	0.100	U							
Bromodichloromethane, High/Med Level	mg/Kg	0.100	U							
cis-1,3-Dichloropropene, High/Med Leve	mg/Kg	0.100	U							
4-Methyl-2-pentanone (MIBK), High/Med	mg/Kg	0.100	U							
Toluene, High/Med Level	mg/Kg	0.025	U							
trans-1,3-Dichloropropene, High/Med Le	mg/Kg	0.100	U							
1,1,2-Trichloroethane, High/Med Level	mg/Kg	0.100	U							
Tetrachloroethene, High/Med Level	mg/Kg	0.100	U							
2-Hexanone, High/Med Level	mg/Kg	0.100	U							
Dibromochloromethane, High/Med Level	mg/Kg	0.100	U							
Chlorobenzene, High/Med Level	mg/Kg	0.100	U							
Ethylbenzene, High/Med Level	mg/Kg	0.025	U							
Styrene, High/Med Level	mg/Kg	0.100	U							
Bromoform, High/Med Level	mg/Kg	0.100	U							
1,1,2,2-Tetrachloroethane, High/Med Le	mg/Kg	0.100	U							
Xylenes (total), High/Med Level	mg/Kg	0.075	U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221824 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
LCS	Laboratory Control Sample	V03K05DSE	100843-023		11/05/2003	1009

Test Method.....: 8260B Equipment Code....: GCL9 Analyst...: jdn
Method Description.: Volatile Organics Batch.....: 100905

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane	mg/L	0.006551		0.010000	0.001000 U	66	%	56-129	
Vinyl chloride	mg/L	0.008451		0.010000	0.001000 U	85	%	67-137	
Bromomethane	mg/L	0.006548		0.010000	0.001000 U	65	%	51-152	
Chloroethane	mg/L	0.009361		0.010000	0.001000 U	94	%	68-135	
1,1-Dichloroethene	mg/L	0.007985		0.010000	0.001000 U	80	%	54-127	
Carbon disulfide	mg/L	0.006247		0.010000	0.005000 U	62	%	29-136	
Acetone	mg/L	0.010456		0.010000	0.005000 U	105	%	43-150	
Methylene chloride	mg/L	0.008925		0.010000	0.001000 U	89	%	52-133	
1,1-Dichloroethane	mg/L	0.009621		0.010000	0.001000 U	96	%	69-127	
2-Butanone (MEK)	mg/L	0.012743		0.010000	0.005000 U	127	%	54-145	
Chloroform	mg/L	0.010046		0.010000	0.001000 U	100	%	74-128	
1,1,1-Trichloroethane	mg/L	0.009743		0.010000	0.001000 U	97	%	66-129	
bon tetrachloride	mg/L	0.009671		0.010000	0.001000 U	97	%	66-136	
-Dichloroethene (total)	mg/L	0.018765		0.020000	0.001000 U	94	%	72-121	
zene	mg/L	0.009267		0.010000	0.001000 U	93	%	74-116	
1,2-Dichloroethane	mg/L	0.009995		0.010000	0.001000 U	100	%	63-133	
Trichloroethene	mg/L	0.009692		0.010000	0.001000 U	97	%	70-120	
1,2-Dichloropropane	mg/L	0.009875		0.010000	0.001000 U	99	%	71-132	
Bromodichloromethane	mg/L	0.010812		0.010000	0.001000 U	108	%	76-129	
cis-1,3-Dichloropropene	mg/L	0.010491		0.010400	0.001000 U	101	%	75-123	
4-Methyl-2-pentanone (MIBK)	mg/L	0.010192		0.010000	0.005000 U	102	%	66-147	
Toluene	mg/L	0.009597		0.010000	0.001000 U	96	%	71-122	
trans-1,3-Dichloropropene	mg/L	0.009977		0.009600	0.001000 U	104	%	76-126	
1,1,2-Trichloroethane	mg/L	0.010179		0.010000	0.001000 U	102	%	69-138	
Tetrachloroethene	mg/L	0.009358		0.010000	0.001000 U	94	%	69-128	
2-Hexanone	mg/L	0.010454		0.010000	0.005000 U	105	%	70-144	
Dibromochloromethane	mg/L	0.010187		0.010000	0.001000 U	102	%	74-137	
Chlorobenzene	mg/L	0.009326		0.010000	0.001000 U	93	%	76-124	
Ethylbenzene	mg/L	0.009721		0.010000	0.001000 U	97	%	74-121	
Styrene	mg/L	0.010264		0.010000	0.001000 U	103	%	80-125	
Bromoform	mg/L	0.009197		0.010000	0.001000 U	92	%	73-139	
1,1,2,2-Tetrachloroethane	mg/L	0.010161		0.010000	0.001000 U	102	%	72-127	
Xylenes (total)	mg/L	0.031732		0.030000	0.001000 U	106	%	76-138	

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221824

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL9
Batch.....: 100905

Analyst...: jdn

MB	Method Blank		100843-022		11/05/2003	0941

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane	mg/L	0.001000 U							
Vinyl chloride	mg/L	0.001000 U							
Bromomethane	mg/L	0.001000 U							
Chloroethane	mg/L	0.001000 U							
1,1-Dichloroethene	mg/L	0.001000 U							
Carbon disulfide	mg/L	0.005000 U							
Acetone	mg/L	0.005000 U							
Methylene chloride	mg/L	0.001000 U							
1,1-Dichloroethane	mg/L	0.001000 U							
2-Butanone (MEK)	mg/L	0.005000 U							
Chloroform	mg/L	0.001000 U							
1,1,1-Trichloroethane	mg/L	0.001000 U							
bon tetrachloride	mg/L	0.001000 U							
-Dichloroethene (total)	mg/L	0.001000 U							
nzene	mg/L	0.001000 U							
1,2-Dichloroethane	mg/L	0.001000 U							
Trichloroethene	mg/L	0.001000 U							
1,2-Dichloropropane	mg/L	0.001000 U							
Bromodichloromethane	mg/L	0.001000 U							
cis-1,3-Dichloropropene	mg/L	0.001000 U							
4-Methyl-2-pentanone (MIBK)	mg/L	0.005000 U							
Toluene	mg/L	0.001000 U							
trans-1,3-Dichloropropene	mg/L	0.001000 U							
1,1,2-Trichloroethane	mg/L	0.001000 U							
Tetrachloroethene	mg/L	0.001000 U							
2-Hexanone	mg/L	0.005000 U							
Dibromochloromethane	mg/L	0.001000 U							
Chlorobenzene	mg/L	0.001000 U							
Ethylbenzene	mg/L	0.001000 U							
Styrene	mg/L	0.001000 U							
Bromoform	mg/L	0.001000 U							
1,1,2,2-Tetrachloroethane	mg/L	0.001000 U							
Xylenes (total)	mg/L	0.001000 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221824 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B Equipment Code....: GCL16 -- Analyst...: jdn
Method Description.: Volatile Organics Batch.....: 101191

LCS	Laboratory Control Sample	V03K09DSH	101135-002		11/09/2003	1223

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, Solid	mg/Kg	0.069		0.050	0.005 U	138	%	45-141	
Vinyl chloride, Solid	mg/Kg	0.061		0.050	0.005 U	123	%	58-140	
Bromomethane, Solid	mg/Kg	0.035		0.050	0.005 U	71	%	48-127	
Chloroethane, Solid	mg/Kg	0.046		0.050	0.005 U	92	%	59-163	
1,1-Dichloroethene, Solid	mg/Kg	0.053		0.050	0.005 U	107	%	51-132	
Carbon disulfide, Solid	mg/Kg	0.057		0.050	0.005 U	113	%	23-138	
Acetone, Solid	mg/Kg	0.042		0.050	0.005 U	84	%	46-167	
Methylene chloride, Solid	mg/Kg	0.052		0.050	0.005 U	105	%	58-143	
1,1-Dichloroethane, Solid	mg/Kg	0.056		0.050	0.005 U	113	%	63-133	
2-Butanone (MEK), Solid	mg/Kg	0.062		0.050	0.005 U	124	%	50-150	
Chloroform, Solid	mg/Kg	0.052		0.050	0.005 U	104	%	73-135	
1,1,1-Trichloroethane, Solid	mg/Kg	0.047		0.050	0.005 U	94	%	63-133	
-bon tetrachloride, Solid	mg/Kg	0.043		0.050	0.005 U	85	%	67-127	
2-Dichloroethene (total), Solid	mg/Kg	0.115		0.100	0.005 U	115	%	63-144	
nzene, Solid	mg/Kg	0.055		0.050	0.005 U	110	%	72-128	
1,2-Dichloroethane, Solid	mg/Kg	0.041		0.050	0.005 U	82	%	69-125	
Trichloroethene, Solid	mg/Kg	0.050		0.050	0.005 U	100	%	75-129	
1,2-Dichloropropane, Solid	mg/Kg	0.057		0.050	0.005 U	114	%	76-132	
Bromodichloromethane, Solid	mg/Kg	0.045		0.050	0.005 U	90	%	74-128	
cis-1,3-Dichloropropene, Solid	mg/Kg	0.049		0.052	0.005 U	95	%	80-124	
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.055		0.050	0.005 U	111	%	68-134	
Toluene, Solid	mg/Kg	0.052		0.050	0.005 U	104	%	75-125	
trans-1,3-Dichloropropene, Solid	mg/Kg	0.043		0.048	0.005 U	90	%	75-134	
1,1,2-Trichloroethane, Solid	mg/Kg	0.054		0.050	0.005 U	108	%	71-143	
Tetrachloroethene, Solid	mg/Kg	0.048		0.050	0.005 U	96	%	75-129	
2-Hexanone, Solid	mg/Kg	0.059		0.050	0.005 U	118	%	69-140	
Dibromochloromethane, Solid	mg/Kg	0.046		0.050	0.005 U	93	%	77-127	
Chlorobenzene, Solid	mg/Kg	0.053		0.050	0.005 U	105	%	83-125	
Ethylbenzene, Solid	mg/Kg	0.055		0.050	0.005 U	111	%	79-123	
Styrene, Solid	mg/Kg	0.054		0.050	0.005 U	107	%	85-126	
Bromoform, Solid	mg/Kg	0.042		0.050	0.005 U	83	%	78-132	
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.058		0.050	0.005 U	116	%	68-139	
Xylenes (total), Solid	mg/Kg	0.151		0.150	0.005 U	101	%	82-125	

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221824

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MB	Method Blank		101135-001		11/09/2003	1158

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL16
Batch.....: 101191

Analyst...: jdn

Parameter/Test Description	Units	QC Result		QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, Solid	mg/Kg	0.005	U							
Vinyl chloride, Solid	mg/Kg	0.005	U							
Bromomethane, Solid	mg/Kg	0.005	U							
Chloroethane, Solid	mg/Kg	0.005	U							
1,1-Dichloroethene, Solid	mg/Kg	0.005	U							
Carbon disulfide, Solid	mg/Kg	0.005	U							
Acetone, Solid	mg/Kg	0.005	U							
Methylene chloride, Solid	mg/Kg	0.005	U							
1,1-Dichloroethane, Solid	mg/Kg	0.005	U							
2-Butanone (MEK), Solid	mg/Kg	0.005	U							
Chloroform, Solid	mg/Kg	0.005	U							
1,1,1-Trichloroethane, Solid	mg/Kg	0.005	U							
rbon tetrachloride, Solid	mg/Kg	0.005	U							
-Dichloroethene (total), Solid	mg/Kg	0.005	U							
nzene, Solid	mg/Kg	0.005	U							
1,2-Dichloroethane, Solid	mg/Kg	0.005	U							
Trichloroethene, Solid	mg/Kg	0.005	U							
1,2-Dichloropropane, Solid	mg/Kg	0.005	U							
Bromodichloromethane, Solid	mg/Kg	0.005	U							
cis-1,3-Dichloropropene, Solid	mg/Kg	0.005	U							
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.005	U							
Toluene, Solid	mg/Kg	0.005	U							
trans-1,3-Dichloropropene, Solid	mg/Kg	0.005	U							
1,1,2-Trichloroethane, Solid	mg/Kg	0.005	U							
Tetrachloroethene, Solid	mg/Kg	0.005	U							
2-Hexanone, Solid	mg/Kg	0.005	U							
Dibromochloromethane, Solid	mg/Kg	0.005	U							
Chlorobenzene, Solid	mg/Kg	0.005	U							
Ethylbenzene, Solid	mg/Kg	0.005	U							
Styrene, Solid	mg/Kg	0.005	U							
Bromoform, Solid	mg/Kg	0.005	U							
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.005	U							
Xylenes (total), Solid	mg/Kg	0.005	U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221824

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL16
Batch.....: 101387

Analyst...: jdn

LCS	Laboratory Control Sample	V03K11DSB	101388-002		11/11/2003	1312

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
1,1,1-Trichloroethane, High/Med Level	mg/Kg	2.322		2.500	0.100 U	93	%	69-133	
1,2-Dichloroethene (total), High/Med L	mg/Kg	4.560		5.000	0.100 U	91	%	60-139	
Tetrachloroethene, High/Med Level	mg/Kg	2.640		2.500	0.100 U	106	%	75-125	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221824

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MB	Method Blank		101388-001		11/11/2003	1227

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL16
Batch.....: 101387

Analyst...: jdn

Parameter/Test Description	Units	QC Result		QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
1,1,1-Trichloroethane, High/Med Level	mg/Kg	0.100	U							
1,2-Dichloroethene (total), High/Med L	mg/Kg	0.100	U							
Tetrachloroethene, High/Med Level	mg/Kg	0.100	U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221824

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
LCS	Laboratory Control Sample	V03K10DSB	101223-020		11/10/2003	1016

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL6
Batch.....: 102107

Analyst...: jdn

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value		QC Calc.	*	Limits	F
Chloromethane, Solid	mg/Kg	0.065		0.050	0.005	U	131	%	45-141	
Vinyl chloride, Solid	mg/Kg	0.055		0.050	0.005	U	110	%	58-140	
Bromomethane, Solid	mg/Kg	0.056		0.050	0.005	U	112	%	48-127	
Chloroethane, Solid	mg/Kg	0.054		0.050	0.005	U	109	%	59-163	
1,1-Dichloroethene, Solid	mg/Kg	0.049		0.050	0.005	U	99	%	51-132	
Carbon disulfide, Solid	mg/Kg	0.043		0.050	0.005	U	86	%	23-138	
Acetone, Solid	mg/Kg	0.035		0.050	0.005	U	70	%	46-167	
Methylene chloride, Solid	mg/Kg	0.049		0.050	0.005	U	98	%	58-143	
1,1-Dichloroethane, Solid	mg/Kg	0.048		0.050	0.005	U	97	%	63-133	
2-Butanone (MEK), Solid	mg/Kg	0.043		0.050	0.005	U	86	%	50-150	
Chloroform, Solid	mg/Kg	0.049		0.050	0.005	U	98	%	73-135	
1,1,1-Trichloroethane, Solid	mg/Kg	0.050		0.050	0.005	U	100	%	63-133	
bon tetrachloride, Solid	mg/Kg	0.050		0.050	0.005	U	100	%	67-127	
Dichloroethene (total), Solid	mg/Kg	0.095		0.100	0.005	U	95	%	63-144	
ene, Solid	mg/Kg	0.048		0.050	0.005	U	96	%	72-128	
1,2-Dichloroethane, Solid	mg/Kg	0.048		0.050	0.005	U	96	%	69-125	
Trichloroethene, Solid	mg/Kg	0.048		0.050	0.005	U	96	%	75-129	
1,2-Dichloropropane, Solid	mg/Kg	0.047		0.050	0.005	U	95	%	76-132	
Bromodichloromethane, Solid	mg/Kg	0.054		0.050	0.005	U	108	%	74-128	
cis-1,3-Dichloropropene, Solid	mg/Kg	0.050		0.052	0.005	U	96	%	80-124	
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.057		0.050	0.005	U	114	%	68-134	
Toluene, Solid	mg/Kg	0.053		0.050	0.005	U	107	%	75-125	
trans-1,3-Dichloropropene, Solid	mg/Kg	0.051		0.048	0.005	U	106	%	75-134	
1,1,2-Trichloroethane, Solid	mg/Kg	0.052		0.050	0.005	U	103	%	71-143	
Tetrachloroethene, Solid	mg/Kg	0.049		0.050	0.005	U	99	%	75-129	
2-Hexanone, Solid	mg/Kg	0.054		0.050	0.005	U	109	%	69-140	
Dibromochloromethane, Solid	mg/Kg	0.048		0.050	0.005	U	96	%	77-127	
Chlorobenzene, Solid	mg/Kg	0.051		0.050	0.005	U	101	%	83-125	
Ethylbenzene, Solid	mg/Kg	0.052		0.050	0.005	U	104	%	79-123	
Styrene, Solid	mg/Kg	0.056		0.050	0.005	U	111	%	85-126	
Bromoform, Solid	mg/Kg	0.053		0.050	0.005	U	105	%	78-132	
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.053		0.050	0.005	U	105	%	68-139	
Xylenes (total), Solid	mg/Kg	0.157		0.150	0.005	U	105	%	82-125	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221824 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B Equipment Code....: GCL6 Analyst...: jdn
Method Description.: Volatile Organics Batch.....: 102107

MB	Method Blank		101223-019		11/10/2003	0921

Parameter/Test Description	Units	QC Result		QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, Solid	mg/Kg	0.005	U							
Vinyl chloride, Solid	mg/Kg	0.005	U							
Bromomethane, Solid	mg/Kg	0.005	U							
Chloroethane, Solid	mg/Kg	0.005	U							
1,1-Dichloroethene, Solid	mg/Kg	0.005	U							
Carbon disulfide, Solid	mg/Kg	0.005	U							
Acetone, Solid	mg/Kg	0.005	U							
Methylene chloride, Solid	mg/Kg	0.005	U							
1,1-Dichloroethane, Solid	mg/Kg	0.005	U							
2-Butanone (MEK), Solid	mg/Kg	0.005	U							
Chloroform, Solid	mg/Kg	0.005	U							
1,1,1-Trichloroethane, Solid	mg/Kg	0.005	U							
bon tetrachloride, Solid	mg/Kg	0.005	U							
Dichloroethene (total), Solid	mg/Kg	0.005	U							
zene, Solid	mg/Kg	0.005	U							
1,2-Dichloroethane, Solid	mg/Kg	0.005	U							
Trichloroethene, Solid	mg/Kg	0.005	U							
1,2-Dichloropropane, Solid	mg/Kg	0.005	U							
Bromodichloromethane, Solid	mg/Kg	0.005	U							
cis-1,3-Dichloropropene, Solid	mg/Kg	0.005	U							
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.005	U							
Toluene, Solid	mg/Kg	0.005	U							
trans-1,3-Dichloropropene, Solid	mg/Kg	0.005	U							
1,1,2-Trichloroethane, Solid	mg/Kg	0.005	U							
Tetrachloroethene, Solid	mg/Kg	0.005	U							
2-Hexanone, Solid	mg/Kg	0.005	U							
Dibromochloromethane, Solid	mg/Kg	0.005	U							
Chlorobenzene, Solid	mg/Kg	0.005	U							
Ethylbenzene, Solid	mg/Kg	0.005	U							
Styrene, Solid	mg/Kg	0.005	U							
Bromoform, Solid	mg/Kg	0.005	U							
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.005	U							
Xylenes (total), Solid	mg/Kg	0.005	U							

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221824 | Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)
Equipment Code....: ICP5
Batch.....: 101764
Analyst...: lmr

CCB	Continuing Calibration Blank		101764-016		11/15/2003	0242

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		101764-028		11/15/2003	0423

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
[illegible]nic	mg/L	0.01000 U							
[illegible]ium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		101764-040		11/15/2003	0553

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		101764-050		11/15/2003	0709

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221824

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCB	Continuing Calibration Blank		101764-062		11/15/2003	0841

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		101764-074		11/15/2003	1011

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
romium	mg/L	0.01000 U							
d	mg/L	0.00500 U							
enium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		101764-081		11/15/2003	1107

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221824 | Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B | Equipment Code....: ICP5 | Analyst...: lmr
Method Description.: Leachable, Metals Analysis (ICAP) | Batch.....: 101764

CCV	Continuing Calibration Verification	M03KCCV001	101764-015		11/15/2003 0231

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.50603		0.50000		101	%	90-110	
Barium	mg/L	0.50430 B		0.50000		101	%	90-110	
Cadmium	mg/L	0.50186		0.50000		100	%	90-110	
Chromium	mg/L	0.50145		0.50000		100	%	90-110	
Lead	mg/L	0.50728		0.50000		101	%	90-110	
Selenium	mg/L	0.51862		0.50000		104	%	90-110	
Silver	mg/L	0.51180		0.50000		102	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV001	101764-027		11/15/2003 0412

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
enic	mg/L	0.49724		0.50000		99	%	90-110	
ium	mg/L	0.49823 B		0.50000		100	%	90-110	
Cadmium	mg/L	0.49010		0.50000		98	%	90-110	
Chromium	mg/L	0.49134		0.50000		98	%	90-110	
Lead	mg/L	0.50273		0.50000		101	%	90-110	
Selenium	mg/L	0.51645		0.50000		103	%	90-110	
Silver	mg/L	0.50814		0.50000		102	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV001	101764-039		11/15/2003 0542

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.49731		0.50000		99	%	90-110	
Barium	mg/L	0.49751 B		0.50000		100	%	90-110	
Cadmium	mg/L	0.49005		0.50000		98	%	90-110	
Chromium	mg/L	0.49197		0.50000		98	%	90-110	
Lead	mg/L	0.50168		0.50000		100	%	90-110	
Selenium	mg/L	0.51366		0.50000		103	%	90-110	
Silver	mg/L	0.50674		0.50000		101	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV001	101764-049		11/15/2003 0658

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.47974		0.50000		96	%	90-110	
Barium	mg/L	0.48280 B		0.50000		97	%	90-110	
Cadmium	mg/L	0.47178		0.50000		94	%	90-110	
Chromium	mg/L	0.47340		0.50000		95	%	90-110	
Lead	mg/L	0.48605		0.50000		97	%	90-110	
Selenium	mg/L	0.49831		0.50000		100	%	90-110	
Silver	mg/L	0.48989		0.50000		98	%	90-110	

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221824

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03KCCV001	101764-061		11/15/2003	0830

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.47857		0.50000		96	%	90-110	
Barium	mg/L	0.47843 B		0.50000		96	%	90-110	
Cadmium	mg/L	0.47281		0.50000		95	%	90-110	
Chromium	mg/L	0.47373		0.50000		95	%	90-110	
Lead	mg/L	0.48620		0.50000		97	%	90-110	
Selenium	mg/L	0.49828		0.50000		100	%	90-110	
Silver	mg/L	0.49037		0.50000		98	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV001	101764-073		11/15/2003 1000

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.48057		0.50000		96	%	90-110	
Barium	mg/L	0.47998 B		0.50000		96	%	90-110	
Cadmium	mg/L	0.47505		0.50000		95	%	90-110	
Chromium	mg/L	0.47560		0.50000		95	%	90-110	
Lead	mg/L	0.48858		0.50000		98	%	90-110	
Selenium	mg/L	0.50237		0.50000		100	%	90-110	
Silver	mg/L	0.49194		0.50000		98	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV001	101764-080		11/15/2003 1056

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.48117		0.50000		96	%	90-110	
Barium	mg/L	0.47656 B		0.50000		95	%	90-110	
Cadmium	mg/L	0.47679		0.50000		95	%	90-110	
Chromium	mg/L	0.47680		0.50000		95	%	90-110	
Lead	mg/L	0.48804		0.50000		98	%	90-110	
Selenium	mg/L	0.49743		0.50000		99	%	90-110	
Silver	mg/L	0.48957		0.50000		98	%	90-110	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221824

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)

Equipment Code....: ICP5
Batch.....: 101764

Analyst...: lmr

CRI	Contract Required Detection Limits	M03KCRI001	101764-012		11/15/2003	0211

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.02289 B		0.02000		114	%	50-150	
Barium	mg/L	0.02068 B		0.02000		103	%	50-150	
Cadmium	mg/L	0.00437 B		0.00400		109	%	50-150	
Chromium	mg/L	0.02073 B		0.02000		104	%	50-150	
Lead	mg/L	0.00943 B		0.01000		94	%	50-150	
Selenium	mg/L	0.01000 U		0.01000		88	%	50-150	
Silver	mg/L	0.00970 B		0.01000		97	%	50-150	

CRI	Contract Required Detection Limits	M03KCRI001	101764-077		11/15/2003	1036

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
enic	mg/L	0.02361 B		0.02000		118	%	50-150	
ium	mg/L	0.01998 B		0.02000		100	%	50-150	
Cadmium	mg/L	0.00425 B		0.00400		106	%	50-150	
Chromium	mg/L	0.02033 B		0.02000		102	%	50-150	
Lead	mg/L	0.00952 B		0.01000		95	%	50-150	
Selenium	mg/L	0.01000 U		0.01000		84	%	50-150	
Silver	mg/L	0.00965 B		0.01000		96	%	50-150	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221824 | Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B | Equipment Code....: ICP5 | Analyst...: lmr
Method Description.: Leachable, Metals Analysis (ICAP) | Batch.....: 101764

EB1	Extraction Blank 1		100804-007		11/15/2003	0354

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.01000 U							
Barium, TCLP Leach	mg/L	0.12969 B							
Cadmium, TCLP Leach	mg/L	0.00200 U							
Chromium, TCLP Leach	mg/L	0.01000 U							
Lead, TCLP Leach	mg/L	0.00500 U							
Selenium, TCLP Leach	mg/L	0.01000 U							
Silver, TCLP Leach	mg/L	0.00500 U							

EB1	Extraction Blank 1	100978	100978-001		11/15/2003	0716

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
[illegible]enic, TCLP Leach	mg/L	0.01000 U							
[illegible]ium, TCLP Leach	mg/L	0.03718 B							
Cadmium, TCLP Leach	mg/L	0.00200 U							
Chromium, TCLP Leach	mg/L	0.01000 U							
Lead, TCLP Leach	mg/L	0.00500 U							
Selenium, TCLP Leach	mg/L	0.01000 U							
Silver, TCLP Leach	mg/L	0.00500 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221824

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
EB3	DI Blank	100804	100804-001		11/15/2003	0254

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)
Equipment Code....: ICP5
Batch.....: 101764
Analyst...: lmr

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.01000 U							
Barium, TCLP Leach	mg/L	0.10104 B							
Cadmium, TCLP Leach	mg/L	0.00200 U							
Chromium, TCLP Leach	mg/L	0.01000 U							
Lead, TCLP Leach	mg/L	0.00500 U							
Selenium, TCLP Leach	mg/L	0.01000 U							
Silver, TCLP Leach	mg/L	0.00500 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221824

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)

Equipment Code....: ICP5
Batch.....: 101764

Analyst...: lmr

ICB	Initial Calibration Blank		101764-011		11/15/2003	0204

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221824

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)

Equipment Code....: ICP5
Batch.....: 101764

Analyst...: lmr

ICV	Initial Calibration Verification	M03JICV001	101764-010		11/15/2003	0153

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.39026		0.40000		98	%	90-110	
Barium	mg/L	0.39279 B		0.40000		98	%	90-110	
Cadmium	mg/L	0.38958		0.40000		97	%	90-110	
Chromium	mg/L	0.38823		0.40000		97	%	90-110	
Lead	mg/L	0.39486		0.40000		99	%	90-110	
Selenium	mg/L	0.40256		0.40000		101	%	90-110	
Silver	mg/L	0.39413		0.40000		99	%	90-110	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221824

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)
Equipment Code....: ICP5
Batch.....: 101764
Analyst...: lmr

ISB	Interference Check Sample B	M03KISB001	101764-014		11/15/2003	0224

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.09287 B		0.10000		93	%	80-120	
Barium	mg/L	0.50426 B		0.50000		101	%	80-120	
Cadmium	mg/L	0.87692		1.00000		88	%	80-120	
Chromium	mg/L	0.45797		0.50000		92	%	80-120	
Lead	mg/L	0.04533 B		0.05000		91	%	80-120	
Selenium	mg/L	0.04131 B		0.05000		83	%	80-120	
Silver	mg/L	0.20727		0.20000		104	%	80-120	

ISB	Interference Check Sample B	M03KISB001	101764-079		11/15/2003	1049

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
[illegible]enic	mg/L	0.09772 B		0.10000		98	%	80-120	
[illegible]ium	mg/L	0.52473 B		0.50000		105	%	80-120	
Cadmium	mg/L	0.89299		1.00000		89	%	80-120	
Chromium	mg/L	0.46947		0.50000		94	%	80-120	
Lead	mg/L	0.04658 B		0.05000		93	%	80-120	
Selenium	mg/L	0.04061 B		0.05000		81	%	80-120	
Silver	mg/L	0.21601		0.20000		108	%	80-120	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221824

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)
Equipment Code....: ICP5
Batch.....: 101764
Analyst...: lmr

LCS	Laboratory Control Sample	M03JSPK002	100804-002		11/15/2003	0300

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.09023 B		0.10000	0.01000 U	90	%	80-120	
Barium, TCLP Leach	mg/L	1.98332		2.00000	0.10104 B	99	%	80-120	
Cadmium, TCLP Leach	mg/L	0.04728 B		0.05000	0.00200 U	95	%	80-120	
Chromium, TCLP Leach	mg/L	0.19564		0.20000	0.01000 U	98	%	80-120	
Lead, TCLP Leach	mg/L	0.09902		0.10000	0.00500 U	99	%	80-120	
Selenium, TCLP Leach	mg/L	0.08894 B		0.10000	0.01000 U	89	%	80-120	
Silver, TCLP Leach	mg/L	0.04809 B		0.05000	0.00500 U	96	%	80-120	

LCS	Laboratory Control Sample	M03KSPK003	100978-002		11/15/2003	0723

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
enic, TCLP Leach	mg/L	0.08952 B		0.10000	0.01000 U	90	%	80-120	
ium, TCLP Leach	mg/L	1.89806		2.00000	0.03718 B	95	%	80-120	
Cadmium, TCLP Leach	mg/L	0.04663 B		0.05000	0.00200 U	93	%	80-120	
Chromium, TCLP Leach	mg/L	0.19395		0.20000	0.01000 U	97	%	80-120	
Lead, TCLP Leach	mg/L	0.09690		0.10000	0.00500 U	97	%	80-120	
Selenium, TCLP Leach	mg/L	0.08296 B		0.10000	0.01000 U	83	%	80-120	
Silver, TCLP Leach	mg/L	0.04591 B		0.05000	0.00500 U	92	%	80-120	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221824 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Test Method.....: Method Batch.....: 100316 Analyst...: crp
Method Description.: % Solids Determination Equipment Code....: Test Code.: %SOLID
Parameter.....: % Solids

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	100316-001		%	0.1000 U								10/31/2003	1300
MD	221824-1		%	91.50000			91.20000	0.3		R	5.0	10/31/2003	1300

Test Method.....: 7470A Batch.....: 100930 Analyst...: gok
Method Description.: Leachable, Mercury (CVAA) Equipment Code....: HG3 Test Code.: HG
Parameter.....: Mercury

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICV	100930-007	M02ESTK010	ug/L	2.15		2.00		107		%	90-110	11/06/2003	1424
ICV	100930-008	M02ESTK010	ug/L	2.11		2.00		105		%	90-110	11/06/2003	1427
ICB	100930-009		ug/L	0.20 U								11/06/2003	1429
CRA	100930-010	M03JSTK030	ug/L	0.22		0.20		108		%	50-150	11/06/2003	1431
CCV	100930-011	M02ESTK010	ug/L	0.95		1.00		95		%	80-120	11/06/2003	1448
	100930-012		ug/L	0.20 U								11/06/2003	1450
	100930-013	M02ESTK010	ug/L	0.99		1.00		99		%	80-120	11/06/2003	1515
	100930-014		ug/L	0.20 U								11/06/2003	1518
CCV	100930-015	M02ESTK010	ug/L	0.96		1.00		96		%	80-120	11/06/2003	1539
CCB	100930-016		ug/L	0.20 U								11/06/2003	1542
MB	100928-007		ug/L	0.20 U								11/06/2003	1544
LCS	100928-008	M02ESTK010	ug/L	1.85		2.00	0.20 U	92		%	80-120	11/06/2003	1546
EB1	100928-009	059	mg/L	0.00200 U								11/06/2003	1548
CCV	100930-024	M02ESTK010	ug/L	0.97		1.00		97		%	80-120	11/06/2003	1559
CCB	100930-025		ug/L	0.20 U								11/06/2003	1601
MD	221824-6		mg/L	0.00200 U			0.00200 U	0		A	0.00200	11/06/2003	1607
MS	221824-6	M02HSTK003	mg/L	0.00895		0.01000	0.00200 U	89		%	50-150	11/06/2003	1609
CCV	100930-036	M02ESTK010	ug/L	0.98		1.00		98		%	80-120	11/06/2003	1624
CCB	100930-037		ug/L	0.20 U								11/06/2003	1626
CCV	100930-042	M02ESTK010	ug/L	0.98		1.00		98		%	80-120	11/06/2003	1636
CCB	100930-043		ug/L	0.20 U								11/06/2003	1639

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

REPORT COMMENTS

1) All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.
2) Soil, sediment and sludge sample results are reported on a "dry weight" basis except when analyzed for landfill disposal or incineration parameters. All other solid matrix samples are reported on an "as received" basis unless noted differently.
3) Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.
4) The test results for the noted analytical method(s) meet the requirements of NELAC. Lab Cert. ID# 100201
5) According to 40CFR Part 136.3, pH, Chlorine Residual and Dissolved Oxygen analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH Field) they were not analyzed immediately, but as soon as possible on laboratory receipt.

Glossary of flags, qualifiers and abbreviations (any number of which may appear in the report)

Inorganic Qualifiers (Q-Column)

U Analyte was not detected at or above the stated limit.
< Not detected at or above the reporting limit.
J Result is less than the RL, but greater than or equal to the method detection limit.
B Result is less than the CRDL/RL, but greater than or equal to the IDL/MDL.
S Result was determined by the Method of Standard Additions.
F AFCEE: Result is less than the RL, but greater than or equal to the method detection limit.

Inorganic Flags (Flag Column)

- ICV,CCV,ICB,CCB,ISA,ISB,CRI,CRA,MRL: Instrument related QC exceed the upper or lower control limits.
* LCS, LCD, MD: Batch QC exceeds the upper or lower control limits.
+ MSA correlation coefficient is less than 0.995.
4 MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
E SD: Serial dilution exceeds the control limits.
H MB, EB1, EB2, EB3: Batch QC is greater than reporting limit or had a negative instrument reading lower than the absolute value of the reporting limit.
N MS, MSD: Spike recovery exceeds the upper or lower control limits.
W AS(GFAA) Post-digestion spike was outside 85-115% control limits.

Organic Qualifiers (Q - Column)

U Analyte was not detected at or above the stated limit.
ND Compound not detected.
J Result is an estimated value below the reporting limit or a tentatively identified compound (TIC).
Q Result was qualitatively confirmed, but not quantified.
C Pesticide identification was confirmed by GC/MS.
Y The chromatographic response resembles a typical fuel pattern.
Z The chromatographic response does not resemble a typical fuel pattern.
E Result exceeded calibration range, secondary dilution required.
F AFCEE:Result is an estimated value below the reporting limit or a tentatively identified compound (TIC)

Organic Flags (Flags Column)

B MB: Batch QC is greater than reporting limit.
* LCS, LCD, ELC, ELD, CV, MS, MSD, Surrogate: Batch QC exceeds the upper or lower control limits.
- EB1, EB2, EB3, MLE: Batch QC is greater than reporting Limit
A Concentration exceeds the instrument calibration range
a Concentration is below the method Reporting Limit (RL)
B Compound was found in the blank and sample.
D Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution will be flagged with a D.
H Alternate peak selection upon analytical review
I Indicates the presence of an interfence, recovery is not calculated.
M Manually integrated compound.
P The lower of the two values is reported when the % difference between the results of two GC columns is

greater than 25%.

Abbreviations

AS	Post Digestion Spike (GFAA Samples - See Note 1 below)
Batch	Designation given to identify a specific extraction, digestion, preparation set, or analysis set
CAP	Capillary Column CCB Continuing Calibration Blank
CCV	Continuing Calibration Verification
CF	Confirmation analysis of original
C1	Confirmation analysis of A1 or D1
C2	Confirmation analysis of A2 or D2
C3	Confirmation analysis of A3 or D3
CRA	Low Level Standard Check - GFAA; Mercury
CRI	Low Level Standard Check - ICP
CV	Calilbration Verification Standard
Dil Fac	Dilution Factor - Secondary dilution analysis
D1	Dilution 1
D2	Dilution 2
D3	Dilution 3
DLFac	Detection Limit Factor
DSH	Distilled Standard - High Level
DSL	Distilled Standard - Low Level
DSM	Distilled Standard - Medium Level
EB1	Extraction Blank 1
EB2	Extraction Blank 2
EB3	DI Blank
ELC	Method Extracted LCS
ELD	Method Extracted LCD
ICAL	Initial calibration
ICB	Initial Calibration Blank
ICV	Initial Calibration Verification
IDL	Instrument Detection Limit
ISA	Interference Check Sample A - ICAP
ISB	Interference Check Sample B - ICAP
Job No.	The first six digits of the sample ID which refers to a specific client, project and sample group
	Lab ID An 8 number unique laboratory identification
LCD	Laboratory Control Standard Duplicate
LCS	Laboratory Control Standard with reagent grade water or a matrix free from the analyte of interest
MB	Method Blank or (PB) Preparation Blank
MD	Method Duplicate
MDL	Method Detection Limit
MLE	Medium Level Extraction Blank
MRL	Method Reporting Limit Standard
MSA	Method of Standard Additions
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ND	Not Detected
PREPF	Preparation factor used by the Laboratory's Information Management System (LIMS)
PDS	Post Digestion Spike (ICAP)
RA	Re-analysis of original
A1	Re-analysis of D1
A2	Re-analysis of D2
A3	Re-analysis of D3
RD	Re-extraction of dilution
RE	Re-extraction of original
RC	Re-extraction Confirmation
RL	Reporting Limit
RPD	Relative Percent Difference of duplicate (unrounded) analyses
RRF	Relative Response Factor
RT	Retention Time

RTW	Retention Time Window Sample ID A 9 digit number unique for each sample, the first six digits are referred as the job number
SCB	Seeded Control Blank
SD	Serial Dilution (Calculated when sample concentration exceeds 50 times the MDL)
UCB	Unseeded Control Blank
SSV	Second Source Verification Standard
SLCS	Solid Laboratory Control Standard(LCS)
PHC	pH Calibration Check LCSP pH Laboratory Control Sample
LCDP	pH Laboratory Control Sample Duplicate
MDPH	pH Sample Duplicate
MDFP	Flashpoint Sample Duplicate
LCFP	Flashpoint LCS
G1	Gelex Check Standard Range 0-1
G2	Gelex Check Standard Range 1-10
G3	Gelex Check Standard Range 10-100
G4	Gelex Check Standard Range 100-1000

Note 1: The Post Spike Designation on Batch QC for GFAA is designated with an "S" added to the current abbreviation used. EX. LCS S=LCS Post Spike (GFAA); MSS=MS Post Spike (GFAA)

Note 2: The MD calculates an absolute difference (A) when the sample concentration is less than 5 times the reporting limit. The control limit is represented as +/- the RL.

SEVERN TRENT **STL**

STL Chicago
2417 Bond Street
University Park, IL 60466
Phone: 708-534-5200
Fax: 708-534-5211

Report To:
Contact: Dave Curnock
Company: SECOR International
Address: 446 Eisenhower Lane
North, Lombard, IL. 60148
Phone: 630.792.1680
Fax: 630.792.1691
E-Mail: dcurnock@secor.com

Bill To:
Contact: Dave Curnock
Company: SECOR International
Address: 446 Eisenhower Lane
North, Lombard, IL. 60148
Phone: 630.792.1680
Fax: 630.792.1691
PO#: 013-01410 Quote:

Shaded Areas For Internal Use Only 1 of 2

Lab Lot# 221824

Package Sealed	Samples Sealed
Yes (No)	Yes (No)
Received on Ice	**Samples Intact**
(Yes) No	(Yes) No

Temperature °C of Cooler (4.0) - (4.5)

Within Hold Time	Preserv. Indicated
(Yes) No	(Yes) No NA
pH Check OK	**Res Cl_2 Check OK**
Yes No (NA)	Yes No (NA)

Sample Labels and COC Agree (Yes) No COC not present

Sampler Name: Kelli McDonald, Thom Kettinger
Signature: Kelli McDonald
Project Name: SOUTHEAST ROCKFORD
Project Number: 13UN.02072.02.0001
Project Location: SER AREA 9/10
Date Required Hard Copy: ___/___/___ Fax: ___/___/___
Lab PM: Richard Wright

Laboratory ID	MS-MSD	Client Sample ID	Sampling Date	Sampling Time	Matrix	Comp/Grab	VOC 8030/8260B	DRO 8015B	TCLP RCRA Metals 1311/6010B/7470A	Additional Analyses / Remarks
1		RD-SB-S4(0-2)-01	10/24/03	0825	S	G	X	X	X	Standard Turnaround Time
2		RD-SB-S4(2-4)-01		0830	S	G	X	X	X	
3		RD-SB-S4(4-6)-01		0840	S	G	X	X	X	
4		RD-SB-S4(6-8)-01		0845	S	G	X	X	X	
5		RD-SB-S4(8-10)-01		0850	S	G	X	X	X	
6		RD-SB-S4(10-12)-01		0855	S	G	X	X	X	
7		RD-SB-S4(12-14)-01		0900	S	G	X	X	X	
8		RD-SB-S4(16-18)-01		0905	S	G	X	X	X	
9		RD-SB-S4(18-20)-01		0910	S	G	X	X	X	
10		RD-SBD-S4(18-20)-01		0910	S	G	X	X	X	
11		TRIP BLANK					X			

RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
Kelli McDonald	SECOR	10/29/03	1315	[illegible]	[illegible]	[illegible]	[illegible]
RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
				[illegible]	SRL	10/29/03	1700

Matrix Key
WW = Wastewater
W = Water
S = Soil
SL = Sludge
MS = Miscellaneous
OL = Oil
A = Air
SE = Sediment
SO = Solid
DS = Drum Solid
DL = Drum Liquid
L = Leachate
WI = Wipe
O = _____

Container Key
1. Plastic
2. VOA Vial
3. Sterile Plastic
4. Amber Glass
5. Widemouth Glass
6. Other _____

Preservative Key
1. HCl, Cool to 4°
2. H_2SO_4, Cool to 4°
3. HNO_3, Cool to 4°
4. NaOH, Cool to 4°
5. NaOH/Zn, Cool to 4°
6. Cool to 4°
7. None

COMMENTS
Cooler Custody Seal No

Date Received 10 / 29 / 03
Courier: SRL
Hand Delivered ☒
Bill of Lading

STL Chicago is a part of Severn Trent Laboratories, Inc.

SEVERN TRENT **STL**

STL Chicago
2417 Bond Street
University Park, IL 60466
Phone: 708-534-5200
Fax: 708-534-5211

Report To:
Contact: Dave Curnock
Company: SECOR International
Address: 446 Eisenhower Lane
North, Lombard, IL 60148
Phone: 630.792.1680
Fax: 630.792.1691
E-Mail: dcurnock@secor.com

Bill To:
Contact: Dave Curnock
Company: SECOR International
Address: 446 Eisenhower Lane
North, Lombard, IL 60148
Phone: 630.792.1680
Fax: 630.792.1691
PO#: 013-01410 Quote:

Shaded Areas For Internal Use Only 2 of 2

Lab Lot# 221824

Package Sealed	Samples Sealed
Yes No	Yes No
Received on Ice	**Samples Intact**
Yes No	Yes No
Temperature °C of Cooler	

Sampler Name: Kelli McDonald, Thom Kettinger
Signature: Kelli McDonald
Project Name: SOUTHEAST ROCKFORD
Project Number: 134N.02072.02.0001
Project Location: SER Area 9/10
Lab PM: Richard Wright
Date Required — Hard Copy: __/__/__ Fax: __/__/__

Within Hold Time	Preserv. Indicated
Yes No	Yes No NA
pH Check OK	**Res Cl_2 Check OK**
Yes No NA	Yes No NA
Sample Labels and COC Agree	
Yes No	COC not present

Laboratory ID	MS-MSD	Client Sample ID	Sampling Date	Sampling Time	Matrix	Comp/Grab	VOC 5035/8260B	DRO 8015B	TCLP RCRA Metals 1311/6010B/7470A							Additional Analyses / Remarks
12		RD-SB-S4(20-22)-01	10/29/03	0915	S	G	X	X	X							Standard Turnaround
13		RD-SB-S4(22-24)-01	↓	0920	S	G	X	X	X							Time
14		RD-SB-S4(24-26)-01		0930	S	G	X	X	X							
15		RD-SB-S4(26-28)-01		0935	S	G	X	X	X							
16		RD-SB-S4(28-30)-01		0940	S	G	X	X	X							
17		RD-SB-S4(30-32)-01	↓	0945	S	G	X	X	X							
18		TRIP BLANK					X									

RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
[signature]	SECOR	10/29/03	1530 PM	[signature]	STL	10/29/03	1530
RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
				[signature]	STL	10/29/03	1700

Matrix Key
WW = Wastewater
W = Water
S = Soil
SL = Sludge
MS = Miscellaneous
OL = Oil
A = Air
SE = Sediment
SO = Solid
DS = Drum Solid
DL = Drum Liquid
L = Leachate
WI = Wipe
O = _____

Container Key
1. Plastic
2. VOA Vial
3. Sterile Plastic
4. Amber Glass
5. Widemouth Glass
6. Other _____

Preservative Key
1. HCl, Cool to 4°
2. H2SO4, Cool to 4°
3. HNO3, Cool to 4°
4. NaOH, Cool to 4°
5. NaOH/Zn, Cool to 4°
6. Cool to 4°
7. None

COMMENTS
Cooler Custody Seal No. 496117

Date Received 10, 29, 03
Courier: STL
Hand Delivered ☒
Bill of Lading

SEVERN TRENT STL

STL Chicago
2417 Bond Street
University Park, IL 60466

Tel: 708 534 5200 Fax: 708 534 5211
www.stl-inc.com

SEVERN TRENT LABORATORIES ANALYTICAL REPORT

JOB NUMBER: 221825

Prepared For:

SECOR
446 Eisenhower Lane North
Lombard, IL 60148

Project: SE Rockford Area 9/10

Attention: Dave Curnock

Date: 11/20/2003

Signature

Name: Richard C. Wright

Title: Project Manager

E-Mail: rwright@stl-inc.com

11/20/03
Date

STL Chicago
2417 Bond Street
University Park, IL 60466

PHONE: (708) 534-5200
FAX..: (708) 534-5211

This Report Contains (~~90~~ 91) Pages

Severn Trent Laboratories - Chicago
METALS CASE NARRATIVE

Client: SECOR
Project ID: SE Rockford
STL#: 221825

Date Rec'd: 10/29/03

1. This narrative covers the metals analysis of TCLP Leachates in Job 221825.

   Method Refs: USEPA,SW-846

2. All analyses were performed within the required holding times.

3. All Initial and Continuing Calibration Verification (ICV/CCV's) were within control limits.

4. All Initial and Continuing Calibration Blanks (ICB/CCB's) were within control limits.

5. All Preparation/Method Blanks were below RL.

6. All ICP Interference Check Samples (ICSA and ICSAB) were within control limits.

7. Laboratory Control Sample (LCS) recoveries were within the 80-120% control limits.

8. Matrix QC was performed on Sample 3.

   Serial Dilution analysis was within control limits.

   Matrix Spike recoveries were greater than 50%.

   Duplicate results were within the 20% RPD control limits.

Jodi L. Wojcik
Metals Unit Leader

11-17-03
Date

Severn Trent Laboratories Chicago
GC/MS Case Narrative

Secor
SE Rockford
Job Number: 221825
VOA DATA

1. The samples were properly prepared and analyses within the recommended hold time from the date of collection.

2. All Method Blanks had all target compounds below reporting limits.

3. The LCS (Laboratory Control Samples) had all five-controlled spike recoveries within the in-house generated QC limits.

4. Matrix Spike/Matrix Spike Duplicate analyses were not performed on this sample set.

5. The volatile samples had all surrogate recoveries within the in-house generated QC limits.

6. The water samples were prepared using Method 5030. The soil samples were prepared using Method 5035 low and high level. All samples were analyzed following SW846 Method 8260B and 8000B. All calibration criteria are met per method or SOP (for minimum R values for certain compounds). The low point in the initial calibration verifies the base reporting limits. The target compounds were quantitated using the initial calibration.

7. The samples had all internal standard areas and retention times within the SOP acceptance limits as compared to the corresponding calibration verification standard.

8. Due to sample matrix, samples 1, 2, and 3 required an initial dilution using the high-level methanol procedure. All other soil samples were in initially analyzed using the low-level soil method. Secondary dilutions using the high-level methanol method were required on samples 1, 2, 4, and 10 to accurately quantitate target compounds. The soil results and reporting limits were adjusted for sample weights and the analytical procedure on a dry weight basis.

John Nagel
GC/MS Dept.

11-18-03
Date

STL Chicago
JP-4 Case Narrative

Secor
SE Rockford Area 9/10
Job #: 221825-1 through 10 and 12 through 17
JP-4

1. These samples were extracted based on SW846 method 3541. The extracts were analyzed for JP-4 Range Organics based on a modified SW846 method 8015B. An HP5890 gas chromatograph equipped with a flame ionization detector and a Xti-5 column was used for the analysis.

2. All required hold times were met for the extraction and analysis.

3. The method blank was below the reporting limit for JP-4.

4. Statistical limits for surrogate recoveries derived from DRO analyses were applied to the JP-4 analysis and are advisory until enough data points can be collected for statistical control limits.

5. The surrogate compounds used for this analysis were 2-Fluorobiphenyl and o-Terphenyl. All surrogate recoveries were within statistical control limits for o-Terphenyl except sample 221825-3, which had 194% recovery and flagged "I" (interference from hydrocarbon present but not JP4) and samples 221825-1 and 221825-2, which had both surrogates diluted out and flagged "D". Numerous 2-Fluorobiphenyl recoveries were above statistical control limits: 101397-1MB, 101397-2LCS, 221825-3, -8, -10, -12, -13, -14, -15, and -17. Upper limit for 2-Fluorobiphenyl was 103%. All samples were non-detects for JP4.

6. The blank spike recovery for JP4 was within statistical control limits. A solution of JP-4 was used for spiking.

7. A matrix spike and a matrix spike duplicate were performed on sample 221825-5 [RD-SB-S1(10-12)-01]. The matrix spike duplicate and matrix spike duplicate was outside non-statistical control limits of 50%-150% with recoveries of 41% for both. The RPD was <30%.

8. The initial calibration for this analysis consisted of a six-point curve of JP-4. The average calibration factor from the JP-4 curve was used to quantify the JP-4 results. An alkane standard ranging from C8 through C36 was used for qualitative purposes to determine the retention time range to be used for the JP-4. The total peak area from C8-C12 was used to quantify JP-4 results.

9. All initial and continuing standard calibrations associated with these samples were in control.

10. JP4 was not detected in these samples.

11. Samples 221825-1 and 221825-2 was analyzed at 1/20 dilution due to interference of a hydrocarbon that was not JP4. Reporting limits have been adjusted to reflect the necessary dilution.

Patti Gibson

Patti Gibson
Organics Section Manager

11/12/03
Date

STL Chicago is part of Severn Trent Laboratories, Inc.

SAMPLE INFORMATION
Date: 11/21/2003

Job Number.: 221825
Customer...: SECOR
Attn.....: Dave Curnock

Project Number.....: 20003080
Customer Project ID....: SE ROCKFORD
Project Description....: SE Rockford Area 9/10

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
221825-1	RD-SB-S1(2-4)-01	Soil	10/28/2003	08:56	10/29/2003	17:00
221825-2	RD-SB-S1(4-6)-01	Soil	10/28/2003	08:51	10/29/2003	17:00
221825-3	RD-SB-S1(6-8)-01	Soil	10/28/2003	09:05	10/29/2003	17:00
221825-4	RD-SB-S1(8-10)-01	Soil	10/28/2003	09:10	10/29/2003	17:00
221825-5	RD-SB-S1(10-12)-01	Soil	10/28/2003	09:15	10/29/2003	17:00
221825-6	RD-SB-S1(12-14)-01	Soil	10/28/2003	09:20	10/29/2003	17:00
221825-7	RD-SB-S1(14-16)-01	Soil	10/28/2003	09:22	10/29/2003	17:00
221825-8	RD-SB-S1(16-18)-01	Soil	10/28/2003	09:25	10/29/2003	17:00
221825-9	RD-SB-S1(18-20)-01	Soil	10/28/2003	09:30	10/29/2003	17:00
221825-10	RD-SB-S1(20-22)-01	Soil	10/28/2003	09:35	10/29/2003	17:00
221825-11	TRIP BLANK	Water	10/28/2003	08:51	10/29/2003	17:00
221825-12	RD-SB-S1(22-24)-01	Soil	10/28/2003	09:40	10/29/2003	17:00
221825-13	RD-SB-S1(24-26)-01	Soil	10/28/2003	09:45	10/29/2003	17:00
221825-14	RD-SB-S1(26-28)-01	Soil	10/28/2003	09:50	10/29/2003	17:00
221825-15	RD-SB-S1(28-30)-01	Soil	10/28/2003	09:55	10/29/2003	17:00
221825-16	RD-SB-S1(30-32)-01	Soil	10/28/2003	09:58	10/29/2003	17:00
221825-17	RD-SB-S1(32-34)-01	Soil	10/28/2003	10:05	10/29/2003	17:00
221825-18	TRIP BLANK	Water	10/28/2003	09:40	10/29/2003	17:00

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(2-4)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 08:56
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-1
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	89	U		89	89	20.0000	mg/Kg	101397		11/08/03 0908	mgk
8260B	Volatile Organics											
	Chloromethane, High/Med Level*	0.44	U		0.10	0.44	5.000	mg/Kg	100573		11/03/03 1832	jdn
	Bromomethane, High/Med Level*	0.44	U		0.046	0.44	5.000	mg/Kg	100573		11/03/03 1832	jdn
	1,1-Dichloroethene, High/Med Level*	0.44	U		0.061	0.44	5.000	mg/Kg	100573		11/03/03 1832	jdn
	Chloroethane, High/Med Level*	0.44	U		0.087	0.44	5.000	mg/Kg	100573		11/03/03 1832	jdn
	Carbon disulfide, High/Med Level*	0.44	U		0.089	0.44	5.000	mg/Kg	100573		11/03/03 1832	jdn
	Acetone, High/Med Level*	0.44	U		0.13	0.44	5.000	mg/Kg	100573		11/03/03 1832	jdn
	1,1-Dichloroethane, High/Med Level*	7.6			0.059	0.44	5.000	mg/Kg	100573		11/03/03 1832	jdn
	2-Butanone (MEK), High/Med Level*	0.44	U		0.22	0.44	5.000	mg/Kg	100573		11/03/03 1832	jdn
	1,2-Dichloroethane, High/Med Level*	0.44	U		0.094	0.44	5.000	mg/Kg	100573		11/03/03 1832	jdn
	Chloroform, High/Med Level*	0.44	U		0.079	0.44	5.000	mg/Kg	100573		11/03/03 1832	jdn
	Carbon tetrachloride, High/Med Level*	0.44	U		0.072	0.44	5.000	mg/Kg	100573		11/03/03 1832	jdn
	Benzene, High/Med Level*	0.11	U		0.061	0.11	5.000	mg/Kg	100573		11/03/03 1832	jdn
	1,2-Dichloropropane, High/Med Level*	0.44	U		0.076	0.44	5.000	mg/Kg	100573		11/03/03 1832	jdn
	Bromodichloromethane, High/Med Level*	0.44	U		0.083	0.44	5.000	mg/Kg	100573		11/03/03 1832	jdn
	cis-1,3-Dichloropropene, High/Med Level*	0.44	U		0.098	0.44	5.000	mg/Kg	100573		11/03/03 1832	jdn
	1,2-Dichloroethene (total), High/Med Leve*	12			0.13	0.44	5.000	mg/Kg	100573		11/03/03 1832	jdn
	4-Methyl-2-pentanone (MIBK), High/Med Lev*l	0.44	U		0.16	0.44	5.000	mg/Kg	100573		11/03/03 1832	jdn
	Toluene, High/Med Level*	1.7			0.079	0.11	5.000	mg/Kg	100573		11/03/03 1832	jdn
	trans-1,3-Dichloropropene, High/Med Level*	0.44	U		0.085	0.44	5.000	mg/Kg	100573		11/03/03 1832	jdn
	2-Hexanone, High/Med Level*	0.44	U		0.23	0.44	5.000	mg/Kg	100573		11/03/03 1832	jdn
	Dibromochloromethane, High/Med Level*	0.44	U		0.083	0.44	5.000	mg/Kg	100573		11/03/03 1832	jdn
	Chlorobenzene, High/Med Level*	0.44	U		0.096	0.44	5.000	mg/Kg	100573		11/03/03 1832	jdn
	Styrene, High/Med Level*	0.44	U		0.12	0.44	5.000	mg/Kg	100573		11/03/03 1832	jdn
	Bromoform, High/Med Level*	0.44	U		0.079	0.44	5.000	mg/Kg	100573		11/03/03 1832	jdn
	1,1,2,2-Tetrachloroethane, High/Med Level*	0.44	U		0.081	0.44	5.000	mg/Kg	100573		11/03/03 1832	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(2-4)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 08:56
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-1
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Xylenes (total), High/Med Level*	0.33	U		0.22	0.33	5.000	mg/Kg	100573		11/03/03 1832	jdn
	Ethylbenzene, High/Med Level*	0.11	U		0.098	0.11	5.000	mg/Kg	100573		11/03/03 1832	jdn
	Methylene chloride, High/Med Level*	0.44	U		0.087	0.44	5.000	mg/Kg	100573		11/03/03 1832	jdn
	Tetrachloroethene, High/Med Level*	360			2.0	8.7	100.00	mg/Kg	100573	D1	11/03/03 2015	jdn
	1,1,1-Trichloroethane, High/Med Level*	220		H	1.4	8.7	100.00	mg/Kg	100573	D1	11/03/03 2015	jdn
	1,1,2-Trichloroethane, High/Med Level*	0.44	U		0.14	0.44	5.000	mg/Kg	100573		11/03/03 1832	jdn
	Trichloroethene, High/Med Level*	18			0.094	0.44	5.000	mg/Kg	100573		11/03/03 1832	jdn
	Vinyl chloride, High/Med Level*	0.44	U		0.079	0.44	5.000	mg/Kg	100573		11/03/03 1832	jdn
Method	% Solids Determination											
	% Solids, Solid	89.1			0.10	0.10	1	%	100319		10/31/03 1345	crp
	% Moisture, Solid	10.9			0.10	0.10	1	%	100319		10/31/03 1345	crp
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101042		11/07/03 1329	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0729	lmr
	Barium, TCLP Leach	0.39	B		0.010	1.0	1	mg/L	101764		11/15/03 0729	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101764		11/15/03 0729	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0729	lmr
	Lead, TCLP Leach	0.0092			0.0050	0.0075	1	mg/L	101764		11/15/03 0729	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0729	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0729	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(4-6)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 08:51
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-2
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	89	U		89	89	20.0000	mg/Kg	101397		11/08/03 1041	mgk
8260B	Volatile Organics											
	Chloromethane, High/Med Level*	0.41	U		0.096	0.41	5.000	mg/Kg	100688		11/04/03 1452	jdn
	Bromomethane, High/Med Level*	0.41	U		0.043	0.41	5.000	mg/Kg	100688		11/04/03 1452	jdn
	1,1-Dichloroethene, High/Med Level*	0.56			0.057	0.41	5.000	mg/Kg	100688		11/04/03 1452	jdn
	Chloroethane, High/Med Level*	0.41	U		0.082	0.41	5.000	mg/Kg	100688		11/04/03 1452	jdn
	Carbon disulfide, High/Med Level*	0.41	U		0.084	0.41	5.000	mg/Kg	100688		11/04/03 1452	jdn
	Acetone, High/Med Level*	0.41	U		0.12	0.41	5.000	mg/Kg	100688		11/04/03 1452	jdn
	1,1-Dichloroethane, High/Med Level*	11			0.055	0.41	5.000	mg/Kg	100688		11/04/03 1452	jdn
	2-Butanone (MEK), High/Med Level*	0.41	U		0.21	0.41	5.000	mg/Kg	100688		11/04/03 1452	jdn
	1,2-Dichloroethane, High/Med Level*	0.41	U		0.088	0.41	5.000	mg/Kg	100688		11/04/03 1452	jdn
	Chloroform, High/Med Level*	0.41	U		0.074	0.41	5.000	mg/Kg	100688		11/04/03 1452	jdn
	Carbon tetrachloride, High/Med Level*	0.41	U		0.068	0.41	5.000	mg/Kg	100688		11/04/03 1452	jdn
	Benzene, High/Med Level*	0.10	U		0.057	0.10	5.000	mg/Kg	100688		11/04/03 1452	jdn
	1,2-Dichloropropane, High/Med Level*	0.41	U		0.072	0.41	5.000	mg/Kg	100688		11/04/03 1452	jdn
	Bromodichloromethane, High/Med Level*	0.41	U		0.078	0.41	5.000	mg/Kg	100688		11/04/03 1452	jdn
	cis-1,3-Dichloropropene, High/Med Level*	0.41	U		0.092	0.41	5.000	mg/Kg	100688		11/04/03 1452	jdn
	1,2-Dichloroethene (total), High/Med Leve*	9.4			0.12	0.41	5.000	mg/Kg	100688		11/04/03 1452	jdn
	4-Methyl-2-pentanone (MIBK), High/Med Lev*l	0.41	U		0.15	0.41	5.000	mg/Kg	100688		11/04/03 1452	jdn
	Toluene, High/Med Level*	2.3			0.074	0.10	5.000	mg/Kg	100688		11/04/03 1452	jdn
	trans-1,3-Dichloropropene, High/Med Level*	0.41	U		0.080	0.41	5.000	mg/Kg	100688		11/04/03 1452	jdn
	2-Hexanone, High/Med Level*	0.41	U		0.21	0.41	5.000	mg/Kg	100688		11/04/03 1452	jdn
	Dibromochloromethane, High/Med Level*	0.41	U		0.078	0.41	5.000	mg/Kg	100688		11/04/03 1452	jdn
	Chlorobenzene, High/Med Level*	0.41	U		0.090	0.41	5.000	mg/Kg	100688		11/04/03 1452	jdn
	Styrene, High/Med Level*	0.41	U		0.12	0.41	5.000	mg/Kg	100688		11/04/03 1452	jdn
	Bromoform, High/Med Level*	0.41	U		0.074	0.41	5.000	mg/Kg	100688		11/04/03 1452	jdn
	1,1,2,2-Tetrachloroethane, High/Med Level*	0.41	U		0.076	0.41	5.000	mg/Kg	100688		11/04/03 1452	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(4-6)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 08:51
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-2
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Xylenes (total), High/Med Level*	0.31	U		0.21	0.31	5.000	mg/Kg	100688		11/04/03 1452	jdn
	Ethylbenzene, High/Med Level*	0.10	U		0.092	0.10	5.000	mg/Kg	100688		11/04/03 1452	jdn
	Methylene chloride, High/Med Level*	0.41	U		0.082	0.41	5.000	mg/Kg	100688		11/04/03 1452	jdn
	Tetrachloroethene, High/Med Level*	150			1.9	8.2	100.00	mg/Kg	100688	D1	11/04/03 1430	jdn
	1,1,1-Trichloroethane, High/Med Level*	140			1.4	8.2	100.00	mg/Kg	100688	D1	11/04/03 1430	jdn
	1,1,2-Trichloroethane, High/Med Level*	0.41	U		0.13	0.41	5.000	mg/Kg	100688		11/04/03 1452	jdn
	Trichloroethene, High/Med Level*	10			0.088	0.41	5.000	mg/Kg	100688		11/04/03 1452	jdn
	Vinyl chloride, High/Med Level*	0.41	U		0.074	0.41	5.000	mg/Kg	100688		11/04/03 1452	jdn
Method	% Solids Determination											
	% Solids, Solid	89.4			0.10	0.10	1	%	100319		10/31/03 1345	crp
	% Moisture, Solid	10.6			0.10	0.10	1	%	100319		10/31/03 1345	crp
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101042		11/07/03 1331	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0736	lmr
	Barium, TCLP Leach	1.0			0.010	1.0	1	mg/L	101764		11/15/03 0736	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101764		11/15/03 0736	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0736	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0736	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0736	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0736	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(6-8)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:05
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-3
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.8	U		4.8	4.8	1.00000	mg/Kg	101397		11/07/03 1913	mgk
8260B	Volatile Organics											
	Chloromethane, High/Med Level*	0.090	U		0.021	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	Bromomethane, High/Med Level*	0.090	U		0.0094	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	1,1-Dichloroethene, High/Med Level*	0.090	U		0.013	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	Chloroethane, High/Med Level*	0.090	U		0.018	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	Carbon disulfide, High/Med Level*	0.090	U		0.018	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	Acetone, High/Med Level*	0.090	U		0.026	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	1,1-Dichloroethane, High/Med Level*	0.23			0.012	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	2-Butanone (MEK), High/Med Level*	0.090	U		0.046	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	1,2-Dichloroethane, High/Med Level*	0.090	U		0.019	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	Chloroform, High/Med Level*	0.090	U		0.016	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	Carbon tetrachloride, High/Med Level*	0.090	U		0.015	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	Benzene, High/Med Level*	0.022	U		0.013	0.022	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	1,2-Dichloropropane, High/Med Level*	0.090	U		0.016	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	Bromodichloromethane, High/Med Level*	0.090	U		0.017	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	cis-1,3-Dichloropropene, High/Med Level*	0.090	U		0.020	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	1,2-Dichloroethene (total), High/Med Leve*	0.28			0.026	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	4-Methyl-2-pentanone (MIBK), High/Med Lev*l	0.090	U		0.034	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	Toluene, High/Med Level*	0.022	U		0.016	0.022	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	trans-1,3-Dichloropropene, High/Med Level*	0.090	U		0.018	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	2-Hexanone, High/Med Level*	0.090	U		0.047	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	Dibromochloromethane, High/Med Level*	0.090	U		0.017	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	Chlorobenzene, High/Med Level*	0.090	U		0.020	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	Styrene, High/Med Level*	0.090	U		0.026	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	Bromoform, High/Med Level*	0.090	U		0.016	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	1,1,2,2-Tetrachloroethane, High/Med Level*	0.090	U		0.017	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(6-8)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:05
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-3
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Xylenes (total), High/Med Level*	0.067	U		0.045	0.067	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	Ethylbenzene, High/Med Level*	0.022	U		0.020	0.022	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	Methylene chloride, High/Med Level*	0.090	U		0.018	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	Tetrachloroethene, High/Med Level*	2.2			0.021	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	1,1,1-Trichloroethane, High/Med Level*	0.76			0.015	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	1,1,2-Trichloroethane, High/Med Level*	0.090	U		0.028	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	Trichloroethene, High/Med Level*	0.090	U		0.019	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
	Vinyl chloride, High/Med Level*	0.090	U		0.016	0.090	1.0000	mg/Kg	100573		11/03/03 2123	jdn
Method	% Solids Determination											
	% Solids, Solid	87.0			0.10	0.10	1	%	100319		10/31/03 1345	crp
	% Moisture, Solid	13.0			0.10	0.10	1	%	100319		10/31/03 1345	crp
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101042		11/07/03 1333	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0743	lmr
	Barium, TCLP Leach	0.78	B		0.010	1.0	1	mg/L	101764		11/15/03 0743	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101764		11/15/03 0743	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0743	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0743	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0743	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0743	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(8-10)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:10
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-4
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.7	U		4.7	4.7	1.00000	mg/Kg	101397		11/07/03 1959	mgk
8260B	Volatile Organics											
	Tetrachloroethene, High/Med Level*	0.52			0.024	0.10	1.0000	mg/Kg	101387	D1	11/11/03 1442	jdn
Method	% Solids Determination											
	% Solids, Solid	88.2			0.10	0.10	1	%	100319		10/31/03 1345	crp
	% Moisture, Solid	11.8			0.10	0.10	1	%	100319		10/31/03 1345	crp
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0051	U		0.00096	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	Bromomethane, Solid*	0.0051	U		0.0030	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	1,1-Dichloroethene, Solid*	0.0051	U		0.0010	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	Chloroethane, Solid*	0.0051	U		0.0016	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	Carbon disulfide, Solid*	0.0051	U		0.0021	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	Acetone, Solid*	0.0051	U		0.0042	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	1,1-Dichloroethane, Solid*	0.0051	U		0.00090	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	2-Butanone (MEK), Solid*	0.0051	U		0.0043	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	1,2-Dichloroethane, Solid*	0.0051	U		0.00059	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	Chloroform, Solid*	0.0051	U		0.00064	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	Carbon tetrachloride, Solid*	0.0051	U		0.00085	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	Benzene, Solid*	0.0051	U		0.00068	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	1,2-Dichloropropane, Solid*	0.0051	U		0.00098	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	Bromodichloromethane, Solid*	0.0051	U		0.00070	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	cis-1,3-Dichloropropene, Solid*	0.0051	U		0.00081	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	1,2-Dichloroethene (total), Solid*	0.019			0.0019	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0051	U		0.0031	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	Toluene, Solid*	0.0051	U		0.0010	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(8-10)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:10
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-4
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	trans-1,3-Dichloropropene, Solid*	0.0051	U		0.00086	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	2-Hexanone, Solid*	0.0051	U		0.0017	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	*Dibromochloromethane, Solid**	*0.0051*	*U*		*0.00071*	*0.0051*	*1.00000*	*mg/Kg*	101183		11/08/03 2043	jdn
	Chlorobenzene, Solid*	0.0051	U		0.00093	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	Styrene, Solid*	0.0051	U		0.0010	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	Bromoform, Solid*	0.0051	U		0.00093	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0051	U		0.00066	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	Xylenes (total), Solid*	0.0051	U		0.0030	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	Ethylbenzene, Solid*	0.0051	U		0.0011	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	Methylene chloride, Solid*	0.0051	U		0.0018	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	1,1,1-Trichloroethane, Solid*	0.083			0.00063	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	1,1,2-Trichloroethane, Solid*	0.0051	U		0.00073	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	Trichloroethene, Solid*	0.0045	J	a	0.00060	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
	Vinyl chloride, Solid*	0.0051	U		0.00076	0.0051	1.00000	mg/Kg	101183		11/08/03 2043	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101042		11/07/03 1344	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0817	lmr
	Barium, TCLP Leach	0.50	B		0.010	1.0	1	mg/L	101764		11/15/03 0817	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101764		11/15/03 0817	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0817	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0817	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0817	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0817	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(10-12)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:15
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-5
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.3	U		4.3	4.3	1.00000	mg/Kg	101397		11/07/03 2045	mgk
Method	% Solids Determination											
	% Solids, Solid	96.7			0.10	0.10	1	%	100319		10/31/03 1345	crp
	% Moisture, Solid	3.3			0.10	0.10	1	%	100319		10/31/03 1345	crp
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0051	U		0.00096	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	Bromomethane, Solid*	0.0051	U		0.0030	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	1,1-Dichloroethene, Solid*	0.0051	U		0.0010	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	Chloroethane, Solid*	0.0051	U		0.0016	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	Carbon disulfide, Solid*	0.0051	U		0.0020	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	Acetone, Solid*	0.0051	U		0.0042	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	1,1-Dichloroethane, Solid*	0.0040	J	a	0.00090	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	2-Butanone (MEK), Solid*	0.0051	U		0.0043	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	1,2-Dichloroethane, Solid*	0.0051	U		0.00059	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	Chloroform, Solid*	0.0051	U		0.00063	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	Carbon tetrachloride, Solid*	0.0051	U		0.00084	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	Benzene, Solid*	0.0051	U		0.00067	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	1,2-Dichloropropane, Solid*	0.0051	U		0.00098	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	Bromodichloromethane, Solid*	0.0051	U		0.00069	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	cis-1,3-Dichloropropene, Solid*	0.0051	U		0.00080	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	1,2-Dichloroethene (total), Solid*	0.0061			0.0019	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0051	U		0.0031	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	Toluene, Solid*	0.0051	U		0.0010	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	trans-1,3-Dichloropropene, Solid*	0.0051	U		0.00086	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	2-Hexanone, Solid*	0.0051	U		0.0017	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	Dibromochloromethane, Solid*	0.0051	U		0.00070	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(10-12)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:15
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-5
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0051	U		0.00093	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	Styrene, Solid*	0.0051	U		0.0010	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	Bromoform, Solid*	0.0051	U		0.00093	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0051	U		0.00065	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	Xylenes (total), Solid*	0.0051	U		0.0030	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	Ethylbenzene, Solid*	0.0051	U		0.0011	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	Methylene chloride, Solid*	0.0051	U		0.0018	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	Tetrachloroethene, Solid*	0.062			0.00068	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	1,1,1-Trichloroethane, Solid*	0.031			0.00062	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	1,1,2-Trichloroethane, Solid*	0.0051	U		0.00072	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	Trichloroethene, Solid*	0.0033	J	a	0.00060	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
	Vinyl chloride, Solid*	0.0051	U		0.00075	0.0051	1.00000	mg/Kg	100910		11/05/03 1955	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101042		11/07/03 1346	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0848	lmr
	Barium, TCLP Leach	0.28	B		0.010	1.0	1	mg/L	101764		11/15/03 0848	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101764		11/15/03 0848	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0848	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0848	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0848	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0848	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(12-14)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:20
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-6
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.2	U		4.2	4.2	1.00000	mg/Kg	101397		11/07/03 2304	mgk
Method	% Solids Determination											
	% Solids, Solid	96.4			0.10	0.10	1	%	100319		10/31/03 1345	crp
	% Moisture, Solid	3.6			0.10	0.10	1	%	100319		10/31/03 1345	crp
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0047	U		0.00088	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	Bromomethane, Solid*	0.0047	U		0.0027	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	1,1-Dichloroethene, Solid*	0.0047	U		0.00093	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	Chloroethane, Solid*	0.0047	U		0.0015	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	Carbon disulfide, Solid*	0.0047	U		0.0019	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	Acetone, Solid*	0.018			0.0038	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	1,1-Dichloroethane, Solid*	0.011			0.00082	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	2-Butanone (MEK), Solid*	0.0047	U		0.0039	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	1,2-Dichloroethane, Solid*	0.0047	U		0.00054	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	Chloroform, Solid*	0.0047	U		0.00058	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	Carbon tetrachloride, Solid*	0.0047	U		0.00077	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	Benzene, Solid*	0.0047	U		0.00061	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	1,2-Dichloropropane, Solid*	0.0047	U		0.00089	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	Bromodichloromethane, Solid*	0.0047	U		0.00063	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	cis-1,3-Dichloropropene, Solid*	0.0047	U		0.00074	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	1,2-Dichloroethene (total), Solid*	0.014			0.0018	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0047	U		0.0028	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	Toluene, Solid*	0.0064		M	0.00093	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	trans-1,3-Dichloropropene, Solid*	0.0047	U		0.00078	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	2-Hexanone, Solid*	0.032			0.0016	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	Dibromochloromethane, Solid*	0.0047	U		0.00064	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(12-14)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:20
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-6
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0047	U		0.00085	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	Styrene, Solid*	0.0047	U		0.00093	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	Bromoform, Solid*	0.0047	U		0.00085	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0047	U		0.00060	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	Xylenes (total), Solid*	0.0033	J	a	0.0027	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	Ethylbenzene, Solid*	0.0047	U		0.0010	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	Methylene chloride, Solid*	0.0047	U		0.0017	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	Tetrachloroethene, Solid*	0.073			0.00062	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	1,1,1-Trichloroethane, Solid*	0.057			0.00057	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	1,1,2-Trichloroethane, Solid*	0.0047	U		0.00066	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	Trichloroethene, Solid*	0.0054			0.00055	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
	Vinyl chloride, Solid*	0.0047	U		0.00069	0.0047	1.00000	mg/Kg	101183		11/08/03 2111	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101042		11/07/03 1348	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0855	lmr
	Barium, TCLP Leach	0.48	B		0.010	1.0	1	mg/L	101764		11/15/03 0855	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101764		11/15/03 0855	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0855	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0855	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0855	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0855	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(14-16)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:22
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-7
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.2	U		4.2	4.2	1.00000	mg/Kg	101397		11/08/03 0036	mgk
Method	% Solids Determination											
	% Solids, Solid	97.3			0.10	0.10	1	%	100319		10/31/03 1345	crp
	% Moisture, Solid	2.7			0.10	0.10	1	%	100319		10/31/03 1345	crp
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0048	U		0.00090	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	Bromomethane, Solid*	0.0048	U		0.0028	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	1,1-Dichloroethene, Solid*	0.0048	U		0.00096	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	Chloroethane, Solid*	0.0048	U		0.0015	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	Carbon disulfide, Solid*	0.0048	U		0.0019	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	Acetone, Solid*	0.0048	U		0.0039	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	1,1-Dichloroethane, Solid*	0.0082			0.00084	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	2-Butanone (MEK), Solid*	0.0048	U		0.0040	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	1,2-Dichloroethane, Solid*	0.0048	U		0.00056	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	Chloroform, Solid*	0.0048	U		0.00059	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	Carbon tetrachloride, Solid*	0.0048	U		0.00080	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	Benzene, Solid*	0.0048	U		0.00063	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	1,2-Dichloropropane, Solid*	0.0048	U		0.00092	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	Bromodichloromethane, Solid*	0.0048	U		0.00065	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	cis-1,3-Dichloropropene, Solid*	0.0048	U		0.00076	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	1,2-Dichloroethene (total), Solid*	0.012			0.0018	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0048	U		0.0029	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	Toluene, Solid*	0.0048	U		0.00096	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	trans-1,3-Dichloropropene, Solid*	0.0048	U		0.00081	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	2-Hexanone, Solid*	0.0048	U		0.0016	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	Dibromochloromethane, Solid*	0.0048	U		0.00066	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(14-16)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:22
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-7
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0048	U		0.00087	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	Styrene, Solid*	0.0048	U		0.00096	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	Bromoform, Solid*	0.0048	U		0.00087	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	2,2-Tetrachloroethane, Solid*	0.0048	U		0.00061	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	nes (total), Solid*	0.0048	U		0.0028	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	Ethylbenzene, Solid*	0.0048	U		0.0011	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	Methylene chloride, Solid*	0.0048	U		0.0017	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	Tetrachloroethene, Solid*	0.11			0.00064	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	1,1,1-Trichloroethane, Solid*	0.065			0.00058	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	1,1,2-Trichloroethane, Solid*	0.0048	U		0.00068	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	Trichloroethene, Solid*	0.0063			0.00057	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
	Vinyl chloride, Solid*	0.0048	U		0.00071	0.0048	1.00000	mg/Kg	100910		11/05/03 2050	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101042		11/07/03 1350	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0902	lmr
	Barium, TCLP Leach	0.36	B		0.010	1.0	1	mg/L	101764		11/15/03 0902	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101764		11/15/03 0902	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0902	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0902	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0902	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0902	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(16-18)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:25
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-8
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.3	U		4.3	4.3	1.00000	mg/Kg	101397		11/08/03 0122	mgk
Method	% Solids Determination											
	% Solids, Solid	97.6			0.10	0.10	1	%	100319		10/31/03 1345	crp
	% Moisture, Solid	2.4			0.10	0.10	1	%	100319		10/31/03 1345	crp
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0094	U		0.0018	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	Bromomethane, Solid*	0.0094	U		0.0054	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	1,1-Dichloroethene, Solid*	0.0094	U		0.0019	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	Chloroethane, Solid*	0.0094	U		0.0030	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	Carbon disulfide, Solid*	0.0094	U		0.0038	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	Acetone, Solid*	0.013			0.0077	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	1,1-Dichloroethane, Solid*	0.0072	J	a	0.0017	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	2-Butanone (MEK), Solid*	0.0094	U		0.0079	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	1,2-Dichloroethane, Solid*	0.0094	U		0.0011	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	Chloroform, Solid*	0.0094	U		0.0012	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	Carbon tetrachloride, Solid*	0.0094	U		0.0016	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	Benzene, Solid*	0.0094	U		0.0012	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	1,2-Dichloropropane, Solid*	0.0094	U		0.0018	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	Bromodichloromethane, Solid*	0.0094	U		0.0013	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	cis-1,3-Dichloropropene, Solid*	0.0094	U		0.0015	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	1,2-Dichloroethene (total), Solid*	0.011			0.0036	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0094	U		0.0056	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	Toluene, Solid*	0.0094	U		0.0019	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	trans-1,3-Dichloropropene, Solid*	0.0094	U		0.0016	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	2-Hexanone, Solid*	0.0094	U		0.0032	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	Dibromochloromethane, Solid*	0.0094	U		0.0013	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(16-18)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:25
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-8
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0094	U		0.0017	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	Styrene, Solid*	0.0094	U		0.0019	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	Bromoform, Solid*	0.0094	U		0.0017	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0094	U		0.0012	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	Xylenes (total), Solid*	0.0094	U		0.0054	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	Ethylbenzene, Solid*	0.0094	U		0.0021	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	Methylene chloride, Solid*	0.0068	J	a	0.0034	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	Tetrachloroethene, Solid*	0.18			0.0013	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	1,1,1-Trichloroethane, Solid*	0.083			0.0011	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	1,1,2-Trichloroethane, Solid*	0.0094	U		0.0013	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	Trichloroethene, Solid*	0.0081	J	a	0.0011	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
	Vinyl chloride, Solid*	0.0094	U		0.0014	0.0094	1.00000	mg/Kg	100910		11/05/03 2118	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101042		11/07/03 1352	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0908	lmr
	Barium, TCLP Leach	0.43	B		0.010	1.0	1	mg/L	101764		11/15/03 0908	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101764		11/15/03 0908	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0908	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0908	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0908	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0908	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(18-20)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:30
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-9
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.2	U		4.2	4.2	1.00000	mg/Kg	101397		11/08/03 0209	mgk
Method	% Solids Determination											
	% Solids, Solid	97.9			0.10	0.10	1	%	100319		10/31/03 1345	crp
	% Moisture, Solid	2.1			0.10	0.10	1	%	100319		10/31/03 1345	crp
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0072	U		0.0013	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	Bromomethane, Solid*	0.0072	U		0.0041	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	1,1-Dichloroethene, Solid*	0.0072	U		0.0014	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	Chloroethane, Solid*	0.0072	U		0.0023	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	Carbon disulfide, Solid*	0.0072	U		0.0029	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	Acetone, Solid*	0.010		M	0.0059	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	1,1-Dichloroethane, Solid*	0.017			0.0013	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	2-Butanone (MEK), Solid*	0.0072	U		0.0060	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	1,2-Dichloroethane, Solid*	0.0072	U		0.00083	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	Chloroform, Solid*	0.0072	U		0.00089	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	Carbon tetrachloride, Solid*	0.0072	U		0.0012	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	Benzene, Solid*	0.0072	U		0.00094	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	1,2-Dichloropropane, Solid*	0.0072	U		0.0014	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	Bromodichloromethane, Solid*	0.0072	U		0.00097	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	cis-1,3-Dichloropropene, Solid*	0.0072	U		0.0011	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	1,2-Dichloroethene (total), Solid*	0.024			0.0027	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0072	U		0.0043	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	Toluene, Solid*	0.0072	U		0.0014	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	trans-1,3-Dichloropropene, Solid*	0.0072	U		0.0012	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	2-Hexanone, Solid*	0.0072	U		0.0024	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	Dibromochloromethane, Solid*	0.0072	U		0.00099	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(18-20)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:30
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-9
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0072	U		0.0013	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	Styrene, Solid*	0.0072	U		0.0014	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	Bromoform, Solid*	0.0072	U		0.0013	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0072	U		0.00092	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	Xylenes (total), Solid*	0.0072	U		0.0041	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	Ethylbenzene, Solid*	0.0072	U		0.0016	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	Methylene chloride, Solid*	0.014			0.0026	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	Tetrachloroethene, Solid*	0.22			0.00096	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	1,1,1-Trichloroethane, Solid*	0.12			0.00087	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	1,1,2-Trichloroethane, Solid*	0.0072	U		0.0010	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	Trichloroethene, Solid*	0.012			0.00084	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
	Vinyl chloride, Solid*	0.0072	U		0.0011	0.0072	1.00000	mg/Kg	100910		11/05/03 2146	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101042		11/07/03 1354	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0915	lmr
	Barium, TCLP Leach	0.43	B		0.010	1.0	1	mg/L	101764		11/15/03 0915	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101764		11/15/03 0915	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0915	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0915	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0915	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0915	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(20-22)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:35
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-10
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.8	U		4.8	4.8	1.00000	mg/Kg	101397		11/08/03 0255	mgk
8260B	Volatile Organics											
	Tetrachloroethene, High/Med Level*	0.66			0.024	0.10	1.0000	mg/Kg	101387	D1	11/11/03 1504	jdn
	1,1,1-Trichloroethane, High/Med Level*	0.41			0.017	0.10	1.0000	mg/Kg	101387	D1	11/11/03 1504	jdn
Method	% Solids Determination											
	% Solids, Solid	85.0			0.10	0.10	1	%	100319		10/31/03 1345	crp
	% Moisture, Solid	15.0			0.10	0.10	1	%	100319		10/31/03 1345	crp
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0051	U		0.00096	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	Bromomethane, Solid*	0.0051	U		0.0030	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	1,1-Dichloroethene, Solid*	0.0051	U		0.0010	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	Chloroethane, Solid*	0.0051	U		0.0016	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	Carbon disulfide, Solid*	0.0051	U		0.0020	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	Acetone, Solid*	0.0051	U		0.0042	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	1,1-Dichloroethane, Solid*	0.12			0.00090	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	2-Butanone (MEK), Solid*	0.0051	U		0.0043	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	1,2-Dichloroethane, Solid*	0.0051	U		0.00059	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	Chloroform, Solid*	0.0051	U		0.00063	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	Carbon tetrachloride, Solid*	0.0051	U		0.00085	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	Benzene, Solid*	0.0047	J	a	0.00067	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	1,2-Dichloropropane, Solid*	0.0051	U		0.00098	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	Bromodichloromethane, Solid*	0.021			0.00069	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	cis-1,3-Dichloropropene, Solid*	0.0051	U		0.00081	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	1,2-Dichloroethene (total), Solid*	0.13			0.0019	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0051	U		0.0031	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(20-22)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:35
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-10
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Toluene, Solid*	0.0096			0.0010	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	trans-1,3-Dichloropropene, Solid*	0.0051	U		0.00086	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	2-Hexanone, Solid*	0.0051	U		0.0017	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	Dibromochloromethane, Solid*	0.0051	U		0.00070	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	Chlorobenzene, Solid*	0.0051	U		0.00093	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	Styrene, Solid*	0.0051	U		0.0010	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	Bromoform, Solid*	0.0051	U		0.00093	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0051	U		0.00065	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	Xylenes (total), Solid*	0.0039	J	a	0.0030	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	Ethylbenzene, Solid*	0.0031	J	a	0.0011	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	Methylene chloride, Solid*	0.0051	U		0.0018	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	1,1,2-Trichloroethane, Solid*	0.0051	U		0.00072	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	Trichloroethene, Solid*	0.027			0.00060	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
	Vinyl chloride, Solid*	0.0051	U		0.00075	0.0051	1.00000	mg/Kg	101183		11/08/03 2300	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101042		11/07/03 1356	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0922	lmr
	Barium, TCLP Leach	0.50	B		0.010	1.0	1	mg/L	101764		11/15/03 0922	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101764		11/15/03 0922	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0922	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0922	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0922	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0922	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: TRIP BLANK
Date Sampled.....: 10/28/2003
Time Sampled.....: 08:51
Sample Matrix.....: Water

Laboratory Sample ID: 221825-11
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Chloromethane	0.0010	U		0.00016	0.0010	1.00000	mg/L	101145		11/09/03 1309	jdn
	Bromomethane	0.0010	U		0.00018	0.0010	1.00000	mg/L	101145		11/09/03 1309	jdn
	1,1-Dichloroethene	0.0010	U		0.00019	0.0010	1.00000	mg/L	101145		11/09/03 1309	jdn
	Chloroethane	0.0010	U		0.00021	0.0010	1.00000	mg/L	101145		11/09/03 1309	jdn
	Carbon disulfide	0.0050	U		0.00040	0.0050	1.00000	mg/L	101145		11/09/03 1309	jdn
	Acetone	0.0028	J		0.0015	0.0050	1.00000	mg/L	101145		11/09/03 1309	jdn
	2-Butanone (MEK)	0.0050	U		0.0017	0.0050	1.00000	mg/L	101145		11/09/03 1309	jdn
	1,2-Dichloroethane	0.0010	U		0.00025	0.0010	1.00000	mg/L	101145		11/09/03 1309	jdn
	Chloroform	0.0010	U		0.00023	0.0010	1.00000	mg/L	101145		11/09/03 1309	jdn
	Carbon tetrachloride	0.0010	U		0.00024	0.0010	1.00000	mg/L	101145		11/09/03 1309	jdn
	Benzene	0.0010	U		0.00020	0.0010	1.00000	mg/L	101145		11/09/03 1309	jdn
	1,2-Dichloropropane	0.0010	U		0.00022	0.0010	1.00000	mg/L	101145		11/09/03 1309	jdn
	Bromodichloromethane	0.0010	U		0.00023	0.0010	1.00000	mg/L	101145		11/09/03 1309	jdn
	1,2-Dichloroethene (total)	0.0010	U		0.00042	0.0010	1.00000	mg/L	101145		11/09/03 1309	jdn
	cis-1,3-Dichloropropene	0.0010	U		0.00022	0.0010	1.00000	mg/L	101145		11/09/03 1309	jdn
	4-Methyl-2-pentanone (MIBK)	0.0050	U		0.00092	0.0050	1.00000	mg/L	101145		11/09/03 1309	jdn
	Toluene	0.0010	U		0.00021	0.0010	1.00000	mg/L	101145		11/09/03 1309	jdn
	trans-1,3-Dichloropropene	0.0010	U		0.00024	0.0010	1.00000	mg/L	101145		11/09/03 1309	jdn
	2-Hexanone	0.0050	U		0.0012	0.0050	1.00000	mg/L	101145		11/09/03 1309	jdn
	Dibromochloromethane	0.0010	U		0.00023	0.0010	1.00000	mg/L	101145		11/09/03 1309	jdn
	Chlorobenzene	0.0010	U		0.00022	0.0010	1.00000	mg/L	101145		11/09/03 1309	jdn
	Styrene	0.0010	U		0.00023	0.0010	1.00000	mg/L	101145		11/09/03 1309	jdn
	Bromoform	0.0010	U		0.00022	0.0010	1.00000	mg/L	101145		11/09/03 1309	jdn
	1,1,2,2-Tetrachloroethane	0.0010	U		0.00025	0.0010	1.00000	mg/L	101145		11/09/03 1309	jdn
	Xylenes (total)	0.0010	U		0.00028	0.0010	1.00000	mg/L	101145		11/09/03 1309	jdn
	Ethylbenzene	0.0010	U		0.00020	0.0010	1.00000	mg/L	101145		11/09/03 1309	jdn
	Methylene chloride	0.0012			0.00019	0.0010	1.00000	mg/L	101145		11/09/03 1309	jdn
	Tetrachloroethene	0.0010	U		0.00020	0.0010	1.00000	mg/L	101145		11/09/03 1309	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: TRIP BLANK
Date Sampled.....: 10/28/2003
Time Sampled.....: 08:51
Sample Matrix.....: Water

Laboratory Sample ID: 221825-11
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	1,1,1-Trichloroethane	0.0010	U		0.00022	0.0010	1.00000	mg/L	101145		11/09/03 1309	jdn
	1,1,2-Trichloroethane	0.0010	U		0.00033	0.0010	1.00000	mg/L	101145		11/09/03 1309	jdn
	Trichloroethene	0.0010	U		0.00021	0.0010	1.00000	mg/L	101145		11/09/03 1309	jdn
	Vinyl chloride	0.0010	U		0.00018	0.0010	1.00000	mg/L	101145		11/09/03 1309	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(22-24)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:40
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-12
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.3	U		4.3	4.3	1.00000	mg/Kg	101397		11/08/03 0342	mgk
Method	% Solids Determination											
	% Solids, Solid	96.2			0.10	0.10	1	%	100319		10/31/03 1345	crp
	% Moisture, Solid	3.8			0.10	0.10	1	%	100319		10/31/03 1345	crp
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0056	U		0.0010	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	Bromomethane, Solid*	0.0056	U		0.0032	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	1,1-Dichloroethene, Solid*	0.0056	U		0.0011	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	Chloroethane, Solid*	0.0056	U		0.0018	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	Carbon disulfide, Solid*	0.0056	U		0.0022	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	Acetone, Solid*	0.0056	U		0.0046	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	1,1-Dichloroethane, Solid*	0.0056	U		0.00098	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	2-Butanone (MEK), Solid*	0.0056	U		0.0047	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	1,2-Dichloroethane, Solid*	0.0056	U		0.00065	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	Chloroform, Solid*	0.0056	U		0.00069	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	Carbon tetrachloride, Solid*	0.0056	U		0.00093	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	Benzene, Solid*	0.0056	U		0.00074	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	1,2-Dichloropropane, Solid*	0.0056	U		0.0011	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	Bromodichloromethane, Solid*	0.0056	U		0.00076	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	cis-1,3-Dichloropropene, Solid*	0.0056	U		0.00088	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	1,2-Dichloroethene (total), Solid*	0.0056	U		0.0021	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0056	U		0.0033	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	Toluene, Solid*	0.0056	U		0.0011	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	trans-1,3-Dichloropropene, Solid*	0.0056	U		0.00094	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	2-Hexanone, Solid*	0.0056	U		0.0019	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	Dibromochloromethane, Solid*	0.0056	U		0.00077	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(22-24)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:40
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-12
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0056	U		0.0010	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	Styrene, Solid*	0.0056	U		0.0011	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	Bromoform, Solid*	0.0056	U		0.0010	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0056	U		0.00071	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	Xylenes (total), Solid*	0.0056	U		0.0032	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	Ethylbenzene, Solid*	0.0056	U		0.0012	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	Methylene chloride, Solid*	0.0059			0.0020	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	Tetrachloroethene, Solid*	0.038			0.00075	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	1,1,1-Trichloroethane, Solid*	0.013			0.00068	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	1,1,2-Trichloroethane, Solid*	0.0056	U		0.00079	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	Trichloroethene, Solid*	0.0056	U		0.00066	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
	Vinyl chloride, Solid*	0.0056	U		0.00083	0.0056	1.00000	mg/Kg	100910		11/05/03 2213	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101042		11/07/03 1358	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0928	lmr
	Barium, TCLP Leach	0.37	B		0.010	1.0	1	mg/L	101764		11/15/03 0928	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101764		11/15/03 0928	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0928	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0928	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0928	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0928	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(24-26)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:45
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-13
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.3	U		4.3	4.3	1.00000	mg/Kg	101397		11/08/03 0428	mgk
Method	% Solids Determination											
	% Solids, Solid	97.0			0.10	0.10	1	%	100319		10/31/03 1345	crp
	% Moisture, Solid	3.0			0.10	0.10	1	%	100319		10/31/03 1345	crp
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0049	U		0.00093	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	Bromomethane, Solid*	0.0049	U		0.0029	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	1,1-Dichloroethene, Solid*	0.0049	U		0.00099	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	Chloroethane, Solid*	0.0049	U		0.0016	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	Carbon disulfide, Solid*	0.0049	U		0.0020	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	Acetone, Solid*	0.0092			0.0040	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	1,1-Dichloroethane, Solid*	0.015			0.00087	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	2-Butanone (MEK), Solid*	0.0049	U		0.0041	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	1,2-Dichloroethane, Solid*	0.0072			0.00057	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	Chloroform, Solid*	0.0049	U		0.00061	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	Carbon tetrachloride, Solid*	0.0049	U		0.00082	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	Benzene, Solid*	0.0049	U		0.00065	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	1,2-Dichloropropane, Solid*	0.0049	U		0.00095	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	Bromodichloromethane, Solid*	0.0049	U		0.00067	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	cis-1,3-Dichloropropene, Solid*	0.0049	U		0.00078	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	1,2-Dichloroethene (total), Solid*	0.022			0.0019	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0049	U		0.0030	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	Toluene, Solid*	0.0049	U		0.00099	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	trans-1,3-Dichloropropene, Solid*	0.0049	U		0.00083	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	2-Hexanone, Solid*	0.0049	U		0.0017	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	Dibromochloromethane, Solid*	0.0049	U		0.00068	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(24-26)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:45
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-13
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0049	U		0.00090	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	Styrene, Solid*	0.0049	U		0.00099	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	Bromoform, Solid*	0.0049	U		0.00090	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0049	U		0.00063	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	Xylenes (total), Solid*	0.0049	U		0.0029	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	Ethylbenzene, Solid*	0.0049	U		0.0011	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	Methylene chloride, Solid*	0.017			0.0018	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	Tetrachloroethene, Solid*	0.13			0.00066	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	1,1,1-Trichloroethane, Solid*	0.082			0.00060	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	1,1,2-Trichloroethane, Solid*	0.0049	U		0.00070	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	Trichloroethene, Solid*	0.0098			0.00058	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
	Vinyl chloride, Solid*	0.0049	U		0.00073	0.0049	1.00000	mg/Kg	100910		11/05/03 2241	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101042		11/07/03 1401	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0935	lmr
	Barium, TCLP Leach	0.42	B		0.010	1.0	1	mg/L	101764		11/15/03 0935	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101764		11/15/03 0935	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0935	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0935	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0935	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0935	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(26-28)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:50
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-14
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.3	U		4.3	4.3	1.00000	mg/Kg	101397		11/08/03 0515	mgk
Method	% Solids Determination											
	% Solids, Solid	97.4			0.10	0.10	1	%	100319		10/31/03 1345	crp
	% Moisture, Solid	2.6			0.10	0.10	1	%	100319		10/31/03 1345	crp
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0053	U		0.00099	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	Bromomethane, Solid*	0.0053	U		0.0031	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	1,1-Dichloroethene, Solid*	0.0053	U		0.0011	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	Chloroethane, Solid*	0.0053	U		0.0017	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	Carbon disulfide, Solid*	0.0053	U		0.0021	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	Acetone, Solid*	0.0068		M	0.0043	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	1,1-Dichloroethane, Solid*	0.0053	U		0.00093	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	2-Butanone (MEK), Solid*	0.0053	U		0.0044	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	1,2-Dichloroethane, Solid*	0.0053	U		0.00061	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	Chloroform, Solid*	0.0053	U		0.00065	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	Carbon tetrachloride, Solid*	0.0053	U		0.00088	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	Benzene, Solid*	0.0053	U		0.00070	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	1,2-Dichloropropane, Solid*	0.0053	U		0.0010	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	Bromodichloromethane, Solid*	0.0053	U		0.00072	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	cis-1,3-Dichloropropene, Solid*	0.0053	U		0.00083	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	1,2-Dichloroethene (total), Solid*	0.0053	U		0.0020	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0053	U		0.0032	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	Toluene, Solid*	0.0053	U		0.0011	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	trans-1,3-Dichloropropene, Solid*	0.0053	U		0.00089	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	2-Hexanone, Solid*	0.0053	U		0.0018	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	Dibromochloromethane, Solid*	0.0053	U		0.00073	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(26-28)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:50
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-14
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0053	U		0.00096	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	Styrene, Solid*	0.0053	U		0.0011	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	Bromoform, Solid*	0.0053	U		0.00096	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0053	U		0.00068	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	Xylenes (total), Solid*	0.0053	U		0.0031	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	Ethylbenzene, Solid*	0.0053	U		0.0012	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	Methylene chloride, Solid*	0.0066			0.0019	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	Tetrachloroethene, Solid*	0.032			0.00071	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	1,1,1-Trichloroethane, Solid*	0.011			0.00064	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	1,1,2-Trichloroethane, Solid*	0.0053	U		0.00075	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	Trichloroethene, Solid*	0.0053	U		0.00062	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
	Vinyl chloride, Solid*	0.0053	U		0.00078	0.0053	1.00000	mg/Kg	100910		11/05/03 2308	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101042		11/07/03 1407	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0942	lmr
	Barium, TCLP Leach	0.35	B		0.010	1.0	1	mg/L	101764		11/15/03 0942	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101764		11/15/03 0942	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0942	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0942	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0942	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0942	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(28-30)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:55
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-15
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.2	U		4.2	4.2	1.00000	mg/Kg	101397		11/08/03 0601	mgk
Method	% Solids Determination											
	% Solids, Solid	97.1			0.10	0.10	1	%	100319		10/31/03 1345	crp
	% Moisture, Solid	2.9			0.10	0.10	1	%	100319		10/31/03 1345	crp
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0053	U		0.0010	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	Bromomethane, Solid*	0.0053	U		0.0031	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	1,1-Dichloroethene, Solid*	0.0053	U		0.0011	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	Chloroethane, Solid*	0.0053	U		0.0017	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	Carbon disulfide, Solid*	0.0053	U		0.0021	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	Acetone, Solid*	0.0053	U		0.0044	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	1,1-Dichloroethane, Solid*	0.0053	U		0.00093	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	2-Butanone (MEK), Solid*	0.0053	U		0.0045	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	1,2-Dichloroethane, Solid*	0.0053	U		0.00062	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	Chloroform, Solid*	0.0053	U		0.00066	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	Carbon tetrachloride, Solid*	0.0053	U		0.00088	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	Benzene, Solid*	0.0053	U		0.00070	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	1,2-Dichloropropane, Solid*	0.0053	U		0.0010	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	Bromodichloromethane, Solid*	0.0053	U		0.00072	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	cis-1,3-Dichloropropene, Solid*	0.0053	U		0.00084	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	1,2-Dichloroethene (total), Solid*	0.0045	J	a	0.0020	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0053	U		0.0032	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	Toluene, Solid*	0.0053	U		0.0011	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	trans-1,3-Dichloropropene, Solid*	0.0053	U		0.00089	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	2-Hexanone, Solid*	0.0053	U		0.0018	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	Dibromochloromethane, Solid*	0.0053	U		0.00073	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(28-30)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:55
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-15
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0053	U		0.00097	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	Styrene, Solid*	0.0053	U		0.0011	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	Bromoform, Solid*	0.0053	U		0.00097	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0053	U		0.00068	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	Xylenes (total), Solid*	0.0053	U		0.0031	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	Ethylbenzene, Solid*	0.0053	U		0.0012	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	Methylene chloride, Solid*	0.0053	U		0.0019	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	Tetrachloroethene, Solid*	0.046			0.00071	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	1,1,1-Trichloroethane, Solid*	0.023			0.00065	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	1,1,2-Trichloroethane, Solid*	0.0053	U		0.00075	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	Trichloroethene, Solid*	0.0053	U		0.00063	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
	Vinyl chloride, Solid*	0.0053	U		0.00079	0.0053	1.00000	mg/Kg	101183		11/08/03 2138	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101042		11/07/03 1409	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0949	lmr
	Barium, TCLP Leach	0.39	B		0.010	1.0	1	mg/L	101764		11/15/03 0949	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101764		11/15/03 0949	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0949	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 0949	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 0949	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 0949	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(30-32)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:58
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-16
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.3	U		4.3	4.3	1.00000	mg/Kg	101397		11/08/03 0647	mgk
Method	% Solids Determination											
	% Solids, Solid	96.7			0.10	0.10	1	%	100319		10/31/03 1345	crp
	% Moisture, Solid	3.3			0.10	0.10	1	%	100319		10/31/03 1345	crp
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0052	U		0.00098	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	Bromomethane, Solid*	0.0052	U		0.0030	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	1,1-Dichloroethene, Solid*	0.0052	U		0.0010	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	Chloroethane, Solid*	0.0052	U		0.0017	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	Carbon disulfide, Solid*	0.0052	U		0.0021	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	Acetone, Solid*	0.018			0.0043	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	1,1-Dichloroethane, Solid*	0.0052	U		0.00091	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	2-Butanone (MEK), Solid*	0.0052	U		0.0044	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	1,2-Dichloroethane, Solid*	0.0052	U		0.00060	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	Chloroform, Solid*	0.0052	U		0.00064	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	Carbon tetrachloride, Solid*	0.0052	U		0.00086	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	Benzene, Solid*	0.0026	J	a	0.00069	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	1,2-Dichloropropane, Solid*	0.0052	U		0.0010	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	Bromodichloromethane, Solid*	0.0052	U		0.00071	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	cis-1,3-Dichloropropene, Solid*	0.0052	U		0.00082	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	1,2-Dichloroethene (total), Solid*	0.0035	J	a	0.0020	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0052	U		0.0031	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	Toluene, Solid*	0.0068			0.0010	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	trans-1,3-Dichloropropene, Solid*	0.0052	U		0.00087	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	2-Hexanone, Solid*	0.0052	U		0.0018	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	Dibromochloromethane, Solid*	0.0052	U		0.00072	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(30-32)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:58
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-16
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0052	U		0.00094	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	Styrene, Solid*	0.0052	U		0.0010	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	Bromoform, Solid*	0.0052	U		0.00094	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0052	U		0.00066	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	Xylenes (total), Solid*	0.0031	J	a	0.0030	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	Ethylbenzene, Solid*	0.0052	U		0.0011	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	Methylene chloride, Solid*	0.0052	U		0.0019	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	Tetrachloroethene, Solid*	0.035			0.00070	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	1,1,1-Trichloroethane, Solid*	0.017			0.00063	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	1,1,2-Trichloroethane, Solid*	0.0052	U		0.00074	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	Trichloroethene, Solid*	0.0052	U		0.00061	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
	Vinyl chloride, Solid*	0.0052	U		0.00077	0.0052	1.00000	mg/Kg	101183		11/08/03 2206	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101042		11/07/03 1411	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 1018	lmr
	Barium, TCLP Leach	0.32	B		0.010	1.0	1	mg/L	101764		11/15/03 1018	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101764		11/15/03 1018	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 1018	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 1018	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 1018	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 1018	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(32-34)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 10:05
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-17
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), 3541 Solid*	4.2	U		4.2	4.2	1.00000	mg/Kg	101397		11/08/03 0735	mgk
Method	% Solids Determination											
	% Solids, Solid	97.9			0.10	0.10	1	%	100319		10/31/03 1345	crp
	% Moisture, Solid	2.1			0.10	0.10	1	%	100319		10/31/03 1345	crp
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0054	U		0.0010	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	Bromomethane, Solid*	0.0054	U		0.0031	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	1,1-Dichloroethene, Solid*	0.0054	U		0.0011	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	Chloroethane, Solid*	0.0054	U		0.0017	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	Carbon disulfide, Solid*	0.0054	U		0.0022	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	Acetone, Solid*	0.012			0.0044	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	1,1-Dichloroethane, Solid*	0.0054	U		0.00095	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	2-Butanone (MEK), Solid*	0.0054	U		0.0046	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	1,2-Dichloroethane, Solid*	0.0054	U		0.00063	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	Chloroform, Solid*	0.0054	U		0.00067	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	Carbon tetrachloride, Solid*	0.0054	U		0.00090	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	Benzene, Solid*	0.0054	U		0.00072	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	1,2-Dichloropropane, Solid*	0.0054	U		0.0010	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	Bromodichloromethane, Solid*	0.0054	U		0.00074	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	cis-1,3-Dichloropropene, Solid*	0.0054	U		0.00086	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	1,2-Dichloroethene (total), Solid*	0.0054	U		0.0021	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0054	U		0.0033	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	Toluene, Solid*	0.0070		H	0.0011	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	trans-1,3-Dichloropropene, Solid*	0.0054	U		0.00091	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	2-Hexanone, Solid*	0.0054	U		0.0018	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	Dibromochloromethane, Solid*	0.0054	U		0.00075	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S1(32-34)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 10:05
Sample Matrix.....: Soil

Laboratory Sample ID: 221825-17
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0054	U		0.00099	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	Styrene, Solid*	0.0054	U		0.0011	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	Bromoform, Solid*	0.0054	U		0.00099	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0054	U		0.00069	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	Xylenes (total), Solid*	0.0074			0.0031	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	Ethylbenzene, Solid*	0.0028	J	a	0.0012	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	Methylene chloride, Solid*	0.0054	U		0.0020	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	Tetrachloroethene, Solid*	0.023			0.00073	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	1,1,1-Trichloroethane, Solid*	0.0085			0.00066	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	1,1,2-Trichloroethane, Solid*	0.0054	U		0.00077	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	Trichloroethene, Solid*	0.0054	U		0.00064	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
	Vinyl chloride, Solid*	0.0054	U		0.00080	0.0054	1.00000	mg/Kg	101183		11/08/03 2233	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101042		11/07/03 1413	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 1025	lmr
	Barium, TCLP Leach	0.32	B		0.010	1.0	1	mg/L	101764		11/15/03 1025	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101764		11/15/03 1025	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 1025	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101764		11/15/03 1025	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101764		11/15/03 1025	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101764		11/15/03 1025	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: TRIP BLANK
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:40
Sample Matrix.....: Water

Laboratory Sample ID: 221825-18
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Chloromethane	0.0010	U		0.00016	0.0010	1.00000	mg/L	101145		11/09/03 1338	jdn
	Bromomethane	0.0010	U		0.00018	0.0010	1.00000	mg/L	101145		11/09/03 1338	jdn
	1,1-Dichloroethene	0.0010	U		0.00019	0.0010	1.00000	mg/L	101145		11/09/03 1338	jdn
	Chloroethane	0.0010	U		0.00021	0.0010	1.00000	mg/L	101145		11/09/03 1338	jdn
	Carbon disulfide	0.0050	U		0.00040	0.0050	1.00000	mg/L	101145		11/09/03 1338	jdn
	Acetone	0.0029	J		0.0015	0.0050	1.00000	mg/L	101145		11/09/03 1338	jdn
	2-Butanone (MEK)	0.0050	U		0.0017	0.0050	1.00000	mg/L	101145		11/09/03 1338	jdn
	1,2-Dichloroethane	0.0010	U		0.00025	0.0010	1.00000	mg/L	101145		11/09/03 1338	jdn
	Chloroform	0.0010	U		0.00023	0.0010	1.00000	mg/L	101145		11/09/03 1338	jdn
	Carbon tetrachloride	0.0010	U		0.00024	0.0010	1.00000	mg/L	101145		11/09/03 1338	jdn
	Benzene	0.0010	U		0.00020	0.0010	1.00000	mg/L	101145		11/09/03 1338	jdn
	1,2-Dichloropropane	0.0010	U		0.00022	0.0010	1.00000	mg/L	101145		11/09/03 1338	jdn
	Bromodichloromethane	0.0010	U		0.00023	0.0010	1.00000	mg/L	101145		11/09/03 1338	jdn
	1,2-Dichloroethene (total)	0.0010	U		0.00042	0.0010	1.00000	mg/L	101145		11/09/03 1338	jdn
	cis-1,3-Dichloropropene	0.0010	U		0.00022	0.0010	1.00000	mg/L	101145		11/09/03 1338	jdn
	4-Methyl-2-pentanone (MIBK)	0.0050	U		0.00092	0.0050	1.00000	mg/L	101145		11/09/03 1338	jdn
	Toluene	0.0010	U		0.00021	0.0010	1.00000	mg/L	101145		11/09/03 1338	jdn
	trans-1,3-Dichloropropene	0.0010	U		0.00024	0.0010	1.00000	mg/L	101145		11/09/03 1338	jdn
	2-Hexanone	0.0050	U		0.0012	0.0050	1.00000	mg/L	101145		11/09/03 1338	jdn
	Dibromochloromethane	0.0010	U		0.00023	0.0010	1.00000	mg/L	101145		11/09/03 1338	jdn
	Chlorobenzene	0.0010	U		0.00022	0.0010	1.00000	mg/L	101145		11/09/03 1338	jdn
	Styrene	0.0010	U		0.00023	0.0010	1.00000	mg/L	101145		11/09/03 1338	jdn
	Bromoform	0.0010	U		0.00022	0.0010	1.00000	mg/L	101145		11/09/03 1338	jdn
	1,1,2,2-Tetrachloroethane	0.0010	U		0.00025	0.0010	1.00000	mg/L	101145		11/09/03 1338	jdn
	Xylenes (total)	0.0010	U		0.00028	0.0010	1.00000	mg/L	101145		11/09/03 1338	jdn
	Ethylbenzene	0.0010	U		0.00020	0.0010	1.00000	mg/L	101145		11/09/03 1338	jdn
	Methylene chloride	0.0010	U		0.00019	0.0010	1.00000	mg/L	101145		11/09/03 1338	jdn
	Tetrachloroethene	0.0010	U		0.00020	0.0010	1.00000	mg/L	101145		11/09/03 1338	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221825

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: TRIP BLANK
Date Sampled.....: 10/28/2003
Time Sampled.....: 09:40
Sample Matrix.....: Water

Laboratory Sample ID: 221825-18
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	1,1,1-Trichloroethane	0.0010	U		0.00022	0.0010	1.00000	mg/L	101145		11/09/03 1338	jdn
	1,1,2-Trichloroethane	0.0010	U		0.00033	0.0010	1.00000	mg/L	101145		11/09/03 1338	jdn
	Trichloroethene	0.0010	U		0.00021	0.0010	1.00000	mg/L	101145		11/09/03 1338	jdn
	Vinyl chloride	0.0010	U		0.00018	0.0010	1.00000	mg/L	101145		11/09/03 1338	jdn

* In Description = Dry Wgt.

LABORATORY CHRONICLE

Job Number: 221825 Date: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221825-1 Client ID: RD-SB-S1(2-4)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100319		10/31/2003	1345	
5030A	5030 Purge & Trap of Methanol Extract	1	100571		11/03/2003	1832	
5030A	5030 Purge & Trap of Methanol Extract	2	100571		11/03/2003	2015	
5035	5035 Preservation High (Methanol)	1	100580		10/28/2003	0856	
5035	5035 Preservation Low	1	100576		10/28/2003	0856	
5035	5035 Preservation Low	2	100576		10/28/2003	0856	
3010A	Acid Dig. Leachates (ICAP)	1	100978	100798	11/07/2003	0710	
EDD	Electronic Data Deliverable	1	102039				
3541	Extraction Soxhlet (Jet Fuel)	1	100684		11/05/2003	0800	
7470A	Leachable, Mercury (CVAA)	1	101042	101024-100798	11/07/2003	1329	
6010B	Leachable, Metals Analysis (ICAP)	1	101764	100978-100798	11/15/2003	0729	
7470	SW846 Dig. Leachates (Hg)	1	101024		11/07/2003	1010	
1311	TCLP Extraction	1	100798		11/05/2003	1710	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101397	100684	11/08/2003	0908	20.0000
8260B	Volatile Organics	1	100573	100580-100571	11/03/2003	1832	5.000
8260B	Volatile Organics	1	100573	100580-100571	11/03/2003	2015	100.00

Lab ID: 221825-2 Client ID: RD-SB-S1(4-6)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100319		10/31/2003	1345	
5030A	5030 Purge & Trap of Methanol Extract	1	100571		11/03/2003	1855	
5030A	5030 Purge & Trap of Methanol Extract	2	100571		11/03/2003	2038	
5030A	5030 Purge & Trap of Methanol Extract	3	100687		11/04/2003	1430	
5030A	5030 Purge & Trap of Methanol Extract	4	100687		11/04/2003	1452	
5035	5035 Preservation High (Methanol)	1	100580		10/28/2003	0901	
5035	5035 Preservation Low	1	100576		10/28/2003	0851	
5035	5035 Preservation Low	2	100576		10/28/2003	0851	
3010A	Acid Dig. Leachates (ICAP)	1	100978	100798	11/07/2003	0710	
3541	Extraction Soxhlet (Jet Fuel)	1	100684		11/05/2003	0800	
7470A	Leachable, Mercury (CVAA)	1	101042	101024-100798	11/07/2003	1331	
6010B	Leachable, Metals Analysis (ICAP)	1	101764	100978-100798	11/15/2003	0736	
7470	SW846 Dig. Leachates (Hg)	1	101024		11/07/2003	1010	
1311	TCLP Extraction	1	100798		11/05/2003	1710	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101397	100684	11/08/2003	1041	20.0000
8260B	Volatile Organics	1	100688	100580-100687	11/04/2003	1430	100.00
8260B	Volatile Organics	1	100688	100580-100687	11/04/2003	1452	5.000

Lab ID: 221825-3 Client ID: RD-SB-S1(6-8)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100319		10/31/2003	1345	
5030A	5030 Purge & Trap of Methanol Extract	1	100571		11/03/2003	2123	
5030A	5030 Purge & Trap of Methanol Extract	2	100571		11/03/2003	2100	
5030A	5030 Purge & Trap of Methanol Extract	3	100571		11/03/2003	1917	
5035	5035 Preservation High (Methanol)	1	100580		10/28/2003	0905	
5035	5035 Preservation Low	1	100576		10/28/2003	0905	
5035	5035 Preservation Low	2	100576		10/28/2003	0905	
3010A	Acid Dig. Leachates (ICAP)	1	100978	100798	11/07/2003	0710	
3541	Extraction Soxhlet (Jet Fuel)	1	100684		11/05/2003	0800	
7470A	Leachable, Mercury (CVAA)	1	101042	101024-100798	11/07/2003	1333	
6010B	Leachable, Metals Analysis (ICAP)	1	101764	100978-100798	11/15/2003	0743	
7470	SW846 Dig. Leachates (Hg)	1	101024		11/07/2003	1010	
1311	TCLP Extraction	1	100798		11/05/2003	1710	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101397	100684	11/07/2003	1913	1.00000
8260B	Volatile Organics	1	100573	100580-100571	11/03/2003	2123	1.0000

ID: 221825-4 Client ID: RD-SB-S1(8-10)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100319		10/31/2003	1345	

LABORATORY CHRONICLE

Job Number: 221825 Date: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221825-10 Client ID: RD-SB-S1(20-22)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101397	100684	11/08/2003	0255	1.00000
8260B	Volatile Organics	1	101183	100576-101091	11/08/2003	2300	1.00000
8260B	Volatile Organics	1	101387	100580-101388	11/11/2003	1504	1.0000

Lab ID: 221825-11 Client ID: TRIP BLANK Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
5030B	5030 25 mL Purge Prep	1	101146		11/09/2003	1309	
8260B	Volatile Organics	1					
8260B	Volatile Organics	1	101145	101146	11/09/2003	1309	1.00000

Lab ID: 221825-12 Client ID: RD-SB-S1(22-24)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100319		10/31/2003	1345	
5035	5035 Archon Closed Purge & Trap	1	100819		11/05/2003	2213	
5035	5035 Preservation High (Methanol)	1	100580		10/28/2003	0942	
5035	5035 Preservation Low	1	100576		10/28/2003	0940	
5035	5035 Preservation Low	2	100576		10/28/2003	0940	
3010A	Acid Dig. Leachates (ICAP)	1	100978	100798	11/07/2003	0710	
3541	Extraction Soxhlet (Jet Fuel)	1	100684		11/05/2003	0800	
7470A	Leachable, Mercury (CVAA)	1	101042	101024-100798	11/07/2003	1358	
6010B	Leachable, Metals Analysis (ICAP)	1	101764	100978-100798	11/15/2003	0928	
7470	SW846 Dig. Leachates (Hg)	1	101024		11/07/2003	1010	
311	TCLP Extraction	1	100798		11/05/2003	1710	
[illegible]015B MDRO	TPH - Diesel Range Organics (DRO)	1	101397	100684	11/08/2003	0342	1.00000
8260B	Volatile Organics	1	100910	100576-100819	11/05/2003	2213	1.00000

Lab ID: 221825-13 Client ID: RD-SB-S1(24-26)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100319		10/31/2003	1345	
5035	5035 Archon Closed Purge & Trap	1	100819		11/05/2003	2241	
5035	5035 Preservation High (Methanol)	1	100580		10/28/2003	0947	
5035	5035 Preservation Low	1	100576		10/28/2003	0945	
5035	5035 Preservation Low	2	100576		10/28/2003	0945	
3010A	Acid Dig. Leachates (ICAP)	1	100978	100798	11/07/2003	0710	
3541	Extraction Soxhlet (Jet Fuel)	1	100684		11/05/2003	0800	
7470A	Leachable, Mercury (CVAA)	1	101042	101024-100798	11/07/2003	1401	
6010B	Leachable, Metals Analysis (ICAP)	1	101764	100978-100798	11/15/2003	0935	
7470	SW846 Dig. Leachates (Hg)	1	101024		11/07/2003	1010	
1311	TCLP Extraction	1	100798		11/05/2003	1710	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101397	100684	11/08/2003	0428	1.00000
8260B	Volatile Organics	1	100910	100576-100819	11/05/2003	2241	1.00000

Lab ID: 221825-14 Client ID: RD-SB-S1(26-28)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100319		10/31/2003	1345	
5035	5035 Archon Closed Purge & Trap	1	100819		11/05/2003	2308	
5035	5035 Preservation High (Methanol)	1	100580		10/28/2003	0951	
5035	5035 Preservation Low	1	100576		10/28/2003	0950	
5035	5035 Preservation Low	2	100576		10/28/2003	0950	
3010A	Acid Dig. Leachates (ICAP)	1	100978	100798	11/07/2003	0710	
3541	Extraction Soxhlet (Jet Fuel)	1	100684		11/05/2003	0800	
7470A	Leachable, Mercury (CVAA)	1	101042	101024-100798	11/07/2003	1407	
6010B	Leachable, Metals Analysis (ICAP)	1	101764	100978-100798	11/15/2003	0942	
7470	SW846 Dig. Leachates (Hg)	1	101024		11/07/2003	1010	
1311	TCLP Extraction	1	100798		11/05/2003	1710	

LABORATORY CHRONICLE

Job Number: 221825 Date: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221825-14 Client ID: RD-SB-S1(26-28)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101397	100684	11/08/2003	0515	1.00000
8260B	Volatile Organics	1	100910	100576-100819	11/05/2003	2308	1.00000

Lab ID: 221825-15 Client ID: RD-SB-S1(28-30)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100319		10/31/2003	1345	
5035	5035 Archon Closed Purge & Trap	1	101091		11/08/2003	2138	
5035	5035 Preservation High (Methanol)	1	100580		10/28/2003	0956	
5035	5035 Preservation Low	1	100576		10/28/2003	0955	
5035	5035 Preservation Low	2	100576		10/28/2003	0955	
3010A	Acid Dig. Leachates (ICAP)	1	100978	100798	11/07/2003	0710	
3541	Extraction Soxhlet (Jet Fuel)	1	100684		11/05/2003	0800	
7470A	Leachable, Mercury (CVAA)	1	101042	101024-100798	11/07/2003	1409	
6010B	Leachable, Metals Analysis (ICAP)	1	101764	100978-100798	11/15/2003	0949	
7470	SW846 Dig. Leachates (Hg)	1	101024		11/07/2003	1010	
1311	TCLP Extraction	1	100798		11/05/2003	1710	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101397	100684	11/08/2003	0601	1.00000
8260B	Volatile Organics	1	101183	100576-101091	11/08/2003	2138	1.00000

Lab ID: 221825-16 Client ID: RD-SB-S1(30-32)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100319		10/31/2003	1345	
5035	5035 Archon Closed Purge & Trap	1	101091		11/08/2003	2206	
5035	5035 Preservation High (Methanol)	1	100580		10/28/2003	1000	
5035	5035 Preservation Low	1	100576		10/28/2003	0958	
5035	5035 Preservation Low	2	100576		10/28/2003	0958	
3010A	Acid Dig. Leachates (ICAP)	1	100978	100798	11/07/2003	0710	
3541	Extraction Soxhlet (Jet Fuel)	1	100684		11/05/2003	0800	
7470A	Leachable, Mercury (CVAA)	1	101042	101024-100798	11/07/2003	1411	
6010B	Leachable, Metals Analysis (ICAP)	1	101764	100978-100798	11/15/2003	1018	
7470	SW846 Dig. Leachates (Hg)	1	101024		11/07/2003	1010	
1311	TCLP Extraction	1	100798		11/05/2003	1710	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101397	100684	11/08/2003	0647	1.00000
8260B	Volatile Organics	1	101183	100576-101091	11/08/2003	2206	1.00000

Lab ID: 221825-17 Client ID: RD-SB-S1(32-34)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100319		10/31/2003	1345	
5035	5035 Archon Closed Purge & Trap	1	101091		11/08/2003	2233	
5035	5035 Preservation High (Methanol)	1	100580		10/28/2003	1005	
5035	5035 Preservation Low	1	100576		10/28/2003	1000	
5035	5035 Preservation Low	2	100576		10/28/2003	1000	
3010A	Acid Dig. Leachates (ICAP)	1	100978	100798	11/07/2003	0710	
3541	Extraction Soxhlet (Jet Fuel)	1	100684		11/05/2003	0800	
7470A	Leachable, Mercury (CVAA)	1	101042	101024-100798	11/07/2003	1413	
6010B	Leachable, Metals Analysis (ICAP)	1	101764	100978-100798	11/15/2003	1025	
7470	SW846 Dig. Leachates (Hg)	1	101024		11/07/2003	1010	
1311	TCLP Extraction	1	100798		11/05/2003	1710	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101397	100684	11/08/2003	0735	1.00000
8260B	Volatile Organics	1	101183	100576-101091	11/08/2003	2233	1.00000

Lab ID: 221825-18 Client ID: TRIP BLANK Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
5030B	5030 25 mL Purge Prep	1	101146		11/09/2003	1338	
8260B	Volatile Organics	1					

S[illegible]icago is part of Severn Trent Laboratories, Inc.

LABORATORY CHRONICLE

Job Number: 221825 Date: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221825-18 Client ID: TRIP BLANK Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
8260B	Volatile Organics	1	101145	101146	11/09/2003 1338	1.00000

STL Chicago is part of Severn Trent Laboratories, Inc.

S U R R O G A T E R E C O V E R I E S R E P O R T

Job Number.: 221825 | Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

Method.....: TPH - Diesel Range Organics (DRO) | Test Matrix...: 3541 Solid | Prep Batch..: 100684
Method Code...: 8015D | Batch(s).....: 101397

Lab ID	DT	Sample ID	Date	2FLUBP	OTERPH
LCS			11/07/2003	124*	122
MB			11/07/2003	110*	108
221825- 1		RD-SB-S1(2-4)-01	11/08/2003	0 D	0 D
221825- 2		RD-SB-S1(4-6)-01	11/08/2003	0 D	0 D
221825- 3		RD-SB-S1(6-8)-01	11/07/2003	107*	194*I
221825- 4		RD-SB-S1(8-10)-01	11/07/2003	75	86
221825- 5		RD-SB-S1(10-12)-01	11/07/2003	101	100
221825- 5	MS	RD-SB-S1(10-12)-01	11/07/2003	101	99
221825- 5	MSD	RD-SB-S1(10-12)-01	11/07/2003	99	99
221825- 6		RD-SB-S1(12-14)-01	11/07/2003	76	74
221825- 7		RD-SB-S1(14-16)-01	11/08/2003	71	70
221825- 8		RD-SB-S1(16-18)-01	11/08/2003	106*	106
221825- 9		RD-SB-S1(18-20)-01	11/08/2003	103	102
221825- 10		RD-SB-S1(20-22)-01	11/08/2003	104*	106
221825- 12		RD-SB-S1(22-24)-01	11/08/2003	113*	111
221825- 13		RD-SB-S1(24-26)-01	11/08/2003	110*	108
221825- 14		RD-SB-S1(26-28)-01	11/08/2003	114*	112
[illegible]25- 15		RD-SB-S1(28-30)-01	11/08/2003	109*	106
[illegible]25- 16		RD-SB-S1(30-32)-01	11/08/2003	100	99
[illegible]825- 17		RD-SB-S1(32-34)-01	11/08/2003	104*	99

Test	Test Description	Limits
2FLUBP	2-Fluorobiphenyl (surr)	48 - 103
OTERPH	o-Terphenyl (surr)	44 - 128

STL Chicago is part of Severn Trent Laboratories, Inc.

SURROGATE RECOVERIES REPORT

Job Number.: 221825 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: High/Med Level
Batch(s).....: 100573
Prep Batch..: 100571

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			11/03/2003	86	98	94	106
MB			11/03/2003	89	94	94	104

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	43 - 139
BRFLBE	4-Bromofluorobenzene (surr)	57 - 124
DBRFLM	Dibromofluoromethane (surr)	64 - 132
TOLD8	Toluene-d8 (surr)	70 - 128

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: Solid
Batch(s).....: 100910 101183
Prep Batch..: 100576

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
221825- 4		RD-SB-S1(8-10)-01	11/08/2003	107	93	100	93
[illegible]825- 5		RD-SB-S1(10-12)-01	11/05/2003	105	95	98	96
[illegible]25- 6		RD-SB-S1(12-14)-01	11/08/2003	90	84	87	87
[illegible]825- 7		RD-SB-S1(14-16)-01	11/05/2003	109	93	104	99
221825- 8		RD-SB-S1(16-18)-01	11/05/2003	119	97	107	101
221825- 9		RD-SB-S1(18-20)-01	11/05/2003	118	98	114	101
221825- 10		RD-SB-S1(20-22)-01	11/08/2003	89	83	83	86
221825- 12		RD-SB-S1(22-24)-01	11/05/2003	106	95	101	97
221825- 13		RD-SB-S1(24-26)-01	11/05/2003	107	93	101	96
221825- 14		RD-SB-S1(26-28)-01	11/05/2003	106	95	102	97
221825- 15		RD-SB-S1(28-30)-01	11/08/2003	87	84	82	87
221825- 16		RD-SB-S1(30-32)-01	11/08/2003	89	85	85	85
221825- 17		RD-SB-S1(32-34)-01	11/08/2003	93	82	86	85

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	50 - 145
BRFLBE	4-Bromofluorobenzene (surr)	60 - 140
DBRFLM	Dibromofluoromethane (surr)	60 - 140
TOLD8	Toluene-d8 (surr)	66 - 141

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: High/Med Level
Batch(s).....: 100573 100688 101387
Prep Batch..: 100580

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
221825- 1		RD-SB-S1(2-4)-01	11/03/2003	91	98	93	103
221825- 1	D1	RD-SB-S1(2-4)-01	11/03/2003	90	97	93	104
221825- 2		RD-SB-S1(4-6)-01	11/04/2003	93	99	94	104
221825- 2	D1	RD-SB-S1(4-6)-01	11/04/2003	91	95	94	103
221825- 3		RD-SB-S1(6-8)-01	11/03/2003	90	97	92	105
221825- 4	D1	RD-SB-S1(8-10)-01	11/11/2003	87	97	95	105
221825- 10	D1	RD-SB-S1(20-22)-01	11/11/2003	84	91	89	100

st	Test Description	Limits
[illegible]CED	1,2-Dichloroethane-d4 (surr)	43 - 139
BRFLBE	4-Bromofluorobenzene (surr)	57 - 124

STL Chicago is part of Severn Trent Laboratories, Inc.

SURROGATE RECOVERIES REPORT

Job Number.: 221825 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: High/Med Level
Batch(s).....: 100573 100688 101387
Prep Batch..: 100580

Test	Test Description	Limits
DBRFLM	Dibromofluoromethane (surr)	64 - 132
TOLD8	Toluene-d8 (surr)	70 - 128

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: High/Med Level
Batch(s).....: 100688
Prep Batch..: 100687

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			11/04/2003	89	100	95	103
MB			11/04/2003	92	93	93	102

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	43 - 139
BRFLBE	4-Bromofluorobenzene (surr)	57 - 124
DBRFLM	Dibromofluoromethane (surr)	64 - 132
TOLD8	Toluene-d8 (surr)	70 - 128

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: High/Med Level
Batch(s).....: 100688
Prep Batch..: 100690

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
EB2			11/04/2003	91	95	91	104

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	43 - 139
BRFLBE	4-Bromofluorobenzene (surr)	57 - 124
DBRFLM	Dibromofluoromethane (surr)	64 - 132
TOLD8	Toluene-d8 (surr)	70 - 128

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: High/Med Level
Batch(s).....: 100688
Prep Batch..: 100692

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
EB2			11/04/2003	91	96	91	103

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	43 - 139
BRFLBE	4-Bromofluorobenzene (surr)	57 - 124
DBRFLM	Dibromofluoromethane (surr)	64 - 132
TOLD8	Toluene-d8 (surr)	70 - 128

STL Chicago is part of Severn Trent Laboratories, Inc.

SURROGATE RECOVERIES REPORT

Job Number.: 221825 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Method.....: Volatile Organics Test Matrix...: Solid Prep Batch..: 100819
Method Code...: 8260B Batch(s).....: 100910

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			11/05/2003	102	100	98	106
MB			11/05/2003	98	92	92	100

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	50 - 145
BRFLBE	4-Bromofluorobenzene (surr)	60 - 140
DBRFLM	Dibromofluoromethane (surr)	60 - 140
TOLD8	Toluene-d8 (surr)	66 - 141

Method.....: Volatile Organics Test Matrix...: Solid Prep Batch..: 101091
Method Code...: 8260B Batch(s).....: 101183

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			11/08/2003	94	98	93	100
			11/08/2003	100	92	102	96

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	50 - 145
BRFLBE	4-Bromofluorobenzene (surr)	60 - 140
DBRFLM	Dibromofluoromethane (surr)	60 - 140
TOLD8	Toluene-d8 (surr)	66 - 141

Method.....: Volatile Organics Test Matrix...: Water Prep Batch..: 101146
Method Code...: 8260B Batch(s).....: 101145

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			11/09/2003	99	94	99	101
MB			11/09/2003	97	91	100	100
221825- 11		TRIP BLANK	11/09/2003	99	93	102	102
221825- 18		TRIP BLANK	11/09/2003	100	94	103	102

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	61 - 131
BRFLBE	4-Bromofluorobenzene (surr)	73 - 122
DBRFLM	Dibromofluoromethane (surr)	66 - 132
TOLD8	Toluene-d8 (surr)	78 - 128

Method.....: Volatile Organics Test Matrix...: Solid Prep Batch..: 101154
Method Code...: 8260B Batch(s).....: 101183

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
EB3			11/08/2003	97	90	94	94

STL Chicago is part of Severn Trent Laboratories, Inc.

SURROGATE RECOVERIES REPORT

Job Number.: 221825 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: Solid
Batch(s).....: 101183
Prep Batch..: 101154

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	50 - 145
BRFLBE	4-Bromofluorobenzene (surr)	60 - 140
DBRFLM	Dibromofluoromethane (surr)	60 - 140
TOLD8	Toluene-d8 (surr)	66 - 141

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: High/Med Level
Batch(s).....: 101387
Prep Batch..: 101381

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
EB2			11/11/2003	88	96	93	105

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	43 - 139
BE	4-Bromofluorobenzene (surr)	57 - 124
LM	Dibromofluoromethane (surr)	64 - 132
D8	Toluene-d8 (surr)	70 - 128

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: High/Med Level
Batch(s).....: 101387
Prep Batch..: 101388

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			11/11/2003	88	101	96	107
MB			11/11/2003	91	96	96	106

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	43 - 139
BRFLBE	4-Bromofluorobenzene (surr)	57 - 124
DBRFLM	Dibromofluoromethane (surr)	64 - 132
TOLD8	Toluene-d8 (surr)	70 - 128

QUALITY CONTROL RESULTS

Job Number.: 221825

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
LCS	Laboratory Control Sample	003JWLJP4A	100684-002		11/07/2003	1103

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)

Equipment Code....: INST09
Batch.....: 101397

Analyst...: mgk

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
TPH - Jet Fuel (JP4), 3541 Solid	mg/Kg	36.148		66.670	4.199 U	54	%	50-150	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MB	Method Blank		100684-001		11/07/2003	1016

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)
Equipment Code....: INST09
Batch.....: 101397
Analyst...: mgk

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
TPH - Jet Fuel (JP4), 3541 Solid	mg/Kg	4.199 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MS	Matrix Spike	003JWLJP4A	221825-5		11/07/2003	2131

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)

Equipment Code....: INST09
Batch.....: 101397

Analyst...: mgk

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
TPH - Jet Fuel (JP4), 3541 Solid	mg/Kg	26.383		64.970	4.092 U	41	%	50-150	*

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)
Equipment Code....: INST09
Batch.....: 101397
Analyst...: mgk

MSD	Matrix Spike Duplicate	003JWLJP4A	221825-5		11/07/2003	2218

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value		QC Calc.	*	Limits	F
TPH - Jet Fuel (JP4), 3541 Solid	mg/Kg	27.247	26.383	66.580	4.194	U	41	%	50-150	*
							0	R	30	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
LCS	Laboratory Control Sample	V03K03DSB	100571-003		11/03/2003	1136

Test Method.....: 8260B
Method Description.: Volatile Organics
Equipment Code....: GCL16
Batch.....: 100573
Analyst...: jdn

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value		QC Calc.	*	Limits	F
Chloromethane, High/Med Level	mg/Kg	2.604		2.500	0.100	U	104	%	55-129	
Vinyl chloride, High/Med Level	mg/Kg	2.682		2.500	0.100	U	107	%	61-135	
Bromomethane, High/Med Level	mg/Kg	3.096		2.500	0.100	U	124	%	36-164	
Chloroethane, High/Med Level	mg/Kg	2.883		2.500	0.100	U	115	%	33-207	
1,1-Dichloroethene, High/Med Level	mg/Kg	1.802		2.500	0.100	U	72	%	44-143	
Carbon disulfide, High/Med Level	mg/Kg	1.413		2.500	0.100	U	57	%	21-124	
Acetone, High/Med Level	mg/Kg	2.026		2.500	0.100	U	81	%	34-143	
Methylene chloride, High/Med Level	mg/Kg	2.022		2.500	0.100	U	81	%	57-129	
1,1-Dichloroethane, High/Med Level	mg/Kg	2.036		2.500	0.100	U	81	%	68-119	
2-Butanone (MEK), High/Med Level	mg/Kg	2.142		2.500	0.100	U	86	%	40-125	
Chloroform, High/Med Level	mg/Kg	2.132		2.500	0.100	U	85	%	61-129	
1,1,1-Trichloroethane, High/Med Level	mg/Kg	2.176		2.500	0.100	U	87	%	69-133	
Carbon tetrachloride, High/Med Level	mg/Kg	2.331		2.500	0.100	U	93	%	59-127	
-Dichloroethene (total), High/Med L	mg/Kg	4.261		5.000	0.100	U	85	%	60-139	
zene, High/Med Level	mg/Kg	2.261		2.500	0.025	U	90	%	67-122	
1,2-Dichloroethane, High/Med Level	mg/Kg	2.080		2.500	0.100	U	83	%	64-115	
Trichloroethene, High/Med Level	mg/Kg	2.498		2.500	0.100	U	100	%	70-123	
1,2-Dichloropropane, High/Med Level	mg/Kg	2.275		2.500	0.100	U	91	%	70-122	
Bromodichloromethane, High/Med Level	mg/Kg	2.425		2.500	0.100	U	97	%	66-128	
cis-1,3-Dichloropropene, High/Med Leve	mg/Kg	2.448		2.600	0.100	U	94	%	68-123	
4-Methyl-2-pentanone (MIBK), High/Med	mg/Kg	2.164		2.500	0.100	U	87	%	54-119	
Toluene, High/Med Level	mg/Kg	2.391		2.500	0.025	U	96	%	72-123	
trans-1,3-Dichloropropene, High/Med Le	mg/Kg	2.336		2.400	0.100	U	97	%	60-115	
1,1,2-Trichloroethane, High/Med Level	mg/Kg	2.200		2.500	0.100	U	88	%	67-133	
Tetrachloroethene, High/Med Level	mg/Kg	2.551		2.500	0.100	U	102	%	75-125	
2-Hexanone, High/Med Level	mg/Kg	2.088		2.500	0.100	U	84	%	50-116	
Dibromochloromethane, High/Med Level	mg/Kg	2.467		2.500	0.100	U	99	%	70-119	
Chlorobenzene, High/Med Level	mg/Kg	2.399		2.500	0.100	U	96	%	80-125	
Ethylbenzene, High/Med Level	mg/Kg	2.518		2.500	0.025	U	101	%	78-128	
Styrene, High/Med Level	mg/Kg	2.655		2.500	0.100	U	106	%	80-129	
Bromoform, High/Med Level	mg/Kg	2.305		2.500	0.100	U	92	%	70-123	
1,1,2,2-Tetrachloroethane, High/Med Le	mg/Kg	2.166		2.500	0.100	U	87	%	70-126	
Xylenes (total), High/Med Level	mg/Kg	7.418		7.500	0.075	U	99	%	77-131	

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MB	Method Blank		100571-002		11/03/2003	1114

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL16
Batch.....: 100573

Analyst...: jdn

Parameter/Test Description	Units	QC Result		QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, High/Med Level	mg/Kg	0.100	U							
Vinyl chloride, High/Med Level	mg/Kg	0.100	U							
Bromomethane, High/Med Level	mg/Kg	0.100	U							
Chloroethane, High/Med Level	mg/Kg	0.100	U							
1,1-Dichloroethene, High/Med Level	mg/Kg	0.100	U							
Carbon disulfide, High/Med Level	mg/Kg	0.100	U							
Acetone, High/Med Level	mg/Kg	0.100	U							
Methylene chloride, High/Med Level	mg/Kg	0.100	U							
1,1-Dichloroethane, High/Med Level	mg/Kg	0.100	U							
2-Butanone (MEK), High/Med Level	mg/Kg	0.100	U							
Chloroform, High/Med Level	mg/Kg	0.100	U							
1,1,1-Trichloroethane, High/Med Level	mg/Kg	0.100	U							
Carbon tetrachloride, High/Med Level	mg/Kg	0.100	U							
1,2-Dichloroethene (total), High/Med L	mg/Kg	0.100	U							
Benzene, High/Med Level	mg/Kg	0.025	U							
1,2-Dichloroethane, High/Med Level	mg/Kg	0.100	U							
Trichloroethene, High/Med Level	mg/Kg	0.100	U							
1,2-Dichloropropane, High/Med Level	mg/Kg	0.100	U							
Bromodichloromethane, High/Med Level	mg/Kg	0.100	U							
cis-1,3-Dichloropropene, High/Med Leve	mg/Kg	0.100	U							
4-Methyl-2-pentanone (MIBK), High/Med	mg/Kg	0.100	U							
Toluene, High/Med Level	mg/Kg	0.025	U							
trans-1,3-Dichloropropene, High/Med Le	mg/Kg	0.100	U							
1,1,2-Trichloroethane, High/Med Level	mg/Kg	0.100	U							
Tetrachloroethene, High/Med Level	mg/Kg	0.100	U							
2-Hexanone, High/Med Level	mg/Kg	0.100	U							
Dibromochloromethane, High/Med Level	mg/Kg	0.100	U							
Chlorobenzene, High/Med Level	mg/Kg	0.100	U							
Ethylbenzene, High/Med Level	mg/Kg	0.025	U							
Styrene, High/Med Level	mg/Kg	0.100	U							
Bromoform, High/Med Level	mg/Kg	0.100	U							
1,1,2,2-Tetrachloroethane, High/Med Le	mg/Kg	0.100	U							
Xylenes (total), High/Med Level	mg/Kg	0.075	U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825 | Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
EB2	Extraction Blank 2	221903	100690-011		11/04/2003	1538

Test Method.....: 8260B
Method Description.: Volatile Organics
Equipment Code....: GCL16
Batch.....: 100688
Analyst...: jdn

Parameter/Test Description	Units	QC Result		QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, High/Med Level	mg/Kg	0.100	U							
Vinyl chloride, High/Med Level	mg/Kg	0.100	U							
Bromomethane, High/Med Level	mg/Kg	0.100	U							
Chloroethane, High/Med Level	mg/Kg	0.100	U							
1,1-Dichloroethene, High/Med Level	mg/Kg	0.100	U							
Carbon disulfide, High/Med Level	mg/Kg	0.100	U							
Acetone, High/Med Level	mg/Kg	0.100	U							
Methylene chloride, High/Med Level	mg/Kg	0.100	U							
1,1-Dichloroethane, High/Med Level	mg/Kg	0.100	U							
2-Butanone (MEK), High/Med Level	mg/Kg	0.100	U							
Chloroform, High/Med Level	mg/Kg	0.100	U							
1,1,1-Trichloroethane, High/Med Level	mg/Kg	0.100	U							
Carbon tetrachloride, High/Med Level	mg/Kg	0.100	U							
[illegible]-Dichloroethene (total), High/Med L	mg/Kg	0.100	U							
[illegible]zene, High/Med Level	mg/Kg	0.025	U							
1,2-Dichloroethane, High/Med Level	mg/Kg	0.100	U							
Trichloroethene, High/Med Level	mg/Kg	0.100	U							
1,2-Dichloropropane, High/Med Level	mg/Kg	0.100	U							
Bromodichloromethane, High/Med Level	mg/Kg	0.100	U							
cis-1,3-Dichloropropene, High/Med Leve	mg/Kg	0.100	U							
4-Methyl-2-pentanone (MIBK), High/Med	mg/Kg	0.100	U							
Toluene, High/Med Level	mg/Kg	0.025	U							
trans-1,3-Dichloropropene, High/Med Le	mg/Kg	0.100	U							
1,1,2-Trichloroethane, High/Med Level	mg/Kg	0.100	U							
Tetrachloroethene, High/Med Level	mg/Kg	0.100	U							
2-Hexanone, High/Med Level	mg/Kg	0.100	U							
Dibromochloromethane, High/Med Level	mg/Kg	0.100	U							
Chlorobenzene, High/Med Level	mg/Kg	0.100	U							
Ethylbenzene, High/Med Level	mg/Kg	0.025	U							
Styrene, High/Med Level	mg/Kg	0.100	U							
Bromoform, High/Med Level	mg/Kg	0.100	U							
1,1,2,2-Tetrachloroethane, High/Med Le	mg/Kg	0.100	U							
Xylenes (total), High/Med Level	mg/Kg	0.075	U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL16
Batch.....: 100688

Analyst...: jdn

EB2	Extraction Blank 2	1980-1984	100692-009		11/04/2003	1816

Parameter/Test Description	Units	QC Result		QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Bromomethane, High/Med Level	mg/Kg	0.100	U							
Benzene, High/Med Level	mg/Kg	0.025	U							
Trichloroethene, High/Med Level	mg/Kg	0.100	U							
Toluene, High/Med Level	mg/Kg	0.025	U							
Ethylbenzene, High/Med Level	mg/Kg	0.025	U							
Styrene, High/Med Level	mg/Kg	0.100	U							
Xylenes (total), High/Med Level	mg/Kg	0.075	U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL16
Batch.....: 100688

Analyst...: jdn

LCS	Laboratory Control Sample	V03K04DSB	100687-007		11/04/2003	1237

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, High/Med Level	mg/Kg	1.673		2.500	0.100 U	67	%	55-129	
Vinyl chloride, High/Med Level	mg/Kg	1.720		2.500	0.100 U	69	%	61-135	
Bromomethane, High/Med Level	mg/Kg	1.928		2.500	0.100 U	77	%	36-164	
Chloroethane, High/Med Level	mg/Kg	1.910		2.500	0.100 U	76	%	33-207	
1,1-Dichloroethene, High/Med Level	mg/Kg	1.792		2.500	0.100 U	72	%	44-143	
Carbon disulfide, High/Med Level	mg/Kg	1.387		2.500	0.100 U	55	%	21-124	
Acetone, High/Med Level	mg/Kg	2.126		2.500	0.100 U	85	%	34-143	
Methylene chloride, High/Med Level	mg/Kg	2.062		2.500	0.100 U	82	%	57-129	
1,1-Dichloroethane, High/Med Level	mg/Kg	2.044		2.500	0.100 U	82	%	68-119	
2-Butanone (MEK), High/Med Level	mg/Kg	2.452		2.500	0.100 U	98	%	40-125	
Chloroform, High/Med Level	mg/Kg	2.172		2.500	0.100 U	87	%	61-129	
1,1,1-Trichloroethane, High/Med Level	mg/Kg	2.205		2.500	0.100 U	88	%	69-133	
Carbon tetrachloride, High/Med Level	mg/Kg	2.305		2.500	0.100 U	92	%	59-127	
Dichloroethene (total), High/Med L	mg/Kg	4.290		5.000	0.100 U	86	%	60-139	
[illegible]ene, High/Med Level	mg/Kg	2.228		2.500	0.025 U	89	%	67-122	
1,2-Dichloroethane, High/Med Level	mg/Kg	2.187		2.500	0.100 U	87	%	64-115	
Trichloroethene, High/Med Level	mg/Kg	2.477		2.500	0.100 U	99	%	70-123	
1,2-Dichloropropane, High/Med Level	mg/Kg	2.232		2.500	0.100 U	89	%	70-122	
Bromodichloromethane, High/Med Level	mg/Kg	2.468		2.500	0.100 U	99	%	66-128	
cis-1,3-Dichloropropene, High/Med Leve	mg/Kg	2.440		2.600	0.100 U	94	%	68-123	
4-Methyl-2-pentanone (MIBK), High/Med	mg/Kg	2.508		2.500	0.100 U	100	%	54-119	
Toluene, High/Med Level	mg/Kg	2.368		2.500	0.025 U	95	%	72-123	
trans-1,3-Dichloropropene, High/Med Le	mg/Kg	2.374		2.400	0.100 U	99	%	60-115	
1,1,2-Trichloroethane, High/Med Level	mg/Kg	2.333		2.500	0.100 U	93	%	67-133	
Tetrachloroethene, High/Med Level	mg/Kg	2.586		2.500	0.100 U	103	%	75-125	
2-Hexanone, High/Med Level	mg/Kg	2.389		2.500	0.100 U	96	%	50-116	
Dibromochloromethane, High/Med Level	mg/Kg	2.580		2.500	0.100 U	103	%	70-119	
Chlorobenzene, High/Med Level	mg/Kg	2.416		2.500	0.100 U	97	%	80-125	
Ethylbenzene, High/Med Level	mg/Kg	2.514		2.500	0.025 U	101	%	78-128	
Styrene, High/Med Level	mg/Kg	2.687		2.500	0.100 U	107	%	80-129	
Bromoform, High/Med Level	mg/Kg	2.483		2.500	0.100 U	99	%	70-123	
1,1,2,2-Tetrachloroethane, High/Med Le	mg/Kg	2.394		2.500	0.100 U	96	%	70-126	
Xylenes (total), High/Med Level	mg/Kg	7.451		7.500	0.075 U	99	%	77-131	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL16
Batch.....: 100688

Analyst...: jdn

MB	Method Blank		100687-006		11/04/2003	1152

Parameter/Test Description	Units	QC Result		QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, High/Med Level	mg/Kg	0.100	U							
Vinyl chloride, High/Med Level	mg/Kg	0.100	U							
Bromomethane, High/Med Level	mg/Kg	0.100	U							
Chloroethane, High/Med Level	mg/Kg	0.100	U							
1,1-Dichloroethene, High/Med Level	mg/Kg	0.100	U							
Carbon disulfide, High/Med Level	mg/Kg	0.100	U							
Acetone, High/Med Level	mg/Kg	0.100	U							
Methylene chloride, High/Med Level	mg/Kg	0.100	U							
1,1-Dichloroethane, High/Med Level	mg/Kg	0.100	U							
2-Butanone (MEK), High/Med Level	mg/Kg	0.100	U							
Chloroform, High/Med Level	mg/Kg	0.100	U							
1,1,1-Trichloroethane, High/Med Level	mg/Kg	0.100	U							
Carbon tetrachloride, High/Med Level	mg/Kg	0.100	U							
1,2-Dichloroethene (total), High/Med L	mg/Kg	0.100	U							
Benzene, High/Med Level	mg/Kg	0.025	U							
1,2-Dichloroethane, High/Med Level	mg/Kg	0.100	U							
Trichloroethene, High/Med Level	mg/Kg	0.100	U							
1,2-Dichloropropane, High/Med Level	mg/Kg	0.100	U							
Bromodichloromethane, High/Med Level	mg/Kg	0.100	U							
cis-1,3-Dichloropropene, High/Med Leve	mg/Kg	0.100	U							
4-Methyl-2-pentanone (MIBK), High/Med	mg/Kg	0.100	U							
Toluene, High/Med Level	mg/Kg	0.025	U							
trans-1,3-Dichloropropene, High/Med Le	mg/Kg	0.100	U							
1,1,2-Trichloroethane, High/Med Level	mg/Kg	0.100	U							
Tetrachloroethene, High/Med Level	mg/Kg	0.100	U							
2-Hexanone, High/Med Level	mg/Kg	0.100	U							
Dibromochloromethane, High/Med Level	mg/Kg	0.100	U							
Chlorobenzene, High/Med Level	mg/Kg	0.100	U							
Ethylbenzene, High/Med Level	mg/Kg	0.025	U							
Styrene, High/Med Level	mg/Kg	0.100	U							
Bromoform, High/Med Level	mg/Kg	0.100	U							
1,1,2,2-Tetrachloroethane, High/Med Le	mg/Kg	0.100	U							
Xylenes (total), High/Med Level	mg/Kg	0.075	U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
LCS	Laboratory Control Sample	V03K05DSB	100819-019		11/05/2003	1515

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL6
Batch.....: 100910

Analyst...: jdn

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, Solid	mg/Kg	0.045		0.050	0.005 U	90	%	45-141	
Vinyl chloride, Solid	mg/Kg	0.041		0.050	0.005 U	83	%	58-140	
Bromomethane, Solid	mg/Kg	0.044		0.050	0.005 U	89	%	48-127	
Chloroethane, Solid	mg/Kg	0.046		0.050	0.005 U	92	%	59-163	
1,1-Dichloroethene, Solid	mg/Kg	0.040		0.050	0.005 U	80	%	51-132	
Carbon disulfide, Solid	mg/Kg	0.034		0.050	0.005 U	68	%	23-138	
Acetone, Solid	mg/Kg	0.033		0.050	0.005 U	67	%	46-167	
Methylene chloride, Solid	mg/Kg	0.043		0.050	0.005 U	87	%	58-143	
1,1-Dichloroethane, Solid	mg/Kg	0.047		0.050	0.005 U	94	%	63-133	
2-Butanone (MEK), Solid	mg/Kg	0.042		0.050	0.005 U	84	%	50-150	
Chloroform, Solid	mg/Kg	0.049		0.050	0.005 U	99	%	73-135	
1,1,1-Trichloroethane, Solid	mg/Kg	0.052		0.050	0.005 U	103	%	63-133	
Carbon tetrachloride, Solid	mg/Kg	0.052		0.050	0.005 U	105	%	67-127	
Dichloroethene (total), Solid	mg/Kg	0.094		0.100	0.005 U	94	%	63-144	
[illegible]ene, Solid	mg/Kg	0.049		0.050	0.005 U	99	%	72-128	
1,2-Dichloroethane, Solid	mg/Kg	0.051		0.050	0.005 U	102	%	69-125	
Trichloroethene, Solid	mg/Kg	0.049		0.050	0.005 U	99	%	75-129	
1,2-Dichloropropane, Solid	mg/Kg	0.050		0.050	0.005 U	99	%	76-132	
Bromodichloromethane, Solid	mg/Kg	0.056		0.050	0.005 U	111	%	74-128	
cis-1,3-Dichloropropene, Solid	mg/Kg	0.053		0.052	0.005 U	101	%	80-124	
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.049		0.050	0.005 U	99	%	68-134	
Toluene, Solid	mg/Kg	0.051		0.050	0.005 U	102	%	75-125	
trans-1,3-Dichloropropene, Solid	mg/Kg	0.053		0.048	0.005 U	110	%	75-134	
1,1,2-Trichloroethane, Solid	mg/Kg	0.053		0.050	0.005 U	105	%	71-143	
Tetrachloroethene, Solid	mg/Kg	0.050		0.050	0.005 U	100	%	75-129	
2-Hexanone, Solid	mg/Kg	0.048		0.050	0.005 U	95	%	69-140	
Dibromochloromethane, Solid	mg/Kg	0.051		0.050	0.005 U	102	%	77-127	
Chlorobenzene, Solid	mg/Kg	0.050		0.050	0.005 U	99	%	83-125	
Ethylbenzene, Solid	mg/Kg	0.050		0.050	0.005 U	101	%	79-123	
Styrene, Solid	mg/Kg	0.053		0.050	0.005 U	106	%	85-126	
Bromoform, Solid	mg/Kg	0.052		0.050	0.005 U	103	%	78-132	
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.050		0.050	0.005 U	101	%	68-139	
Xylenes (total), Solid	mg/Kg	0.151		0.150	0.005 U	101	%	82-125	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MB	Method Blank		100819-018		11/05/2003	1447

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL6
Batch.....: 100910

Analyst...: jdn

Parameter/Test Description	Units	QC Result		QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, Solid	mg/Kg	0.005	U							
Vinyl chloride, Solid	mg/Kg	0.005	U							
Bromomethane, Solid	mg/Kg	0.005	U							
Chloroethane, Solid	mg/Kg	0.005	U							
1,1-Dichloroethene, Solid	mg/Kg	0.005	U							
Carbon disulfide, Solid	mg/Kg	0.005	U							
Acetone, Solid	mg/Kg	0.005	U							
Methylene chloride, Solid	mg/Kg	0.005	U							
1,1-Dichloroethane, Solid	mg/Kg	0.005	U							
2-Butanone (MEK), Solid	mg/Kg	0.005	U							
Chloroform, Solid	mg/Kg	0.005	U							
1,1,1-Trichloroethane, Solid	mg/Kg	0.005	U							
Carbon tetrachloride, Solid	mg/Kg	0.005	U							
1,2-Dichloroethene (total), Solid	mg/Kg	0.005	U							
Benzene, Solid	mg/Kg	0.005	U							
1,2-Dichloroethane, Solid	mg/Kg	0.005	U							
Trichloroethene, Solid	mg/Kg	0.005	U							
1,2-Dichloropropane, Solid	mg/Kg	0.005	U							
Bromodichloromethane, Solid	mg/Kg	0.005	U							
cis-1,3-Dichloropropene, Solid	mg/Kg	0.005	U							
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.005	U							
Toluene, Solid	mg/Kg	0.005	U							
trans-1,3-Dichloropropene, Solid	mg/Kg	0.005	U							
1,1,2-Trichloroethane, Solid	mg/Kg	0.005	U							
Tetrachloroethene, Solid	mg/Kg	0.005	U							
2-Hexanone, Solid	mg/Kg	0.005	U							
Dibromochloromethane, Solid	mg/Kg	0.005	U							
Chlorobenzene, Solid	mg/Kg	0.005	U							
Ethylbenzene, Solid	mg/Kg	0.005	U							
Styrene, Solid	mg/Kg	0.005	U							
Bromoform, Solid	mg/Kg	0.005	U							
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.005	U							
Xylenes (total), Solid	mg/Kg	0.005	U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL9
Batch.....: 101145

Analyst...: jdn

LCS	Laboratory Control Sample	V03K09DSE	101146-017		11/09/2003	0946

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane	ug/L	6.584		10.000	1.000 U	66	%	56-129	
Vinyl chloride	ug/L	9.129		10.000	1.000 U	91	%	67-137	
Bromomethane	ug/L	6.851		10.000	1.000 U	69	%	51-152	
Chloroethane	ug/L	10.109		10.000	1.000 U	101	%	68-135	
1,1-Dichloroethene	ug/L	9.442		10.000	1.000 U	94	%	54-127	
Carbon disulfide	ug/L	8.712		10.000	5.000 U	87	%	29-136	
Acetone	ug/L	8.095		10.000	5.000 U	81	%	43-150	
Methylene chloride	ug/L	8.886		10.000	1.000 U	89	%	52-133	
2-Butanone (MEK)	ug/L	10.388		10.000	5.000 U	104	%	54-145	
Chloroform	ug/L	9.691		10.000	1.000 U	97	%	74-128	
1,1,1-Trichloroethane	ug/L	9.773		10.000	1.000 U	98	%	66-129	
Carbon tetrachloride	ug/L	9.924		10.000	1.000 U	99	%	66-136	
1 2-Dichloroethene (total)	ug/L	19.321		20.000	1.000 U	97	%	72-121	
zene	ug/L	9.487		10.000	1.000 U	95	%	74-116	
-Dichloroethane	ug/L	9.222		10.000	1.000 U	92	%	63-133	
Trichloroethene	ug/L	9.810		10.000	1.000 U	98	%	70-120	
1,2-Dichloropropane	ug/L	9.721		10.000	1.000 U	97	%	71-132	
Bromodichloromethane	ug/L	10.380		10.000	1.000 U	104	%	76-129	
cis-1,3-Dichloropropene	ug/L	9.871		10.400	1.000 U	95	%	75-123	
4-Methyl-2-pentanone (MIBK)	ug/L	8.375		10.000	5.000 U	84	%	66-147	
Toluene	ug/L	9.498		10.000	1.000 U	95	%	71-122	
trans-1,3-Dichloropropene	ug/L	9.294		9.600	1.000 U	97	%	76-126	
1,1,2-Trichloroethane	ug/L	9.572		10.000	1.000 U	96	%	69-138	
Tetrachloroethene	ug/L	9.762		10.000	1.000 U	98	%	69-128	
2-Hexanone	ug/L	9.617		10.000	5.000 U	96	%	70-144	
Dibromochloromethane	ug/L	9.703		10.000	1.000 U	97	%	74-137	
Chlorobenzene	ug/L	9.252		10.000	1.000 U	93	%	76-124	
Ethylbenzene	ug/L	9.701		10.000	1.000 U	97	%	74-121	
Styrene	ug/L	10.102		10.000	1.000 U	101	%	80-125	
Bromoform	ug/L	8.934		10.000	1.000 U	89	%	73-139	
1,1,2,2-Tetrachloroethane	ug/L	9.327		10.000	1.000 U	93	%	72-127	
Xylenes (total)	ug/L	31.714		30.000	1.000 U	106	%	76-138	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MB	Method Blank		101146-016		11/09/2003	0820

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL9
Batch.....: 101145

Analyst...: jdn

Parameter/Test Description	Units	QC Result		QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane	ug/L	1.000	U							
Vinyl chloride	ug/L	1.000	U							
Bromomethane	ug/L	1.000	U							
Chloroethane	ug/L	1.000	U							
1,1-Dichloroethene	ug/L	1.000	U							
Carbon disulfide	ug/L	5.000	U							
Acetone	ug/L	5.000	U							
Methylene chloride	ug/L	1.000	U							
2-Butanone (MEK)	ug/L	5.000	U							
Chloroform	ug/L	1.000	U							
1,1,1-Trichloroethane	ug/L	1.000	U							
Carbon tetrachloride	ug/L	1.000	U							
1,2-Dichloroethene (total)	ug/L	1.000	U							
[illegible]ene	ug/L	1.000	U							
[illegible]-Dichloroethane	ug/L	1.000	U							
Trichloroethene	ug/L	1.000	U							
1,2-Dichloropropane	ug/L	1.000	U							
Bromodichloromethane	ug/L	1.000	U							
cis-1,3-Dichloropropene	ug/L	1.000	U							
4-Methyl-2-pentanone (MIBK)	ug/L	5.000	U							
Toluene	ug/L	1.000	U							
trans-1,3-Dichloropropene	ug/L	1.000	U							
1,1,2-Trichloroethane	ug/L	1.000	U							
Tetrachloroethene	ug/L	1.000	U							
2-Hexanone	ug/L	5.000	U							
Dibromochloromethane	ug/L	1.000	U							
Chlorobenzene	ug/L	1.000	U							
Ethylbenzene	ug/L	1.000	U							
Styrene	ug/L	1.000	U							
Bromoform	ug/L	1.000	U							
1,1,2,2-Tetrachloroethane	ug/L	1.000	U							
Xylenes (total)	ug/L	1.000	U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825 | Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
EB3	DI Blank	221711	101154-028		11/08/2003	1515

Test Method.....: 8260B
Method Description.: Volatile Organics
Equipment Code....: GCL6
Batch.....: 101183
Analyst...: jdn

Parameter/Test Description	Units	QC Result		QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, Solid	mg/Kg	0.005	U							
Vinyl chloride, Solid	mg/Kg	0.005	U							
Bromomethane, Solid	mg/Kg	0.005	U							
Chloroethane, Solid	mg/Kg	0.005	U							
1,1-Dichloroethene, Solid	mg/Kg	0.005	U							
Carbon disulfide, Solid	mg/Kg	0.005	U							
Acetone, Solid	mg/Kg	0.005	U							
Methylene chloride, Solid	mg/Kg	0.005	U							
1,1-Dichloroethane, Solid	mg/Kg	0.005	U							
2-Butanone (MEK), Solid	mg/Kg	0.005	U							
Chloroform, Solid	mg/Kg	0.005	U							
1,1,1-Trichloroethane, Solid	mg/Kg	0.005	U							
Carbon tetrachloride, Solid	mg/Kg	0.005	U							
Dichloroethene (total), Solid	mg/Kg	0.005	U							
[illegible]ene, Solid	mg/Kg	0.005	U							
1,2-Dichloroethane, Solid	mg/Kg	0.005	U							
Trichloroethene, Solid	mg/Kg	0.005	U							
1,2-Dichloropropane, Solid	mg/Kg	0.005	U							
Bromodichloromethane, Solid	mg/Kg	0.005	U							
cis-1,3-Dichloropropene, Solid	mg/Kg	0.005	U							
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.005	U							
Toluene, Solid	mg/Kg	0.005	U							
trans-1,3-Dichloropropene, Solid	mg/Kg	0.005	U							
1,1,2-Trichloroethane, Solid	mg/Kg	0.005	U							
Tetrachloroethene, Solid	mg/Kg	0.005	U							
2-Hexanone, Solid	mg/Kg	0.005	U							
Dibromochloromethane, Solid	mg/Kg	0.005	U							
Chlorobenzene, Solid	mg/Kg	0.005	U							
Ethylbenzene, Solid	mg/Kg	0.005	U							
Styrene, Solid	mg/Kg	0.005	U							
Bromoform, Solid	mg/Kg	0.005	U							
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.005	U							
Xylenes (total), Solid	mg/Kg	0.005	U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
LCS	Laboratory Control Sample	V03K08DSB	101091-020		11/08/2003	1435

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL6
Batch.....: 101183

Analyst...: jdn

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, Solid	mg/Kg	0.040		0.050	0.005 U	80	%	45-141	
Vinyl chloride, Solid	mg/Kg	0.043		0.050	0.005 U	86	%	58-140	
Bromomethane, Solid	mg/Kg	0.037		0.050	0.005 U	74	%	48-127	
Chloroethane, Solid	mg/Kg	0.045		0.050	0.005 U	89	%	59-163	
1,1-Dichloroethene, Solid	mg/Kg	0.048		0.050	0.005 U	97	%	51-132	
Carbon disulfide, Solid	mg/Kg	0.044		0.050	0.005 U	88	%	23-138	
Acetone, Solid	mg/Kg	0.043		0.050	0.005 U	85	%	46-167	
Methylene chloride, Solid	mg/Kg	0.047		0.050	0.005 U	95	%	58-143	
1,1-Dichloroethane, Solid	mg/Kg	0.048		0.050	0.005 U	97	%	63-133	
2-Butanone (MEK), Solid	mg/Kg	0.053		0.050	0.005 U	106	%	50-150	
Chloroform, Solid	mg/Kg	0.050		0.050	0.005 U	100	%	73-135	
1,1,1-Trichloroethane, Solid	mg/Kg	0.050		0.050	0.005 U	100	%	63-133	
Carbon tetrachloride, Solid	mg/Kg	0.051		0.050	0.005 U	103	%	67-127	
1,2-Dichloroethene (total), Solid	mg/Kg	0.098		0.100	0.005 U	98	%	63-144	
Benzene, Solid	mg/Kg	0.049		0.050	0.005 U	98	%	72-128	
1,2-Dichloroethane, Solid	mg/Kg	0.051		0.050	0.005 U	102	%	69-125	
Trichloroethene, Solid	mg/Kg	0.050		0.050	0.005 U	101	%	75-129	
1,2-Dichloropropane, Solid	mg/Kg	0.049		0.050	0.005 U	99	%	76-132	
Bromodichloromethane, Solid	mg/Kg	0.057		0.050	0.005 U	115	%	74-128	
cis-1,3-Dichloropropene, Solid	mg/Kg	0.054		0.052	0.005 U	103	%	80-124	
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.055		0.050	0.005 U	109	%	68-134	
Toluene, Solid	mg/Kg	0.051		0.050	0.005 U	102	%	75-125	
trans-1,3-Dichloropropene, Solid	mg/Kg	0.053		0.048	0.005 U	111	%	75-134	
1,1,2-Trichloroethane, Solid	mg/Kg	0.054		0.050	0.005 U	109	%	71-143	
Tetrachloroethene, Solid	mg/Kg	0.047		0.050	0.005 U	94	%	75-129	
2-Hexanone, Solid	mg/Kg	0.054		0.050	0.005 U	108	%	69-140	
Dibromochloromethane, Solid	mg/Kg	0.055		0.050	0.005 U	111	%	77-127	
Chlorobenzene, Solid	mg/Kg	0.049		0.050	0.005 U	99	%	83-125	
Ethylbenzene, Solid	mg/Kg	0.050		0.050	0.005 U	99	%	79-123	
Styrene, Solid	mg/Kg	0.054		0.050	0.005 U	108	%	85-126	
Bromoform, Solid	mg/Kg	0.059		0.050	0.005 U	118	%	78-132	
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.050		0.050	0.005 U	100	%	68-139	
Xylenes (total), Solid	mg/Kg	0.151		0.150	0.005 U	100	%	82-125	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL6
Batch.....: 101183

Analyst...: jdn

MB	Method Blank		101091-019		11/08/2003	1358

Parameter/Test Description	Units	QC Result		QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, Solid	mg/Kg	0.005	U							
Vinyl chloride, Solid	mg/Kg	0.005	U							
Bromomethane, Solid	mg/Kg	0.005	U							
Chloroethane, Solid	mg/Kg	0.005	U							
1,1-Dichloroethene, Solid	mg/Kg	0.005	U							
Carbon disulfide, Solid	mg/Kg	0.005	U							
Acetone, Solid	mg/Kg	0.005	U							
Methylene chloride, Solid	mg/Kg	0.005	U							
1,1-Dichloroethane, Solid	mg/Kg	0.005	U							
2-Butanone (MEK), Solid	mg/Kg	0.005	U							
Chloroform, Solid	mg/Kg	0.005	U							
1,1,1-Trichloroethane, Solid	mg/Kg	0.005	U							
Carbon tetrachloride, Solid	mg/Kg	0.005	U							
1,2-Dichloroethene (total), Solid	mg/Kg	0.005	U							
Benzene, Solid	mg/Kg	0.005	U							
1,2-Dichloroethane, Solid	mg/Kg	0.005	U							
Trichloroethene, Solid	mg/Kg	0.005	U							
1,2-Dichloropropane, Solid	mg/Kg	0.005	U							
Bromodichloromethane, Solid	mg/Kg	0.005	U							
cis-1,3-Dichloropropene, Solid	mg/Kg	0.005	U							
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.005	U							
Toluene, Solid	mg/Kg	0.005	U							
trans-1,3-Dichloropropene, Solid	mg/Kg	0.005	U							
1,1,2-Trichloroethane, Solid	mg/Kg	0.005	U							
Tetrachloroethene, Solid	mg/Kg	0.005	U							
2-Hexanone, Solid	mg/Kg	0.005	U							
Dibromochloromethane, Solid	mg/Kg	0.005	U							
Chlorobenzene, Solid	mg/Kg	0.005	U							
Ethylbenzene, Solid	mg/Kg	0.005	U							
Styrene, Solid	mg/Kg	0.005	U							
Bromoform, Solid	mg/Kg	0.005	U							
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.005	U							
Xylenes (total), Solid	mg/Kg	0.005	U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL16
Batch.....: 101387

Analyst...: jdn

LCS	Laboratory Control Sample	V03K11DSB	101388-002		11/11/2003	1312

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
1,1,1-Trichloroethane, High/Med Level	mg/Kg	2.322		2.500	0.100 U	93	%	69-133	
Tetrachloroethene, High/Med Level	mg/Kg	2.640		2.500	0.100 U	106	%	75-125	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL16
Batch.....: 101387

Analyst...: jdn

MB	Method Blank		101388-001		11/11/2003	1227

Parameter/Test Description	Units	QC Result		QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
1,1,1-Trichloroethane, High/Med Level	mg/Kg	0.100	U							
Tetrachloroethene, High/Med Level	mg/Kg	0.100	U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825 | Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)
Equipment Code....: ICP5
Batch.....: 101764
Analyst...: lmr

CCB	Continuing Calibration Blank		101764-016		11/15/2003	0242

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		101764-028		11/15/2003	0423

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
[illegible]nic	mg/L	0.01000 U							
[illegible]um	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		101764-040		11/15/2003	0553

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		101764-050		11/15/2003	0709

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825 | Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCB	Continuing Calibration Blank		101764-062		11/15/2003	0841

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		101764-074		11/15/2003	1011

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		101764-081		11/15/2003	1107

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825 | Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B | Equipment Code....: ICP5 | Analyst...: lmr
Method Description.: Leachable, Metals Analysis (ICAP) | Batch.....: 101764

CCV	Continuing Calibration Verification	M03KCCV001	101764-015		11/15/2003 0231

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.50603		0.50000		101	%	90-110	
Barium	mg/L	0.50430 B		0.50000		101	%	90-110	
Cadmium	mg/L	0.50186		0.50000		100	%	90-110	
Chromium	mg/L	0.50145		0.50000		100	%	90-110	
Lead	mg/L	0.50728		0.50000		101	%	90-110	
Selenium	mg/L	0.51862		0.50000		104	%	90-110	
Silver	mg/L	0.51180		0.50000		102	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV001	101764-027		11/15/2003 0412

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
enic	mg/L	0.49724		0.50000		99	%	90-110	
ium	mg/L	0.49823 B		0.50000		100	%	90-110	
Cadmium	mg/L	0.49010		0.50000		98	%	90-110	
Chromium	mg/L	0.49134		0.50000		98	%	90-110	
Lead	mg/L	0.50273		0.50000		101	%	90-110	
Selenium	mg/L	0.51645		0.50000		103	%	90-110	
Silver	mg/L	0.50814		0.50000		102	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV001	101764-039		11/15/2003 0542

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.49731		0.50000		99	%	90-110	
Barium	mg/L	0.49751 B		0.50000		100	%	90-110	
Cadmium	mg/L	0.49005		0.50000		98	%	90-110	
Chromium	mg/L	0.49197		0.50000		98	%	90-110	
Lead	mg/L	0.50168		0.50000		100	%	90-110	
Selenium	mg/L	0.51366		0.50000		103	%	90-110	
Silver	mg/L	0.50674		0.50000		101	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV001	101764-049		11/15/2003 0658

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.47974		0.50000		96	%	90-110	
Barium	mg/L	0.48280 B		0.50000		97	%	90-110	
Cadmium	mg/L	0.47178		0.50000		94	%	90-110	
Chromium	mg/L	0.47340		0.50000		95	%	90-110	
Lead	mg/L	0.48605		0.50000		97	%	90-110	
Selenium	mg/L	0.49831		0.50000		100	%	90-110	
Silver	mg/L	0.48989		0.50000		98	%	90-110	

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03KCCV001	101764-061		11/15/2003	0830

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.47857		0.50000		96	%	90-110	
Barium	mg/L	0.47843 B		0.50000		96	%	90-110	
Cadmium	mg/L	0.47281		0.50000		95	%	90-110	
Chromium	mg/L	0.47373		0.50000		95	%	90-110	
Lead	mg/L	0.48620		0.50000		97	%	90-110	
Selenium	mg/L	0.49828		0.50000		100	%	90-110	
Silver	mg/L	0.49037		0.50000		98	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV001	101764-073		11/15/2003 1000

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.48057		0.50000		96	%	90-110	
Barium	mg/L	0.47998 B		0.50000		96	%	90-110	
Cadmium	mg/L	0.47505		0.50000		95	%	90-110	
Chromium	mg/L	0.47560		0.50000		95	%	90-110	
Lead	mg/L	0.48858		0.50000		98	%	90-110	
Selenium	mg/L	0.50237		0.50000		100	%	90-110	
Silver	mg/L	0.49194		0.50000		98	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV001	101764-080		11/15/2003 1056

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.48117		0.50000		96	%	90-110	
Barium	mg/L	0.47656 B		0.50000		95	%	90-110	
Cadmium	mg/L	0.47679		0.50000		95	%	90-110	
Chromium	mg/L	0.47680		0.50000		95	%	90-110	
Lead	mg/L	0.48804		0.50000		98	%	90-110	
Selenium	mg/L	0.49743		0.50000		99	%	90-110	
Silver	mg/L	0.48957		0.50000		98	%	90-110	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)
Equipment Code....: ICP5
Batch.....: 101764
Analyst...: lmr

CRI	Contract Required Detection Limits	M03KCRI001	101764-012		11/15/2003	0211

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.02289 B		0.02000		114	%	50-150	
Barium	mg/L	0.02068 B		0.02000		103	%	50-150	
Cadmium	mg/L	0.00437 B		0.00400		109	%	50-150	
Chromium	mg/L	0.02073 B		0.02000		104	%	50-150	
Lead	mg/L	0.00943 B		0.01000		94	%	50-150	
Selenium	mg/L	0.01000 U		0.01000		88	%	50-150	
Silver	mg/L	0.00970 B		0.01000		97	%	50-150	

CRI	Contract Required Detection Limits	M03KCRI001	101764-077		11/15/2003	1036

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
[illegible]enic	mg/L	0.02361 B		0.02000		118	%	50-150	
[illegible]ium	mg/L	0.01998 B		0.02000		100	%	50-150	
Cadmium	mg/L	0.00425 B		0.00400		106	%	50-150	
Chromium	mg/L	0.02033 B		0.02000		102	%	50-150	
Lead	mg/L	0.00952 B		0.01000		95	%	50-150	
Selenium	mg/L	0.01000 U		0.01000		84	%	50-150	
Silver	mg/L	0.00965 B		0.01000		96	%	50-150	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825 | Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)
Equipment Code....: ICP5
Batch.....: 101764
Analyst...: lmr

EB1	Extraction Blank 1		100804-007		11/15/2003	0354

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.01000 U							
Barium, TCLP Leach	mg/L	0.12969 B							
Cadmium, TCLP Leach	mg/L	0.00200 U							
Chromium, TCLP Leach	mg/L	0.01000 U							
Lead, TCLP Leach	mg/L	0.00500 U							
Selenium, TCLP Leach	mg/L	0.01000 U							
Silver, TCLP Leach	mg/L	0.00500 U							

EB1	Extraction Blank 1	100978	100978-001		11/15/2003	0716

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
enic, TCLP Leach	mg/L	0.01000 U							
ium, TCLP Leach	mg/L	0.03718 B							
Cadmium, TCLP Leach	mg/L	0.00200 U							
Chromium, TCLP Leach	mg/L	0.01000 U							
Lead, TCLP Leach	mg/L	0.00500 U							
Selenium, TCLP Leach	mg/L	0.01000 U							
Silver, TCLP Leach	mg/L	0.00500 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
EB3	DI Blank	100804	100804-001		11/15/2003	0254

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)

Equipment Code....: ICP5
Batch.....: 101764

Analyst...: lmr

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.01000 U							
Barium, TCLP Leach	mg/L	0.10104 B							
Cadmium, TCLP Leach	mg/L	0.00200 U							
Chromium, TCLP Leach	mg/L	0.01000 U							
Lead, TCLP Leach	mg/L	0.00500 U							
Selenium, TCLP Leach	mg/L	0.01000 U							
Silver, TCLP Leach	mg/L	0.00500 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
ICB	Initial Calibration Blank		101764-011		11/15/2003	0204

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)
Equipment Code....: ICP5
Batch.....: 101764
Analyst...: lmr

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)

Equipment Code....: ICP5
Batch.....: 101764

Analyst...: lmr

ICV	Initial Calibration Verification	M03JICV001	101764-010		11/15/2003	0153

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.39026		0.40000		98	%	90-110	
Barium	mg/L	0.39279 B		0.40000		98	%	90-110	
Cadmium	mg/L	0.38958		0.40000		97	%	90-110	
Chromium	mg/L	0.38823		0.40000		97	%	90-110	
Lead	mg/L	0.39486		0.40000		99	%	90-110	
Selenium	mg/L	0.40256		0.40000		101	%	90-110	
Silver	mg/L	0.39413		0.40000		99	%	90-110	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)

Equipment Code....: ICP5
Batch.....: 101764

Analyst...: lmr

ISB	Interference Check Sample B	M03KISB001	101764-014		11/15/2003 0224

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.09287 B		0.10000		93	%	80-120	
Barium	mg/L	0.50426 B		0.50000		101	%	80-120	
Cadmium	mg/L	0.87692		1.00000		88	%	80-120	
Chromium	mg/L	0.45797		0.50000		92	%	80-120	
Lead	mg/L	0.04533 B		0.05000		91	%	80-120	
Selenium	mg/L	0.04131 B		0.05000		83	%	80-120	
Silver	mg/L	0.20727		0.20000		104	%	80-120	

ISB	Interference Check Sample B	M03KISB001	101764-079		11/15/2003 1049

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
[illegible]nic	mg/L	0.09772 B		0.10000		98	%	80-120	
[illegible]um	mg/L	0.52473 B		0.50000		105	%	80-120	
Cadmium	mg/L	0.89299		1.00000		89	%	80-120	
Chromium	mg/L	0.46947		0.50000		94	%	80-120	
Lead	mg/L	0.04658 B		0.05000		93	%	80-120	
Selenium	mg/L	0.04061 B		0.05000		81	%	80-120	
Silver	mg/L	0.21601		0.20000		108	%	80-120	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP5 Analyst...: lmr
Method Description.: Leachable, Metals Analysis (ICAP) Batch.....: 101764

LCS	Laboratory Control Sample	M03JSPK002	100804-002		11/15/2003 0300

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.09023 B		0.10000	0.01000 U	90	%	80-120	
Barium, TCLP Leach	mg/L	1.98332		2.00000	0.10104 B	99	%	80-120	
Cadmium, TCLP Leach	mg/L	0.04728 B		0.05000	0.00200 U	95	%	80-120	
Chromium, TCLP Leach	mg/L	0.19564		0.20000	0.01000 U	98	%	80-120	
Lead, TCLP Leach	mg/L	0.09902		0.10000	0.00500 U	99	%	80-120	
Selenium, TCLP Leach	mg/L	0.08894 B		0.10000	0.01000 U	89	%	80-120	
Silver, TCLP Leach	mg/L	0.04809 B		0.05000	0.00500 U	96	%	80-120	

LCS	Laboratory Control Sample	M03KSPK003	100978-002		11/15/2003 0723

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
enic, TCLP Leach	mg/L	0.08952 B		0.10000	0.01000 U	90	%	80-120	
ium, TCLP Leach	mg/L	1.89806		2.00000	0.03718 B	95	%	80-120	
Cadmium, TCLP Leach	mg/L	0.04663 B		0.05000	0.00200 U	93	%	80-120	
Chromium, TCLP Leach	mg/L	0.19395		0.20000	0.01000 U	97	%	80-120	
Lead, TCLP Leach	mg/L	0.09690		0.10000	0.00500 U	97	%	80-120	
Selenium, TCLP Leach	mg/L	0.08296 B		0.10000	0.01000 U	83	%	80-120	
Silver, TCLP Leach	mg/L	0.04591 B		0.05000	0.00500 U	92	%	80-120	

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)
Equipment Code....: ICP5
Batch.....: 101764
Analyst...: lmr

MD	Method Duplicate		221825-3		11/15/2003	0756

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.01000 U			0.01000 U	0.00150	A	0.10000	
Barium, TCLP Leach	mg/L	0.79008 B			0.78281 B	0.00727	A	1.00000	
Cadmium, TCLP Leach	mg/L	0.00200 U			0.00200 U	0	A	0.05000	
Chromium, TCLP Leach	mg/L	0.01000 U			0.01000 U	0.00009	A	0.05000	
Lead, TCLP Leach	mg/L	0.00500 U			0.00500 U	0.00019	A	0.05000	
Selenium, TCLP Leach	mg/L	0.01000 U			0.01000 U	0.00029	A	0.10000	
Silver, TCLP Leach	mg/L	0.00500 U			0.00500 U	0.00005	A	0.05000	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP5 Analyst...: lmr
Method Description.: Leachable, Metals Analysis (ICAP) Batch.....: 101764

MS	Matrix Spike	M03DSPK001	221825-3		11/15/2003	0803

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	4.52552		5.00000	0.01000 U	91	%	50-150	
Cadmium, TCLP Leach	mg/L	0.86889		1.00000	0.00200 U	87	%	50-150	
Chromium, TCLP Leach	mg/L	4.40181		5.00000	0.01000 U	88	%	50-150	
Lead, TCLP Leach	mg/L	4.22338		5.00000	0.00500 U	84	%	50-150	
Selenium, TCLP Leach	mg/L	0.84170		1.00000	0.01000 U	84	%	50-150	
Silver, TCLP Leach	mg/L	0.99548		1.00000	0.00500 U	100	%	50-150	

MS	Matrix Spike	M03DSPK001	221825-3	10	11/15/2003	0810

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Barium, TCLP Leach	mg/L	92.96380		1000.00000	0.78281 B	93	%	50-150	

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
SD	Serial Dilution		221825-3		11/15/2003	0750

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)
Equipment Code....: ICP5
Batch.....: 101764
Analyst...: lmr

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.01000 U			0.01000 U				
Barium, TCLP Leach	mg/L	0.15896 B			0.78281 B				
Cadmium, TCLP Leach	mg/L	0.00200 U			0.00200 U				
Chromium, TCLP Leach	mg/L	0.01000 U			0.01000 U				
Lead, TCLP Leach	mg/L	0.00500 U			0.00500 U				
Selenium, TCLP Leach	mg/L	0.01000 U			0.01000 U				
Silver, TCLP Leach	mg/L	0.00500 U			0.00500 U				

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221825 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Test Method.....: Method Batch.....: 100319 Analyst...: crp
Method Description.: % Solids Determination Equipment Code....: Test Code.: %SOLID
Parameter.....: % Solids

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	100319-001		%	0.1000 U								10/31/2003	1345
MD	221825-1		%	91.30000			89.10000	2.4		R	5.0	10/31/2003	1345

Test Method.....: 7470A Batch.....: 101042 Analyst...: gok
Method Description.: Leachable, Mercury (CVAA) Equipment Code....: HG3 Test Code.: HG
Parameter.....: Mercury

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICV	101042-007	M02ESTK010	ug/L	2.09		2.00		105		%	90-110	11/07/2003	1316
ICB	101042-008		ug/L	0.20 U								11/07/2003	1318
CRA	101042-009	M03JSTK030	ug/L	0.21		0.20		107		%	50-150	11/07/2003	1320
MB	101024-007		ug/L	0.20 U								11/07/2003	1322
LCS	101024-008	M02ESTK010	ug/L	2.14		2.00	0.20 U	107		%	80-120	11/07/2003	1325
ER1	101024-009	062	mg/L	0.00200 U								11/07/2003	1327
	221825-3		mg/L	0.00200 U			0.00200 U	0.00010		A	0.00200	11/07/2003	1335
	101042-017	M02ESTK010	ug/L	1.01		1.00		101		%	80-120	11/07/2003	1337
CCB	101042-018		ug/L	0.20 U								11/07/2003	1340
MS	221825-3	M02HSTK003	mg/L	0.00939		0.01000	0.00200 U	94		%	50-150	11/07/2003	1342
CCV	101042-029	M02ESTK010	ug/L	1.03		1.00		103		%	80-120	11/07/2003	1403
CCB	101042-030		ug/L	0.20 U								11/07/2003	1405
CCV	101042-035	M02ESTK010	ug/L	1.03		1.00		103		%	80-120	11/07/2003	1422
CCB	101042-036		ug/L	0.20 U								11/07/2003	1424

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

REPORT COMMENTS

1) All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.
2) Soil, sediment and sludge sample results are reported on a "dry weight" basis except when analyzed for landfill disposal or incineration parameters. All other solid matrix samples are reported on an "as received" basis unless noted differently.
3) Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.
4) The test results for the noted analytical method(s) meet the requirements of NELAC. Lab Cert. ID# 100201
5) According to 40CFR Part 136.3, pH, Chlorine Residual and Dissolved Oxygen analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH Field) they were not analyzed immediately, but as soon as possible on laboratory receipt.

Glossary of flags, qualifiers and abbreviations (any number of which may appear in the report)

Inorganic Qualifiers (Q-Column)

U Analyte was not detected at or above the stated limit.
< Not detected at or above the reporting limit.
J Result is less than the RL, but greater than or equal to the method detection limit.
B Result is less than the CRDL/RL, but greater than or equal to the IDL/MDL.
S Result was determined by the Method of Standard Additions.
F AFCEE: Result is less than the RL, but greater than or equal to the method detection limit.

Inorganic Flags (Flag Column)

^ ICV,CCV,ICB,CCB,ISA,ISB,CRI,CRA,MRL: Instrument related QC exceed the upper or lower control limits.
* LCS, LCD, MD: Batch QC exceeds the upper or lower control limits.
+ MSA correlation coefficient is less than 0.995.
4 MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
E SD: Serial dilution exceeds the control limits.
H MB, EB1, EB2, EB3: Batch QC is greater than reporting limit or had a negative instrument reading lower than the absolute value of the reporting limit.
N MS, MSD: Spike recovery exceeds the upper or lower control limits.
W AS(GFAA) Post-digestion spike was outside 85-115% control limits.

Organic Qualifiers (Q - Column)

U Analyte was not detected at or above the stated limit.
ND Compound not detected.
J Result is an estimated value below the reporting limit or a tentatively identified compound (TIC).
Q Result was qualitatively confirmed, but not quantified.
C Pesticide identification was confirmed by GC/MS.
Y The chromatographic response resembles a typical fuel pattern.
Z The chromatographic response does not resemble a typical fuel pattern.
E Result exceeded calibration range, secondary dilution required.
F AFCEE:Result is an estimated value below the reporting limit or a tentatively identified compound (TIC)

Organic Flags (Flags Column)

B MB: Batch QC is greater than reporting limit.
* LCS, LCD, ELC, ELD, CV, MS, MSD, Surrogate: Batch QC exceeds the upper or lower control limits.
^ EB1, EB2, EB3, MLE: Batch QC is greater than reporting Limit
A Concentration exceeds the instrument calibration range
a Concentration is below the method Reporting Limit (RL)
B Compound was found in the blank and sample.
D Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution will be flagged with a D.
H Alternate peak selection upon analytical review
I Indicates the presence of an interfence, recovery is not calculated.
M Manually integrated compound.
P The lower of the two values is reported when the % difference between the results of two GC columns is

greater than 25%.

Abbreviations

AS	Post Digestion Spike (GFAA Samples - See Note 1 below)
Batch	Designation given to identify a specific extraction, digestion, preparation set, or analysis set
CAP	Capillary Column CCB Continuing Calibration Blank
CCV	Continuing Calibration Verification
CF	Confirmation analysis of original
C1	Confirmation analysis of A1 or D1
C2	Confirmation analysis of A2 or D2
C3	Confirmation analysis of A3 or D3
CRA	Low Level Standard Check - GFAA; Mercury
CRI	Low Level Standard Check - ICP
CV	Calilbration Verification Standard
Dil Fac	Dilution Factor - Secondary dilution analysis
D1	Dilution 1
D2	Dilution 2
D3	Dilution 3
DLFac	Detection Limit Factor
DSH	Distilled Standard - High Level
DSL	Distilled Standard - Low Level
DSM	Distilled Standard - Medium Level
EB1	Extraction Blank 1
EB2	Extraction Blank 2
EB3	DI Blank
ELC	Method Extracted LCS
ELD	Method Extracted LCD
ICAL	Initial calibration
ICB	Initial Calibration Blank
ICV	Initial Calibration Verification
IDL	Instrument Detection Limit
ISA	Interference Check Sample A - ICAP
ISB	Interference Check Sample B - ICAP
Job No.	The first six digits of the sample ID which refers to a specific client, project and sample group Lab ID An 8 number unique laboratory identification
LCD	Laboratory Control Standard Duplicate
LCS	Laboratory Control Standard with reagent grade water or a matrix free from the analyte of interest
MB	Method Blank or (PB) Preparation Blank
MD	Method Duplicate
MDL	Method Detection Limit
MLE	Medium Level Extraction Blank
MRL	Method Reporting Limit Standard
MSA	Method of Standard Additions
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ND	Not Detected
PREPF	Preparation factor used by the Laboratory's Information Management System (LIMS)
PDS	Post Digestion Spike (ICAP)
RA	Re-analysis of original
A1	Re-analysis of D1
A2	Re-analysis of D2
A3	Re-analysis of D3
RD	Re-extraction of dilution
RE	Re-extraction of original
RC	Re-extraction Confirmation
RL	Reporting Limit
RPD	Relative Percent Difference of duplicate (unrounded) analyses
RRF	Relative Response Factor
RT	Retention Time

RTW	Retention Time Window Sample ID A 9 digit number unique for each sample, the first six digits are referred as the job number
SCB	Seeded Control Blank
SD	Serial Dilution (Calculated when sample concentration exceeds 50 times the MDL)
UCB	Unseeded Control Blank
SSV	Second Source Verification Standard
SLCS	Solid Laboratory Control Standard(LCS)
PHC	pH Calibration Check LCSP pH Laboratory Control Sample
LCDP	pH Laboratory Control Sample Duplicate
MDPH	pH Sample Duplicate
MDFP	Flashpoint Sample Duplicate
LCFP	Flashpoint LCS
G1	Gelex Check Standard Range 0-1
G2	Gelex Check Standard Range 1-10
G3	Gelex Check Standard Range 10-100
G4	Gelex Check Standard Range 100-1000

Note 1: The Post Spike Designation on Batch QC for GFAA is designated with an "S" added to the current abbreviation used. EX. LCS S=LCS Post Spike (GFAA); MSS=MS Post Spike (GFAA)

Note 2: The MD calculates an absolute difference (A) when the sample concentration is less than 5 times the reporting limit. The control limit is represented as +/- the RL.

SEVERN TRENT **STL**

STL Chicago
2417 Bond Street
University Park, IL 60466
Phone: 708-534-5200
Fax: 708-534-5211

Report To:
Contact: Dave Cornock
Company: Secor International
Address: 446 Eisenhower Lane North-Lombard, IL 60148
Phone: 630-792-1680
Fax: 630-792-1691
E-Mail: d cornock@secor.com

Bill To:
Contact: Dave Cornock
Company: Secor International
Address: 446 Eisenhower Lane North-Lombard, IL 60148
Phone: 630-792-1680
Fax: 630-792-1691
PO#: 013-01410 Quote:

Shaded Areas For Internal Use Only 1 of 2

Lab Lot# 221825

Package Sealed	Samples Sealed
Yes (circled) No	Yes No (circled)
Received on Ice	**Samples Intact**
Yes (circled) No	Yes (circled) No

Temperature °C of Cooler: (3.7) (3.5)

Sampler Name: Keith McDonald, Tom Kettinger
Signature: Kelli McDonald
Project Name: Southeast Rockford
Project Number: 13UN.02072.02.001
Project Location: SER Area 5/10
Date Required — Hard Copy: ___/___/___ Fax: ___/___/___
Lab PM: Richard Wright

Within Hold Time: Yes (circled) No
Preserv. Indicated: Yes (circled) No NA
pH Check OK: Yes No NA (circled)
Res Cl_2 Check OK: Yes No NA (circled)
Sample Labels and COC Agree: Yes (circled) No COC not present

Laboratory ID	MS-MSD	Client Sample ID	Sampling Date	Sampling Time	Matrix	Comp/Grab	5035/VOC 8260B	DRO 8015B	1311/6010A/7470A TCLP LCR METALS	Additional Analyses / Remarks
1		RD-SB-S1(2-4)-01	10/28/03	0856	S	G	X	X	X	STANDARD TURNAROUND TIME
2		RD-SB-S1(4-6)-01	10/28/03	0851	S	G	X	X	X	
3		RD-SB-S1(6-8)-01	10/28/03	0905	S	G	X	X	X	
4		RD-SB-S1(8-10)-01	10/28/03	0910	S	G	X	X	X	
5		RD-SB-S1(10-12)-01	10/28/03	0915	S	G	X	X	X	
6		RD-SB-S1(12-14)-01	10/28/03	0920	S	G	X	X	X	
7		RD-SB-S1(14-16)-01	10/28/03	0922	S	G	X	X	X	
8		RD-SB-S1(16-18)-01	10/28/03	0925	S	G	X	X	X	
9		RD-SB-S1(18-20)-01	10/28/03	0930	S	G	X	X	X	
10		RD-SB-S1(20-22)-01	10/28/03	0935	S	G	X	X	X	
11		Trip Blank	—	—	—	—	X			

RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
[signature]	SECOR	10/29/03	1:30 PM	[signature]	STL	10/29/03	1:30
RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
				[signature]	STL	10/29/03	1700

Matrix Key
WW = Wastewater
W = Water
S = Soil
SL = Sludge
MS = Miscellaneous
OL = Oil
A = Air
SE = Sediment
SO = Solid
DS = Drum Solid
DL = Drum Liquid
L = Leachate
WI = Wipe
O = _____

Container Key
1. Plastic
2. VOA Vial
3. Sterile Plastic
4. Amber Glass
5. Widemouth Glass
6. Other _____

Preservative Key
1. HCl, Cool to 4°
2. H2SO4, Cool to 4°
3. HNO3, Cool to 4°
4. NaOH, Cool to 4°
5. NaOH/Zn, Cool to 4°
6. Cool to 4°
7. None

COMMENTS: Cooler Custody Seal No. 457366

Date Received: 10/29/03
Courier: STL
Hand Delivered: [X]
Bill of Lading:

SEVERN TRENT **STL**

STL Chicago
2417 Bond Street
University Park, IL 60466
Phone: 708-534-5200
Fax: 708-534-5211

Report To:
Contact: Dave Curnock
Company: SECOR International
Address: 446 Eisenhower Lane
North, Lombard, IL 60148
Phone: 630.792.1680
Fax: 630.792.1691
E-Mail: dcurnock@secor.com

Bill To:
Contact: Dave Curnock
Company: SECOR International
Address: 446 Eisenhower Lane
North, Lombard, IL 60148
Phone: 630.792.1680
Fax: 630.792.1691
PO#: 013.01410 Quote:

Lab Lot# 221825

Package Sealed	Samples Sealed
Yes No	Yes No
Received on Ice	**Samples Intact**
Yes No	Yes No

Temperature °C of Cooler

Sampler Name: Kelli McDonald, Thom Kettinger
Signature: Kelli McDonald
Project Name: SOUTHEAST ROCKFORD
Project Number: 13UN.02072.02.0001
Project Location: SER Area 9/10
Lab PM: Richard Wright
Date Required Hard Copy: __/__/__ Fax: __/__/__

Within Hold Time	Preserv. Indicated
Yes No	Yes No NA
pH Check OK	**Res Cl_2 Check OK**
Yes No NA	Yes No NA

Sample Labels and COC Agree Yes No COC not present

Laboratory ID	MS-MSD	Client Sample ID	Sampling Date	Sampling Time	Matrix	Comp/Grab	VOC 5035/8260B	DRO 8015B	TCLP RCRA METALS 1311/6010B/7470A							Additional Analyses / Remarks
Refrg #																
# / Cont.																
Volume																
Preserv																
12		RD-SB-S1(22-24)-01	10/28/03	0940	S	G	X	X	X							Standard Turnaround Time
13		RD-SB-S1(24-26)-01	↓	0945	S	G	X	X	X							
14		RD-SB-S1(26-28)-01		0950	S	G	X	X	X							
15		RD-SB-S1(28-30)-01		0955	S	G	X	X	X							
16		RD-SB-S1(30-32)-01		0958	S	G	X	X	X							
17		RD-SB-S1(32-34)-01	↓	1005	S	G	X	X	X							
18		TRIP BLANK					X									

RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
Kelli McDonald	SECOR	10/29/03	1515	[illegible]	STL	10/29/03	1515
RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
				[illegible]	STL	10/29/03	1700

Matrix Key
WW = Wastewater
W = Water
S = Soil
SL = Sludge
MS = Miscellaneo
OL = Oil
A = Air
SE = Sediment
SO = Solid
DS = Drum Solid
DL = Drum Liquid
L = Leachate
WI = Wipe
O = _____

Container Key
1. Plastic
2. VOA Vial
3. Sterile Plastic
4. Amber Glass
5. Widemouth Glass
6. Other _____

Preservative Key
1. HCl, Cool to 4°
2. H2SO4, Cool to 4°
3. HNO3, Cool to 4°
4. NaOH, Cool to 4°
5. NaOH/Zn, Cool to 4°
6. Cool to 4°
7. None

COMMENTS
Cooler Custody Seal No. 496127

Date Received 10, 29, 03
Courier: STL **Hand Delivered** ☒
Bill of Lading

SEVERN TRENT STL

STL Chicago
2417 Bond Street
University Park, IL 60466

Tel: 708 534 5200 Fax: 708 534 5211
www.stl-inc.com

SEVERN TRENT LABORATORIES ANALYTICAL REPORT

JOB NUMBER: 221826

Prepared For:

SECOR
446 Eisenhower Lane North
Lombard, IL 60148

Project: SE Rockford Area 9/10

Attention: Dave Curnock

Date: 11/24/2003

Signature

Name: Richard C. Wright

Title: Project Manager

E-Mail: rwright@stl-inc.com

11/24/03
Date

STL Chicago
2417 Bond Street
University Park, IL 60466

PHONE: (708) 534-5200
FAX..: (708) 534-5211

This Report Contains (86) Pages

Severn Trent Laboratories - Chicago
METALS CASE NARRATIVE

Client: SECOR
Project ID: SE Rockford
STL#: 221826

Date Rec'd: 10/29/03

1. This narrative covers the metals analysis of TCLP Leachates in Job 221826.

   Method Refs: USEPA, SW-846

2. All analyses were performed within the required holding times.

3. All Initial and Continuing Calibration Verification (ICV/CCV's) were within control limits.

4. All Initial and Continuing Calibration Blanks (ICB/CCB's) were within control limits.

5. All Preparation/Method Blanks were below RL.

6. All ICP Interference Check Samples (ICSA and ICSAB) were within control limits.

7. Laboratory Control Sample (LCS) recoveries were within the 80-120% control limits.

8. Matrix QC was performed on Sample 1.

   Serial Dilution analysis was within control limits.

   Matrix Spike recoveries were greater than 50%.

   Duplicate results were within the 20% RPD control limits.

Jodi L. Wojcik
Metals Unit Leader

11-21-03
Date

Severn Trent Laboratories Chicago
GC/MS Case Narrative

Secor
SE Rockford
Job Number: 221826
VOA DATA

1. The samples were properly prepared and analyses within the recommended hold time from the date of collection.

2. All Method Blanks had all target compounds below reporting limits.

3. The LCS (Laboratory Control Samples) had all five-controlled spike recoveries within the in-house generated QC limits.

4. Matrix Spike/Matrix Spike Duplicate analyses were not performed on this sample set.

5. The volatile samples had all surrogate recoveries within the in-house generated QC limits.

6. The water samples were prepared using Method 5030. The soil samples were prepared using Method 5035 low and high level. All samples were analyzed following SW846 Method 8260B and 8000B. All calibration criteria are met per method or SOP (for minimum R values for certain compounds). The low point in the initial calibration verifies the base reporting limits. The target compounds were quantitated using the initial calibration.

7. The samples had all internal standard areas and retention times within the SOP acceptance limits as compared to the corresponding calibration verification standard.

8. The water sample was analyzed using a 25mL purge volume. Due to sample matrix, samples 1, 2, and 10 required an initial dilution using the high-level methanol procedure. All other soil samples were in initially analyzed using the low-level soil method. A secondary dilution using the high-level methanol method was required on sample 2 to accurately quantitate the target compounds. The soil results and reporting limits were adjusted for sample weights and the analytical procedure on a dry weight basis.

Louis Manzano
GC/MS Dept.

1/20-03
Date

STL Chicago
JP-4 Case Narrative

Secor
SE Rockford Area 9/10
Job #: 221826-1 through 10, and 12 through 18
JP-4

1. These samples were extracted based on SW846 method 3550. The extracts were analyzed for JP-4 Range Organics based on a modified SW846 method 8015B. An HP5890 gas chromatograph equipped with a flame ionization detector and a Xti-5 column was used for the analysis.

2. All required hold times were met for the extraction and analysis.

3. The method blank was below the reporting limit for JP-4.

4. Statistical limits for surrogate recoveries derived from DRO analyses were applied to the JP-4 analysis and are advisory until enough data points can be collected for statistical control limits.

5. The surrogate compounds used for this analysis were 2-Fluorobiphenyl and o-Terphenyl. All surrogate recoveries were within statistical control limits.

6. The blank spike recovery for JP4 was just below non-statistical control limits of 50%-150% with 44% recovery. A solution of JP-4 was used for spiking.

7. A matrix spike and a matrix spike duplicate were performed on sample 221826-12 [RD-SB-S3(20-22)-01]. All matrix spike duplicate and matrix spike duplicate recoveries and RPDs were outside non-statistical control limits of 50%-150% with recoveries of 48% and 45%, respectively.

8. The initial calibration for this analysis consisted of a six-point curve of JP-4. The average calibration factor from the JP-4 curve was used to quantify the JP-4 results. An alkane standard ranging from C8 through C36 was used for qualitative purposes to determine the retention time range to be used for the JP-4. The total peak area from C8-C12 was used to quantify JP-4 results.

9. All initial and continuing standard calibrations associated with these samples were in control.

10. JP4 was not detected in these samples.

Patti Gibson
Organics Section Manager

11/20/03
Date

STL Chicago is part of Severn Trent Laboratories, Inc.

SAMPLE INFORMATION
Date: 11/24/2003

Job Number.: 221826
Customer...: SECOR
Attn.....: Dave Curnock

Project Number.....: 20003080
Customer Project ID....: SE ROCKFORD
Project Description....: SE Rockford Area 9/10

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
221826-1	RD-SB-S3(0-2)-01	Soil	10/28/2003	10:25	10/29/2003	17:00
221826-2	RD-SB-S3(2-4)-01	Soil	10/28/2003	10:30	10/29/2003	17:00
221826-3	RD-SB-S3(4-6)-01	Soil	10/28/2003	10:35	10/29/2003	17:00
221826-4	RD-SB-S3(6-8)-01	Soil	10/28/2003	11:00	10/29/2003	17:00
221826-5	RD-SB-S3(8-10)-01	Soil	10/28/2003	11:05	10/29/2003	17:00
221826-6	RD-SB-S3(10-12)-01	Soil	10/28/2003	11:10	10/29/2003	17:00
221826-7	RD-SB-S3(12-14)-01	Soil	10/28/2003	11:15	10/29/2003	17:00
221826-8	RD-SB-S3(14-16)-01	Soil	10/28/2003	11:20	10/29/2003	17:00
221826-9	RD-SB-S3(16-18)-01	Soil	10/28/2003	11:25	10/29/2003	17:00
221826-10	RD-SB-S3(18-20)-01	Soil	10/28/2003	11:30	10/29/2003	17:00
221826-11	TRIP BLANK	Water	10/28/2003	10:25	10/29/2003	17:00
221826-12	RD-SB-S3(20-22)-01	Soil	10/28/2003	11:45	10/29/2003	17:00
221826-13	RD-SB-S3(22-24)-01	Soil	10/28/2003	11:50	10/29/2003	17:00
221826-14	RD-SB-S3(24-26)-01	Soil	10/28/2003	11:55	10/29/2003	17:00
221826-15	RD-SBD-S3(24-26)-01	Soil	10/28/2003	11:55	10/29/2003	17:00
221826-16	RD-SB-S3(26-28)-01	Soil	10/28/2003	12:00	10/29/2003	17:00
221826-17	RD-SB-S3(28-30)-01	Soil	10/28/2003	12:05	10/29/2003	17:00
221826-18	RD-SB-S3(30-32)-01	Soil	10/28/2003	12:10	10/29/2003	17:00
221826-19	TRIP BLANK	Water	10/28/2003	11:45	10/29/2003	17:00

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(0-2)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 10:25
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-1
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Chloromethane, High/Med Level*	0.081	U		0.019	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	Bromomethane, High/Med Level*	0.081	U		0.0085	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	1,1-Dichloroethene, High/Med Level*	0.081	U		0.011	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	Chloroethane, High/Med Level*	0.081	U		0.016	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	Carbon disulfide, High/Med Level*	0.081	U		0.017	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	Acetone, High/Med Level*	0.081	U		0.023	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	1,1-Dichloroethane, High/Med Level*	0.10			0.011	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	2-Butanone (MEK), High/Med Level*	0.081	U		0.041	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	1,2-Dichloroethane, High/Med Level*	0.081	U		0.017	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	Chloroform, High/Med Level*	0.081	U		0.015	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	Carbon tetrachloride, High/Med Level*	0.081	U		0.013	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	Benzene, High/Med Level*	0.020	U		0.011	0.020	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	1,2-Dichloropropane, High/Med Level*	0.081	U		0.014	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	Bromodichloromethane, High/Med Level*	0.081	U		0.015	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	cis-1,3-Dichloropropene, High/Med Level*	0.081	U		0.018	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	1,2-Dichloroethene (total), High/Med Leve*	0.081	U		0.023	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	4-Methyl-2-pentanone (MIBK), High/Med Lev*l	0.081	U		0.030	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	Toluene, High/Med Level*	0.020	U		0.015	0.020	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	trans-1,3-Dichloropropene, High/Med Level*	0.081	U		0.016	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	2-Hexanone, High/Med Level*	0.081	U		0.042	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	Dibromochloromethane, High/Med Level*	0.081	U		0.015	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	Chlorobenzene, High/Med Level*	0.081	U		0.018	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	Styrene, High/Med Level*	0.081	U		0.023	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	Bromoform, High/Med Level*	0.081	U		0.015	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	1,1,2,2-Tetrachloroethane, High/Med Level*	0.081	U		0.015	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	Xylenes (total), High/Med Level*	0.061	U		0.040	0.061	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	Ethylbenzene, High/Med Level*	0.020	U		0.018	0.020	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	Methylene chloride, High/Med Level*	0.081	U		0.016	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(0-2)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 10:25
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-1
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene, High/Med Level*	2.2			0.019	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	1,1,1-Trichloroethane, High/Med Level*	0.68			0.013	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	1,1,2-Trichloroethane, High/Med Level*	0.081	U		0.025	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	Trichloroethene, High/Med Level*	0.081	U		0.017	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
	Vinyl chloride, High/Med Level*	0.081	U		0.015	0.081	1.0000	mg/Kg	100721		11/05/03 0319	jdn
Method	% Solids Determination											
	% Solids, Solid	94.5			0.10	0.10	1	%	100517		11/03/03 1630	crp
	% Moisture, Solid	5.5			0.10	0.10	1	%	100517		11/03/03 1630	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.4	U	*	4.4	4.4	1.00000	mg/Kg	102108		11/11/03 0714	mgk
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1427	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 1912	lmr
	Barium, TCLP Leach	0.70	B		0.010	1.0	1	mg/L	102288		11/20/03 1912	lmr
	Cadmium, TCLP Leach	0.01			0.002	0.005	1	mg/L	102288		11/20/03 1912	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 1912	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	102288		11/20/03 1912	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 1912	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102288		11/20/03 1912	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(2-4)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 10:30
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-2
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Chloromethane, High/Med Level*	0.12	U		0.028	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	Bromomethane, High/Med Level*	0.12	U		0.013	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	1,1-Dichloroethene, High/Med Level*	0.12	U		0.017	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	Chloroethane, High/Med Level*	0.12	U		0.024	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	Carbon disulfide, High/Med Level*	0.12	U		0.025	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	Acetone, High/Med Level*	0.12	U		0.035	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	1,1-Dichloroethane, High/Med Level*	1.3			0.016	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	2-Butanone (MEK), High/Med Level*	0.12	U		0.061	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	1,2-Dichloroethane, High/Med Level*	0.12	U		0.026	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	Chloroform, High/Med Level*	0.12	U		0.022	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	Carbon tetrachloride, High/Med Level*	0.12	U		0.020	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	Benzene, High/Med Level*	0.030	U		0.017	0.030	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	1,2-Dichloropropane, High/Med Level*	0.12	U		0.021	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	Bromodichloromethane, High/Med Level*	0.12	U		0.023	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	cis-1,3-Dichloropropene, High/Med Level*	0.12	U		0.027	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	1,2-Dichloroethene (total), High/Med Leve*	0.75			0.035	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	4-Methyl-2-pentanone (MIBK), High/Med Lev*l	0.12	U		0.045	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	Toluene, High/Med Level*	0.030	U		0.022	0.030	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	trans-1,3-Dichloropropene, High/Med Level*	0.12	U		0.023	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	2-Hexanone, High/Med Level*	0.12	U		0.062	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	Dibromochloromethane, High/Med Level*	0.12	U		0.023	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	Chlorobenzene, High/Med Level*	0.12	U		0.026	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	Styrene, High/Med Level*	0.12	U		0.034	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	Bromoform, High/Med Level*	0.12	U		0.022	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	1,1,2,2-Tetrachloroethane, High/Med Level*	0.12	U		0.022	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	Xylenes (total), High/Med Level*	0.090	U		0.060	0.090	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	Ethylbenzene, High/Med Level*	0.030	U		0.027	0.030	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	Methylene chloride, High/Med Level*	0.12	U		0.024	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(2-4)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 10:30
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-2
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene, High/Med Level*	20			0.28	1.2	10.000	mg/Kg	100721	D1	11/05/03 0941	jdn
	1,1,1-Trichloroethane, High/Med Level*	4.8			0.020	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	1,1,2-Trichloroethane, High/Med Level*	0.12	U		0.038	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	Trichloroethene, High/Med Level*	0.45			0.026	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn
	Vinyl chloride, High/Med Level*	0.12	U		0.022	0.12	1.0000	mg/Kg	100721		11/05/03 0342	jdn
Method	% Solids Determination											
	% Solids, Solid	84.3			0.10	0.10	1	%	100517		11/03/03 1630	crp
	% Moisture, Solid	15.7			0.10	0.10	1	%	100517		11/03/03 1630	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.9	U	*	4.9	4.9	1.00000	mg/Kg	102108		11/11/03 0848	mgk
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1438	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 1945	lmr
	Barium, TCLP Leach	0.74	B		0.010	1.0	1	mg/L	102288		11/20/03 1945	lmr
	Cadmium, TCLP Leach	0.004	B		0.002	0.005	1	mg/L	102288		11/20/03 1945	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 1945	lmr
	Lead, TCLP Leach	0.0070	B		0.0050	0.0075	1	mg/L	102288		11/20/03 1945	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 1945	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102288		11/20/03 1945	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(4-6)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 10:35
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-3
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	86.0			0.10	0.10	1	%	100517		11/03/03 1630	crp
	% Moisture, Solid	14.0			0.10	0.10	1	%	100517		11/03/03 1630	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.9	U	*	4.9	4.9	1.00000	mg/Kg	102108		11/11/03 1024	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0044	U		0.00082	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	Bromomethane, Solid*	0.0044	U		0.0025	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	1,1-Dichloroethene, Solid*	0.0044	U		0.00087	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	Chloroethane, Solid*	0.0044	U		0.0014	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	Carbon disulfide, Solid*	0.0044	U		0.0017	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	Acetone, Solid*	0.0044	U		0.0036	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	1,1-Dichloroethane, Solid*	0.058			0.00077	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	2-Butanone (MEK), Solid*	0.0044	U		0.0037	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	1,2-Dichloroethane, Solid*	0.0044	U		0.00051	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	Chloroform, Solid*	0.0044	U		0.00054	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	Carbon tetrachloride, Solid*	0.0044	U		0.00072	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	Benzene, Solid*	0.0044	U		0.00058	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	1,2-Dichloropropane, Solid*	0.0044	U		0.00084	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	Bromodichloromethane, Solid*	0.0044	U		0.00059	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	cis-1,3-Dichloropropene, Solid*	0.0044	U		0.00069	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	1,2-Dichloroethene (total), Solid*	0.040			0.0017	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0044	U		0.0026	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	Toluene, Solid*	0.0044	U		0.00087	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	trans-1,3-Dichloropropene, Solid*	0.0044	U		0.00073	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	2-Hexanone, Solid*	0.0044	U		0.0015	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	Dibromochloromethane, Solid*	0.0044	U		0.00060	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(4-6)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 10:35
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-3
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0044	U		0.00079	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	Styrene, Solid*	0.0044	U		0.00087	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	Bromoform, Solid*	0.0044	U		0.00079	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0044	U		0.00056	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	Xylenes (total), Solid*	0.0044	U		0.0025	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	Ethylbenzene, Solid*	0.0044	U		0.00096	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	Methylene chloride, Solid*	0.0044	U		0.0016	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	Tetrachloroethene, Solid*	0.12			0.00058	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	1,1,1-Trichloroethane, Solid*	0.17			0.00053	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	1,1,2-Trichloroethane, Solid*	0.0044	U		0.00062	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	Trichloroethene, Solid*	0.0092			0.00052	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
	Vinyl chloride, Solid*	0.0044	U		0.00065	0.0044	1.00000	mg/Kg	101176		11/09/03 1154	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1440	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 1952	lmr
	Barium, TCLP Leach	1.1			0.010	1.0	1	mg/L	102288		11/20/03 1952	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	102288		11/20/03 1952	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 1952	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	102288		11/20/03 1952	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 1952	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102288		11/20/03 1952	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(6-8)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 11:00
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-4
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	94.6			0.10	0.10	1	%	100517		11/03/03 1630	crp
	% Moisture, Solid	5.4			0.10	0.10	1	%	100517		11/03/03 1630	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.4	U	*	4.4	4.4	1.00000	mg/Kg	102108		11/11/03 1111	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0049	U		0.00092	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	Bromomethane, Solid*	0.0049	U		0.0028	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	1,1-Dichloroethene, Solid*	0.0049	U		0.00098	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	Chloroethane, Solid*	0.0049	U		0.0016	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	Carbon disulfide, Solid*	0.0049	U		0.0020	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	Acetone, Solid*	0.0049	U		0.0040	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	1,1-Dichloroethane, Solid*	0.0049	U		0.00086	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	2-Butanone (MEK), Solid*	0.0049	U		0.0041	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	1,2-Dichloroethane, Solid*	0.0049	U		0.00057	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	Chloroform, Solid*	0.0049	U		0.00061	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	Carbon tetrachloride, Solid*	0.0049	U		0.00082	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	Benzene, Solid*	0.0049	U		0.00065	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	1,2-Dichloropropane, Solid*	0.0049	U		0.00094	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	Bromodichloromethane, Solid*	0.0049	U		0.00067	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	cis-1,3-Dichloropropene, Solid*	0.0049	U		0.00078	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	1,2-Dichloroethene (total), Solid*	0.0049	U		0.0019	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0049	U		0.0029	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	Toluene, Solid*	0.0049	U		0.00098	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	trans-1,3-Dichloropropene, Solid*	0.0049	U		0.00083	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	2-Hexanone, Solid*	0.0049	U		0.0017	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	Dibromochloromethane, Solid*	0.0049	U		0.00068	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(6-8)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 11:00
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-4
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0049	U		0.00089	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	Styrene, Solid*	0.0049	U		0.00098	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	Bromoform, Solid*	0.0049	U		0.00089	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0049	U		0.00063	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	Xylenes (total), Solid*	0.0049	U		0.0028	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	Ethylbenzene, Solid*	0.0049	U		0.0011	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	Methylene chloride, Solid*	0.0049	U		0.0018	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	Tetrachloroethene, Solid*	0.012			0.00066	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	1,1,1-Trichloroethane, Solid*	0.0081		H	0.00060	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	1,1,2-Trichloroethane, Solid*	0.0049	U		0.00070	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	Trichloroethene, Solid*	0.0049	U		0.00058	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
	Vinyl chloride, Solid*	0.0049	U		0.00073	0.0049	1.00000	mg/Kg	101176		11/09/03 1222	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1442	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 1959	lmr
	Barium, TCLP Leach	0.59	B		0.010	1.0	1	mg/L	102288		11/20/03 1959	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	102288		11/20/03 1959	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 1959	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	102288		11/20/03 1959	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 1959	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102288		11/20/03 1959	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(8-10)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 11:05
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-5
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	94.4			0.10	0.10	1	%	100517		11/03/03 1630	crp
	% Moisture, Solid	5.6			0.10	0.10	1	%	100517		11/03/03 1630	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.4	U	*	4.4	4.4	1.00000	mg/Kg	102108		11/11/03 1159	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0050	U		0.00094	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	Bromomethane, Solid*	0.0050	U		0.0029	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	1,1-Dichloroethene, Solid*	0.0050	U		0.0010	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	Chloroethane, Solid*	0.0050	U		0.0016	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	Carbon disulfide, Solid*	0.0050	U		0.0020	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	Acetone, Solid*	0.0050	U		0.0041	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	1,1-Dichloroethane, Solid*	0.0050	U		0.00088	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	2-Butanone (MEK), Solid*	0.0050	U		0.0042	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	1,2-Dichloroethane, Solid*	0.0050	U		0.00058	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	Chloroform, Solid*	0.0050	U		0.00062	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	Carbon tetrachloride, Solid*	0.0050	U		0.00083	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	Benzene, Solid*	0.0050	U		0.00066	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	1,2-Dichloropropane, Solid*	0.0050	U		0.00096	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	Bromodichloromethane, Solid*	0.0050	U		0.00068	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	cis-1,3-Dichloropropene, Solid*	0.0050	U		0.00079	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	1,2-Dichloroethene (total), Solid*	0.0050	U		0.0019	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0050	U		0.0030	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	Toluene, Solid*	0.0050	U		0.0010	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	trans-1,3-Dichloropropene, Solid*	0.0050	U		0.00084	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	2-Hexanone, Solid*	0.0050	U		0.0017	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	Dibromochloromethane, Solid*	0.0050	U		0.00069	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(8-10)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 11:05
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-5
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0050	U		0.00091	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	Styrene, Solid*	0.0050	U		0.0010	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	Bromoform, Solid*	0.0050	U		0.00091	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0050	U		0.00064	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	Xylenes (total), Solid*	0.0050	U		0.0029	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	Ethylbenzene, Solid*	0.0050	U		0.0011	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	Methylene chloride, Solid*	0.0054			0.0018	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	Tetrachloroethene, Solid*	0.022			0.00067	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	1,1,1-Trichloroethane, Solid*	0.012		H	0.00061	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	1,1,2-Trichloroethane, Solid*	0.0050	U		0.00071	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	Trichloroethene, Solid*	0.0050	U		0.00059	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
	Vinyl chloride, Solid*	0.0050	U		0.00074	0.0050	1.00000	mg/Kg	101176		11/09/03 1249	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1444	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2106	lmr
	Barium, TCLP Leach	0.43	B		0.010	1.0	1	mg/L	102288		11/20/03 2106	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	102288		11/20/03 2106	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2106	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	102288		11/20/03 2106	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2106	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102288		11/20/03 2106	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(10-12)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 11:10
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-6
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	96.9			0.10	0.10	1	%	100517		11/03/03 1630	crp
	% Moisture, Solid	3.1			0.10	0.10	1	%	100517		11/03/03 1630	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.3	U	*	4.3	4.3	1.00000	mg/Kg	102108		11/11/03 1334	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0047	U		0.00089	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	Bromomethane, Solid*	0.0047	U		0.0027	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	1,1-Dichloroethene, Solid*	0.0047	U		0.00095	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	Chloroethane, Solid*	0.0047	U		0.0015	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	Carbon disulfide, Solid*	0.0047	U		0.0019	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	Acetone, Solid*	0.0047	U		0.0039	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	1,1-Dichloroethane, Solid*	0.010		M	0.00083	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	2-Butanone (MEK), Solid*	0.0047	U		0.0040	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	1,2-Dichloroethane, Solid*	0.0047	U		0.00055	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	Chloroform, Solid*	0.0047	U		0.00059	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	Carbon tetrachloride, Solid*	0.0047	U		0.00079	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	Benzene, Solid*	0.0047	U		0.00062	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	1,2-Dichloropropane, Solid*	0.0047	U		0.00091	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	Bromodichloromethane, Solid*	0.0047	U		0.00064	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	cis-1,3-Dichloropropene, Solid*	0.0047	U		0.00075	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	1,2-Dichloroethene (total), Solid*	0.0092			0.0018	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0047	U		0.0028	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	Toluene, Solid*	0.0047	U		0.00095	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	trans-1,3-Dichloropropene, Solid*	0.0047	U		0.00080	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	2-Hexanone, Solid*	0.0047	U		0.0016	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	Dibromochloromethane, Solid*	0.0047	U		0.00065	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(10-12)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 11:10
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-6
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0047	U		0.00086	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	Styrene, Solid*	0.0047	U		0.00095	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	Bromoform, Solid*	0.0047	U		0.00086	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0047	U		0.00061	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	Xylenes (total), Solid*	0.0047	U		0.0027	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	Ethylbenzene, Solid*	0.0047	U		0.0010	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	Methylene chloride, Solid*	0.010			0.0017	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	Tetrachloroethene, Solid*	0.075			0.00063	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	1,1,1-Trichloroethane, Solid*	0.055			0.00058	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	1,1,2-Trichloroethane, Solid*	0.0047	U		0.00067	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	Trichloroethene, Solid*	0.0040	J	a	0.00056	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
	Vinyl chloride, Solid*	0.0047	U		0.00070	0.0047	1.00000	mg/Kg	101176		11/09/03 1317	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1447	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2113	lmr
	Barium, TCLP Leach	0.41	B		0.010	1.0	1	mg/L	102288		11/20/03 2113	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	102288		11/20/03 2113	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2113	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	102288		11/20/03 2113	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2113	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102288		11/20/03 2113	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(12-14)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 11:15
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-7
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	97.2			0.10	0.10	1	%	100517		11/03/03 1630	crp
	% Moisture, Solid	2.8			0.10	0.10	1	%	100517		11/03/03 1630	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.3	U	*	4.3	4.3	1.00000	mg/Kg	102108		11/11/03 1421	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0049	U		0.00091	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	Bromomethane, Solid*	0.0049	U		0.0028	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	1,1-Dichloroethene, Solid*	0.0049	U		0.00097	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	Chloroethane, Solid*	0.0049	U		0.0016	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	Carbon disulfide, Solid*	0.0049	U		0.0019	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	Acetone, Solid*	0.0049	U		0.0040	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	1,1-Dichloroethane, Solid*	0.0082			0.00086	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	2-Butanone (MEK), Solid*	0.0049	U		0.0041	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	1,2-Dichloroethane, Solid*	0.0049	U		0.00056	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	Chloroform, Solid*	0.0049	U		0.00060	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	Carbon tetrachloride, Solid*	0.0049	U		0.00081	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	Benzene, Solid*	0.0049	U		0.00064	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	1,2-Dichloropropane, Solid*	0.0049	U		0.00093	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	Bromodichloromethane, Solid*	0.0049	U		0.00066	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	cis-1,3-Dichloropropene, Solid*	0.0049	U		0.00077	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	1,2-Dichloroethene (total), Solid*	0.0086			0.0018	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0049	U		0.0029	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	Toluene, Solid*	0.0049	U		0.00097	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	trans-1,3-Dichloropropene, Solid*	0.0049	U		0.00082	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	2-Hexanone, Solid*	0.0049	U		0.0017	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	Dibromochloromethane, Solid*	0.0049	U		0.00067	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(12-14)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 11:15
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-7
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0049	U		0.00088	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	Styrene, Solid*	0.0049	U		0.00097	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	Bromoform, Solid*	0.0049	U		0.00088	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0049	U		0.00062	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	Xylenes (total), Solid*	0.0049	U		0.0028	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	Ethylbenzene, Solid*	0.0049	U		0.0011	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	Methylene chloride, Solid*	0.0077			0.0018	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	Tetrachloroethene, Solid*	0.082			0.00065	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	1,1,1-Trichloroethane, Solid*	0.058			0.00059	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	1,1,2-Trichloroethane, Solid*	0.0049	U		0.00069	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	Trichloroethene, Solid*	0.0050			0.00057	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
	Vinyl chloride, Solid*	0.0049	U		0.00072	0.0049	1.00000	mg/Kg	101176		11/09/03 1344	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1449	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2120	lmr
	Barium, TCLP Leach	0.42	B		0.010	1.0	1	mg/L	102288		11/20/03 2120	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	102288		11/20/03 2120	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2120	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	102288		11/20/03 2120	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2120	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102288		11/20/03 2120	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(14-16)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 11:20
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-8
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	96.9			0.10	0.10	1	%	100517		11/03/03 1630	crp
	% Moisture, Solid	3.1			0.10	0.10	1	%	100517		11/03/03 1630	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.2	U	*	4.2	4.2	1.00000	mg/Kg	102108		11/11/03 1509	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0053	U		0.0010	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	Bromomethane, Solid*	0.0053	U		0.0031	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	1,1-Dichloroethene, Solid*	0.0053	U		0.0011	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	Chloroethane, Solid*	0.0053	U		0.0017	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	Carbon disulfide, Solid*	0.0053	U		0.0021	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	Acetone, Solid*	0.0053	U		0.0044	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	1,1-Dichloroethane, Solid*	0.0053	U		0.00093	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	2-Butanone (MEK), Solid*	0.0053	U		0.0045	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	1,2-Dichloroethane, Solid*	0.0053	U		0.00062	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	Chloroform, Solid*	0.0053	U		0.00066	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	Carbon tetrachloride, Solid*	0.0053	U		0.00088	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	Benzene, Solid*	0.0053	U		0.00070	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	1,2-Dichloropropane, Solid*	0.0053	U		0.0010	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	Bromodichloromethane, Solid*	0.0053	U		0.00072	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	cis-1,3-Dichloropropene, Solid*	0.0053	U		0.00084	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	1,2-Dichloroethene (total), Solid*	0.0027	J	a	0.0020	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0053	U		0.0032	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	Toluene, Solid*	0.0053	U		0.0011	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	trans-1,3-Dichloropropene, Solid*	0.0053	U		0.00089	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	2-Hexanone, Solid*	0.0053	U		0.0018	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	Dibromochloromethane, Solid*	0.0053	U		0.00073	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(14-16)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 11:20
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-8
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0053	U		0.00097	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	Styrene, Solid*	0.0053	U		0.0011	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	Bromoform, Solid*	0.0053	U		0.00097	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0053	U		0.00068	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	Xylenes (total), Solid*	0.0053	U		0.0031	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	Ethylbenzene, Solid*	0.0053	U		0.0012	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	Methylene chloride, Solid*	0.0053	U		0.0019	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	Tetrachloroethene, Solid*	0.061			0.00071	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	1,1,1-Trichloroethane, Solid*	0.029		H	0.00065	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	1,1,2-Trichloroethane, Solid*	0.0053	U		0.00075	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	Trichloroethene, Solid*	0.0053	U		0.00063	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
	Vinyl chloride, Solid*	0.0053	U		0.00079	0.0053	1.00000	mg/Kg	101176		11/09/03 1412	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1451	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2126	lmr
	Barium, TCLP Leach	0.41	B		0.010	1.0	1	mg/L	102288		11/20/03 2126	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	102288		11/20/03 2126	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2126	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	102288		11/20/03 2126	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2126	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102288		11/20/03 2126	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(16-18)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 11:25
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-9
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	96.0			0.10	0.10	1	%	100517		11/03/03 1630	crp
	% Moisture, Solid	4.0			0.10	0.10	1	%	100517		11/03/03 1630	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.3	U	*	4.3	4.3	1.00000	mg/Kg	102108		11/11/03 1556	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0049	U		0.00093	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	Bromomethane, Solid*	0.0049	U		0.0029	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	1,1-Dichloroethene, Solid*	0.0049	U		0.00098	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	Chloroethane, Solid*	0.0049	U		0.0016	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	Carbon disulfide, Solid*	0.0049	U		0.0020	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	Acetone, Solid*	0.0049	U		0.0040	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	1,1-Dichloroethane, Solid*	0.0037	J	a	0.00087	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	2-Butanone (MEK), Solid*	0.0049	U		0.0041	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	1,2-Dichloroethane, Solid*	0.0049	U		0.00057	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	Chloroform, Solid*	0.0049	U		0.00061	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	Carbon tetrachloride, Solid*	0.0049	U		0.00082	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	Benzene, Solid*	0.0049	U		0.00065	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	1,2-Dichloropropane, Solid*	0.0049	U		0.00095	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	Bromodichloromethane, Solid*	0.0049	U		0.00067	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	cis-1,3-Dichloropropene, Solid*	0.0049	U		0.00078	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	1,2-Dichloroethene (total), Solid*	0.0040	J	a	0.0019	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0049	U		0.0030	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	Toluene, Solid*	0.0049	U		0.00098	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	trans-1,3-Dichloropropene, Solid*	0.0049	U		0.00083	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	2-Hexanone, Solid*	0.0049	U		0.0017	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	Dibromochloromethane, Solid*	0.0049	U		0.00068	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(16-18)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 11:25
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-9
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0049	U		0.00090	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	Styrene, Solid*	0.0049	U		0.00098	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	Bromoform, Solid*	0.0049	U		0.00090	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0049	U		0.00063	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	Xylenes (total), Solid*	0.0049	U		0.0029	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	Ethylbenzene, Solid*	0.0049	U		0.0011	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	Methylene chloride, Solid*	0.0049	U		0.0018	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	Tetrachloroethene, Solid*	0.082			0.00066	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	1,1,1-Trichloroethane, Solid*	0.042			0.00060	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	1,1,2-Trichloroethane, Solid*	0.0049	U		0.00070	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	Trichloroethene, Solid*	0.0038	J	a	0.00058	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
	Vinyl chloride, Solid*	0.0049	U		0.00073	0.0049	1.00000	mg/Kg	101176		11/09/03 1439	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1453	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2133	lmr
	Barium, TCLP Leach	0.41	B		0.010	1.0	1	mg/L	102288		11/20/03 2133	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	102288		11/20/03 2133	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2133	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	102288		11/20/03 2133	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2133	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102288		11/20/03 2133	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(18-20)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 11:30
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-10
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Chloromethane, High/Med Level*	0.091	U		0.021	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	Bromomethane, High/Med Level*	0.091	U		0.0096	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	1,1-Dichloroethene, High/Med Level*	0.091	U		0.013	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	Chloroethane, High/Med Level*	0.091	U		0.018	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	Carbon disulfide, High/Med Level*	0.091	U		0.019	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	Acetone, High/Med Level*	0.091	U		0.026	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	1,1-Dichloroethane, High/Med Level*	0.12			0.012	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	2-Butanone (MEK), High/Med Level*	0.091	U		0.046	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	1,2-Dichloroethane, High/Med Level*	0.091	U		0.020	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	Chloroform, High/Med Level*	0.091	U		0.016	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	Carbon tetrachloride, High/Med Level*	0.091	U		0.015	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	Benzene, High/Med Level*	0.023	U		0.013	0.023	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	1,2-Dichloropropane, High/Med Level*	0.091	U		0.016	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	Bromodichloromethane, High/Med Level*	0.091	U		0.017	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	cis-1,3-Dichloropropene, High/Med Level*	0.091	U		0.020	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	1,2-Dichloroethene (total), High/Med Leve*	0.11			0.026	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	4-Methyl-2-pentanone (MIBK), High/Med Lev*l	0.091	U		0.034	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	Toluene, High/Med Level*	0.023	U		0.016	0.023	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	trans-1,3-Dichloropropene, High/Med Level*	0.091	U		0.018	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	2-Hexanone, High/Med Level*	0.091	U		0.047	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	Dibromochloromethane, High/Med Level*	0.091	U		0.017	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	Chlorobenzene, High/Med Level*	0.091	U		0.020	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	Styrene, High/Med Level*	0.091	U		0.026	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	Bromoform, High/Med Level*	0.091	U		0.016	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	1,1,2,2-Tetrachloroethane, High/Med Level*	0.091	U		0.017	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	Xylenes (total), High/Med Level*	0.068	U		0.046	0.068	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	Ethylbenzene, High/Med Level*	0.023	U		0.020	0.023	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	Methylene chloride, High/Med Level*	0.091	U		0.018	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(18-20)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 11:30
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-10
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene, High/Med Level*	0.80			0.021	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	1,1,1-Trichloroethane, High/Med Level*	0.48			0.015	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	1,1,2-Trichloroethane, High/Med Level*	0.091	U		0.029	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	Trichloroethene, High/Med Level*	0.091	U		0.020	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
	Vinyl chloride, High/Med Level*	0.091	U		0.016	0.091	1.0000	mg/Kg	100721		11/05/03 0512	jdn
Method	% Solids Determination											
	% Solids, Solid	88.9			0.10	0.10	1	%	100517		11/03/03 1630	crp
	% Moisture, Solid	11.1			0.10	0.10	1	%	100517		11/03/03 1630	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.6	U	*	4.6	4.6	1.00000	mg/Kg	102108		11/11/03 1643	mgk
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1455	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2303	lmr
	Barium, TCLP Leach	0.43	B		0.010	1.0	1	mg/L	102288		11/20/03 2303	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	102288		11/20/03 2303	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2303	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	102288		11/20/03 2303	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2303	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102288		11/20/03 2303	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: TRIP BLANK
Date Sampled.....: 10/28/2003
Time Sampled.....: 10:25
Sample Matrix.....: Water

Laboratory Sample ID: 221826-11
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Chloromethane	0.0010	U		0.00016	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn
	Bromomethane	0.0010	U		0.00018	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn
	1,1-Dichloroethene	0.0010	U		0.00019	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn
	Chloroethane	0.0010	U		0.00021	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn
	Carbon disulfide	0.0050	U		0.00040	0.0050	1.00000	mg/L	100905		11/05/03 1856	jdn
	Acetone	0.0050	U		0.0015	0.0050	1.00000	mg/L	100905		11/05/03 1856	jdn
	2-Butanone (MEK)	0.0050	U		0.0017	0.0050	1.00000	mg/L	100905		11/05/03 1856	jdn
	1,2-Dichloroethane	0.0010	U		0.00025	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn
	Chloroform	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn
	Carbon tetrachloride	0.0010	U		0.00024	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn
	Benzene	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn
	1,2-Dichloropropane	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn
	Bromodichloromethane	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn
	1,2-Dichloroethene (total)	0.0010	U		0.00042	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn
	cis-1,3-Dichloropropene	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn
	4-Methyl-2-pentanone (MIBK)	0.0050	U		0.00092	0.0050	1.00000	mg/L	100905		11/05/03 1856	jdn
	Toluene	0.0010	U		0.00021	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn
	trans-1,3-Dichloropropene	0.0010	U		0.00024	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn
	1,1-Dichloroethane	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn
	2-Hexanone	0.0050	U		0.0012	0.0050	1.00000	mg/L	100905		11/05/03 1856	jdn
	Dibromochloromethane	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn
	Chlorobenzene	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn
	Styrene	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn
	Bromoform	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn
	1,1,2,2-Tetrachloroethane	0.0010	U		0.00025	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn
	Xylenes (total)	0.0010	U		0.00028	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn
	Ethylbenzene	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn
	Methylene chloride	0.0010	U		0.00019	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: TRIP BLANK
Date Sampled.....: 10/28/2003
Time Sampled.....: 10:25
Sample Matrix.....: Water

Laboratory Sample ID: 221826-11
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn
	1,1,1-Trichloroethane	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn
	1,1,2-Trichloroethane	0.0010	U		0.00033	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn
	Trichloroethene	0.0010	U		0.00021	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn
	Vinyl chloride	0.0010	U		0.00018	0.0010	1.00000	mg/L	100905		11/05/03 1856	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(20-22)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 11:45
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-12
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	87.2			0.10	0.10	1	%	100517		11/03/03 1630	crp
	% Moisture, Solid	12.8			0.10	0.10	1	%	100517		11/03/03 1630	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.8	U	*	4.8	4.8	1.00000	mg/Kg	102108		11/11/03 1731	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0050	U		0.00093	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	Bromomethane, Solid*	0.0050	U		0.0029	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	1,1-Dichloroethene, Solid*	0.0050	U		0.00099	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	Chloroethane, Solid*	0.0050	U		0.0016	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	Carbon disulfide, Solid*	0.0050	U		0.0020	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	Acetone, Solid*	0.0050	U		0.0041	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	1,1-Dichloroethane, Solid*	0.036			0.00087	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	2-Butanone (MEK), Solid*	0.0050	U		0.0042	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	1,2-Dichloroethane, Solid*	0.0050	U		0.00058	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	Chloroform, Solid*	0.0050	U		0.00062	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	Carbon tetrachloride, Solid*	0.0050	U		0.00082	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	Benzene, Solid*	0.0040	J	a	0.00065	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	1,2-Dichloropropane, Solid*	0.0050	U		0.00095	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	Bromodichloromethane, Solid*	0.0050	U		0.00067	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	cis-1,3-Dichloropropene, Solid*	0.0050	U		0.00078	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	1,2-Dichloroethene (total), Solid*	0.027			0.0019	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0050	U		0.0030	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	Toluene, Solid*	0.0078			0.00099	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	trans-1,3-Dichloropropene, Solid*	0.0050	U		0.00083	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	2-Hexanone, Solid*	0.0050	U		0.0017	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	Dibromochloromethane, Solid*	0.0050	U		0.00068	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(20-22)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 11:45
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-12
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0050	U		0.00090	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	Styrene, Solid*	0.0050	U		0.00099	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	Bromoform, Solid*	0.0050	U		0.00090	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0050	U		0.00063	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	Xylenes (total), Solid*	0.0050	U		0.0029	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	Ethylbenzene, Solid*	0.0050	U		0.0011	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	Methylene chloride, Solid*	0.0050	U		0.0018	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	Tetrachloroethene, Solid*	0.096			0.00066	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	1,1,1-Trichloroethane, Solid*	0.11			0.00061	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	1,1,2-Trichloroethane, Solid*	0.0050	U		0.00070	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	Trichloroethene, Solid*	0.0062			0.00059	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
	Vinyl chloride, Solid*	0.0050	U		0.00073	0.0050	1.00000	mg/Kg	102107		11/10/03 1340	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1457	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2140	lmr
	Barium, TCLP Leach	0.35	B		0.010	1.0	1	mg/L	102288		11/20/03 2140	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	102288		11/20/03 2140	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2140	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	102288		11/20/03 2140	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2140	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102288		11/20/03 2140	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(22-24)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 11:50
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-13
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	96.5			0.10	0.10	1	%	100517		11/03/03 1630	crp
	% Moisture, Solid	3.5			0.10	0.10	1	%	100517		11/03/03 1630	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.3	U	*	4.3	4.3	1.00000	mg/Kg	102108		11/11/03 1953	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0053	U		0.00099	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	Bromomethane, Solid*	0.0053	U		0.0031	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	1,1-Dichloroethene, Solid*	0.0053	U		0.0011	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	Chloroethane, Solid*	0.0053	U		0.0017	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	Carbon disulfide, Solid*	0.0053	U		0.0021	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	Acetone, Solid*	0.0053	U		0.0043	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	1,1-Dichloroethane, Solid*	0.0053	U		0.00093	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	2-Butanone (MEK), Solid*	0.0054			0.0044	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	1,2-Dichloroethane, Solid*	0.0053	U		0.00061	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	Chloroform, Solid*	0.0053	U		0.00065	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	Carbon tetrachloride, Solid*	0.0053	U		0.00088	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	Benzene, Solid*	0.0053	U		0.00070	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	1,2-Dichloropropane, Solid*	0.0053	U		0.0010	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	Bromodichloromethane, Solid*	0.0053	U		0.00072	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	cis-1,3-Dichloropropene, Solid*	0.0053	U		0.00083	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	1,2-Dichloroethene (total), Solid*	0.0053	U		0.0020	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0053	U		0.0032	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	Toluene, Solid*	0.0053	U		0.0011	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	trans-1,3-Dichloropropene, Solid*	0.0053	U		0.00089	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	2-Hexanone, Solid*	0.0053	U		0.0018	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	Dibromochloromethane, Solid*	0.0053	U		0.00073	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(22-24)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 11:50
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-13
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0053	U		0.00096	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	Styrene, Solid*	0.0053	U		0.0011	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	Bromoform, Solid*	0.0053	U		0.00096	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0053	U		0.00068	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	Xylenes (total), Solid*	0.0053	U		0.0031	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	Ethylbenzene, Solid*	0.0053	U		0.0012	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	Methylene chloride, Solid*	0.014			0.0019	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	Tetrachloroethene, Solid*	0.026			0.00071	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	1,1,1-Trichloroethane, Solid*	0.0086		H	0.00064	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	1,1,2-Trichloroethane, Solid*	0.0053	U		0.00075	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	Trichloroethene, Solid*	0.0053	U		0.00062	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
	Vinyl chloride, Solid*	0.0053	U		0.00078	0.0053	1.00000	mg/Kg	101176		11/09/03 1534	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1504	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2146	lmr
	Barium, TCLP Leach	0.37	B		0.010	1.0	1	mg/L	102288		11/20/03 2146	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	102288		11/20/03 2146	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2146	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	102288		11/20/03 2146	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2146	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102288		11/20/03 2146	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(24-26)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 11:55
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-14
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	96.6			0.10	0.10	1	%	100517		11/03/03 1630	crp
	% Moisture, Solid	3.4			0.10	0.10	1	%	100517		11/03/03 1630	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.3	U	*	4.3	4.3	1.00000	mg/Kg	102108		11/11/03 2040	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0053	U		0.0010	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	Bromomethane, Solid*	0.0053	U		0.0031	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	1,1-Dichloroethene, Solid*	0.0053	U		0.0011	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	Chloroethane, Solid*	0.0053	U		0.0017	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	Carbon disulfide, Solid*	0.0053	U		0.0021	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	Acetone, Solid*	0.0058			0.0043	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	1,1-Dichloroethane, Solid*	0.0053	U		0.00093	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	2-Butanone (MEK), Solid*	0.0053	U		0.0045	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	1,2-Dichloroethane, Solid*	0.0053	U		0.00062	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	Chloroform, Solid*	0.0053	U		0.00066	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	Carbon tetrachloride, Solid*	0.0053	U		0.00088	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	Benzene, Solid*	0.0053	U		0.00070	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	1,2-Dichloropropane, Solid*	0.0053	U		0.0010	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	Bromodichloromethane, Solid*	0.0053	U		0.00072	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	cis-1,3-Dichloropropene, Solid*	0.0053	U		0.00084	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	1,2-Dichloroethene (total), Solid*	0.0053	U		0.0020	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0053	U		0.0032	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	Toluene, Solid*	0.0053	U		0.0011	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	trans-1,3-Dichloropropene, Solid*	0.0053	U		0.00089	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	2-Hexanone, Solid*	0.0053	U		0.0018	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	Dibromochloromethane, Solid*	0.0053	U		0.00073	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn

** In Description = Dry Wgt.*

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(24-26)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 11:55
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-14
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0053	U		0.00097	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	Styrene, Solid*	0.0053	U		0.0011	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	Bromoform, Solid*	0.0053	U		0.00097	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0053	U		0.00068	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	Xylenes (total), Solid*	0.0053	U		0.0031	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	Ethylbenzene, Solid*	0.0053	U		0.0012	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	Methylene chloride, Solid*	0.0065			0.0019	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	Tetrachloroethene, Solid*	0.032			0.00071	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	1,1,1-Trichloroethane, Solid*	0.012		H	0.00065	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	1,1,2-Trichloroethane, Solid*	0.0053	U		0.00075	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	Trichloroethene, Solid*	0.0053	U		0.00063	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
	Vinyl chloride, Solid*	0.0053	U		0.00078	0.0053	1.00000	mg/Kg	101176		11/09/03 1601	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1506	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2153	lmr
	Barium, TCLP Leach	0.39	B		0.010	1.0	1	mg/L	102288		11/20/03 2153	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	102288		11/20/03 2153	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2153	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	102288		11/20/03 2153	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2153	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102288		11/20/03 2153	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SBD-S3(24-26)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 11:55
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-15
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	96.9			0.10	0.10	1	%	100517		11/03/03 1630	crp
	% Moisture, Solid	3.1			0.10	0.10	1	%	100517		11/03/03 1630	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.3	U	*	4.3	4.3	1.00000	mg/Kg	102108		11/11/03 2213	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0053	U		0.00099	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	Bromomethane, Solid*	0.0053	U		0.0030	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	1,1-Dichloroethene, Solid*	0.0053	U		0.0011	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	Chloroethane, Solid*	0.0053	U		0.0017	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	Carbon disulfide, Solid*	0.0053	U		0.0021	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	Acetone, Solid*	0.0053	U		0.0043	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	1,1-Dichloroethane, Solid*	0.0053	U		0.00092	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	2-Butanone (MEK), Solid*	0.0053	U		0.0044	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	1,2-Dichloroethane, Solid*	0.0053	U		0.00061	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	Chloroform, Solid*	0.0053	U		0.00065	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	Carbon tetrachloride, Solid*	0.0053	U		0.00087	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	Benzene, Solid*	0.0053	U		0.00069	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	1,2-Dichloropropane, Solid*	0.0053	U		0.0010	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	Bromodichloromethane, Solid*	0.0053	U		0.00071	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	cis-1,3-Dichloropropene, Solid*	0.0053	U		0.00083	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	1,2-Dichloroethene (total), Solid*	0.0053	U		0.0020	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0053	U		0.0032	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	Toluene, Solid*	0.0053	U		0.0011	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	trans-1,3-Dichloropropene, Solid*	0.0053	U		0.00088	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	2-Hexanone, Solid*	0.0053	U		0.0018	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	Dibromochloromethane, Solid*	0.0053	U		0.00073	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SBD-S3(24-26)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 11:55
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-15
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0053	U		0.00096	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	Styrene, Solid*	0.0053	U		0.0011	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	Bromoform, Solid*	0.0053	U		0.00096	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0053	U		0.00067	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	Xylenes (total), Solid*	0.0053	U		0.0030	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	Ethylbenzene, Solid*	0.0053	U		0.0012	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	Methylene chloride, Solid*	0.0053	U		0.0019	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	Tetrachloroethene, Solid*	0.025			0.00070	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	1,1,1-Trichloroethane, Solid*	0.0088		M	0.00064	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	1,1,2-Trichloroethane, Solid*	0.0053	U		0.00075	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	Trichloroethene, Solid*	0.0053	U		0.00062	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
	Vinyl chloride, Solid*	0.0053	U		0.00078	0.0053	1.00000	mg/Kg	101176		11/09/03 1629	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1508	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2200	lmr
	Barium, TCLP Leach	0.40	B		0.010	1.0	1	mg/L	102288		11/20/03 2200	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	102288		11/20/03 2200	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2200	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	102288		11/20/03 2200	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2200	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102288		11/20/03 2200	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(26-28)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 12:00
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-16
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	97.6			0.10	0.10	1	%	100517		11/03/03 1630	crp
	% Moisture, Solid	2.4			0.10	0.10	1	%	100517		11/03/03 1630	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.2	U	*	4.2	4.2	1.00000	mg/Kg	102108		11/11/03 2300	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0049	U		0.00092	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	Bromomethane, Solid*	0.0049	U		0.0029	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	1,1-Dichloroethene, Solid*	0.0049	U		0.00098	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	Chloroethane, Solid*	0.0049	U		0.0016	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	Carbon disulfide, Solid*	0.0049	U		0.0020	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	Acetone, Solid*	0.0049	U		0.0040	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	1,1-Dichloroethane, Solid*	0.0049	U		0.00087	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	2-Butanone (MEK), Solid*	0.0049	U		0.0041	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	1,2-Dichloroethane, Solid*	0.0049	U		0.00057	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	Chloroform, Solid*	0.0049	U		0.00061	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	Carbon tetrachloride, Solid*	0.0049	U		0.00082	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	Benzene, Solid*	0.0049	U		0.00065	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	1,2-Dichloropropane, Solid*	0.0049	U		0.00094	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	Bromodichloromethane, Solid*	0.0049	U		0.00067	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	cis-1,3-Dichloropropene, Solid*	0.0049	U		0.00078	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	1,2-Dichloroethene (total), Solid*	0.0049	U		0.0019	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0049	U		0.0029	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	Toluene, Solid*	0.0049	U		0.00098	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	trans-1,3-Dichloropropene, Solid*	0.0049	U		0.00083	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	2-Hexanone, Solid*	0.0049	U		0.0017	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	Dibromochloromethane, Solid*	0.0049	U		0.00068	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(26-28)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 12:00
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-16
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0049	U		0.00089	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	Styrene, Solid*	0.0049	U		0.00098	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	Bromoform, Solid*	0.0049	U		0.00089	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0049	U		0.00063	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	Xylenes (total), Solid*	0.0049	U		0.0029	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	Ethylbenzene, Solid*	0.0049	U		0.0011	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	Methylene chloride, Solid*	0.0049	U		0.0018	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	Tetrachloroethene, Solid*	0.028			0.00066	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	1,1,1-Trichloroethane, Solid*	0.0096		H	0.00060	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	1,1,2-Trichloroethane, Solid*	0.0049	U		0.00070	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	Trichloroethene, Solid*	0.0049	U		0.00058	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
	Vinyl chloride, Solid*	0.0049	U		0.00073	0.0049	1.00000	mg/Kg	101176		11/09/03 1656	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1510	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2206	lmr
	Barium, TCLP Leach	0.33	B		0.010	1.0	1	mg/L	102288		11/20/03 2206	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	102288		11/20/03 2206	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2206	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	102288		11/20/03 2206	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2206	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102288		11/20/03 2206	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(28-30)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 12:05
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-17
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	96.8			0.10	0.10	1	%	100517		11/03/03 1630	crp
	% Moisture, Solid	3.2			0.10	0.10	1	%	100517		11/03/03 1630	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.3	U	*	4.3	4.3	1.00000	mg/Kg	102108		11/11/03 2347	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0045	U		0.00085	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	Bromomethane, Solid*	0.0045	U		0.0026	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	1,1-Dichloroethene, Solid*	0.0045	U		0.00090	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	Chloroethane, Solid*	0.0045	U		0.0014	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	Carbon disulfide, Solid*	0.0045	U		0.0018	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	Acetone, Solid*	0.0045	U		0.0037	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	1,1-Dichloroethane, Solid*	0.0045	U		0.00080	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	2-Butanone (MEK), Solid*	0.0045	U		0.0038	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	1,2-Dichloroethane, Solid*	0.0045	U		0.00052	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	Chloroform, Solid*	0.0045	U		0.00056	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	Carbon tetrachloride, Solid*	0.0045	U		0.00075	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	Benzene, Solid*	0.0045	U		0.00060	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	1,2-Dichloropropane, Solid*	0.0045	U		0.00087	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	Bromodichloromethane, Solid*	0.0045	U		0.00062	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	cis-1,3-Dichloropropene, Solid*	0.0045	U		0.00071	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	1,2-Dichloroethene (total), Solid*	0.0045	U		0.0017	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0045	U		0.0027	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	Toluene, Solid*	0.0045	U		0.00090	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	trans-1,3-Dichloropropene, Solid*	0.0045	U		0.00076	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	2-Hexanone, Solid*	0.0045	U		0.0015	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	Dibromochloromethane, Solid*	0.0045	U		0.00062	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(28-30)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 12:05
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-17
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0045	U		0.00082	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	Styrene, Solid*	0.0045	U		0.00090	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	Bromoform, Solid*	0.0045	U		0.00082	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0045	U		0.00058	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	Xylenes (total), Solid*	0.0045	U		0.0026	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	Ethylbenzene, Solid*	0.0045	U		0.0010	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	Methylene chloride, Solid*	0.0045	U		0.0016	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	Tetrachloroethene, Solid*	0.021			0.00061	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	1,1,1-Trichloroethane, Solid*	0.0097		H	0.00055	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	1,1,2-Trichloroethane, Solid*	0.0045	U		0.00064	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	Trichloroethene, Solid*	0.0045	U		0.00053	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
	Vinyl chloride, Solid*	0.0045	U		0.00067	0.0045	1.00000	mg/Kg	101176		11/09/03 1724	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1512	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2236	lmr
	Barium, TCLP Leach	0.40	B		0.010	1.0	1	mg/L	102288		11/20/03 2236	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	102288		11/20/03 2236	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2236	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	102288		11/20/03 2236	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2236	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102288		11/20/03 2236	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(30-32)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 12:10
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-18
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	97.6			0.10	0.10	1	%	100517		11/03/03 1630	crp
	% Moisture, Solid	2.4			0.10	0.10	1	%	100517		11/03/03 1630	crp
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.2	U	*	4.2	4.2	1.00000	mg/Kg	102108		11/12/03 0033	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0051	U		0.00096	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	Bromomethane, Solid*	0.0051	U		0.0030	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	1,1-Dichloroethene, Solid*	0.0051	U		0.0010	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	Chloroethane, Solid*	0.0051	U		0.0016	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	Carbon disulfide, Solid*	0.0051	U		0.0020	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	Acetone, Solid*	0.0051	U		0.0042	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	1,1-Dichloroethane, Solid*	0.0051	U		0.00090	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	2-Butanone (MEK), Solid*	0.0051	U		0.0043	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	1,2-Dichloroethane, Solid*	0.0051	U		0.00059	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	Chloroform, Solid*	0.0051	U		0.00063	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	Carbon tetrachloride, Solid*	0.0051	U		0.00085	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	Benzene, Solid*	0.0051	U		0.00067	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	1,2-Dichloropropane, Solid*	0.0051	U		0.00098	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	Bromodichloromethane, Solid*	0.0051	U		0.00069	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	cis-1,3-Dichloropropene, Solid*	0.0051	U		0.00080	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	1,2-Dichloroethene (total), Solid*	0.0051	U		0.0019	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0051	U		0.0031	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	Toluene, Solid*	0.0051	U		0.0010	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	trans-1,3-Dichloropropene, Solid*	0.0051	U		0.00086	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	2-Hexanone, Solid*	0.0051	U		0.0017	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	Dibromochloromethane, Solid*	0.0051	U		0.00070	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S3(30-32)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 12:10
Sample Matrix.....: Soil

Laboratory Sample ID: 221826-18
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0051	U		0.00093	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	Styrene, Solid*	0.0051	U		0.0010	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	Bromoform, Solid*	0.0051	U		0.00093	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0051	U		0.00065	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	Xylenes (total), Solid*	0.0051	U		0.0030	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	Ethylbenzene, Solid*	0.0051	U		0.0011	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	Methylene chloride, Solid*	0.011			0.0018	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	Tetrachloroethene, Solid*	0.049			0.00068	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	1,1,1-Trichloroethane, Solid*	0.019		M	0.00062	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	1,1,2-Trichloroethane, Solid*	0.0051	U		0.00072	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	Trichloroethene, Solid*	0.0051	U		0.00060	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
	Vinyl chloride, Solid*	0.0051	U		0.00075	0.0051	1.00000	mg/Kg	101176		11/09/03 1751	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1514	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2242	lmr
	Barium, TCLP Leach	0.41	B		0.010	1.0	1	mg/L	102288		11/20/03 2242	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	102288		11/20/03 2242	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2242	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	102288		11/20/03 2242	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102288		11/20/03 2242	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102288		11/20/03 2242	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: TRIP BLANK
Date Sampled.....: 10/28/2003
Time Sampled.....: 11:45
Sample Matrix.....: Water

Laboratory Sample ID: 221826-19
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Chloromethane	0.0010	U		0.00016	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn
	Bromomethane	0.0010	U		0.00018	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn
	1,1-Dichloroethene	0.0010	U		0.00019	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn
	Chloroethane	0.0010	U		0.00021	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn
	Carbon disulfide	0.0050	U		0.00040	0.0050	1.00000	mg/L	100905		11/05/03 1926	jdn
	Acetone	0.0050	U		0.0015	0.0050	1.00000	mg/L	100905		11/05/03 1926	jdn
	2-Butanone (MEK)	0.0050	U		0.0017	0.0050	1.00000	mg/L	100905		11/05/03 1926	jdn
	1,2-Dichloroethane	0.0010	U		0.00025	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn
	Chloroform	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn
	Carbon tetrachloride	0.0010	U		0.00024	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn
	Benzene	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn
	1,2-Dichloropropane	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn
	Bromodichloromethane	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn
	1,2-Dichloroethene (total)	0.0010	U		0.00042	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn
	cis-1,3-Dichloropropene	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn
	4-Methyl-2-pentanone (MIBK)	0.0050	U		0.00092	0.0050	1.00000	mg/L	100905		11/05/03 1926	jdn
	Toluene	0.0010	U		0.00021	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn
	trans-1,3-Dichloropropene	0.0010	U		0.00024	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn
	1,1-Dichloroethane	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn
	2-Hexanone	0.0050	U		0.0012	0.0050	1.00000	mg/L	100905		11/05/03 1926	jdn
	Dibromochloromethane	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn
	Chlorobenzene	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn
	Styrene	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn
	Bromoform	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn
	1,1,2,2-Tetrachloroethane	0.0010	U		0.00025	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn
	Xylenes (total)	0.0010	U		0.00028	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn
	Ethylbenzene	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn
	Methylene chloride	0.0010	U		0.00019	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221826

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: TRIP BLANK
Date Sampled.....: 10/28/2003
Time Sampled.....: 11:45
Sample Matrix.....: Water

Laboratory Sample ID: 221826-19
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn
	1,1,1-Trichloroethane	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn
	1,1,2-Trichloroethane	0.0010	U		0.00033	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn
	Trichloroethene	0.0010	U		0.00021	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn
	Vinyl chloride	0.0010	U		0.00018	0.0010	1.00000	mg/L	100905		11/05/03 1926	jdn

* In Description = Dry Wgt.

L A B O R A T O R Y C H R O N I C L E

Job Number: 221826 Date: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221826-1 Client ID: RD-SB-S3(0-2)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100517		11/03/2003	1630	
5030A	5030 Purge & Trap of Methanol Extract	1	100716		11/05/2003	0319	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1025	
5035	5035 Preservation Low	1	100614		10/28/2003	1025	
5035	5035 Preservation Low	2	100614		10/28/2003	1025	
3010A	Acid Dig. Leachates (ICAP)	1	101077	100939	11/08/2003	0720	
EDD	Electronic Data Deliverable	1					
3550B	Extraction Ultrasonic (JP4)	1	101064		11/08/2003	0930	
7470A	Leachable, Mercury (CVAA)	1	101195	101192-100939	11/10/2003	1427	
6010B	Leachable, Metals Analysis (ICAP)	1	102288	101077-100939	11/20/2003	1912	
7470	SW846 Dig. Leachates (Hg)	1	101192		11/10/2003	1115	
1311	TCLP Extraction	1	100939		11/06/2003	1515	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102108	101064	11/11/2003	0714	1.00000
8260B	Volatile Organics	1	100721	100654-100716	11/05/2003	0319	1.0000

Lab ID: 221826-2 Client ID: RD-SB-S3(2-4)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100517		11/03/2003	1630	
5030A	5030 Purge & Trap of Methanol Extract	1	100716		11/05/2003	0941	
5030A	5030 Purge & Trap of Methanol Extract	2	100716		11/05/2003	0342	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1030	
5035	5035 Preservation Low	1	100614		10/28/2003	1030	
5035	5035 Preservation Low	2	100614		10/28/2003	1030	
3010A	Acid Dig. Leachates (ICAP)	1	101077	100939	11/08/2003	0720	
3550B	Extraction Ultrasonic (JP4)	1	101064		11/08/2003	0930	
7470A	Leachable, Mercury (CVAA)	1	101195	101192-100939	11/10/2003	1438	
6010B	Leachable, Metals Analysis (ICAP)	1	102288	101077-100939	11/20/2003	1945	
7470	SW846 Dig. Leachates (Hg)	1	101192		11/10/2003	1115	
1311	TCLP Extraction	1	100939		11/06/2003	1515	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102108	101064	11/11/2003	0848	1.00000
8260B	Volatile Organics	1	100721	100654-100716	11/05/2003	0342	1.0000
8260B	Volatile Organics	1	100721	100654-100716	11/05/2003	0941	10.000

Lab ID: 221826-3 Client ID: RD-SB-S3(4-6)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100517		11/03/2003	1630	
5030A	5030 Purge & Trap of Methanol Extract	1	100716		11/05/2003	0404	
5035	5035 Archon Closed Purge & Trap	1	101144		11/09/2003	1154	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1035	
5035	5035 Preservation Low	1	100614		10/28/2003	1035	
5035	5035 Preservation Low	2	100614		10/28/2003	1035	
3010A	Acid Dig. Leachates (ICAP)	1	101077	100939	11/08/2003	0720	
3550B	Extraction Ultrasonic (JP4)	1	101064		11/08/2003	0930	
7470A	Leachable, Mercury (CVAA)	1	101195	101192-100939	11/10/2003	1440	
6010B	Leachable, Metals Analysis (ICAP)	1	102288	101077-100939	11/20/2003	1952	
7470	SW846 Dig. Leachates (Hg)	1	101192		11/10/2003	1115	
1311	TCLP Extraction	1	100939		11/06/2003	1515	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102108	101064	11/11/2003	1024	1.00000
8260B	Volatile Organics	1	101176	100614-101144	11/09/2003	1154	1.00000

Lab ID: 221826-4 Client ID: RD-SB-S3(6-8)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100517		11/03/2003	1630	
5035	5035 Archon Closed Purge & Trap	1	101144		11/09/2003	1222	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1100	

LABORATORY CHRONICLE

Job Number: 221826 Date: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221826-4 Client ID: RD-SB-S3(6-8)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
5035	5035 Preservation Low	1	100614		10/28/2003	1100	
5035	5035 Preservation Low	2	100614		10/28/2003	1100	
3010A	Acid Dig. Leachates (ICAP)	1	101077	100939	11/08/2003	0720	
3550B	Extraction Ultrasonic (JP4)	1	101064		11/08/2003	0930	
7470A	Leachable, Mercury (CVAA)	1	101195	101192-100939	11/10/2003	1442	
6010B	Leachable, Metals Analysis (ICAP)	1	102288	101077-100939	11/20/2003	1959	
7470	SW846 Dig. Leachates (Hg)	1	101192		11/10/2003	1115	
1311	TCLP Extraction	1	100939		11/06/2003	1515	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102108	101064	11/11/2003	1111	1.00000
8260B	Volatile Organics	1	101176	100614-101144	11/09/2003	1222	1.00000

Lab ID: 221826-5 Client ID: RD-SB-S3(8-10)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100517		11/03/2003	1630	
5030A	5030 Purge & Trap of Methanol Extract	1	100716		11/05/2003	0427	
5035	5035 Archon Closed Purge & Trap	1	101144		11/09/2003	1249	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1110	
5035	5035 Preservation Low	1	100614		10/28/2003	1105	
5035	5035 Preservation Low	2	100614		10/28/2003	1105	
3010A	Acid Dig. Leachates (ICAP)	1	101077	100939	11/08/2003	0720	
3550B	Extraction Ultrasonic (JP4)	1	101064		11/08/2003	0930	
7470A	Leachable, Mercury (CVAA)	1	101195	101192-100939	11/10/2003	1444	
6010B	Leachable, Metals Analysis (ICAP)	1	102288	101077-100939	11/20/2003	2106	
7470	SW846 Dig. Leachates (Hg)	1	101192		11/10/2003	1115	
1311	TCLP Extraction	1	100939		11/06/2003	1515	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102108	101064	11/11/2003	1159	1.00000
8260B	Volatile Organics	1	101176	100614-101144	11/09/2003	1249	1.00000

Lab ID: 221826-6 Client ID: RD-SB-S3(10-12)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100517		11/03/2003	1630	
5035	5035 Archon Closed Purge & Trap	1	101144		11/09/2003	1317	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1110	
5035	5035 Preservation Low	1	100614		10/28/2003	1110	
5035	5035 Preservation Low	2	100614		10/28/2003	1110	
3010A	Acid Dig. Leachates (ICAP)	1	101077	100939	11/08/2003	0720	
3550B	Extraction Ultrasonic (JP4)	1	101064		11/08/2003	0930	
7470A	Leachable, Mercury (CVAA)	1	101195	101192-100939	11/10/2003	1447	
6010B	Leachable, Metals Analysis (ICAP)	1	102288	101077-100939	11/20/2003	2113	
7470	SW846 Dig. Leachates (Hg)	1	101192		11/10/2003	1115	
1311	TCLP Extraction	1	100939		11/06/2003	1515	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102108	101064	11/11/2003	1334	1.00000
8260B	Volatile Organics	1	101176	100614-101144	11/09/2003	1317	1.00000

Lab ID: 221826-7 Client ID: RD-SB-S3(12-14)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100517		11/03/2003	1630	
5035	5035 Archon Closed Purge & Trap	1	101144		11/09/2003	1344	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1115	
5035	5035 Preservation Low	1	100614		10/28/2003	1115	
5035	5035 Preservation Low	2	100614		10/28/2003	1115	
3010A	Acid Dig. Leachates (ICAP)	1	101077	100939	11/08/2003	0720	
3550B	Extraction Ultrasonic (JP4)	1	101064		11/08/2003	0930	
7470A	Leachable, Mercury (CVAA)	1	101195	101192-100939	11/10/2003	1449	
6010B	Leachable, Metals Analysis (ICAP)	1	102288	101077-100939	11/20/2003	2120	

LABORATORY CHRONICLE

Job Number: 221826 Date: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221826-7 Client ID: RD-SB-S3(12-14)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
7470	SW846 Dig. Leachates (Hg)	1	101192		11/10/2003	1115	
1311	TCLP Extraction	1	100939		11/06/2003	1515	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102108	101064	11/11/2003	1421	1.00000
8260B	Volatile Organics	1	101176	100614-101144	11/09/2003	1344	1.00000

Lab ID: 221826-8 Client ID: RD-SB-S3(14-16)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100517		11/03/2003	1630	
5035	5035 Archon Closed Purge & Trap	1	101144		11/09/2003	1412	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1120	
5035	5035 Preservation Low	1	100614		10/28/2003	1120	
5035	5035 Preservation Low	2	100614		10/28/2003	1120	
3010A	Acid Dig. Leachates (ICAP)	1	101077	100939	11/08/2003	0720	
3550B	Extraction Ultrasonic (JP4)	1	101064		11/08/2003	0930	
7470A	Leachable, Mercury (CVAA)	1	101195	101192-100939	11/10/2003	1451	
6010B	Leachable, Metals Analysis (ICAP)	1	102288	101077-100939	11/20/2003	2126	
7470	SW846 Dig. Leachates (Hg)	1	101192		11/10/2003	1115	
1311	TCLP Extraction	1	100939		11/06/2003	1515	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102108	101064	11/11/2003	1509	1.00000
8260B	Volatile Organics	1	101176	100614-101144	11/09/2003	1412	1.00000

ID: 221826-9 Client ID: RD-SB-S3(16-18)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100517		11/03/2003	1630	
5030A	5030 Purge & Trap of Methanol Extract	1	100716		11/05/2003	0449	
5035	5035 Archon Closed Purge & Trap	1	101144		11/09/2003	1439	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1125	
5035	5035 Preservation Low	1	100614		10/28/2003	1125	
5035	5035 Preservation Low	2	100614		10/28/2003	1125	
3010A	Acid Dig. Leachates (ICAP)	1	101077	100939	11/08/2003	0720	
3550B	Extraction Ultrasonic (JP4)	1	101064		11/08/2003	0930	
7470A	Leachable, Mercury (CVAA)	1	101195	101192-100939	11/10/2003	1453	
6010B	Leachable, Metals Analysis (ICAP)	1	102288	101077-100939	11/20/2003	2133	
7470	SW846 Dig. Leachates (Hg)	1	101192		11/10/2003	1115	
1311	TCLP Extraction	1	100939		11/06/2003	1515	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102108	101064	11/11/2003	1556	1.00000
8260B	Volatile Organics	1	101176	100614-101144	11/09/2003	1439	1.00000

Lab ID: 221826-10 Client ID: RD-SB-S3(18-20)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100517		11/03/2003	1630	
5030A	5030 Purge & Trap of Methanol Extract	1	100716		11/05/2003	0512	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1130	
5035	5035 Preservation Low	1	100614		10/28/2003	1130	
5035	5035 Preservation Low	2	100614		10/28/2003	1130	
3010A	Acid Dig. Leachates (ICAP)	1	101077		11/08/2003	0720	
3550B	Extraction Ultrasonic (JP4)	1	101064		11/08/2003	0930	
7470A	Leachable, Mercury (CVAA)	1	101195	101192-100939	11/10/2003	1455	
6010B	Leachable, Metals Analysis (ICAP)	1	102288	101077-100939	11/20/2003	2303	
7470	SW846 Dig. Leachates (Hg)	1	101192		11/10/2003	1115	
1311	TCLP Extraction	1	100939		11/06/2003	1515	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102108	101064	11/11/2003	1643	1.00000
8260B	Volatile Organics	1	100721	100654-100716	11/05/2003	0512	1.0000

Lab ID: 221826-11 Client ID: TRIP BLANK Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
5030B	5030 25 mL Purge Prep	1	100843		11/05/2003	1856	

LABORATORY CHRONICLE

Job Number: 221826 Date: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221826-11 Client ID: TRIP BLANK Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
8260B	Volatile Organics	1	100905	100843	11/05/2003	1856	1.00000

Lab ID: 221826-12 Client ID: RD-SB-S3(20-22)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100517		11/03/2003	1630	
5030A	5030 Purge & Trap of Methanol Extract	1	100716		11/05/2003	0534	
5035	5035 Archon Closed Purge & Trap	1	101144		11/09/2003	1507	
5035	5035 Archon Closed Purge & Trap	2	101223		11/10/2003	1340	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1145	
5035	5035 Preservation Low	1	100614		10/28/2003	1145	
5035	5035 Preservation Low	2	100614		10/28/2003	1145	
3010A	Acid Dig. Leachates (ICAP)	1	101077	100939	11/08/2003	0720	
3550B	Extraction Ultrasonic (JP4)	1	101064		11/08/2003	0930	
7470A	Leachable, Mercury (CVAA)	1	101195	101192-100939	11/10/2003	1457	
6010B	Leachable, Metals Analysis (ICAP)	1	102288	101077-100939	11/20/2003	2140	
7470	SW846 Dig. Leachates (Hg)	1	101192		11/10/2003	1115	
1311	TCLP Extraction	1	100939		11/06/2003	1515	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102108	101064	11/11/2003	1731	1.00000
8260B	Volatile Organics	1	102107	100614-101223	11/10/2003	1340	1.00000

Lab ID: 221826-13 Client ID: RD-SB-S3(22-24)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100517		11/03/2003	1630	
5035	5035 Archon Closed Purge & Trap	1	101144		11/09/2003	1534	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1150	
5035	5035 Preservation Low	1	100614		10/28/2003	1150	
5035	5035 Preservation Low	2	100614		10/28/2003	1150	
3010A	Acid Dig. Leachates (ICAP)	1	101077	100939	11/08/2003	0720	
3550B	Extraction Ultrasonic (JP4)	1	101064		11/08/2003	0930	
7470A	Leachable, Mercury (CVAA)	1	101195	101192-100939	11/10/2003	1504	
6010B	Leachable, Metals Analysis (ICAP)	1	102288	101077-100939	11/20/2003	2146	
7470	SW846 Dig. Leachates (Hg)	1	101192		11/10/2003	1115	
1311	TCLP Extraction	1	100939		11/06/2003	1515	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102108	101064	11/11/2003	1953	1.00000
8260B	Volatile Organics	1	101176	100614-101144	11/09/2003	1534	1.00000

Lab ID: 221826-14 Client ID: RD-SB-S3(24-26)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100517		11/03/2003	1630	
5035	5035 Archon Closed Purge & Trap	1	101144		11/09/2003	1601	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1155	
5035	5035 Preservation Low	1	100614		10/28/2003	1155	
5035	5035 Preservation Low	2	100614		10/28/2003	1155	
3010A	Acid Dig. Leachates (ICAP)	1	101077	100939	11/08/2003	0720	
3550B	Extraction Ultrasonic (JP4)	1	101064		11/08/2003	0930	
7470A	Leachable, Mercury (CVAA)	1	101195	101192-100939	11/10/2003	1506	
6010B	Leachable, Metals Analysis (ICAP)	1	102288	101077-100939	11/20/2003	2153	
7470	SW846 Dig. Leachates (Hg)	1	101192		11/10/2003	1115	
1311	TCLP Extraction	1	100939		11/06/2003	1515	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102108	101064	11/11/2003	2040	1.00000
8260B	Volatile Organics	1	101176	100614-101144	11/09/2003	1601	1.00000

Lab ID: 221826-15 Client ID: RD-SBD-S3(24-26)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100517		11/03/2003	1630	

LABORATORY CHRONICLE

Job Number: 221826

Date: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221826-15 Client ID: RD-SBD-S3(24-26)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
5035	5035 Archon Closed Purge & Trap	1	101144		11/09/2003	1629	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1155	
5035	5035 Preservation Low	1	100614		10/28/2003	1100	
5035	5035 Preservation Low	2	100614		10/28/2003	1100	
3010A	Acid Dig. Leachates (ICAP)	1	101077	100939	11/08/2003	0720	
3550B	Extraction Ultrasonic (JP4)	1	101064		11/08/2003	0930	
7470A	Leachable, Mercury (CVAA)	1	101195	101192-100939	11/10/2003	1508	
6010B	Leachable, Metals Analysis (ICAP)	1	102288	101077-100939	11/20/2003	2200	
7470	SW846 Dig. Leachates (Hg)	1	101192		11/10/2003	1115	
1311	TCLP Extraction	1	100939		11/06/2003	1515	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102108	101064	11/11/2003	2213	1.00000
8260B	Volatile Organics	1	101176	100614-101144	11/09/2003	1629	1.00000

Lab ID: 221826-16 Client ID: RD-SB-S3(26-28)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100517		11/03/2003	1630	
5035	5035 Archon Closed Purge & Trap	1	101144		11/09/2003	1656	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1200	
5035	5035 Preservation Low	1	100614		10/28/2003	1205	
5035	5035 Preservation Low	2	100614		10/28/2003	1205	
3010A	Acid Dig. Leachates (ICAP)	1	101077	100939	11/08/2003	0720	
550B	Extraction Ultrasonic (JP4)	1	101064		11/08/2003	0930	
470A	Leachable, Mercury (CVAA)	1	101195	101192-100939	11/10/2003	1510	
6010B	Leachable, Metals Analysis (ICAP)	1	102288	101077-100939	11/20/2003	2206	
7470	SW846 Dig. Leachates (Hg)	1	101192		11/10/2003	1115	
1311	TCLP Extraction	1	100939		11/06/2003	1515	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102108	101064	11/11/2003	2300	1.00000
8260B	Volatile Organics	1	101176	100614-101144	11/09/2003	1656	1.00000

Lab ID: 221826-17 Client ID: RD-SB-S3(28-30)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100517		11/03/2003	1630	
5035	5035 Archon Closed Purge & Trap	1	101144		11/09/2003	1724	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1205	
5035	5035 Preservation Low	1	100614		10/28/2003	1210	
5035	5035 Preservation Low	2	100614		10/28/2003	1210	
3010A	Acid Dig. Leachates (ICAP)	1	101077	100939	11/08/2003	0720	
3550B	Extraction Ultrasonic (JP4)	1	101064		11/08/2003	0930	
7470A	Leachable, Mercury (CVAA)	1	101195	101192-100939	11/10/2003	1512	
6010B	Leachable, Metals Analysis (ICAP)	1	102288	101077-100939	11/20/2003	2236	
7470	SW846 Dig. Leachates (Hg)	1	101192		11/10/2003	1115	
1311	TCLP Extraction	1	100939		11/06/2003	1515	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102108	101064	11/11/2003	2347	1.00000
8260B	Volatile Organics	1	101176	100614-101144	11/09/2003	1724	1.00000

Lab ID: 221826-18 Client ID: RD-SB-S3(30-32)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100517		11/03/2003	1630	
5035	5035 Archon Closed Purge & Trap	1	101144		11/09/2003	1751	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1210	
5035	5035 Preservation Low	1	100614		10/28/2003	1205	
5035	5035 Preservation Low	2	100614		10/28/2003	1205	
3010A	Acid Dig. Leachates (ICAP)	1	101077	100939	11/08/2003	0720	
3550B	Extraction Ultrasonic (JP4)	1	101064		11/08/2003	0930	
7470A	Leachable, Mercury (CVAA)	1	101195	101192-100939	11/10/2003	1514	

S.. Chicago is part of Severn Trent Laboratories, Inc.

L A B O R A T O R Y C H R O N I C L E

Job Number: 221826 Date: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221826-18 Client ID: RD-SB-S3(30-32)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
6010B	Leachable, Metals Analysis (ICAP)	1	102288	101077-100939	11/20/2003	2242	
7470	SW846 Dig. Leachates (Hg)	1	101192		11/10/2003	1115	
1311	TCLP Extraction	1	100939		11/06/2003	1515	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	102108	101064	11/12/2003	0033	1.00000
8260B	Volatile Organics	1	101176	100614-101144	11/09/2003	1751	1.00000

Lab ID: 221826-19 Client ID: TRIP BLANK Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
5030B	5030 25 mL Purge Prep	1	100843		11/05/2003	1926	
8260B	Volatile Organics	1	100905	100843	11/05/2003	1926	1.00000

STL Chicago is part of Severn Trent Laboratories, Inc.

SURROGATE RECOVERIES REPORT

Job Number.: 221826 Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Method.....: TPH - Diesel Range Organics (DRO) Test Matrix...: Solid Prep Batch..: 101064
Method Code...: 8015D Batch(s).....: 102108

Lab ID	DT	Sample ID	Date	2FLUBP	OTERPH
LCS			11/11/2003	86	91
MB			11/11/2003	93	95
221826- 1		RD-SB-S3(0-2)-01	11/11/2003	89	103
221826- 2		RD-SB-S3(2-4)-01	11/11/2003	86	95
221826- 3		RD-SB-S3(4-6)-01	11/11/2003	80	87
221826- 4		RD-SB-S3(6-8)-01	11/11/2003	91	92
221826- 5		RD-SB-S3(8-10)-01	11/11/2003	97	99
221826- 6		RD-SB-S3(10-12)-01	11/11/2003	90	91
221826- 7		RD-SB-S3(12-14)-01	11/11/2003	85	89
221826- 8		RD-SB-S3(14-16)-01	11/11/2003	91	91
221826- 9		RD-SB-S3(16-18)-01	11/11/2003	87	90
221826- 10		RD-SB-S3(18-20)-01	11/11/2003	92	94
221826- 12		RD-SB-S3(20-22)-01	11/11/2003	92	98
221826- 12	MS	RD-SB-S3(20-22)-01	11/11/2003	87	90
221826- 12	MSD	RD-SB-S3(20-22)-01	11/11/2003	82	88
221826- 13		RD-SB-S3(22-24)-01	11/11/2003	96	96
221826- 14		RD-SB-S3(24-26)-01	11/11/2003	96	95
826- 15		RD-SBD-S3(24-26)-01	11/11/2003	93	93
826- 16		RD-SB-S3(26-28)-01	11/11/2003	86	88
826- 17		RD-SB-S3(28-30)-01	11/11/2003	82	85
221826- 18		RD-SB-S3(30-32)-01	11/12/2003	82	82

Test	Test Description	Limits
2FLUBP	2-Fluorobiphenyl (surr)	48 - 103
OTERPH	o-Terphenyl (surr)	44 - 128

STL Chicago is part of Severn Trent Laboratories, Inc.

SURROGATE RECOVERIES REPORT

Job Number.: 221826 | Report Date.: 11/24/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

Method.....: Volatile Organics | Test Matrix...: Solid | Prep Batch..: 100614
Method Code...: 8260B | Batch(s).....: 101176 102107

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
221826- 3		RD-SB-S3(4-6)-01	11/09/2003	96	91	91	97
221826- 4		RD-SB-S3(6-8)-01	11/09/2003	92	93	89	96
221826- 5		RD-SB-S3(8-10)-01	11/09/2003	90	89	89	91
221826- 6		RD-SB-S3(10-12)-01	11/09/2003	94	90	92	92
221826- 7		RD-SB-S3(12-14)-01	11/09/2003	91	90	90	91
221826- 8		RD-SB-S3(14-16)-01	11/09/2003	91	91	93	93
221826- 9		RD-SB-S3(16-18)-01	11/09/2003	89	87	87	91
221826- 12		RD-SB-S3(20-22)-01	11/10/2003	89	82	85	83
221826- 13		RD-SB-S3(22-24)-01	11/09/2003	91	88	91	91
221826- 14		RD-SB-S3(24-26)-01	11/09/2003	96	90	90	91
221826- 15		RD-SBD-S3(24-26)-01	11/09/2003	89	88	85	93
221826- 16		RD-SB-S3(26-28)-01	11/09/2003	91	91	87	97
221826- 17		RD-SB-S3(28-30)-01	11/09/2003	84	91	81	97
221826- 18		RD-SB-S3(30-32)-01	11/09/2003	90	90	85	95

Test	Test Description	Limits
[illegible]ED	1,2-Dichloroethane-d4 (surr)	50 - 145
[illegible]BE	4-Bromofluorobenzene (surr)	60 - 140
[illegible]FLM	Dibromofluoromethane (surr)	60 - 140
TOLD8	Toluene-d8 (surr)	66 - 141

Method.....: Volatile Organics | Test Matrix...: High/Med Level | Prep Batch..: 100654
Method Code...: 8260B | Batch(s).....: 100721

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
221826- 1		RD-SB-S3(0-2)-01	11/05/2003	85	95	89	104
221826- 2		RD-SB-S3(2-4)-01	11/05/2003	87	97	90	105
221826- 2	D1	RD-SB-S3(2-4)-01	11/05/2003	90	91	92	104
221826- 10		RD-SB-S3(18-20)-01	11/05/2003	87	95	89	104

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	43 - 139
BRFLBE	4-Bromofluorobenzene (surr)	57 - 124
DBRFLM	Dibromofluoromethane (surr)	64 - 132
TOLD8	Toluene-d8 (surr)	70 - 128

Method.....: Volatile Organics | Test Matrix...: High/Med Level | Prep Batch..: 100690
Method Code...: 8260B | Batch(s).....: 100721

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
EB2			11/05/2003	88	96	90	105

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	43 - 139
[illegible]BE	4-Bromofluorobenzene (surr)	57 - 124
[illegible]FLM	Dibromofluoromethane (surr)	64 - 132
[illegible]LD8	Toluene-d8 (surr)	70 - 128

STL Chicago is part of Severn Trent Laboratories, Inc.

SURROGATE RECOVERIES REPORT

Job Number.: 221826 Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: High/Med Level
Batch(s).....: 100721
Prep Batch..: 100716

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			11/05/2003	84	96	92	105
MB			11/04/2003	91	94	95	105

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	43 - 139
BRFLBE	4-Bromofluorobenzene (surr)	57 - 124
DBRFLM	Dibromofluoromethane (surr)	64 - 132
TOLD8	Toluene-d8 (surr)	70 - 128

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: Water
Batch(s).....: 100905
Prep Batch..: 100843

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			11/05/2003	103	94	103	100
			11/05/2003	101	94	105	100
826- 11		TRIP BLANK	11/05/2003	108	96	108	99
826- 19		TRIP BLANK	11/05/2003	111	97	109	100

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	61 - 131
BRFLBE	4-Bromofluorobenzene (surr)	73 - 122
DBRFLM	Dibromofluoromethane (surr)	66 - 132
TOLD8	Toluene-d8 (surr)	78 - 128

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: Solid
Batch(s).....: 101176
Prep Batch..: 101144

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			11/09/2003	90	95	90	99
MB			11/09/2003	93	93	91	98

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	50 - 145
BRFLBE	4-Bromofluorobenzene (surr)	60 - 140
DBRFLM	Dibromofluoromethane (surr)	60 - 140
TOLD8	Toluene-d8 (surr)	66 - 141

Method.....: Volatile Organics
Method Code...: 8260B
Test Matrix...: Solid
Batch(s).....: 102107
Prep Batch..: 101223

Lab ID	DT	Sample ID	Date	12DCED	BRFLBE	DBRFLM	TOLD8
LCS			11/10/2003	87	100	90	103
			11/10/2003	79	100	73	104

STL Chicago is part of Severn Trent Laboratories, Inc.

SURROGATE RECOVERIES REPORT

Job Number.: 221826 Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Method.....: Volatile Organics
Method Code...: 8260B

Test Matrix...: Solid
Batch(s).....: 102107

Prep Batch..: 101223

Test	Test Description	Limits
12DCED	1,2-Dichloroethane-d4 (surr)	50 - 145
BRFLBE	4-Bromofluorobenzene (surr)	60 - 140
DBRFLM	Dibromofluoromethane (surr)	60 - 140
TOLD8	Toluene-d8 (surr)	66 - 141

QUALITY CONTROL RESULTS

Job Number.: 221826

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
LCS	Laboratory Control Sample	003JWLJP4A	101064-002		11/11/2003	0627

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)

Equipment Code....: INST09
Batch.....: 102108

Analyst...: mgk

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
TPH - Jet Fuel (JP4), Solid	mg/Kg	29.015		66.670	4.199 U	44	%	50-150	*

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221826

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)

Equipment Code....: INST09
Batch.....: 102108

Analyst...: mgk

MB	Method Blank		101064-001		11/11/2003	0540

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
TPH - Jet Fuel (JP4), Solid	mg/Kg	4.199	U						

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221826

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)

Equipment Code....: INST09
Batch.....: 102108

Analyst...: mgk

MS	Matrix Spike	003JWLJP4A	221826-12		11/11/2003	1818

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
TPH - Jet Fuel (JP4), Solid	mg/Kg	36.463		75.650	4.765 U	48	%	50-150	*

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221826

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)

Equipment Code....: INST09
Batch.....: 102108

Analyst...: mgk

MSD	Matrix Spike Duplicate	003JWLJP4A	221826-12		11/11/2003	1905

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
TPH - Jet Fuel (JP4), Solid	mg/Kg	33.808	36.463	75.660	4.766 U	45 6	% R	50-150 30	*

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221826

Report Date.: 11/24/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
EB2	Extraction Blank 2	221904	100690-011		11/05/2003	1026

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL16
Batch.....: 100721

Analyst...: jdn

Parameter/Test Description	Units	QC Result		QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, High/Med Level	mg/Kg	0.100	U							
Vinyl chloride, High/Med Level	mg/Kg	0.100	U							
Bromomethane, High/Med Level	mg/Kg	0.100	U							
Chloroethane, High/Med Level	mg/Kg	0.100	U							
1,1-Dichloroethene, High/Med Level	mg/Kg	0.100	U							
Carbon disulfide, High/Med Level	mg/Kg	0.100	U							
Acetone, High/Med Level	mg/Kg	0.100	U							
Methylene chloride, High/Med Level	mg/Kg	0.100	U							
1,1-Dichloroethane, High/Med Level	mg/Kg	0.100	U							
2-Butanone (MEK), High/Med Level	mg/Kg	0.100	U							
Chloroform, High/Med Level	mg/Kg	0.100	U							
1,1,1-Trichloroethane, High/Med Level	mg/Kg	0.100	U							
›on tetrachloride, High/Med Level	mg/Kg	0.100	U							
Dichloroethene (total), High/Med L	mg/Kg	0.100	U							
›zene, High/Med Level	mg/Kg	0.025	U							
1,2-Dichloroethane, High/Med Level	mg/Kg	0.100	U							
Trichloroethene, High/Med Level	mg/Kg	0.100	U							
1,2-Dichloropropane, High/Med Level	mg/Kg	0.100	U							
Bromodichloromethane, High/Med Level	mg/Kg	0.100	U							
cis-1,3-Dichloropropene, High/Med Leve	mg/Kg	0.100	U							
4-Methyl-2-pentanone (MIBK), High/Med	mg/Kg	0.100	U							
Toluene, High/Med Level	mg/Kg	0.025	U							
trans-1,3-Dichloropropene, High/Med Le	mg/Kg	0.100	U							
1,1,2-Trichloroethane, High/Med Level	mg/Kg	0.100	U							
Tetrachloroethene, High/Med Level	mg/Kg	0.100	U							
2-Hexanone, High/Med Level	mg/Kg	0.100	U							
Dibromochloromethane, High/Med Level	mg/Kg	0.100	U							
Chlorobenzene, High/Med Level	mg/Kg	0.100	U							
Ethylbenzene, High/Med Level	mg/Kg	0.025	U							
Styrene, High/Med Level	mg/Kg	0.100	U							
Bromoform, High/Med Level	mg/Kg	0.100	U							
1,1,2,2-Tetrachloroethane, High/Med Le	mg/Kg	0.100	U							
Xylenes (total), High/Med Level	mg/Kg	0.075	U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221826

Report Date.: 11/24/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL16
Batch.....: 100721

Analyst...: jdn

LCS	Laboratory Control Sample	V03K04DSB	100716-002		11/05/2003	0041

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value		QC Calc.	*	Limits	F
Chloromethane, High/Med Level	mg/Kg	1.540		2.500	0.100	U	62	%	55-129	
Vinyl chloride, High/Med Level	mg/Kg	1.680		2.500	0.100	U	67	%	61-135	
Bromomethane, High/Med Level	mg/Kg	3.572		2.500	0.100	U	143	%	36-164	
Chloroethane, High/Med Level	mg/Kg	2.712		2.500	0.100	U	108	%	33-207	
1,1-Dichloroethene, High/Med Level	mg/Kg	1.612		2.500	0.100	U	64	%	44-143	
Carbon disulfide, High/Med Level	mg/Kg	1.246		2.500	0.100	U	50	%	21-124	
Acetone, High/Med Level	mg/Kg	1.573		2.500	0.100	U	63	%	34-143	
Methylene chloride, High/Med Level	mg/Kg	1.850		2.500	0.100	U	74	%	57-129	
1,1-Dichloroethane, High/Med Level	mg/Kg	1.904		2.500	0.100	U	76	%	68-119	
2-Butanone (MEK), High/Med Level	mg/Kg	1.794		2.500	0.100	U	72	%	40-125	
Chloroform, High/Med Level	mg/Kg	2.014		2.500	0.100	U	81	%	61-129	
1,1,1-Trichloroethane, High/Med Level	mg/Kg	2.075		2.500	0.100	U	83	%	69-133	
on tetrachloride, High/Med Level	mg/Kg	2.203		2.500	0.100	U	88	%	59-127	
Dichloroethene (total), High/Med L	mg/Kg	3.924		5.000	0.100	U	78	%	60-139	
zene, High/Med Level	mg/Kg	2.125		2.500	0.025	U	85	%	67-122	
1,2-Dichloroethane, High/Med Level	mg/Kg	1.929		2.500	0.100	U	77	%	64-115	
Trichloroethene, High/Med Level	mg/Kg	2.382		2.500	0.100	U	95	%	70-123	
1,2-Dichloropropane, High/Med Level	mg/Kg	2.132		2.500	0.100	U	85	%	70-122	
Bromodichloromethane, High/Med Level	mg/Kg	2.280		2.500	0.100	U	91	%	66-128	
cis-1,3-Dichloropropene, High/Med Leve	mg/Kg	2.289		2.600	0.100	U	88	%	68-123	
4-Methyl-2-pentanone (MIBK), High/Med	mg/Kg	2.059		2.500	0.100	U	82	%	54-119	
Toluene, High/Med Level	mg/Kg	2.256		2.500	0.025	U	90	%	72-123	
trans-1,3-Dichloropropene, High/Med Le	mg/Kg	2.194		2.400	0.100	U	91	%	60-115	
1,1,2-Trichloroethane, High/Med Level	mg/Kg	2.099		2.500	0.100	U	84	%	67-133	
Tetrachloroethene, High/Med Level	mg/Kg	2.492		2.500	0.100	U	100	%	75-125	
2-Hexanone, High/Med Level	mg/Kg	1.954		2.500	0.100	U	78	%	50-116	
Dibromochloromethane, High/Med Level	mg/Kg	2.380		2.500	0.100	U	95	%	70-119	
Chlorobenzene, High/Med Level	mg/Kg	2.302		2.500	0.100	U	92	%	80-125	
Ethylbenzene, High/Med Level	mg/Kg	2.428		2.500	0.025	U	97	%	78-128	
Styrene, High/Med Level	mg/Kg	2.522		2.500	0.100	U	101	%	80-129	
Bromoform, High/Med Level	mg/Kg	2.168		2.500	0.100	U	87	%	70-123	
1,1,2,2-Tetrachloroethane, High/Med Le	mg/Kg	2.040		2.500	0.100	U	82	%	70-126	
Xylenes (total), High/Med Level	mg/Kg	7.127		7.500	0.075	U	95	%	77-131	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221826

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL16
Batch.....: 100721

Analyst...: jdn

MB	Method Blank		100716-001		11/04/2003	2356

Parameter/Test Description	Units	QC Result		QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, High/Med Level	mg/Kg	0.100	U							
Vinyl chloride, High/Med Level	mg/Kg	0.100	U							
Bromomethane, High/Med Level	mg/Kg	0.100	U							
Chloroethane, High/Med Level	mg/Kg	0.100	U							
1,1-Dichloroethene, High/Med Level	mg/Kg	0.100	U							
Carbon disulfide, High/Med Level	mg/Kg	0.100	U							
Acetone, High/Med Level	mg/Kg	0.100	U							
Methylene chloride, High/Med Level	mg/Kg	0.100	U							
1,1-Dichloroethane, High/Med Level	mg/Kg	0.100	U							
2-Butanone (MEK), High/Med Level	mg/Kg	0.100	U							
Chloroform, High/Med Level	mg/Kg	0.100	U							
1,1,1-Trichloroethane, High/Med Level	mg/Kg	0.100	U							
on tetrachloride, High/Med Level	mg/Kg	0.100	U							
Dichloroethene (total), High/Med L	mg/Kg	0.100	U							
zene, High/Med Level	mg/Kg	0.025	U							
1,2-Dichloroethane, High/Med Level	mg/Kg	0.100	U							
Trichloroethene, High/Med Level	mg/Kg	0.100	U							
1,2-Dichloropropane, High/Med Level	mg/Kg	0.100	U							
Bromodichloromethane, High/Med Level	mg/Kg	0.100	U							
cis-1,3-Dichloropropene, High/Med Leve	mg/Kg	0.100	U							
4-Methyl-2-pentanone (MIBK), High/Med	mg/Kg	0.100	U							
Toluene, High/Med Level	mg/Kg	0.025	U							
trans-1,3-Dichloropropene, High/Med Le	mg/Kg	0.100	U							
1,1,2-Trichloroethane, High/Med Level	mg/Kg	0.100	U							
Tetrachloroethene, High/Med Level	mg/Kg	0.100	U							
2-Hexanone, High/Med Level	mg/Kg	0.100	U							
Dibromochloromethane, High/Med Level	mg/Kg	0.100	U							
Chlorobenzene, High/Med Level	mg/Kg	0.100	U							
Ethylbenzene, High/Med Level	mg/Kg	0.025	U							
Styrene, High/Med Level	mg/Kg	0.100	U							
Bromoform, High/Med Level	mg/Kg	0.100	U							
1,1,2,2-Tetrachloroethane, High/Med Le	mg/Kg	0.100	U							
Xylenes (total), High/Med Level	mg/Kg	0.075	U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221826

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
LCS	Laboratory Control Sample	V03K05DSE	100843-023		11/05/2003	1009

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL9
Batch.....: 100905

Analyst...: jdn

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane	mg/L	0.006551		0.010000	0.001000 U	66	%	56-129	
Vinyl chloride	mg/L	0.008451		0.010000	0.001000 U	85	%	67-137	
Bromomethane	mg/L	0.006548		0.010000	0.001000 U	65	%	51-152	
Chloroethane	mg/L	0.009361		0.010000	0.001000 U	94	%	68-135	
1,1-Dichloroethene	mg/L	0.007985		0.010000	0.001000 U	80	%	54-127	
Carbon disulfide	mg/L	0.006247		0.010000	0.005000 U	62	%	29-136	
Acetone	mg/L	0.010456		0.010000	0.005000 U	105	%	43-150	
Methylene chloride	mg/L	0.008925		0.010000	0.001000 U	89	%	52-133	
1,1-Dichloroethane	mg/L	0.009621		0.010000	0.001000 U	96	%	69-127	
2-Butanone (MEK)	mg/L	0.012743		0.010000	0.005000 U	127	%	54-145	
Chloroform	mg/L	0.010046		0.010000	0.001000 U	100	%	74-128	
1,1,1-Trichloroethane	mg/L	0.009743		0.010000	0.001000 U	97	%	66-129	
[illegible]on tetrachloride	mg/L	0.009671		0.010000	0.001000 U	97	%	66-136	
[illegible]Dichloroethene (total)	mg/L	0.018765		0.020000	0.001000 U	94	%	72-121	
[illegible]zene	mg/L	0.009267		0.010000	0.001000 U	93	%	74-116	
1,2-Dichloroethane	mg/L	0.009995		0.010000	0.001000 U	100	%	63-133	
Trichloroethene	mg/L	0.009692		0.010000	0.001000 U	97	%	70-120	
1,2-Dichloropropane	mg/L	0.009875		0.010000	0.001000 U	99	%	71-132	
Bromodichloromethane	mg/L	0.010812		0.010000	0.001000 U	108	%	76-129	
cis-1,3-Dichloropropene	mg/L	0.010491		0.010400	0.001000 U	101	%	75-123	
4-Methyl-2-pentanone (MIBK)	mg/L	0.010192		0.010000	0.005000 U	102	%	66-147	
Toluene	mg/L	0.009597		0.010000	0.001000 U	96	%	71-122	
trans-1,3-Dichloropropene	mg/L	0.009977		0.009600	0.001000 U	104	%	76-126	
1,1,2-Trichloroethane	mg/L	0.010179		0.010000	0.001000 U	102	%	69-138	
Tetrachloroethene	mg/L	0.009358		0.010000	0.001000 U	94	%	69-128	
2-Hexanone	mg/L	0.010454		0.010000	0.005000 U	105	%	70-144	
Dibromochloromethane	mg/L	0.010187		0.010000	0.001000 U	102	%	74-137	
Chlorobenzene	mg/L	0.009326		0.010000	0.001000 U	93	%	76-124	
Ethylbenzene	mg/L	0.009721		0.010000	0.001000 U	97	%	74-121	
Styrene	mg/L	0.010264		0.010000	0.001000 U	103	%	80-125	
Bromoform	mg/L	0.009197		0.010000	0.001000 U	92	%	73-139	
1,1,2,2-Tetrachloroethane	mg/L	0.010161		0.010000	0.001000 U	102	%	72-127	
Xylenes (total)	mg/L	0.031732		0.030000	0.001000 U	106	%	76-138	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221826

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL9
Batch.....: 100905

Analyst...: jdn

MB	Method Blank		100843-022		11/05/2003	0941

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane	mg/L	0.001000 U							
Vinyl chloride	mg/L	0.001000 U							
Bromomethane	mg/L	0.001000 U							
Chloroethane	mg/L	0.001000 U							
1,1-Dichloroethene	mg/L	0.001000 U							
Carbon disulfide	mg/L	0.005000 U							
Acetone	mg/L	0.005000 U							
Methylene chloride	mg/L	0.001000 U							
1,1-Dichloroethane	mg/L	0.001000 U							
2-Butanone (MEK)	mg/L	0.005000 U							
Chloroform	mg/L	0.001000 U							
1,1,1-Trichloroethane	mg/L	0.001000 U							
on tetrachloride	mg/L	0.001000 U							
Dichloroethene (total)	mg/L	0.001000 U							
zene	mg/L	0.001000 U							
1,2-Dichloroethane	mg/L	0.001000 U							
Trichloroethene	mg/L	0.001000 U							
1,2-Dichloropropane	mg/L	0.001000 U							
Bromodichloromethane	mg/L	0.001000 U							
cis-1,3-Dichloropropene	mg/L	0.001000 U							
4-Methyl-2-pentanone (MIBK)	mg/L	0.005000 U							
Toluene	mg/L	0.001000 U							
trans-1,3-Dichloropropene	mg/L	0.001000 U							
1,1,2-Trichloroethane	mg/L	0.001000 U							
Tetrachloroethene	mg/L	0.001000 U							
2-Hexanone	mg/L	0.005000 U							
Dibromochloromethane	mg/L	0.001000 U							
Chlorobenzene	mg/L	0.001000 U							
Ethylbenzene	mg/L	0.001000 U							
Styrene	mg/L	0.001000 U							
Bromoform	mg/L	0.001000 U							
1,1,2,2-Tetrachloroethane	mg/L	0.001000 U							
Xylenes (total)	mg/L	0.001000 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221826 Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MB	Method Blank		101144-021		11/09/2003	1050

Test Method.....: 8260B
Method Description.: Volatile Organics
Equipment Code....: GCL6
Batch.....: 101176
Analyst...: jdn

Parameter/Test Description	Units	QC Result		QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, Solid	mg/Kg	0.005	U							
Vinyl chloride, Solid	mg/Kg	0.005	U							
Bromomethane, Solid	mg/Kg	0.005	U							
Chloroethane, Solid	mg/Kg	0.005	U							
1,1-Dichloroethene, Solid	mg/Kg	0.005	U							
Carbon disulfide, Solid	mg/Kg	0.005	U							
Acetone, Solid	mg/Kg	0.005	U							
Methylene chloride, Solid	mg/Kg	0.005	U							
1,1-Dichloroethane, Solid	mg/Kg	0.005	U							
2-Butanone (MEK), Solid	mg/Kg	0.005	U							
Chloroform, Solid	mg/Kg	0.005	U							
1,1,1-Trichloroethane, Solid	mg/Kg	0.005	U							
Carbon tetrachloride, Solid	mg/Kg	0.005	U							
1,2-Dichloroethene (total), Solid	mg/Kg	0.005	U							
Benzene, Solid	mg/Kg	0.005	U							
1,2-Dichloroethane, Solid	mg/Kg	0.005	U							
Trichloroethene, Solid	mg/Kg	0.005	U							
1,2-Dichloropropane, Solid	mg/Kg	0.005	U							
Bromodichloromethane, Solid	mg/Kg	0.005	U							
cis-1,3-Dichloropropene, Solid	mg/Kg	0.005	U							
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.005	U							
Toluene, Solid	mg/Kg	0.005	U							
trans-1,3-Dichloropropene, Solid	mg/Kg	0.005	U							
1,1,2-Trichloroethane, Solid	mg/Kg	0.005	U							
Tetrachloroethene, Solid	mg/Kg	0.005	U							
2-Hexanone, Solid	mg/Kg	0.005	U							
Dibromochloromethane, Solid	mg/Kg	0.005	U							
Chlorobenzene, Solid	mg/Kg	0.005	U							
Ethylbenzene, Solid	mg/Kg	0.005	U							
Styrene, Solid	mg/Kg	0.005	U							
Bromoform, Solid	mg/Kg	0.005	U							
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.005	U							
Xylenes (total), Solid	mg/Kg	0.005	U							

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221826

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
LCS	Laboratory Control Sample	V03K10DSB	101223-020		11/10/2003	1016

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL6
Batch.....: 102107

Analyst...: jdn

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, Solid	mg/Kg	0.065		0.050	0.005 U	131	%	45-141	
Vinyl chloride, Solid	mg/Kg	0.055		0.050	0.005 U	110	%	58-140	
Bromomethane, Solid	mg/Kg	0.056		0.050	0.005 U	112	%	48-127	
Chloroethane, Solid	mg/Kg	0.054		0.050	0.005 U	109	%	59-163	
1,1-Dichloroethene, Solid	mg/Kg	0.049		0.050	0.005 U	99	%	51-132	
Carbon disulfide, Solid	mg/Kg	0.043		0.050	0.005 U	86	%	23-138	
Acetone, Solid	mg/Kg	0.035		0.050	0.005 U	70	%	46-167	
Methylene chloride, Solid	mg/Kg	0.049		0.050	0.005 U	98	%	58-143	
1,1-Dichloroethane, Solid	mg/Kg	0.048		0.050	0.005 U	97	%	63-133	
2-Butanone (MEK), Solid	mg/Kg	0.043		0.050	0.005 U	86	%	50-150	
Chloroform, Solid	mg/Kg	0.049		0.050	0.005 U	98	%	73-135	
1 1,1-Trichloroethane, Solid	mg/Kg	0.050		0.050	0.005 U	100	%	63-133	
...on tetrachloride, Solid	mg/Kg	0.050		0.050	0.005 U	100	%	67-127	
...Dichloroethene (total), Solid	mg/Kg	0.095		0.100	0.005 U	95	%	63-144	
...zene, Solid	mg/Kg	0.048		0.050	0.005 U	96	%	72-128	
1,2-Dichloroethane, Solid	mg/Kg	0.048		0.050	0.005 U	96	%	69-125	
Trichloroethene, Solid	mg/Kg	0.048		0.050	0.005 U	96	%	75-129	
1,2-Dichloropropane, Solid	mg/Kg	0.047		0.050	0.005 U	95	%	76-132	
Bromodichloromethane, Solid	mg/Kg	0.054		0.050	0.005 U	108	%	74-128	
cis-1,3-Dichloropropene, Solid	mg/Kg	0.050		0.052	0.005 U	96	%	80-124	
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.057		0.050	0.005 U	114	%	68-134	
Toluene, Solid	mg/Kg	0.053		0.050	0.005 U	107	%	75-125	
trans-1,3-Dichloropropene, Solid	mg/Kg	0.051		0.048	0.005 U	106	%	75-134	
1,1,2-Trichloroethane, Solid	mg/Kg	0.052		0.050	0.005 U	103	%	71-143	
Tetrachloroethene, Solid	mg/Kg	0.049		0.050	0.005 U	99	%	75-129	
2-Hexanone, Solid	mg/Kg	0.054		0.050	0.005 U	109	%	69-140	
Dibromochloromethane, Solid	mg/Kg	0.048		0.050	0.005 U	96	%	77-127	
Chlorobenzene, Solid	mg/Kg	0.051		0.050	0.005 U	101	%	83-125	
Ethylbenzene, Solid	mg/Kg	0.052		0.050	0.005 U	104	%	79-123	
Styrene, Solid	mg/Kg	0.056		0.050	0.005 U	111	%	85-126	
Bromoform, Solid	mg/Kg	0.053		0.050	0.005 U	105	%	78-132	
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.053		0.050	0.005 U	105	%	68-139	
Xylenes (total), Solid	mg/Kg	0.157		0.150	0.005 U	105	%	82-125	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221826

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL6
Batch.....: 102107

Analyst...: jdn

MB	Method Blank		101223-019		11/10/2003	0921

Parameter/Test Description	Units	QC Result		QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, Solid	mg/Kg	0.005	U							
Vinyl chloride, Solid	mg/Kg	0.005	U							
Bromomethane, Solid	mg/Kg	0.005	U							
Chloroethane, Solid	mg/Kg	0.005	U							
1,1-Dichloroethene, Solid	mg/Kg	0.005	U							
Carbon disulfide, Solid	mg/Kg	0.005	U							
Acetone, Solid	mg/Kg	0.005	U							
Methylene chloride, Solid	mg/Kg	0.005	U							
1,1-Dichloroethane, Solid	mg/Kg	0.005	U							
2-Butanone (MEK), Solid	mg/Kg	0.005	U							
Chloroform, Solid	mg/Kg	0.005	U							
1,1,1-Trichloroethane, Solid	mg/Kg	0.005	U							
[illegible]on tetrachloride, Solid	mg/Kg	0.005	U							
[illegible]dichloroethene (total), Solid	mg/Kg	0.005	U							
[illegible]zene, Solid	mg/Kg	0.005	U							
1,2-Dichloroethane, Solid	mg/Kg	0.005	U							
Trichloroethene, Solid	mg/Kg	0.005	U							
1,2-Dichloropropane, Solid	mg/Kg	0.005	U							
Bromodichloromethane, Solid	mg/Kg	0.005	U							
cis-1,3-Dichloropropene, Solid	mg/Kg	0.005	U							
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.005	U							
Toluene, Solid	mg/Kg	0.005	U							
trans-1,3-Dichloropropene, Solid	mg/Kg	0.005	U							
1,1,2-Trichloroethane, Solid	mg/Kg	0.005	U							
Tetrachloroethene, Solid	mg/Kg	0.005	U							
2-Hexanone, Solid	mg/Kg	0.005	U							
Dibromochloromethane, Solid	mg/Kg	0.005	U							
Chlorobenzene, Solid	mg/Kg	0.005	U							
Ethylbenzene, Solid	mg/Kg	0.005	U							
Styrene, Solid	mg/Kg	0.005	U							
Bromoform, Solid	mg/Kg	0.005	U							
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.005	U							
Xylenes (total), Solid	mg/Kg	0.005	U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221826 | Report Date.: 11/24/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)
Equipment Code....: ICP5
Batch.....: 102288
Analyst...: lmr

CCB	Continuing Calibration Blank		102288-016		11/20/2003	1722

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		102288-027		11/20/2003	1852

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
[illegible]nic	mg/L	0.01000 U							
[illegible]ium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		102288-039		11/20/2003	2021

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		102288-044		11/20/2003	2059

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221826 | Report Date.: 11/24/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCB	Continuing Calibration Blank		102288-056		11/20/2003	2229

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		102288-068		11/21/2003	0014

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
[illegible]mium	mg/L	0.01000 U							
[illegible]	mg/L	0.00500 U							
[illegible]enium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		102288-080		11/21/2003	0144

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		102288-087		11/21/2003	0240

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221826 | Report Date.: 11/24/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B | Equipment Code....: ICP5 | Analyst...: lmr
Method Description.: Leachable, Metals Analysis (ICAP) | Batch.....: 102288

CCV	Continuing Calibration Verification	M03KCCV002	102288-015		11/20/2003 1711

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.49980		0.50000		100	%	90-110	
Barium	mg/L	0.50215 B		0.50000		100	%	90-110	
Cadmium	mg/L	0.49751		0.50000		100	%	90-110	
Chromium	mg/L	0.49791		0.50000		100	%	90-110	
Lead	mg/L	0.50215		0.50000		100	%	90-110	
Selenium	mg/L	0.52041		0.50000		104	%	90-110	
Silver	mg/L	0.50567		0.50000		101	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV002	102288-026		11/20/2003 1841

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
[illegible]enic	mg/L	0.49491		0.50000		99	%	90-110	
[illegible]ium	mg/L	0.50108 B		0.50000		100	%	90-110	
Cadmium	mg/L	0.49240		0.50000		98	%	90-110	
Chromium	mg/L	0.49553		0.50000		99	%	90-110	
Lead	mg/L	0.49925		0.50000		100	%	90-110	
Selenium	mg/L	0.51603		0.50000		103	%	90-110	
Silver	mg/L	0.50295		0.50000		101	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV002	102288-038		11/20/2003 2010

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.49921		0.50000		100	%	90-110	
Barium	mg/L	0.49975 B		0.50000		100	%	90-110	
Cadmium	mg/L	0.50416		0.50000		101	%	90-110	
Chromium	mg/L	0.50481		0.50000		101	%	90-110	
Lead	mg/L	0.50593		0.50000		101	%	90-110	
Selenium	mg/L	0.51689		0.50000		103	%	90-110	
Silver	mg/L	0.50363		0.50000		101	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV002	102288-043		11/20/2003 2048

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.49802		0.50000		100	%	90-110	
Barium	mg/L	0.49429 B		0.50000		99	%	90-110	
Cadmium	mg/L	0.50152		0.50000		100	%	90-110	
Chromium	mg/L	0.50230		0.50000		100	%	90-110	
Lead	mg/L	0.50489		0.50000		101	%	90-110	
Selenium	mg/L	0.51511		0.50000		103	%	90-110	
Silver	mg/L	0.50191		0.50000		100	%	90-110	

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221826 Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date Time
CCV	Continuing Calibration Verification	M03KCCV002	102288-055		11/20/2003 2218

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.50421		0.50000		101	%	90-110	
Barium	mg/L	0.50268 B		0.50000		101	%	90-110	
Cadmium	mg/L	0.50932		0.50000		102	%	90-110	
Chromium	mg/L	0.51012		0.50000		102	%	90-110	
Lead	mg/L	0.51216		0.50000		102	%	90-110	
Selenium	mg/L	0.52115		0.50000		104	%	90-110	
Silver	mg/L	0.50718		0.50000		101	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV002	102288-067		11/21/2003 0003

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.50356		0.50000		101	%	90-110	
Barium	mg/L	0.50021 B		0.50000		100	%	90-110	
Cadmium	mg/L	0.50920		0.50000		102	%	90-110	
omium	mg/L	0.50848		0.50000		102	%	90-110	
[illegible]	mg/L	0.51288		0.50000		103	%	90-110	
enium	mg/L	0.51900		0.50000		104	%	90-110	
Silver	mg/L	0.50566		0.50000		101	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV002	102288-079		11/21/2003 0133

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.49486		0.50000		99	%	90-110	
Barium	mg/L	0.48936 B		0.50000		98	%	90-110	
Cadmium	mg/L	0.50006		0.50000		100	%	90-110	
Chromium	mg/L	0.49961		0.50000		100	%	90-110	
Lead	mg/L	0.50254		0.50000		101	%	90-110	
Selenium	mg/L	0.51076		0.50000		102	%	90-110	
Silver	mg/L	0.49510		0.50000		99	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV002	102288-086		11/21/2003 0229

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.50066		0.50000		100	%	90-110	
Barium	mg/L	0.49486 B		0.50000		99	%	90-110	
Cadmium	mg/L	0.50946		0.50000		102	%	90-110	
Chromium	mg/L	0.50621		0.50000		101	%	90-110	
Lead	mg/L	0.50933		0.50000		102	%	90-110	
Selenium	mg/L	0.51832		0.50000		104	%	90-110	
Silver	mg/L	0.49994		0.50000		100	%	90-110	

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221826 | Report Date.: 11/24/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)
Equipment Code....: ICP5
Batch.....: 102288
Analyst...: lmr

CRI	Contract Required Detection Limits	M03KCRI002	102288-012		11/20/2003 1651

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.02040 B		0.02000		102	%	50-150	
Barium	mg/L	0.02225 B		0.02000		111	%	50-150	
Cadmium	mg/L	0.00453 B		0.00400		113	%	50-150	
Chromium	mg/L	0.02068 B		0.02000		103	%	50-150	
Lead	mg/L	0.00992 B		0.01000		99	%	50-150	
Selenium	mg/L	0.01391 B		0.01000		139	%	50-150	
Silver	mg/L	0.00956 B		0.01000		96	%	50-150	

CRI	Contract Required Detection Limits	M03KCRI002	102288-040		11/20/2003 2028

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
[illegible]nic	mg/L	0.02108 B		0.02000		105	%	50-150	
[illegible]ium	mg/L	0.02207 B		0.02000		110	%	50-150	
Cadmium	mg/L	0.00452 B		0.00400		113	%	50-150	
Chromium	mg/L	0.02090 B		0.02000		104	%	50-150	
Lead	mg/L	0.00995 B		0.01000		100	%	50-150	
Selenium	mg/L	0.01360 B		0.01000		136	%	50-150	
Silver	mg/L	0.00965 B		0.01000		96	%	50-150	

CRI	Contract Required Detection Limits	M03KCRI002	102288-083		11/21/2003 0209

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.02273 B		0.02000		114	%	50-150	
Barium	mg/L	0.02217 B		0.02000		111	%	50-150	
Cadmium	mg/L	0.00462 B		0.00400		116	%	50-150	
Chromium	mg/L	0.02085 B		0.02000		104	%	50-150	
Lead	mg/L	0.00981 B		0.01000		98	%	50-150	
Selenium	mg/L	0.01379 B		0.01000		138	%	50-150	
Silver	mg/L	0.00934 B		0.01000		93	%	50-150	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221826

Report Date.: 11/24/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)
Equipment Code....: ICP5
Batch.....: 102288
Analyst...: lmr

EB1	Extraction Blank 1	102082	102082-001		11/20/2003	1729

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.01000 U							
Barium, TCLP Leach	mg/L	0.20769 B							
Cadmium, TCLP Leach	mg/L	0.00200 U							
Chromium, TCLP Leach	mg/L	0.01000 U							
Lead, TCLP Leach	mg/L	0.00500 U							
Selenium, TCLP Leach	mg/L	0.01000 U							
Silver, TCLP Leach	mg/L	0.00500 U							

EB1	Extraction Blank 1	101077	101077-001		11/20/2003	1859

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.01000 U							
Barium, TCLP Leach	mg/L	0.51648 B							
Cadmium, TCLP Leach	mg/L	0.00200 U							
Chromium, TCLP Leach	mg/L	0.01000 U							
Lead, TCLP Leach	mg/L	0.00500 U							
Selenium, TCLP Leach	mg/L	0.01000 U							
Silver, TCLP Leach	mg/L	0.00500 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221826

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)

Equipment Code....: ICP5
Batch.....: 102288

Analyst...: lmr

EB2	Extraction Blank 2		101077-024		11/20/2003	2256

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.01000 U							
Barium, TCLP Leach	mg/L	0.19801 B							
Cadmium, TCLP Leach	mg/L	0.00200 U							
Chromium, TCLP Leach	mg/L	0.01000 U							
Lead, TCLP Leach	mg/L	0.00500 U							
Selenium, TCLP Leach	mg/L	0.01000 U							
Silver, TCLP Leach	mg/L	0.00500 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221826

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
EB3	DI Blank		102082-006		11/20/2003	1823

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)

Equipment Code....: ICP5
Batch.....: 102288

Analyst...: lmr

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.01000 U							
Barium, TCLP Leach	mg/L	0.03019 B							
Cadmium, TCLP Leach	mg/L	0.00200 U							
Chromium, TCLP Leach	mg/L	0.01000 U							
Lead, TCLP Leach	mg/L	0.00500 U							
Selenium, TCLP Leach	mg/L	0.01000 U							
Silver, TCLP Leach	mg/L	0.00500 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221826

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)

Equipment Code....: ICP5
Batch.....: 102288

Analyst...: lmr

ICB	Initial Calibration Blank		102288-011		11/20/2003	1644

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221826

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)

Equipment Code....: ICP5
Batch.....: 102288

Analyst...: lmr

ICV	Initial Calibration Verification	M03KICV001	102288-010		11/20/2003	1633

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.41813		0.40000		105	%	90-110	
Barium	mg/L	0.41871 B		0.40000		105	%	90-110	
Cadmium	mg/L	0.41350		0.40000		103	%	90-110	
Chromium	mg/L	0.41352		0.40000		103	%	90-110	
Lead	mg/L	0.41874		0.40000		105	%	90-110	
Selenium	mg/L	0.42574		0.40000		106	%	90-110	
Silver	mg/L	0.41889		0.40000		105	%	90-110	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221826 | Report Date.: 11/24/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)
Equipment Code....: ICP5
Batch.....: 102288
Analyst...: lmr

ISB	Interference Check Sample B	M03KISB001	102288-014		11/20/2003 1704

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.08970 B		0.10000		90	%	80-120	
Barium	mg/L	0.51607 B		0.50000		103	%	80-120	
Cadmium	mg/L	0.86730		1.00000		87	%	80-120	
Chromium	mg/L	0.46119		0.50000		92	%	80-120	
Lead	mg/L	0.04330 B		0.05000		87	%	80-120	
Selenium	mg/L	0.04736 B		0.05000		95	%	80-120	
Silver	mg/L	0.20901		0.20000		105	%	80-120	

ISB	Interference Check Sample B	M03KISB001	102288-042		11/20/2003 2041

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
[illegible]enic	mg/L	0.09341 B		0.10000		93	%	80-120	
[illegible]ium	mg/L	0.50978 B		0.50000		102	%	80-120	
Cadmium	mg/L	0.88214		1.00000		88	%	80-120	
Chromium	mg/L	0.46723		0.50000		93	%	80-120	
Lead	mg/L	0.04464 B		0.05000		89	%	80-120	
Selenium	mg/L	0.04453 B		0.05000		89	%	80-120	
Silver	mg/L	0.20911		0.20000		105	%	80-120	

ISB	Interference Check Sample B	M03KISB001	102288-085		11/21/2003 0222

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.09249 B		0.10000		92	%	80-120	
Barium	mg/L	0.50696 B		0.50000		101	%	80-120	
Cadmium	mg/L	0.89044		1.00000		89	%	80-120	
Chromium	mg/L	0.46868		0.50000		94	%	80-120	
Lead	mg/L	0.04491 B		0.05000		90	%	80-120	
Selenium	mg/L	0.04366 B		0.05000		87	%	80-120	
Silver	mg/L	0.20738		0.20000		104	%	80-120	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221826

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)
Equipment Code....: ICP5
Batch.....: 102288
Analyst...: lmr

LCS	Laboratory Control Sample	M03KSPK003	102082-002		11/20/2003 1736

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.09102 B		0.10000	0.01000 U	91	%	80-120	
Barium, TCLP Leach	mg/L	1.90507		2.00000	0.20769 B	95	%	80-120	
Cadmium, TCLP Leach	mg/L	0.04644 B		0.05000	0.00200 U	93	%	80-120	
Chromium, TCLP Leach	mg/L	0.19212		0.20000	0.01000 U	96	%	80-120	
Lead, TCLP Leach	mg/L	0.09735		0.10000	0.00500 U	97	%	80-120	
Selenium, TCLP Leach	mg/L	0.08778 B		0.10000	0.01000 U	88	%	80-120	
Silver, TCLP Leach	mg/L	0.04649 B		0.05000	0.00500 U	93	%	80-120	

LCS	Laboratory Control Sample	M03KSPK003	101077-002		11/20/2003 1905

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
[illegible]enic, TCLP Leach	mg/L	0.09404 B		0.10000	0.01000 U	94	%	80-120	
[illegible]rium, TCLP Leach	mg/L	1.95404		2.00000	0.51648 B	98	%	80-120	
Cadmium, TCLP Leach	mg/L	0.04794 B		0.05000	0.00200 U	96	%	80-120	
Chromium, TCLP Leach	mg/L	0.19827		0.20000	0.01000 U	99	%	80-120	
Lead, TCLP Leach	mg/L	0.09958		0.10000	0.00500 U	100	%	80-120	
Selenium, TCLP Leach	mg/L	0.08952 B		0.10000	0.01000 U	90	%	80-120	
Silver, TCLP Leach	mg/L	0.04736 B		0.05000	0.00500 U	95	%	80-120	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221826

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)

Equipment Code....: ICP5
Batch.....: 102288

Analyst...: lmr

MD	Method Duplicate		221826-1		11/20/2003	1925

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.01000 U			0.01000 U	0	A	0.10000	
Barium, TCLP Leach	mg/L	0.69210 B			0.69723 B	0.00513	A	1.00000	
Cadmium, TCLP Leach	mg/L	0.00970 B			0.00984 B	0.00014	A	0.05000	
Chromium, TCLP Leach	mg/L	0.01000 U			0.01000 U	0.00048	A	0.05000	
Lead, TCLP Leach	mg/L	0.00500 U			0.00500 U	0.00027	A	0.05000	
Selenium, TCLP Leach	mg/L	0.01000 U			0.01000 U	0.00057	A	0.10000	
Silver, TCLP Leach	mg/L	0.00500 U			0.00500 U	0.00059	A	0.05000	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221826 Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP5 Analyst...: lmr
Method Description.: Leachable, Metals Analysis (ICAP) Batch.....: 102288

MS	Matrix Spike	M03DSPK001	221826-1		11/20/2003	1932

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	4.71411		5.00000	0.01000 U	94	%	50-150	
Cadmium, TCLP Leach	mg/L	0.84374		1.00000	0.00984 B	84	%	50-150	
Chromium, TCLP Leach	mg/L	4.49264		5.00000	0.01000 U	90	%	50-150	
Lead, TCLP Leach	mg/L	4.13739		5.00000	0.00500 U	83	%	50-150	
Selenium, TCLP Leach	mg/L	0.88836		1.00000	0.01000 U	89	%	50-150	
Silver, TCLP Leach	mg/L	0.77329		1.00000	0.00500 U	77	%	50-150	

MS	Matrix Spike	M03DSPK001	221826-1	10	11/20/2003	1939

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
ium, TCLP Leach	mg/L	91.78960		1000.00000	0.69723 B	92	%	50-150	

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221826

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
SD	Serial Dilution		221826-1		11/20/2003	1919

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)

Equipment Code....: ICP5
Batch.....: 102288

Analyst...: lmr

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.01000 U			0.01000 U				
Barium, TCLP Leach	mg/L	0.14073 B			0.69723 B				
Cadmium, TCLP Leach	mg/L	0.00224 B			0.00984 B				
Chromium, TCLP Leach	mg/L	0.01000 U			0.01000 U				
Lead, TCLP Leach	mg/L	0.00500 U			0.00500 U				
Selenium, TCLP Leach	mg/L	0.01000 U			0.01000 U				
Silver, TCLP Leach	mg/L	0.00500 U			0.00500 U				

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221826 Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Test Method.....: Method Batch.....: 100517 Analyst...: crp
Method Description.: % Solids Determination Equipment Code....: Test Code.: %SOLID
Parameter.....: % Solids

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	100517-001		%	0.1000 U								11/03/2003	1630
MD	221826-1		%	94.90000			94.50000	0.4		R	5.0	11/03/2003	1630

Test Method.....: 7470A Batch.....: 101195 Analyst...: gok
Method Description.: Leachable, Mercury (CVAA) Equipment Code....: HG3 Test Code.: HG
Parameter.....: Mercury

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICV	101195-007	M02ESTK010	ug/L	1.99		2.00		99		%	90-110	11/10/2003	1412
ICB	101195-008		ug/L	0.20 U								11/10/2003	1415
CRA	101195-009	M03JSTK030	ug/L	0.23		0.20		116		%	50-150	11/10/2003	1417
MB	101192-007		ug/L	0.20 U								11/10/2003	1419
LCS	101192-008	M02ESTK010	ug/L	2.19		2.00	0.20 U	109		%	80-120	11/10/2003	1421
[illegible]	101192-009	065	mg/L	0.00200 U								11/10/2003	1423
[illegible]	101192-010	065	mg/L	0.00200 U								11/10/2003	1425
	221826-1		mg/L	0.00200 U			0.00200 U	0.00057		A	0.00200	11/10/2003	1430
MS	221826-1	M03JSTK030	mg/L	0.00892		0.01000	0.00200 U	89		%	50-150	11/10/2003	1432
CCV	101195-017	M02ESTK010	ug/L	0.97		1.00		97		%	80-120	11/10/2003	1434
CCB	101195-018		ug/L	0.20 U								11/10/2003	1436
CCV	101195-029	M02ESTK010	ug/L	0.96		1.00		96		%	80-120	11/10/2003	1459
CCB	101195-030		ug/L	0.20 U								11/10/2003	1501
CCV	101195-040	M02ESTK010	ug/L	0.94		1.00		94		%	80-120	11/10/2003	1523
CCB	101195-041		ug/L	0.20 U								11/10/2003	1525
MB	101194-007		ug/L	0.20 U								11/10/2003	1527
LCS	101194-008	M02ESTK010	ug/L	2.00		2.00	0.20 U	100		%	80-120	11/10/2003	1529
EB1	101194-009	066	mg/L	0.00200 U								11/10/2003	1532
CCV	101195-049	M02ESTK010	ug/L	0.96		1.00		96		%	80-120	11/10/2003	1542
CCB	101195-050		ug/L	0.20 U								11/10/2003	1545
CCV	101195-061	M02ESTK010	ug/L	0.96		1.00		96		%	80-120	11/10/2003	1609
CCB	101195-062		ug/L	0.20 U								11/10/2003	1611
EB3	101194-027	064	mg/L	0.00200 U								11/10/2003	1620
EB1	101194-031	067	ug/L	2.00 U								11/10/2003	1629
CCV	101195-072	M02ESTK010	ug/L	0.95		1.00		95		%	80-120	11/10/2003	1633
CCB	101195-073		ug/L	0.20 U								11/10/2003	1636

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

REPORT COMMENTS

1) All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.
2) Soil, sediment and sludge sample results are reported on a "dry weight" basis except when analyzed for landfill disposal or incineration parameters. All other solid matrix samples are reported on an "as received" basis unless noted differently.
3) Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.
4) The test results for the noted analytical method(s) meet the requirements of NELAC. Lab Cert. ID# 100201
5) According to 40CFR Part 136.3, pH, Chlorine Residual and Dissolved Oxygen analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH Field) they were not analyzed immediately, but as soon as possible on laboratory receipt.

Glossary of flags, qualifiers and abbreviations (any number of which may appear in the report)

Inorganic Qualifiers (Q-Column)

U Analyte was not detected at or above the stated limit.
< Not detected at or above the reporting limit.
J Result is less than the RL, but greater than or equal to the method detection limit.
B Result is less than the CRDL/RL, but greater than or equal to the IDL/MDL.
S Result was determined by the Method of Standard Additions.
F AFCEE: Result is less than the RL, but greater than or equal to the method detection limit.

Inorganic Flags (Flag Column)

^ ICV,CCV,ICB,CCB,ISA,ISB,CRI,CRA,MRL: Instrument related QC exceed the upper or lower control limits.
* LCS, LCD, MD: Batch QC exceeds the upper or lower control limits.
+ MSA correlation coefficient is less than 0.995.
4 MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
E SD: Serial dilution exceeds the control limits.
H MB, EB1, EB2, EB3: Batch QC is greater than reporting limit or had a negative instrument reading lower than the absolute value of the reporting limit.
N MS, MSD: Spike recovery exceeds the upper or lower control limits.
W AS(GFAA) Post-digestion spike was outside 85-115% control limits.

Organic Qualifiers (Q - Column)

U Analyte was not detected at or above the stated limit.
ND Compound not detected.
J Result is an estimated value below the reporting limit or a tentatively identified compound (TIC).
Q Result was qualitatively confirmed, but not quantified.
C Pesticide identification was confirmed by GC/MS.
Y The chromatographic response resembles a typical fuel pattern.
Z The chromatographic response does not resemble a typical fuel pattern.
E Result exceeded calibration range, secondary dilution required.
F AFCEE:Result is an estimated value below the reporting limit or a tentatively identified compound (TIC)

Organic Flags (Flags Column)

B MB: Batch QC is greater than reporting limit.
* LCS, LCD, ELC, ELD, CV, MS, MSD, Surrogate: Batch QC exceeds the upper or lower control limits.
^ EB1, EB2, EB3, MLE: Batch QC is greater than reporting Limit
A Concentration exceeds the instrument calibration range
a Concentration is below the method Reporting Limit (RL)
B Compound was found in the blank and sample.
D Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution will be flagged with a D.
H Alternate peak selection upon analytical review
I Indicates the presence of an interfence, recovery is not calculated.
M Manually integrated compound.
P The lower of the two values is reported when the % difference between the results of two GC columns is

greater than 25%.

Abbreviations

AS	Post Digestion Spike (GFAA Samples - See Note 1 below)
Batch	Designation given to identify a specific extraction, digestion, preparation set, or analysis set
CAP	Capillary Column CCB Continuing Calibration Blank
CCV	Continuing Calibration Verification
CF	Confirmation analysis of original
C1	Confirmation analysis of A1 or D1
C2	Confirmation analysis of A2 or D2
C3	Confirmation analysis of A3 or D3
CRA	Low Level Standard Check - GFAA; Mercury
CRI	Low Level Standard Check - ICP
CV	Calilbration Verification Standard
Dil Fac	Dilution Factor - Secondary dilution analysis
D1	Dilution 1
D2	Dilution 2
D3	Dilution 3
DLFac	Detection Limit Factor
DSH	Distilled Standard - High Level
DSL	Distilled Standard - Low Level
DSM	Distilled Standard - Medium Level
EB1	Extraction Blank 1
EB2	Extraction Blank 2
EB3	DI Blank
ELC	Method Extracted LCS
ELD	Method Extracted LCD
ICAL	Initial calibration
ICB	Initial Calibration Blank
ICV	Initial Calibration Verification
IDL	Instrument Detection Limit
ISA	Interference Check Sample A - ICAP
ISB	Interference Check Sample B - ICAP
Job No.	The first six digits of the sample ID which refers to a specific client, project and sample group
	Lab ID An 8 number unique laboratory identification
LCD	Laboratory Control Standard Duplicate
LCS	Laboratory Control Standard with reagent grade water or a matrix free from the analyte of interest
MB	Method Blank or (PB) Preparation Blank
MD	Method Duplicate
MDL	Method Detection Limit
MLE	Medium Level Extraction Blank
MRL	Method Reporting Limit Standard
MSA	Method of Standard Additions
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ND	Not Detected
PREPF	Preparation factor used by the Laboratory's Information Management System (LIMS)
PDS	Post Digestion Spike (ICAP)
RA	Re-analysis of original
A1	Re-analysis of D1
A2	Re-analysis of D2
A3	Re-analysis of D3
RD	Re-extraction of dilution
RE	Re-extraction of original
RC	Re-extraction Confirmation
RL	Reporting Limit
RPD	Relative Percent Difference of duplicate (unrounded) analyses
RRF	Relative Response Factor
RT	Retention Time

RTW	Retention Time Window Sample ID A 9 digit number unique for each sample, the first six digits are referred as the job number
SCB	Seeded Control Blank
SD	Serial Dilution (Calculated when sample concentration exceeds 50 times the MDL)
UCB	Unseeded Control Blank
SSV	Second Source Verification Standard
SLCS	Solid Laboratory Control Standard(LCS)
PHC	pH Calibration Check LCSP pH Laboratory Control Sample
LCDP	pH Laboratory Control Sample Duplicate
MDPH	pH Sample Duplicate
MDFP	Flashpoint Sample Duplicate
LCFP	Flashpoint LCS
G1	Gelex Check Standard Range 0-1
G2	Gelex Check Standard Range 1-10
G3	Gelex Check Standard Range 10-100
G4	Gelex Check Standard Range 100-1000

Note 1: The Post Spike Designation on Batch QC for GFAA is designated with an "S" added to the current abbreviation used. EX. LCS S=LCS Post Spike (GFAA); MSS=MS Post Spike (GFAA)

Note 2: The MD calculates an absolute difference (A) when the sample concentration is less than 5 times the reporting limit. The control limit is represented as +/- the RL.

SEVERN TRENT **STL**

STL Chicago
2417 Bond Street
University Park, IL 60466
Phone: 708-534-5200
Fax: 708-534-5211

Report To:
Contact: Dave Curnock
Company: SECOR International
Address: 446 Eisenhower Lane
North, Lombard, IL 60148
Phone: 630.792.1680
Fax: 630.792.1691
E-Mail: dcurnock@secor.com

Bill To:
Contact: Dave Curnock
Company: SECOR International
Address: 446 Eisenhower Lane
North, Lombard, IL 60148
Phone: 630.792.1680
Fax: 630.792.1691
PO#: 013-01410 Quote:

Shaded Areas For Internal Use Only 1 of 2

Lab Lot# 221826

Package Sealed	Samples Sealed
Yes No	Yes No
Received on Ice	**Samples Intact**
Yes No	Yes No

Temperature °C of Cooler (4.2) (4.4)

Within Hold Time	Preserv. Indicated
Yes No	Yes No NA
pH Check OK	**Res Cl_2 Check OK**
Yes No NA	Yes No NA

Sample Labels and COC Agree: Yes No COC not present

Sampler Name: Kelli McDonald, Thom Kettinger
Signature: Kelli McDonald
Project Name: Southeast Rockford
Project Number: 134N.02072.02.0001
Project Location: SER Area 9/10
Date Required Hard Copy: __/__/__ Fax: __/__/__
Lab PM: Richard Wright

Laboratory ID	MS-MSD	Client Sample ID	Sampling Date	Sampling Time	Matrix	Comp/Grab	VOC 5035/8260B	DRO 8015B	TCLP RCRA Metals 1311/6010B/7470A								Additional Analyses / Remarks
1		RD-SB-S3(0-2)-01	10/28/03	1025	S	G	X	X	X								
2		RD-SB-S3(2-4)-01		1030	S	G	X	X	X								
3		RD-SB-S3(4-6)-01		1035	S	G	X	X	X								
4		RD-SB-S3(6-8)-01		1100	S	G	X	X	X								
5		RD-SB-S3(8-10)-01		1105	S	G	X	X	X								
6		RD-SB-S3(10-12)-01		1110	S	G	X	X	X								
7		RD-SB-S3(12-14)-01		1115	S	G	X	X	X								
8		RD-SB-S3(14-16)-01		1120	S	G	X	X	X								
9		RD-SB-S3(16-18)-01		1125	S	G	X	X	X								
10		RD-SB-S3(18-20)-01		1130	S	G	X	X	X								
11		TRIP BLANK					X										

RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
[illegible]	SECOR	10/29/03	730 AM	[illegible]	[illegible]	10/29/03	[illegible]
RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
				[illegible]	SR	10/29/03	1700

Matrix Key
WW = Wastewater
W = Water
S = Soil
SL = Sludge
MS = Miscellaneous
OL = Oil
A = Air
SE = Sediment
SO = Solid
DS = Drum Solid
DL = Drum Liquid
L = Leachate
WI = Wipe
O = _____

Container Key
1. Plastic
2. VOA Vial
3. Sterile Plastic
4. Amber Glass
5. Widemouth Glass
6. Other _____

Preservative Key
1. HCl, Cool to 4°
2. H2SO4, Cool to 4°
3. HNO3, Cool to 4°
4. NaOH, Cool to 4°
5. NaOH/Zn, Cool to 4°
6. Cool to 4°
7. None

COMMENTS
Cooler Custody Seal No. 457706

Date Received 10 / 29 / 03
Courier: SR **Hand Delivered** ☒
Bill of Lading

SEVERN TRENT **STL**

STL Chicago
2417 Bond Street
University Park, IL 60466
Phone: 708-534-5200
Fax: 708-534-5211

Report To:
Contact: Dave Curnock
Company: SECOR International
Address: 446 Eisenhower Lane
North, Lombard, IL 60148
Phone: 630.792.1680
Fax: 630.792.1691
E-Mail: dcurnock@secor.com

Bill To:
Contact: Dave Curnock
Company: SECOR International
Address: 446 Eisenhower Lane
North, Lombard, IL 60148
Phone: 630.792.1680
Fax: 630.792.1691
PO#: 013-01410 Quote:

Shaded Areas For Internal Use Only ____ of ____

Lab Lot# 221826

Package Sealed	Samples Sealed
Yes No	Yes No
Received on Ice	**Samples Intact**
Yes No	Yes No

Temperature °C of Cooler

Within Hold Time	Preserv. Indicated
Yes No	Yes No NA
pH Check OK	**Res Cl_2 Check OK**
Yes No NA	Yes No NA

Sample Labels and COC Agree
Yes No COC not present

Sampler Name: Kelli McDonald, Thom Kettinger
Signature: Kelli McDonald
Project Name: SOUTHEAST ROCKFORD
Project Number: 131N.02072.02.0001
Project Location: SER Area 9/10
Date Required — Hard Copy: ___/___/___ Fax: ___/___/___
Lab PM: Richard Wright

Laboratory ID	MS-MSD	Client Sample ID	Sampling Date	Sampling Time	Matrix	Comp/Grab	VOC 5035/8260B	DRO 8015B	TCLP RCRA Metals 1311/6010B/7470A							Additional Analyses / Remarks
12		RD-SB-S3(20-22)-01	10/28/03	1145	S	G	X	X	X							Standard Turnaround Time
13		RD-SB-S3(22-24)-01		1150	S	G	X	X	X							
14		RD-SB-S3(24-26)-01		1155	S	G	X	X	X							
15		RD-SBD-S3(24-26)-01		1155	S	G	X	X	X							
16		RD-SB-S3(26-28)-01		1200	S	G	X	X	X							
17		RD-SB-S3(28-30)-01		1205	S	G	X	X	X							
18		RD-SB-S3(30-32)-01		1210	S	G	X	X	X							
19		TRIP BLANK					X									

RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
Kelli McDonald	SECOR	10/29/03	1315	[illegible]	STL	[illegible]	[illegible]
RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
				[illegible]	SR	10/29/03	1700

Matrix Key
WW = Wastewater, W = Water, S = Soil, SL = Sludge, MS = Miscellaneous, OL = Oil, A = Air, SE = Sediment, SO = Solid, DS = Drum Solid, DL = Drum Liquid, L = Leachate, WI = Wipe, O = ____

Container Key
1. Plastic
2. VOA Vial
3. Sterile Plastic
4. Amber Glass
5. Widemouth Glass
6. Other ____

Preservative Key
1. HCl, Cool to 4°
2. H2SO4, Cool to 4°
3. HNO3, Cool to 4°
4. NaOH, Cool to 4°
5. NaOH/Zn, Cool to 4°
6. Cool to 4°
7. None

COMMENTS
Cooler Custody Seal No. 457376

Date Received 10/29/03
Courier: SR Hand Delivered ☒
Bill of Lading

SEVERN TRENT STL

STL Chicago
2417 Bond Street
University Park, IL 60466

Tel: 708 534 5200 Fax: 708 534 5211
www.stl-inc.com

SEVERN TRENT LABORATORIES ANALYTICAL REPORT

JOB NUMBER: 221827

Prepared For:

SECOR
446 Eisenhower Lane North
Lombard, IL 60148

Project: SE Rockford Area 9/10

Attention: Dave Curnock

Date: 11/24/2003

Signature

Name: Richard C. Wright

Title: Project Manager

E-Mail: rwright@stl-inc.com

11/24/03
Date

STL Chicago
2417 Bond Street
University Park, IL 60466

PHONE: (708) 534-5200
FAX..: (708) 534-5211

This Report Contains (81) Pages

Severn Trent Laboratories - Chicago
METALS CASE NARRATIVE

Client: SECOR
Project ID: SE Rockford
STL#: 221827

Date Rec'd: 10/29/03

1. This narrative covers the metals analysis of TCLP Leachates in Job 221827.

   Method Refs: USEPA, SW-846

2. All analyses were performed within the required holding times.

3. All Initial and Continuing Calibration Verification (ICV/CCV's) were within control limits.

4. All Initial and Continuing Calibration Blanks (ICB/CCB's) were within control limits.

5. All Preparation/Method Blanks were below RL.

6. All ICP Interference Check Samples (ICSA and ICSAB) were within control limits.

7. Laboratory Control Sample (LCS) recoveries were within the 80-120% control limits.

8. Matrix QC was performed on Sample 4.

   Serial Dilution analysis was within control limits.

   Matrix Spike recoveries were greater than 50%.

   Duplicate results were within the 20% RPD control limits.

Jodi L. Wojcik
Metals Unit Leader

11/7/03
Date

STL Chicago
JP-4 Case Narrative

Secor
SE Rockford Area 9/10
Job #: 221827-1 through 8, and 10 through 16
JP-4

1. These samples were extracted based on SW846 method 3550. The extracts were analyzed for JP-4 Range Organics based on a modified SW846 method 8015B. An HP5890 gas chromatograph equipped with a flame ionization detector and a Xti-5 column was used for the analysis.

2. All required hold times were met for the extraction and analysis.

3. The method blank was below the reporting limit for JP-4.

4. Statistical limits for surrogate recoveries derived from DRO analyses were applied to the JP-4 analysis and are advisory until enough data points can be collected for statistical control limits.

5. The surrogate compounds used for this analysis were 2-Fluorobiphenyl and o-Terphenyl. All surrogate recoveries were within statistical control limits except 221827-1, which had 2-Fluorobiphenyl with 164% and o-Terphenyl with 594% and both flagged "I", due to presence of a hydrocarbon but not JP4.

6. The blank spike recovery for JP4 was within statistical control limits. A solution of JP-4 was used for spiking.

7. A matrix spike and a matrix spike duplicate were performed on sample 221827-4 [RD-SB-S2(8-10)-01]. The matrix spike duplicate and matrix spike duplicate was within non-statistical control limits of 50%-150%. The RPD was <30%.

8. The initial calibration for this analysis consisted of a six-point curve of JP-4. The average calibration factor from the JP-4 curve was used to quantify the JP-4 results. An alkane standard ranging from C8 through C36 was used for qualitative purposes to determine the retention time range to be used for the JP-4. The total peak area from C8-C12 was used to quantify JP-4 results.

9. All initial and continuing standard calibrations associated with these samples were in control.

10. JP4 was not detected in these samples.

Patti Gibson

Patti Gibson
Organics Section Manager

11/13/03
Date

Severn Trent Laboratories Chicago
GC/MS Case Narrative

Secor
SE Rockford
Job Number: 221827
VOA DATA

1. The samples were properly prepared and analyses within the recommended hold time from the date of collection.

2. All Method Blanks had all target compounds below reporting limits.

3. The LCS (Laboratory Control Samples) had all five-controlled spike recoveries within the in-house generated QC limits.

4. Matrix Spike/Matrix Spike Duplicate analyses were performed on sample 4. In the QC analyses of sample 4 (MS/MSD), three of the five controlled compound recoveries were outside of the QC limits. The LCS (Laboratory Control Samples) had all five-controlled spike recoveries within the in-house generated QC limits.

5. Sample 5 had one surrogate recovery outside of the QC limits. Sample 5 was reanalyzed with similar results and the best analysis was reported. The other volatile samples had all surrogate recoveries within the in-house generated QC limits.

6. The water samples were prepared using Method 5030. The soil samples were prepared using Method 5035 low and high level. All samples were analyzed following SW846 Method 8260B and 8000B. All calibration criteria are met per method or SOP (for minimum R values for certain compounds). The low point in the initial calibration verifies the base reporting limits. The target compounds were quantitated using the initial calibration.

7. Sample 5 had one internal standard area outside of the 50 % acceptance limits. Sample 5 was reanalyzed with similar results and the best analysis was reported. All other samples had internal standard areas and retention times within the SOP acceptance limits as compared to the corresponding calibration verification standard.

8. Due to sample matrix, samples 1, 2, 10, and 11 required an initial dilution using the high-level methanol procedure. All other soil samples were analyzed without dilution using the low-level soil method. A secondary dilution using the high-level methanol method was required on sample 1 to accurately quantitate target compounds. The soil results and reporting limits were adjusted for sample weights and the analytical procedure on a dry weight basis.

John Nagel
GC/MS Dept.

11-24-03
Date

STL Chicago is part of Severn Trent Laboratories, Inc.

SAMPLE INFORMATION
Date: 11/24/2003

Job Number.: 221827
Customer...: SECOR
Attn.....: Dave Curnock

Project Number.....: 20003080
Customer Project ID....: SE ROCKFORD
Project Description....: SE Rockford Area 9/10

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
221827-1	RD-SB-S2(2-4)-01	Soil	10/28/2003	13:20	10/29/2003	17:00
221827-2	RD-SB-S2(4-6)-01	Soil	10/28/2003	13:35	10/29/2003	17:00
221827-3	RD-SB-S2(6-8)-01	Soil	10/28/2003	13:30	10/29/2003	17:00
221827-4	RD-SB-S2(8-10)-01	Soil	10/28/2003	13:40	10/29/2003	17:00
221827-5	RD-SB-S2(10-12)-01	Soil	10/28/2003	13:45	10/29/2003	17:00
221827-6	RD-SB-S2(12-14)-01	Soil	10/28/2003	13:50	10/29/2003	17:00
221827-7	RD-SB-S2(14-16)-01	Soil	10/28/2003	13:55	10/29/2003	17:00
221827-8	RD-SB-S2(16-18)-01	Soil	10/28/2003	14:00	10/29/2003	17:00
221827-9	TRIP BLANK	Water	10/28/2003	13:20	10/29/2003	17:00
221827-10	RD-SB-S2(18-20)-01	Soil	10/28/2003	14:05	10/29/2003	17:00
221827-11	RD-SB-S2(20-22)-01	Soil	10/28/2003	14:10	10/29/2003	17:00
221827-12	RD-SB-S2(22-24)-01	Soil	10/28/2003	14:15	10/29/2003	17:00
221827-13	RD-SB-S2(24-26)-01	Soil	10/28/2003	14:20	10/29/2003	17:00
221827-14	RD-SB-S2(26-28)-01	Soil	10/28/2003	14:25	10/29/2003	17:00
221827-15	RD-SB-S2(28-30)-01	Soil	10/28/2003	14:30	10/29/2003	17:00
221827-16	RD-SB-S2(30-32)-01	Soil	10/28/2003	14:35	10/29/2003	17:00
221827-17	TRIP BLANK	Soil	10/28/2003	14:05	10/29/2003	17:00

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(2-4)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 13:20
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-1
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Chloromethane, High/Med Level*	0.17	U		0.040	0.17	2.000	mg/Kg	100721		11/05/03 0811	jdn
	Bromomethane, High/Med Level*	0.17	U		0.018	0.17	2.000	mg/Kg	100721		11/05/03 0811	jdn
	1,1-Dichloroethene, High/Med Level*	1.3			0.024	0.17	2.000	mg/Kg	100721		11/05/03 0811	jdn
	Chloroethane, High/Med Level*	0.17	U		0.034	0.17	2.000	mg/Kg	100721		11/05/03 0811	jdn
	Carbon disulfide, High/Med Level*	0.17	U		0.035	0.17	2.000	mg/Kg	100721		11/05/03 0811	jdn
	Acetone, High/Med Level*	0.17	U		0.049	0.17	2.000	mg/Kg	100721		11/05/03 0811	jdn
	1,1-Dichloroethane, High/Med Level*	8.1			0.023	0.17	2.000	mg/Kg	100721		11/05/03 0811	jdn
	2-Butanone (MEK), High/Med Level*	0.17	U		0.086	0.17	2.000	mg/Kg	100721		11/05/03 0811	jdn
	1,2-Dichloroethane, High/Med Level*	0.17	U		0.036	0.17	2.000	mg/Kg	100721		11/05/03 0811	jdn
	Chloroform, High/Med Level*	0.17	U		0.030	0.17	2.000	mg/Kg	100721		11/05/03 0811	jdn
	Carbon tetrachloride, High/Med Level*	0.17	U		0.028	0.17	2.000	mg/Kg	100721		11/05/03 0811	jdn
	Benzene, High/Med Level*	0.042	U		0.024	0.042	2.000	mg/Kg	100721		11/05/03 0811	jdn
	1,2-Dichloropropane, High/Med Level*	0.17	U		0.030	0.17	2.000	mg/Kg	100721		11/05/03 0811	jdn
	Bromodichloromethane, High/Med Level*	0.17	U		0.032	0.17	2.000	mg/Kg	100721		11/05/03 0811	jdn
	cis-1,3-Dichloropropene, High/Med Level*	0.17	U		0.038	0.17	2.000	mg/Kg	100721		11/05/03 0811	jdn
	1,2-Dichloroethene (total), High/Med Leve*	7.2			0.049	0.17	2.000	mg/Kg	100721		11/05/03 0811	jdn
	4-Methyl-2-pentanone (MIBK), High/Med Lev*l	0.17	U		0.063	0.17	2.000	mg/Kg	100721		11/05/03 0811	jdn
	Toluene, High/Med Level*	0.54			0.030	0.042	2.000	mg/Kg	100721		11/05/03 0811	jdn
	trans-1,3-Dichloropropene, High/Med Level*	0.17	U		0.033	0.17	2.000	mg/Kg	100721		11/05/03 0811	jdn
	2-Hexanone, High/Med Level*	0.17	U		0.088	0.17	2.000	mg/Kg	100721		11/05/03 0811	jdn
	Dibromochloromethane, High/Med Level*	0.17	U		0.032	0.17	2.000	mg/Kg	100721		11/05/03 0811	jdn
	Chlorobenzene, High/Med Level*	0.17	U		0.037	0.17	2.000	mg/Kg	100721		11/05/03 0811	jdn
	Styrene, High/Med Level*	0.17	U		0.048	0.17	2.000	mg/Kg	100721		11/05/03 0811	jdn
	Bromoform, High/Med Level*	0.17	U		0.030	0.17	2.000	mg/Kg	100721		11/05/03 0811	jdn
	1,1,2,2-Tetrachloroethane, High/Med Level*	0.17	U		0.031	0.17	2.000	mg/Kg	100721		11/05/03 0811	jdn
	Xylenes (total), High/Med Level*	0.13	U		0.084	0.13	2.000	mg/Kg	100721		11/05/03 0811	jdn
	Ethylbenzene, High/Med Level*	0.042	U		0.038	0.042	2.000	mg/Kg	100721		11/05/03 0811	jdn
	Methylene chloride, High/Med Level*	0.17	U		0.034	0.17	2.000	mg/Kg	100721		11/05/03 0811	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(2-4)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 13:20
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-1
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene, High/Med Level*	320			1.9	8.4	100.00	mg/Kg	100721	D1	11/05/03 1049	jdn
	1,1,1-Trichloroethane, High/Med Level*	240			1.4	8.4	100.00	mg/Kg	100721	D1	11/05/03 1049	jdn
	1,1,2-Trichloroethane, High/Med Level*	0.17	U		0.053	0.17	2.000	mg/Kg	100721		11/05/03 0811	jdn
	Trichloroethene, High/Med Level*	20			1.8	8.4	100.00	mg/Kg	100721	D1	11/05/03 1049	jdn
	Vinyl chloride, High/Med Level*	0.17	U		0.030	0.17	2.000	mg/Kg	100721		11/05/03 0811	jdn
Method	% Solids Determination											
	% Solids, Solid	84.5			0.10	0.10	1	%	100279		10/31/03 1020	pfk
	% Moisture, Solid	15.5			0.10	0.10	1	%	100279		10/31/03 1020	pfk
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.9	U		4.9	4.9	1.00000	mg/Kg	101508		11/12/03 1335	mgk
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1534	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.011	B		0.010	0.050	1	mg/L	101804		11/15/03 1708	lmr
	Barium, TCLP Leach	1.1			0.010	1.0	1	mg/L	101804		11/15/03 1708	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101804		11/15/03 1708	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1708	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101804		11/15/03 1708	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1708	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101804		11/15/03 1708	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(4-6)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 13:35
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-2
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Chloromethane, High/Med Level*	0.094	U		0.022	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	Bromomethane, High/Med Level*	0.094	U		0.0098	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	1,1-Dichloroethene, High/Med Level*	0.094	U		0.013	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	Chloroethane, High/Med Level*	0.094	U		0.019	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	Carbon disulfide, High/Med Level*	0.094	U		0.019	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	Acetone, High/Med Level*	0.094	U		0.027	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	1,1-Dichloroethane, High/Med Level*	0.094	U		0.013	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	2-Butanone (MEK), High/Med Level*	0.094	U		0.048	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	1,2-Dichloroethane, High/Med Level*	0.094	U		0.020	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	Chloroform, High/Med Level*	0.094	U		0.017	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	Carbon tetrachloride, High/Med Level*	0.094	U		0.015	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	Benzene, High/Med Level*	0.023	U		0.013	0.023	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	1,2-Dichloropropane, High/Med Level*	0.094	U		0.016	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	Bromodichloromethane, High/Med Level*	0.094	U		0.018	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	cis-1,3-Dichloropropene, High/Med Level*	0.094	U		0.021	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	1,2-Dichloroethene (total), High/Med Leve*	0.28			0.027	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	4-Methyl-2-pentanone (MIBK), High/Med Lev*l	0.094	U		0.035	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	Toluene, High/Med Level*	0.023	U		0.017	0.023	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	trans-1,3-Dichloropropene, High/Med Level*	0.094	U		0.018	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	2-Hexanone, High/Med Level*	0.094	U		0.049	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	Dibromochloromethane, High/Med Level*	0.094	U		0.018	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	Chlorobenzene, High/Med Level*	0.094	U		0.021	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	Styrene, High/Med Level*	0.094	U		0.027	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	Bromoform, High/Med Level*	0.094	U		0.017	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	1,1,2,2-Tetrachloroethane, High/Med Level*	0.094	U		0.017	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	Xylenes (total), High/Med Level*	0.070	U		0.047	0.070	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	Ethylbenzene, High/Med Level*	0.023	U		0.021	0.023	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	Methylene chloride, High/Med Level*	0.094	U		0.019	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(4-6)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 13:35
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-2
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene, High/Med Level*	1.1			0.022	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	1,1,1-Trichloroethane, High/Med Level*	0.37			0.015	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	1,1,2-Trichloroethane, High/Med Level*	0.094	U		0.029	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	Trichloroethene, High/Med Level*	0.11			0.020	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
	Vinyl chloride, High/Med Level*	0.094	U		0.017	0.094	1.0000	mg/Kg	100721		11/05/03 0557	jdn
Method	% Solids Determination											
	% Solids, Solid	86.9			0.10	0.10	1	%	100279		10/31/03 1020	pfk
	% Moisture, Solid	13.1			0.10	0.10	1	%	100279		10/31/03 1020	pfk
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.7	U		4.7	4.7	1.00000	mg/Kg	101508		11/12/03 1509	mgk
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1536	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1715	lmr
	Barium, TCLP Leach	1.0			0.010	1.0	1	mg/L	101804		11/15/03 1715	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101804		11/15/03 1715	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1715	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101804		11/15/03 1715	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1715	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101804		11/15/03 1715	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(6-8)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 13:30
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-3
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	92.9			0.10	0.10	1	%	100279		10/31/03 1020	pfk
	% Moisture, Solid	7.1			0.10	0.10	1	%	100279		10/31/03 1020	pfk
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.5	U		4.5	4.5	1.00000	mg/Kg	101508		11/12/03 1556	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0047	U		0.00088	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	Bromomethane, Solid*	0.0047	U		0.0027	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	1,1-Dichloroethene, Solid*	0.0047	U		0.00094	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	Chloroethane, Solid*	0.0047	U		0.0015	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	Carbon disulfide, Solid*	0.0047	U		0.0019	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	Acetone, Solid*	0.014			0.0038	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	1,1-Dichloroethane, Solid*	0.0068			0.00082	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	2-Butanone (MEK), Solid*	0.0047	U		0.0039	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	1,2-Dichloroethane, Solid*	0.0047	U		0.00054	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	Chloroform, Solid*	0.0047	U		0.00058	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	Carbon tetrachloride, Solid*	0.0047	U		0.00078	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	Benzene, Solid*	0.0047	U		0.00062	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	1,2-Dichloropropane, Solid*	0.0047	U		0.00090	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	Bromodichloromethane, Solid*	0.0047	U		0.00064	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	cis-1,3-Dichloropropene, Solid*	0.0047	U		0.00074	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	1,2-Dichloroethene (total), Solid*	0.030			0.0018	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0047	U		0.0028	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	Toluene, Solid*	0.0047	U		0.00094	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	trans-1,3-Dichloropropene, Solid*	0.0047	U		0.00079	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	2-Hexanone, Solid*	0.0047	U		0.0016	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	Dibromochloromethane, Solid*	0.0047	U		0.00065	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn

* In Description = Dry Wgt.

:TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(6-8)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 13:30
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-3
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0047	U		0.00085	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	Styrene, Solid*	0.0047	U		0.00094	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	Bromoform, Solid*	0.0047	U		0.00085	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0047	U		0.00060	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	Xylenes (total), Solid*	0.0047	U		0.0027	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	Ethylbenzene, Solid*	0.0047	U		0.0010	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	Methylene chloride, Solid*	0.012			0.0017	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	Tetrachloroethene, Solid*	0.12			0.00063	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	1,1,1-Trichloroethane, Solid*	0.043			0.00057	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	1,1,2-Trichloroethane, Solid*	0.0047	U		0.00066	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	Trichloroethene, Solid*	0.011			0.00055	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
	Vinyl chloride, Solid*	0.0047	U		0.00069	0.0047	1.00000	mg/Kg	100782		11/04/03 1816	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1538	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1722	lmr
	Barium, TCLP Leach	0.66	B		0.010	1.0	1	mg/L	101804		11/15/03 1722	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101804		11/15/03 1722	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1722	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101804		11/15/03 1722	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1722	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101804		11/15/03 1722	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(8-10)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 13:40
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-4
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	94.3			0.10	0.10	1	%	100279		10/31/03 1020	pfk
	% Moisture, Solid	5.7			0.10	0.10	1	%	100279		10/31/03 1020	pfk
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.4	U		4.4	4.4	1.00000	mg/Kg	101508		11/12/03 1643	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0048	U		0.00089	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	Bromomethane, Solid*	0.0048	U		0.0028	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	1,1-Dichloroethene, Solid*	0.0048	U		0.00095	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	Chloroethane, Solid*	0.0048	U		0.0015	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	Carbon disulfide, Solid*	0.0048	U		0.0019	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	Acetone, Solid*	0.0048	U		0.0039	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	1,1-Dichloroethane, Solid*	0.0030	J	a	0.00084	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	2-Butanone (MEK), Solid*	0.0048	U		0.0040	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	1,2-Dichloroethane, Solid*	0.0048	U		0.00055	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	Chloroform, Solid*	0.0048	U		0.00059	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	Carbon tetrachloride, Solid*	0.0048	U		0.00079	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	Benzene, Solid*	0.0048	U		0.00063	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	1,2-Dichloropropane, Solid*	0.0048	U		0.00091	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	Bromodichloromethane, Solid*	0.0048	U		0.00065	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	cis-1,3-Dichloropropene, Solid*	0.0048	U		0.00075	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	1,2-Dichloroethene (total), Solid*	0.013			0.0018	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0048	U		0.0029	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	Toluene, Solid*	0.0048	U		0.00095	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	trans-1,3-Dichloropropene, Solid*	0.0048	U		0.00080	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	2-Hexanone, Solid*	0.0048	U		0.0016	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	Dibromochloromethane, Solid*	0.0048	U		0.00066	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(8-10)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 13:40
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-4
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0048	U		0.00087	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	Styrene, Solid*	0.0048	U		0.00095	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	Bromoform, Solid*	0.0048	U		0.00087	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0048	U		0.00061	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	Xylenes (total), Solid*	0.0048	U		0.0028	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	Ethylbenzene, Solid*	0.0048	U		0.0010	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	Methylene chloride, Solid*	0.0048	U		0.0017	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	Tetrachloroethene, Solid*	0.12			0.00064	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	1,1,1-Trichloroethane, Solid*	0.023		M	0.00058	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	1,1,2-Trichloroethane, Solid*	0.0048	U		0.00068	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	Trichloroethene, Solid*	0.0070			0.00056	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
	Vinyl chloride, Solid*	0.0048	U		0.00070	0.0048	1.00000	mg/Kg	100782		11/04/03 1843	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1540	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1728	lmr
	Barium, TCLP Leach	0.20	B		0.010	1.0	1	mg/L	101804		11/15/03 1728	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101804		11/15/03 1728	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1728	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101804		11/15/03 1728	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1728	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101804		11/15/03 1728	lmr

* In Description = Dry Wgt.

:TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(10-12)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 13:45
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-5
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	97.0			0.10	0.10	1	%	100279		10/31/03 1020	pfk
	% Moisture, Solid	3.0			0.10	0.10	1	%	100279		10/31/03 1020	pfk
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.3	U		4.3	4.3	1.00000	mg/Kg	101508		11/12/03 1952	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0046	U		0.00086	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	Bromomethane, Solid*	0.0046	U		0.0026	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	1,1-Dichloroethene, Solid*	0.0046	U		0.00091	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	Chloroethane, Solid*	0.0046	U		0.0015	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	Carbon disulfide, Solid*	0.0046	U		0.0018	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	Acetone, Solid*	0.050			0.0037	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	1,1-Dichloroethane, Solid*	0.0046	U		0.00080	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	2-Butanone (MEK), Solid*	0.0046	U		0.0038	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	1,2-Dichloroethane, Solid*	0.0046	U		0.00053	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	Chloroform, Solid*	0.0046	U		0.00056	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	Carbon tetrachloride, Solid*	0.0046	U		0.00076	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	Benzene, Solid*	0.0046	U		0.00060	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	1,2-Dichloropropane, Solid*	0.0046	U		0.00087	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	Bromodichloromethane, Solid*	0.0046	U		0.00062	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	cis-1,3-Dichloropropene, Solid*	0.0046	U		0.00072	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	1,2-Dichloroethene (total), Solid*	0.011			0.0017	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0046	U		0.0027	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	Toluene, Solid*	0.0096			0.00091	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	trans-1,3-Dichloropropene, Solid*	0.0046	U		0.00077	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	2-Hexanone, Solid*	0.0046	U		0.0015	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	Dibromochloromethane, Solid*	0.0046	U		0.00063	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(10-12)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 13:45
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-5
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0046	U		0.00083	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	Styrene, Solid*	0.0046	U		0.00091	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	Bromoform, Solid*	0.0046	U		0.00083	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0046	U		0.00058	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	Xylenes (total), Solid*	0.0046	U		0.0026	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	Ethylbenzene, Solid*	0.0046	U		0.0010	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	Methylene chloride, Solid*	0.0046	U		0.0016	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	Tetrachloroethene, Solid*	0.087			0.00061	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	1,1,1-Trichloroethane, Solid*	0.017			0.00056	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	1,1,2-Trichloroethane, Solid*	0.0046	U		0.00065	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	Trichloroethene, Solid*	0.0049			0.00054	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
	Vinyl chloride, Solid*	0.0046	U		0.00067	0.0046	1.00000	mg/Kg	100767		11/05/03 0921	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1551	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1824	lmr
	Barium, TCLP Leach	0.36	B		0.010	1.0	1	mg/L	101804		11/15/03 1824	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101804		11/15/03 1824	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1824	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101804		11/15/03 1824	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1824	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101804		11/15/03 1824	lmr

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(12-14)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 13:50
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-6
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	96.3			0.10	0.10	1	%	100279		10/31/03 1020	pfk
	% Moisture, Solid	3.7			0.10	0.10	1	%	100279		10/31/03 1020	pfk
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.2	U		4.2	4.2	1.00000	mg/Kg	101508		11/12/03 2039	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0048	U		0.00090	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	Bromomethane, Solid*	0.0048	U		0.0028	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	1,1-Dichloroethene, Solid*	0.0048	U		0.00096	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	Chloroethane, Solid*	0.0048	U		0.0015	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	Carbon disulfide, Solid*	0.0048	U		0.0019	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	Acetone, Solid*	0.0048	U		0.0039	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	1,1-Dichloroethane, Solid*	0.0097		H	0.00085	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	2-Butanone (MEK), Solid*	0.0048	U		0.0040	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	1,2-Dichloroethane, Solid*	0.0048	U		0.00056	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	Chloroform, Solid*	0.0048	U		0.00060	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	Carbon tetrachloride, Solid*	0.0048	U		0.00080	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	Benzene, Solid*	0.0048	U		0.00063	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	1,2-Dichloropropane, Solid*	0.0048	U		0.00092	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	Bromodichloromethane, Solid*	0.0048	U		0.00065	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	cis-1,3-Dichloropropene, Solid*	0.0048	U		0.00076	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	1,2-Dichloroethene (total), Solid*	0.026			0.0018	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0048	U		0.0029	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	Toluene, Solid*	0.0048	U		0.00096	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	trans-1,3-Dichloropropene, Solid*	0.0048	U		0.00081	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	2-Hexanone, Solid*	0.0048	U		0.0016	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	Dibromochloromethane, Solid*	0.0048	U		0.00066	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S5(12-14)-01
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:20
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-6
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0045	U		0.00082	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	Styrene, Solid*	0.0045	U		0.00090	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	Bromoform, Solid*	0.0045	U		0.00082	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0045	U		0.00058	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	Xylenes (total), Solid*	0.0045	U		0.0026	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	Ethylbenzene, Solid*	0.0045	U		0.00099	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	Methylene chloride, Solid*	0.0055			0.0016	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	Tetrachloroethene, Solid*	0.10			0.00060	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	1,1,1-Trichloroethane, Solid*	0.023		H	0.00055	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	1,1,2-Trichloroethane, Solid*	0.0045	U		0.00064	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	Trichloroethene, Solid*	0.0057			0.00053	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
	Vinyl chloride, Solid*	0.0045	U		0.00067	0.0045	1.00000	mg/Kg	100782		11/04/03 1245	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	100793		11/05/03 1532	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0721	tds
	Barium, TCLP Leach	0.43	B		0.010	1.0	1	mg/L	102110		11/19/03 0721	tds
	Cadmium, TCLP Leach	0.31			0.002	0.005	1	mg/L	102110		11/19/03 0721	tds
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0721	tds
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	102110		11/19/03 0721	tds
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	102110		11/19/03 0721	tds
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	102110		11/19/03 0721	tds

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(12-14)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 13:50
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-6
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0048	U		0.00087	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	Styrene, Solid*	0.0048	U		0.00096	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	Bromoform, Solid*	0.0048	U		0.00087	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0048	U		0.00062	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	Xylenes (total), Solid*	0.0048	U		0.0028	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	Ethylbenzene, Solid*	0.0048	U		0.0011	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	Methylene chloride, Solid*	0.0048	U		0.0017	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	Tetrachloroethene, Solid*	0.15			0.00064	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	1,1,1-Trichloroethane, Solid*	0.058			0.00059	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	1,1,2-Trichloroethane, Solid*	0.0048	U		0.00068	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	Trichloroethene, Solid*	0.013			0.00057	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
	Vinyl chloride, Solid*	0.0048	U		0.00071	0.0048	1.00000	mg/Kg	101176		11/09/03 1819	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1553	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1831	lmr
	Barium, TCLP Leach	0.38	B		0.010	1.0	1	mg/L	101804		11/15/03 1831	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101804		11/15/03 1831	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1831	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101804		11/15/03 1831	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1831	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101804		11/15/03 1831	lmr

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(14-16)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 13:55
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-7
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	96.6			0.10	0.10	1	%	100279		10/31/03 1020	pfk
	% Moisture, Solid	3.4			0.10	0.10	1	%	100279		10/31/03 1020	pfk
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.3	U		4.3	4.3	1.00000	mg/Kg	101508		11/12/03 2126	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0049	U		0.00092	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	Bromomethane, Solid*	0.0049	U		0.0028	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	1,1-Dichloroethene, Solid*	0.0049	U		0.00098	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	Chloroethane, Solid*	0.0049	U		0.0016	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	Carbon disulfide, Solid*	0.0049	U		0.0020	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	Acetone, Solid*	0.0049	U		0.0040	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	1,1-Dichloroethane, Solid*	0.0058			0.00086	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	2-Butanone (MEK), Solid*	0.0049	U		0.0041	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	1,2-Dichloroethane, Solid*	0.0049	U		0.00057	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	Chloroform, Solid*	0.0049	U		0.00061	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	Carbon tetrachloride, Solid*	0.0049	U		0.00082	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	Benzene, Solid*	0.0049	U		0.00065	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	1,2-Dichloropropane, Solid*	0.0049	U		0.00094	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	Bromodichloromethane, Solid*	0.0049	U		0.00067	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	cis-1,3-Dichloropropene, Solid*	0.0049	U		0.00078	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	1,2-Dichloroethene (total), Solid*	0.016			0.0019	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0049	U		0.0029	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	Toluene, Solid*	0.0049	U		0.00098	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	trans-1,3-Dichloropropene, Solid*	0.0049	U		0.00083	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	2-Hexanone, Solid*	0.0049	U		0.0017	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	Dibromochloromethane, Solid*	0.0049	U		0.00068	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(14-16)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 13:55
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-7
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0049	U		0.00089	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	Styrene, Solid*	0.0049	U		0.00098	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	Bromoform, Solid*	0.0049	U		0.00089	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0049	U		0.00063	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	Xylenes (total), Solid*	0.0049	U		0.0028	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	Ethylbenzene, Solid*	0.0049	U		0.0011	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	Methylene chloride, Solid*	0.0049	U		0.0018	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	Tetrachloroethene, Solid*	0.14			0.00066	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	1,1,1-Trichloroethane, Solid*	0.039			0.00060	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	1,1,2-Trichloroethane, Solid*	0.0049	U		0.00070	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	Trichloroethene, Solid*	0.0098			0.00058	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
	Vinyl chloride, Solid*	0.0049	U		0.00073	0.0049	1.00000	mg/Kg	101176		11/09/03 1846	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1556	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1838	lmr
	Barium, TCLP Leach	0.37	B		0.010	1.0	1	mg/L	101804		11/15/03 1838	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101804		11/15/03 1838	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1838	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101804		11/15/03 1838	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1838	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101804		11/15/03 1838	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(16-18)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 14:00
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-8
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	94.8			0.10	0.10	1	%	100279		10/31/03 1020	pfk
	% Moisture, Solid	5.2			0.10	0.10	1	%	100279		10/31/03 1020	pfk
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.4	U		4.4	4.4	1.00000	mg/Kg	101508		11/12/03 2213	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0076	U		0.0014	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	Bromomethane, Solid*	0.0076	U		0.0044	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	1,1-Dichloroethene, Solid*	0.0076	U		0.0015	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	Chloroethane, Solid*	0.0076	U		0.0024	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	Carbon disulfide, Solid*	0.0076	U		0.0030	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	Acetone, Solid*	0.0076	U		0.0062	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	1,1-Dichloroethane, Solid*	0.0076	U		0.0013	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	2-Butanone (MEK), Solid*	0.0076	U		0.0064	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	1,2-Dichloroethane, Solid*	0.0076	U		0.00088	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	Chloroform, Solid*	0.0076	U		0.00094	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	Carbon tetrachloride, Solid*	0.0076	U		0.0013	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	Benzene, Solid*	0.0076	U		0.0010	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	1,2-Dichloropropane, Solid*	0.0076	U		0.0015	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	Bromodichloromethane, Solid*	0.0076	U		0.0010	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	cis-1,3-Dichloropropene, Solid*	0.0076	U		0.0012	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	1,2-Dichloroethene (total), Solid*	0.010			0.0029	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0076	U		0.0045	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	Toluene, Solid*	0.0076	U		0.0015	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	trans-1,3-Dichloropropene, Solid*	0.0076	U		0.0013	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	2-Hexanone, Solid*	0.0076	U		0.0026	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	Dibromochloromethane, Solid*	0.0076	U		0.0010	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(16-18)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 14:00
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-8
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0076	U		0.0014	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	Styrene, Solid*	0.0076	U		0.0015	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	Bromoform, Solid*	0.0076	U		0.0014	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0076	U		0.00097	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	Xylenes (total), Solid*	0.0076	U		0.0044	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	Ethylbenzene, Solid*	0.0076	U		0.0017	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	Methylene chloride, Solid*	0.011			0.0027	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	Tetrachloroethene, Solid*	0.19			0.0010	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	1,1,1-Trichloroethane, Solid*	0.038		H	0.00092	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	1,1,2-Trichloroethane, Solid*	0.0076	U		0.0011	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	Trichloroethene, Solid*	0.0087			0.00089	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
	Vinyl chloride, Solid*	0.0076	U		0.0011	0.0076	1.00000	mg/Kg	101176		11/09/03 1913	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1558	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1844	lmr
	Barium, TCLP Leach	0.40	B		0.010	1.0	1	mg/L	101804		11/15/03 1844	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101804		11/15/03 1844	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1844	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101804		11/15/03 1844	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1844	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101804		11/15/03 1844	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: TRIP BLANK
Date Sampled.....: 10/28/2003
Time Sampled.....: 13:20
Sample Matrix.....: Water

Laboratory Sample ID: 221827-9
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Chloromethane	0.0010	U		0.00016	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn
	Bromomethane	0.0010	U		0.00018	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn
	1,1-Dichloroethene	0.0010	U		0.00019	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn
	Chloroethane	0.0010	U		0.00021	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn
	Carbon disulfide	0.0050	U		0.00040	0.0050	1.00000	mg/L	100905		11/05/03 1957	jdn
	Acetone	0.0050	U		0.0015	0.0050	1.00000	mg/L	100905		11/05/03 1957	jdn
	2-Butanone (MEK)	0.0050	U		0.0017	0.0050	1.00000	mg/L	100905		11/05/03 1957	jdn
	1,2-Dichloroethane	0.0010	U		0.00025	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn
	Chloroform	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn
	Carbon tetrachloride	0.0010	U		0.00024	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn
	Benzene	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn
	1,2-Dichloropropane	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn
	Bromodichloromethane	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn
	1,2-Dichloroethene (total)	0.0010	U		0.00042	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn
	cis-1,3-Dichloropropene	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn
	4-Methyl-2-pentanone (MIBK)	0.0050	U		0.00092	0.0050	1.00000	mg/L	100905		11/05/03 1957	jdn
	Toluene	0.0010	U		0.00021	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn
	trans-1,3-Dichloropropene	0.0010	U		0.00024	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn
	1,1-Dichloroethane	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn
	2-Hexanone	0.0050	U		0.0012	0.0050	1.00000	mg/L	100905		11/05/03 1957	jdn
	Dibromochloromethane	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn
	Chlorobenzene	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn
	Styrene	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn
	Bromoform	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn
	1,1,2,2-Tetrachloroethane	0.0010	U		0.00025	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn
	Xylenes (total)	0.0010	U		0.00028	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn
	Ethylbenzene	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn
	Methylene chloride	0.0010	U		0.00019	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: TRIP BLANK
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:00
Sample Matrix.....: Water

Laboratory Sample ID: 221823-9
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Chloromethane	0.0010	U		0.00016	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn
	Bromomethane	0.0010	U		0.00018	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn
	1,1-Dichloroethene	0.0010	U		0.00019	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn
	Chloroethane	0.0010	U		0.00021	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn
	Carbon disulfide	0.0050	U		0.00040	0.0050	1.00000	mg/L	100905		11/05/03 1755	jdn
	Acetone	0.0050	U		0.0015	0.0050	1.00000	mg/L	100905		11/05/03 1755	jdn
	2-Butanone (MEK)	0.0050	U		0.0017	0.0050	1.00000	mg/L	100905		11/05/03 1755	jdn
	1,2-Dichloroethane	0.0010	U		0.00025	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn
	Chloroform	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn
	Carbon tetrachloride	0.0010	U		0.00024	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn
	Benzene	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn
	1,2-Dichloropropane	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn
	Bromodichloromethane	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn
	1,2-Dichloroethene (total)	0.0010	U		0.00042	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn
	cis-1,3-Dichloropropene	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn
	4-Methyl-2-pentanone (MIBK)	0.0050	U		0.00092	0.0050	1.00000	mg/L	100905		11/05/03 1755	jdn
	Toluene	0.0010	U		0.00021	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn
	trans-1,3-Dichloropropene	0.0010	U		0.00024	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn
	1,1-Dichloroethane	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn
	2-Hexanone	0.0050	U		0.0012	0.0050	1.00000	mg/L	100905		11/05/03 1755	jdn
	Dibromochloromethane	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn
	Chlorobenzene	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn
	Styrene	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn
	Bromoform	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn
	1,1,2,2-Tetrachloroethane	0.0010	U		0.00025	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn
	Xylenes (total)	0.0010	U		0.00028	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn
	Ethylbenzene	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn
	Methylene chloride	0.0010	U		0.00019	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: TRIP BLANK
Date Sampled.....: 10/28/2003
Time Sampled.....: 13:20
Sample Matrix.....: Water

Laboratory Sample ID: 221827-9
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn
	1,1,1-Trichloroethane	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn
	1,1,2-Trichloroethane	0.0010	U		0.00033	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn
	Trichloroethene	0.0010	U		0.00021	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn
	Vinyl chloride	0.0010	U		0.00018	0.0010	1.00000	mg/L	100905		11/05/03 1957	jdn

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: TRIP BLANK
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:00
Sample Matrix.....: Water

Laboratory Sample ID: 221823-9
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn
	1,1,1-Trichloroethane	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn
	1,1,2-Trichloroethane	0.0010	U		0.00033	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn
	Trichloroethene	0.0010	U		0.00021	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn
	Vinyl chloride	0.0010	U		0.00018	0.0010	1.00000	mg/L	100905		11/05/03 1755	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(18-20)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 14:05
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-10
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Chloromethane, High/Med Level*	0.090	U		0.021	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	Bromomethane, High/Med Level*	0.090	U		0.0094	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	1,1-Dichloroethene, High/Med Level*	0.090	U		0.013	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	Chloroethane, High/Med Level*	0.090	U		0.018	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	Carbon disulfide, High/Med Level*	0.090	U		0.018	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	Acetone, High/Med Level*	0.090	U		0.026	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	1,1-Dichloroethane, High/Med Level*	0.11			0.012	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	2-Butanone (MEK), High/Med Level*	0.090	U		0.046	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	1,2-Dichloroethane, High/Med Level*	0.090	U		0.019	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	Chloroform, High/Med Level*	0.090	U		0.016	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	Carbon tetrachloride, High/Med Level*	0.090	U		0.015	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	Benzene, High/Med Level*	0.022	U		0.013	0.022	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	1,2-Dichloropropane, High/Med Level*	0.090	U		0.016	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	Bromodichloromethane, High/Med Level*	0.090	U		0.017	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	cis-1,3-Dichloropropene, High/Med Level*	0.090	U		0.020	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	1,2-Dichloroethene (total), High/Med Leve*	0.32			0.026	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	4-Methyl-2-pentanone (MIBK), High/Med Lev*l	0.090	U		0.034	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	Toluene, High/Med Level*	0.022	U		0.016	0.022	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	trans-1,3-Dichloropropene, High/Med Level*	0.090	U		0.017	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	2-Hexanone, High/Med Level*	0.090	U		0.047	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	Dibromochloromethane, High/Med Level*	0.090	U		0.017	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	Chlorobenzene, High/Med Level*	0.090	U		0.020	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	Styrene, High/Med Level*	0.090	U		0.026	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	Bromoform, High/Med Level*	0.090	U		0.016	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	1,1,2,2-Tetrachloroethane, High/Med Level*	0.090	U		0.017	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	Xylenes (total), High/Med Level*	0.067	U		0.045	0.067	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	Ethylbenzene, High/Med Level*	0.022	U		0.020	0.022	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	Methylene chloride, High/Med Level*	0.090	U		0.018	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(18-20)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 14:05
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-10
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene, High/Med Level*	1.8			0.021	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	1,1,1-Trichloroethane, High/Med Level*	0.54			0.015	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	1,1,2-Trichloroethane, High/Med Level*	0.090	U		0.028	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	Trichloroethene, High/Med Level*	0.14			0.019	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
	Vinyl chloride, High/Med Level*	0.090	U		0.016	0.090	1.0000	mg/Kg	100721		11/05/03 0727	jdn
Method	% Solids Determination											
	% Solids, Solid	86.0			0.10	0.10	1	%	100279		10/31/03 1020	pfk
	% Moisture, Solid	14.0			0.10	0.10	1	%	100279		10/31/03 1020	pfk
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.8	U		4.8	4.8	1.00000	mg/Kg	101508		11/12/03 2300	mgk
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1600	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1851	lmr
	Barium, TCLP Leach	0.41	B		0.010	1.0	1	mg/L	101804		11/15/03 1851	lmr
	Cadmium, TCLP Leach	0.012			0.002	0.005	1	mg/L	101804		11/15/03 1851	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1851	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101804		11/15/03 1851	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1851	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101804		11/15/03 1851	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(20-22)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 14:10
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-11
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Chloromethane, High/Med Level*	0.10	U		0.024	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	Bromomethane, High/Med Level*	0.10	U		0.011	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	1,1-Dichloroethene, High/Med Level*	0.10	U		0.014	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	Chloroethane, High/Med Level*	0.10	U		0.020	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	Carbon disulfide, High/Med Level*	0.10	U		0.021	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	Acetone, High/Med Level*	0.10	U		0.029	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	1,1-Dichloroethane, High/Med Level*	0.10	U		0.014	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	2-Butanone (MEK), High/Med Level*	0.10	U		0.051	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	1,2-Dichloroethane, High/Med Level*	0.10	U		0.022	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	Chloroform, High/Med Level*	0.10	U		0.018	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	Carbon tetrachloride, High/Med Level*	0.10	U		0.017	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	Benzene, High/Med Level*	0.025	U		0.014	0.025	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	1,2-Dichloropropane, High/Med Level*	0.10	U		0.018	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	Bromodichloromethane, High/Med Level*	0.10	U		0.019	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	cis-1,3-Dichloropropene, High/Med Level*	0.10	U		0.023	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	1,2-Dichloroethene (total), High/Med Leve*	0.21			0.029	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	4-Methyl-2-pentanone (MIBK), High/Med Lev*l	0.10	U		0.038	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	Toluene, High/Med Level*	0.025	U		0.018	0.025	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	trans-1,3-Dichloropropene, High/Med Level*	0.10	U		0.020	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	2-Hexanone, High/Med Level*	0.10	U		0.052	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	Dibromochloromethane, High/Med Level*	0.10	U		0.019	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	Chlorobenzene, High/Med Level*	0.10	U		0.022	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	Styrene, High/Med Level*	0.10	U		0.029	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	Bromoform, High/Med Level*	0.10	U		0.018	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	1,1,2,2-Tetrachloroethane, High/Med Level*	0.10	U		0.019	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	Xylenes (total), High/Med Level*	0.075	U		0.050	0.075	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	Ethylbenzene, High/Med Level*	0.025	U		0.023	0.025	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	Methylene chloride, High/Med Level*	0.10	U		0.020	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(20-22)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 14:10
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-11
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene, High/Med Level*	0.89			0.023	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	1,1,1-Trichloroethane, High/Med Level*	0.33			0.017	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	1,1,2-Trichloroethane, High/Med Level*	0.10	U		0.032	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	Trichloroethene, High/Med Level*	0.10	U		0.022	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
	Vinyl chloride, High/Med Level*	0.10	U		0.018	0.10	1.0000	mg/Kg	100721		11/05/03 0749	jdn
Method	% Solids Determination											
	% Solids, Solid	81.9			0.10	0.10	1	%	100279		10/31/03 1020	pfk
	% Moisture, Solid	18.1			0.10	0.10	1	%	100279		10/31/03 1020	pfk
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	5.1	U		5.1	5.1	1.00000	mg/Kg	101508		11/12/03 2348	mgk
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1602	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1858	lmr
	Barium, TCLP Leach	0.47	B		0.010	1.0	1	mg/L	101804		11/15/03 1858	lmr
	Cadmium, TCLP Leach	0.004	B		0.002	0.005	1	mg/L	101804		11/15/03 1858	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1858	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101804		11/15/03 1858	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1858	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101804		11/15/03 1858	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(22-24)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 14:15
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-12
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	97.3			0.10	0.10	1	%	100279		10/31/03 1020	pfk
	% Moisture, Solid	2.7			0.10	0.10	1	%	100279		10/31/03 1020	pfk
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.3	U		4.3	4.3	1.00000	mg/Kg	101508		11/13/03 0035	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0051	U		0.00095	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	Bromomethane, Solid*	0.0051	U		0.0029	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	1,1-Dichloroethene, Solid*	0.0051	U		0.0010	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	Chloroethane, Solid*	0.0051	U		0.0016	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	Carbon disulfide, Solid*	0.0051	U		0.0020	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	Acetone, Solid*	0.0051	U		0.0042	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	1,1-Dichloroethane, Solid*	0.0027	J	a	0.00089	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	2-Butanone (MEK), Solid*	0.0051	U		0.0043	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	1,2-Dichloroethane, Solid*	0.0051	U		0.00059	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	Chloroform, Solid*	0.0051	U		0.00063	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	Carbon tetrachloride, Solid*	0.0051	U		0.00084	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	Benzene, Solid*	0.0051	U		0.00067	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	1,2-Dichloropropane, Solid*	0.0051	U		0.00097	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	Bromodichloromethane, Solid*	0.0051	U		0.00069	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	cis-1,3-Dichloropropene, Solid*	0.0051	U		0.00080	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	1,2-Dichloroethene (total), Solid*	0.0081			0.0019	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0051	U		0.0030	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	Toluene, Solid*	0.0051	U		0.0010	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	trans-1,3-Dichloropropene, Solid*	0.0051	U		0.00085	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	2-Hexanone, Solid*	0.0051	U		0.0017	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	Dibromochloromethane, Solid*	0.0051	U		0.00070	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(22-24)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 14:15
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-12
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0051	U		0.00092	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	Styrene, Solid*	0.0051	U		0.0010	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	Bromoform, Solid*	0.0051	U		0.00092	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0051	U		0.00065	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	Xylenes (total), Solid*	0.0051	U		0.0029	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	Ethylbenzene, Solid*	0.0051	U		0.0011	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	Methylene chloride, Solid*	0.0098			0.0018	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	Tetrachloroethene, Solid*	0.098			0.00068	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	1,1,1-Trichloroethane, Solid*	0.023		H	0.00062	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	1,1,2-Trichloroethane, Solid*	0.0051	U		0.00072	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	Trichloroethene, Solid*	0.0054			0.00060	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
	Vinyl chloride, Solid*	0.0051	U		0.00075	0.0051	1.00000	mg/Kg	100782		11/04/03 2033	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1604	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1904	lmr
	Barium, TCLP Leach	0.40	B		0.010	1.0	1	mg/L	101804		11/15/03 1904	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101804		11/15/03 1904	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1904	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101804		11/15/03 1904	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1904	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101804		11/15/03 1904	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(24-26)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 14:20
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-13
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	97.2			0.10	0.10	1	%	100279		10/31/03 1020	pfk
	% Moisture, Solid	2.8			0.10	0.10	1	%	100279		10/31/03 1020	pfk
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.2	U		4.2	4.2	1.00000	mg/Kg	101508		11/13/03 0122	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0051	U		0.00097	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	Bromomethane, Solid*	0.0051	U		0.0030	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	1,1-Dichloroethene, Solid*	0.0051	U		0.0010	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	Chloroethane, Solid*	0.0051	U		0.0016	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	Carbon disulfide, Solid*	0.0051	U		0.0021	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	Acetone, Solid*	0.0051	U		0.0042	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	1,1-Dichloroethane, Solid*	0.0051	U		0.00091	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	2-Butanone (MEK), Solid*	0.0051	U		0.0043	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	1,2-Dichloroethane, Solid*	0.0051	U		0.00060	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	Chloroform, Solid*	0.0051	U		0.00064	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	Carbon tetrachloride, Solid*	0.0051	U		0.00085	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	Benzene, Solid*	0.0051	U		0.00068	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	1,2-Dichloropropane, Solid*	0.0051	U		0.00099	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	Bromodichloromethane, Solid*	0.0051	U		0.00070	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	cis-1,3-Dichloropropene, Solid*	0.0051	U		0.00081	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	1,2-Dichloroethene (total), Solid*	0.0051	U		0.0020	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0051	U		0.0031	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	Toluene, Solid*	0.0051	U		0.0010	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	trans-1,3-Dichloropropene, Solid*	0.0051	U		0.00086	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	2-Hexanone, Solid*	0.0051	U		0.0017	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	Dibromochloromethane, Solid*	0.0051	U		0.00071	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(24-26)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 14:20
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-13
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0051	U		0.00094	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	Styrene, Solid*	0.0051	U		0.0010	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	Bromoform, Solid*	0.0051	U		0.00094	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0051	U		0.00066	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	Xylenes (total), Solid*	0.0051	U		0.0030	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	Ethylbenzene, Solid*	0.0051	U		0.0011	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	Methylene chloride, Solid*	0.0051	U		0.0019	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	Tetrachloroethene, Solid*	0.055			0.00069	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	1,1,1-Trichloroethane, Solid*	0.013			0.00063	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	1,1,2-Trichloroethane, Solid*	0.0051	U		0.00073	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	Trichloroethene, Solid*	0.0051	U		0.00061	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
	Vinyl chloride, Solid*	0.0051	U		0.00076	0.0051	1.00000	mg/Kg	100782		11/04/03 2100	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1607	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1911	lmr
	Barium, TCLP Leach	0.37	B		0.010	1.0	1	mg/L	101804		11/15/03 1911	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101804		11/15/03 1911	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1911	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101804		11/15/03 1911	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1911	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101804		11/15/03 1911	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(26-28)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 14:25
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-14
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	97.2			0.10	0.10	1	%	100279		10/31/03 1020	pfk
	% Moisture, Solid	2.8			0.10	0.10	1	%	100279		10/31/03 1020	pfk
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.2	U		4.2	4.2	1.00000	mg/Kg	101508		11/13/03 0209	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0051	U		0.00096	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	Bromomethane, Solid*	0.0051	U		0.0030	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	1,1-Dichloroethene, Solid*	0.0051	U		0.0010	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	Chloroethane, Solid*	0.0051	U		0.0016	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	Carbon disulfide, Solid*	0.0051	U		0.0020	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	Acetone, Solid*	0.048			0.0042	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	1,1-Dichloroethane, Solid*	0.0051	U		0.00090	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	2-Butanone (MEK), Solid*	0.0081			0.0043	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	1,2-Dichloroethane, Solid*	0.0051	U		0.00059	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	Chloroform, Solid*	0.0051	U		0.00064	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	Carbon tetrachloride, Solid*	0.0051	U		0.00085	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	Benzene, Solid*	0.0051	U		0.00068	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	1,2-Dichloropropane, Solid*	0.0051	U		0.00098	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	Bromodichloromethane, Solid*	0.0051	U		0.00070	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	cis-1,3-Dichloropropene, Solid*	0.0051	U		0.00081	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	1,2-Dichloroethene (total), Solid*	0.0051	U		0.0019	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0051	U		0.0031	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	Toluene, Solid*	0.011			0.0010	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	trans-1,3-Dichloropropene, Solid*	0.0051	U		0.00086	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	2-Hexanone, Solid*	0.0051	U		0.0017	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	Dibromochloromethane, Solid*	0.0051	U		0.00071	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(26-28)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 14:25
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-14
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0051	U		0.00093	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	Styrene, Solid*	0.0051	U		0.0010	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	Bromoform, Solid*	0.0051	U		0.00093	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0051	U		0.00066	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	Xylenes (total), Solid*	0.0051	U		0.0030	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	Ethylbenzene, Solid*	0.0051	U		0.0011	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	Methylene chloride, Solid*	0.0051	U		0.0018	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	Tetrachloroethene, Solid*	0.040			0.00069	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	1,1,1-Trichloroethane, Solid*	0.0092			0.00063	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	1,1,2-Trichloroethane, Solid*	0.0051	U		0.00073	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	Trichloroethene, Solid*	0.0051	U		0.00060	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
	Vinyl chloride, Solid*	0.0051	U		0.00076	0.0051	1.00000	mg/Kg	100767		11/05/03 0758	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1613	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1918	lmr
	Barium, TCLP Leach	0.35	B		0.010	1.0	1	mg/L	101804		11/15/03 1918	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101804		11/15/03 1918	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1918	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101804		11/15/03 1918	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1918	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101804		11/15/03 1918	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(28-30)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 14:30
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-15
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	96.3			0.10	0.10	1	%	100279		10/31/03 1020	pfk
	% Moisture, Solid	3.7			0.10	0.10	1	%	100279		10/31/03 1020	pfk
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.3	U		4.3	4.3	1.00000	mg/Kg	101508		11/13/03 0342	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0052	U		0.00097	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	Bromomethane, Solid*	0.0052	U		0.0030	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	1,1-Dichloroethene, Solid*	0.0052	U		0.0010	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	Chloroethane, Solid*	0.0052	U		0.0016	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	Carbon disulfide, Solid*	0.0052	U		0.0021	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	Acetone, Solid*	0.0052	U		0.0042	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	1,1-Dichloroethane, Solid*	0.0052	U		0.00091	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	2-Butanone (MEK), Solid*	0.0052	U		0.0043	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	1,2-Dichloroethane, Solid*	0.0052	U		0.00060	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	Chloroform, Solid*	0.0052	U		0.00064	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	Carbon tetrachloride, Solid*	0.0052	U		0.00086	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	Benzene, Solid*	0.0052	U		0.00068	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	1,2-Dichloropropane, Solid*	0.0052	U		0.00099	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	Bromodichloromethane, Solid*	0.0052	U		0.00070	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	cis-1,3-Dichloropropene, Solid*	0.0052	U		0.00081	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	1,2-Dichloroethene (total), Solid*	0.0058			0.0020	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0052	U		0.0031	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	Toluene, Solid*	0.0052	U		0.0010	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	trans-1,3-Dichloropropene, Solid*	0.0052	U		0.00087	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	2-Hexanone, Solid*	0.0052	U		0.0018	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	Dibromochloromethane, Solid*	0.0052	U		0.00071	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(28-30)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 14:30
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-15
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0052	U		0.00094	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	Styrene, Solid*	0.0052	U		0.0010	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	Bromoform, Solid*	0.0052	U		0.00094	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0052	U		0.00066	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	Xylenes (total), Solid*	0.0052	U		0.0030	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	Ethylbenzene, Solid*	0.0052	U		0.0011	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	Methylene chloride, Solid*	0.0052	U		0.0019	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	Tetrachloroethene, Solid*	0.074			0.00069	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	1,1,1-Trichloroethane, Solid*	0.022			0.00063	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	1,1,2-Trichloroethane, Solid*	0.0052	U		0.00073	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	Trichloroethene, Solid*	0.0052	U		0.00061	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
	Vinyl chloride, Solid*	0.0052	U		0.00076	0.0052	1.00000	mg/Kg	100767		11/05/03 0948	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1615	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1925	lmr
	Barium, TCLP Leach	0.30	B		0.010	1.0	1	mg/L	101804		11/15/03 1925	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101804		11/15/03 1925	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1925	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101804		11/15/03 1925	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1925	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101804		11/15/03 1925	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(30-32)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 14:35
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-16
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
Method	% Solids Determination											
	% Solids, Solid	96.5			0.10	0.10	1	%	100279		10/31/03 1020	pfk
	% Moisture, Solid	3.5			0.10	0.10	1	%	100279		10/31/03 1020	pfk
8015B MDRO	TPH - Diesel Range Organics (DRO)											
	TPH - Jet Fuel (JP4), Solid*	4.2	U		4.2	4.2	1.00000	mg/Kg	101508		11/13/03 0428	mgk
8260B	Volatile Organics											
	Chloromethane, Solid*	0.0049	U		0.00092	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	Bromomethane, Solid*	0.0049	U		0.0028	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	1,1-Dichloroethene, Solid*	0.0049	U		0.00098	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	Chloroethane, Solid*	0.0049	U		0.0016	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	Carbon disulfide, Solid*	0.0049	U		0.0020	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	Acetone, Solid*	0.011			0.0040	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	1,1-Dichloroethane, Solid*	0.0049	U		0.00086	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	2-Butanone (MEK), Solid*	0.0049	U		0.0041	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	1,2-Dichloroethane, Solid*	0.0049	U		0.00057	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	Chloroform, Solid*	0.0049	U		0.00061	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	Carbon tetrachloride, Solid*	0.0049	U		0.00081	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	Benzene, Solid*	0.0049	U		0.00065	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	1,2-Dichloropropane, Solid*	0.0049	U		0.00094	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	Bromodichloromethane, Solid*	0.0049	U		0.00067	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	cis-1,3-Dichloropropene, Solid*	0.0049	U		0.00077	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	1,2-Dichloroethene (total), Solid*	0.0049	U		0.0019	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	4-Methyl-2-pentanone (MIBK), Solid*	0.0049	U		0.0029	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	Toluene, Solid*	0.0062			0.00098	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	trans-1,3-Dichloropropene, Solid*	0.0049	U		0.00082	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	2-Hexanone, Solid*	0.0049	U		0.0017	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	Dibromochloromethane, Solid*	0.0049	U		0.00068	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: RD-SB-S2(30-32)-01
Date Sampled.....: 10/28/2003
Time Sampled.....: 14:35
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-16
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Chlorobenzene, Solid*	0.0049	U		0.00089	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	Styrene, Solid*	0.0049	U		0.00098	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	Bromoform, Solid*	0.0049	U		0.00089	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	1,1,2,2-Tetrachloroethane, Solid*	0.0049	U		0.00063	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	Xylenes (total), Solid*	0.0049	U		0.0028	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	Ethylbenzene, Solid*	0.0049	U		0.0011	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	Methylene chloride, Solid*	0.0049	U		0.0018	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	Tetrachloroethene, Solid*	0.048			0.00066	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	1,1,1-Trichloroethane, Solid*	0.015			0.00060	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	1,1,2-Trichloroethane, Solid*	0.0049	U		0.00070	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	Trichloroethene, Solid*	0.0049	U		0.00058	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
	Vinyl chloride, Solid*	0.0049	U		0.00072	0.0049	1.00000	mg/Kg	102107		11/10/03 1218	jdn
7470A	Leachable, Mercury (CVAA)											
	Mercury, TCLP Leach	0.0020	U		0.0020	0.0020	1	mg/L	101195		11/10/03 1618	gok
6010B	Leachable, Metals Analysis (ICAP)											
	Arsenic, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1954	lmr
	Barium, TCLP Leach	0.30	B		0.010	1.0	1	mg/L	101804		11/15/03 1954	lmr
	Cadmium, TCLP Leach	0.005	U		0.002	0.005	1	mg/L	101804		11/15/03 1954	lmr
	Chromium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1954	lmr
	Lead, TCLP Leach	0.0075	U		0.0050	0.0075	1	mg/L	101804		11/15/03 1954	lmr
	Selenium, TCLP Leach	0.050	U		0.010	0.050	1	mg/L	101804		11/15/03 1954	lmr
	Silver, TCLP Leach	0.050	U		0.005	0.050	1	mg/L	101804		11/15/03 1954	lmr

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221827

Date:11/24/2003

CUSTOMER: SECOR

PROJECT: SE ROCKFORD

ATTN: Dave Curnock

Customer Sample ID: TRIP BLANK
Date Sampled.....: 10/28/2003
Time Sampled.....: 14:05
Sample Matrix.....: Soil

Laboratory Sample ID: 221827-17
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
8260B	Volatile Organics											
	Chloromethane	0.0010	U		0.00016	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn
	Bromomethane	0.0010	U		0.00018	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn
	1,1-Dichloroethene	0.0010	U		0.00019	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn
	Chloroethane	0.0010	U		0.00021	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn
	Carbon disulfide	0.0050	U		0.00040	0.0050	1.00000	mg/L	100905		11/05/03 2027	jdn
	Acetone	0.0050	U		0.0015	0.0050	1.00000	mg/L	100905		11/05/03 2027	jdn
	2-Butanone (MEK)	0.0050	U		0.0017	0.0050	1.00000	mg/L	100905		11/05/03 2027	jdn
	1,2-Dichloroethane	0.0010	U		0.00025	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn
	Chloroform	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn
	Carbon tetrachloride	0.0010	U		0.00024	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn
	Benzene	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn
	1,2-Dichloropropane	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn
	Bromodichloromethane	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn
	1,2-Dichloroethene (total)	0.0010	U		0.00042	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn
	cis-1,3-Dichloropropene	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn
	4-Methyl-2-pentanone (MIBK)	0.0050	U		0.00092	0.0050	1.00000	mg/L	100905		11/05/03 2027	jdn
	Toluene	0.0010	U		0.00021	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn
	trans-1,3-Dichloropropene	0.0010	U		0.00024	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn
	1,1-Dichloroethane	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn
	2-Hexanone	0.0050	U		0.0012	0.0050	1.00000	mg/L	100905		11/05/03 2027	jdn
	Dibromochloromethane	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn
	Chlorobenzene	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn
	Styrene	0.0010	U		0.00023	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn
	Bromoform	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn
	1,1,2,2-Tetrachloroethane	0.0010	U		0.00025	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn
	Xylenes (total)	0.0010	U		0.00028	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn
	Ethylbenzene	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn
	Methylene chloride	0.0010	U		0.00019	0.0010	1.00000	mg/L	100905		11/05/03 2027	jdn

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 221823

Date:11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Customer Sample ID: TRIP BLANK
Date Sampled.....: 10/29/2003
Time Sampled.....: 11:40
Sample Matrix.....: Soil

Laboratory Sample ID: 221823-17
Date Received.....: 10/29/2003
Time Received.....: 17:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
	Tetrachloroethene	0.0010	U		0.00020	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn
	1,1,1-Trichloroethane	0.0010	U		0.00022	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn
	1,1,2-Trichloroethane	0.0010	U		0.00033	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn
	Trichloroethene	0.0010	U		0.00021	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn
	Vinyl chloride	0.0010	U		0.00018	0.0010	1.00000	mg/L	100905		11/05/03 1825	jdn

* In Description = Dry Wgt.

Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY CHRONICLE

Job Number: 221827 Date: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221827-1 Client ID: RD-SB-S2(2-4)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100279		10/31/2003	1020	
5030A	5030 Purge & Trap of Methanol Extract	1	100716		11/05/2003	0811	
5030A	5030 Purge & Trap of Methanol Extract	2	100716		11/05/2003	1049	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1320	
5035	5035 Preservation Low	1	100614		10/28/2003	1320	
5035	5035 Preservation Low	2	100614		10/28/2003	1320	
3010A	Acid Dig. Leachates (ICAP)	1	101106	100940	11/09/2003	2120	
EDD	Electronic Data Deliverable	1					
3550B	Extraction Ultrasonic (JP4)	1	101153		11/10/2003	1245	
7470A	Leachable, Mercury (CVAA)	1	101195	101194-100940	11/10/2003	1534	
6010B	Leachable, Metals Analysis (ICAP)	1	101804	101106-100940	11/15/2003	1708	
7470	SW846 Dig. Leachates (Hg)	1	101194		11/10/2003	1115	
1311	TCLP Extraction	1	100940		11/06/2003	1800	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101508	101153	11/12/2003	1335	1.00000
8260B	Volatile Organics	1	100721	100654-100716	11/05/2003	0811	2.000
8260B	Volatile Organics	1	100721	100654-100716	11/05/2003	1049	100.00

Lab ID: 221827-2 Client ID: RD-SB-S2(4-6)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100279		10/31/2003	1020	
5030A	5030 Purge & Trap of Methanol Extract	1	100716		11/05/2003	0557	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1335	
5035	5035 Preservation Low	1	100614		10/28/2003	1335	
5035	5035 Preservation Low	2	100614		10/28/2003	1335	
3010A	Acid Dig. Leachates (ICAP)	1	101106	100940	11/09/2003	2120	
3550B	Extraction Ultrasonic (JP4)	1	101153		11/10/2003	1245	
7470A	Leachable, Mercury (CVAA)	1	101195	101194-100940	11/10/2003	1536	
6010B	Leachable, Metals Analysis (ICAP)	1	101804	101106-100940	11/15/2003	1715	
7470	SW846 Dig. Leachates (Hg)	1	101194		11/10/2003	1115	
1311	TCLP Extraction	1	100940		11/06/2003	1800	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101508	101153	11/12/2003	1509	1.00000
8260B	Volatile Organics	1	100721	100654-100716	11/05/2003	0557	1.0000

Lab ID: 221827-3 Client ID: RD-SB-S2(6-8)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100279		10/31/2003	1020	
5035	5035 Archon Closed Purge & Trap	1	100761		11/04/2003	1816	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1330	
5035	5035 Preservation Low	1	100614		10/28/2003	1330	
5035	5035 Preservation Low	2	100614		10/28/2003	1330	
3010A	Acid Dig. Leachates (ICAP)	1	101106	100940	11/09/2003	2120	
3550B	Extraction Ultrasonic (JP4)	1	101153		11/10/2003	1245	
7470A	Leachable, Mercury (CVAA)	1	101195	101194-100940	11/10/2003	1538	
6010B	Leachable, Metals Analysis (ICAP)	1	101804	101106-100940	11/15/2003	1722	
7470	SW846 Dig. Leachates (Hg)	1	101194		11/10/2003	1115	
1311	TCLP Extraction	1	100940		11/06/2003	1800	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101508	101153	11/12/2003	1556	1.00000
8260B	Volatile Organics	1	100782	100614-100761	11/04/2003	1816	1.00000

Lab ID: 221827-4 Client ID: RD-SB-S2(8-10)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100279		10/31/2003	1020	
5035	5035 Archon Closed Purge & Trap	1	100761		11/04/2003	1843	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1340	
5035	5035 Preservation Low	1	100614		10/28/2003	1340	

Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY CHRONICLE

Job Number: 221827 Date: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Lab ID: 221827-4 Client ID: RD-SB-S2(8-10)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
5035	5035 Preservation Low	2	100614		10/28/2003	1340	
3010A	Acid Dig. Leachates (ICAP)	1	101106	100940	11/09/2003	2120	
3550B	Extraction Ultrasonic (JP4)	1	101153		11/10/2003	1245	
7470A	Leachable, Mercury (CVAA)	1	101195	101194-100940	11/10/2003	1540	
6010B	Leachable, Metals Analysis (ICAP)	1	101804	101106-100940	11/15/2003	1728	
7470	SW846 Dig. Leachates (Hg)	1	101194		11/10/2003	1115	
1311	TCLP Extraction	1	100940		11/06/2003	1800	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101508	101153	11/12/2003	1643	1.00000
8260B	Volatile Organics	1	100782	100614-100761	11/04/2003	1843	1.00000

Lab ID: 221827-5 Client ID: RD-SB-S2(10-12)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100279		10/31/2003	1020	
5035	5035 Archon Closed Purge & Trap	1	100761		11/04/2003	2006	
5035	5035 Archon Closed Purge & Trap	2	100757		11/05/2003	0921	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1345	
5035	5035 Preservation Low	1	100614		10/28/2003	1345	
5035	5035 Preservation Low	2	100614		10/28/2003	1345	
3010A	Acid Dig. Leachates (ICAP)	1	101106	100940	11/09/2003	2120	
3550B	Extraction Ultrasonic (JP4)	1	101153		11/10/2003	1245	
7470A	Leachable, Mercury (CVAA)	1	101195	101194-100940	11/10/2003	1551	
6010B	Leachable, Metals Analysis (ICAP)	1	101804	101106-100940	11/15/2003	1824	
7470	SW846 Dig. Leachates (Hg)	1	101194		11/10/2003	1115	
1311	TCLP Extraction	1	100940		11/06/2003	1800	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101508	101153	11/12/2003	1952	1.00000
8260B	Volatile Organics	1	100767	100614-100757	11/05/2003	0921	1.00000

Lab ID: 221827-6 Client ID: RD-SB-S2(12-14)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100279		10/31/2003	1020	
5030A	5030 Purge & Trap of Methanol Extract	1	100716		11/05/2003	0619	
5035	5035 Archon Closed Purge & Trap	1	101144		11/09/2003	1819	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1350	
5035	5035 Preservation Low	1	100614		10/28/2003	1350	
5035	5035 Preservation Low	2	100614		10/28/2003	1350	
3010A	Acid Dig. Leachates (ICAP)	1	101106	100940	11/09/2003	2120	
3550B	Extraction Ultrasonic (JP4)	1	101153		11/10/2003	1245	
7470A	Leachable, Mercury (CVAA)	1	101195	101194-100940	11/10/2003	1553	
6010B	Leachable, Metals Analysis (ICAP)	1	101804	101106-100940	11/15/2003	1831	
7470	SW846 Dig. Leachates (Hg)	1	101194		11/10/2003	1115	
1311	TCLP Extraction	1	100940		11/06/2003	1800	
8015B MDRO	TPH - Diesel Range Organics (DRO)	1	101508	101153	11/12/2003	2039	1.00000
8260B	Volatile Organics	1	101176	100614-101144	11/09/2003	1819	1.00000

Lab ID: 221827-7 Client ID: RD-SB-S2(14-16)-01 Date Recvd: 10/29/2003 Sample Date: 10/28/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
Method	% Solids Determination	1	100279		10/31/2003	1020	
5030A	5030 Purge & Trap of Methanol Extract	1	100716		11/05/2003	0642	
5035	5035 Archon Closed Purge & Trap	1	101144		11/09/2003	1846	
5035	5035 Preservation High (Methanol)	1	100654		10/28/2003	1355	
5035	5035 Preservation Low	1	100614		10/28/2003	1355	
5035	5035 Preservation Low	2	100614		10/28/2003	1355	
3010A	Acid Dig. Leachates (ICAP)	1	101106	100940	11/09/2003	2120	
3550B	Extraction Ultrasonic (JP4)	1	101153		11/10/2003	1245	
7470A	Leachable, Mercury (CVAA)	1	101195	101194-100940	11/10/2003	1556	

STL Chicago is part of Severn Trent Laboratories, Inc.

SURROGATE RECOVERIES REPORT

Job Number.: 221827 Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

Method.....: TPH - Diesel Range Organics (DRO) Test Matrix...: Solid Prep Batch..: 101153
Method Code...: 8015D Batch(s).....: 101508

Lab ID	DT	Sample ID	Date	2FLUBP	OTERPH
LCS			11/12/2003	89	91
MB			11/12/2003	86	86
221827- 1		RD-SB-S2(2-4)-01	11/12/2003	164*I	594*I
221827- 2		RD-SB-S2(4-6)-01	11/12/2003	87	93
221827- 3		RD-SB-S2(6-8)-01	11/12/2003	85	88
221827- 4		RD-SB-S2(8-10)-01	11/12/2003	86	88
221827- 4	MS	RD-SB-S2(8-10)-01	11/12/2003	89	90
221827- 4	MSD	RD-SB-S2(8-10)-01	11/12/2003	86	86
221827- 5		RD-SB-S2(10-12)-01	11/12/2003	87	90
221827- 6		RD-SB-S2(12-14)-01	11/12/2003	85	88
221827- 7		RD-SB-S2(14-16)-01	11/12/2003	71	77
221827- 8		RD-SB-S2(16-18)-01	11/12/2003	69	75
221827- 10		RD-SB-S2(18-20)-01	11/12/2003	74	78
221827- 11		RD-SB-S2(20-22)-01	11/12/2003	74	78
221827- 12		RD-SB-S2(22-24)-01	11/13/2003	88	90
221827- 13		RD-SB-S2(24-26)-01	11/13/2003	88	87
221827- 14		RD-SB-S2(26-28)-01	11/13/2003	83	83
[illegible]7- 15		RD-SB-S2(28-30)-01	11/13/2003	82	81
[illegible]7- 16		RD-SB-S2(30-32)-01	11/13/2003	85	85

Test	Test Description	Limits
2FLUBP	2-Fluorobiphenyl (surr)	48 - 103
OTERPH	o-Terphenyl (surr)	44 - 128

QUALITY CONTROL RESULTS

Job Number.: 221827

Report Date.: 11/24/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8015B MDRO
Method Description.: TPH - Diesel Range Organics (DRO)
Equipment Code....: INST09
Batch.....: 101508
Analyst...: mgk

LCS	Laboratory Control Sample	003JWLJP4A	1D1153-002		11/12/2003	1248

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
TPH - Jet Fuel (JP4), Solid	mg/Kg	43.133		66.670	4.199 U	65	%	50-150	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
LCS	Laboratory Control Sample	V03K03DSB	100571-003		11/03/2003	1136

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL16
Batch.....: 100573

Analyst...: jdn

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, High/Med Level	mg/Kg	2.604		2.500	0.100	U 104	%	55-129	
Vinyl chloride, High/Med Level	mg/Kg	2.682		2.500	0.100	U 107	%	61-135	
Bromomethane, High/Med Level	mg/Kg	3.096		2.500	0.100	U 124	%	36-164	
Chloroethane, High/Med Level	mg/Kg	2.883		2.500	0.100	U 115	%	33-207	
1,1-Dichloroethene, High/Med Level	mg/Kg	1.802		2.500	0.100	U 72	%	44-143	
Carbon disulfide, High/Med Level	mg/Kg	1.413		2.500	0.100	U 57	%	21-124	
Acetone, High/Med Level	mg/Kg	2.026		2.500	0.100	U 81	%	34-143	
Methylene chloride, High/Med Level	mg/Kg	2.022		2.500	0.100	U 81	%	57-129	
1,1-Dichloroethane, High/Med Level	mg/Kg	2.036		2.500	0.100	U 81	%	68-119	
2-Butanone (MEK), High/Med Level	mg/Kg	2.142		2.500	0.100	U 86	%	40-125	
Chloroform, High/Med Level	mg/Kg	2.132		2.500	0.100	U 85	%	61-129	
1,1,1-Trichloroethane, High/Med Level	mg/Kg	2.176		2.500	0.100	U 87	%	69-133	
on tetrachloride, High/Med Level	mg/Kg	2.331		2.500	0.100	U 93	%	59-127	
Dichloroethene (total), High/Med L	mg/Kg	4.261		5.000	0.100	U 85	%	60-139	
zene, High/Med Level	mg/Kg	2.261		2.500	0.025	U 90	%	67-122	
1,2-Dichloroethane, High/Med Level	mg/Kg	2.080		2.500	0.100	U 83	%	64-115	
Trichloroethene, High/Med Level	mg/Kg	2.498		2.500	0.100	U 100	%	70-123	
1,2-Dichloropropane, High/Med Level	mg/Kg	2.275		2.500	0.100	U 91	%	70-122	
Bromodichloromethane, High/Med Level	mg/Kg	2.425		2.500	0.100	U 97	%	66-128	
cis-1,3-Dichloropropene, High/Med Leve	mg/Kg	2.448		2.600	0.100	U 94	%	68-123	
4-Methyl-2-pentanone (MIBK), High/Med	mg/Kg	2.164		2.500	0.100	U 87	%	54-119	
Toluene, High/Med Level	mg/Kg	2.391		2.500	0.025	U 96	%	72-123	
trans-1,3-Dichloropropene, High/Med Le	mg/Kg	2.336		2.400	0.100	U 97	%	60-115	
1,1,2-Trichloroethane, High/Med Level	mg/Kg	2.200		2.500	0.100	U 88	%	67-133	
Tetrachloroethene, High/Med Level	mg/Kg	2.551		2.500	0.100	U 102	%	75-125	
2-Hexanone, High/Med Level	mg/Kg	2.088		2.500	0.100	U 84	%	50-116	
Dibromochloromethane, High/Med Level	mg/Kg	2.467		2.500	0.100	U 99	%	70-119	
Chlorobenzene, High/Med Level	mg/Kg	2.399		2.500	0.100	U 96	%	80-125	
Ethylbenzene, High/Med Level	mg/Kg	2.518		2.500	0.025	U 101	%	78-128	
Styrene, High/Med Level	mg/Kg	2.655		2.500	0.100	U 106	%	80-129	
Bromoform, High/Med Level	mg/Kg	2.305		2.500	0.100	U 92	%	70-123	
1,1,2,2-Tetrachloroethane, High/Med Le	mg/Kg	2.166		2.500	0.100	U 87	%	70-126	
Xylenes (total), High/Med Level	mg/Kg	7.418		7.500	0.075	U 99	%	77-131	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MB	Method Blank		100571-002		11/03/2003	1114

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL16
Batch.....: 100573

Analyst...: jdn

Parameter/Test Description	Units	QC Result		QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, High/Med Level	mg/Kg	0.100	U							
Vinyl chloride, High/Med Level	mg/Kg	0.100	U							
Bromomethane, High/Med Level	mg/Kg	0.100	U							
Chloroethane, High/Med Level	mg/Kg	0.100	U							
1,1-Dichloroethene, High/Med Level	mg/Kg	0.100	U							
Carbon disulfide, High/Med Level	mg/Kg	0.100	U							
Acetone, High/Med Level	mg/Kg	0.100	U							
Methylene chloride, High/Med Level	mg/Kg	0.100	U							
1,1-Dichloroethane, High/Med Level	mg/Kg	0.100	U							
2-Butanone (MEK), High/Med Level	mg/Kg	0.100	U							
Chloroform, High/Med Level	mg/Kg	0.100	U							
1,1,1-Trichloroethane, High/Med Level	mg/Kg	0.100	U							
on tetrachloride, High/Med Level	mg/Kg	0.100	U							
Dichloroethene (total), High/Med L	mg/Kg	0.100	U							
zene, High/Med Level	mg/Kg	0.025	U							
1,2-Dichloroethane, High/Med Level	mg/Kg	0.100	U							
Trichloroethene, High/Med Level	mg/Kg	0.100	U							
1,2-Dichloropropane, High/Med Level	mg/Kg	0.100	U							
Bromodichloromethane, High/Med Level	mg/Kg	0.100	U							
cis-1,3-Dichloropropene, High/Med Leve	mg/Kg	0.100	U							
4-Methyl-2-pentanone (MIBK), High/Med	mg/Kg	0.100	U							
Toluene, High/Med Level	mg/Kg	0.025	U							
trans-1,3-Dichloropropene, High/Med Le	mg/Kg	0.100	U							
1,1,2-Trichloroethane, High/Med Level	mg/Kg	0.100	U							
Tetrachloroethene, High/Med Level	mg/Kg	0.100	U							
2-Hexanone, High/Med Level	mg/Kg	0.100	U							
Dibromochloromethane, High/Med Level	mg/Kg	0.100	U							
Chlorobenzene, High/Med Level	mg/Kg	0.100	U							
Ethylbenzene, High/Med Level	mg/Kg	0.025	U							
Styrene, High/Med Level	mg/Kg	0.100	U							
Bromoform, High/Med Level	mg/Kg	0.100	U							
1,1,2,2-Tetrachloroethane, High/Med Le	mg/Kg	0.100	U							
Xylenes (total), High/Med Level	mg/Kg	0.075	U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL16
Batch.....: 100721

Analyst...: jdn

EB2	Extraction Blank 2	221904	100690-011		11/05/2003	1026

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
1,1,1-Trichloroethane, High/Med Level	mg/Kg	0.100	U						
Tetrachloroethene, High/Med Level	mg/Kg	0.100	U						

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL16
Batch.....: 100721

Analyst...: jdn

LCS	Laboratory Control Sample	V03K04DSB	100716-002		11/05/2003	0041

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
1,1,1-Trichloroethane, High/Med Level	mg/Kg	2.075		2.500	0.100 U	83	%	69-133	
Tetrachloroethene, High/Med Level	mg/Kg	2.492		2.500	0.100 U	100	%	75-125	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL16
Batch.....: 100721

Analyst...: jdn

MB	Method Blank		100716-001		11/04/2003	2356

Parameter/Test Description	Units	QC Result		QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
1,1,1-Trichloroethane, High/Med Level	mg/Kg	0.100	U							
Tetrachloroethene, High/Med Level	mg/Kg	0.100	U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
LCS	Laboratory Control Sample	V03K04DSG	100761-021		11/04/2003	1204

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL6
Batch.....: 100782

Analyst...: jdn

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, Solid	mg/Kg	0.043		0.050	0.005 U	87	%	45-141	
Vinyl chloride, Solid	mg/Kg	0.041		0.050	0.005 U	83	%	58-140	
Bromomethane, Solid	mg/Kg	0.039		0.050	0.005 U	79	%	48-127	
Chloroethane, Solid	mg/Kg	0.046		0.050	0.005 U	92	%	59-163	
1,1-Dichloroethene, Solid	mg/Kg	0.046		0.050	0.005 U	92	%	51-132	
Carbon disulfide, Solid	mg/Kg	0.038		0.050	0.005 U	76	%	23-138	
Acetone, Solid	mg/Kg	0.043		0.050	0.005 U	87	%	46-167	
Methylene chloride, Solid	mg/Kg	0.049		0.050	0.005 U	97	%	58-143	
1,1-Dichloroethane, Solid	mg/Kg	0.049		0.050	0.005 U	98	%	63-133	
2-Butanone (MEK), Solid	mg/Kg	0.049		0.050	0.005 U	98	%	50-150	
Chloroform, Solid	mg/Kg	0.052		0.050	0.005 U	105	%	73-135	
1,1,1-Trichloroethane, Solid	mg/Kg	0.052		0.050	0.005 U	103	%	63-133	
Carbon tetrachloride, Solid	mg/Kg	0.048		0.050	0.005 U	96	%	67-127	
1,2-Dichloroethene (total), Solid	mg/Kg	0.100		0.100	0.005 U	100	%	63-144	
Benzene, Solid	mg/Kg	0.047		0.050	0.005 U	94	%	72-128	
1,2-Dichloroethane, Solid	mg/Kg	0.049		0.050	0.005 U	98	%	69-125	
Trichloroethene, Solid	mg/Kg	0.047		0.050	0.005 U	93	%	75-129	
1,2-Dichloropropane, Solid	mg/Kg	0.048		0.050	0.005 U	96	%	76-132	
Bromodichloromethane, Solid	mg/Kg	0.053		0.050	0.005 U	105	%	74-128	
cis-1,3-Dichloropropene, Solid	mg/Kg	0.052		0.052	0.005 U	101	%	80-124	
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.049		0.050	0.005 U	97	%	68-134	
Toluene, Solid	mg/Kg	0.048		0.050	0.005 U	97	%	75-125	
trans-1,3-Dichloropropene, Solid	mg/Kg	0.050		0.048	0.005 U	105	%	75-134	
1,1,2-Trichloroethane, Solid	mg/Kg	0.054		0.050	0.005 U	108	%	71-143	
Tetrachloroethene, Solid	mg/Kg	0.048		0.050	0.005 U	96	%	75-129	
2-Hexanone, Solid	mg/Kg	0.048		0.050	0.005 U	96	%	69-140	
Dibromochloromethane, Solid	mg/Kg	0.051		0.050	0.005 U	102	%	77-127	
Chlorobenzene, Solid	mg/Kg	0.048		0.050	0.005 U	95	%	83-125	
Ethylbenzene, Solid	mg/Kg	0.048		0.050	0.005 U	96	%	79-123	
Styrene, Solid	mg/Kg	0.050		0.050	0.005 U	100	%	85-126	
Bromoform, Solid	mg/Kg	0.051		0.050	0.005 U	102	%	78-132	
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.049		0.050	0.005 U	99	%	68-139	
Xylenes (total), Solid	mg/Kg	0.142		0.150	0.005 U	95	%	82-125	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MB	Method Blank		100761-020		11/04/2003	1136

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL6
Batch.....: 100782

Analyst...: jdn

Parameter/Test Description	Units	QC Result		QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, Solid	mg/Kg	0.005	U							
Vinyl chloride, Solid	mg/Kg	0.005	U							
Bromomethane, Solid	mg/Kg	0.005	U							
Chloroethane, Solid	mg/Kg	0.005	U							
1,1-Dichloroethene, Solid	mg/Kg	0.005	U							
Carbon disulfide, Solid	mg/Kg	0.005	U							
Acetone, Solid	mg/Kg	0.005	U							
Methylene chloride, Solid	mg/Kg	0.005	U							
1,1-Dichloroethane, Solid	mg/Kg	0.005	U							
2-Butanone (MEK), Solid	mg/Kg	0.005	U							
Chloroform, Solid	mg/Kg	0.005	U							
1,1,1-Trichloroethane, Solid	mg/Kg	0.005	U							
bon tetrachloride, Solid	mg/Kg	0.005	U							
Dichloroethene (total), Solid	mg/Kg	0.005	U							
zene, Solid	mg/Kg	0.005	U							
1,2-Dichloroethane, Solid	mg/Kg	0.005	U							
Trichloroethene, Solid	mg/Kg	0.005	U							
1,2-Dichloropropane, Solid	mg/Kg	0.005	U							
Bromodichloromethane, Solid	mg/Kg	0.005	U							
cis-1,3-Dichloropropene, Solid	mg/Kg	0.005	U							
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.005	U							
Toluene, Solid	mg/Kg	0.005	U							
trans-1,3-Dichloropropene, Solid	mg/Kg	0.005	U							
1,1,2-Trichloroethane, Solid	mg/Kg	0.005	U							
Tetrachloroethene, Solid	mg/Kg	0.005	U							
2-Hexanone, Solid	mg/Kg	0.005	U							
Dibromochloromethane, Solid	mg/Kg	0.005	U							
Chlorobenzene, Solid	mg/Kg	0.005	U							
Ethylbenzene, Solid	mg/Kg	0.005	U							
Styrene, Solid	mg/Kg	0.005	U							
Bromoform, Solid	mg/Kg	0.005	U							
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.005	U							
Xylenes (total), Solid	mg/Kg	0.005	U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 8260B Equipment Code....: GCL6 Analyst...: jdn
Method Description.: Volatile Organics Batch.....: 100782

MS	Matrix Spike	V03K04DSG	221823-4		11/04/2003	1653

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, Solid	mg/Kg	0.041		0.053	0.005 U	76	%	45-141	
Vinyl chloride, Solid	mg/Kg	0.038		0.053	0.005 U	72	%	58-140	
Bromomethane, Solid	mg/Kg	0.039		0.053	0.005 U	74	%	48-127	
Chloroethane, Solid	mg/Kg	0.044		0.053	0.005 U	83	%	59-163	
1,1-Dichloroethene, Solid	mg/Kg	0.039		0.053	0.005 U	73	%	51-132	
Carbon disulfide, Solid	mg/Kg	0.032		0.053	0.005 U	60	%	23-138	
Acetone, Solid	mg/Kg	0.045		0.053	0.005 U	84	%	46-167	
Methylene chloride, Solid	mg/Kg	0.060		0.053	0.013	88	%	58-143	
1,1-Dichloroethane, Solid	mg/Kg	0.043		0.053	0.005 U	81	%	63-133	
2-Butanone (MEK), Solid	mg/Kg	0.056		0.053	0.005 U	105	%	50-150	
Chloroform, Solid	mg/Kg	0.044		0.053	0.005 U	83	%	73-135	
1,1,1-Trichloroethane, Solid	mg/Kg	0.063		0.053	0.018	84	%	63-133	
[illegible]bon tetrachloride, Solid	mg/Kg	0.039		0.053	0.005 U	73	%	67-127	
[illegible]Dichloroethene (total), Solid	mg/Kg	0.087		0.107	0.004 J	82	%	63-144	
[illegible]zene, Solid	mg/Kg	0.039		0.053	0.005 U	72	%	72-128	
1,2-Dichloroethane, Solid	mg/Kg	0.046		0.053	0.005 U	87	%	69-125	
Trichloroethene, Solid	mg/Kg	0.042		0.053	0.006	68	%	75-129	*
1,2-Dichloropropane, Solid	mg/Kg	0.041		0.053	0.005 U	77	%	76-132	
Bromodichloromethane, Solid	mg/Kg	0.045		0.053	0.005 U	85	%	74-128	
cis-1,3-Dichloropropene, Solid	mg/Kg	0.043		0.055	0.005 U	77	%	80-124	*
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.056		0.053	0.005 U	104	%	68-134	
Toluene, Solid	mg/Kg	0.033		0.053	0.005 U	61	%	75-125	*
trans-1,3-Dichloropropene, Solid	mg/Kg	0.042		0.051	0.005 U	83	%	75-134	
1,1,2-Trichloroethane, Solid	mg/Kg	0.050		0.053	0.005 U	93	%	71-143	
Tetrachloroethene, Solid	mg/Kg	0.810		0.053	0.354	856	%	75-129	*
2-Hexanone, Solid	mg/Kg	0.059		0.053	0.005 U	111	%	69-140	
Dibromochloromethane, Solid	mg/Kg	0.046		0.053	0.005 U	86	%	77-127	
Chlorobenzene, Solid	mg/Kg	0.031		0.053	0.005 U	58	%	83-125	*
Ethylbenzene, Solid	mg/Kg	0.029		0.053	0.005 U	54	%	79-123	*
Styrene, Solid	mg/Kg	0.030		0.053	0.005 U	57	%	85-126	*
Bromoform, Solid	mg/Kg	0.046		0.053	0.005 U	87	%	78-132	
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.057		0.053	0.005 U	108	%	68-139	
Xylenes (total), Solid	mg/Kg	0.083		0.160	0.005 U	52	%	82-125	*

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823 | Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MSD	Matrix Spike Duplicate	V03K04DSG	221823-4		11/04/2003	1721

Test Method.....: 8260B
Method Description.: Volatile Organics
Equipment Code....: GCL6
Batch.....: 100782
Analyst...: jdn

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane, Solid	mg/Kg	0.027	0.041	0.048	0.005 U	55	%	45-141	
						32	R	20	*
Vinyl chloride, Solid	mg/Kg	0.021	0.038	0.048	0.005 U	44	%	58-140	*
						48	R	20	*
Bromomethane, Solid	mg/Kg	0.025	0.039	0.048	0.005 U	52	%	48-127	
						35	R	20	*
Chloroethane, Solid	mg/Kg	0.026	0.044	0.048	0.005 U	53	%	59-163	*
						44	R	20	*
1,1-Dichloroethene, Solid	mg/Kg	0.020	0.039	0.048	0.005 U	41	%	51-132	*
						56	R	20	*
Carbon disulfide, Solid	mg/Kg	0.016	0.032	0.048	0.005 U	33	%	23-138	
						58	R	20	*
·one, Solid	mg/Kg	0.059	0.045	0.048	0.005 U	122	%	46-167	
						37	R	20	*
ıylene chloride, Solid	mg/Kg	0.035	0.060	0.048	0.013	45	%	58-143	*
						65	R	20	*
1,1-Dichloroethane, Solid	mg/Kg	0.027	0.043	0.048	0.005 U	55	%	63-133	*
						38	R	20	*
2-Butanone (MEK), Solid	mg/Kg	0.057	0.056	0.048	0.005 U	118	%	50-150	
						12	R	30	
Chloroform, Solid	mg/Kg	0.028	0.044	0.048	0.005 U	57	%	73-135	*
						37	R	20	*
1,1,1-Trichloroethane, Solid	mg/Kg	0.035	0.063	0.048	0.018	34	%	63-133	*
						85	R	20	*
Carbon tetrachloride, Solid	mg/Kg	0.019	0.039	0.048	0.005 U	38	%	67-127	*
						63	R	20	*
1,2-Dichloroethene (total), Solid	mg/Kg	0.053	0.087	0.097	0.004 J	55	%	63-144	*
						39	R	20	*
Benzene, Solid	mg/Kg	0.024	0.039	0.048	0.005 U	49	%	72-128	*
						38	R	20	*
1,2-Dichloroethane, Solid	mg/Kg	0.035	0.046	0.048	0.005 U	72	%	69-125	
						19	R	20	
Trichloroethene, Solid	mg/Kg	0.025	0.042	0.048	0.006	39	%	75-129	*
						54	R	20	*
1,2-Dichloropropane, Solid	mg/Kg	0.031	0.041	0.048	0.005 U	63	%	76-132	*
						20	R	20	
Bromodichloromethane, Solid	mg/Kg	0.031	0.045	0.048	0.005 U	64	%	74-128	*
						28	R	20	*
cis-1,3-Dichloropropene, Solid	mg/Kg	0.030	0.043	0.050	0.005 U	60	%	80-124	*
						25	R	20	*
4-Methyl-2-pentanone (MIBK), Solid	mg/Kg	0.060	0.056	0.048	0.005 U	124	%	68-134	
						18	R	20	
Toluene, Solid	mg/Kg	0.020	0.033	0.048	0.005 U	41	%	75-125	*
						39	R	20	*
trans-1,3-Dichloropropene, Solid	mg/Kg	0.035	0.042	0.047	0.005 U	76	%	75-134	
						9	R	20	
,2-Trichloroethane, Solid	mg/Kg	0.043	0.050	0.048	0.005 U	89	%	71-143	
						4	R	20	
rachloroethene, Solid	mg/Kg	0.399	0.810	0.048	0.354	92	%	75-129	
						161	R	20	*

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date Time
MSD	Matrix Spike Duplicate	V03K04DSG	221823-4		11/04/2003 1721

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value		QC Calc.	*	Limits	F
2-Hexanone, Solid	mg/Kg	0.061	0.059	0.048	0.005	U	126	%	69-140	
							13	R	20	
Dibromochloromethane, Solid	mg/Kg	0.035	0.046	0.048	0.005	U	71	%	77-127	*
							19	R	20	
Chlorobenzene, Solid	mg/Kg	0.020	0.031	0.048	0.005	U	41	%	83-125	*
							34	R	20	*
Ethylbenzene, Solid	mg/Kg	0.016	0.029	0.048	0.005	U	34	%	79-123	*
							45	R	20	*
Styrene, Solid	mg/Kg	0.019	0.030	0.048	0.005	U	39	%	85-126	*
							38	R	20	*
Bromoform, Solid	mg/Kg	0.040	0.046	0.048	0.005	U	82	%	78-132	
							6	R	20	
1,1,2,2-Tetrachloroethane, Solid	mg/Kg	0.047	0.057	0.048	0.005	U	97	%	68-139	
							11	R	20	
Xylenes (total), Solid	mg/Kg	0.048	0.083	0.145	0.005	U	33	%	82-125	*
							45	R	20	*

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
LCS	Laboratory Control Sample	V03K05DSE	100843-023		11/05/2003	1009

Test Method.....: 8260B
Method Description.: Volatile Organics
Equipment Code....: GCL9
Batch.....: 100905
Analyst...: jdn

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane	mg/L	0.006551		0.010000	0.001000 U	66	%	56-129	
Vinyl chloride	mg/L	0.008451		0.010000	0.001000 U	85	%	67-137	
Bromomethane	mg/L	0.006548		0.010000	0.001000 U	65	%	51-152	
Chloroethane	mg/L	0.009361		0.010000	0.001000 U	94	%	68-135	
1,1-Dichloroethene	mg/L	0.007985		0.010000	0.001000 U	80	%	54-127	
Carbon disulfide	mg/L	0.006247		0.010000	0.005000 U	62	%	29-136	
Acetone	mg/L	0.010456		0.010000	0.005000 U	105	%	43-150	
Methylene chloride	mg/L	0.008925		0.010000	0.001000 U	89	%	52-133	
1,1-Dichloroethane	mg/L	0.009621		0.010000	0.001000 U	96	%	69-127	
2-Butanone (MEK)	mg/L	0.012743		0.010000	0.005000 U	127	%	54-145	
Chloroform	mg/L	0.010046		0.010000	0.001000 U	100	%	74-128	
1,1,1-Trichloroethane	mg/L	0.009743		0.010000	0.001000 U	97	%	66-129	
[illegible]bon tetrachloride	mg/L	0.009671		0.010000	0.001000 U	97	%	66-136	
[illegible]Dichloroethene (total)	mg/L	0.018765		0.020000	0.001000 U	94	%	72-121	
[illegible]zene	mg/L	0.009267		0.010000	0.001000 U	93	%	74-116	
1,2-Dichloroethane	mg/L	0.009995		0.010000	0.001000 U	100	%	63-133	
Trichloroethene	mg/L	0.009692		0.010000	0.001000 U	97	%	70-120	
1,2-Dichloropropane	mg/L	0.009875		0.010000	0.001000 U	99	%	71-132	
Bromodichloromethane	mg/L	0.010812		0.010000	0.001000 U	108	%	76-129	
cis-1,3-Dichloropropene	mg/L	0.010491		0.010400	0.001000 U	101	%	75-123	
4-Methyl-2-pentanone (MIBK)	mg/L	0.010192		0.010000	0.005000 U	102	%	66-147	
Toluene	mg/L	0.009597		0.010000	0.001000 U	96	%	71-122	
trans-1,3-Dichloropropene	mg/L	0.009977		0.009600	0.001000 U	104	%	76-126	
1,1,2-Trichloroethane	mg/L	0.010179		0.010000	0.001000 U	102	%	69-138	
Tetrachloroethene	mg/L	0.009358		0.010000	0.001000 U	94	%	69-128	
2-Hexanone	mg/L	0.010454		0.010000	0.005000 U	105	%	70-144	
Dibromochloromethane	mg/L	0.010187		0.010000	0.001000 U	102	%	74-137	
Chlorobenzene	mg/L	0.009326		0.010000	0.001000 U	93	%	76-124	
Ethylbenzene	mg/L	0.009721		0.010000	0.001000 U	97	%	74-121	
Styrene	mg/L	0.010264		0.010000	0.001000 U	103	%	80-125	
Bromoform	mg/L	0.009197		0.010000	0.001000 U	92	%	73-139	
1,1,2,2-Tetrachloroethane	mg/L	0.010161		0.010000	0.001000 U	102	%	72-127	
Xylenes (total)	mg/L	0.031732		0.030000	0.001000 U	106	%	76-138	

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MB	Method Blank		100843-022		11/05/2003	0941

Test Method.....: 8260B
Method Description.: Volatile Organics

Equipment Code....: GCL9
Batch.....: 100905

Analyst...: jdn

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Chloromethane	mg/L	0.001000 U							
Vinyl chloride	mg/L	0.001000 U							
Bromomethane	mg/L	0.001000 U							
Chloroethane	mg/L	0.001000 U							
1,1-Dichloroethene	mg/L	0.001000 U							
Carbon disulfide	mg/L	0.005000 U							
Acetone	mg/L	0.005000 U							
Methylene chloride	mg/L	0.001000 U							
1,1-Dichloroethane	mg/L	0.001000 U							
2-Butanone (MEK)	mg/L	0.005000 U							
Chloroform	mg/L	0.001000 U							
1,1,1-Trichloroethane	mg/L	0.001000 U							
Carbon tetrachloride	mg/L	0.001000 U							
1,2-Dichloroethene (total)	mg/L	0.001000 U							
Benzene	mg/L	0.001000 U							
1,2-Dichloroethane	mg/L	0.001000 U							
Trichloroethene	mg/L	0.001000 U							
1,2-Dichloropropane	mg/L	0.001000 U							
Bromodichloromethane	mg/L	0.001000 U							
cis-1,3-Dichloropropene	mg/L	0.001000 U							
4-Methyl-2-pentanone (MIBK)	mg/L	0.005000 U							
Toluene	mg/L	0.001000 U							
trans-1,3-Dichloropropene	mg/L	0.001000 U							
1,1,2-Trichloroethane	mg/L	0.001000 U							
Tetrachloroethene	mg/L	0.001000 U							
2-Hexanone	mg/L	0.005000 U							
Dibromochloromethane	mg/L	0.001000 U							
Chlorobenzene	mg/L	0.001000 U							
Ethylbenzene	mg/L	0.001000 U							
Styrene	mg/L	0.001000 U							
Bromoform	mg/L	0.001000 U							
1,1,2,2-Tetrachloroethane	mg/L	0.001000 U							
Xylenes (total)	mg/L	0.001000 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823 | Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)
Equipment Code....: ICP3
Batch.....: 102110
Analyst...: tds

CCB	Continuing Calibration Blank		102110-016		11/19/2003	0403

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		102110-028		11/19/2003	0542

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
[illegible]nic	mg/L	0.01000 U							
[illegible]ium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		102110-040		11/19/2003	0714

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		102110-052		11/19/2003	0859

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCB	Continuing Calibration Blank		102110-058		11/19/2003	0957

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		102110-071		11/19/2003	1147

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
mium	mg/L	0.01000 U							
	mg/L	0.00500 U							
enium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		102110-083		11/19/2003	1331

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP3 Analyst...: tds
Method Description.: Leachable, Metals Analysis (ICAP) Batch.....: 102110

CCV	Continuing Calibration Verification	M03KCCV002	102110-015		11/19/2003 0350

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.50826		0.50000		102	%	90-110	
Barium	mg/L	0.50036 B		0.50000		100	%	90-110	
Cadmium	mg/L	0.50013		0.50000		100	%	90-110	
Chromium	mg/L	0.50456		0.50000		101	%	90-110	
Lead	mg/L	0.51157		0.50000		102	%	90-110	
Selenium	mg/L	0.52139		0.50000		104	%	90-110	
Silver	mg/L	0.50605		0.50000		101	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV002	102110-027		11/19/2003 0529

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
[illegible]enic	mg/L	0.51147		0.50000		102	%	90-110	
[illegible]ium	mg/L	0.49683 B		0.50000		99	%	90-110	
Cadmium	mg/L	0.50416		0.50000		101	%	90-110	
Chromium	mg/L	0.51010		0.50000		102	%	90-110	
Lead	mg/L	0.51620		0.50000		103	%	90-110	
Selenium	mg/L	0.52796		0.50000		106	%	90-110	
Silver	mg/L	0.50634		0.50000		101	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV002	102110-039		11/19/2003 0701

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.52342		0.50000		105	%	90-110	
Barium	mg/L	0.49268 B		0.50000		99	%	90-110	
Cadmium	mg/L	0.51695		0.50000		103	%	90-110	
Chromium	mg/L	0.52089		0.50000		104	%	90-110	
Lead	mg/L	0.52958		0.50000		106	%	90-110	
Selenium	mg/L	0.53612		0.50000		107	%	90-110	
Silver	mg/L	0.50343		0.50000		101	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV002	102110-051		11/19/2003 0845

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.51096		0.50000		102	%	90-110	
Barium	mg/L	0.50073 B		0.50000		100	%	90-110	
Cadmium	mg/L	0.50006		0.50000		100	%	90-110	
Chromium	mg/L	0.51221		0.50000		102	%	90-110	
Lead	mg/L	0.50998		0.50000		102	%	90-110	
Selenium	mg/L	0.52678		0.50000		105	%	90-110	
Silver	mg/L	0.50300		0.50000		101	%	90-110	

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03KCCV002	102110-057		11/19/2003	0944

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.49858		0.50000		100	%	90-110	
Barium	mg/L	0.50532 B		0.50000		101	%	90-110	
Cadmium	mg/L	0.48369		0.50000		97	%	90-110	
Chromium	mg/L	0.49918		0.50000		100	%	90-110	
Lead	mg/L	0.49181		0.50000		98	%	90-110	
Selenium	mg/L	0.51534		0.50000		103	%	90-110	
Silver	mg/L	0.50147		0.50000		100	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV002	102110-070	11/19/2003	1133

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.49813		0.50000		100	%	90-110	
Barium	mg/L	0.51751 B		0.50000		104	%	90-110	
Cadmium	mg/L	0.48659		0.50000		97	%	90-110	
omium	mg/L	0.50569		0.50000		101	%	90-110	
d	mg/L	0.49490		0.50000		99	%	90-110	
enium	mg/L	0.52176		0.50000		104	%	90-110	
Silver	mg/L	0.51215		0.50000		102	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV002	102110-082	11/19/2003	1318

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.50762		0.50000		102	%	90-110	
Barium	mg/L	0.52394 B		0.50000		105	%	90-110	
Cadmium	mg/L	0.49603		0.50000		99	%	90-110	
Chromium	mg/L	0.51273		0.50000		103	%	90-110	
Lead	mg/L	0.50353		0.50000		101	%	90-110	
Selenium	mg/L	0.53014		0.50000		106	%	90-110	
Silver	mg/L	0.51367		0.50000		103	%	90-110	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)
Equipment Code....: ICP3
Batch.....: 102110
Analyst...: tds

CRI	Contract Required Detection Limits	M03KCRI002	102110-012		11/19/2003 0329

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.02148 B		0.02000		107	%	50-150	
Barium	mg/L	0.02101 B		0.02000		105	%	50-150	
Cadmium	mg/L	0.00408 B		0.00400		102	%	50-150	
Chromium	mg/L	0.02149 B		0.02000		107	%	50-150	
Lead	mg/L	0.01251 B		0.01000		125	%	50-150	
Selenium	mg/L	0.02133 B		0.01000		213	%	50-150	-
Silver	mg/L	0.00935 B		0.01000		94	%	50-150	

CRI	Contract Required Detection Limits	M03KCRI002	102110-054		11/19/2003 0923

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
enic	mg/L	0.02296 B		0.02000		115	%	50-150	
ium	mg/L	0.02138 B		0.02000		107	%	50-150	
Cadmium	mg/L	0.00449 B		0.00400		112	%	50-150	
Chromium	mg/L	0.02233 B		0.02000		112	%	50-150	
Lead	mg/L	0.01044 B		0.01000		104	%	50-150	
Selenium	mg/L	0.01914 B		0.01000		191	%	50-150	-
Silver	mg/L	0.00956 B		0.01000		96	%	50-150	

CRI	Contract Required Detection Limits	M03KCRI002	102110-079		11/19/2003 1250

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01863 B		0.02000		93	%	50-150	
Barium	mg/L	0.02198 B		0.02000		110	%	50-150	
Cadmium	mg/L	0.00392 B		0.00400		98	%	50-150	
Chromium	mg/L	0.02132 B		0.02000		107	%	50-150	
Lead	mg/L	0.01004 B		0.01000		100	%	50-150	
Selenium	mg/L	0.02154 B		0.01000		215	%	50-150	-
Silver	mg/L	0.00915 B		0.01000		92	%	50-150	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN: Dave Curnock

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)

Equipment Code....: ICP3
Batch.....: 102110

Analyst...: tds

EB1	Extraction Blank 1	100758	100758-001		11/19/2003	0437

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.01000 U							
Barium, TCLP Leach	mg/L	0.20664 B							
Cadmium, TCLP Leach	mg/L	0.00200 U							
Chromium, TCLP Leach	mg/L	0.01000 U							
Lead, TCLP Leach	mg/L	0.00500 U							
Selenium, TCLP Leach	mg/L	0.01000 U							
Silver, TCLP Leach	mg/L	0.00500 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
ICB	Initial Calibration Blank		102110-011		11/19/2003	0323

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)
Equipment Code....: ICP3
Batch.....: 102110
Analyst...: tds

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)

Equipment Code....: ICP3
Batch.....: 102110

Analyst...: tds

ICV	Initial Calibration Verification	M03KICV001	102110-010		11/19/2003	0311

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.40471		0.40000		101	%	90-110	
Barium	mg/L	0.39817 B		0.40000		100	%	90-110	
Cadmium	mg/L	0.39901		0.40000		100	%	90-110	
Chromium	mg/L	0.40120		0.40000		100	%	90-110	
Lead	mg/L	0.41509		0.40000		104	%	90-110	
Selenium	mg/L	0.41656		0.40000		104	%	90-110	
Silver	mg/L	0.40081		0.40000		100	%	90-110	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)
Equipment Code....: ICP3
Batch.....: 102110
Analyst...: tds

ISB	Interference Check Sample B	M03KISB001	102110-014		11/19/2003	0343

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.10589		0.10000		106	%	80-120	
Barium	mg/L	0.52274	B	0.50000		105	%	80-120	
Cadmium	mg/L	0.93677		1.00000		94	%	80-120	
Chromium	mg/L	0.48487		0.50000		97	%	80-120	
Lead	mg/L	0.04754	B	0.05000		95	%	80-120	
Selenium	mg/L	0.04738	B	0.05000		95	%	80-120	
Silver	mg/L	0.21422		0.20000		107	%	80-120	

ISB	Interference Check Sample B	M03KISB001	102110-056		11/19/2003	0937

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
[illegible]enic	mg/L	0.10448		0.10000		104	%	80-120	
[illegible]ium	mg/L	0.53557	B	0.50000		107	%	80-120	
Cadmium	mg/L	0.91471		1.00000		91	%	80-120	
Chromium	mg/L	0.48722		0.50000		97	%	80-120	
Lead	mg/L	0.04535	B	0.05000		91	%	80-120	
Selenium	mg/L	0.04853	B	0.05000		97	%	80-120	
Silver	mg/L	0.21555		0.20000		108	%	80-120	

ISB	Interference Check Sample B	M03KISB001	102110-081		11/19/2003	1307

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.10402		0.10000		104	%	80-120	
Barium	mg/L	0.55426	B	0.50000		111	%	80-120	
Cadmium	mg/L	0.92193		1.00000		92	%	80-120	
Chromium	mg/L	0.49413		0.50000		99	%	80-120	
Lead	mg/L	0.04598	B	0.05000		92	%	80-120	
Selenium	mg/L	0.04614	B	0.05000		92	%	80-120	
Silver	mg/L	0.22019		0.20000		110	%	80-120	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)

Equipment Code....: ICP3
Batch.....: 102110

Analyst...: tds

LCS	Laboratory Control Sample	M03JSPK002	100758-002		11/19/2003	0444

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.09839 B		0.10000	0.01000 U	98	%	80-120	
Barium, TCLP Leach	mg/L	1.95170		2.00000	0.20664 B	98	%	80-120	
Cadmium, TCLP Leach	mg/L	0.04881 B		0.05000	0.00200 U	98	%	80-120	
Chromium, TCLP Leach	mg/L	0.19905		0.20000	0.01000 U	100	%	80-120	
Lead, TCLP Leach	mg/L	0.10515		0.10000	0.00500 U	105	%	80-120	
Selenium, TCLP Leach	mg/L	0.10352		0.10000	0.01000 U	104	%	80-120	
Silver, TCLP Leach	mg/L	0.04873 B		0.05000	0.00500 U	97	%	80-120	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823 | Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)
Equipment Code....: ICP5
Batch.....: 102288
Analyst...: lmr

CCB	Continuing Calibration Blank		102288-016		11/20/2003	1722

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		102288-027		11/20/2003	1852

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
enic	mg/L	0.01000 U							
ium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		102288-039		11/20/2003	2021

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		102288-044		11/20/2003	2059

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCB	Continuing Calibration Blank		102288-056		11/20/2003	2229

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		102288-068		11/21/2003	0014

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
omium	mg/L	0.01000 U							
d	mg/L	0.00500 U							
enium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		102288-080		11/21/2003	0144

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

CCB	Continuing Calibration Blank		102288-087		11/21/2003	0240

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)
Equipment Code....: ICP5
Batch.....: 102288
Analyst...: lmr

CCV	Continuing Calibration Verification	M03KCCV002	102288-015		11/20/2003 1711

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.49980		0.50000		100	%	90-110	
Barium	mg/L	0.50215 B		0.50000		100	%	90-110	
Cadmium	mg/L	0.49751		0.50000		100	%	90-110	
Chromium	mg/L	0.49791		0.50000		100	%	90-110	
Lead	mg/L	0.50215		0.50000		100	%	90-110	
Selenium	mg/L	0.52041		0.50000		104	%	90-110	
Silver	mg/L	0.50567		0.50000		101	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV002	102288-026		11/20/2003 1841

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
[illegible]enic	mg/L	0.49491		0.50000		99	%	90-110	
[illegible]ium	mg/L	0.50108 B		0.50000		100	%	90-110	
Cadmium	mg/L	0.49240		0.50000		98	%	90-110	
Chromium	mg/L	0.49553		0.50000		99	%	90-110	
Lead	mg/L	0.49925		0.50000		100	%	90-110	
Selenium	mg/L	0.51603		0.50000		103	%	90-110	
Silver	mg/L	0.50295		0.50000		101	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV002	102288-038		11/20/2003 2010

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.49921		0.50000		100	%	90-110	
Barium	mg/L	0.49975 B		0.50000		100	%	90-110	
Cadmium	mg/L	0.50416		0.50000		101	%	90-110	
Chromium	mg/L	0.50481		0.50000		101	%	90-110	
Lead	mg/L	0.50593		0.50000		101	%	90-110	
Selenium	mg/L	0.51689		0.50000		103	%	90-110	
Silver	mg/L	0.50363		0.50000		101	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV002	102288-043		11/20/2003 2048

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.49802		0.50000		100	%	90-110	
Barium	mg/L	0.49429 B		0.50000		99	%	90-110	
Cadmium	mg/L	0.50152		0.50000		100	%	90-110	
Chromium	mg/L	0.50230		0.50000		100	%	90-110	
Lead	mg/L	0.50489		0.50000		101	%	90-110	
Selenium	mg/L	0.51511		0.50000		103	%	90-110	
Silver	mg/L	0.50191		0.50000		100	%	90-110	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03KCCV002	102288-055		11/20/2003	2218

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.50421		0.50000		101	%	90-110	
Barium	mg/L	0.50268 B		0.50000		101	%	90-110	
Cadmium	mg/L	0.50932		0.50000		102	%	90-110	
Chromium	mg/L	0.51012		0.50000		102	%	90-110	
Lead	mg/L	0.51216		0.50000		102	%	90-110	
Selenium	mg/L	0.52115		0.50000		104	%	90-110	
Silver	mg/L	0.50718		0.50000		101	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV002	102288-067		11/21/2003	0003

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.50356		0.50000		101	%	90-110	
Barium	mg/L	0.50021 B		0.50000		100	%	90-110	
Cadmium	mg/L	0.50920		0.50000		102	%	90-110	
omium	mg/L	0.50848		0.50000		102	%	90-110	
d	mg/L	0.51288		0.50000		103	%	90-110	
enium	mg/L	0.51900		0.50000		104	%	90-110	
Silver	mg/L	0.50566		0.50000		101	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV002	102288-079		11/21/2003	0133

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.49486		0.50000		99	%	90-110	
Barium	mg/L	0.48936 B		0.50000		98	%	90-110	
Cadmium	mg/L	0.50006		0.50000		100	%	90-110	
Chromium	mg/L	0.49961		0.50000		100	%	90-110	
Lead	mg/L	0.50254		0.50000		101	%	90-110	
Selenium	mg/L	0.51076		0.50000		102	%	90-110	
Silver	mg/L	0.49510		0.50000		99	%	90-110	

CCV	Continuing Calibration Verification	M03KCCV002	102288-086		11/21/2003	0229

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.50066		0.50000		100	%	90-110	
Barium	mg/L	0.49486 B		0.50000		99	%	90-110	
Cadmium	mg/L	0.50946		0.50000		102	%	90-110	
Chromium	mg/L	0.50621		0.50000		101	%	90-110	
Lead	mg/L	0.50933		0.50000		102	%	90-110	
Selenium	mg/L	0.51832		0.50000		104	%	90-110	
Silver	mg/L	0.49994		0.50000		100	%	90-110	

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823 | Report Date.: 11/21/2003

CUSTOMER: SECOR | PROJECT: SE ROCKFORD | ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)
Equipment Code....: ICP5
Batch.....: 102288
Analyst...: lmr

CRI	Contract Required Detection Limits	M03KCRI002	102288-012		11/20/2003 1651

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.02040 B		0.02000		102	%	50-150	
Barium	mg/L	0.02225 B		0.02000		111	%	50-150	
Cadmium	mg/L	0.00453 B		0.00400		113	%	50-150	
Chromium	mg/L	0.02068 B		0.02000		103	%	50-150	
Lead	mg/L	0.00992 B		0.01000		99	%	50-150	
Selenium	mg/L	0.01391 B		0.01000		139	%	50-150	
Silver	mg/L	0.00956 B		0.01000		96	%	50-150	

CRI	Contract Required Detection Limits	M03KCRI002	102288-040		11/20/2003 2028

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
[illegible]enic	mg/L	0.02108 B		0.02000		105	%	50-150	
[illegible]ium	mg/L	0.02207 B		0.02000		110	%	50-150	
Cadmium	mg/L	0.00452 B		0.00400		113	%	50-150	
Chromium	mg/L	0.02090 B		0.02000		104	%	50-150	
Lead	mg/L	0.00995 B		0.01000		100	%	50-150	
Selenium	mg/L	0.01360 B		0.01000		136	%	50-150	
Silver	mg/L	0.00965 B		0.01000		96	%	50-150	

CRI	Contract Required Detection Limits	M03KCRI002	102288-083		11/21/2003 0209

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.02273 B		0.02000		114	%	50-150	
Barium	mg/L	0.02217 B		0.02000		111	%	50-150	
Cadmium	mg/L	0.00462 B		0.00400		116	%	50-150	
Chromium	mg/L	0.02085 B		0.02000		104	%	50-150	
Lead	mg/L	0.00981 B		0.01000		98	%	50-150	
Selenium	mg/L	0.01379 B		0.01000		138	%	50-150	
Silver	mg/L	0.00934 B		0.01000		93	%	50-150	

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP5 Analyst...: lmr
Method Description.: Leachable, Metals Analysis (ICAP) Batch.....: 102288

EB1	Extraction Blank 1	102082	102082-001		11/20/2003	1729

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.01000 U							
Barium, TCLP Leach	mg/L	0.20769 B							
Cadmium, TCLP Leach	mg/L	0.00200 U							
Chromium, TCLP Leach	mg/L	0.01000 U							
Lead, TCLP Leach	mg/L	0.00500 U							
Selenium, TCLP Leach	mg/L	0.01000 U							
Silver, TCLP Leach	mg/L	0.00500 U							

EB1	Extraction Blank 1	101077	101077-001		11/20/2003	1859

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
[illegible]enic, TCLP Leach	mg/L	0.01000 U							
[illegible]ium, TCLP Leach	mg/L	0.51648 B							
Cadmium, TCLP Leach	mg/L	0.00200 U							
Chromium, TCLP Leach	mg/L	0.01000 U							
Lead, TCLP Leach	mg/L	0.00500 U							
Selenium, TCLP Leach	mg/L	0.01000 U							
Silver, TCLP Leach	mg/L	0.00500 U							

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)
Equipment Code....: ICP5
Batch.....: 102288
Analyst...: lmr

EB2	Extraction Blank 2		101077-024		11/20/2003	2256

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.01000 U							
Barium, TCLP Leach	mg/L	0.19801 B							
Cadmium, TCLP Leach	mg/L	0.00200 U							
Chromium, TCLP Leach	mg/L	0.01000 U							
Lead, TCLP Leach	mg/L	0.00500 U							
Selenium, TCLP Leach	mg/L	0.01000 U							
Silver, TCLP Leach	mg/L	0.00500 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)
Equipment Code....: ICP5
Batch.....: 102288
Analyst...: lmr

EB3	DI Blank		102082-006		11/20/2003	1823

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.01000 U							
Barium, TCLP Leach	mg/L	0.03019 B							
Cadmium, TCLP Leach	mg/L	0.00200 U							
Chromium, TCLP Leach	mg/L	0.01000 U							
Lead, TCLP Leach	mg/L	0.00500 U							
Selenium, TCLP Leach	mg/L	0.01000 U							
Silver, TCLP Leach	mg/L	0.00500 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
ICB	Initial Calibration Blank		102288-011		11/20/2003	1644

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)
Equipment Code....: ICP5
Batch.....: 102288
Analyst...: lmr

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.01000 U							
Barium	mg/L	0.01000 U							
Cadmium	mg/L	0.00200 U							
Chromium	mg/L	0.01000 U							
Lead	mg/L	0.00500 U							
Selenium	mg/L	0.01000 U							
Silver	mg/L	0.00500 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)

Equipment Code....: ICP5
Batch.....: 102288

Analyst...: lmr

ICV	Initial Calibration Verification	M03KICV001	102288-010		11/20/2003	1633

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.41813		0.40000		105	%	90-110	
Barium	mg/L	0.41871 B		0.40000		105	%	90-110	
Cadmium	mg/L	0.41350		0.40000		103	%	90-110	
Chromium	mg/L	0.41352		0.40000		103	%	90-110	
Lead	mg/L	0.41874		0.40000		105	%	90-110	
Selenium	mg/L	0.42574		0.40000		106	%	90-110	
Silver	mg/L	0.41889		0.40000		105	%	90-110	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823 Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP5 Analyst...: lmr
Method Description.: Leachable, Metals Analysis (ICAP) Batch.....: 102288

ISB	Interference Check Sample B	M03KISB001	102288-014		11/20/2003 1704

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.08970 B		0.10000		90	%	80-120	
Barium	mg/L	0.51607 B		0.50000		103	%	80-120	
Cadmium	mg/L	0.86730		1.00000		87	%	80-120	
Chromium	mg/L	0.46119		0.50000		92	%	80-120	
Lead	mg/L	0.04330 B		0.05000		87	%	80-120	
Selenium	mg/L	0.04736 B		0.05000		95	%	80-120	
Silver	mg/L	0.20901		0.20000		105	%	80-120	

ISB	Interference Check Sample B	M03KISB001	102288-042		11/20/2003 2041

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
enic	mg/L	0.09341 B		0.10000		93	%	80-120	
ium	mg/L	0.50978 B		0.50000		102	%	80-120	
Cadmium	mg/L	0.88214		1.00000		88	%	80-120	
Chromium	mg/L	0.46723		0.50000		93	%	80-120	
Lead	mg/L	0.04464 B		0.05000		89	%	80-120	
Selenium	mg/L	0.04453 B		0.05000		89	%	80-120	
Silver	mg/L	0.20911		0.20000		105	%	80-120	

ISB	Interference Check Sample B	M03KISB001	102288-085		11/21/2003 0222

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic	mg/L	0.09249 B		0.10000		92	%	80-120	
Barium	mg/L	0.50696 B		0.50000		101	%	80-120	
Cadmium	mg/L	0.89044		1.00000		89	%	80-120	
Chromium	mg/L	0.46868		0.50000		94	%	80-120	
Lead	mg/L	0.04491 B		0.05000		90	%	80-120	
Selenium	mg/L	0.04366 B		0.05000		87	%	80-120	
Silver	mg/L	0.20738		0.20000		104	%	80-120	

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 221823

Report Date.: 11/21/2003

CUSTOMER: SECOR PROJECT: SE ROCKFORD ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MD	Method Duplicate		221823-4		11/20/2003	1756

Test Method.....: 6010B
Method Description.: Leachable, Metals Analysis (ICAP)

Equipment Code....: ICP5
Batch.....: 102288

Analyst...: lmr

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Arsenic, TCLP Leach	mg/L	0.01000 U			0.01000 U	0	A	0.10000	
Barium, TCLP Leach	mg/L	0.68713 B			0.67842 B	0.00871	A	1.00000	
Cadmium, TCLP Leach	mg/L	0.11985			0.11724	0.00261	A	0.05000	
Chromium, TCLP Leach	mg/L	0.01000 U			0.01000 U	0.00058	A	0.05000	
Lead, TCLP Leach	mg/L	0.04342 B			0.04315 B	0.00027	A	0.05000	
Selenium, TCLP Leach	mg/L	0.01000 U			0.01000 U	0.00167	A	0.10000	
Silver, TCLP Leach	mg/L	0.00500 U			0.00500 U	0	A	0.05000	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.