EPA Region 5 Records Ctr.
325129

**REFERENCE: 73**

ECHD. Fax from John Hulewicz regarding inspection information for Sherry Designs

August 14, 2008. 11 pages

**Facility Name:** ~~3C~~ Sherry Designs

**Facility ID Number:** 3085

1). Date of Inspection 1/10/02 Class 4 or 0 1-11-02

Facility: Closed Empty? _____ Closed Occupied? X

If occupied, by whom? Utilico (Plant 1) + Interon (Plant 2)

Environmentalist JJH Date entered, initials _____

2). Date of Inspection _____ Class 4 or 0

Facility: Closed Empty? _____ Closed Occupied? _____

If occupied, by whom? _____

Environmentalist _____ Date entered, initials _____

3). Date of Inspection _____ Class 4 or 0

Facility: Closed Empty? _____ Closed Occupied? _____

If occupied, by whom? _____

Environmentalist _____ Date entered, initials _____

Dated, Detailed Comments:

Reference: 73

0001 A

7-30-77

**ELKHART COUNTY**
**GROUND WATER PROTECTION ORDINANCE**
**INSPECTION FORM**

ID NUMBER 3085 DATE 7/21/99 PAGE 1 OF 2

BUSINESS NAME Sherry Designs

ADDRESS 53387 Ada Dr. Elkhart ZIP 46514

PHONE NUMBER 266-1477 CONTACT NAME Steve Elliott

**CHECK ALL APPLICABLE:**

[✓] SEPTIC [ ] DRYWELL [ ] CITY SEWER [ ] OTHER

[✓] FLOOR DRAINS in Truck Plant

[✓] STORAGE OF HAZARDOUS OR TOXIC SUBSTANCES (SEE INVENTORY)

[✓] WASTE WATER CHARACTERIZATION PROVIDED NEXT DUE 4/2000 (VOC)

EXEMPTIONS: [ ] REGISTRATION [ ] W.W.C. CLASS 1 NEXT INSPECTION 7/2000

| CODE | INV.# | VIOLATION | COMPLIANCE TIME/DATE COMPLETED | |
|---|---|---|---|---|
| | | No Violations | | |

Christa J. Wells
ENVIRONMENTALIST

Stephen R. Elliott
FACILITY CONTACT PERSON

REINSPECTION DATE _____ INITIALS _____

*COMPLIANCE WITH THE ELKHART COUNTY GROUND WATER PROTECTION ORDINANCE DOES NOT EXEMPT THIS FACILITY FROM ANY OTHER FEDERAL, STATE OR LOCAL LAWS, CODES OR REGULATIONS.

1/92 AVT 4/94 12/94 REV/REW ECHD COPY

0002

7-30-97

**ELKHART COUNTY**
**GROUND WATER PROTECTION ORDINANCE**
**HAZARDOUS/TOXIC SUBSTANCE INVENTORY**



**COMPANY NAME** Sherry Designs **Date** 7/21/99

| | SUBSTANCE | LOCATION | AMT | CPCTY | CONTAINER | COMPLY |
|---|---|---|---|---|---|---|
| 1. | Adhesive | Inside Plant 2 | 7 | 55gal | drum | Y |
| 2. | Activator | " | 3 | 5gal | plastic | Y |
| 3. | | | | | | |
| 4. | | | | | | |
| 5. | | | | | | |
| 6. | | | | | | |
| 7. | | | | | | |
| 8. | | | | | | |
| 9. | | | | | | |
| 10. | | | | | | |
| 11. | | | | | | |
| 12. | | | | | | |
| 13. | | | | | | |
| 14. | | | | | | |
| 15. | | | | | | |
| 16. | | | | | | |
| 17. | | | | | | |
| 18. | | | | | | |
| 19. | | | | | | |
| 20. | | | | | | |
| 21. | | | | | | |
| 22. | | | | | | |
| 23. | | | | | | |
| 24. | | | | | | |
| 25. | | | | | | |
| 26. | | | | | | |

3-16-98

**ELKHART COUNTY**
**GROUND WATER PROTECTION ORDINANCE**
**INSPECTION FORM**

ID NUMBER GW-3085 DATE 3-13-98 PAGE 1 OF 2

BUSINESS NAME Sherry Designs

ADDRESS 53387 Ada Dr. Elkhart ZIP 46514

PHONE NUMBER 266-1456 CONTACT NAME Pat Davis

**CHECK ALL APPLICABLE:**

[X] SEPTIC [ ] DRYWELL [ ] CITY SEWER [ ] OTHER

[X] FLOOR DRAINS in Truck Plant

[X] STORAGE OF HAZARDOUS OR TOXIC SUBSTANCES (SEE INVENTORY)

[X] WASTE WATER CHARACTERIZATION PROVIDED / NEXT DUE 4/2000

EXEMPTIONS: [ ] REGISTRATION [ ] W.W.C. CLASS 1 NEXT INSPECTION 3/1999

| CODE | INV.# | VIOLATION | COMPLIANCE TIME | DATE COMPLETED |
|---|---|---|---|---|
| | | No Violations | | |

ENVIRONMENTALIST

FACILITY CONTACT PERSON

REINSPECTION DATE

INITIALS

*COMPLIANCE WITH THE ELKHART COUNTY GROUND WATER PROTECTION ORDINANCE DOES NOT EXEMPT THIS FACILITY FROM ANY OTHER FEDERAL, STATE OR LOCAL LAWS, CODES OR REGULATIONS.

0004

1/92 AVT 4/94 12/94 REV/REW ECHD COPY

5-15-97

**ELKHART COUNTY**
**GROUND WATER PROTECTION ORDINANCE**
**INSPECTION FORM**

ID NUMBER GW-3085 DATE 3-20-97 PAGE 1 OF 2

BUSINESS NAME Sherry Designs

ADDRESS 53387 Ada Dr. Elkhart ZIP 46514

PHONE NUMBER 266-1456 266-1477 CONTACT NAME Pat Davis

**CHECK ALL APPLICABLE:**

[X] SEPTIC [ ] DRYWELL [ ] CITY SEWER [ ] OTHER

[X] FLOOR DRAINS in Truck Plant

[X] STORAGE OF HAZARDOUS OR TOXIC SUBSTANCES (SEE INVENTORY)

[X] WASTE WATER CHARACTERIZATION PROVIDED / NEXT DUE 4/2000

EXEMPTIONS: [ ] REGISTRATION [ ] W.W.C. CLASS 1 NEXT INSPECTION 3/1998

| CODE | INV.# | VIOLATION | COMPLIANCE TIME | DATE COMPLETED |
|---|---|---|---|---|
| 54 | 6 | Outside storage without secondary containment | 4-20-97 | 5-8-97 MS |
| 11 | | FAILURE TO REGISTER | 3-20-97 | 3-20-97 |

ENVIRONMENTALIST

FACILITY CONTACT PERSON Patrick J. Davis

REINSPECTION DATE 5-8-97 MS INITIALS

*COMPLIANCE WITH THE ELKHART COUNTY GROUND WATER PROTECTION ORDINANCE DOES NOT EXEMPT THIS FACILITY FROM ANY OTHER FEDERAL, STATE OR LOCAL LAWS, CODES OR REGULATIONS.

1/92 AVT 4/94 12/94 REV/REW ECHD COPY

**ELKHART COUNTY**
**GROUND WATER PROTECTION ORDINANCE**
**HAZARDOUS/TOXIC SUBSTANCE INVENTORY**



**COMPANY NAME** Sherry Designs **Date** 3-20-97

| | SUBSTANCE | LOCATION | AMT | CPCTY | CONTAINER | COMPLY |
|---|---|---|---|---|---|---|
| 1. | Gasoline | Outside - North Plant 1 | 1 | 500 gal | UST | Yes |
| 2. | Spray adhesive (under pressure) | Inside - Plant 2 N | 3 | 200 lbs. | AST | Yes |
| 3. | " " | " " | 10 | 34 lbs | AST | Yes |
| 4. | Water base dust control | " NW | 1 | 55 gal | drum | Yes |
| 5. | Truck Plant - across the street | | | | | |
| 6. | Waste oil | Outside - east | 2 | 55 gal | drum | NO |
| 7. | | | | | | |
| 8. | | | | | | |
| 9. | | | | | | |
| 10. | | | | | | |
| 11. | | | | | | |
| 12. | | | | | | |
| 13. | | | | | | |
| 14. | | | | | | |
| 15. | | | | | | |
| 16. | | | | | | |
| 17. | | | | | | |
| 18. | | | | | | |
| 19. | | | | | | |
| 20. | | | | | | |
| 21. | | | | | | |
| 22. | | | | | | |
| 23. | | | | | | |
| 24. | | | | | | |
| 25. | | | | | | |
| 26. | | | | | | |

Environmental Health Services Division

# Elkhart County Ground Water Protection Ordinance
# REGISTRATION FORM

*(see back for directions)*

**SECTION I** — **GENERAL INFORMATION**

A. NAME OF BUSINESS Sherry Designs
ADDRESS 53387 Ada Drive
CITY Elkhart ZIP CODE 46514
TOWNSHIP Osio

B. CONTACT PERSON Pat Davis PHONE 219-266-1456
ALTERNATE PHONE 219 264-0602

C. Are you RCRA inspected? YES____ NO X if YES when was the last inspection ____

D. Has CERCLA (SARA Title III) information been provided to Elkhart County? YES____ NO X

E. OWNER/REPRESENTATIVE'S SIGNATURE Patrick J Davis DATE 3/20/97

**SECTION II** — **ON-SITE WASTEWATER DISPOSAL REGISTRATION**

| A. Type | B. Purpose | C. Location | D. Estimated Flow |
|---|---|---|---|
| Septic | Sewer Disposal | | 75 |
| | | | |
| | | | |
| | | | |

**SECTION III** — **STORAGE OF TOXIC OR HAZARDOUS SUBSTANCES**

| A. Substance | B. Class | C. Maximum Amount | D. Location | E. Type of Container |
|---|---|---|---|---|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

**TO BE RETURNED TO ELKHART COUNTY HEALTH DEPARTMENT**

4230 ELKHART ROAD
GOSHEN, IN 46526
PHONE: (219) 875-3391

0007

ELKHART COUNTY
GROUND WATER PROTECTION ORDINANCE
HAZARDOUS/TOXIC SUBSTANCE INVENTORY



COMPANY NAME Sherry Designs Date 3-13-98

| | SUBSTANCE | LOCATION | AMT | CPCTY | CONTAINER | COMPLY |
|---|---|---|---|---|---|---|
| 1. | Adhesive | Inside - Plant 2 | 1 | 55gal | drum | Yes |
| 2. | Adhesive catalyst | " " | 3 | 5gal | drum | Yes |
| 3. | Spray adhesive | " " | 10 | 34lbs | metal | Yes |
| 4. | | | | | | |
| 5. | | | | | | |
| 6. | | | | | | |
| 7. | | | | | | |
| 8. | | | | | | |
| 9. | | | | | | |
| 10. | | | | | | |
| 11. | | | | | | |
| 12. | | | | | | |
| 13. | | | | | | |
| 14. | | | | | | |
| 15. | | | | | | |
| 16. | | | | | | |
| 17. | | | | | | |
| 18. | | | | | | |
| 19. | | | | | | |
| 20. | | | | | | |
| 21. | | | | | | |
| 22. | | | | | | |
| 23. | | | | | | |
| 24. | | | | | | |
| 25. | | | | | | |
| 26. | | | | | | |

State Form 47271 (R/1-98)

**Indiana Department of Environmental Management**
**Underground Storage Tank Section**
**(317) 308-3064**
***Field Inspection Accountability Report and Survey***

**Registered Facility (Y/N/U)** **Regulated Facility (Y/N/U)** *** Abandoned Facility (Y/N/U)**

**Date:** 3-13-98 **Time:** 1:30pm **County:** Elkhart **Region:**

**Facility Name:** Chupp + Sons Conversions (Now Sherry Designs) **Facility I.D. #** 3318

**Facility Address:** 53387 Ada Dr. Elkhart **Phone #** 266-1456

**Inspected by:** Mark Salee ECHD

| CORROSION PROTECTION | | LEAK DETECTION | | SPILL PROTECTION | |
|---|---|---|---|---|---|
| Galvanic (Sacrificial Anodes) Example: STI-P3 | ☐ | Automatic Tank Gauging (ATG) | ☐ | Catchment Basins | ☐ |
| | | | | OVERFILL PROTECTION | |
| Impressed Current (Rectifier) | ☐ | Statistical Inventory Reconciliation (SIR) | ☐ | Automatic Shutoff | ☐ |
| Fiberglass Tank | ☐ | Double-walled Tank w/Interstitial Monitoring | ☐ | Overfill Alarms | ☐ |
| Tank Lined w/Non-Corrodible Material (Fiberglass-lined) | ☐ | Groundwater Monitoring Wells (IDEM Approved) | ☐ | Ball Float Valves | ☐ |
| Clad Tank | ☐ | Vapor Monitoring Wells (IDEM Approved) | ☐ | REVENUE CERTIFICATE | |
| * For Abandoned Facilties: | | Inventory Control w/Tank Tightness Tests (Allowed only if all OTHER '98 requirements have been met) | ☐ | Displayed (Required) | ☐ |
| | | | | On File - At Site | ☐ |
| # of Fill Caps: ____ | | | | On File - Off Site | ☐ |
| # of Vent Pipes: ____ | | | | | |
| Accessible: Yes ☐ No ☐ | | Manual Tank Gauging or Other | ☐ | | |

**Comments:**

Plan to remove tank before Dec., 1998
Tank has not been upgraded.
Will send closure information.

**Facility Representative Name (printed):** PATRICK J. DAVIS

**Facility Representative Signature:** Patrick J. Davis

0109

UST-BKD-1/98

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
*We make Indiana a cleaner, healthier place to live*

*Frank O'Bannon*
Governor

*Lori F. Kaplan*
Commissioner

100 North Senate Avenue
P.O. Box 6015
Indianapolis, Indiana 46206-6015
(317) 232-8603
(800) 451-6027
www.state.in.us/idem

RECEIVED
MAR 18 2002
ECHD

March 13, 2002

Ms. Stephanie L. Redding
Sherry Designs
P. O. Box 59
Osceola, IN 46561

Re: 039-15671
Revocation of FESOP
FESOP No. 039-5654-00328

Dear Ms. Redding:

The letter from Sherry Designs, received on March 5, 2002, has been reviewed. This letter related to the plant located at 53387 Ada Drive, Elkhart, Indiana 46514. This letter requested that FESOP No. 039-5654-00328 be revoked. The reason for this revocation request is that the plant is no longer in operation as of October, 2000.

Pursuant to rule 326 IAC 2-1.1-9, any permit to construct or operate or any permit revision approval granted by the commissioner may be revoked for any other cause that establishes in the judgement of the commissioner the fact that continuance of the permit or permit revision approval is not consistent with the purposes of this article. Since the plant is no longer in operation, the FESOP will be revoked.

If there are any questions about this revocation, please contact Madhurima Moulik at (317) 233-0868 or call (800) 451-6027 and ask for extension 3-0868.

Sincerely,

Paul Dubenetzky

Paul Dubenetzky, Chief
Permits Branch
Office of Air Quality

mm
cc: File - Elkhart County
Elkhart County Health Department
Northern Regional Office
Air Compliance - Tony Pelath
Permit Tracking - Janet Mobley
Technical Support and Modeling - Michele Boner
Compliance Data Section - Karen Nowak

0010