Tetra Tech EM Inc.

6801 Engle Road, Suite G ◆ Middleburg Heights, Ohio 44130 ◆ (440) 234-0886 ◆ FAX (440) 234-1725

March 14, 2002

Exemption 6 - 2 words

Mr. [redacted]

[redacted] Exemption 6 - 1 line

Akron, Ohio 44312

Exemption 6 - 1 word

Dear Mr. [redacted]

US EPA RECORDS CENTER REGION 5

410891

On January 3, 2002, U.S. EPA contractors from Tetra Tech EM Inc (Tetra Tech), sampled water from your residential drinking water well located at [redacted]. The water sample was sent to EnChem Laboratory in Madison, Wisconsin to be analyzed for volatile organic compounds (VOCs) and semi-volatile organic compounds (SVOCs). The enclosed data sheets report the results of that analysis. These results have been reviewed for accuracy by the laboratory as well as by a Quality Assurance Chemist for Tetra Tech. No VOCs or SVOCs were detected above the Method Detection Limits (MDLs) in the sample collected from your well. Additionally all MDLs were below the Maximum Contaminant Levels (MCLs) set by U.S. EPA for public drinking water supplies. Although MCLs were established for the regulation of public drinking water supplies, i.e. city water systems, U.S. EPA sometimes compares private well samples to the MCLs to verify the safety of the water from a private well.

Exemption 6 - words

A current copy of the National Primary Drinking Water Standards, which includes the MCLs, has been included with this letter for your information. Also, additional is available on the U.S. EPA web site, www.epa.gov/safewater.

If you have any questions, or would like to discuss your analytical results, please do not hesitate to call me at the following number 440-234-2521, extension 225. If I am unavailable, please leave a message and I will return your call as soon as possible.

Sincerely,

Anne A. Busher

Anne A. Busher
Project Manager
Tetra Tech EMI
6801 Engle Road, Suite G
Middleburg Heights, Ohio 44130
(440) 234-2521 ext. 225
Fax (440) 234-1725

cc: Karla Auker, U.S. EPA On-Scene Coordinator

contains recycled fiber and is recyclable

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3553
Lab Sample Number : 920024-005
Lab Project Number : 920024

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/04/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Volatile Organic Results

SPECIAL VOLATILE LIST - WATER Prep Method: SW846 5030 Prep Date:

Analyte	Result	MDL	Units	Code	Analysis Date	Analysis Method
1,1,1,2-Tetrachloroethane	< 0.49	0.49	ug/L		01/09/02	SW846 8260B
1,1,1-Trichloroethane	< 0.53	0.53	ug/L		01/09/02	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.68	0.68	ug/L		01/09/02	SW846 8260B
1,1,2-Trichloroethane	< 0.47	0.47	ug/L		01/09/02	SW846 8260B
1,1,2-Trichlorotrifluoroethane	< 0.79	0.79	ug/L		01/09/02	SW846 8260B
1,1-Dichloroethane	< 0.61	0.61	ug/L		01/09/02	SW846 8260B
1,1-Dichloroethene	< 0.47	0.47	ug/L		01/09/02	SW846 8260B
1,1-Dichloropropene	< 0.59	0.59	ug/L		01/09/02	SW846 8260B
1,2,3-Trichlorobenzene	< 0.57	0.57	ug/L		01/09/02	SW846 8260B
1,2,3-Trichloropropane	< 0.71	0.71	ug/L		01/09/02	SW846 8260B
1,2,4-Trichlorobenzene	< 0.36	0.36	ug/L		01/09/02	SW846 8260B
1,2,4-Trimethylbenzene	< 0.47	0.47	ug/L		01/09/02	SW846 8260B
1,2-Dibromo-3-chloropropane	< 1.2	1.2	ug/L		01/09/02	SW846 8260B
1,2-Dibromoethane	< 0.49	0.49	ug/L		01/09/02	SW846 8260B
1,2-Dichlorobenzene	< 0.36	0.36	ug/L		01/09/02	SW846 8260B
1,2-Dichloroethane	< 0.54	0.54	ug/L		01/09/02	SW846 8260B
1,2-Dichloropropane	< 0.34	0.34	ug/L		01/09/02	SW846 8260B
1,3,5-Trimethylbenzene	< 0.45	0.45	ug/L		01/09/02	SW846 8260B
1,3-Dichlorobenzene	< 0.64	0.64	ug/L		01/09/02	SW846 8260B
1,3-Dichloropropane	< 0.42	0.42	ug/L		01/09/02	SW846 8260B
1,4-Dichlorobenzene	< 0.43	0.43	ug/L		01/09/02	SW846 8260B
1-Chlorohexane	< 0.46	0.46	ug/L		01/09/02	SW846 8260B
2,2-Dichloropropane	< 0.41	0.41	ug/L		01/09/02	SW846 8260B
2-Butanone	< 1.2	1.2	ug/L		01/09/02	SW846 8260B
2-Chlorotoluene	< 0.65	0.65	ug/L		01/09/02	SW846 8260B
2-Hexanone	< 0.61	0.61	ug/L		01/09/02	SW846 8260B
4-Chlorotoluene	< 0.56	0.56	ug/L		01/09/02	SW846 8260B
4-Methyl-2-pentanone	< 0.61	0.61	ug/L		01/09/02	SW846 8260B
Acetone	< 3.1	3.1	ug/L		01/09/02	SW846 8260B
Acrolein	< 5.7	5.7	ug/L		01/09/02	SW846 8260B
Acrylonitrile	< 0.65	0.65	ug/L		01/09/02	SW846 8260B

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3553
Lab Sample Number : 920024-005
Lab Project Number : 920024

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/04/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Benzene	< 0.44	0.44	ug/L	01/09/02	SW846 8260B
Bromobenzene	< 0.46	0.46	ug/L	01/09/02	SW846 8260B
Bromochloromethane	< 0.21	0.21	ug/L	01/09/02	SW846 8260B
Bromodichloromethane	< 0.41	0.41	ug/L	01/09/02	SW846 8260B
Bromoform	< 0.58	0.58	ug/L	01/09/02	SW846 8260B
Bromomethane	< 0.94	0.94	ug/L	01/09/02	SW846 8260B
Carbon disulfide	< 0.40	0.40	ug/L	01/09/02	SW846 8260B
Carbon tetrachloride	< 0.90	0.90	ug/L	01/09/02	SW846 8260B
Chlorobenzene	< 0.43	0.43	ug/L	01/09/02	SW846 8260B
Chlorodibromomethane	< 0.43	0.43	ug/L	01/09/02	SW846 8260B
Chloroethane	< 0.63	0.63	ug/L	01/09/02	SW846 8260B
Chloroform	< 0.41	0.41	ug/L	01/09/02	SW846 8260B
Chloromethane	< 0.44	0.44	ug/L	01/09/02	SW846 8260B
cis-1,2-Dichloroethene	< 0.46	0.46	ug/L	01/09/02	SW846 8260B
cis-1,3-Dichloropropene	< 0.54	0.54	ug/L	01/09/02	SW846 8260B
cis1,4-Dichloro-2-butene	< 0.66	0.66	ug/L	01/09/02	SW846 8260B
Cyclohexanone	< 7.5	7.5	ug/L	01/09/02	SW846 8260B
Dibromomethane	< 0.60	0.60	ug/L	01/09/02	SW846 8260B
Dichlorodifluoromethane	< 0.61	0.61	ug/L	01/09/02	SW846 8260B
Dichlorofluoromethane	< 0.45	0.45	ug/L	01/09/02	SW846 8260B
Diethyl ether	< 0.54	0.54	ug/L	01/09/02	SW846 8260B
Ethyl methacrylate	< 0.42	0.42	ug/L	01/09/02	SW846 8260B
Ethylbenzene	< 0.50	0.50	ug/L	01/09/02	SW846 8260B
Fluorotrichloromethane	< 0.47	0.47	ug/L	01/09/02	SW846 8260B
Hexachlorobutadiene	< 0.49	0.49	ug/L	01/09/02	SW846 8260B
Iodomethane	< 0.53	0.53	ug/L	01/09/02	SW846 8260B
Isopropylbenzene	< 0.39	0.39	ug/L	01/09/02	SW846 8260B
Methyl methacrylate	< 0.44	0.44	ug/L	01/09/02	SW846 8260B
Methyl-tert-butyl-ether	< 0.44	0.44	ug/L	01/09/02	SW846 8260B
Methylene chloride	< 0.38	0.38	ug/L	01/09/02	SW846 8260B
n-Butylbenzene	< 0.39	0.39	ug/L	01/09/02	SW846 8260B
N-Heptane	< 0.75	0.75	ug/L	01/09/02	SW846 8260B
n-Propylbenzene	< 0.54	0.54	ug/L	01/09/02	SW846 8260B
Naphthalene	< 0.59	0.59	ug/L	01/09/02	SW846 8260B
p-Isopropyltoluene	< 0.51	0.51	ug/L	01/09/02	SW846 8260B

- Analytical Report -

Project Name : SAM WINER MOTORS SITE

Project Number : G9009.E.0012004

Field ID : 2DWEW-3553

Lab Sample Number : 920024-005

Lab Project Number : 920024

Submitter : TETRA TECH EM, INC

Report Date : 01/16/02

Collection Date : 01/04/02

Matrix Type : DRINKING WATER

WI DNR LAB ID : 113172950

s-Butylbenzene	< 0.58	0.58	ug/L	01/09/02	SW846 8260B
Styrene	< 0.37	0.37	ug/L	01/09/02	SW846 8260B
t-Butylbenzene	< 0.50	0.50	ug/L	01/09/02	SW846 8260B
Tetrachloroethene	< 0.41	0.41	ug/L	01/09/02	SW846 8260B
Tetrahydrofuran	< 4.1	4.1	ug/L	01/09/02	SW846 8260B
Toluene	< 0.40	0.40	ug/L	01/09/02	SW846 8260B
trans-1,2-Dichloroethene	< 0.64	0.64	ug/L	01/09/02	SW846 8260B
trans-1,3-Dichloropropene	< 0.26	0.26	ug/L	01/09/02	SW846 8260B
trans-1,4-Dichloro-2-butene	< 0.24	0.24	ug/L	01/09/02	SW846 8260B
Trichloroethene	< 0.49	0.49	ug/L	01/09/02	SW846 8260B
Vinyl acetate	< 0.70	0.70	ug/L	01/09/02	SW846 8260B
Vinyl chloride	< 0.17	0.17	ug/L	01/09/02	SW846 8260B
Xylene, o-	< 0.54	0.54	ug/L	01/09/02	SW846 8260B
Xylenes, m-, p-	< 0.77	0.77	ug/L	01/09/02	SW846 8260B

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3553
Lab Sample Number : 920024-005
Lab Project Number : 920024

Submitter : TETRA TECH EM, INC
Report Date : 01/17/02
Collection Date : 01/04/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Semivolatile Organic Results

SPECIAL SEMI-VOLATILE LIST Prep Method: SW846 3510 Prep Date: 01/07/02

Analyte	Result	MDL	Units	Code	Analysis Date	Analysis Method
1,2,4-Trichlorobenzene	< 0.43	0.43	ug/L		01/08/02	SW846 8270C
1,2-Dichlorobenzene	< 0.52	0.52	ug/L		01/08/02	SW846 8270C
1,2-Diphenylhydrazine	< 0.38	0.38	ug/L		01/08/02	SW846 8270C
1,3-Dichlorobenzene	< 0.75	0.75	ug/L		01/08/02	SW846 8270C
1,4-Dichlorobenzene	< 0.65	0.65	ug/L		01/08/02	SW846 8270C
2,2'-oxybis(1-Chloropropane)	< 0.45	0.45	ug/L		01/08/02	SW846 8270C
2,4,5-Trichlorophenol	< 0.66	0.66	ug/L		01/08/02	SW846 8270C
2,4,6-Trichlorophenol	< 0.45	0.45	ug/L		01/08/02	SW846 8270C
2,4-Dichlorophenol	< 0.45	0.45	ug/L		01/08/02	SW846 8270C
2,4-Dimethylphenol	< 1.2	1.2	ug/L		01/08/02	SW846 8270C
2,4-Dinitrophenol	< 2.7	2.7	ug/L		01/08/02	SW846 8270C
2,4-Dinitrotoluene	< 0.37	0.37	ug/L		01/08/02	SW846 8270C
2,6-Dinitrotoluene	< 0.63	0.63	ug/L		01/08/02	SW846 8270C
2-Chloronaphthalene	< 0.58	0.58	ug/L		01/08/02	SW846 8270C
2-Chlorophenol	< 0.49	0.49	ug/L		01/08/02	SW846 8270C
2-Methylnaphthalene	< 0.31	0.31	ug/L		01/08/02	SW846 8270C
2-Methylphenol	< 0.84	0.84	ug/L		01/08/02	SW846 8270C
2-Nitroaniline	< 0.35	0.35	ug/L		01/08/02	SW846 8270C
2-Nitrophenol	< 0.32	0.32	ug/L		01/08/02	SW846 8270C
3,3-Dichlorobenzidine	< 3.8	3.8	ug/L		01/08/02	SW846 8270C
3-Nitroaniline	< 0.35	0.35	ug/L		01/08/02	SW846 8270C
4,6-Dinitro-2-methylphenol	< 0.74	0.74	ug/L		01/08/02	SW846 8270C
4-Bromophenyl phenyl ether	< 0.45	0.45	ug/L		01/08/02	SW846 8270C
4-Chloro-3-methylphenol	< 0.40	0.40	ug/L		01/08/02	SW846 8270C
4-Chloroaniline	< 1.1	1.1	ug/L		01/08/02	SW846 8270C
4-Chlorophenyl phenyl ether	< 0.37	0.37	ug/L		01/08/02	SW846 8270C
4-Methylphenol	< 0.90	0.90	ug/L		01/08/02	SW846 8270C
4-Nitroaniline	< 0.59	0.59	ug/L		01/08/02	SW846 8270C
4-Nitrophenol	< 0.90	0.90	ug/L		01/08/02	SW846 8270C
Acenaphthene	< 0.41	0.41	ug/L		01/08/02	SW846 8270C
Acenaphthylene	< 0.33	0.33	ug/L		01/08/02	SW846 8270C

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3553
Lab Sample Number : 920024-005
Lab Project Number : 920024

Submitter : TETRA TECH EM, INC
Report Date : 01/17/02
Collection Date : 01/04/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Aniline	< 1.7	1.7	ug/L	01/08/02	SW846 8270C
Anthracene	< 0.75	0.75	ug/L	01/08/02	SW846 8270C
Benzidine	< 1.3	1.3	ug/L	01/08/02	SW846 8270C
Benzo(a)anthracene	< 0.29	0.29	ug/L	01/08/02	SW846 8270C
Benzo(a)pyrene	< 0.83	0.83	ug/L	01/08/02	SW846 8270C
Benzo(b)fluoranthene	< 0.66	0.66	ug/L	01/08/02	SW846 8270C
Benzo(g,h,i)perylene	< 1.5	1.5	ug/L	01/08/02	SW846 8270C
Benzo(k)fluoranthene	< 0.64	0.64	ug/L	01/08/02	SW846 8270C
Benzoic acid	< 4.9	4.9	ug/L	01/08/02	SW846 8270C
Benzyl alcohol	< 0.74	0.74	ug/L	01/08/02	SW846 8270C
bis(2-Chloroethoxy)methane	< 0.42	0.42	ug/L	01/08/02	SW846 8270C
bis(2-Chloroethyl)ether	< 0.65	0.65	ug/L	01/08/02	SW846 8270C
bis(2-Ethylhexyl)phthalate	< 1.8	1.8	ug/L	01/08/02	SW846 8270C
Butylbenzylphthalate	< 6.9	6.9	ug/L	01/08/02	SW846 8270C
Chrysene	< 0.37	0.37	ug/L	01/08/02	SW846 8270C
Di-n-butylphthalate	< 0.42	0.42	ug/L	01/08/02	SW846 8270C
Di-n-octylphthalate	< 1.3	1.3	ug/L	01/08/02	SW846 8270C
Dibenzo(a,h)anthracene	< 1.1	1.1	ug/L	01/08/02	SW846 8270C
Dibenzofuran	< 0.44	0.44	ug/L	01/08/02	SW846 8270C
Diethylphthalate	< 0.81	0.81	ug/L	01/08/02	SW846 8270C
Dimethylphthalate	< 0.28	0.28	ug/L	01/08/02	SW846 8270C
Fluoranthene	< 0.29	0.29	ug/L	01/08/02	SW846 8270C
Fluorene	< 0.30	0.30	ug/L	01/08/02	SW846 8270C
Hexachlorobenzene	< 0.54	0.54	ug/L	01/08/02	SW846 8270C
Hexachlorobutadiene	< 0.83	0.83	ug/L	01/08/02	SW846 8270C
Hexachlorocyclopentadiene	< 5.2	5.2	ug/L	01/08/02	SW846 8270C
Hexachloroethane	< 0.88	0.88	ug/L	01/08/02	SW846 8270C
Indeno(1,2,3-cd)pyrene	< 1.2	1.2	ug/L	01/08/02	SW846 8270C
Isophorone	< 1.3	1.3	ug/L	01/08/02	SW846 8270C
N-Nitroso-di-n-propylamine	< 0.71	0.71	ug/L	01/08/02	SW846 8270C
N-Nitrosodimethylamine	< 3.3	3.3	ug/L	01/08/02	SW846 8270C
N-Nitrosodiphenylamine	< 4.5	4.5	ug/L	01/08/02	SW846 8270C
Naphthalene	< 0.46	0.46	ug/L	01/08/02	SW846 8270C
Nitrobenzene	< 0.92	0.92	ug/L	01/08/02	SW846 8270C
Pentachlorophenol	< 2.9	2.9	ug/L	01/08/02	SW846 8270C

- Analytical Report -

Project Name : SAM WINER MOTORS SITE

Project Number : G9009.E.0012004

Field ID : 2DWEW-3553

Lab Sample Number : 920024-005

Lab Project Number : 920024

Submitter : TETRA TECH EM, INC

Report Date : 01/17/02

Collection Date : 01/04/02

Matrix Type : DRINKING WATER

WI DNR LAB ID : 113172950

Phenanthrene	< 0.29	0.29	ug/L	01/08/02	SW846 8270C
Phenol	< 0.36	0.36	ug/L	01/08/02	SW846 8270C
Pyrene	< 0.37	0.37	ug/L	01/08/02	SW846 8270C
Pyridine	< 3.3	3.3	ug/L	01/08/02	SW846 8270C

- Analytical Report -

Project Name : SAM WIMER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DW-EW-3553
Lab Sample Number : 920201-011
Lab Project Number : 920201

Submitter : TETRA TECH EM, INC
Report Date : 2/4/2002
Collection Date : 1/4/2002
Matrix Type : WATER
WI DNR LAB ID : 113172950

Semivolatile Organic Results

GC/MS SIM - SEMIVOLATILES Prep Method: SW846 3510C Prep Date: 1/7/2002

Analyte	Result	EQL	Units	Code	Analysis Date	Analysis Method
Benzo(a)pyrene	< 0.20	0.20	ug/L		1/29/2002	SW846 8270C

7001 0320 0001 9177 1566

U.S. Postal Service
CERTIFIED MAIL RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

[redacted]

OFFICIAL USE

AKRON OH 44312

Postage	$1.03
Certified Fee	$2.10
Return Receipt Fee (Endorsement Required)	$0.00
Restricted Delivery Fee (Endorsement Required)	$0.00
Total Postage & Fees	$3.13

0261
08
Postmark Here
MAR 15 2002
03/15/2002

Exemptions Line

Sent To Mr. [redacted] Exemptions Line

Street, Apt. No.; or PO Box No. [redacted]

City, State, ZIP+4 Akron, Ohio 44312

PS Form 3800, January 2001 See Reverse for Instructions

Tetra Tech EM Inc.

6801 Engle Road, Suite G ◆ Middleburg Heights, Ohio 44130 ◆ (440) 234-0886 ◆ FAX (440) 234-1725

March 14, 2002

Exemption 6 - 2 words

Mr. [redacted] - Operational Director

[redacted] Exemption 6 - 1 line

Akron, Ohio 44312

Exemption 6 - 1 word

Dear Mr. [redacted]

On January 3, 2002, U.S. EPA contractors from Tetra Tech EM Inc (Tetra Tech), sampled water from your residential drinking water well located at [redacted]. The water sample was sent to EnChem Laboratory in Madison, Wisconsin to be analyzed for volatile organic compounds (VOCs) and semi-volatile organic compounds (SVOCs). The enclosed data sheets report the results of that analysis. These results have been reviewed for accuracy by the laboratory as well as by a Quality Assurance Chemist for Tetra Tech. No VOCs or SVOCs were detected above the Method Detection Limits (MDLs) in the sample collected from your well. Additionally all MDLs were below the Maximum Contaminant Levels (MCLs) set by U.S. EPA for public drinking water supplies. Although MCLs were established for the regulation of public drinking water supplies, i.e. city water systems, U.S. EPA sometimes compares private well samples to the MCLs to verify the safety of the water from a private well.

emption 6 - 1 words

A current copy of the National Primary Drinking Water Standards, which includes the MCLs, has been included with this letter for your information. Also, additional is available on the U.S. EPA web site, www.epa.gov/safewater.

If you have any questions, or would like to discuss your analytical results, please do not hesitate to call me at the following number 440-234-2521, extension 225. If I am unavailable, please leave a message and I will return your call as soon as possible.

Sincerely,

Anne A. Busher

Anne A. Busher
Project Manager
Tetra Tech EMI
6801 Engle Road, Suite G
Middleburg Heights, Ohio 44130
(440) 234-2521 ext. 225
Fax (440) 234-1725

cc: Karla Auker, U.S. EPA On-Scene Coordinator

contains recycled fiber and is recyclable

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3568
Lab Sample Number : 920019-002
Lab Project Number : 920019

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/03/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Volatile Organic Results

SPECIAL VOLATILE LIST - WATER Prep Method: SW846 5030 Prep Date:

Analyte	Result	MDL	Units	Code	Analysis Date	Analysis Method
1,1,1,2-Tetrachloroethane	< 0.49	0.49	ug/L		01/09/02	SW846 8260
1,1,1-Trichloroethane	< 0.53	0.53	ug/L		01/09/02	SW846 8260
1,1,2,2-Tetrachloroethane	< 0.68	0.68	ug/L		01/09/02	SW846 8260
1,1,2-Trichloroethane	< 0.47	0.47	ug/L		01/09/02	SW846 8260
1,1,2-Trichlorotrifluoroethane	< 0.79	0.79	ug/L		01/09/02	SW846 8260
1,1-Dichloroethane	< 0.61	0.61	ug/L		01/09/02	SW846 8260
1,1-Dichloroethene	< 0.47	0.47	ug/L		01/09/02	SW846 8260
1,1-Dichloropropene	< 0.59	0.59	ug/L		01/09/02	SW846 8260
1,2,3-Trichlorobenzene	< 0.57	0.57	ug/L		01/09/02	SW846 8260
1,2,3-Trichloropropane	< 0.71	0.71	ug/L		01/09/02	SW846 8260
1,2,4-Trichlorobenzene	< 0.36	0.36	ug/L		01/09/02	SW846 8260
1,2,4-Trimethylbenzene	< 0.47	0.47	ug/L		01/09/02	SW846 8260
1,2-Dibromo-3-chloropropane	< 1.2	1.2	ug/L		01/09/02	SW846 8260
1,2-Dibromoethane	< 0.49	0.49	ug/L		01/09/02	SW846 8260
1,2-Dichlorobenzene	< 0.36	0.36	ug/L		01/09/02	SW846 8260
1,2-Dichloroethane	< 0.54	0.54	ug/L		01/09/02	SW846 8260
1,2-Dichloropropane	< 0.34	0.34	ug/L		01/09/02	SW846 8260
1,3,5-Trimethylbenzene	< 0.45	0.45	ug/L		01/09/02	SW846 8260
1,3-Dichlorobenzene	< 0.64	0.64	ug/L		01/09/02	SW846 8260
1,3-Dichloropropane	< 0.42	0.42	ug/L		01/09/02	SW846 8260
1,4-Dichlorobenzene	< 0.43	0.43	ug/L		01/09/02	SW846 8260
1-Chlorohexane	< 0.46	0.46	ug/L		01/09/02	SW846 8260
2,2-Dichloropropane	< 0.41	0.41	ug/L		01/09/02	SW846 8260
2-Butanone	< 1.2	1.2	ug/L		01/09/02	SW846 8260
2-Chlorotoluene	< 0.65	0.65	ug/L		01/09/02	SW846 8260
2-Hexanone	< 0.61	0.61	ug/L		01/09/02	SW846 8260
4-Chlorotoluene	< 0.56	0.56	ug/L		01/09/02	SW846 8260
4-Methyl-2-pentanone	< 0.61	0.61	ug/L		01/09/02	SW846 8260
Acetone	< 3.1	3.1	ug/L		01/09/02	SW846 8260
Acrolein	< 5.7	5.7	ug/L		01/09/02	SW846 8260
Acrylonitrile	< 0.65	0.65	ug/L		01/09/02	SW846 8260

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3568
Lab Sample Number : 920019-002
Lab Project Number : 920019

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/03/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Benzene	< 0.44	0.44	ug/L	01/09/02	SW846 8260
Bromobenzene	< 0.46	0.46	ug/L	01/09/02	SW846 8260
Bromochloromethane	< 0.21	0.21	ug/L	01/09/02	SW846 8260
Bromodichloromethane	< 0.41	0.41	ug/L	01/09/02	SW846 8260
Bromoform	< 0.58	0.58	ug/L	01/09/02	SW846 8260
Bromomethane	< 0.94	0.94	ug/L	01/09/02	SW846 8260
Carbon disulfide	< 0.40	0.40	ug/L	01/09/02	SW846 8260
Carbon tetrachloride	< 0.90	0.90	ug/L	01/09/02	SW846 8260
Chlorobenzene	< 0.43	0.43	ug/L	01/09/02	SW846 8260
Chlorodibromomethane	< 0.43	0.43	ug/L	01/09/02	SW846 8260
Chloroethane	< 0.63	0.63	ug/L	01/09/02	SW846 8260
Chloroform	< 0.41	0.41	ug/L	01/09/02	SW846 8260
Chloromethane	< 0.44	0.44	ug/L	01/09/02	SW846 8260
cis-1,2-Dichloroethene	< 0.46	0.46	ug/L	01/09/02	SW846 8260
cis-1,3-Dichloropropene	< 0.54	0.54	ug/L	01/09/02	SW846 8260
cis1,4-Dichloro-2-butene	< 0.66	0.66	ug/L	01/09/02	SW846 8260
Cyclohexanone	< 7.5	7.5	ug/L	01/09/02	SW846 8260
Dibromomethane	< 0.60	0.60	ug/L	01/09/02	SW846 8260
Dichlorodifluoromethane	< 0.61	0.61	ug/L	01/09/02	SW846 8260
Dichlorofluoromethane	< 0.45	0.45	ug/L	01/09/02	SW846 8260
Diethyl ether	< 0.54	0.54	ug/L	01/09/02	SW846 8260
Ethyl methacrylate	< 0.42	0.42	ug/L	01/09/02	SW846 8260
Ethylbenzene	< 0.50	0.50	ug/L	01/09/02	SW846 8260
Fluorotrichloromethane	< 0.47	0.47	ug/L	01/09/02	SW846 8260
Hexachlorobutadiene	< 0.49	0.49	ug/L	01/09/02	SW846 8260
Iodomethane	< 0.53	0.53	ug/L	01/09/02	SW846 8260
Isopropylbenzene	< 0.39	0.39	ug/L	01/09/02	SW846 8260
Methyl methacrylate	< 0.44	0.44	ug/L	01/09/02	SW846 8260
Methyl-tert-butyl-ether	< 0.44	0.44	ug/L	01/09/02	SW846 8260
Methylene chloride	< 0.38	0.38	ug/L	01/09/02	SW846 8260
n-Butylbenzene	< 0.39	0.39	ug/L	01/09/02	SW846 8260
N-Heptane	< 0.75	0.75	ug/L	01/09/02	SW846 8260
n-Propylbenzene	< 0.54	0.54	ug/L	01/09/02	SW846 8260
Naphthalene	< 0.59	0.59	ug/L	01/09/02	SW846 8260
p-Isopropyltoluene	< 0.51	0.51	ug/L	01/09/02	SW846 8260

- Analytical Report -

Project Name : SAM WINER MOTORS SITE

Project Number : G9009.E.0012004

Field ID : 2DWEW-3568

Lab Sample Number : 920019-002

Lab Project Number : 920019

Submitter : TETRA TECH EM, INC

Report Date : 01/16/02

Collection Date : 01/03/02

Matrix Type : DRINKING WATER

WI DNR LAB ID : 113172950

s-Butylbenzene	< 0.58	0.58	ug/L	01/09/02	SW846 8260
Styrene	< 0.37	0.37	ug/L	01/09/02	SW846 8260
t-Butylbenzene	< 0.50	0.50	ug/L	01/09/02	SW846 8260
Tetrachloroethene	< 0.41	0.41	ug/L	01/09/02	SW846 8260
Tetrahydrofuran	< 4.1	4.1	ug/L	01/09/02	SW846 8260
Toluene	< 0.40	0.40	ug/L	01/09/02	SW846 8260
trans-1,2-Dichloroethene	< 0.64	0.64	ug/L	01/09/02	SW846 8260
trans-1,3-Dichloropropene	< 0.26	0.26	ug/L	01/09/02	SW846 8260
trans-1,4-Dichloro-2-butene	< 0.24	0.24	ug/L	01/09/02	SW846 8260
Trichloroethene	< 0.49	0.49	ug/L	01/09/02	SW846 8260
Vinyl acetate	< 0.70	0.70	ug/L	01/09/02	SW846 8260
Vinyl chloride	< 0.17	0.17	ug/L	01/09/02	SW846 8260
Xylene, o-	< 0.54	0.54	ug/L	01/09/02	SW846 8260
Xylenes, m-, p-	< 0.77	0.77	ug/L	01/09/02	SW846 8260

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3568
Lab Sample Number : 920019-002
Lab Project Number : 920019

Submitter : TETRA TECH EM, INC
Report Date : 01/17/02
Collection Date : 01/03/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Semivolatile Organic Results

SPECIAL SEMI-VOLATILE LIST Prep Method: SW846 3510 Prep Date: 01/07/02

Analyte	Result	MDL	Units	Code	Analysis Date	Analysis Method
1,2,4-Trichlorobenzene	< 0.44	0.44	ug/L		01/08/02	SW846 8270
1,2-Dichlorobenzene	< 0.52	0.52	ug/L		01/08/02	SW846 8270
1,2-Diphenylhydrazine	< 0.38	0.38	ug/L		01/08/02	SW846 8270
1,3-Dichlorobenzene	< 0.76	0.76	ug/L		01/08/02	SW846 8270
1,4-Dichlorobenzene	< 0.65	0.65	ug/L		01/08/02	SW846 8270
2,2'-oxybis(1-Chloropropane)	< 0.46	0.46	ug/L		01/08/02	SW846 8270
2,4,5-Trichlorophenol	< 0.67	0.67	ug/L		01/08/02	SW846 8270
2,4,6-Trichlorophenol	< 0.46	0.46	ug/L		01/08/02	SW846 8270
2,4-Dichlorophenol	< 0.45	0.45	ug/L		01/08/02	SW846 8270
2,4-Dimethylphenol	< 1.2	1.2	ug/L		01/08/02	SW846 8270
2,4-Dinitrophenol	< 2.7	2.7	ug/L		01/08/02	SW846 8270
2,4-Dinitrotoluene	< 0.37	0.37	ug/L		01/08/02	SW846 8270
2,6-Dinitrotoluene	< 0.63	0.63	ug/L		01/08/02	SW846 8270
2-Chloronaphthalene	< 0.59	0.59	ug/L		01/08/02	SW846 8270
2-Chlorophenol	< 0.49	0.49	ug/L		01/08/02	SW846 8270
2-Methylnaphthalene	< 0.32	0.32	ug/L		01/08/02	SW846 8270
2-Methylphenol	< 0.84	0.84	ug/L		01/08/02	SW846 8270
2-Nitroaniline	< 0.36	0.36	ug/L		01/08/02	SW846 8270
2-Nitrophenol	< 0.32	0.32	ug/L		01/08/02	SW846 8270
3,3-Dichlorobenzidine	< 3.8	3.8	ug/L		01/08/02	SW846 8270
3-Nitroaniline	< 0.36	0.36	ug/L		01/08/02	SW846 8270
4,6-Dinitro-2-methylphenol	< 0.75	0.75	ug/L		01/08/02	SW846 8270
4-Bromophenyl phenyl ether	< 0.45	0.45	ug/L		01/08/02	SW846 8270
4-Chloro-3-methylphenol	< 0.40	0.40	ug/L		01/08/02	SW846 8270
4-Chloroaniline	< 1.1	1.1	ug/L		01/08/02	SW846 8270
4-Chlorophenyl phenyl ether	< 0.38	0.38	ug/L		01/08/02	SW846 8270
4-Methylphenol	< 0.90	0.90	ug/L		01/08/02	SW846 8270
4-Nitroaniline	< 0.59	0.59	ug/L		01/08/02	SW846 8270
4-Nitrophenol	< 0.91	0.91	ug/L		01/08/02	SW846 8270
Acenaphthene	< 0.42	0.42	ug/L		01/08/02	SW846 8270
Acenaphthylene	< 0.33	0.33	ug/L		01/08/02	SW846 8270

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3568
Lab Sample Number : 920019-002
Lab Project Number : 920019

Submitter : TETRA TECH EM. INC
Report Date : 01/17/02
Collection Date : 01/03/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Aniline	< 1.7	1.7	ug/L	01/08/02	SW846 8270
Anthracene	< 0.75	0.75	ug/L	01/08/02	SW846 8270
Benzidine	< 1.3	1.3	ug/L	01/08/02	SW846 8270
Benzo(a)anthracene	< 0.30	0.30	ug/L	01/08/02	SW846 8270
Benzo(a)pyrene	< 0.84	0.84	ug/L	01/08/02	SW846 8270
Benzo(b)fluoranthene	< 0.67	0.67	ug/L	01/08/02	SW846 8270
Benzo(g,h,i)perylene	< 1.5	1.5	ug/L	01/08/02	SW846 8270
Benzo(k)fluoranthene	< 0.65	0.65	ug/L	01/08/02	SW846 8270
Benzoic acid	< 5.0	5.0	ug/L	01/08/02	SW846 8270
Benzyl alcohol	< 0.75	0.75	ug/L	01/08/02	SW846 8270
bis(2-Chloroethoxy)methane	< 0.42	0.42	ug/L	01/08/02	SW846 8270
bis(2-Chloroethyl)ether	< 0.65	0.65	ug/L	01/08/02	SW846 8270
bis(2-Ethylhexyl)phthalate	< 1.8	1.8	ug/L	01/08/02	SW846 8270
Butylbenzylphthalate	< 6.9	6.9	ug/L	01/08/02	SW846 8270
Chrysene	< 0.37	0.37	ug/L	01/08/02	SW846 8270
Di-n-butylphthalate	< 0.42	0.42	ug/L	01/08/02	SW846 8270
Di-n-octylphthalate	< 1.3	1.3	ug/L	01/08/02	SW846 8270
Dibenzo(a,h)anthracene	< 1.1	1.1	ug/L	01/08/02	SW846 8270
Dibenzofuran	< 0.44	0.44	ug/L	01/08/02	SW846 8270
Diethylphthalate	< 0.82	0.82	ug/L	01/08/02	SW846 8270
Dimethylphthalate	< 0.29	0.29	ug/L	01/08/02	SW846 8270
Fluoranthene	< 0.29	0.29	ug/L	01/08/02	SW846 8270
Fluorene	< 0.30	0.30	ug/L	01/08/02	SW846 8270
Hexachlorobenzene	< 0.55	0.55	ug/L	01/08/02	SW846 8270
Hexachlorobutadiene	< 0.84	0.84	ug/L	01/08/02	SW846 8270
Hexachlorocyclopentadiene	< 5.3	5.3	ug/L	01/08/02	SW846 8270
Hexachloroethane	< 0.89	0.89	ug/L	01/08/02	SW846 8270
Indeno(1,2,3-cd)pyrene	< 1.2	1.2	ug/L	01/08/02	SW846 8270
Isophorone	< 1.3	1.3	ug/L	01/08/02	SW846 8270
N-Nitroso-di-n-propylamine	< 0.72	0.72	ug/L	01/08/02	SW846 8270
N-Nitrosodimethylamine	< 3.4	3.4	ug/L	01/08/02	SW846 8270
N-Nitrosodiphenylamine	< 4.6	4.6	ug/L	01/08/02	SW846 8270
Naphthalene	< 0.47	0.47	ug/L	01/08/02	SW846 8270
Nitrobenzene	< 0.93	0.93	ug/L	01/08/02	SW846 8270
Pentachlorophenol	< 2.9	2.9	ug/L	01/08/02	SW846 8270

- Analytical Report -

Project Name : SAM WINER MOTORS SITE

Project Number : G9009.E.0012004

Field ID : 2DWEW-3568

Lab Sample Number : 920019-002

Lab Project Number : 920019

Submitter : TETRA TECH EM, INC

Report Date : 01/17/02

Collection Date : 01/03/02

Matrix Type : DRINKING WATER

WI DNR LAB ID : 113172950

Phenanthrene	< 0.30	0.30	ug/L	01/08/02	SW846 8270
Phenol	< 0.37	0.37	ug/L	01/08/02	SW846 8270
Pyrene	< 0.37	0.37	ug/L	01/08/02	SW846 8270
Pyridine	< 3.3	3.3	ug/L	01/08/02	SW846 8270

- Analytical Report -

Project Name : SAM WIMER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DW-EW-3568
Lab Sample Number : 920201-002
Lab Project Number : 920201

Submitter : TETRA TECH EM, INC
Report Date : 2/4/2002
Collection Date : 1/3/2002
Matrix Type : WATER
WI DNR LAB ID : 113172950

Semivolatile Organic Results

GC/MS SIM - SEMIVOLATILES Prep Method: SW846 3510C Prep Date: 1/7/2002

Analyte	Result	EQL	Units	Code	Analysis Date	Analysis Method
Benzo(a)pyrene	< 0.20	0.20	ug/L		1/29/2002	SW846 8270C

U.S. Postal Service

CERTIFIED MAIL RECEIPT

(Domestic Mail Only; No Insurance Coverage Provided)

OFFICIAL USE

AKRON OH 44312

Postage	$ $1.03
Certified Fee	$2.10
Return Receipt Fee (Endorsement Required)	$0.00
Restricted Delivery Fee (Endorsement Required)	$0.00
Total Postage & Fees	$ $3.13

Postmark Here

FAIRVIEW PARK BR. 44126 MAR 15 2002 USPS 03/15/2002

Exemptions-1 line

Sent To: Mr. [redacted]

Street, Apt. No.; or PO Box No. [redacted]

City, State, ZIP+4 Akron, Ohio 44312

Exemptions-1 line

PS Form 3800, January 2001 See Reverse for Instructions

7001 0320 0001 9127 1572

Tetra Tech EM Inc.

6801 Engle Road, Suite G ◆ Middleburg Heights, Ohio 44130 ◆ (440) 234-0886 ◆ FAX (440) 234-1725

March 14, 2002

Exemption 6 - 2 words

Mr. and Mrs. [redacted]

[redacted] Exemption 6 - 1 line

Akron, Ohio 44312

Exemption 6 - 2 words

Dear Mr. and Mrs. [redacted]

Exemption 6 3 words

On January 3, 2002, U.S. EPA contractors from Tetra Tech EM Inc (Tetra Tech), sampled water from your residential drinking water well located at [redacted]kron, Ohio. The water sample was sent to EnChem Laboratory in Madison, Wisconsin to be analyzed for volatile organic compounds (VOCs) and semi-volatile organic compounds (SVOCs). The enclosed data sheets report the results of that analysis. These results have been reviewed for accuracy by the laboratory as well as by a Quality Assurance Chemist for Tetra Tech. No VOCs or SVOCs were detected above the Method Detection Limits (MDLs) in the sample collected from your well. Additionally all MDLs were below the Maximum Contaminant Levels (MCLs) set by U.S. EPA for public drinking water supplies. Although MCLs were established for the regulation of public drinking water supplies, i.e. city water systems, U.S. EPA sometimes compares private well samples to the MCLs to verify the safety of the water from a private well.

A current copy of the National Primary Drinking Water Standards, which includes the MCLs, has been included with this letter for your information. Also, additional is available on the U.S. EPA web site, www.epa.gov/safewater.

If you have any questions, or would like to discuss your analytical results, please do not hesitate to call me at the following number 440-234-2521, extension 225. If I am unavailable, please leave a message and I will return your call as soon as possible.

Sincerely,

Anne A. Busher
Project Manager
Tetra Tech EMI
6801 Engle Road, Suite G
Middleburg Heights, Ohio 44130
(440) 234-2521 ext. 225
Fax (440) 234-1725

cc: Karla Auker, U.S. EPA On-Scene Coordinator

contains recycled fiber and is recyclable

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-973
Lab Sample Number : 920019-003
Lab Project Number : 920019

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/03/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Volatile Organic Results

SPECIAL VOLATILE LIST - WATER Prep Method: SW846 5030 Prep Date:

Analyte	Result	MDL	Units	Code	Analysis Date	Analysis Method
1,1,1,2-Tetrachloroethane	< 0.49	0.49	ug/L		01/09/02	SW846 8260
1,1,1-Trichloroethane	< 0.53	0.53	ug/L		01/09/02	SW846 8260
1,1,2,2-Tetrachloroethane	< 0.68	0.68	ug/L		01/09/02	SW846 8260
1,1,2-Trichloroethane	< 0.47	0.47	ug/L		01/09/02	SW846 8260
1,1,2-Trichlorotrifluoroethane	< 0.79	0.79	ug/L		01/09/02	SW846 8260
1,1-Dichloroethane	< 0.61	0.61	ug/L		01/09/02	SW846 8260
1,1-Dichloroethene	< 0.47	0.47	ug/L		01/09/02	SW846 8260
1,1-Dichloropropene	< 0.59	0.59	ug/L		01/09/02	SW846 8260
1,2,3-Trichlorobenzene	< 0.57	0.57	ug/L		01/09/02	SW846 8260
1,2,3-Trichloropropane	< 0.71	0.71	ug/L		01/09/02	SW846 8260
1,2,4-Trichlorobenzene	< 0.36	0.36	ug/L		01/09/02	SW846 8260
1,2,4-Trimethylbenzene	< 0.47	0.47	ug/L		01/09/02	SW846 8260
1,2-Dibromo-3-chloropropane	< 1.2	1.2	ug/L		01/09/02	SW846 8260
1,2-Dibromoethane	< 0.49	0.49	ug/L		01/09/02	SW846 8260
1,2-Dichlorobenzene	< 0.36	0.36	ug/L		01/09/02	SW846 8260
1,2-Dichloroethane	< 0.54	0.54	ug/L		01/09/02	SW846 8260
1,2-Dichloropropane	< 0.34	0.34	ug/L		01/09/02	SW846 8260
1,3,5-Trimethylbenzene	< 0.45	0.45	ug/L		01/09/02	SW846 8260
1,3-Dichlorobenzene	< 0.64	0.64	ug/L		01/09/02	SW846 8260
1,3-Dichloropropane	< 0.42	0.42	ug/L		01/09/02	SW846 8260
1,4-Dichlorobenzene	< 0.43	0.43	ug/L		01/09/02	SW846 8260
1-Chlorohexane	< 0.46	0.46	ug/L		01/09/02	SW846 8260
2,2-Dichloropropane	< 0.41	0.41	ug/L		01/09/02	SW846 8260
2-Butanone	< 1.2	1.2	ug/L		01/09/02	SW846 8260
2-Chlorotoluene	< 0.65	0.65	ug/L		01/09/02	SW846 8260
2-Hexanone	< 0.61	0.61	ug/L		01/09/02	SW846 8260
4-Chlorotoluene	< 0.56	0.56	ug/L		01/09/02	SW846 8260
4-Methyl-2-pentanone	< 0.61	0.61	ug/L		01/09/02	SW846 8260
Acetone	< 3.1	3.1	ug/L		01/09/02	SW846 8260
Acrolein	< 5.7	5.7	ug/L		01/09/02	SW846 8260
Acrylonitrile	< 0.65	0.65	ug/L		01/09/02	SW846 8260

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-973
Lab Sample Number : 920019-003
Lab Project Number : 920019

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/03/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Benzene	< 0.44	0.44	ug/L	01/09/02	SW846 8260
Bromobenzene	< 0.46	0.46	ug/L	01/09/02	SW846 8260
Bromochloromethane	< 0.21	0.21	ug/L	01/09/02	SW846 8260
Bromodichloromethane	< 0.41	0.41	ug/L	01/09/02	SW846 8260
Bromoform	< 0.58	0.58	ug/L	01/09/02	SW846 8260
Bromomethane	< 0.94	0.94	ug/L	01/09/02	SW846 8260
Carbon disulfide	< 0.40	0.40	ug/L	01/09/02	SW846 8260
Carbon tetrachloride	< 0.90	0.90	ug/L	01/09/02	SW846 8260
Chlorobenzene	< 0.43	0.43	ug/L	01/09/02	SW846 8260
Chlorodibromomethane	< 0.43	0.43	ug/L	01/09/02	SW846 8260
Chloroethane	< 0.63	0.63	ug/L	01/09/02	SW846 8260
Chloroform	< 0.41	0.41	ug/L	01/09/02	SW846 8260
Chloromethane	< 0.44	0.44	ug/L	01/09/02	SW846 8260
cis-1,2-Dichloroethene	< 0.46	0.46	ug/L	01/09/02	SW846 8260
cis-1,3-Dichloropropene	< 0.54	0.54	ug/L	01/09/02	SW846 8260
cis1,4-Dichloro-2-butene	< 0.66	0.66	ug/L	01/09/02	SW846 8260
Cyclohexanone	< 7.5	7.5	ug/L	01/09/02	SW846 8260
Dibromomethane	< 0.60	0.60	ug/L	01/09/02	SW846 8260
Dichlorodifluoromethane	< 0.61	0.61	ug/L	01/09/02	SW846 8260
Dichlorofluoromethane	< 0.45	0.45	ug/L	01/09/02	SW846 8260
Diethyl ether	< 0.54	0.54	ug/L	01/09/02	SW846 8260
Ethyl methacrylate	< 0.42	0.42	ug/L	01/09/02	SW846 8260
Ethylbenzene	< 0.50	0.50	ug/L	01/09/02	SW846 8260
Fluorotrichloromethane	< 0.47	0.47	ug/L	01/09/02	SW846 8260
Hexachlorobutadiene	< 0.49	0.49	ug/L	01/09/02	SW846 8260
Iodomethane	< 0.53	0.53	ug/L	01/09/02	SW846 8260
Isopropylbenzene	< 0.39	0.39	ug/L	01/09/02	SW846 8260
Methyl methacrylate	< 0.44	0.44	ug/L	01/09/02	SW846 8260
Methyl-tert-butyl-ether	< 0.44	0.44	ug/L	01/09/02	SW846 8260
Methylene chloride	< 0.38	0.38	ug/L	01/09/02	SW846 8260
n-Butylbenzene	< 0.39	0.39	ug/L	01/09/02	SW846 8260
N-Heptane	< 0.75	0.75	ug/L	01/09/02	SW846 8260
n-Propylbenzene	< 0.54	0.54	ug/L	01/09/02	SW846 8260
Naphthalene	< 0.59	0.59	ug/L	01/09/02	SW846 8260
p-Isopropyltoluene	< 0.51	0.51	ug/L	01/09/02	SW846 8260

- Analytical Report -

Project Name : SAM WINER MOTORS SITE

Project Number : G9009.E.0012004

Field ID : 2DWEW-973

Lab Sample Number : 920019-003

Lab Project Number : 920019

Submitter : TETRA TECH EM, INC

Report Date : 01/16/02

Collection Date : 01/03/02

Matrix Type : DRINKING WATER

WI DNR LAB ID : 113172950

s-Butylbenzene	< 0.58	0.58	ug/L	01/09/02	SW846 8260
Styrene	< 0.37	0.37	ug/L	01/09/02	SW846 8260
t-Butylbenzene	< 0.50	0.50	ug/L	01/09/02	SW846 8260
Tetrachloroethene	< 0.41	0.41	ug/L	01/09/02	SW846 8260
Tetrahydrofuran	< 4.1	4.1	ug/L	01/09/02	SW846 8260
Toluene	< 0.40	0.40	ug/L	01/09/02	SW846 8260
trans-1,2-Dichloroethene	< 0.64	0.64	ug/L	01/09/02	SW846 8260
trans-1,3-Dichloropropene	< 0.26	0.26	ug/L	01/09/02	SW846 8260
trans-1,4-Dichloro-2-butene	< 0.24	0.24	ug/L	01/09/02	SW846 8260
Trichloroethene	< 0.49	0.49	ug/L	01/09/02	SW846 8260
Vinyl acetate	< 0.70	0.70	ug/L	01/09/02	SW846 8260
Vinyl chloride	< 0.17	0.17	ug/L	01/09/02	SW846 8260
Xylene, o-	< 0.54	0.54	ug/L	01/09/02	SW846 8260
Xylenes, m-, p-	< 0.77	0.77	ug/L	01/09/02	SW846 8260

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-973
Lab Sample Number : 920019-003
Lab Project Number : 920019

Submitter : TETRA TECH EM, INC
Report Date : 01/17/02
Collection Date : 01/03/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Semivolatile Organic Results

SPECIAL SEMI-VOLATILE LIST Prep Method: SW846 3510 Prep Date: 01/07/02

Analyte	Result	MDL	Units	Code	Analysis Date	Analysis Method
1,2,4-Trichlorobenzene	< 0.43	0.43	ug/L		01/08/02	SW846 8270
1,2-Dichlorobenzene	< 0.52	0.52	ug/L		01/08/02	SW846 8270
1,2-Diphenylhydrazine	< 0.38	0.38	ug/L		01/08/02	SW846 8270
1,3-Dichlorobenzene	< 0.75	0.75	ug/L		01/08/02	SW846 8270
1,4-Dichlorobenzene	< 0.65	0.65	ug/L		01/08/02	SW846 8270
2,2'-oxybis(1-Chloropropane)	< 0.45	0.45	ug/L		01/08/02	SW846 8270
2,4,5-Trichlorophenol	< 0.66	0.66	ug/L		01/08/02	SW846 8270
2,4,6-Trichlorophenol	< 0.45	0.45	ug/L		01/08/02	SW846 8270
2,4-Dichlorophenol	< 0.45	0.45	ug/L		01/08/02	SW846 8270
2,4-Dimethylphenol	< 1.2	1.2	ug/L		01/08/02	SW846 8270
2,4-Dinitrophenol	< 2.7	2.7	ug/L		01/08/02	SW846 8270
2,4-Dinitrotoluene	< 0.37	0.37	ug/L		01/08/02	SW846 8270
2,6-Dinitrotoluene	< 0.63	0.63	ug/L		01/08/02	SW846 8270
2-Chloronaphthalene	< 0.58	0.58	ug/L		01/08/02	SW846 8270
2-Chlorophenol	< 0.49	0.49	ug/L		01/08/02	SW846 8270
2-Methylnaphthalene	< 0.31	0.31	ug/L		01/08/02	SW846 8270
2-Methylphenol	< 0.84	0.84	ug/L		01/08/02	SW846 8270
2-Nitroaniline	< 0.35	0.35	ug/L		01/08/02	SW846 8270
2-Nitrophenol	< 0.32	0.32	ug/L		01/08/02	SW846 8270
3,3-Dichlorobenzidine	< 3.8	3.8	ug/L		01/08/02	SW846 8270
3-Nitroaniline	< 0.35	0.35	ug/L		01/08/02	SW846 8270
4,6-Dinitro-2-methylphenol	< 0.74	0.74	ug/L		01/08/02	SW846 8270
4-Bromophenyl phenyl ether	< 0.45	0.45	ug/L		01/08/02	SW846 8270
4-Chloro-3-methylphenol	< 0.40	0.40	ug/L		01/08/02	SW846 8270
4-Chloroaniline	< 1.1	1.1	ug/L		01/08/02	SW846 8270
4-Chlorophenyl phenyl ether	< 0.37	0.37	ug/L		01/08/02	SW846 8270
4-Methylphenol	< 0.90	0.90	ug/L		01/08/02	SW846 8270
4-Nitroaniline	< 0.59	0.59	ug/L		01/08/02	SW846 8270
4-Nitrophenol	< 0.90	0.90	ug/L		01/08/02	SW846 8270
Acenaphthene	< 0.41	0.41	ug/L		01/08/02	SW846 8270
Acenaphthylene	< 0.33	0.33	ug/L		01/08/02	SW846 8270

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-973
Lab Sample Number : 920019-003
Lab Project Number : 920019

Submitter : TETRA TECH EM, INC
Report Date : 01/17/02
Collection Date : 01/03/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Aniline	< 1.7	1.7	ug/L	01/08/02	SW846 8270
Anthracene	< 0.75	0.75	ug/L	01/08/02	SW846 8270
Benzidine	< 1.3	1.3	ug/L	01/08/02	SW846 8270
Benzo(a)anthracene	< 0.29	0.29	ug/L	01/08/02	SW846 8270
Benzo(a)pyrene	< 0.83	0.83	ug/L	01/08/02	SW846 8270
Benzo(b)fluoranthene	< 0.66	0.66	ug/L	01/08/02	SW846 8270
Benzo(g,h,i)perylene	< 1.5	1.5	ug/L	01/08/02	SW846 8270
Benzo(k)fluoranthene	< 0.64	0.64	ug/L	01/08/02	SW846 8270
Benzoic acid	< 4.9	4.9	ug/L	01/08/02	SW846 8270
Benzyl alcohol	< 0.74	0.74	ug/L	01/08/02	SW846 8270
bis(2-Chloroethoxy)methane	< 0.42	0.42	ug/L	01/08/02	SW846 8270
bis(2-Chloroethyl)ether	< 0.65	0.65	ug/L	01/08/02	SW846 8270
bis(2-Ethylhexyl)phthalate	< 1.8	1.8	ug/L	01/08/02	SW846 8270
Butylbenzylphthalate	< 6.9	6.9	ug/L	01/08/02	SW846 8270
Chrysene	< 0.37	0.37	ug/L	01/08/02	SW846 8270
Di-n-butylphthalate	< 0.42	0.42	ug/L	01/08/02	SW846 8270
Di-n-octylphthalate	< 1.3	1.3	ug/L	01/08/02	SW846 8270
Dibenzo(a,h)anthracene	< 1.1	1.1	ug/L	01/08/02	SW846 8270
Dibenzofuran	< 0.44	0.44	ug/L	01/08/02	SW846 8270
Diethylphthalate	< 0.81	0.81	ug/L	01/08/02	SW846 8270
Dimethylphthalate	< 0.28	0.28	ug/L	01/08/02	SW846 8270
Fluoranthene	< 0.29	0.29	ug/L	01/08/02	SW846 8270
Fluorene	< 0.30	0.30	ug/L	01/08/02	SW846 8270
Hexachlorobenzene	< 0.54	0.54	ug/L	01/08/02	SW846 8270
Hexachlorobutadiene	< 0.83	0.83	ug/L	01/08/02	SW846 8270
Hexachlorocyclopentadiene	< 5.2	5.2	ug/L	01/08/02	SW846 8270
Hexachloroethane	< 0.88	0.88	ug/L	01/08/02	SW846 8270
Indeno(1,2,3-cd)pyrene	< 1.2	1.2	ug/L	01/08/02	SW846 8270
Isophorone	< 1.3	1.3	ug/L	01/08/02	SW846 8270
N-Nitroso-di-n-propylamine	< 0.71	0.71	ug/L	01/08/02	SW846 8270
N-Nitrosodimethylamine	< 3.3	3.3	ug/L	01/08/02	SW846 8270
N-Nitrosodiphenylamine	< 4.5	4.5	ug/L	01/08/02	SW846 8270
Naphthalene	< 0.46	0.46	ug/L	01/08/02	SW846 8270
Nitrobenzene	< 0.92	0.92	ug/L	01/08/02	SW846 8270
Pentachlorophenol	< 2.9	2.9	ug/L	01/08/02	SW846 8270

- Analytical Report -

Project Name : SAM WINER MOTORS SITE

Project Number : G9009.E.0012004

Field ID : 2DWEW-973

Lab Sample Number : 920019-003

Lab Project Number : 920019

Submitter : TETRA TECH EM, INC

Report Date : 01/17/02

Collection Date : 01/03/02

Matrix Type : DRINKING WATER

WI DNR LAB ID : 113172950

Phenanthrene	< 0.29	0.29	ug/L	01/08/02	SW846 8270
Phenol	< 0.36	0.36	ug/L	01/08/02	SW846 8270
Pyrene	< 0.37	0.37	ug/L	01/08/02	SW846 8270
Pyridine	< 3.3	3.3	ug/L	01/08/02	SW846 8270

- Analytical Report -

Project Name : SAM WIMER MOTORS SITE

Project Number : G9009.E.0012004

Field ID : 2DW-EW-973

Lab Sample Number : 920201-003

Lab Project Number : 920201

Submitter : TETRA TECH EM, INC

Report Date : 2/4/2002

Collection Date : 1/3/2002

Matrix Type : WATER

WI DNR LAB ID : 113172950

Semivolatile Organic Results

GC/MS SIM - SEMIVOLATILES Prep Method: SW846 3510C Prep Date: 1/7/2002

Analyte	Result	EQL	Units	Code	Analysis Date	Analysis Method
Benzo(a)pyrene	< 0.20	0.20	ug/L		1/29/2002	SW846 8270C

7001 0320 0001 9177 1597

U.S. Postal Service

CERTIFIED MAIL RECEIPT

(Domestic Mail Only; No insurance Coverage Provided)

[redacted]

AKRON OH 44312 OFFICIAL USE

Postage	$ $1.03
Certified Fee	$2.10
Return Receipt Fee (Endorsement Required)	$0.00
Restricted Delivery Fee (Endorsement Required)	$0.00
Total Postage & Fees	$ $3.13

0261 08 Postmark Here

03/15/2002

exemption 6-1 line

Sent To Mr. [redacted] Exemption 6-1 line

Street, Apt. No.; or PO Box No. [redacted]

City, State, ZIP+4 Akron, Ohio 44312

PS Form 3800, January 2001 See Reverse for Instructions

Tetra Tech EM Inc.

6801 Engle Road, Suite G ◆ Middleburg Heights, Ohio 44130 ◆ (440) 234-0886 ◆ FAX (440) 234-1725

March 14, 2002

Exemption 6 - 2 words

Ms. [redacted] Exemption 6 - 1 line

[redacted]

Akron, Ohio 44312

Dear Ms. [redacted] Exemption 6 - 2 words

Exemption 6 - 1 words

On January 3, 2002, U.S. EPA contractors from Tetra Tech EM Inc (Tetra Tech), sampled water from your residential drinking water well located at [redacted], Akron, Ohio. The water sample was sent to EnChem Laboratory in Madison, Wisconsin to be analyzed for volatile organic compounds (VOCs) and semi-volatile organic compounds (SVOCs). The enclosed data sheets report the results of that analysis. These results have been reviewed for accuracy by the laboratory as well as by a Quality Assurance Chemist for Tetra Tech. No VOCs or SVOCs were detected above the Method Detection Limits (MDLs) in the sample collected from your well. Additionally all MDLs were below the Maximum Contaminant Levels (MCLs) set by U.S. EPA for public drinking water supplies. Although MCLs were established for the regulation of public drinking water supplies, i.e. city water systems, U.S. EPA sometimes compares private well samples to the MCLs to verify the safety of the water from a private well.

A current copy of the National Primary Drinking Water Standards, which includes the MCLs, has been included with this letter for your information. Also, additional is available on the U.S. EPA web site, www.epa.gov/safewater.

If you have any questions, or would like to discuss your analytical results, please do not hesitate to call me at the following number 440-234-2521, extension 225. If I am unavailable, please leave a message and I will return your call as soon as possible.

Sincerely,

Anne A. Busher
Project Manager
Tetra Tech EMI
6801 Engle Road, Suite G
Middleburg Heights, Ohio 44130
(440) 234-2521 ext. 225
Fax (440) 234-1725

cc: Karla Auker, U.S. EPA On-Scene Coordinator

contains recycled fiber and is recyclable

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3553
Lab Sample Number : 920024-005
Lab Project Number : 920024

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/04/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Volatile Organic Results

SPECIAL VOLATILE LIST - WATER

Prep Method: SW846 5030

Prep Date:

Analyte	Result	MDL	Units	Code	Analysis Date	Analysis Method
1,1,1,2-Tetrachloroethane	< 0.49	0.49	ug/L		01/09/02	SW846 8260B
1,1,1-Trichloroethane	< 0.53	0.53	ug/L		01/09/02	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.68	0.68	ug/L		01/09/02	SW846 8260B
1,1,2-Trichloroethane	< 0.47	0.47	ug/L		01/09/02	SW846 8260B
1,1,2-Trichlorotrifluoroethane	< 0.79	0.79	ug/L		01/09/02	SW846 8260B
1,1-Dichloroethane	< 0.61	0.61	ug/L		01/09/02	SW846 8260B
1,1-Dichloroethene	< 0.47	0.47	ug/L		01/09/02	SW846 8260B
1,1-Dichloropropene	< 0.59	0.59	ug/L		01/09/02	SW846 8260B
1,2,3-Trichlorobenzene	< 0.57	0.57	ug/L		01/09/02	SW846 8260B
1,2,3-Trichloropropane	< 0.71	0.71	ug/L		01/09/02	SW846 8260B
1,2,4-Trichlorobenzene	< 0.36	0.36	ug/L		01/09/02	SW846 8260B
1,2,4-Trimethylbenzene	< 0.47	0.47	ug/L		01/09/02	SW846 8260B
1,2-Dibromo-3-chloropropane	< 1.2	1.2	ug/L		01/09/02	SW846 8260B
1,2-Dibromoethane	< 0.49	0.49	ug/L		01/09/02	SW846 8260B
1,2-Dichlorobenzene	< 0.36	0.36	ug/L		01/09/02	SW846 8260B
1,2-Dichloroethane	< 0.54	0.54	ug/L		01/09/02	SW846 8260B
1,2-Dichloropropane	< 0.34	0.34	ug/L		01/09/02	SW846 8260B
1,3,5-Trimethylbenzene	< 0.45	0.45	ug/L		01/09/02	SW846 8260B
1,3-Dichlorobenzene	< 0.64	0.64	ug/L		01/09/02	SW846 8260B
1,3-Dichloropropane	< 0.42	0.42	ug/L		01/09/02	SW846 8260B
1,4-Dichlorobenzene	< 0.43	0.43	ug/L		01/09/02	SW846 8260B
1-Chlorohexane	< 0.46	0.46	ug/L		01/09/02	SW846 8260B
2,2-Dichloropropane	< 0.41	0.41	ug/L		01/09/02	SW846 8260B
2-Butanone	< 1.2	1.2	ug/L		01/09/02	SW846 8260B
2-Chlorotoluene	< 0.65	0.65	ug/L		01/09/02	SW846 8260B
2-Hexanone	< 0.61	0.61	ug/L		01/09/02	SW846 8260B
4-Chlorotoluene	< 0.56	0.56	ug/L		01/09/02	SW846 8260B
4-Methyl-2-pentanone	< 0.61	0.61	ug/L		01/09/02	SW846 8260B
Acetone	< 3.1	3.1	ug/L		01/09/02	SW846 8260B
Acrolein	< 5.7	5.7	ug/L		01/09/02	SW846 8260B
Acrylonitrile	< 0.65	0.65	ug/L		01/09/02	SW846 8260B

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3553
Lab Sample Number : 920024-005
Lab Project Number : 920024

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/04/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Benzene	< 0.44	0.44	ug/L	01/09/02	SW846 8260B
Bromobenzene	< 0.46	0.46	ug/L	01/09/02	SW846 8260B
Bromochloromethane	< 0.21	0.21	ug/L	01/09/02	SW846 8260B
Bromodichloromethane	< 0.41	0.41	ug/L	01/09/02	SW846 8260B
Bromoform	< 0.58	0.58	ug/L	01/09/02	SW846 8260B
Bromomethane	< 0.94	0.94	ug/L	01/09/02	SW846 8260B
Carbon disulfide	< 0.40	0.40	ug/L	01/09/02	SW846 8260B
Carbon tetrachloride	< 0.90	0.90	ug/L	01/09/02	SW846 8260B
Chlorobenzene	< 0.43	0.43	ug/L	01/09/02	SW846 8260B
Chlorodibromomethane	< 0.43	0.43	ug/L	01/09/02	SW846 8260B
Chloroethane	< 0.63	0.63	ug/L	01/09/02	SW846 8260B
Chloroform	< 0.41	0.41	ug/L	01/09/02	SW846 8260B
Chloromethane	< 0.44	0.44	ug/L	01/09/02	SW846 8260B
cis-1,2-Dichloroethene	< 0.46	0.46	ug/L	01/09/02	SW846 8260B
cis-1,3-Dichloropropene	< 0.54	0.54	ug/L	01/09/02	SW846 8260B
cis1,4-Dichloro-2-butene	< 0.66	0.66	ug/L	01/09/02	SW846 8260B
Cyclohexanone	< 7.5	7.5	ug/L	01/09/02	SW846 8260B
Dibromomethane	< 0.60	0.60	ug/L	01/09/02	SW846 8260B
Dichlorodifluoromethane	< 0.61	0.61	ug/L	01/09/02	SW846 8260B
Dichlorofluoromethane	< 0.45	0.45	ug/L	01/09/02	SW846 8260B
Diethyl ether	< 0.54	0.54	ug/L	01/09/02	SW846 8260B
Ethyl methacrylate	< 0.42	0.42	ug/L	01/09/02	SW846 8260B
Ethylbenzene	< 0.50	0.50	ug/L	01/09/02	SW846 8260B
Fluorotrichloromethane	< 0.47	0.47	ug/L	01/09/02	SW846 8260B
Hexachlorobutadiene	< 0.49	0.49	ug/L	01/09/02	SW846 8260B
Iodomethane	< 0.53	0.53	ug/L	01/09/02	SW846 8260B
Isopropylbenzene	< 0.39	0.39	ug/L	01/09/02	SW846 8260B
Methyl methacrylate	< 0.44	0.44	ug/L	01/09/02	SW846 8260B
Methyl-tert-butyl-ether	< 0.44	0.44	ug/L	01/09/02	SW846 8260B
Methylene chloride	< 0.38	0.38	ug/L	01/09/02	SW846 8260B
n-Butylbenzene	< 0.39	0.39	ug/L	01/09/02	SW846 8260B
N-Heptane	< 0.75	0.75	ug/L	01/09/02	SW846 8260B
n-Propylbenzene	< 0.54	0.54	ug/L	01/09/02	SW846 8260B
Naphthalene	< 0.59	0.59	ug/L	01/09/02	SW846 8260B
p-Isopropyltoluene	< 0.51	0.51	ug/L	01/09/02	SW846 8260B

- Analytical Report -

Project Name : SAM WINER MOTORS SITE

Project Number : G9009.E.0012004

Field ID : 2DWEW-3553

Lab Sample Number : 920024-005

Lab Project Number : 920024

Submitter : TETRA TECH EM, INC

Report Date : 01/16/02

Collection Date : 01/04/02

Matrix Type : DRINKING WATER

WI DNR LAB ID : 113172950

s-Butylbenzene	< 0.58	0.58	ug/L	01/09/02	SW846 8260B
Styrene	< 0.37	0.37	ug/L	01/09/02	SW846 8260B
t-Butylbenzene	< 0.50	0.50	ug/L	01/09/02	SW846 8260B
Tetrachloroethene	< 0.41	0.41	ug/L	01/09/02	SW846 8260B
Tetrahydrofuran	< 4.1	4.1	ug/L	01/09/02	SW846 8260B
Toluene	< 0.40	0.40	ug/L	01/09/02	SW846 8260B
trans-1,2-Dichloroethene	< 0.64	0.64	ug/L	01/09/02	SW846 8260B
trans-1,3-Dichloropropene	< 0.26	0.26	ug/L	01/09/02	SW846 8260B
trans-1,4-Dichloro-2-butene	< 0.24	0.24	ug/L	01/09/02	SW846 8260B
Trichloroethene	< 0.49	0.49	ug/L	01/09/02	SW846 8260B
Vinyl acetate	< 0.70	0.70	ug/L	01/09/02	SW846 8260B
Vinyl chloride	< 0.17	0.17	ug/L	01/09/02	SW846 8260B
Xylene, o-	< 0.54	0.54	ug/L	01/09/02	SW846 8260B
Xylenes, m-, p-	< 0.77	0.77	ug/L	01/09/02	SW846 8260B

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3553
Lab Sample Number : 920024-005
Lab Project Number : 920024

Submitter : TETRA TECH EM. INC
Report Date : 01/17/02
Collection Date : 01/04/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Semivolatile Organic Results

SPECIAL SEMI-VOLATILE LIST Prep Method: SW846 3510 Prep Date: 01/07/02

Analyte	Result	MDL	Units	Code	Analysis Date	Analysis Method
1,2,4-Trichlorobenzene	< 0.43	0.43	ug/L		01/08/02	SW846 8270C
1,2-Dichlorobenzene	< 0.52	0.52	ug/L		01/08/02	SW846 8270C
1,2-Diphenylhydrazine	< 0.38	0.38	ug/L		01/08/02	SW846 8270C
1,3-Dichlorobenzene	< 0.75	0.75	ug/L		01/08/02	SW846 8270C
1,4-Dichlorobenzene	< 0.65	0.65	ug/L		01/08/02	SW846 8270C
2,2'-oxybis(1-Chloropropane)	< 0.45	0.45	ug/L		01/08/02	SW846 8270C
2,4,5-Trichlorophenol	< 0.66	0.66	ug/L		01/08/02	SW846 8270C
2,4,6-Trichlorophenol	< 0.45	0.45	ug/L		01/08/02	SW846 8270C
2,4-Dichlorophenol	< 0.45	0.45	ug/L		01/08/02	SW846 8270C
2,4-Dimethylphenol	< 1.2	1.2	ug/L		01/08/02	SW846 8270C
2,4-Dinitrophenol	< 2.7	2.7	ug/L		01/08/02	SW846 8270C
2,4-Dinitrotoluene	< 0.37	0.37	ug/L		01/08/02	SW846 8270C
2,6-Dinitrotoluene	< 0.63	0.63	ug/L		01/08/02	SW846 8270C
2-Chloronaphthalene	< 0.58	0.58	ug/L		01/08/02	SW846 8270C
2-Chlorophenol	< 0.49	0.49	ug/L		01/08/02	SW846 8270C
2-Methylnaphthalene	< 0.31	0.31	ug/L		01/08/02	SW846 8270C
2-Methylphenol	< 0.84	0.84	ug/L		01/08/02	SW846 8270C
2-Nitroaniline	< 0.35	0.35	ug/L		01/08/02	SW846 8270C
2-Nitrophenol	< 0.32	0.32	ug/L		01/08/02	SW846 8270C
3,3-Dichlorobenzidine	< 3.8	3.8	ug/L		01/08/02	SW846 8270C
3-Nitroaniline	< 0.35	0.35	ug/L		01/08/02	SW846 8270C
4,6-Dinitro-2-methylphenol	< 0.74	0.74	ug/L		01/08/02	SW846 8270C
4-Bromophenyl phenyl ether	< 0.45	0.45	ug/L		01/08/02	SW846 8270C
4-Chloro-3-methylphenol	< 0.40	0.40	ug/L		01/08/02	SW846 8270C
4-Chloroaniline	< 1.1	1.1	ug/L		01/08/02	SW846 8270C
4-Chlorophenyl phenyl ether	< 0.37	0.37	ug/L		01/08/02	SW846 8270C
4-Methylphenol	< 0.90	0.90	ug/L		01/08/02	SW846 8270C
4-Nitroaniline	< 0.59	0.59	ug/L		01/08/02	SW846 8270C
4-Nitrophenol	< 0.90	0.90	ug/L		01/08/02	SW846 8270C
Acenaphthene	< 0.41	0.41	ug/L		01/08/02	SW846 8270C
Acenaphthylene	< 0.33	0.33	ug/L		01/08/02	SW846 8270C

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3553
Lab Sample Number : 920024-005
Lab Project Number : 920024

Submitter : TETRA TECH EM, INC
Report Date : 01/17/02
Collection Date : 01/04/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Aniline	< 1.7	1.7	ug/L	01/08/02	SW846 8270C
Anthracene	< 0.75	0.75	ug/L	01/08/02	SW846 8270C
Benzidine	< 1.3	1.3	ug/L	01/08/02	SW846 8270C
Benzo(a)anthracene	< 0.29	0.29	ug/L	01/08/02	SW846 8270C
Benzo(a)pyrene	< 0.83	0.83	ug/L	01/08/02	SW846 8270C
Benzo(b)fluoranthene	< 0.66	0.66	ug/L	01/08/02	SW846 8270C
Benzo(g,h,i)perylene	< 1.5	1.5	ug/L	01/08/02	SW846 8270C
Benzo(k)fluoranthene	< 0.64	0.64	ug/L	01/08/02	SW846 8270C
Benzoic acid	< 4.9	4.9	ug/L	01/08/02	SW846 8270C
Benzyl alcohol	< 0.74	0.74	ug/L	01/08/02	SW846 8270C
bis(2-Chloroethoxy)methane	< 0.42	0.42	ug/L	01/08/02	SW846 8270C
bis(2-Chloroethyl)ether	< 0.65	0.65	ug/L	01/08/02	SW846 8270C
bis(2-Ethylhexyl)phthalate	< 1.8	1.8	ug/L	01/08/02	SW846 8270C
Butylbenzylphthalate	< 6.9	6.9	ug/L	01/08/02	SW846 8270C
Chrysene	< 0.37	0.37	ug/L	01/08/02	SW846 8270C
Di-n-butylphthalate	< 0.42	0.42	ug/L	01/08/02	SW846 8270C
Di-n-octylphthalate	< 1.3	1.3	ug/L	01/08/02	SW846 8270C
Dibenzo(a,h)anthracene	< 1.1	1.1	ug/L	01/08/02	SW846 8270C
Dibenzofuran	< 0.44	0.44	ug/L	01/08/02	SW846 8270C
Diethylphthalate	< 0.81	0.81	ug/L	01/08/02	SW846 8270C
Dimethylphthalate	< 0.28	0.28	ug/L	01/08/02	SW846 8270C
Fluoranthene	< 0.29	0.29	ug/L	01/08/02	SW846 8270C
Fluorene	< 0.30	0.30	ug/L	01/08/02	SW846 8270C
Hexachlorobenzene	< 0.54	0.54	ug/L	01/08/02	SW846 8270C
Hexachlorobutadiene	< 0.83	0.83	ug/L	01/08/02	SW846 8270C
Hexachlorocyclopentadiene	< 5.2	5.2	ug/L	01/08/02	SW846 8270C
Hexachloroethane	< 0.88	0.88	ug/L	01/08/02	SW846 8270C
Indeno(1,2,3-cd)pyrene	< 1.2	1.2	ug/L	01/08/02	SW846 8270C
Isophorone	< 1.3	1.3	ug/L	01/08/02	SW846 8270C
N-Nitroso-di-n-propylamine	< 0.71	0.71	ug/L	01/08/02	SW846 8270C
N-Nitrosodimethylamine	< 3.3	3.3	ug/L	01/08/02	SW846 8270C
N-Nitrosodiphenylamine	< 4.5	4.5	ug/L	01/08/02	SW846 8270C
Naphthalene	< 0.46	0.46	ug/L	01/08/02	SW846 8270C
Nitrobenzene	< 0.92	0.92	ug/L	01/08/02	SW846 8270C
Pentachlorophenol	< 2.9	2.9	ug/L	01/08/02	SW846 8270C

- Analytical Report -

Project Name : SAM WINER MOTORS SITE

Project Number : G9009.E.0012004

Field ID : 2DWEW-3553

Lab Sample Number : 920024-005

Lab Project Number : 920024

Submitter : TETRA TECH EM, INC

Report Date : 01/17/02

Collection Date : 01/04/02

Matrix Type : DRINKING WATER

WI DNR LAB ID : 113172950

Phenanthrene	< 0.29	0.29	ug/L	01/08/02	SW846 8270C
Phenol	< 0.36	0.36	ug/L	01/08/02	SW846 8270C
Pyrene	< 0.37	0.37	ug/L	01/08/02	SW846 8270C
Pyridine	< 3.3	3.3	ug/L	01/08/02	SW846 8270C

- Analytical Report -

Project Name : SAM WIMER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DW-EW-3553
Lab Sample Number : 920201-011
Lab Project Number : 920201

Submitter : TETRA TECH EM, INC
Report Date : 2/4/2002
Collection Date : 1/4/2002
Matrix Type : WATER
WI DNR LAB ID : 113172950

Semivolatile Organic Results

GC/MS SIM - SEMIVOLATILES Prep Method: SW846 3510C Prep Date: 1/7/2002

Analyte	Result	EQL	Units	Code	Analysis Date	Analysis Method
Benzo(a)pyrene	< 0.20	0.20	ug/L		1/29/2002	SW846 8270C

7001 0320 0001 9122 1603

U.S. Postal Service
CERTIFIED MAIL RECEIPT
(Domestic Mail Only, No Insurance Coverage Provided)

AKRON OH 44312 OFFICIAL USE

Postage	$ $1.03
Certified Fee	$2.10
Return Receipt Fee (Endorsement Required)	$0.00
Restricted Delivery Fee (Endorsement Required)	$0.00
Total Postage & Fees	$ $3.13

FAIRVIEW PARK BR CLEVELAND OH 44126 0261 08 MAR 2002 Postmark Here USPS 03/15/2002

Exemption 6 - 1 line

Sent To Mr [redacted] 6

Street, Apt. No.; or PO Box No. [redacted] Exemption 6 - 1 line

City, State, ZIP+4 Akron, Ohio 44312

PS Form 3800, January 2001 See Reverse for Instructions

Tetra Tech EM Inc.

6801 Engle Road, Suite G ◆ Middleburg Heights, Ohio 44130 ◆ (440) 234-0886 ◆ FAX (440) 234-1725

March 14, 2002

Exemption 6 - 2 words

Mr. And Mrs. [redacted]

[redacted] Exemption 6 - 1 line

Akron, Ohio 44312

Dear Mr. and Mrs. [redacted] Exemption 6 - 2 words

On January 3, 2002, U.S. EPA contractors from Tetra Tech EM Inc (Tetra Tech), sampled water from your residential drinking water well located at [redacted]. The water sample was sent to EnChem Laboratory in Madison, Wisconsin to be analyzed for volatile organic compounds (VOCs) and semi-volatile organic compounds (SVOCs). The enclosed data sheets report the results of that analysis. These results have been reviewed for accuracy by the laboratory as well as by a Quality Assurance Chemist for Tetra Tech. No VOCs or SVOCs were detected above the Method Detection Limits (MDLs) in the sample collected from your well. Additionally all MDLs were below the Maximum Contaminant Levels (MCLs) set by U.S. EPA for public drinking water supplies. Although MCLs were established for the regulation of public drinking water supplies, i.e. city water systems, U.S. EPA sometimes compares private well samples to the MCLs to verify the safety of the water from a private well.

Exemption 6 words

A current copy of the National Primary Drinking Water Standards, which includes the MCLs, has been included with this letter for your information. Also, additional is available on the U.S. EPA web site, www.epa.gov/safewater.

If you have any questions, or would like to discuss your analytical results, please do not hesitate to call me at the following number 440-234-2521, extension 225. If I am unavailable, please leave a message and I will return your call as soon as possible.

Sincerely,

Anne A. Busher
Project Manager
Tetra Tech EMI
6801 Engle Road, Suite G
Middleburg Heights, Ohio 44130
(440) 234-2521 ext. 225
Fax (440) 234-1725

cc: Karla Auker, U.S. EPA On-Scene Coordinator

contains recycled fiber and is recyclable

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3488
Lab Sample Number : 920024-001
Lab Project Number : 920024

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/04/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Volatile Organic Results

SPECIAL VOLATILE LIST - WATER Prep Method: SW846 5030 Prep Date:

Analyte	Result	MDL	Units	Code	Analysis Date	Analysis Method
1,1,1,2-Tetrachloroethane	< 0.49	0.49	ug/L		01/09/02	SW846 8260B
1,1,1-Trichloroethane	< 0.53	0.53	ug/L		01/09/02	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.68	0.68	ug/L		01/09/02	SW846 8260B
1,1,2-Trichloroethane	< 0.47	0.47	ug/L		01/09/02	SW846 8260B
1,1,2-Trichlorotrifluoroethane	< 0.79	0.79	ug/L		01/09/02	SW846 8260B
1,1-Dichloroethane	< 0.61	0.61	ug/L		01/09/02	SW846 8260B
1,1-Dichloroethene	< 0.47	0.47	ug/L		01/09/02	SW846 8260B
1,1-Dichloropropene	< 0.59	0.59	ug/L		01/09/02	SW846 8260B
1,2,3-Trichlorobenzene	< 0.57	0.57	ug/L		01/09/02	SW846 8260B
1,2,3-Trichloropropane	< 0.71	0.71	ug/L		01/09/02	SW846 8260B
1,2,4-Trichlorobenzene	< 0.36	0.36	ug/L		01/09/02	SW846 8260B
1,2,4-Trimethylbenzene	< 0.47	0.47	ug/L		01/09/02	SW846 8260B
1,2-Dibromo-3-chloropropane	< 1.2	1.2	ug/L		01/09/02	SW846 8260B
1,2-Dibromoethane	< 0.49	0.49	ug/L		01/09/02	SW846 8260B
1,2-Dichlorobenzene	< 0.36	0.36	ug/L		01/09/02	SW846 8260B
1,2-Dichloroethane	< 0.54	0.54	ug/L		01/09/02	SW846 8260B
1,2-Dichloropropane	< 0.34	0.34	ug/L		01/09/02	SW846 8260B
1,3,5-Trimethylbenzene	< 0.45	0.45	ug/L		01/09/02	SW846 8260B
1,3-Dichlorobenzene	< 0.64	0.64	ug/L		01/09/02	SW846 8260B
1,3-Dichloropropane	< 0.42	0.42	ug/L		01/09/02	SW846 8260B
1,4-Dichlorobenzene	< 0.43	0.43	ug/L		01/09/02	SW846 8260B
1-Chlorohexane	< 0.46	0.46	ug/L		01/09/02	SW846 8260B
2,2-Dichloropropane	< 0.41	0.41	ug/L		01/09/02	SW846 8260B
2-Butanone	< 1.2	1.2	ug/L		01/09/02	SW846 8260B
2-Chlorotoluene	< 0.65	0.65	ug/L		01/09/02	SW846 8260B
2-Hexanone	< 0.61	0.61	ug/L		01/09/02	SW846 8260B
4-Chlorotoluene	< 0.56	0.56	ug/L		01/09/02	SW846 8260B
4-Methyl-2-pentanone	< 0.61	0.61	ug/L		01/09/02	SW846 8260B
Acetone	< 3.1	3.1	ug/L		01/09/02	SW846 8260B
Acrolein	< 5.7	5.7	ug/L		01/09/02	SW846 8260B
Acrylonitrile	< 0.65	0.65	ug/L		01/09/02	SW846 8260B

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3488
Lab Sample Number : 920024-001
Lab Project Number : 920024

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/04/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Benzene	< 0.44	0.44	ug/L	01/09/02	SW846 8260B
Bromobenzene	< 0.46	0.46	ug/L	01/09/02	SW846 8260B
Bromochloromethane	< 0.21	0.21	ug/L	01/09/02	SW846 8260B
Bromodichloromethane	< 0.41	0.41	ug/L	01/09/02	SW846 8260B
Bromoform	< 0.58	0.58	ug/L	01/09/02	SW846 8260B
Bromomethane	< 0.94	0.94	ug/L	01/09/02	SW846 8260B
Carbon disulfide	< 0.40	0.40	ug/L	01/09/02	SW846 8260B
Carbon tetrachloride	< 0.90	0.90	ug/L	01/09/02	SW846 8260B
Chlorobenzene	< 0.43	0.43	ug/L	01/09/02	SW846 8260B
Chlorodibromomethane	< 0.43	0.43	ug/L	01/09/02	SW846 8260B
Chloroethane	< 0.63	0.63	ug/L	01/09/02	SW846 8260B
Chloroform	< 0.41	0.41	ug/L	01/09/02	SW846 8260B
Chloromethane	< 0.44	0.44	ug/L	01/09/02	SW846 8260B
cis-1,2-Dichloroethene	< 0.46	0.46	ug/L	01/09/02	SW846 8260B
cis-1,3-Dichloropropene	< 0.54	0.54	ug/L	01/09/02	SW846 8260B
cis1,4-Dichloro-2-butene	< 0.66	0.66	ug/L	01/09/02	SW846 8260B
Cyclohexanone	< 7.5	7.5	ug/L	01/09/02	SW846 8260B
Dibromomethane	< 0.60	0.60	ug/L	01/09/02	SW846 8260B
Dichlorodifluoromethane	< 0.61	0.61	ug/L	01/09/02	SW846 8260B
Dichlorofluoromethane	< 0.45	0.45	ug/L	01/09/02	SW846 8260B
Diethyl ether	< 0.54	0.54	ug/L	01/09/02	SW846 8260B
Ethyl methacrylate	< 0.42	0.42	ug/L	01/09/02	SW846 8260B
Ethylbenzene	< 0.50	0.50	ug/L	01/09/02	SW846 8260B
Fluorotrichloromethane	< 0.47	0.47	ug/L	01/09/02	SW846 8260B
Hexachlorobutadiene	< 0.49	0.49	ug/L	01/09/02	SW846 8260B
Iodomethane	< 0.53	0.53	ug/L	01/09/02	SW846 8260B
Isopropylbenzene	< 0.39	0.39	ug/L	01/09/02	SW846 8260B
Methyl methacrylate	< 0.44	0.44	ug/L	01/09/02	SW846 8260B
Methyl-tert-butyl-ether	< 0.44	0.44	ug/L	01/09/02	SW846 8260B
Methylene chloride	< 0.38	0.38	ug/L	01/09/02	SW846 8260B
n-Butylbenzene	< 0.39	0.39	ug/L	01/09/02	SW846 8260B
N-Heptane	< 0.75	0.75	ug/L	01/09/02	SW846 8260B
n-Propylbenzene	< 0.54	0.54	ug/L	01/09/02	SW846 8260B
Naphthalene	< 0.59	0.59	ug/L	01/09/02	SW846 8260B
p-Isopropyltoluene	< 0.51	0.51	ug/L	01/09/02	SW846 8260B

- Analytical Report -

Project Name : SAM WINER MOTORS SITE

Project Number : G9009.E.0012004

Field ID : 2DWEW-3488

Lab Sample Number : 920024-001

Lab Project Number : 920024

Submitter : TETRA TECH EM, INC

Report Date : 01/16/02

Collection Date : 01/04/02

Matrix Type : DRINKING WATER

WI DNR LAB ID : 113172950

s-Butylbenzene	< 0.58	0.58	ug/L	01/09/02	SW846 8260B
Styrene	< 0.37	0.37	ug/L	01/09/02	SW846 8260B
t-Butylbenzene	< 0.50	0.50	ug/L	01/09/02	SW846 8260B
Tetrachloroethene	< 0.41	0.41	ug/L	01/09/02	SW846 8260B
Tetrahydrofuran	< 4.1	4.1	ug/L	01/09/02	SW846 8260B
Toluene	< 0.40	0.40	ug/L	01/09/02	SW846 8260B
trans-1,2-Dichloroethene	< 0.64	0.64	ug/L	01/09/02	SW846 8260B
trans-1,3-Dichloropropene	< 0.26	0.26	ug/L	01/09/02	SW846 8260B
trans-1,4-Dichloro-2-butene	< 0.24	0.24	ug/L	01/09/02	SW846 8260B
Trichloroethene	< 0.49	0.49	ug/L	01/09/02	SW846 8260B
Vinyl acetate	< 0.70	0.70	ug/L	01/09/02	SW846 8260B
Vinyl chloride	< 0.17	0.17	ug/L	01/09/02	SW846 8260B
Xylene, o-	< 0.54	0.54	ug/L	01/09/02	SW846 8260B
Xylenes, m-, p-	< 0.77	0.77	ug/L	01/09/02	SW846 8260B

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3488
Lab Sample Number : 920024-001
Lab Project Number : 920024

Submitter : TETRA TECH EM, INC
Report Date : 01/17/02
Collection Date : 01/04/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Semivolatile Organic Results

SPECIAL SEMI-VOLATILE LIST Prep Method: SW846 3510 Prep Date: 01/07/02

Analyte	Result	MDL	Units	Code	Analysis Date	Analysis Method
1,2,4-Trichlorobenzene	< 0.44	0.44	ug/L		01/08/02	SW846 8270C
1,2-Dichlorobenzene	< 0.52	0.52	ug/L		01/08/02	SW846 8270C
1,2-Diphenylhydrazine	< 0.38	0.38	ug/L		01/08/02	SW846 8270C
1,3-Dichlorobenzene	< 0.76	0.76	ug/L		01/08/02	SW846 8270C
1,4-Dichlorobenzene	< 0.65	0.65	ug/L		01/08/02	SW846 8270C
2,2'-oxybis(1-Chloropropane)	< 0.46	0.46	ug/L		01/08/02	SW846 8270C
2,4,5-Trichlorophenol	< 0.67	0.67	ug/L		01/08/02	SW846 8270C
2,4,6-Trichlorophenol	< 0.46	0.46	ug/L		01/08/02	SW846 8270C
2,4-Dichlorophenol	< 0.45	0.45	ug/L		01/08/02	SW846 8270C
2,4-Dimethylphenol	< 1.2	1.2	ug/L		01/08/02	SW846 8270C
2,4-Dinitrophenol	< 2.7	2.7	ug/L		01/08/02	SW846 8270C
2,4-Dinitrotoluene	< 0.37	0.37	ug/L		01/08/02	SW846 8270C
2,6-Dinitrotoluene	< 0.63	0.63	ug/L		01/08/02	SW846 8270C
2-Chloronaphthalene	< 0.59	0.59	ug/L		01/08/02	SW846 8270C
2-Chlorophenol	< 0.49	0.49	ug/L		01/08/02	SW846 8270C
2-Methylnaphthalene	< 0.32	0.32	ug/L		01/08/02	SW846 8270C
2-Methylphenol	< 0.84	0.84	ug/L		01/08/02	SW846 8270C
2-Nitroaniline	< 0.36	0.36	ug/L		01/08/02	SW846 8270C
2-Nitrophenol	< 0.32	0.32	ug/L		01/08/02	SW846 8270C
3,3-Dichlorobenzidine	< 3.8	3.8	ug/L		01/08/02	SW846 8270C
3-Nitroaniline	< 0.36	0.36	ug/L		01/08/02	SW846 8270C
4,6-Dinitro-2-methylphenol	< 0.75	0.75	ug/L		01/08/02	SW846 8270C
4-Bromophenyl phenyl ether	< 0.45	0.45	ug/L		01/08/02	SW846 8270C
4-Chloro-3-methylphenol	< 0.40	0.40	ug/L		01/08/02	SW846 8270C
4-Chloroaniline	< 1.1	1.1	ug/L		01/08/02	SW846 8270C
4-Chlorophenyl phenyl ether	< 0.38	0.38	ug/L		01/08/02	SW846 8270C
4-Methylphenol	< 0.90	0.90	ug/L		01/08/02	SW846 8270C
4-Nitroaniline	< 0.59	0.59	ug/L		01/08/02	SW846 8270C
4-Nitrophenol	< 0.91	0.91	ug/L		01/08/02	SW846 8270C
Acenaphthene	< 0.42	0.42	ug/L		01/08/02	SW846 8270C
Acenaphthylene	< 0.33	0.33	ug/L		01/08/02	SW846 8270C

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3488
Lab Sample Number : 920024-001
Lab Project Number : 920024

Submitter : TETRA TECH EM, INC
Report Date : 01/17/02
Collection Date : 01/04/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Aniline	< 1.7	1.7	ug/L	01/08/02	SW846 8270C
Anthracene	< 0.75	0.75	ug/L	01/08/02	SW846 8270C
Benzidine	< 1.3	1.3	ug/L	01/08/02	SW846 8270C
Benzo(a)anthracene	< 0.30	0.30	ug/L	01/08/02	SW846 8270C
Benzo(a)pyrene	< 0.84	0.84	ug/L	01/08/02	SW846 8270C
Benzo(b)fluoranthene	< 0.67	0.67	ug/L	01/08/02	SW846 8270C
Benzo(g,h,i)perylene	< 1.5	1.5	ug/L	01/08/02	SW846 8270C
Benzo(k)fluoranthene	< 0.65	0.65	ug/L	01/08/02	SW846 8270C
Benzoic acid	< 5.0	5.0	ug/L	01/08/02	SW846 8270C
Benzyl alcohol	< 0.75	0.75	ug/L	01/08/02	SW846 8270C
bis(2-Chloroethoxy)methane	< 0.42	0.42	ug/L	01/08/02	SW846 8270C
bis(2-Chloroethyl)ether	< 0.65	0.65	ug/L	01/08/02	SW846 8270C
bis(2-Ethylhexyl)phthalate	< 1.8	1.8	ug/L	01/08/02	SW846 8270C
Butylbenzylphthalate	< 6.9	6.9	ug/L	01/08/02	SW846 8270C
Chrysene	< 0.37	0.37	ug/L	01/08/02	SW846 8270C
Di-n-butylphthalate	< 0.42	0.42	ug/L	01/08/02	SW846 8270C
Di-n-octylphthalate	< 1.3	1.3	ug/L	01/08/02	SW846 8270C
Dibenzo(a,h)anthracene	< 1.1	1.1	ug/L	01/08/02	SW846 8270C
Dibenzofuran	< 0.44	0.44	ug/L	01/08/02	SW846 8270C
Diethylphthalate	< 0.82	0.82	ug/L	01/08/02	SW846 8270C
Dimethylphthalate	< 0.29	0.29	ug/L	01/08/02	SW846 8270C
Fluoranthene	< 0.29	0.29	ug/L	01/08/02	SW846 8270C
Fluorene	< 0.30	0.30	ug/L	01/08/02	SW846 8270C
Hexachlorobenzene	< 0.55	0.55	ug/L	01/08/02	SW846 8270C
Hexachlorobutadiene	< 0.84	0.84	ug/L	01/08/02	SW846 8270C
Hexachlorocyclopentadiene	< 5.3	5.3	ug/L	01/08/02	SW846 8270C
Hexachloroethane	< 0.89	0.89	ug/L	01/08/02	SW846 8270C
Indeno(1,2,3-cd)pyrene	< 1.2	1.2	ug/L	01/08/02	SW846 8270C
Isophorone	< 1.3	1.3	ug/L	01/08/02	SW846 8270C
N-Nitroso-di-n-propylamine	< 0.72	0.72	ug/L	01/08/02	SW846 8270C
N-Nitrosodimethylamine	< 3.4	3.4	ug/L	01/08/02	SW846 8270C
N-Nitrosodiphenylamine	< 4.6	4.6	ug/L	01/08/02	SW846 8270C
Naphthalene	< 0.47	0.47	ug/L	01/08/02	SW846 8270C
Nitrobenzene	< 0.93	0.93	ug/L	01/08/02	SW846 8270C
Pentachlorophenol	< 2.9	2.9	ug/L	01/08/02	SW846 8270C

- Analytical Report -

Project Name : SAM WINER MOTORS SITE

Project Number : G9009.E.0012004

Field ID : 2DWEW-3488

Lab Sample Number : 920024-001

Lab Project Number : 920024

Submitter : TETRA TECH EM, INC

Report Date : 01/17/02

Collection Date : 01/04/02

Matrix Type : DRINKING WATER

WI DNR LAB ID : 113172950

Phenanthrene	< 0.30	0.30	ug/L	01/08/02	SW846 8270C
Phenol	< 0.37	0.37	ug/L	01/08/02	SW846 8270C
Pyrene	< 0.37	0.37	ug/L	01/08/02	SW846 8270C
Pyridine	< 3.3	3.3	ug/L	01/08/02	SW846 8270C

- Analytical Report -

Project Name : SAM WIMER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DW-EW-3488
Lab Sample Number : 920201-007
Lab Project Number : 920201

Submitter : TETRA TECH EM, INC
Report Date : 2/4/2002
Collection Date : 1/4/2002
Matrix Type : WATER
WI DNR LAB ID : 113172950

Semivolatile Organic Results

GC/MS SIM - SEMIVOLATILES Prep Method: SW846 3510C Prep Date: 1/7/2002

Analyte	Result	EQL	Units	Code	Analysis Date	Analysis Method
Benzo(a)pyrene	< 0.20	0.20	ug/L		1/29/2002	SW846 8270C

U.S. Postal Service
CERTIFIED MAIL RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

7001 0320 0001 9177 1610

OFFICIAL USE

AKRON OH 44311

Postage	$ $1.03
Certified Fee	$2.10
Return Receipt Fee (Endorsement Required)	$0.00
Restricted Delivery Fee (Endorsement Required)	$0.00
Total Postage & Fees	$ $3.13

Postmark Here
0261 08
MAR 15 2002
USPS
03/15/2002

Exemption 6 - 1 line

Sent To Mr. [redacted]

Street, Apt. No.; or PO Box No. [redacted] Exemption 6 - 1 line

City, State, ZIP+4 Akron, Ohio 44312

PS Form 3800, January 2001 See Reverse for Instructions

Tetra Tech EM Inc.

6801 Engle Road, Suite G ◆ Middleburg Heights, Ohio 44130 ◆ (440) 234-0886 ◆ FAX (440) 234-1725

March 14, 2002

Exemption 6 -
Ms. [redacted]
[redacted] Exemption 6 - 1 line
Akron, Ohio 44312

Dear Ms. [redacted] Exemption 6 - 1 word

Exemption 6 - 1 words

On January 3, 2002, U.S. EPA contractors from Tetra Tech EM Inc (Tetra Tech), sampled water from your residential drinking water well located at [redacted]. The water sample was sent to EnChem Laboratory in Madison, Wisconsin to be analyzed for volatile organic compounds (VOCs) and semi-volatile organic compounds (SVOCs). The enclosed data sheets report the results of that analysis. These results have been reviewed for accuracy by the laboratory as well as by a Quality Assurance Chemist for Tetra Tech. No VOCs or SVOCs were detected above the Method Detection Limits (MDLs) in the sample collected from your well. Additionally all MDLs were below the Maximum Contaminant Levels (MCLs) set by U.S. EPA for public drinking water supplies. Although MCLs were established for the regulation of public drinking water supplies, i.e. city water systems, U.S. EPA sometimes compares private well samples to the MCLs to verify the safety of the water from a private well.

A current copy of the National Primary Drinking Water Standards, which includes the MCLs, has been included with this letter for your information. Also, additional is available on the U.S. EPA web site, www.epa.gov/safewater.

If you have any questions, or would like to discuss your analytical results, please do not hesitate to call me at the following number 440-234-2521, extension 225. If I am unavailable, please leave a message and I will return your call as soon as possible.

Sincerely,

Anne A. Busher
Project Manager
Tetra Tech EMI
6801 Engle Road, Suite G
Middleburg Heights, Ohio 44130
(440) 234-2521 ext. 225
Fax (440) 234-1725

cc: Karla Auker, U.S. EPA On-Scene Coordinator

contains recycled fiber and is recyclable

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3539
Lab Sample Number : 920019-004
Lab Project Number : 920019

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/03/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Volatile Organic Results

SPECIAL VOLATILE LIST - WATER

Prep Method: SW846 5030

Prep Date:

Analyte	Result	MDL	Units	Code	Analysis Date	Analysis Method
1,1,1,2-Tetrachloroethane	< 0.49	0.49	ug/L		01/09/02	SW846 8260
1,1,1-Trichloroethane	< 0.53	0.53	ug/L		01/09/02	SW846 8260
1,1,2,2-Tetrachloroethane	< 0.68	0.68	ug/L		01/09/02	SW846 8260
1,1,2-Trichloroethane	< 0.47	0.47	ug/L		01/09/02	SW846 8260
1,1,2-Trichlorotrifluoroethane	< 0.79	0.79	ug/L		01/09/02	SW846 8260
1,1-Dichloroethane	< 0.61	0.61	ug/L		01/09/02	SW846 8260
1,1-Dichloroethene	< 0.47	0.47	ug/L		01/09/02	SW846 8260
1,1-Dichloropropene	< 0.59	0.59	ug/L		01/09/02	SW846 8260
1,2,3-Trichlorobenzene	< 0.57	0.57	ug/L		01/09/02	SW846 8260
1,2,3-Trichloropropane	< 0.71	0.71	ug/L		01/09/02	SW846 8260
1,2,4-Trichlorobenzene	< 0.36	0.36	ug/L		01/09/02	SW846 8260
1,2,4-Trimethylbenzene	< 0.47	0.47	ug/L		01/09/02	SW846 8260
1,2-Dibromo-3-chloropropane	< 1.2	1.2	ug/L		01/09/02	SW846 8260
1,2-Dibromoethane	< 0.49	0.49	ug/L		01/09/02	SW846 8260
1,2-Dichlorobenzene	< 0.36	0.36	ug/L		01/09/02	SW846 8260
1,2-Dichloroethane	< 0.54	0.54	ug/L		01/09/02	SW846 8260
1,2-Dichloropropane	< 0.34	0.34	ug/L		01/09/02	SW846 8260
1,3,5-Trimethylbenzene	< 0.45	0.45	ug/L		01/09/02	SW846 8260
1,3-Dichlorobenzene	< 0.64	0.64	ug/L		01/09/02	SW846 8260
1,3-Dichloropropane	< 0.42	0.42	ug/L		01/09/02	SW846 8260
1,4-Dichlorobenzene	< 0.43	0.43	ug/L		01/09/02	SW846 8260
1-Chlorohexane	< 0.46	0.46	ug/L		01/09/02	SW846 8260
2,2-Dichloropropane	< 0.41	0.41	ug/L		01/09/02	SW846 8260
2-Butanone	< 1.2	1.2	ug/L		01/09/02	SW846 8260
2-Chlorotoluene	< 0.65	0.65	ug/L		01/09/02	SW846 8260
2-Hexanone	< 0.61	0.61	ug/L		01/09/02	SW846 8260
4-Chlorotoluene	< 0.56	0.56	ug/L		01/09/02	SW846 8260
4-Methyl-2-pentanone	< 0.61	0.61	ug/L		01/09/02	SW846 8260
Acetone	< 3.1	3.1	ug/L		01/09/02	SW846 8260
Acrolein	< 5.7	5.7	ug/L		01/09/02	SW846 8260
Acrylonitrile	< 0.65	0.65	ug/L		01/09/02	SW846 8260

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3539
Lab Sample Number : 920019-004
Lab Project Number : 920019

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/03/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Benzene	< 0.44	0.44	ug/L	01/09/02	SW846 8260
Bromobenzene	< 0.46	0.46	ug/L	01/09/02	SW846 8260
Bromochloromethane	< 0.21	0.21	ug/L	01/09/02	SW846 8260
Bromodichloromethane	< 0.41	0.41	ug/L	01/09/02	SW846 8260
Bromoform	< 0.58	0.58	ug/L	01/09/02	SW846 8260
Bromomethane	< 0.94	0.94	ug/L	01/09/02	SW846 8260
Carbon disulfide	< 0.40	0.40	ug/L	01/09/02	SW846 8260
Carbon tetrachloride	< 0.90	0.90	ug/L	01/09/02	SW846 8260
Chlorobenzene	< 0.43	0.43	ug/L	01/09/02	SW846 8260
Chlorodibromomethane	< 0.43	0.43	ug/L	01/09/02	SW846 8260
Chloroethane	< 0.63	0.63	ug/L	01/09/02	SW846 8260
Chloroform	< 0.41	0.41	ug/L	01/09/02	SW846 8260
Chloromethane	< 0.44	0.44	ug/L	01/09/02	SW846 8260
cis-1,2-Dichloroethene	< 0.46	0.46	ug/L	01/09/02	SW846 8260
cis-1,3-Dichloropropene	< 0.54	0.54	ug/L	01/09/02	SW846 8260
cis1,4-Dichloro-2-butene	< 0.66	0.66	ug/L	01/09/02	SW846 8260
Cyclohexanone	< 7.5	7.5	ug/L	01/09/02	SW846 8260
Dibromomethane	< 0.60	0.60	ug/L	01/09/02	SW846 8260
Dichlorodifluoromethane	< 0.61	0.61	ug/L	01/09/02	SW846 8260
Dichlorofluoromethane	< 0.45	0.45	ug/L	01/09/02	SW846 8260
Diethyl ether	< 0.54	0.54	ug/L	01/09/02	SW846 8260
Ethyl methacrylate	< 0.42	0.42	ug/L	01/09/02	SW846 8260
Ethylbenzene	< 0.50	0.50	ug/L	01/09/02	SW846 8260
Fluorotrichloromethane	< 0.47	0.47	ug/L	01/09/02	SW846 8260
Hexachlorobutadiene	< 0.49	0.49	ug/L	01/09/02	SW846 8260
Iodomethane	< 0.53	0.53	ug/L	01/09/02	SW846 8260
Isopropylbenzene	< 0.39	0.39	ug/L	01/09/02	SW846 8260
Methyl methacrylate	< 0.44	0.44	ug/L	01/09/02	SW846 8260
Methyl-tert-butyl-ether	< 0.44	0.44	ug/L	01/09/02	SW846 8260
Methylene chloride	< 0.38	0.38	ug/L	01/09/02	SW846 8260
n-Butylbenzene	< 0.39	0.39	ug/L	01/09/02	SW846 8260
N-Heptane	< 0.75	0.75	ug/L	01/09/02	SW846 8260
n-Propylbenzene	< 0.54	0.54	ug/L	01/09/02	SW846 8260
Naphthalene	< 0.59	0.59	ug/L	01/09/02	SW846 8260
p-Isopropyltoluene	< 0.51	0.51	ug/L	01/09/02	SW846 8260

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3539
Lab Sample Number : 920019-004
Lab Project Number : 920019

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/03/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

s-Butylbenzene	< 0.58	0.58	ug/L	01/09/02	SW846 8260
Styrene	< 0.37	0.37	ug/L	01/09/02	SW846 8260
t-Butylbenzene	< 0.50	0.50	ug/L	01/09/02	SW846 8260
Tetrachloroethene	< 0.41	0.41	ug/L	01/09/02	SW846 8260
Tetrahydrofuran	< 4.1	4.1	ug/L	01/09/02	SW846 8260
Toluene	< 0.40	0.40	ug/L	01/09/02	SW846 8260
trans-1,2-Dichloroethene	< 0.64	0.64	ug/L	01/09/02	SW846 8260
trans-1,3-Dichloropropene	< 0.26	0.26	ug/L	01/09/02	SW846 8260
trans-1,4-Dichloro-2-butene	< 0.24	0.24	ug/L	01/09/02	SW846 8260
Trichloroethene	< 0.49	0.49	ug/L	01/09/02	SW846 8260
Vinyl acetate	< 0.70	0.70	ug/L	01/09/02	SW846 8260
Vinyl chloride	< 0.17	0.17	ug/L	01/09/02	SW846 8260
Xylene, o-	< 0.54	0.54	ug/L	01/09/02	SW846 8260
Xylenes, m-, p-	< 0.77	0.77	ug/L	01/09/02	SW846 8260

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3539
Lab Sample Number : 920019-004
Lab Project Number : 920019

Submitter : TETRA TECH EM, INC
Report Date : 01/17/02
Collection Date : 01/03/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Semivolatile Organic Results

SPECIAL SEMI-VOLATILE LIST Prep Method: SW846 3510 Prep Date: 01/07/02

Analyte	Result	MDL	Units	Code	Analysis Date	Analysis Method
1,2,4-Trichlorobenzene	< 0.43	0.43	ug/L		01/08/02	SW846 8270
1,2-Dichlorobenzene	< 0.52	0.52	ug/L		01/08/02	SW846 8270
1,2-Diphenylhydrazine	< 0.38	0.38	ug/L		01/08/02	SW846 8270
1,3-Dichlorobenzene	< 0.75	0.75	ug/L		01/08/02	SW846 8270
1,4-Dichlorobenzene	< 0.65	0.65	ug/L		01/08/02	SW846 8270
2,2'-oxybis(1-Chloropropane)	< 0.45	0.45	ug/L		01/08/02	SW846 8270
2,4,5-Trichlorophenol	< 0.66	0.66	ug/L		01/08/02	SW846 8270
2,4,6-Trichlorophenol	< 0.45	0.45	ug/L		01/08/02	SW846 8270
2,4-Dichlorophenol	< 0.45	0.45	ug/L		01/08/02	SW846 8270
2,4-Dimethylphenol	< 1.2	1.2	ug/L		01/08/02	SW846 8270
2,4-Dinitrophenol	< 2.7	2.7	ug/L		01/08/02	SW846 8270
2,4-Dinitrotoluene	< 0.37	0.37	ug/L		01/08/02	SW846 8270
2,6-Dinitrotoluene	< 0.63	0.63	ug/L		01/08/02	SW846 8270
2-Chloronaphthalene	< 0.58	0.58	ug/L		01/08/02	SW846 8270
2-Chlorophenol	< 0.49	0.49	ug/L		01/08/02	SW846 8270
2-Methylnaphthalene	< 0.31	0.31	ug/L		01/08/02	SW846 8270
2-Methylphenol	< 0.84	0.84	ug/L		01/08/02	SW846 8270
2-Nitroaniline	< 0.35	0.35	ug/L		01/08/02	SW846 8270
2-Nitrophenol	< 0.32	0.32	ug/L		01/08/02	SW846 8270
3,3-Dichlorobenzidine	< 3.8	3.8	ug/L		01/08/02	SW846 8270
3-Nitroaniline	< 0.35	0.35	ug/L		01/08/02	SW846 8270
4,6-Dinitro-2-methylphenol	< 0.74	0.74	ug/L		01/08/02	SW846 8270
4-Bromophenyl phenyl ether	< 0.45	0.45	ug/L		01/08/02	SW846 8270
4-Chloro-3-methylphenol	< 0.40	0.40	ug/L		01/08/02	SW846 8270
4-Chloroaniline	< 1.1	1.1	ug/L		01/08/02	SW846 8270
4-Chlorophenyl phenyl ether	< 0.37	0.37	ug/L		01/08/02	SW846 8270
4-Methylphenol	< 0.90	0.90	ug/L		01/08/02	SW846 8270
4-Nitroaniline	< 0.59	0.59	ug/L		01/08/02	SW846 8270
4-Nitrophenol	< 0.90	0.90	ug/L		01/08/02	SW846 8270
Acenaphthene	< 0.41	0.41	ug/L		01/08/02	SW846 8270
Acenaphthylene	< 0.33	0.33	ug/L		01/08/02	SW846 8270

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3539
Lab Sample Number : 920019-004
Lab Project Number : 920019

Submitter : TETRA TECH EM, INC
Report Date : 01/17/02
Collection Date : 01/03/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Aniline	< 1.7	1.7	ug/L	01/08/02	SW846 8270
Anthracene	< 0.75	0.75	ug/L	01/08/02	SW846 8270
Benzidine	< 1.3	1.3	ug/L	01/08/02	SW846 8270
Benzo(a)anthracene	< 0.29	0.29	ug/L	01/08/02	SW846 8270
Benzo(a)pyrene	< 0.83	0.83	ug/L	01/08/02	SW846 8270
Benzo(b)fluoranthene	< 0.66	0.66	ug/L	01/08/02	SW846 8270
Benzo(g,h,i)perylene	< 1.5	1.5	ug/L	01/08/02	SW846 8270
Benzo(k)fluoranthene	< 0.64	0.64	ug/L	01/08/02	SW846 8270
Benzoic acid	< 4.9	4.9	ug/L	01/08/02	SW846 8270
Benzyl alcohol	< 0.74	0.74	ug/L	01/08/02	SW846 8270
bis(2-Chloroethoxy)methane	< 0.42	0.42	ug/L	01/08/02	SW846 8270
bis(2-Chloroethyl)ether	< 0.65	0.65	ug/L	01/08/02	SW846 8270
bis(2-Ethylhexyl)phthalate	< 1.8	1.8	ug/L	01/08/02	SW846 8270
Butylbenzylphthalate	< 6.9	6.9	ug/L	01/08/02	SW846 8270
Chrysene	< 0.37	0.37	ug/L	01/08/02	SW846 8270
Di-n-butylphthalate	< 0.42	0.42	ug/L	01/08/02	SW846 8270
Di-n-octylphthalate	< 1.3	1.3	ug/L	01/08/02	SW846 8270
Dibenzo(a,h)anthracene	< 1.1	1.1	ug/L	01/08/02	SW846 8270
Dibenzofuran	< 0.44	0.44	ug/L	01/08/02	SW846 8270
Diethylphthalate	< 0.81	0.81	ug/L	01/08/02	SW846 8270
Dimethylphthalate	< 0.28	0.28	ug/L	01/08/02	SW846 8270
Fluoranthene	< 0.29	0.29	ug/L	01/08/02	SW846 8270
Fluorene	< 0.30	0.30	ug/L	01/08/02	SW846 8270
Hexachlorobenzene	< 0.54	0.54	ug/L	01/08/02	SW846 8270
Hexachlorobutadiene	< 0.83	0.83	ug/L	01/08/02	SW846 8270
Hexachlorocyclopentadiene	< 5.2	5.2	ug/L	01/08/02	SW846 8270
Hexachloroethane	< 0.88	0.88	ug/L	01/08/02	SW846 8270
Indeno(1,2,3-cd)pyrene	< 1.2	1.2	ug/L	01/08/02	SW846 8270
Isophorone	< 1.3	1.3	ug/L	01/08/02	SW846 8270
N-Nitroso-di-n-propylamine	< 0.71	0.71	ug/L	01/08/02	SW846 8270
N-Nitrosodimethylamine	< 3.3	3.3	ug/L	01/08/02	SW846 8270
N-Nitrosodiphenylamine	< 4.5	4.5	ug/L	01/08/02	SW846 8270
Naphthalene	< 0.46	0.46	ug/L	01/08/02	SW846 8270
Nitrobenzene	< 0.92	0.92	ug/L	01/08/02	SW846 8270
Pentachlorophenol	< 2.9	2.9	ug/L	01/08/02	SW846 8270

- Analytical Report -

Project Name : SAM WINER MOTORS SITE

Project Number : G9009.E.0012004

Field ID : 2DWEW-3539

Lab Sample Number : 920019-004

Lab Project Number : 920019

Submitter : TETRA TECH EM, INC

Report Date : 01/17/02

Collection Date : 01/03/02

Matrix Type : DRINKING WATER

WI DNR LAB ID : 113172950

Phenanthrene	< 0.29	0.29	ug/L	01/08/02	SW846 8270
Phenol	< 0.36	0.36	ug/L	01/08/02	SW846 8270
Pyrene	< 0.37	0.37	ug/L	01/08/02	SW846 8270
Pyridine	< 3.3	3.3	ug/L	01/08/02	SW846 8270

- Analytical Report -

Project Name : SAM WIMER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DW-EW-3539
Lab Sample Number : 920201-004
Lab Project Number : 920201

Submitter : TETRA TECH EM, INC
Report Date : 2/4/2002
Collection Date : 1/3/2002
Matrix Type : WATER
WI DNR LAB ID : 113172950

Semivolatile Organic Results

GC/MS SIM - SEMIVOLATILES Prep Method: SW846 3510C Prep Date: 1/7/2002

Analyte	Result	EQL	Units	Code	Analysis Date	Analysis Method
Benzo(a)pyrene	< 0.20	0.20	ug/L		1/29/2002	SW846 8270C

U.S. Postal Service

CERTIFIED MAIL RECEIPT

(Domestic Mail Only; No Insurance Coverage Provided)

7001 0320 0001 9177 1627

AKRON OH 44312 OFFICIAL USE

Postage	$ $1.03
Certified Fee	$2.10
Return Receipt Fee (Endorsement Required)	$0.00
Restricted Delivery Fee (Endorsement Required)	$0.00
Total Postage & Fees	$ $3.13

FAIRVIEW PARK BR 44126 0261 08 MAR 2002 Postage fee USPS

03/15/2002

Exemption 6-1 line

Sent To Ms. [redacted]

Street, Apt. No.; or PO Box No. [redacted] Exemption 6-1 line

City, State, ZIP+4 Akron, Ohio 44312

PS Form 3800, January 2001 See Reverse for Instructions

Tetra Tech EM Inc.

6801 Engle Road, Suite G ◆ Middleburg Heights, Ohio 44130 ◆ (440) 234-0886 ◆ FAX (440) 234-1725

March 14, 2002

Exemption 6 - 2 words

Mr. And Mrs. [redacted]

[redacted] Exemption 6 - 1 line

Akron, Ohio 44312

Exemption 6 - 2 words

Dear Mr. and Mrs. [redacted]

emption 6 words

On January 3, 2002, U.S. EPA contractors from Tetra Tech EM Inc (Tetra Tech), sampled water from your residential drinking water well located at [redacted]. The water sample was sent to EnChem Laboratory in Madison, Wisconsin to be analyzed for volatile organic compounds (VOCs) and semi-volatile organic compounds (SVOCs). The enclosed data sheets report the results of that analysis. These results have been reviewed for accuracy by the laboratory as well as by a Quality Assurance Chemist for Tetra Tech. No VOCs or SVOCs were detected above the Method Detection Limits (MDLs) in the sample collected from your well. Additionally all MDLs were below the Maximum Contaminant Levels (MCLs) set by U.S. EPA for public drinking water supplies. Although MCLs were established for the regulation of public drinking water supplies, i.e. city water systems, U.S. EPA sometimes compares private well samples to the MCLs to verify the safety of the water from a private well.

A current copy of the National Primary Drinking Water Standards, which includes the MCLs, has been included with this letter for your information. Also, additional is available on the U.S. EPA web site, www.epa.gov/safewater.

If you have any questions, or would like to discuss your analytical results, please do not hesitate to call me at the following number 440-234-2521, extension 225. If I am unavailable, please leave a message and I will return your call as soon as possible.

Sincerely,

Anne A. Busher
Project Manager
Tetra Tech EMI
6801 Engle Road, Suite G
Middleburg Heights, Ohio 44130
(440) 234-2521 ext. 225
Fax (440) 234-1725

cc: Karla Auker, U.S. EPA On-Scene Coordinator

contains recycled fiber and is recyclable

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3531
Lab Sample Number : 920019-001
Lab Project Number : 920019

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/03/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Volatile Organic Results

SPECIAL VOLATILE LIST - WATER Prep Method: SW846 5030 Prep Date:

Analyte	Result	MDL	Units	Code	Analysis Date	Analysis Method
1,1,1,2-Tetrachloroethane	< 0.49	0.49	ug/L		01/09/02	SW846 8260
1,1,1-Trichloroethane	< 0.53	0.53	ug/L		01/09/02	SW846 8260
1,1,2,2-Tetrachloroethane	< 0.68	0.68	ug/L		01/09/02	SW846 8260
1,1,2-Trichloroethane	< 0.47	0.47	ug/L		01/09/02	SW846 8260
1,1,2-Trichlorotrifluoroethane	< 0.79	0.79	ug/L		01/09/02	SW846 8260
1,1-Dichloroethane	< 0.61	0.61	ug/L		01/09/02	SW846 8260
1,1-Dichloroethene	< 0.47	0.47	ug/L		01/09/02	SW846 8260
1,1-Dichloropropene	< 0.59	0.59	ug/L		01/09/02	SW846 8260
1,2,3-Trichlorobenzene	< 0.57	0.57	ug/L		01/09/02	SW846 8260
1,2,3-Trichloropropane	< 0.71	0.71	ug/L		01/09/02	SW846 8260
1,2,4-Trichlorobenzene	< 0.36	0.36	ug/L		01/09/02	SW846 8260
1,2,4-Trimethylbenzene	< 0.47	0.47	ug/L		01/09/02	SW846 8260
1,2-Dibromo-3-chloropropane	< 1.2	1.2	ug/L		01/09/02	SW846 8260
1,2-Dibromoethane	< 0.49	0.49	ug/L		01/09/02	SW846 8260
1,2-Dichlorobenzene	< 0.36	0.36	ug/L		01/09/02	SW846 8260
1,2-Dichloroethane	< 0.54	0.54	ug/L		01/09/02	SW846 8260
1,2-Dichloropropane	< 0.34	0.34	ug/L		01/09/02	SW846 8260
1,3,5-Trimethylbenzene	< 0.45	0.45	ug/L		01/09/02	SW846 8260
1,3-Dichlorobenzene	< 0.64	0.64	ug/L		01/09/02	SW846 8260
1,3-Dichloropropane	< 0.42	0.42	ug/L		01/09/02	SW846 8260
1,4-Dichlorobenzene	< 0.43	0.43	ug/L		01/09/02	SW846 8260
1-Chlorohexane	< 0.46	0.46	ug/L		01/09/02	SW846 8260
2,2-Dichloropropane	< 0.41	0.41	ug/L		01/09/02	SW846 8260
2-Butanone	< 1.2	1.2	ug/L		01/09/02	SW846 8260
2-Chlorotoluene	< 0.65	0.65	ug/L		01/09/02	SW846 8260
2-Hexanone	< 0.61	0.61	ug/L		01/09/02	SW846 8260
4-Chlorotoluene	< 0.56	0.56	ug/L		01/09/02	SW846 8260
4-Methyl-2-pentanone	< 0.61	0.61	ug/L		01/09/02	SW846 8260
Acetone	< 3.1	3.1	ug/L		01/09/02	SW846 8260
Acrolein	< 5.7	5.7	ug/L		01/09/02	SW846 8260
Acrylonitrile	< 0.65	0.65	ug/L		01/09/02	SW846 8260

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3531
Lab Sample Number : 920019-001
Lab Project Number : 920019

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/03/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Benzene	< 0.44	0.44	ug/L	01/09/02	SW846 8260
Bromobenzene	< 0.46	0.46	ug/L	01/09/02	SW846 8260
Bromochloromethane	< 0.21	0.21	ug/L	01/09/02	SW846 8260
Bromodichloromethane	< 0.41	0.41	ug/L	01/09/02	SW846 8260
Bromoform	< 0.58	0.58	ug/L	01/09/02	SW846 8260
Bromomethane	< 0.94	0.94	ug/L	01/09/02	SW846 8260
Carbon disulfide	< 0.40	0.40	ug/L	01/09/02	SW846 8260
Carbon tetrachloride	< 0.90	0.90	ug/L	01/09/02	SW846 8260
Chlorobenzene	< 0.43	0.43	ug/L	01/09/02	SW846 8260
Chlorodibromomethane	< 0.43	0.43	ug/L	01/09/02	SW846 8260
Chloroethane	< 0.63	0.63	ug/L	01/09/02	SW846 8260
Chloroform	< 0.41	0.41	ug/L	01/09/02	SW846 8260
Chloromethane	< 0.44	0.44	ug/L	01/09/02	SW846 8260
cis-1,2-Dichloroethene	< 0.46	0.46	ug/L	01/09/02	SW846 8260
cis-1,3-Dichloropropene	< 0.54	0.54	ug/L	01/09/02	SW846 8260
cis1,4-Dichloro-2-butene	< 0.66	0.66	ug/L	01/09/02	SW846 8260
Cyclohexanone	< 7.5	7.5	ug/L	01/09/02	SW846 8260
Dibromomethane	< 0.60	0.60	ug/L	01/09/02	SW846 8260
Dichlorodifluoromethane	< 0.61	0.61	ug/L	01/09/02	SW846 8260
Dichlorofluoromethane	< 0.45	0.45	ug/L	01/09/02	SW846 8260
Diethyl ether	< 0.54	0.54	ug/L	01/09/02	SW846 8260
Ethyl methacrylate	< 0.42	0.42	ug/L	01/09/02	SW846 8260
Ethylbenzene	< 0.50	0.50	ug/L	01/09/02	SW846 8260
Fluorotrichloromethane	< 0.47	0.47	ug/L	01/09/02	SW846 8260
Hexachlorobutadiene	< 0.49	0.49	ug/L	01/09/02	SW846 8260
Iodomethane	< 0.53	0.53	ug/L	01/09/02	SW846 8260
Isopropylbenzene	< 0.39	0.39	ug/L	01/09/02	SW846 8260
Methyl methacrylate	< 0.44	0.44	ug/L	01/09/02	SW846 8260
Methyl-tert-butyl-ether	< 0.44	0.44	ug/L	01/09/02	SW846 8260
Methylene chloride	< 0.38	0.38	ug/L	01/09/02	SW846 8260
n-Butylbenzene	< 0.39	0.39	ug/L	01/09/02	SW846 8260
N-Heptane	< 0.75	0.75	ug/L	01/09/02	SW846 8260
n-Propylbenzene	< 0.54	0.54	ug/L	01/09/02	SW846 8260
Naphthalene	< 0.59	0.59	ug/L	01/09/02	SW846 8260
p-Isopropyltoluene	< 0.51	0.51	ug/L	01/09/02	SW846 8260

- Analytical Report -

Project Name : SAM WINER MOTORS SITE

Project Number : G9009.E.0012004

Field ID : 2DWEW-3531

Lab Sample Number : 920019-001

Lab Project Number : 920019

Submitter : TETRA TECH EM, INC

Report Date : 01/16/02

Collection Date : 01/03/02

Matrix Type : DRINKING WATER

WI DNR LAB ID : 113172950

s-Butylbenzene	< 0.58	0.58	ug/L	01/09/02	SW846 8260
Styrene	< 0.37	0.37	ug/L	01/09/02	SW846 8260
t-Butylbenzene	< 0.50	0.50	ug/L	01/09/02	SW846 8260
Tetrachloroethene	< 0.41	0.41	ug/L	01/09/02	SW846 8260
Tetrahydrofuran	< 4.1	4.1	ug/L	01/09/02	SW846 8260
Toluene	< 0.40	0.40	ug/L	01/09/02	SW846 8260
trans-1,2-Dichloroethene	< 0.64	0.64	ug/L	01/09/02	SW846 8260
trans-1,3-Dichloropropene	< 0.26	0.26	ug/L	01/09/02	SW846 8260
trans-1,4-Dichloro-2-butene	< 0.24	0.24	ug/L	01/09/02	SW846 8260
Trichloroethene	< 0.49	0.49	ug/L	01/09/02	SW846 8260
Vinyl acetate	< 0.70	0.70	ug/L	01/09/02	SW846 8260
Vinyl chloride	< 0.17	0.17	ug/L	01/09/02	SW846 8260
Xylene, o-	< 0.54	0.54	ug/L	01/09/02	SW846 8260
Xylenes, m-, p-	< 0.77	0.77	ug/L	01/09/02	SW846 8260

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3531
Lab Sample Number : 920019-001
Lab Project Number : 920019

Submitter : TETRA TECH EM, INC
Report Date : 01/17/02
Collection Date : 01/03/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Semivolatile Organic Results

SPECIAL SEMI-VOLATILE LIST Prep Method: SW846 3510 Prep Date: 01/07/02

Analyte	Result	MDL	Units	Code	Analysis Date	Analysis Method
1,2,4-Trichlorobenzene	< 0.43	0.43	ug/L		01/08/02	SW846 8270
1,2-Dichlorobenzene	< 0.52	0.52	ug/L		01/08/02	SW846 8270
1,2-Diphenylhydrazine	< 0.38	0.38	ug/L		01/08/02	SW846 8270
1,3-Dichlorobenzene	< 0.75	0.75	ug/L		01/08/02	SW846 8270
1,4-Dichlorobenzene	< 0.65	0.65	ug/L		01/08/02	SW846 8270
2,2'-oxybis(1-Chloropropane)	< 0.45	0.45	ug/L		01/08/02	SW846 8270
2,4,5-Trichlorophenol	< 0.66	0.66	ug/L		01/08/02	SW846 8270
2,4,6-Trichlorophenol	< 0.45	0.45	ug/L		01/08/02	SW846 8270
2,4-Dichlorophenol	< 0.45	0.45	ug/L		01/08/02	SW846 8270
2,4-Dimethylphenol	< 1.2	1.2	ug/L		01/08/02	SW846 8270
2,4-Dinitrophenol	< 2.7	2.7	ug/L		01/08/02	SW846 8270
2,4-Dinitrotoluene	< 0.37	0.37	ug/L		01/08/02	SW846 8270
2,6-Dinitrotoluene	< 0.63	0.63	ug/L		01/08/02	SW846 8270
2-Chloronaphthalene	< 0.58	0.58	ug/L		01/08/02	SW846 8270
2-Chlorophenol	< 0.49	0.49	ug/L		01/08/02	SW846 8270
2-Methylnaphthalene	< 0.31	0.31	ug/L		01/08/02	SW846 8270
2-Methylphenol	< 0.84	0.84	ug/L		01/08/02	SW846 8270
2-Nitroaniline	< 0.35	0.35	ug/L		01/08/02	SW846 8270
2-Nitrophenol	< 0.32	0.32	ug/L		01/08/02	SW846 8270
3,3-Dichlorobenzidine	< 3.8	3.8	ug/L		01/08/02	SW846 8270
3-Nitroaniline	< 0.35	0.35	ug/L		01/08/02	SW846 8270
4,6-Dinitro-2-methylphenol	< 0.74	0.74	ug/L		01/08/02	SW846 8270
4-Bromophenyl phenyl ether	< 0.45	0.45	ug/L		01/08/02	SW846 8270
4-Chloro-3-methylphenol	< 0.40	0.40	ug/L		01/08/02	SW846 8270
4-Chloroaniline	< 1.1	1.1	ug/L		01/08/02	SW846 8270
4-Chlorophenyl phenyl ether	< 0.37	0.37	ug/L		01/08/02	SW846 8270
4-Methylphenol	< 0.90	0.90	ug/L		01/08/02	SW846 8270
4-Nitroaniline	< 0.59	0.59	ug/L		01/08/02	SW846 8270
4-Nitrophenol	< 0.90	0.90	ug/L		01/08/02	SW846 8270
Acenaphthene	< 0.41	0.41	ug/L		01/08/02	SW846 8270
Acenaphthylene	< 0.33	0.33	ug/L		01/08/02	SW846 8270

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3531
Lab Sample Number : 920019-001
Lab Project Number : 920019

Submitter : TETRA TECH EM, INC
Report Date : 01/17/02
Collection Date : 01/03/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Aniline	< 1.7	1.7	ug/L	01/08/02	SW846 8270
Anthracene	< 0.75	0.75	ug/L	01/08/02	SW846 8270
Benzidine	< 1.3	1.3	ug/L	01/08/02	SW846 8270
Benzo(a)anthracene	< 0.29	0.29	ug/L	01/08/02	SW846 8270
Benzo(a)pyrene	< 0.83	0.83	ug/L	01/08/02	SW846 8270
Benzo(b)fluoranthene	< 0.66	0.66	ug/L	01/08/02	SW846 8270
Benzo(g,h,i)perylene	< 1.5	1.5	ug/L	01/08/02	SW846 8270
Benzo(k)fluoranthene	< 0.64	0.64	ug/L	01/08/02	SW846 8270
Benzoic acid	< 4.9	4.9	ug/L	01/08/02	SW846 8270
Benzyl alcohol	< 0.74	0.74	ug/L	01/08/02	SW846 8270
bis(2-Chloroethoxy)methane	< 0.42	0.42	ug/L	01/08/02	SW846 8270
bis(2-Chloroethyl)ether	< 0.65	0.65	ug/L	01/08/02	SW846 8270
bis(2-Ethylhexyl)phthalate	< 1.8	1.8	ug/L	01/08/02	SW846 8270
Butylbenzylphthalate	< 6.9	6.9	ug/L	01/08/02	SW846 8270
Chrysene	< 0.37	0.37	ug/L	01/08/02	SW846 8270
Di-n-butylphthalate	< 0.42	0.42	ug/L	01/08/02	SW846 8270
Di-n-octylphthalate	< 1.3	1.3	ug/L	01/08/02	SW846 8270
Dibenzo(a,h)anthracene	< 1.1	1.1	ug/L	01/08/02	SW846 8270
Dibenzofuran	< 0.44	0.44	ug/L	01/08/02	SW846 8270
Diethylphthalate	< 0.81	0.81	ug/L	01/08/02	SW846 8270
Dimethylphthalate	< 0.28	0.28	ug/L	01/08/02	SW846 8270
Fluoranthene	< 0.29	0.29	ug/L	01/08/02	SW846 8270
Fluorene	< 0.30	0.30	ug/L	01/08/02	SW846 8270
Hexachlorobenzene	< 0.54	0.54	ug/L	01/08/02	SW846 8270
Hexachlorobutadiene	< 0.83	0.83	ug/L	01/08/02	SW846 8270
Hexachlorocyclopentadiene	< 5.2	5.2	ug/L	01/08/02	SW846 8270
Hexachloroethane	< 0.88	0.88	ug/L	01/08/02	SW846 8270
Indeno(1,2,3-cd)pyrene	< 1.2	1.2	ug/L	01/08/02	SW846 8270
Isophorone	< 1.3	1.3	ug/L	01/08/02	SW846 8270
N-Nitroso-di-n-propylamine	< 0.71	0.71	ug/L	01/08/02	SW846 8270
N-Nitrosodimethylamine	< 3.3	3.3	ug/L	01/08/02	SW846 8270
N-Nitrosodiphenylamine	< 4.5	4.5	ug/L	01/08/02	SW846 8270
Naphthalene	< 0.46	0.46	ug/L	01/08/02	SW846 8270
Nitrobenzene	< 0.92	0.92	ug/L	01/08/02	SW846 8270
Pentachlorophenol	< 2.9	2.9	ug/L	01/08/02	SW846 8270

- Analytical Report -

Project Name : SAM WINER MOTORS SITE

Project Number : G9009.E.0012004

Field ID : 2DWEW-3531

Lab Sample Number : 920019-001

Lab Project Number : 920019

Submitter : TETRA TECH EM, INC

Report Date : 01/17/02

Collection Date : 01/03/02

Matrix Type : DRINKING WATER

WI DNR LAB ID : 113172950

Phenanthrene	< 0.29	0.29	ug/L	01/08/02	SW846 8270
Phenol	< 0.36	0.36	ug/L	01/08/02	SW846 8270
Pyrene	< 0.37	0.37	ug/L	01/08/02	SW846 8270
Pyridine	< 3.3	3.3	ug/L	01/08/02	SW846 8270

- Analytical Report -

Project Name : SAM WIMER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DW-EW-3531
Lab Sample Number : 920201-001
Lab Project Number : 920201

Submitter : TETRA TECH EM, INC
Report Date : 2/4/2002
Collection Date : 1/3/2002
Matrix Type : WATER
WI DNR LAB ID : 113172950

Semivolatile Organic Results

GC/MS SIM - SEMIVOLATILES Prep Method: SW846 3510C Prep Date: 1/7/2002

Analyte	Result	EQL	Units	Code	Analysis Date	Analysis Method
Benzo(a)pyrene	< 0.20	0.20	ug/L		1/29/2002	SW846 8270C

U.S. Postal Service

CERTIFIED MAIL RECEIPT

(Domestic Mail Only; No Insurance Coverage Provided)

AKRON OH 44312 OFFICIAL USE

Postage	$ $1.03
Certified Fee	$2.10
Return Receipt Fee (Endorsement Required)	$0.00
Restricted Delivery Fee (Endorsement Required)	$0.00
Total Postage & Fees	$ $3.13

Postmark Here

03/15/2002

Sent To Mr. [redacted] Exemption 6 - 1 line

Street, Apt. No.; or PO Box No. [redacted] Exemption 6 - 1 line

City, State, ZIP+4 Akron Ohio 44312

PS Form 3800, January 2001 See Reverse for Instructions

7001 0320 0001 9172 1641

Tetra Tech EM Inc.

6801 Engle Road, Suite G ◆ Middleburg Heights, Ohio 44130 ◆ (440) 234-0886 ◆ FAX (440) 234-1725

March 14, 2002

Exemption 6 - 2 words

Mr. and Mrs. [redacted]

[redacted] Exemption 6 - 1 line

Uniontown, Ohio 44685

Dear Mr. and Mrs. [redacted] Exemption 6 - 2 words

On January 3, 2002, U.S. EPA contractors from Tetra Tech EM Inc (Tetra Tech), sampled water
emption 6 - from your residential drinking water well located at [redacted], Akron, Ohio. The
+ words water sample was sent to EnChem Laboratory in Madison, Wisconsin to be analyzed for volatile organic compounds (VOCs) and semi-volatile organic compounds (SVOCs). The enclosed data sheets report the results of that analysis. These results have been reviewed for accuracy by the laboratory as well as by a Quality Assurance Chemist for Tetra Tech. No VOCs or SVOCs were detected above the Method Detection Limits (MDLs) in the sample collected from your well. Additionally all MDLs were below the Maximum Contaminant Levels (MCLs) set by U.S. EPA for public drinking water supplies. Although MCLs were established for the regulation of public drinking water supplies, i.e. city water systems, U.S. EPA sometimes compares private well samples to the MCLs to verify the safety of the water from a private well.

A current copy of the National Primary Drinking Water Standards, which includes the MCLs, has been included with this letter for your information. Also, additional is available on the U.S. EPA web site, www.epa.gov/safewater.

If you have any questions, or would like to discuss your analytical results, please do not hesitate to call me at the following number 440-234-2521, extension 225. If I am unavailable, please leave a message and I will return your call as soon as possible.

Sincerely,

Anne A. Busher

Anne A. Busher
Project Manager
Tetra Tech EMI
6801 Engle Road, Suite G
Middleburg Heights, Ohio 44130
(440) 234-2521 ext. 225
Fax (440) 234-1725

cc: Karla Auker, U.S. EPA On-Scene Coordinator

contains recycled fiber and is recyclable

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3626
Lab Sample Number : 920024-004
Lab Project Number : 920024

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/04/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Volatile Organic Results

SPECIAL VOLATILE LIST - WATER

Prep Method: SW846 5030

Prep Date:

Analyte	Result	MDL	Units	Code	Analysis Date	Analysis Method
1,1,1,2-Tetrachloroethane	< 0.49	0.49	ug/L		01/09/02	SW846 8260B
1,1,1-Trichloroethane	< 0.53	0.53	ug/L		01/09/02	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.68	0.68	ug/L		01/09/02	SW846 8260B
1,1,2-Trichloroethane	< 0.47	0.47	ug/L		01/09/02	SW846 8260B
1,1,2-Trichlorotrifluoroethane	< 0.79	0.79	ug/L		01/09/02	SW846 8260B
1,1-Dichloroethane	< 0.61	0.61	ug/L		01/09/02	SW846 8260B
1,1-Dichloroethene	< 0.47	0.47	ug/L		01/09/02	SW846 8260B
1,1-Dichloropropene	< 0.59	0.59	ug/L		01/09/02	SW846 8260B
1,2,3-Trichlorobenzene	< 0.57	0.57	ug/L		01/09/02	SW846 8260B
1,2,3-Trichloropropane	< 0.71	0.71	ug/L		01/09/02	SW846 8260B
1,2,4-Trichlorobenzene	< 0.36	0.36	ug/L		01/09/02	SW846 8260B
1,2,4-Trimethylbenzene	< 0.47	0.47	ug/L		01/09/02	SW846 8260B
1,2-Dibromo-3-chloropropane	< 1.2	1.2	ug/L		01/09/02	SW846 8260B
1,2-Dibromoethane	< 0.49	0.49	ug/L		01/09/02	SW846 8260B
1,2-Dichlorobenzene	< 0.36	0.36	ug/L		01/09/02	SW846 8260B
1,2-Dichloroethane	< 0.54	0.54	ug/L		01/09/02	SW846 8260B
1,2-Dichloropropane	< 0.34	0.34	ug/L		01/09/02	SW846 8260B
1,3,5-Trimethylbenzene	< 0.45	0.45	ug/L		01/09/02	SW846 8260B
1,3-Dichlorobenzene	< 0.64	0.64	ug/L		01/09/02	SW846 8260B
1,3-Dichloropropane	< 0.42	0.42	ug/L		01/09/02	SW846 8260B
1,4-Dichlorobenzene	< 0.43	0.43	ug/L		01/09/02	SW846 8260B
1-Chlorohexane	< 0.46	0.46	ug/L		01/09/02	SW846 8260B
2,2-Dichloropropane	< 0.41	0.41	ug/L		01/09/02	SW846 8260B
2-Butanone	< 1.2	1.2	ug/L		01/09/02	SW846 8260B
2-Chlorotoluene	< 0.65	0.65	ug/L		01/09/02	SW846 8260B
2-Hexanone	< 0.61	0.61	ug/L		01/09/02	SW846 8260B
4-Chlorotoluene	< 0.56	0.56	ug/L		01/09/02	SW846 8260B
4-Methyl-2-pentanone	< 0.61	0.61	ug/L		01/09/02	SW846 8260B
Acetone	< 3.1	3.1	ug/L		01/09/02	SW846 8260B
Acrolein	< 5.7	5.7	ug/L		01/09/02	SW846 8260B
Acrylonitrile	< 0.65	0.65	ug/L		01/09/02	SW846 8260B

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3626
Lab Sample Number : 920024-004
Lab Project Number : 920024

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/04/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Benzene	< 0.44	0.44	ug/L	01/09/02	SW846 8260B
Bromobenzene	< 0.46	0.46	ug/L	01/09/02	SW846 8260B
Bromochloromethane	< 0.21	0.21	ug/L	01/09/02	SW846 8260B
Bromodichloromethane	< 0.41	0.41	ug/L	01/09/02	SW846 8260B
Bromoform	< 0.58	0.58	ug/L	01/09/02	SW846 8260B
Bromomethane	< 0.94	0.94	ug/L	01/09/02	SW846 8260B
Carbon disulfide	< 0.40	0.40	ug/L	01/09/02	SW846 8260B
Carbon tetrachloride	< 0.90	0.90	ug/L	01/09/02	SW846 8260B
Chlorobenzene	< 0.43	0.43	ug/L	01/09/02	SW846 8260B
Chlorodibromomethane	< 0.43	0.43	ug/L	01/09/02	SW846 8260B
Chloroethane	< 0.63	0.63	ug/L	01/09/02	SW846 8260B
Chloroform	< 0.41	0.41	ug/L	01/09/02	SW846 8260B
Chloromethane	< 0.44	0.44	ug/L	01/09/02	SW846 8260B
cis-1,2-Dichloroethene	< 0.46	0.46	ug/L	01/09/02	SW846 8260B
cis-1,3-Dichloropropene	< 0.54	0.54	ug/L	01/09/02	SW846 8260B
cis1,4-Dichloro-2-butene	< 0.66	0.66	ug/L	01/09/02	SW846 8260B
Cyclohexanone	< 7.5	7.5	ug/L	01/09/02	SW846 8260B
Dibromomethane	< 0.60	0.60	ug/L	01/09/02	SW846 8260B
Dichlorodifluoromethane	< 0.61	0.61	ug/L	01/09/02	SW846 8260B
Dichlorofluoromethane	< 0.45	0.45	ug/L	01/09/02	SW846 8260B
Diethyl ether	< 0.54	0.54	ug/L	01/09/02	SW846 8260B
Ethyl methacrylate	< 0.42	0.42	ug/L	01/09/02	SW846 8260B
Ethylbenzene	< 0.50	0.50	ug/L	01/09/02	SW846 8260B
Fluorotrichloromethane	< 0.47	0.47	ug/L	01/09/02	SW846 8260B
Hexachlorobutadiene	< 0.49	0.49	ug/L	01/09/02	SW846 8260B
Iodomethane	< 0.53	0.53	ug/L	01/09/02	SW846 8260B
Isopropylbenzene	< 0.39	0.39	ug/L	01/09/02	SW846 8260B
Methyl methacrylate	< 0.44	0.44	ug/L	01/09/02	SW846 8260B
Methyl-tert-butyl-ether	< 0.44	0.44	ug/L	01/09/02	SW846 8260B
Methylene chloride	< 0.38	0.38	ug/L	01/09/02	SW846 8260B
n-Butylbenzene	< 0.39	0.39	ug/L	01/09/02	SW846 8260B
N-Heptane	< 0.75	0.75	ug/L	01/09/02	SW846 8260B
n-Propylbenzene	< 0.54	0.54	ug/L	01/09/02	SW846 8260B
Naphthalene	< 0.59	0.59	ug/L	01/09/02	SW846 8260B
p-Isopropyltoluene	< 0.51	0.51	ug/L	01/09/02	SW846 8260B

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3626
Lab Sample Number : 920024-004
Lab Project Number : 920024

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/04/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

s-Butylbenzene	< 0.58	0.58	ug/L	01/09/02	SW846 8260B
Styrene	< 0.37	0.37	ug/L	01/09/02	SW846 8260B
t-Butylbenzene	< 0.50	0.50	ug/L	01/09/02	SW846 8260B
Tetrachloroethene	< 0.41	0.41	ug/L	01/09/02	SW846 8260B
Tetrahydrofuran	< 4.1	4.1	ug/L	01/09/02	SW846 8260B
Toluene	< 0.40	0.40	ug/L	01/09/02	SW846 8260B
trans-1,2-Dichloroethene	< 0.64	0.64	ug/L	01/09/02	SW846 8260B
trans-1,3-Dichloropropene	< 0.26	0.26	ug/L	01/09/02	SW846 8260B
trans-1,4-Dichloro-2-butene	< 0.24	0.24	ug/L	01/09/02	SW846 8260B
Trichloroethene	< 0.49	0.49	ug/L	01/09/02	SW846 8260B
Vinyl acetate	< 0.70	0.70	ug/L	01/09/02	SW846 8260B
Vinyl chloride	< 0.17	0.17	ug/L	01/09/02	SW846 8260B
Xylene, o-	< 0.54	0.54	ug/L	01/09/02	SW846 8260B
Xylenes, m-, p-	< 0.77	0.77	ug/L	01/09/02	SW846 8260B

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3626
Lab Sample Number : 920024-004
Lab Project Number : 920024

Submitter : TETRA TECH EM, INC
Report Date : 01/17/02
Collection Date : 01/04/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Semivolatile Organic Results

SPECIAL SEMI-VOLATILE LIST Prep Method: SW846 3510 Prep Date: 01/07/02

Analyte	Result	MDL	Units	Code	Analysis Date	Analysis Method
1,2,4-Trichlorobenzene	< 0.44	0.44	ug/L		01/08/02	SW846 8270C
1,2-Dichlorobenzene	< 0.53	0.53	ug/L		01/08/02	SW846 8270C
1,2-Diphenylhydrazine	< 0.38	0.38	ug/L		01/08/02	SW846 8270C
1,3-Dichlorobenzene	< 0.77	0.77	ug/L		01/08/02	SW846 8270C
1,4-Dichlorobenzene	< 0.66	0.66	ug/L		01/08/02	SW846 8270C
2,2'-oxybis(1-Chloropropane)	< 0.46	0.46	ug/L		01/08/02	SW846 8270C
2,4,5-Trichlorophenol	< 0.67	0.67	ug/L		01/08/02	SW846 8270C
2,4,6-Trichlorophenol	< 0.46	0.46	ug/L		01/08/02	SW846 8270C
2,4-Dichlorophenol	< 0.46	0.46	ug/L		01/08/02	SW846 8270C
2,4-Dimethylphenol	< 1.2	1.2	ug/L		01/08/02	SW846 8270C
2,4-Dinitrophenol	< 2.7	2.7	ug/L		01/08/02	SW846 8270C
2,4-Dinitrotoluene	< 0.38	0.38	ug/L		01/08/02	SW846 8270C
2,6-Dinitrotoluene	< 0.64	0.64	ug/L		01/08/02	SW846 8270C
2-Chloronaphthalene	< 0.59	0.59	ug/L		01/08/02	SW846 8270C
2-Chlorophenol	< 0.50	0.50	ug/L		01/08/02	SW846 8270C
2-Methylnaphthalene	< 0.32	0.32	ug/L		01/08/02	SW846 8270C
2-Methylphenol	< 0.85	0.85	ug/L		01/08/02	SW846 8270C
2-Nitroaniline	< 0.36	0.36	ug/L		01/08/02	SW846 8270C
2-Nitrophenol	< 0.33	0.33	ug/L		01/08/02	SW846 8270C
3,3-Dichlorobenzidine	< 3.8	3.8	ug/L		01/08/02	SW846 8270C
3-Nitroaniline	< 0.36	0.36	ug/L		01/08/02	SW846 8270C
4,6-Dinitro-2-methylphenol	< 0.76	0.76	ug/L		01/08/02	SW846 8270C
4-Bromophenyl phenyl ether	< 0.46	0.46	ug/L		01/08/02	SW846 8270C
4-Chloro-3-methylphenol	< 0.41	0.41	ug/L		01/08/02	SW846 8270C
4-Chloroaniline	< 1.1	1.1	ug/L		01/08/02	SW846 8270C
4-Chlorophenyl phenyl ether	< 0.38	0.38	ug/L		01/08/02	SW846 8270C
4-Methylphenol	< 0.91	0.91	ug/L		01/08/02	SW846 8270C
4-Nitroaniline	< 0.60	0.60	ug/L		01/08/02	SW846 8270C
4-Nitrophenol	< 0.92	0.92	ug/L		01/08/02	SW846 8270C
Acenaphthene	< 0.42	0.42	ug/L		01/08/02	SW846 8270C
Acenaphthylene	< 0.34	0.34	ug/L		01/08/02	SW846 8270C

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3626
Lab Sample Number : 920024-004
Lab Project Number : 920024

Submitter : TETRA TECH EM, INC
Report Date : 01/17/02
Collection Date : 01/04/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Aniline	< 1.7	1.7	ug/L	01/08/02	SW846 8270C
Anthracene	< 0.76	0.76	ug/L	01/08/02	SW846 8270C
Benzidine	< 1.3	1.3	ug/L	01/08/02	SW846 8270C
Benzo(a)anthracene	< 0.30	0.30	ug/L	01/08/02	SW846 8270C
Benzo(a)pyrene	< 0.85	0.85	ug/L	01/08/02	SW846 8270C
Benzo(b)fluoranthene	< 0.68	0.68	ug/L	01/08/02	SW846 8270C
Benzo(g,h,i)perylene	< 1.5	1.5	ug/L	01/08/02	SW846 8270C
Benzo(k)fluoranthene	< 0.65	0.65	ug/L	01/08/02	SW846 8270C
Benzoic acid	< 5.0	5.0	ug/L	01/08/02	SW846 8270C
Benzyl alcohol	< 0.75	0.75	ug/L	01/08/02	SW846 8270C
bis(2-Chloroethoxy)methane	< 0.43	0.43	ug/L	01/08/02	SW846 8270C
bis(2-Chloroethyl)ether	< 0.66	0.66	ug/L	01/08/02	SW846 8270C
bis(2-Ethylhexyl)phthalate	< 1.9	1.9	ug/L	01/08/02	SW846 8270C
Butylbenzylphthalate	< 7.0	7.0	ug/L	01/08/02	SW846 8270C
Chrysene	< 0.38	0.38	ug/L	01/08/02	SW846 8270C
Di-n-butylphthalate	< 0.43	0.43	ug/L	01/08/02	SW846 8270C
Di-n-octylphthalate	< 1.3	1.3	ug/L	01/08/02	SW846 8270C
Dibenzo(a,h)anthracene	< 1.1	1.1	ug/L	01/08/02	SW846 8270C
Dibenzofuran	< 0.44	0.44	ug/L	01/08/02	SW846 8270C
Diethylphthalate	< 0.83	0.83	ug/L	01/08/02	SW846 8270C
Dimethylphthalate	< 0.29	0.29	ug/L	01/08/02	SW846 8270C
Fluoranthene	< 0.29	0.29	ug/L	01/08/02	SW846 8270C
Fluorene	< 0.31	0.31	ug/L	01/08/02	SW846 8270C
Hexachlorobenzene	< 0.55	0.55	ug/L	01/08/02	SW846 8270C
Hexachlorobutadiene	< 0.85	0.85	ug/L	01/08/02	SW846 8270C
Hexachlorocyclopentadiene	< 5.3	5.3	ug/L	01/08/02	SW846 8270C
Hexachloroethane	< 0.90	0.90	ug/L	01/08/02	SW846 8270C
Indeno(1,2,3-cd)pyrene	< 1.2	1.2	ug/L	01/08/02	SW846 8270C
Isophorone	< 1.3	1.3	ug/L	01/08/02	SW846 8270C
N-Nitroso-di-n-propylamine	< 0.73	0.73	ug/L	01/08/02	SW846 8270C
N-Nitrosodimethylamine	< 3.4	3.4	ug/L	01/08/02	SW846 8270C
N-Nitrosodiphenylamine	< 4.6	4.6	ug/L	01/08/02	SW846 8270C
Naphthalene	< 0.47	0.47	ug/L	01/08/02	SW846 8270C
Nitrobenzene	< 0.94	0.94	ug/L	01/08/02	SW846 8270C
Pentachlorophenol	< 2.9	2.9	ug/L	01/08/02	SW846 8270C

- Analytical Report -

Project Name : SAM WINER MOTORS SITE

Project Number : G9009.E.0012004

Field ID : 2DWEW-3626

Lab Sample Number : 920024-004

Lab Project Number : 920024

Submitter : TETRA TECH EM, INC

Report Date : 01/17/02

Collection Date : 01/04/02

Matrix Type : DRINKING WATER

WI DNR LAB ID : 113172950

Phenanthrene	< 0.30	0.30	ug/L	01/08/02	SW846 8270C
Phenol	< 0.37	0.37	ug/L	01/08/02	SW846 8270C
Pyrene	< 0.38	0.38	ug/L	01/08/02	SW846 8270C
Pyridine	< 3.4	3.4	ug/L	01/08/02	SW846 8270C

- Analytical Report -

Project Name : SAM WIMER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DW-EW-3626
Lab Sample Number : 920201-010
Lab Project Number : 920201

Submitter : TETRA TECH EM, INC
Report Date : 2/4/2002
Collection Date : 1/4/2002
Matrix Type : WATER
WI DNR LAB ID : 113172950

Semivolatile Organic Results

GC/MS SIM - SEMIVOLATILES Prep Method: SW846 3510C Prep Date: 1/7/2002

Analyte	Result	EQL	Units	Code	Analysis Date	Analysis Method
Benzo(a)pyrene	< 0.20	0.20	ug/L		1/29/2002	SW846 8270C

7001 0320 0001 9177 1658

U.S. Postal Service

CERTIFIED MAIL RECEIPT

(Domestic Mail Only; No Insurance Coverage Provided)

OFFICIAL USE

UNIONTOWN OH 44685

Postage	$ $1.26
Certified Fee	$2.10
Return Receipt Fee (Endorsement Required)	$0.00
Restricted Delivery Fee (Endorsement Required)	$0.00
Total Postage & Fees	$ $3.36

Postmark Here

MARK 08 0261 RP 126 MAR 15 2002 03/15/2002

Sent To Mr. [redacted] Exemption 6 - 1 line

Street, Apt. No.; or PO Box No. [redacted] Exemption 6 - 1 line

City, State, ZIP+4 Uniontown, OH 44685

PS Form 3800, January 2001 See Reverse for Instructions

Tetra Tech EM Inc.

6801 Engle Road, Suite G ◆ Middleburg Heights, Ohio 44130 ◆ (440) 234-0886 ◆ FAX (440) 234-1725

March 14, 2002

Mr. [redacted] Exemption 6 - 2 words
[redacted] Exemption 6 - 1 line
Akron, Ohio 44312

Dear Mr. [redacted] Exemption 6 - 1 word

On January 3, 2002, U.S. EPA contractors from Tetra Tech EM Inc (Tetra Tech), sampled water
emption 6 - from your residential drinking water well located at [redacted]. The water sample was
1 words sent to EnChem Laboratory in Madison, Wisconsin to be analyzed for volatile organic compounds (VOCs) and semi-volatile organic compounds (SVOCs). The enclosed data sheets report the results of that analysis. These results have been reviewed for accuracy by the laboratory as well as by a Quality Assurance Chemist for Tetra Tech. No VOCs or SVOCs were detected above the Method Detection Limits (MDLs) in the sample collected from your well. Additionally all MDLs were below the Maximum Contaminant Levels (MCLs) set by U.S. EPA for public drinking water supplies. Although MCLs were established for the regulation of public drinking water supplies, i.e. city water systems, U.S. EPA sometimes compares private well samples to the MCLs to verify the safety of the water from a private well.

A current copy of the National Primary Drinking Water Standards, which includes the MCLs, has been included with this letter for your information. Also, additional is available on the U.S. EPA web site, www.epa.gov/safewater.

If you have any questions, or would like to discuss your analytical results, please do not hesitate to call me at the following number 440-234-2521, extension 225. If I am unavailable, please leave a message and I will return your call as soon as possible.

Sincerely,

Anne A. Busher
Project Manager
Tetra Tech EMI
6801 Engle Road, Suite G
Middleburg Heights, Ohio 44130
(440) 234-2521 ext. 225
Fax (440) 234-1725

cc: Karla Auker, U.S. EPA On-Scene Coordinator

contains recycled fiber and is recyclable

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3640
Lab Sample Number : 920024-002
Lab Project Number : 920024

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/04/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Volatile Organic Results

SPECIAL VOLATILE LIST - WATER Prep Method: SW846 5030 Prep Date:

Analyte	Result	MDL	Units	Code	Analysis Date	Analysis Method
1,1,1,2-Tetrachloroethane	< 0.49	0.49	ug/L		01/09/02	SW846 8260I
1,1,1-Trichloroethane	< 0.53	0.53	ug/L		01/09/02	SW846 8260I
1,1,2,2-Tetrachloroethane	< 0.68	0.68	ug/L		01/09/02	SW846 8260E
1,1,2-Trichloroethane	< 0.47	0.47	ug/L		01/09/02	SW846 8260E
1,1,2-Trichlorotrifluoroethane	< 0.79	0.79	ug/L		01/09/02	SW846 8260E
1,1-Dichloroethane	< 0.61	0.61	ug/L		01/09/02	SW846 8260E
1,1-Dichloroethene	< 0.47	0.47	ug/L		01/09/02	SW846 8260E
1,1-Dichloropropene	< 0.59	0.59	ug/L		01/09/02	SW846 8260E
1,2,3-Trichlorobenzene	< 0.57	0.57	ug/L		01/09/02	SW846 8260B
1,2,3-Trichloropropane	< 0.71	0.71	ug/L		01/09/02	SW846 8260B
1,2,4-Trichlorobenzene	< 0.36	0.36	ug/L		01/09/02	SW846 8260B
1,2,4-Trimethylbenzene	< 0.47	0.47	ug/L		01/09/02	SW846 8260B
1,2-Dibromo-3-chloropropane	< 1.2	1.2	ug/L		01/09/02	SW846 8260B
1,2-Dibromoethane	< 0.49	0.49	ug/L		01/09/02	SW846 8260B
1,2-Dichlorobenzene	< 0.36	0.36	ug/L		01/09/02	SW846 8260B
1,2-Dichloroethane	< 0.54	0.54	ug/L		01/09/02	SW846 8260B
1,2-Dichloropropane	< 0.34	0.34	ug/L		01/09/02	SW846 8260B
1,3,5-Trimethylbenzene	< 0.45	0.45	ug/L		01/09/02	SW846 8260B
1,3-Dichlorobenzene	< 0.64	0.64	ug/L		01/09/02	SW846 8260B
1,3-Dichloropropane	< 0.42	0.42	ug/L		01/09/02	SW846 8260B
1,4-Dichlorobenzene	< 0.43	0.43	ug/L		01/09/02	SW846 8260B
1-Chlorohexane	< 0.46	0.46	ug/L		01/09/02	SW846 8260B
2,2-Dichloropropane	< 0.41	0.41	ug/L		01/09/02	SW846 8260B
2-Butanone	< 1.2	1.2	ug/L		01/09/02	SW846 8260B
2-Chlorotoluene	< 0.65	0.65	ug/L		01/09/02	SW846 8260B
2-Hexanone	< 0.61	0.61	ug/L		01/09/02	SW846 8260B
4-Chlorotoluene	< 0.56	0.56	ug/L		01/09/02	SW846 8260B
4-Methyl-2-pentanone	< 0.61	0.61	ug/L		01/09/02	SW846 8260B
Acetone	< 3.1	3.1	ug/L		01/09/02	SW846 8260B
Acrolein	< 5.7	5.7	ug/L		01/09/02	SW846 8260B
Acrylonitrile	< 0.65	0.65	ug/L		01/09/02	SW846 8260B

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3640
Lab Sample Number : 920024-002
Lab Project Number : 920024

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/04/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Benzene	< 0.44	0.44	ug/L	01/09/02	SW846 8260B
Bromobenzene	< 0.46	0.46	ug/L	01/09/02	SW846 8260B
Bromochloromethane	< 0.21	0.21	ug/L	01/09/02	SW846 8260B
Bromodichloromethane	< 0.41	0.41	ug/L	01/09/02	SW846 8260B
Bromoform	< 0.58	0.58	ug/L	01/09/02	SW846 8260B
Bromomethane	< 0.94	0.94	ug/L	01/09/02	SW846 8260B
Carbon disulfide	< 0.40	0.40	ug/L	01/09/02	SW846 8260B
Carbon tetrachloride	< 0.90	0.90	ug/L	01/09/02	SW846 8260B
Chlorobenzene	< 0.43	0.43	ug/L	01/09/02	SW846 8260B
Chlorodibromomethane	< 0.43	0.43	ug/L	01/09/02	SW846 8260B
Chloroethane	< 0.63	0.63	ug/L	01/09/02	SW846 8260B
Chloroform	< 0.41	0.41	ug/L	01/09/02	SW846 8260B
Chloromethane	< 0.44	0.44	ug/L	01/09/02	SW846 8260B
cis-1,2-Dichloroethene	< 0.46	0.46	ug/L	01/09/02	SW846 8260B
cis-1,3-Dichloropropene	< 0.54	0.54	ug/L	01/09/02	SW846 8260B
cis1,4-Dichloro-2-butene	< 0.66	0.66	ug/L	01/09/02	SW846 8260B
Cyclohexanone	< 7.5	7.5	ug/L	01/09/02	SW846 8260B
Dibromomethane	< 0.60	0.60	ug/L	01/09/02	SW846 8260B
Dichlorodifluoromethane	< 0.61	0.61	ug/L	01/09/02	SW846 8260B
Dichlorofluoromethane	< 0.45	0.45	ug/L	01/09/02	SW846 8260B
Diethyl ether	< 0.54	0.54	ug/L	01/09/02	SW846 8260B
Ethyl methacrylate	< 0.42	0.42	ug/L	01/09/02	SW846 8260B
Ethylbenzene	< 0.50	0.50	ug/L	01/09/02	SW846 8260B
Fluorotrichloromethane	< 0.47	0.47	ug/L	01/09/02	SW846 8260B
Hexachlorobutadiene	< 0.49	0.49	ug/L	01/09/02	SW846 8260B
Iodomethane	< 0.53	0.53	ug/L	01/09/02	SW846 8260B
Isopropylbenzene	< 0.39	0.39	ug/L	01/09/02	SW846 8260B
Methyl methacrylate	< 0.44	0.44	ug/L	01/09/02	SW846 8260B
Methyl-tert-butyl-ether	< 0.44	0.44	ug/L	01/09/02	SW846 8260B
Methylene chloride	< 0.38	0.38	ug/L	01/09/02	SW846 8260B
n-Butylbenzene	< 0.39	0.39	ug/L	01/09/02	SW846 8260B
N-Heptane	< 0.75	0.75	ug/L	01/09/02	SW846 8260B
n-Propylbenzene	< 0.54	0.54	ug/L	01/09/02	SW846 8260B
Naphthalene	< 0.59	0.59	ug/L	01/09/02	SW846 8260B
p-Isopropyltoluene	< 0.51	0.51	ug/L	01/09/02	SW846 8260B

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3640
Lab Sample Number : 920024-002
Lab Project Number : 920024

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/04/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

s-Butylbenzene	< 0.58	0.58	ug/L	01/09/02	SW846 8260E
Styrene	< 0.37	0.37	ug/L	01/09/02	SW846 8260E
t-Butylbenzene	< 0.50	0.50	ug/L	01/09/02	SW846 8260E
Tetrachloroethene	< 0.41	0.41	ug/L	01/09/02	SW846 8260B
Tetrahydrofuran	< 4.1	4.1	ug/L	01/09/02	SW846 8260B
Toluene	< 0.40	0.40	ug/L	01/09/02	SW846 8260B
trans-1,2-Dichloroethene	< 0.64	0.64	ug/L	01/09/02	SW846 8260B
trans-1,3-Dichloropropene	< 0.26	0.26	ug/L	01/09/02	SW846 8260B
trans-1,4-Dichloro-2-butene	< 0.24	0.24	ug/L	01/09/02	SW846 8260B
Trichloroethene	< 0.49	0.49	ug/L	01/09/02	SW846 8260B
Vinyl acetate	< 0.70	0.70	ug/L	01/09/02	SW846 8260B
Vinyl chloride	< 0.17	0.17	ug/L	01/09/02	SW846 8260B
Xylene, o-	< 0.54	0.54	ug/L	01/09/02	SW846 8260B
Xylenes, m-, p-	< 0.77	0.77	ug/L	01/09/02	SW846 8260B

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3640
Lab Sample Number : 920024-002
Lab Project Number : 920024

Submitter : TETRA TECH EM, INC
Report Date : 01/17/02
Collection Date : 01/04/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Semivolatile Organic Results

SPECIAL SEMI-VOLATILE LIST Prep Method: SW846 3510 Prep Date: 01/07/02

Analyte	Result	MDL	Units	Code	Analysis Date	Analysis Method
1,2,4-Trichlorobenzene	< 0.44	0.44	ug/L		01/08/02	SW846 8270C
1,2-Dichlorobenzene	< 0.52	0.52	ug/L		01/08/02	SW846 8270C
1,2-Diphenylhydrazine	< 0.38	0.38	ug/L		01/08/02	SW846 8270C
1,3-Dichlorobenzene	< 0.76	0.76	ug/L		01/08/02	SW846 8270C
1,4-Dichlorobenzene	< 0.65	0.65	ug/L		01/08/02	SW846 8270C
2,2'-oxybis(1-Chloropropane)	< 0.46	0.46	ug/L		01/08/02	SW846 8270C
2,4,5-Trichlorophenol	< 0.67	0.67	ug/L		01/08/02	SW846 8270C
2,4,6-Trichlorophenol	< 0.46	0.46	ug/L		01/08/02	SW846 8270C
2,4-Dichlorophenol	< 0.45	0.45	ug/L		01/08/02	SW846 8270C
2,4-Dimethylphenol	< 1.2	1.2	ug/L		01/08/02	SW846 8270C
2,4-Dinitrophenol	< 2.7	2.7	ug/L		01/08/02	SW846 8270C
2,4-Dinitrotoluene	< 0.37	0.37	ug/L		01/08/02	SW846 8270C
2,6-Dinitrotoluene	< 0.63	0.63	ug/L		01/08/02	SW846 8270C
2-Chloronaphthalene	< 0.59	0.59	ug/L		01/08/02	SW846 8270C
2-Chlorophenol	< 0.49	0.49	ug/L		01/08/02	SW846 8270C
2-Methylnaphthalene	< 0.32	0.32	ug/L		01/08/02	SW846 8270C
2-Methylphenol	< 0.84	0.84	ug/L		01/08/02	SW846 8270C
2-Nitroaniline	< 0.36	0.36	ug/L		01/08/02	SW846 8270C
2-Nitrophenol	< 0.32	0.32	ug/L		01/08/02	SW846 8270C
3,3-Dichlorobenzidine	< 3.8	3.8	ug/L		01/08/02	SW846 8270C
3-Nitroaniline	< 0.36	0.36	ug/L		01/08/02	SW846 8270C
4,6-Dinitro-2-methylphenol	< 0.75	0.75	ug/L		01/08/02	SW846 8270C
4-Bromophenyl phenyl ether	< 0.45	0.45	ug/L		01/08/02	SW846 8270C
4-Chloro-3-methylphenol	< 0.40	0.40	ug/L		01/08/02	SW846 8270C
4-Chloroaniline	< 1.1	1.1	ug/L		01/08/02	SW846 8270C
4-Chlorophenyl phenyl ether	< 0.38	0.38	ug/L		01/08/02	SW846 8270C
4-Methylphenol	< 0.90	0.90	ug/L		01/08/02	SW846 8270C
4-Nitroaniline	< 0.59	0.59	ug/L		01/08/02	SW846 8270C
4-Nitrophenol	< 0.91	0.91	ug/L		01/08/02	SW846 8270C
Acenaphthene	< 0.42	0.42	ug/L		01/08/02	SW846 8270C
Acenaphthylene	< 0.33	0.33	ug/L		01/08/02	SW846 8270C

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3640
Lab Sample Number : 920024-002
Lab Project Number : 920024

Submitter : TETRA TECH EM, INC
Report Date : 01/17/02
Collection Date : 01/04/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Aniline	< 1.7	1.7	ug/L	01/08/02	SW846 8270C
Anthracene	< 0.75	0.75	ug/L	01/08/02	SW846 8270C
Benzidine	< 1.3	1.3	ug/L	01/08/02	SW846 8270C
Benzo(a)anthracene	< 0.30	0.30	ug/L	01/08/02	SW846 8270C
Benzo(a)pyrene	< 0.84	0.84	ug/L	01/08/02	SW846 8270C
Benzo(b)fluoranthene	< 0.67	0.67	ug/L	01/08/02	SW846 8270C
Benzo(g,h,i)perylene	< 1.5	1.5	ug/L	01/08/02	SW846 8270C
Benzo(k)fluoranthene	< 0.65	0.65	ug/L	01/08/02	SW846 8270C
Benzoic acid	< 5.0	5.0	ug/L	01/08/02	SW846 8270C
Benzyl alcohol	< 0.75	0.75	ug/L	01/08/02	SW846 8270C
bis(2-Chloroethoxy)methane	< 0.42	0.42	ug/L	01/08/02	SW846 8270C
bis(2-Chloroethyl)ether	< 0.65	0.65	ug/L	01/08/02	SW846 8270C
bis(2-Ethylhexyl)phthalate	< 1.8	1.8	ug/L	01/08/02	SW846 8270C
Butylbenzylphthalate	< 6.9	6.9	ug/L	01/08/02	SW846 8270C
Chrysene	< 0.37	0.37	ug/L	01/08/02	SW846 8270C
Di-n-butylphthalate	< 0.42	0.42	ug/L	01/08/02	SW846 8270C
Di-n-octylphthalate	< 1.3	1.3	ug/L	01/08/02	SW846 8270C
Dibenzo(a,h)anthracene	< 1.1	1.1	ug/L	01/08/02	SW846 8270C
Dibenzofuran	< 0.44	0.44	ug/L	01/08/02	SW846 8270C
Diethylphthalate	< 0.82	0.82	ug/L	01/08/02	SW846 8270C
Dimethylphthalate	< 0.29	0.29	ug/L	01/08/02	SW846 8270C
Fluoranthene	< 0.29	0.29	ug/L	01/08/02	SW846 8270C
Fluorene	< 0.30	0.30	ug/L	01/08/02	SW846 8270C
Hexachlorobenzene	< 0.55	0.55	ug/L	01/08/02	SW846 8270C
Hexachlorobutadiene	< 0.84	0.84	ug/L	01/08/02	SW846 8270C
Hexachlorocyclopentadiene	< 5.3	5.3	ug/L	01/08/02	SW846 8270C
Hexachloroethane	< 0.89	0.89	ug/L	01/08/02	SW846 8270C
Indeno(1,2,3-cd)pyrene	< 1.2	1.2	ug/L	01/08/02	SW846 8270C
Isophorone	< 1.3	1.3	ug/L	01/08/02	SW846 8270C
N-Nitroso-di-n-propylamine	< 0.72	0.72	ug/L	01/08/02	SW846 8270C
N-Nitrosodimethylamine	< 3.4	3.4	ug/L	01/08/02	SW846 8270C
N-Nitrosodiphenylamine	< 4.6	4.6	ug/L	01/08/02	SW846 8270C
Naphthalene	< 0.47	0.47	ug/L	01/08/02	SW846 8270C
Nitrobenzene	< 0.93	0.93	ug/L	01/08/02	SW846 8270C
Pentachlorophenol	< 2.9	2.9	ug/L	01/08/02	SW846 8270C

- Analytical Report -

Project Name : SAM WINER MOTORS SITE

Project Number : G9009.E.0012004

Field ID : 2DWEW-3640

Lab Sample Number : 920024-002

Lab Project Number : 920024

Submitter : TETRA TECH EM, INC

Report Date : 01/17/02

Collection Date : 01/04/02

Matrix Type : DRINKING WATER

WI DNR LAB ID : 113172950

Phenanthrene	< 0.30	0.30	ug/L	01/08/02	SW846 8270C
Phenol	< 0.37	0.37	ug/L	01/08/02	SW846 8270C
Pyrene	< 0.37	0.37	ug/L	01/08/02	SW846 8270C
Pyridine	< 3.3	3.3	ug/L	01/08/02	SW846 8270C

- Analytical Report -

Project Name : SAM WIMER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DW-EW-3640
Lab Sample Number : 920201-008
Lab Project Number : 920201

Submitter : TETRA TECH EM, INC
Report Date : 2/4/2002
Collection Date : 1/4/2002
Matrix Type : WATER
WI DNR LAB ID : 113172950

Semivolatile Organic Results

GC/MS SIM - SEMIVOLATILES Prep Method: SW846 3510C Prep Date: 1/7/2002

Analyte	Result	EQL	Units	Code	Analysis Date	Analysis Method
Benzo(a)pyrene	< 0.20	0.20	ug/L		1/29/2002	SW846 8270C

7001 0320 0001 9177 1665

U.S. Postal Service
CERTIFIED MAIL RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

[redacted]

AKRON, OH 44312 C T A L S E

Postage	$ $1.03
Certified Fee	$2.10
Return Receipt Fee (Endorsement Required)	$0.00
Restricted Delivery Fee (Endorsement Required)	$0.00
Total Postage & Fees	$ $3.13

0261
Postmark Here
03/15/2002

Sent To Mr. [redacted] Exemption 6 - 1 line
Street, Apt. No., or PO Box No. [redacted] Exemption 6 - 1 line
City, State, ZIP+4 Akron, Ohio 44312

PS Form 3800, January 2001 See Reverse for Instructions

Tetra Tech EM Inc.

6801 Engle Road, Suite G ◆ Middleburg Heights, Ohio 44130 ◆ (440) 234-0886 ◆ FAX (440) 234-1725

March 14, 2002

Exemption 6 - 1 word

Mr. and Mrs, [redacted]

[redacted] Exemption 6 - 1 line

Akron, Ohio 44312

Dear Mr. and Mrs. [redacted] Exemption 6 - 1 word

Exemption 6 - 2 words

On January 3, 2002, U.S. EPA contractors from Tetra Tech EM Inc (Tetra Tech), sampled water from your residential drinking water well located at [redacted]. The water sample was sent to EnChem Laboratory in Madison, Wisconsin to be analyzed for volatile organic compounds (VOCs) and semi-volatile organic compounds (SVOCs). The enclosed data sheets report the results of that analysis. These results have been reviewed for accuracy by the laboratory as well as by a Quality Assurance Chemist for Tetra Tech. No VOCs or SVOCs were detected above the Method Detection Limits (MDLs) in the sample collected from your well. Additionally all MDLs were below the Maximum Contaminant Levels (MCLs) set by U.S. EPA for public drinking water supplies. Although MCLs were established for the regulation of public drinking water supplies, i.e. city water systems, U.S. EPA sometimes compares private well samples to the MCLs to verify the safety of the water from a private well.

A current copy of the National Primary Drinking Water Standards, which includes the MCLs, has been included with this letter for your information. Also, additional is available on the U.S. EPA web site, www.epa.gov/safewater.

If you have any questions, or would like to discuss your analytical results, please do not hesitate to call me at the following number 440-234-2521, extension 225. If I am unavailable, please leave a message and I will return your call as soon as possible.

Sincerely,

Anne A. Busher

Anne A. Busher
Project Manager
Tetra Tech EMI
6801 Engle Road, Suite G
Middleburg Heights, Ohio 44130
(440) 234-2521 ext. 225
Fax (440) 234-1725

cc: Karla Auker, U.S. EPA On-Scene Coordinator

contains recycled fiber and is recyclable

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-950
Lab Sample Number : 920019-005
Lab Project Number : 920019

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/03/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Volatile Organic Results

SPECIAL VOLATILE LIST - WATER Prep Method: SW846 5030 Prep Date:

Analyte	Result	MDL	Units	Code	Analysis Date	Analysis Method
1,1,1,2-Tetrachloroethane	< 0.49	0.49	ug/L		01/09/02	SW846 8260
1,1,1-Trichloroethane	< 0.53	0.53	ug/L		01/09/02	SW846 8260
1,1,2,2-Tetrachloroethane	< 0.68	0.68	ug/L		01/09/02	SW846 8260
1,1,2-Trichloroethane	< 0.47	0.47	ug/L		01/09/02	SW846 8260
1,1,2-Trichlorotrifluoroethane	< 0.79	0.79	ug/L		01/09/02	SW846 8260
1,1-Dichloroethane	< 0.61	0.61	ug/L		01/09/02	SW846 8260
1,1-Dichloroethene	< 0.47	0.47	ug/L		01/09/02	SW846 8260
1,1-Dichloropropene	< 0.59	0.59	ug/L		01/09/02	SW846 8260
1,2,3-Trichlorobenzene	< 0.57	0.57	ug/L		01/09/02	SW846 8260
1,2,3-Trichloropropane	< 0.71	0.71	ug/L		01/09/02	SW846 8260
1,2,4-Trichlorobenzene	< 0.36	0.36	ug/L		01/09/02	SW846 8260
1,2,4-Trimethylbenzene	< 0.47	0.47	ug/L		01/09/02	SW846 8260
1,2-Dibromo-3-chloropropane	< 1.2	1.2	ug/L		01/09/02	SW846 8260
1,2-Dibromoethane	< 0.49	0.49	ug/L		01/09/02	SW846 8260
1,2-Dichlorobenzene	< 0.36	0.36	ug/L		01/09/02	SW846 8260
1,2-Dichloroethane	< 0.54	0.54	ug/L		01/09/02	SW846 8260
1,2-Dichloropropane	< 0.34	0.34	ug/L		01/09/02	SW846 8260
1,3,5-Trimethylbenzene	< 0.45	0.45	ug/L		01/09/02	SW846 8260
1,3-Dichlorobenzene	< 0.64	0.64	ug/L		01/09/02	SW846 8260
1,3-Dichloropropane	< 0.42	0.42	ug/L		01/09/02	SW846 8260
1,4-Dichlorobenzene	< 0.43	0.43	ug/L		01/09/02	SW846 8260
1-Chlorohexane	< 0.46	0.46	ug/L		01/09/02	SW846 8260
2,2-Dichloropropane	< 0.41	0.41	ug/L		01/09/02	SW846 8260
2-Butanone	< 1.2	1.2	ug/L		01/09/02	SW846 8260
2-Chlorotoluene	< 0.65	0.65	ug/L		01/09/02	SW846 8260
2-Hexanone	< 0.61	0.61	ug/L		01/09/02	SW846 8260
4-Chlorotoluene	< 0.56	0.56	ug/L		01/09/02	SW846 8260
4-Methyl-2-pentanone	< 0.61	0.61	ug/L		01/09/02	SW846 8260
Acetone	< 3.1	3.1	ug/L		01/09/02	SW846 8260
Acrolein	< 5.7	5.7	ug/L		01/09/02	SW846 8260
Acrylonitrile	< 0.65	0.65	ug/L		01/09/02	SW846 8260

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-950
Lab Sample Number : 920019-005
Lab Project Number : 920019

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/03/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Benzene	< 0.44	0.44	ug/L	01/09/02	SW846 8260
Bromobenzene	< 0.46	0.46	ug/L	01/09/02	SW846 8260
Bromochloromethane	< 0.21	0.21	ug/L	01/09/02	SW846 8260
Bromodichloromethane	< 0.41	0.41	ug/L	01/09/02	SW846 8260
Bromoform	< 0.58	0.58	ug/L	01/09/02	SW846 8260
Bromomethane	< 0.94	0.94	ug/L	01/09/02	SW846 8260
Carbon disulfide	< 0.40	0.40	ug/L	01/09/02	SW846 8260
Carbon tetrachloride	< 0.90	0.90	ug/L	01/09/02	SW846 8260
Chlorobenzene	< 0.43	0.43	ug/L	01/09/02	SW846 8260
Chlorodibromomethane	< 0.43	0.43	ug/L	01/09/02	SW846 8260
Chloroethane	< 0.63	0.63	ug/L	01/09/02	SW846 8260
Chloroform	< 0.41	0.41	ug/L	01/09/02	SW846 8260
Chloromethane	< 0.44	0.44	ug/L	01/09/02	SW846 8260
cis-1,2-Dichloroethene	< 0.46	0.46	ug/L	01/09/02	SW846 8260
cis-1,3-Dichloropropene	< 0.54	0.54	ug/L	01/09/02	SW846 8260
cis1,4-Dichloro-2-butene	< 0.66	0.66	ug/L	01/09/02	SW846 8260
Cyclohexanone	< 7.5	7.5	ug/L	01/09/02	SW846 8260
Dibromomethane	< 0.60	0.60	ug/L	01/09/02	SW846 8260
Dichlorodifluoromethane	< 0.61	0.61	ug/L	01/09/02	SW846 8260
Dichlorofluoromethane	< 0.45	0.45	ug/L	01/09/02	SW846 8260
Diethyl ether	< 0.54	0.54	ug/L	01/09/02	SW846 8260
Ethyl methacrylate	< 0.42	0.42	ug/L	01/09/02	SW846 8260
Ethylbenzene	< 0.50	0.50	ug/L	01/09/02	SW846 8260
Fluorotrichloromethane	< 0.47	0.47	ug/L	01/09/02	SW846 8260
Hexachlorobutadiene	< 0.49	0.49	ug/L	01/09/02	SW846 8260
Iodomethane	< 0.53	0.53	ug/L	01/09/02	SW846 8260
Isopropylbenzene	< 0.39	0.39	ug/L	01/09/02	SW846 8260
Methyl methacrylate	< 0.44	0.44	ug/L	01/09/02	SW846 8260
Methyl-tert-butyl-ether	< 0.44	0.44	ug/L	01/09/02	SW846 8260
Methylene chloride	< 0.38	0.38	ug/L	01/09/02	SW846 8260
n-Butylbenzene	< 0.39	0.39	ug/L	01/09/02	SW846 8260
N-Heptane	< 0.75	0.75	ug/L	01/09/02	SW846 8260
n-Propylbenzene	< 0.54	0.54	ug/L	01/09/02	SW846 8260
Naphthalene	< 0.59	0.59	ug/L	01/09/02	SW846 8260
p-Isopropyltoluene	< 0.51	0.51	ug/L	01/09/02	SW846 8260

- Analytical Report -

Project Name : SAM WINER MOTORS SITE

Project Number : G9009.E.0012004

Field ID : 2DWEW-950

Lab Sample Number : 920019-005

Lab Project Number : 920019

Submitter : TETRA TECH EM, INC

Report Date : 01/16/02

Collection Date : 01/03/02

Matrix Type : DRINKING WATER

WI DNR LAB ID : 113172950

s-Butylbenzene	< 0.58	0.58	ug/L	01/09/02	SW846 8260
Styrene	< 0.37	0.37	ug/L	01/09/02	SW846 8260
t-Butylbenzene	< 0.50	0.50	ug/L	01/09/02	SW846 8260
Tetrachloroethene	< 0.41	0.41	ug/L	01/09/02	SW846 8260
Tetrahydrofuran	< 4.1	4.1	ug/L	01/09/02	SW846 8260
Toluene	< 0.40	0.40	ug/L	01/09/02	SW846 8260
trans-1,2-Dichloroethene	< 0.64	0.64	ug/L	01/09/02	SW846 8260
trans-1,3-Dichloropropene	< 0.26	0.26	ug/L	01/09/02	SW846 8260
trans-1,4-Dichloro-2-butene	< 0.24	0.24	ug/L	01/09/02	SW846 8260
Trichloroethene	< 0.49	0.49	ug/L	01/09/02	SW846 8260
Vinyl acetate	< 0.70	0.70	ug/L	01/09/02	SW846 8260
Vinyl chloride	< 0.17	0.17	ug/L	01/09/02	SW846 8260
Xylene, o-	< 0.54	0.54	ug/L	01/09/02	SW846 8260
Xylenes, m-, p-	< 0.77	0.77	ug/L	01/09/02	SW846 8260

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Submitter : TETRA TECH EM, INC
Project Number : G9009.E.0012004
Report Date : 01/17/02
Field ID : 2DWEW-950
Collection Date : 01/03/02
Lab Sample Number : 920019-005
Matrix Type : DRINKING WATER
Lab Project Number : 920019
WI DNR LAB ID : 113172950

Semivolatile Organic Results

SPECIAL SEMI-VOLATILE LIST Prep Method: SW846 3510 Prep Date: 01/07/02

Analyte	Result	MDL	Units	Code	Analysis Date	Analysis Method
1,2,4-Trichlorobenzene	< 0.44	0.44	ug/L		01/08/02	SW846 8270
1,2-Dichlorobenzene	< 0.52	0.52	ug/L		01/08/02	SW846 8270
1,2-Diphenylhydrazine	< 0.38	0.38	ug/L		01/08/02	SW846 8270
1,3-Dichlorobenzene	< 0.76	0.76	ug/L		01/08/02	SW846 8270
1,4-Dichlorobenzene	< 0.65	0.65	ug/L		01/08/02	SW846 8270
2,2'-oxybis(1-Chloropropane)	< 0.46	0.46	ug/L		01/08/02	SW846 8270
2,4,5-Trichlorophenol	< 0.67	0.67	ug/L		01/08/02	SW846 8270
2,4,6-Trichlorophenol	< 0.46	0.46	ug/L		01/08/02	SW846 8270
2,4-Dichlorophenol	< 0.45	0.45	ug/L		01/08/02	SW846 8270
2,4-Dimethylphenol	< 1.2	1.2	ug/L		01/08/02	SW846 8270
2,4-Dinitrophenol	< 2.7	2.7	ug/L		01/08/02	SW846 8270
2,4-Dinitrotoluene	< 0.37	0.37	ug/L		01/08/02	SW846 8270
2,6-Dinitrotoluene	< 0.63	0.63	ug/L		01/08/02	SW846 8270
2-Chloronaphthalene	< 0.59	0.59	ug/L		01/08/02	SW846 8270
2-Chlorophenol	< 0.49	0.49	ug/L		01/08/02	SW846 8270
2-Methylnaphthalene	< 0.32	0.32	ug/L		01/08/02	SW846 8270
2-Methylphenol	< 0.84	0.84	ug/L		01/08/02	SW846 8270
2-Nitroaniline	< 0.36	0.36	ug/L		01/08/02	SW846 8270
2-Nitrophenol	< 0.32	0.32	ug/L		01/08/02	SW846 8270
3,3-Dichlorobenzidine	< 3.8	3.8	ug/L		01/08/02	SW846 8270
3-Nitroaniline	< 0.36	0.36	ug/L		01/08/02	SW846 8270
4,6-Dinitro-2-methylphenol	< 0.75	0.75	ug/L		01/08/02	SW846 8270
4-Bromophenyl phenyl ether	< 0.45	0.45	ug/L		01/08/02	SW846 8270
4-Chloro-3-methylphenol	< 0.40	0.40	ug/L		01/08/02	SW846 8270
4-Chloroaniline	< 1.1	1.1	ug/L		01/08/02	SW846 8270
4-Chlorophenyl phenyl ether	< 0.38	0.38	ug/L		01/08/02	SW846 8270
4-Methylphenol	< 0.90	0.90	ug/L		01/08/02	SW846 8270
4-Nitroaniline	< 0.59	0.59	ug/L		01/08/02	SW846 8270
4-Nitrophenol	< 0.91	0.91	ug/L		01/08/02	SW846 8270
Acenaphthene	< 0.42	0.42	ug/L		01/08/02	SW846 8270
Acenaphthylene	< 0.33	0.33	ug/L		01/08/02	SW846 8270

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-950
Lab Sample Number : 920019-005
Lab Project Number : 920019

Submitter : TETRA TECH EM, INC
Report Date : 01/17/02
Collection Date : 01/03/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Aniline	< 1.7	1.7	ug/L	01/08/02	SW846 8270
Anthracene	< 0.75	0.75	ug/L	01/08/02	SW846 8270
Benzidine	< 1.3	1.3	ug/L	01/08/02	SW846 8270
Benzo(a)anthracene	< 0.30	0.30	ug/L	01/08/02	SW846 8270
Benzo(a)pyrene	< 0.84	0.84	ug/L	01/08/02	SW846 8270
Benzo(b)fluoranthene	< 0.67	0.67	ug/L	01/08/02	SW846 8270
Benzo(g,h,i)perylene	< 1.5	1.5	ug/L	01/08/02	SW846 8270
Benzo(k)fluoranthene	< 0.65	0.65	ug/L	01/08/02	SW846 8270
Benzoic acid	< 5.0	5.0	ug/L	01/08/02	SW846 8270
Benzyl alcohol	< 0.75	0.75	ug/L	01/08/02	SW846 8270
bis(2-Chloroethoxy)methane	< 0.42	0.42	ug/L	01/08/02	SW846 8270
bis(2-Chloroethyl)ether	< 0.65	0.65	ug/L	01/08/02	SW846 8270
bis(2-Ethylhexyl)phthalate	< 1.8	1.8	ug/L	01/08/02	SW846 8270
Butylbenzylphthalate	< 6.9	6.9	ug/L	01/08/02	SW846 8270
Chrysene	< 0.37	0.37	ug/L	01/08/02	SW846 8270
Di-n-butylphthalate	< 0.42	0.42	ug/L	01/08/02	SW846 8270
Di-n-octylphthalate	< 1.3	1.3	ug/L	01/08/02	SW846 8270
Dibenzo(a,h)anthracene	< 1.1	1.1	ug/L	01/08/02	SW846 8270
Dibenzofuran	< 0.44	0.44	ug/L	01/08/02	SW846 8270
Diethylphthalate	< 0.82	0.82	ug/L	01/08/02	SW846 8270
Dimethylphthalate	< 0.29	0.29	ug/L	01/08/02	SW846 8270
Fluoranthene	< 0.29	0.29	ug/L	01/08/02	SW846 8270
Fluorene	< 0.30	0.30	ug/L	01/08/02	SW846 8270
Hexachlorobenzene	< 0.55	0.55	ug/L	01/08/02	SW846 8270
Hexachlorobutadiene	< 0.84	0.84	ug/L	01/08/02	SW846 8270
Hexachlorocyclopentadiene	< 5.3	5.3	ug/L	01/08/02	SW846 8270
Hexachloroethane	< 0.89	0.89	ug/L	01/08/02	SW846 8270
Indeno(1,2,3-cd)pyrene	< 1.2	1.2	ug/L	01/08/02	SW846 8270
Isophorone	< 1.3	1.3	ug/L	01/08/02	SW846 8270
N-Nitroso-di-n-propylamine	< 0.72	0.72	ug/L	01/08/02	SW846 8270
N-Nitrosodimethylamine	< 3.4	3.4	ug/L	01/08/02	SW846 8270
N-Nitrosodiphenylamine	< 4.6	4.6	ug/L	01/08/02	SW846 8270
Naphthalene	< 0.47	0.47	ug/L	01/08/02	SW846 8270
Nitrobenzene	< 0.93	0.93	ug/L	01/08/02	SW846 8270
Pentachlorophenol	< 2.9	2.9	ug/L	01/08/02	SW846 8270

- Analytical Report -

Project Name : SAM WINER MOTORS SITE

Project Number : G9009.E.0012004

Field ID : 2DWEW-950

Lab Sample Number : 920019-005

Lab Project Number : 920019

Submitter : TETRA TECH EM, INC

Report Date : 01/17/02

Collection Date : 01/03/02

Matrix Type : DRINKING WATER

WI DNR LAB ID : 113172950

Phenanthrene	< 0.30	0.30	ug/L	01/08/02	SW846 8270
Phenol	< 0.37	0.37	ug/L	01/08/02	SW846 8270
Pyrene	< 0.37	0.37	ug/L	01/08/02	SW846 8270
Pyridine	< 3.3	3.3	ug/L	01/08/02	SW846 8270

- Analytical Report -

Project Name : SAM WIMER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DW-EW-950
Lab Sample Number : 920201-005
Lab Project Number : 920201

Submitter : TETRA TECH EM, INC
Report Date : 2/4/2002
Collection Date : 1/3/2002
Matrix Type : WATER
WI DNR LAB ID : 113172950

Semivolatile Organic Results

GC/MS SIM - SEMIVOLATILES Prep Method: SW846 3510C Prep Date: 1/7/2002

Analyte	Result	EQL	Units	Code	Analysis Date	Analysis Method
Benzo(a)pyrene	< 0.20	0.20	ug/L		1/29/2002	SW846 8270C

7001 0320 0001 9177 1672

U.S. Postal Service
CERTIFIED MAIL RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

AKRON OH 44312 OFFICIAL USE

Postage	$ $1.03
Certified Fee	$2.10
Return Receipt Fee (Endorsement Required)	$0.00
Restricted Delivery Fee (Endorsement Required)	$0.00
Total Postage & Fees	$ $3.13

Postmark Here
NEW PARKVIEW PARK BR
MAR 15 2002
03/15/2002

Sent To Ms. [redacted] Exemption 6 - 1 line
Street, Apt. No.; or PO Box No. [redacted] Exemption 6 - 1 line
City, State, ZIP+4 Akron, Ohio 44312

PS Form 3800, January 2001 See Reverse for Instructions

Tetra Tech EM Inc.

6801 Engle Road, Suite G ◆ Middleburg Heights, Ohio 44130 ◆ (440) 234-0886 ◆ FAX (440) 234-1725

March 14, 2002

Mr. and Mrs. [redacted] Exemption 6 - 2 words
[redacted] Exemption 6 - 1 line
Akron, Ohio 44312

Dear Mr. and Mrs. [redacted] Exemption 6 - 2 words

On January 3, 2002, U.S. EPA contractors from Tetra Tech EM Inc (Tetra Tech), sampled water
Exemption 6 - words from your residential drinking water well located at [redacted] Akron, Ohio. The water sample was sent to EnChem Laboratory in Madison, Wisconsin to be analyzed for volatile organic compounds (VOCs) and semi-volatile organic compounds (SVOCs). The enclosed data sheets report the results of that analysis. These results have been reviewed for accuracy by the laboratory as well as by a Quality Assurance Chemist for Tetra Tech. No VOCs or SVOCs were detected above the Method Detection Limits (MDLs) in the sample collected from your well. Additionally all MDLs were below the Maximum Contaminant Levels (MCLs) set by U.S. EPA for public drinking water supplies. Although MCLs were established for the regulation of public drinking water supplies, i.e. city water systems, U.S. EPA sometimes compares private well samples to the MCLs to verify the safety of the water from a private well.

A current copy of the National Primary Drinking Water Standards, which includes the MCLs, has been included with this letter for your information. Also, additional is available on the U.S. EPA web site, www.epa.gov/safewater.

If you have any questions, or would like to discuss your analytical results, please do not hesitate to call me at the following number 440-234-2521, extension 225. If I am unavailable, please leave a message and I will return your call as soon as possible.

Sincerely,

Anne A. Busher

Anne A. Busher
Project Manager
Tetra Tech EMI
6801 Engle Road, Suite G
Middleburg Heights, Ohio 44130
(440) 234-2521 ext. 225
Fax (440) 234-1725

cc: Karla Auker, U.S. EPA On-Scene Coordinator

contains recycled fiber and is recyclable

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3547
Lab Sample Number : 920024-003
Lab Project Number : 920024

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/04/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Volatile Organic Results

SPECIAL VOLATILE LIST - WATER Prep Method: SW846 5030 Prep Date:

Analyte	Result	MDL	Units	Code	Analysis Date	Analysis Method
1,1,1,2-Tetrachloroethane	< 0.49	0.49	ug/L		01/09/02	SW846 8260B
1,1,1-Trichloroethane	< 0.53	0.53	ug/L		01/09/02	SW846 8260B
1,1,2,2-Tetrachloroethane	< 0.68	0.68	ug/L		01/09/02	SW846 8260B
1,1,2-Trichloroethane	< 0.47	0.47	ug/L		01/09/02	SW846 8260B
1,1,2-Trichlorotrifluoroethane	< 0.79	0.79	ug/L		01/09/02	SW846 8260B
1,1-Dichloroethane	< 0.61	0.61	ug/L		01/09/02	SW846 8260B
1,1-Dichloroethene	< 0.47	0.47	ug/L		01/09/02	SW846 8260B
1,1-Dichloropropene	< 0.59	0.59	ug/L		01/09/02	SW846 8260B
1,2,3-Trichlorobenzene	< 0.57	0.57	ug/L		01/09/02	SW846 8260B
1,2,3-Trichloropropane	< 0.71	0.71	ug/L		01/09/02	SW846 8260B
1,2,4-Trichlorobenzene	< 0.36	0.36	ug/L		01/09/02	SW846 8260B
1,2,4-Trimethylbenzene	< 0.47	0.47	ug/L		01/09/02	SW846 8260B
1,2-Dibromo-3-chloropropane	< 1.2	1.2	ug/L		01/09/02	SW846 8260B
1,2-Dibromoethane	< 0.49	0.49	ug/L		01/09/02	SW846 8260B
1,2-Dichlorobenzene	< 0.36	0.36	ug/L		01/09/02	SW846 8260B
1,2-Dichloroethane	< 0.54	0.54	ug/L		01/09/02	SW846 8260B
1,2-Dichloropropane	< 0.34	0.34	ug/L		01/09/02	SW846 8260B
1,3,5-Trimethylbenzene	< 0.45	0.45	ug/L		01/09/02	SW846 8260B
1,3-Dichlorobenzene	< 0.64	0.64	ug/L		01/09/02	SW846 8260B
1,3-Dichloropropane	< 0.42	0.42	ug/L		01/09/02	SW846 8260B
1,4-Dichlorobenzene	< 0.43	0.43	ug/L		01/09/02	SW846 8260B
1-Chlorohexane	< 0.46	0.46	ug/L		01/09/02	SW846 8260B
2,2-Dichloropropane	< 0.41	0.41	ug/L		01/09/02	SW846 8260B
2-Butanone	< 1.2	1.2	ug/L		01/09/02	SW846 8260B
2-Chlorotoluene	< 0.65	0.65	ug/L		01/09/02	SW846 8260B
2-Hexanone	< 0.61	0.61	ug/L		01/09/02	SW846 8260B
4-Chlorotoluene	< 0.56	0.56	ug/L		01/09/02	SW846 8260B
4-Methyl-2-pentanone	< 0.61	0.61	ug/L		01/09/02	SW846 8260B
Acetone	< 3.1	3.1	ug/L		01/09/02	SW846 8260B
Acrolein	< 5.7	5.7	ug/L		01/09/02	SW846 8260B
Acrylonitrile	< 0.65	0.65	ug/L		01/09/02	SW846 8260B

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3547
Lab Sample Number : 920024-003
Lab Project Number : 920024

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/04/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Benzene	< 0.44	0.44	ug/L	01/09/02	SW846 8260B
Bromobenzene	< 0.46	0.46	ug/L	01/09/02	SW846 8260B
Bromochloromethane	< 0.21	0.21	ug/L	01/09/02	SW846 8260B
Bromodichloromethane	< 0.41	0.41	ug/L	01/09/02	SW846 8260B
Bromoform	< 0.58	0.58	ug/L	01/09/02	SW846 8260B
Bromomethane	< 0.94	0.94	ug/L	01/09/02	SW846 8260B
Carbon disulfide	< 0.40	0.40	ug/L	01/09/02	SW846 8260B
Carbon tetrachloride	< 0.90	0.90	ug/L	01/09/02	SW846 8260B
Chlorobenzene	< 0.43	0.43	ug/L	01/09/02	SW846 8260B
Chlorodibromomethane	< 0.43	0.43	ug/L	01/09/02	SW846 8260B
Chloroethane	< 0.63	0.63	ug/L	01/09/02	SW846 8260B
Chloroform	< 0.41	0.41	ug/L	01/09/02	SW846 8260B
Chloromethane	< 0.44	0.44	ug/L	01/09/02	SW846 8260B
cis-1,2-Dichloroethene	< 0.46	0.46	ug/L	01/09/02	SW846 8260B
cis-1,3-Dichloropropene	< 0.54	0.54	ug/L	01/09/02	SW846 8260B
cis1,4-Dichloro-2-butene	< 0.66	0.66	ug/L	01/09/02	SW846 8260B
Cyclohexanone	< 7.5	7.5	ug/L	01/09/02	SW846 8260B
Dibromomethane	< 0.60	0.60	ug/L	01/09/02	SW846 8260B
Dichlorodifluoromethane	< 0.61	0.61	ug/L	01/09/02	SW846 8260B
Dichlorofluoromethane	< 0.45	0.45	ug/L	01/09/02	SW846 8260B
Diethyl ether	< 0.54	0.54	ug/L	01/09/02	SW846 8260B
Ethyl methacrylate	< 0.42	0.42	ug/L	01/09/02	SW846 8260B
Ethylbenzene	< 0.50	0.50	ug/L	01/09/02	SW846 8260B
Fluorotrichloromethane	< 0.47	0.47	ug/L	01/09/02	SW846 8260B
Hexachlorobutadiene	< 0.49	0.49	ug/L	01/09/02	SW846 8260B
Iodomethane	< 0.53	0.53	ug/L	01/09/02	SW846 8260B
Isopropylbenzene	< 0.39	0.39	ug/L	01/09/02	SW846 8260B
Methyl methacrylate	< 0.44	0.44	ug/L	01/09/02	SW846 8260B
Methyl-tert-butyl-ether	< 0.44	0.44	ug/L	01/09/02	SW846 8260B
Methylene chloride	< 0.38	0.38	ug/L	01/09/02	SW846 8260B
n-Butylbenzene	< 0.39	0.39	ug/L	01/09/02	SW846 8260B
N-Heptane	< 0.75	0.75	ug/L	01/09/02	SW846 8260B
n-Propylbenzene	< 0.54	0.54	ug/L	01/09/02	SW846 8260B
Naphthalene	< 0.59	0.59	ug/L	01/09/02	SW846 8260B
p-Isopropyltoluene	< 0.51	0.51	ug/L	01/09/02	SW846 8260B

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3547
Lab Sample Number : 920024-003
Lab Project Number : 920024

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/04/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

s-Butylbenzene	< 0.58	0.58	ug/L	01/09/02	SW846 8260B
Styrene	< 0.37	0.37	ug/L	01/09/02	SW846 8260B
t-Butylbenzene	< 0.50	0.50	ug/L	01/09/02	SW846 8260B
Tetrachloroethene	< 0.41	0.41	ug/L	01/09/02	SW846 8260B
Tetrahydrofuran	< 4.1	4.1	ug/L	01/09/02	SW846 8260B
Toluene	< 0.40	0.40	ug/L	01/09/02	SW846 8260B
trans-1,2-Dichloroethene	< 0.64	0.64	ug/L	01/09/02	SW846 8260B
trans-1,3-Dichloropropene	< 0.26	0.26	ug/L	01/09/02	SW846 8260B
trans-1,4-Dichloro-2-butene	< 0.24	0.24	ug/L	01/09/02	SW846 8260B
Trichloroethene	< 0.49	0.49	ug/L	01/09/02	SW846 8260B
Vinyl acetate	< 0.70	0.70	ug/L	01/09/02	SW846 8260B
Vinyl chloride	< 0.17	0.17	ug/L	01/09/02	SW846 8260B
Xylene, o-	< 0.54	0.54	ug/L	01/09/02	SW846 8260B
Xylenes, m-, p-	< 0.77	0.77	ug/L	01/09/02	SW846 8260B

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3547
Lab Sample Number : 920024-003
Lab Project Number : 920024

Submitter : TETRA TECH EM, INC
Report Date : 01/17/02
Collection Date : 01/04/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Semivolatile Organic Results

SPECIAL SEMI-VOLATILE LIST Prep Method: SW846 3510 Prep Date: 01/07/02

Analyte	Result	MDL	Units	Code	Analysis Date	Analysis Method
1,2,4-Trichlorobenzene	< 0.44	0.44	ug/L		01/08/02	SW846 8270C
1,2-Dichlorobenzene	< 0.52	0.52	ug/L		01/08/02	SW846 8270C
1,2-Diphenylhydrazine	< 0.38	0.38	ug/L		01/08/02	SW846 8270C
1,3-Dichlorobenzene	< 0.76	0.76	ug/L		01/08/02	SW846 8270C
1,4-Dichlorobenzene	< 0.65	0.65	ug/L		01/08/02	SW846 8270C
2,2'-oxybis(1-Chloropropane)	< 0.46	0.46	ug/L		01/08/02	SW846 8270C
2,4,5-Trichlorophenol	< 0.67	0.67	ug/L		01/08/02	SW846 8270C
2,4,6-Trichlorophenol	< 0.46	0.46	ug/L		01/08/02	SW846 8270C
2,4-Dichlorophenol	< 0.45	0.45	ug/L		01/08/02	SW846 8270C
2,4-Dimethylphenol	< 1.2	1.2	ug/L		01/08/02	SW846 8270C
2,4-Dinitrophenol	< 2.7	2.7	ug/L		01/08/02	SW846 8270C
2,4-Dinitrotoluene	< 0.37	0.37	ug/L		01/08/02	SW846 8270C
2,6-Dinitrotoluene	< 0.63	0.63	ug/L		01/08/02	SW846 8270C
2-Chloronaphthalene	< 0.59	0.59	ug/L		01/08/02	SW846 8270C
2-Chlorophenol	< 0.49	0.49	ug/L		01/08/02	SW846 8270C
2-Methylnaphthalene	< 0.32	0.32	ug/L		01/08/02	SW846 8270C
2-Methylphenol	< 0.84	0.84	ug/L		01/08/02	SW846 8270C
2-Nitroaniline	< 0.36	0.36	ug/L		01/08/02	SW846 8270C
2-Nitrophenol	< 0.32	0.32	ug/L		01/08/02	SW846 8270C
3,3-Dichlorobenzidine	< 3.8	3.8	ug/L		01/08/02	SW846 8270C
3-Nitroaniline	< 0.36	0.36	ug/L		01/08/02	SW846 8270C
4,6-Dinitro-2-methylphenol	< 0.75	0.75	ug/L		01/08/02	SW846 8270C
4-Bromophenyl phenyl ether	< 0.45	0.45	ug/L		01/08/02	SW846 8270C
4-Chloro-3-methylphenol	< 0.40	0.40	ug/L		01/08/02	SW846 8270C
4-Chloroaniline	< 1.1	1.1	ug/L		01/08/02	SW846 8270C
4-Chlorophenyl phenyl ether	< 0.38	0.38	ug/L		01/08/02	SW846 8270C
4-Methylphenol	< 0.90	0.90	ug/L		01/08/02	SW846 8270C
4-Nitroaniline	< 0.59	0.59	ug/L		01/08/02	SW846 8270C
4-Nitrophenol	< 0.91	0.91	ug/L		01/08/02	SW846 8270C
Acenaphthene	< 0.42	0.42	ug/L		01/08/02	SW846 8270C
Acenaphthylene	< 0.33	0.33	ug/L		01/08/02	SW846 8270C

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3547
Lab Sample Number : 920024-003
Lab Project Number : 920024

Submitter : TETRA TECH EM, INC
Report Date : 01/17/02
Collection Date : 01/04/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Aniline	< 1.7	1.7	ug/L	01/08/02	SW846 8270C
Anthracene	< 0.75	0.75	ug/L	01/08/02	SW846 8270C
Benzidine	< 1.3	1.3	ug/L	01/08/02	SW846 8270C
Benzo(a)anthracene	< 0.30	0.30	ug/L	01/08/02	SW846 8270C
Benzo(a)pyrene	< 0.84	0.84	ug/L	01/08/02	SW846 8270C
Benzo(b)fluoranthene	< 0.67	0.67	ug/L	01/08/02	SW846 8270C
Benzo(g,h,i)perylene	< 1.5	1.5	ug/L	01/08/02	SW846 8270C
Benzo(k)fluoranthene	< 0.65	0.65	ug/L	01/08/02	SW846 8270C
Benzoic acid	< 5.0	5.0	ug/L	01/08/02	SW846 8270C
Benzyl alcohol	< 0.75	0.75	ug/L	01/08/02	SW846 8270C
bis(2-Chloroethoxy)methane	< 0.42	0.42	ug/L	01/08/02	SW846 8270C
bis(2-Chloroethyl)ether	< 0.65	0.65	ug/L	01/08/02	SW846 8270C
bis(2-Ethylhexyl)phthalate	< 1.8	1.8	ug/L	01/08/02	SW846 8270C
Butylbenzylphthalate	< 6.9	6.9	ug/L	01/08/02	SW846 8270C
Chrysene	< 0.37	0.37	ug/L	01/08/02	SW846 8270C
Di-n-butylphthalate	< 0.42	0.42	ug/L	01/08/02	SW846 8270C
Di-n-octylphthalate	< 1.3	1.3	ug/L	01/08/02	SW846 8270C
Dibenzo(a,h)anthracene	< 1.1	1.1	ug/L	01/08/02	SW846 8270C
Dibenzofuran	< 0.44	0.44	ug/L	01/08/02	SW846 8270C
Diethylphthalate	< 0.82	0.82	ug/L	01/08/02	SW846 8270C
Dimethylphthalate	< 0.29	0.29	ug/L	01/08/02	SW846 8270C
Fluoranthene	< 0.29	0.29	ug/L	01/08/02	SW846 8270C
Fluorene	< 0.30	0.30	ug/L	01/08/02	SW846 8270C
Hexachlorobenzene	< 0.55	0.55	ug/L	01/08/02	SW846 8270C
Hexachlorobutadiene	< 0.84	0.84	ug/L	01/08/02	SW846 8270C
Hexachlorocyclopentadiene	< 5.3	5.3	ug/L	01/08/02	SW846 8270C
Hexachloroethane	< 0.89	0.89	ug/L	01/08/02	SW846 8270C
Indeno(1,2,3-cd)pyrene	< 1.2	1.2	ug/L	01/08/02	SW846 8270C
Isophorone	< 1.3	1.3	ug/L	01/08/02	SW846 8270C
N-Nitroso-di-n-propylamine	< 0.72	0.72	ug/L	01/08/02	SW846 8270C
N-Nitrosodimethylamine	< 3.4	3.4	ug/L	01/08/02	SW846 8270C
N-Nitrosodiphenylamine	< 4.6	4.6	ug/L	01/08/02	SW846 8270C
Naphthalene	< 0.47	0.47	ug/L	01/08/02	SW846 8270C
Nitrobenzene	< 0.93	0.93	ug/L	01/08/02	SW846 8270C
Pentachlorophenol	< 2.9	2.9	ug/L	01/08/02	SW846 8270C

- Analytical Report -

Project Name : SAM WINER MOTORS SITE

Project Number : G9009.E.0012004

Field ID : 2DWEW-3547

Lab Sample Number : 920024-003

Lab Project Number : 920024

Submitter : TETRA TECH EM, INC

Report Date : 01/17/02

Collection Date : 01/04/02

Matrix Type : DRINKING WATER

WI DNR LAB ID : 113172950

Phenanthrene	< 0.30	0.30	ug/L	01/08/02	SW846 8270C
Phenol	< 0.37	0.37	ug/L	01/08/02	SW846 8270C
Pyrene	< 0.37	0.37	ug/L	01/08/02	SW846 8270C
Pyridine	< 3.3	3.3	ug/L	01/08/02	SW846 8270C

- Analytical Report -

Project Name : SAM WIMER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DW-EW-3547
Lab Sample Number : 920201-009
Lab Project Number : 920201

Submitter : TETRA TECH EM, INC
Report Date : 2/4/2002
Collection Date : 1/4/2002
Matrix Type : WATER
WI DNR LAB ID : 113172950

Semivolatile Organic Results

GC/MS SIM - SEMIVOLATILES Prep Method: SW846 3510C Prep Date: 1/7/2002

Analyte	Result	EQL	Units	Code	Analysis Date	Analysis Method
Benzo(a)pyrene	< 0.20	0.20	ug/L		1/29/2002	SW846 8270C

7001 0320 0001 9127 1796

U.S. Postal Service

CERTIFIED MAIL RECEIPT

(Domestic Mail Only; No Insurance Coverage Provided)

AKRON OH 44312 OFFICIAL USE

Postage	$ $1.03
Certified Fee	$2.10
Return Receipt Fee (Endorsement Required)	$0.00
Restricted Delivery Fee (Endorsement Required)	$0.00
Total Postage & Fees	$ $3.13

0261 MAR 15 2002 Postmark Here USPS 44126

03/15/2002

Sent To Mr [redacted] Exemption to - 1 line

Street, Apt. No.; or PO Box No. [redacted] Exemption to - 1 line

City, State, ZIP+4 Akron, Ohio 44312

PS Form 3800, January 2001 See Reverse for Instructions

Tetra Tech EM Inc.

6801 Engle Road, Suite G ◆ Middleburg Heights, Ohio 44130 ◆ (440) 234-0886 ◆ FAX (440) 234-1725

March 14, 2002

Mr. [redacted] Exemption 6 - 2 words
Marbro Partnership
[redacted] Exemption 6 - 1 line
Akron, Ohio 44312

Dear Mr. [redacted] Exemption 6 - 2 words

On January 3, 2002, U.S. EPA contractors from Tetra Tech EM Inc (Tetra Tech), sampled water
emption 6 - from the residential drinking water well located at [redacted]. The water sample was
words sent to EnChem Laboratory in Madison, Wisconsin to be analyzed for volatile organic compounds (VOCs) and semi-volatile organic compounds (SVOCs). The enclosed data sheets report the results of that analysis. These results have been reviewed for accuracy by the laboratory as well as by a Quality Assurance Chemist for Tetra Tech. No VOCs or SVOCs were detected above the Method Detection Limits (MDLs) in the sample collected from your well. Additionally all MDLs were below the Maximum Contaminant Levels (MCLs) set by U.S. EPA for public drinking water supplies. Although MCLs were established for the regulation of public drinking water supplies, i.e. city water systems, U.S. EPA sometimes compares private well samples to the MCLs to verify the safety of the water from a private well.

A current copy of the National Primary Drinking Water Standards, which includes the MCLs, has been included with this letter for your information. Also, additional is available on the U.S. EPA web site, www.epa.gov/safewater.

If you have any questions, or would like to discuss your analytical results, please do not hesitate to call me at the following number 440-234-2521, extension 225. If I am unavailable, please leave a message and I will return your call as soon as possible.

Sincerely,

Anne A. Busher

Anne A. Busher
Project Manager
Tetra Tech EMI
6801 Engle Road, Suite G
Middleburg Heights, Ohio 44130
(440) 234-2521 ext. 225
Fax (440) 234-1725

contains recycled fiber and is recyclable

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3313
Lab Sample Number : 920019-006
Lab Project Number : 920019

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/03/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Volatile Organic Results

SPECIAL VOLATILE LIST - WATER Prep Method: SW846 5030 Prep Date:

Analyte	Result	MDL	Units	Code	Analysis Date	Analysis Method
1,1,1,2-Tetrachloroethane	< 0.49	0.49	ug/L		01/09/02	SW846 8260
1,1,1-Trichloroethane	< 0.53	0.53	ug/L		01/09/02	SW846 8260
1,1,2,2-Tetrachloroethane	< 0.68	0.68	ug/L		01/09/02	SW846 8260
1,1,2-Trichloroethane	< 0.47	0.47	ug/L		01/09/02	SW846 8260
1,1,2-Trichlorotrifluoroethane	< 0.79	0.79	ug/L		01/09/02	SW846 8260
1,1-Dichloroethane	< 0.61	0.61	ug/L		01/09/02	SW846 8260
1,1-Dichloroethene	< 0.47	0.47	ug/L		01/09/02	SW846 8260
1,1-Dichloropropene	< 0.59	0.59	ug/L		01/09/02	SW846 8260
1,2,3-Trichlorobenzene	< 0.57	0.57	ug/L		01/09/02	SW846 8260
1,2,3-Trichloropropane	< 0.71	0.71	ug/L		01/09/02	SW846 8260
1,2,4-Trichlorobenzene	< 0.36	0.36	ug/L		01/09/02	SW846 8260
1,2,4-Trimethylbenzene	< 0.47	0.47	ug/L		01/09/02	SW846 8260
1,2-Dibromo-3-chloropropane	< 1.2	1.2	ug/L		01/09/02	SW846 8260
1,2-Dibromoethane	< 0.49	0.49	ug/L		01/09/02	SW846 8260
1,2-Dichlorobenzene	< 0.36	0.36	ug/L		01/09/02	SW846 8260
1,2-Dichloroethane	< 0.54	0.54	ug/L		01/09/02	SW846 8260
1,2-Dichloropropane	< 0.34	0.34	ug/L		01/09/02	SW846 8260
1,3,5-Trimethylbenzene	< 0.45	0.45	ug/L		01/09/02	SW846 8260
1,3-Dichlorobenzene	< 0.64	0.64	ug/L		01/09/02	SW846 8260
1,3-Dichloropropane	< 0.42	0.42	ug/L		01/09/02	SW846 8260
1,4-Dichlorobenzene	< 0.43	0.43	ug/L		01/09/02	SW846 8260
1-Chlorohexane	< 0.46	0.46	ug/L		01/09/02	SW846 8260
2,2-Dichloropropane	< 0.41	0.41	ug/L		01/09/02	SW846 8260
2-Butanone	< 1.2	1.2	ug/L		01/09/02	SW846 8260
2-Chlorotoluene	< 0.65	0.65	ug/L		01/09/02	SW846 8260
2-Hexanone	< 0.61	0.61	ug/L		01/09/02	SW846 8260
4-Chlorotoluene	< 0.56	0.56	ug/L		01/09/02	SW846 8260
4-Methyl-2-pentanone	< 0.61	0.61	ug/L		01/09/02	SW846 8260
Acetone	< 3.1	3.1	ug/L		01/09/02	SW846 8260
Acrolein	< 5.7	5.7	ug/L		01/09/02	SW846 8260
Acrylonitrile	< 0.65	0.65	ug/L		01/09/02	SW846 8260

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3313
Lab Sample Number : 920019-006
Lab Project Number : 920019

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/03/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Benzene	< 0.44	0.44	ug/L	01/09/02	SW846 8260
Bromobenzene	< 0.46	0.46	ug/L	01/09/02	SW846 8260
Bromochloromethane	< 0.21	0.21	ug/L	01/09/02	SW846 8260
Bromodichloromethane	< 0.41	0.41	ug/L	01/09/02	SW846 8260
Bromoform	< 0.58	0.58	ug/L	01/09/02	SW846 8260
Bromomethane	< 0.94	0.94	ug/L	01/09/02	SW846 8260
Carbon disulfide	< 0.40	0.40	ug/L	01/09/02	SW846 8260
Carbon tetrachloride	< 0.90	0.90	ug/L	01/09/02	SW846 8260
Chlorobenzene	< 0.43	0.43	ug/L	01/09/02	SW846 8260
Chlorodibromomethane	< 0.43	0.43	ug/L	01/09/02	SW846 8260
Chloroethane	< 0.63	0.63	ug/L	01/09/02	SW846 8260
Chloroform	< 0.41	0.41	ug/L	01/09/02	SW846 8260
Chloromethane	< 0.44	0.44	ug/L	01/09/02	SW846 8260
cis-1,2-Dichloroethene	< 0.46	0.46	ug/L	01/09/02	SW846 8260
cis-1,3-Dichloropropene	< 0.54	0.54	ug/L	01/09/02	SW846 8260
cis1,4-Dichloro-2-butene	< 0.66	0.66	ug/L	01/09/02	SW846 8260
Cyclohexanone	< 7.5	7.5	ug/L	01/09/02	SW846 8260
Dibromomethane	< 0.60	0.60	ug/L	01/09/02	SW846 8260
Dichlorodifluoromethane	< 0.61	0.61	ug/L	01/09/02	SW846 8260
Dichlorofluoromethane	< 0.45	0.45	ug/L	01/09/02	SW846 8260
Diethyl ether	< 0.54	0.54	ug/L	01/09/02	SW846 8260
Ethyl methacrylate	< 0.42	0.42	ug/L	01/09/02	SW846 8260
Ethylbenzene	< 0.50	0.50	ug/L	01/09/02	SW846 8260
Fluorotrichloromethane	< 0.47	0.47	ug/L	01/09/02	SW846 8260
Hexachlorobutadiene	< 0.49	0.49	ug/L	01/09/02	SW846 8260
Iodomethane	< 0.53	0.53	ug/L	01/09/02	SW846 8260
Isopropylbenzene	< 0.39	0.39	ug/L	01/09/02	SW846 8260
Methyl methacrylate	< 0.44	0.44	ug/L	01/09/02	SW846 8260
Methyl-tert-butyl-ether	< 0.44	0.44	ug/L	01/09/02	SW846 8260
Methylene chloride	< 0.38	0.38	ug/L	01/09/02	SW846 8260
n-Butylbenzene	< 0.39	0.39	ug/L	01/09/02	SW846 8260
N-Heptane	< 0.75	0.75	ug/L	01/09/02	SW846 8260
n-Propylbenzene	< 0.54	0.54	ug/L	01/09/02	SW846 8260
Naphthalene	< 0.59	0.59	ug/L	01/09/02	SW846 8260
p-Isopropyltoluene	< 0.51	0.51	ug/L	01/09/02	SW846 8260

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3313
Lab Sample Number : 920019-006
Lab Project Number : 920019

Submitter : TETRA TECH EM, INC
Report Date : 01/16/02
Collection Date : 01/03/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

s-Butylbenzene	< 0.58	0.58	ug/L	01/09/02	SW846 8260
Styrene	< 0.37	0.37	ug/L	01/09/02	SW846 8260
t-Butylbenzene	< 0.50	0.50	ug/L	01/09/02	SW846 8260
Tetrachloroethene	< 0.41	0.41	ug/L	01/09/02	SW846 8260
Tetrahydrofuran	< 4.1	4.1	ug/L	01/09/02	SW846 8260
Toluene	< 0.40	0.40	ug/L	01/09/02	SW846 8260
trans-1,2-Dichloroethene	< 0.64	0.64	ug/L	01/09/02	SW846 8260
trans-1,3-Dichloropropene	< 0.26	0.26	ug/L	01/09/02	SW846 8260
trans-1,4-Dichloro-2-butene	< 0.24	0.24	ug/L	01/09/02	SW846 8260
Trichloroethene	< 0.49	0.49	ug/L	01/09/02	SW846 8260
Vinyl acetate	< 0.70	0.70	ug/L	01/09/02	SW846 8260
Vinyl chloride	< 0.17	0.17	ug/L	01/09/02	SW846 8260
Xylene, o-	< 0.54	0.54	ug/L	01/09/02	SW846 8260
Xylenes, m-, p-	< 0.77	0.77	ug/L	01/09/02	SW846 8260

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3313
Lab Sample Number : 920019-006
Lab Project Number : 920019

Submitter : TETRA TECH EM, INC
Report Date : 01/17/02
Collection Date : 01/03/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Semivolatile Organic Results

SPECIAL SEMI-VOLATILE LIST Prep Method: SW846 3510 Prep Date: 01/07/02

Analyte	Result	MDL	Units	Code	Analysis Date	Analysis Method
1,2,4-Trichlorobenzene	< 0.44	0.44	ug/L		01/08/02	SW846 8270
1,2-Dichlorobenzene	< 0.52	0.52	ug/L		01/08/02	SW846 8270
1,2-Diphenylhydrazine	< 0.38	0.38	ug/L		01/08/02	SW846 8270
1,3-Dichlorobenzene	< 0.76	0.76	ug/L		01/08/02	SW846 8270
1,4-Dichlorobenzene	< 0.65	0.65	ug/L		01/08/02	SW846 8270
2,2'-oxybis(1-Chloropropane)	< 0.46	0.46	ug/L		01/08/02	SW846 8270
2,4,5-Trichlorophenol	< 0.67	0.67	ug/L		01/08/02	SW846 8270
2,4,6-Trichlorophenol	< 0.46	0.46	ug/L		01/08/02	SW846 8270
2,4-Dichlorophenol	< 0.45	0.45	ug/L		01/08/02	SW846 8270
2,4-Dimethylphenol	< 1.2	1.2	ug/L		01/08/02	SW846 8270
2,4-Dinitrophenol	< 2.7	2.7	ug/L		01/08/02	SW846 8270
2,4-Dinitrotoluene	< 0.37	0.37	ug/L		01/08/02	SW846 8270
2,6-Dinitrotoluene	< 0.63	0.63	ug/L		01/08/02	SW846 8270
2-Chloronaphthalene	< 0.59	0.59	ug/L		01/08/02	SW846 8270
2-Chlorophenol	< 0.49	0.49	ug/L		01/08/02	SW846 8270
2-Methylnaphthalene	< 0.32	0.32	ug/L		01/08/02	SW846 8270
2-Methylphenol	< 0.84	0.84	ug/L		01/08/02	SW846 8270
2-Nitroaniline	< 0.36	0.36	ug/L		01/08/02	SW846 8270
2-Nitrophenol	< 0.32	0.32	ug/L		01/08/02	SW846 8270
3,3-Dichlorobenzidine	< 3.8	3.8	ug/L		01/08/02	SW846 8270
3-Nitroaniline	< 0.36	0.36	ug/L		01/08/02	SW846 8270
4,6-Dinitro-2-methylphenol	< 0.75	0.75	ug/L		01/08/02	SW846 8270
4-Bromophenyl phenyl ether	< 0.45	0.45	ug/L		01/08/02	SW846 8270
4-Chloro-3-methylphenol	< 0.40	0.40	ug/L		01/08/02	SW846 8270
4-Chloroaniline	< 1.1	1.1	ug/L		01/08/02	SW846 8270
4-Chlorophenyl phenyl ether	< 0.38	0.38	ug/L		01/08/02	SW846 8270
4-Methylphenol	< 0.90	0.90	ug/L		01/08/02	SW846 8270
4-Nitroaniline	< 0.59	0.59	ug/L		01/08/02	SW846 8270
4-Nitrophenol	< 0.91	0.91	ug/L		01/08/02	SW846 8270
Acenaphthene	< 0.42	0.42	ug/L		01/08/02	SW846 8270
Acenaphthylene	< 0.33	0.33	ug/L		01/08/02	SW846 8270

- Analytical Report -

Project Name : SAM WINER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DWEW-3313
Lab Sample Number : 920019-006
Lab Project Number : 920019

Submitter : TETRA TECH EM, INC
Report Date : 01/17/02
Collection Date : 01/03/02
Matrix Type : DRINKING WATER
WI DNR LAB ID : 113172950

Aniline	< 1.7	1.7	ug/L	01/08/02	SW846 8270
Anthracene	< 0.75	0.75	ug/L	01/08/02	SW846 8270
Benzidine	< 1.3	1.3	ug/L	01/08/02	SW846 8270
Benzo(a)anthracene	< 0.30	0.30	ug/L	01/08/02	SW846 8270
Benzo(a)pyrene	< 0.84	0.84	ug/L	01/08/02	SW846 8270
Benzo(b)fluoranthene	< 0.67	0.67	ug/L	01/08/02	SW846 8270
Benzo(g,h,i)perylene	< 1.5	1.5	ug/L	01/08/02	SW846 8270
Benzo(k)fluoranthene	< 0.65	0.65	ug/L	01/08/02	SW846 8270
Benzoic acid	< 5.0	5.0	ug/L	01/08/02	SW846 8270
Benzyl alcohol	< 0.75	0.75	ug/L	01/08/02	SW846 8270
bis(2-Chloroethoxy)methane	< 0.42	0.42	ug/L	01/08/02	SW846 8270
bis(2-Chloroethyl)ether	< 0.65	0.65	ug/L	01/08/02	SW846 8270
bis(2-Ethylhexyl)phthalate	< 1.8	1.8	ug/L	01/08/02	SW846 8270
Butylbenzylphthalate	< 6.9	6.9	ug/L	01/08/02	SW846 8270
Chrysene	< 0.37	0.37	ug/L	01/08/02	SW846 8270
Di-n-butylphthalate	< 0.42	0.42	ug/L	01/08/02	SW846 8270
Di-n-octylphthalate	< 1.3	1.3	ug/L	01/08/02	SW846 8270
Dibenzo(a,h)anthracene	< 1.1	1.1	ug/L	01/08/02	SW846 8270
Dibenzofuran	< 0.44	0.44	ug/L	01/08/02	SW846 8270
Diethylphthalate	< 0.82	0.82	ug/L	01/08/02	SW846 8270
Dimethylphthalate	< 0.29	0.29	ug/L	01/08/02	SW846 8270
Fluoranthene	< 0.29	0.29	ug/L	01/08/02	SW846 8270
Fluorene	< 0.30	0.30	ug/L	01/08/02	SW846 8270
Hexachlorobenzene	< 0.55	0.55	ug/L	01/08/02	SW846 8270
Hexachlorobutadiene	< 0.84	0.84	ug/L	01/08/02	SW846 8270
Hexachlorocyclopentadiene	< 5.3	5.3	ug/L	01/08/02	SW846 8270
Hexachloroethane	< 0.89	0.89	ug/L	01/08/02	SW846 8270
Indeno(1,2,3-cd)pyrene	< 1.2	1.2	ug/L	01/08/02	SW846 8270
Isophorone	< 1.3	1.3	ug/L	01/08/02	SW846 8270
N-Nitroso-di-n-propylamine	< 0.72	0.72	ug/L	01/08/02	SW846 8270
N-Nitrosodimethylamine	< 3.4	3.4	ug/L	01/08/02	SW846 8270
N-Nitrosodiphenylamine	< 4.6	4.6	ug/L	01/08/02	SW846 8270
Naphthalene	< 0.47	0.47	ug/L	01/08/02	SW846 8270
Nitrobenzene	< 0.93	0.93	ug/L	01/08/02	SW846 8270
Pentachlorophenol	< 2.9	2.9	ug/L	01/08/02	SW846 8270

- Analytical Report -

Project Name : SAM WINER MOTORS SITE

Project Number : G9009.E.0012004

Field ID : 2DWEW-3313

Lab Sample Number : 920019-006

Lab Project Number : 920019

Submitter : TETRA TECH EM, INC

Report Date : 01/17/02

Collection Date : 01/03/02

Matrix Type : DRINKING WATER

WI DNR LAB ID : 113172950

Phenanthrene	< 0.30	0.30	ug/L	01/08/02	SW846 8270
Phenol	< 0.37	0.37	ug/L	01/08/02	SW846 8270
Pyrene	< 0.37	0.37	ug/L	01/08/02	SW846 8270
Pyridine	< 3.3	3.3	ug/L	01/08/02	SW846 8270

- Analytical Report -

Project Name : SAM WIMER MOTORS SITE
Project Number : G9009.E.0012004
Field ID : 2DW-EW-3313
Lab Sample Number : 920201-006
Lab Project Number : 920201

Submitter : TETRA TECH EM, INC
Report Date : 2/4/2002
Collection Date : 1/3/2002
Matrix Type : WATER
WI DNR LAB ID : 113172950

Semivolatile Organic Results

GC/MS SIM - SEMIVOLATILES Prep Method: SW846 3510C Prep Date: 1/7/2002

Analyte	Result	EQL	Units	Code	Analysis Date	Analysis Method
Benzo(a)pyrene	< 0.20	0.20	ug/L		1/29/2002	SW846 8270C

7001 0320 0001 9177 1558

U.S. Postal Service

CERTIFIED MAIL RECEIPT

(Domestic Mail Only; No Insurance Coverage Provided)

[redacted]

AKRON OH 44312 OFFICIAL USE

Postage	$ $0.57
Certified Fee	$2.10
Return Receipt Fee (Endorsement Required)	$0.00
Restricted Delivery Fee (Endorsement Required)	$0.00
Total Postage & Fees	$ $2.67

PARK BR 0281 08 MAR 15 2002 Postmark Here

03/15/2002

Sent To Mr [redacted] - Marbro Plus Exemption to - 2 words

Street, Apt. No.; or PO Box No. [redacted] Exemption to - 1 line

City, State, ZIP+4 Akron, Ohio 44312

PS Form 3800, January 2001 See Reverse for Instructions