US EPA RECORDS CENTER REGION 5
452121

NATIONWIDE ENVIRONMENTAL SERVICES, INC.

6th Avenue West Business Park
14818 W 6th Ave. Suite 5A
Golden, CO 80401

January 27, 2009

Mr. Tim Drexler
Remedial Project Manager
U.S. Environmental Protection Agency
77 West Jackson Boulevard, HSRM-6J
Chicago, IL 60604

Mr. Thomas Williams
Illinois Environmental Protection Agency
P.O. Box 1515
LaSalle, IL 61301

RE: Southeast Rockford Ground Water NPL Site
Ground Water Monitoring Results - Sampling Event #20

Dear Gentlemen:

The analytical results for the ground water monitoring samples collected at the Southeast Rockford Groundwater Contamination Site (the Site) during the semi-annual monitoring event conducted in November 2008 are enclosed. This sampling event constitutes the 14th semi-annual sampling event and 20th sampling event overall for the long-term ground water monitoring element of the remedy established under the approved RD/RA Work Plan.

Sample collection and analyses were completed in accordance with the recently amended Site Field Sampling Plan and RD/RA Quality Assurance Project Plan (QAPP). Sample preparation and analyses were performed by TriMatrix of Grand Rapids, Michigan consistent with USEPA SW-846 procedures. The analytical results were validated by NES. The validated laboratory data sheets and data quality summaries are provided in Appendix A.

The ground water monitoring network is shown in Figure 1. The analytical results for the chemicals of concern (COC) identified in Section VI of the Site Record of Decision (ROD) are summarized in Table 1. Please note that, although vinyl chloride (VC) is not identified in the list of COC in the ROD for the Site, concentrations reported above the MCL of 2 µg/l are listed in Table 1 at the request of USEPA in correspondence dated December 14, 2006.

The historical analytical results for samples collected from the Site ground water monitoring network by monitoring well location are presented in Table 2. Table 2 also includes the sum of the total VOC concentrations for the Site COC. The total VOC concentrations reveal general trends at each monitoring location. In brief, the historical data for total VOCs indicates the following:

- Total VOC concentrations have generally decreased across the Site since inception of the long-term monitoring program in March 1999, with the exception of certain monitoring locations located immediately down gradient of identified source areas as presented below.
    - ✓ Total VOCs in ground water monitoring locations near source Area 7 were lower than the prior sampling event in May 2008 with the exception of MW-101C and MW-133B.
    - ✓ Total VOCs in ground water monitoring locations near source Areas 4, 9/10, and 11 were lower than the prior sampling event in May 2008 with the exception of MW-113B, MW-130, MW-201, MW-202, and MW-203.

*(303) 232-2134 ** Fax: (303) 232-1724*

- The ratios of parent VOC compound concentrations with associated breakdown product concentrations appear to indicate that natural attenuation is occurring at the Site.
- Total VOC concentrations at monitoring locations proximate to the Rock River are generally constant or decreasing with the exception of MW-206B.

Please contact me at telephone 303-232-2134 if you have any questions regarding the information provided or require any additional information.

Sincerely,

William B. Dotterrer,

William B. Dotterrer,
Sr. Project Manager

cc: Tim Holdeman, City of Rockford

Enclosure

Figure 1: Southeast Rockford NPL Site Ground Water Monitoring Network and Source Location



TCE

Figure 1: Southeast Rockford NPL Site Ground Water Monitoring Network and Source Location



Figure 1: Southeast Rockford NPL Site Ground Water Monitoring Network and Source Location



Figure 1: Southeast Rockford NPL Site Ground Water Monitoring Network and Source Location



Table 1: Southeast Rockford NPL Site
Summary of Groundwater Analytical Results
Sampling Event #20

Compound	Limits	MW16 12/18/08	MW47 11/29/08	MW47(d) 11/29/08	MW101A 11/28/08	MW101B 11/28/08	MW101C 11/26/08	MW101D 11/28/08	MW102A 11/26/08
Methylene Chloride	5	0.70	1U	1U	5U	5U	5U	2U	1U
trans-1,2-Dichloroethene	100	**35**	1U	1U	38	7.5	6.8	1.9	4.1
cis-1,2-Dichloroethene	70	**240**	0.93	0.96	**908**	**760**	**682**	**199**	**137**
1,1-Dichloroethene	7	2U	1U	0.34	**58**	**36**	**34**	**15**	2.8
1,1-Dichloroethane	N/A	**100**	1.6	1.58	233	181	157	42	58
Chloroform	N/A	1.3	1U	0.15	4.1	2.4	2.5	1.5	0.18
1,2-Dichloroethane	5	1.0	1U	1U	2.2	1.8	2.1	0.58	1U
1,1,1-Trichloroethane	200	**120**	2.9	2.89	**691**	**438**	5U	137	83
Trichloroethene	5	**56**	1.2	1.15	**214**	**96**	**86**	**39**	**18**
Tetrachloroethene	5	4.6	0.62	0.61	**56**	**41**	**28**	**16**	1U
Vinyl Chloride	2	2U	1U	1U	5U	5U	5U	2U	1U

Compound	Limits	MW102B 11/26/08	MW102C 11/26/08	MW113A 11/29/08	MW113B 11/29/08	MW114A 11/29/08	MW114B 12/18/08	MW117B 11/28/08	MW117C 11/28/08
Methylene Chloride	5	1U	1U	5U	1U	1U	1U	1U	1U
trans-1,2-Dichloroethene	100	0.28	0.79	41	2.2	1U	1U	1U	0.31
cis-1,2-Dichloroethene	70	5.1	57	**369**	**169**	1U	2.0	8.1	**86**
1,1-Dichloroethene	7	1U	5.8	**7.3**	**20**	1U	0.67	**8.7**	**26**
1,1-Dichloroethane	N/A	2.8	19	135	71	0.28	1.6	7.9	0.26
Chloroform	N/A	1U	0.21	2.2	0.71	1U	1U	0.38	0.55
1,2-Dichloroethane	5	0.66	0.33	1.5	0.92	1U	1U	1U	0.26
1,1,1-Trichloroethane	200	1U	18	**210**	29	1.1	1U	24	57
Trichloroethene	5	1U	**9.5**	**99**	**42**	1U	**6.8**	**16**	**23**
Tetrachloroethene	5	1U	2.7	**11**	3.5	1U	1U	4.9	**27**
Vinyl Chloride	2	0.18	1U	5U	**6.2**	1U	1U	1U	1U

Table 1: Southeast Rockford NPL Site
Summary of Groundwater Analytical Results
Sampling Event #20

Compound	Limits	MW117D 11/28/08	MW119 11/29/08	MW121 11/29/08	MW124 11/29/08	MW130 11/29/08	MW133A 11/26/08	MW133B 11/26/08	MW133C 11/26/08
Methylene Chloride	5	1U	1U	1U	5U	2U	1U	10U	1U
trans-1,2-Dichloroethene	100	0.27	1U	0.55	1.4	0.40	1U	**193**	6.9
cis-1,2-Dichloroethene	70	24	0.54	3.4	**144**	21	0.26	**1,860**	**97**
1,1-Dichloroethene	7	**20**	1U	1U	**16**	4.2	1U	**12**	**25**
1,1-Dichloroethane	N/A	23	0.98	1.4	415	22	1U	308	54
Chloroform	N/A	0.46	1U	0.56	5U	2U	1U	8.0	7.8
1,2-Dichloroethane	5	1U	1U	1U	5U	2U	1U	**5.4**	1.9
1,1,1-Trichloroethane	200	58	1.3	2.7	90	198	0.32	**955**	182
Trichloroethene	5	**19**	0.27	**14**	**10**	4.3	1U	**208**	**95**
Tetrachloroethene	5	**29**	1U	1.8	**12**	0.56	1U	**126**	**6.1**
Vinyl Chloride	2	1U	1U	1U	**32**	2U	1U	10U	1U

Compound	Limits	MW136 11/29/08	MW200 11/29/08	MW201 11/29/08	MW201(d) 11/29/08	MW202 11/29/08	MW203 11/29/08	MW204 11/29/08	MW205A 11/28/08
Methylene Chloride	5	1U	1U	10U	10U	1U	1U	1U	1U
trans-1,2-Dichloroethene	100	1U	1U	10U	10U	1U	1U	0.29	1U
cis-1,2-Dichloroethene	70	0.20	0.69	7.1	5.5	1U	1U	14	42
1,1-Dichloroethene	7	1U	1U	10U	10U	1U	1U	**14**	**21**
1,1-Dichloroethane	N/A	1U	1U	1,460	1,580	0.95	0.45	4.9	12
Chloroform	N/A	4.5	1U	2.0	10U	0.30	0.15	0.65	0.49
1,2-Dichloroethane	5	1U	1U	10U	10U	1U	1U	2.1	0.29
1,1,1-Trichloroethane	200	1U	0.21	14	12.5	1.2	0.19	7.6	60
Trichloroethene	5	1U	0.17	**7.7**	7.1	0.65	0.33	**74**	**31**
Tetrachloroethene	5	1U	1U	10U	10U	1.3	3.1	2.6	**20**
Vinyl Chloride	2	1U	1U	**6.2**	**5.6**	1U	1U	0.32	1U

Table 1: Southeast Rockford NPL Site
Summary of Groundwater Analytical Results
Sampling Event #20

Compound	Limits	MW205B 11/28/08	MW206A 11/28/08	MW206B 11/28/08	MW206C 11/28/08	MW207 11/29/08	Trip Blank 11/29/08
Methylene Chloride	5	1U	1U	1U	1U	1U	1.1
trans-1,2-Dichloroethene	100	1U	0.21	0.20	1U	0.27	1U
cis-1,2-Dichloroethene	70	43	9.4	46	5.2	1.9	1U
1,1-Dichloroethene	7	**20**	**7.5**	**41**	2.0	1U	1U
1,1-Dichloroethane	N/A	15	13	58	3.1	3.0	1U
Chloroform	N/A	0.49	0.28	0.92	1U	0.36	1U
1,2-Dichloroethane	5	0.38	0.19	1.7	1U	1U	1U
1,1,1-Trichloroethane	200	79	18	40	1U	5.6	1U
Trichloroethene	5	**25**	**7.9**	**36**	**19**	**11**	1U
Tetrachloroethene	5	**13**	2.0	1.7	1U	2.0	1U
Vinyl Chloride	2	1U	1.6	0.72	1U	1U	1U

(d) Field duplicate

All units in micrograms per liter (µg/l) or parts per billion (ppb)

Bold value and outlined cell denotes analytical result > than MCL

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 01/09)

Sample Event			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
MW-16	**MCL**	**CDM**	**1Q**	**2Q**	**3Q**	**4Q**	**5Q**	**6Q**	**1SA**	**2SA**	**3SA**	**4SA**	**5SA**	**6SA**	**7SA**	**8SA**	**9SA**	**10SA**	**11SA**	**12SA**	**13SA**	**14SA**
		NS	**06/01/99**	**10/26/99**	**01/31/00**	**04/24/00**	**07/27/07**	**11/13/00**	**04/12/01**	**10/31/01**	**04/25/02**	**10/15/02**	**04/22/03**	**12/31/03**	**04/28/04**	**05/21/05**	**10/20/05**	**05/08/06**	**01/04/07**	**10/08/07**	**05/17/08**	**12/18/08**
Methylene Chloride	5		2U	20U	20U	10U	20U	20U	20U	20U	20U	40U	20U	10U	40U	2U	2U	2U	10U	2U	40U	0.70
trans-1,2-Dichloroethene	100		1.8	2.5	16	16	12	2.8	14	22	6.7	22	20U	10U	20U	5.6	5.6	7.3	5.0	14	20U	35
cis-1,2-Dichloroethene	70		140	130	120	130	130	150	150	160	170	240	200	247	254	230	230	290	280	260	320	240
1,1-Dichloroethene	7		24	23	2.2	2.0	3.8	20	3.1	10U	15	98	25	32	30	28	28	27	24	28	39	2U
1,1-Dichloroethane	NA		76	73	75	79	75	87	74	88	70	130	76	94	100	91	91	94	94	100	130	100
Chloroform	NA		3.0	2.3	2.3	2.5	2.7	2.2	2.3	2.5	2.3	20U	20U	10U	20U	1.8	1.8	2.0	5.0	2.0	20U	1.3
1,2-Dichloroethane	5		1.2	10U	10U	5U	10U	10U	10U	10U	10U	20U	20U	10U	20U	1U	1U	1U	5U	1.0	20U	1.0
1,1,1-Trichloroethane	200		170	170	170	160	160	140	180	210	150	240	172	221	202	160	160	170	160	140	170	120
Trichloroethene	5		64	65	68	65	58	55	64	72	62	91	75	93	77	65	65	78	63	61	78	56
Tetrachloroethene	5		5.4	5.2	5.9	5.7	5.2	5.0	5.8	7.1	6.6	20U	20U	9.1	20U	6.5	6.5	9.1	5.3	8.0	20U	4.6
MW-16 Total VOCs		**NS**	**485**	**471**	**459**	**460**	**447**	**462**	**493**	**562**	**483**	**821**	**548**	**695**	**663**	**588**	**588**	**677**	**636**	**614**	**737**	**559**

MW-47	**MCL**	**CDM**	**1Q**	**2Q**	**3Q**	**4Q**	**5Q**	**6Q**	**1SA**	**2SA**	**3SA**	**4SA**	**5SA**	**6SA**	**7SA**	**8SA**	**9SA**	**10SA**	**11SA**	**12SA**	**13SA**	**14SA**
		10/06/93	**06/01/99**	**10/27/99**	**02/17/00**	**04/18/00**	**07/27/00**	**11/08/00**	**04/10/01**	**10/31/01**	**04/30/02**	**10/17/02**	**04/22/03**	**12/31/03**	**04/28/04**	**05/21/05**	**10/20/05**	**06/28/06**	**01/05/07**	**10/08/07**	**05/17/08**	**11/29/08**
Methylene Chloride	5	2U	2 U	2U	2U	2U	2U	2U	2U	2U	2U	0.60	1U	1U	2U	2U		2U	2U	2U	2U	1U
trans-1,2-Dichloroethene	100	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U		1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	3.0	1.3	4.5	0.18	0.36	0.38	0.25	0.31	1U	0.13	1U	1U	1U	1U	1U		1U	1U	2.0	1.0	0.93
1,1-Dichloroethene	7	2.0	0.49	0.87	0.10	0.18	0.13	0.10	1.0	1U	1U	1U	1U	0.51	1U	1U		1U	1U	0.90	1U	1U
1,1-Dichloroethane	NA	5.0	1.1	1.1	0.32	0.53	0.61	0.55	0.57	0.21	0.13	1U	1U	1U	0.54	1U		1U	1U	2.0	1.0	1.6
Chloroform	NA	1U	1U	1U	1U	1U	1U	0.17	0.28	0.92	1.3	1.0	1U	1U	1U	1U		1U	1U	1U	1U	1U
1,2-Dichloroethane	5	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U		1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	9.0	3.5	6.5	1U	1.0	1.2	0.58	1.1	0.34	0.23	1U	1.7	0.59	0.91	1.4		1U	1U	3.0	4.0	2.9
Trichloroethene	5	5.0	2.8	5.7	0.58	0.66	0.82	0.37	0.56	0.25	0.27	1U	1U	1U	0.58	1U		1U	1U	1.0	1.0	1.2
Tetrachloroethene	5	1.0	0.53	2.2	0.27	0.27	0.64	0.45	0.48	0.38	0.33	1U	1U	0.77	1U	1U		1U	1U	0.60	1U	0.62
MW-47 Total VOCs		**25.0**	**9.7**	**21**	**1.5**	**3.0**	**3.8**	**2.5**	**4.3**	**2.1**	**2.4**	**1.6**	**1.7**	**1.9**	**2.0**	**1.4**	**NS**	**0.0**	**0.0**	**9.5**	**7.0**	**7.2**

MW-101A	**MCL**	**CDM**	**1Q**	**2Q**	**3Q**	**4Q**	**5Q**	**6Q**	**1SA**	**2SA**	**3SA**	**4SA**	**5SA**	**6SA**	**7SA**	**8SA**	**9SA**	**10SA**	**11SA**	**12SA**	**13SA**	**14SA**
		10/04/93	**04/20/99**	**10/25/99**	**01/27/00**	**04/25/00**	**07/26/00**	**11/16/00**	**04/13/01**	**10/30/01**	**04/22/02**	**10/10/02**	**04/22/03**	**12/31/03**	**04/28/04**	**05/21/05**	**01/12/06**	**05/08/06**	**01/04/07**	**10/07/07**	**05/17/08**	**11/28/08**
Methylene Chloride	5	17U	2U	100U	100U	100U	40U	100U	100U	100U	100U	200U	100U	100U	200U	20U	10U	2U	20U	2U	100	5U
trans-1,2-Dichloroethene	100		9.3	7.0	40	7.8	10.0	8.3	8.6	12	11	100U	100U	100U	100U	13	44	17	21	72	50U	38
cis-1,2-Dichloroethene	70	190	540	620	690	720	730	830	780	990	1,000	1,200	1,110	1,260	1,230	1,100	990	1,100	840	790	1,000	908
1,1-Dichloroethene	7	43	63	64	61	65	51	77	81	79	82	440	45	101	98	89	37	76	48	38	100	58
1,1-Dichloroethane	NA	150	230	240	270	240	210	310	240	300	250	370	162	268	265	260	220	25U	180	220	260	233
Chloroform	NA	4.0	7.3	5.6	6.2	7.0	6.1	6.3	5.6	6.3	6.8	100U	50U	100U	100U	10U	4.5	4.4	10U	4.0	50U	4.1
1,2-Dichloroethane	5	17U	3.4	50U	50U	50U	20U	50U	50U	50U	50U	100U	50U	100U	100U	10U	5U	1U	10U	2.0	50U	2.2
1,1,1-Trichloroethane	200	650	580	610	740	690	620	740	830	1,000	890	1,200	656	950	1,040	850	800	970	820	590	740	691
Trichloroethene	5	180	200	220	270	220	140	250	270	300	280	340	160	278	302	250	220	270	190	200	240	214
Tetrachloroethene	5	17U	16	14	15	50U	4.4	15	14	15	18	64	51	100U	56	80	61	93	56	67	64	56
MW-101A Total VOCs		**1217**	**1649**	**1781**	**2092**	**1950**	**1772**	**2237**	**2229**	**2702**	**2538**	**3614**	**2184**	**2857**	**2992**	**2642**	**2377**	**2530**	**2155**	**1983**	**2504**	**2,204**

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 01/09)

Sample Event			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
MW-101B	**MCL**	**CDM 10/04/93**	**1Q 04/20/99**	**2Q 10/08/07**	**3Q 01/27/00**	**4Q 04/25/00**	**5Q 07/26/00**	**6Q 11/16/00**	**1SA 04/13/01**	**2SA 10/30/01**	**3SA 04/22/02**	**4SA 10/10/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 01/12/06**	**10SA 05/08/06**	**11SA 01/04/07**	**12SA 10/07/07**	**13SA 05/17/08**	**14SA 11/28/08**
Methylene Chloride	5	25U	20U	2U	100U	100U	40U	50U	100U	50U	3.3	100U	50U	100U	100U	20U	10U	20U	20U	2U	100	5U
trans-1,2-Dichloroethene	100		10U	1U	50 U	5.2	4.0	3.9	50 U	4.0	4.4	50U	50U	100U	50U	10U	6.3	10U	10U	12	50U	7.5
cis-1,2-Dichloroethene	70	190	520	2.0	490	510	700	550	570	580	630	850	795	963	1,140	920	890	1,100	950	790	960	760
1,1-Dichloroethene	7	42	36	2.0	33	37	41	35	42	33	37	290	50U	100U	59	50	42	52	46	47	64	36
1,1-Dichloroethane	NA	140	150	20	140	150	150	170	140	150	140	230	230	188	226	200	200	230	210	200	240	181
Chloroform	NA	5.0	3.6	1U	50 U	4.5	4.4	3.3	50 U	3.5	4.4	50U	50U	100U	50U	10U	5U	10U	10U	2.0	50U	2.4
1,2-Dichloroethane	5	25U	10U	1U	50U	50U	20U	25U	50U	25U	50U	50U	50U	100U	50U	10U	5U	10U	10U	2.0	50U	1.8
1,1,1-Trichloroethane	200	560	690	7.0	570	590	750	450	620	440	580	840	840	696	843	610	570	660	620	460	560	438
Trichloroethene	5	180	140	9.0	150	140	140	120	160	140	140	180	180	148	174	130	120	130	120	110	130	96
Tetrachloroethene	5	84	45	6.0	42	33	39	18	39	21	48	80	80	100U	62	47	41	50	46	44	52	41
MW-101B Total VOCs		**1201**	**1585**	**46**	**1425**	**1470**	**1828**	**1350**	**1571**	**1372**	**1587**	**2470**	**2125**	**1995**	**2504**	**1957**	**1869**	**2222**	**1992**	**1667**	**2106**	**1,564**

MW-101C	**MCL**	**CDM 10/06/93**	**1Q 04/20/99**	**2Q 10/25/99**	**3Q 01/27/00**	**4Q 04/25/00**	**5Q 07/26/00**	**6Q 11/13/00**	**1SA 04/12/01**	**2SA 10/30/01**	**3SA 04/22/02**	**4SA 10/10/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/20/05**	**10SA 05/08/06**	**11SA 01/04/07**	**12SA 10/07/07**	**13SA 05/17/08**	**14SA 11/26/08**
Methylene Chloride	5	100U	20U	3.1	40U	100U	40U	50U	50U	50U	50 U	28	10U	50U								5U
trans-1,2-Dichloroethene	100	100	10U	2.5	2.8	3.5	2.7	2.7	3.0	11	4.2	50U	10U	50U								6.8
cis-1,2-Dichloroethene	70	210	550	380	370	420	390	420	420	510	570	660	125	775								682
1,1-Dichloroethene	7	59	34	31	28	28	25	24	27	21	31	200	7.2	42								34
1,1-Dichloroethane	NA	140	140	110	110	120	110	130	100	120	120	200	25	141								157
Chloroform	NA	100U	3.5	3.0	20U	3.9	3.6	2.6	2.5	2.9	3.2	50U	10U	50U								2.5
1,2-Dichloroethane	5	100U	10U	25U	20U	50U	20U	25U	25U	25U	25U	50U	10U	100U								2.1
1,1,1-Trichloroethane	200	650	740	480	460	450	390	370	450	470	490	650	98	628								5U
Trichloroethene	5	190	140	130	120	100	82	100	110	110	120	130	24	142								86
Tetrachloroethene	5	72	45	42	42	31	21	34	37	32	41	150	7.3	45								28
MW-101C Total VOCs		**1421**	**1653**	**1182**	**1133**	**1156**	**1024**	**1083**	**1150**	**1277**	**1379**	**2018**	**286**	**1773**	**NS**	**NS**	**NS**	**NS**	**NS**	**NS**	**NS**	**998**

MW-101D	**MCL**	**CDM 10/06/93**	**1Q 04/21/99**	**2Q 10/25/99**	**3Q 01/27/00**	**4Q 04/25/00**	**5Q 07/26/00**	**6Q 11/16/00**	**1SA 04/13/01**	**2SA 10/30/01**	**3SA 04/30/02**	**4SA 10/10/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 01/12/06**	**10SA 06/23/06**	**11SA 01/04/07**	**12SA 10/07/07**	**13SA 05/17/08**	**14SA 11/28/08**
Methylene Chloride	5	50U	10U		20U	40U	20U	20U	20U	40U	40 U	40U	50U	10U	50U	2U	4U	20U	10U	10U	10U	2U
trans-1,2-Dichloroethene	100	50	5U		1.5	1.9	1.1	1.3	1.9	2.0	2.0	20U	50U	10U	25U	1U	2U	10U	5U	10U	10U	1.9
cis-1,2-Dichloroethene	70	130	230		130	250	180	210	250	260	260	280	602	179	323	330	85	410	200	240	380	199
1,1-Dichloroethene	7	34	24		14	23	14	17	21	22	22	94	36	18	22	28	5.0	24	16	22	35	15
1,1-Dichloroethane	NA	72	80		42	70	60	76	66	70	66	100	128	42	68	74	53	77	56	55	98	42
Chloroform	NA	50U	2.6		1.6	2.4	2.5	2.2	2.2	2.3	2.5	20U	50U	10U	25U	2.0	2U	10U	5.0	10U	10U	1.5
1,2-Dichloroethane	5	50U	5U		10U	20U	1.2	1.3	10U	20U	20U	20U	50U	10U	25U	1U	2U	10U	5U	10U	10U	0.58
1,1,1-Trichloroethane	200	300	300		180	270	180	180	250	300	240	300	500	168	249	230	190	220	180	180	220	137
Trichloroethene	5	96	80		54	81	33	46	73	80	67	58	122	52	62	61	20	56	46	50	70	39
Tetrachloroethene	5	31	23		18	23	2.9	3.8	18	26	20	20U	36	16	21	22	14	20	15	18	26	16
MW-101D Total VOCs		**713**	**740**	**NS**	**441**	**721**	**475**	**538**	**682**	**762**	**680**	**832**	**1423**	**474**	**745**	**747**	**367**	**807**	**518**	**565**	**829**	**452**

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 01/09)

Sample Event			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
MW-102A	**MCL**	**CDM 09/28/93**	**1Q 05/20/99**	**2Q 10/25/99**	**3Q 02/16/00**	**4Q 04/25/00**	**5Q 07/26/00**	**6Q 11/16/00**	**1SA 04/10/01**	**2SA 10/17/01**	**3SA 04/30/02**	**4SA 10/10/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/02/05**	**9SA 11/02/05**	**10SA 06/22/06**	**11SA 11/16/06**	**12SA 10/08/07**	**13SA 05/19/08**	**14SA 11/26/08**
Methylene Chloride	5	23	2U	10U	10U	10U	20U	10U	20U	20U	10U	40U	10U	10U	4U	2U	2U	2U	2U	9.0	20	1U
trans-1,2-Dichloroethene	100	2.0	1.8	1.7	3.0	1.4	2.5	2.7	4.4	4.1	1.9	20U	10U	5.6	1.5	0.84	5.1	1.9	3.3	5.0	10U	4.1
cis-1,2-Dichloroethene	70	32	54	61	90	49	95	110	140	110	65	160	136	156	34	16	110	54	120	150	150	137
1,1-Dichloroethene	7	4.0	1.2	2.5	2.8	1.5	2.7	2.8	4.2	2.3	1.6	20U	10U	10U	2U	1U	1.9	0.98	1.8	4.0	10U	2.8
1,1-Dichloroethane	NA	26	43	43	64	43	71	91	91	77	47	130	93	118	39	19	71	39	73	64	68	58
Chloroform	NA	2U	1U	5U	5U	5U	10U	5U	10U	10U	5U	20U	10U	10U	2U	1U	1U	1U	1U	10U	10U	0.18
1,2-Dichloroethane	5	2U	0.25	5U	5U	5U	10U	5U	10U	10U	5U	20U	10U	10U	2U	1U	1U	1U	1U	10U	10U	1U
1,1,1-Trichloroethane	200	34	51	57	97	57	100	88	120	88	62	140	102	114	37	19	57	31	100	95	93	83
Trichloroethene	5	6.0	6.3	15	14	7.6	16	14	22	16	11	26	22	22	6.9	3.5	11	6.6	15	20	18	18
Tetrachloroethene	5	2.0	0.60	3.1	5U	5U	10U	5U	10U	10U	5U	20U	10U	10U	2U	1U	1U	1U	1U	10U	10U	1U
MW-102A Total VOCs		**129**	**158**	**183**	**271**	**160**	**287**	**309**	**382**	**297**	**189**	**456**	**353**	**416**	**119**	**58**	**256**	**133**	**313**	**347**	**349**	**302**
MW-102B	**MCL**	**CDM 09/28/93**	**1Q 05/20/99**	**2Q 10/25/99**	**3Q 02/16/00**	**4Q 04/25/00**	**5Q 07/26/00**	**6Q 11/16/00**	**1SA 04/10/01**	**2SA 10/17/01**	**3SA 04/30/02**	**4SA 10/10/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/02/05**	**9SA 11/02/05**	**10SA 06/22/06**	**11SA 11/16/06**	**12SA 10/08/07**	**13SA 05/19/08**	**14SA 11/26/08**
Methylene Chloride	5	3.0	2U	2U	2U	2U	2U	2U	2U	2U	2U	0.60	1U	1U	2U	2U	2U	2U	2U	2U	2U	1U
trans-1,2-Dichloroethene	100	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.13	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.28
cis-1,2-Dichloroethene	70	1U	2.1	2.7	0.28	0.48	0.54	0.62	0.71	1.2	1.4	2.0	2.3	2.9	3.2	2.4	3.5	4.3	5.0	4.0	6.0	5.1
1,1-Dichloroethene	7	1U	0.32	0.40	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethane	NA	1U	0.99	0.93	0.32	0.36	0.62	0.76	0.71	0.83	1.0	2.0	1.3	1.6	1.7	1.6	1.9	2.3	3.0	3.0	4.0	2.8
Chloroform	NA	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,2-Dichloroethane	5	1U	0.63	0.66	0.47	0.49	0.54	1U	0.61	1U	0.58	1U	1U	0.64	0.62	0.48	1U	1U	1U	0.50	1U	0.66
1,1,1-Trichloroethane	200	1U	1.4	5.1	1U	0.20	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
Trichloroethene	5	1U	2.1	3.7	1U	0.09	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
Tetrachloroethene	5	1U	1.1	2.0	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
MW-102B Total VOCs		**3.0**	**8.6**	**15**	**1.1**	**1.6**	**1.7**	**1.4**	**2.0**	**2.0**	**3.1**	**4.6**	**3.6**	**5.2**	**5.6**	**4.5**	**5.4**	**6.6**	**8.0**	**7.5**	**10.0**	**8.9**
MW-102C	**MCL**	**CDM 09/28/93**	**1Q 05/20/99**	**2Q 10/25/99**	**3Q 02/16/00**	**4Q 04/25/00**	**5Q 07/26/00**	**6Q 11/16/00**	**1SA 04/10/01**	**2SA 10/17/01**	**3SA 04/30/02**	**4SA 10/10/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/02/05**	**9SA 11/02/05**	**10SA 06/22/06**	**11SA 11/16/06**	**12SA 10/08/07**	**13SA 05/19/08**	**14SA 11/26/08**
Methylene Chloride	5	55	20U	50U	0.38	10U	4U	4U	10U	8U	20U	10U	10U	4U	50U	2U	2U	2U	2U	2U	21	1U
trans-1,2-Dichloroethene	100	12U	10U	25U	0.57	0.96	0.41	0.26	5U	0.39	3.3	5U	10U	4U	25U	1U	1U	1U	0.97J	2.0	10U	0.79
cis-1,2-Dichloroethene	70	140	390	460	61	65	39	28	39	53	240	87	112	79	278	22	7.4	49	120	170	210	57
1,1-Dichloroethene	7	68	59	78	12	5.2	4.5	4.5	2.6	8.9	40	54	19	9.9	38	0.62	1.3	8.4	10	22	26	5.8
1,1-Dichloroethane	NA	160	180	210	32	44	29	19	48	29	110	56	48	43	105	69	3.4	23	69	60	66	19
Chloroform	NA	12U	2.5	3.0	0.66	0.91	0.64	0.32	0.94	0.60	2.1	5U	10U	4U	25U	0.74	1U	1U	1U	0.40	10U	0.21
1,2-Dichloroethane	5	12U	4.0	25U	0.91	5U	0.80	2U	5U	4U	2.4	5U	10U	4U	25U	1.2	1U	1U	1.3	1.0	10U	0.33
1,1,1-Trichloroethane	200	160	170	250	60	60	44	23	90	46	170	69	73	59	136	110	6.4	19	70	35	74	18
Trichloroethene	5	140	140	170	26	10	8.2	8.3	5.4	17	78	20	35	16	70	1.5	2.9	15	23	34	37	9.5
Tetrachloroethene	5	44	33	46	5.9	0.67	0.99	1.1	0.80	3.5	19	4J	7.9	4U	21	1.1	1U	4.9	4.0	10	12	2.7
MW-102C Total VOCs		**767**	**979**	**1217**	**199**	**187**	**128**	**84**	**187**	**158**	**665**	**286**	**295**	**207**	**649**	**206**	**21**	**119**	**297**	**334**	**446**	**113**

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 01/09)

Sample Event			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
MW-113A	**MCL**	**CDM 10/08/93**	**1Q 05/03/99**	**2Q 11/10/99**	**3Q 02/15/00**	**4Q 04/24/00**	**5Q 07/27/00**	**6Q 11/16/00**	**1SA 04/12/01**	**2SA 10/31/01**	**3SA 04/29/02**	**4SA 10/18/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/20/05**	**10SA 05/08/06**	**11SA 01/04/07**	**12SA 10/08/07**	**13SA 05/17/08**	**14SA 11/29/08**
Methylene Chloride	5	14U	2U	1.9	20U	20U	20U	20U	20U	20U	20U	40U	25U	20U	50U	10U	2U	20U	20U	2U	20U	5U
trans-1,2-Dichloroethene	100	7U	1.2	2.4	5.7 J	13	7.5	12	15	22	23	20U	25U	20U	25U	5.7	17	9.1	10U	15	20U	41
cis-1,2-Dichloroethene	70	110	52	160	160	160	110	200	210	240	200	430	325	318	360	410	330	470	430	480	470	369
1,1-Dichloroethene	7	33	10	27	16	5.1	4.0	9.4	210	3.0	1.5	240	34	31	32	45	22	32	27	46	54	7.3
1,1-Dichloroethane	NA	92	34	100	91	92	86	130	10	110	100	190	121	109	123	140	110	110	110	150	160	135
Chloroform	NA	7U	0.90	2.3	2.1 J	2.1	2.3	2.3	2.4	2.8	2.5	20U	25U	20U	25U	5U	2.6	2.3	10U	2.0	20U	2.2
1,2-Dichloroethane	5	7U	0.40	10U	10U	10U	10U	10U	10U	10U	10U	20U	25U	20U	25U	5U	1U	1U	10U	1.0	20U	1.5
1,1,1-Trichloroethane	200	140	59	160	160	160	130	170	200	200	200	370	245	232	239	260	210	270	210	260	280	210
Trichloroethene	5	56	24	69	71	61	22	62	81	75	70	140	101	93	89	100	82	93	10	110	130	99
Tetrachloroethene	5	7U	1.9	3.2	2.9 J	2.4	10U	2.1	3.7	3.3	4.5	20U	25U	20U	25U	8.1	8.0	10	10	10	20U	11
MW-113A Total VOCs		**431**	**183**	**526**	**498**	**496**	**362**	**588**	**732**	**656**	**602**	**1370**	**826**	**783**	**844**	**969**	**782**	**996**	**797**	**1074**	**1094**	**875**

MW-113B	**MCL**	**CDM 10/19/93**	**1Q 04/29/99**	**2Q 10/27/99**	**3Q 02/15/00**	**4Q 04/24/00**	**5Q 07/27/00**	**6Q 11/16/00**	**1SA 04/12/01**	**2SA 10/31/01**	**3SA 04/29/02**	**4SA 10/18/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/20/05**	**10SA 05/08/06**	**11SA 01/04/07**	**12SA 10/08/07**	**13SA 05/17/08**	**14SA 11/29/08**
Methylene Chloride	5	3U	2U	10U	10U	10U	10U	10U	10U	10U	10U	5.0	10U	10U	20U	2U	2U	2U	2U	2U	19	1U
trans-1,2-Dichloroethene	100	2U	0.65	5U	0.83	0.98	0.91	1.3	1.0	1.1	0.97	10U	10U	10U	10U	1.8	1.9	1.9	1.7	2.0	10U	2.2
cis-1,2-Dichloroethene	70	12	38	39	62	56	49	62	53	67	60	120	115	129	143	140	170	140	120	120	140	169
1,1-Dichloroethene	7	4.0	12	8.4	11	11	9.4	11	8.9	12	9.8	88	17	19	20	19	22	21	20	17	19	20
1,1-Dichloroethane	NA	14	33	33	48	43	38	55	40	50	39	84	59	65	70	64	78	64	61	56	66	71
Chloroform	NA	2U	0.54	0.45	0.65	0.61	0.71	0.63	0.56	0.64	0.60	10U	10U	10U	10U	1U	1U	1U	1U	0.50	10U	0.71
1,2-Dichloroethane	5	2U	0.56	5U	5U	5U	0.60	5U	5U	5U	5U	10U	10U	10U	10U	1U	1U	1U	1U	0.60	10U	0.92
1,1,1-Trichloroethane	200	6.0	17	13	27	21	17	22	17	24	19	39	46	43	45	39	45	33	30	21	25	29
Trichloroethene	5	6.0	19	20	30	26	20	27	20	29	23	42	42	46	43	39	47	37	38	30	34	42
Tetrachloroethene	5	2U	1.8	1.3	1.4	1.2	0.89	1.4	5U	5U	1.3	10U	10U	10U	10U	2.9	3.8	3.6	3.0	3.0	10U	3.5
MW-113B Total VOCs		**42**	**123**	**115**	**181**	**160**	**137**	**180**	**140**	**184**	**154**	**378**	**279**	**302**	**320**	**306**	**368**	**301**	**274**	**250**	**303**	**338**

MW-114A	**MCL**	**CDM 10/05/93**	**1Q 04/28/99**	**2Q 10/26/99**	**3Q 01/31/00**	**4Q 04/24/00**	**5Q 07/27/00**	**6Q 11/13/00**	**1SA 04/12/01**	**2SA 10/31/01**	**3SA 04/25/02**	**4SA 10/15/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/20/05**	**10SA 05/06/06**	**11SA 01/04/07**	**12SA 10/08/07**	**13SA 05/17/08**	**14SA 11/29/08**
Methylene Chloride	5	2U	10U	50U	1.5	20U	20U	20U	10U	10U	10U	20U	10U	4U	10U	2U	2U	2U	2U	2U	3.0	1U
trans-1,2-Dichloroethene	100	1U	5U	25U	10U	10U	10U	10U	5U	5U	5U	10U	10U	4U	5U	1U	1U	1U	1U	1U	2U	1U
cis-1,2-Dichloroethene	70	5.0	14	11	6.6	5.6	5.4	4.7	3.9	3.6	4.1	7.0	10U	3.6	4.3	3.3	2.9	3.7	3.3	2.0	3.0	1U
1,1-Dichloroethene	7	4.0	46	48	34	26	24	20	18	15	16	140	13	10	12	5.7	7.2	9.4	11	7.0	5.0	1U
1,1-Dichloroethane	NA	2.0	6.7	7.1	5 J	4.2	3.9	4.2	2.7	2.5	3.1	10U	10U	2.9	3.7	2.5	2.6	3.4	3.5	2.0	2.0	0.28
Chloroform	NA	1U	5U	25U	10U	10U	10U	10U	5U	5U	5U	10U	10U	4U	5U	1U	1U	1U	1U	1U	2U	1U
1,2-Dichloroethane	5	1U	5U	25U	10U	10U	10U	10U	5U	5U	5U	10U	10U	4U	5U	1U	1U	1U	1U	1U	2U	1U
1,1,1-Trichloroethane	200	6.0	250	290	220	160	140	120	120	100	100	170	80	70	80	28	39	44	51	34	28	1.1
Trichloroethene	5	2.0	34	47	33	24	22	19	20	18	22	38	21	16	21	7.9	9.8	12	9.6	5.0	4.0	1U
Tetrachloroethene	5	1U	1.9J	25U	10U	10U	10U	10U	5U	5U	5U	10U	10U	4U	5U	1U	1U	1U	1U	2U	2U	1U
MW-114A Total VOCs		**19**	**351**	**403**	**294**	**220**	**195**	**168**	**165**	**139**	**145**	**355**	**114**	**103**	**121**	**47**	**62**	**73**	**78**	**50**	**42**	**1.4**

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 01/09)

Sample Event			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
MW-114B	**MCL**	**CDM 10/04/93**	**1Q 04/28/99**	**2Q 10/26/99**	**3Q 01/31/00**	**4Q 04/24/00**	**5Q 07/27/00**	**6Q 11/13/00**	**1SA 04/12/01**	**2SA 10/31/01**	**3SA 04/25/02**	**4SA 10/15/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/20/05**	**10SA 05/06/06**	**11SA 01/04/07**	**12SA 10/08/07**	**13SA 05/17/08**	**14SA 12/18/08**
Methylene Chloride	5	3U	2U	2U	2U	2U	2U	2U	2U	2U	2U	0.60	1U	1U	2U	2U	2U	2U	2U	2U	2U	1U
trans-1,2-Dichloroethene	100	2U	1U	1U	1U	1U	1U	1U	1U	1U	0.04	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	12	3.3	3.3	2.3	1.7	3.0	2.4	2.9	2.2	3.0	3.0	2.8	3.0	2.9	2.3	2.3	2.1	1.8	2.0	2.0	2.0
1,1-Dichloroethene	7	4.0	0.60	0.46	0.18	0.11	0.26	0.13	0.26	0.13	0.29	1.0	1U	1.1	1U	1U	1U	1U	1U	0.50	1U	0.67
1,1-Dichloroethane	NA	14	0.89	1.0	0.81	0.68	1.0	1.2	0.98	0.96	1.1	2.0	1.2	1.3	1.2	1.5	1.6	1U	1.4	2.0	2.0	1.6
Chloroform	NA	2U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,2-Dichloroethane	5	2U	1U	1U	1U	1U	1U	1U	1U	1U	1U	3.0	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	6.0	4.0	1.2	1U	0.05	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
Trichloroethene	5	6.0	6.2	8.2	5.7	1.8	7.9	3.5	8.2	4.8	7.2	9.0	8.8	8.9	8.8	7.6	8.8	8.7	6.7	6.0	9.0	6.8
Tetrachloroethene	5	2U	1.0	0.66	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
MW-114B Total VOCs		**42**	**16**	**15**	**9.0**	**4.3**	**12**	**7.2**	**12**	**8.1**	**12**	**19**	**13**	**14**	**13**	**11**	**13**	**11**	**9.9**	**10.5**	**13.0**	**11.1**

MW-117B	**MCL**	**CDM 10/04/93**	**1Q 04/22/99**	**2Q 10/18/99**	**3Q 01/26/00**	**4Q 04/17/00**	**5Q 07/24/00**	**6Q 11/07/00**	**1SA 04/09/01**	**2SA 10/15/01**	**3SA 04/16/02**	**4SA 10/07/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 06/28/06**	**11SA 11/21/06**	**12SA 10/06/07**	**13SA 05/17/08**	**14SA 11/28/08**
Methylene Chloride	5	2U	2U	10U	10U	4U	4U	4U	4U	4U	2U	10U	1U	1U	2U	2U	2U	2U	2U	2U	2U	1U
trans-1,2-Dichloroethene	100	1U	1U	5U	5U	2U	2U	2U	0.25	2U	0.20	5U	0.61	0.53	1U	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	1.0	16	17	18	19	15	18	13	16	15	20	20	19	12	13	14	70	11	8.0	11	8.1
1,1-Dichloroethene	7	1U	14	14	9.5	11	9.6	11	7.3	7.5	7.3	54	10	9.4	4.8	5.7	5.6	23	4.0	8.0	11	8.7
1,1-Dichloroethane	NA	1U	7.3	7.7	8.0	8.1	6.6	10.0	5.8	7.1	5.9	8.0	7.5	6.0	3.8	4.5	4.7	21	3.6	6.0	8.0	7.9
Chloroform	NA	0.6	0.72	0.58	0.36	0.39	0.49	0.42	0.37	0.35	0.30	5U	1U	0.99	0.73	1U	1U	1U	1U	0.40	1U	0.38
1,2-Dichloroethane	5	1U	0.54	5U	5U	0.42	2U	2U	2U	2U	0.22	5U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	2.0	83	68	59	49	42	37	28	23	22	25	23	22	14	11	12	56	12	16	22	24
Trichloroethene	5	5.0	21	17	22	19	17	19	17	16	16	16	18	17	12	9.4	9.3	23	11	12	16	16
Tetrachloroethene	5	4.0	3.1	1.3	1.9	1.6	1.7	1.7	1.8	1.3	1.7	3.0	2.3	2.3	2.0	1.6	1.8	24	2.1	2.0	3.0	4.9
MW-117B Total VOCs		**13**	**146**	**126**	**119**	**109**	**92**	**97**	**74**	**71**	**69**	**126**	**82**	**77**	**48**	**45**	**47**	**217**	**44**	**52**	**71**	**70**

MW-117C	**MCL**	**CDM 10/04/93**	**1Q 04/22/99**	**2Q 10/18/99**	**3Q 02/16/00**	**4Q 04/18/00**	**5Q 07/24/00**	**6Q 11/07/00**	**1SA 04/09/01**	**2SA 10/15/01**	**3SA 04/16/02**	**4SA 10/07/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 05/06/06**	**11SA 11/21/06**	**12SA 10/06/07**	**13SA 05/17/08**	**14SA 11/28/08**
Methylene Chloride	5	5U	4U	10U	0.80	10U	10U	10U	10U	10U	0.30	32	10U	10U	20U	2U	2U	2U	2U	2U	10	1U
trans-1,2-Dichloroethene	100	2U	2U	5U	0.50	0.60	1.1	5U	0.82	0.44	0.74	20U	10U	10U	10U	1U	1U	1U	1U	0.90	5U	0.31
cis-1,2-Dichloroethene	70	23	69	82	94	94	99	100	120	110	120	150	123	107	97	91	84	91	140	88	99	86
1,1-Dichloroethene	7	13	44	53	53	49	48	50	59	45	469	330	58	43	37	34	29	26	46	30	33	26
1,1-Dichloroethane	NA	17	54	60	61	54	55	69	57	48	41	59	40	33	31	28	25	25	41	24	28	0.26
Chloroform	NA	2U	0.77	5U	0.82	0.79	1.0	0.79	0.84	0.81	0.75	20U	10U	10U	10U	1U	1U	1U	1U	0.50	5U	0.55
1,2-Dichloroethane	5	2U	2.3	5U	5U	2.2	2.4	2.4	2.3	5U	1.6	20U	10U	10U	10U	1U	1U	1U	1U	0.30	5U	0.26
1,1,1-Trichloroethane	200	50	75	94	93	91	89	78	99	74	82	110	93	78	66	59	54	50	100	60	72	57
Trichloroethene	5	75	36	40	41	39	38	34	42	32	34	42	44	35	30	27	26	26	44	26	30	23
Tetrachloroethene	5	2U	6.0	7.5	9.7	10	8.7	8.8	12	11	16	22	23	20	20	22	20	21	36	24	30	27
MW-117C Total VOCs		**178**	**287**	**337**	**354**	**341**	**342**	**343**	**393**	**321**	**765**	**745**	**382**	**316**	**282**	**261**	**238**	**239**	**407**	**254**	**302**	**220**

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 01/09)

Sample Event			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
MW-117D	**MCL**	**CDM NS**	**1Q 04/22/99**	**2Q 10/18/99**	**3Q 02/17/00**	**4Q 04/18/00**	**5Q 07/24/00**	**6Q 11/07/00**	**1SA 04/09/01**	**2SA 10/16/01**	**3SA 04/16/02**	**4SA 10/07/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 05/06/06**	**11SA 11/21/06**	**12SA 10/06/07**	**13SA 05/17/08**	**14SA 11/28/08**
Methylene Chloride	5		4U	20U	10U	10U	10U	10U	10U	10U	10U	18	5U	5U	10U	2U	2U	2U	2U	2U	12	1U
trans-1,2-Dichloroethene	100		2U	10U	5U	5U	5U	5U	0.39	5U	5U	10U	5U	5U	5U	1U	1U	1U	2.1	1.0	5U	0.27
cis-1,2-Dichloroethene	70		110	110	100	90	81	87	88	75	72	100	83	110	105	84	73	67	76	71	31	24
1,1-Dichloroethene	7		50	44	41	35	36	33	37	25	24	180	37	33	38	24	21	17	22	22	24	20
1,1-Dichloroethane	NA		46	39	34	29	27	37	29	23	21	36	28	29	29	20	24	23	27	22	24	23
Chloroform	NA		0.74	10U	0.80	0.63	0.85	0.60	0.65	0.53	0.61	10U	5U	5U	5U	1U	1U	1U	1U	0.40	5U	0.46
1,2-Dichloroethane	5		2.0	1.5	1.4	1.1	1.2	1.0	5U	5U	5U	10U	5U	5U	5U	1U	1U	1U	1U	0.30	5U	1U
1,1,1-Trichloroethane	200		110	97	91	82	80	71	80	57	58	87	65	85	76	60	58	52	89	62	62	58
Trichloroethene	5		38	35	35	32	35	30	31	23	23	29	26	31	33	24	22	20	32	29	23	19
Tetrachloroethene	5		17	17	19	17	16	16	13	17	18	24	4.6	30	17	21	24	22	31	15	30	29
MW-117D Total VOCs		**NS**	**374**	**344**	**322**	**287**	**277**	**276**	**279**	**221**	**217**	**474**	**243**	**318**	**297**	**233**	**222**	**201**	**279**	**223**	**206**	**173**
MW-119	**MCL**	**CDM 10/11/93**	**1Q 05/03/99**	**2Q 10/27/99**	**3Q 01/26/00**	**4Q 04/17/00**	**5Q 07/25/00**	**6Q 11/08/00**	**1SA 04/10/01**	**2SA 10/16/01**	**3SA 04/30/02**	**4SA 10/17/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/20/05**	**10SA 05/06/06**	**11SA 01/04/07**	**12SA 10/08/07**	**13SA 05/18/08**	**14SA 11/29/08**
Methylene Chloride	5	25U	2U	2U	2U	2U	2U	2U	2U	2U	2U	2U	1U	1U	2U	2U	2U	2U	2U	2U	2U	1U
trans-1,2-Dichloroethene	100	12U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	12U	0.36	1.4	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.59	1U	1U	1U	1U	1U	0.40	1U	0.54
1,1-Dichloroethene	7	12U	1U	0.28	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.54	1U	1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethane	NA	12U	1U	0.39	0.21	0.23	0.26	0.27	0.26	0.29	0.31	1U	1U	0.67	0.51	1U	1U	1.2	1U	1.0	1U	0.98
Chloroform	NA	12U	1U	0.26	0.19	0.16	0.12	1U	1U	0.10	0.10	1U	1U	7.2	1.7	1U	1U	1U	1U	1U	1U	1U
1,2-Dichloroethane	5	12U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	12U	1.8	2.6	0.75	0.79	0.88	0.72	0.85	0.71	0.95	1U	1U	0.72	0.62	1.3	1.3	1.1	1U	1.0	1.0	1.3
Trichloroethene	5	12U	1.0	2.0	0.20	0.20	0.21	0.18	0.19	0.16	0.17	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.27
Tetrachloroethene	5	12U	0.63	1.4	0.18	0.19	0.22	0.18	0.17	0.15	0.18	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
MW-119 Total VOCs		**0**	**3.8**	**8.3**	**1.5**	**1.6**	**1.7**	**1.4**	**1.5**	**1.4**	**1.7**	**0**	**0**	**9.7**	**2.8**	**1.3**	**1.3**	**2.3**	**0**	**2.4**	**1.0**	**3.1**
MW-121	**MCL**	**CDM 10/15/93**	**1Q 04/28/99**	**2Q 10/26/99**	**3Q 01/31/00**	**4Q 04/18/00**	**5Q 07/25/00**	**6Q 11/08/00**	**1SA 04/10/01**	**2SA 10/16/01**	**3SA 04/17/02**	**4SA 10/17/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/20/05**	**10SA 05/06/06**	**11SA 01/03/07**	**12SA 10/07/07**	**13SA 05/18/08**	**14SA 11/29/08**
Methylene Chloride	5	5U	10U	2U	0.41	2U	2U	2U	2U	2U	2U	2U	1U	1U	2U	2U	2U	2U	2U	2U	2U	1U
trans-1,2-Dichloroethene	100	2U	5U	0.15	0.20	0.22	0.39	0.22	0.68	0.42	0.58	5U	1U	1U	1U	1U	1U	1U	1U	0.40	1U	0.55
cis-1,2-Dichloroethene	70	27	7.2	8.4	6.3	5.6	6.8	7.0	6.7	6.5	6.1	7.0	5.7	4.6	4.8	5.2	5.9	5.3	3.0	6.0	7.0	3.4
1,1-Dichloroethene	7	2U	6.0	8.0	5.5	3.0	4.4	8.0	2.0	3.6	3.0	42	7.3	5.1	4.6	3.9	3.9	3.3	1.7	2.0	2.0	1U
1,1-Dichloroethane	NA	2U	3.4	3.8	2.9	2.8	3.5	4.6	3.7	3.8	3.8	5.0	4.3	4.8	4.4	2.2	2.9	2.5	1.4	2.0	2.0	1.4
Chloroform	NA	2U	5U	0.67	0.65	0.55	0.68	0.77	0.78	0.82	0.75	5U	0.65	1U	0.52	1U	1U	1U	1U	0.70	1U	0.56
1,2-Dichloroethane	5	2U	5U	0.78	2 U	0.72	0.82	0.89	0.82	0.81	0.07	5U	0.55	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	7.0	3.8	5.5	3.4	2.8	4.3	5.1	5.5	5.9	6.9	9.0	7.2	5.8	5.8	5.1	5.7	4.8	3.9	5.0	6.0	2.7
Trichloroethene	5	82	26	29	23	11	20	22	22	19	20	24	23	20	19	18	20	22	20	22	25	14
Tetrachloroethene	5	4.0	2.7	3.4	2.5	0.64	1.8	2.6	2.3	2.4	2.6	3.0	2.9	2.7	2.4	1.9	2.1	2.3	1.9	2.0	2.0	1.8
MW-121 Total VOCs		**120**	**49**	**52**	**45**	**27**	**43**	**51**	**44**	**43**	**44**	**90**	**51**	**43**	**41**	**36**	**41**	**40**	**32**	**40**	**44**	**25**

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 01/09)

Sample Event			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
MW-124	**MCL**	**CDM**	**1Q**	**2Q**	**3Q**	**4Q**	**5Q**	**6Q**	**1SA**	**2SA**	**3SA**	**4SA**	**5SA**	**6SA**	**7SA**	**8SA**	**9SA**	**10SA**	**11SA**	**12SA**	**13SA**	**14SA**
		10/18/93	**04/28/99**	**10/27/99**	**01/31/00**	**04/24/00**	**07/25/00**	**11/13/00**	**04/12/01**	**10/29/01**	**04/17/02**	**10/17/02**	**04/22/03**	**12/31/03**	**04/28/04**	**05/21/05**	**10/20/05**	**05/06/06**	**01/04/07**	**10/07/07**	**05/18/08**	**11/29/08**
Methylene Chloride	5	120U	20U	8.2	50U	50U	40U	40U	40U	20U	40 U	40U	10U	10U	80U	10U	2U	2U	20U	2U	80U	5U
trans-1,2-Dichloroethene	100		10U	50U	25U	3.9	20U	20U	2.1	1.4	12	20U	10U	10U	40U	5U	1.5	1.5	10U	4.0	40U	1.4
cis-1,2-Dichloroethene	70	210	1,200	560	540	440	330	300	240	190	370	360	213	176	389	420	260	370	250	300	320	144
1,1-Dichloroethene	7	410	97	41	36	24	20	20	35	19	35	230	26	20	44	37	25	29	15	28	42	16
1,1-Dichloroethane	NA	150	75	50	95	92	89	110	47	98	64	92	71	83	197	340	250	320	370	620	870	415
Chloroform	NA	120U	10U	50U	25U	0.72	20U	20U	20U	10U	20U	20U	10U	10U	40U	5U	1U	1U	10U	1U	40U	5U
1,2-Dichloroethane	5	120U	10U	50U	25U	25U	20U	20U	20U	10U	20U	20U	10U	10U	40U	5U	1U	1.2	10U	0.70	40U	5U
1,1,1-Trichloroethane	200	1400	540	280	190	100	79	75	230	110	210	290	119	95	185	120	76	120	110	100	190	90
Trichloroethene	5	140	36	28	20	14	10	12	24	16	26	33	19	16	27	18	15	18	10	12	40U	10
Tetrachloroethene	5	50	47	28	12	3.8	20U	2.7	30	6.2	30	35	14	11	35	8.4	6.6	15	10U	8.0	40U	12
MW-124 Total VOCs		**2,360**	**1,995**	**995**	**893**	**678**	**528**	**520**	**608**	**441**	**747**	**1,040**	**462**	**400**	**876**	**943**	**634**	**875**	**755**	**1,073**	**1,422**	**689**

MW-130	**MCL**	**CDM**	**1Q**	**2Q**	**3Q**	**4Q**	**5Q**	**6Q**	**1SA**	**2SA**	**3SA**	**4SA**	**5SA**	**6SA**	**7SA**	**8SA**	**9SA**	**10SA**	**11SA**	**12SA**	**13SA**	**14SA**
		10/19/93	**04/28/99**	**10/28/99**	**02/16/00**	**04/24/00**	**07/27/00**	**11/14/00**	**04/12/01**	**10/30/01**	**04/30/02**	**10/17/02**	**04/22/03**	**12/31/03**	**04/28/04**	**05/21/05**	**10/20/05**	**05/08/06**	**01/04/07**	**10/07/07**	**05/17/08**	**11/29/08**
Methylene Chloride	5	8.0	2U	3.4	50U	100U	40U	50U	40U	100U	50U	43	20U	20U	20U	2U	2U	2U	2U	2U	20U	2U
trans-1,2-Dichloroethene	100		1U	25U	25U	50U	20U	25U	20U	50U	25U	50U	20U	20U	10U	1U	1U	1U	1U	0.60	10U	0.40
cis-1,2-Dichloroethene	70	25	24	7.8	7.5	7.7	7.7	7.2	5.7	50U	5.7	50U	20U	20U	11	11	14	14	18	21	25	21
1,1-Dichloroethene	7	10	11	4.9	3.6	3.1	3.3	4.3	20U	50U	1.6	54	20U	20U	10U	4.0	4.2	4.1	4.6	5.0	10U	4.2
1,1-Dichloroethane	NA	26	19	10	11	12	13	12	10	14	11	50U	11	10	11	14	16	16	20	17	22	22
Chloroform	NA	67U	0.19	25U	25U	50U	20U	25U	20U	50U	25U	50U	20U	20U	10U	1U	1U	1U	1U	1U	10U	2U
1,2-Dichloroethane	5	67U	1U	25U	25U	50U	20U	25U	20U	50	25U	50U	20U	20U	10U	1U	1U	1U	1U	1U	10U	2U
1,1,1-Trichloroethane	200	1000	670	370	460	510	670	390	440	660	360	840	341	263	157	210	210	140	160	170	200	198
Trichloroethene	5	28	17	8.2	8.5	8.3	8.5	7.0	6.2	50U	5.4	50U	20U	20U	10U	3.5	3.6	3.6	4.3	4.0	10U	4.3
Tetrachloroethene	5	67U	5.3	25U	25U	50U	20U	25U	20U	50U	0.97	50U	20U	20U	10U	1U	1U	1U	1U	0.60	10U	0.56
MW-130 Total VOCs		**1,097**	**746**	**404**	**491**	**541**	**703**	**421**	**462**	**724**	**385**	**937**	**352**	**273**	**179**	**243**	**248**	**178**	**207**	**218**	**247**	**250**

MW-133A	**MCL**	**CDM**	**1Q**	**2Q**	**3Q**	**4Q**	**5Q**	**6Q**	**1SA**	**2SA**	**3SA**	**4SA**	**5SA**	**6SA**	**7SA**	**8SA**	**9SA**	**10SA**	**11SA**	**12SA**	**13SA**	**14SA**
		10/20/93	**04/26/99**	**10/26/99**	**02/15/00**	**04/25/00**	**07/27/00**	**11/16/00**	**04/10/01**	**10/31/01**	**04/29/02**	**10/16/02**	**04/22/03**	**12/31/03**	**04/28/04**	**05/02/05**	**11/02/05**	**06/22/06**	**11/16/06**	**10/07/07**	**05/17/08**	**11/26/08**
Methylene Chloride	5	2U	2U	2U	2U	2U	2U	2U	2U	2U	2U	0.60	1U	1U	2U	2U	2U	2U	2U	1U	2U	1U
trans-1,2-Dichloroethene	100	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	1U	0.27	1.8	0.16	1U	1U	0.49	1U	1.2	0.04	4.0	12	6.3	1U	1U	1U	1U	1U	1U	1U	0.26
1,1-Dichloroethene	7	1U	1U	0.66	1U	1U	1U	1U	1U	0.10	1U	1U	1.0	0.53	1U	1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethane	NA	1U	1U	0.52	0.08	1U	1U	1U	1U	0.41	1U	1.0	3.0	1.9	1U	1U	1U	1U	1U	1U	1U	1U
Chloroform	NA	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,2-Dichloroethane	5	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	0.8	0.95	4.6	0.38	0.35	1U	0.81	1U	1.0	0.06	3.0	5.2	2.5	1U	1U	1U	1U	1U	1U	1U	0.32
Trichloroethene	5	1U	1.1	4.8	1U	1U	1U	0.11	1U	0.19	1U	1U	0.98	1U	1U	1U	1U	1U	1U	1U	1U	1U
Tetrachloroethene	5	1U	0.37	1.0	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
MW-133A Total VOCs		**0.8**	**2.7**	**12**	**0.6**	**0.4**	**0**	**1.4**	**0**	**2.9**	**0.1**	**8.6**	**22**	**11**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0.58**

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 01/09)

Sample Event			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
MW-133B	**MCL**	**CDM 10/20/93**	**1Q 04/26/99**	**2Q 10/26/99**	**3Q 02/15/00**	**4Q 04/25/00**	**5Q 07/27/00**	**6Q 11/16/00**	**1SA 04/10/01**	**2SA 10/31/01**	**3SA 04/29/02**	**4SA 10/16/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/02/05**	**9SA 11/02/05**	**10SA 06/22/06**	**11SA 11/16/06**	**12SA 10/07/07**	**13SA 05/17/08**	**14SA 11/26/08**
Methylene Chloride	5	100U	4U	6.8	100U	100U	40U	50U	100U	100U	50 U	31	40U	50U	20U	10U	10U	20U	50U	2U	80U	10U
trans-1,2-Dichloroethene	100		7.0	7.1	50U	50U	10	9.5	43	49	54	50U	41	50U	10U	17	28	11	78	38	40U	193
cis-1,2-Dichloroethene	70	810	780	810	840	600	670	530	660	510	460	820	571	623	803	630	930	720	740	930	900	1,860
1,1-Dichloroethene	7	130	110	67	100	78	88	88	46	7.0	25U	650	40	82	106	70	98	54	10U	84	60	12
1,1-Dichloroethane	NA	270	200	170	180	170	160	200	200	180	150	250	158	151	161	120	180	110	160	160	130	308
Chloroform	NA	100U	10	7.9	9.3	12	12	11	13	12	9.1	50U	40U	50U	10U	5.6	8.2	10U	10U	6.0	40U	8.0
1,2-Dichloroethane	5	100U	4.6	50U	50U	50U	4.1	25U	50U	50U	3.7	50U	40U	50U	10U	5U	5U	10U	10U	3.0	40U	5.4
1,1,1-Trichloroethane	200	1200	840	630	730	620	760	570	830	700	570	800	617	577	622	460	620	430	10U	600	440	955
Trichloroethene	5	380	270	190	250	190	220	230	300	250	170	290	237	240	216	160	220	120	170	200	110	208
Tetrachloroethene	5	160	110	77	120	76	94	94	140	110	99	140	112	109	111	81	110	68	85	110	59	126
MW-133B Total VOCs		**2,950**	**2,332**	**1,966**	**2,229**	**1,746**	**2,018**	**1,733**	**2,232**	**1,818**	**1,516**	**2,981**	**1,777**	**1,782**	**2,019**	**1,544**	**2,194**	**1,513**	**1,233**	**2,131**	**1,699**	**3,675**

MW-133C	**MCL**	**CDM 10/20/93**	**1Q 04/26/99**	**2Q 10/26/99**	**3Q 02/15/00**	**4Q 04/25/00**	**5Q 07/27/00**	**6Q 11/16/00**	**1SA 04/10/01**	**2SA 10/31/01**	**3SA 04/29/02**	**4SA 10/16/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/02/05**	**9SA 11/02/05**	**10SA 06/22/06**	**11SA 11/16/06**	**12SA 10/07/07**	**13SA 05/17/08**	**14SA 11/26/08**
Methylene Chloride	5	20U	10U	20U	10U	20U	10U	10U	20U	10U	0.49	6.0	10U	10U	20U	2U	10U	2U	2U	2U	16U	1U
trans-1,2-Dichloroethene	100		5U	1.1	0.42	0.34	5U	5U	10U	5U	0.73	10U	10U	10U	10U	0.59	5U	1.3	3.5	2.0	8U	6.9
cis-1,2-Dichloroethene	70	120	100	91	32	28	30	31	36	31	45	51	39	50	47	53	70	71	86	88	120	97
1,1-Dichloroethene	7	75	47	40	23	21	18	22	28	14	26	150	27	33	29	31	43	42	23	51	62	25
1,1-Dichloroethane	NA	76	57	49	31	28	28	35	36	31	33	49	32	143	35	37	46	44	61	50	60	54
Chloroform	NA	20U	8.5	7.2	5.4	4.7	4.9	5.2	6.2	5.1	5.4	6.0	5.0	5.6	5.4	5.7	6.5	7.3	7.7	7.0	8U	7.8
1,2-Dichloroethane	5	20U	2.8	10U	2.3	10U	2.2	2.2	10U	5U	1.8	10U	10U	10U	10U	1.8	5U	1U	1.9	2.0	8U	1.9
1,1,1-Trichloroethane	200	340	200	170	110	100	91	95	130	100	120	140	113	136	124	130	150	150	220	170	180	182
Trichloroethene	5	170	110	93	55	48	34	47	62	31	58	66	61	74	64	63	75	78	110	88	100	95
Tetrachloroethene	5	44	28	22	2.5	1.2	0.82	1.2	1.6	5U	4.5	10U	10U	10U	10U	2.6	5U	4.3	5.1	5.0	8U	6.1
MW-133C Total VOCs		**825**	**553**	**473**	**262**	**231**	**209**	**239**	**300**	**212**	**295**	**468**	**276**	**441**	**304**	**325**	**391**	**398**	**518**	**463**	**522**	**475**

MW-136	**MCL**	**CDM 10/19/93**	**1Q 04/29/99**	**2Q 10/28/99**	**3Q 02/15/00**	**4Q 04/25/00**	**5Q 07/27/00**	**6Q 11/17/00**	**1SA 04/10/01**	**2SA 10/31/01**	**3SA 04/29/02**	**4SA 10/18/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/02/05**	**9SA 10/20/05**	**10SA 06/23/06**	**11SA 01/05/07**	**12SA 10/07/07**	**13SA 05/18/08**	**14SA 11/29/08**
Methylene Chloride	5	10U	2U	2U	2U	2U	2U	2U	2U	2U	2U	2U	1U		2U			1.8	2U	0.70	2U	1U
trans-1,2-Dichloroethene	100	5U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U		1U			1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	5U	3.5	1.1	1U	1U	1U	1U	1U	1U	1U	1U	1U		1U			1U	1U	1U	1U	0.20
1,1-Dichloroethene	7	5U	0.88	0.37	1U	1U	1U	1U	1U	1U	1U	1U	1U		1U			1U	1U	1U	1U	1U
1,1-Dichloroethane	NA	5U	0.35	0.34	1U	1U	1U	1U	1U	1U	1U	1U	1U		1U			1U	1U	1U	1U	1U
Chloroform	NA	5U	0.37	1.5	0.74	0.57	0.48	0.50	0.45	0.45	0.45	0.60	0.80		1U			1.1	2.5	1U	2.0	4.5
1,2-Dichloroethane	5	5U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U		1U			1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	5U	8.0	16	0.28	0.31	0.30	0.29	0.30	0.30	0.30	1U	1U		1U			1U	1U	1U	1U	1U
Trichloroethene	5	5U	3.8	2.4	1U	1U	1U	1U	1U	1U	1U	1U	1U		1U			1U	1U	1U	1U	1U
Tetrachloroethene	5	5U	1.7	1.4	1U	1U	1U	1U	1U	1U	0.53	1U	1U		1U			1U	1U	1U	1U	1U
MW-136 Total VOCs		**0**	**19**	**23**	**1.0**	**0.9**	**0.8**	**0.8**	**0.8**	**0.8**	**1.3**	**0.6**	**0.8**	**NS**	**0**	**NS**	**NS**	**2.9**	**2.5**	**0.7**	**2.0**	**4.7**

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 01/09)

Sample Event		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
MW-200	**MCL**	**1Q 04/26/99**	**2Q 10/27/99**	**3Q 02/15/00**	**4Q 04/25/00**	**5Q 07/27/00**	**6Q 11/14/00**	**1SA 04/10/01**	**2SA 10/29/01**	**3SA 04/22/02**	**4SA 10/18/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 01/12/06**	**10SA 05/08/06**	**11SA 01/04/07**	**12SA 10/08/07**	**13SA 05/18/08**	**14SA 11/29/08**
Methylene Chloride	5	2U	2U	2U	2U	2U	2U	2U	2U	2U	2U	1U	1U	2U	2U	2U	2U	2U	2U	2U	1U
trans-1,2-Dichloroethene	100	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	0.66	1.3	1U	1U	0.10	1U	0.17	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.69
1,1-Dichloroethene	7	0.34	0.26	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.89	1U	1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethane	NA	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
Chloroform	NA	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,2-Dichloroethane	5	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	2.2	1.9	1U	0.07	1U	1U	1U	1U	1U	1U	1U	1U	1U	1.9	1U	1U	1U	1U	1U	0.21
Trichloroethene	5	2.2	1.8	1U	1U	1U	1U	1U	0.12	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.17
Tetrachloroethene	5	0.61	1.1	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
MW-200 Total VOCs		**6.0**	**6.4**	**0**	**0.1**	**0.1**	**0**	**0.2**	**0.1**	**0**	**0**	**0**	**0.9**	**0**	**1.9**	**0**	**0**	**0**	**0**	**0**	**1.1**
MW-201	**MCL**	**1Q 04/26/99**	**2Q 10/27/99**	**3Q 02/16/00**	**4Q 04/18/00**	**5Q 07/25/00**	**6Q 11/13/00**	**1SA 04/12/01**	**2SA 10/29/01**	**3SA 04/30/02**	**4SA 10/03/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 01/12/06**	**10SA 06/28/06**	**11SA 01/05/07**	**12SA 10/08/07**	**13SA 05/18/08**	**14SA 11/29/08**
Methylene Chloride	5			10U	20U	40U	40U	10U	20U	500U	1000U	500U	400U	1000U	50U	2U	20U	2U	2U	2U	10U
trans-1,2-Dichloroethene	100			5U	0.78	20U	20U	0.64	10U	250U	500U	500U	400U	500U	25U	1U	10U	1U	1U	1U	10U
cis-1,2-Dichloroethene	70			85	87	220	180	60	120	2,600	2,200	863	400U	500U	58	23	16	5.1	2.0	11	7.1
1,1-Dichloroethene	7			1.1	1.9	6.8	5.2	1.6	3.6	130	480	500U	400U	500U	25U	1.2	10U	1U	2.0	2.0	10U
1,1-Dichloroethane	NA			48	120	330	340	43	150	5,500	7,100	6,350	6,480	4,150	3,500	230	550	80	20	55	1,460
Chloroform	NA			5U	10U	20U	20U	5U	10U	5.0	500U	500U	400U	500U	25U	1U	10U	1U	1U	1U	2.0
1,2-Dichloroethane	5			5U	10U	20U	20U	5U	10U	250U	500U	500U	400U	500U	25U	1U	10U	1U	1U	1U	10U
1,1,1-Trichloroethane	200			4.5	4.9	110	39	12	55	1,700	970	294	400U	500U	26	8.8	32	20	7.0	7.0	14
Trichloroethene	5			8.3	15	4.5	4.9	19	25	13	500U	500U	400U	500U	25U	14	14	2.8	9.0	10	7.7
Tetrachloroethene	5			5U	10U	20U	20U	5U	10U	250U	500U	500U	400U	500U	25U	1U	10U	1U	6.0	1U	10U
MW-201 Total VOCs		**NS**	**NS**	**147**	**230**	**671**	**569**	**136**	**354**	**9,948**	**10,750**	**7,507**	**6,480**	**4,150**	**3,584**	**277**	**612**	**108**	**46**	**85**	**1,491**
MW-202	**MCL**	**1Q 05/20/99**	**2Q 10/28/99**	**3Q 2/1600**	**4Q 04/18/00**	**5Q 07/27/00**	**6Q 11/13/00**	**1SA 04/12/01**	**2SA 10/29/01**	**3SA 04/30/02**	**4SA 10/17/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/21/05**	**10SA 06/28/06**	**11SA 01/05/07**	**12SA 10/08/07**	**13SA 05/19/08**	**14SA 11/29/08**
Methylene Chloride	5	2U	2U	2U	2U	2U	2U	2U	2U	2U	0.50	1U	1U	2U	2U	2U	2U	2U	2U	2U	1U
trans-1,2-Dichloroethene	100	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	0.81	0.68	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethene	7	1U	0.18	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.54	1U	1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethane	NA	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.95
Chloroform	NA	1U	1U	1U	0.25	0.48	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.30
1,2-Dichloroethane	5	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	2.0	2.2	0.77	0.65	0.72	0.11	0.08	0.06	1U	1U	1U	1U	1U	1U	1U	1U	1U	1.0	1U	1.2
Trichloroethene	5	2.1	2.1	0.50	0.55	0.75	0.19	0.11	1U	0.12	1U	0.80	1.1	0.68	1U	1U	1U	1U	0.30	1U	0.65
Tetrachloroethene	5	4.6	5.0	3.6	3.1	3.5	14	13	12	10	12	2.8	2.8	2.3	1.8	1U	1.5	14	1.0	4.0	1.3
MW-202 Total VOCs		**9.5**	**5.2**	**4.9**	**4.6**	**5.5**	**14**	**13**	**12**	**10**	**13**	**3.6**	**4.4**	**3.0**	**1.8**	**0.0**	**1.5**	**14**	**2**	**4**	**4.3**

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 01/09)

Sample Event		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
MW-203	**MCL**	**1Q 05/20/99**	**2Q 10/28/99**	**3Q 02/15/00**	**4Q 04/18/00**	**5Q 07/27/00**	**6Q 11/13/00**	**1SA 04/12/01**	**2SA 10/29/01**	**3SA 04/30/02**	**4SA 10/17/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/21/05**	**10SA 06/28/06**	**11SA 01/05/07**	**12SA 10/08/07**	**13SA 05/18/08**	**14SA 11/29/08**
Methylene Chloride	5	2U	2U	2U	2U	2U	2U	2U	2U	2U	0.50	1U	1U	2U	2U	2U	2U	2U	2U	2U	1U
trans-1,2-Dichloroethene	100	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	0.67	1.5	0.13	0.07	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethene	7	1U	0.42	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethane	NA	1U	0.28	1U	1U	1U	1U	1U	0.19	0.12	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.45
Chloroform	NA	1U	1U	1U	1U	1U	0.82	1.8	4.3	4.1	1.0	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.15
1,2-Dichloroethane	5	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	0.92	2.7	0.26	0.14	0.20	0.66	0.81	0.76	0.69	1U	1U	1U	1U	1U	1U	1U	1U	1U	1.0	0.19
Trichloroethene	5	1.2	2.6	0.16	0.17	0.24	0.81	0.76	0.84	0.63	0.70	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.33
Tetrachloroethene	5	14	15	8.6	11	13	3.5	3.2	3.1	3.0	3.0	10	8.4	8.8	9.6	1U	17	1.7	4.0	1.0	3.1
MW-203 Total VOCs		**17**	**23**	**9.2**	**11**	**13**	**5.8**	**6.6**	**9.2**	**8.5**	**5.2**	**10**	**8.4**	**8.8**	**9.6**	**0**	**17**	**1.7**	**4.0**	**2.0**	**4.2**
MW-204	**MCL**	**1Q 04/23/99**	**2Q 10/26/99**	**3Q 01/31/00**	**4Q 04/24/00**	**5Q 07/25/00**	**6Q 11/08/00**	**1SA 04/12/01**	**2SA 10/16/01**	**3SA 04/17/02**	**4SA 10/03/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 05/06/06**	**11SA 01/03/07**	**12SA 10/07/07**	**13SA 05/18/08**	**14SA 11/29/08**
Methylene Chloride	5	40U	20U	2.0	20U	20U	20U	20U	20U	20U	40U	10U	10U	20U	2U	2U	2U	2U	2U	8U	1U
trans-1,2-Dichloroethene	100	20U	10U	10U	10U	10U	10U	10U	10U	10U	20U	10U	10U	10U	1U	1U	1U	1U	0.50	4U	0.29
cis-1,2-Dichloroethene	70	56	51	41	44	38	37	27	23	20	23	27	24	21	13	15	13	15	15	20	14
1,1-Dichloroethene	7	6.2	8.6	8.2	9.2	6.9	11	11	13	18	140	24	22	21	22	20	21	22	19	20	14
1,1-Dichloroethane	NA	20U	5.2	5.0	4.9	4.4	6.5	5.0	5.4	6.9	14	7.6	7.7	6.4	6.0	6.2	5.7	6.0	6.0	6.0	4.9
Chloroform	NA	20U	10U	0.67	0.92	1.1	10U	10U	10U	0.77	20U	10U	10U	10U	1U	1U	1U	1U	0.50	4U	0.65
1,2-Dichloroethane	5	20U	4.5	5.3	5.7	5.7	6.8	6.0	10U	10	20U	9.5	8.3	8.1	5.9	5.7	4.4	3.5	3.0	4U	2.1
1,1,1-Trichloroethane	200	4.7	5.4	4.2	4.0	3.4	4.0	4.5	4.9	6.0	20U	9.3	9.1	9.0	10	9.1	10	10	10	9.0	7.6
Trichloroethene	5	230	230	200	190	120	170	160	140	140	170	165	151	124	96	97	100	100	85	91	74
Tetrachloroethene	5	20U	2.4	2.4	2.0	1.3	2.4	2.4	2.8	2.9	20U	10U	10U	10U	2.8	2.3	2.9	3.2	3.0	4U	2.6
MW-204 Total VOCs		**297**	**307**	**269**	**261**	**181**	**238**	**216**	**189**	**205**	**347**	**242**	**222**	**189**	**156**	**155**	**157**	**160**	**142**	**146**	**120**
MW-205A	**MCL**	**1Q 04/22/99**	**2Q 10/21/99**	**3Q 02/07/00**	**4Q 04/18/00**	**5Q 07/25/00**	**6Q 11/07/00**	**1SA 04/09/01**	**2SA 10/16/01**	**3SA 04/16/02**	**4SA 10/07/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 05/06/06**	**11SA 11/21/06**	**12SA 10/06/07**	**13SA 05/18/08**	**14SA 11/28/08**
Methylene Chloride	5	10U	50U	50U	100U	40U	50U	40U	40U	40U	84	25U	20U	40U	2U	2U	2U	2U	2U	8U	1U
trans-1,2-Dichloroethene	100	5U	25U	25U	50U	20U	25U	20U	20U	20U	50U	25U	20U	20U	1U	1U	1U	1U	1U	4U	1U
cis-1,2-Dichloroethene	70	49	57	56	61	50	56	56	44	43	53	47	39	40	43	38	37	47	39	48	42
1,1-Dichloroethene	7	100	110	110	140	92	120	130	87	79	690	111	72	69	51	35	29	49	31	27	21
1,1-Dichloroethane	NA	23	23	22	23	19	27	23	18	17	50U	20	15	16	15	13	14	13	12	13	12
Chloroform	NA	0.88	1.1	25U	50U	20U	25U	20U	1.1	1.1	50U	25U	20U	20U	1U	1U	1U	1U	0.50	4U	0.49
1,2-Dichloroethane	5	4.4	25U	3.5	50U	3.5	25U	20U	20U	20U	50U	25U	20U	20U	1U	1U	1U	1U	0.40	4U	0.29
1,1,1-Trichloroethane	200	570	460	450	540	350	410	430	240	270	310	322	237	229	130	89	81	160	75	73	60
Trichloroethene	5	69	68	68	80	47	66	68	49	47	49	65	47	44	36	32	32	51	34	35	31
Tetrachloroethene	5	3.9	3.4	3.6	50U	20U	25U	4.3	2.1	6.7	110	25U	20U	20U	11	11	18	17	16	20	20
MW-205A Total VOCs		**820**	**723**	**713**	**844**	**562**	**679**	**711**	**441**	**464**	**1,296**	**565**	**410**	**397**	**286**	**218**	**211**	**337**	**208**	**216**	**186**

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 01/09)

Sample Event		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
MW-205B	**MCL**	**1Q 04/22/99**	**2Q 10/21/99**	**3Q 02/07/00**	**4Q 04/18/00**	**5Q 07/25/00**	**6Q 11/07/00**	**1SA 04/09/01**	**2SA 10/16/01**	**3SA 04/16/02**	**4SA 10/07/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 05/06/06**	**11SA 11/21/06**	**12SA 10/06/07**	**13SA 05/18/08**	**14SA 11/28/08**
Methylene Chloride	5	10U	50U	50U	40U	40U	40U	40U	40U	0.70	90	20U	20U	40U	2U	2U	2U	2U	2U	8U	1U
trans-1,2-Dichloroethene	100	5U	25U	25U	20U	20U	20U	20U	20U	1.4	50U	20U	20U	20U	1U	1U	1U	1U	1U	4U	1U
cis-1,2-Dichloroethene	70	47	54	57	59	52	55	68	50	53	65	57	47	54	47	43	52	71	52	63	43
1,1-Dichloroethene	7	74	82	86	90	70	79	110	73	59	470	93	65	76	43	32	26	39	30	30	20
1,1-Dichloroethane	NA	23	23	24	26	23	31	31	21	22	50U	24	19	22	17	17	18	18	15	16	15
Chloroform	NA	0.73	25U	25U	20U	20U	20U	20U	20U	0.82	50U	20U	20U	20U	1U	1U	1U	1U	0.40	4U	0.49
1,2-Dichloroethane	5	3.4	25U	25U	20U	20U	2.9	20U	20U	10U	50U	20U	20U	20U	1U	1U	1U	1U	0.40	4U	0.38
1,1,1-Trichloroethane	200	310	340	360	370	270	270	330	250	220	310	262	201	233	110	89	59	95	66	69	79
Trichloroethene	5	57	58	60	65	44	53	67	45	48	49	60	45	49	34	31	31	44	31	34	25
Tetrachloroethene	5	3.5	3.4	3.8	3.8	20U	3.6	4.5	5.1	5.8	110	10	11	11	13	14	23	23	18	22	13
MW-205B Total VOCs		**519**	**560**	**591**	**614**	**459**	**495**	**611**	**444**	**411**	**1,094**	**507**	**387**	**446**	**264**	**226**	**209**	**290**	**213**	**234**	**196**
MW-206A	**MCL**	**1Q 04/23/99**	**2Q 10/20/99**	**3Q 02/07/00**	**4Q 04/18/00**	**5Q 07/25/00**	**6Q 11/07/00**	**1SA 04/09/01**	**2SA 10/16/01**	**3SA 04/16/02**	**4SA 10/08/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 10/19/05**	**11SA 11/27/06**	**12SA 10/06/07**	**13SA 05/18/08**	**14SA 11/28/08**
Methylene Chloride	5	4U	20U	10U	10U	10U	10U	10U	0.34	4U	10U	2U	2U	4U	2U	2U	2U	2U	2U	2U	1U
trans-1,2-Dichloroethene	100	2U	10U	5U	0.36	5U	5U	5U	2U	0.39	5U	2U	1.1	2U	1U	1U	1U	1U	1U	1U	0.21
cis-1,2-Dichloroethene	70	23	21	20	20	21	13	20	18	15	23	28	34	32	16	23	25	14	6.0	7.0	9.4
1,1-Dichloroethene	7	22	21	14	12	14	5.9	13	9.9	7.1	57	11	11	11	6.7	8.8	9.1	8.2	5.0	8.0	7.5
1,1-Dichloroethane	NA	8.5	9.8	10	9.6	9.4	12	9.7	8.8	7.1	11	11	12	11	5.6	8.1	9.2	9.0	5.0	6.0	13
Chloroform	NA	0.64	10U	0.55	0.55	0.72	5U	0.66	0.49	0.39	5U	2U	2U	1.3	1.1	1U	1U	1.1	0.60	1U	0.28
1,2-Dichloroethane	5	0.75	10U	5U	5U	5U	5U	5U	2U	2U	5U	2U	2U	2U	1U	1U	1U	1U	1U	1U	0.19
1,1,1-Trichloroethane	200	100	87	79	62	66	46	55	39	31	35	27	30	27	17	19	23	22	14	18	18
Trichloroethene	5	37	33	25	22	16	7.6	22	18	16	18	17	17	15	11	11	13	14	9.0	11	7.9
Tetrachloroethene	5	9.3	6.6	7.0	5.2	3.1	0.84	4.5	3.5	3.4	3.0	3.2	3.4	3.7	2.9	3.1	3.8	4.2	3.0	4.0	2.0
MW-206A Total VOCs		**201**	**178**	**156**	**132**	**130**	**85**	**125**	**98**	**80**	**147**	**98**	**108**	**101**	**60**	**73**	**83**	**73**	**43**	**54**	**58**
MW-206B	**MCL**	**1Q 04/23/99**	**2Q 10/20/99**	**3Q 02/17/00**	**4Q 04/18/00**	**5Q 07/25/00**	**6Q 11/07/00**	**1SA 04/09/01**	**2SA 10/16/01**	**3SA 04/16/02**	**4SA 10/08/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 05/06/06**	**11SA 11/27/06**	**12SA 10/06/07**	**13SA 05/18/08**	**14SA 11/28/08**
Methylene Chloride	5	20U	20U	20U	20U	10U	10U	10U	10U	10U	4.0	5U	4U	8U	2U	2U	2U	2U	2U	8U	1U
trans-1,2-Dichloroethene	100	10U	10U	10U	0.28	5U	5U	5U	5U	5U	5U	5U	4U	4U	1U	1U	1U	1U	1U	4U	0.20
cis-1,2-Dichloroethene	70	59	54	36	40	36	34	33	26	23	31	21	17	20	13	13	15	21	32	50	46
1,1-Dichloroethene	7	2.5	4.9	8.8	9.0	6.0	8.4	9.1	11	10	76	16	14	14	13	12	17	31	39	46	41
1,1-Dichloroethane	NA	5.1	9.1	13	14	12	17	14	14	12	22	15	15	16	16	16	24	47	50	56	58
Chloroform	NA	10U	10U	10U	0.62	0.60	5U	0.51	0.62	0.69	5U	5U	4U	4U	1U	1U	1U	1U	0.80	4U	0.92
1,2-Dichloroethane	5	10U	10U	10U	10U	5U	5U	5U	5U	5U	5U	5U	4U	4U	1U	1U	1U	1.4	1.0	4U	1.7
1,1,1-Trichloroethane	200	4.6	8.4	16	16	11	14	16	20	20	35	27	27	26	22	22	24	44	39	44	40
Trichloroethene	5	150	160	150	150	86	120	110	80	70	100	69	55	59	33	35	32	45	28	48	36
Tetrachloroethene	5	13	9.6	5.8	5.6	0.98	3.3	2.5	1.7	1.5	5U	5U	4U	4U	1U	1U	1U	1.2	1.0	4U	1.7
MW-206B Total VOCs		**234**	**246**	**230**	**236**	**147**	**197**	**185**	**153**	**137**	**268**	**147**	**127**	**135**	**97**	**98**	**112**	**191**	**191**	**244**	**224**

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 01/09)

Sample Event		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
MW-206C	**MCL**	**1Q 04/23/99**	**2Q 10/20/99**	**3Q 02/07/00**	**4Q 04/18/00**	**5Q 07/25/00**	**6Q 11/07/00**	**1SA 04/09/01**	**2SA 10/16/01**	**3SA 04/16/02**	**4SA 10/08/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 05/06/06**	**11SA 11/27/06**	**12SA 10/06/07**	**13SA 05/18/08**	**14SA 11/28/08**
Methylene Chloride	5	2U	2U	2U	2U	2U	2U	2U	2U	2U	4.0	2.5U	4U	4U	2U	0.10	2U	2U	2U	4U	1U
trans-1,2-Dichloroethene	100	1U	1U	1U	1U	1U	1U	1U	1U	1U	5U	2.5U	4U	2U	1U	1U	1U	1U	1U	2U	1U
cis-1,2-Dichloroethene	70	2.7	2.3	3.5	4.0	4.8	2.3	4.3	5.9	6.9	15	13	14	15	9.2	15	14	17	11	12	5.2
1,1-Dichloroethene	7	0.31	0.15	1U	1U	1.3	0.12	0.28	0.11	0.17	5U	2.5U	4U	2U	1.1	2.6	3.5	4.4	4.0	4.0	2.0
1,1-Dichloroethane	NA	1U	0.18	1U	1U	1U	0.14	0.36	0.24	1U	5U	2.5U	4U	1.2	1.5	3.8	5.0	6.5	5.0	5.0	3.1
Chloroform	NA	1U	1U	1U	1U	1U	1U	1U	1U	1U	5U	2.5U	4U	2U	1U	1U	1U	1U	1U	2U	1U
1,2-Dichloroethane	5	1U	1U	1U	1U	1U	1U	1U	1U	1U	5U	2.5U	4U	2U	1U	1U	1U	1U	1U	2U	1U
1,1,1-Trichloroethane	200	1.5	0.26	1U	1U	1U	0.29	0.70	0.18	1U	5U	2.5U	4U	2U	1U	1U	1U	1U	1U	2U	1U
Trichloroethene	5	4.1	4.3	5.3	6.0	3.5	3.4	6.6	7.6	14	30	39	45	38	34	47	52	85	44	38	19
Tetrachloroethene	5	0.41	1U	1U	1U	1U	1U	0.25	0.20	0.06	5U	2.5U	4U	2U	1U	1U	1U	1U	0.40	2U	1U
MW-206C Total VOCs		**9.0**	**7.2**	**8.8**	**0**	**10**	**6.3**	**12**	**14**	**21**	**49**	**52**	**59**	**54**	**46**	**69**	**75**	**113**	**64**	**59**	**30**
MW-207	**MCL**	**1Q 04/23/99**	**2Q 10/27/99**	**3Q 02/17/00**	**4Q 04/18/00**	**5Q 07/25/00**	**6Q 11/08/00**	**1SA 04/10/01**	**2SA 10/16/01**	**3SA 04/17/02**	**4SA 10/08/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 05/06/06**	**11SA 11/27/06**	**12SA 10/07/07**	**13SA 05/18/08**	**14SA 11/29/08**
Methylene Chloride	5	4U	2U	2U	2U	2U	2U	2U	2U	4U	0.80	2U	2U	4U	2U	2U	2U	2U	1U	2U	1U
trans-1,2-Dichloroethene	100	2U	1U	1U	0.10	0.16	1U	0.44	0.33	0.39	1U	2U	2U	2U	1U	1U	1U	1U	1U	1U	0.27
cis-1,2-Dichloroethene	70	1.6	5.1	1.2	1.2	1.4	1.4	3.2	3.4	3.7	5.0	4.9	3.8	4.3	3.0	2.7	3.3	3.1	3.0	3.0	1.9
1,1-Dichloroethene	7	2U	0.74	0.22	0.10	1U	0.24	1U	0.13	0.26	6.0	2.1	2.2	1.9	1.7	1U	1.8	1.1	0.70	2.0	1U
1,1-Dichloroethane	NA	0.76	1.3	1.1	1.2	1.3	2.1	1.5	5.3	6.2	8.0	7.1	5.7	5.9	4.3	4.5	5.2	5.7	4.0	4.0	3.0
Chloroform	NA	0.39	0.59	0.54	0.62	0.63	0.71	0.60	0.44	0.36	1U	2U	2U	2U	1U	1U	1U	1U	0.40	1U	0.36
1,2-Dichloroethane	5	2U	1U	1U	1U	1U	1U	1U	1U	2U	1U	2U	2U	2U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	2.7	5.9	2.0	2.0	2.0	1.9	1.5	4.2	5.7	5.0	7.6	7.2	8.2	5.4	5.7	6.7	9.3	7.0	7.0	5.6
Trichloroethene	5	26	25	22	20	17	16	11	22	25	21	28	26	28	18	17	19	24	15	15	11
Tetrachloroethene	5	2.6	3.9	2.8	2.7	2.1	2.3	0.51	1.0	1.4	0.90	2.3	2.2	2.7	2.1	1.3	2.0	2.6	2.0	2.0	2.0
MW-207 Total VOCs		**34**	**43**	**30**	**26**	**25**	**25**	**19**	**37**	**43**	**47**	**52**	**47**	**51**	**35**	**31**	**38**	**46**	**32**	**33**	**24**

Notes:

All units in µg/l or "ppb".

Denotes analytical result > than MCL

APPENDIX A

Ground Water Monitoring
Laboratory Data Sheets and
Data Validation Summary

Data Quality Control Criteria Review Summary

SDG Number: *0812042* **Project Number:** *1016-2*

Site: *SE Rockford, 20th Event*

Contractor Lab: *TriMatrix (Grand Rapids, MI)*

Validator: *Brian LaFlamme* **Validation Date:** *December 19, 2008*

Sample Matrix: *Water* **Sample Date:** *November 26-29, 2008*

Analytical Methods: *EPA SW-846 Method 8260B*

Sample Designations:

FD-1 dupe of (MW-47	**MW-102A**	**MW-117B**	**MW-130**	**MW-201**	**MW-206A**
FD-2 dupe of (MW-201)	**MW-102B**	**MW-117C**	**MW-133A**	**MW-202**	**MW-206B**
MW-47	**MW-102C**	**MW-117D**	**MW-133B**	**MW-203**	**MW-206C**
MW-101A	**MW-113A**	**MW-119**	**MW-133C**	**MW-204**	**MW-207**
MW-101B	**MW-113B**	**MW-121**	**MW-136**	**MW-205A**	**Trip Blank**
MW-101D	**MW-114A**	**MW-124**	**MW-200**	**MW-205B**	

The analytical data were reviewed in accordance with the analytical methods, SW-846 validation guidelines, and the Environmental Protections Agency (EPA) Contract Laboratory Program (CLP) National Functional Guidelines. The review included comparing quality control (QC) values provided on the laboratory QC forms to method QC criteria. Review of the raw data was not performed.

Quality Control Summary

QC Review Item	VOA
Completeness	X
Case Narrative	X
Chain of Custody (COC) Forms	X
Sample Preservation	X
Holding Times	X
GC/MS Instrument Performance Check (BFB)	NA
Initial Calibration Results	NA
Continuing Calibration Results	NA
Laboratory Blank Results	I
System Monitoring Compounds (Surrogate) Results	X
Matrix Spike/Matrix Duplicate (MS/MSD) Results	X
Laboratory Control Sample (LCS) Results	NA
Method Specific QC Results *	NA
Internal Standards	X
Tentatively Identified Compounds (TICs)	NA
Reporting/Method Detection Limits	X
System Performance	X
Field QC Results #	2
Other	X

X Acceptable, no qualification necessary NR Not required
See validation summary comment NA Not applicable

*) The reviewer has indicated in the comments, if necessary, the method specific QC results included in the data package that were reviewed.

#) Field QC may include field duplicates, trip blanks, rinse blanks, field blanks, and equipment blank samples as required by project specific criteria.

Data for the above samples are:

- ☐ Acceptable for use
- ☒ Acceptable for use as qualified
- ☐ Unacceptable for use

Is action required by the Project Manager?

Yes ☐ No ☒

Data Validation Summary Comments:

1. **QC batch 0814377:** acetone (3.39J µg/l) and bromomethane (0.270J µg/l) were detected in the analytical batch 8120910; acetone (3.05J µg/l), bromomethane (0.300J µg/l), and methylene chloride (0.240J µg/l) were detected in the analytical batch 8120913.

   QC batch 0814378: acetone (2.91J µg/l) and bromomethane (0.330J µg/l) were detected in the analytical batch 8120912; acetone (3.05J µg/l), bromomethane (0.300J µg/l), and methylene chloride (0.240J µg/l) were detected in the analytical batch 8120913

   According to the 10X rule for acetone and methylene chloride and the 5X rule for bromomethane, detections of these compounds have been qualified as not detected as follows:

Well	Compound	Analytical Batch	Original Result	Validated Result
MW101A	Acetone	8120913	13.5J	25U
	Methylene Chloride		1.80J	5U
MW101B	Acetone	8120913	12.6J	25U
	Methylene Chloride		1.35J	5U
MW101C	Acetone	8120913	10.6J	25U
	Bromomethane	8120913	1.45J	5U
	Methylene Chloride		1.50J	5U
MW101D	Acetone	8120913	5.60J	10U
	Methylene Chloride		0.620J	2U
MW113A	Acetone	8120913	19.0J	25U
	Methylene Chloride		1.70J	5U
MW117B	Bromomethane	8120910	0.350J	1U
MW117C	Bromomethane	8120910	0.320J	1U
MW124	Acetone	8120913	12.0J	25U
	Methylene Chloride		1.45J	5U
MW130	Acetone	8120913	5.14J	10U
	Methylene Chloride		0.560J	2U
MW133A	Bromomethane	8120910	0.310J	1U
MW133B	Acetone	8120913	21.4J	50U
MW133C	Methylene Chloride	8120910	0.230J	1U
MW201	Acetone	8120913	25.2J	50U
FD2 (MW201 dupe)	Acetone	8120913	26.15J	50U
MW205B	Bromomethane	8120910	0.300J	1U
MW207	Bromomethane	8120912	0.300J	1U

2. Results of field duplicates follows:

Sample	Parameter	Investigative Sample (µg/l)	Duplicate Sample (µg/l)
MW47	Methylene Chloride	1U	1U
	trans-1,2-Dichloroethene	1U	1U
	cis-1,2-Dichloroethene	0.93	0.96
	1,1-Dichloroethene	1U	0.34
	1,1-Dichloroethane	1.6	1.58
	Chloroform	1U	0.15
	1,2-Dichloroethane	1U	1U
	1,1,1-Trichloroethane	2.9	2.89
	Trichloroethene	1.2	1.15
	Tetrachloroethene	0.62	0.61
MW201	Methylene Chloride	4.4	3.1
	trans-1,2-Dichloroethene	10U	10U
	cis-1,2-Dichloroethene	7.1	5.5
	1,1-Dichloroethene	10U	10U
	1,1-Dichloroethane	1,460	1,580
	Chloroform	2.0	10U
	1,2-Dichloroethane	10U	10U
	1,1,1-Trichloroethane	14	12.5
	Trichloroethene	7.7	7.1
	Tetrachloroethene	10U	10U

As shown, the investigative and duplicate sample results are in good agreement with each other. Therefore, the samples collected during this quarter are deemed representative of Site conditions at the time of sample collection.

Methylene chloride was reported in the trip blank (Trip Blank TM1779) at 1.11 µg/l. Therefore, according to the 10X rule, all positive results report less than 11.1 µg/l have been qualified as not detected as follows:

Well	Compound	Original Result	Validated Result
MW133B	Methylene Chloride	3.20J	10U
MW201	Methylene Chloride	4.40J	10U
FD2 (MW201 dupe)	Methylene Chloride	3.10J	10U

Note: positive results that were previously qualified as not detected because of detections in a QC blank are not included in this table.

OVERALL ASSESSMENT OF DATA

Based on the review of the quality control criteria, the method appeared to be in control. Therefore, the data are acceptable for use as qualified.

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW133A**	Sampled:	11/26/08 10:45
Lab Sample ID:	**0812042-01**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.00U	5.00	1.80
71-43-2	Benzene	1.00U	1.00	0.127
74-97-5	Bromochloromethane	1.00U	1.00	0.114
75-27-4	Bromodichloromethane	1.00U	1.00	0.139
75-25-2	Bromoform	1.00U	1.00	0.115
74-83-9	Bromomethane	~~0.310J~~ 1U	1.00	0.113
75-15-0	Carbon Disulfide	5.00U	5.00	0.597
56-23-5	Carbon Tetrachloride	1.00U	1.00	0.212
108-90-7	Chlorobenzene	1.00U	1.00	0.0651
75-00-3	Chloroethane	1.00U	1.00	0.178
67-66-3	Chloroform	1.00U	1.00	0.155
74-87-3	Chloromethane	1.00U	1.00	0.103
96-12-8	1,2-Dibromo-3-chloropropane	1.00U	1.00	0.414
124-48-1	Dibromochloromethane	1.00U	1.00	0.151
106-93-4	1,2-Dibromoethane	1.00U	1.00	0.0958
95-50-1	1,2-Dichlorobenzene	1.00U	1.00	0.273
541-73-1	1,3-Dichlorobenzene	1.00U	1.00	0.214
106-46-7	1,4-Dichlorobenzene	1.00U	1.00	0.212
75-34-3	1,1-Dichloroethane	1.00U	1.00	0.176
107-06-2	1,2-Dichloroethane	1.00U	1.00	0.150
75-35-4	1,1-Dichloroethene	1.00U	1.00	0.171
156-59-2	cis-1,2-Dichloroethene	**0.260J**	1.00	0.193
156-60-5	trans-1,2-Dichloroethene	1.00U	1.00	0.102
78-87-5	1,2-Dichloropropane	1.00U	1.00	0.191
10061-01-5	cis-1,3-Dichloropropene	1.00U	1.00	0.147
10061-02-6	trans-1,3-Dichloropropene	1.00U	1.00	0.186
100-41-4	Ethylbenzene	1.00U	1.00	0.0439
591-78-6	2-Hexanone	5.00U	5.00	1.33
75-09-2	Methylene Chloride	1.00U	1.00	0.188
78-93-3	2-Butanone (MEK)	5.00U	5.00	1.51
108-10-1	4-Methyl-2-pentanone (MIBK)	5.00U	5.00	0.868

VALIDATED

Continued on next page

Reviewed By _____

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW133A**	Sampled:	11/26/08 10:45
Lab Sample ID:	**0812042-01**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.00U	1.00	0.107
79-34-5	1,1,2,2-Tetrachloroethane	1.00U	1.00	0.216
127-18-4	Tetrachloroethene	1.00U	1.00	0.244
108-88-3	Toluene	1.00U	1.00	0.0809
71-55-6	1,1,1-Trichloroethane	**0.320J**	1.00	0.133
79-00-5	1,1,2-Trichloroethane	1.00U	1.00	0.133
79-01-6	Trichloroethene	1.00U	1.00	0.0840
75-01-4	Vinyl Chloride	1.00U	1.00	0.0536
1330-20-7	Xylene (Total)	3.00U	3.00	0.405

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	100	*88-115*
1,2-Dichloroethane-d4	104	*81-116*
Toluene-d8	98	*87-113*
4-Bromofluorobenzene	98	*78-116*

VALIDATED

Reviewed By B. F.

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW133B**	Sampled:	11/26/08 11:14
Lab Sample ID:	**0812042-02**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/05/08 By: JDM
Dilution Factor:	10	Analyzed:	12/05/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120913

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	~~21.4J~~ 50U	50.0	18.0
71-43-2	Benzene	10.0U	10.0	1.27
74-97-5	Bromochloromethane	10.0U	10.0	1.14
75-27-4	Bromodichloromethane	10.0U	10.0	1.39
75-25-2	Bromoform	10.0U	10.0	1.15
74-83-9	Bromomethane	10.0U	10.0	1.13
75-15-0	Carbon Disulfide	50.0U	50.0	5.97
56-23-5	Carbon Tetrachloride	10.0U	10.0	2.12
108-90-7	Chlorobenzene	10.0U	10.0	0.651
75-00-3	Chloroethane	10.0U	10.0	1.78
67-66-3	Chloroform	**8.00J**	10.0	1.55
74-87-3	Chloromethane	10.0U	10.0	1.03
96-12-8	1,2-Dibromo-3-chloropropane	10.0U	10.0	4.14
124-48-1	Dibromochloromethane	10.0U	10.0	1.51
106-93-4	1,2-Dibromoethane	10.0U	10.0	0.958
95-50-1	1,2-Dichlorobenzene	10.0U	10.0	2.73
541-73-1	1,3-Dichlorobenzene	10.0U	10.0	2.14
106-46-7	1,4-Dichlorobenzene	10.0U	10.0	2.12
75-34-3	1,1-Dichloroethane	**308**	10.0	1.76
107-06-2	1,2-Dichloroethane	**5.40J**	10.0	1.50
75-35-4	1,1-Dichloroethene	**12.0**	10.0	1.71
156-59-2	cis-1,2-Dichloroethene	**1860**	10.0	1.93
156-60-5	trans-1,2-Dichloroethene	**193**	10.0	1.02
78-87-5	1,2-Dichloropropane	10.0U	10.0	1.91
10061-01-5	cis-1,3-Dichloropropene	10.0U	10.0	1.47
10061-02-6	trans-1,3-Dichloropropene	10.0U	10.0	1.86
100-41-4	Ethylbenzene	10.0U	10.0	0.439
591-78-6	2-Hexanone	50.0U	50.0	13.3
75-09-2	Methylene Chloride	~~3.20J~~ 10U	10.0	1.88
78-93-3	2-Butanone (MEK)	50.0U	50.0	15.1
108-10-1	4-Methyl-2-pentanone (MIBK)	50.0U	50.0	8.68

VALIDATED

Continued on next page

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW133B**	Sampled:	11/26/08 11:14
Lab Sample ID:	**0812042-02**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/05/08 By: JDM
Dilution Factor:	10	Analyzed:	12/05/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120913

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	10.0U	10.0	1.07
79-34-5	1,1,2,2-Tetrachloroethane	10.0U	10.0	2.16
127-18-4	Tetrachloroethene	**126**	10.0	2.44
108-88-3	Toluene	10.0U	10.0	0.809
71-55-6	1,1,1-Trichloroethane	**955**	10.0	1.33
79-00-5	1,1,2-Trichloroethane	**4.40J**	10.0	1.33
79-01-6	Trichloroethene	**208**	10.0	0.840
75-01-4	Vinyl Chloride	10.0U	10.0	0.536
1330-20-7	Xylene (Total)	30.0U	30.0	4.05

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	104	*88-115*
1,2-Dichloroethane-d4	104	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	100	*78-116*

VALIDATED

Reviewed By _____

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW133C**	Sampled:	11/26/08 11:42
Lab Sample ID:	**0812042-03**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.00U	5.00	1.80
71-43-2	Benzene	1.00U	1.00	0.127
74-97-5	Bromochloromethane	1.00U	1.00	0.114
75-27-4	Bromodichloromethane	1.00U	1.00	0.139
75-25-2	Bromoform	1.00U	1.00	0.115
74-83-9	Bromomethane	1.00U	1.00	0.113
75-15-0	Carbon Disulfide	5.00U	5.00	0.597
56-23-5	Carbon Tetrachloride	**0.550J**	1.00	0.212
108-90-7	Chlorobenzene	1.00U	1.00	0.0651
75-00-3	Chloroethane	1.00U	1.00	0.178
67-66-3	Chloroform	**7.82**	1.00	0.155
74-87-3	Chloromethane	1.00U	1.00	0.103
96-12-8	1,2-Dibromo-3-chloropropane	1.00U	1.00	0.414
124-48-1	Dibromochloromethane	1.00U	1.00	0.151
106-93-4	1,2-Dibromoethane	1.00U	1.00	0.0958
95-50-1	1,2-Dichlorobenzene	1.00U	1.00	0.273
541-73-1	1,3-Dichlorobenzene	1.00U	1.00	0.214
106-46-7	1,4-Dichlorobenzene	1.00U	1.00	0.212
75-34-3	1,1-Dichloroethane	**53.6**	1.00	0.176
107-06-2	1,2-Dichloroethane	**1.92**	1.00	0.150
75-35-4	1,1-Dichloroethene	**24.6**	1.00	0.171
156-59-2	cis-1,2-Dichloroethene	**96.9**	1.00	0.193
156-60-5	trans-1,2-Dichloroethene	**6.93**	1.00	0.102
78-87-5	1,2-Dichloropropane	**0.450J**	1.00	0.191
10061-01-5	cis-1,3-Dichloropropene	1.00U	1.00	0.147
10061-02-6	trans-1,3-Dichloropropene	1.00U	1.00	0.186
100-41-4	Ethylbenzene	1.00U	1.00	0.0439
591-78-6	2-Hexanone	5.00U	5.00	1.33
75-09-2	Methylene Chloride	~~0.230J~~ 1U	1.00	0.188
78-93-3	2-Butanone (MEK)	5.00U	5.00	1.51
108-10-1	4-Methyl-2-pentanone (MIBK)	5.00U	5.00	0.868

VALIDATED

Continued on next page

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW133C**	Sampled:	11/26/08 11:42
Lab Sample ID:	**0812042-03**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.00U	1.00	0.107
79-34-5	1,1,2,2-Tetrachloroethane	1.00U	1.00	0.216
127-18-4	Tetrachloroethene	**6.06**	1.00	0.244
108-88-3	Toluene	1.00U	1.00	0.0809
71-55-6	1,1,1-Trichloroethane	**182**	1.00	0.133
79-00-5	1,1,2-Trichloroethane	**1.08**	1.00	0.133
79-01-6	Trichloroethene	**94.8**	1.00	0.0840
75-01-4	Vinyl Chloride	1.00U	1.00	0.0536
1330-20-7	Xylene (Total)	3.00U	3.00	0.405

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	102	*88-115*
1,2-Dichloroethane-d4	94	*81-116*
Toluene-d8	98	*87-113*
4-Bromofluorobenzene	97	*78-116*

VALIDATED

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW102A**	Sampled:	11/26/08 13:25
Lab Sample ID:	**0812042-04**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.00U	5.00	1.80
71-43-2	Benzene	1.00U	1.00	0.127
74-97-5	Bromochloromethane	1.00U	1.00	0.114
75-27-4	Bromodichloromethane	1.00U	1.00	0.139
75-25-2	Bromoform	1.00U	1.00	0.115
74-83-9	Bromomethane	1.00U	1.00	0.113
75-15-0	Carbon Disulfide	5.00U	5.00	0.597
56-23-5	Carbon Tetrachloride	1.00U	1.00	0.212
108-90-7	Chlorobenzene	1.00U	1.00	0.0651
75-00-3	Chloroethane	**0.480J**	1.00	0.178
67-66-3	Chloroform	**0.180J**	1.00	0.0767
74-87-3	Chloromethane	1.00U	1.00	0.103
96-12-8	1,2-Dibromo-3-chloropropane	1.00U	1.00	0.414
124-48-1	Dibromochloromethane	1.00U	1.00	0.151
106-93-4	1,2-Dibromoethane	1.00U	1.00	0.0958
95-50-1	1,2-Dichlorobenzene	1.00U	1.00	0.273
541-73-1	1,3-Dichlorobenzene	1.00U	1.00	0.214
106-46-7	1,4-Dichlorobenzene	1.00U	1.00	0.212
75-34-3	1,1-Dichloroethane	**58.1**	1.00	0.176
107-06-2	1,2-Dichloroethane	**0.320J**	1.00	0.150
75-35-4	1,1-Dichloroethene	**2.81**	1.00	0.171
156-59-2	cis-1,2-Dichloroethene	**137**	1.00	0.193
156-60-5	trans-1,2-Dichloroethene	**4.14**	1.00	0.102
78-87-5	1,2-Dichloropropane	1.00U	1.00	0.191
10061-01-5	cis-1,3-Dichloropropene	1.00U	1.00	0.147
10061-02-6	trans-1,3-Dichloropropene	1.00U	1.00	0.186
100-41-4	Ethylbenzene	**0.350J**	1.00	0.0439
591-78-6	2-Hexanone	5.00U	5.00	1.33
75-09-2	Methylene Chloride	1.00U	1.00	0.188
78-93-3	2-Butanone (MEK)	5.00U	5.00	1.51
108-10-1	4-Methyl-2-pentanone (MIBK)	5.00U	5.00	0.868

VALIDATED

Continued on next page

Reviewed By B.S.R.

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW102A**	Sampled:	11/26/08 13:25
Lab Sample ID:	**0812042-04**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.00U	1.00	0.107
79-34-5	1,1,2,2-Tetrachloroethane	1.00U	1.00	0.216
127-18-4	Tetrachloroethene	1.00U	1.00	0.244
108-88-3	Toluene	**5.99**	1.00	0.0809
71-55-6	1,1,1-Trichloroethane	**82.6**	1.00	0.133
79-00-5	1,1,2-Trichloroethane	1.00U	1.00	0.133
79-01-6	Trichloroethene	**17.6**	1.00	0.0840
75-01-4	Vinyl Chloride	1.00U	1.00	0.0536
1330-20-7	Xylene (Total)	**1.00J**	3.00	0.405

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	104	*88-115*
1,2-Dichloroethane-d4	105	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	99	*78-116*

VALIDATED

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW102B**	Sampled:	11/26/08 13:48
Lab Sample ID:	**0812042-05**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.00U	5.00	1.80
71-43-2	Benzene	1.00U	1.00	0.127
74-97-5	Bromochloromethane	1.00U	1.00	0.114
75-27-4	Bromodichloromethane	1.00U	1.00	0.139
75-25-2	Bromoform	1.00U	1.00	0.115
74-83-9	Bromomethane	1.00U	1.00	0.113
75-15-0	Carbon Disulfide	5.00U	5.00	0.597
56-23-5	Carbon Tetrachloride	1.00U	1.00	0.212
108-90-7	Chlorobenzene	1.00U	1.00	0.0651
75-00-3	Chloroethane	**0.440J**	1.00	0.178
67-66-3	Chloroform	1.00U	1.00	0.0767
74-87-3	Chloromethane	1.00U	1.00	0.103
96-12-8	1,2-Dibromo-3-chloropropane	1.00U	1.00	0.414
124-48-1	Dibromochloromethane	1.00U	1.00	0.151
106-93-4	1,2-Dibromoethane	1.00U	1.00	0.0958
95-50-1	1,2-Dichlorobenzene	1.00U	1.00	0.273
541-73-1	1,3-Dichlorobenzene	1.00U	1.00	0.214
106-46-7	1,4-Dichlorobenzene	1.00U	1.00	0.212
75-34-3	1,1-Dichloroethane	**2.80**	1.00	0.176
107-06-2	1,2-Dichloroethane	**0.660J**	1.00	0.150
75-35-4	1,1-Dichloroethene	1.00U	1.00	0.171
156-59-2	cis-1,2-Dichloroethene	**5.11**	1.00	0.193
156-60-5	trans-1,2-Dichloroethene	**0.280J**	1.00	0.102
78-87-5	1,2-Dichloropropane	1.00U	1.00	0.191
10061-01-5	cis-1,3-Dichloropropene	1.00U	1.00	0.147
10061-02-6	trans-1,3-Dichloropropene	1.00U	1.00	0.186
100-41-4	Ethylbenzene	**0.170J**	1.00	0.0439
591-78-6	2-Hexanone	5.00U	5.00	1.33
75-09-2	Methylene Chloride	1.00U	1.00	0.188
78-93-3	2-Butanone (MEK)	5.00U	5.00	1.51
108-10-1	4-Methyl-2-pentanone (MIBK)	5.00U	5.00	0.868

VALIDATED

Continued on next page

Reviewed By [illegible]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW102B**	Sampled:	11/26/08 13:48
Lab Sample ID:	**0812042-05**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.00U	1.00	0.107
79-34-5	1,1,2,2-Tetrachloroethane	1.00U	1.00	0.216
127-18-4	Tetrachloroethene	1.00U	1.00	0.244
108-88-3	Toluene	**4.33**	1.00	0.0809
71-55-6	1,1,1-Trichloroethane	1.00U	1.00	0.133
79-00-5	1,1,2-Trichloroethane	1.00U	1.00	0.133
79-01-6	Trichloroethene	1.00U	1.00	0.0840
75-01-4	Vinyl Chloride	**0.180J**	1.00	0.0536
1330-20-7	Xylene (Total)	3.00U	3.00	0.405

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	102	*88-115*
1,2-Dichloroethane-d4	107	*81-116*
Toluene-d8	98	*87-113*
4-Bromofluorobenzene	98	*78-116*

VALIDATED

Reviewed By _____

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW102C**	Sampled:	11/26/08 14:05
Lab Sample ID:	**0812042-06**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.00U	5.00	1.80
71-43-2	Benzene	1.00U	1.00	0.127
74-97-5	Bromochloromethane	1.00U	1.00	0.114
75-27-4	Bromodichloromethane	1.00U	1.00	0.139
75-25-2	Bromoform	1.00U	1.00	0.115
74-83-9	Bromomethane	1.00U	1.00	0.113
75-15-0	Carbon Disulfide	5.00U	5.00	0.597
56-23-5	Carbon Tetrachloride	1.00U	1.00	0.212
108-90-7	Chlorobenzene	1.00U	1.00	0.0651
75-00-3	Chloroethane	1.00U	1.00	0.178
67-66-3	Chloroform	**0.210J**	1.00	0.155
74-87-3	Chloromethane	1.00U	1.00	0.103
96-12-8	1,2-Dibromo-3-chloropropane	1.00U	1.00	0.414
124-48-1	Dibromochloromethane	1.00U	1.00	0.151
106-93-4	1,2-Dibromoethane	1.00U	1.00	0.0958
95-50-1	1,2-Dichlorobenzene	1.00U	1.00	0.273
541-73-1	1,3-Dichlorobenzene	1.00U	1.00	0.214
106-46-7	1,4-Dichlorobenzene	1.00U	1.00	0.212
75-34-3	1,1-Dichloroethane	**18.9**	1.00	0.176
107-06-2	1,2-Dichloroethane	**0.330J**	1.00	0.150
75-35-4	1,1-Dichloroethene	**5.75**	1.00	0.171
156-59-2	cis-1,2-Dichloroethene	**56.6**	1.00	0.193
156-60-5	trans-1,2-Dichloroethene	**0.790J**	1.00	0.102
78-87-5	1,2-Dichloropropane	1.00U	1.00	0.191
10061-01-5	cis-1,3-Dichloropropene	1.00U	1.00	0.147
10061-02-6	trans-1,3-Dichloropropene	1.00U	1.00	0.186
100-41-4	Ethylbenzene	**1.13**	1.00	0.0439
591-78-6	2-Hexanone	5.00U	5.00	1.33
75-09-2	Methylene Chloride	1.00U	1.00	0.188
78-93-3	2-Butanone (MEK)	5.00U	5.00	1.51
108-10-1	4-Methyl-2-pentanone (MIBK)	5.00U	5.00	0.868

VALIDATED

Continued on next page

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW102C**	Sampled:	11/26/08 14:05
Lab Sample ID:	**0812042-06**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.00U	1.00	0.107
79-34-5	1,1,2,2-Tetrachloroethane	1.00U	1.00	0.216
127-18-4	Tetrachloroethene	**2.66**	1.00	0.244
108-88-3	Toluene	**31.9**	1.00	0.0809
71-55-6	1,1,1-Trichloroethane	**18.4**	1.00	0.133
79-00-5	1,1,2-Trichloroethane	1.00U	1.00	0.133
79-01-6	Trichloroethene	**9.54**	1.00	0.0840
75-01-4	Vinyl Chloride	1.00U	1.00	0.0536
1330-20-7	Xylene (Total)	**3.98**	3.00	0.405

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	105	*88-115*
1,2-Dichloroethane-d4	106	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	100	*78-116*

VALIDATED

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW101C**	Sampled:	11/26/08 14:30
Lab Sample ID:	**0812042-07**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/05/08 By: JDM
Dilution Factor:	5	Analyzed:	12/05/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120913

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	~~10.6J~~ 25U	25.0	9.00
71-43-2	Benzene	5.00U	5.00	0.635
74-97-5	Bromochloromethane	5.00U	5.00	0.570
75-27-4	Bromodichloromethane	5.00U	5.00	0.695
75-25-2	Bromoform	5.00U	5.00	0.575
74-83-9	Bromomethane	~~1.45J~~ 5U	5.00	0.565
75-15-0	Carbon Disulfide	25.0U	25.0	2.98
56-23-5	Carbon Tetrachloride	5.00U	5.00	1.06
108-90-7	Chlorobenzene	5.00U	5.00	0.326
75-00-3	Chloroethane	5.00U	5.00	0.890
67-66-3	Chloroform	**2.45J**	5.00	0.775
74-87-3	Chloromethane	5.00U	5.00	0.515
96-12-8	1,2-Dibromo-3-chloropropane	5.00U	5.00	2.07
124-48-1	Dibromochloromethane	5.00U	5.00	0.755
106-93-4	1,2-Dibromoethane	5.00U	5.00	0.479
95-50-1	1,2-Dichlorobenzene	5.00U	5.00	1.36
541-73-1	1,3-Dichlorobenzene	5.00U	5.00	1.07
106-46-7	1,4-Dichlorobenzene	5.00U	5.00	1.06
75-34-3	1,1-Dichloroethane	**157**	5.00	0.880
107-06-2	1,2-Dichloroethane	**2.05J**	5.00	0.750
75-35-4	1,1-Dichloroethene	**33.8**	5.00	0.855
156-59-2	cis-1,2-Dichloroethene	**682**	5.00	0.965
156-60-5	trans-1,2-Dichloroethene	**6.80**	5.00	0.510
78-87-5	1,2-Dichloropropane	5.00U	5.00	0.955
10061-01-5	cis-1,3-Dichloropropene	5.00U	5.00	0.735
10061-02-6	trans-1,3-Dichloropropene	5.00U	5.00	0.930
100-41-4	Ethylbenzene	5.00U	5.00	0.220
591-78-6	2-Hexanone	25.0U	25.0	6.65
75-09-2	Methylene Chloride	~~1.50J~~ 5U	5.00	0.940
78-93-3	2-Butanone (MEK)	25.0U	25.0	7.55
108-10-1	4-Methyl-2-pentanone (MIBK)	25.0U	25.0	4.34

VALIDATED

Continued on next page

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW101C**	Sampled:	11/26/08 14:30
Lab Sample ID:	**0812042-07**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/05/08 By: JDM
Dilution Factor:	5	Analyzed:	12/05/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120913

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	5.00U	5.00	0.535
79-34-5	1,1,2,2-Tetrachloroethane	5.00U	5.00	1.08
127-18-4	Tetrachloroethene	**27.9**	5.00	1.22
108-88-3	Toluene	5.00U	5.00	0.404
71-55-6	1,1,1-Trichloroethane	**398**	5.00	0.665
79-00-5	1,1,2-Trichloroethane	5.00U	5.00	0.665
79-01-6	Trichloroethene	**86.4**	5.00	0.420
75-01-4	Vinyl Chloride	5.00U	5.00	0.268
1330-20-7	Xylene (Total)	15.0U	15.0	2.02

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	106	*88-115*
1,2-Dichloroethane-d4	105	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	101	*78-116*

VALIDATED

Reviewed By B. Sc

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW101B**	Sampled:	11/28/08 08:42
Lab Sample ID:	**0812042-08**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/05/08 By: JDM
Dilution Factor:	5	Analyzed:	12/05/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120913

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	~~12.6J~~ 25U	25.0	9.00
71-43-2	Benzene	5.00U	5.00	0.635
74-97-5	Bromochloromethane	5.00U	5.00	0.570
75-27-4	Bromodichloromethane	5.00U	5.00	0.695
75-25-2	Bromoform	5.00U	5.00	0.575
74-83-9	Bromomethane	5.00U	5.00	0.565
75-15-0	Carbon Disulfide	25.0U	25.0	2.98
56-23-5	Carbon Tetrachloride	5.00U	5.00	1.06
108-90-7	Chlorobenzene	5.00U	5.00	0.326
75-00-3	Chloroethane	5.00U	5.00	0.890
67-66-3	Chloroform	**2.40J**	5.00	0.775
74-87-3	Chloromethane	5.00U	5.00	0.515
96-12-8	1,2-Dibromo-3-chloropropane	5.00U	5.00	2.07
124-48-1	Dibromochloromethane	5.00U	5.00	0.755
106-93-4	1,2-Dibromoethane	5.00U	5.00	0.479
95-50-1	1,2-Dichlorobenzene	5.00U	5.00	1.36
541-73-1	1,3-Dichlorobenzene	5.00U	5.00	1.07
106-46-7	1,4-Dichlorobenzene	5.00U	5.00	1.06
75-34-3	1,1-Dichloroethane	**181**	5.00	0.880
107-06-2	1,2-Dichloroethane	**1.75J**	5.00	0.750
75-35-4	1,1-Dichloroethene	**36.2**	5.00	0.855
156-59-2	cis-1,2-Dichloroethene	**760**	5.00	0.965
156-60-5	trans-1,2-Dichloroethene	**7.45**	5.00	0.510
78-87-5	1,2-Dichloropropane	5.00U	5.00	0.955
10061-01-5	cis-1,3-Dichloropropene	5.00U	5.00	0.735
10061-02-6	trans-1,3-Dichloropropene	5.00U	5.00	0.930
100-41-4	Ethylbenzene	5.00U	5.00	0.220
591-78-6	2-Hexanone	25.0U	25.0	6.65
75-09-2	Methylene Chloride	~~1.35J~~ 5U	5.00	0.940
78-93-3	2-Butanone (MEK)	25.0U	25.0	7.55
108-10-1	4-Methyl-2-pentanone (MIBK)	25.0U	25.0	4.34

VALIDATED

Continued on next page

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW101B**	Sampled:	11/28/08 08:42
Lab Sample ID:	**0812042-08**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/05/08 By: JDM
Dilution Factor:	5	Analyzed:	12/05/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120913

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	5.00U	5.00	0.535
79-34-5	1,1,2,2-Tetrachloroethane	5.00U	5.00	1.08
127-18-4	Tetrachloroethene	**41.1**	5.00	1.22
108-88-3	Toluene	5.00U	5.00	0.404
71-55-6	1,1,1-Trichloroethane	**438**	5.00	0.665
79-00-5	1,1,2-Trichloroethane	5.00U	5.00	0.665
79-01-6	Trichloroethene	**96.3**	5.00	0.420
75-01-4	Vinyl Chloride	5.00U	5.00	0.268
1330-20-7	Xylene (Total)	15.0U	15.0	2.02

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	105	*88-115*
1,2-Dichloroethane-d4	106	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	100	*78-116*

VALIDATED

Reviewed By _____

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW101A**	Sampled:	11/28/08 09:13
Lab Sample ID:	**0812042-09**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/05/08 By: JDM
Dilution Factor:	5	Analyzed:	12/05/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120913

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	~~13.5J~~ 25U	25.0	9.00
71-43-2	Benzene	5.00U	5.00	0.635
74-97-5	Bromochloromethane	5.00U	5.00	0.570
75-27-4	Bromodichloromethane	5.00U	5.00	0.695
75-25-2	Bromoform	5.00U	5.00	0.575
74-83-9	Bromomethane	5.00U	5.00	0.565
75-15-0	Carbon Disulfide	25.0U	25.0	2.98
56-23-5	Carbon Tetrachloride	5.00U	5.00	1.06
108-90-7	Chlorobenzene	5.00U	5.00	0.326
75-00-3	Chloroethane	5.00U	5.00	0.890
67-66-3	Chloroform	**4.10J**	5.00	0.775
74-87-3	Chloromethane	5.00U	5.00	0.515
96-12-8	1,2-Dibromo-3-chloropropane	5.00U	5.00	2.07
124-48-1	Dibromochloromethane	5.00U	5.00	0.755
106-93-4	1,2-Dibromoethane	5.00U	5.00	0.479
95-50-1	1,2-Dichlorobenzene	5.00U	5.00	1.36
541-73-1	1,3-Dichlorobenzene	5.00U	5.00	1.07
106-46-7	1,4-Dichlorobenzene	5.00U	5.00	1.06
75-34-3	1,1-Dichloroethane	**233**	5.00	0.880
107-06-2	1,2-Dichloroethane	**2.15J**	5.00	0.750
75-35-4	1,1-Dichloroethene	**57.5**	5.00	0.855
156-59-2	cis-1,2-Dichloroethene	**908**	5.00	0.965
156-60-5	trans-1,2-Dichloroethene	**38.4**	5.00	0.510
78-87-5	1,2-Dichloropropane	5.00U	5.00	0.955
10061-01-5	cis-1,3-Dichloropropene	5.00U	5.00	0.735
10061-02-6	trans-1,3-Dichloropropene	5.00U	5.00	0.930
100-41-4	Ethylbenzene	5.00U	5.00	0.220
591-78-6	2-Hexanone	25.0U	25.0	6.65
75-09-2	Methylene Chloride	~~1.80J~~ 5U	5.00	0.940
78-93-3	2-Butanone (MEK)	25.0U	25.0	7.55
108-10-1	4-Methyl-2-pentanone (MIBK)	25.0U	25.0	4.34

VALIDATED

Continued on next page

Reviewed By [illegible]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW101A**	Sampled:	11/28/08 09:13
Lab Sample ID:	**0812042-09**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/05/08 By: JDM
Dilution Factor:	5	Analyzed:	12/05/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120913

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	5.00U	5.00	0.535
79-34-5	1,1,2,2-Tetrachloroethane	5.00U	5.00	1.08
127-18-4	Tetrachloroethene	**56.2**	5.00	1.22
108-88-3	Toluene	5.00U	5.00	0.404
71-55-6	1,1,1-Trichloroethane	**691**	5.00	0.665
79-00-5	1,1,2-Trichloroethane	**2.25J**	5.00	0.665
79-01-6	Trichloroethene	**214**	5.00	0.420
75-01-4	Vinyl Chloride	5.00U	5.00	0.268
1330-20-7	Xylene (Total)	15.0U	15.0	2.02

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	106	*88-115*
1,2-Dichloroethane-d4	105	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	100	*78-116*

VALIDATED

Reviewed By B. S.

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW101D**	Sampled:	11/28/08 09:42
Lab Sample ID:	**0812042-10**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/05/08 By: JDM
Dilution Factor:	2	Analyzed:	12/05/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120913

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	~~5.60J~~ 10U	10.0	3.60
71-43-2	Benzene	2.00U	2.00	0.254
74-97-5	Bromochloromethane	2.00U	2.00	0.228
75-27-4	Bromodichloromethane	2.00U	2.00	0.278
75-25-2	Bromoform	2.00U	2.00	0.230
74-83-9	Bromomethane	2.00U	2.00	0.226
75-15-0	Carbon Disulfide	10.0U	10.0	1.19
56-23-5	Carbon Tetrachloride	2.00U	2.00	0.424
108-90-7	Chlorobenzene	2.00U	2.00	0.130
75-00-3	Chloroethane	2.00U	2.00	0.356
67-66-3	Chloroform	**1.46J**	2.00	0.310
74-87-3	Chloromethane	2.00U	2.00	0.206
96-12-8	1,2-Dibromo-3-chloropropane	2.00U	2.00	0.828
124-48-1	Dibromochloromethane	2.00U	2.00	0.302
106-93-4	1,2-Dibromoethane	2.00U	2.00	0.192
95-50-1	1,2-Dichlorobenzene	2.00U	2.00	0.546
541-73-1	1,3-Dichlorobenzene	2.00U	2.00	0.428
106-46-7	1,4-Dichlorobenzene	2.00U	2.00	0.424
75-34-3	1,1-Dichloroethane	**41.6**	2.00	0.352
107-06-2	1,2-Dichloroethane	**0.580J**	2.00	0.300
75-35-4	1,1-Dichloroethene	**15.0**	2.00	0.342
156-59-2	cis-1,2-Dichloroethene	**199**	2.00	0.386
156-60-5	trans-1,2-Dichloroethene	**1.94J**	2.00	0.204
78-87-5	1,2-Dichloropropane	2.00U	2.00	0.382
10061-01-5	cis-1,3-Dichloropropene	2.00U	2.00	0.294
10061-02-6	trans-1,3-Dichloropropene	2.00U	2.00	0.372
100-41-4	Ethylbenzene	2.00U	2.00	0.0878
591-78-6	2-Hexanone	10.0U	10.0	2.66
75-09-2	Methylene Chloride	~~0.620J~~ 10U 2U	2.00	0.376
78-93-3	2-Butanone (MEK)	10.0U	10.0	3.02
108-10-1	4-Methyl-2-pentanone (MIBK)	10.0U	10.0	1.74

Continued on next page

VALIDATED

Reviewed By B. F.

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW101D**	Sampled:	11/28/08 09:42
Lab Sample ID:	**0812042-10**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/05/08 By: JDM
Dilution Factor:	2	Analyzed:	12/05/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120913

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	2.00U	2.00	0.214
79-34-5	1,1,2,2-Tetrachloroethane	2.00U	2.00	0.432
127-18-4	Tetrachloroethene	**16.4**	2.00	0.488
108-88-3	Toluene	2.00U	2.00	0.162
71-55-6	1,1,1-Trichloroethane	**137**	2.00	0.266
79-00-5	1,1,2-Trichloroethane	2.00U	2.00	0.266
79-01-6	Trichloroethene	**39.3**	2.00	0.168
75-01-4	Vinyl Chloride	2.00U	2.00	0.107
1330-20-7	Xylene (Total)	6.00U	6.00	0.810

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	107	*88-115*
1,2-Dichloroethane-d4	106	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	100	*78-116*

VALIDATED

Reviewed By _____

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW117B**	Sampled:	11/28/08 10:16
Lab Sample ID:	**0812042-11**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.00U	5.00	1.80
71-43-2	Benzene	1.00U	1.00	0.127
74-97-5	Bromochloromethane	1.00U	1.00	0.114
75-27-4	Bromodichloromethane	1.00U	1.00	0.139
75-25-2	Bromoform	1.00U	1.00	0.115
74-83-9	Bromomethane	~~0.350J~~ 1U	1.00	0.113
75-15-0	Carbon Disulfide	5.00U	5.00	0.597
56-23-5	Carbon Tetrachloride	1.00U	1.00	0.212
108-90-7	Chlorobenzene	1.00U	1.00	0.0651
75-00-3	Chloroethane	1.00U	1.00	0.178
67-66-3	Chloroform	**0.380J**	1.00	0.155
74-87-3	Chloromethane	1.00U	1.00	0.103
96-12-8	1,2-Dibromo-3-chloropropane	1.00U	1.00	0.414
124-48-1	Dibromochloromethane	1.00U	1.00	0.151
106-93-4	1,2-Dibromoethane	1.00U	1.00	0.0958
95-50-1	1,2-Dichlorobenzene	1.00U	1.00	0.273
541-73-1	1,3-Dichlorobenzene	1.00U	1.00	0.214
106-46-7	1,4-Dichlorobenzene	1.00U	1.00	0.212
75-34-3	1,1-Dichloroethane	**7.91**	1.00	0.176
107-06-2	1,2-Dichloroethane	1.00U	1.00	0.150
75-35-4	1,1-Dichloroethene	**8.73**	1.00	0.171
156-59-2	cis-1,2-Dichloroethene	**8.11**	1.00	0.193
156-60-5	trans-1,2-Dichloroethene	1.00U	1.00	0.102
78-87-5	1,2-Dichloropropane	1.00U	1.00	0.191
10061-01-5	cis-1,3-Dichloropropene	1.00U	1.00	0.147
10061-02-6	trans-1,3-Dichloropropene	1.00U	1.00	0.186
100-41-4	Ethylbenzene	1.00U	1.00	0.0439
591-78-6	2-Hexanone	5.00U	5.00	1.33
75-09-2	Methylene Chloride	1.00U	1.00	0.188
78-93-3	2-Butanone (MEK)	5.00U	5.00	1.51
108-10-1	4-Methyl-2-pentanone (MIBK)	5.00U	5.00	0.868

VALIDATED

Continued on next page

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW117B**	Sampled:	11/28/08 10:16
Lab Sample ID:	**0812042-11**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.00U	1.00	0.107
79-34-5	1,1,2,2-Tetrachloroethane	1.00U	1.00	0.216
127-18-4	Tetrachloroethene	**4.99**	1.00	0.244
108-88-3	Toluene	1.00U	1.00	0.0809
71-55-6	1,1,1-Trichloroethane	**24.0**	1.00	0.133
79-00-5	1,1,2-Trichloroethane	**0.460J**	1.00	0.133
79-01-6	Trichloroethene	**15.8**	1.00	0.0840
75-01-4	Vinyl Chloride	1.00U	1.00	0.0536
1330-20-7	Xylene (Total)	3.00U	3.00	0.405

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	104	*88-115*
1,2-Dichloroethane-d4	106	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	98	*78-116*

VALIDATED

Reviewed By [illegible]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW117C**	Sampled:	11/28/08 10:38
Lab Sample ID:	**0812042-12**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.00U	5.00	1.80
71-43-2	Benzene	1.00U	1.00	0.127
74-97-5	Bromochloromethane	1.00U	1.00	0.114
75-27-4	Bromodichloromethane	1.00U	1.00	0.139
75-25-2	Bromoform	1.00U	1.00	0.115
74-83-9	Bromomethane	~~0.320J~~ 1U	1.00	0.113
75-15-0	Carbon Disulfide	5.00U	5.00	0.597
56-23-5	Carbon Tetrachloride	1.00U	1.00	0.212
108-90-7	Chlorobenzene	1.00U	1.00	0.0651
75-00-3	Chloroethane	1.00U	1.00	0.178
67-66-3	Chloroform	**0.550J**	1.00	0.155
74-87-3	Chloromethane	1.00U	1.00	0.103
96-12-8	1,2-Dibromo-3-chloropropane	1.00U	1.00	0.414
124-48-1	Dibromochloromethane	1.00U	1.00	0.151
106-93-4	1,2-Dibromoethane	1.00U	1.00	0.0958
95-50-1	1,2-Dichlorobenzene	1.00U	1.00	0.273
541-73-1	1,3-Dichlorobenzene	1.00U	1.00	0.214
106-46-7	1,4-Dichlorobenzene	1.00U	1.00	0.212
75-34-3	1,1-Dichloroethane	**24.1**	1.00	0.176
107-06-2	1,2-Dichloroethane	**0.260J**	1.00	0.150
75-35-4	1,1-Dichloroethene	**25.6**	1.00	0.171
156-59-2	cis-1,2-Dichloroethene	**85.9**	1.00	0.193
156-60-5	trans-1,2-Dichloroethene	**0.310J**	1.00	0.102
78-87-5	1,2-Dichloropropane	1.00U	1.00	0.191
10061-01-5	cis-1,3-Dichloropropene	1.00U	1.00	0.147
10061-02-6	trans-1,3-Dichloropropene	1.00U	1.00	0.186
100-41-4	Ethylbenzene	1.00U	1.00	0.0439
591-78-6	2-Hexanone	5.00U	5.00	1.33
75-09-2	Methylene Chloride	1.00U	1.00	0.188
78-93-3	2-Butanone (MEK)	5.00U	5.00	1.51
108-10-1	4-Methyl-2-pentanone (MIBK)	5.00U	5.00	0.868

Continued on next page

VALIDATED

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW117C**	Sampled:	11/28/08 10:38
Lab Sample ID:	**0812042-12**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.00U	1.00	0.107
79-34-5	1,1,2,2-Tetrachloroethane	1.00U	1.00	0.216
127-18-4	Tetrachloroethene	**26.5**	1.00	0.244
108-88-3	Toluene	1.00U	1.00	0.0809
71-55-6	1,1,1-Trichloroethane	**57.1**	1.00	0.133
79-00-5	1,1,2-Trichloroethane	**1.01**	1.00	0.133
79-01-6	Trichloroethene	**23.1**	1.00	0.0840
75-01-4	Vinyl Chloride	1.00U	1.00	0.0536
1330-20-7	Xylene (Total)	3.00U	3.00	0.405

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	104	*88-115*
1,2-Dichloroethane-d4	107	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	98	*78-116*

VALIDATED

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW117D**	Sampled:	11/28/08 11:03
Lab Sample ID:	**0812042-13**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.00U	5.00	1.80
71-43-2	Benzene	1.00U	1.00	0.127
74-97-5	Bromochloromethane	1.00U	1.00	0.114
75-27-4	Bromodichloromethane	1.00U	1.00	0.139
75-25-2	Bromoform	1.00U	1.00	0.115
74-83-9	Bromomethane	1.00U	1.00	0.113
75-15-0	Carbon Disulfide	5.00U	5.00	0.597
56-23-5	Carbon Tetrachloride	1.00U	1.00	0.212
108-90-7	Chlorobenzene	1.00U	1.00	0.0651
75-00-3	Chloroethane	1.00U	1.00	0.178
67-66-3	Chloroform	**0.460J**	1.00	0.155
74-87-3	Chloromethane	1.00U	1.00	0.103
96-12-8	1,2-Dibromo-3-chloropropane	1.00U	1.00	0.414
124-48-1	Dibromochloromethane	1.00U	1.00	0.151
106-93-4	1,2-Dibromoethane	1.00U	1.00	0.0958
95-50-1	1,2-Dichlorobenzene	1.00U	1.00	0.273
541-73-1	1,3-Dichlorobenzene	1.00U	1.00	0.214
106-46-7	1,4-Dichlorobenzene	1.00U	1.00	0.212
75-34-3	1,1-Dichloroethane	**23.3**	1.00	0.176
107-06-2	1,2-Dichloroethane	1.00U	1.00	0.150
75-35-4	1,1-Dichloroethene	**19.5**	1.00	0.171
156-59-2	cis-1,2-Dichloroethene	**23.5**	1.00	0.193
156-60-5	trans-1,2-Dichloroethene	**0.270J**	1.00	0.102
78-87-5	1,2-Dichloropropane	1.00U	1.00	0.191
10061-01-5	cis-1,3-Dichloropropene	1.00U	1.00	0.147
10061-02-6	trans-1,3-Dichloropropene	1.00U	1.00	0.186
100-41-4	Ethylbenzene	1.00U	1.00	0.0439
591-78-6	2-Hexanone	5.00U	5.00	1.33
75-09-2	Methylene Chloride	1.00U	1.00	0.188
78-93-3	2-Butanone (MEK)	5.00U	5.00	1.51
108-10-1	4-Methyl-2-pentanone (MIBK)	5.00U	5.00	0.868

VALIDATED

Continued on next page

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW117D**	Sampled:	11/28/08 11:03
Lab Sample ID:	**0812042-13**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.00U	1.00	0.107
79-34-5	1,1,2,2-Tetrachloroethane	1.00U	1.00	0.216
127-18-4	Tetrachloroethene	**28.6**	1.00	0.244
108-88-3	Toluene	1.00U	1.00	0.0809
71-55-6	1,1,1-Trichloroethane	**58.0**	1.00	0.133
79-00-5	1,1,2-Trichloroethane	**0.640J**	1.00	0.133
79-01-6	Trichloroethene	**19.4**	1.00	0.0840
75-01-4	Vinyl Chloride	1.00U	1.00	0.0536
1330-20-7	Xylene (Total)	3.00U	3.00	0.405

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	106	*88-115*
1,2-Dichloroethane-d4	107	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	98	*78-116*

VALIDATED

Reviewed By _____

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW205A**	Sampled:	11/28/08 11:30
Lab Sample ID:	**0812042-14**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.00U	5.00	1.80
71-43-2	Benzene	1.00U	1.00	0.127
74-97-5	Bromochloromethane	1.00U	1.00	0.114
75-27-4	Bromodichloromethane	1.00U	1.00	0.139
75-25-2	Bromoform	1.00U	1.00	0.115
74-83-9	Bromomethane	1.00U	1.00	0.113
75-15-0	Carbon Disulfide	5.00U	5.00	0.597
56-23-5	Carbon Tetrachloride	1.00U	1.00	0.212
108-90-7	Chlorobenzene	1.00U	1.00	0.0651
75-00-3	Chloroethane	1.00U	1.00	0.178
67-66-3	Chloroform	**0.490J**	1.00	0.155
74-87-3	Chloromethane	1.00U	1.00	0.103
96-12-8	1,2-Dibromo-3-chloropropane	1.00U	1.00	0.414
124-48-1	Dibromochloromethane	1.00U	1.00	0.151
106-93-4	1,2-Dibromoethane	1.00U	1.00	0.0958
95-50-1	1,2-Dichlorobenzene	1.00U	1.00	0.273
541-73-1	1,3-Dichlorobenzene	1.00U	1.00	0.214
106-46-7	1,4-Dichlorobenzene	1.00U	1.00	0.212
75-34-3	1,1-Dichloroethane	**11.9**	1.00	0.176
107-06-2	1,2-Dichloroethane	**0.290J**	1.00	0.150
75-35-4	1,1-Dichloroethene	**21.3**	1.00	0.171
156-59-2	cis-1,2-Dichloroethene	**41.5**	1.00	0.193
156-60-5	trans-1,2-Dichloroethene	1.00U	1.00	0.102
78-87-5	1,2-Dichloropropane	1.00U	1.00	0.191
10061-01-5	cis-1,3-Dichloropropene	1.00U	1.00	0.147
10061-02-6	trans-1,3-Dichloropropene	1.00U	1.00	0.186
100-41-4	Ethylbenzene	1.00U	1.00	0.0439
591-78-6	2-Hexanone	5.00U	5.00	1.33
75-09-2	Methylene Chloride	1.00U	1.00	0.188
78-93-3	2-Butanone (MEK)	5.00U	5.00	1.51
108-10-1	4-Methyl-2-pentanone (MIBK)	5.00U	5.00	0.868

Continued on next page

VALIDATED

Reviewed By 12/19/08

Date

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW205A**	Sampled:	11/28/08 11:30
Lab Sample ID:	**0812042-14**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.00U	1.00	0.107
79-34-5	1,1,2,2-Tetrachloroethane	1.00U	1.00	0.216
127-18-4	Tetrachloroethene	**20.2**	1.00	0.244
108-88-3	Toluene	1.00U	1.00	0.0809
71-55-6	1,1,1-Trichloroethane	**59.5**	1.00	0.133
79-00-5	1,1,2-Trichloroethane	**0.690J**	1.00	0.133
79-01-6	Trichloroethene	**30.8**	1.00	0.0840
75-01-4	Vinyl Chloride	1.00U	1.00	0.0536
1330-20-7	Xylene (Total)	3.00U	3.00	0.405

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	106	*88-115*
1,2-Dichloroethane-d4	106	*81-116*
Toluene-d8	98	*87-113*
4-Bromofluorobenzene	99	*78-116*

VALIDATED

Reviewed By B. S.

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW205B**	Sampled:	11/28/08 11:57
Lab Sample ID:	**0812042-15**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.00U	5.00	1.80
71-43-2	Benzene	1.00U	1.00	0.127
74-97-5	Bromochloromethane	1.00U	1.00	0.114
75-27-4	Bromodichloromethane	1.00U	1.00	0.139
75-25-2	Bromoform	1.00U	1.00	0.115
74-83-9	Bromomethane	~~0.300J~~ 1U	1.00	0.113
75-15-0	Carbon Disulfide	5.00U	5.00	0.597
56-23-5	Carbon Tetrachloride	1.00U	1.00	0.212
108-90-7	Chlorobenzene	1.00U	1.00	0.0651
75-00-3	Chloroethane	1.00U	1.00	0.178
67-66-3	Chloroform	**0.490J**	1.00	0.155
74-87-3	Chloromethane	1.00U	1.00	0.103
96-12-8	1,2-Dibromo-3-chloropropane	1.00U	1.00	0.414
124-48-1	Dibromochloromethane	1.00U	1.00	0.151
106-93-4	1,2-Dibromoethane	1.00U	1.00	0.0958
95-50-1	1,2-Dichlorobenzene	1.00U	1.00	0.273
541-73-1	1,3-Dichlorobenzene	1.00U	1.00	0.214
106-46-7	1,4-Dichlorobenzene	1.00U	1.00	0.212
75-34-3	1,1-Dichloroethane	**15.0**	1.00	0.176
107-06-2	1,2-Dichloroethane	**0.380J**	1.00	0.150
75-35-4	1,1-Dichloroethene	**19.9**	1.00	0.171
156-59-2	cis-1,2-Dichloroethene	**43.1**	1.00	0.193
156-60-5	trans-1,2-Dichloroethene	1.00U	1.00	0.102
78-87-5	1,2-Dichloropropane	1.00U	1.00	0.191
10061-01-5	cis-1,3-Dichloropropene	1.00U	1.00	0.147
10061-02-6	trans-1,3-Dichloropropene	1.00U	1.00	0.186
100-41-4	Ethylbenzene	1.00U	1.00	0.0439
591-78-6	2-Hexanone	5.00U	5.00	1.33
75-09-2	Methylene Chloride	1.00U	1.00	0.188
78-93-3	2-Butanone (MEK)	5.00U	5.00	1.51
108-10-1	4-Methyl-2-pentanone (MIBK)	5.00U	5.00	0.868

VALIDATED

Continued on next page

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW205B**	Sampled:	11/28/08 11:57
Lab Sample ID:	**0812042-15**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.00U	1.00	0.107
79-34-5	1,1,2,2-Tetrachloroethane	1.00U	1.00	0.216
127-18-4	Tetrachloroethene	**12.8**	1.00	0.244
108-88-3	Toluene	1.00U	1.00	0.0809
71-55-6	1,1,1-Trichloroethane	**79.4**	1.00	0.133
79-00-5	1,1,2-Trichloroethane	**0.810J**	1.00	0.133
79-01-6	Trichloroethene	**24.6**	1.00	0.0840
75-01-4	Vinyl Chloride	1.00U	1.00	0.0536
1330-20-7	Xylene (Total)	3.00U	3.00	0.405

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	106	*88-115*
1,2-Dichloroethane-d4	106	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	97	*78-116*

VALIDATED

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW206A**	Sampled:	11/28/08 13:09
Lab Sample ID:	**0812042-16**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.00U	5.00	1.80
71-43-2	Benzene	1.00U	1.00	0.127
74-97-5	Bromochloromethane	1.00U	1.00	0.114
75-27-4	Bromodichloromethane	1.00U	1.00	0.139
75-25-2	Bromoform	1.00U	1.00	0.115
74-83-9	Bromomethane	1.00U	1.00	0.113
75-15-0	Carbon Disulfide	5.00U	5.00	0.597
56-23-5	Carbon Tetrachloride	1.00U	1.00	0.212
108-90-7	Chlorobenzene	1.00U	1.00	0.0651
75-00-3	Chloroethane	1.00U	1.00	0.178
67-66-3	Chloroform	**0.280J**	1.00	0.155
74-87-3	Chloromethane	1.00U	1.00	0.103
96-12-8	1,2-Dibromo-3-chloropropane	1.00U	1.00	0.414
124-48-1	Dibromochloromethane	1.00U	1.00	0.151
106-93-4	1,2-Dibromoethane	1.00U	1.00	0.0958
95-50-1	1,2-Dichlorobenzene	1.00U	1.00	0.273
541-73-1	1,3-Dichlorobenzene	1.00U	1.00	0.214
106-46-7	1,4-Dichlorobenzene	1.00U	1.00	0.212
75-34-3	1,1-Dichloroethane	**13.0**	1.00	0.176
107-06-2	1,2-Dichloroethane	**0.190J**	1.00	0.150
75-35-4	1,1-Dichloroethene	**7.54**	1.00	0.171
156-59-2	cis-1,2-Dichloroethene	**9.43**	1.00	0.193
156-60-5	trans-1,2-Dichloroethene	**0.210J**	1.00	0.102
78-87-5	1,2-Dichloropropane	1.00U	1.00	0.191
10061-01-5	cis-1,3-Dichloropropene	1.00U	1.00	0.147
10061-02-6	trans-1,3-Dichloropropene	1.00U	1.00	0.186
100-41-4	Ethylbenzene	1.00U	1.00	0.0439
591-78-6	2-Hexanone	5.00U	5.00	1.33
75-09-2	Methylene Chloride	1.00U	1.00	0.188
78-93-3	2-Butanone (MEK)	5.00U	5.00	1.51
108-10-1	4-Methyl-2-pentanone (MIBK)	5.00U	5.00	0.868

Continued on next page

VALIDATED

Reviewed By

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW206A**	Sampled:	11/28/08 13:09
Lab Sample ID:	**0812042-16**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.00U	1.00	0.107
79-34-5	1,1,2,2-Tetrachloroethane	1.00U	1.00	0.216
127-18-4	Tetrachloroethene	**1.95**	1.00	0.244
108-88-3	Toluene	1.00U	1.00	0.0809
71-55-6	1,1,1-Trichloroethane	**17.9**	1.00	0.133
79-00-5	1,1,2-Trichloroethane	1.00U	1.00	0.133
79-01-6	Trichloroethene	**7.85**	1.00	0.0840
75-01-4	Vinyl Chloride	**1.59**	1.00	0.0536
1330-20-7	Xylene (Total)	3.00U	3.00	0.405

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	105	*88-115*
1,2-Dichloroethane-d4	107	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	99	*78-116*

VALIDATED

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW206B**	Sampled:	11/28/08 13:46
Lab Sample ID:	**0812042-17**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.00U	5.00	1.80
71-43-2	Benzene	**0.330J**	1.00	0.127
74-97-5	Bromochloromethane	1.00U	1.00	0.114
75-27-4	Bromodichloromethane	1.00U	1.00	0.139
75-25-2	Bromoform	1.00U	1.00	0.115
74-83-9	Bromomethane	1.00U	1.00	0.113
75-15-0	Carbon Disulfide	5.00U	5.00	0.597
56-23-5	Carbon Tetrachloride	1.00U	1.00	0.212
108-90-7	Chlorobenzene	1.00U	1.00	0.0651
75-00-3	Chloroethane	1.00U	1.00	0.178
67-66-3	Chloroform	**0.920J**	1.00	0.155
74-87-3	Chloromethane	1.00U	1.00	0.103
96-12-8	1,2-Dibromo-3-chloropropane	1.00U	1.00	0.414
124-48-1	Dibromochloromethane	1.00U	1.00	0.151
106-93-4	1,2-Dibromoethane	1.00U	1.00	0.0958
95-50-1	1,2-Dichlorobenzene	1.00U	1.00	0.273
541-73-1	1,3-Dichlorobenzene	1.00U	1.00	0.214
106-46-7	1,4-Dichlorobenzene	1.00U	1.00	0.212
75-34-3	1,1-Dichloroethane	**57.7**	1.00	0.176
107-06-2	1,2-Dichloroethane	**1.74**	1.00	0.150
75-35-4	1,1-Dichloroethene	**40.9**	1.00	0.171
156-59-2	cis-1,2-Dichloroethene	**45.8**	1.00	0.193
156-60-5	trans-1,2-Dichloroethene	**0.200J**	1.00	0.102
78-87-5	1,2-Dichloropropane	1.00U	1.00	0.191
10061-01-5	cis-1,3-Dichloropropene	1.00U	1.00	0.147
10061-02-6	trans-1,3-Dichloropropene	1.00U	1.00	0.186
100-41-4	Ethylbenzene	1.00U	1.00	0.0439
591-78-6	2-Hexanone	5.00U	5.00	1.33
75-09-2	Methylene Chloride	1.00U	1.00	0.188
78-93-3	2-Butanone (MEK)	5.00U	5.00	1.51
108-10-1	4-Methyl-2-pentanone (MIBK)	5.00U	5.00	0.868

VALIDATED

Continued on next page

Reviewed By B. R.

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW206B**	Sampled:	11/28/08 13:46
Lab Sample ID:	**0812042-17**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.00U	1.00	0.107
79-34-5	1,1,2,2-Tetrachloroethane	1.00U	1.00	0.216
127-18-4	Tetrachloroethene	**1.71**	1.00	0.244
108-88-3	Toluene	**0.380J**	1.00	0.0809
71-55-6	1,1,1-Trichloroethane	**39.9**	1.00	0.133
79-00-5	1,1,2-Trichloroethane	**3.53**	1.00	0.133
79-01-6	Trichloroethene	**35.6**	1.00	0.0840
75-01-4	Vinyl Chloride	**0.720J**	1.00	0.0536
1330-20-7	Xylene (Total)	3.00U	3.00	0.405

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	106	*88-115*
1,2-Dichloroethane-d4	108	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	99	*78-116*

VALIDATED

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW206C**	Sampled:	11/28/08 14:23
Lab Sample ID:	**0812042-18**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.00U	5.00	1.80
71-43-2	Benzene	1.00U	1.00	0.127
74-97-5	Bromochloromethane	1.00U	1.00	0.114
75-27-4	Bromodichloromethane	1.00U	1.00	0.139
75-25-2	Bromoform	1.00U	1.00	0.115
74-83-9	Bromomethane	1.00U	1.00	0.113
75-15-0	Carbon Disulfide	5.00U	5.00	0.597
56-23-5	Carbon Tetrachloride	1.00U	1.00	0.212
108-90-7	Chlorobenzene	1.00U	1.00	0.0651
75-00-3	Chloroethane	1.00U	1.00	0.178
67-66-3	Chloroform	1.00U	1.00	0.0767
74-87-3	Chloromethane	1.00U	1.00	0.103
96-12-8	1,2-Dibromo-3-chloropropane	1.00U	1.00	0.414
124-48-1	Dibromochloromethane	1.00U	1.00	0.151
106-93-4	1,2-Dibromoethane	1.00U	1.00	0.0958
95-50-1	1,2-Dichlorobenzene	1.00U	1.00	0.273
541-73-1	1,3-Dichlorobenzene	1.00U	1.00	0.214
106-46-7	1,4-Dichlorobenzene	1.00U	1.00	0.212
75-34-3	1,1-Dichloroethane	**3.11**	1.00	0.176
107-06-2	1,2-Dichloroethane	1.00U	1.00	0.150
75-35-4	1,1-Dichloroethene	**2.01**	1.00	0.171
156-59-2	cis-1,2-Dichloroethene	**5.23**	1.00	0.193
156-60-5	trans-1,2-Dichloroethene	1.00U	1.00	0.102
78-87-5	1,2-Dichloropropane	1.00U	1.00	0.191
10061-01-5	cis-1,3-Dichloropropene	1.00U	1.00	0.147
10061-02-6	trans-1,3-Dichloropropene	1.00U	1.00	0.186
100-41-4	Ethylbenzene	1.00U	1.00	0.0439
591-78-6	2-Hexanone	5.00U	5.00	1.33
75-09-2	Methylene Chloride	1.00U	1.00	0.188
78-93-3	2-Butanone (MEK)	5.00U	5.00	1.51
108-10-1	4-Methyl-2-pentanone (MIBK)	5.00U	5.00	0.868

VALIDATED

Continued on next page

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW206C**	Sampled:	11/28/08 14:23
Lab Sample ID:	**0812042-18**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.00U	1.00	0.107
79-34-5	1,1,2,2-Tetrachloroethane	1.00U	1.00	0.216
127-18-4	Tetrachloroethene	1.00U	1.00	0.244
108-88-3	Toluene	1.00U	1.00	0.0809
71-55-6	1,1,1-Trichloroethane	1.00U	1.00	0.133
79-00-5	1,1,2-Trichloroethane	1.00U	1.00	0.133
79-01-6	Trichloroethene	**19.4**	1.00	0.0840
75-01-4	Vinyl Chloride	1.00U	1.00	0.0536
1330-20-7	Xylene (Total)	3.00U	3.00	0.405

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	103	*88-115*
1,2-Dichloroethane-d4	106	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	98	*78-116*

VALIDATED

Reviewed By B. R

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW204**	Sampled:	11/29/08 09:41
Lab Sample ID:	**0812042-19**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.00U	5.00	1.80
71-43-2	Benzene	1.00U	1.00	0.127
74-97-5	Bromochloromethane	1.00U	1.00	0.114
75-27-4	Bromodichloromethane	1.00U	1.00	0.139
75-25-2	Bromoform	1.00U	1.00	0.115
74-83-9	Bromomethane	1.00U	1.00	0.113
75-15-0	Carbon Disulfide	5.00U	5.00	0.597
56-23-5	Carbon Tetrachloride	1.00U	1.00	0.212
108-90-7	Chlorobenzene	1.00U	1.00	0.0651
75-00-3	Chloroethane	1.00U	1.00	0.178
67-66-3	Chloroform	**0.650J**	1.00	0.155
74-87-3	Chloromethane	1.00U	1.00	0.103
96-12-8	1,2-Dibromo-3-chloropropane	1.00U	1.00	0.414
124-48-1	Dibromochloromethane	1.00U	1.00	0.151
106-93-4	1,2-Dibromoethane	1.00U	1.00	0.0958
95-50-1	1,2-Dichlorobenzene	1.00U	1.00	0.273
541-73-1	1,3-Dichlorobenzene	1.00U	1.00	0.214
106-46-7	1,4-Dichlorobenzene	1.00U	1.00	0.212
75-34-3	1,1-Dichloroethane	**4.90**	1.00	0.176
107-06-2	1,2-Dichloroethane	**2.07**	1.00	0.150
75-35-4	1,1-Dichloroethene	**13.6**	1.00	0.171
156-59-2	cis-1,2-Dichloroethene	**14.4**	1.00	0.193
156-60-5	trans-1,2-Dichloroethene	**0.290J**	1.00	0.102
78-87-5	1,2-Dichloropropane	1.00U	1.00	0.191
10061-01-5	cis-1,3-Dichloropropene	1.00U	1.00	0.147
10061-02-6	trans-1,3-Dichloropropene	1.00U	1.00	0.186
100-41-4	Ethylbenzene	1.00U	1.00	0.0439
591-78-6	2-Hexanone	5.00U	5.00	1.33
75-09-2	Methylene Chloride	1.00U	1.00	0.188
78-93-3	2-Butanone (MEK)	5.00U	5.00	1.51
108-10-1	4-Methyl-2-pentanone (MIBK)	5.00U	5.00	0.868

Continued on next page

VALIDATED

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW204**	Sampled:	11/29/08 09:41
Lab Sample ID:	**0812042-19**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814377	Analytical Batch:	8120910

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.00U	1.00	0.107
79-34-5	1,1,2,2-Tetrachloroethane	1.00U	1.00	0.216
127-18-4	Tetrachloroethene	**2.64**	1.00	0.244
108-88-3	Toluene	1.00U	1.00	0.0809
71-55-6	1,1,1-Trichloroethane	**7.61**	1.00	0.133
79-00-5	1,1,2-Trichloroethane	**0.360J**	1.00	0.133
79-01-6	Trichloroethene	**74.0**	1.00	0.0840
75-01-4	Vinyl Chloride	**0.320J**	1.00	0.0536
1330-20-7	Xylene (Total)	3.00U	3.00	0.405

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	105	*88-115*
1,2-Dichloroethane-d4	107	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	99	*78-116*

VALIDATED

Reviewed By B. S.

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW121**	Sampled:	11/29/08 10:17
Lab Sample ID:	**0812042-20**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120912

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.00U	5.00	1.80
71-43-2	Benzene	1.00U	1.00	0.127
74-97-5	Bromochloromethane	1.00U	1.00	0.114
75-27-4	Bromodichloromethane	1.00U	1.00	0.139
75-25-2	Bromoform	1.00U	1.00	0.115
74-83-9	Bromomethane	1.00U	1.00	0.113
75-15-0	Carbon Disulfide	5.00U	5.00	0.597
56-23-5	Carbon Tetrachloride	1.00U	1.00	0.212
108-90-7	Chlorobenzene	1.00U	1.00	0.0651
75-00-3	Chloroethane	1.00U	1.00	0.178
67-66-3	Chloroform	**0.560J**	1.00	0.155
74-87-3	Chloromethane	1.00U	1.00	0.103
96-12-8	1,2-Dibromo-3-chloropropane	1.00U	1.00	0.414
124-48-1	Dibromochloromethane	1.00U	1.00	0.151
106-93-4	1,2-Dibromoethane	1.00U	1.00	0.0958
95-50-1	1,2-Dichlorobenzene	1.00U	1.00	0.273
541-73-1	1,3-Dichlorobenzene	1.00U	1.00	0.214
106-46-7	1,4-Dichlorobenzene	1.00U	1.00	0.212
75-34-3	1,1-Dichloroethane	**1.36**	1.00	0.176
107-06-2	1,2-Dichloroethane	1.00U	1.00	0.150
75-35-4	1,1-Dichloroethene	1.00U	1.00	0.171
156-59-2	cis-1,2-Dichloroethene	**3.42**	1.00	0.193
156-60-5	trans-1,2-Dichloroethene	**0.550J**	1.00	0.102
78-87-5	1,2-Dichloropropane	1.00U	1.00	0.191
10061-01-5	cis-1,3-Dichloropropene	1.00U	1.00	0.147
10061-02-6	trans-1,3-Dichloropropene	1.00U	1.00	0.186
100-41-4	Ethylbenzene	1.00U	1.00	0.0439
591-78-6	2-Hexanone	5.00U	5.00	1.33
75-09-2	Methylene Chloride	1.00U	1.00	0.188
78-93-3	2-Butanone (MEK)	5.00U	5.00	1.51
108-10-1	4-Methyl-2-pentanone (MIBK)	5.00U	5.00	0.868

Continued on next page

VALIDATED

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW121**	Sampled:	11/29/08 10:17
Lab Sample ID:	**0812042-20**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/04/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120912

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.00U	1.00	0.107
79-34-5	1,1,2,2-Tetrachloroethane	1.00U	1.00	0.216
127-18-4	Tetrachloroethene	**1.84**	1.00	0.244
108-88-3	Toluene	1.00U	1.00	0.0809
71-55-6	1,1,1-Trichloroethane	**2.67**	1.00	0.133
79-00-5	1,1,2-Trichloroethane	1.00U	1.00	0.133
79-01-6	Trichloroethene	**14.4**	1.00	0.0840
75-01-4	Vinyl Chloride	1.00U	1.00	0.0536
1330-20-7	Xylene (Total)	3.00U	3.00	0.405

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	103	*88-115*
1,2-Dichloroethane-d4	107	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	99	*78-116*

VALIDATED

Reviewed By _____

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW124**	Sampled:	11/29/08 10:50
Lab Sample ID:	**0812042-21**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/05/08 By: JDM
Dilution Factor:	5	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120913

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	~~12.0J~~ 25U	25.0	9.00
71-43-2	Benzene	5.00U	5.00	0.635
74-97-5	Bromochloromethane	5.00U	5.00	0.570
75-27-4	Bromodichloromethane	5.00U	5.00	0.695
75-25-2	Bromoform	5.00U	5.00	0.575
74-83-9	Bromomethane	5.00U	5.00	0.565
75-15-0	Carbon Disulfide	25.0U	25.0	2.98
56-23-5	Carbon Tetrachloride	5.00U	5.00	1.06
108-90-7	Chlorobenzene	5.00U	5.00	0.326
75-00-3	Chloroethane	**2.55J**	5.00	0.890
67-66-3	Chloroform	5.00U	5.00	0.775
74-87-3	Chloromethane	5.00U	5.00	0.515
96-12-8	1,2-Dibromo-3-chloropropane	5.00U	5.00	2.07
124-48-1	Dibromochloromethane	5.00U	5.00	0.755
106-93-4	1,2-Dibromoethane	5.00U	5.00	0.479
95-50-1	1,2-Dichlorobenzene	5.00U	5.00	1.36
541-73-1	1,3-Dichlorobenzene	5.00U	5.00	1.07
106-46-7	1,4-Dichlorobenzene	5.00U	5.00	1.06
75-34-3	1,1-Dichloroethane	**415**	5.00	0.880
107-06-2	1,2-Dichloroethane	5.00U	5.00	0.750
75-35-4	1,1-Dichloroethene	**16.1**	5.00	0.855
156-59-2	cis-1,2-Dichloroethene	**144**	5.00	0.965
156-60-5	trans-1,2-Dichloroethene	**1.40J**	5.00	0.510
78-87-5	1,2-Dichloropropane	5.00U	5.00	0.955
10061-01-5	cis-1,3-Dichloropropene	5.00U	5.00	0.735
10061-02-6	trans-1,3-Dichloropropene	5.00U	5.00	0.930
100-41-4	Ethylbenzene	5.00U	5.00	0.220
591-78-6	2-Hexanone	25.0U	25.0	6.65
75-09-2	Methylene Chloride	~~1.45J~~ 5U	5.00	0.940
78-93-3	2-Butanone (MEK)	25.0U	25.0	7.55
108-10-1	4-Methyl-2-pentanone (MIBK)	25.0U	25.0	4.34

Continued on next page

VALIDATED

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW124**	Sampled:	11/29/08 10:50
Lab Sample ID:	**0812042-21**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/05/08 By: JDM
Dilution Factor:	5	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120913

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	5.00U	5.00	0.535
79-34-5	1,1,2,2-Tetrachloroethane	5.00U	5.00	1.08
127-18-4	Tetrachloroethene	**11.8**	5.00	1.22
108-88-3	Toluene	5.00U	5.00	0.404
71-55-6	1,1,1-Trichloroethane	**90.0**	5.00	0.665
79-00-5	1,1,2-Trichloroethane	**1.55J**	5.00	0.665
79-01-6	Trichloroethene	**10.4**	5.00	0.420
75-01-4	Vinyl Chloride	**32.1**	5.00	0.268
1330-20-7	Xylene (Total)	15.0U	15.0	2.02

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	106	*88-115*
1,2-Dichloroethane-d4	106	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	101	*78-116*

VALIDATED

Reviewed By _____

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW47**	Sampled:	11/29/08 11:21
Lab Sample ID:	**0812042-22**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120912

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.00U	5.00	1.80
71-43-2	Benzene	1.00U	1.00	0.127
74-97-5	Bromochloromethane	1.00U	1.00	0.114
75-27-4	Bromodichloromethane	1.00U	1.00	0.139
75-25-2	Bromoform	1.00U	1.00	0.115
74-83-9	Bromomethane	1.00U	1.00	0.113
75-15-0	Carbon Disulfide	5.00U	5.00	0.597
56-23-5	Carbon Tetrachloride	1.00U	1.00	0.212
108-90-7	Chlorobenzene	1.00U	1.00	0.0651
75-00-3	Chloroethane	1.00U	1.00	0.178
67-66-3	Chloroform	1.00U	1.00	0.155
74-87-3	Chloromethane	1.00U	1.00	0.103
96-12-8	1,2-Dibromo-3-chloropropane	1.00U	1.00	0.414
124-48-1	Dibromochloromethane	1.00U	1.00	0.151
106-93-4	1,2-Dibromoethane	1.00U	1.00	0.0958
95-50-1	1,2-Dichlorobenzene	1.00U	1.00	0.273
541-73-1	1,3-Dichlorobenzene	1.00U	1.00	0.214
106-46-7	1,4-Dichlorobenzene	1.00U	1.00	0.212
75-34-3	1,1-Dichloroethane	**1.60**	1.00	0.176
107-06-2	1,2-Dichloroethane	1.00U	1.00	0.150
75-35-4	1,1-Dichloroethene	1.00U	1.00	0.171
156-59-2	cis-1,2-Dichloroethene	**0.930J**	1.00	0.193
156-60-5	trans-1,2-Dichloroethene	1.00U	1.00	0.102
78-87-5	1,2-Dichloropropane	1.00U	1.00	0.191
10061-01-5	cis-1,3-Dichloropropene	1.00U	1.00	0.147
10061-02-6	trans-1,3-Dichloropropene	1.00U	1.00	0.186
100-41-4	Ethylbenzene	1.00U	1.00	0.0439
591-78-6	2-Hexanone	5.00U	5.00	1.33
75-09-2	Methylene Chloride	1.00U	1.00	0.188
78-93-3	2-Butanone (MEK)	5.00U	5.00	1.51
108-10-1	4-Methyl-2-pentanone (MIBK)	5.00U	5.00	0.868

VALIDATED

Continued on next page

Reviewed By B. T.

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW47**	Sampled:	11/29/08 11:21
Lab Sample ID:	**0812042-22**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120912

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
*100-42-5	Styrene	1.00U	1.00	0.107
79-34-5	1,1,2,2-Tetrachloroethane	1.00U	1.00	0.216
127-18-4	Tetrachloroethene	**0.620J**	1.00	0.244
108-88-3	Toluene	1.00U	1.00	0.0809
71-55-6	1,1,1-Trichloroethane	**2.91**	1.00	0.133
79-00-5	1,1,2-Trichloroethane	1.00U	1.00	0.133
79-01-6	Trichloroethene	**1.17**	1.00	0.0840
75-01-4	Vinyl Chloride	1.00U	1.00	0.0536
1330-20-7	Xylene (Total)	3.00U	3.00	0.405

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	103	*88-115*
1,2-Dichloroethane-d4	107	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	99	*78-116*

VALIDATED

Reviewed By B. L

Date 12/19/08

*See Statement of Data Qualifications

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**FD1** MW-49 duplicate	Sampled:	11/29/08 11:25
Lab Sample ID:	**0812042-23**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120912

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.00U	5.00	1.80
71-43-2	Benzene	1.00U	1.00	0.127
74-97-5	Bromochloromethane	1.00U	1.00	0.114
75-27-4	Bromodichloromethane	1.00U	1.00	0.139
75-25-2	Bromoform	1.00U	1.00	0.115
74-83-9	Bromomethane	1.00U	1.00	0.113
75-15-0	Carbon Disulfide	5.00U	5.00	0.597
56-23-5	Carbon Tetrachloride	1.00U	1.00	0.212
108-90-7	Chlorobenzene	1.00U	1.00	0.0651
75-00-3	Chloroethane	1.00U	1.00	0.178
67-66-3	Chloroform	**0.150J**	1.00	0.0767
74-87-3	Chloromethane	1.00U	1.00	0.103
96-12-8	1,2-Dibromo-3-chloropropane	1.00U	1.00	0.414
124-48-1	Dibromochloromethane	1.00U	1.00	0.151
106-93-4	1,2-Dibromoethane	1.00U	1.00	0.0958
95-50-1	1,2-Dichlorobenzene	1.00U	1.00	0.273
541-73-1	1,3-Dichlorobenzene	1.00U	1.00	0.214
106-46-7	1,4-Dichlorobenzene	1.00U	1.00	0.212
75-34-3	1,1-Dichloroethane	**1.58**	1.00	0.176
107-06-2	1,2-Dichloroethane	1.00U	1.00	0.150
75-35-4	1,1-Dichloroethene	**0.340J**	1.00	0.171
156-59-2	cis-1,2-Dichloroethene	**0.960J**	1.00	0.193
156-60-5	trans-1,2-Dichloroethene	1.00U	1.00	0.102
78-87-5	1,2-Dichloropropane	1.00U	1.00	0.191
10061-01-5	cis-1,3-Dichloropropene	1.00U	1.00	0.147
10061-02-6	trans-1,3-Dichloropropene	1.00U	1.00	0.186
100-41-4	Ethylbenzene	1.00U	1.00	0.0439
591-78-6	2-Hexanone	5.00U	5.00	1.33
75-09-2	Methylene Chloride	1.00U	1.00	0.188
78-93-3	2-Butanone (MEK)	5.00U	5.00	1.51
108-10-1	4-Methyl-2-pentanone (MIBK)	5.00U	5.00	0.868

Continued on next page

VALIDATED

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**FD1** MW-47 duplicate	Sampled:	11/29/08 11:25
Lab Sample ID:	**0812042-23**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120912

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.00U	1.00	0.107
79-34-5	1,1,2,2-Tetrachloroethane	1.00U	1.00	0.216
127-18-4	Tetrachloroethene	**0.610J**	1.00	0.244
108-88-3	Toluene	1.00U	1.00	0.0809
71-55-6	1,1,1-Trichloroethane	**2.89**	1.00	0.133
79-00-5	1,1,2-Trichloroethane	1.00U	1.00	0.133
79-01-6	Trichloroethene	**1.15**	1.00	0.0840
75-01-4	Vinyl Chloride	1.00U	1.00	0.0536
1330-20-7	Xylene (Total)	3.00U	3.00	0.405

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	104	*88-115*
1,2-Dichloroethane-d4	107	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	99	*78-116*

VALIDATED

Reviewed By B.F.

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW207**	Sampled:	11/29/08 12:04
Lab Sample ID:	**0812042-24**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120912

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.00U	5.00	1.80
71-43-2	Benzene	1.00U	1.00	0.127
74-97-5	Bromochloromethane	1.00U	1.00	0.114
75-27-4	Bromodichloromethane	1.00U	1.00	0.139
75-25-2	Bromoform	1.00U	1.00	0.115
74-83-9	Bromomethane	~~0.300J~~ 1U	1.00	0.113
75-15-0	Carbon Disulfide	5.00U	5.00	0.597
56-23-5	Carbon Tetrachloride	1.00U	1.00	0.212
108-90-7	Chlorobenzene	1.00U	1.00	0.0651
75-00-3	Chloroethane	1.00U	1.00	0.178
67-66-3	Chloroform	**0.360J**	1.00	0.155
74-87-3	Chloromethane	1.00U	1.00	0.103
96-12-8	1,2-Dibromo-3-chloropropane	1.00U	1.00	0.414
124-48-1	Dibromochloromethane	1.00U	1.00	0.151
106-93-4	1,2-Dibromoethane	1.00U	1.00	0.0958
95-50-1	1,2-Dichlorobenzene	1.00U	1.00	0.273
541-73-1	1,3-Dichlorobenzene	1.00U	1.00	0.214
106-46-7	1,4-Dichlorobenzene	1.00U	1.00	0.212
75-34-3	1,1-Dichloroethane	**2.97**	1.00	0.176
107-06-2	1,2-Dichloroethane	1.00U	1.00	0.150
75-35-4	1,1-Dichloroethene	1.00U	1.00	0.171
156-59-2	cis-1,2-Dichloroethene	**1.89**	1.00	0.193
156-60-5	trans-1,2-Dichloroethene	**0.270J**	1.00	0.102
78-87-5	1,2-Dichloropropane	1.00U	1.00	0.191
10061-01-5	cis-1,3-Dichloropropene	1.00U	1.00	0.147
10061-02-6	trans-1,3-Dichloropropene	1.00U	1.00	0.186
100-41-4	Ethylbenzene	1.00U	1.00	0.0439
591-78-6	2-Hexanone	5.00U	5.00	1.33
75-09-2	Methylene Chloride	1.00U	1.00	0.188
78-93-3	2-Butanone (MEK)	5.00U	5.00	1.51
108-10-1	4-Methyl-2-pentanone (MIBK)	5.00U	5.00	0.868

Continued on next page

VALIDATED

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW207**	Sampled:	11/29/08 12:04
Lab Sample ID:	**0812042-24**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120912

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.00U	1.00	0.107
79-34-5	1,1,2,2-Tetrachloroethane	1.00U	1.00	0.216
127-18-4	Tetrachloroethene	**1.98**	1.00	0.244
108-88-3	Toluene	1.00U	1.00	0.0809
71-55-6	1,1,1-Trichloroethane	**5.58**	1.00	0.133
79-00-5	1,1,2-Trichloroethane	1.00U	1.00	0.133
79-01-6	Trichloroethene	**10.8**	1.00	0.0840
75-01-4	Vinyl Chloride	1.00U	1.00	0.0536
1330-20-7	Xylene (Total)	3.00U	3.00	0.405

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	104	*88-115*
1,2-Dichloroethane-d4	106	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	100	*78-116*

VALIDATED

Reviewed By B. Fr

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW119**	Sampled:	11/29/08 12:31
Lab Sample ID:	**0812042-25**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120912

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.00U	5.00	1.80
71-43-2	Benzene	1.00U	1.00	0.127
74-97-5	Bromochloromethane	1.00U	1.00	0.114
75-27-4	Bromodichloromethane	1.00U	1.00	0.139
75-25-2	Bromoform	1.00U	1.00	0.115
74-83-9	Bromomethane	1.00U	1.00	0.113
75-15-0	Carbon Disulfide	5.00U	5.00	0.597
56-23-5	Carbon Tetrachloride	1.00U	1.00	0.212
108-90-7	Chlorobenzene	1.00U	1.00	0.0651
75-00-3	Chloroethane	1.00U	1.00	0.178
67-66-3	Chloroform	**0.300J**	1.00	0.155
74-87-3	Chloromethane	1.00U	1.00	0.103
96-12-8	1,2-Dibromo-3-chloropropane	1.00U	1.00	0.414
124-48-1	Dibromochloromethane	1.00U	1.00	0.151
106-93-4	1,2-Dibromoethane	1.00U	1.00	0.0958
95-50-1	1,2-Dichlorobenzene	1.00U	1.00	0.273
541-73-1	1,3-Dichlorobenzene	1.00U	1.00	0.214
106-46-7	1,4-Dichlorobenzene	1.00U	1.00	0.212
75-34-3	1,1-Dichloroethane	**0.980J**	1.00	0.176
107-06-2	1,2-Dichloroethane	1.00U	1.00	0.150
75-35-4	1,1-Dichloroethene	1.00U	1.00	0.171
156-59-2	cis-1,2-Dichloroethene	**0.540J**	1.00	0.193
156-60-5	trans-1,2-Dichloroethene	1.00U	1.00	0.102
78-87-5	1,2-Dichloropropane	1.00U	1.00	0.191
10061-01-5	cis-1,3-Dichloropropene	1.00U	1.00	0.147
10061-02-6	trans-1,3-Dichloropropene	1.00U	1.00	0.186
100-41-4	Ethylbenzene	1.00U	1.00	0.0439
591-78-6	2-Hexanone	5.00U	5.00	1.33
75-09-2	Methylene Chloride	1.00U	1.00	0.188
78-93-3	2-Butanone (MEK)	5.00U	5.00	1.51
108-10-1	4-Methyl-2-pentanone (MIBK)	5.00U	5.00	0.868

VALIDATED

Continued on next page

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW119**	Sampled:	11/29/08 12:31
Lab Sample ID:	**0812042-25**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120912

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.00U	1.00	0.107
79-34-5	1,1,2,2-Tetrachloroethane	1.00U	1.00	0.216
127-18-4	Tetrachloroethene	1.00U	1.00	0.244
108-88-3	Toluene	1.00U	1.00	0.0809
71-55-6	1,1,1-Trichloroethane	**1.29**	1.00	0.133
79-00-5	1,1,2-Trichloroethane	1.00U	1.00	0.133
79-01-6	Trichloroethene	**0.270J**	1.00	0.0840
75-01-4	Vinyl Chloride	1.00U	1.00	0.0536
1330-20-7	Xylene (Total)	3.00U	3.00	0.405

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	104	*88-115*
1,2-Dichloroethane-d4	106	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	99	*78-116*

VALIDATED

Reviewed By B. [illegible]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW201**	Sampled:	11/29/08 12:56
Lab Sample ID:	**0812042-26**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/05/08 By: JDM
Dilution Factor:	10	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120913

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	~~25.2J~~ 50U	50.0	18.0
71-43-2	Benzene	**1.50J**	10.0	1.27
74-97-5	Bromochloromethane	10.0U	10.0	1.14
75-27-4	Bromodichloromethane	10.0U	10.0	1.39
75-25-2	Bromoform	10.0U	10.0	1.15
74-83-9	Bromomethane	10.0U	10.0	1.13
75-15-0	Carbon Disulfide	50.0U	50.0	5.97
56-23-5	Carbon Tetrachloride	10.0U	10.0	2.12
108-90-7	Chlorobenzene	10.0U	10.0	0.651
75-00-3	Chloroethane	**1210**	10.0	1.78
67-66-3	Chloroform	**2.00J**	10.0	1.55
74-87-3	Chloromethane	10.0U	10.0	1.03
96-12-8	1,2-Dibromo-3-chloropropane	10.0U	10.0	4.14
124-48-1	Dibromochloromethane	10.0U	10.0	1.51
106-93-4	1,2-Dibromoethane	10.0U	10.0	0.958
95-50-1	1,2-Dichlorobenzene	10.0U	10.0	2.73
541-73-1	1,3-Dichlorobenzene	10.0U	10.0	2.14
106-46-7	1,4-Dichlorobenzene	10.0U	10.0	2.12
75-34-3	1,1-Dichloroethane	**1460**	10.0	1.76
107-06-2	1,2-Dichloroethane	10.0U	10.0	1.50
75-35-4	1,1-Dichloroethene	10.0U	10.0	1.71
156-59-2	cis-1,2-Dichloroethene	**7.10J**	10.0	1.93
156-60-5	trans-1,2-Dichloroethene	10.0U	10.0	1.02
78-87-5	1,2-Dichloropropane	10.0U	10.0	1.91
10061-01-5	cis-1,3-Dichloropropene	10.0U	10.0	1.47
10061-02-6	trans-1,3-Dichloropropene	10.0U	10.0	1.86
100-41-4	Ethylbenzene	10.0U	10.0	0.439
591-78-6	2-Hexanone	50.0U	50.0	13.3
75-09-2	Methylene Chloride	~~4.40J~~ 10U	10.0	1.88
78-93-3	2-Butanone (MEK)	50.0U	50.0	15.1
108-10-1	4-Methyl-2-pentanone (MIBK)	50.0U	50.0	8.68

VALIDATED

Continued on next page

Reviewed By BJP

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW201**	Sampled:	11/29/08 12:56
Lab Sample ID:	**0812042-26**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/05/08 By: JDM
Dilution Factor:	10	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120913

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	10.0U	10.0	1.07
79-34-5	1,1,2,2-Tetrachloroethane	10.0U	10.0	2.16
127-18-4	Tetrachloroethene	10.0U	10.0	2.44
108-88-3	Toluene	10.0U	10.0	0.809
71-55-6	1,1,1-Trichloroethane	**14.2**	10.0	1.33
79-00-5	1,1,2-Trichloroethane	10.0U	10.0	1.33
79-01-6	Trichloroethene	**7.70J**	10.0	0.840
75-01-4	Vinyl Chloride	**6.20J**	10.0	0.536
1330-20-7	Xylene (Total)	30.0U	30.0	4.05

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	103	*88-115*
1,2-Dichloroethane-d4	95	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	99	*78-116*

VALIDATED

Reviewed By B. S.

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**FD2** MW-201 duplicate	Sampled:	11/29/08 12:59
Lab Sample ID:	**0812042-27**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/05/08 By: JDM
Dilution Factor:	10	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120913

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	~~26.1J~~ 50U	50.0	18.0
71-43-2	Benzene	**1.70J**	10.0	1.27
74-97-5	Bromochloromethane	10.0U	10.0	1.14
75-27-4	Bromodichloromethane	10.0U	10.0	1.39
75-25-2	Bromoform	10.0U	10.0	1.15
74-83-9	Bromomethane	10.0U	10.0	1.13
75-15-0	Carbon Disulfide	50.0U	50.0	5.97
56-23-5	Carbon Tetrachloride	10.0U	10.0	2.12
108-90-7	Chlorobenzene	10.0U	10.0	0.651
75-00-3	Chloroethane	**1210**	10.0	1.78
67-66-3	Chloroform	10.0U	10.0	1.55
74-87-3	Chloromethane	10.0U	10.0	1.03
96-12-8	1,2-Dibromo-3-chloropropane	10.0U	10.0	4.14
124-48-1	Dibromochloromethane	10.0U	10.0	1.51
106-93-4	1,2-Dibromoethane	10.0U	10.0	0.958
95-50-1	1,2-Dichlorobenzene	10.0U	10.0	2.73
541-73-1	1,3-Dichlorobenzene	10.0U	10.0	2.14
106-46-7	1,4-Dichlorobenzene	10.0U	10.0	2.12
75-34-3	1,1-Dichloroethane	**1580**	10.0	1.76
107-06-2	1,2-Dichloroethane	10.0U	10.0	1.50
75-35-4	1,1-Dichloroethene	10.0U	10.0	1.71
156-59-2	cis-1,2-Dichloroethene	**5.50J**	10.0	1.93
156-60-5	trans-1,2-Dichloroethene	10.0U	10.0	1.02
78-87-5	1,2-Dichloropropane	10.0U	10.0	1.91
10061-01-5	cis-1,3-Dichloropropene	10.0U	10.0	1.47
10061-02-6	trans-1,3-Dichloropropene	10.0U	10.0	1.86
100-41-4	Ethylbenzene	10.0U	10.0	0.439
591-78-6	2-Hexanone	50.0U	50.0	13.3
75-09-2	Methylene Chloride	~~3.10J~~ 10U	10.0	1.88
78-93-3	2-Butanone (MEK)	50.0U	50.0	15.1
108-10-1	4-Methyl-2-pentanone (MIBK)	50.0U	50.0	8.68

VALIDATED

Continued on next page

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**FD2** MW-201 duplicate	Sampled:	11/29/08 12:59
Lab Sample ID:	**0812042-27**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/05/08 By: JDM
Dilution Factor:	10	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120913

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	10.0U	10.0	1.07
79-34-5	1,1,2,2-Tetrachloroethane	10.0U	10.0	2.16
127-18-4	Tetrachloroethene	10.0U	10.0	2.44
108-88-3	Toluene	10.0U	10.0	0.809
71-55-6	1,1,1-Trichloroethane	**12.5**	10.0	1.33
79-00-5	1,1,2-Trichloroethane	10.0U	10.0	1.33
79-01-6	Trichloroethene	**7.10J**	10.0	0.840
75-01-4	Vinyl Chloride	**5.60J**	10.0	0.536
1330-20-7	Xylene (Total)	30.0U	30.0	4.05

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	104	*88-115*
1,2-Dichloroethane-d4	106	*81-116*
Toluene-d8	101	*87-113*
4-Bromofluorobenzene	101	*78-116*

VALIDATED

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW203**	Sampled:	11/29/08 13:22
Lab Sample ID:	**0812042-28**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120912

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.00U	5.00	1.80
71-43-2	Benzene	1.00U	1.00	0.127
74-97-5	Bromochloromethane	1.00U	1.00	0.114
75-27-4	Bromodichloromethane	1.00U	1.00	0.139
75-25-2	Bromoform	1.00U	1.00	0.115
74-83-9	Bromomethane	1.00U	1.00	0.113
75-15-0	Carbon Disulfide	5.00U	5.00	0.597
56-23-5	Carbon Tetrachloride	1.00U	1.00	0.212
108-90-7	Chlorobenzene	1.00U	1.00	0.0651
75-00-3	Chloroethane	**0.340J**	1.00	0.178
67-66-3	Chloroform	**0.150J**	1.00	0.0767
74-87-3	Chloromethane	1.00U	1.00	0.103
96-12-8	1,2-Dibromo-3-chloropropane	1.00U	1.00	0.414
124-48-1	Dibromochloromethane	1.00U	1.00	0.151
106-93-4	1,2-Dibromoethane	1.00U	1.00	0.0958
95-50-1	1,2-Dichlorobenzene	1.00U	1.00	0.273
541-73-1	1,3-Dichlorobenzene	1.00U	1.00	0.214
106-46-7	1,4-Dichlorobenzene	1.00U	1.00	0.212
75-34-3	1,1-Dichloroethane	**0.450J**	1.00	0.176
107-06-2	1,2-Dichloroethane	1.00U	1.00	0.150
75-35-4	1,1-Dichloroethene	1.00U	1.00	0.171
156-59-2	cis-1,2-Dichloroethene	1.00U	1.00	0.193
156-60-5	trans-1,2-Dichloroethene	1.00U	1.00	0.102
78-87-5	1,2-Dichloropropane	1.00U	1.00	0.191
10061-01-5	cis-1,3-Dichloropropene	1.00U	1.00	0.147
10061-02-6	trans-1,3-Dichloropropene	1.00U	1.00	0.186
100-41-4	Ethylbenzene	1.00U	1.00	0.0439
591-78-6	2-Hexanone	5.00U	5.00	1.33
75-09-2	Methylene Chloride	1.00U	1.00	0.188
78-93-3	2-Butanone (MEK)	5.00U	5.00	1.51
108-10-1	4-Methyl-2-pentanone (MIBK)	5.00U	5.00	0.868

VALIDATED

Continued on next page

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW203**	Sampled:	11/29/08 13:22
Lab Sample ID:	**0812042-28**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120912

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.00U	1.00	0.107
79-34-5	1,1,2,2-Tetrachloroethane	1.00U	1.00	0.216
127-18-4	Tetrachloroethene	**3.11**	1.00	0.244
108-88-3	Toluene	1.00U	1.00	0.0809
71-55-6	1,1,1-Trichloroethane	**0.190J**	1.00	0.133
79-00-5	1,1,2-Trichloroethane	1.00U	1.00	0.133
79-01-6	Trichloroethene	**0.330J**	1.00	0.0840
75-01-4	Vinyl Chloride	1.00U	1.00	0.0536
1330-20-7	Xylene (Total)	3.00U	3.00	0.405

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	104	*88-115*
1,2-Dichloroethane-d4	107	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	99	*78-116*

VALIDATED

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW202**	Sampled:	11/29/08 13:49
Lab Sample ID:	**0812042-29**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120912

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.00U	5.00	1.80
71-43-2	Benzene	1.00U	1.00	0.127
74-97-5	Bromochloromethane	1.00U	1.00	0.114
75-27-4	Bromodichloromethane	1.00U	1.00	0.139
75-25-2	Bromoform	1.00U	1.00	0.115
74-83-9	Bromomethane	1.00U	1.00	0.113
75-15-0	Carbon Disulfide	5.00U	5.00	0.597
56-23-5	Carbon Tetrachloride	1.00U	1.00	0.212
108-90-7	Chlorobenzene	1.00U	1.00	0.0651
75-00-3	Chloroethane	1.00U	1.00	0.178
67-66-3	Chloroform	**0.300J**	1.00	0.155
74-87-3	Chloromethane	1.00U	1.00	0.103
96-12-8	1,2-Dibromo-3-chloropropane	1.00U	1.00	0.414
124-48-1	Dibromochloromethane	1.00U	1.00	0.151
106-93-4	1,2-Dibromoethane	1.00U	1.00	0.0958
95-50-1	1,2-Dichlorobenzene	1.00U	1.00	0.273
541-73-1	1,3-Dichlorobenzene	1.00U	1.00	0.214
106-46-7	1,4-Dichlorobenzene	1.00U	1.00	0.212
75-34-3	1,1-Dichloroethane	**0.950J**	1.00	0.176
107-06-2	1,2-Dichloroethane	1.00U	1.00	0.150
75-35-4	1,1-Dichloroethene	1.00U	1.00	0.171
156-59-2	cis-1,2-Dichloroethene	1.00U	1.00	0.193
156-60-5	trans-1,2-Dichloroethene	1.00U	1.00	0.102
78-87-5	1,2-Dichloropropane	1.00U	1.00	0.191
10061-01-5	cis-1,3-Dichloropropene	1.00U	1.00	0.147
10061-02-6	trans-1,3-Dichloropropene	1.00U	1.00	0.186
100-41-4	Ethylbenzene	1.00U	1.00	0.0439
591-78-6	2-Hexanone	5.00U	5.00	1.33
75-09-2	Methylene Chloride	1.00U	1.00	0.188
78-93-3	2-Butanone (MEK)	5.00U	5.00	1.51
108-10-1	4-Methyl-2-pentanone (MIBK)	5.00U	5.00	0.868

Continued on next page

VALIDATED

Reviewed By B. S.

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW202**	Sampled:	11/29/08 13:49
Lab Sample ID:	**0812042-29**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120912

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.00U	1.00	0.107
79-34-5	1,1,2,2-Tetrachloroethane	1.00U	1.00	0.216
127-18-4	Tetrachloroethene	**1.26**	1.00	0.244
108-88-3	Toluene	1.00U	1.00	0.0809
71-55-6	1,1,1-Trichloroethane	**1.15**	1.00	0.133
79-00-5	1,1,2-Trichloroethane	1.00U	1.00	0.133
79-01-6	Trichloroethene	**0.650J**	1.00	0.0840
75-01-4	Vinyl Chloride	1.00U	1.00	0.0536
1330-20-7	Xylene (Total)	3.00U	3.00	0.405

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	105	*88-115*
1,2-Dichloroethane-d4	107	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	98	*78-116*

VALIDATED

Reviewed By _____

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW114A**	Sampled:	11/29/08 14:31
Lab Sample ID:	**0812042-30**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120912

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.00U	5.00	1.80
71-43-2	Benzene	1.00U	1.00	0.127
74-97-5	Bromochloromethane	1.00U	1.00	0.114
75-27-4	Bromodichloromethane	1.00U	1.00	0.139
75-25-2	Bromoform	1.00U	1.00	0.115
74-83-9	Bromomethane	1.00U	1.00	0.113
75-15-0	Carbon Disulfide	5.00U	5.00	0.597
56-23-5	Carbon Tetrachloride	1.00U	1.00	0.212
108-90-7	Chlorobenzene	1.00U	1.00	0.0651
75-00-3	Chloroethane	1.00U	1.00	0.178
67-66-3	Chloroform	1.00U	1.00	0.0767
74-87-3	Chloromethane	1.00U	1.00	0.103
96-12-8	1,2-Dibromo-3-chloropropane	1.00U	1.00	0.414
124-48-1	Dibromochloromethane	1.00U	1.00	0.151
106-93-4	1,2-Dibromoethane	1.00U	1.00	0.0958
95-50-1	1,2-Dichlorobenzene	1.00U	1.00	0.273
541-73-1	1,3-Dichlorobenzene	1.00U	1.00	0.214
106-46-7	1,4-Dichlorobenzene	1.00U	1.00	0.212
75-34-3	1,1-Dichloroethane	**0.280J**	1.00	0.176
107-06-2	1,2-Dichloroethane	1.00U	1.00	0.150
75-35-4	1,1-Dichloroethene	1.00U	1.00	0.171
156-59-2	cis-1,2-Dichloroethene	1.00U	1.00	0.193
156-60-5	trans-1,2-Dichloroethene	1.00U	1.00	0.102
78-87-5	1,2-Dichloropropane	1.00U	1.00	0.191
10061-01-5	cis-1,3-Dichloropropene	1.00U	1.00	0.147
10061-02-6	trans-1,3-Dichloropropene	1.00U	1.00	0.186
100-41-4	Ethylbenzene	1.00U	1.00	0.0439
591-78-6	2-Hexanone	5.00U	5.00	1.33
75-09-2	Methylene Chloride	1.00U	1.00	0.188
78-93-3	2-Butanone (MEK)	5.00U	5.00	1.51
108-10-1	4-Methyl-2-pentanone (MIBK)	5.00U	5.00	0.868

VALIDATED

Continued on next page

Reviewed By [illegible]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW114A**	Sampled:	11/29/08 14:31
Lab Sample ID:	**0812042-30**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120912

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.00U	1.00	0.107
79-34-5	1,1,2,2-Tetrachloroethane	1.00U	1.00	0.216
127-18-4	Tetrachloroethene	1.00U	1.00	0.244
108-88-3	Toluene	1.00U	1.00	0.0809
71-55-6	1,1,1-Trichloroethane	**1.09**	1.00	0.133
79-00-5	1,1,2-Trichloroethane	1.00U	1.00	0.133
79-01-6	Trichloroethene	1.00U	1.00	0.0840
75-01-4	Vinyl Chloride	1.00U	1.00	0.0536
1330-20-7	Xylene (Total)	3.00U	3.00	0.405

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	104	*88-115*
1,2-Dichloroethane-d4	108	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	100	*78-116*

VALIDATED

Reviewed By B. S.

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW113B**	Sampled:	11/29/08 15:40
Lab Sample ID:	**0812042-32**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120912

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.00U	5.00	1.80
71-43-2	Benzene	1.00U	1.00	0.127
74-97-5	Bromochloromethane	1.00U	1.00	0.114
75-27-4	Bromodichloromethane	1.00U	1.00	0.139
75-25-2	Bromoform	1.00U	1.00	0.115
74-83-9	Bromomethane	1.00U	1.00	0.113
75-15-0	Carbon Disulfide	5.00U	5.00	0.597
56-23-5	Carbon Tetrachloride	1.00U	1.00	0.212
108-90-7	Chlorobenzene	1.00U	1.00	0.0651
75-00-3	Chloroethane	1.00U	1.00	0.178
67-66-3	Chloroform	**0.710J**	1.00	0.155
74-87-3	Chloromethane	1.00U	1.00	0.103
96-12-8	1,2-Dibromo-3-chloropropane	1.00U	1.00	0.414
124-48-1	Dibromochloromethane	1.00U	1.00	0.151
106-93-4	1,2-Dibromoethane	1.00U	1.00	0.0958
95-50-1	1,2-Dichlorobenzene	1.00U	1.00	0.273
541-73-1	1,3-Dichlorobenzene	1.00U	1.00	0.214
106-46-7	1,4-Dichlorobenzene	1.00U	1.00	0.212
75-34-3	1,1-Dichloroethane	**71.3**	1.00	0.176
107-06-2	1,2-Dichloroethane	**0.920J**	1.00	0.150
75-35-4	1,1-Dichloroethene	**20.4**	1.00	0.171
156-59-2	cis-1,2-Dichloroethene	**169**	1.00	0.193
156-60-5	trans-1,2-Dichloroethene	**2.15**	1.00	0.102
78-87-5	1,2-Dichloropropane	1.00U	1.00	0.191
10061-01-5	cis-1,3-Dichloropropene	1.00U	1.00	0.147
10061-02-6	trans-1,3-Dichloropropene	1.00U	1.00	0.186
100-41-4	Ethylbenzene	1.00U	1.00	0.0439
591-78-6	2-Hexanone	5.00U	5.00	1.33
75-09-2	Methylene Chloride	1.00U	1.00	0.188
78-93-3	2-Butanone (MEK)	5.00U	5.00	1.51
108-10-1	4-Methyl-2-pentanone (MIBK)	5.00U	5.00	0.868

VALIDATED

Continued on next page

Reviewed By B. Sa

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW113B**	Sampled:	11/29/08 15:40
Lab Sample ID:	**0812042-32**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120912

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.00U	1.00	0.107
79-34-5	1,1,2,2-Tetrachloroethane	1.00U	1.00	0.216
127-18-4	Tetrachloroethene	**3.49**	1.00	0.244
108-88-3	Toluene	1.00U	1.00	0.0809
71-55-6	1,1,1-Trichloroethane	**28.8**	1.00	0.133
79-00-5	1,1,2-Trichloroethane	**0.480J**	1.00	0.133
79-01-6	Trichloroethene	**41.5**	1.00	0.0840
75-01-4	Vinyl Chloride	**6.20**	1.00	0.0536
1330-20-7	Xylene (Total)	3.00U	3.00	0.405

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	106	*88-115*
1,2-Dichloroethane-d4	108	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	98	*78-116*

VALIDATED

Reviewed By _____

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW200**	Sampled:	11/29/08 16:28
Lab Sample ID:	**0812042-34**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120912

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.00U	5.00	1.80
71-43-2	Benzene	1.00U	1.00	0.127
74-97-5	Bromochloromethane	1.00U	1.00	0.114
75-27-4	Bromodichloromethane	1.00U	1.00	0.139
75-25-2	Bromoform	1.00U	1.00	0.115
74-83-9	Bromomethane	1.00U	1.00	0.113
75-15-0	Carbon Disulfide	5.00U	5.00	0.597
56-23-5	Carbon Tetrachloride	1.00U	1.00	0.212
108-90-7	Chlorobenzene	1.00U	1.00	0.0651
75-00-3	Chloroethane	1.00U	1.00	0.178
67-66-3	Chloroform	1.00U	1.00	0.0767
74-87-3	Chloromethane	1.00U	1.00	0.103
96-12-8	1,2-Dibromo-3-chloropropane	1.00U	1.00	0.414
124-48-1	Dibromochloromethane	1.00U	1.00	0.151
106-93-4	1,2-Dibromoethane	1.00U	1.00	0.0958
95-50-1	1,2-Dichlorobenzene	1.00U	1.00	0.273
541-73-1	1,3-Dichlorobenzene	1.00U	1.00	0.214
106-46-7	1,4-Dichlorobenzene	1.00U	1.00	0.212
75-34-3	1,1-Dichloroethane	1.00U	1.00	0.176
107-06-2	1,2-Dichloroethane	1.00U	1.00	0.150
75-35-4	1,1-Dichloroethene	1.00U	1.00	0.171
156-59-2	cis-1,2-Dichloroethene	**0.690J**	1.00	0.193
156-60-5	trans-1,2-Dichloroethene	1.00U	1.00	0.102
78-87-5	1,2-Dichloropropane	1.00U	1.00	0.191
10061-01-5	cis-1,3-Dichloropropene	1.00U	1.00	0.147
10061-02-6	trans-1,3-Dichloropropene	1.00U	1.00	0.186
100-41-4	Ethylbenzene	1.00U	1.00	0.0439
591-78-6	2-Hexanone	5.00U	5.00	1.33
75-09-2	Methylene Chloride	1.00U	1.00	0.188
78-93-3	2-Butanone (MEK)	5.00U	5.00	1.51
108-10-1	4-Methyl-2-pentanone (MIBK)	5.00U	5.00	0.868

VALIDATED

Continued on next page

Reviewed By _____

Date 10/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW200**	Sampled:	11/29/08 16:28
Lab Sample ID:	**0812042-34**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120912

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.00U	1.00	0.107
79-34-5	1,1,2,2-Tetrachloroethane	1.00U	1.00	0.216
127-18-4	Tetrachloroethene	1.00U	1.00	0.244
108-88-3	Toluene	1.00U	1.00	0.0809
71-55-6	1,1,1-Trichloroethane	**0.210J**	1.00	0.133
79-00-5	1,1,2-Trichloroethane	1.00U	1.00	0.133
79-01-6	Trichloroethene	**0.170J**	1.00	0.0840
75-01-4	Vinyl Chloride	1.00U	1.00	0.0536
1330-20-7	Xylene (Total)	3.00U	3.00	0.405

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	103	*88-115*
1,2-Dichloroethane-d4	108	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	99	*78-116*

VALIDATED

Reviewed By _____

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW136**	Sampled:	11/29/08 17:03
Lab Sample ID:	**0812042-35**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120912

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.00U	5.00	1.80
71-43-2	Benzene	1.00U	1.00	0.127
74-97-5	Bromochloromethane	1.00U	1.00	0.114
75-27-4	Bromodichloromethane	**0.610J**	1.00	0.139
75-25-2	Bromoform	1.00U	1.00	0.115
74-83-9	Bromomethane	1.00U	1.00	0.113
75-15-0	Carbon Disulfide	5.00U	5.00	0.597
56-23-5	Carbon Tetrachloride	1.00U	1.00	0.212
108-90-7	Chlorobenzene	1.00U	1.00	0.0651
75-00-3	Chloroethane	1.00U	1.00	0.178
67-66-3	Chloroform	**4.50**	1.00	0.155
74-87-3	Chloromethane	1.00U	1.00	0.103
96-12-8	1,2-Dibromo-3-chloropropane	1.00U	1.00	0.414
124-48-1	Dibromochloromethane	1.00U	1.00	0.151
106-93-4	1,2-Dibromoethane	1.00U	1.00	0.0958
95-50-1	1,2-Dichlorobenzene	1.00U	1.00	0.273
541-73-1	1,3-Dichlorobenzene	1.00U	1.00	0.214
106-46-7	1,4-Dichlorobenzene	1.00U	1.00	0.212
75-34-3	1,1-Dichloroethane	1.00U	1.00	0.176
107-06-2	1,2-Dichloroethane	1.00U	1.00	0.150
75-35-4	1,1-Dichloroethene	1.00U	1.00	0.171
156-59-2	cis-1,2-Dichloroethene	**0.200J**	1.00	0.193
156-60-5	trans-1,2-Dichloroethene	1.00U	1.00	0.102
78-87-5	1,2-Dichloropropane	1.00U	1.00	0.191
10061-01-5	cis-1,3-Dichloropropene	1.00U	1.00	0.147
10061-02-6	trans-1,3-Dichloropropene	1.00U	1.00	0.186
100-41-4	Ethylbenzene	1.00U	1.00	0.0439
591-78-6	2-Hexanone	5.00U	5.00	1.33
75-09-2	Methylene Chloride	1.00U	1.00	0.188
78-93-3	2-Butanone (MEK)	5.00U	5.00	1.51
108-10-1	4-Methyl-2-pentanone (MIBK)	5.00U	5.00	0.868

VALIDATED

Continued on next page

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW136**	Sampled:	11/29/08 17:03
Lab Sample ID:	**0812042-35**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120912

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.00U	1.00	0.107
79-34-5	1,1,2,2-Tetrachloroethane	1.00U	1.00	0.216
127-18-4	Tetrachloroethene	1.00U	1.00	0.244
108-88-3	Toluene	1.00U	1.00	0.0809
71-55-6	1,1,1-Trichloroethane	1.00U	1.00	0.133
79-00-5	1,1,2-Trichloroethane	1.00U	1.00	0.133
79-01-6	Trichloroethene	1.00U	1.00	0.0840
75-01-4	Vinyl Chloride	1.00U	1.00	0.0536
1330-20-7	Xylene (Total)	3.00U	3.00	0.405

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	103	*88-115*
1,2-Dichloroethane-d4	106	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	99	*78-116*

VALIDATED

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**Trip Blank TM1779**	Sampled:	11/29/08 00:00
Lab Sample ID:	**0812042-36**	Sampled By:	TML
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120912

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.00U	5.00	1.80
71-43-2	Benzene	1.00U	1.00	0.127
74-97-5	Bromochloromethane	1.00U	1.00	0.114
75-27-4	Bromodichloromethane	1.00U	1.00	0.139
75-25-2	Bromoform	1.00U	1.00	0.115
74-83-9	Bromomethane	1.00U	1.00	0.113
75-15-0	Carbon Disulfide	5.00U	5.00	0.597
56-23-5	Carbon Tetrachloride	1.00U	1.00	0.212
108-90-7	Chlorobenzene	1.00U	1.00	0.0651
75-00-3	Chloroethane	1.00U	1.00	0.178
67-66-3	Chloroform	1.00U	1.00	0.155
74-87-3	Chloromethane	1.00U	1.00	0.103
96-12-8	1,2-Dibromo-3-chloropropane	1.00U	1.00	0.414
124-48-1	Dibromochloromethane	1.00U	1.00	0.151
106-93-4	1,2-Dibromoethane	1.00U	1.00	0.0958
95-50-1	1,2-Dichlorobenzene	1.00U	1.00	0.273
541-73-1	1,3-Dichlorobenzene	1.00U	1.00	0.214
106-46-7	1,4-Dichlorobenzene	1.00U	1.00	0.212
75-34-3	1,1-Dichloroethane	1.00U	1.00	0.176
107-06-2	1,2-Dichloroethane	1.00U	1.00	0.150
75-35-4	1,1-Dichloroethene	1.00U	1.00	0.171
156-59-2	cis-1,2-Dichloroethene	1.00U	1.00	0.193
156-60-5	trans-1,2-Dichloroethene	1.00U	1.00	0.102
78-87-5	1,2-Dichloropropane	1.00U	1.00	0.191
10061-01-5	cis-1,3-Dichloropropene	1.00U	1.00	0.147
10061-02-6	trans-1,3-Dichloropropene	1.00U	1.00	0.186
100-41-4	Ethylbenzene	1.00U	1.00	0.0439
591-78-6	2-Hexanone	5.00U	5.00	1.33
75-09-2	Methylene Chloride	**1.11**	1.00	0.188
78-93-3	2-Butanone (MEK)	5.00U	5.00	1.51
108-10-1	4-Methyl-2-pentanone (MIBK)	5.00U	5.00	0.868

VALIDATED

Continued on next page

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**Trip Blank TM1779**	Sampled:	11/29/08 00:00
Lab Sample ID:	**0812042-36**	Sampled By:	TML
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/04/08 By: JDM
Dilution Factor:	1	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120912

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.00U	1.00	0.107
79-34-5	1,1,2,2-Tetrachloroethane	1.00U	1.00	0.216
127-18-4	Tetrachloroethene	1.00U	1.00	0.244
108-88-3	Toluene	1.00U	1.00	0.0809
71-55-6	1,1,1-Trichloroethane	1.00U	1.00	0.133
79-00-5	1,1,2-Trichloroethane	1.00U	1.00	0.133
79-01-6	Trichloroethene	1.00U	1.00	0.0840
75-01-4	Vinyl Chloride	1.00U	1.00	0.0536
1330-20-7	Xylene (Total)	3.00U	3.00	0.405

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	104	*88-115*
1,2-Dichloroethane-d4	108	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	100	*78-116*

VALIDATED

Reviewed By _____

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW130**	Sampled:	11/29/08 15:10
Lab Sample ID:	**0812042-31**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/05/08 By: JDM
Dilution Factor:	2	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120913

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	~~5.14J~~ 10U	10.0	3.60
71-43-2	Benzene	2.00U	2.00	0.254
74-97-5	Bromochloromethane	2.00U	2.00	0.228
75-27-4	Bromodichloromethane	2.00U	2.00	0.278
75-25-2	Bromoform	2.00U	2.00	0.230
74-83-9	Bromomethane	2.00U	2.00	0.226
75-15-0	Carbon Disulfide	10.0U	10.0	1.19
56-23-5	Carbon Tetrachloride	2.00U	2.00	0.424
108-90-7	Chlorobenzene	2.00U	2.00	0.130
75-00-3	Chloroethane	2.00U	2.00	0.356
67-66-3	Chloroform	2.00U	2.00	0.310
74-87-3	Chloromethane	2.00U	2.00	0.206
96-12-8	1,2-Dibromo-3-chloropropane	2.00U	2.00	0.828
124-48-1	Dibromochloromethane	2.00U	2.00	0.302
106-93-4	1,2-Dibromoethane	2.00U	2.00	0.192
95-50-1	1,2-Dichlorobenzene	2.00U	2.00	0.546
541-73-1	1,3-Dichlorobenzene	2.00U	2.00	0.428
106-46-7	1,4-Dichlorobenzene	2.00U	2.00	0.424
75-34-3	1,1-Dichloroethane	**21.9**	2.00	0.352
107-06-2	1,2-Dichloroethane	2.00U	2.00	0.300
75-35-4	1,1-Dichloroethene	**4.18**	2.00	0.342
156-59-2	cis-1,2-Dichloroethene	**21.0**	2.00	0.386
156-60-5	trans-1,2-Dichloroethene	**0.400J**	2.00	0.204
78-87-5	1,2-Dichloropropane	2.00U	2.00	0.382
10061-01-5	cis-1,3-Dichloropropene	2.00U	2.00	0.294
10061-02-6	trans-1,3-Dichloropropene	2.00U	2.00	0.372
100-41-4	Ethylbenzene	2.00U	2.00	0.0878
591-78-6	2-Hexanone	10.0U	10.0	2.66
75-09-2	Methylene Chloride	~~0.560J~~ 2U	2.00	0.376
78-93-3	2-Butanone (MEK)	10.0U	10.0	3.02
108-10-1	4-Methyl-2-pentanone (MIBK)	10.0U	10.0	1.74

VALIDATED

Continued on next page

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW130**	Sampled:	11/29/08 15:10
Lab Sample ID:	**0812042-31**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/05/08 By: JDM
Dilution Factor:	2	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120913

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	2.00U	2.00	0.214
79-34-5	1,1,2,2-Tetrachloroethane	2.00U	2.00	0.432
127-18-4	Tetrachloroethene	**0.560J**	2.00	0.488
108-88-3	Toluene	2.00U	2.00	0.162
71-55-6	1,1,1-Trichloroethane	**198**	2.00	0.266
79-00-5	1,1,2-Trichloroethane	2.00U	2.00	0.266
79-01-6	Trichloroethene	**4.26**	2.00	0.168
75-01-4	Vinyl Chloride	2.00U	2.00	0.107
1330-20-7	Xylene (Total)	6.00U	6.00	0.810

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	106	*88-115*
1,2-Dichloroethane-d4	105	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	101	*78-116*

VALIDATED

Reviewed By B-8

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW113A**	Sampled:	11/29/08 16:04
Lab Sample ID:	**0812042-33**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/05/08 By: JDM
Dilution Factor:	5	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120913

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	~~19.0J~~ 25U	25.0	9.00
71-43-2	Benzene	5.00U	5.00	0.635
74-97-5	Bromochloromethane	5.00U	5.00	0.570
75-27-4	Bromodichloromethane	5.00U	5.00	0.695
75-25-2	Bromoform	5.00U	5.00	0.575
74-83-9	Bromomethane	5.00U	5.00	0.565
75-15-0	Carbon Disulfide	25.0U	25.0	2.98
56-23-5	Carbon Tetrachloride	5.00U	5.00	1.06
108-90-7	Chlorobenzene	5.00U	5.00	0.326
75-00-3	Chloroethane	5.00U	5.00	0.890
67-66-3	Chloroform	**2.20J**	5.00	0.775
74-87-3	Chloromethane	5.00U	5.00	0.515
96-12-8	1,2-Dibromo-3-chloropropane	5.00U	5.00	2.07
124-48-1	Dibromochloromethane	5.00U	5.00	0.755
106-93-4	1,2-Dibromoethane	5.00U	5.00	0.479
95-50-1	1,2-Dichlorobenzene	5.00U	5.00	1.36
541-73-1	1,3-Dichlorobenzene	5.00U	5.00	1.07
106-46-7	1,4-Dichlorobenzene	5.00U	5.00	1.06
75-34-3	1,1-Dichloroethane	**135**	5.00	0.880
107-06-2	1,2-Dichloroethane	**1.50J**	5.00	0.750
75-35-4	1,1-Dichloroethene	**7.25**	5.00	0.855
156-59-2	cis-1,2-Dichloroethene	**369**	5.00	0.965
156-60-5	trans-1,2-Dichloroethene	**40.6**	5.00	0.510
78-87-5	1,2-Dichloropropane	5.00U	5.00	0.955
10061-01-5	cis-1,3-Dichloropropene	5.00U	5.00	0.735
10061-02-6	trans-1,3-Dichloropropene	5.00U	5.00	0.930
100-41-4	Ethylbenzene	5.00U	5.00	0.220
591-78-6	2-Hexanone	25.0U	25.0	6.65
75-09-2	Methylene Chloride	~~1.70J~~ 5U	5.00	0.940
78-93-3	2-Butanone (MEK)	25.0U	25.0	7.55
108-10-1	4-Methyl-2-pentanone (MIBK)	25.0U	25.0	4.34

VALIDATED

Continued on next page

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812042**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW113A**	Sampled:	11/29/08 16:04
Lab Sample ID:	**0812042-33**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/02/08 09:15
Unit:	ug/L	Prepared:	12/05/08 By: JDM
Dilution Factor:	5	Analyzed:	12/05/08 By: JDM
QC Batch:	0814378	Analytical Batch:	8120913

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	5.00U	5.00	0.535
79-34-5	1,1,2,2-Tetrachloroethane	5.00U	5.00	1.08
127-18-4	Tetrachloroethene	**10.5**	5.00	1.22
108-88-3	Toluene	5.00U	5.00	0.404
71-55-6	1,1,1-Trichloroethane	**210**	5.00	0.665
79-00-5	1,1,2-Trichloroethane	5.00U	5.00	0.665
79-01-6	Trichloroethene	**98.6**	5.00	0.420
75-01-4	Vinyl Chloride	5.00U	5.00	0.268
1330-20-7	Xylene (Total)	15.0U	15.0	2.02

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	105	*88-115*
1,2-Dichloroethane-d4	106	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	101	*78-116*

VALIDATED

Reviewed By [signature]

Date 12/19/08

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

Data Quality Control Criteria Review Summary

SDG Number: *0812419* **Project Number:** *1016-2*

Site: *SE Rockford, 20th Event*

Contractor Lab: *TriMatrix (Grand Rapids, MI)*

Validator: *Brian LaFlamme* **Validation Date:** *January 16, 2009*

Sample Matrix: *Water* **Sample Date:** *December 18, 2008*

Analytical Methods: *EPA SW-846 Method 8260B*

Sample Designations:

MW-16	**MW-114B**				

The analytical data were reviewed in accordance with the analytical methods, SW-846 validation guidelines, and the Environmental Protections Agency (EPA) Contract Laboratory Program (CLP) National Functional Guidelines. The review included comparing quality control (QC) values provided on the laboratory QC forms to method QC criteria. Review of the raw data was not performed.

Quality Control Summary

QC Review Item	VOA
Completeness	X
Case Narrative	X
Chain of Custody (COC) Forms	X
Sample Preservation	X
Holding Times	X
GC/MS Instrument Performance Check (BFB)	NA
Initial Calibration Results	NA
Continuing Calibration Results	NA
Laboratory Blank Results	X
System Monitoring Compounds (Surrogate) Results	X
Matrix Spike/Matrix Duplicate (MS/MSD) Results	X
Laboratory Control Sample (LCS) Results	NA
Method Specific QC Results *	NA
Internal Standards	X
Tentatively Identified Compounds (TICs)	NA
Reporting/Method Detection Limits	X
System Performance	X
Field QC Results #	1
Other	X

X Acceptable, no qualification necessary NR Not required
See validation summary comment NA Not applicable

*) The reviewer has indicated in the comments, if necessary, the method specific QC results included in the data package that were reviewed.

#) Field QC may include field duplicates, trip blanks, rinse blanks, field blanks, and equipment blank samples as required by project specific criteria.

Data for the above samples are:

- ☐ Acceptable for use
- ☒ Acceptable for use as qualified
- ☐ Unacceptable for use

Is action required by the Project Manager?

Yes ☐ No ☒

Data Validation Summary Comments:

1. A trip blank did not accompany the samples to and from the laboratory and therefore was not analyzed as part of this SDG.

OVERALL ASSESSMENT OF DATA

Based on the review of the quality control criteria, the method appeared to be in control. Therefore, the data are acceptable for use as qualified.

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812419**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW16**	Sampled:	12/18/08 10:59
Lab Sample ID:	**0812419-01**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/23/08 10:45
Unit:	ug/L	Prepared:	12/29/08 By: DLV
Dilution Factor:	2	Analyzed:	12/29/08 By: DLV
QC Batch:	0814956	Analytical Batch:	8122922

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	10U	10	3.6
71-43-2	Benzene	2.0U	2.0	0.25
74-97-5	Bromochloromethane	2.0U	2.0	0.23
75-27-4	Bromodichloromethane	2.0U	2.0	0.28
75-25-2	Bromoform	2.0U	2.0	0.23
74-83-9	Bromomethane	2.0U	2.0	0.23
75-15-0	Carbon Disulfide	10U	10	1.2
56-23-5	Carbon Tetrachloride	2.0U	2.0	0.42
108-90-7	Chlorobenzene	2.0U	2.0	0.13
75-00-3	Chloroethane	2.0U	2.0	0.36
67-66-3	Chloroform	**1.3J**	2.0	0.15
74-87-3	Chloromethane	2.0U	2.0	0.21
96-12-8	1,2-Dibromo-3-chloropropane	2.0U	2.0	0.83
124-48-1	Dibromochloromethane	2.0U	2.0	0.30
106-93-4	1,2-Dibromoethane	2.0U	2.0	0.19
95-50-1	1,2-Dichlorobenzene	2.0U	2.0	0.55
541-73-1	1,3-Dichlorobenzene	2.0U	2.0	0.43
106-46-7	1,4-Dichlorobenzene	2.0U	2.0	0.42
75-34-3	1,1-Dichloroethane	**100**	2.0	0.35
107-06-2	1,2-Dichloroethane	**1.0J**	2.0	0.30
75-35-4	1,1-Dichloroethene	2.0U	2.0	0.34
156-59-2	cis-1,2-Dichloroethene	**240**	2.0	0.39
156-60-5	trans-1,2-Dichloroethene	**35**	2.0	0.20
78-87-5	1,2-Dichloropropane	2.0U	2.0	0.38
10061-01-5	cis-1,3-Dichloropropene	2.0U	2.0	0.29
10061-02-6	trans-1,3-Dichloropropene	2.0U	2.0	0.37
100-41-4	Ethylbenzene	2.0U	2.0	0.088
591-78-6	2-Hexanone	10U	10	2.7
75-09-2	Methylene Chloride	**0.70J**	2.0	0.38
78-93-3	2-Butanone (MEK)	10U	10	3.0
108-10-1	4-Methyl-2-pentanone (MIBK)	10U	10	1.7

Continued on next page

VALIDATED

Reviewed By [signature]

Date 1/16/09

This report shall not be reproduced except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812419**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW16**	Sampled:	12/18/08 10:59
Lab Sample ID:	**0812419-01**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/23/08 10:45
Unit:	ug/L	Prepared:	12/29/08 By: DLV
Dilution Factor:	2	Analyzed:	12/29/08 By: DLV
QC Batch:	0814956	Analytical Batch:	8122922

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	2.0U	2.0	0.21
79-34-5	1,1,2,2-Tetrachloroethane	2.0U	2.0	0.43
127-18-4	Tetrachloroethene	**4.6**	2.0	0.49
108-88-3	Toluene	2.0U	2.0	0.16
71-55-6	1,1,1-Trichloroethane	**120**	2.0	0.27
79-00-5	1,1,2-Trichloroethane	**0.82J**	2.0	0.27
79-01-6	Trichloroethene	**56**	2.0	0.17
75-01-4	Vinyl Chloride	2.0U	2.0	0.11
1330-20-7	Xylene (Total)	6.0U	6.0	0.81

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	107	*88-115*
1,2-Dichloroethane-d4	91	*81-116*
Toluene-d8	105	*87-113*
4-Bromofluorobenzene	91	*78-116*

VALIDATED

Reviewed By _____

Date 1/16/09

This report shall not be reproduced except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812419**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW114B**	Sampled:	12/18/08 12:01
Lab Sample ID:	**0812419-02**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/23/08 10:45
Unit:	ug/L	Prepared:	12/29/08 By: DLV
Dilution Factor:	1	Analyzed:	12/29/08 By: DLV
QC Batch:	0814956	Analytical Batch:	8122922

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	1.0U	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	**1.6**	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	**0.67J**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**2.0**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Continued on next page

Reviewed By _____

Date 1/16/09

This report shall not be reproduced except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0812419**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW114B**	Sampled:	12/18/08 12:01
Lab Sample ID:	**0812419-02**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/23/08 10:45
Unit:	ug/L	Prepared:	12/29/08 By: DLV
Dilution Factor:	1	Analyzed:	12/29/08 By: DLV
QC Batch:	0814956	Analytical Batch:	8122922

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	1.0U	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	1.0U	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	**6.8**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	105	*88-115*
1,2-Dichloroethane-d4	92	*81-116*
Toluene-d8	104	*87-113*
4-Bromofluorobenzene	91	*78-116*

VALIDATED

Reviewed By _____

Date 1/16/09

This report shall not be reproduced except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463