US EPA RECORDS CENTER REGION 5
452123

NATIONWIDE ENVIRONMENTAL SERVICES, INC.

6th Avenue West Business Park
14818 W 6th Ave. Suite 5A
Golden, CO 80401

February 12, 2010

Mr. Tim Drexler
Remedial Project Manager
U.S. Environmental Protection Agency
77 West Jackson Boulevard, HSRM-6J
Chicago, IL 60604

Mr. Thomas Williams
Illinois Environmental Protection Agency
P.O. Box 1515
LaSalle, IL 61301

RE: Southeast Rockford Ground Water NPL Site
Ground Water Monitoring Results - Sampling Event #22

Dear Gentlemen:

The analytical results for the ground water monitoring samples collected at the Southeast Rockford Groundwater Contamination Site (the Site) during the November 2009 semi-annual monitoring event are enclosed. The Site ground water monitoring network is shown in Figure 1. This sampling event constitutes the 16th semi-annual sampling event and 22nd sampling event overall for the long-term ground water monitoring element of the remedy established under the approved RD/RA Work Plan.

Ground water sampling procedures for the current monitoring event were performed by NES consistent with the interim addendum to the approved Field Sampling Plan (FSP) provided to USEPA on November 10, 2009. Laboratory analyses for collected samples were completed in accordance with the amended RD/RA Quality Assurance Project Plan (QAPP; October 2008). Sample preparation and analyses were performed by TriMatrix of Grand Rapids, Michigan consistent with USEPA SW-846 procedures. The analytical results were validated by NES in accordance with the QAPP.

The analytical results for the chemicals of concern (COC) identified in Section VI of the Site Record of Decision (ROD) and for vinyl chloride (VC) concentrations reported above the MCL of 2 µg/l are summarized in Table 1. The validated laboratory data sheets and data quality summaries are provided in Appendix A. The field sampling sheets for the November 2009 sampling event are contained in Appendix B. The cumulative analytical results for samples collected from the Site ground water monitoring network, by monitoring well location, are presented in Table 2. Table 2 also includes the sum of the total VOC concentrations for the Site COC.

The total VOC concentrations reveal general trends at each monitoring location. In brief, the historical data for total VOCs indicates the following:

- Total VOC concentrations have generally decreased across the Site since inception of the long-term monitoring program in March 1999, with the exception of certain monitoring locations located immediately down gradient of identified source areas as presented below.
    - Total VOCs in ground water monitoring locations near source Area 7 were generally higher than the prior sampling event in June 2009 with the exception of MW-101D, and MW-136.

*(303) 232-2134 * Fax: (303) 232-1724*

- Total VOCs in ground water monitoring locations near source Areas 4, 9/10, and 11 were generally lower than or within 10% of the prior sampling event in June 2009 with the exception of MW-203.

- The ratios of parent VOC compound concentrations to associated breakdown product concentrations continue to indicate that natural attenuation is occurring at the Site.

- Total VOC concentrations at monitoring locations proximate to the Rock River remain generally constant or are decreasing.

Because of the heavy snowfall accumulation in the area, the nested wells at monitoring location MW-206 were not sampled during the November event because of the inability to locate the wells. NES will locate these wells and obtain a sample as soon as conditions permit and provide the results to the agency. Additionally, NES continues to coordinate efforts with IEPA to share ground water data obtained from common monitoring well locations at the Site. However, NES is not aware of IEPA sample collection from Site monitoring locations around the time of the November event, and thus no comparative data is presented in this report. Finally, the clarifications to the Site field sampling procedures identified in the interim addendum to the FSP have since been finalized with USEPA and a final version of the FSP and QAPP addendum were submitted to the agency on January 26, 2010.

Please contact me at telephone 303-232-2134 if you have any questions regarding the information provided or require any additional information.

Sincerely,

William B. Dotterrer
William B. Dotterrer,
Sr. Project Manager

cc: Nadine Miller, City of Rockford

Enclosures

Figure 1: Southeast Rockford NPL Site Ground Water Monitoring Network and Source Location



Table 1: Southeast Rockford NPL Site
Summary of Groundwater Analytical Results
Sampling Event #22

Compound	Limits	MW-16 11/28/09	MW-47 11/28/09	MW-101A 11/27/09	MW-101B 11/27/09	MW-101C 11/27/09	MW-101D 11/27/09	MW-102A 11/27/09	MW-102B 11/27/09
Methylene Chloride	5	0.88	1U	10U	5U	5U	2.5U	1U	1U
trans-1,2-Dichloroethene	100	6.9	1U	36	8.4	5.5	4.1	5.3	1U
cis-1,2-Dichloroethene	70	56	1U	**990**	**840**	**620**	**290**	**190**	5.6
1,1-Dichloroethene	7	**7.9**	1U	**70**	**37**	**28**	**18**	3.5	1U
1,1-Dichloroethane	N/A	110	1U	280	170	120	64	96	3.5
Chloroform	N/A	1.6	1U	5.2	2.6	2.4	1.5	1U	1U
1,2-Dichloroethane	5	2U	1U	10U	5U	5U	2.5U	1U	0.56
1,1,1-Trichloroethane	200	180	1U	**550**	**400**	**290**	150	89	1U
Trichloroethene	5	**55**	1U	**220**	**81**	**63**	**39**	**18**	1U
Tetrachloroethene	5	**6.1**	1U	**47**	**37**	**25**	**16**	1U	1U
Vinyl Chloride	2	2U	1U	10U	5U	5U	2.5U	1U	1U

Compound	Limits	MW-102C 11/28/09	MW-113A 11/28/09	MW-113B 11/28/09	MW-114A 11/28/09	MW-114B 11/28/09	MW-117B 11/28/09	MW-117C 11/24/09	MW-117D 11/24/09
Methylene Chloride	5	10U	2.5U	1U	1U	1U	1U	1U	1U
trans-1,2-Dichloroethene	100	6.7	44	2.5	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	**760**	**290**	**190**	1.3	1U	5.1	57	11
1,1-Dichloroethene	7	**59**	1.7	**22**	3.9	1	**9**	**24**	**19**
1,1-Dichloroethane	N/A	210	110	77	1.9	2.2	8.5	23	29
Chloroform	N/A	10U	1.5	0.69	0.46	1U	0.42	0.48	0.49
1,2-Dichloroethane	5	10U	2.5U	0.76	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	94	170	31	36	1U	24	51	49
Trichloroethene	5	**74**	**84**	**41**	2.7	**6.7**	**15**	**21**	**18**
Tetrachloroethene	5	**22**	**12**	3.9	1U	1U	**5.3**	**26**	**28**
Vinyl Chloride	2	10U	2.5U	**8**	1U	1U	1U	1U	1U

Table 1: Southeast Rockford NPL Site
Summary of Groundwater Analytical Results
Sampling Event #22

Compound	Limits	MW-119 11/27/09	MW-121 11/25/09	MW-124 11/29/09	MW-130 11/29/09	MW-133A 11/28/09	MW-133B 11/28/09	MW-133C 11/28/09	MW-136 11/28/09
Methylene Chloride	5	1U	1U	5U	2U	1U	20U	1U	1U
trans-1,2-Dichloroethene	100	1U	1U	5U	2U	1U	84	1.2	1U
cis-1,2-Dichloroethene	70	0.61	4.3	**170**	12	1U	**2000**	**110**	1U
1,1-Dichloroethene	7	1U	1.8	**22**	5.5	1U	**100**	**53**	1U
1,1-Dichloroethane	N/A	1.4	2.1	510	31	1U	280	58	1U
Chloroform	N/A	0.45	0.63	5U	2U	1U	7.8	7.1	1.5
1,2-Dichloroethane	5	1U	1U	5U	2U	1U	20U	1.8	1U
1,1,1-Trichloroethane	200	1.2	3.1	98	**320**	1U	**820**	170	1U
Trichloroethene	5	1U	**20**	**9.4**	3.3	1U	**190**	**94**	1U
Tetrachloroethene	5	1U	2	**16**	2U	1U	**110**	**6.2**	1U
Vinyl Chloride	2	1U	1U	**21**	2U	1U	20U	1U	1U

Compound	Limits	MW-200 11/28/09	MW-201 11/29/09	MW-202 11/29/09	MW-203 11/29/09	MW-204 11/25/09	MW-205A 11/25/09	MW-205B 11/25/09	MW-206A 01/00/00
Methylene Chloride	5	1U	10U	1U	1U	1U	1U	1U	1U
trans-1,2-Dichloroethene	100	1U	10U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	1U	6.4	1U	1U	20	32	37	1.2
1,1-Dichloroethene	7	1U	10U	1U	1U	**14**	**19**	**21**	0.6
1,1-Dichloroethane	N/A	1U	480	1U	1U	5.8	11	14	1.6
Chloroform	N/A	1U	10U	1U	1U	0.65	0.48	0.55	1U
1,2-Dichloroethane	5	1U	10U	1U	1U	1.8	1U	1U	1U
1,1,1-Trichloroethane	200	1U	37	1U	1U	6.2	46	47	3.5
Trichloroethene	5	1U	10U	1U	1U	**71**	**27**	**27**	**7.4**
Tetrachloroethene	5	1U	10U	1.2	**5.4**	2.6	**20**	**21**	2.2
Vinyl Chloride	2	1U	**10**	1U	1U	0.56	1U	1U	

Table 1: Southeast Rockford NPL Site
Summary of Groundwater Analytical Results
Sampling Event #22

Compound	Limits	MW-206B 01/00/00	MW-206C 01/00/00	MW-207 11/25/09
Methylene Chloride	5	1U	1U	1U
trans-1,2-Dichloroethene	100	0.33	1U	1U
cis-1,2-Dichloroethene	70	**70**	4.8	1.2
1,1-Dichloroethene	7	**63**	1.8	0.6
1,1-Dichloroethane	N/A	79	2.7	1.6
Chloroform	N/A	1	1U	1U
1,2-Dichloroethane	5	2.3	1U	1U
1,1,1-Trichloroethane	200	57	1U	3.5
Trichloroethene	5	**37**	**16**	**7.4**
Tetrachloroethene	5	3.3	1U	2.2
Vinyl Chloride	2	0.86	1U	1U

(d) Field duplicate

All units in micrograms per liter (µg/l) or parts per billion (ppb)

Bold value and outlined cell denotes analytical result > than MCL

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 12/09)

Sample Event			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
MW-16	**MCL**	**CDM NS**	**1Q 06/01/99**	**2Q 10/26/99**	**3Q 01/31/00**	**4Q 04/24/00**	**5Q 07/27/07**	**6Q 11/13/00**	**1SA 04/12/01**	**2SA 10/31/01**	**3SA 04/25/02**	**4SA 10/15/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/20/05**	**10SA 05/08/06**	**11SA 01/04/07**	**12SA 10/08/07**	**13SA 05/17/08**	**14SA 12/18/08**	**15SA 06/20/09**	**16SA 11/28/09**
Methylene Chloride	5		2U	20U	20U	10U	20U	20U	20U	20U	20U	40U	20U	10U	40U	2U	2U	2U	10U	2U	40U	0.70	1U	0.88
trans-1,2-Dichloroethene	100		1.8	2.5	16	16	12	2.8	14	22	6.7	22	20U	10U	20U	5.6	5.6	7.3	5.0	14	20U	35	6.8	6.9
cis-1,2-Dichloroethene	70		140	130	120	130	130	150	150	160	170	240	200	247	254	230	230	290	280	260	320	240	39	56
1,1-Dichloroethene	7		24	23	2.2	2.0	3.8	20	3.1	10U	15	98	25	32	30	28	28	27	24	28	39	2U	2U	7.9
1,1-Dichloroethane	NA		76	73	75	79	75	87	74	88	70	130	76	94	100	91	91	94	94	100	130	100	110	110
Chloroform	NA		3.0	2.3	2.3	2.5	2.7	2.2	2.3	2.5	2.3	20U	20U	10U	20U	1.8	1.8	2.0	5.0	2.0	20U	1.3	1.6	1.6
1,2-Dichloroethane	5		1.2	10U	10U	5U	10U	10U	10U	10U	10U	20U	20U	10U	20U	1U	1U	1U	5U	1.0	20U	1.0	2U	2U
1,1,1-Trichloroethane	200		170	170	170	160	160	140	180	210	150	240	172	221	202	160	160	170	160	140	170	120	170	180
Trichloroethene	5		64	65	68	65	58	55	64	72	62	91	75	93	77	65	65	78	63	61	78	56	42	55
Tetrachloroethene	5		5.4	5.2	5.9	5.7	5.2	5.0	5.8	7.1	6.6	20U	20U	9.1	20U	6.5	6.5	9.1	5.3	8.0	20U	4.6	5.5	6.1
MW-16 Total VOCs		**NS**	**485**	**471**	**459**	**460**	**447**	**462**	**493**	**562**	**483**	**821**	**548**	**695**	**663**	**588**	**588**	**677**	**636**	**614**	**737**	**559**	**375**	**424**

MW-47	**MCL**	**CDM 10/06/93**	**1Q 06/01/99**	**2Q 10/27/99**	**3Q 02/17/00**	**4Q 04/18/00**	**5Q 07/27/00**	**6Q 11/08/00**	**1SA 04/10/01**	**2SA 10/31/01**	**3SA 04/30/02**	**4SA 10/17/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/20/05**	**10SA 06/28/06**	**11SA 01/05/07**	**12SA 10/08/07**	**13SA 05/17/08**	**14SA 11/29/08**	**15SA 06/20/09**	**16SA 11/28/09**
Methylene Chloride	5	2U	2 U	2U	2U	2U	2U	2U	2U	2U	2U	0.60	1U	1U	2U	2U		2U	2U	2U	2U	1U	1U	1U
trans-1,2-Dichloroethene	100	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U		1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	3.0	1.3	4.5	0.18	0.36	0.38	0.25	0.31	1U	0.13	1U	1U	1U	1U	1U		1U	1U	2.0	1.0	0.93	1U	1U
1,1-Dichloroethene	7	2.0	0.49	0.87	0.10	0.18	0.13	0.10	1.0	1U	1U	1U	1U	0.51	1U	1U		1U	1U	0.90	1U	1U	1U	1U
1,1-Dichloroethane	NA	5.0	1.1	1.1	0.32	0.53	0.61	0.55	0.57	0.21	0.13	1U	1U	1U	0.54	1U		1U	1U	2.0	1.0	1.6	1U	1U
Chloroform	NA	1U	1U	1U	1U	1U	1U	0.17	0.28	0.92	1.3	1.0	1U	1U	1U	1U		1U	1U	1U	1U	1U	1U	1U
1,2-Dichloroethane	5	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U		1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	9.0	3.5	6.5	1U	1.0	1.2	0.58	1.1	0.34	0.23	1U	1.7	0.59	0.91	1.4		1U	1U	3.0	4.0	2.9	1U	1U
Trichloroethene	5	5.0	2.8	5.7	0.58	0.66	0.82	0.37	0.56	0.25	0.27	1U	1U	1U	0.58	1U		1U	1U	1.0	1.0	1.2	1U	1U
Tetrachloroethene	5	1.0	0.53	2.2	0.27	0.27	0.64	0.45	0.48	0.38	0.33	1U	1U	0.77	1U	1U		1U	1U	0.60	1U	0.62	1U	1U
MW-47 Total VOCs		**25.0**	**9.7**	**21**	**1.5**	**3.0**	**3.8**	**2.5**	**4.3**	**2.1**	**2.4**	**1.6**	**1.7**	**1.9**	**2.0**	**1.4**	**NS**	**0.0**	**0.0**	**9.5**	**7.0**	**7.2**	**0.00**	**0.00**

MW-101A	**MCL**	**CDM 10/04/93**	**1Q 04/20/99**	**2Q 10/25/99**	**3Q 01/27/00**	**4Q 04/25/00**	**5Q 07/26/00**	**6Q 11/16/00**	**1SA 04/13/01**	**2SA 10/30/01**	**3SA 04/22/02**	**4SA 10/10/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 01/12/06**	**10SA 05/08/06**	**11SA 01/04/07**	**12SA 10/07/07**	**13SA 05/17/08**	**14SA 11/28/08**	**15SA 06/10/09**	**16SA 11/27/09**
Methylene Chloride	5	17U	2U	100U	100U	100U	40U	100U	100U	100U	100U	200U	100U	100U	200U	20U	10U	2U	20U	2U	100	5U	5U	10U
trans-1,2-Dichloroethene	100		9.3	7.0	40	7.8	10.0	8.3	8.6	12	11	100U	100U	100U	100U	13	44	17	21	72	50U	38	30	36
cis-1,2-Dichloroethene	70	190	540	620	690	720	730	830	780	990	1,000	1,200	1,110	1,260	1,230	1,100	990	1,100	840	790	1,000	908	870	990
1,1-Dichloroethene	7	43	63	64	61	65	51	77	81	79	82	440	45	101	98	89	37	76	48	38	100	58	50	70
1,1-Dichloroethane	NA	150	230	240	270	240	210	310	240	300	250	370	162	268	265	260	220	25U	180	220	260	233	230	280
Chloroform	NA	4.0	7.3	5.6	6.2	7.0	6.1	6.3	5.6	6.3	6.8	100U	50U	100U	100U	10U	4.5	4.4	10U	4.0	50U	4.1	4.3	5.2
1,2-Dichloroethane	5	17U	3.4	50U	50U	50U	20U	50U	50U	50U	50U	100U	50U	100U	100U	10U	5U	1U	10U	2.0	50U	2.2	2.0	10U
1,1,1-Trichloroethane	200	650	580	610	740	690	620	740	830	1,000	890	1,200	656	950	1,040	850	800	970	820	590	740	691	550	550
Trichloroethene	5	180	200	220	270	220	140	250	270	300	280	340	160	278	302	250	220	270	190	200	240	214	190	220
Tetrachloroethene	5	17U	16	14	15	50U	4.4	15	14	15	18	64	51	100U	56	80	61	93	56	67	64	56	56	47
MW-101A Total VOCs		**1217**	**1649**	**1781**	**2092**	**1950**	**1772**	**2237**	**2229**	**2702**	**2538**	**3614**	**2184**	**2857**	**2992**	**2642**	**2377**	**2530**	**2155**	**1983**	**2504**	**2,204**	**1,983**	**2,198**

MW-101B	**MCL**	**CDM 10/04/93**	**1Q 04/20/99**	**2Q 10/08/07**	**3Q 01/27/00**	**4Q 04/25/00**	**5Q 07/26/00**	**6Q 11/16/00**	**1SA 04/13/01**	**2SA 10/30/01**	**3SA 04/22/02**	**4SA 10/10/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 01/12/06**	**10SA 05/08/06**	**11SA 01/04/07**	**12SA 10/07/07**	**13SA 05/17/08**	**14SA 11/28/08**	**15SA 06/10/09**	**16SA 11/27/09**
Methylene Chloride	5	25U	20U	2U	100U	100U	40U	50U	100U	50U	3.3	100U	50U	100U	100U	20U	10U	20U	20U	2U	100	5U	5U	5U
trans-1,2-Dichloroethene	100		10U	1U	50 U	5.2	4.0	3.9	50 U	4.0	4.4	50U	50U	100U	50U	10U	6.3	10U	10U	12	50U	7.5	7.1	8.4
cis-1,2-Dichloroethene	70	190	520	2.0	490	510	700	550	570	580	630	850	795	963	1,140	920	890	1,100	950	790	960	760	750	840
1,1-Dichloroethene	7	42	36	2.0	33	37	41	35	42	33	37	290	50U	100U	59	50	42	52	46	47	64	36	31	37
1,1-Dichloroethane	NA	140	150	20	140	150	150	170	140	150	140	230	230	188	226	200	200	230	210	200	240	181	160	170
Chloroform	NA	5.0	3.6	1U	50 U	4.5	4.4	3.3	50 U	3.5	4.4	50U	50U	100U	50U	10U	5U	10U	10U	2.0	50U	2.4	3.1	2.6
1,2-Dichloroethane	5	25U	10U	1U	50U	50U	20U	25U	50U	25U	50U	50U	50U	100U	50U	10U	5U	10U	10U	2.0	50U	1.8	1.8	5U
1,1,1-Trichloroethane	200	560	690	7.0	570	590	750	450	620	440	580	840	840	696	843	610	570	660	620	460	560	438	390	400
Trichloroethene	5	180	140	9.0	150	140	140	120	160	140	140	180	180	148	174	130	120	130	120	110	130	96	81	81
Tetrachloroethene	5	84	45	6.0	42	33	39	18	39	21	48	80	80	100U	62	47	41	50	46	44	52	41	36	37
MW-101B Total VOCs		**1201**	**1585**	**46**	**1425**	**1470**	**1828**	**1350**	**1571**	**1372**	**1587**	**2470**	**2125**	**1995**	**2504**	**1957**	**1869**	**2222**	**1992**	**1667**	**2106**	**1,564**	**1,460**	**1,576**

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 12/09)

Sample Event			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
MW-101C	**MCL**	**CDM 10/06/93**	**1Q 04/20/99**	**2Q 10/25/99**	**3Q 01/27/00**	**4Q 04/25/00**	**5Q 07/26/00**	**6Q 11/13/00**	**1SA 04/12/01**	**2SA 10/30/01**	**3SA 04/22/02**	**4SA 10/10/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/20/05**	**10SA 05/08/06**	**11SA 01/04/07**	**12SA 10/07/07**	**13SA 05/17/08**	**14SA 11/26/08**	**15SA 06/10/09**	**16SA 11/27/09**
Methylene Chloride	5	100U	20U	3.1	40U	100U	40U	50U	50U	50U	50 U	28	10U	50U								5U	5U	5U
trans-1,2-Dichloroethene	100	100	10U	2.5	2.8	3.5	2.7	2.7	3.0	11	4.2	50U	10U	50U								6.8	5.8	5.5
cis-1,2-Dichloroethene	70	210	550	380	370	420	390	420	420	510	570	660	125	775								682	550	620
1,1-Dichloroethene	7	59	34	31	28	28	25	24	27	21	31	200	7.2	42								34	22	28
1,1-Dichloroethane	NA	140	140	110	110	120	110	130	100	120	120	200	25	141								157	120	120
Chloroform	NA	100U	3.5	3.0	20U	3.9	3.6	2.6	2.5	2.9	3.2	50U	10U	50U								2.5	2.6	2.4
1,2-Dichloroethane	5	100U	10U	25U	20U	50U	20U	25U	25U	25U	25U	50U	10U	100U								2.1	5U	5U
1,1,1-Trichloroethane	200	650	740	480	460	450	390	370	450	470	490	650	98	628								5U	270	290
Trichloroethene	5	190	140	130	120	100	82	100	110	110	120	130	24	142								86	56	63
Tetrachloroethene	5	72	45	42	42	31	21	34	37	32	41	150	7.3	45								28	24	25
MW-101C Total VOCs		**1421**	**1653**	**1182**	**1133**	**1156**	**1024**	**1083**	**1150**	**1277**	**1379**	**2018**	**286**	**1773**	**NS**	**NS**	**NS**	**NS**	**NS**	**NS**	**NS**	**998**	**1,050**	**1,154**

MW-101D	**MCL**	**CDM 10/06/93**	**1Q 04/21/99**	**2Q 10/25/99**	**3Q 01/27/00**	**4Q 04/25/00**	**5Q 07/26/00**	**6Q 11/16/00**	**1SA 04/13/01**	**2SA 10/30/01**	**3SA 04/30/02**	**4SA 10/10/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 01/12/06**	**10SA 06/23/06**	**11SA 01/04/07**	**12SA 10/07/07**	**13SA 05/17/08**	**14SA 11/28/08**	**15SA 06/10/09**	**16SA 11/27/09**
Methylene Chloride	5	50U	10U		20U	40U	20U	20U	20U	40U	40 U	40U	50U	10U	50U	2U	4U	20U	10U	10U	10U	2U	2U	2.5U
trans-1,2-Dichloroethene	100	50	5U		1.5	1.9	1.1	1.3	1.9	2.0	2.0	20U	50U	10U	25U	1U	2U	10U	5U	10U	10U	1.9	3.6	4.1
cis-1,2-Dichloroethene	70	130	230		130	250	180	210	250	260	260	280	602	179	323	330	85	410	200	240	380	199	340	290
1,1-Dichloroethene	7	34	24		14	23	14	17	21	22	22	94	36	18	22	28	5.0	24	16	22	35	15	19	18
1,1-Dichloroethane	NA	72	80		42	70	60	76	66	70	66	100	128	42	68	74	53	77	56	55	98	42	68	64
Chloroform	NA	50U	2.6		1.6	2.4	2.5	2.2	2.2	2.3	2.5	20U	50U	10U	25U	2.0	2U	10U	5.0	10U	10U	1.5	1.8	1.5
1,2-Dichloroethane	5	50U	5U		10U	20U	1.2	1.3	10U	20U	20U	20U	50U	10U	25U	1U	2U	10U	5U	10U	10U	0.58	0.86	2.5U
1,1,1-Trichloroethane	200	300	300		180	270	180	180	250	300	240	300	500	168	249	230	190	220	180	180	220	137	180	150
Trichloroethene	5	96	80		54	81	33	46	73	80	67	58	122	52	62	61	20	56	46	50	70	39	47	39
Tetrachloroethene	5	31	23		18	23	2.9	3.8	18	26	20	20U	36	16	21	22	14	20	15	18	26	16	20	16
MW-101D Total VOCs		**713**	**740**	**NS**	**441**	**721**	**475**	**538**	**682**	**762**	**680**	**832**	**1423**	**474**	**745**	**747**	**367**	**807**	**518**	**565**	**829**	**452**	**680**	**583**

MW-102A	**MCL**	**CDM 09/28/93**	**1Q 05/20/99**	**2Q 10/25/99**	**3Q 02/16/00**	**4Q 04/25/00**	**5Q 07/26/00**	**6Q 11/16/00**	**1SA 04/10/01**	**2SA 10/17/01**	**3SA 04/30/02**	**4SA 10/10/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/02/05**	**9SA 11/02/05**	**10SA 06/22/06**	**11SA 11/16/06**	**12SA 10/08/07**	**13SA 05/19/08**	**14SA 11/26/08**	**15SA 06/11/09**	**16SA 11/27/09**
Methylene Chloride	5	23	2U	10U	10U	10U	20U	10U	20U	20U	10U	40U	10U	10U	4U	2U	2U	2U	2U	9.0	20	1U	1U	1U
trans-1,2-Dichloroethene	100	2.0	1.8	1.7	3.0	1.4	2.5	2.7	4.4	4.1	1.9	20U	10U	5.6	1.5	0.84	5.1	1.9	3.3	5.0	10U	4.1	4.1	5.3
cis-1,2-Dichloroethene	70	32	54	61	90	49	95	110	140	110	65	160	136	156	34	16	110	54	120	150	150	137	150	190
1,1-Dichloroethene	7	4.0	1.2	2.5	2.8	1.5	2.7	2.8	4.2	2.3	1.6	20U	10U	10U	2U	1U	1.9	0.98	1.8	4.0	10U	2.8	2.6	3.5
1,1-Dichloroethane	NA	26	43	43	64	43	71	91	91	77	47	130	93	118	39	19	71	39	73	64	68	58	66	96
Chloroform	NA	2U	1U	5U	5U	5U	10U	5U	10U	10U	5U	20U	10U	10U	2U	1U	1U	1U	1U	10U	10U	0.18	0.19	1U
1,2-Dichloroethane	5	2U	0.25	5U	5U	5U	10U	5U	10U	10U	5U	20U	10U	10U	2U	1U	1U	1U	1U	10U	10U	1U	0.26	1U
1,1,1-Trichloroethane	200	34	51	57	97	57	100	88	120	88	62	140	102	114	37	19	57	31	100	95	93	83	82	89
Trichloroethene	5	6.0	6.3	15	14	7.6	16	14	22	16	11	26	22	22	6.9	3.5	11	6.6	15	20	18	18	16	18
Tetrachloroethene	5	2.0	0.60	3.1	5U	5U	10U	5U	10U	10U	5U	20U	10U	10U	2U	1U	1U	1U	1U	10U	10U	1U	1U	1U
MW-102A Total VOCs		**129**	**158**	**183**	**271**	**160**	**287**	**309**	**382**	**297**	**189**	**456**	**353**	**416**	**119**	**58**	**256**	**133**	**313**	**347**	**349**	**302**	**321**	**402**

MW-102B	**MCL**	**CDM 09/28/93**	**1Q 05/20/99**	**2Q 10/25/99**	**3Q 02/16/00**	**4Q 04/25/00**	**5Q 07/26/00**	**6Q 11/16/00**	**1SA 04/10/01**	**2SA 10/17/01**	**3SA 04/30/02**	**4SA 10/10/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/02/05**	**9SA 11/02/05**	**10SA 06/22/06**	**11SA 11/16/06**	**12SA 10/08/07**	**13SA 05/19/08**	**14SA 11/26/08**	**15SA 06/11/09**	**16SA 11/27/09**
Methylene Chloride	5	3.0	2U	2U	2U	2U	2U	2U	2U	2U	2U	0.60	1U	1U	2U	2U	2U	2U	2U	2U	2U	1U	1U	1U
trans-1,2-Dichloroethene	100	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.13	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.28	1U	1U
cis-1,2-Dichloroethene	70	1U	2.1	2.7	0.28	0.48	0.54	0.62	0.71	1.2	1.4	2.0	2.3	2.9	3.2	2.4	3.5	4.3	5.0	4.0	6.0	5.1	5.0	5.6
1,1-Dichloroethene	7	1U	0.32	0.40	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethane	NA	1U	0.99	0.93	0.32	0.36	0.62	0.76	0.71	0.83	1.0	2.0	1.3	1.6	1.7	1.6	1.9	2.3	3.0	3.0	4.0	2.8	3.2	3.5
Chloroform	NA	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,2-Dichloroethane	5	1U	0.63	0.66	0.47	0.49	0.54	1U	0.61	1U	0.58	1U	1U	0.64	0.62	0.48	1U	1U	1U	0.50	1U	0.66	0.65	0.56
1,1,1-Trichloroethane	200	1U	1.4	5.1	1U	0.20	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
Trichloroethene	5	1U	2.1	3.7	1U	0.09	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
Tetrachloroethene	5	1U	1.1	2.0	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
MW-102B Total VOCs		**3.0**	**8.6**	**15**	**1.1**	**1.6**	**1.7**	**1.4**	**2.0**	**2.0**	**3.1**	**4.6**	**3.6**	**5.2**	**5.6**	**4.5**	**5.4**	**6.6**	**8.0**	**7.5**	**10.0**	**8.9**	**8.9**	**9.7**

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 12/09)

Sample Event			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
MW-102C	**MCL**	**CDM 09/28/93**	**1Q 05/20/99**	**2Q 10/25/99**	**3Q 02/16/00**	**4Q 04/25/00**	**5Q 07/26/00**	**6Q 11/16/00**	**1SA 04/10/01**	**2SA 10/17/01**	**3SA 04/30/02**	**4SA 10/10/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/02/05**	**9SA 11/02/05**	**10SA 06/22/06**	**11SA 11/16/06**	**12SA 10/08/07**	**13SA 05/19/08**	**14SA 11/26/08**	**15SA 06/11/09**	**16SA 11/27/09**
Methylene Chloride	5	55	20U	50U	0.38	10U	4U	4U	10U	8U	20U	10U	10U	4U	50U	2U	2U	2U	2U	2U	21	1U	1U	10U
trans-1,2-Dichloroethene	100	12U	10U	25U	0.57	0.96	0.41	0.26	5U	0.39	3.3	5U	10U	4U	25U	1U	1U	1U	0.97J	2.0	10U	0.79	0.74	6.7
cis-1,2-Dichloroethene	70	140	390	460	61	65	39	28	39	53	240	87	112	79	278	22	7.4	49	120	170	210	57	99	760
1,1-Dichloroethene	7	68	59	78	12	5.2	4.5	4.5	2.6	8.9	40	54	19	9.9	38	0.62	1.3	8.4	10	22	26	5.8	6.1	59
1,1-Dichloroethane	NA	160	180	210	32	44	29	19	48	29	110	56	48	43	105	69	3.4	23	69	60	66	19	36	210
Chloroform	NA	12U	2.5	3.0	0.66	0.91	0.64	0.32	0.94	0.60	2.1	5U	10U	4U	25U	0.74	1U	1U	1U	0.40	10U	0.21	0.31	10U
1,2-Dichloroethane	5	12U	4.0	25U	0.91	5U	0.80	2U	5U	4U	2.4	5U	10U	4U	25U	1.2	1U	1U	1.3	1.0	10U	0.33	0.57	10U
1,1,1-Trichloroethane	200	160	170	250	60	60	44	23	90	46	170	69	73	59	136	110	6.4	19	70	35	74	18	23	94
Trichloroethene	5	140	140	170	26	10	8.2	8.3	5.4	17	78	20	35	16	70	1.5	2.9	15	23	34	37	9.5	8.9	74
Tetrachloroethene	5	44	33	46	5.9	0.67	0.99	1.1	0.80	3.5	19	4J	7.9	4U	21	1.1	1U	4.9	4.0	10	12	2.7	0.94	22
MW-102C Total VOCs		**767**	**979**	**1217**	**199**	**187**	**128**	**84**	**187**	**158**	**665**	**286**	**295**	**207**	**649**	**206**	**21**	**119**	**297**	**334**	**446**	**113**	**176**	**1,226**

MW-113A	**MCL**	**CDM 10/08/93**	**1Q 05/03/99**	**2Q 11/10/99**	**3Q 02/15/00**	**4Q 04/24/00**	**5Q 07/27/00**	**6Q 11/16/00**	**1SA 04/12/01**	**2SA 10/31/01**	**3SA 04/29/02**	**4SA 10/18/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/20/05**	**10SA 05/08/06**	**11SA 01/04/07**	**12SA 10/08/07**	**13SA 05/17/08**	**14SA 11/29/08**	**15SA 06/11/09**	**16SA 11/28/09**
Methylene Chloride	5	14U	2U	1.9	20U	20U	20U	20U	20U	20U	20U	40U	25U	20U	50U	10U	2U	20U	20U	2U	20U	5U	5U	2.5U
trans-1,2-Dichloroethene	100	7U	1.2	2.4	5.7 J	13	7.5	12	15	22	23	20U	25U	20U	25U	5.7	17	9.1	10U	15	20U	41	15	44
cis-1,2-Dichloroethene	70	110	52	160	160	160	110	200	210	240	200	430	325	318	360	410	330	470	430	480	470	369	370	290
1,1-Dichloroethene	7	33	10	27	16	5.1	4.0	9.4	210	3.0	1.5	240	34	31	32	45	22	32	27	46	54	7.3	21	1.7
1,1-Dichloroethane	NA	92	34	100	91	92	86	130	10	110	100	190	121	109	123	140	110	110	110	150	160	135	110	110
Chloroform	NA	7U	0.90	2.3	2.1 J	2.1	2.3	2.3	2.4	2.8	2.5	20U	25U	20U	25U	5U	2.6	2.3	10U	2.0	20U	2.2	2.6	1.5
1,2-Dichloroethane	5	7U	0.40	10U	10U	10U	10U	10U	10U	10U	10U	20U	25U	20U	25U	5U	1U	1U	10U	1.0	20U	1.5	5U	2.5U
1,1,1-Trichloroethane	200	140	59	160	160	160	130	170	200	200	200	370	245	232	239	260	210	270	210	260	280	210	180	170
Trichloroethene	5	56	24	69	71	61	22	62	81	75	70	140	101	93	89	100	82	93	10	110	130	99	85	84
Tetrachloroethene	5	7U	1.9	3.2	2.9 J	2.4	10U	2.1	3.7	3.3	4.5	20U	25U	20U	25U	8.1	8.0	10	10	10	20U	11	10	12
MW-113A Total VOCs		**431**	**183**	**526**	**498**	**496**	**362**	**588**	**732**	**656**	**602**	**1370**	**826**	**783**	**844**	**969**	**782**	**996**	**797**	**1074**	**1094**	**875**	**794**	**713**

MW-113B	**MCL**	**CDM 10/19/93**	**1Q 04/29/99**	**2Q 10/27/99**	**3Q 02/15/00**	**4Q 04/24/00**	**5Q 07/27/00**	**6Q 11/16/00**	**1SA 04/12/01**	**2SA 10/31/01**	**3SA 04/29/02**	**4SA 10/18/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/20/05**	**10SA 05/08/06**	**11SA 01/04/07**	**12SA 10/08/07**	**13SA 05/17/08**	**14SA 11/29/08**	**15SA 06/11/09**	**16SA 11/28/09**
Methylene Chloride	5	3U	2U	10U	10U	10U	10U	10U	10U	10U	10U	5.0	10U	10U	20U	2U	2U	2U	2U	2U	19	1U	1U	1U
trans-1,2-Dichloroethene	100	2U	0.65	5U	0.83	0.98	0.91	1.3	1.0	1.1	0.97	10U	10U	10U	10U	1.8	1.9	1.9	1.7	2.0	10U	2.2	2.2	2.5
cis-1,2-Dichloroethene	70	12	38	39	62	56	49	62	53	67	60	120	115	129	143	140	170	140	120	120	140	169	180	190
1,1-Dichloroethene	7	4.0	12	8.4	11	11	9.4	11	8.9	12	9.8	88	17	19	20	19	22	21	20	17	19	20	19	22
1,1-Dichloroethane	NA	14	33	33	48	43	38	55	40	50	39	84	59	65	70	64	78	64	61	56	66	71	71	77
Chloroform	NA	2U	0.54	0.45	0.65	0.61	0.71	0.63	0.56	0.64	0.60	10U	10U	10U	10U	1U	1U	1U	1U	0.50	10U	0.71	0.73	0.69
1,2-Dichloroethane	5	2U	0.56	5U	5U	5U	0.60	5U	5U	5U	5U	10U	10U	10U	10U	1U	1U	1U	1U	0.60	10U	0.92	0.87	0.76
1,1,1-Trichloroethane	200	6.0	17	13	27	21	17	22	17	24	19	39	46	43	45	39	45	33	30	21	25	29	29	31
Trichloroethene	5	6.0	19	20	30	26	20	27	20	29	23	42	42	46	43	39	47	37	38	30	34	42	42	41
Tetrachloroethene	5	2U	1.8	1.3	1.4	1.2	0.89	1.4	5U	5U	1.3	10U	10U	10U	10U	2.9	3.8	3.6	3.0	3.0	10U	3.5	3.6	3.9
MW-113B Total VOCs		**42**	**123**	**115**	**181**	**160**	**137**	**180**	**140**	**184**	**154**	**378**	**279**	**302**	**320**	**306**	**368**	**301**	**274**	**250**	**303**	**338**	**348**	**369**

MW-114A	**MCL**	**CDM 10/05/93**	**1Q 04/28/99**	**2Q 10/26/99**	**3Q 01/31/00**	**4Q 04/24/00**	**5Q 07/27/00**	**6Q 11/13/00**	**1SA 04/12/01**	**2SA 10/31/01**	**3SA 04/25/02**	**4SA 10/15/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/20/05**	**10SA 05/06/06**	**11SA 01/04/07**	**12SA 10/08/07**	**13SA 05/17/08**	**14SA 11/29/08**	**15SA 06/11/09**	**16SA 11/28/09**
Methylene Chloride	5	2U	10U	50U	1.5	20U	20U	20U	10U	10U	10U	20U	10U	4U	10U	2U	2U	2U	2U	2U	3.0	1U	1U	1U
trans-1,2-Dichloroethene	100	1U	5U	25U	10U	10U	10U	10U	5U	5U	5U	10U	10U	4U	5U	1U	1U	1U	1U	1U	2U	1U	1U	1U
cis-1,2-Dichloroethene	70	5.0	14	11	6.6	5.6	5.4	4.7	3.9	3.6	4.1	7.0	10U	3.6	4.3	3.3	2.9	3.7	3.3	2.0	3.0	1U	1U	1.3
1,1-Dichloroethene	7	4.0	46	48	34	26	24	20	18	15	16	140	13	10	12	5.7	7.2	9.4	11	7.0	5.0	1U	1U	3.9
1,1-Dichloroethane	NA	2.0	6.7	7.1	5 J	4.2	3.9	4.2	2.7	2.5	3.1	10U	10U	2.9	3.7	2.5	2.6	3.4	3.5	2.0	2.0	0.28	0.28	1.9
Chloroform	NA	1U	5U	25U	10U	10U	10U	10U	5U	5U	5U	10U	10U	4U	5U	1U	1U	1U	1U	1U	2U	1U	0.16	0.46
1,2-Dichloroethane	5	1U	5U	25U	10U	10U	10U	10U	5U	5U	5U	10U	10U	4U	5U	1U	1U	1U	1U	1U	2U	1U	1U	1U
1,1,1-Trichloroethane	200	6.0	250	290	220	160	140	120	120	100	100	170	80	70	80	28	39	44	51	34	28	1.1	0.90	36
Trichloroethene	5	2.0	34	47	33	24	22	19	20	18	22	38	21	16	21	7.9	9.8	12	9.6	5.0	4.0	1U	1U	2.7
Tetrachloroethene	5	1U	1.9J	25U	10U	10U	10U	10U	5U	5U	5U	10U	10U	4U	5U	1U	1U	1U	1U	2U	2U	1U	1U	1U
MW-114A Total VOCs		**19**	**351**	**403**	**294**	**220**	**195**	**168**	**165**	**139**	**145**	**355**	**114**	**103**	**121**	**47**	**62**	**73**	**78**	**50**	**42**	**1.4**	**1.3**	**46**

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 12/09)

Sample Event			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
MW-114B	**MCL**	**CDM 10/04/93**	**1Q 04/28/99**	**2Q 10/26/99**	**3Q 01/31/00**	**4Q 04/24/00**	**5Q 07/27/00**	**6Q 11/13/00**	**1SA 04/12/01**	**2SA 10/31/01**	**3SA 04/25/02**	**4SA 10/15/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/20/05**	**10SA 05/06/06**	**11SA 01/04/07**	**12SA 10/08/07**	**13SA 05/17/08**	**14SA 12/18/08**	**15SA 06/20/09**	**16SA 11/28/09**
Methylene Chloride	5	3U	2U	2U	2U	2U	2U	2U	2U	2U	2U	0.60	1U	1U	2U	2U	2U	2U	2U	2U	2U	1U	1U	1U
trans-1,2-Dichloroethene	100	2U	1U	1U	1U	1U	1U	1U	1U	1U	0.04	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	12	3.3	3.3	2.3	1.7	3.0	2.4	2.9	2.2	3.0	3.0	2.8	3.0	2.9	2.3	2.3	2.1	1.8	2.0	2.0	2.0	2.2	1U
1,1-Dichloroethene	7	4.0	0.60	0.46	0.18	0.11	0.26	0.13	0.26	0.13	0.29	1.0	1U	1.1	1U	1U	1U	1U	1U	0.50	1U	0.67	0.67	1.0
1,1-Dichloroethane	NA	14	0.89	1.0	0.81	0.68	1.0	1.2	0.98	0.96	1.1	2.0	1.2	1.3	1.2	1.5	1.6	1U	1.4	2.0	2.0	1.6	1.8	2.2
Chloroform	NA	2U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,2-Dichloroethane	5	2U	1U	1U	1U	1U	1U	1U	1U	1U	1U	3.0	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	6.0	4.0	1.2	1U	0.05	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
Trichloroethene	5	6.0	6.2	8.2	5.7	1.8	7.9	3.5	8.2	4.8	7.2	9.0	8.8	8.9	8.8	7.6	8.8	8.7	6.7	6.0	9.0	6.8	6.5	6.7
Tetrachloroethene	5	2U	1.0	0.66	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
MW-114B Total VOCs		**42**	**16**	**15**	**9.0**	**4.3**	**12**	**7.2**	**12**	**8.1**	**12**	**19**	**13**	**14**	**13**	**11**	**13**	**11**	**9.9**	**10.5**	**13.0**	**11.1**	**11.2**	**9.9**

MW-117B	**MCL**	**CDM 10/04/93**	**1Q 04/22/99**	**2Q 10/18/99**	**3Q 01/26/00**	**4Q 04/17/00**	**5Q 07/24/00**	**6Q 11/07/00**	**1SA 04/09/01**	**2SA 10/15/01**	**3SA 04/16/02**	**4SA 10/07/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 06/28/06**	**11SA 11/21/06**	**12SA 10/06/07**	**13SA 05/17/08**	**14SA 11/28/08**	**15SA 06/09/09**	**16SA 11/28/09**
Methylene Chloride	5	2U	2U	10U	10U	4U	4U	4U	4U	4U	2U	10U	1U	1U	2U	2U	2U	2U	2U	2U	2U	1U	1U	1U
trans-1,2-Dichloroethene	100	1U	1U	5U	5U	2U	2U	2U	0.25	2U	0.20	5U	0.61	0.53	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	1.0	16	17	18	19	15	18	13	16	15	20	20	19	12	13	14	70	11	8.0	11	8.1	7.9	5.1
1,1-Dichloroethene	7	1U	14	14	9.5	11	9.6	11	7.3	7.5	7.3	54	10	9.4	4.8	5.7	5.6	23	4.0	8.0	11	8.7	12	9.0
1,1-Dichloroethane	NA	1U	7.3	7.7	8.0	8.1	6.6	10.0	5.8	7.1	5.9	8.0	7.5	6.0	3.8	4.5	4.7	21	3.6	6.0	8.0	7.9	11	8.5
Chloroform	NA	0.6	0.72	0.58	0.36	0.39	0.49	0.42	0.37	0.35	0.30	5U	1U	0.99	0.73	1U	1U	1U	1U	0.40	1U	0.38	0.49	0.42
1,2-Dichloroethane	5	1U	0.54	5U	5U	0.42	2U	2U	2U	2U	0.22	5U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	2.0	83	68	59	49	42	37	28	23	22	25	23	22	14	11	12	56	12	16	22	24	31	24
Trichloroethene	5	5.0	21	17	22	19	17	19	17	16	16	16	18	17	12	9.4	9.3	23	11	12	16	16	17	15
Tetrachloroethene	5	4.0	3.1	1.3	1.9	1.6	1.7	1.7	1.8	1.3	1.7	3.0	2.3	2.3	2.0	1.6	1.8	24	2.1	2.0	3.0	4.9	4.5	5.3
MW-117B Total VOCs		**13**	**146**	**126**	**119**	**109**	**92**	**97**	**74**	**71**	**69**	**126**	**82**	**77**	**48**	**45**	**47**	**217**	**44**	**52**	**71**	**70**	**84**	**67**

MW-117C	**MCL**	**CDM 10/04/93**	**1Q 04/22/99**	**2Q 10/18/99**	**3Q 02/16/00**	**4Q 04/18/00**	**5Q 07/24/00**	**6Q 11/07/00**	**1SA 04/09/01**	**2SA 10/15/01**	**3SA 04/16/02**	**4SA 10/07/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 05/06/06**	**11SA 11/21/06**	**12SA 10/06/07**	**13SA 05/17/08**	**14SA 11/28/08**	**15SA 06/09/09**	**16SA 11/24/09**
Methylene Chloride	5	5U	4U	10U	0.80	10U	10U	10U	10U	10U	0.30	32	10U	10U	20U	2U	2U	2U	2U	2U	10	1U	1U	1U
trans-1,2-Dichloroethene	100	2U	2U	5U	0.50	0.60	1.1	5U	0.82	0.44	0.74	20U	10U	10U	10U	1U	1U	1U	1U	0.90	5U	0.31	0.33	1U
cis-1,2-Dichloroethene	70	23	69	82	94	94	99	100	120	110	120	150	123	107	97	91	84	91	140	88	99	86	70	57
1,1-Dichloroethene	7	13	44	53	53	49	48	50	59	45	469	330	58	43	37	34	29	26	46	30	33	26	25	24
1,1-Dichloroethane	NA	17	54	60	61	54	55	69	57	48	41	59	40	33	31	28	25	25	41	24	28	24	24	23
Chloroform	NA	2U	0.77	5U	0.82	0.79	1.0	0.79	0.84	0.81	0.75	20U	10U	10U	10U	1U	1U	1U	1U	0.50	5U	0.55	0.51	0.48
1,2-Dichloroethane	5	2U	2.3	5U	5U	2.2	2.4	2.4	2.3	5U	1.6	20U	10U	10U	10U	1U	1U	1U	1U	0.30	5U	0.26	0.23	1U
1,1,1-Trichloroethane	200	50	75	94	93	91	89	78	99	74	82	110	93	78	66	59	54	50	100	60	72	57	58	51
Trichloroethene	5	75	36	40	41	39	38	34	42	32	34	42	44	35	30	27	26	26	44	26	30	23	23	21
Tetrachloroethene	5	2U	6.0	7.5	9.7	10	8.7	8.8	12	11	16	22	23	20	20	22	20	21	36	24	30	27	26	26
MW-117C Total VOCs		**178**	**287**	**337**	**354**	**341**	**342**	**343**	**393**	**321**	**765**	**745**	**382**	**316**	**282**	**261**	**238**	**239**	**407**	**254**	**302**	**243**	**227**	**202**

MW-117D	**MCL**	**CDM NS**	**1Q 04/22/99**	**2Q 10/18/99**	**3Q 02/17/00**	**4Q 04/18/00**	**5Q 07/24/00**	**6Q 11/07/00**	**1SA 04/09/01**	**2SA 10/16/01**	**3SA 04/16/02**	**4SA 10/07/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 05/06/06**	**11SA 11/21/06**	**12SA 10/06/07**	**13SA 05/17/08**	**14SA 11/28/08**	**15SA 06/09/09**	**16SA 11/24/09**
Methylene Chloride	5		4U	20U	10U	10U	10U	10U	10U	10U	10U	18	5U	5U	10U	2U	2U	2U	2U	2U	12	1U	1U	1U
trans-1,2-Dichloroethene	100		2U	10U	5U	5U	5U	5U	0.39	5U	5U	10U	5U	5U	5U	1U	1U	1U	2.1	1.0	5U	0.27	1U	1U
cis-1,2-Dichloroethene	70		110	110	100	90	81	87	88	75	72	100	83	110	105	84	73	67	76	71	31	24	13	11
1,1-Dichloroethene	7		50	44	41	35	36	33	37	25	24	180	37	33	38	24	21	17	22	22	24	20	18	19
1,1-Dichloroethane	NA		46	39	34	29	27	37	29	23	21	36	28	29	29	20	24	23	27	22	24	23	25	29
Chloroform	NA		0.74	10U	0.80	0.63	0.85	0.60	0.65	0.53	0.61	10U	5U	5U	5U	1U	1U	1U	1U	0.40	5U	0.46	0.49	0.49
1,2-Dichloroethane	5		2.0	1.5	1.4	1.1	1.2	1.0	5U	5U	5U	10U	5U	5U	5U	1U	1U	1U	1U	0.30	5U	1U	1U	1U
1,1,1-Trichloroethane	200		110	97	91	82	80	71	80	57	58	87	65	85	76	60	58	52	89	62	62	58	55	49
Trichloroethene	5		38	35	35	32	35	30	31	23	23	29	26	31	33	24	22	20	32	29	23	19	20	18
Tetrachloroethene	5		17	17	19	17	16	16	13	17	18	24	4.6	30	17	21	24	22	31	15	30	29	30	28
MW-117D Total VOCs		**NS**	**374**	**344**	**322**	**287**	**277**	**276**	**279**	**221**	**217**	**474**	**243**	**318**	**297**	**233**	**222**	**201**	**279**	**223**	**206**	**173**	**161**	**154**

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 12/09)

Sample Event			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
MW-119	**MCL**	**CDM 10/11/93**	**1Q 05/03/99**	**2Q 10/27/99**	**3Q 01/26/00**	**4Q 04/17/00**	**5Q 07/25/00**	**6Q 11/08/00**	**1SA 04/10/01**	**2SA 10/16/01**	**3SA 04/30/02**	**4SA 10/17/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/20/05**	**10SA 05/06/06**	**11SA 01/04/07**	**12SA 10/08/07**	**13SA 05/18/08**	**14SA 11/29/08**	**15SA 06/10/09**	**16SA 11/29/09**
Methylene Chloride	5	25U	2U	2U	2U	2U	2U	2U	2U	2U	2U	2U	1U	1U	2U	2U	2U	2U	2U	2U	2U	1U	1U	1U
trans-1,2-Dichloroethene	100	12U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	12U	0.36	1.4	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.59	1U	1U	1U	1U	1U	0.40	1U	0.54	0.66	0.61
1,1-Dichloroethene	7	12U	1U	0.28	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.54	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethane	NA	12U	1U	0.39	0.21	0.23	0.26	0.27	0.26	0.29	0.31	1U	1U	0.67	0.51	1U	1U	1.2	1U	1.0	1U	0.98	1.0	1.4
Chloroform	NA	12U	1U	0.26	0.19	0.16	0.12	1U	1U	0.10	0.10	1U	1U	7.2	1.7	1U	1U	1U	1U	1U	1U	1U	0.64	0.45
1,2-Dichloroethane	5	12U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	12U	1.8	2.6	0.75	0.79	0.88	0.72	0.85	0.71	0.95	1U	1U	0.72	0.62	1.3	1.3	1.1	1U	1.0	1.0	1.3	1.2	1.2
Trichloroethene	5	12U	1.0	2.0	0.20	0.20	0.21	0.18	0.19	0.16	0.17	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.27	0.29	1U
Tetrachloroethene	5	12U	0.63	1.4	0.18	0.19	0.22	0.18	0.17	0.15	0.18	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
MW-119 Total VOCs		**0**	**3.8**	**8.3**	**1.5**	**1.6**	**1.7**	**1.4**	**1.5**	**1.4**	**1.7**	**0**	**0**	**9.7**	**2.8**	**1.3**	**1.3**	**2.3**	**0**	**2.4**	**1.0**	**3.1**	**3.8**	**3.7**

MW-121	**MCL**	**CDM 10/15/93**	**1Q 04/28/99**	**2Q 10/26/99**	**3Q 01/31/00**	**4Q 04/18/00**	**5Q 07/25/00**	**6Q 11/08/00**	**1SA 04/10/01**	**2SA 10/16/01**	**3SA 04/17/02**	**4SA 10/17/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/20/05**	**10SA 05/06/06**	**11SA 01/03/07**	**12SA 10/07/07**	**13SA 05/18/08**	**14SA 11/29/08**	**15SA 06/11/09**	**16SA 11/25/09**
Methylene Chloride	5	5U	10U	2U	0.41	2U	2U	2U	2U	2U	2U	2U	1U	1U	2U	2U	2U	2U	2U	2U	2U	1U	1U	1U
trans-1,2-Dichloroethene	100	2U	5U	0.15	0.20	0.22	0.39	0.22	0.68	0.42	0.58	5U	1U	1U	1U	1U	1U	1U	1U	0.40	1U	0.55	0.76	1U
cis-1,2-Dichloroethene	70	27	7.2	8.4	6.3	5.6	6.8	7.0	6.7	6.5	6.1	7.0	5.7	4.6	4.8	5.2	5.9	5.3	3.0	6.0	7.0	3.4	4.8	4.3
1,1-Dichloroethene	7	2U	6.0	8.0	5.5	3.0	4.4	8.0	2.0	3.6	3.0	42	7.3	5.1	4.6	3.9	3.9	3.3	1.7	2.0	2.0	1U	1U	1.8
1,1-Dichloroethane	NA	2U	3.4	3.8	2.9	2.8	3.5	4.6	3.7	3.8	3.8	5.0	4.3	4.8	4.4	2.2	2.9	2.5	1.4	2.0	2.0	1.4	1.9	2.1
Chloroform	NA	2U	5U	0.67	0.65	0.55	0.68	0.77	0.78	0.82	0.75	5U	0.65	1U	0.52	1U	1U	1U	1U	0.70	1U	0.56	0.65	0.63
1,2-Dichloroethane	5	2U	5U	0.78	2 U	0.72	0.82	0.89	0.82	0.81	0.07	5U	0.55	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	7.0	3.8	5.5	3.4	2.8	4.3	5.1	5.5	5.9	6.9	9.0	7.2	5.8	5.8	5.1	5.7	4.8	3.9	5.0	6.0	2.7	4.0	3.1
Trichloroethene	5	82	26	29	23	11	20	22	22	19	20	24	23	20	19	18	20	22	20	22	25	14	23	20
Tetrachloroethene	5	4.0	2.7	3.4	2.5	0.64	1.8	2.6	2.3	2.4	2.6	3.0	2.9	2.7	2.4	1.9	2.1	2.3	1.9	2.0	2.0	1.8	2.3	2.0
MW-121 Total VOCs		**120**	**49**	**52**	**45**	**27**	**43**	**51**	**44**	**43**	**44**	**90**	**51**	**43**	**41**	**36**	**41**	**40**	**32**	**40**	**44**	**25**	**37**	**34**

MW-124	**MCL**	**CDM 10/18/93**	**1Q 04/28/99**	**2Q 10/27/99**	**3Q 01/31/00**	**4Q 04/24/00**	**5Q 07/25/00**	**6Q 11/13/00**	**1SA 04/12/01**	**2SA 10/29/01**	**3SA 04/17/02**	**4SA 10/17/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/20/05**	**10SA 05/06/06**	**11SA 01/04/07**	**12SA 10/07/07**	**13SA 05/18/08**	**14SA 11/29/08**	**15SA 06/10/09**	**16SA 11/29/09**
Methylene Chloride	5	120U	20U	8.2	50U	50U	40U	40U	40U	20U	40 U	40U	10U	10U	80U	10U	2U	2U	20U	2U	80U	5U	5U	5U
trans-1,2-Dichloroethene	100		10U	50U	25U	3.9	20U	20U	2.1	1.4	12	20U	10U	10U	40U	5U	1.5	1.5	10U	4.0	40U	1.4	5U	5U
cis-1,2-Dichloroethene	70	210	1,200	560	540	440	330	300	240	190	370	360	213	176	389	420	260	370	250	300	320	144	150	170
1,1-Dichloroethene	7	410	97	41	36	24	20	20	35	19	35	230	26	20	44	37	25	29	15	28	42	16	18	22
1,1-Dichloroethane	NA	150	75	50	95	92	89	110	47	98	64	92	71	83	197	340	250	320	370	620	870	415	500	510
Chloroform	NA	120U	10U	50U	25U	0.72	20U	20U	20U	10U	20U	20U	10U	10U	40U	5U	1U	1U	10U	1U	40U	5U	5U	5U
1,2-Dichloroethane	5	120U	10U	50U	25U	25U	20U	20U	20U	10U	20U	20U	10U	10U	40U	5U	1U	1.2	10U	0.70	40U	5U	5U	5U
1,1,1-Trichloroethane	200	1400	540	280	190	100	79	75	230	110	210	290	119	95	185	120	76	120	110	100	190	90	100	98
Trichloroethene	5	140	36	28	20	14	10	12	24	16	26	33	19	16	27	18	15	18	10	12	40U	10	10	9.4
Tetrachloroethene	5	50	47	28	12	3.8	20U	2.7	30	6.2	30	35	14	11	35	8.4	6.6	15	10U	8.0	40U	12	14	16
MW-124 Total VOCs		**2,360**	**1,995**	**995**	**893**	**678**	**528**	**520**	**608**	**441**	**747**	**1,040**	**462**	**400**	**876**	**943**	**634**	**875**	**755**	**1,073**	**1,422**	**689**	**792**	**825**

MW-130	**MCL**	**CDM 10/19/93**	**1Q 04/28/99**	**2Q 10/28/99**	**3Q 02/16/00**	**4Q 04/24/00**	**5Q 07/27/00**	**6Q 11/14/00**	**1SA 04/12/01**	**2SA 10/30/01**	**3SA 04/30/02**	**4SA 10/17/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/20/05**	**10SA 05/08/06**	**11SA 01/04/07**	**12SA 10/07/07**	**13SA 05/17/08**	**14SA 11/29/08**	**15SA 06/11/09**	**16SA 11/29/09**
Methylene Chloride	5	8.0	2U	3.4	50U	100U	40U	50U	40U	100U	50U	43	20U	20U	20U	2U	2U	2U	2U	2U	20U	2U	2U	2U
trans-1,2-Dichloroethene	100		1U	25U	25U	50U	20U	25U	20U	50U	25U	50U	20U	20U	10U	1U	1U	1U	1U	0.60	10U	0.40	2U	2U
cis-1,2-Dichloroethene	70	25	24	7.8	7.5	7.7	7.7	7.2	5.7	50U	5.7	50U	20U	20U	11	11	14	14	18	21	25	21	20	12
1,1-Dichloroethene	7	10	11	4.9	3.6	3.1	3.3	4.3	20U	50U	1.6	54	20U	20U	10U	4.0	4.2	4.1	4.6	5.0	10U	4.2	4.3	5.5
1,1-Dichloroethane	NA	26	19	10	11	12	13	12	10	14	11	50U	11	10	11	14	16	16	20	17	22	22	26	31
Chloroform	NA	67U	0.19	25U	25U	50U	20U	25U	20U	50U	25U	50U	20U	20U	10U	1U	1U	1U	1U	1U	10U	2U	2U	2U
1,2-Dichloroethane	5	67U	1U	25U	25U	50U	20U	25U	20U	50	25U	50U	20U	20U	10U	1U	1U	1U	1U	1U	10U	2U	2U	2U
1,1,1-Trichloroethane	200	1000	670	370	460	510	670	390	440	660	360	840	341	263	157	210	210	140	160	170	200	198	300	320
Trichloroethene	5	28	17	8.2	8.5	8.3	8.5	7.0	6.2	50U	5.4	50U	20U	20U	10U	3.5	3.6	3.6	4.3	4.0	10U	4.3	4.3	3.3
Tetrachloroethene	5	67U	5.3	25U	25U	50U	20U	25U	20U	50U	0.97	50U	20U	20U	10U	1U	1U	1U	1U	0.60	10U	0.56	0.90	2U
MW-130 Total VOCs		**1,097**	**746**	**404**	**491**	**541**	**703**	**421**	**462**	**724**	**385**	**937**	**352**	**273**	**179**	**243**	**248**	**178**	**207**	**218**	**247**	**250**	**355**	**372**

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 12/09)

Sample Event			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
MW-133A	**MCL**	**CDM 10/20/93**	**1Q 04/26/99**	**2Q 10/26/99**	**3Q 02/15/00**	**4Q 04/25/00**	**5Q 07/27/00**	**6Q 11/16/00**	**1SA 04/10/01**	**2SA 10/31/01**	**3SA 04/29/02**	**4SA 10/16/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/02/05**	**9SA 11/02/05**	**10SA 06/22/06**	**11SA 11/16/06**	**12SA 10/07/07**	**13SA 05/17/08**	**14SA 11/26/08**	**15SA 06/20/09**	**16SA 11/28/09**
Methylene Chloride	5	2U	2U	2U	2U	2U	2U	2U	2U	2U	2U	0.60	1U	1U	2U	2U	2U	2U	2U	1U	2U	1U	1U	1U
trans-1,2-Dichloroethene	100	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	1U	0.27	1.8	0.16	1U	1U	0.49	1U	1.2	0.04	4.0	12	6.3	1U	1U	1U	1U	1U	1U	1U	0.26	1U	1U
1,1-Dichloroethene	7	1U	1U	0.66	1U	1U	1U	1U	1U	0.10	1U	1U	1.0	0.53	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethane	NA	1U	1U	0.52	0.08	1U	1U	1U	1U	0.41	1U	1.0	3.0	1.9	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
Chloroform	NA	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,2-Dichloroethane	5	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	0.8	0.95	4.6	0.38	0.35	1U	0.81	1U	1.0	0.06	3.0	5.2	2.5	1U	1U	1U	1U	1U	1U	1U	0.32	1U	1U
Trichloroethene	5	1U	1.1	4.8	1U	1U	1U	0.11	1U	0.19	1U	1U	0.98	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
Tetrachloroethene	5	1U	0.37	1.0	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
MW-133A Total VOCs		**0.8**	**2.7**	**12**	**0.6**	**0.4**	**0**	**1.4**	**0**	**2.9**	**0.1**	**8.6**	**22**	**11**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0.58**	**0.00**	**0.00**

MW-133B	**MCL**	**CDM 10/20/93**	**1Q 04/26/99**	**2Q 10/26/99**	**3Q 02/15/00**	**4Q 04/25/00**	**5Q 07/27/00**	**6Q 11/16/00**	**1SA 04/10/01**	**2SA 10/31/01**	**3SA 04/29/02**	**4SA 10/16/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/02/05**	**9SA 11/02/05**	**10SA 06/22/06**	**11SA 11/16/06**	**12SA 10/07/07**	**13SA 05/17/08**	**14SA 11/26/08**	**15SA 06/20/09**	**16SA 11/28/09**
Methylene Chloride	5	100U	4U	6.8	100U	100U	40U	50U	100U	100U	50 U	31	40U	50U	20U	10U	10U	20U	50U	2U	80U	10U	10U	20U
trans-1,2-Dichloroethene	100		7.0	7.1	50U	50U	10	9.5	43	49	54	50U	41	50U	10U	17	28	11	78	38	40U	193	140	84
cis-1,2-Dichloroethene	70	810	780	810	840	600	670	530	660	510	460	820	571	623	803	630	930	720	740	930	900	1,860	1,400	2,000
1,1-Dichloroethene	7	130	110	67	100	78	88	88	46	7.0	25U	650	40	82	106	70	98	54	10U	84	60	12	19	100
1,1-Dichloroethane	NA	270	200	170	180	170	160	200	200	180	150	250	158	151	161	120	180	110	160	160	130	308	230	280
Chloroform	NA	100U	10	7.9	9.3	12	12	11	13	12	9.1	50U	40U	50U	10U	5.6	8.2	10U	10U	6.0	40U	8.0	7.3	7.8
1,2-Dichloroethane	5	100U	4.6	50U	50U	50U	4.1	25U	50U	50U	3.7	50U	40U	50U	10U	5U	5U	10U	10U	3.0	40U	5.4	4.3	20U
1,1,1-Trichloroethane	200	1200	840	630	730	620	760	570	830	700	570	800	617	577	622	460	620	430	10U	600	440	955	710	820
Trichloroethene	5	380	270	190	250	190	220	230	300	250	170	290	237	240	216	160	220	120	170	200	110	208	170	190
Tetrachloroethene	5	160	110	77	120	76	94	94	140	110	99	140	112	109	111	81	110	68	85	110	59	126	110	110
MW-133B Total VOCs		**2,950**	**2,332**	**1,966**	**2,229**	**1,746**	**2,018**	**1,733**	**2,232**	**1,818**	**1,516**	**2,981**	**1,777**	**1,782**	**2,019**	**1,544**	**2,194**	**1,513**	**1,233**	**2,131**	**1,699**	**3,675**	**2,791**	**3,592**

MW-133C	**MCL**	**CDM 10/20/93**	**1Q 04/26/99**	**2Q 10/26/99**	**3Q 02/15/00**	**4Q 04/25/00**	**5Q 07/27/00**	**6Q 11/16/00**	**1SA 04/10/01**	**2SA 10/31/01**	**3SA 04/29/02**	**4SA 10/16/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/02/05**	**9SA 11/02/05**	**10SA 06/22/06**	**11SA 11/16/06**	**12SA 10/07/07**	**13SA 05/17/08**	**14SA 11/26/08**	**15SA 06/20/09**	**16SA 11/28/09**
Methylene Chloride	5	20U	10U	20U	10U	20U	10U	10U	20U	10U	0.49	6.0	10U	10U	20U	2U	10U	2U	2U	2U	16U	1U	1U	1U
trans-1,2-Dichloroethene	100		5U	1.1	0.42	0.34	5U	5U	10U	5U	0.73	10U	10U	10U	10U	0.59	5U	1.3	3.5	2.0	8U	6.9	9.7	1.2
cis-1,2-Dichloroethene	70	120	100	91	32	28	30	31	36	31	45	51	39	50	47	53	70	71	86	88	120	97	110	110
1,1-Dichloroethene	7	75	47	40	23	21	18	22	28	14	26	150	27	33	29	31	43	42	23	51	62	25	36	53
1,1-Dichloroethane	NA	76	57	49	31	28	28	35	36	31	33	49	32	143	35	37	46	44	61	50	60	54	59	58
Chloroform	NA	20U	8.5	7.2	5.4	4.7	4.9	5.2	6.2	5.1	5.4	6.0	5.0	5.6	5.4	5.7	6.5	7.3	7.7	7.0	8U	7.8	7.4	7.1
1,2-Dichloroethane	5	20U	2.8	10U	2.3	10U	2.2	2.2	10U	5U	1.8	10U	10U	10U	10U	1.8	5U	1U	1.9	2.0	8U	1.9	2.0	1.8
1,1,1-Trichloroethane	200	340	200	170	110	100	91	95	130	100	120	140	113	136	124	130	150	150	220	170	180	182	190	170
Trichloroethene	5	170	110	93	55	48	34	47	62	31	58	66	61	74	64	63	75	78	110	88	100	95	100	94
Tetrachloroethene	5	44	28	22	2.5	1.2	0.82	1.2	1.6	5U	4.5	10U	10U	10U	10U	2.6	5U	4.3	5.1	5.0	8U	6.1	6.0	6.2
MW-133C Total VOCs		**825**	**553**	**473**	**262**	**231**	**209**	**239**	**300**	**212**	**295**	**468**	**276**	**441**	**304**	**325**	**391**	**398**	**518**	**463**	**522**	**475**	**520**	**501**

MW-136	**MCL**	**CDM 10/19/93**	**1Q 04/29/99**	**2Q 10/28/99**	**3Q 02/15/00**	**4Q 04/25/00**	**5Q 07/27/00**	**6Q 11/17/00**	**1SA 04/10/01**	**2SA 10/31/01**	**3SA 04/29/02**	**4SA 10/18/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/02/05**	**9SA 10/20/05**	**10SA 06/23/06**	**11SA 01/05/07**	**12SA 10/07/07**	**13SA 05/18/08**	**14SA 11/29/08**	**15SA 06/11/09**	**16SA 11/28/09**
Methylene Chloride	5	10U	2U	2U	2U	2U	2U	2U	2U	2U	2U	2U	1U		2U			1.8	2U	0.70	2U	1U	1U	1U
trans-1,2-Dichloroethene	100	5U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U		1U			1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	5U	3.5	1.1	1U	1U	1U	1U	1U	1U	1U	1U	1U		1U			1U	1U	1U	1U	0.20	1U	1U
1,1-Dichloroethene	7	5U	0.88	0.37	1U	1U	1U	1U	1U	1U	1U	1U	1U		1U			1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethane	NA	5U	0.35	0.34	1U	1U	1U	1U	1U	1U	1U	1U	1U		1U			1U	1U	1U	1U	1U	1U	1U
Chloroform	NA	5U	0.37	1.5	0.74	0.57	0.48	0.50	0.45	0.45	0.45	0.60	0.80		1U			1.1	2.5	1U	2.0	4.5	3.1	1.5
1,2-Dichloroethane	5	5U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U		1U			1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	5U	8.0	16	0.28	0.31	0.30	0.29	0.30	0.30	0.30	1U	1U		1U			1U	1U	1U	1U	1U	1U	1U
Trichloroethene	5	5U	3.8	2.4	1U	1U	1U	1U	1U	1U	1U	1U	1U		1U			1U	1U	1U	1U	1U	1U	1U
Tetrachloroethene	5	5U	1.7	1.4	1U	1U	1U	1U	1U	1U	0.53	1U	1U		1U			1U	1U	1U	1U	1U	1U	1U
MW-136 Total VOCs		**0**	**19**	**23**	**1.0**	**0.9**	**0.8**	**0.8**	**0.8**	**0.8**	**1.3**	**0.6**	**0.8**	**NS**	**0**	**NS**	**NS**	**2.9**	**2.5**	**0.7**	**2.0**	**4.7**	**3.1**	**1.5**

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 12/09)

Sample Event		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
MW-200	**MCL**	**1Q 04/26/99**	**2Q 10/27/99**	**3Q 02/15/00**	**4Q 04/25/00**	**5Q 07/27/00**	**6Q 11/14/00**	**1SA 04/10/01**	**2SA 10/29/01**	**3SA 04/22/02**	**4SA 10/18/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 01/12/06**	**10SA 05/08/06**	**11SA 01/04/07**	**12SA 10/08/07**	**13SA 05/18/08**	**14SA 11/29/08**	**15SA 06/11/09**	**16SA 11/28/09**
Methylene Chloride	5	2U	2U	2U	2U	2U	2U	2U	2U	2U	2U	1U	1U	2U	2U	2U	2U	2U	2U	2U	1U	1U	1U
trans-1,2-Dichloroethene	100	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	0.66	1.3	1U	1U	0.10	1U	0.17	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.69	1U	1U
1,1-Dichloroethene	7	0.34	0.26	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.89	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethane	NA	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
Chloroform	NA	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,2-Dichloroethane	5	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	2.2	1.9	1U	0.07	1U	1U	1U	1U	1U	1U	1U	1U	1U	1.9	1U	1U	1U	1U	1U	0.21	1U	1U
Trichloroethene	5	2.2	1.8	1U	1U	1U	1U	1U	0.12	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.17	1U	1U
Tetrachloroethene	5	0.61	1.1	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
MW-200 Total VOCs		**6.0**	**6.4**	**0**	**0.1**	**0.1**	**0**	**0.2**	**0.1**	**0**	**0**	**0**	**0.9**	**0**	**1.9**	**0**	**0**	**0**	**0**	**0**	**1.1**	**0.00**	**0.00**

MW-201	**MCL**	**1Q 04/26/99**	**2Q 10/27/99**	**3Q 02/16/00**	**4Q 04/18/00**	**5Q 07/25/00**	**6Q 11/13/00**	**1SA 04/12/01**	**2SA 10/29/01**	**3SA 04/30/02**	**4SA 10/03/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 01/12/06**	**10SA 06/28/06**	**11SA 01/05/07**	**12SA 10/08/07**	**13SA 05/18/08**	**14SA 11/29/08**	**15SA 06/10/09**	**16SA 11/29/09**
Methylene Chloride	5			10U	20U	40U	40U	10U	20U	500U	1000U	500U	400U	1000U	50U	2U	20U	2U	2U	2U	10U	10U	10U
trans-1,2-Dichloroethene	100			5U	0.78	20U	20U	0.64	10U	250U	500U	500U	400U	500U	25U	1U	10U	1U	1U	1U	10U	10U	10U
cis-1,2-Dichloroethene	70			85	87	220	180	60	120	2,600	2,200	863	400U	500U	58	23	16	5.1	2.0	11	7.1	16	6.4
1,1-Dichloroethene	7			1.1	1.9	6.8	5.2	1.6	3.6	130	480	500U	400U	500U	25U	1.2	10U	1U	2.0	2.0	10U	10U	10U
1,1-Dichloroethane	NA			48	120	330	340	43	150	5,500	7,100	6,350	6,480	4,150	3,500	230	550	80	20	55	1,460	1,200	480
Chloroform	NA			5U	10U	20U	20U	5U	10U	5.0	500U	500U	400U	500U	25U	1U	10U	1U	1U	1U	2.0	2.0	10U
1,2-Dichloroethane	5			5U	10U	20U	20U	5U	10U	250U	500U	500U	400U	500U	25U	1U	10U	1U	1U	1U	10U	10U	10U
1,1,1-Trichloroethane	200			4.5	4.9	110	39	12	55	1,700	970	294	400U	500U	26	8.8	32	20	7.0	7.0	14	10	37
Trichloroethene	5			8.3	15	4.5	4.9	19	25	13	500U	500U	400U	500U	25U	14	14	2.8	9.0	10	7.7	7.7	10U
Tetrachloroethene	5			5U	10U	20U	20U	5U	10U	250U	500U	500U	400U	500U	25U	1U	10U	1U	6.0	1U	10U	10U	10U
MW-201 Total VOCs		**NS**	**NS**	**147**	**230**	**671**	**569**	**136**	**354**	**9,948**	**10,750**	**7,507**	**6,480**	**4,150**	**3,584**	**277**	**612**	**108**	**46**	**85**	**1,491**	**1,236**	**523**

MW-202	**MCL**	**1Q 05/20/99**	**2Q 10/28/99**	**3Q 2/1600**	**4Q 04/18/00**	**5Q 07/27/00**	**6Q 11/13/00**	**1SA 04/12/01**	**2SA 10/29/01**	**3SA 04/30/02**	**4SA 10/17/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/21/05**	**10SA 06/28/06**	**11SA 01/05/07**	**12SA 10/08/07**	**13SA 05/19/08**	**14SA 11/29/08**	**15SA 06/11/09**	**16SA 11/29/09**
Methylene Chloride	5	2U	2U	2U	2U	2U	2U	2U	2U	2U	0.50	1U	1U	2U	2U	2U	2U	2U	2U	2U	1U	1U	1U
trans-1,2-Dichloroethene	100	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	0.81	0.68	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethene	7	1U	0.18	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.54	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethane	NA	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.95	0.46	1U
Chloroform	NA	1U	1U	1U	0.25	0.48	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.30	1U	1U
1,2-Dichloroethane	5	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	2.0	2.2	0.77	0.65	0.72	0.11	0.08	0.06	1U	1U	1U	1U	1U	1U	1U	1U	1U	1.0	1U	1.2	1.0	1U
Trichloroethene	5	2.1	2.1	0.50	0.55	0.75	0.19	0.11	1U	0.12	1U	0.80	1.1	0.68	1U	1U	1U	1U	0.30	1U	0.65	0.60	1U
Tetrachloroethene	5	4.6	5.0	3.6	3.1	3.5	14	13	12	10	12	2.8	2.8	2.3	1.8	1U	1.5	14	1.0	4.0	1.3	1.2	1.2
MW-202 Total VOCs		**9.5**	**5.2**	**4.9**	**4.6**	**5.5**	**14**	**13**	**12**	**10**	**13**	**3.6**	**4.4**	**3.0**	**1.8**	**0.0**	**1.5**	**14**	**2**	**4**	**4.3**	**3.3**	**1.2**

MW-203	**MCL**	**1Q 05/20/99**	**2Q 10/28/99**	**3Q 02/15/00**	**4Q 04/18/00**	**5Q 07/27/00**	**6Q 11/13/00**	**1SA 04/12/01**	**2SA 10/29/01**	**3SA 04/30/02**	**4SA 10/17/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/21/05**	**10SA 06/28/06**	**11SA 01/05/07**	**12SA 10/08/07**	**13SA 05/18/08**	**14SA 11/29/08**	**15SA 06/11/09**	**16SA 11/29/09**
Methylene Chloride	5	2U	2U	2U	2U	2U	2U	2U	2U	2U	0.50	1U	1U	2U	2U	2U	2U	2U	2U	2U	1U	1U	1U
trans-1,2-Dichloroethene	100	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	0.67	1.5	0.13	0.07	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethene	7	1U	0.42	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethane	NA	1U	0.28	1U	1U	1U	1U	1U	0.19	0.12	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.45	1U	1U
Chloroform	NA	1U	1U	1U	1U	1U	0.82	1.8	4.3	4.1	1.0	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.15	1U	1U
1,2-Dichloroethane	5	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	0.92	2.7	0.26	0.14	0.20	0.66	0.81	0.76	0.69	1U	1U	1U	1U	1U	1U	1U	1U	1U	1.0	0.19	1U	1U
Trichloroethene	5	1.2	2.6	0.16	0.17	0.24	0.81	0.76	0.84	0.63	0.70	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.33	1U	1U
Tetrachloroethene	5	14	15	8.6	11	13	3.5	3.2	3.1	3.0	3.0	10	8.4	8.8	9.6	1U	17	1.7	4.0	1.0	3.1	4.4	5.4
MW-203 Total VOCs		**17**	**23**	**9.2**	**11**	**13**	**5.8**	**6.6**	**9.2**	**8.5**	**5.2**	**10**	**8.4**	**8.8**	**9.6**	**0**	**17**	**1.7**	**4.0**	**2.0**	**4.2**	**4.4**	**5.4**

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 12/09)

Sample Event		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
MW-204	**MCL**	**1Q 04/23/99**	**2Q 10/26/99**	**3Q 01/31/00**	**4Q 04/24/00**	**5Q 07/25/00**	**6Q 11/08/00**	**1SA 04/12/01**	**2SA 10/16/01**	**3SA 04/17/02**	**4SA 10/03/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 05/06/06**	**11SA 01/03/07**	**12SA 10/07/07**	**13SA 05/18/08**	**14SA 11/29/08**	**15SA 06/11/09**	**16SA 11/25/09**
Methylene Chloride	5	40U	20U	2.0	20U	20U	20U	20U	20U	20U	40U	10U	10U	20U	2U	2U	2U	2U	2U	8U	1U	1U	1U
trans-1,2-Dichloroethene	100	20U	10U	10U	10U	10U	10U	10U	10U	10U	20U	10U	10U	10U	1U	1U	1U	1U	0.50	4U	0.29	0.40	1U
cis-1,2-Dichloroethene	70	56	51	41	44	38	37	27	23	20	23	27	24	21	13	15	13	15	15	20	14	14	20
1,1-Dichloroethene	7	6.2	8.6	8.2	9.2	6.9	11	11	13	18	140	24	22	21	22	20	21	22	19	20	14	11	14
1,1-Dichloroethane	NA	20U	5.2	5.0	4.9	4.4	6.5	5.0	5.4	6.9	14	7.6	7.7	6.4	6.0	6.2	5.7	6.0	6.0	6.0	4.9	4.3	5.8
Chloroform	NA	20U	10U	0.67	0.92	1.1	10U	10U	10U	0.77	20U	10U	10U	10U	1U	1U	1U	1U	0.50	4U	0.65	0.67	0.65
1,2-Dichloroethane	5	20U	4.5	5.3	5.7	5.7	6.8	6.0	10U	10	20U	9.5	8.3	8.1	5.9	5.7	4.4	3.5	3.0	4U	2.1	1.4	1.8
1,1,1-Trichloroethane	200	4.7	5.4	4.2	4.0	3.4	4.0	4.5	4.9	6.0	20U	9.3	9.1	9.0	10	9.1	10	10	10	9.0	7.6	7.2	6.2
Trichloroethene	5	230	230	200	190	120	170	160	140	140	170	165	151	124	96	97	100	100	85	91	74	73	71
Tetrachloroethene	5	20U	2.4	2.4	2.0	1.3	2.4	2.4	2.8	2.9	20U	10U	10U	10U	2.8	2.3	2.9	3.2	3.0	4U	2.6	2.6	2.6
MW-204 Total VOCs		**297**	**307**	**269**	**261**	**181**	**238**	**216**	**189**	**205**	**347**	**242**	**222**	**189**	**156**	**155**	**157**	**160**	**142**	**146**	**120**	**115**	**122**

MW-205A	**MCL**	**1Q 04/22/99**	**2Q 10/21/99**	**3Q 02/07/00**	**4Q 04/18/00**	**5Q 07/25/00**	**6Q 11/07/00**	**1SA 04/09/01**	**2SA 10/16/01**	**3SA 04/16/02**	**4SA 10/07/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 05/06/06**	**11SA 11/21/06**	**12SA 10/06/07**	**13SA 05/18/08**	**14SA 11/28/08**	**15SA 06/09/09**	**16SA 11/25/09**
Methylene Chloride	5	10U	50U	50U	100U	40U	50U	40U	40U	40U	84	25U	20U	40U	2U	2U	2U	2U	2U	8U	1U	1U	1U
trans-1,2-Dichloroethene	100	5U	25U	25U	50U	20U	25U	20U	20U	20U	50U	25U	20U	20U	1U	1U	1U	1U	1U	4U	1U	1U	1U
cis-1,2-Dichloroethene	70	49	57	56	61	50	56	56	44	43	53	47	39	40	43	38	37	47	39	48	42	36	32
1,1-Dichloroethene	7	100	110	110	140	92	120	130	87	79	690	111	72	69	51	35	29	49	31	27	21	19	19
1,1-Dichloroethane	NA	23	23	22	23	19	27	23	18	17	50U	20	15	16	15	13	14	13	12	13	12	10	11
Chloroform	NA	0.88	1.1	25U	50U	20U	25U	20U	1.1	1.1	50U	25U	20U	20U	1U	1U	1U	1U	0.50	4U	0.49	0.45	0.48
1,2-Dichloroethane	5	4.4	25U	3.5	50U	3.5	25U	20U	20U	20U	50U	25U	20U	20U	1U	1U	1U	1U	0.40	4U	0.29	0.27	1U
1,1,1-Trichloroethane	200	570	460	450	540	350	410	430	240	270	310	322	237	229	130	89	81	160	75	73	60	60	46
Trichloroethene	5	69	68	68	80	47	66	68	49	47	49	65	47	44	36	32	32	51	34	35	31	30	27
Tetrachloroethene	5	3.9	3.4	3.6	50U	20U	25U	4.3	2.1	6.7	110	25U	20U	20U	11	11	18	17	16	20	20	19	20
MW-205A Total VOCs		**820**	**723**	**713**	**844**	**562**	**679**	**711**	**441**	**464**	**1,296**	**565**	**410**	**397**	**286**	**218**	**211**	**337**	**208**	**216**	**186**	**174**	**155**

MW-205B	**MCL**	**1Q 04/22/99**	**2Q 10/21/99**	**3Q 02/07/00**	**4Q 04/18/00**	**5Q 07/25/00**	**6Q 11/07/00**	**1SA 04/09/01**	**2SA 10/16/01**	**3SA 04/16/02**	**4SA 10/07/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 05/06/06**	**11SA 11/21/06**	**12SA 10/06/07**	**13SA 05/18/08**	**14SA 11/28/08**	**15SA 06/09/09**	**16SA 11/25/09**
Methylene Chloride	5	10U	50U	50U	40U	40U	40U	40U	40U	0.70	90	20U	20U	40U	2U	2U	2U	2U	2U	8U	1U	1U	1U
trans-1,2-Dichloroethene	100	5U	25U	25U	20U	20U	20U	20U	20U	1.4	50U	20U	20U	20U	1U	1U	1U	1U	1U	4U	1U	1U	1U
cis-1,2-Dichloroethene	70	47	54	57	59	52	55	68	50	53	65	57	47	54	47	43	52	71	52	63	43	44	37
1,1-Dichloroethene	7	74	82	86	90	70	79	110	73	59	470	93	65	76	43	32	26	39	30	30	20	21	21
1,1-Dichloroethane	NA	23	23	24	26	23	31	31	21	22	50U	24	19	22	17	17	18	18	15	16	15	15	14
Chloroform	NA	0.73	25U	25U	20U	20U	20U	20U	20U	0.82	50U	20U	20U	20U	1U	1U	1U	1U	0.40	4U	0.49	0.49	0.55
1,2-Dichloroethane	5	3.4	25U	25U	20U	20U	2.9	20U	20U	10U	50U	20U	20U	20U	1U	1U	1U	1U	0.40	4U	0.38	0.25	1U
1,1,1-Trichloroethane	200	310	340	360	370	270	270	330	250	220	310	262	201	233	110	89	59	95	66	69	79	63	47
Trichloroethene	5	57	58	60	65	44	53	67	45	48	49	60	45	49	34	31	31	44	31	34	25	29	27
Tetrachloroethene	5	3.5	3.4	3.8	3.8	20U	3.6	4.5	5.1	5.8	110	10	11	11	13	14	23	23	18	22	13	18	21
MW-205B Total VOCs		**519**	**560**	**591**	**614**	**459**	**495**	**611**	**444**	**411**	**1,094**	**507**	**387**	**446**	**264**	**226**	**209**	**290**	**213**	**234**	**196**	**191**	**168**

MW-206A	**MCL**	**1Q 04/23/99**	**2Q 10/20/99**	**3Q 02/07/00**	**4Q 04/18/00**	**5Q 07/25/00**	**6Q 11/07/00**	**1SA 04/09/01**	**2SA 10/16/01**	**3SA 04/16/02**	**4SA 10/08/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 10/19/05**	**11SA 11/27/06**	**12SA 10/06/07**	**13SA 05/18/08**	**14SA 11/28/08**	**15SA 06/10/09**	**16SA**
Methylene Chloride	5	4U	20U	10U	10U	10U	10U	10U	0.34	4U	10U	2U	2U	4U	2U	2U	2U	2U	2U	2U	1U	1U	
trans-1,2-Dichloroethene	100	2U	10U	5U	0.36	5U	5U	5U	2U	0.39	5U	2U	1.1	2U	1U	1U	1U	1U	1U	1U	0.21	0.21	
cis-1,2-Dichloroethene	70	23	21	20	20	21	13	20	18	15	23	28	34	32	16	23	25	14	6.0	7.0	9.4	7.3	
1,1-Dichloroethene	7	22	21	14	12	14	5.9	13	9.9	7.1	57	11	11	11	6.7	8.8	9.1	8.2	5.0	8.0	7.5	7.5	
1,1-Dichloroethane	NA	8.5	9.8	10	9.6	9.4	12	9.7	8.8	7.1	11	11	12	11	5.6	8.1	9.2	9.0	5.0	6.0	13	11	
Chloroform	NA	0.64	10U	0.55	0.55	0.72	5U	0.66	0.49	0.39	5U	2U	2U	1.3	1.1	1U	1U	1.1	0.60	1U	0.28	0.41	
1,2-Dichloroethane	5	0.75	10U	5U	5U	5U	5U	5U	2U	2U	5U	2U	2U	2U	1U	1U	1U	1U	1U	1U	0.19	1U	
1,1,1-Trichloroethane	200	100	87	79	62	66	46	55	39	31	35	27	30	27	17	19	23	22	14	18	18	23	
Trichloroethene	5	37	33	25	22	16	7.6	22	18	16	18	17	17	15	11	11	13	14	9.0	11	7.9	9.9	
Tetrachloroethene	5	9.3	6.6	7.0	5.2	3.1	0.84	4.5	3.5	3.4	3.0	3.2	3.4	3.7	2.9	3.1	3.8	4.2	3.0	4.0	2.0	2.8	
MW-206A Total VOCs		**201**	**178**	**156**	**132**	**130**	**85**	**125**	**98**	**80**	**147**	**98**	**108**	**101**	**60**	**73**	**83**	**73**	**43**	**54**	**58**	**62**	**NS**

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 12/09)

Sample Event		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
MW-206B	**MCL**	**1Q 04/23/99**	**2Q 10/20/99**	**3Q 02/17/00**	**4Q 04/18/00**	**5Q 07/25/00**	**6Q 11/07/00**	**1SA 04/09/01**	**2SA 10/16/01**	**3SA 04/16/02**	**4SA 10/08/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 05/06/06**	**11SA 11/27/06**	**12SA 10/06/07**	**13SA 05/18/08**	**14SA 11/28/08**	**15SA 06/10/09**	**16SA**
Methylene Chloride	5	20U	20U	20U	20U	10U	10U	10U	10U	10U	4.0	5U	4U	8U	2U	2U	2U	2U	2U	8U	1U	1U	
trans-1,2-Dichloroethene	100	10U	10U	10U	0.28	5U	5U	5U	5U	5U	5U	5U	4U	4U	1U	1U	1U	1U	1U	4U	0.20	0.33	
cis-1,2-Dichloroethene	70	59	54	36	40	36	34	33	26	23	31	21	17	20	13	13	15	21	32	50	46	**70**	
1,1-Dichloroethene	7	2.5	4.9	**8.8**	**9.0**	**6.0**	**8.4**	**9.1**	**11**	**10**	**76**	**16**	**14**	**14**	**13**	**12**	**17**	**31**	**39**	**46**	**41**	**63**	
1,1-Dichloroethane	NA	5.1	9.1	13	14	12	17	14	14	12	22	15	15	16	16	16	24	47	50	56	58	79	
Chloroform	NA	10U	10U	10U	0.62	0.60	5U	0.51	0.62	0.69	5U	5U	4U	4U	1U	1U	1U	1U	0.80	4U	0.92	1.0	
1,2-Dichloroethane	5	10U	10U	10U	10U	5U	5U	5U	5U	5U	5U	5U	4U	4U	1U	1U	1U	1.4	1.0	4U	1.7	2.3	
1,1,1-Trichloroethane	200	4.6	8.4	16	16	11	14	16	20	20	35	27	27	26	22	22	24	44	39	44	40	57	
Trichloroethene	5	**150**	**160**	**150**	**150**	**86**	**120**	**110**	**80**	**70**	**100**	**69**	**55**	**59**	**33**	**35**	**32**	**45**	**28**	**48**	**36**	**37**	
Tetrachloroethene	5	**13**	**9.6**	**5.8**	**5.6**	0.98	3.3	2.5	1.7	1.5	5U	5U	4U	4U	1U	1U	1U	1.2	1.0	4U	1.7	3.3	
MW-206B Total VOCs		**234**	**246**	**230**	**236**	**147**	**197**	**185**	**153**	**137**	**268**	**147**	**127**	**135**	**97**	**98**	**112**	**191**	**191**	**244**	**224**	**313**	**NS**

MW-206C	**MCL**	**1Q 04/23/99**	**2Q 10/20/99**	**3Q 02/07/00**	**4Q 04/18/00**	**5Q 07/25/00**	**6Q 11/07/00**	**1SA 04/09/01**	**2SA 10/16/01**	**3SA 04/16/02**	**4SA 10/08/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 05/06/06**	**11SA 11/27/06**	**12SA 10/06/07**	**13SA 05/18/08**	**14SA 11/28/08**	**15SA 06/10/09**	**16SA**
Methylene Chloride	5	2U	2U	2U	2U	2U	2U	2U	2U	2U	4.0	2.5U	4U	4U	2U	0.10	2U	2U	2U	4U	1U	1U	
trans-1,2-Dichloroethene	100	1U	1U	1U	1U	1U	1U	1U	1U	1U	5U	2.5U	4U	2U	1U	1U	1U	1U	1U	2U	1U	1U	
cis-1,2-Dichloroethene	70	2.7	2.3	3.5	**4.0**	4.8	2.3	4.3	5.9	6.9	15	13	14	15	9.2	15	14	17	11	12	5.2	4.8	
1,1-Dichloroethene	7	0.31	0.15	1U	1U	1.3	0.12	0.28	0.11	0.17	5U	2.5U	4U	2U	1.1	2.6	3.5	4.4	4.0	4.0	2.0	1.8	
1,1-Dichloroethane	NA	1U	0.18	1U	1U	1U	0.14	0.36	0.24	1U	5U	2.5U	4U	1.2	1.5	3.8	5.0	6.5	5.0	5.0	3.1	2.7	
Chloroform	NA	1U	1U	1U	1U	1U	1U	1U	1U	1U	5U	2.5U	4U	2U	1U	1U	1U	1U	1U	2U	1U	1U	
1,2-Dichloroethane	5	1U	1U	1U	1U	1U	1U	1U	1U	1U	5U	2.5U	4U	2U	1U	1U	1U	1U	1U	2U	1U	1U	
1,1,1-Trichloroethane	200	1.5	0.26	1U	1U	1U	0.29	0.70	0.18	1U	5U	2.5U	4U	2U	1U	1U	1U	1U	1U	2U	1U	1U	
Trichloroethene	5	4.1	4.3	**5.3**	**6.0**	3.5	3.4	**6.6**	**7.6**	**14**	**30**	**39**	**45**	**38**	**34**	**47**	**52**	**85**	**44**	**38**	**19**	**16**	
Tetrachloroethene	5	0.41	1U	1U	1U	1U	1U	0.25	0.20	0.06	5U	2.5U	4U	2U	1U	1U	1U	1U	0.40	2U	1U	1U	
MW-206C Total VOCs		**9.0**	**7.2**	**8.8**	**0**	**10**	**6.3**	**12**	**14**	**21**	**49**	**52**	**59**	**54**	**46**	**69**	**75**	**113**	**64**	**59**	**30**	**25**	**NS**

MW-207	**MCL**	**1Q 04/23/99**	**2Q 10/27/99**	**3Q 02/17/00**	**4Q 04/18/00**	**5Q 07/25/00**	**6Q 11/08/00**	**1SA 04/10/01**	**2SA 10/16/01**	**3SA 04/17/02**	**4SA 10/08/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 05/06/06**	**11SA 11/27/06**	**12SA 10/07/07**	**13SA 05/18/08**	**14SA 11/29/08**	**15SA 06/10/09**	**16SA 11/25/09**
Methylene Chloride	5	4U	2U	2U	2U	2U	2U	2U	2U	4U	0.80	2U	2U	4U	2U	2U	2U	2U	1U	2U	1U	1U	1U
trans-1,2-Dichloroethene	100	2U	1U	1U	0.10	0.16	1U	0.44	0.33	0.39	1U	2U	2U	2U	1U	1U	1U	1U	1U	1U	0.27	1U	1U
cis-1,2-Dichloroethene	70	1.6	5.1	1.2	1.2	1.4	1.4	3.2	3.4	3.7	5.0	4.9	3.8	4.3	3.0	2.7	3.3	3.1	3.0	3.0	1.9	1.8	1.2
1,1-Dichloroethene	7	2U	0.74	0.22	0.10	1U	0.24	1U	0.13	0.26	6.0	2.1	2.2	1.9	1.7	1U	1.8	1.1	0.70	2.0	1U	0.65	0.60
1,1-Dichloroethane	NA	0.76	1.3	1.1	1.2	1.3	2.1	1.5	5.3	6.2	8.0	7.1	5.7	5.9	4.3	4.5	5.2	5.7	4.0	4.0	3.0	2.4	1.6
Chloroform	NA	0.39	0.59	0.54	0.62	0.63	0.71	0.60	0.44	0.36	1U	2U	2U	2U	1U	1U	1U	1U	0.40	1U	0.36	0.31	1U
1,2-Dichloroethane	5	2U	1U	1U	1U	1U	1U	1U	1U	2U	1U	2U	2U	2U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	2.7	5.9	2.0	**2.0**	2.0	1.9	1.5	4.2	5.7	5.0	7.6	7.2	8.2	5.4	5.7	6.7	9.3	7.0	7.0	5.6	4.6	3.5
Trichloroethene	5	**26**	**25**	**22**	**20**	**17**	**16**	**11**	**22**	**25**	**21**	**28**	**26**	**28**	**18**	**17**	**19**	**24**	**15**	**15**	**11**	**9.9**	**7.4**
Tetrachloroethene	5	2.6	3.9	2.8	2.7	2.1	2.3	0.51	1.0	1.4	0.90	2.3	2.2	2.7	2.1	1.3	2.0	2.6	2.0	2.0	2.0	2.1	2.2
MW-207 Total VOCs		**34**	**43**	**30**	**26**	**25**	**25**	**19**	**37**	**43**	**47**	**52**	**47**	**51**	**35**	**31**	**38**	**46**	**32**	**33**	**24**	**22**	**17**

Notes:

NS Not sampled

All units in µg/l or "ppb".

Denotes analytical result > than MCL

APPENDIX A
Ground Water Monitoring
Laboratory Data Sheets and
Data Validation Summary

Data Quality Control Criteria Review Summary

SDG Number: 0912009 **Project Number:** 1016-2

Site: SE Rockford, 22nd Event

Contractor Lab: TriMatrix (Grand Rapids, MI)

Validator: Brian LaFlamme **Validation Date:** 12/16/09

Sample Matrix: Water **Sample Date:** 11/24/09 – 11/29/09

Analytical Methods: EPA SW-846 Method 8260B

Sample Designations:

MW-16	**MW-102B**	**MW-117C**	**MW-133B**	**MW-204**
MW-47	**MW-102C**	**MW-117D**	**MW-133C**	**MW-205A**
MW-101A	**MW-113A**	**MW-119**	**MW-136**	**MW-205B**
MW-101B	**MW-113B**	**MW-121**	**MW-200**	**MW-207**
MW-101C	**MW-114A**	**MW-124**	**MW-201**	**FD-1 (field duplicate of MW-114B)**
MW-101D	**MW-114B**	**MW-130**	**MW-202**	**FD-2 (field duplicate of MW-201)**
MW-102A	**MW-117B**	**MW-133A**	**MW-203**	**Trip Blank TM1947**

The analytical data were reviewed in accordance with the analytical methods, SW-846 validation guidelines, and the Environmental Protections Agency (EPA) Contract Laboratory Program (CLP) National Functional Guidelines. The review included comparing quality control (QC) values provided on the laboratory QC forms to method QC criteria. Review of the raw data was not performed.

Quality Control Summary

QC Review Item	VOA
Completeness	X
Case Narrative	X
Chain of Custody (COC) Forms	X
Sample Preservation	X
Holding Times	X
Laboratory Blank Results	1
System Monitoring Compounds (Surrogate) Results	X
Matrix Spike/Matrix Duplicate (MS/MSD) Results	2
Laboratory Control Sample (LCS) Results	X
Method Specific QC Results *	NA
System Performance	X
Field QC Results #	3
Other	X

X Acceptable, no qualification necessary NR Not required
See validation summary comment NA Not applicable

*) The reviewer has indicated in the comments, if necessary, the method specific QC results included in the data package that were reviewed.

#) Field QC may include field duplicates, trip blanks, rinse blanks, field blanks, and equipment blank samples as required by project specific criteria.

Data for the above samples are:

- ☐ Acceptable for use
- ☒ Acceptable for use as qualified
- ☐ Unacceptable for use

Is action required by the Project Manager?

Yes ☐ No ☒

Data Validation Summary Comments:

1. **QC batch 0915004:** 1,2-dichlorobenzene (0.32J µg/l) and 1,4-dichlorobenzene (0.55J µg/l) were detected in the analytical batch 9L14034 method blank.

   QC batch 0915009: 1,4-dichlorobenzene (0.36J µg/l) was detected in the analytical batch 9L14038 method blank; methylene chloride (0.87J µg/l) was detected in the analytical batch 9L14042 method blank.

   According to the 10X rule for methylene chloride and the 5X rule for the remaining analytes, detections of these compounds have been qualified as not detected as follows:

Well	Compound	Analytical Batch	Original Result	Validated Result
MW-47	1,4-dichlorobenzene	9L14038	0.29J	1U
MW-101B	1,4-dichlorobenzene	9L14034	1.8J	5U
MW-101C	1,4-dichlorobenzene	9L14034	1.4J	5U
MW-102A	1,4-dichlorobenzene	9L14034	0.39J	1U
MW-102B	1,4-dichlorobenzene	9L14034	0.37J	1U
MW-113B	1,4-dichlorobenzene	9L14038	0.27J	1U
MW-114A	1,4-dichlorobenzene	9L14038	0.29J	1U
MW-114B	1,4-dichlorobenzene	9L14038	0.35J	1U
MW-117B	1,4-dichlorobenzene	9L14034	0.44J	1U
MW-117C	1,4-dichlorobenzene	9L14034	0.50J	1U
MW-117D	1,4-dichlorobenzene	9L14034	0.49J	1U
MW-121	1,4-dichlorobenzene	9L14034	0.38J	1U
MW-133A	1,4-dichlorobenzene	9L14034	0.31J	1U
MW-133C	1,4-dichlorobenzene	9L14034	0.28J	1U
MW-200	1,4-dichlorobenzene	9L14038	0.28J	1U
MW-204	1,4-dichlorobenzene	9L14034	0.45J	1U
MW-205A	1,4-dichlorobenzene	9L14034	0.44J	1U
MW-205B	1,4-dichlorobenzene	9L14034	0.42J	1U
MW-207	1,4-dichlorobenzene	9L14034	0.39J	1U
FD1	1,4-dichlorobenzene	9L14038	0.27J	1U

2. **QC batch 0915004:** 1,1,1-Trichloroethane matrix spike recovery in the analytical batch 9L14034 was outside control limits, i.e., 81% vs. 82-126%; cis-1,2-dichloroethene matrix spike duplicate recovery in the analytical batch 9L14034 was outside control limits, i.e., 59% vs. 84-127%. The LCS recoveries for these analytes were within control limits. Therefore, no qualification of the data was necessary.

   QC batch 0915009: 1,1,2,2-Tetrachloroethane LCS recovery in the analytical batch 9L14038 was outside control limits, i.e., 79% vs. 81-127%. Consistent with SW-846 validation guidelines, positive values are qualified "J" and non-detects are qualified "R".

   Chloroethane matrix spike recovery in the analytical batch 9L14038 was outside control limits, i.e., 63% vs. 77-141%; chloroethane matrix spike duplicate recovery in the analytical batch 9L14038 was outside control limits, i.e., 75% vs. 77-141%. The LCS recoveries for these analytes were within control limits. Therefore, no qualification of the data was necessary.

3. Results of field duplicates follows:

Sample	Parameter	Investigative Sample (µg/l)	Duplicate Sample (µg/l)
(FD1)	Methylene Chloride		1.0U
	trans-1,2-Dichloroethene		1.0U
	cis-1,2-Dichloroethene		1.9
	1,1-Dichloroethene		0.93J
	1,1-Dichloroethane		2.4
	Chloroform		1.0U
	1,2-Dichloroethane		1.0U
	1,1,1-Trichloroethane		1.0U
	Trichloroethene		6.8
	Tetrachloroethene		1.0U
(FD2)	Methylene Chloride		10U
	trans-1,2-Dichloroethene		10U
	cis-1,2-Dichloroethene		5.7J
	1,1-Dichloroethene		10U
	1,1-Dichloroethane		500
	Chloroform		10U
	1,2-Dichloroethane		10U
	1,1,1-Trichloroethane		36
	Trichloroethene		10U
	Tetrachloroethene		10U

As shown, the investigative and duplicate sample results are in good agreement with each other. Therefore, the samples collected during this quarter are deemed representative of Site conditions at the time of sample collection.

No analytes were reported in the trip blank (Trip Blank TM1947).

OVERALL ASSESSMENT OF DATA

Based on the review of the quality control criteria, the method appeared to be in control. Therefore, the data are acceptable for use as qualified.

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW16**	Sampled:	11/28/09 11:22
Lab Sample ID:	**0912009-19**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	2	Analyzed:	12/05/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	10U	10	3.6
71-43-2	Benzene	2.0U	2.0	0.25
74-97-5	Bromochloromethane	2.0U	2.0	0.23
75-27-4	Bromodichloromethane	2.0U	2.0	0.28
75-25-2	Bromoform	2.0U	2.0	0.23
74-83-9	Bromomethane	2.0U	2.0	0.23
75-15-0	Carbon Disulfide	10U	10	1.2
56-23-5	Carbon Tetrachloride	2.0U	2.0	0.42
108-90-7	Chlorobenzene	2.0U	2.0	0.13
75-00-3	Chloroethane	2.0U	2.0	0.36
67-66-3	Chloroform	**1.6J**	2.0	0.15
74-87-3	Chloromethane	2.0U	2.0	0.21
96-12-8	1,2-Dibromo-3-chloropropane	2.0U	2.0	0.83
124-48-1	Dibromochloromethane	2.0U	2.0	0.30
106-93-4	1,2-Dibromoethane	2.0U	2.0	0.19
95-50-1	1,2-Dichlorobenzene	2.0U	2.0	0.55
541-73-1	1,3-Dichlorobenzene	2.0U	2.0	0.43
106-46-7	1,4-Dichlorobenzene	2.0U	2.0	0.42
75-34-3	1,1-Dichloroethane	**110**	2.0	0.35
107-06-2	1,2-Dichloroethane	2.0U	2.0	0.30
75-35-4	1,1-Dichloroethene	**7.9**	2.0	0.34
156-59-2	cis-1,2-Dichloroethene	**56**	2.0	0.39
156-60-5	trans-1,2-Dichloroethene	**6.9**	2.0	0.20
78-87-5	1,2-Dichloropropane	2.0U	2.0	0.38
10061-01-5	cis-1,3-Dichloropropene	2.0U	2.0	0.29
10061-02-6	trans-1,3-Dichloropropene	2.0U	2.0	0.37
100-41-4	Ethylbenzene	2.0U	2.0	0.088
591-78-6	2-Hexanone	10U	10	2.7
75-09-2	Methylene Chloride	**0.88J**	2.0	0.38
78-93-3	2-Butanone (MEK)	10U	10	3.0
108-10-1	4-Methyl-2-pentanone (MIBK)	10U	10	1.7

Continued on next page

VALIDATED

Reviewed By

Date 12/4/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW16**	Sampled:	11/28/09 11:22
Lab Sample ID:	**0912009-19**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	2	Analyzed:	12/05/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	2.0U	2.0	0.21
79-34-5	1,1,2,2-Tetrachloroethane	2.0U	2.0	0.43
127-18-4	Tetrachloroethene	**6.1**	2.0	0.49
108-88-3	Toluene	2.0U	2.0	0.16
71-55-6	1,1,1-Trichloroethane	**180**	2.0	0.27
79-00-5	1,1,2-Trichloroethane	2.0U	2.0	0.27
79-01-6	Trichloroethene	**55**	2.0	0.17
75-01-4	Vinyl Chloride	2.0U	2.0	0.11
1330-20-7	Xylene (Total)	6.0U	6.0	0.81

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	110	*88-115*
1,2-Dichloroethane-d4	101	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	89	*78-116*

VALIDATED

Reviewed By _____

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW47**	Sampled:	11/28/09 16:35
Lab Sample ID:	**0912009-27**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	1.0U	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
*106-46-7	1,4-Dichlorobenzene	~~0.29J~~ 1U	1.0	0.21
75-34-3	1,1-Dichloroethane	1.0U	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	1.0U	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	1.0U	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

Continued on next page

*See Statement of Data Qualifications

VALIDATED

Reviewed By

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW47**	Sampled:	11/28/09 16:35
Lab Sample ID:	**0912009-27**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
*79-34-5	1,1,2,2-Tetrachloroethane	1.0U R	1.0	0.22
127-18-4	Tetrachloroethene	1.0U	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	1.0U	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	1.0U	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	106	*88-115*
1,2-Dichloroethane-d4	106	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	92	*78-116*

VALIDATED

Reviewed By _____

Date 12/16/09

*See Statement of Data Qualifications

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW101A**	Sampled:	11/27/09 12:14
Lab Sample ID:	**0912009-13**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	10	Analyzed:	12/05/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	50U	50	18
71-43-2	Benzene	10U	10	1.3
74-97-5	Bromochloromethane	10U	10	1.1
75-27-4	Bromodichloromethane	10U	10	1.4
75-25-2	Bromoform	10U	10	1.2
74-83-9	Bromomethane	10U	10	1.1
75-15-0	Carbon Disulfide	50U	50	6.0
56-23-5	Carbon Tetrachloride	10U	10	2.1
108-90-7	Chlorobenzene	10U	10	0.65
75-00-3	Chloroethane	10U	10	1.8
67-66-3	Chloroform	**5.2J**	10	0.77
74-87-3	Chloromethane	10U	10	1.0
96-12-8	1,2-Dibromo-3-chloropropane	10U	10	4.1
124-48-1	Dibromochloromethane	10U	10	1.5
106-93-4	1,2-Dibromoethane	10U	10	0.96
95-50-1	1,2-Dichlorobenzene	10U	10	2.7
541-73-1	1,3-Dichlorobenzene	10U	10	2.1
*106-46-7	1,4-Dichlorobenzene	**3.8J**	10	2.1
75-34-3	1,1-Dichloroethane	**280**	10	1.8
107-06-2	1,2-Dichloroethane	10U	10	1.5
75-35-4	1,1-Dichloroethene	**70**	10	1.7
156-59-2	cis-1,2-Dichloroethene	**990**	10	1.9
156-60-5	trans-1,2-Dichloroethene	**36**	10	1.0
78-87-5	1,2-Dichloropropane	10U	10	1.9
10061-01-5	cis-1,3-Dichloropropene	10U	10	1.5
10061-02-6	trans-1,3-Dichloropropene	10U	10	1.9
100-41-4	Ethylbenzene	10U	10	0.44
591-78-6	2-Hexanone	50U	50	13
75-09-2	Methylene Chloride	10U	10	1.9
78-93-3	2-Butanone (MEK)	50U	50	15
108-10-1	4-Methyl-2-pentanone (MIBK)	50U	50	8.7

Continued on next page

*See Statement of Data Qualifications

VALIDATED

Reviewed By

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW101A**	Sampled:	11/27/09 12:14
Lab Sample ID:	**0912009-13**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	10	Analyzed:	12/05/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	10U	10	1.1
79-34-5	1,1,2,2-Tetrachloroethane	10U	10	2.2
127-18-4	Tetrachloroethene	**47**	10	2.4
108-88-3	Toluene	10U	10	0.81
71-55-6	1,1,1-Trichloroethane	**550**	10	1.3
79-00-5	1,1,2-Trichloroethane	10U	10	1.3
79-01-6	Trichloroethene	**220**	10	0.84
75-01-4	Vinyl Chloride	10U	10	0.54
1330-20-7	Xylene (Total)	30U	30	4.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	112	*88-115*
1,2-Dichloroethane-d4	104	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	91	*78-116*

VALIDATED

Reviewed By [signature]

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW101B**	Sampled:	11/27/09 11:21
Lab Sample ID:	**0912009-12**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	5	Analyzed:	12/05/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	25U	25	9.0
71-43-2	Benzene	5.0U	5.0	0.64
74-97-5	Bromochloromethane	5.0U	5.0	0.57
75-27-4	Bromodichloromethane	5.0U	5.0	0.70
75-25-2	Bromoform	5.0U	5.0	0.58
74-83-9	Bromomethane	5.0U	5.0	0.56
75-15-0	Carbon Disulfide	25U	25	3.0
56-23-5	Carbon Tetrachloride	5.0U	5.0	1.1
108-90-7	Chlorobenzene	5.0U	5.0	0.33
75-00-3	Chloroethane	5.0U	5.0	0.89
67-66-3	Chloroform	**2.6J**	5.0	0.38
74-87-3	Chloromethane	5.0U	5.0	0.52
96-12-8	1,2-Dibromo-3-chloropropane	5.0U	5.0	2.1
124-48-1	Dibromochloromethane	5.0U	5.0	0.76
106-93-4	1,2-Dibromoethane	5.0U	5.0	0.48
95-50-1	1,2-Dichlorobenzene	5.0U	5.0	1.4
541-73-1	1,3-Dichlorobenzene	5.0U	5.0	1.1
*106-46-7	1,4-Dichlorobenzene	~~**1.8J**~~ 5U	5.0	1.1
75-34-3	1,1-Dichloroethane	**170**	5.0	0.88
107-06-2	1,2-Dichloroethane	5.0U	5.0	0.75
75-35-4	1,1-Dichloroethene	**37**	5.0	0.86
*156-59-2	cis-1,2-Dichloroethene	**840**	5.0	0.96
156-60-5	trans-1,2-Dichloroethene	**8.4**	5.0	0.51
78-87-5	1,2-Dichloropropane	5.0U	5.0	0.96
10061-01-5	cis-1,3-Dichloropropene	5.0U	5.0	0.74
10061-02-6	trans-1,3-Dichloropropene	5.0U	5.0	0.93
100-41-4	Ethylbenzene	5.0U	5.0	0.22
591-78-6	2-Hexanone	25U	25	6.6
75-09-2	Methylene Chloride	5.0U	5.0	0.94
78-93-3	2-Butanone (MEK)	25U	25	7.6
108-10-1	4-Methyl-2-pentanone (MIBK)	25U	25	4.3

VALIDATED

Reviewed By _____

Date 12/16/09

Continued on next page

*See Statement of Data Qualifications

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW101B**	Sampled:	11/27/09 11:21
Lab Sample ID:	**0912009-12**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	5	Analyzed:	12/05/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	5.0U	5.0	0.54
79-34-5	1,1,2,2-Tetrachloroethane	5.0U	5.0	1.1
127-18-4	Tetrachloroethene	**37**	5.0	1.2
108-88-3	Toluene	5.0U	5.0	0.40
*71-55-6	1,1,1-Trichloroethane	**400**	5.0	0.66
79-00-5	1,1,2-Trichloroethane	5.0U	5.0	0.66
79-01-6	Trichloroethene	**81**	5.0	0.42
75-01-4	Vinyl Chloride	5.0U	5.0	0.27
1330-20-7	Xylene (Total)	15U	15	2.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	112	*88-115*
1,2-Dichloroethane-d4	105	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	91	*78-116*

VALIDATED

Reviewed By [signature]

Date 12/16/09

*See Statement of Data Qualifications

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW101C**	Sampled:	11/27/09 13:49
Lab Sample ID:	**0912009-15**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	5	Analyzed:	12/05/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	25U	25	9.0
71-43-2	Benzene	5.0U	5.0	0.64
74-97-5	Bromochloromethane	5.0U	5.0	0.57
75-27-4	Bromodichloromethane	5.0U	5.0	0.70
75-25-2	Bromoform	5.0U	5.0	0.58
74-83-9	Bromomethane	5.0U	5.0	0.56
75-15-0	Carbon Disulfide	25U	25	3.0
56-23-5	Carbon Tetrachloride	5.0U	5.0	1.1
108-90-7	Chlorobenzene	5.0U	5.0	0.33
75-00-3	Chloroethane	5.0U	5.0	0.89
67-66-3	Chloroform	**2.4J**	5.0	0.38
74-87-3	Chloromethane	5.0U	5.0	0.52
96-12-8	1,2-Dibromo-3-chloropropane	5.0U	5.0	2.1
124-48-1	Dibromochloromethane	5.0U	5.0	0.76
106-93-4	1,2-Dibromoethane	5.0U	5.0	0.48
95-50-1	1,2-Dichlorobenzene	5.0U	5.0	1.4
541-73-1	1,3-Dichlorobenzene	5.0U	5.0	1.1
*106-46-7	1,4-Dichlorobenzene	~~**1.4J**~~ 5U	5.0	1.1
75-34-3	1,1-Dichloroethane	**120**	5.0	0.88
107-06-2	1,2-Dichloroethane	5.0U	5.0	0.75
75-35-4	1,1-Dichloroethene	**28**	5.0	0.86
156-59-2	cis-1,2-Dichloroethene	**620**	5.0	0.96
156-60-5	trans-1,2-Dichloroethene	**5.5**	5.0	0.51
78-87-5	1,2-Dichloropropane	5.0U	5.0	0.96
10061-01-5	cis-1,3-Dichloropropene	5.0U	5.0	0.74
10061-02-6	trans-1,3-Dichloropropene	5.0U	5.0	0.93
100-41-4	Ethylbenzene	5.0U	5.0	0.22
591-78-6	2-Hexanone	25U	25	6.6
75-09-2	Methylene Chloride	5.0U	5.0	0.94
78-93-3	2-Butanone (MEK)	25U	25	7.6
108-10-1	4-Methyl-2-pentanone (MIBK)	25U	25	4.3

VALIDATED

Continued on next page

*See Statement of Data Qualifications

Reviewed By _____

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW101C**	Sampled:	11/27/09 13:49
Lab Sample ID:	**0912009-15**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	5	Analyzed:	12/05/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	5.0U	5.0	0.54
79-34-5	1,1,2,2-Tetrachloroethane	5.0U	5.0	1.1
127-18-4	Tetrachloroethene	**25**	5.0	1.2
108-88-3	Toluene	5.0U	5.0	0.40
71-55-6	1,1,1-Trichloroethane	**290**	5.0	0.66
79-00-5	1,1,2-Trichloroethane	5.0U	5.0	0.66
79-01-6	Trichloroethene	**63**	5.0	0.42
75-01-4	Vinyl Chloride	5.0U	5.0	0.27
1330-20-7	Xylene (Total)	15U	15	2.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	110	*88-115*
1,2-Dichloroethane-d4	100	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	92	*78-116*

VALIDATED

Reviewed By [signature]

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW101D**	Sampled:	11/27/09 12:58
Lab Sample ID:	**0912009-14**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/07/09 By: JDM
Dilution Factor:	2.5	Analyzed:	12/07/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14042

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	12U	12	4.5
71-43-2	Benzene	2.5U	2.5	0.32
74-97-5	Bromochloromethane	2.5U	2.5	0.28
75-27-4	Bromodichloromethane	2.5U	2.5	0.35
75-25-2	Bromoform	2.5U	2.5	0.29
74-83-9	Bromomethane	2.5U	2.5	0.28
75-15-0	Carbon Disulfide	12U	12	1.5
56-23-5	Carbon Tetrachloride	2.5U	2.5	0.53
108-90-7	Chlorobenzene	2.5U	2.5	0.16
75-00-3	Chloroethane	2.5U	2.5	0.44
67-66-3	Chloroform	**1.5J**	2.5	0.19
74-87-3	Chloromethane	2.5U	2.5	0.26
96-12-8	1,2-Dibromo-3-chloropropane	2.5U	2.5	1.0
124-48-1	Dibromochloromethane	2.5U	2.5	0.38
106-93-4	1,2-Dibromoethane	2.5U	2.5	0.24
95-50-1	1,2-Dichlorobenzene	2.5U	2.5	0.68
541-73-1	1,3-Dichlorobenzene	2.5U	2.5	0.54
106-46-7	1,4-Dichlorobenzene	2.5U	2.5	0.53
75-34-3	1,1-Dichloroethane	**64**	2.5	0.44
107-06-2	1,2-Dichloroethane	2.5U	2.5	0.38
75-35-4	1,1-Dichloroethene	**18**	2.5	0.43
156-59-2	cis-1,2-Dichloroethene	**290**	2.5	0.48
156-60-5	trans-1,2-Dichloroethene	**4.1**	2.5	0.26
78-87-5	1,2-Dichloropropane	2.5U	2.5	0.48
10061-01-5	cis-1,3-Dichloropropene	2.5U	2.5	0.37
10061-02-6	trans-1,3-Dichloropropene	2.5U	2.5	0.46
100-41-4	Ethylbenzene	2.5U	2.5	0.11
591-78-6	2-Hexanone	12U	12	3.3
75-09-2	Methylene Chloride	2.5U	2.5	0.47
78-93-3	2-Butanone (MEK)	12U	12	3.8
108-10-1	4-Methyl-2-pentanone (MIBK)	12U	12	2.2

VALIDATED

Continued on next page

Reviewed By _____

Date 12/10/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW101D**	Sampled:	11/27/09 12:58
Lab Sample ID:	**0912009-14**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/07/09 By: JDM
Dilution Factor:	2.5	Analyzed:	12/07/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	2.5U	2.5	0.27
79-34-5	1,1,2,2-Tetrachloroethane	2.5U	2.5	0.54
127-18-4	Tetrachloroethene	**16**	2.5	0.61
108-88-3	Toluene	2.5U	2.5	0.20
71-55-6	1,1,1-Trichloroethane	**150**	2.5	0.33
79-00-5	1,1,2-Trichloroethane	2.5U	2.5	0.33
79-01-6	Trichloroethene	**39**	2.5	0.21
75-01-4	Vinyl Chloride	2.5U	2.5	0.13
1330-20-7	Xylene (Total)	7.5U	7.5	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	111	*88-115*
1,2-Dichloroethane-d4	105	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	92	*78-116*

VALIDATED

Reviewed By _____

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW102A**	Sampled:	11/27/09 10:25
Lab Sample ID:	**0912009-11**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	1.0U	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
*106-46-7	1,4-Dichlorobenzene	~~0.393~~ 1U	1.0	0.21
75-34-3	1,1-Dichloroethane	**96**	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	**3.5**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**190**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	**5.3**	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Reviewed By _____

Date 12/14/09

Continued on next page

*See Statement of Data Qualifications

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW102A**	Sampled:	11/27/09 10:25
Lab Sample ID:	**0912009-11**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	1.0U	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**89**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	**18**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	110	*88-115*
1,2-Dichloroethane-d4	105	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	91	*78-116*

VALIDATED

Reviewed By [signature]

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW102B**	Sampled:	11/27/09 09:33
Lab Sample ID:	**0912009-10**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/04/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	1.0U	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
*106-46-7	1,4-Dichlorobenzene	~~0.37J~~ 1U	1.0	0.21
75-34-3	1,1-Dichloroethane	**3.5**	1.0	0.18
107-06-2	1,2-Dichloroethane	**0.56J**	1.0	0.15
75-35-4	1,1-Dichloroethene	1.0U	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**5.6**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Continued on next page

*See Statement of Data Qualifications

Reviewed By _____

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW102B**	Sampled:	11/27/09 09:33
Lab Sample ID:	**0912009-10**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/04/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	1.0U	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	1.0U	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	1.0U	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	106	*88-115*
1,2-Dichloroethane-d4	105	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	91	*78-116*

VALIDATED

Reviewed By _____

Date 12/14/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW102C**	Sampled:	11/27/09 08:35
Lab Sample ID:	**0912009-09**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/07/09 By: JDM
Dilution Factor:	10	Analyzed:	12/07/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14042

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	50U	50	18
71-43-2	Benzene	10U	10	1.3
74-97-5	Bromochloromethane	10U	10	1.1
75-27-4	Bromodichloromethane	10U	10	1.4
75-25-2	Bromoform	10U	10	1.2
74-83-9	Bromomethane	10U	10	1.1
75-15-0	Carbon Disulfide	50U	50	6.0
56-23-5	Carbon Tetrachloride	10U	10	2.1
108-90-7	Chlorobenzene	10U	10	0.65
75-00-3	Chloroethane	10U	10	1.8
67-66-3	Chloroform	10U	10	0.77
74-87-3	Chloromethane	10U	10	1.0
96-12-8	1,2-Dibromo-3-chloropropane	10U	10	4.1
124-48-1	Dibromochloromethane	10U	10	1.5
106-93-4	1,2-Dibromoethane	10U	10	0.96
95-50-1	1,2-Dichlorobenzene	10U	10	2.7
541-73-1	1,3-Dichlorobenzene	10U	10	2.1
106-46-7	1,4-Dichlorobenzene	10U	10	2.1
75-34-3	1,1-Dichloroethane	**210**	10	1.8
107-06-2	1,2-Dichloroethane	10U	10	1.5
75-35-4	1,1-Dichloroethene	**59**	10	1.7
156-59-2	cis-1,2-Dichloroethene	**760**	10	1.9
156-60-5	trans-1,2-Dichloroethene	**6.7J**	10	1.0
78-87-5	1,2-Dichloropropane	10U	10	1.9
10061-01-5	cis-1,3-Dichloropropene	10U	10	1.5
10061-02-6	trans-1,3-Dichloropropene	10U	10	1.9
100-41-4	Ethylbenzene	10U	10	0.44
591-78-6	2-Hexanone	50U	50	13
75-09-2	Methylene Chloride	10U	10	1.9
78-93-3	2-Butanone (MEK)	50U	50	15
108-10-1	4-Methyl-2-pentanone (MIBK)	50U	50	8.7

VALIDATED

Continued on next page

Reviewed By _____

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW102C**	Sampled:	11/27/09 08:35
Lab Sample ID:	**0912009-09**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/07/09 By: JDM
Dilution Factor:	10	Analyzed:	12/07/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	10U	10	1.1
79-34-5	1,1,2,2-Tetrachloroethane	10U	10	2.2
127-18-4	Tetrachloroethene	**22**	10	2.4
108-88-3	Toluene	10U	10	0.81
71-55-6	1,1,1-Trichloroethane	**94**	10	1.3
79-00-5	1,1,2-Trichloroethane	10U	10	1.3
79-01-6	Trichloroethene	**74**	10	0.84
75-01-4	Vinyl Chloride	10U	10	0.54
1330-20-7	Xylene (Total)	30U	30	4.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	107	*88-115*
1,2-Dichloroethane-d4	105	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	91	*78-116*

VALIDATED

Reviewed By _____

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW113A**	Sampled:	11/28/09 15:45
Lab Sample ID:	**0912009-26**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/07/09 By: JDM
Dilution Factor:	2.5	Analyzed:	12/07/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14042

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	12U	12	4.5
71-43-2	Benzene	2.5U	2.5	0.32
74-97-5	Bromochloromethane	2.5U	2.5	0.28
75-27-4	Bromodichloromethane	2.5U	2.5	0.35
75-25-2	Bromoform	2.5U	2.5	0.29
74-83-9	Bromomethane	2.5U	2.5	0.28
75-15-0	Carbon Disulfide	12U	12	1.5
56-23-5	Carbon Tetrachloride	2.5U	2.5	0.53
108-90-7	Chlorobenzene	2.5U	2.5	0.16
75-00-3	Chloroethane	2.5U	2.5	0.44
67-66-3	Chloroform	**1.5J**	2.5	0.19
74-87-3	Chloromethane	2.5U	2.5	0.26
96-12-8	1,2-Dibromo-3-chloropropane	2.5U	2.5	1.0
124-48-1	Dibromochloromethane	2.5U	2.5	0.38
106-93-4	1,2-Dibromoethane	2.5U	2.5	0.24
95-50-1	1,2-Dichlorobenzene	2.5U	2.5	0.68
541-73-1	1,3-Dichlorobenzene	2.5U	2.5	0.54
106-46-7	1,4-Dichlorobenzene	2.5U	2.5	0.53
75-34-3	1,1-Dichloroethane	**110**	2.5	0.44
107-06-2	1,2-Dichloroethane	2.5U	2.5	0.38
75-35-4	1,1-Dichloroethene	**1.7J**	2.5	0.43
156-59-2	cis-1,2-Dichloroethene	**290**	2.5	0.48
156-60-5	trans-1,2-Dichloroethene	**44**	2.5	0.26
78-87-5	1,2-Dichloropropane	2.5U	2.5	0.48
10061-01-5	cis-1,3-Dichloropropene	2.5U	2.5	0.37
10061-02-6	trans-1,3-Dichloropropene	2.5U	2.5	0.46
100-41-4	Ethylbenzene	2.5U	2.5	0.11
591-78-6	2-Hexanone	12U	12	3.3
75-09-2	Methylene Chloride	2.5U	2.5	0.47
78-93-3	2-Butanone (MEK)	12U	12	3.8
108-10-1	4-Methyl-2-pentanone (MIBK)	12U	12	2.2

VALIDATED

Continued on next page

Reviewed By _____

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW113A**	Sampled:	11/28/09 15:45
Lab Sample ID:	**0912009-26**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/07/09 By: JDM
Dilution Factor:	2.5	Analyzed:	12/07/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	2.5U	2.5	0.27
79-34-5	1,1,2,2-Tetrachloroethane	2.5U	2.5	0.54
127-18-4	Tetrachloroethene	**12**	2.5	0.61
108-88-3	Toluene	2.5U	2.5	0.20
71-55-6	1,1,1-Trichloroethane	**170**	2.5	0.33
79-00-5	1,1,2-Trichloroethane	2.5U	2.5	0.33
79-01-6	Trichloroethene	**84**	2.5	0.21
75-01-4	Vinyl Chloride	2.5U	2.5	0.13
1330-20-7	Xylene (Total)	7.5U	7.5	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	110	*88-115*
1,2-Dichloroethane-d4	105	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	91	*78-116*

VALIDATED

Reviewed By _____

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW113B**	Sampled:	11/28/09 14:50
Lab Sample ID:	**0912009-25**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	**0.69J**	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
*106-46-7	1,4-Dichlorobenzene	~~0.27J~~ / U	1.0	0.21
75-34-3	1,1-Dichloroethane	**77**	1.0	0.18
107-06-2	1,2-Dichloroethane	**0.76J**	1.0	0.15
75-35-4	1,1-Dichloroethene	**22**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**190**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	**2.5**	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Continued on next page

*See Statement of Data Qualifications

Reviewed By

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW113B**	Sampled:	11/28/09 14:50
Lab Sample ID:	**0912009-25**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
*79-34-5	1,1,2,2-Tetrachloroethane	1.0U R	1.0	0.22
127-18-4	Tetrachloroethene	**3.9**	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**31**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	**41**	1.0	0.084
75-01-4	Vinyl Chloride	**8.0**	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	110	*88-115*
1,2-Dichloroethane-d4	103	*81-116*
Toluene-d8	101	*87-113*
4-Bromofluorobenzene	93	*78-116*

VALIDATED

Reviewed By BS

Date 12/16/09

*See Statement of Data Qualifications

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW114A**	Sampled:	11/28/09 12:45
Lab Sample ID:	**0912009-22**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	**0.46J**	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
*106-46-7	1,4-Dichlorobenzene	~~0.29J~~ 1U	1.0	0.21
75-34-3	1,1-Dichloroethane	**1.9**	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	**3.9**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**1.3**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Reviewed By _____

Date 12/16/09

Continued on next page

*See Statement of Data Qualifications

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW114A**	Sampled:	11/28/09 12:45
Lab Sample ID:	**0912009-22**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
*79-34-5	1,1,2,2-Tetrachloroethane	1.0U R	1.0	0.22
127-18-4	Tetrachloroethene	1.0U	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**36**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	**2.7**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	108	*88-115*
1,2-Dichloroethane-d4	100	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	90	*78-116*

VALIDATED

Reviewed By: [signature]

Date: 12/16/09

*See Statement of Data Qualifications

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW114B**	Sampled:	11/28/09 11:59
Lab Sample ID:	**0912009-20**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	1.0U	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
*106-46-7	1,4-Dichlorobenzene	~~0.353~~ 1U	1.0	0.21
75-34-3	1,1-Dichloroethane	**2.2**	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	**1.0**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**2.0**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Reviewed By [illegible]

Date 12/16/09

Continued on next page

*See Statement of Data Qualifications

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW114B**	Sampled:	11/28/09 11:59
Lab Sample ID:	**0912009-20**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
*79-34-5	1,1,2,2-Tetrachloroethane	1.0U R	1.0	0.22
127-18-4	Tetrachloroethene	1.0U	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	1.0U	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	**6.7**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	105	*88-115*
1,2-Dichloroethane-d4	102	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	92	*78-116*

VALIDATED

Reviewed By [signature]

Date 12/16/09

*See Statement of Data Qualifications

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW117B**	Sampled:	11/24/09 12:40
Lab Sample ID:	**0912009-01**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/04/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	**0.42J**	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
*95-50-1	1,2-Dichlorobenzene	**0.29J**	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
*106-46-7	1,4-Dichlorobenzene	~~**0.44J**~~ 1U	1.0	0.21
75-34-3	1,1-Dichloroethane	**8.5**	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	**9.0**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**5.1**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Reviewed By _____

Date 12/16/09

Continued on next page

*See Statement of Data Qualifications

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW117B**	Sampled:	11/24/09 12:40
Lab Sample ID:	**0912009-01**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/04/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	**5.3**	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**24**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	**15**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	108	*88-115*
1,2-Dichloroethane-d4	101	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	92	*78-116*

VALIDATED

Reviewed By [illegible]

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW117C**	Sampled:	11/24/09 14:03
Lab Sample ID:	**0912009-02**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/04/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	**0.48J**	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
*106-46-7	1,4-Dichlorobenzene	~~0.50J~~ 1U	1.0	0.21
75-34-3	1,1-Dichloroethane	**23**	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	**24**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**57**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Continued on next page

*See Statement of Data Qualifications

Reviewed By _____

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW117C**	Sampled:	11/24/09 14:03
Lab Sample ID:	**0912009-02**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/04/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	**26**	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**51**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	**21**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	109	*88-115*
1,2-Dichloroethane-d4	103	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	90	*78-116*

VALIDATED

Reviewed By [signature]

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW117D**	Sampled:	11/24/09 14:53
Lab Sample ID:	**0912009-03**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/04/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	**0.49J**	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
*106-46-7	1,4-Dichlorobenzene	~~0.49J~~ 1U	1.0	0.21
75-34-3	1,1-Dichloroethane	**29**	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	**19**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**11**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Continued on next page

Reviewed By _____

*See Statement of Data Qualifications

Date 12/14/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW117D**	Sampled:	11/24/09 14:53
Lab Sample ID:	**0912009-03**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/04/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	**28**	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**49**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	**18**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	107	*88-115*
1,2-Dichloroethane-d4	101	*81-116*
Toluene-d8	98	*87-113*
4-Bromofluorobenzene	91	*78-116*

VALIDATED

Reviewed By _____

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW119**	Sampled:	11/29/09 12:04
Lab Sample ID:	**0912009-34**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	**0.45J**	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	**1.4**	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	1.0U	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**0.61J**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Continued on next page

Reviewed By _____

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW119**	Sampled:	11/29/09 12:04
Lab Sample ID:	**0912009-34**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
*79-34-5	1,1,2,2-Tetrachloroethane	1.0U R	1.0	0.22
127-18-4	Tetrachloroethene	1.0U	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**1.2**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	1.0U	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	107	*88-115*
1,2-Dichloroethane-d4	101	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	93	*78-116*

VALIDATED

Reviewed By [signature]

Date 12/14/09

*See Statement of Data Qualifications

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW121**	Sampled:	11/25/09 14:51
Lab Sample ID:	**0912009-08**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/04/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	**0.63J**	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
*106-46-7	1,4-Dichlorobenzene	~~0.38J~~ 1U	1.0	0.21
75-34-3	1,1-Dichloroethane	**2.1**	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	**1.8**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**4.3**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Continued on next page

Reviewed By [signature]

*See Statement of Data Qualifications

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW121**	Sampled:	11/25/09 14:51
Lab Sample ID:	**0912009-08**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/04/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	**2.0**	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**3.1**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	**20**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	107	*88-115*
1,2-Dichloroethane-d4	103	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	90	*78-116*

VALIDATED

Reviewed By: [signature]

Date: 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW124**	Sampled:	11/29/09 11:16
Lab Sample ID:	**0912009-33**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	5	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	25U	25	9.0
71-43-2	Benzene	5.0U	5.0	0.64
74-97-5	Bromochloromethane	5.0U	5.0	0.57
75-27-4	Bromodichloromethane	5.0U	5.0	0.70
75-25-2	Bromoform	5.0U	5.0	0.58
74-83-9	Bromomethane	5.0U	5.0	0.56
75-15-0	Carbon Disulfide	25U	25	3.0
56-23-5	Carbon Tetrachloride	5.0U	5.0	1.1
108-90-7	Chlorobenzene	5.0U	5.0	0.33
75-00-3	Chloroethane	5.0U	5.0	0.89
67-66-3	Chloroform	5.0U	5.0	0.38
74-87-3	Chloromethane	5.0U	5.0	0.52
96-12-8	1,2-Dibromo-3-chloropropane	5.0U	5.0	2.1
124-48-1	Dibromochloromethane	5.0U	5.0	0.76
106-93-4	1,2-Dibromoethane	5.0U	5.0	0.48
95-50-1	1,2-Dichlorobenzene	5.0U	5.0	1.4
541-73-1	1,3-Dichlorobenzene	5.0U	5.0	1.1
106-46-7	1,4-Dichlorobenzene	5.0U	5.0	1.1
75-34-3	1,1-Dichloroethane	**510**	5.0	0.88
107-06-2	1,2-Dichloroethane	5.0U	5.0	0.75
75-35-4	1,1-Dichloroethene	**22**	5.0	0.86
156-59-2	cis-1,2-Dichloroethene	**170**	5.0	0.96
156-60-5	trans-1,2-Dichloroethene	5.0U	5.0	0.51
78-87-5	1,2-Dichloropropane	5.0U	5.0	0.96
10061-01-5	cis-1,3-Dichloropropene	5.0U	5.0	0.74
10061-02-6	trans-1,3-Dichloropropene	5.0U	5.0	0.93
100-41-4	Ethylbenzene	5.0U	5.0	0.22
591-78-6	2-Hexanone	25U	25	6.6
75-09-2	Methylene Chloride	5.0U	5.0	0.94
78-93-3	2-Butanone (MEK)	25U	25	7.6
108-10-1	4-Methyl-2-pentanone (MIBK)	25U	25	4.3

VALIDATED

Continued on next page

Reviewed By: [illegible]

Date: 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW124**	Sampled:	11/29/09 11:16
Lab Sample ID:	**0912009-33**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	5	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	5.0U	5.0	0.54
*79-34-5	1,1,2,2-Tetrachloroethane	5.0U R	5.0	1.1
127-18-4	Tetrachloroethene	**16**	5.0	1.2
108-88-3	Toluene	5.0U	5.0	0.40
71-55-6	1,1,1-Trichloroethane	**98**	5.0	0.66
79-00-5	1,1,2-Trichloroethane	5.0U	5.0	0.66
79-01-6	Trichloroethene	**9.4**	5.0	0.42
75-01-4	Vinyl Chloride	**21**	5.0	0.27
1330-20-7	Xylene (Total)	15U	15	2.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	109	*88-115*
1,2-Dichloroethane-d4	102	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	89	*78-116*

VALIDATED

Reviewed By CS

Date 12/10/09

*See Statement of Data Qualifications

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW130**	Sampled:	11/29/09 10:25
Lab Sample ID:	**0912009-32**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	2	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	10U	10	3.6
71-43-2	Benzene	2.0U	2.0	0.25
74-97-5	Bromochloromethane	2.0U	2.0	0.23
75-27-4	Bromodichloromethane	2.0U	2.0	0.28
75-25-2	Bromoform	2.0U	2.0	0.23
74-83-9	Bromomethane	2.0U	2.0	0.23
75-15-0	Carbon Disulfide	10U	10	1.2
56-23-5	Carbon Tetrachloride	2.0U	2.0	0.42
108-90-7	Chlorobenzene	2.0U	2.0	0.13
75-00-3	Chloroethane	2.0U	2.0	0.36
67-66-3	Chloroform	2.0U	2.0	0.15
74-87-3	Chloromethane	2.0U	2.0	0.21
96-12-8	1,2-Dibromo-3-chloropropane	2.0U	2.0	0.83
124-48-1	Dibromochloromethane	2.0U	2.0	0.30
106-93-4	1,2-Dibromoethane	2.0U	2.0	0.19
95-50-1	1,2-Dichlorobenzene	2.0U	2.0	0.55
541-73-1	1,3-Dichlorobenzene	2.0U	2.0	0.43
106-46-7	1,4-Dichlorobenzene	2.0U	2.0	0.42
75-34-3	1,1-Dichloroethane	**31**	2.0	0.35
107-06-2	1,2-Dichloroethane	2.0U	2.0	0.30
75-35-4	1,1-Dichloroethene	**5.5**	2.0	0.34
156-59-2	cis-1,2-Dichloroethene	**12**	2.0	0.39
156-60-5	trans-1,2-Dichloroethene	2.0U	2.0	0.20
78-87-5	1,2-Dichloropropane	2.0U	2.0	0.38
10061-01-5	cis-1,3-Dichloropropene	2.0U	2.0	0.29
10061-02-6	trans-1,3-Dichloropropene	2.0U	2.0	0.37
100-41-4	Ethylbenzene	2.0U	2.0	0.088
591-78-6	2-Hexanone	10U	10	2.7
75-09-2	Methylene Chloride	2.0U	2.0	0.38
78-93-3	2-Butanone (MEK)	10U	10	3.0
108-10-1	4-Methyl-2-pentanone (MIBK)	10U	10	1.7

VALIDATED

Reviewed By: [signature]

Date: 12/14/09

Continued on next page

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW130**	Sampled:	11/29/09 10:25
Lab Sample ID:	**0912009-32**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	2	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	2.0U	2.0	0.21
*79-34-5	1,1,2,2-Tetrachloroethane	2.0U R	2.0	0.43
127-18-4	Tetrachloroethene	2.0U	2.0	0.49
108-88-3	Toluene	2.0U	2.0	0.16
71-55-6	1,1,1-Trichloroethane	**320**	2.0	0.27
79-00-5	1,1,2-Trichloroethane	2.0U	2.0	0.27
79-01-6	Trichloroethene	**3.3**	2.0	0.17
75-01-4	Vinyl Chloride	2.0U	2.0	0.11
1330-20-7	Xylene (Total)	6.0U	6.0	0.81

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	113	*88-115*
1,2-Dichloroethane-d4	102	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	90	*78-116*

VALIDATED

Reviewed By: [signature]

Date: 12/16/09

*See Statement of Data Qualifications

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW133A**	Sampled:	11/28/09 08:42
Lab Sample ID:	**0912009-16**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	1.0U	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
*106-46-7	1,4-Dichlorobenzene	~~0.31J~~ 1U	1.0	0.21
75-34-3	1,1-Dichloroethane	1.0U	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	1.0U	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	1.0U	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Reviewed By: [illegible]

Date: 12/14/09

Continued on next page

*See Statement of Data Qualifications

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW133A**	Sampled:	11/28/09 08:42
Lab Sample ID:	**0912009-16**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	1.0U	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	1.0U	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	1.0U	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	107	*88-115*
1,2-Dichloroethane-d4	103	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	90	*78-116*

VALIDATED

Reviewed By [signature]

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW133B**	Sampled:	11/28/09 09:55
Lab Sample ID:	**0912009-17**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/07/09 By: JDM
Dilution Factor:	20	Analyzed:	12/07/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14042

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	100U	100	36
71-43-2	Benzene	20U	20	2.5
74-97-5	Bromochloromethane	20U	20	2.3
75-27-4	Bromodichloromethane	20U	20	2.8
75-25-2	Bromoform	20U	20	2.3
74-83-9	Bromomethane	20U	20	2.3
75-15-0	Carbon Disulfide	100U	100	12
56-23-5	Carbon Tetrachloride	20U	20	4.2
108-90-7	Chlorobenzene	20U	20	1.3
75-00-3	Chloroethane	20U	20	3.6
67-66-3	Chloroform	**7.8J**	20	1.5
74-87-3	Chloromethane	20U	20	2.1
96-12-8	1,2-Dibromo-3-chloropropane	20U	20	8.3
124-48-1	Dibromochloromethane	20U	20	3.0
106-93-4	1,2-Dibromoethane	20U	20	1.9
95-50-1	1,2-Dichlorobenzene	20U	20	5.5
541-73-1	1,3-Dichlorobenzene	20U	20	4.3
106-46-7	1,4-Dichlorobenzene	20U	20	4.2
75-34-3	1,1-Dichloroethane	**280**	20	3.5
107-06-2	1,2-Dichloroethane	20U	20	3.0
75-35-4	1,1-Dichloroethene	**100**	20	3.4
156-59-2	cis-1,2-Dichloroethene	**2000**	20	3.9
156-60-5	trans-1,2-Dichloroethene	**84**	20	2.0
78-87-5	1,2-Dichloropropane	20U	20	3.8
10061-01-5	cis-1,3-Dichloropropene	20U	20	2.9
10061-02-6	trans-1,3-Dichloropropene	20U	20	3.7
100-41-4	Ethylbenzene	20U	20	0.88
591-78-6	2-Hexanone	100U	100	27
75-09-2	Methylene Chloride	20U	20	3.8
78-93-3	2-Butanone (MEK)	100U	100	30
108-10-1	4-Methyl-2-pentanone (MIBK)	100U	100	17

VALIDATED

Continued on next page

Reviewed By _____

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW133B**	Sampled:	11/28/09 09:55
Lab Sample ID:	**0912009-17**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/07/09 By: JDM
Dilution Factor:	20	Analyzed:	12/07/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14042

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	20U	20	2.1
79-34-5	1,1,2,2-Tetrachloroethane	20U	20	4.3
127-18-4	Tetrachloroethene	**110**	20	4.9
108-88-3	Toluene	20U	20	1.6
71-55-6	1,1,1-Trichloroethane	**820**	20	2.7
79-00-5	1,1,2-Trichloroethane	20U	20	2.7
79-01-6	Trichloroethene	**190**	20	1.7
75-01-4	Vinyl Chloride	20U	20	1.1
1330-20-7	Xylene (Total)	60U	60	8.1

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	111	*88-115*
1,2-Dichloroethane-d4	103	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	91	*78-116*

VALIDATED

Reviewed By _____

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW133C**	Sampled:	11/28/09 10:36
Lab Sample ID:	**0912009-18**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	**0.54J**	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	**7.1**	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
*106-46-7	1,4-Dichlorobenzene	~~0.28J~~ 1U	1.0	0.21
75-34-3	1,1-Dichloroethane	**58**	1.0	0.18
107-06-2	1,2-Dichloroethane	**1.8**	1.0	0.15
75-35-4	1,1-Dichloroethene	**53**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**110**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	**1.2**	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Continued on next page

Reviewed By [signature]

*See Statement of Data Qualifications

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW133C**	Sampled:	11/28/09 10:36
Lab Sample ID:	**0912009-18**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	**6.2**	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**170**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	**1.1**	1.0	0.13
79-01-6	Trichloroethene	**94**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	112	*88-115*
1,2-Dichloroethane-d4	100	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	90	*78-116*

VALIDATED

Reviewed By _____

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW136**	Sampled:	11/28/09 13:35
Lab Sample ID:	**0912009-23**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	**1.5**	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	1.0U	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	1.0U	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	1.0U	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Continued on next page

Reviewed By [signature]

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW136**	Sampled:	11/28/09 13:35
Lab Sample ID:	**0912009-23**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
*79-34-5	1,1,2,2-Tetrachloroethane	1.0U R	1.0	0.22
127-18-4	Tetrachloroethene	1.0U	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	1.0U	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	1.0U	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	106	*88-115*
1,2-Dichloroethane-d4	102	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	92	*78-116*

VALIDATED

Reviewed By _____

Date 12/16/09

*See Statement of Data Qualifications

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW200**	Sampled:	11/28/09 14:18
Lab Sample ID:	**0912009-24**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	1.0U	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
*106-46-7	1,4-Dichlorobenzene	~~0.203~~ 1U	1.0	0.21
75-34-3	1,1-Dichloroethane	1.0U	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	1.0U	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	1.0U	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Continued on next page

*See Statement of Data Qualifications

Reviewed By _____

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW200**	Sampled:	11/28/09 14:18
Lab Sample ID:	**0912009-24**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
*79-34-5	1,1,2,2-Tetrachloroethane	1.0U R	1.0	0.22
127-18-4	Tetrachloroethene	1.0U	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	1.0U	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	1.0U	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	106	*88-115*
1,2-Dichloroethane-d4	103	*81-116*
Toluene-d8	101	*87-113*
4-Bromofluorobenzene	92	*78-116*

VALIDATED

Reviewed By: [signature]

Date: 12/16/09

*See Statement of Data Qualifications

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW201**	Sampled:	11/29/09 08:25
Lab Sample ID:	**0912009-28**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	10	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	50U	50	18
71-43-2	Benzene	10U	10	1.3
74-97-5	Bromochloromethane	10U	10	1.1
75-27-4	Bromodichloromethane	10U	10	1.4
75-25-2	Bromoform	10U	10	1.2
74-83-9	Bromomethane	10U	10	1.1
75-15-0	Carbon Disulfide	50U	50	6.0
56-23-5	Carbon Tetrachloride	10U	10	2.1
108-90-7	Chlorobenzene	10U	10	0.65
*75-00-3	Chloroethane	**740**	10	1.8
67-66-3	Chloroform	10U	10	0.77
74-87-3	Chloromethane	10U	10	1.0
96-12-8	1,2-Dibromo-3-chloropropane	10U	10	4.1
124-48-1	Dibromochloromethane	10U	10	1.5
106-93-4	1,2-Dibromoethane	10U	10	0.96
95-50-1	1,2-Dichlorobenzene	10U	10	2.7
541-73-1	1,3-Dichlorobenzene	10U	10	2.1
*106-46-7	1,4-Dichlorobenzene	**2.7J**	10	2.1
75-34-3	1,1-Dichloroethane	**480**	10	1.8
107-06-2	1,2-Dichloroethane	10U	10	1.5
75-35-4	1,1-Dichloroethene	10U	10	1.7
156-59-2	cis-1,2-Dichloroethene	**6.4J**	10	1.9
156-60-5	trans-1,2-Dichloroethene	10U	10	1.0
78-87-5	1,2-Dichloropropane	10U	10	1.9
10061-01-5	cis-1,3-Dichloropropene	10U	10	1.5
10061-02-6	trans-1,3-Dichloropropene	10U	10	1.9
100-41-4	Ethylbenzene	10U	10	0.44
591-78-6	2-Hexanone	50U	50	13
75-09-2	Methylene Chloride	10U	10	1.9
78-93-3	2-Butanone (MEK)	50U	50	15
108-10-1	4-Methyl-2-pentanone (MIBK)	50U	50	8.7

VALIDATED

Continued on next page

*See Statement of Data Qualifications

Reviewed By: [illegible]

Date: 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW201**	Sampled:	11/29/09 08:25
Lab Sample ID:	**0912009-28**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	10	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	10U	10	1.1
*79-34-5	1,1,2,2-Tetrachloroethane	10U R	10	2.2
127-18-4	Tetrachloroethene	10U	10	2.4
108-88-3	Toluene	10U	10	0.81
71-55-6	1,1,1-Trichloroethane	**37**	10	1.3
79-00-5	1,1,2-Trichloroethane	10U	10	1.3
79-01-6	Trichloroethene	10U	10	0.84
75-01-4	Vinyl Chloride	**10**	10	0.54
1330-20-7	Xylene (Total)	30U	30	4.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	107	*88-115*
1,2-Dichloroethane-d4	103	*81-116*
Toluene-d8	98	*87-113*
4-Bromofluorobenzene	93	*78-116*

VALIDATED

Reviewed By: [signature]

Date 12/16/09

*See Statement of Data Qualifications

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW202**	Sampled:	11/29/09 09:49
Lab Sample ID:	**0912009-31**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	1.0U	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	1.0U	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	1.0U	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	1.0U	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Continued on next page

Reviewed By _____

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW202**	Sampled:	11/29/09 09:49
Lab Sample ID:	**0912009-31**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
*79-34-5	1,1,2,2-Tetrachloroethane	1.0U R	1.0	0.22
127-18-4	Tetrachloroethene	**1.2**	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	1.0U	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	1.0U	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	108	*88-115*
1,2-Dichloroethane-d4	104	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	90	*78-116*

VALIDATED

Reviewed By

Date 12/16/09

*See Statement of Data Qualifications

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW203**	Sampled:	11/29/09 09:01
Lab Sample ID:	**0912009-30**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	1.0U	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	1.0U	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	1.0U	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	1.0U	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Continued on next page

Reviewed By [signature]

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW203**	Sampled:	11/29/09 09:01
Lab Sample ID:	**0912009-30**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
*79-34-5	1,1,2,2-Tetrachloroethane	1.0U R	1.0	0.22
127-18-4	Tetrachloroethene	**5.4**	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	1.0U	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	1.0U	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	108	*88-115*
1,2-Dichloroethane-d4	101	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	93	*78-116*

VALIDATED

Reviewed By _____

Date 12/16/09

*See Statement of Data Qualifications

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW204**	Sampled:	11/25/09 08:16
Lab Sample ID:	**0912009-04**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/04/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	**0.65J**	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
*106-46-7	1,4-Dichlorobenzene	~~**0.45J**~~ 1U	1.0	0.21
75-34-3	1,1-Dichloroethane	**5.8**	1.0	0.18
107-06-2	1,2-Dichloroethane	**1.8**	1.0	0.15
75-35-4	1,1-Dichloroethene	**14**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**20**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Reviewed By _____

Date 12/16/09

Continued on next page

*See Statement of Data Qualifications

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW204**	Sampled:	11/25/09 08:16
Lab Sample ID:	**0912009-04**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/04/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	**2.6**	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**6.2**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	**71**	1.0	0.084
75-01-4	Vinyl Chloride	**0.56J**	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	108	*88-115*
1,2-Dichloroethane-d4	103	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	93	*78-116*

VALIDATED

Reviewed By [signature]

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW205A**	Sampled:	11/25/09 13:02
Lab Sample ID:	**0912009-06**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/04/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	**0.48J**	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
*106-46-7	1,4-Dichlorobenzene	~~**0.44J**~~ 1U	1.0	0.21
75-34-3	1,1-Dichloroethane	**11**	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	**19**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**32**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Continued on next page

*See Statement of Data Qualifications

Reviewed By: B-8

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW205A**	Sampled:	11/25/09 13:02
Lab Sample ID:	**0912009-06**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/04/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	**20**	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**46**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	**27**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	109	*88-115*
1,2-Dichloroethane-d4	104	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	92	*78-116*

VALIDATED

Reviewed By [signature]

Date 12/14/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW205B**	Sampled:	11/25/09 12:24
Lab Sample ID:	**0912009-05**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/04/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	**0.55J**	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
*106-46-7	1,4-Dichlorobenzene	~~**0.42J**~~ 1U	1.0	0.21
75-34-3	1,1-Dichloroethane	**14**	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	**21**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**37**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

Continued on next page

*See Statement of Data Qualifications

VALIDATED

Reviewed By [illegible]

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW205B**	Sampled:	11/25/09 12:24
Lab Sample ID:	**0912009-05**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/04/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	**21**	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**47**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	**27**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	110	*88-115*
1,2-Dichloroethane-d4	104	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	92	*78-116*

VALIDATED

Reviewed By B. S.

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW207**	Sampled:	11/25/09 13:50
Lab Sample ID:	**0912009-07**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/04/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	1.0U	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
*106-46-7	1,4-Dichlorobenzene	~~0.39J~~ 1U	1.0	0.21
75-34-3	1,1-Dichloroethane	**1.6**	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	**0.60J**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**1.2**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Continued on next page

*See Statement of Data Qualifications

Reviewed By _____

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW207**	Sampled:	11/25/09 13:50
Lab Sample ID:	**0912009-07**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/04/09 By: JDM
QC Batch:	0915004	Analytical Batch:	9L14034

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	**2.2**	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**3.5**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	**7.4**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	107	*88-115*
1,2-Dichloroethane-d4	103	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	90	*78-116*

VALIDATED

Reviewed By _____

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**FD1**	Sampled:	11/28/09 12:02
Lab Sample ID:	**0912009-21**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	1.0U	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
*106-46-7	1,4-Dichlorobenzene	~~0.27J~~ 1U	1.0	0.21
75-34-3	1,1-Dichloroethane	**2.4**	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	**0.93J**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**1.9**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Continued on next page

Reviewed By [signature]

*See Statement of Data Qualifications

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**FD1**	Sampled:	11/28/09 12:02
Lab Sample ID:	**0912009-21**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
*79-34-5	1,1,2,2-Tetrachloroethane	1.0U R	1.0	0.22
127-18-4	Tetrachloroethene	1.0U	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	1.0U	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	**6.8**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	106	*88-115*
1,2-Dichloroethane-d4	102	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	92	*78-116*

VALIDATED

Reviewed By: [illegible]

Date: 12/16/09

*See Statement of Data Qualifications

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**FD2**	Sampled:	11/29/09 08:28
Lab Sample ID:	**0912009-29**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	10	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	50U	50	18
71-43-2	Benzene	10U	10	1.3
74-97-5	Bromochloromethane	10U	10	1.1
75-27-4	Bromodichloromethane	10U	10	1.4
75-25-2	Bromoform	10U	10	1.2
74-83-9	Bromomethane	10U	10	1.1
75-15-0	Carbon Disulfide	50U	50	6.0
56-23-5	Carbon Tetrachloride	10U	10	2.1
108-90-7	Chlorobenzene	10U	10	0.65
75-00-3	Chloroethane	**770**	10	1.8
67-66-3	Chloroform	10U	10	0.77
74-87-3	Chloromethane	10U	10	1.0
96-12-8	1,2-Dibromo-3-chloropropane	10U	10	4.1
124-48-1	Dibromochloromethane	10U	10	1.5
106-93-4	1,2-Dibromoethane	10U	10	0.96
95-50-1	1,2-Dichlorobenzene	10U	10	2.7
541-73-1	1,3-Dichlorobenzene	10U	10	2.1
106-46-7	1,4-Dichlorobenzene	10U	10	2.1
75-34-3	1,1-Dichloroethane	**500**	10	1.8
107-06-2	1,2-Dichloroethane	10U	10	1.5
75-35-4	1,1-Dichloroethene	10U	10	1.7
156-59-2	cis-1,2-Dichloroethene	**5.7J**	10	1.9
156-60-5	trans-1,2-Dichloroethene	10U	10	1.0
78-87-5	1,2-Dichloropropane	10U	10	1.9
10061-01-5	cis-1,3-Dichloropropene	10U	10	1.5
10061-02-6	trans-1,3-Dichloropropene	10U	10	1.9
100-41-4	Ethylbenzene	10U	10	0.44
591-78-6	2-Hexanone	50U	50	13
75-09-2	Methylene Chloride	10U	10	1.9
78-93-3	2-Butanone (MEK)	50U	50	15
108-10-1	4-Methyl-2-pentanone (MIBK)	50U	50	8.7

VALIDATED

Continued on next page

Reviewed By _____

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**FD2**	Sampled:	11/29/09 08:28
Lab Sample ID:	**0912009-29**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	10	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	10U	10	1.1
*79-34-5	1,1,2,2-Tetrachloroethane	10U R	10	2.2
127-18-4	Tetrachloroethene	10U	10	2.4
108-88-3	Toluene	10U	10	0.81
71-55-6	1,1,1-Trichloroethane	**36**	10	1.3
79-00-5	1,1,2-Trichloroethane	10U	10	1.3
79-01-6	Trichloroethene	10U	10	0.84
75-01-4	Vinyl Chloride	**9.3J**	10	0.54
1330-20-7	Xylene (Total)	30U	30	4.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	107	*88-115*
1,2-Dichloroethane-d4	105	*81-116*
Toluene-d8	101	*87-113*
4-Bromofluorobenzene	91	*78-116*

VALIDATED

Reviewed By CS

Date 12/16/09

*See Statement of Data Qualifications

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**Trip Blank TM1947**	Sampled:	11/29/09 00:00
Lab Sample ID:	**0912009-35**	Sampled By:	TML
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	1.0U	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	1.0U	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	1.0U	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	1.0U	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Continued on next page

Reviewed By

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

TriMatrix Laboratories, Inc.

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**0912009**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**Trip Blank TM1947**	Sampled:	11/29/09 00:00
Lab Sample ID:	**0912009-35**	Sampled By:	TML
Matrix:	Water	Received:	12/01/09 08:45
Unit:	ug/L	Prepared:	12/04/09 By: JDM
Dilution Factor:	1	Analyzed:	12/05/09 By: JDM
QC Batch:	0915009	Analytical Batch:	9L14038

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
*79-34-5	1,1,2,2-Tetrachloroethane	1.0U R	1.0	0.22
127-18-4	Tetrachloroethene	1.0U	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	1.0U	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	1.0U	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	107	*88-115*
1,2-Dichloroethane-d4	104	*81-116*
Toluene-d8	101	*87-113*
4-Bromofluorobenzene	90	*78-116*

VALIDATED

*See Statement of Data Qualifications

Reviewed By _____

Date 12/16/09

This report shall not be reproduced except in full, without the written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.
5560 Corporate Exchange Court SE • Grand Rapids, MI 49512 • (616) 975-4500 • Fax (616) 942-7463

APPENDIX B
Ground Water Monitoring
Field Data Sheets

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	60	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW16**
Casing Stickup (Ft.)	2.36	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	28-Nov-09
Total Well Depth (Ft.) TOC	62.36	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	22.95	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	None
Water Thickness (Ft.)	39.41	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		

FIELD PURGE MONITORING

Time HHMM	pH Units	DO mg/l	Temp øC	ORP mV	SpCond æS/cm	Turb NTU	Flow Rate mL/min	Well Level (Ft.) TOC	Annotation
								22.95	Static
10:59	7.28	8.61	113.01	167	1.14	187	380	23.03	Start Time
11:03	7.4	2.53	12.29	62	1.28	648	380		redish brown
11:08	7.42	0.87	12.31	46	1.29	228	380		clear
11:12	7.4	0.85	12.24	50	1.29	175	380		clear
11:16	7.4	0.81	12.21	51	1.29	178	380	23.05	clear
MINUTES						**TOTAL LITERS**			
17.0	-0.02	-6.90%	-0.81%	5.00	0.00%	-21.93%	**6.46**		









Remarks: (well condition, maintenance, etc...)

Limited access - IEPA Lock

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	52	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 47**
Casing Stickup (Ft.)	-0.63	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	28-Nov-09
Total Well Depth (Ft.) TOC	54.49	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	37.12	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	None
Water Thickness (Ft.)	17.37	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		

FIELD PURGE MONITORING

Time HHMM	pH Units	DO mg/l	Temp øC	ORP mV	SpCond æS/cm	Turb NTU	Flow Rate mL/min	Well Level (Ft.) TOC	Annotation
							0	37.12	Static
16:08	7.35	8.33	11.65	125	1.11	625	310	37.30	Start Time
16:14	7.3	6.17	11.57	116	1.09	120	310		brown
16:18	7.32	5.02	11.43	105	1.1	76.8	310	37.30	brown
16:25	7.32	4.59	11.41	107	1.1	21	310		brown
16:28	7.32	4.66	11.39	107	1.1	17.6	310	37.29	clear
16:32	7.32	4.67	11.39	108	1.1	12.3	310		clear
MINUTES						**TOTAL LITERS**			
24.0	0.00	1.74%	-0.18%	1.00	0.00%	-41.43%	**7.44**		









Remarks: (well condition, maintenance, etc...)

Old flush-mount protecitve casing removed due to damaged lock. New 10 inch flush protective casing installed

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	88	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 101A**
Casing Stickup (Ft.)	1.45	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	27-Nov-09
Total Well Depth (Ft.) TOC	90.35	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	38.31	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	None
Water Thickness (Ft.)	52.04	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		

FIELD PURGE MONITORING

Time	pH	DO	Temp	ORP	SpCond	Turb	Flow Rate	Well Level	Annotation
HHMM	Units	mg/l	øC	mV	æS/cm	NTU	mL/min	(Ft.) TOC	
								38.31	Static
11:36	7.36	1.06	10.62	100	0.993	210	300	38.47	Start Time
11:42	7.51	0.98	10.6	95	0.991	65	300		clear
11:48	7.5	0.9	10.6	83	0.991	20	300		clear
11:56	7.41	0.85	10.58	41	0.979	21	300		clear
12:02	7.38	0.9	10.55	38	0.977	23	300	38.45	clear
12:10	7.38	0.88	10.55	39	0.975	25	300		clear
MINUTES						**TOTAL LITERS**			
34.0	-0.03	3.53%	-0.28%	-2.00	-0.41%	19.05%	**10.20**		









Remarks: (well condition, maintenance, etc...)

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	151	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 101B**
Casing Stickup (Ft.)	2.16	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	17-Nov-09
Total Well Depth (Ft.) TOC	153.74	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	39.32	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	None
Water Thickness (Ft.)	114.42	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		

FIELD PURGE MONITORING

Time HHMM	pH Units	DO mg/l	Temp øC	ORP mV	SpCond æS/cm	Turb NTU	Flow Rate mL/min	Well Level (Ft.) TOC	Annotation
									Static
10:51	7.57	5.35	10.63	92	0.908	6.1	280	39.44	Start Time
10:57	7.55	3.25	10.61	90	0.909	26.8	280	30.50	clear
11:04	7.54	1.64	10.61	91	0.909	24.2	280		clear
11:08	7.54	1.13	10.6	95	0.909	20.7	280		clear
11:12	7.54	1.09	10.6	92	0.909	20.6	280		clear
11:19	7.53	1.14	10.6	92	0.909	20.8	280	39.50	clear
MINUTES						**TOTAL LITERS**			
28.0	-0.01	0.88%	0.00%	-3.00	0.00%	0.48%	**7.84**		









Remarks: (well condition, maintenance, etc...)

3

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	172	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 101C**
Casing Stickup (Ft.)	1.12	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	27-Nov-09
Total Well Depth (Ft.) TOC	174.89	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	39.34	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	None
Water Thickness (Ft.)	135.55	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		

FIELD PURGE MONITORING

Time HHMM	pH Units	DO mg/l	Temp øC	ORP mV	SpCond æS/cm	Turb NTU	Flow Rate mL/min	Well Level (Ft.) TOC	Annotation
							450	39.34	Static
13:13	7.13	5.25	10.33	212	0.891	37.7	450	39.45	Start Time
13:18	7.11	3.73	10.21	187	0.89	19.2	450		clear
13:22	7.03	3.12	10.18	160	0.887	16.1	450		clear
13:27	7.04	2.91	10.17	158	0.812	12.2	450	39.45	clear
13:31	7.04	2.19	10.17	157	0.812	0	450		clear
13:40	7.03	2.22	10.17	159	0.812	0	450		clear
13:45	7.03	2.19	10.17	159	0.812	0	450	39.46	clear
MINUTES						**TOTAL LITERS**			
32.0	-0.01	0.00%	0.00%	2.00	0.00%	0.00%	**14.40**		









Remarks: (well condition, maintenance, etc...)

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	172	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 101D**
Casing Stickup (Ft.)	0.89	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	27-Nov-09
Total Well Depth (Ft.) TOC	212.72	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	41.57	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	None
Water Thickness (Ft.)	171.15	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		

FIELD PURGE MONITORING

Time HHMM	pH Units	DO mg/l	Temp øC	ORP mV	SpCond æS/cm	Turb NTU	Flow Rate mL/min	Well Level (Ft.) TOC	Annotation
								41.57	Static
12:32	7.73	1.53	10.61	67	0.816	35	290	41.61	Start Time
12:36	7.5	1.29	10.6	75	0.825	12.5	290		cloudy
12:39	7.31	1.06	10.55	88	0.825	0	290	41.63	clear
12:44	7.29	0.88	10.55	90	0.825	0	290		clear
12:49	7.28	0.94	10.54	93	0.825	0	290		clear
12:54	7.29	0.81	10.56	90	0.825	0	290	43.63	clear
MINUTES						**TOTAL LITERS**			
22.0	0.00	-7.95%	0.09%	0.00	0.00%	0.00%	**6.38**		









Remarks: (well condition, maintenance, etc...)

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	35	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 102A**
Casing Stickup (Ft.)	-0.47	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	24-Nov-09
Total Well Depth (Ft.) TOC	37.69	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	17.31	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	None
Water Thickness (Ft.)	20.38	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		

FIELD PURGE MONITORING

Time HHMM	pH Units	DO mg/l	Temp øC	ORP mV	SpCond æS/cm	Turb NTU	Flow Rate mL/min	Well Level (Ft.) TOC	Annotation
								17.44	Static
9:57	7.32	5.36	12.4	67	2.4	3.2	250		Start Time
10:02	7.31	5.12	12.37	65	2.39	0	250		clear
10:07	7.3	5.09	12.36	55	2.39	0	250		clear
10:12	7.3	5	12.36	55	2.39	0	250		clear
10:19	7.3	4.79	12.36	50	2.39	0	250	17.45	clear
10:22	7.3	4.71	12.36	51	2.39	0	250	17.45	clear
MINUTES						**TOTAL LITERS**			
25.0	0.00	-5.80%	0.00%	-4.00	0.00%	0.00%	**6.25**		









Remarks: (well condition, maintenance, etc...)

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	98	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 102B**
Casing Stickup (Ft.)	-0.68	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	27-Nov-09
Total Well Depth (Ft.) TOC	100.5	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	30.16	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	None
Water Thickness (Ft.)	70.34	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		

FIELD PURGE MONITORING

Time HHMM	pH Units	DO mg/l	Temp øC	ORP mV	SpCond æS/cm	Turb NTU	Flow Rate mL/min	Well Level (Ft.) TOC	Annotation
								30.16	
9:05	7.47	3.27	10.68	-89	0.811	87.6	300	30.23	Start Time
9:12	7.42	2.85	10.73	-70	0.81	40	300		redish brown color
9:16	7.47	2.92	10.72	-73	0.81	41.8	300		slightly cloudy
9:22	7.47	2.9	10.73	-71	0.81	38.5	300		clear
9:29	7.47	2.89	10.73	-69	0.81	31.4	300	30.25	clear
MINUTES						**TOTAL LITERS**			
24.0	0.00	-1.03%	0.09%	4.00	0.00%	-24.88%	**7.20**		









Remarks: (well condition, maintenance, etc...)

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	185	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 102C**
Casing Stickup (Ft.)	-0.43	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	27-Nov-09
Total Well Depth (Ft.) TOC	187.42	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	32.82	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	None
Water Thickness (Ft.)	154.6	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		

FIELD PURGE MONITORING

Time	pH	DO	Temp	ORP	SpCond	Turb	Flow Rate	Well Level	Annotation
HHMM	Units	mg/l	øC	mV	æS/cm	NTU	mL/min	(Ft.) TOC	
								32.82	Static
8:21	7.32	3.38	10.61	-36	0.787	89	360	32.96	Start Time
8:25	7.47	2.52	10.61	-119	0.764	117	360		clear
8:29	7.43	2.13	10.64	-116	0.78	132	360		clear
8:34	7.43	2.2	10.61	-118	0.779	129	360	32.91	clear
MINUTES						**TOTAL LITERS**			
13.0	-0.04	-12.70%	0.00%	1.00	1.96%	10.26%	**4.68**		









Remarks: (well condition, maintenance, etc...)

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	102	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 113A**
Casing Stickup (Ft.)	-1.06	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	28-Nov-09
Total Well Depth (Ft.) TOC	104.5	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	52.25	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	None
Water Thickness (Ft.)	52.25	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		

FIELD PURGE MONITORING

Time HHMM	pH Units	DO mg/l	Temp øC	ORP mV	SpCond æS/cm	Turb NTU	Flow Rate mL/min	Well Level (Ft.) TOC	Annotation
							0	52.25	Static
14:58	7.14	0.67	11.51	221	1.05	800+	290	52.30	Start Time
15:08	7.33	0.17	11.51	60	1.11	800	500		brown & cloudy
15:16	7.43	0.09	11.44	47	1.12	800	500	52.40	cloudy
15:22	7.4	0.11	11.23	44	1.13	620	500		cloudy
15:27	7.34	0.08	11.22	47	1.13	392	500	52.45	cloudy
15:40	7.34	0.09	11.23	46	1.13	461	500		clear
MINUTES							**TOTAL LITERS**		
42.0	-0.06	-18.18%	0.00%	2.00	0.00%	-25.65%	**21.00**		









Remarks: (well condition, maintenance, etc...)

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	153	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 113B**
Casing Stickup (Ft.)	-0.43	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	28-Nov-09
Total Well Depth (Ft.) TOC	155.26	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	53.3	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	None
Water Thickness (Ft.)	101.96	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		

FIELD PURGE MONITORING

Time HHMM	pH Units	DO mg/l	Temp øC	ORP mV	SpCond æS/cm	Turb NTU	Flow Rate mL/min	Well Level (Ft.) TOC	Annotation
							0	53.30	Static
14:32	7..26	0.3	11.55	-2	0.803	55.6	370	53.30	Start Time
14:36	7.53	0.22	11.33	-60	0.78	37.4	370		cloudy white
14:39	7.53	0.26	11.26	-70	0.817	21.1	370		cloudy
14:44	7.56	0.24	11.23	-72	0.818	19.8	370	53.30	cloudy
14:48	7.54	0.29	11.23	-74	0.817	19.5	370		cloudy
MINUTES						**TOTAL LITERS**			
16.0	0.01	11.54%	-0.27%	-4.00	0.00%	-7.58%	**5.92**		









Remarks: (well condition, maintenance, etc...)

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	95	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 114A**
Casing Stickup (Ft.)	2.45	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	28-Nov-09
Total Well Depth (Ft.) TOC	97.48	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	27.64	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	None
Water Thickness (Ft.)	69.84	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		

FIELD PURGE MONITORING

Time HHMM	pH Units	DO mg/l	Temp øC	ORP mV	SpCond æS/cm	Turb NTU	Flow Rate mL/min	Well Level (Ft.) TOC	Annotation
								27.64	Static
12:15	7.65	7.75	13.58	39	1.35	599	420	27.70	cloudy
12:19	7.86	8.83	13.52	22	1.79	761	420		cloudy
12:26	7.78	7.63	13.53	25	1.8	604	420		cloudy
12:33	7.84	7.81	13.46	45	1.76	326	420	27.70	cloudy
12:38	7.77	7.77	13.43	49	1.72	261	420		clear
12:42	7.78	7.8	13.44	51	1.72	258	420	27.70	clear
MINUTES						**TOTAL LITERS**			
27.0	-0.06	-0.13%	-0.15%	6.00	-2.27%	-20.86%	**11.34**		









Remarks: (well condition, maintenance, etc...)

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	220	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 114B**
Casing Stickup (Ft.)	2.35	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	28-Nov-09
Total Well Depth (Ft.) TOC	222.58	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	28.28	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	None
Water Thickness (Ft.)	194.3	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		

FIELD PURGE MONITORING

Time	pH	DO	Temp	ORP	SpCond	Turb	Flow Rate	Well Level	Annotation
HHMM	Units	mg/l	øC	mV	æS/cm	NTU	mL/min	(Ft.) TOC	
							0	28.28	Static
11:35	8.12	10.47	12.92	-129	0.87	0	470	28.30	Start Time
11:40	8.63	10.51	12.42	-171	0.851	0	470		clear
11:45	8.66	9.71	12.4	-173	0.851	0	470	28.30	clear
11:50	8.52	5.12	12.35	-173	0.882	0	470		clear
11:53	8.52	4.83	12.35	-173	0.891	0	470		clear
11:57	8.5	4.95	12.38	-173	0.903	0	470	28.30	sample collection
MINUTES							**TOTAL LITERS**		
22.0	-0.02	-3.32%	0.24%	0.00	2.38%	0.00%	**10.34**		









Remarks: (well condition, maintenance, etc...)

FD-1 - Field duplicate sample collected

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	87	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 117B**
Casing Stickup (Ft.)	-0 45	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	24-Nov-09
Total Well Depth (Ft.) TOC	89.5	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	4.03	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	Tim Drexler, USEPA
Water Thickness (Ft.)	85.47	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		Bob Kay, USEPS Bill Dotterrer, NES

FIELD PURGE MONITORING

Time	pH	DO	Temp	ORP	SpCond	TURB	Flow Rate	Well Level	Annotation
HHMM	Units	mg/l	øC	mV	æS/cm	NTU	mL/min	(Ft.) TOC	
						0	0	5.23	Static
10:44	6.6	0	12.52	350	1.03	800	300	5.47	Start Time
10:54	7.15	0	12.54	322	1.05	375	350		cloudy
11:01	7.23	0	12.57	316	1.06	162	350	5.61	slightly cloudy
11:13	7.25	0	12.48	305	1.08	153	350		slightly cloudy
11:24	7.26	0	12.50	298	1.06	166	350	5.49	slightly cloudy
11:31	7.25	0	12.51	295	1.05	167	350		clear
12:36	7.26	0	12.52	295	1.05	192	350	5.38	clear
MINUTES							**TOTAL LITERS**		
112.0	0.00	0.00%	0.16%	-3.00	-0.94%	15.66%	**39.20**		









Remarks: (well condition, maintenance, etc...)

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	156	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 117C**
Casing Stickup (Ft.)	-0.63	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	24-Nov-09
Total Well Depth (Ft.) TOC	158.31	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	4.14	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	Tim Drexler, USEPA
Water Thickness (Ft.)	154.17	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		Bob Kay, USEPS Bill Dotterrer, NES

FIELD PURGE MONITORING

Time	pH	DO	Temp	ORP	SpCond	TURB	Flow Rate	Well Level	Annotation
HHMM	Units	mg/l	øC	mV	æS/cm		mL/min	(Ft.) TOC	
						0	0	4.14	Static
13:01	7.16	3.03	12.61	212	1.06	28.2	350		Start Time
13:12	7.06	0	12.68	234	1.04	0	350		clear
13:17	7.22	0	12.65	219	1.03	0	350	4.35	clear
13:25	7.22	0	12.65	185	1.02	0	350		clear
13:35	7.21	0	12.63	60	1.01	0	350		clear
13:43	7.21	0	12.59	-11	1.01	0	350	4.32	clear
13:48	7.21	0	12.59	-12	1.01	0	350		clear
13:53	7.21	0	12.59	-20	1.01	0	350		clear
13:55									sample
MINUTES						**TOTAL LITERS**			
52.0	0.00	0.00%	0.00%	-9.00	0.00%	0.00%	**16.45**		









Remarks: (well condition, maintenance, etc...)

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	198	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 117D**
Casing Stickup (Ft.)	-0.3	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	24-Nov-09
Total Well Depth (Ft.) TOC	200.2	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	3.89	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	Tim Drexler, USEPA
Water Thickness (Ft.)	196.31	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		Bob Kay, USEPS Bill Dotterrer, NES

FIELD PURGE MONITORING

Time HHMM	pH Units	DO mg/l	Temp øC	ORP mV	SpCond æS/cm	TURB	Flow Rate mL/min	Well Level (Ft.) TOC	Annotation
							0	3.89	Static
14:22	7.02	0	12.56	78	1.08	78	500		clear
14:27	7.27	0	12.50	105	1.08	0	500		clear
14:36	7.22	0	12.54	105	1.08	0	500	3.78	clear
14:43	7.22	0	12.53	108	1.08	0	500		clear
14:49	7.22	0	12.52	115	1.08	0	500		sample collected
MINUTES						**TOTAL LITERS**			
27.0	0.00	0.00%	-0.16%	10.00	0.00%	0.00%	**13.50**		









Remarks: (well condition, maintenance, etc...)

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	60	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 119**
Casing Stickup (Ft.)	3.25	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	29-Nov-09
Total Well Depth (Ft.) TOC	62.41	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	24.79	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	None
Water Thickness (Ft.)	37.62	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		

FIELD PURGE MONITORING

Time HHMM	pH Units	DO mg/l	Temp øC	ORP mV	SpCond æS/cm	Turb NTU	Flow Rate mL/min	Well Level (Ft.) TOC	Annotation
							0	24.79	Static
11:37	7.49	10.3	11.37	63	0.974	67.5	350	24.91	Start Time
11:42	7.41	2.36	11.41	86	0.973	15.5	350		clear
11:47	7.39	1.89	11.43	89	0.972	13	350		clear
11:53	7.45	1.73	11.41	85	0.988	9.6	350	24.90	clear
11:56	7.42	1.81	11.41	88	0.983	93	350		clear
11:59	7.42	1.77	11.41	88	0.98	9.8	350		clear
MINUTES						**TOTAL LITERS**			
22.0	-0.03	2.31%	0.00%	3.00	-0.81%	2.08%	**7.70**		









Remarks: (well condition, maintenance, etc...)

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	65	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 121**
Casing Stickup (Ft.)	2.53	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	25-Nov-09
Total Well Depth (Ft.) TOC	67.55	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	21.52	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	None
Water Thickness (Ft.)	46.03	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		

FIELD PURGE MONITORING

Time HHMM	pH Units	DO mg/l	Temp øC	ORP mV	SpCond æS/cm	Turb NTU	Flow Rate mL/min	Well Level (Ft.) TOC	Annotation
									Static
14:14	7.33	8.36	12.53	164	1.21	161	290	21.50	Start Time
14:21	7.33	7.32	12.48	160	1.21	144	290		redish brown
14:28	7.31	7.2	12.47	173	1.21	111	290		redish brown
14:35	7.23	7.15	12.45	185	1.2	95	290		clear - slightly brown
14:39	7.27	7.12	12.49	180	1.21	85	290	21.51	clear - slightly brown
14:45	7.27	7.11	12.47	178	1.21	83.5	290	21.51	clear
									sample collected
MINUTES						**TOTAL LITERS**			
31.0	0.04	-0.56%	0.16%	-7.00	0.83%	-12.11%	**8.99**		









Remarks: (well condition, maintenance, etc...)

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	100	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 124**
Casing Stickup (Ft.)	2.17	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	29-Nov-09
Total Well Depth (Ft.) TOC	102.76	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	35.5	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	None
Water Thickness (Ft.)	67.26	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		

FIELD PURGE MONITORING

Time	pH	DO	Temp	ORP	SpCond	Turb	Flow Rate	Well Level	Annotation
HHMM	Units	mg/l	øC	mV	æS/cm	NTU	mL/min	(Ft.) TOC	
							0	35.50	Static
10:47	7.82	1.13	12.05	-112	1.07	89.2	430		Start Time
10:52	7.82	1.1	12.03	-107	1.08	81.6	430	35.51	yellow cloudy
10:58	7.64	0.53	12.05	-69	1.17	70.4	430		yellow cloudy
11:01	7.6	0.47	12.06	-60	1.19	69.9	430	35.51	cloudy
11:06	7.56	0.6	11.98	-57	1.22	71.3	430		cloudy
11:10	7.57	0.55	11.99	-55	1.22	70.9	430		clear
11:14	7.53	0.57	11.99	-56	1.22	69.5	430	35.51	clear
MINUTES						**TOTAL LITERS**			
27.0	-0.03	-5.00%	0.08%	1.00	0.00%	-2.52%	**11.61**		









Remarks: (well condition, maintenance, etc...)

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	36	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 130**
Casing Stickup (Ft.)	-0.3	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	29-Nov-09
Total Well Depth (Ft.) TOC	38.17	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	21.83	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	None
Water Thickness (Ft.)	16.34	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		

FIELD PURGE MONITORING

Time	pH	DO	Temp	ORP	SpCond	Turb	Flow Rate	Well Level	Annotation
HHMM	Units	mg/l	øC	mV	æS/cm	NTU	mL/min	(Ft.) TOC	
							0	21.83	Static
10:06	7.45	4.37	11.89	44	1.16	337	310	21.90	Start Time
10:12	7.39	0.91	11.88	34	1.16	72.9	310		brown cloudy
10:14	7.38	0.65	11.90	22	1.16	58	310		slightly brown
10:18	7.3	0.59	11.97	24	1.16	38.8	310	21.92	clear
10:22	7.34	0.6	11.96	25	1.16	29	310		clear
MINUTES							**TOTAL LITERS**		
16.0	-0.04	-7.69%	0.50%	3.00	0.00%	-50.00%	**4.96**		









Remarks: (well condition, maintenance, etc...)

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	35	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 133A**
Casing Stickup (Ft.)	2.3	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	28-Nov-09
Total Well Depth (Ft.) TOC	37.85	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	24.08	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	None
Water Thickness (Ft.)	13.77	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		

FIELD PURGE MONITORING

Time	pH	DO	Temp	ORP	SpCond	Turb	Flow Rate	Well Level	Annotation
HHMM	Units	mg/l	øC	mV	æS/cm	Ntu	mL/min	(Ft.) TOC	
							0	24.08	Static
8:12	7.57	8.75	10.55	169	0.549	0	290	24.10	Start Time
8:19	7.52	8.72	10.52	170	0.549	0	290		brown cloudy
8:23	7.5	8.73	10.49	171	0.549	0	290	24.15	cloudy
8:29	7.49	8.7	10.47	175	0.549	0	290		clear
8:34	7.49	8.71	10.46	177	0.549	0	290	24.15	clear
8:39	7.49	8.7	10.46	179	0.549	0	290		
MINUTES							**TOTAL LITERS**		
27.0	0.00	0.00%	-0.10%	4.00	0.00%	0.00%	**7.83**		









Remarks: (well condition, maintenance, etc...)

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	59	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 133B**
Casing Stickup (Ft.)	2.51	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	28-Nov-09
Total Well Depth (Ft.) TOC	61.49	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	23.49	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	None
Water Thickness (Ft.)	38	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		

FIELD PURGE MONITORING

Time HHMM	pH Units	DO mg/l	Temp øC	ORP mV	SpCond æS/cm	Turb NTU	Flow Rate mL/min	Well Level (Ft.) TOC	Annotation
							0	23.50	Static
8:57	7.36	9.31	14.01	189	0.99	800+	260		cloudy
9:06	7.35	5.7	14.43	210	0.99	800+	260		cloudy
9:12	7.33	5.63	14.92	193	0.991	800+	260	23.60	cloudy
9:22	7.3	6.35	15.41	110	1.05	365	500		slightly cloudy
9:27	7.37	6.24	16.20	90	1.06	288	500	23.52	slightly cloudy
9:35	7.41	6.12	16.38	88	1.06	293	500	22.76	slightly cloudy
9:40	7.41	3.5	16.60	89	1.06	230	500		slightly cloudy
9:46	7.43	3.41	16.90	89	1.06	190	500	23.51	clear
9:49	7.43	3.33	16.90	89	1.06	170	500		sample collection
MINUTES						**TOTAL LITERS**			
52.0	-3.41	-4.86%	1.81%	0.00	0.00%	-26.09%	**26.00**		









Remarks: (well condition, maintenance, etc...)

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	96	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 133C**
Casing Stickup (Ft.)	2.37	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	28-Nov-09
Total Well Depth (Ft.) TOC	98.49	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	19.23	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	None
Water Thickness (Ft.)	79.26	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		

FIELD PURGE MONITORING

Time HHMM	pH Units	DO mg/l	Temp øC	ORP mV	SpCond æS/cm	Turb	Flow Rate mL/min	Well Level (Ft.) TOC	Annotation
\							0	19.23	Static
10:13	7.52	0.33	10.97	1099	0.675	19.2	310	19.25	Start Time
10:17	7.48	0.12	11.06	119	0.658	5.1	310		clear
10:23	7.48	0.11	11.05	118	0.657	4.8	310		clear
10:26	7.49	0.1	11.04	118	0.657	5	310	19.25	clear
10:32	7.49	0.12	10.99	120	0.657	4.4	310		clear
MINUTES							**TOTAL LITERS**		
19.0	0.01	9.09%	-0.54%	2.00	0.00%	-8.33%	**5.89**		









Remarks: (well condition, maintenance, etc...)

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	42	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 136**
Casing Stickup (Ft.)	-0.42	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	28-Nov-09
Total Well Depth (Ft.) TOC	44.33	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	30.13	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	None
Water Thickness (Ft.)	14.2	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		

FIELD PURGE MONITORING

Time HHMM	pH Units	DO mg/l	Temp øC	ORP mV	SpCond æS/cm	Turb NTU	Flow Rate mL/min	Well Level (Ft.) TOC	Annotation
							0	30.13	Static
13:13	7.22	2.15	13.48	175	1.6	97	250	30.30	Start Time
13:16	6.89	3.033	13.25	179	1.19	12	250	28.43	cloudy
13:21	6.77	3.75	12.97	168	1.18	0	250	28.43	cloudy
13:24	6.73	3.76	12.96	133	1.2	0	250		cloudy
13:30	6.73	3.81	12.97	134	1.2	0	250	28.42	clear
MINUTES						**TOTAL LITERS**			
17.0	-0.04	1.60%	0.00%	-34.00	1.69%	0.00%	**4.25**		









Remarks: (well condition, maintenance, etc...)

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	87	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 200**
Casing Stickup (Ft.)	1.15	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	28-Nov-09
Total Well Depth (Ft.) TOC	89.93	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	46.61	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	None
Water Thickness (Ft.)	43.32	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		

FIELD PURGE MONITORING

Time HHMM	pH Units	DO mg/l	Temp øC	ORP mV	SpCond æS/cm	Turb NTU	Flow Rate mL/min	Well Level (Ft.) TOC	Annotation
							0	46.61	Static
13:53	7.35	2.96	12.24	0	1.19	533	321	46.65	Start Time
13:57	7.02	2.82	11.82	-1	1.24	766	320		cloudy
14:00	7.16	3.66	12.89	-6	1.22	670	320		cloudy
14:04	7.16	3.76	12.82	-3	1.22	450	320		cloudy
14:08	7.16	3.72	12.82	-4	1.22	386	320	46.70	cloudy
14:15	7.19	3.61	12.80	-4	1.22	295	320		slightly cloudy
MINUTES						**TOTAL LITERS**			
22.0	0.03	-3.99%	-0.16%	-1.00	0.00%	-34.44%	**7.04**		









Remarks: (well condition, maintenance, etc...)

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	48	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 201**
Casing Stickup (Ft.)	-0.32	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	29-Nov-09
Total Well Depth (Ft.) TOC	50.15	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	28.72	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	None
Water Thickness (Ft.)	21.43	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		

FIELD PURGE MONITORING

Time HHMM	pH Units	DO mg/l	Temp øC	ORP mV	SpCond æS/cm	Turb NTU	Flow Rate mL/min	Well Level (Ft.) TOC	Annotation
							0	28.72	Static
8:04	7.47	3.17	13.78	-76	1.38	51.5	470	28.73	Start Time
8:09	7.45	1.89	13.78	-88	1.38	34	470		cloudy
8:13	7.45	1.03	13.79	-91	1.38	13.9	470	28.30	cloudy
8:17	7.45	1.04	13.79	-92	1.37	14	470		clear
8:23	7.43	1.03	13.81	-93	1.36	7.9	470	28.73	clear
MINUTES						**TOTAL LITERS**			
19.0	-0.02	0.00%	0.15%	-2.00	-1.45%	-43.17%	**8.93**		









Remarks: (well condition, maintenance, etc...)

FD-2: Field Duplicate collected

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	48	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 202**
Casing Stickup (Ft.)	-0.32	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	29-Nov-09
Total Well Depth (Ft.) TOC	50.01	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	27.73	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	None
Water Thickness (Ft.)	22.28	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		

FIELD PURGE MONITORING

Time HHMM	pH Units	DO mg/l	Temp øC	ORP mV	SpCond æS/cm	Turb NTU	Flow Rate mL/min	Well Level (Ft.) TOC	Annotation
							0	27.73	Static
9:17	7.28	2.81	12.22	102	1.13	405	360		Start Time
9:22	7.34	9.63	12.27	114	1.15	800	360	27.75	cloudy
9:27	7.26	5.63	13.30	115	1.15	671	360		cloudy
9:30	7.31	5.32	13.57	109	1.15	531	360	27.75	cloudy
9:36	7.32	5.42	13.68	84	1.15	259	360		cloudy
9:41	7.31	5.76	13.69	83	1.14	212	360		slightly cloudy
9:46	7.31	5.83	13.70	83	1.14	168	360	27.73	clear
MINUTES						**TOTAL LITERS**			
29.0	-0.01	7.56%	0.15%	-1.00	-0.87%	-35.14%	**10.44**		









Remarks: (well condition, maintenance, etc...)

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	47	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 203**
Casing Stickup (Ft.)	-0.58	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	29-Nov-09
Total Well Depth (Ft.) TOC	49.35	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	27.34	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	None
Water Thickness (Ft.)	22.01	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		

FIELD PURGE MONITORING

Time HHMM	pH Units	DO mg/l	Temp øC	ORP mV	SpCond æS/cm	Turb NTU	Flow Rate mL/min	Well Level (Ft.) TOC	Annotation
							0	27.34	Static
8:42	7.42	2.76	13.5	26	0.973	21.1	310	27.37	Start Time
8:46	7.4	1.8	13.56	40	0.973	3.3	310		cloudy
8:49	7.39	1.68	13.58	47	0.973	2.2	310		cloudy
8:53	7.4	1.67	13.58	45	0.973	2	310	27.37	cloudy
8:57	7.39	1.64	13.59	49	0.975	1.5	310		clear
MINUTES						**TOTAL LITERS**			
15.0	0.00	-2.38%	0.07%	2.00	0.21%	-31.82%	**4.65**		









Remarks: (well condition, maintenance, etc...)

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	86	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 204**
Casing Stickup (Ft.)	-0.39	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	25-Nov-09
Total Well Depth (Ft.) TOC	88.96	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	26.72	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	None
Water Thickness (Ft.)	62.24	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Spring 2009		

FIELD PURGE MONITORING

Time	pH	DO	Temp	ORP	SpCond	PSIG	Flow Rate	Well Level	Annotation
HHMM	Units	mg/l	øC	mV	æS/cm		mL/min	(Ft.) TOC	
						0	0	26.72	Static
16:18	0	0	0	0	0	43	310		Start Time
16:20	6.73	4.25	14.86	354	1130	43	310	25.69	clear
16:22	6.72	3.57	15.12	355	1131	43	310		clear
16:24	6.72	3.15	15.40	356	1132	43	310	25.69	clear
16:26	6.73	2.76	15.62	356	1133	43	310		clear
16:28	6.76	2.73	15.49	357	1134	43	310		sample collection
MINUTES							**TOTAL LITERS**		
10.0	0.04	-13.33%	0.58%	1.00	0.18%	0.00%	**3.10**		









Remarks: (well condition, maintenance, etc...)

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	108	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 205A**
Casing Stickup (Ft.)	-0.34	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	25-Nov-09
Total Well Depth (Ft.) TOC	110.27	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	2.37	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	Bob Kay, USEPA
Water Thickness (Ft.)	107.9	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	FALL2009		

FIELD PURGE MONITORING

Time HHMM	pH Units	DO mg/l	Temp øC	ORP mV	SpCond æS/cm	Turb NTU	Flow Rate mL/min	Well Level (Ft.) TOC	Annotation
							0		Static
12:40	7.42	1.81	12.91	297	1.07	0	270		Start Time
12:48	7.33	0	12.46	241	1.09	0	270	2.38	
12:53	7.33	0	12.48	241	1.09	0	270		
12:57	7.35	0	12.44	237	1.09	0	270	2.38	
12:58	7.35	0	12.44	235	1.09	0	270		
MINUTES						**TOTAL LITERS**			
18.0	0.02	0.00%	-0.32%	-6.00	0.00%	0.00%	**4.86**		









Remarks: (well condition, maintenance, etc...)

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	148	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 205B**
Casing Stickup (Ft.)	-0.48	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	25-Nov-09
Total Well Depth (Ft.) TOC	150.05	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	2.20	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	Bob Kay, USEPA
Water Thickness (Ft.)	147.85	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	FALL 2009		

FIELD PURGE MONITORING

Time HHMM	pH Units	DO mg/l	Temp øC	ORP mV	SpCond æS/cm	TURB ntu	Flow Rate mL/min	Well Level (Ft.) TOC	Annotation
							0	2.20	Static
11:58	7.34	1.03	12.82	245	1.08	0	310		Start Time
12:03	7.28	0.73	12.86	248	1.08	0	310	2.19	
12:09	7.38	0.33	12.85	241	1.08	0	310		
12:18	7.38	0	12.81	238	1.08	0	310	2.20	
12:22	7.38	0	12.81	237	1.08	0	310		
12:24	7.38	0	12.81	237	1.08	0	310		Sample collected
MINUTES						**TOTAL LITERS**			
26.0	0.00	0.00%	0.00%	-1.00	0.00%	0.00%	**8.06**		









Remarks: (well condition, maintenance, etc...)

SE Rockford Superfund Site
Groundwater Sampling - Field Report

Casing Diameter (inch)	2	**Pump Inlet** (Ft.) TOC	88	**Lab Analysis**	VOC per Target Conpound List	Well ID:	**MW 207**
Casing Stickup (Ft.)	-0.3	**Purge Method**	Low Flow Micro Purge	**Container**	40 mL VOA Vial	Sample Date	25-Nov-09
Total Well Depth (Ft.) TOC	90.81	**Purge Equip**	QED Air Diaphram	**Sample Type**	Grab (Groundwater)	Sampled by:	Patrick Egan
Static Water Level (Ft.) TOC	34.48	**Field Analysis Method**	Flow Thru Analysis - 250 mL	**Preservation**	HCl / Ice	Site Visitors:	None
Water Thickness (Ft.)	56.33	**Field Analysis Equip**	Hydrolab FC5000	**Sampling Period**	Fall 2009		

FIELD PURGE MONITORING

Time	pH	DO	Temp	ORP	SpCond	Turb	Flow Rate	Well Level	Annotation
HHMM	Units	mg/l	øC	mV	æS/cm	NTU	mL/min	(Ft.) TOC	
									Static
13:26	7.28	0.33	12.17	198	1.09	193	330	34.48	redish brown cloudy
13:29	7.3	0.36	12.03	116	1.12	210	330	34.50	redish brown cloudy
13:35	7.24	0.37	11.84	118	1.17	252	330		redish brown cloudy
13:38	7.24	0.36	11.83	122	1.17	283	330		cloudy
13:43	7.25	0.36	11.81	121	1.17	279	330		cloudy
13:48	7.24	0.36	11.81	123	1.17	281	330	34.51	cloudy
13:50									sample collected
MINUTES						**TOTAL LITERS**			
22.0	0.00	0.00%	-0.17%	1.00	0.00%	-0.71%	**7.26**		









Remarks: (well condition, maintenance, etc...)