US EPA RECORDS CENTER REGION 5
452125

NATIONWIDE ENVIRONMENTAL SERVICES, INC.

6th Avenue West Business Park
14818 W 6th Ave. Suite 5A
Golden, CO 80401

August 10, 2010

Mr. Tim Drexler
Remedial Project Manager
U.S. Environmental Protection Agency
77 West Jackson Boulevard, HSRM-6J
Chicago, IL 60604

Mr. Doyle W. Wilson
Illinois Environmental Protection Agency
1021 North Grand Avenue East
P.O. Box 19276
Springfield, IL 62794-9276

RE: Southeast Rockford Ground Water NPL Site
Ground Water Monitoring Results

Dear Gentlemen:

The analytical results for the ground water monitoring samples collected at the Southeast Rockford Ground Water NPL Site (the Site) during the June 2010 semi-annual monitoring event are enclosed. Submittal of the sampling data for the recent semi-annual monitoring event satisfies reporting provisions under the CD and RD/RA Work Plan.

The Site ground water monitoring network is shown in Figure 1. Ground water sampling procedures for the current monitoring event were performed by NES consistent with the Field Sampling Plan (FSP) addendum approved by USEPA in February 2010. Laboratory analyses for collected samples were completed in accordance with the amended RD/RA Quality Assurance Project Plan (QAPP; October 2008). Sample preparation and analyses were performed by TriMatrix of Grand Rapids, Michigan consistent with USEPA SW-846 procedures. The analytical results were validated by NES in accordance with the QAPP.

The analytical results for the chemicals of concern (COC) identified in Section VI of the Site Record of Decision (ROD) and for vinyl chloride (VC) concentrations reported above the MCL of 2 µg/l are summarized in Table 1. The validated laboratory data sheets and data quality summaries are provided in Appendix A. The field sampling sheets for the June 2010 sampling event are contained in Appendix B. The cumulative analytical results for samples collected from the Site ground water monitoring network, by monitoring well location, are presented in Table 2. Table 2 also includes the sum of the total VOC concentrations for the Site COC.

The general trends occurring at each monitoring location, based on total VOC concentrations are presented below. In brief, evaluation of the historical data for total VOCs indicates the following:

- Total VOC concentrations have generally decreased across the Site since inception of the long-term monitoring program in March 1999, with the exception of certain monitoring locations located immediately down gradient of identified source areas as presented below.
    - Total VOCs in ground water monitoring location MW-130 (Area 4) were higher than the prior sampling event (November 2009).

*(303) 232-2134 * Fax: (303) 232-1724*

- The ratios of parent VOC compound concentrations to associated breakdown product concentrations continue to indicate that natural attenuation is occurring at the Site.

- Total VOC concentrations at monitoring locations proximate to the Rock River remain generally constant or are decreasing, with the exception of certain monitoring locations as presented below.

    - Total VOCs in ground water monitoring locations MW-206B and MW-206C were slightly higher than the prior sampling event (November 2009).

NES continues to coordinate efforts with IEPA to share ground water data obtained from common monitoring well locations at the Site. However, NES is not aware of IEPA sample collection from Site monitoring locations around the time of the June event, and thus no comparative data is presented in this report.

Please contact me at telephone 303-232-2134 if you have any questions regarding the information provided or require any additional information.

Sincerely,

William B. Dotterrer
William B. Dotterrer,
Sr. Project Manager

cc: Nadine Miller, City of Rockford

Enclosures

Table 1: Southeast Rockford NPL Site
Summary of Groundwater Analytical Results
Sampling Event #23

Compound	Limits	MW-16 06/25/10	MW-47 06/24/10	MW-101A 06/28/10	MW-101B 06/28/10	MW-101C 06/28/10	MW-101D 06/28/10	MW-102A 06/28/10	MW-102B 06/28/10
Methylene Chloride	5	1U	1U	2U	10U	5U	2.5U	2U	1U
trans-1,2-Dichloroethene	100	3.8	1U	6	9	5.4	3.1	5.3	1U
cis-1,2-Dichloroethene	70	51	1U	**210**	**790**	**570**	**270**	**170**	4.4
1,1-Dichloroethene	7	**21**	1U	**15**	**35**	**23**	**16**	2.7	1U
1,1-Dichloroethane	N/A	93	1U	54	130	85	44	80	3
Chloroform	N/A	1.4	1U	2U	10U	5U	2.5U	2U	1U
1,2-Dichloroethane	5	0.21	1U	2U	10U	5U	2.5U	2U	0.69
1,1,1-Trichloroethane	200	**200**	1U	90	**320**	**220**	110	62	1U
Trichloroethene	5	**58**	1U	**38**	**70**	**44**	**32**	**15**	1U
Tetrachloroethene	5	**8.7**	1U	**6.8**	**32**	**19**	**13**	2U	1U
Vinyl Chloride	2	1U	1U	2U	10U	5U	2.5U	2U	1U

Compound	Limits	MW-102C 06/25/10	MW-113A 06/29/10	MW-113B 06/29/10	MW-114A 06/25/10	MW-114B 06/25/10	MW-117B 06/24/10	MW-117C 06/24/10	MW-117D 06/24/10
Methylene Chloride	5	5U	2.5U	2U	1U	1U	1U	1U	1U
trans-1,2-Dichloroethene	100	6.8	30	2.7	1U	1U	1U	0.24	0.18
cis-1,2-Dichloroethene	70	**740**	**240**	**150**	2.2	2	6	40	5.3
1,1-Dichloroethene	7	**53**	3.3	**19**	6.6	0.84	**12**	**23**	**16**
1,1-Dichloroethane	N/A	160	88	63	3.2	2.1	12	24	28
Chloroform	N/A	5U	1.1	2U	1U	1U	0.32	0.42	0.33
1,2-Dichloroethane	5	5U	1	2U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	89	130	19	70	1U	37	51	46
Trichloroethene	5	**65**	**76**	**33**	4.4	**6.3**	**17**	**20**	**15**
Tetrachloroethene	5	**18**	**12**	3	1U	1U	**6.5**	**28**	**29**
Vinyl Chloride	2	5U	2.5U	**9**	1U	1U	1U	1U	1U

Table 1: Southeast Rockford NPL Site
Summary of Groundwater Analytical Results
Sampling Event #23

Compound	Limits	MW-119 06/28/10	MW-121 06/29/10	MW-124 06/29/10	MW-130 06/29/10	MW-133A 06/25/10	MW-133B 06/25/10	MW-133C 06/25/10	MW-136 06/29/10
Methylene Chloride	5	1U	1U	25U	50U	1U	20U	1U	1U
trans-1,2-Dichloroethene	100	1U	1U	5U	10U	1U	47	1.3	1U
cis-1,2-Dichloroethene	70	1.2	3.7	**220**	17	0.23	**1700**	**130**	1U
1,1-Dichloroethene	7	1U	1.7	**20**	**15**	1U	**81**	**50**	1U
1,1-Dichloroethane	N/A	0.92	2.9	500	70	1U	230	54	1U
Chloroform	N/A	1U	1U	5U	10U	1U	5.4	6.9	0.84
1,2-Dichloroethane	5	1U	1U	5U	10U	1U	20U	1.8	1U
1,1,1-Trichloroethane	200	1.1	2	82	**1100**	0.26	**680**	180	1U
Trichloroethene	5	1U	**16**	**8.6**	**7.6**	1U	**150**	**89**	1U
Tetrachloroethene	5	1U	1.5	**14**	10U	1U	**96**	**8.6**	1U
Vinyl Chloride	2	1U	1U	**30**	10U	1U	20U	1U	1U

Compound	Limits	MW-200 06/29/10	MW-201 06/29/10	MW-202 06/29/10	MW-203 06/29/10	MW-204 06/29/10	MW-205A 06/24/10	MW-205B 06/24/10	MW-206A 06/25/10
Methylene Chloride	5	1U	1U	1U	5U	1U	1U	1U	1U
trans-1,2-Dichloroethene	100	1U	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	1U	5	1U	1U	18	25	29	4.2
1,1-Dichloroethene	7	1U	1U	1U	1U	**12**	**16**	**17**	**7.1**
1,1-Dichloroethane	N/A	1U	12	0.7	1U	5.2	11	14	8.3
Chloroform	N/A	1U	1U	1U	1U	1U	0.35	0.38	0.28
1,2-Dichloroethane	5	1U	1U	1U	1U	1.3	1U	0.16	1U
1,1,1-Trichloroethane	200	1U	4.4	1.3	1U	4.3	41	43	18
Trichloroethene	5	1U	1.1	0.79	1U	**61**	**23**	**23**	**9.3**
Tetrachloroethene	5	1U	0.53	0.6	**8.9**	2	**22**	**22**	3.8
Vinyl Chloride	2	1U	0.91	1U	1U	1U	1U	1U	3U

Table 1: Southeast Rockford NPL Site
Summary of Groundwater Analytical Results
Sampling Event #23

Compound	Limits	MW-206B 06/25/10	MW-206C 06/25/10	MW-207 06/24/10	MW-101A (d) 06/28/10
Methylene Chloride	5	1U	1U	1U	2U
trans-1,2-Dichloroethene	100	0.39	1U	1U	5.3
cis-1,2-Dichloroethene	70	**90**	1U	1	**200**
1,1-Dichloroethene	7	**77**	3.6	0.52	**14**
1,1-Dichloroethane	N/A	84	5.2	1.3	51
Chloroform	N/A	0.71	1U	1U	2U
1,2-Dichloroethane	5	2.4	1U	1U	2U
1,1,1-Trichloroethane	200	64	1U	2.8	86
Trichloroethene	5	**37**	**20**	**5.6**	**37**
Tetrachloroethene	5	4.9	1U	1.9	**6.3**
Vinyl Chloride	2	1.1	1U	1U	2U

(d) Field duplicate

All units in micrograms per liter (µg/l) or parts per billion (ppb)

Bold value and outlined cell denotes analytical result > than MCL

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 6/10)

Sample Event			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
MW-16	**MCL**	**CDM NS**	**1Q 06/01/99**	**2Q 10/26/99**	**3Q 01/31/00**	**4Q 04/24/00**	**5Q 07/27/07**	**6Q 11/13/00**	**1SA 04/12/01**	**2SA 10/31/01**	**3SA 04/25/02**	**4SA 10/15/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/20/05**	**10SA 05/08/06**	**11SA 01/04/07**	**12SA 10/08/07**	**13SA 05/17/08**	**14SA 12/18/08**	**15SA 06/20/09**	**16SA 11/28/09**	**17SA 06/25/10**
Methylene Chloride	5		2U	20U	20U	10U	20U	20U	20U	20U	20U	40U	20U	10U	40U	2U	2U	2U	10U	2U	40U	0.70	1U	0.88	1U
trans-1,2-Dichloroethene	100		1.8	2.5	16	16	12	2.8	14	22	6.7	22	20U	10U	20U	5.6	5.6	7.3	5.0	14	20U	35	6.8	6.9	3.8
cis-1,2-Dichloroethene	70		140	130	120	130	130	150	150	160	170	240	200	247	254	230	230	290	280	260	320	240	39	56	51
1,1-Dichloroethene	7		24	23	2.2	2.0	3.8	20	3.1	10U	15	98	25	32	30	28	28	27	24	28	39	2U	2U	7.9	21
1,1-Dichloroethane	NA		76	73	75	79	75	87	74	88	70	130	76	94	100	91	91	94	94	100	130	100	110	110	93
Chloroform	NA		3.0	2.3	2.3	2.5	2.7	2.2	2.3	2.5	2.3	20U	20U	10U	20U	1.8	1.8	2.0	5.0	2.0	20U	1.3	1.6	1.6	1.4
1,2-Dichloroethane	5		1.2	10U	10U	5U	10U	10U	10U	10U	10U	20U	20U	10U	20U	1U	1U	1U	5U	1.0	20U	1.0	2U	2U	0.21
1,1,1-Trichloroethane	200		170	170	170	160	160	140	180	210	150	240	172	221	202	160	160	170	160	140	170	120	170	180	200
Trichloroethene	5		64	65	68	65	58	55	64	72	62	91	75	93	77	65	65	78	63	61	78	56	42	55	58
Tetrachloroethene	5		5.4	5.2	5.9	5.7	5.2	5.0	5.8	7.1	6.6	20U	20U	9.1	20U	6.5	6.5	9.1	5.3	8.0	20U	4.6	5.5	6.1	8.7
MW-16 Total VOCs		**NS**	**485**	**471**	**459**	**460**	**447**	**462**	**493**	**562**	**483**	**821**	**548**	**695**	**663**	**588**	**588**	**677**	**636**	**614**	**737**	**559**	**375**	**424**	**437**

MW-47	**MCL**	**CDM 10/06/93**	**1Q 06/01/99**	**2Q 10/27/99**	**3Q 02/17/00**	**4Q 04/18/00**	**5Q 07/27/00**	**6Q 11/08/00**	**1SA 04/10/01**	**2SA 10/31/01**	**3SA 04/30/02**	**4SA 10/17/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/20/05**	**10SA 06/28/06**	**11SA 01/05/07**	**12SA 10/08/07**	**13SA 05/17/08**	**14SA 11/29/08**	**15SA 06/20/09**	**16SA 11/28/09**	**17SA 06/24/10**
Methylene Chloride	5	2U	2 U	2U	2U	2U	2U	2U	2U	2U	2U	0.60	1U	1U	2U	2U		2U	2U	2U	2U	1U	1U	1U	1U
trans-1,2-Dichloroethene	100	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U		1U	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	3.0	1.3	4.5	0.18	0.36	0.38	0.25	0.31	1U	0.13	1U	1U	1U	1U	1U		1U	1U	2.0	1.0	0.93	1U	1U	1U
1,1-Dichloroethene	7	2.0	0.49	0.87	0.10	0.18	0.13	0.10	1.0	1U	1U	1U	1U	0.51	1U	1U		1U	1U	0.90	1U	1U	1U	1U	1U
1,1-Dichloroethane	NA	5.0	1.1	1.1	0.32	0.53	0.61	0.55	0.57	0.21	0.13	1U	1U	1U	0.54	1U		1U	1U	2.0	1.0	1.6	1U	1U	1U
Chloroform	NA	1U	1U	1U	1U	1U	1U	0.17	0.28	0.92	1.3	1.0	1U	1U	1U	1U		1U	1U	1U	1U	1U	1U	1U	1U
1,2-Dichloroethane	5	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U		1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	9.0	3.5	6.5	1U	1.0	1.2	0.58	1.1	0.34	0.23	1U	1.7	0.59	0.91	1.4		1U	1U	3.0	4.0	2.9	1U	1U	1U
Trichloroethene	5	5.0	2.8	5.7	0.58	0.66	0.82	0.37	0.56	0.25	0.27	1U	1U	1U	0.58	1U		1U	1U	1.0	1.0	1.2	1U	1U	1U
Tetrachloroethene	5	1.0	0.53	2.2	0.27	0.27	0.64	0.45	0.48	0.38	0.33	1U	1U	0.77	1U	1U		1U	1U	0.60	1U	0.62	1U	1U	1U
MW-47 Total VOCs		**25.0**	**9.7**	**21**	**1.5**	**3.0**	**3.8**	**2.5**	**4.3**	**2.1**	**2.4**	**1.6**	**1.7**	**1.9**	**2.0**	**1.4**	**NS**	**0.0**	**0.0**	**9.5**	**7.0**	**7.2**	**0.00**	**0.00**	**0.00**

MW-101A	**MCL**	**CDM 10/04/93**	**1Q 04/20/99**	**2Q 10/25/99**	**3Q 01/27/00**	**4Q 04/25/00**	**5Q 07/26/00**	**6Q 11/16/00**	**1SA 04/13/01**	**2SA 10/30/01**	**3SA 04/22/02**	**4SA 10/10/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 01/12/06**	**10SA 05/08/06**	**11SA 01/04/07**	**12SA 10/07/07**	**13SA 05/17/08**	**14SA 11/28/08**	**15SA 06/10/09**	**16SA 11/27/09**	**17SA 06/28/10**
Methylene Chloride	5	17U	2U	100U	100U	100U	40U	100U	100U	100U	100U	200U	100U	100U	200U	20U	10U	2U	20U	2U	100	5U	5U	10U	2U
trans-1,2-Dichloroethene	100		9.3	7.0	40	7.8	10.0	8.3	8.6	12	11	100U	100U	100U	100U	13	44	17	21	72	50U	38	30	36	6.0
cis-1,2-Dichloroethene	70	190	540	620	690	720	730	830	780	990	1,000	1,200	1,110	1,260	1,230	1,100	990	1,100	840	790	1,000	908	870	990	210
1,1-Dichloroethene	7	43	63	64	61	65	51	77	81	79	82	440	45	101	98	89	37	76	48	38	100	58	50	70	15
1,1-Dichloroethane	NA	150	230	240	270	240	210	310	240	300	250	370	162	268	265	260	220	25U	180	220	260	233	230	280	54
Chloroform	NA	4.0	7.3	5.6	6.2	7.0	6.1	6.3	5.6	6.3	6.8	100U	50U	100U	100U	10U	4.5	4.4	10U	4.0	50U	4.1	4.3	5.2	2U
1,2-Dichloroethane	5	17U	3.4	50U	50U	50U	20U	50U	50U	50U	50U	100U	50U	100U	100U	10U	5U	1U	10U	2.0	50U	2.2	2.0	10U	2U
1,1,1-Trichloroethane	200	650	580	610	740	690	620	740	830	1,000	890	1,200	656	950	1,040	850	800	970	820	590	740	691	550	550	90
Trichloroethene	5	180	200	220	270	220	140	250	270	300	280	340	160	278	302	250	220	270	190	200	240	214	190	220	38
Tetrachloroethene	5	17U	16	14	15	50U	4.4	15	14	15	18	64	51	100U	56	80	61	93	56	67	64	56	56	47	6.8
MW-101A Total VOCs		**1217**	**1649**	**1781**	**2092**	**1950**	**1772**	**2237**	**2229**	**2702**	**2538**	**3614**	**2184**	**2857**	**2992**	**2642**	**2377**	**2530**	**2155**	**1983**	**2504**	**2,204**	**1,983**	**2,198**	**420**

MW-101B	**MCL**	**CDM 10/04/93**	**1Q 04/20/99**	**2Q 10/08/07**	**3Q 01/27/00**	**4Q 04/25/00**	**5Q 07/26/00**	**6Q 11/16/00**	**1SA 04/13/01**	**2SA 10/30/01**	**3SA 04/22/02**	**4SA 10/10/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 01/12/06**	**10SA 05/08/06**	**11SA 01/04/07**	**12SA 10/07/07**	**13SA 05/17/08**	**14SA 11/28/08**	**15SA 06/10/09**	**16SA 11/27/09**	**17SA 06/28/10**
Methylene Chloride	5	25U	20U	2U	100U	100U	40U	50U	100U	50U	3.3	100U	50U	100U	100U	20U	10U	20U	20U	2U	100	5U	5U	5U	10U
trans-1,2-Dichloroethene	100		10U	1U	50 U	5.2	4.0	3.9	50 U	4.0	4.4	50U	50U	100U	50U	10U	6.3	10U	10U	12	50U	7.5	7.1	8.4	9.0
cis-1,2-Dichloroethene	70	190	520	2.0	490	510	700	550	570	580	630	850	795	963	1,140	920	890	1,100	950	790	960	760	750	840	790
1,1-Dichloroethene	7	42	36	2.0	33	37	41	35	42	33	37	290	50U	100U	59	50	42	52	46	47	64	36	31	37	35
1,1-Dichloroethane	NA	140	150	20	140	150	150	170	140	150	140	230	230	188	226	200	200	230	210	200	240	181	160	170	130
Chloroform	NA	5.0	3.6	1U	50 U	4.5	4.4	3.3	50 U	3.5	4.4	50U	50U	100U	50U	10U	5U	10U	10U	2.0	50U	2.4	3.1	2.6	10U
1,2-Dichloroethane	5	25U	10U	1U	50U	50U	20U	25U	50U	25U	50U	50U	50U	100U	50U	10U	5U	10U	10U	2.0	50U	1.8	1.8	5U	10U
1,1,1-Trichloroethane	200	560	690	7.0	570	590	750	450	620	440	580	840	840	696	843	610	570	660	620	460	560	438	390	400	320
Trichloroethene	5	180	140	9.0	150	140	140	120	160	140	140	180	180	148	174	130	120	130	120	110	130	96	81	81	70
Tetrachloroethene	5	84	45	6.0	42	33	39	18	39	21	48	80	80	100U	62	47	41	50	46	44	52	41	36	37	32
MW-101B Total VOCs		**1201**	**1585**	**46**	**1425**	**1470**	**1828**	**1350**	**1571**	**1372**	**1587**	**2470**	**2125**	**1995**	**2504**	**1957**	**1869**	**2222**	**1992**	**1667**	**2106**	**1,564**	**1,460**	**1,576**	**1,386**

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 6/10)

Sample Event			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
MW-101C	**MCL**	**CDM 10/06/93**	**1Q 04/20/99**	**2Q 10/25/99**	**3Q 01/27/00**	**4Q 04/25/00**	**5Q 07/26/00**	**6Q 11/13/00**	**1SA 04/12/01**	**2SA 10/30/01**	**3SA 04/22/02**	**4SA 10/10/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/20/05**	**10SA 05/08/06**	**11SA 01/04/07**	**12SA 10/07/07**	**13SA 05/17/08**	**14SA 11/26/08**	**15SA 06/10/09**	**16SA 11/27/09**	**17SA 06/28/10**
Methylene Chloride	5	100U	20U	3.1	40U	100U	40U	50U	50U	50U	50 U	28	10U	50U								5U	5U	5U	5U
trans-1,2-Dichloroethene	100	100	10U	2.5	2.8	3.5	2.7	2.7	3.0	11	4.2	50U	10U	50U								6.8	5.8	5.5	5.4
cis-1,2-Dichloroethene	70	210	550	380	370	420	390	420	420	510	570	660	125	775								682	550	620	570
1,1-Dichloroethene	7	59	34	31	28	28	25	24	27	21	31	200	7.2	42								34	22	28	23
1,1-Dichloroethane	NA	140	140	110	110	120	110	130	100	120	120	200	25	141								157	120	120	85
Chloroform	NA	100U	3.5	3.0	20U	3.9	3.6	2.6	2.5	2.9	3.2	50U	10U	50U								2.5	2.6	2.4	5U
1,2-Dichloroethane	5	100U	10U	25U	20U	50U	20U	25U	25U	25U	25U	50U	10U	100U								2.1	5U	5U	5U
1,1,1-Trichloroethane	200	650	740	480	460	450	390	370	450	470	490	650	98	628								5U	270	290	220
Trichloroethene	5	190	140	130	120	100	82	100	110	110	120	130	24	142								86	56	63	44
Tetrachloroethene	5	72	45	42	42	31	21	34	37	32	41	150	7.3	45								28	24	25	19
MW-101C Total VOCs		**1421**	**1653**	**1182**	**1133**	**1156**	**1024**	**1083**	**1150**	**1277**	**1379**	**2018**	**286**	**1773**	**NS**	**NS**	**NS**	**NS**	**NS**	**NS**	**NS**	**998**	**1,050**	**1,154**	**966**

MW-101D	**MCL**	**CDM 10/06/93**	**1Q 04/21/99**	**2Q 10/25/99**	**3Q 01/27/00**	**4Q 04/25/00**	**5Q 07/26/00**	**6Q 11/16/00**	**1SA 04/13/01**	**2SA 10/30/01**	**3SA 04/30/02**	**4SA 10/10/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 01/12/06**	**10SA 06/23/06**	**11SA 01/04/07**	**12SA 10/07/07**	**13SA 05/17/08**	**14SA 11/28/08**	**15SA 06/10/09**	**16SA 11/27/09**	**17SA 06/28/10**
Methylene Chloride	5	50U	10U		20U	40U	20U	20U	20U	40U	40 U	40U	50U	10U	50U	2U	4U	20U	10U	10U	10U	2U	2U	2.5U	2.5U
trans-1,2-Dichloroethene	100	50	5U		1.5	1.9	1.1	1.3	1.9	2.0	2.0	20U	50U	10U	25U	1U	2U	10U	5U	10U	10U	1.9	3.6	4.1	3.1
cis-1,2-Dichloroethene	70	130	230		130	250	180	210	250	260	260	280	602	179	323	330	85	410	200	240	380	199	340	290	270
1,1-Dichloroethene	7	34	24		14	23	14	17	21	22	22	94	36	18	22	28	5.0	24	16	22	35	15	19	18	16
1,1-Dichloroethane	NA	72	80		42	70	60	76	66	70	66	100	128	42	68	74	53	77	56	55	98	42	68	64	44
Chloroform	NA	50U	2.6		1.6	2.4	2.5	2.2	2.2	2.3	2.5	20U	50U	10U	25U	2.0	2U	10U	5.0	10U	10U	1.5	1.8	1.5	2.5U
1,2-Dichloroethane	5	50U	5U		10U	20U	1.2	1.3	10U	20U	20U	20U	50U	10U	25U	1U	2U	10U	5U	10U	10U	0.58	0.86	2.5U	2.5U
1,1,1-Trichloroethane	200	300	300		180	270	180	180	250	300	240	300	500	168	249	230	190	220	180	180	220	137	180	150	110
Trichloroethene	5	96	80		54	81	33	46	73	80	67	58	122	52	62	61	20	56	46	50	70	39	47	39	32
Tetrachloroethene	5	31	23		18	23	2.9	3.8	18	26	20	20U	36	16	21	22	14	20	15	18	26	16	20	16	13
MW-101D Total VOCs		**713**	**740**	**NS**	**441**	**721**	**475**	**538**	**682**	**762**	**680**	**832**	**1423**	**474**	**745**	**747**	**367**	**807**	**518**	**565**	**829**	**452**	**680**	**583**	**488**

MW-102A	**MCL**	**CDM 09/28/93**	**1Q 05/20/99**	**2Q 10/25/99**	**3Q 02/16/00**	**4Q 04/25/00**	**5Q 07/26/00**	**6Q 11/16/00**	**1SA 04/10/01**	**2SA 10/17/01**	**3SA 04/30/02**	**4SA 10/10/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/02/05**	**9SA 11/02/05**	**10SA 06/22/06**	**11SA 11/16/06**	**12SA 10/08/07**	**13SA 05/19/08**	**14SA 11/26/08**	**15SA 06/11/09**	**16SA 11/27/09**	**17SA 06/28/10**
Methylene Chloride	5	23	2U	10U	10U	10U	20U	10U	20U	20U	10U	40U	10U	10U	4U	2U	2U	2U	2U	9.0	20	1U	1U	1U	2U
trans-1,2-Dichloroethene	100	2.0	1.8	1.7	3.0	1.4	2.5	2.7	4.4	4.1	1.9	20U	10U	5.6	1.5	0.84	5.1	1.9	3.3	5.0	10U	4.1	4.1	5.3	5.3
cis-1,2-Dichloroethene	70	32	54	61	90	49	95	110	140	110	65	160	136	156	34	16	110	54	120	150	150	137	150	190	170
1,1-Dichloroethene	7	4.0	1.2	2.5	2.8	1.5	2.7	2.8	4.2	2.3	1.6	20U	10U	10U	2U	1U	1.9	0.98	1.8	4.0	10U	2.8	2.6	3.5	2.7
1,1-Dichloroethane	NA	26	43	43	64	43	71	91	91	77	47	130	93	118	39	19	71	39	73	64	68	58	66	96	80
Chloroform	NA	2U	1U	5U	5U	5U	10U	5U	10U	10U	5U	20U	10U	10U	2U	1U	1U	1U	1U	10U	10U	0.18	0.19	1U	2U
1,2-Dichloroethane	5	2U	0.25	5U	5U	5U	10U	5U	10U	10U	5U	20U	10U	10U	2U	1U	1U	1U	1U	10U	10U	1U	0.26	1U	2U
1,1,1-Trichloroethane	200	34	51	57	97	57	100	88	120	88	62	140	102	114	37	19	57	31	100	95	93	83	82	89	62
Trichloroethene	5	6.0	6.3	15	14	7.6	16	14	22	16	11	26	22	22	6.9	3.5	11	6.6	15	20	18	18	16	18	15
Tetrachloroethene	5	2.0	0.60	3.1	5U	5U	10U	5U	10U	10U	5U	20U	10U	10U	2U	1U	1U	1U	1U	10U	10U	1U	1U	1U	2U
MW-102A Total VOCs		**129**	**158**	**183**	**271**	**160**	**287**	**309**	**382**	**297**	**189**	**456**	**353**	**416**	**119**	**58**	**256**	**133**	**313**	**347**	**349**	**302**	**321**	**402**	**335**

MW-102B	**MCL**	**CDM 09/28/93**	**1Q 05/20/99**	**2Q 10/25/99**	**3Q 02/16/00**	**4Q 04/25/00**	**5Q 07/26/00**	**6Q 11/16/00**	**1SA 04/10/01**	**2SA 10/17/01**	**3SA 04/30/02**	**4SA 10/10/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/02/05**	**9SA 11/02/05**	**10SA 06/22/06**	**11SA 11/16/06**	**12SA 10/08/07**	**13SA 05/19/08**	**14SA 11/26/08**	**15SA 06/11/09**	**16SA 11/27/09**	**17SA 06/28/10**
Methylene Chloride	5	3.0	2U	2U	2U	2U	2U	2U	2U	2U	2U	0.60	1U	1U	2U	2U	2U	2U	2U	2U	2U	1U	1U	1U	1U
trans-1,2-Dichloroethene	100	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.13	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.28	1U	1U	1U
cis-1,2-Dichloroethene	70	1U	2.1	2.7	0.28	0.48	0.54	0.62	0.71	1.2	1.4	2.0	2.3	2.9	3.2	2.4	3.5	4.3	5.0	4.0	6.0	5.1	5.0	5.6	4.4
1,1-Dichloroethene	7	1U	0.32	0.40	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethane	NA	1U	0.99	0.93	0.32	0.36	0.62	0.76	0.71	0.83	1.0	2.0	1.3	1.6	1.7	1.6	1.9	2.3	3.0	3.0	4.0	2.8	3.2	3.5	3.0
Chloroform	NA	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,2-Dichloroethane	5	1U	0.63	0.66	0.47	0.49	0.54	1U	0.61	1U	0.58	1U	1U	0.64	0.62	0.48	1U	1U	1U	0.50	1U	0.66	0.65	0.56	0.69
1,1,1-Trichloroethane	200	1U	1.4	5.1	1U	0.20	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
Trichloroethene	5	1U	2.1	3.7	1U	0.09	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
Tetrachloroethene	5	1U	1.1	2.0	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
MW-102B Total VOCs		**3.0**	**8.6**	**15**	**1.1**	**1.6**	**1.7**	**1.4**	**2.0**	**2.0**	**3.1**	**4.6**	**3.6**	**5.2**	**5.6**	**4.5**	**5.4**	**6.6**	**8.0**	**7.5**	**10.0**	**8.9**	**8.9**	**9.7**	**8.1**

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 6/10)

Sample Event			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
MW-102C	**MCL**	**CDM 09/28/93**	**1Q 05/20/99**	**2Q 10/25/99**	**3Q 02/16/00**	**4Q 04/25/00**	**5Q 07/26/00**	**6Q 11/16/00**	**1SA 04/10/01**	**2SA 10/17/01**	**3SA 04/30/02**	**4SA 10/10/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/02/05**	**9SA 11/02/05**	**10SA 06/22/06**	**11SA 11/16/06**	**12SA 10/08/07**	**13SA 05/19/08**	**14SA 11/26/08**	**15SA 06/11/09**	**16SA 11/27/09**	**17SA 06/28/10**
Methylene Chloride	5	55	20U	50U	0.38	10U	4U	4U	10U	8U	20U	10U	10U	4U	50U	2U	2U	2U	2U	2U	21	1U	1U	10U	5U
trans-1,2-Dichloroethene	100	12U	10U	25U	0.57	0.96	0.41	0.26	5U	0.39	3.3	5U	10U	4U	25U	1U	1U	1U	0.97J	2.0	10U	0.79	0.74	6.7	6.8
cis-1,2-Dichloroethene	70	140	390	460	61	65	39	28	39	53	240	87	112	79	278	22	7.4	49	120	170	210	57	99	760	740
1,1-Dichloroethene	7	68	59	78	12	5.2	4.5	4.5	2.6	8.9	40	54	19	9.9	38	0.62	1.3	8.4	10	22	26	5.8	6.1	59	53
1,1-Dichloroethane	NA	160	180	210	32	44	29	19	48	29	110	56	48	43	105	69	3.4	23	69	60	66	19	36	210	160
Chloroform	NA	12U	2.5	3.0	0.66	0.91	0.64	0.32	0.94	0.60	2.1	5U	10U	4U	25U	0.74	1U	1U	1U	0.40	10U	0.21	0.31	10U	5U
1,2-Dichloroethane	5	12U	4.0	25U	0.91	5U	0.80	2U	5U	4U	2.4	5U	10U	4U	25U	1.2	1U	1U	1.3	1.0	10U	0.33	0.57	10U	5U
1,1,1-Trichloroethane	200	160	170	250	60	60	44	23	90	46	170	69	73	59	136	110	6.4	19	70	35	74	18	23	94	89
Trichloroethene	5	140	140	170	26	10	8.2	8.3	5.4	17	78	20	35	16	70	1.5	2.9	15	23	34	37	9.5	8.9	74	65
Tetrachloroethene	5	44	33	46	5.9	0.67	0.99	1.1	0.80	3.5	19	4J	7.9	4U	21	1.1	1U	4.9	4.0	10	12	2.7	0.94	22	18
MW-102C Total VOCs		**767**	**979**	**1217**	**199**	**187**	**128**	**84**	**187**	**158**	**665**	**286**	**295**	**207**	**649**	**206**	**21**	**119**	**297**	**334**	**446**	**113**	**176**	**1,226**	**1,132**

MW-113A	**MCL**	**CDM 10/08/93**	**1Q 05/03/99**	**2Q 11/10/99**	**3Q 02/15/00**	**4Q 04/24/00**	**5Q 07/27/00**	**6Q 11/16/00**	**1SA 04/12/01**	**2SA 10/31/01**	**3SA 04/29/02**	**4SA 10/18/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/20/05**	**10SA 05/08/06**	**11SA 01/04/07**	**12SA 10/08/07**	**13SA 05/17/08**	**14SA 11/29/08**	**15SA 06/11/09**	**16SA 11/28/09**	**17SA 06/29/10**
Methylene Chloride	5	14U	2U	1.9	20U	20U	20U	20U	20U	20U	20U	40U	25U	20U	50U	10U	2U	20U	20U	2U	20U	5U	5U	2.5U	2.5U
trans-1,2-Dichloroethene	100	7U	1.2	2.4	5.7 J	13	7.5	12	15	22	23	20U	25U	20U	25U	5.7	17	9.1	10U	15	20U	41	15	44	30
cis-1,2-Dichloroethene	70	110	52	160	160	160	110	200	210	240	200	430	325	318	360	410	330	470	430	480	470	369	370	290	240
1,1-Dichloroethene	7	33	10	27	16	5.1	4.0	9.4	210	3.0	1.5	240	34	31	32	45	22	32	27	46	54	7.3	21	1.7	3.3
1,1-Dichloroethane	NA	92	34	100	91	92	86	130	10	110	100	190	121	109	123	140	110	110	110	150	160	135	110	110	88
Chloroform	NA	7U	0.90	2.3	2.1 J	2.1	2.3	2.3	2.4	2.8	2.5	20U	25U	20U	25U	5U	2.6	2.3	10U	2.0	20U	2.2	2.6	1.5	1.1
1,2-Dichloroethane	5	7U	0.40	10U	10U	10U	10U	10U	10U	10U	10U	20U	25U	20U	25U	5U	1U	1U	10U	1.0	20U	1.5	5U	2.5U	1.0
1,1,1-Trichloroethane	200	140	59	160	160	160	130	170	200	200	200	370	245	232	239	260	210	270	210	260	280	210	180	170	130
Trichloroethene	5	56	24	69	71	61	22	62	81	75	70	140	101	93	89	100	82	93	10	110	130	99	85	84	76
Tetrachloroethene	5	7U	1.9	3.2	2.9 J	2.4	10U	2.1	3.7	3.3	4.5	20U	25U	20U	25U	8.1	8.0	10	10	10	20U	11	10	12	12
MW-113A Total VOCs		**431**	**183**	**526**	**498**	**496**	**362**	**588**	**732**	**656**	**602**	**1370**	**826**	**783**	**844**	**969**	**782**	**996**	**797**	**1074**	**1094**	**875**	**794**	**713**	**581**

MW-113B	**MCL**	**CDM 10/19/93**	**1Q 04/29/99**	**2Q 10/27/99**	**3Q 02/15/00**	**4Q 04/24/00**	**5Q 07/27/00**	**6Q 11/16/00**	**1SA 04/12/01**	**2SA 10/31/01**	**3SA 04/29/02**	**4SA 10/18/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/20/05**	**10SA 05/08/06**	**11SA 01/04/07**	**12SA 10/08/07**	**13SA 05/17/08**	**14SA 11/29/08**	**15SA 06/11/09**	**16SA 11/28/09**	**17SA 06/29/10**
Methylene Chloride	5	3U	2U	10U	10U	10U	10U	10U	10U	10U	10U	5.0	10U	10U	20U	2U	2U	2U	2U	2U	19	1U	1U	1U	2U
trans-1,2-Dichloroethene	100	2U	0.65	5U	0.83	0.98	0.91	1.3	1.0	1.1	0.97	10U	10U	10U	10U	1.8	1.9	1.9	1.7	2.0	10U	2.2	2.2	2.5	2.7
cis-1,2-Dichloroethene	70	12	38	39	62	56	49	62	53	67	60	120	115	129	143	140	170	140	120	120	140	169	180	190	150
1,1-Dichloroethene	7	4.0	12	8.4	11	11	9.4	11	8.9	12	9.8	88	17	19	20	19	22	21	20	17	19	20	19	22	19
1,1-Dichloroethane	NA	14	33	33	48	43	38	55	40	50	39	84	59	65	70	64	78	64	61	56	66	71	71	77	63
Chloroform	NA	2U	0.54	0.45	0.65	0.61	0.71	0.63	0.56	0.64	0.60	10U	10U	10U	10U	1U	1U	1U	1U	0.50	10U	0.71	0.73	0.69	2U
1,2-Dichloroethane	5	2U	0.56	5U	5U	5U	0.60	5U	5U	5U	5U	10U	10U	10U	10U	1U	1U	1U	1U	0.60	10U	0.92	0.87	0.76	2U
1,1,1-Trichloroethane	200	6.0	17	13	27	21	17	22	17	24	19	39	46	43	45	39	45	33	30	21	25	29	29	31	19
Trichloroethene	5	6.0	19	20	30	26	20	27	20	29	23	42	42	46	43	39	47	37	38	30	34	42	42	41	33
Tetrachloroethene	5	2U	1.8	1.3	1.4	1.2	0.89	1.4	5U	5U	1.3	10U	10U	10U	10U	2.9	3.8	3.6	3.0	3.0	10U	3.5	3.6	3.9	3.0
MW-113B Total VOCs		**42**	**123**	**115**	**181**	**160**	**137**	**180**	**140**	**184**	**154**	**378**	**279**	**302**	**320**	**306**	**368**	**301**	**274**	**250**	**303**	**338**	**348**	**369**	**290**

MW-114A	**MCL**	**CDM 10/05/93**	**1Q 04/28/99**	**2Q 10/26/99**	**3Q 01/31/00**	**4Q 04/24/00**	**5Q 07/27/00**	**6Q 11/13/00**	**1SA 04/12/01**	**2SA 10/31/01**	**3SA 04/25/02**	**4SA 10/15/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/20/05**	**10SA 05/06/06**	**11SA 01/04/07**	**12SA 10/08/07**	**13SA 05/17/08**	**14SA 11/29/08**	**15SA 06/11/09**	**16SA 11/28/09**	**17SA 06/25/10**
Methylene Chloride	5	2U	10U	50U	1.5	20U	20U	20U	10U	10U	10U	20U	10U	4U	10U	2U	2U	2U	2U	2U	3.0	1U	1U	1U	1U
trans-1,2-Dichloroethene	100	1U	5U	25U	10U	10U	10U	10U	5U	5U	5U	10U	10U	4U	5U	1U	1U	1U	1U	1U	2U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	5.0	14	11	6.6	5.6	5.4	4.7	3.9	3.6	4.1	7.0	10U	3.6	4.3	3.3	2.9	3.7	3.3	2.0	3.0	1U	1U	1.3	2.2
1,1-Dichloroethene	7	4.0	46	48	34	26	24	20	18	15	16	140	13	10	12	5.7	7.2	9.4	11	7.0	5.0	1U	1U	3.9	6.6
1,1-Dichloroethane	NA	2.0	6.7	7.1	5 J	4.2	3.9	4.2	2.7	2.5	3.1	10U	10U	2.9	3.7	2.5	2.6	3.4	3.5	2.0	2.0	0.28	0.28	1.9	3.2
Chloroform	NA	1U	5U	25U	10U	10U	10U	10U	5U	5U	5U	10U	10U	4U	5U	1U	1U	1U	1U	1U	2U	1U	0.16	0.46	1U
1,2-Dichloroethane	5	1U	5U	25U	10U	10U	10U	10U	5U	5U	5U	10U	10U	4U	5U	1U	1U	1U	1U	1U	2U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	6.0	250	290	220	160	140	120	120	100	100	170	80	70	80	28	39	44	51	34	28	1.1	0.90	36	70
Trichloroethene	5	2.0	34	47	33	24	22	19	20	18	22	38	21	16	21	7.9	9.8	12	9.6	5.0	4.0	1U	1U	2.7	4.4
Tetrachloroethene	5	1U	1.9J	25U	10U	10U	10U	10U	5U	5U	5U	10U	10U	4U	5U	1U	1U	1U	1U	2U	2U	1U	1U	1U	1U
MW-114A Total VOCs		**19**	**351**	**403**	**294**	**220**	**195**	**168**	**165**	**139**	**145**	**355**	**114**	**103**	**121**	**47**	**62**	**73**	**78**	**50**	**42**	**1.4**	**1.3**	**46**	**86**

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 6/10)

Sample Event			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
MW-114B	**MCL**	**CDM 10/04/93**	**1Q 04/28/99**	**2Q 10/26/99**	**3Q 01/31/00**	**4Q 04/24/00**	**5Q 07/27/00**	**6Q 11/13/00**	**1SA 04/12/01**	**2SA 10/31/01**	**3SA 04/25/02**	**4SA 10/15/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/20/05**	**10SA 05/06/06**	**11SA 01/04/07**	**12SA 10/08/07**	**13SA 05/17/08**	**14SA 12/18/08**	**15SA 06/20/09**	**16SA 11/28/09**	**17SA 06/25/10**
Methylene Chloride	5	3U	2U	2U	2U	2U	2U	2U	2U	2U	2U	0.60	1U	1U	2U	2U	2U	2U	2U	2U	2U	1U	1U	1U	1U
trans-1,2-Dichloroethene	100	2U	1U	1U	1U	1U	1U	1U	1U	1U	0.04	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	12	3.3	3.3	2.3	1.7	3.0	2.4	2.9	2.2	3.0	3.0	2.8	3.0	2.9	2.3	2.3	2.1	1.8	2.0	2.0	2.0	2.2	1U	2.0
1,1-Dichloroethene	7	4.0	0.60	0.46	0.18	0.11	0.26	0.13	0.26	0.13	0.29	1.0	1U	1.1	1U	1U	1U	1U	1U	0.50	1U	0.67	0.67	1.0	0.84
1,1-Dichloroethane	NA	14	0.89	1.0	0.81	0.68	1.0	1.2	0.98	0.96	1.1	2.0	1.2	1.3	1.2	1.5	1.6	1U	1.4	2.0	2.0	1.6	1.8	2.2	2.1
Chloroform	NA	2U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,2-Dichloroethane	5	2U	1U	1U	1U	1U	1U	1U	1U	1U	1U	3.0	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	6.0	4.0	1.2	1U	0.05	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
Trichloroethene	5	6.0	6.2	8.2	5.7	1.8	7.9	3.5	8.2	4.8	7.2	9.0	8.8	8.9	8.8	7.6	8.8	8.7	6.7	6.0	9.0	6.8	6.5	6.7	6.3
Tetrachloroethene	5	2U	1.0	0.66	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
MW-114B Total VOCs		**42**	**16**	**15**	**9.0**	**4.3**	**12**	**7.2**	**12**	**8.1**	**12**	**19**	**13**	**14**	**13**	**11**	**13**	**11**	**9.9**	**10.5**	**13.0**	**11.1**	**11.2**	**9.9**	**11.2**

MW-117B	**MCL**	**CDM 10/04/93**	**1Q 04/22/99**	**2Q 10/18/99**	**3Q 01/26/00**	**4Q 04/17/00**	**5Q 07/24/00**	**6Q 11/07/00**	**1SA 04/09/01**	**2SA 10/15/01**	**3SA 04/16/02**	**4SA 10/07/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 06/28/06**	**11SA 11/21/06**	**12SA 10/06/07**	**13SA 05/17/08**	**14SA 11/28/08**	**15SA 06/09/09**	**16SA 11/28/09**	**17SA 06/24/10**
Methylene Chloride	5	2U	2U	10U	10U	4U	4U	4U	4U	4U	2U	10U	1U	1U	2U	2U	2U	2U	2U	2U	2U	1U	1U	1U	1U
trans-1,2-Dichloroethene	100	1U	1U	5U	5U	2U	2U	2U	0.25	2U	0.20	5U	0.61	0.53	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	1.0	16	17	18	19	15	18	13	16	15	20	20	19	12	13	14	70	11	8.0	11	8.1	7.9	5.1	6.0
1,1-Dichloroethene	7	1U	14	14	9.5	11	9.6	11	7.3	7.5	7.3	54	10	9.4	4.8	5.7	5.6	23	4.0	8.0	11	8.7	12	9.0	12
1,1-Dichloroethane	NA	1U	7.3	7.7	8.0	8.1	6.6	10.0	5.8	7.1	5.9	8.0	7.5	6.0	3.8	4.5	4.7	21	3.6	6.0	8.0	7.9	11	8.5	12
Chloroform	NA	0.6	0.72	0.58	0.36	0.39	0.49	0.42	0.37	0.35	0.30	5U	1U	0.99	0.73	1U	1U	1U	1U	0.40	1U	0.38	0.49	0.42	0.32
1,2-Dichloroethane	5	1U	0.54	5U	5U	0.42	2U	2U	2U	2U	0.22	5U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	2.0	83	68	59	49	42	37	28	23	22	25	23	22	14	11	12	56	12	16	22	24	31	24	37
Trichloroethene	5	5.0	21	17	22	19	17	19	17	16	16	16	18	17	12	9.4	9.3	23	11	12	16	16	17	15	17
Tetrachloroethene	5	4.0	3.1	1.3	1.9	1.6	1.7	1.7	1.8	1.3	1.7	3.0	2.3	2.3	2.0	1.6	1.8	24	2.1	2.0	3.0	4.9	4.5	5.3	6.5
MW-117B Total VOCs		**13**	**146**	**126**	**119**	**109**	**92**	**97**	**74**	**71**	**69**	**126**	**82**	**77**	**48**	**45**	**47**	**217**	**44**	**52**	**71**	**70**	**84**	**67**	**91**

MW-117C	**MCL**	**CDM 10/04/93**	**1Q 04/22/99**	**2Q 10/18/99**	**3Q 02/16/00**	**4Q 04/18/00**	**5Q 07/24/00**	**6Q 11/07/00**	**1SA 04/09/01**	**2SA 10/15/01**	**3SA 04/16/02**	**4SA 10/07/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 05/06/06**	**11SA 11/21/06**	**12SA 10/06/07**	**13SA 05/17/08**	**14SA 11/28/08**	**15SA 06/09/09**	**16SA 11/24/09**	**17SA 06/24/10**
Methylene Chloride	5	5U	4U	10U	0.80	10U	10U	10U	10U	10U	0.30	32	10U	10U	20U	2U	2U	2U	2U	2U	10	1U	1U	1U	1U
trans-1,2-Dichloroethene	100	2U	2U	5U	0.50	0.60	1.1	5U	0.82	0.44	0.74	20U	10U	10U	10U	1U	1U	1U	1U	0.90	5U	0.31	0.33	1U	0.24
cis-1,2-Dichloroethene	70	23	69	82	94	94	99	100	120	110	120	150	123	107	97	91	84	91	140	88	99	86	70	57	40
1,1-Dichloroethene	7	13	44	53	53	49	48	50	59	45	469	330	58	43	37	34	29	26	46	30	33	26	25	24	23
1,1-Dichloroethane	NA	17	54	60	61	54	55	69	57	48	41	59	40	33	31	28	25	25	41	24	28	24	24	23	24
Chloroform	NA	2U	0.77	5U	0.82	0.79	1.0	0.79	0.84	0.81	0.75	20U	10U	10U	10U	1U	1U	1U	1U	0.50	5U	0.55	0.51	0.48	0.42
1,2-Dichloroethane	5	2U	2.3	5U	5U	2.2	2.4	2.4	2.3	5U	1.6	20U	10U	10U	10U	1U	1U	1U	1U	0.30	5U	0.26	0.23	1U	1U
1,1,1-Trichloroethane	200	50	75	94	93	91	89	78	99	74	82	110	93	78	66	59	54	50	100	60	72	57	58	51	51
Trichloroethene	5	75	36	40	41	39	38	34	42	32	34	42	44	35	30	27	26	26	44	26	30	23	23	21	20
Tetrachloroethene	5	2U	6.0	7.5	9.7	10	8.7	8.8	12	11	16	22	23	20	20	22	20	21	36	24	30	27	26	26	28
MW-117C Total VOCs		**178**	**287**	**337**	**354**	**341**	**342**	**343**	**393**	**321**	**765**	**745**	**382**	**316**	**282**	**261**	**238**	**239**	**407**	**254**	**302**	**243**	**227**	**202**	**187**

MW-117D	**MCL**	**CDM NS**	**1Q 04/22/99**	**2Q 10/18/99**	**3Q 02/17/00**	**4Q 04/18/00**	**5Q 07/24/00**	**6Q 11/07/00**	**1SA 04/09/01**	**2SA 10/16/01**	**3SA 04/16/02**	**4SA 10/07/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 05/06/06**	**11SA 11/21/06**	**12SA 10/06/07**	**13SA 05/17/08**	**14SA 11/28/08**	**15SA 06/09/09**	**16SA 11/24/09**	**17SA 06/24/10**
Methylene Chloride	5		4U	20U	10U	10U	10U	10U	10U	10U	10U	18	5U	5U	10U	2U	2U	2U	2U	2U	12	1U	1U	1U	1U
trans-1,2-Dichloroethene	100		2U	10U	5U	5U	5U	5U	0.39	5U	5U	10U	5U	5U	5U	1U	1U	1U	2.1	1.0	5U	0.27	1U	1U	0.18
cis-1,2-Dichloroethene	70		110	110	100	90	81	87	88	75	72	100	83	110	105	84	73	67	76	71	31	24	13	11	5.3
1,1-Dichloroethene	7		50	44	41	35	36	33	37	25	24	180	37	33	38	24	21	17	22	22	24	20	18	19	16
1,1-Dichloroethane	NA		46	39	34	29	27	37	29	23	21	36	28	29	29	20	24	23	27	22	24	23	25	29	28
Chloroform	NA		0.74	10U	0.80	0.63	0.85	0.60	0.65	0.53	0.61	10U	5U	5U	5U	1U	1U	1U	1U	0.40	5U	0.46	0.49	0.49	0.33
1,2-Dichloroethane	5		2.0	1.5	1.4	1.1	1.2	1.0	5U	5U	5U	10U	5U	5U	5U	1U	1U	1U	1U	0.30	5U	1U	1U	1U	1U
1,1,1-Trichloroethane	200		110	97	91	82	80	71	80	57	58	87	65	85	76	60	58	52	89	62	62	58	55	49	46
Trichloroethene	5		38	35	35	32	35	30	31	23	23	29	26	31	33	24	22	20	32	29	23	19	20	18	15
Tetrachloroethene	5		17	17	19	17	16	16	13	17	18	24	4.6	30	17	21	24	22	31	15	30	29	30	28	29
MW-117D Total VOCs		**NS**	**374**	**344**	**322**	**287**	**277**	**276**	**279**	**221**	**217**	**474**	**243**	**318**	**297**	**233**	**222**	**201**	**279**	**223**	**206**	**173**	**161**	**154**	**140**

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 6/10)

Sample Event			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
MW-119	**MCL**	**CDM**	**1Q**	**2Q**	**3Q**	**4Q**	**5Q**	**6Q**	**1SA**	**2SA**	**3SA**	**4SA**	**5SA**	**6SA**	**7SA**	**8SA**	**9SA**	**10SA**	**11SA**	**12SA**	**13SA**	**14SA**	**15SA**	**16SA**	**17SA**
		10/11/93	**05/03/99**	**10/27/99**	**01/26/00**	**04/17/00**	**07/25/00**	**11/08/00**	**04/10/01**	**10/16/01**	**04/30/02**	**10/17/02**	**04/22/03**	**12/31/03**	**04/28/04**	**05/21/05**	**10/20/05**	**05/06/06**	**01/04/07**	**10/08/07**	**05/18/08**	**11/29/08**	**06/10/09**	**11/29/09**	**06/29/10**
Methylene Chloride	5	25U	2U	2U	2U	2U	2U	2U	2U	2U	2U	2U	1U	1U	2U	2U	2U	2U	2U	2U	2U	1U	1U	1U	1U
trans-1,2-Dichloroethene	100	12U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	12U	0.36	1.4	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.59	1U	1U	1U	1U	1U	0.40	1U	0.54	0.66	0.61	1.2
1,1-Dichloroethene	7	12U	1U	0.28	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.54	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethane	NA	12U	1U	0.39	0.21	0.23	0.26	0.27	0.26	0.29	0.31	1U	1U	0.67	0.51	1U	1U	1.2	1U	1.0	1U	0.98	1.0	1.4	0.92
Chloroform	NA	12U	1U	0.26	0.19	0.16	0.12	1U	1U	0.10	0.10	1U	1U	7.2	1.7	1U	1U	1U	1U	1U	1U	1U	0.64	0.45	1U
1,2-Dichloroethane	5	12U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	12U	1.8	2.6	0.75	0.79	0.88	0.72	0.85	0.71	0.95	1U	1U	0.72	0.62	1.3	1.3	1.1	1U	1.0	1.0	1.3	1.2	1.2	1.1
Trichloroethene	5	12U	1.0	2.0	0.20	0.20	0.21	0.18	0.19	0.16	0.17	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.27	0.29	1U	1U
Tetrachloroethene	5	12U	0.63	1.4	0.18	0.19	0.22	0.18	0.17	0.15	0.18	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
MW-119 Total VOCs		**0**	**3.8**	**8.3**	**1.5**	**1.6**	**1.7**	**1.4**	**1.5**	**1.4**	**1.7**	**0**	**0**	**9.7**	**2.8**	**1.3**	**1.3**	**2.3**	**0**	**2.4**	**1.0**	**3.1**	**3.8**	**3.7**	**3.2**

MW-121	**MCL**	**CDM**	**1Q**	**2Q**	**3Q**	**4Q**	**5Q**	**6Q**	**1SA**	**2SA**	**3SA**	**4SA**	**5SA**	**6SA**	**7SA**	**8SA**	**9SA**	**10SA**	**11SA**	**12SA**	**13SA**	**14SA**	**15SA**	**16SA**	**17SA**
		10/15/93	**04/28/99**	**10/26/99**	**01/31/00**	**04/18/00**	**07/25/00**	**11/08/00**	**04/10/01**	**10/16/01**	**04/17/02**	**10/17/02**	**04/22/03**	**12/31/03**	**04/28/04**	**05/21/05**	**10/20/05**	**05/06/06**	**01/03/07**	**10/07/07**	**05/18/08**	**11/29/08**	**06/11/09**	**11/25/09**	**06/29/10**
Methylene Chloride	5	5U	10U	2U	0.41	2U	2U	2U	2U	2U	2U	2U	1U	1U	2U	2U	2U	2U	2U	2U	2U	1U	1U	1U	1U
trans-1,2-Dichloroethene	100	2U	5U	0.15	0.20	0.22	0.39	0.22	0.68	0.42	0.58	5U	1U	1U	1U	1U	1U	1U	1U	0.40	1U	0.55	0.76	1U	1U
cis-1,2-Dichloroethene	70	27	7.2	8.4	6.3	5.6	6.8	7.0	6.7	6.5	6.1	7.0	5.7	4.6	4.8	5.2	5.9	5.3	3.0	6.0	7.0	3.4	4.8	4.3	3.7
1,1-Dichloroethene	7	2U	6.0	8.0	5.5	3.0	4.4	8.0	2.0	3.6	3.0	42	7.3	5.1	4.6	3.9	3.9	3.3	1.7	2.0	2.0	1U	1U	1.8	1.7
1,1-Dichloroethane	NA	2U	3.4	3.8	2.9	2.8	3.5	4.6	3.7	3.8	3.8	5.0	4.3	4.8	4.4	2.2	2.9	2.5	1.4	2.0	2.0	1.4	1.9	2.1	2.9
Chloroform	NA	2U	5U	0.67	0.65	0.55	0.68	0.77	0.78	0.82	0.75	5U	0.65	1U	0.52	1U	1U	1U	1U	0.70	1U	0.56	0.65	0.63	1U
1,2-Dichloroethane	5	2U	5U	0.78	2 U	0.72	0.82	0.89	0.82	0.81	0.07	5U	0.55	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	7.0	3.8	5.5	3.4	2.8	4.3	5.1	5.5	5.9	6.9	9.0	7.2	5.8	5.8	5.1	5.7	4.8	3.9	5.0	6.0	2.7	4.0	3.1	2.0
Trichloroethene	5	82	26	29	23	11	20	22	22	19	20	24	23	20	19	18	20	22	20	22	25	14	23	20	16
Tetrachloroethene	5	4.0	2.7	3.4	2.5	0.64	1.8	2.6	2.3	2.4	2.6	3.0	2.9	2.7	2.4	1.9	2.1	2.3	1.9	2.0	2.0	1.8	2.3	2.0	1.5
MW-121 Total VOCs		**120**	**49**	**52**	**45**	**27**	**43**	**51**	**44**	**43**	**44**	**90**	**51**	**43**	**41**	**36**	**41**	**40**	**32**	**40**	**44**	**25**	**37**	**34**	**28**

MW-124	**MCL**	**CDM**	**1Q**	**2Q**	**3Q**	**4Q**	**5Q**	**6Q**	**1SA**	**2SA**	**3SA**	**4SA**	**5SA**	**6SA**	**7SA**	**8SA**	**9SA**	**10SA**	**11SA**	**12SA**	**13SA**	**14SA**	**15SA**	**16SA**	**17SA**
		10/18/93	**04/28/99**	**10/27/99**	**01/31/00**	**04/24/00**	**07/25/00**	**11/13/00**	**04/12/01**	**10/29/01**	**04/17/02**	**10/17/02**	**04/22/03**	**12/31/03**	**04/28/04**	**05/21/05**	**10/20/05**	**05/06/06**	**01/04/07**	**10/07/07**	**05/18/08**	**11/29/08**	**06/10/09**	**11/29/09**	**06/29/10**
Methylene Chloride	5	120U	20U	8.2	50U	50U	40U	40U	40U	20U	40 U	40U	10U	10U	80U	10U	2U	2U	20U	2U	80U	5U	5U	5U	25U
trans-1,2-Dichloroethene	100		10U	50U	25U	3.9	20U	20U	2.1	1.4	12	20U	10U	10U	40U	5U	1.5	1.5	10U	4.0	40U	1.4	5U	5U	5U
cis-1,2-Dichloroethene	70	210	1,200	560	540	440	330	300	240	190	370	360	213	176	389	420	260	370	250	300	320	144	150	170	220
1,1-Dichloroethene	7	410	97	41	36	24	20	20	35	19	35	230	26	20	44	37	25	29	15	28	42	16	18	22	20
1,1-Dichloroethane	NA	150	75	50	95	92	89	110	47	98	64	92	71	83	197	340	250	320	370	620	870	415	500	510	500
Chloroform	NA	120U	10U	50U	25U	0.72	20U	20U	20U	10U	20U	20U	10U	10U	40U	5U	1U	1U	10U	1U	40U	5U	5U	5U	5U
1,2-Dichloroethane	5	120U	10U	50U	25U	25U	20U	20U	20U	10U	20U	20U	10U	10U	40U	5U	1U	1.2	10U	0.70	40U	5U	5U	5U	5U
1,1,1-Trichloroethane	200	1400	540	280	190	100	79	75	230	110	210	290	119	95	185	120	76	120	110	100	190	90	100	98	82
Trichloroethene	5	140	36	28	20	14	10	12	24	16	26	33	19	16	27	18	15	18	10	12	40U	10	10	9.4	8.6
Tetrachloroethene	5	50	47	28	12	3.8	20U	2.7	30	6.2	30	35	14	11	35	8.4	6.6	15	10U	8.0	40U	12	14	16	14
MW-124 Total VOCs		**2,360**	**1,995**	**995**	**893**	**678**	**528**	**520**	**608**	**441**	**747**	**1,040**	**462**	**400**	**876**	**943**	**634**	**875**	**755**	**1,073**	**1,422**	**689**	**792**	**825**	**845**

MW-130	**MCL**	**CDM**	**1Q**	**2Q**	**3Q**	**4Q**	**5Q**	**6Q**	**1SA**	**2SA**	**3SA**	**4SA**	**5SA**	**6SA**	**7SA**	**8SA**	**9SA**	**10SA**	**11SA**	**12SA**	**13SA**	**14SA**	**15SA**	**16SA**	**17SA**
		10/19/93	**04/28/99**	**10/28/99**	**02/16/00**	**04/24/00**	**07/27/00**	**11/14/00**	**04/12/01**	**10/30/01**	**04/30/02**	**10/17/02**	**04/22/03**	**12/31/03**	**04/28/04**	**05/21/05**	**10/20/05**	**05/08/06**	**01/04/07**	**10/07/07**	**05/17/08**	**11/29/08**	**06/11/09**	**11/29/09**	**06/29/10**
Methylene Chloride	5	8.0	2U	3.4	50U	100U	40U	50U	40U	100U	50U	43	20U	20U	20U	2U	2U	2U	2U	2U	20U	2U	2U	2U	50U
trans-1,2-Dichloroethene	100		1U	25U	25U	50U	20U	25U	20U	50U	25U	50U	20U	20U	10U	1U	1U	1U	1U	0.60	10U	0.40	2U	2U	10U
cis-1,2-Dichloroethene	70	25	24	7.8	7.5	7.7	7.7	7.2	5.7	50U	5.7	50U	20U	20U	11	11	14	14	18	21	25	21	20	12	17
1,1-Dichloroethene	7	10	11	4.9	3.6	3.1	3.3	4.3	20U	50U	1.6	54	20U	20U	10U	4.0	4.2	4.1	4.6	5.0	10U	4.2	4.3	5.5	15
1,1-Dichloroethane	NA	26	19	10	11	12	13	12	10	14	11	50U	11	10	11	14	16	16	20	17	22	22	26	31	70
Chloroform	NA	67U	0.19	25U	25U	50U	20U	25U	20U	50U	25U	50U	20U	20U	10U	1U	1U	1U	1U	1U	10U	2U	2U	2U	10U
1,2-Dichloroethane	5	67U	1U	25U	25U	50U	20U	25U	20U	50	25U	50U	20U	20U	10U	1U	1U	1U	1U	1U	10U	2U	2U	2U	10U
1,1,1-Trichloroethane	200	1000	670	370	460	510	670	390	440	660	360	840	341	263	157	210	210	140	160	170	200	198	300	320	1,100
Trichloroethene	5	28	17	8.2	8.5	8.3	8.5	7.0	6.2	50U	5.4	50U	20U	20U	10U	3.5	3.6	3.6	4.3	4.0	10U	4.3	4.3	3.3	7.6
Tetrachloroethene	5	67U	5.3	25U	25U	50U	20U	25U	20U	50U	0.97	50U	20U	20U	10U	1U	1U	1U	1U	0.60	10U	0.56	0.90	2U	10U
MW-130 Total VOCs		**1,097**	**746**	**404**	**491**	**541**	**703**	**421**	**462**	**724**	**385**	**937**	**352**	**273**	**179**	**243**	**248**	**178**	**207**	**218**	**247**	**250**	**355**	**372**	**1,210**

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 6/10)

Sample Event			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
MW-133A	**MCL**	**CDM 10/20/93**	**1Q 04/26/99**	**2Q 10/26/99**	**3Q 02/15/00**	**4Q 04/25/00**	**5Q 07/27/00**	**6Q 11/16/00**	**1SA 04/10/01**	**2SA 10/31/01**	**3SA 04/29/02**	**4SA 10/16/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/02/05**	**9SA 11/02/05**	**10SA 06/22/06**	**11SA 11/16/06**	**12SA 10/07/07**	**13SA 05/17/08**	**14SA 11/26/08**	**15SA 06/20/09**	**16SA 11/28/09**	**17SA 06/25/10**
Methylene Chloride	5	2U	2U	2U	2U	2U	2U	2U	2U	2U	2U	0.60	1U	1U	2U	2U	2U	2U	2U	1U	2U	1U	1U	1U	1U
trans-1,2-Dichloroethene	100	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	1U	0.27	1.8	0.16	1U	1U	0.49	1U	1.2	0.04	4.0	12	6.3	1U	1U	1U	1U	1U	1U	1U	0.26	1U	1U	0.23
1,1-Dichloroethene	7	1U	1U	0.66	1U	1U	1U	1U	1U	0.10	1U	1U	1.0	0.53	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethane	NA	1U	1U	0.52	0.08	1U	1U	1U	1U	0.41	1U	1.0	3.0	1.9	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
Chloroform	NA	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,2-Dichloroethane	5	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	0.8	0.95	4.6	0.38	0.35	1U	0.81	1U	1.0	0.06	3.0	5.2	2.5	1U	1U	1U	1U	1U	1U	1U	0.32	1U	1U	0.26
Trichloroethene	5	1U	1.1	4.8	1U	1U	1U	0.11	1U	0.19	1U	1U	0.98	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
Tetrachloroethene	5	1U	0.37	1.0	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
MW-133A Total VOCs		**0.8**	**2.7**	**12**	**0.6**	**0.4**	**0**	**1.4**	**0**	**2.9**	**0.1**	**8.6**	**22**	**11**	**0**	**0**	**0**	**0**	**0**	**0**	**0**	**0.58**	**0.00**	**0.00**	**0.49**

MW-133B	**MCL**	**CDM 10/20/93**	**1Q 04/26/99**	**2Q 10/26/99**	**3Q 02/15/00**	**4Q 04/25/00**	**5Q 07/27/00**	**6Q 11/16/00**	**1SA 04/10/01**	**2SA 10/31/01**	**3SA 04/29/02**	**4SA 10/16/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/02/05**	**9SA 11/02/05**	**10SA 06/22/06**	**11SA 11/16/06**	**12SA 10/07/07**	**13SA 05/17/08**	**14SA 11/26/08**	**15SA 06/20/09**	**16SA 11/28/09**	**17SA 06/25/10**
Methylene Chloride	5	100U	4U	6.8	100U	100U	40U	50U	100U	100U	50 U	31	40U	50U	20U	10U	10U	20U	50U	2U	80U	10U	10U	20U	20U
trans-1,2-Dichloroethene	100		7.0	7.1	50U	50U	10	9.5	43	49	54	50U	41	50U	10U	17	28	11	78	38	40U	193	140	84	47
cis-1,2-Dichloroethene	70	810	780	810	840	600	670	530	660	510	460	820	571	623	803	630	930	720	740	930	900	1,860	1,400	2,000	1,700
1,1-Dichloroethene	7	130	110	67	100	78	88	88	46	7.0	25U	650	40	82	106	70	98	54	10U	84	60	12	19	100	81
1,1-Dichloroethane	NA	270	200	170	180	170	160	200	200	180	150	250	158	151	161	120	180	110	160	160	130	308	230	280	230
Chloroform	NA	100U	10	7.9	9.3	12	12	11	13	12	9.1	50U	40U	50U	10U	5.6	8.2	10U	10U	6.0	40U	8.0	7.3	7.8	5.4
1,2-Dichloroethane	5	100U	4.6	50U	50U	50U	4.1	25U	50U	50U	3.7	50U	40U	50U	10U	5U	5U	10U	10U	3.0	40U	5.4	4.3	20U	20U
1,1,1-Trichloroethane	200	1200	840	630	730	620	760	570	830	700	570	800	617	577	622	460	620	430	10U	600	440	955	710	820	680
Trichloroethene	5	380	270	190	250	190	220	230	300	250	170	290	237	240	216	160	220	120	170	200	110	208	170	190	150
Tetrachloroethene	5	160	110	77	120	76	94	94	140	110	99	140	112	109	111	81	110	68	85	110	59	126	110	110	96
MW-133B Total VOCs		**2,950**	**2,332**	**1,966**	**2,229**	**1,746**	**2,018**	**1,733**	**2,232**	**1,818**	**1,516**	**2,981**	**1,777**	**1,782**	**2,019**	**1,544**	**2,194**	**1,513**	**1,233**	**2,131**	**1,699**	**3,675**	**2,791**	**3,592**	**2,989**

MW-133C	**MCL**	**CDM 10/20/93**	**1Q 04/26/99**	**2Q 10/26/99**	**3Q 02/15/00**	**4Q 04/25/00**	**5Q 07/27/00**	**6Q 11/16/00**	**1SA 04/10/01**	**2SA 10/31/01**	**3SA 04/29/02**	**4SA 10/16/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/02/05**	**9SA 11/02/05**	**10SA 06/22/06**	**11SA 11/16/06**	**12SA 10/07/07**	**13SA 05/17/08**	**14SA 11/26/08**	**15SA 06/20/09**	**16SA 11/28/09**	**17SA 06/25/10**
Methylene Chloride	5	20U	10U	20U	10U	20U	10U	10U	20U	10U	0.49	6.0	10U	10U	20U	2U	10U	2U	2U	2U	16U	1U	1U	1U	1U
trans-1,2-Dichloroethene	100		5U	1.1	0.42	0.34	5U	5U	10U	5U	0.73	10U	10U	10U	10U	0.59	5U	1.3	3.5	2.0	8U	6.9	9.7	1.2	1.3
cis-1,2-Dichloroethene	70	120	100	91	32	28	30	31	36	31	45	51	39	50	47	53	70	71	86	88	120	97	110	110	130
1,1-Dichloroethene	7	75	47	40	23	21	18	22	28	14	26	150	27	33	29	31	43	42	23	51	62	25	36	53	50
1,1-Dichloroethane	NA	76	57	49	31	28	28	35	36	31	33	49	32	143	35	37	46	44	61	50	60	54	59	58	54
Chloroform	NA	20U	8.5	7.2	5.4	4.7	4.9	5.2	6.2	5.1	5.4	6.0	5.0	5.6	5.4	5.7	6.5	7.3	7.7	7.0	8U	7.8	7.4	7.1	6.9
1,2-Dichloroethane	5	20U	2.8	10U	2.3	10U	2.2	2.2	10U	5U	1.8	10U	10U	10U	10U	1.8	5U	1U	1.9	2.0	8U	1.9	2.0	1.8	1.8
1,1,1-Trichloroethane	200	340	200	170	110	100	91	95	130	100	120	140	113	136	124	130	150	150	220	170	180	182	190	170	180
Trichloroethene	5	170	110	93	55	48	34	47	62	31	58	66	61	74	64	63	75	78	110	88	100	95	100	94	89
Tetrachloroethene	5	44	28	22	2.5	1.2	0.82	1.2	1.6	5U	4.5	10U	10U	10U	10U	2.6	5U	4.3	5.1	5.0	8U	6.1	6.0	6.2	8.6
MW-133C Total VOCs		**825**	**553**	**473**	**262**	**231**	**209**	**239**	**300**	**212**	**295**	**468**	**276**	**441**	**304**	**325**	**391**	**398**	**518**	**463**	**522**	**475**	**520**	**501**	**522**

MW-136	**MCL**	**CDM 10/19/93**	**1Q 04/29/99**	**2Q 10/28/99**	**3Q 02/15/00**	**4Q 04/25/00**	**5Q 07/27/00**	**6Q 11/17/00**	**1SA 04/10/01**	**2SA 10/31/01**	**3SA 04/29/02**	**4SA 10/18/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/02/05**	**9SA 10/20/05**	**10SA 06/23/06**	**11SA 01/05/07**	**12SA 10/07/07**	**13SA 05/18/08**	**14SA 11/29/08**	**15SA 06/11/09**	**16SA 11/28/09**	**17SA 06/29/10**
Methylene Chloride	5	10U	2U	2U	2U	2U	2U	2U	2U	2U	2U	2U	1U		2U			1.8	2U	0.70	2U	1U	1U	1U	1U
trans-1,2-Dichloroethene	100	5U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U		1U			1U	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	5U	3.5	1.1	1U	1U	1U	1U	1U	1U	1U	1U	1U		1U			1U	1U	1U	1U	0.20	1U	1U	1U
1,1-Dichloroethene	7	5U	0.88	0.37	1U	1U	1U	1U	1U	1U	1U	1U	1U		1U			1U	1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethane	NA	5U	0.35	0.34	1U	1U	1U	1U	1U	1U	1U	1U	1U		1U			1U	1U	1U	1U	1U	1U	1U	1U
Chloroform	NA	5U	0.37	1.5	0.74	0.57	0.48	0.50	0.45	0.45	0.45	0.60	0.80		1U			1.1	2.5	1U	2.0	4.5	3.1	1.5	0.84
1,2-Dichloroethane	5	5U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U		1U			1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	5U	8.0	16	0.28	0.31	0.30	0.29	0.30	0.30	0.30	1U	1U		1U			1U	1U	1U	1U	1U	1U	1U	1U
Trichloroethene	5	5U	3.8	2.4	1U	1U	1U	1U	1U	1U	1U	1U	1U		1U			1U	1U	1U	1U	1U	1U	1U	1U
Tetrachloroethene	5	5U	1.7	1.4	1U	1U	1U	1U	1U	1U	0.53	1U	1U		1U			1U	1U	1U	1U	1U	1U	1U	1U
MW-136 Total VOCs		**0**	**19**	**23**	**1.0**	**0.9**	**0.8**	**0.8**	**0.8**	**0.8**	**1.3**	**0.6**	**0.8**	**NS**	**0**	**NS**	**NS**	**2.9**	**2.5**	**0.7**	**2.0**	**4.7**	**3.1**	**1.5**	**0.84**

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 6/10)

Sample Event		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
MW-200	**MCL**	**1Q 04/26/99**	**2Q 10/27/99**	**3Q 02/15/00**	**4Q 04/25/00**	**5Q 07/27/00**	**6Q 11/14/00**	**1SA 04/10/01**	**2SA 10/29/01**	**3SA 04/22/02**	**4SA 10/18/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 01/12/06**	**10SA 05/08/06**	**11SA 01/04/07**	**12SA 10/08/07**	**13SA 05/18/08**	**14SA 11/29/08**	**15SA 06/11/09**	**16SA 11/28/09**	**17SA 06/29/10**
Methylene Chloride	5	2U	2U	2U	2U	2U	2U	2U	2U	2U	2U	1U	1U	2U	2U	2U	2U	2U	2U	2U	1U	1U	1U	1U
trans-1,2-Dichloroethene	100	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	0.66	1.3	1U	1U	0.10	1U	0.17	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.69	1U	1U	1U
1,1-Dichloroethene	7	0.34	0.26	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.89	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethane	NA	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
Chloroform	NA	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,2-Dichloroethane	5	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	2.2	1.9	1U	0.07	1U	1U	1U	1U	1U	1U	1U	1U	1U	1.9	1U	1U	1U	1U	1U	0.21	1U	1U	1U
Trichloroethene	5	2.2	1.8	1U	1U	1U	1U	1U	0.12	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.17	1U	1U	1U
Tetrachloroethene	5	0.61	1.1	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
MW-200 Total VOCs		**6.0**	**6.4**	**0**	**0.1**	**0.1**	**0**	**0.2**	**0.1**	**0**	**0**	**0**	**0.9**	**0**	**1.9**	**0**	**0**	**0**	**0**	**0**	**1.1**	**0.00**	**0.00**	**0.00**

MW-201	**MCL**	**1Q 04/26/99**	**2Q 10/27/99**	**3Q 02/16/00**	**4Q 04/18/00**	**5Q 07/25/00**	**6Q 11/13/00**	**1SA 04/12/01**	**2SA 10/29/01**	**3SA 04/30/02**	**4SA 10/03/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 01/12/06**	**10SA 06/28/06**	**11SA 01/05/07**	**12SA 10/08/07**	**13SA 05/18/08**	**14SA 11/29/08**	**15SA 06/10/09**	**16SA 11/29/09**	**17SA 06/29/10**
Methylene Chloride	5			10U	20U	40U	40U	10U	20U	500U	1000U	500U	400U	1000U	50U	2U	20U	2U	2U	2U	10U	10U	10U	1U
trans-1,2-Dichloroethene	100			5U	0.78	20U	20U	0.64	10U	250U	500U	500U	400U	500U	25U	1U	10U	1U	1U	1U	10U	10U	10U	1U
cis-1,2-Dichloroethene	70			85	87	220	180	60	120	2,600	2,200	863	400U	500U	58	23	16	5.1	2.0	11	7.1	16	6.4	5.0
1,1-Dichloroethene	7			1.1	1.9	6.8	5.2	1.6	3.6	130	480	500U	400U	500U	25U	1.2	10U	1U	2.0	2.0	10U	10U	10U	1U
1,1-Dichloroethane	NA			48	120	330	340	43	150	5,500	7,100	6,350	6,480	4,150	3,500	230	550	80	20	55	1,460	1,200	480	12
Chloroform	NA			5U	10U	20U	20U	5U	10U	5.0	500U	500U	400U	500U	25U	1U	10U	1U	1U	1U	2.0	2.0	10U	1U
1,2-Dichloroethane	5			5U	10U	20U	20U	5U	10U	250U	500U	500U	400U	500U	25U	1U	10U	1U	1U	1U	10U	10U	10U	1U
1,1,1-Trichloroethane	200			4.5	4.9	110	39	12	55	1,700	970	294	400U	500U	26	8.8	32	20	7.0	7.0	14	10	37	4.4
Trichloroethene	5			8.3	15	4.5	4.9	19	25	13	500U	500U	400U	500U	25U	14	14	2.8	9.0	10	7.7	7.7	10U	1.1
Tetrachloroethene	5			5U	10U	20U	20U	5U	10U	250U	500U	500U	400U	500U	25U	1U	10U	1U	6.0	1U	10U	10U	10U	0.53
MW-201 Total VOCs		**NS**	**NS**	**147**	**230**	**671**	**569**	**136**	**354**	**9,948**	**10,750**	**7,507**	**6,480**	**4,150**	**3,584**	**277**	**612**	**108**	**46**	**85**	**1,491**	**1,236**	**523**	**23**

MW-202	**MCL**	**1Q 05/20/99**	**2Q 10/28/99**	**3Q 2/1600**	**4Q 04/18/00**	**5Q 07/27/00**	**6Q 11/13/00**	**1SA 04/12/01**	**2SA 10/29/01**	**3SA 04/30/02**	**4SA 10/17/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/21/05**	**10SA 06/28/06**	**11SA 01/05/07**	**12SA 10/08/07**	**13SA 05/19/08**	**14SA 11/29/08**	**15SA 06/11/09**	**16SA 11/29/09**	**17SA 06/29/10**
Methylene Chloride	5	2U	2U	2U	2U	2U	2U	2U	2U	2U	0.50	1U	1U	2U	2U	2U	2U	2U	2U	2U	1U	1U	1U	1U
trans-1,2-Dichloroethene	100	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	0.81	0.68	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethene	7	1U	0.18	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.54	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethane	NA	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.95	0.46	1U	0.70
Chloroform	NA	1U	1U	1U	0.25	0.48	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.30	1U	1U	1U
1,2-Dichloroethane	5	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	2.0	2.2	0.77	0.65	0.72	0.11	0.08	0.06	1U	1U	1U	1U	1U	1U	1U	1U	1U	1.0	1U	1.2	1.0	1U	1.3
Trichloroethene	5	2.1	2.1	0.50	0.55	0.75	0.19	0.11	1U	0.12	1U	0.80	1.1	0.68	1U	1U	1U	1U	0.30	1U	0.65	0.60	1U	0.79
Tetrachloroethene	5	4.6	5.0	3.6	3.1	3.5	14	13	12	10	12	2.8	2.8	2.3	1.8	1U	1.5	14	1.0	4.0	1.3	1.2	1.2	0.60
MW-202 Total VOCs		**9.5**	**5.2**	**4.9**	**4.6**	**5.5**	**14**	**13**	**12**	**10**	**13**	**3.6**	**4.4**	**3.0**	**1.8**	**0.0**	**1.5**	**14**	**2**	**4**	**4.3**	**3.3**	**1.2**	**3.4**

MW-203	**MCL**	**1Q 05/20/99**	**2Q 10/28/99**	**3Q 02/15/00**	**4Q 04/18/00**	**5Q 07/27/00**	**6Q 11/13/00**	**1SA 04/12/01**	**2SA 10/29/01**	**3SA 04/30/02**	**4SA 10/17/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/21/05**	**10SA 06/28/06**	**11SA 01/05/07**	**12SA 10/08/07**	**13SA 05/18/08**	**14SA 11/29/08**	**15SA 06/11/09**	**16SA 11/29/09**	**17SA 06/29/10**
Methylene Chloride	5	2U	2U	2U	2U	2U	2U	2U	2U	2U	0.50	1U	1U	2U	2U	2U	2U	2U	2U	2U	1U	1U	1U	5U
trans-1,2-Dichloroethene	100	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	0.67	1.5	0.13	0.07	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethene	7	1U	0.42	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1-Dichloroethane	NA	1U	0.28	1U	1U	1U	1U	1U	0.19	0.12	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.45	1U	1U	1U
Chloroform	NA	1U	1U	1U	1U	1U	0.82	1.8	4.3	4.1	1.0	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.15	1U	1U	1U
1,2-Dichloroethane	5	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	0.92	2.7	0.26	0.14	0.20	0.66	0.81	0.76	0.69	1U	1U	1U	1U	1U	1U	1U	1U	1U	1.0	0.19	1U	1U	1U
Trichloroethene	5	1.2	2.6	0.16	0.17	0.24	0.81	0.76	0.84	0.63	0.70	1U	1U	1U	1U	1U	1U	1U	1U	1U	0.33	1U	1U	1U
Tetrachloroethene	5	14	15	8.6	11	13	3.5	3.2	3.1	3.0	3.0	10	8.4	8.8	9.6	1U	17	1.7	4.0	1.0	3.1	4.4	5.4	8.9
MW-203 Total VOCs		**17**	**23**	**9.2**	**11**	**13**	**5.8**	**6.6**	**9.2**	**8.5**	**5.2**	**10**	**8.4**	**8.8**	**9.6**	**0**	**17**	**1.7**	**4.0**	**2.0**	**4.2**	**4.4**	**5.4**	**8.9**

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 6/10)

Sample Event		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
MW-204	**MCL**	**1Q 04/23/99**	**2Q 10/26/99**	**3Q 01/31/00**	**4Q 04/24/00**	**5Q 07/25/00**	**6Q 11/08/00**	**1SA 04/12/01**	**2SA 10/16/01**	**3SA 04/17/02**	**4SA 10/03/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 05/06/06**	**11SA 01/03/07**	**12SA 10/07/07**	**13SA 05/18/08**	**14SA 11/29/08**	**15SA 06/11/09**	**16SA 11/25/09**	**17SA 06/29/10**
Methylene Chloride	5	40U	20U	2.0	20U	20U	20U	20U	20U	20U	40U	10U	10U	20U	2U	2U	2U	2U	2U	8U	1U	1U	1U	1U
trans-1,2-Dichloroethene	100	20U	10U	10U	10U	10U	10U	10U	10U	10U	20U	10U	10U	10U	1U	1U	1U	1U	0.50	4U	0.29	0.40	1U	1U
cis-1,2-Dichloroethene	70	56	51	41	44	38	37	27	23	20	23	27	24	21	13	15	13	15	15	20	14	14	20	18
1,1-Dichloroethene	7	6.2	8.6	8.2	9.2	6.9	11	11	13	18	140	24	22	21	22	20	21	22	19	20	14	11	14	12
1,1-Dichloroethane	NA	20U	5.2	5.0	4.9	4.4	6.5	5.0	5.4	6.9	14	7.6	7.7	6.4	6.0	6.2	5.7	6.0	6.0	6.0	4.9	4.3	5.8	5.2
Chloroform	NA	20U	10U	0.67	0.92	1.1	10U	10U	10U	0.77	20U	10U	10U	10U	1U	1U	1U	1U	0.50	4U	0.65	0.67	0.65	1U
1,2-Dichloroethane	5	20U	4.5	5.3	5.7	5.7	6.8	6.0	10U	10	20U	9.5	8.3	8.1	5.9	5.7	4.4	3.5	3.0	4U	2.1	1.4	1.8	1.3
1,1,1-Trichloroethane	200	4.7	5.4	4.2	4.0	3.4	4.0	4.5	4.9	6.0	20U	9.3	9.1	9.0	10	9.1	10	10	10	9.0	7.6	7.2	6.2	4.3
Trichloroethene	5	230	230	200	190	120	170	160	140	140	170	165	151	124	96	97	100	100	85	91	74	73	71	61
Tetrachloroethene	5	20U	2.4	2.4	2.0	1.3	2.4	2.4	2.8	2.9	20U	10U	10U	10U	2.8	2.3	2.9	3.2	3.0	4U	2.6	2.6	2.6	2.0
MW-204 Total VOCs		**297**	**307**	**269**	**261**	**181**	**238**	**216**	**189**	**205**	**347**	**242**	**222**	**189**	**156**	**155**	**157**	**160**	**142**	**146**	**120**	**115**	**122**	**104**

MW-205A	**MCL**	**1Q 04/22/99**	**2Q 10/21/99**	**3Q 02/07/00**	**4Q 04/18/00**	**5Q 07/25/00**	**6Q 11/07/00**	**1SA 04/09/01**	**2SA 10/16/01**	**3SA 04/16/02**	**4SA 10/07/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 05/06/06**	**11SA 11/21/06**	**12SA 10/06/07**	**13SA 05/18/08**	**14SA 11/28/08**	**15SA 06/09/09**	**16SA 11/25/09**	**17SA 06/24/10**
Methylene Chloride	5	10U	50U	50U	100U	40U	50U	40U	40U	40U	84	25U	20U	40U	2U	2U	2U	2U	2U	8U	1U	1U	1U	1U
trans-1,2-Dichloroethene	100	5U	25U	25U	50U	20U	25U	20U	20U	20U	50U	25U	20U	20U	1U	1U	1U	1U	1U	4U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	49	57	56	61	50	56	56	44	43	53	47	39	40	43	38	37	47	39	48	42	36	32	25
1,1-Dichloroethene	7	100	110	110	140	92	120	130	87	79	690	111	72	69	51	35	29	49	31	27	21	19	19	16
1,1-Dichloroethane	NA	23	23	22	23	19	27	23	18	17	50U	20	15	16	15	13	14	13	12	13	12	10	11	11
Chloroform	NA	0.88	1.1	25U	50U	20U	25U	20U	1.1	1.1	50U	25U	20U	20U	1U	1U	1U	1U	0.50	4U	0.49	0.45	0.48	0.35
1,2-Dichloroethane	5	4.4	25U	3.5	50U	3.5	25U	20U	20U	20U	50U	25U	20U	20U	1U	1U	1U	1U	0.40	4U	0.29	0.27	1U	1U
1,1,1-Trichloroethane	200	570	460	450	540	350	410	430	240	270	310	322	237	229	130	89	81	160	75	73	60	60	46	41
Trichloroethene	5	69	68	68	80	47	66	68	49	47	49	65	47	44	36	32	32	51	34	35	31	30	27	23
Tetrachloroethene	5	3.9	3.4	3.6	50U	20U	25U	4.3	2.1	6.7	110	25U	20U	20U	11	11	18	17	16	20	20	19	20	22
MW-205A Total VOCs		**820**	**723**	**713**	**844**	**562**	**679**	**711**	**441**	**464**	**1,296**	**565**	**410**	**397**	**286**	**218**	**211**	**337**	**208**	**216**	**186**	**174**	**155**	**138**

MW-205B	**MCL**	**1Q 04/22/99**	**2Q 10/21/99**	**3Q 02/07/00**	**4Q 04/18/00**	**5Q 07/25/00**	**6Q 11/07/00**	**1SA 04/09/01**	**2SA 10/16/01**	**3SA 04/16/02**	**4SA 10/07/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 05/06/06**	**11SA 11/21/06**	**12SA 10/06/07**	**13SA 05/18/08**	**14SA 11/28/08**	**15SA 06/09/09**	**16SA 11/25/09**	**17SA 06/24/10**
Methylene Chloride	5	10U	50U	50U	40U	40U	40U	40U	40U	0.70	90	20U	20U	40U	2U	2U	2U	2U	2U	8U	1U	1U	1U	1U
trans-1,2-Dichloroethene	100	5U	25U	25U	20U	20U	20U	20U	20U	1.4	50U	20U	20U	20U	1U	1U	1U	1U	1U	4U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	47	54	57	59	52	55	68	50	53	65	57	47	54	47	43	52	71	52	63	43	44	37	29
1,1-Dichloroethene	7	74	82	86	90	70	79	110	73	59	470	93	65	76	43	32	26	39	30	30	20	21	21	17
1,1-Dichloroethane	NA	23	23	24	26	23	31	31	21	22	50U	24	19	22	17	17	18	18	15	16	15	15	14	14
Chloroform	NA	0.73	25U	25U	20U	20U	20U	20U	20U	0.82	50U	20U	20U	20U	1U	1U	1U	1U	0.40	4U	0.49	0.49	0.55	0.38
1,2-Dichloroethane	5	3.4	25U	25U	20U	20U	2.9	20U	20U	10U	50U	20U	20U	20U	1U	1U	1U	1U	0.40	4U	0.38	0.25	1U	0.16
1,1,1-Trichloroethane	200	310	340	360	370	270	270	330	250	220	310	262	201	233	110	89	59	95	66	69	79	63	47	43
Trichloroethene	5	57	58	60	65	44	53	67	45	48	49	60	45	49	34	31	31	44	31	34	25	29	27	23
Tetrachloroethene	5	3.5	3.4	3.8	3.8	20U	3.6	4.5	5.1	5.8	110	10	11	11	13	14	23	23	18	22	13	18	21	22
MW-205B Total VOCs		**519**	**560**	**591**	**614**	**459**	**495**	**611**	**444**	**411**	**1,094**	**507**	**387**	**446**	**264**	**226**	**209**	**290**	**213**	**234**	**196**	**191**	**168**	**149**

MW-206A	**MCL**	**1Q 04/23/99**	**2Q 10/20/99**	**3Q 02/07/00**	**4Q 04/18/00**	**5Q 07/25/00**	**6Q 11/07/00**	**1SA 04/09/01**	**2SA 10/16/01**	**3SA 04/16/02**	**4SA 10/08/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 10/19/05**	**11SA 11/27/06**	**12SA 10/06/07**	**13SA 05/18/08**	**14SA 11/28/08**	**15SA 06/10/09**	**16SA 04/01/10**	**17SA 06/25/10**
Methylene Chloride	5	4U	20U	10U	10U	10U	10U	10U	0.34	4U	10U	2U	2U	4U	2U	2U	2U	2U	2U	2U	1U	1U	1U	1U
trans-1,2-Dichloroethene	100	2U	10U	5U	0.36	5U	5U	5U	2U	0.39	5U	2U	1.1	2U	1U	1U	1U	1U	1U	1U	0.21	0.21	1U	1U
cis-1,2-Dichloroethene	70	23	21	20	20	21	13	20	18	15	23	28	34	32	16	23	25	14	6.0	7.0	9.4	7.3	4.2	4.2
1,1-Dichloroethene	7	22	21	14	12	14	5.9	13	9.9	7.1	57	11	11	11	6.7	8.8	9.1	8.2	5.0	8.0	7.5	7.5	6.8	7.1
1,1-Dichloroethane	NA	8.5	9.8	10	9.6	9.4	12	9.7	8.8	7.1	11	11	12	11	5.6	8.1	9.2	9.0	5.0	6.0	13	11	7.6	8.3
Chloroform	NA	0.64	10U	0.55	0.55	0.72	5U	0.66	0.49	0.39	5U	2U	2U	1.3	1.1	1U	1U	1.1	0.60	1U	0.28	0.41	0.27	0.28
1,2-Dichloroethane	5	0.75	10U	5U	5U	5U	5U	5U	2U	2U	5U	2U	2U	2U	1U	1U	1U	1U	1U	1U	0.19	1U	1U	1U
1,1,1-Trichloroethane	200	100	87	79	62	66	46	55	39	31	35	27	30	27	17	19	23	22	14	18	18	23	18	18
Trichloroethene	5	37	33	25	22	16	7.6	22	18	16	18	17	17	15	11	11	13	14	9.0	11	7.9	9.9	10	9.3
Tetrachloroethene	5	9.3	6.6	7.0	5.2	3.1	0.84	4.5	3.5	3.4	3.0	3.2	3.4	3.7	2.9	3.1	3.8	4.2	3.0	4.0	2.0	2.8	3.7	3.8
MW-206A Total VOCs		**201**	**178**	**156**	**132**	**130**	**85**	**125**	**98**	**80**	**147**	**98**	**108**	**101**	**60**	**73**	**83**	**73**	**43**	**54**	**58**	**62**	**51**	**51**

Table 2: Southeast Rockford NPL Site
Cumulative Ground Water Analytical Results
(as of 6/10)

Sample Event		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
MW-206B	**MCL**	**1Q 04/23/99**	**2Q 10/20/99**	**3Q 02/17/00**	**4Q 04/18/00**	**5Q 07/25/00**	**6Q 11/07/00**	**1SA 04/09/01**	**2SA 10/16/01**	**3SA 04/16/02**	**4SA 10/08/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 05/06/06**	**11SA 11/27/06**	**12SA 10/06/07**	**13SA 05/18/08**	**14SA 11/28/08**	**15SA 06/10/09**	**16SA 04/01/10**	**17SA 06/25/10**
Methylene Chloride	5	20U	20U	20U	20U	10U	10U	10U	10U	10U	4.0	5U	4U	8U	2U	2U	2U	2U	2U	8U	1U	1U	1U	1U
trans-1,2-Dichloroethene	100	10U	10U	10U	0.28	5U	5U	5U	5U	5U	5U	5U	4U	4U	1U	1U	1U	1U	1U	4U	0.20	0.33	0.57	0.39
cis-1,2-Dichloroethene	70	59	54	36	40	36	34	33	26	23	31	21	17	20	13	13	15	21	32	50	46	70	76	90
1,1-Dichloroethene	7	2.5	4.9	8.8	9.0	6.0	8.4	9.1	11	10	76	16	14	14	13	12	17	31	39	46	41	63	77	77
1,1-Dichloroethane	NA	5.1	9.1	13	14	12	17	14	14	12	22	15	15	16	16	16	24	47	50	56	58	79	77	84
Chloroform	NA	10U	10U	10U	0.62	0.60	5U	0.51	0.62	0.69	5U	5U	4U	4U	1U	1U	1U	1U	0.80	4U	0.92	1.0	0.97	0.71
1,2-Dichloroethane	5	10U	10U	10U	10U	5U	5U	5U	5U	5U	5U	5U	4U	4U	1U	1U	1U	1.4	1.0	4U	1.7	2.3	1U	2.4
1,1,1-Trichloroethane	200	4.6	8.4	16	16	11	14	16	20	20	35	27	27	26	22	22	24	44	39	44	40	57	58	64
Trichloroethene	5	150	160	150	150	86	120	110	80	70	100	69	55	59	33	35	32	45	28	48	36	37	38	37
Tetrachloroethene	5	13	9.6	5.8	5.6	0.98	3.3	2.5	1.7	1.5	5U	5U	4U	4U	1U	1U	1U	1.2	1.0	4U	1.7	3.3	4.4	4.9
MW-206B Total VOCs		**234**	**246**	**230**	**236**	**147**	**197**	**185**	**153**	**137**	**268**	**147**	**127**	**135**	**97**	**98**	**112**	**191**	**191**	**244**	**224**	**313**	**332**	**360**

MW-206C	**MCL**	**1Q 04/23/99**	**2Q 10/20/99**	**3Q 02/07/00**	**4Q 04/18/00**	**5Q 07/25/00**	**6Q 11/07/00**	**1SA 04/09/01**	**2SA 10/16/01**	**3SA 04/16/02**	**4SA 10/08/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 05/06/06**	**11SA 11/27/06**	**12SA 10/06/07**	**13SA 05/18/08**	**14SA 11/28/08**	**15SA 06/10/09**	**16SA 04/01/10**	**17SA 06/25/10**
Methylene Chloride	5	2U	2U	2U	2U	2U	2U	2U	2U	2U	4.0	2.5U	4U	4U	2U	0.10	2U	2U	2U	4U	1U	1U	1U	1U
trans-1,2-Dichloroethene	100	1U	1U	1U	1U	1U	1U	1U	1U	1U	5U	2.5U	4U	2U	1U	1U	1U	1U	1U	2U	1U	1U	1U	1U
cis-1,2-Dichloroethene	70	2.7	2.3	3.5	4.0	4.8	2.3	4.3	5.9	6.9	15	13	14	15	9.2	15	14	17	11	12	5.2	4.8	4.8	1U
1,1-Dichloroethene	7	0.31	0.15	1U	1U	1.3	0.12	0.28	0.11	0.17	5U	2.5U	4U	2U	1.1	2.6	3.5	4.4	4.0	4.0	2.0	1.8	2.7	3.6
1,1-Dichloroethane	NA	1U	0.18	1U	1U	1U	0.14	0.36	0.24	1U	5U	2.5U	4U	1.2	1.5	3.8	5.0	6.5	5.0	5.0	3.1	2.7	3.4	5.2
Chloroform	NA	1U	1U	1U	1U	1U	1U	1U	1U	1U	5U	2.5U	4U	2U	1U	1U	1U	1U	1U	2U	1U	1U	1U	1U
1,2-Dichloroethane	5	1U	1U	1U	1U	1U	1U	1U	1U	1U	5U	2.5U	4U	2U	1U	1U	1U	1U	1U	2U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	1.5	0.26	1U	1U	1U	0.29	0.70	0.18	1U	5U	2.5U	4U	2U	1U	1U	1U	1U	1U	2U	1U	1U	1U	1U
Trichloroethene	5	4.1	4.3	5.3	6.0	3.5	3.4	6.6	7.6	14	30	39	45	38	34	47	52	85	44	38	19	16	16	20
Tetrachloroethene	5	0.41	1U	1U	1U	1U	1U	0.25	0.20	0.06	5U	2.5U	4U	2U	1U	1U	1U	1U	0.40	2U	1U	1U	1U	1U
MW-206C Total VOCs		**9.0**	**7.2**	**8.8**	**0**	**10**	**6.3**	**12**	**14**	**21**	**49**	**52**	**59**	**54**	**46**	**69**	**75**	**113**	**64**	**59**	**30**	**25**	**27**	**29**

MW-207	**MCL**	**1Q 04/23/99**	**2Q 10/27/99**	**3Q 02/17/00**	**4Q 04/18/00**	**5Q 07/25/00**	**6Q 11/08/00**	**1SA 04/10/01**	**2SA 10/16/01**	**3SA 04/17/02**	**4SA 10/08/02**	**5SA 04/22/03**	**6SA 12/31/03**	**7SA 04/28/04**	**8SA 05/21/05**	**9SA 10/19/05**	**10SA 05/06/06**	**11SA 11/27/06**	**12SA 10/07/07**	**13SA 05/18/08**	**14SA 11/29/08**	**15SA 06/10/09**	**16SA 11/25/09**	**17SA 06/24/10**
Methylene Chloride	5	4U	2U	2U	2U	2U	2U	2U	2U	4U	0.80	2U	2U	4U	2U	2U	2U	2U	1U	2U	1U	1U	1U	1U
trans-1,2-Dichloroethene	100	2U	1U	1U	0.10	0.16	1U	0.44	0.33	0.39	1U	2U	2U	2U	1U	1U	1U	1U	1U	1U	0.27	1U	1U	1U
cis-1,2-Dichloroethene	70	1.6	5.1	1.2	1.2	1.4	1.4	3.2	3.4	3.7	5.0	4.9	3.8	4.3	3.0	2.7	3.3	3.1	3.0	3.0	1.9	1.8	1.2	1.0
1,1-Dichloroethene	7	2U	0.74	0.22	0.10	1U	0.24	1U	0.13	0.26	6.0	2.1	2.2	1.9	1.7	1U	1.8	1.1	0.70	2.0	1U	0.65	0.60	0.52
1,1-Dichloroethane	NA	0.76	1.3	1.1	1.2	1.3	2.1	1.5	5.3	6.2	8.0	7.1	5.7	5.9	4.3	4.5	5.2	5.7	4.0	4.0	3.0	2.4	1.6	1.3
Chloroform	NA	0.39	0.59	0.54	0.62	0.63	0.71	0.60	0.44	0.36	1U	2U	2U	2U	1U	1U	1U	1U	0.40	1U	0.36	0.31	1U	1U
1,2-Dichloroethane	5	2U	1U	1U	1U	1U	1U	1U	1U	2U	1U	2U	2U	2U	1U	1U	1U	1U	1U	1U	1U	1U	1U	1U
1,1,1-Trichloroethane	200	2.7	5.9	2.0	2.0	2.0	1.9	1.5	4.2	5.7	5.0	7.6	7.2	8.2	5.4	5.7	6.7	9.3	7.0	7.0	5.6	4.6	3.5	2.8
Trichloroethene	5	26	25	22	20	17	16	11	22	25	21	28	26	28	18	17	19	24	15	15	11	9.9	7.4	5.6
Tetrachloroethene	5	2.6	3.9	2.8	2.7	2.1	2.3	0.51	1.0	1.4	0.90	2.3	2.2	2.7	2.1	1.3	2.0	2.6	2.0	2.0	2.0	2.1	2.2	1.9
MW-207 Total VOCs		**34**	**43**	**30**	**26**	**25**	**25**	**19**	**37**	**43**	**47**	**52**	**47**	**51**	**35**	**31**	**38**	**46**	**32**	**33**	**24**	**22**	**17**	**13**

Notes:

NS Not sampled

All units in µg/l or "ppb".

Denotes analytical result > than MCL

APPENDIX A
Ground Water Monitoring
Laboratory Data Sheets and
Data Validation Summary

Data Quality Control Criteria Review Summary

SDG Number: 1006435 **Project Number:** 1016-2

Site: SE Rockford, 23rd Event

Contractor Lab: TriMatrix (Grand Rapids, MI)

Validator: Brian LaFlamme **Validation Date:** 07/14/10

Sample Matrix: Water **Sample Date:** 06/24/10 – 06/25/10

Analytical Methods: EPA SW-846 Method 8260B

Sample Designations:

MW-16	**MW-117B**	**MW-133B**	**MW-206A**	**FD-1 (field duplicate of MW-114B)**
MW-47	**MW-117C**	**MW-133C**	**MW-206B**	**Trip Blank TML 2489**
MW-114A	**MW-117D**	**MW-205A**	**MW-206C**	
MW-114B	**MW-133A**	**MW-205B**	**MW-207**	

The analytical data were reviewed in accordance with the analytical methods, SW-846 validation guidelines, and the Environmental Protections Agency (EPA) Contract Laboratory Program (CLP) National Functional Guidelines. The review included comparing quality control (QC) values provided on the laboratory QC forms to method QC criteria. Review of the raw data was not performed.

Quality Control Summary

QC Review Item	VOA
Completeness	X
Case Narrative	X
Chain of Custody (COC) Forms	X
Sample Preservation	X
Holding Times	X
Laboratory Blank Results	X
System Monitoring Compounds (Surrogate) Results	X
Matrix Spike/Matrix Duplicate (MS/MSD) Results	X
Laboratory Control Sample (LCS) Results	X
Method Specific QC Results *	NA
System Performance	X
Field QC Results #	1
Other	X

X Acceptable, no qualification necessary NR Not required
See validation summary comment NA Not applicable
*) The reviewer has indicated in the comments, if necessary, the method specific QC results included in the data package that were reviewed.
#) Field QC may include field duplicates, trip blanks, rinse blanks, field blanks, and equipment blank samples as required by project specific criteria.

Data for the above samples are:

- ☒ Acceptable for use
- ☐ Acceptable for use as qualified
- ☐ Unacceptable for use

Is action required by the Project Manager?

Yes ☐ No ☒

Data Validation Summary Comments:

1. Results of field duplicates follows:

Sample	Parameter	Investigative Sample (µg/l)	Duplicate Sample (µg/l)
MW-114B/FD1	Methylene Chloride	1.0U	1.0U
	trans-1,2-Dichloroethene	1.0U	1.0U
	cis-1,2-Dichloroethene	2.0	1.9
	1,1-Dichloroethene	0.84J	0.93J
	1,1-Dichloroethane	2.1	2.4
	Chloroform	1.0U	1.0U
	1,2-Dichloroethane	1.0U	1.0U
	1,1,1-Trichloroethane	1.0U	1.0U
	Trichloroethene	6.3	6.8
	Tetrachloroethene	1.0U	1.0U

As shown, the investigative and duplicate sample results are in good agreement with each other. Therefore, the samples collected during this quarter are deemed representative of Site conditions at the time of sample collection.

Analytes were not reported in the trip blank (Trip Blank TML 2489).

OVERALL ASSESSMENT OF DATA

Based on the review of the quality control criteria, the method appeared to be in control. Therefore, the data are acceptable for use.

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW16**	Sampled:	06/25/10 15:38
Lab Sample ID:	**1006435-16**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	07/01/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	**0.35J**	1.0	0.18
67-66-3	Chloroform	**1.4**	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	**93**	1.0	0.18
107-06-2	1,2-Dichloroethane	**0.21J**	1.0	0.15
75-35-4	1,1-Dichloroethene	**21**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**51**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	**3.8**	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Continued on next page

Reviewed By _____

Date 7/5/10

This report shall not be reproduced, except in full, without written authorization of Trimatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

3560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW16**	Sampled:	06/25/10 15:38
Lab Sample ID:	**1006435-16**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	07/01/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	**8.7**	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**200**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	**0.78J**	1.0	0.13
79-01-6	Trichloroethene	**58**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	105	*88-115*
1,2-Dichloroethane-d4	105	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	98	*78-116*

VALIDATED

Reviewed By _____

Date 14 JL 10

This report shall not be reproduced except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW47**	Sampled:	06/24/10 15:57
Lab Sample ID:	**1006435-07**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	07/01/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	1.0U	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	1.0U	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	1.0U	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	1.0U	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

Continued on next page

VALIDATED

Reviewed By

Date 7/5/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5960 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW47**	Sampled:	06/24/10 15:57
Lab Sample ID:	**1006435-07**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	07/01/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	1.0U	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	1.0U	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	1.0U	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	100	*88-115*
1,2-Dichloroethane-d4	105	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	98	*78-116*

VALIDATED

Reviewed By [illegible]

Date 14 Jul 10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW114A**	Sampled:	06/25/10 16:10
Lab Sample ID:	**1006435-17**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	07/01/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	1.0U	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	**3.2**	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	**6.6**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**2.2**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

Continued on next page

VALIDATED

Reviewed By

Date 7/5/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW114A**	Sampled:	06/25/10 16:10
Lab Sample ID:	**1006435-17**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	07/01/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	1.0U	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**70**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	**4.4**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	104	*88-115*
1,2-Dichloroethane-d4	105	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	97	*78-116*

VALIDATED

Reviewed By

Date 7/2/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW114B**	Sampled:	06/25/10 15:00
Lab Sample ID:	**1006435-14**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	07/01/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	1.0U	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	**2.1**	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	**0.84J**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**2.0**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

Continued on next page

VALIDATED

Reviewed By _____

Date 14 Jul 10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7461 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW114B**	Sampled:	06/25/10 15:00
Lab Sample ID:	**1006435-14**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	07/01/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	1.0U	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	1.0U	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	**6.3**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	101	*88-115*
1,2-Dichloroethane-d4	105	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	98	*78-116*

VALIDATED

Reviewed By

Date 14 Jul 10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW117B**	Sampled:	06/24/10 11:24
Lab Sample ID:	**1006435-01**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	06/30/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	**0.32J**	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	**12**	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	**12**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**6.0**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

Continued on next page

VALIDATED

Reviewed By _____

Date 7/12/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

3560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW117B**	Sampled:	06/24/10 11:24
Lab Sample ID:	**1006435-01**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	06/30/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	**6.5**	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**37**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	**0.42J**	1.0	0.13
79-01-6	Trichloroethene	**17**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	101	*88-115*
1,2-Dichloroethane-d4	103	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	97	*78-116*

VALIDATED

Reviewed By [illegible]

Date 7/12/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW117C**	Sampled:	06/24/10 12:30
Lab Sample ID:	**1006435-03**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	06/30/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	**0.42J**	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	**24**	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	**23**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**40**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	**0.24J**	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Continued on next page

Reviewed by: [signature]

Date: 7/ 8/10

This report shall not be reproduced, except in full, without written authorization of Trimatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW117C**	Sampled:	06/24/10 12:30
Lab Sample ID:	**1006435-03**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	06/30/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	**28**	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**51**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	**0.71J**	1.0	0.13
79-01-6	Trichloroethene	**20**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	102	*88-115*
1,2-Dichloroethane-d4	104	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	98	*78-116*

VALIDATED

Reviewed By: [illegible]

Date: 7/5/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW117D**	Sampled:	06/24/10 12:00
Lab Sample ID:	**1006435-02**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	06/30/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	**0.33J**	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	**28**	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	**16**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**5.3**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	**0.18J**	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Continued on next page

Reviewed By [illegible]

Date 7/5/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW117D**	Sampled:	06/24/10 12:00
Lab Sample ID:	**1006435-02**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	06/30/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	**29**	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**46**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	**0.45J**	1.0	0.13
79-01-6	Trichloroethene	**15**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	102	*88-115*
1,2-Dichloroethane-d4	103	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	98	*78-116*

VALIDATED

Reviewed By R. F.

Date 14 Jul 10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW133A**	Sampled:	06/25/10 13:15
Lab Sample ID:	**1006435-11**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	07/01/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	1.0U	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	1.0U	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	1.0U	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**0.23J**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

Continued on next page

VALIDATED

Reviewed By R-J

Date 7/2/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested

5560 Corporate Exchange Court SE ♦ Grand Rapids MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW133A**	Sampled:	06/25/10 13:15
Lab Sample ID:	**1006435-11**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	07/01/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	1.0U	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**0.26J**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	1.0U	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	101	*88-115*
1,2-Dichloroethane-d4	105	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	98	*78-116*

VALIDATED

Reviewed By

Date 14 JUL 10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW133B**	Sampled:	06/25/10 13:42
Lab Sample ID:	**1006435-12**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	20	Analyzed:	07/01/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	100U	100	36
71-43-2	Benzene	20U	20	2.5
74-97-5	Bromochloromethane	20U	20	2.3
75-27-4	Bromodichloromethane	20U	20	2.8
75-25-2	Bromoform	20U	20	2.3
74-83-9	Bromomethane	20U	20	2.3
75-15-0	Carbon Disulfide	100U	100	12
56-23-5	Carbon Tetrachloride	20U	20	4.2
108-90-7	Chlorobenzene	20U	20	1.3
75-00-3	Chloroethane	20U	20	3.6
67-66-3	Chloroform	**5.4J**	20	1.5
74-87-3	Chloromethane	20U	20	2.1
96-12-8	1,2-Dibromo-3-chloropropane	20U	20	8.3
124-48-1	Dibromochloromethane	20U	20	3.0
106-93-4	1,2-Dibromoethane	20U	20	1.9
95-50-1	1,2-Dichlorobenzene	20U	20	5.5
541-73-1	1,3-Dichlorobenzene	20U	20	4.3
106-46-7	1,4-Dichlorobenzene	20U	20	4.2
75-34-3	1,1-Dichloroethane	**230**	20	3.5
107-06-2	1,2-Dichloroethane	**4.0J**	20	3.0
75-35-4	1,1-Dichloroethene	**81**	20	3.4
156-59-2	cis-1,2-Dichloroethene	**1700**	20	3.9
156-60-5	trans-1,2-Dichloroethene	**47**	20	2.0
78-87-5	1,2-Dichloropropane	20U	20	3.8
10061-01-5	cis-1,3-Dichloropropene	20U	20	2.9
10061-02-6	trans-1,3-Dichloropropene	20U	20	3.7
100-41-4	Ethylbenzene	20U	20	0.88
591-78-6	2-Hexanone	100U	100	27
75-09-2	Methylene Chloride	20U	20	3.8
78-93-3	2-Butanone (MEK)	100U	100	30
108-10-1	4-Methyl-2-pentanone (MIBK)	100U	100	17

Continued on next page

VALIDATED

Reviewed By

Date 7/14/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW133B**	Sampled:	06/25/10 13:42
Lab Sample ID:	**1006435-12**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	20	Analyzed:	07/01/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	20U	20	2.1
79-34-5	1,1,2,2-Tetrachloroethane	20U	20	4.3
127-18-4	Tetrachloroethene	**96**	20	4.9
108-88-3	Toluene	20U	20	1.6
71-55-6	1,1,1-Trichloroethane	**680**	20	2.7
79-00-5	1,1,2-Trichloroethane	20U	20	2.7
79-01-6	Trichloroethene	**150**	20	1.7
75-01-4	Vinyl Chloride	20U	20	1.1
1330-20-7	Xylene (Total)	60U	60	8.1

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	104	*88-115*
1,2-Dichloroethane-d4	106	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	98	*78-116*

VALIDATED

Reviewed By [signature]

Date 7/31/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW133C**	Sampled:	06/25/10 14:10
Lab Sample ID:	**1006435-13**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	07/01/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	**0.57J**	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	**6.9**	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	**54**	1.0	0.18
107-06-2	1,2-Dichloroethane	**1.8**	1.0	0.15
75-35-4	1,1-Dichloroethene	**50**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**130**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	**1.3**	1.0	0.10
78-87-5	1,2-Dichloropropane	**0.35J**	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

Continued on next page

VALIDATED

Reviewed By

Date 7/2/10

This report shall not be reproduced, except in full, without written authorization of Trimatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW133C**	Sampled:	06/25/10 14:10
Lab Sample ID:	**1006435-13**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	07/01/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	**8.6**	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**180**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	**1.1**	1.0	0.13
79-01-6	Trichloroethene	**89**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	106	*88-115*
1,2-Dichloroethane-d4	106	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	98	*78-116*

VALIDATED

Reviewed By BT

Date 11/02/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW205A**	Sampled:	06/24/10 13:18
Lab Sample ID:	**1006435-04**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	06/30/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	**0.35J**	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	**11**	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	**16**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**25**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Continued on next page

Reviewed By _____

Date 17 Jul 10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW205A**	Sampled:	06/24/10 13:18
Lab Sample ID:	**1006435-04**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	06/30/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	**22**	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**41**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	**0.46J**	1.0	0.13
79-01-6	Trichloroethene	**23**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	102	*88-115*
1,2-Dichloroethane-d4	103	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	97	*78-116*

VALIDATED

Reviewed By

Date 7/7/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW205B**	Sampled:	06/24/10 13:48
Lab Sample ID:	**1006435-05**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	06/30/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	**0.38J**	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	**14**	1.0	0.18
107-06-2	1,2-Dichloroethane	**0.16J**	1.0	0.15
75-35-4	1,1-Dichloroethene	**17**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**29**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Continued on next page

Reviewed By: [signature]

Date: 7/2/10

This report shall not be reproduced, except in full, without written authorization of Trimatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW205B**	Sampled:	06/24/10 13:48
Lab Sample ID:	**1006435-05**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	06/30/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	**22**	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**43**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	**0.53J**	1.0	0.13
79-01-6	Trichloroethene	**23**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	103	*88-115*
1,2-Dichloroethane-d4	104	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	97	*78-116*

VALIDATED

Reviewed By [illegible]

Date 14 Jul 10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW206A**	Sampled:	06/25/10 10:36
Lab Sample ID:	**1006435-08**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	07/01/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	**0.28J**	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	**8.3**	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	**7.1**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**4.2**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

Continued on next page

VALIDATED

Reviewed By [illegible]

Date 7/32/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW206A**	Sampled:	06/25/10 10:36
Lab Sample ID:	**1006435-08**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	07/01/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	**3.8**	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**18**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	**0.29J**	1.0	0.13
79-01-6	Trichloroethene	**9.3**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	101	*88-115*
1,2-Dichloroethane-d4	103	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	98	*78-116*

VALIDATED

Reviewed By

Date 11/30/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW206B**	Sampled:	06/25/10 11:13
Lab Sample ID:	**1006435-09**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	07/01/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	**0.21J**	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	**0.71J**	1.0	0.18
67-66-3	Chloroform	**1.0**	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	**84**	1.0	0.18
107-06-2	1,2-Dichloroethane	**2.4**	1.0	0.15
75-35-4	1,1-Dichloroethene	**77**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**90**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	**0.39J**	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

Continued on next page

VALIDATED

Reviewed By B. F.

Date 14 Jul 10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested

3560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW206B**	Sampled:	06/25/10 11:13
Lab Sample ID:	**1006435-09**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	07/01/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	**4.9**	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**64**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	**6.0**	1.0	0.13
79-01-6	Trichloroethene	**37**	1.0	0.084
75-01-4	Vinyl Chloride	**1.1**	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	104	*88-115*
1,2-Dichloroethane-d4	105	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	98	*78-116*

VALIDATED

Reviewed By [signature]

Date 7/31/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW206C**	Sampled:	06/25/10 11:50
Lab Sample ID:	**1006435-10**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	07/01/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	1.0U	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	**5.2**	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	**3.6**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**6.5**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

Continued on next page

VALIDATED

Reviewed By B. F

Date 14 JUL 10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW206C**	Sampled:	06/25/10 11:50
Lab Sample ID:	**1006435-10**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	07/01/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	1.0U	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	1.0U	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	**20**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	101	*88-115*
1,2-Dichloroethane-d4	105	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	98	*78-116*

VALIDATED

Reviewed By _____

Date 14 Jul 10

This report shall not be reproduced, except in full, without written authorization of Trimatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW207**	Sampled:	06/24/10 14:37
Lab Sample ID:	**1006435-06**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	06/30/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	**0.18J**	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	**1.3**	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	**0.52J**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**1.0**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

Continued on next page

VALIDATED

Reviewed By

Date 7/30/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested

4560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW207**	Sampled:	06/24/10 14:37
Lab Sample ID:	**1006435-06**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	06/30/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	**1.9**	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**2.8**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	**5.6**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	101	*88-115*
1,2-Dichloroethane-d4	104	*81-116*
Toluene-d8	99	*87-113*
4-Bromofluorobenzene	97	*78-116*

VALIDATED

Reviewed By R.F.

Date 14 Jul 10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**FD-1** MW-114B dupe	Sampled:	06/25/10 15:03
Lab Sample ID:	**1006435-15**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	07/01/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	1.0U	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	**2.0**	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	**0.81J**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**1.9**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

Continued on next page

VALIDATED

Reviewed By R.F.

Date 7/5/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**FD-1**	Sampled:	06/25/10 15:03
Lab Sample ID:	**1006435-15**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	07/01/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	1.0U	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	1.0U	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	**6.3**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	103	*88-115*
1,2-Dichloroethane-d4	106	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	97	*78-116*

VALIDATED

Reviewed By [signature]

Date 14 JUL 10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**Trip Blank TML 2489**	Sampled:	06/25/10 00:00
Lab Sample ID:	**1006435-18**	Sampled By:	TML
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	06/30/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	1.0U	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	1.0U	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	1.0U	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	1.0U	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Continued on next page

Reviewed By _____

Date 14 Jul 10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5540 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006435**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**Trip Blank TML 2489**	Sampled:	06/25/10 00:00
Lab Sample ID:	**1006435-18**	Sampled By:	TML
Matrix:	Water	Received:	06/26/10 08:45
Unit:	ug/L	Prepared:	06/30/10 By: DLV
Dilution Factor:	1	Analyzed:	06/30/10 By: DLV
QC Batch:	1006527	Analytical Batch:	0G01020

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	1.0U	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	1.0U	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	1.0U	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	99	*88-115*
1,2-Dichloroethane-d4	102	*81-116*
Toluene-d8	100	*87-113*
4-Bromofluorobenzene	98	*78-116*

VALIDATED

Reviewed By: R-L

Date: 7/5/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

5560 Corporate Exchange Court SE
Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No. 133817

Pg. 1 of 2

For Lab Use Only
Cart

VOA Rack/Tray: White Box
Receipt Log No.: 35-1
Project Chemist:
Work Order No.: 1006435

Client Name: Nationwide Env Svcs
Address: 14818 W 6th Ave Ste 5A
City, State Zip: Golden CO
Phone/Fax: 303 232 2134
Email: blaflamme@nationwideenv

Project Name: SE Rock
Client Project No. / P.O. No.:
Invoice To: ☐ Client ☐ Other (comments)
Contact/Report To: Dotterer/LaFlamme

Analyses Requested: D; VOC per contract

Container Type (corresponds to Container Packing List)

⇦ PRESERVATIVES
A NONE pH~7
B HNO_3 pH<2
C H_2SO_4 pH<2
D 1+1 HCl pH<2
E NaOH pH>12
F ZnAc/NaOH pH>9
G MeOH
H Other (note below)

Schedule	Matrix Code	Sample Number	Field Sample ID	Cooler ID	Sample Date	Sample Time	COMP	GRAB	Matrix	Number of Containers Submitted	Total	Sample Comments
		01	1 MW117B	2489	6/24/10	1124		✓	GW	3	3	
		02	2 MW117D		6/24	1200		✓	GW	3	3	
		03	3 MW117C		6/24	1230		✓	GW	3	3	
		04	4 MW205A		6/24	~~1348~~ 1318		✓	GW	3	3	
		05	5 MW205B		6/24	1348		✓	GW	3	3	
		06	6 MW207		6/24	1437		✓	GW	3	3	
		07	7 MW47		6/24	1557		✓	GW	3	3	
		08	8 MW206A		6/25	1036		✓	GW	3	3	
		09	9 MW206B		6/25	1113		✓	GW	3	3	
		10	10 MW206C		6/25	1150		✓	GW	3	3	

Sampled By (print): PATRICK EGAN
Sampler's Signature: [signature]
Company: AEE

How Shipped? Hand ___ Carrier Fedex
Tracking No. 8656 5385 5664

1. Relinquished By: [signature] Date 6/25/10 Time 1915
1. Received By: Date Time

Comments: *All samples kept in secure location at 4°C

2. Relinquished By: Date Time
2. Received By: Date Time
3. Relinquished By: Date Time
3. Received For Lab By: [signature] Date 6/26/10 Time 0845

WHITE COPY - REPORT YELLOW COPY - LABORATORY PINK COPY - FIELD

TRIMATRIX LABORATORIES

5560 Corporate Exchange Court SE
Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No. 133822

Pg. 2 of 2

For Lab Use Only	
Cart	
VOA Rack/Tray	
Receipt Log No.	35-1
Project Chemist	
Work Order No.	1006435

Client Name: Nationwide Env Svcs
Address: 14810 W 6th Ave 5A
City, State Zip: Golden CO
Phone/Fax: 303 2322134
Email:

Project Name: SE Rock
Client Project No. / P.O. No.:
Invoice To: ☐ Client ☐ Other (comments)
Contact/Report To: Dotterrer/LaFlamme

Analyses Requested: VOC per contact

Container Type (corresponds to Container Packing List)

Number of Containers Submitted

PRESERVATIVES
A NONE pH~7
B HNO_3 pH<2
C H_2SO_4 pH<2
D 1+1 HCl pH<2
E NaOH pH>12
F ZnAc/NaOH pH>9
G MeOH
H Other (note below)

Schedule	Matrix Code	Sample Number		Field Sample ID	Cooler ID	Sample Date	Sample Time	COMP	GRAB	Matrix	Total	Sample Comments
		11	1	MW 133A	2489	6/25/10	1315		✓	GW 3	3	
		12	2	MW 133 B		6/25	1342		✓	GW 3	3	
		13	3	MW 133C		6/25	1410		✓	GW 3	3	
		14	4	MW 114B		6/25	1500		✓	GW 3	3	
		15	5	FD-1		6/25	1503		✓	GW 3	3	
		16	6	MW 16		6/25	1538		✓	GW 3	3	
		17	7	MW 114A		6/25	1610		✓	GW 3	3	
		18	8	Trip Blank		—	—			1	1	
			9	XXXX								
			10									

Sampled By (print): PATRICK EGAN
Sampler's Signature: [signature]
Company: AEE

How Shipped? Hand ___ Carrier Fedex
Tracking No. 8656 5385 5604

Relinquished By: [signature] Date 6/25/10 Time 1915
Received By: Date Time

2. Relinquished By: Date Time
2. Received By: Date Time

3. Relinquished By: Date Time
3. Received For Lab By: [signature] Date 6/26/10 Time 0845

Comments

WHITE COPY - REPORT YELLOW COPY - LABORATORY PINK COPY - FIELD

Data Quality Control Criteria Review Summary

SDG Number: 1006472 **Project Number:** 1016-2

Site: SE Rockford, 23rd Event

Contractor Lab: TriMatrix (Grand Rapids, MI)

Validator: Brian LaFlamme **Validation Date:** 07/19/10

Sample Matrix: Water **Sample Date:** 06/28/10 – 06/29/10

Analytical Methods: EPA SW-846 Method 8260B

Sample Designations:

MW-101A	**MW-102A**	**MW-113B**	**MW-130**	**MW-202**
MW-101B	**MW-102B**	**MW-119**	**MW-136**	**MW-203**
MW-101C	**MW-102C**	**MW-121**	**MW-200**	**MW-204**
MW-101D	**MW-113A**	**MW-124**	**MW-201**	**FD-2 (field duplicate of MW-101A)**

The analytical data were reviewed in accordance with the analytical methods, SW-846 validation guidelines, and the Environmental Protections Agency (EPA) Contract Laboratory Program (CLP) National Functional Guidelines. The review included comparing quality control (QC) values provided on the laboratory QC forms to method QC criteria. Review of the raw data was not performed.

Quality Control Summary

QC Review Item	VOA
Completeness	X
Case Narrative	X
Chain of Custody (COC) Forms	X
Sample Preservation	1
Holding Times	X
Laboratory Blank Results	2
System Monitoring Compounds (Surrogate) Results	X
Matrix Spike/Matrix Duplicate (MS/MSD) Results	3
Laboratory Control Sample (LCS) Results	X
Method Specific QC Results *	NA
System Performance	X
Field QC Results #	4
Other	X

X Acceptable, no qualification necessary NR Not required
See validation summary comment NA Not applicable
*) The reviewer has indicated in the comments, if necessary, the method specific QC results included in the data package that were reviewed.
#) Field QC may include field duplicates, trip blanks, rinse blanks, field blanks, and equipment blank samples as required by project specific criteria.

Data for the above samples are:

- ☐ Acceptable for use
- ☒ Acceptable for use as qualified
- ☐ Unacceptable for use

Is action required by the Project Manager?

Yes ☐ No ☒

Data Validation Summary Comments:

1. The cooler temperature was measured at 6.1^0 C upon receipt at the laboratory. There was still ice in the cooler. No qualification is necessary.

2. Bromomethane was detected in a laboratory blank (analytical batch 0G08007) at 0.53 J µg/l. Bromomethane is not a contaminant of concern at the Site; therefore, no qualification is necessary.

   Methylene chloride was detected in laboratory blank (analytical batch 0G08007) at 0.31 J µg/l. Detections of methylene chloride less than 10x the blank detection, i.e., 3.1 µg/l, was qualified not detected at the reporting limit.

3. The matrix spike duplicate recovery for cis-1,2-dichloroethene (83%) in analytical batch 0G08007 was outside the method control limits (84-127). However, the recoveries for the laboratory control sample and matrix spike were within the method control limits. Therefore, no qualification is necessary.

4. Results of field duplicates follows:

Sample	Parameter	Investigative Sample (µg/l)	Duplicate Sample (µg/l)
MW-101A/FD2	Methylene Chloride	2.0U	2.0U
	trans-1,2-Dichloroethene	5.3	6.0
	cis-1,2-Dichloroethene	200	210
	1,1-Dichloroethene	14	15
	1,1-Dichloroethane	51	54
	Chloroform	2.0U	2.0U
	1,2-Dichloroethane	2.0U	2.0U
	1,1,1-Trichloroethane	86	90
	Trichloroethene	37	38
	Tetrachloroethene	6.3	6.8

As shown, the investigative and duplicate sample results are in good agreement with each other. Therefore, the samples collected during this quarter are deemed representative of Site conditions at the time of sample collection.

There was no trip blank for this set of samples.

OVERALL ASSESSMENT OF DATA

Based on the review of the quality control criteria, the method appeared to be in control. Therefore, the data are acceptable for use as qualified.

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW101A**	Sampled:	06/28/10 10:52
Lab Sample ID:	**1006472-03**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/06/10 By: JDM
Dilution Factor:	2	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08006

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	10U	10	3.6
71-43-2	Benzene	2.0U	2.0	0.25
74-97-5	Bromochloromethane	2.0U	2.0	0.23
75-27-4	Bromodichloromethane	2.0U	2.0	0.28
75-25-2	Bromoform	2.0U	2.0	0.23
74-83-9	Bromomethane	2.0U	2.0	0.23
75-15-0	Carbon Disulfide	10U	10	1.2
56-23-5	Carbon Tetrachloride	2.0U	2.0	0.42
108-90-7	Chlorobenzene	2.0U	2.0	0.13
75-00-3	Chloroethane	2.0U	2.0	0.36
67-66-3	Chloroform	2.0U	2.0	0.15
74-87-3	Chloromethane	2.0U	2.0	0.21
96-12-8	1,2-Dibromo-3-chloropropane	2.0U	2.0	0.83
124-48-1	Dibromochloromethane	2.0U	2.0	0.30
106-93-4	1,2-Dibromoethane	2.0U	2.0	0.19
95-50-1	1,2-Dichlorobenzene	2.0U	2.0	0.55
541-73-1	1,3-Dichlorobenzene	2.0U	2.0	0.43
106-46-7	1,4-Dichlorobenzene	2.0U	2.0	0.42
75-34-3	1,1-Dichloroethane	**54**	2.0	0.35
107-06-2	1,2-Dichloroethane	2.0U	2.0	0.30
75-35-4	1,1-Dichloroethene	**15**	2.0	0.34
156-59-2	cis-1,2-Dichloroethene	**210**	2.0	0.39
156-60-5	trans-1,2-Dichloroethene	**6.0**	2.0	0.20
78-87-5	1,2-Dichloropropane	2.0U	2.0	0.38
10061-01-5	cis-1,3-Dichloropropene	2.0U	2.0	0.29
10061-02-6	trans-1,3-Dichloropropene	2.0U	2.0	0.37
100-41-4	Ethylbenzene	2.0U	2.0	0.088
591-78-6	2-Hexanone	10U	10	2.7
75-09-2	Methylene Chloride	2.0U	2.0	0.38
78-93-3	2-Butanone (MEK)	10U	10	3.0
108-10-1	4-Methyl-2-pentanone (MIBK)	10U	10	1.7

Continued on next page

VALIDATED

Reviewed By

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW101A**	Sampled:	06/28/10 10:52
Lab Sample ID:	**1006472-03**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/06/10 By: JDM
Dilution Factor:	2	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	2.0U	2.0	0.21
79-34-5	1,1,2,2-Tetrachloroethane	2.0U	2.0	0.43
127-18-4	Tetrachloroethene	**6.8**	2.0	0.49
108-88-3	Toluene	2.0U	2.0	0.16
71-55-6	1,1,1-Trichloroethane	**90**	2.0	0.27
79-00-5	1,1,2-Trichloroethane	2.0U	2.0	0.27
79-01-6	Trichloroethene	**38**	2.0	0.17
75-01-4	Vinyl Chloride	2.0U	2.0	0.11
1330-20-7	Xylene (Total)	6.0U	6.0	0.81

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	98	*88-115*
1,2-Dichloroethane-d4	97	*81-116*
Toluene-d8	103	*87-113*
4-Bromofluorobenzene	92	*78-116*

VALIDATED

Reviewed By _____

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW101B**	Sampled:	06/28/10 10:19
Lab Sample ID:	**1006472-01**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/06/10 By: JDM
Dilution Factor:	10	Analyzed:	07/06/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08006

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	50U	50	18
71-43-2	Benzene	10U	10	1.3
74-97-5	Bromochloromethane	10U	10	1.1
75-27-4	Bromodichloromethane	10U	10	1.4
75-25-2	Bromoform	10U	10	1.2
74-83-9	Bromomethane	10U	10	1.1
75-15-0	Carbon Disulfide	50U	50	6.0
56-23-5	Carbon Tetrachloride	10U	10	2.1
108-90-7	Chlorobenzene	10U	10	0.65
75-00-3	Chloroethane	10U	10	1.8
67-66-3	Chloroform	10U	10	0.77
74-87-3	Chloromethane	10U	10	1.0
96-12-8	1,2-Dibromo-3-chloropropane	10U	10	4.1
124-48-1	Dibromochloromethane	10U	10	1.5
106-93-4	1,2-Dibromoethane	10U	10	0.96
95-50-1	1,2-Dichlorobenzene	10U	10	2.7
541-73-1	1,3-Dichlorobenzene	10U	10	2.1
106-46-7	1,4-Dichlorobenzene	10U	10	2.1
75-34-3	1,1-Dichloroethane	**130**	10	1.8
107-06-2	1,2-Dichloroethane	10U	10	1.5
75-35-4	1,1-Dichloroethene	**35**	10	1.7
156-59-2	cis-1,2-Dichloroethene	**790**	10	1.9
156-60-5	trans-1,2-Dichloroethene	**9.0J**	10	1.0
78-87-5	1,2-Dichloropropane	10U	10	1.9
10061-01-5	cis-1,3-Dichloropropene	10U	10	1.5
10061-02-6	trans-1,3-Dichloropropene	10U	10	1.9
100-41-4	Ethylbenzene	10U	10	0.44
591-78-6	2-Hexanone	50U	50	13
75-09-2	Methylene Chloride	10U	10	1.9
78-93-3	2-Butanone (MEK)	50U	50	15
108-10-1	4-Methyl-2-pentanone (MIBK)	50U	50	8.7

Continued on next page

VALIDATED

Reviewed By _____

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW101B**	Sampled:	06/28/10 10:19
Lab Sample ID:	**1006472-01**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/06/10 By: JDM
Dilution Factor:	10	Analyzed:	07/06/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	10U	10	1.1
79-34-5	1,1,2,2-Tetrachloroethane	10U	10	2.2
127-18-4	Tetrachloroethene	**32**	10	2.4
108-88-3	Toluene	10U	10	0.81
71-55-6	1,1,1-Trichloroethane	**320**	10	1.3
79-00-5	1,1,2-Trichloroethane	10U	10	1.3
79-01-6	Trichloroethene	**70**	10	0.84
75-01-4	Vinyl Chloride	10U	10	0.54
1330-20-7	Xylene (Total)	30U	30	4.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	98	*88-115*
1,2-Dichloroethane-d4	96	*81-116*
Toluene-d8	103	*87-113*
4-Bromofluorobenzene	91	*78-116*

VALIDATED

Reviewed By _____

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW101C**	Sampled:	06/28/10 11:57
Lab Sample ID:	**1006472-06**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/06/10 By: JDM
Dilution Factor:	5	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08006

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	25U	25	9.0
71-43-2	Benzene	5.0U	5.0	0.64
74-97-5	Bromochloromethane	5.0U	5.0	0.57
75-27-4	Bromodichloromethane	5.0U	5.0	0.70
75-25-2	Bromoform	5.0U	5.0	0.58
74-83-9	Bromomethane	5.0U	5.0	0.56
75-15-0	Carbon Disulfide	25U	25	3.0
56-23-5	Carbon Tetrachloride	5.0U	5.0	1.1
108-90-7	Chlorobenzene	5.0U	5.0	0.33
75-00-3	Chloroethane	5.0U	5.0	0.89
67-66-3	Chloroform	5.0U	5.0	0.38
74-87-3	Chloromethane	5.0U	5.0	0.52
96-12-8	1,2-Dibromo-3-chloropropane	5.0U	5.0	2.1
124-48-1	Dibromochloromethane	5.0U	5.0	0.76
106-93-4	1,2-Dibromoethane	5.0U	5.0	0.48
95-50-1	1,2-Dichlorobenzene	5.0U	5.0	1.4
541-73-1	1,3-Dichlorobenzene	5.0U	5.0	1.1
106-46-7	1,4-Dichlorobenzene	5.0U	5.0	1.1
75-34-3	1,1-Dichloroethane	**85**	5.0	0.88
107-06-2	1,2-Dichloroethane	5.0U	5.0	0.75
75-35-4	1,1-Dichloroethene	**23**	5.0	0.86
156-59-2	cis-1,2-Dichloroethene	**570**	5.0	0.96
156-60-5	trans-1,2-Dichloroethene	**5.4**	5.0	0.51
78-87-5	1,2-Dichloropropane	5.0U	5.0	0.96
10061-01-5	cis-1,3-Dichloropropene	5.0U	5.0	0.74
10061-02-6	trans-1,3-Dichloropropene	5.0U	5.0	0.93
100-41-4	Ethylbenzene	5.0U	5.0	0.22
591-78-6	2-Hexanone	25U	25	6.6
75-09-2	Methylene Chloride	5.0U	5.0	0.94
78-93-3	2-Butanone (MEK)	25U	25	7.6
108-10-1	4-Methyl-2-pentanone (MIBK)	25U	25	4.3

VALIDATED

Continued on next page

Reviewed By

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616 942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW101C**	Sampled:	06/28/10 11:57
Lab Sample ID:	**1006472-06**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/06/10 By: JDM
Dilution Factor:	5	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	5.0U	5.0	0.54
79-34-5	1,1,2,2-Tetrachloroethane	5.0U	5.0	1.1
127-18-4	Tetrachloroethene	**19**	5.0	1.2
108-88-3	Toluene	5.0U	5.0	0.40
71-55-6	1,1,1-Trichloroethane	**220**	5.0	0.66
79-00-5	1,1,2-Trichloroethane	5.0U	5.0	0.66
79-01-6	Trichloroethene	**44**	5.0	0.42
75-01-4	Vinyl Chloride	5.0U	5.0	0.27
1330-20-7	Xylene (Total)	15U	15	2.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	100	*88-115*
1,2-Dichloroethane-d4	98	*81-116*
Toluene-d8	104	*87-113*
4-Bromofluorobenzene	94	*78-116*

VALIDATED

Reviewed By [illegible]

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW101D**	Sampled:	06/28/10 11:26
Lab Sample ID:	**1006472-05**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/06/10 By: JDM
Dilution Factor:	2.5	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08006

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	12U	12	4.5
71-43-2	Benzene	2.5U	2.5	0.32
74-97-5	Bromochloromethane	2.5U	2.5	0.28
75-27-4	Bromodichloromethane	2.5U	2.5	0.35
75-25-2	Bromoform	2.5U	2.5	0.29
74-83-9	Bromomethane	2.5U	2.5	0.28
75-15-0	Carbon Disulfide	12U	12	1.5
56-23-5	Carbon Tetrachloride	2.5U	2.5	0.53
108-90-7	Chlorobenzene	2.5U	2.5	0.16
75-00-3	Chloroethane	2.5U	2.5	0.44
67-66-3	Chloroform	2.5U	2.5	0.19
74-87-3	Chloromethane	2.5U	2.5	0.26
96-12-8	1,2-Dibromo-3-chloropropane	2.5U	2.5	1.0
124-48-1	Dibromochloromethane	2.5U	2.5	0.38
106-93-4	1,2-Dibromoethane	2.5U	2.5	0.24
95-50-1	1,2-Dichlorobenzene	2.5U	2.5	0.68
541-73-1	1,3-Dichlorobenzene	2.5U	2.5	0.54
106-46-7	1,4-Dichlorobenzene	2.5U	2.5	0.53
75-34-3	1,1-Dichloroethane	**44**	2.5	0.44
107-06-2	1,2-Dichloroethane	2.5U	2.5	0.38
75-35-4	1,1-Dichloroethene	**16**	2.5	0.43
156-59-2	cis-1,2-Dichloroethene	**270**	2.5	0.48
156-60-5	trans-1,2-Dichloroethene	**3.1**	2.5	0.26
78-87-5	1,2-Dichloropropane	2.5U	2.5	0.48
10061-01-5	cis-1,3-Dichloropropene	2.5U	2.5	0.37
10061-02-6	trans-1,3-Dichloropropene	2.5U	2.5	0.46
100-41-4	Ethylbenzene	2.5U	2.5	0.11
591-78-6	2-Hexanone	12U	12	3.3
75-09-2	Methylene Chloride	2.5U	2.5	0.47
78-93-3	2-Butanone (MEK)	12U	12	3.8
108-10-1	4-Methyl-2-pentanone (MIBK)	12U	12	2.2

Continued on next page

VALIDATED

Reviewed By _____

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW101D**	Sampled:	06/28/10 11:26
Lab Sample ID:	**1006472-05**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/06/10 By: JDM
Dilution Factor:	2.5	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	2.5U	2.5	0.27
79-34-5	1,1,2,2-Tetrachloroethane	2.5U	2.5	0.54
127-18-4	Tetrachloroethene	**13**	2.5	0.61
108-88-3	Toluene	2.5U	2.5	0.20
71-55-6	1,1,1-Trichloroethane	**110**	2.5	0.33
79-00-5	1,1,2-Trichloroethane	2.5U	2.5	0.33
79-01-6	Trichloroethene	**32**	2.5	0.21
75-01-4	Vinyl Chloride	2.5U	2.5	0.13
1330-20-7	Xylene (Total)	7.5U	7.5	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	99	*88-115*
1,2-Dichloroethane-d4	98	*81-116*
Toluene-d8	102	*87-113*
4-Bromofluorobenzene	92	*78-116*

VALIDATED

Reviewed By _____

Date 7/18/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW102A**	Sampled:	06/28/10 14:23
Lab Sample ID:	**1006472-02**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/06/10 By: JDM
Dilution Factor:	2	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08006

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	10U	10	3.6
71-43-2	Benzene	2.0U	2.0	0.25
74-97-5	Bromochloromethane	2.0U	2.0	0.23
75-27-4	Bromodichloromethane	2.0U	2.0	0.28
75-25-2	Bromoform	2.0U	2.0	0.23
74-83-9	Bromomethane	2.0U	2.0	0.23
75-15-0	Carbon Disulfide	10U	10	1.2
56-23-5	Carbon Tetrachloride	2.0U	2.0	0.42
108-90-7	Chlorobenzene	2.0U	2.0	0.13
75-00-3	Chloroethane	2.0U	2.0	0.36
67-66-3	Chloroform	2.0U	2.0	0.15
74-87-3	Chloromethane	2.0U	2.0	0.21
96-12-8	1,2-Dibromo-3-chloropropane	2.0U	2.0	0.83
124-48-1	Dibromochloromethane	2.0U	2.0	0.30
106-93-4	1,2-Dibromoethane	2.0U	2.0	0.19
95-50-1	1,2-Dichlorobenzene	2.0U	2.0	0.55
541-73-1	1,3-Dichlorobenzene	2.0U	2.0	0.43
106-46-7	1,4-Dichlorobenzene	2.0U	2.0	0.42
75-34-3	1,1-Dichloroethane	**80**	2.0	0.35
107-06-2	1,2-Dichloroethane	2.0U	2.0	0.30
75-35-4	1,1-Dichloroethene	**2.7**	2.0	0.34
156-59-2	cis-1,2-Dichloroethene	**170**	2.0	0.39
156-60-5	trans-1,2-Dichloroethene	**5.3**	2.0	0.20
78-87-5	1,2-Dichloropropane	2.0U	2.0	0.38
10061-01-5	cis-1,3-Dichloropropene	2.0U	2.0	0.29
10061-02-6	trans-1,3-Dichloropropene	2.0U	2.0	0.37
100-41-4	Ethylbenzene	2.0U	2.0	0.088
591-78-6	2-Hexanone	10U	10	2.7
75-09-2	Methylene Chloride	2.0U	2.0	0.38
78-93-3	2-Butanone (MEK)	10U	10	3.0
108-10-1	4-Methyl-2-pentanone (MIBK)	10U	10	1.7

VALIDATED

Continued on next page

Reviewed By _____

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW102A**	Sampled:	06/28/10 14:23
Lab Sample ID:	**1006472-02**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/06/10 By: JDM
Dilution Factor:	2	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	2.0U	2.0	0.21
79-34-5	1,1,2,2-Tetrachloroethane	2.0U	2.0	0.43
127-18-4	Tetrachloroethene	2.0U	2.0	0.49
108-88-3	Toluene	2.0U	2.0	0.16
71-55-6	1,1,1-Trichloroethane	**62**	2.0	0.27
79-00-5	1,1,2-Trichloroethane	2.0U	2.0	0.27
79-01-6	Trichloroethene	**15**	2.0	0.17
75-01-4	Vinyl Chloride	2.0U	2.0	0.11
1330-20-7	Xylene (Total)	6.0U	6.0	0.81

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	97	*88-115*
1,2-Dichloroethane-d4	96	*81-116*
Toluene-d8	102	*87-113*
4-Bromofluorobenzene	92	*78-116*

VALIDATED

Reviewed By _____

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW102B**	Sampled:	06/28/10 13:58
Lab Sample ID:	**1006472-08**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/07/10 By: JDM
Dilution Factor:	1	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08007

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
*74-83-9	Bromomethane	**0.69J**	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	**0.51J**	1.0	0.18
67-66-3	Chloroform	1.0U	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	**3.0**	1.0	0.18
107-06-2	1,2-Dichloroethane	**0.69J**	1.0	0.15
75-35-4	1,1-Dichloroethene	1.0U	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**4.4**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Continued on next page

*See Statement of Data Qualifications

Reviewed By _____

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW102B**	Sampled:	06/28/10 13:58
Lab Sample ID:	**1006472-08**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/07/10 By: JDM
Dilution Factor:	1	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08007

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	1.0U	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	1.0U	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	1.0U	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	91	*88-115*
1,2-Dichloroethane-d4	98	*81-116*
Toluene-d8	97	*87-113*
4-Bromofluorobenzene	94	*78-116*

VALIDATED

Reviewed By _____

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW102C**	Sampled:	06/28/10 13:28
Lab Sample ID:	**1006472-07**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/06/10 By: JDM
Dilution Factor:	5	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08006

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	25U	25	9.0
71-43-2	Benzene	5.0U	5.0	0.64
74-97-5	Bromochloromethane	5.0U	5.0	0.57
75-27-4	Bromodichloromethane	5.0U	5.0	0.70
75-25-2	Bromoform	5.0U	5.0	0.58
74-83-9	Bromomethane	5.0U	5.0	0.56
75-15-0	Carbon Disulfide	25U	25	3.0
56-23-5	Carbon Tetrachloride	5.0U	5.0	1.1
108-90-7	Chlorobenzene	5.0U	5.0	0.33
75-00-3	Chloroethane	5.0U	5.0	0.89
67-66-3	Chloroform	5.0U	5.0	0.38
74-87-3	Chloromethane	5.0U	5.0	0.52
96-12-8	1,2-Dibromo-3-chloropropane	5.0U	5.0	2.1
124-48-1	Dibromochloromethane	5.0U	5.0	0.76
106-93-4	1,2-Dibromoethane	5.0U	5.0	0.48
95-50-1	1,2-Dichlorobenzene	5.0U	5.0	1.4
541-73-1	1,3-Dichlorobenzene	5.0U	5.0	1.1
106-46-7	1,4-Dichlorobenzene	5.0U	5.0	1.1
75-34-3	1,1-Dichloroethane	**160**	5.0	0.88
107-06-2	1,2-Dichloroethane	5.0U	5.0	0.75
75-35-4	1,1-Dichloroethene	**53**	5.0	0.86
156-59-2	cis-1,2-Dichloroethene	**740**	5.0	0.96
156-60-5	trans-1,2-Dichloroethene	**6.8**	5.0	0.51
78-87-5	1,2-Dichloropropane	5.0U	5.0	0.96
10061-01-5	cis-1,3-Dichloropropene	5.0U	5.0	0.74
10061-02-6	trans-1,3-Dichloropropene	5.0U	5.0	0.93
100-41-4	Ethylbenzene	5.0U	5.0	0.22
591-78-6	2-Hexanone	25U	25	6.6
75-09-2	Methylene Chloride	5.0U	5.0	0.94
78-93-3	2-Butanone (MEK)	25U	25	7.6
108-10-1	4-Methyl-2-pentanone (MIBK)	25U	25	4.3

VALIDATED

Continued on next page

Reviewed By _____

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7161 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW102C**	Sampled:	06/28/10 13:28
Lab Sample ID:	**1006472-07**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/06/10 By: JDM
Dilution Factor:	5	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	5.0U	5.0	0.54
79-34-5	1,1,2,2-Tetrachloroethane	5.0U	5.0	1.1
127-18-4	Tetrachloroethene	**18**	5.0	1.2
108-88-3	Toluene	5.0U	5.0	0.40
71-55-6	1,1,1-Trichloroethane	**89**	5.0	0.66
79-00-5	1,1,2-Trichloroethane	5.0U	5.0	0.66
79-01-6	Trichloroethene	**65**	5.0	0.42
75-01-4	Vinyl Chloride	5.0U	5.0	0.27
1330-20-7	Xylene (Total)	15U	15	2.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	98	*88-115*
1,2-Dichloroethane-d4	98	*81-116*
Toluene-d8	104	*87-113*
4-Bromofluorobenzene	91	*78-116*

VALIDATED

Reviewed By [signature]

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW113A**	Sampled:	06/29/10 12:28
Lab Sample ID:	**1006472-13**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/07/10 By: JDM
Dilution Factor:	2.5	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08007

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	12U	12	4.5
71-43-2	Benzene	2.5U	2.5	0.32
74-97-5	Bromochloromethane	2.5U	2.5	0.28
75-27-4	Bromodichloromethane	2.5U	2.5	0.35
75-25-2	Bromoform	2.5U	2.5	0.29
*74-83-9	Bromomethane	**1.6J**	2.5	0.28
75-15-0	Carbon Disulfide	12U	12	1.5
56-23-5	Carbon Tetrachloride	2.5U	2.5	0.53
108-90-7	Chlorobenzene	2.5U	2.5	0.16
75-00-3	Chloroethane	2.5U	2.5	0.44
67-66-3	Chloroform	**1.1J**	2.5	0.19
74-87-3	Chloromethane	2.5U	2.5	0.26
96-12-8	1,2-Dibromo-3-chloropropane	2.5U	2.5	1.0
124-48-1	Dibromochloromethane	2.5U	2.5	0.38
106-93-4	1,2-Dibromoethane	2.5U	2.5	0.24
95-50-1	1,2-Dichlorobenzene	2.5U	2.5	0.68
541-73-1	1,3-Dichlorobenzene	2.5U	2.5	0.54
106-46-7	1,4-Dichlorobenzene	2.5U	2.5	0.53
75-34-3	1,1-Dichloroethane	**88**	2.5	0.44
107-06-2	1,2-Dichloroethane	**1.0J**	2.5	0.38
75-35-4	1,1-Dichloroethene	**3.3**	2.5	0.43
156-59-2	cis-1,2-Dichloroethene	**240**	2.5	0.48
156-60-5	trans-1,2-Dichloroethene	**30**	2.5	0.26
78-87-5	1,2-Dichloropropane	2.5U	2.5	0.48
10061-01-5	cis-1,3-Dichloropropene	2.5U	2.5	0.37
10061-02-6	trans-1,3-Dichloropropene	2.5U	2.5	0.46
100-41-4	Ethylbenzene	2.5U	2.5	0.11
591-78-6	2-Hexanone	12U	12	3.3
*75-09-2	Methylene Chloride	~~0.85J~~ 2.5U	2.5	0.47
78-93-3	2-Butanone (MEK)	12U	12	3.8
108-10-1	4-Methyl-2-pentanone (MIBK)	12U	12	2.2

VALIDATED

Continued on next page

*See Statement of Data Qualifications

Reviewed By

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW113A**	Sampled:	06/29/10 12:28
Lab Sample ID:	**1006472-13**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/07/10 By: JDM
Dilution Factor:	2.5	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08007

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	2.5U	2.5	0.27
79-34-5	1,1,2,2-Tetrachloroethane	2.5U	2.5	0.54
127-18-4	Tetrachloroethene	**12**	2.5	0.61
108-88-3	Toluene	2.5U	2.5	0.20
71-55-6	1,1,1-Trichloroethane	**130**	2.5	0.33
79-00-5	1,1,2-Trichloroethane	2.5U	2.5	0.33
79-01-6	Trichloroethene	**76**	2.5	0.21
75-01-4	Vinyl Chloride	2.5U	2.5	0.13
1330-20-7	Xylene (Total)	7.5U	7.5	1.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	99	*88-115*
1,2-Dichloroethane-d4	100	*81-116*
Toluene-d8	96	*87-113*
4-Bromofluorobenzene	93	*78-116*

VALIDATED

Reviewed By _____

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW113B**	Sampled:	06/29/10 11:55
Lab Sample ID:	**1006472-12**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/06/10 By: JDM
Dilution Factor:	2	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08006

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	**5.5J**	10	3.6
71-43-2	Benzene	2.0U	2.0	0.25
74-97-5	Bromochloromethane	2.0U	2.0	0.23
75-27-4	Bromodichloromethane	2.0U	2.0	0.28
75-25-2	Bromoform	2.0U	2.0	0.23
74-83-9	Bromomethane	2.0U	2.0	0.23
75-15-0	Carbon Disulfide	10U	10	1.2
56-23-5	Carbon Tetrachloride	2.0U	2.0	0.42
108-90-7	Chlorobenzene	2.0U	2.0	0.13
75-00-3	Chloroethane	2.0U	2.0	0.36
67-66-3	Chloroform	2.0U	2.0	0.15
74-87-3	Chloromethane	2.0U	2.0	0.21
96-12-8	1,2-Dibromo-3-chloropropane	2.0U	2.0	0.83
124-48-1	Dibromochloromethane	2.0U	2.0	0.30
106-93-4	1,2-Dibromoethane	2.0U	2.0	0.19
95-50-1	1,2-Dichlorobenzene	2.0U	2.0	0.55
541-73-1	1,3-Dichlorobenzene	2.0U	2.0	0.43
106-46-7	1,4-Dichlorobenzene	2.0U	2.0	0.42
75-34-3	1,1-Dichloroethane	**63**	2.0	0.35
107-06-2	1,2-Dichloroethane	2.0U	2.0	0.30
75-35-4	1,1-Dichloroethene	**19**	2.0	0.34
156-59-2	cis-1,2-Dichloroethene	**150**	2.0	0.39
156-60-5	trans-1,2-Dichloroethene	**2.7**	2.0	0.20
78-87-5	1,2-Dichloropropane	2.0U	2.0	0.38
10061-01-5	cis-1,3-Dichloropropene	2.0U	2.0	0.29
10061-02-6	trans-1,3-Dichloropropene	2.0U	2.0	0.37
100-41-4	Ethylbenzene	2.0U	2.0	0.088
591-78-6	2-Hexanone	10U	10	2.7
75-09-2	Methylene Chloride	2.0U	2.0	0.38
78-93-3	2-Butanone (MEK)	10U	10	3.0
108-10-1	4-Methyl-2-pentanone (MIBK)	10U	10	1.7

VALIDATED

Continued on next page

Reviewed By _____

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW113B**	Sampled:	06/29/10 11:55
Lab Sample ID:	**1006472-12**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/06/10 By: JDM
Dilution Factor:	2	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	2.0U	2.0	0.21
79-34-5	1,1,2,2-Tetrachloroethane	2.0U	2.0	0.43
127-18-4	Tetrachloroethene	**3.0**	2.0	0.49
108-88-3	Toluene	2.0U	2.0	0.16
71-55-6	1,1,1-Trichloroethane	**19**	2.0	0.27
79-00-5	1,1,2-Trichloroethane	2.0U	2.0	0.27
79-01-6	Trichloroethene	**33**	2.0	0.17
75-01-4	Vinyl Chloride	**9.0**	2.0	0.11
1330-20-7	Xylene (Total)	6.0U	6.0	0.81

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	98	*88-115*
1,2-Dichloroethane-d4	97	*81-116*
Toluene-d8	103	*87-113*
4-Bromofluorobenzene	91	*78-116*

VALIDATED

Reviewed By _____

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW119**	Sampled:	06/29/10 10:35
Lab Sample ID:	**1006472-10**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/06/10 By: JDM
Dilution Factor:	1	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08006

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	1.0U	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	**0.92J**	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	1.0U	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**1.2**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Continued on next page

Reviewed By [signature]

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW119**	Sampled:	06/29/10 10:35
Lab Sample ID:	**1006472-10**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/06/10 By: JDM
Dilution Factor:	1	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	1.0U	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**1.1**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	1.0U	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	95	*88-115*
1,2-Dichloroethane-d4	96	*81-116*
Toluene-d8	103	*87-113*
4-Bromofluorobenzene	92	*78-116*

VALIDATED

Reviewed By _____

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW121**	Sampled:	06/29/10 11:10
Lab Sample ID:	**1006472-11**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/06/10 By: JDM
Dilution Factor:	1	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08006

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	**3.1J**	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	1.0U	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	**2.9**	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	**1.7**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**3.7**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

Continued on next page

VALIDATED

Reviewed By _____

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW121**	Sampled:	06/29/10 11:10
Lab Sample ID:	**1006472-11**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/06/10 By: JDM
Dilution Factor:	1	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	**1.5**	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**2.0**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	**16**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	96	*88-115*
1,2-Dichloroethane-d4	97	*81-116*
Toluene-d8	103	*87-113*
4-Bromofluorobenzene	90	*78-116*

VALIDATED

Reviewed By [illegible]

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW124**	Sampled:	06/29/10 17:00
Lab Sample ID:	**1006472-20**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/07/10 By: JDM
Dilution Factor:	5	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08007

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	25U	25	9.0
71-43-2	Benzene	5.0U	5.0	0.64
74-97-5	Bromochloromethane	5.0U	5.0	0.57
75-27-4	Bromodichloromethane	5.0U	5.0	0.70
75-25-2	Bromoform	5.0U	5.0	0.58
74-83-9	Bromomethane	5.0U	5.0	0.56
75-15-0	Carbon Disulfide	25U	25	3.0
56-23-5	Carbon Tetrachloride	5.0U	5.0	1.1
108-90-7	Chlorobenzene	5.0U	5.0	0.33
75-00-3	Chloroethane	**2.6J**	5.0	0.89
67-66-3	Chloroform	5.0U	5.0	0.38
74-87-3	Chloromethane	5.0U	5.0	0.52
96-12-8	1,2-Dibromo-3-chloropropane	5.0U	5.0	2.1
124-48-1	Dibromochloromethane	5.0U	5.0	0.76
106-93-4	1,2-Dibromoethane	5.0U	5.0	0.48
95-50-1	1,2-Dichlorobenzene	5.0U	5.0	1.4
541-73-1	1,3-Dichlorobenzene	5.0U	5.0	1.1
106-46-7	1,4-Dichlorobenzene	5.0U	5.0	1.1
75-34-3	1,1-Dichloroethane	**500**	5.0	0.88
107-06-2	1,2-Dichloroethane	5.0U	5.0	0.75
75-35-4	1,1-Dichloroethene	**20**	5.0	0.86
*156-59-2	cis-1,2-Dichloroethene	**220**	5.0	0.96
156-60-5	trans-1,2-Dichloroethene	5.0U	5.0	0.51
78-87-5	1,2-Dichloropropane	5.0U	5.0	0.96
10061-01-5	cis-1,3-Dichloropropene	5.0U	5.0	0.74
10061-02-6	trans-1,3-Dichloropropene	5.0U	5.0	0.93
100-41-4	Ethylbenzene	5.0U	5.0	0.22
591-78-6	2-Hexanone	25U	25	6.6
*75-09-2	Methylene Chloride	~~1.9J~~ 25U	5.0	0.94
78-93-3	2-Butanone (MEK)	25U	25	7.6
108-10-1	4-Methyl-2-pentanone (MIBK)	25U	25	4.3

VALIDATED

Continued on next page

*See Statement of Data Qualifications

Reviewed By [signature]

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW124**	Sampled:	06/29/10 17:00
Lab Sample ID:	**1006472-20**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/07/10 By: JDM
Dilution Factor:	5	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08007

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	5.0U	5.0	0.54
79-34-5	1,1,2,2-Tetrachloroethane	5.0U	5.0	1.1
127-18-4	Tetrachloroethene	**14**	5.0	1.2
108-88-3	Toluene	5.0U	5.0	0.40
71-55-6	1,1,1-Trichloroethane	**82**	5.0	0.66
79-00-5	1,1,2-Trichloroethane	5.0U	5.0	0.66
79-01-6	Trichloroethene	**8.6**	5.0	0.42
75-01-4	Vinyl Chloride	**30**	5.0	0.27
1330-20-7	Xylene (Total)	15U	15	2.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	99	*88-115*
1,2-Dichloroethane-d4	101	*81-116*
Toluene-d8	95	*87-113*
4-Bromofluorobenzene	92	*78-116*

VALIDATED

Reviewed By _____

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW130**	Sampled:	06/29/10 14:44
Lab Sample ID:	**1006472-16**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/07/10 By: JDM
Dilution Factor:	10	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08007

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	50U	50	18
71-43-2	Benzene	10U	10	1.3
74-97-5	Bromochloromethane	10U	10	1.1
75-27-4	Bromodichloromethane	10U	10	1.4
75-25-2	Bromoform	10U	10	1.2
74-83-9	Bromomethane	10U	10	1.1
75-15-0	Carbon Disulfide	50U	50	6.0
56-23-5	Carbon Tetrachloride	10U	10	2.1
108-90-7	Chlorobenzene	10U	10	0.65
75-00-3	Chloroethane	10U	10	1.8
67-66-3	Chloroform	10U	10	0.77
74-87-3	Chloromethane	10U	10	1.0
96-12-8	1,2-Dibromo-3-chloropropane	10U	10	4.1
124-48-1	Dibromochloromethane	10U	10	1.5
106-93-4	1,2-Dibromoethane	10U	10	0.96
95-50-1	1,2-Dichlorobenzene	10U	10	2.7
541-73-1	1,3-Dichlorobenzene	10U	10	2.1
106-46-7	1,4-Dichlorobenzene	10U	10	2.1
75-34-3	1,1-Dichloroethane	**70**	10	1.8
107-06-2	1,2-Dichloroethane	10U	10	1.5
75-35-4	1,1-Dichloroethene	**15**	10	1.7
156-59-2	cis-1,2-Dichloroethene	**17**	10	1.9
156-60-5	trans-1,2-Dichloroethene	10U	10	1.0
78-87-5	1,2-Dichloropropane	10U	10	1.9
10061-01-5	cis-1,3-Dichloropropene	10U	10	1.5
10061-02-6	trans-1,3-Dichloropropene	10U	10	1.9
100-41-4	Ethylbenzene	10U	10	0.44
591-78-6	2-Hexanone	50U	50	13
*75-09-2	Methylene Chloride	~~2.9J~~ 50U	10	1.9
78-93-3	2-Butanone (MEK)	50U	50	15
108-10-1	4-Methyl-2-pentanone (MIBK)	50U	50	8.7

VALIDATED

Continued on next page

*See Statement of Data Qualifications

Reviewed By _____

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW130**	Sampled:	06/29/10 14:44
Lab Sample ID:	**1006472-16**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/07/10 By: JDM
Dilution Factor:	10	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08007

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	10U	10	1.1
79-34-5	1,1,2,2-Tetrachloroethane	10U	10	2.2
127-18-4	Tetrachloroethene	10U	10	2.4
108-88-3	Toluene	10U	10	0.81
71-55-6	1,1,1-Trichloroethane	**1100**	10	1.3
79-00-5	1,1,2-Trichloroethane	10U	10	1.3
79-01-6	Trichloroethene	**7.6J**	10	0.84
75-01-4	Vinyl Chloride	10U	10	0.54
1330-20-7	Xylene (Total)	30U	30	4.0

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	103	*88-115*
1,2-Dichloroethane-d4	101	*81-116*
Toluene-d8	95	*87-113*
4-Bromofluorobenzene	94	*78-116*

VALIDATED

Reviewed By _____

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW136**	Sampled:	06/29/10 13:20
Lab Sample ID:	**1006472-14**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/06/10 By: JDM
Dilution Factor:	1	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08006

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	**2.7J**	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	**0.84J**	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	1.0U	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	1.0U	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	1.0U	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

Continued on next page

VALIDATED

Reviewed By

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW136**	Sampled:	06/29/10 13:20
Lab Sample ID:	**1006472-14**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/06/10 By: JDM
Dilution Factor:	1	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	1.0U	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	1.0U	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	1.0U	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	96	*88-115*
1,2-Dichloroethane-d4	99	*81-116*
Toluene-d8	104	*87-113*
4-Bromofluorobenzene	92	*78-116*

VALIDATED

Reviewed By _____

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW200**	Sampled:	06/29/10 14:05
Lab Sample ID:	**1006472-15**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/06/10 By: JDM
Dilution Factor:	1	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08006

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	1.0U	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	1.0U	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	1.0U	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	1.0U	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

Continued on next page

VALIDATED

Reviewed By [signature]

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW200**	Sampled:	06/29/10 14:05
Lab Sample ID:	**1006472-15**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/06/10 By: JDM
Dilution Factor:	1	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	1.0U	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	1.0U	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	1.0U	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	95	*88-115*
1,2-Dichloroethane-d4	97	*81-116*
Toluene-d8	104	*87-113*
4-Bromofluorobenzene	91	*78-116*

VALIDATED

Reviewed By [signature]

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW201**	Sampled:	06/29/10 16:24
Lab Sample ID:	**1006472-19**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/07/10 By: JDM
Dilution Factor:	1	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08007

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	**2.2J**	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	1.0U	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	**12**	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	1.0U	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**5.0**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

Continued on next page

VALIDATED

Reviewed By: [signature]

Date: 2/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW201**	Sampled:	06/29/10 16:24
Lab Sample ID:	**1006472-19**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/07/10 By: JDM
Dilution Factor:	1	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08007

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	**0.53J**	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**4.4**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	**1.1**	1.0	0.084
75-01-4	Vinyl Chloride	**0.91J**	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	95	*88-115*
1,2-Dichloroethane-d4	101	*81-116*
Toluene-d8	96	*87-113*
4-Bromofluorobenzene	93	*78-116*

VALIDATED

Reviewed By [signature]

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW202**	Sampled:	06/29/10 15:47
Lab Sample ID:	**1006472-18**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/07/10 By: JDM
Dilution Factor:	1	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08007

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	**2.2J**	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	1.0U	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	**0.70J**	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	1.0U	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	1.0U	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Continued on next page

Reviewed By _____

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW202**	Sampled:	06/29/10 15:47
Lab Sample ID:	**1006472-18**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/07/10 By: JDM
Dilution Factor:	1	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08007

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	**1.6**	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**1.3**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	**0.79J**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	96	*88-115*
1,2-Dichloroethane-d4	101	*81-116*
Toluene-d8	96	*87-113*
4-Bromofluorobenzene	94	*78-116*

VALIDATED

Reviewed By _____

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW203**	Sampled:	06/29/10 15:23
Lab Sample ID:	**1006472-17**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/07/10 By: JDM
Dilution Factor:	1	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08007

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	5.0U	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	1.0U	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	1.0U	1.0	0.18
107-06-2	1,2-Dichloroethane	1.0U	1.0	0.15
75-35-4	1,1-Dichloroethene	1.0U	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	1.0U	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
*75-09-2	Methylene Chloride	~~0.32J~~ 5U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Continued on next page

*See Statement of Data Qualifications

Reviewed By _____

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW203**	Sampled:	06/29/10 15:23
Lab Sample ID:	**1006472-17**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/07/10 By: JDM
Dilution Factor:	1	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08007

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	**8.9**	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	1.0U	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	1.0U	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	93	*88-115*
1,2-Dichloroethane-d4	98	*81-116*
Toluene-d8	95	*87-113*
4-Bromofluorobenzene	92	*78-116*

VALIDATED

Reviewed By _____

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW204**	Sampled:	06/29/10 09:47
Lab Sample ID:	**1006472-09**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/06/10 By: JDM
Dilution Factor:	1	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08006

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	**2.9J**	5.0	1.8
71-43-2	Benzene	1.0U	1.0	0.13
74-97-5	Bromochloromethane	1.0U	1.0	0.11
75-27-4	Bromodichloromethane	1.0U	1.0	0.14
75-25-2	Bromoform	1.0U	1.0	0.12
74-83-9	Bromomethane	1.0U	1.0	0.11
75-15-0	Carbon Disulfide	5.0U	5.0	0.60
56-23-5	Carbon Tetrachloride	1.0U	1.0	0.21
108-90-7	Chlorobenzene	1.0U	1.0	0.065
75-00-3	Chloroethane	1.0U	1.0	0.18
67-66-3	Chloroform	1.0U	1.0	0.077
74-87-3	Chloromethane	1.0U	1.0	0.10
96-12-8	1,2-Dibromo-3-chloropropane	1.0U	1.0	0.41
124-48-1	Dibromochloromethane	1.0U	1.0	0.15
106-93-4	1,2-Dibromoethane	1.0U	1.0	0.096
95-50-1	1,2-Dichlorobenzene	1.0U	1.0	0.27
541-73-1	1,3-Dichlorobenzene	1.0U	1.0	0.21
106-46-7	1,4-Dichlorobenzene	1.0U	1.0	0.21
75-34-3	1,1-Dichloroethane	**5.2**	1.0	0.18
107-06-2	1,2-Dichloroethane	**1.3**	1.0	0.15
75-35-4	1,1-Dichloroethene	**12**	1.0	0.17
156-59-2	cis-1,2-Dichloroethene	**18**	1.0	0.19
156-60-5	trans-1,2-Dichloroethene	1.0U	1.0	0.10
78-87-5	1,2-Dichloropropane	1.0U	1.0	0.19
10061-01-5	cis-1,3-Dichloropropene	1.0U	1.0	0.15
10061-02-6	trans-1,3-Dichloropropene	1.0U	1.0	0.19
100-41-4	Ethylbenzene	1.0U	1.0	0.044
591-78-6	2-Hexanone	5.0U	5.0	1.3
75-09-2	Methylene Chloride	1.0U	1.0	0.19
78-93-3	2-Butanone (MEK)	5.0U	5.0	1.5
108-10-1	4-Methyl-2-pentanone (MIBK)	5.0U	5.0	0.87

VALIDATED

Continued on next page

Reviewed By [signature]

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**MW204**	Sampled:	06/29/10 09:47
Lab Sample ID:	**1006472-09**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/06/10 By: JDM
Dilution Factor:	1	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	1.0U	1.0	0.11
79-34-5	1,1,2,2-Tetrachloroethane	1.0U	1.0	0.22
127-18-4	Tetrachloroethene	**2.0**	1.0	0.24
108-88-3	Toluene	1.0U	1.0	0.081
71-55-6	1,1,1-Trichloroethane	**4.3**	1.0	0.13
79-00-5	1,1,2-Trichloroethane	1.0U	1.0	0.13
79-01-6	Trichloroethene	**61**	1.0	0.084
75-01-4	Vinyl Chloride	1.0U	1.0	0.054
1330-20-7	Xylene (Total)	3.0U	3.0	0.40

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	95	*88-115*
1,2-Dichloroethane-d4	94	*81-116*
Toluene-d8	102	*87-113*
4-Bromofluorobenzene	91	*78-116*

VALIDATED

Reviewed By [signature]

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**FD-2** MW-101A dupe	Sampled:	06/28/10 10:55
Lab Sample ID:	**1006472-04**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/06/10 By: JDM
Dilution Factor:	2	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08006

Volatile Organic Compounds by EPA Method 8260B

CAS Number	Analyte	Analytical Result	RL	MDL
67-64-1	Acetone	10U	10	3.6
71-43-2	Benzene	2.0U	2.0	0.25
74-97-5	Bromochloromethane	2.0U	2.0	0.23
75-27-4	Bromodichloromethane	2.0U	2.0	0.28
75-25-2	Bromoform	2.0U	2.0	0.23
74-83-9	Bromomethane	2.0U	2.0	0.23
75-15-0	Carbon Disulfide	10U	10	1.2
56-23-5	Carbon Tetrachloride	2.0U	2.0	0.42
108-90-7	Chlorobenzene	2.0U	2.0	0.13
75-00-3	Chloroethane	2.0U	2.0	0.36
67-66-3	Chloroform	2.0U	2.0	0.15
74-87-3	Chloromethane	2.0U	2.0	0.21
96-12-8	1,2-Dibromo-3-chloropropane	2.0U	2.0	0.83
124-48-1	Dibromochloromethane	2.0U	2.0	0.30
106-93-4	1,2-Dibromoethane	2.0U	2.0	0.19
95-50-1	1,2-Dichlorobenzene	2.0U	2.0	0.55
541-73-1	1,3-Dichlorobenzene	2.0U	2.0	0.43
106-46-7	1,4-Dichlorobenzene	2.0U	2.0	0.42
75-34-3	1,1-Dichloroethane	**51**	2.0	0.35
107-06-2	1,2-Dichloroethane	2.0U	2.0	0.30
75-35-4	1,1-Dichloroethene	**14**	2.0	0.34
156-59-2	cis-1,2-Dichloroethene	**200**	2.0	0.39
156-60-5	trans-1,2-Dichloroethene	**5.3**	2.0	0.20
78-87-5	1,2-Dichloropropane	2.0U	2.0	0.38
10061-01-5	cis-1,3-Dichloropropene	2.0U	2.0	0.29
10061-02-6	trans-1,3-Dichloropropene	2.0U	2.0	0.37
100-41-4	Ethylbenzene	2.0U	2.0	0.088
591-78-6	2-Hexanone	10U	10	2.7
75-09-2	Methylene Chloride	2.0U	2.0	0.38
78-93-3	2-Butanone (MEK)	10U	10	3.0
108-10-1	4-Methyl-2-pentanone (MIBK)	10U	10	1.7

VALIDATED

Continued on next page

Reviewed By: [signature]

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

ANALYTICAL REPORT

Client:	**Nationwide Environmental Services, Inc.**	Work Order:	**1006472**
Project:	SE Rockford, Il Site	Description:	Laboratory Services
Client Sample ID:	**FD-2** MW-10A dupe	Sampled:	06/28/10 10:55
Lab Sample ID:	**1006472-04**	Sampled By:	Patrick Egan
Matrix:	Water	Received:	06/30/10 09:30
Unit:	ug/L	Prepared:	07/06/10 By: JDM
Dilution Factor:	2	Analyzed:	07/07/10 By: JDM
QC Batch:	1006682	Analytical Batch:	0G08006

Volatile Organic Compounds by EPA Method 8260B (Continued)

CAS Number	Analyte	Analytical Result	RL	MDL
100-42-5	Styrene	2.0U	2.0	0.21
79-34-5	1,1,2,2-Tetrachloroethane	2.0U	2.0	0.43
127-18-4	Tetrachloroethene	**6.3**	2.0	0.49
108-88-3	Toluene	2.0U	2.0	0.16
71-55-6	1,1,1-Trichloroethane	**86**	2.0	0.27
79-00-5	1,1,2-Trichloroethane	2.0U	2.0	0.27
79-01-6	Trichloroethene	**37**	2.0	0.17
75-01-4	Vinyl Chloride	2.0U	2.0	0.11
1330-20-7	Xylene (Total)	6.0U	6.0	0.81

Surrogates:	***% Recovery***	***Control Limits***
Dibromofluoromethane	98	*88-115*
1,2-Dichloroethane-d4	95	*81-116*
Toluene-d8	102	*87-113*
4-Bromofluorobenzene	92	*78-116*

VALIDATED

Reviewed By _____

Date 7/19/10

This report shall not be reproduced, except in full, without written authorization of TriMatrix Laboratories, Inc.
Individual sample results relate only to the sample tested.

5560 Corporate Exchange Court SE ♦ Grand Rapids, MI 49512 ♦ 616.975.4500 ♦ Fax 616.942.7463 ♦ www.trimatrixlabs.com

TRIMATRIX LABORATORIES

5560 Corporate Exchange Court SE
Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No. 133820

Pg. 1 of 2

For Lab Use Only
Cart: —
VOA Rack/Tray: white Box
Receipt Log No.: 41-9
Project Chemist:
Work Order No.: 1006472

Client Name: Nationwide Env Svcs
Address: 14818 W 6th Ave Sta
City, State Zip: Golden CO
Phone/Fax: 303 232 2134
Email:

Project Name: SE Rock
Client Project No. / P.O. No.:
Invoice To: ☐ Client ☐ Other (comments)
Contact/Report To: Dotterer/Lefleur

Analyses Requested: VOC Pest Contact

Container Type (corresponds to Container Packing List): 1

PRESERVATIVES
A NONE pH~7
B HNO_3 pH<2
C H_2SO_4 pH<2
D 1+1 HCl pH<2
E NaOH pH>12
F ZnAc/NaOH pH>9
G MeOH
H Other (note below)

Schedule	Matrix Code	Sample Number	Field Sample ID	Cooler ID	Sample Date	Sample Time	C O M P	G R A B	Matrix	Number of Containers Submitted	Total	Sample Comments
		01	MW 101B		6/28/10	1019		✓	GW	3	3	
		02	MW 102A		6/28	1423		✓	GW	3	3	
		03	MW 101A		6/28	1052		✓	GW	3	3	
		04	FD-2		6/28	1055		✓	GW	3	3	
		05	MW 101D		6/28	1126		✓	GW	3	3	
		06	MW 101C		6/28	1157		✓	GW	3	3	
		07	MW 102C		6/28	1328		✓	GW	3	3	
		08	MW 102B		6/28	1358		✓	GW	3	3	
		09	MW 204		6/29	947		✓	GW	3	3	
		10	MW 119		6/29	1035		✓	GW	3	3	

Sampled By (print): PATRICK EGAN
Sampler's Signature: [signature]
Company: AEE

How Shipped? Hand ___ Carrier Fedex
Tracking No. 7988 0248 6098

Comments: Samples Kept in Secure Location @ 4°C

1. Relinquished By	Date	Time	2. Relinquished By	Date	Time	3. Relinquished By	Date	Time
[signature]	6/29/10	1915						

1. Received By	Date	Time	2. Received By	Date	Time	3. Received For Lab By	Date	Time
						[signature]	6/30/10	0950

WHITE COPY - REPORT YELLOW COPY - LABORATORY PINK COPY - FIELD

TRIMATRIX LABORATORIES

5560 Corporate Exchange Court SE
Grand Rapids, MI 49512
Phone (616) 975-4500 Fax (616) 942-7463
www.trimatrixlabs.com

Chain of Custody Record

COC No. 133819

Pg. 2 of 2

For Lab Use Only
Cart: —
VOA Rack/Tray: White Box
Receipt Log No.: 41-9
Project Chemist:
Work Order No.: 1006472

Client Name: Nationwide Env. Svcs
Address: 14818 W. 6th Ave 5A
City, State Zip: Golden CO
Phone/Fax: 303 232 2154
Email:

Project Name: SE Rock
Client Project No. / P.O. No.:
Invoice To: ☐ Client ☐ Other (comments)
Contact/Report To: LaFlamme/Dotterer

Analyses Requested: VOC Per Contract

PRESERVATIVES
A NONE pH~7
B HNO_3 pH<2
C H_2SO_4 pH<2
D 1+1 HCl pH<2
E NaOH pH>12
F ZnAc/NaOH pH>9
G MeOH
H Other (note below)

Container Type (corresponds to Container Packing List)

Schedule	Matrix Code	Sample Number	Field Sample ID	Cooler ID	Sample Date	Sample Time	COMP	GRAB	Matrix	Number of Containers Submitted	Total	Sample Comments
		11	MW 121		6/29/10	1110		✓	GW	3	3	
		12	MW 113B		6/29	1155		✓	GW	3	3	
		13	MW 113A		6/29	1228		✓	GW	3	3	
		14	MW 136		6/29	1320		✓	GW	3	3	
		15	MW 200		6/29	1405		✓	GW	3	3	
		16	MW 130		6/29	1444		✓	GW	3	3	
		17	MW 203		6/29	1523		✓	GW	3	3	
		18	MW 202		6/29	1547		✓	GW	3	3	
		19	MW 201		6/29	1614		✓	GW	3	3	
		20	MW 124		6/29	1700		✓	GW	3	3	

Sampled By (print): PATRICK EGAN
Sampler's Signature: [signature]
Company: AEE

How Shipped? Hand ___ Carrier Fedex
Tracking No.: 7488 0248 6098

1. Relinquished By	Date	Time	2. Relinquished By	Date	Time	3. Relinquished By	Date	Time
[signature]	6/29/10	1915						

1. Received By	Date	Time	2. Received By	Date	Time	3. Received For Lab By	Date	Time
						[signature]	6/30/10	0930

Comments

WHITE COPY - REPORT YELLOW COPY - LABORATORY PINK COPY - FIELD

APPENDIX B
Ground Water Monitoring
Field Data Sheets

Vernier Format 2			Pump Rate (ml/min)	500	Thickness (ft)	39.69
MW16			Water Level	22.70		
Latest	Volume prior to sampling (l)		6.00	Total Volume Removed (l)		16.50
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	27.3
0	-9.67	308.92	5.25	8.52	20.75	
1	35.17	316.81	6.40	8.22	17.87	
2	61.82	317.80	5.48	8.10	14.94	
3	76.02	318.18	4.39	8.04	14.25	
4	82.75	318.24	3.85	8.01	14.00	
5	89.62	318.41	3.67	7.98	13.75	
6	97.16	318.34	3.63	7.98	13.62	
7	104.21	318.43	3.64	7.96	13.56	
8	112.24	318.35	3.63	7.98	13.56	
9	118.83	318.41	3.61	7.97	13.62	
10	121.85	312.42	1.79	7.71	13.69	
11	138.04	312.38	1.79	7.49	13.75	
12	146.92	318.40	1.60	7.71	13.69	
13	153.99	317.78	1.60	7.71	13.56	
14	153.46	317.37	1.60	7.71	13.62	
15	150.42	318.28	1.60	7.71	13.75	
16	156.06	317.88	1.60	7.71	13.75	
17	153.12	318.55	1.60	7.71	13.80	
18	148.46	318.57	1.60	7.71	13.87	
19	148.83	318.30	1.60	7.71	13.86	
	-4.29	**-0.08%**	**0.00%**	**0.00**	**0.45%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	350	Thickness (ft)	16.44
MW47			Water Level	38.05		
Latest	Volume prior to sampling (l)		2.80	Total Volume Removed (l)		14.70
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	16
0	282.53	281.45	16.02	7.35	21.87	
1	296.24	294.03	16.02	7.35	21.50	
2	302.06	295.99	16.02	7.34	15.12	
3	303.36	297.28	16.02	7.35	13.50	
4	304.03	298.83	16.02	7.35	12.81	
5	304.27	299.46	16.02	7.35	12.25	
6	307.29	299.95	16.02	7.35	11.87	
7	309.50	300.44	16.02	7.36	11.62	
8	311.57	300.71	16.02	7.36	11.50	
9	313.00	300.95	16.02	7.36	11.37	
10	314.51	301.11	16.01	7.36	11.31	
11	315.11	301.25	14.85	7.37	11.25	
12	316.09	301.26	16.02	7.37	11.49	
13	317.63	301.47	10.29	7.37	11.49	
14	318.05	301.47	9.73	7.37	11.49	
15	318.44	301.56	9.36	7.37	11.49	
16	319.66	301.70	9.33	7.37	11.49	
17	320.58	301.76	8.31	7.38	11.45	
18	321.87	301.81	8.29	7.38	11.45	
19	321.42	301.87	8.01	7.38	11.45	
20	322.22	301.98	8.24	7.38	11.45	
21	323.59	301.97	8.14	7.39	11.45	
22	324.33	301.91	8.11	7.38	11.41	
23	324.26	302.11	8.25	7.39	11.41	
24	323.98	302.12	7.90	7.39	11.47	
25	324.57	302.09	8.30	7.39	11.47	
26	324.36	302.03	8.24	7.39	11.44	
27	323.52	302.03	8.22	7.39	11.44	
28	323.59	302.08	8.18	7.40	11.45	
29	323.52	302.12	8.15	7.40	11.46	
30	323.52	302.11	8.15	7.40	11.42	
31	322.47	302.08	8.15	7.40	11.49	
32	321.10	302.16	8.20	7.40	11.49	
33	320.40	302.22	8.19	7.41	11.45	
34	319.21	302.19	8.15	7.41	11.45	
35	317.91	302.17	8.15	7.41	11.47	
	-2.49	**-0.02%**	**-0.49%**	**0.00**	**0.22%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	500	Thickness (ft)	21.35
MW 102A			Water Level	16.34		
Latest	Volume prior to sampling (l)		3.00	Total Volume Removed (l)		9.00
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	76
0	8.53	324.19	16.02	7.25	13.31	
1	19.12	324.01	14.66	7.24	13.37	
2	30.35	323.95	16.02	7.24	13.50	
3	33.82	323.91	16.02	7.24	13.37	
4	33.82	323.83	16.02	7.24	13.37	
5	37.92	323.85	16.02	7.23	13.37	
6	39.64	323.85	16.02	7.23	13.25	
7	32.62	323.77	16.02	7.23	13.25	
8	33.64	323.75	16.02	7.21	13.37	
9	32.58	323.94	16.02	7.18	13.44	
10	30.86	324.04	16.02	7.18	13.42	
11	33.35	323.99	16.02	7.19	13.31	
12	36.08	324.01	16.02	7.20	13.62	
	5.22	**-0.01%**	**0.00%**	**0.01**	**1.49%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	500	Thickness (ft)	87.36
MW 101D			Water Level	125.36		
Latest	Volume prior to sampling (l)		5.00	Total Volume Removed (l)		13.00
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	41
0	130.79	311.43	3.96	8.15	15.94	
1	153.02	313.84	3.52	8.01	13.37	
2	194.74	311.92	3.15	8.03	12.94	
3	206.17	312.18	2.75	8.00	12.69	
4	206.03	312.61	2.39	7.97	13.12	
5	228.89	312.33	2.19	7.95	13.06	
6	223.52	312.34	2.64	7.92	12.44	
7	227.09	311.44	2.64	7.89	12.39	
8	226.91	311.74	2.65	7.86	12.31	
9	224.58	311.62	2.64	7.85	12.37	
10	224.99	311.75	2.65	7.84	12.37	
11	228.53	313.02	2.64	7.82	12.37	
12	222.89	313.42	2.65	7.87	12.40	
13	227.91	314.11	2.65	7.82	12.41	
14	227.98	314.57	2.64	7.82	12.37	
15	229.10	314.75	2.66	7.82	12.31	
16	228.05	315.05	2.63	7.82	12.37	
	0.07	**0.15%**	**-0.21%**	**0.00**	**0.00%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	475	Thickness (ft)	135.87
MW 101C			Water Level	39.02		
Latest	Volume prior to sampling (l)		5.23	Total Volume Removed (l)		12.83
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	78
0	139.06	307.19	5.39	8.06	16.87	
1	161.15	311.61	3.85	8.00	17.12	
2	183.48	313.62	2.83	7.80	13.87	
3	197.82	314.24	2.40	7.67	12.87	
4	231.03	313.95	2.24	7.60	12.75	
5	245.19	313.94	2.18	7.56	12.62	
6	228.97	314.37	2.13	7.54	12.62	
7	228.83	314.25	2.14	7.42	12.62	
8	239.97	313.93	2.12	7.40	12.62	
9	225.26	313.90	2.14	7.49	12.94	
10	227.09	314.11	2.17	7.49	13.25	
11	227.45	314.10	2.18	7.45	13.26	
12	221.61	313.94	2.19	7.36	13.20	
13	222.98	314.01	2.19	7.32	13.17	
14	227.35	314.25	2.18	7.38	13.15	
15	228.28	314.01	2.17	7.36	13.06	
16	224.73	314.12	2.18	7.36	12.94	
	-2.62	**-0.04%**	**0.19%**	**-0.02**	**-1.62%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	450	Thickness (ft)	114.74
MW 101B			Water Level	39.00		
Latest	Volume prior to sampling (l)		4.05	Total Volume Removed (l)		14.85
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	0
0	280.50	311.99	16.02	7.23	13.94	
1	289.97	312.25	16.02	7.36	13.81	
2	294.95	312.71	1.13	7.43	13.25	
3	296.77	313.21	0.27	7.47	13.19	
4	297.30	313.59	1.16	7.52	13.00	
5	295.19	313.83	1.45	7.48	13.06	
6	289.37	314.03	1.48	7.52	13.06	
7	286.11	314.11	1.49	7.50	12.94	
8	286.11	314.17	1.43	7.45	12.94	
9	280.57	314.20	1.44	7.45	13.00	
10	276.99	314.24	1.45	7.44	13.06	
11	274.05	314.24	1.45	7.42	13.06	
12	272.33	314.29	1.43	7.42	13.06	
13	271.00	314.25	1.46	7.45	13.06	
14	265.35	314.27	1.48	7.41	13.06	
15	261.67	314.27	1.46	7.41	13.06	
16	257.92	314.26	1.48	7.41	13.06	
17	254.06	314.26	1.48	7.42	13.12	
18	251.01	314.26	1.50	7.44	13.06	
19	249.51	314.26	1.51	7.45	13.06	
20	249.04	314.36	1.54	7.46	13.06	
21	250.25	314.42	1.55	7.47	13.25	
22	249.87	314.43	1.59	7.48	13.31	
23	251.94	314.44	1.63	7.52	13.37	
24	249.59	314.44	1.64	7.49	13.30	
	-0.28	**0.00%**	**2.82%**	**0.01**	**-0.09%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2		Pump Rate (ml/min)		450	Thickness (ft)	52.39
MW 101A			Water Level	37.96		
Latest	Volume prior to sampling (l)		1.80	Total Volume Removed (l)		12.15
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	78
0	105.58	305.74	3.41	7.54	20.37	
1	120.13	315.10	4.57	7.55	20.25	
2	136.57	316.04	4.63	7.54	15.37	
3	158.91	316.50	3.63	7.55	14.19	
4	176.02	316.66	2.63	7.54	13.75	
5	186.50	316.69	2.05	7.52	13.44	
6	190.04	316.77	1.76	7.52	13.12	
7	190.60	316.76	1.60	7.51	12.87	
8	189.44	316.76	1.50	7.51	12.81	
9	187.69	316.68	1.43	7.52	12.81	
10	185.76	316.68	1.39	7.52	12.81	
11	127.17	316.43	1.94	7.52	12.81	
12	158.31	316.52	1.49	7.53	12.62	
13	174.09	316.58	1.42	7.54	12.94	
14	162.15	311.29	1.25	7.56	12.87	
15	164.30	316.52	1.50	7.53	13.56	
16	165.95	316.42	1.42	7.50	13.37	
17	171.17	316.43	1.39	7.49	13.37	
18	170.71	316.43	1.39	7.48	13.12	
19	167.43	316.55	1.51	7.49	12.87	
20	168.66	316.51	1.43	7.46	12.94	
21	168.60	316.51	1.42	7.44	12.81	
22	170.65	316.52	1.42	7.43	12.81	
23	172.40	316.51	1.40	7.44	12.81	
24	170.06	316.52	1.36	7.43	12.87	
	-0.60	**0.00%**	**-3.91%**	**0.00**	**0.49%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	450	Thickness (ft)	69.92
MW 102B			Water Level	30.58		
Latest	Volume prior to sampling (l)		3.15	Total Volume Removed (l)		12.60
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	38
0	20.17	313.03	16.02	7.56	17.56	
1	-56.02	312.10	16.02	7.46	14.31	
2	-55.53	312.09	16.02	7.42	13.25	
3	-61.18	312.04	16.02	7.41	13.12	
4	-65.49	312.02	16.02	7.41	13.44	
5	-72.47	312.01	16.02	7.39	13.56	
6	-71.94	312.11	16.02	7.40	13.69	
7	-71.87	312.12	16.02	7.40	13.87	
8	-70.96	312.10	16.02	7.41	13.12	
9	-68.16	312.26	16.02	7.40	13.25	
10	-67.49	312.43	16.02	7.41	13.37	
11	-65.49	312.66	16.02	7.38	13.12	
12	-66.65	312.70	16.02	7.38	13.22	
13	-69.77	312.49	16.02	7.38	13.15	
14	-69.00	312.36	16.02	7.38	12.94	
15	-68.44	312.34	16.02	7.39	12.87	
16	-66.65	312.46	16.02	7.39	12.81	
17	-64.30	312.35	16.02	7.39	12.81	
18	-63.25	312.43	16.02	7.39	12.75	
19	-61.39	312.44	16.02	7.39	12.81	
20	-61.32	312.45	16.02	7.40	12.75	
21	-60.51	312.45	16.02	7.40	12.87	
	0.88	**0.00%**	**0.00%**	**0.00**	**0.49%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	400	Thickness (ft)	154.92
MW 102C			Water Level	32.50		
Latest	Volume prior to sampling (l)		6.40	Total Volume Removed (l)		15.20
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	120
0	170.48	304.05	2.28	7.96	19.81	
1	28.20	312.43	7.37	7.80	19.37	
2	-47.47	310.78	9.40	7.72	16.69	
3	-73.84	311.09	10.03	7.67	14.00	
4	-77.17	309.05	15.84	7.64	13.44	
5	-76.22	307.75	16.02	7.57	13.56	
6	-95.22	306.57	16.02	7.61	14.75	
7	-80.36	305.08	16.02	7.60	13.37	
8	-73.62	306.01	16.02	7.60	13.25	
9	-73.24	306.74	16.02	7.59	13.06	
10	-82.85	306.78	16.02	7.58	13.44	
11	-105.15	306.94	16.02	7.58	13.19	
12	-106.48	307.41	16.02	7.57	13.31	
13	-103.25	308.27	16.02	7.57	13.31	
14	-103.78	308.87	16.02	7.57	13.44	
15	-107.42	309.17	16.02	7.56	13.31	
16	-108.34	309.68	16.02	7.56	13.25	
17	-105.22	309.93	16.02	7.57	13.37	
18	-102.94	310.10	16.02	7.56	13.31	
19	-102.48	310.26	16.02	7.56	13.19	
20	-104.37	310.36	16.02	7.57	13.81	
21	-102.55	310.60	16.02	7.56	13.62	
22	-100.90	310.90	16.02	7.56	13.25	
	3.47	**0.17%**	**0.00%**	**0.00**	**-4.07%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	450	Thickness (ft)	52.29
MW113A			Water Level	52.21		
Latest	Volume prior to sampling (l)		2.25	Total Volume Removed (l)		13.95
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	385
0	-50.20	318.19	10.72	7.31	12.87	
1	-30.25	318.17	2.65	7.32	12.56	
2	-17.10	318.43	6.85	7.32	12.56	
3	-5.96	318.62	8.33	7.30	12.56	
4	-4.97	318.74	10.53	7.30	12.56	
5	-0.28	318.79	4.18	7.31	12.69	
6	7.51	318.70	12.07	7.32	12.87	
7	19.89	318.62	5.62	7.33	13.00	
8	40.26	318.53	12.48	7.33	13.06	
9	52.14	318.52	9.97	7.34	13.12	
10	48.46	318.60	8.09	7.35	13.06	
11	56.10	318.60	6.47	7.34	13.06	
12	66.17	318.49	5.69	7.34	13.00	
13	78.89	318.38	6.02	7.34	13.06	
14	86.08	318.42	6.47	7.34	13.12	
15	80.78	318.43	8.82	7.33	12.62	
16	86.25	318.53	8.82	7.33	12.50	
17	82.49	318.49	8.82	7.32	12.50	
18	87.36	318.53	8.81	7.33	12.62	
19	82.81	318.60	8.82	7.34	12.62	
20	89.55	318.50	8.82	7.33	12.87	
21	80.79	318.61	8.82	7.32	12.62	
22	81.61	318.44	8.82	7.34	12.56	
23	87.24	318.60	8.82	7.33	12.75	
24	82.89	318.63	8.85	7.33	12.56	
25	79.00	318.58	8.82	7.34	12.56	
26	82.74	318.42	8.80	7.35	12.62	
	-0.15	**-0.06%**	**-0.65%**	**0.02**	**0.50%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	475	Thickness (ft)	102.24
MW113B			Water Level	53.02		
Latest	Volume prior to sampling (l)		1.90	Total Volume Removed (l)		12.35
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	112
0	107.86	282.52	1.25	8.08	14.19	
1	122.44	181.26	2.23	7.91	14.19	
2	26.23	309.06	2.90	7.85	12.56	
3	-89.51	311.61	2.82	7.82	12.44	
4	-105.46	312.41	2.51	7.78	12.25	
5	-101.85	312.68	2.36	7.69	12.19	
6	-83.93	312.68	2.07	7.58	12.19	
7	-78.50	312.78	2.25	7.55	12.25	
8	-66.65	312.86	2.29	7.49	12.19	
9	-53.74	312.87	3.15	7.47	12.12	
10	-42.45	312.97	3.36	7.46	12.12	
11	-20.37	312.76	2.96	7.43	12.12	
12	35.02	312.96	2.89	7.42	12.19	
13	64.90	313.02	3.11	7.41	12.19	
14	65.02	312.93	2.94	7.40	12.19	
15	62.07	312.95	3.02	7.40	12.19	
16	61.43	312.99	2.93	7.40	12.12	
17	67.80	312.86	2.94	7.38	12.19	
18	61.31	312.92	2.90	7.38	12.12	
19	65.55	312.91	3.18	7.42	12.12	
20	64.32	312.87	3.14	7.41	12.06	
21	62.84	312.86	3.10	7.41	12.00	
22	63.75	312.89	3.11	7.40	12.06	
23	65.64	312.84	3.05	7.40	12.06	
	2.80	**-0.01%**	**-1.48%**	**-0.01**	**0.52%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	475	Thickness (ft)	71.22
MW114A			Water Level	26.26		
Latest	Volume prior to sampling (l)		3.33	Total Volume Removed (l)		13.30
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	14.1
0	127.98	315.76	16.02	9.46	13.37	
1	141.09	314.76	16.02	8.92	13.50	
2	148.98	314.44	16.02	8.60	14.00	
3	169.46	313.34	16.02	8.40	13.87	
4	40.71	316.27	16.02	6.51	13.62	
5	-20.58	316.20	16.02	6.68	13.44	
6	420.26	321.41	16.02	8.63	13.44	
7	129.49	314.68	16.02	7.95	13.31	
8	132.01	315.11	16.02	7.90	13.12	
9	141.27	315.12	16.02	7.85	13.12	
10	154.28	314.90	16.02	7.81	13.12	
11	155.08	315.32	16.02	7.78	13.37	
12	158.98	314.77	16.02	7.76	13.75	
13	154.21	314.53	16.02	7.73	13.37	
14	156.56	314.56	16.02	7.71	13.40	
15	162.83	314.49	16.02	7.69	13.62	
16	164.83	314.61	16.02	7.67	13.44	
17	159.36	314.85	16.02	7.66	13.44	
18	157.75	314.93	16.02	7.68	13.37	
19	160.55	314.87	16.02	7.68	13.37	
20	160.13	314.94	16.02	7.68	13.50	
21	161.14	314.86	16.02	7.69	13.50	
	0.58	**0.00%**	**0.00%**	**0.01**	**0.93%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	425	Thickness (ft)	194.87
MW114B			Water Level	27.71		
Latest	Volume prior to sampling (l)		1.70	Total Volume Removed (l)		11.48
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	21.5
0	139.52	281.78	3.66	8.36	20.37	
1	69.11	304.20	2.72	8.39	20.37	
2	36.61	308.14	2.36	8.38	17.69	
3	5.93	309.06	2.14	8.36	16.44	
4	22.19	309.53	1.93	8.34	16.12	
5	20.60	309.83	1.99	8.28	16.12	
6	19.99	310.19	1.84	8.21	15.81	
7	23.74	310.67	1.77	8.21	15.62	
8	23.85	311.27	1.67	8.18	15.44	
9	21.12	311.67	1.57	8.15	15.50	
10	25.29	312.02	1.51	8.14	15.56	
11	19.44	312.30	1.45	8.13	15.37	
12	24.29	312.53	1.43	8.12	15.12	
13	19.17	312.71	1.43	8.11	15.00	
14	23.56	311.71	1.43	8.38	15.00	
15	17.18	312.42	1.41	8.47	15.00	
16	22.27	312.65	1.41	8.46	15.07	
17	21.03	312.60	1.41	8.45	15.11	
18	20.66	312.64	1.42	8.44	15.25	
19	23.06	312.57	1.40	8.46	15.19	
20	20.91	312.50	1.38	8.45	14.94	
21	20.77	312.84	1.31	8.45	15.10	
22	21.98	312.97	1.30	8.45	15.07	
23	21.83	313.12	1.33	8.43	15.09	
24	21.39	313.12	1.34	8.43	15.04	
	-0.59	**0.05%**	**3.11%**	**-0.02**	**-0.25%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	500	Thickness (ft)	86.07
MW117B			Water Level	3.43		
Latest	Volume prior to sampling (l)		11.50	Total Volume Removed (l)		24.50
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	0
0	237.02	314.61	1.03	7.35	13.37	
1	226.47	315.68	1.08	7.30	13.37	
2	234.36	316.36	1.15	7.25	13.37	
3	246.39	316.37	1.15	7.21	13.25	
4	259.04	316.17	1.15	7.21	13.19	
5	272.86	316.13	1.16	7.21	13.19	
6	287.51	316.11	1.17	7.21	13.31	
7	301.78	316.20	1.18	7.21	13.31	
8	303.05	316.43	1.22	7.21	13.19	
9	321.59	316.62	1.21	7.19	13.12	
10	300.45	316.51	1.27	7.18	13.12	
11	325.70	316.75	1.23	7.16	13.06	
12	338.95	316.96	1.22	7.15	13.12	
13	349.22	317.01	1.22	7.15	13.12	
14	357.99	317.09	1.22	7.15	13.19	
15	355.63	317.21	1.23	7.15	13.19	
16	353.31	317.27	1.23	7.16	13.25	
17	359.73	317.28	1.24	7.16	13.19	
18	354.46	317.35	1.24	7.17	13.12	
19	351.47	317.35	1.24	7.21	13.12	
20	355.26	317.35	1.25	7.20	13.12	
21	350.03	317.36	1.25	7.21	13.06	
22	354.87	317.34	1.25	7.21	13.06	
23	359.11	317.35	1.25	7.20	13.06	
24	353.07	317.33	1.26	7.20	13.06	
25	357.70	317.37	1.26	7.21	13.12	
	-1.41	**0.01%**	**0.26%**	**0.01**	**0.48%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	400	Thickness (ft)	155.28
MW117C			Water Level	3.03		
Latest	Volume prior to sampling (l)		2.50	Total Volume Removed (l)		10.80
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	0
0	166.02	309.13	1.70	8.19	18.31	
1	183.41	310.60	1.20	7.55	14.62	
2	200.03	311.28	1.14	7.43	13.94	
3	223.07	311.46	1.11	7.38	14.12	
4	209.43	317.16	1.69	7.35	14.12	
5	270.93	311.70	1.14	7.24	14.06	
6	306.41	313.45	1.08	7.20	14.50	
7	340.18	314.90	1.07	7.17	13.87	
8	368.44	316.00	1.06	7.14	13.75	
9	408.60	316.22	1.07	7.12	14.06	
10	435.50	316.64	1.06	7.12	13.87	
11	466.93	316.57	1.06	7.12	14.06	
12	485.10	316.70	1.07	7.12	14.19	
13	482.84	316.75	1.08	7.12	13.87	
14	479.44	316.72	1.08	7.13	13.81	
15	487.68	316.65	1.08	7.13	13.81	
16	482.16	316.63	1.08	7.14	14.06	
17	482.54	316.75	1.09	7.14	13.94	
18	483.45	316.75	1.09	7.18	13.87	
19	481.76	316.72	1.09	7.14	14.07	
20	488.84	316.61	1.09	7.14	14.06	
21	484.66	316.66	1.09	7.13	14.05	
	2.90	**-0.02%**	**0.05%**	**-0.01**	**-0.18%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	450	Thickness (ft)	197.17	
MW117D			Water Level	2.60			
Latest	Volume prior to sampling (l)		1.80	Total Volume Removed (l)		9.45	
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity	
t	Signal	Con	DO	pH	Temp	NTU	
min	mV	µS/cm	mg/L		°C	0	
0	165.57	313.66	1.73	7.31	14.06		
1	184.12	313.36	1.46	7.35	14.12		
2	205.64	312.95	1.30	7.35	14.19		
3	234.43	312.45	1.21	7.34	14.25		
4	259.36	312.77	1.19	7.27	14.19		
5	293.89	313.35	1.16	7.22	14.12		
6	328.08	314.70	1.15	7.19	14.19		
7	291.05	314.47	1.19	7.16	14.06		
8	355.57	315.92	1.12	7.11	14.00		
9	379.83	316.52	1.10	7.07	14.06		
10	396.70	316.85	1.09	7.03	14.12		
11	407.92	317.00	1.08	7.03	14.12		
12	406.09	317.09	1.07	7.05	14.12		
13	405.37	316.87	0.96	7.05	13.92		
14	405.52	316.67	0.96	7.04	14.01		
15	406.16	317.18	0.99	7.05	13.97		
16	404.22	316.94	0.97	7.05	13.99		
17	407.76	317.07	0.98	7.06	13.97		
18	405.29	316.96	0.98	7.06	13.96		
	1.07	**0.01%**	**1.03%**	**0.01**	**-0.21%**		
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**		

Vernier Format 2 Pump Rate (ml/min) 450 Thickness (ft) . 38.51

MW119 Water Level 23.91

Latest Volume prior to sampling (l) 2.70 Total Volume Removed (l) 10.35

Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	61
0	102.81	310.78	12.98	8.33	15.31	
1	103.05	313.79	12.30	8.31	15.31	
2	105.44	315.50	13.02	8.25	14.87	
3	110.73	316.11	13.03	8.08	14.12	
4	115.39	316.33	13.02	8.02	13.87	
5	119.50	316.53	13.03	7.98	13.87	
6	122.44	316.69	13.03	7.95	13.75	
7	124.83	316.78	13.03	7.92	13.56	
8	127.14	316.86	13.04	7.80	13.56	
9	127.77	316.95	13.05	7.79	13.62	
10	126.93	317.08	12.91	7.74	13.69	
11	146.53	316.85	12.90	7.79	13.55	
12	135.41	317.10	12.92	7.73	13.51	
13	129.24	317.19	12.92	7.78	13.47	
14	130.08	317.12	12.93	7.76	13.44	
15	131.59	317.17	12.93	7.74	13.56	
16	131.21	317.27	12.95	7.74	13.51	
17	134.19	317.17	12.95	7.74	13.47	
	2.59	**0.00%**	**0.10%**	**0.00**	**-0.65%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	475	Thickness (ft)	46.88
MW121			Water Level	20.67		
Latest	Volume prior to sampling (l)		2.85	Total Volume Removed (l)		11.88
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	65
0	126.37	317.84	16.02	7.59	14.50	
1	154.73	318.36	12.86	7.31	14.56	
2	158.59	318.64	12.91	7.19	13.94	
3	159.26	318.70	12.92	7.17	13.81	
4	159.64	318.69	12.93	7.15	13.87	
5	167.43	318.65	12.93	7.12	13.87	
6	171.74	318.68	12.93	7.11	13.87	
7	174.26	318.63	12.93	7.11	13.87	
8	171.46	318.83	12.93	7.12	13.94	
9	168.51	318.64	12.93	7.19	13.87	
10	166.62	318.85	12.93	7.19	13.94	
11	163.74	318.77	12.94	7.11	13.87	
12	163.57	318.71	12.94	7.11	13.87	
13	163.29	318.72	12.94	7.11	13.94	
14	164.87	318.66	12.94	7.11	13.94	
15	164.48	318.77	12.93	7.11	14.00	
16	162.47	318.51	12.93	7.11	13.87	
17	162.91	314.12	12.87	7.11	13.75	
18	168.09	310.87	12.86	7.11	13.75	
19	167.97	313.40	12.86	7.11	13.69	
	5.06	**-0.23%**	**-0.12%**	**0.00**	**-0.45%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	450	Thickness (ft)	69.35
MW124			Water Level	33.41		
Latest	Volume prior to sampling (l)		6.75	Total Volume Removed (l)		13.50
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	7
0	-109.21	318.59	0.82	7.49	15.69	
1	-105.81	318.62	0.82	7.49	15.69	
2	-106.97	318.33	0.82	7.48	15.44	
3	-108.41	318.05	0.82	7.48	15.44	
4	-110.30	318.03	0.82	7.47	15.06	
5	-96.66	318.00	0.82	7.45	14.62	
6	-94.91	317.95	0.82	7.41	14.37	
7	-91.43	317.92	0.81	7.38	14.56	
8	-91.95	318.02	0.81	7.38	14.75	
9	-98.31	318.03	0.80	7.37	14.75	
10	-95.82	318.10	0.79	7.37	14.81	
11	-91.26	318.08	0.79	7.37	14.75	
12	-89.23	318.20	0.80	7.37	14.69	
13	-94.91	318.19	0.80	7.37	14.44	
14	-90.11	318.25	0.81	7.37	14.44	
15	-96.15	318.26	0.81	7.38	14.45	
	-1.23	**0.02%**	**1.12%**	**0.00**	**0.09%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	450	Thickness (ft)	16.67
MW130			Water Level	21.50		
Latest	Volume prior to sampling (l)		4.05	Total Volume Removed (l)		13.05
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	12
0	81.63	312.56	0.77	8.26	21.87	
1	109.43	317.91	-0.16	11.61	18.56	
2	115.39	318.78	-0.33	7.71	15.62	
3					14.19	
4	24.27	319.26	1.37	7.71	13.62	
5	6.91	319.24	1.22	7.71	13.44	
6	-9.33	319.24	7.14	7.71	13.69	
7	-14.56	319.34	1.60	7.71	13.56	
8	-18.66	319.36	0.17	7.71	13.19	
9	-26.55	319.36	0.78	7.71	13.06	
10	-36.74	318.95	0.83	7.71	13.19	
11	-76.30	319.26	0.83	7.71	13.69	
12	-130.40	319.26	0.83	7.71	13.25	
13	-134.65	319.45	0.83	7.71	12.94	
14	-134.37	319.47	0.83	7.71	12.94	
15	-124.75	316.71	0.82	7.69	12.95	
16	-127.09	316.79	0.82	7.68	12.92	
17	-128.85	316.83	0.81	7.66	12.96	
18	-130.11	316.86	0.81	7.65	13.06	
19	-130.21	316.95	0.81	7.64	13.00	
20	-130.21	316.97	0.81	7.63	13.00	
	-0.11	**0.03%**	**-0.25%**	**-0.02**	**-0.48%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	400	Thickness (ft)	14.23
MW133A			Water Level	23.62		
Latest	Volume prior to sampling (l)		3.60	Total Volume Removed (l)		12.80
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	3
0	167.04	281.02	5.23	8.33	15.00	
1	170.48	289.04	6.09	8.38	14.75	
2	173.81	292.03	6.80	7.82	13.00	
3	178.96	293.25	7.10	7.63	12.56	
4	186.57	293.30	7.22	7.50	12.50	
5	194.14	293.08	7.29	7.44	12.44	
6	200.59	292.85	7.27	7.39	12.37	
7	206.45	292.71	7.18	7.36	12.37	
8	208.52	293.61	7.23	7.43	12.44	
9	197.96	294.55	7.46	7.39	12.50	
10	195.34	293.90	7.74	7.31	12.75	
11	194.74	293.79	7.78	7.26	13.00	
12	194.49	293.92	8.12	7.25	12.39	
13	196.77	293.91	8.03	7.24	12.16	
14	199.58	294.04	8.05	7.24	12.12	
15	203.61	294.35	8.05	7.24	11.94	
16	202.15	294.63	7.97	7.22	11.81	
17	205.59	294.78	7.83	7.21	11.75	
18	204.09	294.78	7.69	7.22	11.81	
19	202.28	294.78	7.53	7.23	11.94	
20	202.12	294.85	7.45	7.23	11.94	
21	202.49	295.10	7.41	7.22	12.06	
	0.21	**0.11%**	**-1.62%**	**-0.01**	**1.05%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	390	Thickness (ft)	38.28
MW133B			Water Level	23.21		
Latest	Volume prior to sampling (l)		1.17	Total Volume Removed (l)		9.36
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	228
0	192.00	306.26	7.79	7.22	17.37	
1	220.54	310.69	6.32	7.14	15.56	
2	235.87	310.68	4.53	7.22	13.12	
3	240.64	311.26	3.77	7.25	12.75	
4	237.23	311.68	3.53	7.26	12.62	
5	233.59	312.02	3.50	7.26	12.37	
6	228.19	312.12	3.32	7.26	12.37	
7	224.68	312.10	3.31	7.26	12.44	
8	224.75	311.92	3.21	7.26	12.44	
9	224.02	311.84	3.15	7.26	12.56	
10	224.09	311.79	3.19	7.26	12.62	
11	214.41	311.35	3.16	7.23	12.62	
12	179.94	314.75	3.26	7.21	12.54	
13	181.40	314.45	3.27	7.20	13.53	
14	180.88	314.18	3.33	7.19	12.49	
15	181.00	314.18	3.40	7.18	12.41	
16	183.51	314.08	3.38	7.17	12.47	
17	177.37	313.96	3.27	7.15	12.42	
18	178.32	313.86	3.26	7.15	12.37	
19	177.08	313.37	3.24	7.13	12.37	
20	183.43	313.35	3.22	7.10	12.25	
21	181.99	313.78	3.29	7.08	12.12	
22	179.18	313.20	3.35	7.08	12.19	
23	178.30	313.15	3.28	7.08	12.19	
	-3.70	**-0.20%**	**-0.39%**	**0.00**	**0.52%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	500	Thickness (ft)	79.39
MW133C			Water Level	19.10		
Latest	Volume prior to sampling (l)		3.50	Total Volume Removed (l)		12.50
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	1
0	157.12	300.97	2.24	7.32	17.69	
1	192.81	301.38	1.95	7.28	15.00	
2	232.47	304.43	1.59	7.25	13.44	
3	274.96	305.00	1.38	7.23	13.00	
4	313.74	305.46	1.29	7.20	12.69	
5	348.84	305.71	1.25	7.20	12.87	
6	380.11	306.03	1.25	7.20	13.00	
7	403.39	306.17	1.22	7.20	13.00	
8	424.71	306.36	1.20	7.21	13.12	
9	472.38	306.61	1.21	7.21	13.00	
10	492.85	306.77	1.21	7.21	12.81	
11	493.38	306.78	1.21	7.21	12.89	
12	493.90	306.77	1.23	7.21	12.85	
13	494.81	306.82	1.20	7.21	12.94	
14	493.36	306.87	1.19	7.21	13.12	
15	499.43	306.88	1.20	7.21	13.12	
16	499.74	306.91	1.22	7.21	13.12	
17	501.50	306.95	1.22	7.21	13.12	
18	502.44	307.01	1.22	7.21	13.12	
	2.70	**0.03%**	**-0.23%**	**0.00**	**0.00%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	315	Thickness (ft)	14.45
MW136			Water Level	29.88		
Latest	Volume prior to sampling (l)		3.78	Total Volume Removed (l)		8.82
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	93
0	117.92	316.81	0.84	8.08	17.87	
1	126.16	318.40	0.85	8.09	16.94	
2	134.82	318.87	0.85	8.06	16.50	
3	143.51	319.22	0.85	8.04	16.56	
4	153.61	319.25	0.84	8.02	16.25	
5	164.73	319.38	0.78	8.02	16.00	
6	160.05	319.44	0.78	7.99	16.12	
7	162.81	319.60	0.78	8.01	16.87	
8	160.78	319.48	0.78	8.01	16.12	
9	163.36	319.09	0.79	8.02	15.75	
10	161.41	318.85	0.78	8.00	15.89	
11	167.90	319.02	0.78	8.01	15.81	
12	160.18	318.71	0.79	8.02	16.00	
13	159.78	318.95	0.79	8.00	16.00	
14	160.78	319.10	0.78	8.01	16.05	
15	159.04	319.24	0.78	8.00	15.95	
16	159.19	319.19	0.79	8.01	15.91	
	-1.59	**0.03%**	**0.96%**	**0.00**	**-0.86%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	400	Thickness (ft)	43.12	
MW200			Water Level	46.81			
Latest	Volume prior to sampling (l)		3.60	Total Volume Removed (l)		12.00	
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity	
t	Signal	Con	DO	pH	Temp	NTU	
min	mV	µS/cm	mg/L		°C	221	
0	-114.61	317.54	0.81	7.38	14.87		
1	-71.87	318.19	0.82	7.10	14.87		
2	-56.20	318.02	0.82	6.96	14.87		
3	-44.94	318.22	0.75	6.89	13.56		
4	-38.91	318.10	0.29	6.85	13.75		
5	-32.04	317.84	0.14	7.13	13.12		
6	-26.12	317.92	0.46	7.07	13.31		
7	-27.17	317.92	0.12	7.09	13.50		
8	-23.70	318.01	1.08	7.10	13.00		
9	-19.66	317.93	1.28	7.11	12.94		
10	-14.83	317.92	0.94	7.11	13.06		
11	-39.11	317.92	0.81	7.11	13.12		
12	-60.21	317.89	0.84	7.11	13.19		
13	-123.28	317.69	0.80	7.11	13.25		
14	-122.61	317.51	0.83	7.10	13.12		
15	-121.30	318.07	0.82	7.10	13.25		
16	-124.75	316.71	0.82	7.09	13.25		
17	-127.09	316.79	0.82	7.08	13.12		
18	-128.85	316.83	0.81	7.08	13.12		
19	-130.11	316.86	0.81	7.08	13.12		
20	-130.21	316.95	0.81	7.08	13.12		
21	-130.21	316.97	0.81	7.09	13.12		
	-0.11	**0.03%**	**-0.25%**	**0.01**	**-0.02%**		
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**		

Vernier Format 2			Pump Rate (ml/min)	400	Thickness (ft)	21.76
MW201			Water Level	28.39		
Latest	Volume prior to sampling (l)		3.20	Total Volume Removed (l)		11.60
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	0
0	68.34	320.06	6.16	7.26	15.87	
1	26.72	320.09	10.38	7.26	15.75	
2	1.37	320.21	10.25	7.25	15.87	
3	-4.83	320.18	0.78	7.25	15.12	
4	-10.30	320.19	2.77	7.24	15.25	
5	-13.07	320.11	6.99	7.25	15.37	
6	-18.09	320.05	8.82	7.25	15.37	
7	-26.05	319.88	4.49	7.25	15.56	
8	-27.24	319.88	2.65	7.26	15.44	
9	-30.88	319.76	0.80	7.28	15.50	
10	-33.20	319.78	0.75	7.27	15.19	
11	-34.81	319.78	0.75	7.27	15.31	
12	-36.04	319.70	0.75	7.26	15.34	
13	-39.37	319.60	0.76	7.26	15.31	
14	-40.35	319.59	0.75	7.27	15.37	
15	-43.09	319.59	0.76	7.27	15.29	
16	-42.03	319.58	0.75	7.26	15.31	
17	-45.51	319.58	0.75	7.26	15.29	
18	-47.01	319.53	0.75	7.26	15.24	
19	-48.17	319.52	0.75	7.25	15.26	
20	-48.98	319.53	0.75	7.25	15.25	
21	-48.98	319.48	0.75	7.25	15.25	
	-0.81	**-0.01%**	**0.00%**	**0.00**	**-0.08%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	500	Thickness (ft)	27.55
MW202			Water Level	27.55		
Latest	Volume prior to sampling (l)		3.50	Total Volume Removed (l)		11.00
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	129
0	80.26	317.27	0.81	7.35	16.31	
1	62.77	317.42	0.81	7.43	16.31	
2	67.74	317.61	0.81	7.30	15.87	
3	61.54	317.62	0.81	7.28	15.69	
4	58.21	317.65	0.80	7.22	15.75	
5	52.81	317.69	0.90	7.26	15.81	
6	52.88	317.69	0.83	7.26	15.44	
7	49.72	317.63	0.83	7.25	15.50	
8	55.44	317.66	0.85	7.25	15.50	
9	56.45	317.63	0.85	7.24	15.62	
10	58.58	317.77	0.82	7.24	15.69	
11	58.42	317.75	0.83	7.24	15.44	
12	62.70	317.76	0.81	7.23	15.56	
13	62.50	317.77	0.79	7.23	15.69	
14	61.08	317.74	0.80	7.23	15.75	
15	62.19	317.77	0.81	7.23	15.50	
	-0.32	**0.00%**	**2.39%**	**0.00**	**-1.20%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	400	Thickness (ft)	22.18
MW203			Water Level	27.17		
Latest	Volume prior to sampling (l)		6.40	Total Volume Removed (l)		12.80
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	14
0	60.77	313.26	0.33	8.11	16.56	
1	59.86	313.51	0.33	7.88	16.62	
2	57.86	313.61	0.33	7.76	16.81	
3	58.14	313.50	0.33	7.68	16.87	
4	61.40	313.36	0.33	7.63	17.00	
5	73.35	313.09	0.33	7.59	17.12	
6	62.70	313.18	0.33	7.55	17.25	
7	63.72	313.17	0.33	7.52	16.00	
8	65.51	313.12	0.33	7.50	16.19	
9	65.71	312.95	0.33	7.48	15.31	
10	68.28	313.19	0.33	7.46	15.44	
11	66.67	313.11	0.33	7.44	15.31	
12	61.89	313.20	0.33	7.42	15.50	
13	61.99	311.86	0.33	7.31	15.50	
14	66.17	313.20	0.33	7.43	15.69	
15	67.46	313.11	0.33	7.42	15.62	
16	68.42	312.78	0.30	7.41	15.65	
	2.26	**-0.13%**	**-7.80%**	**-0.02**	**-0.24%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	425	Thickness (ft)	64.39
MW204			Water Level	24.57		
Latest	Volume prior to sampling (l)		2.55	Total Volume Removed (l)		12.75
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	33
0	38.89	314.06	0.13	8.04	15.44	
1	51.69	314.10	0.64	7.67	15.44	
2	60.80	314.33	1.19	7.51	14.62	
3	65.57	314.52	1.47	7.42	14.37	
4	68.45	314.64	1.57	7.35	14.31	
5	70.76	314.59	1.65	7.29	14.25	
6	71.92	314.61	2.19	7.26	14.25	
7	72.62	314.60	1.92	7.24	14.19	
8	73.74	314.59	0.95	7.23	14.19	
9	74.30	314.57	1.14	7.23	14.19	
10	74.90	314.57	1.63	7.23	14.19	
11	76.93	314.47	2.30	7.71	14.19	
12	77.74	314.67	2.20	7.71	14.25	
13	79.10	314.65	1.89	7.71	14.06	
14	78.96	314.72	1.64	7.71	14.06	
15	80.19	314.75	1.85	7.71	14.19	
16	77.91	314.69	1.91	7.71	14.25	
17	79.88	314.85	1.67	7.71	14.06	
18	80.65	314.71	1.76	7.71	14.19	
19	81.84	314.75	1.71	7.71	14.19	
20	82.68	314.69	1.70	7.71	14.14	
21	83.80	314.45	1.88	7.71	14.16	
22	84.12	314.57	1.80	7.71	14.19	
23	84.89	314.75	1.76	7.71	14.12	
24	85.24	314.58	1.80	7.71	14.16	
	1.12	**0.00%**	**-0.07%**	**0.00**	**-0.18%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2 | Pump Rate (ml/min) 450 | Thickness (ft) 109.19

MW205A | Water Level 1.08

Latest | Volume prior to sampling (l) 5.85 | Total Volume Removed (l) 14.40

Time t min	ORP Signal mV	Conductivity Con µS/cm	DO DO mg/L	pH pH	Temperature Temp °C	Turbidity NTU
0	164.52	305.75	1.04	7.79	14.44	0
1	173.35	307.52	0.99	7.37	14.56	
2	192.07	308.08	0.99	7.29	14.00	
3	221.91	307.37	0.99	7.26	14.19	
4	248.84	308.32	0.99	7.24	13.87	
5	286.25	312.30	0.97	7.24	14.19	
6	314.72	314.88	0.97	7.23	13.94	
7	347.36	316.32	0.97	7.24	14.12	
8	361.84	316.77	0.97	7.24	13.94	
9	378.22	316.94	0.97	7.24	13.81	
10	398.31	317.14	0.97	7.24	14.42	
11	428.38	314.41	1.14	7.30	13.87	
12	462.16	316.45	1.03	7.22	14.06	
13	464.52	316.72	1.03	7.20	13.94	
14	466.61	316.76	1.03	7.18	13.69	
15	463.13	316.98	1.03	7.17	14.06	
16	464.67	316.59	1.02	7.15	14.06	
17	468.90	316.98	1.04	7.15	14.30	
18	466.20	316.86	1.05	7.17	13.95	
19	470.19	316.85	1.04	7.17	14.06	
	1.28	**-0.04%**	**0.80%**	**0.02**	**-1.66%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	450	Thickness (ft)	149.08
MW205B			Water Level	0.97		
Latest	Volume prior to sampling (l)		3.15	Total Volume Removed (l)		12.60
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	4
0	156.52	301.15	1.08	7.44	17.00	
1	176.44	300.20	1.02	7.24	16.50	
2	202.21	297.42	0.99	7.22	16.37	
3	230.64	297.36	0.99	7.21	16.19	
4	259.32	303.32	0.97	7.22	16.19	
5	288.63	309.69	0.97	7.22	16.19	
6	315.42	313.36	0.97	7.22	16.19	
7	334.29	314.79	0.96	7.23	16.12	
8	345.61	315.23	0.96	7.24	16.31	
9	351.57	315.17	0.95	7.24	16.25	
10	354.52	315.30	0.96	7.25	16.25	
11	356.69	315.25	0.95	7.26	16.19	
12	357.39	315.27	0.96	7.27	16.19	
13	357.92	315.31	0.97	7.24	16.12	
14	358.37	315.26	0.97	7.23	16.12	
15	359.18	315.35	0.96	7.23	16.19	
16	359.57	315.34	0.96	7.23	16.19	
17	359.74	315.70	0.97	7.23	15.94	
18	359.67	315.73	0.97	7.23	15.89	
19	359.95	315.95	0.98	7.24	15.81	
20	359.88	316.06	0.98	7.25	15.84	
21	358.90	316.08	0.97	7.25	15.86	
	-1.05	**0.04%**	**-0.64%**	**0.01**	**0.32%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	475	Thickness (ft)	86.97
MW206A			Water Level	3.27		
Latest	Volume prior to sampling (l)		4.28	Total Volume Removed (l)		16.15
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	223
0	269.74	315.01	1.20	7.29	14.62	
1	296.49	315.31	1.15	7.30	14.62	
2	304.55	315.36	1.10	7.36	14.81	
3	326.61	315.49	1.06	7.38	14.87	
4	341.58	315.68	1.05	7.40	14.69	
5	349.71	315.63	1.06	7.38	14.75	
6	366.33	315.69	1.04	7.35	14.50	
7	370.86	315.69	1.03	7.31	14.62	
8	386.32	315.78	1.02	7.29	14.94	
9	405.18	315.94	1.02	7.27	14.37	
10	440.65	315.94	1.03	7.26	14.19	
11	481.34	315.94	1.02	7.27	14.07	
12	525.13	314.43	1.23	7.27	14.07	
13	526.08	315.59	1.09	7.28	14.05	
14	571.24	315.94	1.05	7.29	13.81	
15	567.07	315.70	1.05	7.30	14.06	
16	551.86	315.95	1.06	7.31	14.06	
17	554.87	313.05	1.19	7.37	13.75	
18	556.41	315.36	1.10	7.35	13.94	
19	559.21	315.86	1.10	7.34	13.69	
20	564.92	315.90	1.08	7.34	13.69	
21	563.09	315.94	1.09	7.35	14.15	
22	555.32	314.20	1.19	7.35	14.00	
23	559.74	315.59	1.12	7.37	13.75	
24	563.99	315.85	1.12	7.38	13.75	
25	561.42	316.10	1.12	7.38	13.74	
	1.67	**0.16%**	**-0.78%**	**0.02**	**-0.09%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	475	Thickness (ft)	128.88
MW206B			Water Level	1.06		
Latest	Volume prior to sampling (l)		2.38	Total Volume Removed (l)		13.30
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	0
0	170.62	296.41	3.07	7.50	19.50	
1	213.50	302.79	1.85	7.50	19.12	
2	256.62	307.12	1.41	7.47	16.00	
3	306.76	310.61	1.21	7.45	15.00	
4	362.30	312.67	1.18	7.42	14.56	
5	407.00	313.76	1.11	7.38	14.37	
6	444.66	314.19	1.10	7.36	14.12	
7	474.36	314.40	1.09	7.33	14.94	
8	497.53	314.53	1.07	7.31	14.87	
9	516.47	314.60	1.06	7.30	14.81	
10	530.81	314.59	1.04	7.29	14.81	
11	541.71	314.55	1.03	7.29	14.52	
12	550.48	314.61	1.03	7.29	14.69	
13	559.00	314.60	1.02	7.30	14.65	
14	565.66	314.60	1.02	7.31	14.59	
15	572.57	314.68	1.02	7.31	14.90	
16	584.63	314.84	1.02	7.32	14.94	
17	606.52	314.86	1.01	7.33	14.96	
18	602.97	314.76	1.00	7.33	14.95	
19	602.81	314.94	0.98	7.34	15.14	
20	606.44	314.90	0.97	7.35	15.11	
21	610.08	314.71	0.96	7.35	15.20	
22	610.99	314.72	0.96	7.36	15.00	
23	611.59	314.76	0.97	7.36	15.00	
24	611.91	314.79	0.98	7.37	15.00	
	0.91	**0.02%**	**1.24%**	**0.01**	**0.00%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2 Pump Rate (ml/min) 450 Thickness (ft) 249.98

MW206C Water Level 1.33

Latest Volume prior to sampling (l) 4.95 Total Volume Removed (l) 14.40

Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	0
0	167.71	288.80	2.77	7.53	15.75	
1	100.18	300.60	2.58	7.47	16.12	
2	70.48	299.68	2.27	7.47	15.12	
3	75.46	299.51	1.64	7.31	14.69	
4	108.80	301.01	1.36	7.23	14.25	
5	152.28	304.02	1.25	7.16	14.19	
6	189.94	305.59	1.17	7.10	14.12	
7	217.70	306.38	1.12	7.07	14.12	
8	229.03	307.26	1.09	7.05	14.19	
9	230.99	307.12	1.09	7.04	14.31	
10	269.97	307.00	1.07	7.04	14.29	
11	280.38	307.30	1.05	7.05	14.34	
12	286.62	303.81	1.13	7.10	14.12	
13	281.13	307.00	1.08	7.10	13.69	
14	286.30	307.53	1.05	7.09	14.00	
15	282.81	307.61	1.03	7.06	14.06	
16	285.87	307.93	1.03	7.04	14.19	
17	288.74	307.92	1.04	7.03	14.00	
18	292.84	308.15	1.03	7.03	13.84	
19	290.45	308.45	1.03	7.03	13.87	
20	287.01	308.56	1.03	7.04	13.81	
21	284.41	308.61	1.03	7.05	13.94	
	-6.05	**0.05%**	**-0.41%**	**0.02**	**0.45%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Vernier Format 2			Pump Rate (ml/min)	375	Thickness (ft)	57.55
MW207			Water Level	33.26		
Latest	Volume prior to sampling (l)		5.63	Total Volume Removed (l)		13.88
Time	ORP	Conductivity	DO	pH	Temperature	Turbidity
t	Signal	Con	DO	pH	Temp	NTU
min	mV	µS/cm	mg/L		°C	142
0	152.66	307.11	3.87	8.55	16.62	
1	169.63	305.09	3.55	7.47	16.62	
2	174.33	304.98	3.60	7.31	15.37	
3	177.77	304.60	3.74	7.30	15.87	
4	179.87	304.98	3.84	7.26	15.75	
5	179.80	305.68	3.93	7.22	15.69	
6	177.70	306.53	3.98	7.19	15.75	
7	175.63	307.52	4.03	7.21	15.87	
8	171.67	308.70	4.03	7.30	16.00	
9	177.10	308.16	4.02	7.28	16.12	
10	185.17	308.93	3.95	7.28	16.31	
11	185.95	309.33	3.98	7.28	16.31	
12	198.19	309.79	4.11	7.28	16.31	
13	210.92	310.28	4.11	7.29	16.25	
14	208.81	310.37	4.05	7.29	16.12	
15	202.91	308.92	3.89	7.29	16.06	
16	209.18	305.79	3.90	7.21	16.19	
17	206.91	306.18	3.91	7.23	16.19	
18	204.73	306.56	3.93	7.25	16.15	
19	201.93	307.11	3.96	7.26	16.12	
20	207.30	307.41	3.99	7.27	16.06	
21	202.88	308.47	3.98	7.28	16.11	
22	209.73	309.10	3.99	7.28	16.14	
	2.43	**0.55%**	**0.08%**	**0.02**	**0.47%**	
Criteria	**±10 mV**	**3%**	**10%**	**±0.1 pH**	**3%**	

Figure 1: Southeast Rockford NPL Site Ground Water Monitoring Network and Source Location