PPG
GXA10030
10% TIN SOLUTION

ppg
GXA10030
10% TIN SOLUTION



UN1A1/Y1.8/250RL
USA/R10558/11-94

1.8/250RL
USN/R1058/11-94

FLAMMABLE LIQUID
3
PAINT
UN1263
PRIMER

FLAMMABLE LIQUID
3
PAINT
UN1263
HSP-9463
PRIMER

FILTERS

FILTERS

NO
SMOKING

NH-75-2545
AIRCO
CARBON
DIOXIDE
UN 1013
NON-FLAMMABLE GAS
2

NH-75-2545
AIRCO
CARBON DIOXIDE
UN 1013
NON-FLAMMABLE GAS
2

CARBON
DIOXIDE
UN 1013
NON-FLAMMABLE
2
W.E. UNGER & ASSOCIATES
HEALTH
1
FLAMMABILITY
0
REACTIVITY
0
DATE
BY
DATE
BY

CARBON
DIOXIDE
UN 1013
NON-FLAMMABLE
2
W. E. UNGER & ASSOCIATES
HEALTH
1
FLAMMABILITY
0
REACTIVITY
0

Floor
Dry
For
Spills
SPECTRACRON™
XPM61300S
SPECTRACRON SPU5000
CHAMPAGNE NOBEL
CUST#:
LBS KLG
Gross: 49 22
Tare: 4 2
Net: 45 20
LOT:
CON:
FLAMMABLE LIQUID
3
Paint,
UN1263

Floor
Dry
For
Spills
SPECTRACRON™
XPM61300S
SPECTRACRON SPU5000
CHAMPAGNE NOBEL
CUST#:
LBS KLG
Gross: 49 22
Tare: 4 2
Net: 45 20
FLAMMABLE LIQUID
3
Paint,
UN1263



OPEN

OPE

OPEN

OPEN

OXIDIZER

OXIDIZER


BATCH
FOR USE
with the labeling.
WATER SYSTEM
and boilers.
as needed.
1000 gals. or 12 to 90 parts per
1000 gals. or 12 to 1
to 1000 gals. or 12 to


BATCH
NET WT.
FOR USE

REVERE
SEAL-IT™ Dry
Temporary Roof Patch

REVERE
SEAL-IT™ Dry
Temporary Roof Patch


A-457
Industrial Microbiocide
ACTIVE INGREDIENTS:
INERT INGREDIENTS
KEEP OUT OF REACH OF CHILDREN
DANGER
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

A-457

Industrial Microbiocide

Contents: BRIQUETTES

ACTIVE INGREDIENTS:

1-Bromo-3-chloro-5, 5-dimethylhydantoin	60.0
1,3-dichloro-5, 5-dimethylhydantoin	27.4
1,3-dichloro-5, 5-dimethylhydantoin	10.6
1,3-dichloro-5-ethyl-5-methylhydantoin	2.0

INERT INGREDIENTS

KEEP OUT OF REACH OF CHILDREN

DANGER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HARMFUL IF SWALLOWED. HIGHLY CORROSIVE. Causes irreversible skin damage. Harmful to human and domestic animals. Do not get into eyes or on skin or clothing. Wear rubber gloves, protective goggles and face shield when handling. Avoid breathing dust. Wash thoroughly before eating or smoking. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not contaminate water with this product or with wastes containing this product by cleaning equipment or disposal of containers. Do not discharge effluent containing this product into sewers, waterways or wetlands. Do not discharge effluent containing this product to sewer systems without notifying treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Mix only with water. Use only in well ventilated areas. Do not mix with other products. Do not add water to product. Keep container closed when not in use. Keep out of heat, sparks or open flame. Do not store in open containers. Do not contaminate other products in storage.

TYPE R FLUID
POLYESTER ADIPATE
HOT MELT CLEAN – UP FLUID
PART NO 2707568 (5 GAL)
BEFORE USING READ MSDS AND
NORDSON TECHNICAL PUBLICATION

CAUTION
FOR INDUSTRIAL USE ONLY
KEEP OUT OF REACH OF CHILDREN

HANDLING & STORAGE

IN CASE OF FIRE

TYPE R FLUID
POLYESTER ADIPATE
HOT MELT CLEAN – UP FLUID
PART NO 2707568 (5 GAL)
BEFORE USING READ MSDS AND
NORDSON TECHNICAL PUBLICATION

CAUTION
FOR INDUSTRIAL USE ONLY
KEEP OUT OF REACH OF CHILDREN

HANDLING & STORAGE

IN CASE OF FIRE

TYPE R FLUID
POLYESTER ADIPATE
HOT MELT CLEAN-UP FLUID
CAUTION
FOR INDUSTRIAL USE ONLY
KEEP OUT OF REACH OF CHILDREN

TYPE R FLUID
POLYESTER ADIPATE
HOT MELT CLEAN-UP FLUID
CAUTION
FOR INDUSTRIAL USE ONLY
KEEP OUT OF REACH OF CHILDREN

HEALTH
FLAMMABILITY
REACTIVITY
PERSONAL PROTECTION
CORROSIVE
AIR FILTERS

CORROSIVE


DuBOIS
DuBois Chemicals, Inc. • Cincinnati, Ohio
TO CONTACT YOUR REPRESENTATIVE. CALL OUR 24-HOUR
BOILER WATER
USING DIRECTIONS
SOLELY FOR INDUSTRIAL USE
EXECUTIVE FOR ADDITIONAL USE
KEEP OUT OF THE
WARNING:
MISTS MAY IRRITATE
CONTAINS DIETHYLAMINO ETHANOL
PRECAUTION STATEMENT Contains alkaline and
In case of accidental contact with skin or eyes
at least 15 minutes and get medical attention
ventilation. Do not allow to come in contact with
CORROSIVE

DuBois

DuBois Chemicals, Inc. • Cincinnati, Ohio

DuCARE CUSTOMER SERVICE

TO CONTACT YOUR REPRESENTATIVE, CALL OUR 24-HOUR

BOILER WATER

USING DIRECTIONS

SOLELY FOR INDUSTRIAL USE.

KEEP OUT OF THE

WARNING:

CONTAINS DIETHYLAMINO ETHANOL

PRECAUTION STATEMENT Contains alkaline and

CERTIFICATION

THE LIQUID IN THIS UNIT
HAS BEEN ANALYZED FOR
POLYCHLORINATED BIPHENYLS
(PCB) CONTENT.

THIS CERTIFIES THAT
THE PCB CONTENT MEASURED
LESS THAN 50 PPM

91780

In accordance with EPA Regulations
in Federal Register Vol. 47
No. 105 dated August 25,1982
this unit is classified as
NON-PCB

SUNOHIO

1700 Gateway Blvd., S.E. Canton, Ohio 44707
(216) 797-3411 (216) 452-0837

CERTIFICATION
THE LIQUID IN THIS UNIT
HAS BEEN ANALYZED FOR
POLYCHLORINATED BIPHENYLS
(PCB) CONTENT.
THIS CERTIFIES THAT
THE PCB CONTENT MEASURED
LESS THAN 50 PPM
In accordance with EPA Regulations
of Federal Register Vol. 47
No. 105 dated August 25,1982
this unit is classified as
NON-PCB
SUNOHIO
1700 Gateway Blvd. S.E. Canton, Ohio 44707
(216) 452-0837

7915
12130424

7915
12130424

KEEP FROM
FREEZING

KEEP FROM
FREEZING

PROTECTO
ITEM #7363
COMPETITIVE CHEMICAL
7250 RELIANCE STREET
WORTHINGTON, OH 43085

PROTECTO
ITEM #7363
COMPETITIVE CHEMICAL
RELIANCE STREET
WORTHINGTON, OH 43085

WBG 286 Booth Grease
CAUTION
Handling and Storage
Keep from freezing
BATCH #
P.O. #
COMPETITIVE
FOR INDUSTRIAL USE ONLY
KEEP OUT OF THE REACH OF CHILDR
THE COMPETITIVE


WBG 286 Booth Grease
CAUTION
Handling and Storage
Keep from freezing
BATCH #
P.O. #
FOR INDUSTRIAL USE ONLY
KEEP OUT OF THE REACH OF CHILDR
THE COMPETITIVE

79115
121 30424
DANGER
CORROSIVE
8

79115
121 30424
ANGER
CORROSIVE
8

MSA

MSA

MSA

MSA

PL-P01-
082912
DuBOIS
USING DIRECT
KEEP OUT OF
WARNING

PL-P01-
082912
DuBois

PL-PØZ-082912
OXIDIZER
5.1
OXIDIZING SOLID, N.O.S.
UN1479

PL-PØZ-082912
OXIDIZER
5.1
OXIDIZING SOLID, N.O.S.
UN1479

AIR MASK

AIR MASK

PL-TØ1-08296-DP

PL-TQ1-0639ME-DP

WESTON

Chem-Tape

Kappler
Chem-Tape

WBG 286 Booth Grease
CAUTION

WBG 286 Booth Grease
CAUTION

Plastech
Engineered Products, Inc.
CUSTOM MOLDED DECORATED PLASTICS
Andover, Ohio 44003 440-293-5900

Plastech
Engineered Products, Inc.
CUSTOM MOLDED DECORATED PLASTICS
Andover, Ohio 44003 440-293-5900

Plastech
Engineered Products, Inc.
CUSTOM MOLDED DECORATED PLASTICS
Andover, Ohio 44003 440-293-5900

Plastech
Engineered Products, Inc.
CUSTOM MOLDED DECORATED PLASTICS
Andover, Ohio 44003 440-293-5900