AMRO Environmental Laboratories Corporation

111 Herrick Street, Merrimack, NH 03054
TEL: (603) 424-2022 • FAX: (603) 429-8496
www.amrolabs.com

April 24, 2007

ANALYTICAL TEST RESULTS

Raymond Siegener
GEI Consultants, Inc.
400 Unicorn Park Drive
Woburn, MA 01801
TEL: (781) 721-4098
FAX: (781) 721-4073

Subject: 00291-4 Canton Airport

Workorder No.: 0704016

Dear Raymond Siegener:

AMRO Environmental Laboratories Corp. received 10 samples on 4/3/07 for the analyses presented in the following report.

AMRO is accredited in accordance with NELAC and certifies that these test results meet all the requirements of NELAC, where applicable, unless otherwise noted in the case narrative.

The enclosed Sample Receipt Checklist details the condition of your sample(s) upon receipt. Please be advised that any unused sample volume and sample extracts will be stored for a period of 60 days from sample receipt date (90 days for samples from New York). After this time, AMRO will properly dispose of the remaining sample(s). If you require further analysis, or need the samples held for a longer period, please contact us immediately.

This report consists of a total of 78 pages. This letter is an integral part of your data report. All results in this project relate only to the sample(s) as received by the laboratory and documented in the Chain-of-Custody. This report shall not be reproduced except in full, without the written approval of the laboratory. If you have any questions regarding this project in the future, please refer to the Workorder Number above.

Sincerely,

Nancy Stewart
Vice President

State Certifications: NH (NELAC): 1001, MA: M-NH012, CT: PH-0758, NY: 11278 (NELAC), ME: NH012 and 1001, NJ: NH125, RI: 00105, U.S. Army Corps of Engineers (USACE), Naval Facilities Engineering Service Center (NFESC).

Hard copy of the State Certification is available upon request.

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT: GEI Consultants, Inc.
Project: 00291-4 Canton Airport
Lab Order: 0704016
Date Received: 4/3/07

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Collection Date	Collection Time
0704016-01A	002914-SW105	4/2/07	3:15 PM
0704016-01B	002914-SW105	4/2/07	3:15 PM
0704016-01C	002914-SW105	4/2/07	3:15 PM
0704016-01D	002914-SW105	4/2/07	3:15 PM
0704016-02A	002914-SW106	4/2/07	11:50 AM
0704016-02B	002914-SW106	4/2/07	11:50 AM
0704016-02C	002914-SW106	4/2/07	11:50 AM
0704016-02D	002914-SW106	4/2/07	11:50 AM
0704016-03A	002914-SW107	4/2/07	11:50 AM
0704016-03B	002914-SW107	4/2/07	11:50 AM
0704016-03C	002914-SW107	4/2/07	11:50 AM
0704016-03D	002914-SW107	4/2/07	11:50 AM
0704016-04A	002914-SW108	4/2/07	10:45 AM
0704016-04B	002914-SW108	4/2/07	10:45 AM
0704016-04C	002914-SW108	4/2/07	10:45 AM
0704016-04D	002914-SW108	4/2/07	10:45 AM
0704016-05A	002914-SW109	4/2/07	10:45 AM
0704016-05B	002914-SW109	4/2/07	10:45 AM
0704016-05C	002914-SW109	4/2/07	10:45 AM
0704016-05D	002914-SW109	4/2/07	10:45 AM
0704016-06A	002914-SW110	4/2/07	10:00 AM
0704016-06B	002914-SW110	4/2/07	10:00 AM
0704016-06C	002914-SW110	4/2/07	10:00 AM
0704016-06D	002914-SW110	4/2/07	10:00 AM
0704016-07A	002914-SW110 DUPE	4/2/07	10:10 AM
0704016-07B	002914-SW110 DUPE	4/2/07	10:10 AM
0704016-07C	002914-SW110 DUPE	4/2/07	10:10 AM
0704016-07D	002914-SW110 DUPE	4/2/07	10:10 AM
0704016-08A	002914-SW112	4/2/07	4:00 PM
0704016-08B	002914-SW112	4/2/07	4:00 PM
0704016-08C	002914-SW112	4/2/07	4:00 PM
0704016-08D	002914-SW112	4/2/07	4:00 PM
0704016-09A	002914-SW114	4/2/07	4:45 PM
0704016-09B	002914-SW114	4/2/07	4:45 PM
0704016-09C	002914-SW114	4/2/07	4:45 PM

CLIENT:	GEI Consultants, Inc.
Project:	00291-4 Canton Airport
Lab Order:	0704016
Date Received:	4/3/07

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Collection Date	Collection Time
0704016-09D	002914-SW114	4/2/07	4:45 PM
0704016-10A	Trip Blank	4/2/07	12:00 AM

AMRO Environmental Laboratories Corp.

24-Apr-07

Lab Order: 0704016
Client: GEI Consultants, Inc.
Project: 00291-4 Canton Airport

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name / Preparatory Test Name	Prep Date	Analysis Date / Batch ID	TCLP Date
0704016-01A	002914-SW105	4/2/07 3:15:00 PM	Surface Water	MCP VOCs 8260B, EPA 5030B		4/11/07	
				EPA 5030B	4/2/07	R36438	
0704016-01B				EPA 7421 LEAD, Total		4/11/07	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	4/10/07	16963	
				HARDNESS		4/11/07	
						R36469	
				ICP METALS, TOTAL		4/11/07	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	4/10/07	16963	
0704016-01C				EPH 1.1, Water, Full List		4/19/07	
				AQPREP SEP FUNNEL: EPH	4/13/07	16983	
				EPH 1.1, Water, Full List		4/19/07	
					4/13/07	16983	
0704016-01D				EPA 8082 PCBS IN WATER		4/14/07	
				EPA 3510 AQPREP SEP FUNNEL: PCB	4/9/07	16979	
0704016-02A	002914-SW106	4/2/07 11:50:00 AM		MCP VOCs 8260B, EPA 5030B		4/11/07	
				EPA 5030B	4/2/07	R36438	
0704016-02B				EPA 7421 LEAD, Total		4/11/07	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	4/10/07	16963	
				HARDNESS		4/11/07	
						R36469	
				ICP METALS, TOTAL		4/11/07	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	4/10/07	16963	
0704016-02C				EPH 1.1, Water, Full List		4/19/07	
				AQPREP SEP FUNNEL: EPH	4/13/07	16983	

AMRO Environmental Laboratories Corp.

24-Apr-07

Lab Order: 0704016
Client: GEI Consultants, Inc.
Project: 00291-4 Canton Airport

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name / Preparatory Test Name	Prep Date	Analysis Date / Batch ID	TCLP Date
0704016-02C	002914-SW106	4/2/07 11:50:00 AM	Surface Water	EPH 1.1, Water, Full List		4/19/07	
				AQPREP SEP FUNNEL: EPH	4/13/07	16983	
0704016-02D				EPA 8082 PCBS IN WATER		4/14/07	
				EPA 3510 AQPREP SEP FUNNEL: PCB	4/9/07	16979	
0704016-03A	002914-SW107			MCP VOCs 8260B, EPA 5030B		4/11/07	
				EPA 5030B	4/2/07	R36438	
0704016-03B				EPA 7421 LEAD, Total		4/11/07	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	4/10/07	16963	
				HARDNESS		4/11/07	
						R36469	
				ICP METALS, TOTAL		4/11/07	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	4/10/07	16963	
0704016-03C				EPH 1.1, Water, Full List		4/19/07	
				AQPREP SEP FUNNEL: EPH	4/13/07	16983	
				EPH 1.1, Water, Full List		4/19/07	
					4/13/07	16983	
0704016-03D				EPA 8082 PCBS IN WATER		4/14/07	
				EPA 3510 AQPREP SEP FUNNEL: PCB	4/9/07	16979	
0704016-04A	002914-SW108	4/2/07 10:45:00 AM		MCP VOCs 8260B, EPA 5030B		4/11/07	
				EPA 5030B	4/2/07	R36438	
0704016-04B				EPA 7421 LEAD, Total		4/11/07	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	4/10/07	16963	
				HARDNESS		4/11/07	
						R36469	

AMRO Environmental Laboratories Corp.

24-Apr-07

Lab Order: 0704016
Client: GEI Consultants, Inc.
Project: 00291-4 Canton Airport

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name / Preparatory Test Name	Prep Date	Analysis Date / Batch ID	TCLP Date
0704016-04B	002914-SW108	4/2/07 10:45:00 AM	Surface Water	ICP METALS, TOTAL		4/11/07	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	4/10/07	16963	
0704016-04C				EPH 1.1, Water, Full List		4/19/07	
				AQPREP SEP FUNNEL: EPH	4/13/07	16983	
				EPH 1.1, Water, Full List		4/19/07	
					4/13/07	16983	
0704016-04D				EPA 8082 PCBS IN WATER		4/14/07	
				EPA 3510 AQPREP SEP FUNNEL: PCB	4/9/07	16979	
0704016-05A	002914-SW109			MCP VOCs 8260B, EPA 5030B		4/11/07	
				EPA 5030B	4/2/07	R36438	
0704016-05B				EPA 7421 LEAD, Total		4/11/07	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	4/10/07	16963	
				HARDNESS		4/11/07	
						R36469	
				ICP METALS, TOTAL		4/11/07	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	4/10/07	16963	
0704016-05C				EPH 1.1, Water, Full List		4/19/07	
				AQPREP SEP FUNNEL: EPH	4/13/07	16983	
				EPH 1.1, Water, Full List		4/19/07	
					4/13/07	16983	
0704016-05D				EPA 8082 PCBS IN WATER		4/14/07	
				EPA 3510 AQPREP SEP FUNNEL: PCB	4/9/07	16979	
0704016-06A	002914-SW110	4/2/07 10:00:00 AM		MCP VOCs 8260B, EPA 5030B		4/11/07	
				EPA 5030B	4/2/07	R36438	

AMRO Environmental Laboratories Corp.

24-Apr-07

Lab Order: 0704016
Client: GEI Consultants, Inc.
Project: 00291-4 Canton Airport

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name / Preparatory Test Name	Prep Date	Analysis Date / Batch ID	TCLP Date
0704016-06B	002914-SW110	4/2/07 10:00:00 AM	Surface Water	EPA 7421 LEAD, Total		4/11/07	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	4/10/07	16963	
				HARDNESS		4/11/07	
						R36469	
				ICP METALS, TOTAL		4/11/07	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	4/10/07	16963	
0704016-06C				EPH 1.1, Water, Full List		4/19/07	
				AQPREP SEP FUNNEL: EPH	4/13/07	16983	
				EPH 1.1, Water, Full List		4/19/07	
					4/13/07	16983	
0704016-06D				EPA 8082 PCBS IN WATER		4/14/07	
				EPA 3510 AQPREP SEP FUNNEL: PCB	4/9/07	16979	
0704016-07A	002914-SW110 DUPE	4/2/07 10:10:00 AM		MCP VOCs 8260B, EPA 5030B		4/11/07	
				EPA 5030B	4/2/07	R36438	
0704016-07B				EPA 7421 LEAD, Total		4/11/07	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	4/10/07	16963	
				HARDNESS		4/11/07	
						R36469	
				ICP METALS, TOTAL		4/11/07	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	4/10/07	16963	
0704016-07C				EPH 1.1, Water, Full List		4/19/07	
				AQPREP SEP FUNNEL: EPH	4/13/07	16983	
				EPH 1.1, Water, Full List		4/20/07	
					4/13/07	16983	

AMRO Environmental Laboratories Corp.

24-Apr-07

Lab Order: 0704016
Client: GEI Consultants, Inc.
Project: 00291-4 Canton Airport

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name / Preparatory Test Name	Prep Date	Analysis Date / Batch ID	TCLP Date
0704016-07D	002914-SW110 DUPE	4/2/07 10:10:00 AM	Surface Water	EPA 8082 PCBS IN WATER		4/14/07	
				EPA 3510 AQPREP SEP FUNNEL: PCB	4/9/07	16979	
0704016-08A	002914-SW112	4/2/07 4:00:00 PM		MCP VOCs 8260B, EPA 5030B		4/11/07	
				EPA 5030B	4/2/07	R36438	
0704016-08B				EPA 7421 LEAD, Total		4/11/07	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	4/10/07	16963	
				HARDNESS		4/11/07	
						R36469	
				ICP METALS, TOTAL		4/11/07	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	4/10/07	16963	
0704016-08C				EPH 1.1, Water, Full List		4/20/07	
				AQPREP SEP FUNNEL: EPH	4/13/07	16983	
				EPH 1.1, Water, Full List		4/20/07	
					4/13/07	16983	
0704016-08D				EPA 8082 PCBS IN WATER		4/14/07	
				EPA 3510 AQPREP SEP FUNNEL: PCB	4/9/07	16979	
0704016-09A	002914-SW114	4/2/07 4:45:00 PM		MCP VOCs 8260B, EPA 5030B		4/11/07	
				EPA 5030B	4/2/07	R36438	
0704016-09B				EPA 7421 LEAD, Total		4/11/07	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	4/10/07	16963	
				HARDNESS		4/11/07	
						R36469	
				ICP METALS, TOTAL		4/11/07	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	4/10/07	16963	

AMRO Environmental Laboratories Corp.

24-Apr-07

Lab Order: 0704016
Client: GEI Consultants, Inc.
Project: 00291-4 Canton Airport

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name / Preparatory Test Name	Prep Date	Analysis Date / Batch ID	TCLP Date
0704016-09C	002914-SW114	4/2/07 4:45:00 PM	Surface Water	EPH 1.1, Water, Full List		4/20/07	
				AQPREP SEP FUNNEL: EPH	4/13/07	16983	
				EPH 1.1, Water, Full List		4/20/07	
					4/13/07	16983	
0704016-09D				EPA 8082 PCBS IN WATER		4/14/07	
				EPA 3510 AQPREP SEP FUNNEL: PCB	4/9/07	16979	
0704016-10A	Trip Blank	4/2/07	Aqueous	MCP VOCs 8260B, EPA 5030B		4/11/07	
				EPA 5030B	4/2/07	R36438	

Chain-of-Custody Record

Laboratory: AMRO

Laboratory Job # (Lab use only) 0704016

GEI Consultants
400 Unicorn Park
Woburn, MA 01801
TEL: 781-721-4098
FAX: 781-721-4073

Project Information

Project Name: Canton Airport
Project Number: 00291-4
Project Location: Canton, MA
Project Manager: Saskia Oosting

Send Report to: Ray Siegener
Send Faxed Results to:
Send EDD to: labdata @geiconsultants.com

Page 1 of 1

Sample Handling
Sample Field Filtered: YES NO (NA)
Sampled Shipped With Ice: (YES) NO

MCP PRESUMPTIVE CERTAINTY REQUIRED -- (YES) NO

If Yes, Are MCP Analytical Methods Required? (YES) NO
If Yes, Are Drinking Water Samples Submitted? YES (NO)
If Yes, Have You Met Minimum Field QC Requirements? (YES) NO

Lab Sample Number	GEI Sample ID	Collection Date	Collection Time	Matrix	No. of Bottles	Sampler(s) Initials	MCP Metals Ba, Be Cr Pb Ni Va, Zn	VOC	EPH w/targets	PCBs	Hardness			Sample Specific Remarks
	002914-SW105	4/2/2007	1515	~~Sed~~ SW	7	AH	X	X	X	X	X			
	002914-SW106	4/2/2007	1150	~~Sed~~ SW	7	AH	X	X	X	X	X			
	002914-SW107	4/2/2007	1150	~~Sed~~ SW	7	PRS	X	X	X	X	X			
	002914-SW108	4/2/2007	1045	~~Sed~~ SW	7	PRS	X	X	X	X	X			
	002914-SW109	4/2/2007	1045	~~Sed~~ SW	7	AH	X	X	X	X	X			
	002914-SW110	4/2/2007	1000	~~Sed~~ SW	7	AH	X	X	X	X	X			
	002914-SW110 DUPE	4/2/2007	1010	~~Sed~~ SW	7	AH	X	X	X	X	X			
	002914-SW112	4/2/2007	1600	~~Sed~~ SW	7	AH	X	X	X	X	X			
	002914-SW114	4/2/2007	1645	~~Sed~~ SW	7	AH	X	X	X	X	X			

Preservative: HNO3, HCl, HCl, None, None

Analysis

Turnaround Time (Business days):
Normal X Other____
10 Day____ 7 Day____
5 Day____ 3 Day____

Before submitting rush turnaround samples, you must notify the laboratory to confirm that the TAT can be achieved.

MCP Level Needed: GEI requires the most stringent Method 1 MCP standard be met for all analytes whenever possible.

Additional Requirements/Comments/Remarks:
Pricing per "AMRO Environmental Laboratories Corporation, Price Book 2006 for GEI" DCR Contract Rates.

Relinquished by: (signature)	Date:	Time:	Received by: (signature)
[illegible]	4/2/07	2100	GEI PRINGE
GEI PRINGE	4/3/07	1250	[illegible]
[illegible]	4/3/07	1250	[illegible]
[illegible]	4/3/07	1655	[illegible]

14 MCP Metals = Antimony, Arsenic, Barium, Beryllium, Cadmium, ~~Chromium (total)~~, Lead, Mercury, Nickel, Selenium, Silver, Thallium, Vanadium, Zinc.

AMRO Environmental Laboratories Corporation

SAMPLE RECEIPT CHECKLIST

111 Herrick Street
Merrimack, NH 03054
(603) 424-2022

Client: GEI
Project Name: CANTON AIR PORT
Ship via: (circle one) Fed Ex., UPS, AMRO Courier, Hand Del., Other Courier, Other:

AMRO ID: 0704016
Date Rec.: 4-3-07
Date Due: 4-10-07

Items to be Checked Upon Receipt	Yes	No	NA	Comments
1. Army Samples received in individual plastic bags?			✓	
2. Custody Seals present?			✓	
3. Custody Seals Intact?			✓	
4. Air Bill included in folder if received?			✓	
5. Is COC included with samples?	✓			
6. Is COC signed and dated by client?	✓			
7. Laboratory receipt temperature. TEMP = 40				
Samples rec. with ice ✓ ice packs___ neither___				
8. Were samples received the same day they were sampled?		✓		
Is client temperature 4°C ± 2°C?				
If no obtain authorization from the client for the analyses.				
Client authorization from: Date: Obtained by:				
9. Is the COC filled out correctly and completely?	✓			
10. Does the info on the COC match the samples?	✓			
11. Were samples rec. within holding time?	✓			
12. Were all samples properly labeled?	✓			
13. Were all samples properly preserved?	✓			
14. Were proper sample containers used?	✓			
15. Were all samples received intact? (none broken or leaking)	✓			
16. Were VOA vials rec. with no air bubbles?	✓			
17. Were the sample volumes sufficient for requested analysis?	✓			
18. Were all samples received?	✓			
19. VPH and VOA Soils only:			✓	
Sampling Method VPH (circle one): M=Methanol, E=EnCore (air-tight container)				
Sampling Method VOA (circle one): M=Methanol, SB=Sodium Bisulfate, E=EnCore, B=Bulk				
If M or SB:				
Does preservative cover the soil?				
If NO then client must be faxed.				
Does preservation level come close to the fill line on the vial?				
If NO then client must be faxed.				
Were vials provided by AMRO?				
If NO then weights MUST be obtained from client				
Was dry weight aliquot provided?				
If NO then fax client and inform the VOA lab ASAP.				
20. Subcontracted Samples:			✓	
What samples sent:				
Where sent:				
Date:				
Analysis:				
TAT:				
21. Information entered into:				
Internal Tracking Log?	✓			
Dry Weight Log?			✓	
Client Log?			✓	
Composite Log?			✓	
Filtration Log?			✓	

Received By: MG Date: 4-3-07
Labeled By: MG Date: 4-6-07
Logged in By: MG Date: 4-6-07
Checked By: [illegible] Date: 4-10-07

Laboratories Corporation

Merrimack, NH 03054
(603) 424-2022

Please Circle if:
Sample= Soil
Sample= Waste

AMRO ID: 0704016

Sample ID	Analysis	Volume Sample	Preserv. Listed	Initial pH*	Acceptable? Y or N	List Preserv. Added by AMRO	Solution ID # of Preserv.	Volume Preservative Added	Final adjusted pH	Final adjusted pH (after 16 hours)
01A=>09A	VOC	2-40ML	HCL	—	—					
01B=>09B	MET/HARD	500ML	HNO3	<2	Y					
01C=>09C	EPH	2-1LAMB	HCL	<2	Y					
01D=>09D	PCB	2-1LAMB	—	6	Y					
10A	VOC	1-40ML	HCL	—	—					

= *if the laboratory preserves the drinking water sample (s) for EPA Method 200 series, sample (s) should be held at least 5 hours prior to analysis*

H Checked By: MG Date: 4-4-07 pH adjusted By: _____ Date: _____

H Checked By: _____ Date: _____ pH adjusted (16hrs) By: _____ Date: _____

qc/qcmemos/forms/samplerec Rev.19 02/14/06

GC/MS VOLATILES:

1. A Laboratory Control Sample (LCS) and Laboratory Sample Duplicate (LCSD) were performed on 04/11/07 (Batch ID: R36438).

1.1 The % Recovery for 1 analyte out of 71analytes in the LCSD was outside the laboratory control limits.

2. Acetone, 2-Butanone and 2-Hexanone recovered outside the control limits in the Continuing Calibration Verification Standard analyzed on 04/11/07.

PCBs:

1. No QC deviations were observd.

MA-DEP EPH 1.1:

1. AMRO Laboratory analyzed EPH using the GC/MS option as indicated in the MADEP EPH Rev.1.1, Section 9.10 May 2004.

2. A Laboratory Control Sample (LCS) and Laboratory Control Sample Duplicate (LCSD) were performed on Batch ID: 16983.

2.1 The RPD for 1 analyte out of 14 aliphatic analytes was outside the laboratory control limits.

3. The surrogate 1-Chlorooctadecane recovered below the control limits (40-140%) in all of the samples.

METALS

1. Total Barium, Beryllium, Chromium, Lead, Nickel, Vanadiumm , Zinc and Hardness are reported per the client's request.

2. A Duplicate was performed on sample 002914-SW105 (0704016-01) Batch ID: 16963.

2.1 The % RPD was flagged as being outside acceptance limits for Total Beryllium and Total Nickel. Since the sample results and the duplicate results were ND at the reporting limit, the duplicate results are acceptable.

MADEP MCP Analytical Method Report Certification Form

Laboratory Name: AMRO Environmental Laboratories, Inc. Project Number: 0704016

Project Location: 00291-4 Canton Airport MADEP RTN [1]

0704016-01 0704016-08	0704016-02 0704016-09	0704016-03 0704016-10	0704016-04	0704016-05	0704016-06	0704016-07

Sample Matrices: Ground Water ☐ Soil / Sediment ☐ Drinking Water ☐ OtherMatrix ☑

MCP SW-846 Methods Used					
	8260B ☑	8151A ☐	8330 ☐	6010B ☑	7470A/1A ☐
	8270C ☐	8081A ☐	VPH ☐	6020 ☐	9014M [2] ☐
As specified in MADEP Compendium of Analytical Methods (check all that apply)	8082 ☑	8021B ☐	EPH ☑	7000S [3] ☑	Other ☐

1 List Release Tracking Number (RTN) if known
2 M - SW-846 Method 9014 or MADEP Physiologically Available Cyanide (PAC) Method
3 S SW-846 Methods 7000 Series List individual method analyte

An affirmative response to questions A, B, C and D is required for "Presumptive Certainty" status

A	Were all samples received by the laboratory in a condition consistent with that described on the Chain of Custody documentation for the data set?	◉ Yes ○ No [1]
B	Were all QA/QC procedures required for the specified analytical method(s)included in this report followed, including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guide lines?	◉ Yes ○ No [1]
C	Does the analytical data included in this report meet all the requirements for Presumptive Certainty, as described in Section 2.0 of the MADEP document CAM VII A, Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data?	◉ Yes ○ No [1]
D	**VPH and EPH methods only:** Was the VPH or EPH method run without significant modifications, as specified in Section 11.3?	◉ Yes ○ No [1]

A response to questions E and F below is required for "Presumptive Certainty" status

E	Were all QC performance standards and recommendations for the specified methods achieved?	○ Yes ◉ No [1]
F	Were results for all analyte-list compounds / elements for the specified method(s) reported?	○ Yes ◉ No [1]

[1] All NO answers must be addressed in an attached Environmental Laboratory case narrative.

I, the undersigned, attest under the pains and penalties of perjury that, based upon my personal inqury of those responsible for obtaining the information, the material contained in this analytical report is, to the best of my knowledge and belief, accurate and complete.

Signature: Nancy Stewart **Position:** Vice President

Printed Name: Nancy Stewart **Date:** 5-2-07

DATA COMMENT PAGE

Organic Data Qualifiers

ND	Indicates compound was analyzed for, but not detected at or above the reporting limit.
J	Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the data indicates the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than the method detection limit.
H	Method prescribed holding time exceeded.
E	This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
B	This flag is used when the analyte is found in the associated blank as well as in the sample.
R	RPD outside accepted recovery limits
RL	Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate.
S	Spike Recovery outside accepted recovery limits.
#	See Case Narrative

Micro Data Qualifiers

TNTC	Too numerous to count

Inorganic Data Qualifiers

ND or U	Indicates element was analyzed for, but not detected at or above the reporting limit.
J	Indicates a value greater than or equal to the method detection limit, but less than the quantitation limit.
H	Indicates analytical holding time exceedance.
B	Indicates that the analyte is found in the associated blank, as well as in the sample.
MSA	Indicates value determined by the Method of Standard Addition
E	This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
R	RPD outside accepted recovery limits
RL	Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate.
S	Spike Recovery outside accepted recovery limits.
W	Post-digestion spike for Furnace AA analysis is out of control limits (85-115), while sample absorbance is less than 50% of spike absorbance.
*	Duplicate analysis not within control limits.
+	Indicates the correlation coefficient for the Method of Standard Addition is less than 0.995
#	See Case Narrative

Report Comments:

1. Soil, sediment and sludge sample results are reported on a "dry weight" basis.
2. Reporting limits are adjusted for sample size used, dilutions and moisture content, if applicable.

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-SW105
Lab Order:	0704016	**Collection Date:**	4/2/07 3:15:00 PM
Project:	00291-4 Canton Airport	**Matrix:**	SURFACE WATER
Lab ID:	0704016-01A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS BY MCP MET SW8260B						Analyst: **SK**
Acetone	ND	10		µg/L	1	4/11/07 4:32:00 PM
Tertiary Amyl Methyl Ether	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
Benzene	ND	1.0		µg/L	1	4/11/07 4:32:00 PM
Bromobenzene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
Bromochloromethane	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
Bromoform	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
Bromomethane	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
Carbon disulfide	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
Chlorobenzene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
Chloroethane	ND	5.0		µg/L	1	4/11/07 4:32:00 PM
Chloroform	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
Chloromethane	ND	3.0		µg/L	1	4/11/07 4:32:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	4/11/07 4:32:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
Dibromomethane	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	4/11/07 4:32:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	4/11/07 4:32:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	4/11/07 4:32:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	4/11/07 4:32:00 PM
Diethyl ether	ND	5.0		µg/L	1	4/11/07 4:32:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-SW105
Lab Order:	0704016	**Collection Date:**	4/2/07 3:15:00 PM
Project:	00291-4 Canton Airport	**Matrix:**	SURFACE WATER
Lab ID:	0704016-01A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Diisopropyl ether	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
1,4-Dioxane	ND	50		µg/L	1	4/11/07 4:32:00 PM
Ethyl Tertiary Butyl Ether	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
Ethylbenzene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
2-Hexanone	ND	10		µg/L	1	4/11/07 4:32:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
2-Butanone	ND	10		µg/L	1	4/11/07 4:32:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	4/11/07 4:32:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
Methylene chloride	ND	5.0		µg/L	1	4/11/07 4:32:00 PM
Naphthalene	ND	5.0		µg/L	1	4/11/07 4:32:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
Styrene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
Tetrahydrofuran	ND	10		µg/L	1	4/11/07 4:32:00 PM
Toluene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
Trichloroethene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
Vinyl chloride	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
o-Xylene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
m,p-Xylene	ND	2.0		µg/L	1	4/11/07 4:32:00 PM
Surr: Dibromofluoromethane	103	70-130		%REC	1	4/11/07 4:32:00 PM
Surr: 1,2-Dichloroethane-d4	102	70-130		%REC	1	4/11/07 4:32:00 PM
Surr: Toluene-d8	98.8	70-130		%REC	1	4/11/07 4:32:00 PM
Surr: 4-Bromofluorobenzene	99.2	70-130		%REC	1	4/11/07 4:32:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-SW106
Lab Order:	0704016	**Collection Date:**	4/2/07 11:50:00 AM
Project:	00291-4 Canton Airport	**Matrix:**	SURFACE WATER
Lab ID:	0704016-02A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS BY MCP MET SW8260B						Analyst: SK
Acetone	ND	10		µg/L	1	4/11/07 5:07:00 PM
Tertiary Amyl Methyl Ether	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
Benzene	ND	1.0		µg/L	1	4/11/07 5:07:00 PM
Bromobenzene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
Bromochloromethane	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
Bromoform	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
Bromomethane	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
Carbon disulfide	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
Chlorobenzene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
Chloroethane	ND	5.0		µg/L	1	4/11/07 5:07:00 PM
Chloroform	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
Chloromethane	ND	3.0		µg/L	1	4/11/07 5:07:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	4/11/07 5:07:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
Dibromomethane	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	4/11/07 5:07:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	4/11/07 5:07:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	4/11/07 5:07:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	4/11/07 5:07:00 PM
Diethyl ether	ND	5.0		µg/L	1	4/11/07 5:07:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-SW106
Lab Order:	0704016	**Collection Date:**	4/2/07 11:50:00 AM
Project:	00291-4 Canton Airport	**Matrix:**	SURFACE WATER
Lab ID:	0704016-02A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Diisopropyl ether	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
1,4-Dioxane	ND	50		µg/L	1	4/11/07 5:07:00 PM
Ethyl Tertiary Butyl Ether	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
Ethylbenzene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
2-Hexanone	ND	10		µg/L	1	4/11/07 5:07:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
2-Butanone	ND	10		µg/L	1	4/11/07 5:07:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	4/11/07 5:07:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
Methylene chloride	ND	5.0		µg/L	1	4/11/07 5:07:00 PM
Naphthalene	ND	5.0		µg/L	1	4/11/07 5:07:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
Styrene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
Tetrahydrofuran	ND	10		µg/L	1	4/11/07 5:07:00 PM
Toluene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
Trichloroethene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
Vinyl chloride	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
o-Xylene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
m,p-Xylene	ND	2.0		µg/L	1	4/11/07 5:07:00 PM
Surr: Dibromofluoromethane	103	70-130		%REC	1	4/11/07 5:07:00 PM
Surr: 1,2-Dichloroethane-d4	103	70-130		%REC	1	4/11/07 5:07:00 PM
Surr: Toluene-d8	99.9	70-130		%REC	1	4/11/07 5:07:00 PM
Surr: 4-Bromofluorobenzene	97.9	70-130		%REC	1	4/11/07 5:07:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-SW107
Lab Order:	0704016	**Collection Date:**	4/2/07 11:50:00 AM
Project:	00291-4 Canton Airport	**Matrix:**	SURFACE WATER
Lab ID:	0704016-03A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS BY MCP MET SW8260B						Analyst: SK
Acetone	14	10		µg/L	1	4/11/07 5:42:00 PM
Tertiary Amyl Methyl Ether	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
Benzene	ND	1.0		µg/L	1	4/11/07 5:42:00 PM
Bromobenzene	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
Bromochloromethane	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
Bromoform	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
Bromomethane	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
Carbon disulfide	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
Chlorobenzene	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
Chloroethane	ND	5.0		µg/L	1	4/11/07 5:42:00 PM
Chloroform	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
Chloromethane	ND	3.0		µg/L	1	4/11/07 5:42:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	4/11/07 5:42:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
Dibromomethane	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	4/11/07 5:42:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	4/11/07 5:42:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	4/11/07 5:42:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	4/11/07 5:42:00 PM
Diethyl ether	ND	5.0		µg/L	1	4/11/07 5:42:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-SW107
Lab Order:	0704016	**Collection Date:**	4/2/07 11:50:00 AM
Project:	00291-4 Canton Airport	**Matrix:**	SURFACE WATER
Lab ID:	0704016-03A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Diisopropyl ether	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
1,4-Dioxane	ND	50		µg/L	1	4/11/07 5:42:00 PM
Ethyl Tertiary Butyl Ether	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
Ethylbenzene	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
2-Hexanone	ND	10		µg/L	1	4/11/07 5:42:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
2-Butanone	10	10		µg/L	1	4/11/07 5:42:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	4/11/07 5:42:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
Methylene chloride	ND	5.0		µg/L	1	4/11/07 5:42:00 PM
Naphthalene	ND	5.0		µg/L	1	4/11/07 5:42:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
Styrene	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
Tetrahydrofuran	ND	10		µg/L	1	4/11/07 5:42:00 PM
Toluene	4.1	2.0		µg/L	1	4/11/07 5:42:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
Trichloroethene	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
Vinyl chloride	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
o-Xylene	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
m,p-Xylene	ND	2.0		µg/L	1	4/11/07 5:42:00 PM
Surr: Dibromofluoromethane	101	70-130		%REC	1	4/11/07 5:42:00 PM
Surr: 1,2-Dichloroethane-d4	102	70-130		%REC	1	4/11/07 5:42:00 PM
Surr: Toluene-d8	99.1	70-130		%REC	1	4/11/07 5:42:00 PM
Surr: 4-Bromofluorobenzene	95.4	70-130		%REC	1	4/11/07 5:42:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-SW108
Lab Order:	0704016	**Collection Date:**	4/2/07 10:45:00 AM
Project:	00291-4 Canton Airport	**Matrix:**	SURFACE WATER
Lab ID:	0704016-04A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS BY MCP MET SW8260B						Analyst: **SK**
Acetone	ND	10		µg/L	1	4/11/07 6:16:00 PM
Tertiary Amyl Methyl Ether	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
Benzene	ND	1.0		µg/L	1	4/11/07 6:16:00 PM
Bromobenzene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
Bromochloromethane	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
Bromoform	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
Bromomethane	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
Carbon disulfide	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
Chlorobenzene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
Chloroethane	ND	5.0		µg/L	1	4/11/07 6:16:00 PM
Chloroform	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
Chloromethane	ND	3.0		µg/L	1	4/11/07 6:16:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	4/11/07 6:16:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
Dibromomethane	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	4/11/07 6:16:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	4/11/07 6:16:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	4/11/07 6:16:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	4/11/07 6:16:00 PM
Diethyl ether	ND	5.0		µg/L	1	4/11/07 6:16:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-SW108
Lab Order:	0704016	**Collection Date:**	4/2/07 10:45:00 AM
Project:	00291-4 Canton Airport	**Matrix:**	SURFACE WATER
Lab ID:	0704016-04A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Diisopropyl ether	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
1,4-Dioxane	ND	50		µg/L	1	4/11/07 6:16:00 PM
Ethyl Tertiary Butyl Ether	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
Ethylbenzene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
2-Hexanone	ND	10		µg/L	1	4/11/07 6:16:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
2-Butanone	ND	10		µg/L	1	4/11/07 6:16:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	4/11/07 6:16:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
Methylene chloride	ND	5.0		µg/L	1	4/11/07 6:16:00 PM
Naphthalene	ND	5.0		µg/L	1	4/11/07 6:16:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
Styrene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
Tetrahydrofuran	ND	10		µg/L	1	4/11/07 6:16:00 PM
Toluene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
Trichloroethene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
Vinyl chloride	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
o-Xylene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
m,p-Xylene	ND	2.0		µg/L	1	4/11/07 6:16:00 PM
Surr: Dibromofluoromethane	101	70-130		%REC	1	4/11/07 6:16:00 PM
Surr: 1,2-Dichloroethane-d4	102	70-130		%REC	1	4/11/07 6:16:00 PM
Surr: Toluene-d8	99.1	70-130		%REC	1	4/11/07 6:16:00 PM
Surr: 4-Bromofluorobenzene	98.5	70-130		%REC	1	4/11/07 6:16:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-SW109
Lab Order:	0704016	**Collection Date:**	4/2/07 10:45:00 AM
Project:	00291-4 Canton Airport	**Matrix:**	SURFACE WATER
Lab ID:	0704016-05A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS BY MCP MET SW8260B						Analyst: **SK**
Acetone	ND	10		µg/L	1	4/11/07 6:52:00 PM
Tertiary Amyl Methyl Ether	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
Benzene	ND	1.0		µg/L	1	4/11/07 6:52:00 PM
Bromobenzene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
Bromochloromethane	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
Bromoform	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
Bromomethane	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
Carbon disulfide	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
Chlorobenzene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
Chloroethane	ND	5.0		µg/L	1	4/11/07 6:52:00 PM
Chloroform	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
Chloromethane	ND	3.0		µg/L	1	4/11/07 6:52:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	4/11/07 6:52:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
Dibromomethane	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	4/11/07 6:52:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	4/11/07 6:52:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	4/11/07 6:52:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	4/11/07 6:52:00 PM
Diethyl ether	ND	5.0		µg/L	1	4/11/07 6:52:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-SW109
Lab Order:	0704016	**Collection Date:**	4/2/07 10:45:00 AM
Project:	00291-4 Canton Airport	**Matrix:**	SURFACE WATER
Lab ID:	0704016-05A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Diisopropyl ether	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
1,4-Dioxane	ND	50		µg/L	1	4/11/07 6:52:00 PM
Ethyl Tertiary Butyl Ether	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
Ethylbenzene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
2-Hexanone	ND	10		µg/L	1	4/11/07 6:52:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
2-Butanone	ND	10		µg/L	1	4/11/07 6:52:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	4/11/07 6:52:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
Methylene chloride	ND	5.0		µg/L	1	4/11/07 6:52:00 PM
Naphthalene	ND	5.0		µg/L	1	4/11/07 6:52:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
Styrene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
Tetrahydrofuran	ND	10		µg/L	1	4/11/07 6:52:00 PM
Toluene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
Trichloroethene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
Vinyl chloride	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
o-Xylene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
m,p-Xylene	ND	2.0		µg/L	1	4/11/07 6:52:00 PM
Surr: Dibromofluoromethane	102	70-130		%REC	1	4/11/07 6:52:00 PM
Surr: 1,2-Dichloroethane-d4	101	70-130		%REC	1	4/11/07 6:52:00 PM
Surr: Toluene-d8	100	70-130		%REC	1	4/11/07 6:52:00 PM
Surr: 4-Bromofluorobenzene	99.5	70-130		%REC	1	4/11/07 6:52:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-SW110
Lab Order:	0704016	**Collection Date:**	4/2/07 10:00:00 AM
Project:	00291-4 Canton Airport	**Matrix:**	SURFACE WATER
Lab ID:	0704016-06A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS BY MCP MET SW8260B						Analyst: SK
Acetone	ND	10		µg/L	1	4/11/07 7:27:00 PM
Tertiary Amyl Methyl Ether	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
Benzene	ND	1.0		µg/L	1	4/11/07 7:27:00 PM
Bromobenzene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
Bromochloromethane	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
Bromoform	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
Bromomethane	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
Carbon disulfide	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
Chlorobenzene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
Chloroethane	ND	5.0		µg/L	1	4/11/07 7:27:00 PM
Chloroform	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
Chloromethane	ND	3.0		µg/L	1	4/11/07 7:27:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	4/11/07 7:27:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
Dibromomethane	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	4/11/07 7:27:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	4/11/07 7:27:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	4/11/07 7:27:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	4/11/07 7:27:00 PM
Diethyl ether	ND	5.0		µg/L	1	4/11/07 7:27:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-SW110
Lab Order:	0704016	**Collection Date:**	4/2/07 10:00:00 AM
Project:	00291-4 Canton Airport	**Matrix:**	SURFACE WATER
Lab ID:	0704016-06A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Diisopropyl ether	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
1,4-Dioxane	ND	50		µg/L	1	4/11/07 7:27:00 PM
Ethyl Tertiary Butyl Ether	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
Ethylbenzene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
2-Hexanone	ND	10		µg/L	1	4/11/07 7:27:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
2-Butanone	ND	10		µg/L	1	4/11/07 7:27:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	4/11/07 7:27:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
Methylene chloride	ND	5.0		µg/L	1	4/11/07 7:27:00 PM
Naphthalene	ND	5.0		µg/L	1	4/11/07 7:27:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
Styrene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
Tetrahydrofuran	ND	10		µg/L	1	4/11/07 7:27:00 PM
Toluene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
Trichloroethene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
Vinyl chloride	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
o-Xylene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
m,p-Xylene	ND	2.0		µg/L	1	4/11/07 7:27:00 PM
Surr: Dibromofluoromethane	103	70-130		%REC	1	4/11/07 7:27:00 PM
Surr: 1,2-Dichloroethane-d4	104	70-130		%REC	1	4/11/07 7:27:00 PM
Surr: Toluene-d8	99.5	70-130		%REC	1	4/11/07 7:27:00 PM
Surr: 4-Bromofluorobenzene	98.4	70-130		%REC	1	4/11/07 7:27:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-SW110 DUPE
Lab Order:	0704016	**Collection Date:**	4/2/07 10:10:00 AM
Project:	00291-4 Canton Airport	**Matrix:**	SURFACE WATER
Lab ID:	0704016-07A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS BY MCP MET SW8260B						Analyst: **SK**
Acetone	ND	10		µg/L	1	4/11/07 8:01:00 PM
Tertiary Amyl Methyl Ether	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
Benzene	ND	1.0		µg/L	1	4/11/07 8:01:00 PM
Bromobenzene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
Bromochloromethane	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
Bromoform	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
Bromomethane	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
Carbon disulfide	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
Chlorobenzene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
Chloroethane	ND	5.0		µg/L	1	4/11/07 8:01:00 PM
Chloroform	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
Chloromethane	ND	3.0		µg/L	1	4/11/07 8:01:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	4/11/07 8:01:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
Dibromomethane	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	4/11/07 8:01:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	4/11/07 8:01:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	4/11/07 8:01:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	4/11/07 8:01:00 PM
Diethyl ether	ND	5.0		µg/L	1	4/11/07 8:01:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-SW110 DUPE
Lab Order:	0704016	**Collection Date:**	4/2/07 10:10:00 AM
Project:	00291-4 Canton Airport	**Matrix:**	SURFACE WATER
Lab ID:	0704016-07A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Diisopropyl ether	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
1,4-Dioxane	ND	50		µg/L	1	4/11/07 8:01:00 PM
Ethyl Tertiary Butyl Ether	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
Ethylbenzene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
2-Hexanone	ND	10		µg/L	1	4/11/07 8:01:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
2-Butanone	ND	10		µg/L	1	4/11/07 8:01:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	4/11/07 8:01:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
Methylene chloride	ND	5.0		µg/L	1	4/11/07 8:01:00 PM
Naphthalene	ND	5.0		µg/L	1	4/11/07 8:01:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
Styrene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
Tetrahydrofuran	ND	10		µg/L	1	4/11/07 8:01:00 PM
Toluene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
Trichloroethene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
Vinyl chloride	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
o-Xylene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
m,p-Xylene	ND	2.0		µg/L	1	4/11/07 8:01:00 PM
Surr: Dibromofluoromethane	99.8	70-130		%REC	1	4/11/07 8:01:00 PM
Surr: 1,2-Dichloroethane-d4	101	70-130		%REC	1	4/11/07 8:01:00 PM
Surr: Toluene-d8	98.6	70-130		%REC	1	4/11/07 8:01:00 PM
Surr: 4-Bromofluorobenzene	95.0	70-130		%REC	1	4/11/07 8:01:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-SW112
Lab Order:	0704016	**Collection Date:**	4/2/07 4:00:00 PM
Project:	00291-4 Canton Airport	**Matrix:**	SURFACE WATER
Lab ID:	0704016-08A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS BY MCP MET SW8260B						Analyst: **SK**
Acetone	ND	10		µg/L	1	4/11/07 8:36:00 PM
Tertiary Amyl Methyl Ether	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
Benzene	ND	1.0		µg/L	1	4/11/07 8:36:00 PM
Bromobenzene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
Bromochloromethane	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
Bromoform	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
Bromomethane	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
Carbon disulfide	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
Chlorobenzene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
Chloroethane	ND	5.0		µg/L	1	4/11/07 8:36:00 PM
Chloroform	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
Chloromethane	ND	3.0		µg/L	1	4/11/07 8:36:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	4/11/07 8:36:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
Dibromomethane	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	4/11/07 8:36:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	4/11/07 8:36:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	4/11/07 8:36:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	4/11/07 8:36:00 PM
Diethyl ether	ND	5.0		µg/L	1	4/11/07 8:36:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-SW112
Lab Order:	0704016	**Collection Date:**	4/2/07 4:00:00 PM
Project:	00291-4 Canton Airport	**Matrix:**	SURFACE WATER
Lab ID:	0704016-08A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Diisopropyl ether	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
1,4-Dioxane	ND	50		µg/L	1	4/11/07 8:36:00 PM
Ethyl Tertiary Butyl Ether	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
Ethylbenzene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
2-Hexanone	ND	10		µg/L	1	4/11/07 8:36:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
2-Butanone	ND	10		µg/L	1	4/11/07 8:36:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	4/11/07 8:36:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
Methylene chloride	ND	5.0		µg/L	1	4/11/07 8:36:00 PM
Naphthalene	ND	5.0		µg/L	1	4/11/07 8:36:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
Styrene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
Tetrahydrofuran	ND	10		µg/L	1	4/11/07 8:36:00 PM
Toluene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
Trichloroethene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
Vinyl chloride	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
o-Xylene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
m,p-Xylene	ND	2.0		µg/L	1	4/11/07 8:36:00 PM
Surr: Dibromofluoromethane	101	70-130		%REC	1	4/11/07 8:36:00 PM
Surr: 1,2-Dichloroethane-d4	103	70-130		%REC	1	4/11/07 8:36:00 PM
Surr: Toluene-d8	98.4	70-130		%REC	1	4/11/07 8:36:00 PM
Surr: 4-Bromofluorobenzene	98.0	70-130		%REC	1	4/11/07 8:36:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-SW114
Lab Order:	0704016	**Collection Date:**	4/2/07 4:45:00 PM
Project:	00291-4 Canton Airport	**Matrix:**	SURFACE WATER
Lab ID:	0704016-09A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS BY MCP MET SW8260B						Analyst: **SK**
Acetone	ND	10		µg/L	1	4/11/07 9:10:00 PM
Tertiary Amyl Methyl Ether	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
Benzene	ND	1.0		µg/L	1	4/11/07 9:10:00 PM
Bromobenzene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
Bromochloromethane	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
Bromoform	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
Bromomethane	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
Carbon disulfide	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
Chlorobenzene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
Chloroethane	ND	5.0		µg/L	1	4/11/07 9:10:00 PM
Chloroform	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
Chloromethane	ND	3.0		µg/L	1	4/11/07 9:10:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	4/11/07 9:10:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
Dibromomethane	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	4/11/07 9:10:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	4/11/07 9:10:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	4/11/07 9:10:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	4/11/07 9:10:00 PM
Diethyl ether	ND	5.0		µg/L	1	4/11/07 9:10:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-SW114
Lab Order:	0704016	**Collection Date:**	4/2/07 4:45:00 PM
Project:	00291-4 Canton Airport	**Matrix:**	SURFACE WATER
Lab ID:	0704016-09A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Diisopropyl ether	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
1,4-Dioxane	ND	50		µg/L	1	4/11/07 9:10:00 PM
Ethyl Tertiary Butyl Ether	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
Ethylbenzene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
2-Hexanone	ND	10		µg/L	1	4/11/07 9:10:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
2-Butanone	ND	10		µg/L	1	4/11/07 9:10:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	4/11/07 9:10:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
Methylene chloride	ND	5.0		µg/L	1	4/11/07 9:10:00 PM
Naphthalene	ND	5.0		µg/L	1	4/11/07 9:10:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
Styrene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
Tetrahydrofuran	ND	10		µg/L	1	4/11/07 9:10:00 PM
Toluene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
Trichloroethene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
Vinyl chloride	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
o-Xylene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
m,p-Xylene	ND	2.0		µg/L	1	4/11/07 9:10:00 PM
Surr: Dibromofluoromethane	100	70-130		%REC	1	4/11/07 9:10:00 PM
Surr: 1,2-Dichloroethane-d4	102	70-130		%REC	1	4/11/07 9:10:00 PM
Surr: Toluene-d8	98.6	70-130		%REC	1	4/11/07 9:10:00 PM
Surr: 4-Bromofluorobenzene	97.5	70-130		%REC	1	4/11/07 9:10:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	Trip Blank
Lab Order:	0704016	**Collection Date:**	4/2/07
Project:	00291-4 Canton Airport	**Matrix:**	AQUEOUS
Lab ID:	0704016-10A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS BY MCP MET SW8260B						Analyst: SK
Acetone	ND	10		µg/L	1	4/11/07 1:34:00 PM
Tertiary Amyl Methyl Ether	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
Benzene	ND	1.0		µg/L	1	4/11/07 1:34:00 PM
Bromobenzene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
Bromochloromethane	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
Bromoform	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
Bromomethane	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
Carbon disulfide	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
Chlorobenzene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
Chloroethane	ND	5.0		µg/L	1	4/11/07 1:34:00 PM
Chloroform	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
Chloromethane	ND	3.0		µg/L	1	4/11/07 1:34:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	4/11/07 1:34:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
Dibromomethane	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	4/11/07 1:34:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	4/11/07 1:34:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	4/11/07 1:34:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	4/11/07 1:34:00 PM
Diethyl ether	ND	5.0		µg/L	1	4/11/07 1:34:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	Trip Blank
Lab Order:	0704016	**Collection Date:**	4/2/07
Project:	00291-4 Canton Airport	**Matrix:**	AQUEOUS
Lab ID:	0704016-10A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Diisopropyl ether	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
1,4-Dioxane	ND	50		µg/L	1	4/11/07 1:34:00 PM
Ethyl Tertiary Butyl Ether	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
Ethylbenzene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
2-Hexanone	ND	10		µg/L	1	4/11/07 1:34:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
2-Butanone	ND	10		µg/L	1	4/11/07 1:34:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	4/11/07 1:34:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
Methylene chloride	ND	5.0		µg/L	1	4/11/07 1:34:00 PM
Naphthalene	ND	5.0		µg/L	1	4/11/07 1:34:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
Styrene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
Tetrahydrofuran	ND	10		µg/L	1	4/11/07 1:34:00 PM
Toluene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
Trichloroethene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
Vinyl chloride	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
o-Xylene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
m,p-Xylene	ND	2.0		µg/L	1	4/11/07 1:34:00 PM
Surr: Dibromofluoromethane	102	70-130		%REC	1	4/11/07 1:34:00 PM
Surr: 1,2-Dichloroethane-d4	101	70-130		%REC	1	4/11/07 1:34:00 PM
Surr: Toluene-d8	101	70-130		%REC	1	4/11/07 1:34:00 PM
Surr: 4-Bromofluorobenzene	101	70-130		%REC	1	4/11/07 1:34:00 PM

AMRO Environmental Laboratories Corp.

Date: *12-Apr-07*

CLIENT: GEI Consultants, Inc.
Work Order: 0704016
Project: 00291-4 Canton Airport

QC SUMMARY REPORT

Method Blank

Sample ID: **mb-04/11/07** Batch ID: **R36438** Test Code: **SW8260B** Units: *µg/L* Analysis Date **4/11/2007 12:25:00 PM** Prep Date: **4/11/2007**

Client ID: Run ID: **V-1_070411A** SeqNo: **603473**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Acetone	ND	10	µg/L									
Tertiary Amyl Methyl Ether	ND	2.0	µg/L									
Benzene	ND	1.0	µg/L									
Bromobenzene	ND	2.0	µg/L									
Bromochloromethane	ND	2.0	µg/L									
Bromodichloromethane	ND	2.0	µg/L									
Bromoform	ND	2.0	µg/L									
Bromomethane	ND	2.0	µg/L									
sec-Butylbenzene	ND	2.0	µg/L									
n-Butylbenzene	ND	2.0	µg/L									
tert-Butylbenzene	ND	2.0	µg/L									
Carbon disulfide	ND	2.0	µg/L									
Carbon tetrachloride	ND	2.0	µg/L									
Chlorobenzene	ND	2.0	µg/L									
Dibromochloromethane	ND	2.0	µg/L									
Chloroethane	ND	5.0	µg/L									
Chloroform	ND	2.0	µg/L									
Chloromethane	ND	3.0	µg/L									
2-Chlorotoluene	ND	2.0	µg/L									
4-Chlorotoluene	ND	2.0	µg/L									
1,2-Dibromo-3-chloropropane	ND	5.0	µg/L									
1,2-Dibromoethane	ND	2.0	µg/L									
Dibromomethane	ND	2.0	µg/L									
1,3-Dichlorobenzene	ND	2.0	µg/L									
1,2-Dichlorobenzene	ND	2.0	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit
S - Spike Recovery outside accepted recovery limits
B - Analyte detected in the associated Method Blank
J - Analyte detected below quantitation limits
R - RPD outside accepted recovery limits
NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *12-Apr-07*

CLIENT: GEI Consultants, Inc.
Work Order: 0704016
Project: 00291-4 Canton Airport

QC SUMMARY REPORT

Method Blank

1,4-Dichlorobenzene	ND	2.0	µg/L
Dichlorodifluoromethane	ND	5.0	µg/L
1,1-Dichloroethane	ND	2.0	µg/L
1,2-Dichloroethane	ND	2.0	µg/L
1,1-Dichloroethene	ND	1.0	µg/L
cis-1,2-Dichloroethene	ND	2.0	µg/L
trans-1,2-Dichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
2,2-Dichloropropane	ND	2.0	µg/L
1,1-Dichloropropene	ND	2.0	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
Diethyl ether	ND	5.0	µg/L
Diisopropyl ether	ND	2.0	µg/L
1,4-Dioxane	ND	50	µg/L
Ethyl Tertiary Butyl Ether	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
Hexachlorobutadiene	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
Isopropylbenzene	ND	2.0	µg/L
4-Isopropyltoluene	ND	2.0	µg/L
2-Butanone	ND	10	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
Methyl tert-butyl ether	ND	2.0	µg/L
Methylene chloride	ND	5.0	µg/L
Naphthalene	ND	5.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit
S - Spike Recovery outside accepted recovery limits
B - Analyte detected in the associated Method Blank
J - Analyte detected below quantitation limits
R - RPD outside accepted recovery limits
NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

CLIENT: GEI Consultants, Inc.
Work Order: 0704016
Project: 00291-4 Canton Airport

QC SUMMARY REPORT

Method Blank

Tetrachloroethene	ND	2.0	µg/L						
Tetrahydrofuran	ND	10	µg/L						
Toluene	ND	2.0	µg/L						
1,2,4-Trichlorobenzene	ND	2.0	µg/L						
1,2,3-Trichlorobenzene	ND	2.0	µg/L						
1,1,1-Trichloroethane	ND	2.0	µg/L						
1,1,2-Trichloroethane	ND	2.0	µg/L						
Trichloroethene	ND	2.0	µg/L						
Trichlorofluoromethane	ND	2.0	µg/L						
1,2,3-Trichloropropane	ND	2.0	µg/L						
1,2,4-Trimethylbenzene	ND	2.0	µg/L						
1,3,5-Trimethylbenzene	ND	2.0	µg/L						
Vinyl chloride	ND	2.0	µg/L						
o-Xylene	ND	2.0	µg/L						
m,p-Xylene	ND	2.0	µg/L						
Surr: Dibromofluoromethane	25.5	2.0	µg/L	25	0	102	70	130	0
Surr: 1,2-Dichloroethane-d4	24.46	2.0	µg/L	25	0	97.8	70	130	0
Surr: Toluene-d8	24.47	2.0	µg/L	25	0	97.9	70	130	0
Surr: 4-Bromofluorobenzene	24.31	2.0	µg/L	25	0	97.2	70	130	0

Qualifiers: ND - Not Detected at the Reporting Limit; S - Spike Recovery outside accepted recovery limits; B - Analyte detected in the associated Method Blank; J - Analyte detected below quantitation limits; R - RPD outside accepted recovery limits; NA - Not applicable where J values or ND results occur; RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *12-Apr-07*

CLIENT: GEI Consultants, Inc.
Work Order: 0704016
Project: 00291-4 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike - Full List

Sample ID: **lcsf-04/11/07** Batch ID: **R36438** Test Code: **SW8260B** Units: **µg/L** Analysis Date **4/11/2007 10:42:00 AM** Prep Date: **4/11/2007**

Client ID: Run ID: **V-1_070411A** SeqNo: **603474**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Acetone	16.96	10	µg/L	20	0	84.8	70	130	0			
Tertiary Amyl Methyl Ether	19.27	2.0	µg/L	20	0	96.4	70	130	0			
Benzene	19.15	1.0	µg/L	20	0	95.8	70	130	0			
Bromobenzene	19.08	2.0	µg/L	20	0	95.4	70	130	0			
Bromochloromethane	19.62	2.0	µg/L	20	0	98.1	70	130	0			
Bromodichloromethane	18.63	2.0	µg/L	20	0	93.2	70	130	0			
Bromoform	16.21	2.0	µg/L	20	0	81	70	130	0			
Bromomethane	19.33	2.0	µg/L	20	0	96.7	70	130	0			
sec-Butylbenzene	19.98	2.0	µg/L	20	0	99.9	70	130	0			
n-Butylbenzene	20	2.0	µg/L	20	0	100	70	130	0			
tert-Butylbenzene	19.4	2.0	µg/L	20	0	97	70	130	0			
Carbon disulfide	14.84	2.0	µg/L	20	0	74.2	70	130	0			
Carbon tetrachloride	19.64	2.0	µg/L	20	0	98.2	70	130	0			
Chlorobenzene	18.69	2.0	µg/L	20	0	93.4	70	130	0			
Dibromochloromethane	19.37	2.0	µg/L	20	0	96.8	70	130	0			
Chloroethane	20.84	5.0	µg/L	20	0	104	70	130	0			
Chloroform	18.25	2.0	µg/L	20	0	91.2	70	130	0			
Chloromethane	17.97	3.0	µg/L	20	0	89.8	70	130	0			
2-Chlorotoluene	19.32	2.0	µg/L	20	0	96.6	70	130	0			
4-Chlorotoluene	18.74	2.0	µg/L	20	0	93.7	70	130	0			
1,2-Dibromo-3-chloropropane	16.64	5.0	µg/L	20	0	83.2	70	130	0			
1,2-Dibromoethane	19.96	2.0	µg/L	20	0	99.8	70	130	0			
Dibromomethane	20.13	2.0	µg/L	20	0	101	70	130	0			
1,3-Dichlorobenzene	20	2.0	µg/L	20	0	100	70	130	0			
1,2-Dichlorobenzene	19.79	2.0	µg/L	20	0	99	70	130	0			

Qualifiers: ND - Not Detected at the Reporting Limit; S - Spike Recovery outside accepted recovery limits; B - Analyte detected in the associated Method Blank; J - Analyte detected below quantitation limits; R - RPD outside accepted recovery limits; NA - Not applicable where J values or ND results occur; RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

CLIENT: GEI Consultants, Inc.
Work Order: 0704016
Project: 00291-4 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike - Full List

1,4-Dichlorobenzene	19.85	2.0	µg/L	20	0	99.2	70	130	0
Dichlorodifluoromethane	21.07	5.0	µg/L	20	0	105	70	130	0
1,1-Dichloroethane	18.66	2.0	µg/L	20	0	93.3	70	130	0
1,2-Dichloroethane	19.56	2.0	µg/L	20	0	97.8	70	130	0
1,1-Dichloroethene	16.58	1.0	µg/L	20	0	82.9	70	130	0
cis-1,2-Dichloroethene	18.53	2.0	µg/L	20	0	92.6	70	130	0
trans-1,2-Dichloroethene	18.16	2.0	µg/L	20	0	90.8	70	130	0
1,2-Dichloropropane	19.91	2.0	µg/L	20	0	99.6	70	130	0
1,3-Dichloropropane	19.32	2.0	µg/L	20	0	96.6	70	130	0
2,2-Dichloropropane	21.52	2.0	µg/L	20	0	108	70	130	0
1,1-Dichloropropene	19.3	2.0	µg/L	20	0	96.5	70	130	0
cis-1,3-Dichloropropene	20.25	1.0	µg/L	20	0	101	70	130	0
trans-1,3-Dichloropropene	20.53	1.0	µg/L	20	0	103	70	130	0
Diethyl ether	17.39	5.0	µg/L	20	0	87	70	130	0
Diisopropyl ether	19.46	2.0	µg/L	20	0	97.3	70	130	0
1,4-Dioxane	124	50	µg/L	100	0	124	70	130	0
Ethyl Tertiary Butyl Ether	20.31	2.0	µg/L	20	0	102	70	130	0
Ethylbenzene	19.2	2.0	µg/L	20	0	96	70	130	0
Hexachlorobutadiene	16.46	2.0	µg/L	20	0	82.3	70	130	0
2-Hexanone	17.59	10	µg/L	20	0	88	70	130	0
Isopropylbenzene	20.11	2.0	µg/L	20	0	101	70	130	0
4-Isopropyltoluene	20.33	2.0	µg/L	20	0	102	70	130	0
2-Butanone	17.46	10	µg/L	20	0	87.3	70	130	0
4-Methyl-2-pentanone	18.24	10	µg/L	20	0	91.2	70	130	0
Methyl tert-butyl ether	19.79	2.0	µg/L	20	0	99	70	130	0
Methylene chloride	17.76	5.0	µg/L	20	0	88.8	70	130	0
Naphthalene	18.32	5.0	µg/L	20	0	91.6	70	130	0
n-Propylbenzene	19.21	2.0	µg/L	20	0	96	70	130	0
Styrene	20.7	2.0	µg/L	20	0	104	70	130	0
1,1,1,2-Tetrachloroethane	19.42	2.0	µg/L	20	0	97.1	70	130	0
1,1,2,2-Tetrachloroethane	19.31	2.0	µg/L	20	0	96.6	70	130	0

Qualifiers: ND - Not Detected at the Reporting Limit
S - Spike Recovery outside accepted recovery limits
B - Analyte detected in the associated Method Blank
J - Analyte detected below quantitation limits
R - RPD outside accepted recovery limits
NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

CLIENT: GEI Consultants, Inc.
Work Order: 0704016
Project: 00291-4 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike - Full List

Tetrachloroethene	19.36	2.0	µg/L	20	0	96.8	70	130	0
Tetrahydrofuran	17.79	10	µg/L	20	0	89	70	130	0
Toluene	19.47	2.0	µg/L	20	0	97.4	70	130	0
1,2,4-Trichlorobenzene	19.61	2.0	µg/L	20	0	98	70	130	0
1,2,3-Trichlorobenzene	18.88	2.0	µg/L	20	0	94.4	70	130	0
1,1,1-Trichloroethane	19.69	2.0	µg/L	20	0	98.4	70	130	0
1,1,2-Trichloroethane	18.45	2.0	µg/L	20	0	92.2	70	130	0
Trichloroethene	19.2	2.0	µg/L	20	0	96	70	130	0
Trichlorofluoromethane	21.53	2.0	µg/L	20	0	108	70	130	0
1,2,3-Trichloropropane	19.43	2.0	µg/L	20	0	97.2	70	130	0
1,2,4-Trimethylbenzene	19.93	2.0	µg/L	20	0	99.7	70	130	0
1,3,5-Trimethylbenzene	19.94	2.0	µg/L	20	0	99.7	70	130	0
Vinyl chloride	19.97	2.0	µg/L	20	0	99.8	70	130	0
o-Xylene	19.82	2.0	µg/L	20	0	99.1	70	130	0
m,p-Xylene	39.35	2.0	µg/L	40	0	98.4	70	130	0
Surr: Dibromofluoromethane	24.99	2.0	µg/L	25	0	100	70	130	0
Surr: 1,2-Dichloroethane-d4	24.71	2.0	µg/L	25	0	98.8	70	130	0
Surr: Toluene-d8	25.09	2.0	µg/L	25	0	100	70	130	0
Surr: 4-Bromofluorobenzene	24.3	2.0	µg/L	25	0	97.2	70	130	0

Qualifiers: ND - Not Detected at the Reporting Limit; S - Spike Recovery outside accepted recovery limits; B - Analyte detected in the associated Method Blank; J - Analyte detected below quantitation limits; R - RPD outside accepted recovery limits; NA - Not applicable where J values or ND results occur; RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *12-Apr-07*

CLIENT: GEI Consultants, Inc.
Work Order: 0704016
Project: 00291-4 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike Duplicate - Full List

Sample ID: **lcsdf-04/11/07** Batch ID: **R36438** Test Code: **SW8260B** Units: **µg/L** Analysis Date **4/11/2007 11:16:00 AM** Prep Date: **4/11/2007**

Client ID: Run ID: **V-1_070411A** SeqNo: **603475**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Acetone	16.85	10	µg/L	20	0	84.2	70	130	16.96	0.651	20	
Tertiary Amyl Methyl Ether	18.77	2.0	µg/L	20	0	93.8	70	130	19.27	2.63	20	
Benzene	18.66	1.0	µg/L	20	0	93.3	70	130	19.15	2.59	20	
Bromobenzene	18.79	2.0	µg/L	20	0	94	70	130	19.08	1.53	20	
Bromochloromethane	18.69	2.0	µg/L	20	0	93.4	70	130	19.62	4.86	20	
Bromodichloromethane	18.52	2.0	µg/L	20	0	92.6	70	130	18.63	0.592	20	
Bromoform	16.18	2.0	µg/L	20	0	80.9	70	130	16.21	0.185	20	
Bromomethane	17.83	2.0	µg/L	20	0	89.2	70	130	19.33	8.07	20	
sec-Butylbenzene	18.13	2.0	µg/L	20	0	90.7	70	130	19.98	9.71	20	
n-Butylbenzene	17.93	2.0	µg/L	20	0	89.7	70	130	20	10.9	20	
tert-Butylbenzene	18.56	2.0	µg/L	20	0	92.8	70	130	19.4	4.43	20	
Carbon disulfide	13.59	2.0	µg/L	20	0	68	70	130	14.84	8.79	20	S
Carbon tetrachloride	17.55	2.0	µg/L	20	0	87.8	70	130	19.64	11.2	20	
Chlorobenzene	18.12	2.0	µg/L	20	0	90.6	70	130	18.69	3.1	20	
Dibromochloromethane	18.12	2.0	µg/L	20	0	90.6	70	130	19.37	6.67	20	
Chloroethane	18.89	5.0	µg/L	20	0	94.4	70	130	20.84	9.82	20	
Chloroform	18.27	2.0	µg/L	20	0	91.4	70	130	18.25	0.11	20	
Chloromethane	17.75	3.0	µg/L	20	0	88.8	70	130	17.97	1.23	20	
2-Chlorotoluene	18.45	2.0	µg/L	20	0	92.2	70	130	19.32	4.61	20	
4-Chlorotoluene	18.33	2.0	µg/L	20	0	91.7	70	130	18.74	2.21	20	
1,2-Dibromo-3-chloropropane	18.73	5.0	µg/L	20	0	93.6	70	130	16.64	11.8	20	
1,2-Dibromoethane	19.35	2.0	µg/L	20	0	96.8	70	130	19.96	3.1	20	
Dibromomethane	20.67	2.0	µg/L	20	0	103	70	130	20.13	2.65	20	
1,3-Dichlorobenzene	18.87	2.0	µg/L	20	0	94.4	70	130	20	5.81	20	
1,2-Dichlorobenzene	18.89	2.0	µg/L	20	0	94.4	70	130	19.79	4.65	20	

Qualifiers: ND - Not Detected at the Reporting Limit; S - Spike Recovery outside accepted recovery limits; B - Analyte detected in the associated Method Blank; J - Analyte detected below quantitation limits; R - RPD outside accepted recovery limits; NA - Not applicable where J values or ND results occur; RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

CLIENT: GEI Consultants, Inc.
Work Order: 0704016
Project: 00291-4 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike Duplicate - Full List

1,4-Dichlorobenzene	19.09	2.0	µg/L	20	0	95.4	70	130	19.85	3.9	20
Dichlorodifluoromethane	20.24	5.0	µg/L	20	0	101	70	130	21.07	4.02	20
1,1-Dichloroethane	17.85	2.0	µg/L	20	0	89.2	70	130	18.66	4.44	20
1,2-Dichloroethane	19.4	2.0	µg/L	20	0	97	70	130	19.56	0.821	20
1,1-Dichloroethene	15.29	1.0	µg/L	20	0	76.5	70	130	16.58	8.1	20
cis-1,2-Dichloroethene	17.8	2.0	µg/L	20	0	89	70	130	18.53	4.02	20
trans-1,2-Dichloroethene	17.21	2.0	µg/L	20	0	86	70	130	18.16	5.37	20
1,2-Dichloropropane	19.54	2.0	µg/L	20	0	97.7	70	130	19.91	1.88	20
1,3-Dichloropropane	18.72	2.0	µg/L	20	0	93.6	70	130	19.32	3.15	20
2,2-Dichloropropane	19.93	2.0	µg/L	20	0	99.7	70	130	21.52	7.67	20
1,1-Dichloropropene	17.91	2.0	µg/L	20	0	89.6	70	130	19.3	7.47	20
cis-1,3-Dichloropropene	18.99	1.0	µg/L	20	0	95	70	130	20.25	6.42	20
trans-1,3-Dichloropropene	20.45	1.0	µg/L	20	0	102	70	130	20.53	0.39	20
Diethyl ether	17.02	5.0	µg/L	20	0	85.1	70	130	17.39	2.15	20
Diisopropyl ether	18.45	2.0	µg/L	20	0	92.2	70	130	19.46	5.33	20
1,4-Dioxane	122.5	50	µg/L	100	0	122	70	130	124	1.21	20
Ethyl Tertiary Butyl Ether	20.4	2.0	µg/L	20	0	102	70	130	20.31	0.442	20
Ethylbenzene	18.2	2.0	µg/L	20	0	91	70	130	19.2	5.35	20
Hexachlorobutadiene	16.29	2.0	µg/L	20	0	81.4	70	130	16.46	1.04	20
2-Hexanone	16.35	10	µg/L	20	0	81.8	70	130	17.59	7.31	20
Isopropylbenzene	18.79	2.0	µg/L	20	0	94	70	130	20.11	6.79	20
4-Isopropyltoluene	19.09	2.0	µg/L	20	0	95.4	70	130	20.33	6.29	20
2-Butanone	19.06	10	µg/L	20	0	95.3	70	130	17.46	8.76	20
4-Methyl-2-pentanone	18.76	10	µg/L	20	0	93.8	70	130	18.24	2.81	20
Methyl tert-butyl ether	19.63	2.0	µg/L	20	0	98.2	70	130	19.79	0.812	20
Methylene chloride	16.93	5.0	µg/L	20	0	84.6	70	130	17.76	4.79	20
Naphthalene	18.16	5.0	µg/L	20	0	90.8	70	130	18.32	0.877	20
n-Propylbenzene	17.85	2.0	µg/L	20	0	89.2	70	130	19.21	7.34	20
Styrene	18.51	2.0	µg/L	20	0	92.6	70	130	20.7	11.2	20
1,1,1,2-Tetrachloroethane	19.17	2.0	µg/L	20	0	95.8	70	130	19.42	1.3	20
1,1,2,2-Tetrachloroethane	19.05	2.0	µg/L	20	0	95.2	70	130	19.31	1.36	20

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank
NA - Not applicable where J values or ND results occur

CLIENT: GEI Consultants, Inc.
Work Order: 0704016
Project: 00291-4 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike Duplicate - Full List

Tetrachloroethene	17.93	2.0	µg/L	20	0	89.7	70	130	19.36	7.67	20
Tetrahydrofuran	17.38	10	µg/L	20	0	86.9	70	130	17.79	2.33	20
Toluene	19.02	2.0	µg/L	20	0	95.1	70	130	19.47	2.34	20
1,2,4-Trichlorobenzene	19.64	2.0	µg/L	20	0	98.2	70	130	19.61	0.153	20
1,2,3-Trichlorobenzene	17.64	2.0	µg/L	20	0	88.2	70	130	18.88	6.79	20
1,1,1-Trichloroethane	17.94	2.0	µg/L	20	0	89.7	70	130	19.69	9.3	20
1,1,2-Trichloroethane	18.54	2.0	µg/L	20	0	92.7	70	130	18.45	0.487	20
Trichloroethene	18.08	2.0	µg/L	20	0	90.4	70	130	19.2	6.01	20
Trichlorofluoromethane	19.93	2.0	µg/L	20	0	99.7	70	130	21.53	7.72	20
1,2,3-Trichloropropane	18.76	2.0	µg/L	20	0	93.8	70	130	19.43	3.51	20
1,2,4-Trimethylbenzene	18.99	2.0	µg/L	20	0	95	70	130	19.93	4.83	20
1,3,5-Trimethylbenzene	18.64	2.0	µg/L	20	0	93.2	70	130	19.94	6.74	20
Vinyl chloride	18.72	2.0	µg/L	20	0	93.6	70	130	19.97	6.46	20
o-Xylene	18.39	2.0	µg/L	20	0	92	70	130	19.82	7.48	20
m,p-Xylene	37.29	2.0	µg/L	40	0	93.2	70	130	39.35	5.38	20
Surr: Dibromofluoromethane	24.98	2.0	µg/L	25	0	99.9	70	130	0	0	0
Surr: 1,2-Dichloroethane-d4	24.78	2.0	µg/L	25	0	99.1	70	130	0	0	0
Surr: Toluene-d8	25.01	2.0	µg/L	25	0	100	70	130	0	0	0
Surr: 4-Bromofluorobenzene	24.72	2.0	µg/L	25	0	98.9	70	130	0	0	0

Qualifiers: ND - Not Detected at the Reporting Limit; S - Spike Recovery outside accepted recovery limits; B - Analyte detected in the associated Method Blank; J - Analyte detected below quantitation limits; R - RPD outside accepted recovery limits; NA - Not applicable where J values or ND results occur; RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT: GEI Consultants, Inc.
Project: 00291-4 Canton Airport
Lab Order: 0704016

Lab ID: 0704016-01
Collection Date: 4/2/07 3:15:00 PM
Collection Time:
Client Sample ID: 002914-SW105
Matrix: SURFACE WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS BY MCP METH SW8082						Analyst: KT
Aroclor 1262	ND	0.20		µg/L	1	4/14/07 4:50:00 PM
Aroclor 1268	ND	0.20		µg/L	1	4/14/07 4:50:00 PM
Aroclor 1016	ND	0.20		µg/L	1	4/14/07 4:50:00 PM
Aroclor 1221	ND	0.20		µg/L	1	4/14/07 4:50:00 PM
Aroclor 1232	ND	0.20		µg/L	1	4/14/07 4:50:00 PM
Aroclor 1242	ND	0.20		µg/L	1	4/14/07 4:50:00 PM
Aroclor 1248	ND	0.20		µg/L	1	4/14/07 4:50:00 PM
Aroclor 1254	ND	0.20		µg/L	1	4/14/07 4:50:00 PM
Aroclor 1260	ND	0.20		µg/L	1	4/14/07 4:50:00 PM
Surr: Decachlorobiphenyl	51.4	30-119		%REC	1	4/14/07 4:50:00 PM
Surr: Tetrachloro-m-xylene	72.6	34-113		%REC	1	4/14/07 4:50:00 PM

Lab ID: 0704016-02
Collection Date: 4/2/07 11:50:00 AM
Collection Time:
Client Sample ID: 002914-SW106
Matrix: SURFACE WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS BY MCP METH SW8082						Analyst: KT
Aroclor 1262	ND	0.20		µg/L	1	4/14/07 5:17:00 PM
Aroclor 1268	ND	0.20		µg/L	1	4/14/07 5:17:00 PM
Aroclor 1016	ND	0.20		µg/L	1	4/14/07 5:17:00 PM
Aroclor 1221	ND	0.20		µg/L	1	4/14/07 5:17:00 PM
Aroclor 1232	ND	0.20		µg/L	1	4/14/07 5:17:00 PM
Aroclor 1242	ND	0.20		µg/L	1	4/14/07 5:17:00 PM
Aroclor 1248	ND	0.20		µg/L	1	4/14/07 5:17:00 PM
Aroclor 1254	ND	0.20		µg/L	1	4/14/07 5:17:00 PM
Aroclor 1260	ND	0.20		µg/L	1	4/14/07 5:17:00 PM
Surr: Decachlorobiphenyl	40.2	30-119		%REC	1	4/14/07 5:17:00 PM
Surr: Tetrachloro-m-xylene	85.6	34-113		%REC	1	4/14/07 5:17:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT: GEI Consultants, Inc.
Project: 00291-4 Canton Airport

Lab Order: 0704016

Lab ID: 0704016-03
Collection Date: 4/2/07 11:50:00 AM
Collection Time:
Client Sample ID: 002914-SW107
Matrix: SURFACE WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS BY MCP METH SW8082						Analyst: KT
Aroclor 1262	ND	0.21		µg/L	1	4/14/07 5:43:00 PM
Aroclor 1268	ND	0.21		µg/L	1	4/14/07 5:43:00 PM
Aroclor 1016	ND	0.21		µg/L	1	4/14/07 5:43:00 PM
Aroclor 1221	ND	0.21		µg/L	1	4/14/07 5:43:00 PM
Aroclor 1232	ND	0.21		µg/L	1	4/14/07 5:43:00 PM
Aroclor 1242	ND	0.21		µg/L	1	4/14/07 5:43:00 PM
Aroclor 1248	ND	0.21		µg/L	1	4/14/07 5:43:00 PM
Aroclor 1254	ND	0.21		µg/L	1	4/14/07 5:43:00 PM
Aroclor 1260	ND	0.21		µg/L	1	4/14/07 5:43:00 PM
Surr: Decachlorobiphenyl	50.1	30-119		%REC	1	4/14/07 5:43:00 PM
Surr: Tetrachloro-m-xylene	76.4	34-113		%REC	1	4/14/07 5:43:00 PM

Lab ID: 0704016-04
Collection Date: 4/2/07 10:45:00 AM
Collection Time:
Client Sample ID: 002914-SW108
Matrix: SURFACE WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS BY MCP METH SW8082						Analyst: KT
Aroclor 1262	ND	0.20		µg/L	1	4/14/07 6:09:00 PM
Aroclor 1268	ND	0.20		µg/L	1	4/14/07 6:09:00 PM
Aroclor 1016	ND	0.20		µg/L	1	4/14/07 6:09:00 PM
Aroclor 1221	ND	0.20		µg/L	1	4/14/07 6:09:00 PM
Aroclor 1232	ND	0.20		µg/L	1	4/14/07 6:09:00 PM
Aroclor 1242	ND	0.20		µg/L	1	4/14/07 6:09:00 PM
Aroclor 1248	ND	0.20		µg/L	1	4/14/07 6:09:00 PM
Aroclor 1254	ND	0.20		µg/L	1	4/14/07 6:09:00 PM
Aroclor 1260	ND	0.20		µg/L	1	4/14/07 6:09:00 PM
Surr: Decachlorobiphenyl	50.1	30-119		%REC	1	4/14/07 6:09:00 PM
Surr: Tetrachloro-m-xylene	79.4	34-113		%REC	1	4/14/07 6:09:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT: GEI Consultants, Inc.
Project: 00291-4 Canton Airport
Lab Order: 0704016

Lab ID: 0704016-05
Collection Date: 4/2/07 10:45:00 AM
Collection Time:
Client Sample ID: 002914-SW109
Matrix: SURFACE WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS BY MCP METH SW8082						Analyst: KT
Aroclor 1262	ND	0.21		µg/L	1	4/14/07 6:36:00 PM
Aroclor 1268	ND	0.21		µg/L	1	4/14/07 6:36:00 PM
Aroclor 1016	ND	0.21		µg/L	1	4/14/07 6:36:00 PM
Aroclor 1221	ND	0.21		µg/L	1	4/14/07 6:36:00 PM
Aroclor 1232	ND	0.21		µg/L	1	4/14/07 6:36:00 PM
Aroclor 1242	ND	0.21		µg/L	1	4/14/07 6:36:00 PM
Aroclor 1248	ND	0.21		µg/L	1	4/14/07 6:36:00 PM
Aroclor 1254	ND	0.21		µg/L	1	4/14/07 6:36:00 PM
Aroclor 1260	ND	0.21		µg/L	1	4/14/07 6:36:00 PM
Surr: Decachlorobiphenyl	44.7	30-119		%REC	1	4/14/07 6:36:00 PM
Surr: Tetrachloro-m-xylene	81.6	34-113		%REC	1	4/14/07 6:36:00 PM

Lab ID: 0704016-06
Collection Date: 4/2/07 10:00:00 AM
Collection Time:
Client Sample ID: 002914-SW110
Matrix: SURFACE WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS BY MCP METH SW8082						Analyst: KT
Aroclor 1262	ND	0.20		µg/L	1	4/14/07 7:02:00 PM
Aroclor 1268	ND	0.20		µg/L	1	4/14/07 7:02:00 PM
Aroclor 1016	ND	0.20		µg/L	1	4/14/07 7:02:00 PM
Aroclor 1221	ND	0.20		µg/L	1	4/14/07 7:02:00 PM
Aroclor 1232	ND	0.20		µg/L	1	4/14/07 7:02:00 PM
Aroclor 1242	ND	0.20		µg/L	1	4/14/07 7:02:00 PM
Aroclor 1248	ND	0.20		µg/L	1	4/14/07 7:02:00 PM
Aroclor 1254	ND	0.20		µg/L	1	4/14/07 7:02:00 PM
Aroclor 1260	ND	0.20		µg/L	1	4/14/07 7:02:00 PM
Surr: Decachlorobiphenyl	60.8	30-119		%REC	1	4/14/07 7:02:00 PM
Surr: Tetrachloro-m-xylene	88.8	34-113		%REC	1	4/14/07 7:02:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT: GEI Consultants, Inc.
Project: 00291-4 Canton Airport
Lab Order: 0704016

Lab ID: 0704016-07
Collection Date: 4/2/07 10:10:00 AM
Collection Time:
Client Sample ID: 002914-SW110 DUPE
Matrix: SURFACE WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS BY MCP METH SW8082						Analyst: KT
Aroclor 1262	ND	0.21		µg/L	1	4/14/07 7:28:00 PM
Aroclor 1268	ND	0.21		µg/L	1	4/14/07 7:28:00 PM
Aroclor 1016	ND	0.21		µg/L	1	4/14/07 7:28:00 PM
Aroclor 1221	ND	0.21		µg/L	1	4/14/07 7:28:00 PM
Aroclor 1232	ND	0.21		µg/L	1	4/14/07 7:28:00 PM
Aroclor 1242	ND	0.21		µg/L	1	4/14/07 7:28:00 PM
Aroclor 1248	ND	0.21		µg/L	1	4/14/07 7:28:00 PM
Aroclor 1254	ND	0.21		µg/L	1	4/14/07 7:28:00 PM
Aroclor 1260	ND	0.21		µg/L	1	4/14/07 7:28:00 PM
Surr: Decachlorobiphenyl	52.1	30-119		%REC	1	4/14/07 7:28:00 PM
Surr: Tetrachloro-m-xylene	83.7	34-113		%REC	1	4/14/07 7:28:00 PM

Lab ID: 0704016-08
Collection Date: 4/2/07 4:00:00 PM
Collection Time:
Client Sample ID: 002914-SW112
Matrix: SURFACE WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS BY MCP METH SW8082						Analyst: KT
Aroclor 1262	ND	0.20		µg/L	1	4/14/07 7:55:00 PM
Aroclor 1268	ND	0.20		µg/L	1	4/14/07 7:55:00 PM
Aroclor 1016	ND	0.20		µg/L	1	4/14/07 7:55:00 PM
Aroclor 1221	ND	0.20		µg/L	1	4/14/07 7:55:00 PM
Aroclor 1232	ND	0.20		µg/L	1	4/14/07 7:55:00 PM
Aroclor 1242	ND	0.20		µg/L	1	4/14/07 7:55:00 PM
Aroclor 1248	ND	0.20		µg/L	1	4/14/07 7:55:00 PM
Aroclor 1254	ND	0.20		µg/L	1	4/14/07 7:55:00 PM
Aroclor 1260	ND	0.20		µg/L	1	4/14/07 7:55:00 PM
Surr: Decachlorobiphenyl	66.7	30-119		%REC	1	4/14/07 7:55:00 PM
Surr: Tetrachloro-m-xylene	94.0	34-113		%REC	1	4/14/07 7:55:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT: GEI Consultants, Inc.
Project: 00291-4 Canton Airport
Lab Order: 0704016

Lab ID: 0704016-09
Collection Date: 4/2/07 4:45:00 PM
Collection Time:
Client Sample ID: 002914-SW114
Matrix: SURFACE WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS BY MCP METH SW8082						Analyst: KT
Aroclor 1262	ND	0.20		µg/L	1	4/14/07 8:21:00 PM
Aroclor 1268	ND	0.20		µg/L	1	4/14/07 8:21:00 PM
Aroclor 1016	ND	0.20		µg/L	1	4/14/07 8:21:00 PM
Aroclor 1221	ND	0.20		µg/L	1	4/14/07 8:21:00 PM
Aroclor 1232	ND	0.20		µg/L	1	4/14/07 8:21:00 PM
Aroclor 1242	ND	0.20		µg/L	1	4/14/07 8:21:00 PM
Aroclor 1248	ND	0.20		µg/L	1	4/14/07 8:21:00 PM
Aroclor 1254	ND	0.20		µg/L	1	4/14/07 8:21:00 PM
Aroclor 1260	ND	0.20		µg/L	1	4/14/07 8:21:00 PM
Surr: Decachlorobiphenyl	78.4	30-119		%REC	1	4/14/07 8:21:00 PM
Surr: Tetrachloro-m-xylene	89.4	34-113		%REC	1	4/14/07 8:21:00 PM

AMRO Environmental Laboratories Corp.

Date: *17-Apr-07*

CLIENT: GEI Consultants, Inc.
Work Order: 0704016
Project: 00291-4 Canton Airport

QC SUMMARY REPORT

Method Blank

Sample ID: **mb-16979** Batch ID: **16979** Test Code: **SW8082** Units: **µg/L** Analysis Date **4/14/2007 3:31:00 PM** Prep Date: **4/9/2007**

Client ID: Run ID: **GC-ELVIS_070414A** SeqNo: **604244**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Aroclor 1262	ND	0.20	µg/L									
Aroclor 1268	ND	0.20	µg/L									
Aroclor 1016	ND	0.20	µg/L									
Aroclor 1221	ND	0.20	µg/L									
Aroclor 1232	ND	0.20	µg/L									
Aroclor 1242	ND	0.20	µg/L									
Aroclor 1248	ND	0.20	µg/L									
Aroclor 1254	ND	0.20	µg/L									
Aroclor 1260	ND	0.20	µg/L									
Surr: Decachlorobiphenyl	0.0454	0	µg/L	0.064	0	70.9	30	119	0			
Surr: Tetrachloro-m-xylene	0.04223	0	µg/L	0.064	0	66	34	113	0			

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank
NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: *17-Apr-07*

CLIENT: GEI Consultants, Inc.
Work Order: 0704016
Project: 00291-4 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID: **lcs-16979** Batch ID: **16979** Test Code: **SW8082** Units: **µg/L** Analysis Date **4/14/2007 3:58:00 PM** Prep Date: **4/9/2007**

Client ID: Run ID: **GC-ELVIS_070414A** SeqNo: **604245**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Aroclor 1016	3.771	0.20	µg/L	4	0	94.3	51	125	0			
Aroclor 1260	3.527	0.20	µg/L	4	0	88.2	50	133	0			
Surr: Decachlorobiphenyl	0.05947	0	µg/L	0.064	0	92.9	30	119	0			
Surr: Tetrachloro-m-xylene	0.06113	0	µg/L	0.064	0	95.5	34	113	0			

Sample ID: **lcsd-16979** Batch ID: **16979** Test Code: **SW8082** Units: **µg/L** Analysis Date **4/14/2007 4:24:00 PM** Prep Date: **4/9/2007**

Client ID: Run ID: **GC-ELVIS_070414A** SeqNo: **604246**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Aroclor 1016	3.584	0.20	µg/L	4	0	89.6	51	125	3.771	5.08	50	
Aroclor 1260	3.445	0.20	µg/L	4	0	86.1	50	133	3.527	2.33	50	
Surr: Decachlorobiphenyl	0.061	0	µg/L	0.064	0	95.3	30	119	0	0	0	
Surr: Tetrachloro-m-xylene	0.05975	0	µg/L	0.064	0	93.4	34	113	0	0	0	

Qualifiers: ND - Not Detected at the Reporting Limit; S - Spike Recovery outside accepted recovery limits; B - Analyte detected in the associated Method Blank; J - Analyte detected below quantitation limits; R - RPD outside accepted recovery limits; NA - Not applicable where J values or ND results occur; RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-SW105
Lab Order:	0704016	**Collection Date:**	4/2/07 3:15:00 PM
Project:	00291-4 Canton Airport	**Matrix:**	SURFACE WATER
Lab ID:	0704016-01C		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
MADEP EPH REVISION 1.1		**MAEPH**				Analyst: KT
C9-C18 Aliphatic Hydrocarbons	ND	100		µg/L	1	4/19/07 11:40:00 AM
C19-C36 Aliphatic Hydrocarbons	ND	100		µg/L	1	4/19/07 11:40:00 AM
C11-C22 Aromatic Hydrocarbons	ND	100		µg/L	1	4/19/07 12:14:00 PM
Naphthalene	ND	2.0		µg/L	1	4/19/07 12:14:00 PM
2-Methylnaphthalene	ND	2.0		µg/L	1	4/19/07 12:14:00 PM
Acenaphthylene	ND	2.0		µg/L	1	4/19/07 12:14:00 PM
Acenaphthene	ND	2.0		µg/L	1	4/19/07 12:14:00 PM
Fluorene	ND	2.0		µg/L	1	4/19/07 12:14:00 PM
Phenanthrene	ND	2.0		µg/L	1	4/19/07 12:14:00 PM
Anthracene	ND	2.0		µg/L	1	4/19/07 12:14:00 PM
Fluoranthene	ND	2.0		µg/L	1	4/19/07 12:14:00 PM
Pyrene	ND	2.0		µg/L	1	4/19/07 12:14:00 PM
Benz(a)anthracene	ND	2.0		µg/L	1	4/19/07 12:14:00 PM
Chrysene	ND	2.0		µg/L	1	4/19/07 12:14:00 PM
Benzo(b)fluoranthene	ND	2.0		µg/L	1	4/19/07 12:14:00 PM
Benzo(k)fluoranthene	ND	2.0		µg/L	1	4/19/07 12:14:00 PM
Benzo(a)pyrene	ND	2.0		µg/L	1	4/19/07 12:14:00 PM
Dibenz(a,h)anthracene	ND	2.0		µg/L	1	4/19/07 12:14:00 PM
Indeno(1,2,3-cd)pyrene	ND	2.0		µg/L	1	4/19/07 12:14:00 PM
Benzo(g,h,i)perylene	ND	2.0		µg/L	1	4/19/07 12:14:00 PM
Surr: 1-Chlorooctadecane	32.6	40-140	S	%REC	1	4/19/07 11:40:00 AM
Surr: 2-Bromonaphthalene	93.7	40-140		%REC	1	4/19/07 12:14:00 PM
Surr: 2-Fluorobiphenyl	95.7	40-140		%REC	1	4/19/07 12:14:00 PM
Surr: o-Terphenyl	85.3	40-140		%REC	1	4/19/07 12:14:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-SW106
Lab Order:	0704016	**Collection Date:**	4/2/07 11:50:00 AM
Project:	00291-4 Canton Airport	**Matrix:**	SURFACE WATER
Lab ID:	0704016-02C		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
MADEP EPH REVISION 1.1		**MAEPH**				Analyst: **KT**
C9-C18 Aliphatic Hydrocarbons	ND	100		µg/L	1	4/19/07 6:16:00 PM
C19-C36 Aliphatic Hydrocarbons	ND	100		µg/L	1	4/19/07 6:16:00 PM
C11-C22 Aromatic Hydrocarbons	ND	100		µg/L	1	4/19/07 6:50:00 PM
Naphthalene	ND	2.0		µg/L	1	4/19/07 6:50:00 PM
2-Methylnaphthalene	ND	2.0		µg/L	1	4/19/07 6:50:00 PM
Acenaphthylene	ND	2.0		µg/L	1	4/19/07 6:50:00 PM
Acenaphthene	ND	2.0		µg/L	1	4/19/07 6:50:00 PM
Fluorene	ND	2.0		µg/L	1	4/19/07 6:50:00 PM
Phenanthrene	ND	2.0		µg/L	1	4/19/07 6:50:00 PM
Anthracene	ND	2.0		µg/L	1	4/19/07 6:50:00 PM
Fluoranthene	ND	2.0		µg/L	1	4/19/07 6:50:00 PM
Pyrene	ND	2.0		µg/L	1	4/19/07 6:50:00 PM
Benz(a)anthracene	ND	2.0		µg/L	1	4/19/07 6:50:00 PM
Chrysene	ND	2.0		µg/L	1	4/19/07 6:50:00 PM
Benzo(b)fluoranthene	ND	2.0		µg/L	1	4/19/07 6:50:00 PM
Benzo(k)fluoranthene	ND	2.0		µg/L	1	4/19/07 6:50:00 PM
Benzo(a)pyrene	ND	2.0		µg/L	1	4/19/07 6:50:00 PM
Dibenz(a,h)anthracene	ND	2.0		µg/L	1	4/19/07 6:50:00 PM
Indeno(1,2,3-cd)pyrene	ND	2.0		µg/L	1	4/19/07 6:50:00 PM
Benzo(g,h,i)perylene	ND	2.0		µg/L	1	4/19/07 6:50:00 PM
Surr: 1-Chlorooctadecane	32.6	40-140	S	%REC	1	4/19/07 6:16:00 PM
Surr: 2-Bromonaphthalene	88.5	40-140		%REC	1	4/19/07 6:50:00 PM
Surr: 2-Fluorobiphenyl	92.5	40-140		%REC	1	4/19/07 6:50:00 PM
Surr: o-Terphenyl	78.4	40-140		%REC	1	4/19/07 6:50:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-SW107
Lab Order:	0704016	**Collection Date:**	4/2/07 11:50:00 AM
Project:	00291-4 Canton Airport	**Matrix:**	SURFACE WATER
Lab ID:	0704016-03C		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
MADEP EPH REVISION 1.1		**MAEPH**				Analyst: **KT**
C9-C18 Aliphatic Hydrocarbons	ND	100		µg/L	1	4/19/07 7:24:00 PM
C19-C36 Aliphatic Hydrocarbons	ND	100		µg/L	1	4/19/07 7:24:00 PM
C11-C22 Aromatic Hydrocarbons	ND	100		µg/L	1	4/19/07 7:58:00 PM
Naphthalene	ND	2.0		µg/L	1	4/19/07 7:58:00 PM
2-Methylnaphthalene	ND	2.0		µg/L	1	4/19/07 7:58:00 PM
Acenaphthylene	ND	2.0		µg/L	1	4/19/07 7:58:00 PM
Acenaphthene	ND	2.0		µg/L	1	4/19/07 7:58:00 PM
Fluorene	ND	2.0		µg/L	1	4/19/07 7:58:00 PM
Phenanthrene	ND	2.0		µg/L	1	4/19/07 7:58:00 PM
Anthracene	ND	2.0		µg/L	1	4/19/07 7:58:00 PM
Fluoranthene	ND	2.0		µg/L	1	4/19/07 7:58:00 PM
Pyrene	ND	2.0		µg/L	1	4/19/07 7:58:00 PM
Benz(a)anthracene	ND	2.0		µg/L	1	4/19/07 7:58:00 PM
Chrysene	ND	2.0		µg/L	1	4/19/07 7:58:00 PM
Benzo(b)fluoranthene	ND	2.0		µg/L	1	4/19/07 7:58:00 PM
Benzo(k)fluoranthene	ND	2.0		µg/L	1	4/19/07 7:58:00 PM
Benzo(a)pyrene	ND	2.0		µg/L	1	4/19/07 7:58:00 PM
Dibenz(a,h)anthracene	ND	2.0		µg/L	1	4/19/07 7:58:00 PM
Indeno(1,2,3-cd)pyrene	ND	2.0		µg/L	1	4/19/07 7:58:00 PM
Benzo(g,h,i)perylene	ND	2.0		µg/L	1	4/19/07 7:58:00 PM
Surr: 1-Chlorooctadecane	31.7	40-140	S	%REC	1	4/19/07 7:24:00 PM
Surr: 2-Bromonaphthalene	81.3	40-140		%REC	1	4/19/07 7:58:00 PM
Surr: 2-Fluorobiphenyl	86.8	40-140		%REC	1	4/19/07 7:58:00 PM
Surr: o-Terphenyl	64.0	40-140		%REC	1	4/19/07 7:58:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-SW108
Lab Order:	0704016	**Collection Date:**	4/2/07 10:45:00 AM
Project:	00291-4 Canton Airport	**Matrix:**	SURFACE WATER
Lab ID:	0704016-04C		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
MADEP EPH REVISION 1.1		**MAEPH**				Analyst: **KT**
C9-C18 Aliphatic Hydrocarbons	ND	100		µg/L	1	4/19/07 8:32:00 PM
C19-C36 Aliphatic Hydrocarbons	ND	100		µg/L	1	4/19/07 8:32:00 PM
C11-C22 Aromatic Hydrocarbons	ND	100		µg/L	1	4/19/07 9:06:00 PM
Naphthalene	ND	2.0		µg/L	1	4/19/07 9:06:00 PM
2-Methylnaphthalene	ND	2.0		µg/L	1	4/19/07 9:06:00 PM
Acenaphthylene	ND	2.0		µg/L	1	4/19/07 9:06:00 PM
Acenaphthene	ND	2.0		µg/L	1	4/19/07 9:06:00 PM
Fluorene	ND	2.0		µg/L	1	4/19/07 9:06:00 PM
Phenanthrene	ND	2.0		µg/L	1	4/19/07 9:06:00 PM
Anthracene	ND	2.0		µg/L	1	4/19/07 9:06:00 PM
Fluoranthene	ND	2.0		µg/L	1	4/19/07 9:06:00 PM
Pyrene	ND	2.0		µg/L	1	4/19/07 9:06:00 PM
Benz(a)anthracene	ND	2.0		µg/L	1	4/19/07 9:06:00 PM
Chrysene	ND	2.0		µg/L	1	4/19/07 9:06:00 PM
Benzo(b)fluoranthene	ND	2.0		µg/L	1	4/19/07 9:06:00 PM
Benzo(k)fluoranthene	ND	2.0		µg/L	1	4/19/07 9:06:00 PM
Benzo(a)pyrene	ND	2.0		µg/L	1	4/19/07 9:06:00 PM
Dibenz(a,h)anthracene	ND	2.0		µg/L	1	4/19/07 9:06:00 PM
Indeno(1,2,3-cd)pyrene	ND	2.0		µg/L	1	4/19/07 9:06:00 PM
Benzo(g,h,i)perylene	ND	2.0		µg/L	1	4/19/07 9:06:00 PM
Surr: 1-Chlorooctadecane	24.5	40-140	S	%REC	1	4/19/07 8:32:00 PM
Surr: 2-Bromonaphthalene	88.6	40-140		%REC	1	4/19/07 9:06:00 PM
Surr: 2-Fluorobiphenyl	94.9	40-140		%REC	1	4/19/07 9:06:00 PM
Surr: o-Terphenyl	77.4	40-140		%REC	1	4/19/07 9:06:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-SW109
Lab Order:	0704016	**Collection Date:**	4/2/07 10:45:00 AM
Project:	00291-4 Canton Airport	**Matrix:**	SURFACE WATER
Lab ID:	0704016-05C		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
MADEP EPH REVISION 1.1		**MAEPH**				Analyst: **KT**
C9-C18 Aliphatic Hydrocarbons	ND	100		µg/L	1	4/19/07 9:40:00 PM
C19-C36 Aliphatic Hydrocarbons	ND	100		µg/L	1	4/19/07 9:40:00 PM
C11-C22 Aromatic Hydrocarbons	ND	100		µg/L	1	4/19/07 10:14:00 PM
Naphthalene	ND	2.0		µg/L	1	4/19/07 10:14:00 PM
2-Methylnaphthalene	ND	2.0		µg/L	1	4/19/07 10:14:00 PM
Acenaphthylene	ND	2.0		µg/L	1	4/19/07 10:14:00 PM
Acenaphthene	ND	2.0		µg/L	1	4/19/07 10:14:00 PM
Fluorene	ND	2.0		µg/L	1	4/19/07 10:14:00 PM
Phenanthrene	ND	2.0		µg/L	1	4/19/07 10:14:00 PM
Anthracene	ND	2.0		µg/L	1	4/19/07 10:14:00 PM
Fluoranthene	ND	2.0		µg/L	1	4/19/07 10:14:00 PM
Pyrene	ND	2.0		µg/L	1	4/19/07 10:14:00 PM
Benz(a)anthracene	ND	2.0		µg/L	1	4/19/07 10:14:00 PM
Chrysene	ND	2.0		µg/L	1	4/19/07 10:14:00 PM
Benzo(b)fluoranthene	ND	2.0		µg/L	1	4/19/07 10:14:00 PM
Benzo(k)fluoranthene	ND	2.0		µg/L	1	4/19/07 10:14:00 PM
Benzo(a)pyrene	ND	2.0		µg/L	1	4/19/07 10:14:00 PM
Dibenz(a,h)anthracene	ND	2.0		µg/L	1	4/19/07 10:14:00 PM
Indeno(1,2,3-cd)pyrene	ND	2.0		µg/L	1	4/19/07 10:14:00 PM
Benzo(g,h,i)perylene	ND	2.0		µg/L	1	4/19/07 10:14:00 PM
Surr: 1-Chlorooctadecane	20.1	40-140	S	%REC	1	4/19/07 9:40:00 PM
Surr: 2-Bromonaphthalene	89.2	40-140		%REC	1	4/19/07 10:14:00 PM
Surr: 2-Fluorobiphenyl	91.6	40-140		%REC	1	4/19/07 10:14:00 PM
Surr: o-Terphenyl	72.8	40-140		%REC	1	4/19/07 10:14:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-SW110
Lab Order:	0704016	**Collection Date:**	4/2/07 10:00:00 AM
Project:	00291-4 Canton Airport	**Matrix:**	SURFACE WATER
Lab ID:	0704016-06C		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
MADEP EPH REVISION 1.1		**MAEPH**				Analyst: **KT**
C9-C18 Aliphatic Hydrocarbons	ND	100		µg/L	1	4/19/07 10:48:00 PM
C19-C36 Aliphatic Hydrocarbons	ND	100		µg/L	1	4/19/07 10:48:00 PM
C11-C22 Aromatic Hydrocarbons	ND	100		µg/L	1	4/19/07 11:22:00 PM
Naphthalene	ND	2.0		µg/L	1	4/19/07 11:22:00 PM
2-Methylnaphthalene	ND	2.0		µg/L	1	4/19/07 11:22:00 PM
Acenaphthylene	ND	2.0		µg/L	1	4/19/07 11:22:00 PM
Acenaphthene	ND	2.0		µg/L	1	4/19/07 11:22:00 PM
Fluorene	ND	2.0		µg/L	1	4/19/07 11:22:00 PM
Phenanthrene	ND	2.0		µg/L	1	4/19/07 11:22:00 PM
Anthracene	ND	2.0		µg/L	1	4/19/07 11:22:00 PM
Fluoranthene	ND	2.0		µg/L	1	4/19/07 11:22:00 PM
Pyrene	ND	2.0		µg/L	1	4/19/07 11:22:00 PM
Benz(a)anthracene	ND	2.0		µg/L	1	4/19/07 11:22:00 PM
Chrysene	ND	2.0		µg/L	1	4/19/07 11:22:00 PM
Benzo(b)fluoranthene	ND	2.0		µg/L	1	4/19/07 11:22:00 PM
Benzo(k)fluoranthene	ND	2.0		µg/L	1	4/19/07 11:22:00 PM
Benzo(a)pyrene	ND	2.0		µg/L	1	4/19/07 11:22:00 PM
Dibenz(a,h)anthracene	ND	2.0		µg/L	1	4/19/07 11:22:00 PM
Indeno(1,2,3-cd)pyrene	ND	2.0		µg/L	1	4/19/07 11:22:00 PM
Benzo(g,h,i)perylene	ND	2.0		µg/L	1	4/19/07 11:22:00 PM
Surr: 1-Chlorooctadecane	26.0	40-140	S	%REC	1	4/19/07 10:48:00 PM
Surr: 2-Bromonaphthalene	101	40-140		%REC	1	4/19/07 11:22:00 PM
Surr: 2-Fluorobiphenyl	104	40-140		%REC	1	4/19/07 11:22:00 PM
Surr: o-Terphenyl	75.9	40-140		%REC	1	4/19/07 11:22:00 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-SW110 DUPE
Lab Order:	0704016	**Collection Date:**	4/2/07 10:10:00 AM
Project:	00291-4 Canton Airport	**Matrix:**	SURFACE WATER
Lab ID:	0704016-07C		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
MADEP EPH REVISION 1.1		**MAEPH**				Analyst: **KT**
C9-C18 Aliphatic Hydrocarbons	ND	100		µg/L	1	4/19/07 11:55:00 PM
C19-C36 Aliphatic Hydrocarbons	ND	100		µg/L	1	4/19/07 11:55:00 PM
C11-C22 Aromatic Hydrocarbons	ND	100		µg/L	1	4/20/07 12:29:00 AM
Naphthalene	ND	2.0		µg/L	1	4/20/07 12:29:00 AM
2-Methylnaphthalene	ND	2.0		µg/L	1	4/20/07 12:29:00 AM
Acenaphthylene	ND	2.0		µg/L	1	4/20/07 12:29:00 AM
Acenaphthene	ND	2.0		µg/L	1	4/20/07 12:29:00 AM
Fluorene	ND	2.0		µg/L	1	4/20/07 12:29:00 AM
Phenanthrene	ND	2.0		µg/L	1	4/20/07 12:29:00 AM
Anthracene	ND	2.0		µg/L	1	4/20/07 12:29:00 AM
Fluoranthene	ND	2.0		µg/L	1	4/20/07 12:29:00 AM
Pyrene	ND	2.0		µg/L	1	4/20/07 12:29:00 AM
Benz(a)anthracene	ND	2.0		µg/L	1	4/20/07 12:29:00 AM
Chrysene	ND	2.0		µg/L	1	4/20/07 12:29:00 AM
Benzo(b)fluoranthene	ND	2.0		µg/L	1	4/20/07 12:29:00 AM
Benzo(k)fluoranthene	ND	2.0		µg/L	1	4/20/07 12:29:00 AM
Benzo(a)pyrene	ND	2.0		µg/L	1	4/20/07 12:29:00 AM
Dibenz(a,h)anthracene	ND	2.0		µg/L	1	4/20/07 12:29:00 AM
Indeno(1,2,3-cd)pyrene	ND	2.0		µg/L	1	4/20/07 12:29:00 AM
Benzo(g,h,i)perylene	ND	2.0		µg/L	1	4/20/07 12:29:00 AM
Surr: 1-Chlorooctadecane	28.6	40-140	S	%REC	1	4/19/07 11:55:00 PM
Surr: 2-Bromonaphthalene	89.6	40-140		%REC	1	4/20/07 12:29:00 AM
Surr: 2-Fluorobiphenyl	93.5	40-140		%REC	1	4/20/07 12:29:00 AM
Surr: o-Terphenyl	77.7	40-140		%REC	1	4/20/07 12:29:00 AM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-SW112
Lab Order:	0704016	**Collection Date:**	4/2/07 4:00:00 PM
Project:	00291-4 Canton Airport	**Matrix:**	SURFACE WATER
Lab ID:	0704016-08C		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
MADEP EPH REVISION 1.1		**MAEPH**				Analyst: **KT**
C9-C18 Aliphatic Hydrocarbons	ND	100		µg/L	1	4/20/07 1:03:00 AM
C19-C36 Aliphatic Hydrocarbons	ND	100		µg/L	1	4/20/07 1:03:00 AM
C11-C22 Aromatic Hydrocarbons	ND	100		µg/L	1	4/20/07 1:37:00 AM
Naphthalene	ND	2.0		µg/L	1	4/20/07 1:37:00 AM
2-Methylnaphthalene	ND	2.0		µg/L	1	4/20/07 1:37:00 AM
Acenaphthylene	ND	2.0		µg/L	1	4/20/07 1:37:00 AM
Acenaphthene	ND	2.0		µg/L	1	4/20/07 1:37:00 AM
Fluorene	ND	2.0		µg/L	1	4/20/07 1:37:00 AM
Phenanthrene	ND	2.0		µg/L	1	4/20/07 1:37:00 AM
Anthracene	ND	2.0		µg/L	1	4/20/07 1:37:00 AM
Fluoranthene	ND	2.0		µg/L	1	4/20/07 1:37:00 AM
Pyrene	ND	2.0		µg/L	1	4/20/07 1:37:00 AM
Benz(a)anthracene	ND	2.0		µg/L	1	4/20/07 1:37:00 AM
Chrysene	ND	2.0		µg/L	1	4/20/07 1:37:00 AM
Benzo(b)fluoranthene	ND	2.0		µg/L	1	4/20/07 1:37:00 AM
Benzo(k)fluoranthene	ND	2.0		µg/L	1	4/20/07 1:37:00 AM
Benzo(a)pyrene	ND	2.0		µg/L	1	4/20/07 1:37:00 AM
Dibenz(a,h)anthracene	ND	2.0		µg/L	1	4/20/07 1:37:00 AM
Indeno(1,2,3-cd)pyrene	ND	2.0		µg/L	1	4/20/07 1:37:00 AM
Benzo(g,h,i)perylene	ND	2.0		µg/L	1	4/20/07 1:37:00 AM
Surr: 1-Chlorooctadecane	39.1	40-140	S	%REC	1	4/20/07 1:03:00 AM
Surr: 2-Bromonaphthalene	113	40-140		%REC	1	4/20/07 1:37:00 AM
Surr: 2-Fluorobiphenyl	119	40-140		%REC	1	4/20/07 1:37:00 AM
Surr: o-Terphenyl	89.9	40-140		%REC	1	4/20/07 1:37:00 AM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-SW114
Lab Order:	0704016	**Collection Date:**	4/2/07 4:45:00 PM
Project:	00291-4 Canton Airport	**Matrix:**	SURFACE WATER
Lab ID:	0704016-09C		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
MADEP EPH REVISION 1.1		**MAEPH**				Analyst: **KT**
C9-C18 Aliphatic Hydrocarbons	ND	110		µg/L	1	4/20/07 2:11:00 AM
C19-C36 Aliphatic Hydrocarbons	ND	110		µg/L	1	4/20/07 2:11:00 AM
C11-C22 Aromatic Hydrocarbons	ND	110		µg/L	1	4/20/07 2:44:00 AM
Naphthalene	ND	2.1		µg/L	1	4/20/07 2:44:00 AM
2-Methylnaphthalene	ND	2.1		µg/L	1	4/20/07 2:44:00 AM
Acenaphthylene	ND	2.1		µg/L	1	4/20/07 2:44:00 AM
Acenaphthene	ND	2.1		µg/L	1	4/20/07 2:44:00 AM
Fluorene	ND	2.1		µg/L	1	4/20/07 2:44:00 AM
Phenanthrene	ND	2.1		µg/L	1	4/20/07 2:44:00 AM
Anthracene	ND	2.1		µg/L	1	4/20/07 2:44:00 AM
Fluoranthene	ND	2.1		µg/L	1	4/20/07 2:44:00 AM
Pyrene	ND	2.1		µg/L	1	4/20/07 2:44:00 AM
Benz(a)anthracene	ND	2.1		µg/L	1	4/20/07 2:44:00 AM
Chrysene	ND	2.1		µg/L	1	4/20/07 2:44:00 AM
Benzo(b)fluoranthene	ND	2.1		µg/L	1	4/20/07 2:44:00 AM
Benzo(k)fluoranthene	ND	2.1		µg/L	1	4/20/07 2:44:00 AM
Benzo(a)pyrene	ND	2.1		µg/L	1	4/20/07 2:44:00 AM
Dibenz(a,h)anthracene	ND	2.1		µg/L	1	4/20/07 2:44:00 AM
Indeno(1,2,3-cd)pyrene	ND	2.1		µg/L	1	4/20/07 2:44:00 AM
Benzo(g,h,i)perylene	ND	2.1		µg/L	1	4/20/07 2:44:00 AM
Surr: 1-Chlorooctadecane	36.0	40-140	S	%REC	1	4/20/07 2:11:00 AM
Surr: 2-Bromonaphthalene	90.9	40-140		%REC	1	4/20/07 2:44:00 AM
Surr: 2-Fluorobiphenyl	97.5	40-140		%REC	1	4/20/07 2:44:00 AM
Surr: o-Terphenyl	91.6	40-140		%REC	1	4/20/07 2:44:00 AM

AMRO Environmental Laboratories Corp.

Date: *20-Apr-07*

CLIENT: GEI Consultants, Inc.
Work Order: 0704016
Project: 00291-4 Canton Airport

QC SUMMARY REPORT

Method Blank

Sample ID: **mb-16983** Batch ID: **16983** Test Code: **MAEPH** Units: **µg/L** Analysis Date **4/16/2007 7:18:00 PM** Prep Date: **4/13/2007**

Client ID: Run ID: **SV-3_070416A** SeqNo: **604173**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
C9-C18 Aliphatic Hydrocarbons	ND	100	µg/L									
C19-C36 Aliphatic Hydrocarbons	ND	100	µg/L									
Surr: 1-Chlorooctadecane	16.07	1.0	µg/L	40	0	40.2	40	140	0			

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank
NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: *20-Apr-07*

CLIENT: GEI Consultants, Inc.
Work Order: 0704016
Project: 00291-4 Canton Airport

QC SUMMARY REPORT

Method Blank

Sample ID: **mb-16983** Batch ID: **16983** Test Code: **MAEPH** Units: **µg/L** Analysis Date **4/16/2007 7:52:00 PM** Prep Date: **4/13/2007**

Client ID: Run ID: **SV-3_070416A** SeqNo: **604175**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
C11-C22 Aromatic Hydrocarbons	ND	100	µg/L									
Naphthalene	ND	2.0	µg/L									
2-Methylnaphthalene	ND	2.0	µg/L									
Acenaphthylene	ND	2.0	µg/L									
Acenaphthene	ND	2.0	µg/L									
Fluorene	ND	2.0	µg/L									
Phenanthrene	ND	2.0	µg/L									
Anthracene	ND	2.0	µg/L									
Fluoranthene	ND	2.0	µg/L									
Pyrene	ND	2.0	µg/L									
Benz(a)anthracene	ND	2.0	µg/L									
Chrysene	ND	2.0	µg/L									
Benzo(b)fluoranthene	ND	2.0	µg/L									
Benzo(k)fluoranthene	ND	2.0	µg/L									
Benzo(a)pyrene	ND	2.0	µg/L									
Dibenz(a,h)anthracene	ND	2.0	µg/L									
Indeno(1,2,3-cd)pyrene	ND	2.0	µg/L									
Benzo(g,h,i)perylene	ND	2.0	µg/L									
Surr: 2-Bromonaphthalene	35.32	1.0	µg/L	40	0	88.3	40	140	0			
Surr: 2-Fluorobiphenyl	37.3	1.0	µg/L	40	0	93.3	40	140	0			
Surr: o-Terphenyl	26.95	1.0	µg/L	40	0	67.4	40	140	0			

Qualifiers: ND - Not Detected at the Reporting Limit
S - Spike Recovery outside accepted recovery limits
B - Analyte detected in the associated Method Blank
J - Analyte detected below quantitation limits
R - RPD outside accepted recovery limits
NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *20-Apr-07*

CLIENT: GEI Consultants, Inc.
Work Order: 0704016
Project: 00291-4 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID: **lcs-16983** Batch ID: **16983** Test Code: **MAEPH** Units: **µg/L** Analysis Date **4/16/2007 8:26:00 PM** Prep Date: **4/13/2007**

Client ID: Run ID: **SV-3_070416A** SeqNo: **604176**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
n-Decane	34.13	2.0	µg/L	50	0	68.3	40	140	0			
n-Docosane	42.39	2.0	µg/L	50	0	84.8	40	140	0			
n-Dodecane	39.04	2.0	µg/L	50	0	78.1	40	140	0			
n-Eicosane	43.26	2.0	µg/L	50	0	86.5	40	140	0			
n-Hexacosane	43.53	2.0	µg/L	50	0	87.1	40	140	0			
n-Hexadecane	42.84	2.0	µg/L	50	0	85.7	40	140	0			
n-Hexatriacontane	39.01	2.0	µg/L	50	0	78	40	140	0			
n-Nonadecane	42.87	2.0	µg/L	50	0	85.7	40	140	0			
n-Nonane	30.13	2.0	µg/L	50	0	60.3	30	140	0			
n-Octacosane	46.04	2.0	µg/L	50	0	92.1	40	140	0			
n-Octadecane	41.89	2.0	µg/L	50	0	83.8	40	140	0			
n-Tetracosane	41.11	2.0	µg/L	50	0	82.2	40	140	0			
n-Tetradecane	42.15	2.0	µg/L	50	0	84.3	40	140	0			
n-Triacontane	43.24	2.0	µg/L	50	0	86.5	40	140	0			
Surr: 1-Chlorooctadecane	22.04	1.0	µg/L	40	0	55.1	40	140	0			

Qualifiers: ND - Not Detected at the Reporting Limit
S - Spike Recovery outside accepted recovery limits
B - Analyte detected in the associated Method Blank
J - Analyte detected below quantitation limits
R - RPD outside accepted recovery limits
NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *20-Apr-07*

CLIENT: GEI Consultants, Inc.
Work Order: 0704016
Project: 00291-4 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID: **lcs-16983** Batch ID: **16983** Test Code: **MAEPH** Units: **µg/L** Analysis Date **4/16/2007 9:00:00 PM** Prep Date: **4/13/2007**

Client ID: Run ID: **SV-3_070416A** SeqNo: **604177**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Naphthalene	33.57	2.0	µg/L	50	0	67.1	40	140	0			
2-Methylnaphthalene	35.35	2.0	µg/L	50	0	70.7	40	140	0			
Acenaphthylene	39.53	2.0	µg/L	50	0	79.1	40	140	0			
Acenaphthene	37.74	2.0	µg/L	50	0	75.5	40	140	0			
Fluorene	39.95	2.0	µg/L	50	0	79.9	40	140	0			
Phenanthrene	38.46	2.0	µg/L	50	0	76.9	40	140	0			
Anthracene	44.31	2.0	µg/L	50	0	88.6	40	140	0			
Fluoranthene	41.52	2.0	µg/L	50	0	83	40	140	0			
Pyrene	41.74	2.0	µg/L	50	0	83.5	40	140	0			
Benz(a)anthracene	44.16	2.0	µg/L	50	0	88.3	40	140	0			
Chrysene	41.62	2.0	µg/L	50	0	83.2	40	140	0			
Benzo(b)fluoranthene	46.26	2.0	µg/L	50	0	92.5	40	140	0			
Benzo(k)fluoranthene	42.41	2.0	µg/L	50	0	84.8	40	140	0			
Benzo(a)pyrene	45.51	2.0	µg/L	50	0	91	40	140	0			
Dibenz(a,h)anthracene	51.4	2.0	µg/L	50	0	103	40	140	0			
Indeno(1,2,3-cd)pyrene	49.57	2.0	µg/L	50	0	99.1	40	140	0			
Benzo(g,h,i)perylene	47.4	2.0	µg/L	50	0	94.8	40	140	0			
Surr: 2-Bromonaphthalene	39.02	1.0	µg/L	40	0	97.6	40	140	0			
Surr: 2-Fluorobiphenyl	39.86	1.0	µg/L	40	0	99.7	40	140	0			
Surr: o-Terphenyl	38.47	1.0	µg/L	40	0	96.2	40	140	0			

Qualifiers: ND - Not Detected at the Reporting Limit
S - Spike Recovery outside accepted recovery limits
B - Analyte detected in the associated Method Blank
J - Analyte detected below quantitation limits
R - RPD outside accepted recovery limits
NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *20-Apr-07*

CLIENT: GEI Consultants, Inc.
Work Order: 0704016
Project: 00291-4 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike Duplicate

Sample ID: **lcsd-16983** Batch ID: **16983** Test Code: **MAEPH** Units: **µg/L** Analysis Date **4/16/2007 9:34:00 PM** Prep Date: **4/13/2007**

Client ID: Run ID: **SV-3_070416A** SeqNo: **604178**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
n-Decane	40.21	2.0	µg/L	50	0	80.4	40	140	34.13	16.4	25	
n-Docosane	52.42	2.0	µg/L	50	0	105	40	140	42.39	21.2	25	
n-Dodecane	48.46	2.0	µg/L	50	0	96.9	40	140	39.04	21.5	25	
n-Eicosane	54.97	2.0	µg/L	50	0	110	40	140	43.26	23.8	25	
n-Hexacosane	53.34	2.0	µg/L	50	0	107	40	140	43.53	20.3	25	
n-Hexadecane	52.42	2.0	µg/L	50	0	105	40	140	42.84	20.1	25	
n-Hexatriacontane	47.72	2.0	µg/L	50	0	95.4	40	140	39.01	20.1	25	
n-Nonadecane	53.1	2.0	µg/L	50	0	106	40	140	42.87	21.3	25	
n-Nonane	37.09	2.0	µg/L	50	0	74.2	30	140	30.13	20.7	25	
n-Octacosane	56.33	2.0	µg/L	50	0	113	40	140	46.04	20.1	25	
n-Octadecane	54.17	2.0	µg/L	50	0	108	40	140	41.89	25.6	25	R
n-Tetracosane	51.79	2.0	µg/L	50	0	104	40	140	41.11	23	25	
n-Tetradecane	51.47	2.0	µg/L	50	0	103	40	140	42.15	19.9	25	
n-Triacontane	52.3	2.0	µg/L	50	0	105	40	140	43.24	19	25	
Surr: 1-Chlorooctadecane	23.61	1.0	µg/L	40	0	59	40	140	0	0	25	

Qualifiers: ND - Not Detected at the Reporting Limit; S - Spike Recovery outside accepted recovery limits; B - Analyte detected in the associated Method Blank; J - Analyte detected below quantitation limits; R - RPD outside accepted recovery limits; NA - Not applicable where J values or ND results occur; RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *20-Apr-07*

CLIENT: GEI Consultants, Inc.
Work Order: 0704016
Project: 00291-4 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike Duplicate

Sample ID: **lcsd-16983** Batch ID: **16983** Test Code: **MAEPH** Units: **µg/L** Analysis Date **4/17/2007 7:59:00 AM** Prep Date: **4/13/2007**

Client ID: Run ID: **SV-3_070417A** SeqNo: **604191**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Naphthalene	39.42	2.0	µg/L	50	0	78.8	40	140	33.57	16	25	
2-Methylnaphthalene	41.64	2.0	µg/L	50	0	83.3	40	140	35.35	16.3	25	
Acenaphthylene	44.39	2.0	µg/L	50	0	88.8	40	140	39.53	11.6	25	
Acenaphthene	44.32	2.0	µg/L	50	0	88.6	40	140	37.74	16	25	
Fluorene	46.09	2.0	µg/L	50	0	92.2	40	140	39.95	14.3	25	
Phenanthrene	44.06	2.0	µg/L	50	0	88.1	40	140	38.46	13.6	25	
Anthracene	51.45	2.0	µg/L	50	0	103	40	140	44.31	14.9	25	
Fluoranthene	48.82	2.0	µg/L	50	0	97.6	40	140	41.52	16.2	25	
Pyrene	48.13	2.0	µg/L	50	0	96.3	40	140	41.74	14.2	25	
Benz(a)anthracene	50.31	2.0	µg/L	50	0	101	40	140	44.16	13	25	
Chrysene	49.24	2.0	µg/L	50	0	98.5	40	140	41.62	16.8	25	
Benzo(b)fluoranthene	55.01	2.0	µg/L	50	0	110	40	140	46.26	17.3	25	
Benzo(k)fluoranthene	47.43	2.0	µg/L	50	0	94.9	40	140	42.41	11.2	25	
Benzo(a)pyrene	53.34	2.0	µg/L	50	0	107	40	140	45.51	15.8	25	
Dibenz(a,h)anthracene	59.59	2.0	µg/L	50	0	119	40	140	51.4	14.8	25	
Indeno(1,2,3-cd)pyrene	57.67	2.0	µg/L	50	0	115	40	140	49.57	15.1	25	
Benzo(g,h,i)perylene	54.39	2.0	µg/L	50	0	109	40	140	47.4	13.7	25	
Surr: 2-Bromonaphthalene	37.1	1.0	µg/L	40	0	92.8	40	140	0	0	20	
Surr: 2-Fluorobiphenyl	37.81	1.0	µg/L	40	0	94.5	40	140	0	0	20	
Surr: o-Terphenyl	36.86	1.0	µg/L	40	0	92.2	40	140	0	0	20	

Qualifiers: ND - Not Detected at the Reporting Limit
S - Spike Recovery outside accepted recovery limits
B - Analyte detected in the associated Method Blank
J - Analyte detected below quantitation limits
R - RPD outside accepted recovery limits
NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

EPH Breakthrough Report

AMRO Environmental Laboratories Corp. **Date:** *20-Apr-07*

CLIENT: GEI Consultants, Inc.
Lab Order: 0704016
Project: 00291-4 Canton Airport

		Breakthrough	
Sample ID	**TestCode**	**Naphthalene**	**2-Methylnaphthalene**
lcs-16983	EPH1.1W	0.030	0.000
lcsd-16983	EPH1.1W	0.076	0.000

Maximum %Breakthrough = 5%

* Values outside QC Limits

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT: GEI Consultants, Inc.
Project: 00291-4 Canton Airport
Lab Order: 0704016

Lab ID: 0704016-01
Collection Date: 4/2/07 3:15:00 PM
Collection Time:
Client Sample ID: 002914-SW105
Matrix: SURFACE WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
ICP METALS TOTAL SW-846		**SW6010B**				Analyst: **AL**
Barium	ND	200		µg/L	1	4/11/07 7:08:04 PM
Beryllium	ND	4.00		µg/L	1	4/11/07 7:08:04 PM
Chromium	ND	10.0		µg/L	1	4/11/07 7:08:04 PM
Nickel	ND	40.0		µg/L	1	4/11/07 7:08:04 PM
Vanadium	ND	50.0		µg/L	1	4/11/07 7:08:04 PM
Zinc	50.8	20.0		µg/L	1	4/11/07 7:08:04 PM
HARDNESS AS CACO3		**SW6010B**				Analyst: **REB**
Hardness (As CaCO3)	27	17		mg/L	1	4/11/07
LEAD, TOTAL		**SW7421**				Analyst: **REB**
Lead	29	5.0		µg/L	1	4/11/07 4:57:27 PM

Lab ID: 0704016-02
Collection Date: 4/2/07 11:50:00 AM
Collection Time:
Client Sample ID: 002914-SW106
Matrix: SURFACE WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
ICP METALS TOTAL SW-846		**SW6010B**				Analyst: **AL**
Barium	ND	200		µg/L	1	4/11/07 7:42:03 PM
Beryllium	ND	4.00		µg/L	1	4/11/07 7:42:03 PM
Chromium	ND	10.0		µg/L	1	4/11/07 7:42:03 PM
Nickel	ND	40.0		µg/L	1	4/11/07 7:42:03 PM
Vanadium	ND	50.0		µg/L	1	4/11/07 7:42:03 PM
Zinc	40.7	20.0		µg/L	1	4/11/07 7:42:03 PM
HARDNESS AS CACO3		**SW6010B**				Analyst: **REB**
Hardness (As CaCO3)	39	17		mg/L	1	4/11/07
LEAD, TOTAL		**SW7421**				Analyst: **REB**
Lead	29	5.0		µg/L	1	4/11/07 5:47:21 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT: GEI Consultants, Inc.
Project: 00291-4 Canton Airport
Lab Order: 0704016

Lab ID: 0704016-03
Collection Date: 4/2/07 11:50:00 AM
Collection Time:
Client Sample ID: 002914-SW107
Matrix: SURFACE WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
ICP METALS TOTAL SW-846		**SW6010B**				Analyst: **AL**
Barium	ND	200		µg/L	1	4/11/07 8:02:02 PM
Beryllium	ND	4.00		µg/L	1	4/11/07 8:02:02 PM
Chromium	15.0	10.0		µg/L	1	4/11/07 8:02:02 PM
Nickel	ND	40.0		µg/L	1	4/11/07 8:02:02 PM
Vanadium	ND	50.0		µg/L	1	4/11/07 8:02:02 PM
Zinc	139	20.0		µg/L	1	4/11/07 8:02:02 PM
HARDNESS AS CACO3		**SW6010B**				Analyst: **REB**
Hardness (As CaCO3)	43	17		mg/L	1	4/11/07
LEAD, TOTAL		**SW7421**				Analyst: **REB**
Lead	510	50		µg/L	10	4/11/07 5:54:19 PM

Lab ID: 0704016-04
Collection Date: 4/2/07 10:45:00 AM
Collection Time:
Client Sample ID: 002914-SW108
Matrix: SURFACE WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
ICP METALS TOTAL SW-846		**SW6010B**				Analyst: **AL**
Barium	ND	200		µg/L	1	4/11/07 8:09:01 PM
Beryllium	ND	4.00		µg/L	1	4/11/07 8:09:01 PM
Chromium	ND	10.0		µg/L	1	4/11/07 8:09:01 PM
Nickel	ND	40.0		µg/L	1	4/11/07 8:09:01 PM
Vanadium	ND	50.0		µg/L	1	4/11/07 8:09:01 PM
Zinc	42.5	20.0		µg/L	1	4/11/07 8:09:01 PM
HARDNESS AS CACO3		**SW6010B**				Analyst: **REB**
Hardness (As CaCO3)	ND	17		mg/L	1	4/11/07
LEAD, TOTAL		**SW7421**				Analyst: **REB**
Lead	29	5.0		µg/L	1	4/11/07 6:01:17 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT: GEI Consultants, Inc.
Project: 00291-4 Canton Airport
Lab Order: 0704016

Lab ID: 0704016-05
Collection Date: 4/2/07 10:45:00 AM
Collection Time:
Client Sample ID: 002914-SW109
Matrix: SURFACE WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
ICP METALS TOTAL SW-846		**SW6010B**				Analyst: **AL**
Barium	ND	200		µg/L	1	4/11/07 8:15:59 PM
Beryllium	ND	4.00		µg/L	1	4/11/07 8:15:59 PM
Chromium	ND	10.0		µg/L	1	4/11/07 8:15:59 PM
Nickel	ND	40.0		µg/L	1	4/11/07 8:15:59 PM
Vanadium	ND	50.0		µg/L	1	4/11/07 8:15:59 PM
Zinc	50.9	20.0		µg/L	1	4/11/07 8:15:59 PM
HARDNESS AS CACO3		**SW6010B**				Analyst: **REB**
Hardness (As CaCO3)	ND	17		mg/L	1	4/11/07
LEAD, TOTAL		**SW7421**				Analyst: **REB**
Lead	14	5.0		µg/L	1	4/11/07 6:23:19 PM

Lab ID: 0704016-06
Collection Date: 4/2/07 10:00:00 AM
Collection Time:
Client Sample ID: 002914-SW110
Matrix: SURFACE WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
ICP METALS TOTAL SW-846		**SW6010B**				Analyst: **AL**
Barium	ND	200		µg/L	1	4/11/07 8:21:48 PM
Beryllium	ND	4.00		µg/L	1	4/11/07 8:21:48 PM
Chromium	ND	10.0		µg/L	1	4/11/07 8:21:48 PM
Nickel	ND	40.0		µg/L	1	4/11/07 8:21:48 PM
Vanadium	ND	50.0		µg/L	1	4/11/07 8:21:48 PM
Zinc	40.1	20.0		µg/L	1	4/11/07 8:21:48 PM
HARDNESS AS CACO3		**SW6010B**				Analyst: **REB**
Hardness (As CaCO3)	31	17		mg/L	1	4/11/07
LEAD, TOTAL		**SW7421**				Analyst: **REB**
Lead	8.0	5.0		µg/L	1	4/11/07 6:30:20 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT: GEI Consultants, Inc.
Project: 00291-4 Canton Airport

Lab Order: 0704016

Lab ID: 0704016-07
Collection Date: 4/2/07 10:10:00 AM
Collection Time:
Client Sample ID: 002914-SW110 DUPE
Matrix: SURFACE WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
ICP METALS TOTAL SW-846		**SW6010B**				Analyst: **AL**
Barium	ND	200		µg/L	1	4/11/07 8:28:47 PM
Beryllium	ND	4.00		µg/L	1	4/11/07 8:28:47 PM
Chromium	ND	10.0		µg/L	1	4/11/07 8:28:47 PM
Nickel	ND	40.0		µg/L	1	4/11/07 8:28:47 PM
Vanadium	ND	50.0		µg/L	1	4/11/07 8:28:47 PM
Zinc	31.4	20.0		µg/L	1	4/11/07 8:28:47 PM
HARDNESS AS CACO3		**SW6010B**				Analyst: **REB**
Hardness (As CaCO3)	31	17		mg/L	1	4/11/07
LEAD, TOTAL		**SW7421**				Analyst: **REB**
Lead	9.1	5.0		µg/L	1	4/11/07 6:37:29 PM

Lab ID: 0704016-08
Collection Date: 4/2/07 4:00:00 PM
Collection Time:
Client Sample ID: 002914-SW112
Matrix: SURFACE WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
ICP METALS TOTAL SW-846		**SW6010B**				Analyst: **AL**
Barium	ND	200		µg/L	1	4/11/07 8:35:48 PM
Beryllium	ND	4.00		µg/L	1	4/11/07 8:35:48 PM
Chromium	ND	10.0		µg/L	1	4/11/07 8:35:48 PM
Nickel	ND	40.0		µg/L	1	4/11/07 8:35:48 PM
Vanadium	ND	50.0		µg/L	1	4/11/07 8:35:48 PM
Zinc	33.4	20.0		µg/L	1	4/11/07 8:35:48 PM
HARDNESS AS CACO3		**SW6010B**				Analyst: **REB**
Hardness (As CaCO3)	37	17		mg/L	1	4/11/07
LEAD, TOTAL		**SW7421**				Analyst: **REB**
Lead	54	5.0		µg/L	1	4/11/07 6:44:29 PM

AMRO Environmental Laboratories Corp.

Date: *24-Apr-07*

CLIENT: GEI Consultants, Inc.
Project: 00291-4 Canton Airport

Lab Order: 0704016

Lab ID: 0704016-09

Collection Date: 4/2/07 4:45:00 PM
Collection Time:

Client Sample ID: 002914-SW114

Matrix: SURFACE WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
ICP METALS TOTAL SW-846		**SW6010B**				Analyst: **AL**
Barium	ND	200		µg/L	1	4/11/07 8:42:48 PM
Beryllium	ND	4.00		µg/L	1	4/11/07 8:42:48 PM
Chromium	ND	10.0		µg/L	1	4/11/07 8:42:48 PM
Nickel	ND	40.0		µg/L	1	4/11/07 8:42:48 PM
Vanadium	ND	50.0		µg/L	1	4/11/07 8:42:48 PM
Zinc	31.2	20.0		µg/L	1	4/11/07 8:42:48 PM
HARDNESS AS CACO3		**SW6010B**				Analyst: **REB**
Hardness (As CaCO3)	38	17		mg/L	1	4/11/07
LEAD, TOTAL		**SW7421**				Analyst: **REB**
Lead	ND	5.0		µg/L	1	4/11/07 6:51:34 PM

AMRO Environmental Laboratories Corp.

Date: *17-Apr-07*

CLIENT: GEI Consultants, Inc.
Work Order: 0704016
Project: 00291-4 Canton Airport

QC SUMMARY REPORT

Method Blank

Sample ID **MB-16963** Batch ID: **16963** Test Code: **SW6010B** Units: **µg/L** Analysis Date **4/11/07 6:48:10 PM** Prep Date **4/10/07**
Client ID: Run ID: **ICP-OPTIMA_070411B** SeqNo: **603323**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Barium	ND	200	µg/L									
Beryllium	ND	4.0	µg/L									
Chromium	ND	10	µg/L									
Nickel	ND	40	µg/L									
Vanadium	ND	50	µg/L									
Zinc	ND	20	µg/L									

Sample ID **MB-R36469** Batch ID: **R36469** Test Code: **SW6010B** Units: **mg/L** Analysis Date **4/11/07** Prep Date
Client ID: Run ID: **ICP-OPTIMA_070411C** SeqNo: **603970**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Hardness (As CaCO3)	ND	17	mg/L									

Sample ID **MB-16963** Batch ID: **16963** Test Code: **SW7421** Units: **µg/L** Analysis Date **4/11/07 4:36:41 PM** Prep Date **4/10/07**
Client ID: Run ID: **GFAA-6000_070411A** SeqNo: **603176**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Lead	ND	5.0	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank
NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: *17-Apr-07*

CLIENT: GEI Consultants, Inc.
Work Order: 0704016
Project: 00291-4 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID **LCS-16963** Batch ID: **16963** Test Code: **SW6010B** Units: **µg/L** Analysis Date **4/11/07 6:53:50 PM** Prep Date **4/10/07**
Client ID: Run ID: **ICP-OPTIMA_070411B** SeqNo: **603324**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Barium	4038	200	µg/L	4028	0	100	80	120	0			
Beryllium	800.3	4.0	µg/L	797	0	100	80	120	0			
Chromium	4038	10	µg/L	3976	0	102	80	120	0			
Nickel	4069	40	µg/L	3984	0	102	80	120	0			
Vanadium	4071	50	µg/L	4000	0	102	80	120	0			
Zinc	4025	20	µg/L	3984	0	101	80	120	0			

Sample ID **LCSD-16963** Batch ID: **16963** Test Code: **SW6010B** Units: **µg/L** Analysis Date **4/11/07 7:00:57 PM** Prep Date **4/10/07**
Client ID: Run ID: **ICP-OPTIMA_070411B** SeqNo: **603325**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Barium	4084	200	µg/L	4028	0	101	80	120	4038	1.14	0	
Beryllium	799.9	4.0	µg/L	797	0	100	80	120	800.3	0.0483	0	
Chromium	4035	10	µg/L	3976	0	101	80	120	4038	0.0585	0	
Nickel	4112	40	µg/L	3984	0	103	80	120	4069	1.04	0	
Vanadium	4076	50	µg/L	4000	0	102	80	120	4071	0.117	0	
Zinc	4073	20	µg/L	3984	0	102	80	120	4025	1.19	0	

Sample ID **LCS-R36469** Batch ID: **R36469** Test Code: **SW6010B** Units: **mg/L** Analysis Date **4/11/07** Prep Date
Client ID: Run ID: **ICP-OPTIMA_070411C** SeqNo: **603971**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Hardness (As CaCO3)	139.9	17	mg/L	132.3	0	106	80	120	0			

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank
NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: *17-Apr-07*

CLIENT: GEI Consultants, Inc.
Work Order: 0704016
Project: 00291-4 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike Duplicate

Sample ID **LCSD** Batch ID: **R36469** Test Code: **SW6010B** Units: **mg/L** Analysis Date **4/11/07** Prep Date
Client ID: Run ID: **ICP-OPTIMA_070411C** SeqNo: **603984**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Hardness (As CaCO3)	139.7	17	mg/L	132.3	0	106	80	120	139.9	0.178	20	

Sample ID **LCS-16963** Batch ID: **16963** Test Code: **SW7421** Units: **µg/L** Analysis Date **4/11/07 4:43:36 PM** Prep Date **4/10/07**
Client ID: Run ID: **GFAA-6000_070411A** SeqNo: **603177**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Lead	26.84	5.0	µg/L	25	0	107	80	120	0			

Sample ID **LCSD-16963** Batch ID: **16963** Test Code: **SW7421** Units: **µg/L** Analysis Date **4/11/07 4:50:25 PM** Prep Date **4/10/07**
Client ID: Run ID: **GFAA-6000_070411A** SeqNo: **603178**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Lead	26.03	5.0	µg/L	25	0	104	80	120	26.84	3.04	20	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank
NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: *17-Apr-07*

CLIENT: GEI Consultants, Inc.
Work Order: 0704016
Project: 00291-4 Canton Airport

QC SUMMARY REPORT

Sample Matrix Spike

Sample ID **0704016-01BMS** Batch ID: **16963** Test Code: **SW6010B** Units: **µg/L** Analysis Date **4/11/07 7:27:43 PM** Prep Date **4/10/07**
Client ID: **002914-SW105** Run ID: **ICP-OPTIMA_070411B** SeqNo: **603329**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Barium	4068	200	µg/L	4028	22.16	100	75	125	0			
Beryllium	784.4	4.0	µg/L	797	0.2723	98.4	75	125	0			
Chromium	3955	10	µg/L	3976	3.097	99.4	75	125	0			
Nickel	4054	40	µg/L	3984	3.509	102	75	125	0			
Vanadium	4012	50	µg/L	4000	5.865	100	75	125	0			
Zinc	4076	20	µg/L	3984	50.78	101	75	125	0			

Sample ID **0704016-01BMSD** Batch ID: **16963** Test Code: **SW6010B** Units: **µg/L** Analysis Date **4/11/07 7:34:54 PM** Prep Date **4/10/07**
Client ID: **002914-SW105** Run ID: **ICP-OPTIMA_070411B** SeqNo: **603330**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Barium	4163	200	µg/L	4028	22.16	103	75	125	4068	2.32	20	
Beryllium	800.8	4.0	µg/L	797	0.2723	100	75	125	784.4	2.07	20	
Chromium	4100	10	µg/L	3976	3.097	103	75	125	3955	3.59	20	
Nickel	4200	40	µg/L	3984	3.509	105	75	125	4054	3.54	20	
Vanadium	4099	50	µg/L	4000	5.865	102	75	125	4012	2.14	20	
Zinc	4220	20	µg/L	3984	50.78	105	75	125	4076	3.48	20	

Sample ID **0704016-01BMS** Batch ID: **R36469** Test Code: **SW6010B** Units: **mg/L** Analysis Date **4/11/07** Prep Date
Client ID: **002914-SW105** Run ID: **ICP-OPTIMA_070411C** SeqNo: **603982**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Hardness (As CaCO3)	162.8	17	mg/L	132.3	27.26	102	75	125	0			

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank
NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: *17-Apr-07*

CLIENT: GEI Consultants, Inc.
Work Order: 0704016
Project: 00291-4 Canton Airport

QC SUMMARY REPORT

Sample Matrix Spike Duplicate

Sample ID **0704016-01BMSD** Batch ID: **R36469** Test Code: **SW6010B** Units: **mg/L** Analysis Date **4/11/07** Prep Date
Client ID: **002914-SW105** Run ID: **ICP-OPTIMA_070411C** SeqNo: **603983**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Hardness (As CaCO3)	166.5	17	mg/L	132.3	27.26	105	75	125	162.8	2.26	20	

Sample ID **0704016-01BMS** Batch ID: **16963** Test Code: **SW7421** Units: **µg/L** Analysis Date **4/11/07 5:33:27 PM** Prep Date **4/10/07**
Client ID: **002914-SW105** Run ID: **GFAA-6000_070411A** SeqNo: **603184**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Lead	54.63	5.0	µg/L	25	29.42	101	75	125	0			

Sample ID **0704016-01BMSD** Batch ID: **16963** Test Code: **SW7421** Units: **µg/L** Analysis Date **4/11/07 5:40:20 PM** Prep Date **4/10/07**
Client ID: **002914-SW105** Run ID: **GFAA-6000_070411A** SeqNo: **603185**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Lead	52.91	5.0	µg/L	25	29.42	94	75	125	54.63	3.19	20	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank
NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: *17-Apr-07*

CLIENT: GEI Consultants, Inc.
Work Order: 0704016
Project: 00291-4 Canton Airport

QC SUMMARY REPORT

Sample Duplicate

Sample ID **0704016-01BD** Batch ID: **16963** Test Code: **SW6010B** Units: **µg/L** Analysis Date **4/11/07 7:20:44 PM** Prep Date **4/10/07**
Client ID: **002914-SW105** Run ID: **ICP-OPTIMA_070411B** SeqNo: **603328**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Barium	21.75	200	µg/L	0	0	0	0	0	22.16	1.85	20	J
Beryllium	0.1752	4.0	µg/L	0	0	0	0	0	0.2723	43.4	20	JR
Chromium	2.554	10	µg/L	0	0	0	0	0	3.097	19.2	20	J
Nickel	2.132	40	µg/L	0	0	0	0	0	3.509	48.8	20	JR
Vanadium	5.522	50	µg/L	0	0	0	0	0	5.865	6.02	20	J
Zinc	46.22	20	µg/L	0	0	0	0	0	50.78	9.41	20	

Sample ID **0704016-01BD** Batch ID: **R36469** Test Code: **SW6010B** Units: **mg/L** Analysis Date **4/11/07** Prep Date
Client ID: **002914-SW105** Run ID: **ICP-OPTIMA_070411C** SeqNo: **603981**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Hardness (As CaCO3)	26.81	17	mg/L	0	0	0	0	0	27.26	1.67	20	

Sample ID **0704016-01BD** Batch ID: **16963** Test Code: **SW7421** Units: **µg/L** Analysis Date **4/11/07 5:04:19 PM** Prep Date **4/10/07**
Client ID: **002914-SW105** Run ID: **GFAA-6000_070411A** SeqNo: **603180**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Lead	28.64	5.0	µg/L	0	0	0	0	0	29.42	2.68	20	

Qualifiers: ND - Not Detected at the Reporting Limit; S - Spike Recovery outside accepted recovery limits; B - Analyte detected in the associated Method Blank
J - Analyte detected below quantitation limits; R - RPD outside accepted recovery limits; NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.