AMRO Environmental Laboratories Corporation

111 Herrick Street, Merrimack, NH 03054
TEL: (603) 424-2022 • FAX: (603) 429-8496
www.amrolabs.com

February 11, 2008

ANALYTICAL TEST RESULTS

Raymond Siegener
GEI Consultants, Inc.
400 Unicorn Park Drive
Woburn, MA 01801
TEL: (781) 721-4098
FAX: (781) 721-4073

Subject: 002914 Canton Airport

Workorder No.: 0801074

Dear Raymond Siegener:

AMRO Environmental Laboratories Corp. received 8 samples on 1/23/08 for the analyses presented in the following report.

AMRO is accredited in accordance with NELAC and certifies that these test results meet all the requirements of NELAC, where applicable, unless otherwise noted in the case narrative.

The enclosed Sample Receipt Checklist details the condition of your sample(s) upon receipt. Please be advised that any unused sample volume and sample extracts will be stored for a period of 60 days from sample receipt date (90 days for samples from New York). After this time, AMRO will properly dispose of the remaining sample(s). If you require further analysis, or need the samples held for a longer period, please contact us immediately.

This report consists of a total of 104 pages. This letter is an integral part of your data report. All results in this project relate only to the sample(s) as received by the laboratory and documented in the Chain-of-Custody. This report shall not be reproduced except in full, without the written approval of the laboratory. If you have any questions regarding this project in the future, please refer to the Workorder Number above.

Sincerely,

Nancy Stewart
Vice President

State Certifications: NH (NELAC): 1001, MA: M-NH012, CT: PH-0758, NY: 11278 (NELAC), ME: NH012 and 1001, NJ: NH125, RI: 00105, U.S. Army Corps of Engineers (USACE), Naval Facilities Engineering Service Center (NFESC).

Hard copy of the State Certification is available upon request.

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Project: 002914 Canton Airport
Lab Order: 0801074
Date Received: 1/23/08

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Collection Date	Collection Time
0801074-01A	002914-B110S (MW)	1/22/08	1:00 PM
0801074-01B	002914-B110S (MW)	1/22/08	1:00 PM
0801074-01C	002914-B110S (MW)	1/22/08	1:00 PM
0801074-01D	002914-B110S (MW)	1/22/08	1:00 PM
0801074-01E	002914-B110S (MW)	1/22/08	1:00 PM
0801074-02A	002914-B111S (MW)	1/22/08	12:50 PM
0801074-02B	002914-B111S (MW)	1/22/08	12:50 PM
0801074-02C	002914-B111S (MW)	1/22/08	12:50 PM
0801074-02D	002914-B111S (MW)	1/22/08	12:50 PM
0801074-02E	002914-B111S (MW)	1/22/08	12:50 PM
0801074-03A	002914-W11 (MW)	1/22/08	1:20 PM
0801074-03B	002914-W11 (MW)	1/22/08	1:20 PM
0801074-03C	002914-W11 (MW)	1/22/08	1:20 PM
0801074-03D	002914-W11 (MW)	1/22/08	1:20 PM
0801074-03E	002914-W11 (MW)	1/22/08	1:20 PM
0801074-04A	002914-B112S (MW)	1/22/08	2:15 PM
0801074-04B	002914-B112S (MW)	1/22/08	2:15 PM
0801074-04C	002914-B112S (MW)	1/22/08	2:15 PM
0801074-04D	002914-B112S (MW)	1/22/08	2:15 PM
0801074-04E	002914-B112S (MW)	1/22/08	2:15 PM
0801074-05A	002914-B109S (MW)	1/22/08	2:10 PM
0801074-05B	002914-B109S (MW)	1/22/08	2:10 PM
0801074-05C	002914-B109S (MW)	1/22/08	2:10 PM
0801074-05D	002914-B109S (MW)	1/22/08	2:10 PM
0801074-05E	002914-B109S (MW)	1/22/08	2:10 PM
0801074-06A	002914-W1 (MW)	1/22/08	2:54 PM
0801074-06B	002914-W1 (MW)	1/22/08	2:54 PM
0801074-06C	002914-W1 (MW)	1/22/08	2:54 PM
0801074-06D	002914-W1 (MW)	1/22/08	2:54 PM
0801074-06E	002914-W1 (MW)	1/22/08	2:54 PM
0801074-07A	002914-B108S (MW)	1/22/08	3:20 PM
0801074-07B	002914-B108S (MW)	1/22/08	3:20 PM
0801074-07C	002914-B108S (MW)	1/22/08	3:20 PM
0801074-07D	002914-B108S (MW)	1/22/08	3:20 PM
0801074-07E	002914-B108S (MW)	1/22/08	3:20 PM

CLIENT: GEI Consultants, Inc.
Project: 002914 Canton Airport
Lab Order: 0801074
Date Received: 1/23/08

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Collection Date	Collection Time
0801074-08A	002914-B105D (MW)	1/22/08	3:52 PM
0801074-08B	002914-B105D (MW)	1/22/08	3:52 PM
0801074-08C	002914-B105D (MW)	1/22/08	3:52 PM
0801074-08D	002914-B105D (MW)	1/22/08	3:52 PM
0801074-08E	002914-B105D (MW)	1/22/08	3:52 PM

AMRO Environmental Laboratories Corp.

06-Feb-08

Lab Order: 0801074
Client: GEI Consultants, Inc.
Project: 002914 Canton Airport

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name / Preparatory Test Name	Prep Date	Analysis Date / Batch ID	TCLP Date
0801074-01A	002914-B110S (MW)	1/22/08 1:00:00 PM	Groundwater	MCP VOCs 8260B, EPA 5030B		1/31/08	
				EPA 5030B	1/22/08	R39161	
0801074-01B				EPH 1.1, Water, Diesel Targets		2/4/08	
				AQPREP SEP FUNNEL: EPH	2/1/08	18061	
0801074-01C				MCP SVOCs 8270C, EPA 3510		1/28/08	
				EPA 3510 AQPREP SEP FUNNEL: BNA	1/25/08	18043	
0801074-01D				EPA 8082 PCBS IN WATER		1/26/08	
				EPA 3510 AQPREP SEP FUNNEL: PCB	1/24/08	18039	
0801074-01E				EPA 7041 ANTIMONY, Total		1/25/08	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	1/24/08	18038	
				EPA 7060 ARSENIC, Total		1/30/08	
					1/24/08	18038	
				EPA 7421 LEAD, Total		1/25/08	
					1/24/08	18038	
				EPA 7470 MERCURY, Total		1/31/08	
				MERCURY PREP: EPA 245.1/7040	1/29/08	18055	
				EPA 7740 SELENIUM, Total		1/25/08	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	1/24/08	18038	
				EPA 7841 THALLIUM, Total		1/30/08	
						R39151	
				ICP METALS, TOTAL		1/24/08	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	1/24/08	18038	
0801074-02A	002914-B111S (MW)	1/22/08 12:50:00 PM		MCP VOCs 8260B, EPA 5030B		1/31/08	
				EPA 5030B	1/22/08	R39161	

AMRO Environmental Laboratories Corp.

06-Feb-08

Lab Order: 0801074
Client: GEI Consultants, Inc.
Project: 002914 Canton Airport

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name / Preparatory Test Name	Prep Date	Analysis Date / Batch ID	TCLP Date
0801074-02B	002914-B111S (MW)	1/22/08 12:50:00 PM	Groundwater	EPH 1.1, Water, Diesel Targets		2/4/08	
				AQPREP SEP FUNNEL: EPH	2/1/08	18061	
0801074-02C				MCP SVOCs 8270C, EPA 3510		1/28/08	
				EPA 3510 AQPREP SEP FUNNEL: BNA	1/25/08	18043	
0801074-02D				EPA 8082 PCBS IN WATER		1/26/08	
				EPA 3510 AQPREP SEP FUNNEL: PCB	1/24/08	18039	
0801074-02E				EPA 7041 ANTIMONY, Total		1/25/08	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	1/24/08	18038	
				EPA 7060 ARSENIC, Total		1/30/08	
					1/24/08	18038	
				EPA 7421 LEAD, Total		1/25/08	
					1/24/08	18038	
				EPA 7470 MERCURY, Total		1/31/08	
				MERCURY PREP: EPA 245.1/7040	1/29/08	18055	
				EPA 7740 SELENIUM, Total		1/25/08	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	1/24/08	18038	
				EPA 7841 THALLIUM, Total		1/30/08	
						R39151	
				ICP METALS, TOTAL		1/24/08	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	1/24/08	18038	
0801074-03A	002914-W11 (MW)	1/22/08 1:20:00 PM		MCP VOCs 8260B, EPA 5030B		1/31/08	
				EPA 5030B	1/22/08	R39161	
0801074-03B				EPA 1.1, Water, Diesel Targets		2/4/08	
				AQPREP SEP FUNNEL: EPH	2/1/08	18061	

AMRO Environmental Laboratories Corp.

06-Feb-08

Lab Order: 0801074
Client: GEI Consultants, Inc.
Project: 002914 Canton Airport

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name / Preparatory Test Name	Prep Date	Analysis Date / Batch ID	TCLP Date
0801074-03C	002914-W11 (MW)	1/22/08 1:20:00 PM	Groundwater	MCP SVOCs 8270C, EPA 3510		1/28/08	
				EPA 3510 AQPREP SEP FUNNEL: BNA	1/25/08	18043	
0801074-03D				EPA 8082 PCBS IN WATER		1/26/08	
				EPA 3510 AQPREP SEP FUNNEL: PCB	1/24/08	18039	
0801074-03E				EPA 7041 ANTIMONY, Total		1/25/08	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	1/24/08	18038	
				EPA 7060 ARSENIC, Total		1/30/08	
					1/24/08	18038	
				EPA 7421 LEAD, Total		1/25/08	
					1/24/08	18038	
				EPA 7470 MERCURY, Total		1/31/08	
				MERCURY PREP: EPA 245.1/7040	1/29/08	18055	
				EPA 7740 SELENIUM, Total		1/25/08	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	1/24/08	18038	
				EPA 7841 THALLIUM, Total		1/30/08	
						R39151	
				ICP METALS, TOTAL		1/24/08	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	1/24/08	18038	
0801074-04A	002914-B112S (MW)	1/22/08 2:15:00 PM		MCP VOCs 8260B, EPA 5030B		1/31/08	
				EPA 5030B	1/22/08	R39161	
0801074-04B				EPH 1.1, Water, Diesel Targets		2/4/08	
				AQPREP SEP FUNNEL: EPH	2/1/08	18061	
0801074-04C				MCP SVOCs 8270C, EPA 3510		1/28/08	
				EPA 3510 AQPREP SEP FUNNEL: BNA	1/25/08	18043	

AMRO Environmental Laboratories Corp.

06-Feb-08

Lab Order: 0801074
Client: GEI Consultants, Inc.
Project: 002914 Canton Airport

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name / Preparatory Test Name	Prep Date	Analysis Date / Batch ID	TCLP Date
0801074-04D	002914-B112S (MW)	1/22/08 2:15:00 PM	Groundwater	EPA 8082 PCBS IN WATER		1/26/08	
				EPA 3510 AQPREP SEP FUNNEL: PCB	1/24/08	18039	
0801074-04E				EPA 7041 ANTIMONY, Total		1/25/08	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	1/24/08	18038	
				EPA 7060 ARSENIC, Total		1/30/08	
					1/24/08	18038	
				EPA 7421 LEAD, Total		1/25/08	
					1/24/08	18038	
				EPA 7470 MERCURY, Total		1/31/08	
				MERCURY PREP: EPA 245.1/7040	1/29/08	18055	
				EPA 7740 SELENIUM, Total		1/25/08	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	1/24/08	18038	
				EPA 7841 THALLIUM, Total		1/30/08	
						R39151	
				ICP METALS, TOTAL		1/24/08	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	1/24/08	18038	
0801074-05A	002914-B109S (MW)	1/22/08 2:10:00 PM		MCP VOCs 8260B, EPA 5030B		1/31/08	
				EPA 5030B	1/22/08	R39161	
0801074-05B				EPH 1.1, Water, Diesel Targets		1/30/08	
				AQPREP SEP FUNNEL: EPH	1/24/08	18041	
				EPH 1.1, Water, Diesel Targets		1/30/08	
					1/24/08	18041	
0801074-05C				MCP SVOCs 8270C, EPA 3510		1/28/08	
				EPA 3510 AQPREP SEP FUNNEL: BNA	1/25/08	18043	

AMRO Environmental Laboratories Corp.

06-Feb-08

Lab Order: 0801074
Client: GEI Consultants, Inc.
Project: 002914 Canton Airport

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name / Preparatory Test Name	Prep Date	Analysis Date / Batch ID	TCLP Date
0801074-05D	002914-B109S (MW)	1/22/08 2:10:00 PM	Groundwater	EPA 8082 PCBS IN WATER		1/26/08	
				EPA 3510 AQPREP SEP FUNNEL: PCB	1/24/08	18039	
0801074-05E				EPA 7041 ANTIMONY, Total		1/25/08	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	1/24/08	18038	
				EPA 7060 ARSENIC, Total		1/30/08	
					1/24/08	18038	
				EPA 7421 LEAD, Total		1/25/08	
					1/24/08	18038	
				EPA 7470 MERCURY, Total		1/31/08	
				MERCURY PREP: EPA 245.1/7040	1/29/08	18055	
				EPA 7740 SELENIUM, Total		1/25/08	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	1/24/08	18038	
				EPA 7841 THALLIUM, Total		1/30/08	
						R39151	
				ICP METALS, TOTAL		1/24/08	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	1/24/08	18038	
0801074-06A	002914-W1 (MW)	1/22/08 2:54:00 PM		MCP VOCs 8260B, EPA 5030B		1/31/08	
				EPA 5030B	1/22/08	R39161	
0801074-06B				EPH 1.1, Water, Diesel Targets		2/4/08	
				AQPREP SEP FUNNEL: EPH	2/1/08	18061	
0801074-06C				MCP SVOCs 8270C, EPA 3510		1/28/08	
				EPA 3510 AQPREP SEP FUNNEL: BNA	1/25/08	18043	
0801074-06D				EPA 8082 PCBS IN WATER		1/26/08	
				EPA 3510 AQPREP SEP FUNNEL: PCB	1/24/08	18039	

AMRO Environmental Laboratories Corp.

06-Feb-08

Lab Order: 0801074
Client: GEI Consultants, Inc.
Project: 002914 Canton Airport

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name / Preparatory Test Name	Prep Date	Analysis Date / Batch ID	TCLP Date
0801074-06E	002914-W1 (MW)	1/22/08 2:54:00 PM	Groundwater	EPA 7041 ANTIMONY, Total		1/25/08	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	1/24/08	18038	
				EPA 7060 ARSENIC, Total		1/30/08	
					1/24/08	18038	
				EPA 7421 LEAD, Total		1/25/08	
					1/24/08	18038	
				EPA 7470 MERCURY, Total		1/31/08	
				MERCURY PREP: EPA 245.1/7040	1/29/08	18055	
				EPA 7740 SELENIUM, Total		1/25/08	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	1/24/08	18038	
				EPA 7841 THALLIUM, Total		1/30/08	
						R39151	
				ICP METALS, TOTAL		1/24/08	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	1/24/08	18038	
0801074-07A	002914-B108S (MW)	1/22/08 3:20:00 PM		MCP VOCs 8260B, EPA 5030B		1/31/08	
				EPA 5030B	1/22/08	R39161	
0801074-07B				EPH 1.1, Water, Diesel Targets		2/4/08	
				AQPREP SEP FUNNEL: EPH	2/1/08	18061	
0801074-07C				MCP SVOCs 8270C, EPA 3510		1/28/08	
				EPA 3510 AQPREP SEP FUNNEL: BNA	1/25/08	18043	
0801074-07D				EPA 8082 PCBS IN WATER		1/26/08	
				EPA 3510 AQPREP SEP FUNNEL: PCB	1/24/08	18039	
0801074-07E				EPA 7041 ANTIMONY, Total		1/25/08	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	1/24/08	18038	

AMRO Environmental Laboratories Corp.

06-Feb-08

Lab Order: 0801074
Client: GEI Consultants, Inc.
Project: 002914 Canton Airport

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name / Preparatory Test Name	Prep Date	Analysis Date / Batch ID	TCLP Date
0801074-07E	002914-B108S (MW)	1/22/08 3:20:00 PM	Groundwater	EPA 7060 ARSENIC, Total		1/30/08	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	1/24/08	18038	
				EPA 7421 LEAD, Total		1/25/08	
					1/24/08	18038	
				EPA 7470 MERCURY, Total		1/31/08	
				MERCURY PREP: EPA 245.1/7040	1/29/08	18055	
				EPA 7740 SELENIUM, Total		1/25/08	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	1/24/08	18038	
				EPA 7841 THALLIUM, Total		1/30/08	
						R39151	
				ICP METALS, TOTAL		1/24/08	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	1/24/08	18038	
0801074-08A	002914-B105D (MW)	1/22/08 3:52:00 PM		MCP VOCs 8260B, EPA 5030B		1/31/08	
				EPA 5030B	1/22/08	R39161	
0801074-08B				EPH 1.1, Water, Diesel Targets		1/30/08	
				AQPREP SEP FUNNEL: EPH	1/24/08	18041	
				EPH 1.1, Water, Diesel Targets		1/30/08	
					1/24/08	18041	
0801074-08C				MCP SVOCs 8270C, EPA 3510		1/28/08	
				EPA 3510 AQPREP SEP FUNNEL: BNA	1/25/08	18043	
0801074-08D				EPA 8082 PCBS IN WATER		1/26/08	
				EPA 3510 AQPREP SEP FUNNEL: PCB	1/24/08	18039	
0801074-08E				EPA 7041 ANTIMONY, Total		1/25/08	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	1/24/08	18038	

AMRO Environmental Laboratories Corp.

06-Feb-08

Lab Order: 0801074
Client: GEI Consultants, Inc.
Project: 002914 Canton Airport

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name / Preparatory Test Name	Prep Date	Analysis Date / Batch ID	TCLP Date
0801074-08E	002914-B105D (MW)	1/22/08 3:52:00 PM	Groundwater	EPA 7060 ARSENIC, Total		1/30/08	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	1/24/08	18038	
				EPA 7421 LEAD, Total		1/25/08	
					1/24/08	18038	
				EPA 7470 MERCURY, Total		1/31/08	
				MERCURY PREP: EPA 245.1/7040	1/29/08	18055	
				EPA 7740 SELENIUM, Total		1/25/08	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	1/24/08	18038	
				EPA 7841 THALLIUM, Total		1/30/08	
						R39151	
				ICP METALS, TOTAL		1/24/08	
				EPA 3010 AQPREP TOTAL METALS: ICP/GFAA	1/24/08	18038	

Chain-of-Custody Record

Laboratory: AMRO

Laboratory Job # (Lab use only) 0801074

GEI Consultants
400 Unicorn Park Drive
Woburn, MA 01801
PH: 781.721.4000
FX: 781.721.4073

Project Information

Project Name: Canton Airport
Project Location: Canton, MA
Project Number: 002914
Project Manager: Saskia Oosting
Send Report to: Ray Siegener
Send EDD to: labdata@geiconsultants.com

Page _1_ of _1_

MCP PRESUMPTIVE CERTAINTY REQUIRED – **YES** NO

If Yes, Are MCP Analytical Methods Required? **YES** NO NA
If Yes, Are Drinking Water Samples Submitted? YES **NO** NA
If Yes, Have You Met Minimum Field QC Requirements? **YES** NO NA

Sample Handling
Samples Field Filtered: YES **NO** NA
Sampled Shipped With Ice: **YES** NO

Lab Sample Number	GEI Sample ID	Collection Date	Collection Time	Matrix	No. of Bottles	Sampler(s) Initials	VOC (Preservative: HCl)	EPH (ranges only) (Preservative: HCl)	Total Metals - all MCP metals (Preservative: HNO3)	SVOC (Preservative: none)	PCBs (Preservative: none)				Sample Specific Remarks
	002914-B110S (MW)	1/22/2008	13:00	GW	9	TC	X	X	X	X	X				
	002914-B111S (MW)	1/22/2008	12:50	GW	9	BA	X	X	X	X	X				
	002914-W11 (MW)	1/22/2008	13:20	GW	9	AH	X	X	X	X	X				
	002914-B112S (MW)	1/22/2008	14:15	GW	9	AH	X	X	X	X	X				
	002914-B109S (MW)	1/22/2008	14:10	GW	9	BA	X	X	X	X	X				
	002914-W1 (MW)	1/22/2008	14:54	GW	9	AH	X	X	X	X	X				
	002914-B108S (MW)	1/22/2008	15:20	GW	9	TC	X	X	X	X	X				
	002914-B105D (MW)	1/22/2008	15:52	GW	9	AH	X	X	X	X	X				
			T.C.												

MCP Level Needed: GEI requires the most stringent Method 1 MCP standard be met for all analytes whenever possible.

Relinquished by sampler: (signature)	Date:	Time:	Received by: (signature)
1. Thomas Cline	1/22/08	19:16	1. GEI Fridge
Relinquished by: (signature) 2. GEI Fridge	Date: 1/23/08	Time: 1133	Received by: (signature) 2. Ray Siegener
Relinquished by: (signature) 3. Ray Siegener	Date: 1/23/08	Time: 1133	Received by: (signature) 3. [illegible]
Relinquished by: (signature) 4. [illegible]	Date: 1/23/08	Time: 1345	Received by: (signature) 4. C Cearley

Turnaround Time (Business days):
Normal __X__ Other ____
10-Day ____ 7-Day ____
5-Day ____ 3-Day ____

Before submitting rush turnaround samples, you **must** notify the laboratory to confirm that the TAT can be achieved.

Additional Requirements/Comments/Remarks:

12

AMRO Environmental Laboratories Corporation

SAMPLE RECEIPT CHECKLIST

111 Herrick Street
Merrimack, NH 03054
(603) 424-2022

Client: GEI
Project Name: CANTON AIRPORT
Ship via: (circle one) Fed Ex., UPS, AMRO Courier, Hand Del., Other Courier, Other:

AMRO ID: 0801074
Date Rec.: 1-23-08
Date Due: 1-30-08

Items to be Checked Upon Receipt	Yes	No	NA	Comments
1. Army Samples received in individual plastic bags?			✓	
2. Custody Seals present?			✓	
3. Custody Seals Intact?			✓	
4. Air Bill included in folder if received?			✓	
5. Is COC included with samples?	✓			
6. Is COC signed and dated by client?	✓			
7. Laboratory receipt temperature. TEMP = 4,5,6°				
Samples rec. with ice ✓ ice packs___ neither___				
8. Were samples received the same day they were sampled?		✓		
Is client temperature 4°C ± 2°C?	✓			
If no obtain authorization from the client for the analyses.				
Client authorization from: Date: Obtained by:				
9. Is the COC filled out correctly and completely?	✓			
10. Does the info on the COC match the samples?	✓			
11. Were samples rec. within holding time?	✓			
12. Were all samples properly labeled?	✓			
13. Were all samples properly preserved?	✓			
14. Were proper sample containers used?	✓			
15. Were all samples received intact? (none broken or leaking)	✓			
16. Were VOA vials rec. with no air bubbles?	✓			
17. Were the sample volumes sufficient for requested analysis?	✓			
18. Were all samples received?	✓			
19. VPH and VOA Soils only:			✓	
Sampling Method VPH (circle one): M=Methanol, E=EnCore (air-tight container)				
Sampling Method VOA (circle one): M=Methanol, SB=Sodium Bisulfate, E=EnCore, B=Bulk				
If M or SB:				
Does preservative cover the soil?				
If NO then client must be faxed.				
Does preservation level come close to the fill line on the vial?				
If NO then client must be faxed.				
Were vials provided by AMRO?				
If NO then weights MUST be obtained from client				
Was dry weight aliquot provided?				
If NO then fax client and inform the VOA lab ASAP.				
20. Subcontracted Samples:			✓	
What samples sent:				
Where sent:				
Date:				
Analysis:				
TAT:				
21. Information entered into:				
Internal Tracking Log?	✓			
Dry Weight Log?			✓	
Client Log?			✓	
Composite Log?			✓	
Filtration Log?			✓	

Received By: CC Date: 1-23-08 Logged in By: CC Date: 1-24-08
Labeled By: CC MG Date: 1-24-08 Checked By: MG Date: 1-24-08

NA - Not Applicable

AMRO Environmental
Laboratories Corporation

111 Herrick Street
Merrimack, NH 03054
(603) 424-2022

Please Circle if:
Sample= Soil
Sample= Waste

AMRO ID: 0801074

Sample ID	Analysis	Volume Sample	Preserv. Listed	Initial pH*	Acceptable? Y or N	List Preserv. Added by AMRO	Solution ID # of Preserv.	Volume Preservative Added	Final adjusted pH	Final adjusted pH (after 16 hours)
01A→08A	VOC	2-40ML	HCL	—	—					
01B→08B	EPH	2-1LAmb	HCL	<2	Y					
01C→08C	SVOC	2-1LAmb	—	6	Y					
01D→08D	PCB	2-1LAmb	—	6	Y					
01E→08E	T-METAL	500ML	HNO3	<2	Y					

** = if the laboratory preserves the drinking water sample (s) for EPA Method 200 series, sample (s) should be held at least 16 hours prior to analysis*

pH Checked By: CC Date: 1-23-08 pH adjusted By: _____ Date: _____

pH Checked By: _____ Date: _____ pH adjusted (16hrs) By: _____ Date: _____

qc/qcmemos/forms/samplerec Rev.19 02/14/06

CASE NARRATIVE

VOLATILES:

1. A Laboratory Control Sample (LCS) and Laboratory Sample Duplicate (LCSD) were performed on 01/31/08 (Batch ID: R39161).

1.1 The % Recovery for 5 analytes out of 71 analytes in the LCS was outside the laboratory control limits.
1.2 The % Recovery for 10 analytes out of 71 analytes in the LCSD was outside the laboratory control limits.
1.3 The %RPD for 1 analyte out of 71 analytes was outside the laboratory control limits.

2. 1,2-Dibromo-3-chloropropane, 2,2-Dichloropropane, Bromoform, Acetone, 2-Butanone, 2-Hexanone, and Naphthalene recovered outside the control limits in the Continuing Calibration Verification Standard analyzed on 01/31/08.

SEMIVOLATILES:

1. A Laboratory Control Sample (LCS) and Laboratory Sample Duplicate (LCSD) were performed on Batch ID: 18043:

1.1 The % Recovery for 1 analyte out of 57 analytes in the LCS was outside the laboratory control limits.
1.2 The % Recovery for 2 analytes out of 57 analytes in the LCSD was outside the laboratory control limits.

GC/ECD-PCB:

1. No QC deviations were observed.

MADEP-EPH:

1. AMRO Laboratory analyzed EPH using the GC/MS option as indicated in the MADEP EPH Rev.1.1, Section 9.10 May 2004.

2. Only range results are reported per the client request.

3. Samples 0801074-01B, 0801074-02B, 0801074-03B, 0801074-04B, 0801074-06B, and 0801074-07B were screened to determine whether sufficient total petroleum hydrocarbons were present to warrant fractionation per MADEP EPH Rev.1.1, Section 9.2.1, May 2004.

4. One aliphatic compound recovered outside the control limits (+/- 20%) in Continuing Calibration Verification Standards analyzed on 01/30/08 and 02/04/08. Please refer to the Calibration Summary in the EPH section.

METALS:

1. A Duplicate was performed on sample 002914-B110S (MW) (0801074-01) (Batch ID: 18055).

1.1 The % RPD was flagged as being outside acceptance limits for Total Mercury. Since the the sample results and the duplicate results are all ND at the reporting limit, the duplicate results are acceptable.

MADEP MCP Analytical Method Report Certification Form

Laboratory Name: AMRO Environmental Laboratories, Inc. Project Number: 0801074

Project Location: 002914 Canton Airport MADEP RTN: [1]

0801074-01 0801074-08	0801074-02	0801074-03	0801074-04	0801074-05	0801074-06	0801074-07

Sample Matrices: Ground Water ☑ Soil / Sediment ☐ Drinking Water ☐ OtherMatrix ☐

MCP SW-846 Methods Used					
	8260B ☑	8151A ☐	8330 ☐	6010B ☑	7470A/1A ☑
	8270C ☑	8081A ☐	VPH ☐	6020 ☐	9014M [2] ☐
As specified in MADEP Compendium of Analytical Methods. (check all that apply)	8082 ☑	8021B ☐	EPH ☑	7000S [3] ☑	Other ☐

1 List Release Tracking Number (RTN) if known
2 M - SW-846 Method 9014 or MADEP Physiologically Available Cyanide (PAC) Method
3 S SW-846 Methods 7000 Series List individual method analyte.

An affirmative response to questions A, B, C and D is required for "Presumptive Certainty" status

A	Were all samples received by the laboratory in a condition consistent with that described on the Chain of Custody documentation for the data set?	◉ Yes ○ No [1]
B	Were all QA/QC procedures required for the specified analytical method(s)included in this report followed, including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guide lines?	◉ Yes ○ No [1]
C	Does the analytical data included in this report meet all the requirements for Presumptive Certainty, as described in Section 2.0 of the MADEP document CAM VII A, Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data?	◉ Yes ○ No [1]
D	**VPH and EPH methods only:** Was the VPH or EPH method run without significant modifications, as specified in Section 11.3?	◉ Yes ○ No [1]

A response to questions E and F below is required for "Presumptive Certainty" status

E	Were all QC performance standards and recommendations for the specified methods achieved?	○ Yes ◉ No [1]
F	Were results for all analyte-list compounds / elements for the specified method(s) reported?	○ Yes ◉ No [1]

[1] All NO answers must be addressed in an attached Environmental Laboratory case narrative.

I, the undersigned, attest under the pains and penalties of perjury that, based upon my personal inqury of those responsible for obtaining the information, the material contained in this analytical report is, to the best of my knowledge and belief, accurate and complete.

Signature: Nancy Stewart **Position:** Vice President

Printed Name: Nancy Stewart **Date:** 2-11-08

DATA COMMENT PAGE

Organic Data Qualifiers

ND	Indicates compound was analyzed for, but not detected at or above the reporting limit.
J	Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the data indicates the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than the method detection limit.
H	Method prescribed holding time exceeded.
E	This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
B	This flag is used when the analyte is found in the associated blank as well as in the sample.
R	RPD outside accepted recovery limits
RL	Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate.
S	Spike Recovery outside accepted recovery limits.
#	See Case Narrative

Micro Data Qualifiers

TNTC	Too numerous to count

Inorganic Data Qualifiers

ND or U	Indicates element was analyzed for, but not detected at or above the reporting limit.
J	Indicates a value greater than or equal to the method detection limit, but less than the quantitation limit.
H	Indicates analytical holding time exceedance.
B	Indicates that the analyte is found in the associated blank, as well as in the sample.
MSA	Indicates value determined by the Method of Standard Addition
E	This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
R	RPD outside accepted recovery limits
RL	Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate.
S	Spike Recovery outside accepted recovery limits.
W	Post-digestion spike for Furnace AA analysis is out of control limits (85-115), while sample absorbance is less than 50% of spike absorbance.
*	Duplicate analysis not within control limits.
+	Indicates the correlation coefficient for the Method of Standard Addition is less than 0.995
#	See Case Narrative

Report Comments:

1. Soil, sediment and sludge sample results are reported on a "dry weight" basis.
2. Reporting limits are adjusted for sample size used, dilutions and moisture content, if applicable.

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-B110S (MW)
Lab Order:	0801074	**Collection Date:**	1/22/08 1:00:00 PM
Project:	002914 Canton Airport	**Matrix:**	GROUNDWATER
Lab ID:	0801074-01A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS BY MCP MET SW8260B						Analyst: SK
Acetone	ND	10		µg/L	1	1/31/08 1:12:00 PM
Tertiary Amyl Methyl Ether	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
Benzene	ND	1.0		µg/L	1	1/31/08 1:12:00 PM
Bromobenzene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
Bromochloromethane	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
Bromoform	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
Bromomethane	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
Carbon disulfide	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
Chlorobenzene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
Chloroethane	ND	5.0		µg/L	1	1/31/08 1:12:00 PM
Chloroform	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
Chloromethane	ND	3.0		µg/L	1	1/31/08 1:12:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	1/31/08 1:12:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
Dibromomethane	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	1/31/08 1:12:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	1/31/08 1:12:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	1/31/08 1:12:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	1/31/08 1:12:00 PM
Diethyl ether	ND	5.0		µg/L	1	1/31/08 1:12:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Lab Order: 0801074
Project: 002914 Canton Airport
Lab ID: 0801074-01A

Client Sample ID: 002914-B110S (MW)
Collection Date: 1/22/08 1:00:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Diisopropyl ether	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
1,4-Dioxane	ND	50		µg/L	1	1/31/08 1:12:00 PM
Ethyl Tertiary Butyl Ether	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
Ethylbenzene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
2-Hexanone	ND	10		µg/L	1	1/31/08 1:12:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
2-Butanone	ND	10		µg/L	1	1/31/08 1:12:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	1/31/08 1:12:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
Methylene chloride	ND	5.0		µg/L	1	1/31/08 1:12:00 PM
Naphthalene	ND	5.0		µg/L	1	1/31/08 1:12:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
Styrene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
Tetrahydrofuran	ND	10		µg/L	1	1/31/08 1:12:00 PM
Toluene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
Trichloroethene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
Vinyl chloride	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
o-Xylene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
m,p-Xylene	ND	2.0		µg/L	1	1/31/08 1:12:00 PM
Surr: Dibromofluoromethane	99.8	70-130		%REC	1	1/31/08 1:12:00 PM
Surr: 1,2-Dichloroethane-d4	98.0	70-130		%REC	1	1/31/08 1:12:00 PM
Surr: Toluene-d8	101	70-130		%REC	1	1/31/08 1:12:00 PM
Surr: 4-Bromofluorobenzene	87.7	70-130		%REC	1	1/31/08 1:12:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-B111S (MW)
Lab Order:	0801074	**Collection Date:**	1/22/08 12:50:00 PM
Project:	002914 Canton Airport	**Matrix:**	GROUNDWATER
Lab ID:	0801074-02A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS BY MCP MET SW8260B						Analyst: SK
Acetone	ND	10		µg/L	1	1/31/08 1:46:00 PM
Tertiary Amyl Methyl Ether	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
Benzene	ND	1.0		µg/L	1	1/31/08 1:46:00 PM
Bromobenzene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
Bromochloromethane	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
Bromoform	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
Bromomethane	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
Carbon disulfide	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
Chlorobenzene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
Chloroethane	ND	5.0		µg/L	1	1/31/08 1:46:00 PM
Chloroform	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
Chloromethane	ND	3.0		µg/L	1	1/31/08 1:46:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	1/31/08 1:46:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
Dibromomethane	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	1/31/08 1:46:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	1/31/08 1:46:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	1/31/08 1:46:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	1/31/08 1:46:00 PM
Diethyl ether	ND	5.0		µg/L	1	1/31/08 1:46:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Lab Order: 0801074
Project: 002914 Canton Airport
Lab ID: 0801074-02A

Client Sample ID: 002914-B111S (MW)
Collection Date: 1/22/08 12:50:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Diisopropyl ether	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
1,4-Dioxane	ND	50		µg/L	1	1/31/08 1:46:00 PM
Ethyl Tertiary Butyl Ether	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
Ethylbenzene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
2-Hexanone	ND	10		µg/L	1	1/31/08 1:46:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
2-Butanone	ND	10		µg/L	1	1/31/08 1:46:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	1/31/08 1:46:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
Methylene chloride	ND	5.0		µg/L	1	1/31/08 1:46:00 PM
Naphthalene	ND	5.0		µg/L	1	1/31/08 1:46:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
Styrene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
Tetrahydrofuran	ND	10		µg/L	1	1/31/08 1:46:00 PM
Toluene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
Trichloroethene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
Vinyl chloride	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
o-Xylene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
m,p-Xylene	ND	2.0		µg/L	1	1/31/08 1:46:00 PM
Surr: Dibromofluoromethane	102	70-130		%REC	1	1/31/08 1:46:00 PM
Surr: 1,2-Dichloroethane-d4	96.3	70-130		%REC	1	1/31/08 1:46:00 PM
Surr: Toluene-d8	101	70-130		%REC	1	1/31/08 1:46:00 PM
Surr: 4-Bromofluorobenzene	85.9	70-130		%REC	1	1/31/08 1:46:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-W11 (MW)
Lab Order:	0801074	**Collection Date:**	1/22/08 1:20:00 PM
Project:	002914 Canton Airport	**Matrix:**	GROUNDWATER
Lab ID:	0801074-03A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS BY MCP MET SW8260B						Analyst: SK
Acetone	ND	10		µg/L	1	1/31/08 2:20:00 PM
Tertiary Amyl Methyl Ether	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
Benzene	ND	1.0		µg/L	1	1/31/08 2:20:00 PM
Bromobenzene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
Bromochloromethane	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
Bromoform	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
Bromomethane	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
Carbon disulfide	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
Chlorobenzene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
Chloroethane	ND	5.0		µg/L	1	1/31/08 2:20:00 PM
Chloroform	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
Chloromethane	ND	3.0		µg/L	1	1/31/08 2:20:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	1/31/08 2:20:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
Dibromomethane	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	1/31/08 2:20:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	1/31/08 2:20:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	1/31/08 2:20:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	1/31/08 2:20:00 PM
Diethyl ether	ND	5.0		µg/L	1	1/31/08 2:20:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Lab Order: 0801074
Project: 002914 Canton Airport
Lab ID: 0801074-03A

Client Sample ID: 002914-W11 (MW)
Collection Date: 1/22/08 1:20:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Diisopropyl ether	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
1,4-Dioxane	ND	50		µg/L	1	1/31/08 2:20:00 PM
Ethyl Tertiary Butyl Ether	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
Ethylbenzene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
2-Hexanone	ND	10		µg/L	1	1/31/08 2:20:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
2-Butanone	ND	10		µg/L	1	1/31/08 2:20:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	1/31/08 2:20:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
Methylene chloride	ND	5.0		µg/L	1	1/31/08 2:20:00 PM
Naphthalene	ND	5.0		µg/L	1	1/31/08 2:20:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
Styrene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
Tetrahydrofuran	ND	10		µg/L	1	1/31/08 2:20:00 PM
Toluene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
Trichloroethene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
Vinyl chloride	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
o-Xylene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
m,p-Xylene	ND	2.0		µg/L	1	1/31/08 2:20:00 PM
Surr: Dibromofluoromethane	103	70-130		%REC	1	1/31/08 2:20:00 PM
Surr: 1,2-Dichloroethane-d4	103	70-130		%REC	1	1/31/08 2:20:00 PM
Surr: Toluene-d8	98.8	70-130		%REC	1	1/31/08 2:20:00 PM
Surr: 4-Bromofluorobenzene	87.7	70-130		%REC	1	1/31/08 2:20:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-B112S (MW)
Lab Order:	0801074	**Collection Date:**	1/22/08 2:15:00 PM
Project:	002914 Canton Airport	**Matrix:**	GROUNDWATER
Lab ID:	0801074-04A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS BY MCP MET SW8260B						Analyst: SK
Acetone	ND	10		µg/L	1	1/31/08 2:53:00 PM
Tertiary Amyl Methyl Ether	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
Benzene	ND	1.0		µg/L	1	1/31/08 2:53:00 PM
Bromobenzene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
Bromochloromethane	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
Bromoform	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
Bromomethane	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
Carbon disulfide	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
Chlorobenzene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
Chloroethane	ND	5.0		µg/L	1	1/31/08 2:53:00 PM
Chloroform	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
Chloromethane	ND	3.0		µg/L	1	1/31/08 2:53:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	1/31/08 2:53:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
Dibromomethane	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	1/31/08 2:53:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	1/31/08 2:53:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	1/31/08 2:53:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	1/31/08 2:53:00 PM
Diethyl ether	ND	5.0		µg/L	1	1/31/08 2:53:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Lab Order: 0801074
Project: 002914 Canton Airport
Lab ID: 0801074-04A

Client Sample ID: 002914-B112S (MW)
Collection Date: 1/22/08 2:15:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Diisopropyl ether	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
1,4-Dioxane	ND	50		µg/L	1	1/31/08 2:53:00 PM
Ethyl Tertiary Butyl Ether	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
Ethylbenzene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
2-Hexanone	ND	10		µg/L	1	1/31/08 2:53:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
2-Butanone	ND	10		µg/L	1	1/31/08 2:53:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	1/31/08 2:53:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
Methylene chloride	ND	5.0		µg/L	1	1/31/08 2:53:00 PM
Naphthalene	ND	5.0		µg/L	1	1/31/08 2:53:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
Styrene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
Tetrahydrofuran	ND	10		µg/L	1	1/31/08 2:53:00 PM
Toluene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
Trichloroethene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
Vinyl chloride	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
o-Xylene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
m,p-Xylene	ND	2.0		µg/L	1	1/31/08 2:53:00 PM
Surr: Dibromofluoromethane	99.8	70-130		%REC	1	1/31/08 2:53:00 PM
Surr: 1,2-Dichloroethane-d4	102	70-130		%REC	1	1/31/08 2:53:00 PM
Surr: Toluene-d8	98.7	70-130		%REC	1	1/31/08 2:53:00 PM
Surr: 4-Bromofluorobenzene	87.2	70-130		%REC	1	1/31/08 2:53:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-B109S (MW)
Lab Order:	0801074	**Collection Date:**	1/22/08 2:10:00 PM
Project:	002914 Canton Airport	**Matrix:**	GROUNDWATER
Lab ID:	0801074-05A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS BY MCP MET SW8260B						Analyst: **SK**
Acetone	ND	10		µg/L	1	1/31/08 3:27:00 PM
Tertiary Amyl Methyl Ether	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
Benzene	ND	1.0		µg/L	1	1/31/08 3:27:00 PM
Bromobenzene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
Bromochloromethane	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
Bromoform	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
Bromomethane	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
Carbon disulfide	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
Chlorobenzene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
Chloroethane	ND	5.0		µg/L	1	1/31/08 3:27:00 PM
Chloroform	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
Chloromethane	ND	3.0		µg/L	1	1/31/08 3:27:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	1/31/08 3:27:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
Dibromomethane	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	1/31/08 3:27:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	1/31/08 3:27:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	1/31/08 3:27:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	1/31/08 3:27:00 PM
Diethyl ether	ND	5.0		µg/L	1	1/31/08 3:27:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Lab Order: 0801074
Project: 002914 Canton Airport
Lab ID: 0801074-05A

Client Sample ID: 002914-B109S (MW)
Collection Date: 1/22/08 2:10:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Diisopropyl ether	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
1,4-Dioxane	ND	50		µg/L	1	1/31/08 3:27:00 PM
Ethyl Tertiary Butyl Ether	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
Ethylbenzene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
2-Hexanone	ND	10		µg/L	1	1/31/08 3:27:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
2-Butanone	ND	10		µg/L	1	1/31/08 3:27:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	1/31/08 3:27:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
Methylene chloride	ND	5.0		µg/L	1	1/31/08 3:27:00 PM
Naphthalene	ND	5.0		µg/L	1	1/31/08 3:27:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
Styrene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
Tetrahydrofuran	ND	10		µg/L	1	1/31/08 3:27:00 PM
Toluene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
Trichloroethene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
Vinyl chloride	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
o-Xylene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
m,p-Xylene	ND	2.0		µg/L	1	1/31/08 3:27:00 PM
Surr: Dibromofluoromethane	102	70-130		%REC	1	1/31/08 3:27:00 PM
Surr: 1,2-Dichloroethane-d4	101	70-130		%REC	1	1/31/08 3:27:00 PM
Surr: Toluene-d8	99.4	70-130		%REC	1	1/31/08 3:27:00 PM
Surr: 4-Bromofluorobenzene	87.5	70-130		%REC	1	1/31/08 3:27:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-W1 (MW)
Lab Order:	0801074	**Collection Date:**	1/22/08 2:54:00 PM
Project:	002914 Canton Airport	**Matrix:**	GROUNDWATER
Lab ID:	0801074-06A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS BY MCP MET SW8260B						Analyst: SK
Acetone	ND	10		µg/L	1	1/31/08 4:01:00 PM
Tertiary Amyl Methyl Ether	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
Benzene	ND	1.0		µg/L	1	1/31/08 4:01:00 PM
Bromobenzene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
Bromochloromethane	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
Bromoform	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
Bromomethane	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
Carbon disulfide	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
Chlorobenzene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
Chloroethane	ND	5.0		µg/L	1	1/31/08 4:01:00 PM
Chloroform	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
Chloromethane	ND	3.0		µg/L	1	1/31/08 4:01:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	1/31/08 4:01:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
Dibromomethane	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	1/31/08 4:01:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	1/31/08 4:01:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	1/31/08 4:01:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	1/31/08 4:01:00 PM
Diethyl ether	ND	5.0		µg/L	1	1/31/08 4:01:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Lab Order: 0801074
Project: 002914 Canton Airport
Lab ID: 0801074-06A

Client Sample ID: 002914-W1 (MW)
Collection Date: 1/22/08 2:54:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Diisopropyl ether	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
1,4-Dioxane	ND	50		µg/L	1	1/31/08 4:01:00 PM
Ethyl Tertiary Butyl Ether	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
Ethylbenzene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
2-Hexanone	ND	10		µg/L	1	1/31/08 4:01:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
2-Butanone	ND	10		µg/L	1	1/31/08 4:01:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	1/31/08 4:01:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
Methylene chloride	ND	5.0		µg/L	1	1/31/08 4:01:00 PM
Naphthalene	ND	5.0		µg/L	1	1/31/08 4:01:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
Styrene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
Tetrahydrofuran	ND	10		µg/L	1	1/31/08 4:01:00 PM
Toluene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
Trichloroethene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
Vinyl chloride	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
o-Xylene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
m,p-Xylene	ND	2.0		µg/L	1	1/31/08 4:01:00 PM
Surr: Dibromofluoromethane	98.9	70-130		%REC	1	1/31/08 4:01:00 PM
Surr: 1,2-Dichloroethane-d4	103	70-130		%REC	1	1/31/08 4:01:00 PM
Surr: Toluene-d8	100	70-130		%REC	1	1/31/08 4:01:00 PM
Surr: 4-Bromofluorobenzene	89.2	70-130		%REC	1	1/31/08 4:01:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-B108S (MW)
Lab Order:	0801074	**Collection Date:**	1/22/08 3:20:00 PM
Project:	002914 Canton Airport	**Matrix:**	GROUNDWATER
Lab ID:	0801074-07A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS BY MCP MET SW8260B						Analyst: SK
Acetone	ND	10		µg/L	1	1/31/08 4:34:00 PM
Tertiary Amyl Methyl Ether	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
Benzene	ND	1.0		µg/L	1	1/31/08 4:34:00 PM
Bromobenzene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
Bromochloromethane	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
Bromoform	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
Bromomethane	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
Carbon disulfide	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
Chlorobenzene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
Chloroethane	ND	5.0		µg/L	1	1/31/08 4:34:00 PM
Chloroform	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
Chloromethane	ND	3.0		µg/L	1	1/31/08 4:34:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	1/31/08 4:34:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
Dibromomethane	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	1/31/08 4:34:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	1/31/08 4:34:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	1/31/08 4:34:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	1/31/08 4:34:00 PM
Diethyl ether	ND	5.0		µg/L	1	1/31/08 4:34:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-B108S (MW)
Lab Order:	0801074	**Collection Date:**	1/22/08 3:20:00 PM
Project:	002914 Canton Airport	**Matrix:**	GROUNDWATER
Lab ID:	0801074-07A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Diisopropyl ether	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
1,4-Dioxane	ND	50		µg/L	1	1/31/08 4:34:00 PM
Ethyl Tertiary Butyl Ether	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
Ethylbenzene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
2-Hexanone	ND	10		µg/L	1	1/31/08 4:34:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
2-Butanone	ND	10		µg/L	1	1/31/08 4:34:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	1/31/08 4:34:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
Methylene chloride	ND	5.0		µg/L	1	1/31/08 4:34:00 PM
Naphthalene	ND	5.0		µg/L	1	1/31/08 4:34:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
Styrene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
Tetrahydrofuran	ND	10		µg/L	1	1/31/08 4:34:00 PM
Toluene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
Trichloroethene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
Vinyl chloride	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
o-Xylene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
m,p-Xylene	ND	2.0		µg/L	1	1/31/08 4:34:00 PM
Surr: Dibromofluoromethane	100	70-130		%REC	1	1/31/08 4:34:00 PM
Surr: 1,2-Dichloroethane-d4	102	70-130		%REC	1	1/31/08 4:34:00 PM
Surr: Toluene-d8	102	70-130		%REC	1	1/31/08 4:34:00 PM
Surr: 4-Bromofluorobenzene	87.8	70-130		%REC	1	1/31/08 4:34:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-B105D (MW)
Lab Order:	0801074	**Collection Date:**	1/22/08 3:52:00 PM
Project:	002914 Canton Airport	**Matrix:**	GROUNDWATER
Lab ID:	0801074-08A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS BY MCP MET SW8260B						Analyst: **SK**
Acetone	ND	10		µg/L	1	1/31/08 6:14:00 PM
Tertiary Amyl Methyl Ether	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
Benzene	ND	1.0		µg/L	1	1/31/08 6:14:00 PM
Bromobenzene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
Bromochloromethane	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
Bromodichloromethane	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
Bromoform	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
Bromomethane	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
sec-Butylbenzene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
n-Butylbenzene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
tert-Butylbenzene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
Carbon disulfide	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
Carbon tetrachloride	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
Chlorobenzene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
Dibromochloromethane	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
Chloroethane	ND	5.0		µg/L	1	1/31/08 6:14:00 PM
Chloroform	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
Chloromethane	ND	3.0		µg/L	1	1/31/08 6:14:00 PM
2-Chlorotoluene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
4-Chlorotoluene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	1/31/08 6:14:00 PM
1,2-Dibromoethane	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
Dibromomethane	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
1,3-Dichlorobenzene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
1,2-Dichlorobenzene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
1,4-Dichlorobenzene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	1/31/08 6:14:00 PM
1,1-Dichloroethane	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
1,2-Dichloroethane	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	1/31/08 6:14:00 PM
cis-1,2-Dichloroethene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
trans-1,2-Dichloroethene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
1,2-Dichloropropane	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
1,3-Dichloropropane	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
1,1-Dichloropropene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	1/31/08 6:14:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	1/31/08 6:14:00 PM
Diethyl ether	ND	5.0		µg/L	1	1/31/08 6:14:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-B105D (MW)
Lab Order:	0801074	**Collection Date:**	1/22/08 3:52:00 PM
Project:	002914 Canton Airport	**Matrix:**	GROUNDWATER
Lab ID:	0801074-08A		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Diisopropyl ether	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
1,4-Dioxane	ND	50		µg/L	1	1/31/08 6:14:00 PM
Ethyl Tertiary Butyl Ether	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
Ethylbenzene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
Hexachlorobutadiene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
2-Hexanone	ND	10		µg/L	1	1/31/08 6:14:00 PM
Isopropylbenzene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
4-Isopropyltoluene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
2-Butanone	ND	10		µg/L	1	1/31/08 6:14:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	1/31/08 6:14:00 PM
Methyl tert-butyl ether	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
Methylene chloride	ND	5.0		µg/L	1	1/31/08 6:14:00 PM
Naphthalene	ND	5.0		µg/L	1	1/31/08 6:14:00 PM
n-Propylbenzene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
Styrene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
1,1,1,2-Tetrachloroethane	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
Tetrachloroethene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
Tetrahydrofuran	ND	10		µg/L	1	1/31/08 6:14:00 PM
Toluene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
1,2,4-Trichlorobenzene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
1,2,3-Trichlorobenzene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
1,1,1-Trichloroethane	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
1,1,2-Trichloroethane	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
Trichloroethene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
Trichlorofluoromethane	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
1,2,4-Trimethylbenzene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
1,3,5-Trimethylbenzene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
Vinyl chloride	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
o-Xylene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
m,p-Xylene	ND	2.0		µg/L	1	1/31/08 6:14:00 PM
Surr: Dibromofluoromethane	99.4	70-130		%REC	1	1/31/08 6:14:00 PM
Surr: 1,2-Dichloroethane-d4	98.2	70-130		%REC	1	1/31/08 6:14:00 PM
Surr: Toluene-d8	97.5	70-130		%REC	1	1/31/08 6:14:00 PM
Surr: 4-Bromofluorobenzene	86.7	70-130		%REC	1	1/31/08 6:14:00 PM

AMRO Environmental Laboratories Corp.

Date: *01-Feb-08*

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Method Blank

Sample ID **mb-01/31/08** Batch ID: **R39161** Test Code: **SW8260B** Units: **µg/L** Analysis Date **1/31/08 9:50:00 AM** Prep Date **1/31/08**

Client ID: Run ID: **V-3_080131A** SeqNo: **655093**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Acetone	ND	10	µg/L									
Tertiary Amyl Methyl Ether	ND	2.0	µg/L									
Benzene	ND	1.0	µg/L									
Bromobenzene	ND	2.0	µg/L									
Bromochloromethane	ND	2.0	µg/L									
Bromodichloromethane	ND	2.0	µg/L									
Bromoform	ND	2.0	µg/L									
Bromomethane	ND	2.0	µg/L									
sec-Butylbenzene	ND	2.0	µg/L									
n-Butylbenzene	ND	2.0	µg/L									
tert-Butylbenzene	ND	2.0	µg/L									
Carbon disulfide	ND	2.0	µg/L									
Carbon tetrachloride	ND	2.0	µg/L									
Chlorobenzene	ND	2.0	µg/L									
Dibromochloromethane	ND	2.0	µg/L									
Chloroethane	ND	5.0	µg/L									
Chloroform	ND	2.0	µg/L									
Chloromethane	ND	3.0	µg/L									
2-Chlorotoluene	ND	2.0	µg/L									
4-Chlorotoluene	ND	2.0	µg/L									
1,2-Dibromo-3-chloropropane	ND	5.0	µg/L									
1,2-Dibromoethane	ND	2.0	µg/L									
Dibromomethane	ND	2.0	µg/L									
1,3-Dichlorobenzene	ND	2.0	µg/L									
1,2-Dichlorobenzene	ND	2.0	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank
NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *01-Feb-08*

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Method Blank

1,4-Dichlorobenzene	ND	2.0	µg/L
Dichlorodifluoromethane	ND	5.0	µg/L
1,1-Dichloroethane	ND	2.0	µg/L
1,2-Dichloroethane	ND	2.0	µg/L
1,1-Dichloroethene	ND	1.0	µg/L
cis-1,2-Dichloroethene	ND	2.0	µg/L
trans-1,2-Dichloroethene	ND	2.0	µg/L
1,2-Dichloropropane	ND	2.0	µg/L
1,3-Dichloropropane	ND	2.0	µg/L
2,2-Dichloropropane	ND	2.0	µg/L
1,1-Dichloropropene	ND	2.0	µg/L
cis-1,3-Dichloropropene	ND	1.0	µg/L
trans-1,3-Dichloropropene	ND	1.0	µg/L
Diethyl ether	ND	5.0	µg/L
Diisopropyl ether	ND	2.0	µg/L
1,4-Dioxane	ND	50	µg/L
Ethyl Tertiary Butyl Ether	ND	2.0	µg/L
Ethylbenzene	ND	2.0	µg/L
Hexachlorobutadiene	ND	2.0	µg/L
2-Hexanone	ND	10	µg/L
Isopropylbenzene	ND	2.0	µg/L
4-Isopropyltoluene	ND	2.0	µg/L
2-Butanone	ND	10	µg/L
4-Methyl-2-pentanone	ND	10	µg/L
Methyl tert-butyl ether	ND	2.0	µg/L
Methylene chloride	ND	5.0	µg/L
Naphthalene	ND	5.0	µg/L
n-Propylbenzene	ND	2.0	µg/L
Styrene	ND	2.0	µg/L
1,1,1,2-Tetrachloroethane	ND	2.0	µg/L
1,1,2,2-Tetrachloroethane	ND	2.0	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit; S - Spike Recovery outside accepted recovery limits; B - Analyte detected in the associated Method Blank; J - Analyte detected below quantitation limits; R - RPD outside accepted recovery limits; NA - Not applicable where J values or ND results occur; RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Method Blank

Tetrachloroethene	ND	2.0	µg/L						
Tetrahydrofuran	ND	10	µg/L						
Toluene	ND	2.0	µg/L						
1,2,4-Trichlorobenzene	ND	2.0	µg/L						
1,2,3-Trichlorobenzene	ND	2.0	µg/L						
1,1,1-Trichloroethane	ND	2.0	µg/L						
1,1,2-Trichloroethane	ND	2.0	µg/L						
Trichloroethene	ND	2.0	µg/L						
Trichlorofluoromethane	ND	2.0	µg/L						
1,2,3-Trichloropropane	ND	2.0	µg/L						
1,2,4-Trimethylbenzene	ND	2.0	µg/L						
1,3,5-Trimethylbenzene	ND	2.0	µg/L						
Vinyl chloride	ND	2.0	µg/L						
o-Xylene	ND	2.0	µg/L						
m,p-Xylene	ND	2.0	µg/L						
Surr: Dibromofluoromethane	24.23	2.0	µg/L	25	0	96.9	70	130	0
Surr: 1,2-Dichloroethane-d4	22.66	2.0	µg/L	25	0	90.6	70	130	0
Surr: Toluene-d8	24.86	2.0	µg/L	25	0	99.4	70	130	0
Surr: 4-Bromofluorobenzene	22.1	2.0	µg/L	25	0	88.4	70	130	0

Qualifiers: ND - Not Detected at the Reporting Limit; S - Spike Recovery outside accepted recovery limits; B - Analyte detected in the associated Method Blank
J - Analyte detected below quantitation limits; R - RPD outside accepted recovery limits; NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *01-Feb-08*

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike - Full List

Sample ID **lcsf-01/31/08** Batch ID: **R39161** Test Code: **SW8260B** Units: **µg/L** Analysis Date **1/31/08 8:09:00 AM** Prep Date **1/31/08**

Client ID: Run ID: **V-3_080131A** SeqNo: **655094**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Acetone	14.27	10	µg/L	20	0	71.4	70	130	0			
Tertiary Amyl Methyl Ether	17.48	2.0	µg/L	20	0	87.4	70	130	0			
Benzene	21.56	1.0	µg/L	20	0	108	70	130	0			
Bromobenzene	19.75	2.0	µg/L	20	0	98.8	70	130	0			
Bromochloromethane	20.03	2.0	µg/L	20	0	100	70	130	0			
Bromodichloromethane	20.07	2.0	µg/L	20	0	100	70	130	0			
Bromoform	12.64	2.0	µg/L	20	0	63.2	70	130	0			S
Bromomethane	18.91	2.0	µg/L	20	0	94.6	70	130	0			
sec-Butylbenzene	23.63	2.0	µg/L	20	0	118	70	130	0			
n-Butylbenzene	24.67	2.0	µg/L	20	0	123	70	130	0			
tert-Butylbenzene	22.32	2.0	µg/L	20	0	112	70	130	0			
Carbon disulfide	21.88	2.0	µg/L	20	0	109	70	130	0			
Carbon tetrachloride	21.59	2.0	µg/L	20	0	108	70	130	0			
Chlorobenzene	20.47	2.0	µg/L	20	0	102	70	130	0			
Dibromochloromethane	17.6	2.0	µg/L	20	0	88	70	130	0			
Chloroethane	19.32	5.0	µg/L	20	0	96.6	70	130	0			
Chloroform	22.03	2.0	µg/L	20	0	110	70	130	0			
Chloromethane	16.5	3.0	µg/L	20	0	82.5	70	130	0			
2-Chlorotoluene	20.55	2.0	µg/L	20	0	103	70	130	0			
4-Chlorotoluene	21.2	2.0	µg/L	20	0	106	70	130	0			
1,2-Dibromo-3-chloropropane	12.46	5.0	µg/L	20	0	62.3	70	130	0			S
1,2-Dibromoethane	18.02	2.0	µg/L	20	0	90.1	70	130	0			
Dibromomethane	18.9	2.0	µg/L	20	0	94.5	70	130	0			
1,3-Dichlorobenzene	21.6	2.0	µg/L	20	0	108	70	130	0			
1,2-Dichlorobenzene	21.01	2.0	µg/L	20	0	105	70	130	0			

Qualifiers: ND - Not Detected at the Reporting Limit; S - Spike Recovery outside accepted recovery limits; B - Analyte detected in the associated Method Blank; J - Analyte detected below quantitation limits; R - RPD outside accepted recovery limits; NA - Not applicable where J values or ND results occur; RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *01-Feb-08*

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike - Full List

1,4-Dichlorobenzene	21.51	2.0	µg/L	20	0	108	70	130	0	
Dichlorodifluoromethane	14.68	5.0	µg/L	20	0	73.4	70	130	0	
1,1-Dichloroethane	21.91	2.0	µg/L	20	0	110	70	130	0	
1,2-Dichloroethane	21.23	2.0	µg/L	20	0	106	70	130	0	
1,1-Dichloroethene	22.83	1.0	µg/L	20	0	114	70	130	0	
cis-1,2-Dichloroethene	20.82	2.0	µg/L	20	0	104	70	130	0	
trans-1,2-Dichloroethene	21.38	2.0	µg/L	20	0	107	70	130	0	
1,2-Dichloropropane	21.73	2.0	µg/L	20	0	109	70	130	0	
1,3-Dichloropropane	17.9	2.0	µg/L	20	0	89.5	70	130	0	
2,2-Dichloropropane	29.01	2.0	µg/L	20	0	145	70	130	0	S
1,1-Dichloropropene	23.4	2.0	µg/L	20	0	117	70	130	0	
cis-1,3-Dichloropropene	20.63	1.0	µg/L	20	0	103	70	130	0	
trans-1,3-Dichloropropene	18.89	1.0	µg/L	20	0	94.4	70	130	0	
Diethyl ether	17.92	5.0	µg/L	20	0	89.6	70	130	0	
Diisopropyl ether	20.35	2.0	µg/L	20	0	102	70	130	0	
1,4-Dioxane	75.33	50	µg/L	100	0	75.3	70	130	0	
Ethyl Tertiary Butyl Ether	21.89	2.0	µg/L	20	0	109	70	130	0	
Ethylbenzene	21.06	2.0	µg/L	20	0	105	70	130	0	
Hexachlorobutadiene	20.02	2.0	µg/L	20	0	100	70	130	0	
2-Hexanone	12.41	10	µg/L	20	0	62	70	130	0	S
Isopropylbenzene	22.58	2.0	µg/L	20	0	113	70	130	0	
4-Isopropyltoluene	25.36	2.0	µg/L	20	0	127	70	130	0	
2-Butanone	14.67	10	µg/L	20	0	73.4	70	130	0	
4-Methyl-2-pentanone	13.44	10	µg/L	20	0	67.2	70	130	0	S
Methyl tert-butyl ether	22.57	2.0	µg/L	20	0	113	70	130	0	
Methylene chloride	21.15	5.0	µg/L	20	0	106	70	130	0	
Naphthalene	14.39	5.0	µg/L	20	0	72	70	130	0	
n-Propylbenzene	21.65	2.0	µg/L	20	0	108	70	130	0	
Styrene	22.69	2.0	µg/L	20	0	113	70	130	0	
1,1,1,2-Tetrachloroethane	20.53	2.0	µg/L	20	0	103	70	130	0	
1,1,2,2-Tetrachloroethane	14.74	2.0	µg/L	20	0	73.7	70	130	0	

Qualifiers: ND - Not Detected at the Reporting Limit; S - Spike Recovery outside accepted recovery limits; B - Analyte detected in the associated Method Blank; J - Analyte detected below quantitation limits; R - RPD outside accepted recovery limits; NA - Not applicable where J values or ND results occur; RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike - Full List

Tetrachloroethene	21.15	2.0	µg/L	20	0	106	70	130	0
Tetrahydrofuran	15.71	10	µg/L	20	0	78.6	70	130	0
Toluene	21.19	2.0	µg/L	20	0	106	70	130	0
1,2,4-Trichlorobenzene	20.21	2.0	µg/L	20	0	101	70	130	0
1,2,3-Trichlorobenzene	20.17	2.0	µg/L	20	0	101	70	130	0
1,1,1-Trichloroethane	24.38	2.0	µg/L	20	0	122	70	130	0
1,1,2-Trichloroethane	17.13	2.0	µg/L	20	0	85.7	70	130	0
Trichloroethene	22.38	2.0	µg/L	20	0	112	70	130	0
Trichlorofluoromethane	23.54	2.0	µg/L	20	0	118	70	130	0
1,2,3-Trichloropropane	16.15	2.0	µg/L	20	0	80.8	70	130	0
1,2,4-Trimethylbenzene	23.8	2.0	µg/L	20	0	119	70	130	0
1,3,5-Trimethylbenzene	23.72	2.0	µg/L	20	0	119	70	130	0
Vinyl chloride	20.71	2.0	µg/L	20	0	104	70	130	0
o-Xylene	21.79	2.0	µg/L	20	0	109	70	130	0
m,p-Xylene	42.74	2.0	µg/L	40	0	107	70	130	0
Surr: Dibromofluoromethane	24.31	2.0	µg/L	25	0	97.2	70	130	0
Surr: 1,2-Dichloroethane-d4	23.86	2.0	µg/L	25	0	95.4	70	130	0
Surr: Toluene-d8	25.35	2.0	µg/L	25	0	101	70	130	0
Surr: 4-Bromofluorobenzene	24.19	2.0	µg/L	25	0	96.8	70	130	0

Qualifiers: ND - Not Detected at the Reporting Limit; S - Spike Recovery outside accepted recovery limits; B - Analyte detected in the associated Method Blank; J - Analyte detected below quantitation limits; R - RPD outside accepted recovery limits; NA - Not applicable where J values or ND results occur; RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *01-Feb-08*

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike Duplicate - Full List

Sample ID **lcsdf-01/31/08** Batch ID: **R39161** Test Code: **SW8260B** Units: **µg/L** Analysis Date **1/31/08 8:43:00 AM** Prep Date **1/31/08**

Client ID: Run ID: **V-3_080131A** SeqNo: **655095**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Acetone	12.67	10	µg/L	20	0	63.4	70	130	14.27	11.9	20	S
Tertiary Amyl Methyl Ether	16.94	2.0	µg/L	20	0	84.7	70	130	17.48	3.14	20	
Benzene	21.8	1.0	µg/L	20	0	109	70	130	21.56	1.11	20	
Bromobenzene	19.84	2.0	µg/L	20	0	99.2	70	130	19.75	0.455	20	
Bromochloromethane	19.68	2.0	µg/L	20	0	98.4	70	130	20.03	1.76	20	
Bromodichloromethane	19.81	2.0	µg/L	20	0	99	70	130	20.07	1.3	20	
Bromoform	12.02	2.0	µg/L	20	0	60.1	70	130	12.64	5.03	20	S
Bromomethane	19.26	2.0	µg/L	20	0	96.3	70	130	18.91	1.83	20	
sec-Butylbenzene	23.56	2.0	µg/L	20	0	118	70	130	23.63	0.297	20	
n-Butylbenzene	25.09	2.0	µg/L	20	0	125	70	130	24.67	1.69	20	
tert-Butylbenzene	22.82	2.0	µg/L	20	0	114	70	130	22.32	2.22	20	
Carbon disulfide	21.92	2.0	µg/L	20	0	110	70	130	21.88	0.183	20	
Carbon tetrachloride	21.62	2.0	µg/L	20	0	108	70	130	21.59	0.139	20	
Chlorobenzene	20.61	2.0	µg/L	20	0	103	70	130	20.47	0.682	20	
Dibromochloromethane	16.14	2.0	µg/L	20	0	80.7	70	130	17.6	8.65	20	
Chloroethane	19.55	5.0	µg/L	20	0	97.8	70	130	19.32	1.18	20	
Chloroform	22.35	2.0	µg/L	20	0	112	70	130	22.03	1.44	20	
Chloromethane	16.22	3.0	µg/L	20	0	81.1	70	130	16.5	1.71	20	
2-Chlorotoluene	20.59	2.0	µg/L	20	0	103	70	130	20.55	0.194	20	
4-Chlorotoluene	21.08	2.0	µg/L	20	0	105	70	130	21.2	0.568	20	
1,2-Dibromo-3-chloropropane	11.13	5.0	µg/L	20	0	55.6	70	130	12.46	11.3	20	S
1,2-Dibromoethane	17.25	2.0	µg/L	20	0	86.2	70	130	18.02	4.37	20	
Dibromomethane	19.11	2.0	µg/L	20	0	95.6	70	130	18.9	1.1	20	
1,3-Dichlorobenzene	21.77	2.0	µg/L	20	0	109	70	130	21.6	0.784	20	
1,2-Dichlorobenzene	20.43	2.0	µg/L	20	0	102	70	130	21.01	2.8	20	

Qualifiers: ND - Not Detected at the Reporting Limit; S - Spike Recovery outside accepted recovery limits; B - Analyte detected in the associated Method Blank; J - Analyte detected below quantitation limits; R - RPD outside accepted recovery limits; NA - Not applicable where J values or ND results occur; RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *01-Feb-08*

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike Duplicate - Full List

1,4-Dichlorobenzene	20.87	2.0	µg/L	20	0	104	70	130	21.51	3.02	20	
Dichlorodifluoromethane	14.21	5.0	µg/L	20	0	71	70	130	14.68	3.25	20	
1,1-Dichloroethane	22.14	2.0	µg/L	20	0	111	70	130	21.91	1.04	20	
1,2-Dichloroethane	20.35	2.0	µg/L	20	0	102	70	130	21.23	4.23	20	
1,1-Dichloroethene	22.91	1.0	µg/L	20	0	115	70	130	22.83	0.35	20	
cis-1,2-Dichloroethene	20.75	2.0	µg/L	20	0	104	70	130	20.82	0.337	20	
trans-1,2-Dichloroethene	21.46	2.0	µg/L	20	0	107	70	130	21.38	0.373	20	
1,2-Dichloropropane	21.21	2.0	µg/L	20	0	106	70	130	21.73	2.42	20	
1,3-Dichloropropane	16.97	2.0	µg/L	20	0	84.8	70	130	17.9	5.33	20	
2,2-Dichloropropane	29.36	2.0	µg/L	20	0	147	70	130	29.01	1.2	20	S
1,1-Dichloropropene	23.14	2.0	µg/L	20	0	116	70	130	23.4	1.12	20	
cis-1,3-Dichloropropene	20.67	1.0	µg/L	20	0	103	70	130	20.63	0.194	20	
trans-1,3-Dichloropropene	18.49	1.0	µg/L	20	0	92.5	70	130	18.89	2.14	20	
Diethyl ether	17.21	5.0	µg/L	20	0	86	70	130	17.92	4.04	20	
Diisopropyl ether	20.21	2.0	µg/L	20	0	101	70	130	20.35	0.69	20	
1,4-Dioxane	25.82	50	µg/L	100	0	25.8	70	130	75.33	97.9	20	JSR
Ethyl Tertiary Butyl Ether	21.21	2.0	µg/L	20	0	106	70	130	21.89	3.16	20	
Ethylbenzene	20.91	2.0	µg/L	20	0	105	70	130	21.06	0.715	20	
Hexachlorobutadiene	20.7	2.0	µg/L	20	0	104	70	130	20.02	3.34	20	
2-Hexanone	10.68	10	µg/L	20	0	53.4	70	130	12.41	15	20	S
Isopropylbenzene	22.48	2.0	µg/L	20	0	112	70	130	22.58	0.444	20	
4-Isopropyltoluene	25.25	2.0	µg/L	20	0	126	70	130	25.36	0.435	20	
2-Butanone	14.2	10	µg/L	20	0	71	70	130	14.67	3.26	20	
4-Methyl-2-pentanone	11.03	10	µg/L	20	0	55.2	70	130	13.44	19.7	20	S
Methyl tert-butyl ether	21.69	2.0	µg/L	20	0	108	70	130	22.57	3.98	20	
Methylene chloride	21.1	5.0	µg/L	20	0	106	70	130	21.15	0.237	20	
Naphthalene	12.93	5.0	µg/L	20	0	64.7	70	130	14.39	10.7	20	S
n-Propylbenzene	21.04	2.0	µg/L	20	0	105	70	130	21.65	2.86	20	
Styrene	22.81	2.0	µg/L	20	0	114	70	130	22.69	0.527	20	
1,1,1,2-Tetrachloroethane	20.49	2.0	µg/L	20	0	102	70	130	20.53	0.195	20	
1,1,2,2-Tetrachloroethane	13.53	2.0	µg/L	20	0	67.6	70	130	14.74	8.56	20	S

Qualifiers: ND - Not Detected at the Reporting Limit; S - Spike Recovery outside accepted recovery limits; B - Analyte detected in the associated Method Blank; J - Analyte detected below quantitation limits; R - RPD outside accepted recovery limits; NA - Not applicable where J values or ND results occur; RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *01-Feb-08*

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike Duplicate - Full List

Tetrachloroethene	20.92	2.0	µg/L	20	0	105	70	130	21.15	1.09	20	
Tetrahydrofuran	12.99	10	µg/L	20	0	65	70	130	15.71	19	20	S
Toluene	21.94	2.0	µg/L	20	0	110	70	130	21.19	3.48	20	
1,2,4-Trichlorobenzene	19.31	2.0	µg/L	20	0	96.6	70	130	20.21	4.55	20	
1,2,3-Trichlorobenzene	18.61	2.0	µg/L	20	0	93	70	130	20.17	8.05	20	
1,1,1-Trichloroethane	23.83	2.0	µg/L	20	0	119	70	130	24.38	2.28	20	
1,1,2-Trichloroethane	16.45	2.0	µg/L	20	0	82.2	70	130	17.13	4.05	20	
Trichloroethene	23.06	2.0	µg/L	20	0	115	70	130	22.38	2.99	20	
Trichlorofluoromethane	24.09	2.0	µg/L	20	0	120	70	130	23.54	2.31	20	
1,2,3-Trichloropropane	14.51	2.0	µg/L	20	0	72.6	70	130	16.15	10.7	20	
1,2,4-Trimethylbenzene	23.53	2.0	µg/L	20	0	118	70	130	23.8	1.14	20	
1,3,5-Trimethylbenzene	24.54	2.0	µg/L	20	0	123	70	130	23.72	3.4	20	
Vinyl chloride	20.63	2.0	µg/L	20	0	103	70	130	20.71	0.387	20	
o-Xylene	21.74	2.0	µg/L	20	0	109	70	130	21.79	0.23	20	
m,p-Xylene	43.07	2.0	µg/L	40	0	108	70	130	42.74	0.769	20	
Surr: Dibromofluoromethane	24.47	2.0	µg/L	25	0	97.9	70	130	0	0	0	
Surr: 1,2-Dichloroethane-d4	22.78	2.0	µg/L	25	0	91.1	70	130	0	0	0	
Surr: Toluene-d8	25.35	2.0	µg/L	25	0	101	70	130	0	0	0	
Surr: 4-Bromofluorobenzene	23.63	2.0	µg/L	25	0	94.5	70	130	0	0	0	

Qualifiers: ND - Not Detected at the Reporting Limit; S - Spike Recovery outside accepted recovery limits; B - Analyte detected in the associated Method Blank; J - Analyte detected below quantitation limits; R - RPD outside accepted recovery limits; NA - Not applicable where J values or ND results occur; RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-B110S (MW)
Lab Order:	0801074	**Collection Date:**	1/22/08 1:00:00 PM
Project:	002914 Canton Airport	**Matrix:**	GROUNDWATER
Lab ID:	0801074-01C		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANIC COMPOUNDS BY MCP SW8270C						Analyst: KT
Acenaphthene	ND	10		µg/L	1	1/28/08 4:34:00 PM
Acenaphthylene	ND	10		µg/L	1	1/28/08 4:34:00 PM
Acetophenone	ND	10		µg/L	1	1/28/08 4:34:00 PM
Aniline	ND	10		µg/L	1	1/28/08 4:34:00 PM
Anthracene	ND	10		µg/L	1	1/28/08 4:34:00 PM
1,2-Diphenylhydrazine (as Azobenzene)	ND	10		µg/L	1	1/28/08 4:34:00 PM
Benz(a)anthracene	ND	10		µg/L	1	1/28/08 4:34:00 PM
Benzo(a)pyrene	ND	10		µg/L	1	1/28/08 4:34:00 PM
Benzo(b)fluoranthene	ND	10		µg/L	1	1/28/08 4:34:00 PM
Benzo(k)fluoranthene	ND	10		µg/L	1	1/28/08 4:34:00 PM
Benzo(g,h,i)perylene	ND	10		µg/L	1	1/28/08 4:34:00 PM
4-Bromophenyl phenyl ether	ND	10		µg/L	1	1/28/08 4:34:00 PM
Butyl benzyl phthalate	ND	10		µg/L	1	1/28/08 4:34:00 PM
Di-n-butyl phthalate	ND	10		µg/L	1	1/28/08 4:34:00 PM
4-Chloroaniline	ND	10		µg/L	1	1/28/08 4:34:00 PM
Bis(2-chloroethoxy)methane	ND	10		µg/L	1	1/28/08 4:34:00 PM
Bis(2-chloroethyl)ether	ND	10		µg/L	1	1/28/08 4:34:00 PM
Bis(2-chloroisopropyl)ether	ND	10		µg/L	1	1/28/08 4:34:00 PM
2-Chloronaphthalene	ND	10		µg/L	1	1/28/08 4:34:00 PM
2-Chlorophenol	ND	10		µg/L	1	1/28/08 4:34:00 PM
Chrysene	ND	10		µg/L	1	1/28/08 4:34:00 PM
Dibenz(a,h)anthracene	ND	10		µg/L	1	1/28/08 4:34:00 PM
Dibenzofuran	ND	10		µg/L	1	1/28/08 4:34:00 PM
1,2-Dichlorobenzene	ND	10		µg/L	1	1/28/08 4:34:00 PM
1,3-Dichlorobenzene	ND	10		µg/L	1	1/28/08 4:34:00 PM
1,4-Dichlorobenzene	ND	5.0		µg/L	1	1/28/08 4:34:00 PM
3,3´-Dichlorobenzidine	ND	10		µg/L	1	1/28/08 4:34:00 PM
2,4-Dichlorophenol	ND	10		µg/L	1	1/28/08 4:34:00 PM
Diethyl phthalate	ND	10		µg/L	1	1/28/08 4:34:00 PM
Dimethyl phthalate	ND	10		µg/L	1	1/28/08 4:34:00 PM
2,4-Dimethylphenol	ND	10		µg/L	1	1/28/08 4:34:00 PM
2,4-Dinitrophenol	ND	20		µg/L	1	1/28/08 4:34:00 PM
2,4-Dinitrotoluene	ND	10		µg/L	1	1/28/08 4:34:00 PM
2,6-Dinitrotoluene	ND	10		µg/L	1	1/28/08 4:34:00 PM
Bis(2-ethylhexyl)phthalate	ND	5.0		µg/L	1	1/28/08 4:34:00 PM
Fluoranthene	ND	10		µg/L	1	1/28/08 4:34:00 PM
Fluorene	ND	10		µg/L	1	1/28/08 4:34:00 PM
Hexachlorobenzene	ND	10		µg/L	1	1/28/08 4:34:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-B110S (MW)
Lab Order:	0801074	**Collection Date:**	1/22/08 1:00:00 PM
Project:	002914 Canton Airport	**Matrix:**	GROUNDWATER
Lab ID:	0801074-01C		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Hexachlorobutadiene	ND	10		µg/L	1	1/28/08 4:34:00 PM
Hexachloroethane	ND	5.0		µg/L	1	1/28/08 4:34:00 PM
Indeno(1,2,3-cd)pyrene	ND	10		µg/L	1	1/28/08 4:34:00 PM
Isophorone	ND	10		µg/L	1	1/28/08 4:34:00 PM
2-Methylnaphthalene	ND	10		µg/L	1	1/28/08 4:34:00 PM
2-Methylphenol	ND	10		µg/L	1	1/28/08 4:34:00 PM
4-Methylphenol	ND	10		µg/L	1	1/28/08 4:34:00 PM
Naphthalene	ND	10		µg/L	1	1/28/08 4:34:00 PM
Nitrobenzene	ND	10		µg/L	1	1/28/08 4:34:00 PM
2-Nitrophenol	ND	10		µg/L	1	1/28/08 4:34:00 PM
4-Nitrophenol	ND	20		µg/L	1	1/28/08 4:34:00 PM
Di-n-octyl phthalate	ND	10		µg/L	1	1/28/08 4:34:00 PM
Pentachlorophenol	ND	20		µg/L	1	1/28/08 4:34:00 PM
Phenanthrene	ND	10		µg/L	1	1/28/08 4:34:00 PM
Phenol	ND	10		µg/L	1	1/28/08 4:34:00 PM
Pyrene	ND	10		µg/L	1	1/28/08 4:34:00 PM
1,2,4-Trichlorobenzene	ND	10		µg/L	1	1/28/08 4:34:00 PM
2,4,5-Trichlorophenol	ND	10		µg/L	1	1/28/08 4:34:00 PM
2,4,6-Trichlorophenol	ND	10		µg/L	1	1/28/08 4:34:00 PM
Surr: 2-Fluorophenol	32.7	15-110		%REC	1	1/28/08 4:34:00 PM
Surr: Phenol-d5	19.6	15-110		%REC	1	1/28/08 4:34:00 PM
Surr: Nitrobenzene-d5	49.6	30-130		%REC	1	1/28/08 4:34:00 PM
Surr: 2-Fluorobiphenyl	52.9	30-130		%REC	1	1/28/08 4:34:00 PM
Surr: 2,4,6-Tribromophenol	63.1	15-110		%REC	1	1/28/08 4:34:00 PM
Surr: 4-Terphenyl-d14	59.7	30-130		%REC	1	1/28/08 4:34:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-B111S (MW)
Lab Order:	0801074	**Collection Date:**	1/22/08 12:50:00 PM
Project:	002914 Canton Airport	**Matrix:**	GROUNDWATER
Lab ID:	0801074-02C		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANIC COMPOUNDS BY MCP SW8270C						Analyst: KT
Acenaphthene	ND	10		µg/L	1	1/28/08 1:32:00 PM
Acenaphthylene	ND	10		µg/L	1	1/28/08 1:32:00 PM
Acetophenone	ND	10		µg/L	1	1/28/08 1:32:00 PM
Aniline	ND	10		µg/L	1	1/28/08 1:32:00 PM
Anthracene	ND	10		µg/L	1	1/28/08 1:32:00 PM
1,2-Diphenylhydrazine (as Azobenzene)	ND	10		µg/L	1	1/28/08 1:32:00 PM
Benz(a)anthracene	ND	10		µg/L	1	1/28/08 1:32:00 PM
Benzo(a)pyrene	ND	10		µg/L	1	1/28/08 1:32:00 PM
Benzo(b)fluoranthene	ND	10		µg/L	1	1/28/08 1:32:00 PM
Benzo(k)fluoranthene	ND	10		µg/L	1	1/28/08 1:32:00 PM
Benzo(g,h,i)perylene	ND	10		µg/L	1	1/28/08 1:32:00 PM
4-Bromophenyl phenyl ether	ND	10		µg/L	1	1/28/08 1:32:00 PM
Butyl benzyl phthalate	ND	10		µg/L	1	1/28/08 1:32:00 PM
Di-n-butyl phthalate	ND	10		µg/L	1	1/28/08 1:32:00 PM
4-Chloroaniline	ND	10		µg/L	1	1/28/08 1:32:00 PM
Bis(2-chloroethoxy)methane	ND	10		µg/L	1	1/28/08 1:32:00 PM
Bis(2-chloroethyl)ether	ND	10		µg/L	1	1/28/08 1:32:00 PM
Bis(2-chloroisopropyl)ether	ND	10		µg/L	1	1/28/08 1:32:00 PM
2-Chloronaphthalene	ND	10		µg/L	1	1/28/08 1:32:00 PM
2-Chlorophenol	ND	10		µg/L	1	1/28/08 1:32:00 PM
Chrysene	ND	10		µg/L	1	1/28/08 1:32:00 PM
Dibenz(a,h)anthracene	ND	10		µg/L	1	1/28/08 1:32:00 PM
Dibenzofuran	ND	10		µg/L	1	1/28/08 1:32:00 PM
1,2-Dichlorobenzene	ND	10		µg/L	1	1/28/08 1:32:00 PM
1,3-Dichlorobenzene	ND	10		µg/L	1	1/28/08 1:32:00 PM
1,4-Dichlorobenzene	ND	5.0		µg/L	1	1/28/08 1:32:00 PM
3,3´-Dichlorobenzidine	ND	10		µg/L	1	1/28/08 1:32:00 PM
2,4-Dichlorophenol	ND	10		µg/L	1	1/28/08 1:32:00 PM
Diethyl phthalate	ND	10		µg/L	1	1/28/08 1:32:00 PM
Dimethyl phthalate	ND	10		µg/L	1	1/28/08 1:32:00 PM
2,4-Dimethylphenol	ND	10		µg/L	1	1/28/08 1:32:00 PM
2,4-Dinitrophenol	ND	20		µg/L	1	1/28/08 1:32:00 PM
2,4-Dinitrotoluene	ND	10		µg/L	1	1/28/08 1:32:00 PM
2,6-Dinitrotoluene	ND	10		µg/L	1	1/28/08 1:32:00 PM
Bis(2-ethylhexyl)phthalate	ND	5.0		µg/L	1	1/28/08 1:32:00 PM
Fluoranthene	ND	10		µg/L	1	1/28/08 1:32:00 PM
Fluorene	ND	10		µg/L	1	1/28/08 1:32:00 PM
Hexachlorobenzene	ND	10		µg/L	1	1/28/08 1:32:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Lab Order: 0801074
Project: 002914 Canton Airport
Lab ID: 0801074-02C

Client Sample ID: 002914-B111S (MW)
Collection Date: 1/22/08 12:50:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Hexachlorobutadiene	ND	10		µg/L	1	1/28/08 1:32:00 PM
Hexachloroethane	ND	5.0		µg/L	1	1/28/08 1:32:00 PM
Indeno(1,2,3-cd)pyrene	ND	10		µg/L	1	1/28/08 1:32:00 PM
Isophorone	ND	10		µg/L	1	1/28/08 1:32:00 PM
2-Methylnaphthalene	ND	10		µg/L	1	1/28/08 1:32:00 PM
2-Methylphenol	ND	10		µg/L	1	1/28/08 1:32:00 PM
4-Methylphenol	ND	10		µg/L	1	1/28/08 1:32:00 PM
Naphthalene	ND	10		µg/L	1	1/28/08 1:32:00 PM
Nitrobenzene	ND	10		µg/L	1	1/28/08 1:32:00 PM
2-Nitrophenol	ND	10		µg/L	1	1/28/08 1:32:00 PM
4-Nitrophenol	ND	20		µg/L	1	1/28/08 1:32:00 PM
Di-n-octyl phthalate	ND	10		µg/L	1	1/28/08 1:32:00 PM
Pentachlorophenol	ND	20		µg/L	1	1/28/08 1:32:00 PM
Phenanthrene	ND	10		µg/L	1	1/28/08 1:32:00 PM
Phenol	ND	10		µg/L	1	1/28/08 1:32:00 PM
Pyrene	ND	10		µg/L	1	1/28/08 1:32:00 PM
1,2,4-Trichlorobenzene	ND	10		µg/L	1	1/28/08 1:32:00 PM
2,4,5-Trichlorophenol	ND	10		µg/L	1	1/28/08 1:32:00 PM
2,4,6-Trichlorophenol	ND	10		µg/L	1	1/28/08 1:32:00 PM
Surr: 2-Fluorophenol	33.2	15-110		%REC	1	1/28/08 1:32:00 PM
Surr: Phenol-d5	19.9	15-110		%REC	1	1/28/08 1:32:00 PM
Surr: Nitrobenzene-d5	47.4	30-130		%REC	1	1/28/08 1:32:00 PM
Surr: 2-Fluorobiphenyl	55.7	30-130		%REC	1	1/28/08 1:32:00 PM
Surr: 2,4,6-Tribromophenol	66.7	15-110		%REC	1	1/28/08 1:32:00 PM
Surr: 4-Terphenyl-d14	68.0	30-130		%REC	1	1/28/08 1:32:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-W11 (MW)
Lab Order:	0801074	**Collection Date:**	1/22/08 1:20:00 PM
Project:	002914 Canton Airport	**Matrix:**	GROUNDWATER
Lab ID:	0801074-03C		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANIC COMPOUNDS BY MCP SW8270C						Analyst: KT
Acenaphthene	ND	10		µg/L	1	1/28/08 1:58:00 PM
Acenaphthylene	ND	10		µg/L	1	1/28/08 1:58:00 PM
Acetophenone	ND	10		µg/L	1	1/28/08 1:58:00 PM
Aniline	ND	10		µg/L	1	1/28/08 1:58:00 PM
Anthracene	ND	10		µg/L	1	1/28/08 1:58:00 PM
1,2-Diphenylhydrazine (as Azobenzene)	ND	10		µg/L	1	1/28/08 1:58:00 PM
Benz(a)anthracene	ND	10		µg/L	1	1/28/08 1:58:00 PM
Benzo(a)pyrene	ND	10		µg/L	1	1/28/08 1:58:00 PM
Benzo(b)fluoranthene	ND	10		µg/L	1	1/28/08 1:58:00 PM
Benzo(k)fluoranthene	ND	10		µg/L	1	1/28/08 1:58:00 PM
Benzo(g,h,i)perylene	ND	10		µg/L	1	1/28/08 1:58:00 PM
4-Bromophenyl phenyl ether	ND	10		µg/L	1	1/28/08 1:58:00 PM
Butyl benzyl phthalate	ND	10		µg/L	1	1/28/08 1:58:00 PM
Di-n-butyl phthalate	ND	10		µg/L	1	1/28/08 1:58:00 PM
4-Chloroaniline	ND	10		µg/L	1	1/28/08 1:58:00 PM
Bis(2-chloroethoxy)methane	ND	10		µg/L	1	1/28/08 1:58:00 PM
Bis(2-chloroethyl)ether	ND	10		µg/L	1	1/28/08 1:58:00 PM
Bis(2-chloroisopropyl)ether	ND	10		µg/L	1	1/28/08 1:58:00 PM
2-Chloronaphthalene	ND	10		µg/L	1	1/28/08 1:58:00 PM
2-Chlorophenol	ND	10		µg/L	1	1/28/08 1:58:00 PM
Chrysene	ND	10		µg/L	1	1/28/08 1:58:00 PM
Dibenz(a,h)anthracene	ND	10		µg/L	1	1/28/08 1:58:00 PM
Dibenzofuran	ND	10		µg/L	1	1/28/08 1:58:00 PM
1,2-Dichlorobenzene	ND	10		µg/L	1	1/28/08 1:58:00 PM
1,3-Dichlorobenzene	ND	10		µg/L	1	1/28/08 1:58:00 PM
1,4-Dichlorobenzene	ND	5.0		µg/L	1	1/28/08 1:58:00 PM
3,3´-Dichlorobenzidine	ND	10		µg/L	1	1/28/08 1:58:00 PM
2,4-Dichlorophenol	ND	10		µg/L	1	1/28/08 1:58:00 PM
Diethyl phthalate	ND	10		µg/L	1	1/28/08 1:58:00 PM
Dimethyl phthalate	ND	10		µg/L	1	1/28/08 1:58:00 PM
2,4-Dimethylphenol	ND	10		µg/L	1	1/28/08 1:58:00 PM
2,4-Dinitrophenol	ND	20		µg/L	1	1/28/08 1:58:00 PM
2,4-Dinitrotoluene	ND	10		µg/L	1	1/28/08 1:58:00 PM
2,6-Dinitrotoluene	ND	10		µg/L	1	1/28/08 1:58:00 PM
Bis(2-ethylhexyl)phthalate	ND	5.0		µg/L	1	1/28/08 1:58:00 PM
Fluoranthene	ND	10		µg/L	1	1/28/08 1:58:00 PM
Fluorene	ND	10		µg/L	1	1/28/08 1:58:00 PM
Hexachlorobenzene	ND	10		µg/L	1	1/28/08 1:58:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-W11 (MW)
Lab Order:	0801074	**Collection Date:**	1/22/08 1:20:00 PM
Project:	002914 Canton Airport	**Matrix:**	GROUNDWATER
Lab ID:	0801074-03C		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Hexachlorobutadiene	ND	10		µg/L	1	1/28/08 1:58:00 PM
Hexachloroethane	ND	5.0		µg/L	1	1/28/08 1:58:00 PM
Indeno(1,2,3-cd)pyrene	ND	10		µg/L	1	1/28/08 1:58:00 PM
Isophorone	ND	10		µg/L	1	1/28/08 1:58:00 PM
2-Methylnaphthalene	ND	10		µg/L	1	1/28/08 1:58:00 PM
2-Methylphenol	ND	10		µg/L	1	1/28/08 1:58:00 PM
4-Methylphenol	ND	10		µg/L	1	1/28/08 1:58:00 PM
Naphthalene	ND	10		µg/L	1	1/28/08 1:58:00 PM
Nitrobenzene	ND	10		µg/L	1	1/28/08 1:58:00 PM
2-Nitrophenol	ND	10		µg/L	1	1/28/08 1:58:00 PM
4-Nitrophenol	ND	20		µg/L	1	1/28/08 1:58:00 PM
Di-n-octyl phthalate	ND	10		µg/L	1	1/28/08 1:58:00 PM
Pentachlorophenol	ND	20		µg/L	1	1/28/08 1:58:00 PM
Phenanthrene	ND	10		µg/L	1	1/28/08 1:58:00 PM
Phenol	ND	10		µg/L	1	1/28/08 1:58:00 PM
Pyrene	ND	10		µg/L	1	1/28/08 1:58:00 PM
1,2,4-Trichlorobenzene	ND	10		µg/L	1	1/28/08 1:58:00 PM
2,4,5-Trichlorophenol	ND	10		µg/L	1	1/28/08 1:58:00 PM
2,4,6-Trichlorophenol	ND	10		µg/L	1	1/28/08 1:58:00 PM
Surr: 2-Fluorophenol	38.2	15-110		%REC	1	1/28/08 1:58:00 PM
Surr: Phenol-d5	23.0	15-110		%REC	1	1/28/08 1:58:00 PM
Surr: Nitrobenzene-d5	50.0	30-130		%REC	1	1/28/08 1:58:00 PM
Surr: 2-Fluorobiphenyl	51.3	30-130		%REC	1	1/28/08 1:58:00 PM
Surr: 2,4,6-Tribromophenol	59.7	15-110		%REC	1	1/28/08 1:58:00 PM
Surr: 4-Terphenyl-d14	61.5	30-130		%REC	1	1/28/08 1:58:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-B112S (MW)
Lab Order:	0801074	**Collection Date:**	1/22/08 2:15:00 PM
Project:	002914 Canton Airport	**Matrix:**	GROUNDWATER
Lab ID:	0801074-04C		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANIC COMPOUNDS BY MCP SW8270C						Analyst: KT
Acenaphthene	ND	10		µg/L	1	1/28/08 2:24:00 PM
Acenaphthylene	ND	10		µg/L	1	1/28/08 2:24:00 PM
Acetophenone	ND	10		µg/L	1	1/28/08 2:24:00 PM
Aniline	ND	10		µg/L	1	1/28/08 2:24:00 PM
Anthracene	ND	10		µg/L	1	1/28/08 2:24:00 PM
1,2-Diphenylhydrazine (as Azobenzene)	ND	10		µg/L	1	1/28/08 2:24:00 PM
Benz(a)anthracene	ND	10		µg/L	1	1/28/08 2:24:00 PM
Benzo(a)pyrene	ND	10		µg/L	1	1/28/08 2:24:00 PM
Benzo(b)fluoranthene	ND	10		µg/L	1	1/28/08 2:24:00 PM
Benzo(k)fluoranthene	ND	10		µg/L	1	1/28/08 2:24:00 PM
Benzo(g,h,i)perylene	ND	10		µg/L	1	1/28/08 2:24:00 PM
4-Bromophenyl phenyl ether	ND	10		µg/L	1	1/28/08 2:24:00 PM
Butyl benzyl phthalate	ND	10		µg/L	1	1/28/08 2:24:00 PM
Di-n-butyl phthalate	ND	10		µg/L	1	1/28/08 2:24:00 PM
4-Chloroaniline	ND	10		µg/L	1	1/28/08 2:24:00 PM
Bis(2-chloroethoxy)methane	ND	10		µg/L	1	1/28/08 2:24:00 PM
Bis(2-chloroethyl)ether	ND	10		µg/L	1	1/28/08 2:24:00 PM
Bis(2-chloroisopropyl)ether	ND	10		µg/L	1	1/28/08 2:24:00 PM
2-Chloronaphthalene	ND	10		µg/L	1	1/28/08 2:24:00 PM
2-Chlorophenol	ND	10		µg/L	1	1/28/08 2:24:00 PM
Chrysene	ND	10		µg/L	1	1/28/08 2:24:00 PM
Dibenz(a,h)anthracene	ND	10		µg/L	1	1/28/08 2:24:00 PM
Dibenzofuran	ND	10		µg/L	1	1/28/08 2:24:00 PM
1,2-Dichlorobenzene	ND	10		µg/L	1	1/28/08 2:24:00 PM
1,3-Dichlorobenzene	ND	10		µg/L	1	1/28/08 2:24:00 PM
1,4-Dichlorobenzene	ND	5.0		µg/L	1	1/28/08 2:24:00 PM
3,3'-Dichlorobenzidine	ND	10		µg/L	1	1/28/08 2:24:00 PM
2,4-Dichlorophenol	ND	10		µg/L	1	1/28/08 2:24:00 PM
Diethyl phthalate	ND	10		µg/L	1	1/28/08 2:24:00 PM
Dimethyl phthalate	ND	10		µg/L	1	1/28/08 2:24:00 PM
2,4-Dimethylphenol	ND	10		µg/L	1	1/28/08 2:24:00 PM
2,4-Dinitrophenol	ND	20		µg/L	1	1/28/08 2:24:00 PM
2,4-Dinitrotoluene	ND	10		µg/L	1	1/28/08 2:24:00 PM
2,6-Dinitrotoluene	ND	10		µg/L	1	1/28/08 2:24:00 PM
Bis(2-ethylhexyl)phthalate	ND	5.0		µg/L	1	1/28/08 2:24:00 PM
Fluoranthene	ND	10		µg/L	1	1/28/08 2:24:00 PM
Fluorene	ND	10		µg/L	1	1/28/08 2:24:00 PM
Hexachlorobenzene	ND	10		µg/L	1	1/28/08 2:24:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Lab Order: 0801074
Project: 002914 Canton Airport
Lab ID: 0801074-04C

Client Sample ID: 002914-B112S (MW)
Collection Date: 1/22/08 2:15:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Hexachlorobutadiene	ND	10		µg/L	1	1/28/08 2:24:00 PM
Hexachloroethane	ND	5.0		µg/L	1	1/28/08 2:24:00 PM
Indeno(1,2,3-cd)pyrene	ND	10		µg/L	1	1/28/08 2:24:00 PM
Isophorone	ND	10		µg/L	1	1/28/08 2:24:00 PM
2-Methylnaphthalene	ND	10		µg/L	1	1/28/08 2:24:00 PM
2-Methylphenol	ND	10		µg/L	1	1/28/08 2:24:00 PM
4-Methylphenol	ND	10		µg/L	1	1/28/08 2:24:00 PM
Naphthalene	ND	10		µg/L	1	1/28/08 2:24:00 PM
Nitrobenzene	ND	10		µg/L	1	1/28/08 2:24:00 PM
2-Nitrophenol	ND	10		µg/L	1	1/28/08 2:24:00 PM
4-Nitrophenol	ND	20		µg/L	1	1/28/08 2:24:00 PM
Di-n-octyl phthalate	ND	10		µg/L	1	1/28/08 2:24:00 PM
Pentachlorophenol	ND	20		µg/L	1	1/28/08 2:24:00 PM
Phenanthrene	ND	10		µg/L	1	1/28/08 2:24:00 PM
Phenol	ND	10		µg/L	1	1/28/08 2:24:00 PM
Pyrene	ND	10		µg/L	1	1/28/08 2:24:00 PM
1,2,4-Trichlorobenzene	ND	10		µg/L	1	1/28/08 2:24:00 PM
2,4,5-Trichlorophenol	ND	10		µg/L	1	1/28/08 2:24:00 PM
2,4,6-Trichlorophenol	ND	10		µg/L	1	1/28/08 2:24:00 PM
Surr: 2-Fluorophenol	50.2	15-110		%REC	1	1/28/08 2:24:00 PM
Surr: Phenol-d5	36.0	15-110		%REC	1	1/28/08 2:24:00 PM
Surr: Nitrobenzene-d5	49.1	30-130		%REC	1	1/28/08 2:24:00 PM
Surr: 2-Fluorobiphenyl	54.0	30-130		%REC	1	1/28/08 2:24:00 PM
Surr: 2,4,6-Tribromophenol	70.8	15-110		%REC	1	1/28/08 2:24:00 PM
Surr: 4-Terphenyl-d14	69.3	30-130		%REC	1	1/28/08 2:24:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-B109S (MW)
Lab Order:	0801074	**Collection Date:**	1/22/08 2:10:00 PM
Project:	002914 Canton Airport	**Matrix:**	GROUNDWATER
Lab ID:	0801074-05C		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANIC COMPOUNDS BY MCP SW8270C						Analyst: KT
Acenaphthene	ND	10		µg/L	1	1/28/08 2:50:00 PM
Acenaphthylene	ND	10		µg/L	1	1/28/08 2:50:00 PM
Acetophenone	ND	10		µg/L	1	1/28/08 2:50:00 PM
Aniline	ND	10		µg/L	1	1/28/08 2:50:00 PM
Anthracene	ND	10		µg/L	1	1/28/08 2:50:00 PM
1,2-Diphenylhydrazine (as Azobenzene)	ND	10		µg/L	1	1/28/08 2:50:00 PM
Benz(a)anthracene	ND	10		µg/L	1	1/28/08 2:50:00 PM
Benzo(a)pyrene	ND	10		µg/L	1	1/28/08 2:50:00 PM
Benzo(b)fluoranthene	ND	10		µg/L	1	1/28/08 2:50:00 PM
Benzo(k)fluoranthene	ND	10		µg/L	1	1/28/08 2:50:00 PM
Benzo(g,h,i)perylene	ND	10		µg/L	1	1/28/08 2:50:00 PM
4-Bromophenyl phenyl ether	ND	10		µg/L	1	1/28/08 2:50:00 PM
Butyl benzyl phthalate	ND	10		µg/L	1	1/28/08 2:50:00 PM
Di-n-butyl phthalate	ND	10		µg/L	1	1/28/08 2:50:00 PM
4-Chloroaniline	ND	10		µg/L	1	1/28/08 2:50:00 PM
Bis(2-chloroethoxy)methane	ND	10		µg/L	1	1/28/08 2:50:00 PM
Bis(2-chloroethyl)ether	ND	10		µg/L	1	1/28/08 2:50:00 PM
Bis(2-chloroisopropyl)ether	ND	10		µg/L	1	1/28/08 2:50:00 PM
2-Chloronaphthalene	ND	10		µg/L	1	1/28/08 2:50:00 PM
2-Chlorophenol	ND	10		µg/L	1	1/28/08 2:50:00 PM
Chrysene	ND	10		µg/L	1	1/28/08 2:50:00 PM
Dibenz(a,h)anthracene	ND	10		µg/L	1	1/28/08 2:50:00 PM
Dibenzofuran	ND	10		µg/L	1	1/28/08 2:50:00 PM
1,2-Dichlorobenzene	ND	10		µg/L	1	1/28/08 2:50:00 PM
1,3-Dichlorobenzene	ND	10		µg/L	1	1/28/08 2:50:00 PM
1,4-Dichlorobenzene	ND	5.0		µg/L	1	1/28/08 2:50:00 PM
3,3´-Dichlorobenzidine	ND	10		µg/L	1	1/28/08 2:50:00 PM
2,4-Dichlorophenol	ND	10		µg/L	1	1/28/08 2:50:00 PM
Diethyl phthalate	ND	10		µg/L	1	1/28/08 2:50:00 PM
Dimethyl phthalate	ND	10		µg/L	1	1/28/08 2:50:00 PM
2,4-Dimethylphenol	ND	10		µg/L	1	1/28/08 2:50:00 PM
2,4-Dinitrophenol	ND	20		µg/L	1	1/28/08 2:50:00 PM
2,4-Dinitrotoluene	ND	10		µg/L	1	1/28/08 2:50:00 PM
2,6-Dinitrotoluene	ND	10		µg/L	1	1/28/08 2:50:00 PM
Bis(2-ethylhexyl)phthalate	ND	5.0		µg/L	1	1/28/08 2:50:00 PM
Fluoranthene	ND	10		µg/L	1	1/28/08 2:50:00 PM
Fluorene	ND	10		µg/L	1	1/28/08 2:50:00 PM
Hexachlorobenzene	ND	10		µg/L	1	1/28/08 2:50:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Lab Order: 0801074
Project: 002914 Canton Airport
Lab ID: 0801074-05C

Client Sample ID: 002914-B109S (MW)
Collection Date: 1/22/08 2:10:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Hexachlorobutadiene	ND	10		µg/L	1	1/28/08 2:50:00 PM
Hexachloroethane	ND	5.0		µg/L	1	1/28/08 2:50:00 PM
Indeno(1,2,3-cd)pyrene	ND	10		µg/L	1	1/28/08 2:50:00 PM
Isophorone	ND	10		µg/L	1	1/28/08 2:50:00 PM
2-Methylnaphthalene	ND	10		µg/L	1	1/28/08 2:50:00 PM
2-Methylphenol	ND	10		µg/L	1	1/28/08 2:50:00 PM
4-Methylphenol	ND	10		µg/L	1	1/28/08 2:50:00 PM
Naphthalene	ND	10		µg/L	1	1/28/08 2:50:00 PM
Nitrobenzene	ND	10		µg/L	1	1/28/08 2:50:00 PM
2-Nitrophenol	ND	10		µg/L	1	1/28/08 2:50:00 PM
4-Nitrophenol	ND	20		µg/L	1	1/28/08 2:50:00 PM
Di-n-octyl phthalate	ND	10		µg/L	1	1/28/08 2:50:00 PM
Pentachlorophenol	ND	20		µg/L	1	1/28/08 2:50:00 PM
Phenanthrene	ND	10		µg/L	1	1/28/08 2:50:00 PM
Phenol	ND	10		µg/L	1	1/28/08 2:50:00 PM
Pyrene	ND	10		µg/L	1	1/28/08 2:50:00 PM
1,2,4-Trichlorobenzene	ND	10		µg/L	1	1/28/08 2:50:00 PM
2,4,5-Trichlorophenol	ND	10		µg/L	1	1/28/08 2:50:00 PM
2,4,6-Trichlorophenol	ND	10		µg/L	1	1/28/08 2:50:00 PM
Surr: 2-Fluorophenol	38.1	15-110		%REC	1	1/28/08 2:50:00 PM
Surr: Phenol-d5	21.8	15-110		%REC	1	1/28/08 2:50:00 PM
Surr: Nitrobenzene-d5	57.0	30-130		%REC	1	1/28/08 2:50:00 PM
Surr: 2-Fluorobiphenyl	62.8	30-130		%REC	1	1/28/08 2:50:00 PM
Surr: 2,4,6-Tribromophenol	72.7	15-110		%REC	1	1/28/08 2:50:00 PM
Surr: 4-Terphenyl-d14	72.4	30-130		%REC	1	1/28/08 2:50:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-W1 (MW)
Lab Order:	0801074	**Collection Date:**	1/22/08 2:54:00 PM
Project:	002914 Canton Airport	**Matrix:**	GROUNDWATER
Lab ID:	0801074-06C		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANIC COMPOUNDS BY MCP SW8270C						Analyst: KT
Acenaphthene	ND	10		µg/L	1	1/28/08 3:16:00 PM
Acenaphthylene	ND	10		µg/L	1	1/28/08 3:16:00 PM
Acetophenone	ND	10		µg/L	1	1/28/08 3:16:00 PM
Aniline	ND	10		µg/L	1	1/28/08 3:16:00 PM
Anthracene	ND	10		µg/L	1	1/28/08 3:16:00 PM
1,2-Diphenylhydrazine (as Azobenzene)	ND	10		µg/L	1	1/28/08 3:16:00 PM
Benz(a)anthracene	ND	10		µg/L	1	1/28/08 3:16:00 PM
Benzo(a)pyrene	ND	10		µg/L	1	1/28/08 3:16:00 PM
Benzo(b)fluoranthene	ND	10		µg/L	1	1/28/08 3:16:00 PM
Benzo(k)fluoranthene	ND	10		µg/L	1	1/28/08 3:16:00 PM
Benzo(g,h,i)perylene	ND	10		µg/L	1	1/28/08 3:16:00 PM
4-Bromophenyl phenyl ether	ND	10		µg/L	1	1/28/08 3:16:00 PM
Butyl benzyl phthalate	ND	10		µg/L	1	1/28/08 3:16:00 PM
Di-n-butyl phthalate	ND	10		µg/L	1	1/28/08 3:16:00 PM
4-Chloroaniline	ND	10		µg/L	1	1/28/08 3:16:00 PM
Bis(2-chloroethoxy)methane	ND	10		µg/L	1	1/28/08 3:16:00 PM
Bis(2-chloroethyl)ether	ND	10		µg/L	1	1/28/08 3:16:00 PM
Bis(2-chloroisopropyl)ether	ND	10		µg/L	1	1/28/08 3:16:00 PM
2-Chloronaphthalene	ND	10		µg/L	1	1/28/08 3:16:00 PM
2-Chlorophenol	ND	10		µg/L	1	1/28/08 3:16:00 PM
Chrysene	ND	10		µg/L	1	1/28/08 3:16:00 PM
Dibenz(a,h)anthracene	ND	10		µg/L	1	1/28/08 3:16:00 PM
Dibenzofuran	ND	10		µg/L	1	1/28/08 3:16:00 PM
1,2-Dichlorobenzene	ND	10		µg/L	1	1/28/08 3:16:00 PM
1,3-Dichlorobenzene	ND	10		µg/L	1	1/28/08 3:16:00 PM
1,4-Dichlorobenzene	ND	5.0		µg/L	1	1/28/08 3:16:00 PM
3,3'-Dichlorobenzidine	ND	10		µg/L	1	1/28/08 3:16:00 PM
2,4-Dichlorophenol	ND	10		µg/L	1	1/28/08 3:16:00 PM
Diethyl phthalate	ND	10		µg/L	1	1/28/08 3:16:00 PM
Dimethyl phthalate	ND	10		µg/L	1	1/28/08 3:16:00 PM
2,4-Dimethylphenol	ND	10		µg/L	1	1/28/08 3:16:00 PM
2,4-Dinitrophenol	ND	20		µg/L	1	1/28/08 3:16:00 PM
2,4-Dinitrotoluene	ND	10		µg/L	1	1/28/08 3:16:00 PM
2,6-Dinitrotoluene	ND	10		µg/L	1	1/28/08 3:16:00 PM
Bis(2-ethylhexyl)phthalate	ND	5.0		µg/L	1	1/28/08 3:16:00 PM
Fluoranthene	ND	10		µg/L	1	1/28/08 3:16:00 PM
Fluorene	ND	10		µg/L	1	1/28/08 3:16:00 PM
Hexachlorobenzene	ND	10		µg/L	1	1/28/08 3:16:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Lab Order: 0801074
Project: 002914 Canton Airport
Lab ID: 0801074-06C

Client Sample ID: 002914-W1 (MW)
Collection Date: 1/22/08 2:54:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Hexachlorobutadiene	ND	10		µg/L	1	1/28/08 3:16:00 PM
Hexachloroethane	ND	5.0		µg/L	1	1/28/08 3:16:00 PM
Indeno(1,2,3-cd)pyrene	ND	10		µg/L	1	1/28/08 3:16:00 PM
Isophorone	ND	10		µg/L	1	1/28/08 3:16:00 PM
2-Methylnaphthalene	ND	10		µg/L	1	1/28/08 3:16:00 PM
2-Methylphenol	ND	10		µg/L	1	1/28/08 3:16:00 PM
4-Methylphenol	ND	10		µg/L	1	1/28/08 3:16:00 PM
Naphthalene	ND	10		µg/L	1	1/28/08 3:16:00 PM
Nitrobenzene	ND	10		µg/L	1	1/28/08 3:16:00 PM
2-Nitrophenol	ND	10		µg/L	1	1/28/08 3:16:00 PM
4-Nitrophenol	ND	20		µg/L	1	1/28/08 3:16:00 PM
Di-n-octyl phthalate	ND	10		µg/L	1	1/28/08 3:16:00 PM
Pentachlorophenol	ND	20		µg/L	1	1/28/08 3:16:00 PM
Phenanthrene	ND	10		µg/L	1	1/28/08 3:16:00 PM
Phenol	ND	10		µg/L	1	1/28/08 3:16:00 PM
Pyrene	ND	10		µg/L	1	1/28/08 3:16:00 PM
1,2,4-Trichlorobenzene	ND	10		µg/L	1	1/28/08 3:16:00 PM
2,4,5-Trichlorophenol	ND	10		µg/L	1	1/28/08 3:16:00 PM
2,4,6-Trichlorophenol	ND	10		µg/L	1	1/28/08 3:16:00 PM
Surr: 2-Fluorophenol	36.2	15-110		%REC	1	1/28/08 3:16:00 PM
Surr: Phenol-d5	21.6	15-110		%REC	1	1/28/08 3:16:00 PM
Surr: Nitrobenzene-d5	51.5	30-130		%REC	1	1/28/08 3:16:00 PM
Surr: 2-Fluorobiphenyl	56.5	30-130		%REC	1	1/28/08 3:16:00 PM
Surr: 2,4,6-Tribromophenol	64.9	15-110		%REC	1	1/28/08 3:16:00 PM
Surr: 4-Terphenyl-d14	67.0	30-130		%REC	1	1/28/08 3:16:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-B108S (MW)
Lab Order:	0801074	**Collection Date:**	1/22/08 3:20:00 PM
Project:	002914 Canton Airport	**Matrix:**	GROUNDWATER
Lab ID:	0801074-07C		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANIC COMPOUNDS BY MCP SW8270C						Analyst: KT
Acenaphthene	ND	10		µg/L	1	1/28/08 3:42:00 PM
Acenaphthylene	ND	10		µg/L	1	1/28/08 3:42:00 PM
Acetophenone	ND	10		µg/L	1	1/28/08 3:42:00 PM
Aniline	ND	10		µg/L	1	1/28/08 3:42:00 PM
Anthracene	ND	10		µg/L	1	1/28/08 3:42:00 PM
1,2-Diphenylhydrazine (as Azobenzene)	ND	10		µg/L	1	1/28/08 3:42:00 PM
Benz(a)anthracene	ND	10		µg/L	1	1/28/08 3:42:00 PM
Benzo(a)pyrene	ND	10		µg/L	1	1/28/08 3:42:00 PM
Benzo(b)fluoranthene	ND	10		µg/L	1	1/28/08 3:42:00 PM
Benzo(k)fluoranthene	ND	10		µg/L	1	1/28/08 3:42:00 PM
Benzo(g,h,i)perylene	ND	10		µg/L	1	1/28/08 3:42:00 PM
4-Bromophenyl phenyl ether	ND	10		µg/L	1	1/28/08 3:42:00 PM
Butyl benzyl phthalate	ND	10		µg/L	1	1/28/08 3:42:00 PM
Di-n-butyl phthalate	ND	10		µg/L	1	1/28/08 3:42:00 PM
4-Chloroaniline	ND	10		µg/L	1	1/28/08 3:42:00 PM
Bis(2-chloroethoxy)methane	ND	10		µg/L	1	1/28/08 3:42:00 PM
Bis(2-chloroethyl)ether	ND	10		µg/L	1	1/28/08 3:42:00 PM
Bis(2-chloroisopropyl)ether	ND	10		µg/L	1	1/28/08 3:42:00 PM
2-Chloronaphthalene	ND	10		µg/L	1	1/28/08 3:42:00 PM
2-Chlorophenol	ND	10		µg/L	1	1/28/08 3:42:00 PM
Chrysene	ND	10		µg/L	1	1/28/08 3:42:00 PM
Dibenz(a,h)anthracene	ND	10		µg/L	1	1/28/08 3:42:00 PM
Dibenzofuran	ND	10		µg/L	1	1/28/08 3:42:00 PM
1,2-Dichlorobenzene	ND	10		µg/L	1	1/28/08 3:42:00 PM
1,3-Dichlorobenzene	ND	10		µg/L	1	1/28/08 3:42:00 PM
1,4-Dichlorobenzene	ND	5.0		µg/L	1	1/28/08 3:42:00 PM
3,3'-Dichlorobenzidine	ND	10		µg/L	1	1/28/08 3:42:00 PM
2,4-Dichlorophenol	ND	10		µg/L	1	1/28/08 3:42:00 PM
Diethyl phthalate	ND	10		µg/L	1	1/28/08 3:42:00 PM
Dimethyl phthalate	ND	10		µg/L	1	1/28/08 3:42:00 PM
2,4-Dimethylphenol	ND	10		µg/L	1	1/28/08 3:42:00 PM
2,4-Dinitrophenol	ND	20		µg/L	1	1/28/08 3:42:00 PM
2,4-Dinitrotoluene	ND	10		µg/L	1	1/28/08 3:42:00 PM
2,6-Dinitrotoluene	ND	10		µg/L	1	1/28/08 3:42:00 PM
Bis(2-ethylhexyl)phthalate	ND	5.0		µg/L	1	1/28/08 3:42:00 PM
Fluoranthene	ND	10		µg/L	1	1/28/08 3:42:00 PM
Fluorene	ND	10		µg/L	1	1/28/08 3:42:00 PM
Hexachlorobenzene	ND	10		µg/L	1	1/28/08 3:42:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-B108S (MW)
Lab Order:	0801074	**Collection Date:**	1/22/08 3:20:00 PM
Project:	002914 Canton Airport	**Matrix:**	GROUNDWATER
Lab ID:	0801074-07C		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Hexachlorobutadiene	ND	10		µg/L	1	1/28/08 3:42:00 PM
Hexachloroethane	ND	5.0		µg/L	1	1/28/08 3:42:00 PM
Indeno(1,2,3-cd)pyrene	ND	10		µg/L	1	1/28/08 3:42:00 PM
Isophorone	ND	10		µg/L	1	1/28/08 3:42:00 PM
2-Methylnaphthalene	ND	10		µg/L	1	1/28/08 3:42:00 PM
2-Methylphenol	ND	10		µg/L	1	1/28/08 3:42:00 PM
4-Methylphenol	ND	10		µg/L	1	1/28/08 3:42:00 PM
Naphthalene	ND	10		µg/L	1	1/28/08 3:42:00 PM
Nitrobenzene	ND	10		µg/L	1	1/28/08 3:42:00 PM
2-Nitrophenol	ND	10		µg/L	1	1/28/08 3:42:00 PM
4-Nitrophenol	ND	20		µg/L	1	1/28/08 3:42:00 PM
Di-n-octyl phthalate	ND	10		µg/L	1	1/28/08 3:42:00 PM
Pentachlorophenol	ND	20		µg/L	1	1/28/08 3:42:00 PM
Phenanthrene	ND	10		µg/L	1	1/28/08 3:42:00 PM
Phenol	ND	10		µg/L	1	1/28/08 3:42:00 PM
Pyrene	ND	10		µg/L	1	1/28/08 3:42:00 PM
1,2,4-Trichlorobenzene	ND	10		µg/L	1	1/28/08 3:42:00 PM
2,4,5-Trichlorophenol	ND	10		µg/L	1	1/28/08 3:42:00 PM
2,4,6-Trichlorophenol	ND	10		µg/L	1	1/28/08 3:42:00 PM
Surr: 2-Fluorophenol	36.4	15-110		%REC	1	1/28/08 3:42:00 PM
Surr: Phenol-d5	21.6	15-110		%REC	1	1/28/08 3:42:00 PM
Surr: Nitrobenzene-d5	53.1	30-130		%REC	1	1/28/08 3:42:00 PM
Surr: 2-Fluorobiphenyl	53.3	30-130		%REC	1	1/28/08 3:42:00 PM
Surr: 2,4,6-Tribromophenol	64.3	15-110		%REC	1	1/28/08 3:42:00 PM
Surr: 4-Terphenyl-d14	59.6	30-130		%REC	1	1/28/08 3:42:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT:	GEI Consultants, Inc.	**Client Sample ID:**	002914-B105D (MW)
Lab Order:	0801074	**Collection Date:**	1/22/08 3:52:00 PM
Project:	002914 Canton Airport	**Matrix:**	GROUNDWATER
Lab ID:	0801074-08C		

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
SEMIVOLATILE ORGANIC COMPOUNDS BY MCP SW8270C						Analyst: KT
Acenaphthene	ND	10		µg/L	1	1/28/08 4:08:00 PM
Acenaphthylene	ND	10		µg/L	1	1/28/08 4:08:00 PM
Acetophenone	ND	10		µg/L	1	1/28/08 4:08:00 PM
Aniline	ND	10		µg/L	1	1/28/08 4:08:00 PM
Anthracene	ND	10		µg/L	1	1/28/08 4:08:00 PM
1,2-Diphenylhydrazine (as Azobenzene)	ND	10		µg/L	1	1/28/08 4:08:00 PM
Benz(a)anthracene	ND	10		µg/L	1	1/28/08 4:08:00 PM
Benzo(a)pyrene	ND	10		µg/L	1	1/28/08 4:08:00 PM
Benzo(b)fluoranthene	ND	10		µg/L	1	1/28/08 4:08:00 PM
Benzo(k)fluoranthene	ND	10		µg/L	1	1/28/08 4:08:00 PM
Benzo(g,h,i)perylene	ND	10		µg/L	1	1/28/08 4:08:00 PM
4-Bromophenyl phenyl ether	ND	10		µg/L	1	1/28/08 4:08:00 PM
Butyl benzyl phthalate	ND	10		µg/L	1	1/28/08 4:08:00 PM
Di-n-butyl phthalate	ND	10		µg/L	1	1/28/08 4:08:00 PM
4-Chloroaniline	ND	10		µg/L	1	1/28/08 4:08:00 PM
Bis(2-chloroethoxy)methane	ND	10		µg/L	1	1/28/08 4:08:00 PM
Bis(2-chloroethyl)ether	ND	10		µg/L	1	1/28/08 4:08:00 PM
Bis(2-chloroisopropyl)ether	ND	10		µg/L	1	1/28/08 4:08:00 PM
2-Chloronaphthalene	ND	10		µg/L	1	1/28/08 4:08:00 PM
2-Chlorophenol	ND	10		µg/L	1	1/28/08 4:08:00 PM
Chrysene	ND	10		µg/L	1	1/28/08 4:08:00 PM
Dibenz(a,h)anthracene	ND	10		µg/L	1	1/28/08 4:08:00 PM
Dibenzofuran	ND	10		µg/L	1	1/28/08 4:08:00 PM
1,2-Dichlorobenzene	ND	10		µg/L	1	1/28/08 4:08:00 PM
1,3-Dichlorobenzene	ND	10		µg/L	1	1/28/08 4:08:00 PM
1,4-Dichlorobenzene	ND	5.0		µg/L	1	1/28/08 4:08:00 PM
3,3´-Dichlorobenzidine	ND	10		µg/L	1	1/28/08 4:08:00 PM
2,4-Dichlorophenol	ND	10		µg/L	1	1/28/08 4:08:00 PM
Diethyl phthalate	ND	10		µg/L	1	1/28/08 4:08:00 PM
Dimethyl phthalate	ND	10		µg/L	1	1/28/08 4:08:00 PM
2,4-Dimethylphenol	ND	10		µg/L	1	1/28/08 4:08:00 PM
2,4-Dinitrophenol	ND	20		µg/L	1	1/28/08 4:08:00 PM
2,4-Dinitrotoluene	ND	10		µg/L	1	1/28/08 4:08:00 PM
2,6-Dinitrotoluene	ND	10		µg/L	1	1/28/08 4:08:00 PM
Bis(2-ethylhexyl)phthalate	ND	5.0		µg/L	1	1/28/08 4:08:00 PM
Fluoranthene	ND	10		µg/L	1	1/28/08 4:08:00 PM
Fluorene	ND	10		µg/L	1	1/28/08 4:08:00 PM
Hexachlorobenzene	ND	10		µg/L	1	1/28/08 4:08:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Lab Order: 0801074
Project: 002914 Canton Airport
Lab ID: 0801074-08C

Client Sample ID: 002914-B105D (MW)
Collection Date: 1/22/08 3:52:00 PM
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
Hexachlorobutadiene	ND	10		µg/L	1	1/28/08 4:08:00 PM
Hexachloroethane	ND	5.0		µg/L	1	1/28/08 4:08:00 PM
Indeno(1,2,3-cd)pyrene	ND	10		µg/L	1	1/28/08 4:08:00 PM
Isophorone	ND	10		µg/L	1	1/28/08 4:08:00 PM
2-Methylnaphthalene	ND	10		µg/L	1	1/28/08 4:08:00 PM
2-Methylphenol	ND	10		µg/L	1	1/28/08 4:08:00 PM
4-Methylphenol	ND	10		µg/L	1	1/28/08 4:08:00 PM
Naphthalene	ND	10		µg/L	1	1/28/08 4:08:00 PM
Nitrobenzene	ND	10		µg/L	1	1/28/08 4:08:00 PM
2-Nitrophenol	ND	10		µg/L	1	1/28/08 4:08:00 PM
4-Nitrophenol	ND	20		µg/L	1	1/28/08 4:08:00 PM
Di-n-octyl phthalate	ND	10		µg/L	1	1/28/08 4:08:00 PM
Pentachlorophenol	ND	20		µg/L	1	1/28/08 4:08:00 PM
Phenanthrene	ND	10		µg/L	1	1/28/08 4:08:00 PM
Phenol	ND	10		µg/L	1	1/28/08 4:08:00 PM
Pyrene	ND	10		µg/L	1	1/28/08 4:08:00 PM
1,2,4-Trichlorobenzene	ND	10		µg/L	1	1/28/08 4:08:00 PM
2,4,5-Trichlorophenol	ND	10		µg/L	1	1/28/08 4:08:00 PM
2,4,6-Trichlorophenol	ND	10		µg/L	1	1/28/08 4:08:00 PM
Surr: 2-Fluorophenol	35.9	15-110		%REC	1	1/28/08 4:08:00 PM
Surr: Phenol-d5	20.5	15-110		%REC	1	1/28/08 4:08:00 PM
Surr: Nitrobenzene-d5	54.3	30-130		%REC	1	1/28/08 4:08:00 PM
Surr: 2-Fluorobiphenyl	58.9	30-130		%REC	1	1/28/08 4:08:00 PM
Surr: 2,4,6-Tribromophenol	65.0	15-110		%REC	1	1/28/08 4:08:00 PM
Surr: 4-Terphenyl-d14	66.6	30-130		%REC	1	1/28/08 4:08:00 PM

AMRO Environmental Laboratories Corp.

Date: *08-Feb-08*

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Method Blank

Sample ID: **mb-18043** Batch ID: **18043** Test Code: **SW8270C** Units: **µg/L** Analysis Date: **1/28/2008 12:15:00 PM** Prep Date: **1/25/2008**

Client ID: Run ID: **SV-4_080128A** SeqNo: **654288**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Acenaphthene	ND	10	µg/L									
Acenaphthylene	ND	10	µg/L									
Acetophenone	ND	10	µg/L									
Aniline	ND	10	µg/L									
Anthracene	ND	10	µg/L									
1,2-Diphenylhydrazine (as Azobe	ND	10	µg/L									
Benz(a)anthracene	ND	10	µg/L									
Benzo(a)pyrene	ND	10	µg/L									
Benzo(b)fluoranthene	ND	10	µg/L									
Benzo(k)fluoranthene	ND	10	µg/L									
Benzo(g,h,i)perylene	ND	10	µg/L									
4-Bromophenyl phenyl ether	ND	10	µg/L									
Butyl benzyl phthalate	ND	10	µg/L									
Di-n-butyl phthalate	ND	10	µg/L									
4-Chloroaniline	ND	10	µg/L									
Bis(2-chloroethoxy)methane	ND	10	µg/L									
Bis(2-chloroethyl)ether	ND	10	µg/L									
Bis(2-chloroisopropyl)ether	ND	10	µg/L									
2-Chloronaphthalene	ND	10	µg/L									
2-Chlorophenol	ND	10	µg/L									
Chrysene	ND	10	µg/L									
Dibenz(a,h)anthracene	ND	10	µg/L									
Dibenzofuran	ND	10	µg/L									
1,2-Dichlorobenzene	ND	10	µg/L									
1,3-Dichlorobenzene	ND	10	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit
S - Spike Recovery outside accepted recovery limits
B - Analyte detected in the associated Method Blank
J - Analyte detected below quantitation limits
R - RPD outside accepted recovery limits
NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *08-Feb-08*

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Method Blank

1,4-Dichlorobenzene	ND	5.0	µg/L
3,3´-Dichlorobenzidine	ND	10	µg/L
2,4-Dichlorophenol	ND	10	µg/L
Diethyl phthalate	ND	10	µg/L
Dimethyl phthalate	ND	10	µg/L
2,4-Dimethylphenol	ND	10	µg/L
2,4-Dinitrophenol	ND	20	µg/L
2,4-Dinitrotoluene	ND	10	µg/L
2,6-Dinitrotoluene	ND	10	µg/L
Bis(2-ethylhexyl)phthalate	ND	5.0	µg/L
Fluoranthene	ND	10	µg/L
Fluorene	ND	10	µg/L
Hexachlorobenzene	ND	10	µg/L
Hexachlorobutadiene	ND	10	µg/L
Hexachloroethane	ND	5.0	µg/L
Indeno(1,2,3-cd)pyrene	ND	10	µg/L
Isophorone	ND	10	µg/L
2-Methylnaphthalene	ND	10	µg/L
2-Methylphenol	ND	10	µg/L
4-Methylphenol	ND	10	µg/L
Naphthalene	ND	10	µg/L
Nitrobenzene	ND	10	µg/L
2-Nitrophenol	ND	10	µg/L
4-Nitrophenol	ND	20	µg/L
Di-n-octyl phthalate	ND	10	µg/L
Pentachlorophenol	ND	20	µg/L
Phenanthrene	ND	10	µg/L
Phenol	ND	10	µg/L
Pyrene	ND	10	µg/L
2,4,5-Trichlorophenol	ND	10	µg/L
2,4,6-Trichlorophenol	ND	10	µg/L

Qualifiers: ND - Not Detected at the Reporting Limit
S - Spike Recovery outside accepted recovery limits
B - Analyte detected in the associated Method Blank
J - Analyte detected below quantitation limits
R - RPD outside accepted recovery limits
NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *08-Feb-08*

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Method Blank

Surr: 2-Fluorophenol	33.46	1.0	µg/L	75	0	44.6	15	110	0
Surr: Phenol-d5	20.18	1.0	µg/L	75	0	26.9	15	110	0
Surr: Nitrobenzene-d5	31.77	1.0	µg/L	50	0	63.5	30	130	0
Surr: 2-Fluorobiphenyl	35.82	1.0	µg/L	50	0	71.6	30	130	0
Surr: 2,4,6-Tribromophenol	49.12	1.0	µg/L	75	0	65.5	15	110	0
Surr: 4-Terphenyl-d14	33.05	1.0	µg/L	50	0	66.1	30	130	0

Qualifiers: ND - Not Detected at the Reporting Limit
S - Spike Recovery outside accepted recovery limits
B - Analyte detected in the associated Method Blank
J - Analyte detected below quantitation limits
R - RPD outside accepted recovery limits
NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *08-Feb-08*

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike - Full List

Sample ID: **lcs-18043** Batch ID: **18043** Test Code: **SW8270C** Units: **µg/L** Analysis Date: **1/28/2008 12:41:00 PM** Prep Date: **1/25/2008**

Client ID: Run ID: **SV-4_080128A** SeqNo: **654290**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Acenaphthene	31.25	10	µg/L	50	0	62.5	40	140	0			
Acenaphthylene	31.39	10	µg/L	50	0	62.8	40	140	0			
Acetophenone	30.12	10	µg/L	50	0	60.2	40	140	0			
Aniline	24.42	10	µg/L	50	0	48.8	40	140	0			
Anthracene	32.12	10	µg/L	50	0	64.2	40	140	0			
1,2-Diphenylhydrazine (as Azobe	27.68	10	µg/L	50	0	55.4	40	140	0			
Benz(a)anthracene	31.47	10	µg/L	50	0	62.9	40	140	0			
Benzo(a)pyrene	32.32	10	µg/L	50	0	64.6	40	140	0			
Benzo(b)fluoranthene	32.94	10	µg/L	50	0	65.9	40	140	0			
Benzo(k)fluoranthene	31.89	10	µg/L	50	0	63.8	40	140	0			
Benzo(g,h,i)perylene	33.51	10	µg/L	50	0	67	40	140	0			
4-Bromophenyl phenyl ether	33.57	10	µg/L	50	0	67.1	40	140	0			
Butyl benzyl phthalate	30.01	10	µg/L	50	0	60	40	140	0			
Di-n-butyl phthalate	30.69	10	µg/L	50	0	61.4	40	140	0			
4-Chloroaniline	30.56	10	µg/L	50	0	61.1	40	140	0			
Bis(2-chloroethoxy)methane	30.06	10	µg/L	50	0	60.1	40	140	0			
Bis(2-chloroethyl)ether	29.6	10	µg/L	50	0	59.2	40	140	0			
Bis(2-chloroisopropyl)ether	27.98	10	µg/L	50	0	56	40	140	0			
2-Chloronaphthalene	31.27	10	µg/L	50	0	62.5	40	140	0			
2-Chlorophenol	48.65	10	µg/L	75	0	64.9	30	130	0			
Chrysene	31.98	10	µg/L	50	0	64	40	140	0			
Dibenz(a,h)anthracene	30.12	10	µg/L	50	0	60.2	40	140	0			
Dibenzofuran	32.39	10	µg/L	50	0	64.8	40	140	0			
1,2-Dichlorobenzene	29.92	10	µg/L	50	0	59.8	40	140	0			
1,3-Dichlorobenzene	29.66	10	µg/L	50	0	59.3	40	140	0			

Qualifiers: ND - Not Detected at the Reporting Limit; S - Spike Recovery outside accepted recovery limits; B - Analyte detected in the associated Method Blank; J - Analyte detected below quantitation limits; R - RPD outside accepted recovery limits; NA - Not applicable where J values or ND results occur; RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *08-Feb-08*

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike - Full List

1,4-Dichlorobenzene	29.82	5.0	µg/L	50	0	59.6	40	140	0	
3,3´-Dichlorobenzidine	30.78	10	µg/L	50	0	61.6	40	140	0	
2,4-Dichlorophenol	51.15	10	µg/L	75	0	68.2	30	130	0	
Diethyl phthalate	30.16	10	µg/L	50	0	60.3	40	140	0	
Dimethyl phthalate	28.04	10	µg/L	50	0	56.1	40	140	0	
2,4-Dimethylphenol	35.45	10	µg/L	75	0	47.3	30	130	0	
2,4-Dinitrophenol	40.21	20	µg/L	75	0	53.6	30	130	0	
2,4-Dinitrotoluene	33.48	10	µg/L	50	0	67	40	140	0	
2,6-Dinitrotoluene	32.83	10	µg/L	50	0	65.7	40	140	0	
Bis(2-ethylhexyl)phthalate	28.65	5.0	µg/L	50	0	57.3	40	140	0	
Fluoranthene	32.31	10	µg/L	50	0	64.6	40	140	0	
Fluorene	31.97	10	µg/L	50	0	63.9	40	140	0	
Hexachlorobenzene	32.51	10	µg/L	50	0	65	40	140	0	
Hexachlorobutadiene	30.39	10	µg/L	50	0	60.8	40	140	0	
Hexachloroethane	27.31	5.0	µg/L	50	0	54.6	40	140	0	
Indeno(1,2,3-cd)pyrene	29.89	10	µg/L	50	0	59.8	40	140	0	
Isophorone	29.87	10	µg/L	50	0	59.7	40	140	0	
2-Methylnaphthalene	31.27	10	µg/L	50	0	62.5	40	140	0	
2-Methylphenol	44.42	10	µg/L	75	0	59.2	30	130	0	
4-Methylphenol	57.1	10	µg/L	150	0	38.1	30	130	0	
Naphthalene	30.39	10	µg/L	50	0	60.8	40	140	0	
Nitrobenzene	29.62	10	µg/L	50	0	59.2	40	140	0	
2-Nitrophenol	50.45	10	µg/L	75	0	67.3	30	130	0	
4-Nitrophenol	22.66	20	µg/L	75	0	30.2	30	130	0	
Di-n-octyl phthalate	28.83	10	µg/L	50	0	57.7	40	140	0	
Pentachlorophenol	34.16	20	µg/L	75	0	45.5	30	130	0	
Phenanthrene	32.55	10	µg/L	50	0	65.1	40	140	0	
Phenol	21.81	10	µg/L	75	0	29.1	30	130	0	S
Pyrene	31.43	10	µg/L	50	0	62.9	40	140	0	
2,4,5-Trichlorophenol	55.27	10	µg/L	75	0	73.7	30	130	0	
2,4,6-Trichlorophenol	52.52	10	µg/L	75	0	70	30	130	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank
NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike - Full List

Surr: 2-Fluorophenol	32.37	1.0	µg/L	75	0	43.2	15	110	0
Surr: Phenol-d5	21.21	1.0	µg/L	75	0	28.3	15	110	0
Surr: Nitrobenzene-d5	29.12	1.0	µg/L	50	0	58.2	30	130	0
Surr: 2-Fluorobiphenyl	32.18	1.0	µg/L	50	0	64.4	30	130	0
Surr: 2,4,6-Tribromophenol	54.57	1.0	µg/L	75	0	72.8	15	110	0
Surr: 4-Terphenyl-d14	28.02	1.0	µg/L	50	0	56	30	130	0

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank
NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: *08-Feb-08*

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike Duplicate - Full List

Sample ID: **lcsd-18043** Batch ID: **18043** Test Code: **SW8270C** Units: **µg/L** Analysis Date: **1/28/2008 1:06:00 PM** Prep Date: **1/25/2008**

Client ID: Run ID: **SV-4_080128A** SeqNo: **654289**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Acenaphthene	31.61	10	µg/L	50	0	63.2	40	140	31.25	1.15	20	
Acenaphthylene	31.43	10	µg/L	50	0	62.9	40	140	31.39	0.127	20	
Acetophenone	28.7	10	µg/L	50	0	57.4	40	140	30.12	4.83	20	
Aniline	23.98	10	µg/L	50	0	48	40	140	24.42	1.82	20	
Anthracene	33.44	10	µg/L	50	0	66.9	40	140	32.12	4.03	20	
1,2-Diphenylhydrazine (as Azobe	28.59	10	µg/L	50	0	57.2	40	140	27.68	3.23	20	
Benz(a)anthracene	33.28	10	µg/L	50	0	66.6	40	140	31.47	5.59	20	
Benzo(a)pyrene	32.76	10	µg/L	50	0	65.5	40	140	32.32	1.35	20	
Benzo(b)fluoranthene	34.98	10	µg/L	50	0	70	40	140	32.94	6.01	20	
Benzo(k)fluoranthene	32.58	10	µg/L	50	0	65.2	40	140	31.89	2.14	20	
Benzo(g,h,i)perylene	35.6	10	µg/L	50	0	71.2	40	140	33.51	6.05	20	
4-Bromophenyl phenyl ether	34.67	10	µg/L	50	0	69.3	40	140	33.57	3.22	20	
Butyl benzyl phthalate	31.2	10	µg/L	50	0	62.4	40	140	30.01	3.89	20	
Di-n-butyl phthalate	32.18	10	µg/L	50	0	64.4	40	140	30.69	4.74	20	
4-Chloroaniline	29.07	10	µg/L	50	0	58.1	40	140	30.56	5	20	
Bis(2-chloroethoxy)methane	28.16	10	µg/L	50	0	56.3	40	140	30.06	6.53	20	
Bis(2-chloroethyl)ether	28.16	10	µg/L	50	0	56.3	40	140	29.6	4.99	20	
Bis(2-chloroisopropyl)ether	26.51	10	µg/L	50	0	53	40	140	27.98	5.4	20	
2-Chloronaphthalene	30.64	10	µg/L	50	0	61.3	40	140	31.27	2.04	20	
2-Chlorophenol	43.31	10	µg/L	75	0	57.7	40	130	48.65	11.6	20	
Chrysene	33.56	10	µg/L	50	0	67.1	40	140	31.98	4.82	20	
Dibenz(a,h)anthracene	32.43	10	µg/L	50	0	64.9	40	140	30.12	7.39	20	
Dibenzofuran	32.99	10	µg/L	50	0	66	40	140	32.39	1.84	20	
1,2-Dichlorobenzene	27.81	10	µg/L	50	0	55.6	40	140	29.92	7.31	20	
1,3-Dichlorobenzene	27.23	10	µg/L	50	0	54.5	40	140	29.66	8.54	20	

Qualifiers: ND - Not Detected at the Reporting Limit; S - Spike Recovery outside accepted recovery limits; B - Analyte detected in the associated Method Blank; J - Analyte detected below quantitation limits; R - RPD outside accepted recovery limits; NA - Not applicable where J values or ND results occur; RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike Duplicate - Full List

1,4-Dichlorobenzene	27.27	5.0	µg/L	50	0	54.5	40	140	29.82	8.93	20	
3,3´-Dichlorobenzidine	32.84	10	µg/L	50	0	65.7	40	140	30.78	6.48	20	
2,4-Dichlorophenol	47.1	10	µg/L	75	0	62.8	30	130	51.15	8.24	20	
Diethyl phthalate	31.2	10	µg/L	50	0	62.4	40	140	30.16	3.39	20	
Dimethyl phthalate	28.73	10	µg/L	50	0	57.5	40	140	28.04	2.43	20	
2,4-Dimethylphenol	35.33	10	µg/L	75	0	47.1	30	130	35.45	0.339	20	
2,4-Dinitrophenol	41.21	20	µg/L	75	0	54.9	30	130	40.21	2.46	20	
2,4-Dinitrotoluene	34.46	10	µg/L	50	0	68.9	40	140	33.48	2.88	20	
2,6-Dinitrotoluene	34.47	10	µg/L	50	0	68.9	40	140	32.83	4.87	20	
Bis(2-ethylhexyl)phthalate	31.95	5.0	µg/L	50	0	63.9	40	140	28.65	10.9	20	
Fluoranthene	34.02	10	µg/L	50	0	68	40	140	32.31	5.16	20	
Fluorene	33.07	10	µg/L	50	0	66.1	40	140	31.97	3.38	20	
Hexachlorobenzene	34.3	10	µg/L	50	0	68.6	40	140	32.51	5.36	20	
Hexachlorobutadiene	28.17	10	µg/L	50	0	56.3	40	140	30.39	7.58	20	
Hexachloroethane	24.89	5.0	µg/L	50	0	49.8	40	140	27.31	9.27	20	
Indeno(1,2,3-cd)pyrene	31.97	10	µg/L	50	0	63.9	40	140	29.89	6.72	20	
Isophorone	29.57	10	µg/L	50	0	59.1	40	140	29.87	1.01	20	
2-Methylnaphthalene	30.22	10	µg/L	50	0	60.4	40	140	31.27	3.42	20	
2-Methylphenol	40.53	10	µg/L	75	0	54	30	130	44.42	9.16	20	
4-Methylphenol	50.51	10	µg/L	150	0	33.7	30	130	57.1	12.2	20	
Naphthalene	28.35	10	µg/L	50	0	56.7	40	140	30.39	6.95	20	
Nitrobenzene	27.5	10	µg/L	50	0	55	40	140	29.62	7.42	20	
2-Nitrophenol	47.06	10	µg/L	75	0	62.7	30	130	50.45	6.95	20	
4-Nitrophenol	21.64	20	µg/L	75	0	28.9	30	130	22.66	4.6	20	S
Di-n-octyl phthalate	31.23	10	µg/L	50	0	62.5	40	140	28.83	7.99	20	
Pentachlorophenol	34.31	20	µg/L	75	0	45.7	30	130	34.16	0.438	20	
Phenanthrene	33.62	10	µg/L	50	0	67.2	40	140	32.55	3.23	20	
Phenol	18.93	10	µg/L	75	0	25.2	30	130	21.81	14.1	20	S
Pyrene	32.8	10	µg/L	50	0	65.6	40	140	31.43	4.27	20	
2,4,5-Trichlorophenol	53.2	10	µg/L	75	0	70.9	30	130	55.27	3.82	20	
2,4,6-Trichlorophenol	51.42	10	µg/L	75	0	68.6	30	130	52.52	2.12	20	

Qualifiers: ND - Not Detected at the Reporting Limit; S - Spike Recovery outside accepted recovery limits; B - Analyte detected in the associated Method Blank; J - Analyte detected below quantitation limits; R - RPD outside accepted recovery limits; NA - Not applicable where J values or ND results occur; RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike Duplicate - Full List

Surr: 2-Fluorophenol	27.89	1.0	µg/L	75	0	37.2	15	110	0	0	0
Surr: Phenol-d5	17.76	1.0	µg/L	75	0	23.7	15	110	0	0	0
Surr: Nitrobenzene-d5	26.18	1.0	µg/L	50	0	52.4	30	130	0	0	0
Surr: 2-Fluorobiphenyl	29.49	1.0	µg/L	50	0	59	30	130	0	0	0
Surr: 2,4,6-Tribromophenol	53.19	1.0	µg/L	75	0	70.9	15	110	0	0	0
Surr: 4-Terphenyl-d14	28.12	1.0	µg/L	50	0	56.2	30	130	0	0	0

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank
NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Project: 002914 Canton Airport

Lab Order: 0801074

Lab ID: 0801074-01
Collection Date: 1/22/08 1:00:00 PM
Collection Time:
Client Sample ID: 002914-B110S (MW)
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS BY MCP METH SW8082						Analyst: FQ
Aroclor 1262	ND	0.21		µg/L	1	1/26/08 6:26:00 AM
Aroclor 1268	ND	0.21		µg/L	1	1/26/08 6:26:00 AM
Aroclor 1016	ND	0.21		µg/L	1	1/26/08 6:26:00 AM
Aroclor 1221	ND	0.21		µg/L	1	1/26/08 6:26:00 AM
Aroclor 1232	ND	0.21		µg/L	1	1/26/08 6:26:00 AM
Aroclor 1242	ND	0.21		µg/L	1	1/26/08 6:26:00 AM
Aroclor 1248	ND	0.21		µg/L	1	1/26/08 6:26:00 AM
Aroclor 1254	ND	0.21		µg/L	1	1/26/08 6:26:00 AM
Aroclor 1260	ND	0.21		µg/L	1	1/26/08 6:26:00 AM
Surr: Decachlorobiphenyl	93.1	30-119		%REC	1	1/26/08 6:26:00 AM
Surr: Tetrachloro-m-xylene	74.1	34-113		%REC	1	1/26/08 6:26:00 AM

Lab ID: 0801074-02
Collection Date: 1/22/08 12:50:00 PM
Collection Time:
Client Sample ID: 002914-B111S (MW)
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS BY MCP METH SW8082						Analyst: FQ
Aroclor 1262	ND	0.20		µg/L	1	1/26/08 6:55:00 AM
Aroclor 1268	ND	0.20		µg/L	1	1/26/08 6:55:00 AM
Aroclor 1016	ND	0.20		µg/L	1	1/26/08 6:55:00 AM
Aroclor 1221	ND	0.20		µg/L	1	1/26/08 6:55:00 AM
Aroclor 1232	ND	0.20		µg/L	1	1/26/08 6:55:00 AM
Aroclor 1242	ND	0.20		µg/L	1	1/26/08 6:55:00 AM
Aroclor 1248	ND	0.20		µg/L	1	1/26/08 6:55:00 AM
Aroclor 1254	ND	0.20		µg/L	1	1/26/08 6:55:00 AM
Aroclor 1260	ND	0.20		µg/L	1	1/26/08 6:55:00 AM
Surr: Decachlorobiphenyl	85.8	30-119		%REC	1	1/26/08 6:55:00 AM
Surr: Tetrachloro-m-xylene	76.1	34-113		%REC	1	1/26/08 6:55:00 AM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Project: 002914 Canton Airport
Lab Order: 0801074

Lab ID: 0801074-03
Collection Date: 1/22/08 1:20:00 PM
Collection Time:
Client Sample ID: 002914-W11 (MW)
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS BY MCP METH SW8082						Analyst: FQ
Aroclor 1262	ND	0.20		µg/L	1	1/26/08 7:24:00 AM
Aroclor 1268	ND	0.20		µg/L	1	1/26/08 7:24:00 AM
Aroclor 1016	ND	0.20		µg/L	1	1/26/08 7:24:00 AM
Aroclor 1221	ND	0.20		µg/L	1	1/26/08 7:24:00 AM
Aroclor 1232	ND	0.20		µg/L	1	1/26/08 7:24:00 AM
Aroclor 1242	ND	0.20		µg/L	1	1/26/08 7:24:00 AM
Aroclor 1248	ND	0.20		µg/L	1	1/26/08 7:24:00 AM
Aroclor 1254	ND	0.20		µg/L	1	1/26/08 7:24:00 AM
Aroclor 1260	0.29	0.20		µg/L	1	1/26/08 7:24:00 AM
Surr: Decachlorobiphenyl	67.9	30-119		%REC	1	1/26/08 7:24:00 AM
Surr: Tetrachloro-m-xylene	68.9	34-113		%REC	1	1/26/08 7:24:00 AM

Lab ID: 0801074-04
Collection Date: 1/22/08 2:15:00 PM
Collection Time:
Client Sample ID: 002914-B112S (MW)
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS BY MCP METH SW8082						Analyst: FQ
Aroclor 1262	ND	0.20		µg/L	1	1/26/08 7:53:00 AM
Aroclor 1268	ND	0.20		µg/L	1	1/26/08 7:53:00 AM
Aroclor 1016	ND	0.20		µg/L	1	1/26/08 7:53:00 AM
Aroclor 1221	ND	0.20		µg/L	1	1/26/08 7:53:00 AM
Aroclor 1232	ND	0.20		µg/L	1	1/26/08 7:53:00 AM
Aroclor 1242	ND	0.20		µg/L	1	1/26/08 7:53:00 AM
Aroclor 1248	ND	0.20		µg/L	1	1/26/08 7:53:00 AM
Aroclor 1254	ND	0.20		µg/L	1	1/26/08 7:53:00 AM
Aroclor 1260	0.25	0.20		µg/L	1	1/26/08 7:53:00 AM
Surr: Decachlorobiphenyl	57.8	30-119		%REC	1	1/26/08 7:53:00 AM
Surr: Tetrachloro-m-xylene	60.6	34-113		%REC	1	1/26/08 7:53:00 AM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Project: 002914 Canton Airport

Lab Order: 0801074

Lab ID: 0801074-05
Collection Date: 1/22/08 2:10:00 PM
Collection Time:
Client Sample ID: 002914-B109S (MW)
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS BY MCP METH SW8082						Analyst: FQ
Aroclor 1262	ND	0.20		µg/L	1	1/26/08 8:22:00 AM
Aroclor 1268	ND	0.20		µg/L	1	1/26/08 8:22:00 AM
Aroclor 1016	ND	0.20		µg/L	1	1/26/08 8:22:00 AM
Aroclor 1221	ND	0.20		µg/L	1	1/26/08 8:22:00 AM
Aroclor 1232	ND	0.20		µg/L	1	1/26/08 8:22:00 AM
Aroclor 1242	ND	0.20		µg/L	1	1/26/08 8:22:00 AM
Aroclor 1248	ND	0.20		µg/L	1	1/26/08 8:22:00 AM
Aroclor 1254	ND	0.20		µg/L	1	1/26/08 8:22:00 AM
Aroclor 1260	ND	0.20		µg/L	1	1/26/08 8:22:00 AM
Surr: Decachlorobiphenyl	103	30-119		%REC	1	1/26/08 8:22:00 AM
Surr: Tetrachloro-m-xylene	73.5	34-113		%REC	1	1/26/08 8:22:00 AM

Lab ID: 0801074-06
Collection Date: 1/22/08 2:54:00 PM
Collection Time:
Client Sample ID: 002914-W1 (MW)
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS BY MCP METH SW8082						Analyst: FQ
Aroclor 1262	ND	0.20		µg/L	1	1/26/08 8:51:00 AM
Aroclor 1268	ND	0.20		µg/L	1	1/26/08 8:51:00 AM
Aroclor 1016	ND	0.20		µg/L	1	1/26/08 8:51:00 AM
Aroclor 1221	ND	0.20		µg/L	1	1/26/08 8:51:00 AM
Aroclor 1232	ND	0.20		µg/L	1	1/26/08 8:51:00 AM
Aroclor 1242	ND	0.20		µg/L	1	1/26/08 8:51:00 AM
Aroclor 1248	ND	0.20		µg/L	1	1/26/08 8:51:00 AM
Aroclor 1254	ND	0.20		µg/L	1	1/26/08 8:51:00 AM
Aroclor 1260	ND	0.20		µg/L	1	1/26/08 8:51:00 AM
Surr: Decachlorobiphenyl	95.3	30-119		%REC	1	1/26/08 8:51:00 AM
Surr: Tetrachloro-m-xylene	68.9	34-113		%REC	1	1/26/08 8:51:00 AM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Project: 002914 Canton Airport

Lab Order: 0801074

Lab ID: 0801074-07
Collection Date: 1/22/08 3:20:00 PM
Collection Time:
Client Sample ID: 002914-B108S (MW)
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS BY MCP METH SW8082						Analyst: FQ
Aroclor 1262	ND	0.20		µg/L	1	1/26/08 9:20:00 AM
Aroclor 1268	ND	0.20		µg/L	1	1/26/08 9:20:00 AM
Aroclor 1016	ND	0.20		µg/L	1	1/26/08 9:20:00 AM
Aroclor 1221	ND	0.20		µg/L	1	1/26/08 9:20:00 AM
Aroclor 1232	ND	0.20		µg/L	1	1/26/08 9:20:00 AM
Aroclor 1242	ND	0.20		µg/L	1	1/26/08 9:20:00 AM
Aroclor 1248	ND	0.20		µg/L	1	1/26/08 9:20:00 AM
Aroclor 1254	ND	0.20		µg/L	1	1/26/08 9:20:00 AM
Aroclor 1260	ND	0.20		µg/L	1	1/26/08 9:20:00 AM
Surr: Decachlorobiphenyl	63.1	30-119		%REC	1	1/26/08 9:20:00 AM
Surr: Tetrachloro-m-xylene	63.2	34-113		%REC	1	1/26/08 9:20:00 AM

Lab ID: 0801074-08
Collection Date: 1/22/08 3:52:00 PM
Collection Time:
Client Sample ID: 002914-B105D (MW)
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS BY MCP METH SW8082						Analyst: FQ
Aroclor 1262	ND	0.21		µg/L	1	1/26/08 9:50:00 AM
Aroclor 1268	ND	0.21		µg/L	1	1/26/08 9:50:00 AM
Aroclor 1016	ND	0.21		µg/L	1	1/26/08 9:50:00 AM
Aroclor 1221	ND	0.21		µg/L	1	1/26/08 9:50:00 AM
Aroclor 1232	ND	0.21		µg/L	1	1/26/08 9:50:00 AM
Aroclor 1242	ND	0.21		µg/L	1	1/26/08 9:50:00 AM
Aroclor 1248	ND	0.21		µg/L	1	1/26/08 9:50:00 AM
Aroclor 1254	ND	0.21		µg/L	1	1/26/08 9:50:00 AM
Aroclor 1260	ND	0.21		µg/L	1	1/26/08 9:50:00 AM
Surr: Decachlorobiphenyl	106	30-119		%REC	1	1/26/08 9:50:00 AM
Surr: Tetrachloro-m-xylene	67.1	34-113		%REC	1	1/26/08 9:50:00 AM

AMRO Environmental Laboratories Corp.

Date: *08-Feb-08*

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Method Blank

Sample ID: **MB-18039** Batch ID: **18039** Test Code: **SW8082** Units: **µg/L** Analysis Date: **1/25/2008 10:09:00 PM** Prep Date: **1/24/2008**

Client ID: Run ID: **GC-ELVIS_080125A** SeqNo: **654779**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Aroclor 1262	ND	0.20	µg/L									
Aroclor 1268	ND	0.20	µg/L									
Aroclor 1016	ND	0.20	µg/L									
Aroclor 1221	ND	0.20	µg/L									
Aroclor 1232	ND	0.20	µg/L									
Aroclor 1242	ND	0.20	µg/L									
Aroclor 1248	ND	0.20	µg/L									
Aroclor 1254	ND	0.20	µg/L									
Aroclor 1260	ND	0.20	µg/L									
Surr: Decachlorobiphenyl	0.07182	0	µg/L	0.064	0	112	30	119	0			
Surr: Tetrachloro-m-xylene	0.0502	0	µg/L	0.064	0	78.4	34	113	0			

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank
NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: *08-Feb-08*

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID: **LCS-18039** Batch ID: **18039** Test Code: **SW8082** Units: **µg/L** Analysis Date: **1/25/2008 10:38:00 PM** Prep Date: **1/24/2008**
Client ID: Run ID: **GC-ELVIS_080125A** SeqNo: **654780**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Aroclor 1016	3.135	0.20	µg/L	4	0	78.4	51	125	0			
Aroclor 1260	3.62	0.20	µg/L	4	0	90.5	50	133	0			
Surr: Decachlorobiphenyl	0.07025	0	µg/L	0.064	0	110	30	119	0			
Surr: Tetrachloro-m-xylene	0.05734	0	µg/L	0.064	0	89.6	34	113	0			

Sample ID: **LCSD-18039** Batch ID: **18039** Test Code: **SW8082** Units: **µg/L** Analysis Date: **1/25/2008 11:07:00 PM** Prep Date: **1/24/2008**
Client ID: Run ID: **GC-ELVIS_080125A** SeqNo: **654781**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Aroclor 1016	3.001	0.20	µg/L	4	0	75	51	125	3.135	4.37	50	
Aroclor 1260	3.45	0.20	µg/L	4	0	86.2	50	133	3.62	4.82	50	
Surr: Decachlorobiphenyl	0.07145	0	µg/L	0.064	0	112	30	119	0	0	0	
Surr: Tetrachloro-m-xylene	0.05615	0	µg/L	0.064	0	87.7	34	113	0	0	0	

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank
NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Project: 002914 Canton Airport

Lab Order: 0801074

Lab ID: 0801074-01
Collection Date: 1/22/08 1:00:00 PM
Collection Time:
Client Sample ID: 002914-B110S (MW)
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
MADEP EPH REVISION 1.1		**MAEPH**				Analyst: **KT**
C9-C18 Aliphatic Hydrocarbons	ND	110		µg/L	1	2/4/08 12:41:00 PM
C19-C36 Aliphatic Hydrocarbons	ND	110		µg/L	1	2/4/08 12:41:00 PM
C11-C22 Aromatic Hydrocarbons	ND	110		µg/L	1	2/4/08 12:41:00 PM
Surr: 1-Chlorooctadecane	87.0	40-140		%REC	1	2/4/08 12:41:00 PM
Surr: 2-Bromonaphthalene	108	40-140		%REC	1	2/4/08 12:41:00 PM
Surr: 2-Fluorobiphenyl	109	40-140		%REC	1	2/4/08 12:41:00 PM
Surr: o-Terphenyl	85.0	40-140		%REC	1	2/4/08 12:41:00 PM

Lab ID: 0801074-02
Collection Date: 1/22/08 12:50:00 PM
Collection Time:
Client Sample ID: 002914-B111S (MW)
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
MADEP EPH REVISION 1.1		**MAEPH**				Analyst: **KT**
C9-C18 Aliphatic Hydrocarbons	ND	100		µg/L	1	2/4/08 1:15:00 PM
C19-C36 Aliphatic Hydrocarbons	ND	100		µg/L	1	2/4/08 1:15:00 PM
C11-C22 Aromatic Hydrocarbons	ND	100		µg/L	1	2/4/08 1:15:00 PM
Surr: 1-Chlorooctadecane	70.2	40-140		%REC	1	2/4/08 1:15:00 PM
Surr: 2-Bromonaphthalene	112	40-140		%REC	1	2/4/08 1:15:00 PM
Surr: 2-Fluorobiphenyl	107	40-140		%REC	1	2/4/08 1:15:00 PM
Surr: o-Terphenyl	79.0	40-140		%REC	1	2/4/08 1:15:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Project: 002914 Canton Airport
Lab Order: 0801074

Lab ID: 0801074-03
Collection Date: 1/22/08 1:20:00 PM
Collection Time:
Client Sample ID: 002914-W11 (MW)
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
MADEP EPH REVISION 1.1		**MAEPH**				Analyst: KT
C9-C18 Aliphatic Hydrocarbons	ND	100		µg/L	1	2/4/08 1:49:00 PM
C19-C36 Aliphatic Hydrocarbons	ND	100		µg/L	1	2/4/08 1:49:00 PM
C11-C22 Aromatic Hydrocarbons	ND	100		µg/L	1	2/4/08 1:49:00 PM
Surr: 1-Chlorooctadecane	65.4	40-140		%REC	1	2/4/08 1:49:00 PM
Surr: 2-Bromonaphthalene	106	40-140		%REC	1	2/4/08 1:49:00 PM
Surr: 2-Fluorobiphenyl	103	40-140		%REC	1	2/4/08 1:49:00 PM
Surr: o-Terphenyl	78.7	40-140		%REC	1	2/4/08 1:49:00 PM

Lab ID: 0801074-04
Collection Date: 1/22/08 2:15:00 PM
Collection Time:
Client Sample ID: 002914-B112S (MW)
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
MADEP EPH REVISION 1.1		**MAEPH**				Analyst: KT
C9-C18 Aliphatic Hydrocarbons	ND	100		µg/L	1	2/4/08 2:22:00 PM
C19-C36 Aliphatic Hydrocarbons	ND	100		µg/L	1	2/4/08 2:22:00 PM
C11-C22 Aromatic Hydrocarbons	ND	100		µg/L	1	2/4/08 2:22:00 PM
Surr: 1-Chlorooctadecane	72.6	40-140		%REC	1	2/4/08 2:22:00 PM
Surr: 2-Bromonaphthalene	117	40-140		%REC	1	2/4/08 2:22:00 PM
Surr: 2-Fluorobiphenyl	113	40-140		%REC	1	2/4/08 2:22:00 PM
Surr: o-Terphenyl	85.1	40-140		%REC	1	2/4/08 2:22:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Project: 002914 Canton Airport
Lab Order: 0801074

Lab ID: 0801074-05
Collection Date: 1/22/08 2:10:00 PM
Collection Time:
Client Sample ID: 002914-B109S (MW)
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
MADEP EPH REVISION 1.1		**MAEPH**				Analyst: **KT**
C9-C18 Aliphatic Hydrocarbons	ND	100		µg/L	1	1/30/08 12:24:00 PM
C19-C36 Aliphatic Hydrocarbons	ND	100		µg/L	1	1/30/08 12:24:00 PM
C11-C22 Aromatic Hydrocarbons	ND	100		µg/L	1	1/30/08 12:58:00 PM
Surr: 1-Chlorooctadecane	40.1	40-140		%REC	1	1/30/08 12:24:00 PM
Surr: 2-Bromonaphthalene	69.1	40-140		%REC	1	1/30/08 12:58:00 PM
Surr: 2-Fluorobiphenyl	72.0	40-140		%REC	1	1/30/08 12:58:00 PM
Surr: o-Terphenyl	59.0	40-140		%REC	1	1/30/08 12:58:00 PM

Lab ID: 0801074-06
Collection Date: 1/22/08 2:54:00 PM
Collection Time:
Client Sample ID: 002914-W1 (MW)
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
MADEP EPH REVISION 1.1		**MAEPH**				Analyst: **KT**
C9-C18 Aliphatic Hydrocarbons	ND	100		µg/L	1	2/4/08 2:56:00 PM
C19-C36 Aliphatic Hydrocarbons	ND	100		µg/L	1	2/4/08 2:56:00 PM
C11-C22 Aromatic Hydrocarbons	ND	100		µg/L	1	2/4/08 2:56:00 PM
Surr: 1-Chlorooctadecane	69.0	40-140		%REC	1	2/4/08 2:56:00 PM
Surr: 2-Bromonaphthalene	111	40-140		%REC	1	2/4/08 2:56:00 PM
Surr: 2-Fluorobiphenyl	110	40-140		%REC	1	2/4/08 2:56:00 PM
Surr: o-Terphenyl	80.9	40-140		%REC	1	2/4/08 2:56:00 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Project: 002914 Canton Airport

Lab Order: 0801074

Lab ID: 0801074-07
Collection Date: 1/22/08 3:20:00 PM
Collection Time:
Client Sample ID: 002914-B108S (MW)
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
MADEP EPH REVISION 1.1		**MAEPH**				Analyst: **KT**
C9-C18 Aliphatic Hydrocarbons	ND	100		µg/L	1	2/4/08 5:45:00 PM
C19-C36 Aliphatic Hydrocarbons	ND	100		µg/L	1	2/4/08 5:45:00 PM
C11-C22 Aromatic Hydrocarbons	ND	100		µg/L	1	2/4/08 5:45:00 PM
Surr: 1-Chlorooctadecane	63.3	40-140		%REC	1	2/4/08 5:45:00 PM
Surr: 2-Bromonaphthalene	112	40-140		%REC	1	2/4/08 5:45:00 PM
Surr: 2-Fluorobiphenyl	110	40-140		%REC	1	2/4/08 5:45:00 PM
Surr: o-Terphenyl	80.5	40-140		%REC	1	2/4/08 5:45:00 PM

Lab ID: 0801074-08
Collection Date: 1/22/08 3:52:00 PM
Collection Time:
Client Sample ID: 002914-B105D (MW)
Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
MADEP EPH REVISION 1.1		**MAEPH**				Analyst: **KT**
C9-C18 Aliphatic Hydrocarbons	ND	100		µg/L	1	1/30/08 6:02:00 PM
C19-C36 Aliphatic Hydrocarbons	ND	100		µg/L	1	1/30/08 6:02:00 PM
C11-C22 Aromatic Hydrocarbons	ND	100		µg/L	1	1/30/08 6:36:00 PM
Surr: 1-Chlorooctadecane	46.5	40-140		%REC	1	1/30/08 6:02:00 PM
Surr: 2-Bromonaphthalene	64.8	40-140		%REC	1	1/30/08 6:36:00 PM
Surr: 2-Fluorobiphenyl	67.2	40-140		%REC	1	1/30/08 6:36:00 PM
Surr: o-Terphenyl	61.7	40-140		%REC	1	1/30/08 6:36:00 PM

AMRO Environmental Laboratories Corp.

Date: *11-Feb-08*

CLIENT: GEI Consultants, Inc.
Work Order: 0801074, 0801078
Project: 002914 Canton Airport

QC SUMMARY REPORT

Method Blank

Sample mb-18041 Batch 18041 Test MAEPH Units: µg/L Analysis 1/25/2008 12:28:00 PM Prep 1/24/2008
Client ID: Run ID: SV-3_080125A SeqNo: 656299

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qual
C11-C22 Aromatic	ND	100	µg/L									
Naphthalene	ND	2.0	µg/L									
2-Methylnaphthalene	ND	2.0	µg/L									
Acenaphthylene	ND	2.0	µg/L									
Acenaphthene	ND	2.0	µg/L									
Fluorene	ND	2.0	µg/L									
Phenanthrene	ND	2.0	µg/L									
Anthracene	ND	2.0	µg/L									
Fluoranthene	ND	2.0	µg/L									
Pyrene	ND	2.0	µg/L									
Benz(a)anthracene	ND	2.0	µg/L									
Chrysene	ND	2.0	µg/L									
Benzo(b)fluoranthene	ND	2.0	µg/L									
Benzo(k)fluoranthene	ND	2.0	µg/L									
Benzo(a)pyrene	ND	2.0	µg/L									
Dibenz(a,h)anthracene	ND	2.0	µg/L									
Indeno(1,2,3-cd)pyrene	ND	2.0	µg/L									
Benzo(g,h,i)perylene	ND	2.0	µg/L									
Surr: 2-Bromonaphthalene	30.6	1.0	µg/L	40	0	76.5	40	140	0			
Surr: 2-Fluorobiphenyl	27.73	1.0	µg/L	40	0	69.3	40	140	0			
Surr: o-Terphenyl	30.92	1.0	µg/L	40	0	77.3	40	140	0			

Qualifiers: ND - Not Detected at the Reporting Limit; S - Spike Recovery outside accepted recovery limits; B - Analyte detected in the associated Method Blank
J - Analyte detected below quantitation limits; R - RPD outside accepted recovery limits; NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *11-Feb-08*

CLIENT: GEI Consultants, Inc.
Work Order: 0801074, 0801078
Project: 002914 Canton Airport

QC SUMMARY REPORT

Method Blank

Sample **mb-18041** Batch **18041** Test **MAEPH** Units: **µg/L** Analysis **1/25/2008 11:54:00 AM** Prep **1/24/2008**
Client ID: Run ID: **SV-3_080125A** SeqNo: **656300**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qual
C9-C18 Aliphatic Hydrocarbons	ND	100	µg/L									
C19-C36 Aliphatic	ND	100	µg/L									
Surr: 1-Chlorooctadecane	23.33	1.0	µg/L	40	0	58.3	40	140	0			

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank
NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: *08-Feb-08*

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Method Blank

Sample ID: **mb-18061** Batch ID: **18061** Test Code: **MAEPH** Units: **µg/L** Analysis Date: **2/4/2008 11:00:00 AM** Prep Date: **2/1/2008**

Client ID: Run ID: **SV-3_080204A** SeqNo: **655773**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
C9-C18 Aliphatic Hydrocarbons	ND	100	µg/L									
C19-C36 Aliphatic Hydrocarbons	ND	100	µg/L									
C11-C22 Aromatic Hydrocarbons	ND	100	µg/L									
Surr: 1-Chlorooctadecane	42.58	1.0	µg/L	40	0	106	40	140	0			
Surr: 2-Bromonaphthalene	45.23	1.0	µg/L	40	0	113	40	140	0			
Surr: 2-Fluorobiphenyl	44.82	1.0	µg/L	40	0	112	40	140	0			
Surr: o-Terphenyl	34.84	1.0	µg/L	40	0	87.1	40	140	0			

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank
NA - Not applicable where J values or ND results occur

Laboratory Control Spike and Spike Duplicate
MADEP EPH 1.1

Analyte	Spike	lcs-18041	% Recovery	lcsd-18041	% Recovery	RPD
2-Methylnaphthalene	50	34	68	36	72	-5.7142857
Acenaphthene	50	34	68	37	74	-8.4507042
Acenaphthylene	50	35	70	37	74	-5.5555556
Anthracene	50	39	78	42	84	-7.4074074
Benz(a)anthracene	50	46	92	48	96	-4.2553191
Benzo(a)pyrene	50	44	88	45	90	-2.247191
Benzo(b)fluoranthene	50	44	88	48	96	-8.6956522
Benzo(g,h,i)perylene	50	42	84	44	88	-4.6511628
Benzo(k)fluoranthene	50	44	88	43	86	2.29885057
Chrysene	50	43	86	45	90	-4.5454545
Dibenz(a,h)anthracene	50	45	90	46	92	-2.1978022
Fluoranthene	50	42	84	44	88	-4.6511628
Fluorene	50	38	76	41	82	-7.5949367
Indeno(1,2,3-cd)pyrene	50	44	88	45	90	-2.247191
n-Decane	50	35	70	39	78	-10.810811
n-Docosane	50	40	80	46	92	-13.953488
n-Dodecane	50	40	80	44	88	-9.5238095
n-Eicosane	50	42	84	47	94	-11.235955
n-Hexacosane	50	42	84	47	94	-11.235955
n-Hexadecane	50	42	84	45	90	-6.8965517
n-Hexatriacontane	50	34	68	38	76	-11.111111
n-Nonadecane	50	42	84	46	92	-9.0909091
n-Nonane	50	29	58	34	68	-15.873016
n-Octacosane	50	43	86	49	98	-13.043478
n-Octadecane	50	42	84	45	90	-6.8965517
n-Tetracosane	50	42	84	47	94	-11.235955
n-Tetradecane	50	41	82	45	90	-9.3023256
n-Triacontane	50	45	90	51	102	-12.5
Naphthalene	50	31	62	34	68	-9.2307692
Phenanthrene	50	42	84	44	88	-4.6511628
Pyrene	50	44	88	45	90	-2.247191
1-Chlorooctadecane	50	24	48	22	44	8.69565217
2-Bromonaphthalene	50	30	60	29	58	3.38983051
2-Fluorobiphenyl	50	29	58	29	58	0
o-Terphenyl	50	31	62	29	58	6.66666667

AMRO Environmental Lab. Corp.

Laboratory Control Spike and Spike Duplicate
MADEP EPH 1.1

Analyte	Spike	LCS-18061	% Recovery	LCSD-18061	% Recovery	RPD
2-Methylnaphthalene	50	46	92	48	96	-4.2553191
Acenaphthene	50	46	92	47	94	-2.1505376
Acenaphthylene	50	47	94	48	96	-2.1052632
Anthracene	50	48	96	48	96	0
Benz(a)anthracene	50	53	106	56	112	-5.5045872
Benzo(a)pyrene	50	48	96	51	102	-6.0606061
Benzo(b)fluoranthene	50	52	104	60	120	-14.285714
Benzo(g,h,i)perylene	50	44	88	47	94	-6.5934066
Benzo(k)fluoranthene	50	44	88	50	100	-12.765957
Chrysene	50	48	96	47	94	2.10526316
Dibenz(a,h)anthracene	50	47	94	50	100	-6.185567
Fluoranthene	50	50	100	49	98	2.02020202
Fluorene	50	48	96	49	98	-2.0618557
Indeno(1,2,3-cd)pyrene	50	46	92	49	98	-6.3157895
n-Decane	50	35	70	38	76	-8.2191781
n-Docosane	50	55	110	52	104	5.60747664
n-Dodecane	50	43	86	43	86	0
n-Eicosane	50	54	108	53	106	1.86915888
n-Hexacosane	50	54	108	54	108	0
n-Hexadecane	50	52	104	50	100	3.92156863
n-Hexatriacontane	50	40	80	41	82	-2.4691358
n-Nonadecane	50	54	108	51	102	5.71428571
n-Nonane	50	31	62	34	68	-9.2307692
n-Octacosane	50	52	104	53	106	-1.9047619
n-Octadecane	50	51	102	50	100	1.98019802
n-Tetracosane	50	56	112	54	108	3.63636364
n-Tetradecane	50	51	102	49	98	4
n-Triacontane	50	55	110	55	110	0
Naphthalene	50	44	88	44	88	0
Phenanthrene	50	49	98	49	98	0
Pyrene	50	51	102	50	100	1.98019802
1-Chlorooctadecane	50	38	76	39	78	-2.5974026
2-Bromonaphthalene	50	43	86	41	82	4.76190476
2-Fluorobiphenyl	50	42	84	39	78	7.40740741
o-Terphenyl	50	34	68	34	68	0

Send to Database

Breakthrough Report

LIMS Sample ID: lcs-18041
Test Code: EPH1.1W
Instrument ID: SV3

AROMATIC FRACTION(S):

Analyte	File ID	Amount
Naphthalene	C:\HPCHEM\1\DATA\012508\3B3089.D	30.68
2-Methylnaphthalene	C:\HPCHEM\1\DATA\012508\3B3089.D	34.0218

ALIPHATIC FRACTION(S):

Analyte	File ID	Amount
Naphthalene	C:\HPCHEM\1\DATA\012508\3B3088.D	0.068287
2-Methylnaphthalene	C:\HPCHEM\1\DATA\012508\3B3088.D	0

Naphthalene Breakthrough: 0.222083592 %

2-Methylnaphthalene Breakthrough: 0 %

Send to Database

Breakthrough Report

LIMS Sample ID: lcsd-18041
Test Code: EPH1.1W
Instrument ID: SV3

AROMATIC FRACTION(S):

Analyte	File ID	Amount
Naphthalene	C:\HPCHEM\1\DATA\012508\3B3091.D	33.8119
2-Methylnaphthalene	C:\HPCHEM\1\DATA\012508\3B3091.D	36.1657

ALIPHATIC FRACTION(S):

Analyte	File ID	Amount
Naphthalene	C:\HPCHEM\1\DATA\012508\3B3090.D	0.049337
2-Methylnaphthalene	C:\HPCHEM\1\DATA\012508\3B3090.D	0

Naphthalene Breakthrough: 0.145704068 %

2-Methylnaphthalene Breakthrough: 0 %

SEMIVOLATILE CONTINUING CALIBRATION SUMMARY

Instrument ID: SV-3 Analyst: kty

Aliphatic Initial Calibration File: C:\HPCHEM\1\DATA\013008\3B3109.D
Terminal Calibration File: C:\HPCHEM\1\DATA\013008\3B3126.D

Aromatic Initial Calibration File: C:\HPCHEM\1\DATA\013008\3B3110.D
Terminal Calibration File: C:\HPCHEM\1\DATA\013008\3B3127.D

ANALYTE	INITIAL CALIB			TERMINAL CALIB		
	EXPECTED	ACTUAL	%DRIFT	EXPECTED	ACTUAL	%DRIFT
C9-C18 Aliphatic Hydrocarbons	300	265.396	-11.53%	300	268.208	-10.60%
C19-C36 Aliphatic Hydrocarbons	400	350.254	-12.44%	400	359.854	-10.04%
n-Nonane	50	44.0425	-11.92%	50	44.6718	-10.66%
n-Decane	50	45.9678	-8.06%	50	44.1437	-11.71%
n-Dodecane	50	45.1883	-9.62%	50	45.733	-8.53%
n-Tetradecane	50	44.8853	-10.23%	50	45.9531	-8.09%
n-Hexadecane	50	44.6716	-10.66%	50	45.5124	-8.98%
n-Octadecane	50	43.3317	-13.34%	50	45.7002	-8.60%
n-Nonadecane	50	43.3744	-13.25%	50	45.3412	-9.32%
n-Eicosane	50	43.7654	-12.47%	50	45.4517	-9.10%
1-Chlorooctadecane	50	46.6916	-6.62%	50	47.3315	-5.34%
n-Docosane	50	45.9807	-8.04%	50	46.4114	-7.18%
n-Tetracosane	50	44.7201	-10.56%	50	46.8882	-6.22%
n-Hexacosane	50	45.7998	-8.40%	50	47.7601	-4.48%
n-Octacosane	50	46.446	-7.11%	50	46.938	-6.12%
n-Triacontane	50	46.4703	-7.06%	50	47.6453	-4.71%
n-Hexatriacontane	50	36.945	-26.11% *	50	37.6325	-24.74%
C11-C22 Aromatic Hydrocarbons	850	749.929	-11.77%	850	747.677	-12.04%
Naphthalene	50	46.3622	-7.28%	50	45.7106	-8.58%
2-Methylnaphthalene	50	48.129	-3.74%	50	45.9461	-8.11%
2-Fluorobiphenyl	50	46.9295	-6.14%	50	46.9339	-6.13%
Acenaphthylene	50	47.9092	-4.18%	50	46.3918	-7.22%
2-Bromonaphthalene	50	49.4085	-1.18%	50	49.6349	-0.73%
Acenaphthene	50	47.2489	-5.50%	50	45.629	-8.74%
Fluorene	50	49.0362	-1.93%	50	48.2834	-3.43%
Phenanthrene	50	47.6295	-4.74%	50	49.4203	-1.16%
Anthracene	50	46.2474	-7.51%	50	46.5156	-6.97%
o-Terphenyl	50	46.1426	-7.71%	50	46.6285	-6.74%
Fluoranthene	50	47.3589	-5.28%	50	46.8676	-6.26%
Pyrene	50	47.5889	-4.82%	50	47.4708	-5.06%
Benz(a)anthracene	50	49.4451	-1.11%	50	50.3213	0.64%
Chrysene	50	45.9397	-8.12%	50	47.054	-5.89%
Benzo(b)fluoranthene	50	48.5054	-2.99%	50	50.2325	0.47%
Benzo(k)fluoranthene	50	45.3045	-9.39%	50	47.141	-5.72%
Benzo(a)pyrene	50	48.4969	-3.01%	50	49.8798	-0.24%
Dibenz(a,h)anthracene	50	47.7456	-4.51%	50	51.1525	2.31%
Indeno(1,2,3-cd)pyrene	50	46.2858	-7.43%	50	49.9048	-0.19%
Benzo(g,h,i)perylene	50	45.2715	-9.46%	50	47.8258	-4.35%

Number out (Initial CCV) : 1
Number out (Terminal CCV) : 0

* This exceeds the maximum allowable value

* Maximum %Dev = 25% for Aliphatic compounds, 20% for Aromatic compounds

* Up to 4 compounds may be out on the terminal CCV

SEMIVOLATILE CONTINUING CALIBRATION SUMMARY

Instrument ID: SV-3 **Analyst:** kty

Aliphatic **Initial Calibration File:** C:\HPCHEM\1\DATA\013008\3B3126.D
Terminal Calibration File: C:\HPCHEM\1\DATA\013008\3B3144.D

Aromatic **Initial Calibration File:** C:\HPCHEM\1\DATA\013008\3B3127.D
Terminal Calibration File: C:\HPCHEM\1\DATA\013008\3B3145.D

ANALYTE	INITIAL CALIB			TERMINAL CALIB		
	EXPECTED	ACTUAL	%DRIFT	EXPECTED	ACTUAL	%DRIFT
C9-C18 Aliphatic Hydrocarbons	300	268.208	-10.60%	300	266.549	-11.15%
C19-C36 Aliphatic Hydrocarbons	400	359.854	-10.04%	400	360.961	-9.76%
n-Nonane	50	44.6718	-10.66%	50	43.1757	-13.65%
n-Decane	50	44.1437	-11.71%	50	44.9156	-10.17%
n-Dodecane	50	45.733	-8.53%	50	45.0651	-9.87%
n-Tetradecane	50	45.9531	-8.09%	50	45.5054	-8.99%
n-Hexadecane	50	45.5124	-8.98%	50	47.2208	-5.56%
n-Octadecane	50	45.7002	-8.60%	50	44.3325	-11.34%
n-Nonadecane	50	45.3412	-9.32%	50	45.7171	-8.57%
n-Eicosane	50	45.4517	-9.10%	50	46.7599	-6.48%
1-Chlorooctadecane	50	47.3315	-5.34%	50	49.3487	-1.30%
n-Docosane	50	46.4114	-7.18%	50	45.3128	-9.37%
n-Tetracosane	50	46.8882	-6.22%	50	48.0694	-3.86%
n-Hexacosane	50	47.7601	-4.48%	50	46.0641	-7.87%
n-Octacosane	50	46.938	-6.12%	50	46.0775	-7.85%
n-Triacontane	50	47.6453	-4.71%	50	47.2568	-5.49%
n-Hexatriacontane	50	37.6325	-24.74%	50	36.7208	-26.56% *
C11-C22 Aromatic Hydrocarbons	850	747.677	-12.04%	850	717.562	-15.58%
Naphthalene	50	45.7106	-8.58%	50	42.6755	-14.65%
2-Methylnaphthalene	50	45.9461	-8.11%	50	46.6447	-6.71%
2-Fluorobiphenyl	50	46.9339	-6.13%	50	47.3242	-5.35%
Acenaphthylene	50	46.3918	-7.22%	50	46.5474	-6.91%
2-Bromonaphthalene	50	49.6349	-0.73%	50	49.5149	-0.97%
Acenaphthene	50	45.629	-8.74%	50	46.2607	-7.48%
Fluorene	50	48.2834	-3.43%	50	47.0262	-5.95%
Phenanthrene	50	49.4203	-1.16%	50	48.1785	-3.64%
Anthracene	50	46.5156	-6.97%	50	47.2166	-5.57%
o-Terphenyl	50	46.6285	-6.74%	50	45.432	-9.14%
Fluoranthene	50	46.8676	-6.26%	50	47.7523	-4.50%
Pyrene	50	47.4708	-5.06%	50	46.4464	-7.11%
Benz(a)anthracene	50	50.3213	0.64%	50	47.361	-5.28%
Chrysene	50	47.054	-5.89%	50	44.6443	-10.71%
Benzo(b)fluoranthene	50	50.2325	0.47%	50	48.3364	-3.33%
Benzo(k)fluoranthene	50	47.141	-5.72%	50	41.0652	-17.87%
Benzo(a)pyrene	50	49.8798	-0.24%	50	45.6797	-8.64%
Dibenz(a,h)anthracene	50	51.1525	2.31%	50	45.1379	-9.72%
Indeno(1,2,3-cd)pyrene	50	49.9048	-0.19%	50	43.6898	-12.62%
Benzo(g,h,i)perylene	50	47.8258	-4.35%	50	42.2594	-15.48%

Number out (Initial CCV) : 0
Number out (Terminal CCV) : 1

* Maximum %Dev = 25% for Aliphatic compounds, 20% for Aromatic compounds

* Up to 4 compounds may be out on the terminal CCV

SEMIVOLATILE CONTINUING CALIBRATION SUMMARY

Instrument ID: SV-3 Analyst: kty

Aliphatic Initial Calibration File: C:\HPCHEM\1\DATA\020408\3B3211.D
Terminal Calibration File: C:\HPCHEM\1\DATA\020408\3B3222.D

Aromatic Initial Calibration File: C:\HPCHEM\1\DATA\020408\3B3212.D
Terminal Calibration File: C:\HPCHEM\1\DATA\020408\3B3223.D

ANALYTE	INITIAL CALIB			TERMINAL CALIB		
	EXPECTED	ACTUAL	%DRIFT	EXPECTED	ACTUAL	%DRIFT
C9-C18 Aliphatic Hydrocarbons	300	271.452	-9.52%	300	277.445	-7.52%
C19-C36 Aliphatic Hydrocarbons	400	341.769	-14.56%	400	335.247	-16.19%
n-Nonane	50	48.3031	-3.39%	50	47.2841	-5.43%
n-Decane	50	48.431	-3.14%	50	49.9048	-0.19%
n-Dodecane	50	47.407	-5.19%	50	49.743	-0.51%
n-Tetradecane	50	45.587	-8.83%	50	48.9997	-2.00%
n-Hexadecane	50	43.5151	-12.97%	50	45.8799	-8.24%
n-Octadecane	50	43.7615	-12.48%	50	42.6202	-14.76%
n-Nonadecane	50	42.1031	-15.79%	50	42.9287	-14.14%
n-Eicosane	50	41.7603	-16.48%	50	44.1997	-11.60%
1-Chlorooctadecane	50	44.8768	-10.25%	50	44.9967	-10.01%
n-Docosane	50	40.2892	-19.42%	50	42.0624	-15.88%
n-Tetracosane	50	42.5409	-14.92%	50	42.8139	-14.37%
n-Hexacosane	50	42.9533	-14.09%	50	42.246	-15.51%
n-Octacosane	50	44.323	-11.35%	50	41.546	-16.91%
n-Triacontane	50	44.2031	-11.59%	50	42.6595	-14.68%
n-Hexatriacontane	50	38.4205	-23.16%	50	33.6413	-32.72% *
C11-C22 Aromatic Hydrocarbons	850	743.26	-12.56%	850	708.831	-16.61%
Naphthalene	50	47.2439	-5.51%	50	47.8325	-4.33%
2-Methylnaphthalene	50	48.5082	-2.98%	50	48.5374	-2.93%
2-Fluorobiphenyl	50	48.9395	-2.12%	50	49.8492	-0.30%
Acenaphthylene	50	47.8385	-4.32%	50	48.7368	-2.53%
2-Bromonaphthalene	50	51.2054	2.41%	50	52.2037	4.41%
Acenaphthene	50	46.5962	-6.81%	50	47.835	-4.33%
Fluorene	50	48.757	-2.49%	50	49.1929	-1.61%
Phenanthrene	50	48.7527	-2.49%	50	48.6797	-2.64%
Anthracene	50	47.4049	-5.19%	50	46.6279	-6.74%
o-Terphenyl	50	46.8731	-6.25%	50	46.655	-6.69%
Fluoranthene	50	48.1788	-3.64%	50	46.4658	-7.07%
Pyrene	50	46.7718	-6.46%	50	44.691	-10.62%
Benz(a)anthracene	50	51.2967	2.59%	50	46.1189	-7.76%
Chrysene	50	45.7123	-8.58%	50	42.5352	-14.93%
Benzo(b)fluoranthene	50	49.3782	-1.24%	50	46.1335	-7.73%
Benzo(k)fluoranthene	50	46.7741	-6.45%	50	40.3275	-19.35%
Benzo(a)pyrene	50	49.888	-0.22%	50	43.4434	-13.11%
Dibenz(a,h)anthracene	50	49.4693	-1.06%	50	43.3325	-13.34%
Indeno(1,2,3-cd)pyrene	50	47.7197	-4.56%	50	42.8333	-14.33%
Benzo(g,h,i)perylene	50	46.3063	-7.39%	50	41.6644	-16.67%

Number out (Initial CCV) : 0
Number out (Terminal CCV) : 1

* Maximum %Dev = 25% for Aliphatic compounds, 20% for Aromatic compounds
* Up to 4 compounds may be out on the terminal CCV

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Project: 002914 Canton Airport

Lab Order: 0801074

Lab ID: 0801074-01

Collection Date: 1/22/08 1:00:00 PM
Collection Time:

Client Sample ID: 002914-B110S (MW)

Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
ICP METALS TOTAL SW-846		**SW6010B**				Analyst: **AL**
Barium	ND	200		µg/L	1	1/24/08 5:06:03 PM
Beryllium	ND	4.00		µg/L	1	1/24/08 5:06:03 PM
Cadmium	ND	5.00		µg/L	1	1/24/08 5:06:03 PM
Chromium	ND	10.0		µg/L	1	1/24/08 5:06:03 PM
Nickel	ND	40.0		µg/L	1	1/24/08 5:06:03 PM
Silver	ND	7.00		µg/L	1	1/24/08 5:06:03 PM
Vanadium	ND	50.0		µg/L	1	1/24/08 5:06:03 PM
Zinc	20.1	20.0		µg/L	1	1/24/08 5:06:03 PM
ARSENIC, TOTAL		**SW7060A**				Analyst: **REB**
Arsenic	ND	5.00		µg/L	1	1/30/08 12:42:22 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **AL**
Mercury	ND	0.200		µg/L	1	1/31/08 10:49:48 AM
LEAD, TOTAL		**SW7421**				Analyst: **REB**
Lead	ND	5.0		µg/L	1	1/25/08 1:25:37 PM
ANTIMONY, TOTAL		**SW7041**				Analyst: **REB**
Antimony	ND	6.0		µg/L	1	1/25/08 4:17:06 PM
SELENIUM, TOTAL		**SW7740**				Analyst: **REB**
Selenium	ND	5.0		µg/L	1	1/25/08 4:17:06 PM
THALLIUM, TOTAL		**SW7841**				Analyst: **REB**
Thallium	ND	2.0		µg/L	1	1/30/08 7:52:24 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Project: 002914 Canton Airport

Lab Order: 0801074

Lab ID: 0801074-02

Collection Date: 1/22/08 12:50:00 PM
Collection Time:

Client Sample ID: 002914-B111S (MW)

Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
ICP METALS TOTAL SW-846		**SW6010B**				Analyst: **AL**
Barium	ND	200		µg/L	1	1/24/08 5:11:46 PM
Beryllium	ND	4.00		µg/L	1	1/24/08 5:11:46 PM
Cadmium	ND	5.00		µg/L	1	1/24/08 5:11:46 PM
Chromium	ND	10.0		µg/L	1	1/24/08 5:11:46 PM
Nickel	ND	40.0		µg/L	1	1/24/08 5:11:46 PM
Silver	ND	7.00		µg/L	1	1/24/08 5:11:46 PM
Vanadium	ND	50.0		µg/L	1	1/24/08 5:11:46 PM
Zinc	23.5	20.0		µg/L	1	1/24/08 5:11:46 PM
ARSENIC, TOTAL		**SW7060A**				Analyst: **REB**
Arsenic	ND	5.00		µg/L	1	1/30/08 12:49:09 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **AL**
Mercury	ND	0.200		µg/L	1	1/31/08 11:10:00 AM
LEAD, TOTAL		**SW7421**				Analyst: **REB**
Lead	5.2	5.0		µg/L	1	1/25/08 1:33:08 PM
ANTIMONY, TOTAL		**SW7041**				Analyst: **REB**
Antimony	ND	6.0		µg/L	1	1/25/08 4:23:58 PM
SELENIUM, TOTAL		**SW7740**				Analyst: **REB**
Selenium	ND	5.0		µg/L	1	1/25/08 4:23:58 PM
THALLIUM, TOTAL		**SW7841**				Analyst: **REB**
Thallium	ND	2.0		µg/L	1	1/30/08 7:59:39 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Project: 002914 Canton Airport

Lab Order: 0801074

Lab ID: 0801074-03

Collection Date: 1/22/08 1:20:00 PM
Collection Time:

Client Sample ID: 002914-W11 (MW)

Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
ICP METALS TOTAL SW-846		**SW6010B**				Analyst: **AL**
Barium	ND	200		µg/L	1	1/24/08 5:17:31 PM
Beryllium	ND	4.00		µg/L	1	1/24/08 5:17:31 PM
Cadmium	ND	5.00		µg/L	1	1/24/08 5:17:31 PM
Chromium	ND	10.0		µg/L	1	1/24/08 5:17:31 PM
Nickel	ND	40.0		µg/L	1	1/24/08 5:17:31 PM
Silver	ND	7.00		µg/L	1	1/24/08 5:17:31 PM
Vanadium	ND	50.0		µg/L	1	1/24/08 5:17:31 PM
Zinc	1,650	20.0		µg/L	1	1/24/08 5:17:31 PM
ARSENIC, TOTAL		**SW7060A**				Analyst: **REB**
Arsenic	ND	5.00		µg/L	1	1/30/08 12:55:56 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **AL**
Mercury	ND	0.200		µg/L	1	1/31/08 11:14:04 AM
LEAD, TOTAL		**SW7421**				Analyst: **REB**
Lead	ND	5.0		µg/L	1	1/25/08 1:40:41 PM
ANTIMONY, TOTAL		**SW7041**				Analyst: **REB**
Antimony	ND	6.0		µg/L	1	1/25/08 4:31:02 PM
SELENIUM, TOTAL		**SW7740**				Analyst: **REB**
Selenium	ND	5.0		µg/L	1	1/25/08 4:31:02 PM
THALLIUM, TOTAL		**SW7841**				Analyst: **REB**
Thallium	ND	2.0		µg/L	1	1/30/08 8:06:54 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Project: 002914 Canton Airport

Lab Order: 0801074

Lab ID: 0801074-04

Collection Date: 1/22/08 2:15:00 PM
Collection Time:

Client Sample ID: 002914-B112S (MW)

Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
ICP METALS TOTAL SW-846		**SW6010B**				Analyst: **AL**
Barium	ND	200		µg/L	1	1/24/08 5:23:17 PM
Beryllium	ND	4.00		µg/L	1	1/24/08 5:23:17 PM
Cadmium	ND	5.00		µg/L	1	1/24/08 5:23:17 PM
Chromium	ND	10.0		µg/L	1	1/24/08 5:23:17 PM
Nickel	ND	40.0		µg/L	1	1/24/08 5:23:17 PM
Silver	ND	7.00		µg/L	1	1/24/08 5:23:17 PM
Vanadium	ND	50.0		µg/L	1	1/24/08 5:23:17 PM
Zinc	1,660	20.0		µg/L	1	1/24/08 5:23:17 PM
ARSENIC, TOTAL		**SW7060A**				Analyst: **REB**
Arsenic	ND	5.00		µg/L	1	1/30/08 1:02:41 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **AL**
Mercury	ND	0.200		µg/L	1	1/31/08 11:26:16 AM
LEAD, TOTAL		**SW7421**				Analyst: **REB**
Lead	ND	5.0		µg/L	1	1/25/08 2:03:58 PM
ANTIMONY, TOTAL		**SW7041**				Analyst: **REB**
Antimony	ND	6.0		µg/L	1	1/25/08 4:59:59 PM
SELENIUM, TOTAL		**SW7740**				Analyst: **REB**
Selenium	ND	5.0		µg/L	1	1/25/08 4:59:59 PM
THALLIUM, TOTAL		**SW7841**				Analyst: **REB**
Thallium	ND	2.0		µg/L	1	1/30/08 8:14:13 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Project: 002914 Canton Airport

Lab Order: 0801074

Lab ID: 0801074-05

Collection Date: 1/22/08 2:10:00 PM
Collection Time:

Client Sample ID: 002914-B109S (MW)

Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
ICP METALS TOTAL SW-846		**SW6010B**				Analyst: **AL**
Barium	ND	200		µg/L	1	1/24/08 5:28:56 PM
Beryllium	ND	4.00		µg/L	1	1/24/08 5:28:56 PM
Cadmium	ND	5.00		µg/L	1	1/24/08 5:28:56 PM
Chromium	ND	10.0		µg/L	1	1/24/08 5:28:56 PM
Nickel	ND	40.0		µg/L	1	1/24/08 5:28:56 PM
Silver	ND	7.00		µg/L	1	1/24/08 5:28:56 PM
Vanadium	ND	50.0		µg/L	1	1/24/08 5:28:56 PM
Zinc	ND	20.0		µg/L	1	1/24/08 5:28:56 PM
ARSENIC, TOTAL		**SW7060A**				Analyst: **REB**
Arsenic	ND	5.00		µg/L	1	1/30/08 1:30:36 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **AL**
Mercury	ND	0.200		µg/L	1	1/31/08 11:30:20 AM
LEAD, TOTAL		**SW7421**				Analyst: **REB**
Lead	ND	5.0		µg/L	1	1/25/08 2:11:32 PM
ANTIMONY, TOTAL		**SW7041**				Analyst: **REB**
Antimony	ND	6.0		µg/L	1	1/25/08 5:07:05 PM
SELENIUM, TOTAL		**SW7740**				Analyst: **REB**
Selenium	ND	5.0		µg/L	1	1/25/08 5:07:05 PM
THALLIUM, TOTAL		**SW7841**				Analyst: **REB**
Thallium	ND	2.0		µg/L	1	1/30/08 8:21:05 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Project: 002914 Canton Airport

Lab Order: 0801074

Lab ID: 0801074-06

Collection Date: 1/22/08 2:54:00 PM
Collection Time:

Client Sample ID: 002914-W1 (MW)

Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
ICP METALS TOTAL SW-846		**SW6010B**				Analyst: **AL**
Barium	ND	200		µg/L	1	1/24/08 5:34:32 PM
Beryllium	ND	4.00		µg/L	1	1/24/08 5:34:32 PM
Cadmium	ND	5.00		µg/L	1	1/24/08 5:34:32 PM
Chromium	ND	10.0		µg/L	1	1/24/08 5:34:32 PM
Nickel	ND	40.0		µg/L	1	1/24/08 5:34:32 PM
Silver	ND	7.00		µg/L	1	1/24/08 5:34:32 PM
Vanadium	ND	50.0		µg/L	1	1/24/08 5:34:32 PM
Zinc	93.7	20.0		µg/L	1	1/24/08 5:34:32 PM
ARSENIC, TOTAL		**SW7060A**				Analyst: **REB**
Arsenic	ND	5.00		µg/L	1	1/30/08 1:37:22 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **AL**
Mercury	ND	0.200		µg/L	1	1/31/08 11:34:25 AM
LEAD, TOTAL		**SW7421**				Analyst: **REB**
Lead	ND	5.0		µg/L	1	1/25/08 2:19:09 PM
ANTIMONY, TOTAL		**SW7041**				Analyst: **REB**
Antimony	ND	6.0		µg/L	1	1/25/08 5:13:56 PM
SELENIUM, TOTAL		**SW7740**				Analyst: **REB**
Selenium	ND	5.0		µg/L	1	1/25/08 5:13:56 PM
THALLIUM, TOTAL		**SW7841**				Analyst: **REB**
Thallium	ND	2.0		µg/L	1	1/30/08 8:28:02 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Project: 002914 Canton Airport

Lab Order: 0801074

Lab ID: 0801074-07

Collection Date: 1/22/08 3:20:00 PM
Collection Time:

Client Sample ID: 002914-B108S (MW)

Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
ICP METALS TOTAL SW-846		**SW6010B**				Analyst: **AL**
Barium	ND	200		µg/L	1	1/24/08 5:40:10 PM
Beryllium	ND	4.00		µg/L	1	1/24/08 5:40:10 PM
Cadmium	ND	5.00		µg/L	1	1/24/08 5:40:10 PM
Chromium	19.4	10.0		µg/L	1	1/24/08 5:40:10 PM
Nickel	ND	40.0		µg/L	1	1/24/08 5:40:10 PM
Silver	ND	7.00		µg/L	1	1/24/08 5:40:10 PM
Vanadium	81.5	50.0		µg/L	1	1/24/08 5:40:10 PM
Zinc	ND	20.0		µg/L	1	1/24/08 5:40:10 PM
ARSENIC, TOTAL		**SW7060A**				Analyst: **REB**
Arsenic	ND	5.00		µg/L	1	1/30/08 1:44:10 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **AL**
Mercury	ND	0.200		µg/L	1	1/31/08 11:38:31 AM
LEAD, TOTAL		**SW7421**				Analyst: **REB**
Lead	ND	5.0		µg/L	1	1/25/08 2:26:46 PM
ANTIMONY, TOTAL		**SW7041**				Analyst: **REB**
Antimony	ND	6.0		µg/L	1	1/25/08 5:20:58 PM
SELENIUM, TOTAL		**SW7740**				Analyst: **REB**
Selenium	ND	5.0		µg/L	1	1/25/08 5:20:58 PM
THALLIUM, TOTAL		**SW7841**				Analyst: **REB**
Thallium	ND	2.0		µg/L	1	1/30/08 8:35:24 PM

AMRO Environmental Laboratories Corp.

Date: *06-Feb-08*

CLIENT: GEI Consultants, Inc.
Project: 002914 Canton Airport

Lab Order: 0801074

Lab ID: 0801074-08

Collection Date: 1/22/08 3:52:00 PM
Collection Time:

Client Sample ID: 002914-B105D (MW)

Matrix: GROUNDWATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
ICP METALS TOTAL SW-846		**SW6010B**				Analyst: **AL**
Barium	ND	200		µg/L	1	1/24/08 5:56:10 PM
Beryllium	ND	4.00		µg/L	1	1/24/08 5:56:10 PM
Cadmium	ND	5.00		µg/L	1	1/24/08 5:56:10 PM
Chromium	ND	10.0		µg/L	1	1/24/08 5:56:10 PM
Nickel	ND	40.0		µg/L	1	1/24/08 5:56:10 PM
Silver	ND	7.00		µg/L	1	1/24/08 5:56:10 PM
Vanadium	ND	50.0		µg/L	1	1/24/08 5:56:10 PM
Zinc	21.1	20.0		µg/L	1	1/24/08 5:56:10 PM
ARSENIC, TOTAL		**SW7060A**				Analyst: **REB**
Arsenic	6.09	5.00		µg/L	1	1/30/08 1:51:05 PM
MERCURY, TOTAL		**SW7470A**				Analyst: **AL**
Mercury	ND	0.200		µg/L	1	1/31/08 11:42:38 AM
LEAD, TOTAL		**SW7421**				Analyst: **REB**
Lead	ND	5.0		µg/L	1	1/25/08 2:34:24 PM
ANTIMONY, TOTAL		**SW7041**				Analyst: **REB**
Antimony	ND	6.0		µg/L	1	1/25/08 5:28:01 PM
SELENIUM, TOTAL		**SW7740**				Analyst: **REB**
Selenium	ND	5.0		µg/L	1	1/25/08 5:28:01 PM
THALLIUM, TOTAL		**SW7841**				Analyst: **REB**
Thallium	ND	2.0		µg/L	1	1/30/08 8:42:22 PM

AMRO Environmental Laboratories Corp.

Date: *04-Feb-08*

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Method Blank

Sample ID: **mb-18038** Batch ID: **18038** Test Code: **SW6010B** Units: **µg/L** Analysis Date: **1/24/2008 3:45:39 PM** Prep Date: **1/24/2008**
Client ID: Run ID: **ICP-OPTIMA_080124A** SeqNo: **654117**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Barium	ND	200	µg/L									
Beryllium	ND	4.0	µg/L									
Cadmium	ND	4.0	µg/L									
Chromium	ND	10	µg/L									
Nickel	ND	40	µg/L									
Silver	ND	7.0	µg/L									
Vanadium	ND	50	µg/L									
Zinc	ND	20	µg/L									

Sample ID: **MB-18038** Batch ID: **18038** Test Code: **SW7060A** Units: **µg/L** Analysis Date: **1/30/2008 10:53:20 AM** Prep Date: **1/24/2008**
Client ID: Run ID: **GFAA-6000_080130A** SeqNo: **654838**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Arsenic	ND	5.0	µg/L									

Sample ID: **mb-18055** Batch ID: **18055** Test Code: **SW7470A** Units: **µg/L** Analysis Date: **1/31/2008 10:37:47 AM** Prep Date: **1/29/2008**
Client ID: Run ID: **HG-FIMS_080131A** SeqNo: **655101**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Mercury	ND	0.20	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit
S - Spike Recovery outside accepted recovery limits
B - Analyte detected in the associated Method Blank
J - Analyte detected below quantitation limits
R - RPD outside accepted recovery limits
NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *04-Feb-08*

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Method Blank

Sample ID: **MB-18038** Batch ID: **18038** Test Code: **SW7421** Units: **µg/L** Analysis Date: **1/25/2008 11:25:50 AM** Prep Date: **1/24/2008**
Client ID: Run ID: **GFAA-4100_080125A** SeqNo: **654471**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Lead	ND	5.0	µg/L									

Sample ID: **MB-18038** Batch ID: **18038** Test Code: **SW7041** Units: **µg/L** Analysis Date: **1/25/2008 1:46:50 PM** Prep Date: **1/24/2008**
Client ID: Run ID: **GFAA-6000_080125A** SeqNo: **654401**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Antimony	ND	6.0	µg/L									

Sample ID: **MB-18038** Batch ID: **18038** Test Code: **SW7740** Units: **µg/L** Analysis Date: **1/25/2008 1:46:50 PM** Prep Date: **1/24/2008**
Client ID: Run ID: **GFAA-6000_080125B** SeqNo: **654433**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Selenium	ND	5.0	µg/L									

Sample ID: **MB-18038** Batch ID: **R39151** Test Code: **SW7841** Units: **µg/L** Analysis Date: **1/30/2008 6:11:58 PM** Prep Date:
Client ID: Run ID: **GFAA-6000_080130C** SeqNo: **654881**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Thallium	ND	2.0	µg/L									

Qualifiers: ND - Not Detected at the Reporting Limit; S - Spike Recovery outside accepted recovery limits; B - Analyte detected in the associated Method Blank
J - Analyte detected below quantitation limits; R - RPD outside accepted recovery limits; NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *04-Feb-08*

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID: **Ics-18038** Batch ID: **18038** Test Code: **SW6010B** Units: **µg/L** Analysis Date: **1/24/2008 3:50:03 PM** Prep Date: **1/24/2008**

Client ID: Run ID: **ICP-OPTIMA_080124A** SeqNo: **654118**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Barium	3931	200	µg/L	4028	0	97.6	80	120	0			
Beryllium	762	4.0	µg/L	797	0	95.6	80	120	0			
Cadmium	775.8	4.0	µg/L	800	0	97	80	120	0			
Chromium	3850	10	µg/L	3976	0	96.8	80	120	0			
Nickel	3932	40	µg/L	3984	0	98.7	80	120	0			
Silver	381	7.0	µg/L	400	0	95.2	80	120	0			
Vanadium	3911	50	µg/L	4000	0	97.8	80	120	0			
Zinc	3847	20	µg/L	3984	0	96.6	80	120	0			

Sample ID: **Icsd-18038** Batch ID: **18038** Test Code: **SW6010B** Units: **µg/L** Analysis Date: **1/24/2008 3:55:53 PM** Prep Date: **1/24/2008**

Client ID: Run ID: **ICP-OPTIMA_080124A** SeqNo: **654119**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Barium	3960	200	µg/L	4028	0	98.3	80	120	3931	0.738	20	
Beryllium	765.8	4.0	µg/L	797	0	96.1	80	120	762	0.496	20	
Cadmium	781.3	4.0	µg/L	800	0	97.7	80	120	775.8	0.711	20	
Chromium	3869	10	µg/L	3976	0	97.3	80	120	3850	0.481	20	
Nickel	3959	40	µg/L	3984	0	99.4	80	120	3932	0.679	20	
Silver	385.1	7.0	µg/L	400	0	96.3	80	120	381	1.08	20	
Vanadium	3923	50	µg/L	4000	0	98.1	80	120	3911	0.309	20	
Zinc	3879	20	µg/L	3984	0	97.4	80	120	3847	0.825	20	

Qualifiers: ND - Not Detected at the Reporting Limit; S - Spike Recovery outside accepted recovery limits; B - Analyte detected in the associated Method Blank; J - Analyte detected below quantitation limits; R - RPD outside accepted recovery limits; NA - Not applicable where J values or ND results occur; RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *04-Feb-08*

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID: **LCS-18038** Batch ID: **18038** Test Code: **SW7060A** Units: **µg/L** Analysis Date: **1/30/2008 10:59:52 AM** Prep Date: **1/24/2008**
Client ID: Run ID: **GFAA-6000_080130A** SeqNo: **654839**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Arsenic	27.14	5.0	µg/L	25	0	109	80	120	0			

Sample ID: **LCSD-18038** Batch ID: **18038** Test Code: **SW7060A** Units: **µg/L** Analysis Date: **1/30/2008 11:06:33 AM** Prep Date: **1/24/2008**
Client ID: Run ID: **GFAA-6000_080130A** SeqNo: **654840**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Arsenic	27.99	5.0	µg/L	25	0	112	80	120	27.14	3.1	20	

Sample ID: **lcs-18055** Batch ID: **18055** Test Code: **SW7470A** Units: **µg/L** Analysis Date: **1/31/2008 10:41:46 AM** Prep Date: **1/29/2008**
Client ID: Run ID: **HG-FIMS_080131A** SeqNo: **655102**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Mercury	4.051	0.20	µg/L	4	0	101	80	120	0			

Sample ID: **lcsd-18055** Batch ID: **18055** Test Code: **SW7470A** Units: **µg/L** Analysis Date: **1/31/2008 10:45:46 AM** Prep Date: **1/29/2008**
Client ID: Run ID: **HG-FIMS_080131A** SeqNo: **655103**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Mercury	3.934	0.20	µg/L	4	0	98.3	80	120	4.051	2.93	20	

Qualifiers: ND - Not Detected at the Reporting Limit; S - Spike Recovery outside accepted recovery limits; B - Analyte detected in the associated Method Blank; J - Analyte detected below quantitation limits; R - RPD outside accepted recovery limits; NA - Not applicable where J values or ND results occur; RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *04-Feb-08*

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID: **LCS-18038** Batch ID: **18038** Test Code: **SW7421** Units: **µg/L** Analysis Date: **1/25/2008 11:33:07 AM** Prep Date: **1/24/2008**
Client ID: Run ID: **GFAA-4100_080125A** SeqNo: **654472**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Lead	26.84	5.0	µg/L	25	0	107	80	120	0			

Sample ID: **LCSD-18038** Batch ID: **18038** Test Code: **SW7421** Units: **µg/L** Analysis Date: **1/25/2008 11:40:26 AM** Prep Date: **1/24/2008**
Client ID: Run ID: **GFAA-4100_080125A** SeqNo: **654473**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Lead	26.9	5.0	µg/L	25	0	108	80	120	26.84	0.216	20	

Sample ID: **LCS-18038** Batch ID: **18038** Test Code: **SW7041** Units: **µg/L** Analysis Date: **1/25/2008 1:53:53 PM** Prep Date: **1/24/2008**
Client ID: Run ID: **GFAA-6000_080125A** SeqNo: **654402**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Antimony	25.83	6.0	µg/L	25	0	103	80	120	0			

Sample ID: **LCSD-18038** Batch ID: **18038** Test Code: **SW7041** Units: **µg/L** Analysis Date: **1/25/2008 2:00:30 PM** Prep Date: **1/24/2008**
Client ID: Run ID: **GFAA-6000_080125A** SeqNo: **654403**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Antimony	27.07	6.0	µg/L	25	0	108	80	120	25.83	4.69	20	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank
NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: *04-Feb-08*

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID: **LCS-18038** Batch ID: **18038** Test Code: **SW7740** Units: **µg/L** Analysis Date: **1/25/2008 1:53:53 PM** Prep Date: **1/24/2008**
Client ID: Run ID: **GFAA-6000_080125B** SeqNo: **654434**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Selenium	22.82	5.0	µg/L	25	0	91.3	80	120	0			

Sample ID: **LCSD-18038** Batch ID: **18038** Test Code: **SW7740** Units: **µg/L** Analysis Date: **1/25/2008 2:00:30 PM** Prep Date: **1/24/2008**
Client ID: Run ID: **GFAA-6000_080125B** SeqNo: **654435**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Selenium	25.14	5.0	µg/L	25	0	101	80	120	22.82	9.69	20	

Sample ID: **LCS-18038** Batch ID: **R39151** Test Code: **SW7841** Units: **µg/L** Analysis Date: **1/30/2008 6:18:38 PM** Prep Date:
Client ID: Run ID: **GFAA-6000_080130C** SeqNo: **654882**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Thallium	25.38	2.0	µg/L	25	0	102	80	120	0			

Sample ID: **LCSD-18038** Batch ID: **R39151** Test Code: **SW7841** Units: **µg/L** Analysis Date: **1/30/2008 6:25:48 PM** Prep Date:
Client ID: Run ID: **GFAA-6000_080130C** SeqNo: **654883**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Thallium	25.86	2.0	µg/L	25	0	103	80	120	24.39	5.85	20	

Qualifiers: ND - Not Detected at the Reporting Limit; S - Spike Recovery outside accepted recovery limits; B - Analyte detected in the associated Method Blank; J - Analyte detected below quantitation limits; R - RPD outside accepted recovery limits; NA - Not applicable where J values or ND results occur; RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *04-Feb-08*

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Sample Matrix Spike

Sample ID: **0801074-01ems** Batch ID: **18055** Test Code: **SW7470A** Units: **µg/L** Analysis Date: **1/31/2008 11:01:54 AM** Prep Date: **1/29/2008**
Client ID: **002914-B110S (M** Run ID: **HG-FIMS_080131A** SeqNo: **655107**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Mercury	4.204	0.20	µg/L	4	0.08052	103	75	125	0			

Sample ID: **0801074-01emsd** Batch ID: **18055** Test Code: **SW7470A** Units: **µg/L** Analysis Date: **1/31/2008 11:05:56 AM** Prep Date: **1/29/2008**
Client ID: **002914-B110S (M** Run ID: **HG-FIMS_080131A** SeqNo: **655108**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Mercury	4.167	0.20	µg/L	4	0.08052	102	75	125	4.204	0.87	20	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank
NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *04-Feb-08*

CLIENT: GEI Consultants, Inc.
Work Order: 0801074
Project: 002914 Canton Airport

QC SUMMARY REPORT

Sample Duplicate

Sample ID: **0801074-01ed** Batch ID: **18055** Test Code: **SW7470A** Units: **µg/L** Analysis Date: **1/31/2008 10:57:51 AM** Prep Date: **1/29/2008**

Client ID: **002914-B110S (M** Run ID: **HG-FIMS_080131A** SeqNo: **655106**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Mercury	0.05892	0.20	µg/L	0	0	0	0	0	0.08052	31	20	JR

Qualifiers: ND - Not Detected at the Reporting Limit; S - Spike Recovery outside accepted recovery limits; B - Analyte detected in the associated Method Blank; J - Analyte detected below quantitation limits; R - RPD outside accepted recovery limits; NA - Not applicable where J values or ND results occur; RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.