From: Frentzel, Janet [mailto:JFrentzel@prologis.com]
Sent: Wednesday, November 27, 2013 12:55 PM
To: Deschambault, Lynda
Cc: Berninger, Stephen; Olinger, Keith; Tom.Perina@CH2M.com; Chen, Chris
Subject: RE: Cr6 and Los Nietos Site C December 3rd at 10

Hi Lynda,

Thanks for the follow up and sorry we missed each other (again!). I apologize for not getting back to you sooner, but I have been assembling the information you had requested.

Per your request, I am providing you with the following documents for the Los Nietos site:

1. Excel data and lab data sheets from the Los Nietos voluntary March 2013 sampling event (the parameters analyzed were based off your initial requested in 2012).
2. Excel spreadsheets for historic Los Nietos data for both VOCs and metals (the 2013 data was also added to the spreadsheets for convenience).
3. Available well construction data for the wells on the Los Nietos property.

As you will see in the data, we have had some years where some wells were dry and we could not collect groundwater samples. This was the case again with some of the wells during the March 2013 event.

As we had discussed on the phone, my intent for our upcoming discussion was really just to understand how long EPA will want the voluntary monitoring program to continue. I understood from you that you needed to discuss that with Steve, but if you can provide that answer via email or telephone, I am not sure we will need a full meeting to discuss. I certainly do want to be considerate of everyone's time.

Thanks very much, and Happy Thanksgiving everyone.

Janet

From: Deschambault, Lynda [mailto:Deschambault.Lynda@epa.gov]
Sent: Wednesday, November 27, 2013 12:21 PM
To: Deschambault, Lynda; Frentzel, Janet
Cc: Berninger, Stephen; Olinger, Keith; Tom.Perina@CH2M.com; Chen, Chris
Subject: RE: Cr6 and Los Nietos Site C December 3rd at 10

Hello Janet,
per our emails, and my voice mail today---
I am confirming your visit for December 3rd at 10am for a smaller sized group (myself, keith Olinger and Steve Berninger)

If you have technical materials to present, it would be great to get those in advance of the meeting!

Lynda

From: Deschambault, Lynda
Sent: Wednesday, November 13, 2013 5:46 PM
To: 'Frentzel, Janet'
Cc: Berninger, Stephen; Olinger, Keith; Tom.Perina@CH2M.com; Chen, Chris
Subject: RE: Cr6 and Los Nietos Site C

Yes, we can get a conference room and meet at our office located at 75 Hawthorne.

- Is there an agenda or specific topics/questions you'd like to propose?
- Also, If you are planning to attend in person, can you set up a gotomeeting so that our Hill contractor can participate by phone and follow along with your technical presentation materials?

Lynda

From: Frentzel, Janet [mailto:JFrentzel@prologis.com]
Sent: Wednesday, November 13, 2013 3:37 PM
To: Deschambault, Lynda
Cc: Berninger, Stephen; Olinger, Keith; Tom.Perina@CH2M.com; Chen, Chris
Subject: RE: Cr6 and Los Nietos Site C

Hi Lynda,

Currently I believe it will just be Chris Chen, our internal counsel, and myself. I presume we will meet at your office? I will forward an agenda as the meeting gets closer.

Thanks,
Janet

From: Deschambault, Lynda [mailto:Deschambault.Lynda@epa.gov]
Sent: Wednesday, November 13, 2013 10:26 AM
To: Frentzel, Janet
Cc: Berninger, Stephen; Olinger, Keith; Tom.Perina@CH2M.com; Chen, Chris
Subject: RE: Cr6 and Los Nietos Site C

Great, It looks like December 3rd at 10 is good for us.
Could you clarify who is attending and the participants? Is there an agenda or specific topics/questions you'd like to propose?
Also, If you are planning to attend in person, can you set up a gotomeeting so that our Hill contractor can participate by phone and follow along with your technical presentation materials?

Lynda

From: Frentzel, Janet [mailto:JFrentzel@prologis.com]
Sent: Wednesday, November 13, 2013 9:58 AM
To: Deschambault, Lynda
Cc: Berninger, Stephen; Olinger, Keith; Tom.Perina@CH2M.com; Chen, Chris
Subject: RE: Cr6 and Los Nietos Site C

Hi Lynda,

Thanks for the follow up. I have spoken with Chris and we are available to meet on Tuesday, December 3 between 10 and 11:30, or between 1:30 and 3:30; alternatively Wednesday, December 4th is relatively open after 10 a.m. Do any of those times work for your team?

From: Deschambault, Lynda [mailto:Deschambault.Lynda@epa.gov]
Sent: Wednesday, November 13, 2013 9:16 AM
To: Deschambault, Lynda; Frentzel, Janet
Cc: Berninger, Stephen; Olinger, Keith; Tom.Perina@CH2M.com; Chen, Chris
Subject: RE: Cr6 and Los Nietos Site C

Hi Janet,

As calendars are filling up, I wanted to check to see if you could provide further details/ suggested dates you might be available?

Lynda

From: Deschambault, Lynda
Sent: Wednesday, November 06, 2013 9:18 AM
To: 'Frentzel, Janet'
Cc: Berninger, Stephen; Olinger, Keith; Tom.Perina@CH2M.com; Chen, Chris
Subject: RE: Cr6 and Los Nietos Site C

Hi Janet,
we have some folks out the week of Thanksgiving,
but the first week of December could work. Do you have some preferred dates and times?

In the meantime, could you please go ahead and provide the raw data to us in an excel spreadsheet? I've attached a sample format for you to consider.

Also, could you clarify if you are also associated with Site A (aka the Chrysler Site), Palmtree Acquisition Corp?

And per my September 6th email:

Could you please provide us with the missing information I've highlighted in yellow? Thanks!

Best Regards,

Lynda Deschambault
Environmental Scientist
USEPA Region 09
(415) 947-4183

Maribel
Castro

AMB Property Corporation
17777 Center Court Drive Suite 100
Cerritos, Ca 90703.
Phone?
Email?

RP representative:
Ms. Janet K. Frentzel
Address?
415-733-9431
jfrentzel@amb.com

Consultant:
URS
Scott Lin
2870 Gateway Oaks Drive Suite 150
Sacramento, CA 95833
(916) 679-2326
Scott_linurscorp.com

From: Frentzel, Janet [mailto:JFrentzel@prologis.com]
Sent: Thursday, October 31, 2013 3:29 PM
To: Deschambault, Lynda
Cc: Berninger, Stephen; Olinger, Keith; Tom.Perina@CH2M.com; Chen, Chris
Subject: RE: Cr6 and Los Nietos

Hi Lynda,

I have checked with our counsel and unfortunately she is in China until Nov. 22nd – she gets in late morning that Friday. Is it possible to push our meeting to the week of the 25th or preferably the first week of December?

Thanks,
Janet

From: Deschambault, Lynda [mailto:Deschambault.Lynda@epa.gov]
Sent: Wednesday, October 30, 2013 10:31 AM
To: Frentzel, Janet
Cc: Berninger, Stephen; Olinger, Keith; Tom.Perina@CH2M.com
Subject: FW: Cr6 and Los Nietos

Hello Janet,

Per our call yesterday, I checked in with Steve Berninger on possible dates to do a call /meeting with you and your legal counsel.
These are possible options:

Wed Nov6: 2-4pm
Thu Nov7: 2-4pm
Fri Nov8: Day is pretty full
Mon Nov 11: 10 am or 1 or 3pm
Tu Nov 12: 11 or 2-4 is open

Best Regards,

Lynda Deschambault
Environmental Scientist
USEPA Region 09
(415) 947-4183

Calscience Environmental Laboratories, Inc.

CALSCIENCE

WORK ORDER NUMBER: 13-03-0033

The difference is service

AIR | SOIL | WATER | MARINE CHEMISTRY

Analytical Report For

Client: URS Corporation

Client Project Name: Los Nietos Business Park

Attention: Scott Allin
2870 Gateway Oaks Drive, Suite 300
Sacramento, CA 95833-4324

Vikas Patel

Approved for release on 03/15/2013 by:
Vikas Patel
Project Manager

ResultLink

Email your PM

Accredited in accordance with nelac

Calscience Environmental Laboratories, Inc. (Calscience) certifies that the test results provided in this report meet all NELAC requirements for parameters for which accreditation is required or available. Any exceptions to NELAC requirements are noted in the case narrative. The original report of subcontracted analyses, if any, is attached to this report. The results in this report are limited to the sample(s) tested and any reproduction thereof must be made in its entirety. The client or recipient of this report is specifically prohibited from making material changes to said report and, to the extent that such changes are made, Calscience is not responsible, legally or otherwise. The client or recipient agrees to indemnify Calscience for any defense to any litigation which may arise.

Calscience Environmental Laboratories, Inc.

Contents

Client Project Name: Los Nietos Business Park
Work Order Number: 13-03-0033

1 Detections Summary 3

2 Client Sample Data 6
2.1 EPA 218.6 Chromium VI (Aqueous) 6
2.2 EPA 504.1 EDB and DBCP (Aqueous) 7
2.3 1,4-Dioxane by 8270C(M) Isotope Dilution (Aqueous) 8
2.4 EPA 8260B Volatile Organics (Aqueous) 9
2.5 EPA 6020 ICP/MS Metals (Aqueous) 13
2.6 EPA 6010B ICP Metals (Aqueous) 15

3 Quality Control Sample Data 16
3.1 MS/MSD and/or Duplicate 16
3.2 LCS/LCSD 24

4 Glossary of Terms and Qualifiers 32

5 Chain of Custody/Sample Receipt Form 33

Calscience Environmental Laboratories, Inc.

Client:	URS Corporation 2870 Gateway Oaks Drive, Suite 300 Sacramento, CA 95833-4324	Work Order:	13-03-0033
		Project name:	Los Nietos Business Park
		Received:	03/01/13 14:11
Attn:	Scott Allin		

DETECTIONS SUMMARY

Client Sample ID Analyte	Result	Qualifiers	Reporting Limit	Units	Method	Extraction
MW3 (13-03-0033-1)						
Silicon	14.9		0.0500	mg/L	EPA 6010B	EPA 3010A Total
Barium	0.0334		0.00100	mg/L	EPA 6020	EPA 3020A Total
Chromium	0.00729		0.00100	mg/L	EPA 6020	EPA 3020A Total
Cobalt	0.00144		0.00100	mg/L	EPA 6020	EPA 3020A Total
Copper	0.00184		0.00100	mg/L	EPA 6020	EPA 3020A Total
Molybdenum	0.00119		0.00100	mg/L	EPA 6020	EPA 3020A Total
Nickel	0.00891		0.00100	mg/L	EPA 6020	EPA 3020A Total
Vanadium	0.00138		0.00100	mg/L	EPA 6020	EPA 3020A Total
Zinc	0.0174		0.00500	mg/L	EPA 6020	EPA 3020A Total
Manganese	0.00262		0.00100	mg/L	EPA 6020	EPA 3020A Total
Strontium	0.948		0.00100	mg/L	EPA 6020	EPA 3020A Total
Titanium	0.00429		0.00100	mg/L	EPA 6020	EPA 3020A Total
Boron	0.452		0.0500	mg/L	EPA 6020	EPA 3020A Total
Calcium	172		0.100	mg/L	EPA 6020	EPA 3020A Total
Iron	0.0552		0.0500	mg/L	EPA 6020	EPA 3020A Total
Magnesium	42.1		0.100	mg/L	EPA 6020	EPA 3020A Total
Potassium	4.43		0.100	mg/L	EPA 6020	EPA 3020A Total
Sodium	109		0.100	mg/L	EPA 6020	EPA 3020A Total
Selenium	0.00527		0.00100	mg/L	EPA 6020	EPA 3020A Total
Chromium, Hexavalent	6.6		0.20	ug/L	EPA 218.6	Filtered
1,4-Dioxane	16		1.0	ug/L	EPA 8270C(M) Isotope Dilution	EPA 3520C
Chloroform	3.7		0.50	ug/L	EPA 8260B	EPA 5030C
1,1-Dichloroethane	2.8		0.50	ug/L	EPA 8260B	EPA 5030C
1,2-Dichloroethane	0.56		0.50	ug/L	EPA 8260B	EPA 5030C
1,1-Dichloroethene	18		0.50	ug/L	EPA 8260B	EPA 5030C
c-1,2-Dichloroethene	1.4		0.50	ug/L	EPA 8260B	EPA 5030C
Tetrachloroethene	49		2.0	ug/L	EPA 8260B	EPA 5030C
1,1,2-Trichloro-1,2,2-Trifluoroethane	6.4		0.50	ug/L	EPA 8260B	EPA 5030C
Trichloroethene	36		0.50	ug/L	EPA 8260B	EPA 5030C
Trichlorofluoromethane	3.0		0.50	ug/L	EPA 8260B	EPA 5030C

*MDL is shown.

Return to Contents

Calscience Environmental Laboratories, Inc.

Client:	URS Corporation 2870 Gateway Oaks Drive, Suite 300 Sacramento, CA 95833-4324	Work Order:	13-03-0033
		Project name:	Los Nietos Business Park
		Received:	03/01/13 14:11
Attn:	Scott Allin		

DETECTIONS SUMMARY

Client Sample ID Analyte	Result	Qualifiers	Reporting Limit	Units	Method	Extraction
MW1 (13-03-0033-2)						
Silicon	20.1		0.0500	mg/L	EPA 6010B	EPA 3010A Total
Arsenic	0.00168		0.00100	mg/L	EPA 6020	EPA 3020A Total
Barium	0.0544		0.00100	mg/L	EPA 6020	EPA 3020A Total
Chromium	0.0161		0.00100	mg/L	EPA 6020	EPA 3020A Total
Cobalt	0.00202		0.00100	mg/L	EPA 6020	EPA 3020A Total
Copper	0.00516		0.00100	mg/L	EPA 6020	EPA 3020A Total
Lead	0.00134		0.00100	mg/L	EPA 6020	EPA 3020A Total
Molybdenum	0.00134		0.00100	mg/L	EPA 6020	EPA 3020A Total
Nickel	0.00865		0.00100	mg/L	EPA 6020	EPA 3020A Total
Vanadium	0.00806		0.00100	mg/L	EPA 6020	EPA 3020A Total
Zinc	0.0182		0.00500	mg/L	EPA 6020	EPA 3020A Total
Aluminum	1.41		0.0500	mg/L	EPA 6020	EPA 3020A Total
Manganese	0.0742		0.00100	mg/L	EPA 6020	EPA 3020A Total
Strontium	0.973		0.00100	mg/L	EPA 6020	EPA 3020A Total
Titanium	0.139		0.00100	mg/L	EPA 6020	EPA 3020A Total
Boron	0.263		0.0500	mg/L	EPA 6020	EPA 3020A Total
Calcium	173		0.100	mg/L	EPA 6020	EPA 3020A Total
Iron	2.81		0.0500	mg/L	EPA 6020	EPA 3020A Total
Magnesium	41.8		0.100	mg/L	EPA 6020	EPA 3020A Total
Potassium	4.67		0.100	mg/L	EPA 6020	EPA 3020A Total
Sodium	101		0.100	mg/L	EPA 6020	EPA 3020A Total
Selenium	0.00308		0.00100	mg/L	EPA 6020	EPA 3020A Total
Chromium, Hexavalent	13		0.20	ug/L	EPA 218.6	Filtered
1,4-Dioxane	13		1.0	ug/L	EPA 8270C(M) Isotope Dilution	EPA 3520C
Chloroform	3.2		0.50	ug/L	EPA 8260B	EPA 5030C
1,1-Dichloroethane	37		0.50	ug/L	EPA 8260B	EPA 5030C
1,2-Dichloroethane	0.58		0.50	ug/L	EPA 8260B	EPA 5030C
1,1-Dichloroethene	47		2.0	ug/L	EPA 8260B	EPA 5030C
c-1,2-Dichloroethene	17		0.50	ug/L	EPA 8260B	EPA 5030C
1,2-Dichloropropane	61		2.0	ug/L	EPA 8260B	EPA 5030C
Tetrachloroethene	33		0.50	ug/L	EPA 8260B	EPA 5030C
1,1,2-Trichloro-1,2,2-Trifluoroethane	3.0		0.50	ug/L	EPA 8260B	EPA 5030C
Trichloroethene	42		2.0	ug/L	EPA 8260B	EPA 5030C
Trichlorofluoromethane	3.1		0.50	ug/L	EPA 8260B	EPA 5030C

*MDL is shown.

Return to Contents

Calscience Environmental Laboratories, Inc.

Client:	URS Corporation 2870 Gateway Oaks Drive, Suite 300 Sacramento, CA 95833-4324	Work Order:	13-03-0033
		Project name:	Los Nietos Business Park
		Received:	03/01/13 14:11
Attn:	Scott Allin		

DETECTIONS SUMMARY

Client Sample ID Analyte	Result	Qualifiers	Reporting Limit	Units	Method	Extraction
MW4 (13-03-0033-3)						
Silicon	13.1		0.0500	mg/L	EPA 6010B	EPA 3010A Total
Barium	0.0457		0.00100	mg/L	EPA 6020	EPA 3020A Total
Cadmium	0.00412		0.00100	mg/L	EPA 6020	EPA 3020A Total
Chromium	0.00542		0.00100	mg/L	EPA 6020	EPA 3020A Total
Cobalt	0.00413		0.00100	mg/L	EPA 6020	EPA 3020A Total
Copper	0.0111		0.00100	mg/L	EPA 6020	EPA 3020A Total
Molybdenum	0.00301		0.00100	mg/L	EPA 6020	EPA 3020A Total
Nickel	0.0163		0.00100	mg/L	EPA 6020	EPA 3020A Total
Zinc	0.0402		0.00500	mg/L	EPA 6020	EPA 3020A Total
Aluminum	0.318		0.0500	mg/L	EPA 6020	EPA 3020A Total
Manganese	0.0343		0.00100	mg/L	EPA 6020	EPA 3020A Total
Strontium	1.56		0.00100	mg/L	EPA 6020	EPA 3020A Total
Titanium	0.0304		0.00100	mg/L	EPA 6020	EPA 3020A Total
Boron	0.382		0.0500	mg/L	EPA 6020	EPA 3020A Total
Calcium	234		0.100	mg/L	EPA 6020	EPA 3020A Total
Iron	0.618		0.0500	mg/L	EPA 6020	EPA 3020A Total
Magnesium	62.0		0.100	mg/L	EPA 6020	EPA 3020A Total
Potassium	3.99		0.100	mg/L	EPA 6020	EPA 3020A Total
Sodium	114		0.100	mg/L	EPA 6020	EPA 3020A Total
Selenium	0.00948		0.00100	mg/L	EPA 6020	EPA 3020A Total
Chromium, Hexavalent	2.9		0.20	ug/L	EPA 218.6	Filtered
1,4-Dioxane	25		1.0	ug/L	EPA 8270C(M) Isotope Dilution	EPA 3520C
Chloroform	3.6		0.50	ug/L	EPA 8260B	EPA 5030C
1,1-Dichloroethane	2.3		0.50	ug/L	EPA 8260B	EPA 5030C
1,2-Dichloroethane	0.85		0.50	ug/L	EPA 8260B	EPA 5030C
1,1-Dichloroethene	15		0.50	ug/L	EPA 8260B	EPA 5030C
c-1,2-Dichloroethene	1.8		0.50	ug/L	EPA 8260B	EPA 5030C
Tetrachloroethene	55		2.0	ug/L	EPA 8260B	EPA 5030C
1,1,2-Trichloro-1,2,2-Trifluoroethane	1.9		0.50	ug/L	EPA 8260B	EPA 5030C
Trichloroethene	36		0.50	ug/L	EPA 8260B	EPA 5030C
Trichlorofluoromethane	1.3		0.50	ug/L	EPA 8260B	EPA 5030C

Subcontracted analyses, if any, are not included in this summary.

*MDL is shown.

Return to Contents

Calscience Environmental Laboratories, Inc.

Analytical Report

ACCREDITED IN ACCORDANCE WITH nelac

URS Corporation
2870 Gateway Oaks Drive, Suite 300
Sacramento, CA 95833-4324

Date Received:	03/01/13
Work Order No:	13-03-0033
Preparation:	Filtered
Method:	EPA 218.6

Project: Los Nietos Business Park

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW3	**13-03-0033-1-G**	**03/01/13 12:15**	**Aqueous**	**IC 14**	**03/01/13**	**03/01/13 15:11**	**130301L01**

Parameter	Result	RL	DF	Qual	Units
Chromium, Hexavalent	6.6	0.20	1		ug/L

MW1	**13-03-0033-2-G**	**03/01/13 12:45**	**Aqueous**	**IC 14**	**03/01/13**	**03/01/13 15:27**	**130301L01**

Parameter	Result	RL	DF	Qual	Units
Chromium, Hexavalent	13	0.20	1		ug/L

MW4	**13-03-0033-3-G**	**03/01/13 13:20**	**Aqueous**	**IC 14**	**03/01/13**	**03/01/13 15:43**	**130301L01**

Parameter	Result	RL	DF	Qual	Units
Chromium, Hexavalent	2.9	0.20	1		ug/L

Method Blank	**099-05-124-1,533**	**N/A**	**Aqueous**	**IC 14**	**03/01/13**	**03/01/13 12:53**	**130301L01**

Parameter	Result	RL	DF	Qual	Units
Chromium, Hexavalent	ND	0.20	1		ug/L

Return to Contents

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

ACCREDITED IN ACCORDANCE WITH nelac

URS Corporation
2870 Gateway Oaks Drive, Suite 300
Sacramento, CA 95833-4324

Date Received:	03/01/13
Work Order No:	13-03-0033
Preparation:	EPA 504.1 Ext.
Method:	EPA 504.1
Units:	ug/L

Project: Los Nietos Business Park

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW3	**13-03-0033-1-F**	**03/01/13 12:15**	**Aqueous**	**GC 40**	**03/06/13**	**03/06/13 23:28**	**130306L11**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
1,2-Dibromoethane	ND	0.010	1		1,2-Dibromo-3-Chloropropane	ND	0.010	1	

MW1	**13-03-0033-2-F**	**03/01/13 12:45**	**Aqueous**	**GC 40**	**03/06/13**	**03/06/13 23:51**	**130306L11**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
1,2-Dibromoethane	ND	0.010	1		1,2-Dibromo-3-Chloropropane	ND	0.010	1	

MW4	**13-03-0033-3-F**	**03/01/13 13:20**	**Aqueous**	**GC 40**	**03/06/13**	**03/07/13 00:15**	**130306L11**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
1,2-Dibromoethane	ND	0.010	1		1,2-Dibromo-3-Chloropropane	ND	0.010	1	

Method Blank	**099-12-520-381**	**N/A**	**Aqueous**	**GC 40**	**03/06/13**	**03/06/13 22:17**	**130306L11**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
1,2-Dibromoethane	ND	0.010	1		1,2-Dibromo-3-Chloropropane	ND	0.010	1	

Return to Contents

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

URS Corporation		Date Received:	03/01/13
2870 Gateway Oaks Drive, Suite 300		Work Order No:	13-03-0033
Sacramento, CA 95833-4324		Preparation:	EPA 3520C
		Method:	EPA 8270C(M) Isotope Dilution
Project: Los Nietos Business Park			Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW3	**13-03-0033-1-I**	**03/01/13 12:15**	**Aqueous**	**GC/MS DDD**	**03/05/13**	**03/12/13 12:06**	**130305L03**

Parameter	Result	RL	DF	Qual	Units
1,4-Dioxane	16	1.0	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
Nitrobenzene-d5	85	56-123	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW1	**13-03-0033-2-I**	**03/01/13 12:45**	**Aqueous**	**GC/MS DDD**	**03/05/13**	**03/12/13 12:28**	**130305L03**

Parameter	Result	RL	DF	Qual	Units
1,4-Dioxane	13	1.0	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
Nitrobenzene-d5	86	56-123	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW4	**13-03-0033-3-I**	**03/01/13 13:20**	**Aqueous**	**GC/MS DDD**	**03/05/13**	**03/12/13 12:48**	**130305L03**

Parameter	Result	RL	DF	Qual	Units
1,4-Dioxane	25	1.0	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
Nitrobenzene-d5	84	56-123	

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	**099-09-004-2,205**	**N/A**	**Aqueous**	**GC/MS DDD**	**03/05/13**	**03/06/13 15:17**	**130305L03**

Parameter	Result	RL	DF	Qual	Units
1,4-Dioxane	ND	1.0	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
Nitrobenzene-d5	96	56-123	

Return to Contents

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

ACCREDITED IN ACCORDANCE WITH nelac

URS Corporation
2870 Gateway Oaks Drive, Suite 300
Sacramento, CA 95833-4324

Date Received:	03/01/13
Work Order No:	13-03-0033
Preparation:	EPA 5030C
Method:	EPA 8260B
Units:	ug/L

Project: Los Nietos Business Park

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW3	**13-03-0033-1-B**	**03/01/13 12:15**	**Aqueous**	**GC/MS L**	**03/06/13**	**03/07/13 04:09**	**130306L02**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		c-1,3-Dichloropropene	ND	0.50	1	
Benzene	ND	0.50	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromochloromethane	ND	1.0	1		Ethylbenzene	ND	0.50	1	
Bromodichloromethane	ND	0.50	1		2-Hexanone	ND	10	1	
Bromoform	ND	0.50	1		Isopropylbenzene	ND	0.50	1	
Bromomethane	ND	1.0	1		Methylene Chloride	ND	1.0	1	
2-Butanone	ND	5.0	1		Styrene	ND	0.50	1	
Carbon Disulfide	ND	1.0	1		1,1,2,2-Tetrachloroethane	ND	0.50	1	
Carbon Tetrachloride	ND	0.50	1		Tetrachloroethene	49	2.0	4	
Chlorobenzene	ND	0.50	1		Toluene	ND	0.50	1	
Chloroethane	ND	0.50	1		1,2,3-Trichlorobenzene	ND	0.50	1	
Chloroform	3.7	0.50	1		1,2,4-Trichlorobenzene	ND	0.50	1	
Chloromethane	ND	0.50	1		1,1,1-Trichloroethane	ND	0.50	1	
Dibromochloromethane	ND	0.50	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	6.4	0.50	1	
1,2-Dichlorobenzene	ND	0.50	1		1,1,2-Trichloroethane	ND	0.50	1	
1,3-Dichlorobenzene	ND	0.50	1		Trichloroethene	36	0.50	1	
1,4-Dichlorobenzene	ND	0.50	1		Trichlorofluoromethane	3.0	0.50	1	
Dichlorodifluoromethane	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
1,1-Dichloroethane	2.8	0.50	1		p/m-Xylene	ND	0.50	1	
1,2-Dichloroethane	0.56	0.50	1		o-Xylene	ND	0.50	1	
1,1-Dichloroethene	18	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
c-1,2-Dichloroethene	1.4	0.50	1		Cyclohexane	ND	2.0	1	
1,2-Dichloropropane	ND	0.50	1						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	96	68-120		Dibromofluoromethane	99	71-135	
1,2-Dichloroethane-d4	101	64-139		Toluene-d8	103	72-128	

Return to Contents

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

ACCREDITED IN ACCORDANCE WITH nelac

URS Corporation
2870 Gateway Oaks Drive, Suite 300
Sacramento, CA 95833-4324

Date Received:	03/01/13
Work Order No:	13-03-0033
Preparation:	EPA 5030C
Method:	EPA 8260B
Units:	ug/L

Project: Los Nietos Business Park

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW1	**13-03-0033-2-B**	**03/01/13 12:45**	**Aqueous**	**GC/MS L**	**03/06/13**	**03/07/13 05:06**	**130306L02**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		c-1,3-Dichloropropene	ND	0.50	1	
Benzene	ND	0.50	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromochloromethane	ND	1.0	1		Ethylbenzene	ND	0.50	1	
Bromodichloromethane	ND	0.50	1		2-Hexanone	ND	10	1	
Bromoform	ND	0.50	1		Isopropylbenzene	ND	0.50	1	
Bromomethane	ND	1.0	1		Methylene Chloride	ND	1.0	1	
2-Butanone	ND	5.0	1		Styrene	ND	0.50	1	
Carbon Disulfide	ND	1.0	1		1,1,2,2-Tetrachloroethane	ND	0.50	1	
Carbon Tetrachloride	ND	0.50	1		Tetrachloroethene	33	0.50	1	
Chlorobenzene	ND	0.50	1		Toluene	ND	0.50	1	
Chloroethane	ND	0.50	1		1,2,3-Trichlorobenzene	ND	0.50	1	
Chloroform	3.2	0.50	1		1,2,4-Trichlorobenzene	ND	0.50	1	
Chloromethane	ND	0.50	1		1,1,1-Trichloroethane	ND	0.50	1	
Dibromochloromethane	ND	0.50	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	3.0	0.50	1	
1,2-Dichlorobenzene	ND	0.50	1		1,1,2-Trichloroethane	ND	0.50	1	
1,3-Dichlorobenzene	ND	0.50	1		Trichloroethene	42	2.0	4	
1,4-Dichlorobenzene	ND	0.50	1		Trichlorofluoromethane	3.1	0.50	1	
Dichlorodifluoromethane	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
1,1-Dichloroethane	37	0.50	1		p/m-Xylene	ND	0.50	1	
1,2-Dichloroethane	0.58	0.50	1		o-Xylene	ND	0.50	1	
1,1-Dichloroethene	47	2.0	4		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
c-1,2-Dichloroethene	17	0.50	1		Cyclohexane	ND	2.0	1	
1,2-Dichloropropane	61	2.0	4						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	93	68-120		Dibromofluoromethane	97	71-135	
1,2-Dichloroethane-d4	97	64-139		Toluene-d8	100	72-128	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Return to Contents

Calscience Environmental Laboratories, Inc.

Analytical Report

ACCREDITED IN ACCORDANCE WITH nelac

URS Corporation		Date Received:	03/01/13
2870 Gateway Oaks Drive, Suite 300		Work Order No:	13-03-0033
Sacramento, CA 95833-4324		Preparation:	EPA 5030C
		Method:	EPA 8260B
		Units:	ug/L

Project: Los Nietos Business Park

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW4	**13-03-0033-3-B**	**03/01/13 13:20**	**Aqueous**	**GC/MS L**	**03/06/13**	**03/07/13 06:03**	**130306L02**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		c-1,3-Dichloropropene	ND	0.50	1	
Benzene	ND	0.50	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromochloromethane	ND	1.0	1		Ethylbenzene	ND	0.50	1	
Bromodichloromethane	ND	0.50	1		2-Hexanone	ND	10	1	
Bromoform	ND	0.50	1		Isopropylbenzene	ND	0.50	1	
Bromomethane	ND	1.0	1		Methylene Chloride	ND	1.0	1	
2-Butanone	ND	5.0	1		Styrene	ND	0.50	1	
Carbon Disulfide	ND	1.0	1		1,1,2,2-Tetrachloroethane	ND	0.50	1	
Carbon Tetrachloride	ND	0.50	1		Tetrachloroethene	55	2.0	4	
Chlorobenzene	ND	0.50	1		Toluene	ND	0.50	1	
Chloroethane	ND	0.50	1		1,2,3-Trichlorobenzene	ND	0.50	1	
Chloroform	3.6	0.50	1		1,2,4-Trichlorobenzene	ND	0.50	1	
Chloromethane	ND	0.50	1		1,1,1-Trichloroethane	ND	0.50	1	
Dibromochloromethane	ND	0.50	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	1.9	0.50	1	
1,2-Dichlorobenzene	ND	0.50	1		1,1,2-Trichloroethane	ND	0.50	1	
1,3-Dichlorobenzene	ND	0.50	1		Trichloroethene	36	0.50	1	
1,4-Dichlorobenzene	ND	0.50	1		Trichlorofluoromethane	1.3	0.50	1	
Dichlorodifluoromethane	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
1,1-Dichloroethane	2.3	0.50	1		p/m-Xylene	ND	0.50	1	
1,2-Dichloroethane	0.85	0.50	1		o-Xylene	ND	0.50	1	
1,1-Dichloroethene	15	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
c-1,2-Dichloroethene	1.8	0.50	1		Cyclohexane	ND	2.0	1	
1,2-Dichloropropane	ND	0.50	1						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	94	68-120		Dibromofluoromethane	94	71-135	
1,2-Dichloroethane-d4	96	64-139		Toluene-d8	104	72-128	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Return to Contents

Calscience Environmental Laboratories, Inc.

Analytical Report

URS Corporation		Date Received:	03/01/13
2870 Gateway Oaks Drive, Suite 300		Work Order No:	13-03-0033
Sacramento, CA 95833-4324		Preparation:	EPA 5030C
		Method:	EPA 8260B
		Units:	ug/L
Project: Los Nietos Business Park			Page 4 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	**099-15-821-10**	**N/A**	**Aqueous**	**GC/MS L**	**03/06/13**	**03/06/13 23:53**	**130306L02**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		c-1,3-Dichloropropene	ND	0.50	1	
Benzene	ND	0.50	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromochloromethane	ND	1.0	1		Ethylbenzene	ND	0.50	1	
Bromodichloromethane	ND	0.50	1		2-Hexanone	ND	10	1	
Bromoform	ND	0.50	1		Isopropylbenzene	ND	0.50	1	
Bromomethane	ND	1.0	1		Methylene Chloride	ND	1.0	1	
2-Butanone	ND	5.0	1		Styrene	ND	0.50	1	
Carbon Disulfide	ND	1.0	1		1,1,2,2-Tetrachloroethane	ND	0.50	1	
Carbon Tetrachloride	ND	0.50	1		Tetrachloroethene	ND	0.50	1	
Chlorobenzene	ND	0.50	1		Toluene	ND	0.50	1	
Chloroethane	ND	0.50	1		1,2,3-Trichlorobenzene	ND	0.50	1	
Chloroform	ND	0.50	1		1,2,4-Trichlorobenzene	ND	0.50	1	
Chloromethane	ND	0.50	1		1,1,1-Trichloroethane	ND	0.50	1	
Dibromochloromethane	ND	0.50	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	0.50	1	
1,2-Dichlorobenzene	ND	0.50	1		1,1,2-Trichloroethane	ND	0.50	1	
1,3-Dichlorobenzene	ND	0.50	1		Trichloroethene	ND	0.50	1	
1,4-Dichlorobenzene	ND	0.50	1		Trichlorofluoromethane	ND	0.50	1	
Dichlorodifluoromethane	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
1,1-Dichloroethane	ND	0.50	1		p/m-Xylene	ND	0.50	1	
1,2-Dichloroethane	ND	0.50	1		o-Xylene	ND	0.50	1	
1,1-Dichloroethene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
c-1,2-Dichloroethene	ND	0.50	1		Cyclohexane	ND	2.0	1	
1,2-Dichloropropane	ND	0.50	1						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	95	68-120		Dibromofluoromethane	100	71-135	
1,2-Dichloroethane-d4	97	64-139		Toluene-d8	102	72-128	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Return to Contents

Calscience Environmental Laboratories, Inc.

Analytical Report

URS Corporation
2870 Gateway Oaks Drive, Suite 300
Sacramento, CA 95833-4324

Date Received: 03/01/13
Work Order No: 13-03-0033
Preparation: EPA 3020A Total
Method: EPA 6020
Units: mg/L

Project: Los Nietos Business Park

Client Sample Number	Lab Sample Number	Date /Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW3	**13-03-0033-1-H**	**03/01/13 12:15**	**Aqueous**	**ICP/MS 03**	**03/04/13**	**03/05/13 15:04**	**130304L03A**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Antimony	ND	0.00100	1		Calcium	172	0.100	1	
Selenium	0.00527	0.00100	1		Zinc	0.0174	0.00500	1	
Arsenic	ND	0.00100	1		Iron	0.0552	0.0500	1	
Aluminum	ND	0.0500	1		Barium	0.0334	0.00100	1	
Magnesium	42.1	0.100	1		Manganese	0.00262	0.00100	1	
Beryllium	ND	0.00100	1		Potassium	4.43	0.100	1	
Strontium	0.948	0.00100	1		Cadmium	ND	0.00100	1	
Sodium	109	0.100	1		Tin	ND	0.00100	1	
Chromium	0.00729	0.00100	1		Titanium	0.00429	0.00100	1	
Cobalt	0.00144	0.00100	1		Boron	0.452	0.0500	1	
Copper	0.00184	0.00100	1		Lead	ND	0.00100	1	
Molybdenum	0.00119	0.00100	1		Nickel	0.00891	0.00100	1	
Silver	ND	0.00100	1		Thallium	ND	0.00100	1	
Vanadium	0.00138	0.00100	1						

MW1	**13-03-0033-2-H**	**03/01/13 12:45**	**Aqueous**	**ICP/MS 03**	**03/04/13**	**03/05/13 15:07**	**130304L03A**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Antimony	ND	0.00100	1		Calcium	173	0.100	1	
Selenium	0.00308	0.00100	1		Zinc	0.0182	0.00500	1	
Arsenic	0.00168	0.00100	1		Iron	2.81	0.0500	1	
Aluminum	1.41	0.0500	1		Barium	0.0544	0.00100	1	
Magnesium	41.8	0.100	1		Manganese	0.0742	0.00100	1	
Beryllium	ND	0.00100	1		Potassium	4.67	0.100	1	
Strontium	0.973	0.00100	1		Cadmium	ND	0.00100	1	
Sodium	101	0.100	1		Tin	ND	0.00100	1	
Chromium	0.0161	0.00100	1		Titanium	0.139	0.00100	1	
Cobalt	0.00202	0.00100	1		Boron	0.263	0.0500	1	
Copper	0.00516	0.00100	1		Lead	0.00134	0.00100	1	
Molybdenum	0.00134	0.00100	1		Nickel	0.00865	0.00100	1	
Silver	ND	0.00100	1		Thallium	ND	0.00100	1	
Vanadium	0.00806	0.00100	1						

Return to Contents

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

URS Corporation
2870 Gateway Oaks Drive, Suite 300
Sacramento, CA 95833-4324

Date Received: 03/01/13
Work Order No: 13-03-0033
Preparation: EPA 3020A Total
Method: EPA 6020
Units: mg/L

Project: Los Nietos Business Park

Client Sample Number	Lab Sample Number	Date /Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW4	**13-03-0033-3-H**	**03/01/13 13:20**	**Aqueous**	**ICP/MS 03**	**03/04/13**	**03/05/13 15:10**	**130304L03A**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Antimony	ND	0.00100	1		Calcium	234	0.100	1	
Selenium	0.00948	0.00100	1		Zinc	0.0402	0.00500	1	
Arsenic	ND	0.00100	1		Iron	0.618	0.0500	1	
Aluminum	0.318	0.0500	1		Barium	0.0457	0.00100	1	
Magnesium	62.0	0.100	1		Manganese	0.0343	0.00100	1	
Beryllium	ND	0.00100	1		Potassium	3.99	0.100	1	
Strontium	1.56	0.00100	1		Cadmium	0.00412	0.00100	1	
Sodium	114	0.100	1		Tin	ND	0.00100	1	
Chromium	0.00542	0.00100	1		Titanium	0.0304	0.00100	1	
Cobalt	0.00413	0.00100	1		Boron	0.382	0.0500	1	
Copper	0.0111	0.00100	1		Lead	ND	0.00100	1	
Molybdenum	0.00301	0.00100	1		Nickel	0.0163	0.00100	1	
Silver	ND	0.00100	1		Thallium	ND	0.00100	1	
Vanadium	ND	0.00100	1						

Method Blank	**096-06-003-4,051**	**N/A**	**Aqueous**	**ICP/MS 03**	**03/04/13**	**03/04/13 20:09**	**130304L03A**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Antimony	ND	0.00100	1		Vanadium	ND	0.00100	1	
Arsenic	ND	0.00100	1		Zinc	ND	0.00500	1	
Barium	ND	0.00100	1		Aluminum	ND	0.0500	1	
Beryllium	ND	0.00100	1		Calcium	ND	0.100	1	
Cadmium	ND	0.00100	1		Iron	ND	0.0500	1	
Chromium	ND	0.00100	1		Magnesium	ND	0.100	1	
Cobalt	ND	0.00100	1		Manganese	ND	0.00100	1	
Copper	ND	0.00100	1		Potassium	ND	0.100	1	
Lead	ND	0.00100	1		Sodium	ND	0.100	1	
Molybdenum	ND	0.00100	1		Strontium	ND	0.00100	1	
Nickel	ND	0.00100	1		Tin	ND	0.00100	1	
Selenium	ND	0.00100	1		Titanium	ND	0.00100	1	
Silver	ND	0.00100	1		Boron	ND	0.0500	1	
Thallium	ND	0.00100	1						

Return to Contents

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

ACCREDITED IN ACCORDANCE WITH nelac

URS Corporation
2870 Gateway Oaks Drive, Suite 300
Sacramento, CA 95833-4324

Date Received:	03/01/13
Work Order No:	13-03-0033
Preparation:	EPA 3010A Total
Method:	EPA 6010B

Project: Los Nietos Business Park

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW3	**13-03-0033-1-H**	**03/01/13 12:15**	**Aqueous**	**ICP 7300**	**03/04/13**	**03/04/13 20:29**	**130304LA6**

Parameter	Result	RL	DF	Qual	Units
Silicon	14.9	0.0500	1		mg/L

MW1	**13-03-0033-2-H**	**03/01/13 12:45**	**Aqueous**	**ICP 7300**	**03/04/13**	**03/04/13 20:31**	**130304LA6**

Parameter	Result	RL	DF	Qual	Units
Silicon	20.1	0.0500	1		mg/L

MW4	**13-03-0033-3-H**	**03/01/13 13:20**	**Aqueous**	**ICP 7300**	**03/04/13**	**03/04/13 20:32**	**130304LA6**

Parameter	Result	RL	DF	Qual	Units
Silicon	13.1	0.0500	1		mg/L

Method Blank	**097-01-003-13,244**	**N/A**	**Aqueous**	**ICP 7300**	**03/04/13**	**03/04/13 20:13**	**130304LA6**

Parameter	Result	RL	DF	Qual	Units
Silicon	ND	0.0500	1		mg/L

Return to Contents

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

URS Corporation
2870 Gateway Oaks Drive, Suite 300
Sacramento, CA 95833-4324

Date Received:	03/01/13
Work Order No:	13-03-0033
Preparation:	EPA 3010A Total
Method:	EPA 6010B

Project Los Nietos Business Park

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
13-03-0111-1	**Aqueous**	**ICP 7300**	**03/04/13**	**03/04/13**	**130304SA6**

Parameter	SAMPLE CONC	SPIKE ADDED	MS CONC	MS %REC	MSD CONC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Silicon	19.72	0.5000	21.03	4X	20.67	4X	24-180	4X	0-15	Q

RPD - Relative Percent Difference , CL - Control Limit

Return to Contents

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

ACCREDITED IN ACCORDANCE WITH nelac

URS Corporation
2870 Gateway Oaks Drive, Suite 300
Sacramento, CA 95833-4324

Date Received: 03/01/13
Work Order No: 13-03-0033
Preparation: EPA 3020A Total
Method: EPA 6020

Project Los Nietos Business Park

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
13-03-0083-1	**Aqueous**	**ICP/MS 03**	**03/04/13**	**03/04/13**	**130304S03**

Parameter	SAMPLE CONC	SPIKE ADDED	MS CONC	MS %REC	MSD CONC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Antimony	ND	0.1000	0.1053	105	0.1033	103	85-133	2	0-11	
Arsenic	ND	0.1000	0.1058	106	0.1019	102	73-127	4	0-11	
Barium	0.04774	0.1000	0.1585	111	0.1567	109	74-128	1	0-10	
Beryllium	ND	0.1000	0.09035	90	0.08906	89	56-122	1	0-11	
Cadmium	ND	0.1000	0.09751	98	0.09537	95	84-114	2	0-8	
Chromium	ND	0.1000	0.09614	96	0.09620	96	73-133	0	0-11	
Cobalt	ND	0.1000	0.09865	99	0.09790	98	79-121	1	0-10	
Copper	0.003415	0.1000	0.09735	94	0.09597	93	72-108	1	0-10	
Lead	0.002161	0.1000	0.1109	109	0.1079	106	79-121	3	0-10	
Molybdenum	0.002163	0.1000	0.1154	113	0.1124	110	83-137	3	0-10	
Nickel	0.004767	0.1000	0.09600	91	0.09532	91	68-122	1	0-10	
Selenium	ND	0.1000	0.02793	28	0.03211	32	59-125	14	0-12	3,4
Silver	ND	0.05000	0.04811	96	0.04920	98	68-128	2	0-14	
Thallium	ND	0.1000	0.1063	106	0.1042	104	73-121	2	0-11	
Vanadium	ND	0.1000	0.1029	103	0.1005	100	77-137	2	0-15	
Zinc	0.01862	0.1000	0.1156	97	0.1102	92	43-145	5	0-39	
Aluminum	ND	0.1000	0.09152	92	0.08795	88	47-161	4	0-24	
Calcium	143.0	5.000	147.7	4X	145.5	4X	80-120	4X	0-20	Q
Iron	0.05007	0.1000	0.1472	97	0.1443	94	27-201	2	0-24	
Magnesium	57.04	5.000	60.48	4X	59.45	4X	63-123	4X	0-32	Q
Manganese	0.6010	0.1000	0.7525	4X	0.7223	4X	72-126	4X	0-42	Q
Potassium	2.601	1.000	3.364	76	3.435	83	80-120	2	0-20	3
Sodium	94.91	1.000	90.59	4X	88.55	4X	80-120	4X	0-20	Q
Strontium	0.7009	0.1000	0.8740	4X	0.8455	4X	75-135	4X	0-12	Q
Tin	ND	0.1000	0.09786	98	0.09780	98	85-127	0	0-10	
Titanium	0.003378	0.1000	0.09777	94	0.09710	94	73-133	1	0-12	
Boron	0.1848	0.1000	0.2747	90	0.2731	88	6-186	1	0-12	

RPD - Relative Percent Difference , CL - Control Limit

Return to Contents

Calscience Environmental Laboratories, Inc.

Quality Control - PDS / PDSD

ACCREDITED IN ACCORDANCE WITH nelac

URS Corporation		Date Received	03/01/13
2870 Gateway Oaks Drive, Suite 300		Work Order No:	13-03-0033
Sacramento, CA 95833-4324		Preparation:	EPA 3020A Total
		Method:	EPA 6020

Project Los Nietos Business Park

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	PDS/PDSD Batch Number
13-03-0083-1	**Aqueous**	**ICP/MS 03**	**03/04/13**	**03/04/13**	**130304S03**

Parameter	SAMPLE_CONC	SPIKE_ADDED	PDS_CONC	PDS %REC	%REC CL	Qualifiers
Antimony	ND	0.1000	0.09635	96	75-125	
Arsenic	ND	0.1000	0.09514	95	75-125	
Barium	0.04774	0.1000	0.1449	97	75-125	
Beryllium	ND	0.1000	0.08270	83	75-125	
Cadmium	ND	0.1000	0.08667	87	75-125	
Chromium	ND	0.1000	0.08863	89	75-125	
Cobalt	ND	0.1000	0.09089	91	75-125	
Copper	0.003415	0.1000	0.08914	86	75-125	
Lead	0.002161	0.1000	0.09943	97	75-125	
Molybdenum	0.002163	0.1000	0.1036	101	75-125	
Nickel	0.004767	0.1000	0.08848	84	75-125	
Selenium	ND	0.1000	0.08149	81	75-125	
Silver	ND	0.05000	0.04414	88	75-125	
Thallium	ND	0.1000	0.09591	96	75-125	
Vanadium	ND	0.1000	0.09314	93	75-125	
Zinc	0.01862	0.1000	0.1042	86	75-125	
Aluminum	ND	0.1000	0.08410	84	75-125	
Calcium	143.0	5.000	142.8	4X	75-125	Q
Iron	0.05007	0.1000	0.1467	97	75-125	
Magnesium	57.04	5.000	57.82	4X	75-125	Q
Manganese	0.6010	0.1000	0.6758	4X	75-125	Q
Potassium	2.601	1.000	3.364	76	75-125	
Sodium	94.91	1.000	89.52	4X	75-125	Q
Strontium	0.7009	0.1000	0.7920	4X	75-125	Q
Tin	ND	0.1000	0.09251	93	75-125	
Titanium	0.003378	0.1000	0.08964	86	75-125	
Boron	0.1848	0.1000	0.2544	70	75-125	5

Return to Contents

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

URS Corporation
2870 Gateway Oaks Drive, Suite 300
Sacramento, CA 95833-4324

Date Received:	03/01/13
Work Order No:	13-03-0033
Preparation:	Filtered
Method:	EPA 218.6

Project Los Nietos Business Park

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
13-03-0032-4	**Aqueous**	**IC 14**	**03/01/13**	**03/01/13**	**130301S01**

Parameter	SAMPLE CONC	SPIKE ADDED	MS CONC	MS %REC	MSD CONC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Chromium, Hexavalent	ND	50	50	99	49	98	85-121	1	0-4	

RPD - Relative Percent Difference , CL - Control Limit

Return to Contents

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

URS Corporation
2870 Gateway Oaks Drive, Suite 300
Sacramento, CA 95833-4324

Date Received:	03/01/13
Work Order No:	13-03-0033
Preparation:	EPA 504.1 Ext.
Method:	EPA 504.1

Project Los Nietos Business Park

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW3	**Aqueous**	**GC 40**	**03/06/13**	**03/06/13**	**130306S11**

Parameter	SAMPLE CONC	SPIKE ADDED	MS CONC	MS %REC	MSD CONC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
1,2-Dibromoethane	ND	0.2857	0.2640	92	0.2350	82	60-140	12	0-25	
1,2-Dibromo-3-Chloropropane	ND	0.2857	0.2690	94	0.2180	76	60-140	21	0-25	

RPD - Relative Percent Difference , CL - Control Limit

Return to Contents

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

URS Corporation
2870 Gateway Oaks Drive, Suite 300
Sacramento, CA 95833-4324

Date Received: 03/01/13
Work Order No: 13-03-0033
Preparation: EPA 5030C
Method: EPA 8260B

Project Los Nietos Business Park

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW3	**Aqueous**	**GC/MS L**	**03/06/13**	**03/07/13**	**130306S02**

Parameter	SAMPLE CONC	SPIKE ADDED	MS CONC	MS %REC	MSD CONC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Acetone	ND	10.00	10.18	102	10.70	107	51-163	5	0-82	
Benzene	ND	10.00	10.35	104	10.20	102	77-121	1	0-21	
Bromobenzene	ND	10.00	10.38	104	10.51	105	78-120	1	0-20	
Bromochloromethane	ND	10.00	9.897	99	9.977	100	71-135	1	0-28	
Bromodichloromethane	ND	10.00	10.01	100	9.991	100	72-129	0	0-26	
Bromoform	ND	10.00	9.276	93	9.683	97	61-140	4	0-22	
Bromomethane	ND	10.00	9.400	94	9.314	93	63-140	1	0-36	
2-Butanone	ND	10.00	10.06	101	10.15	101	55-138	1	0-45	
n-Butylbenzene	ND	10.00	9.900	99	9.907	99	67-127	0	0-26	
sec-Butylbenzene	ND	10.00	10.31	103	10.28	103	66-122	0	0-26	
tert-Butylbenzene	ND	10.00	11.01	110	10.80	108	73-120	2	0-26	
Carbon Disulfide	ND	10.00	10.22	102	10.44	104	27-170	2	0-36	
Carbon Tetrachloride	ND	10.00	7.111	71	7.286	73	64-135	2	0-31	
Chlorobenzene	ND	10.00	10.64	106	10.76	108	80-120	1	0-20	
Chloroethane	ND	10.00	8.804	88	8.779	88	67-131	0	0-35	
2-Chloroethyl Vinyl Ether	ND	10.00	0.4086	4	0.3330	3	60-139	20	0-90	3
Chloroform	3.655	10.00	13.37	97	13.41	98	75-126	0	0-20	
Chloromethane	ND	10.00	8.468	85	8.992	90	54-143	6	0-41	
2-Chlorotoluene	ND	10.00	10.49	105	10.79	108	64-123	3	0-34	
4-Chlorotoluene	ND	10.00	10.53	105	10.36	104	67-126	2	0-23	
Dibromochloromethane	ND	10.00	9.292	93	9.780	98	76-132	5	0-23	
1,2-Dibromo-3-Chloropropane	ND	10.00	8.816	88	8.731	87	65-125	1	0-31	
1,2-Dibromoethane	ND	10.00	10.36	104	10.32	103	74-130	0	0-22	
Dibromomethane	ND	10.00	10.89	109	10.54	105	75-127	3	0-29	
1,2-Dichlorobenzene	ND	10.00	11.20	112	10.99	110	78-120	2	0-19	
1,3-Dichlorobenzene	ND	10.00	10.72	107	10.54	105	75-120	2	0-22	
1,4-Dichlorobenzene	ND	10.00	10.40	104	10.22	102	78-120	2	0-21	
Dichlorodifluoromethane	ND	10.00	7.007	70	7.017	70	25-168	0	0-41	
1,1-Dichloroethane	2.755	10.00	11.86	91	11.95	92	63-144	1	0-32	
1,2-Dichloroethane	0.5603	10.00	10.80	102	10.59	100	72-130	2	0-25	
1,1-Dichloroethene	17.80	10.00	22.78	50	21.84	40	66-130	4	0-32	3

RPD - Relative Percent Difference , CL - Control Limit

Return to Contents

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

ACCREDITED IN ACCORDANCE WITH nelac

URS Corporation
2870 Gateway Oaks Drive, Suite 300
Sacramento, CA 95833-4324

Date Received: 03/01/13
Work Order No: 13-03-0033
Preparation: EPA 5030C
Method: EPA 8260B

Project Los Nietos Business Park

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW3	**Aqueous**	**GC/MS L**	**03/06/13**	**03/07/13**	**130306S02**

Parameter	SAMPLE CONC	SPIKE ADDED	MS CONC	MS %REC	MSD CONC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
c-1,2-Dichloroethene	1.442	10.00	10.99	96	11.13	97	76-123	1	0-32	
t-1,2-Dichloroethene	ND	10.00	10.03	100	9.952	100	67-129	1	0-35	
Acetonitrile	ND	20.00	15.82	79	16.00	80	70-130	1	0-35	
1,2-Dichloropropane	ND	10.00	10.26	103	10.09	101	74-122	2	0-24	
Acrolein	ND	20.00	14.79	74	15.27	76	70-130	3	0-35	
Acrylonitrile	ND	10.00	10.36	104	10.37	104	65-149	0	0-89	
1,3-Dichloropropane	ND	10.00	10.50	105	10.79	108	74-128	3	0-21	
2,2-Dichloropropane	ND	10.00	5.434	54	5.742	57	68-125	5	0-40	3
Allyl Chloride	ND	10.00	7.696	77	7.883	79	70-130	2	0-35	
1,1-Dichloropropene	ND	10.00	10.28	103	10.30	103	68-119	0	0-26	
c-1,3-Dichloropropene	ND	10.00	8.513	85	8.575	86	76-126	1	0-24	
t-1,3-Dichloropropene	ND	10.00	6.468	65	6.943	69	71-127	7	0-22	3
Ethylbenzene	ND	10.00	9.879	99	10.20	102	78-120	3	0-23	
2-Hexanone	ND	10.00	9.252	93	9.317	93	61-137	1	0-36	
Isopropylbenzene	ND	10.00	10.32	103	10.65	106	71-123	3	0-24	
p-Isopropyltoluene	ND	10.00	9.180	92	9.013	90	68-122	2	0-25	
Methylene Chloride	ND	10.00	9.795	98	9.889	99	71-129	1	0-30	
4-Methyl-2-Pentanone	ND	10.00	10.79	108	10.62	106	60-136	2	0-41	
Naphthalene	ND	10.00	11.88	119	11.32	113	55-159	5	0-30	
n-Propylbenzene	ND	10.00	10.15	102	10.53	105	64-125	4	0-35	
Styrene	ND	10.00	6.744	67	5.502	55	77-120	20	0-23	3
Chloroprene	ND	10.00	7.929	79	7.233	72	70-130	9	0-35	
1,1,1,2-Tetrachloroethane	ND	10.00	7.795	78	8.345	83	79-123	7	0-20	3
1,1,2,2-Tetrachloroethane	ND	10.00	11.06	111	10.60	106	67-132	4	0-25	
Tetrachloroethene	49.20	10.00	47.86	0	50.02	8	72-119	4	0-24	3
Toluene	ND	10.00	10.30	103	10.36	104	78-120	1	0-25	
1,2,3-Trichlorobenzene	ND	10.00	11.02	110	11.07	111	70-129	0	0-27	
Ethyl Methacrylate	ND	10.00	5.466	55	5.751	58	70-130	5	0-35	3
1,2,4-Trichlorobenzene	ND	10.00	10.84	108	10.78	108	71-128	1	0-26	
1,1,1-Trichloroethane	ND	10.00	8.723	87	9.040	90	66-130	4	0-30	
Hexachloro-1,3-Butadiene	ND	10.00	9.345	93	9.656	97	52-128	3	0-30	

RPD - Relative Percent Difference , CL - Control Limit

Return to Contents

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

ACCREDITED IN ACCORDANCE WITH nelac

URS Corporation
2870 Gateway Oaks Drive, Suite 300
Sacramento, CA 95833-4324

Date Received: 03/01/13
Work Order No: 13-03-0033
Preparation: EPA 5030C
Method: EPA 8260B

Project Los Nietos Business Park

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW3	**Aqueous**	**GC/MS L**	**03/06/13**	**03/07/13**	**130306S02**

Parameter	SAMPLE CONC	SPIKE ADDED	MS CONC	MS %REC	MSD CONC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
1,1,2-Trichloro-1,2,2-Trifluoroethane	6.393	10.00	14.19	78	11.93	55	52-145	17	0-35	
1,1,2-Trichloroethane	ND	10.00	10.19	102	10.33	103	77-124	1	0-25	
Iodomethane	ND	20.00	12.44	62	15.00	75	70-130	19	0-35	3
Trichloroethene	35.52	10.00	40.27	47	40.71	52	75-116	1	0-24	3
Trichlorofluoromethane	3.014	10.00	11.41	84	11.01	80	62-146	4	0-36	
Isobutyl Alcohol	ND	20.00	11.63	58	10.75	54	70-130	8	0-35	3
1,2,3-Trichloropropane	ND	10.00	8.886	89	9.073	91	80-120	2	0-20	
1,2,4-Trimethylbenzene	ND	10.00	10.11	101	9.122	91	70-127	10	0-23	
Methacrylonitrile	ND	10.00	9.662	97	9.607	96	70-130	1	0-35	
Methyl Methacrylate	ND	10.00	7.207	72	7.144	71	70-130	1	0-35	
1,3,5-Trimethylbenzene	ND	10.00	10.18	102	10.31	103	72-124	1	0-23	
Vinyl Acetate	ND	10.00	7.698	77	7.701	77	45-164	0	0-74	
Vinyl Chloride	ND	10.00	8.785	88	8.772	88	60-141	0	0-34	
p/m-Xylene	ND	20.00	20.25	101	20.57	103	74-122	2	0-23	
o-Xylene	ND	10.00	10.53	105	10.77	108	74-122	2	0-24	
Methyl-t-Butyl Ether (MTBE)	ND	10.00	9.974	100	9.728	97	57-144	3	0-31	
t-1,4-Dichloro-2-Butene	ND	10.00	6.770	68	6.698	67	70-130	1	0-35	3
Tetrahydrofuran	ND	10.00	10.14	101	9.967	100	70-130	2	0-35	
Propionitrile	ND	10.00	10.64	106	9.926	99	70-130	7	0-35	
Tert-Butyl Alcohol (TBA)	ND	50.00	53.10	106	56.93	114	43-170	7	0-38	
Diisopropyl Ether (DIPE)	ND	10.00	9.874	99	9.740	97	70-130	1	0-35	
Ethyl-t-Butyl Ether (ETBE)	ND	10.00	8.206	82	8.229	82	70-130	0	0-35	
Tert-Amyl-Methyl Ether (TAME)	ND	10.00	8.052	81	8.042	80	70-130	0	0-35	
Hexane	ND	10.00	8.521	85	8.729	87	70-130	2	0-35	
Cyclohexane	ND	10.00	9.009	90	9.032	90	70-130	0	0-35	

Return to Contents

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

URS Corporation
2870 Gateway Oaks Drive, Suite 300
Sacramento, CA 95833-4324

Date Received: N/A
Work Order No: 13-03-0033
Preparation: EPA 3010A Total
Method: EPA 6010B

Project: Los Nietos Business Park

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
097-01-003-13,244	**Aqueous**	**ICP 7300**	**03/04/13**	**03/04/13**	**130304LA6**

Parameter	SPIKE ADDED	LCS CONC	LCS %REC	LCSD CONC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Silicon	0.5000	0.5573	111	0.5540	111	80-120	1	0-20	

RPD - Relative Percent Difference , CL - Control Limit

Return to Contents

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

ACCREDITED IN ACCORDANCE WITH nelac

URS Corporation
2870 Gateway Oaks Drive, Suite 300
Sacramento, CA 95833-4324

Date Received: N/A
Work Order No: 13-03-0033
Preparation: EPA 3020A Total
Method: EPA 6020

Project: Los Nietos Business Park

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
096-06-003-4,051	**Aqueous**	**ICP/MS 03**	**03/04/13**	**03/04/13**	**130304L03A**

Parameter	SPIKE ADDED	LCS CONC	LCS %REC	LCSD CONC	LCSD %REC	%REC CL	ME_CL	RPD	RPD CL	Qualifiers
Antimony	0.1000	0.08990	90	0.1014	101	80-120	73-127	12	0-20	
Arsenic	0.1000	0.09344	93	0.1027	103	80-120	73-127	9	0-20	
Barium	0.1000	0.09468	95	0.1042	104	80-120	73-127	10	0-20	
Beryllium	0.1000	0.09215	92	0.1044	104	80-120	73-127	13	0-20	
Cadmium	0.1000	0.09406	94	0.1044	104	80-120	73-127	10	0-20	
Chromium	0.1000	0.08544	85	0.09564	96	80-120	73-127	11	0-20	
Cobalt	0.1000	0.09736	97	0.1082	108	80-120	73-127	11	0-20	
Copper	0.1000	0.09942	99	0.1102	110	80-120	73-127	10	0-20	
Lead	0.1000	0.09367	94	0.1026	103	80-120	73-127	9	0-20	
Molybdenum	0.1000	0.09127	91	0.1027	103	80-120	73-127	12	0-20	
Nickel	0.1000	0.09494	95	0.1039	104	80-120	73-127	9	0-20	
Selenium	0.1000	0.09147	91	0.09694	97	80-120	73-127	6	0-20	
Silver	0.05000	0.04820	96	0.05282	106	80-120	73-127	9	0-20	
Thallium	0.1000	0.09278	93	0.1014	101	80-120	73-127	9	0-20	
Vanadium	0.1000	0.09408	94	0.1037	104	80-120	73-127	10	0-20	
Zinc	0.1000	0.1050	105	0.1184	118	80-120	73-127	12	0-20	
Aluminum	0.1000	0.09230	92	0.1035	103	80-120	73-127	11	0-20	
Calcium	5.000	5.393	108	5.367	107	80-120	73-127	0	0-20	
Iron	0.1000	0.09614	96	0.1052	105	80-120	73-127	9	0-20	
Magnesium	5.000	5.284	106	5.315	106	80-120	73-127	1	0-20	
Manganese	0.1000	0.09141	91	0.1019	102	80-120	73-127	11	0-20	
Potassium	1.000	0.9859	99	1.003	100	80-120	73-127	2	0-20	
Sodium	1.000	0.9605	96	0.9851	99	80-120	73-127	3	0-20	
Strontium	0.1000	0.09114	91	0.09928	99	80-120	73-127	9	0-20	
Tin	0.1000	0.08807	88	0.09851	99	80-120	73-127	11	0-20	
Titanium	0.1000	0.08960	90	0.09999	100	80-120	73-127	11	0-20	
Boron	0.1000	0.08673	87	0.1004	100	80-120	73-127	15	0-20	

Total number of LCS compounds : 27
Total number of ME compounds : 0
Total number of ME compounds allowed : 1
LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit

Return to Contents

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

URS Corporation		Date Received:	N/A
2870 Gateway Oaks Drive, Suite 300		Work Order No:	13-03-0033
Sacramento, CA 95833-4324		Preparation:	Filtered
		Method:	EPA 218.6

Project: Los Nietos Business Park

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-05-124-1,533	**Aqueous**	**IC 14**	**03/01/13**	**03/01/13**	**130301L01**

Parameter	SPIKE ADDED	LCS CONC	LCS %REC	LCSD CONC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Chromium, Hexavalent	50	49	98	49	99	95-107	1	0-20	

RPD - Relative Percent Difference , CL - Control Limit

Return to Contents

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

ACCREDITED IN ACCORDANCE WITH nelac

URS Corporation
2870 Gateway Oaks Drive, Suite 300
Sacramento, CA 95833-4324

Date Received: N/A
Work Order No: 13-03-0033
Preparation: EPA 3520C
Method: EPA 8270C(M) Isotope Dilution

Project: Los Nietos Business Park

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-09-004-2,205	**Aqueous**	**GC/MS DDD**	**03/05/13**	**03/06/13**	**130305L03**

Parameter	SPIKE ADDED	LCS CONC	LCS %REC	LCSD CONC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
1,4-Dioxane	200.0	201.8	101	199.9	100	50-130	1	0-20	

RPD - Relative Percent Difference , CL - Control Limit

Return to Contents

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

ACCREDITED IN ACCORDANCE WITH nelac

URS Corporation
2870 Gateway Oaks Drive, Suite 300
Sacramento, CA 95833-4324

Date Received: N/A
Work Order No: 13-03-0033
Preparation: EPA 504.1 Ext.
Method: EPA 504.1

Project: Los Nietos Business Park

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-520-381	**Aqueous**	**GC 40**	**03/06/13**	**03/06/13**	**130306L11**

Parameter	SPIKE ADDED	LCS CONC	LCS %REC	LCSD CONC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
1,2-Dibromoethane	0.2857	0.2810	98	0.2750	96	60-140	2	0-25	
1,2-Dibromo-3-Chloropropane	0.2857	0.2710	95	0.2830	99	60-140	4	0-25	

RPD - Relative Percent Difference , CL - Control Limit

Return to Contents

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

ACCREDITED IN ACCORDANCE WITH nelac

URS Corporation
2870 Gateway Oaks Drive, Suite 300
Sacramento, CA 95833-4324

Date Received: N/A
Work Order No: 13-03-0033
Preparation: EPA 5030C
Method: EPA 8260B

Project: Los Nietos Business Park

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-15-821-10	Aqueous	GC/MS L	03/06/13	03/06/13	130306L02

Parameter	SPIKE ADDED	LCS CONC	LCS %REC	LCSD CONC	LCSD %REC	%REC CL	ME_CL	RPD	RPD CL	Qualifiers
Acetone	10.00	10.70	107	9.457	95	51-163	32-182	12	0-82	
Benzene	10.00	10.15	102	9.688	97	77-121	70-128	5	0-21	
Bromobenzene	10.00	10.20	102	10.13	101	78-120	71-127	1	0-20	
Bromochloromethane	10.00	10.17	102	9.480	95	71-135	60-146	7	0-28	
Bromodichloromethane	10.00	9.397	94	9.294	93	72-129	62-138	1	0-26	
Bromoform	10.00	7.921	79	7.965	80	61-140	48-153	1	0-22	
Bromomethane	10.00	9.222	92	9.446	94	63-140	50-153	2	0-36	
2-Butanone	10.00	11.42	114	9.284	93	55-138	41-152	21	0-45	
n-Butylbenzene	10.00	10.43	104	10.56	106	67-127	57-137	1	0-26	
sec-Butylbenzene	10.00	10.83	108	10.70	107	66-122	57-131	1	0-26	
tert-Butylbenzene	10.00	11.19	112	11.06	111	73-120	65-128	1	0-26	
Carbon Disulfide	10.00	10.21	102	10.52	105	27-170	3-194	3	0-36	
Carbon Tetrachloride	10.00	6.314	63	7.069	71	64-135	52-147	11	0-31	ME
Chlorobenzene	10.00	10.54	105	10.41	104	80-120	73-127	1	0-20	
Chloroethane	10.00	9.070	91	9.283	93	67-131	56-142	2	0-35	
2-Chloroethyl Vinyl Ether	10.00	9.243	92	9.215	92	60-139	47-152	0	0-90	
Chloroform	10.00	9.930	99	9.644	96	75-126	66-134	3	0-31	
Chloromethane	10.00	8.844	88	9.040	90	54-143	39-158	2	0-41	
2-Chlorotoluene	10.00	10.62	106	10.51	105	64-123	54-133	1	0-34	
4-Chlorotoluene	10.00	10.61	106	10.39	104	67-126	57-136	2	0-23	
Dibromochloromethane	10.00	8.526	85	8.454	85	76-132	67-141	1	0-23	
1,2-Dibromo-3-Chloropropane	10.00	8.030	80	7.721	77	65-125	55-135	4	0-31	
1,2-Dibromoethane	10.00	9.905	99	9.648	96	74-130	65-139	3	0-22	
Dibromomethane	10.00	10.48	105	10.20	102	75-127	66-136	3	0-29	
1,2-Dichlorobenzene	10.00	11.11	111	10.95	110	78-120	71-127	1	0-19	
1,3-Dichlorobenzene	10.00	10.76	108	10.63	106	75-120	68-128	1	0-22	
1,4-Dichlorobenzene	10.00	10.38	104	10.32	103	78-120	71-127	1	0-21	
Dichlorodifluoromethane	10.00	7.109	71	7.431	74	25-168	1-192	4	0-41	
1,1-Dichloroethane	10.00	9.440	94	9.644	96	63-144	50-158	2	0-32	
1,2-Dichloroethane	10.00	10.00	100	9.477	95	72-130	62-140	5	0-25	
1,1-Dichloroethene	10.00	9.415	94	9.656	97	66-130	55-141	3	0-32	
c-1,2-Dichloroethene	10.00	9.850	99	9.749	97	76-123	68-131	1	0-32	

RPD - Relative Percent Difference , CL - Control Limit

Return to Contents

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

ACCREDITED IN ACCORDANCE WITH nelac

URS Corporation
2870 Gateway Oaks Drive, Suite 300
Sacramento, CA 95833-4324

Date Received: N/A
Work Order No: 13-03-0033
Preparation: EPA 5030C
Method: EPA 8260B

Project: Los Nietos Business Park

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-15-821-10	**Aqueous**	**GC/MS L**	**03/06/13**	**03/06/13**	**130306L02**

Parameter	SPIKE ADDED	LCS CONC	LCS %REC	LCSD CONC	LCSD %REC	%REC CL	ME_CL	RPD	RPD CL	Qualifiers
t-1,2-Dichloroethene	10.00	10.02	100	10.18	102	67-129	57-139	2	0-35	
Acetonitrile	20.00	17.81	89	18.13	91	70-130	60-140	2	0-35	
1,2-Dichloropropane	10.00	9.957	100	9.697	97	74-122	66-130	3	0-24	
Acrolein	20.00	18.12	91	17.29	86	70-130	60-140	5	0-35	
Acrylonitrile	10.00	10.07	101	9.672	97	65-149	51-163	4	0-89	
1,3-Dichloropropane	10.00	10.33	103	9.870	99	74-128	65-137	5	0-21	
2,2-Dichloropropane	10.00	6.823	68	7.211	72	68-125	58-134	6	0-40	
Allyl Chloride	10.00	8.756	88	8.926	89	70-130	60-140	2	0-35	
1,1-Dichloropropene	10.00	10.50	105	10.48	105	68-119	60-128	0	0-26	
c-1,3-Dichloropropene	10.00	8.849	88	8.576	86	76-126	68-134	3	0-24	
t-1,3-Dichloropropene	10.00	7.122	71	7.062	71	71-127	62-136	1	0-22	
Ethylbenzene	10.00	10.14	101	10.01	100	78-120	71-127	1	0-23	
2-Hexanone	10.00	9.196	92	8.818	88	61-137	48-150	4	0-36	
Isopropylbenzene	10.00	10.60	106	10.41	104	71-123	62-132	2	0-24	
p-Isopropyltoluene	10.00	9.526	95	9.478	95	68-122	59-131	1	0-25	
Methylene Chloride	10.00	9.480	95	9.630	96	71-129	61-139	2	0-30	
4-Methyl-2-Pentanone	10.00	10.67	107	9.885	99	60-136	47-149	8	0-41	
Naphthalene	10.00	11.71	117	11.27	113	55-159	38-176	4	0-30	
n-Propylbenzene	10.00	10.51	105	10.42	104	64-125	54-135	1	0-35	
Styrene	10.00	10.21	102	10.16	102	77-120	70-127	1	0-23	
Chloroprene	10.00	8.494	85	8.735	87	70-130	60-140	3	0-35	
1,1,1,2-Tetrachloroethane	10.00	7.319	73	7.393	74	79-123	72-130	1	0-20	ME
1,1,2,2-Tetrachloroethane	10.00	10.78	108	10.07	101	67-132	56-143	7	0-25	
Tetrachloroethene	10.00	8.664	87	8.602	86	72-119	64-127	1	0-24	
Toluene	10.00	10.16	102	9.885	99	78-120	71-127	3	0-25	
1,2,3-Trichlorobenzene	10.00	10.97	110	10.71	107	70-129	60-139	2	0-27	
Ethyl Methacrylate	10.00	5.517	55	5.240	52	70-130	60-140	5	0-35	X
1,2,4-Trichlorobenzene	10.00	10.75	107	10.86	109	71-128	62-138	1	0-26	
1,1,1-Trichloroethane	10.00	8.685	87	8.910	89	66-130	55-141	3	0-30	
Hexachloro-1,3-Butadiene	10.00	9.939	99	9.992	100	52-128	39-141	1	0-30	
1,1,2-Trichloro-1,2,2-Trifluoroethane	10.00	9.713	97	9.622	96	52-145	36-160	1	0-35	
1,1,2-Trichloroethane	10.00	10.09	101	9.840	98	77-124	69-132	3	0-25	

RPD - Relative Percent Difference , CL - Control Limit

Return to Contents

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

ACCREDITED IN ACCORDANCE WITH nelac

URS Corporation
2870 Gateway Oaks Drive, Suite 300
Sacramento, CA 95833-4324

Date Received: N/A
Work Order No: 13-03-0033
Preparation: EPA 5030C
Method: EPA 8260B

Project: Los Nietos Business Park

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-15-821-10	**Aqueous**	**GC/MS L**	**03/06/13**	**03/06/13**	**130306L02**

Parameter	SPIKE ADDED	LCS CONC	LCS %REC	LCSD CONC	LCSD %REC	%REC CL	ME_CL	RPD	RPD CL	Qualifiers
Iodomethane	20.00	16.24	81	17.59	88	70-130	60-140	8	0-35	
Trichloroethene	10.00	10.07	101	9.822	98	75-116	68-123	2	0-24	
Trichlorofluoromethane	10.00	9.321	93	9.642	96	62-146	48-160	3	0-36	
Isobutyl Alcohol	20.00	8.756	44	11.02	55	70-130	60-140	23	0-35	X
1,2,3-Trichloropropane	10.00	8.521	85	8.151	82	80-120	73-127	4	0-20	
1,2,4-Trimethylbenzene	10.00	10.51	105	10.34	103	70-127	60-136	2	0-23	
Methacrylonitrile	10.00	9.979	100	9.140	91	70-130	60-140	9	0-35	
Methyl Methacrylate	10.00	7.139	71	6.688	67	70-130	60-140	7	0-35	ME
1,3,5-Trimethylbenzene	10.00	10.48	105	10.40	104	72-124	63-133	1	0-23	
Vinyl Acetate	10.00	8.800	88	8.842	88	45-164	25-184	0	0-74	
Vinyl Chloride	10.00	8.931	89	9.142	91	60-141	46-154	2	0-34	
p/m-Xylene	20.00	20.49	102	20.39	102	74-122	66-130	1	0-23	
o-Xylene	10.00	10.61	106	10.49	105	74-122	66-130	1	0-24	
Methyl-t-Butyl Ether (MTBE)	10.00	9.867	99	9.653	97	57-144	42-158	2	0-31	
t-1,4-Dichloro-2-Butene	10.00	7.143	71	6.725	67	70-130	60-140	6	0-35	ME
Tetrahydrofuran	10.00	10.64	106	8.973	90	70-130	60-140	17	0-35	
Propionitrile	10.00	12.18	122	10.31	103	70-130	60-140	17	0-35	
Tert-Butyl Alcohol (TBA)	50.00	48.86	98	46.67	93	43-170	22-191	5	0-38	
Diisopropyl Ether (DIPE)	10.00	9.668	97	9.930	99	70-130	60-140	3	0-35	
Ethyl-t-Butyl Ether (ETBE)	10.00	8.554	86	8.756	88	70-130	60-140	2	0-35	
Tert-Amyl-Methyl Ether (TAME)	10.00	8.397	84	8.501	85	70-130	60-140	1	0-35	
Hexane	10.00	9.454	95	9.656	97	70-130	60-140	2	0-35	
Cyclohexane	10.00	9.665	97	9.319	93	70-130	60-140	4	0-35	

Total number of LCS compounds : 87
Total number of ME compounds : 4
Total number of ME compounds allowed : 4
LCS ME CL validation result : Pass

Return to Contents

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Glossary of Terms and Qualifiers

Work Order Number: 13-03-0033

Qualifier	Definition
*	See applicable analysis comment.
<	Less than the indicated value.
>	Greater than the indicated value.
1	Surrogate compound recovery was out of control due to a required sample dilution. Therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD or PES/PESD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported without further clarification.
6	Surrogate recovery below the acceptance limit.
7	Surrogate recovery above the acceptance limit.
B	Analyte was present in the associated method blank.
BU	Sample analyzed after holding time expired.
E	Concentration exceeds the calibration range.
ET	Sample was extracted past end of recommended max. holding time.
HD	The chromatographic pattern was inconsistent with the profile of the reference fuel standard.
HDH	The sample chromatographic pattern for TPH matches the chromatographic pattern of the specified standard but heavier hydrocarbons were also present (or detected).
HDL	The sample chromatographic pattern for TPH matches the chromatographic pattern of the specified standard but lighter hydrocarbons were also present (or detected).
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
ME	LCS/LCSD Recovery Percentage is within Marginal Exceedance (ME) Control Limit range.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
SG	The sample extract was subjected to Silica Gel treatment prior to analysis.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.

Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture. All QC results are reported on a wet weight basis.

For any analysis identified as a "field" test with a holding time (HT) </= 15 minutes where the sample is received outside of HT, Calscience will adhere to its internal HT of 24 hours. In cases where sample analysis does not meet Calscience's internal HT, results will be appropriately qualified.

Return to Contents

Calscience Environmental Laboratories, Inc.

7440 Lincoln Way, Garden Grove, CA 92841-1427 • (714) 895-5494
Other CA office locations: Concord and San Luis Obispo
For courier service / sample drop off information, contact sales@calscience.com or call us.

CHAIN OF CUSTODY RECORD

WO # / LAB USE ONLY: **13-03-0033**

Date: March 1, 2013
Page 1 of 1

LABORATORY CLIENT: VRS Corp
ADDRESS: 2870 Gateway Oaks Drive
CITY: Sacramento STATE: CA ZIP: 95833
TEL: 916 679 2326 E-MAIL: Scott.Allin@vrs.com

CLIENT PROJECT NAME / NUMBER: Los Nietos Business Park
P.O. NO.:
PROJECT CONTACT: Scott Allin
SAMPLER(S): (PRINT) Kevin Sheridan

TURNAROUND TIME: ☐ SAME DAY ☐ 24 HR ☐ 48 HR ☐ 72 HR ☒ STANDARD

☐ COELT EDF GLOBAL ID LOG CODE

SPECIAL INSTRUCTIONS: Filter and Preserve Cr^6 sample within 24 hours - Standard lab turnaround

REQUESTED ANALYSES

LAB USE ONLY	SAMPLE ID	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT.	Unpreserved	Preserved	Field Filtered	TPH (g) or GRO	TPH (d) or DRO or (C6C36) or (C6-C44)	TPH ( )	BTEX / MTBE (8260) or ( )	VOCs (8260) B	Oxygenates (8260)	En Core / Terra Core Prep (5035)	SVOCs (8270)	Pesticides (8081)	PCBs (8082)	PNAs (8310) or (8270)	T22 Metals (6010B/747X) ICP/MS	Cr(VI) [7196 or 7199 or 218.6]	1,4 Dioxane	EDB/DBCP	Cr Hexavalent		
1	MW3	3-1-13	12:15	Water	9	X	X						X							X		X	X	X		
2	MW1	3-1-13	12:45	Water	9	X	X						X							X		X	X	X		
3	MW4	3-1-13	13:20	Water	9	X	X						X							X		X	X	X		
4	Trip Blank	3-1-13		Water	2		X																			

Relinquished by: (Signature)	Received by: (Signature/Affiliation)	Date:	Time:
[signature]	[signature] CEL	3-1-13	14:11
Relinquished by: (Signature)	Received by: (Signature/Affiliation)	Date:	Time:
Relinquished by: (Signature)	Received by: (Signature/Affiliation)	Date:	Time:

DISTRIBUTION: White with final report, Green and Yellow to Client.
Please note that pages 1 and 2 of 2 of our T/Cs are printed on the reverse side of the Green and Yellow copies respectively.

01/01/12 Revision

Return to Contents

Calscience Environmental Laboratories, Inc.

WORK ORDER #: 13-03- 0 0 3 3

SAMPLE RECEIPT FORM

Cooler 1 of 1

CLIENT: URS

DATE: 03/01/13

TEMPERATURE: Thermometer ID: SC2 (Criteria: 0.0 °C – 6.0 °C, not frozen except sediment/tissue)

Temperature 3.6 °C - 0.2 °C (CF) = 3.4 °C ☐ Blank ☑ Sample

☐ Sample(s) outside temperature criteria (PM/APM contacted by: _____).

☐ Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.

☐ **Received at ambient temperature, placed on ice for transport by Courier.**

Ambient Temperature: ☐ Air ☐ Filter Initial: WK

CUSTODY SEALS INTACT:

☐ Cooler ☐_____ ☐ No (Not Intact) ☑ Not Present ☐ N/A Initial: WK

☐ Sample ☐_____ ☐ No (Not Intact) ☑ Not Present Initial: WK

SAMPLE CONDITION:	Yes	No	N/A
Chain-Of-Custody (COC) document(s) received with samples	☑	☐	☐
COC document(s) received complete	☑	☐	☐
☐ Collection date/time, matrix, and/or # of containers logged in based on sample labels.			
☐ No analysis requested. ☐ Not relinquished. ☐ No date/time relinquished.			
Sampler's name indicated on COC	☑	☐	☐
Sample container label(s) consistent with COC	☑	☐	☐
Sample container(s) intact and good condition	☑	☐	☐
Proper containers and sufficient volume for analyses requested	☑	☐	☐
Analyses received within holding time	☑	☐	☐
pH / Res. Chlorine / Diss. Sulfide / Diss. Oxygen received within 24 hours	☐	☐	☑
Proper preservation noted on COC or sample container	☑	☐	☐
☐ Unpreserved vials received for Volatiles analysis			
Volatile analysis container(s) free of headspace	☑	☐	☐
Tedlar bag(s) free of condensation	☐	☐	☑

CONTAINER TYPE:

Solid: ☐4ozCGJ ☐8ozCGJ ☐16ozCGJ ☐Sleeve (_____) ☐EnCores® ☐TerraCores® ☐_____

Water: ☐VOA ☑3VOAh ☑3VOAna$_2$ ☐125AGB ☐125AGBh ☐125AGBp ☑1AGB ☐1AGBna$_2$ ☐1AGBs

☐500AGB ☐500AGJ ☐500AGJs ☐250AGB ☐250CGB ☐250CGBs ☐1PB ☐1PBna ☐500PB

☑250PB ☑250PBn ☐125PB ☐125PBznna ☐100PJ ☐100PJna$_2$ ☐_____ ☐_____ ☐_____

Air: ☐Tedlar® ☐Canister **Other:** ☐_____ **Trip Blank Lot#:** B021KB **Labeled/Checked by:** WK

Container: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelope **Reviewed by:** DC

Preservative: h: HCL n: HNO_3 na$_2$: $Na_2S_2O_3$ na: NaOH p: H_3PO_4 s: H_2SO_4 u: Ultra-pure znna: $ZnAc_2$+NaOH f: Filtered **Scanned by:** DC

Return to Contents

Nicole Scott

From: Allin, Scott [scott.allin@urs.com]
Sent: Monday, March 04, 2013 12:11 PM
To: Nicole Scott
Subject: RE: Los Nietos Business Park / CEL 13-03-0033

hold please, thanks

Scott Allin, R.E.A. II
Senior Program Manager
URS - Sacramento, CA
(916) 679-2326 (Direct)
(916) 803-8607 (Mobile)

From: Nicole Scott [nscott@calscience.com]
Sent: Monday, March 04, 2013 12:06 PM
To: Allin, Scott
Subject: Los Nietos Business Park / CEL 13-03-0033

Hello Scott,

No analyses were requested on the COC attached for the Trip Blank sample. Did you want it analyzed for anything, or did you want us to hold that sample?

Thank you,
Nicole Scott
Project Manager Assistant

Calscience
7440 Lincoln Way
Garden Grove, CA 92841-1427
(714) 895-5494
www.calscience.com



PRIVACY NOTICE:
This email (and/or the documents attached to it) is intended only for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential, or exempt from disclosure under applicable Federal or State law. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately and delete this e-mail and all attachments.

Return to Contents

COMPANY_NAME	PROJECT_ID	WORK_ORDER_NUMBER	CEL_SAMPLE_NUMBER	CLIENT_SAMPLE_NUMBER	MATRIX
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	13244	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous

URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	Method Blank	Aqueous

URS Corporation	Los Nietos Business Park	13-03-0033	4051	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1533	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2205	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2205	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	381	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	381	Method Blank	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous

URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous

URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous

URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2	MW1	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	3	MW4	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	Method Blank

URS Corporation	Los Nietos Business Park	13-03-0033	10	Method Blank	Aqueous

URS Corporation	Los Nietos Business Park	13-03-0033	1	13-03-0083-1	Aqueous

URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous

URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous

URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1	MW3	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	13244	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	13244	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	l Sample Duplicate	Aqueous

URS Corporation	Los Nietos Business Park	13-03-0033	4051	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	4051	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1533	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	1533	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2205	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	2205	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	381	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	381	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	381	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	381	l Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	ory Control Sample	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	ory Control Sample	Aqueous

URS Corporation	Los Nietos Business Park	13-03-0033	10	bry Control Sample	Aqueous

URS Corporation	Los Nietos Business Park	13-03-0033	10	ory Control Sample	Aqueous

URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous
URS Corporation	Los Nietos Business Park	13-03-0033	10	I Sample Duplicate	Aqueous

TYPE	DATE_COLLECTED	TIME_COLLECTED	DATE_RECEIVED	TIME_RECEIVED	DATE_EXTRACTED	TIME_EXTRACTED	DATE_ANALYZED	TIME_ANALYZED
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/04/13	8:29 PM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/04/13	8:31 PM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/04/13	8:32 PM
MB					03/04/13	12:00 AM	03/04/13	8:13 PM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:04 PM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:04 PM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:04 PM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:04 PM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:04 PM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:04 PM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:04 PM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:04 PM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:04 PM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:04 PM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:04 PM
R	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	4:23 PM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:04 PM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:04 PM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:04 PM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:04 PM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:04 PM
R	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/04/13	6:47 PM
R	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/04/13	6:47 PM
R	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/04/13	6:47 PM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:04 PM
R	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/04/13	6:47 PM
R	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/04/13	6:47 PM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:04 PM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:04 PM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:04 PM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:04 PM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:07 PM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:07 PM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:07 PM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:07 PM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:07 PM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:07 PM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:07 PM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:07 PM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:07 PM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:07 PM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:07 PM
R	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	4:24 PM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:07 PM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:07 PM

	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:07 PM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:07 PM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:07 PM
R	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/04/13	6:49 PM
R	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/04/13	6:49 PM
R	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/04/13	6:49 PM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:07 PM
R	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/04/13	6:49 PM
R	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/04/13	6:49 PM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:07 PM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:07 PM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:07 PM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:07 PM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:10 PM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:10 PM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:10 PM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:10 PM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:10 PM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:10 PM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:10 PM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:10 PM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:10 PM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:10 PM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:10 PM
R	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	4:25 PM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:10 PM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:10 PM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:10 PM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:10 PM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:10 PM
R	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/04/13	6:51 PM
R	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/04/13	6:51 PM
R	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/04/13	6:51 PM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:10 PM
R	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/04/13	6:51 PM
R	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/04/13	6:51 PM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:10 PM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:10 PM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:10 PM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/04/13	12:00 AM	03/05/13	3:10 PM
MB					03/04/13	12:00 AM	03/04/13	8:09 PM
MB					03/04/13	12:00 AM	03/04/13	8:09 PM
MB					03/04/13	12:00 AM	03/04/13	8:09 PM
MB					03/04/13	12:00 AM	03/04/13	8:09 PM
MB					03/04/13	12:00 AM	03/04/13	8:09 PM
MB					03/04/13	12:00 AM	03/04/13	8:09 PM
MB					03/04/13	12:00 AM	03/04/13	8:09 PM
MB					03/04/13	12:00 AM	03/04/13	8:09 PM
MB					03/04/13	12:00 AM	03/04/13	8:09 PM
MB					03/04/13	12:00 AM	03/04/13	8:09 PM
MB					03/04/13	12:00 AM	03/04/13	8:09 PM
MB					03/04/13	12:00 AM	03/04/13	8:09 PM
MB					03/04/13	12:00 AM	03/04/13	8:09 PM
MB					03/04/13	12:00 AM	03/04/13	8:09 PM
MB					03/04/13	12:00 AM	03/04/13	8:09 PM

MB					03/04/13	12:00 AM	03/04/13	8:09 PM
MB					03/04/13	12:00 AM	03/04/13	8:09 PM
MB					03/04/13	12:00 AM	03/04/13	8:09 PM
MB					03/04/13	12:00 AM	03/04/13	8:09 PM
MB					03/04/13	12:00 AM	03/04/13	8:09 PM
MB					03/04/13	12:00 AM	03/04/13	8:09 PM
MB					03/04/13	12:00 AM	03/04/13	8:09 PM
MB					03/04/13	12:00 AM	03/04/13	8:09 PM
MB					03/04/13	12:00 AM	03/04/13	8:09 PM
MB					03/04/13	12:00 AM	03/04/13	8:09 PM
MB					03/04/13	12:00 AM	03/04/13	8:09 PM
MB					03/04/13	12:00 AM	03/04/13	8:09 PM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/01/13	3:00 PM	03/01/13	3:11 PM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/01/13	3:00 PM	03/01/13	3:27 PM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/01/13	3:00 PM	03/01/13	3:43 PM
MB					03/01/13	12:00 PM	03/01/13	12:53 PM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/05/13	12:00 AM	03/12/13	12:06 PM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/05/13	12:00 AM	03/12/13	12:28 PM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/05/13	12:00 AM	03/12/13	12:48 PM
					03/05/13	12:00 AM	03/12/13	12:06 PM
					03/05/13	12:00 AM	03/12/13	12:28 PM
					03/05/13	12:00 AM	03/12/13	12:48 PM
MB					03/05/13	12:00 AM	03/06/13	3:17 PM
MB					03/05/13	12:00 AM	03/06/13	3:17 PM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/06/13	11:28 PM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/06/13	11:28 PM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/06/13	11:51 PM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/06/13	11:51 PM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	12:15 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	12:15 AM
MB					03/06/13	12:00 AM	03/06/13	10:17 PM
MB					03/06/13	12:00 AM	03/06/13	10:17 PM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM

	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
R	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:37 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	4:09 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
R	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:34 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
R	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:34 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM

	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
R	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:34 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	12:45 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	5:06 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
R	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:31 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM

	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
	03/01/13	1:20 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	6:03 AM
					03/06/13	12:00 AM	03/07/13	4:09 AM
					03/06/13	12:00 AM	03/07/13	4:09 AM
					03/06/13	12:00 AM	03/07/13	4:09 AM
					03/06/13	12:00 AM	03/07/13	4:09 AM
					03/06/13	12:00 AM	03/07/13	5:06 AM
					03/06/13	12:00 AM	03/07/13	5:06 AM
					03/06/13	12:00 AM	03/07/13	5:06 AM
					03/06/13	12:00 AM	03/07/13	5:06 AM
					03/06/13	12:00 AM	03/07/13	6:03 AM
					03/06/13	12:00 AM	03/07/13	6:03 AM
					03/06/13	12:00 AM	03/07/13	6:03 AM
					03/06/13	12:00 AM	03/07/13	6:03 AM
MB					03/06/13	12:00 AM	03/06/13	11:53 P

MB					03/06/13	12:00 AM	03/06/13	11:53 PM
MB					03/06/13	12:00 AM	03/06/13	11:53 PM
MB					03/06/13	12:00 AM	03/06/13	11:53 PM
MB					03/06/13	12:00 AM	03/06/13	11:53 PM
MB					03/06/13	12:00 AM	03/06/13	11:53 PM
MB					03/06/13	12:00 AM	03/06/13	11:53 PM
MB					03/06/13	12:00 AM	03/06/13	11:53 PM
MB					03/06/13	12:00 AM	03/06/13	11:53 PM
MS	03/04/13	6:50 AM	03/04/13	11:26 AM	03/04/13	12:00 AM	03/04/13	8:24 PM
MSD	03/04/13	6:50 AM	03/04/13	11:26 AM	03/04/13	12:00 AM	03/04/13	8:25 PM
MS	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:18 PM
MS	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:18 PM
MS	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:18 PM
MS	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:18 PM
MS	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:18 PM
MS	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:18 PM
MS	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:18 PM
MS	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:18 PM
MS	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:18 PM
MS	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:18 PM
MS	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:18 PM
MS	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:18 PM
MS	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:18 PM
MS	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:18 PM
MS	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:18 PM
MS	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:18 PM
MS	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:18 PM
MS	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:18 PM
MS	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:18 PM
MS	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:18 PM
MS	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:18 PM
MS	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:18 PM
MS	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:18 PM
MS	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:18 PM
MS	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:18 PM
MSD	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:21 PM
MSD	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:21 PM
MSD	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:21 PM
MSD	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:21 PM
MSD	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:21 PM
MSD	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:21 PM
MSD	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:21 PM
MSD	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:21 PM
MSD	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:21 PM
MSD	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:21 PM
MSD	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:21 PM
MSD	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:21 PM
MSD	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:21 PM
MSD	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:21 PM
MSD	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:21 PM
MSD	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:21 PM
MSD	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:21 PM
MSD	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:21 PM

MSD	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:21 PM
MSD	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:21 PM
MSD	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:21 PM
MSD	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:21 PM
MSD	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:21 PM
MSD	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:21 PM
MSD	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:21 PM
MSD	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:21 PM
MSD	03/01/13	12:41 PM	03/01/13	6:14 PM	03/04/13	12:00 AM	03/04/13	8:21 PM
MS	03/01/13	12:25 PM	03/01/13	1:50 PM	03/01/13	2:15 PM	03/01/13	2:39 PM
MSD	03/01/13	12:25 PM	03/01/13	1:50 PM	03/01/13	2:15 PM	03/01/13	2:55 PM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/06/13	10:41 PM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/06/13	10:41 PM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/06/13	11:04 PM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/06/13	11:04 PM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM

MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MS	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:00 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM

MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM

MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
MSD	03/01/13	12:15 PM	03/01/13	2:11 PM	03/06/13	12:00 AM	03/07/13	7:28 AM
LCS					03/04/13	12:00 AM	03/04/13	8:15 PM
LCD					03/04/13	12:00 AM	03/04/13	8:17 PM
LCS					03/04/13	12:00 AM	03/04/13	8:12 PM
LCS					03/04/13	12:00 AM	03/04/13	8:12 PM
LCS					03/04/13	12:00 AM	03/04/13	8:12 PM
LCS					03/04/13	12:00 AM	03/04/13	8:12 PM
LCS					03/04/13	12:00 AM	03/04/13	8:12 PM
LCS					03/04/13	12:00 AM	03/04/13	8:12 PM
LCS					03/04/13	12:00 AM	03/04/13	8:12 PM
LCS					03/04/13	12:00 AM	03/04/13	8:12 PM
LCS					03/04/13	12:00 AM	03/04/13	8:12 PM
LCS					03/04/13	12:00 AM	03/04/13	8:12 PM
LCS					03/04/13	12:00 AM	03/04/13	8:12 PM
LCS					03/04/13	12:00 AM	03/04/13	8:12 PM
LCS					03/04/13	12:00 AM	03/04/13	8:12 PM
LCS					03/04/13	12:00 AM	03/04/13	8:12 PM
LCS					03/04/13	12:00 AM	03/04/13	8:12 PM
LCS					03/04/13	12:00 AM	03/04/13	8:12 PM
LCS					03/04/13	12:00 AM	03/04/13	8:12 PM
LCS					03/04/13	12:00 AM	03/04/13	8:12 PM
LCS					03/04/13	12:00 AM	03/04/13	8:12 PM
LCS					03/04/13	12:00 AM	03/04/13	8:12 PM
LCS					03/04/13	12:00 AM	03/04/13	8:12 PM
LCS					03/04/13	12:00 AM	03/04/13	8:12 PM
LCS					03/04/13	12:00 AM	03/04/13	8:12 PM
LCS					03/04/13	12:00 AM	03/04/13	8:12 PM
LCS					03/04/13	12:00 AM	03/04/13	8:12 PM
LCD					03/04/13	12:00 AM	03/04/13	8:15 PM
LCD					03/04/13	12:00 AM	03/04/13	8:15 PM

LCD					03/04/13	12:00 AM	03/04/13	8:15 PM
LCD					03/04/13	12:00 AM	03/04/13	8:15 PM
LCD					03/04/13	12:00 AM	03/04/13	8:15 PM
LCD					03/04/13	12:00 AM	03/04/13	8:15 PM
LCD					03/04/13	12:00 AM	03/04/13	8:15 PM
LCD					03/04/13	12:00 AM	03/04/13	8:15 PM
LCD					03/04/13	12:00 AM	03/04/13	8:15 PM
LCD					03/04/13	12:00 AM	03/04/13	8:15 PM
LCD					03/04/13	12:00 AM	03/04/13	8:15 PM
LCD					03/04/13	12:00 AM	03/04/13	8:15 PM
LCD					03/04/13	12:00 AM	03/04/13	8:15 PM
LCD					03/04/13	12:00 AM	03/04/13	8:15 PM
LCD					03/04/13	12:00 AM	03/04/13	8:15 PM
LCD					03/04/13	12:00 AM	03/04/13	8:15 PM
LCD					03/04/13	12:00 AM	03/04/13	8:15 PM
LCD					03/04/13	12:00 AM	03/04/13	8:15 PM
LCD					03/04/13	12:00 AM	03/04/13	8:15 PM
LCD					03/04/13	12:00 AM	03/04/13	8:15 PM
LCD					03/04/13	12:00 AM	03/04/13	8:15 PM
LCD					03/04/13	12:00 AM	03/04/13	8:15 PM
LCD					03/04/13	12:00 AM	03/04/13	8:15 PM
LCD					03/04/13	12:00 AM	03/04/13	8:15 PM
LCD					03/04/13	12:00 AM	03/04/13	8:15 PM
LCD					03/04/13	12:00 AM	03/04/13	8:15 PM
LCD					03/04/13	12:00 AM	03/04/13	8:15 PM
LCD					03/04/13	12:00 AM	03/04/13	8:15 PM
LCS					03/01/13	12:00 PM	03/01/13	1:01 PM
LCD					03/01/13	12:00 PM	03/01/13	1:09 PM
LCS					03/05/13	12:00 AM	03/06/13	3:37 PM
LCD					03/05/13	12:00 AM	03/06/13	3:59 PM
LCS					03/06/13	12:00 AM	03/06/13	9:29 PM
LCS					03/06/13	12:00 AM	03/06/13	9:29 PM
LCD					03/06/13	12:00 AM	03/06/13	9:53 PM
LCD					03/06/13	12:00 AM	03/06/13	9:53 PM
LCS					03/06/13	12:00 AM	03/06/13	10:27 PM
LCS					03/06/13	12:00 AM	03/06/13	10:27 PM
LCS					03/06/13	12:00 AM	03/06/13	10:27 PM
LCS					03/06/13	12:00 AM	03/06/13	10:27 PM
LCS					03/06/13	12:00 AM	03/06/13	10:27 PM
LCS					03/06/13	12:00 AM	03/06/13	10:27 PM
LCS					03/06/13	12:00 AM	03/06/13	10:27 PM
LCS					03/06/13	12:00 AM	03/06/13	10:27 PM
LCS					03/06/13	12:00 AM	03/06/13	10:27 PM
LCS					03/06/13	12:00 AM	03/06/13	10:27 PM
LCS					03/06/13	12:00 AM	03/06/13	10:27 PM
LCS					03/06/13	12:00 AM	03/06/13	10:27 PM
LCS					03/06/13	12:00 AM	03/06/13	10:27 PM
LCS					03/06/13	12:00 AM	03/06/13	10:27 PM
LCS					03/06/13	12:00 AM	03/06/13	10:27 PM
LCS					03/06/13	12:00 AM	03/06/13	10:27 PM
LCS					03/06/13	12:00 AM	03/06/13	10:27 PM
LCS					03/06/13	12:00 AM	03/06/13	10:27 PM
LCS					03/06/13	12:00 AM	03/06/13	10:27 PM
LCS					03/06/13	12:00 AM	03/06/13	10:27 PM
LCS					03/06/13	12:00 AM	03/06/13	10:27 PM
LCS					03/06/13	12:00 AM	03/06/13	10:27 PM
LCS					03/06/13	12:00 AM	03/06/13	10:27 PM
LCS					03/06/13	12:00 AM	03/06/13	10:27 PM
LCS					03/06/13	12:00 AM	03/06/13	10:27 PM
LCS					03/06/13	12:00 AM	03/06/13	10:27 PM
LCS					03/06/13	12:00 AM	03/06/13	10:27 PM

LCS					03/06/13	12:00 AM	03/06/13	10:27 PM

LCS					03/06/13	12:00 AM	03/06/13	10:27 PM

LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM
LCD					03/06/13	12:00 AM	03/06/13	10:56 PM

METHOD	EXTRACTION_NAME	CAS_NUMBER	COMPOUND_NAME	CONCENTRATION	DETECTION_LIMIT	UNITS	QUALIFIERS
EPA 6010B	EPA 3010A Total	7440-21-3	Silicon	14.9	0.0500	mg/L	
EPA 6010B	EPA 3010A Total	7440-21-3	Silicon	20.1	0.0500	mg/L	
EPA 6010B	EPA 3010A Total	7440-21-3	Silicon	13.1	0.0500	mg/L	
EPA 6010B	EPA 3010A Total	7440-21-3	Silicon	ND	0.0500	mg/L	
EPA 6020	EPA 3020A Total	7440-36-0	Antimony	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-38-2	Arsenic	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-39-3	Barium	0.0334	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-41-7	Beryllium	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-43-9	Cadmium	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-47-3	Chromium	0.00729	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-48-4	Cobalt	0.00144	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-50-8	Copper	0.00184	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7439-92-1	Lead	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7439-98-7	Molybdenum	0.00119	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-02-0	Nickel	0.00891	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7782-49-2	Selenium	0.00527	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-22-4	Silver	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-28-0	Thallium	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-62-2	Vanadium	0.00138	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-66-6	Zinc	0.0174	0.00500	mg/L	
EPA 6020	EPA 3020A Total	7429-90-5	Aluminum	ND	0.0500	mg/L	
EPA 6020	EPA 3020A Total	7440-70-2	Calcium	172	0.100	mg/L	
EPA 6020	EPA 3020A Total	7439-89-6	Iron	0.0552	0.0500	mg/L	
EPA 6020	EPA 3020A Total	7439-95-4	Magnesium	42.1	0.100	mg/L	
EPA 6020	EPA 3020A Total	7439-96-5	Manganese	0.00262	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-09-7	Potassium	4.43	0.100	mg/L	
EPA 6020	EPA 3020A Total	7440-23-5	Sodium	109	0.100	mg/L	
EPA 6020	EPA 3020A Total	7440-24-6	Strontium	0.948	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-31-5	Tin	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-32-6	Titanium	0.00429	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-42-8	Boron	0.452	0.0500	mg/L	
EPA 6020	EPA 3020A Total	7440-36-0	Antimony	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-38-2	Arsenic	0.00168	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-39-3	Barium	0.0544	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-41-7	Beryllium	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-43-9	Cadmium	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-47-3	Chromium	0.0161	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-48-4	Cobalt	0.00202	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-50-8	Copper	0.00516	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7439-92-1	Lead	0.00134	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7439-98-7	Molybdenum	0.00134	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-02-0	Nickel	0.00865	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7782-49-2	Selenium	0.00308	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-22-4	Silver	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-28-0	Thallium	ND	0.00100	mg/L	

EPA 6020	EPA 3020A Total	7440-62-2	Vanadium	0.00806	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-66-6	Zinc	0.0182	0.00500	mg/L	
EPA 6020	EPA 3020A Total	7429-90-5	Aluminum	1.41	0.0500	mg/L	
EPA 6020	EPA 3020A Total	7440-70-2	Calcium	173	0.100	mg/L	
EPA 6020	EPA 3020A Total	7439-89-6	Iron	2.81	0.0500	mg/L	
EPA 6020	EPA 3020A Total	7439-95-4	Magnesium	41.8	0.100	mg/L	
EPA 6020	EPA 3020A Total	7439-96-5	Manganese	0.0742	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-09-7	Potassium	4.67	0.100	mg/L	
EPA 6020	EPA 3020A Total	7440-23-5	Sodium	101	0.100	mg/L	
EPA 6020	EPA 3020A Total	7440-24-6	Strontium	0.973	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-31-5	Tin	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-32-6	Titanium	0.139	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-42-8	Boron	0.263	0.0500	mg/L	
EPA 6020	EPA 3020A Total	7440-36-0	Antimony	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-38-2	Arsenic	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-39-3	Barium	0.0457	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-41-7	Beryllium	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-43-9	Cadmium	0.00412	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-47-3	Chromium	0.00542	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-48-4	Cobalt	0.00413	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-50-8	Copper	0.0111	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7439-92-1	Lead	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7439-98-7	Molybdenum	0.00301	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-02-0	Nickel	0.0163	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7782-49-2	Selenium	0.00948	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-22-4	Silver	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-28-0	Thallium	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-62-2	Vanadium	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-66-6	Zinc	0.0402	0.00500	mg/L	
EPA 6020	EPA 3020A Total	7429-90-5	Aluminum	0.318	0.0500	mg/L	
EPA 6020	EPA 3020A Total	7440-70-2	Calcium	234	0.100	mg/L	
EPA 6020	EPA 3020A Total	7439-89-6	Iron	0.618	0.0500	mg/L	
EPA 6020	EPA 3020A Total	7439-95-4	Magnesium	62.0	0.100	mg/L	
EPA 6020	EPA 3020A Total	7439-96-5	Manganese	0.0343	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-09-7	Potassium	3.99	0.100	mg/L	
EPA 6020	EPA 3020A Total	7440-23-5	Sodium	114	0.100	mg/L	
EPA 6020	EPA 3020A Total	7440-24-6	Strontium	1.56	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-31-5	Tin	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-32-6	Titanium	0.0304	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-42-8	Boron	0.382	0.0500	mg/L	
EPA 6020	EPA 3020A Total	7440-36-0	Antimony	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-38-2	Arsenic	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-39-3	Barium	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-41-7	Beryllium	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-43-9	Cadmium	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-47-3	Chromium	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-48-4	Cobalt	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-50-8	Copper	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7439-92-1	Lead	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7439-98-7	Molybdenum	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-02-0	Nickel	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7782-49-2	Selenium	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-22-4	Silver	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-28-0	Thallium	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-62-2	Vanadium	ND	0.00100	mg/L	

EPA 6020	EPA 3020A Total	7440-66-6	Zinc	ND	0.00500	mg/L	
EPA 6020	EPA 3020A Total	7429-90-5	Aluminum	ND	0.0500	mg/L	
EPA 6020	EPA 3020A Total	7440-70-2	Calcium	ND	0.100	mg/L	
EPA 6020	EPA 3020A Total	7439-89-6	Iron	ND	0.0500	mg/L	
EPA 6020	EPA 3020A Total	7439-95-4	Magnesium	ND	0.100	mg/L	
EPA 6020	EPA 3020A Total	7439-96-5	Manganese	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-09-7	Potassium	ND	0.100	mg/L	
EPA 6020	EPA 3020A Total	7440-23-5	Sodium	ND	0.100	mg/L	
EPA 6020	EPA 3020A Total	7440-24-6	Strontium	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-31-5	Tin	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-32-6	Titanium	ND	0.00100	mg/L	
EPA 6020	EPA 3020A Total	7440-42-8	Boron	ND	0.0500	mg/L	
EPA 218.6	Filtered	18540-29-9	ium, Hexavalent	6.6	0.20	ug/L	
EPA 218.6	Filtered	18540-29-9	ium, Hexavalent	13	0.20	ug/L	
EPA 218.6	Filtered	18540-29-9	ium, Hexavalent	2.9	0.20	ug/L	
EPA 218.6	Filtered	18540-29-9	ium, Hexavalent	ND	0.20	ug/L	
pe Dilution	EPA 3520C	123-91-1	1,4-Dioxane	16	1.0	ug/L	
pe Dilution	EPA 3520C	123-91-1	1,4-Dioxane	13	1.0	ug/L	
pe Dilution	EPA 3520C	123-91-1	1,4-Dioxane	25	1.0	ug/L	
pe Dilution	EPA 3520C	4165-60-0	Nitrobenzene-d5	85		%REC	
pe Dilution	EPA 3520C	4165-60-0	Nitrobenzene-d5	86		%REC	
pe Dilution	EPA 3520C	4165-60-0	Nitrobenzene-d5	84		%REC	
pe Dilution	EPA 3520C	123-91-1	1,4-Dioxane	ND	1.0	ug/L	
pe Dilution	EPA 3520C	4165-60-0	Nitrobenzene-d5	96		%REC	
EPA 504.1	EPA 504.1 Ext.	106-93-4	-Dibromoethane	ND	0.010	ug/L	
EPA 504.1	EPA 504.1 Ext.	96-12-8	-Chloropropane	ND	0.010	ug/L	
EPA 504.1	EPA 504.1 Ext.	106-93-4	-Dibromoethane	ND	0.010	ug/L	
EPA 504.1	EPA 504.1 Ext.	96-12-8	-Chloropropane	ND	0.010	ug/L	
EPA 504.1	EPA 504.1 Ext.	106-93-4	-Dibromoethane	ND	0.010	ug/L	
EPA 504.1	EPA 504.1 Ext.	96-12-8	-Chloropropane	ND	0.010	ug/L	
EPA 504.1	EPA 504.1 Ext.	106-93-4	-Dibromoethane	ND	0.010	ug/L	
EPA 504.1	EPA 504.1 Ext.	96-12-8	-Chloropropane	ND	0.010	ug/L	
EPA 8260B	EPA 5030C	67-64-1	Acetone	ND	10	ug/L	
EPA 8260B	EPA 5030C	71-43-2	Benzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	74-97-5	ochloromethane	ND	1.0	ug/L	
EPA 8260B	EPA 5030C	75-27-4	lichloromethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	75-25-2	Bromoform	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	74-83-9	Bromomethane	ND	1.0	ug/L	
EPA 8260B	EPA 5030C	78-93-3	2-Butanone	ND	5.0	ug/L	
EPA 8260B	EPA 5030C	75-15-0	Carbon Disulfide	ND	1.0	ug/L	
EPA 8260B	EPA 5030C	56-23-5	on Tetrachloride	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	108-90-7	Chlorobenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	75-00-3	Chloroethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	67-66-3	Chloroform	3.7	0.50	ug/L	
EPA 8260B	EPA 5030C	74-87-3	Chloromethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	124-48-1	ochloromethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	95-50-1	Dichlorobenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	541-73-1	Dichlorobenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	106-46-7	Dichlorobenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	75-71-8	difluoromethane	ND	1.0	ug/L	
EPA 8260B	EPA 5030C	75-34-3	-Dichloroethane	2.8	0.50	ug/L	
EPA 8260B	EPA 5030C	107-06-2	-Dichloroethane	0.56	0.50	ug/L	
EPA 8260B	EPA 5030C	75-35-4	-Dichloroethene	18	0.50	ug/L	
EPA 8260B	EPA 5030C	156-59-2	-Dichloroethene	1.4	0.50	ug/L	
EPA 8260B	EPA 5030C	78-87-5	Dichloropropane	ND	0.50	ug/L	

EPA 8260B	EPA 5030C	10061-01-5	Dichloropropene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	10061-02-6	Dichloropropene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	100-41-4	Ethylbenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	591-78-6	2-Hexanone	ND	10	ug/L	
EPA 8260B	EPA 5030C	98-82-8	opropylbenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	75-09-2	thylene Chloride	ND	1.0	ug/L	
EPA 8260B	EPA 5030C	100-42-5	Styrene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	79-34-5	etrachloroethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	127-18-4	etrachloroethene	49	2.0	ug/L	
EPA 8260B	EPA 5030C	108-88-3	Toluene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	87-61-6	richlorobenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	120-82-1	richlorobenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	71-55-6	-Trichloroethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	76-13-1	-Trifluoroethane	6.4	0.50	ug/L	
EPA 8260B	EPA 5030C	79-00-5	-Trichloroethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	79-01-6	Trichloroethene	36	0.50	ug/L	
EPA 8260B	EPA 5030C	75-69-4	ofluoromethane	3.0	0.50	ug/L	
EPA 8260B	EPA 5030C	75-01-4	Vinyl Chloride	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	79601-23-1	p/m-Xylene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	95-47-6	o-Xylene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	1634-04-4	yl Ether (MTBE)	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	110-82-7	Cyclohexane	ND	2.0	ug/L	
EPA 8260B	EPA 5030C	67-64-1	Acetone	ND	10	ug/L	
EPA 8260B	EPA 5030C	71-43-2	Benzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	74-97-5	ochloromethane	ND	1.0	ug/L	
EPA 8260B	EPA 5030C	75-27-4	lichloromethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	75-25-2	Bromoform	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	74-83-9	Bromomethane	ND	1.0	ug/L	
EPA 8260B	EPA 5030C	78-93-3	2-Butanone	ND	5.0	ug/L	
EPA 8260B	EPA 5030C	75-15-0	Carbon Disulfide	ND	1.0	ug/L	
EPA 8260B	EPA 5030C	56-23-5	on Tetrachloride	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	108-90-7	Chlorobenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	75-00-3	Chloroethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	67-66-3	Chloroform	3.2	0.50	ug/L	
EPA 8260B	EPA 5030C	74-87-3	Chloromethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	124-48-1	ochloromethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	95-50-1	Dichlorobenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	541-73-1	Dichlorobenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	106-46-7	Dichlorobenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	75-71-8	difluoromethane	ND	1.0	ug/L	
EPA 8260B	EPA 5030C	75-34-3	-Dichloroethane	37	0.50	ug/L	
EPA 8260B	EPA 5030C	107-06-2	-Dichloroethane	0.58	0.50	ug/L	
EPA 8260B	EPA 5030C	75-35-4	-Dichloroethene	47	2.0	ug/L	
EPA 8260B	EPA 5030C	156-59-2	-Dichloroethene	17	0.50	ug/L	
EPA 8260B	EPA 5030C	78-87-5	Dichloropropane	61	2.0	ug/L	
EPA 8260B	EPA 5030C	10061-01-5	Dichloropropene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	10061-02-6	Dichloropropene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	100-41-4	Ethylbenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	591-78-6	2-Hexanone	ND	10	ug/L	
EPA 8260B	EPA 5030C	98-82-8	opropylbenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	75-09-2	thylene Chloride	ND	1.0	ug/L	
EPA 8260B	EPA 5030C	100-42-5	Styrene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	79-34-5	etrachloroethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	127-18-4	etrachloroethene	33	0.50	ug/L	
EPA 8260B	EPA 5030C	108-88-3	Toluene	ND	0.50	ug/L	

EPA 8260B	EPA 5030C	87-61-6	richlorobenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	120-82-1	richlorobenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	71-55-6	-Trichloroethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	76-13-1	-Trifluoroethane	3.0	0.50	ug/L	
EPA 8260B	EPA 5030C	79-00-5	-Trichloroethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	79-01-6	Trichloroethene	42	2.0	ug/L	
EPA 8260B	EPA 5030C	75-69-4	ofluoromethane	3.1	0.50	ug/L	
EPA 8260B	EPA 5030C	75-01-4	Vinyl Chloride	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	79601-23-1	p/m-Xylene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	95-47-6	o-Xylene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	1634-04-4	yl Ether (MTBE)	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	110-82-7	Cyclohexane	ND	2.0	ug/L	
EPA 8260B	EPA 5030C	67-64-1	Acetone	ND	10	ug/L	
EPA 8260B	EPA 5030C	71-43-2	Benzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	74-97-5	ochloromethane	ND	1.0	ug/L	
EPA 8260B	EPA 5030C	75-27-4	lichloromethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	75-25-2	Bromoform	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	74-83-9	Bromomethane	ND	1.0	ug/L	
EPA 8260B	EPA 5030C	78-93-3	2-Butanone	ND	5.0	ug/L	
EPA 8260B	EPA 5030C	75-15-0	Carbon Disulfide	ND	1.0	ug/L	
EPA 8260B	EPA 5030C	56-23-5	on Tetrachloride	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	108-90-7	Chlorobenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	75-00-3	Chloroethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	67-66-3	Chloroform	3.6	0.50	ug/L	
EPA 8260B	EPA 5030C	74-87-3	Chloromethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	124-48-1	ochloromethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	95-50-1	Dichlorobenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	541-73-1	Dichlorobenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	106-46-7	Dichlorobenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	75-71-8	difluoromethane	ND	1.0	ug/L	
EPA 8260B	EPA 5030C	75-34-3	-Dichloroethane	2.3	0.50	ug/L	
EPA 8260B	EPA 5030C	107-06-2	-Dichloroethane	0.85	0.50	ug/L	
EPA 8260B	EPA 5030C	75-35-4	-Dichloroethene	15	0.50	ug/L	
EPA 8260B	EPA 5030C	156-59-2	-Dichloroethene	1.8	0.50	ug/L	
EPA 8260B	EPA 5030C	78-87-5	Dichloropropane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	10061-01-5	Dichloropropene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	10061-02-6	Dichloropropene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	100-41-4	Ethylbenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	591-78-6	2-Hexanone	ND	10	ug/L	
EPA 8260B	EPA 5030C	98-82-8	opropylbenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	75-09-2	thylene Chloride	ND	1.0	ug/L	
EPA 8260B	EPA 5030C	100-42-5	Styrene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	79-34-5	etrachloroethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	127-18-4	etrachloroethene	55	2.0	ug/L	
EPA 8260B	EPA 5030C	108-88-3	Toluene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	87-61-6	richlorobenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	120-82-1	richlorobenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	71-55-6	-Trichloroethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	76-13-1	-Trifluoroethane	1.9	0.50	ug/L	
EPA 8260B	EPA 5030C	79-00-5	-Trichloroethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	79-01-6	Trichloroethene	36	0.50	ug/L	
EPA 8260B	EPA 5030C	75-69-4	ofluoromethane	1.3	0.50	ug/L	
EPA 8260B	EPA 5030C	75-01-4	Vinyl Chloride	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	79601-23-1	p/m-Xylene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	95-47-6	o-Xylene	ND	0.50	ug/L	

EPA 8260B	EPA 5030C	1634-04-4	yl Ether (MTBE)	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	110-82-7	Cyclohexane	ND	2.0	ug/L	
EPA 8260B	EPA 5030C	460-00-4	nofluorobenzene	96		%REC	
EPA 8260B	EPA 5030C	1868-53-7	ofluoromethane	99		%REC	
EPA 8260B	EPA 5030C	17060-07-0	chloroethane-d4	101		%REC	
EPA 8260B	EPA 5030C	2037-26-5	Toluene-d8	103		%REC	
EPA 8260B	EPA 5030C	460-00-4	nofluorobenzene	93		%REC	
EPA 8260B	EPA 5030C	1868-53-7	ofluoromethane	97		%REC	
EPA 8260B	EPA 5030C	17060-07-0	chloroethane-d4	97		%REC	
EPA 8260B	EPA 5030C	2037-26-5	Toluene-d8	100		%REC	
EPA 8260B	EPA 5030C	460-00-4	nofluorobenzene	94		%REC	
EPA 8260B	EPA 5030C	1868-53-7	ofluoromethane	94		%REC	
EPA 8260B	EPA 5030C	17060-07-0	chloroethane-d4	96		%REC	
EPA 8260B	EPA 5030C	2037-26-5	Toluene-d8	104		%REC	
EPA 8260B	EPA 5030C	67-64-1	Acetone	ND	10	ug/L	
EPA 8260B	EPA 5030C	71-43-2	Benzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	74-97-5	ochloromethane	ND	1.0	ug/L	
EPA 8260B	EPA 5030C	75-27-4	ichloromethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	75-25-2	Bromoform	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	74-83-9	Bromomethane	ND	1.0	ug/L	
EPA 8260B	EPA 5030C	78-93-3	2-Butanone	ND	5.0	ug/L	
EPA 8260B	EPA 5030C	75-15-0	Carbon Disulfide	ND	1.0	ug/L	
EPA 8260B	EPA 5030C	56-23-5	on Tetrachloride	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	108-90-7	Chlorobenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	75-00-3	Chloroethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	67-66-3	Chloroform	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	74-87-3	Chloromethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	124-48-1	ochloromethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	95-50-1	Dichlorobenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	541-73-1	Dichlorobenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	106-46-7	Dichlorobenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	75-71-8	difluoromethane	ND	1.0	ug/L	
EPA 8260B	EPA 5030C	75-34-3	-Dichloroethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	107-06-2	-Dichloroethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	75-35-4	-Dichloroethene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	156-59-2	-Dichloroethene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	78-87-5	Dichloropropane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	10061-01-5	Dichloropropene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	10061-02-6	Dichloropropene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	100-41-4	Ethylbenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	591-78-6	2-Hexanone	ND	10	ug/L	
EPA 8260B	EPA 5030C	98-82-8	opropylbenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	75-09-2	thylene Chloride	ND	1.0	ug/L	
EPA 8260B	EPA 5030C	100-42-5	Styrene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	79-34-5	etrachloroethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	127-18-4	etrachloroethene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	108-88-3	Toluene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	87-61-6	richlorobenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	120-82-1	richlorobenzene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	71-55-6	-Trichloroethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	76-13-1	-Trifluoroethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	79-00-5	-Trichloroethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	79-01-6	Trichloroethene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	75-69-4	rofluoromethane	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	75-01-4	Vinyl Chloride	ND	0.50	ug/L	

EPA 8260B	EPA 5030C	79601-23-1	p/m-Xylene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	95-47-6	o-Xylene	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	1634-04-4	yl Ether (MTBE)	ND	0.50	ug/L	
EPA 8260B	EPA 5030C	110-82-7	Cyclohexane	ND	2.0	ug/L	
EPA 8260B	EPA 5030C	460-00-4	nofluorobenzene	95		%REC	
EPA 8260B	EPA 5030C	1868-53-7	ofluoromethane	100		%REC	
EPA 8260B	EPA 5030C	17060-07-0	chloroethane-d4	97		%REC	
EPA 8260B	EPA 5030C	2037-26-5	Toluene-d8	102		%REC	
EPA 6010B	EPA 3010A Total	7440-21-3	Silicon	4X	0.0500	%REC	Q
EPA 6010B	EPA 3010A Total	7440-21-3	Silicon	4X	0.0500	%REC	Q
EPA 6020	EPA 3020A Total	7440-36-0	Antimony	105	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-38-2	Arsenic	106	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-39-3	Barium	111	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-41-7	Beryllium	90	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-43-9	Cadmium	98	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-47-3	Chromium	96	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-48-4	Cobalt	99	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-50-8	Copper	94	0.00100	%REC	
EPA 6020	EPA 3020A Total	7439-92-1	Lead	109	0.00100	%REC	
EPA 6020	EPA 3020A Total	7439-98-7	Molybdenum	113	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-02-0	Nickel	91	0.00100	%REC	
EPA 6020	EPA 3020A Total	7782-49-2	Selenium	28	0.00100	%REC	3
EPA 6020	EPA 3020A Total	7440-22-4	Silver	96	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-28-0	Thallium	106	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-62-2	Vanadium	103	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-66-6	Zinc	97	0.00500	%REC	
EPA 6020	EPA 3020A Total	7429-90-5	Aluminum	92	0.0500	%REC	
EPA 6020	EPA 3020A Total	7440-70-2	Calcium	4X	0.100	%REC	Q
EPA 6020	EPA 3020A Total	7439-89-6	Iron	97	0.0500	%REC	
EPA 6020	EPA 3020A Total	7439-95-4	Magnesium	4X	0.100	%REC	Q
EPA 6020	EPA 3020A Total	7439-96-5	Manganese	4X	0.00100	%REC	Q
EPA 6020	EPA 3020A Total	7440-09-7	Potassium	76	0.100	%REC	3
EPA 6020	EPA 3020A Total	7440-23-5	Sodium	4X	0.100	%REC	Q
EPA 6020	EPA 3020A Total	7440-24-6	Strontium	4X	0.00100	%REC	Q
EPA 6020	EPA 3020A Total	7440-31-5	Tin	98	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-32-6	Titanium	94	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-42-8	Boron	90	0.0500	%REC	
EPA 6020	EPA 3020A Total	7440-36-0	Antimony	103	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-38-2	Arsenic	102	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-39-3	Barium	109	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-41-7	Beryllium	89	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-43-9	Cadmium	95	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-47-3	Chromium	96	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-48-4	Cobalt	98	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-50-8	Copper	93	0.00100	%REC	
EPA 6020	EPA 3020A Total	7439-92-1	Lead	106	0.00100	%REC	
EPA 6020	EPA 3020A Total	7439-98-7	Molybdenum	110	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-02-0	Nickel	91	0.00100	%REC	
EPA 6020	EPA 3020A Total	7782-49-2	Selenium	32	0.00100	%REC	3,4
EPA 6020	EPA 3020A Total	7440-22-4	Silver	98	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-28-0	Thallium	104	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-62-2	Vanadium	100	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-66-6	Zinc	92	0.00500	%REC	
EPA 6020	EPA 3020A Total	7429-90-5	Aluminum	88	0.0500	%REC	
EPA 6020	EPA 3020A Total	7440-70-2	Calcium	4X	0.100	%REC	Q

EPA 6020	EPA 3020A Total	7439-89-6	Iron	94	0.0500	%REC	
EPA 6020	EPA 3020A Total	7439-95-4	Magnesium	4X	0.100	%REC	Q
EPA 6020	EPA 3020A Total	7439-96-5	Manganese	4X	0.00100	%REC	Q
EPA 6020	EPA 3020A Total	7440-09-7	Potassium	83	0.100	%REC	
EPA 6020	EPA 3020A Total	7440-23-5	Sodium	4X	0.100	%REC	Q
EPA 6020	EPA 3020A Total	7440-24-6	Strontium	4X	0.00100	%REC	Q
EPA 6020	EPA 3020A Total	7440-31-5	Tin	98	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-32-6	Titanium	94	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-42-8	Boron	88	0.0500	%REC	
EPA 218.6	Filtered	18540-29-9	ium, Hexavalent	99	0.20	%REC	
EPA 218.6	Filtered	18540-29-9	ium, Hexavalent	98	0.20	%REC	
EPA 504.1	EPA 504.1 Ext.	106-93-4	-Dibromoethane	92	0.010	%REC	
EPA 504.1	EPA 504.1 Ext.	96-12-8	-Chloropropane	94	0.010	%REC	
EPA 504.1	EPA 504.1 Ext.	106-93-4	-Dibromoethane	82	0.010	%REC	
EPA 504.1	EPA 504.1 Ext.	96-12-8	-Chloropropane	76	0.010	%REC	
EPA 8260B	EPA 5030C	67-64-1	Acetone	102	10	%REC	
EPA 8260B	EPA 5030C	71-43-2	Benzene	104	0.50	%REC	
EPA 8260B	EPA 5030C	108-86-1	Bromobenzene	104	0.50	%REC	
EPA 8260B	EPA 5030C	74-97-5	ochloromethane	99	1.0	%REC	
EPA 8260B	EPA 5030C	75-27-4	lichloromethane	100	0.50	%REC	
EPA 8260B	EPA 5030C	75-25-2	Bromoform	93	0.50	%REC	
EPA 8260B	EPA 5030C	74-83-9	Bromomethane	94	1.0	%REC	
EPA 8260B	EPA 5030C	78-93-3	2-Butanone	101	5.0	%REC	
EPA 8260B	EPA 5030C	104-51-8	n-Butylbenzene	99	0.50	%REC	
EPA 8260B	EPA 5030C	135-98-8	ec-Butylbenzene	103	0.50	%REC	
EPA 8260B	EPA 5030C	98-06-6	ert-Butylbenzene	110	0.50	%REC	
EPA 8260B	EPA 5030C	75-15-0	Carbon Disulfide	102	1.0	%REC	
EPA 8260B	EPA 5030C	56-23-5	on Tetrachloride	71	0.50	%REC	
EPA 8260B	EPA 5030C	108-90-7	Chlorobenzene	106	0.50	%REC	
EPA 8260B	EPA 5030C	75-00-3	Chloroethane	88	0.50	%REC	
EPA 8260B	EPA 5030C	110-75-8	ethyl Vinyl Ether	4	5.0	%REC	3
EPA 8260B	EPA 5030C	67-66-3	Chloroform	97	0.50	%REC	
EPA 8260B	EPA 5030C	74-87-3	Chloromethane	85	0.50	%REC	
EPA 8260B	EPA 5030C	95-49-8	2-Chlorotoluene	105	0.50	%REC	
EPA 8260B	EPA 5030C	106-43-4	4-Chlorotoluene	105	0.50	%REC	
EPA 8260B	EPA 5030C	124-48-1	ochloromethane	93	0.50	%REC	
EPA 8260B	EPA 5030C	96-12-8	-Chloropropane	88	5.0	%REC	
EPA 8260B	EPA 5030C	106-93-4	-Dibromoethane	104	0.50	%REC	
EPA 8260B	EPA 5030C	74-95-3	ibromomethane	109	0.50	%REC	
EPA 8260B	EPA 5030C	95-50-1	Dichlorobenzene	112	0.50	%REC	
EPA 8260B	EPA 5030C	541-73-1	Dichlorobenzene	107	0.50	%REC	
EPA 8260B	EPA 5030C	106-46-7	Dichlorobenzene	104	0.50	%REC	
EPA 8260B	EPA 5030C	75-71-8	difluoromethane	70	1.0	%REC	
EPA 8260B	EPA 5030C	75-34-3	-Dichloroethane	91	0.50	%REC	
EPA 8260B	EPA 5030C	107-06-2	-Dichloroethane	102	0.50	%REC	
EPA 8260B	EPA 5030C	75-35-4	-Dichloroethene	50	0.50	%REC	3
EPA 8260B	EPA 5030C	156-59-2	-Dichloroethene	96	0.50	%REC	
EPA 8260B	EPA 5030C	156-60-5	-Dichloroethene	100	0.50	%REC	
EPA 8260B	EPA 5030C	75-05-8	Acetonitrile	79	10	%REC	
EPA 8260B	EPA 5030C	78-87-5	Dichloropropane	103	0.50	%REC	
EPA 8260B	EPA 5030C	107-02-8	Acrolein	74	20	%REC	
EPA 8260B	EPA 5030C	107-13-1	Acrylonitrile	104	10	%REC	
EPA 8260B	EPA 5030C	142-28-9	Dichloropropane	105	1.0	%REC	
EPA 8260B	EPA 5030C	594-20-7	Dichloropropane	54	1.0	%REC	3
EPA 8260B	EPA 5030C	107-05-1	Allyl Chloride	77	1.0	%REC	

EPA 8260B	EPA 5030C	563-58-6	Dichloropropene	103	0.50	%REC	
EPA 8260B	EPA 5030C	10061-01-5	Dichloropropene	85	0.50	%REC	
EPA 8260B	EPA 5030C	10061-02-6	Dichloropropene	65	0.50	%REC	3
EPA 8260B	EPA 5030C	100-41-4	Ethylbenzene	99	0.50	%REC	
EPA 8260B	EPA 5030C	591-78-6	2-Hexanone	93	10	%REC	
EPA 8260B	EPA 5030C	98-82-8	opropylbenzene	103	0.50	%REC	
EPA 8260B	EPA 5030C	99-87-6	sopropyltoluene	92	0.50	%REC	
EPA 8260B	EPA 5030C	75-09-2	thylene Chloride	98	1.0	%REC	
EPA 8260B	EPA 5030C	108-10-1	hyl-2-Pentanone	108	5.0	%REC	
EPA 8260B	EPA 5030C	91-20-3	Naphthalene	119	1.0	%REC	
EPA 8260B	EPA 5030C	103-65-1	n-Propylbenzene	102	0.50	%REC	
EPA 8260B	EPA 5030C	100-42-5	Styrene	67	0.50	%REC	3
EPA 8260B	EPA 5030C	126-99-8	Chloroprene	79	0.50	%REC	
EPA 8260B	EPA 5030C	630-20-6	etrachloroethane	78	0.50	%REC	3
EPA 8260B	EPA 5030C	79-34-5	etrachloroethane	111	0.50	%REC	
EPA 8260B	EPA 5030C	127-18-4	etrachloroethene	0	0.50	%REC	3
EPA 8260B	EPA 5030C	108-88-3	Toluene	103	0.50	%REC	
EPA 8260B	EPA 5030C	87-61-6	richlorobenzene	110	0.50	%REC	
EPA 8260B	EPA 5030C	97-63-2	hyl Methacrylate	55	5.0	%REC	3
EPA 8260B	EPA 5030C	120-82-1	richlorobenzene	108	0.50	%REC	
EPA 8260B	EPA 5030C	71-55-6	-Trichloroethane	87	0.50	%REC	
EPA 8260B	EPA 5030C	87-68-3	o-1,3-Butadiene	93	2.0	%REC	
EPA 8260B	EPA 5030C	76-13-1	-Trifluoroethane	78	0.50	%REC	
EPA 8260B	EPA 5030C	79-00-5	-Trichloroethane	102	0.50	%REC	
EPA 8260B	EPA 5030C	74-88-4	Iodomethane	62	10	%REC	3
EPA 8260B	EPA 5030C	79-01-6	Trichloroethene	47	0.50	%REC	3
EPA 8260B	EPA 5030C	75-69-4	rofluoromethane	84	0.50	%REC	
EPA 8260B	EPA 5030C	78-83-1	Isobutyl Alcohol	58	10	%REC	3
EPA 8260B	EPA 5030C	96-18-4	richloropropane	89	1.0	%REC	
EPA 8260B	EPA 5030C	95-63-6	rimethylbenzene	101	0.50	%REC	
EPA 8260B	EPA 5030C	126-98-7	Methacrylonitrile	97	10	%REC	
EPA 8260B	EPA 5030C	80-62-6	hyl Methacrylate	72	5.0	%REC	
EPA 8260B	EPA 5030C	108-67-8	rimethylbenzene	102	0.50	%REC	
EPA 8260B	EPA 5030C	108-05-4	Vinyl Acetate	77	5.0	%REC	
EPA 8260B	EPA 5030C	75-01-4	Vinyl Chloride	88	0.50	%REC	
EPA 8260B	EPA 5030C	179601-23-1	p/m-Xylene	101	0.50	%REC	
EPA 8260B	EPA 5030C	95-47-6	o-Xylene	105	0.50	%REC	
EPA 8260B	EPA 5030C	1634-04-4	yl Ether (MTBE)	100	0.50	%REC	
EPA 8260B	EPA 5030C	764-41-0	chloro-2-Butene	68	5.0	%REC	3
EPA 8260B	EPA 5030C	109-99-9	Tetrahydrofuran	101	5.0	%REC	
EPA 8260B	EPA 5030C	107-12-0	Propionitrile	106	10	%REC	
EPA 8260B	EPA 5030C	75-65-0	yl Alcohol (TBA)	106	10	%REC	
EPA 8260B	EPA 5030C	108-20-3	pyl Ether (DIPE)	99	0.50	%REC	
EPA 8260B	EPA 5030C	637-92-3	yl Ether (ETBE)	82	0.50	%REC	
EPA 8260B	EPA 5030C	994-05-8	yl Ether (TAME)	81	0.50	%REC	
EPA 8260B	EPA 5030C	110-54-3	Hexane	85	0.50	%REC	
EPA 8260B	EPA 5030C	110-82-7	Cyclohexane	90	2.0	%REC	
EPA 8260B	EPA 5030C	67-64-1	Acetone	107	10	%REC	
EPA 8260B	EPA 5030C	71-43-2	Benzene	102	0.50	%REC	
EPA 8260B	EPA 5030C	108-86-1	Bromobenzene	105	0.50	%REC	
EPA 8260B	EPA 5030C	74-97-5	pchloromethane	100	1.0	%REC	
EPA 8260B	EPA 5030C	75-27-4	lichloromethane	100	0.50	%REC	
EPA 8260B	EPA 5030C	75-25-2	Bromoform	97	0.50	%REC	
EPA 8260B	EPA 5030C	74-83-9	Bromomethane	93	1.0	%REC	
EPA 8260B	EPA 5030C	78-93-3	2-Butanone	101	5.0	%REC	

EPA 8260B	EPA 5030C	104-51-8	n-Butylbenzene	99	0.50	%REC	
EPA 8260B	EPA 5030C	135-98-8	ec-Butylbenzene	103	0.50	%REC	
EPA 8260B	EPA 5030C	98-06-6	ert-Butylbenzene	108	0.50	%REC	
EPA 8260B	EPA 5030C	75-15-0	Carbon Disulfide	104	1.0	%REC	
EPA 8260B	EPA 5030C	56-23-5	on Tetrachloride	73	0.50	%REC	
EPA 8260B	EPA 5030C	108-90-7	Chlorobenzene	108	0.50	%REC	
EPA 8260B	EPA 5030C	75-00-3	Chloroethane	88	0.50	%REC	
EPA 8260B	EPA 5030C	110-75-8	ethyl Vinyl Ether	3	5.0	%REC	3
EPA 8260B	EPA 5030C	67-66-3	Chloroform	98	0.50	%REC	
EPA 8260B	EPA 5030C	74-87-3	Chloromethane	90	0.50	%REC	
EPA 8260B	EPA 5030C	95-49-8	2-Chlorotoluene	108	0.50	%REC	
EPA 8260B	EPA 5030C	106-43-4	4-Chlorotoluene	104	0.50	%REC	
EPA 8260B	EPA 5030C	124-48-1	ochloromethane	98	0.50	%REC	
EPA 8260B	EPA 5030C	96-12-8	-Chloropropane	87	5.0	%REC	
EPA 8260B	EPA 5030C	106-93-4	-Dibromoethane	103	0.50	%REC	
EPA 8260B	EPA 5030C	74-95-3	ibromomethane	105	0.50	%REC	
EPA 8260B	EPA 5030C	95-50-1	Dichlorobenzene	110	0.50	%REC	
EPA 8260B	EPA 5030C	541-73-1	Dichlorobenzene	105	0.50	%REC	
EPA 8260B	EPA 5030C	106-46-7	Dichlorobenzene	102	0.50	%REC	
EPA 8260B	EPA 5030C	75-71-8	difluoromethane	70	1.0	%REC	
EPA 8260B	EPA 5030C	75-34-3	-Dichloroethane	92	0.50	%REC	
EPA 8260B	EPA 5030C	107-06-2	-Dichloroethane	100	0.50	%REC	
EPA 8260B	EPA 5030C	75-35-4	-Dichloroethene	40	0.50	%REC	3
EPA 8260B	EPA 5030C	156-59-2	-Dichloroethene	97	0.50	%REC	
EPA 8260B	EPA 5030C	156-60-5	-Dichloroethene	100	0.50	%REC	
EPA 8260B	EPA 5030C	75-05-8	Acetonitrile	80	10	%REC	
EPA 8260B	EPA 5030C	78-87-5	Dichloropropane	101	0.50	%REC	
EPA 8260B	EPA 5030C	107-02-8	Acrolein	76	20	%REC	
EPA 8260B	EPA 5030C	107-13-1	Acrylonitrile	104	10	%REC	
EPA 8260B	EPA 5030C	142-28-9	Dichloropropane	108	1.0	%REC	
EPA 8260B	EPA 5030C	594-20-7	Dichloropropane	57	1.0	%REC	3
EPA 8260B	EPA 5030C	107-05-1	Allyl Chloride	79	1.0	%REC	
EPA 8260B	EPA 5030C	563-58-6	Dichloropropene	103	0.50	%REC	
EPA 8260B	EPA 5030C	10061-01-5	Dichloropropene	86	0.50	%REC	
EPA 8260B	EPA 5030C	10061-02-6	Dichloropropene	69	0.50	%REC	3
EPA 8260B	EPA 5030C	100-41-4	Ethylbenzene	102	0.50	%REC	
EPA 8260B	EPA 5030C	591-78-6	2-Hexanone	93	10	%REC	
EPA 8260B	EPA 5030C	98-82-8	opropylbenzene	106	0.50	%REC	
EPA 8260B	EPA 5030C	99-87-6	sopropyltoluene	90	0.50	%REC	
EPA 8260B	EPA 5030C	75-09-2	thylene Chloride	99	1.0	%REC	
EPA 8260B	EPA 5030C	108-10-1	hyl-2-Pentanone	106	5.0	%REC	
EPA 8260B	EPA 5030C	91-20-3	Naphthalene	113	1.0	%REC	
EPA 8260B	EPA 5030C	103-65-1	n-Propylbenzene	105	0.50	%REC	
EPA 8260B	EPA 5030C	100-42-5	Styrene	55	0.50	%REC	3
EPA 8260B	EPA 5030C	126-99-8	Chloroprene	72	0.50	%REC	
EPA 8260B	EPA 5030C	630-20-6	etrachloroethane	83	0.50	%REC	
EPA 8260B	EPA 5030C	79-34-5	etrachloroethane	106	0.50	%REC	
EPA 8260B	EPA 5030C	127-18-4	etrachloroethene	8	0.50	%REC	3
EPA 8260B	EPA 5030C	108-88-3	Toluene	104	0.50	%REC	
EPA 8260B	EPA 5030C	87-61-6	richlorobenzene	111	0.50	%REC	
EPA 8260B	EPA 5030C	97-63-2	hyl Methacrylate	58	5.0	%REC	3
EPA 8260B	EPA 5030C	120-82-1	richlorobenzene	108	0.50	%REC	
EPA 8260B	EPA 5030C	71-55-6	-Trichloroethane	90	0.50	%REC	
EPA 8260B	EPA 5030C	87-68-3	o-1,3-Butadiene	97	2.0	%REC	
EPA 8260B	EPA 5030C	76-13-1	-Trifluoroethane	55	0.50	%REC	

EPA 8260B	EPA 5030C	79-00-5	-Trichloroethane	103	0.50	%REC	
EPA 8260B	EPA 5030C	74-88-4	Iodomethane	75	10	%REC	
EPA 8260B	EPA 5030C	79-01-6	Trichloroethene	52	0.50	%REC	3
EPA 8260B	EPA 5030C	75-69-4	ofluoromethane	80	0.50	%REC	
EPA 8260B	EPA 5030C	78-83-1	Isobutyl Alcohol	54	10	%REC	3
EPA 8260B	EPA 5030C	96-18-4	richloropropane	91	1.0	%REC	
EPA 8260B	EPA 5030C	95-63-6	imethylbenzene	91	0.50	%REC	
EPA 8260B	EPA 5030C	126-98-7	Methacrylonitrile	96	10	%REC	
EPA 8260B	EPA 5030C	80-62-6	hyl Methacrylate	71	5.0	%REC	
EPA 8260B	EPA 5030C	108-67-8	imethylbenzene	103	0.50	%REC	
EPA 8260B	EPA 5030C	108-05-4	Vinyl Acetate	77	5.0	%REC	
EPA 8260B	EPA 5030C	75-01-4	Vinyl Chloride	88	0.50	%REC	
EPA 8260B	EPA 5030C	79601-23-1	p/m-Xylene	103	0.50	%REC	
EPA 8260B	EPA 5030C	95-47-6	o-Xylene	108	0.50	%REC	
EPA 8260B	EPA 5030C	1634-04-4	yl Ether (MTBE)	97	0.50	%REC	
EPA 8260B	EPA 5030C	764-41-0	chloro-2-Butene	67	5.0	%REC	3
EPA 8260B	EPA 5030C	109-99-9	Tetrahydrofuran	100	5.0	%REC	
EPA 8260B	EPA 5030C	107-12-0	Propionitrile	99	10	%REC	
EPA 8260B	EPA 5030C	75-65-0	yl Alcohol (TBA)	114	10	%REC	
EPA 8260B	EPA 5030C	108-20-3	pyl Ether (DIPE)	97	0.50	%REC	
EPA 8260B	EPA 5030C	637-92-3	yl Ether (ETBE)	82	0.50	%REC	
EPA 8260B	EPA 5030C	994-05-8	yl Ether (TAME)	80	0.50	%REC	
EPA 8260B	EPA 5030C	110-54-3	Hexane	87	0.50	%REC	
EPA 8260B	EPA 5030C	110-82-7	Cyclohexane	90	2.0	%REC	
EPA 6010B	EPA 3010A Total	7440-21-3	Silicon	111	0.0500	%REC	
EPA 6010B	EPA 3010A Total	7440-21-3	Silicon	111	0.0500	%REC	
EPA 6020	EPA 3020A Total	7440-36-0	Antimony	90	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-38-2	Arsenic	93	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-39-3	Barium	95	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-41-7	Beryllium	92	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-43-9	Cadmium	94	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-47-3	Chromium	85	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-48-4	Cobalt	97	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-50-8	Copper	99	0.00100	%REC	
EPA 6020	EPA 3020A Total	7439-92-1	Lead	94	0.00100	%REC	
EPA 6020	EPA 3020A Total	7439-98-7	Molybdenum	91	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-02-0	Nickel	95	0.00100	%REC	
EPA 6020	EPA 3020A Total	7782-49-2	Selenium	91	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-22-4	Silver	96	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-28-0	Thallium	93	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-62-2	Vanadium	94	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-66-6	Zinc	105	0.00500	%REC	
EPA 6020	EPA 3020A Total	7429-90-5	Aluminum	92	0.0500	%REC	
EPA 6020	EPA 3020A Total	7440-70-2	Calcium	108	0.100	%REC	
EPA 6020	EPA 3020A Total	7439-89-6	Iron	96	0.0500	%REC	
EPA 6020	EPA 3020A Total	7439-95-4	Magnesium	106	0.100	%REC	
EPA 6020	EPA 3020A Total	7439-96-5	Manganese	91	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-09-7	Potassium	99	0.100	%REC	
EPA 6020	EPA 3020A Total	7440-23-5	Sodium	96	0.100	%REC	
EPA 6020	EPA 3020A Total	7440-24-6	Strontium	91	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-31-5	Tin	88	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-32-6	Titanium	90	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-42-8	Boron	87	0.0500	%REC	
EPA 6020	EPA 3020A Total	7440-36-0	Antimony	101	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-38-2	Arsenic	103	0.00100	%REC	

EPA 6020	EPA 3020A Total	7440-39-3	Barium	104	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-41-7	Beryllium	104	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-43-9	Cadmium	104	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-47-3	Chromium	96	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-48-4	Cobalt	108	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-50-8	Copper	110	0.00100	%REC	
EPA 6020	EPA 3020A Total	7439-92-1	Lead	103	0.00100	%REC	
EPA 6020	EPA 3020A Total	7439-98-7	Molybdenum	103	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-02-0	Nickel	104	0.00100	%REC	
EPA 6020	EPA 3020A Total	7782-49-2	Selenium	97	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-22-4	Silver	106	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-28-0	Thallium	101	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-62-2	Vanadium	104	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-66-6	Zinc	118	0.00500	%REC	
EPA 6020	EPA 3020A Total	7429-90-5	Aluminum	103	0.0500	%REC	
EPA 6020	EPA 3020A Total	7440-70-2	Calcium	107	0.100	%REC	
EPA 6020	EPA 3020A Total	7439-89-6	Iron	105	0.0500	%REC	
EPA 6020	EPA 3020A Total	7439-95-4	Magnesium	106	0.100	%REC	
EPA 6020	EPA 3020A Total	7439-96-5	Manganese	102	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-09-7	Potassium	100	0.100	%REC	
EPA 6020	EPA 3020A Total	7440-23-5	Sodium	99	0.100	%REC	
EPA 6020	EPA 3020A Total	7440-24-6	Strontium	99	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-31-5	Tin	99	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-32-6	Titanium	100	0.00100	%REC	
EPA 6020	EPA 3020A Total	7440-42-8	Boron	100	0.0500	%REC	
EPA 218.6	Filtered	18540-29-9	ium, Hexavalent	98	0.20	%REC	
EPA 218.6	Filtered	18540-29-9	ium, Hexavalent	99	0.20	%REC	
pe Dilution	EPA 3520C	123-91-1	1,4-Dioxane	101	1.0	%REC	
pe Dilution	EPA 3520C	123-91-1	1,4-Dioxane	100	1.0	%REC	
EPA 504.1	EPA 504.1 Ext.	106-93-4	-Dibromoethane	98	0.010	%REC	
EPA 504.1	EPA 504.1 Ext.	96-12-8	-Chloropropane	95	0.010	%REC	
EPA 504.1	EPA 504.1 Ext.	106-93-4	-Dibromoethane	96	0.010	%REC	
EPA 504.1	EPA 504.1 Ext.	96-12-8	-Chloropropane	99	0.010	%REC	
EPA 8260B	EPA 5030C	67-64-1	Acetone	107	10	%REC	
EPA 8260B	EPA 5030C	71-43-2	Benzene	102	0.50	%REC	
EPA 8260B	EPA 5030C	108-86-1	Bromobenzene	102	0.50	%REC	
EPA 8260B	EPA 5030C	74-97-5	ochloromethane	102	1.0	%REC	
EPA 8260B	EPA 5030C	75-27-4	lichloromethane	94	0.50	%REC	
EPA 8260B	EPA 5030C	75-25-2	Bromoform	79	0.50	%REC	
EPA 8260B	EPA 5030C	74-83-9	Bromomethane	92	1.0	%REC	
EPA 8260B	EPA 5030C	78-93-3	2-Butanone	114	5.0	%REC	
EPA 8260B	EPA 5030C	104-51-8	n-Butylbenzene	104	0.50	%REC	
EPA 8260B	EPA 5030C	135-98-8	ec-Butylbenzene	108	0.50	%REC	
EPA 8260B	EPA 5030C	98-06-6	ert-Butylbenzene	112	0.50	%REC	
EPA 8260B	EPA 5030C	75-15-0	Carbon Disulfide	102	1.0	%REC	
EPA 8260B	EPA 5030C	56-23-5	on Tetrachloride	63	0.50	%REC	ME
EPA 8260B	EPA 5030C	108-90-7	Chlorobenzene	105	0.50	%REC	
EPA 8260B	EPA 5030C	75-00-3	Chloroethane	91	0.50	%REC	
EPA 8260B	EPA 5030C	110-75-8	ethyl Vinyl Ether	92	5.0	%REC	
EPA 8260B	EPA 5030C	67-66-3	Chloroform	99	0.50	%REC	
EPA 8260B	EPA 5030C	74-87-3	Chloromethane	88	0.50	%REC	
EPA 8260B	EPA 5030C	95-49-8	2-Chlorotoluene	106	0.50	%REC	
EPA 8260B	EPA 5030C	106-43-4	4-Chlorotoluene	106	0.50	%REC	
EPA 8260B	EPA 5030C	124-48-1	ochloromethane	85	0.50	%REC	
EPA 8260B	EPA 5030C	96-12-8	-Chloropropane	80	5.0	%REC	

EPA 8260B	EPA 5030C	106-93-4	-Dibromoethane	99	0.50	%REC	
EPA 8260B	EPA 5030C	74-95-3	ibromomethane	105	0.50	%REC	
EPA 8260B	EPA 5030C	95-50-1	Dichlorobenzene	111	0.50	%REC	
EPA 8260B	EPA 5030C	541-73-1	Dichlorobenzene	108	0.50	%REC	
EPA 8260B	EPA 5030C	106-46-7	Dichlorobenzene	104	0.50	%REC	
EPA 8260B	EPA 5030C	75-71-8	difluoromethane	71	1.0	%REC	
EPA 8260B	EPA 5030C	75-34-3	-Dichloroethane	94	0.50	%REC	
EPA 8260B	EPA 5030C	107-06-2	-Dichloroethane	100	0.50	%REC	
EPA 8260B	EPA 5030C	75-35-4	-Dichloroethene	94	0.50	%REC	
EPA 8260B	EPA 5030C	156-59-2	-Dichloroethene	99	0.50	%REC	
EPA 8260B	EPA 5030C	156-60-5	-Dichloroethene	100	0.50	%REC	
EPA 8260B	EPA 5030C	75-05-8	Acetonitrile	89	10	%REC	
EPA 8260B	EPA 5030C	78-87-5	Dichloropropane	100	0.50	%REC	
EPA 8260B	EPA 5030C	107-02-8	Acrolein	91	20	%REC	
EPA 8260B	EPA 5030C	107-13-1	Acrylonitrile	101	10	%REC	
EPA 8260B	EPA 5030C	142-28-9	Dichloropropane	103	1.0	%REC	
EPA 8260B	EPA 5030C	594-20-7	Dichloropropane	68	1.0	%REC	
EPA 8260B	EPA 5030C	107-05-1	Allyl Chloride	88	1.0	%REC	
EPA 8260B	EPA 5030C	563-58-6	Dichloropropene	105	0.50	%REC	
EPA 8260B	EPA 5030C	10061-01-5	Dichloropropene	88	0.50	%REC	
EPA 8260B	EPA 5030C	10061-02-6	Dichloropropene	71	0.50	%REC	
EPA 8260B	EPA 5030C	100-41-4	Ethylbenzene	101	0.50	%REC	
EPA 8260B	EPA 5030C	591-78-6	2-Hexanone	92	10	%REC	
EPA 8260B	EPA 5030C	98-82-8	opropylbenzene	106	0.50	%REC	
EPA 8260B	EPA 5030C	99-87-6	sopropyltoluene	95	0.50	%REC	
EPA 8260B	EPA 5030C	75-09-2	thylene Chloride	95	1.0	%REC	
EPA 8260B	EPA 5030C	108-10-1	hyl-2-Pentanone	107	5.0	%REC	
EPA 8260B	EPA 5030C	91-20-3	Naphthalene	117	1.0	%REC	
EPA 8260B	EPA 5030C	103-65-1	n-Propylbenzene	105	0.50	%REC	
EPA 8260B	EPA 5030C	100-42-5	Styrene	102	0.50	%REC	
EPA 8260B	EPA 5030C	126-99-8	Chloroprene	85	0.50	%REC	
EPA 8260B	EPA 5030C	630-20-6	etrachloroethane	73	0.50	%REC	ME
EPA 8260B	EPA 5030C	79-34-5	etrachloroethane	108	0.50	%REC	
EPA 8260B	EPA 5030C	127-18-4	etrachloroethene	87	0.50	%REC	
EPA 8260B	EPA 5030C	108-88-3	Toluene	102	0.50	%REC	
EPA 8260B	EPA 5030C	87-61-6	richlorobenzene	110	0.50	%REC	
EPA 8260B	EPA 5030C	97-63-2	hyl Methacrylate	55	5.0	%REC	X
EPA 8260B	EPA 5030C	120-82-1	richlorobenzene	107	0.50	%REC	
EPA 8260B	EPA 5030C	71-55-6	-Trichloroethane	87	0.50	%REC	
EPA 8260B	EPA 5030C	87-68-3	o-1,3-Butadiene	99	2.0	%REC	
EPA 8260B	EPA 5030C	76-13-1	-Trifluoroethane	97	0.50	%REC	
EPA 8260B	EPA 5030C	79-00-5	-Trichloroethane	101	0.50	%REC	
EPA 8260B	EPA 5030C	74-88-4	Iodomethane	81	10	%REC	
EPA 8260B	EPA 5030C	79-01-6	Trichloroethene	101	0.50	%REC	
EPA 8260B	EPA 5030C	75-69-4	ofluoromethane	93	0.50	%REC	
EPA 8260B	EPA 5030C	78-83-1	Isobutyl Alcohol	44	10	%REC	X
EPA 8260B	EPA 5030C	96-18-4	richloropropane	85	1.0	%REC	
EPA 8260B	EPA 5030C	95-63-6	imethylbenzene	105	0.50	%REC	
EPA 8260B	EPA 5030C	126-98-7	Methacrylonitrile	100	10	%REC	
EPA 8260B	EPA 5030C	80-62-6	hyl Methacrylate	71	5.0	%REC	
EPA 8260B	EPA 5030C	108-67-8	imethylbenzene	105	0.50	%REC	
EPA 8260B	EPA 5030C	108-05-4	Vinyl Acetate	88	5.0	%REC	
EPA 8260B	EPA 5030C	75-01-4	Vinyl Chloride	89	0.50	%REC	
EPA 8260B	EPA 5030C	79601-23-1	p/m-Xylene	102	0.50	%REC	
EPA 8260B	EPA 5030C	95-47-6	o-Xylene	106	0.50	%REC	

EPA 8260B	EPA 5030C	1634-04-4	yl Ether (MTBE)	99	0.50	%REC	
EPA 8260B	EPA 5030C	764-41-0	chloro-2-Butene	71	5.0	%REC	
EPA 8260B	EPA 5030C	109-99-9	Tetrahydrofuran	106	5.0	%REC	
EPA 8260B	EPA 5030C	107-12-0	Propionitrile	122	10	%REC	
EPA 8260B	EPA 5030C	75-65-0	yl Alcohol (TBA)	98	10	%REC	
EPA 8260B	EPA 5030C	108-20-3	pyl Ether (DIPE)	97	0.50	%REC	
EPA 8260B	EPA 5030C	637-92-3	yl Ether (ETBE)	86	0.50	%REC	
EPA 8260B	EPA 5030C	994-05-8	yl Ether (TAME)	84	0.50	%REC	
EPA 8260B	EPA 5030C	110-54-3	Hexane	95	0.50	%REC	
EPA 8260B	EPA 5030C	110-82-7	Cyclohexane	97	2.0	%REC	
EPA 8260B	EPA 5030C	67-64-1	Acetone	95	10	%REC	
EPA 8260B	EPA 5030C	71-43-2	Benzene	97	0.50	%REC	
EPA 8260B	EPA 5030C	108-86-1	Bromobenzene	101	0.50	%REC	
EPA 8260B	EPA 5030C	74-97-5	ochloromethane	95	1.0	%REC	
EPA 8260B	EPA 5030C	75-27-4	lichloromethane	93	0.50	%REC	
EPA 8260B	EPA 5030C	75-25-2	Bromoform	80	0.50	%REC	
EPA 8260B	EPA 5030C	74-83-9	Bromomethane	94	1.0	%REC	
EPA 8260B	EPA 5030C	78-93-3	2-Butanone	93	5.0	%REC	
EPA 8260B	EPA 5030C	104-51-8	n-Butylbenzene	106	0.50	%REC	
EPA 8260B	EPA 5030C	135-98-8	ec-Butylbenzene	107	0.50	%REC	
EPA 8260B	EPA 5030C	98-06-6	ert-Butylbenzene	111	0.50	%REC	
EPA 8260B	EPA 5030C	75-15-0	Carbon Disulfide	105	1.0	%REC	
EPA 8260B	EPA 5030C	56-23-5	on Tetrachloride	71	0.50	%REC	
EPA 8260B	EPA 5030C	108-90-7	Chlorobenzene	104	0.50	%REC	
EPA 8260B	EPA 5030C	75-00-3	Chloroethane	93	0.50	%REC	
EPA 8260B	EPA 5030C	110-75-8	ethyl Vinyl Ether	92	5.0	%REC	
EPA 8260B	EPA 5030C	67-66-3	Chloroform	96	0.50	%REC	
EPA 8260B	EPA 5030C	74-87-3	Chloromethane	90	0.50	%REC	
EPA 8260B	EPA 5030C	95-49-8	2-Chlorotoluene	105	0.50	%REC	
EPA 8260B	EPA 5030C	106-43-4	4-Chlorotoluene	104	0.50	%REC	
EPA 8260B	EPA 5030C	124-48-1	ochloromethane	85	0.50	%REC	
EPA 8260B	EPA 5030C	96-12-8	-Chloropropane	77	5.0	%REC	
EPA 8260B	EPA 5030C	106-93-4	-Dibromoethane	96	0.50	%REC	
EPA 8260B	EPA 5030C	74-95-3	ibromomethane	102	0.50	%REC	
EPA 8260B	EPA 5030C	95-50-1	Dichlorobenzene	110	0.50	%REC	
EPA 8260B	EPA 5030C	541-73-1	Dichlorobenzene	106	0.50	%REC	
EPA 8260B	EPA 5030C	106-46-7	Dichlorobenzene	103	0.50	%REC	
EPA 8260B	EPA 5030C	75-71-8	difluoromethane	74	1.0	%REC	
EPA 8260B	EPA 5030C	75-34-3	-Dichloroethane	96	0.50	%REC	
EPA 8260B	EPA 5030C	107-06-2	-Dichloroethane	95	0.50	%REC	
EPA 8260B	EPA 5030C	75-35-4	-Dichloroethene	97	0.50	%REC	
EPA 8260B	EPA 5030C	156-59-2	-Dichloroethene	97	0.50	%REC	
EPA 8260B	EPA 5030C	156-60-5	-Dichloroethene	102	0.50	%REC	
EPA 8260B	EPA 5030C	75-05-8	Acetonitrile	91	10	%REC	
EPA 8260B	EPA 5030C	78-87-5	Dichloropropane	97	0.50	%REC	
EPA 8260B	EPA 5030C	107-02-8	Acrolein	86	20	%REC	
EPA 8260B	EPA 5030C	107-13-1	Acrylonitrile	97	10	%REC	
EPA 8260B	EPA 5030C	142-28-9	Dichloropropane	99	1.0	%REC	
EPA 8260B	EPA 5030C	594-20-7	Dichloropropane	72	1.0	%REC	
EPA 8260B	EPA 5030C	107-05-1	Allyl Chloride	89	1.0	%REC	
EPA 8260B	EPA 5030C	563-58-6	Dichloropropene	105	0.50	%REC	
EPA 8260B	EPA 5030C	10061-01-5	Dichloropropene	86	0.50	%REC	
EPA 8260B	EPA 5030C	10061-02-6	Dichloropropene	71	0.50	%REC	
EPA 8260B	EPA 5030C	100-41-4	Ethylbenzene	100	0.50	%REC	
EPA 8260B	EPA 5030C	591-78-6	2-Hexanone	88	10	%REC	

EPA 8260B	EPA 5030C	98-82-8	opropylbenzene	104	0.50	%REC	
EPA 8260B	EPA 5030C	99-87-6	sopropyltoluene	95	0.50	%REC	
EPA 8260B	EPA 5030C	75-09-2	thylene Chloride	96	1.0	%REC	
EPA 8260B	EPA 5030C	108-10-1	hyl-2-Pentanone	99	5.0	%REC	
EPA 8260B	EPA 5030C	91-20-3	Naphthalene	113	1.0	%REC	
EPA 8260B	EPA 5030C	103-65-1	n-Propylbenzene	104	0.50	%REC	
EPA 8260B	EPA 5030C	100-42-5	Styrene	102	0.50	%REC	
EPA 8260B	EPA 5030C	126-99-8	Chloroprene	87	0.50	%REC	
EPA 8260B	EPA 5030C	630-20-6	etrachloroethane	74	0.50	%REC	ME
EPA 8260B	EPA 5030C	79-34-5	etrachloroethane	101	0.50	%REC	
EPA 8260B	EPA 5030C	127-18-4	etrachloroethene	86	0.50	%REC	
EPA 8260B	EPA 5030C	108-88-3	Toluene	99	0.50	%REC	
EPA 8260B	EPA 5030C	87-61-6	richlorobenzene	107	0.50	%REC	
EPA 8260B	EPA 5030C	97-63-2	hyl Methacrylate	52	5.0	%REC	X
EPA 8260B	EPA 5030C	120-82-1	richlorobenzene	109	0.50	%REC	
EPA 8260B	EPA 5030C	71-55-6	-Trichloroethane	89	0.50	%REC	
EPA 8260B	EPA 5030C	87-68-3	o-1,3-Butadiene	100	2.0	%REC	
EPA 8260B	EPA 5030C	76-13-1	-Trifluoroethane	96	0.50	%REC	
EPA 8260B	EPA 5030C	79-00-5	-Trichloroethane	98	0.50	%REC	
EPA 8260B	EPA 5030C	74-88-4	Iodomethane	88	10	%REC	
EPA 8260B	EPA 5030C	79-01-6	Trichloroethene	98	0.50	%REC	
EPA 8260B	EPA 5030C	75-69-4	ofluoromethane	96	0.50	%REC	
EPA 8260B	EPA 5030C	78-83-1	Isobutyl Alcohol	55	10	%REC	X
EPA 8260B	EPA 5030C	96-18-4	richloropropane	82	1.0	%REC	
EPA 8260B	EPA 5030C	95-63-6	imethylbenzene	103	0.50	%REC	
EPA 8260B	EPA 5030C	126-98-7	Methacrylonitrile	91	10	%REC	
EPA 8260B	EPA 5030C	80-62-6	hyl Methacrylate	67	5.0	%REC	ME
EPA 8260B	EPA 5030C	108-67-8	imethylbenzene	104	0.50	%REC	
EPA 8260B	EPA 5030C	108-05-4	Vinyl Acetate	88	5.0	%REC	
EPA 8260B	EPA 5030C	75-01-4	Vinyl Chloride	91	0.50	%REC	
EPA 8260B	EPA 5030C	79601-23-1	p/m-Xylene	102	0.50	%REC	
EPA 8260B	EPA 5030C	95-47-6	o-Xylene	105	0.50	%REC	
EPA 8260B	EPA 5030C	1634-04-4	yl Ether (MTBE)	97	0.50	%REC	
EPA 8260B	EPA 5030C	764-41-0	chloro-2-Butene	67	5.0	%REC	ME
EPA 8260B	EPA 5030C	109-99-9	Tetrahydrofuran	90	5.0	%REC	
EPA 8260B	EPA 5030C	107-12-0	Propionitrile	103	10	%REC	
EPA 8260B	EPA 5030C	75-65-0	yl Alcohol (TBA)	93	10	%REC	
EPA 8260B	EPA 5030C	108-20-3	pyl Ether (DIPE)	99	0.50	%REC	
EPA 8260B	EPA 5030C	637-92-3	yl Ether (ETBE)	88	0.50	%REC	
EPA 8260B	EPA 5030C	994-05-8	yl Ether (TAME)	85	0.50	%REC	
EPA 8260B	EPA 5030C	110-54-3	Hexane	97	0.50	%REC	
EPA 8260B	EPA 5030C	110-82-7	Cyclohexane	93	2.0	%REC	

DILUTION_FACTOR	COMMENT	CONTROL_LIMIT	RPD	RPD_CONTROL_LIMIT
1				
1				
1				

1				
1				
1				

1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1		56-123		
1		56-123		
1		56-123		
1				
1		56-123		
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1	

1				
1				
1				
1				
1				
1				
1				
1				
4				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
4				
1				
4				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				

1				
1				
1				
1				
1				
4				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
4				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				
1				

1				
1				
1		68-120		
1		71-135		
1		64-139		
1		72-128		
1		68-120		
1		71-135		
1		64-139		
1		72-128		
1		68-120		
1		71-135		
1		64-139		
1		72-128		
1				
1				
1	

1				
1				
1				
1				
1		68-120		
1		71-135		
1		64-139		
1		72-128		
1		24-180	4X	0-15
1		24-180	4X	0-15
1		85-133	2	0-11
1		73-127	4	0-11
1		74-128	1	0-10
1		56-122	1	0-11
1		84-114	2	0-8
1		73-133	0	0-11
1		79-121	1	0-10
1		72-108	1	0-10
1		79-121	3	0-10
1		83-137	3	0-10
1		68-122	1	0-10
1		59-125	14	0-12
1		68-128	2	0-14
1		73-121	2	0-11
1		77-137	2	0-15
1		43-145	5	0-39
1		47-161	4	0-24
1		80-120	4X	0-20
1		27-201	2	0-24
1		63-123	4X	0-32
1		72-126	4X	0-42
1		80-120	2	0-20
1		80-120	4X	0-20
1		75-135	4X	0-12
1		85-127	0	0-10
1		73-133	1	0-12
1		6-186	1	0-12
1		85-133	2	0-11
1		73-127	4	0-11
1		74-128	1	0-10
1		56-122	1	0-11
1		84-114	2	0-8
1		73-133	0	0-11
1		79-121	1	0-10
1		72-108	1	0-10
1		79-121	3	0-10
1		83-137	3	0-10
1		68-122	1	0-10
1		59-125	14	0-12
1		68-128	2	0-14
1		73-121	2	0-11
1		77-137	2	0-15
1		43-145	5	0-39
1		47-161	4	0-24
1		80-120	4X	0-20

1		27-201	2	0-24
1		63-123	4X	0-32
1		72-126	4X	0-42
1		80-120	2	0-20
1		80-120	4X	0-20
1		75-135	4X	0-12
1		85-127	0	0-10
1		73-133	1	0-12
1		6-186	1	0-12
1		85-121	1	0-4
1		85-121	1	0-4
1		60-140	12	0-25
1		60-140	21	0-25
1		60-140	12	0-25
1		60-140	21	0-25
1		51-163	5	0-82
1		77-121	1	0-21
1		78-120	1	0-20
1		71-135	1	0-28
1		72-129	0	0-26
1		61-140	4	0-22
1		63-140	1	0-36
1		55-138	1	0-45
1		67-127	0	0-26
1		66-122	0	0-26
1		73-120	2	0-26
1		27-170	2	0-36
1		64-135	2	0-31
1		80-120	1	0-20
1		67-131	0	0-35
1		60-139	20	0-90
1		75-126	0	0-20
1		54-143	6	0-41
1		64-123	3	0-34
1		67-126	2	0-23
1		76-132	5	0-23
1		65-125	1	0-31
1		74-130	0	0-22
1		75-127	3	0-29
1		78-120	2	0-19
1		75-120	2	0-22
1		78-120	2	0-21
1		25-168	0	0-41
1		63-144	1	0-32
1		72-130	2	0-25
1		66-130	4	0-32
1		76-123	1	0-32
1		67-129	1	0-35
1		70-130	1	0-35
1		74-122	2	0-24
1		70-130	3	0-35
1		65-149	0	0-89
1		74-128	3	0-21
1		68-125	5	0-40
1		70-130	2	0-35

1		68-119	0	0-26
1		76-126	1	0-24
1		71-127	7	0-22
1		78-120	3	0-23
1		61-137	1	0-36
1		71-123	3	0-24
1		68-122	2	0-25
1		71-129	1	0-30
1		60-136	2	0-41
1		55-159	5	0-30
1		64-125	4	0-35
1		77-120	20	0-23
1		70-130	9	0-35
1		79-123	7	0-20
1		67-132	4	0-25
1		72-119	4	0-24
1		78-120	1	0-25
1		70-129	0	0-27
1		70-130	5	0-35
1		71-128	1	0-26
1		66-130	4	0-30
1		52-128	3	0-30
1		52-145	17	0-35
1		77-124	1	0-25
1		70-130	19	0-35
1		75-116	1	0-24
1		62-146	4	0-36
1		70-130	8	0-35
1		80-120	2	0-20
1		70-127	10	0-23
1		70-130	1	0-35
1		70-130	1	0-35
1		72-124	1	0-23
1		45-164	0	0-74
1		60-141	0	0-34
1		74-122	2	0-23
1		74-122	2	0-24
1		57-144	3	0-31
1		70-130	1	0-35
1		70-130	2	0-35
1		70-130	7	0-35
1		43-170	7	0-38
1		70-130	1	0-35
1		70-130	0	0-35
1		70-130	0	0-35
1		70-130	2	0-35
1		70-130	0	0-35
1		51-163	5	0-82
1		77-121	1	0-21
1		78-120	1	0-20
1		71-135	1	0-28
1		72-129	0	0-26
1		61-140	4	0-22
1		63-140	1	0-36
1		55-138	1	0-45

1		67-127	0	0-26
1		66-122	0	0-26
1		73-120	2	0-26
1		27-170	2	0-36
1		64-135	2	0-31
1		80-120	1	0-20
1		67-131	0	0-35
1		60-139	20	0-90
1		75-126	0	0-20
1		54-143	6	0-41
1		64-123	3	0-34
1		67-126	2	0-23
1		76-132	5	0-23
1		65-125	1	0-31
1		74-130	0	0-22
1		75-127	3	0-29
1		78-120	2	0-19
1		75-120	2	0-22
1		78-120	2	0-21
1		25-168	0	0-41
1		63-144	1	0-32
1		72-130	2	0-25
1		66-130	4	0-32
1		76-123	1	0-32
1		67-129	1	0-35
1		70-130	1	0-35
1		74-122	2	0-24
1		70-130	3	0-35
1		65-149	0	0-89
1		74-128	3	0-21
1		68-125	5	0-40
1		70-130	2	0-35
1		68-119	0	0-26
1		76-126	1	0-24
1		71-127	7	0-22
1		78-120	3	0-23
1		61-137	1	0-36
1		71-123	3	0-24
1		68-122	2	0-25
1		71-129	1	0-30
1		60-136	2	0-41
1		55-159	5	0-30
1		64-125	4	0-35
1		77-120	20	0-23
1		70-130	9	0-35
1		79-123	7	0-20
1		67-132	4	0-25
1		72-119	4	0-24
1		78-120	1	0-25
1		70-129	0	0-27
1		70-130	5	0-35
1		71-128	1	0-26
1		66-130	4	0-30
1		52-128	3	0-30
1		52-145	17	0-35

1		77-124	1	0-25
1		70-130	19	0-35
1		75-116	1	0-24
1		62-146	4	0-36
1		70-130	8	0-35
1		80-120	2	0-20
1		70-127	10	0-23
1		70-130	1	0-35
1		70-130	1	0-35
1		72-124	1	0-23
1		45-164	0	0-74
1		60-141	0	0-34
1		74-122	2	0-23
1		74-122	2	0-24
1		57-144	3	0-31
1		70-130	1	0-35
1		70-130	2	0-35
1		70-130	7	0-35
1		43-170	7	0-38
1		70-130	1	0-35
1		70-130	0	0-35
1		70-130	0	0-35
1		70-130	2	0-35
1		70-130	0	0-35
1		80-120	1	0-20
1		80-120	1	0-20
1		80-120	12	0-20
1		80-120	9	0-20
1		80-120	10	0-20
1		80-120	13	0-20
1		80-120	10	0-20
1		80-120	11	0-20
1		80-120	11	0-20
1		80-120	10	0-20
1		80-120	9	0-20
1		80-120	12	0-20
1		80-120	9	0-20
1		80-120	6	0-20
1		80-120	9	0-20
1		80-120	9	0-20
1		80-120	10	0-20
1		80-120	12	0-20
1		80-120	11	0-20
1		80-120	0	0-20
1		80-120	9	0-20
1		80-120	1	0-20
1		80-120	11	0-20
1		80-120	2	0-20
1		80-120	3	0-20
1		80-120	9	0-20
1		80-120	11	0-20
1		80-120	11	0-20
1		80-120	15	0-20
1		80-120	12	0-20
1		80-120	9	0-20

1		80-120	10	0-20
1		80-120	13	0-20
1		80-120	10	0-20
1		80-120	11	0-20
1		80-120	11	0-20
1		80-120	10	0-20
1		80-120	9	0-20
1		80-120	12	0-20
1		80-120	9	0-20
1		80-120	6	0-20
1		80-120	9	0-20
1		80-120	9	0-20
1		80-120	10	0-20
1		80-120	12	0-20
1		80-120	11	0-20
1		80-120	0	0-20
1		80-120	9	0-20
1		80-120	1	0-20
1		80-120	11	0-20
1		80-120	2	0-20
1		80-120	3	0-20
1		80-120	9	0-20
1		80-120	11	0-20
1		80-120	11	0-20
1		80-120	15	0-20
1		95-107	1	0-20
1		95-107	1	0-20
1		50-130	1	0-20
1		50-130	1	0-20
1		60-140	2	0-25
1		60-140	4	0-25
1		60-140	2	0-25
1		60-140	4	0-25
1		51-163	12	0-82
1		77-121	5	0-21
1		78-120	1	0-20
1		71-135	7	0-28
1		72-129	1	0-26
1		61-140	1	0-22
1		63-140	2	0-36
1		55-138	21	0-45
1		67-127	1	0-26
1		66-122	1	0-26
1		73-120	1	0-26
1		27-170	3	0-36
1		64-135	11	0-31
1		80-120	1	0-20
1		67-131	2	0-35
1		60-139	0	0-90
1		75-126	3	0-31
1		54-143	2	0-41
1		64-123	1	0-34
1		67-126	2	0-23
1		76-132	1	0-23
1		65-125	4	0-31

1		74-130	3	0-22
1		75-127	3	0-29
1		78-120	1	0-19
1		75-120	1	0-22
1		78-120	1	0-21
1		25-168	4	0-41
1		63-144	2	0-32
1		72-130	5	0-25
1		66-130	3	0-32
1		76-123	1	0-32
1		67-129	2	0-35
1		70-130	2	0-35
1		74-122	3	0-24
1		70-130	5	0-35
1		65-149	4	0-89
1		74-128	5	0-21
1		68-125	6	0-40
1		70-130	2	0-35
1		68-119	0	0-26
1		76-126	3	0-24
1		71-127	1	0-22
1		78-120	1	0-23
1		61-137	4	0-36
1		71-123	2	0-24
1		68-122	1	0-25
1		71-129	2	0-30
1		60-136	8	0-41
1		55-159	4	0-30
1		64-125	1	0-35
1		77-120	1	0-23
1		70-130	3	0-35
1		79-123	1	0-20
1		67-132	7	0-25
1		72-119	1	0-24
1		78-120	3	0-25
1		70-129	2	0-27
1		70-130	5	0-35
1		71-128	1	0-26
1		66-130	3	0-30
1		52-128	1	0-30
1		52-145	1	0-35
1		77-124	3	0-25
1		70-130	8	0-35
1		75-116	2	0-24
1		62-146	3	0-36
1		70-130	23	0-35
1		80-120	4	0-20
1		70-127	2	0-23
1		70-130	9	0-35
1		70-130	7	0-35
1		72-124	1	0-23
1		45-164	0	0-74
1		60-141	2	0-34
1		74-122	1	0-23
1		74-122	1	0-24

1		57-144	2	0-31
1		70-130	6	0-35
1		70-130	17	0-35
1		70-130	17	0-35
1		43-170	5	0-38
1		70-130	3	0-35
1		70-130	2	0-35
1		70-130	1	0-35
1		70-130	2	0-35
1		70-130	4	0-35
1		51-163	12	0-82
1		77-121	5	0-21
1		78-120	1	0-20
1		71-135	7	0-28
1		72-129	1	0-26
1		61-140	1	0-22
1		63-140	2	0-36
1		55-138	21	0-45
1		67-127	1	0-26
1		66-122	1	0-26
1		73-120	1	0-26
1		27-170	3	0-36
1		64-135	11	0-31
1		80-120	1	0-20
1		67-131	2	0-35
1		60-139	0	0-90
1		75-126	3	0-31
1		54-143	2	0-41
1		64-123	1	0-34
1		67-126	2	0-23
1		76-132	1	0-23
1		65-125	4	0-31
1		74-130	3	0-22
1		75-127	3	0-29
1		78-120	1	0-19
1		75-120	1	0-22
1		78-120	1	0-21
1		25-168	4	0-41
1		63-144	2	0-32
1		72-130	5	0-25
1		66-130	3	0-32
1		76-123	1	0-32
1		67-129	2	0-35
1		70-130	2	0-35
1		74-122	3	0-24
1		70-130	5	0-35
1		65-149	4	0-89
1		74-128	5	0-21
1		68-125	6	0-40
1		70-130	2	0-35
1		68-119	0	0-26
1		76-126	3	0-24
1		71-127	1	0-22
1		78-120	1	0-23
1		61-137	4	0-36

1		71-123	2	0-24
1		68-122	1	0-25
1		71-129	2	0-30
1		60-136	8	0-41
1		55-159	4	0-30
1		64-125	1	0-35
1		77-120	1	0-23
1		70-130	3	0-35
1		79-123	1	0-20
1		67-132	7	0-25
1		72-119	1	0-24
1		78-120	3	0-25
1		70-129	2	0-27
1		70-130	5	0-35
1		71-128	1	0-26
1		66-130	3	0-30
1		52-128	1	0-30
1		52-145	1	0-35
1		77-124	3	0-25
1		70-130	8	0-35
1		75-116	2	0-24
1		62-146	3	0-36
1		70-130	23	0-35
1		80-120	4	0-20
1		70-127	2	0-23
1		70-130	9	0-35
1		70-130	7	0-35
1		72-124	1	0-23
1		45-164	0	0-74
1		60-141	2	0-34
1		74-122	1	0-23
1		74-122	1	0-24
1		57-144	2	0-31
1		70-130	6	0-35
1		70-130	17	0-35
1		70-130	17	0-35
1		43-170	5	0-38
1		70-130	3	0-35
1		70-130	2	0-35
1		70-130	1	0-35
1		70-130	2	0-35
1		70-130	4	0-35

Monitoring Well	Date	Silicon	Aluminum	Manganese	Strontium	Titanium	Boron	Calcium	Iron	Magnesium	Potassium	Sodium	EDB	DBCP
MW-1	13-Mar	20.1	1.41	0.0742	0.973	0.139	0.263	173	2.81	41.8	4.67	101	ND	ND
MW-3	13-Mar	14.9	ND	ND	0.948	0.00429	0.452	172	0.0552	42.1	4.43	109	ND	ND
MW-4	13-Mar	13.1	0.318	0.0343	1.56	0.0304	0.382	234	0.618	62	3.99	114	ND	ND

Table 3

Groundwater Analytical Results, Metals
Los Nietos Business Center
Santa Fe Springs, California

Monitoring Well No.	Date	Chemicals of Concern (Milligrams Per Liter)																	
		Sb	As	Ba	Be	Cd	Cr	Co	Cu	Pb	Hg	Mo	Ni	Se	Ag	Ti	V	Zn	Cr+6
MW-1	Apr-96	ND	ND	0.2	ND	ND	0.047	ND	ND	ND	ND	ND	ND	0.013	ND	ND	0.12	0.069	--
	Jul-99	ND	ND	0.051	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.015	ND	ND	ND	0.065	--
	Sep-99	ND	ND	0.058	ND	ND	ND	ND	ND	ND	ND	ND	0.014	0.068	ND	0.15	ND	0.055	--
	Dec-99	ND	ND	0.059	ND	0.021	ND	ND	ND	ND	ND	ND	0.017	ND	ND	ND	ND	ND	--
	Mar-00	ND	ND	0.0724	ND	ND	0.0242	ND	0.00949	ND	ND	ND	0.0128	ND	ND	ND	0.00778	0.0735	ND
	Jun-00	ND	ND	0.0672	ND	ND	0.00882	ND	ND	ND	ND	ND	ND	0.0161	ND	ND	ND	0.0179	ND
	Mar-01	ND	ND	0.0653	ND	ND	0.01840	ND	0.01760	ND	ND	ND	ND	ND	ND	ND	ND	0.0127	ND
	Jun-02	ND	ND	0.0567	ND	ND	0.02020	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0608	0.022
	Sep-03	ND	ND	0.0748	ND	ND	0.02060	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0485	ND
	Jan-05	ND	ND	0.086	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Dec-05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Nov-06	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.014
	Nov-07	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0173
	Nov-08	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.028
	Mar-13	ND	0.00168	0.0544	ND	ND	0.0161	0.00202	0.00516	0.00134	ND	0.00134	0.00865	0.00308	ND	ND	0.00806	0.0182	0.013
MW-2	Apr-96	ND	ND	0.11	ND	ND	0.07	ND	ND	ND	0.0068	ND	ND	ND	ND	ND	0.12	ND	--
	Jul-99	ND	ND	0.045	ND	ND	0.027	ND	ND	ND	ND	ND	ND	0.018	ND	0.019	ND	0.103	--
	Sep-99	ND	ND	0.037	ND	ND	0.024	ND	ND	ND	ND	ND	ND	0.071	ND	0.162	ND	0.096	--
	Dec-99	ND	ND	0.043	ND	ND	0.188	ND	0.02	ND	ND	ND	ND	0.016	ND	ND	ND	0.015	--
	Mar-00	0.0167	ND	0.0872	ND	ND	0.369	ND	0.00743	ND	0.00167	ND	0.00526	ND	ND	ND	0.00917	0.0546	0.33
	Jun-00	ND	ND	0.0492	ND	ND	0.0744	ND	ND	ND	ND	ND	ND	0.0176	ND	ND	ND	0.0384	0.073
	Mar-01	ND	ND	0.0506	ND	ND	0.115	ND	0.0117	ND	ND	ND	ND	0.0176	ND	ND	ND	0.0119	0.11
	Jun-02	ND	ND	0.0381	ND	ND	0.0270	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.037
	Sep-03	ND	ND	0.0728	ND	ND	0.0544	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0447	ND
	Jan-05	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	Dec-05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Nov-06	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.050
	Nov-07	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0204
	Nov-08	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	Mar-13	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-3	Apr-96	ND	ND	0.094	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.12	ND	--
	Jul-99	ND	ND	0.107	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.014	ND	ND	ND	0.091	--
	Sep-99	ND	ND	0.096	ND	ND	ND	ND	ND	ND	ND	ND	0.016	0.083	ND	0.176	ND	0.052	--
	Dec-99	ND	ND	0.072	ND	ND	0.011	ND	0.019	ND	ND	ND	0.012	ND	ND	ND	ND	0.012	--
	Mar-00	ND	ND	0.0616	ND	ND	0.0161	ND	0.00517	ND	ND	ND	0.00559	ND	ND	ND	ND	0.0485	ND
	Jun-00	ND	ND	0.0516	ND	ND	0.00559	ND	ND	ND	ND	ND	ND	0.0262	ND	ND	ND	ND	ND
	Mar-01	ND	ND	0.0468	ND	ND	0.00786	ND	0.00934	ND	0.000595	ND	ND	0.0218	ND	ND	ND	ND	ND
	Jun-02	ND	ND	0.0433	ND	ND	0.00527	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0128	ND
	Sep-03	ND	ND	0.0734	ND	ND	0.00546	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0393	ND
	Jan-05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Dec-05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Nov-06	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.011
	Nov-07	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.00608
	Nov-08	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0077
	Mar-13	ND	ND	0.0334	ND	ND	0.00729	0.00144	0.00184	ND	ND	0.00119	0.00891	ND	ND	ND	0.00138	0.0174	0.0066

Table 3

Groundwater Analytical Results, Metals
Los Nietos Business Center
Santa Fe Springs, California

Monitoring Well No.	Date	Chemicals of Concern (Milligrams Per Liter)																	
		Sb	As	Ba	Be	Cd	Cr	Co	Cu	Pb	Hg	Mo	Ni	Se	Ag	Ti	V	Zn	Cr+6
MW-4	Apr-96	ND	ND	0.096	ND	0.062	ND	ND	0.062	ND	0.0016	ND	0.15	ND	0.064	ND	0.16	0.66	--
	Jul-99	ND	ND	0.057	ND	ND	0.036	ND	ND	ND	ND	ND	0.014	0.015	ND	0.015	ND	0.097	--
	Sep-99	ND	ND	0.037	ND	ND	0.163	ND	0.16	ND	ND	ND	0.02	0.056	ND	0.143	ND	0.231	--
	Dec-99	ND	ND	0.031	ND	ND	0.606	ND	0.02	0.009	ND	ND	0.13	ND	ND	ND	ND	0.065	--
	Mar-00	ND	ND	0.0447	ND	0.00954	0.261	ND	0.0244	ND	ND	ND	0.0180	ND	ND	ND	ND	0.124	0.23
	Jun-00	ND	ND	0.0355	ND	0.0101	0.137	ND	0.00782	ND	ND	ND	0.0196	ND	ND	ND	ND	0.115	0.094
	Mar-01	ND	ND	0.0455	ND	0.0212	0.279	ND	0.0215	ND	ND	ND	0.0323	ND	ND	ND	ND	0.169	0.22
	Jun-02	ND	ND	0.0291	ND	0.00678	0.399	ND	0.0156	ND	ND	ND	0.0105	ND	ND	ND	ND	0.0774	0.42
	Sep-03	ND	ND	0.0683	ND	0.00957	0.679	ND	0.0197	ND	0.000842	ND	0.0118	ND	ND	ND	ND	0.338	0.63
	Jan-05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Dec-05	ND	ND	ND	ND	ND	1.3	ND	ND	ND	0.0015	ND	ND	ND	ND	ND	ND	0.074	0.74
	Nov-06	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1.0
	Nov-07	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.339
	Nov-08	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0022
	Mar-13	ND	ND	0.0457	ND	0.00412	0.00542	0.00413	0.0111	ND	ND	0.00301	0.0163	0.00948	ND	ND	ND	0.318	0.0029
MW-5	Apr-96	ND	ND	0.062	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	--
	Jul-99	ND	ND	0.047	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	ND	ND	ND	0.058	--
	Sep-99	ND	ND	0.058	ND	ND	0.013	ND	ND	ND	ND	ND	0.014	0.065	ND	0.141	ND	ND	--
	Dec-99	ND	ND	0.044	ND	ND	ND	ND	ND	0.008	ND	ND	0.013	0.013	ND	ND	ND	ND	--
	Mar-00	ND	ND	0.0521	ND	ND	0.0146	ND	0.00557	ND	ND	ND	ND	ND	ND	ND	ND	0.0331	ND
	Jun-00	ND	ND	0.0491	ND	ND	0.0291	ND	ND	ND	0.00184	ND	ND	0.0322	ND	ND	ND	0.0148	0.026
	Mar-01	ND	ND	0.0460	ND	ND	0.0144	ND	0.0118	ND	ND	ND	ND	ND	ND	ND	ND	0.0249	ND
	Jun-02	ND	ND	0.0430	ND	ND	0.0117	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0120	ND
	Sep-03	ND	ND	0.0655	ND	ND	0.0121	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0742	ND
	Jan-05	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	Dec-05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Nov-06	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0056
	Nov-07	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.00614
	Nov-08	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	Mar-13	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-6	Sep-99	ND	ND	0.04	ND	ND	ND	ND	ND	ND	ND	0.016	0.056	ND	ND	0.128	ND	ND	--
	Dec-99	ND	ND	0.041	ND	ND	ND	ND	ND	0.008	ND	ND	0.012	ND	ND	ND	ND	ND	--
	Mar-00	ND	ND	0.105	ND	ND	0.0158	ND	0.0119	ND	ND	ND	0.00638	ND	ND	ND	0.0138	0.0976	ND
	Jun-00	ND	ND	0.0379	ND	ND	0.00701	ND	ND	ND	ND	ND	ND	0.0181	ND	ND	ND	ND	ND
	Mar-01	ND	ND	0.0325	ND	ND	0.01090	ND	0.0111	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Jun-02	ND	ND	0.0369	ND	ND	0.00791	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0253	ND
	Sep-03	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	Jan-05	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
	Dec-05	ND	ND	0.055	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Nov-06	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	0.0046
	Nov-07	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	Nov-08	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	Mar-13	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Ca MCL		0.006	0.05	1	0.004	0.005	0.05	--	1.0	0.015	0.002	--	0.1	0.05	0.1	0.002	--	--	0.05

Notes and Abbreviations:

Table 3
Groundwater Analytical Results, Metals
Los Nietos Business Center
Santa Fe Springs, California

Monitoring Well No.	Date	Chemicals of Concern (Milligrams Per Liter)																	
		Sb	As	Ba	Be	Cd	Cr	Co	Cu	Pb	Hg	Mo	Ni	Se	Ag	Ti	V	Zn	Cr+6

Sb - Antimony
As - Arsenic
Ba - Barium
Be - Beryllium
Cd - Cadmium
Cr - Chromium (tot.)
Co - Cobalt
Cu - Copper
Pb - Lead
Hg - Mercury
Mo - Molybdenum
Ni - Nickel
Se - Selenium
Ag - Silver
Ti - Thallium
V - Vanadium
Zn - Zinc
Cr+6 - Hexavalent Chromium

ND - Not detected at or above the method reporting limits.
-- - Not analyzed or not available.

Table 2

Groundwater Analytical Results, Volatile Organic Compounds
Los Nietos Business Center
Santa Fe Springs, California

		Chemicals of Concern (Micrograms Per Liter)													
Monitoring Well No.	Date	CTC	Chloroform	1,1-DCA	1,2-DCA	1,1-DCE	trans-1,2-DCE	cis-1,2-DCE	1,2-DCP	PCE	1,1,1-TCA	TCE	F113	TCFM	1,4 Dioxane
MW-1	Apr-96	ND	0.61	21	ND	11	ND	ND	ND	6.3	4.2	32	---	---	---
	Jul-99	ND	ND	2.6	ND	18.6	ND	ND	--	11.8	ND	11.3	---	---	---
	Sep-99	ND	1.4	3.4	ND	25.6	ND	ND	ND	11.4	1.9	10.9	---	---	---
	Dec-99	ND	12	61	ND	1,030	ND	12	172	ND	29	151	---	---	---
	Mar-00	0.59	1.7	7.4	0.53	81	ND	1.7	29	6.3	3.2	24	---	---	---
	Jun-00	ND	ND	ND	ND	4.9	ND	ND	ND	1.5	ND	4.3	---	---	---
	Mar-01	0.95	2.2	8.8	ND	23	ND	ND	2.3	11	1.2	21	---	---	---
	Jun-02	0.87	1.7	7.6	ND	17	ND	ND	ND	30	ND	49	---	---	---
	Sep-03	0.94	3.9	180	1.9	330	ND	2.4	2.5	19	2.7	32	---	---	---
	Jan-05	ND	ND	47	ND	240	ND	18	130	16	ND	85	---	---	---
	Dec-05	ND	ND	66	ND	230	ND	ND	ND	34	ND	48	---	---	---
	Nov-06	ND	1.7	27	ND	83	ND	1.3	ND	20	ND	23	---	---	---
	Nov-07	ND	2.8	52	ND	140	ND	5.2	36	23	ND	40	---	---	---
	Nov-08	ND	1.1	16	0.85	35	ND	9.6	46	29	ND	33	---	---	---
	Mar-13	ND	3.2	37	0.58	47	ND	17	61	33	ND	42	3.0	3.1	13
MW-2	Apr-96	ND	0.91	ND	ND	1.1	ND	ND	--	15	ND	7.7	---	---	---
	Jul-99	ND	1.0	2.2	6.8	ND	ND	1.4	--	10.1	ND	5.5	---	---	---
	Sep-99	ND	ND	4.6	6.2	2.5	ND	2.3	--	15.9	ND	7.7	---	---	---
	Dec-99	1.2	7.3	11.4	13.8	6.9	ND	3.7	ND	15.4	ND	18.9	---	---	---
	Mar-00	2.2	11	4.9	4.1	2.9	ND	1.2	ND	15	ND	16	---	---	---
	Jun-00	ND	1.6	7.1	17	3.1	ND	2.9	ND	14	ND	13	---	---	---
	Mar-01	ND	3.5	8.8	18	3.3	ND	4.0	ND	11	ND	17	---	---	---
	Jun-02	ND	1.7	7.1	20	1.9	ND	3.5	ND	5.5	ND	14	---	---	---
	Sep-03	ND	2.0	9.6	22	2.0	ND	2.7	ND	3.2	ND	13	---	---	---
	Jan-05	--	--	--	--	--	--	--	--	--	--	--	---	---	---
	Dec-05	ND	ND	18	ND	ND	ND	ND	ND	5.3	ND	30	---	---	---
	Nov-06	ND	2.5	11	18	3.1	ND	2.8	ND	3.3	ND	18	---	---	---
	Nov-07	ND	1.6	9.3	21	1.3	ND	1.7	ND	2.9	ND	21	---	---	---
	Nov-08	--	--	--	--	--	--	--	--	--	--	--	---	---	---
	Mar-13	--	--	--	--	--	--	--	--	--	--	--	---	---	---
MW-3	Apr-96	ND	ND	ND	ND	ND	ND	ND	--	1.4	ND	2.6		---	
	Jul-99	ND	ND	ND	ND	ND	ND	ND	--	ND	ND	ND	---	---	---
	Sep-99	ND	ND	ND	ND	ND	ND	ND	--	ND	ND	ND	---	---	---
	Dec-99	ND	ND	3.8	ND	4.9	ND	ND	ND	2.3	ND	3.2	---	---	---
	Mar-00	ND	ND	1.6	ND	1.7	ND	ND	ND	1.6	ND	3.5	---	---	---
	Jun-00	ND	ND	2.7	0.52	3.2	ND	ND	ND	2.2	ND	5.8	---	---	---
	Mar-01	ND	ND	1.5	ND	1.1	ND	ND	ND	1.6	ND	7.0	---	---	---
	Jun-02	ND	ND	1.5	ND	ND	ND	ND	ND	ND	ND	4.3	---	---	---
	Sep-03	ND	ND	ND	ND	ND	ND	ND	ND	3.1	ND	14	---	---	---
	Jan-05	ND	ND	ND	ND	8.7	ND	ND	ND	37	ND	27	---	---	---
	Dec-05	ND	ND	ND	ND	ND	ND	ND	ND	65	ND	30	---	---	---
	Nov-06	ND	ND	ND	ND	ND	ND	ND	ND	13	ND	12	---	---	---
	Nov-07	ND	ND	ND	ND	ND	ND	ND	ND	8.3	ND	12	---	---	---
	Nov-08	ND	ND	2.7	1.8	4.1	ND	ND	ND	11	ND	14	---	---	---
	Mar-13	ND	3.7	2.8	0.56	18	ND	1.4	ND	49	ND	36	6.4	3.0	16

Table 2

Groundwater Analytical Results, Volatile Organic Compounds
Los Nietos Business Center
Santa Fe Springs, California

		Chemicals of Concern (Micrograms Per Liter)													
Monitoring Well No.	Date	CTC	Chloroform	1,1-DCA	1,2-DCA	1,1-DCE	trans-1,2-DCE	cis-1,2-DCE	1,2-DCP	PCE	1,1,1-TCA	TCE	F113	TCFM	1,4 Dioxane
MW-4	Apr-96	5.1	15	33	17	13	0.51	10	--	18	ND	74	---	---	---
	Jul-99	ND	2.4	3.0	ND	1.6	ND	ND	--	8.7	ND	12.2	---	---	---
	Sep-99	ND	4.4	4.3	3.9	3.1	ND	1.1	--	17.5	ND	13.2	---	---	---
	Dec-99	ND	7.2	4.7	2.3	3.2	ND	1.0	ND	11.1	ND	12.7	---	---	---
	Mar-00	0.58	4.8	3.5	1.8	3.6	ND	ND	ND	8.1	ND	12	---	---	---
	Jun-00	0.56	4.9	5.5	8.9	1.4	ND	1.5	ND	5.3	ND	13	---	---	---
	Mar-01	ND	7.8	20	26	5.0	ND	6.4	ND	4.9	ND	32	---	---	---
	Jun-02	3.0	15	10	13	3.7	ND	3.3	ND	4.7	ND	38	---	---	---
	Sep-03	0.84	7.9	4.8	2.5	1.7	ND	1.0	ND	3.0	ND	20	---	---	---
	Jan-05	ND	ND	ND	ND	ND	ND	ND	ND	38	ND	29	---	---	---
	Dec-05	ND	24	14	26	ND	ND	ND	ND	9.7	ND	47	---	---	---
	Nov-06	ND	48	12	14	3.7	ND	1.6	ND	4.7	ND	37	---	---	---
	Nov-07	ND	4.3	2.3	ND	1.2	ND	ND	ND	7.2	ND	12	---	---	---
	Nov-08	ND	ND	3.2	1.5	4.3	ND	ND	ND	14	ND	20	---	---	---
	Nov-08	ND	3.6	2.3	0.85	15	ND	1.8	ND	55	ND	36	1.9	1.3	25
MW-5	Apr-96	ND	0.76	ND	ND	ND	ND	ND	--	82	ND	78	---	---	---
	Jul-99	ND	ND	ND	ND	2.1	ND	ND	--	73.8	ND	5.0	---	---	---
	Sep-99	ND	ND	ND	ND	2.0	ND	ND	--	81.1	ND	4.8	---	---	---
	Dec-99	ND	ND	ND	ND	2.1	ND	ND	ND	89.5	--	8.3	---	---	---
	Mar-00	ND	ND	ND	ND	2.3	ND	ND	ND	91	ND	7.0	---	---	---
	Jun-00	ND	ND	ND	ND	3.0	ND	ND	ND	97	ND	6.0	---	---	---
	Mar-01	ND	ND	ND	ND	2.4	ND	ND	ND	110	ND	7.4	---	---	---
	Jun-02	ND	ND	ND	ND	1.1	ND	ND	ND	60	ND	4.2	---	---	---
	Sep-03	ND	ND	ND	ND	ND	ND	ND	ND	41	ND	7.3	---	---	---
	Jan-05	--	--	--	--	--	--	--	--	--	--	--	---	---	---
	Dec-05	ND	ND	ND	ND	ND	ND	ND	ND	31	ND	6.5	---	---	---
	Nov-06	ND	ND	ND	ND	ND	ND	ND	ND	15	ND	3.0	---	---	---
	Nov-07	1.6	1.6	ND	ND	ND	ND	ND	ND	17	ND	4.0	---	---	---
	Nov-08	--	--	--	--	--	--	--	--	--	--	--	---	---	---
	Mar-13	--	--	--	--	--	--	--	--	--	--	--	---	---	---
MW-6	Sep-99	ND	ND	ND	ND	ND	1.9	ND	--	68.2	ND	6.9	---	---	---
	Dec-99	ND	ND	ND	ND	2.1	ND	ND	ND	70.3	ND	12.9	---	---	---
	Mar-00	ND	ND	ND	ND	2.1	ND	ND	ND	69	ND	9.5	---	---	---
	Jun-00	ND	ND	ND	ND	ND	ND	ND	ND	45	ND	5.5	---	---	---
	Mar-01	ND	ND	ND	ND	1.7	ND	ND	ND	49	ND	7.5	---	---	---
	Jun-02	ND	ND	ND	ND	ND	ND	2.0	ND	41	ND	18	---	---	---
	Sep-03	--	--	--	--	--	--	--	--	--	--	--	---	---	---
	Jan-05	--	--	--	--	--	--	--	--	--	--	--	---	---	---
	Dec-05	ND	ND	ND	ND	ND	ND	ND	ND	19	ND	6.6	---	---	---
	Nov-06	ND	5.4	ND	ND	ND	ND	ND	ND	14	ND	7.6	---	---	---
	Nov-08	--	--	--	--	--	--	--	--	--	--	--	---	---	---
	Mar-13	--	--	--	--	--	--	--	--	--	--	--	---	---	---
Ca MCL		0.5	100	5	0.5	6.0	10	6.0	5.0	5.0	200	5.0			

Notes and Abbreviations:

CTC - Carbon Tetrachloride.
1,1-DCA - 1,1-dichloroethene.
1,2-DCA - 1,2-dichloroethane.
1,1-DCE - 1,1-dichloroethene.
trans-1,1-DCE - trans-1,1-dichloroethene.
cis-1,2,-DCE - cis-1,2-dichloroethene.
1,2-DCP - 1,2-dichloropropane.
PCE - tetrachloroethene.
1,1,1-TCA - 1,1,1-trichloroethane.
TCE - trichloroethene.
Ca MCL - California Maximum Contaminant Level.
-- - not analysed
ND - not detected at or above the methods reporting limit. VOCs not presented were below the laboratory reporting limits.

Well Construction Summary

Prologis Los Nietos Property, 9120-9160 Norwalk Boulevard, Santa Fe Springs, CA

Location	Well Type	Latitude Y	Longitude X	XY Datum	XY Method	Surface Elevation	Casing Elevation	Z Datum	Z Method	Well Depth	Top of Screen Depth	Bottom of Screen Depth	Aquifer	Well Diameter	Well Casing Material	Well Screen Material	Owner	Date Installed	Consultant
MW-1	Monitoring Well	NA	NA	NA	NA	NA	150.42	NA	NA	69	40	69	Upper Hollydale	4"	Sch. 40 PVC	NA	Prologis	1995	AGI
MW-2	Monitoring Well	NA	NA	NA	NA	NA	153.99	NA	NA	66	36	66	Upper Hollydale	4"	Sch. 40 PVC	NA	Prologis	1995	AGI
MW-3	Monitoring Well	NA	NA	NA	NA	NA	149.98	NA	NA	68	38	68	Upper Hollydale	4"	Sch. 40 PVC	NA	Prologis	1995	AGI
MW-4	Monitoring Well	NA	NA	NA	NA	NA	149.94	NA	NA	69	39	69	Upper Hollydale	4"	Sch. 40 PVC	NA	Prologis	1995	AGI
MW-5	Monitoring Well	NA	NA	NA	NA	NA	155.22	NA	NA	65	35	65	Upper Hollydale	4"	Sch. 40 PVC	NA	Prologis	1995	AGI
MW-6	Monitoring Well	NA	NA	NA	NA	NA	156.03	NA	NA	60	40	60	Upper Hollydale	2"	Sch. 40 PVC	Slotted PVC 0.02"	Prologis	1999	Clayton

Notes:

NA = information not available or data not applicable

Sch 40 = Schedule 40 polyvinyl chloride

PVC = polyvinyl chloride

Elevation in feet relative to mean sea level

TABLE 3-1
Water Levels
Example Facility, Example City, California

Location	Measurement Date	Top of Casing Elevation	Depth to Groundwater	Groundwater Elevation
AMW-1	02/04/08	993.49	NG	NG
MFVW-1	05/05/08	1043.45	147.00	896.45
MWS-1	02/01/11	944.99	59.07	885.92
AS/SVE-4	08/04/11	978.71	59.10	919.61
TW-9	11/03/11	981.47	59.11	922.36
TFE-D	02/08/12	979.59	59.10	920.49
TWMW-1	41038	995.82	59.1	936.72

Notes:
Depth to groundwater in feet below top of casing
Groundwater elevation in feet relative to mean sea level
NG = Not gauged

Location	Sample ID	Parent Sample	Sample Type	Sample Date	Sample Time
AMW-1	AMW-1-20080109		N	1/9/2008	12:00
MFVW-1	MFVW-1-A		N	11/8/2011	13:30
MFVW-1	MFVW-1-AD	MFVW-1-A	FD	11/8/2011	10:30
MWS-1	MWS-1-Filt2		N	2/13/2012	9:20
AS/SVE-4	SVE-4-20111108		N	11/8/2011	16:40
TW-9	TW-9-0010		N	2/13/2012	7:00

Matrix	Sample Top Depth	Sample Bottom Depth	Lab	Analytical Method	Prep Method
Groundwater			GW Laboratorie	SW8260	SW5030
Groundwater			GW Laboratorie	SW8260	none
Groundwater			GW Laboratorie	524.2	
Groundwater			GW Laboratorie	SW8260	method
Air			Air Lab	TO-15	Canister
Soil	0	10	Soil Analytics	SW8260	SW5030

Leached Method	Basis/Filtered	SDG	Lab SampleID	Dilution	Lab Lot	Analyzed Date
	T	G12345	G12345-01	1	123456	1/11/2008
	T	G12345	G12345-02	1	123456	11/10/2011
	T	G12345	G12345-03	1	123456	11/10/2011
	F	G12345	G12345-04	10	123456	2/15/2012
none		A12345	A12345-01	1	132546	11/10/2011
TCLP	D	S12345	S12345-01	1	113256	2/15/2012

Analyzed Time	Prep Date	Prep Time	Leached Date	Cas	Parameter	Result
12:00	1/10/2008	12:00		79-01-6	richloroethen	23
13:30	11/9/2011	13:30		75-69-4	Trichlorofluor	10
10:30	11/9/2011	10:30		76-13-1	1,2-trichloro-fl	14
9:20	2/14/2012	9:20		79-01-6	richloroethen	150
16:40	11/9/2011	16:40		79-01-6	richloroethen	32
7:00	2/14/2012	7:00	2/14/2012	79-01-6	richloroethen	12

Qualifier	MDL	RL	Units	Comments
	5	10	ug/L	
U	5	10	ug/L	
	5	10	ug/L	
J	50	100	mg/L	
	5	10	ug/L	
	5	10	ug/L	

FieldName	Field Description
Location	Location Name used in tables and maps
Sample ID	Sample ID used on Chain of custory
Parent Sample	SampleID of the primary sample
Sample Type	N = primary sample, FD - field duplicate, QC - Lab QC sample or blanks.
Sample Date	Sample Collection Date
Sample Time	Sample Collection Time
Matrix	Sample Matrix: Groundwater, Surfacewater, Soil Gas etc
Sample Top Depth	Sample Top depth in feet below ground surface
Sample Bottom Depth	Sample Bottom Depth in feet below ground surface
Lab	The laboratory performing the work
Analytical Method	Analytical method that was performed on the sample.
Prep Method	Preparation method code
Leached Method	Analytical method used for leaching the sample
Basis/Filtered	Weight basis for soil (or solid) sample analysis, Total or Dissolved for water analysis, D for dry-weight ba
SDG	Sample delivery group designation
Lab SampleID	Laboratory sample ID
Dilution	Numeric expression of the amount of dilution required to bring the analyte concentration in the sample in
Lab Lot	Identifier of group of samples and associated QC samples prepared together.
Analyzed Date	Date of sample analysis
Analyzed Time	Time of sample analysis
Prep Date	Date of sample preparation (extraction or digestion).
Prep Time	Time of sample preparation
Leached Date	Date that the leaching method was performed
Cas	CAS number of analyte, if available.
Parameter	Name of analyte, chemical name.
Result	Result of the analysis.
Qualifier	Final qualifier code after validation or if not validated, laboratory qualifier : U/Nondetect, J/ Estimate, R/
MDL	Minimum detection limit adjusted for preparation and dilution
RL	Reporting limit adjusted for preparation and dilution
Units	Units of Result
Comments	Any notes/comments about the result

asis, W for wet-weight basis, F for Filtered, T for Total

nto analysis range

'Rejected etc