0318A PC

REPORT

SDMS DOCID # 1150040

2005 Semi-Annual Groundwater Monitoring Report Former CENCO Refinery 12345 Lakeland Road Santa Fe Springs, California

RECEIVED
06 JAN 31 AM 9:31
QUALITY CONTROL BOARD
LOS ANGELES REGION

Isola & Associates, LLP
Lodi, California

January 2006

BBL®
BLASLAND, BOUCK & LEE, INC.
engineers, scientists, economists

BBL®
BLASLAND, BOUCK & LEE, INC.
engineers, scientists, economists

Transmitted Via Federal Express

January 30, 2006

RECEIVED
06 JAN 31 AM 9:31
REGIONAL WATER QUALITY CONTROL BOARD
LOS ANGELES REGION

Mr. Dixon Oriola
Unit Chief
Spills, Leaks, Investigation and Cleanup II Unit
Regional Water Quality Control Board
320 West 4th Street, Suite 200
Los Angeles, California 90013

Re: 2005 Semi-Annual Groundwater Monitoring Report
Former CENCO Refining Property
12345 Lakeland Road
Santa Fe Springs, California
SLIC No. 318, Site ID 2040071

Dear Mr. Oriola:

On behalf of Lakeland Development Company, Blasland, Bouck & Lee, Inc. (BBL) is pleased to provide you with the October Semi-Annual Groundwater Monitoring Report for the Former CENCO Refining Property in Santa Fe Springs, California. Presented in this document are the findings of the groundwater monitoring activities conducted from October 4 through October 7, 2005.

Please do not hesitate to contact me at (949) 474-9052 Extension 18 should you have any questions or comments regarding the groundwater monitoring report.

Sincerely,

BLASLAND, BOUCK & LEE, INC.

Paris Hajali, Ph.D., P.E.
Vice President

Enclosures: 2005 Semi-Annual Groundwater Monitoring Report

2005 GMR RWQCB transmtl.doc

4445 Eastgate Mall, Suite 200, San Diego, California 92121
Tel (858) 812-2074 • Fax (858) 812-3004 • www.bbl-inc.com • Offices Nationwide

cc Mr. David Isola
Isola & Associates, LLP
701 South Ham Lane
Lodi, CA 95242

Mr. Michael Barranco
Lakeland Development Company
12345 Lakeland Road
Santa Fe Springs, CA 90670

Mr. Steven Hariri
Department of Toxic Substances Control
5796 Corporate Avenue
Cypress, CA 90630

06 JAN 31 AM 9:3
CALIFORNIA REGIONAL WATER
QUALITY CONTROL BOARD
LOS ANGELES REGION

REPORT

RECEIVED
06 JAN 31 AM 9:31
CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
LOS ANGELES REGION

2005 Semi-Annual Groundwater Monitoring Report Former CENCO Refinery 12345 Lakeland Road Santa Fe Springs, California

Isola & Associates, LLP
Lodi, California

January 2006

Respectfully submitted,

BLASLAND, BOUCK & LEE, INC.

PROFESSIONAL GEOLOGIST
JENNIFER LYNN WILEY
No. 7738
EXP. 6/30/06
STATE OF CALIFORNIA

Jennifer Wiley, P.G.
Senior Project Geologist II

Paris Hajali, Ph.D., P.E.
Vice President

BBL®
BLASLAND, BOUCK & LEE, INC.
engineers, scientists, economists

Table of Contents

Section Executive Summary **1**

Section 1. Introduction **1-1**

1.1 Site Description 1-1
1.2 Summary of Groundwater Monitoring Activities 1-1

Section 2. Field Methodology **2-1**

2.1 Health and Safety 2-1
2.2 Groundwater Level Measurement 2-1
2.3 Groundwater Sampling Methods and Procedures 2-1

Section 3. Groundwater Monitoring Results **3-1**

3.1 Groundwater Surface Elevation 3-1
3.2 Free-Phase Petroleum Hydrocarbons 3-1
3.3 Groundwater Analytical Results 3-1
3.3.1 TPH-g 3-2
3.3.2 VOCs and Oxygenates 3-2
3.3.3 Hexavalent Chromium 3-3
3.3.4 Distribution of Constituents 3-3
3.3.5 Bioremediation Results 3-4
3.3.5.1 Field Parameters 3-4
3.3.5.2 Laboratory Parameters 3-4
3.3.6 Analysis of Bioremediation Results 3-5
3.3.7 Quality Control/ Quality Assurance (QA/QC) 3-5

Section 4. Conclusions **4-1**

Section 5. References **5-1**

Tables

Table 1 Summary of Groundwater Level Measurements
Table 2 Summary of TPH-g, VOCs, and Oxygenates in Groundwater
Table 3 Comparison of 2004 and 2005 Groundwater Monitoring Data
Table 4 Summary of Hexavalent Chromium in Groundwater
Table 5 Summary of Bioremediation Parameter Results in Groundwater

Figures

Figure 1 Site Location Map
Figure 2 Site Plan

Figure 3 Groundwater Surface Elevation Contour Map
Figure 4 Benzene Isoconcentration Contour Map
Figure 5 Gasoline Range Petroleum Hydrocarbon Isoconcentration Contour Map

Appendices

Appendix A Groundwater Monitoring Field Forms
Appendix B Laboratory Analytical Data
Appendix C Historical Groundwater Analytical Results

Executive Summary

Blasland, Bouck & Lee, Inc. has prepared this Semi-Annual Groundwater Monitoring Report on behalf of CENCO Refining Company. This report describes the groundwater monitoring activities performed at the CENCO refinery (site) located at 12345 Lakeland Road in Santa Fe Springs, California, the Lakeland property and the Metropolitan State Hospital property located south of the site, the Bloomfield property located east of the site, and the Walker property located to the southeast (Figure 1). The monitoring event was conducted on October 4 through October 7, 2005 in accordance with the California Regional Water Quality Control Board Los Angeles Region Order No. 85-17.

Groundwater monitoring has been conducted onsite since August 1986. The last groundwater monitoring event was performed by Haley & Aldrich, Inc. in June and July 2004. The semi-annual groundwater monitoring program currently consists of 28 wells as described below (Figure 1):

- Nine onsite groundwater monitoring wells;
- Ten offsite downgradient groundwater monitoring wells on the former Lakeland property and the Metropolitan State Hospital property;
- Four offsite groundwater monitoring wells southeast of the site on the Walker property;
- Three offsite groundwater monitoring wells east of the site on the Bloomfield property; and
- Two onsite deep former water production wells.

The three Bloomfield property wells (MW-106, MW-107, and MW-203), are not currently being monitored as the wells were abandoned (2 wells) or damaged (1 well) due to redevelopment activities. These wells will be monitored following re-installation/repair.

A total of 25 wells (excludes the three abandoned/damaged Bloomfield wells) were gauged to determine groundwater elevation. Of the 25 wells, six were dry and four contained free phase petroleum hydrocarbons (FPPH), and were therefore not sampled. Groundwater samples were collected from 15 wells and analyzed for total petroleum hydrocarbons as gasoline (TPH-g), volatile organic compounds (VOCs) and oxygenates, and hexavalent chromium. In addition, five of these wells were selected for methane, nitrate, sulfate, alkalinity, and ferrous iron analysis to evaluate potential evidence of biodegradation of petroleum hydrocarbons in groundwater.

Results of the October 2005 groundwater monitoring event are in accord with previous events, with some notable observations as follows:

The extent of measurable thicknesses of FPPH has decreased since the previous monitoring event in June 2004, where FPPH was measured in six wells. Only four of those wells were found to contain FPPH during the October 2005 groundwater monitoring event. In addition, decreases in benzene concentrations were measured in MW-204, W-1, W-4, and W-8 since the last sampling event. Slight decreases were also observed for toluene and ethylbenzene concentrations in samples from W-1 and W-4. Benzene concentrations were, however, observed to have increased since the 2004 groundwater sampling event for MW-603, and MW-503B. TPH-g concentrations increased in MW-105, MW-201, MW-204, MW-205, MW-606, and MW-607. Methyl tertiary butyl ether (MTBE) concentrations in wells that were previously not sampled due to the presence of FPPH, had

detections of MTBE above 1.0 milligrams per liter, and were consistent with previously measured concentrations where data was available. Other constituents of primary concern had concentrations consistent with historical monitoring results.

Results of bioremediation parameters indicate that bioremediation is occurring in at least two locations within the hydrocarbon plume at the site. Further investigation of the viability of bioremediation at the site is needed.

1. Introduction

Blasland, Bouck & Lee, Inc. (BBL) has prepared this Semi-Annual Groundwater Monitoring Report for Isola and Associates, LLP. This report describes the groundwater monitoring activities performed at the CENCO Refining Company (site) in Santa Fe Springs, California (Figure 1) in accordance with the California Regional Water Quality Control Board Los Angeles Region (RWQCB) Order No. 85-17. The purpose of the groundwater monitoring program is to evaluate groundwater quality in the vicinity of the site.

1.1 Site Description

The site is approximately 55 acres in size and is located at 12345 Lakeland Road in Santa Fe Springs, California (Figure 1). The site is bordered to the north by Florence Avenue, to the south by Lakeland Road, and to the east by Bloomfield Avenue. Commercial/light industrial properties border the site to the west. The site operated as an oil refinery from the 1930s until July 1995. Historical aerial photographs indicate that the western portion of the site may have been used for agricultural purposes from approximately 1928 to 1938. Oil production-related features such as ponds and aboveground holding tanks may have also been located onsite during these years. The refinery is not currently operating; however, many of the structures related to the former oil refinery operations remain on site. These structures are scheduled to be removed from the site prior to the redevelopment of the property for commercial/light industrial use (Haley & Aldrich, Inc., 2005).

Previous refining operations included processing crude oil into several grades of fuel including kerosene, leaded gasoline and aviation fuel, unleaded gasoline, jet fuel, high and low sulfur diesel, fuel oil, and petroleum coke. Soil and groundwater beneath and in proximity to the site have been impacted by past site operations. Soil and groundwater investigations are being conducted pursuant to two Cleanup and Abatement Orders (CAOs 85-17 and 97-118) issued by the RWQCB to Powerine Oil Company (currently CENCO Refining Company) in 1985 and 1997 (Haley & Aldrich, Inc., 2005).

1.2 Summary of Groundwater Monitoring Activities

Groundwater monitoring has been conducted onsite since August 1986. The last groundwater monitoring event was performed by Haley & Aldrich, Inc. in June and July 2004. The semi-annual groundwater monitoring program currently consists of 28 wells as described below (Figure 1):

- Nine onsite groundwater monitoring wells;
- Ten offsite downgradient groundwater monitoring wells on the former Lakeland property and the Metropolitan State Hospital property;
- Four offsite groundwater monitoring wells southeast of the site on the Walker property;
- Three offsite groundwater monitoring wells east of the site on the Bloomfield property; and
- Two onsite deep former water production wells.

The three Bloomfield property wells (MW-106, MW-107, and MW-203), are not currently being monitored as the wells were abandoned (2 wells) or damaged (1 well) due to redevelopment activities. These wells will be monitored following re-installation/repair.

A total of 25 wells (excludes the three abandoned/damaged Bloomfield wells) were gauged to determine groundwater elevation. Of the 25 wells, six were dry and four contained free phase petroleum hydrocarbons (FPPH), and were therefore not sampled. Groundwater samples were collected from 15 wells and analyzed for total petroleum hydrocarbons as gasoline (TPH-g) by United States Environmental Protection Agency (EPA) Preparation Method 5030B and Method DHS LUFT, volatile organic compounds (VOCs) and oxygenates by EPA Preparation Method 5030B and Method 8260B, and hexavalent chromium by EPA Method 7199. In addition, groundwater samples from five of these wells were analyzed for methane, nitrate, sulfate, alkalinity, and ferrous iron to evaluate potential evidence of biodegradation of petroleum hydrocarbons in groundwater. All samples were transported to Calscience Environmental Laboratories, Inc. (Calscience), under proper chain-of-custody procedures. Calscience is accredited by the California Environmental Protection Agency, Department of Health Services, Environmental Laboratory Accreditation Program.

Water quality parameters including temperature, pH, turbidity, electric conductivity, dissolved oxygen (DO), and oxidation-reduction potential (ORP) were measured in the field.

2. Field Methodology

2.1 Health and Safety

Field activities were conducted in accordance with a site-specific Health and Safety Plan (HASP) prepared pursuant to 29 Code of Federal Regulations Section 1910.120. The HASP identifies and describes potentially hazardous substances that may be encountered during field operations, personal protective equipment and clothing for site activities, and measures that need to be implemented in the event of an emergency. BBL field personnel reviewed the HASP prior to commencing fieldwork. Prior to initiation of field activities each day, a site safety briefing was conducted to identify potential physical and chemical hazards and measures to be taken in event of an emergency. All on-site personnel were required to sign the site safety briefing form. A RAE Systems MultiRae (or equivalent) was used to monitor flammable vapors, oxygen and hydrogen sulfide, and organic vapors.

2.2 Groundwater Level Measurement

A total of 25 wells (excludes the three abandoned/damaged Bloomfield wells) were gauged on October 4, 2005 to determine groundwater elevation. A total of six wells (MW-101, MW-103, MW-202, MW-501A, MW-601A, and MW-604) were found to be dry (monitoring well MW-604 was found dry when sampling was attempted on October 6, 2005, even though groundwater measurements were successfully taken on October 4, 2005). Free phase petroleum hydrocarbon (FPPH) thickness was measured using an electronic oil-water interface probe prior to the collection of water level measurements. The FPPH thickness and water level measurements were recorded on well measurement forms included in Appendix A. Wells W-7 and W-8 are not included in the groundwater elevation contours because they are former water production wells and are screened in a deeper aquifer than the other wells. When calculating groundwater table elevations, FPPH (if any) was assumed to have a relative density of 0.80.

2.3 Groundwater Sampling Methods and Procedures

Wells were purged using dedicated stingers that were previously installed in the wells. Water quality parameter measurements including temperature, pH, turbidity, electric conductivity, DO, and oxidation-reduction potential were periodically taken from representative grab samples during purging. The measurements were taken with a Horiba U-22 water quality meter and recorded on a groundwater sampling form along with the purge volumes (Appendix A). Well purging continued until at least 3 well-casing volumes had been removed and field parameters had stabilized to within 5 percent of the preceding reading. Groundwater samples were collected after each well recharged to at least 80 percent of its original water level. Groundwater samples were collected using new, disposable bailers equipped with new bailer string and new volatile organic analysis tips. Sample containers were filled to zero headspace, sealed with airtight caps, and labeled.

Water production wells MW-7 and MW-8 historically contained dedicated pumps. However they could not be readily used due to pumping equipment being disconnected. Hand-bailed samples were therefore collected from these wells.

Groundwater samples were not collected from the six dry wells. In addition, samples were not collected from the four wells with FPPH (EW1, MW-600A, MW-504, and W-3A) and the wells that have been abandoned (MW-106, MW-107, and MW-203).

Groundwater samples collected from a total of 15 wells were placed in an ice-filled cooler and transported to Calscience, following proper chain-of-custody procedures. All 15 groundwater samples were analyzed as follows:

- TPH-g by EPA Preparation Method 5030B and Method DHS LUFT;
- VOCs and oxygenates by EPA Preparation Method 5030B and Method 8260B; and
- Hexavalent chromium by EPA Method 7199.

Additional groundwater samples from five selected wells (MW-205, MW-503B, MW-605, ME-606, and MW-104) were analyzed for the following parameters to evaluate potential evidence of biodegradation of petroleum hydrocarbons in groundwater:

- Methane by Method RSK-175M;
- Nitrate (as N) by EPA Methods 353.3 and 354.1;
- Sulfate by EPA Method 375.4;
- Total Alkalinity (as $CaCO_3$) by Method SM 2320B; and
- Ferrous Iron (Iron II) by Method SM 3500-FeD.

3. Groundwater Monitoring Results

The results of this semi-annual groundwater monitoring event are presented below. A summary of groundwater level measurements, depth to water, depth to hydrocarbons, FPPH thickness, and groundwater elevation is presented in Table 1. Analytical results are summarized in Tables 2 through 4 and complete laboratory reports are included in Appendix B. A comparison of available data from this monitoring event and the previous June 2004 monitoring event is presented in Table 5.

3.1 Groundwater Surface Elevation

The groundwater surface elevation was calculated for each well by subtracting the water level measurement from the top of casing elevation (Table 1). Groundwater elevations were adjusted for wells with FPPH which was assumed to have a relative density of 0.80. This is the mean density value for various petroleum hydrocarbon mixtures. Groundwater elevations are shown on Figure 3.

Based on the groundwater level measurements obtained on October 4, 2005, groundwater beneath the site vicinity ranges in depth from 89.53 to 104.78 feet below ground surface (bgs). Groundwater elevations have increased by an average of 1.3 feet since June 2004 (Haley & Aldrich, 2004).

The average groundwater gradient across the properties is approximately 0.01 feet per foot (ft/ft) as shown in Figure 3. Groundwater flow direction varies in the vicinity of the site from a south-southwesterly direction in the northeastern portion of the site to a south-southeasterly direction beneath the Metropolitan State Hospital property. These flow directions are consistent with those historically reported in previous investigations.

3.2 Free-Phase Petroleum Hydrocarbons

FPPH (light non-aqueous phase liquid) was detected in four monitoring wells during this sampling event. FPPH was measured with thicknesses of 1.00, 1.72, and 3.66 feet in wells EW-1, MW-600A, and W-3A, respectively. FPPH was not detected in well MW-504 during initial gauging, but was detected following purging. FPPH was detected in six wells (EW-1, MW-600A, W-3A, MW-103, MW-502, and MW-504) with thicknesses ranging from approximately 0.02 to 3.05 feet during the previous groundwater monitoring event in June and July 2004 (Haley & Aldrich, 2004). FPPH thickness and depth to product are shown on Table 1.

FPPH has been observed in well EW-1 since 1990 and based on characterization analysis performed in 2001 these hydrocarbons consist primarily of diesel fuel and gasoline range hydrocarbons. The source of the FPPH detected in EW-1 is not known. CENCO has only owned one pipeline located beneath Lakeland Road, just north of EW-1. This pipeline was only used for transport of crude oil and is not believed to be a source of the FPPH found in EW-1 (Haley & Aldrich, 2004).

3.3 Groundwater Analytical Results

A total of 15 groundwater samples were collected during this groundwater monitoring event on October 5 through October 7, 2005 (Figure 2). All groundwater samples collected were analyzed for total petroleum TPH-g, VOCs and oxygenates, and hexavalent chromium. Additional groundwater samples from five selected wells were analyzed for methane, nitrate, sulfate, alkalinity, and ferrous iron to evaluate potential evidence of biodegradation of petroleum hydrocarbons in groundwater. Analytical results are summarized in Tables 2 through 4 and complete laboratory reports are included in Appendix B.

It is important to recognize that the results presented in this report do not distinguish between facility and non-facility related constituents in groundwater.

3.3.1 TPH-g

TPH-g was detected in 12 of the 15 samples analyzed (Table 2). Concentrations ranged from 0.15 milligrams per liter (mg/L) in well MW-603 to 15 mg/L in well MW-502. The maximum detected TPH-g concentration during the previous sampling event in June 2004 was 5.9 mg/L in well MW-503B (Table 5). TPH-g results obtained during this monitoring event appear to be similar to those from June 2004. The largest increase in TPH-g concentration from 2004 to 2005 was seen in well MW-201. TPH-g was detected at a concentration of 1.70 mg/L in 2004 and 3.4 mg/L in 2005. Reduction in TPH-g concentration was observed in wells MW-503B, W-1, and W-8. The largest decrease in TPH-g concentration was 0.5 mg/L from June 2004 to October 2005 in well MW-503B.

3.3.2 VOCs and Oxygenates

A summary of VOC and oxygenate analytical results is presented in Table 2. A comparison of available VOC and oxygenate data from this monitoring event and the June 2004 monitoring event is presented in Table 3.

Methyl tertiary butyl ether (MTBE) was detected in four of the 15 groundwater samples analyzed. Concentrations ranged from 0.0017 mg/L in well MW-607 to 15 mg/L in well MW-502. The California Maximum Containment Level (MCL) for MTBE in drinking water is 0.005 mg/L. MTBE concentrations do not appear to have significantly changed since the sampling event in June 2004 (Table 5). Tert-butyl alcohol (TBA) was detected in eight of the 15 samples analyzed with a maximum concentration of 0.13 mg/L in well MW-201. The analytical results for TBA for the 2005 event are consistent with the 2004 results.

Benzene was detected in 11 of the 15 samples analyzed. Detected benzene concentrations ranged from 0.00052 mg/L in well W-8 to 1.1 mg/L in well MW-503B. The California MCL for benzene in drinking water is 0.001 mg/L. The benzene concentrations in well MW-503B increased from 0.16 mg/L to 1.1 mg/L from June 2004 to October 2005. Benzene concentrations also increased by approximately 0.62 mg/L in well MW-201 and slightly in wells MW-205, MW-603, MW-606, and W-4. A decrease in benzene concentrations was observed in wells MW-607, MW-204, and W-1. The concentration in well MW-607 decreased from 0.01 mg/L in June 2004 to 0.0012 mg/L during this sampling event. Wells MW-204 and W-1 decreased by approximately 0.024 mg/L and 0.097 mg/L, respectively.

Toluene was detected in one well (MW-201) at a concentration of 0.037 mg/L. Toluene was detected in five wells, in addition to MW-201, during the June 2004 sampling event at concentrations ranging from 0.0018 mg/L to 0.037 mg/L. All toluene detections were below the California MCL of 0.15 mg/L. Ethylbenzene was detected in four of the 15 samples analyzed. Ethylbenzene concentrations ranged from 0.0042 mg/L in well MW-204 to 0.47 mg/ L in well MW-201. The California MCL for ethylbenzene in drinking water is 0.3 mg/L. The chemical p/m-xylene was detected in four wells and o-xylene was detected in one well during this sampling event. The chemical p/m-xylene was detected at concentrations ranging from 0.0021 mg/L in well MW-204 to 0.11 mg/L in well MW-502 and o-xylene was detected at a concentration of 0.018 mg/L in well MW-201. Analytical results for ethylbenzene and xylenes were similar to those from the June 2004 sampling event.

The only other oxygenate detected during this sampling event was di-isopropyl ether (DIPE). DIPE was detected in one well (MW-105) at a concentration of 0.0021 mg/L, only slightly above the laboratory reporting limit.

In addition to those discussed above, 20 VOCs were detected during this sampling event. The constituents are as follows with the frequency of detection shown in parenthesis: acetone (5), n-butylbenzene (1), sec-butylbenzene (3), chloroethane (1), chloroform (1), 1,4-dichorobenzene (1), 1,1,-dichloroethane (1,1-DCA) (3), 1,2,-dichloroethane (4), 1,1-dichloroethene (1,1-DCE) (2), cis-1,2,-dichloroethene (7), trans-1,2-dichloroethene (3), isopropylbenzene (6), p-isopropylbenzene (1), naphthalene (1), n-propylbenzene (6), tetrachloroethene (PCE) (3), trichloroethene (TCE) (3), 1,2,4-trimethylbenzene (2), 1,3,5-trimethylbenzene (3), and vinyl chloride (6).

The highest VOC concentrations were of TCE and PCE, which were detected at maximum concentrations of 0.15 mg/L and 0.16 mg/L, respectively in well MW-603. These concentrations exceed the California MCLs for PCE and TCE in drinking water of 0.005 mg/L. The next highest VOC concentrations were found in 1,1-dichloroethene, naphthalene, n-propylbenzene, and 1,3,5-trimethylbenzene which were detected at maximum concentrations of 0.10 mg/L to 0.12 mg/L.

Historical records indicate that there are no known or suspected sources of halogenated VOCs to groundwater from former refinery operations. Therefore, these compounds most likely originated from off site sources (Haley & Aldrich, 2004).

3.3.3 Hexavalent Chromium

Hexavalent chromium was only detected in one of the 15 samples analyzed. Hexavalent chromium was detected at a concentration of 0.002 mg/L in well MW-606, only slightly above the reporting limit of 0.001 mg/L. A summary of hexavalent chromium results is presented in Table 4.

3.3.4 Distribution of Constituents

Analysis of groundwater collected from MW-105, an upgradient well at the north boundary of the property, resulted in TPH-g detected at a slightly higher value than in the previous monitoring event. TBA was also detected in this upgradient well. The presence of these COPCs in the upgradient well indicate the presence of off-site, upgradient sources.

The highest concentrations of TPH-g detected during this sampling event were from wells located on the northwest portion of the properties, within a relatively small area (Figure 3). TPH-g was detected at concentrations of 15 mg/L, 5.4 mg/L, and 3.4 mg/L in wells MW-502, MW-503B, and MW-201, respectively. Monitoring wells MW-502 and MW-503B are located on the former Lakeland property and well MW-201 is located at the southwest corner of the CENCO property. VOCs including 1,1-DCA, 1,1-DCE, cis-1,2-dichloroethene, ethylbenzene, n-propylbenzene, and 1,2,4-trimethylbenzene were also detected in these wells.

While the footprint of impacted groundwater has not changed shape or size substantially since the 2004 groundwater monitoring event, benzene and TPH-g concentrations have increased substantially in the area of MW-504, MW-503B, and MW-502. Increases in measured concentrations may be related to sampling of monitoring wells that were previously not sampled due to the presence of FPPH. Historical laboratory analytical results, to be included in Appendix C, were not available at the time of this report preparation. Tabulated historical data will be included in the next groundwater monitoring report.

3.3.5 Bioremediation Results

A summary of the results of the bioremediation indicator parameters is presented in Table 5. The parameters pH, DO, and ORP were measured in the field. Analyses were conducted in the laboratory for methane, nitrate, sulfate, total alkalinity, and ferrous iron. Field parameter data was collected from 13 monitoring wells (the two former production wells were not purged) and laboratory analyses were performed on five wells. These five wells (MW-104A, MW-205, MW-503B, MW-605, and MW-606) were previously selected for the evaluation of bioremediation potential based on their location. Details of the study design, including the well selection process, are provided in the 2004 Semi-Annual Groundwater Monitoring Report (Haley & Aldrich, 2004).

3.3.5.1 Field Parameters

The parameters pH, DO, and ORP were measured in the field using a Horiba U-22 water quality meter. The probe was inserted into a grab water sample that was collected between the vacuum truck and the stinger. It is important to note that the vacuum stinger method used to purge the wells can interfere with the field parameter tests. Therefore in-situ conditions can vary from recorded data.

pH - This parameter is a measurement of the acidity or alkalinity of a solution, and ranged from 7.04 to 7.92 in the 13 wells measured. This indicates a neutral to slightly alkaline environment.

Dissolved Oxygen (DO) - This parameter is the preferred electron acceptor in the biodegradation of petroleum hydrocarbons. As aerobic biodegradation occurs, DO concentrations are reduced by aerobic respiration. The DO concentrations ranged from 5.99 mg/L to 9.79 mg/L.

Oxidation Reduction Potential (ORP) - This parameter is a measure of electron activity. The ORP values are generally negative under reducing conditions (gaining electrons) and positive under oxidizing conditions (losing electrons). Anaerobic biodegradation has a tendency to create reducing conditions (negative ORP readings). Negative ORP readings were observed in five wells (MW-105, MW- 205, MW-503B, MW-607, and W-1) ranging from -15 millivolts (mV) to -93 mV.

3.3.5.2 Laboratory Parameters

Methane is a by-product dissolved gas created during methanogenic reducing activity indicative of biodegradation. Methane is typically detected once dissolved oxygen, sulfate and nitrate have been utilized. Therefore as methane concentrations increase, dissolved oxygen, sulfate and nitrate concentrations typically decrease. Methane was detected in all five wells at concentrations ranging from 0.00125 mg/L in well MW-605 to 3.33 mg/L in well MW-205.

Nitrate may be used as an electron acceptor for anaerobic biodegradation if the dissolved oxygen has been depleted in groundwater. Nitrate is reduced to nitrite during this process. The decreased levels of dissolved nitrate in wells containing higher concentrations of hydrocarbons generally indicate denitrification is occurring. Nitrate was detected in two of the five wells at concentrations of 8.3 mg/L (MW-605) and 3.0 mg/L (MW-606).

Sulfate may be used as an electron acceptor for anaerobic biodegradation, when dissolved oxygen and nitrate are depleted. The decreased concentrations of sulfate in wells with the highest concentrations of petroleum

hydrocarbons indicate biodegradation is occurring. Sulfate was detected in all five wells at concentrations ranging from 24 mg/L to 180 mg/L. The lowest sulfate concentrations were 24 mg/L in well MW-503B and 63 mg/L in MW-205.

Total alkalinity results from the presence of hydroxides, carbonates, and bicarbonates. Biodegradation in groundwater may result in increased alkalinity. Total alkalinity ranged from 500 mg/L to 3,600 mg/L. The highest alkalinity was found in wells MW-503B and MW-205 at concentrations of 730 mg/L and 3,600 mg/L, respectively.

Ferric iron (Fe^{+3}) may be used as an electron acceptor during anaerobic degradation of petroleum hydrocarbons and is then reduced to ferrous iron (Fe^{+2}). Ferrous iron was only detected in one of the five wells (MW-205) at a concentration of 0.44 mg/L.

3.3.6 Analysis of Bioremediation Results

During this groundwater monitoring event, the highest TPH-g levels in wells sampled for bioremediation indicator parameters were found in wells MW-503B and MW-205 at concentrations of 5.4 mg/L and 0.85 mg/L, respectively. Therefore these are the wells in which we would most likely observe evidence of bioremediation. DO was measured at 5.99 mg/L and 9.35 mg/L and ORP was -93 millivolts (mV) and -15 mV in wells MW-503B and MW-205, respectively. Well MW-503B with the highest level of TPH-g did have the lowest concentration of DO and the most negative ORP, both indicative of bioremediation activities. DO in well and MW-205 was relatively high, however the ORP was negative. Therefore, the potential of biodegradation exists.

The highest concentrations of methane were detected in wells MW-503B and MW-205 at concentrations of 3.33 mg/L and 1.38 mg/L, respectively. In addition, the highest alkalinity was found in these two wells. Alkalinity was detected in MW-503B at a concentration of 730 mg/L and in MW-205 at 3,600 mg/L. Elevated methane and alkalinity indicate that bioremediation may be occurring in these wells. Nitrate was not detected in these two wells, which could indicate it has been depleted during anaerobic biodegradation. The lowest sulfate concentrations detected were 24 mg/L in well MW-503B and 63 mg/L in MW-205. Ferrous iron was only detected in one of the five wells (MW-205) at a concentration of 0.44 mg/L. Low sulfate and elevated ferrous iron concentrations are also evidence of potential bioremediation.

The results of the bioremediation indicator parameters indicate that bioremediation may be occurring in at least two wells in the site vicinity. However, additional data is needed to further assess the groundwater environment and potential biodegradation activities.

3.3.7 Quality Control/ Quality Assurance (QA/QC)

Field activities were documented in dedicated field notebooks and appropriate control samples were collected. One trip blank (provided by the laboratory) accompanied each daily groundwater sample shipment to the laboratory for a total of three trip blanks. Trip blanks assess potential sample contamination from transportation and storage of samples. Duplicate samples, which assess the precision of the laboratory analysis, were collected from two wells (MW-105 and MW-605) during this groundwater sampling event. The trip blanks were analyzed for VOCs by EPA Method 8260B. The duplicates followed the same analysis protocols as the primary samples. Equipment blanks were not collected because dedicated stingers were used to purge the wells and new disposable bailers were used for sampling, therefore eliminating a mechanism for cross-contamination. Method

blanks were analyzed by the laboratory to assess possible cross contamination between samples during laboratory analysis.
Duplicate samples (MW-105-1005-D and MW-605-1005-D) were analyzed for TPH-g, VOCs and oxygenates and hexavalent chromium. In addition, duplicate sample MW-605-1005-D was analyzed for methane, nitrate, sulfate, total alkalinity, and ferrous iron. Duplicate sample results are shown on Tables 2 through 4, along with the primary sample results. Precision of laboratory analysis was evaluated as the relative percent difference (RPD) between duplicate sample results. RPD criteria reported by the laboratory were used to assess precision. All RPDs were within the appropriate control limits with the exception of one. TCE in QC sample 05-10-0327-4 analyzed on October 7, 2005 was slightly above the RPD control limit. According to Calscience, the matrix spike (MS)/matrix spike duplicate (MSD) RPD was out of control due to matrix interference. The laboratory control sample (LCS) and LCS duplicate samples (LCSD) RPD was in control and, therefore, the sample data were reported without further clarification.

The trip blank and method blank data showed non-detectable levels for all constituents. Trip blank sample results are shown on Table 4. The complete laboratory reports are provided in Appendix B.

4. Conclusions

Groundwater monitoring was performed at the former CENCO refinery site in October 2005 as part of ongoing groundwater monitoring efforts intended to evaluate chemical impacts, contaminant sources, and overall groundwater quality at the site. This groundwater monitoring event included gauging 25 wells in the CENCO monitoring well network (not including three abandoned/damaged wells that could not be gauged), analysis for VOCs and hexavalent chromium in 15 wells, and additional bioremediation parameter (methane, nitrate, sulfate, total alkalinity, ferrous iron, pH, DO, and ORP) sampling from five of the wells.

A relatively steep groundwater gradient of approximately 0.01ft/ft was observed for the recent groundwater monitoring event, which is consistent with historical gradient data for the site. Overall, groundwater levels have risen by an average of 1.3 feet since the last measurement, taken in June 2004. The rising water levels may be attributed to measurement during a time of groundwater recharge (autumn) instead of the dry season (mid summer) and to greater annual precipitation in the region.

FPPH was measured in four wells (EW-1, MW-600A, MW-504, and W-3A) within the CENCO monitoring well network. FPPH observed in MW-600A may originate from a source on the CENCO site, as proposed by Haley & Aldrich (2004); however, FPPH observed in both EW-1 and W-3A likely originate from northeast of the site, based on local groundwater flow direction. Thicknesses detected within the wells do not necessarily reflect FPPH thickness in the surrounding aquifer, as fluctuations in water level and permeability factors can influence FPPH accumulation in monitoring wells.

Groundwater monitoring results at the site are generally consistent with historical observations and analyses. The number of wells in which FPPH was observed has decreased from six in June 2004 to only four in October 2005. Benzene concentrations decreased in MW-204, W-1, W-4, and W-8 since the last sampling event. Slight decreases were also observed for toluene and ethylbenzene in W-1 and W-4. Well MW-502 formerly had FPPH accumulations detected, and was therefore not sampled in June 2004, however it was free of FPPH during the October 2005 sampling event, and laboratory analysis resulted in detections of TPH-g, MTBE, benzene, ethylbenzene, and p/m xylenes. Benzene, ethylbenzene and MTBE exceeded the California MCLs in this sample.

Benzene had a substantial increase in concentration since the 2004 groundwater sampling event for MW-603, and MW-503B.

Hexavalent chromium was demonstrated to be generally below detection limits and in all cases below California MCLs during the October 2005 sampling event.

Intrinsic bioremediation continues to be viable, in at least some areas of the site, based on conditions measured in the subsurface. Nitrate, sulfate, ferrous iron, methane, alkalinity, and ORP indicate the potential for intrinsic bioremediation exists in the vicinity of the site.

5. References

Haley & Aldrich, Inc. 2004. *Draft 2004 Semi-Annual Groundwater Monitoring Report, CENCO Refinery, Santa Fe Springs, California* (October 18, 2004).

Haley & Aldrich, Inc. 2005. *Additional Site Investigation Work Plan, CENCO Refining Company* (May 9, 2005).

Tables

BBL®
BLASLAND, BOUCK & LEE, INC.
engineers, scientists, economists

TABLE 1
SUMMARY OF GROUNDWATER LEVEL MEASUREMENTS

2005 SEMI-ANNUAL GROUNDWATER MONITORING REPORT
ISOLA ASSOCIATES, LLP
FORMER CENCO REFINERY
SANTA FE SPRINGS, CALIFORNIA

Well ID	Total Depth (feet)	Depth to Water (feet)	Depth to Hydrocarbons (feet)	Hydrocarbon Thickness (feet)	Groundwater Elevation (feet-msl)	Top of Casing Elevation (feet-msl)	Corrected Depth to Groundwater (feet)
EW-1	NM	100.12	98.40	1.72	13.66	112.40	98.74
MW-101	92.70	Dry	NA	0	Dry	135.23	NA
MW-103	94.55	Dry	NA	0	Dry	136.95	NA
MW-104A	97.60	89.85	NA	0	51.31	141.16	89.85
MW-105	100.15	91.03	NA	0	47.60	138.63	91.03
MW-106	Abandoned					148.41	NA
MW-107	Abandoned					148.93	NA
MW-201	101.52	93.07	NA	0	39.84	132.91	93.07
MW-202	92.59	Dry	NA	0	Dry	137.89	NA
MW-203	Abandoned					143.89	NA
MW-204	99.68	97.86	NA	0	42.28	140.14	97.86
MW-205	98.25	92.00	NA	0	46.04	138.04	92.00
MW-501A	92.58	Dry	NA	0	Dry	NM	NA
MW-502	100.49	94.90	NA	0	33.40	128.30	94.90
MW-503B	108.60	95.34	NA	0	34.62	129.96	95.34
MW-504**	95.85	95.12	NM	NM	NM	134.51	NM
MW-600A	NM	92.62	89.46	3.16	30.25	120.34	90.09
MW-601A	89.40	Dry	NA	0	Dry	126.53	NA
MW-603	97.28	89.53	NA	0	29.01	118.54	89.53
MW-604*	103.14	102.78	NA	0	35.38	138.16	102.78
MW-605	94.03	91.22	NA	0	23.32	114.54	91.22
MW-606	99.16	94.21	NA	0	19.68	113.89	94.21
MW-607	106.80	104.78	NA	0	21.25	126.03	104.78
W-1	129.63	102.95	NA	0	39.94	142.89	102.95
W-3A	104.55	104.55	103.55	1.00	20.25	124.00	103.75
W-4	129.07	104.36	NA	0	38.02	142.38	104.36
W-7***	NM	87.97	NA	0	NM	NM	NA
W-8***	NM	69.18	NA	0	NM	NM	NA

Notes:
Groundwater elevation = (top of casing elevation - depth to water) + (0.8 x hydrocarbon thickness)
NA- Not Applicable.
NM- Not Measured.
Groundwater elevation correction for the presence of free product was performed assuming a specific gravity of 0.8 for the petroleum product.
* Monitoring well MW-604 was found dry when sampling was attempted on 10/6/2005.
** Monitoring well MW-504 did not have hydrocarbons present during initial gauging, but following purging, hydrocarbons were measured.
***Former production wells W-7 and W-8 were never surveyed and are not used in calculating groundwater gradients (screened in a deeper aquifer).
msl - mean sea level.

TABLE 2
SUMMARY OF TPH-g, VOCs, AND OXYGENATES IN GROUNDWATER

2005 SEMI-ANNUAL GROUNDWATER MONITORING REPORT
ISOLA ASSOCIATES, LLP
FORMER CENCO REFINERY
SANTA FE SPRINGS, CALIFORNIA

	Sample ID:	MW-104A-1005	MW-105-1005	MW-105-1005-D	MW-201-1005	MW-204-1005	MW-205-1005	MW-502-1005	MW-503B-1005	MW-603-1005	MW-605-1005	MW-605-1005-D	MW-606-1005	MW-607-1005	W-1-1005	W-4-1005	W-7-1005	W-8-1005	TB100605	TB100505	TB100705
	Date:	10/7/2005	10/6/2005	10/6/2005	10/7/2005	10/7/2005	10/6/2005	10/5/2005	10/5/2005	10/6/2005	10/5/2005	10/5/2005	10/5/2005	10/5/2005	10/6/2005	10/6/2005	10/6/2005	10/6/2005	9/29/2005	10/5/2005	10/7/2005
ANALYTE	California MCL (mg/L)	Concentration (mg/L)																			
TPH-g	NA	ND<0.10	**0.30**	**0.32**	**3.4**	**0.34**	**0.85**	**15**	**5.4**	**0.15**	ND<0.10	ND<0.10	**0.240**	**0.76**	**0.31**	**0.35**	ND<0.1	**0.22**	NA	NA	NA
Acetone	NA	ND<0.01	ND<0.01	ND<0.01	**0.093**	ND<0.01	**0.017**	ND<1.0	ND<0.20	ND<0.01	ND<0.01	ND<0.01	**0.015**	**0.016**	**0.02**	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01
Benzene	0.001	ND<0.0005	ND<0.0005	ND<0.0005	**0.74**	**0.0057**	**0.055**	**0.90**	**1.1**	**0.00082**	ND<0.0005	ND<0.0005	**0.0056**	**0.0012**	**0.043**	**0.031**	ND<0.0005	**0.00052**	ND<0.0005	ND<0.0005	ND<0.0005
sec-Butylbenzene	NA	ND<0.001	ND<0.001	ND<0.001	**0.016**	ND<0.001	ND<0.001	ND<0.10	ND<0.02	ND<0.001	ND<0.001	ND<0.001	ND<0.001	**0.0027**	ND<0.001	**0.0011**	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001
Chloroethane	NA	ND<0.001	ND<0.001	ND<0.001	ND<0.005	ND<0.001	ND<0.001	ND<0.10	ND<0.02	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	**0.0012**	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001
1,4-Dichlorobenzene	0.005	ND<0.001	ND<0.001	ND<0.001	ND<0.005	ND<0.001	ND<0.001	ND<0.10	ND<0.02	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	**0.0011**	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001
1,1-Dichloroethane	0.005	ND<0.001	**0.0058**	**0.0057**	ND<0.005	ND<0.001	ND<0.001	ND<0.10	ND<0.02	**0.008**	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	**0.0017**	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001
1,2-Dichloroethane	0.0005	ND<0.0005	**0.00058**	**0.00055**	**0.034**	**0.0016**	ND<0.0005	ND<0.05	ND<0.01	**0.012**	ND<0.0005	ND<0.0005	ND<0.0005	ND<0.0005	ND<0.0005	ND<0.0005	ND<0.0005	ND<0.0005	ND<0.0005	ND<0.0005	ND<0.0005
1,1-Dichloroethene	0.006	ND<0.001	**0.01**	**0.0096**	ND<0.005	ND<0.001	ND<0.001	ND<0.10	ND<0.02	**0.10**	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001
c-1,2-Dichloroethene	0.006	**0.0034**	**0.01**	**0.01**	**0.049**	**0.0034**	**0.0042**	ND<0.10	ND<0.02	**0.022**	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	**0.0064**	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001
t-1,2-Dichloroethene	0.01	ND<0.001	**0.0037**	**0.0039**	ND<0.005	ND<0.001	ND<0.001	ND<0.10	ND<0.02	**0.0073**	ND<0.001	ND<0.001	ND<0.001	ND<0.001	**0.0016**	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001
Ethylbenzene	0.3	ND<0.001	ND<0.001	ND<0.001	**0.47**	**0.0042**	ND<0.001	**0.430**	**0.073**	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001
Isopropylbenzene	NA	ND<0.001	ND<0.001	ND<0.001	**0.085**	**0.0011**	ND<0.001	ND<0.10	**0.061**	ND<0.001	ND<0.001	ND<0.001	ND<0.001	**0.0091**	**0.0044**	**0.0059**	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001
p-Isopropyltoluene	NA	ND<0.001	ND<0.001	ND<0.001	**0.021**	ND<0.001	ND<0.001	ND<0.10	ND<0.02	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001
Naphthalene	NA	ND<0.01	ND<0.01	ND<0.01	**0.12**	ND<0.01	ND<0.01	ND<1.0	ND<0.20	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01
n-Propylbenzene	NA	ND<0.001	ND<0.001	ND<0.001	**0.086**	**0.0011**	ND<0.001	**0.11**	**0.09**	ND<0.001	ND<0.001	ND<0.001	ND<0.001	**0.012**	ND<0.01	**0.0042**	ND<0.01	ND<0.01	ND<0.001	ND<0.001	ND<0.001
Tetrachloroethene	NA	ND<0.001	**0.0065**	**0.0045**	ND<0.005	ND<0.001	ND<0.001	ND<0.10	ND<0.02	**0.16**	**0.0043**	**0.0045**	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001
Toluene	0.15	ND<0.001	ND<0.001	ND<0.001	**0.037**	ND<0.001	ND<0.001	ND<0.10	ND<0.02	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001
Trichloroethene	NA	ND<0.001	**0.041**	**0.034**	ND<0.005	ND<0.001	ND<0.001	ND<0.1	ND<0.02	**0.15**	**0.02**	**0.02**	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001
1,2,4-Trimethylbenzene	NA	ND<0.001	ND<0.001	ND<0.001	**0.033**	**0.0023**	ND<0.001	ND<0.10	ND<0.02	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001
1,3,5-Trimethylbenzene	NA	ND<0.001	ND<0.001	ND<0.001	**0.016**	**0.0012**	ND<0.001	**0.11**	ND<0.02	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.01	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001
Vinyl Chloride	0.0005	ND<0.0005	**0.0014**	**0.0014**	ND<0.0025	ND<0.0005	ND<0.0005	ND<0.05	ND<0.01	**0.0016**	ND<0.005	ND<0.005	**0.0032**	**0.0012**	**0.0071**	**0.0013**	ND<0.0005	ND<0.001	ND<0.005	ND<0.005	ND<0.005
p/m-Xylene	1.75	ND<0.001	ND<0.001	ND<0.001	**0.073**	**0.0021**	ND<0.001	**0.11**	**0.038**	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001
o-Xylene	1.75	ND<0.001	ND<0.001	ND<0.001	**0.018**	ND<0.001	ND<0.001	ND<0.10	ND<0.02	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.01	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001
Methyl-t-Butyl Ether (MTBE)	0.005	ND<0.001	ND<0.001	ND<0.001	ND<0.005	ND<0.001	ND<0.001	**15**	ND<0.02	ND<0.001	ND<0.001	ND<0.001	**0.0048**	**0.0017**	**0.025**	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001	ND<0.001
Tert-Butyl Alcohol (TBA)	NA	**0.083**	**0.025**	**0.031**	**0.13**	**0.09**	ND<0.01	ND<1.0	ND<0.20	ND<0.01	ND<0.01	ND<0.01	**0.042**	**0.074**	**0.034**	**0.047**	ND<0.01	ND<0.01	ND<0.01	ND<0.01	ND<0.01
Diisopropyl Ether (DIPE)	NA	ND<0.002	**0.0021**	**0.0023**	ND<0.01	ND<0.002	ND<0.002	ND<0.20	ND<0.04	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002	ND<0.002

Notes:
Only detected compounds are shown on table
Total Petroleum Hydrocarbons as gasoline (TPH-g) was analyzed using EPA Preparation Method 5030B and Method DHS LUFT.
Volatile Organic Compounds (VOCs) were analyzed using EPA Preparation Method 5030B and EPA Method 8260B.
ND - Not detected at the indicated reporting limit.
NA - Not analyzed.
mg/L- Milligrams per liter.
MCL- California Department of Health Services 2003 maximum contaminant level
Bold indicates detected value.
Highlighted values exceed the California MCL
NA- No MCL available

TABLE 3
COMPARISON OF 2004 AND 2005 GROUNDWATER MONITORING DATA

2005 SEMI-ANNUAL GROUNDWATER MONITORING REPORT
ISOLA ASSOCIATES, LLP
FORMER CENCO REFINERY
SANTA FE SPRINGS, CALIFORNIA

Well ID	TPH-g		MTBE		TBA		Benzene		Toluene		Ethylbenzene		p/m-Xylene		o-Xylene	
	Jun-2004	Oct-2005	Jun-2004	Oct-2005	Jun-2004	Oct-2005	Jun-2004	Oct-2005	Jun-2004	Oct-2005	Jun-2004	Oct-2005	Jun-2004	Oct-2005	Jun-2004	Oct-2005
MW-104A	ND<0.2	ND<0.10	ND<0.005	ND<0.001	**0.03J**	**0.083**	ND<0.005	ND<0.0005	ND<0.005	ND<0.001	ND<0.005	ND<0.001	ND<0.005	ND<0.001	ND<0.005	ND<0.001
MW-105	**0.27**	**0.30**	ND<0.005	ND<0.001	ND<0.1	**0.025**	ND<0.005	ND<0.0005	ND<0.005	ND<0.001	ND<0.005	ND<0.001	ND<0.005	ND<0.001	ND<0.005	ND<0.001
MW-201	**1.7**	**3.4**	ND<0.005	ND<0.005	ND<0.1	**0.13**	**0.12**	**0.74**	**0.012**	**0.037**	**0.21J**	**0.47**	**0.058**	**0.073**	**0.013**	**0.018**
MW-204	**0.26**	**0.34**	ND<0.005	ND<0.001	**0.15**	**0.09**	**0.03**	**0.0057**	ND<0.005	ND<0.001	**0.0076**	**0.0042**	ND<0.005	**0.0021**	ND<0.005	ND<0.001
MW-205	ND<0.2	**0.85**	ND<0.005	ND<0.001	ND<0.1	ND<0.01	**0.003J**	**0.055**	ND<0.005	ND<0.001	ND<0.005	ND<0.001	ND<0.005	ND<0.001	ND<0.005	ND<0.001
MW-502	FP	**15**	FP	**15**	FP	ND<1.0	FP	**0.90**	FP	ND<0.10	FP	**0.430**	FP	**0.11**	FP	ND<0.10
MW-503B	**5.9**	**5.4**	ND<0.005	ND<0.02	ND<0.1	ND<0.20	**0.16**	**1.1**	**0.037**	ND<0.02	**0.089**	**0.073**	**0.042**	**0.038**	ND<0.005	ND<0.02
MW-603	ND<0.2	**0.15**	ND<0.005	ND<0.001	ND<0.1	ND<0.01	ND<0.005	**0.00082**	**0.0003J**	ND<0.001	ND<0.005	ND<0.001	ND<0.005	ND<0.001	ND<0.005	ND<0.001
MW-605	ND<0.2	ND<0.10	ND<0.005	ND<0.001	ND<0.1	ND<0.01	ND<0.005	ND<0.0005	ND<0.005	ND<0.001	ND<0.005	ND<0.001	ND<0.005	ND<0.001	ND<0.005	ND<0.001
MW-606	ND<0.2	**0.240**	**0.003J**	**0.0048**	ND<0.1	**0.042**	ND<0.005	**0.0056**	ND<0.005	ND<0.001	ND<0.005	ND<0.001	ND<0.005	ND<0.001	ND<0.005	ND<0.001
MW-607	**0.54**	**0.76**	**0.004J**	**0.0017**	**0.05J**	**0.074**	**0.01**	**0.0012**	ND<0.005	ND<0.001	ND<0.005	ND<0.001	**0.0014**	ND<0.001	ND<0.005	ND<0.001
W-1	**0.46**	**0.31**	**0.003J**	**0.025**	ND<0.1	**0.34**	**0.14**	**0.043**	**0.0028**	ND<0.001	**0.0015**	ND<0.001	ND<0.005	ND<0.001	ND<0.005	ND<0.001
W-4	**0.35**	**0.35**	ND<0.005	ND<0.001	ND<0.1	**0.047**	**0.03**	**0.031**	**0.0026**	ND<0.001	**0.0019**	ND<0.001	ND<0.005	ND<0.001	ND<0.005	ND<0.001
W-7	NS	ND<0.1	NS	ND<0.001	NS	ND<0.01	NS	ND<0.0005	NS	ND<0.001	NS	ND<0.001	NS	ND<0.001	NS	ND<0.001
W-8	**0.39**	**0.22**	ND<0.005	ND<0.001	ND<0.1	ND<0.01	**0.0019J**	**0.00052**	**0.0018**	ND<0.001	**0.00072**	ND<0.001	**0.00066**	ND<0.001	ND<0.005	ND<0.001

Notes:
All results in milligrams per liter.
NA- Not Applicable.
NM- Not Measured.
ND - Not detected at the indicated reporting limit.
NS - No sample collected.
FP - Free phase petroleum hydrocarbons detected, no sample collected.
Maximum concentrations from duplicate samples from October 2005 sampling event are shown.
June 2004 data is from the *Draft Semi-annual Groundwater Monitoring Report* prepred by Haley & Aldrich, Inc., dated October 18, 2005.
Bold indicates detected value.
J - Compound detected at estimated value indicated.

TABLE 4
SUMMARY OF HEXAVALENT CHROMIUM IN GROUNDWATER

2005 SEMI-ANNUAL GROUNDWATER MONITORING REPORT
ISOLA ASSOCIATES, LLP
FORMER CENCO REFINERY
SANTA FE SPRINGS, CALIFORNIA

Sample ID	Sample Date	Hexavalent Chromium [milligrams per liter [mg/L])
MW-104A-1005	10/7/2005	ND<0.001
MW-105-1005	10/6/2005	ND<0.001
MW-105-1005-D	10/6/2005	ND<0.001
MW-201-1005	10/7/2005	ND<0.001
MW-204-1005	10/7/2005	ND<0.001
MW-205-1005	10/6/2005	ND<0.001
MW-502-1005	10/5/2005	ND<0.001
MW-503B-1005	10/5/2005	ND<0.001
MW-603-1005	10/6/2005	ND<0.001
MW-605-1005	10/5/2005	ND<0.001
MW-605-1005-D	10/5/2005	ND<0.001
MW-606-1005	10/5/2005	**0.002**
MW-607-1005	10/5/2005	ND<0.001
W-1-1005	10/6/2005	ND<0.001
W-4-1005	10/6/2005	ND<0.001
W-7-1005	10/7/2005	ND<0.001
W-8-1005	10/6/2005	ND<0.001

Notes:
Hexavalent Chromium was analyzed using EPA Method 7199.
ND - Not detected at the indicated reporting limit.
NA- Not analyzed.
Bold indicates detected value.

TABLE 5
SUMMARY OF BIOREMEDIATION PARAMETER RESULTS IN GROUNDWATER

2005 SEMI-ANNUAL GROUNDWATER MONITORING REPORT
ISOLA ASSOCIATES, LLP
FORMER CENCO REFINERY
SANTA FE SPRINGS, CALIFORNIA

Sample ID	Sample Date	Laboratory Analytical Methods					Field Test Methods		
		Methane (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	Total Alkalinity (mg/L)	Ferrous Iron (mg/L)	pH	DO (mg/L)	ORP (mV)
MW-104A-1005	10/7/2005	**0.0695**	ND<0.10	**89**	**570**	ND<0.10	**7.31**	**7.9**	**41**
MW-105-1005	10/6/2005	NA	NA	NA	NA	NA	**7.19**	**9.79**	**-71**
MW-201-1005	10/7/2005	NA	NA	NA	NA	NA	**7.04**	**7.88**	**11**
MW-204-1005	10/7/2005	NA	NA	NA	NA	NA	**7.42**	**8.18**	**25**
MW-205-1005	10/6/2005	**3.33**	ND<0.10	**63**	**3,600**	**0.44**	**7.41**	**9.35**	**-15**
MW-502-1005	10/5/2005	NA	NA	NA	NA	NA	**7.85**	**7.29**	**8**
MW-503B-1005	10/5/2005	**1.38**	ND<0.10	**24**	**730**	ND<0.10	**7.92**	**5.99**	**-93**
MW-603-1005	10/6/2005	NA	NA	NA	NA	NA	**7.62**	**7.73**	**96**
MW-605-1005	10/5/2005	**0.00125**	**8.3**	**180**	**500**	ND<0.10	**7.64**	**9.32**	**124**
MW-605-1005-D	10/5/2005	ND<0.001	**8.3**	**170**	**500**	ND<0.10	NA	NA	NA
MW-606-1005	10/5/2005	**0.178**	**3.0**	**170**	**540**	ND<0.10	**7.70**	**8.63**	**117**
MW-607-1005	10/5/2005	NA	NA	NA	NA	NA	**7.65**	**7.19**	**-72**
W-1-1005	10/6/2005	NA	NA	NA	NA	NA	**7.42**	**8.62**	**-89**
W-4-1005	10/6/2005	NA	NA	NA	NA	NA	**7.61**	**8.7**	**67**

Notes:
Methane was analyzed using Method RSK-175M.
Nitrate (as N) was analyzed using EPA Methods 353.3 and 354.1.
Sulfate was analyzed using EPA Method 375.4.
Total Alkalinity (as $CaCO_3$) was analyzed using Method SM 2320B.
Ferrous Iron (Iron II) was analyzed using Method SM 3500-FeD.
DO- Dissolved Oxygen (measured in milligrams per liter [mg/L]).
ORP - Oxidation/Reduction Potential (measured in millivolts [mV]).
ND - Not detected at the indicated reporting limit.
NA- Not analyzed.
Bold indicates detected value.

Figures

BBL®
BLASLAND, BOUCK & LEE, INC.
engineers, scientists, economists



REFERENCE: BASE MAP USGS 7.5 MIN. QUAD., WHITTIER, CA. 1965, PHOTOREVISED 1981.

2000' 0 2000'

Approximate Scale: 1" = 2000'

Area Location

ISOLA AND ASSOCIATES LLP
FORMER CENCO REFINERY
SANTA FE SPRINGS, CALIFORNIA

SITE LOCATION MAP

BBL®
BLASLAND, BOUCK & LEE, INC.
engineers, scientists, economists

FIGURE
1

12/13/05 SYR-D85-DJH
54203005/54203n01.cdr



LEGEND:

- ● MONITORING WELL LOCATION
- CENCO PROPERTY
- FORMER LAKELAND PROPERTY
- METROPOLITAN STATE HOSPITAL
- WALKER PROPERTY BOUNDARY

NOTE:

1. * WELL ABANDONED

0 500 1,000 Feet

GRAPHIC SCALE

ISOLA AND ASSOCIATES LLP
FORMER CENCO REFINERY
SANTA FE SPRINGS, CALIFORNIA

SITE PLAN

BBL®
BLASLAND, BOUCK & LEE, INC.
engineers, scientists, economists

FIGURE
2

1/27/06 SYR-85 EAB
Isola and Ascociates - Former Cenco Refinery
Q:\IsolaandAssociates\SantaFeSprings\FormerCencoRefinery\G...W...M...\mxd\SitePlan.mxd



LEGEND:

- ● MW-607 23.47 — MONITORING WELL LOCATION ID GROUNDWATER ELEVATION (ft-msl)
- 24 —— GROUNDWATER ELEVATION CONTOUR (ft-msl)
- —·—·— CENCO PROPERTY
- —·—·— FORMER LAKELAND PROPERTY
- —— METROPOLITAN STATE HOSPITAL
- ----- WALKER PROPERTY BOUNDARY

NOTES:

1. * MONITORING WELL MW-604 DID NOT RECOVER AFTER PURGING WHEN SAMPLING WAS ATTEMPTED ON 10/6/2005.
2. ** MONITORING WELL MW-504 DID NOT HAVE HYDROCARBONS PRESENT DURING INITIAL GAUGING, BUT FOLLOWING PURGING, HYDROCARBONS WERE MEASURED.
3. ? GROUNDWATER ELEVATION NOT CONSISTENT WITH REGION AND WAS EXCLUDED FROM INTERPOLATION.

0 500 1,000 Feet

GRAPHIC SCALE

ISOLA AND ASSOCIATES LLP
FORMER CENCO REFINERY
SANTA FE SPRINGS, CALIFORNIA

GROUNDWATER SURFACE ELEVATIONS
OCTOBER 2005

BBL®
BLASLAND, BOUCK & LEE, INC.
engineers, scientists, economists

FIGURE
3

1/27/06 SYR-85 EAB
Isola and Ascociates - Former Cenco Refinery
Q:\IsolaandAssociates\SantaFeSprings\FormerCencoRefinery\G...W...M...\mxd\GWSurface.mxd



LEGEND:

- MW-503B — MONITORING WELL LOCATION ID
- ● 1.1 — BENZENE CONCENTRATION (mg/kg)
- (0.02) — MTBE CONCENTRATION (mg/kg)
- —0.1— BENZENE CONCENTRATION (mg/kg)
- — —P APPROXIMATE FREE PRODUCT BOUNDARY
- CENCO PROPERTY
- FORMER LAKELAND PROPERTY
- METROPOLITAN STATE HOSPITAL
- WALKER PROPERTY BOUNDARY

NOTES:

1. * MONITORING WELL MW-604 DID NOT RECOVER AFTER PURGING WHEN SAMPLING WAS ATTEMPTED ON 10/6/2005.
2. ** MONITORING WELL MW-504 DID NOT HAVE HYDROCARBONS PRESENT DURING INITIAL GAUGING, BUT FOLLOWING PURGING, HYDROCARBONS WERE MEASURED.

0 500 1,000 Feet

GRAPHIC SCALE

ISOLA AND ASSOCIATES LLP
FORMER CENCO REFINERY
SANTA FE SPRINGS, CALIFORNIA

BENZENE ISOCONCENTRATION CONTOURS AND MTBE CONCENTRATIONS IN GROUNDWATER OCTOBER 2005

BBL®
BLASLAND, BOUCK & LEE, INC.
engineers, scientists, economists

FIGURE
4

1/27/06 SYR-85 EAB
Isola and Ascociates - Former Cenco Refinery
Q:\IsolaandAssociates\SantaFeSprings\FormerCencoRefinery\G...W...M...\mxd\Benzene.mxd



LEGEND:

- MW-105 0.3 — MONITORING WELL LOCATION ID TPHG CONCENTRATION (mg/kg)
- 1.0 — TPH-G CONCENTRATION (mg/kg)
- P — APPROXIMATE FREE PRODUCT BOUNDARY
- CENCO PROPERTY
- FORMER LAKELAND PROPERTY
- METROPOLITAN STATE HOSPITAL
- WALKER PROPERTY BOUNDARY

NOTES:

1. * MONITORING WELL MW-604 DID NOT RECOVER AFTER PURGING WHEN SAMPLING WAS ATTEMPTED ON 10/6/2005
2. ** MONITORING WELL MW-504 DID NOT HAVE HYDROCARBONS PRESENT DURING INITIAL GAUGING, BUT FOLLOWING PURGING, HYDROCARBONS WERE MEASURED.

0 500 1,000 Feet
GRAPHIC SCALE

ISOLA AND ASSOCIATES LLP
FORMER CENCO REFINERY
SANTA FE SPRINGS, CALIFORNIA

GASOLINE RANGE PETROLEUM HYDROCARBON ISOCONCENTRATION CONTOURS GROUNDWATER OCTOBER 2005

BBL®
BLASLAND, BOUCK & LEE, INC.
engineers, scientists, economists

FIGURE 5

1/27/06 SYR-85 EAB
Isola and Ascociates - Former Cenco Refinery
Q:\IsolaandAssociates\SantaFeSprings\FormerCencoRefinery\G...W...M...\mxd\TPH-G.mxd

Appendices

BBL®
BLASLAND, BOUCK & LEE, INC.
engineers, scientists, economists

Appendix A

Groundwater Monitoring Field Forms

BBL®
BLASLAND, BOUCK & LEE, INC.
engineers, scientists, economists

BBL
BLASLAND, BOUCK & LEE, INC.
engineers & scientists

GROUNDWATER SAMPLING FORM

Site Name : Former Cenco Refinery
Project Number : 54202.001
Recorded by : Megan Smoley

Well Number W-1
Well Type: Monitor **Extraction Other:**
Date: 10-06-05 **Time:** 1105

WELL PURGING

PURGE VOLUME

Casing Diameter (D in inches) 4"

2-inch 4-inch 6-inch Other

Total Depth of Casing (TD in feet BTOC) 129.63

Water Level Depth (WL in feet BTOC) : 102.95

Number Of Well Volumes to be Purged (# Vols) → 3

4 5 10 Other 3

PURGE METHOD

Bailer - Type

Submersible Centrifugal Bladder

Other -Type VACUUM TRUCK

PURGE VOLUME CALCULATION

(129.63 - 102.95) X 4 ² X 3 X 0.0408 = 17.3 gallons
TD (feet) WL (feet) D(inches) # Vols Calculated Purge Volume

VOLUME GENERATED

54 gallons

PURGE TIME

Start Stop Elapsed

PURGE RATE N/A

Initial gpm Final gpm

CONTROLLER SETTING

Initial Hz Final Hz

FIELD PARAMETER MEASUREMENT

Time	Volume (gallons)	Temp (F)	pH	Conductivity	~~Water Level~~ DO (mg/L)	~~Time~~ Turbidity NTU	~~Volume (gallons)~~ ORP mV	Temp (F)	pH	Conductivity	Water Level
11:28	18	27.2	7.56	2.67	9.09	126	-93				
11:35	36	24.7	7.41	2.62	8.67	90.5	-103				
11:45	54	24.9	7.42	2.62	8.62	72.5	-89				

Observations During Purging (Turbidity, Colour, Odor, Well Condition etc) :
Discharge Water Disposal:

WELL SAMPLING

SAMPLING METHOD (*) Sample Collection Time: 1215 W-1-1005

Sample at 80% (Minimum) recharge)

(Sample Turbidity < 10 NTU)

Bailer Type : Disposable

Sampling Time (80%) Recharge: 1215

Depth to Water : 103.11

Sample No.	Number Containers	Container Type	Lab	Analysis	Preservatives

BBL
BLASLAND, BOUCK & LEE, INC.
engineers & scientists

GROUNDWATER SAMPLING FORM

Site Name : FORMER CENCO REFINERY
Project Number : 54202.001
Recorded by : MEGAN SMOLEY

Well Number W-4
Well Type: (Monitor) Extraction Other: _____
Date: 10-06-05 **Time:** 1000

WELL PURGING

PURGE VOLUME

Casing Diameter (D in inches) 4

2-inch (4-inch) 6-inch Other _____

Total Depth of Casing (TD in feet BTOC) 129.07

Water Level Depth (WL in feet BTOC) : 104.36

Number Of Well Volumes to be Purged (# Vols) ⇒ 3

4 5 10 Other 3

PURGE METHOD

Bailer - Type _____

Submersible Centrifugal Bladder

(Other) Type VACUUM TRUCK

PURGE VOLUME CALCULATION

ONE WELL VOLUME:

(129.07 - 104.36) X 4 ² X 3 X 0.0408 = 16.1 gallons

TD (feet) WL (feet) D(inches) # Vols Calculated Purge Volume

VOLUME GENERATED

48 gallons

PURGE TIME

_____ Start _____ Stop _____ Elapsed

PURGE RATE N/A

Initial _____ gpm Final _____ gpm

CONTROLLER SETTING

Initial _____ Hz Final _____ Hz

FIELD PARAMETER MEASUREMENT

Time	Volume (gallons)	Temp (F)	pH	Conductivity S/cm	Water Level
10:00	5	24.9	7.57	2.12	9.66
10:06	16	23.6	7.51	2.09	8.33
10:19	32	23.9	7.62	2.15	8.42
10:39	48	25.7	7.61	2.14	8.70

DO (g/L) | Turbidity (NTU) | ORP (mV)

Time	Volume (gallons)	Temp (F)	pH	Conductivity	Water Level
125					
118					
159					
102	+ 67				

Observations During Purging (Turbidity, Colour, Odor, Well Condition etc) : _____
Discharge Water Disposal: _____

WELL SAMPLING

SAMPLING METHOD

(*) SAMPLE COLLECTION TIME: ~~1045~~ 1145 W-4-1005

Sample at 80% (Minimum) recharge)

(Sample Turbidity < 10 NTU)

Bailer Type : DISPOSABLE

Sampling Time (80%) Recharge: 1145

Depth to Water : 105.93'

Sample No.	Number Containers	Container Type	Lab	Analysis	Preservatives

BBL
BLASLAND, BOUCK & LEE, INC.
engineers & scientists

GROUNDWATER SAMPLING FORM

Site Name : FORMER CENCO REFINERY
Project Number : 54203
Recorded by : MEGAN SMOLEY

Well Number W-7
Well Type: Monitor Extraction Other: PRODUCTION WELL
Date: 10/07/05 **Time:** 1430

WELL PURGING

PURGE VOLUME NA - DID NOT PURGE

Casing Diameter (D in inches) _____

2-inch 4-inch 6-inch Other UNKNOWN

Total Depth of Casing (TD in feet BTOC) UNKNOWN

PRODUCTION WELL; LARGE DIAMETER WELL; COULD NOT GAUGE TOTAL DEPTH OF WELL.

Water Level Depth (WL in feet BTOC) : 87.97

Number Of Well Volumes to be Purged (# Vols)

4 5 10 Other Ø

PURGE METHOD NA

Bailer - Type _____

Submersible Centrifugal Bladder

Other -Type _____

DID NOT PURGE

PURGE VOLUME CALCULATION

(_____ - _____) X _____ ^{2} X _____ X 0.0408 = _____ gallons
TD (feet) WL (feet) D(inches) # Vols Calculated Purge Volume

VOLUME GENERATED Ø gallons

PURGE TIME N/A

_____ Start _____ Stop _____ Elapsed

PURGE RATE N/A

Initial _____ gpm Final _____ gpm

CONTROLLER SETTING

Initial _____ Hz Final _____ Hz

FIELD PARAMETER MEASUREMENT

Time	Volume (gallons)	Temp (F)	pH	EC (ms/cm or µs/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Water Level

Observations During Purging (Turbidity, Color, Odor, Well Condition etc) : _____
Discharge Water Disposal: _____

WELL SAMPLING

SAMPLING METHOD

Sample at 80% (Minimum recharge)

(Sample Turbidity < 5 NTU)

Bailer Type : DISPOSABLE

Sampling Time (80%) Recharge: 1450

Depth to Water : 87.97'

W-7-1005

Sample No.	Number Containers	Container Type	Lab	Analysis	Preservatives

BBL
BLASLAND, BOUCK & LEE, INC.
engineers & scientists

GROUNDWATER SAMPLING FORM

Site Name : FORMER CENCO REFINERY
Project Number : 54203
Recorded by : MEGAN SMOLEY

Well Number W-8
Well Type: Monitor Extraction Other: PRODUCTION WELL
Date: 10/06/05 Time: 1618

WELL PURGING

PURGE VOLUME NA - DID NOT PURGE

Casing Diameter (D in inches) _____

2-inch 4-inch 6-inch Other UNKNOWN - LARGE PRODUCTION WELL, LARGE DIAMETER WELL.

Total Depth of Casing (TD in feet BTOC) UNKNOWN - COULD NOT GAUGE TOTAL DEPTH OF WELL

Water Level Depth (WL in feet BTOC) : 69.18

Number Of Well Volumes to be Purged (# Vols)

4 5 10 Other Ø

PURGE METHOD NA

Bailer - Type _____

Submersible Centrifugal Bladder

Other -Type _____

DID NOT PURGE

PURGE VOLUME CALCULATION

(_____ - _____) X _____ ^{2}X _____ X 0.0408 = _____ gallons
TD (feet) WL (feet) D(inches) # Vols Calculated Purge Volume

VOLUME GENERATED Ø gallons

PURGE TIME N/A

_____ Start _____ Stop _____ Elapsed

PURGE RATE N/A

Initial _____ gpm Final _____ gpm

CONTROLLER SETTING

Initial _____ Hz Final _____ Hz

FIELD PARAMETER MEASUREMENT

Time	Volume (gallons)	Temp (F)	pH	EC (ms/cm or µs/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Water Level

Observations During Purging (Turbidity, Color, Odor, Well Condition etc) : _____
Discharge Water Disposal: _____

WELL SAMPLING

SAMPLING METHOD

Sample at 80% (Minimum recharge)

(Sample Turbidity < 5 NTU)

Bailer Type : DISPOSABLE

Sampling Time (80%) Recharge: 1625

Depth to Water : 69.98'

W-8-1005

Sample No.	Number Containers	Container Type	Lab	Analysis	Preservatives

BBL
BLASLAND, BOUCK & LEE, INC.
engineers & scientists

GROUNDWATER SAMPLING FORM

Site Name : FORMER CENCO REFINERY
Project Number : 54202.001
Recorded by : MEGAN SMOLEY

Well Number MW-104A
Well Type: Monitor Extraction Other:
Date: 10-07-05 **Time:** 0905

WELL PURGING

PURGE VOLUME

Casing Diameter (D in inches) 4"

2-inch 4-inch 6-inch Other

Total Depth of Casing (TD in feet BTOC) 97.60

Water Level Depth (WL in feet BTOC) : 89.85

Number Of Well Volumes to be Purged (# Vols)

4 5 10 Other 3

PURGE METHOD

Bailer - Type

Submersible Centrifugal Bladder

Other - Type VACUUM TRUCK

PURGE VOLUME CALCULATION

ONE WELL VOLUME:

(97.60 - 89.85) X 4 ^{2} X 3 X 0.0408 = 5.0 gallons

TD (feet) WL (feet) D(inches) # Vols Calculated Purge Volume

VOLUME GENERATED

15 gallons

PURGE TIME

Start Stop Elapsed

PURGE RATE

N/A

Initial gpm Final gpm

CONTROLLER SETTING

Initial Hz Final Hz

FIELD PARAMETER MEASUREMENT

Time	Volume (gallons)	Temp (F)	pH	Conductivity S/cm	DO (g/L) Water Level
0910	5	23.5	7.26	2.49	7.36
0925	10	23.5	7.26	2.46	7.33
0936	15	23.2	7.31	2.47	7.90

TURBIDITY (NTU) Time	ORP (mV) Volume (gallons)	Temp (F)	pH	Conductivity	Water Level
>1000	+14				
>1000	+22				
>1000	+41				

Observations During Purging (Turbidity, Colour, Odor, Well Condition etc) :
Discharge Water Disposal:

WELL SAMPLING

SAMPLING METHOD

Sample at 80% (Minimum) recharge)

(Sample Turbidity < 10 NTU)

Bailer Type : DISPOSABLE

Sampling Time (80%) Recharge: 1100

Depth to Water : 89.86

(*) SAMPLE COLLECTION TIME: 1100 MW-104A-1005

Sample No.	Number Containers	Container Type	Lab	Analysis	Preservatives

BBL
BLASLAND, BOUCK & LEE, INC.
engineers & scientists

GROUNDWATER SAMPLING FORM

Site Name : FORMER CENCO REFINERY
Project Number : 54202.001
Recorded by : MEGAN SMOLEY

Well Number MW-105
Well Type: (Monitor) Extraction Other: _____
Date: 10-06-05 **Time:** 1330

WELL PURGING

PURGE VOLUME

Casing Diameter (D in inches) 4"

2-inch (4-inch) 6-inch Other _____

Total Depth of Casing (TD in feet BTOC) 100.15

Water Level Depth (WL in feet BTOC) : 91.03

Number Of Well Volumes to be Purged (# Vols)

4 5 10 Other 3

PURGE METHOD

Bailer - Type _____

Submersible Centrifugal Bladder

(Other) -Type VACUUM TRUCK

PURGE VOLUME CALCULATION

(100.15 - 91.03) X 4 ² X 3 X 0.0408 = 5.9 gallons

TD (feet) WL (feet) D(inches) # Vols Calculated Purge Volume

VOLUME GENERATED 18 gallons

PURGE TIME _____ Start _____ Stop _____ Elapsed

PURGE RATE Initial _____ gpm Final _____ gpm

N/A

CONTROLLER SETTING Initial _____ Hz Final _____ Hz

FIELD PARAMETER MEASUREMENT

Time	Volume (gallons)	Temp (F)	pH	Conductivity	~~Water Level~~ D.O. (mg/L)	~~Time~~	~~Volume (gallons)~~ Turbidity (NTU)	Temp (F)	pH	Conductivity	Water Level ORP (mV)
13:34	6	28.9	7.19	2.09	10.44	300	~25				
13:38	12	24.9	7.09	2.03	9.90	215	~73				
13:43	18	23.9	7.19	2.00	9.79	241	~71				

Observations During Purging (Turbidity, Colour, Odor, Well Condition etc) : _____
Discharge Water Disposal: _____

WELL SAMPLING

SAMPLING METHOD

Sample at 80% (Minimum) recharge)

(Sample Turbidity < 10 NTU)

Bailer Type : DISPOSABLE

Sampling Time (80%) Recharge: 1400

Depth to Water : 91.03

MW-105-1005

Sample No.	Number Containers	Container Type	Lab	Analysis	Preservatives

BBL
BLASLAND, BOUCK & LEE, INC.
engineers & scientists

GROUNDWATER SAMPLING FORM

Site Name : FORMER CENCO REFINERY
Project Number : 54202.001
Recorded by : MEGAN SMOLEY

Well Number MW-201
Well Type: (Monitor) Extraction Other:
Date: 10-07-05 **Time:** 0958

WELL PURGING

PURGE VOLUME

Casing Diameter (D in inches) 4"

2-inch (4-inch) 6-inch Other

Total Depth of Casing (TD in feet BTOC) 101.52

Water Level Depth (WL in feet BTOC) : 93.07

Number Of Well Volumes to be Purged (# Vols)

4 5 10 Other 3

PURGE METHOD

Bailer - Type

Submersible Centrifugal Bladder

(Other) Type VACUUM TRUCK

PURGE VOLUME CALCULATION

ONE WELL VOLUME:

(101.52 - 93.07) X 4 ² X 3 X 0.0408 = 5.5 gallons

TD (feet) WL (feet) D(inches) # Vols Calculated Purge Volume

VOLUME GENERATED

18 gallons

PURGE TIME

____ Start ____ Stop ____ Elapsed

PURGE RATE N/A

Initial ____ gpm Final ____ gpm

CONTROLLER SETTING

Initial ____ Hz Final ____ Hz

FIELD PARAMETER MEASUREMENT

Time	Volume (gallons)	Temp (F)	pH	Conductivity S/cm	~~Water Level~~ DO (g/L)
1008	6	24.0	7.01	2.03	8.73
1014	12	23.3	7.04	1.98	8.01
1021	18	23.7	7.04	1.97	7.88

~~Time~~	~~Volume (gallons)~~ TURBIDITY (NTU)	Temp (F)	pH	Conductivity	Water Level ORP (mV)
644.0	+14				
436.0	+9				
535.0	+11				

Observations During Purging (Turbidity, Colour, Odor, Well Condition etc) :

Discharge Water Disposal:

WELL SAMPLING

SAMPLING METHOD

(*) SAMPLE COLLECTION TIME: 1030 MW-201-1005

Sample at 80% (Minimum) recharge)

(Sample Turbidity < 10 NTU)

Bailer Type : DISPOSABLE

Sampling Time (80%) Recharge: 1030

Depth to Water : 93.10

Sample No.	Number Containers	Container Type	Lab	Analysis	Preservatives

BBL
BLASLAND, BOUCK & LEE, INC.
engineers & scientists

GROUNDWATER SAMPLING FORM

Site Name : FORMER CENCO REFINERY
Project Number : 54202.001
Recorded by : MEGAN SMOLEY

Well Number MW-204
Well Type: Monitor Extraction Other:
Date: 10-07-05 **Time:** 0807

WELL PURGING

PURGE VOLUME

Casing Diameter (D in inches) 4"

2-inch 4-inch 6-inch Other

Total Depth of Casing (TD in feet BTOC) ~~Bent:~~ 99.68 / ~~Fixed:~~ 98.34

Water Level Depth (WL in feet BTOC) : 97.86 / 96.19

Number Of Well Volumes to be Purged (# Vols)

4 5 10 Other 3

PURGE METHOD

Bailer - Type

Submersible Centrifugal Bladder

Other-Type VACUUM TRUCK

PURGE VOLUME CALCULATION

(98.34 - 96.19) X 4 ²X 3 X 0.0408 = 1.4 gallons
TD (feet) WL (feet) D(inches) # Vols Calculated Purge Volume

VOLUME GENERATED 10 gallons

PURGE TIME Start Stop Elapsed

PURGE RATE N/A Initial gpm Final gpm

CONTROLLER SETTING Initial Hz Final Hz

FIELD PARAMETER MEASUREMENT

Time	Volume (gallons)	Temp (F)	pH	Conductivity S/cm	Water Level
0812	3	21.6	7.53	2.04	9.01
0815	5	22.1	7.43	2.00	8.44
0818	7	21.9	7.40	2.00	8.34
0821	9	21.8	7.42	2.00	8.18

~~Time~~	Volume (gallons)	Temp (F)	pH	Conductivity	Water Level
DO (g/L)					
Turbidity (NTU)					
ORP (mV)					
464.0	+ 32				
724.0	+ 25				
154.0	+ 23				
144.0	+ 25				

Observations During Purging (Turbidity, Colour, Odor, Well Condition etc) :
Discharge Water Disposal:

WELL SAMPLING

SAMPLING METHOD ⊛ SAMPLE COLLECTION TIME: 0835 MW-204-1005

Sample at 80% (Minimum) recharge)

(Sample Turbidity < 10 NTU)

Bailer Type : DISPOSABLE

Sampling Time (80%) Recharge: 0835

Depth to Water : 96.22'

Sample No.	Number Containers	Container Type	Lab	Analysis	Preservatives

BBL
BLASLAND, BOUCK & LEE, INC.
engineers & scientists

GROUNDWATER SAMPLING FORM

Site Name : FORMER CENCO REFINERY
Project Number : 54202.001
Recorded by : MEGAN SMOLEY

Well Number MW-205
Well Type: Monitor Extraction Other:
Date: 10-06-05 **Time:** 1442

WELL PURGING

PURGE VOLUME

Casing Diameter (D in inches) 4"

2-inch 4-inch 6-inch Other

Total Depth of Casing (TD in feet BTOC) 98.25

Water Level Depth (WL in feet BTOC) : 92.00

Number Of Well Volumes to be Purged (# Vols)

4 5 10 Other 3

PURGE METHOD

Bailer - Type

Submersible Centrifugal Bladder

Other Type Vacuum Truck

PURGE VOLUME CALCULATION

ONE PURGE VOLUME =

(98.25 - 92.00) X 4 ² X 3 X 0.0408 = 4.1 gallons

TD (feet) WL (feet) D(inches) # Vols Calculated Purge Volume

VOLUME GENERATED

20 gallons

PURGE TIME

Start Stop Elapsed

PURGE RATE N/A

Initial gpm Final gpm

CONTROLLER SETTING

Initial Hz Final Hz

FIELD PARAMETER MEASUREMENT

Time	Volume (gallons)	Temp (F)	pH	Conductivity S/cm	~~Water Level~~ DO (g/L)
1445	5	26.9	7.42	1.98	10.67
1450	10	23.6	7.44	1.97	10.51
1453	15	23.8	7.43	1.96	9.76
1457	20	23.2	7.41	1.96	9.35

~~Time~~	~~Volume (gallons)~~ Turbidity (NTU)	Temp (F)	pH	Conductivity	Water Level ORP (mV)
195.0	+ 111				
118.0	+27				
82.6	-42				
73.6	-15				

Observations During Purging (Turbidity, Colour, Odor, Well Condition etc) :
Discharge Water Disposal:

WELL SAMPLING

SAMPLING METHOD

(*) SAMPLE COLLECTION TIME: 1500 MW-205-1005

Sample at 80% (Minimum) recharge)

(Sample Turbidity < 10 NTU)

Bailer Type : DISPOSABLE

Sampling Time (80%) Recharge: 1500

Depth to Water : 92.04

Sample No.	Number Containers	Container Type	Lab	Analysis	Preservatives

BBL
BLASLAND, BOUCK & LEE, INC.
engineers & scientists

GROUNDWATER SAMPLING FORM

Site Name : FORMER CENCO REFINERY
Project Number : 54202.00)
Recorded by : MEGAN SNOOLEY

Well Number MW502
Well Type: Monitor Extraction Other:
Date: 10-05-05 **Time:** 1028

WELL PURGING

PURGE VOLUME

Casing Diameter (D in inches) 4"

2-inch (4-inch) 6-inch Other

Total Depth of Casing (TD in feet BTOC) 100.49

Water Level Depth (WL in feet BTOC) : 94.90

Number Of Well Volumes to be Purged (# Vols) ⇒ 3

4 5 10 Other 3

PURGE METHOD

~~Bailer Type~~ Other - VACUUM TRUCK

Submersible Centrifugal Bladder

Other -Type

PURGE VOLUME CALCULATION

ONE WELL VOLUME =

(100.49 - 94.9) X 2 ²X 1 X 0.0408 = 3.6 gallons

TD (feet) WL (feet) D(inches) # Vols Calculated Purge Volume

VOLUME GENERATED 15 gallons

PURGE TIME

Start Stop Elapsed

PURGE RATE N/A

Initial gpm Final gpm

CONTROLLER SETTING

Initial Hz Final Hz

FIELD PARAMETER MEASUREMENT

ORP(mV) / Turb(NTU)	Time	Volume (gallons)	Temp (F)	pH	Conductivity S/cm	~~Water Level~~ DO (g/L)
47 / 26.0	1046	5	26.7	7.87	2.07	8.29
18 / 42.9	1051	10	26.8	7.86	2.09	7.96
8 / 27.3	1058	15	26.5	7.85	2.08	7.29

Time	Volume (gallons)	Temp (F)	pH	Conductivity	Water Level

Observations During Purging (Turbidity, Colour, Odor, Well Condition etc) :
Discharge Water Disposal:

WELL SAMPLING

SAMPLING METHOD

(*) NEED ADDITIONAL AIR ASSIST TUBING (M15)

SAMPLE TIME: 1100

MW-502-1005

Sample at 80% (Minimum) recharge)

(Sample Turbidity < 10 NTU)

Bailer Type : DISPOSABLE

Sampling Time (80%) Recharge: 1100

Depth to Water : 94.94

Sample No.	Number Containers	Container Type	Lab	Analysis	Preservatives

BBL
BLASLAND, BOUCK & LEE, INC.
engineers & scientists

GROUNDWATER SAMPLING FORM

Site Name : FORMER CENCO REFINERY
Project Number : 54202.001
Recorded by : MEGAN SMOLEY

Well Number MW-503B
Well Type: (Monitor) **Extraction Other:**
Date: 10-05-05 **Time:** 0920

WELL PURGING

PURGE VOLUME

Casing Diameter (D in inches) 4"

2-inch (4-inch) 6-inch Other

Total Depth of Casing (TD in feet BTOC) 108.60

Water Level Depth (WL in feet BTOC) : 95.34

Number Of Well Volumes to be Purged (# Vols) ⇒ 3

4 5 10 Other 3

PURGE METHOD

~~Bailer - Type~~ other - VACUUM TRUCK

Submersible Centrifugal Bladder

Other -Type

PURGE VOLUME CALCULATION

(108.60 - 95.34) X 4 ²X 3 X 0.0408 = 8.62 gallons (ONE WELL VOLUME)

TD (feet) WL (feet) D(inches) # Vols Calculated Purge Volume

VOLUME GENERATED

36 gallons

PURGE TIME

0920 Start ____ Stop ____ Elapsed

PURGE RATE N/A

Initial ____ gpm Final ____ gpm

CONTROLLER SETTING

Initial ____ Hz Final ____ Hz

FIELD PARAMETER MEASUREMENT

ORP mV / Turb (NTU)	Time	Volume (gallons)	Temp (F)	pH	Conductivity S/cm	~~Water Level~~ DO (g/L)
-70 mV -5.0 NTU	0925	9	25.2	7.14	1.78	9.36
-87 / -5.0	0933	18	24.7	7.85	1.76	8.35
-89 / 525.0	0939	27	24.9	7.93	1.77	7.70
-93 / 444.0	0948	36	24.3	7.92	1.76	5.99

Time	Volume (gallons)	Temp (F)	pH	Conductivity	Water Level

Observations During Purging (Turbidity, Colour, Odor, Well Condition etc) :
Discharge Water Disposal:

WELL SAMPLING

SAMPLING METHOD SAMPLE COLLECTED AT 1000 MW-503B-1005

Sample at 80% (Minimum) recharge)

(Sample Turbidity < 10 NTU)

(Bailer) Type : DISPOSABLE

Sampling Time (80%) Recharge: 1000

Depth to Water : 95.35

Sample No.	Number Containers	Container Type	Lab	Analysis	Preservatives

BBL
BLASLAND, BOUCK & LEE, INC.
engineers & scientists

GROUNDWATER SAMPLING FORM

Site Name : FORMER CENCO REFINERY
Project Number : 54202.001
Recorded by : MEGAN SMOLEY

Well Number MW-504
Well Type: (Monitor) Extraction Other: _____
Date: 10/06/05 **Time:** 1555

WELL PURGING

PURGE VOLUME

Casing Diameter (D in inches) 4"

2-inch (4-inch) 6-inch Other _____

Total Depth of Casing (TD in feet BTOC) 95.85

Water Level Depth (WL in feet BTOC) : 95.12

Number Of Well Volumes to be Purged (# Vols)

4 5 10 Other 3

PURGE METHOD

Bailer - Type _____

Submersible Centrifugal Bladder

(Other) Type Vacuum Truck

PURGE VOLUME CALCULATION

ONE PURGE VOLUME =

(95.85 - 95.12) x 4 ²x 3 x 0.0408 = 0.47 gallons

TD (feet) WL (feet) D(inches) # Vols Calculated Purge Volume

VOLUME GENERATED

_____ gallons

PURGE TIME

_____ Start _____ Stop _____ Elapsed

PURGE RATE N/A

Initial _____ gpm Final _____ gpm

CONTROLLER SETTING

Initial _____ Hz Final _____ Hz

FIELD PARAMETER MEASUREMENT

Time	Volume (gallons)	Temp (F)	pH	Conductivity S/cm	~~Water Level~~ DO (g/L)	~~Time~~	~~Volume (gallons)~~ Turbidity (NTU)	Temp (F)	pH	Conductivity	Water Level ORP (mV)

Observations During Purging (Turbidity, Colour, Odor, Well Condition etc) : No free product initially during gauging, but free product entered during purging.
Discharge Water Disposal: _____

WELL SAMPLING

SAMPLING METHOD No sample collected - product in well

Sample at 80% (Minimum) recharge)

(Sample Turbidity < 10 NTU)

Bailer Type :

Sampling Time (80%) Recharge:

Depth to Water :

Sample No.	Number Containers	Container Type	Lab	Analysis	Preservatives

BBL
BLASLAND, BOUCK & LEE, INC.
engineers & scientists

GROUNDWATER SAMPLING FORM

Site Name : FORMER CENCO REFINERY
Project Number : 54202.001
Recorded by : MEGAN SMOLEY

Well Number MW-603
Well Type: (Monitor) Extraction Other:
Date: 10-06-05 **Time:** 0850

WELL PURGING

PURGE VOLUME

Casing Diameter (D in inches) 4"

2-inch (4-inch) 6-inch Other

Total Depth of Casing (TD in feet BTOC) 97.28

Water Level Depth (WL in feet BTOC) : 89.53

Number Of Well Volumes to be Purged (# Vols) ⇒ 3

4 5 10 (Other) 3

PURGE METHOD

Bailer - Type

Submersible Centrifugal Bladder

(Other)-Type VACUUM TRUCK

PURGE VOLUME CALCULATION

ONE WELL VOLUME :

(97.28 - 89.53) X 4 ² X 3 X 0.0408 = 5.0 gallons

TD (feet) WL (feet) D(inches) # Vols Calculated Purge Volume

VOLUME GENERATED

19 gallons

PURGE TIME

Start Stop Elapsed

PURGE RATE N/A

Initial gpm Final gpm

CONTROLLER SETTING

Initial Hz Final Hz

FIELD PARAMETER MEASUREMENT

Time	Volume (gallons)	Temp (F)	pH	Conductivity S/cm	~~Water Level~~ DO (g/L)
0852	5	21.9	7.97	1.81	8.53
0857	11	21.2	7.68	1.87	8.27
0900	15	21.7	7.62	1.93	7.73

~~Time~~	~~Volume (gallons)~~ TURBIDITY (NTU)	Temp (F)	pH	Conductivity	Water Level ORP (mV)
>1000	+95				
>1000	+92				
979	+96				

Observations During Purging (Turbidity, Colour, Odor, Well Condition etc) :
Discharge Water Disposal:

WELL SAMPLING

SAMPLING METHOD

⊛ SAMPLE COLLECTION TIME : 0905 MW-603-1005

Sample at 80% (Minimum) recharge)

(Sample Turbidity < 10 NTU)

Bailer Type : DISPOSABLE

Sampling Time (80%) Recharge: 0905

Depth to Water :

Sample No.	Number Containers	Container Type	Lab	Analysis	Preservatives

BBL
BLASLAND, BOUCK & LEE, INC.
engineers & scientists

GROUNDWATER SAMPLING FORM

Site Name : FORMER CENCO REFINERY
Project Number : 54202.001
Recorded by : MEGAN SMOLEY

Well Number MW-604
Well Type: (Monitor) Extraction Other: _____
Date: 10-~~05~~-07-05 **Time:** 0722

WELL PURGING

PURGE VOLUME

Casing Diameter (D in inches) 4"

2-inch (4-inch) 6-inch Other _____

Total Depth of Casing (TD in feet BTOC) 103.14

Water Level Depth (WL in feet BTOC) : 102.78

Number Of Well Volumes to be Purged (# Vols)

4 5 10 Other 3

PURGE METHOD N/A

Bailer - Type _____

Submersible Centrifugal Bladder

Other -Type _____

PURGE VOLUME CALCULATION

(103.14 - 102.78) X 4 ²X 3 X 0.0408 = 0.23 gallons

TD (feet) WL (feet) D(Inches) # Vols Calculated Purge Volume

VOLUME GENERATED

Ø gallons

PURGE TIME

_____ Start _____ Stop _____ Elapsed

PURGE RATE N/A

Initial _____ gpm Final _____ gpm

CONTROLLER SETTING

Initial _____ Hz Final _____ Hz

FIELD PARAMETER MEASUREMENT

Time	Volume (gallons)	Temp (F)	pH	Conductivity S/cm	~~Water Level~~ DO (mg/L)

~~Time~~ Turbidity (NTU)	~~Volume (gallons)~~ ORP (mV)	Temp (F)	pH	Conductivity	Water Level

Observations During Purging (Turbidity, Colour, Odor, Well Condition etc) : Water found during gauging was only in endcap. Well dry when purged.
Discharge Water Disposal: _____

WELL SAMPLING

SAMPLING METHOD DRY- NO SAMPLE COLLECTED.

Sample at 80% (Minimum) recharge)

(Sample Turbidity < 10 NTU)

Bailer Type :

Sampling Time (80%) Recharge:

Depth to Water :

Sample No.	Number Containers	Container Type	Lab	Analysis	Preservatives

BBL
BLASLAND, BOUCK & LEE, INC.
engineers & scientists

GROUNDWATER SAMPLING FORM

Site Name : FORMER CENCO REFINERY **Well Number** MW-605
Project Number : 54202.001 **Well Type:** Monitor Extraction Other:
Recorded by : MEGAN SMOLEY **Date:** 10-10-05 **Time:** 1400

WELL PURGING

PURGE VOLUME

Casing Diameter (D in inches) 4"

2-inch (4-inch) 6-inch Other

Total Depth of Casing (TD in feet BTOC) 94.03

Water Level Depth (WL in feet BTOC) : 91.22

Number Of Well Volumes to be Purged (# Vols) ⇒ 3

4 5 10 Other 3

PURGE METHOD

~~Bailer - Type~~ other - VACUUM TRUCK

Submersible Centrifugal Bladder

Other -Type

PURGE VOLUME CALCULATION ONE WELL VOLUME:

(94.03 - 91.22) X 4 ²X 3 X 0.0408 = 1.8 gallons
TD (feet) WL (feet) D(inches) # Vols Calculated Purge Volume

VOLUME GENERATED 14 gallons

PURGE TIME _____ Start _____ Stop _____ Elapsed

PURGE RATE N/A Initial _____ gpm Final _____ gpm

CONTROLLER SETTING Initial _____ Hz Final _____ Hz

FIELD PARAMETER MEASUREMENT

Time	Volume (gallons)	Temp (F)	pH	Conductivity S/cm	~~Water Level~~ DO (g/L)	~~Time~~	~~Volume (gallons)~~ Turbidity (NTU)	Temp (F)	pH	Conductivity	Water Level ORP (mV)
1409	5	27.8	7.64	2.07	9.19	1000	+104				
1415	8	26.0	7.68	2.04	9.74	1000	+115				
1420	11	26.3	7.61	2.02	9.37	876.0	+122				
1426	14	26.3	7.61	2.02	9.32	306.0	+124				

Observations During Purging (Turbidity, Colour, Odor, Well Condition etc) :
Discharge Water Disposal:

WELL SAMPLING

SAMPLING METHOD

Sample at 80% (Minimum) recharge)

(Sample Turbidity < 10 NTU)

Bailer Type : DISPOSABLE

Sampling Time (80%) Recharge: 1515

Depth to Water : 91.44

SAMPLE COLLECTION TIME : 1515 MW-605-1005 / MW-605-1005-D

Sample No.	Number Containers	Container Type	Lab	Analysis	Preservatives

BBL
BLASLAND, BOUCK & LEE, INC.
engineers & scientists

GROUNDWATER SAMPLING FORM

Site Name : FORMER CENCO REFINERY
Project Number : 54202.001
Recorded by : MEGAN SMOLEY

Well Number MW-606
Well Type: Monitor Extraction Other:
Date: 10-05-05 **Time:** 1550

WELL PURGING

PURGE VOLUME

Casing Diameter (D in inches) 4"

2-inch (4-inch) 6-inch Other

Total Depth of Casing (TD in feet BTOC) 99.16'

Water Level Depth (WL in feet BTOC) : 94.21'

Number Of Well Volumes to be Purged (# Vols)

4 5 10 Other 3

PURGE METHOD

Bailer - Type

Submersible Centrifugal Bladder

(Other) Type Vacuum Truck

PURGE VOLUME CALCULATION

ONE WELL VOLUME

(99.16 - 94.21) X 4 ²X 3 X 0.0408 = 3.2 gallons

TD (feet) WL (feet) D(inches) # Vols Calculated Purge Volume

VOLUME GENERATED 20 gallons

PURGE TIME

____ Start ____ Stop ____ Elapsed

PURGE RATE N/A

Initial ____ gpm Final ____ gpm

CONTROLLER SETTING

Initial ____ Hz Final ____ Hz

FIELD PARAMETER MEASUREMENT

Time	Volume (gallons)	Temp (F)	pH	Conductivity S/cm	~~Water Level~~ DO (g/L)
1558	5	28.5	7.86	1.85	10.42
1605	10	26.9	7.75	1.78	9.01
1611	15	26.1	7.73	1.76	8.58
1616	20	26.0	7.70	1.76	8.63

~~Time~~	~~Volume (gallons)~~ TURB (NTU)	Temp (F)	pH	Conductivity	Water Level ORP (mV)
788.0	+104				
354.0	+115				
290.0	+117				
303.0	~~+[illegible]~~ +117				

Observations During Purging (Turbidity, Colour, Odor, Well Condition etc) :
Discharge Water Disposal:

WELL SAMPLING

SAMPLING METHOD SAMPLE COLLECTION TIME: 1625 MW-606-1005

Sample at 80% (Minimum) recharge)

(Sample Turbidity < 10 NTU)

Bailer Type : DISPOSABLE

Sampling Time (80%) Recharge: 1625

Depth to Water :

Sample No.	Number Containers	Container Type	Lab	Analysis	Preservatives

BBL
BLASLAND, BOUCK & LEE, INC.
engineers & scientists

GROUNDWATER SAMPLING FORM

Site Name : FORMER CENCO REFINERY
Project Number : 54202.001
Recorded by : MEGAN SMOLEY

Well Number MW-607
Well Type: Monitor Extraction Other:
Date: 10-05-05 **Time:** 1255

WELL PURGING

PURGE VOLUME

Casing Diameter (D in inches) 4"

2-inch (4-inch) 6-inch Other

Total Depth of Casing (TD in feet BTOC) 106.80

Water Level Depth (WL in feet BTOC) : 104.78

Number Of Well Volumes to be Purged (# Vols) → 3

4 5 10 Other 3

PURGE METHOD

~~Bailer - Type~~ Other - VACUUM TRUCK

Submersible Centrifugal Bladder

Other -Type

PURGE VOLUME CALCULATION ONE WELL VOLUME

(106.80 - 104.78) X 4 ² X 3 X 0.0408 = 1.3 gallons

TD (feet) WL (feet) D(inches) # Vols Calculated Purge Volume

VOLUME GENERATED 14 gallons

PURGE TIME

Start Stop Elapsed

PURGE RATE N/A

Initial gpm Final gpm

CONTROLLER SETTING

Initial Hz Final Hz

FIELD PARAMETER MEASUREMENT

DO (g/L) Turb. (NTU) ORP (mV)

Time	Volume (gallons)	Temp (F)	pH	Conductivity S/cm	~~Water Level~~
1305	5	26.9	7.86	2.38	10.45
1307	8	25.1	7.65	2.29	9.42
1310	11	25.6	7.71	2.27	8.89
1318	14	25.9	7.65	2.28	7.19

~~Time~~	~~Volume (gallons)~~	Temp (F)	pH	Conductivity	Water Level
883.0	-43				
413.0	-60				
452.0	-78				
381.0	-72				

Observations During Purging (Turbidity, Colour, Odor, Well Condition etc) :
Discharge Water Disposal:

WELL SAMPLING

SAMPLING METHOD SAMPLE TIME : 1325 MW-607-1005

Sample at 80% (Minimum) recharge)

(Sample Turbidity < 10 NTU)

Bailer Type : DISPOSABLE

Sampling Time (80%) Recharge: 1325

Depth to Water : 104.68

Sample No.	Number Containers	Container Type	Lab	Analysis	Preservatives

NIETO & SONS TRUCKING, INC.

License # 673912
1281 Brea Canyon Road • Brea, CA 92821
Mail Address: P.O. Box 760 • Yorba Linda, CA 92885-0760
(714) 990-6855 • FAX (714) 990-4862

DAILY TICKET
DT 92980
JOB DATE 10 / 5 / 05

Su M Tu (W) Th F Sa

COMPANY SOLD TO	ORDER DATE	ORDER TIME	P.O. NUMBER
BELSHIRE ENVIRONMENTAL SERVICES	/ /		117383

ORDERED BY: LARRY/BRIAN

JOB SITE: Cenco Oil Refinery
12345 Lakeland
Santa Fe Springs

JOB SITE CONTACT: BBL - Megan (818) 359-0332

DRIVER	HELPER	TRUCK NO.	TRAILER NO.	TRUCK NO.	START TIME
Raphalrena	**********	256	**********	**********	6:00 a.m.

DESCRIPTION OF WORK REQUESTED

THERE AT: 7:00 a.m. FLUID FROM WELLS ON SITE - OFF LOAD FLUID ON SITE

BRING RESPIRATOR & BE READY TO WEAR - Day 1 of 3 on site

XXX HAZ/~~NON-HAZ~~ TO: off load on site OFF LOAD ON SITE: XXX ☐ YES ☐ NO (70 BBL) 100 BBL XXX

ESTIMATED WELLS: ± _____ WELL TRUCK: XX ☐ YES ☐ NO

EQUIPMENT NEEDED: 30 STINGERS AIR ASSIST REQUIRED: ☒ YES XX ☐ NO

_____ FEET OF EXTRA HOSE BIO-SLURP: ☐ YES XX ☐ NO

DRIVER'S TIME REPORT

DATE	YARD DEPART	JOB ARRIVE	JOB DEPART	DUMP SITE ARRIVE	DUMP SITE DEPART	YARD ARRIVE	LUNCH	TOTAL HOURS
10/5/05	6AM	7:00 Am	5:45 pm	XXXXXXX	XXXXXXX		/	

WORK PERFORMED: off load on site

MANIFEST #: _____ # OF GALLONS: _____ # OF WELLS: 5 # OF DRUMS: _____ # OF TANKS: _____

AIR ASSIST LINE INSTALLED TODAY: ☐ YES ☐ NO AIR ASSIST USED: ☐ YES ☐ NO SOLIDS/SILT _____%

SPECIAL EQUIPMENT USED (HOSES, FITTINGS, STINGERS):

Purged 5 wells all wells are about 100 ft deep wells have air assist tubing and stingers off loaded water on site.

STINGERS USED: Ø

DRIVER SIGNATURE	TRUCK NUMBER	CUSTOMER SIGNATURE	DATE
[signature]	256	X [signature]	10/05/05

★★★ 24 HOUR SERVICE ★★★ CUSTOMER COPY

NIETO & SONS TRUCKING, INC.

License # 673912
1281 Brea Canyon Road • Brea, CA 92821
Mail Address: P.O. Box 760 • Yorba Linda, CA 92885-0760
(714) 990-6855 • FAX (714) 990-4862

(2)

DAILY TICKET
DT 92995
JOB DATE 10 / 6 / 05

Su M Tu W (Th) F Sa

COMPANY SOLD TO	ORDER DATE	ORDER TIME	P.O. NUMBER
BELSHIRE ENVIRONMENTAL SERVICES	/ /		117383

ORDERED BY: LARRY/BRIAN

JOB SITE: Cenco Oil Refinery
12345 Lakeland
Santa Fe Springs

JOB SITE CONTACT: BBL - Megan (818) 359-0332

DRIVER	HELPER	TRUCK NO.	TRAILER NO.	TRUCK NO.	START TIME
Richard Duran	**********	238	**********	**********	6:00 a.m.

DESCRIPTION OF WORK REQUESTED

THERE AT: 7:00 a.m. FLUID FROM WELLS ON SITE - OFF LOAD FLUID ON SITE

BRING RESPIRATOR & BE READY TO WEAR - Day 2 of 3 on site

XXX HAZ/~~NON-HAZ~~ TO off load on site OFF LOAD ON SITE: XXX ☐ YES ☐ NO (70 BBL / 100 BBL) XXX

ESTIMATED WELLS: ± _____ WELL TRUCK: XX ☐ YES ☐ NO

EQUIPMENT NEEDED: 30 STINGERS AIR ASSIST REQUIRED: ☐ YES XX ☐ NO

_____ FEET OF EXTRA HOSE BIO-SLURP: ☐ YES XX ☐ NO

DRIVER'S TIME REPORT

DATE	YARD DEPART	JOB ARRIVE	JOB DEPART	DUMP SITE ~~XXXXXXXX~~ XXXXXXX	DUMP SITE ~~XXXXXXXX~~ XXXXXXX	YARD ARRIVE	LUNCH	TOTAL HOURS
10/6/05	6AM	8:00 AM	5 PM				/	

WORK PERFORMED: off load on site

MANIFEST #: _____ GALLONS OF: Ø # OF WELLS: 7 # OF DRUMS: Ø # OF TANKS: Ø

AIR ASSIST LINE INSTALLED TODAY: ☒ YES ☐ NO AIR ASSIST USED: ☒ YES ☐ NO SOLIDS/SILT Ø %

SPECIAL EQUIPMENT USED (HOSES, FITTINGS, STINGERS): WATER SAMPLE JOB
AIR ASSIST LINE FOR ONE WELL 100 FT
BRASS FITTINGS FOR 5 WELLS

STINGERS USED: 100 FT

DRIVER SIGNATURE	TRUCK NUMBER	CUSTOMER SIGNATURE	DATE
Richard Duran	238	X [signature]	10/6/05

★★★ 24 HOUR SERVICE ★★★ CUSTOMER COPY

NIETO & SONS TRUCKING, INC.

License # 673912
1261 Brea Canyon Road • Brea, CA 92821
Mail Address: P.O. Box 760 • Yorba Linda, CA 92885-0760
(714) 990-6855 • FAX (714) 990-4862

DAILY TICKET
DT 93006
JOB DATE 10 / 7 / 05

Su M Tu W Th (F) Sa

COMPANY SOLD TO	ORDER DATE	ORDER TIME	P.O. NUMBER
BELSHIRE ENVIRONMENTAL SERVICES	/ /		117383

ORDERED BY: LARRY/BRIAN

JOB SITE CONTACT: BBL - Megan (818) 359-0332

JOB SITE: Cenco Oil Refinery
12345 Lakeland
Santa Fe Springs

DRIVER	HELPER	TRUCK NO.	TRAILER NO.	TRUCK NO.	START TIME
Richard Duran	**********	238	**********	**********	6:00 a.m.

DESCRIPTION OF WORK REQUESTED

THERE AT: 7:00 a.m. FLUID FROM WELLS ON SITE - OFF LOAD FLUID ON SITE

BRING RESPIRATOR & BE READY TO WEAR - Day 3 of 3 on site

XXXXXXXX HAZ/NON-HAZ TO off load on site OFF LOAD ON SITE: XXX ☐ YES ☐ NO (70 BBL) 100 BBL XXX

ESTIMATED WELLS: ± _____ WELL TRUCK: XX ☐ YES ☐ NO

EQUIPMENT NEEDED: 30 STINGERS Air Assist Required AIR ASSIST REQUIRED: XX ☐ YES ☐ NO

_____ FEET OF EXTRA HOSE BIO-SLURP: ☐ YES XX ☐ NO

DRIVER'S TIME REPORT

DATE	YARD DEPART	JOB ARRIVE	JOB DEPART	DUMP SITE ARRIVE	DUMP SITE DEPART	YARD ARRIVE	LUNCH	TOTAL HOURS
10/7/05	6AM	7:AM.	11:30	XXXXXXXX	XXXXXXXX		/	

WORK PERFORMED

MANIFEST #: off load on site OF GALLONS: Ø # OF WELLS: 3 # OF DRUMS: Ø # OF TANKS: Ø

AIR ASSIST LINE INSTALLED TODAY: ☐ YES ☒ NO AIR ASSIST USED: ☒ YES ☐ NO SOLIDS/SILT Ø %

SPECIAL EQUIPMENT USED (HOSES, FITTINGS, STINGERS): WATER SAMPLE

STINGERS USED: NONE

DRIVER SIGNATURE	TRUCK NUMBER	CUSTOMER SIGNATURE	DATE
Richard Duran	238	X [signature]	10/7/05

★★★ 24 HOUR SERVICE ★★★ CUSTOMER COPY

Appendix B

Laboratory Analytical Data

BBL®
BLASLAND, BOUCK & LEE, INC.
engineers, scientists, economists

Calscience Environmental Laboratories, Inc.

October 14, 2005

Jennifer Wiley
Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Subject: **Calscience Work Order No.: 05-10-0274**
Client Reference: CENCO

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 10/5/2005 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of any subcontracted analysis is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Calscience Environmental
Laboratories, Inc.
Stephen Nowak
Project Manager

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.		Date Received:	10/05/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0274
Irvine, CA 92612-6520		Preparation:	N/A
		Method:	RSK-175M

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW-503B-1005	**05-10-0274-2**	**10/05/05**	**Aqueous**	**N/A**	**10/08/05**	**051008L01**

Parameter	Result	RL	DF	Qual	Units
Methane	1380	40	40		ug/L

MW-605-1005	**05-10-0274-5**	**10/05/05**	**Aqueous**	**N/A**	**10/07/05**	**051007L01**

Parameter	Result	RL	DF	Qual	Units
Methane	1.25	1.00	1		ug/L

MW-605-1005-D	**05-10-0274-6**	**10/05/05**	**Aqueous**	**N/A**	**10/07/05**	**051007L01**

Parameter	Result	RL	DF	Qual	Units
Methane	ND	1.00	1		ug/L

MW-606-1005	**05-10-0274-7**	**10/05/05**	**Aqueous**	**N/A**	**10/07/05**	**051007L01**

Parameter	Result	RL	DF	Qual	Units
Methane	178	1	1		ug/L

Method Blank	**099-12-010-1,121**	**N/A**	**Aqueous**	**N/A**	**10/07/05**	**051007L01**

Parameter	Result	RL	DF	Qual	Units
Methane	ND	1.00	1		ug/L

Method Blank	**099-12-010-1,123**	**N/A**	**Aqueous**	**N/A**	**10/08/05**	**051008L01**

Parameter	Result	RL	DF	Qual	Units
Methane	ND	1.00	1		ug/L

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received:	10/05/05
Work Order No:	05-10-0274
Preparation:	EPA 5030B
Method:	DHS LUFT

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
TB100505	05-10-0274-1	10/05/05	Aqueous	10/08/05	10/08/05	051008B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	100	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	61	49-133	

MW-503B-1005	05-10-0274-2	10/05/05	Aqueous	10/08/05	10/08/05	051008B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	5400	1000	10		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	88	49-133	

MW-502-1005	05-10-0274-3	10/05/05	Aqueous	10/08/05	10/09/05	051008B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	15000	1000	10		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	97	49-133	

MW-607-1005	05-10-0274-4	10/05/05	Aqueous	10/08/05	10/09/05	051008B01

Comment(s): -The sample chromatographic pattern for TPH does not match the chromatographic pattern of the specified standard. Quantitation of the unknown hydrocarbon(s) in the sample was based upon the specified standard.

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	760	100	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	88	49-133	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.		Date Received:	10/05/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0274
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	DHS LUFT

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW-605-1005	**05-10-0274-5**	**10/05/05**	**Aqueous**	**10/08/05**	**10/09/05**	**051008B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	100	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	65	49-133	

MW-605-1005-D	**05-10-0274-6**	**10/05/05**	**Aqueous**	**10/08/05**	**10/09/05**	**051008B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	100	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	62	49-133	

MW-606-1005	**05-10-0274-7**	**10/05/05**	**Aqueous**	**10/08/05**	**10/09/05**	**051008B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	240	100	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	85	49-133	

Method Blank	**098-03-006-7,636**	**N/A**	**Aqueous**	**10/08/05**	**10/08/05**	**051008B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	100	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	59	49-133	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.		Date Received:	10/05/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0274
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
TB100505	05-10-0274-1	10/05/05	Aqueous	10/06/05	10/06/05	051006L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		c-1,3-Dichloropropene	ND	0.50	1	
Benzene	ND	0.50	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromobenzene	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		2-Hexanone	ND	10	1	
Bromodichloromethane	ND	1.0	1		Isopropylbenzene	ND	1.0	1	
Bromoform	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
Bromomethane	ND	10	1		Methylene Chloride	ND	10	1	
2-Butanone	ND	10	1		4-Methyl-2-Pentanone	ND	10	1	
n-Butylbenzene	ND	1.0	1		Naphthalene	ND	10	1	
sec-Butylbenzene	ND	1.0	1		n-Propylbenzene	ND	1.0	1	
tert-Butylbenzene	ND	1.0	1		Styrene	ND	1.0	1	
Carbon Disulfide	ND	10	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Carbon Tetrachloride	ND	0.50	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Tetrachloroethene	ND	1.0	1	
Chloroethane	ND	1.0	1		Toluene	ND	1.0	1	
Chloroform	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Chloromethane	ND	10	1		1,2,4-Trichlorobenzene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		1,1,1-Trichloroethane	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromochloromethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		Trichloroethene	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
1,2-Dichlorobenzene	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,4-Dichlorobenzene	ND	1.0	1		Vinyl Acetate	ND	10	1	
Dichlorodifluoromethane	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
1,1-Dichloroethane	ND	1.0	1		p/m-Xylene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		o-Xylene	ND	1.0	1	
1,1-Dichloroethene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
c-1,2-Dichloroethene	ND	1.0	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
t-1,2-Dichloroethene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
1,2-Dichloropropane	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
1,3-Dichloropropane	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
2,2-Dichloropropane	ND	1.0	1		Ethanol	ND	100	1	
1,1-Dichloropropene	ND	1.0	1						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	109	74-140		1,2-Dichloroethane-d4	124	74-146	
Toluene-d8	95	88-112		1,4-Bromofluorobenzene	95	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.		Date Received:	10/05/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0274
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW-503B-1005	05-10-0274-2	10/05/05	Aqueous	10/06/05	10/06/05	051006L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	200	20		c-1,3-Dichloropropene	ND	10	20	
Benzene	1100	10	20		t-1,3-Dichloropropene	ND	10	20	
Bromobenzene	ND	20	20		Ethylbenzene	73	20	20	
Bromochloromethane	ND	20	20		2-Hexanone	ND	200	20	
Bromodichloromethane	ND	20	20		Isopropylbenzene	61	20	20	
Bromoform	ND	20	20		p-Isopropyltoluene	ND	20	20	
Bromomethane	ND	200	20		Methylene Chloride	ND	200	20	
2-Butanone	ND	200	20		4-Methyl-2-Pentanone	ND	200	20	
n-Butylbenzene	ND	20	20		Naphthalene	ND	200	20	
sec-Butylbenzene	ND	20	20		n-Propylbenzene	90	20	20	
tert-Butylbenzene	ND	20	20		Styrene	ND	20	20	
Carbon Disulfide	ND	200	20		1,1,1,2-Tetrachloroethane	ND	20	20	
Carbon Tetrachloride	ND	10	20		1,1,2,2-Tetrachloroethane	ND	20	20	
Chlorobenzene	ND	20	20		Tetrachloroethene	ND	20	20	
Chloroethane	ND	20	20		Toluene	ND	20	20	
Chloroform	ND	20	20		1,2,3-Trichlorobenzene	ND	20	20	
Chloromethane	ND	200	20		1,2,4-Trichlorobenzene	ND	20	20	
2-Chlorotoluene	ND	20	20		1,1,1-Trichloroethane	ND	20	20	
4-Chlorotoluene	ND	20	20		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	200	20	
Dibromochloromethane	ND	20	20		1,1,2-Trichloroethane	ND	20	20	
1,2-Dibromo-3-Chloropropane	ND	100	20		Trichloroethene	ND	20	20	
1,2-Dibromoethane	ND	20	20		Trichlorofluoromethane	ND	200	20	
Dibromomethane	ND	20	20		1,2,3-Trichloropropane	ND	100	20	
1,2-Dichlorobenzene	ND	20	20		1,2,4-Trimethylbenzene	ND	20	20	
1,3-Dichlorobenzene	ND	20	20		1,3,5-Trimethylbenzene	ND	20	20	
1,4-Dichlorobenzene	ND	20	20		Vinyl Acetate	ND	200	20	
Dichlorodifluoromethane	ND	20	20		Vinyl Chloride	ND	10	20	
1,1-Dichloroethane	ND	20	20		p/m-Xylene	38	20	20	
1,2-Dichloroethane	ND	10	20		o-Xylene	ND	20	20	
1,1-Dichloroethene	ND	20	20		Methyl-t-Butyl Ether (MTBE)	ND	20	20	
c-1,2-Dichloroethene	ND	20	20		Tert-Butyl Alcohol (TBA)	ND	200	20	
t-1,2-Dichloroethene	ND	20	20		Diisopropyl Ether (DIPE)	ND	40	20	
1,2-Dichloropropane	ND	20	20		Ethyl-t-Butyl Ether (ETBE)	ND	40	20	
1,3-Dichloropropane	ND	20	20		Tert-Amyl-Methyl Ether (TAME)	ND	40	20	
2,2-Dichloropropane	ND	20	20		Ethanol	ND	2000	20	
1,1-Dichloropropene	ND	20	20						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	107	74-140		1,2-Dichloroethane-d4	117	74-146	
Toluene-d8	100	88-112		1,4-Bromofluorobenzene	98	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.		Date Received:	10/05/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0274
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW-502-1005	05-10-0274-3	10/05/05	Aqueous	10/06/05	10/06/05	051006L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	1000	100		c-1,3-Dichloropropene	ND	50	100	
Benzene	900	50	100		t-1,3-Dichloropropene	ND	50	100	
Bromobenzene	ND	100	100		Ethylbenzene	430	100	100	
Bromochloromethane	ND	100	100		2-Hexanone	ND	1000	100	
Bromodichloromethane	ND	100	100		Isopropylbenzene	ND	100	100	
Bromoform	ND	100	100		p-Isopropyltoluene	ND	100	100	
Bromomethane	ND	1000	100		Methylene Chloride	ND	1000	100	
2-Butanone	ND	1000	100		4-Methyl-2-Pentanone	ND	1000	100	
n-Butylbenzene	ND	100	100		Naphthalene	ND	1000	100	
sec-Butylbenzene	ND	100	100		n-Propylbenzene	110	100	100	
tert-Butylbenzene	ND	100	100		Styrene	ND	100	100	
Carbon Disulfide	ND	1000	100		1,1,1,2-Tetrachloroethane	ND	100	100	
Carbon Tetrachloride	ND	50	100		1,1,2,2-Tetrachloroethane	ND	100	100	
Chlorobenzene	ND	100	100		Tetrachloroethene	ND	100	100	
Chloroethane	ND	100	100		Toluene	ND	100	100	
Chloroform	ND	100	100		1,2,3-Trichlorobenzene	ND	100	100	
Chloromethane	ND	1000	100		1,2,4-Trichlorobenzene	ND	100	100	
2-Chlorotoluene	ND	100	100		1,1,1-Trichloroethane	ND	100	100	
4-Chlorotoluene	ND	100	100		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	1000	100	
Dibromochloromethane	ND	100	100		1,1,2-Trichloroethane	ND	100	100	
1,2-Dibromo-3-Chloropropane	ND	500	100		Trichloroethene	ND	100	100	
1,2-Dibromoethane	ND	100	100		Trichlorofluoromethane	ND	1000	100	
Dibromomethane	ND	100	100		1,2,3-Trichloropropane	ND	500	100	
1,2-Dichlorobenzene	ND	100	100		1,2,4-Trimethylbenzene	ND	100	100	
1,3-Dichlorobenzene	ND	100	100		1,3,5-Trimethylbenzene	110	100	100	
1,4-Dichlorobenzene	ND	100	100		Vinyl Acetate	ND	1000	100	
Dichlorodifluoromethane	ND	100	100		Vinyl Chloride	ND	50	100	
1,1-Dichloroethane	ND	100	100		p/m-Xylene	110	100	100	
1,2-Dichloroethane	ND	50	100		o-Xylene	ND	100	100	
1,1-Dichloroethene	ND	100	100		Methyl-t-Butyl Ether (MTBE)	15000	100	100	
c-1,2-Dichloroethene	ND	100	100		Tert-Butyl Alcohol (TBA)	ND	1000	100	
t-1,2-Dichloroethene	ND	100	100		Diisopropyl Ether (DIPE)	ND	200	100	
1,2-Dichloropropane	ND	100	100		Ethyl-t-Butyl Ether (ETBE)	ND	200	100	
1,3-Dichloropropane	ND	100	100		Tert-Amyl-Methyl Ether (TAME)	ND	200	100	
2,2-Dichloropropane	ND	100	100		Ethanol	ND	10000	100	
1,1-Dichloropropene	ND	100	100						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	107	74-140		1,2-Dichloroethane-d4	114	74-146	
Toluene-d8	99	88-112		1,4-Bromofluorobenzene	96	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.		Date Received:	10/05/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0274
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW-607-1005	05-10-0274-4	10/05/05	Aqueous	10/07/05	10/07/05	051007L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	16	10	1		c-1,3-Dichloropropene	ND	0.50	1	
Benzene	1.2	0.5	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromobenzene	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		2-Hexanone	ND	10	1	
Bromodichloromethane	ND	1.0	1		Isopropylbenzene	9.1	1.0	1	
Bromoform	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
Bromomethane	ND	10	1		Methylene Chloride	ND	10	1	
2-Butanone	ND	10	1		4-Methyl-2-Pentanone	ND	10	1	
n-Butylbenzene	ND	1.0	1		Naphthalene	ND	10	1	
sec-Butylbenzene	2.7	1.0	1		n-Propylbenzene	12	1	1	
tert-Butylbenzene	ND	1.0	1		Styrene	ND	1.0	1	
Carbon Disulfide	ND	10	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Carbon Tetrachloride	ND	0.50	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Tetrachloroethene	ND	1.0	1	
Chloroethane	ND	1.0	1		Toluene	ND	1.0	1	
Chloroform	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Chloromethane	ND	10	1		1,2,4-Trichlorobenzene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		1,1,1-Trichloroethane	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromochloromethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		Trichloroethene	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
1,2-Dichlorobenzene	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,4-Dichlorobenzene	ND	1.0	1		Vinyl Acetate	ND	10	1	
Dichlorodifluoromethane	ND	1.0	1		Vinyl Chloride	1.2	0.5	1	
1,1-Dichloroethane	ND	1.0	1		p/m-Xylene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		o-Xylene	ND	1.0	1	
1,1-Dichloroethene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	1.7	1.0	1	
c-1,2-Dichloroethene	ND	1.0	1		Tert-Butyl Alcohol (TBA)	74	10	1	
t-1,2-Dichloroethene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
1,2-Dichloropropane	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
1,3-Dichloropropane	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
2,2-Dichloropropane	ND	1.0	1		Ethanol	ND	100	1	
1,1-Dichloropropene	ND	1.0	1						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	105	74-140		1,2-Dichloroethane-d4	114	74-146	
Toluene-d8	99	88-112		1,4-Bromofluorobenzene	101	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.		Date Received:	10/05/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0274
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L
Project: CENCO			Page 5 of 10

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW-605-1005	05-10-0274-5	10/05/05	Aqueous	10/06/05	10/07/05	051006L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		c-1,3-Dichloropropene	ND	0.50	1	
Benzene	ND	0.50	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromobenzene	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		2-Hexanone	ND	10	1	
Bromodichloromethane	ND	1.0	1		Isopropylbenzene	ND	1.0	1	
Bromoform	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
Bromomethane	ND	10	1		Methylene Chloride	ND	10	1	
2-Butanone	ND	10	1		4-Methyl-2-Pentanone	ND	10	1	
n-Butylbenzene	ND	1.0	1		Naphthalene	ND	10	1	
sec-Butylbenzene	ND	1.0	1		n-Propylbenzene	ND	1.0	1	
tert-Butylbenzene	ND	1.0	1		Styrene	ND	1.0	1	
Carbon Disulfide	ND	10	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Carbon Tetrachloride	ND	0.50	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Tetrachloroethene	4.3	1.0	1	
Chloroethane	ND	1.0	1		Toluene	ND	1.0	1	
Chloroform	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Chloromethane	ND	10	1		1,2,4-Trichlorobenzene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		1,1,1-Trichloroethane	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromochloromethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		Trichloroethene	20	1	1	
1,2-Dibromoethane	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
1,2-Dichlorobenzene	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,4-Dichlorobenzene	ND	1.0	1		Vinyl Acetate	ND	10	1	
Dichlorodifluoromethane	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
1,1-Dichloroethane	ND	1.0	1		p/m-Xylene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		o-Xylene	ND	1.0	1	
1,1-Dichloroethene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
c-1,2-Dichloroethene	ND	1.0	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
t-1,2-Dichloroethene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
1,2-Dichloropropane	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
1,3-Dichloropropane	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
2,2-Dichloropropane	ND	1.0	1		Ethanol	ND	100	1	
1,1-Dichloropropene	ND	1.0	1						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	95	74-140		1,2-Dichloroethane-d4	114	74-146	
Toluene-d8	100	88-112		1,4-Bromofluorobenzene	96	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.		Date Received:	10/05/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0274
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW-605-1005-D	**05-10-0274-6**	**10/05/05**	**Aqueous**	**10/06/05**	**10/07/05**	**051006L02**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		c-1,3-Dichloropropene	ND	0.50	1	
Benzene	ND	0.50	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromobenzene	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		2-Hexanone	ND	10	1	
Bromodichloromethane	ND	1.0	1		Isopropylbenzene	ND	1.0	1	
Bromoform	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
Bromomethane	ND	10	1		Methylene Chloride	ND	10	1	
2-Butanone	ND	10	1		4-Methyl-2-Pentanone	ND	10	1	
n-Butylbenzene	ND	1.0	1		Naphthalene	ND	10	1	
sec-Butylbenzene	ND	1.0	1		n-Propylbenzene	ND	1.0	1	
tert-Butylbenzene	ND	1.0	1		Styrene	ND	1.0	1	
Carbon Disulfide	ND	10	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Carbon Tetrachloride	ND	0.50	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Tetrachloroethene	4.5	1.0	1	
Chloroethane	ND	1.0	1		Toluene	ND	1.0	1	
Chloroform	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Chloromethane	ND	10	1		1,2,4-Trichlorobenzene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		1,1,1-Trichloroethane	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromochloromethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		Trichloroethene	20	1	1	
1,2-Dibromoethane	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
1,2-Dichlorobenzene	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,4-Dichlorobenzene	ND	1.0	1		Vinyl Acetate	ND	10	1	
Dichlorodifluoromethane	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
1,1-Dichloroethane	ND	1.0	1		p/m-Xylene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		o-Xylene	ND	1.0	1	
1,1-Dichloroethene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
c-1,2-Dichloroethene	ND	1.0	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
t-1,2-Dichloroethene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
1,2-Dichloropropane	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
1,3-Dichloropropane	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
2,2-Dichloropropane	ND	1.0	1		Ethanol	ND	100	1	
1,1-Dichloropropene	ND	1.0	1						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	102	74-140		1,2-Dichloroethane-d4	122	74-146	
Toluene-d8	97	88-112		1,4-Bromofluorobenzene	95	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.		Date Received:	10/05/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0274
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW-606-1005	05-10-0274-7	10/05/05	Aqueous	10/07/05	10/07/05	051007L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	15	10	1		c-1,3-Dichloropropene	ND	0.50	1	
Benzene	5.6	0.5	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromobenzene	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		2-Hexanone	ND	10	1	
Bromodichloromethane	ND	1.0	1		Isopropylbenzene	ND	1.0	1	
Bromoform	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
Bromomethane	ND	10	1		Methylene Chloride	ND	10	1	
2-Butanone	ND	10	1		4-Methyl-2-Pentanone	ND	10	1	
n-Butylbenzene	ND	1.0	1		Naphthalene	ND	10	1	
sec-Butylbenzene	ND	1.0	1		n-Propylbenzene	ND	1.0	1	
tert-Butylbenzene	ND	1.0	1		Styrene	ND	1.0	1	
Carbon Disulfide	ND	10	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Carbon Tetrachloride	ND	0.50	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Tetrachloroethene	ND	1.0	1	
Chloroethane	ND	1.0	1		Toluene	ND	1.0	1	
Chloroform	2.1	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Chloromethane	ND	10	1		1,2,4-Trichlorobenzene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		1,1,1-Trichloroethane	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromochloromethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		Trichloroethene	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
1,2-Dichlorobenzene	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,4-Dichlorobenzene	ND	1.0	1		Vinyl Acetate	ND	10	1	
Dichlorodifluoromethane	ND	1.0	1		Vinyl Chloride	3.2	0.5	1	
1,1-Dichloroethane	ND	1.0	1		p/m-Xylene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		o-Xylene	ND	1.0	1	
1,1-Dichloroethene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	4.8	1.0	1	
c-1,2-Dichloroethene	ND	1.0	1		Tert-Butyl Alcohol (TBA)	42	10	1	
t-1,2-Dichloroethene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
1,2-Dichloropropane	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
1,3-Dichloropropane	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
2,2-Dichloropropane	ND	1.0	1		Ethanol	ND	100	1	
1,1-Dichloropropene	ND	1.0	1						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	104	74-140		1,2-Dichloroethane-d4	113	74-146	
Toluene-d8	99	88-112		1,4-Bromofluorobenzene	97	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.		Date Received:	10/05/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0274
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	**099-10-006-15,885**	**N/A**	**Aqueous**	**10/06/05**	**10/06/05**	**051006L01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		c-1,3-Dichloropropene	ND	0.50	1	
Benzene	ND	0.50	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromobenzene	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		2-Hexanone	ND	10	1	
Bromodichloromethane	ND	1.0	1		Isopropylbenzene	ND	1.0	1	
Bromoform	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
Bromomethane	ND	10	1		Methylene Chloride	ND	10	1	
2-Butanone	ND	10	1		4-Methyl-2-Pentanone	ND	10	1	
n-Butylbenzene	ND	1.0	1		Naphthalene	ND	10	1	
sec-Butylbenzene	ND	1.0	1		n-Propylbenzene	ND	1.0	1	
tert-Butylbenzene	ND	1.0	1		Styrene	ND	1.0	1	
Carbon Disulfide	ND	10	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Carbon Tetrachloride	ND	0.50	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Tetrachloroethene	ND	1.0	1	
Chloroethane	ND	1.0	1		Toluene	ND	1.0	1	
Chloroform	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Chloromethane	ND	10	1		1,2,4-Trichlorobenzene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		1,1,1-Trichloroethane	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromochloromethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		Trichloroethene	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
1,2-Dichlorobenzene	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,4-Dichlorobenzene	ND	1.0	1		Vinyl Acetate	ND	10	1	
Dichlorodifluoromethane	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
1,1-Dichloroethane	ND	1.0	1		p/m-Xylene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		o-Xylene	ND	1.0	1	
1,1-Dichloroethene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
c-1,2-Dichloroethene	ND	1.0	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
t-1,2-Dichloroethene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
1,2-Dichloropropane	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
1,3-Dichloropropane	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
2,2-Dichloropropane	ND	1.0	1		Ethanol	ND	100	1	
1,1-Dichloropropene	ND	1.0	1						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	103	74-140		1,2-Dichloroethane-d4	106	74-146	
Toluene-d8	98	88-112		1,4-Bromofluorobenzene	95	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.		Date Received:	10/05/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0274
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	**099-10-006-15,892**	**N/A**	**Aqueous**	**10/06/05**	**10/07/05**	**051006L02**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		c-1,3-Dichloropropene	ND	0.50	1	
Benzene	ND	0.50	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromobenzene	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		2-Hexanone	ND	10	1	
Bromodichloromethane	ND	1.0	1		Isopropylbenzene	ND	1.0	1	
Bromoform	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
Bromomethane	ND	10	1		Methylene Chloride	ND	10	1	
2-Butanone	ND	10	1		4-Methyl-2-Pentanone	ND	10	1	
n-Butylbenzene	ND	1.0	1		Naphthalene	ND	10	1	
sec-Butylbenzene	ND	1.0	1		n-Propylbenzene	ND	1.0	1	
tert-Butylbenzene	ND	1.0	1		Styrene	ND	1.0	1	
Carbon Disulfide	ND	10	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Carbon Tetrachloride	ND	0.50	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Tetrachloroethene	ND	1.0	1	
Chloroethane	ND	1.0	1		Toluene	ND	1.0	1	
Chloroform	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Chloromethane	ND	10	1		1,2,4-Trichlorobenzene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		1,1,1-Trichloroethane	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromochloromethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		Trichloroethene	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
1,2-Dichlorobenzene	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,4-Dichlorobenzene	ND	1.0	1		Vinyl Acetate	ND	10	1	
Dichlorodifluoromethane	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
1,1-Dichloroethane	ND	1.0	1		p/m-Xylene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		o-Xylene	ND	1.0	1	
1,1-Dichloroethene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
c-1,2-Dichloroethene	ND	1.0	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
t-1,2-Dichloroethene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
1,2-Dichloropropane	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
1,3-Dichloropropane	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
2,2-Dichloropropane	ND	1.0	1		Ethanol	ND	100	1	
1,1-Dichloropropene	ND	1.0	1						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	116	74-140		1,2-Dichloroethane-d4	124	74-146	
Toluene-d8	101	88-112		1,4-Bromofluorobenzene	93	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.		Date Received:	10/05/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0274
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	**099-10-006-15,900**	**N/A**	**Aqueous**	**10/07/05**	**10/07/05**	**051007L01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		c-1,3-Dichloropropene	ND	0.50	1	
Benzene	ND	0.50	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromobenzene	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		2-Hexanone	ND	10	1	
Bromodichloromethane	ND	1.0	1		Isopropylbenzene	ND	1.0	1	
Bromoform	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
Bromomethane	ND	10	1		Methylene Chloride	ND	10	1	
2-Butanone	ND	10	1		4-Methyl-2-Pentanone	ND	10	1	
n-Butylbenzene	ND	1.0	1		Naphthalene	ND	10	1	
sec-Butylbenzene	ND	1.0	1		n-Propylbenzene	ND	1.0	1	
tert-Butylbenzene	ND	1.0	1		Styrene	ND	1.0	1	
Carbon Disulfide	ND	10	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Carbon Tetrachloride	ND	0.50	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Tetrachloroethene	ND	1.0	1	
Chloroethane	ND	1.0	1		Toluene	ND	1.0	1	
Chloroform	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Chloromethane	ND	10	1		1,2,4-Trichlorobenzene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		1,1,1-Trichloroethane	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromochloromethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		Trichloroethene	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
1,2-Dichlorobenzene	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,4-Dichlorobenzene	ND	1.0	1		Vinyl Acetate	ND	10	1	
Dichlorodifluoromethane	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
1,1-Dichloroethane	ND	1.0	1		p/m-Xylene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		o-Xylene	ND	1.0	1	
1,1-Dichloroethene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
c-1,2-Dichloroethene	ND	1.0	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
t-1,2-Dichloroethene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
1,2-Dichloropropane	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
1,3-Dichloropropane	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
2,2-Dichloropropane	ND	1.0	1		Ethanol	ND	100	1	
1,1-Dichloropropene	ND	1.0	1						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	106	74-140		1,2-Dichloroethane-d4	114	74-146	
Toluene-d8	98	88-112		1,4-Bromofluorobenzene	97	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received: 10/05/05
Work Order No: 05-10-0274

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix
MW-503B-1005	05-10-0274-2	10/05/05	Aqueous

Parameter	Result	RL	DF	Qual	Units	Date Prepared	Date Analyzed	Method
Nitrate (as N)	ND	0.10	1		mg/L	N/A	10/06/05	EPA 353.3/354.1
Sulfate	24	2	1		mg/L	N/A	10/13/05	EPA 375.4
Chromium, Hexavalent	ND	1.0	1		ug/L	N/A	10/05/05	EPA 7199
Alkalinity, Total (as CaCO3)	730	5.0	1		mg/L	N/A	10/11/05	SM 2320B
Iron (II)	ND	0.10	1		mg/L	N/A	10/05/05	SM3500-FeD

MW-502-1005	05-10-0274-3	10/05/05	Aqueous

Parameter	Result	RL	DF	Qual	Units	Date Prepared	Date Analyzed	Method
Chromium, Hexavalent	ND	1.0	1		ug/L	N/A	10/06/05	EPA 7199

MW-607-1005	05-10-0274-4	10/05/05	Aqueous

Parameter	Result	RL	DF	Qual	Units	Date Prepared	Date Analyzed	Method
Chromium, Hexavalent	ND	1.0	1		ug/L	N/A	10/06/05	EPA 7199

MW-605-1005	05-10-0274-5	10/05/05	Aqueous

Parameter	Result	RL	DF	Qual	Units	Date Prepared	Date Analyzed	Method
Nitrate (as N)	8.3	2.5	25		mg/L	N/A	10/06/05	EPA 353.3/354.1
Sulfate	180	20	10		mg/L	N/A	10/13/05	EPA 375.4
Chromium, Hexavalent	ND	1.0	1		ug/L	N/A	10/06/05	EPA 7199
Alkalinity, Total (as CaCO3)	500	5.0	1		mg/L	N/A	10/11/05	SM 2320B
Iron (II)	ND	0.10	1		mg/L	N/A	10/05/05	SM3500-FeD

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received: 10/05/05
Work Order No: 05-10-0274

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix
MW-605-1005-D	**05-10-0274-6**	**10/05/05**	**Aqueous**

Parameter	Result	RL	DF	Qual	Units	Date Prepared	Date Analyzed	Method
Nitrate (as N)	8.3	2.5	25		mg/L	N/A	10/06/05	EPA 353.3/354.1
Sulfate	170	10	5		mg/L	N/A	10/13/05	EPA 375.4
Chromium, Hexavalent	ND	1.0	1		ug/L	N/A	10/06/05	EPA 7199
Alkalinity, Total (as CaCO3)	500	5.0	1		mg/L	N/A	10/11/05	SM 2320B
Iron (II)	ND	0.10	1		mg/L	N/A	10/05/05	SM3500-FeD

MW-606-1005	**05-10-0274-7**	**10/05/05**	**Aqueous**

Parameter	Result	RL	DF	Qual	Units	Date Prepared	Date Analyzed	Method
Nitrate (as N)	3.0	0.5	5		mg/L	N/A	10/06/05	EPA 353.3/354.1
Sulfate	170	20	10		mg/L	N/A	10/13/05	EPA 375.4
Chromium, Hexavalent	2.0	1.0	1		ug/L	N/A	10/06/05	EPA 7199
Alkalinity, Total (as CaCO3)	540	5.0	1		mg/L	N/A	10/11/05	SM 2320B
Iron (II)	ND	0.10	1		mg/L	N/A	10/05/05	SM3500-FeD

Method Blank	**N/A**	**Aqueous**

Parameter	Result	RL	DF	Qual	Units	Date Prepared	Date Analyzed	Method
Nitrate (as N)	ND	0.10	1		mg/L	N/A	10/06/05	EPA 353.3/354.1
Sulfate	ND	2.0	1		mg/L	N/A	10/13/05	EPA 375.4
Chromium, Hexavalent	ND	1.0	1		ug/L	N/A	10/05/05	EPA 7199
Iron (II)	ND	0.10	1		mg/L	N/A	10/05/05	SM3500-FeD

RL - Reporting Limit . DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Blasland, Bouck & Lee, Inc.		Date Received:	10/05/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0274
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	DHS LUFT

Project CENCO

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
05-10-0241-1	Aqueous	GC 4	10/08/05	10/08/05	051008S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	105	105	70-112	0	0-17	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received:	10/05/05
Work Order No:	05-10-0274
Preparation:	EPA 5030B
Method:	EPA 8260B

Project CENCO

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
05-10-0251-1	**Aqueous**	**GC/MS T**	**10/06/05**	**10/06/05**	**051006S01**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	102	103	88-118	1	0-7	
Carbon Tetrachloride	94	96	67-145	2	0-11	
Chlorobenzene	102	103	88-118	0	0-7	
1,2-Dichlorobenzene	102	102	86-116	1	0-8	
1,1-Dichloroethene	94	102	70-130	9	0-25	
Toluene	104	104	87-123	0	0-8	
Trichloroethene	101	106	79-127	4	0-10	
Vinyl Chloride	94	100	69-129	5	0-13	
Methyl-t-Butyl Ether (MTBE)	108	105	71-131	3	0-13	
Tert-Butyl Alcohol (TBA)	159	112	36-168	34	0-45	
Diisopropyl Ether (DIPE)	102	102	81-123	0	0-9	
Ethyl-t-Butyl Ether (ETBE)	106	107	72-126	0	0-12	
Tert-Amyl-Methyl Ether (TAME)	111	112	72-126	1	0-12	
Ethanol	128	113	53-149	13	0-31	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received:	10/05/05
Work Order No:	05-10-0274
Preparation:	EPA 5030B
Method:	EPA 8260B

Project CENCO

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
05-10-0327-4	Aqueous	GC/MS T	10/06/05	10/07/05	051006S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	102	103	88-118	1	0-7	
Carbon Tetrachloride	109	105	67-145	3	0-11	
Chlorobenzene	103	103	88-118	0	0-7	
1,2-Dichlorobenzene	104	102	86-116	3	0-8	
1,1-Dichloroethene	106	101	70-130	5	0-25	
Toluene	107	107	87-123	0	0-8	
Trichloroethene	105	118	79-127	12	0-10	4
Vinyl Chloride	93	98	69-129	6	0-13	
Methyl-t-Butyl Ether (MTBE)	100	99	71-131	1	0-13	
Tert-Butyl Alcohol (TBA)	102	105	36-168	3	0-45	
Diisopropyl Ether (DIPE)	102	102	81-123	0	0-9	
Ethyl-t-Butyl Ether (ETBE)	105	105	72-126	0	0-12	
Tert-Amyl-Methyl Ether (TAME)	108	109	72-126	0	0-12	
Ethanol	89	95	53-149	7	0-31	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received:	10/05/05
Work Order No:	05-10-0274
Preparation:	EPA 5030B
Method:	EPA 8260B

Project CENCO

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
05-10-0406-1	Aqueous	GC/MS T	10/07/05	10/07/05	051007S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	98	103	88-118	4	0-7	
Carbon Tetrachloride	101	104	67-145	3	0-11	
Chlorobenzene	101	104	88-118	3	0-7	
1,2-Dichlorobenzene	103	104	86-116	0	0-8	
1,1-Dichloroethene	96	98	70-130	3	0-25	
Toluene	103	105	87-123	3	0-8	
Trichloroethene	100	108	79-127	8	0-10	
Vinyl Chloride	91	97	69-129	6	0-13	
Methyl-t-Butyl Ether (MTBE)	103	106	71-131	3	0-13	
Tert-Butyl Alcohol (TBA)	109	118	36-168	8	0-45	
Diisopropyl Ether (DIPE)	101	104	81-123	4	0-9	
Ethyl-t-Butyl Ether (ETBE)	104	108	72-126	4	0-12	
Tert-Amyl-Methyl Ether (TAME)	111	115	72-126	3	0-12	
Ethanol	101	112	53-149	10	0-31	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received: N/A
Work Order No: 05-10-0274

Project: CENCO

Matrix: Aqueous

Parameter	Method	Quality Control Sample ID	Date Analyzed	Date Extracted	MS% REC	MSD % REC	%REC CL	RPD	RPD CL	Qualifiers
Sulfate	EPA 375.4	MW-605-1005	10/13/05	N/A	102	108	70-130	4	0-25	
Chromium, Hexavalent	EPA 7199	MW-503B-1005	10/05/05	N/A	92	97	70-130	5	0-25	
Nitrate (as N)	EPA 353.3/354.1	MW-503B-1005	10/06/05	N/A	110	111	70-130	1	0-25	
Iron (II)	SM3500-FeD	05-10-0273-13	10/05/05	N/A	105	102	70-130	3	0-25	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Duplicate

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received: N/A
Work Order No: 05-10-0274

Project: CENCO

Matrix: Aqueous

Parameter	Method	QC Sample ID	Date Analyzed	Sample Conc	DUP Conc	RPD	RPD CL	Qualifiers
Alkalinity, Total (as CaCO3)	SM 2320B	05-10-0530-1	10/11/05	510	510	1	0-25	
Bicarbonate (as CaCO3)	SM 2320B	05-10-0530-1	10/11/05	510	510	0	0-25	
Carbonate (as CaCO3)	SM 2320B	05-10-0530-1	10/11/05	ND	ND	NA	0-25	
Hydroxide (as CaCO3)	SM 2320B	05-10-0530-1	10/11/05	ND	ND	NA	0-25	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received: N/A
Work Order No: 05-10-0274
Preparation: N/A
Method: RSK-175M

Project: CENCO

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-010-1,121	Aqueous	GC 33	N/A	10/07/05	051007L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Methane	101	104	79-109	3	0-20	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Blasland, Bouck & Lee, Inc.		Date Received:	N/A
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0274
Irvine, CA 92612-6520		Preparation:	N/A
		Method:	RSK-175M

Project: CENCO

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-010-1,123	Aqueous	GC 33	N/A	10/08/05	051008L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Methane	105	104	79-109	1	0-20	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Blasland, Bouck & Lee, Inc.		Date Received:	N/A
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0274
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	DHS LUFT

Project: CENCO

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
098-03-006-7,636	Aqueous	GC 4	10/08/05	10/08/05	051008B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	107	106	72-114	1	0-10	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received: N/A
Work Order No: 05-10-0274
Preparation: EPA 5030B
Method: EPA 8260B

Project: CENCO

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-15,885	Aqueous	GC/MS T	10/06/05	10/06/05	051006L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	103	101	84-120	2	0-8	
Carbon Tetrachloride	99	97	63-147	2	0-10	
Chlorobenzene	104	100	89-119	3	0-7	
1,2-Dichlorobenzene	103	104	89-119	0	0-9	
1,1-Dichloroethene	96	95	77-125	2	0-16	
Toluene	107	104	83-125	2	0-9	
Trichloroethene	102	98	89-119	4	0-8	
Vinyl Chloride	101	100	63-135	2	0-13	
Methyl-t-Butyl Ether (MTBE)	106	104	82-118	2	0-13	
Tert-Butyl Alcohol (TBA)	117	116	46-154	1	0-32	
Diisopropyl Ether (DIPE)	104	104	81-123	0	0-11	
Ethyl-t-Butyl Ether (ETBE)	107	107	74-122	0	0-12	
Tert-Amyl-Methyl Ether (TAME)	116	113	76-124	2	0-10	
Ethanol	109	108	60-138	1	0-32	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received:	N/A
Work Order No:	05-10-0274
Preparation:	EPA 5030B
Method:	EPA 8260B

Project: CENCO

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-15,892	Aqueous	GC/MS T	10/06/05	10/07/05	051006L02

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	104	101	84-120	3	0-8	
Carbon Tetrachloride	105	99	63-147	5	0-10	
Chlorobenzene	104	103	89-119	1	0-7	
1,2-Dichlorobenzene	106	104	89-119	2	0-9	
1,1-Dichloroethene	103	100	77-125	3	0-16	
Toluene	108	106	83-125	1	0-9	
Trichloroethene	102	100	89-119	1	0-8	
Vinyl Chloride	100	97	63-135	2	0-13	
Methyl-t-Butyl Ether (MTBE)	101	99	82-118	2	0-13	
Tert-Butyl Alcohol (TBA)	85	84	46-154	1	0-32	
Diisopropyl Ether (DIPE)	104	104	81-123	0	0-11	
Ethyl-t-Butyl Ether (ETBE)	108	106	74-122	1	0-12	
Tert-Amyl-Methyl Ether (TAME)	110	109	76-124	1	0-10	
Ethanol	92	92	60-138	0	0-32	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Blasland, Bouck & Lee, Inc.		Date Received:	N/A
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0274
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	EPA 8260B

Project: CENCO

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-15,900	Aqueous	GC/MS T	10/07/05	10/07/05	051007L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	103	102	84-120	1	0-8	
Carbon Tetrachloride	107	106	63-147	2	0-10	
Chlorobenzene	103	104	89-119	0	0-7	
1,2-Dichlorobenzene	106	104	89-119	2	0-9	
1,1-Dichloroethene	100	106	77-125	6	0-16	
Toluene	107	107	83-125	1	0-9	
Trichloroethene	102	102	89-119	0	0-8	
Vinyl Chloride	99	100	63-135	1	0-13	
Methyl-t-Butyl Ether (MTBE)	108	107	82-118	1	0-13	
Tert-Butyl Alcohol (TBA)	110	110	46-154	0	0-32	
Diisopropyl Ether (DIPE)	105	105	81-123	0	0-11	
Ethyl-t-Butyl Ether (ETBE)	112	111	74-122	1	0-12	
Tert-Amyl-Methyl Ether (TAME)	119	115	76-124	3	0-10	
Ethanol	95	98	60-138	3	0-32	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received: N/A
Work Order No: 05-10-0274

Project: CENCO

Matrix: Aqueous

Parameter	Method	Quality Control Sample ID	Date Extracted	Date Analyzed	LCS % REC	LCSD % REC	%REC CL	RPD	RPD CL	Qual
Chromium, Hexavalent	EPA 7199	099-05-123-1,567	N/A	10/05/05	95	93	80-120	2	0-20	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Laboratory Control Sample

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received: N/A
Work Order No: 05-10-0274

Project: CENCO

Matrix : Aqueous

Parameter	Method	Quality Control Sample ID	Date Analyzed	Date Extracted	Conc Added	Conc Recovered	LCS %Rec	%Rec CL	Qualifiers
Sulfate	EPA 375.4	099-05-091-1,277	10/13/05	N/A	20	20	100	80-120	
Nitrate (as N)	EPA 353.3/354.1	099-04-011-342	10/06/05	N/A	0.50	0.49	97	80-120	
Iron (II)	SM3500-FeD	099-05-111-2,075	10/05/05	N/A	1.0	1.0	104	80-120	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Glossary of Terms and Qualifiers

Work Order Number: 05-10-0274

Qualifier	Definition
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike or Matrix Spike Duplicate compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.

CALSCIENCE ENVIRONMENTAL LABORATORIES, INC.
7440 LINCOLN WAY
GARDEN GROVE, CA 92841-1427
TEL: (714) 895-5494 • FAX: (714) 894-7501

CHAIN OF CUSTODY RECORD

Date _____

Page 1 of _____

LABORATORY CLIENT: BLASLAND, BOUCK & LEE, INC.
ADDRESS: 2600 MICHELSON DRIVE, STE. 830
CITY: IRVINE STATE: CA ZIP: 92612
TEL: 949-474-9052 FAX: 949-474-9345 E-MAIL:

CLIENT PROJECT NAME / NUMBER: CENCO
P.O. NO.: 54202.001
PROJECT CONTACT: JENNIFER WILEY
LAB USE ONLY: 10-0274
SAMPLER(S): (SIGNATURE) [signature]
COELT LOG CODE
COOLER RECEIPT TEMP = °C

TURNAROUND TIME: ☐ SAME DAY ☐ 24 HR ☐ 48 HR ☐ 72 HR ☒ 5 DAYS (STANDARD) ☐ 10 DAYS

SPECIAL REQUIREMENTS (ADDITIONAL COSTS MAY APPLY): ☐ RWQCB REPORTING FORMS ☐ COELT EDF ☐ _____

SPECIAL INSTRUCTIONS:

REQUESTED ANALYSES

LAB USE ONLY	SAMPLE ID	FIELD POINT NAME (FOR COELT EDF)	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT.	TPH (G)	TPH (D) or	BTEX / MTBE (8260B) or	OXYGENATES (8260B)	VOCs (8260B) +	5035 ENCORE PREP	SVOCs (8270C)	PEST (8081A)	PCBs (8082)	CAC, T22 METALS (6010B) / 747	PNAs (8310) or (8270C)	VOCs (TO-14A) or (TO-15)	TPH(G) (TO-3M)	Cr_6 (7199)	FERROUS IRON (3500)	NITRATE (352.1)	SULFATE (375.4)	ALKALINITY (310.1)	METHANE (RSK-175M)
1	TB100505		10/05/05	0700	W	2	X			X	X														
2	MW-503B-1005		10/05/05	1000	GW	10	X			X	X									X	X	X	X	X	X
3	MW-502-1005		10/05/05	1100	GW	7	X			X	X									X					
4	MW-607-1005		10/05/05	1325	GW	7	X			X	X									X					
5	MW-605-1005		10/05/05	1515	GW	10	X			X	X									X	X	X	X	X	X
6	MW-605-1005-D		10/05/05	1515	GW	10	X			X	X									X	X	X	X	X	X
7	MW-606-1005		10/05/05	1625	GW	10	X			X	X									X	X	X	X	X	X

Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
[signature] 10-05-05 1715	[signature]	10/5/5	17:15
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
Relinquished by: (Signature)	Received for Laboratory by: (Signature)	Date:	Time:
[signature]	[signature]	10/5/5	1800

DISTRIBUTION: When with final report, Green to file, Yellow to Client.
Please note that pages 1 and 2 of 2 of our T/Cs are printed on the reverse side of the Green and Yellow copies respectively.

10/20/04 Revision

Q&Q Graphic 714-898-9702

Calscience Environmental Laboratories, Inc.

WORK ORDER #: 05 - 1 0 - 0 2 7 4

Cooler 1 **of** 1

SAMPLE RECEIPT FORM

CLIENT: BBL **DATE:** 10/05/05

TEMPERATURE – SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

- ____ Chilled, cooler with temperature blank provided.
- ____ Chilled, cooler without temperature blank.
- ✓ Chilled and placed in cooler with wet ice.
- ____ Ambient and placed in cooler with wet ice.
- ____ Ambient temperature.

4.0 °C Temperature blank.

LABORATORY (Other than Calscience Courier):

- ____ °C Temperature blank.
- ____ °C IR thermometer.
- ____ Ambient temperature.

Initial: Tu

CUSTODY SEAL INTACT:

Sample(s): ____ Cooler: ____ No (Not Intact) : ____ Not Applicable (N/A): ✓

Initial: Tu

SAMPLE CONDITION:

	Yes	No	N/A
Chain-Of-Custody document(s) received with samples	✓		
Sample container label(s) consistent with custody papers	✓		
Sample container(s) intact and good condition	✓		
Correct containers for analyses requested	✓		
Proper preservation noted on sample label(s)	✓		
VOA vial(s) free of headspace.	✓		
Tedlar bag(s) free of condensation			✓

Initial: Tu

COMMENTS:

Calscience Environmental Laboratories, Inc.

October 14, 2005

Jennifer Wiley
Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Subject: **Calscience Work Order No.: 05-10-0379**
Client Reference: CENCO

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 10/6/2005 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of any subcontracted analysis is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Calscience Environmental
Laboratories, Inc.
Stephen Nowak
Project Manager

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.		Date Received:	10/06/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0379
Irvine, CA 92612-6520		Preparation:	N/A
		Method:	RSK-175M

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW-205-1005	**05-10-0379-7**	**10/06/05**	**Aqueous**	**N/A**	**10/08/05**	**051008L01**

Parameter	Result	RL	DF	Qual	Units
Methane	3330	80	80		ug/L

Method Blank	**099-12-010-1,123**	**N/A**	**Aqueous**	**N/A**	**10/08/05**	**051008L01**

Parameter	Result	RL	DF	Qual	Units
Methane	ND	1.00	1		ug/L

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received:	10/06/05
Work Order No:	05-10-0379
Preparation:	EPA 5030B
Method:	DHS LUFT

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW-603-1005	05-10-0379-2	10/06/05	Aqueous	10/11/05	10/12/05	051011B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	150	100	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	121	49-133	

W-4-1005	05-10-0379-3	10/06/05	Aqueous	10/11/05	10/12/05	051011B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	350	100	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	136	49-133	2

W-1-1005	05-10-0379-4	10/06/05	Aqueous	10/11/05	10/12/05	051011B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	310	100	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	132	49-133	

MW-105-1005	05-10-0379-5	10/06/05	Aqueous	10/11/05	10/12/05	051011B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	300	100	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	123	49-133	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received:	10/06/05
Work Order No:	05-10-0379
Preparation:	EPA 5030B
Method:	DHS LUFT

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW-105-1005-D	**05-10-0379-6**	**10/06/05**	**Aqueous**	**10/11/05**	**10/12/05**	**051011B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	320	100	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	123	49-133	

MW-205-1005	**05-10-0379-7**	**10/06/05**	**Aqueous**	**10/11/05**	**10/12/05**	**051011B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	850	100	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	125	49-133	

W-8-1005	**05-10-0379-8**	**10/06/05**	**Aqueous**	**10/11/05**	**10/12/05**	**051011B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	220	100	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	122	49-133	

Method Blank	**098-03-006-7,650**	**N/A**	**Aqueous**	**10/11/05**	**10/11/05**	**051011B01**

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	100	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	118	49-133	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.		Date Received:	10/06/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0379
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
TB100605	**05-10-0379-1**	**09/29/05**	**Aqueous**	**10/10/05**	**10/10/05**	**051010L01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		c-1,3-Dichloropropene	ND	0.50	1	
Benzene	ND	0.50	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromobenzene	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		2-Hexanone	ND	10	1	
Bromodichloromethane	ND	1.0	1		Isopropylbenzene	ND	1.0	1	
Bromoform	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
Bromomethane	ND	10	1		Methylene Chloride	ND	10	1	
2-Butanone	ND	10	1		4-Methyl-2-Pentanone	ND	10	1	
n-Butylbenzene	ND	1.0	1		Naphthalene	ND	10	1	
sec-Butylbenzene	ND	1.0	1		n-Propylbenzene	ND	1.0	1	
tert-Butylbenzene	ND	1.0	1		Styrene	ND	1.0	1	
Carbon Disulfide	ND	10	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Carbon Tetrachloride	ND	0.50	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Tetrachloroethene	ND	1.0	1	
Chloroethane	ND	1.0	1		Toluene	ND	1.0	1	
Chloroform	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Chloromethane	ND	10	1		1,2,4-Trichlorobenzene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		1,1,1-Trichloroethane	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromochloromethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		Trichloroethene	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
1,2-Dichlorobenzene	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,4-Dichlorobenzene	ND	1.0	1		Vinyl Acetate	ND	10	1	
Dichlorodifluoromethane	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
1,1-Dichloroethane	ND	1.0	1		p/m-Xylene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		o-Xylene	ND	1.0	1	
1,1-Dichloroethene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
c-1,2-Dichloroethene	ND	1.0	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
t-1,2-Dichloroethene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
1,2-Dichloropropane	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
1,3-Dichloropropane	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
2,2-Dichloropropane	ND	1.0	1		Ethanol	ND	100	1	
1,1-Dichloropropene	ND	1.0	1						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	97	74-140		1,2-Dichloroethane-d4	89	74-146	
Toluene-d8	101	88-112		1,4-Bromofluorobenzene	92	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.		Date Received:	10/06/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0379
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW-603-1005	**05-10-0379-2**	**10/06/05**	**Aqueous**	**10/10/05**	**10/10/05**	**051010L01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		c-1,3-Dichloropropene	ND	0.50	1	
Benzene	0.82	0.5	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromobenzene	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		2-Hexanone	ND	10	1	
Bromodichloromethane	ND	1.0	1		Isopropylbenzene	ND	1.0	1	
Bromoform	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
Bromomethane	ND	10	1		Methylene Chloride	ND	10	1	
2-Butanone	ND	10	1		4-Methyl-2-Pentanone	ND	10	1	
n-Butylbenzene	ND	1.0	1		Naphthalene	ND	10	1	
sec-Butylbenzene	ND	1.0	1		n-Propylbenzene	ND	1.0	1	
tert-Butylbenzene	ND	1.0	1		Styrene	ND	1.0	1	
Carbon Disulfide	ND	10	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Carbon Tetrachloride	ND	0.50	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Tetrachloroethene	160	1	1	
Chloroethane	ND	1.0	1		Toluene	ND	1.0	1	
Chloroform	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Chloromethane	ND	10	1		1,2,4-Trichlorobenzene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		1,1,1-Trichloroethane	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromochloromethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		Trichloroethene	150	1	1	
1,2-Dibromoethane	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
1,2-Dichlorobenzene	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,4-Dichlorobenzene	ND	1.0	1		Vinyl Acetate	ND	10	1	
Dichlorodifluoromethane	ND	1.0	1		Vinyl Chloride	1.6	0.5	1	
1,1-Dichloroethane	8.0	1.0	1		p/m-Xylene	ND	1.0	1	
1,2-Dichloroethane	12	0.50	1		o-Xylene	ND	1.0	1	
1,1-Dichloroethene	100	1	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
c-1,2-Dichloroethene	22	1	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
t-1,2-Dichloroethene	7.3	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
1,2-Dichloropropane	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
1,3-Dichloropropane	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
2,2-Dichloropropane	ND	1.0	1		Ethanol	ND	100	1	
1,1-Dichloropropene	ND	1.0	1						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	98	74-140		1,2-Dichloroethane-d4	91	74-146	
Toluene-d8	103	88-112		1,4-Bromofluorobenzene	93	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.		Date Received:	10/06/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0379
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
W-4-1005	05-10-0379-3	10/06/05	Aqueous	10/10/05	10/10/05	051010L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		c-1,3-Dichloropropene	ND	0.50	1	
Benzene	31	0.50	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromobenzene	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		2-Hexanone	ND	10	1	
Bromodichloromethane	ND	1.0	1		Isopropylbenzene	5.9	1.0	1	
Bromoform	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
Bromomethane	ND	10	1		Methylene Chloride	ND	10	1	
2-Butanone	ND	10	1		4-Methyl-2-Pentanone	ND	10	1	
n-Butylbenzene	ND	1.0	1		Naphthalene	ND	10	1	
sec-Butylbenzene	1.1	1.0	1		n-Propylbenzene	4.2	1.0	1	
tert-Butylbenzene	ND	1.0	1		Styrene	ND	1.0	1	
Carbon Disulfide	ND	10	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Carbon Tetrachloride	ND	0.50	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Tetrachloroethene	ND	1.0	1	
Chloroethane	ND	1.0	1		Toluene	ND	1.0	1	
Chloroform	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Chloromethane	ND	10	1		1,2,4-Trichlorobenzene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		1,1,1-Trichloroethane	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromochloromethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		Trichloroethene	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
1,2-Dichlorobenzene	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,4-Dichlorobenzene	ND	1.0	1		Vinyl Acetate	ND	10	1	
Dichlorodifluoromethane	ND	1.0	1		Vinyl Chloride	1.3	0.5	1	
1,1-Dichloroethane	1.7	1.0	1		p/m-Xylene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		o-Xylene	ND	1.0	1	
1,1-Dichloroethene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
c-1,2-Dichloroethene	6.4	1.0	1		Tert-Butyl Alcohol (TBA)	47	10	1	
t-1,2-Dichloroethene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
1,2-Dichloropropane	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
1,3-Dichloropropane	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
2,2-Dichloropropane	ND	1.0	1		Ethanol	ND	100	1	
1,1-Dichloropropene	ND	1.0	1						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	97	74-140		1,2-Dichloroethane-d4	90	74-146	
Toluene-d8	101	88-112		1,4-Bromofluorobenzene	92	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.		Date Received:	10/06/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0379
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L
Project: CENCO			Page 4 of 9

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
W-1-1005	**05-10-0379-4**	**10/06/05**	**Aqueous**	**10/10/05**	**10/10/05**	**051010L01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	20	10	1		c-1,3-Dichloropropene	ND	0.50	1	
Benzene	43	0.50	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromobenzene	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		2-Hexanone	ND	10	1	
Bromodichloromethane	ND	1.0	1		Isopropylbenzene	4.4	1.0	1	
Bromoform	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
Bromomethane	ND	10	1		Methylene Chloride	ND	10	1	
2-Butanone	ND	10	1		4-Methyl-2-Pentanone	ND	10	1	
n-Butylbenzene	ND	1.0	1		Naphthalene	ND	10	1	
sec-Butylbenzene	ND	1.0	1		n-Propylbenzene	ND	1.0	1	
tert-Butylbenzene	ND	1.0	1		Styrene	ND	1.0	1	
Carbon Disulfide	ND	10	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Carbon Tetrachloride	ND	0.50	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Tetrachloroethene	ND	1.0	1	
Chloroethane	1.2	1.0	1		Toluene	ND	1.0	1	
Chloroform	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Chloromethane	ND	10	1		1,2,4-Trichlorobenzene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		1,1,1-Trichloroethane	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromochloromethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		Trichloroethene	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
1,2-Dichlorobenzene	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,4-Dichlorobenzene	1.1	1.0	1		Vinyl Acetate	ND	10	1	
Dichlorodifluoromethane	ND	1.0	1		Vinyl Chloride	7.1	0.5	1	
1,1-Dichloroethane	ND	1.0	1		p/m-Xylene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		o-Xylene	ND	1.0	1	
1,1-Dichloroethene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	25	1	1	
c-1,2-Dichloroethene	ND	1.0	1		Tert-Butyl Alcohol (TBA)	34	10	1	
t-1,2-Dichloroethene	1.6	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
1,2-Dichloropropane	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
1,3-Dichloropropane	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
2,2-Dichloropropane	ND	1.0	1		Ethanol	ND	100	1	
1,1-Dichloropropene	ND	1.0	1						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	99	74-140		1,2-Dichloroethane-d4	90	74-146	
Toluene-d8	100	88-112		1,4-Bromofluorobenzene	94	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.		Date Received:	10/06/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0379
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L
Project: CENCO			Page 5 of 9

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW-105-1005	**05-10-0379-5**	**10/06/05**	**Aqueous**	**10/10/05**	**10/10/05**	**051010L01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		c-1,3-Dichloropropene	ND	0.50	1	
Benzene	ND	0.50	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromobenzene	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		2-Hexanone	ND	10	1	
Bromodichloromethane	ND	1.0	1		Isopropylbenzene	ND	1.0	1	
Bromoform	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
Bromomethane	ND	10	1		Methylene Chloride	ND	10	1	
2-Butanone	ND	10	1		4-Methyl-2-Pentanone	ND	10	1	
n-Butylbenzene	ND	1.0	1		Naphthalene	ND	10	1	
sec-Butylbenzene	ND	1.0	1		n-Propylbenzene	ND	1.0	1	
tert-Butylbenzene	ND	1.0	1		Styrene	ND	1.0	1	
Carbon Disulfide	ND	10	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Carbon Tetrachloride	ND	0.50	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Tetrachloroethene	6.5	1.0	1	
Chloroethane	ND	1.0	1		Toluene	ND	1.0	1	
Chloroform	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Chloromethane	ND	10	1		1,2,4-Trichlorobenzene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		1,1,1-Trichloroethane	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromochloromethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		Trichloroethene	41	1	1	
1,2-Dibromoethane	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
1,2-Dichlorobenzene	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,4-Dichlorobenzene	ND	1.0	1		Vinyl Acetate	ND	10	1	
Dichlorodifluoromethane	ND	1.0	1		Vinyl Chloride	1.4	0.5	1	
1,1-Dichloroethane	5.8	1.0	1		p/m-Xylene	ND	1.0	1	
1,2-Dichloroethane	0.58	0.5	1		o-Xylene	ND	1.0	1	
1,1-Dichloroethene	10	1	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
c-1,2-Dichloroethene	10	1	1		Tert-Butyl Alcohol (TBA)	25	10	1	
t-1,2-Dichloroethene	3.7	1.0	1		Diisopropyl Ether (DIPE)	2.1	2.0	1	
1,2-Dichloropropane	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
1,3-Dichloropropane	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
2,2-Dichloropropane	ND	1.0	1		Ethanol	ND	100	1	
1,1-Dichloropropene	ND	1.0	1						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	99	74-140		1,2-Dichloroethane-d4	90	74-146	
Toluene-d8	102	88-112		1,4-Bromofluorobenzene	94	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.		Date Received:	10/06/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0379
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L
Project: CENCO			Page 6 of 9

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW-105-1005-D	**05-10-0379-6**	**10/06/05**	**Aqueous**	**10/10/05**	**10/10/05**	**051010L01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		c-1,3-Dichloropropene	ND	0.50	1	
Benzene	ND	0.50	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromobenzene	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		2-Hexanone	ND	10	1	
Bromodichloromethane	ND	1.0	1		Isopropylbenzene	ND	1.0	1	
Bromoform	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
Bromomethane	ND	10	1		Methylene Chloride	ND	10	1	
2-Butanone	ND	10	1		4-Methyl-2-Pentanone	ND	10	1	
n-Butylbenzene	ND	1.0	1		Naphthalene	ND	10	1	
sec-Butylbenzene	ND	1.0	1		n-Propylbenzene	ND	1.0	1	
tert-Butylbenzene	ND	1.0	1		Styrene	ND	1.0	1	
Carbon Disulfide	ND	10	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Carbon Tetrachloride	ND	0.50	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Tetrachloroethene	4.5	1.0	1	
Chloroethane	ND	1.0	1		Toluene	ND	1.0	1	
Chloroform	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Chloromethane	ND	10	1		1,2,4-Trichlorobenzene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		1,1,1-Trichloroethane	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromochloromethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		Trichloroethene	34	1	1	
1,2-Dibromoethane	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
1,2-Dichlorobenzene	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,4-Dichlorobenzene	ND	1.0	1		Vinyl Acetate	ND	10	1	
Dichlorodifluoromethane	ND	1.0	1		Vinyl Chloride	1.4	0.5	1	
1,1-Dichloroethane	5.7	1.0	1		p/m-Xylene	ND	1.0	1	
1,2-Dichloroethane	0.55	0.5	1		o-Xylene	ND	1.0	1	
1,1-Dichloroethene	9.6	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
c-1,2-Dichloroethene	10	1	1		Tert-Butyl Alcohol (TBA)	31	10	1	
t-1,2-Dichloroethene	3.9	1.0	1		Diisopropyl Ether (DIPE)	2.3	2.0	1	
1,2-Dichloropropane	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
1,3-Dichloropropane	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
2,2-Dichloropropane	ND	1.0	1		Ethanol	ND	100	1	
1,1-Dichloropropene	ND	1.0	1						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	98	74-140		1,2-Dichloroethane-d4	89	74-146	
Toluene-d8	101	88-112		1,4-Bromofluorobenzene	92	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.		Date Received:	10/06/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0379
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L
Project: CENCO			Page 7 of 9

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW-205-1005	**05-10-0379-7**	**10/06/05**	**Aqueous**	**10/10/05**	**10/10/05**	**051010L01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	17	10	1		c-1,3-Dichloropropene	ND	0.50	1	
Benzene	55	0.50	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromobenzene	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		2-Hexanone	ND	10	1	
Bromodichloromethane	ND	1.0	1		Isopropylbenzene	ND	1.0	1	
Bromoform	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
Bromomethane	ND	10	1		Methylene Chloride	ND	10	1	
2-Butanone	ND	10	1		4-Methyl-2-Pentanone	ND	10	1	
n-Butylbenzene	ND	1.0	1		Naphthalene	ND	10	1	
sec-Butylbenzene	ND	1.0	1		n-Propylbenzene	ND	1.0	1	
tert-Butylbenzene	ND	1.0	1		Styrene	ND	1.0	1	
Carbon Disulfide	ND	10	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Carbon Tetrachloride	ND	0.50	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Tetrachloroethene	ND	1.0	1	
Chloroethane	ND	1.0	1		Toluene	ND	1.0	1	
Chloroform	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Chloromethane	ND	10	1		1,2,4-Trichlorobenzene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		1,1,1-Trichloroethane	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromochloromethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		Trichloroethene	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
1,2-Dichlorobenzene	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,4-Dichlorobenzene	ND	1.0	1		Vinyl Acetate	ND	10	1	
Dichlorodifluoromethane	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
1,1-Dichloroethane	ND	1.0	1		p/m-Xylene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		o-Xylene	ND	1.0	1	
1,1-Dichloroethene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
c-1,2-Dichloroethene	4.2	1.0	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
t-1,2-Dichloroethene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
1,2-Dichloropropane	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
1,3-Dichloropropane	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
2,2-Dichloropropane	ND	1.0	1		Ethanol	ND	100	1	
1,1-Dichloropropene	ND	1.0	1						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	98	74-140		1,2-Dichloroethane-d4	89	74-146	
Toluene-d8	103	88-112		1,4-Bromofluorobenzene	91	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.		Date Received:	10/06/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0379
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L
Project: CENCO			Page 8 of 9

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
W-8-1005	**05-10-0379-8**	**10/06/05**	**Aqueous**	**10/10/05**	**10/10/05**	**051010L01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		c-1,3-Dichloropropene	ND	0.50	1	
Benzene	0.52	0.5	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromobenzene	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		2-Hexanone	ND	10	1	
Bromodichloromethane	ND	1.0	1		Isopropylbenzene	ND	1.0	1	
Bromoform	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
Bromomethane	ND	10	1		Methylene Chloride	ND	10	1	
2-Butanone	ND	10	1		4-Methyl-2-Pentanone	ND	10	1	
n-Butylbenzene	ND	1.0	1		Naphthalene	ND	10	1	
sec-Butylbenzene	ND	1.0	1		n-Propylbenzene	ND	1.0	1	
tert-Butylbenzene	ND	1.0	1		Styrene	ND	1.0	1	
Carbon Disulfide	ND	10	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Carbon Tetrachloride	ND	0.50	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Tetrachloroethene	ND	1.0	1	
Chloroethane	ND	1.0	1		Toluene	ND	1.0	1	
Chloroform	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Chloromethane	ND	10	1		1,2,4-Trichlorobenzene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		1,1,1-Trichloroethane	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromochloromethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		Trichloroethene	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
1,2-Dichlorobenzene	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,4-Dichlorobenzene	ND	1.0	1		Vinyl Acetate	ND	10	1	
Dichlorodifluoromethane	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
1,1-Dichloroethane	ND	1.0	1		p/m-Xylene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		o-Xylene	ND	1.0	1	
1,1-Dichloroethene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
c-1,2-Dichloroethene	ND	1.0	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
t-1,2-Dichloroethene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
1,2-Dichloropropane	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
1,3-Dichloropropane	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
2,2-Dichloropropane	ND	1.0	1		Ethanol	ND	100	1	
1,1-Dichloropropene	ND	1.0	1						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	98	74-140		1,2-Dichloroethane-d4	88	74-146	
Toluene-d8	101	88-112		1,4-Bromofluorobenzene	91	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.		Date Received:	10/06/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0379
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	**099-10-006-15,919**	**N/A**	**Aqueous**	**10/10/05**	**10/10/05**	**051010L01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		c-1,3-Dichloropropene	ND	0.50	1	
Benzene	ND	0.50	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromobenzene	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		2-Hexanone	ND	10	1	
Bromodichloromethane	ND	1.0	1		Isopropylbenzene	ND	1.0	1	
Bromoform	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
Bromomethane	ND	10	1		Methylene Chloride	ND	10	1	
2-Butanone	ND	10	1		4-Methyl-2-Pentanone	ND	10	1	
n-Butylbenzene	ND	1.0	1		Naphthalene	ND	10	1	
sec-Butylbenzene	ND	1.0	1		n-Propylbenzene	ND	1.0	1	
tert-Butylbenzene	ND	1.0	1		Styrene	ND	1.0	1	
Carbon Disulfide	ND	10	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Carbon Tetrachloride	ND	0.50	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Tetrachloroethene	ND	1.0	1	
Chloroethane	ND	1.0	1		Toluene	ND	1.0	1	
Chloroform	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Chloromethane	ND	10	1		1,2,4-Trichlorobenzene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		1,1,1-Trichloroethane	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromochloromethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		Trichloroethene	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
1,2-Dichlorobenzene	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,4-Dichlorobenzene	ND	1.0	1		Vinyl Acetate	ND	10	1	
Dichlorodifluoromethane	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
1,1-Dichloroethane	ND	1.0	1		p/m-Xylene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		o-Xylene	ND	1.0	1	
1,1-Dichloroethene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
c-1,2-Dichloroethene	ND	1.0	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
t-1,2-Dichloroethene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
1,2-Dichloropropane	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
1,3-Dichloropropane	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
2,2-Dichloropropane	ND	1.0	1		Ethanol	ND	100	1	
1,1-Dichloropropene	ND	1.0	1						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	98	74-140		1,2-Dichloroethane-d4	88	74-146	
Toluene-d8	100	88-112		1,4-Bromofluorobenzene	92	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received: 10/06/05
Work Order No: 05-10-0379

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix
MW-603-1005	05-10-0379-2	10/06/05	Aqueous

Parameter	Result	RL	DF	Qual	Units	Date Prepared	Date Analyzed	Method
Chromium, Hexavalent	ND	1.0	1		ug/L	N/A	10/06/05	EPA 7199

W-4-1005	05-10-0379-3	10/06/05	Aqueous

Parameter	Result	RL	DF	Qual	Units	Date Prepared	Date Analyzed	Method
Chromium, Hexavalent	ND	1.0	1		ug/L	N/A	10/06/05	EPA 7199

W-1-1005	05-10-0379-4	10/06/05	Aqueous

Parameter	Result	RL	DF	Qual	Units	Date Prepared	Date Analyzed	Method
Chromium, Hexavalent	ND	1.0	1		ug/L	N/A	10/06/05	EPA 7199

MW-105-1005	05-10-0379-5	10/06/05	Aqueous

Parameter	Result	RL	DF	Qual	Units	Date Prepared	Date Analyzed	Method
Chromium, Hexavalent	ND	1.0	1		ug/L	N/A	10/06/05	EPA 7199

MW-105-1005-D	05-10-0379-6	10/06/05	Aqueous

Parameter	Result	RL	DF	Qual	Units	Date Prepared	Date Analyzed	Method
Chromium, Hexavalent	ND	1.0	1		ug/L	N/A	10/06/05	EPA 7199

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received: 10/06/05
Work Order No: 05-10-0379

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix
MW-205-1005	**05-10-0379-7**	**10/06/05**	**Aqueous**

Parameter	Result	RL	DF	Qual	Units	Date Prepared	Date Analyzed	Method
Nitrate (as N)	ND	0.10	1		mg/L	N/A	10/06/05	EPA 353.3/354.1
Sulfate	63	10	5		mg/L	N/A	10/13/05	EPA 375.4
Chromium, Hexavalent	ND	1.0	1		ug/L	N/A	10/06/05	EPA 7199
Alkalinity, Total (as CaCO3)	3600	10	1		mg/L	N/A	10/13/05	SM 2320B
Iron (II)	0.44	0.1	1		mg/L	N/A	10/06/05	SM3500-FeD

W-8-1005	**05-10-0379-8**	**10/06/05**	**Aqueous**

Parameter	Result	RL	DF	Qual	Units	Date Prepared	Date Analyzed	Method
Chromium, Hexavalent	ND	1.0	1		ug/L	N/A	10/06/05	EPA 7199

Method Blank		**N/A**	**Aqueous**

Parameter	Result	RL	DF	Qual	Units	Date Prepared	Date Analyzed	Method
Nitrate (as N)	ND	0.050	1		mg/L	N/A	10/06/05	EPA 353.3/354.1
Sulfate	ND	0.10	1		mg/L	N/A	10/13/05	EPA 375.4
Chromium, Hexavalent	ND	1.0	1		ug/L	N/A	10/06/05	EPA 7199
Iron (II)	ND	0.10	1		mg/L	N/A	10/06/05	SM3500-FeD

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Blasland, Bouck & Lee, Inc.		Date Received:	10/06/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0379
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	DHS LUFT

Project CENCO

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
05-10-0362-9	**Aqueous**	**GC 18**	**10/11/05**	**10/11/05**	**051011S01**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	98	92	70-112	6	0-17	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received:	10/06/05
Work Order No:	05-10-0379
Preparation:	EPA 5030B
Method:	EPA 8260B

Project CENCO

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
05-10-0425-4	**Aqueous**	**GC/MS EE**	**10/10/05**	**10/10/05**	**051010S01**

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	103	104	88-118	1	0-7	
Carbon Tetrachloride	79	88	67-145	11	0-11	
Chlorobenzene	103	104	88-118	1	0-7	
1,2-Dichlorobenzene	103	104	86-116	1	0-8	
1,1-Dichloroethene	93	96	70-130	2	0-25	
Toluene	103	104	87-123	1	0-8	
Trichloroethene	103	103	79-127	0	0-10	
Vinyl Chloride	87	88	69-129	1	0-13	
Methyl-t-Butyl Ether (MTBE)	87	87	71-131	0	0-13	
Tert-Butyl Alcohol (TBA)	81	86	36-168	6	0-45	
Diisopropyl Ether (DIPE)	100	100	81-123	0	0-9	
Ethyl-t-Butyl Ether (ETBE)	91	91	72-126	0	0-12	
Tert-Amyl-Methyl Ether (TAME)	95	94	72-126	1	0-12	
Ethanol	103	94	53-149	10	0-31	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received: N/A
Work Order No: 05-10-0379

Project: CENCO

Matrix: Aqueous

Parameter	Method	Quality Control Sample ID	Date Analyzed	Date Extracted	MS% REC	MSD % REC	%REC CL	RPD	RPD CL	Qualifiers
Sulfate	EPA 375.4	05-10-0274-5	10/13/05	N/A	102	108	70-130	4	0-25	
Chromium, Hexavalent	EPA 7199	05-10-0305-3	10/06/05	N/A	110	109	70-130	1	0-25	
Nitrate (as N)	EPA 353.3/354.1	05-10-0274-2	10/06/05	N/A	110	111	70-130	1	0-25	
Iron (II)	SM3500-FeD	05-10-0376-7	10/06/05	N/A	108	106	70-130	2	0-25	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Duplicate

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received: N/A
Work Order No: 05-10-0379

Project: CENCO

Matrix: Aqueous

Parameter	Method	QC Sample ID	Date Analyzed	Sample Conc	DUP Conc	RPD	RPD CL	Qualifiers
Alkalinity, Total (as CaCO3)	SM 2320B	05-10-0716-12	10/13/05	360	360	1	0-25	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Blasland, Bouck & Lee, Inc.		Date Received:	N/A
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0379
Irvine, CA 92612-6520		Preparation:	N/A
		Method:	RSK-175M

Project: CENCO

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-010-1,123	**Aqueous**	**GC 33**	**N/A**	**10/08/05**	**051008L01**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Methane	105	104	79-109	1	0-20	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Blasland, Bouck & Lee, Inc.		Date Received:	N/A
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0379
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	DHS LUFT

Project: CENCO

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
098-03-006-7,650	**Aqueous**	**GC 18**	**10/11/05**	**10/11/05**	**051011B01**

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	107	104	72-114	3	0-10	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Blasland, Bouck & Lee, Inc.	Date Received:	N/A
2600 Michelson Drive, Suite 830	Work Order No:	05-10-0379
Irvine, CA 92612-6520	Preparation:	EPA 5030B
	Method:	EPA 8260B

Project: CENCO

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-15,919	Aqueous	GC/MS EE	10/10/05	10/10/05	051010L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	105	103	84-120	2	0-8	
Carbon Tetrachloride	80	83	63-147	4	0-10	
Chlorobenzene	105	104	89-119	0	0-7	
1,2-Dichlorobenzene	104	104	89-119	0	0-9	
1,1-Dichloroethene	97	94	77-125	4	0-16	
Toluene	106	104	83-125	2	0-9	
Trichloroethene	104	103	89-119	2	0-8	
Vinyl Chloride	92	88	63-135	5	0-13	
Methyl-t-Butyl Ether (MTBE)	87	86	82-118	1	0-13	
Tert-Butyl Alcohol (TBA)	80	80	46-154	1	0-32	
Diisopropyl Ether (DIPE)	100	99	81-123	1	0-11	
Ethyl-t-Butyl Ether (ETBE)	91	91	74-122	0	0-12	
Tert-Amyl-Methyl Ether (TAME)	94	94	76-124	0	0-10	
Ethanol	105	99	60-138	6	0-32	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received: N/A
Work Order No: 05-10-0379

Project: CENCO

Matrix: Aqueous

Parameter	Method	Quality Control Sample ID	Date Extracted	Date Analyzed	LCS % REC	LCSD % REC	%REC CL	RPD	RPD CL	Qual
Chromium, Hexavalent	EPA 7199	099-05-123-1,568	N/A	10/06/05	101	101	80-120	0	0-20	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Laboratory Control Sample

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received: N/A
Work Order No: 05-10-0379

Project: CENCO

Matrix : Aqueous

Parameter	Method	Quality Control Sample ID	Date Analyzed	Date Extracted	Conc Added	Conc Recovered	LCS %Rec	%Rec CL	Qualifiers
Sulfate	EPA 375.4	099-05-091-1,278	10/13/05	N/A	20	21	104	80-120	
Nitrate (as N)	EPA 353.3/354.1	099-04-011-343	10/06/05	N/A	0.50	0.49	97	80-120	
Iron (II)	SM3500-FeD	099-05-111-2,077	10/06/05	N/A	1.0	1.1	107	80-120	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Glossary of Terms and Qualifiers

Work Order Number: 05-10-0379

Qualifier	Definition
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike or Matrix Spike Duplicate compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.

CALSCIENCE ENVIRONMENTAL LABORATORIES, INC.
7440 LINCOLN WAY
GARDEN GROVE, CA 92841-1427
TEL: (714) 895-5494 • FAX: (714) 894-7501

CHAIN OF CUSTODY RECORD

Date

Page 1 of 1

LABORATORY CLIENT: BLASLAND, BOUCK & LEE, INC.
ADDRESS: 2600 MICHELSON DRIVE
CITY: IRVINE STATE: CA ZIP: 92612
TEL: 949-474-9052 FAX: 949-474-9345 E-MAIL:
TURNAROUND TIME: ☐ SAME DAY ☐ 24 HR ☐ 48 HR ☐ 72 HR ☒ 5 DAYS (STANDARD) ☐ 10 DAYS
SPECIAL REQUIREMENTS (ADDITIONAL COSTS MAY APPLY): ☐ RWQCB REPORTING FORMS ☐ COELT EDF ☐
SPECIAL INSTRUCTIONS:

CLIENT PROJECT NAME / NUMBER: CENCO
PROJECT CONTACT: JENNIFER WILEY
SAMPLER(S): (SIGNATURE)
COELT LOG CODE
P.O. NO.:
LAB USE ONLY: 10-0374 0579
COOLER RECEIPT TEMP = °C

REQUESTED ANALYSES

LAB USE ONLY	SAMPLE ID	FIELD POINT NAME (FOR COELT EDF)	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT.	TPH (G)	TPH (D) or	BTEX / MTBE (8260B) or	OXYGENATES (8260B)	VOCs (8260B)	5035 ENCORE PREP	SVOCs (8270C)	PEST (8081A)	PCBs (8082)	CAC, T22 METALS (6010B) / 747	PNAs (8310) or (8270C)	VOCs (TO-14A) or (TO-15)	TPH(G) (TO-3M)	Cr_6 (7199)	FERROUS IRON (3500)	NITRATE (352.1)	SULFATE (375.4)	ALKALINITY (310.1)	METHANE (RSK 175M)
1	TB100605		9/29/05	—	W	2	X			X	X														
2	MW-603-1005		10/6/05	0905	GW	7	X			X	X									X					
3	W-4-1005		10/6/05	~~1045~~ 1145	GW	7	X			X	X									X					
4	W-1-1005		10/6/05	1215	GW	7	X			X	X									X					
5	MW-105-1005		10/6/05	1400	GW	7	X			X	X									X					
6	MW-105-1005-D		10/6/05	1400	GW	7	X			X	X									X					
7	MW-205-1005		10/6/05	1500	GW	10	X			X	X									X	X	X	X	X	X
8	W-8-1005		10/6/05	1625	GW	7	X			X	X									X					

Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
10/6/05 1700	CEL	10/6/5	1700
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
Relinquished by: (Signature)	Received for Laboratory by: (Signature)	Date: 10/6/5	Time: 1740

DISTRIBUTION: When with final report, Green to file, Yellow to Client.
Please note that pages 1 and 2 of 2 of our T/Cs are printed on the reverse side of the Green and Yellow copies respectively.

10/20/04 Revision

Q&Q Graphic 714-898-9702

Calscience Environmental Laboratories, Inc.

WORK ORDER #: 05 - 1 0 - 0 3 ~~7 6~~ 7 9

Cooler 1 **of** 1

SAMPLE RECEIPT FORM

CLIENT: BBL, IMC **DATE:** 10/06/05

TEMPERATURE – SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

- ____ Chilled, cooler with temperature blank provided.
- ____ Chilled, cooler without temperature blank.
- ✓ Chilled and placed in cooler with wet ice.
- ____ Ambient and placed in cooler with wet ice.
- ____ Ambient temperature.

3.6 °C Temperature blank.

LABORATORY (Other than Calscience Courier):

- ____ °C Temperature blank.
- ____ °C IR thermometer.
- ____ Ambient temperature.

Initial: Tu

CUSTODY SEAL INTACT:

Sample(s): ____ Cooler: ____ No (Not Intact) : ____ Not Applicable (N/A): ✓

Initial: Tu

SAMPLE CONDITION:

	Yes	No	N/A
Chain-Of-Custody document(s) received with samples	✓		
Sample container label(s) consistent with custody papers	✓		
Sample container(s) intact and good condition	✓		
Correct containers for analyses requested	✓		
Proper preservation noted on sample label(s)	✓		
VOA vial(s) free of headspace.	✓		
Tedlar bag(s) free of condensation			✓

Initial: Tu

COMMENTS:

Calscience
Environmental
Laboratories, Inc.

October 17, 2005

Jennifer Wiley
Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Subject: **Calscience Work Order No.: 05-10-0450**
Client Reference: CENCO

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 10/7/2005 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of any subcontracted analysis is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Calscience Environmental
Laboratories, Inc.
Stephen Nowak
Project Manager

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.		Date Received:	10/07/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0450
Irvine, CA 92612-6520		Preparation:	N/A
		Method:	RSK-175M

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW-104A-1005	**05-10-0450-3**	**10/07/05**	**Aqueous**	**N/A**	**10/12/05**	**051012L01**

Parameter	Result	RL	DF	Qual	Units
Methane	69.5	1.0	1		ug/L

Method Blank	**099-12-010-1,130**	**N/A**	**Aqueous**	**N/A**	**10/12/05**	**051012L01**

Parameter	Result	RL	DF	Qual	Units
Methane	ND	1.00	1		ug/L

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.		Date Received:	10/07/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0450
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	DHS LUFT

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW-204-1005	05-10-0450-1	10/07/05	Aqueous	10/12/05	10/13/05	051012B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	340	100	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	99	49-133	

MW-104A-1005	05-10-0450-3	10/07/05	Aqueous	10/12/05	10/13/05	051012B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	100	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	93	49-133	

MW-201-1005	05-10-0450-4	10/07/05	Aqueous	10/12/05	10/13/05	051012B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	3400	100	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	165	49-133	2

W-7-1005	05-10-0450-5	10/07/05	Aqueous	10/12/05	10/13/05	051012B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	100	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	94	49-133	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.		Date Received:	10/07/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0450
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	DHS LUFT

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	098-03-006-7,661	N/A	Aqueous	10/12/05	10/12/05	051012B01

Parameter	Result	RL	DF	Qual	Units
TPH as Gasoline	ND	100	1		ug/L

Surrogates:	REC (%)	Control Limits	Qual
1,4-Bromofluorobenzene	86	49-133	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received:	10/07/05
Work Order No:	05-10-0450
Preparation:	EPA 5030B
Method:	EPA 8260B
Units:	ug/L

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW-204-1005	05-10-0450-1	10/07/05	Aqueous	10/11/05	10/12/05	051011L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		c-1,3-Dichloropropene	ND	0.50	1	
Benzene	5.7	0.5	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromobenzene	ND	1.0	1		Ethylbenzene	4.2	1.0	1	
Bromochloromethane	ND	1.0	1		2-Hexanone	ND	10	1	
Bromodichloromethane	ND	1.0	1		Isopropylbenzene	1.1	1.0	1	
Bromoform	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
Bromomethane	ND	10	1		Methylene Chloride	ND	10	1	
2-Butanone	ND	10	1		4-Methyl-2-Pentanone	ND	10	1	
n-Butylbenzene	ND	1.0	1		Naphthalene	ND	10	1	
sec-Butylbenzene	ND	1.0	1		n-Propylbenzene	1.1	1.0	1	
tert-Butylbenzene	ND	1.0	1		Styrene	ND	1.0	1	
Carbon Disulfide	ND	10	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Carbon Tetrachloride	ND	0.50	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Tetrachloroethene	ND	1.0	1	
Chloroethane	ND	1.0	1		Toluene	ND	1.0	1	
Chloroform	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Chloromethane	ND	10	1		1,2,4-Trichlorobenzene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		1,1,1-Trichloroethane	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromochloromethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		Trichloroethene	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
1,2-Dichlorobenzene	ND	1.0	1		1,2,4-Trimethylbenzene	2.3	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		1,3,5-Trimethylbenzene	1.2	1.0	1	
1,4-Dichlorobenzene	ND	1.0	1		Vinyl Acetate	ND	10	1	
Dichlorodifluoromethane	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
1,1-Dichloroethane	ND	1.0	1		p/m-Xylene	2.1	1.0	1	
1,2-Dichloroethane	1.6	0.5	1		o-Xylene	ND	1.0	1	
1,1-Dichloroethene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
c-1,2-Dichloroethene	3.4	1.0	1		Tert-Butyl Alcohol (TBA)	90	10	1	
t-1,2-Dichloroethene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
1,2-Dichloropropane	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
1,3-Dichloropropane	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
2,2-Dichloropropane	ND	1.0	1		Ethanol	ND	100	1	
1,1-Dichloropropene	ND	1.0	1						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	98	74-140		1,2-Dichloroethane-d4	110	74-146	
Toluene-d8	97	88-112		1,4-Bromofluorobenzene	94	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

ACCREDITED IN ACCORDANCE WITH nelac

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received:	10/07/05
Work Order No:	05-10-0450
Preparation:	EPA 5030B
Method:	EPA 8260B
Units:	ug/L

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
TB100705	05-10-0450-2	10/07/05	Aqueous	10/10/05	10/10/05	051010L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		c-1,3-Dichloropropene	ND	0.50	1	
Benzene	ND	0.50	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromobenzene	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		2-Hexanone	ND	10	1	
Bromodichloromethane	ND	1.0	1		Isopropylbenzene	ND	1.0	1	
Bromoform	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
Bromomethane	ND	10	1		Methylene Chloride	ND	10	1	
2-Butanone	ND	10	1		4-Methyl-2-Pentanone	ND	10	1	
n-Butylbenzene	ND	1.0	1		Naphthalene	ND	10	1	
sec-Butylbenzene	ND	1.0	1		n-Propylbenzene	ND	1.0	1	
tert-Butylbenzene	ND	1.0	1		Styrene	ND	1.0	1	
Carbon Disulfide	ND	10	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Carbon Tetrachloride	ND	0.50	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Tetrachloroethene	ND	1.0	1	
Chloroethane	ND	1.0	1		Toluene	ND	1.0	1	
Chloroform	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Chloromethane	ND	10	1		1,2,4-Trichlorobenzene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		1,1,1-Trichloroethane	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromochloromethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		Trichloroethene	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
1,2-Dichlorobenzene	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,4-Dichlorobenzene	ND	1.0	1		Vinyl Acetate	ND	10	1	
Dichlorodifluoromethane	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
1,1-Dichloroethane	ND	1.0	1		p/m-Xylene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		o-Xylene	ND	1.0	1	
1,1-Dichloroethene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
c-1,2-Dichloroethene	ND	1.0	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
t-1,2-Dichloroethene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
1,2-Dichloropropane	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
1,3-Dichloropropane	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
2,2-Dichloropropane	ND	1.0	1		Ethanol	ND	100	1	
1,1-Dichloropropene	ND	1.0	1						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	96	74-140		1,2-Dichloroethane-d4	108	74-146	
Toluene-d8	95	88-112		1,4-Bromofluorobenzene	92	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received:	10/07/05
Work Order No:	05-10-0450
Preparation:	EPA 5030B
Method:	EPA 8260B
Units:	ug/L

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW-104A-1005	05-10-0450-3	10/07/05	Aqueous	10/11/05	10/12/05	051011L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		c-1,3-Dichloropropene	ND	0.50	1	
Benzene	ND	0.50	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromobenzene	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		2-Hexanone	ND	10	1	
Bromodichloromethane	ND	1.0	1		Isopropylbenzene	ND	1.0	1	
Bromoform	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
Bromomethane	ND	10	1		Methylene Chloride	ND	10	1	
2-Butanone	ND	10	1		4-Methyl-2-Pentanone	ND	10	1	
n-Butylbenzene	ND	1.0	1		Naphthalene	ND	10	1	
sec-Butylbenzene	ND	1.0	1		n-Propylbenzene	ND	1.0	1	
tert-Butylbenzene	ND	1.0	1		Styrene	ND	1.0	1	
Carbon Disulfide	ND	10	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Carbon Tetrachloride	ND	0.50	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Tetrachloroethene	ND	1.0	1	
Chloroethane	ND	1.0	1		Toluene	ND	1.0	1	
Chloroform	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Chloromethane	ND	10	1		1,2,4-Trichlorobenzene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		1,1,1-Trichloroethane	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromochloromethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		Trichloroethene	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
1,2-Dichlorobenzene	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,4-Dichlorobenzene	ND	1.0	1		Vinyl Acetate	ND	10	1	
Dichlorodifluoromethane	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
1,1-Dichloroethane	ND	1.0	1		p/m-Xylene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		o-Xylene	ND	1.0	1	
1,1-Dichloroethene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
c-1,2-Dichloroethene	3.4	1.0	1		Tert-Butyl Alcohol (TBA)	83	10	1	
t-1,2-Dichloroethene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
1,2-Dichloropropane	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
1,3-Dichloropropane	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
2,2-Dichloropropane	ND	1.0	1		Ethanol	ND	100	1	
1,1-Dichloropropene	ND	1.0	1						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	98	74-140		1,2-Dichloroethane-d4	108	74-146	
Toluene-d8	98	88-112		1,4-Bromofluorobenzene	94	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received:	10/07/05
Work Order No:	05-10-0450
Preparation:	EPA 5030B
Method:	EPA 8260B
Units:	ug/L

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
MW-201-1005	05-10-0450-4	10/07/05	Aqueous	10/10/05	10/10/05	051010L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	93	50	5		c-1,3-Dichloropropene	ND	2.5	5	
Benzene	740	2	5		t-1,3-Dichloropropene	ND	2.5	5	
Bromobenzene	ND	5.0	5		Ethylbenzene	470	5	5	
Bromochloromethane	ND	5.0	5		2-Hexanone	ND	50	5	
Bromodichloromethane	ND	5.0	5		Isopropylbenzene	85	5	5	
Bromoform	ND	5.0	5		p-Isopropyltoluene	21	5	5	
Bromomethane	ND	50	5		Methylene Chloride	ND	50	5	
2-Butanone	ND	50	5		4-Methyl-2-Pentanone	ND	50	5	
n-Butylbenzene	15	5	5		Naphthalene	120	50	5	
sec-Butylbenzene	16	5	5		n-Propylbenzene	86	5	5	
tert-Butylbenzene	ND	5.0	5		Styrene	ND	5.0	5	
Carbon Disulfide	ND	50	5		1,1,1,2-Tetrachloroethane	ND	5.0	5	
Carbon Tetrachloride	ND	2.5	5		1,1,2,2-Tetrachloroethane	ND	5.0	5	
Chlorobenzene	ND	5.0	5		Tetrachloroethene	ND	5.0	5	
Chloroethane	ND	5.0	5		Toluene	37	5	5	
Chloroform	ND	5.0	5		1,2,3-Trichlorobenzene	ND	5.0	5	
Chloromethane	ND	50	5		1,2,4-Trichlorobenzene	ND	5.0	5	
2-Chlorotoluene	ND	5.0	5		1,1,1-Trichloroethane	ND	5.0	5	
4-Chlorotoluene	ND	5.0	5		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	50	5	
Dibromochloromethane	ND	5.0	5		1,1,2-Trichloroethane	ND	5.0	5	
1,2-Dibromo-3-Chloropropane	ND	25	5		Trichloroethene	ND	5.0	5	
1,2-Dibromoethane	ND	5.0	5		Trichlorofluoromethane	ND	50	5	
Dibromomethane	ND	5.0	5		1,2,3-Trichloropropane	ND	25	5	
1,2-Dichlorobenzene	ND	5.0	5		1,2,4-Trimethylbenzene	33	5	5	
1,3-Dichlorobenzene	ND	5.0	5		1,3,5-Trimethylbenzene	16	5	5	
1,4-Dichlorobenzene	ND	5.0	5		Vinyl Acetate	ND	50	5	
Dichlorodifluoromethane	ND	5.0	5		Vinyl Chloride	ND	2.5	5	
1,1-Dichloroethane	ND	5.0	5		p/m-Xylene	73	5	5	
1,2-Dichloroethane	34	2	5		o-Xylene	18	5	5	
1,1-Dichloroethene	ND	5.0	5		Methyl-t-Butyl Ether (MTBE)	ND	5.0	5	
c-1,2-Dichloroethene	49	5	5		Tert-Butyl Alcohol (TBA)	130	50	5	
t-1,2-Dichloroethene	ND	5.0	5		Diisopropyl Ether (DIPE)	ND	10	5	
1,2-Dichloropropane	ND	5.0	5		Ethyl-t-Butyl Ether (ETBE)	ND	10	5	
1,3-Dichloropropane	ND	5.0	5		Tert-Amyl-Methyl Ether (TAME)	ND	10	5	
2,2-Dichloropropane	ND	5.0	5		Ethanol	ND	500	5	
1,1-Dichloropropene	ND	5.0	5						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	94	74-140		1,2-Dichloroethane-d4	99	74-146	
Toluene-d8	100	88-112		1,4-Bromofluorobenzene	95	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

ACCREDITED IN ACCORDANCE WITH nelac

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received:	10/07/05
Work Order No:	05-10-0450
Preparation:	EPA 5030B
Method:	EPA 8260B
Units:	ug/L

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
W-7-1005	05-10-0450-5	10/07/05	Aqueous	10/11/05	10/12/05	051011L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		c-1,3-Dichloropropene	ND	0.50	1	
Benzene	ND	0.50	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromobenzene	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		2-Hexanone	ND	10	1	
Bromodichloromethane	ND	1.0	1		Isopropylbenzene	ND	1.0	1	
Bromoform	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
Bromomethane	ND	10	1		Methylene Chloride	ND	10	1	
2-Butanone	ND	10	1		4-Methyl-2-Pentanone	ND	10	1	
n-Butylbenzene	ND	1.0	1		Naphthalene	ND	10	1	
sec-Butylbenzene	ND	1.0	1		n-Propylbenzene	ND	1.0	1	
tert-Butylbenzene	ND	1.0	1		Styrene	ND	1.0	1	
Carbon Disulfide	ND	10	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Carbon Tetrachloride	ND	0.50	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Tetrachloroethene	ND	1.0	1	
Chloroethane	ND	1.0	1		Toluene	ND	1.0	1	
Chloroform	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Chloromethane	ND	10	1		1,2,4-Trichlorobenzene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		1,1,1-Trichloroethane	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromochloromethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		Trichloroethene	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
1,2-Dichlorobenzene	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,4-Dichlorobenzene	ND	1.0	1		Vinyl Acetate	ND	10	1	
Dichlorodifluoromethane	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
1,1-Dichloroethane	ND	1.0	1		p/m-Xylene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		o-Xylene	ND	1.0	1	
1,1-Dichloroethene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
c-1,2-Dichloroethene	ND	1.0	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
t-1,2-Dichloroethene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
1,2-Dichloropropane	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
1,3-Dichloropropane	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
2,2-Dichloropropane	ND	1.0	1		Ethanol	ND	100	1	
1,1-Dichloropropene	ND	1.0	1						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	97	74-140		1,2-Dichloroethane-d4	107	74-146	
Toluene-d8	99	88-112		1,4-Bromofluorobenzene	96	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.		Date Received:	10/07/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0450
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	**099-10-006-15,935**	**N/A**	**Aqueous**	**10/10/05**	**10/10/05**	**051010L01**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		c-1,3-Dichloropropene	ND	0.50	1	
Benzene	ND	0.50	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromobenzene	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		2-Hexanone	ND	10	1	
Bromodichloromethane	ND	1.0	1		Isopropylbenzene	ND	1.0	1	
Bromoform	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
Bromomethane	ND	10	1		Methylene Chloride	ND	10	1	
2-Butanone	ND	10	1		4-Methyl-2-Pentanone	ND	10	1	
n-Butylbenzene	ND	1.0	1		Naphthalene	ND	10	1	
sec-Butylbenzene	ND	1.0	1		n-Propylbenzene	ND	1.0	1	
tert-Butylbenzene	ND	1.0	1		Styrene	ND	1.0	1	
Carbon Disulfide	ND	10	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Carbon Tetrachloride	ND	0.50	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Tetrachloroethene	ND	1.0	1	
Chloroethane	ND	1.0	1		Toluene	ND	1.0	1	
Chloroform	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Chloromethane	ND	10	1		1,2,4-Trichlorobenzene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		1,1,1-Trichloroethane	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromochloromethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		Trichloroethene	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
1,2-Dichlorobenzene	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,4-Dichlorobenzene	ND	1.0	1		Vinyl Acetate	ND	10	1	
Dichlorodifluoromethane	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
1,1-Dichloroethane	ND	1.0	1		p/m-Xylene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		o-Xylene	ND	1.0	1	
1,1-Dichloroethene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
c-1,2-Dichloroethene	ND	1.0	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
t-1,2-Dichloroethene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
1,2-Dichloropropane	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
1,3-Dichloropropane	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
2,2-Dichloropropane	ND	1.0	1		Ethanol	ND	100	1	
1,1-Dichloropropene	ND	1.0	1						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	97	74-140		1,2-Dichloroethane-d4	104	74-146	
Toluene-d8	99	88-112		1,4-Bromofluorobenzene	95	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.		Date Received:	10/07/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0450
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	EPA 8260B
		Units:	ug/L

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix	Date Prepared	Date Analyzed	QC Batch ID
Method Blank	**099-10-006-15,949**	**N/A**	**Aqueous**	**10/11/05**	**10/12/05**	**051011L02**

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Acetone	ND	10	1		c-1,3-Dichloropropene	ND	0.50	1	
Benzene	ND	0.50	1		t-1,3-Dichloropropene	ND	0.50	1	
Bromobenzene	ND	1.0	1		Ethylbenzene	ND	1.0	1	
Bromochloromethane	ND	1.0	1		2-Hexanone	ND	10	1	
Bromodichloromethane	ND	1.0	1		Isopropylbenzene	ND	1.0	1	
Bromoform	ND	1.0	1		p-Isopropyltoluene	ND	1.0	1	
Bromomethane	ND	10	1		Methylene Chloride	ND	10	1	
2-Butanone	ND	10	1		4-Methyl-2-Pentanone	ND	10	1	
n-Butylbenzene	ND	1.0	1		Naphthalene	ND	10	1	
sec-Butylbenzene	ND	1.0	1		n-Propylbenzene	ND	1.0	1	
tert-Butylbenzene	ND	1.0	1		Styrene	ND	1.0	1	
Carbon Disulfide	ND	10	1		1,1,1,2-Tetrachloroethane	ND	1.0	1	
Carbon Tetrachloride	ND	0.50	1		1,1,2,2-Tetrachloroethane	ND	1.0	1	
Chlorobenzene	ND	1.0	1		Tetrachloroethene	ND	1.0	1	
Chloroethane	ND	1.0	1		Toluene	ND	1.0	1	
Chloroform	ND	1.0	1		1,2,3-Trichlorobenzene	ND	1.0	1	
Chloromethane	ND	10	1		1,2,4-Trichlorobenzene	ND	1.0	1	
2-Chlorotoluene	ND	1.0	1		1,1,1-Trichloroethane	ND	1.0	1	
4-Chlorotoluene	ND	1.0	1		1,1,2-Trichloro-1,2,2-Trifluoroethane	ND	10	1	
Dibromochloromethane	ND	1.0	1		1,1,2-Trichloroethane	ND	1.0	1	
1,2-Dibromo-3-Chloropropane	ND	5.0	1		Trichloroethene	ND	1.0	1	
1,2-Dibromoethane	ND	1.0	1		Trichlorofluoromethane	ND	10	1	
Dibromomethane	ND	1.0	1		1,2,3-Trichloropropane	ND	5.0	1	
1,2-Dichlorobenzene	ND	1.0	1		1,2,4-Trimethylbenzene	ND	1.0	1	
1,3-Dichlorobenzene	ND	1.0	1		1,3,5-Trimethylbenzene	ND	1.0	1	
1,4-Dichlorobenzene	ND	1.0	1		Vinyl Acetate	ND	10	1	
Dichlorodifluoromethane	ND	1.0	1		Vinyl Chloride	ND	0.50	1	
1,1-Dichloroethane	ND	1.0	1		p/m-Xylene	ND	1.0	1	
1,2-Dichloroethane	ND	0.50	1		o-Xylene	ND	1.0	1	
1,1-Dichloroethene	ND	1.0	1		Methyl-t-Butyl Ether (MTBE)	ND	1.0	1	
c-1,2-Dichloroethene	ND	1.0	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
t-1,2-Dichloroethene	ND	1.0	1		Diisopropyl Ether (DIPE)	ND	2.0	1	
1,2-Dichloropropane	ND	1.0	1		Ethyl-t-Butyl Ether (ETBE)	ND	2.0	1	
1,3-Dichloropropane	ND	1.0	1		Tert-Amyl-Methyl Ether (TAME)	ND	2.0	1	
2,2-Dichloropropane	ND	1.0	1		Ethanol	ND	100	1	
1,1-Dichloropropene	ND	1.0	1						

Surrogates:	REC (%)	Control Limits	Qual	Surrogates:	REC (%)	Control Limits	Qual
Dibromofluoromethane	95	74-140		1,2-Dichloroethane-d4	105	74-146	
Toluene-d8	98	88-112		1,4-Bromofluorobenzene	93	74-110	

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received: 10/07/05
Work Order No: 05-10-0450

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix
MW-204-1005	05-10-0450-1	10/07/05	Aqueous

Parameter	Result	RL	DF	Qual	Units	Date Prepared	Date Analyzed	Method
Chromium, Hexavalent	ND	1.0	1		ug/L	N/A	10/07/05	EPA 7199

MW-104A-1005	05-10-0450-3	10/07/05	Aqueous

Parameter	Result	RL	DF	Qual	Units	Date Prepared	Date Analyzed	Method
Nitrate (as N)	ND	0.10	1		mg/L	N/A	10/07/05	EPA 353.3/354.1
Sulfate	89	10	5		mg/L	N/A	10/14/05	EPA 375.4
Chromium, Hexavalent	ND	1.0	1		ug/L	N/A	10/07/05	EPA 7199
Alkalinity, Total (as CaCO3)	570	5.0	1		mg/L	N/A	10/13/05	SM 2320B
Iron (II)	ND	0.10	1		mg/L	N/A	10/07/05	SM3500-FeD

MW-201-1005	05-10-0450-4	10/07/05	Aqueous

Parameter	Result	RL	DF	Qual	Units	Date Prepared	Date Analyzed	Method
Chromium, Hexavalent	ND	1.0	1		ug/L	N/A	10/07/05	EPA 7199

W-7-1005	05-10-0450-5	10/07/05	Aqueous

Parameter	Result	RL	DF	Qual	Units	Date Prepared	Date Analyzed	Method
Chromium, Hexavalent	ND	1.0	1		ug/L	N/A	10/07/05	EPA 7199

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Analytical Report

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received: 10/07/05
Work Order No: 05-10-0450

Project: CENCO

Client Sample Number	Lab Sample Number	Date Collected	Matrix
Method Blank		**N/A**	**Aqueous**

Parameter	Result	RL	DF	Qual	Units	Date Prepared	Date Analyzed	Method
Nitrate (as N)	ND	0.10	1		mg/L	N/A	10/07/05	EPA 353.3/354.1
Sulfate	ND	2.0	1		mg/L	N/A	10/14/05	EPA 375.4
Chromium, Hexavalent	ND	1.0	1		ug/L	N/A	10/07/05	EPA 7199
Iron (II)	ND	0.10	1		mg/L	N/A	10/07/05	SM3500-FeD

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Blasland, Bouck & Lee, Inc.		Date Received:	10/07/05
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0450
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	DHS LUFT

Project CENCO

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
05-10-0462-2	Aqueous	GC 29	10/12/05	10/12/05	051012S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	100	100	70-112	0	0-17	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received:	10/07/05
Work Order No:	05-10-0450
Preparation:	EPA 5030B
Method:	EPA 8260B

Project CENCO

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
05-10-0394-2	Aqueous	GC/MS S	10/10/05	10/10/05	051010S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	102	104	88-118	2	0-7	
Carbon Tetrachloride	93	97	67-145	5	0-11	
Chlorobenzene	97	101	88-118	4	0-7	
1,2-Dichlorobenzene	94	98	86-116	5	0-8	
1,1-Dichloroethene	99	102	70-130	3	0-25	
Toluene	97	101	87-123	4	0-8	
Trichloroethene	98	99	79-127	1	0-10	
Vinyl Chloride	91	93	69-129	2	0-13	
Methyl-t-Butyl Ether (MTBE)	95	98	71-131	3	0-13	
Tert-Butyl Alcohol (TBA)	92	99	36-168	8	0-45	
Diisopropyl Ether (DIPE)	98	101	81-123	3	0-9	
Ethyl-t-Butyl Ether (ETBE)	97	96	72-126	0	0-12	
Tert-Amyl-Methyl Ether (TAME)	101	103	72-126	2	0-12	
Ethanol	76	79	53-149	4	0-31	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received:	10/07/05
Work Order No:	05-10-0450
Preparation:	EPA 5030B
Method:	EPA 8260B

Project CENCO

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
05-10-0397-3	Aqueous	GC/MS S	10/11/05	10/12/05	051011S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	107	107	88-118	0	0-7	
Carbon Tetrachloride	97	94	67-145	3	0-11	
Chlorobenzene	100	98	88-118	2	0-7	
1,2-Dichlorobenzene	96	95	86-116	1	0-8	
1,1-Dichloroethene	104	104	70-130	0	0-25	
Toluene	102	102	87-123	0	0-8	
Trichloroethene	102	102	79-127	0	0-10	
Vinyl Chloride	98	97	69-129	1	0-13	
Methyl-t-Butyl Ether (MTBE)	100	99	71-131	1	0-13	
Tert-Butyl Alcohol (TBA)	102	105	36-168	4	0-45	
Diisopropyl Ether (DIPE)	106	105	81-123	2	0-9	
Ethyl-t-Butyl Ether (ETBE)	98	96	72-126	1	0-12	
Tert-Amyl-Methyl Ether (TAME)	99	101	72-126	3	0-12	
Ethanol	86	89	53-149	4	0-31	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Spike/Spike Duplicate

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received: N/A
Work Order No: 05-10-0450

Project: CENCO

Matrix: Aqueous

Parameter	Method	Quality Control Sample ID	Date Analyzed	Date Extracted	MS% REC	MSD % REC	%REC CL	RPD	RPD CL	Qualifiers
Sulfate	EPA 375.4	MW-104A-1005	10/14/05	N/A	78	80	70-130	1	0-25	
Chromium, Hexavalent	EPA 7199	05-10-0406-1	10/07/05	N/A	104	104	70-130	0	0-25	
Nitrate (as N)	EPA 353.3/354.1	MW-104A-1005	10/07/05	N/A	106	108	70-130	2	0-25	
Iron (II)	SM3500-FeD	MW-104A-1005	10/07/05	N/A	105	102	70-130	3	0-25	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Duplicate

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received: N/A
Work Order No: 05-10-0450

Project: CENCO

Matrix: Aqueous

Parameter	Method	QC Sample ID	Date Analyzed	Sample Conc	DUP Conc	RPD	RPD CL	Qualifiers
Alkalinity, Total (as CaCO3)	SM 2320B	MW-104A-1005	10/13/05	570	580	0	0-25	
Bicarbonate (as CaCO3)	SM 2320B	MW-104A-1005	10/13/05	570	580	2	0-25	
Carbonate (as CaCO3)	SM 2320B	MW-104A-1005	10/13/05	ND	ND	NA	0-25	
Hydroxide (as CaCO3)	SM 2320B	MW-104A-1005	10/13/05	ND	ND	NA	0-25	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received: N/A
Work Order No: 05-10-0450
Preparation: N/A
Method: RSK-175M

Project: CENCO

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-010-1,130	Aqueous	GC 14	N/A	10/12/05	051012L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Methane	97	96	79-109	2	0-20	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Blasland, Bouck & Lee, Inc.		Date Received:	N/A
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0450
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	DHS LUFT

Project: CENCO

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
098-03-006-7,661	Aqueous	GC 29	10/12/05	10/12/05	051012B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
TPH as Gasoline	106	105	72-114	1	0-10	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Blasland, Bouck & Lee, Inc.		Date Received:	N/A
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0450
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	EPA 8260B

Project: CENCO

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-15,935	Aqueous	GC/MS S	10/10/05	10/10/05	051010L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	105	104	84-120	0	0-8	
Carbon Tetrachloride	99	98	63-147	1	0-10	
Chlorobenzene	101	102	89-119	1	0-7	
1,2-Dichlorobenzene	100	99	89-119	1	0-9	
1,1-Dichloroethene	105	106	77-125	1	0-16	
Toluene	101	102	83-125	1	0-9	
Trichloroethene	101	101	89-119	1	0-8	
Vinyl Chloride	100	100	63-135	0	0-13	
Methyl-t-Butyl Ether (MTBE)	97	98	82-118	1	0-13	
Tert-Butyl Alcohol (TBA)	81	86	46-154	5	0-32	
Diisopropyl Ether (DIPE)	102	102	81-123	0	0-11	
Ethyl-t-Butyl Ether (ETBE)	96	99	74-122	3	0-12	
Tert-Amyl-Methyl Ether (TAME)	99	103	76-124	4	0-10	
Ethanol	82	86	60-138	5	0-32	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Blasland, Bouck & Lee, Inc.		Date Received:	N/A
2600 Michelson Drive, Suite 830		Work Order No:	05-10-0450
Irvine, CA 92612-6520		Preparation:	EPA 5030B
		Method:	EPA 8260B

Project: CENCO

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-10-006-15,949	Aqueous	GC/MS S	10/11/05	10/12/05	051011L02

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	108	108	84-120	0	0-8	
Carbon Tetrachloride	97	97	63-147	1	0-10	
Chlorobenzene	102	101	89-119	1	0-7	
1,2-Dichlorobenzene	99	99	89-119	1	0-9	
1,1-Dichloroethene	106	103	77-125	3	0-16	
Toluene	103	102	83-125	1	0-9	
Trichloroethene	103	102	89-119	0	0-8	
Vinyl Chloride	98	97	63-135	1	0-13	
Methyl-t-Butyl Ether (MTBE)	100	99	82-118	1	0-13	
Tert-Butyl Alcohol (TBA)	91	91	46-154	0	0-32	
Diisopropyl Ether (DIPE)	106	105	81-123	1	0-11	
Ethyl-t-Butyl Ether (ETBE)	99	104	74-122	5	0-12	
Tert-Amyl-Methyl Ether (TAME)	105	109	76-124	4	0-10	
Ethanol	85	79	60-138	8	0-32	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - LCS/LCS Duplicate

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received: N/A
Work Order No: 05-10-0450

Project: CENCO

Matrix: Aqueous

Parameter	Method	Quality Control Sample ID	Date Extracted	Date Analyzed	LCS % REC	LCSD % REC	%REC CL	RPD	RPD CL	Qual
Chromium, Hexavalent	EPA 7199	099-05-123-1,569	N/A	10/07/05	101	100	80-120	2	0-20	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Quality Control - Laboratory Control Sample

Blasland, Bouck & Lee, Inc.
2600 Michelson Drive, Suite 830
Irvine, CA 92612-6520

Date Received: N/A
Work Order No: 05-10-0450

Project: CENCO

Matrix : Aqueous

Parameter	Method	Quality Control Sample ID	Date Analyzed	Date Extracted	Conc Added	Conc Recovered	LCS %Rec	%Rec CL	Qualifiers
Sulfate	EPA 375.4	099-05-091-1,279	10/14/05	N/A	20	19	97	80-120	
Nitrate (as N)	EPA 353.3/354.1	099-04-011-344	10/07/05	N/A	0.50	0.50	100	80-120	
Iron (II)	SM3500-FeD	099-05-111-2,079	10/07/05	N/A	1.0	1.0	104	80-120	

RPD - Relative Percent Difference , CL - Control Limit

Calscience Environmental Laboratories, Inc.

Glossary of Terms and Qualifiers

Work Order Number: 05-10-0450

Qualifier	Definition
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike or Matrix Spike Duplicate compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.

CALSCIENCE ENVIRONMENTAL LABORATORIES, INC.
7440 LINCOLN WAY
GARDEN GROVE, CA 92841-1427
TEL: (714) 895-5494 • FAX: (714) 894-7501

CHAIN OF CUSTODY RECORD

Date _____

Page 1 of 1

LABORATORY CLIENT: BLASLAND, BOUCK, & LEE, INC.
ADDRESS: 2600 MICHELSON DRIVE SUITE 830
CITY: IRVINE STATE: CA ZIP: 92612
TEL: 949-474-9052 FAX: 949-474-9345 E-MAIL:

CLIENT PROJECT NAME / NUMBER: CENCO
PROJECT CONTACT: JENNIFER WILEY
SAMPLER(S): (SIGNATURE) [signature]
COELT LOG CODE
P.O. NO.: 54202.001
LAB USE ONLY: 05-0460
COOLER RECEIPT TEMP = °C

TURNAROUND TIME: ☐ SAME DAY ☐ 24 HR ☐ 48 HR ☐ 72 HR ☒ 5 DAYS (STANDARD) ☐ 10 DAYS

SPECIAL REQUIREMENTS (ADDITIONAL COSTS MAY APPLY): ☐ RWQCB REPORTING FORMS ☐ COELT EDF ☐ _____

SPECIAL INSTRUCTIONS:

REQUESTED ANALYSES

LAB USE ONLY	SAMPLE ID	FIELD POINT NAME (FOR COELT EDF)	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT.	TPH (G)	TPH (D) or	BTEX / MTBE (8260B) or	OXYGENATES (8260B)	VOCs (8260B)	5035 ENCORE PREP	SVOCs (8270C)	PEST (8081A)	PCBs (8082)	CAC, T22 METALS (6010B) / 747	PNAs (8310) or (8270C)	VOCs (TO-14A) or (TO-15)	TPH(G) (TO-3M)	Cr6 (7199)	FERROUS IRON (3500)	NITRATE (352.1)	SULFATE (375.4)	ALKALINITY (310.1)	METHANE (RSK 175M)
1	MW-204-1005		10/7/05	0835	GW	7	X			X	X									X					
2	TB1007-05		9/29/05	0710	W	2	X			X	X														
3	MW-104A-1005		10/7/05	1100	GW	10	X			X	X									X	X	X	X	X	X
4	MW-201-1005		10/7/05	1030	GW	7	X			X	X									X					
5	~~MW~~ W-7-1005		10/7/05	1450	GW	7	X			X	X									X					

Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Date:	Time:
[signature]	10/7/05	1530	[signature]	10/7/05	1530
[signature]			[signature]	10-7-05	1550
[signature]			Received for Laboratory by: (Signature) [signature]	10-7-05	1627

DISTRIBUTION: When with final report, Green to file, Yellow to Client.
Please note that pages 1 and 2 of 2 of our T/Cs are printed on the reverse side of the Green and Yellow copies respectively.

10/20/04 Revision

Q&Q Graphic 714-898-9702

Calscience Environmental Laboratories, Inc.

WORK ORDER #: 05 - 1D - 0450

Cooler 1 **of** 1

SAMPLE RECEIPT FORM

CLIENT: BBL **DATE:** 10-7-05

TEMPERATURE – SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

- ____ Chilled, cooler with temperature blank provided.
- ____ Chilled, cooler without temperature blank.
- ✓ Chilled and placed in cooler with wet ice.
- ____ Ambient and placed in cooler with wet ice.
- ____ Ambient temperature.

3.2 °C Temperature blank.

LABORATORY (Other than Calscience Courier):

- ____ °C Temperature blank.
- ____ °C IR thermometer.
- ____ Ambient temperature.

Initial: WB

CUSTODY SEAL INTACT:

Sample(s): ____ Cooler: ____ No (Not Intact) : ____ Not Applicable (N/A): ✓

Initial: WB

SAMPLE CONDITION:

	Yes	No	N/A
Chain-Of-Custody document(s) received with samples	✓		
Sample container label(s) consistent with custody papers	✓		
Sample container(s) intact and good condition	✓		
Correct containers for analyses requested	✓		
Proper preservation noted on sample label(s)	✓		
VOA vial(s) free of headspace.	✓		
Tedlar bag(s) free of condensation			✓

Initial: WB

COMMENTS:

Appendix C

Historical Groundwater Analytical Results

BBL®
BLASLAND, BOUCK & LEE, INC.
engineers, scientists, economists