POOR LEGIBILITY

ONE OR MORE PAGES IN THIS DOCUMENT ARE DIFFICULT TO READ
DUE TO THE QUALITY OF THE ORIGINAL

SEMS-RM DOCID # 1164733

ADVANCED Technology LABORATORIES
A DIVISION OF AMERICAN-Standard

369 WHISMAN ROAD
MOUNTAIN VIEW, CALIFORNIA
YOkame 8-4461

RECEIVED
MAR 22 1960
City of
Dept. of Public Works

March 18, 1960

Mr. A. M. McKinnon
Director of Public Works
City Hall
Mountain View, California

Dear Mr. McKinnon:

We wish to thank you for the opportunity of reviewing the draft of the proposed City ordinance in regard to regulating the discharge into the City's sanitary sewers. We are returning herewith a copy which you forwarded to us on which you will find notated our comments and suggestions.

We of course were particularly interested in Section 13 which deals with radioactive wastes. We find from our point of view your reference to the Atomic Energy Commission's recommendation for safe disposal of radioactive wastes covers the situation quite adequately.

If we can be of any further assistance on this or any other matters of a similar nature to your department, or other departments of City government, please feel free to call on us.

Yours very truly,

J. A. McEnroe, Jr.
Manager,
Manufacturing & Technical Services

JAM/ja

Incl (1)