POOR LEGIBILITY

ONE OR MORE PAGES IN THIS DOCUMENT ARE DIFFICULT TO READ
DUE TO THE QUALITY OF THE ORIGINAL

SEMS-RM DOCID # 1164939



BENCH MARK.

BRASS DISC SET IN TOP OF CURB AT CENTER OF NORTHEAST RETURN OF GLADYS AVENUE - EASY STREET INTERSECTION.

ELEV. 72.73 (CITY OF MOUNTAIN VIEW 1961 DATUM)

GENERAL NOTES:

1. All work & materials included in this contract shall be in accordance with the City of Mountain View, "Sanitary Sewer Installation - Detail Specification No. 31."
2. The Contractor shall not permit any water encountered in the excavation to flow into or be pumped into the sanitary sewer system.
3. The Contractor shall give the Engineer two working days' notice before commencing work.
4. The Contractor shall keep the City Police & Fire Departments informed daily regarding barricades & detours.
5. The Contractor shall leave an emergency phone number with the City Fire & Police Departments.
6. The Contractor shall furnish all barricades, lights, signs & flagmen necessary to control traffic & protect the public.
7. Flare pots shall be placed at excavations, barricades and as directed by the Engineer.
8. On completion of work, the Contractor shall remove all equipment, material & debris from the project &, in general, clean up the project to the satisfaction of the Engineer.
9. The Contractor shall notify Pacific Gas & Electric Co., & Pacific Telephone & Telegraph Co. prior to excavating near any of their facilities.
10. Grade staking & inspection will be done by the City of Mountain View.



As ~ Built MICROFILMED JAN 85

CITY OF MOUNTAIN VIEW, CALIFORNIA
DEPARTMENT OF PUBLIC WORKS

PROJECT 62-29
GLADYS AVENUE SEWER
MAIN EXTENSION

SCALE: HORIZ: 1"=40' VERT: 1"=2'	DATE: OCT. 1962	SHEET 1 OF 2	
DES. ANDERSON	APPROVED:		FIELD NOTES F.B. 62-2 P. 89-91
DR. ANDERSON	Blaine L. Hansen ASSIST. DIRECTOR OF PUBLIC WORKS		
CK. Sordell	10-11-62 DATE	11701 R.C.E. NO.	FILE NO. 1376-1
CK.			



STANDARD MANHOLE
(SHOWN WITH DROP CONNECTION)



TRENCH BACKFILL



CLEANOUT DETAIL



PLAN- FRAME & COVER



SECTION



COVER BOTTOM VIEW

NOTE:
BOTTOM RIM OF COVER & SEAT OF FRAME SHALL BE MACHINED TO FORM A CLOSE FIT FREE FROM WOBBLE. COMBINED WEIGHT OF COVER & FRAME SHALL EXCEED 330 LBS.



MANHOLE FRAME & COVER DETAIL



"DEEP SEWER RISER" SHALL BE CONSTUCTED WHEN DEPTH OF SEWER FLOW LINE EXCEEDS 10' BELOW CROWN OF STREET.

6" V.C.P. DEEP SEWER RISER



TYPICAL CURVED MANHOLE



TYPICAL MANHOLE WITH 2 BRANCHES

NOTE:
THE TOP HALF OF THE PIPE SHALL BE REMOVED TO THE CONTOUR OF THE INSIDE OF THE MANHOLE & THE BROKEN EDGES SHALL BE PLASTERED SMOOTH WITH CEMENT GROUT. TYPICAL FOR ALL MANHOLES.



TYPICAL MANHOLE WITH 1 BRANCH



TYPICAL STRAIGHT THROUGH MANHOLE

STANDARD MANHOLE SECTIONS



2"X2"X3' REDWOOD STAKE SET FLUSH WITH GROUND IF IN DRIVEWAYS OR 6" ABOVE GROUND IF PROJECTION IS NOT OBJECTIONABLE OR DANGEROUS

NOTE: STAMP "S" IN CURB FACE TO SHOW POSITION OF SERVICE.

SEWER SERVICE DETAIL

PROJECT 62-29
GLADYS AVE. SEWER MAIN EXTENSION

MICROFILMED JAN 85

NO.	REVISION	DATE	DRW.	CK.
4	-REVISED "DROP CONNECTION" NOTE	8-3-62	AHA.	
3	ADDED NOTE: "STAMP 'S' IN ... SERVICE" REMOVED "BACK OF SIDEWALK"	3-26-62	AHA	
2	TRACED & REDRAWN FROM ORIGINAL	2/6/61	M.L.F.	W.E.S.
1	ADDED DEEP SEWER RISER	2/10/60	B.M.H.	W.E.S.

CITY OF MOUNTAIN VIEW, CALIFORNIA
DEPARTMENT OF PUBLIC WORKS

STANDARD SEWER DETAILS

SCALE: NONE | DATE: FEB. 6, 1961 | SHEET 2 OF 2

DES. YOUNG
DR. JDW
CK. YOUNG
CK.

APPROVED: Blaine L. Harrison, ASST. DIRECTOR OF PUBLIC WORKS
DATE: 2-6-61 | R.C.E. NO. 11701

FIELD NOTES

FILE NO. 1376-2

Speed #9