POOR LEGIBILITY

ONE OR MORE PAGES IN THIS DOCUMENT ARE DIFFICULT TO READ
DUE TO THE QUALITY OF THE ORIGINAL

SFUND RECORDS CTR
2064441

Site Assessment Report
Volume 1

1451 Magnolia Avenue and Vicinity
Corona, Calfornia

Prepared for:

Mr. Jeff Bennett
Corona Services Park
3125 West 5th Street
Santa Ana, CA 92705

Submitted to:

Ms. Janet Yocum
U.S. Environmental Protection Agency, Region 9
75 Hawthorne Street
Mail Code SFD92
San Francisco, CA 94105

Prepared by:

RECON, L.P.
1101 California Ave., Suite 100
Corona, CA 92881

March 10, 2005

Volume 1 contains Main Report, Figures, Tables, and Appendices A-K. Refer to Volume 2 for Appendices L-Q, and Attachment A.

Site Assessment Report

1451 Magnolia Avenue and Vicinity
Corona, California

Prepared for:

Mr. Jeff Bennett
Corona Services Park
3125 West 5th Street
Santa Ana, CA 92705

Submitted to:

Ms. Janet Yocum
U.S. Environmental Protection Agency, Region 9
75 Hawthorne Street
Mail Code SFD92
San Francisco, CA 94105

Prepared By:

Remedial Construction Services, L.P.
1101 California Ave., Suite 100
Corona, CA 92881
March 10, 2005

REGISTERED ENVIRONMENTAL ASSESSOR
ROBERT R. LARTZ
No. 05391
Expires: 6/30/05
STATE OF CALIFORNIA

Prepared by:

Adam L. Julian
Project Environmental Scientist

Date: 3/10/05

Reviewed by:

Robert R. Lartz, R.E.A.
California Registered Environmental Assessor
R.E.A. No. 05391

Date: 3/10/05

RECON
Remedial Construction Services, Inc.

Transmittal Letter

To: Ms. Janet Yocum
U.S. Environmental Protection
Agency, Region 9
75 Hawthorne Street
Mail Code SFD92
San Francisco, CA 94105

Date: 3/24/2005

RE: Site Assessment Report
1451 Magnolia Avenue and Vicinity
Corona, California

We are forwarding to you herewith the following:

☐ Drawings ☐ Proposal ☐ Revised Proposal ☐ Information
☑ Report ☐ Invoice ☐ Change Order ☐ Other

Information submitted for:

☐ Your Approval ☑ Your Review ☐ Your Signature ☐ Your File
☐ To Be Returned ☑ Your Comment ☐ Remittance ☐ Other

Information submitted via:

☐ Facsimile ☐ U.S. Mail – 1st Class ☐ U.S. Mail – Certified
☐ Hand Delivery ☑ Overnight Courier ☐ Other

Remarks: Janet, please find attached the referenced report for your review. Please contact me with any questions.

By: _____
Robert R. Lartz, R.E.A.
Manager, West Coast Operations

1101 California Ave., Suite 100 • Corona, California 92881 • 909-272-2877, fax: 909-272-2825

TABLE OF CONTENTS

1. EXECUTIVE SUMMARY 1
2. INTRODUCTION 4
2.1 Site Description 4
2.2 Regional Physiographic Conditions 4
2.3 Groundwater Conditions 4
2.4 Geology 4
2.5 Objectives 5
2.6 Terms of Reference 5
2.7 Document Organization 5
3. BACKGROUND 6
4. PRE-FIELD ACTIVITIES 9
4.1 Health and Safety Plan 9
4.2 Preliminary Site Assessment Plan 9
4.3 Background Soil Sampling 10
5. FIELD ACTIVITIES 11
5.1 AOC A 11
5.2 AOC B 11
5.3 AOC C 12
5.4 AOC D – Median Area 12
5.5 AOC D Partial (Alley and Portion of Hoyt Transportation Yard) 13
5.6 AOC D Partial (portion of ARB Construction Yard) 14
5.7 AOC E 15
5.8 AOC F 15
6. CONCLUSIONS AND RECOMMENDATIONS 17
6.1 Conclusions 17
6.2 Recommendations 17
7. LIMITATIONS 18

LIST OF FIGURES

Figure 1 – Site Location Map
Figure 2 – AOC A
Figure 3 – AOC B
Figure 4 – AOC C
Figure 5 – AOC D (Median Area) and AOC E
Figure 6 – AOC D Partial (Alley and Hoyt Yard)
Figure 7 – AOC D Partial (ARB Yard)
Figure 8 – AOC F

LIST OF TABLES

Table 1	Summary of AOC A TPH Analytical Results
Table 2	Summary of AOC B TPH Analytical Results
Table 3	Summary of AOC C TPH Analytical Results
Table 4	Summary of AOC D (Median Area) TPH Analytical Results
Table 5	Summary of AOC "Partial" D (Alley/Hoyt Yard) TPH Analytical Results
Table 6	Summary of AOC "Partial" D (ARB Yard) TPH Analytical Results
Table 7	Summary of AOC E TPH Analytical Results
Table 8	Summary of AOC F TPH Analytical Results

LIST OF APPENDICES

Appendix A	Laboratory Reports - Soil Sample Characterization (SP-01 and SP-02)
Appendix B	Manifests/Weight Tickets for Soil Recycling
Appendix C	Laboratory Reports – Initial Liquid Samples LS-01-A, LS-01-B, and LS-01-C
Appendix D	Manifests/Shipping Documents – Heavy Oil Phase
Appendix E	Laboratory Reports – Secondary Liquid Samples CSP-001 and CSP-002
Appendix F	Manifests/Shipping Documents – Remaining Liquids, and SAWPA Temporary Discharge Permit
Appendix G	Drum Disposal Records and Corresponding Manifests/Shipping Documents
Appendix H	Laboratory Reports – Background Samples
Appendix I	Laboratory Reports, AOC A, Initial Samples
Appendix J	Laboratory Reports, AOC B, Initial Samples
Appendix J-1	Laboratory Reports, AOC B, Post Excavation Samples
Appendix K	Laboratory Reports, AOC C, Initial Samples
Appendix L	Laboratory Reports, AOC D (Median Area), Initial Samples
Appendix L-1	Laboratory Reports, AOC D (Median Area), Post Excavation Samples
Appendix M	Laboratory Reports, AOC D (Alley and Portion of Hoyt Yard), Initial Samples
Appendix N	Laboratory Reports, AOC D (Portion of ARB Yard), Initial Samples
Appendix N-1	Laboratory Reports, AOC D (Portion of ARB Yard), Post Excavation Samples
Appendix O	Laboratory Reports, AOC E, Initial Samples
Appendix O-1	Laboratory Reports, AOC E, Post Excavation Samples
Appendix P	Laboratory Reports, AOC F, Initial Samples
Appendix P-1	Laboratory Reports, AOC F, Post Excavation Samples
Appendix Q	Manifests/Shipping Documentation for Final Cleanup of Waste Debris

LIST OF ATTACHMENTS

Attachment A – Photographic Log

1. EXECUTIVE SUMMARY

Remedial Construction Services, L.P. (RECON), a California General A Engineering Contractor with Hazardous Substance Removal Action Certification, was retained by Corona Services Park (CSP) to assess potential chemical impacts on surficial soils from a fuel hydrocarbon release that had occurred at the former Advanced Fuel Filtration facility ("Site") located at 1451 Magnolia Avenue, in the City of Corona, California.

An unknown quantity of fuel hydrocarbons[1] was released from a tanker truck at the Site on or about January 4, 2005. Subsequent to the release, a series of storm events occurred, which led to the migration of impacted surface water toward the north/northwest leading toward the City of Corona storm drain system. On January 5, 2005, RECON performed an emergency response action following the fuel hydrocarbon release to contain the fuel spill, prevent migration of fuel toward surface waters, and remove visually impacted surficial soils, fuel hydrocarbons, liquids and impacted stormwater in coordination with and at the direction of the U.S. Environmental Protection Agency (EPA), the agency designated as the on-scene coordinator to direct the response to the spill and coordinate response activities with several state and local agencies. Stockpiled soil samples and liquid samples were collected to determine chemicals of concern (COCs) and establish baseline chemical data. Analytical data showed that the source of chemical impacts were total petroleum hydrocarbons (TPH) characterized in the kerosene/diesel range.

Six Areas of Concern (AOCs) on and adjacent to the Site were established based on the initial fuel release, and subsequent flow pathway due to stormwater flows. These AOCs were identified as:

- AOC A – located at the northeast corner of East Sixth Street and Radio Road.
- AOC B – located southeast of AOC A in the center median between East Sixth Street (westbound and eastbound lanes), extending east toward El Camino Road.
- AOC C – located on the south shoulder of East Sixth Street just east of Radio Road, extending east toward El Camino Road.
- AOC D which was separated into three unique areas: 1) AOC D (Median Area) defined as the median between East Sixth Street (westbound and eastbound lanes), extending from El Camino Road eastward toward Magnolia Avenue; 2) AOC DP referred to as the Alley and a portion of the Hoyt Yard. This area is defined as the southeast corner of the Hoyt Transportation facility and the western edge of the adjacent Alley; and 3) AOC ARB defined as the western portion of the ARB Yard.
- AOC E – located at the southeast corner of East Sixth Street and El Camino Road extending toward the east.
- AOC F – known as the "Site" and the Advanced Fuel Filtration facility.

[1] The U.S. Environmental Protection Agency (EPA) estimated that from 5,000 to 10,000 gallons of fuel were released.

The initial response action was focused on offsite areas, which included AOCs A, B, C, D (median area only), E, and containment activities.

During the initial response, approximately 78,000 gallons of liquids were collected and stored in Baker tanks. The majority of liquids, comprised primarily of stormwater with residual fuel hydrocarbons, were sampled to assess proper disposal. Based on the sample data, it was determined that the "free phase" hydrocarbons could be decanted and transported offsite as a nonRCRA hazardous waste, and the remaining water phase liquids were suitable for offsite disposal as nonhazardous waste.

In addition to the emergency response cleanup performed by RECON of the above mentioned AOCs, CSP requested that RECON manage approximately 700 drums that had been stored at AOC F. the Advance Fuel Filtration facility, located at 1451 Magnolia Avenue. Approximately 314 drums, which contained a variety of waste streams, were transported offsite for legal disposal, along with the documented recycling of approximately 400 empty drums. The removal of these drums commenced on January 14, 2005 and was completed on February 28, 2005. The tracking and documentation of the drum removal was performed under the supervision of Mr. Carl Fredericks, Jr. of RECON.

Subsequent to the initial response action, RECON prepared a Preliminary Site Assessment Plan (PSAP), dated January 17, 2005, which described the proposed means and methods to assess the potential chemical impacts of the spill, and to determine whether any subsequent removal action was warranted. The PSAP was reviewed and subsequently approved by the EPA on February 7, 2005 acting as the lead regulatory authority, on behalf of the governmental emergency response team.

Pursuant to the approved PSAP, a maximum soil cleanup action level of 1,000 milligrams per kilograms (mg/kg) average total TPH concentration was established for all AOCs. In accordance with the PSAP, the soil cleanup action level was calculated by averaging the sum total of all detectable TPH concentrations reported for a given AOC, divided by the total number of soil samples collected from that AOC. In addition to the above mentioned cleanup criterion, CSP agreed to remediate any discrete soil sample with a TPH concentration in the kerosene/diesel range greater than 1,000 mg/kg.

The PSAP required the assessment of areas which were likely to have been impacted by the initial fuel hydrocarbon release, and areas within the potential flow direction and pathways of impacted stormwater from the fuel release and subsequent storm events. Although TPH was the major constituent of concern, the PSAP also required testing for volatile organic compounds (VOCs). In addition, selected soil samples that exhibited elevated naphthalene concentrations were tested for semi-volatile organic compounds (SVOCs). The highest VOC detected in soil samples collected during the assessment phase was 1,2,4-Trimethylbenzene at 12.5 mg/kg (sample AOC B-03). This particular soil sample also exhibited elevated TPH concentrations (3,660 mg/kg TPH-kerosene) which was likely a contributing source of the 1,2,4-Trimethylbenzene. No other appreciable VOCs or SVOCs were observed throughout the sampling program; therefore, post-excavation confirmation samples were not tested for VOCs or SVOCs.

A total of 272 soil samples were collected during the sampling program (259 initial soil samples, and 13 post-excavation confirmation samples). Only 13 soil samples out of 259 soil samples

exceeded the soil cleanup action level imposed by the EPA, which equates to only 5% of the initial samples requiring any removal action. This would suggest that the initial response action was very effective in removing surficially impacted material and preventing subsequent migration.

This Site Assessment Report (Report) documents the removal of TPH impacted soil at concentrations greater than the soil cleanup action levels stated above, and presents relevant data collected during the site assessment activities.

Based on the findings of this Report, CSP requests that the EPA grant "No Further Action" status for the AOCs.

2. INTRODUCTION

2.1 Site Description

The primary Site is located at 1451 Magnolia Avenue, in the city of Corona, California. This Site, formerly known as the Advanced Fuel Filtration Systems, Inc. rental property is bounded by Magnolia Avenue to the south, and other industrial facilities to the east, west and north. Other areas adjacent to, but outside of the primary Site, which are described herein, are referred to as vicinity locations for reference purposes.

The primary Site is situated within a larger piece of property on approximately 8.9 acres which is owned by Corona Services Park. The primary Site is located in the southern portion of the property. The Site was leased by the tenant and operator, Advanced Fuel Filtration Systems, Inc., until September 1, 2004, at which time Grover Moss, successor-in-interest to operating stock of Advanced Fuel Filtration Systems, Inc., became the tenant and operator at the Site. (Refer to Figure 1 for the Site Location Map.)

2.2 Regional Physiographic Conditions

The Site and vicinity locations are generally flat, with a slight down gradient towards the northwest. Throughout the associated industrial areas, there is little to no vegetation, with surfaces predominantly covered with an asphalted surface layer. Along the East Sixth Street median, however, there is a slight amount of seasonal native grass vegetation, irrigated by rainwater.

2.3 Groundwater Conditions

According to the City of Corona, Department of Public Works, the depth to groundwater for the area, based on a monitoring well located 1¾ miles to the west is approximately 112 feet below ground surface.

2.4 Geology[2]

The Site is located approximately seventy-five feet north of the Temescal Wash, and approximately ¾ miles south of the Arlington Channel. The Temescal Wash and Arlington Channels converge and flow down gradient to the northwest and connect with the Santa Ana River. The Site and associated areas are underlain with sedimentary alluvium emanating from the Santa Ana Mountains, Cleveland National Forest, into an extensive alluvial fan complex that

[2] Reference: Geologic Map of the Corona South 7.5' Quadrangle, Riverside and Orange Counties, California. Edition: Version 1.0, Publish date: 2002, Issue Identification: USGS OFR 02-21.

underlies the Corona area and surrounding valleys. This alluvial fan complex includes sedimentary alluvium from both Pleistocene and Holocene age deposits.

2.5 Objectives

The objectives of this Report are to:

- Summarize prior response actions and removal activities;
- Summarize sampling and assessment-related activities which were conducted between January 04, 2005 and February 9, 2005;
- Provide documentation of sampling and assessment-related activities in accordance with the approved PSAP;
- Provide documentation of legal disposal of waste encountered; and,
- Present conclusions and recommendations based on analytical data and field observations.

2.6 Terms of Reference

This Site Assessment Report (Report) for the site (Site) and vicinity was prepared by Mr. Adam L. Julian, an environmental scientist with RECON, under the supervision of Mr. Robert R. Lartz, a California-registered Environmental Assessor (REA No. 05391). in accordance with the internal review policy of the firm. The findings or professional opinions were prepared in accordance with generally accepted professional engineering practices. If conditions are found to exist at the Site differing from those observed in this Report, the conclusions or recommendations made in this Report may not be valid. No warranty is expressed or implied.

2.7 Document Organization

The remainder of this document is organized as follows:

- Section 3 presents a brief description of the Site background
- Section 4 presents a brief description of pre-field activities implemented prior to the site assessment work
- Section 5 presents a discussion of Field Activities
- Section 6 presents Conclusions and Recommendations
- Section 7 presents Limitations

3. BACKGROUND

An unknown quantity of fuel hydrocarbons[3] was reportedly released from a tanker truck at the Site on or about January 4, 2005. Subsequent to the release, a series of storm events occurred, which led to the migration of impacted surface water toward the north/northwest City of Corona storm drain system. The operating manager of the Site's current tenant (at the time of the fuel release) initially took very limited action. Governmental agencies responding to the spill (EPA, Santa Ana Regional Water Quality Control Board, City of Corona Fire Department, and County of Riverside, Department of Environmental Health) (referred to as the "governmental agencies," or "the governmental emergency response team") directed a more comprehensive response action. Due to the urgency of response required to properly address the release in coordination with, and as directed by the governmental agencies, on January 4, 2005, CSP hired an environmental contractor, Advanced Environmental Services Inc. (AES) to work in coordination with the governmental emergency response team to contain and clean up the spill. When the response activities directed by the governmental agencies exceeded AES's capacity to respond, CSP hired RECON as the lead contractor to implement the containment and recovery of fuel hydrocarbons.

On January 5, 2005, RECON implemented an emergency response action in the AOC areas to remove visually impacted surficial soils, fuel hydrocarbons, liquids and impacted stormwater in coordination with and at the direction of the EPA, which was the agency designated as the on-scene coordinator for the governmental emergency response team. Stockpiled soil samples and liquid samples were collected to determine chemicals of concern (COCs) and establish baseline chemical data for the AOCs.

Preliminarily, AOCs were established based on visual observations of floating hydrocarbon product or oil sheen, based on stormwater flow direction after the fuel release.[4] (Refer to Figures 2 through 8 for approximate locations of AOCs.) These AOCs are identified and were approved by the EPA on behalf of the governmental emergency response team as follows:

- AOC A – located at the northeast corner of East Sixth Street and Radio Road.
- AOC B – located southeast of AOC A in the center median between East Sixth Street (westbound and eastbound lanes), extending east toward El Camino Road.
- AOC C – located on the south shoulder of East Sixth Street just east of Radio Road, extending east toward El Camino Road.
- AOC D which was separated into three unique areas: 1) AOC D (Median Area) defined as the median between East Sixth Street (westbound and eastbound lanes), extending from El Camino Road eastward toward Magnolia Avenue; 2) AOC DP referred to as the Alley and a portion of the Hoyt Yard. This area is defined as the southeast corner of the Hoyt Transportation facility and the western edge of the adjacent Alley; and 3) AOC ARB defined as the western portion of the ARB Yard.

[3] The U.S. Environmental Protection Agency (EPA) estimated that from 5,000 to 10,000 gallons of fuel were released.
[4] This task was somewhat complicated by an upstream discharge of petroleum hydrocarbons during the assessment period.

- AOC E – located at the southeast corner of East Sixth Street and El Camino Road extending toward the east.
- AOC F – known as the "Site" and the Advanced Fuel Filtration facility.

Approximately 350 cubic yards of visually impacted soils were excavated during the initial response action from AOCs A, B, C, portions of D (Median Area), and E, and temporarily stockpiled and contained at the location known as AOC F. The potentially impacted soils were placed on 6-mil plastic sheeting, and covered with 6-mil plastic sheeting. A perimeter berm was constructed around the stockpile area with sand bags, and the stockpile secured to prevent surface water run-on/runoff from encountering the potentially impacted soils. Stockpiled soil samples were subsequently collected (SP-01 and SP-02) for waste characterization and profiling purposes. (Refer to Appendix A for copies of the laboratory reports, QA/QC documentation, and chain-of-custody forms for soil samples SP-01 and SP-02.) The stockpiled soil was transported offsite for low-temperature thermal treatment in accordance with local, state and federal regulations (refer to Appendix B for a copy of the manifests and weight tickets).

Approximately 78,000 gallons of liquids were collected and stored in Baker tanks during the response action. The majority of liquids were comprised primarily of stormwater with residual fuel hydrocarbons. Initially, liquid samples of the heavy oil phase of the stored storm water were collected (LS-01-A, LS-01-B, and LS-01-C) for waste characterization and profiling purposes (refer to Appendix C for a copy of the laboratory reports, QA/QC documentation, and chain-of-custody forms for samples LS-01-A, LS-01-B, and LS-01-C).

Based on the sample data, it was determined that the "free phase" hydrocarbons could be decanted and transported offsite as a nonRCRA hazardous waste. The heavy oil phase was subsequently transported offsite for legal disposal in accordance with local, state and federal regulations (refer to Appendix D for a copy of the manifests and shipping documents for the heavy oil phase).

The remaining liquids were then sampled (CSP-001 and CSP-002) for waste characterization and profiling purposes. The samples were analyzed in accordance with Santa Ana Watershed Project Authority (SAWPA) discharge requirements for disposal at the Santa Ana Regional Interceptor (SARI). Refer to Appendix E for copies of the laboratory reports, QA/QC documentation, and chain-of-custody forms for the remaining liquid phase. The SAWPA subsequently approved the disposal of remaining liquids to the SARI, and the remaining liquids were subsequently transported for proper disposal. Refer to Appendix F for a copy of the manifests/shipping documents. Appendix also contains a copy of the temporary discharge permit.

Approximately 314 drums, which contained a variety of waste streams, were transported offsite for legal disposal based on waste classification, along with the documented recycling of approximately 400 empty drums. The removal of these drums commenced on

January 14, 2005 and was completed on February 28, 2005. The tracking and documentation of the drum removal was performed under the supervision of Mr. Carl Fredericks, Jr. of RECON. Appendix G contains a Drum Disposal Record prepared by EPA based on their inventory, along with a table summarizing the actual disposal and corresponding manifests or bills of lading.

4. PRE-FIELD ACTIVITIES

4.1 Health and Safety Plan

A site-specific Health and Safety Plan (HASP) was prepared for field activities in accordance with the following regulations and standards:

- CCR, Title 8, Subchapter 7. General Industry Safety Orders, Group 16. Control of Hazardous Substances, Article 109. Hazardous Substances and Processes, §5194. Hazard Communication (Appendices A-E)
- California Code of Regulations (CCR), Title 8, General Industry Safety Orders (GISO)
- CCR, Title 8, General Construction Safety Orders
- 29CFR 1910 – Hazardous Waste Operations and Emergency Response

The purpose of the HASP was to ensure that all safety issues were considered in the execution of the project, such that the health and safety of site personnel were not jeopardized. All RECON employees and subcontractors working on the project were required to review the HASP and indicate their understanding of the HASP by signing the acknowledgment section of the HASP.

The HASP outlined project personnel. individual responsibilities, anticipated hazards due to site work, appropriate personal protective equipment, and steps taken in the event of an emergency and other health and safety requirements necessary for this operation to be completed safely and in compliance with applicable regulations.

4.2 Preliminary Site Assessment Plan

RECON prepared a Preliminary Site Assessment Plan (PSAP), dated January 17, 2005, which described the proposed means and methods to assess the potential chemical impacts of the spill, and to determine whether any subsequent removal action was warranted. The PSAP was reviewed and subsequently approved by the EPA on February 7, 2005, acting as the on scene coordinator and lead regulatory authority on behalf of the governmental emergency response team.

The purpose of the investigation was to assess potential chemical impacts of the hydrocarbons release in soil within Areas of Concern (AOCs) identified by the governmental emergency response team (AOCs A-F), based on visual observations, field screening or areas believed to be within the potential flow direction and pathways of impacted stormwater from the fuel release and subsequent storm events.

The PSAP established a maximum soil cleanup action level of 1,000 milligrams per kilograms (mg/kg) average total TPH concentration. Pursuant to the PSAP, the soil cleanup action level was calculated by averaging the sum total of all detectable TPH concentrations reported for a given AOC, divided by the total number of soil samples collected from that AOC. In addition to the above

mentioned cleanup criterion, CSP agreed to remediate any soils in the area of a discrete soil sample with a TPH concentration in the kerosene/diesel range greater than 1,000 mg/kg.

Soil sample handling and sample collection procedures described below were conducted in general accordance with the PSAP.

4.3 Background Soil Sampling

On January 17, 2004, RECON collected background soil samples BG-01 through BG-07 from offsite locations in the vicinity of the Site to assess background concentrations of TPH and VOCs. The number, location and depth of these sample collection points were mutually agreed upon between the EPA and RECON during the sampling event. Soil samples were analyzed for TPH total hydrocarbon range in accordance with LUFT/EPA Method 8015 modified, and VOCs in accordance with EPA Method 8260B. TPH concentrations ranged from non-detect to 720 mg/kg. VOCs were non-detect with the exception of two samples (BG-04 and BG-05), which exhibited toluene at concentrations of 0.103 mg/kg and 0.089 mg/kg, respectively. The TPH data is summarized in the table below.

Background TPH Sample Data

Sample I.D.	Gasoline (C4-C10)	Kerosene (C8-C16)	Diesel (C10-C22)	Oil (C22-C35)
BG-01	ND	ND	ND	720
BG-02	ND	ND	ND	120
BG-03	ND	ND	ND	83
BG-04	ND	ND	ND	82
BG-05	ND	ND	ND	62
BG-06	ND	ND	ND	ND
BG-07	ND	ND	ND	ND

Note: Results reported in mg/kg.
ND = Not detected.

Figures 3 through 6 illustrate the approximate soil sample collection points for background samples. Refer to Appendix H for copies of the laboratory reports, QA/QC documentation, and chain-of-custody forms for background samples.

5. FIELD ACTIVITIES

The sections below describe sampling activities and additional removal actions for samples which exceeded the agreed upon soil cleanup action levels. Sampling activities were observed by EPA's oversight consultant Ecology and Environment, Inc. during the sampling episodes, and photographs were taken for reference purposes. A photographic log is presented as Attachment A.

5.1 AOC A

On January 19, 2005, a total of eighteen soil samples were collected at depths ranging from 3- to 4-inches below ground surface (bgs) from within this AOC, located at the northeast corner of East Sixth Street and Radio Road. The samples were collected subsequent to limited soil removal which occurred during the initial response action.

Based on the sample data, the highest observed VOC concentration in this AOC was toluene at 0.033 mg/kg in soil sample AOC-A-11. The average total TPH concentration across the entire AOC was 124.27 mg/kg. Therefore, no further action was required for this area.

Table 1 presents a summary of TPH analytical data. Figure 2 illustrates the soil sample collection points for this AOC. Appendix I presents the laboratory reports, QA/QC documentation, and chain of custody forms for initial soil samples collected.

5.2 AOC B

Between January 19 and 20, 2005, forty-one soil samples were collected at depths ranging from 3- to 4-inches bgs from within this AOC, located in the center median between East Sixth Street (westbound and eastbound lanes), extending roughly 730 linear feet east toward El Camino Road. The samples were collected subsequent to limited soil removal which occurred during the initial response action.

Based on the sample data, the highest observed VOC concentration in this AOC was 1,2,4-trimethybenzene at 12.5 mg/kg in soil sample AOC-B-03. The highest TPH kerosene/diesel range hydrocarbon was 3,660 mg/kg from soil sample AOC-B-03 collected at a depth of 3-inches bgs, thus requiring additional excavation in the area of the sample. The elevated VOC concentration corresponds to the highest TPH concentration which was removed as a result of the additional excavation. The average total TPH concentration across the entire AOC was 315.34 mg/kg.

On February 7, 2005, RECON re-excavated additional soil within proximity to sample AOC-B-03, located within a low spot of the AOC, and removed approximately four cubic yards of soil. Following excavation, a post-excavation soil sample (AOC-B-03B) was collected at an approximate depth of 4-inches bgs, which exhibited non-detectable concentrations of TPH. Therefore, no further action was required for this area.

Excavated soil was subsequently transported offsite for low-temperature thermal treatment in accordance with local, state and federal regulations (refer to Appendix B for a copy of the manifests and weight tickets).

Table 2 presents a summary of TPH analytical data. Figure 3 illustrates the soil sample collection points for this AOC. Appendix J presents the laboratory reports, QA/QC documentation, and chain of custody forms for initial soil samples collected. Appendix J-1 presents the laboratory reports, QA/QC documentation, and chain of custody forms for post-excavation sampling.

5.3 AOC C

On January 21, 2005, thirty-nine soil samples were collected at depths ranging from 3- to 4-inches bgs from within this AOC, located on the south shoulder of East Sixth Street just east of Radio Road, extending east approximately 730 linear feet to the corner of El Camino Road. The samples were collected subsequent to limited soil removal which occurred during the initial response action.

Based on the sample data, the highest observed VOC concentration in this AOC was toluene at 0.027 mg/kg in soil sample AOC-C-11. No detectable TPH kerosene/diesel range hydrocarbons were observed in the samples analyzed. The average total TPH concentration across the entire AOC was 785.22 mg/kg. Therefore, no further action was required for this area.

The excavated portions of this area (from the initial response action) were restored with clean backfill to its approximate original grade.

Table 3 presents a summary of TPH analytical data. Figure 4 illustrates the soil sample collection points for this AOC. Appendix K presents the laboratory reports, QA/QC documentation, and chain of custody forms for initial soil samples collected.

5.4 AOC D – Median Area

On January 24, 2005, forty soil samples were collected at depths ranging from 3- to 4-inches bgs from within this AOC, located in the median between East Sixth Street (westbound and eastbound lanes), and extending from El Camino Road eastward toward Magnolia Avenue. The samples were collected subsequent to limited soil removal, which occurred during the initial response action.

Based on the sample data, the highest observed VOC concentration in this AOC was 1,2,4-trimethylbenzene at 0.559 mg/kg in soil sample AOC-D-21. Soil samples AOC D-13 (collected at 3-inches bgs), AOC D-14 (collected at 3-inches bgs), AOC D-20 (collected at 4-inches bgs), and AOC D–21 (collected at 3-inches bgs) exhibited kerosene range hydrocarbons at 2,020 mg/kg, 3,330 mg/kg, 1,200 mg/kg, and 1,360 mg/kg, respectively, thus requiring additional excavation. The average total TPH concentration across the entire AOC was 856.64 mg/kg.

Approximately 23 cubic yards of soil was re-excavated within proximity to sample points AOC-D-13, -14, -20 and -21. The post-excavation samples labeled AOC-D-13B, -14B, and -20B, collected at depths ranging from 8- to 10-inches bgs exhibited non-detectable concentrations of TPH. Post-excavation sample AOC-D-21B-01, collected at a depth of 5-inches bgs, exhibited non-detectable concentrations of TPH with the exception of TPH kerosene range hydrocarbons of 175 mg/kg. Post-excavation sample AOC-D-21B-02 (collected at a depth of 3-inches bgs at the sidewall extent of the excavation) exhibited non-detectable concentrations of TPH with the exception of TPH diesel range hydrocarbons of 18.9 mg/kg. Therefore, no further action was required for this area.

The excavated portions of this area were restored with clean backfill to its approximate original grade.

Excavated soil was subsequently transported offsite for low-temperature thermal treatment in accordance with local, state and federal regulations (refer to Appendix B for a copy of the manifests and weight tickets).

Table 4 presents a summary of TPH analytical data. Figure 5 illustrates the soil sample collection points for this AOC. Appendix L presents the laboratory reports, QA/QC documentation, and chain of custody forms for initial soil samples collected. Appendix L-1 presents the laboratory reports, QA/QC documentation, and chain of custody forms for post-excavation sampling.

5.5 AOC D Partial (Alley and Portion of Hoyt Transportation Yard)

On January 25, 2005, twenty-one soil samples were collected at depths ranging from 2- to 3-inches bgs from within this AOC (the alley west of and adjacent to CSP's property, and the southwest portion of the Hoyt Transportation Yard). No prior excavation was conducted in this area during the initial response action.

Based on the sample data, the highest observed VOC concentration in this AOC was 1,2,4-trimethylbenzene at 3.3 mg/kg in soil sample AOC-DP-21. Soil samples AOC DP-1, -2, and -18 (each collected at a depth of 2-inches bgs) exhibited kerosene range hydrocarbons at 1,490 mg/kg, 11,000 mg/kg, and 2,700 mg/kg, respectively, thus requiring excavation. The average total TPH concentration across the entire AOC was 1,458.47 mg/kg.

There was an existing asphalt surface beneath the three elevated TPH kerosene samples described above. Accordingly, approximately 8 cubic yards of soil was scrapped from above the asphalt pavement in proximity to these locations, and no post-excavation soil samples were collected, due to the low probability of TPH migration through the asphalted surface, therefore, no further action was required for this area.

Excavated soil was subsequently transported offsite for low-temperature thermal treatment in accordance with local, state and federal regulations (refer to Appendix B for a copy of the manifests and weight tickets).

It should be noted that the removal of these elevated areas effectively reduces the overall average total concentration to below 1,000 mg/kg total TPH. (Recalculating the average total TPH concentration, after removing the affected soil, results in an average total TPH of 848.82 mg/kg[5], assuming each post-excavation sample was below 1,000 mg/kg kerosene range TPH.)

Table 5 presents a summary of TPH analytical data. Figure 6 illustrates the soil sample collection points for this AOC. Appendix M presents the laboratory reports, QA/QC documentation, and chain of custody forms for initial soil samples collected.

5.6 AOC D Partial (portion of ARB Construction Yard)

On January 26, 2005, thirteen soil samples were collected at depths ranging from 2- to 4-inches bgs from within this AOC located at the northern property extent of 1451 Magnolia Avenue. No prior excavation was conducted in this area during the initial response action.

Based on the sample data, the highest observed VOC concentration in this AOC was toluene at 0.08 mg/kg in soil sample AOC ARB-11. Soil sample AOC-ARB-7 collected at a depth of 2-inches bgs exhibited oil range hydrocarbons at 16,200 mg/kg. The average total TPH concentration across the entire AOC was 2,067 mg/kg thus requiring excavation. Since the average total TPH concentration exceeded 1,000 mg/kg, RECON selected the highest sample (AOC-ARB-7) as the target area for soil excavation.

Approximately 1 cubic yard of soil was excavated within proximity to sample point AOC-ARB-7. The post-excavation sample labeled AOC-ARB-7B, collected at a depth of 12-inches bgs exhibited non-detectable concentrations of TPH. Therefore, no further action was required for this area.

Excavated soil was subsequently transported offsite for low-temperature thermal treatment in accordance with local, state and federal regulations (refer to Appendix B for a copy of the manifests and weight tickets).

It should be noted that the removal of this elevated area effectively reduces the overall average concentration to below 1,000 mg/kg total TPH. (Recalculating the average total TPH concentration, after removing the affected soil, results in an average total TPH concentration of 820.85 mg/kg, based on the post-excavation sample which exhibited non-detectable concentrations of TPH.)

Table 6 presents a summary of TPH analytical data. Figure 7 illustrates the soil sample collection points for this AOC. Appendix N presents the laboratory reports, QA/QC documentation, and chain of custody forms for initial soil samples collected. Appendix N-1 presents the laboratory reports, QA/QC documentation, and chain of custody forms for post-excavation sampling.

[5] A numerical value of 999 mg/kg TPH kerosene range was used in place of post-excavation samples to determine the theoretical reduction to below 1,000 mg/kg average total TPH.

5.7 AOC E

On January 24, 2005, sixteen soil samples were collected at depths ranging from 2- to 3-inches bgs from within this AOC, located at the southeast corner of East Sixth Street and El Camino Road. The samples were collected subsequent to limited soil removal which occurred during the initial response action.

Based on the sample data, the highest observed VOC concentration in this AOC was naphthalene at 0.222 mg/kg in soil sample AOC E-04. All soil samples exhibited TPH oil range (C22-C35) hydrocarbons ranging from 298 mg/kg to 4,920 mg/kg. The average total TPH concentration across the entire AOC was 1,374.33 mg/kg thus requiring further excavation. Since the average total TPH concentration exceeded 1,000 mg/kg across the AOC, RECON selected the three highest samples (AOC E-7, -8, and -13) as the target areas for soil excavation. These samples were collected at depths of 3-, 2- and 3-inches bgs, respectively.

Approximately 3 cubic yards of soil was excavated within proximity to samples AOC E-7, -8, and -13. The post-excavation samples labeled AOC-E-07B (collected at a depth of 19 inches bgs), AOC E-08B (collected at a depth of 6 inches bgs), and AOC E-13B (collected at a depth of 5-inches bgs) exhibited non-detectable concentrations for total TPH.

Excavated soil was subsequently transported offsite for low-temperature thermal treatment in accordance with local, state and federal regulations (refer to Appendix B for a copy of the manifests and weight tickets).

It should be noted that the removal of these elevated areas effectively reduces the overall average concentration to below 1,000 mg/kg total TPH. (Recalculating the average total TPH concentration, after removing the affected soil, results in a revised average total TPH concentration of 785.66 mg/kg, based on post-excavation samples, which exhibited non-detectable concentrations of TPH.)

Table 7 presents a summary of TPH analytical data. Figure 5 illustrates the soil sample collection points for this AOC. Appendix O presents the laboratory reports, QA/QC documentation, and chain of custody forms for initial soil samples collected. Appendix O-1 presents the laboratory reports, QA/QC documentation, and chain of custody forms for post-excavation sampling.

5.8 AOC F

On January 27, 28 and 31, 2005, soil samples were collected at this AOC (known as the Advanced Fuel Filtration facility) in order to determine the presence (or absence) of subsurface soil impacts which may have occurred due to the fuel hydrocarbon release, or may have occurred previously due to an unauthorized release or improper storage and handling of materials. No prior excavation was conducted in this area during the initial response action.

Soil sample collection locations were established based on an approximate 20-foot square grid across the Site, and focused in the areas of high probability of surface/subsurface impacts based on the fuel release. In addition, biased surface sample collection points were collected based on visual observations.

Soil samples were collected by initially removing the surficial asphalt using a John Deere 310 backhoe to expose the underlying soils. A total of seventy-three soil samples were subsequently collected at approximate depths ranging between 5- and 24-inches bgs.

Based on the sample data, the highest observed VOC concentration in this AOC was acetone at 0.891 mg/kg in soil sample AOC F-10. Soil sample AOC F-10 (collected at a depth of 9-inches bgs) also exhibited a TPH diesel range hydrocarbon at 21,900 mg/kg, thus requiring excavation. The average total TPH concentration across the entire AOC was 618.28 mg/kg.

Approximately 3 cubic yards of soil was excavated within proximity to sample AOC F-10. The post-excavation sample labeled AOC F-10B (collected at a depth of 12-inches bgs) exhibited non-detectable concentrations for TPH (gasoline/kerosene range), and 85.8 mg/kg TPH diesel range, and 72.2 mg/kg TPH oil range. Therefore, no further action was required for this area.

Excavated soil was subsequently transported offsite for low-temperature thermal treatment in accordance with local, state and federal regulations (refer to Appendix B for a copy of the manifests and weight tickets).

Table 8 presents a summary of TPH analytical data. Figure 8 illustrates the soil sample collection points for this AOC. Appendix P presents the laboratory reports, QA/QC documentation, and chain of custody forms for initial soil samples collected. Appendix P-1 presents the laboratory reports, QA/QC documentation, and chain of custody forms for post-excavation sampling.

As part of the final cleanup/demobilization, sand bags, oil booms, spent personal protective clothing, and miscellaneous debris was consolidated into two loads which were transported offsite to La Paz County Landfill, located in Parker, Arizona, for legal disposal. Appendix Q presents the manifests/shipping documentation for this waste. In addition, all equipment was demobilized from the Site.

6. CONCLUSIONS AND RECOMMENDATIONS

6.1 Conclusions

A total of 272 soil samples were collected during the sampling program (259 initial soil samples, and 13 post-excavation confirmation samples). Only 13 soil samples out of 259 soil samples exceeded the regulatory-imposed soil cleanup action level, which would equate to only 5% of the initial samples requiring any removal action. This would suggest that the initial response action was very effective in removing soils surficially impacted by the spill, and in containing and preventing subsequent migration.

No appreciable VOCs or SVOCs were observed throughout the sampling program. Where VOCs or SVOCs were observed, they were typically associated with soil samples exhibiting elevated TPH concentrations (above the soil cleanup action level) and were therefore, excavated as a result of the TPH exceedances which required further remediation.

Investigation-derived waste was transported offsite along with similar waste material.

Drummed and/or stored waste was transported offsite for legal disposal or recycling.

Based on the activities presented herein, the findings of this Report, and analytical data presented herein, no residual chemical impacts from this fuel release appear to be present within the areas assessed which would present a threat to human health or the environment, including groundwater.

6.2 Recommendations

Based on the data and findings presented in this Report, CSP is petitioning for a "No Further Action" letter to be issued by the lead regulatory agency for the areas assessed under this Report.

7. LIMITATIONS

The environmental services described in this Report have been conducted in general accordance with current regulatory guidelines and the standard-of-care exercised by environmental companies performing similar work in the project area. No warranty, expressed or implied, is made regarding the professional opinions presented in this Report. Please note that this Report did not include an evaluation of geotechnical or potential geologic hazards.

This Report is intended to be used only in its entirety. No portion of this Report, by itself, is designed to completely represent any aspect of the project described herein. RECON should be contacted if the reader requires any additional information or has questions regarding the content, interpretations presented, or completeness of this Report.

Our conclusions, recommendations, and opinions are based on an analysis of the observed site conditions and the referenced literature. It should be understood that the conditions of a site can change with time as a result of natural processes or the activities of man at the subject site or nearby sites. In addition, changes to applicable laws, regulations, codes, and standards of practice may occur due to government action or the broadening of knowledge. The findings of this Report, may, therefore, be invalidated over time, in part or in whole, by changes over which RECON has no control.

This Report is intended exclusively for use by the client. Any use or reuse of the findings, conclusions and/or recommendations of this Report by parties other than the client is undertaken at said parties' sole risk.

Neither CSP nor RECON own or operate the petroleum tanker truck that the EPA determined to be the source of the release, nor does either party operate the facility from which the release was found to have occurred. CSP's and RECON's actions in response to the release – including provision of prompt notification to appropriate authorities regarding the release, the exercise of due care under the circumstances including actions to mitigate damage to CSP's property and the environment, and otherwise taking precautions appropriate under the circumstances - were not and should not be construed as an admission to liability for the release. CSP reserves the right to recover its costs and to seek any and all legal and equitable remedies against the parties that were responsible for the release.

Figure 1 – Site Location Map



N

Scale: Not to scale

Source: Thomas Bros. Maps 2002

RECON

RECON, L.P.
1101 CALIFORNIA AVE, SUITE 100
CORONA, CA 92881

SITE LOCATION MAP
1451 MAGNOLIA AVE AND VICINITY
CORONA, CA

PROJECT NO.	DATE
2-1778	1/5/05

FIGURE 1

Figure 2 – AOC A



THIS DRAWING WAS PREPARED UNDER MY SUPERVISION USING DATA FROM FIELD SURVEYS PERFORMED BY ELS&M AND DATA PROVIDED BY RECON, L.P.

LICENSED LAND SURVEYOR
STEPHEN E. EVANS
LS 7017
EXPIRES: 6-30-06
STATE OF CALIFORNIA

STEPHEN E. EVANS, PLS 7017

FIGURE 2

DRAWN BY: S.E. APPROVED BY: S.E. DATE: 1/29/2005 DWG. NO.: SPILL.DWG	REVISIONS: INITIAL SITE VISIT, 1/20/2005 ADDITIONAL TOPO, 1/25/2005 ADDITIONAL TOPO, 2/01/2005 ADDITIONAL TOPO, 2/10/2005	PREPARED FOR: Recon 1101 California Ave., Suite 100 Corona, CA 92881 (951) 272-2877	PROJECT Corona Service Center 1451 Magnolia Ave. & Vicinity Corona, CA	PREPARED BY: *EVANS LAND SURVEYING and MAPPING* *3436 Paloma Avenue* *ph. (909) 592-5501* *La Verne, CA 91750* *fax (909) 592-3993*	SHT. NO. 2 OF 8

Figure 3 – AOC B

AOC - B



THIS DRAWING WAS PREPARED UNDER MY SUPERVISION USING DATA FROM FIELD SURVEYS PERFORMED BY ELS&M AND DATA PROVIDED BY RECON, L.P.

LICENSED LAND SURVEYOR
STEPHEN E. EVANS
LS 7017
EXPIRES: 6-30-06
STATE OF CALIFORNIA

STEPHEN E. EVANS, PLS 7017

FIGURE 3

DRAWN BY: S.E. APPROVED BY: S.E. DATE: 1/29/2005 DWG. NO.: SPILL.DWG	REVISIONS: INITIAL SITE VISIT, 1/20/2005 ADDITIONAL TOPO, 1/25/2005 ADDITIONAL TOPO, 2/01/2005 ADDITIONAL TOPO, 2/10/2005	PREPARED FOR: Recon 1101 California Ave., Suite 100 Corona, CA 92881 (951) 272-2877	PROJECT Corona Service Center 1451 Magnolia Ave. & Vicinity Corona, CA	PREPARED BY: *EVANS LAND SURVEYING and MAPPING* *3436 Paloma Avenue* *La Verne, CA 91750* *ph. (909) 592-5501* *fax (909) 592-3993*	SHT. NO. 3 OF 8

Figure 4 – AOC C



THIS DRAWING WAS PREPARED UNDER MY SUPERVISION USING DATA FROM FIELD SURVEYS PERFORMED BY ELS&M AND DATA PROVIDED BY RECON, L.P.

LICENSED LAND SURVEYOR
STEPHEN E. EVANS
LS 7017
EXPIRES: 6-30-06
STATE OF CALIFORNIA

STEPHEN E. EVANS, PLS 7017

FIGURE 4

DRAWN BY: S.E. APPROVED BY: S.E. DATE: 1/29/2005 DWG. NO.: SPILL.DWG	REVISIONS: INITIAL SITE VISIT, 1/20/2005 ADDITIONAL TOPO, 1/25/2005 ADDITIONAL TOPO, 2/01/2005 ADDITIONAL TOPO, 2/10/2005	PREPARED FOR: Recon 1101 California Ave., Suite 100 Corona, CA 92881 (951) 272-2877	PROJECT Corona Service Center 1451 Magnolia Ave. & Vicinity Corona, CA	PREPARED BY: *EVANS LAND SURVEYING and MAPPING* *3436 Paloma Avenue* *La Verne, CA 91750* *ph. (909) 592-5501* *fax (909) 592-3993*	SHT. NO. 4 OF 8

Figure 5 – AOC D (Median Area) and AOC E



THIS DRAWING WAS PREPARED UNDER MY SUPERVISION USING DATA FROM FIELD SURVEYS PERFORMED BY ELS&M AND DATA PROVIDED BY RECON, L.P.

LICENSED LAND SURVEYOR STEPHEN E. EVANS LS 7017 EXPIRES: 6-30-06 STATE OF CALIFORNIA

STEPHEN E. EVANS, PLS 7017

FIGURE 5

DRAWN BY: S.E. APPROVED BY: S.E. DATE: 1/29/2005 DWG. NO.: SPILL.DWG	REVISIONS: INITIAL SITE VISIT, 1/20/2005 ADDITIONAL TOPO, 1/25/2005 ADDITIONAL TOPO, 2/01/2005 ADDITIONAL TOPO, 2/10/2005	PREPARED FOR: Recon 1101 California Ave., Suite 100 Corona, CA 92881 (951) 272-2877	PROJECT Corona Service Center 1451 Magnolia Ave. & Vicinity Corona, CA	PREPARED BY: *EVANS LAND SURVEYING and MAPPING* *3436 Paloma Avenue* *La Verne, CA 91750* *ph. (909) 592-5501* *fax (909) 592-3993*	SHT. NO. 5 OF 8

Figure 6 – AOC D Partial (Alley and Hoyt Yard)



AOC - D (partial)

THIS DRAWING WAS PREPARED UNDER MY SUPERVISION USING DATA FROM FIELD SURVEYS PERFORMED BY ELS&M AND DATA PROVIDED BY RECON, L.P.

LICENSED LAND SURVEYOR STEPHEN E. EVANS LS 7017 EXPIRES: 6-30-06 STATE OF CALIFORNIA

STEPHEN E. EVANS, PLS 7017

FIGURE 6

DRAWN BY: S.E. APPROVED BY: S.E. DATE: 1/29/2005 DWG. NO.: SPILL.DWG	REVISIONS: INITIAL SITE VISIT, 1/20/2005 ADDITIONAL TOPO, 1/25/2005 ADDITIONAL TOPO, 2/01/2005 ADDITIONAL TOPO, 2/10/2005	PREPARED FOR: Recon 1101 California Ave., Suite 100 Corona, CA 92881 (951) 272-2877	PROJECT Corona Service Center 1451 Magnolia Ave. & Vicinity Corona, CA	PREPARED BY: *EVANS LAND SURVEYING and MAPPING* *3436 Paloma Avenue* *La Verne, CA 91750* *ph. (909) 592-5501* *fax (909) 592-3993*	SHT. NO. 6 OF 8

Figure 7 – AOC D Partial (ARB Yard)



AOC - ARB

THIS DRAWING WAS PREPARED UNDER MY SUPERVISION USING DATA FROM FIELD SURVEYS PERFORMED BY ELS&M AND DATA PROVIDED BY RECON, L.P.

LICENSED LAND SURVEYOR
STEPHEN E. EVANS
LS 7017
EXPIRES: 6-30-06
STATE OF CALIFORNIA

STEPHEN E. EVANS, PLS 7017

FIGURE 7

DRAWN BY: S.E. APPROVED BY: S.E. DATE: 1/29/2005 DWG. NO.: SPILL.DWG	REVISIONS: INITIAL SITE VISIT, 1/20/2005 ADDITIONAL TOPO, 1/25/2005 ADDITIONAL TOPO, 2/01/2005 ADDITIONAL TOPO, 2/10/2005	PREPARED FOR: Recon 1101 California Ave., Suite 100 Corona, CA 92881 (951) 272-2877	PROJECT Corona Service Center 1451 Magnolia Ave. & Vicinity Corona, CA	PREPARED BY: *EVANS LAND SURVEYING and MAPPING* *3436 Paloma Avenue* *La Verne, CA 91750* *ph. (909) 592-5501* *fax (909) 592-3993*	SHT. NO. 7 OF 8

Figure 8 – AOC F



THIS DRAWING WAS PREPARED UNDER MY SUPERVISION USING DATA FROM FIELD SURVEYS PERFORMED BY ELS&M AND DATA PROVIDED BY RECON, L.P.

LICENSED LAND SURVEYOR
STEPHEN E. EVANS
LS 7017
EXPIRES: 6-30-06
STATE OF CALIFORNIA

STEPHEN E. EVANS, PLS 7017

FIGURE 8

DRAWN BY: S.E. APPROVED BY: S.E. DATE: 1/29/2005 DWG. NO.: SPILL.DWG	REVISIONS: INITIAL SITE VISIT, 1/20/2005 ADDITIONAL TOPO, 1/25/2005 ADDITIONAL TOPO, 2/01/2005 ADDITIONAL TOPO, 2/10/2005	PREPARED FOR: Recon 1101 California Ave., Suite 100 Corona, CA 92881 (951) 272-2877	PROJECT Corona Service Center 1451 Magnolia Ave. & Vicinity Corona, CA	PREPARED BY: *EVANS LAND SURVEYING and MAPPING* *3436 Paloma Avenue* *La Verne, CA 91750* *ph. (909) 592-5501* *fax (909) 592-3993*	SHT. NO. 8 OF 8

Table 1 – Summary of AOC A TPH Analytical Results

TABLE 1 - SUMMARY OF AOC A TPH ANALYTICAL RESULTS

SUMMARY OF INITIAL TPH SAMPLE RESULTS
AOC A

AOC	Sample No.	Date Collected	Sample Depth	Total Petroleum Hydrocarbons by EPA Method 8015M			
				Gasoline	Kerosene	Diesel	Oil
AOC-A	1	01/19/05	4	ND	314	ND	590
AOC-A	2	01/19/05	3	ND	ND	ND	ND
AOC-A	3	01/19/05	3	ND	ND	55.1	116
AOC-A	4	01/19/05	4	ND	ND	ND	ND
AOC-A	5	01/19/05	3	ND	ND	ND	112
AOC-A	6	01/19/05	3	ND	ND	ND	51.6
AOC-A	7	01/19/05	3	ND	ND	ND	ND
AOC-A	8	01/19/05	4	ND	ND	ND	107
AOC-A	9	01/19/05	3	ND	ND	ND	ND
AOC-A	10	01/19/05	3	ND	ND	ND	94.5
AOC-A	11	01/19/05	3	ND	ND	ND	107
AOC-A	12	01/19/05	3	ND	ND	ND	70.6
AOC-A	13	01/19/05	4	ND	ND	ND	83.1
AOC-A	14	01/19/05	4	ND	ND	ND	126
AOC-A	15	01/19/05	4	ND	14	ND	98.3
AOC-A	16	01/19/05	4	ND	60	ND	131
AOC-A	17	01/19/05	3	ND	ND	ND	50.2
AOC-A	18	01/19/05	4	ND	ND	ND	56.4
	Subtotals:			0	388	55.1	1793.7

All concentrations reported in mg/kg.
ND = not detected above method detection limits.
Sample depth = inches below existing ground surface.

TOTAL TPH (less duplicates): 2236.8
AVERAGE: 124.27

Table 2 – Summary of AOC B TPH Analytical Results

TABLE 2 - SUMMARY OF AOC B TPH ANALYTICAL RESULTS

SUMMARY OF INITIAL TPH SAMPLE RESULTS
AOC B

AOC	Sample No.	Date Collected	Sample Depth	Total Petroleum Hydrocarbons by EPA Method 8015M			
				Gasoline	Kerosene	Diesel	Oil
AOC-B	1	01/19/05	3	ND	ND	ND	168
AOC-B	2	01/19/05	3	ND	80.4	ND	323
AOC-B	3	01/19/05	3	ND	**3660**	ND	658
AOC-B	4	01/19/05	3	ND	189	ND	190
AOC-B	5	01/19/05	4	ND	ND	ND	297
AOC-B	6	01/19/05	3	ND	ND	ND	106
AOC-B (duplicate)	7	01/19/05	3	ND	ND	ND	109
AOC-B	8	01/19/05	4	ND	ND	ND	125
AOC-B	9	01/19/05	4	ND	ND	ND	99.2
AOC-B	10	01/19/05	4	ND	ND	ND	125
AOC-B	11	01/19/05	4	ND	ND	ND	123
AOC-B	12	01/19/05	3	ND	ND	ND	129
AOC-B	13	01/19/05	4	ND	ND	ND	185
AOC-B	14	01/19/05	3	ND	ND	ND	128
AOC-B	15	01/19/05	3	ND	ND	ND	395
AOC-B	16	01/19/05	4	ND	ND	ND	258
AOC-B	17	01/19/05	4	ND	ND	156	375
AOC-B	18	01/19/05	4	ND	ND	ND	81
AOC-B	19	01/19/05	3	ND	ND	ND	121
AOC-B	20	01/19/05	3	ND	ND	ND	188
AOC-B	21	01/20/05	3	ND	ND	ND	155
AOC-B	22	01/20/05	3	ND	ND	ND	142
AOC-B	23	01/20/05	4	ND	ND	ND	348
AOC-B	24	01/20/05	3	ND	ND	139	485
AOC-B	25	01/20/05	4	ND	ND	ND	304
AOC-B	26	01/20/05	3	ND	ND	ND	212
AOC-B	27	01/20/05	3	ND	ND	ND	263
AOC-B	28	01/20/05	3	ND	ND	ND	237
AOC-B	29	01/20/05	3	ND	ND	ND	168
AOC-B	30	01/20/05	4	ND	ND	ND	305
AOC-B	31	01/20/05	4	ND	ND	ND	74.5
AOC-B	32	01/20/05	3	ND	ND	ND	188
AOC-B	33	01/20/05	4	ND	ND	ND	65.6
AOC-B	34	01/20/05	4	ND	ND	ND	364
AOC-B	35	01/20/05	4	ND	ND	ND	131
AOC-B	36	01/20/05	3	ND	ND	ND	110
AOC-B	37	01/20/05	4	ND	ND	ND	159
AOC-B	38	01/20/05	3	ND	ND	ND	135
AOC-B	39	01/20/05	3	ND	ND	ND	143
AOC-B	40	01/20/05	4	ND	ND	ND	136
AOC-B	41	01/20/05	4	ND	ND	ND	190
	Subtotals:			**0**	**3929.4**	**295**	**8498.3**

All concentrations reported in mg/kg.
ND = not detected above method detection limits.
Average does not include Sample 7 which was a duplicate.
Sample depth = inches below existing ground surface.
Indicates sample(s) which triggered excavation.

TOTAL TPH (less duplicates): 12613.7
AVERAGE: 315.34

TABLE 2 - SUMMARY OF AOC B TPH ANALYTICAL RESULTS

POST EXCAVATION TPH SAMPLE RESULTS
AOC B

AOC	Sample No.	Date Collected	Sample Depth	Total Petroleum Hydrocarbons by EPA Method 8015M			
				Gasoline	Kerosene	Diesel	Oil
AOC-B	03B	02/07/05	4	ND	ND	ND	ND

All concentrations reported in mg/kg.
ND = not detected above method detection limits.
Sample depth = inches below existing ground surface.

Table 3 – Summary of AOC C TPH Analytical Results

TABLE 3 - SUMMARY OF AOC C TPH ANALYTICAL RESULTS

SUMMARY OF INITIAL TPH SAMPLE RESULTS
AOC C

AOC	Sample No.	Date Collected	Sample Depth	Total Petroleum Hydrocarbons by EPA Method 8015M			
				Gasoline	Kerosene	Diesel	Oil
AOC-C	1	01/21/05	3	ND	ND	ND	346
AOC-C	2	01/21/05	3	ND	ND	ND	316
AOC-C	3	01/21/05	4	ND	ND	ND	393
AOC-C	4	01/21/05	3	ND	ND	ND	376
AOC-C	5	01/21/05	4	ND	ND	ND	510
AOC-C	6	01/21/05	4	ND	ND	ND	6300
AOC-C (duplicate)	7	01/21/05	4	ND	ND	ND	9400
AOC-C	8	01/21/05	4	ND	ND	ND	10600
AOC-C	9	01/21/05	3	ND	ND	ND	531
AOC-C	10	01/21/05	4	ND	ND	ND	359
AOC-C	11	01/21/05	3	ND	ND	ND	304
AOC-C	12	01/21/05	3	ND	ND	ND	251
AOC-C	13	01/21/05	4	ND	ND	ND	264
AOC-C	14	01/21/05	3	ND	ND	ND	332
AOC-C	15	01/21/05	4	ND	ND	ND	217
AOC-C	16	01/21/05	3	ND	ND	ND	207
AOC-C	17	01/21/05	3	ND	ND	ND	156
AOC-C	18	01/21/05	4	ND	ND	ND	138
AOC-C	19	01/21/05	3	ND	ND	ND	326
AOC-C	20	01/21/05	4	ND	ND	ND	171
AOC-C	21	01/21/05	4	ND	ND	ND	419
AOC-C	22	01/21/05	4	ND	ND	ND	228
AOC-C	23	01/21/05	4	ND	ND	ND	382
AOC-C	24	01/21/05	3	ND	ND	ND	172
AOC-C	25	01/21/05	4	ND	ND	ND	130
AOC-C	26	01/21/05	3	ND	ND	ND	549
AOC-C	27	01/21/05	3	ND	ND	ND	235
AOC-C	28	01/21/05	4	ND	ND	ND	649
AOC-C (duplicate)	29	01/21/05	4	ND	ND	ND	575
AOC-C	30	01/21/05	3	ND	ND	ND	383
AOC-C	31	01/21/05	3	ND	ND	ND	668
AOC-C	32	01/21/05	4	ND	ND	ND	319
AOC-C	33	01/21/05	3	ND	ND	ND	413
AOC-C	34	01/21/05	3	ND	ND	ND	698
AOC-C	35	01/21/05	4	ND	ND	ND	329
AOC-C	36	01/21/05	4	ND	ND	ND	443
AOC-C	37	01/21/05	4	ND	ND	ND	251
AOC-C	38	01/21/05	4	ND	ND	ND	493
AOC-C	39	01/21/05	3	ND	ND	ND	195
	Subtotals:			0	0	0	39028

All concentrations reported in mg/kg.
ND = not detected above method detection limits.
Average does not include Samples 7 or 29 which were duplicates.
Sample depth = inches below existing ground surface.

TOTAL TPH (less duplicates): 29053
AVERAGE: 785.22

Table 4 – Summary of AOC D (Median Area) TPH Analytical Results

TABLE 4 - SUMMARY OF AOC D TPH ANALYTICAL RESULTS

SUMMARY OF INITIAL TPH SAMPLE RESULTS
AOC D (Median Area)

AOC	Sample No.	Date Collected	Sample Depth	Total Petroleum Hydrocarbons by EPA Method 8015M			
				Gasoline	Kerosene	Diesel	Oil
AOC-D	1	01/24/05	3	ND	ND	ND	213
AOC-D	2	01/24/05	4	ND	ND	ND	187
AOC-D	3	01/24/05	3	ND	ND	ND	1660
AOC-D	4	01/24/05	3	ND	ND	ND	255
AOC-D	5	01/24/05	4	ND	ND	ND	283
AOC-D	6	01/24/05	3	ND	ND	ND	2120
AOC-D	7	01/24/05	4	ND	ND	ND	416
AOC-D	8	01/24/05	4	ND	ND	ND	155
AOC-D	9	01/24/05	4	ND	ND	ND	109
AOC-D	10	01/24/05	4	ND	ND	ND	355
AOC-D (duplicate)	11	01/24/05	4	ND	ND	ND	386
AOC-D	12	01/24/05	4	ND	ND	74.5	476
AOC-D	13	01/24/05	3	ND	**2020**	ND	1300
AOC-D	14	01/24/05	3	ND	**3330**	ND	1330
AOC-D	15	01/24/05	4	ND	ND	ND	387
AOC-D	16	01/24/05	4	ND	ND	ND	1520
AOC-D	17	01/24/05	3	ND	ND	ND	2000
AOC-D	18	01/24/05	4	ND	18.5	ND	315
AOC-D	19	01/24/05	3	ND	ND	ND	105
AOC-D	20	01/24/05	4	ND	**1200**	ND	3700
AOC-D	21	01/24/05	3	ND	**1360**	ND	1440
AOC-D	22	01/24/05	4	ND	24	ND	347
AOC-D	23	01/24/05	3	ND	ND	ND	102
AOC-D	24	01/24/05	4	ND	ND	ND	102
AOC-D	25	01/24/05	4	ND	ND	ND	101
AOC-D	26	01/24/05	4	ND	ND	ND	79
AOC-D	27	01/24/05	3	ND	ND	ND	104
AOC-D	28	01/24/05	3	ND	ND	ND	67.5
AOC-D	29	01/24/05	3	ND	ND	ND	ND
AOC-D	30	01/24/05	4	ND	372	ND	243
AOC-D	31	01/24/05	3	ND	183	ND	155
AOC-D	32	01/24/05	4	ND	126	ND	1440
AOC-D	33	01/24/05	3	ND	196	ND	497
AOC-D	34	01/24/05	4	ND	ND	ND	452
AOC-D	35	01/24/05	4	ND	ND	ND	177
AOC-D	36	01/24/05	4	ND	ND	ND	220
AOC-D	37	01/24/05	3	ND	ND	44.4	419
AOC-D	38	01/24/05	4	ND	ND	ND	333
AOC-D (duplicate)	39	01/24/05	4	ND	ND	ND	421
AOC-D	40	01/24/05	3	ND	ND	54.4	385
	Subtotals:			**0**	**8829.5**	**173.3**	**24356.5**

All concentrations reported in mg/kg
ND = not detected above method detection limits.
Average does not include Samples 11 or 39 which were duplicates
Sample depth = inches below existing ground surface.
Indicates sample(s) which triggered excavation.

TOTAL TPH (less duplicates): 32552.3
AVERAGE: 856.64

TABLE 4 - SUMMARY OF AOC D TPH ANALYTICAL RESULTS

POST EXCAVATION TPH SAMPLE RESULTS
AOC D (Median Area)

AOC	Sample No.	Date Collected	Sample Depth	Total Petroleum Hydrocarbons by EPA Method 8015M			
				Gasoline	Kerosene	Diesel	Oil
AOC-D	13B	02/08/05	8	ND	ND	ND	ND
AOC-D	14B	02/08/05	9	ND	ND	ND	ND
AOC-D	20B	02/08/05	10	ND	ND	ND	ND
AOC-D	21B-01	02/08/05	5	ND	175	ND	ND
*AOC-D	21B-02	02/08/05	3	ND	ND	18.9	ND

All concentrations reported in mg/kg.
ND = not detected above method detection limits.
* Sidewall sample.
Sample depth = inches below existing ground surface.

Table 5 – Summary of AOC "Partial" D (Alley/Hoyt Yard) TPH Analytical Results

TABLE 5 - SUMMARY OF AOC "PARTIAL" D TPH ANALYTICAL RESULTS

SUMMARY OF INITIAL TPH SAMPLE RESULTS
AOC PARTIAL D (Alley/Hoyt Yard)

Part of AOC D		Date	Sample	Total Petroleum Hydrocarbons by EPA Method 8015M			
AOC	Sample No.	Collected	Depth	Gasoline	Kerosene	Diesel	Oil
*AOC-DP	1	01/25/05	2	ND	**1490**	ND	1180
*AOC-DP	2	01/25/05	2	ND	**11000**	ND	1120
AOC-DP	3	01/25/05	2	ND	ND	103	443
AOC-DP	4	01/25/05	2	ND	447	ND	721
AOC-DP	5	01/25/05	2	ND	ND	ND	728
AOC-DP	6	01/25/05	2	ND	300	ND	615
AOC-DP	7	01/25/05	2	ND	35.6	ND	44.6
AOC-DP	8	01/25/05	3	ND	ND	64.7	159
AOC-DP	9	01/25/05	2	ND	32.2	ND	265
AOC-DP	10	01/25/05	3	ND	ND	245	205
AOC-DP	11	01/25/05	3	ND	21	ND	176
AOC-DP (duplicate)	12	01/25/05	3	ND	13.4	43.3	205
AOC-DP	13	01/25/05	3	ND	39.4	ND	466
AOC-DP	14	01/25/05	3	ND	246	ND	129
AOC-DP	15	01/25/05	2	ND	320	55.5	936
AOC-DP	16	01/25/05	2	ND	ND	75.3	209
AOC-DP	17	01/25/05	3	ND	ND	ND	215
*AOC-DP	18	01/25/05	2	ND	**2700**	ND	1360
AOC-DP	19	01/25/05	2	ND	ND	ND	1180
AOC-DP	20	01/25/05	2	ND	ND	ND	1010
AOC-DP	21	01/25/05	2	ND	ND	ND	833
	Subtotals:			**0**	**16644.6**	**586.8**	**12199.6**

TOTAL TPH (less duplicates):	**29169.3**
AVERAGE:	**1458.47**
**** AVERAGE AFTER REMOVALS:**	**848.82**

All concentrations reported in mg/kg
ND = not detected above method detection limits.
Average does not include Sample 12 which was a duplicate.
Sample depth = inches below existing ground surface.
Indicates sample(s) which triggered excavation.

* Approximately 1-2 inches of surficial soils were removed down to asphalt pavement, so no subsequent sample was collected.

** Since no post-excavation samples were collected. a numerical value of 999 mg/kg TPH kerosene was used for each post-excavation sample concentration to determine the theoretical reduction to below 1,000 mg/kg average total TPH.

Table 6 – Summary of AOC "Partial" D (ARB Yard) TPH Analytical Results

TABLE 6 - SUMMARY OF AOC "PARTIAL" D TPH ANALYTICAL RESULTS

SUMMARY OF INITIAL TPH SAMPLE RESULTS
AOC PARTIAL D (ARB Yard)

Part of AOC D		Date	Sample	Total Petroleum Hydrocarbons by EPA Method 8015M			
AOC	Sample No.	Collected	Depth	Gasoline	Kerosene	Diesel	Oil
AOC-ARB	1	01/26/05	2	ND	ND	ND	1130
AOC-ARB	2	01/26/05	2	ND	ND	ND	1130
AOC-ARB	3	01/26/05	3	ND	ND	ND	1130
AOC-ARB	4	01/26/05	4	ND	ND	ND	1330
AOC-ARB	5	01/26/05	4	ND	ND	ND	783
AOC-ARB	6	01/26/05	3	ND	ND	ND	124
AOC-ARB	7	01/26/05	2	ND	ND	ND	**16200**
AOC-ARB	8	01/26/05	3	ND	ND	ND	715
AOC-ARB	9	01/26/05	2	ND	ND	ND	849
AOC-ARB	10	01/26/05	3	ND	ND	ND	156
AOC-ARB	11	01/26/05	2	ND	ND	ND	224
AOC-ARB	12	01/26/05	3	ND	ND	ND	2050
AOC-ARB	13	01/26/05	3	ND	ND	ND	1050
	Subtotals:			0	0	0	26871

All concentrations reported in mg/kg
ND = not detected above method detection limits
Sample depth = inches below existing ground surface
Indicates sample(s) which triggered excavation.

TOTAL TPH (less duplicates): 26871
AVERAGE: 2067.00
AVERAGE AFTER REMOVALS: 820.85

POST EXCAVATION TPH SAMPLE RESULTS
AOC PARTIAL D (ARB Yard)

		Date	Sample	Total Petroleum Hydrocarbons by EPA Method 8015M			
AOC	Sample No.	Collected	Depth	Gasoline	Kerosene	Diesel	Oil
AOC-ARB	07B	02/07/05	12	ND	ND	ND	ND

All concentrations reported in mg/kg
ND = not detected above method detection limits
Sample depth = inches below existing ground surface.

Table 7 – Summary of AOC E TPH Analytical Results

TABLE 7 - SUMMARY OF AOC E TPH ANALYTICAL RESULTS

SUMMARY OF INITIAL TPH SAMPLE RESULTS
AOC E

AOC	Sample No.	Date Collected	Sample Depth	Total Petroleum Hydrocarbons by EPA Method 8015M			
				Gasoline	Kerosene	Diesel	Oil
AOC-E	1	01/24/05	2	ND	ND	103	1000
AOC-E	2	01/24/05	2	ND	ND	ND	891
AOC-E	3	01/24/05	2	ND	115	ND	414
AOC-E	4	01/24/05	3	ND	349	ND	362
AOC-E	5	01/24/05	3	ND	38.9	ND	298
AOC-E	6	01/24/05	3	ND	ND	ND	1640
AOC-E	7	01/24/05	3	ND	ND	ND	**4920**
AOC-E	8	01/24/05	2	ND	ND	ND	**1940**
AOC-E	9	01/24/05	2	ND	ND	ND	371
AOC-E	10	01/24/05	3	ND	161	ND	395
AOC-E	11	01/24/05	2	ND	305	ND	1540
AOC-E	12	01/24/05	2	ND	108	ND	1740
AOC-E	13	01/24/05	3	ND	ND	ND	**1970**
AOC-E	14	01/24/05	3	ND	ND	ND	1500
AOC-E	15	01/24/05	3	ND	ND	ND	454
AOC-E (duplicate)	16	01/24/05	2	ND	ND	ND	1910
	Subtotals:			**0**	**1076.9**	**103**	**21345**

All concentrations reported in mg/kg
ND = not detected above method detection limits.
Average does not include Sample 16 which was a duplicate.
Sample depth = inches below existing ground surface.
Indicates sample(s) which triggered excavation.

TOTAL TPH (less duplicates): 20614.9
AVERAGE: 1374.33
AVERAGE AFTER REMOVALS: 785.66

POST EXCAVATION TPH SAMPLE RESULTS
AOC E

AOC	Sample No.	Date Collected	Sample Depth	Total Petroleum Hydrocarbons by EPA Method 8015M			
				Gasoline	Kerosene	Diesel	Oil
AOC-E	7B	02/07/05	19	ND	ND	ND	ND
AOC-E	8B	02/07/05	6	ND	ND	ND	ND
AOC-E	13B	02/07/05	5	ND	ND	ND	ND

All concentrations reported in mg/kg
ND = not detected above method detection limits.
Sample depth = inches below existing ground surface.

Table 8 – Summary of AOC F TPH Analytical Results

TABLE 8 - SUMMARY OF AOC F TPH ANALYTICAL RESULTS

SUMMARY OF INITIAL TPH SAMPLE RESULTS
AOC F

AOC	Sample No.	Date Collected	Sample Depth	Total Petroleum Hydrocarbons by EPA Method 8015M			
				Gasoline	Kerosene	Diesel	Oil
AOC-F	1	01/27/05	7	ND	ND	ND	ND
AOC-F	2	01/27/05	10	ND	ND	ND	54.6
AOC-F	3	01/27/05	8	ND	ND	ND	52.9
AOC-F	4	01/27/05	6	ND	ND	ND	ND
AOC-F	5	01/27/05	9	ND	ND	ND	ND
AOC-F	6	01/27/05	11	ND	ND	ND	226
AOC-F	7	01/27/05	12	ND	ND	ND	514
AOC-F	8	01/27/05	12	ND	ND	ND	ND
AOC-F	9	01/27/05	9	ND	ND	ND	310
AOC-F	10	01/27/05	9	ND	ND	**21900**	9750
AOC-F	11	01/27/05	12	ND	ND	106	173
AOC-F	12	01/27/05	8	ND	ND	ND	54.7
AOC-F	13	01/27/05	15	ND	ND	ND	71.7
AOC-F	14	01/27/05	7	ND	ND	ND	285
AOC-F	15	01/27/05	10	ND	ND	ND	ND
AOC-F	16	01/27/05	8	ND	ND	ND	275
AOC-F	17	01/27/05	6	ND	ND	ND	ND
AOC-F (duplicate)	18	01/27/05	6	ND	ND	ND	ND
AOC-F	19	01/27/05	11	ND	ND	ND	65.5
AOC-F	20	01/27/05	7	ND	ND	ND	4420
AOC-F	21	01/27/05	8	ND	ND	ND	ND
AOC-F	22	01/27/05	10	ND	ND	ND	82.5
AOC-F	23	01/27/05	6	ND	ND	ND	4300
AOC-F	24	01/27/05	9	ND	ND	ND	72.3
AOC-F	25	01/27/05	11	ND	ND	ND	250
AOC-F	26	01/27/05	6	ND	ND	ND	ND
AOC-F	27	01/27/05	9	ND	ND	ND	ND
AOC-F	28	01/28/05	7	ND	ND	ND	ND
AOC-F (duplicate)	29	01/28/05	7	ND	ND	ND	ND
AOC-F	30	01/28/05	11	ND	ND	ND	ND
AOC-F	31	01/28/05	13	ND	ND	ND	ND
AOC-F	32	01/28/05	10	ND	ND	ND	ND
AOC-F	33	01/28/05	9	ND	ND	ND	ND
AOC-F	34	01/28/05	9	ND	ND	ND	ND
AOC-F	35	01/28/05	8	ND	ND	ND	ND
AOC-F	36	01/28/05	6	ND	ND	ND	ND
AOC-F	37	01/28/05	11	ND	ND	ND	ND
AOC-F	38	01/28/05	13	ND	ND	ND	ND
AOC-F	39	01/28/05	10	ND	ND	ND	ND
AOC-F	40	01/28/05	8	ND	ND	ND	ND
AOC-F	41	01/28/05	12	ND	ND	ND	ND
AOC-F	42	01/28/05	7	ND	ND	ND	ND
AOC-F	43	01/28/05	9	ND	ND	ND	ND
AOC-F	44	01/28/05	13	ND	ND	ND	ND
AOC-F	45	01/28/05	9	ND	ND	ND	ND
AOC-F	46	01/28/05	6	ND	ND	ND	ND
AOC-F	47	01/28/05	7	ND	ND	ND	ND

TABLE 8 - SUMMARY OF AOC F TPH ANALYTICAL RESULTS

SUMMARY OF INITIAL TPH SAMPLE RESULTS
AOC F

AOC	Sample No.	Date Collected	Sample Depth	Total Petroleum Hydrocarbons by EPA Method 8015M			
				Gasoline	Kerosene	Diesel	Oil
AOC-F	48	01/28/05	9	ND	ND	ND	ND
AOC-F	49	01/28/05	12	ND	ND	ND	ND
AOC-F	50	01/28/05	5	ND	ND	ND	ND
AOC-F	51	01/28/05	10	ND	ND	ND	ND
AOC-F	52	01/28/05	6	ND	ND	ND	ND
AOC-F	53	01/28/05	8	ND	ND	ND	ND
AOC-F	54	01/28/05	11	ND	ND	ND	ND
AOC-F	55	01/28/05	7	ND	ND	ND	ND
AOC-F	56	01/31/05	18	ND	ND	ND	103
AOC-F (duplicate)	57	01/31/05	18	ND	ND	ND	74.4
AOC-F	58	01/31/05	24	ND	ND	ND	ND
AOC-F	59	01/31/05	24	ND	ND	ND	ND
AOC-F	60	01/31/05	24	ND	ND	ND	ND
AOC-F	61	01/31/05	12	ND	ND	ND	85.6
AOC-F	62	01/31/05	12	ND	ND	ND	ND
AOC-F	63	01/31/05	12	ND	ND	ND	ND
AOC-F	64	01/31/05	12	ND	ND	ND	70.3
AOC-F	65	01/31/05	18	ND	ND	ND	ND
AOC-F	66	01/31/05	18	ND	ND	ND	ND
AOC-F	67	01/31/05	18	ND	ND	ND	ND
AOC-F	68	01/31/05	24	ND	ND	ND	ND
AOC-F	69	01/31/05	18	ND	ND	ND	ND
AOC-F	70	01/31/05	12	ND	ND	ND	ND
AOC-F	71	01/31/05	12	ND	ND	ND	57.4
AOC-F	72	01/31/05	12	ND	ND	ND	ND
AOC-F	73	01/31/05	12	ND	ND	ND	ND
	Subtotals:			0	0	22006	21347.9

All concentrations reported in mg/kg
ND = not detected above method detection limits.
Average does not include Samples 18, 29, and 57 which were duplicates.
Sample depth = inches below existing ground surface.
Indicates sample(s) which triggered excavation.

TOTAL TPH (less duplicates): 43279.5
AVERAGE: 618.28

POST EXCAVATION TPH SAMPLE RESULTS
AOC F

AOC	Sample No.	Date Collected	Sample Depth	Total Petroleum Hydrocarbons by EPA Method 8015M			
				Gasoline	Kerosene	Diesel	Oil
AOC-F	10B	02/09/05	12	ND	ND	85.8	72.2

All concentrations reported in mg/kg.
ND = not detected above method detection limits.
Sample depth = inches below existing ground surface.

Appendix A

Laboratory Reports - Soil Sample Characterization (SP-01 and SP-02)

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

Date: January 7, 2005

Mr. Robert Lartz
Remedial Construction Service, Inc.
1101 California St., Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

Project: **Corona Service Park**

Dear Mr. Lartz:

The analytical results for the liquid and soil samples, received by our laboratory on January 6, 2005, are attached.

Enviro-Chem appreciates the opportunity to provide you and your company this and other services. Please do not hesitate to call us if you have any questions.

Sincerely,

Curtis Desilets
Vice President/Program Manager

Jesse Tu, Ph.D.
Laboratory Manager

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: LIQUID/SOIL
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE ANALYZED: 01/06-07/05
DATE REPORTED: 01/07/05

TOTAL PETROLEUM HYDROCARBONS(TPH) - CARBON CHAIN ANALYSIS
METHOD: LUFT/EPA 8015M
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

SAMPLE I.D.	LAB I.D.	GASOLINE (C4-C10)	DF	KEROSENE (C8-C16)	DIESEL (C10-C22)	OIL (C22-C35)	DF
SP-01	050106-16	ND	1	ND	ND	469J	10^
SP-02	050106-17	ND	1	ND	ND	713	10^
LS-01-A/B	050106-18A/B	1840	5000	36640	ND	ND	1000
METHOD BLANK		ND	1	ND	ND	ND	1
	PQL	0.100*		10	10	50	

COMMENTS
DF = DILUTION FACTOR
MDL = METHOD DETECTION LIMIT
PQL = PRACTICAL QUANTITATION LIMIT
J = TRACE CONCENTRATION BETWEEN MDL AND PQL
ACTUAL DETECTION LIMIT = DF X PQL
ND = NON-DETECTED OR BELOW THE ACTUAL DETECTION LIMIT
* = TPH-GASOLINE ANALYZED USING 5030B/8015M PURGE AND TRAP
^ = PQL RAISED DUE TO MATRIX INTERFERENCE

Data Reviewed and Approved by: _____
CAL-DHS ELAP CERTIFICATE No.: 1555

Enviro Chem, Inc

1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

Gas/BTEX QC

Date Analyzed: 1/6/2005 Units: mg/Kg (PPM)

Matrix: **Soil**

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)

Spiked Sample Lab I.D.: 050106-16

Analyte	S.R.	spk conc	MS	%REC	MSD	%REC	%RPD	ACP %REC	ACP %RPD
Gasoline	0.00	0.500	0.440	88%	0.431	86%	2%	75-125	<20%
Benzene	0.00	0.050	0.044	88%	0.045	90%	2%	75-125	<20%
Toluene	0.00	0.050	0.044	88%	0.044	88%	0%	75-125	<20%
Ethylbenzene	0.00	0.050	0.044	88%	0.044	88%	0%	75-125	<20%

LCS STD RECOVERY:

Analyte	spk conc	LCS	% REC	ACP
Gasoline	0.500	0.448	90%	75-125
Benzene	0.050	0.045	90%	75-125
Toluene	0.050	0.044	88%	75-125
Ethylbenzene	0.050	0.044	88%	75-125

Surrogate Recovery	ACP %REC	%REC	%REC	%REC	%REC	%REC	%REC	%REC	%REC
Sample I.D.		MB	0106-16	0106-17					
BFB	70-130	91%	95%	98%					

Surrogate Recovery	ACP %REC	%REC	%REC	%REC	%REC	%REC	%REC	%REC	%REC
Sample I.D.									
BFB	70-130								

Surrogate Recovery	ACP %REC	%REC	%REC	%REC	%REC	%REC
Sample I.D.						
BFB	70-130					

S.R. = Sample Result
spk conc = Spike Concentration
%REC = Percent Recovery
ACP %RPD = Acceptable Percent RPD Range
ACP %REC = Acceptable Percent Recovery Range

Analyzed and Reviewed By: Edward

Final Reviewer: CAN

Enviro Chem, Inc

1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8015M Soil/Solid QC

Date Analyzed: 1/6/2005 Units: mg/Kg (PPM)

Matrix: **Solid/Sludge**

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)

Spiked Sample Lab I.D.: **050106-LCS 1/2**

Analyte	SR	spk conc	MS	%MS	MSD	%MSD	%RPD	ACP %MS	ACP RP
DIESEL	0	2500	2051	82%	2109	84%	3%	75-125	0-20%

LCS STD RECOVERY:

Analyte	spk conc	LCS	% REC	ACP
DIESEL	200	198	99%	75-125

Analyzed and Reviewed By: KL

Final Reviewer: CN

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL — DATE RECEIVED: 01/06/05
SAMPLING DATE: 01/06/05 — DATE ANALYZED: 01/06/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/07/05

SAMPLE I.D.: SP-01 — LAB I.D.: 050106-16

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE ANALYZED: 01/06/05
DATE REPORTED: 01/07/05

SAMPLE I.D.: SP-01
LAB I.D.: 050106-16

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE ANALYZED: 01/06/05
DATE REPORTED: 01/07/05

SAMPLE I.D.: SP-02
LAB I.D.: 050106-17

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE ANALYZED: 01/06/05
DATE REPORTED: 01/07/05

SAMPLE I.D.: SP-02
LAB I.D.: 050106-17

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	0.009	0.005
1,3,5-TRIMETHYLBENZENE	0.008	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: LIQUID/SOIL
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE ANALYZED: 01/06/05
DATE REPORTED: 01/07/05

METHOD BLANK FOR LAB I.D.: 050106-16, -17, -18A

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: LIQUID/SOIL
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE ANALYZED: 01/06/05
DATE REPORTED: 01/07/05

METHOD BLANK FOR LAB I.D.: 050106-16, -17, -18A

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro-Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8260B QA/QC Report

Date Analyzed: 01/06/05 Matrix: Solid/Sludge/Liqui
Machine: A Unit: mg/Kg (PPM)

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)
Spiked Sample Lab I.D.: 040105-01

Analyte	S.R.	spk conc	MS	%RC	MSD	%RC	%RPD	ACP %RC	ACP RF
Benzene	0	0.050	0.050	100%	0.052	105%	5%	75-125	0-20
Chlorobenzene	0	0.050	0.051	102%	0.051	102%	1%	75-125	0-20
1,1-Dichloroethene	0	0.050	0.053	106%	0.054	107%	1%	75-125	0-20
Toluene	0	0.050	0.058	116%	0.053	106%	9%	75-125	0-20
Trichloroethene (TCE)	0	0.050	0.052	104%	0.056	112%	8%	75-125	0-20

Lab Control Spike (LCS):

Analyte	spk conc	LCS	%RC	ACP %RC
Benzene	0.050	0.051	102%	75-125
Chlorobenzene	0.050	0.051	102%	75-125
Chloroform	0.050	0.050	99%	75-125
1,1-Dichlorothene	0.050	0.057	113%	75-125
Ethylbenzene	0.050	0.054	107%	75-125
o-Xylene	0.050	0.059	118%	75-125
m,p-Xylene	0.100	0.116	116%	75-125
Toluene	0.050	0.053	106%	75-125
1,1-Trichloroethane	0.050	0.048	95%	75-125
Trichloroethene (TCE)	0.050	0.052	104%	75-125

Surrogate Recovery	spk conc	ACP %RC	MB %RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.				0106-16	0106-17	0106-69	0106-18A		
Dibromofluoromethane	50.0	70-130	98%	102%	104%	86%	89%		
Toluene-d8	50.0	70-130	102%	97%	94%	119%	95%		
4-Bromofluorobenzene	50.0	70-130	104%	97%	90%	129%	87%		

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.									
Dibromofluoromethane	50.0	70-130							
Toluene-d8	50.0	70-130							
4-Bromofluorobenzene	50.0	70-130							

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.									
Dibromofluoromethane	50.0	70-130							
Toluene-d8	50.0	70-130							
4-Bromofluorobenzene	50.0	70-130							

** = Surrogate fail due to matrix interference; LCS, MS, MSD are in control therefore the analysis is in control.*

S.R. = Sample Results *%RC = Percent Recovery*
Spk. conc = Spike Concentration *ACP %RC = Accepted Percent Recovery*
MS = Matrix Spike *MSD = Matrix Spike Duplicate*

Analyzed/Reviewed By: _____

Final Reviewer: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE EXTRACTED: 01/06/05
DATE ANALYZED: 01/06/05
DATE REPORTED: 01/07/05

SAMPLE I.D.: SP-01 LAB I.D.: 050106-16

EPA 8082 FOR PCBs ANALYSIS,
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL (X10^)
PCB-1016	ND	0.01
PCB-1221	ND	0.01
PCB-1232	ND	0.01
PCB-1242	ND	0.01
PCB-1248	ND	0.01
PCB-1254	ND	0.01
PCB-1260	ND	0.01
TOTAL PCBs IN THE SAMPLE*	ND	0.01

COMMENTS
PQL = Practical Quantitation Limit
ND = Non-Detected or Below the PQL
* = Sum of the PCB 1016, 1221, 1232, 1242, 1248, 1254 and 1260
*** = The concentration exceeds the TTLC Limit of 50, and the sample is defined as hazardous waste as per CCR-TITLE 22 (if marked)
^ = PQL Raised due to matrix interference

Data Reviewed and Approved By: _____
CAL-DHS ELAP CERTIFICATE No.: 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE EXTRACTED: 01/06/05
DATE ANALYZED: 01/06/05
DATE REPORTED: 01/07/05

SAMPLE I.D.: SP-02 LAB I.D.: 050106-17

EPA 8082 FOR PCBs ANALYSIS,
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL (X10^)
PCB-1016	ND	0.01
PCB-1221	ND	0.01
PCB-1232	ND	0.01
PCB-1242	ND	0.01
PCB-1248	ND	0.01
PCB-1254	ND	0.01
PCB-1260	ND	0.01
TOTAL PCBs IN THE SAMPLE*	ND	0.01

COMMENTS
PQL = Practical Quantitation Limit
ND = Non-Detected or Below the PQL
* = Sum of the PCB 1016, 1221, 1232, 1242, 1248, 1254 and 1260
*** = The concentration exceeds the TTLC Limit of 50, and the sample is defined as hazardous waste as per CCR-TITLE 22 (if marked)
^ = PQL Raised due to matrix interference

Data Reviewed and Approved By: _____
CAL-DHS ELAP CERTIFICATE No.: 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE EXTRACTED: 01/06/05
DATE ANALYZED: 01/06/05
DATE REPORTED: 01/07/05

METHOD BLANK FOR LAB I.D.: 050106-16, -17

EPA 8082 FOR PCBs ANALYSIS,
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL (X1)
PCB-1016	ND	0.01
PCB-1221	ND	0.01
PCB-1232	ND	0.01
PCB-1242	ND	0.01
PCB-1248	ND	0.01
PCB-1254	ND	0.01
PCB-1260	ND	0.01
TOTAL PCBs IN THE SAMPLE*	ND	0.01

COMMENTS
PQL = Practical Quantitation Limit
ND = Non-Detected or Below the PQL
* = Sum of the PCB 1016, 1221, 1232, 1242, 1248, 1254 and 1260
*** = The concentration exceeds the TTLC Limit of 50, and the sample is defined as hazardous waste as per CCR-TITLE 22 (if marked)

Data Reviewed and Approved By: _____
CAL-DHS ELAP CERTIFICATE No.: 1555

Enviro-Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

QA/QC Report

Analysis: EPA 8082 (PCB)

Matrix: **Solid/Sludge** Date Analyzed: 1/6/2005

Unit: mg/Kg (PPM)

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)

Spiked Sample Lab I.D.: 050106-LCS 1/2

Analyte	spk conc	MS	%REC	MSD	%REC	%RPD	ACP % RPD	ACP %REC
PCB (1016+1260)	1.000	0.900	90%	0.910	91%	1%	0-20%	70-130

LCS STD RECOVERY:

Analyte	spk conc	LCS	% REC	ACP %REC
PCB (1016+1260)	0.100	0.1004	100%	75-125

spk conc = Spike Concentration
%REC = Percent Recovery
ACP %RPD = Acceptable Percent RPD Range
ACP %REC = Acceptable Percent Recovery Range

Analyzed and Reviewed By: KL

Final Reviewer: CP

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE EXTRACTED: 01/06/05
DATE ANALYZED: 01/07/05
DATE REPORTED: 01/07/05

SAMPLE I.D.: SP-01
LAB I.D.: 050106-16

SEMI-VOLATILE ORGANICS, EPA 8270C, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X20*
Acenaphthene	ND	0.50
Acenaphthylene	ND	0.50
Anthracene	ND	0.50
Benzo(a)anthracene	ND	0.50
Benzo(b)fluoranthene	ND	0.50
Benzo(a)pyrene	ND	0.50
Benzo(g,h,i)perylene	ND	0.50
Benzo(k)fluoranthene	ND	0.50
Benzoic Acid	ND	0.50
Benzyl Alcohol	ND	0.50
Bis(2-Chloroethoxy)methane	ND	0.50
Bis(2-Chloroethyl)ether	ND	0.50
Bis(2-Chloroisopropyl)ether	ND	0.50
Bis(2-Ethylhexyl)Phthalate	ND	0.50
4-Bromophenyl Phenyl Ether	ND	0.50
Butylbenzylphthalate	ND	0.50
4-Chloro-3-Methylphenol	ND	0.50
4-Chloroaniline	ND	0.50
2-Chloronaphthalene	ND	0.50
2-Chlorophenol	ND	0.50
4-Chlorophenyl Phenyl Ether	ND	0.50
Chrysene	ND	0.50
Di-n-butylphthalate	ND	0.50
Di-n-octylphthalate	ND	0.50
Dibenzo(a,h)anthracene	ND	0.50
Dibenzofuran	ND	0.50
1,2-Dichlorobenzene	ND	0.50
1,3-Dichlorobenzene	ND	0.50
1,4-Dichlorobenzene	ND	0.50
3,3-Dichlorobenzidine	ND	0.50
2,4-Dichlorophenol	ND	0.50
Diethyl Phthalate	ND	0.50
2,4-Dimethylphenol	ND	0.50
Dimethyl Phthalate	ND	0.50

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE EXTRACTED: 01/06/05
DATE ANALYZED: 01/07/05
DATE REPORTED: 01/07/05

SAMPLE I.D.: SP-01 LAB I.D.: 050106-16

SEMI-VOLATILE ORGANICS, EPA 8270C, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X20*
Dimethyl Phthalate	ND	0.50
4,6-Dinitro-2-methylphenol	ND	0.50
2,4-Dinitrophenol	ND	0.50
2,4-Dinitrotoluene	ND	0.50
2,6-Dinitrotoluene	ND	0.50
Fluoranthene	ND	0.50
Fluorene	ND	0.50
Hexachlorobenzene	ND	0.50
Hexachlorobutadiene	ND	0.50
Hexachlorocyclopentadiene	ND	0.50
Hexachloroethane	ND	0.50
Indeno(1,2,3-cd)pyrene	ND	0.50
Isophorone	ND	0.50
2-Methyl Phenol	ND	0.50
3-Methyl Phenol	ND	0.50
4-Methyl Phenol	ND	0.50
2-Methylnaphthalene	ND	0.50
N-Nitroso-di-n-dipropylamine	ND	0.50
N-Nitrosodimethylamine	ND	0.50
N-Nitrosodiphenylamine	ND	0.50
Naphthalene	ND	0.50
2-Nitroaniline	ND	0.50
3-Nitroaniline	ND	0.50
4-Nitroaniline	ND	0.50
Nitrobenzene	ND	0.50
2-Nitrophenol	ND	0.50
4-Nitrophenol	ND	0.50
Pentachlorophenol	ND	0.50
Phenanthrene	ND	0.50
Phenol	ND	0.50
Pyrene	ND	0.50
1,2,4-Trichlorobenzene	ND	0.50
2,4,5-Trichlorophenol	ND	0.50
2,4,6-Trichlorophenol	ND	0.50

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
* = PQL RAISED DUE TO MATRIX INTERFERENCE
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE EXTRACTED: 01/06/05
DATE ANALYZED: 01/07/05
DATE REPORTED: 01/07/05

SAMPLE I.D.: SP-02
LAB I.D.: 050106-17

SEMI-VOLATILE ORGANICS, EPA 8270C, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X20*
Acenaphthene	ND	0.50
Acenaphthylene	ND	0.50
Anthracene	ND	0.50
Benzo(a)anthracene	ND	0.50
Benzo(b)fluoranthene	ND	0.50
Benzo(a)pyrene	ND	0.50
Benzo(g,h,i)perylene	ND	0.50
Benzo(k)fluoranthene	ND	0.50
Benzoic Acid	ND	0.50
Benzyl Alcohol	ND	0.50
Bis(2-Chloroethoxy)methane	ND	0.50
Bis(2-Chloroethyl)ether	ND	0.50
Bis(2-Chloroisopropyl)ether	ND	0.50
Bis(2-Ethylhexyl)Phthalate	ND	0.50
4-Bromophenyl Phenyl Ether	ND	0.50
Butylbenzylphthalate	ND	0.50
4-Chloro-3-Methylphenol	ND	0.50
4-Chloroaniline	ND	0.50
2-Chloronaphthalene	ND	0.50
2-Chlorophenol	ND	0.50
4-Chlorophenyl Phenyl Ether	ND	0.50
Chrysene	ND	0.50
Di-n-butylphthalate	ND	0.50
Di-n-octylphthalate	ND	0.50
Dibenzo(a,h)anthracene	ND	0.50
Dibenzofuran	ND	0.50
1,2-Dichlorobenzene	ND	0.50
1,3-Dichlorobenzene	ND	0.50
1,4-Dichlorobenzene	ND	0.50
3,3-Dichlorobenzidine	ND	0.50
2,4-Dichlorophenol	ND	0.50
Diethyl Phthalate	ND	0.50
2,4-Dimethylphenol	ND	0.50
Dimethyl Phthalate	ND	0.50

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE EXTRACTED: 01/06/05
DATE ANALYZED: 01/07/05
DATE REPORTED: 01/07/05

SAMPLE I.D.: SP-02
LAB I.D.: 050106-17

SEMI-VOLATILE ORGANICS, EPA 8270C, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X20*
Dimethyl Phthalate	ND	0.50
4,6-Dinitro-2-methylphenol	ND	0.50
2,4-Dinitrophenol	ND	0.50
2,4-Dinitrotoluene	ND	0.50
2,6-Dinitrotoluene	ND	0.50
Fluoranthene	ND	0.50
Fluorene	ND	0.50
Hexachlorobenzene	ND	0.50
Hexachlorobutadiene	ND	0.50
Hexachlorocyclopentadiene	ND	0.50
Hexachloroethane	ND	0.50
Indeno(1,2,3-cd)pyrene	ND	0.50
Isophorone	ND	0.50
2-Methyl Phenol	ND	0.50
3-Methyl Phenol	ND	0.50
4-Methyl Phenol	ND	0.50
2-Methylnaphthalene	ND	0.50
N-Nitroso-di-n-dipropylamine	ND	0.50
N-Nitrosodimethylamine	ND	0.50
N-Nitrosodiphenylamine	ND	0.50
Naphthalene	ND	0.50
2-Nitroaniline	ND	0.50
3-Nitroaniline	ND	0.50
4-Nitroaniline	ND	0.50
Nitrobenzene	ND	0.50
2-Nitrophenol	ND	0.50
4-Nitrophenol	ND	0.50
Pentachlorophenol	ND	0.50
Phenanthrene	ND	0.50
Phenol	ND	0.50
Pyrene	ND	0.50
1,2,4-Trichlorobenzene	ND	0.50
2,4,5-Trichlorophenol	ND	0.50
2,4,6-Trichlorophenol	ND	0.50

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
* = PQL RAISED DUE TO MATRIX INTERFERENCE
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: LIQUID/SOIL
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE EXTRACTED: 01/06/05
DATE ANALYZED: 01/06/05
DATE REPORTED: 01/07/05

METHOD BLANK FOR LAB I.D.: 050106-16, -17, -18B

SEMI-VOLATILE ORGANICS, EPA 8270C, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
Acenaphthene	ND	0.50
Acenaphthylene	ND	0.50
Anthracene	ND	0.50
Benzo(a)anthracene	ND	0.50
Benzo(b)fluoranthene	ND	0.50
Benzo(a)pyrene	ND	0.50
Benzo(g,h,i)perylene	ND	0.50
Benzo(k)fluoranthene	ND	0.50
Benzoic Acid	ND	0.50
Benzyl Alcohol	ND	0.50
Bis(2-Chloroethoxy)methane	ND	0.50
Bis(2-Chloroethyl)ether	ND	0.50
Bis(2-Chloroisopropyl)ether	ND	0.50
Bis(2-Ethylhexyl)Phthalate	ND	0.50
4-Bromophenyl Phenyl Ether	ND	0.50
Butylbenzylphthalate	ND	0.50
4-Chloro-3-Methylphenol	ND	0.50
4-Chloroaniline	ND	0.50
2-Chloronaphthalene	ND	0.50
2-Chlorophenol	ND	0.50
4-Chlorophenyl Phenyl Ether	ND	0.50
Chrysene	ND	0.50
Di-n-butylphthalate	ND	0.50
Di-n-octylphthalate	ND	0.50
Dibenzo(a,h)anthracene	ND	0.50
Dibenzofuran	ND	0.50
1,2-Dichlorobenzene	ND	0.50
1,3-Dichlorobenzene	ND	0.50
1,4-Dichlorobenzene	ND	0.50
3,3-Dichlorobenzidine	ND	0.50
2,4-Dichlorophenol	ND	0.50
Diethyl Phthalate	ND	0.50
2,4-Dimethylphenol	ND	0.50
Dimethyl Phthalate	ND	0.50

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: LIQUID/SOIL
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE EXTRACTED: 01/06/05
DATE ANALYZED: 01/06/05
DATE REPORTED: 01/07/05

METHOD BLANK FOR LAB I.D.: 050106-16, -17, -18B

SEMI-VOLATILE ORGANICS, EPA 8270C, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
Dimethyl Phthalate	ND	0.50
4,6-Dinitro-2-methylphenol	ND	0.50
2,4-Dinitrophenol	ND	0.50
2,4-Dinitrotoluene	ND	0.50
2,6-Dinitrotoluene	ND	0.50
Fluoranthene	ND	0.50
Fluorene	ND	0.50
Hexachlorobenzene	ND	0.50
Hexachlorobutadiene	ND	0.50
Hexachlorocyclopentadiene	ND	0.50
Hexachloroethane	ND	0.50
Indeno(1,2,3-cd)pyrene	ND	0.50
Isophorone	ND	0.50
2-Methyl Phenol	ND	0.50
3-Methyl Phenol	ND	0.50
4-Methyl Phenol	ND	0.50
2-Methylnaphthalene	ND	0.50
N-Nitroso-di-n-dipropylamine	ND	0.50
N-Nitrosodimethylamine	ND	0.50
N-Nitrosodiphenylamine	ND	0.50
Naphthalene	ND	0.50
2-Nitroaniline	ND	0.50
3-Nitroaniline	ND	0.50
4-Nitroaniline	ND	0.50
Nitrobenzene	ND	0.50
2-Nitrophenol	ND	0.50
4-Nitrophenol	ND	0.50
Pentachlorophenol	ND	0.50
Phenanthrene	ND	0.50
Phenol	ND	0.50
Pyrene	ND	0.50
1,2,4-Trichlorobenzene	ND	0.50
2,4,5-Trichlorophenol	ND	0.50
2,4,6-Trichlorophenol	ND	0.50

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro-Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8270 QA/QC Report

Matrix: **Soil/Sludge** Unit: mg/Kg (PPM)

Date Analyzed: 1/6/2005

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)

Spiked Sample Lab I.D.: **050106-LCS1/2**

Analyte	SR	spk conc	MS	%MS	MSD	%MSD	%RPD	ACP %MS	ACP RPD
Phenol	0.0	80.0	80.0	100%	80.2	100%	0%	50-150	0-20
Pyrene	0.0	80.0	102.0	128%	106.0	133%	4%	50-150	0-20

Laboratory Control Spike (LCS):

Analyte	spk conc	LCS	% RC	ACP %RC
Phenol	4.00	3.93	98%	75-125
1,4-Dichlorobenzene	4.00	4.03	101%	75-125
2,4-Dichlorophenol	4.00	3.34	83%	75-125
Hexachlorobutadiene	4.00	4.40	110%	75-125
4-Chloro-3-methylphenol	4.00	3.97	99%	75-125
Fluoranthene	4.00	3.83	96%	75-125

Surrogate Recovery	spk conc	ACP%	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.			MB	0106-16	0106-17				
2-Fluorophenol	80	25-121	78%	77%	76%				
Phenol-d5	80	24-113	65%	64%	63%				
Nitrobenzene-d5	80	23-120	78%	73%	70%				
2-Fluorobiphenyl	80	30-115	94%	88%	88%				
2,4,6-Tribromophenol	80	19-122	93%	100%	98%				
Terphenyl-d14	80	18-137	67%	71%	74%				

Surrogate Recovery	spk conc	ACP%	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.									
2-Fluorophenol	80	25-121							
Phenol-d5	80	24-113							
Nitrobenzene-d5	80	23-120							
2-Fluorobiphenyl	80	30-115							
2,4,6-Tribromophenol	80	19-122							
Terphenyl-d14	80	18-137							

Surrogate Recovery	spk conc	ACP%	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.									
2-Fluorophenol	80	25-121							
Phenol-d5	80	24-113							
Nitrobenzene-d5	80	23-120							
2-Fluorobiphenyl	80	30-115							
2,4,6-Tribromophenol	80	19-122							
Terphenyl-d14	80	18-137							

Analyzed and Reviewed By: ALW

Final Reviewer: QO

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

Date: January 10, 2005

Mr. Robert Lartz
Remedial Construction Service, Inc.
1101 California St., Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

Project: Corona Service Park

Dear Mr. Lartz:

The analytical results for the liquid and soil samples, received by our laboratory on January 6, 2005, are attached.

Enviro-Chem appreciates the opportunity to provide you and your company this and other services. Please do not hesitate to call us if you have any questions.

Sincerely,

Curtis Desilets
Vice President/Program Manager

Jesse Tu, Ph.D.
Laboratory Manager

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE ANALYZED: 01/07-08/05
DATE REPORTED: 01/10/05

SAMPLE I.D.: SP-01
LAB I.D.: 050106-16

TOTAL THRESHOLD LIMIT CONCENTRATION ANALYSIS
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

ELEMENT ANALYZED	SAMPLE RESULT	PQL	DF	TTLC LIMIT	STLC LIMIT	EPA METHOD
Antimony(Sb)	ND	1.0	1	500	15	6010B
Arsenic(As)	6.84	0.5	1	500	5.0	6010B
Barium(Ba)	62.8	5.0	1	10,000	100	6010B
Beryllium(Be)	ND	0.5	1	75	0.75	6010B
Cadmium(Cd)	1.17	0.5	1	100	1.0	6010B
Chromium Total(Cr)	10.4	0.5	1	2,500	560/5@	6010B
Chromium VI (Cr6)	--	0.1	1	500	5.0	7196A
Cobalt(Co)	2.31	1.0	1	8,000	80	6010B
Copper(Cu)	28.0	1.0	1	2,500	25	6010B
Lead(Pb)	43.5	0.5	1	1,000	5.0	6010B
Mercury(Hg)	ND	0.1	1	20	0.2	7471A
Molybdenum(Mo)	ND	5.0	1	3,500	350	6010B
Nickel(Ni)	7.35	2.5	1	2,000	20	6010B
Selenium(Se)	ND	1.0	1	100	1.0	6010B
Silver(Ag)	ND	1.0	1	500	5.0	6010B
Thallium(Tl)	ND	1.0	1	700	7.0	6010B
Vanadium(V)	30.3	5.0	1	2,400	24	6010B
Zinc(Zn)	64.7	0.5	1	5,000	250	6010B

COMMENTS
DF = Dilution Factor
PQL = Practical Quantitation Limit
Actual Detection Limit = PQL X DF
ND = Below the Actual Detection Limit or non-detected
TTLC = Total Threshold Limit Concentration
STLC = Soluble Threshold Limit Concentration
@ = Must meet both the STLC Limit at 560 and EPA-TCLP Limit at 5
* = STLC analysis for the metal is recommended (if marked)
** = Additional Analysis required, please call to discuss (if marked)
*** = The concentration exceeds the TTLC Limit, and the sample is defined as hazardous waste as per CCR-TITLE 22 (if marked)
-- = Not analyzed/not requested

Data Reviewed and Approved by: _____
CAL-DHS ELAP CERTIFICATE No.: 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE ANALYZED: 01/07-08/05
DATE REPORTED: 01/10/05

SAMPLE I.D.: SP-02
LAB I.D.: 050106-17

TOTAL THRESHOLD LIMIT CONCENTRATION ANALYSIS
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

ELEMENT ANALYZED	SAMPLE RESULT	PQL	DF	TTLC LIMIT	STLC LIMIT	EPA METHOD
Antimony(Sb)	ND	1.0	1	500	15	6010B
Arsenic(As)	3.76	0.5	1	500	5.0	6010B
Barium(Ba)	57.0	5.0	1	10,000	100	6010B
Beryllium(Be)	ND	0.5	1	75	0.75	6010B
Cadmium(Cd)	1.07	0.5	1	100	1.0	6010B
Chromium Total(Cr)	9.02	0.5	1	2,500	560/5@	6010B
Chromium VI (Cr6)	--	0.1	1	500	5.0	7196A
Cobalt(Co)	2.27	1.0	1	8,000	80	6010B
Copper(Cu)	27.6	1.0	1	2,500	25	6010B
Lead(Pb)	31.2	0.5	1	1,000	5.0	6010B
Mercury(Hg)	ND	0.1	1	20	0.2	7471A
Molybdenum(Mo)	ND	5.0	1	3,500	350	6010B
Nickel(Ni)	6.97	2.5	1	2,000	20	6010B
Selenium(Se)	ND	1.0	1	100	1.0	6010B
Silver(Ag)	ND	1.0	1	500	5.0	6010B
Thallium(Tl)	ND	1.0	1	700	7.0	6010B
Vanadium(V)	24.5	5.0	1	2,400	24	6010B
Zinc(Zn)	72.8	0.5	1	5,000	250	6010B

COMMENTS
DF = Dilution Factor
PQL = Practical Quantitation Limit
Actual Detection Limit = PQL X DF
ND = Below the Actual Detection Limit or non-detected
TTLC = Total Threshold Limit Concentration
STLC = Soluble Threshold Limit Concentration
@ = Must meet both the STLC Limit at 560 and EPA-TCLP Limit at 5
* = STLC analysis for the metal is recommended (if marked)
** = Additional Analysis required, please call to discuss (if marked)
*** = The concentration exceeds the TTLC Limit, and the sample is defined as hazardous waste as per CCR-TITLE 22 (if marked)
-- = Not analyzed/not requested

Data Reviewed and Approved by: _____
CAL-DHS ELAP CERTIFICATE No.: 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE ANALYZED: 01/07-08/05
DATE REPORTED: 01/10/05

METHOD BLANK FOR LAB I.D.: 050106-16, -17

TOTAL THRESHOLD LIMIT CONCENTRATION ANALYSIS
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

ELEMENT ANALYZED	SAMPLE RESULT	PQL	DF	TTLC LIMIT	STLC LIMIT	EPA METHOD
Antimony(Sb)	ND	1.0	1	500	15	6010B
Arsenic(As)	ND	0.5	1	500	5.0	6010B
Barium(Ba)	ND	5.0	1	10,000	100	6010B
Beryllium(Be)	ND	0.5	1	75	0.75	6010B
Cadmium(Cd)	ND	0.5	1	100	1.0	6010B
Chromium Total(Cr)	ND	0.5	1	2,500	560/5@	6010B
Chromium VI (Cr6)	--	0.1	1	500	5.0	7196A
Cobalt(Co)	ND	1.0	1	8,000	80	6010B
Copper(Cu)	ND	1.0	1	2,500	25	6010B
Lead(Pb)	ND	0.5	1	1,000	5.0	6010B
Mercury(Hg)	ND	0.1	1	20	0.2	7471A
Molybdenum(Mo)	ND	5.0	1	3,500	350	6010B
Nickel(Ni)	ND	2.5	1	2,000	20	6010B
Selenium(Se)	ND	1.0	1	100	1.0	6010B
Silver(Ag)	ND	1.0	1	500	5.0	6010B
Thallium(Tl)	ND	1.0	1	700	7.0	6010B
Vanadium(V)	ND	5.0	1	2,400	24	6010B
Zinc(Zn)	ND	0.5	1	5,000	250	6010B

COMMENTS
DF = Dilution Factor
PQL = Practical Quantitation Limit
Actual Detection Limit = PQL X DF
ND = Below the Actual Detection Limit or non-detected
TTLC = Total Threshold Limit Concentration
STLC = Soluble Threshold Limit Concentration
@ = Must meet both the STLC Limit at 560 and EPA-TCLP Limit at 5
* = STLC analysis for the metal is recommended (if marked)
** = Additional Analysis required, please call to discuss (if marked)
*** = The concentration exceeds the TTLC Limit, and the sample is defined as hazardous waste as per CCR-TITLE 22 (if marked)
-- = Not analyzed/not requested

Data Reviewed and Approved by: _____
CAL-DHS ELAP CERTIFICATE No.: 1555

QA/QC for Metals Analysis --TTLC--SOLID/SOIL MATRIX

Lab I.D.: 050106-16, 17

Matrix Spike/ Matrix Spike Duplicate/ LCS :

ANALYSIS DATE. : 01/08/2005

Unit: Mg/Kg (ppm)

Analysis	Spk.Sample ID	LCS CONC.	LCS %Rec.	LCS STATUS	Sample Result	Spike Conc.	MS	% Rec MS	MSD	% Rec MSD	% RPD
ARSENIC (As)	050106-7	1.00	90	PASS	4.110	50	45.8	83%	46.1	84%	1%
Chromium (Cr)	050106-7	1.00	93	PASS	32.9	50	71.8	78%	71.3	77%	1%
LEAD (Pb)	050106-7	1.00	92	PASS	6.590	50	43.9	75%	47.8	82%	10%

ANALYSIS DATE. : 01/07/2005

Analysis	Spk.Sample ID	LCS CONC.	LCS %Rec.	LCS STATUS	Sample Result	Spike Conc.	MS	% Rec MS	MSD	% Rec MSD	% RPD
Mercury (Hg)	050106-17	0.500	101	PASS	0	0.300	0.301	100%	0.300	100%	0%

MS/MSD Status:

Analysis	%MS	%MSD	%LCS	%RPD
ARSENIC (As)	PASS	PASS	PASS	PASS
LEAD (Pb)	PASS	PASS	PASS	PASS
Chromium (Cr)	PASS	PASS	PASS	PASS
MERCURY (Hg)	PASS	PASS	PASS	PASS
Accepted Range%	75 ~ 125	75 ~ 125	85 ~ 115	0 ~ 20

ANALYST: JOE SU

FINAL REVIEWER: [signature]

Enviro-Chem, Inc. Laboratories
1214 E. Lexington Avenue,
Pomona, CA 91766
Tel: (909) 590-5905 Fax: (909) 590-5907
CA-DHS ELAP CERTIFICATE # 1555

Turnaround Time
0 Same Day
24 Hours
0 48 Hours
0 72 Hours
0 1 Week (Standard)
Other:

RUSH

SAMPLE ID	LAB ID	SAMPLING DATE	SAMPLING TIME	MATRIX	No. OF CONTAINERS	TEMPERATURE	PRESERVATION	CAM 17 TTLC	8260	8270	8015 Carbon Rng.	PCBs	TPH Gas	HOLD EXTRA	BOTTLE		COMMENTS
SP-01	050106-16	1/6/05	0918	Soil	2	4°C		X	X	X	X	X	X				
SP-02	-17		0923	Soil	2			X	X	X	X	X	X				
LS-01-A	-18A		0930	liquid	4	(yum)	X		X				X				
LS-01-B	-18B		0940	liquid	3	(1l)				X	X	X					
LS-01-C	-18C		0950	liquid	2	(plastic)	X	X						X			

Analysis Required

→ 10AM - Tomorrow

Company Name: REMEDIAL CONSTRUCTION SERVICE
Address: 1101 CALIFORNIA AVE, STE 100
City/State/Zip: CORONA, CA ~~9280~~ 92881

Project Contact: ROBERT LARTZ
Tel: 951-272-2877
Fax: 951-272-2825

Sampler's Signature: [signature]
Project Name/ID: Corona Service Park

Relinquished by: [signature]	Received by: [signature]	Date & Time: 1/6/05 1042	Instructions for Sample Storage After Analysis:
Relinquished by: [signature]	Received by: [signature]	Date & Time: 1/6/05 1045	O Dispose of O Return to Client ● Store (30 Days)
Relinquished by:	Received by: [signature]	Date & Time:	O Other:

CHAIN OF CUSTODY RECORD

Appendix B

Manifests/Weight Tickets for Soil Recycling

AZUSA LAND RECLAMATION CO.
1211 W. GLADSTONE
AZUSA CA 91702
626.334.0719

TICKET: 162345
DATE: 02/16/2005
TIME: 14:36 - 14:55

CUSTOMER: 113 / THERMAL REMEDIATION SOLUTIONS
GENERATOR: NA / Non App
PROFILE #: NA
ORIGIN: COR / CORONA
TRUCK: TRS1
LICENSE: CP74377
COMMENT: HOYT
CUYDS: 2

P.O.: SR01328
GROSS: 71820 LBS
TARE: 28880 LBS
NET: 42940 LBS
M A N I F EST: 22203

WASTE	QUANTITY	UNIT
PCS / CONTAMINATED SOIL	21.47	T

DRIVER:

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

IN: GABRIELA PEDROZA

OUT: GABRIELA PEDROZA

NO. 22203

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME Corona Service Park — EPA ID NO. N/A

ADDRESS 1451 Magnolia Ave.

CITY, STATE, ZIP Corona, CA 92879 — PHONE NO (714) 554-9800

DESIGNATED TSD FACILITY: Thermal Remediation Solutions — EPA I.D. NO.

			WEIGHT OR VOLUME	UNITS
			~~10~~ 16	YRDS

CONTAINERS: _____ TYPE: ☐ TANK TRUCK ☐ DRUMS ☐ DUMP TRUCK ☐ CARTONS ☐ OTHER _____

WASTE DESCRIPTION Non-Haz Soil — GENERATING PROCESS Site Clean-Up

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1. Soil	-	99.99	5		
2. TPH		.01	6		
3.			7.		
4			8		

PROPERTIES: pH ____ ☒ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER _____

HANDLING INSTUCTIONS Wear Appropriate Safety Gear Profile # 2005 0004-SR01328

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

AS AGENT

C. FREDERICKS JR. — 2/16/05

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

TRANSPORTER

NAME HOYT TRANSPORTATION — EPA ID NO. N/A

ADDRESS 1570 E. SIXTH STREET — SERVICE ORDER NO. _____

CITY, STATE, ZIP CORONA CA 92879 — PICK UP DATE 2/16/05

PHONE NO. (951) 734-3191

TRUCK, UNIT, I.D. NO. 160/160TT — Lincoln Saenz Jr — 2-16-0

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

TSD FACILITY

NAME Thermal Remidiation Solutions — EPA I.D. NO. CAD009007626

ADDRESS 16025 Arrow Hwy — DISPOSAL METHOD ☐ LANDFILL ☒ OTHER Recycle

CITY, STATE, ZIP Irwindale, CA 91706

PHONE NO (626) 338-3939 — F. Sanchez — 2-16-0

QUANTITY: _____

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

DISCREPANCY

AZUSA LAND RECLAMATION CO.
1211 W. GLADSTONE
AZUSA CA 91702
626.334.0719

TICKET: 162315
DATE: 02/16/2005
TIME: 12:01 - 12:23

CUSTOMER: 113 / THERMAL REMEDIATION SOLUTIONS
P.O.: SR01328
GENERATOR: NA / Non App
PROFILE #: NA
GROSS: 77140 LBS
ORIGIN: COR / CORONA
TARE: 28920 LBS
TRUCK: TRS2
LICENSE: CP74377
NET: 48220 LBS
COMMENT: HOYT
MANIFEST: 22202
CUYDS: 20

WASTE	QUANTITY	UNIT
PCS / CONTAMINATED SOIL	24.11	T

DRIVER:

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

IN: GALINDA BANUELOS
OUT: GALINDA BANUELOS

NO. 22202

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME: Corona Service Park — EPA I.D. NO.: N/A

ADDRESS: 1451 Magnolia Ave.

CITY, STATE, ZIP: Corona, CA 92879 — PHONE NO. (714) 554-9800

DESIGNATED TSD FACILITY: Thermal Remediation Solutions — EPA I.D. NO.:

			WEIGHT OR VOLUME	UNITS
			18	YRDS

CONTAINERS: _____ TYPE: ☐ TANK TRUCK ☐ DRUMS ☐ DUMP TRUCK ☐ CARTONS ☐ OTHER _____

WASTE DESCRIPTION: Non-Haz Soil — GENERATING PROCESS: Site Clean-Up

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1. Soil		99.99	5.		
2. TPH		.01	6.		
3.			7.		
4.			8.		

PROPERTIES: pH ____ ☒ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER _____

HANDLING INSTUCTIONS: Wear Appropriate Safety Gear Profile # 2005 0004-SR01328

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

AS AGENT

C. FREDERICKS JR. — TYPED OR PRINTED FULL NAME & SIGNATURE — DATE 2/16/05

TRANSPORTER

NAME: HOYT TRANSPORTATION — EPA I.D. NO.: N/A

ADDRESS: 1510 E. SIXTH STREET — SERVICE ORDER NO.:

CITY, STATE, ZIP: CORONA, CA 92879 — PICK UP DATE: 2/16/05

PHONE NO. (951) 734-3191

TRUCK, UNIT, I.D. NO.: 160/160TT — TYPED OR PRINTED FULL NAME & SIGNATURE — DATE 2-16-05

TSD FACILITY

NAME: Thermal Remidiation Solutions — EPA I.D. NO.: CAD 099 071626

ADDRESS: 16025 Arrow Hwy — DISPOSAL METHOD: ☐ LANDFILL ☒ OTHER Recycle

CITY, STATE, ZIP: Irwindale, CA 91706

PHONE NO. (626) 338-3939

QUANTITY: _____ — TYPED OR PRINTED FULL NAME & SIGNATURE — DATE 2-16-05

DISCREPANCY

AZUSA LAND RECLAMATION CO.
1211 W. GLADSTONE
AZUSA CA 91702
626.334.0719

TICKET: 162288
DATE: 02/16/2005
TIME: 09:44 - 10:04

CUSTOMER: 113*/ THERMAL REMEDIATION SOLUTIONS
P.O.: SR01328
GENERATOR: NA / Non App
PROFILE #: NA
GROSS: 77480 LBS
ORIGIN: COR / CORONA
TARE: 29040 LBS
TRUCK: TRS1
LICENSE: CP74377
NET: 48440 LBS
COMMENT: HOYT
M A N I F EST: 22201
CUYDS: 20

WASTE	QUANTITY	UNIT
PCS / CONTAMINATED SOIL	24.22	T

DRIVER:

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

IN: GALINDA BANUELOS
OUT: GALINDA BANUELOS

NO. 22201

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME: Corona Service Park — EPA I.D. NO.: N/A

ADDRESS: 1451 Magnolia Ave.

CITY, STATE, ZIP: Corona, CA 92879 — PHONE NO. (714) 554-9800

DESIGNATED TSD FACILITY: Thermal Remediation Solutions — EPA I.D. NO.:

			WEIGHT OR VOLUME	UNITS
			18	YRDS

CONTAINERS: _____ TYPE: ☐ TANK TRUCK ☐ DRUMS ☐ DUMP TRUCK ☐ CARTONS ☐ OTHER _____

WASTE DESCRIPTION: Non-Haz Soil — GENERATING PROCESS: Site Clean-Up

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1. Soil		99.99	5.		
2. TPH		.01	6.		
3.			7.		
4.			8.		

PROPERTIES: pH ____ ☑ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER _____

HANDLING INSTUCTIONS: Wear Appropriate Safety Gear Profile # 2005 0004-SR01323

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

AS AGENT

C. FREDERICKS JR. — TYPED OR PRINTED FULL NAME & SIGNATURE — DATE 2/16/

TRANSPORTER

NAME: HOYT TRANSPORTATION — EPA I.D. NO.: N/A

ADDRESS: 1520 E. SIXTH STREET — SERVICE ORDER NO.:

CITY, STATE, ZIP: CORONA, CA 92879 — PICK UP DATE: 2/16/05

PHONE NO. (951) 734-3191

TRUCK, UNIT, I.D. NO.: 160/160TT — TYPED OR PRINTED FULL NAME & SIGNATURE — DATE 2-16-05

TSD FACILITY

NAME: Thermal Remidiation Solutions — EPA I.D. NO.: CAD090076 26

ADDRESS: 16025 Arrow Hwy — DISPOSAL METHOD: ☐ LANDFILL ☐ OTHER Recycle

CITY, STATE, ZIP: Irwindale, CA 91706

PHONE NO. (626) 338-3939

QUANTITY: _____ — TYPED OR PRINTED FULL NAME & SIGNATURE — DATE 2-16-05

DISCREPANCY

AZUSA LAND RECLAMATION CO.
1211 W. GLADSTONE
AZUSA CA 91702
626.334.0719

TICKET: 159500
DATE: 01/17/2005
TIME: 11:16 - 11:29

CUSTOMER: 113 / THERMAL REMEDIATION SOLUTIONS
P.O.: CR01320
GENERATOR: NA / Non App
PROFILE #: NA
GROSS: 77440 LBS
ORIGIN: COR / CORONA
TARE: 30120 LBS
TRUCK: TR51
LICENSE: 9015885
NET: 47320 LBS
COMMENT: PETE'S
MANIFEST: 72168
CUBES: 20

MATERIAL	QUANTITY	UNIT
PCS / CONTAMINATED SOIL	24.66	T

DRIVER: Pete Valdez

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

IN: GALINDO DANUELOS
OUT: GALINDO DANUELOS

№ 22168

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME Corona Service Park — EPA ID NO N/A

ADDRESS 1451 Magnolia Ave.

CITY, STATE, ZIP Corona, CA 92879 — PHONE NO (714) 554-9300

DESIGNATED TSD FACILITY: Thermal Remediation Solutions — EPA I.D. NO.

			WEIGHT OR VOLUME	UNITS
			18	YRDS

CONTAINERS: _____ TYPE: ☐ TANK TRUCK ☐ DRUMS ☑ DUMP TRUCK ☐ CARTONS ☐ OTHER _____

WASTE DESCRIPTION non-haz Soil — GENERATING PROCESS Site Clean-Up

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1 Soil		99.99	5		
2 TPH		.01	6		
3			7		
4			8		

PROPERTIES pH ____ ☑ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER _____

HANDLING INSTUCTIONS Wear Appropriate Safety Gear Profile # 2005 0004-SR01328

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

Corona Service Park by Grace Rocco, Managing Partner by Jeff Bennett her attorney in fact for materials g
and disposed of pursuant to US EPA order for removal, mitigation or prevention of a substantial threat of oil c
in the matter of Grove Moss, docket = OPA 9-2005-0008

Corona Service
Jeff Bennett 1-1
DATE

TRANSPORTER

NAME Petes Transportation — EPA ID NO N/A

ADDRESS 531 W. Harding — SERVICE ORDER NO _____

CITY, STATE, ZIP Santa Maria Ca 93458 — PICK UP DATE _____

PHONE NO (805) 478-0456 — Pete Chavez — 1-17-05

TRUCK, UNIT ID NO 7 — TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

TSD FACILITY

NAME Thermal Remidiation Solutions — EPA ID NO CAD009007612

ADDRESS ~~16025 Arrow Hwy~~ 1211 W. Gladstone Azusa, Ca. 91702 — DISPOSAL METHOD ☐ LANDFILL ☑ OTHER Recycle

CITY, STATE, ZIP ~~Irwindale, CA 91706~~

PHONE NO (626) 338-3939 — F. Sanchez. — 1-17-

QUANTITY: _____ — TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

DISCREPANCY

AZUSA LAND RECLAMATION CO.
1211 W. GLADSTONE
AZUSA CA 91702
626.334.0719

TICKET: 159501
DATE: 01/17/2005
TIME: 11:00 - 11:15

CUSTOMER: 113 / THERMAL REMEDIATION SOLUTIONS
P.O.: SR01328
GENERATOR: NA / Non App
PROFILE #: NA
GROSS: 82560 LBS
ORIGIN: COR / CORONA
TARE: 32600 LBS
TRUCK: TRS1
LICENSE: SP65750
NET: 49960 LBS
COMMENT: SOLLARS
M A N I F EST: 22105
CUYDS: 20

WASTE	QUANTITY	UNIT
PCS / CONTAMINATED SOIL	24.98	T

DRIVER: Brian Sollars

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

IN: GALINDA BANUELOS
OUT: GALINDA BANUELOS

(1)

№ 22185

1

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME: Corona Service Park — EPA I.D. NO: N/A

ADDRESS: 1451 Magnolia Ave.

CITY, STATE, ZIP: Corona, CA 92879 — PHONE NO: (714) 554-9800

DESIGNATED TSD FACILITY: Thermal Remediation Solutions — EPA I.D. NO.:

			WEIGHT OR VOLUME	UNITS
			18	YRDS

CONTAINERS: _____ TYPE: ☐ TANK TRUCK ☐ DRUMS ☒ DUMP TRUCK ☐ CARTONS ☐ OTHER _____

WASTE DESCRIPTION: Non-haz Soil — GENERATING PROCESS: Site Clean-Up

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1. Soil		99.99	5		
2. TPH		.01	6		
3.			7.		
4.			8		

PROPERTIES: pH ____ ☒ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER _____

HANDLING INSTUCTIONS: Wear Appropriate Safety Gear Profile # 2005 0004-SR01328

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

Corona Service Park by Grace Rocco, Managing Partner by Jeff Bennett her attorney in fact for materials generated and disposed of pursuant to US EPA order for removal, mitigation or prevention of a substantial threat of oil discharge in the matter of Grover Moss, docket # OPA 9-2005-0008

Corona Service Park
Jeff Bennett 1-17-
DATE

TRANSPORTER

NAME: Sallocs Trucking — EPA I.D. NO.: N/A

ADDRESS: PO Box 177 — SERVICE ORDER NO.:

CITY, STATE, ZIP: Sun City, CA 92586 — PICK UP DATE:

PHONE NO.: (909) 672-0034

TRUCK, UNIT, I.D. NO: 9

Brian Sallocs — Brian Sallocs 1-17-
TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

TSD FACILITY

NAME: Thermal Remidiation Solutions — EPA I.D. NO.: CAD 990 07 636

ADDRESS: ~~16025 Arrow Hwy~~ 12211 W. Gladstone — DISPOSAL METHOD: ☐ LANDFILL ☒ OTHER Recycle

CITY, STATE, ZIP: ~~Irwindale, CA 91706~~ Azusa, CA 91702

PHONE NO.: (626) 338-3939

QUANTITY:

F. Sanchez — 1-17-0
TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

DISCREPANCY

AZUSA LAND RECLAMATION CO.
1211 W. GLADSTONE
AZUSA CA 91702
626.334.0719

TICKET: 159493
DATE: 01/17/2005
TIME: 10:40 - 10:50

CUSTOMER: 113 / THERMAL REMEDIATION SOLUTIONS
GENERATOR: NA / Non App
PROFILE #: NA
ORIGIN: COR / CORONA
TRUCK: TRS3
LICENSE: SP80308
COMMENT: HOYT
CUYDS: 20

P.O.: SR01328
GROSS: 78020 LBS
TARE: 30200 LBS
NET: 47820 LBS
M A N I F EST: 22197

WASTE	QUANTITY	UNIT
PCS / CONTAMINATED SOIL	23.91	T

DRIVER:

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

IN: GALINDA BANUELOS
OUT: GALINDA BANUELOS

(3) SP80308

№ 22197

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME Corona Service Park — EPA I.D. NO N/A

ADDRESS 1451 Magnolia Ave.

CITY, STATE, ZIP Corona, CA 92879 — PHONE NO (714) 554-9800

DESIGNATED TSD FACILITY: Thermal Remediation Solutions — EPA I.D. NO.

			WEIGHT OR VOLUME	UNITS
			18	YRDS

CONTAINERS: _____ TYPE: ☐ TANK TRUCK ☐ DRUMS ☒ DUMP TRUCK ☐ CARTONS ☐ OTHER _____

WASTE DESCRIPTION Non-Haz Soil — GENERATING PROCESS Site Clean-Up

	COMPONENTS OF WASTE	PPM	%		COMPONENTS OF WASTE	PPM	%
1.	Soil		99.99	5			
2	TPH		.01	6			
3				7.			
4				8.			

PROPERTIES: pH ____ ☒ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER _____

HANDLING INSTUCTIONS Wear Appropriate Safety Gear Profile # 2005 0004-SR01328

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

Corona Service Park by Grace Rocco, Managing Partner by Jeff Bennett her attorney in fact for materials generated and disposed of pursuant to US EPA order for removal, mitigation or prevention of a substantial threat of oil discharge in the matter of Grover Moss, docket # OPA 9-2005-0008

Corona Service Park [signature] 1-17-

DATE

TRANSPORTER

NAME Hoyt Transportation, Inc. — EPA I.D. NO N/A

ADDRESS 1520 E. 6th St — SERVICE ORDER NO. _____

CITY, STATE, ZIP Corona, Ca, 92879 — PICK UP DATE 1-17-05

PHONE NO. 951, 734-3191

TRUCK, UNIT, I.D. NO 240 360 — [signature] 1-17-

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

TSD FACILITY

NAME Thermal Remidiation Solutions — EPA I.D. NO. CAD009007626

ADDRESS ~~16025 Arrow Hwy~~ 1211 W. Gladstone — DISPOSAL METHOD ☐ LANDFILL ☒ OTHER Recycle

CITY, STATE, ZIP ~~Irwindale~~, CA 91706 Azusa, Ca 91702

PHONE NO. (626) 338-3939

QUANTITY: _____ — F. Sanchez [signature] 1-17-0

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

DISCREPANCY

AZUSA LAND RECLAMATION CO.
1211 W. GLADSTONE
AZUSA CA 91702
626.334.0719

TICKET: 159479
DATE: 01/17/2005
TIME: 10:06 - 10:19

CUSTOMER: 113 / THERMAL REMEDIATION SOLUTIONS
GENERATOR: NA / Non App
PROFILE #: NA
ORIGIN: COR / CORONA
TRUCK: TRS2
LICENSE: 9R71283
COMMENT: MG TRANS
CUYDS: 20

P.O.: SP01320
GROSS: 83100 LBS
TARE: 28120 LBS
NET: 54980 LBS
MANIFEST: 22196

WASTE	QUANTITY	UNIT
PCS / CONTAMINATED SOIL	27.49	T

DRIVER: _____

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

IN: GALINDA BANUELOS
OUT: GALINDA BANUELOS

(2)

№ 22196

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME Corona Service Park — EPA ID NO N/A

ADDRESS 1451 Magnolia Ave.

CITY, STATE, ZIP Corona, CA 92879 — PHONE NO (714) 554-[illegible]

DESIGNATED TSD FACILITY: Thermal Remediation Solutions — EPA I.D. NO.

			WEIGHT OR VOLUME	UNITS
			18	YPDS

CONTAINERS: _____ TYPE: ☐ TANK TRUCK ☐ DRUMS ☒ DUMP TRUCK ☐ CARTONS ☐ OTHER _____

WASTE DESCRIPTION Non-Haz Soil — GENERATING PROCESS Site Clean-Up

	COMPONENTS OF WASTE	PPM	%		COMPONENTS OF WASTE	PPM	%
1.	Soil		99.99	5			
2	TPH		.01	6			
3				7.			
4				8			

PROPERTIES pH ____ ☒ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER _____

HANDLING INSTUCTIONS Wear Appropriate Safety Gear Profile # 2005 0004-SK01328

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

Corona Service Park by Grace Rocco, Managing Partner by Jeff Bennett her attorney in fact for materials generated and disposed of pursuant to US EPA order for removal, mitigation or prevention of a substantial threat of oil discharge in the matter of Grover Moss, docket # OPA 9-2005-0008

Corona Service Park Jeff [signature] 1-17-[illegible]
DATE

TRANSPORTER

NAME JW TRK — EPA ID NO N/A

ADDRESS _____ — SERVICE ORDER NO _____

CITY, STATE, ZIP Fontana — PICK UP DATE _____

PHONE NO. 909 8222196

TRUCK, UNIT, ID NO 7768 — [signature] 1-17-0[illegible]
TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

TSD FACILITY

NAME Thermal Remidiation Solutions — EPA I.D. NO. C A D 0 0 9 0 0 7 6 2 6

ADDRESS ~~16025 Arrow Hwy~~ 1211 W. Gladstone — DISPOSAL METHOD ☐ LANDFILL ☒ OTHER Recycle

CITY, STATE, ZIP ~~Irwindale, CA 91706~~ Azusa, Ca. 91702

PHONE NO. (626) 338-3939

QUANTITY: _____ — F. Sanchez [signature] 1-17
TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

DISCREPANCY

AZUSA LAND RECLAMATION CO.
1211 W. GLADSTONE
AZUSA CA 91702
626.334.0719

TICKET: 159476
DATE: 01/17/2005
TIME: 10:03 - 10:13

CUSTOMER: 113 / THERMAL REMEDIATION SOLUTIONS
GENERATOR: NA / Non App
PROFILE #: NA
ORIGIN: COR / CORONA
TRUCK: TRS1
LICENSE: 9D17677
COMMENT: JCV
CUYDS: 20

P.O.: SR01328
GROSS: 84000 LBS
TARE: 30000 LBS
NET: 54000 LBS
M A N I F EST: 22167

WASTE	QUANTITY	UNIT
PCS / CONTAMINATED SOIL	27.04	T

DRIVER: _____

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

IN: GALINDA BANUELOS
OUT: GALINDA BANUELOS

(1)

№ 2216

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME Corona Service Park — EPA I.D. NO N/A

ADDRESS 1451 Magnolia Ave.

CITY, STATE, ZIP Corona, CA 92879 — PHONE NO (714) 554-9800

DESIGNATED TSD FACILITY: Thermal Remediation Solutions — EPA I.D. NO.

			WEIGHT OR VOLUME	UNITS
			18	YRDS

CONTAINERS: _____ TYPE: ☐ TANK TRUCK ☐ DRUMS ☒ DUMP TRUCK ☐ CARTONS ☐ OTHER _____

WASTE DESCRIPTION Non-Haz Soil — GENERATING PROCESS Site Clean-Up

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1. Soil		99.99	5.		
2. TPH		.01	6.		
3			7.		
4			8.		

PROPERTIES: pH ____ ☒ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER _____

HANDLING INSTUCTIONS: Wear Appropriate Safety Gear Profile # 2005 0004-SR01328

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, package marked, labeled and are in proper condition for transportation according to all applicable regulations.

Corona Service Park by Grace Rocco, Managing Partner by Jeff Bennett her attorney in fact for materials generated and disposed of pursuant to US EPA order for removal, mitigation or prevention of a substantial threat of oil discharge in the matter of Grover Moss, docket # OPA 9-2005-0008

Corona Service Park [signature] 1-17 DATE

TRANSPORTER

NAME I.C.V. SALMERON TRUCKING — EPA I.D. NO. N/A

ADDRESS 1440 Pilgrim WY — SERVICE ORDER NO. _____

CITY, STATE, ZIP MONROVIA CA 91016 — PICK-UP DATE 1-17-05

PHONE NO. (818 355 5622

TRUCK, UNIT, I.D. NO. 9D17677 — BLADIMIR SALMERON 1-17 — TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

TSD FACILITY

NAME Thermal Remidiation Solutions — EPA I.D. NO. CAD0090076

ADDRESS ~~16025 Arrow Hwy~~ 1211 W gladstone — DISPOSAL METHOD ☐ LANDFILL ☒ OTHER Recycle

CITY, STATE, ZIP ~~Irwindale, CA 91706~~ Azusa, CA. 91702

PHONE NO. (626) 338-3939

QUANTITY: _____ — F. Sanchez [signature] 1-17 — TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

CORONA LAND RECLAMATION CO.
1011 W. GLADSTONE
CORONA CA 91702
909.334.0719

TICKET: 159470
DATE: 01/17/2005
TIME: 09:24 - 09:44

CUSTOMER: 113 / THERMAL REMEDIATION SOLUTIONS
P.O.: SR01327
GENERATOR: NA / Non App
PROFILE #: NA
GROSS: 82020 LBS
ORIGIN: COR / CORONA
TARE: 28800 LBS
TRUCK: TRS1
LICENSE: CP74377
NET: 53220 LBS
COMMENT: HOYT
M A N I F EST: 22187
CUYDS: 20

WASTE	QUANTITY	UNIT
PCS / CONTAMINATED SOIL	26.61	T

DRIVER:

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

IN: GALINDA BANUELOS
OUT: GALINDA BANUELOS

(1)

№ 22187

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME Corona Service Park — EPA I.D. NO. N/A

ADDRESS 1451 Magnolia Ave.

CITY, STATE, ZIP Corona, CA 92879 — PHONE NO (714) 554-9800

DESIGNATED TSD FACILITY: Thermal Remediation Solutions — EPA I.D. NO.

			WEIGHT OR VOLUME	UNITS
			18	YRDS

CONTAINERS: 2 TYPE: ☐ TANK TRUCK ☐ DRUMS ☒ DUMP TRUCK ☐ CARTONS ☐ OTHER

WASTE DESCRIPTION Non-Haz Soil — GENERATING PROCESS Site Clean-Up

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1. Soil		99.99	5.		
2. TPH		.01	6		
3			7.		
4			8.		

PROPERTIES: pH ____ ☒ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER

HANDLING INSTUCTIONS: Wear Appropriate Safety Gear Profile # 2005 0004-SR01328

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

Corona Service Park by Grace Rocco, Managing Partner by Jeff Bennett her attorney in fact for materials generated and disposed of pursuant to US EPA order for removal, mitigation or prevention of a substantial threat of oil discharge in the matter of Grover Moss, docket # OPA 9-2005-0003

Corona Service Park 1-17-05 DATE

TRANSPORTER

NAME North Transportation Inc — EPA I.D. NO. N/A

ADDRESS 1520 E 6th St — SERVICE ORDER NO.

CITY, STATE, ZIP Corona CA. — PICK UP DATE 1-17-05

PHONE NO. 951, 734-3191

TRUCK, UNIT, I.D. NO. 160-160TT — TYPED OR PRINTED FULL NAME & SIGNATURE — DATE 1-17-0

TSD FACILITY

NAME Thermal Remidiation Solutions — EPA I.D. NO. C A D 0 0 9 0 0 7 6 2 6

ADDRESS ~~16025 Arrow Hwy~~ 1211 W. gladstone tusa, ca. 91702

CITY, STATE, ZIP ~~Irwindale, CA 91706~~

DISPOSAL METHOD: ☐ LANDFILL ☒ OTHER Recycle

PHONE NO. (626) 338-3939

QUANTITY: — TYPED OR PRINTED FULL NAME & SIGNATURE F. Sanchez. — DATE 1-17-0

AZUSA LAND RECLAMATION CO.
1211 W. GLADSTONE
AZUSA CA 91702
626.334.0719

TICKET: 159454
DATE: 01/17/2005
TIME: 08:30 - 08:46

CUSTOMER: 113 / THERMAL REMEDIATION SOLUTIONS
P.O.: CR01328
GENERATOR: NA / Non App
PROFILE #: NA
GROSS: 89720 LBS
ORIGIN: COR / CORONA
TARE: 31500 LBS
TRUCK: TR33
LICENSE: 9R04202
NET: 58220 LBS
COMMENT: SOLI
M A N I F EST: 22199
CUYDS: 20

WASTE	QUANTITY	UNIT
PCS / CONTAMINATED SOIL	29.11	T

DRIVER: _____

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

IN: GALINDA BANUELOS
OUT: GALINDA BANUELOS

№ 22199

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME: Corona Service Park — EPA ID NO: N/A

ADDRESS: 1451 Magnolia Ave.

CITY, STATE, ZIP: Corona, CA 92879 — PHONE NO: (714) 554-9800

DESIGNATED TSD FACILITY: Thermal Remediation Solutions — EPA I.D. NO.:

			WEIGHT OR VOLUME	UNITS
			18	YRDS

CONTAINERS: _____ TYPE: ☐ TANK TRUCK ☐ DRUMS ☑ DUMP TRUCK ☐ CARTONS ☐ OTHER _____

WASTE DESCRIPTION: Non-Haz Soil — GENERATING PROCESS: Site Clean-Up

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1 Soil		99.99	5		
2 TPH		.01	6		
3			7		
4			8		

PROPERTIES: pH ____ ☑ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER _____

HANDLING INSTUCTIONS: Wear Appropriate Safety Gear Profile # 2005 0004-SR01328

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

Corona Service Park by Grace Rocco, Managing Partner by Jeff Bennett her attorney in fact for materials generated and disposed of pursuant to US EPA order for removal, mitigation or prevention of a substantial threat of oil discharge in the matter of Grover Moss, docket # OPA 9-2005-0008

Corona Service Park — 1-17-05 — DATE

TRANSPORTER

NAME: Boli Transportation — EPA ID NO: N/A

ADDRESS: _____ — SERVICE ORDER NO: _____

CITY, STATE, ZIP: Fontana, CA 92335 — PICK UP DATE: 1/17/2005

PHONE NO: (951) 833-1319

TRUCK, UNIT, I.D. NO: 747/T21 — CARLOS A. DUE (TYPED OR PRINTED FULL NAME & SIGNATURE) — DATE

TSD FACILITY

NAME: Thermal Remidiation Solutions — EPA ID NO: CAD009076286

ADDRESS: ~~16025 Arrow Hwy~~ 1211 W Gladstone Azusa, Ca. 91702 — DISPOSAL METHOD: ☐ LANDFILL ☑ OTHER Recycle

CITY, STATE, ZIP: ~~Irwindale, CA 91706~~

PHONE NO: (626) 338-3939

QUANTITY: _____ — F. Sanchez (TYPED OR PRINTED FULL NAME & SIGNATURE) — 1-17-0 (DATE)

DISCREPANCY

AZUSA LAND RECLAMATION CO.
1211 W. GLADSTONE
AZUSA CA 91702
626.334.0719

TICKET: 159452
DATE: 01/17/2005
TIME: 08:20 - 08:41

CUSTOMER: 113 / THERMAL REMEDIATION SOLUTIONS
P.O.: SR01328
GENERATOR: NA / Non App
PROFILE #: NA
GROSS: 70120 LBS
ORIGIN: COR / CORONA
TARE: 30700 LBS
TRUCK: TR52
LICENSE: 5P65750
NET: 45420 LBS
COMMENT: SOLLARS
M A N I F EST: 22100
CUYDS: 20

WASTE	QUANTITY	UNIT
PCS / CONTAMINATED SOIL	22.71	T

DRIVER: Baño Sollo

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

IN: GALINDA BANUELOS
OUT: GALINDA BANUELOS

(2)

№ 22188

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME Corona Service Park — EPA I.D. NO. N/A

ADDRESS 1451 Magnolia Ave.

CITY, STATE, ZIP Corona, CA 92879 — PHONE NO (714) 554-9800

DESIGNATED TSD FACILITY: Thermal Remediation Solutions — EPA I.D. NO.

			WEIGHT OR VOLUME	UNITS
			18	YRDS

CONTAINERS: _____ TYPE: ☐ TANK TRUCK ☐ DRUMS ☒ DUMP TRUCK ☐ CARTONS ☐ OTHER _____

WASTE DESCRIPTION Non-Haz Soil — GENERATING PROCESS Site Clean-Up

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1. Soil		99.99	5.		
2. TPH		.01	6.		
3.			7.		
4.			8.		

PROPERTIES: pH ____ ☒ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER _____

HANDLING INSTUCTIONS: Wear Appropriate Safety Gear Profile # 2005 0004-SR01328

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

Corona Service Park by Grace Rocco, Managing Partner by Jeff Bennett her attorney in fact for materials generated and disposed of pursuant to US EPA order for removal, mitigation or prevention of a substantial threat of oil discharge in the matter of Grover Moss, docket # OPA 9-2005-0008

Corona Service Park [signature] 1-17-05 DATE

TRANSPORTER

NAME Sollars Trucking — EPA I.D. NO. N/A

ADDRESS PO Box 177 — SERVICE ORDER NO. _____

CITY, STATE, ZIP Sun City, CA 92586 — PICK UP DATE _____

PHONE NO. (909) 672-0034

TRUCK, UNIT, I.D. NO. 9 — Brian Sollars 1-17-05 TYPED OR PRINTED FULL NAME & SIGNATURE DATE

TSD FACILITY

NAME Thermal Remidiation Solutions — EPA I.D. NO. C A D 0 0 9 0 0 7 6 2 6

ADDRESS ~~16025 Arrow Hwy~~ ~~Arrow Hwy~~ 1211 W. gladstone — DISPOSAL METHOD ☐ LANDFILL ☒ OTHER Recycle

CITY, STATE, ZIP ~~Irwindale, CA 91706~~ Azusa 91702

PHONE NO. (626) 338-3939

QUANTITY: _____ — F. Sanchez [signature] 1-17-05 TYPED OR PRINTED FULL NAME & SIGNATURE DATE

DISCREPANCY

AZUSA LAND RECLAMATION CO.
1211 W. GLADSTONE
AZUSA CA 91702
626.334.0719

TICKET: 159451
DATE: 01/17/2005
TIME: 08:24 - 08:39

CUSTOMER: 113 / THERMAL REMEDIATION SOLUTIONS
P.O.: SR01320
GENERATOR: NA / Non App
PROFILE #: NA
GROSS: 79540 LBS
ORIGIN: COR / CORONA
TARE: 29700 LBS
TRUCK: TRS1
LICENSE: 9D15085
NET: 49840 LBS
COMMENT: PETE'S
M A N I F EST: 22200
CUYDS: 20

WASTE	QUANTITY	UNIT
PCS / CONTAMINATED SOIL	24.92	T

DRIVER: Pete Vasquez

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

IN: GALINDA BANUELOS
OUT: GALINDA BANUELOS

No 22200

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME Corona Service Park — EPA I.D. NO N/A

ADDRESS 1451 Magnolia Ave.

CITY, STATE, ZIP Corona, CA 92879 — PHONE NO (714) 554-9800

DESIGNATED TSD FACILITY: Thermal Remediation Solutions — EPA I.D. NO.

			WEIGHT OR VOLUME	UNITS
			18	YRDS

CONTAINERS: _____ TYPE: ☐ TANK TRUCK ☐ DRUMS ☑ DUMP TRUCK ☐ CARTONS ☐ OTHER _____

WASTE DESCRIPTION Non-Haz Soil — GENERATING PROCESS Site Clean-Up

	COMPONENTS OF WASTE	PPM	%		COMPONENTS OF WASTE	PPM	%
1.	Soil		99.99	5			
2.	TPH		.01	6			
3.				7.			
4.				8.			

PROPERTIES: pH ____ ☑ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER _____

HANDLING INSTUCTIONS Wear Appropriate Safety Gear Profile # 2005 0004-SR01328

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

Corona Service Park by Grace Rocco, Managing Partner by Jeff Bennett her attorney in fact for materials generated and disposed of pursuant to US EPA order for removal, mitigation or prevention of a substantial threat of oil discharge in the matter of Grover Moss, docket # OPA 9-2005-0008

Corona Service Park
[signature] 1-17-05
DATE

TRANSPORTER

NAME Petes Transportation — EPA I.D. NO. N/A

ADDRESS 331 W. Harding — SERVICE ORDER NO. _____

CITY, STATE, ZIP Santa Maria Ca 93458 — PICK UP DATE _____

PHONE NO. (805) 878-0456

TRUCK, UNIT, I.D. NO. 1 — Pete Valdez [signature] — TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

TSD FACILITY

NAME Thermal Remidiation Solutions — EPA I.D. NO. C A D 0 0 9 0 0 7 6 2 6

ADDRESS ~~16025 Arrow Hwy~~ 1211 W Gladstone — DISPOSAL METHOD ☐ LANDFILL ☑ OTHER Recycle

CITY, STATE, ZIP ~~Irwindale, CA 91706~~ Fresno, Ca 91702

PHONE NO. (626) 338-3939

QUANTITY: _____ — F. Sanchez [signature] 1-17-05 — TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

DISCREPANCY

AZUSA LAND RECLAMATION CO.
1211 W. GLADSTONE
AZUSA CA 91702
626.334.0719

TICKET: 159445
DATE: 01/17/2005
TIME: 07:53 - 08:05

CUSTOMER: 113 / THERMAL REMEDIATION SOLUTIONS
GENERATOR: NA / Non App
PROFILE #: NA
ORIGIN: COR / CORONA
TRUCK: TRS2
LICENSE: SP80308
COMMENT: HOYT
CUYDS: 20

P.O.: SR01328
GROSS: 89520 LBS
TARE: 30520 LBS
NET: 59000 LBS
M A N I F EST: 22165

WASTE	QUANTITY	UNIT
PCS / CONTAMINATED SOIL	29.50	T

DRIVER:

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

IN: GALINDA BANUELOS
OUT: GALINDA BANUELOS

(2)

№ 22165

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME Corona Service Park — EPA I.D. NO N/A

ADDRESS 1451 Magnolia Ave.

CITY, STATE, ZIP Corona, CA 92879 — PHONE NO (714) 554-9800

DESIGNATED TSD FACILITY: Thermal Remediation Solutions — EPA I.D. NO.

			WEIGHT OR VOLUME	UNITS
			18	YRDS

CONTAINERS: _____ TYPE: ☐ TANK TRUCK ☐ DRUMS ☒ DUMP TRUCK ☐ CARTONS ☐ OTHER _____

WASTE DESCRIPTION Non-Haz Soil — GENERATING PROCESS Site Clean-Up

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1. Soil		99.99	5		
2. TPH		.01	6		
3.			7.		
4.			8.		

PROPERTIES: pH ____ ☒ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER _____

HANDLING INSTUCTIONS: Wear Appropriate Safety Gear Profile # 2005 0004-SR01328

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

Corona Service Park by Grace Rocco, Managing Partner by Jeff Bennett her attorney in fact for materials generated and disposed of pursuant to US EPA order for removal, mitigation or prevention of a substantial threat of oil discharge in the matter of Grover Moss, docket # OPA 9-2005-0008

Corona Service Park [signature] 1-17-05
DATE

TRANSPORTER

NAME Hoyt Transportation, Inc. — EPA I.D. NO. N/A

ADDRESS 1520 E. 6th. — SERVICE ORDER NO. _____

CITY, STATE, ZIP Corona, Ca 92879 — PICK UP DATE 1-17-05

PHONE NO. (951) 734-3191

TRUCK, UNIT, I.D. NO 240-360 — Kirk Bachman [signature] 1-17-05
TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

TSD FACILITY

NAME Thermal Remidiation Solutions — EPA I.D. NO. CAD0090076 26

ADDRESS ~~16025 Arrow Hwy~~ (Zlw gladstone) — DISPOSAL METHOD ☐ LANDFILL ☒ OTHER Recycle

CITY, STATE, ZIP ~~Irwindale, CA 91706~~ Azusa Ca 91702

PHONE NO. (626) 338-3939

QUANTITY: _____ — F. Sanchez [signature] 1-17-05
TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

AZUSA LAND RECLAMATION CO.
1211 W. GLADSTONE
AZUSA CA 91702
626.334.0710

TICKET: 159443
DATE: 01/17/2005
TIME: 07:51 - 08:02

CUSTOMER: 113 / THERMAL REMEDIATION SOLUTIONS
GENERATOR: NA / Non App
PROFILE #: NA
ORIGIN: COR / CORONA
TRUCK: TRSJ
LICENSE: 9R71203
COMMENT: MG TRANS
CUYDS: 20

P.O.: SR01328
GROSS: 70120 LBS
TARE: 28200 LBS
NET: 42020 LBS
M A N I F EST: 28166

WASTE	QUANTITY	UNIT
PCS / CONTAMINATED SOIL	24.96	T

DRIVER: _____

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

IN: RAFAEL CHAVIRA
OUT: GALINDO BANUELOS

(1)

No 22166

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME Corona Service Park — EPA ID NO N/A

ADDRESS 1451 Magnolia Ave.

CITY, STATE, ZIP Corona, CA 92379 — PHONE NO (714) 554-9800

DESIGNATED TSD FACILITY: Thermal Remediation Solutions — EPA I.D. NO.

			WEIGHT OR VOLUME	UNITS
			18	YRDS

CONTAINERS: _____ TYPE: ☐ TANK TRUCK ☐ DRUMS ☒ DUMP TRUCK ☐ CARTONS ☐ OTHER _____

WASTE DESCRIPTION Non-Haz Soil — GENERATING PROCESS Site Clean-Up

	COMPONENTS OF WASTE	PPM	%		COMPONENTS OF WASTE	PPM	%
1	Soil		99.99	5			
2	TPH		.01	6			
3				7			
4				8			

PROPERTIES: pH ____ ☒ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER _____

HANDLING INSTUCTIONS Wear Appropriate Safety Gear Profile # 2005 0004-SR01328

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

Corona Service Park by Grace Rocco, Managing Partner by Jeff Bennett her attorney in fact for materials generated and disposed of pursuant to US EPA order for removal, mitigation or prevention of a substantial threat of oil discharge in the matter of Grover Moss, docket # OPA 9-2005-0008

Corona Service Park [signature] 1-17-05 DATE

TRANSPORTER

NAME JW TRK — EPA ID NO N/A

ADDRESS _____ — SERVICE ORDER NO _____

CITY, STATE, ZIP FONTANA — PICK UP DATE _____

PHONE NO. (909) 822 2196

TRUCK, UNIT, ID NO 7768 — MANNY GARRY [signature] 1-17-05

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

TSD FACILITY

NAME Thermal Remidiation Solut ons — EPA I.D. NO CAD009007626

ADDRESS ~~16025 Arrow Hwy~~ 1211 W Gladstone Azusa, CA 91702 — DISPOSAL METHOD ☐ LANDFILL ☒ OTHER Recycle

CITY, STATE, ZIP Irwindale, CA 91706

PHONE NO. (626) 338-3939

QUANTITY: _____ — F. Sanchez [signature] 1-17-05

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

DISCREPANCY

OMEGA LAND RECLAMATION CO.
[illegible] W. [illegible]
[illegible] CA 91702
[illegible]

TICKET: 15051A
DATE: 01/[illegible]/2003
TIME: 11:40 - 12:02

CUSTOMER: 113 / THERMAL REMEDIATION SOLUTIONS
GENERATOR: NA / Non App
PROFILE #: NA
ORIGIN: COR / CORONA
TRUCK: TRS1
LICENSE: 9R04202
COMMENT: BOLI
CUYDS: 20

P.O.: SR01328
GROSS: 81120 LBS
TARE: 31580 LBS
NET: 49540 LBS
M A N I F EST: 22186

WASTE	QUANTITY	UNIT
PCS / CONTAMINATED SOIL	24.77	T

DRIVER: _____

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

IN: GALINDA BANUELOS
OUT: GABRIELA PEDROZA

№ 22186

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME Corona Service Park — EPA ID NO N/A

ADDRESS 1451 Magnolia Ave.

CITY, STATE, ZIP Corona, CA 92879 — PHONE NO (714) 554-9800

DESIGNATED TSD FACILITY: Thermal Remediation Solutions — EPA I.D. NO.

			WEIGHT OR VOLUME	UNITS
			18	YRDS

CONTAINERS: _____ TYPE: ☐ TANK TRUCK ☐ DRUMS ☒ DUMP TRUCK ☐ CARTONS ☐ OTHER _____

WASTE DESCRIPTION Non-Haz Soil — GENERATING PROCESS Site Clean-Up

	COMPONENTS OF WASTE	PPM	%		COMPONENTS OF WASTE	PPM	%
1.	Soil		99.99	5			
2	TPH		.01	6			
3				7.			
4				8			

PROPERTIES pH ____ ☒ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER _____

HANDLING INSTUCTIONS Wear Appropriate Safety Gear Profile # 2005 0004-SR01328

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

Corona Service Park by Grace Rocco, Managing Partner by Jeff Bennett her attorney in fact for materials generated and disposed of pursuant to US EPA order for removal, mitigation or prevention of a substantial threat of oil discharge in the matter of Grover Moss, docket # OPA 9-2005-0008

Corona Service Park
Jeff Bennett 1-17-
DATE

TRANSPORTER

NAME Roli Transportation — EPA ID NO N/A

ADDRESS _____ — SERVICE ORDER NO. _____

CITY, STATE, ZIP Fontana CA — PICK UP DATE 1-17-05

PHONE NO. (909) 633-3493

TRUCK, UNIT, I.D. NO 747/T21 — Greg Joshua — 1-17-05
TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

TSD FACILITY

NAME Thermal Remidiation Solutions — EPA ID NO C A D 0 0 0 0 0 7 6 2 6

ADDRESS ~~16025 Arrow Hwy~~ 1211 W. Gladstone — DISPOSAL METHOD ☐ LANDFILL X ☐ OTHER Recycle

CITY, STATE, ZIP ~~Irwindale~~ 47459, 91702, CA 91706

PHONE NO (626) 338-3939

QUANTITY: _____ — F. Sanchez — 1-17-0
TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

DISCREPANCY

AZUSA LAND RECLAMATION CO.
1211 W. GLADSTONE
AZUSA CA 91702
626.334.0719

TICKET: 159526
DATE: 01/17/2005
TIME: 12:20 - 12:47

CUSTOMER: 113 / THERMAL REMEDIATION SOLUTIONS
P.O.: CR01328
GENERATOR: NA / Non App
PROFILE #: NA
GROSS: 85240 LBS
ORIGIN: COR / CORONA
TARE: 31020 LBS
TRUCK: TRS2
LICENSE: 9D17677
NET: 54220 LBS
COMMENT: JVC
MANIFEST: 22191
CUYDS: 20

WASTE	QUANTITY	UNIT
PCS / CONTAMINATED SOIL	27.11	T

DRIVER: _____

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

IN: GABRIELA PEDROZA
OUT: GABRIELA PEDROZA

№ 22191

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME: Corona Service Park — EPA I.D. NO.: N/A

ADDRESS: 1451 Magnolia Ave.

CITY, STATE, ZIP: Corona, CA 92879 — PHONE NO.: (714) 554-9800

DESIGNATED TSD FACILITY: Thermal Remediation Solutions — EPA I.D. NO.:

			WEIGHT OR VOLUME	UNITS
			18	YRDS

CONTAINERS: _____ TYPE: ☐ TANK TRUCK ☐ DRUMS ☒ DUMP TRUCK ☐ CARTONS ☐ OTHER _____

WASTE DESCRIPTION: Non-Haz Soil — GENERATING PROCESS: Site Clean-Up

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1. Soil		99.99	5.		
2. TPH		.01	6.		
3.			7.		
4.			8.		

PROPERTIES: pH _____ ☒ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER _____

HANDLING INSTUCTIONS: Wear Appropriate Safety Gear Profile # 2005 0004-SR01328

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

Corona Service Park by Grace Rocco, Managing Partner by Jeff Bennett her attorney in fact for materials generated and disposed of pursuant to US EPA order for removal, mitigation or prevention of a substantial threat of oil discharge in the matter of Grover Moss, docket # OPA 9-2005-0008

Corona Service Park
Jeff Bennett 1-17-
DATE

TRANSPORTER

NAME: J C V Salmeron Trucking — EPA I.D. NO.: N/A

ADDRESS: 1449 Dillon Way — SERVICE ORDER NO.:

CITY, STATE, ZIP: Monrovia CA 91016 — PICK UP DATE: 1-17-05

PHONE NO.: (626) 355 5622 — Bladimir Salmeron 1-7-05

TRUCK, UNIT, I.D. NO. — TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

TSD FACILITY

NAME: Thermal Remidiation Solutions — EPA I.D. NO.: C A D 0 0 9 0 0 7 6 2 6

ADDRESS: 1211 W. Gladstone St ~~16025 Arrow Hwy~~ Azusa Ca 91702

DISPOSAL METHOD: ☐ LANDFILL ☒ OTHER Recycle

CITY, STATE, ZIP: ~~Irwindale, CA 91706~~

PHONE NO.: (626) 338-3939

F. Sanchez 1-17-05

QUANTITY: — TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

DISCREPANCY

AZUSA LAND RECLAMATION CO.
1211 W. GLADSTONE
AZUSA CA 91702
626.334.0719

TICKET: 152520
DATE: 01/17/2005
TIME: 12:06 - 12:24

CUSTOMER: 113 / THERMAL REMEDIATION SOLUTIONS
P.O.: SR01320
GENERATOR: NA / Non App
PROFILE #: NA
GROSS: 80420 LBS
ORIGIN: COR / CORONA
TARE: 29140 LBS
TRUCK: TR51
LICENSE: CP74377
NET: 51280 LBS
COMMENT: HOYT
M A N I F EST: 22190
CUTS: 20

WASTE	QUANTITY	UNIT
PCS / CONTAMINATED SOIL	25.64	T

DRIVER: _____

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

IN: GABRIELA PEDROZA
OUT: GABRIELA PEDROZA

№ 22190

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME Corona Service Park — EPA ID NO N/A

ADDRESS 1451 Magnolia Ave.

CITY, STATE, ZIP Corona, CA 92879 — PHONE NO (714) 554-9800

DESIGNATED TSD FACILITY: Thermal Remediation Solutions — EPA I.D. NO.

			WEIGHT OR VOLUME	UNITS
			18	YRDS

CONTAINERS: 2 TYPE: ☐ TANK TRUCK ☐ DRUMS ☒ DUMP TRUCK ☐ CARTONS ☐ OTHER

WASTE DESCRIPTION Non-Haz Soil — GENERATING PROCESS Site Clean-Up

	COMPONENTS OF WASTE	PPM	%		COMPONENTS OF WASTE	PPM	%
1.	Soil		99.99	5			
2	TPH		.01	6			
3				7.			
4				8			

PROPERTIES. pH ____ ☒ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER

HANDLING INSTUCTIONS Wear Appropriate Safety Gear Profile # 2005 0004-SR01328

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

Corona Service Park by Grace Rocco, Managing Partner by Jeff Bennett her attorney in fact for materials generated and disposed of pursuant to US EPA order for removal, mitigation or prevention of a substantial threat of oil discharge in the matter of Grover Moss, docket # OPA 9-2005-0008

Corona Service Park
Jeff Bennett
1-17-05
DATE

TRANSPORTER

NAME Hoitt Transportation Inc — EPA I.D NO N/A

ADDRESS 1520 E 6th St Corona — SERVICE ORDER NO

CITY, STATE, ZIP Corona Ca. — PICK UP DATE 1-17-05

PHONE NO (951) 734-3141

TRUCK, UNIT, I.D NO 160

[signature] [signature] 1-17-05
TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

TSD FACILITY

NAME Thermal Remidiation Solutions — EPA I.D NO C A D 0 0 9 0 0 7 6 2 6

ADDRESS ~~16025 Arrow Hwy~~ 1211 W. Gladstone St — DISPOSAL METHOD ☒ LANDFILL ☐ OTHER Recycle

CITY, STATE, ZIP ~~Irwindale, CA 91706~~ Azusa Ca 91702

PHONE NO (626) 338-3939

QUANTITY:

F. Sanchez [signature] 1-17-05
TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

DISCREPANCY

AZUSA LAND RECLAMATION CO.
1211 W. GLADSTONE
AZUSA CA 91702
626.334.0719

TICKET: 159530
DATE: 01/17/2005
TIME: 12:59 - 13:00

CUSTOMER: 113 / THERMAL REMEDIATION SOLUTIONS
GENERATOR: NA / Non App
PROFILE #: NA
ORIGIN: COR / CORONA
TRUCK: TRS1
LICENSE: 9B17823
COMMENT: M&G
CUYDS: 20

P.O.: SRO1320
GROSS: 83000 LBS
TARE: 28120 LBS
NET: 55760 LBS
M A N I F EST: 22193

WASTE	QUANTITY	UNIT
PCS / CONTAMINATED SOIL	27.88	T

DRIVER:

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

IN: GABRIELA PEDROZA
OUT: GABRIELA PEDROZA

№ 22193

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME Corona Service Park — EPA ID NO N/A

ADDRESS 1451 Magnolia Ave.

CITY, STATE, ZIP Corona, CA 92879 — PHONE NO (714) 554-9800

DESIGNATED TSD FACILITY: Thermal Remediation Solutions — EPA I.D. NO.

			WEIGHT OR VOLUME	UNITS
			18	YRDS

CONTAINERS: _____ TYPE: ☐ TANK TRUCK ☐ DRUMS ☒ DUMP TRUCK ☐ CARTONS ☐ OTHER _____

WASTE DESCRIPTION Non-Haz Soil — GENERATING PROCESS Site Clean-Up

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1. Soil		99.99	5		
2 TPH		.01	6		
3			7.		
4			8		

PROPERTIES: pH ____ ☒ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER _____

HANDLING INSTUCTIONS Wear Appropriate Safety Gear Profile # 2005 0004-SR01328

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

Corona Service Park by Grace Rocco, Managing Partner by Jeff Bennett her attorney in fact for materials generated and disposed of pursuant to US EPA order for removal, mitigation or prevention of a substantial threat of oil discharge in the matter of Grover Moss, docket # OPA 9-2005-0008

Corona Service Park — 1-17-0 — DATE

TRANSPORTER

NAME JW TRK — EPA ID NO N/A

ADDRESS _____ — SERVICE ORDER NO _____

CITY, STATE, ZIP Fontana — PICK UP DATE _____

PHONE NO. (909) 822-2136

TRUCK, UNIT, ID NO 7768 — TYPED OR PRINTED FULL NAME & SIGNATURE — 1-17-0 — DATE

TSD FACILITY

NAME Thermal Remidiation Solutions — EPA ID NO CAD009007626

ADDRESS ~~16025 Arrow Hwy~~ 811 W. Gladstone St. Azusa Ca. 91702 — DISPOSAL METHOD ☐ LANDFILL ☒ OTHER Recycle

CITY, STATE, ZIP ~~Irwindale, CA 91706~~

PHONE NO (626) 338-3939

QUANTITY: _____ — TYPED OR PRINTED FULL NAME & SIGNATURE F. Sanchez — 1-17-0 — DATE

DISCREPANCY

AZUSA LAND RECLAMATION CO.
1211 W. GLADSTONE
AZUSA CA 91702
626.334.9719

TICKET: 159533
DATE: 01/17/2005
TIME: 13:01 - 13:17

CUSTOMER: 113 / THERMAL REMEDIATION SOLUTIONS
P.O.: SR01320
GENERATOR: NA / Non App
PROFILE #: NA
GROSS: 73900 LBS
ORIGIN: COR / CORONA
TARE: 30780 LBS
TRUCK: TRS2
LICENSE: SP00300
NET: 43120 LBS
COMMENT: HOYT
M A N I F EST: 22192
CUYDS: 20

WASTE	QUANTITY	UNIT
PCS / CONTAMINATED SOIL	21.56	T

DRIVER:

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 Commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

IN: GABRIELA PEDROZA
OUT: GABRIELA PEDROZA

SF 60308

(2)

№ 22192

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME Corona Service Park — EPA ID NO N/A

ADDRESS 1451 Magnolia Ave.

CITY, STATE, ZIP Corona, CA 92879 — PHONE NO (714) 554-9800

DESIGNATED TSD FACILITY: Thermal Remediation Solutions — EPA I.D. NO.

			WEIGHT OR VOLUME	UNITS
			18	YRDS

CONTAINERS: _____ TYPE: ☐ TANK TRUCK ☐ DRUMS ☒ DUMP TRUCK ☐ CARTONS ☐ OTHER _____

WASTE DESCRIPTION Non-Haz Soil — GENERATING PROCESS Site Clean-Up

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1 Soil		99.99	5		
2 TPH		.01	6		
3			7		
4			8		

PROPERTIES pH ____ ☒ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER _____

HANDLING INSTUCTIONS Wear Appropriate Safety Gear Profile # 2005 0004-SR01328

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable

Corona Service Park by Grace Rocco, Managing Partner by Jeff Bennett her attorney in fact for materials generated and disposed of pursuant to US EPA order for removal, mitigation or prevention of a substantial threat of oil discharge in the matter of Grover Moss, docket # OPA 9-2005-0008

Corona Service Pk Jeff 1-17-05 DATE

TRANSPORTER

NAME Hoyt Transportation, Inc — EPA ID NO N/A

ADDRESS 1550 E. 6th St.

CITY, STATE, ZIP Corona, Ca, 92879 — SERVICE ORDER NO _____ PICK UP DATE 1-17-05

PHONE NO 951, 734-3191

TRUCK, UNIT, ID NO 246 360 — TYPED OR PRINTED FULL NAME & SIGNATURE — DATE 1-17-05

TSD FACILITY

NAME Thermal Remidiation Solutions — EPA I.D. NO CAD009007626

ADDRESS ~~16025 Arrow Hwy~~ 12111 W Gladstone Azusa Ca 91702

CITY, STATE, ZIP ~~Irwindale, CA 91706~~

DISPOSAL METHOD ☐ LANDFILL ☒ OTHER Recycle

PHONE NO (626) 338-3939

QUANTITY: _____ — TYPED OR PRINTED FULL NAME & SIGNATURE — DATE 1-17-05

DISCREPANCY

AZUSA LAND RECLAMATION CO.
1211 W. GLADSTONE
AZUSA CA 91702
626.334.0719

TICKET: 159552
DATE: 01/17/2005
TIME: 13:37 - 14:04

CUSTOMER: 113 / THERMAL REMEDIATION SOLUTIONS
P.O.: SR01328
GENERATOR: NA / Non App
PROFILE #: NA
GROSS: 79420 LBS
ORIGIN: COR / CORONA
TARE: 33020 LBS
TRUCK: TRS1
LICENSE: SP65750
NET: 46400 LBS
COMMENT: SOLLARS
M A N I F EST: 22175
CUYDS: 20

WASTE	QUANTITY	UNIT
PCS / CONTAMINATED SOIL	23.20	T

DRIVER:

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

IN: GABRIELA PEDROZA
OUT: GABRIELA PEDROZA

№ 22175

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME: Corona Service Park — EPA I.D. NO.: N/A

ADDRESS: 1451 Magnolia Ave.

CITY, STATE, ZIP: Corona, CA 92879 — PHONE NO: (714) 554-9800

DESIGNATED TSD FACILITY: Thermal Remediation Solutions — EPA I.D. NO.:

			WEIGHT OR VOLUME	UNITS
			18	YRDS

CONTAINERS: _____ TYPE: ☐ TANK TRUCK ☐ DRUMS ☒ DUMP TRUCK ☐ CARTONS ☐ OTHER:

WASTE DESCRIPTION: Non-Haz Soil — GENERATING PROCESS: Site Clean-Up

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1. Soil		99.99	5.		
2. TPH		.01	6.		
3.			7.		
4.			8.		

PROPERTIES: pH ____ ☒ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER

HANDLING INSTUCTIONS: Wear Appropriate Safety Gear Profile # 2005 0004-SR01328

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

Corona Service Park by Grace Rocco, Managing Partner by Jeff Bennett her attorney in fact for materials generated and disposed of pursuant to US EPA order for removal, mitigation or prevention of a substantial threat of oil discharge in the matter of Grover Moss, docket # OPA 9-2005-0008

Corona Service Park
Jeff [illegible] 1-17-0
DATE

TRANSPORTER

NAME: Sallars Trucking — EPA I.D. NO.: N/A

ADDRESS: PO Box 177 — SERVICE ORDER NO.:

CITY, STATE, ZIP: Sun City, CA — PICK UP DATE:

PHONE NO.: (915) 672-0034

TRUCK, UNIT, I.D. NO.: — TYPED OR PRINTED FULL NAME & SIGNATURE: Brian Sallars Brian Sallars — DATE: 1-17-0

TSD FACILITY

NAME: Thermal Remidiation Solutions — EPA I.D. NO.: CAD009076126

ADDRESS: ~~16025 Arrow Hwy~~ 1211 W. Oakdale Ave — DISPOSAL METHOD: ☐ LANDFILL ☒ OTHER: Recycle

CITY, STATE, ZIP: ~~Irwindale, CA 91706~~ Azusa Ca 91702

PHONE NO.: (626) 338-3939

QUANTITY: — TYPED OR PRINTED FULL NAME & SIGNATURE: F. Sanchez — DATE: 1-17-0

DISCREPANCY

AZUSA LAND RECLAMATION CO.
1211 W. GLADSTONE
AZUSA CA 91702
626.334.0719

TICKET: 159556
DATE: 01/17/2005
TIME: 14:11 14:22

CUSTOMER: 113 / THERMAL REMEDIATION SOLUTIONS
GENERATOR: NA / Non App
PROFILE #: NA
ORIGIN: COR / CORONA
TRUCK: TRS1
LICENSE: 9D04202
COMMENT: BOLI
CUYDS: 20

P.O.: SR01328
GROSS: 84480 LBS
TARE: 31720 LBS
NET: 52760 LBS
M A N I F EST: 22177

WASTE	QUANTITY	UNIT
PCS / CONTAMINATED SOIL	26.38	T

DRIVER: M J

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

IN: GABRIELA PEDROZA

OUT: GABRIELA PEDROZA

№ 22177

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME Corona Service Park — EPA ID NO N/A

ADDRESS 1451 Magnolia Ave.

CITY, STATE, ZIP Corona, CA 92879 — PHONE NO (714) 554-9800

DESIGNATED TSD FACILITY: Thermal Remediation Solutions — EPA I.D. NO.

			WEIGHT OR VOLUME	UNITS
			18	YRDS

CONTAINERS: _____ TYPE: ☐ TANK TRUCK ☐ DRUMS ☒ DUMP TRUCK ☐ CARTONS ☐ OTHER _____

WASTE DESCRIPTION Non-Haz Soil — GENERATING PROCESS Site Clean-Up

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1 Soil		99.99	5		
2 TPH		.01	6		
3			7		
4			8		

PROPERTIES pH ____ ☒ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER _____

HANDLING INSTUCTIONS Wear Appropriate Safety Gear Profile # 2005 0004-SR01328

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

Corona Service Park by Grace Rocco, Managing Partner by Jeff Bennett her attorney in fact for materials generated and disposed of pursuant to US EPA order for removal, mitigation or prevention of a substantial threat of oil discharge in the matter of Grover Moss, docket # OPA 9-2005-0008

Corona Service Park Jeff 1-17 DATE

TRANSPORTER

NAME Bay Transport — EPA ID NO N/A

ADDRESS _____ — SERVICE ORDER NO _____

CITY, STATE, ZIP Fontana, CA 92335 — PICK UP DATE _____

PHONE NO 951, 837-1319

TRUCK, UNIT ID NO 747 / T21 — CARLOS A. BUS — 1/17/05

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

TSD FACILITY

NAME Thermal Remediation Solutions — EPA I.D. NO CAD 099 076 26

ADDRESS ~~16025 Arrow Hwy~~ 1211 W. Glasgow — DISPOSAL METHOD ☐ LANDFILL ☒ OTHER Recycle

CITY, STATE, ZIP ~~Irwindale, CA 91706~~ Azusa Ca, 91702

PHONE NO (626) 338-3939

QUANTITY: _____ — E. Sanchez — 1-17-0

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

DISCREPANCY

AZUSA LAND RECLAMATION CO.
1211 W. GLADSTONE
AZUSA CA 91702
626.334.0719

TICKET: 150550
DATE: 01/17/2005
TIME: 14:15 - 14:31

CUSTOMER: 113 / THERMAL REMEDIATION SOLUTIONS
GENERATOR: NA / Non App PROFILE #: NA
ORIGIN: COR / CORONA
TRUCK: TR52 LICENSE: 9D15085
COMMENT: PETES
CUYDS: 20

P.O.: SR01328
GROSS: 82240 LBS
TARE: 30440 LBS
NET: 51800 LBS
M A N I F EST: 22194

WASTE	QUANTITY	UNIT
PCS / CONTAMINATED SOIL	25.90	T

DRIVER: Pete Vasquez

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

IN: GABRIELA PEDROZA OUT: GABRIELA PEDROZA

№ 22194

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME Corona Service Park — EPA ID NO N/A

ADDRESS 1451 Magnolia Ave.

CITY, STATE, ZIP Corona, CA 92879 — PHONE NO (714) 554-9800

DESIGNATED TSD FACILITY: Thermal Remediation Solutions — EPA I.D. NO.

			WEIGHT OR VOLUME	UNITS
			18	YRDS

CONTAINERS: _____ TYPE: ☐ TANK TRUCK ☐ DRUMS ☒ DUMP TRUCK ☐ CARTONS ☐ OTHER _____

WASTE DESCRIPTION Non-Haz Soil — GENERATING PROCESS Site Clean-Up

	COMPONENTS OF WASTE	PPM	%		COMPONENTS OF WASTE	PPM	%
1	Soil		99.99	5			
2	TPH		.01	6			
3				7			
4				8			

PROPERTIES pH ____ ☒ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER _____

HANDLING INSTUCTIONS Wear Appropriate Safety Gear Profile # 2005 0004-SR01328

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

Corona Service Park by Grace Rocco, Managing Partner by Jeff Bennett her attorney in fact for materials generated and disposed of pursuant to US EPA order for removal, mitigation or prevention of a substantial threat of oil discharge in the matter of Grover Moss, docket # OPA 9-2005-0008

Corona Service Park Jeff Bennett — 1-17-05 DATE

TRANSPORTER

NAME Peters Transp — EPA ID NO N/A

ADDRESS 331 W. Harding — SERVICE ORDER NO _____

CITY, STATE, ZIP Santa Maria Ca 93454 — PICK UP DATE _____

PHONE NO (805) 878 0456

TRUCK, UNIT, ID NO 1 — Peter Vander Peter Vander — 1.17.05

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

TSD FACILITY

NAME Thermal Remidiation Solutions — EPA ID NO CAD0 000 07 626

ADDRESS ~~16025 Arrow Hwy~~ 1211 W. Gladstone Ave — DISPOSAL METHOD ☐ LANDFILL ☒ OTHER Recycle

CITY, STATE, ZIP ~~Irwindale, CA 91706~~ Azusa Ca 91702

PHONE NO (626) 338-3939

QUANTITY: _____ — F. Sanchez — 1.17-05

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

DISCREPANCY

AZUSA LAND RECLAMATION CO.
1211 W. GLADSTONE
AZUSA CA 91702
626.334.0712

TICKET: 159570
DATE: 01/17/2005
TIME: 15:27 - 15:39

CUSTOMER: 113 / THERMAL REMEDIATION SOLUTIONS
P.O.:
GENERATOR: NA / Non App
PROFILE #: NA
GROSS: 83300 LBS
ORIGIN: COR / CORONA
TARE: 29100 LBS
TRUCK: TRS2
LICENSE: 9B17203
NET: 54200 LBS
COMMENT: M&G
M A N I F EST: 22160
CUYDS: 20

WASTE	QUANTITY	UNIT
PCS / CONTAMINATED SOIL	27.10	T

DRIVER:

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

IN: GABRIELA PEDROZA
OUT: GABRIELA PEDROZA

№ 22169

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME Corona Service Park — EPA ID NO N/A

ADDRESS 1451 Magnolia Ave.

CITY, STATE, ZIP Corona, CA 92879 — PHONE NO (714) 554-9300

DESIGNATED TSD FACILITY: Thermal Remediation Solutions — EPA I.D. NO.

			WEIGHT OR VOLUME	UNITS
			18	YRDS

CONTAINERS: _____ TYPE: ☐ TANK TRUCK ☐ DRUMS ☒ DUMP TRUCK ☐ CARTONS ☐ OTHER _____

WASTE DESCRIPTION Non-Haz Soil — GENERATING PROCESS Site Clean-Up

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1. Soil		99.99	5		
2 TPH		.01	6		
3			7		
4			8		

PROPERTIES pH ____ ☒ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER _____

HANDLING INSTUCTIONS Wear Appropriate Safety Gear, Profile # 2005 0004-SR01328

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged,

Corona Service Park by Grace Rocco, Managing Partner by Jeff Bennett her attorney in fact for materials generated and disposed of pursuant to US EPA order for removal, mitigation or prevention of a substantial threat of oil discharge in the matter of Grover Moss, docket # OPA 9-2005-0008

Corona Service Park
Jeff Bennett
1-17-05
DATE

TRANSPORTER

NAME JIN TRK — EPA ID NO N/A

ADDRESS _____ — SERVICE ORDER NO _____

CITY, STATE, ZIP FONTANA — PICK UP DATE _____

PHONE NO. (909) 822 2196 — TRUCK, UNIT ID NO 7768

TYPED OR PRINTED FULL NAME & SIGNATURE _____ DATE 1-17-05

TSD FACILITY

NAME Thermal Remidiation Solutions — EPA I.D. NO CA D 0 0 9 0 0 7 6 2 5

ADDRESS ~~13025 Arrow Hwy~~ 211 W. Gladstone Ave — DISPOSAL METHOD ☐ LANDFILL ☒ OTHER Recycle

CITY, STATE, ZIP ~~Irwindale, CA 91706~~ Azusa Ca 91702

PHONE NO (626) 338-3939

QUANTITY: _____

F. Sanchez — TYPED OR PRINTED FULL NAME & SIGNATURE — DATE 1-17-05

DISCREPANCY

AZUSA LAND RECLAMATION CO.
1211 W. GLADSTONE
AZUSA CA 91702
626.334.0719

TICKET: 159579
DATE: 01/17/2005
TIME: 15:26 - 15:41

CUSTOMER: 113 / THERMAL REMEDIATION SOLUTIONS
P.O.: SR01328
GENERATOR: NA / Non App
PROFILE #: NA
GROSS: 85520 LBS
ORIGIN: COR / CORONA
TARE: 31520 LBS
TRUCK: TRS1
LICENSE: 9D17677
NET: 54000 LBS
COMMENT: JVC
M A N I F EST: 22176
CUYDS: 20

WASTE	QUANTITY	UNIT
PCS / CONTAMINATED SOIL	27.00	T

DRIVER: _____

THIS IS TO CERTIFY that the following described commodity was weighed, measured or counted by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

IN: GABRIELA PEDROZA
OUT: GABRIELA PEDROZA

№ 22176

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME Corona Service Park — EPA I.D. NO. N/A

ADDRESS 1451 Magnolia Ave.

CITY, STATE, ZIP Corona, CA 92879 — PHONE NO. (714) 554-9800

DESIGNATED TSD FACILITY: Thermal Remediation Solutions — EPA I.D. NO.

			WEIGHT OR VOLUME	UNITS
			18	YRDS

CONTAINERS: _____ TYPE: ☐ TANK TRUCK ☐ DRUMS ☒ DUMP TRUCK ☐ CARTONS ☐ OTHER _____

WASTE DESCRIPTION Non-Haz Soil — GENERATING PROCESS Site Clean-Up

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1. Soil		99.99	5.		
2. TPH		.01	6.		
3.			7.		
4.			8.		

PROPERTIES: pH ____ ☒ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER _____

HANDLING INSTUCTIONS: Wear Appropriate Safety Gear Profile # 2005 0004-SR01328

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

Corona Service Park by Grace Rocco, Managing Partner by Jeff Bennett her attorney in fact for materials generated and disposed of pursuant to US EPA order for removal, mitigation or prevention of a substantial threat of oil discharge in the matter of Grover Moss, docket # OPA 9-2005-0008

Corona Service Park
Jeff Bennett
1-17-05
DATE

TRANSPORTER

NAME J.C.V. - Salmeron Trucking — EPA I.D. NO. N/A

ADDRESS 1440 Pilgrim Wy — SERVICE ORDER NO. _____

CITY, STATE, ZIP Monrovia CA 91016 — PICK UP DATE 1-17-05

PHONE NO. (818) 355 56-22

TRUCK, UNIT, I.D. NO. 9D 17677 — BLAdimiR Salmeron 1-17-05
TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

TSD FACILITY

NAME Thermal Remidiation Solutions — EPA I.D. NO. C A D 0 0 9 0 0 7 6 2 6

ADDRESS ~~16025 Arrow Hwy~~ Dil W. Gladstone Ave — DISPOSAL METHOD ☐ LANDFILL ☒ OTHER Recycle

CITY, STATE, ZIP ~~Irwindale, CA 91706~~ Azusa Ca 91702

PHONE NO. (626) 338-3939

QUANTITY: _____ — F. Sanchez 1-17-05
TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

DISCREPANCY

[illegible] RECLAMATION CO.
[illegible] GLADSTONE
[illegible] CA [illegible]
[illegible].334.0719

TICKET: 159592
DATE: 01/10/2005
TIME: 06:53 - 07:13

CUSTOMER: 113 / THERMAL REMEDIATION SOLUTIONS
GENERATOR: NA / Non App
PROFILE #: NA
ORIGIN: COR / CORONA
TRUCK: TRS1
LICENSE: [illegible]
COMMENT: BOLL
CUYDS: 20

P.O.: SR01328
GROSS: 82140 LBS
TARE: 31280 LBS
NET: 50860 LBS
M A N I F EST: 22173

NAME	QUANTITY	UNIT
PCS / CONTAMINATED SOIL	25.43	T

DRIVER: [signature]

THIS IS TO CERTIFY that the following described commodity was weighed, measured [illegible] by a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 commencing with section 12700 of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

IN: [illegible] OUT: [illegible]

(1)

N2 22173

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME Corona Service Park — EPA ID NO N/A

ADDRESS 1451 Magnolia Ave.

CITY, STATE, ZIP Corona, CA 92879 — PHONE NO (714) 564-9300

DESIGNATED TSD FACILITY: Thermal Remediation Solutions — EPA I.D. NO.

			WEIGHT OR VOLUME	UNITS
			10	YPUS

CONTAINERS: _____ TYPE: ☐ TANK TRUCK ☐ DRUMS ☒ DUMP TRUCK ☐ CARTONS ☐ OTHER _____

WASTE DESCRIPTION Non-Haz Soil — GENERATING PROCESS Site Clean-Up

	COMPONENTS OF WASTE	PPM	%		COMPONENTS OF WASTE	PPM	%
1	Soil		99.99	5			
2	TPH		.01	6			
3				7.			
4				8			

PROPERTIES pH ____ ☒ SOLID ☐ LIQUID ☒ SLUDGE ☐ SLURRY ☐ OTHER _____

HANDLING INSTUCTIONS Wear Appropriate Safety Gear Profile # 2005 0004-SR013[illegible]

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

Corona Service Park
Jeff [illegible]
1-17-05

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

TRANSPORTER

NAME Boli Transport — EPA ID NO N/A

ADDRESS _____ — SERVICE ORDER NO _____

CITY, STATE, ZIP Fontana CA — PICK UP DATE 1-17-64

PHONE NO. (909) 833-1319

TRUCK, UNIT, ID NO 747/T21 — Greg Joshua 1-17-64

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

TSD FACILITY

NAME Thermal Remidiation Solutions — EPA ID NO C A D 0 0 9 0 0 7 6 2 6

ADDRESS 16025 Arrow Hwy — DISPOSAL METHOD ☐ LANDFILL ☒ OTHER Recycle

CITY, STATE, ZIP Irwindale, CA 91706

PHONE NO (625) 338-3939

QUANTITY: _____ — F Sanchez [signature] 1-1-05

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

DISCREPANCY

Appendix C

Laboratory Reports – Initial Liquid Samples LS-01-A, LS-01-B, and LS-01-C

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

Date: January 7, 2005

Mr. Robert Lartz
Remedial Construction Service, Inc.
1101 California St., Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

Project: Corona Service Park

Dear Mr. Lartz:

The analytical results for the liquid and soil samples, received by our laboratory on January 6, 2005, are attached.

Enviro-Chem appreciates the opportunity to provide you and your company this and other services. Please do not hesitate to call us if you have any questions.

Sincerely,

Curtis Desilets
Vice President/Program Manager

Jesse Tu, Ph.D.
Laboratory Manager

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: LIQUID/SOIL
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE ANALYZED: 01/06-07/05
DATE REPORTED: 01/07/05

TOTAL PETROLEUM HYDROCARBONS (TPH) - CARBON CHAIN ANALYSIS
METHOD: LUFT/EPA 8015M
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

SAMPLE I.D.	LAB I.D.	GASOLINE (C4-C10)	DF	KEROSENE (C8-C16)	DIESEL (C10-C22)	OIL (C22-C35)	DF
SP-01	050106-16	ND	1	ND	ND	469J	10^
SP-02	050106-17	ND	1	ND	ND	713	10^
LS-01-A/B	050106-18A/B	1840	5000	36640	ND	ND	1000
METHOD BLANK		ND	1	ND	ND	ND	1
	PQL	0.100*		10	10	50	

COMMENTS
DF = DILUTION FACTOR
MDL = METHOD DETECTION LIMIT
PQL = PRACTICAL QUANTITATION LIMIT
J = TRACE CONCENTRATION BETWEEN MDL AND PQL
ACTUAL DETECTION LIMIT = DF X PQL
ND = NON-DETECTED OR BELOW THE ACTUAL DETECTION LIMIT
* = TPH-GASOLINE ANALYZED USING 5030B/8015M PURGE AND TRAP
^ = PQL RAISED DUE TO MATRIX INTERFERENCE

Data Reviewed and Approved by: _____
CAL-DHS ELAP CERTIFICATE No.: 1555

Enviro Chem, Inc

1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

Gas/BTEX QC

Date Analyzed: 1/6/2005 Units: mg/kg (PPM)

Matrix: **WATER**

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)

Spiked Sample Lab I.D.: **050105-24**

Analyte	S.R.	spk conc	MS	%REC	MSD	%REC	%RPD	ACP %REC	ACP %RPD
Gasoline	0	0.50	0.470	94%	0.466	93%	1%	75-125	<20%
Benzene	0	0.05	0.049	98%	0.052	105%	7%	75-125	<20%
Toluene	0	0.05	0.054	107%	0.055	110%	3%	75-125	<20%
Ethylbenzene	0	0.05	0.055	110%	0.056	113%	2%	75-125	<20%

LCS STD RECOVERY:

Analyte	spk conc	LCS	% REC	ACP
Gasoline	0.50	0.564	113%	75-125
Benzene	0.05	0.050	99%	75-125
Toluene	0.05	0.052	105%	75-125
Ethylbenzene	0.05	0.054	108%	75-125

Surrogate Recovery	ACP %REC	%REC	%REC	%REC	%REC	%REC	%REC	%REC	%REC
Sample I.D.		MB	0105-23	0105-24	0105-25	0105-26	0105-27	0105-28	0105-28A
BFB	70-130	103%	104%	104%	102%	102%	105%	103%	99%

Surrogate Recovery	ACP %REC	%REC	%REC	%REC	%REC	%REC	%REC	%REC	%REC
Sample I.D.		0106-15	0106-18A	1016-170	1016-171	1016-172	1016-173	1016-174	1016-175
BFB	70-130	105%	105%	97%	105%	103%	101%	106%	108%

Surrogate Recovery	ACP %REC	%REC	%REC	%REC	%REC	%REC
Sample I.D.		0106-176				
BFB	70-130	101%				

S.R. = Sample Result
spk conc = Spike Concentration
%REC = Percent Recovery
ACP %RPD = Acceptable Percent RPD Range
ACP %REC = Acceptable Percent Recovery Range

** = Surrogate fail due to matrix interference (If marked)*
Note: ***LCS, MS, MSD are in control therefore results are in control.***

Analyzed and Reviewed By: _____

Final Reviewer: _____

Enviro Chem, Inc

1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8015M Liquid QC

Date Analyzed: 1/6/2005 Units: mg/Kg (PPM)

Matrix: **Liquid**

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)

Spiked Sample Lab I.D.: **050106-LCS 1/2**

Analyte	SR	spk conc	MS	%MS	MSD	%MSD	%RPD	ACP %MS	ACP RPD
DIESEL	0	2500	2110	84%	2115	85%	0%	75-125	0-20%

LCS STD RECOVERY:

Analyte	spk conc	LCS	% REC	ACP
DIESEL	200	198	99%	75-125

Analyzed and Reviewed By: KL

Final Reviewer: CR

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: LIQIUD
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE ANALYZED: 01/06/05
DATE REPORTED: 01/07/05

SAMPLE I.D.: LS-01-A
LAB I.D.: 050106-18A

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1000*
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: LIQIUD
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE ANALYZED: 01/06/05
DATE REPORTED: 01/07/05

SAMPLE I.D.: LS-01-A
LAB I.D.: 050106-18A

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1000*
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	16.1	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	11.1	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
* = PQL RAISED DUE TO MATRIX INTERFERENCE
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: LIQUID/SOIL
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE ANALYZED: 01/06/05
DATE REPORTED: 01/07/05

METHOD BLANK FOR LAB I.D.: 050106-16, -17, -18A

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: LIQUID/SOIL
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE ANALYZED: 01/06/05
DATE REPORTED: 01/07/05

METHOD BLANK FOR LAB I.D.: 050106-16, -17, -18A

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro-Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8260B QA/QC Report

Date Analyzed: 01/06/05 Matrix: Solid/Sludge/Liquid
Machine: A Unit: mg/Kg (PPM)

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)
Spiked Sample Lab I.D.: 040105-01

Analyte	S.R.	spk conc	MS	%RC	MSD	%RC	%RPD	ACP %RC	ACP RP
Benzene	0	0.050	0.050	100%	0.052	105%	5%	75-125	0-20
Chlorobenzene	0	0.050	0.051	102%	0.051	102%	1%	75-125	0-20
1,1-Dichloroethene	0	0.050	0.053	106%	0.054	107%	1%	75-125	0-20
Toluene	0	0.050	0.058	116%	0.053	106%	9%	75-125	0-20
Trichloroethene (TCE)	0	0.050	0.052	104%	0.056	112%	8%	75-125	0-20

Lab Control Spike (LCS):

Analyte	spk conc	LCS	%RC	ACP %RC
Benzene	0.050	0.051	102%	75-125
Chlorobenzene	0.050	0.051	102%	75-125
Chloroform	0.050	0.050	99%	75-125
1,1-Dichlorothene	0.050	0.057	113%	75-125
Ethylbenzene	0.050	0.054	107%	75-125
o-Xylene	0.050	0.059	118%	75-125
m,p-Xylene	0.100	0.116	116%	75-125
Toluene	0.050	0.053	106%	75-125
1,1-Trichloroethane	0.050	0.048	95%	75-125
Trichloroethene (TCE)	0.050	0.052	104%	75-125

Surrogate Recovery	spk conc	ACP %RC	MB %RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.				0106-16	0106-17	0106-69	0106-18A		
Dibromofluoromethane	50.0	70-130	98%	102%	104%	86%	89%		
Toluene-d8	50.0	70-130	102%	97%	94%	119%	95%		
4-Bromofluorobenzene	50.0	70-130	104%	97%	90%	129%	87%		

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.									
Dibromofluoromethane	50.0	70-130							
Toluene-d8	50.0	70-130							
4-Bromofluorobenzene	50.0	70-130							

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.									
Dibromofluoromethane	50.0	70-130							
Toluene-d8	50.0	70-130							
4-Bromofluorobenzene	50.0	70-130							

** = Surrogate fail due to matrix interference; LCS, MS, MSD are in control therefore the analysis is in control.*

S.R. = Sample Results *%RC = Percent Recovery*
spk conc = Spike Concentration *ACP %RC = Accepted Percent Recovery*
MS = Matrix Spike *MSD = Matrix Spike Duplicate*

Analyzed/Reviewed By: _____

Final Reviewer: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: LIQUID
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE EXTRACTED: 01/06/05
DATE ANALYZED: 01/06/05
DATE REPORTED: 01/07/05

SAMPLE I.D.: LS-01-B

LAB I.D.: 050106-18B

EPA 8082 FOR PCBs ANALYSIS,
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL (X1)
PCB-1016	ND	0.1
PCB-1221	ND	0.1
PCB-1232	ND	0.1
PCB-1242	ND	0.1
PCB-1248	ND	0.1
PCB-1254	ND	0.1
PCB-1260	ND	0.1
TOTAL PCBs IN THE SAMPLE*	ND	0.1

COMMENTS
PQL = Practical Quantitation Limit
ND = Non-Detected or Below the PQL
* = Sum of the PCB 1016, 1221, 1232, 1242, 1248, 1254 and 1260
*** = The concentration exceeds the TTLC Limit of 50, and the sample is defined as hazardous waste as per CCR-TITLE 22 (if marked)

Data Reviewed and Approved By:
CAL-DHS ELAP CERTIFICATE No.: 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: LIQUID
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE EXTRACTED: 01/06/05
DATE ANALYZED: 01/06/05
DATE REPORTED: 01/07/05

METHOD BLANK FOR LAB I.D.: 050106-18B

EPA 8082 FOR PCBs ANALYSIS,
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL (X1)
PCB-1016	ND	0.1
PCB-1221	ND	0.1
PCB-1232	ND	0.1
PCB-1242	ND	0.1
PCB-1248	ND	0.1
PCB-1254	ND	0.1
PCB-1260	ND	0.1
TOTAL PCBs IN THE SAMPLE*	ND	0.1

COMMENTS
PQL = Practical Quantitation Limit
ND = Non-Detected or Below the PQL
* = Sum of the PCB 1016, 1221, 1232, 1242, 1248, 1254 and 1260
*** = The concentration exceeds the TTLC Limit of 50, and the sample is defined as hazardous waste as per CCR-TITLE 22 (if marked)

Data Reviewed and Approved By: _____
CAL-DHS ELAP CERTIFICATE No.: 1555

Enviro-Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

QA/QC Report

Analysis: EPA 8082 (PCB)

Matrix: **Liquid/Oil** Date Analyzed: 1/6/2005

Unit: mg/Kg (PPM)

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)

Spiked Sample Lab I.D.: 050106-LCS 1/2

Analyte	spk conc	MS	%REC	MSD	%REC	%RPD	ACP % RPD	ACP %REC
PCB (1016+1260)	1.000	0.987	99%	0.981	98%	1%	0-20%	70-130

LCS STD RECOVERY:

Analyte	spk conc	LCS	% REC	ACP %REC
PCB (1016+1260)	0.100	0.1004	100%	75-125

spk conc = Spike Concentration
%REC = Percent Recovery
ACP %RPD = Acceptable Percent RPD Range
ACP %REC = Acceptable Percent Recovery Range

Analyzed and Reviewed By: KL

Final Reviewer: CA

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: LIQUID
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE EXTRACTED: 01/06/05
DATE ANALYZED: 01/07/05
DATE REPORTED: 01/07/05

SAMPLE I.D.: LS-01-B
LAB I.D.: 050106-18B

SEMI-VOLATILE ORGANICS, EPA 8270C, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X200*
Acenaphthene	ND	0.50
Acenaphthylene	ND	0.50
Anthracene	ND	0.50
Benzo(a)anthracene	ND	0.50
Benzo(b)fluoranthene	ND	0.50
Benzo(a)pyrene	ND	0.50
Benzo(g,h,i)perylene	ND	0.50
Benzo(k)fluoranthene	ND	0.50
Benzoic Acid	ND	0.50
Benzyl Alcohol	ND	0.50
Bis(2-Chloroethoxy)methane	ND	0.50
Bis(2-Chloroethyl)ether	ND	0.50
Bis(2-Chloroisopropyl)ether	ND	0.50
Bis(2-Ethylhexyl)Phthalate	ND	0.50
4-Bromophenyl Phenyl Ether	ND	0.50
Butylbenzylphthalate	ND	0.50
4-Chloro-3-Methylphenol	ND	0.50
4-Chloroaniline	ND	0.50
2-Chloronaphthalene	ND	0.50
2-Chlorophenol	ND	0.50
4-Chlorophenyl Phenyl Ether	ND	0.50
Chrysene	ND	0.50
Di-n-butylphthalate	ND	0.50
Di-n-octylphthalate	ND	0.50
Dibenzo(a,h)anthracene	ND	0.50
Dibenzofuran	ND	0.50
1,2-Dichlorobenzene	ND	0.50
1,3-Dichlorobenzene	ND	0.50
1,4-Dichlorobenzene	ND	0.50
3,3-Dichlorobenzidine	ND	0.50
2,4-Dichlorophenol	ND	0.50
Diethyl Phthalate	ND	0.50
2,4-Dimethylphenol	ND	0.50
Dimethyl Phthalate	ND	0.50

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: LIQUID
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE EXTRACTED: 01/06/05
DATE ANALYZED: 01/07/05
DATE REPORTED: 01/07/05

SAMPLE I.D.: LS-01-B
LAB I.D.: 050106-183

SEMI-VOLATILE ORGANICS, EPA 8270C, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X200*
Dimethyl Phthalate	ND	0.50
4,6-Dinitro-2-methylphenol	ND	0.50
2,4-Dinitrophenol	ND	0.50
2,4-Dinitrotoluene	ND	0.50
2,6-Dinitrotoluene	ND	0.50
Fluoranthene	ND	0.50
Fluorene	ND	0.50
Hexachlorobenzene	ND	0.50
Hexachlorobutadiene	ND	0.50
Hexachlorocyclopentadiene	ND	0.50
Hexachloroethane	ND	0.50
Indeno(1,2,3-cd)pyrene	ND	0.50
Isophorone	ND	0.50
2-Methyl Phenol	ND	0.50
3-Methyl Phenol	ND	0.50
4-Methyl Phenol	ND	0.50
2-Methylnaphthalene	219	0.50
N-Nitroso-di-n-dipropylamine	ND	0.50
N-Nitrosodimethylamine	ND	0.50
N-Nitrosodiphenylamine	ND	0.50
Naphthalene	ND	0.50
2-Nitroaniline	ND	0.50
3-Nitroaniline	ND	0.50
4-Nitroaniline	ND	0.50
Nitrobenzene	ND	0.50
2-Nitrophenol	ND	0.50
4-Nitrophenol	ND	0.50
Pentachlorophenol	ND	0.50
Phenanthrene	ND	0.50
Phenol	ND	0.50
Pyrene	ND	0.50
1,2,4-Trichlorobenzene	ND	0.50
2,4,5-Trichlorophenol	ND	0.50
2,4,6-Trichlorophenol	ND	0.50

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
* = PQL RAISED DUE TO MATRIX INTERFERENCE
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: LIQUID/SOIL
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE EXTRACTED: 01/06/05
DATE ANALYZED: 01/06/05
DATE REPORTED: 01/07/05

METHOD BLANK FOR LAB I.D.: 050106-16, -17, -18B

SEMI-VOLATILE ORGANICS, EPA 8270C, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
Acenaphthene	ND	0.50
Acenaphthylene	ND	0.50
Anthracene	ND	0.50
Benzo(a)anthracene	ND	0.50
Benzo(b)fluoranthene	ND	0.50
Benzo(a)pyrene	ND	0.50
Benzo(g,h,i)perylene	ND	0.50
Benzo(k)fluoranthene	ND	0.50
Benzoic Acid	ND	0.50
Benzyl Alcohol	ND	0.50
Bis(2-Chloroethoxy)methane	ND	0.50
Bis(2-Chloroethyl)ether	ND	0.50
Bis(2-Chloroisopropyl)ether	ND	0.50
Bis(2-Ethylhexyl)Phthalate	ND	0.50
4-Bromophenyl Phenyl Ether	ND	0.50
Butylbenzylphthalate	ND	0.50
4-Chloro-3-Methylphenol	ND	0.50
4-Chloroaniline	ND	0.50
2-Chloronaphthalene	ND	0.50
2-Chlorophenol	ND	0.50
4-Chlorophenyl Phenyl Ether	ND	0.50
Chrysene	ND	0.50
Di-n-butylphthalate	ND	0.50
Di-n-octylphthalate	ND	0.50
Dibenzo(a,h)anthracene	ND	0.50
Dibenzofuran	ND	0.50
1,2-Dichlorobenzene	ND	0.50
1,3-Dichlorobenzene	ND	0.50
1,4-Dichlorobenzene	ND	0.50
3,3-Dichlorobenzidine	ND	0.50
2,4-Dichlorophenol	ND	0.50
Diethyl Phthalate	ND	0.50
2,4-Dimethylphenol	ND	0.50
Dimethyl Phthalate	ND	0.50

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: LIQUID/SOIL
SAMPLING DATE: 01/06/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/06/05
DATE EXTRACTED: 01/06/05
DATE ANALYZED: 01/06/05
DATE REPORTED: 01/07/05

METHOD BLANK FOR LAB I.D.: 050106-16, -17, -18B

SEMI-VOLATILE ORGANICS, EPA 8270C, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
Dimethyl Phthalate	ND	0.50
4,6-Dinitro-2-methylphenol	ND	0.50
2,4-Dinitrophenol	ND	0.50
2,4-Dinitrotoluene	ND	0.50
2,6-Dinitrotoluene	ND	0.50
Fluoranthene	ND	0.50
Fluorene	ND	0.50
Hexachlorobenzene	ND	0.50
Hexachlorobutadiene	ND	0.50
Hexachlorocyclopentadiene	ND	0.50
Hexachloroethane	ND	0.50
Indeno(1,2,3-cd)pyrene	ND	0.50
Isophorone	ND	0.50
2-Methyl Phenol	ND	0.50
3-Methyl Phenol	ND	0.50
4-Methyl Phenol	ND	0.50
2-Methylnaphthalene	ND	0.50
N-Nitroso-di-n-dipropylamine	ND	0.50
N-Nitrosodimethylamine	ND	0.50
N-Nitrosodiphenylamine	ND	0.50
Naphthalene	ND	0.50
2-Nitroaniline	ND	0.50
3-Nitroaniline	ND	0.50
4-Nitroaniline	ND	0.50
Nitrobenzene	ND	0.50
2-Nitrophenol	ND	0.50
4-Nitrophenol	ND	0.50
Pentachlorophenol	ND	0.50
Phenanthrene	ND	0.50
Phenol	ND	0.50
Pyrene	ND	0.50
1,2,4-Trichlorobenzene	ND	0.50
2,4,5-Trichlorophenol	ND	0.50
2,4,6-Trichlorophenol	ND	0.50

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro-Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8270 QA/QC Report

Matrix: **Liquid** Unit: mg/Kg (PPM)

Date Analyzed: 1/6/2005

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)

Spiked Sample Lab I.D.: 050106-LCS1/2

Analyte	SR	spk conc	MS	%MS	MSD	%MSD	%RPD	ACP %MS	ACP RPD
Phenol	0.0	80.0	78.3	98%	80.9	101%	3%	50-150*	0-20
Pyrene	0.0	80.0	114.5	143%	112.8	141%	2%	50-150	0-20

Laboratory Control Spike (LCS):

Analyte	spk conc	LCS	% RC	ACP %RC
Phenol	4.0	3.87	97%	75-125
1,4-Dichlorobenzene	4.0	4.04	101%	75-125
2,4-Dichlorophenol	4.0	3.64	91%	75-125
Hechachlorobutadiene	4.0	4.63	116%	75-125
4-Chloro-3-methylphenol	4.0	4.24	106%	75-125
Fluoranthene	4.0	4.17	104%	75-125

Surrogate Recovery	spk conc	ACP%	MB	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.				0106-18B					
2-Fluorophenol	80	25-121	70%	70%					
Phenol-d5	80	24-113	58%	49%					
Nitrobenzene-d5	80	23-120	70%	65%					
2-Fluorobiphenyl	80	30-115	90%	90%					
2,4,6-Tribromophenol	80	19-122	65%	68%					
Terphenyl-d14	80	18-137	32%	63%					

Surrogate Recovery	spk conc	ACP%	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.									
2-Fluorophenol	80	25-121							
Phenol-d5	80	24-113							
Nitrobenzene-d5	80	23-120							
2-Fluorobiphenyl	80	30-115							
2,4,6-Tribromophenol	80	19-122							
Terphenyl-d14	80	18-137							

Surrogate Recovery	spk conc	ACP%	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.									
2-Fluorophenol	80	25-121							
Phenol-d5	80	24-113							
Nitrobenzene-d5	80	23-120							
2-Fluorobiphenyl	80	30-115							
2,4,6-Tribromophenol	80	19-122							
Terphenyl-d14	80	18-137							

** = Surrogate fail due to matrix interference*

Analyzed and Reviewed By: ALW

Note: *LCS, MS, MSD are in control therefore results are in control.*

Final Reviewer: CW

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

Date: January 10, 2005

Mr. Robert Lartz
Remedial Construction Service, Inc.
1101 California St., Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

Project: Corona Service Park

Dear Mr. Lartz:

The analytical results for the liquid and soil samples, received by our laboratory on January 6, 2005, are attached.

Enviro-Chem appreciates the opportunity to provide you and your company this and other services. Please do not hesitate to call us if you have any questions.

Sincerely,

Curtis Desilets
Vice President/Program Manager

Jesse Tu, Ph.D.
Laboratory Manager

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: LIQUID — DATE RECEIVED: 01/06/05
SAMPLING DATE: 01/06/05 — DATE ANALYZED: 01/07-09/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/10/05

SAMPLE I.D.: LS-01-C — LAB I.D.: 050106-18C

TOTAL THRESHOLD LIMIT CONCENTRATION ANALYSIS
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

ELEMENT ANALYZED	SAMPLE RESULT	PQL	DF	TTLC LIMIT	STLC LIMIT	EPA METHOD
Antimony(Sb)	ND	0.02	1	500	15	6010B
Arsenic(As)	0.062	0.01	1	500	5.0	6010B
Barium(Ba)	2.80	0.1	1	10,000	100	6010B
Beryllium(Be)	ND	0.01	1	75	0.75	6010B
Cadmium(Cd)	0.042	0.01	1	100	1.0	6010B
Chromium(Cr)Total	0.280	0.01	1	2,500	560/5@	6010B
Chromium VI (Cr6)	--	0.01	1	500	5.0	7196A
Cobalt(Co)	0.057	0.02	1	8,000	80	6010B
Copper(Cu)	3.16	0.02	1	2,500	25	6010B
Lead(Pb)	1.14	0.01	1	1,000	5.0	6010B
Mercury(Hg)	ND	0.0005	1	20	0.2	7470A
Molybdenum(Mo)	0.190	0.1	1	3,500	350	6010B
Nickel(Ni)	0.296	0.05	1	2,000	20	6010B
Selenium(Se)	ND	0.02	1	100	1.0	6010B
Silver(Ag)	ND	0.02	1	500	5.0	6010B
Thallium(Tl)	ND	0.02	1	700	7.0	6010B
Vanadium(V)	0.341	0.1	1	2,400	24	6010B
Zinc(Zn)	9.02	0.01	1	5,000	250	6010B

COMMENTS
DF = Dilution Factor
PQL = Practical Quantitation Limit
Actual Detection Limit = PQL X DF
ND = Below the Actual Detection Limit or non-detected
TTLC = Total Threshold Limit Concentration
STLC = Soluble Threshold Limit Concentration
@ = Must meet both the STLC Limit at 560 and EPA-TCLP Limit at 5
* = STLC analysis for the metal is recommended (if marked)
** = Additional Analysis required, please call to discuss (if marked)
*** = The concentration exceeds the TTLC Limit, and the sample is defined as hazardous waste as per CCR TITLE 22 (if marked)
-- = Not analyzed/not requested

Data Reviewed and Approved by: _____
CAL-DHS ELAP CERTIFICATE No.: 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park

MATRIX: LIQUID — DATE RECEIVED: 01/06/05

SAMPLING DATE: 01/06/05 — DATE ANALYZED: 01/07-09/05

REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/10/05

METHOD BLANK FOR LAB I.D.: 050106-18C

TOTAL THRESHOLD LIMIT CONCENTRATION ANALYSIS
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

ELEMENT ANALYZED	SAMPLE RESULT	PQL	DF	TTLC LIMIT	STLC LIMIT	EPA METHOD
Antimony(Sb)	ND	0.02	1	500	15	6010B
Arsenic(As)	ND	0.01	1	500	5.0	6010B
Barium(Ba)	ND	0.1	1	10,000	100	6010B
Beryllium(Be)	ND	0.01	1	75	0.75	6010B
Cadmium(Cd)	ND	0.01	1	100	1.0	6010B
Chromium(Cr)Total	ND	0.01	1	2,500	560/5@	6010B
Chromium VI (Cr6)	--	0.01	1	500	5.0	7196A
Cobalt(Co)	ND	0.02	1	8,000	80	6010B
Copper(Cu)	ND	0.02	1	2,500	25	6010B
Lead(Pb)	ND	0.01	1	1,000	5.0	6010B
Mercury(Hg)	ND	0.0005	1	20	0.2	7470A
Molybdenum(Mo)	ND	0.1	1	3,500	350	6010B
Nickel(Ni)	ND	0.05	1	2,000	20	6010B
Selenium(Se)	ND	0.02	1	100	1.0	6010B
Silver(Ag)	ND	0.02	1	500	5.0	6010B
Thallium(Tl)	ND	0.02	1	700	7.0	6010B
Vanadium(V)	ND	0.1	1	2,400	24	6010B
Zinc(Zn)	ND	0.01	1	5,000	250	6010B

COMMENTS
DF = Dilution Factor
PQL = Practical Quantitation Limit
Actual Detection Limit = PQL X DF
ND = Below the Actual Detection Limit or non-detected
TTLC = Total Threshold Limit Concentration
STLC = Soluble Threshold Limit Concentration
@ = Must meet both the STLC Limit at 560 and EPA-TCLP Limit at 5
* = STLC analysis for the metal is recommended (if marked)
** = Additional Analysis required, please call to discuss (if marked)
*** = The concentration exceeds the TTLC Limit, and the sample is defined as hazardous waste as per CCR TITLE 22 (if marked)
-- = Not analyzed/not requested

Data Reviewed and Approved by: _____
CAL-DHS ELAP CERTIFICATE No.: 1555

QA/QC for Metals Analysis --Water MATRIX

Lab I.D.: 050106-18C

Matrix Spike/ Matrix Spike Duplicate/ LCS :

ANALYSIS DATE. : 01/09/2005 Unit : Mg/KG (ppm)

Analysis	Spk.Sample ID	LCS CONC.	LCS %Rec.	LCS STATUS	Sample Result	Spike Conc.	MS	% Rec MS	MSD	% Rec MSD	% RPD
Zinc (Zn)	050107-50	1.00	101	PASS	0.105	1.00	1.150	105%	1.230	113%	7%
Iron (Fe)	050107-50	1.00	100	PASS	0.077	1.00	1.030	95%	1.080	100%	5%
LEAD (Pb)	050107-50	1.00	107	PASS	0	1.00	1.130	113%	1.200	120%	6%

ANALYSIS DATE. : 01/07/2005

Analysis	Spk.Sample ID	LCS CONC.	LCS %Rec.	LCS STATUS	Sample Result	Spike Conc.	MS	% Rec MS	MSD	% Rec MSD	% RPD
Mercury (Hg)	050107-18C	0.500	101	PASS	0.000000	0.003	0.00296	99%	0.00300	100%	1%

MS/MSD Status:

Analysis	%MS	%MSD	%LCS	%RPD
Zinc (Zn)	PASS	PASS	PASS	PASS
LEAD (Pb)	PASS	PASS	PASS	PASS
Iron (Fe)	PASS	PASS	PASS	PASS
MERCURY (Hg)	PASS	PASS	PASS	PASS
Accepted Range	75 ~ 125	75 ~ 125	85 ~ 115	0 ~ 20

ANALYST: JOE SU

FINAL REVIEWER: [illegible]

Enviro-Chem, Inc. Laboratories
1214 E. Lexington Avenue,
Pomona, CA 91766
Tel: (909) 590-5905 Fax: (909) 590-5907
CA-DHS ELAP CERTIFICATE # 1555

Turnaround Time
0 Same Day
0 24 Hours
0 48 Hours
0 72 Hours
0 1 Week (Standard)
Other:

RUSH

Misc.

SAMPLE ID	LAB ID	SAMPLING DATE	SAMPLING TIME	MATRIX	No. OF CONTAINERS	TEMPERATURE	PRESERVATION	Cam 17 TTLC	8260	8270	8015 Carbon Rng.	PCBs	TPH Gas	Hold Extra Bottle			COMMENTS
SP-01	050106-16	1/6/05	0918	soil	2	4oz 4°C		X	X	X	X	X	X				
SP-02	-17		0923	soil	2			X	X	X	X	X	X				
LS-01-A	-18A		0930	liquid	4	(40ml)	X		X				X				
LS-01-B	-18B		0940	liquid	3	(1l)				X	X	X					
LS-01-C	-18C		0950	liquid	2	(Glass)	X	X						X			

Analysis Required

→ 10AM - Tomorrow

Company Name: REMEDIAL CONSTRUCTION SERVICE	Project Contact: ROBERT LARTZ	Sampler's Signature: [signature]
Address: 1101 CALIFORNIA AVE, STE 100	Tel: 951-272-2877	Project Name/ID: Corona Service Park
City/State/Zip: CORONA, CA ~~9280~~ 92881	Fax: 951-272-2825	

Relinquished by: [signature]	Received by: [signature]	Date & Time: 1/6/05 1042	Instructions for Sample Storage After Analysis:
Relinquished by: [signature]	Received by: [signature]	Date & Time: 1/6/05 1045	O Dispose of O Return to Client ● Store (30 Days)
Relinquished by:	Received by: [signature]	Date & Time:	O Other:

CHAIN OF CUSTODY RECORD

Date: 1/6/05

Appendix D

Manifests/Shipping Documents – Heavy Oil Phase

State of California—Environmental Protection Agency
Form Approved OMB No 2050-0039 (Expires 9-30-99)
Please print or type Form designed for use on elite (12-pitch) typewriter.

See Instructions on back of page 6.

Department of Toxic Substances
Sacramento, California

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No: CAP000007838 — Manifest Document No.: 31616 — 2 Page 1 of 1

Information in the shaded areas is not required by Federal law

3. Generator's Name and Mailing Address: Corona Service Park, 3125 W. 5th Street, Santa Ana, CA 92705

4. Generator's Phone: (714) 554-9800

A. State Manifest Document Number: 2348462

B. State Generator's ID:

5. Transporter 1 Company Name: United Pumping Service, Inc.

6. US EPA ID Number: CAD072953771

C. State Transporter's ID [Reserved]:

D. Transporter's Phone: (626) 961-9326

7. Transporter 2 Company Name:

8. US EPA ID Number:

E. State Transporter's ID [Reserved]:

F. Transporter's Phone:

9. Designated Facility Name and Site Address: Demenno - Kerdoon, 2000 N. Alameda St, Compton, CA 90222

10. US EPA ID Number: CAT080013352

G. State Facility's ID: CAT080013352

H. Facility's Phone: (310) 537-7100

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No	12. Containers Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Number
a. NON RCRA HAZARDOUS WASTE, Liquid	001	TT	05000	G	State 223 / EPA/Other
b.					State / EPA/Other
c.					State / EPA/Other
d.					State / EPA/Other

J. Additional Descriptions for Materials Listed Above: 11a) Jet Fuel And Water DK #

K. Handling Codes for Wastes Listed Above: a. 01 b. c. d.

15. Special Handling Instructions and Additional Information: Always Wear Appropriate Protective Clothing, 24 Hour Emergency Contact 800-988-4424 Bill To HCI Env Eng SVC. Job Site Address: 1451 Magnolia Ave., Corona, CA 92879

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: BILL BENNETT — Signature: Bill Bennett for J. Bennett — Month 01 Day 17 Year 05

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name: SERGIO VALENZUELA — Signature: [signature] — Month 01 Day 17 Year 05

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name: — Signature: — Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19

Printed/Typed Name: VICTOR ESTRADA — Signature: [signature] — Month 01 Day 17 Year 05

DO NOT WRITE BELOW THIS LINE.

GENERATOR — TRANSPORTER — FACILITY

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-852-7550

2348462

DTSC 8022A (1/99)
EPA 8700—22

White To: TSDF SENDS THIS COPY TO DTSC WITHIN 30 DAYS
P O Box 3000, Sacramento, CA 95812

Feb 17 05 10:49a

p.1

...al Protection Agency
...0039 (Expires 9-30-99)
...ed for use on elite (12-pitch) typewriter.

See Instructions on back of page 6.

...SKM HAZARDOUS WASTE MANIFEST

Department of Toxic Substances Control
Sacramento, California

Information in the shaded areas is not required by Federal law.

1. Generator's US EPA ID No. | Manifest Document No. | 2. Page 1 of 1

3. Generator's Name and Mailing Address
CORONA SERVICE PARK
2125 W. 6TH STREET
SANTA ANA, CA 92705

4. Generator's Phone (714) 554-9800

A. State Manifest Document Number 23786708

B. State Generator's ID

5. Transporter 1 Company Name: UNITED PUMPING SERVICE, INC.

6. US EPA ID Number: CAD 0 7 2 5 5 2 7 7 1

C. State Transporter's ID [Reserved.]

7. Transporter 2 Company Name

8. US EPA ID Number

D. Transporter's Phone (626) 961-9326

E. State Transporter's ID [Reserved.]

9. Designated Facility Name and Site Address
DEMENNO-KERDOON
2000 N. ALAMEDA STREET
COMPTON, CA 90222

10. US EPA ID Number: CAF 0 8 0 0 1 2 3 5 2

F. Transporter's Phone

G. State Facility's ID CAT080011235Z

H. Facility's Phone (310) 537-7100

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)

	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Number
a. NA 9189 HAZARDOUS WASTE, LIQUID	001	TP	01750	G	State 223
b.					EPA/Other
					State
c.					EPA/Other
					State
d.					EPA/Other
					State
					EPA/Other

J. Additional Descriptions for Materials Listed Above
EMERGENCY RESPONSE WATER SPILL

K. Handling Codes for Wastes Listed Above
a. D01 b. c. d.

15. Special Handling Instructions and Additional Information
ALWAYS WEAR APPROPRIATE PROTECTIVE CLOTHING
24 HOUR EMERGENCY CONTACT 800-983-4424 BILL TO HCI ENV. & ENG. INC.
JOB SITE ADDRESS: 1451 MAGNOLIA AVE., CORONA, CA 92879

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford. SIGNATURE REQUIRED

Printed/Typed Name: ...FRED OTERO JR. | Signature | Month 01 | Day 17 | Year 05

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Frank U. Otero Jr. | Signature | Month 01 | Day 17 | Year 05

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name | Signature | Month | Day | Year

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19
Printed/Typed Name: Leslie Austin | Signature | Month 01 | Day 17 | Year 05

DO NOT WRITE BELOW THIS LINE.

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-852-7550

GENERATOR

TRANSPORTER

DTSC 8022A (1/99)
EPA 8700-22

Green — TRANSPORTER RETAINS

State of California—Environmental Protection Agency
Form Approved OMB No. 2050-0039 (Expires 9-30-99)
Please print or type. *Form designed for use on elite (12-pitch) typewriter.*

See Instructions on back of page 6.

Department of Toxic Substances Control
Sacramento, California

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No: [illegible] Manifest Document No.: [illegible]
2. Page 1 of 1
Information in the shaded areas is not required by Federal law. EES6

3. Generator's Name and Mailing Address: [illegible] 3175 [illegible] SANTA ANA, CA [illegible]
4. Generator's Phone: 714 [illegible]

A. State Manifest Document Number: 23800061
B. State Generator's ID:

5. Transporter 1 Company Name: EVERGREEN ENVIRONMENTAL SERVICES
6. US EPA ID Number: CAD982413262
C. State Transporter's ID [Reserved]:
D. Transporter's Phone: (510) 795-4400

7. Transporter 2 Company Name:
8. US EPA ID Number:
E. State Transporter's ID [Reserved]:
F. Transporter's Phone:

9. Designated Facility Name and Site Address: EVERGREEN ENVIRONMENTAL SERVICES, 16604 SOUTH SAN PEDRO STREET, CARSON, CA 90746
10. US EPA ID Number: CAD981696420
G. State Facility's ID: CAD981696420
H. Facility's Phone: (310) 789-0022

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Number
a. Non-RCRA Hazardous waste, Liquid [illegible]	001	TT	04200	G	State 221; EPA/Other None
b.					State; EPA/Other
c.					State; EPA/Other
d.					State; EPA/Other

J. Additional Descriptions for Materials Listed Above:

K. Handling Codes for Wastes Listed Above: a. b. c. d.

15. Special Handling Instructions and Additional Information
24 Hour Emergency Response Telephone No.: CHEMTREC 1-800-424-9300
DOT ERG 171 WEAR PROTECTIVE CLOTHING
Invoice #
Sales Order #
JOB LOCATION: [illegible] AVE. [illegible], CA. [illegible]

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment, OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: [illegible] X MERCEL [illegible] Signature: [illegible] Month 01 Day 11 Year 05

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: WILLIAM [illegible] Signature: [illegible] Month 01 Day 11 Year 05

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Signature: Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19
Printed/Typed Name: [illegible] Signature: [illegible] Month 1 Day 11 Year 05

DO NOT WRITE BELOW THIS LINE.

SC 8022A (1/99)
A 8700—22

State of California—Environmental Protection Agency
Form Approved OMB No 2050-0039 (Expires 9-30-99)
Please print or type Form designed for use on elite (12-pitch) typewriter.

See Instructions on back of page 6.

Department of Toxic Substances Control
Sacramento, California

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No: CAD009158003 Manifest Document No

2 Page 1 of 1

Information in the shaded areas is not required by Federal law EES6

3 Generator's Name and Mailing Address: [illegible]
3175 [illegible] ST
SANTA ANA CA. 92705

4 Generator's Phone (714) 524-7600

A State Manifest Document Number: 23800063

B. State Generator's ID

5 Transporter 1 Company Name: EVERGREEN ENVIRONMENTAL SERVICES

6 US EPA ID Number: CAD988241826

C State Transporter's ID [Reserved]

D. Transporter's Phone: (510) 795-1400

7. Transporter 2 Company Name

8 US EPA ID Number

E. State Transporter's ID [Reserved]

F. Transporter's Phone

9. Designated Facility Name and Site Address:
EVERGREEN ENVIRONMENTAL SERVICES
16604 SOUTH SAN PEDRO STREET
CARSON, CA 90746

10. US EPA ID Number: CAD988164826

G. State Facility's ID: CAD981664826

H. Facility's Phone: (310) 769-0022

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No	Type	13 Total Quantity	14 Unit Wt/Vol	I. Waste Number
a. Non-RCRA Hazardous waste, Liquid, OIL - WATER	001	TT	004500	G	State CA; EPA/Other None
b.					State; EPA/Other
c.					State; EPA/Other
d.					State; EPA/Other

J. Additional Descriptions for Materials Listed Above

K. Handling Codes for Wastes Listed Above
a. b
c. d.

15 Special Handling Instructions and Additional Information
24 Hour Emergency Response Telephone No.: CHEMTREC 1-800-424-9300
DOT ERG 171 WEAR PROTECTIVE CLOTHING

Invoice #
Sales Order #

[illegible]
[illegible]
[illegible] CA 92579

16 GENERATOR'S CERTIFICATION. I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment, OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford

Printed/Typed Name: ON BEHALF OF MEREL SANDERS | Signature | Month 01 Day 11 Year 01

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: BEN LEYVAS | Signature | Month 01 Day 11 Year 01

18 Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name | Signature | Month Day Year

FACILITY

19. Discrepancy Indication Space

20 Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19
Printed/Typed Name: BEN LEYVAS | Signature | Month 01 Day 11 Year 01

GENERATOR

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-852-7550

DO NOT WRITE BELOW THIS LINE.

DTSC 8022A (1/99)
EPA 8700—22

Appendix E

Laboratory Reports – Secondary Liquid Samples CSP-001 and CSP-002

ASSOCIATED LABORATORIES
806 North Batavia - Orange, California 92868 - 714/771-6900
FAX 714/538-1209

CLIENT Recon (10724)
ATTN: Robert Lartz
1101 California Ave.,
Suite 100
Corona, CA 92881

LAB REQUEST 144805
REPORTED 02/09/2005
RECEIVED 02/04/2005

PROJECT Corona Service Park

SUBMITTER Client

COMMENTS

This laboratory request covers the following listed samples which were analyzed for the parameters indicated on the attached Analytical Result Report. All analyses were conducted using the appropriate methods as indicated on the report. This cover letter is an integral part of the final report.

Order No.	Client Sample Identification
593616	CSP-001
593617	CSP-002
593618	Laboratory Method Blank

Thank you for the opportunity to be of service to your company. Please feel free to call if there are any questions regarding this report or if we can be of further service.

ASSOCIATED LABORATORIES by,

Edward S. Behare, Ph.D.
Vice President

NOTE: Unless notified in writing, all samples will be discarded by appropriate disposal protocol 30 days from date reported.

The reports of the Associated Laboratories are confidential property of our clients and may not be reproduced or used for publication in part or in full without our written permission. This is for the mutual protection of the public, our clients, and ourselves.

TESTING & CONSULTING
Chemical
Microbiological
Environmental

Order #: 593616
Matrix: WATER
Date Sampled: 02/04/2005
Time Sampled: 09:16
Sampled By:

Client: Recon
Client Sample ID: CSP-001
Sample Description: Former Adv. Fuel Filtration Yard Black 6500 gal Baker Tank

Analyte	Result	DF	DLR	Units	Date/Analyst	
150.1 pH						
pH	6.80	1		NA	02/05/05	LN
1664 Oil and Grease						
Non-Polar Oil and Grease	ND	1	5	mg/L	02/08/05	LN
Total Oil and Grease	6.0	1	5	mg/L	02/08/05	LN
335.1 Cyanide, Amenable to Chlorination						
Cyanide, Amenable	ND	1	0.01	mg/L	02/08/05	MS
335.2 Total Cyanide						
Cyanide	ND	1	0.01	mg/L	02/08/05	MS
4500-S Sulfides in Water						
Total Sulfide	ND	1	0.1	mg/L	02/04/05	LN
Soluble Sulfide	ND	1	0.1	mg/L	02/04/05	LN
6010B ICP Metals - Solid/Liquid/Wipe						
Arsenic	ND	1	0.005	mg/L	02/08/05	KN
Cadmium	ND	1	0.005	mg/L	02/08/05	KN
Chromium	ND	1	0.010	mg/L	02/08/05	KN
Copper	0.067	1	0.010	mg/L	02/08/05	KN
Lead	0.029	1	0.005	mg/L	02/08/05	KN
Nickel	0.010	1	0.020	mg/L	02/08/05	KN
Silver	ND	1	0.005	mg/L	02/08/05	KN
Zinc	0.288	1	0.020	mg/L	02/08/05	KN
608 - Chlorinated Pesticides						

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

Order #: 593616
Matrix: WATER
Date Sampled: 02/04/2005
Time Sampled: 09:16
Sampled By:

Client: Recon
Client Sample ID: CSP-001
Sample Description: Former Adv. Fuel Filtration Yard Black 6500 gal Baker Tank

Analyte	Result	DF	DLR	Units	Date/Analyst	
608 - Chlorinated Pesticides						
4,4 -DDD	ND	1	0.06	ug/L	02/04/05	RB
4,4 -DDE	ND	1	0.05	ug/L	02/04/05	RB
4,4 -DDT	ND	1	0.06	ug/L	02/04/05	RB
Aldrin	ND	1	0.11	ug/L	02/04/05	RB
Alpha BHC	ND	1	0.04	ug/L	02/04/05	RB
Beta BHC	ND	1	0.03	ug/L	02/04/05	RB
Chlordane	ND	1	0.25	ug/L	02/04/05	RB
Delta BHC	ND	1	0.03	ug/L	02/04/05	RB
Dieldrin	ND	1	0.06	ug/L	02/04/05	RB
Endosulfan I	ND	1	0.03	ug/L	02/04/05	RB
Endosulfan II	ND	1	0.06	ug/L	02/04/05	RB
Endosulfan sulfate	ND	1	0.06	ug/L	02/04/05	RB
Endrin	ND	1	0.06	ug/L	02/04/05	RB
Endrin aldehyde	ND	1	0.13	ug/L	02/04/05	RB
Gamma BHC (Lindane)	ND	1	0.03	ug/L	02/04/05	RB
Heptachlor	ND	1	0.08	ug/L	02/04/05	RB
Heptachlor epoxide	ND	1	0.05	ug/L	02/04/05	RB
Methoxychlor	ND	1	0.57	ug/L	02/04/05	RB
PCB-1016	ND	1	0.5	ug/L	02/04/05	RB
PCB-1221	ND	1	0.5	ug/L	02/04/05	RB
PCB-1232	ND	1	0.5	ug/L	02/04/05	RB
PCB-1242	ND	1	0.5	ug/L	02/04/05	RB
PCB-1248	ND	1	0.5	ug/L	02/04/05	RB
PCB-1254	ND	1	0.5	ug/L	02/04/05	RB
PCB-1260	ND	1	0.5	ug/L	02/04/05	RB
Toxaphene	ND	1	3.13	ug/L	02/04/05	RB
Surrogates				Units	Control Limits	
DCB (sur)	86			%	55 - 125	
TCMX (sur)	103			%	50 - 125	

7470A Mercury in Water

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

Order #: 593616
Matrix: WATER
Date Sampled: 02/04/2005
Time Sampled: 09:16
Sampled By:

Client: Recon
Client Sample ID: CSP-001
Sample Description: Former Adv. Fuel Filtration Yard Black 6500 gal Baker Tank

Analyte	Result	DF	DLR	Units	Date/Analyst	
7470A Mercury in Water						
Mercury	ND	1	0.0004	mg/L	02/07/05	MDJ
8260B Volatile Organic Compounds						
1,1,1,2-Tetrachloroethane	ND	10	50.0	ug/L	02/06/05	AM
1,1,1-Trichloroethane	ND	10	50.0	ug/L	02/06/05	AM
1,1,2,2-Tetrachloroethane	ND	10	50.0	ug/L	02/06/05	AM
1,1,2-Trichloroethane	ND	10	50.0	ug/L	02/06/05	AM
1,1,2-Trichlorotrifluoroethane	ND	10	50.0	ug/L	02/06/05	AM
1,1-Dichloroethane	ND	10	50.0	ug/L	02/06/05	AM
1,1-Dichloroethene	ND	10	50.0	ug/L	02/06/05	AM
1,1-Dichloropropene	ND	10	50.0	ug/L	02/06/05	AM
1,2,3-Trichlorobenzene	ND	10	50.0	ug/L	02/06/05	AM
1,2,3-Trichloropropane	ND	10	50.0	ug/L	02/06/05	AM
1,2,4-Trichlorobenzene	ND	10	50.0	ug/L	02/06/05	AM
1,2,4-Trimethylbenzene	59	10	50.0	ug/L	02/06/05	AM
1,2-Dibromo-3-chloropropane	ND	10	50.0	ug/L	02/06/05	AM
1,2-Dibromoethane	ND	10	50.0	ug/L	02/06/05	AM
1,2-Dichlorobenzene	ND	10	50.0	ug/L	02/06/05	AM
1,2-Dichloroethane	ND	10	50.0	ug/L	02/06/05	AM
1,2-Dichloropropane	ND	10	50.0	ug/L	02/06/05	AM
1,3,5-Trimethylbenzene	17 J	10	50.0	ug/L	02/06/05	AM
1,3-Dichlorobenzene	ND	10	50.0	ug/L	02/06/05	AM
1,3-Dichloropropane	ND	10	50.0	ug/L	02/06/05	AM
1,4-Dichlorobenzene	ND	10	50.0	ug/L	02/06/05	AM
1-Chlorohexane	ND	10	50.0	ug/L	02/06/05	AM
2,2-Dichloropropane	ND	10	50.0	ug/L	02/06/05	AM
2-Butanone (MEK)	ND	10	1000.0	ug/L	02/06/05	AM
2-Chloroethyl vinyl ether	ND	10	50.0	ug/L	02/06/05	AM
2-Chlorotoluene	ND	10	50.0	ug/L	02/06/05	AM
2-Hexanone	ND	10	200.0	ug/L	02/06/05	AM
4-Chlorotoluene	ND	10	50.0	ug/L	02/06/05	AM
4-Methyl -2- Pentanone (MIBK)	27 J	10	100.0	ug/L	02/06/05	AM

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

Order #: 593616
Matrix: WATER
Date Sampled: 02/04/2005
Time Sampled: 09:16
Sampled By:

Client: Recon
Client Sample ID: CSP-001
Sample Description: Former Adv. Fuel Filtration Yard Black 6500 gal Baker Tank

Analyte	Result	DF	DLR	Units	Date/Analyst	
8260B Volatile Organic Compounds						
Acetone	ND	10	1000.0	ug/L	02/06/05	AM
Acetonitrile	ND	10	500.0	ug/L	02/06/05	AM
Acrolein	ND	10	2000.0	ug/L	02/06/05	AM
Acrylonitrile	ND	10	100.0	ug/L	02/06/05	AM
Allyl chloride	ND	10	50.0	ug/L	02/06/05	AM
Benzene	ND	10	10.0	ug/L	02/06/05	AM
Benzyl chloride	ND	10	50.0	ug/L	02/06/05	AM
Bromobenzene	ND	10	50.0	ug/L	02/06/05	AM
Bromochloromethane	ND	10	50.0	ug/L	02/06/05	AM
Bromodichloromethane	ND	10	50.0	ug/L	02/06/05	AM
Bromoform	ND	10	50.0	ug/L	02/06/05	AM
Bromomethane	ND	10	50.0	ug/L	02/06/05	AM
Carbon Disulfide	ND	10	50.0	ug/L	02/06/05	AM
Carbon tetrachloride	ND	10	50.0	ug/L	02/06/05	AM
Chlorobenzene	ND	10	50.0	ug/L	02/06/05	AM
Chloroethane	ND	10	50.0	ug/L	02/06/05	AM
Chloroform	ND	10	50.0	ug/L	02/06/05	AM
Chloromethane	ND	10	50.0	ug/L	02/06/05	AM
cis-1,2-Dichloroethene	ND	10	50.0	ug/L	02/06/05	AM
cis-1,3-Dichloropropene	ND	10	50.0	ug/L	02/06/05	AM
cis-1,4-Dichloro-2-butene	ND	10	200.0	ug/L	02/06/05	AM
Dibromochloromethane	ND	10	50.0	ug/L	02/06/05	AM
Dibromomethane	ND	10	50.0	ug/L	02/06/05	AM
Dichlorodifluoromethane	ND	10	50.0	ug/L	02/06/05	AM
Ethyl benzene	ND	10	50.0	ug/L	02/06/05	AM
Ethyl methacrylate	ND	10	500.0	ug/L	02/06/05	AM
Hexachlorobutadiene	ND	10	50.0	ug/L	02/06/05	AM
Iodomethane	ND	10	50.0	ug/L	02/06/05	AM
Isopropylbenzene (Cumene)	ND	10	50.0	ug/L	02/06/05	AM
m and p-Xylene	ND	10	50.0	ug/L	02/06/05	AM
Methacrylonitrile	ND	10	350.0	ug/L	02/06/05	AM
Methyl methacrylate	ND	10	50.0	ug/L	02/06/05	AM
Methyl-tert-butylether (MTBE)	ND	10	10.0	ug/L	02/06/05	AM

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

Order #: 593616
Matrix: WATER
Date Sampled: 02/04/2005
Time Sampled: 09:16
Sampled By:

Client: Recon
Client Sample ID: CSP-001
Sample Description: Former Adv. Fuel Filtration Yard Black 6500 gal Baker Tank

Analyte	Result	DF	DLR	Units	Date/Analyst	
8260B Volatile Organic Compounds						
Methylene chloride	ND	10	50.0	ug/L	02/06/05	AM
n-Butylbenzene	ND	10	50.0	ug/L	02/06/05	AM
n-Propylbenzene	ND	10	50.0	ug/L	02/06/05	AM
Naphthalene	ND	10	50.0	ug/L	02/06/05	AM
o-Xylene	ND	10	50.0	ug/L	02/06/05	AM
p-Isopropyltoluene	ND	10	50.0	ug/L	02/06/05	AM
Pentachloroethane	ND	10	50.0	ug/L	02/06/05	AM
Propionitrile	ND	10	1000.0	ug/L	02/06/05	AM
sec-Butylbenzene	ND	10	50.0	ug/L	02/06/05	AM
Styrene	ND	10	50.0	ug/L	02/06/05	AM
tert-Butylbenzene	ND	10	50.0	ug/L	02/06/05	AM
Tetrachloroethene	ND	10	50.0	ug/L	02/06/05	AM
Toluene	ND	10	50.0	ug/L	02/06/05	AM
trans-1,2-Dichloroethene	ND	10	50.0	ug/L	02/06/05	AM
trans-1,3-Dichloropropene	ND	10	50.0	ug/L	02/06/05	AM
trans-1,4-Dichloro-2-butene	ND	10	200.0	ug/L	02/06/05	AM
Trichloroethene	ND	10	50.0	ug/L	02/06/05	AM
Trichlorofluoromethane	ND	10	50.0	ug/L	02/06/05	AM
Vinyl acetate	ND	10	500.0	ug/L	02/06/05	AM
Vinyl chloride	ND	10	50.0	ug/L	02/06/05	AM
Xylenes, total	ND	10	50.0	ug/L	02/06/05	AM

Surrogates		Units	Control Limits
Surr1 - Dibromofluoromethane	86	%	70 - 135
Surr2 - 1,2-Dichloroethane-d4	103	%	70 - 135
Surr3 - Toluene-d8	102	%	70 - 135
Surr4 - p-Bromofluorobenzene	99	%	70 - 135

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

Order #: 593617
Matrix: WATER
Date Sampled: 02/04/2005
Time Sampled: 10:25
Sampled By:

Client: Recon
Client Sample ID: CSP-002
Sample Description: Recon Yard 20000 Gallons Green Baker Tank #323950

Analyte	Result	DF	DLR	Units	Date/Analyst	
150.1 pH						
pH	6.85	1		NA	02/05/05	LN
1664 Oil and Grease						
Non-Polar Oil and Grease	37	1	5	mg/L	02/08/05	LN
Total Oil and Grease	180	1	5	mg/L	02/08/05	LN
335.1 Cyanide, Amenable to Chlorination						
Cyanide, Amenable	0.03	1	0.01	mg/L	02/08/05	MS
335.2 Total Cyanide						
Cyanide	0.03	1	0.01	mg/L	02/08/05	MS
4500-S Sulfides in Water						
Total Sulfide	ND	1	0.1	mg/L	02/04/05	LN
Soluble Sulfide	ND	1	0.1	mg/L	02/04/05	LN
6010B ICP Metals - Solid/Liquid/Wipe						
Arsenic	ND	1	0.005	mg/L	02/08/05	KN
Cadmium	ND	1	0.005	mg/L	02/08/05	KN
Chromium	ND	1	0.010	mg/L	02/08/05	KN
Copper	0.080	1	0.010	mg/L	02/08/05	KN
Lead	0.016	1	0.005	mg/L	02/08/05	KN
Nickel	ND	1	0.020	mg/L	02/08/05	KN
Silver	ND	1	0.005	mg/L	02/08/05	KN
Zinc	0.085	1	0.020	mg/L	02/08/05	KN
608 - Chlorinated Pesticides						

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

Order #: 593617
Matrix: WATER
Date Sampled: 02/04/2005
Time Sampled: 10:25
Sampled By:

Client: Recon
Client Sample ID: CSP-002
Sample Description: Recon Yard 20000 Gallons Green Baker Tank #323950

Analyte	Result	DF	DLR	Units	Date/Analyst	
608 - Chlorinated Pesticides						
4,4 -DDD	ND	1	0.06	ug/L	02/04/05	RB
4,4 -DDE	ND	1	0.05	ug/L	02/04/05	RB
4,4 -DDT	ND	1	0.06	ug/L	02/04/05	RB
Aldrin	ND	1	0.11	ug/L	02/04/05	RB
Alpha BHC	ND	1	0.04	ug/L	02/04/05	RB
Beta BHC	ND	1	0.03	ug/L	02/04/05	RB
Chlordane	ND	1	0.25	ug/L	02/04/05	RB
Delta BHC	ND	1	0.03	ug/L	02/04/05	RB
Dieldrin	ND	1	0.06	ug/L	02/04/05	RB
Endosulfan I	ND	1	0.03	ug/L	02/04/05	RB
Endosulfan II	ND	1	0.06	ug/L	02/04/05	RB
Endosulfan sulfate	ND	1	0.06	ug/L	02/04/05	RB
Endrin	ND	1	0.06	ug/L	02/04/05	RB
Endrin aldehyde	ND	1	0.13	ug/L	02/04/05	RB
Gamma BHC (Lindane)	ND	1	0.03	ug/L	02/04/05	RB
Heptachlor	ND	1	0.08	ug/L	02/04/05	RB
Heptachlor epoxide	ND	1	0.05	ug/L	02/04/05	RB
Methoxychlor	ND	1	0.57	ug/L	02/04/05	RB
PCB-1016	ND	1	0.5	ug/L	02/04/05	RB
PCB-1221	ND	1	0.5	ug/L	02/04/05	RB
PCB-1232	ND	1	0.5	ug/L	02/04/05	RB
PCB-1242	ND	1	0.5	ug/L	02/04/05	RB
PCB-1248	ND	1	0.5	ug/L	02/04/05	RB
PCB-1254	ND	1	0.5	ug/L	02/04/05	RB
PCB-1260	ND	1	0.5	ug/L	02/04/05	RB
Toxaphene	ND	1	3.13	ug/L	02/04/05	RB
Surrogates				**Units**	**Control Limits**	
DCB (sur)	40			%	55 - 125	
TCMX (sur)	77			%	50 - 125	

7470A Mercury in Water

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

Order #: 593617
Matrix: WATER
Date Sampled: 02/04/2005
Time Sampled: 10:25
Sampled By:

Client: Recon
Client Sample ID: CSP-002
Sample Description: Recon Yard 20000 Gallons Green Baker Tank #323950

Analyte	Result	DF	DLR	Units	Date/Analyst	
7470A Mercury in Water						
Mercury	ND	1	0.0004	mg/L	02/07/05	MDJ
8260B Volatile Organic Compounds						
1,1,1,2-Tetrachloroethane	ND	1	5	ug/L	02/06/05	AM
1,1,1-Trichloroethane	ND	1	5	ug/L	02/06/05	AM
1,1,2,2-Tetrachloroethane	ND	1	5	ug/L	02/06/05	AM
1,1,2-Trichloroethane	ND	1	5	ug/L	02/06/05	AM
1,1,2-Trichlorotrifluoroethane	ND	1	5	ug/L	02/06/05	AM
1,1-Dichloroethane	ND	1	5	ug/L	02/06/05	AM
1,1-Dichloroethene	ND	1	5	ug/L	02/06/05	AM
1,1-Dichloropropene	ND	1	5	ug/L	02/06/05	AM
1,2,3-Trichlorobenzene	ND	1	5	ug/L	02/06/05	AM
1,2,3-Trichloropropane	ND	1	5	ug/L	02/06/05	AM
1,2,4-Trichlorobenzene	ND	1	5	ug/L	02/06/05	AM
1,2,4-Trimethylbenzene	ND	1	5	ug/L	02/06/05	AM
1,2-Dibromo-3-chloropropane	ND	1	5	ug/L	02/06/05	AM
1,2-Dibromoethane	ND	1	5	ug/L	02/06/05	AM
1,2-Dichlorobenzene	ND	1	5	ug/L	02/06/05	AM
1,2-Dichloroethane	ND	1	5	ug/L	02/06/05	AM
1,2-Dichloropropane	ND	1	5	ug/L	02/06/05	AM
1,3,5-Trimethylbenzene	ND	1	5	ug/L	02/06/05	AM
1,3-Dichlorobenzene	ND	1	5	ug/L	02/06/05	AM
1,3-Dichloropropane	ND	1	5	ug/L	02/06/05	AM
1,4-Dichlorobenzene	ND	1	5	ug/L	02/06/05	AM
1-Chlorohexane	ND	1	5	ug/L	02/06/05	AM
2,2-Dichloropropane	ND	1	5	ug/L	02/06/05	AM
2-Butanone (MEK)	ND	1	100	ug/L	02/06/05	AM
2-Chloroethyl vinyl ether	ND	1	5	ug/L	02/06/05	AM
2-Chlorotoluene	ND	1	5	ug/L	02/06/05	AM
2-Hexanone	ND	1	20	ug/L	02/06/05	AM
4-Chlorotoluene	ND	1	5	ug/L	02/06/05	AM
4-Methyl -2- Pentanone (MIBK)	ND	1	10	ug/L	02/06/05	AM

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

Order #: 593617
Matrix: WATER
Date Sampled: 02/04/2005
Time Sampled: 10:25
Sampled By:

Client: Recon
Client Sample ID: CSP-002
Sample Description: Recon Yard 20000 Gallons Green Baker Tank #323950

Analyte	Result	DF	DLR	Units	Date/Analyst	
8260B Volatile Organic Compounds						
Acetone	ND	1	100	ug/L	02/06/05	AM
Acetonitrile	ND	1	50	ug/L	02/06/05	AM
Acrolein	ND	1	200	ug/L	02/06/05	AM
Acrylonitrile	ND	1	10	ug/L	02/06/05	AM
Allyl chloride	ND	1	5	ug/L	02/06/05	AM
Benzene	ND	1	1	ug/L	02/06/05	AM
Benzyl chloride	ND	1	5	ug/L	02/06/05	AM
Bromobenzene	ND	1	5	ug/L	02/06/05	AM
Bromochloromethane	ND	1	5	ug/L	02/06/05	AM
Bromodichloromethane	ND	1	5	ug/L	02/06/05	AM
Bromoform	ND	1	5	ug/L	02/06/05	AM
Bromomethane	ND	1	5	ug/L	02/06/05	AM
Carbon Disulfide	ND	1	5	ug/L	02/06/05	AM
Carbon tetrachloride	ND	1	5	ug/L	02/06/05	AM
Chlorobenzene	ND	1	5	ug/L	02/06/05	AM
Chloroethane	ND	1	5	ug/L	02/06/05	AM
Chloroform	ND	1	5	ug/L	02/06/05	AM
Chloromethane	ND	1	5	ug/L	02/06/05	AM
cis-1,2-Dichloroethene	ND	1	5	ug/L	02/06/05	AM
cis-1,3-Dichloropropene	ND	1	5	ug/L	02/06/05	AM
cis-1,4-Dichloro-2-butene	ND	1	20	ug/L	02/06/05	AM
Dibromochloromethane	ND	1	5	ug/L	02/06/05	AM
Dibromomethane	ND	1	5	ug/L	02/06/05	AM
Dichlorodifluoromethane	ND	1	5	ug/L	02/06/05	AM
Ethyl benzene	ND	1	5	ug/L	02/06/05	AM
Ethyl methacrylate	ND	1	50	ug/L	02/06/05	AM
Hexachlorobutadiene	ND	1	5	ug/L	02/06/05	AM
Iodomethane	ND	1	5	ug/L	02/06/05	AM
Isopropylbenzene (Cumene)	ND	1	5	ug/L	02/06/05	AM
m and p-Xylene	ND	1	5	ug/L	02/06/05	AM
Methacrylonitrile	ND	1	35	ug/L	02/06/05	AM
Methyl methacrylate	ND	1	5	ug/L	02/06/05	AM
Methyl-tert-butylether (MTBE)	ND	1	1	ug/L	02/06/05	AM

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

Order #: 593617
Matrix: WATER
Date Sampled: 02/04/2005
Time Sampled: 10:25
Sampled By:

Client: Recon
Client Sample ID: CSP-002
Sample Description: Recon Yard 20000 Gallons Green Baker Tank #323950

Analyte	Result	DF	DLR	Units	Date/Analyst	
8260B Volatile Organic Compounds						
Methylene chloride	ND	1	5	ug/L	02/06/05	AM
n-Butylbenzene	ND	1	5	ug/L	02/06/05	AM
n-Propylbenzene	ND	1	5	ug/L	02/06/05	AM
Naphthalene	ND	1	5	ug/L	02/06/05	AM
o-Xylene	ND	1	5	ug/L	02/06/05	AM
p-Isopropyltoluene	ND	1	5	ug/L	02/06/05	AM
Pentachloroethane	ND	1	5	ug/L	02/06/05	AM
Propionitrile	ND	1	100	ug/L	02/06/05	AM
sec-Butylbenzene	ND	1	5	ug/L	02/06/05	AM
Styrene	ND	1	5	ug/L	02/06/05	AM
tert-Butylbenzene	ND	1	5	ug/L	02/06/05	AM
Tetrachloroethene	ND	1	5	ug/L	02/06/05	AM
Toluene	ND	1	5	ug/L	02/06/05	AM
trans-1,2-Dichloroethene	ND	1	5	ug/L	02/06/05	AM
trans-1,3-Dichloropropene	ND	1	5	ug/L	02/06/05	AM
trans-1,4-Dichloro-2-butene	ND	1	20	ug/L	02/06/05	AM
Trichloroethene	ND	1	5	ug/L	02/06/05	AM
Trichlorofluoromethane	ND	1	5	ug/L	02/06/05	AM
Vinyl acetate	ND	1	50	ug/L	02/06/05	AM
Vinyl chloride	ND	1	5	ug/L	02/06/05	AM
Xylenes, total	ND	1	5	ug/L	02/06/05	AM

Surrogates		Units	Control Limits
Surr1 - Dibromofluoromethane	86	%	70 - 135
Surr2 - 1,2-Dichloroethane-d4	102	%	70 - 135
Surr3 - Toluene-d8	104	%	70 - 135
Surr4 - p-Bromofluorobenzene	102	%	70 - 135

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

Order #: 593618 Client: Recon

Matrix: WATER Client Sample ID: Laboratory Method Blank

Date Sampled:

Time Sampled:

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst	
150.1 pH						
pH	5.80	1		NA	02/05/05	LN
1664 Oil and Grease						
Non-Polar Oil and Grease	ND	1	5	mg/L	02/08/05	LN
Total Oil and Grease	ND	1	5	mg/L	02/08/05	LN
335.1 Cyanide, Amenable to Chlorination						
Cyanide, Amenable	ND	1	0.01	mg/L	02/08/05	MS
335.2 Total Cyanide						
Cyanide	ND	1	0.01	mg/L	02/08/05	MS
4500-S Sulfides in Water						
Total Sulfide	ND	1	0.1	mg/L	02/04/05	LN
Soluble Sulfide	ND	1	0.1	mg/L	02/04/05	LN
6010B ICP Metals - Solid/Liquid/Wipe						
Arsenic	ND	1	0.005	mg/L	02/08/05	KN
Cadmium	ND	1	0.005	mg/L	02/08/05	KN
Chromium	ND	1	0.010	mg/L	02/08/05	KN
Copper	ND	1	0.010	mg/L	02/08/05	KN
Lead	ND	1	0.005	mg/L	02/08/05	KN
Nickel	ND	1	0.020	mg/L	02/08/05	KN
Silver	ND	1	0.005	mg/L	02/08/05	KN
Zinc	ND	1	0.020	mg/L	02/08/05	KN
608 - Chlorinated Pesticides						

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

Order #: 593618 Client: Recon

Matrix: WATER Client Sample ID: Laboratory Method Blank

Date Sampled:

Time Sampled:

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst	
608 - Chlorinated Pesticides						
4,4 -DDD	ND	1	0.06	ug/L	02/04/05	RB
4,4 -DDE	ND	1	0.05	ug/L	02/04/05	RB
4,4 -DDT	ND	1	0.06	ug/L	02/04/05	RB
Aldrin	ND	1	0.11	ug/L	02/04/05	RB
Alpha BHC	ND	1	0.04	ug/L	02/04/05	RB
Beta BHC	ND	1	0.03	ug/L	02/04/05	RB
Chlordane	ND	1	0.25	ug/L	02/04/05	RB
Delta BHC	ND	1	0.03	ug/L	02/04/05	RB
Dieldrin	ND	1	0.06	ug/L	02/04/05	RB
Endosulfan I	ND	1	0.03	ug/L	02/04/05	RB
Endosulfan II	ND	1	0.06	ug/L	02/04/05	RB
Endosulfan sulfate	ND	1	0.06	ug/L	02/04/05	RB
Endrin	ND	1	0.06	ug/L	02/04/05	RB
Endrin aldehyde	ND	1	0.13	ug/L	02/04/05	RB
Gamma BHC (Lindane)	ND	1	0.03	ug/L	02/04/05	RB
Heptachlor	ND	1	0.08	ug/L	02/04/05	RB
Heptachlor epoxide	ND	1	0.05	ug/L	02/04/05	RB
Methoxychlor	ND	1	0.57	ug/L	02/04/05	RB
PCB-1016	ND	1	0.5	ug/L	02/04/05	RB
PCB-1221	ND	1	0.5	ug/L	02/04/05	RB
PCB-1232	ND	1	0.5	ug/L	02/04/05	RB
PCB-1242	ND	1	0.5	ug/L	02/04/05	RB
PCB-1248	ND	1	0.5	ug/L	02/04/05	RB
PCB-1254	ND	1	0.5	ug/L	02/04/05	RB
PCB-1260	ND	1	0.5	ug/L	02/04/05	RB
Toxaphene	ND	1	3.13	ug/L	02/04/05	RB
Surrogates				Units	Control Limits	
DCB (sur)	76			%	55 - 125	
TCMX (sur)	56			%	50 - 125	

7470A Mercury in Water

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

Order #: 593618 Client: Recon

Matrix: WATER Client Sample ID: Laboratory Method Blank

Date Sampled:

Time Sampled:

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst	
7470A Mercury in Water						
Mercury	ND	1	0.0004	mg/L	02/07/05	MDJ
8260B Volatile Organic Compounds						
1,1,1,2-Tetrachloroethane	ND	1	5	ug/L	02/06/05	AM
1,1,1-Trichloroethane	ND	1	5	ug/L	02/06/05	AM
1,1,2,2-Tetrachloroethane	ND	1	5	ug/L	02/06/05	AM
1,1,2-Trichloroethane	ND	1	5	ug/L	02/06/05	AM
1,1,2-Trichlorotrifluoroethane	ND	1	5	ug/L	02/06/05	AM
1,1-Dichloroethane	ND	1	5	ug/L	02/06/05	AM
1,1-Dichloroethene	ND	1	5	ug/L	02/06/05	AM
1,1-Dichloropropene	ND	1	5	ug/L	02/06/05	AM
1,2,3-Trichlorobenzene	ND	1	5	ug/L	02/06/05	AM
1,2,3-Trichloropropane	ND	1	5	ug/L	02/06/05	AM
1,2,4-Trichlorobenzene	ND	1	5	ug/L	02/06/05	AM
1,2,4-Trimethylbenzene	ND	1	5	ug/L	02/06/05	AM
1,2-Dibromo-3-chloropropane	ND	1	5	ug/L	02/06/05	AM
1,2-Dibromoethane	ND	1	5	ug/L	02/06/05	AM
1,2-Dichlorobenzene	ND	1	5	ug/L	02/06/05	AM
1,2-Dichloroethane	ND	1	5	ug/L	02/06/05	AM
1,2-Dichloropropane	ND	1	5	ug/L	02/06/05	AM
1,3,5-Trimethylbenzene	ND	1	5	ug/L	02/06/05	AM
1,3-Dichlorobenzene	ND	1	5	ug/L	02/06/05	AM
1,3-Dichloropropane	ND	1	5	ug/L	02/06/05	AM
1,4-Dichlorobenzene	ND	1	5	ug/L	02/06/05	AM
1-Chlorohexane	ND	1	5	ug/L	02/06/05	AM
2,2-Dichloropropane	ND	1	5	ug/L	02/06/05	AM
2-Butanone (MEK)	ND	1	100	ug/L	02/06/05	AM
2-Chloroethyl vinyl ether	ND	1	5	ug/L	02/06/05	AM
2-Chlorotoluene	ND	1	5	ug/L	02/06/05	AM
2-Hexanone	ND	1	20	ug/L	02/06/05	AM
4-Chlorotoluene	ND	1	5	ug/L	02/06/05	AM
4-Methyl -2- Pentanone (MIBK)	ND	1	10	ug/L	02/06/05	AM

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

Order #: 593618 Client: Recon

Matrix: WATER Client Sample ID: Laboratory Method Blank

Date Sampled:

Time Sampled:

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
8260B Volatile Organic Compounds					
Acetone	ND	1	100	ug/L	02/06/05 AM
Acetonitrile	ND	1	50	ug/L	02/06/05 AM
Acrolein	ND	1	200	ug/L	02/06/05 AM
Acrylonitrile	ND	1	10	ug/L	02/06/05 AM
Allyl chloride	ND	1	5	ug/L	02/06/05 AM
Benzene	ND	1	1	ug/L	02/06/05 AM
Benzyl chloride	ND	1	5	ug/L	02/06/05 AM
Bromobenzene	ND	1	5	ug/L	02/06/05 AM
Bromochloromethane	ND	1	5	ug/L	02/06/05 AM
Bromodichloromethane	ND	1	5	ug/L	02/06/05 AM
Bromoform	ND	1	5	ug/L	02/06/05 AM
Bromomethane	ND	1	5	ug/L	02/06/05 AM
Carbon Disulfide	ND	1	5	ug/L	02/06/05 AM
Carbon tetrachloride	ND	1	5	ug/L	02/06/05 AM
Chlorobenzene	ND	1	5	ug/L	02/06/05 AM
Chloroethane	ND	1	5	ug/L	02/06/05 AM
Chloroform	ND	1	5	ug/L	02/06/05 AM
Chloromethane	ND	1	5	ug/L	02/06/05 AM
cis-1,2-Dichloroethene	ND	1	5	ug/L	02/06/05 AM
cis-1,3-Dichloropropene	ND	1	5	ug/L	02/06/05 AM
cis-1,4-Dichloro-2-butene	ND	1	20	ug/L	02/06/05 AM
Dibromochloromethane	ND	1	5	ug/L	02/06/05 AM
Dibromomethane	ND	1	5	ug/L	02/06/05 AM
Dichlorodifluoromethane	ND	1	5	ug/L	02/06/05 AM
Ethyl benzene	ND	1	5	ug/L	02/06/05 AM
Ethyl methacrylate	ND	1	50	ug/L	02/06/05 AM
Hexachlorobutadiene	ND	1	5	ug/L	02/06/05 AM
Iodomethane	ND	1	5	ug/L	02/06/05 AM
Isopropylbenzene (Cumene)	ND	1	5	ug/L	02/06/05 AM
m and p-Xylene	ND	1	5	ug/L	02/06/05 AM
Methacrylonitrile	ND	1	35	ug/L	02/06/05 AM
Methyl methacrylate	ND	1	5	ug/L	02/06/05 AM
Methyl-tert-butylether (MTBE)	ND	1	1	ug/L	02/06/05 AM

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

Order #: 593618 Client: Recon

Matrix: WATER Client Sample ID: Laboratory Method Blank

Date Sampled:

Time Sampled:

Sampled By:

Analyte	Result	DF	DLR	Units	Date/Analyst
8260B Volatile Organic Compounds					
Methylene chloride	ND	1	5	ug/L	02/06/05 AM
n-Butylbenzene	ND	1	5	ug/L	02/06/05 AM
n-Propylbenzene	ND	1	5	ug/L	02/06/05 AM
Naphthalene	ND	1	5	ug/L	02/06/05 AM
o-Xylene	ND	1	5	ug/L	02/06/05 AM
p-Isopropyltoluene	ND	1	5	ug/L	02/06/05 AM
Pentachloroethane	ND	1	5	ug/L	02/06/05 AM
Propionitrile	ND	1	100	ug/L	02/06/05 AM
sec-Butylbenzene	ND	1	5	ug/L	02/06/05 AM
Styrene	ND	1	5	ug/L	02/06/05 AM
tert-Butylbenzene	ND	1	5	ug/L	02/06/05 AM
Tetrachloroethene	ND	1	5	ug/L	02/06/05 AM
Toluene	ND	1	5	ug/L	02/06/05 AM
trans-1,2-Dichloroethene	ND	1	5	ug/L	02/06/05 AM
trans-1,3-Dichloropropene	ND	1	5	ug/L	02/06/05 AM
trans-1,4-Dichloro-2-butene	ND	1	20	ug/L	02/06/05 AM
Trichloroethene	ND	1	5	ug/L	02/06/05 AM
Trichlorofluoromethane	ND	1	5	ug/L	02/06/05 AM
Vinyl acetate	ND	1	50	ug/L	02/06/05 AM
Vinyl chloride	ND	1	5	ug/L	02/06/05 AM
Xylenes, total	ND	1	5	ug/L	02/06/05 AM

Surrogates		Units	Control Limits
Surr1 - Dibromofluoromethane	88	%	70 - 135
Surr2 - 1,2-Dichloroethane-d4	104	%	70 - 135
Surr3 - Toluene-d8	104	%	70 - 135
Surr4 - p-Bromofluorobenzene	104	%	70 - 135

DLR = Detection limit for reporting purposes, ND = Not Detected below indicated detection limit, DF = Dilution Factor

ASSOCIATED LABORATORIES
QA REPORT FORM (MS/MSD)

QC Sample: 144690-593101 QC# 020405 W1

Matrix: WATER

Prep. Date: February 4, 2005

Analysis Date: February 8, 2005

ID#'s in Batch: LR 144690, 144752, 144712, 144713, 144714, 144715, 144716, 144717, 144662, 144663, LR 144580, 144729, 144723, 144741, 144740, 144769, 144805

Reporting Units = mg/L

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RESULT

TEST	Method	Sample Result	ND	Spike Added	Matrix Spike	Matrix Spike Dup	%Rec MS	%Rec MSD	RPD
As	200.7 / 6010	0.024		1	0.86	0.78	84	76	10
Se	200.7 / 6010	0.006	U	1	1.15	1.03	115	103	11
Tl	200.7 / 6010	0.005	U	1	0.88	0.87	88	87	1
Pb	200.7 / 6010	0.018		1	1.00	0.98	98	96	2
Sb	200.7 / 6010	0.006	U	1	0.96	0.89	96	89	8
Ba	200.7 / 6010	0.340		1	1.41	1.40	107	106	1
Be	200.7 / 6010	0.005	U	1	1.07	1.06	107	106	1
Cd	200.7 / 6010	0.016		1	1.17	1.17	115	115	0
Cr	200.7 / 6010	0.010	U	1	1.06	1.12	106	112	6
Co	200.7 / 6010	0.005	U	1	1.02	1.02	102	102	0
Cu	200.7 / 6010	0.135		1	1.06	1.17	93	104	10
Mo	200.7 / 6010	0.031		1	1.00	1.01	97	98	1
Ni	200.7 / 6010	0.015	U	1	1.08	1.08	108	108	0
Ag	200.7 / 6010	0.005	U	1	0.51	0.47	102	94	8
V	200.7 / 6010	0.030		1	1.17	1.17	114	114	0
Zn	* 200.7 / 6010	0.356		1	1.11	1.09	75	73	2
Al	* 200.7 / 6010	0.970		1	1.53	1.47	56	50	4
Fe	200.7 / 6010	1.640		1	2.66	2.66	102	102	0
Mn	200.7 / 6010	0.076		1	1.17	1.17	109	109	0
B	200.7 / 6010	159.000		1	137.00	138.00	NC	NC	1
Ca	200.7 / 6010	282.000		10	254.00	253.00	NC	NC	0
Mg	* 200.7 / 6010	40.000		10	44.40	43.80	44	38	1
K	200.7 / 6010	45.600		10	52.40	50.90	NC	NC	3
Na	200.7 / 6010	6,410.000		10	5,510.00	5,430.00	NC	NC	1

*** = Outside QC limits, due to matrix Interference**

If Sample Result > 4 times Spike Added, then "NC"

% REC LIMITS = 75 -125

ASSOCIATED LABORATORIES
LCS/MB REPORT FORM

LCS Source(s) : QC21-LOT#QC2/91/1;QC7-LOT7A92/1

Element	Method	Result	TRUE	%Rec	L.Limit	H.Limit	Method Blank MB	Method Blank ND
Ag	200.7 / 6010	1.05	1	105	80%	120%	0.005	U
Al	200.7 / 6010	2.03	2	102	80%	120%	0.030	U
As	200.7 / 6010	1.81	2	91	80%	120%	0.005	U
B	200.7 / 6010	2.10	2	105	80%	120%	0.050	U
Ba	200.7 / 6010	2.11	2	106	80%	120%	0.010	U
Be	200.7 / 6010	2.04	2	102	80%	120%	0.005	U
Cd	200.7 / 6010	2.09	2	105	80%	120%	0.005	U
Co	200.7 / 6010	2.16	2	108	80%	120%	0.005	U
Cr	200.7 / 6010	2.11	2	106	80%	120%	0.010	U
Cu	200.7 / 6010	2.00	2	100	80%	120%	0.010	U
Fe	200.7 / 6010	2.20	2	110	80%	120%	0.020	U
Mn	200.7 / 6010	2.14	2	107	80%	120%	0.010	U
Mo	200.7 / 6010	2.25	2	113	80%	120%	0.010	U
Ni	200.7 / 6010	2.15	2	108	80%	120%	0.015	U
Pb	200.7 / 6010	2.05	2	103	80%	120%	0.005	U
Sb	200.7 / 6010	2.15	2	108	80%	120%	0.006	U
Se	200.7 / 6010	2.03	2	102	80%	120%	0.006	U
Tl	200.7 / 6010	2.05	2	103	80%	120%	0.005	U
V	200.7 / 6010	2.14	2	107	80%	120%	0.005	U
Zn	200.7 / 6010	2.08	2	104	80%	120%	0.010	U
Ca	200.7 / 6010	5.72	5	114	80%	120%	0.100	U
Mg	200.7 / 6010	5.76	5	115	80%	120%	0.100	U
K	200.7 / 6010	4.64	5	93	80%	120%	0.500	U
Na	200.7 / 6010	4.75	5	95	80%	120%	0.100	U

*Notes : RESULT = Sample Result; TRUE = True Value; %Rec = 100*Result/True*

L.LIMIT / H.LIMIT = Low / High Control Limits

MB = Method Blank; ND = " U " for Non- Detected

ASSOCIATED LABORATORIES
LCS REPORT FORM

QC Sample : 144742

Matrix: WATER

Prep.Date: February 8, 2005

Analysis Date: February 8, 2005

Lab ID#'s in Batch: LR 144742, 144894, 144906, 144770, 144766, 144805, 144927, 144788, 144822, 144964, LR 144897, 144978, 144810, 144817, 144825, 145021, 145022, 145024, 145027, 145029, LR 145032

REPORTING UNITS = mg/L

PREPARATION BLANK / LAB CONTROL SAMPLE RESULTS

		PREP BLK	LCS				
Test	Method	Value	Result	True	%Rec	L.Limit	H.Limit
O&G	1664	ND	37.3	40	93	78%	114%

VALUE = Preparation Blank Value; ND = Not-Detected
LCS = Lab Control Sample Result
TRUE = True Value of LCS
L.LIMIT / H.LIMIT = LCS Control Limits

ASSOCIATED LABORATORIES
QA REPORT FORM

QC Sample: LR 144816-593703

Matrix: WATER

Prep. Date: Feb 07-05

Analysis Date: Feb 07-05

ID#'s in Batch: LR 144816, 144777, 144727, 144634, 144729, 144805

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RESULT

Reporting Units = mg/L

Test	Method	Sample Result	Spike Added	Matrix Spike	Matrix Spike Dup	%Rec MS	%Rec MSD	RPD
MERCURY	245.1 / 7470A	ND	0.004	0.0049	0.0048	123	120	2

RPD = Relative Percent Difference of Matrix Spike and Matrix Spike Duplicate
%REC-MS & MSD = Percent Recovery of Matrix Spike & Matrix Spike Duplicate

%REC LIMITS = 75 - 125
RPD LIMITS = 20

PREPARATION BLANK / LAB CONTROL SAMPLE RESULTS

PREP BLK	LCS				
Value	Result	True	%Rec	L.Limit	H.Limit
ND	0.0049	0.005	98	80%	120%

Value = Preparation Blank Value; ND = Not-Detected
LCS Result = Lab Control Sample Result
True = True Value of LCS
L Limit / H.Limit = LCS Control Limits

ASSOCIATED LABORATORIES
QA REPORT FORM

QC Sample: LR 144803-593608

Matrix: WATER

Prep. Date: 02/07/05, 02/08/05

Analysis Date: February 8, 2005

ID#'s in Batch: LR 144805, 144729, 144803, 144836, 144906

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RESULT

Reporting Units = mg/L

Test	Method	Sample Result	Spike Added	Matrix Spike	Matrix Spike Dup	%Rec MS	%Rec MSD	RPD
CN	335.2 / 4500-CN	ND	0.456	0.455	0.460	100	101	1

ND = Not Detected
RPD = Relative Percent Difference of Matrix Spike and Matrix Spike Duplicate
%REC-MS & MSD = Percent Recovery of Matrix Spike & Matrix Spike Duplicate

%REC LIMITS	*= 80-120*
RPD LIMITS	*= 20*

PREPARATION BLANK / LAB CONTROL SAMPLE RESULTS

PREP BLK	LCS				
Value	Result	True	%Rec	L.Limit	H.Limit
ND	0.090	0.100	90	85%	115%

Value = Preparation Blank Value
LCS Result = Lab Control Sample Result
True = True Value of LCS
L.Limit / H.Limit = LCS Control Limits

ASSOCIATED LABORATORIES
QA REPORT FORM

QC Sample: 144805

Matrix: WATER

Prep. Date: February 4, 2005

Analysis Date: February 4, 2005

ID#'s in Batch: LR 144805

SAMPLE RESULT / SAMPLE DUPLICATE

Reporting Units = mg/L

Test	Method	Sample Result	Sample Duplicate	RPD
SULFIDE	376.2 / 4500S	ND	ND	0.0

ND = "U" - Not Detected
RPD = Relative Percent Difference of Sample and Sample Dup

PREPARATION BLANK / LAB CONTROL SAMPLE RESULTS

Test	Method	PREP BLANK
		Value
SULFIDE	4500 S2 D	ND <0.1

ASSOCIATED LABORATORIES
QA REPORT FORM

Determinative Method : EPA 8081 / 608 Preparative Method: EPA 3510

QC Sample: LCS / LCSD

Matrix: WATER

Analysis Date: 2/4/05

Batch Date: 2/4/05 (pest-020405w)

Applies to: LR 144724, LR 144727, LR 144729 and LR 144805

LAB CONTROL SPIKE / LAB CONTROL SPIKE DUPLICATE RESULTS
REPORTING UNITS = µg/L

Test	Spike Added	Spike Recovered		% Rec		RPD	QC Limits	
		LCS	LCSD	LCS	LCSD		RPD	% Rec
gamma-BHC (Lindane)	0.500	0.465	0.487	93	97	5	35	55-130
Heptachlor	0.500	0.400	0.361	80	72	10	35	55-130
drin	0.500	0.337	0.286	67	57	16	35	55-130
Dieldrin	0.500	0.451	0.474	90	95	5	35	55-130
Endrin	0.500	0.474	0.492	95	98	4	35	55-130
DDT	0.500	0.465	0.473	93	95	2	35	55-130

Method Blank = All Non-Detect

% Rec - LCS & LCSD = Percent Recovery from Lab Control Spike & Lab Control Spike Duplicate

RPD = Relative Percent Difference of Lab Control Spike & Lab Control Spike Duplicate recoveries

ASSOCIATED LABORATORIES

QA REPORT FORM - METHOD 8260 / 624 / 524.2

QC Sample: MS / MSD - Water Samples 144684-057

Analysis Date: February 6, 2005 3:36 AM

Applies to: LR 144684, 144787, 144805

Reporting Units = ug/L

Matrix Spike / Matrix Spike Duplicate

Test	Sample Result	Spike Added	Matrix Spike	Matrix Spk. Dup	%Rec MS	%Rec MSD	RPD	QC Limits RPD	QC Limits %REC
1,1-Dichloroethene	ND	50	63.75	53.95	128	108	17	22	59-172
MTBE	ND	50	37.24	41.06	74	82	10	24	62-137
Benzene	ND	50	47.84	51.30	96	103	7	24	62-137
Trichloroethene	ND	50	50.21	49.50	100	99	1	21	66-142
Toluene	ND	50	52.14	49.74	104	99	5	21	59-139
Chlorobenzene	ND	50	49.24	49.78	98	100	1	21	60-133

QC Sample: LCS 9:48 AM
Analysis Date: February 6, 2005

LCS RECOVERY / METHOD BLANK

Test	Sample Result	Spike Added	LCS Spike	%Rec LCS	QC Limits %REC
1,1-Dichloroethene	ND	50	64.33	129	59-172
MTBE	ND	50	44.54	89	62-137
Benzene	ND	50	49.11	98	62-137
Trichloroethene	ND	50	53.79	108	66-142
Toluene	ND	50	48.76	98	59-139
Chlorobenzene	ND	50	48.27	97	60-133

Method Blank = All ND

SURROGATE (QC Limits : 70-135)

Compound	MB 2	MS	MSD	LCS
DBFM	88	86	90	93
1,2-DCA	104	77	84	89
Tol-d8	104	107	99	101
p-BFB	104	102	97	95

ASSOCIATED LABORATORIES
806 N. Batavia • Orange, CA 92868
(714) 771-6900 • Fax: (714) 538-1209

CHAIN OF CUSTODY RECORD

Date 2/4/05 Page 1 of 2

144805

CLIENT REMEDIAL CONSTRUCTION SERVICES - RECON

ADDRESS 1101 CALIFORNIA AVE
CORONA, CA 92881

PROJECT NAME
CORONA SERVICE PARK

PROJECT MANAGER ROBERT LANTZ

PHONE NUMBER 951-272-2877

SAMPLERS: (Signature)

Lab Use Only:
Samples Intact Yes X No ____
County Seals Intact Yes ____ No X
Sample Ambient ____ Cooled X Frozen ____
Same Day ____ 24 Hr. ____
Regular ____ 48 Hr. X

SAMPLE NUMBER	LOCATION DESCRIPTION	DATE	TIME	SAMPLE TYPE WATER	AIR	SOLID	NO OF CNTNRS	SUSP. CONTAM.	TESTS REQUIRED
CSP-001	FORMER ADVANCED FUEL FILTRATION YARD BLACK 6500gal BAKER TANK	2/4/05	0910	X			1		CAM METALS FOR AR, CD, TOTAL CR, CU, PB, HG, NI, AG, ZN
			0911	X			1		CYANIDE - TOTAL & AMENABLE
			0912	X			1		METHOD 608 FOR PESTICIDES AND PCBs
			0913	X			2		TOTAL TOXC ORGANICS by 8260b
			0915	X			2		SULFIDE - TOTAL & DISSOLVED
			0916	X			2		OIL AND GREASE POLAR & NON POLAR - METHOD 1664
				X					pH needed

Relinquished by: (Signature)

Received by: (Signature) Jean Montoya

Date/Time 2/4/05

Relinquished by: (Signature)

Received by Laboratory for analysis: (Signature)

Date/Time

Special Instructions:

I hereby authorize the performance of the above indicated work.

PROJECT SCIENTIST - RECON

DISTRIBUTION: White with report. Yellow to AL, Pink to Courier

ASSOCIATED LABORATORIES
806 N. Batavia • Orange, CA 92868
(714) 771-6900 • Fax: (714) 538-1209

CHAIN OF CUSTODY RECORD

Date 2/4/05 Page 2 of 2

144805

CLIENT REMEDIAL CONSTRUCTION SERVICES
ADDRESS 1101 CALIFORNIA AVE
CORONA, CA 92881
PROJECT NAME

PROJECT MANAGER ROBERT LANTZ
PHONE NUMBER 951-272-2877
SAMPLERS: (Signature) Adam Julian

Lab Use Only:
Samples Intact Yes X No ____
County Seals Intact Yes ____ No ____
Sample Ambient ____ Cooled X Frozen ____
Same Day ____ 24 Hr. ____
Regular ____ 48 Hr. X

SAMPLE NUMBER	LOCATION DESCRIPTION	DATE	TIME	SAMPLE TYPE WATER	AIR	SOLID	NO OF CNTNRS	SUSP. CONTAM.	TESTS REQUIRED
CSP-002	RECON YARD 20,000 GALLONS GREEN BAKER TANK #32395.D	2/4/05	1018	X			1		CAM METALS - As, Cd, TOTAL Cr, Cu, Pb, Hg, Ni, Ag, Zn
			1019	X			1		CYANIDE - TOTAL & AMENABLE
			1020	X			1		METHOD 608 PESTICIDES & PCBs
			1022	X			2		TOTAL TOXIC ORGANICS by 8260B
			1023	X			2		Sulfide - TOTAL & DISSOLVED
			1025	X			1		OIL & GREASE POLAR & NON POLAR
									pH needed

Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Adam Julian	Juan Montoya Juan Montoya	14:05 02/04/05
Relinquished by: (Signature)	Received by Laboratory for analysis: (Signature)	Date/Time

Special Instructions:

I hereby authorize the performance of the above indicated work.
Adam Julian
PROJECT SCIENTIST - RECON

DISTRIBUTION: White with report. Yellow to AL, Pink to Courier

Appendix F

Manifests/Shipping Documents – Remaining Liquids, and SAWPA Temporary Discharge Permit

TIME _____

DATE _____

WASTE HAULER MANIFEST FORM

WESTERN MUNICIPAL WATER DISTRICT

This Waste Hauler Manifest Form must be completed in full, signed by a WMWD employee, and the wastewater must be in compliance with all discharge conditions before the wastewater will be allowed to be discharged at the SARI dump station.

A. TO BE COMPLETED BY FACILITY CONTACT

WASTE ORIGINATION (Please print)

Facility: ADVANCED FUEL FILTRATION SYSTEMS, INC. Time: 1305

Address: 1451 MAGNOLIA AVE. Date: 02-24-05

City: CORONA, Zip Code: 92879 Phone No.: 562-310-2841 Gallons Pumped: 1800

Describe Wastewater: WASTE WATER

I certify under penalty of law that the information in Part A is true and correct to the best of my knowledge and the wastewater hauled from this facility contains the wastewater as described above, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in Western Ordinance No. 4, or as revised.

Name of Contact: C. FREDERICK II Signature: [signature]

B. TO BE COMPLETED BY WASTE HAULER

HAULER INFORMATION (Please print)

Name of Hauler: HAZ MAT TRANS, INC.

Address: 230 E. DUMAS St. Phone No.: 909-339-5607

City: SAN BERNARDINO Zip Code: 92408

County Health Dept. Decal No.: [illegible] Expires: [illegible]

VEHICLE INFORMATION (Please print)

Make: PRES VAC

License No.: 1123709

Tank Capacity: 5500 Gal.

SAWPA Permit No.: [illegible]

I certify under penalty of law that the information in Part B is true and correct to the best of my knowledge and the truck listed above contains the wastewater listed in Section A only, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in Western Ordinance No. 4, or as revised.

Name of Driver: [illegible] Signature: [signature]

C. TO BE COMPLETED BY WMWD EMPLOYEE

FIELD TEST RESULTS: pH

(Must measure ≥ 6.0 and ≤ 12.0)

SAMPLE COLLECTED? NO ☐ YES ☐

(If YES list SAMPLE No. _____)

(Sample must be representative of the contents of the truck.)

LOAD ACCEPTED ☐ LOAD REJECTED ☐ Reason for Rejection _____

WMWD Employee _____ Signature _____

WHITE - WMWD PERMIT FILE *YELLOW - WASTE HAULER* *PINK - FACILITY MANIFEST.FRM*

TIME _____

DATE _____

12141

SAWPA

SANTA ANA WATERSHED PROJECT AUTHORITY
WASTE HAULER MANIFEST FORM

This Waste Hauler Manifest Form must be completed in full, signed by a WMWD employee, and the wastewater must be in compliance with all discharge conditions before the wastewater is allowed to be discharged at the SARI dump station.

A. TO BE COMPLETED BY FACILITY CONTACT

WASTE ORIGINATION (Please print)

Facility ADVANCED FUEL FILTRATION SYSTEMS, INC. Time 11:40

Address 1451 MAGNOLIA AVE. Date 2/24/05

City CORONA, Zip Code 92879 Phone No. 562-310-2841 Gallons Pumped 5000

Describe Wastewater WASTE WATER

I certify under penalty of law that the information in Part A is true and correct to the best of my knowledge and the wastewater hauled from this facility contains the wastewater as described above, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in SAWPA Ordinance No. 4, or as revised.

Name of Contact C. FREDRICKS JR. Signature [illegible]

B. TO BE COMPLETED BY WASTE HAULER

HAULER INFORMATION (Please print)

Name of Hauler HAZ MAT TRANS, INC.

Address 230 E. DUMAS St. Phone No. 909-389-5607

City SAN BERNARDINO Zip Code 92403

County Health Dep. Decal No. C4A1367 Expires 12/31/04

VEHICLE INFORMATION (Please print)

MAKE [illegible]

LICENSE No. [illegible]

TANK CAPACITY 5000 GAL.

SAWPA PERMIT No.: I-IH-004

I certify under penalty of law that the information in Part B is true and correct to the best of my knowledge and the truck listed above contains the wastewater listed in Section A only, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in SAWPA Ordinance No. 4, or as revised.

Name of Driver [illegible] Signature [illegible]

C. TO BE COMPLETED BY WMWD EMPLOYEE

FIELD TEST RESULTS: pH ___

(Must measure ≥ 6.0 and ≤ 12.0)

SAMPLE COLLECTED? NO ___ YES ___

(If YES list SAMPLE No. _____)
(Sample must be representative of the contents of the truck.)

LOAD ACCEPTED ___ **LOAD REJECTED** ___ Reason for Rejection _____

WMWD Employee _____ Signature _____

WHITE - WMWD PERMIT FILE YELLOW - WASTE HAULER PINK - FACILITY

MANIFEST.FRM

TIME _____

DATE _____

WASTE HAULER MANIFEST FORM

WESTERN MUNICIPAL WATER DISTRICT

This Waste Hauler Manifest Form must be completed in full, signed by a WMWD employee, and the wastewater must be in compliance with all discharge conditions before the wastewater will be allowed to be discharged at the SARI dump station.

A. TO BE COMPLETED BY FACILITY CONTACT

WASTE ORIGINATION (Please print)

Facility ADVANCED FUEL FILTRATION SYSTEMS, INC. Time 1100

Address 1451 MAGNOLIA AVE. Date 02-24-05

City CORONA, Zip Code 92379 Phone No. 562-810-2841 Gallons Pumped 5400

Describe Wastewater WASTE WATER

I certify under penalty of law that the information in Part A is true and correct to the best of my knowledge and the wastewater hauled from this facility contains the wastewater as described above, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in Western Ordinance No. 4, or as revised.

Name of Contact C. FREDERICK Signature [signature]

TO BE COMPLETED BY WASTE HAULER

HAULER INFORMATION (Please print)

Name of Hauler HAZ MAT TRANS, INC.

Address 230 E. DUMAS St. Phone No. 909-389-5607

City SAN BERNARDINO Zip Code 92408

County Health Dept. Decal No. 10,164 Expires 12-04

VEHICLE INFORMATION (Please print)

Make [illegible]

License No. 1V27709

Tank Capacity 5000 Gal.

SAWPA Permit No.: LWH-004

I certify under penalty of law that the information in Part B is true and correct to the best of my knowledge and the truck listed above contains the wastewater listed in Section A only, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in Western Ordinance No. 4, or as revised

Name of Driver [illegible] Signature [signature]

C. TO BE COMPLETED BY WMWD EMPLOYEE

FIELD TEST RESULTS: pH

(Must measure ≥ 6.0 and ≤ 12.0)

SAMPLE COLLECTED? NO ☐ YES ☐

(If YES list SAMPLE No. _____)

(Sample must be representative of the contents of the truck.)

LOAD ACCEPTED ☐ LOAD REJECTED ☐ Reason for Rejection _____

WMWD Employee _____ Signature _____

WHITE - WMWD PERMIT FILE *YELLOW - WASTE HAULER* *PINK - FACILITY MANIFEST.FRI*

TIME _____

TE _____

12140

SAWPA

SANTA ANA WATERSHED PROJECT AUTHORITY
WASTE HAULER MANIFEST FORM

This Waste Hauler Manifest Form must be completed in full, signed by a WMWD employee, and the wastewater must be in compliance with all discharge conditions before the wastewater is allowed to be discharged at the SARI dump station.

A. TO BE COMPLETED BY FACILITY CONTACT

WASTE ORIGINATION (Please print)

Facility ADVANCED FUEL FILTRATION SYSTEMS, INC. Time _____

Address 1451 MAGNOLIA AVE. Date 2/24/05

City CORONA, Zip Code 92879 Phone No. 562-810-2341 Gallons Pumped 5000

Describe Wastewater WASTE WATER

I certify under penalty of law that the information in Part A is true and correct to the best of my knowledge and the wastewater hauled from this facility contains the wastewater as described above, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in SAWPA Ordinance No. 4, or as revised.

Name of Contact ADAM JULIAN Signature [signature]

B. TO BE COMPLETED BY WASTE HAULER

HAULER INFORMATION (Please print)

Name of Hauler HAZ MAT TRANS, INC.

Address 230 E. DUMAS St. Phone No. 909-889-5607

City SAN BERNARDINO Zip Code 92408

County Health Dep. Decal No 0461367 Expires 12/31/04

VEHICLE INFORMATION (Please print)

MAKE PRES VAC

LICENSE No 4VX7596

TANK CAPACITY 5000 GAL.

SAWPA PERMIT No.: LWH-004

I certify under penalty of law that the information in Part B is true and correct to the best of my knowledge and the truck listed above contains the wastewater listed in Section A only, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in SAWPA Ordinance No. 4, or as revised.

Name of Driver MANUEL DE LA TORRE Signature [signature]

C. TO BE COMPLETED BY WMWD EMPLOYEE

FIELD TEST RESULTS: pH ___ **SAMPLE COLLECTED?** NO ___ YES ___

(Must measure ≥ 6.0 and ≤ 12.0) (If YES list SAMPLE No. _____)
(Sample must be representative of the contents of the truck.)

OAD ACCEPTED ___ LOAD REJECTED _____ Reason for Rejection _____

MWD Employee _____ Signature _____

WHITE - WMWD PERMIT FILE YELLOW - WASTE HAULER PINK - FACILITY

MANIFEST.FRM

TIME _____

DATE _____

WASTE HAULER MANIFEST FORM

WESTERN MUNICIPAL WATER DISTRICT

This Waste Hauler Manifest Form must be completed in full, signed by a WMWD employee, and the wastewater must be in compliance with all discharge conditions before the wastewater will be allowed to be discharged at the SARI dump station.

A. TO BE COMPLETED BY FACILITY CONTACT

WASTE ORIGINATION (Please print)

Facility ADVANCED FUEL FILTRATION SYSTEMS, INC. Time 3 30

Address 1451 MAGNOLIA AVE. Date 2-23-05

City CORONA, Zip Code 92 Phone No. 562-810-[illegible] Gallons Pumped 5,000

Describe Wastewater WASTE WATER

I certify under penalty of law that the information in Part A is true and correct to the best of my knowledge and the wastewater hauled from this facility contains the wastewater as described above, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in Western Ordinance No. 4, or as revised.

Name of Contact C. FREDERICKS JR. Signature [signature]

B. TO BE COMPLETED BY WASTE HAULER

HAULER INFORMATION (Please print)

Name of Hauler HAZ MAT TRANS, INC.

Address 230 E. DUMAS St Phone No. 909-339-5607

City SAN BERNARDINO Zip Code 92408

County Health Dept. Decal No. 401370 Expires 12-04

VEHICLE INFORMATION (Please print)

Make PRESVAC

License No. 1WB[illegible]27

Tank Capacity 5,335 Gal.

SAWPA Permit No.: LWH-004

I certify under penalty of law that the information in Part B is true and correct to the best of my knowledge and the truck listed above contains the wastewater listed in Section A only, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in Western Ordinance No. 4, or as revised

Name of Driver E. YOUNG Signature [signature]

C. TO BE COMPLETED BY WMWD EMPLOYEE

FIELD TEST RESULTS: pH

(Must measure ≥ 6.0 and ≤ 12.0)

SAMPLE COLLECTED? NO ☐ YES ☐

(If YES list SAMPLE No. _____)

(Sample must be representative of the contents of the truck.)

LOAD ACCEPTED ☐ LOAD REJECTED ☐ Reason for Rejection _____

WMWD Employee _____ Signature _____

WHITE - WMWD PERMIT FILE *YELLOW - WASTE HAULER* *PINK - FACILITY MANIFEST.FRM*

TIME _____

DATE _____

WASTE HAULER MANIFEST FORM

WESTERN MUNICIPAL WATER DISTRICT

This Waste Hauler Manifest Form must be completed in full, signed by a WMWD employee, and the wastewater must be in compliance with all discharge conditions before the wastewater will be allowed to be discharged at the SARI dump station.

A. TO BE COMPLETED BY FACILITY CONTACT

WASTE ORIGINATION (Please print)

Facility ADVANCED FUEL FILTRATION SYSTEMS, INC. Time 1415

Address 1451 MAGNOLIA AVE. Date 02-27-05

City CORONA, Zip Code 92 Phone No. 562-810- Gallons Pumped 5100

Describe Wastewater WASTE WATER

I certify under penalty of law that the information in Part A is true and correct to the best of my knowledge and the wastewater hauled from this facility contains the wastewater as described above, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in Western Ordinance No. 4, or as revised.

Name of Contact C. FREDERICK Signature [signature]

TO BE COMPLETED BY WASTE HAULER

HAULER INFORMATION (Please print)

Name of Hauler HAZ MAT TRANS, INC.

Address 230 E. DUMAS St Phone No. 909-889-5607

City SAN BERNARDINO Zip Code 92408

County Health Dept. Decal No. 401766 Expires 12-04

VEHICLE INFORMATION (Please print)

Make PRES VAC

License No. 1173709

Tank Capacity 5500 Gal.

SAWPA Permit No.: TMH-004

I certify under penalty of law that the information in Part B is true and correct to the best of my knowledge and the truck listed above contains the wastewater listed in Section A only, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in Western Ordinance No. 4, or as revised

Name of Driver Juan Molina Signature [signature]

C. TO BE COMPLETED BY WMWD EMPLOYEE

FIELD TEST RESULTS: pH

(Must measure ≥ 6.0 and ≤ 12.0)

SAMPLE COLLECTED? NO ☐ YES ☐

(If YES list SAMPLE No. _____)

(Sample must be representative of the contents of the truck.)

LOAD ACCEPTED ☐ **LOAD REJECTED** ☐ Reason for Rejection _____

WMWD Employee _____ Signature _____

WHITE - WMWD PERMIT FILE *YELLOW - WASTE HAULER* *PINK - FACILITY MANIFEST.FRM*

TIME _____

DATE _____

WASTE HAULER MANIFEST FORM

WESTERN MUNICIPAL WATER DISTRICT

This Waste Hauler Manifest Form must be completed in full, signed by a WMWD employee, and the wastewater must be in compliance with all discharge conditions before the wastewater will be allowed to be discharged at the SARI dump station.

A. TO BE COMPLETED BY FACILITY CONTACT

WASTE ORIGINATION (Please print)

Facility ADVANCED FUEL FILTRATION SYSTEMS, INC. Time 1:30

Address 1451 MAGNOLIA AVE. Date 2-23-05

City CORONA, Zip Code 92379 Phone No. 562-810-2841 Gallons Pumped 5,000

Describe Wastewater WASTE WATER

I certify under penalty of law that the information in Part A is true and correct to the best of my knowledge and the wastewater hauled from this facility contains the wastewater as described above, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in Western Ordinance No. 4, or as revised.

Name of Contact Adam Julian (Recon) Signature [signature]

TO BE COMPLETED BY WASTE HAULER

HAULER INFORMATION (Please print)

Name of Hauler HAZ MAT TRANS, INC.

Address 230 E. DUMAS St. Phone No. 909-889-5607

City SAN BERNARDINO Zip Code 92408

County Health Dept. Decal No. 401370 Expires 12-04

VEHICLE INFORMATION (Please print)

Make PRESVAC

License No. 1WE4527

Tank Capacity 5,335 Gal.

SAWPA Permit No.: LWH-004

I certify under penalty of law that the information in Part B is true and correct to the best of my knowledge and the truck listed above contains the wastewater listed in Section A only, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in Western Ordinance No. 4, or as revised.

Name of Driver B. Young Signature [signature]

C. TO BE COMPLETED BY WMWD EMPLOYEE

FIELD TEST RESULTS: pH

(Must measure ≥ 6.0 and ≤ 12.0)

SAMPLE COLLECTED? NO ☐ YES ☐

(If YES list SAMPLE No. _____)

(Sample must be representative of the contents of the truck.)

LOAD ACCEPTED ☐ LOAD REJECTED ☐ Reason for Rejection _____

WMWD Employee _____ Signature _____

WHITE - WMWD PERMIT FILE *YELLOW - WASTE HAULER* *PINK - FACILITY MANIFEST.FRM*

TIME _____

DATE _____

12147

SAWPA

SANTA ANA WATERSHED PROJECT AUTHORITY
WASTE HAULER MANIFEST FORM

This Waste Hauler Manifest Form must be completed in full, signed by a WMWD employee, and the wastewater must be in compliance with all discharge conditions before the wastewater is allowed to be discharged at the SARI dump station.

A. TO BE COMPLETED BY FACILITY CONTACT

WASTE ORIGINATION (Please print)

Facility ADVANCED FUEL FILTRATION SYSTEMS, INC. Time 1210

Address 1451 MAGNOLIA AVE. Date 02-23-05

City CORONA, Zip Code 92879 Phone No. 562-310-2841 Gallons Pumped 5100

Describe Wastewater WASTE WATER

I certify under penalty of law that the information in Part A is true and correct to the best of my knowledge and the wastewater hauled from this facility contains the wastewater as described above, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in SAWPA Ordinance No. 4, or as revised.

Name of Contact C. FREDERICKS JR. Signature [illegible]

B. TO BE COMPLETED BY WASTE HAULER

HAULER INFORMATION (Please print)

Name of Hauler ~~HAT HAT TRANS, INC.~~

Address 230 E. DUMAS St. Phone No. 909-889-5607

City SAN BERNARDINO Zip Code 92408

County Health Dep. Decal No. 401364 Expires 12-05

VEHICLE INFORMATION (Please print)

MAKE PRES VAC

LICENSE No. 1U23709

TANK CAPACITY 5500 GAL.

SAWPA PERMIT No.: LWH-004

I certify under penalty of law that the information in Part B is true and correct to the best of my knowledge and the truck listed above contains the wastewater listed in Section A only, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in SAWPA Ordinance No. 4, or as revised.

Name of Driver [illegible] Signature [illegible]

C. TO BE COMPLETED BY WMWD EMPLOYEE

FIELD TEST RESULTS: pH ___ **(Must measure ≥ 6.0 and ≤ 12.0)**

SAMPLE COLLECTED? NO ___ YES ___

(If YES list SAMPLE No. _____)
(Sample must be representative of the contents of the truck.)

LOAD ACCEPTED ___ **LOAD REJECTED** ___ Reason for Rejection _____

WMWD Employee _____ Signature _____

WHITE - WMWD PERMIT FILE YELLOW - WASTE HAULER PINK - FACILITY

MANIFEST.FRM

TIME _____

DATE _____

WASTE HAULER MANIFEST FORM

WESTERN MUNICIPAL WATER DISTRICT

This Waste Hauler Manifest Form must be completed in full, signed by a WMWD employee, and the wastewater must be in compliance with all discharge conditions before the wastewater will be allowed to be discharged at the SARI dump station.

A. TO BE COMPLETED BY FACILITY CONTACT

WASTE ORIGINATION (Please print)

Facility ADVANCED FUEL FILTRATION SYSTEMS, INC. Time 10:00

Address 1451 MAGNOLIA AVE. Date 2-22-05

City CORONA, Zip Code 92379 Phone No. 562-810-2841 Gallons Pumped 5,000

Describe Wastewater WASTE WATER

I certify under penalty of law that the information in Part A is true and correct to the best of my knowledge and the wastewater hauled from this facility contains the wastewater as described above, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in Western Ordinance No. 4, or as revised.

Name of Contact C. FREDERICKS JR. Signature [signature]

TO BE COMPLETED BY WASTE HAULER

HAULER INFORMATION (Please print)

Name of Hauler HAZ MAT TRANS, INC.

Address 239 E. DUMAS STR Phone No. 909-889-5

City SAN BERNARDINO Zip Code 92408

County Health Dept. Decal No. 401360 Expires 12-04

VEHICLE INFORMATION (Please print)

Make PRESVAC

License No. 1WB4527

Tank Capacity 5,335 Gal.

SAWPA Permit No.: IWH-004

I certify under penalty of law that the information in Part B is true and correct to the best of my knowledge and the truck listed above contains the wastewater listed in Section A only, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in Western Ordinance No. 4, or as revised

Name of Driver B. Young Signature [signature]

C. TO BE COMPLETED BY WMWD EMPLOYEE

FIELD TEST RESULTS: pH

(Must measure ≥ 6.0 and ≤ 12.0)

SAMPLE COLLECTED? NO ☐ YES ☐

(If YES list SAMPLE No. _____)

(Sample must be representative of the contents of the truck.)

LOAD ACCEPTED ☐ LOAD REJECTED ☐ Reason for Rejection _____

WMWD Employee _____ Signature _____

WHITE - WMWD PERMIT FILE *YELLOW - WASTE HAULER* *PINK - FACILITY MANIFEST.FRM*

TIME _____

DATE _____

WASTE HAULER MANIFEST FORM

WESTERN MUNICIPAL WATER DISTRICT

This Waste Hauler Manifest Form must be completed in full, signed by a WMWD employee, and the wastewater must be in compliance with all discharge conditions before the wastewater will be allowed to be discharged at the SARI dump station.

A. TO BE COMPLETED BY FACILITY CONTACT

WASTE ORIGINATION (Please print)

Facility: ADVANCED FUEL FILTRATION SYSTEMS, INC. Time: 1410

Address: 1451 MAGNOLIA AVE. Date: 02-21-05

City: CORONA, Zip Code: 92879 Phone No.: 562-810-2841 Gallons Pumped: 4900

Describe Wastewater: WASTE WATER

I certify under penalty of law that the information in Part A is true and correct to the best of my knowledge and the wastewater hauled from this facility contains the wastewater as described above, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in Western Ordinance No. 4, or as revised.

Name of Contact: FREDERICKS JR Signature: [signature]

TO BE COMPLETED BY WASTE HAULER

HAULER INFORMATION (Please print)

Name of Hauler: [illegible]

Address: 230 E. [illegible] Phone No.: 909-889-5507

City: SAN BERNARDINO Zip Code: 92408

County Health Dept. Decal No.: 40136 Expires: 12-04

VEHICLE INFORMATION (Please print)

Make: DRESVAC

License No.: 1U23709

Tank Capacity: 5500 Gal.

SAWPA Permit No.: IWH-004

I certify under penalty of law that the information in Part B is true and correct to the best of my knowledge and the truck listed above contains the wastewater listed in Section A only, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in Western Ordinance No. 4, or as revised.

Name of Driver _____ Signature _____

C. TO BE COMPLETED BY WMWD EMPLOYEE

FIELD TEST RESULTS: pH

(Must measure ≥ 6.0 and ≤ 12.0)

SAMPLE COLLECTED? NO ☐ YES ☐

(If YES list SAMPLE No. _____)

(Sample must be representative of the contents of the truck.)

LOAD ACCEPTED ☐ **LOAD REJECTED** ☐ Reason for Rejection _____

WMWD Employee _____ Signature _____

WHITE - WMWD PERMIT FILE *YELLOW - WASTE HAULER* *PINK - FACILITY MANIFEST.FRM*

TIME _____

DATE _____

12145

SAWPA

SANTA ANA WATERSHED PROJECT AUTHORITY
WASTE HAULER MANIFEST FORM

This Waste Hauler Manifest Form must be completed in full, signed by a WMWD employee, and the wastewater must be in compliance with all discharge conditions before the wastewater is allowed to be discharged at the SARI dump station.

A. TO BE COMPLETED BY FACILITY CONTACT

WASTE ORIGINATION (Please print)

Facility ADVANCED FUEL FILTRATION SYSTEMS, INC. Time 1:15

Address 1451 MAGNOLIA AVE. Date 9-21-05

City CORONA, Zip Code 92879 Phone No. 562-310-2841 Gallons Pumped 5,000

Describe Wastewater WASTE WATER

I certify under penalty of law that the information in Part A is true and correct to the best of my knowledge and the wastewater hauled from this facility contains the wastewater as described above, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in SAWPA Ordinance No. 4, or as revised.

Name of Contact L. FATHERING JR. Signature [signature]

B. TO BE COMPLETED BY WASTE HAULER

HAULER INFORMATION (Please print)

Name of Hauler HAZ MAT TRANS, INC.

Address 230 E. DUMAS St. Phone No. 909-889-5607

City SAN BERNARDINO Zip Code 92408

County Health Dep. Decal No. [illegible] Expires 12-[illegible]

VEHICLE INFORMATION (Please print)

MAKE [illegible]

LICENSE No. [illegible]

TANK CAPACITY 5,[illegible] GAL

LWH-004

SAWPA PERMIT No.: _____

I certify under penalty of law that the information in Part B is true and correct to the best of my knowledge and the truck listed above contains the wastewater listed in Section A only, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in SAWPA Ordinance No. 4, or as revised.

Name of Driver R. Young Signature [signature]

C. TO BE COMPLETED BY WMWD EMPLOYEE

FIELD TEST RESULTS: pH ___ **SAMPLE COLLECTED?** NO ___ YES ___

(Must measure ≥ 6.0 and ≤ 12.0) (If YES list SAMPLE No. _____)
(Sample must be representative of the contents of the truck.)

LOAD ACCEPTED ___ **LOAD REJECTED** ___ Reason for Rejection _____

WMWD Employee _____ Signature _____

WHITE - WMWD PERMIT FILE YELLOW - WASTE HAULER PINK - FACILIT

MANIFEST.FRI

TIME _____

DATE _____

WASTE HAULER MANIFEST FORM

WESTERN MUNICIPAL WATER DISTRICT

This Waste Hauler Manifest Form must be completed in full, signed by a WMWD employee, and the wastewater must be in compliance with all discharge conditions before the wastewater will be allowed to be discharged at the SARI dump station.

A. TO BE COMPLETED BY FACILITY CONTACT

WASTE ORIGINATION (Please print)

Facility ADVANCED FUEL FILTRATION SYSTEMS, INC. Time 11:15

Address 1451 MAGNOLIA AVE. Date 02-21-05

City CORONA, Zip Code 92879 Phone No. 562-810-2841 Gallons Pumped 5400

Describe Wastewater WASTE WATER

I certify under penalty of law that the information in Part A is true and correct to the best of my knowledge and the wastewater hauled from this facility contains the wastewater as described above, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in Western Ordinance No. 4, or as revised.

Name of Contact C. FREDERICKS JR. Signature [signature]

TO BE COMPLETED BY WASTE HAULER

HAULER INFORMATION (Please print)

Name of Hauler ~~[illegible] TRANS, INC.~~

Address ~~239 E. DUMAS St.~~ Phone No. 909-889-5607

City SAN BERNARDINO Zip Code 92408

County Health Dept. Decal No. _____ Expires _____

VEHICLE INFORMATION (Please print)

Make PRES VAC

License No. 1UZ3709

Tank Capacity 5500 Gal.

SAWPA Permit No.: LWH-004

I certify under penalty of law that the information in Part B is true and correct to the best of my knowledge and the truck listed above contains the wastewater listed in Section A only, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in Western Ordinance No. 4, or as revised.

Name of Driver [illegible] Signature [signature]

C. TO BE COMPLETED BY WMWD EMPLOYEE

FIELD TEST RESULTS: pH

(Must measure ≥ 6.0 and ≤ 12.0)

SAMPLE COLLECTED? NO ☐ YES ☐

(If YES list SAMPLE No. _____)

(Sample must be representative of the contents of the truck.)

LOAD ACCEPTED ☐ LOAD REJECTED ☐ Reason for Rejection _____

WMWD Employee _____ Signature _____

WHITE - WMWD PERMIT FILE *YELLOW - WASTE HAULER* *PINK - FACILITY MANIFEST.FRM*

TIME_____

DATE _____

12142

SAWPA

SANTA ANA WATERSHED PROJECT AUTHORITY
WASTE HAULER MANIFEST FORM

This Waste Hauler Manifest Form must be completed in full, signed by a WMWD employee, and the wastewater must be in compliance with all discharge conditions before the wastewater is allowed to be discharged at the SARI dump station.

A. TO BE COMPLETED BY FACILITY CONTACT

WASTE ORIGINATION (Please print)

Facility ADVANCED FUEL FILTRATION SYSTEMS, INC. Time 11:15

Address 1451 MAGNOLIA AVE. Date 2-21-05

City CORONA, Zip Code 92879 Phone No. 562-810-2841 Gallons Pumped 5,000

Describe Wastewater WASTE WATER

I certify under penalty of law that the information in Part A is true and correct to the best of my knowledge and the wastewater hauled from this facility contains the wastewater as described above, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in SAWPA Ordinance No. 4, or as revised.

Name of Contact [illegible] Signature [signature]

TO BE COMPLETED BY WASTE HAULER

HAULER INFORMATION (Please print)

Name of Hauler HAZ MAT TRANS, INC.

Address 230 E. DUMAS St. Phone No. 909-889-5607

City SAN BERNARDINO Zip Code 92408

County Health Dep. Decal No. 461360 Expires 2-04

VEHICLE INFORMATION (Please print)

MAKE Presvac

LICENSE No. 1WB4527

TANK CAPACITY 5,335 GAL.

SAWPA PERMIT No.: LWH-004

I certify under penalty of law that the information in Part B is true and correct to the best of my knowledge and the truck listed above contains the wastewater listed in Section A only, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in SAWPA Ordinance No. 4, or as revised.

Name of Driver B. Young Signature [signature]

C. TO BE COMPLETED BY WMWD EMPLOYEE

FIELD TEST RESULTS: pH ___ **SAMPLE COLLECTED?** NO ___ YES ___

(Must measure ≥ 6.0 and ≤ 12.0) (If YES list SAMPLE No. _____)
(Sample must be representative of the contents of the truck.)

LOAD ACCEPTED ___ **LOAD REJECTED** _____ Reason for Rejection _____

WMWD Employee _____ Signature _____

WHITE - WMWD PERMIT FILE YELLOW - WASTE HAULER PINK - FACILITY

MANIFEST.FRM

TIME _____

DATE _____

12143

SAWPA

SANTA ANA WATERSHED PROJECT AUTHORITY
WASTE HAULER MANIFEST FORM

This Waste Hauler Manifest Form must be completed in full, signed by a WMWD employee, and the wastewater must be in compliance with all discharge conditions before the wastewater is allowed to be discharged at the SARI dump station.

A. TO BE COMPLETED BY FACILITY CONTACT

WASTE ORIGINATION (Please print)

Facility ADVANCED FUEL FILTRATION SYSTEMS, INC. Time 9:00

Address 1451 MAGNOLIA AVE. Date 2-21-05

City CORONA, Zip Code 92879 Phone No. 562-810-2841 Gallons Pumped 5,000

Describe Wastewater WASTE WATER

I certify under penalty of law that the information in Part A is true and correct to the best of my knowledge and the wastewater hauled from this facility contains the wastewater as described above, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in SAWPA Ordinance No. 4, or as revised.

Name of Contact C. EDWARDS, JR. Signature [illegible]

B. TO BE COMPLETED BY WASTE HAULER

HAULER INFORMATION (Please print)

Name of Hauler HAZ MAT TRANS, INC.

Address 230 E. DUMAS St. Phone No. 909-889-5607

City SAN BERNARDINO Zip Code 92408

County Health Dep. Decal No. 401270 Expires 12-04

VEHICLE INFORMATION (Please print)

MAKE PRESSMC

LICENSE No. 1WE4527

TANK CAPACITY 5,335 GAL.

SAWPA PERMIT No.: I-WH-004

I certify under penalty of law that the information in Part B is true and correct to the best of my knowledge and the truck listed above contains the wastewater listed in Section A only, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in SAWPA Ordinance No. 4, or as revised.

Name of Driver B. Young Signature [illegible]

C. TO BE COMPLETED BY WMWD EMPLOYEE

FIELD TEST RESULTS: pH ___

(Must measure ≥ 6.0 and ≤ 12.0)

SAMPLE COLLECTED? NO ___ YES ___

(If YES list SAMPLE No. _____)
(Sample must be representative of the contents of the truck.)

LOAD ACCEPTED ___ **LOAD REJECTED** ___ Reason for Rejection _____

WMWD Employee _____ Signature _____

WHITE - WMWD PERMIT FILE YELLOW - WASTE HAULER PINK - FACILITY

MANIFEST.FRM

TIME _____

DATE _____

WASTE HAULER MANIFEST FORM

WESTERN MUNICIPAL WATER DISTRICT

This Waste Hauler Manifest Form must be completed in full, signed by a WMWD employee, and the wastewater must be in compliance with all discharge conditions before the wastewater will be allowed to be discharged at the SARI dump station.

A. TO BE COMPLETED BY FACILITY CONTACT

WASTE ORIGINATION (Please print)

Facility: ADVANCED FUEL FILTRATION SYSTEMS, INC. Time: 7:00

Address: 1451 MAGNOLIA AVE. Date: 2-21-05

City: CORONA, Zip Code: 92879 Phone No.: 562-910-2241 Gallons Pumped: 5,000

Describe Wastewater: WASTE WATER

I certify under penalty of law that the information in Part A is true and correct to the best of my knowledge and the wastewater hauled from this facility contains the wastewater as described above, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in Western Ordinance No. 4, or as revised.

Name of Contact _____ Signature _____

B. TO BE COMPLETED BY WASTE HAULER

HAULER INFORMATION (Please print)

Name of Hauler: MAZ MAZ TRANS, INC.

Address: 230 E. DUMAS St. Phone No.: 909-339-5607

City: SAN BERNARDINO Zip Code: 92403

County Health Dept. Decal No.: 401360 Expires: 1204

VEHICLE INFORMATION (Please print)

Make: PRESVAC

License No.: 1WB4527

Tank Capacity: 5,335 Gal.

SAWPA Permit No.: IMH-004

I certify under penalty of law that the information in Part B is true and correct to the best of my knowledge and the truck listed above contains the wastewater listed in Section A only, and no other wastewater, including no hazardous waste as defined by Federal, State or Local Law and that it is in compliance with the requirements specified in Western Ordinance No. 4, or as revised.

Name of Driver: B YOUNG Signature _____

C. TO BE COMPLETED BY WMWD EMPLOYEE

FIELD TEST RESULTS: pH

(Must measure ≥ 6.0 and ≤ 12.0)

SAMPLE COLLECTED? NO ☐ YES ☐

(If YES list SAMPLE No. _____)

(Sample must be representative of the contents of the truck.)

LOAD ACCEPTED ☐ LOAD REJECTED ☐ Reason for Rejection _____

WMWD Employee _____ Signature _____

WHITE - WMWD PERMIT FILE *YELLOW - WASTE HAULER* *PINK - FACILITY MANIFEST FRM*

SANTA ANA WATERSHED
PROJECT AUTHORITY
ACTING
GENERAL MANAGER
DANIEL COZAD

SAWPA

TEMPORARY USER
INDIRECT DISCHARGE PERMIT

Date: February 15, 2005

Name: Advanced Fuel Filtration Systems, Inc.

Address: 1451 Magnolia Ave.
Corona, CA 92879

Attention: Mr. Jeff Bennett

REFERENCE: ISSUANCE OF SPECIAL PURPOSE DISCHARGE PERMIT TO ADVANCED FUEL FILTRATION SYSTEMS, INC. TO HAUL TREATED RAINWATER BY SANTA ANA WATERSHED PROJECT AUTHORITY

PERMIT NO. DS-SP57 NAICS NO. 221320

Dear Mr. Bennett:
The enclosed Special Purpose Discharge permit issues pollutant limitations for the contaminated and treated rainwater to be hauled from the facility located at 1451 Magnolia Ave., Corona, CA Santa Ana Regional Interceptor (SARI) for disposal. All discharges from this location, and actions and reports relating thereto, shall be in accordance with the terms and conditions of this permit.

If you wish to appeal or challenge any discharge limitations, pretreatment requirements, or conditions imposed in this permit, a petition shall be filed for modification or reissuance of this permit in accordance with the requirements of SAWPA Ordinance No. 4 - Article 621.0, within 10 working days of the date of issuance.

"It is hereby certified that this permit was prepared based on information provided by a combination of one or more of the following sources: the user's permit application, facts obtained during field inspections of the user's wastewater generating activities, and additional information obtained from the user."

2-16-05

Eldon Horst Date
Executive Manager
Santa Ana Watershed Project Authority

Issued on February 15, 2005 by

Santa Ana Watershed Project Authority
c/o Western Municipal Water District
P.O Box 5286
Riverside, CA 92517-5286

SANTA ANA WATERSHED
PROJECT AUTHORITY
11615 Sterling Avenue
Riverside, CA 92503

DIRECT USER DISCHARGE PERMIT NO. DS-SP57

Company Name and Address:	Advanced Fuel Filtration Systems, Inc. 1451 Magnolia Ave. Corona, CA 92879
Contact Person:	Jeff Bennett – (562) 810-2841
Mailing Address:	3125 W. 5th Street Santa Ana, CA 92703

In accordance with the provisions of SAWPA Ordinance No. 4, the above listed company is hereby authorized to discharge industrial wastewater from the above address, to the **SARI System**, in accordance with the discharge limitations, monitoring requirements, and other conditions set forth in this permit. Compliance with this permit does not relieve the permittee of its obligation to comply with SAWPA's and the Orange County Sanitation District (OCSD) wastewater regulations, all pretreatment regulations, standards or requirements under local, State and Federal laws, including any such laws, regulations, standards, or requirements that may become effective during the term of this permit. OCSD is the owner operator of the Publicly Owned Treatment Works (POTW) and is recognized as the Control Authority by Federal Regulation 40CFR 403.12(a) and has the authority and right to enforce its pretreatment program within SAWPA's Service area.

Noncompliance with the terms and conditions of this permit shall constitute a violation of the requirements of SAWPA Ordinance No. 4, and shall subject the permittee to applicable enforcement actions.

This permit shall become effective on: **February 15, 2005**

and shall expire at midnight on: **March 31, 2005**

The permittee shall not discharge any industrial wastewater after the date of expiration. If the permittee wishes to continue discharging wastewater to the SARI System after the expiration date, an application must be filed for reissuance of this permit in accordance with the requirements of SAWPA Ordinance No. 4.

BY: _____

Eldon Horst
Executive Manager
Issued on February 15, 2005

PART 1 - DISCHARGE REQUIREMENTS

A. During the period of **February 15, 2005, to midnight of March 31, 2005,** the permittee is authorized to haul the treated rainwater specified in **Part 1-C,** through the sample location(s), and outfall(s) listed below to the SARI System.

1. **Sample Location(s)**

Location	Description
001	No sample location required.

B. During the period of February 15, 2005 to midnight of March31, 2005, the industrial wastewater discharged from this location, shall not exceed the discharge limitations specified in the Discharge Limitation Table (page 5).

C. Advanced Fuel Filtration Systems, Inc is permitted to haul and discharge 75,000 gallons of treated rainwater from containment of activities during a jet fuel spill.

1. The wastewater(s) from the permitted containment of rainwater during a jet fuel spill is required to meet the discharge requirements specified in the Discharge Limitation Table (page 4).

2. Advanced Fuel Filtration Systems, Inc. is required to notify SAWPA of any planned process changes or other modifications which will alter the amount of or pollutant strength of any wastewater which is discharged to the SARI System, 30 days prior to the actual implementation of the changes.

SANTA ANA WATERSHED
PROJECT AUTHORITY
Permit No. DS-SP57

DISCHARGE LIMITATION TABLE

POLLUTANT	LOCAL LIMIT Daily Maximum (mg/l)	CATEGORICAL LIMIT, (mg/L)		DAILY MAXIMUM (Lbs./Day)	MONTHLY AVERAGE (Lbs./Day)
		Maximum for any 1 day	Monthly Average Shall Not Exceed		
Flow	0.075 MGD	-	-	-	-
pH [1]	6.0 - 12.0	-	-	-	-
Biochemical Oxygen Demand - BOD	-	-	-	15,000	10,000
Total Suspended Solids - TSS	-	-	-	-	-
Arsenic	2.0	-	-	-	-
Cadmium (Total)	1.0	-	-	-	-
Chromium (Total)	2.0	-	-	-	-
Copper (Total)	3.0	-	-	-	-
Lead (Total)	2.0	-	-	-	-
Mercury	0.03	-	-	-	-
Nickel (Total)	10.0	-	-	-	-
Silver (Total)	5.0	-	-	-	-
Zinc (Total)	10.0	-	-	-	-
Cyanide (Total)	5.0	-	-	-	-
Cyanide (Amenable)	1.0	-	-	-	-
Polychlorinated Biphenyls	0.01	-	-	-	-
Pesticides	0.01	-	-	-	-
Total Toxic Organics	0.58	-	-	-	-
Sulfide (Total)	5.0	-	-	-	-
Sulfide (Dissolved)	0.5	-	-	-	-
Oil/Grease (Mineral/Petroleum)	100.0	-	-	-	-

1 pH equals the negative log of the hydrogen ion.

SANTA ANA WATERSHED
PROJECT AUTHORITY
Permit No. DS-SP57

PART 2 - MONITORING REQUIREMENTS

A. From the period beginning on the effective date of the permit until midnight on March 31, 2005, the permittee has monitored the wastewater to be discharged to the SARI System from the designated sample location [1], for the following pollutants, at the indicated frequency.

POLLUTANT	FREQUENCY	SAMPLE TYPE
Flow	N/A	N/A
pH [1]	N/A	N/A
Biochemical Oxygen Demand - BOD	N/A	N/A
Total Suspended Solids - TSS	N/A	N/A
Arsenic	N/A	N/A
Cadmium	N/A	N/A
Chromium (Total)	N/A	N/A
Copper	N/A	N/A
Lead	N/A	N/A
Mercury	N/A	N/A
Nickel	N/A	N/A
Silver	N/A	N/A
Zinc	N/A	N/A
Cyanide (Total)	N/A	N/A
Cyanide (Amenable)	N/A	N/A
Polychlorinated Biphenyls	N/A	N/A
Pesticides	N/A	N/A
Total Toxic Organics	N/A	N/A
Sulfide (Total)	N/A	N/A
Sulfide (Dissolved)	N/A	N/A
Oil and Grease (Mineral/Petroleum)	N/A	N/A

1 *See Part 2-C, Sample Location Diagram (Page 6).*

PART 2 - MONITORING REQUIREMENTS (Cont.)

B. All handling and preservation of collected samples and laboratory analyses of samples shall be performed in accordance with 40 CFR, Part 136, and amendments thereto unless specified otherwise in the monitoring conditions of this permit. If the Direct Discharger chooses to perform self monitoring, in lieu of a contracted laboratory, a report detailing the sample collection and preservation procedures must be submitted to SAWPA for review and approval. Samples collected by the Direct Discharger prior to SAWPA approval of the SOP will be considered invalid.

C. Monitoring of industrial wastewater shall be conducted at the Sample Location specified in the diagram, below.

N/A

PART 3 - REPORTING REQUIREMENTS

A. MONITORING REPORTS (N/A)

All required monitoring results shall be summarized and reported on a SELF-MONITORING REPORT FORM provided by SAWPA. This report form shall indicate the compliance status and concentration and/or mass value of all pollutants in the wastewater for which sampling and analyses were performed. The Self Monitoring Report Form shall be accompanied by the following:

a. Original Certified Laboratory Report

All applications, reports, or information submitted to SAWPA must include a Signed Certified Statement.

All required monitoring reports shall be submitted to SAWPA prior to discharge. Failure to submit the required Reporting Forms shall result in the permittee being in violation of their Direct User Discharge Permit. Any incomplete monitoring results shall be returned to the permittee for completion. If the monitoring results are not submitted within 30 days of the due date, the permittee shall be considered in Significant Noncompliance (SNC) and a Notice of Violation (NOV) will be issued. **If no wastewater is hauled to the SARI System during the monitoring period, a letter stating this fact shall be submitted to SAWPA in lieu of the required monitoring report.**

B. ADDITIONAL MONITORING

If the permittee monitors any pollutant more frequently than required by this permit, the permittee shall use test procedures prescribed in 40 CFR, Part 136, or amendments thereto, or otherwise approved by EPA or as specified in this permit. The results of such monitoring shall be reported as required in Part 3A above. All additional monitoring reports for samples collected during each quarter are required to be submitted to SAWPA no later than the last day of the specific quarter (February, June, September, December).

C. AUTOMATIC RESAMPLING

If the results of the permittee's wastewater analyses indicate a violation has occurred, the permittee must:

1. Notify SAWPA of the violation within 24 hours of receiving such results from the laboratory.

2. Repeat the sampling and analysis of the pollutants(s) found to be in violation, and submit in writing, within 30 days of the first violation, the results of this second analysis along with the reason(s) for the pollutant violation(s), and corrective actions that will be completed to avoid non-compliance with the wastewater discharged to the SARI System.

PART 3 - REPORTING REQUIREMENTS (Cont.)

D. ACCIDENTAL DISCHARGE REPORT

The permittee shall notify SAWPA immediately upon occurrence of an accidental discharge of substances prohibited by SAWPA Ordinance No. 4 (Article 523.0), or any slug loads or spills that may commingle with the wastewater which is discharged to the SARI System. In the event of a spill, Orange County Sanitation District (OCSD) shall be notified immediately by telephone at one of the following: (714) 593-7444, (714) 593-7410, or (714) 962-2411; and Western Municipal Water District (WMWD) shall be notified at (951) 789-5000. During normal business hours, SAWPA shall be notified by telephone at (951) 354-4247. The notification shall include the location of the discharge, date and time thereof, type of waste, including concentration and volume, and the corrective actions taken. The permittee's notification of the accidental release in accordance with this section does not relieve the permittee from the reporting requirements of local, State, or Federal laws. Within five days following an accidental discharge, the permittee shall submit to SAWPA, a detailed, written report. The report shall specify the following:

1. Description and cause of the upset, slug or accidental discharge, the cause thereof, and the impact on the permittee's compliance status. The description shall also include the location of the discharge, type, concentration and volume of waste.

2. Duration of noncompliance including exact dates and times of noncompliance, and if noncompliance continues, the time by which compliance is reasonably expected to occur.

3. All steps taken or to be taken to reduce, eliminate, and prevent recurrence of such an upset, slug, accidental discharge, or other conditions of noncompliance.

E. All reports required by this permit shall be submitted to the Santa Ana Watershed Project Authority at the following address:

Santa Ana Watershed Project Authority
c/o Western Municipal Water District
Attention: Pretreatment Division
P.O Box 5286
Riverside, CA 92517-5286

PART 4 - STANDARD CONDITIONS

A. GENERAL PROHIBITIONS

Permittee is required to comply with the general prohibitions and limits on discharges set forth in Article 2 of SAWPA's Ordinance:

1. Prohibited Discharges
2. Prohibition on Dilution
3. Limitations on Surface Runoff and Groundwater
4. Limitations on Unpolluted Water
5. Prohibition on Domestic Wastewater and Septage Waste
6. Limitations on Radioactive Waste
7. Prohibition on the Use of Grinders
8. Limitations on Point of Discharge
9. Limitations on Wastewater Strength and Characteristics
10. Prohibition on Infectious Waste
11. Limitations on Disposal of Spent Solutions and Sludges

B. CIVIL PENALTIES

Any person who violates any provision of SAWPA's Ordinance; or any permit condition, prohibition or effluent limitation; or any suspension or revocation order shall be liable for a civil penalty pursuant to Article 6 of SAWPA's Ordinance, for each day on which such violation occurs.

C. CRIMINAL PENALTIES

Any person who violates any provision of SAWPA's Ordinance or any permit condition, prohibition or effluent limit, is guilty of a misdemeanor, which upon conviction is punishable by a fine not to exceed one thousand dollars ($1,000), or imprisonment for not more than six (6) months in jail or both. Each day in violation constitutes a new and separate violation and shall be subject to the penalties contained herein.

D. ENFORCEMENT

Specific enforcement provisions have been adopted by SAWPA to govern discharges to the SARI system by all discharge Permittees. These are outlined in Article 6 of SAWPA's Ordinance.

PART 4 - STANDARD CONDITIONS (Cont.)

E. DUTY TO COMPLY

The permittee is required to comply with all regulations and discharge limits in SAWPA's Ordinance and any attachments to this permit.

F. SEVERABILITY

The provisions of this permit are severable. If any provisions of those permit limits and/or requirements, or the application thereof, to the Permittee is held invalid, the remainder of the permit limits and/or requirements shall remain in full force and effect.

G. PERMIT TRANSFER PROHIBITIONS

Permits issued under SAWPA's Ordinance are for a specific user, for a specific operation at a specific location, and create no vested rights. Discharge permits, their concentration limits or their mass emission rates shall not be transferred for an operation at a different location.

H. PERMITS - CHANGE OF OWNERSHIP

Except as expressly authorized in writing by SAWPA, the permit shall be void upon the sale or transfer of ownership for which this permit is issued. The Permittee shall notify SAWPA in writing 60 days prior to the transfer of ownership and shall give a copy of the existing permit to the new owner or operator.

I. FEES

Member agencies shall pay to SAWPA all user charges and associated fees as outlined in Article 3 of SAWPA's Ordinance, and associated resolutions.

J. PERMIT TYPE

Class III Wastewater Discharge Permit (Temporary – Special Purpose).

K. PERMIT DURATION

Class III permits, as described in Article 4 of SAWPA's Ordinance, shall be issued for a period not to exceed March 31, 2005. Ninety days prior to expiration of the permit, the Permittee shall apply for renewal of the permit in accordance with Article 4 of SAWPA's Ordinance. At that time, SAWPA will review the file, determine any new or modified conditions, and then a permit may be re-issued.

PART 4 - STANDARD CONDITIONS (Cont.)

L. INSPECTION AND SAMPLING CONDITIONS

SAWPA, OCSD Western Municipal Water District (WMWD), and/or other representatives authorized by SAWPA may inspect the wastewater generating and disposal facilities and sample the discharge of any Permittee to ascertain whether the intent of the Ordinance is being met and the Permittee is complying with all requirements.

SAWPA, WMWD, OCSD, and/or other representatives authorized by SAWPA shall have the right to set up on the Permittee's property such devices as are necessary to conduct sampling or metering operations. Where a Permittee has security measures in force, the Permittee shall make necessary arrangements to insure that personnel from SAWPA, WMWD, OCSD, and/or other representatives will be permitted to enter without delay for the purpose of performing their specific responsibilities.

Persons or occupants of premises where wastewater is created or discharged shall allow SAWPA, WMWD, OCSD, and/or other representatives authorized by SAWPA reasonable access during the normal working day to all parts of the wastewater generating and disposal facilities for the purposes of inspection and sampling.

M. OTHER CONDITIONS

1. Permittee is required to comply with all regulations and discharge limits in SAWPA's Ordinance and any attachments to this permit.

2. Permittee shall maintain plant records relating to wastewater discharge and waste manifests for a minimum of three years.

3. The terms and conditions of an issued permit may be subject to modification by SAWPA during the life of the permit. The Permittee shall be informed of any change in the permit limitations, conditions or requirements at least forty-five (45) days prior to the effective date of change. Any changes or new conditions in the permit shall include a reasonable time schedule for compliance.

4. The Permittee is hereby made aware that the strength of the wastewater discharged to the SARI may result in a surcharge fee in addition to the volumetric fee. Please check with the member agency for details regarding BOD and TSS surcharge fees.

PART 5 – SPECIAL CONDITIONS

A. Advanced Fuel Filtration Systems, Inc., is authorized to discharge 75,000 gallons of Contained rtreated rainwater collected during a jet fuel spill.

B. Permittee shall reimburse SAWPA, WMWD, OCSD for all costs incurred as a result of any enforcement action.

PART 6 - COMPLIANCE SCHEDULES

A. COMPLIANCE SCHEDULE PROGRESS REPORTS

When required, compliance schedule progress reports shall be submitted at a minimum frequency of every 30 days until compliance with discharge requirements or SAWPA Ordinance No. 4 are obtained. These reports shall contain dates for pretreatment equipment design completion, building permit submittal date, construction starting date, construction updates, construction completion date, employee training completion date, date of achieving final compliance, and/or any other required information. Samples may be required to be collected to demonstrate compliance. The samples shall be collected in accordance with the requirements of this permit.

B. COMPLIANCE SCHEDULE REPORTING

No later than on the respective compliance schedule dates, the permittee shall submit to SAWPA a report including, at a minimum, whether or not it complied with the increment of progress to be met on such date and, if not, the date on which it expects to comply with the increment of progress, the reasons for delay, and the steps being taken to return the project to the schedule established. In no case shall any milestone in the compliance schedule exceed nine months.

Appendix G

Drum Disposal Records and Corresponding Manifests/Shipping Documents

CORONA SERVICE PARK
1451 Magnolia Avenue
Corona, California

Drum Disposal Record (Inventory provided by EPA)

EPA Drum ID Numbers	Generator	Removal Date	Document Type	Manifest/Document Number
1	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
2	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
3	Advanced Fuel Filtration, Inc.	1/17/05	Haz Manifest	24012441
4	Speedy Fuels (VRT)	2/1/05	Non Haz	04546
5	Advanced Fuel Filtration, Inc.	1/18/05	Haz Manifest	24012429
6	Paramount	1/24/05	Haz Manifest	24400973
7	Paramount	1/24/05	Haz Manifest	24400973
8	Paramount	1/24/05	Haz Manifest	24400973
9	Paramount	1/24/05	Haz Manifest	24400973
10	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
11	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
12	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
13	Maaco	1/17/05	Haz Manifest	23786692
14	Sanders & Worhman	1/24/05	Haz Manifest	24400954
15	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
16	Skyline	1/18/05	Haz Manifest	23786699
17	Sanders & Worhman	1/24/05	Haz Manifest	24400954
18	Maaco	1/17/05	Haz Manifest	23786692
19	Skyline	1/18/05	Haz Manifest	23786699
20	Skyline	1/18/05	Haz Manifest	23786699
21	Skyline	1/18/05	Haz Manifest	23786699
22	Advanced Fuel Filtration, Inc.	2/14/05	VRT Product	Spill Kit

CORONA SERVICE PARK
1451 Magnolia Avenue
Corona, California

Drum Disposal Record (Inventory provided by EPA)

EPA Drum ID Numbers	Generator	Removal Date	Document Type	Manifest/Document Number
23	Paramount	1/24/05	Haz Manifest	24400973
24	Endar	1/18/05	Haz Manifest	S01131728
25	Advanced Fuel Filtration, Inc.	2/11/05	Non Haz	24012441
26	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
27	Endar	1/18/05	Haz Manifest	S01131728
28	Endar	1/18/05	Haz Manifest	S01131728
29	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
30	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
31	Endar	1/18/05	Haz Manifest	S01131728
32	Endar	1/18/05	Haz Manifest	S01131728
33	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
34	Advanced Fuel Filtration, Inc.	2/11/05	Haz Manifest	24012441
35	Endar	1/18/05	Haz Manifest	S01131728
36	Endar	1/18/05	Haz Manifest	S01131728
37	VRT Environmental	1/26/05	Haz Manifest	24008720
38	Advanced Fuel Filtration, Inc.	2/15/05	Haz Manifest	24016374
39	Endar	1/18/05	Haz Manifest	S01131728
40	Endar	1/18/05	Haz Manifest	S01131728
41	Advanced Fuel Filtration, Inc.	2/11/05	Haz Manifest	24012441
42	Advanced Fuel Filtration, Inc.	2/11/05	Haz Manifest	24012441
43	VRT Environmental	1/26/05	Haz Manifest	24008720
44	Advanced Fuel Filtration, Inc.	2/11/05	Haz Manifest	24012441

CORONA SERVICE PARK
1451 Magnolia Avenue
Corona, California

Drum Disposal Record (Inventory provided by EPA)

EPA Drum ID Numbers	Generator	Removal Date	Document Type	Manifest/Document Number
45	Advanced Fuel Filtration, Inc.	2/14/05	VRT Product	Spill Kit
46	Endar	1/18/05	Haz Manifest	S01131728
47	Endar	1/18/05	Haz Manifest	S01131728
48	Advanced Fuel Filtration, Inc.	2/11/05	Haz Manifest	24012441
49	Advanced Fuel Filtration, Inc.	2/11/05	Haz Manifest	24012441
50	Endar	1/18/05	Haz Manifest	S01131728
51	Endar	1/18/05	Haz Manifest	S01131728
52	Endar	1/18/05	Haz Manifest	S01131728
53	Endar	1/18/05	Haz Manifest	S01131728
54	Endar	1/18/05	Haz Manifest	S01131728
55	Endar	1/18/05	Haz Manifest	S01131728
56	Endar	1/18/05	Haz Manifest	S01131728
57	Endar	1/18/05	Haz Manifest	S01131728
58	Advanced Fuel Filtration, Inc.	2/11/05	Haz Manifest	24012441
59	Advanced Fuel Filtration, Inc.	2/11/05	Haz Manifest	24012441
60	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
61	Advanced Fuel Filtration, Inc.	2/11/05	Haz Manifest	24012441
62	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
63	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
64	Advanced Fuel Filtration, Inc.	2/11/05	Haz Manifest	24012441
65	VRT Environmental	1/26/05	Haz Manifest	24008720
66	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429

CORONA SERVICE PARK
1451 Magnolia Avenue
Corona, California

Drum Disposal Record (Inventory provided by EPA)

EPA Drum ID Numbers	Generator	Removal Date	Document Type	Manifest/Document Number
67	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
68	VRT Environmental	1/26/05	Haz Manifest	24008720
69	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
70	Endar	1/18/05	Haz Manifest	S01131728
71	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
72	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
73	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
74	LG & E Power Service	1/22/05	Non Haz	2003
75	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
76	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
77	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
78	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
79	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
80	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
81	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
82	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
83	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
84	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
85	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
86	Advanced Fuel Filtration, Inc.	2/11/05	Haz Manifest	24012441
87	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
88	Advanced Fuel Filtration, Inc.	2/11/05	Haz Manifest	24012441

CORONA SERVICE PARK
1451 Magnolia Avenue
Corona, California

Drum Disposal Record (Inventory provided by EPA)

EPA Drum ID Numbers	Generator	Removal Date	Document Type	Manifest/Document Number
89	Advanced Fuel Filtration, Inc.	2/11/05	Haz Manifest	24012441
90	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
91	Advanced Fuel Filtration, Inc.	2/14/05	Haz Manifest	24202620
92	Advanced Fuel Filtration, Inc.	2/10/05	Haz Manifest	23432109
93	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
94	Advanced Fuel Filtration, Inc.	2/9/05 / 2/11/05	Haz Manifest	24012429 / 24012441
95	Mercury Engineering	1/17/05	Non Haz	1140507
96	Endar	1/18/05	Haz Manifest	S01131728
97	Advanced Fuel Filtration, Inc.	2/9/05 / 2/14/05	Haz Manifest	24012429 / 24202620
98	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
99	Advanced Fuel Filtration, Inc.	2/15/05	Destroyed on site.	
100	Advanced Fuel Filtration, Inc.	2/14/05	Haz Manifest	24202620
101	Calif. Highway Patrol	2/28/05	Non Haz	200386
102	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
103	Advanced Fuel Filtration, Inc.	2/14/05	Haz Manifest	24202620
104	Advanced Fuel Filtration, Inc.	2/14/05	Non Haz	04919
105	Calif. Highway Patrol	2/28/05	Non Haz	200385
106	Calif. Highway Patrol	2/28/05	Non Haz	200381
107	Advanced Fuel Filtration, Inc.	2/14/05	Haz Manifest	24202620
108	Calif. Highway Patrol	2/28/05	Non Haz	200381
109	Calif. Highway Patrol	2/28/05	Non Haz	200382
110	Calif. Highway Patrol	2/28/05	Non Haz	200381

CORONA SERVICE PARK
1451 Magnolia Avenue
Corona, California

Drum Disposal Record (Inventory provided by EPA)

EPA Drum ID Numbers	Generator	Removal Date	Document Type	Manifest/Document Number
111	Calif. Highway Patrol	2/28/05	Non Haz	200386
112	Advanced Fuel Filtration, Inc.	2/14/05	Haz Manifest	24202620
113	Calif. Highway Patrol	2/28/05	Non Haz	200387
114	Calif. Highway Patrol	2/28/05	Non Haz	200384
115	Mercury Engineering	1/17/05	Non Haz	01140507
116	Calif. Highway Patrol	2/28/05	Non Haz	200384
117	Advanced Fuel Filtration, Inc.	2/15/05	Haz Manifest	24016374
118	Double marked as drum # 109.			
119	Advanced Fuel Filtration, Inc.	2/14/05	Haz Manifest	24202620
120	Endar	1/18/05	Haz Manifest	S01131728
121	Advanced Fuel Filtration, Inc.	2/14/05	Cooperage (Empty)	16962
122	Shell/Texaco	1/19/05	Haz Manifest	23861847
123	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
124	Shell/Texaco	1/19/05	Haz Manifest	23861847
125	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
126	Shell/Texaco	1/19/05	Haz Manifest	23861847
127	Shell/Texaco	1/19/05	Haz Manifest	23861847
128	Shell/Texaco	1/19/05	Haz Manifest	23861847
129	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
130	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
131	Shell/Texaco	1/19/05	Haz Manifest	23861847
132	Shell/Texaco	1/19/05	Haz Manifest	23861847

CORONA SERVICE PARK
1451 Magnolia Avenue
Corona, California

Drum Disposal Record (Inventory provided by EPA)

EPA Drum ID Numbers	Generator	Removal Date	Document Type	Manifest/Document Number
133	Advanced Fuel Filtration, Inc.	1/27/05	Cooperage (Empty)	16909
134	Shell/Texaco	1/19/05	Haz Manifest	23861847
135	Shell/Texaco	1/19/05	Haz Manifest	23861847
136	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
137	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
138	Advanced Fuel Filtration, Inc.	1/27/05	Cooperage (Empty)	16909
139	Unilever (Intl Foods)	2/23/05	Bill of Lading	NA
140	Calif. Highway Patrol	2/28/05	Non Haz	200385
141	Shell/Texaco	1/19/05	Haz Manifest	23861847
142	S.A. Water Proj. Auth.	1/19/05	Non Haz	46698
143	Shell/Texaco	1/19/05	Haz Manifest	23861847
144	Calif. Highway Patrol	2/28/05	Non Haz	200385
145	Calif. Highway Patrol	2/28/05	Non Haz	200387
146	Speedy Fuels (VRT)	2/1/05	Non Haz	04546
147	Calif. Highway Patrol	2/28/05	Non Haz	200385
148	Calif. Highway Patrol	2/28/05	Non Haz	200384
149	Calif. Highway Patrol	2/28/05	Non Haz	200384
150	Calif. Highway Patrol	2/28/05	Non Haz	200384
151	Mercury Engineering	1/17/05	Non Haz	01140507
152	Calif. Highway Patrol	2/28/05	Non Haz	200389
153	Calif. Highway Patrol	2/28/05	Non Haz	200385
154	Calif. Highway Patrol	2/28/05	Non Haz	200389

CORONA SERVICE PARK
1451 Magnolia Avenue
Corona, California

Drum Disposal Record (Inventory provided by EPA)

EPA Drum ID Numbers	Generator	Removal Date	Document Type	Manifest/Document Number
155	Calif. Highway Patrol	2/28/05	Non Haz	200386
156	Calif. Highway Patrol	2/28/05	Non Haz	200386
157	Calif. Highway Patrol	2/28/05	Non Haz	200387
158	Calif. Highway Patrol	2/28/05	Non Haz	200387
159	Calif. Highway Patrol	2/28/05	Non Haz	200386
160	Advanced Fuel Filtration, Inc.	2/14/05	Haz Manifest	24202620
161	Calif. Highway Patrol	2/28/05	Non Haz	200389
162	Calif. Highway Patrol	2/28/05	Non Haz	200389
163	Calif. Highway Patrol	2/28/05	Non Haz	200387
164	Calif. Highway Patrol	2/28/05	Non Haz	200389
165	Advanced Fuel Filtration, Inc.	2/14/05	Haz Manifest	24202620
166	Advanced Fuel Filtration, Inc.	2/14/05	Haz Manifest	24202620
167	Univar	1/14/05	Bill of Lading	NA
168	Univar	1/14/05	Bill of Lading	NA
169	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
170	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
171	Advanced Fuel Filtration, Inc.	2/11/05	Haz Manifest	24012441
172	Univar	1/14/05	Bill of Lading	NA
173	Univar	1/14/05	Bill of Lading	NA
174	Univar	1/24/05	Bill of Lading	NA
175	Univar	1/24/05	Bill of Lading	NA
176	Univar	1/24/05	Bill of Lading	NA

CORONA SERVICE PARK
1451 Magnolia Avenue
Corona, California

Drum Disposal Record (Inventory provided by EPA)

EPA Drum ID Numbers	Generator	Removal Date	Document Type	Manifest/Document Number
177	Advanced Fuel Filtration, Inc.	2/14/05	VRT Product	Spill Kit
178	Advanced Fuel Filtration, Inc.	2/10/05	Haz Manifest	24199741
179	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
180	Advanced Fuel Filtration, Inc.	2/10/05	Haz Manifest	24199741
181	Advanced Fuel Filtration, Inc.	1/22/05	VRT Product	Grease
182	VRT Environmental	1/26/05	Haz Manifest	24008720
183	VRT Environmental	1/26/05	Haz Manifest	24008720
184	Advanced Fuel Filtration, Inc.	1/26/05	Haz Manifest	24199741
185A	VRT Environmental	1/22/05	VRT Product	Transmission Fluid
185B	VRT Environmental	1/22/05	VRT Product	Gear Lubrication
186	VRT Environmental	1/22/05	VRT Product	Gear Lubrication
187	VRT Environmental	1/26/05	Haz Manifest	24008720
188	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
189	VRT Environmental	1/26/05	Haz Manifest	24008720
190	VRT Environmental	1/26/05	Haz Manifest	24008720
191	VRT Environmental	1/26/05	Haz Manifest	24008720
192	Advanced Fuel Filtration, Inc.	2/14/05	Haz Manifest	24202620
193	VRT Environmental	1/26/05	Haz Manifest	24008720
194	VRT Environmental	1/26/05	Haz Manifest	24008720
195	VRT Environmental	1/26/05	Haz Manifest	24008720
196	Advanced Fuel Filtration, Inc.	2/15/05	Haz Manifest	24016374
197	Advanced Fuel Filtration, Inc.	2/14/05	Haz Manifest	24202620

CORONA SERVICE PARK
1451 Magnolia Avenue
Corona, California

Drum Disposal Record (Inventory provided by EPA)

EPA Drum ID Numbers	Generator	Removal Date	Document Type	Manifest/Document Number
198	Advanced Fuel Filtration, Inc.	2/14/05 / 2/15/05	Haz Manifest	24202620 / 24016375
199	Advanced Fuel Filtration, Inc.	2/14/05	Haz Manifest	24202620
200	Calif. Highway Patrol	2/28/05	Non Haz	200382
201	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
202	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
203	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
204	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
205	Advanced Fuel Filtration, Inc.	1/27/05	Cooperage (Empty)	16909
206	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
207	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
208	Calif. Highway Patrol	2/28/05	Non Haz	200382
209	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
210	Arthrotek	1/17/05	Haz Manifest	23786693
211	Advanced Fuel Filtration, Inc.	2/9/05	Haz Manifest	24012429
212	Advanced Fuel Filtration, Inc.	2/9/05 / 2/14/05	Haz Manifest	24012429 / 24202620

CORONA SERVICE PARK
1451 Magnolia Avenue
Corona, California

Drum Disposal Record (Prepared by RECON)

Generator	Removal Date	Number of Containers	EPA Drum ID Numbers	Document Type	Manifest/Document Number
Univar	1/14/05	4	167, 168, 172, 173	Bill of Lading	NA
B. Stephen Cooperage, Inc.	1/14/05	316	Various emptied drums	Bill of Lading	16874
Maaco	1/17/05	2	13, 18	Haz Manifest	23786692
Arthrotek	1/17/05	4	210, 3 drums "Unnumbered"	Haz Manifest	23786693
Mercury Eng.	1/17/05	3	95, 115, 151	Non Haz	1140507.00
Skyline	1/17/05	4	16, 19, 20, 21	Haz Manifest	23786695 / 23786698 / 23786699
Endar Corporation	1/18/05	22	24, 27, 28, 31, 32, 35, 36, 39, 40, 46, 47, 50, 51, 52, 53, 54, 55, 56, 57, 70, 96, 120	Texas Haz Manifest	S01131728
Endar Corporation	1/18/05	14	"Unnumbered"	Texas Haz Manifest	S01131728
Endar Corporation	1/18/05	7	"Unnumbered"	Non Haz	76907
Santa Ana Water Project Authority	1/19/05	1	142	Non Haz	46698
Shell/Texaco	1/19/05	11	122, 124, 126, 127, 128, 131, 132, 134, 135, 141, 143	Haz Manifest	23861847
Hertz	1/20/05	2	"Unnumbered"	NA	NA
VRT	1/22/05	4	177, 185A, 185B, 186 removed as useable product	NA	NA
LG & E Power	1/22/05	1	Drum # 74	Non Haz	2003
Univar	1/24/05	3	174, 175, 176	Bill of Lading	NA
Sanders & Worhman	1/24/05	2	14, 17	Haz Manifest	24400954
Paramount	1/24/05	5	6, 7, 8, 9, 23	Haz Manifest	24400973
VRT	1/26/05	14	37, 43, 65, 66B, 68, 182, 183, 184, 187, 189, 190, 193, 194, 195	Haz Manifest	24008720
B. Stephen Cooperage, Inc.	1/27/05	71	Various emptied drums	Bill of Lading	16909
B. Stephen Cooperage, Inc.	1/27/05	28	Various emptied totes	Bill of Lading	16909
Speedy Fuels	2/1/05	2	4, 146 (Assumed by VRT Environmental)	Non Haz	04546
VRT	2/1/05	1	Drum A-7,	Haz Manifest	24205132
VRT	2/1/05	5	4*, 146*, A-12, A-13	Non Haz	04546
Advanced Fuel Filtration, Inc.	2/9/05	29	U-1, U-4, U-5, U-6, U-7, U-8, U-9, U-10, U-11, U-13, U-14, U-15, U-18, U-20, U-21, U-22, U-23, U-24, U-25, U-26, U-28, U-29, U-30, U-31, U-32, U-33, U-34, U-35, U-36	Haz Manifest	24012429
Advanced Fuel Filtration, Inc.	2/9/05	55	1, 2, 5, 10, 11, 12, 15, 26, 29, 30, 33, 60, 62, 63, 66, 67, 69, 71, 72, 73, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 87, 90, 93, 97, 98, 102, 123, 125, 129, 130, 136, 137, 169, 170, 179, 188, 201, 202, 203, 204, 206, 207, 209, 211	Haz Manifest	24012429
Advanced Fuel Filtration, Inc.	2/10/05	3	178, 180, 184	Haz Manifest	24199741
Advanced Fuel Filtration, Inc.	2/10/05	1	92	Haz Manifest	23432109

CORONA SERVICE PARK
1451 Magnolia Avenue
Corona, California

Drum Disposal Record (Prepared by RECON)

Generator	Removal Date	Number of Containers	EPA Drum ID Numbers	Document Type	Manifest/Document Number
Advanced Fuel Filtration, Inc.	2/11/05	27	3, 25, 34, 38, 41, 42, 44, 48, 49, 61, 64, 86, 88, 89, 94, 171, 212 (oily rags removed), U-2, U-3, U-7, U-12, U-17, U-27, 2 "Unnumbered" 5GAL. (BKTS), 1 "Unnumbered" 55GAL., Tote 58, and Tote 59	Haz Manifest	24012441
Advanced Fuel Filtration, Inc.	2/14/05	15	91, 97, 100,103, 107, 112, 119, 160, 165, 166, 192, 197, 198, 199, 212 (oily liquid removed)	Haz Manifest	24202620
Advanced Fuel Filtration, Inc.	2/14/05	2	104, 1 - "Unnumbered"	Non Haz	04919
B. Stephen Cooperage, Inc.	2/14/05	156	Various emptied drums	Bill of Lading	16962
VRT	2/14/05	3	22, 45, 181 removed as useable product	NA	NA
Advanced Fuel Filtration, Inc.	2/15/05	3	38, 117, 196	Haz Manifest	24016374
Advanced Fuel Filtration, Inc.	2/15/05	1	198* (liquid content removed 2/14/05)	Haz Manifest	24016375
Int'l Foods (Unilever)	2/23/05	1	139	Bill of Lading	NA
California Highway Patrol	2/28/05	4	C-38, EPA #'s 105 108, 110, (drums w/ liquid)	Non Haz	200381
California Highway Patrol	2/28/05	10	C-8, C-9, C-10, C-12, C-15, C-16, C-17, C-36, 109, 208 (drums w/liquid)	Non Haz	200382
California Highway Patrol	2/28/05	10	C-1, C-22, C-23, C-24, C-25 C-27, C-28, C-29, C-33, C-35, (drums w/ liquid)	Non Haz	200383
California Highway Patrol	2/28/05	5	EPA #'s 114, 116 143 149, 150, (Drums w/soil)	Non Haz	200384
California Highway Patrol	2/28/05	5	105, 140, 144 147, 153 (drums w/soil)	Non Haz	200385
California Highway Patrol	2/28/05	5	101, 111, 155 158 159 (Drums w/solids)	Non Haz	200386
California Highway Patrol	2/28/05	5	113, 145, 157, 158, 163 (Drums w/soil)	Non Haz	200387
California Highway Patrol	2/28/05	8	C-11, C-13, C-14, C-25, C-30, C-31, C-34, C-37 (drums w/ liquid)	Non Haz	200388
California Highway Patrol	2/28/05	5	EPA #'s 152 154, 161, 162, 164, (Drums w/ soil)	Non Haz	200389
California Highway Patrol	2/28/05	11	C-2, C-3, C-4, C-5, C-6, C-7, C-18, C-19, C-20, C-21, C-32 (Drums w/ liquid)	Non Haz	200390

THIS SHIPPING ORDER MUST BE LEGIBLY FILLED IN, IN INK, IN INDELIBLE PENCIL, OR IN CARBON, AND RETAINED BY THE AGENT.

CARRIER NO.

CARRIER DATE 1-14-05 SHIPPER'S NO.

RECEIVED, subject to the classifications and tariffs in effect on the date of the issue of this Bill of Lading.

FROM: UNIVAR PHONE # 323 727 7005

2600 S. GARIFIELD AVENUE
COMMERCE, CA 90040

AT:

CONSIGNED TO
CORONA SERVICE PARK/
FORMER ADVANCED FUEL SITE

the property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown) marked, consigned, and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of property under the contract) agrees to carry to its usual place of delivery of said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all or any of said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Freight Classifications in effect on the date hereof, if this is a rail or a rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment. Shipper hereby certifies that he is familiar with all the terms and conditions of the said bill of lading, including those on the back thereof, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

HAZARDOUS MATERIALS

FOR EMERGENCY ASSISTANCE INVOLVING HAZARDOUS CHEMICALS CALL CHEMTREC 800-424-9300 DAY OR NIGHT

NO. PKGS.	TYPE PKG.	DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	*WEIGHT (SUBJECT TO CORR.)	CLASS OR RATE	CHECK COL
		KASSLER CLAY COUPLER			
		323 837 7144			

PLACARDS: OFFERED TO CARRIER ☐ YES ☐ NO / ACCEPTED BY CARRIER ☐ YES ☐ NO

NON-REGULATED MATERIALS SEE REVERSE FOR IMPORTANT INSTRUCTIONS

NO. PKGS.	TYPE PKG.	SHIPPING CODE	DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	*WEIGHT (SUBJECT TO CORR.)	CLASS OR RATE	CHECK COL
4	DR		DIETHYLENEGLYCOL, MONOETHYL	100 lb		
			ETHER.			
			(INCLUDED ARE DRUMS: #167, #168, #172 #173)			
			(DICE FLASH 190)			

Subject to Section 7 of conditions of applicable bill of lading, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement. The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.

Univar USA Inc.
(Signature of Consignor)

The fibre boxes, barrels, drums, pails, tubs, paper bags or fibre-board covered veneer drums used for this shipment conform to the specification set forth in makers certificate thereon, and all other requirements of rule 40 or 41 of Consolidated or Uniform Freight Classification or Classifications applicable

IF LOWER CHARGES RESULT, THE AGREED OR DECLARED VALUE OF THE WITHIN DESCRIBED ARTICLES IS HEREBY SPECIFICALLY STATED TO BE NOT EXCEEDING $1.65 PER POUND PER ARTICLE

*If the shipment movers between to ports by a carrier by water, the law requires that the bill of lading shall state whether it is "carrier's or shipper's weight"

COLLECT ON DELIVERY
$ _____ AND REMIT TO:
Univar USA Inc.
AT ABOVE ADDRESS

CHARGES ADVANCED:
$

C.O.D. Charge to be paid by { Shipper ☐ Consignee ☐

If charges are to be prepaid, write or stamp here, "To be Prepaid."

Received $ _____ to apply in prepayment of the charges on the property described hereon
Agent or Cashier
Per _____
(The signature here acknowledges only the amount prepaid.)

THIS IS TO CERTIFY THAT THE ABOVE NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION, ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION

Univar USA Inc. Shipper, Per _____ FREDERICK JR.
Permanent post office address of shipper,
P.O. BOX 512062 • LOS ANGELES, CA 90051-0062

AGENT MUST DETACH AND RETAIN THIS SHIPPING ORDER AND MUST SIGN THE ORIGINAL BILL OF LADING

FORM-00-VO57-4C (REV. 07-02)

THIS SHIPPING ORDER MUST BE LEGIBLY FILLED IN, IN INK, IN INDELIBLE PENCIL, OR IN CARBON, AND RETAINED BY THE AGENT.

CARRIER NO.

CARRIER DATE 1-24-05 SHIPPER'S NO.

RECEIVED, subject to the classifications and tariffs in effect on the date of the issue of this Bill of Lading.

FROM: UNIVAR

2600 S. GARFIELD AVENUE
AT: COMMERCE, CA 90040

CONSIGNED TO CORONA SERVICE PARK
FORMER ADVANCED FUEL
1451 MAGNOLIA, CORONA, CA

the property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown) marked, consigned, and destined as indicated below, which said carrier (the word carrier being understood throughout this contr as meaning any person or corporation in possession of property under the contract) agrees to carry to its usual place of delivery of said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed, as each carrier of all or any of said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Freight Classifications in effect on the date hereof, if this is a rail or a rail-water shipment, or (2) in the applicable motor carrier classification or tariff is this is a motor carrier shipme

Shipper hereby certifies that he is familiar with all the terms and conditions of the said bill of lading, including those on the back thereof, set forth in the classification or tariff which governs the transportation of this shipment, and the s terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

HAZARDOUS MATERIALS

FOR EMERGENCY ASSISTANCE INVOLVING HAZARDOUS CHEMICALS CALL CHEMTREC 800-424-9300 DAY OR NIGHT

NO. PKGS.	TYPE PKG.	DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	*WEIGHT (SUBJECT TO CORR.)	CLASS OR RATE	CHECK COL
		#174 } GENERATOR RECALL /EPA			
		175			
		176			

PLACARDS: OFFERED TO CARRIER ☐ YES ☐ NO / ACCEPTED BY CARRIER ☐ YES ☐ NO

NON-REGULATED MATERIALS SEE REVERSE FOR IMPORTANT INSTRUCTIONS

NO. PKGS.	TYPE PKG.	SHIPPING CODE	DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS	*WEIGHT (SUBJECT TO CORR.)	CLASS OR RATE	CHECK COL
3	DR		DIETHYLENE GLYCOL MONOMETHYL ETHER,	100 lb.		
			(DICE FLASH 190)			

Subject to Section 7 of conditions of applicable bill of lading, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement. The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.

Univar USA Inc.
(Signature of Consignor)

The fibre boxes, barrels, drums, pails, tubs, paper bags or fibre-board covered veneer drums used for this shipment conform to the specification set forth in makers certificate thereon, and all other requirements of rule 40 or 41 of Consolidated or Uniform Freight Classification or Classifications applicable

IF LOWER CHARGES RESULT, THE AGREED OR DECLARED VALUE OF THE WITHIN DESCRIBED ARTICLES IS HEREBY SPECIFICALLY STATED TO BE NOT EXCEEDING $1.85 PER POUND PER ARTICLE.

*If the shipment moves between to ports by a carrier by water, the law requires that the bill of lading shall state whether it is "carrier's or shipper's weight".

COLLECT ON DELIVERY
$ _____ AND REMIT TO:
Univar USA Inc.
AT ABOVE ADDRESS

CHARGES ADVANCED:
$ _____
C.O.D. Charge to be paid by { Shipper ☐ Consignee ☐

If charges are to be prepaid, write or stamp here "To be Prepaid."

Received $ _____ to apply in prepayment of the charges on the property described hereon
Agent or Cashier
Per _____
(The signature here acknowledges only the amount prepaid.)

THIS IS TO CERTIFY THAT THE ABOVE NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION, according to the applicable REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION

Univar USA Inc. Shipper, Per _____ 2 1/24/05

AGENT MUST DETACH AND RETAIN THIS SHIPPING ORDER AND MUST SIGN THE ORIGINAL BILL OF LADING

Permanent post office address of shipper,
P.O. BOX 512062 • LOS ANGELES, CA 90051-0062 USA

FORM-00-VO57-4C (REV. 07-02)

State of California—Environmental Protection Agency
Form Approved OMB No. 2050-0039 (Expires 9-30-99)
Please print or type. Form designed for use on elite (12-pitch) typewriter.

See Instructions on back of page 6.

Department of Toxic Substances Control, Sacramento, California

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No: CAD000072815 — Manifest Document No
2. Page 1 of 1
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
ARTHROTEK
4861 E. AIRPORT DRIVE
ONTARIO, CA 91761
4. Generator's Phone (909) 390-0356

A. State Manifest Document Number: 23786693
B. State Generator's ID
C. State Transporter's ID (Reserved)
D. Transporter's Phone: (909) 421-2012

5. Transporter 1 Company Name: FILTER RECYCLING SERVICES, INC.
6. US EPA ID Number: CAD099829441

7. Transporter 2 Company Name
8. US EPA ID Number

E. State Transporter's ID (Reserved)
F. Transporter's Phone

9. Designated Facility Name and Site Address
FILTER RECYCLING
180 W. MONTE AVENUE
RIALTO, CA 92316
10. US EPA ID Number: CAD099844841

G. State Facility's ID: 1CIAN910521414141841
H. Facility's Phone: (909) 421-2012

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Number
a. NON-RCRA HAZARDOUS WASTE, LIQUID	004	DF ~~DM~~	0010180	G	State 229 / EPA/Other
b.					State / EPA/Other
c.					State / EPA/Other
d.					State / EPA/Other

J. Additional Descriptions for Materials Listed Above
11A. RINSE WATER, OIL AND SOAP, APPR#04112314

K. Handling Codes for Wastes Listed Above
a. 01
b.
c.
d.

15. Special Handling Instructions and Additional Information
ALWAYS WEAR APPROPRIATE PROTECTIVE CLOTHING
24 HOUR EMERGENCY CONTACT 800-988-4424, BILL TO HCI ENV. & ENG. SVC.
SITE:1451 MAGNOLIA AVE. CORONA, CA 92879

4x.80

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Chris Turley As Agent — Signature — Month 01 Day 17 Year 05

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Steven McDonald — Signature — Month 01 Day 17 Year 05

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name — Signature — Month Day Year

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19
Printed/Typed Name: Steven Masters — Signature — Month 01 Day 18 Year 05

DO NOT WRITE BELOW THIS LINE.

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-852-7550

23786693

GENERATOR

DTSC 8022A (1/99)
EPA 8700-22

White: TSDF SENDS THIS COPY TO DTSC WITHIN 30 DAYS
To: P.O. Box 3000, Sacramento, CA 95812

State of California—Environmental Protection Agency
Form Approved OMB No. 2050-0039 (Expires 9-30-99)
Please print or type: Form designed for use on elite (12-pitch) typewriter.

See Instructions on back of page 6.

Department of Toxic Substances Control
Sacramento, California

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. CAD981820398 — Manifest Document No.
2. Page 1 of 1
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
MAACO COLLISION REPAIR & AUTOPAINTERS
5670 KEARNY VILLA RD.
SAN DIEGO, CA 92123
4. Generator's Phone (858) 277-4250

A. State Manifest Document Number: 23786692
B. State Generator's ID:

5. Transporter 1 Company Name: FILTER RECYCLING SERVICES, INC.
6. US EPA ID Number: CAD-982444461
C. State Transporter's ID [Reserved.]
D. Transporter's Phone: (909) 421-2012

7. Transporter 2 Company Name:
8. US EPA ID Number:
E. State Transporter's ID [Reserved.]
F. Transporter's Phone:

9. Designated Facility Name and Site Address
FILTER RECYCLING
180 W. MONTE AVENUE
RIALTO, CA 92316
10. US EPA ID Number: CAD982444461
G. State Facility's ID:
H. Facility's Phone: (909) 421-2012

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Number
a. NON-RCRA HAZARDOUS WASTE, SOLID	002	DM	000400	P	State 352 / EPA/Other
b.					State / EPA/Other
c.					State / EPA/Other
d.					State / EPA/Other

J. Additional Descriptions for Materials Listed Above
11a) PAINT CHIPS FR3#04091307

K. Handling Codes for Wastes Listed Above
a. b. c. d.

15. Special Handling Instructions and Additional Information
ALWAYS WEAR APPROPRIATE PROTECTIVE CLOTHING
24 HOUR EMERGENCY CONTACT 800-985-4424.
BILL TO HCI ENV. & ENG. INC
SITE 1451 MAGNOLIA AVE. CORONA CA 92879

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Chris Turley As Agent — Signature: [signature] — Month 01 Day 17 Year 05

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Steve Mc Vrath — Signature: [signature] — Month 01 Day 17 Year 05

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: — Signature: — Month Day Year

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: — Signature: — Month Day Year

GENERATOR

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-852-7550

DO NOT WRITE BELOW THIS LINE.

DTSC 8022A (1/99)
EPA 8700—22

Yellow: GENERATOR RETAINS

Please print or type
Form designed for use on elite (12-pitch) typewriter

NON-HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

Manifest Document No.

2. Page 1 of

01140507

3. Generator's Name and Mailing Address
MERCURY ENGINEERING
4630 IMPERIAL HWY
SOUTH GATE CA 90280

4. Generator's Phone (951 545-6821

5. Transporter 1 Company Name
ENVIRONMENTAL RECOVERY SERVICES, INC.

6. US EPA ID Number
CA0000970392

A. Transporter's Phone
562 427-7277

7. Transporter 2 Company Name

8. US EPA ID Number

B. Transporter's Phone

9. Designated Facility Name and Site Address
CROSBY & OVERTON
1630 W. 17TH STREET
LONG BEACH CA 90509

10. US EPA ID Number
CAD028409019

C. Facility's Phone
562 432-5445

11. Waste Shipping Name and Description	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vo
a. NON HAZARDOUS SOLID (ABSORBENT, ALUMINUM)	003	DM	02,000	P
b.				
c.				
d.				

D. Additional Descriptions for Materials Listed Above
11A) 16006 - ABSORBENT, ALUMINUM

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

EMERGENCY CONTACT ENVIROSERV (562) 427-7277 ** BILL : CROSBY & OVERTON
USE PROPER SAFETY EQUIPMENT ** BILL TO ENVIRONMENTAL RECOVERY SERVICES ** ERS W.O. # 22882 ** LK
Site: ADANCED FUEL FILTRATION- 1451 MAGNOLIA AVE., CORONA, CA 92879

16. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name: AGENT FOR C.O. MERCURY ENGINEERING [signature] Signature [signature] Month 01 Day 17 Year 05

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name: [signature] Signature [signature] Month 01 Day 17 Year 05

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name Signature Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name Signature Month Day Year

GENERATOR

TRANSPORTER

FACILITY

Printed by J. J. KELLER & ASSOCIATES, INC.
Neenah, WI 54957-0368

ORIGINAL - RETURN TO GENERATOR

12 BLC M5

03/01/05 11:38 FAX 909 654 0490 SKYLINE HOMES 002

Form Approved OMB No. 2050-0037 (Expires 9-30-99)
Please print or type. Form designed for use on elite (12-pitch) typewriter.

See Instructions on back of page 6.

Department of Toxic Substances Contr. Sacramento, California

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-852-7550

23786695

GENERATOR

UNIFORM HAZARDOUS WASTE MANIFEST	1. Generator's US EPA ID No. CAL000195200	Manifest Document No. 3 1 5 1 0	2. Page 1 of 1
3. Generator's Name and Mailing Address: SKYLINE HOMES, PO BOX 670, SAN JACINTO, CA 92593			A. State Manifest Document Number: 23786695
4. Generator's Phone: (909) 654-9221			B. State Generator's ID
5. Transporter 1 Company Name: FILTER RECYCLING SERVICES, INC.	6. US EPA ID Number: CAD982444481		C. State Transporter's ID (Reserved)
			D. Transporter's Phone: (909) 421-2012
7. Transporter 2 Company Name	8. US EPA ID Number		E. State Transporter's ID (Reserved)
			F. Transporter's Phone
9. Designated Facility Name and Site Address: FILTER RECYCLING, 180 N. MONTE AVENUE, RIALTO, CA 92316	10. US EPA ID Number: CAD982444481		G. State Facility's ID
			H. Facility's Phone: (909) 421-2012

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	Waste Number
a. NON-RCRA HAZARDOUS WASTE, LIQUID	001	DM	00055	G	State 220 / EPA/Other
b. NON-RCRA HAZARDOUS WASTE, LIQUID	001	DM	00020	G	State 220 / EPA/Other
c.					State / EPA/Other
d.					State / EPA/Other

11A. WASTE OIL AND PIPE SHAVINGS 04111213	K. Handling Codes for Wastes Listed Above
11B. WASTE OIL AND PIPE SHAVINGS 04111213	

ALWAYS WEAR APPROPRIATE PROTECTIVE CLOTHING
24 HOUR EMERGENCY CONTACT 800-988-4424
BILL TO HCI ENV. & ENG. SVC.
SITE ADDRESS: 1451 MAGNOLIA AVE CORONA, CA 92879

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name	Signature	Month Day Year
Chris Turley As Agent For SH	[signature]	01 17 05

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name	Signature	Month Day Year
Steven MacDonald	[signature]	01 17 05

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name	Signature	Month Day Year

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name	Signature	Month Day Year

DO NOT WRITE BELOW THIS LINE.

DTSC 8022A (1/99)
EPA 8700—22

Yellow: GENERATOR RETAINS

State of California—Environmental Protection Agency
Form Approved OMB No. 2050-0039 (Expires 9-30-99)
Please print or type. Form designed for use on elite (12-pitch) typewriter.

See Instructions on back of page 6.

Department of Toxic Substances Control
Sacramento, California

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. CAL000185210 Manifest Document No.
2. Page 1 of 1
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
SKYLINE HOMES
PO BOX 933
HEMET, CA 92546-0933
4. Generator's Phone (909) 654-9321

A. State Manifest Document Number: 23786698
B. State Generator's ID:

5. Transporter 1 Company Name: FILTER RECYCLING SERVICES, INC.
6. US EPA ID Number: CAD982441481
C. State Transporter's ID (Reserved.)
D. Transporter's Phone: (909) 421-2012

7. Transporter 2 Company Name
8. US EPA ID Number
E. State Transporter's ID (Reserved.)
F. Transporter's Phone:

9. Designated Facility Name and Site Address
FILTER RECYCLING
180 W. MONTE AVENUE PLT. NO. 343 NOMAD - HEMET, CA
RIALTO, CA 92316
10. US EPA ID Number: CAD982441481
G. State Facility's ID
H. Facility's Phone: (909) 421-2012

MATCH INVOICE & RECEIVER REVIEW PRICING TERMS & FREIGHT CHGS. CORRECT. EXTENSIONS & AUDITIONS REVIEWED PAYMENT AUTHORIZED
APPROVAL PLANT PROF. APPROVAL
ACCOUNT NO. AMOUNT
FILTER RECYCLING SERVICES RIALTO FACILITY, EPA #CAD982441481 HAS THE APPROPRIATE PERMIT(S) FOR, AND WILL ACCEPT THIS WASTE AS SHIPPED.

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	J. Waste Number
a. NON-RCRA HAZARDOUS SOLID, NOS (WOOD FIBER)	001	DM	00020	G	State 223 / EPA/Other
b.					State / EPA/Other
c.					State / EPA/Other
d.					State / EPA/Other

J. Additional Descriptions for Materials listed above
11a. WASTE OILY-WOOD PIPE SHAVINGS 04112002
One or more of the materials listed in Item 11 of this manifest may be recycled as alternative daily cover (ADC), or other method which uses the materials on the land.

K. Handling Codes for Wastes Listed Above
a. 01
b.
c.
d.

15. Special handling instructions and additional information
ALWAYS WEAR APPROPRIATE PROTECTIVE CLOTHING
24 HOUR EMERGENCY CONTACT 800-986-6924
BILL TO HCI ENV. & ENG. SVC.
SITE ADDRESS: 14151 MAGNOLIA AVE, CORONA CA 92879

Generator site 425 S. Palm Hemet, CA 92543 1x30

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Chris Turley As Agent
Signature:
Month 0 1 Day 1 7 Year 0 5

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Steven MacDonald
Signature:
Month 0 1 Day 1 7 Year 0 5

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name
Signature
Month Day Year

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Steven Masters
Signature:
Month 0 1 Day 1 8 Year 0 5

DO NOT WRITE BELOW THIS LINE.

Yellow: TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS. (Generators who submit hazardous waste for transport out-of-state, produce completed copy of this copy and send to DTSC within 30 days.)

DTSC 8022A (1/99)
EPA 8700—22

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-852-7550

23786698

State of California—Environmental Protection Agency
Form Approved OMB No. 2050-0039 (Expires 9-30-99)
Please print or type. Form designed for use on elite (12-pitch) typewriter.

See Instructions on back of page 6.

Department of Toxic Substances Con
Sacramento, California

23786699

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-852-7550

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: CAL000195201 — Manifest Document No.: 21610
2. Page 1 of 1
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address:
SKYLINES HOMES
PO BOX 2195
HEMET, CA 92546-2195

4. Generator's Phone (909) 654-9321

A. State Manifest Document Number: 23786699
B. State Generator's ID:
C. State Transporter's ID [Reserved]:
D. Transporter's Phone: (909) 421-2012
E. State Transporter's ID [Reserved]:
F. Transporter's Phone:
G. State Facility's ID: CAD982444481
H. Facility's Phone: (909) 421-2012

5. Transporter 1 Company Name: FILTER RECYCLING SERVICES, INC.
6. US EPA ID Number: CAD982444481

7. Transporter 2 Company Name:
8. US EPA ID Number:

9. Designated Facility Name and Site Address:
FILTER RECYCLING
180 W. MONTE AVENUE
RIALTO, CA 92316

10. US EPA ID Number: CAD982444481

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Number
a. NON-RCRA HAZARDOUS WASTE, LIQUID	001	DM	00020	G	State 223 / EPA/Other
b.					State / EPA/Other
c.					State / EPA/Other
d.					State / EPA/Other

FILTER RECYCLING SERVICES' RIALTO FACILITY, EPA #CAD982444481 HAS THE APPROPRIATE PERMIT(S) FOR, AND WILL ACCEPT THIS WASTE AS SHIPPED.

J. Additional Descriptions for Materials Listed Above
11a) WASTE OIL AND PIPE SHAVINGS 04111902

One or more of the materials listed in section 11 of this manifest may be recycled as alternative daily cover (ADC), or other method which uses the material in or on the land.

K. Handling Codes for Wastes Listed Above
a. 01 b. c. d.

15. Special Handling Instructions and Additional Information
ALWAYS WEAR APPROPRIATE PROTECTIVE CLOTHING
24 HOUR EMERGENCY CONTACT 800-988-4424
BILL TO HCI ENV. & ENG. SVC.
SITE ADDRESS: 1451 MAGNOLIA AVE. CORONA, CA 92877

Generator site: 920 W. Mayberry St Hemet, CA 92543 1120

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment, OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name	Signature	Month Day Year
Chris Tulley As Agent	[signature]	01 17 05

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name	Signature	Month Day Year
Steve Macdonald	[signature]	01 17 05

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name	Signature	Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name	Signature	Month Day Year
Steven Masters	[signature]	01 18 05

DO NOT WRITE BELOW THIS LINE.

Yellow: TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS (Generators who submit hazardous waste for transport out-of-state, produce completed copy of this copy and send to DTSC within 30 days.)

DTSC 8022A (1/99)
EPA 8700—22

TEXAS COMMISSION ON
ENVIRONMENTAL QUALITY
P.O. Box 13087
Austin, Texas 78711-3087

7-172-01

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: CAC002585945
Manifest Document No.: 23209
2. Page 1 of 1
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: ENDAR ~~27455 TIERRA ALTA WAY~~ 999 EAST TOUHY AVE DES PLAINES, ILL 60018 ~~TEMECULA~~ ~~CA 92590~~

4. Generator's Phone (847) 795-1354 ATTN: WALTER CHYTERBOK

A. State Manifest Document Number: S01131728

B. State Generator's ID: D0006

5. Transporter 1 Company Name: SAFETY-KLEEN SYSTEMS, INC
6. US EPA ID Number: TXR000050930

C. State Transporter's ID: 87109

D. Transporter's Phone: 909 862-8300

7. Transporter 2 Company Name:
8. US EPA ID Number:

E. State Transporter's ID:

F. Transporter's Phone:

9. Designated Facility Name and Site Address: 000618
SAFETY-KLEEN SYSTEMS, INC.
1722 COOPER CREEK ROAD
DENTON, TX 76208
10. US EPA ID Number: TXD077603371

G. State Facility ID: 65124

H. Facility's Phone: 940 483-5200

11A. HM	11. US DOT Description (including Proper Shipping Name, Hazard Class, ID Number and Packing Group)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
	a. NON RCRA HAZARDOUS WASTE LIQUIDS	030	DM	09000	P	OUTS2191
	b. NON RCRA HAZARDOUS WASTE LIQUIDS	006	DF	01800	P	OUTS2191
	c.					
	d.					

J. Additional Descriptions for Materials Listed Above
IA) NONE IB) NONE

K. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information
MFST R/T#105706491 0002-8698-55
EMERGENCY RESP 800-468-1760(24 HR). IF UNDELIVERABLE RETURN TO GENERATOR.
SK CORP AUTH'D TO USE SUBSEQUENT CARRIERS: 40343,41038,81681,82739,86256
SITE = CORONA SERVICE PARK
1461 MAGNOLIA AVE CORONA CA 92879 SKDOT# A: 23106 B: 23106 C: D:

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name and are classified, packed, marked, and labelled/placarded, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations, including applicable state regulations.
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed / Typed Name: Sean A. Peters
Signature: [signature]
Month Day Year: 01 18 05

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed / Typed Name: David L. Bennett
Signature: David L. Bennett
Date: Month Day Year: 01 18 05

18. Transporter 2 Acknowledgement or Receipt of Materials
Printed / Typed Name:
Signature:
Date: Month Day Year:

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed / Typed Name:
Signature:
Date: Month Day Year:

GENERATOR

TRANSPORTER

FACILITY

7-172-01

BILL OF LADING/MANIFEST

1. Shipper's US EPA ID No. (If Applicable): CAC002585945

Document No.: 76907

2. Page 1 of 1

3. Shipper's Name and Mailing Address: ENDAR
27455 TIERRA ALTA WAY
TEMECULA CA 92590

4. Shipper's Phone: (847)795-1354

5. Transporter 1 Company Name: SAFETY-KLEEN SYS. INC

6. US EPA ID Number: TXR000050930

A. Transporter's Phone: 800 669-5740

7. Transporter 2 Company Name:

8. US EPA ID Number:

B. Transporter's Phone:

9. Designated Facility Name and Site Address: 000618
SAFETY-KLEEN SYSTEMS, INC.
1722 COOPER CREEK ROAD
DENTON, TX 76208

10. US EPA ID Number: TXD077603371

C. Facility's Phone: 940 483-5200

	11. Shipping Name and Description	HM	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol
a.	RESIDUE: LAST CONTAINED RAIN WATER		007	DM	00280	P
b.	~~RESIDUE: LAST CONTAINED RAIN WATER~~			DF		R
c.						
d.						

SHIPPER

15. Special Handling Instruction and Additional Information

MFST R/T#105708518 0002-8698-55
EMERGENCY RESP 800-468-1760(24 HR). IF UNDELIVERABLE RETURN TO GENERATOR.
SK CORP AUTH'D TO USE SUBSEQUENT CARRIERS: 40343,41038,81681,82739,86256
SITE ADDRESS = CORONA SERVICE PARK
1451 MAGNOLIA AVE SKDOT# A: 1617 B: C: D:
CORONA, CA. 92879

PSE 16A OR 16B

16a. US DOT HAZARDOUS MATERIALS SHIPPER'S CERTIFICATION: "This is to certify that the above-named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according to the applicable regulations of the Department of Transportation

Printed/Typed Name | Signature required here if US DOT regulated | Month | Day | Year

16b. NON-REGULATED SHIPPER'S CERTIFICATION: I certify the materials described above on this form are not subject to federal regulations for Transportation or Disposal.

Printed/Typed Name: Sean A. Peters | Sign here if material is not DOT regulated | Month: 01 | Day: 18 | Year: 05

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name: David L. Bennett | Signature | Month: 01 | Day: 18 | Year: 05

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name | Signature | Month | Day | Year

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of materials covered by this form except as noted in Item 19.

Printed/Typed Name | Signature | Month | Day | Year

IN EVENT OF EMERGENCY CALL
1-800-468-1760 (24 hours)

NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: EXEMPT

Manifest Document No.: 46698

2. Page 1 of 1

3. Generator's Name and Mailing Address
Santa Ana Watershed Project Authority
11615 Sterling Ave., Riverside, CA. 92503

4. Generator's Phone (951) 354-4241

5. Transporter 1 Company Name: Haz Mat Trans, Inc.
6. US EPA ID Number: CAT 080 012 800

A. State Transporter's ID
B. Transporter 1 Phone: 909-889-5607

7. Transporter 2 Company Name:
8. US EPA ID Number:

C. State Transporter's ID
D. Transporter 2 Phone:

9. Designated Facility Name and Site Address
D/K Environmental
3650 E. 26th St.
Vernon, CA. 90023

10. US EPA ID Number: CAT 080 033 681

E. State Facility's ID
F. Facility's Phone: 323-268-5056

11. WASTE DESCRIPTION	12. Containers No.	Type	13. Total Quantity	14. Unit Wt./Vol.
a. (soil drillings) NON-HAZARDOUS WASTE SOLID	001	D M	00500	P
b.				
c.				
d.				

G. Additional Descriptions for Materials Listed Above
a.) soil drillings - Profile # 350119-12

H. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information
GLOVES & GOGGLES
Job Site: Hillside Drive
Norco, CA.
Drum Pick up From Former Advanced Fuel Site 1457 Magnolia Corona
Per EPA Generator Recall
Eng. #909-889-5607

16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.

Agent For
Printed/Typed Name: Michael OJALA
Signature: [signature]
Date: Month 01 Day 19 Year 00

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: MICHAEL OJALA
Signature: [signature]
Date: Month 01 Day 19 Year 00

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name:
Signature:
Date: Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.
Printed/Typed Name:
Signature:
Date: Month Day Year

GENERATOR
TRANSPORTER
FACILITY
NON-HAZARDOUS WASTE

State of California—Environmental Protection Agency
Form Approved OMB No. 2050-0039 (Expires 9-30-99)
Please print or type Form designed for use on elite (12-pitch) typewriter.

See Instructions on back of page 6.

Department of Toxic Substances Control
Sacramento, California

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. CAE120123233 | Manifest Document No. 3 7 2 3 1 | 2. Page 1 of 1

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
Attn: J. MARTIN, MET240E
SHELL OIL PRODUCTS US
12700 NORTHBROOK DR.
HOUSTON, TX 77067-2509

4. Generator's Phone (281) 674-2233

A. State Manifest Document Number 23861847

B. State Generator's ID

5. Transporter 1 Company Name: ADAMS SERVICES, INC.
6. US EPA ID Number: CAD982212308

C. State Transporter's ID (Reserved.)

D. Transporter's Phone 310 323-4330

7. Transporter 2 Company Name
8. US EPA ID Number

E. State Transporter's ID (Reserved.)

F. Transporter's Phone

9. Designated Facility Name and Site Address
DEMENNO/KERDOON
2000 N. ALAMEDA STREET
COMPTON, CA 90222
10. US EPA ID Number: CAT080013352

G. State Facility's ID CAT080013352

H. Facility's Phone 310 537-7100

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Number
a. RQ, WASTE GASOLINE MIXTURE, 9, UN1203, PGII (D001)(D018) ERG#128	11	DM	2000	G	State 134; EPA/Other D001 D018
b.					State; EPA/Other
c.					State; EPA/Other
d.					State; EPA/Other

J. Additional Descriptions for Materials Listed Above
a) RINSATE-GASOLINE

K. Handling Codes for Wastes Listed Above
a. b. c. d.

15. Special Handling Instructions and Additional Information
24 HOUR EMERGENCY PHONE NUMBER (800) 424-9300
ENGINEER: FRANCISCO O. DERBAL SAP# 135381

TRACKER:
SERVICE STATION 195261
EAST COVINA/I-10
INDIO, CA 92201

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name RYDER L. ADAMS | Signature | Month 01 Day 19 Year 05

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name CHAD CHRISTIE | Signature | Month 01 Day 19 Year 05

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name 41515 | Signature | Month | Day | Year

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name | Signature | Month | Day | Year

GENERATOR

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802: WITHIN CALIFORNIA, CALL 1-800-852-7550

DO NOT WRITE BELOW THIS LINE.

41616

DTSC 8022A (1/99)
EPA 8700—22

White: TSDF SENDS THIS COPY TO DTSC WITHIN 30 DAYS.
To: P.O. Box 3000, Sacramento, CA 95812

Hertz
Equipment Rental

E 15 - [illegible]
mag (L)

BILL OF LADING
~~SERVICE CALL~~

Date: 1/30/04
Time: 1:15 PM

Customer:	Hertz Equip rental		
Jobsite:	Advanced Steels	**Map Page:**	
Address:	551 Magnolia, Corona		
TRANSPORTER			
	Armando Cardenas		
Caller:			
Phone #	Contact on site VR Products 951-545-6221		

Make:		**Miles/Hours:**	
Model:		**B-Service:**	
I.C. #:		**A.N.S.I:**	
Serial #:		**D.O.T./B.I.T:**	

Problem:	
Action Taken:	[illegible] 2 [illegible]
	19034 E Arrow Hwy
	Corona, CA 91722

MATERIALS & PARTS

Qty.	Part #	Description
2		55 gal Drums of [illegible] waste
		NON-NUMBERED INVENTORY

Serviceman:		**SRO #:**	
Arrived Job:		**Arrived at shop:**	
Completed:		**Employee #:**	

State of California—Environmental Protection Agency
Form Approved OMB No. 2050-0039 (Expires 9-30-99)
Please print or type. *Form designed for use on elite (12-pitch) typewriter.*

See Instructions on back of page 6.

Department of Toxic Substances Contr
Sacramento, California

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802: WITHIN CALIFORNIA, CALL 1-800-852-7550

GENERATOR

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: CAL000287559 — Manifest Document No.: 08720
2. Page 1 of 1

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
VRT ENVIRONMENTAL SOLUTION
P.O. BOX 1369
WILDOMAR CA 92595

4. Generator's Phone (909)615-1005

A. State Manifest Document Number: 24008720

B. State Generator's ID:

5. Transporter 1 Company Name: ASBURY ENVIRONMENTAL SERVICES

6. US EPA ID Number: CAD028277036

C. State Transporter's ID [Reserved.]

D. Transporter's Phone: (800)974-4495

7. Transporter 2 Company Name:

8. US EPA ID Number:

E. State Transporter's ID [Reserved.]

F. Transporter's Phone:

9. Designated Facility Name and Site Address
DEMENNO / KERDOON
2000 NORTH ALAMEDA STREET
COMPTON CA 90222

10. US EPA ID Number: CAT080013352

G. State Facility's ID:

H. Facility's Phone: (310)537-7100

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Number
a. RQ, WASTE GASOLINE, 3, UN1203, PG II (D001, D018)	003	TP	00800	G	State 343 / EPA/Other D001
b. RQ, WASTE GASOLINE, 3, UN1203, PG II (D001, D018)	002	DM	00040	G	State 343 / EPA/Other D001
c. RQ, WASTE FLAMMABLE LIQUID, N.O.S., (JP-8), 3, UN1993, PG III (D001.)	001	DM	00020	G	State 343 / EPA/Other D001
d. NON-RCRA HAZARDOUS WASTE, LIQUID (OILY WATER)	001	TP	00275	G	State 223 / EPA/Other NONE

J. Additional Descriptions for Materials Listed Above
11A) GASOLINE AND DIESEL
11B) FUEL SAMPLES (GASOLINE AND DIESEL)
11C) CLEANER SOLUTION "COMMODITY PACK"
11D) OILY WATER

K. Handling Codes for Wastes Listed Above
a. b. c. d.

15. Special Handling Instructions and Additional Information
USE PPE
NAERG #: 11A. 128, 11B. 128, 11C. 128, 11D. 171
SITE: 1451 MAGNOLIA AVE, CORONA, CA 92879

EMERGENCY CONTACT: CHEMTREC 1-800-424-9300
11a. INCLUDES EPA #190 CONTENT

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: TERRENCE WOOD — Signature: [signature] — Month 01 Day 26 Year 05

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: RAFAEL ARCELANO — Signature: [signature] — Month 01 Day 26 Year 05

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: — Signature: — Month Day Year

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: — Signature: — Month Day Year

DO NOT WRITE BELOW THIS LINE.

DTSC 8022A (1/99)
EPA 8700—22

White: TSDF SENDS THIS COPY TO DTSC WITHIN 30 DAYS.
To: P.O. Box 3000, Sacramento, CA 95812

State of California—Environmental Protection Agency
Form Approved OMB No. 2050-0039 (Expires 9-30-99)
Please print or type. *Form designed for use on elite (12-pitch) typewriter.*

See Instructions on back of page 6.

Department of Toxic Substances Cont
Sacramento California

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: CAT000087559 — Manifest Document No.: 04546
2. Page 1 of 1

Information in the shaded areas is not required by Federal law

3. Generator's Name and Mailing Address
VRT Environmental Solutions
1451 Magnolia Ave
Corona, CA 92879

4. Generator's Phone (909) 615-1005

A. State Manifest Document Number: 24205132

B. State Generator's ID:

5. Transporter 1 Company Name: Filter Recycling Services, Inc.
6. US EPA ID Number: CAD982444481

C. State Transporter's ID [Reserved.]

D. Transporter's Phone: (909)873-4141

7. Transporter 2 Company Name:
8. US EPA ID Number:

E. State Transporter's ID [Reserved.]

F. Transporter's Phone:

9. Designated Facility Name and Site Address
Filter Recycling Services, Inc.
180 W. Monte Avenue
Rialto, CA 92316

10. US EPA ID Number: CAD982444481

G. State Facility's ID:

H. Facility's Phone: (909)421-2012

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	12. Containers Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Number
a. Non-RCRA hazardous waste solid	001	DM	00200	P	State 331; EPA/Other NONE
b.					State; EPA/Other
c.					State; EPA/Other
d.					State; EPA/Other

J. Additional Descriptions for Materials Listed Above
11a) fuel filters Profile #05012802

K. Handling Codes for Wastes Listed Above
a. b. c. d.

15. Special Handling Instructions and Additional Information
24 Hour Emergency Service 909-721-2038 DRUM # A-7

WEAR APPROPRIATE PROTECTIVE EQUIPMENT

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: H.D. HARROUN, JR. Signature: [signature] Month 02 Day 01 Year 05

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: [signature] Signature: [signature] Month 02 Day 01 Year 05

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Signature: Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Signature: Month Day Year

GENERATOR — TRANSPORTER — FACILITY

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-852-7550

24205132

DO NOT WRITE BELOW THIS LINE.

DTSC 8022A (1/99)
EPA 8700—22

White: TSDF SENDS THIS COPY TO DTSC WITHIN 30 DAYS.
To: P.O. Box 3000, Sacramento, CA 95812

NON-HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: C·A·L·0·0·0·2·8·7·5·5·9
Manifest Document No.: 0·4·5·4·6
2. Page 1 of 1
1/31/2005

3. Generator's Name and Mailing Address
VRT Environmental Solutions
1451 Magnolia Ave
Corona, CA 92879
4. Generator's Phone (909) 615-1005

5. Transporter 1 Company Name: Filter Recycling Services, Inc.
6. US EPA ID Number: C·A·D·9·8·2·4·4·4·4·8·1
A. Transporter's Phone: (909) 873-4141

7. Transporter 2 Company Name
8. US EPA ID Number
B. Transporter's Phone

9. Designated Facility Name and Site Address
Filter Recycling Services, Inc.
180 W. Monte Avenue
Rialto, CA 92316
10. US EPA ID Number: C·A·D·9·8·2·4·4·4·4·8·1
C. Facility's Phone: (909) 421-2012

11. Waste Shipping Name and Description	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol
a. Non-Hazardous waste solid	004	DM	02000	P
b.				
c.				
d.				

D. Additional Descriptions for Materials Listed Above
11a) diesel & absorbent Profile # 05012401

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information
24 Hour Emergency Service 909-721-2038 DRUMS# 4, 146, A-12, A-13

WEAR APPROPRIATE PROTECTIVE EQUIPMENT

16. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name: HD HARROUN, SR
Signature
Month 02 Day 01 Year 05

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name: O'Brien MacDonald
Signature
Month 02 Day 01 Year 05

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name
Signature
Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name
Signature
Month Day Year

GENERATOR
TRANSPORTER
FACILITY

ORIGINAL - RETURN TO GENERATOR

ADVANCED
ENVIRONMENTAL SERVICES, INC.
Corporate Office: 7 Amato • Mission Viejo, CA 92692
Tel: (800) 850-8680 • Tel: (949) 454-2546 • Fax: (949) 454-2567

Please print or type CL# 769519

NON-HAZARDOUS WASTE MANIFEST

2003

NON-HAZARDOUS WASTE MANIFEST	1. Generator's US EPA ID No. CAD 981 442 601	Manifest Document No. 2003	2. Page 1 of 1

3. Generator's Name and Mailing Address: WINDPOWER PARTNERS 93
PO BOX 580-924
N. PALM SPRINGS CA 92258

4. Generator's Phone (760) 329-1413

5. Transporter 1 Company Name: UNITED PUMPING
6. US EPA ID Number: CAD 072 953 771
A. Transporter 1 Phone: 626-961-9326

7. Transporter 2 Company Name:
8. US EPA ID Number:
B. State Transporter's ID:
C. Transporter 2 Phone:

9. Designated Facility Name and Site Address: THERMAL REMEDIAL SOLUTIONS
1211 W. GLADSTONE
AZUSA CA 91702
10. US EPA ID Number: N/A
D. State Facility's ID:
E. Facility's Phone: 626-338-3939

11. WASTE DESCRIPTION	Containers No	Containers Type	13. Total Quantity	14. Unit Wt./Vol.
a. NON_HAZARDOUS WASTE, SOLID	1	Cu	4	V
b.				
c.				
d.				

F. Additional Description for Materials Listed Above
11A. SOIL WITH OIL
box # ADV005

G. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information
ALWAYS WEAR APPROPRIATE PPE
BILL: ADVANCED ENVIRONMENTAL SVCS INC
WORK ORDER# jw-20401-05

Alternative Facility
SITE ADDRESS:
62125 DILLON ROAD
NORTH PALM SPRINGS CA 92255

16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.

Date

Printed/Typed Name: CORONA SERVICE MARK
Signature: [signature]
Month 01 Day 00 Year 05

17. Transporter 1 Acknowledgement of Receipt of Materials
Date

Printed/Typed Name: [illegible]
Signature: [signature]
Month [illegible] Day [illegible] Year [illegible]

18. Transporter 2 Acknowledgement of Receipt of Materials
Date

Printed/Typed Name
Signature
Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of the waste materials covered by this manifest, except as noted in Item 19.

Date

Printed / Typed Name
Signature
Month Day Year

State of California—Environmental Protection Agency
Form Approved OMB No. 2050-0039 (Expires 9-30-99)
Please print or type. *Form designed for use on elite (12-pitch) typewriter.*

See Instructions on back of page 6.

Department of Toxic Substances Contr
Sacramento, California

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. CAL000285144 Manifest Document No. 019514
2. Page 1 of 1

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
SANDERS AND WOHRMAN
709 N. POPLAR STREET.
ORANGE CA 92685

4. Generator's Phone (714 919-0445

A. State Manifest Document Number 24400954

B. State Generator's ID

5. Transporter 1 Company Name
ENVIRONMENTAL RECOVERY SERVICES, INC.

6. US EPA ID Number CAD009703992

C. State Transporter's ID [Reserved.]

D. Transporter's Phone (562) 427-7277

7. Transporter 2 Company Name

8. US EPA ID Number

E. State Transporter's ID [Reserved.]

F. Transporter's Phone

9. Designated Facility Name and Site Address
TERIS - WEST
1737 EAST DENNI ST.
WILMINGTON CA 90744

10. US EPA ID Number CAD044429835

G. State Facility's ID

H. Facility's Phone (310) 835-0775

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	12. Containers Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Number
a. RQ, WASTE FLAMMABLE LIQUID, N.O.S., 3, UN1993, PG II (PETROLEUM DISTILLATES, MIMERAL SPIRITS)	002	DM	001110	G	State 214; EPA/Other D001
b.					State; EPA/Other
c.					State; EPA/Other
d.					State; EPA/Other

J. Additional Descriptions for Materials Listed Above
NAERG #: 11A 128
11A) 1484352 - PAINT THINNER
EPA DRUMS: #14 AND #17

K. Handling Codes for Wastes Listed Above
a. b.
c. d.

15. Special Handling Instructions and Additional Information
EMERGENCY CALL ENVIROSERV 1-562-427-7277
** BILL TO ENVIRONMENTAL RECOVERY SERVICES ** USE PROPER SAFETY EQUIPMENT ERS W.O. # 22980 ** LK
* NOTE: DRUMS RECALLED PER GENERATOR AT ADVANCED FUEL FILTRATION - 1451 MAGNOLIA AVE. - CORONA, CA 92879 AND REDIRECTED TO ALTERNATIVE TSDF.

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: JULIO OCHOA AGENT OF. Signature: Julio Ochoa Month 01 Day 24 Year 05

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: JULIO OCHOA Signature: Julio Ochoa Month 01 Day 24 Year 05

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Signature: Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Signature: Month Day Year

GENERATOR — TRANSPORTER — FACILITY

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-852-7550

DO NOT WRITE BELOW THIS LINE.

DTSC 8022A (1/99)
EPA 8700—22

White: TSDF SENDS THIS COPY TO DTSC WITHIN 30 DAYS.
To: P.O. Box 3000, Sacramento, CA 95812

State of California—Environmental Protection Agency
Form Approved OMB No. 2050-0039 (Expires 9-30-99)
Please print or type. *Form designed for use on elite (12-pitch) typewriter.*

See Instructions on back of page 6.

Department of Toxic Substances Cont
Sacramento, California

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-852-7550

GENERATOR

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: CAL000269349 — Manifest Document No.:
2. Page 1 of 1
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
PARAMOUNT MACHINE CO.
10824 EDISON COURT
RANCHO CUCA MONGA CA
4. Generator's Phone (909 484-3600

A. State Manifest Document Number: 24400973
B. State Generator's ID:

5. Transporter 1 Company Name: ENVIRONMENTAL RECOVERY SERVICES, INC.
6. US EPA ID Number: CA0000970392
C. State Transporter's ID [Reserved.]
D. Transporter's Phone: (562) 427-7277

7. Transporter 2 Company Name:
8. US EPA ID Number:
E. State Transporter's ID [Reserved.]
F. Transporter's Phone:

9. Designated Facility Name and Site Address
CROSBY & OVERTON
1630 W. 17TH STREET
LONG BEACH CA 90509
10. US EPA ID Number: CAD028409019
G. State Facility's ID:
H. Facility's Phone: (562) 432-5445

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Number
a. NON RCRA HAZRDOUS WASTE, LIQUID (OIL)	003	DM	00165	G	State 221 / EPA/Other NONE
b. NON RCRA HAZARDOUS WASTE, SOLID (MACHINE CUTTINGS)	002	DM G	00110	~~P~~ G	State 181 / EPA/Other NONE
c.					State / EPA/Other
d.					State / EPA/Other

J. Additional Descriptions for Materials Listed Above
NAERG #: 11A NONE
11A) 50653 - OIL EPA DRUMS: #6, #8, AND #9
11B) 50654 - MACHINE CUTTINGS EPA DRUMS: #7 AND #23

K. Handling Codes for Wastes Listed Above
a. b.
c. d.

15. Special Handling Instructions and Additional Information
EMERGENCY CALL ENVIROSERV 1-562-427-7277
** BILL TO ENVIRONMENTAL RECOVERY SERVICES ** USE PROPER SAFETY EQUIPMENT ERS W.O. #22998 ** LK
* NOTE: DRUMS RECALLED PER GENERATOR AT ADVANCED FUEL FILTRATION - 1451 MAGOLIA AVE. - CORONA, CA 92879 AND REDIRECTED TO ALTERNATIVE TSDF.

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name	Signature	Month	Day	Year
JULIO OCHOA AGENT OP	Julio Ochoa	01	24	05

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name	Signature	Month	Day	Year
JULIO OCHOA	Julio Ochoa	01	24	05

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name	Signature	Month	Day	Year

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name	Signature	Month	Day	Year

DO NOT WRITE BELOW THIS LINE.

DTSC 8022A (1/99)
EPA 8700—22

White: TSDF SENDS THIS COPY TO DTSC WITHIN 30 DAYS.
To: P.O. Box 3000, Sacramento, CA 95812

State of California—Environmental Protection Agency
Form Approved OMB No. 2050-0039 (Expires 9-30-99)
Please print or type. *Form designed for use on elite (12-pitch) typewriter.*

See Instructions on back of page 6.

Department of Toxic Substances Con
Sacramento, California

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-852-7550

24012429

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: CAL000278943 — Manifest Document No.: 12429
2. Page 1 of 1

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
ADVANCED FUEL FILTRATIONS SYSTEMS, INC.
1451 MAGNOLIA AVE.
CORONA CA 92879

4. Generator's Phone (909 615-1006

A. State Manifest Document Number: 24012429

B. State Generator's ID

5. Transporter 1 Company Name: ASBURY ENVIRONMENTAL SERVICES

6. US EPA ID Number: CAD028277036

C. State Transporter's ID [Reserved.]

D. Transporter's Phone: (800)974-4495

7. Transporter 2 Company Name

8. US EPA ID Number

E. State Transporter's ID [Reserved.]

F. Transporter's Phone

9. Designated Facility Name and Site Address
DEMENNO / KERDOON
2500 NORTH ALAMEDA STREET
COMPTON CA 90222

10. US EPA ID Number: CAT080012352

G. State Facility's ID

H. Facility's Phone: (310)537-7100

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	12. Containers Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Number
a. NON-RCRA HAZARDOUS WASTE, LIQUID (OILY WATER)	001	TT	02200	G	State 133 / EPA/Other NONE
b.					State / EPA/Other
c.					State / EPA/Other
d.					State / EPA/Other

J. Additional Descriptions for Materials Listed Above
11A 257634 OILY WATER

K. Handling Codes for Wastes Listed Above
a. R01 b. c. d.

15. Special Handling Instructions and Additional Information
PROJECT#46135A10-HOUSE ACCOUNT CEASER FRAMIREZ
EMERGENCY CONTACT: CHEMTREC 1-800-424-9300 NAERG#171

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name	Signature	Month Day Year
[illegible]	[signature]	02 09 05

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name	Signature	Month Day Year
GREG FRANCOIS	[signature]	02 09 05

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name	Signature	Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name	Signature	Month Day Year

GENERATOR / TRANSPORTER / FACILITY

DO NOT WRITE BELOW THIS LINE.

DTSC 8022A (1/99)
EPA 8700—22

Blue: GENERATOR SENDS THIS COPY TO DTSC WITHIN 30 DAYS.
To: P.O. Box 400, Sacramento, CA 95812-0400

State of California—Environmental Protection Agency
Form Approved OMB No. 2050-0039 (Expires 9-30-99)
Please print or type. *Form designed for use on elite (12-pitch) typewriter.*

See Instructions on back of page 6.

Department of Toxic Substances Control
Sacramento, California

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-852-7550

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: CAL000278945
Manifest Document No.: 12441
2. Page 1 of 1
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
ADVANCED FUEL FILTRATIONS SYSTEMS, INC.
1451 MAGNOLIA AVE.
CORONA CA 92879
4. Generator's Phone (909)615-1006

A. State Manifest Document Number: 24012441
B. State Generator's ID:

5. Transporter 1 Company Name: ASBURY ENVIRONMENTAL SERVICES
6. US EPA ID Number: CAD028277036
C. State Transporter's ID [Reserved.]
D. Transporter's Phone: (800)974-4495

7. Transporter 2 Company Name:
8. US EPA ID Number:
E. State Transporter's ID [Reserved.]
F. Transporter's Phone:

9. Designated Facility Name and Site Address
DEMENNO / KERDOON
2000 NORTH ALAMEDA STREET
COMPTON CA 90222
10. US EPA ID Number: CAT080013352
G. State Facility's ID:
H. Facility's Phone: (310)537-7100

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	12. Containers Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Number
a. RQ, WASTE FLAMMABLE LIQUID, N.O.S., (OIL, PAINT), 3, UN1993, PG.II (D001)	001	TT	01500	G	State 331; EPA/Other D001
b.					State; EPA/Other
c.					State; EPA/Other
d.					State; EPA/Other

J. Additional Descriptions for Materials Listed Above
11A) PAINT / OIL / WATER
48187A10
A0800

K. Handling Codes for Wastes Listed Above
a. b.
c. d.

15. Special Handling Instructions and Additional Information
USE PPE
NAERG #. 11A 128
EMERGENCY CONTACT: CHEMTREC 1-800-424-9300

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Douglas L. Parker
Signature: Douglas L. Parker
Month Day Year: 02 11 05

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Ricardo Quezada
Signature: [signature]
Month Day Year: 02 11 05

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name:
Signature:
Month Day Year:

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name:
Signature:
Month Day Year:

GENERATOR / TRANSPORTER / FACILITY

DO NOT WRITE BELOW THIS LINE.

DTSC 8022A (1/99)
EPA 8700—22

White: TSDF SENDS THIS COPY TO DTSC WITHIN 30 DAYS.
To: P.O. Box 3000, Sacramento, CA 95812

State of California—Environmental Protection Agency
Form Approved OMB No. 2050-0039 (Expires 9-30-99)
Please print or type. *Form designed for use on elite (12-pitch) typewriter.*

See Instructions on back of page 6.

Department of Toxic Substances
Sacramento, California

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-852-7550

2420262U

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: CAL000072945 — Manifest Document No.: 0 4 0 1 3
2. Page 1 of 1

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
Advanced Fuel Filtration Systems
1451 Magnolia Avenue
Corona, CA 92879
4. Generator's Phone (909) 615-1000

A. State Manifest Document Number: 2420262

B. State Generator's ID

5. Transporter 1 Company Name: Filter Recycling Services, Inc.
6. US EPA ID Number: CAD982444461

C. State Transporter's ID [Reserved.]

D. Transporter's Phone: (909) 873-4141

7. Transporter 2 Company Name
8. US EPA ID Number

E. State Transporter's ID [Reserved.]

F. Transporter's Phone

9. Designated Facility Name and Site Address
Filter Recycling Services, Inc.
100 W. Monte Avenue
Rialto, CA 92316
10. US EPA ID Number: CAD982444461

G. State Facility's ID

H. Facility's Phone: (909) 421-2012

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Number
a. Non-RCRA hazardous waste solid	010	DM	05000	P	State 352; EPA/Other NONE
b. Non-RCRA hazardous waste solid	001	DM	00250	P	State 352; EPA/Other NONE
c. Non-RCRA hazardous waste solid	001	DM	00250	P	State 352; EPA/Other NONE
d. Non-RCRA hazardous waste solid	003	DM	00100	P	State 352; EPA/Other NONE

J. Additional Descriptions for Materials Listed Above
11a) ~~[illegible]~~ Profile 05020713
11b) jet fuel & PPE Profile 05020714
11c) absorbent & fuel filters Profile 05020715
11d) drained used oil filters Profile 05020716

K. Handling Codes for Wastes Listed Above
a. b.
c. d.

15. Special Handling Instructions and Additional Information
24 Hour Emergency Service 909 721-2031
b) c) d)
WEAR APPROPRIATE PROTECTIVE EQUIPMENT

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Douglas L. Parker — Signature: [signature] — Month 02 Day 14 Year 03

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Steven McDonald — Signature: [signature] — Month 02 Day 14 Year 03

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name — Signature — Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name — Signature — Month Day Year

GENERATOR — TRANSPORTER — FACILITY

DO NOT WRITE BELOW THIS LINE.

DTSC 8022A (1/99)
EPA 8700—22

Yellow: GENERATOR RETAINS

NON-HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. . . . . .

Manifest Document No. 0·4·9·1·9

2. Page 1 of 1

3. Generator's Name and Mailing Address
Advanced Fuel Filtration Systems
1451 Magnolia Avenue
Corona, CA 92879

4. Generator's Phone (909) 615-1006

5. Transporter 1 Company Name: Filter Recycling Services, Inc.

6. US EPA ID Number: C·A·D·9·8·2·4·4·4·4·8·1

A. Transporter's Phone: [illegible]

7. Transporter 2 Company Name:

8. US EPA ID Number: . . . . . .

B. Transporter's Phone:

9. Designated Facility Name and Site Address
Filter Recycling Services, Inc.
180 W. Monte Avenue
Rialto, CA 92316

10. US EPA ID Number: C·A·D·9·8·2·4·4·4·4·8·1

C. Facility's Phone: (909·[illegible]

11. Waste Shipping Name and Description	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol
a. Non-Hazardous waste solid	[illegible]	D·M	[illegible]	P
b.				
c.				
d.				

D. Additional Descriptions for Materials Listed Above
Ma' Oil, diesel, gas & soil Profile 05020712

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information
24 Hour Emergency Service 909-721-2038

WEAR APPROPRIATE PROTECTIVE EQUIPMENT

16. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name: [illegible] L. Parker | Signature: [illegible] | Month: [illegible] | Day: 0.4 | Year: 0.5

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name: [illegible] | Signature: [illegible] | Month: [illegible] | Day: [illegible] | Year: [illegible]

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name: | Signature: | Month: | Day: | Year:

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name: | Signature: | Month: | Day: | Year:

GENERATOR

TRANSPORTER

FACILITY

GENERATOR'S COPY

SERVICE ORDER

SAN DIEGO OFFICE
1-800-748-5744

NORTHERN OFFICE
1-800-7-ASBURY

SERVICE ORDER NO.
521545

ASBURY ENVIRONMENTAL SERVICES
2100 NORTH ALAMEDA STREET ☐ COMPTON, CALIFORNIA 90222
(310) 886-1810 ☐ FAX (310) 898-1608
CAD028277036

SHIPPED TO
ADVANCED FUEL FILTRATION SYSTE
1451 MAGNOLIA AVE.
CORONA, CA 92879
(909) 520-9270

1451 MAGNOLIA AVE.
CORONA, CA 92879
(909) 520-9270

CUSTOMER	PURCHASE ORDER	SALESMAN	CONTACT	
ADV382		4	DOUG PARKER	crystal
DATE REQUIRED	**SHIPPED VIA**	**DATE ENTERED**	**CUSTOMER EPA ID NUMBER**	**HALIDES P.P.M.**
2/8/2005	ASBURY	2/7/2005	CAL000278945	

PRODUCT NO.	DESCRIPTION	U/M	QUANTITY ORDERED	QUANTITY SHIPPED	QUANTITY B/O	CUSTOMER COMMENTS
AF	WASTE ANTI-FREEZE		200		$0.70	$140.00
COD ONLY!! 2:56						
	Cross Streets:					
	******** PLEASE NOTE **********					
	ASBURY NOW SELLS NEW ANTIFREEZE PRODUCT					
	CALL FOR DETAILS					

WASTE DISPOSAL INFORMATION

☐ NON-RCRA HAZARDOUS WASTE, LIQUID (USED OIL/MIXED OILS) STATE CODE _____
NO PLACARDS REQUIRED

☒ NON-RCRA HAZARDOUS WASTE, LIQUID STATE CODE 134
ETHYLENE GLYCOL SOLUTIONS *NO PLACARDS REQUIRED*

☐ NON-HAZ DRAINED USED OIL FILTERS FACILITY _____

☐ OTHER: _____

MANIFEST NO. 23432109

TRUCK NO. 68

PAYMENT INFORMATION

GALLONS: 55 AMOUNT (If any) $38.50

DRUMS: _____ CHECK NUMBER _____

DRUM SIZE: _____ P.O. NUMBER _____

CASH RECEIVED _____

☐ DESIGNATED TSDF: DeMenno/Kerdoon, 2000 N. Alameda Street, Compton, CA 90222, (310) 537-7100, CAT080013352
☒ DESIGNATED TSDF: Advanced Environmental, Inc., 13579 Whittram Ave., Fontana, CA 92335, (909) 356-0245, CAT080025711
☐ ALTERNATE TSDF: _____

NOTES TO DRIVER
EFFECTIVE IMMEDIATELY - ANTIFREEZE RECYCLE
NEXT SERVICE DATE RE CALCULATED AS FOLLOWS: PER GAL
OF 100% A/F PURCHASED=2 GAL P/U @ NO CHARGE
50/50 A/F PURCHASED = 1 GAL P/U @ NO CHARGE
ADDT'L GAL P/U WILL BE CHARGED ACCORDINGLY

I HEREBY CERTIFY THAT I HAVE NOT MIXED THIS WASTE WITH ANY OTHER WASTE, THAT THE TOTAL HALIDES ARE LESS THAN 1000 P.P.M.; AND THAT THE WASTE DOES NOT CONTAIN ANY P.C.B.'S.
I FURTHER AGREE TO ACCEPT THE ADDITIONAL CHARGES FOR LEGAL DISPOSAL IF THIS WASTE IS OVER 1000 P.P.M. TOTAL HALIDES, OR CONTAINS ANY P.C.B.'S.

DELIVERED BY [signature] DATE 2-10-05

This is to certify that the above named articles are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation, according to the applicable regulations of the Department of Transportation.

PRINT NAME Douglas L Parker

SERVICE ORDER

SAN DIEGO OFFICE
1-800-748-5744

NORTHERN OFFICE
-800-7-ASBURY

SERVICE ORDER NO.
521543

ASBURY ENVIRONMENTAL SERVICES
2100 NORTH ALAMEDA STREET ☐ COMPTON, CALIFORNIA 90222
(310) 886-1810 ☐ FAX (310) 898-1608
CAD028277036

SHIPPED TO

ADVANCED FUEL FILTRATION SYSTE
1451 MAGNOLIA AVE.

CORONA, CA 92879
(909) 520-9270

1451 MAGNOLIA AVE.

CORONA, CA 92879
(909) 520-9270

CUSTOMER	PURCHASE ORDER	SALESMAN	CONTACT	
ADV352		4	DOUG PARKER	crystal
DATE REQUIRED	SHIPPED VIA	DATE ENTERED	CUSTOMER EPA ID NUMBER	HALIDES P.P.M.
2/8/2005	ASBURY	2/7/2005	CAL000278945	D-250

PRODUCT NO.	DESCRIPTION	U/M	QUANTITY ORDERED	QUANTITY SHIPPED	QUANTITY B/O	CUSTOMER COMMENTS
WO	WASTE OIL (PER GALLON)		385		$0.10	$38.50
WOSC	WASTE OIL SERVICE CHARGE		1		$55.00	$55.00
COD ONLY!!	2:53					
	Cross Streets					PAGED DRIVER
	********PLEASE NOTE********					
ASBURY NOW SELLS NEW ANTIFREEZE PRODUCT						
	CALL FOR DETAILS					

WASTE DISPOSAL INFORMATION

☒ NON-RCRA HAZARDOUS WASTE, LIQUID (USED OIL/MIXED OILS) STATE CODE 221
NO PLACARDS REQUIRED

GALLONS: 100

☐ NON-RCRA HAZARDOUS WASTE, LIQUID STATE CODE_____
ETHYLENE GLYCOL SOLUTIONS *NO PLACARDS REQUIRED*

DRUMS: _____

☐ NON-HAZ DRAINED USED OIL FILTERS FACILITY _____

DRUM SIZE: _____

☐ OTHER: _____

MANIFEST NO. 24199741

TRUCK NO. 68

PAYMENT INFORMATION

AMOUNT (If any) $65

CHECK NUMBER _____

P.O. NUMBER _____

CASH RECEIVED _____

☐ DESIGNATED TSDF: DeMenno/Kerdoon, 2000 N. Alameda Street, Compton, CA 90222, (310) 537-7100, CAT080013352
☒ DESIGNATED TSDF: Advanced Environmental, Inc., 13579 Whittram Ave., Fontana, CA 92335, (909) 356-0245, CAT080025711
☐ ALTERNATE TSDF: _____

I HEREBY CERTIFY THAT I HAVE NOT MIXED THIS WASTE WITH ANY OTHER WASTE, THAT THE TOTAL HALIDES ARE LESS THAN 1000 P.P.M.; AND THAT THE WASTE DOES NOT CONTAIN ANY P.C.B.'S.
I FURTHER AGREE TO ACCEPT THE ADDITIONAL CHARGES FOR LEGAL DISPOSAL IF THIS WASTE IS OVER 1000 P.P.M. TOTAL HALIDES, OR CONTAINS ANY P.C.B.'S.

DELIVERED BY _____ DATE 2/10/05

NOTES TO DRIVER

NEXT SERVICE DATE IMMEDIATELY - ANTIFREEZE RECYCLE PROGRAM WILL BE CALCULATED AS FOLLOWS: PER GAL OF 100% A/F PURCHASED = 2 GAL P/U @ NO CHARGE 50/50 A/F PURCHASED = 1 GAL P/U @ NO CHARGE ADDTL GAL P/U WILL BE CHARGED ACCORDINGLY

This is to certify that the above named articles are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation, according to the applicable regulations of the Department of Transportation.

PRINT NAME Douglas L. Parker

ALTERNATE STRAIGHT BILL OF LADING - SHORT FORM

Shipper No _____

Carrier No SA RU45

Date 2/23/05

Memorandum Copy

UNILEVER
(Name of Carrier)

TO:	FROM:
Consignee	Shipper [illegible]
Street 930 CALIFORNIA AVE	Street 1451 MAGNOLIA AVE.
Destination CORONA CA Zip Code 92881	Origin CORONA CA Zip Code
Route:	Vehicle Number / EMERGENCY RESPONSE PHONE NO

No. Shipping Units	+ HM	Kind of Packaging, Description of Articles, Special Marks and Exceptions	Weight (Subject to Correction)	Rate	CHARGES (for Carrier use on
1 dm		NON-HAZARDOUS WASTE Solid	50 P		
		EPA ID # CAR000112656			
		DOT - H 139			
		GENERATOR RECALL			

REMIT C.O.D. TO:
ADDRESS

COD Amt: $

C.O.D. FEE:
PREPAID ☐ $
COLLECT ☐

*If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is "carrier's or shipper's weight"

†Shipper's Imprint in lieu of stamp not a part of bill of lading approved by the Interstate Commerce Commission

NOTE Where the rate is dependent on value shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding

$_____ per _____

Subject to Section 7 of conditions if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement
The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges

_____
(Signature of Consignor)

TOTAL CHARGES $

FREIGHT CHARGES
Check Appropriate Box.
☐ Freight prepaid ☐ Collect

RECEIVED subject to the classifications and lawfully filed tariffs in effect on the date of the issue of receipt by the carrier of the property described in the Original Bill of Lading, the property described above in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated above, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its ususal place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said property over all or any portion of said route to destination and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Freight Classifications in effect on the date hereof if this is a rail or a rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment.
Shipper hereby certifies that he is familiar with all the terms and conditions of the said bill of lading set forth in the classification or tariff which governs the transportation of this shipment and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns
"This is to certify that the above named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation"

SHIPPER REMEDIAL CONSTRUCTION

CARRIER [illegible]

PER [illegible]

PER

DATE [illegible]

Permanent post office address of shipper

+ MARK WITH "X" TO DESIGNATE HAZARDOUS MATERIAL AS DEFINED IN TITLE 49 OF FEDERAL REGULATIONS

For further details on SHIPPING HAZARDOUS MATERIALS see Federal Regulations 49 CFR, Part 172

4

CALIFORNIA HAZARDOUS SERVICES INC.

1431 E St. Andrew Place, Santa Ana, CA 92705
(714) 434-9995 • FAX (714) 434-9998

№ 200381

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME: California Highway Patrol — EPA ID NO:

ADDRESS: P.O. Box 942898 — PHONE NO: (916) 802-3508

CITY STATE ZIP: Sacramento, Ca. 94298

DESIGNATED TSD FACILITY: Crosby & Overton, Inc. — EPA ID NO:

			WEIGHT OR VOLUME	UNITS
			19	Gallons

CONTAINERS: 4 TYPE: ☐ TANK TRUCK ☒ DRUMS ☐ DUMP TRUCK ☐ CARTONS ☐ OTHER

WASTE DESCRIPTION: Non-Haz Water — GENERATING PROCESS: Testing

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1			5.		
2			6		
3			7		
4			8		

PROPERTIES: pH ___ ☐ SOLID ☒ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER

HANDLING INSTRUCTIONS: 24 Hour Emergency Response Phone# 714-434-9995

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

1451 Magnolia Ave.
Corona, ca. 92879

AARON WILLARD [signature] 2/28/05 — Profile# 22010

TYPED OR PRINTED FULL NAME & SIGNATURE BEHALF OF CHP — DATE

TRANSPORTER

NAME: California Hazardous Services — EPA ID NO:

ADDRESS: ~~XXXXXXXXXX~~ 3132 W. Adams St. — SERVICE ORDER NO:

CITY STATE ZIP: Santa Ana, Ca. 92705 — PICK UP DATE: 2/28/05

PHONE NO: (714) 434-9995

TRUCK UNIT I D NO: 406

AARON WILLARD [signature] 2/28/05

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

TSD FACILITY

NAME: Crosby & Overton, Inc. — EPA ID NO:

ADDRESS: 1630 W. 17th St. — DISPOSAL METHOD: ☐ LANDFILL ☒ OTHER 15

CITY STATE ZIP: Long Beach, Ca. 90813

PHONE NO: (562) 432-5445

QUANTITY:

DISCREPANCY:

JOSE R. SAENZ [signature] 2/28/05

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

CALIFORNIA HAZARDOUS SERVICES INC.

1431 E. St. Andrew Place, Santa Ana, CA 92705
(714) 434-9995 • FAX (714) 434-9998

№ 200382

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME: California Highway Patrol
EPA I.D. NO.:
ADDRESS: P.O. Box 942898
PHONE NO. (916) 802-3508
CITY, STATE ZIP: Sacramento, Ca. 94298
DESIGNATED TSD FACILITY: Crosby & Overton
EPA I.D. NO.:

			WEIGHT OR VOLUME	UNITS
			88	GALLONS

CONTAINERS: 10 TYPE: ☐ TANK TRUCK ☒ DRUMS ☐ DUMP TRUCK ☐ CARTONS ☐ OTHER

WASTE DESCRIPTION: NON-HAZ WATER
GENERATING PROCESS: TESTING

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1.			5.		
2.			6.		
3			7.		
4			8.		

PROPERTIES: pH ___ ☐ SOLID ☒ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER

HANDLING INSTRUCTIONS: 24 Hour Emergency Response Phone Number 714-434-9995

GENERATOR CERTIFICATION. This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

1451 Magnolia Ave.
Corona, CA. 92879

AARON WILLARD [signature] 2/28/05 PROFILE# 22010
TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

TRANSPORTER

NAME: California Hazardous Services, Inc.
EPA I.D. NO.:
ADDRESS: 3132 W. Adams St.
SERVICE ORDER NO. 200382
CITY, STATE ZIP: Santa Ana, CA. 92705
PICK UP DATE 2/28/05
PHONE NO (714) 434-9995
TRUCK UNIT I.D. NO. 406

AARON WILLARD [signature] 2/28/05
TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

TSD FACILITY

NAME: Crosby & Overton, Inc.
EPA I.D. NO.:
ADDRESS: 1630 W. 17th St.
CITY, STATE ZIP: Long Beach, Ca. 90813
PHONE NO (562) 432-5445

DISPOSAL METHOD: ☐ LANDFILL ☐ OTHER

QUANTITY
DISCREPANCY

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

CALIFORNIA HAZARDOUS SERVICES INC.

1431 E. St. Andrew Place, Santa Ana, CA 92705
(714) 434-9995 • FAX (714) 434-9998

№ 200383

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME: California Highway Patrol — EPA I.D. NO.:

ADDRESS: P.O. Box 942898 — PHONE NO.: (916) 802-3508

CITY, STATE ZIP: Sacramento, Ca. 94298

DESIGNATED TSD FACILITY: Crosby & Overton — EPA I.D. NO.:

			WEIGHT OR VOLUME	UNITS
			38	GALLONS

CONTAINERS: 10 TYPE: ☐ TANK TRUCK ☒ DRUMS ☐ DUMP TRUCK ☐ CARTONS ☐ OTHER

WASTE DESCRIPTION: NON-HAZ WATER — GENERATING PROCESS: TESTING

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1.			5.		
2			6.		
3			7.		
4			8		

PROPERTIES: pH___ ☐ SOLID ☒ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER

HANDLING INSTRUCTIONS: 24 Hour Emergency Response Phone Number 714-434-9995

GENERATOR CERTIFICATION. This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

1451 Magnolia Ave.
Corona, CA. 92879

Brett Griggs (Agent for CHP) — 2-28-05 — PROFILE# 22010

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

TRANSPORTER

NAME: California Hazardous Services, Inc. — EPA I.D. NO.:

ADDRESS: 3132 W. Adams St. — SERVICE ORDER NO.:

CITY, STATE ZIP: Santa Ana, CA. 92705 — PICK UP DATE:

PHONE NO.: (714) 434-9995

TRUCK UNIT I.D. NO.: 023

Brett Griggs — 2-28-05

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

TSD FACILITY

NAME: Crosby & Overton, Inc. — EPA I.D. NO.:

ADDRESS: 1630 W. 17th St.

CITY, STATE ZIP: Long Beach, Ca. 90813

PHONE NO.: (562) 432-5445

DISPOSAL METHOD: ☐ LANDFILL ☐ OTHER

QUANTITY:

DISCREPANCY:

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

9512722825

CALIFORNIA HAZARDOUS SERVICES INC.

1431 E. St. Andrew Place, Santa Ana, CA 92705
(714) 434-9995 • FAX (714) 434-9998

№ 200384

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME: California Highway Patrol — EPA ID NO:

ADDRESS: P.O. Box 942898 — PHONE NO: (916) 802-3508

CITY STATE ZIP: Sacramento, Ca. 94298

DESIGNATED TSD FACILITY: Crosby & Overton — EPA I.D. NO:

			WEIGHT OR VOLUME	UNITS
			3000	POUNDS

CONTAINERS: 5 TYPE: ☐ TANK TRUCK ☒ DRUMS ☐ DUMP TRUCK ☐ CARTONS ☐ OTHER

WASTE DESCRIPTION: NON-HAZ SOIL — GENERATING PROCESS: DRILLING

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1			5		
2			6		
3			7		
4			8.		

PROPERTIES: pH ___ ☒ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER

HANDLING INSTRUCTIONS: 24 Hour Emergency Response Phone Number 714-434-9995

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

1451 Magnolia Ave.
Corona, CA. 92879

AARON WILLARD [signature] 2/28/05 PROFILE# 21984
TYPED OR PRINTED FULL NAME & SIGNATURE BEHALF OF CHP — DATE

TRANSPORTER

NAME: California Hazardous Services, Inc. — EPA ID NO:

ADDRESS: 3132 W. Adams St. — SERVICE ORDER NO:

CITY, STATE ZIP: Santa Ana, CA. 92705 — PICK UP DATE: 2/28/05

PHONE NO: (714) 434-9995

TRUCK UNIT I D NO: 406

AARON WILLARD [signature] 2/28/05
TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

TSD FACILITY

NAME: Crosby & Overton, Inc. — EPA I.D. NO:

ADDRESS: 1630 W. 17th St. — DISPOSAL METHOD: ☒ LANDFILL ☐ OTHER

CITY STATE ZIP: Long Beach, Ca. 90813

PHONE NO: (562) 432-5445

JOE R. SAENZ [signature] 2/28/05
TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

QUANTITY:

DISCREPANCY:

CALIFORNIA HAZARDOUS SERVICES INC.

1431 E. St. Andrew Place, Santa Ana, CA 92705
(714) 434-9995 • FAX (714) 434-9998

№ 200385

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME: California Highway Patrol — EPA I.D. NO.:

ADDRESS: P.O. Box 942898 — PHONE NO: (916) 802-3508

CITY, STATE ZIP: Sacramento, Ca. 94298

DESIGNATED TSD FACILITY: Crosby & Overton — EPA I.D. NO:

			WEIGHT OR VOLUME	UNITS
			3000	POUNDS

CONTAINERS: 5 TYPE: ☐ TANK TRUCK ☒ DRUMS ☐ DUMP TRUCK ☐ CARTONS ☐ OTHER

WASTE DESCRIPTION: NON-HAZ SOIL — GENERATING PROCESS: DRILLING

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1.			5.		
2.			6.		
3			7.		
4			8		

PROPERTIES pH: ☒ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER

HANDLING INSTRUCTIONS: 24 Hour Emergency Response Phone Number 714-434-9995

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

1451 Magnolia Ave.
Corona, CA. 92879

Brett Griggs (Agent for CHP) — TYPED OR PRINTED FULL NAME & SIGNATURE — DATE: 2-28-05 — PROFILE# 21984

TRANSPORTER

NAME: California Hazardous Services, Inc. — EPA I.D. NO:

ADDRESS: 3132 W. Adams St. — SERVICE ORDER NO:

CITY, STATE ZIP: Santa Ana, CA. 92705 — PICK UP DATE:

PHONE NO: (714) 434-9995

TRUCK UNIT I.D. NO.: 023

Brett Griggs — TYPED OR PRINTED FULL NAME & SIGNATURE — DATE: 2-28-05

TSD FACILITY

NAME: Crosby & Overton, Inc. — EPA I.D. NO:

ADDRESS: 1630 W. 17th St. — DISPOSAL METHOD: ☐ LANDFILL ☐ OTHER

CITY, STATE ZIP: Long Beach, Ca. 90813

PHONE NO: (562) 432-5445

QUANTITY:

DISCREPANCY:

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

CALIFORNIA HAZARDOUS SERVICES INC.

1431 E. St. Andrew Place, Santa Ana, CA 92705
(714) 434-9995 • FAX (714) 434-9998

№ 200386

NON-HAZARDOUS WASTE DATA FORM

TO (COMPLETED BY GENERATOR

NAME: California Highway Patrol — EPA I.D. NO.

ADDRESS: P.O. Box 942898 — PHONE NO. 916 802-3508

CITY, STATE ZIP: Sacramento, Ca. 94298

DESIGNATED TSD FACILITY: Crosby & Overton — EPA I.D. NO.

			WEIGHT OR VOLUME	UNITS
			3000 POUNDS	POUNDS

CONTAINERS: 5 TYPE: ☐ TANK TRUCK ☒ DRUMS ☐ DUMP TRUCK ☐ CARTONS ☐ OTHER

WASTE DESCRIPTION: NON HAZ SOIL — GENERATING PROCESS: DRILLING

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1.			5.		
2.			6.		
3			7.		
4			8		

PROPERTIES: pH___ ☐ SOLID ☒ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER

HANDLING INSTRUCTIONS: 24 Hour Emergency Response Phone Number 714-434-9995

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

1451 Magnolia Ave.
Corona, CA. 92879

AARON WILLARD — 2/28/05 — PROFILE# 21984

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

TRANSPORTER

NAME: California Hazardous Services, Inc. — EPA I.D. NO.

ADDRESS: 3132 W. Adams St. — SERVICE ORDER NO. 200386

CITY, STATE ZIP: Santa Ana, CA. 92705 — PICK UP DATE 2/28/05

PHONE NO (714) 434-9995

TRUCK UNIT I.D. NO. 406

AARON WILLARD — 2/28/05

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

TSD FACILITY

NAME: Crosby & Overton, Inc. — EPA I.D. NO.

ADDRESS: 1630 W. 17th St.

CITY, STATE ZIP: Long Beach, Ca. 90813

PHONE NO (562) 432-5445

DISPOSAL METHOD: ☐ LANDFILL ☐ OTHER

QUANTITY

DISCREPANCY

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

CALIFORNIA HAZARDOUS SERVICES INC.

1431 E. St. Andrew Place, Santa Ana, CA 92705
(714) 434-9995 • FAX (714) 434-9998

№ 200387

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME: California Highway Patrol — EPA I.D. NO.:

ADDRESS: P.O. Box 942898 — PHONE NO. (916 802-3508

CITY, STATE ZIP: Sacramento, Ca. 94298

DESIGNATED TSD FACILITY: Crosby & Overton — EPA I.D. NO.:

			WEIGHT OR VOLUME	UNITS
			2550	POUNDS

CONTAINERS: 5 TYPE: ☐ TANK TRUCK ☒ DRUMS ☐ DUMP TRUCK ☐ CARTONS ☐ OTHER

WASTE DESCRIPTION: NON HAZ SOIL — GENERATING PROCESS: DRILLING

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1.			5.		
2.			6.		
3			7.		
4.			8		

PROPERTIES: pH___ ☒ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER

HANDLING INSTRUCTIONS: 24 Hour Emergency Response Phone Number 714-434-9995

GENERATOR CERTIFICATION This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

1451 Magnolia Ave.
Corona, CA. 92879

AGENT FOR JERRY MARSDEN — TYPED OR PRINTED FULL NAME & SIGNATURE — DATE 2-28-05 — PROFILE# 21984

TRANSPORTER

NAME: California Hazardous Services, Inc. — EPA I.D. NO.:

ADDRESS: 3132 W. Adams St. — SERVICE ORDER NO.:

CITY, STATE ZIP: Santa Ana, CA. 92705 — PICK UP DATE:

PHONE NO. (714 434-9995

TRUCK UNIT I.D NO: 111

JERRY MARSDEN — TYPED OR PRINTED FULL NAME & SIGNATURE — DATE 2-28-05

TSD FACILITY

NAME: Crosby & Overton, Inc. — EPA I.D. NO.:

ADDRESS: 1630 W. 17th St. — DISPOSAL METHOD: ☐ LANDFILL ☐ OTHER

CITY, STATE ZIP: Long Beach, Ca. 90813

PHONE NO. (562 432-5445

QUANTITY:

DISCREPANCY:

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

Appendix H

Laboratory Reports – Background Samples

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

Date: January 20, 2005

Mr. Robert Lartz
Remedial Construction Service, Inc.
1101 California St., Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

Project: **Corona Service Park**

Dear Mr. Lartz:

The analytical results for the soil and water samples, received by our laboratory on January 18, 2005, are attached.

Enviro-Chem appreciates the opportunity to provide you and your company this and other services. Please do not hesitate to call us if you have any questions.

Sincerely,

Curtis Desilets
Vice President/Program Manager

Jesse Tu, Ph.D.
Laboratory Manager

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL
SAMPLING DATE: 01/18/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/18/05
DATE ANALYZED: 01/19-20/05
DATE REPORTED: 01/20/05

TOTAL PETROLEUM HYDROCARBONS(TPH) - CARBON CHAIN ANALYSIS
METHOD: LUFT/EPA 8015M
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

SAMPLE I.D.	LAB I.D.	GASOLINE (C4-C10)	KEROSENE (C8-C16)	DIESEL (C10-C22)	OIL (C22-C35)	DF
BG-01	050118-25	ND	ND	ND	720	10
BG-02	050118-26	ND	ND	ND	120	1
BG-03	050118-27	ND	ND	ND	83.3	1
BG-04	050118-28	ND	ND	ND	81.5	1
BG-05	050118-29	ND	ND	ND	61.9	1
BG-06	050118-30	ND	ND	ND	ND	1
BG-07	050118-31	ND	ND	ND	ND	1
METHOD BLANK		ND	ND	ND	ND	1
	PQL	10	10	10	50	

COMMENTS
DF = DILUTION FACTOR
PQL = PRACTICAL QUANTITATION LIMIT
ACTUAL DETECTION LIMIT = DF X PQL
ND = NON-DETECTED OR BELOW THE ACTUAL DETECTION LIMIT

Data Reviewed and Approved by: _____
CAL-DHS ELAP CERTIFICATE No.: 1555

Enviro Chem, Inc

1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8015M Soil QC

Date Analyzed: 1/20/2005 Units: mg/Kg (PPM)

Matrix: **Solid/Sludge**

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)

Spiked Sample Lab I.D.: **050119-LCS 1/2**

Analyte	SR	spk conc	MS	%MS	MSD	%MSD	%RPD	ACP %MS	ACP RPD
DIESEL	0	2500	2019	81%	2129	85%	5%	75-125	0-20%

LCS STD RECOVERY:

Analyte	spk conc	LCS	% REC	ACP
DIESEL	200	217	109%	75-125

Analyzed and Reviewed By: KL

Final Reviewer: [illegible]

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL — DATE RECEIVED: 01/18/05
SAMPLING DATE: 01/18/05 — DATE ANALYZED: 01/18/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/20/05

SAMPLE I.D.: BG-01 — LAB I.D.: 050118-25

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL — DATE RECEIVED: 01/18/05
SAMPLING DATE: 01/18/05 — DATE ANALYZED: 01/18/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/20/05

SAMPLE I.D.: BG-01 — LAB I.D.: 050118-25

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

CALIFORNIA HAZARDOUS SERVICES INC.

1431 E. St. Andrew Place, Santa Ana, CA 92705
(714) 434-9995 • FAX (714) 434-9998

№ 200388

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME: California Highway Patrol — EPA I.D NO.:

ADDRESS: P.O. Box 942898 — PHONE NO: (916 802-3508

CITY, STATE ZIP: Sacramento, Ca. 94298

DESIGNATED TSD FACILITY: Crosby & Overton — EPA I.D NO:

			WEIGHT OR VOLUME	UNITS
			32	GALLONS

CONTAINERS: 8 TYPE: ☐ TANK TRUCK ☒ DRUMS ☐ DUMP TRUCK ☐ CARTONS ☐ OTHER

WASTE DESCRIPTION: NON-HAZ WATER — GENERATING PROCESS: TESTING

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1			5.		
2			6		
3			7.		
4			8		

PROPERTIES pH: ☐ SOLID ☒ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER

HANDLING INSTRUCTIONS: 24 Hour Emergency Response Phone Number 714-434-9995

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

1451 Magnolia Ave.
Corona, CA. 92879

AGENT FOR CHP
JERRY MARSDEN — TYPED OR PRINTED FULL NAME & SIGNATURE — DATE: 2-28-05

PROFILE# 22010

TRANSPORTER

NAME: California Hazardous Services, Inc. — EPA I.D NO:

ADDRESS: 3132 W. Adams St. — SERVICE ORDER NO.:

CITY STATE ZIP: Santa Ana, CA. 92705 — PICK UP DATE:

PHONE NO: (714 434-9995

TRUCK UNIT I.D NO: 127

JERRY MARSDEN — TYPED OR PRINTED FULL NAME & SIGNATURE — DATE: 2-28-05

TSD FACILITY

NAME: Crosby & Overton, Inc. — EPA I.D NO:

ADDRESS: 1630 W. 17th St.

CITY STATE ZIP: Long Beach, Ca. 90813

PHONE NO: (562 432-5445

DISPOSAL METHOD: ☐ LANDFILL ☐ OTHER

QUANTITY:

DISCREPANCY:

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

CALIFORNIA HAZARDOUS SERVICES INC.

1431 E. St. Andrew Place, Santa Ana, CA 92705
(714) 434-9995 • FAX (714) 434-9998

№ 200389

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME: California Highway Patrol — EPA I.D. NO.:

ADDRESS: P.O. Box 942898 — PHONE NO. (916) 802-3508

CITY, STATE ZIP: Sacramento, Ca. 94298

DESIGNATED TSD FACILITY: Crosby & Overton — EPA ID NO:

			WEIGHT OR VOLUME	UNITS
			3,000	POUNDS

CONTAINERS: 5 TYPE: ☐ TANK TRUCK ☒ DRUMS ☐ DUMP TRUCK ☐ CARTONS ☐ OTHER

WASTE DESCRIPTION: NON HAZ SOIL — GENERATING PROCESS: DRILLING

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1			5		
2			6		
3			7		
4			8		

PROPERTIES: pH ___ ☒ SOLID ☐ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER

HANDLING INSTRUCTIONS: 24 Hour Emergency Response Phone Number 714-434-9995

GENERATOR CERTIFICATION: This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations. In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations.

1451 Magnolia Ave.
Corona, CA. 92879

Brett Griggs (Agent for CHP) — TYPED OR PRINTED FULL NAME & SIGNATURE — DATE: 2-28-05

PROFILE# 21984

TRANSPORTER

NAME: California Hazardous Services, Inc. — EPA ID NO:

ADDRESS: 3132 W. Adams St. — SERVICE ORDER NO.:

CITY, STATE ZIP: Santa Ana, CA. 92705 — PICK UP DATE:

PHONE NO. (714) 434-9995

TRUCK UNIT I.D. NO.:

Brett Griggs — TYPED OR PRINTED FULL NAME & SIGNATURE — DATE: 2-28-05

TSD FACILITY

NAME: Crosby & Overton, Inc. — EPA I.D. NO.:

ADDRESS: 1630 W. 17th St. — DISPOSAL METHOD: ☐ LANDFILL ☐ OTHER

CITY, STATE ZIP: Long Beach, Ca. 90813

PHONE NO. (562) 432-5445

QUANTITY:

DISCREPANCY:

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

CALIFORNIA HAZARDOUS SERVICES INC.

1431 E. St. Andrew Place, Santa Ana, CA 92705
(714) 434-9995 • FAX (714) 434-9998

№ 200390

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

NAME: California Highway Patrol
EPA I.D. NO.:
ADDRESS: P.O. Box 942898
PHONE NO.: 916 802-3508
CITY, STATE ZIP: Sacramento, Ca. 94298
DESIGNATED TSD FACILITY: Crosby & Overton
EPA I.D. NO:

			WEIGHT OR VOLUME	UNITS
			43	GALLONS

CONTAINERS: 11 TYPE: ☐ TANK TRUCK ☒ DRUMS ☐ DUMP TRUCK ☐ CARTONS ☐ OTHER

WASTE DESCRIPTION: NON-HAZ WATER
GENERATING PROCESS: TESTING

COMPONENTS OF WASTE	PPM	%	COMPONENTS OF WASTE	PPM	%
1.			5.		
2			6		
3			7.		
4			8		

PROPERTIES pH___ ☐ SOLID ☒ LIQUID ☐ SLUDGE ☐ SLURRY ☐ OTHER

HANDLING INSTRUCTIONS: 24 Hour Emergency Response Phone Number 714-434-9995

GENERATOR CERTIFICATION This is to certify that the above named waste materials are 100% non-hazardous and are not regulated according to either 40 CFR (USEPA) or applicable state regulations In addition the above named waste materials are properly described, packaged, marked, labeled and are in proper condition for transportation according to all applicable regulations

1451 Magnolia Ave.
Corona, CA. 92879

AGENT FOR CHP
JERRY MARSDEN — TYPED OR PRINTED FULL NAME & SIGNATURE
DATE: 2-28-05
PROFILE# 22010

TRANSPORTER

NAME: California Hazardous Services, Inc.
EPA I.D. NO.:
ADDRESS: 3132 W. Adams St.
SERVICE ORDER NO.:
CITY, STATE ZIP: Santa Ana, CA. 92705
PICK UP DATE:
PHONE NO: (714 434-9995
TRUCK UNIT I.D. NO.: 111

JERRY MARSDEN — TYPED OR PRINTED FULL NAME & SIGNATURE
DATE: 2-28-05

TSD FACILITY

NAME: Crosby & Overton, Inc.
EPA I.D. NO.:
ADDRESS: 1630 W. 17th St.
CITY, STATE ZIP: Long Beach, Ca. 90813
PHONE NO: (562 432-5445

DISPOSAL METHOD: ☐ LANDFILL ☐ OTHER

QUANTITY:
DISCREPANCY:

TYPED OR PRINTED FULL NAME & SIGNATURE — DATE

02-09-05

500

Phone # (909) 591-292
Fax # (909) 591-181

B. Stephen Cooperage, Inc.

P.O. Box 9537 • Ontario, California 91762-9537

Complete Drum Reconditioning and Removel Service

Pick Up Ticket # 16962

BILL TO: Advanced Fuel Filtration
Systems, Incorporated
1415 Magnolia Avenue
Corona, CA 91879

909-615-1006 Doug Parker Cell #

RECEIVED FROM: SAME

Has About 170 Drums
For Pick Up.

TERMS	CUST. ORDER NUMBER	SHIPPED VIA	DATE
NET 30 DAYS	VERBAL	OT	2/14/05

QUANTITY	DESCRIPTION	UNIT PRICE	TOTAL
	55 gallon CLOSED TOP DRUMS		
	55 gallon DEHEADER DRUMS		
	55 gallon OPEN TOP DRUMS		
	55 gallon FIBRE DRUMS		
156	Drums Picked Up To Be Graded At B. Stephen Cooperage, Inc. Yard.		
	55 gallon JUNKER DRUMS		
	55 gallon DELEWARE DRUMS		
	55 gallon PLASTIC DRUMS		
	Dropped Trailer # _____ Picked Up Trailer # 232121		

SUB TOTAL
SALES TAX
DELIVERY CHARGE
TOTAL

I certify that these drums are "empty" as that term is defined in Federal Regulation 40 CFR 261.7* and in the California Hazardous Waste Regulation, CCR Title 22 Section 66261.7, and that they have been properly prepared for transportation under the regulations of the U.S. Department of Transportation, 49 CFR 173.29. B. Stephen Cooperage, Inc. reserves the right to return any or all drums that are not empty.

Thanks Mike!

Company Received From Advanced Fuel Filtration Systems, Inc. Date 2/14/05 Signature Douglas Parker

01-13-05

A500

Phone # (909) 591-29
Fax # (909) 591-1E

B. Stephen Cooperage, Inc.

P.O. Box 9537 • Ontario, California 91762-9537

Complete Drum Reconditioning and Removel Service

Pick Up Ticket 1687

BILL TO: Advanced Fuel Filtration Systems, Incorporated
1415 Magnolia Avenue
Corona, CA 92879

909-615-1005 James Christ

RECEIVED FROM: SAME
Has ABout 300+ Drums, 19-Totesz
And 3-Pallets of Cardboard For Pic

TERMS	CUST. ORDER NUMBER	SHIPPED VIA	DATE
NET 30 DAYS	VERBAL	OT	01-14-05

QUANTITY	DESCRIPTION	UNIT PRICE	TOTAL
	55 gallon CLOSED TOP DRUMS		
	55 gallon DEHEADER DRUMS		
	55 gallon OPEN TOP DRUMS		
	55 gallon FIBRE DRUMS		
311.	Drums Picked Up To Be Graded At B. Stephen Cooperage, Inc. Yard.		
	55 gallon JUNKER DRUMS		
	55 gallon DELEWARE DRUMS		
	55 gallon PLASTIC DRUMS		
	4 DRUMS HAVE RESIDUAL LIQUID — IT WILL		
	BE CHARACTERIZED & PROPERLY DISPOSED OF		
	PRIOR TO PICK UP OF THESE DRUMS BY ASBURY ENV		
	Dropped Trailer # _____ Picked Up Trailer # 7[illegible]		

SUB TOTAL	
SALES TAX	
DELIVERY CHARGE	
TOTAL	

I certify that these drums are "empty" as that term is defined in Federal Regulation 40 CFR 261.7* and in the California Hazardous Waste Regulation, CCR Title 22 Section 66261.7, and that they have been properly prepared for transportation under the regulations of the U.S. Department of Transportation, 49 CFR 173.29. B. Stephen Cooperage, Inc. reserves the right to return any or all drums that are not empty.

Company Received From CORONA SERVICE PARK Date 1/14/05 Signature [signature]

01-26-05

A500

Phone # (909) 591-29
Fax # (909) 591-18

B. Stephen Cooperage, Inc.

P.O. Box 9537 • Ontario, California 91762-9537

Complete Drum Reconditioning and Removel Service

Pick Up Ticket

No. 16909

BILL TO: Advaneed Fuel Filtration Systems, Incorporated
1451 ~~1415~~ Magnolia Avenue
Corona, CA 92879
909-615-1005 James Christ

RECEIVED FROM: SAME
Has About 30+ Totes And 50-75 Drums For Pick Up
951-545-6821 J.R. Fredrick

TERMS	CUST. ORDER NUMBER	SHIPPED VIA	DATE
NET 30 DAYS	VERBAL	OT	01-27-05

QUANTITY	DESCRIPTION	UNIT PRICE	TOTAL
	55 gallon CLOSED TOP DRUMS RECONDITIONED		
	55 gallon DEHEADER DRUMS		
	55 gallon OPEN TOP DRUMS		
	55 gallon FIBRE DRUMS		
71	Drums Picked Up To Be Graded At B. Stephen Cooperage, Inc. Yard.		
	55 Gal FOT 1A2 USED OPEN TOP DRUMS		
	55 gallon JUNKER DRUMS EPA NOS 137, 138, 187, 190 + 205		
	55 gallon DELEWARE DRUMS		
	55 gallon PLASTIC DRUMS		
28	TOTE BINS		
	55 gallon CLOSED TOP DRUMS AS IS		
	Dropped Trailer # _____ Picked Up Trailer # _____		

SUB TOTAL	
SALES TAX	
DELIVERY CHARGE	
TOTAL	

I certify that these drums are "empty" as that term is defined in Federal Regulation 40 CFR 261.7* and in the California Hazardous Waste Regulation, CCR Title 22 Section 66261.7, and that they have been properly prepared for transportation under the regulations of the U.S. Department of Transportation, 49 CFR 173.29. B. Stephen Cooperage, Inc. reserves the right to return any or all drums that are not empty.

Company Received From CORONA SERVICE N. Bennett Date 1-27-05 Signature N. Bennett

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL
SAMPLING DATE: 01/18/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/18/05
DATE ANALYZED: 01/18/05
DATE REPORTED: 01/20/05

SAMPLE I.D.: BG-02
LAB I.D.: 050118-26

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL — DATE RECEIVED: 01/18/05
SAMPLING DATE: 01/18/05 — DATE ANALYZED: 01/18/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/20/05

SAMPLE I.D.: BG-02 — LAB I.D.: 050118-26

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL
SAMPLING DATE: 01/18/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/18/05
DATE ANALYZED: 01/18/05
DATE REPORTED: 01/20/05

SAMPLE I.D.: BG-03
LAB I.D.: 050118-27

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL — DATE RECEIVED: 01/18/05
SAMPLING DATE: 01/18/05 — DATE ANALYZED: 01/18/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/20/05

SAMPLE I.D.: BG-03 — LAB I.D.: 050118-27

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park

MATRIX: SOIL — DATE RECEIVED: 01/18/05
SAMPLING DATE: 01/18/05 — DATE ANALYZED: 01/18/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/20/05

SAMPLE I.D.: BG-04 — LAB I.D.: 050118-28

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL — DATE RECEIVED: 01/18/05
SAMPLING DATE: 01/18/05 — DATE ANALYZED: 01/18/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/20/05

SAMPLE I.D.: BG-04 — LAB I.D.: 050118-28

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	0.103	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park

MATRIX: SOIL — DATE RECEIVED: 01/18/05
SAMPLING DATE: 01/18/05 — DATE ANALYZED: 01/18/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/20/05

SAMPLE I.D.: BG-05 — LAB I.D.: 050118-29

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL — DATE RECEIVED: 01/18/05
SAMPLING DATE: 01/18/05 — DATE ANALYZED: 01/18/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/20/05

SAMPLE I.D.: BG-05 — LAB I.D.: 050118-29

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	0.089	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL — DATE RECEIVED: 01/18/05
SAMPLING DATE: 01/18/05 — DATE ANALYZED: 01/19/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/20/05

SAMPLE I.D.: BG-06 — LAB I.D.: 050118-30

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL — DATE RECEIVED: 01/18/05
SAMPLING DATE: 01/18/05 — DATE ANALYZED: 01/19/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/20/05

SAMPLE I.D.: BG-06 — LAB I.D.: 050118-30

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park

MATRIX: SOIL — DATE RECEIVED: 01/18/05
SAMPLING DATE: 01/18/05 — DATE ANALYZED: 01/19/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/20/05

SAMPLE I.D.: BG-07 — LAB I.D.: 050118-31

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL — DATE RECEIVED: 01/18/05
SAMPLING DATE: 01/18/05 — DATE ANALYZED: 01/19/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/20/05

SAMPLE I.D.: BG-07 — LAB I.D.: 050118-31

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL — DATE RECEIVED: 01/18/05
SAMPLING DATE: 01/18/05 — DATE ANALYZED: 01/18/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/20/05

METHOD BLANK FOR LAB I.D.: 050118-25 THROUGH -31

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: SOIL
SAMPLING DATE: 01/18/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/18/05
DATE ANALYZED: 01/18/05
DATE REPORTED: 01/20/05

METHOD BLANK FOR LAB I.D.: 050118-25 THROUGH -31

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro-Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8260B QA/QC Report

Date Analyzed: 1/18-19/2005 Matrix: Solid/Sludge
Machine: A Unit: mg/Kg (PPM)

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)
Spiked Sample Lab I.D.: 050118-31

Analyte	S.R.	spk conc	MS	%RC	MSD	%RC	%RPD	ACP %RC	ACP RP
Benzene	0	0.050	0.049	98%	0.050	100%	2%	75-125	0-20
Chlorobenzene	0	0.050	0.048	*96%	0.050	100%	4%	75-125	0-20
1,1-Dichloroethene	0	0.050	0.049	98%	0.054	109%	11%	75-125	0-20
Toluene	0	0.050	0.048	96%	0.049	98%	2%	75-125	0-20
Trichloroethene (TCE)	0	0.050	0.049	99%	0.050	100%	1%	75-125	0-20

Lab Control Spike (LCS):

Analyte	spk conc	LCS	%RC	ACP %RC
Benzene	0.050	0.050	100%	75-125
Chlorobenzene	0.050	0.049	99%	75-125
Chloroform	0.050	0.047	94%	75-125
1,1-Dichlorothene	0.050	0.051	102%	75-125
Ethylbenzene	0.050	0.050	100%	75-125
o-Xylene	0.050	0.056	111%	75-125
m,p-Xylene	0.100	0.106	106%	75-125
Toluene	0.050	0.055	110%	75-125
1,1,1-Trichloroethane	0.050	0.045	91%	75-125
Trichloroethene (TCE)	0.050	0.050	99%	75-125

Surrogate Recovery	spk conc	ACP %RC	MB %RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.				0118-02	0118-16	0118-19	0118-22	0118-25	0118-26
Dibromofluoromethane	50.0	70-130	93%	99%	97%	89%	100%	102%	100%
Toluene-d8	50.0	70-130	106%	100%	100%	103%	95%	87%	93%
4-Bromofluorobenzene	50.0	70-130	107%	101%	104%	110%	91%	87%	89%

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.			0118-27	0118-28	0118-29	0118-30	0118-31	0118-13A~D	
Dibromofluoromethane	50.0	70-130	103%	103%	101%	100%	103%	97%	
Toluene-d8	50.0	70-130	90%	93%	93%	97%	93%	99%	
4-Bromofluorobenzene	50.0	70-130	85%	88%	92%	93%	90%	103%	

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.									
Dibromofluoromethane	50.0	70-130							
Toluene-d8	50.0	70-130							
4-Bromofluorobenzene	50.0	70-130							

** = Surrogate fail due to matrix interference; LCS, MS, MSD are in control therefore the analysis is in control.*
S.R. = Sample Results *%RC = Percent Recovery*
spk conc = Spike Concentration *ACP %RC = Accepted Percent Recovery*
MS = Matrix Spike *MSD = Matrix Spike Duplicate*

Analyzed/Reviewed By: _____

Final Reviewer: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: WATER — DATE RECEIVED: 01/18/05
SAMPLING DATE: 01/18/05 — DATE ANALYZED: 01/18/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/20/05

SAMPLE I.D.: Trip Blank — LAB I.D.: 050118-32

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	10
BENZENE	ND	1
BROMOBENZENE	ND	1
BROMOCHLOROMETHANE	ND	1
BROMODICHLOROMETHANE	ND	1
BROMOFORM	ND	1
BROMOMETHANE	ND	1
2-BUTANONE (MEK)	ND	10
N-BUTYLBENZENE	ND	1
SEC-BUTYLBENZENE	ND	1
TERT-BUTYLBENZENE	ND	1
CARBON DISULFIDE	ND	5
CARBON TETRACHLORIDE	ND	1
CHLOROBENZENE	ND	1
CHLOROETHANE	ND	1
CHLOROFORM	ND	1
CHLOROMETHANE	ND	1
2-CHLOROTOLUENE	ND	1
4-CHLOROTOLUENE	ND	1
DIBROMOCHLOROMETHANE	ND	1
1,2-DIBROMO-3-CHLOROPROPANE	ND	1
1,2-DIBROMOETHANE	ND	1
DIBROMOMETHANE	ND	1
1,2-DICHLOROBENZENE	ND	1
1,3-DICHLOROBENZENE	ND	1
1,4-DICHLOROBENZENE	ND	1
DICHLORODIFLUOROMETHANE	ND	1
1,1-DICHLOROETHANE	ND	1
1,2-DICHLOROETHANE	ND	1
1,1-DICHLOROETHENE	ND	1
CIS-1,2-DICHLOROETHENE	ND	1
TRANS-1,2-DICHLOROETHENE	ND	1
1,2-DICHLOROPROPANE	ND	1
1,3-DICHLOROPROPANE	ND	1

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: WATER — DATE RECEIVED: 01/18/05
SAMPLING DATE: 01/18/05 — DATE ANALYZED: 01/18/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/20/05

SAMPLE I.D.: Trip Blank — LAB I.D.: 050118-32

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
2,2-DICHLOROPROPANE	ND	1
1,1-DICHLOROPROPENE	ND	1
CIS-1,3-DICHLOROPROPENE	ND	1
TRANS-1,3-DICHLOROPROPENE	ND	1
ETHYLBENZENE	ND	1
2-HEXANONE	ND	10
HEXACHLOROBUTADIENE	ND	1
ISOPROPYLBENZENE	ND	1
4-ISOPROPYLTOLUENE	ND	1
4-METHYL-2-PENTANONE (MIBK)	ND	10
METHYL tert-BUTYL ETHER (MTBE)	ND	3
METHYLENE CHLORIDE	ND	5
NAPHTHALENE	ND	1
N-PROPYLBENZENE	ND	1
STYRENE	ND	1
1,1,1,2-TETRACHLOROETHANE	ND	1
1,1,2,2-TETRACHLOROETHANE	ND	1
TETRACHLOROETHENE (PCE)	ND	1
TOLUENE	ND	1
1,2,3-TRICHLOROBENZENE	ND	1
1,2,4-TRICHLOROBENZENE	ND	1
1,1,1-TRICHLOROETHANE	ND	1
1,1,2-TRICHLOROETHANE	ND	1
TRICHLOROETHENE (TCE)	ND	1
TRICHLOROFLUOROMETHANE	ND	1
1,2,3-TRICHLOROPROPANE	ND	1
1,2,4-TRIMETHYLBENZENE	ND	1
1,3,5-TRIMETHYLBENZENE	ND	1
VINYL CHLORIDE	ND	1
M/P-XYLENE	ND	2
O-XYLENE	ND	1

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park

MATRIX: WATER — DATE RECEIVED: 01/18/05
SAMPLING DATE: 01/18/05 — DATE ANALYZED: 01/18/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/20/05

METHOD BLANK FOR LAB I.D.: 050118-32

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	10
BENZENE	ND	1
BROMOBENZENE	ND	1
BROMOCHLOROMETHANE	ND	1
BROMODICHLOROMETHANE	ND	1
BROMOFORM	ND	1
BROMOMETHANE	ND	1
2-BUTANONE (MEK)	ND	10
N-BUTYLBENZENE	ND	1
SEC-BUTYLBENZENE	ND	1
TERT-BUTYLBENZENE	ND	1
CARBON DISULFIDE	ND	5
CARBON TETRACHLORIDE	ND	1
CHLOROBENZENE	ND	1
CHLOROETHANE	ND	1
CHLOROFORM	ND	1
CHLOROMETHANE	ND	1
2-CHLOROTOLUENE	ND	1
4-CHLOROTOLUENE	ND	1
DIBROMOCHLOROMETHANE	ND	1
1,2-DIBROMO-3-CHLOROPROPANE	ND	1
1,2-DIBROMOETHANE	ND	1
DIBROMOMETHANE	ND	1
1,2-DICHLOROBENZENE	ND	1
1,3-DICHLOROBENZENE	ND	1
1,4-DICHLOROBENZENE	ND	1
DICHLORODIFLUOROMETHANE	ND	1
1,1-DICHLOROETHANE	ND	1
1,2-DICHLOROETHANE	ND	1
1,1-DICHLOROETHENE	ND	1
CIS-1,2-DICHLOROETHENE	ND	1
TRANS-1,2-DICHLOROETHENE	ND	1
1,2-DICHLOROPROPANE	ND	1
1,3-DICHLOROPROPANE	ND	1

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park
MATRIX: WATER — DATE RECEIVED: 01/18/05
SAMPLING DATE: 01/18/05 — DATE ANALYZED: 01/18/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/20/05

METHOD BLANK FOR LAB I.D.: 050118-32

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
2,2-DICHLOROPROPANE	ND	1
1,1-DICHLOROPROPENE	ND	1
CIS-1,3-DICHLOROPROPENE	ND	1
TRANS-1,3-DICHLOROPROPENE	ND	1
ETHYLBENZENE	ND	1
2-HEXANONE	ND	10
HEXACHLOROBUTADIENE	ND	1
ISOPROPYLBENZENE	ND	1
4-ISOPROPYLTOLUENE	ND	1
4-METHYL-2-PENTANONE (MIBK)	ND	10
METHYL tert-BUTYL ETHER (MTBE)	ND	3
METHYLENE CHLORIDE	ND	5
NAPHTHALENE	ND	1
N-PROPYLBENZENE	ND	1
STYRENE	ND	1
1,1,1,2-TETRACHLOROETHANE	ND	1
1,1,2,2-TETRACHLOROETHANE	ND	1
TETRACHLOROETHENE (PCE)	ND	1
TOLUENE	ND	1
1,2,3-TRICHLOROBENZENE	ND	1
1,2,4-TRICHLOROBENZENE	ND	1
1,1,1-TRICHLOROETHANE	ND	1
1,1,2-TRICHLOROETHANE	ND	1
TRICHLOROETHENE (TCE)	ND	1
TRICHLOROFLUOROMETHANE	ND	1
1,2,3-TRICHLOROPROPANE	ND	1
1,2,4-TRIMETHYLBENZENE	ND	1
1,3,5-TRIMETHYLBENZENE	ND	1
VINYL CHLORIDE	ND	1
M/P-XYLENE	ND	2
O-XYLENE	ND	1

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro-Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8260B QA/QC Report

Date Analyzed: 1/18/05 Matrix: Water
Machine: B Unit: ug/L (PPB)

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)
Spiked Sample Lab I.D.: 050118-LCS1/2

Analyte	S.R.	spk conc	MS	%RC	MSD	%RC	%RPD	ACP %RC	ACP RPD
Benzene	0	25.0	22.2	89%	27.5	110%	21%	75-125	0-20
Chlorobenzene	0	25.0	22.4	90%	22.0	88%	2%	75-125	0-20
1,1-Dichloroethene	0	25.0	23.9	96%	23.9	96%	0%	75-125	0-20
Toluene	0	25.0	27.5	110%	27.5	110%	0%	75-125	0-20
Trichloroethene (TCE)	0	25.0	23.8	95%	23.4	93%	2%	75-125	0-20

Lab Control Spike (LCS):

Analyte	spk conc	LCS	%RC	ACP %RC
Benzene	25.0	27.3	109%	75-125
Chlorobenzene	25.0	25.0	100%	75-125
Chloroform	25.0	21.8	87%	75-125
1,1-Dichlorothene	25.0	24.6	98%	75-125
Ethylbenzene	25.0	27.5	110%	75-125
o-Xylene	25.0	27.9	111%	75-125
m,p-Xylene	50.0	57.2	114%	75-125
Toluene	25.0	27.0	108%	75-125
1,1,1-Trichloroethane	25.0	23.5	94%	75-125
Trichloroethene (TCE)	25.0	27.2	109%	75-125

Surrogate Recovery	spk conc	ACP %RC	MB %RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.				0118-23	0118-32	0118-36			
Dibromofluoromethane	25.0	70-130	103%	104%	101%	102%			
Toluene-d8	25.0	70-130	111%	114%	109%	94%			
4-Bromofluorobenzene	25.0	70-130	86%	85%	86%	87%			

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.									
Dibromofluoromethane	25.0	70-130							
Toluene-d8	25.0	70-130							
4-Bromofluorobenzene	25.0	70-130							

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.									
Dibromofluoromethane	25.0	70-130							
Toluene-d8	25.0	70-130							
4-Bromofluorobenzene	25.0	70-130							

** = Surrogate fail due to matrix interference; LCS, MS, MSD are in control therefore the analysis is in control.*
S.R. = Sample Results *%RC = Percent Recovery*
spk conc = Spike Concentration *ACP %RC = Accepted Percent Recovery*
MS = Matrix Spike *MSD = Matrix Spike Duplicate*

Analyzed/Reviewed By: _____

Final Reviewer: _____

Enviro-Che. Inc. Laboratories
1214 E. Lexington Avenue,
Pomona, CA 91766
Tel: (909) 590-5905 Fax: (909) 590-5907
CA-DHS ELAP CERTIFICATE # 1555

Turnaround Time
0 Same Day
0 24 Hours
0 48 Hours
0 72 Hours
0 1 Week (Standard)
Other: 5 Day

RUSH

SAMPLE ID	LAB ID	SAMPLING DATE	SAMPLING TIME	MATRIX	No. OF CONTAINERS	TEMPERATURE	PRESERVATION	8260b	8015 CARBON CHAIN								COMMENTS
BG-01	050118-25	1/18/05	1245	Soil	1	ICE	N/A	X	X								BACKGROUND SAMPLES
BG-02	-26		1256		1			X	X								
BG-03	-27		1258		1			X	X								
BG-04	-28		1306		1			X	X								
BG-05	-29		1313		1			X	X								
BG-06	-30		1317		1			X	X								
BG-07	-31		1321		1			X	X								
TRIP BLANK	-32	1/18/05	1500	WATER	1 (VOA)		HCL	X									

Analysis Required

Company Name: REMEDIAL CONSTRUCTION SERVICES	Project Contact: ROBERT LARTZ	Sampler's Signature: [signature]
Address: 1101 CALIFORNIA AVENUE	Tel: 951-272-2877	Project Name/ID: CORONA SERVICE PARK
City/State/Zip: CORONA, CA 92881	Fax: 951-272-2825	

Relinquished by: [signature]	Received by: [signature]	Date & Time: 1/18/05 1450	Instructions for Sample Storage After Analysis:
Relinquished by: [signature]	Received by: [signature]	Date & Time: 1/18/05 1600	O Dispose of O Return to Client O Store (30 Days)
Relinquished by:	Received by:	Date & Time:	O Other:

CHAIN OF CUSTODY RECORD

Date: 1/18/05

WHITE WITH SAMPLE - YELLOW TO CLIENT

Page of

Appendix I

Laboratory Reports, AOC A, Initial Samples

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

Date: January 21, 2005

Mr. Robert Lartz
Remedial Construction Service, Inc.
1101 California St., Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

Project: **Corona Service Park / 2-1778**

Dear Mr. Lartz:

The analytical results for the soil and water samples, received by our laboratory on January 19, 2005, are attached.

Enviro-Chem appreciates the opportunity to provide you and your company this and other services. Please do not hesitate to call us if you have any questions.

Sincerely,

Curtis Desilets
Vice President/Program Manager

Jesse Tu, Ph.D.
Laboratory Manager

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20-21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

TOTAL PETROLEUM HYDROCARBONS(TPH) - CARBON CHAIN ANALYSIS
METHOD: LUFT/EPA 8015M
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

SAMPLE I.D.	LAB I.D.	GASOLINE (C4-C10)	KEROSENE (C8-C16)	DIESEL (C10-C22)	OIL (C22-C35)	DF
AOC-A-01	050119-20	ND	314	ND	590	10
AOC-A-02	050119-21	ND	ND	ND	ND	1
AOC-A-03	050119-22	ND	ND	55.1	116	1
AOC-A-04	050119-23	ND	ND	ND	ND	1
AOC-A-05	050119-24	ND	ND	ND	112	1
AOC-A-06	050119-25	ND	ND	ND	51.6	1
AOC-A-07	050119-26	ND	ND	ND	ND	1
AOC-A-08	050119-27	ND	ND	ND	107	1
AOC-A-09	050119-28	ND	ND	ND	ND	1
AOC-A-10	050119-29	ND	ND	ND	94.5	1
AOC-A-11	050119-30	ND	ND	ND	107	1
AOC-A-12	050119-31	ND	ND	ND	70.6	1
AOC-A-13	050119-32	ND	ND	ND	83.1	1
AOC-A-14	050119-33	ND	ND	ND	126	1
AOC-A-15	050119-34	ND	14.0	ND	98.3	1
AOC-A-16	050119-35	ND	60.0	ND	131	1
AOC-A-17	050119-36	ND	ND	ND	50.2	1
AOC-A-18	050119-37	ND	ND	ND	56.4	1
METHOD BLANK		ND	ND	ND	ND	1
	PQL	10	10	10	50	

COMMENTS
DF = DILUTION FACTOR
PQL = PRACTICAL QUANTITATION LIMIT
ACTUAL DETECTION LIMIT = DF X PQL
ND = NON-DETECTED OR BELOW THE ACTUAL DETECTION LIMIT

Data Reviewed and Approved by: _____
CAL-DHS ELAP CERTIFICATE No.: 1555

Enviro Chem, Inc

1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8015M Soil QC

Date Analyzed: 1/21/2005 Units: mg/Kg (PPM)

Matrix: **Solid/Sludge**

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)

Spiked Sample Lab I.D.: **050120-LCS 1/2**

Analyte	SR	spk conc	MS	%MS	MSD	%MSD	%RPD	ACP %MS	ACP RPD
DIESEL	0	2500	2182	87%	2326	93%	6%	75-125	0-20%

LCS STD RECOVERY:

Analyte	spk conc	LCS	% REC	ACP
DIESEL	200	212	106%	75-125

Analyzed and Reviewed By: KL

Final Reviewer: CP

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-01 — LAB I.D.: 050119-20

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X10*
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-01 — LAB I.D.: 050119-20

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X10*
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
* = PQL RAISED DUE TO MATRIX INTERFERENCE
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-02 — LAB I.D.: 050119-21

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-02 — LAB I.D.: 050119-21

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-03 — LAB I.D.: 050119-22

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-03 — LAB I.D.: 050119-22

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-04 — LAB I.D.: 050119-23

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-04 — LAB I.D.: 050119-23

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-05 — LAB I.D.: 050119-24

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-05 — LAB I.D.: 050119-24

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-06 — LAB I.D.: 050119-25

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-06 — LAB I.D.: 050119-25

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-07 — LAB I.D.: 050119-26

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-07 — LAB I.D.: 050119-26

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL
SAMPLING DATE: 01/19/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/19/05
DATE ANALYZED: 01/20/05
DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-08
LAB I.D.: 050119-27

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-08 — LAB I.D.: 050119-27

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-09 — LAB I.D.: 050119-28

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-09 — LAB I.D.: 050119-28

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-10 — LAB I.D.: 050119-29

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-10 — LAB I.D.: 050119-29

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL | DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 | DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ | DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-11 | LAB I.D.: 050119-30

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-11 — LAB I.D.: 050119-30

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	0.033	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	0.010	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-12 — LAB I.D.: 050119-31

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-12 — LAB I.D.: 050119-31

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-13 — LAB I.D.: 050119-32

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-13 — LAB I.D.: 050119-32

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-14 — LAB I.D.: 050119-33

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-14 — LAB I.D.: 050119-33

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro -- Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-15 — LAB I.D.: 050119-34

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro -- Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-15 — LAB I.D.: 050119-34

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-16 — LAB I.D.: 050119-35

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-16 — LAB I.D.: 050119-35

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-17 — LAB I.D.: 050119-36

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-17 — LAB I.D.: 050119-36

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-18 — LAB I.D.: 050119-37

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: AOC-A-18 — LAB I.D.: 050119-37

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

METHOD BLANK FOR LAB I.D.: 050119-20 THROUGH -37

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05

SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05

REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

METHOD BLANK FOR LAB I.D.: 050119-20 THROUGH -37

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro-Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8260B QA/QC Report

.te Analyzed: 01/20/05 Matrix: Soil/Sludge
Machine: B Unit: mg/kg (PPM)

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)
Spiked Sample Lab I.D.: 05119-21

Analyte	S.R.	spk conc	MS	%RC	MSD	%RC	%RPD	ACP %RC	ACP RP
Benzene	0	0.025	0.027	108%	0.024	98%	10%	75-125	0-20
Chlorobenzene	0	0.025	0.026	106%	0.026	102%	3%	75-125	0-20
1,1-Dichloroethene	0	0.025	0.029	116%	0.029	116%	0%	75-125	0-20
Toluene	0	0.025	0.028	112%	0.029	114%	2%	75-125	0-20
Trichloroethene (TCE)	0	0.025	0.026	102%	0.026	104%	2%	75-125	0-20

Lab Control Spike (LCS):

Analyte	spk conc	LCS	%RC	ACP %RC
Benzene	0.025	0.025	99%	75-125
Chlorobenzene	0.025	0.025	101%	75-125
Chloroform	0.025	0.023	92%	75-125
1,1-Dichlorothene	0.025	0.026	102%	75-125
Ethylbenzene	0.025	0.028	110%	75-125
o-Xylene	0.025	0.028	112%	75-125
m,p-Xylene	0.050	0.057	115%	75-125
Toluene	0.025	0.028	110%	75-125
1,1,1-Trichloroethane	0.025	0.024	96%	75-125
,hloroethene (TCE)	0.025	0.025	100%	75-125

Surrogate Recovery	spk conc	ACP %RC	MB %RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.				0119-20	0119-21	0119-22	0119-23	0119-24	0119-25
Dibromofluoromethane	50.0	70-130	104%	102%	110%	103%	99%	117%	106%
Toluene-d8	50.0	70-130	103%	104%	111%	102%	89%	116%	90%
4-Bromofluorobenzene	50.0	70-130	91%	87%	90%	72%	88%	89%	89%

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.			0119-26	0119-27	0119-28	0119-29	0119-30	0119-31	0119-32
Dibromofluoromethane	50.0	70-130	105%	111%	102%	109%	115%	108%	108%
Toluene-d8	50.0	70-130	90%	104%	87%	93%	86%	89%	104%
4-Bromofluorobenzene	50.0	70-130	88%	68*%	84%	89%	83%	84%	74%

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.			0119-33	0119-34	0119-35	0119-36	0119-37		
Dibromofluoromethane	50.0	70-130	113%	112%	108%	112%	104%		
Toluene-d8	50.0	70-130	107%	101%	67*%	95%	77%		
4-Bromofluorobenzene	50.0	70-130	79%	68*%	86%	88%	87%		

** = Surrogate fail due to matrix interference; LCS, MS, MSD are in control therefore the analysis is in control.*
S.R. = Sample Results *%RC = Percent Recovery*
spk conc = Spike Concentration *ACP %RC = Accepted Percent Recovery*
= Matrix Spike *MSD = Matrix Spike Duplicate*

Analyzed/Reviewed By: _____

Final Reviewer: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: WATER — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/19/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: Trip Blank — LAB I.D.: 050119-41

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	10
BENZENE	ND	1
BROMOBENZENE	ND	1
BROMOCHLOROMETHANE	ND	1
BROMODICHLOROMETHANE	ND	1
BROMOFORM	ND	1
BROMOMETHANE	ND	1
2-BUTANONE (MEK)	ND	10
N-BUTYLBENZENE	ND	1
SEC-BUTYLBENZENE	ND	1
TERT-BUTYLBENZENE	ND	1
CARBON DISULFIDE	ND	5
CARBON TETRACHLORIDE	ND	1
CHLOROBENZENE	ND	1
CHLOROETHANE	ND	1
CHLOROFORM	ND	1
CHLOROMETHANE	ND	1
2-CHLOROTOLUENE	ND	1
4-CHLOROTOLUENE	ND	1
DIBROMOCHLOROMETHANE	ND	1
1,2-DIBROMO-3-CHLOROPROPANE	ND	1
1,2-DIBROMOETHANE	ND	1
DIBROMOMETHANE	ND	1
1,2-DICHLOROBENZENE	ND	1
1,3-DICHLOROBENZENE	ND	1
1,4-DICHLOROBENZENE	ND	1
DICHLORODIFLUOROMETHANE	ND	1
1,1-DICHLOROETHANE	ND	1
1,2-DICHLOROETHANE	ND	1
1,1-DICHLOROETHENE	ND	1
CIS-1,2-DICHLOROETHENE	ND	1
TRANS-1,2-DICHLOROETHENE	ND	1
1,2-DICHLOROPROPANE	ND	1
1,3-DICHLOROPROPANE	ND	1

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: WATER — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/19/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

SAMPLE I.D.: Trip Blank — LAB I.D.: 050119-41

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
2,2-DICHLOROPROPANE	ND	1
1,1-DICHLOROPROPENE	ND	1
CIS-1,3-DICHLOROPROPENE	ND	1
TRANS-1,3-DICHLOROPROPENE	ND	1
ETHYLBENZENE	ND	1
2-HEXANONE	ND	10
HEXACHLOROBUTADIENE	ND	1
ISOPROPYLBENZENE	ND	1
4-ISOPROPYLTOLUENE	ND	1
4-METHYL-2-PENTANONE (MIBK)	ND	10
METHYL tert-BUTYL ETHER (MTBE)	ND	3
METHYLENE CHLORIDE	ND	5
NAPHTHALENE	ND	1
N-PROPYLBENZENE	ND	1
STYRENE	ND	1
1,1,1,2-TETRACHLOROETHANE	ND	1
1,1,2,2-TETRACHLOROETHANE	ND	1
TETRACHLOROETHENE (PCE)	ND	1
TOLUENE	ND	1
1,2,3-TRICHLOROBENZENE	ND	1
1,2,4-TRICHLOROBENZENE	ND	1
1,1,1-TRICHLOROETHANE	ND	1
1,1,2-TRICHLOROETHANE	ND	1
TRICHLOROETHENE (TCE)	ND	1
TRICHLOROFLUOROMETHANE	ND	1
1,2,3-TRICHLOROPROPANE	ND	1
1,2,4-TRIMETHYLBENZENE	ND	1
1,3,5-TRIMETHYLBENZENE	ND	1
VINYL CHLORIDE	ND	1
M/P-XYLENE	ND	2
O-XYLENE	ND	1

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: WATER — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/19/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

METHOD BLANK FOR LAB I.D.: 050119-41

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	10
BENZENE	ND	1
BROMOBENZENE	ND	1
BROMOCHLOROMETHANE	ND	1
BROMODICHLOROMETHANE	ND	1
BROMOFORM	ND	1
BROMOMETHANE	ND	1
2-BUTANONE (MEK)	ND	10
N-BUTYLBENZENE	ND	1
SEC-BUTYLBENZENE	ND	1
TERT-BUTYLBENZENE	ND	1
CARBON DISULFIDE	ND	5
CARBON TETRACHLORIDE	ND	1
CHLOROBENZENE	ND	1
CHLOROETHANE	ND	1
CHLOROFORM	ND	1
CHLOROMETHANE	ND	1
2-CHLOROTOLUENE	ND	1
4-CHLOROTOLUENE	ND	1
DIBROMOCHLOROMETHANE	ND	1
1,2-DIBROMO-3-CHLOROPROPANE	ND	1
1,2-DIBROMOETHANE	ND	1
DIBROMOMETHANE	ND	1
1,2-DICHLOROBENZENE	ND	1
1,3-DICHLOROBENZENE	ND	1
1,4-DICHLOROBENZENE	ND	1
DICHLORODIFLUOROMETHANE	ND	1
1,1-DICHLOROETHANE	ND	1
1,2-DICHLOROETHANE	ND	1
1,1-DICHLOROETHENE	ND	1
CIS-1,2-DICHLOROETHENE	ND	1
TRANS-1,2-DICHLOROETHENE	ND	1
1,2-DICHLOROPROPANE	ND	1
1,3-DICHLOROPROPANE	ND	1

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: WATER — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/19/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/21/05

METHOD BLANK FOR LAB I.D.: 050119-41

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
2,2-DICHLOROPROPANE	ND	1
1,1-DICHLOROPROPENE	ND	1
CIS-1,3-DICHLOROPROPENE	ND	1
TRANS-1,3-DICHLOROPROPENE	ND	1
ETHYLBENZENE	ND	1
2-HEXANONE	ND	10
HEXACHLOROBUTADIENE	ND	1
ISOPROPYLBENZENE	ND	1
4-ISOPROPYLTOLUENE	ND	1
4-METHYL-2-PENTANONE (MIBK)	ND	10
METHYL tert-BUTYL ETHER (MTBE)	ND	3
METHYLENE CHLORIDE	ND	5
NAPHTHALENE	ND	1
N-PROPYLBENZENE	ND	1
STYRENE	ND	1
1,1,1,2-TETRACHLOROETHANE	ND	1
1,1,2,2-TETRACHLOROETHANE	ND	1
TETRACHLOROETHENE (PCE)	ND	1
TOLUENE	ND	1
1,2,3-TRICHLOROBENZENE	ND	1
1,2,4-TRICHLOROBENZENE	ND	1
1,1,1-TRICHLOROETHANE	ND	1
1,1,2-TRICHLOROETHANE	ND	1
TRICHLOROETHENE (TCE)	ND	1
TRICHLOROFLUOROMETHANE	ND	1
1,2,3-TRICHLOROPROPANE	ND	1
1,2,4-TRIMETHYLBENZENE	ND	1
1,3,5-TRIMETHYLBENZENE	ND	1
VINYL CHLORIDE	ND	1
M/P-XYLENE	ND	2
O-XYLENE	ND	1

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro-Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8260B QA/QC Report

Date Analyzed: 1/19/05 Matrix: Water
Machine: B Unit: ug/L (PPB)

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)
Spiked Sample Lab I.D.: 050119-LCS1/2

Analyte	S.R.	spk conc	MS	%RC	MSD	%RC	%RPD	ACP %RC	ACP RPD
Benzene	0	25.0	24.0	96%	24.6	98%	2%	75-125	0-20
Chlorobenzene	0	25.0	23.7	95%	24.8	99%	4%	75-125	0-20
1,1-Dichloroethene	0	25.0	27.4	110%	27.7	111%	1%	75-125	0-20
Toluene	0	25.0	27.8	111%	24.3	97%	14%	75-125	0-20
Trichloroethene (TCE)	0	25.0	24.8	99%	25.2	101%	2%	75-125	0-20

Lab Control Spike (LCS):

Analyte	spk conc	LCS	%RC	ACP %RC
Benzene	25.0	24.0	96%	75-125
Chlorobenzene	25.0	24.4	97%	75-125
Chloroform	25.0	25.1	100%	75-125
1,1-Dichlorothene	25.0	28.2	113%	75-125
Ethylbenzene	25.0	26.7	107%	75-125
o-Xylene	25.0	27.4	109%	75-125
m,p-Xylene	50.0	56.1	112%	75-125
Toluene	25.0	27.2	109%	75-125
1,1,1-Trichloroethane	25.0	26.9	107%	75-125
Trichloroethene (TCE)	25.0	24.6	98%	75-125

Surrogate Recovery	spk conc	ACP %RC	MB %RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.				0118-24	0118-36	0119-41			
Dibromofluoromethane	25.0	70-130	101%	105%	98%	97%			
Toluene-d8	25.0	70-130	90%	110%	89%	109%			
4-Bromofluorobenzene	25.0	70-130	88%	87%	87%	86%			

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.									
Dibromofluoromethane	25.0	70-130							
Toluene-d8	25.0	70-130							
4-Bromofluorobenzene	25.0	70-130							

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.									
Dibromofluoromethane	25.0	70-130							
Toluene-d8	25.0	70-130							
4-Bromofluorobenzene	25.0	70-130							

** = Surrogate fail due to matrix interference; LCS, MS, MSD are in control therefore the analysis is in control.*
S.R. = Sample Results *%RC = Percent Recovery*
spk conc = Spike Concentration *ACP %RC = Accepted Percent Recovery*
MS = Matrix Spike *MSD = Matrix Spike Duplicate*

Analyzed/Reviewed By: _____

Final Reviewer: _____

Enviro-Chem, Inc. Laboratories
1214 E. Lexington Avenue,
Pomona, CA 91766
Tel: (909) 590-5905 Fax: (909) 590-5907
CA-DHS ELAP CERTIFICATE # 1555

Turnaround Time
0 Same Day
0 24 Hours
X 48 Hours
0 72 Hours
0 1 Week (Standard)
Other:

RUSH!

AOC-A

SAMPLE ID	LAB ID	SAMPLING DATE	SAMPLING TIME	MATRIX	No. OF CONTAINERS	TEMPERATURE	PRESERVATION	8260b VOCs	8015M CARBON CHAIN								COMMENTS
AOC-A-01	050119-20	1/19/05	0753	SOIL	1 X	4 OZ ICE	N/A	X	X								SURFACE TO
AOC-A-02	-21		0804					X	X								-3" SAMPLES
AOC-A-03	-22		0811					X	X								
AOC-A-04	-23		0815					X	X								
AOC-A-05	-24		0817					X	X								NEED A MATRIX
AOC-A-06	-25		0822					X	X								SPIKE FOR
AOC-A-07	-26		0828					X	X								AOC-A.
AOC-A-08	-27		0832					X	X								
AOC-A-09	-28		0835					X	X								
AOC-A-10	-29		0838					X	X								
AOC-A-11	-30		0843					X	X								
AOC-A-12	-31		0845					X	X								
AOC-A-13	-32		0848					X	X								
AOC-A-14	-33		0901					X	X								
AOC-A-15	-34		0906					X	X								

Analysis Required

Company Name: REMEDIAL CONSTRUCTION SERVICE	Project Contact: ROBERT LARTZ	Sampler's Signature: [signature]
Address: 1101 CALIFORNIA AVENUE	Tel: 951-272-2877	Project Name/ID: CORONA SERVICE PARK 2-1778
City/State/Zip: CORONA, CA 92881	Fax: 951-272-2825	

Relinquished by: [signature]	Received by: [signature]	Date & Time: 1/19/05 1500	Instructions for Sample Storage After Analysis:
Relinquished by: [signature]	Received by: [signature]	Date & Time: 1/19/05 1610	O Dispose of O Return to Client O Store (30 Days)
Relinquished by:	Received by:	Date & Time:	O Other:

CHAIN OF CUSTODY RECORD

Date: 1/19/05

WHITE WITH SAMPLE • YELLOW TO CLIENT

Enviro-Che[illegible] Inc. Laboratories
1214 E. Lexington Avenue,
Pomona, CA 91766
Tel: (909) 590-5905 Fax: (909) 590-5907
CA-DHS ELAP CERTIFICATE # 1555

Turnaround Time
0 Same Day
0 24 Hours
X 48 Hours
0 72 Hours
0 1 Week (Standard)
Other:

R[illegible]

AOC-A

SAMPLE ID	LAB ID	SAMPLING DATE	SAMPLING TIME	MATRIX	No. OF CONTAINERS	TEMPERATURE	PRESERVATION	8260b	8015M CARBON CHAIN								COMMENTS
AOC-A-16	050119 -35	1/19/05	0909	SOIL	1	ICE	N/A	X	X								
AOC-A-17	-36	1/19/05	0916	SOIL	1	ICE	N/A	X	X								
AOC-A-18	-37	1/19/05	0925	SOIL	1	ICE	N/A	X	X								
DECON WATER-01	-38	1/19/05	0926	WATER	1 x 40	ICE	N/A	~~X~~	~~X~~*	Cancelled							WASH
DECON WATER-02	-39	1/19/05	0927	WATER	1 "	ICE	N/A	~~X~~	~~X~~*	as per Adam							1ST RINSE
DECON WATER-03	-40	1/19/05	0928	WATER	1 "	ICE	N/A	~~X~~	~~X~~*	1/19/05 1635							2ND RINSE
TRIP BLANK	-41	1/19/05	0930	WATER	1 x VOA	ICE	HCL	X	~~X~~*								

Company Name: REMEDIAL CONSTRUCTION SERVICES	Project Contact: ROBERT LARTZ	Sampler's Signature: [signature]
Address: 1101 CALIFORNIA AVE	Tel: 951-272-2877	Project Name/ID: CORONA SERVICE PARK 2-1778
City/State/Zip: CORONA, CA 92881	Fax: 951-272-2825	

Relinquished by: [signature]	Received by: [signature]	Date & Time: 1/19/05 1500	Instructions for Sample Storage After Analysis:
Relinquished by: [signature]	Received by: [signature]	Date & Time: 1/19/05 1610	O Dispose of O Return to Client O Store (30 Days)
Relinquished by:	Received by:	Date & Time:	O Other:

CHAIN OF CUSTODY RECORD

Date: 1/19/05

WHITE WITH SAMPLE • YELLOW TO CLIENT

Appendix J

Laboratory Reports, AOC B, Initial Samples

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

Date: January 26, 2005

Mr. Robert Lartz
Remedial Construction Service, Inc.
1101 California St., Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

Project: **Corona Service Park / 2-1778**

Dear Mr. Lartz:

The analytical results for the soil and water samples, received by our laboratory on January 19, 2005, are attached.

Enviro-Chem appreciates the opportunity to provide you and your company this and other services. Please do not hesitate to call us if you have any questions.

Sincerely,

Curtis Desilets
Vice President/Program Manager

Jesse Tu, Ph.D.
Laboratory Manager

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778 DATE RECEIVED:01/19/05
MATRIX:SOIL DATE EXTRACTED:01/20/05
SAMPLING DATE:01/19/05 DATE ANALYZED:01/22-25/05
REPORT TO:Mr. ROBERT LARTZ DATE REPORTED:01/26/05

TOTAL PETROLEUM HYDROCARBONS(TPH) - CARBON CHAIN ANALYSIS
METHOD: LUFT/EPA 8015M
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

SAMPLE I.D.	LAB I.D.	GASOLINE (C4-C10)	KEROSENE (C8-C16)	DIESEL (C10-C22)	OIL (C22-C35)	DF
AOC-B-01	050119-42	ND	ND	ND	168	1
AOC-B-02	050119-43	ND	80.4	ND	323	1
AOC-B-03	050119-44	ND	3660	ND	658	10
AOC-B-04	050119-45	ND	189	ND	190	1
AOC-B-05	050119-46	ND	ND	ND	297	1
AOC-B-06	050119-47	ND	ND	ND	106	1
AOC-B-07	050119-48	ND	ND	ND	109	1
AOC-B-08	050119-49	ND	ND	ND	125	1
AOC-B-09	050119-50	ND	ND	ND	99.2	1
AOC-B-10	050119-51	ND	ND	ND	125	1
AOC-B-11	050119-52	ND	ND	ND	123	1
AOC-B-12	050119-53	ND	ND	ND	129	1
AOC-B-13	050119-54	ND	ND	ND	185	1
AOC-B-14	050119-55	ND	ND	ND	128	1
AOC-B-15	050119-56	ND	ND	ND	395	1
AOC-B-16	050119-57	ND	ND	ND	258	1
AOC-B-17	050119-58	ND	ND	156	375	1
AOC-B-18	050119-59	ND	ND	ND	81	1
AOC-B-19	050119-60	ND	ND	ND	121	1
AOC-B-20	050119-61	ND	ND	ND	188	1
METHOD BLANK		ND	ND	ND	ND	1
	PQL	10	10	10	50	

COMMENTS
DF = DILUTION FACTOR
PQL = PRACTICAL QUANTITATION LIMIT
ACTUAL DETECTION LIMIT = DF X PQL
ND = NON-DETECTED OR BELOW THE ACTUAL DETECTION LIMIT

Data Reviewed and Approved by:
CAL-DHS ELAP CERTIFICATE No.: 1555

Enviro Chem, Inc

1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8015M Soil/Solid QC

Date Analyzed: 1/22-1/23/2005 Units: mg/Kg (PPM)

Matrix: **Solid/Sludge**

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)

Spiked Sample Lab I.D.: **050122-LCS1/2**

Analyte	SR	spk conc	MS	%MS	MSD	%MSD	%RPD	ACP %MS	ACP RPD
DIESEL	0	2500	2306	92%	2226	89%	4%	75-125	0-20%

LCS STD RECOVERY:

Analyte	spk conc	LCS	% REC	ACP
DIESEL	200	212	106%	75-125

Analyzed and Reviewed By: ALW

Final Reviewer: GO

Enviro Chem, Inc

1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8015M Soil/Solid QC

Date Analyzed: 1/24-1/25/2005 Units: mg/Kg (PPM)

Matrix: **Solid/Sludge**

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)

Spiked Sample Lab I.D.: **050124-LCS1/2**

Analyte	SR	spk conc	MS	%MS	MSD	%MSD	%RPD	ACP %MS	ACP RPD
DIESEL	0	2500	2285	91%	2379	95%	4%	75-125	0-20%

LCS STD RECOVERY:

Analyte	spk conc	LCS	% REC	ACP
DIESEL	200	179	90%	75-125

Analyzed and Reviewed By: ALW

Final Reviewer: GO

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778 DATE RECEIVED:01/19/05
MATRIX:WATER DATE EXTRACTED:01/20/05
SAMPLING DATE:01/19/05 DATE ANALYZED:01/21/05
REPORT TO:Mr. ROBERT LARTZ DATE REPORTED:01/26/05

TOTAL PETROLEUM HYDROCARBONS(TPH) - CARBON CHAIN ANALYSIS
METHOD: LUFT/EPA 8015M
UNIT: uG/L = MICROGRAM PER LITER = PPB

SAMPLE I.D.	LAB I.D.	GASOLINE (C4-C10)	KEROSENE (C8-C16)	DIESEL (C10-C22)	OIL (C22-C35)	DF
Equipment Blank	050119-62	ND	ND	ND	ND	1
METHOD BLANK		ND	ND	ND	ND	1
	PQL	500	500	500	5000	

COMMENTS
DF = DILUTION FACTOR
PQL = PRACTICAL QUANTITATION LIMIT
ACTUAL DETECTION LIMIT = DF X PQL
ND = NON-DETECTED OR BELOW THE ACTUAL DETECTION LIMIT

Data Reviewed and Approved by:
CAL-DHS ELAP CERTIFICATE No.: 1555

Enviro Chem, Inc

1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8015M Water QC

Date Analyzed: 1/21-1/22/2005 Units: ug/L (PPB)

Matrix: **Water**

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)

Spiked Sample Lab I.D.: 050117-9

Analyte	SR	spk conc	MS	%MS	MSD	%MSD	%RPD	ACP %MS	ACP RPD
DIESEL	0	150000	136080	91%	135378	90%	1%	75-125	0-20%

LCS STD RECOVERY:

Analyte	spk conc	LCS	% REC	ACP
DIESEL	120000	123504	103%	75-125

Analyzed and Reviewed by: ALW

Final Reviewer: [illegible]

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-01 — LAB I.D.: 050119-42

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-01 — LAB I.D.: 050119-42

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-02 — LAB I.D.: 050119-43

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-02 — LAB I.D.: 050119-43

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	0.023	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-03 — LAB I.D.: 050119-44

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X100
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	4.95	0.005
SEC-BUTYLBENZENE	1.16	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-03 — LAB I.D.: 050119-44

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X100
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	1.66	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	0.973	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	12.5	0.005
1,3,5-TRIMETHYLBENZENE	10.9	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-04 — LAB I.D.: 050119-45

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-04 — LAB I.D.: 050119-45

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	0.006	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	0.011	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	0.015	0.005
1,2,4-TRICHLOROBENZENE	0.006	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-05 — LAB I.D.: 050119-46

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-05 — LAB I.D.: 050119-46

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-06 — LAB I.D.: 050119-47

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-06 — LAB I.D.: 050119-47

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	0.010	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-07 — LAB I.D.: 050119-48

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-07 — LAB I.D.: 050119-48

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	0.011	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-08 — LAB I.D.: 050119-49

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-08 — LAB I.D.: 050119-49

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	0.017	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-09 — LAB I.D.: 050119-50

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-09 — LAB I.D.: 050119-50

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	0.007	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-10 — LAB I.D.: 050119-51

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-10 — LAB I.D.: 050119-51

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-11 — LAB I.D.: 050119-52

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-11 — LAB I.D.: 050119-52

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	0.009	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-12 — LAB I.D.: 050119-53

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-12 — LAB I.D.: 050119-53

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-13 — LAB I.D.: 050119-54

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-13 — LAB I.D.: 050119-54

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-14 — LAB I.D.: 050119-55

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-14 — LAB I.D.: 050119-55

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-15 — LAB I.D.: 050119-56

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-15 — LAB I.D.: 050119-56

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-16 — LAB I.D.: 050119-57

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-16 — LAB I.D.: 050119-57

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-17 — LAB I.D.: 050119-58

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778
MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-17 — LAB I.D.: 050119-58

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	0.005	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-18 — LAB I.D.: 050119-59

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-18 — LAB I.D.: 050119-59

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-19 — LAB I.D.: 050119-60

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-19 — LAB I.D.: 050119-60

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	0.020	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-20 — LAB I.D.: 050119-61

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: AOC-B-20 — LAB I.D.: 050119-61

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	0.014	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

METHOD BLANK FOR LAB I.D.: 050119-42 THROUGH -61

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778
MATRIX: SOIL — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

METHOD BLANK FOR LAB I.D.: 050119-42 THROUGH -61

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro-Chem, Inc.

1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8260B QA/QC Report

Date Analyzed: 1/20/05 Matrix: Solid/Sludge

Machine: A Unit: mg/Kg (PPM)

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)

Spiked Sample Lab I.D.: 050119-42

Analyte	S.R.	spk conc	MS	%RC	MSD	%RC	%RPD	ACP %RC	ACP RPD
Benzene	0	0.050	0.047	94%	0.049	98%	4%	75-125	0-20
Chlorobenzene	0	0.050	0.048	96%	0.048	95%	1%	75-125	0-20
1,1-Dichloroethene	0	0.050	0.046	92%	0.050	100%	8%	75-125	0-20
Toluene	0	0.050	0.050	100%	0.047	94%	6%	75-125	0-20
Trichloroethene (TCE)	0	0.050	0.047	94%	0.049	99%	5%	75-125	0-20

Lab Control Spike (LCS):

Analyte	spk conc	LCS	%RC	ACP %RC
Benzene	0.050	0.051	102%	75-125
Chlorobenzene	0.050	0.050	100%	75-125
Chloroform	0.050	0.050	100%	75-125
1,1-Dichlorothene	0.050	0.048	96%	75-125
Ethylbenzene	0.050	0.048	96%	75-125
o-Xylene	0.050	0.048	97%	75-125
m,p-Xylene	0.100	0.095	95%	75-125
Toluene	0.050	0.046	92%	75-125
1,1,1-Trichloroethane	0.050	0.047	94%	75-125
Trichloroethene (TCE)	0.050	0.048	97%	75-125

Surrogate Recovery	spk conc	ACP %RC	MB %RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.				0119-42	0119-43	0119-44	0119-45	0119-46	0119-47
Dibromofluoromethane	50.0	70-130	104%	101%	98%	99%	95%	99%	97%
Toluene-d8	50.0	70-130	93%	82%	68*%	97%	93%	87%	91%
4-Bromofluorobenzene	50.0	70-130	94%	83%	98*%	127%	101%	84%	90%

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.			0119-48	0119-49	0119-50	0119-51	0119-52	0119-53	0119-54
Dibromofluoromethane	50.0	70-130	99%	98%	96%	98%	98%	98%	100%
Toluene-d8	50.0	70-130	89%	91%	92%	88%	89%	89%	87%
4-Bromofluorobenzene	50.0	70-130	87%	90%	89%	83%	84%	84%	87%

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.			0119-55	0119-56	0119-57	0119-58	0119-59	0119-60	0119-61
Dibromofluoromethane	50.0	70-130	105%	100%	97%	94%	101%	93%	94%
Toluene-d8	50.0	70-130	80%	90%	97%	101%	90%	93%	93%
4-Bromofluorobenzene	50.0	70-130	94%	84%	98%	95%	84%	86%	88%

** = Surrogate fail due to matrix interference; LCS, MS, MSD are in control therefore the analysis is in control.*

S.R. = Sample Results *%RC = Percent Recovery*

spk conc = Spike Concentration *ACP %RC = Accepted Percent Recovery*

MS = Matrix Spike *MSD = Matrix Spike Duplicate*

Analyzed/Reviewed By: _____

Final Reviewer: CP

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: WATER — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: Equipment Blank-01 — LAB I.D.: 050119-62

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	10
BENZENE	ND	1
BROMOBENZENE	ND	1
BROMOCHLOROMETHANE	ND	1
BROMODICHLOROMETHANE	ND	1
BROMOFORM	ND	1
BROMOMETHANE	ND	1
2-BUTANONE (MEK)	ND	10
N-BUTYLBENZENE	ND	1
SEC-BUTYLBENZENE	ND	1
TERT-BUTYLBENZENE	ND	1
CARBON DISULFIDE	ND	5
CARBON TETRACHLORIDE	ND	1
CHLOROBENZENE	ND	1
CHLOROETHANE	ND	1
CHLOROFORM	ND	1
CHLOROMETHANE	ND	1
2-CHLOROTOLUENE	ND	1
4-CHLOROTOLUENE	ND	1
DIBROMOCHLOROMETHANE	ND	1
1,2-DIBROMO-3-CHLOROPROPANE	ND	1
1,2-DIBROMOETHANE	ND	1
DIBROMOMETHANE	ND	1
1,2-DICHLOROBENZENE	ND	1
1,3-DICHLOROBENZENE	ND	1
1,4-DICHLOROBENZENE	ND	1
DICHLORODIFLUOROMETHANE	ND	1
1,1-DICHLOROETHANE	ND	1
1,2-DICHLOROETHANE	ND	1
1,1-DICHLOROETHENE	ND	1
CIS-1,2-DICHLOROETHENE	ND	1
TRANS-1,2-DICHLOROETHENE	ND	1
1,2-DICHLOROPROPANE	ND	1
1,3-DICHLOROPROPANE	ND	1

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: WATER — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

SAMPLE I.D.: Equipment Blank-01 — LAB I.D.: 050119-62

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
2,2-DICHLOROPROPANE	ND	1
1,1-DICHLOROPROPENE	ND	1
CIS-1,3-DICHLOROPROPENE	ND	1
TRANS-1,3-DICHLOROPROPENE	ND	1
ETHYLBENZENE	ND	1
2-HEXANONE	ND	10
HEXACHLOROBUTADIENE	ND	1
ISOPROPYLBENZENE	ND	1
4-ISOPROPYLTOLUENE	ND	1
4-METHYL-2-PENTANONE (MIBK)	ND	10
METHYL tert-BUTYL ETHER (MTBE)	ND	3
METHYLENE CHLORIDE	ND	5
NAPHTHALENE	ND	1
N-PROPYLBENZENE	ND	1
STYRENE	ND	1
1,1,1,2-TETRACHLOROETHANE	ND	1
1,1,2,2-TETRACHLOROETHANE	ND	1
TETRACHLOROETHENE (PCE)	ND	1
TOLUENE	ND	1
1,2,3-TRICHLOROBENZENE	ND	1
1,2,4-TRICHLOROBENZENE	ND	1
1,1,1-TRICHLOROETHANE	ND	1
1,1,2-TRICHLOROETHANE	ND	1
TRICHLOROETHENE (TCE)	ND	1
TRICHLOROFLUOROMETHANE	ND	1
1,2,3-TRICHLOROPROPANE	ND	1
1,2,4-TRIMETHYLBENZENE	ND	1
1,3,5-TRIMETHYLBENZENE	ND	1
VINYL CHLORIDE	ND	1
M/P-XYLENE	ND	2
O-XYLENE	ND	1

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: WATER — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

METHOD BLANK FOR LAB I.D.: 050119-62

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	10
BENZENE	ND	1
BROMOBENZENE	ND	1
BROMOCHLOROMETHANE	ND	1
BROMODICHLOROMETHANE	ND	1
BROMOFORM	ND	1
BROMOMETHANE	ND	1
2-BUTANONE (MEK)	ND	10
N-BUTYLBENZENE	ND	1
SEC-BUTYLBENZENE	ND	1
TERT-BUTYLBENZENE	ND	1
CARBON DISULFIDE	ND	5
CARBON TETRACHLORIDE	ND	1
CHLOROBENZENE	ND	1
CHLOROETHANE	ND	1
CHLOROFORM	ND	1
CHLOROMETHANE	ND	1
2-CHLOROTOLUENE	ND	1
4-CHLOROTOLUENE	ND	1
DIBROMOCHLOROMETHANE	ND	1
1,2-DIBROMO-3-CHLOROPROPANE	ND	1
1,2-DIBROMOETHANE	ND	1
DIBROMOMETHANE	ND	1
1,2-DICHLOROBENZENE	ND	1
1,3-DICHLOROBENZENE	ND	1
1,4-DICHLOROBENZENE	ND	1
DICHLORODIFLUOROMETHANE	ND	1
1,1-DICHLOROETHANE	ND	1
1,2-DICHLOROETHANE	ND	1
1,1-DICHLOROETHENE	ND	1
CIS-1,2-DICHLOROETHENE	ND	1
TRANS-1,2-DICHLOROETHENE	ND	1
1,2-DICHLOROPROPANE	ND	1
1,3-DICHLOROPROPANE	ND	1

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: WATER — DATE RECEIVED: 01/19/05
SAMPLING DATE: 01/19/05 — DATE ANALYZED: 01/20/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/26/05

METHOD BLANK FOR LAB I.D.: 050119-62

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
2,2-DICHLOROPROPANE	ND	1
1,1-DICHLOROPROPENE	ND	1
CIS-1,3-DICHLOROPROPENE	ND	1
TRANS-1,3-DICHLOROPROPENE	ND	1
ETHYLBENZENE	ND	1
2-HEXANONE	ND	10
HEXACHLOROBUTADIENE	ND	1
ISOPROPYLBENZENE	ND	1
4-ISOPROPYLTOLUENE	ND	1
4-METHYL-2-PENTANONE (MIBK)	ND	10
METHYL tert-BUTYL ETHER (MTBE)	ND	3
METHYLENE CHLORIDE	ND	5
NAPHTHALENE	ND	1
N-PROPYLBENZENE	ND	1
STYRENE	ND	1
1,1,1,2-TETRACHLOROETHANE	ND	1
1,1,2,2-TETRACHLOROETHANE	ND	1
TETRACHLOROETHENE (PCE)	ND	1
TOLUENE	ND	1
1,2,3-TRICHLOROBENZENE	ND	1
1,2,4-TRICHLOROBENZENE	ND	1
1,1,1-TRICHLOROETHANE	ND	1
1,1,2-TRICHLOROETHANE	ND	1
TRICHLOROETHENE (TCE)	ND	1
TRICHLOROFLUOROMETHANE	ND	1
1,2,3-TRICHLOROPROPANE	ND	1
1,2,4-TRIMETHYLBENZENE	ND	1
1,3,5-TRIMETHYLBENZENE	ND	1
VINYL CHLORIDE	ND	1
M/P-XYLENE	ND	2
O-XYLENE	ND	1

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro-Chem, Inc.

1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8260B QA/QC Report

te Analyzed: 1/20/05 Matrix: Water

...achine: B Unit: ug/L (PPB)

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)

Spiked Sample Lab I.D.: 050119-62

Analyte	S.R.	spk conc	MS	%RC	MSD	%RC	%RPD	ACP %RC	ACP RPD
Benzene	0	25.0	27.2	109%	24.4	98%	11%	75-125	0-20
Chlorobenzene *	0	25.0	26.5	106%	25.6	102%	3%	75-125	0-20
1,1-Dichloroethene	0	25.0	29.5	118%	29.2	117%	1%	75-125	0-20
Toluene	0	25.0	28.2	113%	28.5	114%	1%	75-125	0-20
Trichloroethene (TCE)	0	25.0	25.6	102%	26.3	105%	3%	75-125	0-20

Lab Control Spike (LCS):

Analyte	spk conc	LCS	%RC	ACP %RC
Benzene	25.0	24.9	99%	75-125
Chlorobenzene	25.0	25.1	101%	75-125
Chloroform	25.0	23.0	92%	75-125
1,1-Dichlorothene	25.0	25.5	102%	75-125
Ethylbenzene	25.0	27.5	110%	75-125
o-Xylene	25.0	28.2	113%	75-125
m,p-Xylene	50.0	57.5	115%	75-125
Toluene	25.0	27.6	110%	75-125
1,1,1-Trichloroethane	25.0	24.2	97%	75-125
chloroethene (TCE)	25.0	24.9	100%	75-125

Surrogate Recovery	spk conc	ACP %RC	MB %RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.				0119-62					
Dibromofluoromethane	25.0	70-130	104%	102%					
Toluene-d8	25.0	70-130	103%	91%					
4-Bromofluorobenzene	25.0	70-130	91%	90%					

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.									
Dibromofluoromethane	25.0	70-130							
Toluene-d8	25.0	70-130							
4-Bromofluorobenzene	25.0	70-130							

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.									
Dibromofluoromethane	25.0	70-130							
Toluene-d8	25.0	70-130							
4-Bromofluorobenzene	25.0	70-130							

** = Surrogate fail due to matrix interference; LCS, MS, MSD are in control therefore the analysis is in control.*

S.R. = Sample Results *%RC = Percent Recovery*

k conc = Spike Concentration *ACP %RC = Accepted Percent Recovery*

MS = Matrix Spike *MSD = Matrix Spike Duplicate*

Analyzed/Reviewed By: _____

Final Reviewer: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

Date: February 1, 2005

Mr. Robert Lartz
Remedial Construction Service, Inc.
1101 California St., Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

Project: **Corona Service Park / 2-1778; Additional 8270C Analysis**

Dear Mr. Lartz:

The analytical results for the soil and water samples, received by our laboratory on January 19, 2005, are attached.

Enviro-Chem appreciates the opportunity to provide you and your company this and other services. Please do not hesitate to call us if you have any questions.

Sincerely,

Curtis Desilets
Vice President/Program Manager

Jesse Tu, Ph.D.
Laboratory Manager

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778 DATE RECEIVED: 01/19/05
MATRIX: SOIL DATE EXTRACTED: 01/27/05
SAMPLING DATE: 01/19/05 DATE ANALYZED: 01/27/05
REPORT TO: Mr. ROBERT LARTZ DATE REPORTED: 02/01/05

SAMPLE I.D.: AOC-B-02 LAB I.D.: 050119-43

SEMI-VOLATILE ORGANICS, EPA 8270C, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X20*
Acenaphthene	ND	0.50
Acenaphthylene	ND	0.50
Anthracene	ND	0.50
Benzo(a)anthracene	ND	0.50
Benzo(b)fluoranthene	ND	0.50
Benzo(a)pyrene	ND	0.50
Benzo(g,h,i)perylene	ND	0.50
Benzo(k)fluoranthene	ND	0.50
Benzoic Acid	ND	0.50
Benzyl Alcohol	ND	0.50
Bis(2-Chloroethoxy)methane	ND	0.50
Bis(2-Chloroethyl)ether	ND	0.50
Bis(2-Chloroisopropyl)ether	ND	0.50
Bis(2-Ethylhexyl)Phthalate	ND	0.50
4-Bromophenyl Phenyl Ether	ND	0.50
Butylbenzylphthalate	ND	0.50
4-Chloro-3-Methylphenol	ND	0.50
4-Chloroaniline	ND	0.50
2-Chloronaphthalene	ND	0.50
2-Chlorophenol	ND	0.50
4-Chlorophenyl Phenyl Ether	ND	0.50
Chrysene	ND	0.50
Di-n-butylphthalate	ND	0.50
Di-n-octylphthalate	ND	0.50
Dibenzo(a,h)anthracene	ND	0.50
Dibenzofuran	ND	0.50
1,2-Dichlorobenzene	ND	0.50
1,3-Dichlorobenzene	ND	0.50
1,4-Dichlorobenzene	ND	0.50
3,3-Dichlorobenzidine	ND	0.50
2,4-Dichlorophenol	ND	0.50
Diethyl Phthalate	ND	0.50
2,4-Dimethylphenol	ND	0.50
Dimethyl Phthalate	ND	0.50

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778 DATE RECEIVED: 01/19/05
MATRIX: SOIL DATE EXTRACTED: 01/27/05
SAMPLING DATE: 01/19/05 DATE ANALYZED: 01/27/05
REPORT TO: Mr. ROBERT LARTZ DATE REPORTED: 02/01/05

SAMPLE I.D.: AOC-B-02 LAB I.D.: 050119-43

SEMI-VOLATILE ORGANICS, EPA 8270C, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X20*
Dimethyl Phthalate	ND	0.50
4,6-Dinitro-2-methylphenol	ND	0.50
2,4-Dinitrophenol	ND	0.50
2,4-Dinitrotoluene	ND	0.50
2,6-Dinitrotoluene	ND	0.50
Fluoranthene	ND	0.50
Fluorene	ND	0.50
Hexachlorobenzene	ND	0.50
Hexachlorobutadiene	ND	0.50
Hexachlorocyclopentadiene	ND	0.50
Hexachloroethane	ND	0.50
Indeno(1,2,3-cd)pyrene	ND	0.50
Isophorone	ND	0.50
2-Methyl Phenol	ND	0.50
3-Methyl Phenol	ND	0.50
4-Methyl Phenol	ND	0.50
2-Methylnaphthalene	ND	0.50
N-Nitroso-di-n-dipropylamine	ND	0.50
N-Nitrosodimethylamine	ND	0.50
N-Nitrosodiphenylamine	ND	0.50
Naphthalene	ND	0.50
2-Nitroaniline	ND	0.50
3-Nitroaniline	ND	0.50
4-Nitroaniline	ND	0.50
Nitrobenzene	ND	0.50
2-Nitrophenol	ND	0.50
4-Nitrophenol	ND	0.50
Pentachlorophenol	ND	0.50
Phenanthrene	ND	0.50
Phenol	ND	0.50
Pyrene	ND	0.50
1,2,4-Trichlorobenzene	ND	0.50
2,4,5-Trichlorophenol	ND	0.50
2,4,6-Trichlorophenol	ND	0.50

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
* = PQL RAISED DUE TO MATRIX INTERFERENCE
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778 DATE RECEIVED: 01/19/05
MATRIX: SOIL DATE EXTRACTED: 01/27/05
SAMPLING DATE: 01/19/05 DATE ANALYZED: 01/27/05
REPORT TO: Mr. ROBERT LARTZ DATE REPORTED: 02/01/05

SAMPLE I.D.: AOC-B-04 LAB I.D.: 050119-45

SEMI-VOLATILE ORGANICS, EPA 8270C, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X20*
Acenaphthene	ND	0.50
Acenaphthylene	ND	0.50
Anthracene	ND	0.50
Benzo(a)anthracene	ND	0.50
Benzo(b)fluoranthene	ND	0.50
Benzo(a)pyrene	ND	0.50
Benzo(g,h,i)perylene	ND	0.50
Benzo(k)fluoranthene	ND	0.50
Benzoic Acid	ND	0.50
Benzyl Alcohol	ND	0.50
Bis(2-Chloroethoxy)methane	ND	0.50
Bis(2-Chloroethyl)ether	ND	0.50
Bis(2-Chloroisopropyl)ether	ND	0.50
Bis(2-Ethylhexyl)Phthalate	ND	0.50
4-Bromophenyl Phenyl Ether	ND	0.50
Butylbenzylphthalate	ND	0.50
4-Chloro-3-Methylphenol	ND	0.50
4-Chloroaniline	ND	0.50
2-Chloronaphthalene	ND	0.50
2-Chlorophenol	ND	0.50
4-Chlorophenyl Phenyl Ether	ND	0.50
Chrysene	ND	0.50
Di-n-butylphthalate	ND	0.50
Di-n-octylphthalate	ND	0.50
Dibenzo(a,h)anthracene	ND	0.50
Dibenzofuran	ND	0.50
1,2-Dichlorobenzene	ND	0.50
1,3-Dichlorobenzene	ND	0.50
1,4-Dichlorobenzene	ND	0.50
3,3-Dichlorobenzidine	ND	0.50
2,4-Dichlorophenol	ND	0.50
Diethyl Phthalate	ND	0.50
2,4-Dimethylphenol	ND	0.50
Dimethyl Phthalate	ND	0.50

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778 DATE RECEIVED:01/19/05
MATRIX:SOIL DATE EXTRACTED:01/27/05
SAMPLING DATE:01/19/05 DATE ANALYZED:01/27/05
REPORT TO:Mr. ROBERT LARTZ DATE REPORTED:02/01/05

SAMPLE I.D.: AOC-B-04 LAB I.D.: 050119-45

SEMI-VOLATILE ORGANICS, EPA 8270C, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X20*
Dimethyl Phthalate	ND	0.50
4,6-Dinitro-2-methylphenol	ND	0.50
2,4-Dinitrophenol	ND	0.50
2,4-Dinitrotoluene	ND	0.50
2,6-Dinitrotoluene	ND	0.50
Fluoranthene	ND	0.50
Fluorene	ND	0.50
Hexachlorobenzene	ND	0.50
Hexachlorobutadiene	ND	0.50
Hexachlorocyclopentadiene	ND	0.50
Hexachloroethane	ND	0.50
Indeno(1,2,3-cd)pyrene	ND	0.50
Isophorone	ND	0.50
2-Methyl Phenol	ND	0.50
3-Methyl Phenol	ND	0.50
4-Methyl Phenol	ND	0.50
2-Methylnaphthalene	ND	0.50
N-Nitroso-di-n-dipropylamine	ND	0.50
N-Nitrosodimethylamine	ND	0.50
N-Nitrosodiphenylamine	ND	0.50
Naphthalene	ND	0.50
2-Nitroaniline	ND	0.50
3-Nitroaniline	ND	0.50
4-Nitroaniline	ND	0.50
Nitrobenzene	ND	0.50
2-Nitrophenol	ND	0.50
4-Nitrophenol	ND	0.50
Pentachlorophenol	ND	0.50
Phenanthrene	ND	0.50
Phenol	ND	0.50
Pyrene	ND	0.50
1,2,4-Trichlorobenzene	ND	0.50
2,4,5-Trichlorophenol	ND	0.50
2,4,6-Trichlorophenol	ND	0.50

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
* = PQL RAISED DUE TO MATRIX INTERFERENCE
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778 DATE RECEIVED: 01/19/05
MATRIX: SOIL DATE EXTRACTED: 01/27/05
SAMPLING DATE: 01/19/05 DATE ANALYZED: 01/27/05
REPORT TO: Mr. ROBERT LARTZ DATE REPORTED: 02/01/05

METHOD BLANK FOR LAB I.D.: 050119-43, -45

SEMI-VOLATILE ORGANICS, EPA 8270C, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
Acenaphthene	ND	0.50
Acenaphthylene	ND	0.50
Anthracene	ND	0.50
Benzo(a)anthracene	ND	0.50
Benzo(b)fluoranthene	ND	0.50
Benzo(a)pyrene	ND	0.50
Benzo(g,h,i)perylene	ND	0.50
Benzo(k)fluoranthene	ND	0.50
Benzoic Acid	ND	0.50
Benzyl Alcohol	ND	0.50
Bis(2-Chloroethoxy)methane	ND	0.50
Bis(2-Chloroethyl)ether	ND	0.50
Bis(2-Chloroisopropyl)ether	ND	0.50
Bis(2-Ethylhexyl)Phthalate	ND	0.50
4-Bromophenyl Phenyl Ether	ND	0.50
Butylbenzylphthalate	ND	0.50
4-Chloro-3-Methylphenol	ND	0.50
4-Chloroaniline	ND	0.50
2-Chloronaphthalene	ND	0.50
2-Chlorophenol	ND	0.50
4-Chlorophenyl Phenyl Ether	ND	0.50
Chrysene	ND	0.50
Di-n-butylphthalate	ND	0.50
Di-n-octylphthalate	ND	0.50
Dibenzo(a,h)anthracene	ND	0.50
Dibenzofuran	ND	0.50
1,2-Dichlorobenzene	ND	0.50
1,3-Dichlorobenzene	ND	0.50
1,4-Dichlorobenzene	ND	0.50
3,3-Dichlorobenzidine	ND	0.50
2,4-Dichlorophenol	ND	0.50
Diethyl Phthalate	ND	0.50
2,4-Dimethylphenol	ND	0.50
Dimethyl Phthalate	ND	0.50

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778 DATE RECEIVED: 01/19/05
MATRIX: SOIL DATE EXTRACTED: 01/27/05
SAMPLING DATE: 01/19/05 DATE ANALYZED: 01/27/05
REPORT TO: Mr. ROBERT LARTZ DATE REPORTED: 02/01/05

METHOD BLANK FOR LAB I.D.: 050119-43, -45

SEMI-VOLATILE ORGANICS, EPA 8270C, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
Dimethyl Phthalate	ND	0.50
4,6-Dinitro-2-methylphenol	ND	0.50
2,4-Dinitrophenol	ND	0.50
2,4-Dinitrotoluene	ND	0.50
2,6-Dinitrotoluene	ND	0.50
Fluoranthene	ND	0.50
Fluorene	ND	0.50
Hexachlorobenzene	ND	0.50
Hexachlorobutadiene	ND	0.50
Hexachlorocyclopentadiene	ND	0.50
Hexachloroethane	ND	0.50
Indeno(1,2,3-cd)pyrene	ND	0.50
Isophorone	ND	0.50
2-Methyl Phenol	ND	0.50
3-Methyl Phenol	ND	0.50
4-Methyl Phenol	ND	0.50
2-Methylnaphthalene	ND	0.50
N-Nitroso-di-n-dipropylamine	ND	0.50
N-Nitrosodimethylamine	ND	0.50
N-Nitrosodiphenylamine	ND	0.50
Naphthalene	ND	0.50
2-Nitroaniline	ND	0.50
3-Nitroaniline	ND	0.50
4-Nitroaniline	ND	0.50
Nitrobenzene	ND	0.50
2-Nitrophenol	ND	0.50
4-Nitrophenol	ND	0.50
Pentachlorophenol	ND	0.50
Phenanthrene	ND	0.50
Phenol	ND	0.50
Pyrene	ND	0.50
1,2,4-Trichlorobenzene	ND	0.50
2,4,5-Trichlorophenol	ND	0.50
2,4,6-Trichlorophenol	ND	0.50

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro-Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8270 QA/QC Report

Matrix: **Soil/Sludge** Unit: mg/Kg (PPM)
Date Analyzed: 1/27/2005

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)

Spiked Sample Lab I.D.: **050127-LCS1/2**

Analyte	SR	spk conc	MS	%MS	MSD	%MSD	%RPD	ACP %MS	ACP RPD
Phenol	0.0	80.0	90.2	113%	88.9	111%	1%	50-150	0-20
Pyrene	0.0	80.0	102.7	128%	97.3	122%	5%	50-150	0-20

Laboratory Control Spike (LCS):

Analyte	spk conc	LCS	% RC	ACP %RC
Phenol	4.0	4.01	100%	75-125
1,4-Dichlorobenzene	4.0	4.21	105%	75-125
2,4-Dichlorophenol	4.0	3.11	78%	75-125
Hechachlorobutadiene	4.0	4.58	115%	75-125
4-Chloro-3-methylphenol	4.0	4.26	107%	75-125
Fluoranthene	4.0	4.50	113%	75-125

Surrogate Recovery	spk conc	ACP%	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.			MB	0119-43	0119-45				
2-Fluorophenol	80	25-121	74%	73%	78%				
Phenol-d5	80	24-113	67%	63%	69%				
Nitrobenzene-d5	80	23-120	69%	67%	68%				
2-Fluorobiphenyl	80	30-115	97%	96%	95%				
2,4,6-Tribromophenol	80	19-122	80%	92%	92%				
Terphenyl-d14	80	18-137	83%	81%	77%				

Surrogate Recovery	spk conc	ACP%	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.									
2-Fluorophenol	80	25-121							
Phenol-d5	80	24-113							
Nitrobenzene-d5	80	23-120							
2-Fluorobiphenyl	80	30-115							
2,4,6-Tribromophenol	80	19-122							
Terphenyl-d14	80	18-137							

Surrogate Recovery	spk conc	ACP%	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.									
2-Fluorophenol	80	25-121							
Phenol-d5	80	24-113							
Nitrobenzene-d5	80	23-120							
2-Fluorobiphenyl	80	30-115							
2,4,6-Tribromophenol	80	19-122							
Terphenyl-d14	80	18-137							

** = Surrogate fail due to matrix interference*

Analyzed and Reviewed By: ALW

Note: ***LCS, MS, MSD are in control therefore results are in control.***

Final Reviewer: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907
Jessica Y. Lin

From: "Robert Lartz" <robert.lartz@recon-net.com>
To: "Envirocheminc" <envirocheminc@yahoo.com>
Sent: Wednesday, January 26, 2005 2:00 PM
Subject: additional test requirements

Please run 8270C for samples AOC B-02, and AOC B-04. Also, any subsequent sample results with a detectable naphthalene concentration will require that sample to be tested for 8270C.

Please contact me with any questions.

Robert

Robert Lartz, R.E.A.
Manager, West Coast Operations
RECON, L.P.
1101 California Ave., Suite 100
Corona, CA 92881
951-272-2877
951-272-2825 (fax)
www.recon-net.com

Enviro-Chem Inc. Laboratories
1214 E. Lexington Avenue,
Pomona, CA 91766
Tel: (909) 590-5905 Fax: (909) 590-5907
CA-DHS ELAP CERTIFICATE # 1555

Turnaround Time
0 Same Day
0 24 Hours
0 48 Hours
0 72 Hours
✓ 1 Week (Standard)
Other:

AOC-B

SAMPLE ID	LAB ID	SAMPLING DATE	SAMPLING TIME	MATRIX	No. OF CONTAINERS	TEMPERATURE	PRESERVATION	8015M CHAIN	8260B CHAIN							COMMENTS
								Analysis Required								
AOC-B-01	050119-42	1/19/05	1112	SOIL	1	ICE	N/A	X	X							SURFACE TO
AOC-B-02	-43		1116					X	X							-3" SAMPLES
AOC-B-03	-44		1117					X	X							
AOC-B-04	-45		1121					X	X							NEED A MATRIX
AOC-B-05	-46		1123					X	X							SPIKE FOR
AOC-B-06	-47		1311					X	X							AOC-B.
AOC-B-07	-48		1312					X	X							
AOC-B-08	-49		1317					X	X							
AOC-B-09	-50		1322					X	X							
AOC-B-10	-51		1326					X	X							
AOC-B-11	-52		1330					X	X							
AOC-B-12	-53		1343					X	X							
AOC-B-13	-54		1350					X	X							
AOC-B-14	-55		1355					X	X							
AOC-B-15	-56		1413					X	X							

Company Name: REMEDIAL CONSTRUCTION SERVICE
Address: 1101 CALIFORNIA AVE
City/State/Zip: CORONA, CA 92881

Project Contact: ROBERT LARTZ
Tel: 951-272-2877
Fax: 951-272-2825

Sampler's Signature:
Project Name/ID: CORONA SERVICE PARK 2-1778

Relinquished by:	Received by:	Date & Time: 1/19/05 1500
Relinquished by:	Received by:	Date & Time: 1/19/05 1600
Relinquished by:	Received by:	Date & Time:

Instructions for Sample Storage After Analysis:
O Dispose of O Return to Client O Store (30 Days)
O Other:

CHAIN OF CUSTODY RECORD

Date: 1/19/05

WHITE WITH SAMPLE - YELLOW TO CLIENT

Enviro-Chem, Inc. Laboratories
1214 E. Lexington Avenue,
Pomona, CA 91766
Tel: (909) 590-5905 Fax: (909) 590-5907
CA-DHS ELAP CERTIFICATE # 1555

Turnaround Time
0 Same Day
0 24 Hours
0 48 Hours
0 72 Hours
X 1 Week (Standard)
Other:

AOC-B

SAMPLE ID	LAB ID	SAMPLING DATE	SAMPLING TIME	MATRIX	No. OF CONTAINERS	TEMPERATURE	PRESERVATION	8260b VOCs	8015m CARBON CHAIN								COMMENTS
AOC-B-16	050119-57	1/19/05	1418	SOIL	1	ICE	N/A	X	X								SURFACE TO
AOC-B-17	-58		1421					X	X								~3" SAMPLES
AOC-B-18	-59		1425					X	X								
AOC-B-19	-60		1430					X	X								
AOC-B-20	-61		1434					X	X								
EQUIPMENT BLANK-01	-62		1505	WATER	1 (1X1L)	ICE		X	X								

Analysis Required

Company Name: REMEDIAL CONSTRUCTION SERVICES	Project Contact: ROBERT LANTZ	Sampler's Signature: [signature]
Address: 1101 CALIFORNIA AVE	Tel: 951-272-2877	Project Name/ID: CORONA SERVICE PARK 21778
City/State/Zip: CORONA, CA	Fax: 951-272-2825	

Relinquished by: [signature]	Received by: [signature]	Date & Time: 1/19/05 1505	Instructions for Sample Storage After Analysis:
Relinquished by: [signature]	Received by: [signature]	Date & Time: 1/19/05 1610	O Dispose of O Return to Client O Store (30 Days)
Relinquished by:	Received by:	Date & Time:	O Other:

CHAIN OF CUSTODY RECORD

1/19/05

2.2

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

Date: January 27, 2005

Mr. Robert Lartz
Remedial Construction Service, Inc.
1101 California St., Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

Project: **Corona Service Park / 2-1778**

Dear Mr. Lartz:

The analytical results for the soil and water samples, received by our laboratory on January 20, 2005, are attached.

Enviro-Chem appreciates the opportunity to provide you and your company this and other services. Please do not hesitate to call us if you have any questions.

Sincerely,

Curtis Desilets
Vice President/Program Manager

Jesse Tu, Ph.D.
Laboratory Manager

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778
MATRIX: SOIL
SAMPLING DATE: 01/20/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/20/05
DATE EXTRACTED: 01/21/05
DATE ANALYZED: 01/23-25/05
DATE REPORTED: 01/27/05

TOTAL PETROLEUM HYDROCARBONS(TPH) - CARBON CHAIN ANALYSIS
METHOD: LUFT/EPA 8015M
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

SAMPLE I.D.	LAB I.D.	GASOLINE (C4-C10)	KEROSENE (C8-C16)	DIESEL (C10-C22)	OIL (C22-C35)	DF
AOC-B-21	050120-58	ND	ND	ND	155	1
AOC-B-22	050120-59	ND	ND	ND	142	1
AOC-B-23	050120-60	ND	ND	ND	348	1
AOC-B-24	050120-61	ND	ND	139	485	1
AOC-B-25	050120-62	ND	ND	ND	304	1
AOC-B-26	050120-63	ND	ND	ND	212	1
AOC-B-27	050120-64	ND	ND	ND	263	1
AOC-B-28	050120-65	ND	ND	ND	237	1
AOC-B-29	050120-66	ND	ND	ND	168	1
AOC-B-30	050120-67	ND	ND	ND	305	1
AOC-B-31	050120-68	ND	ND	ND	74.5	1
AOC-B-32	050120-69	ND	ND	ND	188	1
AOC-B-33	050120-70	ND	ND	ND	65.6	1
AOC-B-34	050120-71	ND	ND	ND	364	1
AOC-B-35	050120-72	ND	ND	ND	131	1
AOC-B-36	050120-73	ND	ND	ND	110	1
AOC-B-37	050120-74	ND	ND	ND	159	1
AOC-B-38	050120-75	ND	ND	ND	135	1
AOC-B-39	050120-76	ND	ND	ND	143	1
AOC-B-40	050120-77	ND	ND	ND	136	1
AOC-B-41	050120-78	ND	ND	ND	190	1
METHOD BLANK		ND	ND	ND	ND	1
	PQL	10	10	10	50	

COMMENTS
DF = DILUTION FACTOR
PQL = PRACTICAL QUANTITATION LIMIT
ACTUAL DETECTION LIMIT = DF X PQL
ND = NON-DETECTED OR BELOW THE ACTUAL DETECTION LIMIT

Data Reviewed and Approved by: _____
CAL-DHS ELAP CERTIFICATE No.: 1555

Enviro Chem, Inc

1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8015M Soil QC

Date Analyzed: 1/23/2005 Units: mg/Kg (PPM)

Matrix: **Solid**

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)

Spiked Sample Lab I.D.: **050123-LCS 1/2**

Analyte	SR	spk conc	MS	%MS	MSD	%MSD	%RPD	ACP %MS	ACP RPD
DIESEL	0	2500	2154	86%	2229	89%	3%	75-125	0-20%

LCS STD RECOVERY:

Analyte	spk conc	LCS	% REC	ACP
DIESEL	200	203	101%	75-125

Analyzed and Reviewed By: KL

Final Reviewer: OM

Enviro Chem, Inc

1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8015M Soil QC

Date Analyzed: 1/24-1/25/2005 Units: mg/Kg (PPM)

Matrix: **Solid**

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)

Spiked Sample Lab I.D.: **050124-LCS 1/2**

Analyte	SR	spk conc	MS	%MS	MSD	%MSD	%RPD	ACP %MS	ACP RPD
DIESEL	0	2500	2285	91%	2379	95%	4%	75-125	0-20%

LCS STD RECOVERY:

Analyte	spk conc	LCS	% REC	ACP
DIESEL	200	179	90%	75-125

Analyzed and Reviewed By: KL

Final Reviewer: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778
MATRIX: WATER
SAMPLING DATE: 01/20/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/20/05
DATE EXTRACTED: 01/20/05
DATE ANALYZED: 01/21-22/05
DATE REPORTED: 01/27/05

TOTAL PETROLEUM HYDROCARBONS(TPH) - CARBON CHAIN ANALYSIS
METHOD: LUFT/EPA 8015M
UNIT: uG/L = MICROGRAM PER LITER = PPB

SAMPLE I.D.	LAB I.D.	GASOLINE (C4-C10)	KEROSENE (C8-C16)	DIESEL (C10-C22)	OIL (C22-C35)	DF
Equipment Blank-02	050120-80	ND	ND	ND	ND	1
METHOD BLANK		ND	ND	ND	ND	1
	PQL	500	500	500	5000	

COMMENTS
DF = DILUTION FACTOR
PQL = PRACTICAL QUANTITATION LIMIT
ACTUAL DETECTION LIMIT = DF X PQL
ND = NON-DETECTED OR BELOW THE ACTUAL DETECTION LIMIT

Data Reviewed and Approved by: _____
CAL-DHS ELAP CERTIFICATE No.: 1555

Enviro Chem, Inc

1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8015M Water QC

Date Analyzed: 1/21-1/22/2005 Units: ug/L (PPB)

Matrix: **Water**

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)

Spiked Sample Lab I.D.: 050117-9

Analyte	SR	spk conc	MS	%MS	MSD	%MSD	%RPD	ACP %MS	ACP RPD
DIESEL	0	150000	136080	91%	135378	90%	1%	75-125	0-20%

LCS STD RECOVERY:

Analyte	spk conc	LCS	% REC	ACP
DIESEL	120000	123504	103%	75-125

Analyzed and Reviewed by: ALW

Final Reviewer: CBN

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-21 — LAB I.D.: 050120-58

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-21 — LAB I.D.: 050120-58

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	0.011	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-22 — LAB I.D.: 050120-59

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-22 — LAB I.D.: 050120-59

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-23 — LAB I.D.: 050120-60

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-23 — LAB I.D.: 050120-60

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	0.010	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21-22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-24 — LAB I.D.: 050120-61

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21-22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-24 — LAB I.D.: 050120-61

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-25 — LAB I.D.: 050120-62

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-25 — LAB I.D.: 050120-62

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-26 — LAB I.D.: 050120-63

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-26 — LAB I.D.: 050120-63

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-27 — LAB I.D.: 050120-64

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-27 — LAB I.D.: 050120-64

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	0.029	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-28 — LAB I.D.: 050120-65

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-28 — LAB I.D.: 050120-65

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-29 — LAB I.D.: 050120-66

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778
MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-29 — LAB I.D.: 050120-66

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	0.008	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-30 — LAB I.D.: 050120-67

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-30 — LAB I.D.: 050120-67

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	0.011	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-31 — LAB I.D.: 050120-68

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-31 — LAB I.D.: 050120-68

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-32 — LAB I.D.: 050120-69

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-32 — LAB I.D.: 050120-69

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	0.006	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-33 — LAB I.D.: 050120-70

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-33 — LAB I.D.: 050120-70

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-34 — LAB I.D.: 050120-71

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-34 — LAB I.D.: 050120-71

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	0.023	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-35 — LAB I.D.: 050120-72

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-35 — LAB I.D.: 050120-72

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-36 — LAB I.D.: 050120-73

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-36 — LAB I.D.: 050120-73

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-37 — LAB I.D.: 050120-74

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-37 — LAB I.D.: 050120-74

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-38 — LAB I.D.: 050120-75

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-38 — LAB I.D.: 050120-75

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-39 — LAB I.D.: 050120-76

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-39 — LAB I.D.: 050120-76

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-40 — LAB I.D.: 050120-77

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-40 — LAB I.D.: 050120-77

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	0.009	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-41 — LAB I.D.: 050120-78

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: AOC-B-41 — LAB I.D.: 050120-78

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

METHOD BLANK FOR LAB I.D.: 050120-58 THROUGH -78

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

METHOD BLANK FOR LAB I.D.: 050120-58 THROUGH -78

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro-Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8260B QA/QC Report

Date Analyzed: 1/22/05 Matrix: Solid/Sludge
Machine: A Unit: mg/Kg (PPM)

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)
Spiked Sample Lab I.D.: 050120-75

Analyte	S.R.	spk conc	MS	%RC	MSD	%RC	%RPD	ACP %RC	ACP RPD
Benzene	0	0.050	0.056	112%	0.054	108%	4%	75-125	0-20
Chlorobenzene	0	0.050	0.053	106%	0.052	104%	2%	75-125	0-20
1,1-Dichloroethene	0	0.050	0.048	96%	0.047	94%	2%	75-125	0-20
Toluene	0	0.050	0.050	100%	0.053	106%	6%	75-125	0-20
Trichloroethene (TCE)	0	0.050	0.051	102%	0.049	97%	5%	75-125	0-20

Lab Control Spike (LCS):

Analyte	spk conc	LCS	%RC	ACP %RC
Benzene	0.050	0.051	102%	75-125
Chlorobenzene	0.050	0.052	104%	75-125
Chloroform	0.050	0.051	102%	75-125
1,1-Dichlorothene	0.050	0.055	109%	75-125
Ethylbenzene	0.050	0.050	101%	75-125
o-Xylene	0.050	0.051	103%	75-125
m,p-Xylene	0.100	0.102	102%	75-125
Toluene	0.050	0.051	103%	75-125
1,1,1-Trichloroethane	0.050	0.051	103%	75-125
Trichloroethene (TCE)	0.050	0.050	100%	75-125

Surrogate Recovery	spk conc	ACP %RC	MB %RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.				0120-58	0120-61	0120-75	0120-76	0120-77	0120-78
Dibromofluoromethane	50.0	70-130	95%	101%	102%	96%	94%	99%	97%
Toluene-d8	50.0	70-130	105%	85%	77%	97%	93%	92%	95%
4-Bromofluorobenzene	50.0	70-130	104%	79%	91%	93%	87%	91%	85%

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.			0121-22	0121-23	0121-24	0121-25	0121-26	0122-01	
Dibromofluoromethane	50.0	70-130	91%	101%	97%	90%	104%	97%	
Toluene-d8	50.0	70-130	98%	96%	96%	67*%	95%	101%	
4-Bromofluorobenzene	50.0	70-130	95%	100%	95%	136*%	101%	107%	

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.									
Dibromofluoromethane	50.0	70-130							
Toluene-d8	50.0	70-130							
4-Bromofluorobenzene	50.0	70-130							

** = Surrogate fail due to matrix interference; LCS, MS, MSD are in control therefore the analysis is in control.*
S.R. = Sample Results *%RC = Percent Recovery*
spk conc = Spike Concentration *ACP %RC = Accepted Percent Recovery*
MS = Matrix Spike *MSD = Matrix Spike Duplicate*

Analyzed/Reviewed By: _____

Final Reviewer: _____

Enviro-Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8260B QA/QC Report

Date Analyzed: 1/21-22/2005 Matrix: Solid/Sludge
Machine: A Unit: mg/Kg (PPM)

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)
Spiked Sample Lab I.D.: 050120-60

Analyte	S.R.	spk conc	MS	%RC	MSD	%RC	%RPD	ACP %RC	ACP RPD
Benzene	0	0.050	0.048	96%	0.048	97%	1%	75-125	0-20
Chlorobenzene	0	0.050	0.049	98%	0.051	102%	4%	75-125	0-20
1,1-Dichloroethene	0	0.050	0.046	92%	0.054	107%	15%	75-125	0-20
Toluene	0	0.050	0.049	98%	0.051	102%	4%	75-125	0-20
Trichloroethene (TCE)	0	0.050	0.048	97%	0.048	96%	1%	75-125	0-20

Lab Control Spike (LCS):

Analyte	spk conc	LCS	%RC	ACP %RC
Benzene	0.050	0.048	96%	75-125
Chlorobenzene	0.050	0.050	101%	75-125
Chloroform	0.050	0.047	94%	75-125
1,1-Dichlorothene	0.050	0.052	103%	75-125
Ethylbenzene	0.050	0.049	98%	75-125
o-Xylene	0.050	0.051	102%	75-125
m,p-Xylene	0.100	0.099	99%	75-125
Toluene	0.050	0.047	95%	75-125
1,1,1-Trichloroethane	0.050	0.048	97%	75-125
Trichloroethene (TCE)	0.050	0.048	95%	75-125

Surrogate Recovery	spk conc	ACP %RC	MB %RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.				0120-19	0120-59	0120-60	0120-61	0120-62	0120-63
Dibromofluoromethane	50.0	70-130	96%	107%	102%	107%	97%	103%	95%
Toluene-d8	50.0	70-130	103%	93%	94%	93%	104%	93%	99%
4-Bromofluorobenzene	50.0	70-130	106%	91%	93%	89%	108%	94%	101%

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.			0120-64	0120-65	0120-66	0120-67	0120-68	0120-69	0120-70
Dibromofluoromethane	50.0	70-130	99%	98%	94%	102%	95%	104%	99%
Toluene-d8	50.0	70-130	99%	95%	100%	93%	106%	92%	94%
4-Bromofluorobenzene	50.0	70-130	96%	91%	96%	88%	103%	90%	89%

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.			0120-71	0120-72	0120-73	0120-74	0120-76		
Dibromofluoromethane	50.0	70-130	103%	90%	99%	98%	98%		
Toluene-d8	50.0	70-130	90%	102%	90%	98%	97%		
4-Bromofluorobenzene	50.0	70-130	83%	106%	82%	97%	92%		

** = Surrogate fail due to matrix interference; LCS, MS, MSD are in control therefore the analysis is in control.*
S.R. = Sample Results *%RC = Percent Recovery*
spk conc = Spike Concentration *ACP %RC = Accepted Percent Recovery*
MS = Matrix Spike *MSD = Matrix Spike Duplicate*

Analyzed/Reviewed By: _____

Final Reviewer: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: WATER — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: Trip Blank-02 — LAB I.D.: 050120-79

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	10
BENZENE	ND	1
BROMOBENZENE	ND	1
BROMOCHLOROMETHANE	ND	1
BROMODICHLOROMETHANE	ND	1
BROMOFORM	ND	1
BROMOMETHANE	ND	1
2-BUTANONE (MEK)	ND	10
N-BUTYLBENZENE	ND	1
SEC-BUTYLBENZENE	ND	1
TERT-BUTYLBENZENE	ND	1
CARBON DISULFIDE	ND	5
CARBON TETRACHLORIDE	ND	1
CHLOROBENZENE	ND	1
CHLOROETHANE	ND	1
CHLOROFORM	ND	1
CHLOROMETHANE	ND	1
2-CHLOROTOLUENE	ND	1
4-CHLOROTOLUENE	ND	1
DIBROMOCHLOROMETHANE	ND	1
1,2-DIBROMO-3-CHLOROPROPANE	ND	1
1,2-DIBROMOETHANE	ND	1
DIBROMOMETHANE	ND	1
1,2-DICHLOROBENZENE	ND	1
1,3-DICHLOROBENZENE	ND	1
1,4-DICHLOROBENZENE	ND	1
DICHLORODIFLUOROMETHANE	ND	1
1,1-DICHLOROETHANE	ND	1
1,2-DICHLOROETHANE	ND	1
1,1-DICHLOROETHENE	ND	1
CIS-1,2-DICHLOROETHENE	ND	1
TRANS-1,2-DICHLOROETHENE	ND	1
1,2-DICHLOROPROPANE	ND	1
1,3-DICHLOROPROPANE	ND	1

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: WATER — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: Trip Blank-02 — LAB I.D.: 050120-79

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
2,2-DICHLOROPROPANE	ND	1
1,1-DICHLOROPROPENE	ND	1
CIS-1,3-DICHLOROPROPENE	ND	1
TRANS-1,3-DICHLOROPROPENE	ND	1
ETHYLBENZENE	ND	1
2-HEXANONE	ND	10
HEXACHLOROBUTADIENE	ND	1
ISOPROPYLBENZENE	ND	1
4-ISOPROPYLTOLUENE	ND	1
4-METHYL-2-PENTANONE (MIBK)	ND	10
METHYL tert-BUTYL ETHER (MTBE)	ND	3
METHYLENE CHLORIDE	ND	5
NAPHTHALENE	ND	1
N-PROPYLBENZENE	ND	1
STYRENE	ND	1
1,1,1,2-TETRACHLOROETHANE	ND	1
1,1,2,2-TETRACHLOROETHANE	ND	1
TETRACHLOROETHENE (PCE)	ND	1
TOLUENE	ND	1
1,2,3-TRICHLOROBENZENE	ND	1
1,2,4-TRICHLOROBENZENE	ND	1
1,1,1-TRICHLOROETHANE	ND	1
1,1,2-TRICHLOROETHANE	ND	1
TRICHLOROETHENE (TCE)	ND	1
TRICHLOROFLUOROMETHANE	ND	1
1,2,3-TRICHLOROPROPANE	ND	1
1,2,4-TRIMETHYLBENZENE	ND	1
1,3,5-TRIMETHYLBENZENE	ND	1
VINYL CHLORIDE	ND	1
M/P-XYLENE	ND	2
O-XYLENE	ND	1

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: WATER — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: Equipment Blank-02 — LAB I.D.: 050120-80

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	10
BENZENE	ND	1
BROMOBENZENE	ND	1
BROMOCHLOROMETHANE	ND	1
BROMODICHLOROMETHANE	ND	1
BROMOFORM	ND	1
BROMOMETHANE	ND	1
2-BUTANONE (MEK)	ND	10
N-BUTYLBENZENE	ND	1
SEC-BUTYLBENZENE	ND	1
TERT-BUTYLBENZENE	ND	1
CARBON DISULFIDE	ND	5
CARBON TETRACHLORIDE	ND	1
CHLOROBENZENE	ND	1
CHLOROETHANE	ND	1
CHLOROFORM	ND	1
CHLOROMETHANE	ND	1
2-CHLOROTOLUENE	ND	1
4-CHLOROTOLUENE	ND	1
DIBROMOCHLOROMETHANE	ND	1
1,2-DIBROMO-3-CHLOROPROPANE	ND	1
1,2-DIBROMOETHANE	ND	1
DIBROMOMETHANE	ND	1
1,2-DICHLOROBENZENE	ND	1
1,3-DICHLOROBENZENE	ND	1
1,4-DICHLOROBENZENE	ND	1
DICHLORODIFLUOROMETHANE	ND	1
1,1-DICHLOROETHANE	ND	1
1,2-DICHLOROETHANE	ND	1
1,1-DICHLOROETHENE	ND	1
CIS-1,2-DICHLOROETHENE	ND	1
TRANS-1,2-DICHLOROETHENE	ND	1
1,2-DICHLOROPROPANE	ND	1
1,3-DICHLOROPROPANE	ND	1

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: WATER — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

SAMPLE I.D.: Equipment Blank-02 — LAB I.D.: 050120-80

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
2,2-DICHLOROPROPANE	ND	1
1,1-DICHLOROPROPENE	ND	1
CIS-1,3-DICHLOROPROPENE	ND	1
TRANS-1,3-DICHLOROPROPENE	ND	1
ETHYLBENZENE	ND	1
2-HEXANONE	ND	10
HEXACHLOROBUTADIENE	ND	1
ISOPROPYLBENZENE	ND	1
4-ISOPROPYLTOLUENE	ND	1
4-METHYL-2-PENTANONE (MIBK)	ND	10
METHYL tert-BUTYL ETHER (MTBE)	ND	3
METHYLENE CHLORIDE	ND	5
NAPHTHALENE	ND	1
N-PROPYLBENZENE	ND	1
STYRENE	ND	1
1,1,1,2-TETRACHLOROETHANE	ND	1
1,1,2,2-TETRACHLOROETHANE	ND	1
TETRACHLOROETHENE (PCE)	ND	1
TOLUENE	ND	1
1,2,3-TRICHLOROBENZENE	ND	1
1,2,4-TRICHLOROBENZENE	ND	1
1,1,1-TRICHLOROETHANE	ND	1
1,1,2-TRICHLOROETHANE	ND	1
TRICHLOROETHENE (TCE)	ND	1
TRICHLOROFLUOROMETHANE	ND	1
1,2,3-TRICHLOROPROPANE	ND	1
1,2,4-TRIMETHYLBENZENE	ND	1
1,3,5-TRIMETHYLBENZENE	ND	1
VINYL CHLORIDE	ND	1
M/P-XYLENE	ND	2
O-XYLENE	ND	1

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: WATER — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

METHOD BLANK FOR LAB I.D.: 050120-79, -80

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	10
BENZENE	ND	1
BROMOBENZENE	ND	1
BROMOCHLOROMETHANE	ND	1
BROMODICHLOROMETHANE	ND	1
BROMOFORM	ND	1
BROMOMETHANE	ND	1
2-BUTANONE (MEK)	ND	10
N-BUTYLBENZENE	ND	1
SEC-BUTYLBENZENE	ND	1
TERT-BUTYLBENZENE	ND	1
CARBON DISULFIDE	ND	5
CARBON TETRACHLORIDE	ND	1
CHLOROBENZENE	ND	1
CHLOROETHANE	ND	1
CHLOROFORM	ND	1
CHLOROMETHANE	ND	1
2-CHLOROTOLUENE	ND	1
4-CHLOROTOLUENE	ND	1
DIBROMOCHLOROMETHANE	ND	1
1,2-DIBROMO-3-CHLOROPROPANE	ND	1
1,2-DIBROMOETHANE	ND	1
DIBROMOMETHANE	ND	1
1,2-DICHLOROBENZENE	ND	1
1,3-DICHLOROBENZENE	ND	1
1,4-DICHLOROBENZENE	ND	1
DICHLORODIFLUOROMETHANE	ND	1
1,1-DICHLOROETHANE	ND	1
1,2-DICHLOROETHANE	ND	1
1,1-DICHLOROETHENE	ND	1
CIS-1,2-DICHLOROETHENE	ND	1
TRANS-1,2-DICHLOROETHENE	ND	1
1,2-DICHLOROPROPANE	ND	1
1,3-DICHLOROPROPANE	ND	1

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: WATER — DATE RECEIVED: 01/20/05
SAMPLING DATE: 01/20/05 — DATE ANALYZED: 01/21/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/27/05

METHOD BLANK FOR LAB I.D.: 050120-79, -80

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
2,2-DICHLOROPROPANE	ND	1
1,1-DICHLOROPROPENE	ND	1
CIS-1,3-DICHLOROPROPENE	ND	1
TRANS-1,3-DICHLOROPROPENE	ND	1
ETHYLBENZENE	ND	1
2-HEXANONE	ND	10
HEXACHLOROBUTADIENE	ND	1
ISOPROPYLBENZENE	ND	1
4-ISOPROPYLTOLUENE	ND	1
4-METHYL-2-PENTANONE (MIBK)	ND	10
METHYL tert-BUTYL ETHER (MTBE)	ND	3
METHYLENE CHLORIDE	ND	5
NAPHTHALENE	ND	1
N-PROPYLBENZENE	ND	1
STYRENE	ND	1
1,1,1,2-TETRACHLOROETHANE	ND	1
1,1,2,2-TETRACHLOROETHANE	ND	1
TETRACHLOROETHENE (PCE)	ND	1
TOLUENE	ND	1
1,2,3-TRICHLOROBENZENE	ND	1
1,2,4-TRICHLOROBENZENE	ND	1
1,1,1-TRICHLOROETHANE	ND	1
1,1,2-TRICHLOROETHANE	ND	1
TRICHLOROETHENE (TCE)	ND	1
TRICHLOROFLUOROMETHANE	ND	1
1,2,3-TRICHLOROPROPANE	ND	1
1,2,4-TRIMETHYLBENZENE	ND	1
1,3,5-TRIMETHYLBENZENE	ND	1
VINYL CHLORIDE	ND	1
M/P-XYLENE	ND	2
O-XYLENE	ND	1

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro-Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8260B QA/QC Report

Date Analyzed: 1/21-22/2005 Matrix: Water
Machine: B Unit: ug/L (PPB)

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)
Spiked Sample Lab I.D.: 050120-79

Analyte	S.R.	spk conc	MS	%RC	MSD	%RC	%RPD	ACP %RC	ACP RPD
Benzene	0	25.0	24.1	96%	23.6	94%	2%	75-125	0-20
Chlorobenzene	0	25.0	23.2	93%	22.6	90%	2%	*75-125	0-20
1,1-Dichloroethene	0	25.0	26.4	105%	27.1	108%	3%	75-125	0-20
Toluene	0	25.0	29.6	118%	28.7	115%	4%	75-125	0-20
Trichloroethene (TCE)	0	25.0	25.1	100%	24.7	99%	2%	75-125	0-20

Lab Control Spike (LCS):

Analyte	spk conc	LCS	%RC	ACP %RC
Benzene	25.0	26.7	107%	75-125
Chlorobenzene	25.0	27.5	110%	75-125
Chloroform	25.0	22.7	91%	75-125
1,1-Dichlorothene	25.0	25.8	103%	75-125
Ethylbenzene	25.0	27.1	108%	75-125
o-Xylene	25.0	27.5	110%	75-125
m,p-Xylene	50.0	56.8	114%	75-125
Toluene	25.0	26.3	105%	75-125
1,1,1-Trichloroethane	25.0	24.4	98%	75-125
Trichloroethene (TCE)	25.0	27.1	108%	75-125

Surrogate Recovery	spk conc	ACP %RC	MB %RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.				0121-27	0121-28	0121-29	0121-30	0121-31	0120-10
Dibromofluoromethane	25.0	70-130	101%	103%	103%	104%	100%	102%	101%
Toluene-d8	25.0	70-130	93%	109%	109%	111%	109%	108%	100%
4-Bromofluorobenzene	25.0	70-130	87%	72%	76%	73%	87%	86%	87%

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.			0120-31	0120-32	0120-38	0120-39	0120-40	0120-41	0120-42
Dibromofluoromethane	25.0	70-130	106%	101%	104%	106%	100%	103%	102%
Toluene-d8	25.0	70-130	109%	104%	90%	106%	106%	92%	89%
4-Bromofluorobenzene	25.0	70-130	76%	88%	95%	82%	93%	99%	102%

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.			0120-43	0120-44	0120-45	0120-46	0120-79	0120-80	
Dibromofluoromethane	25.0	70-130	100%	100%	109%	102%	99%	104%	
Toluene-d8	25.0	70-130	92%	93%	91%	109%	108%	112%	
4-Bromofluorobenzene	25.0	70-130	89%	99%	95%	90%	83%	70%	

** = Surrogate fail due to matrix interference; LCS, MS, MSD are in control therefore the analysis is in control.*
S.R. = Sample Results *%RC = Percent Recovery*
Spk conc = Spike Concentration *ACP %RC = Accepted Percent Recovery*
MS = Matrix Spike *MSD = Matrix Spike Duplicate*

Analyzed/Reviewed By: _____

Final Reviewer: _____

Enviro-Chem Inc. Laboratories
1214 E. Lexington Avenue,
Pomona, CA 91766
Tel: (909) 590-5905 Fax: (909) 590-5907
CA-DHS ELAP CERTIFICATE # 1555

Turnaround Time
0 Same Day
0 24 Hours
0 48 Hours
0 72 Hours
✓ 1 Week (Standard)
Other:

AOC-B

SAMPLE ID	LAB ID	SAMPLING DATE	SAMPLING TIME	MATRIX	No. OF CONTAINERS	TEMPERATURE	PRESERVATION	8260b	8015M CARBON CHAIN								COMMENTS
								Analysis Required									
AOC-B-21	050120-58	1/20/05	0755	SOIL	1	ICE	N/A	X	X								SURFACE TO
AOC-B-22	-59		0758					X	X								-3" SAMPLES
AOC-B-23	-60		0804					X	X								
AOC-B-24	-61		0821					X	X								A MATRIX SPIKE
AOC-B-25	-62		0831					X	X								IS REQUIRED
AOC-B-26	-63		0835					X	X								FOR THIS SET.
AOC-B-27	-64		0838					X	X								
AOC-B-28	-65		0841					X	X								
AOC-B-29	-66		0853					X	X								
AOC-B-30	-67		0854					X	X								
AOC-B-31	-68		0906					X	X								
AOC-B-32	-69		0914					X	X								
AOC-B-33	-70		0915					X	X								
AOC-B-34	-71		0917					X	X								
AOC-B-35	-72		0920					X	X								

Company Name: REMEDIAL CONSTRUCTION SERVICES
Address: 1101 CALIFORNIA AVENUE
City/State/Zip: CORONA, CA 92881

Project Contact: ROBERT LANTZ
Tel: 951-272-2877
Fax: 951-272-2825

Sampler's Signature:
Project Name/ID: CORONA SERVICE PARK
2-1778

Relinquished by:	Received by:	Date & Time: 1/20/05 1715	Instructions for Sample Storage After Analysis:
Relinquished by:	Received by:	Date & Time: 1/20/05 1715	O Dispose of O Return to Client O Store (30 Days)
Relinquished by:	Received by:	Date & Time:	O Other:

CHAIN OF CUSTODY RECORD

Date: 1/20/05

WHITE WITH SAMPLE, YELLOW TO CLIENT

Enviro-Che..., Inc. Laboratories
1214 E. Lexington Avenue,
Pomona, CA 91766
Tel: (909) 590-5905 Fax: (909) 590-5907
CA-DHS ELAP CERTIFICATE # 1555

Turnaround Time
0 Same Day
0 24 Hours
0 48 Hours
0 72 Hours
X 1 Week (Standard)
Other:

AOC-B

SAMPLE ID	LAB ID	SAMPLING DATE	SAMPLING TIME	MATRIX	No. OF CONTAINERS	TEMPERATURE	PRESERVATION	8260B	8015M								COMMENTS
								Analysis Required									
AOC-B-36	010120-73	1/20/05	0945	SOIL	1	ICE	N/A	X	X								SURFACE TO
AOC-B-37	-74		0947					X	X								-3" SAMPLES
AOC-B-38	-75		0950					X	X								
AOC-B-39	-76		0952					X	X								
AOC-B-40	-77		1000					X	X								
AOC-B-41	-78		1003					X	X								
TRIP BLANK-02	-79		1130	WATER	1 x VOA		HCL	X									
EQUIPMENT BLANK-02	-80		1135	WATER	1 VOA +1L		N/A	X	X								

Company Name: REMEDIAL CONSTRUCTION SERVICE
Address: 1101 CALIFORNIA AVE
City/State/Zip: CORONA CA 92881

Project Contact: ROBERT LANTZ
Tel: 951-272-2877
Fax: 951-272-2825

Sampler's Signature:
Project Name/ID: CORONA SERVICE PARK 2-1778

Relinquished by:	Received by:	Date & Time: 1/20/05 1715	Instructions for Sample Storage After Analysis:
Relinquished by:	Received by:	Date & Time: 1/20/05 1715	O Dispose of O Return to Client O Store (30 Days)
Relinquished by:	Received by:	Date & Time:	O Other:

CHAIN OF CUSTODY RECORD

1/20/05

Appendix J-1

Laboratory Reports, AOC B, Post Excavation Samples

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

Date: February 11, 2005

Mr. Robert Lartz
Remedial Construction Service, Inc.
1101 California St., Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

Project: Corona Service Park / 2-1778

Dear Mr. Lartz:

The analytical results for the soil and water samples, received by our laboratory on February 7, 2005, are attached.

Enviro-Chem appreciates the opportunity to provide you and your company this and other services. Please do not hesitate to call us if you have any questions.

Sincerely,

Curtis Desilets
Vice President/Program Manager

Jesse Tu, Ph.D.
Laboratory Manager

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778
MATRIX: SOIL
SAMPLING DATE: 02/07/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 02/07/05
DATE EXTRACTED: 02/08/05
DATE ANALYZED: 02/08-09/05
DATE REPORTED: 02/11/05

TOTAL PETROLEUM HYDROCARBONS(TPH) - CARBON CHAIN ANALYSIS
METHOD: LUFT/EPA 8015M
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

SAMPLE I.D.	LAB I.D.	GASOLINE (C4-C10)	KEROSENE (C8-C16)	DIESEL (C10-C22)	OIL (C22-C35)	DF
AOC-B-03B	050207-3	ND	ND	ND	ND	10*
AOC-E-07B	050207-4	ND	ND	ND	ND	10*
AOC-E-08B	050207-5	ND	ND	ND	ND	10*
AOC-E-13B	050207-6	ND	ND	ND	ND	1
AOC-ARB-07B	050207-7	ND	ND	ND	ND	1
METHOD BLANK		ND	ND	ND	ND	1
	PQL	10	10	10	50	

COMMENTS
DF = DILUTION FACTOR
PQL = PRACTICAL QUANTITATION LIMIT
ACTUAL DETECTION LIMIT = DF X PQL
ND = NON-DETECTED OR BELOW THE ACTUAL DETECTION LIMIT
* = PQL RAISED DUE TO MATRIX INTERFERENCE

Data Reviewed and Approved by: _____
CAL-DHS ELAP CERTIFICATE No.: 1555

Enviro Chem, Inc

1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8015M Soil/Solid QC

Date Analyzed: 2/9/2005 Units: mg/Kg (PPM)

Matrix: **Solid/Sludge**

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)

Spiked Sample Lab I.D.: **050207-78**

Analyte	SR	spk conc	MS	%MS	MSD	%MSD	%RPD	ACP %MS	ACP RP
DIESEL	0	2500	2452	98%	2405	96%	2%	75-125	0-20%

LCS STD RECOVERY:

Analyte	spk conc	LCS	% REC	ACP
DIESEL	200	213	107%	75-125

Analyzed and Reviewed By: KL

Final Reviewer: CM

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778 DATE RECEIVED: 02/07/05
MATRIX: WATER DATE EXTRACTED: 02/10/05
SAMPLING DATE: 02/07/05 DATE ANALYZED: 02/10/05
REPORT TO: Mr. ROBERT LARTZ DATE REPORTED: 02/11/05

TOTAL PETROLEUM HYDROCARBONS(TPH) - CARBON CHAIN ANALYSIS
METHOD: LUFT/EPA 8015M
UNIT: uG/L = MICROGRAM PER LITER = PPB

SAMPLE I.D.	LAB I.D.	GASOLINE (C4-C10)	KEROSENE (C8-C16)	DIESEL (C10-C22)	OIL (C22-C35)	DF
Equipment Blank	050207-8	ND	ND	ND	ND	1
METHOD BLANK		ND	ND	ND	ND	1
	PQL	500	500	500	5000	

COMMENTS
DF = DILUTION FACTOR
PQL = PRACTICAL QUANTITATION LIMIT
ACTUAL DETECTION LIMIT = DF X PQL
ND = NON-DETECTED OR BELOW THE ACTUAL DETECTION LIMIT

Data Reviewed and Approved by: _____
CAL-DHS ELAP CERTIFICATE No.: 1555

Enviro Chem, Inc

1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8015M Water QC

Date Analyzed: 2/10/2005 Units: ug/L (PPB)

Matrix: **Water**

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)

Spiked Sample Lab I.D.: 050207-8

Analyte	SR	spk conc	MS	%MS	MSD	%MSD	%RPD	ACP %MS	ACP RPD
DIESEL	0	150000	168840	113%	166860	111%	1%	75-125	0-20%

LCS STD RECOVERY:

Analyte	spk conc	LCS	% REC	ACP
DIESEL	120000	137904	115%	75-125

Analyzed and Reviewed by: KL

Final Reviewer: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: WATER — DATE RECEIVED: 02/07/05
SAMPLING DATE: 02/07/05 — DATE ANALYZED: 02/07/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 02/11/05

SAMPLE I.D.: Equipment Blank — LAB I.D.: 050207-8

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	10
BENZENE	ND	1
BROMOBENZENE	ND	1
BROMOCHLOROMETHANE	ND	1
BROMODICHLOROMETHANE	4.09	1
BROMOFORM	ND	1
BROMOMETHANE	ND	1
2-BUTANONE (MEK)	ND	10
N-BUTYLBENZENE	ND	1
SEC-BUTYLBENZENE	ND	1
TERT-BUTYLBENZENE	ND	1
CARBON DISULFIDE	ND	5
CARBON TETRACHLORIDE	ND	1
CHLOROBENZENE	ND	1
CHLOROETHANE	ND	1
CHLOROFORM	3.04	1
CHLOROMETHANE	ND	1
2-CHLOROTOLUENE	ND	1
4-CHLOROTOLUENE	ND	1
DIBROMOCHLOROMETHANE	2.97	1
1,2-DIBROMO-3-CHLOROPROPANE	ND	1
1,2-DIBROMOETHANE	ND	1
DIBROMOMETHANE	ND	1
1,2-DICHLOROBENZENE	ND	1
1,3-DICHLOROBENZENE	ND	1
1,4-DICHLOROBENZENE	ND	1
DICHLORODIFLUOROMETHANE	ND	1
1,1-DICHLOROETHANE	ND	1
1,2-DICHLOROETHANE	ND	1
1,1-DICHLOROETHENE	ND	1
CIS-1,2-DICHLOROETHENE	ND	1
TRANS-1,2-DICHLOROETHENE	ND	1
1,2-DICHLOROPROPANE	ND	1
1,3-DICHLOROPROPANE	ND	1

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: WATER — DATE RECEIVED: 02/07/05
SAMPLING DATE: 02/07/05, — DATE ANALYZED: 02/07/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 02/11/05

SAMPLE I.D.: Equipment Blank — LAB I.D.: 050207-8

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
2,2-DICHLOROPROPANE	ND	1
1,1-DICHLOROPROPENE	ND	1
CIS-1,3-DICHLOROPROPENE	ND	1
TRANS-1,3-DICHLOROPROPENE	ND	1
ETHYLBENZENE	ND	1
2-HEXANONE	ND	10
HEXACHLOROBUTADIENE	ND	1
ISOPROPYLBENZENE	ND	1
4-ISOPROPYLTOLUENE	ND	1
4-METHYL-2-PENTANONE (MIBK)	ND	10
METHYL tert-BUTYL ETHER (MTBE)	ND	3
METHYLENE CHLORIDE	ND	5
NAPHTHALENE	ND	1
N-PROPYLBENZENE	ND	1
STYRENE	ND	1
1,1,1,2-TETRACHLOROETHANE	ND	1
1,1,2,2-TETRACHLOROETHANE	ND	1
TETRACHLOROETHENE (PCE)	ND	1
TOLUENE	ND	1
1,2,3-TRICHLOROBENZENE	ND	1
1,2,4-TRICHLOROBENZENE	ND	1
1,1,1-TRICHLOROETHANE	ND	1
1,1,2-TRICHLOROETHANE	ND	1
TRICHLOROETHENE (TCE)	ND	1
TRICHLOROFLUOROMETHANE	ND	1
1,2,3-TRICHLOROPROPANE	ND	1
1,2,4-TRIMETHYLBENZENE	ND	1
1,3,5-TRIMETHYLBENZENE	ND	1
VINYL CHLORIDE	ND	1
M/P-XYLENE	ND	2
O-XYLENE	ND	1

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: WATER — DATE RECEIVED: 02/07/05
SAMPLING DATE: 02/07/05 — DATE ANALYZED: 02/07/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 02/11/05

SAMPLE I.D.: Trip Blank — LAB I.D.: 050207-9

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	10
BENZENE	ND	1
BROMOBENZENE	ND	1
BROMOCHLOROMETHANE	ND	1
BROMODICHLOROMETHANE	ND	1
BROMOFORM	ND	1
BROMOMETHANE	ND	1
2-BUTANONE (MEK)	ND	10
N-BUTYLBENZENE	ND	1
SEC-BUTYLBENZENE	ND	1
TERT-BUTYLBENZENE	ND	1
CARBON DISULFIDE	ND	5
CARBON TETRACHLORIDE	ND	1
CHLOROBENZENE	ND	1
CHLOROETHANE	ND	1
CHLOROFORM	ND	1
CHLOROMETHANE	ND	1
2-CHLOROTOLUENE	ND	1
4-CHLOROTOLUENE	ND	1
DIBROMOCHLOROMETHANE	ND	1
1,2-DIBROMO-3-CHLOROPROPANE	ND	1
1,2-DIBROMOETHANE	ND	1
DIBROMOMETHANE	ND	1
1,2-DICHLOROBENZENE	ND	1
1,3-DICHLOROBENZENE	ND	1
1,4-DICHLOROBENZENE	ND	1
DICHLORODIFLUOROMETHANE	ND	1
1,1-DICHLOROETHANE	ND	1
1,2-DICHLOROETHANE	ND	1
1,1-DICHLOROETHENE	ND	1
CIS-1,2-DICHLOROETHENE	ND	1
TRANS-1,2-DICHLOROETHENE	ND	1
1,2-DICHLOROPROPANE	ND	1
1,3-DICHLOROPROPANE	ND	1

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: WATER — DATE RECEIVED: 02/07/05
SAMPLING DATE: 02/07/05 — DATE ANALYZED: 02/07/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 02/11/05

SAMPLE I.D.: Trip Blank — LAB I.D.: 050207-9

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
2,2-DICHLOROPROPANE	ND	1
1,1-DICHLOROPROPENE	ND	1
CIS-1,3-DICHLOROPROPENE	ND	1
TRANS-1,3-DICHLOROPROPENE	ND	1
ETHYLBENZENE	ND	1
2-HEXANONE	ND	10
HEXACHLOROBUTADIENE	ND	1
ISOPROPYLBENZENE	ND	1
4-ISOPROPYLTOLUENE	ND	1
4-METHYL-2-PENTANONE (MIBK)	ND	10
METHYL tert-BUTYL ETHER (MTBE)	ND	3
METHYLENE CHLORIDE	ND	5
NAPHTHALENE	ND	1
N-PROPYLBENZENE	ND	1
STYRENE	ND	1
1,1,1,2-TETRACHLOROETHANE	ND	1
1,1,2,2-TETRACHLOROETHANE	ND	1
TETRACHLOROETHENE (PCE)	ND	1
TOLUENE	ND	1
1,2,3-TRICHLOROBENZENE	ND	1
1,2,4-TRICHLOROBENZENE	ND	1
1,1,1-TRICHLOROETHANE	ND	1
1,1,2-TRICHLOROETHANE	ND	1
TRICHLOROETHENE (TCE)	ND	1
TRICHLOROFLUOROMETHANE	ND	1
1,2,3-TRICHLOROPROPANE	ND	1
1,2,4-TRIMETHYLBENZENE	ND	1
1,3,5-TRIMETHYLBENZENE	ND	1
VINYL CHLORIDE	ND	1
M/P-XYLENE	ND	2
O-XYLENE	ND	1

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: WATER — DATE RECEIVED: 02/07/05
SAMPLING DATE: 02/07/05 — DATE ANALYZED: 02/07/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 02/11/05

METHOD BLANK FOR LAB I.D.: 050207-8, -9

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	10
BENZENE	ND	1
BROMOBENZENE	ND	1
BROMOCHLOROMETHANE	ND	1
BROMODICHLOROMETHANE	ND	1
BROMOFORM	ND	1
BROMOMETHANE	ND	1
2-BUTANONE (MEK)	ND	10
N-BUTYLBENZENE	ND	1
SEC-BUTYLBENZENE	ND	1
TERT-BUTYLBENZENE	ND	1
CARBON DISULFIDE	ND	5
CARBON TETRACHLORIDE	ND	1
CHLOROBENZENE	ND	1
CHLOROETHANE	ND	1
CHLOROFORM	ND	1
CHLOROMETHANE	ND	1
2-CHLOROTOLUENE	ND	1
4-CHLOROTOLUENE	ND	1
DIBROMOCHLOROMETHANE	ND	1
1,2-DIBROMO-3-CHLOROPROPANE	ND	1
1,2-DIBROMOETHANE	ND	1
DIBROMOMETHANE	ND	1
1,2-DICHLOROBENZENE	ND	1
1,3-DICHLOROBENZENE	ND	1
1,4-DICHLOROBENZENE	ND	1
DICHLORODIFLUOROMETHANE	ND	1
1,1-DICHLOROETHANE	ND	1
1,2-DICHLOROETHANE	ND	1
1,1-DICHLOROETHENE	ND	1
CIS-1,2-DICHLOROETHENE	ND	1
TRANS-1,2-DICHLOROETHENE	ND	1
1,2-DICHLOROPROPANE	ND	1
1,3-DICHLOROPROPANE	ND	1

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: WATER — DATE RECEIVED: 02/07/05
SAMPLING DATE: 02/07/05 — DATE ANALYZED: 02/07/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 02/11/05

METHOD BLANK FOR LAB I.D.: 050207-8, -9

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
2,2-DICHLOROPROPANE	ND	1
1,1-DICHLOROPROPENE	ND	1
CIS-1,3-DICHLOROPROPENE	ND	1
TRANS-1,3-DICHLOROPROPENE	ND	1
ETHYLBENZENE	ND	1
2-HEXANONE	ND	10
HEXACHLOROBUTADIENE	ND	1
ISOPROPYLBENZENE	ND	1
4-ISOPROPYLTOLUENE	ND	1
4-METHYL-2-PENTANONE (MIBK)	ND	10
METHYL tert-BUTYL ETHER (MTBE)	ND	3
METHYLENE CHLORIDE	ND	5
NAPHTHALENE	ND	1
N-PROPYLBENZENE	ND	1
STYRENE	ND	1
1,1,1,2-TETRACHLOROETHANE	ND	1
1,1,2,2-TETRACHLOROETHANE	ND	1
TETRACHLOROETHENE (PCE)	ND	1
TOLUENE	ND	1
1,2,3-TRICHLOROBENZENE	ND	1
1,2,4-TRICHLOROBENZENE	ND	1
1,1,1-TRICHLOROETHANE	ND	1
1,1,2-TRICHLOROETHANE	ND	1
TRICHLOROETHENE (TCE)	ND	1
TRICHLOROFLUOROMETHANE	ND	1
1,2,3-TRICHLOROPROPANE	ND	1
1,2,4-TRIMETHYLBENZENE	ND	1
1,3,5-TRIMETHYLBENZENE	ND	1
VINYL CHLORIDE	ND	1
M/P-XYLENE	ND	2
O-XYLENE	ND	1

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro-Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8260B QA/QC Report

Date Analyzed: 2/7/05 Matrix: Water
Machine: B Unit: ug/L (PPB)

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)
Spiked Sample Lab I.D.: 050207-09

Analyte	S.R.	spk conc	MS	%RC	MSD	%RC	%RPD	ACP %RC	ACP RPI
Benzene	0	25.0	28.5	114%	29.2	117%	3%	75-125	0-20
Chlorobenzene	0	25.0	28.3	113%	30.0	120%	7%	75-125	0-20
1,1-Dichloroethene	0	25.0	28.1	112%	27.8	111%	1%	75-125	0-20
Toluene	0	25.0	24.3	97%	25.0	100%	3%	75-125	0-20
Trichloroethene (TCE)	0	25.0	26.8	107%	28.3	113%	6%	75-125	0-20

Lab Control Spike (LCS):

Analyte	spk conc	LCS	%RC	ACP %RC
Benzene	25.0	28.4	114%	75-125
Chlorobenzene	25.0	28.7	115%	75-125
Chloroform	25.0	26.9	107%	75-125
1,1-Dichlorothene	25.0	26.7	107%	75-125
Ethylbenzene	25.0	26.4	105%	75-125
o-Xylene	25.0	26.7	107%	75-125
m,p-Xylene	50.0	51.1	102%	75-125
Toluene	25.0	28.7	115%	75-125
,1,1-Trichloroethane	25.0	26.8	107%	75-125
richloroethene (TCE)	25.0	27.2	109%	75-125

Surrogate Recovery	spk conc	ACP %RC	MB %RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.				0207-08	0207-09				
Dibromofluoromethane	25.0	70-130	104%	105%	105%				
Toluene-d8	25.0	70-130	97%	123%	97%				
4-Bromofluorobenzene	25.0	70-130	111%	94%	96%				

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.									
Dibromofluoromethane	25.0	70-130							
Toluene-d8	25.0	70-130							
4-Bromofluorobenzene	25.0	70-130							

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.									
Dibromofluoromethane	25.0	70-130							
Toluene-d8	25.0	70-130							
4-Bromofluorobenzene	25.0	70-130							

** = Surrogate fail due to matrix interference; LCS, MS, MSD are in control therefore the analysis is in control.*
S.R. = Sample Results *%RC = Percent Recovery*
spk conc = Spike Concentration *ACP %RC = Accepted Percent Recovery*
MS = Matrix Spike *MSD = Matrix Spike Duplicate*

Analyzed/Reviewed By: _____

Final Reviewer: _____

Enviro-Chem, Inc. Laboratories
214 E. Lexington Avenue,
Pomona, CA 91766
Tel: (909) 590-5905 Fax: (909) 590-5907
CA-DHS ELAP CERTIFICATE # 1555

Turnaround Time
0 Same Day
0 24 Hours
0 48 Hours
0 72 Hours
X Week (Standard)
Other: 5 day

AREA CLEANUP

SAMPLE ID	LAB ID	SAMPLING DATE	SAMPLING TIME	MATRIX	No. OF CONTAINERS	TEMPERATURE	PRESERVATION	8015M CARBON CHAIN	8260b VOCs								COMMENTS
AOC-B-03B	050207-3	2/7/05	0700	SOIL	1	ICE	NA	X									
AOC-E-07B	-4		0811		1			X									
AOC-E-08B	-5		0818		1			X									
AOC-E-13B	-6		0827		1			X									
AOC-ARB-07B	-7		0952		1			X									
EQUIPMENT BLANK	-8		1050	WATER	3	ICE	HCL	X	X								
TRIP BLANK	-9		1100	WATER	1	ICE	HCL		X								

Analysis Required

Company Name: REMEDIAL CONSTRUCTION SERVICES	Project Contact: ROBERT LARTZ	Sampler's Signature: [signature]
Address: 1101 CALIFORNIA AVE	Tel: 951-272-2877	Project Name/ID: CORONA SERVICE PARK 2-1778
City/State/Zip: CORONA, CA 92881.	Fax: 951-272-2825	

Relinquished by: [signature]	Received by: Jessica [signature]	Date & Time: 2/7/05 1125	Instructions for Sample Storage After Analysis: O Dispose of O Return to Client O Store (30 Days)
Relinquished by: Jessica [signature]	Received by: [signature]	Date & Time: 2/7/05 1125	O Other:
Relinquished by:	Received by:	Date & Time:	

CHAIN OF CUSTODY RECORD

Date: 2/7/05

WHITE WITH SAMPLE, YELLOW TO CLIENT

Appendix K

Laboratory Reports, AOC C, Initial Samples

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

Date: January 28, 2005

Mr. Robert Lartz
Remedial Construction Service, Inc.
1101 California St., Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

Project: **Corona Service Park / 2-1778**

Dear Mr. Lartz:

The analytical results for the soil and water samples, received by our laboratory on January 21, 2005, are attached.

Enviro-Chem appreciates the opportunity to provide you and your company this and other services. Please do not hesitate to call us if you have any questions.

Sincerely,

Curtis Desilets
Vice President/Program Manager

Jesse Tu, Ph.D.
Laboratory Manager

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778 DATE RECEIVED:01/21/05
MATRIX:SOIL DATE EXTRACTED:01/21/05
SAMPLING DATE:01/21/05 DATE ANALYZED:01/25-26/05
REPORT TO:Mr. ROBERT LARTZ DATE REPORTED:01/28/05

TOTAL PETROLEUM HYDROCARBONS(TPH) - CARBON CHAIN ANALYSIS
METHOD: LUFT/EPA 8015M; PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

SAMPLE I.D.	LAB I.D.	GASOLINE (C4-C10)	KEROSENE (C8-C16)	DIESEL (C10-C22)	OIL (C22-C35)	DF
AOC-C-01	050121-44	ND	ND	ND	346	1
AOC-C-02	050121-45	ND	ND	ND	316	1
AOC-C-03	050121-46	ND	ND	ND	393	1
AOC-C-04	050121-47	ND	ND	ND	376	1
AOC-C-05	050121-48	ND	ND	ND	510	1
AOC-C-06	050121-49	ND	ND	ND	6300	10
AOC-C-07	050121-50	ND	ND	ND	9400	10
AOC-C-08	050121-51	ND	ND	ND	10600	10
AOC-C-09	050121-52	ND	ND	ND	531	1
AOC-C-10	050121-53	ND	ND	ND	359	1
AOC-C-11	050121-54	ND	ND	ND	304	1
AOC-C-12	050121-55	ND	ND	ND	251	1
AOC-C-13	050121-56	ND	ND	ND	264	1
AOC-C-14	050121-57	ND	ND	ND	332	1
AOC-C-15	050121-58	ND	ND	ND	217	1
AOC-C-16	050121-59	ND	ND	ND	207	1
AOC-C-17	050121-60	ND	ND	ND	156	1
AOC-C-18	050121-61	ND	ND	ND	138	1
AOC-C-19	050121-62	ND	ND	ND	326	1
AOC-C-20	050121-63	ND	ND	ND	171	1
METHOD BLANK		ND	ND	ND	ND	1
	PQL	10	10	10	50	

COMMENTS
DF = DILUTION FACTOR
PQL = PRACTICAL QUANTITATION LIMIT
ACTUAL DETECTION LIMIT = DF X PQL
ND = NON-DETECTED OR BELOW THE ACTUAL DETECTION LIMIT

Data Reviewed and Approved by: _____
CAL-DHS ELAP CERTIFICATE No.: 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778 DATE RECEIVED: 01/21/05
MATRIX: SOIL DATE EXTRACTED: 01/24/05
SAMPLING DATE: 01/21/05 DATE ANALYZED: 01/26-27/05
REPORT TO: Mr. ROBERT LARTZ DATE REPORTED: 01/28/05

TOTAL PETROLEUM HYDROCARBONS(TPH) - CARBON CHAIN ANALYSIS
METHOD: LUFT/EPA 8015M; PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

SAMPLE I.D.	LAB I.D.	GASOLINE (C4-C10)	KEROSENE (C8-C16)	DIESEL (C10-C22)	OIL (C22-C35)	DF
AOC-C-21	050121-64	ND	ND	ND	419	1
AOC-C-22	050121-65	ND	ND	ND	228	1
AOC-C-23	050121-66	ND	ND	ND	382	1
AOC-C-24	050121-67	ND	ND	ND	172	1
AOC-C-25	050121-68	ND	ND	ND	130	1
AOC-C-26	050121-69	ND	ND	ND	549	1
AOC-C-27	050121-70	ND	ND	ND	235	1
AOC-C-28	050121-71	ND	ND	ND	649	1
AOC-C-29	050121-72	ND	ND	ND	575	1
AOC-C-30	050121-73	ND	ND	ND	383	1
AOC-C-31	050121-74	ND	ND	ND	668	1
AOC-C-32	050121-75	ND	ND	ND	319	1
AOC-C-33	050121-76	ND	ND	ND	413	1
AOC-C-34	050121-77	ND	ND	ND	698	1
AOC-C-35	050121-78	ND	ND	ND	329	1
AOC-C-36	050121-79	ND	ND	ND	443	1
AOC-C-37	050121-80	ND	ND	ND	251	1
AOC-C-38	050121-81	ND	ND	ND	493	1
AOC-C-39	050121-82	ND	ND	ND	195	1
METHOD BLANK		ND	ND	ND	ND	1
	PQL	10	10	10	50	

COMMENTS
DF = DILUTION FACTOR
PQL = PRACTICAL QUANTITATION LIMIT
ACTUAL DETECTION LIMIT = DF X PQL
ND = NON-DETECTED OR BELOW THE ACTUAL DETECTION LIMIT

Data Reviewed and Approved by: _____
CAL-DHS ELAP CERTIFICATE No.: 1555

Enviro Chem, Inc

1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8015M Soil QC

Date Analyzed: 1/25-1/26/2005 Units: mg/Kg (PPM)

Matrix: **Solid/Sludge**

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)

Spiked Sample Lab I.D.: **050125-LCS 1/2**

Analyte	SR	spk conc	MS	%MS	MSD	%MSD	%RPD	ACP %MS	ACP RPD
DIESEL	0	2500	2056	82%	2088	84%	2%	75-125	0-20%

LCS STD RECOVERY:

Analyte	spk conc	LCS	% REC	ACP
DIESEL	200	204	102%	75-125

Analyzed and Reviewed By: KL

Final Reviewer: CM

Enviro Chem, Inc

1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8015M Soil QC

Date Analyzed: 1/26-1/27/2005 Units: mg/Kg (PPM)

Matrix: **Solid/Sludge**

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)

Spiked Sample Lab I.D.: **050126-LCS 1/2**

Analyte	SR	spk conc	MS	%MS	MSD	%MSD	%RPD	ACP %MS	ACP RPD
DIESEL	0	2500	2091	84%	2092	84%	0%	75-125	0-20%

LCS STD RECOVERY:

Analyte	spk conc	LCS	% REC	ACP
DIESEL	200	182	91%	75-125

Analyzed and Reviewed By: KL

Final Reviewer: CM

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778 DATE RECEIVED: 01/21/05
MATRIX: WATER DATE EXTRACTED: 01/25/05
SAMPLING DATE: 01/21/05 DATE ANALYZED: 01/27/05
REPORT TO: Mr. ROBERT LARTZ DATE REPORTED: 01/28/05

TOTAL PETROLEUM HYDROCARBONS(TPH) - CARBON CHAIN ANALYSIS
METHOD: LUFT/EPA 8015M
UNIT: uG/L = MICROGRAM PER LITER = PPB

SAMPLE I.D.	LAB I.D.	GASOLINE (C4-C10)	KEROSENE (C8-C16)	DIESEL (C10-C22)	OIL (C22-C35)	DF
Equipment Blank-02	050121-84	ND	ND	ND	ND	1
METHOD BLANK		ND	ND	ND	ND	1
	PQL	500	500	500	5000	

COMMENTS
DF = DILUTION FACTOR
PQL = PRACTICAL QUANTITATION LIMIT
ACTUAL DETECTION LIMIT = DF X PQL
ND = NON-DETECTED OR BELOW THE ACTUAL DETECTION LIMIT

Data Reviewed and Approved by: _____
CAL-DHS ELAP CERTIFICATE No.: 1555

Enviro Chem, Inc

1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8015M Water QC

Date Analyzed: 1/27/2005 Units: ug/L (PPB)

Matrix: **Water**

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)

Spiked Sample Lab I.D.: 050124-109

Analyte	SR	spk conc	MS	%MS	MSD	%MSD	%RPD	ACP %MS	ACP RPD
DIESEL	0	150000	132246	88%	131526	88%	1%	75-125	0-20%

LCS STD RECOVERY:

Analyte	spk conc	LCS	% REC	ACP
DIESEL	120000	128220	107%	75-125

Analyzed and Reviewed by: KL

Final Reviewer: CM

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-01 — LAB I.D.: 050121-44

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-01 — LAB I.D.: 050121-44

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-02 — LAB I.D.: 050121-45

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL | DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 | DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ | DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-02 | LAB I.D.: 050121-45

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-03 — LAB I.D.: 050121-46

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-03 — LAB I.D.: 050121-46

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-04 — LAB I.D.: 050121-47

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-04 — LAB I.D.: 050121-47

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-05 — LAB I.D.: 050121-48

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-05 — LAB I.D.: 050121-48

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	0.007	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-06 — LAB I.D.: 050121-49

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-06 — LAB I.D.: 050121-49

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-07 — LAB I.D.: 050121-50

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-07 — LAB I.D.: 050121-50

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-08 — LAB I.D.: 050121-51

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-08 — LAB I.D.: 050121-51

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-09 — LAB I.D.: 050121-52

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL
SAMPLING DATE: 01/21/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/21/05
DATE ANALYZED: 01/23/05
DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-09
LAB I.D.: 050121-52

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-10 — LAB I.D.: 050121-53

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-10 — LAB I.D.: 050121-53

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL
SAMPLING DATE: 01/21/05
REPORT TO: Mr. ROBERT LARTZ

DATE RECEIVED: 01/21/05
DATE ANALYZED: 01/23/05
DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-11 LAB I.D.: 050121-54

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-11 — LAB I.D.: 050121-54

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	0.027	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-12 — LAB I.D.: 050121-55

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05

SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05

REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-12 — LAB I.D.: 050121-55

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-13 — LAB I.D.: 050121-56

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-13 — LAB I.D.: 050121-56

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-14 — LAB I.D.: 050121-57

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-14 — LAB I.D.: 050121-57

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-15 — LAB I.D.: 050121-58

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-15 — LAB I.D.: 050121-58

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	0.007	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-16 — LAB I.D.: 050121-59

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-16 — LAB I.D.: 050121-59

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-17 — LAB I.D.: 050121-60

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-17 — LAB I.D.: 050121-60

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-18 — LAB I.D.: 050121-61

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-18 — LAB I.D.: 050121-61

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-19 — LAB I.D.: 050121-62

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-19 — LAB I.D.: 050121-62

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-20 — LAB I.D.: 050121-63

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-20 — LAB I.D.: 050121-63

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

METHOD BLANK FOR LAB I.D.: 050121-44 THROUGH -63

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

METHOD BLANK FOR LAB I.D.: 050121-44 THROUGH -63

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro-Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8260B QA/QC Report

Date Analyzed: 1/22-23/2005 Matrix: Solid/Sludge
Machine: A Unit: mg/Kg (PPM)

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)
Spiked Sample Lab I.D.: 050121-44

Analyte	S.R.	spk conc	MS	%RC	MSD	%RC	%RPD	ACP %RC	ACP RPD
Benzene	0	0.050	0.046	92%	0.047	94%	2%	75-125	0-20
Chlorobenzene	0	0.050	0.046	92%	0.047	94%	2%	75-125	0-20
1,1-Dichloroethene	0	0.050	0.045	90%	0.050	101%	11%	75-125	0-20
Toluene	0	0.050	0.046	93%	0.046	92%	0%	75-125	0-20
Trichloroethene (TCE)	0	0.050	0.045	90%	0.047	94%	4%	75-125	0-20

Lab Control Spike (LCS):

Analyte	spk conc	LCS	%RC	ACP %RC
Benzene	0.050	0.050	99%	75-125
Chlorobenzene	0.050	0.048	96%	75-125
Chloroform	0.050	0.044	88%	75-125
1,1-Dichlorothene	0.050	0.045	90%	75-125
Ethylbenzene	0.050	0.048	96%	75-125
o-Xylene	0.050	0.051	102%	75-125
m,p-Xylene	0.100	0.100	100%	75-125
Toluene	0.050	0.048	95%	75-125
1,1,1-Trichloroethane	0.050	0.041	82%	75-125
Trichloroethene (TCE)	0.050	0.045	89%	75-125

Surrogate Recovery	spk conc	ACP %RC	MB %RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.				0121-44	0121-45	0121-46	0121-47	0121-48	0121-49
Dibromofluoromethane	50.0	70-130	91%	97%	98%	98%	98%	99%	101%
Toluene-d8	50.0	70-130	102%	81%	87%	97%	96%	99%	98%
4-Bromofluorobenzene	50.0	70-130	105%	95%	88%	92%	101%	99%	92%

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.			0121-50	0121-51	0121-52	0121-53	0121-54	0121-55	0121-56
Dibromofluoromethane	50.0	70-130	101%	105%	98%	99%	97%	100%	98%
Toluene-d8	50.0	70-130	95%	90%	68*%	96%	97%	89%	99%
4-Bromofluorobenzene	50.0	70-130	92%	83%	93%	96%	96%	90%	91%

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.			0121-57	0121-58	0121-59	0121-60	0121-61	0121-62	0121-63
Dibromofluoromethane	50.0	70-130	98%	102%	97%	104%	96%	99%	100%
Toluene-d8	50.0	70-130	83%	95%	88%	85%	92%	63*%	94%
4-Bromofluorobenzene	50.0	70-130	93%	91%	81%	81%	86%	99%	90%

** = Surrogate fail due to matrix interference; LCS, MS, MSD are in control therefore the analysis is in control.*
S.R. = Sample Results
spk conc = Spike Concentration
MS = Matrix Spike
%RC = Percent Recovery
ACP %RC = Accepted Percent Recovery
MSD = Matrix Spike Duplicate

Analyzed/Reviewed By: _____

Final Reviewer: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-21 — LAB I.D.: 050121-64

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-21 — LAB I.D.: 050121-64

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-22 — LAB I.D.: 050121-65

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-22 — LAB I.D.: 050121-65

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-23 — LAB I.D.: 050121-66

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-23 — LAB I.D.: 050121-66

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-24 — LAB I.D.: 050121-67

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-24 — LAB I.D.: 050121-67

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-25 — LAB I.D.: 050121-68

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-25 — LAB I.D.: 050121-68

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-26 — LAB I.D.: 050121-69

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-26 — LAB I.D.: 050121-69

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-27 — LAB I.D.: 050121-70

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-27 — LAB I.D.: 050121-70

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/24/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-28 — LAB I.D.: 050121-71

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/24/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-28 — LAB I.D.: 050121-71

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/24/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-29 — LAB I.D.: 050121-72

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/24/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-29 — LAB I.D.: 050121-72

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-30 — LAB I.D.: 050121-73

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-30 — LAB I.D.: 050121-73

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-31 — LAB I.D.: 050121-74

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-31 — LAB I.D.: 050121-74

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-32 — LAB I.D.: 050121-75

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-32 — LAB I.D.: 050121-75

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-33 — LAB I.D.: 050121-76

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-33 — LAB I.D.: 050121-76

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona. CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-34 — LAB I.D.: 050121-77

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-34 — LAB I.D.: 050121-77

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-35 — LAB I.D.: 050121-78

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-35 — LAB I.D.: 050121-78

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-36 — LAB I.D.: 050121-79

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-36 — LAB I.D.: 050121-79

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-37 — LAB I.D.: 050121-80

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-37 — LAB I.D.: 050121-80

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-38 — LAB I.D.: 050121-81

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-38 — LAB I.D.: 050121-81

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/24/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-39 — LAB I.D.: 050121-82

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/24/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: AOC-C-39 — LAB I.D.: 050121-82

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

METHOD BLANK FOR LAB I.D.: 050121-64 THROUGH -82

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	0.020
BENZENE	ND	0.005
BROMOBENZENE	ND	0.005
BROMOCHLOROMETHANE	ND	0.005
BROMODICHLOROMETHANE	ND	0.005
BROMOFORM	ND	0.005
BROMOMETHANE	ND	0.005
2-BUTANONE (MEK)	ND	0.020
N-BUTYLBENZENE	ND	0.005
SEC-BUTYLBENZENE	ND	0.005
TERT-BUTYLBENZENE	ND	0.005
CARBON DISULFIDE	ND	0.010
CARBON TETRACHLORIDE	ND	0.005
CHLOROBENZENE	ND	0.005
CHLOROETHANE	ND	0.005
CHLOROFORM	ND	0.005
CHLOROMETHANE	ND	0.005
2-CHLOROTOLUENE	ND	0.005
4-CHLOROTOLUENE	ND	0.005
DIBROMOCHLOROMETHANE	ND	0.005
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.005
1,2-DIBROMOETHANE	ND	0.005
DIBROMOMETHANE	ND	0.005
1,2-DICHLOROBENZENE	ND	0.005
1,3-DICHLOROBENZENE	ND	0.005
1,4-DICHLOROBENZENE	ND	0.005
DICHLORODIFLUOROMETHANE	ND	0.005
1,1-DICHLOROETHANE	ND	0.005
1,2-DICHLOROETHANE	ND	0.005
1,1-DICHLOROETHENE	ND	0.005
CIS-1,2-DICHLOROETHENE	ND	0.005
TRANS-1,2-DICHLOROETHENE	ND	0.005
1,2-DICHLOROPROPANE	ND	0.005

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: SOIL — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/23/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

METHOD BLANK FOR LAB I.D.: 050121-64 THROUGH -82

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: MG/KG = MILLIGRAM PER KILOGRAM = PPM

PARAMETER	SAMPLE RESULT	PQL X1
1,3-DICHLOROPROPANE	ND	0.005
2,2-DICHLOROPROPANE	ND	0.005
1,1-DICHLOROPROPENE	ND	0.005
CIS-1,3-DICHLOROPROPENE	ND	0.005
TRANS-1,3-DICHLOROPROPENE	ND	0.005
ETHYLBENZENE	ND	0.005
2-HEXANONE	ND	0.020
HEXACHLOROBUTADIENE	ND	0.005
ISOPROPYLBENZENE	ND	0.005
4-ISOPROPYLTOLUENE	ND	0.005
4-METHYL-2-PENTANONE (MIBK)	ND	0.020
METHYL tert-BUTYL ETHER (MTBE)	ND	0.005
METHYLENE CHLORIDE	ND	0.010
NAPHTHALENE	ND	0.005
N-PROPYLBENZENE	ND	0.005
STYRENE	ND	0.005
1,1,1,2-TETRACHLOROETHANE	ND	0.005
1,1,2,2-TETRACHLOROETHANE	ND	0.005
TETRACHLOROETHENE (PCE)	ND	0.005
TOLUENE	ND	0.005
1,2,3-TRICHLOROBENZENE	ND	0.005
1,2,4-TRICHLOROBENZENE	ND	0.005
1,1,1-TRICHLOROETHANE	ND	0.005
1,1,2-TRICHLOROETHANE	ND	0.005
TRICHLOROETHENE (TCE)	ND	0.005
TRICHLOROFLUOROMETHANE	ND	0.005
1,2,3-TRICHLOROPROPANE	ND	0.005
1,2,4-TRIMETHYLBENZENE	ND	0.005
1,3,5-TRIMETHYLBENZENE	ND	0.005
VINYL CHLORIDE	ND	0.005
M/P-XYLENE	ND	0.010
O-XYLENE	ND	0.005

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro-Chem, Inc.

1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8260B QA/QC Report

Date Analyzed: 1/23-24/2005 Matrix: Solid/Sludge

Machine: A Unit: mg/Kg (PPM)

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)

Spiked Sample Lab I.D.: 050121-64

Analyte	S.R.	spk conc	MS	%RC	MSD	%RC	%RPD	ACP %RC	ACP RP
Benzene	0	0.050	0.048	96%	0.049	98%	2%	75-125	0-20
Chlorobenzene	0	0.050	0.048	96%	0.050	100%	4%	75-125	0-20
1,1-Dichloroethene	0	0.050	0.046	92%	0.051	101%	9%	75-125	0-20
Toluene	0	0.050	0.048	96%	0.050	100%	4%	75-125	0-20
Trichloroethene (TCE)	0	0.050	0.046	92%	0.047	95%	3%	75-125	0-20

Lab Control Spike (LCS):

Analyte	spk conc	LCS	%RC	ACP %RC
Benzene	0.050	0.049	97%	75-125
Chlorobenzene	0.050	0.050	100%	75-125
Chloroform	0.050	0.047	94%	75-125
1,1-Dichlorothene	0.050	0.049	98%	75-125
Ethylbenzene	0.050	0.049	99%	75-125
o-Xylene	0.050	0.051	103%	75-125
m,p-Xylene	0.100	0.100	100%	75-125
Toluene	0.050	0.049	98%	75-125
1,1,1-Trichloroethane	0.050	0.047	95%	75-125
Trichloroethene (TCE)	0.050	0.047	93%	75-125

Surrogate Recovery	spk conc	ACP %RC	MB %RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.				0121-64	0121-65	0121-66	0121-67	0121-68	0121-69
Dibromofluoromethane	50.0	70-130	87%	106%	103%	100%	97%	97%	94%
Toluene-d8	50.0	70-130	106%	87%	91%	100%	99%	103%	101%
4-Bromofluorobenzene	50.0	70-130	103%	88%	87%	102%	101%	103%	93%

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.			0121-70	0121-71	0121-72	0121-73	0121-74	0121-75	0121-76
Dibromofluoromethane	50.0	70-130	92%	89%	102%	100%	102%	102%	101%
Toluene-d8	50.0	70-130	102%	71%	54*%	88%	84%	93%	92%
4-Bromofluorobenzene	50.0	70-130	95%	98%	96%	98%	90%	99%	90%

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.			0121-77	0121-78	0121-79	0121-80	0121-81	0121-82	
Dibromofluoromethane	50.0	70-130	95%	94%	102%	100%	104%	93%	
Toluene-d8	50.0	70-130	88%	97%	72%	88%	79%	92%	
4-Bromofluorobenzene	50.0	70-130	100%	100%	88%	88%	87%	103%	

** = Surrogate fail due to matrix interference; LCS, MS, MSD are in control therefore the analysis is in control.*

S.R. = Sample Results *%RC = Percent Recovery*

spk conc = Spike Concentration *ACP %RC = Accepted Percent Recovery*

MS = Matrix Spike *MSD = Matrix Spike Duplicate*

Analyzed/Reviewed By: _____

Final Reviewer: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: WATER — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: Trip Blank-02 — LAB I.D.: 050121-83

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	10
BENZENE	ND	1
BROMOBENZENE	ND	1
BROMOCHLOROMETHANE	ND	1
BROMODICHLOROMETHANE	ND	1
BROMOFORM	ND	1
BROMOMETHANE	ND	1
2-BUTANONE (MEK)	ND	10
N-BUTYLBENZENE	ND	1
SEC-BUTYLBENZENE	ND	1
TERT-BUTYLBENZENE	ND	1
CARBON DISULFIDE	ND	5
CARBON TETRACHLORIDE	ND	1
CHLOROBENZENE	ND	1
CHLOROETHANE	ND	1
CHLOROFORM	ND	1
CHLOROMETHANE	ND	1
2-CHLOROTOLUENE	ND	1
4-CHLOROTOLUENE	ND	1
DIBROMOCHLOROMETHANE	ND	1
1,2-DIBROMO-3-CHLOROPROPANE	ND	1
1,2-DIBROMOETHANE	ND	1
DIBROMOMETHANE	ND	1
1,2-DICHLOROBENZENE	ND	1
1,3-DICHLOROBENZENE	ND	1
1,4-DICHLOROBENZENE	ND	1
DICHLORODIFLUOROMETHANE	ND	1
1,1-DICHLOROETHANE	ND	1
1,2-DICHLOROETHANE	ND	1
1,1-DICHLOROETHENE	ND	1
CIS-1,2-DICHLOROETHENE	ND	1
TRANS-1,2-DICHLOROETHENE	ND	1
1,2-DICHLOROPROPANE	ND	1
1,3-DICHLOROPROPANE	ND	1

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: WATER — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: Trip Blank-02 — LAB I.D.: 050121-83

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
2,2-DICHLOROPROPANE	ND	1
1,1-DICHLOROPROPENE	ND	1
CIS-1,3-DICHLOROPROPENE	ND	1
TRANS-1,3-DICHLOROPROPENE	ND	1
ETHYLBENZENE	ND	1
2-HEXANONE	ND	10
HEXACHLOROBUTADIENE	ND	1
ISOPROPYLBENZENE	ND	1
4-ISOPROPYLTOLUENE	ND	1
4-METHYL-2-PENTANONE (MIBK)	ND	10
METHYL tert-BUTYL ETHER (MTBE)	ND	3
METHYLENE CHLORIDE	ND	5
NAPHTHALENE	ND	1
N-PROPYLBENZENE	ND	1
STYRENE	ND	1
1,1,1,2-TETRACHLOROETHANE	ND	1
1,1,2,2-TETRACHLOROETHANE	ND	1
TETRACHLOROETHENE (PCE)	ND	1
TOLUENE	ND	1
1,2,3-TRICHLOROBENZENE	ND	1
1,2,4-TRICHLOROBENZENE	ND	1
1,1,1-TRICHLOROETHANE	ND	1
1,1,2-TRICHLOROETHANE	ND	1
TRICHLOROETHENE (TCE)	ND	1
TRICHLOROFLUOROMETHANE	ND	1
1,2,3-TRICHLOROPROPANE	ND	1
1,2,4-TRIMETHYLBENZENE	ND	1
1,3,5-TRIMETHYLBENZENE	ND	1
VINYL CHLORIDE	ND	1
M/P-XYLENE	ND	2
O-XYLENE	ND	1

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: WATER — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: Equipment Blank-02 — LAB I.D.: 050121-84

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	10
BENZENE	ND	1
BROMOBENZENE	ND	1
BROMOCHLOROMETHANE	ND	1
BROMODICHLOROMETHANE	ND	1
BROMOFORM	ND	1
BROMOMETHANE	ND	1
2-BUTANONE (MEK)	ND	10
N-BUTYLBENZENE	ND	1
SEC-BUTYLBENZENE	ND	1
TERT-BUTYLBENZENE	ND	1
CARBON DISULFIDE	ND	5
CARBON TETRACHLORIDE	ND	1
CHLOROBENZENE	ND	1
CHLOROETHANE	ND	1
CHLOROFORM	ND	1
CHLOROMETHANE	ND	1
2-CHLOROTOLUENE	ND	1
4-CHLOROTOLUENE	ND	1
DIBROMOCHLOROMETHANE	ND	1
1,2-DIBROMO-3-CHLOROPROPANE	ND	1
1,2-DIBROMOETHANE	ND	1
DIBROMOMETHANE	ND	1
1,2-DICHLOROBENZENE	ND	1
1,3-DICHLOROBENZENE	ND	1
1,4-DICHLOROBENZENE	ND	1
DICHLORODIFLUOROMETHANE	ND	1
1,1-DICHLOROETHANE	ND	1
1,2-DICHLOROETHANE	ND	1
1,1-DICHLOROETHENE	ND	1
CIS-1,2-DICHLOROETHENE	ND	1
TRANS-1,2-DICHLOROETHENE	ND	1
1,2-DICHLOROPROPANE	ND	1
1,3-DICHLOROPROPANE	ND	1

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

LABORATORY REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: WATER — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

SAMPLE I.D.: Equipment Blank-02 — LAB I.D.: 050121-84

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
2,2-DICHLOROPROPANE	ND	1
1,1-DICHLOROPROPENE	ND	1
CIS-1,3-DICHLOROPROPENE	ND	1
TRANS-1,3-DICHLOROPROPENE	ND	1
ETHYLBENZENE	ND	1
2-HEXANONE	ND	10
HEXACHLOROBUTADIENE	ND	1
ISOPROPYLBENZENE	ND	1
4-ISOPROPYLTOLUENE	ND	1
4-METHYL-2-PENTANONE (MIBK)	ND	10
METHYL tert-BUTYL ETHER (MTBE)	ND	3
METHYLENE CHLORIDE	ND	5
NAPHTHALENE	ND	1
N-PROPYLBENZENE	ND	1
STYRENE	ND	1
1,1,1,2-TETRACHLOROETHANE	ND	1
1,1,2,2-TETRACHLOROETHANE	ND	1
TETRACHLOROETHENE (PCE)	ND	1
TOLUENE	ND	1
1,2,3-TRICHLOROBENZENE	ND	1
1,2,4-TRICHLOROBENZENE	ND	1
1,1,1-TRICHLOROETHANE	ND	1
1,1,2-TRICHLOROETHANE	ND	1
TRICHLOROETHENE (TCE)	ND	1
TRICHLOROFLUOROMETHANE	ND	1
1,2,3-TRICHLOROPROPANE	ND	1
1,2,4-TRIMETHYLBENZENE	ND	1
1,3,5-TRIMETHYLBENZENE	ND	1
VINYL CHLORIDE	ND	1
M/P-XYLENE	ND	2
O-XYLENE	ND	1

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: WATER — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05 — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

METHOD BLANK FOR LAB I.D.: 050121-83, -84

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 1 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
ACETONE	ND	10
BENZENE	ND	1
BROMOBENZENE	ND	1
BROMOCHLOROMETHANE	ND	1
BROMODICHLOROMETHANE	ND	1
BROMOFORM	ND	1
BROMOMETHANE	ND	1
2-BUTANONE (MEK)	ND	10
N-BUTYLBENZENE	ND	1
SEC-BUTYLBENZENE	ND	1
TERT-BUTYLBENZENE	ND	1
CARBON DISULFIDE	ND	5
CARBON TETRACHLORIDE	ND	1
CHLOROBENZENE	ND	1
CHLOROETHANE	ND	1
CHLOROFORM	ND	1
CHLOROMETHANE	ND	1
2-CHLOROTOLUENE	ND	1
4-CHLOROTOLUENE	ND	1
DIBROMOCHLOROMETHANE	ND	1
1,2-DIBROMO-3-CHLOROPROPANE	ND	1
1,2-DIBROMOETHANE	ND	1
DIBROMOMETHANE	ND	1
1,2-DICHLOROBENZENE	ND	1
1,3-DICHLOROBENZENE	ND	1
1,4-DICHLOROBENZENE	ND	1
DICHLORODIFLUOROMETHANE	ND	1
1,1-DICHLOROETHANE	ND	1
1,2-DICHLOROETHANE	ND	1
1,1-DICHLOROETHENE	ND	1
CIS-1,2-DICHLOROETHENE	ND	1
TRANS-1,2-DICHLOROETHENE	ND	1
1,2-DICHLOROPROPANE	ND	1
1,3-DICHLOROPROPANE	ND	1

----- TO BE CONTINUED ON PAGE #2 -----

DATA REVIEWED AND APPROVED BY: _____

Enviro – Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909) 590-5905 Fax (909) 590-5907

METHOD BLANK REPORT

CUSTOMER: Remedial Construction Service Inc.
1101 California St. Ste 100
Corona, CA 92881
Tel(951)272-2877 Cell(951)545-6820 Fax(951)272-2825

PROJECT: Corona Service Park / 2-1778

MATRIX: WATER — DATE RECEIVED: 01/21/05
SAMPLING DATE: 01/21/05, — DATE ANALYZED: 01/22/05
REPORT TO: Mr. ROBERT LARTZ — DATE REPORTED: 01/28/05

METHOD BLANK FOR LAB I.D.: 050121-83, -84

ANALYSIS: VOLATILE ORGANICS, EPA METHOD 5030B/8260B, PAGE 2 OF 2
UNIT: uG/L = MICROGRAM PER LITER = PPB

PARAMETER	SAMPLE RESULT	PQL X1
2,2-DICHLOROPROPANE	ND	1
1,1-DICHLOROPROPENE	ND	1
CIS-1,3-DICHLOROPROPENE	ND	1
TRANS-1,3-DICHLOROPROPENE	ND	1
ETHYLBENZENE	ND	1
2-HEXANONE	ND	10
HEXACHLOROBUTADIENE	ND	1
ISOPROPYLBENZENE	ND	1
4-ISOPROPYLTOLUENE	ND	1
4-METHYL-2-PENTANONE (MIBK)	ND	10
METHYL tert-BUTYL ETHER (MTBE)	ND	3
METHYLENE CHLORIDE	ND	5
NAPHTHALENE	ND	1
N-PROPYLBENZENE	ND	1
STYRENE	ND	1
1,1,1,2-TETRACHLOROETHANE	ND	1
1,1,2,2-TETRACHLOROETHANE	ND	1
TETRACHLOROETHENE (PCE)	ND	1
TOLUENE	ND	1
1,2,3-TRICHLOROBENZENE	ND	1
1,2,4-TRICHLOROBENZENE	ND	1
1,1,1-TRICHLOROETHANE	ND	1
1,1,2-TRICHLOROETHANE	ND	1
TRICHLOROETHENE (TCE)	ND	1
TRICHLOROFLUOROMETHANE	ND	1
1,2,3-TRICHLOROPROPANE	ND	1
1,2,4-TRIMETHYLBENZENE	ND	1
1,3,5-TRIMETHYLBENZENE	ND	1
VINYL CHLORIDE	ND	1
M/P-XYLENE	ND	2
O-XYLENE	ND	1

COMMENTS PQL = PRACTICAL QUANTITATION LIMIT
ND = NON-DETECTED OR BELOW THE PQL
DATA REVIEWED AND APPROVED BY:
CAL-DHS CERTIFICATE # 1555

Enviro-Chem, Inc.
1214 E. Lexington Avenue, Pomona, CA 91766 Tel (909)590-5905 Fax (909)590-5907

8260B QA/QC Report

Date Analyzed: 1/22/05 Matrix: Water
Machine: B Unit: ug/L (PPB)

Matrix Spike (MS)/Matrix Spike Duplicate (MSD)
Spiked Sample Lab I.D.: 050121-83

Analyte	S.R.	spk conc	MS	%RC	MSD	%RC	%RPD	ACP %RC	ACP RPD
Benzene	0	25.0	24.5	98%	25.0	100%	2%	75-125	0-20
Chlorobenzene	0	25.0	26.5	106%	27.6	110%	4%	75-125	0-20
1,1-Dichloroethene	0	25.0	25.9	103%	27.0	108%	5%	75-125	0-20
Toluene	0	25.0	28.4	114%	28.6	114%	1%	75-125	0-20
Trichloroethene (TCE)	0	25.0	25.8	103%	25.8	103%	0%	75-125	0-20

Lab Control Spike (LCS):

Analyte	spk conc	LCS	%RC	ACP %RC
Benzene	25.0	22.8	91%	75-125
Chlorobenzene	25.0	22.1	89%	75-125
Chloroform	25.0	22.8	91%	75-125
1,1-Dichlorothene	25.0	25.4	102%	75-125
Ethylbenzene	25.0	20.3	81%	75-125
o-Xylene	25.0	24.3	97%	75-125
m,p-Xylene	50.0	50.1	100%	75-125
Toluene	25.0	27.6	110%	75-125
1,1,1-Trichloroethane	25.0	25.3	101%	75-125
Trichloroethene (TCE)	25.0	24.3	97%	75-125

Surrogate Recovery	spk conc	ACP %RC	MB %RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.				0120-35	0120-48	0120-49	0120-50	0120-51	0121-06
Dibromofluoromethane	25.0	70-130	107%	107%	98%	90%	88%	87%	103%
Toluene-d8	25.0	70-130	107%	112%	112%	104%	100%	101%	107%
4-Bromofluorobenzene	25.0	70-130	87%	91%	115%	94%	94%	90%	96%

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.			0121-21	0121-35	0121-41	0121-42	0121-43	0121-83	0121-84
Dibromofluoromethane	25.0	70-130	107%	111%	112%	109%	108%	108%	105%
Toluene-d8	25.0	70-130	90%	112%	100%	109%	93%	107%	97%
4-Bromofluorobenzene	25.0	70-130	89%	88%	89%	90%	92%	90%	88%

Surrogate Recovery	spk conc	ACP %RC	%RC	%RC	%RC	%RC	%RC	%RC	%RC
Sample I.D.									
Dibromofluoromethane	25.0	70-130							
Toluene-d8	25.0	70-130							
4-Bromofluorobenzene	25.0	70-130							

** = Surrogate fail due to matrix interference; LCS, MS, MSD are in control therefore the analysis is in control.*
S.R. = Sample Results *%RC = Percent Recovery*
Spk conc = Spike Concentration *ACP %RC = Accepted Percent Recovery*
MS = Matrix Spike *MSD = Matrix Spike Duplicate*

Analyzed/Reviewed By: _____

Final Reviewer: _____

Enviro-Che) Inc. Laboratories
1214 E. Lexington Avenue,
Pomona, CA 91766
Tel: (909) 590-5905 Fax: (909) 590-5907
CA-DHS ELAP CERTIFICATE # 1555

Turnaround Time
0 Same Day
0 24 Hours
0 48 Hours
0 72 Hours
X Week (Standard)
Other:

AOC-C

SAMPLE ID	LAB ID	SAMPLING DATE	SAMPLING TIME	MATRIX	No. OF CONTAINERS	TEMPERATURE	PRESERVATION	8260B VOCs	8015M CARBON CHAIN	COMMENTS
AOC-C-01	050121-44	1/21/05	0826	SOIL	1	ICE	N/A	X	X	SURFACE TO ~~[illegible]~~
AOC-C-02	-45		0837					X	X	-3" SAMPLES
AOC-C-03	-46		0844					X	X	
AOC-C-04	-47		0853					X	X	MATRIX SPICE
AOC-C-05	-48		0858					X	X	NEEDED FOR
AOC-C-06	-49		0906					X	X	THIS SET.
AOC-C-07	-50		0907					X	X	
AOC-C-08	-51		0918					X	X	
AOC-C-09	-52		0923					X	X	
AOC-C-10	-53		0929					X	X	
AOC-C-11	-54		0931					X	X	
AOC-C-12	-55		0951					X	X	
AOC-C-13	-56		0954					X	X	
AOC-C-14	-57		0959					X	X	
AOC-C-15	-58		1009					X	X	

Analysis Required

Company Name: REMEDIAL CONSTRUCTION SERVICES
Address: 1101 CALIFORNIA AVE
City/State/Zip: CORONA, CA 92881

Project Contact: ROBERT LARTZ
Tel: 951-272-2877
Fax: 951-272-2825

Sampler's Signature:
Project Name/ID: CORONA SERVICE PARK
2-1778

Relinquished by:	Received by:	Date & Time:
		1/21/05 14:20
Relinquished by:	Received by:	Date & Time: 1/21/05 16
Relinquished by:	Received by:	Date & Time:

Instructions for Sample Storage After Analysis:
O Dispose of O Return to Client O Store (30 Days)
O Other:

CHAIN OF CUSTODY RECORD

Date: 1/21/05

WHITE WITH SAMPLE • YELLOW TO CLIENT

Enviro-Che... Inc. Laboratories
1214 E. Lexington Avenue,
Pomona, CA 91766
Tel: (909) 590-5905 Fax: (909) 590-5907
CA-DHS ELAP CERTIFICATE # 1555

Turnaround Time
0 Same Day
0 24 Hours
0 48 Hours
0 72 Hours
X 1 Week (Standard)
Other:

AOC-C.

SAMPLE ID	LAB ID	SAMPLING DATE	SAMPLING TIME	MATRIX	No. OF CONTAINERS	TEMPERATURE	PRESERVATION	8260B	8015M								COMMENTS
								Analysis Required									
AOC-C-16	050121-59	1/21/05	1020	SOIL	1	ICE	N/A	X	X								SURFACE TO
AOC-C-17	-60		1023					X	X								-3" SAMPLES
AOC-C-18	-61		1030					X	X								
AOC-C-19	-62		1033					X	X								NEED A
AOC-C-20	-63		1045					X	X								MATRIX SPIKE
AOC-C-21	-64		1047					X	X								FOR THIS
AOC-C-22	-65		1055					X	X								SET.
AOC-C-23	-66		1100					X	X								
AOC-C-24	-67		1106					X	X								
AOC-C-25	-68		1111					X	X								
AOC-C-26	-69		1120					X	X								
AOC-C-27	-70		1122					X	X								
AOC-C-28	-71		1126					X	X								
AOC-C-29	-72		1129					X	X								
AOC-C-30	-73		1138					X	X								

Company Name: REMEDIAL CONSTRUCTION SERVICES
Address: 1101 CALIFORNIA AVE
City/State/Zip: CORONA, CA 92881

Project Contact: ROBERT LARTZ
Tel: 951-272-2877
Fax: 951-272-2825

Sampler's Signature:
Project Name/ID: CORONA SERVICE PARK
Z-1778

Relinquished by:	Received by:	Date & Time: 1/21/05 14:20
Relinquished by:	Received by:	Date & Time: 1/21/05 1576
Relinquished by:	Received by:	Date & Time:

Instructions for Sample Storage After Analysis:
O Dispose of O Return to Client O Store (30 Days)
O Other:

CHAIN OF CUSTODY RECORD

Date: 1/21/05

Enviro-Che Inc. Laboratories
1214 E. Lexington Avenue,
Pomona, CA 91766
Tel: (909) 590-5905 Fax: (909) 590-5907
CA-DHS ELAP CERTIFICATE # 1555

Turnaround Time
0 Same Day
0 24 Hours
0 48 Hours
0 72 Hours
X 1 Week (Standard)
Other:

AOC-C

SAMPLE ID	LAB ID	SAMPLING DATE	SAMPLING TIME	MATRIX	No. OF CONTAINERS	TEMPERATURE	PRESERVATION	8015M CARBON CHAIN	8260b VOCs								COMMENTS
AOC-C-31	050121-74	1/21/05	1140	SOIL	1 4OZ	ICE	N/A	X	X								SURFACE TO
AOC-C-32	-75		1157					X	X								-3" SAMPLES
AOC-C-33	-76		1159					X	X								
AOC-C-34	-77		1208					X	X								
AOC-C-35	-78		1210					X	X								
AOC-C-36	-79		1220					X	X								
AOC-C-37	-80		1223					X	X								
AOC-C-38	-81		1230					X	X								
AOC-C-39	-82		1233					X	X								
TRIP BLANK-02	-83		1240	WATER	1VOA		HCL	X	~~X~~								
EQUIPMENT BLANK-02	-84		1330	WATER	2VOA 1L		NA	X	X								

Analysis Required

Company Name: REMEDIAL CONSTRUCTION SERVICES	Project Contact: ROBERT LARTZ	Sampler's Signature: [signature]
Address: 1101 CALIFORNIA AVE.	Tel: 951-272-2877	Project Name/ID: CORONA SERVICE PARK 2-1778
City/State/Zip: CORONA, CA. 92881	Fax: 951-272-2825	

Relinquished by: [signature]	Received by: [signature]	Date & Time: 1/21/05 14:20	Instructions for Sample Storage After Analysis: O Dispose of O Return to Client O Store (30 Days)
Relinquished by: [signature]	Received by: [signature]	Date & Time: 1/21/05 1716	O Other:
Relinquished by:	Received by:	Date & Time:	

CHAIN OF CUSTODY RECORD

Date: 1/21/05

WHITE WITH SAMPLE • YELLOW TO CLIENT