FILE COPY

SFUND RECORDS CTR
2224529

5 X-Inform "

A = 1965

Work Order No.	Date	Contract No / Order No	Nomenclature	% Vol.	Specification	Req Date	Pack Size	Quan Cont	Quan Units	Test	Batch No	Supply Test #	Date	Quan	Check Test No.	Date	Tic Tit Tank	Date No.	Carrier		Date Shipped	Dest	Quan Cont	Quan Units
-	3/1	DSA-6-8856 SS-0513-65	Methyl Ethyl Ketone (Shell)	⊘	TT-M-261B	4/12/65	5 Gal/cu	3786	18930	Lyth	1871	2694	4/2	7524 gals	STD 25470	4/8/65	PTE	-	BM	77198	4/8	Lyoth.	2124	10620
								3954	19770	N.S.C.	"	104-8233	4/6	7432 gals	STD 26475	4/9/65	PTS-1	-	SP	214265	4/9	NSC	2128	10640
								7740	38700		"	104-8235	4/7	7050 "	STD 25479	4/12/65	CF-1	-	PE	4505	4/12	Lyoth	1662	8300
											"	104-8236	4/8	7777 "			PIE-1	-	CG	1959	4/13	NSC	1826	9130
											"	104-8237	4/9	7271 "			CF-1	-						38700
											"	104-8238	4/12	1280 "			CF-1	-						
1418	4/16	DSA-6-8641 SS-0447-65	Cleaning Cmpd Solvent	10%	MIL-S-13718 (AER)	2/5/65	6x1 Cases	929 cs	5574 gal	Lyth	1258	Tide 24402-2825	3/8	14035	STD 26471	4/7	T/W's	3/16	CGW	93074	4/13	NSC	315	1890
								315 cs	1890 ea	N.S.C.	"	DA	3/18	6000	STD Cabinet	—	CATS 60315	3/12						
												6000 cmp					TANK #1	3/17						
1403	4/12	DSA-6-8351 SS-0158-65	Ethyl Acetate Tech.	10%	TT-E-751A	3 Dec	5 Gal Can	16	64 gal	Lyth	003	Union Carbide S-19621	3/31/65	20035	STD 25486	4/13	ACME-1	4/13 AM	FUSCO		4/14	PTM	68	3672
								86	16040	PTM	"	"	3/31	7000 gal	STD 25490	4/14	ACME-1	4/13 PM	FUSCO		4/14	PTM	56	4730
								160	3624	Lyoth				7000	STD 25497	4/14	ACME-1	4/14 AM	FUSCO		4/16	PTM	68	3740
								22	12786	PTM				7000	STD 25506	4/15	ACME-1	4/14 PM	FUSCO		4/19	Lyoth	68	3740
								68	3672	Lyoth				7000	STD 25513	4/20	ACME-1	4/15 AM	FUSCO		4/20	Lyoth	76	4180
								155	40770					7000			ACME-1	4/15 PM			"	PM		
														6000							"	PM		
—	4/12	OPC-65-112	Inhibitor, Corr, Liq Cool Sys, Shell Dromosol B	⊘	MIL-I-25017	3/15	5 Gal Pail	184	920 gal	Lyoth	001	Shell												
								112	560 "	N.S.C.														
1440	4/12	DSA-6-7549 CPI-4035-65	Kerosene, Deodorized		VV-K-220A Am 2	4/19	5 Gal Pail	264	1320 "	Lyoth	002	Shell												
1441	4/12	DSA-6-7561 MSS-0760-65	Dry Clean Solv Type 1		MIL-D-8207 Am 2	4/2	5 Gal Pail	4776	24880 "	Lyoth	004													
								484	2420 "	N.S.C.	"													
	4/15	CCA-4 Amd 1 CPL 12-2	Detergent Liquid Nonionic Type I	10%	Mil-D-00167A		5 gal (cu)	2000 (cu) 7350	16760 Gal	Lyoth	006	GAF Corp.		26460 lbs	926 I	3/16/65			10	26220	4/19	Lyoth	1950	9750
								1609	9045 "	N.S.C.	007	GAF "		46400 lbs	105 II	4/9/65			NCS	25	4/20	Lyoth.	1400	7000
									5305 Gal		007	GAF "		49350 lbs.							4/20	NSCO	32	160
											007	GAF		9420 lbs									10	50
1440	4/16	DSA-6-7549	Kerosene Deodorized	10%	VV-K-220A Am I	4/19/65	5 gal/can	1320 gal	264	Lyoth	002	Shell		5459 gals	SCC 25507	4/19/65	PTE-2				4/	mnd. comp.	263	1315
Phone.		NSCO-S-66287		⊘	" " " "		" "	2000	400	N.S.C.	002	Shell					"		FUSCO		4/26	NSCO	400	2,000 gals
1438	4/17	Insecticide	Diazinon (Liquid Insecticide) 25%	⊘	MIL-I-21177A Am I	5/2/65	1 gallon	1958 cu	11748 "	Lyoth	008A	2694					SCC 7651	6/1/65	SCC 7651	5/25/65	SP 650704		6/23/65	Lyoth.	166	
		components	Diazinon 4S		21 Pails - 20 lbs Dia (Pail)																			
			Kerosene Deodorized		81642 Kerosene SCC 2651 TTK 3300 gals VV-K-220A Am I																			
											009A													
	4/2		Acetone (Enjoy Chem) (Supplier Co. Chem Co 66032)	⊘	Acetone Gr 9203		55 gal	121 cans	6655 gals		010A			6850 gals			TTS 50	-1	4/22	Fusco		4/23	SF Dock	121	6,655 gals
	1/22		Solvent Dry Cleaning SD-1 Type I	13%	P-D-680 Am 2	4/21/65	5 gal	5962	27310 gals	Lyoth	004A	Tidewater		16,000 gals			AOT 1168							
										N.S.C.	004A			7350 gals			TW 0270 AOT			Fusco	4/26	4/26	582	
														10,000 gal			AOT 1009		4/26	Fusco	4/26	4/26		
	4/28	Dust mop compound	concentrated	⊘	P-D-810 Type II		5 gal	53 cs	265 gals	Lyoth	011A	Amico		265 gals	—	—	Stock			Hodge		4/28	Bell	53 cs	2650 gals
A	4/29	Pine oil (Commercial)		10%	LLL-P-560A Type III		55	9000 cs	1800 cs	N.S.C.	012A	T-958		9000 "			Crossby			Fusco		4/25	NSCO	1500 cs	7500 gal
	4/29	Naptha Aliphatic	Type 2	10%	TT-N-95a	18 July	15	1072	1512-15	Lyoth	013A	13574-51575	5/18/65	10000 "			AOT 1168	6/20/65	SP			6/1/65	Lyoth.	
	4/22	Nutra-Sol		⊘	Amico Formula	4/28	24/case	3336	139 cs	Lyoth							Ship				4/28		139	

(6)

6 phone: 6

Stock No.	Date	Contract not under ... Nomenclature	Specification	Rec'd pkg. size	Pack. size	Quan cont.	Quan units	Stock No	Supplier Test	Date	Quantity	Cases Date No/date	RC/IT Tank No	Date	Filled Lot	Ship Carrier	Date shipped	Quantity cont.	Units	Stock average
1445	4/65	1 DSA-4-053685-PC-09 Detergent Nonionic, Liquid	Mil-D-16791E	30 July	1-gall.	712	4272 gal	017A	935					7/9/65		SP	1155			
						68302	1155 "	017A	" " 85 200 gals.							SP	715			
		Set aside						017A	6/10/65					7/10/65						
6	4/65	sodium Silicate Trac, Tech.	A-WWA B202-60	3/12	110# Egc.	150	15000 #	016A												
1446	5/65	Scale Removing Compound DSA-4-055097-PC-400	Mil-S-216 (Ships)	6/32	100# Dr.	2071	53700 #	017A	20,400 7/6	031A	12000 7/12	041A	20,000 7/19	4/65						
		(ship pts.)	53700# Lgth			663	66000 #	028A	20,500 7/1	032A	1400 7/13 18000 7/13	047A	20,600 7/20							
		{pending.	66000 NSCO			200		029A	20,000 4/14	034A	10600 6/8	0 WUF	17700							
						300		030A	20,000 6/15											
1444	5/65	Cleaning Compound Solvent. DSA-6-9733	Mil-S-16718 (AER)	10/6	5 gal or.	194	10,170 gal	018A	35534											
#	5/65	Nutra Sol	Amco Chem.		1 lb. Sack	24	574													
f	5/65	Anti-perspirant Injection Fluid.	O-M-232 A 20 mil Dodecyl	5/65	55 gal or.	122	6710 gals.	019A		5/10/65	8000			5/10/65		Texas		5/5/65	2401	574
1447	4/65	Corrosion Removing Compound type III	Mil-M-10578B	5/10/65	5 gal/pail	580	2900	020A	Standard Lab		3500 gals.			6/5/65	10000 # Pail	Peters Exp. K&W	68L	5/10/65	60	3300	62
1443	5/65	Penetrating Oil	VV-P-216A	3/10/65	1-pt.	44456	5200 gal	022A	Amco Bulk		5700			5/10/65				7/20/65	544 pal.	2720	600 gals.
1449	5/65	Dry Cleaning Solvent DSA-6-9721 type I	P-D-680 Am 2	25/6/65	1-gal/6	12501	150 gal	021A			150 gals.									
#	5/65	Pine oil Commercial type III	LLL-P-400A	4/20/65	5-gal	210p	1050 gal	022A	Amco Bulk	5/10/65	8000 gals.			5/27/65	8 GLOB	Peters Express		5/27/65	278	1140	52-55
#	5/65	Dope & Lacquer thinner	Mil-T-19544	5/20/65	55-gal	30	1410 gal	023A			1561 Pail 2-4-65			5/27/65	1677 gals.	Peters Express		5/28/65	30-55	1650	
		6/65			6/65							6/65								
1442	5/65	Trichloroethane Tech., 4,1,1 DSA-4-053488-PC-400	O-T-620A + Am. I	6/9/65	5-gal	1127	5635 gal	024A					Ford	6/6/65	9000 gals.					
#	5/65	Kerosine NSCO-5-05269	VV-K-211D	6/3/65	5 gal	605	3025 gal	025A	6/7	5/8/65	3500 gals.		Ford 75J	5/5/65	3500 gals					
	5/65	Lube oil General Purpose Steam turbine DSA-4-7288 Type not 2135-TH	Mil-L-17672B	6/6/65	5 gal	468	3570 gals	026A	Shell 6/11/65	6/11/65	3535 gals.		Ford 75J	6/5/65	3535 gals					
1444	5/65	Toluene tech DSA-6-9133	TT-T-598C	18/5 gal	5 gal	2224	11,110 gal	027A	3A011		10,176 gals		SCCY-294	6/8/65		SP 10 days		6/8/65	1926-55	7830 gal.
		" "		18/5 gal	5 gal	464	2320 "	027A	"	"	449	6/8/65	SCCY-204	6/8/65	4003 gals.	106675 FUGCO		6/11/65	464	2320	384-86
#	6/65	Neutra-Sol	Amco Chem.	6/9/65	1 Tame.	636	15264 #	Amco	Test		Formulation					Peters Exp.		6/9/65	636 pail	15264 #
#	6/65	Isopropyl Alcohol or 2-Propanol	O-M-236		Small	orders,							1/Pts.	6/16/65	100 gals.	Amco Test		6/14/65	163	86 gal
#	6/65	Nutra-Sol	Amco Chem. Compound															6/16/65	1200 pail	28820 #
	6/65	Scale Removing Comp. DSA-4-055097-PC-400	P-S-120	6/5/65	100 # Dr.	537		031A												
A	6/65	Penetrating Oil DSA-6-8843	VV-P-216A	6/11	1 pt.	6/45456	24528	032A		n/a 7	6000 gals									
"		"		"		4/3864	20928	"												
	6/65	Petrolatum Technical DSA-6-9784				2	2	034A										60	2880	
						8	1920	034A										3	144	
						2160	45	034A										45	2160	
						576	12	034A										12	576	
						3456	72	034A										72	3456	
						144	3	034A										3	144	
#	6/65	2-Propanol Tech. DSA-2-15081	TT-I-735A Grade	6/25/65	5 gallon	768	3843	035A												
#	6/65	Isopropyl Alcohol	NF	25/gallon	5 gallon	305	1524 gal	036A	colored	6/25/65	20,000	25315	tank 1	6/25/65	3100	SP 65 0560 FUGCO	July 1	2040	15,000	413
		7/65									7/65						7/65	1062		
#	7/65	Whitting.																		
4397	7/65	Calcium Carbide, SPE64-70999-19 SPE64-70997-19	Mil-W-15234A	4/27/65	5 lb.	508	2540	037A	Yellow Label		2540 #	GSA Lab								
		Monoethanolamine, hulating	O-C-101A	1/4/65		100 #	17600 #	038A												
1377	7/65	N-Bu	TT-N-96 28SP Am 3.	9/1/65	55 gallon			039A												

COPY

FILE

7/65

Work Order	Day	Contract or Order No.	Nomenclature	Lot %	Specification	Rec. Date	Pack Size	Gross Contents	Gross Units
1450			SCALE REMOVER (Set aside Perkin)	100%	P-S-120	7/23/65	100# dr.	659	65900 #
				"					
Ø	7/65		WAX Paraffin Tech SSCM-19368-1	Ø	Type I Gr A VV-W-95	6/4/65	1# ck	1	1100
			see scale remover						
1451	7/65		Detergent Nonionic Type I DSA-4-05823-TAOS	15%	MIL-D-16791E+A II	21 Supply Ipal			
1588	8/18		Brake Fluid Auto		W-B-680				
	8/14		ISOPROPYL ALCOHOL						
	8/14		MIBK						
	8/15		Brake Fluid MIL-H-13910A(MR) AMI						
	8/17		DDT 25% Insecticide						
1603	8/11		DSA-4-06207-PC400 111 TRICHLOROETHANE						
1623	8/18		DSA-4-06452B-TRS4 Detergent						
	8/19		Insecticide						
	8/20		MIBK						
	8/20		EA						
	8/20		FeCl3						
	8/20		" Lube Oil 2075TH DSA-4-06372B						
	8/20		" " 2135T-H " " 063389-99410						
	8/20		" " 2135T-H " " 04-066938						
	8/20		" " 2075TH						
	8/20		" " 2035T-H						
	8/20		KERNSENE						
	8/20		Methanol						
	8/20		VV-L-202a						
	9/1		Toluene - MIBK MIK						
	9/1		Boiler Compd						
	9/1		Dry Clean P-D-680						
	9/1		DDT 75%						
	9/1		IPA NF						
	9/1		MIBK						
	9/1		Graphite						
	9/1		DIALKOD CLEAN						
	9/1		Dry Lubricant 109A 2/1/66						
	9/1		XYLENE						
	9/1		1,1,1, TRICHLOROETHANE,						
	9/1		Lube Oil						
	9/1		" "						
	7/65		2020						
	9/1		Tole						

7/65 - 1966

Batch	Supply Test.	Date	Quantity	Charge Test No.	Tr. Test Total No.	Date	Filled	Shipment Carrier	Date Shipped	Quantity	Units	Stock
041A		7/19/65						FUSCO				
042A												
043A												
V21d												
045A												
046A				½ wlm	1 T/W Crack 11-430 Bell 7/16							
047A												
048A												
049A												
050A												
051A					Crack 350#							
052A	1st T/W 066A		347 067A									
053A												
055A												
056A												
057A												
~~058A~~	SCCX	605										
059A	SCCX	1452										
060A	SCCX	703	T/W 9/13									
061A												
062A	T/W	9/13										
063A												
064A												
065A												
066A												
069A	076A											
070A												
071A												
072A												
073A												
074A												
075A												
076A												
077A												
078A												
079A	080A											
081A	SCCX	1488										
~~082A~~	SCCX	1457										
083A												

11/3	Inse Diazinon 16000 case 4x1446						
11/3	TRIC Hydrocarbons	ATX 60036					
11/4	Methanol						
11/5	DDT						
11/5	Cocoate						
11/8	2 Propanol	SHPX 9035					
11/9	TLC Sec di ester	2110 Oil					
11/9	Dieldrin						
11/10	Lube Oil 3050						
11/10	Benzene DSA-600 10719						
11/10	Ethyl Ethyl Monobutyl Ether DSA-600-X 10719						
11/12	MIBK	SHPX	6199				
11/12	NAPHTHA AROMATIC Type I HEA	UTLX 17310					
11/15	Diluent Mix Fr DSA-4-07963L PR500						
11/15	Diazinon SCCX H46						
11/16	SCCX 1405						
11/18	Na Hydrosulfite DSA-4-07458-PC408						
11/19	TT-T-291 Thinner AUX 1166						
11/19	Calcium Sulfate						
11/20	Boiling H_2O						
11/22	Methanol						
11/24	Thinner - MIL-T-15714B Cellulose						
11/24	Sodium Bisulfite						
12/1	MALATHION						
12/3	Fuel Oil						
12/7	Fuel MEK						
12/7	111 Tric TLC PAG						
12/7	Sodium Chlorate						
12/8	$NaHCO_3$						
12/8	" Na_2CO_3 mix						
12/9	Na_2CO_3						
12/15	Trichloroethylene SCCX 3511						
12/16	NAPHTHA MIX - Aliphatic Grnt Mix						
12/19	CC: Sorbent Lit - 6L3 - 52 9 DSA-4-07293 00293						

Bal.							
1	085A						
2	086A						
3	087A						
	088A						
	089A						
	090A						
	091A						
	092A						
4	093A						
	094A						
	095A						
5	096A						
	097A						
	098A						
	099A						
	100A						
	101A						
	102A						
	103A						
	104A						
	105A						
	106A						
	107A						
	108A						
	109A						
	110A						
	111A	116A, 119A					
	112A						
	113A						
	114A						
	115A						
	117A						
	118A						
	120A						
	121A (UTLX 31500)	122A UTLX 39110)	123A UTLX 40186				

y

1966 = B

12/5	Detergent Type I	DSA-4-082730-TR 558					
12/7	Acetone	DSA-600-10789					
12/7	DIAZINON	DSA-4-088838-PC409					
12/7	Lube Oil	DSA-600-11140					
12/30	IPA NF (Shell)	DSA-120-1425	SCCX 735				
1/4	NAPHTHA, ALIPHATIC Type II	DSA-600-11152 + DSA-600-11199	Tube AOX 1107 + 6083				
1/5	Detergent Type II	DSA-4-079636-TR555					
	~~Bayole~~						
1/5	Toluene	DSA-600-11152					
1/6	Pipe Tape	DSA-4-068003-PC411 + DSA-4-081098-PC416					
1/13	Inhibit Repel	DSA-4-088831-PC409					
1/14	Na S, F	DSA-4-074610-PC423					
1/27	Inhibitor DTI	DSA-4-079102-PC423					
1/28	NAPHTHA Aromatic	DSA-600-11199					
2/2	Chlorinated Lime	DSA-4-088017-PC400 (UWR)					
2/2	Graphite	NSCO-6-27130					
2/2	Wd Preservative	SGG M-018820					
2/3	Dicyan	DSA-4-083362-PC409 Do-0,av					
2/3	Carbyphenbenzate	DSA-4-080669-PC426					
2/9	Propane	DCA-4-072335-PC403					
2/9	Cascade Tech	DSA-4-082382-PC411					
2/14	Lube Oil MS 2135	DSA-600-11334 Tube TIW					
2/15	Lube Oil W-L-845	DSA-600-11343 Shell Bend					
2/23	Lube Oil 2110	DSA-600-11334 Tube					
2/24	2 Propanol	DSA-4-072335-PC403 Syg, DSA-4-092747-PC403, DSA-4-078392-PC403					
2/28	Inf Acc Acid - Heavy						
2/1	Dry Clean Grip	DSA-600-66-OP-204-U	UTLX 93881				
2/1		DSA-600-10765	UTLX 78854				
3/2	Fuel Cleaner	Various 42 UP 160522 - 146 DRS	3/1 Pinn				
3/14	Lube Oil 2075TH	DSA-600-11334	GATX 79894				
3/14	Scale Remover	DSA-4-088219-PC408	Bend				
3/17	OE-30 Lube Oil	DSA-600-11140					
3/17	Scale Remover	DSA-4-088219-PC408	Bend				
3/22	Silicon Compd	DSA-4-086495-PC426					
3/29	Dry Clean Adr Type I	DSA-600-10765 rebin DSA-4-086454-94416	UTLX 78854				
		DSA-4-089498-94455	" 39104				
		DSA-4-092901-	39341				
3/30	Dry Cleaning Solvent Type II	SFGGY-X 1311B5-1F	STD Fil Tank 3/30				
3/31	Oxalic Acid	DSA-4-089735-PC414					
3/31	1,1,1 Trichloroethane		SATX 7010				
4/6	Methanol	DSA-4-07466 Tx 091731 + SFGGY-B076801F	UC TR				
4/9	Cetane 50 II	WA-600-10796	GATX 69325				

001B							
002B	SCCX 357 + SCCX 1470						
003B	— 3/28/66.						
004B	AOX 1166, 010B AOX 1178, 012B ACX 1170	014B AOX 1143,	016B AOX 1153,	1/19	1/20	015B AOX 1157	
005B		1/19 017B AOX 1151,	AOX 1161	018B	1/27 AOX 1171,	020B 1/28	
006B		1/31 AOX 1166-022B,	1143-023B,	AOX 1157	2/8	023B,	
007B		2/9 AOX 1153-030B,	2/8 AOX 1140	031B,	2/9 AOX 1161	034B	
		2/10 AOX 1151-035B,	2/14 AOX 1171	036B,	2/15 AOX 1130	038B,	
008B		2/17 ACX 1136-039B,	2/15 AOX 1122	-041B,	2/22	AOX 1166-042B	
009B		2/16 AOX 1163	099B	AOX 1130	2/10-107B,	110B, AOX 1173	2/10, B11737 AOX 1151
010B		5/18 ACX 1124	120B,	5/20	AOX 1142	121B,	
013B							
019B							
021B							
024B	-024B-1	8/1/66,	024B-2	12/1			
025B							
026B							
027B							
029B							
032B	UTLX 39441						
033B	Tlw SAPX 14810,						
037B	AKU Pump						
040B							
043B	AOX 837,	AOX 837	046B 3/26				
044B	UTLX 37441,	UTLX 36632	045B 3/26	4/6	UTLX 30687	072B,	UTLX 37748-073B
047B		Do-04 - 222	076B 4/8,	AETW 4/12	081B,	STDTR 4/13	084B, 3/25 UTLX 49302-089B
048B		4/15 UTLX 49362,	091B-098B	UTLX 49010	4/11,	49463,	4/16, 4/27,
049B		5/13 UTLX 41033	125B,	UTLX 49249	5/18B,	UTLX 49020	135B 5/31 UTLX 39488
							138B 6/2
050B							
051B							
052B							
053B	3/17 AOX 1161,	AOX 1163	057B 3/22,	3/23	AOX 1153	058B, 3/25	AOX 1171 062B,
054B, 055B		3/29 AOX 1151	066B,	3/30	AOX 1122	067B, 4/1	AOX 1166 068B,
056B		4/4 AOX 1143	069B	4/6 AOX 1154	071B;	4/12 AOX 1124	074B, 3/15
059B		4/13 AOX 1142	082B,	7/15 AOX 1173	084B,		
060B							
061B	TIT Stock 4/15 085B,						
063B							
064B							
065B							
070B							
074B							

4/18	Methanol	DSA-4-091732-PC408	457467-PC405	OC 26M/Kathus	0A1884
4/18	Lube Oil 2110	DSA-600-11486	AOX 354 Tiller		
	Diazinon M-1-4177A	DSA-4-083362-DO 4 DOV		ZATX 68471, 68597	
4/18	Linkane	DSA-4-081701-PC409			
4/18	Brake Fluid VV-B-680	DSA-600-11640 Item E	VC		
4/13	PDC80 Type II Trucks.				
4/19	Lube Oil MIL-L-15016A 2110	DSA-600-11486	AOX 354		
4/19	Cymotrine	DSA-4-089249-PC427			
4/19	Na Hydro Sulfate	DSA-4-0A3089-PC497			
4/19	Gasoline Oil STOVE	DSA-4-097058 + 097144	AOX 1112		
	Insect Diazinon	DSA-4-083362-PC409	DO-03		
4/28	Propanol + IPA NF	DSA-4-076392 + DSA 490-2995		Shell	
5/5	Diazinon - MIL-I-4177A	DSA-4-083362-DO 4			
5/10	Dry Clean PDC80-I	DSA-600-10765	9/12 DOS MG		
5/11	Sulfur Tech	DSA-4-00733A-PC423	Shaff		
5/12	Hydraulic Fluid ATF	DSA-600-11640	G.W. Bear	OC-Mg	
5/17	Baler	DSA-4-00870A-PC426			
5/17	O-Tolidine	DSA-4-00666A-PC426			
5/17	Lube Oil HR 10	DSA-600-11657	Tiller		
5/17	Clean Coupl Entirely				
5/26	Tuhlamitgene	BTCX 70101			
5/28	Tol/MIBK mix	DSA-600-12019			
5/30	Dry Cleaning Solv	DSA-600-11665	Tiller		
5/30	Lube Oil OE-30	DSA-600-12007			
6/3	Potassium Hydroxide Sol	DSA-4-094897-SA426			
6/6	Delugent Marker	DSA-4-087991-TR403			
6/6	Orthophosphoric Acid	DSA-4-079454-PC420			
6/6	Cleaning compound Aircraft	56GM-BPA-635713			
6/10	Lube Oil OE-30	DSA-600-12007			
6/20	Dieldrin	DSA-4-088838-PC409			
6/24	DETERGENT	DSA-400-66-C-0477/TR528			
6/27	Brake Tyl	DSA-600-OP-66-233-C			
6/29	Lube Oil 2135	DSA-600-11604		AOX 1143	
6/30	Dry Cleaning Solvent P-D-680	DSA-600-10765			
6/30	Methanol Tech	DSA-4-0A1884-PC414		Truck	
6/30	IPA NF (Shell)			Truck	
6/30	Brake Fluid	DSA-600-11640	MIL-H-13910A	CATX 31277	
7/6	Parachlorobenzene				
7/12	111 Trichloroethane	DSA-4-099427-PC403			
7/18	DSA-4-0A1207-PC409	insect	DIAZINON POWDER		
7/20	DSA		TT-T-266B	SCOX 735	
7/20	Bonum	C Hoeider	Jeer Se MIL-S-8718		
Mar	DSA-600-11307				

0158, 136B 5/30
077B
078B, 4/27 5/1 5/5 5/10 5/11 5/12 5/13 5/16 5/30
078B, 096, 097 098, 100B, 108B Tunkle, 111B, 113B, 116B 130B,
080B
083B
086B
087B
088B
089B
090B, DO-04 - 5/12 106B
097B
099B 106B
06 B - 105B 27k STD 9TK Tiller COOPES Rice UTLX 24719 108B, UTLX 24396 5/14 Bill 115B, UTLX 44463 5/17 Bill 119B
114B AOX 1162 127B 5/20, AOX 1125 123B 5/21 AOX 800 1178 6/17
118B UTLX 36141 150B 6/22 UTLX 36141 154B 6/24 UTLX 27741 157B 6/28
3861 5/17
3720 5/17
124B AOX 1165, AOX 1153 127B 5/25, AOX 1116 129B 5/27, AOX 1103 130B 6/1
AOX 1154 137B 6/2
128B
131B
132B
133B AOX 1152 6/6 AOX 1163 140B 6/7, AOX 809 141B 6/9 AOX 846 143B 6/10
134B AOX 1145 6/14
135B
139B
142B.
145B
144B AOX 1124 AOX 1159 146B 6/17, AOX 1132 149B 6/21, AOX 1163 151B 6/22
148B NIAGRA AOX 1173 153B 6/24 AOX 1158 156B 6/27
152B AOX 1162 158B 6/29 AOX 1162 160B
155B
159B
161B AOX 810 6/30 AOX 1125 166B 7/7 UTLX 28280 167B 7/12 WTX 34839 34877 7/14
162B WTLX 39140 176B 7/16 WTLX 5742 177B 7/19 AOX 1023 179B 7/20 AOX 800 183B 7/22
163B AOX 1125 185B 7/24, WTLX 33784 186B 7/26, BSPC 086 7/3 190B,
164B
165B
168B
170B - 175B 7/14 - 7/27
178B
180B

7/28 Turpentine GSATC 095-18704 CRDX 1124 + 1061
7/25 Lubricating CSA
7/30 Linseed Oil RAW TC-GS-095-18704 NATX 2421V
8/2 THINNER TT-T SBSA-TC-GS 095-18 216 SCCX 735
8/3 ~~[illegible]~~ Dry cleaning Solvent
8/3 DIAZINON DSA-600 67-C-0462
8/4 THINNER TT-T-266B SGGP-627918
8/5 THINNER TT-T-266B SGGP-627918 - SCCX 376 - 876
8/8 MEK (Shell) DSA-600-11544 T/W
8/8 Thinner TT-T-291C SGCP-628642
8/9 Thinner TT-T-291C AOX 1124 SGGP-628642
8/9 PD-680 Type I AOX 1009 DSA 10765
8/10 INSECT REPELLENT 502392-4
8/11 TRICHLOROETHYLENE DSA-4-051780
8/12 Linseed Oil Boiled 0273664 623553 NATX 1226
8/15 Thinner 7910 / DES TRANSC 1811 Cooks & Bus
8/15 II 1811 SCCX 766
8/22 CLEANING COMPOUND SOLVENT DSA-600-11307
8-27 CLEANING COMPOUND SOLVENT DSA-600-11307
8-27 CLEANING COMPOUND SOLVENT DSA-601-11307
8/30 PD-680 TYPE I DSA-600-10765
8/25 THINNER-291C DRUMS
8/27 THINNER-291C PAILS
8/29 Kyle Oil 2135 600-11608 AOX 828
8/29 Lubricant 45PG 00-02
9/1 DIAZINON Powder DSA-600-66-C-0462
9/2 Dry Clean Type II DSA-600-11265
9/5 Degreaser DSA-600-66-C-0242 SCCX 690
DIAZINON (Set Aside) 21000 gal DSA-600-66-C-0242 Col/PC409
~~[illegible]~~
9/15 Funny Scent DSA-601-11307, DSA-4-67-P-0455
9/19 IPA N.F. Shell DSA-100-5124 SHAX 9077
~~[illegible]~~
9/19 Compressor Lubricant Type III Lum 0204 PBO DSA-6-6777
9/19 Shell Thermos Oil DSA 600-67-C-0452
10/11 Thinner 291C DC1 ~~[illegible]~~ 505234-P
10/12 Linseed Oil WS2135 DSA-600-11608, DSA-600-67-P-0455
10/12 Trichloroethylene DSA-4-049427

182B + ~~[illegible]~~ 187B
184B
188B
189B
190B
191B
192B
193B
194B
195B AOX 1021
196B, 200B AOX 1125 8/11
197B, AOX 1155 199B 8/10, PSPX 1086 201B 8/17, PSPX 1085 204B 9/15 PSPX 1033 205B 8/7
198B AOX 1009 8/18 206B, AOX 1021 8/19 209B, 8/22 210B, 8/23 212B AOX 1125
202B AOX 1021 8/29 220B, PSPX 1033 8/29 218, PSPX 1085 9/1 231B, AOX 1155 9/8 233B
203B ~~[illegible]~~ AOX 840 9/9 235B, AOX 837 9/11 236B, PSPX 1033 9/13 239B, PSPX 1036 244B 9/20
207B Can No AOX 810 AOX 802 9/14 251B, PSPX 1045 9/14 252B, AOX 807 9/16 253B,
208B AOX 877 9/17 254B, PSPX 830 9/16 255B, UTLX 36779 9/12 258B.
211B
213B
214B
215B
216B can AOX 829 9/12 218B PSPX 1085
217B can NOV 800
218B can PSPX 1085 PSPX 1085 9/9 234B, AOX 1021 9/12 237B, AOX 87 9/15 241B,
222B AOX 832 242B 9/16, AOX 828 243B 9/20
223B
224B - 230B ~~[illegible]~~ 9/21 266B
232B, SCCX 766 9/12 238B, SCCX 690 240B 9/15, SCCX 766 246B 9/23, SCCX 459 9/20 264B
T/C SCCX 601 09/26, 17, 19, 20, 21 / T/C SCCX 761, 22, 23, 26, 27 / SCCX 703, 28, 29, 30.
SCCX 660, 5, 6, 7, SCCX 709 10, 11, 12, 13 / SCCX 713 14, 17, 18 / SCCX 659, 19, 20
245B UTLX 27473, 11/29/66, 30, 1 / UTLX 34839, 2, 5, 8, UTLX 38245, 9, 12, 13, UTLX 37256, 14, 15,
247B UTLX 33013, 19, 20, 21 UTLX 34189, 22, 23, 26, UTLX 35872 27, 28, 29
248B
249B
~~[illegible]~~
250B
256B
257B UTLX 31505, UTLX 27741 10/19 263B
259B PSPX 855, PSPX 874 265B 10/20
260B

11

1967 = C

10/12	Insecticide Lindane	DSA-4-081701	DO-04, 03 262 – ~~[illegible]~~	
10/21	Fuel Oil Diesel	GSA		
10/23	✓ Raw	✓		
10/24	P-D-680 Type II	DSA 600-10765		
10/26	TRICHLORO ethylene	DSA-4-081733	GATX 60036	
10/28	Insecticide Lindane	DSA-4-081701	DO 04	
11/3	Thinner TT-T-266B			
11/4	Sodium Chloride			
11/6	P-D-680			
11/7	Fuse Solvent	DSA-600-11307		
11/14	Methyl Ethyl Ketone for Safety Solvent			
11/15	TRICHLORO-ethylene	DSA 4-081780		
11/20	Fuel Oil – MS 2110	DSA-600-18430		
11/20	MIBK	DSA600-67-01152		
11/22	Type II	DSA-600-67-D-1621		
11/22	THINNER - MIL-T-6069A	(RESUBMISSION)		
11/24	DIAZINON Powder			
11/30	Thinner 291			
11/30	TRICHLOROethylene	SACX3500		
12/1	Corrosion Remover			
12/4	Sodium Hydrosulfite			
12/7	Thinner TT-T-266	TX6262		
12/7	Per-P. Hydrogen			
12/11	Cutting Fluid Type I			
~~12/14~~	~~P-D-680 Type II~~			
~~12/14~~	~~Fuel~~			
12/26	Safety Solvent	DSA-600-11307		
12/27	Thinner 291C	S07700-P	Type I	
12/28	P-D-680 Type II	Trucks		

262B
267B
268B
269B SCCX 1430, SCCX 1492 12/27 276B SCCX 1425 306B 12/20, SCCX 366 307B 12/21
270B
271B-275B inclusive
277B
278B
279B PSPX 840 11/2, ~~[illegible]~~ PSPX 867 267
280B in PSPX 840, 281B, PSPX 867, 282B PSPX 877, PSPX 830 283B, AOX 232 284B, PSPX 1024 285B), PSPX 840 286
288B
289B
290B
291B
292B SCCX 767, (293B, SCCX 696)
2618-1
294B – 298B INCLC
299B PSPX 1036, PSPX 1049, UTLX 27473,
300B
301B
302B
303B
304B
305B
~~306B~~
~~307B~~
308B UTLX 8771/8/67 311B
309B
310B

(13)

18
1967

1/19	Cutting Fluid DSA 600-67-C-0968	Blend		
1/23	Alcohol DSA-400-67-C-2931			
1/27	Ethyl Acetate U.C. DSA-400-C-67-0999			
1/27	Thinner 2411C 65-116			
1/3	Naphthalene DSA-4-091529-PC426			
1/5	Cleaning Compound Solvent			
	Detergent DSA-400-67-C-3031 Standard			
1/9	P-D-680 Type II			
1/11	Tallow Inedible DSA-400-67-C-1561			
1/11	WATER DIST.			
1/12	KOH-KI solution			
1/13	Detergent Powder DSA-400-67-C-4583 TRS17			
1/16	TT-T 266B S-219060-TL			
1/18	S. Solvent DSA-600-11707			
1/19	Aluminum Hyd. SF7GC-A10-X00442E-1			
1/20	Corrosion Preventative Oil, S-03,570-TH			
1/21	Dry Clean Type I DSA 600-67-C-1579			
1/26	MIBK DSA-600-67-C-0452	SHPX 90253		
1/25	Lube Oil 2135 DSA-600-11608	SHPX 1034 & 1006		
1/27	Thickened Uni Cutter Van Dueren 57980	T/L	Tank #1	
1/27	TRICHLOROETHANE DSA-400-67-C-5490	SCX 7010		
1/27	Detergent Type II DSA-400-67-C-2830 44067	T/L CAF	SHPX 6245	
1/30	Ortho phosphoric acid DSA-400-67-C-4307	T/T	2/7 stainless	
2/10	IPA N.F. DSA-400-67-C-1379 (Shell)	T/W		
2/13	Dry Clean Type II DSA-400-67-D-7326	STD 0.1	T/W	2/15
2/15	Thinner Dopey Lacquer (1821C) 80M GALS			
2/27	P-D-680 Type II OR. No. (7843)			
2/28	Trichlorethylene Order No DSA-400-67-3	88K9	SACX 3580	
3/6	Wax Powder DSA 400-67-C-1644	STD 0		
3/8	Paradichlorobenzene UWR # 4-45971			
3/9	Sodium Chromate UWR # 4-45587			
3/13	ATF Fluid DSA-600-67-C-1740			
3/13	Detergent Type I DSA 400-67-C-6828/TR03	(CAF)		
3/13	Sodium Silicate Sol YULON DSA-400-67-H-V469			
3/14	Brake Fluid WB-680 40PM / 600-67-C-1773	UC		
3/16	HYDRA	PSAX 684		
3/15	Brake Fluid MIL-H-13910 DSA600-67-C-1659	Un Carbide		
3/21	P-D-680 Type II (7886)			
3/27	P-D-680 Type I (10 DRUMS - HUNTER # 97)			
3/30	Sodium Hypochlorite Solution DSA-400-67-C-6583			
3/31	NACE - NTPP Blend H.S.P.A. INHIBITOR			

See on Back

001C
002C
003C
004C
005C
006C
007C
008C
009C
010C
011C
012C -6-19, -6-20, -6-21, -6-22, -6-23
013C
014C, PSPY 877 2/1 025C, PSPY 1013 2/14 028C PSPY 877 2/20 030C
015C
016C
017C
018C
019C PSPY 1034, 020C
021C
022C
023C
024C
~~025C~~ 026C
027C
028C
031C
~~032C~~ 3-C-2 and entry 4/30/67
032C
033C
034C
035C
036C
037C
038C SHPX 14302 -1-1, -1-2, SHPX 14238 2-1, 2-2, SHPX 14312, 3-1, -3-2, 3-3, SHPX 14347 4-1, 4-2
039C SHPX 16772-5-1, -5-2, -5-3 / GATY26142 6-1, 6-2, 6-3 / 4-3
040C GATX 88612 7-1, 7-2
041C
042C
043C
044C
045C

14

3/29 DSA 600-67-C-1730 Eckhardt Tk Un Cat.
3/30 N00378 67N6667 HNO_3 (60%) Confidl 110 69
3/31 NS-378-15216 DEPAY LACQUER THINNER
3/31 ~~Clean Cap~~ Amer Form ACCC3 Tennis Blend
3/31 Amer Form ACCC10 S/S Tank
3/31 ✓ ✓ ACCC12 S/S Tank
3/31 ✓ ✓ ACCC2 S/S
4/5 ✓ ✓ ACCC8 S/S
4/12 ✓ ✓ ACCC9 S/S
4/16 ✓ ✓ ACCC6 Minin
4/17 ✓ ✓ Pitt Cl T Cleaner x38
4/17 NAPHTHA aromatic Type II 600-67-C-1675 AOX 868
4/17 Detergent Type I ~~DSA 600-67~~, DA-600-67-C-7155 - 6878-2
4/10 P-D-680 Type I (0584)
4/10 Thinner Cellulose Acetate Butyrate Dope MIL-T-6096A 1946
4/10 Formula ACCC11 Tank 19
4/11 AMIC 41 Minin
4/12 Xylene DSA 600-67-C-1567 Xylene
4/13 Formula AMIC 0-13
4/14 ✓ ✓ AMIC 014
4/14 ACCC 10
~~4/17 Detergent Type I DSA 600-67-C-6878~~
4/17 ACCC 15
4/17 ACCC 8
4/18 Trichloroethylene Tank
4/24 Electrical oil insulating Tank
5/25 Cresol red - thymol blue
7/27 ACCC1 (clock)
5/2 AMCO CLEANER
5/2 Clock B05:14
5/2 Clock C2.09
5/3 Clock C6:27
5/3 Miller - Stripper A
5/3 Kerosene
5/3 Dry Cleaning Solvent, Type II
5/5 Clock ACCC 8
5/5 Clock ACCC 6
5/5 Clock ACCC 15
5/5 Clock B05:20
5/5 NAPTHA, AROMATIC, TYPE I, Grade A 1962
5/7 [illegible]

047C
048C
049C
050C
051C
052C
053C, 054C 4/6, 057C 4/7 4/0 062C
054C
055C
056C
058C
059C
060C PSA 230, PSA 873 ~~[illegible]~~ 18C 5/1
061C
063C
064C
065C
066C
067C
068C
~~[illegible]~~
069C
070C
071C
072C
073C
074C
075C
076C
077C
078C
079C
081C CTLX 74684
082C
083C
084C
085C
086C
087C
088C

(15)

5/16	Clock [illegible] (48 oz) Brand	089C
5/17	Methanol Van Dusen	090C
5/19	AMCO - x245	091C
5/18	Clock 03.69	092C
5/20	Clock 01.25	093C
5/27	TT-T-266B GS-095-18216 12,700 Gal	094C
6/1	TT-A-511b Amyl Acetate Tech in BT	095C
6/1	Mil-L-15019C 8190 4,000	096C
6/2	TT-N-97A DSA-600-67-C-1902	097C - 099C 6/9
6/5	TT-B-846b DSA-600-67-C-2668 N-Butyl Alc [illegible]	098C
6/13	Pine Oil Drs. GS-095-19804	100C
6/15	Chlorinated Line GSA - DSA	101C
6/23	Mil-T 19544B	102C
6/24	P-D-680 I 0584	103C
6/24	TT-T-291C S-294440-TL	104C
6/27	Sod. Metaphosphate Tech	105C
6/28	Det. Type I 8673	106C
6/29	Turp (19763)	107C
6/30	Compound Cleaner & Brightener	108C
7/11	P-D-680 Type II (0584-73)	109C
7/11	TT-T-306B SCCX 65T	110C
7/18	TT-D-651a Paint Dier	111C
7/24	VV-K 220A Kerosene Dem	112C
7/21	Xylene Test DSA-600-67-C-1567 (Replace)	113C
7/26	DTT 75% [illegible] GSA	114C
7/22	Para Dichlorobenzene UWR	115C
7/25	Turpentine 6-1 Gal GSA	116C
7/26	Ref Comp Oil DSA 1655	117C
7/30	Corrosion Paste DSA-400-68-M-5795	118C
7/6	Cleaning Compound, Blow Fuel Tank	119C
7/31	Fuel Tank Bilge Cleaner	120C
8/3	Pine Oil Dis (2)	121C
8/4	Deter Cut GP HD GSA	122C
8/6	Sod Bicarbonate GSA	123C
8/10	P-D-680 Type II (703 Dr)	124C
8/14	DSA-400-67-C-9604 Corrosion Removing Compound	125C
8/17	Cresol Red - Blue DSA-400-67-C-7027	126C
8/17	Thinner TT-T-291C UTLX 38525	127C
8/21	Mil-T-19544B - (2553)	128C
	Mil-C-20207C Drs Pails	129C
8/24	Amorium Hydroxide GSA (29884)	130C
8/29	Type II 0584	131C

(16)
18

9/1	Remover WAX GSA	132 C	
9/1	TT-T-295a Ordered	133 C	
9/5	P-D-680 II 0584	134 C	
9/6	S-P-D-H DSA-480-67-C-9682	135 C	
9/11	TT-T-291c I 364 Dr	136 C	
9/12	MEK (Shell) DSA-640-68-D-0020-TY02	137 C	
9/11	P-D-680 II	138 C	
9/12	Corrosion Remover Paste	(139 C)	
9/15	Creosote Tech (~~5007~~) Void used 1580-	140 C	
9/18	P-D-680-II 0584 = 9300	141 C	
9/18	Naptha Aromatic I (50) Dr	142 C	
9/19	P-D-680 Type I	143 C	
9/20	Paint Drier (GSA)	144 C	
9/21	Cleaning Comp Alkali Pipeline (GSA)	145 C	
9/22	DeTerGent H.D. G.P. (GSA)	146 C	
10/1	MIL-T-19544B	147 C	
10/2	Thinner Enamel 306B (GAL)	148 C	
10/4	P-D-680 Type I (251 Drs)	149 C	
10/5	DDT Powder 5lb 10%	150 C	
10/6	P-D-680 I 251 Drs	151 C	
10/8	Naptha Aliphatic	152 C	
10/9	DeTerGent GP H.D. GSA 3700 GAL 21 Drs	153 C	
10/10	Toluene Tech 0001 - TY01	154 C	
10/10	P-D-680 II 160 Dr (A)	155 C	
10/12	P-D-680 I Pls 0001	156 C	
10/12	Ammonium Hyd (WO3452)	157 C	
10/13	CREOTE GSA 24,000 GAL	158 C	
10/15	P-D-680 II 200	160 C	
10/15	P-D-680 II 200/400	161 C	
10/16	Remover Floor WAX	162 C	
10/25	P-D-680 - I (UTLX 32783)	163 C	UTLX 27741 164 C
10/26	DeTerGent GP H.D	165 C	
11/3	TriChlor (9456)	166 C	
11/4	P-D-680 I UTLX 27473 (0584)	167 C	
11/5	Remover WAX Type I or II	168 C	
11/7	P-D-680 II (0584) (255)	169 C	
11/8	DeTerGent Nonionic I (A078) (I)	170 C	
11/8	DDT 75% GSA	171 C	
11/9	P-D-680 - II 0584	172 C	
11/11	Thinner Enamel 306 (WO3558)	173 C	
11/13	Naptha Aliphatic (1747) 0001	174 C	

17

11/15	P-D-680 Type II (0584 TY01)	175C
11/15	MIL-T-19544B GSA Bell S-515871-UD	176C
11/21	TT-T-291C S-515801-UD	177C
11/22	DTT- 10% 2 oz CANS farmer dot	178C
11/27	Sod Bicarbonate 454 BAGS GSA	179C
11/30	Detergent Nonionic I (A078) (II)	180C
11/30	Turpentine 1608 PT GSA	181C
12/1	TT-T-291C 2041 PLS GSA	182C
12/5	Remover, WAX Type I GSA	183C
12/6	IPA NF Shell	184C
12/7	TT-T-291C GSA 15000 PLS	185C
12/8	MIBK (2749) 130 DRS 2415 GALS	186C
12/11	DDT 75% GSA (58 DRS, 47 DRS, 22 DRS)	187C
12/11	PDT 10%	188C
12/11	ANTI De. Surg	189C
12/12	Corrosion Removing Compound MIL-M 0575-3	190C
12/14	T MIBK Mix 0229	191C
12/15	10% Detergent 5,000 GAL	192C
12/19	TT-T-306G GSA	193C
12/22	Pine Oil Dis.	194C
12/22	TRI SACY 3500 2000 PLS DSA	195C
12/22	Remover Wax GSA	196C
1/6	Kerosene	~~197C~~

END

(18)

1968

2/68	Kerosene NSC 5,000 GAL	001D
2/68	xylene DSA-600-68-C-0313	002D
2/68	TT-T-306B S-52C261-UJ PLS	003D
2/5	IPA shell	004D
1/8	" "	005D
1/11	" "	006D
1/1	" "	007D
1/15	" "	008D
1/16	" "	009D
		010D
		011D
		012D
		013D
		014D
		015D
		016D
		017D
		018D
		019D
		020D
1/10	DETERGENT H.D. GSA	021D
		022D
		023D
		024D
1/5	SULFUR TECH _ YUKON SUC. CO	025D
1/15	TT-T-306G 6000 GAL GSA	026D
1/17	TT-T-295a GSA ODORLESS THINNER	027D
1/29	Amonium Hyd. S-544291-YB	028D
1/29	MEK Shell	029D
1/29	PAINT DRIER	030D
1/30	MEK	031D
1/31	REMOVER WAX GSA	032D
2/1	291C THINNER GSA	033D
2/2	P-D-680 Type II 0001 Ty07	034D
2/5	mil-T-19544B GSA 968 PLS - 92 Dz	035D
2/9	20% DeTarCent GSA	036D
2/9	TeTrachloroethylene 20 ARS GSA	037D
2/10	PinD-010 ~~II Pail 0001 GSA~~	038D
2/12	291C GSA THINNER	039D
2/12	P-D-680 II 0001 Ty08	040D
2/20	NAPHTHA ALIPATIC Ty07	041D
2/20	MEK (Shell) Ty08	042D

(19)

2/20	291C GSA 2050 Pls	043D
2/20	Toluene Ty06-7-8	044D
2/22	P-D-680 I Ty07 0001	045D
2/28	WAY Laundry GSP 50 Dr	046D
2/29	DETERGENT G.P H.D. GSA	047D
2/29	AMMONIUM CARBONATE	048D
3/1	MEK Shell Ty08	049D
3/2	THINNER 291C	050D
3/11	LUB OIL REF (1655)	051D
3/22	(GSA THINNER MIL-T-19544B) 21935	052D
	MEYLBURN DISULFIDE	053D
3/13	P-D-680 Type II Ty14	054D
		055D
	CALIBRATION Fluid Ty10 0001	056D
3/19	Sodium Silicate	057D
3/25	Toluene Tch 0001	058D
3/29	MIL-T-19544B Amco Blend	059D
3/29	P-D-680 II Ty08 0001	060D
4/3	Toluene 0001 Ty13	061D
4/1	TT-T-291C Drs 778 (19846)	062D
4/6	Ammonium Carbonate 420 lbs	063D
4/10	P-D-680 I 001 Ty08-14	064D
4/11		065D
4/12	DEICING DEFROSTING Fluid	066D
4/19	P-D-680 I 0001	067D
4/23	6000 CAN DDT 10%	068D
4/26	TRICHLOROETHYLENE II (5492)	069D
4/30	P-D-680 AM2 II	070D
	~~P-D-680 AM~~	071D
5/7	P-D-680 AM2 Type I	072D
5/8	CALIBRATING Fluid II 300 Drs	073D
5/9	Amonium Hydroxide 6000 QTS GSA	074D
		075D
		076D
5/6	Remover WAY GSA I-II	077D
5/13	MIL-T-19544B -665-975 Pls	078D
5/14	Kerosene Des. NAVAY	079D
5/17	NAPHA ALPHATIC II	080D
5/20	P-D-680 II GSA Ty08-17	081D
5/21	TT-T-291C 2000 Pls auha	082D
5/22	P-D-680 Type I Ty09	083D
	Blend	084D
5/22	Toluene	085D

(20)

Date	Description	No.	Notes
5/29	P-D-680 Type I 0001 Ty14, 18, 19 10-12	086D	
5/29	Calabrating Fluid I	087D	
6/6	P-D-680 Type I 0001 Ty 19-20	088D	
6/10	P-D-680 Type II 0001 Ty 15	089D	
6/10	Naphtha aliphatic II Ty20	090D	
6/11	TT-T-291c S-581710-TZ - S-574640-TJ	091D	
6/19	TT-T-291c S-574640-TJ (SPX 1042 - GATX 94850	092D	
6/20	PeterCuts G.P. H.D. Replacement Auburn	093D	
6/27	TT-T-291C S-574640-TJ	094D	
6/27	P-D-680 Am 2 Type II	095D	
7/1	TT-T-291C S-578310-TZ	096D	
	TT-T-291c S-572430-TJ	097D	
7/2	UU-B-680 DF 30,000 GAL (2074)	098D	① NATX 19624 20,21,22 / GATX 23, 26, / ACF-X 27,28,29
7/2	UU-B-680 DF 24,000 GAL (2074)	099D	SHPX 23482 30, Sep 77, SHPX 23485 9, 10 SHPX 24159, 11
7/23	Kerosene UU-K-211	100D	
7/24	Toluene Tech 0001 Ty23	101D	
7/24	Kerosene Podengel	102D	
7/24	Shell MEK 0200 2950 PLs	103D	
8/22	TT-T-291C S-572430-TJ	104D	
9/1	INHIBITOR CORROSION OIL Dromus Oil B (Shell)	105D	
9/12	P-D-680 Type II 0001	106D	
9/16	TT-T-291c Type I S-572430-TJ (D)	107D	
10/1	TOLUENE TT-T-548c DSA-600-69-D-0345 Naval Am 75 PLs 11/21/68	108D	
10/17	MEK 302 BTS DSA-600-69-C-6604	109D	
10/21	Glacial Acetic Acid UWR	110D	
10/24	Rinse Add. Laundry S-70196-0-TR 14 Drs	111D	
10/24	Sod Dichromate UWR DSA-400-69-M-0011 53 Bags	112D	
10/24	Calcium Hydroxide N00228-69-M-K713 51 Bags	113D	
10/28	Rinse Add. Dishwashing S-70196-0-TR	114D	
10/29	Alum Pot Sulfate UWR 140 Cans	115D	
10/30	MIBK Vallejo N00445-69-M-9460	116D	
11/14	Safety Solvent Coml. order	117D	
11/14	Petrolatum coml. order	118D	
11/20	Orthophosphoric Acid DSA-400-69-C-2808	119D	
12/2	Oxalic Acid DSA-400-69-C-2939	120D	
12/10	Nystol 73 P.O. 12-23	121D	
12/10	Nystol 77 P.O. 12-23	122D	

(21)

1969-70 E

INSECTICIDE DDT PYRETHRUM AEROSOL BATCH - M-C = MELROSE

11/20/68	TOLUENE TECH DSA-640-69-D-0245 Ty02	001E	
11/20/68	KEROSENE TECH DSA-600-69-D-0625 Ty01	002E	
12/10/68	T-MIBK MIX DSA-600-69-C-1182	003E	
1/13/69	OIL SLICK REMOVER DSA-400-69-C-3350	004E	
1/13/69	FUEL TANK & BILGE DSA-400-69-C ~~[illegible]~~ 3387	005E	
1/27/69	BRAKE FLUID AUTO DSA-600-69-C-1300 (M-9243) ON CARB. 24,000 GAL	006E	(SHPX 24159, 17, 18 (SHPX 22683, 19, 20, 21 (SHPX 24078) 24, 25, 26
1/30/69	NAPHTHA AROMATIC TT-N-95B DSA-600-69-C-1304	007E	
1/30/69	NAPHTHA ALIPHATIC DSA-600-69-C-1307 (172) DRS	008E	
1/31/69	MIL-C-20207C 3 DRS	009E	
3/29/69	TURPENTINE STEAM DIST. GSA-S-73514-0-TG + S-73551-0-TG	010E	
4/10/69	P-D-680 AMZ TYPE I 39 DRS NAS ALAMEDA	011E	
5/5/69	NAPHTHA ALIPHATIC DSA-600-69-C-1307 (126 DRS)	012E	
5/10/69	O-DICHLOROBENZENE DSA-400-69-M-AH90	013E	
6/2/69	MIBK 1500 GALS N00445-69-M-0332	014E	
6/5/69	DSA-400-69-C-6127 TRICHLOROETHANE Test 1400 QTS	015E	
6/30/69	KEROSENE N00228-69-M-LH14	016E	
6/5/69	THINNER ENAMEL T-CC4480-S 120 GALS	017E	
6/9/69	METHANOL DSA-400-69-C-6264	018E	
6/9/69	DIELDRIN INSTICIDE N00228-69-M-JK54	019E	
6/25/69	BHC 10% N00228-69-M-DK31	020E	
8/69	METHANOL DSA-400-70-M-0722	021E	
8/69	BOILER WATER FUEL COMP. DSA-400-69-M-CD76	022E	
8/69	DIAZION DUST 2% S-755480-0-TR	023E	
9/69	TT-N-97B TYPE II 2459	024E	
10/1/69	OIL SLICK REMOVER DSA-400-70-C-0653 (118 DRS)	025E	
10/1/69	CLEANING COMPOUND FUEL TANK & BILGE DSA-400-69-C-6513	026E	PARTIAL # 1 1600 GL?
10/10/69	NAPHTHA AROMATIC #II (2291)	027E	
10/12/69	~~Clean~~ BOILER FEED WATER COMP.	028E	
10/24/69	DRY CLEANING SOL. II (DSA 2138)	029E	
10/7/69	CLEANING COMP. SOLVENT 202072 DSA 2138 Ty01-02	030E	
11/7/69	MIBK DSA-0865	031E	
11/5/69	SULFUR YUKON SOL DSA-400-70-M-F572	032E	
	Ty04 P-D-680 TYPE II 2138	033E	
1/70	CORRISION PREV COMP MIL-C-16173	034E	
1/70	OIL SLICK REMOVER 0653 Pool	035E	
2/70	TT-N-95B II DSA-640-69-D-2136 Ty05	036E	
2/70	P-D-680 TYPE I DSA-600-70-C-1211	037E	
2/70	~~P~~ SC-G-659a N00228-70-M-P360 GRAPHITE	038E	
3/70	DETERGEN 7 TYPE II S-59632-0	039E	
1/70	BUTYL CELLUSOLVE 1,000 GALS FO. NAV SLIPPED M248	040E	
4/70	DSA-400-70-C-4436 OIL SLICK REMOVER	041E	
4/70	S-60333-1 ALUM	042E	

1/70	S-60334-1 Sod. THIUSULFATE.	043E
7/70	Xylene DSA-600-70-C-2175	044E
7/70	Toluene DSA-640-~~69~~-D-2138 Ty06	045E
7/70	P-D-680 II " " " " " Ty07	046E
7/70	Toluene DSA-640-64-D-2138 Ty08	047E
7/70	INsulaTing oil N00228-70-M-X972	048E
7/70	CuTTing Oil LHHD DSA-600-70-C-2144	049E
8/70	P-D-680 I DSA-600-71-~~A~~-0584	050E
8/70	Toluene Tech DSA-600-70-D-1981 Ty07	051E
8/70	Acetone Tech DSA-600-70-D-1981 Ty01	052E
8/70	M.E.K. DSA-600-70-D-1981 Ty01	053E
8/70	P-D-680 I DSA-600-70-D-1981 Ty02	054E
9/70	Kerosene N00228-71-M-E348	055E
9/70	Dry Cleaning Solvent I DSA600-70-D-1981 Ty03	056E
9/70	" " " " " " " Level A	057E
	" " " " " " " " " " " "	058E
9/70	M.E.K. DSA-600-70-D-1981 Ty03	059E
9/70	Ashland Chem DSA-600-70-D-1983 Toluene Pails	060E
	Amco Toluene DSA-600-70-D-1981 Ty03 Dr+PLs	060E
9/70	M.E.K. DSA-600-70-D-1983 Ashland Ty01 MEK	062E
10/70	Bilge DSA400-71-C-0918	~~[illegible]~~ 063E
10/70	20207C DSA-60071-C-0434	~~[illegible]~~ 061E
11/70	DSA-600-70-D-1981 Ty05 P-D-680 I	~~[illegible]~~ 064E
11/70	Kerosene N00228-71-M-6048	065E
11/70	Acetone DSA-600-70-D-1981 Ty07	066E
11/70	TT-T-306B GS105-29917	067E
11/70	DSA600-71-C-0584 Naphtha Ala II	068E
11/70	MIBK DSA-600-70-D-1981 Ty09	069E
11/70	MEK DSA-600-70-D 1981 Ty08	070E
11/70	DSA-600-71-C-0877 Type I Solvent DSA-60070-D-1981 Ty12	071E
11/70	DSA-600-71-C-0877 Cleaning Comp Solvent MIL-C-18718B	072E
12/70	Xylene DSA-600-71-C-0898	073E
12/70	M.EK DSA-600-70-D-1981 Ty13	074E
~~12/70~~	~~DSA600-71-D-2055 Ty05 II~~	~~075E~~