AMRO Environmental Laboratories Corporation

111 Herrick Street, Merrimack, NH 03054
TEL: (603) 424-2022 • FAX: (603) 429-8496
www.amrolabs.com

February 19, 2010

ANALYTICAL TEST RESULTS

Raymond Siegener
GEI Consultants, Inc.
400 Unicorn Park Drive
Woburn, MA 01801
TEL: (781) 721-4098
FAX: (781) 721-4073

Subject: 09382-0 Former Canton Airport Workorder No.: 1002020

Dear Raymond Siegener:

AMRO Environmental Laboratories Corp. received 36 samples on 2/9/2010 for the analyses presented in the following report.

AMRO is accredited in accordance with NELAC and certifies that these test results meet all the requirements of NELAC, where applicable, unless otherwise noted in the case narrative.

The enclosed Sample Receipt Checklist details the condition of your sample(s) upon receipt. Please be advised that any unused sample volume and sample extracts will be stored for a period of 60 days from sample receipt date (90 days for samples from New York). After this time, AMRO will properly dispose of the remaining sample(s). If you require further analysis, or need the samples held for a longer period, please contact us immediately.

This report consists of a total of 47 pages. This letter is an integral part of your data report. All results in this project relate only to the sample(s) as received by the laboratory and documented in the Chain-of-Custody. This report shall not be reproduced except in full, without the written approval of the laboratory. If you have any questions regarding this project in the future, please refer to the Workorder Number above.

Sincerely,

Nancy Stewart
Vice President

State Certifications: NH (NELAC): 1001, MA: M-NH012, CT: PH-0758, NY: 11278 (NELAC), ME: NH012 and 1001, NJ: NH125, RI: 00105, U.S. Army Corps of Engineers (USACE), Naval Facilities Engineering Service Center (NFESC).

Hard copy of the State Certification is available upon request.

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport
Lab Order: 1002020
Date Received: 2/9/2010

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Collection Date	Collection Time
1002020-01A	093820-SS201	2/8/2010	8:00 AM
1002020-02A	093820-SS202	2/8/2010	8:02 AM
1002020-03A	093820-SS203	2/8/2010	8:04 AM
1002020-04A	093820-SS204	2/8/2010	8:06 AM
1002020-05A	093820-SS205	2/8/2010	8:08 AM
1002020-06A	093820-SS206	2/8/2010	8:26 AM
1002020-07A	093820-SS207	2/8/2010	8:30 AM
1002020-08A	093820-SS208	2/8/2010	8:37 AM
1002020-09A	093820-SS209	2/8/2010	8:41 AM
1002020-10A	093820-SS210	2/8/2010	8:44 AM
1002020-11A	093820-SS211	2/8/2010	8:50 AM
1002020-12A	093820-SS212	2/8/2010	8:56 AM
1002020-13A	093820-SS213	2/8/2010	8:59 AM
1002020-14A	093820-SS214	2/8/2010	9:02 AM
1002020-15A	093820-SS215	2/8/2010	9:08 AM
1002020-16A	093820-SS216	2/8/2010	9:12 AM
1002020-17A	093820-SS217	2/8/2010	9:19 AM
1002020-18A	093820-SS218	2/8/2010	9:22 AM
1002020-19A	093820-SS219	2/8/2010	9:26 AM
1002020-20A	093820-SS220	2/8/2010	9:36 AM
1002020-21A	093820-SS221	2/8/2010	9:48 AM
1002020-22A	093820-SS222	2/8/2010	9:53 AM
1002020-23A	093820-SS223	2/8/2010	9:59 AM
1002020-24A	093820-SS224	2/8/2010	10:05 AM
1002020-25A	093820-SS225	2/8/2010	10:20 AM
1002020-26A	093820-SS226	2/8/2010	10:27 AM
1002020-27A	093820-SS227	2/8/2010	10:36 AM
1002020-28A	093820-SS228	2/8/2010	10:40 AM
1002020-29A	093820-SS229	2/8/2010	10:48 AM
1002020-30A	093820-SS230	2/8/2010	11:00 AM
1002020-31A	093820-SS231	2/8/2010	11:04 AM
1002020-32A	093820-SS232	2/8/2010	11:10 AM
1002020-33A	093820-SS233	2/8/2010	11:12 AM
1002020-34A	093820-SS234	2/8/2010	11:15 AM
1002020-35A	093820-SS235	2/8/2010	11:18 AM

CLIENT:	GEI Consultants, Inc.
Project:	09382-0 Former Canton Airport
Lab Order:	1002020
Date Received:	2/9/2010

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Collection Date	Collection Time
1002020-36A	093820-SS236	2/8/2010	11:20 AM

AMRO Environmental Laboratories Corp.

17-Feb-10

Lab Order: 1002020
Client: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name / Preparatory Test Name	Prep Date	Analysis Date / Batch ID	TCLP Date
1002020-01A	093820-SS201	2/8/2010 8:00:00 AM	Soil	EPA 8082 PCBS IN SOIL/SOLIDS		2/13/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/10/2010	19992	
				Percent Moisture		2/11/2010	
						R44051	
1002020-02A	093820-SS202	2/8/2010 8:02:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/13/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/10/2010	19992	
				Percent Moisture		2/11/2010	
						R44051	
1002020-03A	093820-SS203	2/8/2010 8:04:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/13/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/10/2010	19992	
				Percent Moisture		2/11/2010	
						R44051	
1002020-04A	093820-SS204	2/8/2010 8:06:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/13/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/10/2010	19992	
				Percent Moisture		2/11/2010	
						R44051	
1002020-05A	093820-SS205	2/8/2010 8:08:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/13/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/10/2010	19992	
				Percent Moisture		2/11/2010	
						R44051	
1002020-06A	093820-SS206	2/8/2010 8:26:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/13/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/10/2010	19992	
				Percent Moisture		2/11/2010	
						R44051	

AMRO Environmental Laboratories Corp.

17-Feb-10

Lab Order: 1002020
Client: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name / Preparatory Test Name	Prep Date	Analysis Date / Batch ID	TCLP Date
1002020-07A	093820-SS207	2/8/2010 8:30:00 AM	Soil	EPA 8082 PCBS IN SOIL/SOLIDS		2/13/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/10/2010	19992	
				Percent Moisture		2/11/2010	
						R44051	
1002020-08A	093820-SS208	2/8/2010 8:37:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/13/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/10/2010	19992	
				Percent Moisture		2/11/2010	
						R44051	
1002020-09A	093820-SS209	2/8/2010 8:41:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/13/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/10/2010	19992	
				Percent Moisture		2/11/2010	
						R44051	
1002020-10A	093820-SS210	2/8/2010 8:44:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/13/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/10/2010	19992	
				Percent Moisture		2/11/2010	
						R44051	
1002020-11A	093820-SS211	2/8/2010 8:50:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/13/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/10/2010	19992	
				Percent Moisture		2/11/2010	
						R44051	
1002020-12A	093820-SS212	2/8/2010 8:56:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/13/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/10/2010	19992	
				Percent Moisture		2/11/2010	
						R44051	

AMRO Environmental Laboratories Corp.

17-Feb-10

Lab Order: 1002020
Client: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name / Preparatory Test Name	Prep Date	Analysis Date / Batch ID	TCLP Date
1002020-13A	093820-SS213	2/8/2010 8:59:00 AM	Soil	EPA 8082 PCBS IN SOIL/SOLIDS		2/13/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/10/2010	19992	
				Percent Moisture		2/11/2010	
						R44051	
1002020-14A	093820-SS214	2/8/2010 9:02:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/13/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/10/2010	19992	
				Percent Moisture		2/11/2010	
						R44051	
1002020-15A	093820-SS215	2/8/2010 9:08:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/13/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/10/2010	19992	
				Percent Moisture		2/11/2010	
						R44051	
1002020-16A	093820-SS216	2/8/2010 9:12:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/14/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/10/2010	19992	
				Percent Moisture		2/11/2010	
						R44051	
1002020-17A	093820-SS217	2/8/2010 9:19:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/14/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/10/2010	19992	
				Percent Moisture		2/11/2010	
						R44051	
1002020-18A	093820-SS218	2/8/2010 9:22:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/14/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/10/2010	19992	
				Percent Moisture		2/11/2010	
						R44051	

AMRO Environmental Laboratories Corp.

17-Feb-10

Lab Order: 1002020
Client: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name / Preparatory Test Name	Prep Date	Analysis Date / Batch ID	TCLP Date
1002020-19A	093820-SS219	2/8/2010 9:26:00 AM	Soil	EPA 8082 PCBS IN SOIL/SOLIDS		2/14/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/10/2010	19992	
				Percent Moisture		2/11/2010	
						R44051	
1002020-20A	093820-SS220	2/8/2010 9:36:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/14/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/10/2010	19992	
				Percent Moisture		2/11/2010	
						R44051	
1002020-21A	093820-SS221	2/8/2010 9:48:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/14/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/11/2010	19996	
				Percent Moisture		2/11/2010	
						R44051	
1002020-22A	093820-SS222	2/8/2010 9:53:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/14/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/11/2010	19996	
				Percent Moisture		2/11/2010	
						R44051	
1002020-23A	093820-SS223	2/8/2010 9:59:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/14/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/11/2010	19996	
				Percent Moisture		2/11/2010	
						R44051	
1002020-24A	093820-SS224	2/8/2010 10:05:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/14/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/11/2010	19996	
				Percent Moisture		2/11/2010	
						R44051	

AMRO Environmental Laboratories Corp.

17-Feb-10

Lab Order: 1002020
Client: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name / Preparatory Test Name	Prep Date	Analysis Date / Batch ID	TCLP Date
1002020-25A	093820-SS225	2/8/2010 10:20:00 AM	Soil	EPA 8082 PCBS IN SOIL/SOLIDS		2/14/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/11/2010	19996	
				Percent Moisture		2/11/2010	
						R44051	
1002020-26A	093820-SS226	2/8/2010 10:27:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/14/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/11/2010	19996	
				Percent Moisture		2/11/2010	
						R44051	
1002020-27A	093820-SS227	2/8/2010 10:36:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/14/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/11/2010	19996	
				Percent Moisture		2/11/2010	
						R44051	
1002020-28A	093820-SS228	2/8/2010 10:40:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/14/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/11/2010	19996	
				Percent Moisture		2/11/2010	
						R44051	
1002020-29A	093820-SS229	2/8/2010 10:48:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/14/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/11/2010	19996	
				Percent Moisture		2/11/2010	
						R44051	
1002020-30A	093820-SS230	2/8/2010 11:00:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/14/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/11/2010	19996	
				Percent Moisture		2/11/2010	
						R44051	

AMRO Environmental Laboratories Corp.

17-Feb-10

Lab Order: 1002020
Client: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name / Preparatory Test Name	Prep Date	Analysis Date / Batch ID	TCLP Date
1002020-31A	093820-SS231	2/8/2010 11:04:00 AM	Soil	EPA 8082 PCBS IN SOIL/SOLIDS		2/14/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/11/2010	19996	
				Percent Moisture		2/11/2010	
						R44051	
1002020-32A	093820-SS232	2/8/2010 11:10:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/14/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/11/2010	19996	
				Percent Moisture		2/11/2010	
						R44051	
1002020-33A	093820-SS233	2/8/2010 11:12:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/14/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/11/2010	19996	
				Percent Moisture		2/11/2010	
						R44051	
1002020-34A	093820-SS234	2/8/2010 11:15:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/14/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/11/2010	19996	
				Percent Moisture		2/11/2010	
						R44051	
1002020-35A	093820-SS235	2/8/2010 11:18:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/14/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/11/2010	19996	
				Percent Moisture		2/11/2010	
						R44051	
1002020-36A	093820-SS236	2/8/2010 11:20:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		2/14/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	2/11/2010	19996	
				Percent Moisture		2/11/2010	
						R44051	

Chain-of-Custody Record

Laboratory: AMRO

Laboratory Job # (Lab use only) 1002020

GEI Consultants
400 Unicorn Park Drive
Woburn, MA 01801
PH: 781.721.4000
FX: 781.721.4073

Project Information

Project Name: Former Canton Airport

Project Location: Canton, MA

Project Number: 09382-0

Project Manager: Saskia Oosting

Send Report to: Ray Siegener

Send EDD to: labdata@geiconsultants.com

Preservative: none

Analysis: PCBs (Manual Soxhlet Extraction Method)

Sample Handling

Samples Field Filtered: YES NO NA

Sampled Shipped With Ice: YES NO

MCP PRESUMPTIVE CERTAINTY REQUIRED -- YES NO

If Yes, Are MCP Analytical Methods Required? YES NO NA

If Yes, Are Drinking Water Samples Submitted? YES NO NA

If Yes, Have You Met Minimum Field QC Requirements? YES NO NA

Lab Sample Number	GEI Sample ID	Collection Date	Collection Time	Matrix	No. of Bottles	Sampler(s) Initials	PCBs (Manual Soxhlet Extraction Method)	Sample Specific Remarks
	093820-SS201	2/8/2010	0800	SOIL	1	CRC	X	
	093820-SS202	2/8/2010	0802	SOIL	1	CRC	X	
	093820-SS203	2/8/2010	0804	SOIL	1	CRC	X	
	093820-SS204	2/8/2010	0806	SOIL	1	CRC	X	
	093820-SS205	2/8/2010	0808	SOIL	1	CRC	X	
	093820-SS206	2/8/2010	0826	SOIL	1	CRC	X	
	093820-SS207	2/8/2010	0830	SOIL	1	CRC	X	
	093820-SS208	2/8/2010	0837	SOIL	1	CRC	X	
	093820-SS209	2/8/2010	0841	SOIL	1	CRC	X	
	093820-SS210	2/8/2010	0844	SOIL	1	CRC	X	
	093820-SS211	2/8/2010	0850	SOIL	1	CRC	X	
	093820-SS212	2/8/2010	0856	SOIL	1	CRC	X	

MCP Level Needed: GEI requires the most stringent Method 1 MCP standard be met for all analytes whenever possible.

Relinquished by sampler (signature)	Date	Time	Received by (signature)
1. [signature]	2/9/10	1204	1. Sample Fridge
2. GEI FRIDGE	2/9/10	1400	2. [signature]
3. [signature]	2/9/10	1400	3. [signature]
4. [signature]	2/8/10	1600	4. Nicole Bordeau

Turnaround Time (Business days):

Normal _X_ Other ____

10-Day ____ 7-Day ____

5-Day ____ 3-Day ____

Before submitting rush turnaround samples, you must notify the laboratory to confirm that the TAT can be achieved.

Additional Requirements/Comments/Remarks:

Chain-of-Custody Record

Laboratory: AMRO

Laboratory Job # (Lab use only) 1002020

GEI Consultants
400 Unicorn Park Drive
Woburn, MA 01801
PH: 781.721.4000
FX: 781.721.4073

Project Information

Project Name: Former Canton Airport

Project Location: Canton, MA

Project Number: 09382-0

Project Manager: Saskia Oosting

Send Report to: Ray Siegener

Send EDD to: labdata@geiconsultants.com

Preservative: none

Analysis

Sample Handling

Samples Field Filtered: YES NO NA

Sampled Shipped With Ice: YES NO

MCP PRESUMPTIVE CERTAINTY REQUIRED -- YES NO

If Yes, Are MCP Analytical Methods Required? YES NO NA

If Yes, Are Drinking Water Samples Submitted? YES NO NA

If Yes, Have You Met Minimum Field QC Requirements? YES NO NA

Lab Sample Number	GEI Sample ID	Collection Date	Collection Time	Matrix	No. of Bottles	Sampler(s) initials	PCBs (Manual Soxhlet Extraction Method)								Sample Specific Remarks
	093820-SS213	2/8/2010	0859	SOIL	1	CRC	X								
	093820-SS214	2/8/2010	0902	SOIL	1	CRC	X								
	093820-SS215	2/8/2010	0908	SOIL	1	CRC	X								
	093820-SS216	2/8/2010	0912	SOIL	1	CRC	X								
	093820-SS217	2/8/2010	0919	SOIL	1	CRC	X								
	093820-SS218	2/8/2010	0922	SOIL	1	CRC	X								
	093820-SS219	2/8/2010	0926	SOIL	1	CRC	X								
	093820-SS220	2/8/2010	0936	SOIL	1	CRC	X								
	093820-SS221	2/8/2010	0948	SOIL	1	CRC	X								
	093820-SS222	2/8/2010	0953	SOIL	1	CRC	X								
	093820-SS223	2/8/2010	0959	SOIL	1	CRC	X								
	093820-SS224	2/8/2010	1005	SOIL	1	CRC	X								

MCP Level Needed: GEI requires the most stringent Method 1 MCP standard be met for all analytes whenever possible.

Relinquished by sampler (signature)	Date	Time	Received by (signature)
1. [signature]	2/9/10	1204	1. GEI Sample Fridge
2. GEI FRIDLE	2/9/10	1400	2. [signature]
3. [signature]	2/9/10	1900	3. [signature]
4. [signature]	2/9/10	1600	4. Nicole [signature]

Turnaround Time (Business days):

Normal _X_ Other ____

10-Day ____ 7-Day ____

5-Day ____ 3-Day ____

Before submitting rush turnaround samples, you **must** notify the laboratory to confirm that the TAT can be achieved.

Additional Requirements/Comments/Remarks:

Chain-of-Custody Record

Laboratory: AMRO

Laboratory Job # (Lab use only) 1002020

GEI Consultants
400 Unicorn Park Drive
Woburn, MA 01801
PH: 781.721.4000
FX: 781.721.4073

Project Information

Project Name: Former Canton Airport

Project Location: Canton, MA

Project Number: 09382-0

Project Manager: Saskia Oosting

Send Report to: Ray Siegener

Send EDD to: labdata@geiconsultants.com

MCP PRESUMPTIVE CERTAINTY REQUIRED – YES NO

If Yes, Are MCP Analytical Methods Required? YES NO NA

If Yes, Are Drinking Water Samples Submitted? YES NO NA

If Yes, Have You Met Minimum Field QC Requirements? YES NO NA

Preservative: none

Analysis: PCBs (Manual Soxhlet Extraction Method)

Sample Handling: Samples Field Filtered YES NO NA

Sampled Shipped With Ice YES NO

Lab Sample Number	GEI Sample ID	Collection Date	Collection Time	Matrix	No. of Bottles	Sampler(s) Initials	PCBs (Manual Soxhlet Extraction Method)	Sample Specific Remarks
	093820-SS225	2/8/2010	1020	SOIL	1	CRC	X	
	093820-SS226	2/8/2010	1027	SOIL	1	CRC	X	
	093820-SS227	2/8/2010	1036	SOIL	1	CRC	X	
	093820-SS228	2/8/2010	1040	SOIL	1	CRC	X	
	093820-SS229	2/8/2010	1048	SOIL	1	CRC	X	
	093820-SS230	2/8/2010	1100	SOIL	1	CRC	X	
	093820-SS231	2/8/2010	1104	SOIL	1	CRC	X	
	093820-SS232	2/8/2010	1110	SOIL	1	CRC	X	
	093820-SS233	2/8/2010	1112	SOIL	1	CRC	X	
	093820-SS234	2/8/2010	1115	SOIL	1	CRC	X	
	093820-SS235	2/8/2010	1118	SOIL	1	CRC	X	
	093820-SS236	2/8/2010	1120	SOIL	1	CRC	X	

MCP Level Needed: GEI requires the most stringent Method 1 MCP standard be met for all analytes whenever possible.

Relinquished by sampler (signature)	Date	Time	Received by (signature)
1. [signature]	2/9/10	1204	1. GEI Sample Fridge
Relinquished by (signature) 2. GEI FRIDGE	2/9/10	1400	2. [signature]
Relinquished by (signature) 3. [signature]	2/9/10	1400	3. [signature]
Relinquished by (signature) 4. [signature]	2/9/10	1600	4. Nicole Bordelo

Turnaround Time (Business days): Normal X Other ____ 10-Day ____ 7-Day ____ 5-Day ____ 3-Day ____

Before submitting rush turnaround samples, you must notify the laboratory to confirm that the TAT can be achieved.

Additional Requirements/Comments/Remarks:

AMRO Environmental Laboratories Corporation

SAMPLE RECEIPT CHECKLIST

111 Herrick Street
Merrimack, NH 03054
(603) 424-2022

Client: GET
Project Name: FORMER CANTON HIRART
Ship via: (circle one) Fed Ex., UPS, AMRO Courier, Hand Del., Other Courier, Other:

AMRO ID: 1002020
Date Rec.: 2-9-10
Date Due: 2-16-10

Items to be Checked Upon Receipt	Yes	No	NA	Comments
1. Army Samples received in individual plastic bags?			✓	
2. Custody Seals present?			✓	
3. Custody Seals Intact?			✓	
4. Air Bill included in folder if received?			✓	
5. Is COC included with samples?	✓			
6. Is COC signed and dated by client?	✓			
7. Laboratory receipt temperature. TEMP = 5° Samples rec. with ice ✓ ice packs___ neither___				
8. Were samples received the same day they were sampled?		✓		
Is client temperature = or <6°C ?	✓			
If no obtain authorization from the client for the analyses.				
Client authorization from: Date: Obtained by:				
9. Is the COC filled out correctly and completely?	✓			
10. Does the info on the COC match the samples?	✓			
11. Were samples rec. within holding time?	✓			
12. Were all samples properly labeled?	✓			
13. Were all samples properly preserved?	✓			
14. Were proper sample containers used?	✓			
15. Were all samples received intact? (none broken or leaking)	✓			
16. Were VOA vials rec. with no air bubbles?			✓	
17. Were the sample volumes sufficient for requested analysis?	✓			
18. Were all samples received?	✓			
19. VPH and VOA Soils only:			✓	
Sampling Method VPH (circle one): M=Methanol, E=EnCore (air-tight container)				
Sampling Method VOA (circle one): M=Methanol, SB=Sodium Bisulfate, E=EnCore, B=Bulk				
If M or SB:				
Does preservative cover the soil?				
If NO then client must be faxed.				
Does preservation level come close to the fill line on the vial?				
If NO then client must be faxed.				
Were vials provided by AMRO?				
If NO then weights MUST be obtained from client				
Was dry weight aliquot provided?				
If NO then fax client and inform the VOA lab ASAP.				
20. Subcontracted Samples:			✓	
What samples sent:				
Where sent:				
Date:				
Analysis:				
TAT:				
21. Information entered into:				
Internal Tracking Log?	✓			
Dry Weight Log?	✓			
Client Log?			✓	
Composite Log?			✓	
Filtration Log?			✓	

Received By: NB Date: 2-9-10 Logged in By: CC Date: 2-10-10
Labeled By: MG Date: 2-10-10 Checked By: MG Date: 2-10-10

NA= Not Applicable

CASE NARRATIVE

GC/ECD-PCBs:

1. No QC deviations were observed.

MADEP MCP Analytical Method Report Certification Form

Laboratory Name: AMRO Environmental Laboratories, Inc. Project Number: 1002020

Project Location: 09382-0 Former Canton Airport MADEP RTN [1]

1002020-01	1002020-02	1002020-03	1002020-04	1002020-05	1002020-06	1002020-07
1002020-08	1002020-09	1002020-10	1002020-11	1002020-12	1002020-13	1002020-14
1002020-15	1002020-16	1002020-17	1002020-18	1002020-19	1002020-20	1002020-21
1002020-22	1002020-23	1002020-24	1002020-25	1002020-26	1002020-27	1002020-28
1002020-29	1002020-30	1002020-31	1002020-32	1002020-33	1002020-34	1002020-35
1002020-36						

Sample Matrices: Ground Water ☐ Soil / Sediment ☑ Drinking Water ☐ OtherMatrix ☐

MCP SW-846 Methods Used					
	8260B ☐	8151A ☐	8330 ☐	6010B ☐	7470A/1A ☐
	8270C ☐	8081A ☐	VPH ☐	6020 ☐	9014M [2] ☐
As specified in MADEP Compendium of Analytical Methods. (check all that apply)	8082 ☑	8021B ☐	EPH ☐	7000S [3] ☐	Other ☐

1 List Release Tracking Number (RTN) if known
2 M - SW-846 Method 9014 or MADEP Physiologically Available Cyanide (PAC) Method
3 S SW-846 Methods 7000 Series List individual method analyte.

An affirmative response to questions A, B, C and D is required for "Presumptive Certainty" status

A	Were all samples received by the laboratory in a condition consistent with that described on the Chain of Custody documentation for the data set?	◉ Yes ○ No [1]
B	Were all QA/QC procedures required for the specified analytical method(s)included in this report followed, including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guide lines?	◉ Yes ○ No [1]
C	Does the analytical data included in this report meet all the requirements for Presumptive Certainty, as described in Section 2.0 of the MADEP document CAM VII A, Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data?	◉ Yes ○ No [1]
D	VPH and EPH methods only: Was the VPH or EPH method run without significant modifications, as specified in Section 11.3?	~~○ Yes ◉ No~~ N/A 2/19/10

A response to questions E and F below is required for "Presumptive Certainty" status

E	Were all QC performance standards and recommendations for the specified methods achieved?	◉ Yes ○ No [1]
F	Were results for all analyte-list compounds / elements for the specified method(s) reported?	◉ Yes ○ No [1]

[1] All NO answers must be addressed in an attached Environmental Laboratory case narrative.

I, the undersigned, attest under the pains and penalties of perjury that, based upon my personal inqury of those responsible for obtaining the information, the material contained in this analytical report is, to the best of my knowledge and belief, accurate and complete.

Signature: [signature] Position: Vice Pres.

Printed Name: Nancy Stewart Date: 2-19-10

DATA COMMENT PAGE

Organic Data Qualifiers

ND	Indicates compound was analyzed for, but not detected at or above the reporting limit.
J	Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the data indicates the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than the method detection limit.
H	Method prescribed holding time exceeded.
E	This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
B	This flag is used when the analyte is found in the associated blank as well as in the sample.
R	RPD outside accepted recovery limits
RL	Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate.
S	Spike Recovery outside accepted recovery limits.
#	See Case Narrative

Micro Data Qualifiers

TNTC	Too numerous to count

Inorganic Data Qualifiers

ND or U	Indicates element was analyzed for, but not detected at or above the reporting limit.
J	Indicates a value greater than or equal to the method detection limit, but less than the quantitation limit.
H	Indicates analytical holding time exceedance.
B	Indicates that the analyte is found in the associated blank, as well as in the sample.
MSA	Indicates value determined by the Method of Standard Addition
E	This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
R	RPD outside accepted recovery limits
RL	Reporting limit; defined as the lowest concentration the laboratory can accurately quantitate.
S	Spike Recovery outside accepted recovery limits.
W	Post-digestion spike for Furnace AA analysis is out of control limits (85-115), while sample absorbance is less than 50% of spike absorbance.
*	Duplicate analysis not within control limits.
+	Indicates the correlation coefficient for the Method of Standard Addition is less than 0.995
#	See Case Narrative

Report Comments:

1. Soil, sediment and sludge sample results are reported on a "dry weight" basis.
2. Reporting limits are adjusted for sample size used, dilutions and moisture content, if applicable.

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport
Lab Order: 1002020

Lab ID: 1002020-01
Collection Date: 2/8/2010 8:00:00 AM
Collection Time:
Client Sample ID: 093820-SS201
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: **NS**
Aroclor 1016	ND	70		µg/Kg-dry	1	2/13/2010 5:37:00 PM
Aroclor 1221	ND	70		µg/Kg-dry	1	2/13/2010 5:37:00 PM
Aroclor 1232	ND	70		µg/Kg-dry	1	2/13/2010 5:37:00 PM
Aroclor 1242	ND	70		µg/Kg-dry	1	2/13/2010 5:37:00 PM
Aroclor 1248	ND	70		µg/Kg-dry	1	2/13/2010 5:37:00 PM
Aroclor 1254	ND	70		µg/Kg-dry	1	2/13/2010 5:37:00 PM
Aroclor 1260	ND	70		µg/Kg-dry	1	2/13/2010 5:37:00 PM
Aroclor 1262	ND	70		µg/Kg-dry	1	2/13/2010 5:37:00 PM
Aroclor 1268	ND	70		µg/Kg-dry	1	2/13/2010 5:37:00 PM
Surr: Tetrachloro-m-xylene	97.4	54.6-143		%REC	1	2/13/2010 5:37:00 PM
Surr: Decachlorobiphenyl	87.2	45.7-157		%REC	1	2/13/2010 5:37:00 PM

Lab ID: 1002020-02
Collection Date: 2/8/2010 8:02:00 AM
Collection Time:
Client Sample ID: 093820-SS202
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: **NS**
Aroclor 1016	ND	67		µg/Kg-dry	1	2/13/2010 6:03:00 PM
Aroclor 1221	ND	67		µg/Kg-dry	1	2/13/2010 6:03:00 PM
Aroclor 1232	ND	67		µg/Kg-dry	1	2/13/2010 6:03:00 PM
Aroclor 1242	ND	67		µg/Kg-dry	1	2/13/2010 6:03:00 PM
Aroclor 1248	ND	67		µg/Kg-dry	1	2/13/2010 6:03:00 PM
Aroclor 1254	ND	67		µg/Kg-dry	1	2/13/2010 6:03:00 PM
Aroclor 1260	ND	67		µg/Kg-dry	1	2/13/2010 6:03:00 PM
Aroclor 1262	ND	67		µg/Kg-dry	1	2/13/2010 6:03:00 PM
Aroclor 1268	ND	67		µg/Kg-dry	1	2/13/2010 6:03:00 PM
Surr: Tetrachloro-m-xylene	95.9	54.6-143		%REC	1	2/13/2010 6:03:00 PM
Surr: Decachlorobiphenyl	85.1	45.7-157		%REC	1	2/13/2010 6:03:00 PM

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport
Lab Order: 1002020

Lab ID: 1002020-03
Collection Date: 2/8/2010 8:04:00 AM
Collection Time:
Client Sample ID: 093820-SS203
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		SW8082				Analyst: NS
Aroclor 1016	ND	74		µg/Kg-dry	1	2/13/2010 6:30:00 PM
Aroclor 1221	ND	74		µg/Kg-dry	1	2/13/2010 6:30:00 PM
Aroclor 1232	ND	74		µg/Kg-dry	1	2/13/2010 6:30:00 PM
Aroclor 1242	ND	74		µg/Kg-dry	1	2/13/2010 6:30:00 PM
Aroclor 1248	ND	74		µg/Kg-dry	1	2/13/2010 6:30:00 PM
Aroclor 1254	ND	74		µg/Kg-dry	1	2/13/2010 6:30:00 PM
Aroclor 1260	ND	74		µg/Kg-dry	1	2/13/2010 6:30:00 PM
Aroclor 1262	ND	74		µg/Kg-dry	1	2/13/2010 6:30:00 PM
Aroclor 1268	ND	74		µg/Kg-dry	1	2/13/2010 6:30:00 PM
Surr: Tetrachloro-m-xylene	96.6	54.6-143		%REC	1	2/13/2010 6:30:00 PM
Surr: Decachlorobiphenyl	89.8	45.7-157		%REC	1	2/13/2010 6:30:00 PM

Lab ID: 1002020-04
Collection Date: 2/8/2010 8:06:00 AM
Collection Time:
Client Sample ID: 093820-SS204
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		SW8082				Analyst: NS
Aroclor 1016	ND	65		µg/Kg-dry	1	2/13/2010 6:56:00 PM
Aroclor 1221	ND	65		µg/Kg-dry	1	2/13/2010 6:56:00 PM
Aroclor 1232	ND	65		µg/Kg-dry	1	2/13/2010 6:56:00 PM
Aroclor 1242	ND	65		µg/Kg-dry	1	2/13/2010 6:56:00 PM
Aroclor 1248	ND	65		µg/Kg-dry	1	2/13/2010 6:56:00 PM
Aroclor 1254	ND	65		µg/Kg-dry	1	2/13/2010 6:56:00 PM
Aroclor 1260	73	65		µg/Kg-dry	1	2/13/2010 6:56:00 PM
Aroclor 1262	ND	65		µg/Kg-dry	1	2/13/2010 6:56:00 PM
Aroclor 1268	ND	65		µg/Kg-dry	1	2/13/2010 6:56:00 PM
Surr: Tetrachloro-m-xylene	91.7	54.6-143		%REC	1	2/13/2010 6:56:00 PM
Surr: Decachlorobiphenyl	80.5	45.7-157		%REC	1	2/13/2010 6:56:00 PM

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport
Lab Order: 1002020

Lab ID: 1002020-05
Collection Date: 2/8/2010 8:08:00 AM
Collection Time:
Client Sample ID: 093820-SS205
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		SW8082				Analyst: NS
Aroclor 1016	ND	64		µg/Kg-dry	1	2/13/2010 7:22:00 PM
Aroclor 1221	ND	64		µg/Kg-dry	1	2/13/2010 7:22:00 PM
Aroclor 1232	ND	64		µg/Kg-dry	1	2/13/2010 7:22:00 PM
Aroclor 1242	ND	64		µg/Kg-dry	1	2/13/2010 7:22:00 PM
Aroclor 1248	ND	64		µg/Kg-dry	1	2/13/2010 7:22:00 PM
Aroclor 1254	ND	64		µg/Kg-dry	1	2/13/2010 7:22:00 PM
Aroclor 1260	76	64		µg/Kg-dry	1	2/13/2010 7:22:00 PM
Aroclor 1262	ND	64		µg/Kg-dry	1	2/13/2010 7:22:00 PM
Aroclor 1268	ND	64		µg/Kg-dry	1	2/13/2010 7:22:00 PM
Surr: Tetrachloro-m-xylene	96.4	54.6-143		%REC	1	2/13/2010 7:22:00 PM
Surr: Decachlorobiphenyl	88.6	45.7-157		%REC	1	2/13/2010 7:22:00 PM

Lab ID: 1002020-06
Collection Date: 2/8/2010 8:26:00 AM
Collection Time:
Client Sample ID: 093820-SS206
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		SW8082				Analyst: NS
Aroclor 1016	ND	60		µg/Kg-dry	1	2/13/2010 7:49:00 PM
Aroclor 1221	ND	60		µg/Kg-dry	1	2/13/2010 7:49:00 PM
Aroclor 1232	ND	60		µg/Kg-dry	1	2/13/2010 7:49:00 PM
Aroclor 1242	ND	60		µg/Kg-dry	1	2/13/2010 7:49:00 PM
Aroclor 1248	ND	60		µg/Kg-dry	1	2/13/2010 7:49:00 PM
Aroclor 1254	ND	60		µg/Kg-dry	1	2/13/2010 7:49:00 PM
Aroclor 1260	69	60		µg/Kg-dry	1	2/13/2010 7:49:00 PM
Aroclor 1262	ND	60		µg/Kg-dry	1	2/13/2010 7:49:00 PM
Aroclor 1268	ND	60		µg/Kg-dry	1	2/13/2010 7:49:00 PM
Surr: Tetrachloro-m-xylene	96.6	54.6-143		%REC	1	2/13/2010 7:49:00 PM
Surr: Decachlorobiphenyl	84.1	45.7-157		%REC	1	2/13/2010 7:49:00 PM

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport
Lab Order: 1002020

Lab ID: 1002020-07
Collection Date: 2/8/2010 8:30:00 AM
Collection Time:
Client Sample ID: 093820-SS207
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: NS
Aroclor 1016	ND	54		µg/Kg-dry	1	2/13/2010 8:15:00 PM
Aroclor 1221	ND	54		µg/Kg-dry	1	2/13/2010 8:15:00 PM
Aroclor 1232	ND	54		µg/Kg-dry	1	2/13/2010 8:15:00 PM
Aroclor 1242	ND	54		µg/Kg-dry	1	2/13/2010 8:15:00 PM
Aroclor 1248	ND	54		µg/Kg-dry	1	2/13/2010 8:15:00 PM
Aroclor 1254	ND	54		µg/Kg-dry	1	2/13/2010 8:15:00 PM
Aroclor 1260	ND	54		µg/Kg-dry	1	2/13/2010 8:15:00 PM
Aroclor 1262	ND	54		µg/Kg-dry	1	2/13/2010 8:15:00 PM
Aroclor 1268	ND	54		µg/Kg-dry	1	2/13/2010 8:15:00 PM
Surr: Tetrachloro-m-xylene	95.0	54.6-143		%REC	1	2/13/2010 8:15:00 PM
Surr: Decachlorobiphenyl	89.1	45.7-157		%REC	1	2/13/2010 8:15:00 PM

Lab ID: 1002020-08
Collection Date: 2/8/2010 8:37:00 AM
Collection Time:
Client Sample ID: 093820-SS208
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: NS
Aroclor 1016	ND	60		µg/Kg-dry	1	2/13/2010 8:41:00 PM
Aroclor 1221	ND	60		µg/Kg-dry	1	2/13/2010 8:41:00 PM
Aroclor 1232	ND	60		µg/Kg-dry	1	2/13/2010 8:41:00 PM
Aroclor 1242	ND	60		µg/Kg-dry	1	2/13/2010 8:41:00 PM
Aroclor 1248	ND	60		µg/Kg-dry	1	2/13/2010 8:41:00 PM
Aroclor 1254	ND	60		µg/Kg-dry	1	2/13/2010 8:41:00 PM
Aroclor 1260	ND	60		µg/Kg-dry	1	2/13/2010 8:41:00 PM
Aroclor 1262	ND	60		µg/Kg-dry	1	2/13/2010 8:41:00 PM
Aroclor 1268	ND	60		µg/Kg-dry	1	2/13/2010 8:41:00 PM
Surr: Tetrachloro-m-xylene	91.1	54.6-143		%REC	1	2/13/2010 8:41:00 PM
Surr: Decachlorobiphenyl	83.9	45.7-157		%REC	1	2/13/2010 8:41:00 PM

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport
Lab Order: 1002020

Lab ID: 1002020-09
Collection Date: 2/8/2010 8:41:00 AM
Collection Time:
Client Sample ID: 093820-SS209
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: NS
Aroclor 1016	ND	55		µg/Kg-dry	1	2/13/2010 9:08:00 PM
Aroclor 1221	ND	55		µg/Kg-dry	1	2/13/2010 9:08:00 PM
Aroclor 1232	ND	55		µg/Kg-dry	1	2/13/2010 9:08:00 PM
Aroclor 1242	ND	55		µg/Kg-dry	1	2/13/2010 9:08:00 PM
Aroclor 1248	ND	55		µg/Kg-dry	1	2/13/2010 9:08:00 PM
Aroclor 1254	ND	55		µg/Kg-dry	1	2/13/2010 9:08:00 PM
Aroclor 1260	61	55		µg/Kg-dry	1	2/13/2010 9:08:00 PM
Aroclor 1262	ND	55		µg/Kg-dry	1	2/13/2010 9:08:00 PM
Aroclor 1268	ND	55		µg/Kg-dry	1	2/13/2010 9:08:00 PM
Surr: Tetrachloro-m-xylene	87.1	54.6-143		%REC	1	2/13/2010 9:08:00 PM
Surr: Decachlorobiphenyl	80.1	45.7-157		%REC	1	2/13/2010 9:08:00 PM

Lab ID: 1002020-10
Collection Date: 2/8/2010 8:44:00 AM
Collection Time:
Client Sample ID: 093820-SS210
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: NS
Aroclor 1016	ND	57		µg/Kg-dry	1	2/13/2010 9:34:00 PM
Aroclor 1221	ND	57		µg/Kg-dry	1	2/13/2010 9:34:00 PM
Aroclor 1232	ND	57		µg/Kg-dry	1	2/13/2010 9:34:00 PM
Aroclor 1242	ND	57		µg/Kg-dry	1	2/13/2010 9:34:00 PM
Aroclor 1248	ND	57		µg/Kg-dry	1	2/13/2010 9:34:00 PM
Aroclor 1254	ND	57		µg/Kg-dry	1	2/13/2010 9:34:00 PM
Aroclor 1260	ND	57		µg/Kg-dry	1	2/13/2010 9:34:00 PM
Aroclor 1262	ND	57		µg/Kg-dry	1	2/13/2010 9:34:00 PM
Aroclor 1268	ND	57		µg/Kg-dry	1	2/13/2010 9:34:00 PM
Surr: Tetrachloro-m-xylene	86.9	54.6-143		%REC	1	2/13/2010 9:34:00 PM
Surr: Decachlorobiphenyl	81.0	45.7-157		%REC	1	2/13/2010 9:34:00 PM

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport
Lab Order: 1002020

Lab ID: 1002020-11
Collection Date: 2/8/2010 8:50:00 AM
Collection Time:
Client Sample ID: 093820-SS211
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: NS
Aroclor 1016	ND	55		µg/Kg-dry	1	2/13/2010 10:01:00 PM
Aroclor 1221	ND	55		µg/Kg-dry	1	2/13/2010 10:01:00 PM
Aroclor 1232	ND	55		µg/Kg-dry	1	2/13/2010 10:01:00 PM
Aroclor 1242	ND	55		µg/Kg-dry	1	2/13/2010 10:01:00 PM
Aroclor 1248	ND	55		µg/Kg-dry	1	2/13/2010 10:01:00 PM
Aroclor 1254	ND	55		µg/Kg-dry	1	2/13/2010 10:01:00 PM
Aroclor 1260	ND	55		µg/Kg-dry	1	2/13/2010 10:01:00 PM
Aroclor 1262	ND	55		µg/Kg-dry	1	2/13/2010 10:01:00 PM
Aroclor 1268	ND	55		µg/Kg-dry	1	2/13/2010 10:01:00 PM
Surr: Tetrachloro-m-xylene	87.0	54.6-143		%REC	1	2/13/2010 10:01:00 PM
Surr: Decachlorobiphenyl	81.3	45.7-157		%REC	1	2/13/2010 10:01:00 PM

Lab ID: 1002020-12
Collection Date: 2/8/2010 8:56:00 AM
Collection Time:
Client Sample ID: 093820-SS212
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: NS
Aroclor 1016	ND	64		µg/Kg-dry	1	2/13/2010 10:27:00 PM
Aroclor 1221	ND	64		µg/Kg-dry	1	2/13/2010 10:27:00 PM
Aroclor 1232	ND	64		µg/Kg-dry	1	2/13/2010 10:27:00 PM
Aroclor 1242	ND	64		µg/Kg-dry	1	2/13/2010 10:27:00 PM
Aroclor 1248	ND	64		µg/Kg-dry	1	2/13/2010 10:27:00 PM
Aroclor 1254	ND	64		µg/Kg-dry	1	2/13/2010 10:27:00 PM
Aroclor 1260	ND	64		µg/Kg-dry	1	2/13/2010 10:27:00 PM
Aroclor 1262	ND	64		µg/Kg-dry	1	2/13/2010 10:27:00 PM
Aroclor 1268	ND	64		µg/Kg-dry	1	2/13/2010 10:27:00 PM
Surr: Tetrachloro-m-xylene	86.5	54.6-143		%REC	1	2/13/2010 10:27:00 PM
Surr: Decachlorobiphenyl	80.2	45.7-157		%REC	1	2/13/2010 10:27:00 PM

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport
Lab Order: 1002020

Lab ID: 1002020-13
Collection Date: 2/8/2010 8:59:00 AM
Collection Time:
Client Sample ID: 093820-SS213
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: NS
Aroclor 1016	ND	62		µg/Kg-dry	1	2/13/2010 10:53:00 PM
Aroclor 1221	ND	62		µg/Kg-dry	1	2/13/2010 10:53:00 PM
Aroclor 1232	ND	62		µg/Kg-dry	1	2/13/2010 10:53:00 PM
Aroclor 1242	ND	62		µg/Kg-dry	1	2/13/2010 10:53:00 PM
Aroclor 1248	ND	62		µg/Kg-dry	1	2/13/2010 10:53:00 PM
Aroclor 1254	ND	62		µg/Kg-dry	1	2/13/2010 10:53:00 PM
Aroclor 1260	ND	62		µg/Kg-dry	1	2/13/2010 10:53:00 PM
Aroclor 1262	ND	62		µg/Kg-dry	1	2/13/2010 10:53:00 PM
Aroclor 1268	ND	62		µg/Kg-dry	1	2/13/2010 10:53:00 PM
Surr: Tetrachloro-m-xylene	89.0	54.6-143		%REC	1	2/13/2010 10:53:00 PM
Surr: Decachlorobiphenyl	82.6	45.7-157		%REC	1	2/13/2010 10:53:00 PM

Lab ID: 1002020-14
Collection Date: 2/8/2010 9:02:00 AM
Collection Time:
Client Sample ID: 093820-SS214
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: NS
Aroclor 1016	ND	57		µg/Kg-dry	1	2/13/2010 11:20:00 PM
Aroclor 1221	ND	57		µg/Kg-dry	1	2/13/2010 11:20:00 PM
Aroclor 1232	ND	57		µg/Kg-dry	1	2/13/2010 11:20:00 PM
Aroclor 1242	ND	57		µg/Kg-dry	1	2/13/2010 11:20:00 PM
Aroclor 1248	ND	57		µg/Kg-dry	1	2/13/2010 11:20:00 PM
Aroclor 1254	ND	57		µg/Kg-dry	1	2/13/2010 11:20:00 PM
Aroclor 1260	ND	57		µg/Kg-dry	1	2/13/2010 11:20:00 PM
Aroclor 1262	ND	57		µg/Kg-dry	1	2/13/2010 11:20:00 PM
Aroclor 1268	ND	57		µg/Kg-dry	1	2/13/2010 11:20:00 PM
Surr: Tetrachloro-m-xylene	87.5	54.6-143		%REC	1	2/13/2010 11:20:00 PM
Surr: Decachlorobiphenyl	82.8	45.7-157		%REC	1	2/13/2010 11:20:00 PM

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport
Lab Order: 1002020

Lab ID: 1002020-15
Collection Date: 2/8/2010 9:08:00 AM
Collection Time:
Client Sample ID: 093820-SS215
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: **NS**
Aroclor 1016	ND	51		µg/Kg-dry	1	2/13/2010 11:46:00 PM
Aroclor 1221	ND	51		µg/Kg-dry	1	2/13/2010 11:46:00 PM
Aroclor 1232	ND	51		µg/Kg-dry	1	2/13/2010 11:46:00 PM
Aroclor 1242	ND	51		µg/Kg-dry	1	2/13/2010 11:46:00 PM
Aroclor 1248	ND	51		µg/Kg-dry	1	2/13/2010 11:46:00 PM
Aroclor 1254	ND	51		µg/Kg-dry	1	2/13/2010 11:46:00 PM
Aroclor 1260	65	51		µg/Kg-dry	1	2/13/2010 11:46:00 PM
Aroclor 1262	ND	51		µg/Kg-dry	1	2/13/2010 11:46:00 PM
Aroclor 1268	ND	51		µg/Kg-dry	1	2/13/2010 11:46:00 PM
Surr: Tetrachloro-m-xylene	85.4	54.6-143		%REC	1	2/13/2010 11:46:00 PM
Surr: Decachlorobiphenyl	80.9	45.7-157		%REC	1	2/13/2010 11:46:00 PM

Lab ID: 1002020-16
Collection Date: 2/8/2010 9:12:00 AM
Collection Time:
Client Sample ID: 093820-SS216
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: **NS**
Aroclor 1016	ND	56		µg/Kg-dry	1	2/14/2010 12:12:00 AM
Aroclor 1221	ND	56		µg/Kg-dry	1	2/14/2010 12:12:00 AM
Aroclor 1232	ND	56		µg/Kg-dry	1	2/14/2010 12:12:00 AM
Aroclor 1242	ND	56		µg/Kg-dry	1	2/14/2010 12:12:00 AM
Aroclor 1248	ND	56		µg/Kg-dry	1	2/14/2010 12:12:00 AM
Aroclor 1254	ND	56		µg/Kg-dry	1	2/14/2010 12:12:00 AM
Aroclor 1260	130	56		µg/Kg-dry	1	2/14/2010 12:12:00 AM
Aroclor 1262	ND	56		µg/Kg-dry	1	2/14/2010 12:12:00 AM
Aroclor 1268	ND	56		µg/Kg-dry	1	2/14/2010 12:12:00 AM
Surr: Tetrachloro-m-xylene	87.9	54.6-143		%REC	1	2/14/2010 12:12:00 AM
Surr: Decachlorobiphenyl	83.3	45.7-157		%REC	1	2/14/2010 12:12:00 AM

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport
Lab Order: 1002020

Lab ID: 1002020-17
Collection Date: 2/8/2010 9:19:00 AM
Collection Time:
Client Sample ID: 093820-SS217
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		SW8082				Analyst: NS
Aroclor 1016	ND	56		µg/Kg-dry	1	2/14/2010 12:39:00 AM
Aroclor 1221	ND	56		µg/Kg-dry	1	2/14/2010 12:39:00 AM
Aroclor 1232	ND	56		µg/Kg-dry	1	2/14/2010 12:39:00 AM
Aroclor 1242	ND	56		µg/Kg-dry	1	2/14/2010 12:39:00 AM
Aroclor 1248	ND	56		µg/Kg-dry	1	2/14/2010 12:39:00 AM
Aroclor 1254	ND	56		µg/Kg-dry	1	2/14/2010 12:39:00 AM
Aroclor 1260	76	56		µg/Kg-dry	1	2/14/2010 12:39:00 AM
Aroclor 1262	ND	56		µg/Kg-dry	1	2/14/2010 12:39:00 AM
Aroclor 1268	ND	56		µg/Kg-dry	1	2/14/2010 12:39:00 AM
Surr: Tetrachloro-m-xylene	86.2	54.6-143		%REC	1	2/14/2010 12:39:00 AM
Surr: Decachlorobiphenyl	86.2	45.7-157		%REC	1	2/14/2010 12:39:00 AM

Lab ID: 1002020-18
Collection Date: 2/8/2010 9:22:00 AM
Collection Time:
Client Sample ID: 093820-SS218
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		SW8082				Analyst: NS
Aroclor 1016	ND	53		µg/Kg-dry	1	2/14/2010 3:44:00 AM
Aroclor 1221	ND	53		µg/Kg-dry	1	2/14/2010 3:44:00 AM
Aroclor 1232	ND	53		µg/Kg-dry	1	2/14/2010 3:44:00 AM
Aroclor 1242	ND	53		µg/Kg-dry	1	2/14/2010 3:44:00 AM
Aroclor 1248	ND	53		µg/Kg-dry	1	2/14/2010 3:44:00 AM
Aroclor 1254	ND	53		µg/Kg-dry	1	2/14/2010 3:44:00 AM
Aroclor 1260	ND	53		µg/Kg-dry	1	2/14/2010 3:44:00 AM
Aroclor 1262	ND	53		µg/Kg-dry	1	2/14/2010 3:44:00 AM
Aroclor 1268	ND	53		µg/Kg-dry	1	2/14/2010 3:44:00 AM
Surr: Tetrachloro-m-xylene	85.0	54.6-143		%REC	1	2/14/2010 3:44:00 AM
Surr: Decachlorobiphenyl	87.1	45.7-157		%REC	1	2/14/2010 3:44:00 AM

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport
Lab Order: 1002020

Lab ID: 1002020-19
Collection Date: 2/8/2010 9:26:00 AM
Collection Time:
Client Sample ID: 093820-SS219
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: NS
Aroclor 1016	ND	51		µg/Kg-dry	1	2/14/2010 4:10:00 AM
Aroclor 1221	ND	51		µg/Kg-dry	1	2/14/2010 4:10:00 AM
Aroclor 1232	ND	51		µg/Kg-dry	1	2/14/2010 4:10:00 AM
Aroclor 1242	ND	51		µg/Kg-dry	1	2/14/2010 4:10:00 AM
Aroclor 1248	ND	51		µg/Kg-dry	1	2/14/2010 4:10:00 AM
Aroclor 1254	ND	51		µg/Kg-dry	1	2/14/2010 4:10:00 AM
Aroclor 1260	100	51		µg/Kg-dry	1	2/14/2010 4:10:00 AM
Aroclor 1262	ND	51		µg/Kg-dry	1	2/14/2010 4:10:00 AM
Aroclor 1268	ND	51		µg/Kg-dry	1	2/14/2010 4:10:00 AM
Surr: Tetrachloro-m-xylene	86.4	54.6-143		%REC	1	2/14/2010 4:10:00 AM
Surr: Decachlorobiphenyl	88.2	45.7-157		%REC	1	2/14/2010 4:10:00 AM

Lab ID: 1002020-20
Collection Date: 2/8/2010 9:36:00 AM
Collection Time:
Client Sample ID: 093820-SS220
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: NS
Aroclor 1016	ND	54		µg/Kg-dry	1	2/14/2010 4:36:00 AM
Aroclor 1221	ND	54		µg/Kg-dry	1	2/14/2010 4:36:00 AM
Aroclor 1232	ND	54		µg/Kg-dry	1	2/14/2010 4:36:00 AM
Aroclor 1242	ND	54		µg/Kg-dry	1	2/14/2010 4:36:00 AM
Aroclor 1248	ND	54		µg/Kg-dry	1	2/14/2010 4:36:00 AM
Aroclor 1254	ND	54		µg/Kg-dry	1	2/14/2010 4:36:00 AM
Aroclor 1260	83	54		µg/Kg-dry	1	2/14/2010 4:36:00 AM
Aroclor 1262	ND	54		µg/Kg-dry	1	2/14/2010 4:36:00 AM
Aroclor 1268	ND	54		µg/Kg-dry	1	2/14/2010 4:36:00 AM
Surr: Tetrachloro-m-xylene	84.5	54.6-143		%REC	1	2/14/2010 4:36:00 AM
Surr: Decachlorobiphenyl	87.6	45.7-157		%REC	1	2/14/2010 4:36:00 AM

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport
Lab Order: 1002020

Lab ID: 1002020-21
Collection Date: 2/8/2010 9:48:00 AM
Collection Time:
Client Sample ID: 093820-SS221
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: **NS**
Aroclor 1016	ND	53		µg/Kg-dry	1	2/14/2010 6:22:00 AM
Aroclor 1221	ND	53		µg/Kg-dry	1	2/14/2010 6:22:00 AM
Aroclor 1232	ND	53		µg/Kg-dry	1	2/14/2010 6:22:00 AM
Aroclor 1242	ND	53		µg/Kg-dry	1	2/14/2010 6:22:00 AM
Aroclor 1248	ND	53		µg/Kg-dry	1	2/14/2010 6:22:00 AM
Aroclor 1254	ND	53		µg/Kg-dry	1	2/14/2010 6:22:00 AM
Aroclor 1260	110	53		µg/Kg-dry	1	2/14/2010 6:22:00 AM
Aroclor 1262	ND	53		µg/Kg-dry	1	2/14/2010 6:22:00 AM
Aroclor 1268	ND	53		µg/Kg-dry	1	2/14/2010 6:22:00 AM
Surr: Tetrachloro-m-xylene	94.2	54.6-143		%REC	1	2/14/2010 6:22:00 AM
Surr: Decachlorobiphenyl	89.7	45.7-157		%REC	1	2/14/2010 6:22:00 AM

Lab ID: 1002020-22
Collection Date: 2/8/2010 9:53:00 AM
Collection Time:
Client Sample ID: 093820-SS222
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: **NS**
Aroclor 1016	ND	51		µg/Kg-dry	1	2/14/2010 6:48:00 AM
Aroclor 1221	ND	51		µg/Kg-dry	1	2/14/2010 6:48:00 AM
Aroclor 1232	ND	51		µg/Kg-dry	1	2/14/2010 6:48:00 AM
Aroclor 1242	ND	51		µg/Kg-dry	1	2/14/2010 6:48:00 AM
Aroclor 1248	ND	51		µg/Kg-dry	1	2/14/2010 6:48:00 AM
Aroclor 1254	ND	51		µg/Kg-dry	1	2/14/2010 6:48:00 AM
Aroclor 1260	120	51		µg/Kg-dry	1	2/14/2010 6:48:00 AM
Aroclor 1262	ND	51		µg/Kg-dry	1	2/14/2010 6:48:00 AM
Aroclor 1268	ND	51		µg/Kg-dry	1	2/14/2010 6:48:00 AM
Surr: Tetrachloro-m-xylene	90.9	54.6-143		%REC	1	2/14/2010 6:48:00 AM
Surr: Decachlorobiphenyl	86.0	45.7-157		%REC	1	2/14/2010 6:48:00 AM

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport
Lab Order: 1002020

Lab ID: 1002020-23
Collection Date: 2/8/2010 9:59:00 AM
Collection Time:
Client Sample ID: 093820-SS223
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: **NS**
Aroclor 1016	ND	53		µg/Kg-dry	1	2/14/2010 7:14:00 AM
Aroclor 1221	ND	53		µg/Kg-dry	1	2/14/2010 7:14:00 AM
Aroclor 1232	ND	53		µg/Kg-dry	1	2/14/2010 7:14:00 AM
Aroclor 1242	ND	53		µg/Kg-dry	1	2/14/2010 7:14:00 AM
Aroclor 1248	ND	53		µg/Kg-dry	1	2/14/2010 7:14:00 AM
Aroclor 1254	ND	53		µg/Kg-dry	1	2/14/2010 7:14:00 AM
Aroclor 1260	100	53		µg/Kg-dry	1	2/14/2010 7:14:00 AM
Aroclor 1262	ND	53		µg/Kg-dry	1	2/14/2010 7:14:00 AM
Aroclor 1268	ND	53		µg/Kg-dry	1	2/14/2010 7:14:00 AM
Surr: Tetrachloro-m-xylene	89.7	54.6-143		%REC	1	2/14/2010 7:14:00 AM
Surr: Decachlorobiphenyl	79.4	45.7-157		%REC	1	2/14/2010 7:14:00 AM

Lab ID: 1002020-24
Collection Date: 2/8/2010 10:05:00 AM
Collection Time:
Client Sample ID: 093820-SS224
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: **NS**
Aroclor 1016	ND	56		µg/Kg-dry	1	2/14/2010 7:41:00 AM
Aroclor 1221	ND	56		µg/Kg-dry	1	2/14/2010 7:41:00 AM
Aroclor 1232	ND	56		µg/Kg-dry	1	2/14/2010 7:41:00 AM
Aroclor 1242	ND	56		µg/Kg-dry	1	2/14/2010 7:41:00 AM
Aroclor 1248	ND	56		µg/Kg-dry	1	2/14/2010 7:41:00 AM
Aroclor 1254	ND	56		µg/Kg-dry	1	2/14/2010 7:41:00 AM
Aroclor 1260	110	56		µg/Kg-dry	1	2/14/2010 7:41:00 AM
Aroclor 1262	ND	56		µg/Kg-dry	1	2/14/2010 7:41:00 AM
Aroclor 1268	ND	56		µg/Kg-dry	1	2/14/2010 7:41:00 AM
Surr: Tetrachloro-m-xylene	87.3	54.6-143		%REC	1	2/14/2010 7:41:00 AM
Surr: Decachlorobiphenyl	85.3	45.7-157		%REC	1	2/14/2010 7:41:00 AM

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport

Lab Order: 1002020

Lab ID: 1002020-25
Collection Date: 2/8/2010 10:20:00 AM
Collection Time:
Client Sample ID: 093820-SS225
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		SW8082				Analyst: NS
Aroclor 1016	ND	50		µg/Kg-dry	1	2/14/2010 8:07:00 AM
Aroclor 1221	ND	50		µg/Kg-dry	1	2/14/2010 8:07:00 AM
Aroclor 1232	ND	50		µg/Kg-dry	1	2/14/2010 8:07:00 AM
Aroclor 1242	ND	50		µg/Kg-dry	1	2/14/2010 8:07:00 AM
Aroclor 1248	ND	50		µg/Kg-dry	1	2/14/2010 8:07:00 AM
Aroclor 1254	ND	50		µg/Kg-dry	1	2/14/2010 8:07:00 AM
Aroclor 1260	110	50		µg/Kg-dry	1	2/14/2010 8:07:00 AM
Aroclor 1262	ND	50		µg/Kg-dry	1	2/14/2010 8:07:00 AM
Aroclor 1268	ND	50		µg/Kg-dry	1	2/14/2010 8:07:00 AM
Surr: Tetrachloro-m-xylene	85.5	54.6-143		%REC	1	2/14/2010 8:07:00 AM
Surr: Decachlorobiphenyl	81.6	45.7-157		%REC	1	2/14/2010 8:07:00 AM

Lab ID: 1002020-26
Collection Date: 2/8/2010 10:27:00 AM
Collection Time:
Client Sample ID: 093820-SS226
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		SW8082				Analyst: NS
Aroclor 1016	ND	53		µg/Kg-dry	1	2/14/2010 8:33:00 AM
Aroclor 1221	ND	53		µg/Kg-dry	1	2/14/2010 8:33:00 AM
Aroclor 1232	ND	53		µg/Kg-dry	1	2/14/2010 8:33:00 AM
Aroclor 1242	ND	53		µg/Kg-dry	1	2/14/2010 8:33:00 AM
Aroclor 1248	ND	53		µg/Kg-dry	1	2/14/2010 8:33:00 AM
Aroclor 1254	ND	53		µg/Kg-dry	1	2/14/2010 8:33:00 AM
Aroclor 1260	110	53		µg/Kg-dry	1	2/14/2010 8:33:00 AM
Aroclor 1262	ND	53		µg/Kg-dry	1	2/14/2010 8:33:00 AM
Aroclor 1268	ND	53		µg/Kg-dry	1	2/14/2010 8:33:00 AM
Surr: Tetrachloro-m-xylene	89.0	54.6-143		%REC	1	2/14/2010 8:33:00 AM
Surr: Decachlorobiphenyl	83.0	45.7-157		%REC	1	2/14/2010 8:33:00 AM

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport

Lab Order: 1002020

Lab ID: 1002020-27
Client Sample ID: 093820-SS227

Collection Date: 2/8/2010 10:36:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: NS
Aroclor 1016	ND	51		µg/Kg-dry	1	2/14/2010 9:00:00 AM
Aroclor 1221	ND	51		µg/Kg-dry	1	2/14/2010 9:00:00 AM
Aroclor 1232	ND	51		µg/Kg-dry	1	2/14/2010 9:00:00 AM
Aroclor 1242	ND	51		µg/Kg-dry	1	2/14/2010 9:00:00 AM
Aroclor 1248	ND	51		µg/Kg-dry	1	2/14/2010 9:00:00 AM
Aroclor 1254	ND	51		µg/Kg-dry	1	2/14/2010 9:00:00 AM
Aroclor 1260	170	51		µg/Kg-dry	1	2/14/2010 9:00:00 AM
Aroclor 1262	ND	51		µg/Kg-dry	1	2/14/2010 9:00:00 AM
Aroclor 1268	ND	51		µg/Kg-dry	1	2/14/2010 9:00:00 AM
Surr: Tetrachloro-m-xylene	84.4	54.6-143		%REC	1	2/14/2010 9:00:00 AM
Surr: Decachlorobiphenyl	80.0	45.7-157		%REC	1	2/14/2010 9:00:00 AM

Lab ID: 1002020-28
Client Sample ID: 093820-SS228

Collection Date: 2/8/2010 10:40:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: NS
Aroclor 1016	ND	56		µg/Kg-dry	1	2/14/2010 9:26:00 AM
Aroclor 1221	ND	56		µg/Kg-dry	1	2/14/2010 9:26:00 AM
Aroclor 1232	ND	56		µg/Kg-dry	1	2/14/2010 9:26:00 AM
Aroclor 1242	ND	56		µg/Kg-dry	1	2/14/2010 9:26:00 AM
Aroclor 1248	ND	56		µg/Kg-dry	1	2/14/2010 9:26:00 AM
Aroclor 1254	ND	56		µg/Kg-dry	1	2/14/2010 9:26:00 AM
Aroclor 1260	140	56		µg/Kg-dry	1	2/14/2010 9:26:00 AM
Aroclor 1262	ND	56		µg/Kg-dry	1	2/14/2010 9:26:00 AM
Aroclor 1268	ND	56		µg/Kg-dry	1	2/14/2010 9:26:00 AM
Surr: Tetrachloro-m-xylene	88.2	54.6-143		%REC	1	2/14/2010 9:26:00 AM
Surr: Decachlorobiphenyl	82.8	45.7-157		%REC	1	2/14/2010 9:26:00 AM

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport
Lab Order: 1002020

Lab ID: 1002020-29
Collection Date: 2/8/2010 10:48:00 AM
Collection Time:
Client Sample ID: 093820-SS229
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				**Analyst: NS**
Aroclor 1016	ND	58		µg/Kg-dry	1	2/14/2010 9:52:00 AM
Aroclor 1221	ND	58		µg/Kg-dry	1	2/14/2010 9:52:00 AM
Aroclor 1232	ND	58		µg/Kg-dry	1	2/14/2010 9:52:00 AM
Aroclor 1242	ND	58		µg/Kg-dry	1	2/14/2010 9:52:00 AM
Aroclor 1248	ND	58		µg/Kg-dry	1	2/14/2010 9:52:00 AM
Aroclor 1254	ND	58		µg/Kg-dry	1	2/14/2010 9:52:00 AM
Aroclor 1260	160	58		µg/Kg-dry	1	2/14/2010 9:52:00 AM
Aroclor 1262	ND	58		µg/Kg-dry	1	2/14/2010 9:52:00 AM
Aroclor 1268	ND	58		µg/Kg-dry	1	2/14/2010 9:52:00 AM
Surr: Tetrachloro-m-xylene	86.4	54.6-143		%REC	1	2/14/2010 9:52:00 AM
Surr: Decachlorobiphenyl	84.0	45.7-157		%REC	1	2/14/2010 9:52:00 AM

Lab ID: 1002020-30
Collection Date: 2/8/2010 11:00:00 AM
Collection Time:
Client Sample ID: 093820-SS230
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				**Analyst: NS**
Aroclor 1016	ND	55		µg/Kg-dry	1	2/14/2010 10:19:00 AM
Aroclor 1221	ND	55		µg/Kg-dry	1	2/14/2010 10:19:00 AM
Aroclor 1232	ND	55		µg/Kg-dry	1	2/14/2010 10:19:00 AM
Aroclor 1242	ND	55		µg/Kg-dry	1	2/14/2010 10:19:00 AM
Aroclor 1248	ND	55		µg/Kg-dry	1	2/14/2010 10:19:00 AM
Aroclor 1254	ND	55		µg/Kg-dry	1	2/14/2010 10:19:00 AM
Aroclor 1260	97	55		µg/Kg-dry	1	2/14/2010 10:19:00 AM
Aroclor 1262	ND	55		µg/Kg-dry	1	2/14/2010 10:19:00 AM
Aroclor 1268	ND	55		µg/Kg-dry	1	2/14/2010 10:19:00 AM
Surr: Tetrachloro-m-xylene	90.3	54.6-143		%REC	1	2/14/2010 10:19:00 AM
Surr: Decachlorobiphenyl	84.0	45.7-157		%REC	1	2/14/2010 10:19:00 AM

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport
Lab Order: 1002020

Lab ID: 1002020-31
Collection Date: 2/8/2010 11:04:00 AM
Collection Time:
Client Sample ID: 093820-SS231
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: **NS**
Aroclor 1016	ND	57		µg/Kg-dry	1	2/14/2010 10:45:00 AM
Aroclor 1221	ND	57		µg/Kg-dry	1	2/14/2010 10:45:00 AM
Aroclor 1232	ND	57		µg/Kg-dry	1	2/14/2010 10:45:00 AM
Aroclor 1242	ND	57		µg/Kg-dry	1	2/14/2010 10:45:00 AM
Aroclor 1248	ND	57		µg/Kg-dry	1	2/14/2010 10:45:00 AM
Aroclor 1254	ND	57		µg/Kg-dry	1	2/14/2010 10:45:00 AM
Aroclor 1260	190	57		µg/Kg-dry	1	2/14/2010 10:45:00 AM
Aroclor 1262	ND	57		µg/Kg-dry	1	2/14/2010 10:45:00 AM
Aroclor 1268	ND	57		µg/Kg-dry	1	2/14/2010 10:45:00 AM
Surr: Tetrachloro-m-xylene	85.9	54.6-143		%REC	1	2/14/2010 10:45:00 AM
Surr: Decachlorobiphenyl	83.4	45.7-157		%REC	1	2/14/2010 10:45:00 AM

Lab ID: 1002020-32
Collection Date: 2/8/2010 11:10:00 AM
Collection Time:
Client Sample ID: 093820-SS232
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: **NS**
Aroclor 1016	ND	54		µg/Kg-dry	1	2/14/2010 11:11:00 AM
Aroclor 1221	ND	54		µg/Kg-dry	1	2/14/2010 11:11:00 AM
Aroclor 1232	ND	54		µg/Kg-dry	1	2/14/2010 11:11:00 AM
Aroclor 1242	ND	54		µg/Kg-dry	1	2/14/2010 11:11:00 AM
Aroclor 1248	ND	54		µg/Kg-dry	1	2/14/2010 11:11:00 AM
Aroclor 1254	ND	54		µg/Kg-dry	1	2/14/2010 11:11:00 AM
Aroclor 1260	77	54		µg/Kg-dry	1	2/14/2010 11:11:00 AM
Aroclor 1262	ND	54		µg/Kg-dry	1	2/14/2010 11:11:00 AM
Aroclor 1268	ND	54		µg/Kg-dry	1	2/14/2010 11:11:00 AM
Surr: Tetrachloro-m-xylene	90.3	54.6-143		%REC	1	2/14/2010 11:11:00 AM
Surr: Decachlorobiphenyl	86.4	45.7-157		%REC	1	2/14/2010 11:11:00 AM

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport

Lab Order: 1002020

Lab ID: 1002020-33
Collection Date: 2/8/2010 11:12:00 AM
Collection Time:
Client Sample ID: 093820-SS233
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: NS
Aroclor 1016	ND	67		µg/Kg-dry	1	2/14/2010 11:38:00 AM
Aroclor 1221	ND	67		µg/Kg-dry	1	2/14/2010 11:38:00 AM
Aroclor 1232	ND	67		µg/Kg-dry	1	2/14/2010 11:38:00 AM
Aroclor 1242	ND	67		µg/Kg-dry	1	2/14/2010 11:38:00 AM
Aroclor 1248	ND	67		µg/Kg-dry	1	2/14/2010 11:38:00 AM
Aroclor 1254	ND	67		µg/Kg-dry	1	2/14/2010 11:38:00 AM
Aroclor 1260	260	67		µg/Kg-dry	1	2/14/2010 11:38:00 AM
Aroclor 1262	ND	67		µg/Kg-dry	1	2/14/2010 11:38:00 AM
Aroclor 1268	ND	67		µg/Kg-dry	1	2/14/2010 11:38:00 AM
Surr: Tetrachloro-m-xylene	87.7	54.6-143		%REC	1	2/14/2010 11:38:00 AM
Surr: Decachlorobiphenyl	88.7	45.7-157		%REC	1	2/14/2010 11:38:00 AM

Lab ID: 1002020-34
Collection Date: 2/8/2010 11:15:00 AM
Collection Time:
Client Sample ID: 093820-SS234
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: NS
Aroclor 1016	ND	61		µg/Kg-dry	1	2/14/2010 12:04:00 PM
Aroclor 1221	ND	61		µg/Kg-dry	1	2/14/2010 12:04:00 PM
Aroclor 1232	ND	61		µg/Kg-dry	1	2/14/2010 12:04:00 PM
Aroclor 1242	ND	61		µg/Kg-dry	1	2/14/2010 12:04:00 PM
Aroclor 1248	ND	61		µg/Kg-dry	1	2/14/2010 12:04:00 PM
Aroclor 1254	ND	61		µg/Kg-dry	1	2/14/2010 12:04:00 PM
Aroclor 1260	100	61		µg/Kg-dry	1	2/14/2010 12:04:00 PM
Aroclor 1262	ND	61		µg/Kg-dry	1	2/14/2010 12:04:00 PM
Aroclor 1268	ND	61		µg/Kg-dry	1	2/14/2010 12:04:00 PM
Surr: Tetrachloro-m-xylene	93.0	54.6-143		%REC	1	2/14/2010 12:04:00 PM
Surr: Decachlorobiphenyl	88.0	45.7-157		%REC	1	2/14/2010 12:04:00 PM

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport
Lab Order: 1002020

Lab ID: 1002020-35
Collection Date: 2/8/2010 11:18:00 AM
Collection Time:
Client Sample ID: 093820-SS235
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: NS
Aroclor 1016	ND	56		µg/Kg-dry	1	2/14/2010 12:30:00 PM
Aroclor 1221	ND	56		µg/Kg-dry	1	2/14/2010 12:30:00 PM
Aroclor 1232	ND	56		µg/Kg-dry	1	2/14/2010 12:30:00 PM
Aroclor 1242	ND	56		µg/Kg-dry	1	2/14/2010 12:30:00 PM
Aroclor 1248	ND	56		µg/Kg-dry	1	2/14/2010 12:30:00 PM
Aroclor 1254	ND	56		µg/Kg-dry	1	2/14/2010 12:30:00 PM
Aroclor 1260	92	56		µg/Kg-dry	1	2/14/2010 12:30:00 PM
Aroclor 1262	ND	56		µg/Kg-dry	1	2/14/2010 12:30:00 PM
Aroclor 1268	ND	56		µg/Kg-dry	1	2/14/2010 12:30:00 PM
Surr: Tetrachloro-m-xylene	91.0	54.6-143		%REC	1	2/14/2010 12:30:00 PM
Surr: Decachlorobiphenyl	85.9	45.7-157		%REC	1	2/14/2010 12:30:00 PM

Lab ID: 1002020-36
Collection Date: 2/8/2010 11:20:00 AM
Collection Time:
Client Sample ID: 093820-SS236
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: NS
Aroclor 1016	ND	55		µg/Kg-dry	1	2/14/2010 12:57:00 PM
Aroclor 1221	ND	55		µg/Kg-dry	1	2/14/2010 12:57:00 PM
Aroclor 1232	ND	55		µg/Kg-dry	1	2/14/2010 12:57:00 PM
Aroclor 1242	ND	55		µg/Kg-dry	1	2/14/2010 12:57:00 PM
Aroclor 1248	ND	55		µg/Kg-dry	1	2/14/2010 12:57:00 PM
Aroclor 1254	ND	55		µg/Kg-dry	1	2/14/2010 12:57:00 PM
Aroclor 1260	98	55		µg/Kg-dry	1	2/14/2010 12:57:00 PM
Aroclor 1262	ND	55		µg/Kg-dry	1	2/14/2010 12:57:00 PM
Aroclor 1268	ND	55		µg/Kg-dry	1	2/14/2010 12:57:00 PM
Surr: Tetrachloro-m-xylene	95.0	54.6-143		%REC	1	2/14/2010 12:57:00 PM
Surr: Decachlorobiphenyl	89.5	45.7-157		%REC	1	2/14/2010 12:57:00 PM

AMRO Environmental Laboratories Corp.

Date: *19-Feb-10*

CLIENT: GEI Consultants, Inc.
Work Order: 1002020
Project: 09382-0 Former Canton Airport

QC SUMMARY REPORT

Method Blank

Sample ID: **MB-19992** Batch ID: **19992** Test Code: **SW8082** Units: **µg/Kg** Analysis Date **2/13/2010 4:18:00 PM** Prep Date: **2/10/2010**

Client ID: Run ID: **GC-ELVIS_100213A** SeqNo: **731690**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Aroclor 1016	ND	50	µg/Kg									
Aroclor 1221	ND	50	µg/Kg									
Aroclor 1232	ND	50	µg/Kg									
Aroclor 1242	ND	50	µg/Kg									
Aroclor 1248	ND	50	µg/Kg									
Aroclor 1254	ND	50	µg/Kg									
Aroclor 1260	ND	50	µg/Kg									
Aroclor 1262	ND	50	µg/Kg									
Aroclor 1268	ND	50	µg/Kg									
Surr: Tetrachloro-m-xylene	14.49	0	µg/Kg	16	0	90.6	54.6	143	0			
Surr: Decachlorobiphenyl	12.53	0	µg/Kg	16	0	78.3	45.7	157	0			

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank
NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: *19-Feb-10*

CLIENT: GEI Consultants, Inc.
Work Order: 1002020
Project: 09382-0 Former Canton Airport

QC SUMMARY REPORT
Method Blank

Sample ID: **MB-19996** Batch ID: **19996** Test Code: **SW8082** Units: **µg/Kg** Analysis Date **2/14/2010 5:03:00 AM** Prep Date: **2/11/2010**
Client ID: Run ID: **GC-ELVIS_100213A** SeqNo: **731713**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Aroclor 1016	ND	50	µg/Kg									
Aroclor 1221	ND	50	µg/Kg									
Aroclor 1232	ND	50	µg/Kg									
Aroclor 1242	ND	50	µg/Kg									
Aroclor 1248	ND	50	µg/Kg									
Aroclor 1254	ND	50	µg/Kg									
Aroclor 1260	ND	50	µg/Kg									
Aroclor 1262	ND	50	µg/Kg									
Aroclor 1268	ND	50	µg/Kg									
Surr: Tetrachloro-m-xylene	13.88	0	µg/Kg	16	0	86.7	54.6	143	0			
Surr: Decachlorobiphenyl	13.56	0	µg/Kg	16	0	84.8	45.7	157	0			

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank
NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *19-Feb-10*

CLIENT: GEI Consultants, Inc.
Work Order: 1002020
Project: 09382-0 Former Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID: LCS-19992 | Batch ID: 19992 | Test Code: SW8082 | Units: µg/Kg | Analysis Date 2/13/2010 4:44:00 PM | Prep Date: 2/10/2010
Client ID: | Run ID: GC-ELVIS_100213A | SeqNo: 731691

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Aroclor 1016	838	50	µg/Kg	1000	0	83.8	70.9	125	0			
Aroclor 1260	736.7	50	µg/Kg	1000	0	73.7	60.1	126	0			
Surr: Tetrachloro-m-xylene	15.63	0	µg/Kg	16	0	97.7	54.6	143	0			
Surr: Decachlorobiphenyl	13.32	0	µg/Kg	16	0	83.2	45.7	157	0			

Sample ID: LCSD-19992 | Batch ID: 19992 | Test Code: SW8082 | Units: µg/Kg | Analysis Date 2/13/2010 5:11:00 PM | Prep Date: 2/10/2010
Client ID: | Run ID: GC-ELVIS_100213A | SeqNo: 731692

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Aroclor 1016	844.1	50	µg/Kg	1000	0	84.4	70.9	125	838	0.718	50	
Aroclor 1260	755.5	50	µg/Kg	1000	0	75.6	60.1	126	736.7	2.53	50	
Surr: Tetrachloro-m-xylene	15.77	0	µg/Kg	16	0	98.6	54.6	143	0	0	0	
Surr: Decachlorobiphenyl	13.99	0	µg/Kg	16	0	87.5	45.7	157	0	0	0	

Sample ID: LCS-19996 | Batch ID: 19996 | Test Code: SW8082 | Units: µg/Kg | Analysis Date 2/14/2010 5:29:00 AM | Prep Date: 2/11/2010
Client ID: | Run ID: GC-ELVIS_100213A | SeqNo: 731714

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Aroclor 1016	794	50	µg/Kg	1000	0	79.4	70.9	125	0			
Aroclor 1260	763.7	50	µg/Kg	1000	0	76.4	60.1	126	0			
Surr: Tetrachloro-m-xylene	15.2	0	µg/Kg	16	0	95	54.6	143	0			
Surr: Decachlorobiphenyl	14.8	0	µg/Kg	16	0	92.5	45.7	157	0			

Qualifiers: ND - Not Detected at the Reporting Limit; S - Spike Recovery outside accepted recovery limits; B - Analyte detected in the associated Method Blank; J - Analyte detected below quantitation limits; R - RPD outside accepted recovery limits; NA - Not applicable where J values or ND results occur; RL - Reporting Limit, defined as the lowest concentration the laboratory can accurately quantitate

AMRO Environmental Laboratories Corp.

Date: *19-Feb-10*

CLIENT: GEI Consultants, Inc.
Work Order: 1002020
Project: 09382-0 Former Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike Duplicate

Sample ID: **LCSD-19996** Batch ID: **19996** Test Code: **SW8082** Units: **µg/Kg** Analysis Date **2/14/2010 5:55:00 AM** Prep Date: **2/11/2010**

Client ID: Run ID: **GC-ELVIS_100213A** SeqNo: **731715**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Aroclor 1016	776.5	50	µg/Kg	1000	0	77.7	70.9	125	794	2.23	50	
Aroclor 1260	757.8	50	µg/Kg	1000	0	75.8	60.1	126	763.7	0.77	50	
Surr: Tetrachloro-m-xylene	14.71	0	µg/Kg	16	0	92	54.6	143	0	0	0	
Surr: Decachlorobiphenyl	14	0	µg/Kg	16	0	87.5	45.7	157	0	0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank
NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport
Lab Order: 1002020

Lab ID: 1002020-01
Collection Date: 2/8/2010 8:00:00 AM
Collection Time:
Client Sample ID: 093820-SS201
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	28.8	0		wt%	1	2/11/2010

Lab ID: 1002020-02
Collection Date: 2/8/2010 8:02:00 AM
Collection Time:
Client Sample ID: 093820-SS202
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	26.8	0		wt%	1	2/11/2010

Lab ID: 1002020-03
Collection Date: 2/8/2010 8:04:00 AM
Collection Time:
Client Sample ID: 093820-SS203
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	34.2	0		wt%	1	2/11/2010

Lab ID: 1002020-04
Collection Date: 2/8/2010 8:06:00 AM
Collection Time:
Client Sample ID: 093820-SS204
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	28.8	0		wt%	1	2/11/2010

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport
Lab Order: 1002020

Lab ID: 1002020-05
Collection Date: 2/8/2010 8:08:00 AM
Collection Time:
Client Sample ID: 093820-SS205
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	25.9	0		wt%	1	2/11/2010

Lab ID: 1002020-06
Collection Date: 2/8/2010 8:26:00 AM
Collection Time:
Client Sample ID: 093820-SS206
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	22.0	0		wt%	1	2/11/2010

Lab ID: 1002020-07
Collection Date: 2/8/2010 8:30:00 AM
Collection Time:
Client Sample ID: 093820-SS207
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	12.0	0		wt%	1	2/11/2010

Lab ID: 1002020-08
Collection Date: 2/8/2010 8:37:00 AM
Collection Time:
Client Sample ID: 093820-SS208
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	18.1	0		wt%	1	2/11/2010

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport
Lab Order: 1002020

Lab ID: 1002020-09
Collection Date: 2/8/2010 8:41:00 AM
Collection Time:
Client Sample ID: 093820-SS209
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	13.3	0		wt%	1	2/11/2010

Lab ID: 1002020-10
Collection Date: 2/8/2010 8:44:00 AM
Collection Time:
Client Sample ID: 093820-SS210
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	14.3	0		wt%	1	2/11/2010

Lab ID: 1002020-11
Collection Date: 2/8/2010 8:50:00 AM
Collection Time:
Client Sample ID: 093820-SS211
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	14.7	0		wt%	1	2/11/2010

Lab ID: 1002020-12
Collection Date: 2/8/2010 8:56:00 AM
Collection Time:
Client Sample ID: 093820-SS212
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	23.5	0		wt%	1	2/11/2010

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport
Lab Order: 1002020

Lab ID: 1002020-13
Collection Date: 2/8/2010 8:59:00 AM
Collection Time:
Client Sample ID: 093820-SS213
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	23.5	0		wt%	1	2/11/2010

Lab ID: 1002020-14
Collection Date: 2/8/2010 9:02:00 AM
Collection Time:
Client Sample ID: 093820-SS214
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	13.3	0		wt%	1	2/11/2010

Lab ID: 1002020-15
Collection Date: 2/8/2010 9:08:00 AM
Collection Time:
Client Sample ID: 093820-SS215
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	8.5	0		wt%	1	2/11/2010

Lab ID: 1002020-16
Collection Date: 2/8/2010 9:12:00 AM
Collection Time:
Client Sample ID: 093820-SS216
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	15.3	0		wt%	1	2/11/2010

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport
Lab Order: 1002020

Lab ID: 1002020-17
Collection Date: 2/8/2010 9:19:00 AM
Collection Time:
Client Sample ID: 093820-SS217
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	14.4	0		wt%	1	2/11/2010

Lab ID: 1002020-18
Collection Date: 2/8/2010 9:22:00 AM
Collection Time:
Client Sample ID: 093820-SS218
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	9.5	0		wt%	1	2/11/2010

Lab ID: 1002020-19
Collection Date: 2/8/2010 9:26:00 AM
Collection Time:
Client Sample ID: 093820-SS219
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	10.6	0		wt%	1	2/11/2010

Lab ID: 1002020-20
Collection Date: 2/8/2010 9:36:00 AM
Collection Time:
Client Sample ID: 093820-SS220
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	12.8	0		wt%	1	2/11/2010

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport
Lab Order: 1002020

Lab ID: 1002020-21
Client Sample ID: 093820-SS221
Collection Date: 2/8/2010 9:48:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	10.6	0		wt%	1	2/11/2010

Lab ID: 1002020-22
Client Sample ID: 093820-SS222
Collection Date: 2/8/2010 9:53:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	9.8	0		wt%	1	2/11/2010

Lab ID: 1002020-23
Client Sample ID: 093820-SS223
Collection Date: 2/8/2010 9:59:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	11.5	0		wt%	1	2/11/2010

Lab ID: 1002020-24
Client Sample ID: 093820-SS224
Collection Date: 2/8/2010 10:05:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	12.1	0		wt%	1	2/11/2010

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport

Lab Order: 1002020

Lab ID: 1002020-25
Collection Date: 2/8/2010 10:20:00 AM
Collection Time:
Client Sample ID: 093820-SS225
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	7.6	0		wt%	1	2/11/2010

Lab ID: 1002020-26
Collection Date: 2/8/2010 10:27:00 AM
Collection Time:
Client Sample ID: 093820-SS226
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	7.3	0		wt%	1	2/11/2010

Lab ID: 1002020-27
Collection Date: 2/8/2010 10:36:00 AM
Collection Time:
Client Sample ID: 093820-SS227
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	7.7	0		wt%	1	2/11/2010

Lab ID: 1002020-28
Collection Date: 2/8/2010 10:40:00 AM
Collection Time:
Client Sample ID: 093820-SS228
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	12.8	0		wt%	1	2/11/2010

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport
Lab Order: 1002020

Lab ID: 1002020-29
Client Sample ID: 093820-SS229
Collection Date: 2/8/2010 10:48:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	14.8	0		wt%	1	2/11/2010

Lab ID: 1002020-30
Client Sample ID: 093820-SS230
Collection Date: 2/8/2010 11:00:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	13.3	0		wt%	1	2/11/2010

Lab ID: 1002020-31
Client Sample ID: 093820-SS231
Collection Date: 2/8/2010 11:04:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	12.6	0		wt%	1	2/11/2010

Lab ID: 1002020-32
Client Sample ID: 093820-SS232
Collection Date: 2/8/2010 11:10:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	9.7	0		wt%	1	2/11/2010

AMRO Environmental Laboratories Corp.

Date: *17-Feb-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-0 Former Canton Airport

Lab Order: 1002020

Lab ID: 1002020-33
Client Sample ID: 093820-SS233
Collection Date: 2/8/2010 11:12:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	27.5	0		wt%	1	2/11/2010

Lab ID: 1002020-34
Client Sample ID: 093820-SS234
Collection Date: 2/8/2010 11:15:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	25.2	0		wt%	1	2/11/2010

Lab ID: 1002020-35
Client Sample ID: 093820-SS235
Collection Date: 2/8/2010 11:18:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	14.5	0		wt%	1	2/11/2010

Lab ID: 1002020-36
Client Sample ID: 093820-SS236
Collection Date: 2/8/2010 11:20:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: CB
Percent Moisture	11.1	0		wt%	1	2/11/2010