REF. DWG NO. 500-0007 REV. A 1594

DAILY LOG

DAY	DATE	TIME	CAUSTIC LEVEL	FLOC. LEVEL	pH READING PROCESS MONITOR	pH READING OUTPUT MONITOR	pH PAPER PROCESS MONITOR	pH PAPER OUTPUT MONITOR	FLOWMETER	CYCLES	TEMP F° LARGE TANK	TEMP F° SMALL TANK	TEMP F° OAKITE TANK	REVETMENT LARGE RINSE	REVETMENT LARGE ACID	REVETMENT SMALL TANKS	COMMENTS,PROBLEMS,& REMARKS (W/O#)
MONDAY	11/28	7 AM	13.1	15		9.74	–	–	1570	58	86	Ex	65				
		3 PM	12.3	5	10.35	9.91	–	–	1074	32	84	87	126				
		11PM	12.0	1	10.03	10.27	–	–	1796	61	83	92	110				
TUESDAY	11/29	7 AM	12.0	1	9.92	10.15	–	–	1796	62	83	103	140				
		3 PM	11.2	1	9.63	10.29	–	–	338	2	82	105	124				
		11PM	10.9	13	10.69	10.21	–	–	1133	31	81	106	112				
WEDNESDAY	11/30	7 AM	11.0	13	10.76	10.07	–	–	1133	31	82	110	120				
		3 PM	10.4	11	9.61	10.10	–	–	373	27	81	121	121				
		11PM	9.7	8	9.99	10.24	–	–	1189	69	81	107	118				
THURSDAY	12/1	7 AM	9.6	8	10.70	10.17	–	–	1189	73	81	112	136				
		3 PM	9.2	6	10.00	10.07	–	–	162	24	80	118	124				
		11PM	7.9	1	9.91	10.14	–	–	1280	81	79	114	123				
FRIDAY	12/2	7 AM	7.9	1		10.01	–	–	1280	84	80	116	119				
		3 PM	7.2	0	10.35	9.95	–	–	591	36	80	114	117				Made Floc - 3pm
		11PM	6.8	13	9.74	10.29	–	–	1358	57	79	113	118				
SATURDAY																	
SUNDAY																	

AKC-0004085

REF. DWG NO. 500-0007 REV. A 1594

DAILY LOG

DAY	DATE	TIME	CAUSTIC LEVEL	FLOC. LEVEL	pH READING PROCESS MONITOR	pH READING OUTPUT MONITOR	pH PAPER PROCESS MONITOR	pH PAPER OUTPUT MONITOR	FLOWMETER	CYCLES	TEMP F° LARGE TANK	TEMP F° SMALL TANK	TEMP F° OAKITE TANK	REVETMENT LARGE RINSE	REVETMENT LARGE ACID	REVETMENT SMALL TANKS	COMMENTS,PROBLEMS,& REMARKS (W/O#)
MONDAY	12/5	7 AM	6.8	14		10.02	–	–	1358	58	80	117	87				
		3 PM	6.3	9	9.51	10.41	–	–	1423	39	80	113	103				
		11PM	5.3	5	9.71	10.33	–	–	2387	101	79	110	124				
TUESDAY	12/6	7 AM	5.3	5	9.08	10.29	–	–	2387	104	79	110	118				3:30 AM Forgot to Reset flow & Cycles
		3 PM	4.9	1	9.71	10.22	–	–	3197	132	75	99	114				
		11PM	4.5	15	9.94	10.17	–	–	3653	157	70	88	122				Start Acid/Rinse Project
WEDNESDAY	12/7	7 AM	4.5	15	9.82	10.14	–	–	3653 / 1266	103 / 157	–	81	133				541 3653 2387 3266 3653 Acid & Rinse Pumping To PSC
		3 PM	4.0	15	9.13	10.01	–	–	90	5	–	–	114				
		11PM	3.8	15	9.73	9.99	–	–	298	15	–	–	111				
THURSDAY	12/8	7 AM	3.8	15	10.47	9.94	–	–	758	15	–	–	121				
		3 PM	6.8	13	10.23	10.14	–	–	728	0	–	–	118				
		11PM	6.5	12	9.98	10.18	–	–	978	20	–	–	121				
FRIDAY	12/9	7 AM	6.5	13	9.79	10.21	–	–	978	20	–	–	122				
		3 PM	5.2	11	9.80	9.99	–	–	287	0	–	–	–				
		11PM	5.2	10	9.99	10.01	–	–	373	1							
SATURDAY																	
SUNDAY																	

..\WOUT\500-0007, 03/04/99

AKC-0004086

REF. DWG NO. 500-0007 REV. A 1594

DAILY LOG

DAY	DATE	TIME	CAUSTIC LEVEL	FLOC. LEVEL	pH READING PROCESS MONITOR	pH READING OUTPUT MONITOR	pH PAPER PROCESS MONITOR	pH PAPER OUTPUT MONITOR	FLOWMETER	CYCLES	TEMP F° LARGE TANK	TEMP F° SMALL TANK	TEMP F° OAKITE TANK	REVETMENT LARGE RINSE	REVETMENT LARGE ACID	REVETMENT SMALL TANKS	COMMENTS,PROBLEMS,& REMARKS (W/O#)
MONDAY	12/12	7 AM	11	5.2	10.11	9.79	—	—	464	15	—	—	—				
		3 PM															
		11PM															
TUESDAY	12/13	7 AM	11	5.2	10.11	9.79	—	—	464	15	—	—	—				
		3 PM															
		11PM															
WEDNESDAY	12/14	7 AM															
		3 PM	5.2	11	10.80	9.59	—	—	0	0	—	71	48				
		11PM	5.2	10	10.18	9.71	—	—	186	0	—	81	107				
THURSDAY	12/15	7 AM	5.2	10	9.96	9.57	—	—	186	0	43	97	113				
		3 PM	5.2	11	11.94	9.80	—	—	448	11	45	91	133				
		11PM	5.3	2?	10.82	10.82	—	—	1269	11	46	99	118				
FRIDAY	12/16	7 AM	5.3?	2	10.83	10.60	—	—	1269	11	46	106	107				
		3 PM	5.3	2	10.73	10.65	—	—	223	0	49	107	122				
		11PM	5.2	16	9.78	10.78	—	—	898	6	45	109	118				
SATURDAY																	
SUNDAY																	

..\WOUT\500-0007, 03/04/99

AKC-0004087

10708-MKB-69242/3200

REF. DWG NO. 500-0007 REV. A 1594

DAILY LOG

DAY	DATE	TIME	CAUSTIC LEVEL	FLOC. LEVEL	pH READING PROCESS MONITOR	pH READING OUTPUT MONITOR	pH PAPER PROCESS MONITOR	pH PAPER OUTPUT MONITOR	FLOWMETER	CYCLES	TEMP F° LARGE TANK	TEMP F° SMALL TANK	TEMP F° OAKITE TANK	REVETMENT LARGE RINSE	REVETMENT LARGE ACID	REVETMENT SMALL TANKS	COMMENTS, PROBLEMS, & REMARKS (W/O#)
MONDAY	12/19	7 AM	5.2	16	9.88	10.50	—	—	898	7	46	115	122				Forgot to Reset Flow & cycles
		3 PM	5.2	16	11.50	10.33	—	—	1293	7	48	107	120				
		11PM	5.2	13	9.85	10.56	—	—	1887	17	46	111	118				
TUESDAY	12/20	7 AM	5.0	13	10.19	10.45	—	—	1887	20	46	113	106				1887 × 898 = 989
		3 PM	5.0	13	11.10	10.40	—	—	318	11	49	108	126				
		11PM	4.7	10	11.20	10.43	—	—	676	23	46	108	122				
WEDNESDAY	12/21	7 AM	4.8	10	10.80	10.40	—	—	676	23	47	107	121				
		3 PM	4.3	10	10.08	10.25	—	—	559	19	122	106	126				
		11PM	4.0	8	10.43	10.74	—	—	1279	19	121	104	118				
THURSDAY	12/22	7 AM	4.0	8	11.09	10.66	—	—	1279	19	126	103	106				
		3 PM	4.0	5.5	10.99	11.19	—	—	554	0	128	104	125				
		11PM	4.0	5	11.01	11.19	—	—	789	0	126	110	118				
FRIDAY	12/23	7 AM															Holiday
		3 PM															
		11PM															
SATURDAY																	Week-End
SUNDAY																	

\WOUT\500-0007, 03/04/99

AKC-0004089

REF. DWG NO. 500-0007 REV. A 1594

DAILY LOG

DAY	DATE	TIME	CAUSTIC LEVEL	FLOC. LEVEL	pH READING PROCESS MONITOR	pH READING OUTPUT MONITOR	pH PAPER PROCESS MONITOR	pH PAPER OUTPUT MONITOR	FLOWMETER	CYCLES	TEMP F° LARGE TANK	TEMP F° SMALL TANK	TEMP F° DAKITE TANK	REVETMENT LARGE RINSE	REVETMENT LARGE ACID	REVETMENT SMALL TANKS	COMMENTS,PROBLEMS,& REMARKS (W/O#)
MONDAY	12/26	7 AM															Holiday
		3 PM															
		11PM															
TUESDAY	12/27	7 AM	4.0	5	11.55	10.60	–	–	785	Ø	127	112	55				
		3 PM	4.0	1	9.74	10.75	–	–	962	0	121	120	78				
		11PM	3.7	15	10.27	10.70	–	–	1645	13	125	120	133				
WEDNESDAY	12/28	7 AM	3.7	15	10.50	10.57	–	–	~~1645~~	13	130	120	114				Forgot to Reset Flow
		3 PM	3.6	15	9.77	10.60	–	–	160	Ø	124	124	125				1645 785 860
		11PM	3.6	9	9.63	10.47	–	–	1099	6	115	110	118				
THURSDAY	12/29	7 AM	3.4	9	11.92	10.78	–	–	1055	5	117	112	111				
		3 PM	3.4	5	10.26	10.47	–	–	623	0	124	126	128				
		11PM	3.4	16	11.03	10.64	–	–	1144	7	117	121	125				
FRIDAY	12/30	7 AM	3.4	16	10.96	10.51	–	–	1144	7	119	118	108				
		3 PM	3.4	13	11.40	10.59	–	–	667	~~19~~ 0	119	~~119~~ 119	123				
		11PM	3.4	10	11.02	11.19	–	–	1481	1	123	115	118				
SATURDAY																	
SUNDAY																	

\WOUT\500-0007, 03/04/99

AKC-0004090