REF. DWG NO. 500-0007 REV. A 1594

DAILY LOG

DAY	DATE	TIME	CAUSTIC LEVEL	FLOC. LEVEL	pH READING PROCESS MONITOR	pH READING OUTPUT MONITOR	pH PAPER PROCESS MONITOR	pH PAPER OUTPUT MONITOR	FLOWMETER	CYCLES	TEMP F° LARGE TANK	TEMP F° SMALL TANK	TEMP F° DAKITE TANK	REVETMENT LARGE RINSE	REVETMENT LARGE ACID	REVETMENT SMALL TANKS	COMMENTS,PROBLEMS,& REMARKS (W/O#)
MONDAY	7/18	7 AM	7.5	7	10.59	10.28	–	–	1072	51	84	109	96	–	–	–	
		3 PM	7.3	5	10.59	10.29	–	–	372	7	86	126	122				
		11PM	6.9	14	9.81	10.37	–	–	1148	28	88	123	125				
TUESDAY	7/19	7 AM	6.8	14	12.15	10.30	–	–	1148	32	88	126	134				
		3 PM	6.8	13	9.55	10.20	–	–	194	2	90	116	124	–	–	–	
		11PM	6.3	10	11.68	10.73	–	–	1154	20	91	120	118				
WEDNESDAY	7/20	7 AM	6.3	10	11.19	10.63	–	–	1154	20	91	123	118				
		3 PM	5.9	8	11.27	10.54	–	–	624	12	92	118	127				
		11PM	5.3	6	11.60	10.51	–	–	1208	38	94	124	117				
THURSDAY	7/21	7 AM	5.3	6	10.50	10.48	–	–	1208	38	94	125	122				
		3 PM	4.5	5	9.82	10.29	–	–	432	12	95	119	133				
		11PM	3.8	14	10.13	10.72	–	–	1138	45	95	122	120				
FRIDAY	7/22	7 AM	3.8	14	11.56	10.58	–	–	1138	48	94	125	128				
		3 PM	3.8	8	9.82	10.40	–	–	640	7	95	119	125				
		11PM	3.3	5	9.70	10.25	–	–	1531	21	95	123	113				
SATURDAY																	
SUNDAY																	

\WOUT\500-0007, 03/04/99

AKC-0004259

REF. DWG NO. 500-0007 REV. A 1594

DAILY LOG

DAY	DATE	TIME	CAUSTIC LEVEL	FLOC. LEVEL	pH READING PROCESS MONITOR	pH READING OUTPUT MONITOR	pH PAPER PROCESS MONITOR	pH PAPER OUTPUT MONITOR	FLOWMETER	CYCLES	TEMP F° LARGE TANK	TEMP F° SMALL TANK	TEMP F° OAKITE TANK	REVETMENT LARGE RINSE	REVETMENT LARGE ACID	REVETMENT SMALL TANKS	COMMENTS, PROBLEMS, & REMARKS (W/O#)
MONDAY	7-25	7 AM	3.0	5	10.56	9.95	–	–	1531	28	85	110	109				
		3 PM	2.3	1	10.34	10.16	–	–	758	9	87	118	123				
		11PM	2.2	14	10.30	10.15	–	–	1473	31	89	120	119				
TUESDAY	7-26	7 AM	2.2	14	8.80	10.10	–	–	1473	35	90	124	134				
		3 PM	2.0	12	10.55	10.19	–	–	362	7	91	119	125				
		11PM	2.0	10	9.67	10.28	–	–	668	7	93	124	114				
WEDNESDAY	7-27	7 AM	2.0	11	9.82	10.28	–	–	668	10	94	126	122				
		3 PM	2.0	10	10.11	10.23	–	–	367	1	96	122	127				
		11PM	1.5	8	11.46	10.33	–	–	785	17	98	124	117				
THURSDAY	7-28	7 AM	1.5	8	9.84	10.28	–	–	785	17	97	126	119				
		3 PM	1.2	6	11.38	10.18	–	–	381	8	99	120	126				
		11PM	1.2	5	11.64	10.23	–	–	764	14	100	122	117				
FRIDAY	7-29	7 AM	1.2	5	11.41	10.14	–	–	764	14	100	123	119				DIDN'T reset flowmeter
		3 PM	31.7	2	10.13	10.10	–	–	1271	26	101	120	128				
		11PM	31.5	13	9.60	10.40	–	–	2073	50	101	122	118				
SATURDAY																	
SUNDAY																	

AKC-0004260