REF. DWG NO. 500-0007 REV. A 1594

DAILY LOG

DAY	DATE	TIME	CAUSTIC LEVEL	FLOC. LEVEL	pH READING PROCESS MONITOR	pH READING OUTPUT MONITOR	pH PAPER PROCESS MONITOR	pH PAPER OUTPUT MONITOR	FLOWMETER	CYCLES	TEMP F° LARGE TANK	TEMP F° SMALL TANK	TEMP F° OAKITE TANK	REVETMENT LARGE RINSE	REVETMENT LARGE ACID	REVETMENT SMALL TANKS	COMMENTS, PROBLEMS, & REMARKS (W/O#)
MONDAY	June 29 2009	7 AM	11.6	13	10.05	9.94	-	-	856	39	81	72	142				16
		3 PM	11.2	12	10.41	9.94	-	-	406	13	105	99	125				
		11PM	11.2	10	11.83	9.92	-	-	931	21	104	96	110				
TUESDAY	June 30 2009	7 AM	10.7	10	11.32	9.90	-	-	932	30	106	93	138				16
		3 PM	10.7	8	9.52	9.89	-	-	615	8	122	109	114				
		11PM	10.7	18	10.45	9.86	-	-	1381	20	122	117	102				
WEDNESDAY	July 1 2009	7 AM	10.6	18	9.91	9.86	-	-	1381	20	113	103	133				7:00 Am; key missing
		3 PM	10.2	17	9.66	9.91	-	-	198	21	107	94	115				
		11PM	10.2	16	9.99	9.95	-	-	393	31	103	91	104				16
THURSDAY	July 2 2009	7 AM	~~10.0~~	OFF	ALL	DAY											64
		3 PM	10.0	16	9.91	9.99			393	44	95	86	118				Reset Flow cycles
		11PM	9.8	13	10.54	9.99	-	-	524	14	114	111	105				16
FRIDAY	July 3 2009	7 AM															
		3 PM															
		11PM															
SATURDAY																	
SUNDAY																	

AKC-0005524

\WOUT\500-0007, 03/04/99

REF. DWG NO. 500-0007 REV. A 1594

DAILY LOG

DAY	DATE	TIME	CAUSTIC LEVEL	FLOC. LEVEL	pH READING PROCESS MONITOR	pH READING OUTPUT MONITOR	pH PAPER PROCESS MONITOR	pH PAPER OUTPUT MONITOR	FLOWMETER	CYCLES	TEMP F° LARGE TANK	TEMP F° SMALL TANK	TEMP F° OAKITE TANK	REVETMENT LARGE RINSE	REVETMENT LARGE ACID	REVETMENT SMALL TANKS	COMMENTS,PROBLEMS,& REMARKS (W/O#)
MONDAY	July 6 2009	7 AM	9.9	13	9.91	9.80	-	-	824	14	85	76	139				16
		3 PM	9.9	13	9.56	9.76	-	-	169	6	108	96	115				
		11PM	9.9	10	9.77	9.70	-	-	977	18	123	121	103				
TUESDAY	July 7 2009	7 AM	9.3	10	9.64	9.69	-	-	977	18	114	104	131				16
		3 PM	9.4	8	9.82	9.69	-	-	441	17	126	113	116				
		11PM	9.4	5	11.09	9.66	-	-	860	28	122	127	104				
WEDNESDAY	July 8 2009	7 AM	9.3	5	10.23	9.66	-	-	860	28	115	112	132				16
		3 PM	8.9	14	9.55	9.65	-	-	411	28	126	127	124				
		11PM	8.4	14	9.54	9.64	-	-	1024	42	120	126	111				
THURSDAY	July 10 2009	7 AM	8.4	16	10.71	9.64	-	-	1024	45	113	111	133				64
		3 PM	8.1	13	9.56	9.63	-	-	662	6	127	123	113				
		11PM	8.1	10	10.32	9.63	-	-	1112	13	119	118	104				16
FRIDAY	July 11 2009	7 AM	8.1	10	9.52	9.66	-	-	1112	13	113	109	131				16
		3 PM	7.9	9	9.95	9.69	-	-	284	1	127	125	113				
		11PM	7.8	8	9.69	9.69	-	-	734	6	121	123	103				FLOWING
SATURDAY																	
SUNDAY																	

..\WOUT\500-0007, 03/04/99

AKC-0005525

REF. DWG NO. 500-0007 REV. A 1594

DAILY LOG

DAY	DATE	TIME	CAUSTIC LEVEL	FLOC. LEVEL	pH READING PROCESS MONITOR	pH READING OUTPUT MONITOR	pH PAPER PROCESS MONITOR	pH PAPER OUTPUT MONITOR	FLOWMETER	CYCLES	TEMP F° LARGE TANK	TEMP F° SMALL TANK	TEMP F° OAKITE TANK	REVETMENT LARGE RINSE	REVETMENT LARGE ACID	REVETMENT SMALL TANKS	COMMENTS,PROBLEMS,& REMARKS (W/O#)
MONDAY	July 13 2009	7 AM	7.9	7	9.82	9.73	-	-	880	7	90	87	142				16
		3 PM	7.9	19	10.22	9.71	-	-	401	15	115	116	115				
		11PM	7.9	18	9.86	9.69	-	-	653	15	127	122	109				
TUESDAY	July 14 2009	7 AM	7.9	18	9.62	9.68	-	-	653	15	117	107	133				16
		3 PM	7.9	17	9.95	9.65	-	-	264	18	113	97	113				
		11PM	7.9	15	9.85	9.64	-	-	644	19	127	119	101				
WEDNESDAY	July 15 2009	7 AM	7.9	15	9.66	9.64	-	-	644	19	116	104	132				14
		3 PM	7.3	9	9.92	9.63	-	-	600	21	126	121	112				
		11PM	7.4	5	9.73	9.69	-	-	1083	45	123	128	103				14
THURSDAY	July 16 2009	7 AM	7.4	4	9.55	9.65	-	-	1083	51	118	108	133				14
		3 PM	7.1	18	9.95	9.67	-	-	677	13	125	128	114				
		11PM	6.9	17	10.39	9.68	-	-	920	21	123	126	104				
FRIDAY	July 17 2009	7 AM	6.9	17	9.90	9.68	-	-	1086	21	116	113	134				14
		3 PM	6.9	15	10.39	9.60	-	-	203	20	126	128	116				
		11PM	6.9	9	9.84	9.70	-	-	203	41	120	124	105				
SATURDAY																	
SUNDAY																	

AKC-0005526

\WOUT\500-0007, 03/04/99

REF. DWG NO. 500-0007 REV. A 1594

DAILY LOG

DAY	DATE	TIME	CAUSTIC LEVEL	FLOC. LEVEL	pH READING PROCESS MONITOR	pH READING OUTPUT MONITOR	pH PAPER PROCESS MONITOR	pH PAPER OUTPUT MONITOR	FLOWMETER	CYCLES	TEMP F° LARGE TANK	TEMP F° SMALL TANK	TEMP F° OAKITE TANK	REVETMENT LARGE RINSE	REVETMENT LARGE ACID	REVETMENT SMALL TANKS	COMMENTS, PROBLEMS, & REMARKS (W/O#)
MONDAY	July 20 2009	7 AM	6.6	8	9.67	9.65	-	-	203	42	91	87	133				Red light warning on at 7:00 a.m. corrected by 7:40 when values were recorded.
		3 PM	6.6	6	10.01	9.61	-	-	478	3	105	105	116				14
		11PM	6.3	5	10.44	9.57	-	-	1268	42	126	127	104				FLOWING AT SHUTDOWN
TUESDAY	July 21 2009	7 AM	6.4	5	10.49	9.56	-	-	1297	43	119	110	138				64
		3 PM	6.3	20	9.66	9.57	-	-	000	3	123	123	114				
		11PM	6.3	18	10.15	9.55	-	-	404	10	119	127	104				14
WEDNESDAY	July 22 2009	7 AM	6.4	15	9.96	9.57	-	-	404	10	111	112	147				14
		3 PM	5.8	13	11.49	9.58	-	-	272	19	124	120	129				
		11PM	5.8	8	9.73	9.58	-	-	1288	28	127	125	109				
THURSDAY	July 23 2009	7 AM	5.8	8	9.57	9.59	-	-	1288	29	118	109	139				16
		3 PM	5.8	6	9.65	9.63	-	-	425	3	124	126	121				
		11PM	5.8	3	9.69	9.67	-	-	600	12	119	126	108				
FRIDAY	July 24 2009	7 AM	5.8	3	9.77	9.71	-	-	600	14	112	111	139				14
		3 PM	5.8	18	10.01	9.74	-	-	577	3	127	123	121				
		11PM	5.6	16	9.72	9.76	-	-	992	9	125	123	107				
SATURDAY									[redacted]	[redacted]							
SUNDAY																	

..\WOUT\500-0007, 03/04/99

AKC-0005527

REF. DWG NO. 500-0007 REV. A 1594

DAILY LOG

DAY	DATE	TIME	CAUSTIC LEVEL	FLOC. LEVEL	pH READING PROCESS MONITOR	pH READING OUTPUT MONITOR	pH PAPER PROCESS MONITOR	pH PAPER OUTPUT MONITOR	FLOWMETER	CYCLES	TEMP F° LARGE TANK	TEMP F° SMALL TANK	TEMP F° OAKITE TANK	REVETMENT LARGE RINSE	REVETMENT LARGE ACID	REVETMENT SMALL TANKS	COMMENTS, PROBLEMS, & REMARKS (W/O#)
MONDAY	July 27 2009	7 AM	5.6	15	9.5	9.7	-	-	992	11	88	84	85				Power was off? Steam generator not turned on till 730
		3 PM	5.2	15	9.47	9.68	-	-	164	14	114	115	119				
		11PM	5.0	11	9.67	9.61	-	-	746	38	127	119	108				16
TUESDAY	July 28 2009	7 AM	5.0	11	9.52	9.60	-	-	746	42	119	124	138				16
		3 PM	4.7	7	9.60	9.56	-	.	908	29	124	123	120				
		11PM	4.2	3	9.68	9.58	-	-	1264	64	123	119	108				
WEDNESDAY	July 29 2009	7 AM	4.2	3	9.68	9.64	-	-	1264	68	119	110	140				16
		3 PM	3.7	14	10.30	9.68	-	-	77	45	125	125	119				
		11PM	3.7	12	9.56	9.69			1013	73	122	128	109				
THURSDAY	July 30 2009	7 AM	3.7	12	9.88	9.72	-	-	1013	76	117	116	141				16
		3 PM	3.2	12	9.73	9.68	-	-	620	24	127	127	119				
		11PM	2.7	9	10.56	9.66	-	-	1128	74	122	119	107				
FRIDAY	July 31 2009	7 AM	2.7	9	9.61	9.68	-	-	1128	74	116	112	139				64
		3 PM	2.7	15	9.73	9.67	-	-	634	12	125	120	121				
		11PM	2.2	15	9.52	9.73			634	47	119	119	107				16
SATURDAY																	
SUNDAY																	

\WOUT\500-0007, 03/04/99

AKC-0005528