REF. DWG NO. 500-0007 REV. A 1594

DAILY LOG

DAY	DATE	TIME	CAUSTIC LEVEL	FLOC. LEVEL	pH READING PROCESS MONITOR	pH READING OUTPUT MONITOR	pH PAPER PROCESS MONITOR	pH PAPER OUTPUT MONITOR	FLOWMETER	CYCLES	TEMP F° LARGE TANK	TEMP F° SMALL TANK	TEMP F° OAKITE TANK	REVETMENT LARGE RINSE	REVETMENT LARGE ACID	REVETMENT SMALL TANKS	COMMENTS,PROBLEMS,& REMARKS (W/O#)
MONDAY	6/28	7 AM	28.0	5	9.88	9.81	–	–	1420	116	126	125	80				
		3 PM	27.7	19	10.13	9.87	–	–	1223	15	124	121	114				
		11PM	27.2	17	10.66	10.15	–	–	2202	64	121	121	98				
TUESDAY	6/29	7 AM	26.9	16	10.66	10.13	–	–	2202	65	116	122	127				
		3 PM	26.4	15	10.52	10.4	–	–	748	3	123	122	123				
		11PM	25.6	13	9.89	10.28	–	–	1835	62	123	128	106				
WEDNESDAY	6/30	7 AM	25.7	13	9.56	10.68	–	–	2082	71	120	117	126				
		3 PM	24.8	12	11.28	10.25	–	–	305	1?	126	128	125				
		11PM	23.8	10	10.57	10.59	–	–	1545	49	120	128	108				
THURSDAY	7/1	7 AM	23.8	10	9.75	10.41	–	–	1545	55	121	120	125				
		3 PM	23.3	6	9.56	9.83	–	–	1603	13	127	125	127				
		11PM	22.5	4		9.90	–	–	2678	77	121	121	109				
FRIDAY	7/2	7 AM	22.5	4	10.56	9.82	–	–	2678	78	118	113	126				
		3 PM	21.5	18	9.88	10.08	–	–	792	13	122	120	125				
		11PM	21.0	15	11.30	10.12	–	–	1807	71	128	120	109				
SATURDAY																	
SUNDAY																	

\WOUT\500-0007, 03/04/99

AKC-00082

REF. DWG NO. 500-0007 REV. A 1594

DAILY LOG

DAY	DATE	TIME	CAUSTIC LEVEL	FLOC. LEVEL	pH READING PROCESS MONITOR	pH READING OUTPUT MONITOR	pH PAPER PROCESS MONITOR	pH PAPER OUTPUT MONITOR	FLOWMETER	CYCLES	TEMP F° LARGE TANK	TEMP F° SMALL TANK	TEMP F° OAKITE TANK	REVETMENT LARGE RINSE	REVETMENT LARGE ACID	REVETMENT SMALL TANKS	COMMENTS, PROBLEMS, & REMARKS (W/O#)
MONDAY	7/5	7 AM															Holiday
		3 PM															
		11PM															
TUESDAY	7/6	7 AM	21.0	15	9.88	9.54	—	—	1887	74	115	113	74				
		3 PM	20.4	12	10.52	10.14	—	—	1230	9	119	127	113				
		11PM	19.9	8	10.93	10.15	—	—	2272	69	125	121	95				
WEDNESDAY	7/7	7 AM	19.8	8	9.81	10.0	—	—	2272	69	117	114	86				
		3 PM	19.5	6	11.23	10.21	—	—	935	33	122	128	98				
		11PM	18.5	3	11.04	10.33	—	—	1680	87	119	126	100				
THURSDAY	7/8	7 AM	17.8	3	9.84	10.19	—	—	1680	98	118	114	108				
		3 PM	17.0	14	9.79	10.20	—	—	1135	34	107	122	129				
		11PM	16.3	12		10.08	—	—	2323	97	119	127	113				
FRIDAY	7/9	7 AM	15.8	12	11.03	10.04	—	—	2329	105	120	118	119				
		3 PM	15.7	9	9.53	10.28	—	—	940	16	123	120	129				
		11PM	14.9	7	9.88	10.48	—	—	2275	0?	122	122	112				
SATURDAY																	
SUNDAY																	

\WOUT\500-0007 03/04/99

AKC-00082

REF. DWG NO. 500-0007 REV. A 1594

DAILY LOG

DAY	DATE	TIME	CAUSTIC LEVEL	FLOC. LEVEL	pH READING PROCESS MONITOR	pH READING OUTPUT MONITOR	pH PAPER PROCESS MONITOR	pH PAPER OUTPUT MONITOR	FLOWMETER	CYCLES	TEMP F° LARGE TANK	TEMP F° SMALL TANK	TEMP F° OAKITE TANK	REVETMENT LARGE RINSE	REVETMENT LARGE ACID	REVETMENT SMALL TANKS	COMMENTS, PROBLEMS, & REMARKS (W/O#)
MONDAY	7/12	7 AM	14.9	7	9.67	10.16	—	—	2275	Ø	123	125	99				
		3 PM	14.1	5	11.31	10.44	—	—	1143	Ø?	117	125	130				
		11PM	13.3	3	10.82	10.42	—	—	2028	47	125	128	114				
TUESDAY	7/13	7 AM	12.8	3	10.33	10.33	—	—	2028	62	116	117	119				
		3 PM	12.3	14	10.11	9.76	—	—	1476	9	128	118	128				
		11PM	11.6	13	10.87	10.18	—	—	2464	Ø?	120	122	113				
WEDNESDAY	7/14	7 AM	11.3	13	11.58	10.17	—	—	2464	0?	119	113	119				
		3 PM	10.8	10		10.39	—	—	1056	?	126	121	124				
		11PM	10.0	8	10.03	10.01	—	—	1994	54	122	126	110				
THURSDAY	7/15	7 AM	9.5	8	12.03	9.94	—	—	1994	63	121	117	100				
		3 PM	9.0	5	9.85	10.05	—	—	1151	19	124	123	95				
		11PM	8.2	16	10.95	9.78	—	—	2506	98	117	115	89				
FRIDAY	7/16	7 AM	7.9	16	11.75	9.71	—	—	2506	114	112	119	85				
		3 PM	6.9	13	11.25	10.52	—	—	1372	18	121	126	121				
		11PM	5.9	8	11.91	10.43	—	—	2833	120	126	124	119				
SATURDAY																	
SUNDAY																	

\WOUT\500-0007, 03/04/99

AKC-000824

REF. DWG NO. 500-0007 REV. A 1594

DAILY LOG

DAY	DATE	TIME	CAUSTIC LEVEL	FLOC. LEVEL	pH READING PROCESS MONITOR	pH READING OUTPUT MONITOR	pH PAPER PROCESS MONITOR	pH PAPER OUTPUT MONITOR	FLOWMETER	CYCLES	TEMP F° LARGE TANK	TEMP F° SMALL TANK	TEMP F° OAKITE TANK	REVETMENT LARGE RINSE	REVETMENT LARGE ACID	REVETMENT SMALL TANKS	COMMENTS, PROBLEMS, & REMARKS (W/D#)
MONDAY	7/19	7 AM	5.4	9	11.95	9.92	–	–	2833	120	124	128	105				
		3 PM	5.0	20	10.20	10.68	–	–	1249	15	121	125	130				
		11PM	3.8	17	11.53	10.65	–	–	2127	143	120	125	113				
TUESDAY	7/20	7 AM	3.8	17	11.36	10.51	–	–	2127	143	[illegible]	118	110				
		3 PM	3.3	15	11.97	10.29	–	–	258	12	121	124	126				
		11PM	2.5	14		10.54	–	–	1182	1?	120	121	118				
WEDNESDAY	7/21	7 AM	2.5	14	11.84	10.56	–	–	1182	0?	113	117	114				
		3 PM	1.7	13	10.15	10.80	–	–		26	121	Exc	125				
		11PM	0.7	10	10.30	11.09	–	–	1641	113	127	122	117				
THURSDAY	7/22	7 AM	2.3	10	12.00	10.55	–	–	1641	113	122	115	109				
		3 PM	1.7	7	11.28	10.81	–	–	855	1?	124	124	125				
		11PM	1.2	5	10.03	10.86	–	–	1850	78	121	122	117				
FRIDAY	7/23	7 AM	1.2	5	11.79	10.68	–	–	1850	78	116	116	108				
		3 PM	30.1	18	10.01	10.98	–	–	444	21	109	110	127				
		11PM	28.8	15	11.57	10.34	–	–	1658	61	128	119	118				
SATURDAY																	
SUNDAY																	

\WOUT\500-0007, 03/04/99

AKC-00082

REF. DWG NO. 500-0007 REV. A 1594

DAILY LOG

DAY	DATE	TIME	CAUSTIC LEVEL	FLOC. LEVEL	pH READING PROCESS MONITOR	pH READING OUTPUT MONITOR	pH PAPER PROCESS MONITOR	pH PAPER OUTPUT MONITOR	FLOWMETER	CYCLES	TEMP F° LARGE TANK	TEMP F° SMALL TANK	TEMP F° OAKITE TANK	REVETMENT LARGE RINSE	REVETMENT LARGE ACID	REVETMENT SMALL TANKS	COMMENTS,PROBLEMS,& REMARKS (W/O#)
MONDAY	7/26	7 AM	29.2	15	9.57	10.01	–	–	1720	61	123	113	88				
		3 PM	28.9	14	10.52	10.30	–	–	701	26	127	121	132				
		11PM	28.3	12	11.03	10.29	–	–	1539	52	121	123	117				
TUESDAY	7/27	7 AM	28.4	12	9.75	10.19	–	–	1539	60	120	120	108				
		3 PM	27.3	9	10.01	9.94	–	–	1403	8	125	122	125				
		11PM	26.8	7	11.04	10.58	–	–	2408	89	122	122	122				
WEDNESDAY	7/28	7 AM	26.9	7	11.08	10.83	–	–	2505	2	114	120	109				
		3 PM	26.2	5	11.66	10.82	–	–	429	24	127	119	125				
		11PM	25.5	18	9.86	11.01	–	–	1790	65	118	122	123				
THURSDAY	7/29	7 AM	25.6	18	9.89	10.98	–	–	2030	68	118	115	121				
		3 PM	24.8	15	10.05	10.60	–	–	812	32	123	122	132				
		11PM	24.3	14	10.92	10.18	–	–	1568	86	124	128	116				
FRIDAY	7/30	7 AM	24.0	14	10.53	10.25	–	–	1668	95	122	116	117				
		3 PM	24.0	10	9.54	10.46	–	–	459	10	126	115	122				
		11PM	23.5	7	11.18	10.48	–	–	1134	34	120	120	121				
SATURDAY																	
SUNDAY																	

\WOUT\500-0007, 03/04/99

AKC-0008244