DAILY LOG

REF. DWG NO. 500-0007 REV. B

DAY / DATE	TIME	CAUSTIC LEVEL	FLOC. LEVEL	pH READING: PROCESS MONITOR	pH READING: OUTPUT MONITOR	pH PAPER: PROCESS MONITOR	pH PAPER: OUTPUT MONITOR	FLOWMETER	CYCLES	TEMP F°: LARGE TANK	TEMP F°: SMALL TANK	TEMP F°: OAKITE TANK	REVETMENT: LARGE RINSE	REVETMENT: LARGE ACID	REVETMENT: SMALL TANK	COMMENTS, PROBLEMS, & REMARKS (W/O#)
MONDAY 9/3	11PM															Labor day
	3 PM															
	7 AM	20.9	5	9.88	10.01	—	—	1654	65	114	116	74				
TUESDAY 9/4	7 AM	20.9	5	9.88	10.01	—	—	1654	65	114	116	74				
	3 PM	20.9	15	10.14	9.99	—	—	548	13	124	124	75				
	11PM	20.4	14	9.65	9.64	—	—	1164	37	118	113	109				
WEDNESDAY 9/5	7 AM	20.4	14	12.19	9.94	—	—	1158	95	113	106	127				
	3 PM	20.4	13	9.81	9.90	—	—	415	8	124	124	122				
	11PM	20.4	12	9.49	10.16	—	—	1105	24	121	122	112				
THURSDAY 9/6	7 AM	19.5	7	10.11	10.17	—	—	1105	80	113	121	126				
	3 PM	19.4	20	9.92	10.12	—	—	476	9	122	123	127				
	11PM	19.1	19	11.03	10.38	—	—	811	41	114	114	114				
FRIDAY 9/7	7 AM	19.0	19	9.92	10.41	—	—	900	42	105	108	126				
	3 PM	18.8	15	9.69	10.54	—	—	357	32	119	122	128				
	11PM	18.3	9	10.34	10.34	—	—	1300	58	119	122	116				
SATURDAY																
SUNDAY																

REF. DWG NO. 500-0007 REV. H 1994

DAILY LOG

DAY	DATE	TIME	CAUSTIC LEVEL	FLOC. LEVEL	pH READING		pH PAPER		FLOWMETER	CYCLES	TEMP F°			REVETMENT			COMMENTS, PROBLEMS, & REMARKS (W/O#)
					PROCESS MONITOR	OUTPUT MONITOR	PROCESS MONITOR	OUTPUT MONITOR			LARGE TANK	SMALL TANK	OAKITE TANK	LARGE RINSE	LARGE ACID	SMALL TANKS	
MONDAY	9/10	7 AM	18.3	13	11.75	10.16	–	–	1592	60	119	124	92				
		3 PM	18.3	13	9.96	10.14	–	–	414	16	123	123	128				
		11PM	17.3	11	9.78	10.41	–	–	1228	58	127	122	127				
TUESDAY	9/11	7 AM	17.3	10	11.99	10.35	–	–	1437	72	120	124	130				
		3 PM	17.3	8	9.99	10.28	–	–	374	14	126	120	128				
		11PM	17.0	6	9.79	10.22	–	–	956	49	128	123	116				
WEDNESDAY	9/12	7 AM	17.0	6	9.95	10.20	–	–	956	52	119	121	128				
		3 PM	16.7	20	9.91	10.28	–	–	774	20	123	120	126				
		11PM			9.71	10.22	–	–	1474	52	123	122	118				
THURSDAY	9/13	7 AM	15.7	18	9.72	10.21	–	–	1474	65	121	122	128				
		3 PM	15.7	12	9.67	10.09	–	–	521	21	124	121	122				
		11PM	14.9	15	9.74	10.04	–	–	1255	82	129	129	118				
FRIDAY	9/14	7 AM	14.9	15	10.17	10.00	–	–	1255	85	119	126	126				
		3 PM	14.4	14	10.64	10.09	–	–	636	40	128	128	130				
		11PM	13.8	12	10.44	10.28	–	–	1219	80	119	127	118				
SATURDAY																	
SUNDAY																	

...\WOUT\500-0007, 03/04/99

AKC-0009552

REF. DWG NO. 500-0007 REV. H 1997

DAILY LOG

DAY	DATE	TIME	CAUSTIC LEVEL	FLOC. LEVEL	pH READING		pH PAPER		FLOWMETER	CYCLES	TEMP F°			REVETMENT			COMMENTS, PROBLEMS, & REMARKS (W/O#)
					PROCESS MONITOR	OUTPUT MONITOR	PROCESS MONITOR	OUTPUT MONITOR			LARGE TANK	SMALL TANK	OAKITE TANK	LARGE RINSE	LARGE ACID	SMALL TANKS	
MONDAY	9/13	7 AM	13.9	13	9.67	10.13	—	—	1215	93	119	129	99				
		3 PM	13.3	9	10.03	10.06	—	—	1016	23	127	120	127				
		11PM	12.8	8	10.52	10.24	—	—	1637	70	124	124	127				
TUESDAY	9/14	7 AM	12.8	7	9.85	10.30	—	—	1999	78	121	115	129				
		3 PM	12.3	4	10.19	10.38	—	—	384	24	127	131	130				
		11PM	11.3	15	10.03	10.13	—	—	1131	80	126	121	113				
WEDNESDAY	9/15	7 AM	11.3	15	9.86	10.12	—	—	1588	92	121	128	126				
		3 PM	10.7	14	9.75	10.10	—	—	334	27	124	125	127				
		11PM	10.5	10	10.37	9.95	—	—	910	63	124	119	117				
THURSDAY	9/16	7 AM	9.9	11	9.60	10.00	—	—	1053	68	120	121	122				
		3 PM	9.4	8	9.78	10.04	—	—	732	46	119	124	129				
		11PM	9.1	7	10.96	10.11	—	—	1499	88	127	128	117				
FRIDAY	9/17	7 AM	9.1	7	10.19	10.11	—	—	1625	91	118	119	128				
		3 PM	8.3	20	9.67	10.07	—	—	657	50	122	126	125				
		11PM	7.8	12	10.20	10.25	—	—	1485	70	127	130	118				
SATURDAY																	
SUNDAY																	

AKC-0009553

REF. DWG NO. 500-0007 REV. A 1594

DAILY LOG

DAY	DATE	TIME	CAUSTIC LEVEL	FLOC. LEVEL	pH READING		pH PAPER		FLOWMETER	CYCLES	TEMP F°			REVETMENT			COMMENTS, PROBLEMS, & REMARKS (W/O#)
					PROCESS MONITOR	OUTPUT MONITOR	PROCESS MONITOR	OUTPUT MONITOR			LARGE TANK	SMALL TANK	OAKITE TANK	LARGE RINSE	LARGE ACID	SMALL TANKS	
MONDAY	9/24	7 AM	7.8	16	11.74	10.08	—	—	1836	80	117	121	90				
		3 PM	7.5	15	9.61	10.07	—	—	497	19	122	130	128				
		11PM	6.2	13	9.78	10.16	—	—	1269	68	121	130	130				
TUESDAY	9/25	7 AM	6.2	13	10.27	10.14	—	—	1687	87	116	120	128				
		3 PM	5.7	10	10.20	10.21	—	—	969	27	120	120	130				
		11PM	5.5	8	10.99	10.42	—	—	1811	50	128	130	116				
WEDNESDAY	9/26	7 AM	5.2	8	9.51	10.37	—	—	1811	63	118	118	126				
		3 PM	5.2	20	10.25	10.28	—	—	1338	27	122	128	126				
		11PM	3.9	17	10.78	9.99	—	—	2519	63	125	129	116				
THURSDAY	9/27	7 AM	3.9	16	10.02	10.05	—	—	2834	86	117	120	127				
		3 PM	30.0	15	10.66	10.15	—	—	775	26	123	121	126				
		11PM	29.8	13	10.66	10.16	—	—	1239	56	122	120	116				
FRIDAY	9/28	7 AM	29.5	13	9.87	10.14	—	—	1239	67	116	122	128				
		3 PM	29.0	9	9.69	10.04	—	—	1291	35	121	123	126				
		11PM	28.5	7	10.04	10.03	—	—	2333	61	127	121	119				
SATURDAY	9/29	3:30 am	26.9	5	10.44	10.05	—	—	3140	2?	120	120	127				
SUNDAY																	

..\WOUT\500-0007, 03/04/99

AKC-0009554