METRO

Waste Discharge Self Monitoring Report

Mail to: Metro, Industrial Waste
130 Nickerson St., Suite 200,
Seattle, WA 98109-1658

Company Name ALASKAN COPPER WORKS Month MARCH 19 95 No. of Employees (per day) Average _____ Maximum _____

Permit No. 7238 Station No. _____ Site No. _____ All units mg/l unless otherwise noted Industry Type _____

Sample Dates (circle)	Sample Type C (composite) or G (grab)	pH Min	pH Max	Cadmium, Cd	Chromium, Cr	Copper, Cu	Lead, Pb	Mercury, Hg	Nickel, Ni	Silver, Ag	Zinc, Zn	Cyanide, CN,A	Cyanide, CN,T	Fats, Oils and Grease (FOG)	Total Toxic Organics (TTO)	Other Parameters				Flow (GPD) Total	Flow (GPD) Industrial	Flow (GPD) Specify	Notes
1		10.2	11.8																	21080	1710		
2		10.3	10.7																	20555	1185		
3		10.0	10.9																	21078	1708		
4		10.1	11.0																	20902	1532		
5		10.3	10.7																	20606	1236		
6		10.3	10.4																	22044	2674		
7		10.3	10.9																	21212	1842		
8		10.1	10.5																	21337	1967		
9	G	9.9	10.1		2.5	1.4			1.9		.08									21028	1658		
10	C	9.6	9.9		16.0	7.6			14.0		.29									21455	2085		14 day Letter on file
11	G	9.6	10.7		2.0	.98			1.9		.10									21187	1817		
12		10.2	10.3																	21277	1907		
13		10.1	11.2																	21332	1962		
14		10.9	11.5																	21634	2264		
15		11.3	11.7																	20943	1573		
16		10.4	11.3																	21334	1964		
17		9.8	10.1																	21187	1817		
18		10.0	10.2																	20830	1460		
19		9.7	10.4																	20622	1252		
20		9.8	10.7																	21289	1919		
21		9.7	10.3																	21234	1864		
22		10.2	10.3																	21023	1653		
23		9.8	10.4																	21204	1834		
24		10.2	10.4																	21404	2034		
25		7.9	8.7																	20608	1238		
26		7.8	9.4																	20875	1505		
27		8.0	8.2																	21018	1648		
28	C	8.8	9.5		2.1	.87			1.7		.07									21457	2087		
29		9.0	10.6																	21583	2213		
30		10.2	10.4																	22284	2914		
31		10.6	11.3																	21666	2296		
Min.																							
Max.																							
Average																							

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature of Principal Executive or Authorized Agent

4/19/95
Date

Please circle all permit violations

Additional Comments _____

1330 (Rev. 8/92)

AKC-0012986

METRO

Waste Discharge Self Monitoring Report

Mail to: Metro, Industrial Waste
130 Nickerson St., Suite 200,
Seattle, WA 98109-1658

Company Name Alaskan Copper Works Month March 19 95 No. of Employees (per day) Average _____ Maximum _____

Permit No. 7201 Station No. _____ Site No. _____ All units mg/l unless otherwise noted Industry Type _____

Sample Dates (circle)	Sample Type C (composite) or G (grab)	pH Min	pH Max	Cadmium, Cd	Chromium, Cr	Copper, Cu	Lead, Pb	Mercury, Hg	Nickel, Ni	Silver, Ag	Zinc, Zn	Cyanide, CN,A	Cyanide, CN,T	Fats, Oils and Grease (FOG)	Total Toxic Organics (TTO)	Other Parameters				Flow (GPD) Total	Flow (GPD) Industrial	Flow (GPD) Specify	Notes
1																							
2																							
3																							
4																							
5																							
6																							
7																							
8																							
9																							
10																							
11																							
12																							
13																							
14																							
15																							
16																							
17																							
18																							
19																							
20																							
21																							
22																							
23																							
24																							
25																							
26																							
27																							
28																							
29																							
30																							
31																							
Min.																							
Max.																							
Average																							

Not IN USE this month

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature of Principal Executive or Authorized Agent

4/14/95
Date

Please circle all permit violations

Additional Comments _____

1330 (Rev. 8/92)

AKC-0012987