FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: March 9, 1994
Date Received: March 4, 1994
Project: 7238, Metro Self Monitor, PO #M33409
Date Samples Extracted: March 8, 1994

RESULTS FROM THE ANALYSIS OF THE WATER SAMPLE FOR CHROMIUM, COPPER, NICKEL, ZINC
Samples Processed Using Method 3005
Results Reported as mg/L (ppm)

Sample ID	Chromium	Copper	Nickel	Zinc
M33409	0.85	1.2	0.71	0.31
Quality Assurance				
Blank	<0.05	<0.05	<0.05	<0.05
M33409 (Duplicate)	0.82	1.2	0.76	0.33
M33409 (Matrix Spike) % Recovery	78%	87%	86%	89%
M33409 (Matrix Spike Duplicate) % Recovery	78%	84%	86%	87%
Spike Blank % Recovery	87%	94%	96%	96%
Spike Level	5	5	10	5

03 - BTB. A

03.04.94

1:56

AN & BRUYA, INC.
16th Avenue West
e, WA 98119

SAMPLE CHAIN OF CUSTODY

Send Report To: ALASKAN Copper Works Contact GERALD Thompson
Company
Address 628 Hanford St
City, State, Zip Seattle WA 98134
Phone # (206) 625 5000 x618 Date 3-4-94

SITE NO.	PROJECT NAME	PURCHASE ORDER #
7238	Metro Self Monitor	M 33409

SAMPLERS (signature)	PROJECT LOCATION
[signature]	3200 6th Ave

REMARKS	SAMPLE DISPOSAL INFORM.
	☐ Dispose after 30 days ☒ Return Samples ☐ Call for Instructions

SAMPLE #	Date/Time Sampled	Type of Sample	# of Jars	Lab Sample #	Analyses Requested
M 33409	5:00 pm 3/4/94	Grab	1	47945	Cr Cu Ni Zn

SIGNATURE	PRINT NAME	COMPANY	Date	Time
Relinquished by: [signature]	Gerald A. Thompson	ALASKAN Copper	3/4/94	1:01 pm.
Received by: [signature]	A S Friedman	F&B, I	3-4-94	1:05 pm
Relinquished by:				
Received by:				

AKC-0013327

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman
James E. Bruya, Ph.D.
(206) 285-8282

3008-B 16th Avenue West
Seattle, WA 98119
FAX: (206) 283-5044

March 9, 1994

Gerald Thompson, Project Leader
Alaskan Copper Works
628 South Hanford
Seattle, WA 98134

Dear Mr. Thompson:

Enclosed are the results from the testing of material submitted on March 4, 1994 from Project 7238, Metro Self Monitor, PO #M33409.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

Bradley T. Benson

Bradley T. Benson
Chemist

BTB/sao

Enclosures

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman
James E. Bruya, Ph.D.
(206) 285-8282

3008-B 16th Avenue West
Seattle, WA 98119
FAX: (206) 283-5044

March 9, 1994

INVOICE # 94ACU0309-1
DUPLICATE COPY

Alaskan Copper Works
628 South Hanford
Seattle, WA 98134

RE: Project 7238, Metro Self Monitor, PO #M33409: Results of testing requested by Gerald Thompson, Project Leader for material submitted on March 4, 1994.

1 water sample analyzed for Chromium, Copper, Nickel, Zinc @ $65.00 per sample	$ 65.00
Amount Due	$ 65.00