FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: May 28, 1991
Date Submitted: May 22, 1991
Project: Metro Self-Monitor, PO# 20127

RESULTS OF ANALYSES OF THE WATER SAMPLE FOR SELECTED METALS BY INDUCTIVELY COUPLED PLASMA (ICP) METHOD 6010
Results Reported as mg/L (ppm)

Sample #	M20127
Analyte:	
Chromium	1.4
Copper	0.42
Nickel	0.65
Zinc	0.11

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: May 28, 1991
Date Submitted: May 22, 1991
Project: Metro Self-Monitor, PO# 20127

RESULTS OF ANALYSES OF THE WATER SAMPLE FOR SELECTED METALS BY INDUCTIVELY COUPLED PLASMA (ICP) METHOD 6010
Results Reported as mg/L (ppm)
Quality Assurance

Sample #	Method Blank	M20127 (Duplicate)
Analyte:		
Chromium	<0.01	1.5
Copper	<0.01	0.40
Nickel	<0.02	0.59
Zinc	<0.01	0.14

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: May 28, 1991
Date Submitted: May 22, 1991
Project: Metro Self-Monitor, PO# 20127

RESULTS OF ANALYSES OF THE WATER SAMPLE
FOR SELECTED METALS BY
INDUCTIVELY COUPLED PLASMA (ICP)
METHOD 6010
Results Reported as % Recovery
Quality Assurance

Sample #	M20127 Matrix Spike Spiked @ 10 ppm % Recovery	M20127 Matrix Spike Duplicate Spiked @ 10 ppm % Recovery
Analyte:		
Chromium	108%	110%
Copper	93%	93%
Nickel	102%	102%
Zinc	101%	101%

5-MZP-A

Sample Disposal Information
- ☐ Dispose after 30 days
- ☒ Return Samples
- ☐ Call for Instructions

FRIEDMAN & BRUYA, INC.
3008-B 16th Avenue West
Seattle, WA 98119

FAX RESULTS ASAP!

Phone #: 623-5800
Contact:

Chain of Custody Record

PROJECT NAME: METRO SELF-MONITOR
PROJECT LOCATION: 3200 6th AVE. S
SITE NUMBER: —

SAMPLED BY: [illegible]

DATE: 5/22/91

Sample Number	Date / Time Sampled	Type of Sample	# of Containers	Lab Sample #	Analyses Required	Comments
M20127	5/21/91	WATER	1	198666	Cd, Cu, Ni, Zn	Hundredths r.p.m.

Relinquished by: (Signature)	Date:	Received by: (Signature)	Date:
NAME: [illegible]	5/22/91	NAME: [illegible]	5-22-91
FIRM: Alaskan Copper & Brass	Time:	FIRM: Friedman & Bruya, Inc.	Time:
Relinquished by: (Signature)	Date:	Received by: (Signature)	Date:
NAME:		NAME:	
FIRM:	Time:	FIRM:	Time:

AKC-0014327

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: May 28, 1991
Date Submitted: May 22, 1991
Project: Metro Self-Monitor, PO# 20127

RESULTS OF ANALYSES OF THE WATER SAMPLE FOR SELECTED METALS BY INDUCTIVELY COUPLED PLASMA (ICP) METHOD 6010
Results Reported as mg/L (ppm)

Sample #	M20127
Analyte:	
Chromium	1.4
Copper	0.42
Nickel	0.65
Zinc	0.11

RECEIVED 05/29 12:27 1991 AT 2063827346 PAGE 3 (PRINTED PAGE 3)]
MAY 29 '91 01:15 ALASKAN COPPER & BRASS COMPANY P.3/5

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: May 28, 1991
Date Submitted: May 22, 1991
Project: Metro Self-Monitor, PO# 20127

RESULTS OF ANALYSES OF THE WATER SAMPLE FOR SELECTED METALS BY INDUCTIVELY COUPLED PLASMA (ICP) METHOD 6010
Results Reported as mg/L (ppm)
Quality Assurance

Sample #	Method Blank	M20127 (Duplicate)
Analyte:		
Chromium	<0.01	1.5
Copper	<0.01	0.40
Nickel	<0.02	0.59
Zinc	<0.01	0.14

[RECEIVED 05/29 12:28 1991 AT 2063827346 PAGE 4 (PRINTED PAGE 4)]
MAY 29 '91 01:15 ALASKAN COPPER & BRASS COMPANY P.4/5

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: May 28, 1991
Date Submitted: May 22, 1991
Project: Metro Self-Monitor, PO# 20127

RESULTS OF ANALYSES OF THE WATER SAMPLE
FOR SELECTED METALS BY
INDUCTIVELY COUPLED PLASMA (ICP)
METHOD 6010
Results Reported as % Recovery
Quality Assurance

Sample #	M20127 Matrix Spike Spiked @ 10 ppm % Recovery	M20127 Matrix Spike Duplicate Spiked @ 10 ppm % Recovery
Analyte:		
Chromium	108%	110%
Copper	93%	93%
Nickel	102%	102%
Zinc	101%	101%

[RECEIVED 05/29 12:28 1991 AT 2063827346 PAGE 5 (PRINTED PAGE 5)]
MAY 29 '91 01:16 ALASKAN COPPER & BRASS COMPANY P.5/5

5-MLP-A

Sample Disposal Information
- ☐ Dispose after 30 days
- ☒ Return Samples
- ☐ Call for Instructions

FRIEDMAN & BRUYA, Inc.
3008-B 16th Avenue West
Seattle, WA 98119

FAX RESULTS ASAP!

Phone #: 623-5800
Contact:

Chain of Custody Record

PROJECT NAME: METRO SELF-MONITOR
PROJECT LOCATION: 3200 6th Ave. S
SITE NUMBER: —

SAMPLED BY: Greg Speer
DATE: 5/22/91

Sample Number	Date / Time Sampled	Type of Sample	# of Containers	Lab Sample #	Analyses Required	Comments
M20127	5/21/91	WATER	1	198166	Cr, Cu, Ni, Zn	Wundrooms r.p.m.

Relinquished by: (Signature) NAME: Gregory A. Speer	Date: 5/22/91	Received by: (Signature) NAME: [signature]	Date: 5-22-91
FIRM: Alaskan Copper & Brass	Time:	FIRM: Friedman & Bruya, Inc.	Time:
Relinquished by: (Signature) NAME:	Date:	Received by: (Signature) NAME:	Date:
FIRM:	Time:	FIRM:	Time: