StationName	SampleName	SampleMedia	SampleDate	SampleType
PT-10	PT-10-VG1-BIO	VG	7/24/2004	Field Measurement
PT-10	PT10-VG1-FOR-978	VG	7/24/2004	Primary
PT-10	PT-10-VG1-FOR-978	VG	7/24/2004	Primary
PT-10	PT10-VG1-GRA-979	VG	7/24/2004	Primary
PT-10	PT-10-VG1-GRA-979	VG	7/24/2004	Primary
PT-10	PT10-VG1-SWT-980	VG	7/24/2004	Primary
PT-10	PT-10-VG1-SWT-980	VG	7/24/2004	Primary
PT-11	PT11-VG1-ALF-981	VG	7/24/2004	Primary
PT-11	PT-11-VG1-ALF-981	VG	7/24/2004	Primary
PT-11	PT-11-VG1-BIO	VG	7/24/2004	Field Measurement
PT-11	PT11-VG1-FOR-982	VG	7/24/2004	Primary
PT-11	PT-11-VG1-FOR-982	VG	7/24/2004	Primary
PT-11	PT11-VG1-GRA-983	VG	7/24/2004	Primary
PT-11	PT-11-VG1-GRA-983	VG	7/24/2004	Primary
PT-12	PT12-VG1-ALF-984	VG	7/24/2004	Primary
PT-12	PT-12-VG1-ALF-984	VG	7/24/2004	Primary
PT-12	PT-12-VG1-BIO	VG	7/24/2004	Field Measurement
PT-7	PT-07-VG1-ALF-968	VG	7/24/2004	Primary
PT-7	PT-07-VG1-ASG-969	VG	7/24/2004	Primary
PT-7	PT-07-VG1-BIO	VG	7/24/2004	Field Measurement
PT-7	PT-07-VG1-FOR-970	VG	7/24/2004	Primary
PT-7	PT-07-VG1-GRA-971	VG	7/24/2004	Primary
PT-7	PT-07-VG1-SWT-972	VG	7/24/2004	Primary
PT-7	PT7-VG1-ALF-968	VG	7/24/2004	Primary
PT-7	PT7-VG1-ASG-969	VG	7/24/2004	Primary
PT-7	PT7-VG1-FOR-970	VG	7/24/2004	Primary
PT-7	PT7-VG1-GRA-971	VG	7/24/2004	Primary
PT-7	PT7-VG1-SWT-972	VG	7/24/2004	Primary
PT-8	PT-08-VG1-ASG-973	VG	7/24/2004	Primary
PT-8	PT-08-VG1-BIO	VG	7/24/2004	Field Measurement
PT-8	PT-08-VG1-FOR-974	VG	7/24/2004	Primary
PT-8	PT-08-VG1-GRA-975	VG	7/24/2004	Primary
PT-8	PT8-VG1-ASG-973	VG	7/24/2004	Primary
PT-8	PT8-VG1-FOR-974	VG	7/24/2004	Primary
PT-8	PT8-VG1-GRA-975	VG	7/24/2004	Primary
PT-9	PT-09-VG1-BIO	VG	7/24/2004	Field Measurement
PT-9	PT-09-VG1-FOR-976	VG	7/24/2004	Primary
PT-9	PT-09-VG1-GRA-977	VG	7/24/2004	Primary
PT-9	PT9-VG1-FOR-976	VG	7/24/2004	Primary
PT-9	PT9-VG1-GRA-977	VG	7/24/2004	Primary
PT-12	PT-12-VG1-FOR-985	VG	7/25/2004	Primary
PT-12	PT-12-VG1-FOR-985	VG	7/25/2004	Primary
PT-12	PT-12-VG1-GRA-986	VG	7/25/2004	Primary
PT-12	PT-12-VG1-GRA-986	VG	7/25/2004	Primary
PT-13	PT-13-VG1-ALF-987	VG	7/25/2004	Primary
PT-13	PT-13-VG1-ALF-987	VG	7/25/2004	Primary

PT-13	PT-13-VG1-BIO	VG	7/25/2004	Field Measurement
PT-13	PT-13-VG1-FOR-988	VG	7/25/2004	Primary
PT-13	PT-13-VG1-FOR-988	VG	7/25/2004	Primary
PT-13	PT-13-VG1-GRA-989	VG	7/25/2004	Primary
PT-13	PT-13-VG1-GRA-989	VG	7/25/2004	Primary
LP	LP051805-01	SW	5/18/2005	Primary
LP	LP051805-01	SW	5/18/2005	Primary
LP	LP051805-01	SW	5/18/2005	Primary
LP	LP051805-01	SW	5/18/2005	Primary
LP	LP051805-01	SW	5/18/2005	Primary
LP	LP051805-01	SW	5/18/2005	Primary
LP	LP-FIELDMEAS	SW	5/18/2005	Field Measurement
LP	LP-FIELDMEAS	SW	5/18/2005	Field Measurement
LP	LP-FIELDMEAS	SW	5/18/2005	Field Measurement
LP	LP-FIELDMEAS	SW	5/18/2005	Field Measurement
LP	LP-FIELDMEAS	SW	5/18/2005	Field Measurement
GW-15	GW-15	GW	5/25/2005	Primary
GW-15	GW-15	GW	5/25/2005	Primary
GW-15	GW-15	GW	5/25/2005	Primary
GW-15	GW-15	GW	5/25/2005	Primary
GW-15	GW-15	GW	5/25/2005	Primary
GW-16	GW-16	GW	5/26/2005	Primary
GW-16	GW-16	GW	5/26/2005	Primary
GW-16	GW-16	GW	5/26/2005	Primary
GW-16	GW-16	GW	5/26/2005	Primary
GW-16	GW-16	GW	5/26/2005	Primary
LP	LP-092005-01	SW	9/20/2005	Primary
LP	LP-092005-01	SW	9/20/2005	Primary
LP	LP-092005-01	SW	9/20/2005	Primary
LP	LP-092005-01	SW	9/20/2005	Primary
LP	LP-092005-01	SW	9/20/2005	Primary
LP	LP-092005-01	SW	9/20/2005	Primary
LP	LP-092005-01	SW	9/20/2005	Primary
LP	LP-FIELDMEAS	SW	9/20/2005	Field Measurement
LP	LP-FIELDMEAS	SW	9/20/2005	Field Measurement
LP	LP-FIELDMEAS	SW	9/20/2005	Field Measurement
LP	LP-FIELDMEAS	SW	9/20/2005	Field Measurement
LP	LP-FIELDMEAS	SW	9/20/2005	Field Measurement
UP	UP-092005-01	SW	9/20/2005	Primary
UP	UP-092005-01	SW	9/20/2005	Primary
UP	UP-092005-01	SW	9/20/2005	Primary
UP	UP-092005-01	SW	9/20/2005	Primary
UP	UP-092005-01	SW	9/20/2005	Primary
UP	UP-092005-01	SW	9/20/2005	Primary
UP	UP-092005-01	SW	9/20/2005	Primary
UP	UP-FIELDMEAS	SW	9/20/2005	Field Measurement
UP	UP-FIELDMEAS	SW	9/20/2005	Field Measurement

UP	UP-FIELDMEAS	SW	9/20/2005	Field Measurement
UP	UP-FIELDMEAS	SW	9/20/2005	Field Measurement
UP	UP-FIELDMEAS	SW	9/20/2005	Field Measurement
GW-15	GW15-GW1-863	GW	12/1/2005	Primary
GW-15	GW15-GW1-863	GW	12/1/2005	Primary
GW-15	GW15-GW1-863	GW	12/1/2005	Primary
GW-15	GW15-GW1-863	GW	12/1/2005	Primary
GW-15	GW15-GW1-863	GW	12/1/2005	Primary
LP-1	LP1-SW1-864	SW	12/1/2005	Primary
LP-1	LP1-SW1-864	SW	12/1/2005	Primary
LP-1	LP1-SW1-864	SW	12/1/2005	Primary
LP-1	LP1-SW1-864	SW	12/1/2005	Primary
LP-1	LP1-SW1-864	SW	12/1/2005	Primary
LP-1	LP-1-FIELDMEAS	SW	5/11/2006	Field Measurement
UP	UP-FIELDMEAS	SW	5/13/2006	Field Measurement
GW-15	GW15-GW1-960	GW	5/16/2006	Primary
GW-15	GW15-GW1-960	GW	5/16/2006	Primary
GW-15	GW15-GW1-960	GW	5/16/2006	Primary
GW-15	GW15-GW1-960	GW	5/16/2006	Primary
GW-15	GW15-GW1-960	GW	5/16/2006	Primary
GW-22	GW22-GW1-967	GW	5/17/2006	Primary
GW-22	GW22-GW1-967	GW	5/17/2006	Primary
GW-22	GW22-GW1-967	GW	5/17/2006	Primary
GW-22	GW22-GW1-967	GW	5/17/2006	Primary
GW-22	GW22-GW1-967	GW	5/17/2006	Primary
GW-16	GW16-GW1-976	GW	5/19/2006	Primary
GW-16	GW16-GW1-976	GW	5/19/2006	Primary
GW-16	GW16-GW1-976	GW	5/19/2006	Primary
GW-16	GW16-GW1-976	GW	5/19/2006	Primary
GW-16	GW16-GW1-976	GW	5/19/2006	Primary
LP	LP-052106-01	SW	5/21/2006	Primary
LP	LP-052106-01	SW	5/21/2006	Primary
LP	LP-052106-01	SW	5/21/2006	Primary
LP	LP-052106-01	SW	5/21/2006	Primary
LP	LP-052106-01	SW	5/21/2006	Primary
LP	LP-052106-01	SW	5/21/2006	Primary
LP	LP-052106-01	SW	5/21/2006	Primary
LP	LP-FIELDMEAS	SW	5/21/2006	Field Measurement
LP	LP-FIELDMEAS	SW	5/21/2006	Field Measurement
LP	LP-FIELDMEAS	SW	5/21/2006	Field Measurement
LP	LP-FIELDMEAS	SW	5/21/2006	Field Measurement
LP	LP-FIELDMEAS	SW	5/21/2006	Field Measurement
LP-1	LP-1-052106-01	SW	5/21/2006	Primary
LP-1	LP-1-052106-01	SW	5/21/2006	Primary
LP-1	LP-1-052106-01	SW	5/21/2006	Primary
LP-1	LP-1-052106-01	SW	5/21/2006	Primary
LP-1	LP-1-FIELDMEAS	SW	5/21/2006	Field Measurement

LP-1	LP-1-FIELDMEAS	SW	5/21/2006	Field Measurement
LP-1	LP-1-FIELDMEAS	SW	5/21/2006	Field Measurement
LP-1	LP-1-FIELDMEAS	SW	5/21/2006	Field Measurement
LP-1	LP-1-FIELDMEAS	SW	5/21/2006	Field Measurement
LSV-1	LSV-1-FIELDMEAS	SW	5/21/2006	Field Measurement
LSV-1	LSV-1-FIELDMEAS	SW	5/21/2006	Field Measurement
LSV-1	LSV-1-FIELDMEAS	SW	5/21/2006	Field Measurement
LSV-1	LSV-1-FIELDMEAS	SW	5/21/2006	Field Measurement
LSV-1	LSV1-RASW-052106-0	SW	5/21/2006	Primary
LSV-1	LSV1-RASW-052106-0	SW	5/21/2006	Primary
LSV-1	LSV1-RASW-052106-0	SW	5/21/2006	Primary
LSV-1	LSV1-RASW-052106-0	SW	5/21/2006	Primary
UP	UP-052106-01	SW	5/21/2006	Primary
UP	UP-052106-01	SW	5/21/2006	Primary
UP	UP-052106-01	SW	5/21/2006	Primary
UP	UP-052106-01	SW	5/21/2006	Primary
UP	UP-052106-01	SW	5/21/2006	Primary
UP	UP-052106-01	SW	5/21/2006	Primary
UP	UP-052106-01	SW	5/21/2006	Primary
UP	UP-FIELDMEAS	SW	5/21/2006	Field Measurement
UP	UP-FIELDMEAS	SW	5/21/2006	Field Measurement
UP	UP-FIELDMEAS	SW	5/21/2006	Field Measurement
UP	UP-FIELDMEAS	SW	5/21/2006	Field Measurement
UP	UP-RASW-052106-01	SW	5/21/2006	Primary
UP	UP-RASW-052106-01	SW	5/21/2006	Primary
UP	UP-RASW-052106-01	SW	5/21/2006	Primary
UP	UP-RASW-052106-01	SW	5/21/2006	Primary
LP-1	LP1-SW1-1009	SW	6/22/2006	Primary
LP-1	LP1-SW1-1009	SW	6/22/2006	Primary
LSV-1	LSV1-SW1-1011	SW	6/22/2006	Primary
LSV-1	LSV1-SW1-1011	SW	6/22/2006	Primary
GW-15	06-263-GW15	GW	9/20/2006	Primary
GW-15	06-263-GW15	GW	9/20/2006	Primary
GW-15	06-263-GW15	GW	9/20/2006	Primary
GW-15	06-263-GW15	GW	9/20/2006	Primary
GW-15	06-263-GW15	GW	9/20/2006	Primary
GW-15	GW-15-FIELDMEAS	GW	9/20/2006	Field Measurement
GW-15	GW-15-FIELDMEAS	GW	9/20/2006	Field Measurement
GW-15	GW-15-FIELDMEAS	GW	9/20/2006	Field Measurement
GW-15	GW-15-FIELDMEAS	GW	9/20/2006	Field Measurement
GW-16	06-263-GW16	GW	9/20/2006	Primary
GW-16	06-263-GW16	GW	9/20/2006	Primary
GW-16	06-263-GW16	GW	9/20/2006	Primary
GW-16	06-263-GW16	GW	9/20/2006	Primary
GW-16	06-263-GW16	GW	9/20/2006	Primary
GW-16	GW-16-FIELDMEAS	GW	9/20/2006	Field Measurement
GW-16	GW-16-FIELDMEAS	GW	9/20/2006	Field Measurement

GW-16	GW-16-FIELDMEAS	GW	9/20/2006	Field Measurement
GW-16	GW-16-FIELDMEAS	GW	9/20/2006	Field Measurement
GW-22	06-263-GW22	GW	9/21/2006	Primary
GW-22	06-263-GW22	GW	9/21/2006	Primary
GW-22	06-263-GW22	GW	9/21/2006	Primary
GW-22	06-263-GW22	GW	9/21/2006	Primary
GW-22	06-263-GW22	GW	9/21/2006	Primary
GW-22	GW-22-FIELDMEAS	GW	9/21/2006	Field Measurement
GW-22	GW-22-FIELDMEAS	GW	9/21/2006	Field Measurement
GW-22	GW-22-FIELDMEAS	GW	9/21/2006	Field Measurement
GW-22	GW-22-FIELDMEAS	GW	9/21/2006	Field Measurement
LP	LP-FIELDMEAS	SW	10/16/2006	Field Measurement
LP	LP-FLOWMEAS	SW	10/16/2006	Field Measurement
LP-1	LP-1-FIELDMEAS	SW	10/16/2006	Field Measurement
LP-1	LP-1-FLOWMEAS	SW	10/16/2006	Field Measurement
UP	SW-UP-F06	SW	10/16/2006	Primary
UP	SW-UP-F06	SW	10/16/2006	Primary
UP	SW-UP-F06	SW	10/16/2006	Primary
UP	SW-UP-F06	SW	10/16/2006	Primary
UP	SW-UP-F06	SW	10/16/2006	Primary
UP	SW-UP-F06	SW	10/16/2006	Primary
UP	SW-UP-F06	SW	10/16/2006	Primary
UP	UP-FIELDMEAS	SW	10/16/2006	Field Measurement
UP	UP-FIELDMEAS	SW	10/16/2006	Field Measurement
UP	UP-FIELDMEAS	SW	10/16/2006	Field Measurement
UP	UP-FIELDMEAS	SW	10/16/2006	Field Measurement
UP	UP-FIELDMEAS	SW	10/16/2006	Field Measurement
UP	UP-FLOWMEAS	SW	10/16/2006	Field Measurement
LSV-1	LSV-1-FIELDMEAS	SW	10/17/2006	Field Measurement
LSV-1	LSV-1-FIELDMEAS	SW	10/17/2006	Field Measurement
LSV-1	LSV-1-FIELDMEAS	SW	10/17/2006	Field Measurement
LSV-1	LSV-1-FIELDMEAS	SW	10/17/2006	Field Measurement
LSV-1	LSV-1-FIELDMEAS	SW	10/17/2006	Field Measurement
LSV-1	LSV-1-FLOWMEAS	SW	10/17/2006	Field Measurement
LSV-1	SW-LSV1-F06	SW	10/17/2006	Primary
LSV-1	SW-LSV1-F06	SW	10/17/2006	Primary
LSV-1	SW-LSV1-F06	SW	10/17/2006	Primary
LSV-1	SW-LSV1-F06	SW	10/17/2006	Primary
NSV-6	NSV-6-FIELDMEAS	SW	10/17/2006	Field Measurement
NSV-6	NSV-6-FIELDMEAS	SW	10/17/2006	Field Measurement
NSV-6	NSV-6-FIELDMEAS	SW	10/17/2006	Field Measurement
NSV-6	NSV-6-FIELDMEAS	SW	10/17/2006	Field Measurement
NSV-6	NSV-6-FIELDMEAS	SW	10/17/2006	Field Measurement
NSV-6	NSV-6-FLOWMEAS	SW	10/17/2006	Field Measurement
NSV-6	SW-NSV6-F06	SW	10/17/2006	Primary
NSV-6	SW-NSV6-F06	SW	10/17/2006	Primary
NSV-6	SW-NSV6-F06	SW	10/17/2006	Primary

NSV-6	SW-NSV6-F06	SW	10/17/2006	Primary
NSV-6	SW-NSV6-F06	SW	10/17/2006	Primary
NSV-6	SW-NSV6-F06	SW	10/17/2006	Primary
NSV-6	SW-NSV6-F06	SW	10/17/2006	Primary
GW-15	06-291-GW-15	GW	10/18/2006	Primary
GW-15	06-291-GW-15	GW	10/18/2006	Primary
GW-15	06-291-GW-15	GW	10/18/2006	Primary
GW-15	06-291-GW-15	GW	10/18/2006	Primary
GW-15	06-291-GW15-F	GW	10/18/2006	Field Measurement
GW-15	06-291-GW15-F	GW	10/18/2006	Field Measurement
GW-15	06-291-GW15-F	GW	10/18/2006	Field Measurement
GW-15	06-291-GW15-F	GW	10/18/2006	Field Measurement
GW-15	06-291-GW15-F	GW	10/18/2006	Field Measurement
GW-15	06-291-GW15-F	GW	10/18/2006	Field Measurement
GW-16	06-291-GW-16	GW	10/18/2006	Primary
GW-16	06-291-GW-16	GW	10/18/2006	Primary
GW-16	06-291-GW-16	GW	10/18/2006	Primary
GW-16	06-291-GW-16	GW	10/18/2006	Primary
GW-16	06-291-GW16-F	GW	10/18/2006	Field Measurement
GW-16	06-291-GW16-F	GW	10/18/2006	Field Measurement
GW-16	06-291-GW16-F	GW	10/18/2006	Field Measurement
GW-16	06-291-GW16-F	GW	10/18/2006	Field Measurement
GW-16	06-291-GW16-F	GW	10/18/2006	Field Measurement
GW-22	06-291-GW-22	GW	10/18/2006	Primary
GW-22	06-291-GW-22	GW	10/18/2006	Primary
GW-22	06-291-GW-22	GW	10/18/2006	Primary
GW-22	06-291-GW-22	GW	10/18/2006	Primary
GW-22	06-291-GW22-F	GW	10/18/2006	Field Measurement
GW-22	06-291-GW22-F	GW	10/18/2006	Field Measurement
GW-22	06-291-GW22-F	GW	10/18/2006	Field Measurement
GW-22	06-291-GW22-F	GW	10/18/2006	Field Measurement
GW-22	06-291-GW22-F	GW	10/18/2006	Field Measurement
GW-22	06-291-GW22-F	GW	10/18/2006	Field Measurement
GW-15	GW-15-20070312-F	GW	3/12/2007	Field Measurement
GW-16	GW-16-20070312-F	GW	3/12/2007	Field Measurement
GW-15	GW-15-F	GW	4/16/2007	Field Measurement
GW-16	GW-16-F	GW	4/16/2007	Field Measurement
GW-15	GW-15-20070518-F	GW	5/18/2007	Field Measurement
GW-16	GW-16-20070518-F	GW	5/18/2007	Field Measurement
UP	SW-UP-F	SW	5/20/2007	Field Measurement
UP	SW-UP-F	SW	5/20/2007	Field Measurement
UP	SW-UP-F	SW	5/20/2007	Field Measurement
UP	SW-UP-F	SW	5/20/2007	Field Measurement
UP	SW-UP-F	SW	5/20/2007	Field Measurement
LP	SW-LP	SW	5/22/2007	Primary
LP	SW-LP	SW	5/22/2007	Primary
LP	SW-LP	SW	5/22/2007	Primary

LP	SW-LP	SW	5/22/2007	Primary
LP	SW-LP	SW	5/22/2007	Primary
LP	SW-LP	SW	5/22/2007	Primary
LP	SW-LP	SW	5/22/2007	Primary
LP	SW-LP-F	SW	5/22/2007	Field Measurement
LP	SW-LP-F	SW	5/22/2007	Field Measurement
LP	SW-LP-F	SW	5/22/2007	Field Measurement
LP	SW-LP-F	SW	5/22/2007	Field Measurement
LP	SW-LP-F	SW	5/22/2007	Field Measurement
LP	SW-LP-Q	SW	5/22/2007	Field Measurement
LP-1	SW-LP-1	SW	5/22/2007	Primary
LP-1	SW-LP-1	SW	5/22/2007	Primary
LP-1	SW-LP-1	SW	5/22/2007	Primary
LP-1	SW-LP-1	SW	5/22/2007	Primary
LP-1	SW-LP-1-F	SW	5/22/2007	Field Measurement
LP-1	SW-LP-1-F	SW	5/22/2007	Field Measurement
LP-1	SW-LP-1-F	SW	5/22/2007	Field Measurement
LP-1	SW-LP-1-F	SW	5/22/2007	Field Measurement
LP-1	SW-LP-1-F	SW	5/22/2007	Field Measurement
LP-1	SW-LP-1-Q	SW	5/22/2007	Field Measurement
UP	SW-UP	SW	5/22/2007	Primary
UP	SW-UP	SW	5/22/2007	Primary
UP	SW-UP	SW	5/22/2007	Primary
UP	SW-UP	SW	5/22/2007	Primary
UP	SW-UP	SW	5/22/2007	Primary
UP	SW-UP	SW	5/22/2007	Primary
UP	SW-UP	SW	5/22/2007	Primary
GW-15	07-163-GW-15	GW	6/12/2007	Primary
GW-15	07-163-GW-15	GW	6/12/2007	Primary
GW-15	07-163-GW-15	GW	6/12/2007	Primary
GW-15	07-163-GW-15	GW	6/12/2007	Primary
GW-15	07-163-GW-15	GW	6/12/2007	Primary
GW-15	GW-15-20070612-F	GW	6/12/2007	Field Measurement
GW-16	07-163-GW-16	GW	6/12/2007	Primary
GW-16	07-163-GW-16	GW	6/12/2007	Primary
GW-16	07-163-GW-16	GW	6/12/2007	Primary
GW-16	07-163-GW-16	GW	6/12/2007	Primary
GW-16	07-163-GW-16	GW	6/12/2007	Primary
GW-16	GW-16-20070612-F	GW	6/12/2007	Field Measurement
GW-22	07-163-GW-22	GW	6/12/2007	Primary
GW-22	07-163-GW-22	GW	6/12/2007	Primary
GW-22	07-163-GW-22	GW	6/12/2007	Primary
GW-22	07-163-GW-22	GW	6/12/2007	Primary
GW-22	07-163-GW-22	GW	6/12/2007	Primary
GW-22	GW-22-20070612-F	GW	6/12/2007	Field Measurement
GW-15	GW-15-20070716-F	GW	7/16/2007	Field Measurement
GW-16	GW-16-20070716-F	GW	7/16/2007	Field Measurement

GW-15	GW-15-20070824-F	GW	8/24/2007	Field Measurement
GW-16	GW-16-20070824-F	GW	8/24/2007	Field Measurement
LP-Pipeline	LP-F	SW	9/25/2007	Field Measurement
LP-Pipeline	LP-F	SW	9/25/2007	Field Measurement
LP-Pipeline	LP-F	SW	9/25/2007	Field Measurement
LP-Pipeline	LP-F	SW	9/25/2007	Field Measurement
LP-Pipeline	LP-F	SW	9/25/2007	Field Measurement
LP-Pipeline	LP-Q	SW	9/25/2007	Field Measurement
LP-Pipeline	SW-LP	SW	9/25/2007	Primary
LP-Pipeline	SW-LP	SW	9/25/2007	Primary
LP-Pipeline	SW-LP	SW	9/25/2007	Primary
LP-Pipeline	SW-LP	SW	9/25/2007	Primary
LP-Pipeline	SW-LP	SW	9/25/2007	Primary
LP-Pipeline	SW-LP	SW	9/25/2007	Primary
LP-Pipeline	SW-LP	SW	9/25/2007	Primary
UP-PD	SW-UP	SW	9/25/2007	Primary
UP-PD	SW-UP	SW	9/25/2007	Primary
UP-PD	SW-UP	SW	9/25/2007	Primary
UP-PD	SW-UP	SW	9/25/2007	Primary
UP-PD	SW-UP	SW	9/25/2007	Primary
UP-PD	SW-UP	SW	9/25/2007	Primary
UP-PD	SW-UP	SW	9/25/2007	Primary
UP-PD	UP-F	SW	9/25/2007	Field Measurement
UP-PD	UP-F	SW	9/25/2007	Field Measurement
UP-PD	UP-F	SW	9/25/2007	Field Measurement
UP-PD	UP-F	SW	9/25/2007	Field Measurement
UP-PD	UP-F	SW	9/25/2007	Field Measurement
UP-PD	UP-Q	SW	9/25/2007	Field Measurement
GW-15	GW-15-20071012-F	GW	10/12/2007	Field Measurement
GW-16	GW-16-20071012-F	GW	10/12/2007	Field Measurement
GW-15	GW-15-11-5-07	GW	11/5/2007	Primary
GW-15	GW-15-11-5-07	GW	11/5/2007	Primary
GW-15	GW-15-11-5-07	GW	11/5/2007	Primary
GW-15	GW-15-11-5-07	GW	11/5/2007	Primary
GW-15	GW-15-11-5-07	GW	11/5/2007	Primary
GW-15	GW-15-11-5-07	GW	11/5/2007	Primary
GW-15	GW-15-20071105-F	GW	11/5/2007	Field Measurement
GW-16	GW-16-11-28-07	GW	11/28/2007	Primary
GW-16	GW-16-11-28-07	GW	11/28/2007	Primary
GW-16	GW-16-11-28-07	GW	11/28/2007	Primary
GW-16	GW-16-11-28-07	GW	11/28/2007	Primary
GW-16	GW-16-11-28-07	GW	11/28/2007	Primary
GW-16	GW-16-11-28-07	GW	11/28/2007	Primary
GW-16	GW-16-11-28-07	GW	11/28/2007	Primary
GW-16	GW-16-20071128-F	GW	11/28/2007	Field Measurement
GW-22	GW-22-11-29-07	GW	11/29/2007	Primary
GW-22	GW-22-11-29-07	GW	11/29/2007	Primary

GW-22	GW-22-11-29-07	GW	11/29/2007	Primary
GW-22	GW-22-11-29-07	GW	11/29/2007	Primary
GW-22	GW-22-11-29-07	GW	11/29/2007	Primary
GW-22	GW-22-11-29-07	GW	11/29/2007	Primary
GW-22	GW-22-11-29-07	GW	11/29/2007	Primary
GW-22	GW-22-20071129-F	GW	11/29/2007	Field Measurement
GW-15	GW-15-20071214-F	GW	12/14/2007	Field Measurement
GW-16	GW-16-20071214-F	GW	12/14/2007	Field Measurement
GW-15	GW-15-20080212-F	GW	2/12/2008	Field Measurement
GW-16	GW-16-20080212-F	GW	2/12/2008	Field Measurement
GW-15	GW-15-20080423-F	GW	4/23/2008	Field Measurement
GW-16	GW-16-20080423-F	GW	4/23/2008	Field Measurement
GW-22	GW-22-20080423-F	GW	4/23/2008	Field Measurement
GW-15	GW-15-20080519-F	GW	5/19/2008	Field Measurement
GW-16	GW-16-20080519-F	GW	5/19/2008	Field Measurement
GW-22	GW-22-20080519-F	GW	5/19/2008	Field Measurement
LP-1	LP-1-F	SW	5/19/2008	Field Measurement
LP-1	LP-1-F	SW	5/19/2008	Field Measurement
LP-1	LP-1-F	SW	5/19/2008	Field Measurement
LP-1	LP-1-F	SW	5/19/2008	Field Measurement
LP-1	LP-1-F	SW	5/19/2008	Field Measurement
LP-1	LP-1-Q	SW	5/19/2008	Field Measurement
LP-1	LP-1-SP08	SW	5/19/2008	Primary
LP-1	LP-1-SP08	SW	5/19/2008	Primary
LP-1	LP-1-SP08	SW	5/19/2008	Primary
LP-1	LP-1-SP08	SW	5/19/2008	Primary
LP-1	LP-1-SP08	SW	5/19/2008	Primary
LP-1	LP-1-SP08	SW	5/19/2008	Primary
LP-1	LP-1-SP08	SW	5/19/2008	Primary
LP-1	LP-1-SP08	SW	5/19/2008	Primary
LP-PD	LP-F	SW	5/19/2008	Field Measurement
LP-PD	LP-F	SW	5/19/2008	Field Measurement
LP-PD	LP-F	SW	5/19/2008	Field Measurement
LP-PD	LP-F	SW	5/19/2008	Field Measurement
LP-PD	LP-F	SW	5/19/2008	Field Measurement
LP-PD	LP-Q	SW	5/19/2008	Field Measurement
LP-PD	LP-SP08	SW	5/19/2008	Primary
LP-PD	LP-SP08	SW	5/19/2008	Primary
LP-PD	LP-SP08	SW	5/19/2008	Primary
LP-PD	LP-SP08	SW	5/19/2008	Primary
LP-PD	LP-SP08	SW	5/19/2008	Primary
LP-PD	LP-SP08	SW	5/19/2008	Primary
LP-PD	LP-SP08	SW	5/19/2008	Primary
LP-PD	LP-SP08	SW	5/19/2008	Primary
UP-PD	UP-F	SW	5/19/2008	Field Measurement
UP-PD	UP-F	SW	5/19/2008	Field Measurement
UP-PD	UP-F	SW	5/19/2008	Field Measurement

UP-PD	UP-F	SW	5/19/2008	Field Measurement
UP-PD	UP-F	SW	5/19/2008	Field Measurement
UP-PD	UP-Q	SW	5/19/2008	Field Measurement
UP-PD	UP-SP08	SW	5/19/2008	Primary
UP-PD	UP-SP08	SW	5/19/2008	Primary
UP-PD	UP-SP08	SW	5/19/2008	Primary
UP-PD	UP-SP08	SW	5/19/2008	Primary
UP-PD	UP-SP08	SW	5/19/2008	Primary
UP-PD	UP-SP08	SW	5/19/2008	Primary
UP-PD	UP-SP08	SW	5/19/2008	Primary
UP-PD	UP-SP08	SW	5/19/2008	Primary
GW-22	GW-22-20080604-F	GW	6/4/2008	Field Measurement
GW-15	GW-15-20080605-F	GW	6/5/2008	Field Measurement
GW-16	GW-16-20080605-F	GW	6/5/2008	Field Measurement
NSV-5	NSV-5-6-19-08	SW	6/19/2008	Primary
NSV-5	NSV-5-6-19-08	SW	6/19/2008	Primary
NSV-5	NSV-5-6-19-08	SW	6/19/2008	Primary
NSV-5	NSV-5-6-19-08	SW	6/19/2008	Primary
NSV-5	NSV-5-6-19-08	SW	6/19/2008	Primary
NSV-5	NSV-5-6-19-08	SW	6/19/2008	Primary
NSV-5	NSV-5-6-19-08-F	SW	6/19/2008	Field Measurement
NSV-5	NSV-5-6-19-08-F	SW	6/19/2008	Field Measurement
NSV-5	NSV-5-6-19-08-F	SW	6/19/2008	Field Measurement
NSV-5	NSV-5-6-19-08-F	SW	6/19/2008	Field Measurement
NSV-6	NSV-6-6-19-08	SW	6/19/2008	Primary
NSV-6	NSV-6-6-19-08	SW	6/19/2008	Primary
NSV-6	NSV-6-6-19-08	SW	6/19/2008	Primary
NSV-6	NSV-6-6-19-08	SW	6/19/2008	Primary
NSV-6	NSV-6-6-19-08	SW	6/19/2008	Primary
NSV-6	NSV-6-6-19-08	SW	6/19/2008	Primary
NSV-6	NSV-6-6-19-08-F	SW	6/19/2008	Field Measurement
NSV-6	NSV-6-6-19-08-F	SW	6/19/2008	Field Measurement
NSV-6	NSV-6-6-19-08-F	SW	6/19/2008	Field Measurement
NSV-6	NSV-6-6-19-08-F	SW	6/19/2008	Field Measurement
NSV-6	NSV-6-6-19-08-F	SW	6/19/2008	Field Measurement
NSV-6	NSV-6-Q	SW	6/19/2008	Field Measurement
GW-22	GW-22-148	GW	6/25/2008	Primary
GW-22	GW-22-148	GW	6/25/2008	Primary
GW-22	GW-22-148	GW	6/25/2008	Primary
GW-22	GW-22-148	GW	6/25/2008	Primary
GW-22	GW-22-148	GW	6/25/2008	Primary
GW-22	GW-22-148	GW	6/25/2008	Primary
GW-22	GW-22-148	GW	6/25/2008	Primary
GW-22	GW-22-148-F	GW	6/25/2008	Field Measurement
GW-22	GW-22-148-F	GW	6/25/2008	Field Measurement
GW-22	GW-22-148-F	GW	6/25/2008	Field Measurement
GW-22	GW-22-148-F	GW	6/25/2008	Field Measurement

GW-22	GW-22-148-F	GW	6/25/2008	Field Measurement
GW-22	GW-22-148-F	GW	6/25/2008	Field Measurement
GW-22	GW-22-90	GW	6/25/2008	Primary
GW-22	GW-22-90	GW	6/25/2008	Primary
GW-22	GW-22-90	GW	6/25/2008	Primary
GW-22	GW-22-90	GW	6/25/2008	Primary
GW-22	GW-22-90	GW	6/25/2008	Primary
GW-22	GW-22-90	GW	6/25/2008	Primary
GW-22	GW-22-90	GW	6/25/2008	Primary
GW-22	GW-22-90-F	GW	6/25/2008	Field Measurement
GW-22	GW-22-90-F	GW	6/25/2008	Field Measurement
GW-22	GW-22-90-F	GW	6/25/2008	Field Measurement
GW-22	GW-22-90-F	GW	6/25/2008	Field Measurement
GW-22	GW-22-90-F	GW	6/25/2008	Field Measurement
GW-22	GW-22-90-F	GW	6/25/2008	Field Measurement
GW-15	GW-15-7-1-08	GW	7/1/2008	Primary
GW-15	GW-15-7-1-08	GW	7/1/2008	Primary
GW-15	GW-15-7-1-08	GW	7/1/2008	Primary
GW-15	GW-15-7-1-08	GW	7/1/2008	Primary
GW-15	GW-15-7-1-08	GW	7/1/2008	Primary
GW-15	GW-15-7-1-08	GW	7/1/2008	Primary
GW-15	GW-15-7-1-08-F	GW	7/1/2008	Field Measurement
GW-15	GW-15-7-1-08-F	GW	7/1/2008	Field Measurement
GW-15	GW-15-7-1-08-F	GW	7/1/2008	Field Measurement
GW-15	GW-15-7-1-08-F	GW	7/1/2008	Field Measurement
GW-15	GW-15-7-1-08-F	GW	7/1/2008	Field Measurement
GW-15	GW-15-7-1-08-F	GW	7/1/2008	Field Measurement
GW-16	GW-16-7-1-08	GW	7/1/2008	Primary
GW-16	GW-16-7-1-08	GW	7/1/2008	Primary
GW-16	GW-16-7-1-08	GW	7/1/2008	Primary
GW-16	GW-16-7-1-08	GW	7/1/2008	Primary
GW-16	GW-16-7-1-08	GW	7/1/2008	Primary
GW-16	GW-16-7-1-08	GW	7/1/2008	Primary
GW-16	GW-16-7-1-08-F	GW	7/1/2008	Field Measurement
GW-16	GW-16-7-1-08-F	GW	7/1/2008	Field Measurement
GW-16	GW-16-7-1-08-F	GW	7/1/2008	Field Measurement
GW-16	GW-16-7-1-08-F	GW	7/1/2008	Field Measurement
GW-16	GW-16-7-1-08-F	GW	7/1/2008	Field Measurement
GW-16	GW-16-7-1-08-F	GW	7/1/2008	Field Measurement
GW-15	GW-15-20080730-F	GW	7/30/2008	Field Measurement
GW-16	GW-16-20080730-F	GW	7/30/2008	Field Measurement
GW-22	GW-22-20080730-F	GW	7/30/2008	Field Measurement
GW-15	GW-15-20080827-F	GW	8/27/2008	Field Measurement
GW-16	GW-16-20080827-F	GW	8/27/2008	Field Measurement
GW-22	GW-22-20080827-F	GW	8/27/2008	Field Measurement
LP-PD	LP-20080827-Q	SW	8/27/2008	Field Measurement
GW-22	GW-22-150-9-9-08	GW	9/9/2008	Primary

GW-22	GW-22-150-9-9-08	GW	9/9/2008	Primary
GW-22	GW-22-150-9-9-08	GW	9/9/2008	Primary
GW-22	GW-22-150-9-9-08	GW	9/9/2008	Primary
GW-22	GW-22-150-9-9-08	GW	9/9/2008	Primary
GW-22	GW-22-150-9-9-08	GW	9/9/2008	Primary
GW-22	GW-22-150-9-9-08	GW	9/9/2008	Primary
GW-22	GW-22-150-9-9-08-F	GW	9/9/2008	Field Measurement
GW-22	GW-22-150-9-9-08-F	GW	9/9/2008	Field Measurement
GW-22	GW-22-150-9-9-08-F	GW	9/9/2008	Field Measurement
GW-22	GW-22-150-9-9-08-F	GW	9/9/2008	Field Measurement
GW-22	GW-22-150-9-9-08-F	GW	9/9/2008	Field Measurement
GW-22	GW-22-150-9-9-08-F	GW	9/9/2008	Field Measurement
GW-22	GW-22-98-9-9-08	GW	9/9/2008	Primary
GW-22	GW-22-98-9-9-08	GW	9/9/2008	Primary
GW-22	GW-22-98-9-9-08	GW	9/9/2008	Primary
GW-22	GW-22-98-9-9-08	GW	9/9/2008	Primary
GW-22	GW-22-98-9-9-08	GW	9/9/2008	Primary
GW-22	GW-22-98-9-9-08	GW	9/9/2008	Primary
GW-22	GW-22-98-9-9-08	GW	9/9/2008	Primary
GW-22	GW-22-98-9-9-08-F	GW	9/9/2008	Field Measurement
GW-22	GW-22-98-9-9-08-F	GW	9/9/2008	Field Measurement
GW-22	GW-22-98-9-9-08-F	GW	9/9/2008	Field Measurement
GW-22	GW-22-98-9-9-08-F	GW	9/9/2008	Field Measurement
GW-22	GW-22-98-9-9-08-F	GW	9/9/2008	Field Measurement
GW-22	GW-22-98-9-9-08-F	GW	9/9/2008	Field Measurement
GW-15	GW-15-9-10-08	GW	9/10/2008	Primary
GW-15	GW-15-9-10-08	GW	9/10/2008	Primary
GW-15	GW-15-9-10-08	GW	9/10/2008	Primary
GW-15	GW-15-9-10-08	GW	9/10/2008	Primary
GW-15	GW-15-9-10-08	GW	9/10/2008	Primary
GW-15	GW-15-9-10-08	GW	9/10/2008	Primary
GW-15	GW-15-9-10-08	GW	9/10/2008	Primary
GW-15	GW-15-9-10-08-F	GW	9/10/2008	Field Measurement
GW-15	GW-15-9-10-08-F	GW	9/10/2008	Field Measurement
GW-15	GW-15-9-10-08-F	GW	9/10/2008	Field Measurement
GW-15	GW-15-9-10-08-F	GW	9/10/2008	Field Measurement
GW-15	GW-15-9-10-08-F	GW	9/10/2008	Field Measurement
GW-16	GW-16-9-10-08	GW	9/10/2008	Primary
GW-16	GW-16-9-10-08	GW	9/10/2008	Primary
GW-16	GW-16-9-10-08	GW	9/10/2008	Primary
GW-16	GW-16-9-10-08	GW	9/10/2008	Primary
GW-16	GW-16-9-10-08	GW	9/10/2008	Primary
GW-16	GW-16-9-10-08	GW	9/10/2008	Primary
GW-16	GW-16-9-10-08	GW	9/10/2008	Primary
GW-16	GW-16-9-10-08-F	GW	9/10/2008	Field Measurement
GW-16	GW-16-9-10-08-F	GW	9/10/2008	Field Measurement
GW-16	GW-16-9-10-08-F	GW	9/10/2008	Field Measurement

GW-16	GW-16-9-10-08-F	GW	9/10/2008	Field Measurement
GW-16	GW-16-9-10-08-F	GW	9/10/2008	Field Measurement
GW-16	GW-16-9-10-08-F	GW	9/10/2008	Field Measurement
LP-1	LP-1-9-16-08	SW	9/16/2008	Primary
LP-1	LP-1-9-16-08	SW	9/16/2008	Primary
LP-1	LP-1-9-16-08	SW	9/16/2008	Primary
LP-1	LP-1-9-16-08	SW	9/16/2008	Primary
LP-1	LP-1-9-16-08	SW	9/16/2008	Primary
LP-1	LP-1-9-16-08	SW	9/16/2008	Primary
LP-1	LP-1-9-16-08-F	SW	9/16/2008	Field Measurement
LP-1	LP-1-9-16-08-F	SW	9/16/2008	Field Measurement
LP-1	LP-1-9-16-08-F	SW	9/16/2008	Field Measurement
LP-1	LP-1-9-16-08-F	SW	9/16/2008	Field Measurement
LP-1	LP-1-9-16-08-F	SW	9/16/2008	Field Measurement
NSV-5	NSV-5-9-16-08	SW	9/16/2008	Primary
NSV-5	NSV-5-9-16-08	SW	9/16/2008	Primary
NSV-5	NSV-5-9-16-08	SW	9/16/2008	Primary
NSV-5	NSV-5-9-16-08	SW	9/16/2008	Primary
NSV-5	NSV-5-9-16-08	SW	9/16/2008	Primary
NSV-5	NSV-5-9-16-08	SW	9/16/2008	Primary
NSV-5	NSV5-9-16-08-F	SW	9/16/2008	Field Measurement
NSV-5	NSV5-9-16-08-F	SW	9/16/2008	Field Measurement
NSV-5	NSV5-9-16-08-F	SW	9/16/2008	Field Measurement
NSV-5	NSV5-9-16-08-F	SW	9/16/2008	Field Measurement
NSV-5	NSV5-9-16-08-F	SW	9/16/2008	Field Measurement
NSV-6	NSV-6-9-16-08	SW	9/16/2008	Primary
NSV-6	NSV-6-9-16-08	SW	9/16/2008	Primary
NSV-6	NSV-6-9-16-08	SW	9/16/2008	Primary
NSV-6	NSV-6-9-16-08	SW	9/16/2008	Primary
NSV-6	NSV-6-9-16-08	SW	9/16/2008	Primary
NSV-6	NSV-6-9-16-08	SW	9/16/2008	Primary
NSV-6	NSV6-9-16-08-Q	SW	9/16/2008	Field Measurement
NSV-6	NSV-6-9-16-8-F	SW	9/16/2008	Field Measurement
NSV-6	NSV-6-9-16-8-F	SW	9/16/2008	Field Measurement
NSV-6	NSV-6-9-16-8-F	SW	9/16/2008	Field Measurement
NSV-6	NSV-6-9-16-8-F	SW	9/16/2008	Field Measurement
NSV-6	NSV-6-9-16-8-F	SW	9/16/2008	Field Measurement
LSV-1	LSV-1-9-17-08	SW	9/17/2008	Primary
LSV-1	LSV-1-9-17-08	SW	9/17/2008	Primary
LSV-1	LSV-1-9-17-08	SW	9/17/2008	Primary
LSV-1	LSV-1-9-17-08	SW	9/17/2008	Primary
LSV-1	LSV-1-9-17-08	SW	9/17/2008	Primary
LSV-1	LSV-1-9-17-08	SW	9/17/2008	Primary
LSV-1	LSV-1-9-17-08-F	SW	9/17/2008	Field Measurement
LSV-1	LSV-1-9-17-08-F	SW	9/17/2008	Field Measurement
LSV-1	LSV-1-9-17-08-F	SW	9/17/2008	Field Measurement
LSV-1	LSV-1-9-17-08-F	SW	9/17/2008	Field Measurement

LSV-1	LSV-1-9-17-08-F	SW	9/17/2008	Field Measurement
LSV-1	LSV-1-9-17-08-Q	SW	9/17/2008	Field Measurement
GW-15	GW-15-20080918-F	GW	9/18/2008	Field Measurement
GW-16	GW-16-20080918-F	GW	9/18/2008	Field Measurement
GW-22	GW-22-20080918-F	GW	9/18/2008	Field Measurement
UP-PD	UP-9-30-08	SW	9/30/2008	Primary
UP-PD	UP-9-30-08	SW	9/30/2008	Primary
UP-PD	UP-9-30-08	SW	9/30/2008	Primary
UP-PD	UP-9-30-08	SW	9/30/2008	Primary
UP-PD	UP-9-30-08	SW	9/30/2008	Primary
UP-PD	UP-9-30-08	SW	9/30/2008	Primary
UP-PD	UP-9-30-08-F	SW	9/30/2008	Field Measurement
UP-PD	UP-9-30-08-F	SW	9/30/2008	Field Measurement
UP-PD	UP-9-30-08-F	SW	9/30/2008	Field Measurement
UP-PD	UP-9-30-08-F	SW	9/30/2008	Field Measurement
UP-PD	UP-9-30-08-F	SW	9/30/2008	Field Measurement
LP-PD	LP-10-01-08	SW	10/1/2008	Primary
LP-PD	LP-10-01-08	SW	10/1/2008	Primary
LP-PD	LP-10-01-08	SW	10/1/2008	Primary
LP-PD	LP-10-01-08	SW	10/1/2008	Primary
LP-PD	LP-10-01-08	SW	10/1/2008	Primary
LP-PD	LP-10-01-08	SW	10/1/2008	Primary
LP-PD	LP-10-01-08-F	SW	10/1/2008	Field Measurement
LP-PD	LP-10-01-08-F	SW	10/1/2008	Field Measurement
LP-PD	LP-10-01-08-F	SW	10/1/2008	Field Measurement
LP-PD	LP-10-01-08-F	SW	10/1/2008	Field Measurement
LP-PD	LP-10-01-08-F	SW	10/1/2008	Field Measurement
UP-PD	UP-20090114	SW	1/14/2009	Primary
UP-PD	UP-20090114	SW	1/14/2009	Primary
UP-PD	UP-20090114	SW	1/14/2009	Primary
UP-PD	UP-20090114	SW	1/14/2009	Primary
UP-PD	UP-20090114	SW	1/14/2009	Primary
UP-PD	UP-20090114	SW	1/14/2009	Primary
UP-PD	UP-20090114	SW	1/14/2009	Primary
UP-PD	UP-20090114-F	SW	1/14/2009	Field Measurement
UP-PD	UP-20090114-F	SW	1/14/2009	Field Measurement
UP-PD	UP-20090114-F	SW	1/14/2009	Field Measurement
UP-PD	UP-20090114-F	SW	1/14/2009	Field Measurement
UP-PD	UP-20090114-F	SW	1/14/2009	Field Measurement
GW-15	GW-15	GW	3/16/2009	Primary
GW-15	GW-15	GW	3/16/2009	Primary
GW-15	GW-15	GW	3/16/2009	Primary
GW-15	GW-15	GW	3/16/2009	Primary
GW-15	GW-15	GW	3/16/2009	Primary
GW-15	GW-15-20090316-F	GW	3/16/2009	Field Measurement
GW-15	GW-15-20090316-F	GW	3/16/2009	Field Measurement
GW-15	GW-15-20090316-F	GW	3/16/2009	Field Measurement

GW-15	GW-15-20090316-F	GW	3/16/2009	Field Measurement
GW-15	GW-15-20090316-F	GW	3/16/2009	Field Measurement
GW-15	GW-15-20090316-F	GW	3/16/2009	Field Measurement
GW-22	GW-22-98	GW	3/16/2009	Primary
GW-22	GW-22-98	GW	3/16/2009	Primary
GW-22	GW-22-98	GW	3/16/2009	Primary
GW-22	GW-22-98	GW	3/16/2009	Primary
GW-22	GW-22-98	GW	3/16/2009	Primary
GW-22	GW-22-98-20090316-F	GW	3/16/2009	Field Measurement
GW-22	GW-22-98-20090316-F	GW	3/16/2009	Field Measurement
GW-22	GW-22-98-20090316-F	GW	3/16/2009	Field Measurement
GW-22	GW-22-98-20090316-F	GW	3/16/2009	Field Measurement
GW-22	GW-22-98-20090316-F	GW	3/16/2009	Field Measurement
GW-22	GW-22-98-20090316-F	GW	3/16/2009	Field Measurement
GW-22	GW-22-150	GW	3/17/2009	Primary
GW-22	GW-22-150	GW	3/17/2009	Primary
GW-22	GW-22-150	GW	3/17/2009	Primary
GW-22	GW-22-150	GW	3/17/2009	Primary
GW-22	GW-22-150	GW	3/17/2009	Primary
GW-22	GW-22-150-20090317-F	GW	3/17/2009	Field Measurement
GW-22	GW-22-150-20090317-F	GW	3/17/2009	Field Measurement
GW-22	GW-22-150-20090317-F	GW	3/17/2009	Field Measurement
GW-22	GW-22-150-20090317-F	GW	3/17/2009	Field Measurement
GW-22	GW-22-150-20090317-F	GW	3/17/2009	Field Measurement
GW-22	GW-22-150-20090317-F	GW	3/17/2009	Field Measurement
GW-16	GW-16	GW	3/27/2009	Primary
GW-16	GW-16	GW	3/27/2009	Primary
GW-16	GW-16	GW	3/27/2009	Primary
GW-16	GW-16	GW	3/27/2009	Primary
GW-16	GW-16	GW	3/27/2009	Primary
GW-16	GW-16-20090327-F	GW	3/27/2009	Field Measurement
GW-16	GW-16-20090327-F	GW	3/27/2009	Field Measurement
GW-16	GW-16-20090327-F	GW	3/27/2009	Field Measurement
GW-16	GW-16-20090327-F	GW	3/27/2009	Field Measurement
GW-16	GW-16-20090327-F	GW	3/27/2009	Field Measurement
GW-16	GW-16-20090327-F	GW	3/27/2009	Field Measurement
GW-26	GW-26	GW	3/27/2009	Primary
GW-26	GW-26	GW	3/27/2009	Primary
GW-26	GW-26	GW	3/27/2009	Primary
GW-26	GW-26	GW	3/27/2009	Primary
GW-26	GW-26	GW	3/27/2009	Primary
GW-26	GW-26-20090327-F	GW	3/27/2009	Field Measurement
GW-26	GW-26-20090327-F	GW	3/27/2009	Field Measurement
GW-26	GW-26-20090327-F	GW	3/27/2009	Field Measurement
GW-26	GW-26-20090327-F	GW	3/27/2009	Field Measurement
GW-26	GW-26-20090327-F	GW	3/27/2009	Field Measurement
GW-26	GW-26-20090327-F	GW	3/27/2009	Field Measurement

LSV-1	SC0609-LSV1-SW0001	SW	5/31/2009	Primary
LSV-1	SC0609-LSV1-SW0001	SW	5/31/2009	Primary
LSV-1	SC0609-LSV1-SW0001	SW	5/31/2009	Primary
LSV-1	SC0609-LSV1-SW0001	SW	5/31/2009	Primary
LSV-1	SC0609-LSV1-SW0001	SW	5/31/2009	Primary
LSV-1	SC0609-LSV1-SW0001	SW	5/31/2009	Primary
LSV-1	SC0609-LSV1-SW0001-F	SW	5/31/2009	Field Measurement
LSV-1	SC0609-LSV1-SW0001-F	SW	5/31/2009	Field Measurement
LSV-1	SC0609-LSV1-SW0001-F	SW	5/31/2009	Field Measurement
LSV-1	SC0609-LSV1-SW0001-F	SW	5/31/2009	Field Measurement
LSV-1	SC0609-LSV1-SW0001-F	SW	5/31/2009	Field Measurement
LSV-1	SC0609-LSV1-SW0001-F	SW	5/31/2009	Field Measurement
LSV-1	SC0609-LSV1-SW0001-Q	SW	5/31/2009	Field Measurement
GW-15	SC0609-GW15-GW0001	GW	6/2/2009	Primary
GW-15	SC0609-GW15-GW0001	GW	6/2/2009	Primary
GW-15	SC0609-GW15-GW0001	GW	6/2/2009	Primary
GW-15	SC0609-GW15-GW0001	GW	6/2/2009	Primary
GW-15	SC0609-GW15-GW0001	GW	6/2/2009	Primary
GW-15	SC0609-GW15-GW0001-F	GW	6/2/2009	Field Measurement
GW-15	SC0609-GW15-GW0001-F	GW	6/2/2009	Field Measurement
GW-15	SC0609-GW15-GW0001-F	GW	6/2/2009	Field Measurement
GW-15	SC0609-GW15-GW0001-F	GW	6/2/2009	Field Measurement
GW-15	SC0609-GW15-GW0001-F	GW	6/2/2009	Field Measurement
GW-15	SC0609-GW15-GW0001-F	GW	6/2/2009	Field Measurement
GW-15	SC0609-GW15-GW0001-F	GW	6/2/2009	Field Measurement
GW-16	SC0609-GW16-GW0001	GW	6/2/2009	Primary
GW-16	SC0609-GW16-GW0001	GW	6/2/2009	Primary
GW-16	SC0609-GW16-GW0001	GW	6/2/2009	Primary
GW-16	SC0609-GW16-GW0001	GW	6/2/2009	Primary
GW-16	SC0609-GW16-GW0001	GW	6/2/2009	Primary
GW-16	SC0609-GW16-GW0001-F	GW	6/2/2009	Field Measurement
GW-16	SC0609-GW16-GW0001-F	GW	6/2/2009	Field Measurement
GW-16	SC0609-GW16-GW0001-F	GW	6/2/2009	Field Measurement
GW-16	SC0609-GW16-GW0001-F	GW	6/2/2009	Field Measurement
GW-16	SC0609-GW16-GW0001-F	GW	6/2/2009	Field Measurement
GW-16	SC0609-GW16-GW0001-F	GW	6/2/2009	Field Measurement
GW-22	SC0609-GW22-GW0001	GW	6/2/2009	Primary
GW-22	SC0609-GW22-GW0001	GW	6/2/2009	Primary
GW-22	SC0609-GW22-GW0001	GW	6/2/2009	Primary
GW-22	SC0609-GW22-GW0001	GW	6/2/2009	Primary
GW-22	SC0609-GW22-GW0001	GW	6/2/2009	Primary
GW-22	SC0609-GW22-GW0001-F	GW	6/2/2009	Field Measurement
GW-22	SC0609-GW22-GW0001-F	GW	6/2/2009	Field Measurement
GW-22	SC0609-GW22-GW0001-F	GW	6/2/2009	Field Measurement
GW-22	SC0609-GW22-GW0001-F	GW	6/2/2009	Field Measurement
GW-22	SC0609-GW22-GW0001-F	GW	6/2/2009	Field Measurement
GW-22	SC0609-GW22-GW0001-F	GW	6/2/2009	Field Measurement

GW-22	SC0609-GW22-GW0001-F	GW	6/2/2009	Field Measurement
GW-22	SC0609-GW22-GW0002	GW	6/2/2009	Primary
GW-22	SC0609-GW22-GW0002	GW	6/2/2009	Primary
GW-22	SC0609-GW22-GW0002	GW	6/2/2009	Primary
GW-22	SC0609-GW22-GW0002	GW	6/2/2009	Primary
GW-22	SC0609-GW22-GW0002	GW	6/2/2009	Primary
GW-22	SC0609-GW22-GW0002-F	GW	6/2/2009	Field Measurement
GW-22	SC0609-GW22-GW0002-F	GW	6/2/2009	Field Measurement
GW-22	SC0609-GW22-GW0002-F	GW	6/2/2009	Field Measurement
GW-22	SC0609-GW22-GW0002-F	GW	6/2/2009	Field Measurement
GW-22	SC0609-GW22-GW0002-F	GW	6/2/2009	Field Measurement
GW-22	SC0609-GW22-GW0002-F	GW	6/2/2009	Field Measurement
GW-22	SC0609-GW22-GW0002-F	GW	6/2/2009	Field Measurement
GW-26	SC0609-GW26-GW0001	GW	6/2/2009	Primary
GW-26	SC0609-GW26-GW0001	GW	6/2/2009	Primary
GW-26	SC0609-GW26-GW0001	GW	6/2/2009	Primary
GW-26	SC0609-GW26-GW0001	GW	6/2/2009	Primary
GW-26	SC0609-GW26-GW0001	GW	6/2/2009	Primary
GW-26	SC0609-GW26-GW0001-F	GW	6/2/2009	Field Measurement
GW-26	SC0609-GW26-GW0001-F	GW	6/2/2009	Field Measurement
GW-26	SC0609-GW26-GW0001-F	GW	6/2/2009	Field Measurement
GW-26	SC0609-GW26-GW0001-F	GW	6/2/2009	Field Measurement
GW-26	SC0609-GW26-GW0001-F	GW	6/2/2009	Field Measurement
GW-26	SC0609-GW26-GW0001-F	GW	6/2/2009	Field Measurement
GW-26	SC0609-GW26-GW0001-F	GW	6/2/2009	Field Measurement
LP-1	SC0609-LP1-SW0001	SW	6/2/2009	Primary
LP-1	SC0609-LP1-SW0001	SW	6/2/2009	Primary
LP-1	SC0609-LP1-SW0001	SW	6/2/2009	Primary
LP-1	SC0609-LP1-SW0001	SW	6/2/2009	Primary
LP-1	SC0609-LP1-SW0001	SW	6/2/2009	Primary
LP-1	SC0609-LP1-SW0001	SW	6/2/2009	Primary
LP-1	SC0609-LP1-SW0001-F	SW	6/2/2009	Field Measurement
LP-1	SC0609-LP1-SW0001-F	SW	6/2/2009	Field Measurement
LP-1	SC0609-LP1-SW0001-F	SW	6/2/2009	Field Measurement
LP-1	SC0609-LP1-SW0001-F	SW	6/2/2009	Field Measurement
LP-1	SC0609-LP1-SW0001-F	SW	6/2/2009	Field Measurement
LP-1	SC0609-LP1-SW0001-Q	SW	6/2/2009	Field Measurement
LP-PD	SC0609-LPPD-SW0001	SW	6/2/2009	Primary
LP-PD	SC0609-LPPD-SW0001	SW	6/2/2009	Primary
LP-PD	SC0609-LPPD-SW0001	SW	6/2/2009	Primary
LP-PD	SC0609-LPPD-SW0001	SW	6/2/2009	Primary
LP-PD	SC0609-LPPD-SW0001	SW	6/2/2009	Primary
LP-PD	SC0609-LPPD-SW0001	SW	6/2/2009	Primary
LP-PD	SC0609-LPPD-SW0001-F	SW	6/2/2009	Field Measurement
LP-PD	SC0609-LPPD-SW0001-F	SW	6/2/2009	Field Measurement
LP-PD	SC0609-LPPD-SW0001-F	SW	6/2/2009	Field Measurement
LP-PD	SC0609-LPPD-SW0001-F	SW	6/2/2009	Field Measurement

LP-PD	SC0609-LPPD-SW0001-F	SW	6/2/2009	Field Measurement
LP-PD	SC0609-LPPD-SW0001-F	SW	6/2/2009	Field Measurement
LP-PD	SC0609-LPPD-SW0001-Q	SW	6/2/2009	Field Measurement
NSV-5	SC0609-NSV5-SW0001	SW	6/2/2009	Primary
NSV-5	SC0609-NSV5-SW0001	SW	6/2/2009	Primary
NSV-5	SC0609-NSV5-SW0001	SW	6/2/2009	Primary
NSV-5	SC0609-NSV5-SW0001	SW	6/2/2009	Primary
NSV-5	SC0609-NSV5-SW0001	SW	6/2/2009	Primary
NSV-5	SC0609-NSV5-SW0001	SW	6/2/2009	Primary
NSV-5	SC0609-NSV5-SW0001-F	SW	6/2/2009	Field Measurement
NSV-5	SC0609-NSV5-SW0001-F	SW	6/2/2009	Field Measurement
NSV-5	SC0609-NSV5-SW0001-F	SW	6/2/2009	Field Measurement
NSV-5	SC0609-NSV5-SW0001-F	SW	6/2/2009	Field Measurement
NSV-5	SC0609-NSV5-SW0001-F	SW	6/2/2009	Field Measurement
NSV-5	SC0609-NSV5-SW0001-F	SW	6/2/2009	Field Measurement
NSV-5	SC0609-NSV5-SW0001-Q	SW	6/2/2009	Field Measurement
NSV-6	SC0609-NSV6-SW0001	SW	6/2/2009	Primary
NSV-6	SC0609-NSV6-SW0001	SW	6/2/2009	Primary
NSV-6	SC0609-NSV6-SW0001	SW	6/2/2009	Primary
NSV-6	SC0609-NSV6-SW0001	SW	6/2/2009	Primary
NSV-6	SC0609-NSV6-SW0001	SW	6/2/2009	Primary
NSV-6	SC0609-NSV6-SW0001	SW	6/2/2009	Primary
NSV-6	SC0609-NSV6-SW0001-F	SW	6/2/2009	Field Measurement
NSV-6	SC0609-NSV6-SW0001-F	SW	6/2/2009	Field Measurement
NSV-6	SC0609-NSV6-SW0001-F	SW	6/2/2009	Field Measurement
NSV-6	SC0609-NSV6-SW0001-F	SW	6/2/2009	Field Measurement
NSV-6	SC0609-NSV6-SW0001-F	SW	6/2/2009	Field Measurement
NSV-6	SC0609-NSV6-SW0001-F	SW	6/2/2009	Field Measurement
NSV-6	SC0609-NSV6-SW0001-Q	SW	6/2/2009	Field Measurement
UP-PD	SC0609-UPPD-SW0001	SW	6/2/2009	Primary
UP-PD	SC0609-UPPD-SW0001	SW	6/2/2009	Primary
UP-PD	SC0609-UPPD-SW0001	SW	6/2/2009	Primary
UP-PD	SC0609-UPPD-SW0001	SW	6/2/2009	Primary
UP-PD	SC0609-UPPD-SW0001	SW	6/2/2009	Primary
UP-PD	SC0609-UPPD-SW0001	SW	6/2/2009	Primary
UP-PD	SC0609-UP-SW0001-F	SW	6/2/2009	Field Measurement
UP-PD	SC0609-UP-SW0001-F	SW	6/2/2009	Field Measurement
UP-PD	SC0609-UP-SW0001-F	SW	6/2/2009	Field Measurement
UP-PD	SC0609-UP-SW0001-F	SW	6/2/2009	Field Measurement
UP-PD	SC0609-UP-SW0001-Q	SW	6/2/2009	Field Measurement
LP-1	LP-1-20090729	SW	7/29/2009	Primary
LP-1	LP-1-20090729	SW	7/29/2009	Primary
LP-1	LP-1-20090729	SW	7/29/2009	Primary
LP-1	LP-1-20090729	SW	7/29/2009	Primary
LP-1	LP-1-20090729	SW	7/29/2009	Primary
LP-1	LP-1-20090729	SW	7/29/2009	Primary
LP-1	LP-1-20090729-F	SW	7/29/2009	Field Measurement

LP-1	LP-1-20090729-F	SW	7/29/2009	Field Measurement
LP-1	LP-1-20090729-F	SW	7/29/2009	Field Measurement
LP-1	LP-1-20090729-F	SW	7/29/2009	Field Measurement
LP-1	LP-1-20090729-F	SW	7/29/2009	Field Measurement
GW-15	GW-15-20090730	GW	7/30/2009	Primary
GW-15	GW-15-20090730	GW	7/30/2009	Primary
GW-15	GW-15-20090730	GW	7/30/2009	Primary
GW-15	GW-15-20090730	GW	7/30/2009	Primary
GW-15	GW-15-20090730	GW	7/30/2009	Primary
GW-15	GW-15-20090730-F	GW	7/30/2009	Field Measurement
GW-15	GW-15-20090730-F	GW	7/30/2009	Field Measurement
GW-15	GW-15-20090730-F	GW	7/30/2009	Field Measurement
GW-15	GW-15-20090730-F	GW	7/30/2009	Field Measurement
GW-15	GW-15-20090730-F	GW	7/30/2009	Field Measurement
GW-15	GW-15-20090730-F	GW	7/30/2009	Field Measurement
GW-16	GW-16-20090730	GW	7/30/2009	Primary
GW-16	GW-16-20090730	GW	7/30/2009	Primary
GW-16	GW-16-20090730	GW	7/30/2009	Primary
GW-16	GW-16-20090730	GW	7/30/2009	Primary
GW-16	GW-16-20090730	GW	7/30/2009	Primary
GW-16	GW-16-20090730-F	GW	7/30/2009	Field Measurement
GW-16	GW-16-20090730-F	GW	7/30/2009	Field Measurement
GW-16	GW-16-20090730-F	GW	7/30/2009	Field Measurement
GW-16	GW-16-20090730-F	GW	7/30/2009	Field Measurement
GW-16	GW-16-20090730-F	GW	7/30/2009	Field Measurement
GW-16	GW-16-20090730-F	GW	7/30/2009	Field Measurement
UP-PD	UP-PD	SW	9/28/2009	Primary
UP-PD	UP-PD	SW	9/28/2009	Primary
UP-PD	UP-PD	SW	9/28/2009	Primary
UP-PD	UP-PD	SW	9/28/2009	Primary
UP-PD	UP-PD	SW	9/28/2009	Primary
UP-PD	UP-PD	SW	9/28/2009	Primary
UP-PD	UP-PD-20090928-F	SW	9/28/2009	Field Measurement
UP-PD	UP-PD-20090928-F	SW	9/28/2009	Field Measurement
UP-PD	UP-PD-20090928-F	SW	9/28/2009	Field Measurement
UP-PD	UP-PD-20090928-F	SW	9/28/2009	Field Measurement
UP-PD	UP-PD-20090928-F	SW	9/28/2009	Field Measurement
UP-PD	UP-PD-20090928-F	SW	9/28/2009	Field Measurement
GW-22	GW-22-148	GW	10/12/2009	Primary
GW-22	GW-22-148	GW	10/12/2009	Primary
GW-22	GW-22-148	GW	10/12/2009	Primary
GW-22	GW-22-148	GW	10/12/2009	Primary
GW-22	GW-22-148	GW	10/12/2009	Primary
GW-22	GW-22-148	GW	10/12/2009	Primary
GW-22	GW-22-90	GW	10/12/2009	Primary
GW-22	GW-22-90	GW	10/12/2009	Primary
GW-22	GW-22-90	GW	10/12/2009	Primary

GW-22	GW-22-90	GW	10/12/2009	Primary
GW-22	GW-22-90	GW	10/12/2009	Primary
GW-22	GW-22-90	GW	10/12/2009	Primary
LP-1	LP-1	SW	10/21/2009	Primary
LP-1	LP-1	SW	10/21/2009	Primary
LP-1	LP-1	SW	10/21/2009	Primary
LP-1	LP-1	SW	10/21/2009	Primary
LP-1	LP-1	SW	10/21/2009	Primary
LP-1	LP-1	SW	10/21/2009	Primary
LP-1	LP-1-F	SW	10/21/2009	Field Measurement
LP-1	LP-1-F	SW	10/21/2009	Field Measurement
LP-1	LP-1-F	SW	10/21/2009	Field Measurement
LP-1	LP-1-F	SW	10/21/2009	Field Measurement
LP-1	LP-1-F	SW	10/21/2009	Field Measurement
LP-1	LP-1-F	SW	10/21/2009	Field Measurement
LSV-1	LSV-1	SW	10/21/2009	Primary
LSV-1	LSV-1	SW	10/21/2009	Primary
LSV-1	LSV-1	SW	10/21/2009	Primary
LSV-1	LSV-1	SW	10/21/2009	Primary
LSV-1	LSV-1	SW	10/21/2009	Primary
LSV-1	LSV-1	SW	10/21/2009	Primary
LSV-1	LSV-1-F	SW	10/21/2009	Field Measurement
LSV-1	LSV-1-F	SW	10/21/2009	Field Measurement
LSV-1	LSV-1-F	SW	10/21/2009	Field Measurement
LSV-1	LSV-1-F	SW	10/21/2009	Field Measurement
LSV-1	LSV-1-F	SW	10/21/2009	Field Measurement
LSV-1	LSV-1-F	SW	10/21/2009	Field Measurement
NSV-5	NSV-5	SW	10/21/2009	Primary
NSV-5	NSV-5	SW	10/21/2009	Primary
NSV-5	NSV-5	SW	10/21/2009	Primary
NSV-5	NSV-5	SW	10/21/2009	Primary
NSV-5	NSV-5	SW	10/21/2009	Primary
NSV-5	NSV-5	SW	10/21/2009	Primary
NSV-5	NSV-5-F	SW	10/21/2009	Field Measurement
NSV-5	NSV-5-F	SW	10/21/2009	Field Measurement
NSV-5	NSV-5-F	SW	10/21/2009	Field Measurement
NSV-5	NSV-5-F	SW	10/21/2009	Field Measurement
NSV-5	NSV-5-F	SW	10/21/2009	Field Measurement
NSV-5	NSV-5-F	SW	10/21/2009	Field Measurement
NSV-6	NSV-6	SW	10/21/2009	Primary
NSV-6	NSV-6	SW	10/21/2009	Primary
NSV-6	NSV-6	SW	10/21/2009	Primary
NSV-6	NSV-6	SW	10/21/2009	Primary
NSV-6	NSV-6	SW	10/21/2009	Primary
NSV-6	NSV-6	SW	10/21/2009	Primary
NSV-6	NSV-6-F	SW	10/21/2009	Field Measurement
NSV-6	NSV-6-F	SW	10/21/2009	Field Measurement

NSV-6	NSV-6-F	SW	10/21/2009	Field Measurement
NSV-6	NSV-6-F	SW	10/21/2009	Field Measurement
NSV-6	NSV-6-F	SW	10/21/2009	Field Measurement
NSV-6	NSV-6-F	SW	10/21/2009	Field Measurement
GW-15	GW-15	GW	10/23/2009	Primary
GW-15	GW-15	GW	10/23/2009	Primary
GW-15	GW-15	GW	10/23/2009	Primary
GW-15	GW-15	GW	10/23/2009	Primary
GW-15	GW-15	GW	10/23/2009	Primary
GW-15	GW-15-20091023-F	GW	10/23/2009	Field Measurement
GW-15	GW-15-20091023-F	GW	10/23/2009	Field Measurement
GW-15	GW-15-20091023-F	GW	10/23/2009	Field Measurement
GW-15	GW-15-20091023-F	GW	10/23/2009	Field Measurement
GW-15	GW-15-20091023-F	GW	10/23/2009	Field Measurement
GW-15	GW-15-20091023-F	GW	10/23/2009	Field Measurement
GW-15	GW-15-20091023-F	GW	10/23/2009	Field Measurement
GW-26	GW-26	GW	10/23/2009	Primary
GW-26	GW-26	GW	10/23/2009	Primary
GW-26	GW-26	GW	10/23/2009	Primary
GW-26	GW-26	GW	10/23/2009	Primary
GW-26	GW-26	GW	10/23/2009	Primary
GW-26	GW-26-20091023-F	GW	10/23/2009	Field Measurement
GW-26	GW-26-20091023-F	GW	10/23/2009	Field Measurement
GW-26	GW-26-20091023-F	GW	10/23/2009	Field Measurement
GW-26	GW-26-20091023-F	GW	10/23/2009	Field Measurement
GW-26	GW-26-20091023-F	GW	10/23/2009	Field Measurement
GW-26	GW-26-20091023-F	GW	10/23/2009	Field Measurement
GW-26	GW-26-20091023-F	GW	10/23/2009	Field Measurement
GW-16	GW-16	GW	10/25/2009	Primary
GW-16	GW-16	GW	10/25/2009	Primary
GW-16	GW-16	GW	10/25/2009	Primary
GW-16	GW-16	GW	10/25/2009	Primary
GW-16	GW-16	GW	10/25/2009	Primary
GW-16	GW-16-20091025-F	GW	10/25/2009	Field Measurement
GW-16	GW-16-20091025-F	GW	10/25/2009	Field Measurement
GW-16	GW-16-20091025-F	GW	10/25/2009	Field Measurement
GW-16	GW-16-20091025-F	GW	10/25/2009	Field Measurement
GW-16	GW-16-20091025-F	GW	10/25/2009	Field Measurement
GW-16	GW-16-20091025-F	GW	10/25/2009	Field Measurement
GW-16	GW-16-20091025-F	GW	10/25/2009	Field Measurement
LSV-1	SC1109-LSV1-SW001	SW	11/20/2009	Primary
LSV-1	SC1109-LSV1-SW001	SW	11/20/2009	Primary
LSV-1	SC1109-LSV1-SW001	SW	11/20/2009	Primary
LSV-1	SC1109-LSV1-SW001	SW	11/20/2009	Primary
LSV-1	SC1109-LSV1-SW001	SW	11/20/2009	Primary
LSV-1	SC1109-LSV1-SW001	SW	11/20/2009	Primary
LSV-1	SC1109-LSV1-SW001-F	SW	11/20/2009	Field Measurement

LSV-1	SC1109-LSV1-SW001-F	SW	11/20/2009	Field Measurement
LSV-1	SC1109-LSV1-SW001-F	SW	11/20/2009	Field Measurement
LSV-1	SC1109-LSV1-SW001-F	SW	11/20/2009	Field Measurement
LSV-1	SC1109-LSV1-SW001-F	SW	11/20/2009	Field Measurement
LSV-1	SC1109-LSV1-SW001-F	SW	11/20/2009	Field Measurement
LSV-1	SC1109-LSV1-SW001-Q	SW	11/20/2009	Field Measurement
GW-15	SC1109-GW15-GW001	GW	11/21/2009	Primary
GW-15	SC1109-GW15-GW001	GW	11/21/2009	Primary
GW-15	SC1109-GW15-GW001	GW	11/21/2009	Primary
GW-15	SC1109-GW15-GW001	GW	11/21/2009	Primary
GW-15	SC1109-GW15-GW001	GW	11/21/2009	Primary
GW-15	SC1109-GW15-GW001-F	GW	11/21/2009	Field Measurement
GW-15	SC1109-GW15-GW001-F	GW	11/21/2009	Field Measurement
GW-15	SC1109-GW15-GW001-F	GW	11/21/2009	Field Measurement
GW-15	SC1109-GW15-GW001-F	GW	11/21/2009	Field Measurement
GW-15	SC1109-GW15-GW001-F	GW	11/21/2009	Field Measurement
GW-15	SC1109-GW15-GW001-F	GW	11/21/2009	Field Measurement
GW-15	SC1109-GW15-GW001-F	GW	11/21/2009	Field Measurement
GW-16	SC1109-GW16-GW001	GW	11/21/2009	Primary
GW-16	SC1109-GW16-GW001	GW	11/21/2009	Primary
GW-16	SC1109-GW16-GW001	GW	11/21/2009	Primary
GW-16	SC1109-GW16-GW001	GW	11/21/2009	Primary
GW-16	SC1109-GW16-GW001	GW	11/21/2009	Primary
GW-16	SC1109-GW16-GW001-F	GW	11/21/2009	Field Measurement
GW-16	SC1109-GW16-GW001-F	GW	11/21/2009	Field Measurement
GW-16	SC1109-GW16-GW001-F	GW	11/21/2009	Field Measurement
GW-16	SC1109-GW16-GW001-F	GW	11/21/2009	Field Measurement
GW-16	SC1109-GW16-GW001-F	GW	11/21/2009	Field Measurement
GW-16	SC1109-GW16-GW001-F	GW	11/21/2009	Field Measurement
GW-16	SC1109-GW16-GW001-F	GW	11/21/2009	Field Measurement
GW-26	SC1109-GW26-GW001	GW	11/21/2009	Primary
GW-26	SC1109-GW26-GW001	GW	11/21/2009	Primary
GW-26	SC1109-GW26-GW001-F	GW	11/21/2009	Field Measurement
GW-26	SC1109-GW26-GW001-F	GW	11/21/2009	Field Measurement
GW-26	SC1109-GW26-GW001-F	GW	11/21/2009	Field Measurement
GW-26	SC1109-GW26-GW001-F	GW	11/21/2009	Field Measurement
GW-26	SC1109-GW26-GW001-F	GW	11/21/2009	Field Measurement
GW-26	SC1109-GW26-GW001-F	GW	11/21/2009	Field Measurement
GW-26	SC1109-GW26-GW001-F	GW	11/21/2009	Field Measurement
LP-1	SC1109-LP1-SW001-Q	SW	11/21/2009	Field Measurement
LP-PD	SC1109-LPPD-SW001	SW	11/21/2009	Primary
LP-PD	SC1109-LPPD-SW001	SW	11/21/2009	Primary
LP-PD	SC1109-LPPD-SW001	SW	11/21/2009	Primary
LP-PD	SC1109-LPPD-SW001	SW	11/21/2009	Primary
LP-PD	SC1109-LPPD-SW001	SW	11/21/2009	Primary
LP-PD	SC1109-LPPD-SW001	SW	11/21/2009	Primary
LP-PD	SC1109-LPPD-SW001-F	SW	11/21/2009	Field Measurement

LP-PD	SC1109-LPPD-SW001-F	SW	11/21/2009	Field Measurement
LP-PD	SC1109-LPPD-SW001-F	SW	11/21/2009	Field Measurement
LP-PD	SC1109-LPPD-SW001-F	SW	11/21/2009	Field Measurement
LP-PD	SC1109-LPPD-SW001-F	SW	11/21/2009	Field Measurement
LP-PD	SC1109-LPPD-SW001-F	SW	11/21/2009	Field Measurement
LP-PD	SC1109-LPPD-SW001-Q	SW	11/21/2009	Field Measurement
GW-22	SC1109-GW22-GW001	GW	11/22/2009	Primary
GW-22	SC1109-GW22-GW001	GW	11/22/2009	Primary
GW-22	SC1109-GW22-GW001	GW	11/22/2009	Primary
GW-22	SC1109-GW22-GW001	GW	11/22/2009	Primary
GW-22	SC1109-GW22-GW001	GW	11/22/2009	Primary
GW-22	SC1109-GW22-GW001-F	GW	11/22/2009	Field Measurement
GW-22	SC1109-GW22-GW001-F	GW	11/22/2009	Field Measurement
GW-22	SC1109-GW22-GW001-F	GW	11/22/2009	Field Measurement
GW-22	SC1109-GW22-GW001-F	GW	11/22/2009	Field Measurement
GW-22	SC1109-GW22-GW001-F	GW	11/22/2009	Field Measurement
GW-22	SC1109-GW22-GW001-F	GW	11/22/2009	Field Measurement
GW-22	SC1109-GW22-GW001-F	GW	11/22/2009	Field Measurement
GW-22	SC1109-GW22-GW002	GW	11/22/2009	Primary
GW-22	SC1109-GW22-GW002	GW	11/22/2009	Primary
GW-22	SC1109-GW22-GW002	GW	11/22/2009	Primary
GW-22	SC1109-GW22-GW002	GW	11/22/2009	Primary
GW-22	SC1109-GW22-GW002	GW	11/22/2009	Primary
GW-22	SC1109-GW22-GW002-F	GW	11/22/2009	Field Measurement
GW-22	SC1109-GW22-GW002-F	GW	11/22/2009	Field Measurement
GW-22	SC1109-GW22-GW002-F	GW	11/22/2009	Field Measurement
GW-22	SC1109-GW22-GW002-F	GW	11/22/2009	Field Measurement
GW-22	SC1109-GW22-GW002-F	GW	11/22/2009	Field Measurement
GW-22	SC1109-GW22-GW002-F	GW	11/22/2009	Field Measurement
GW-22	SC1109-GW22-GW002-F	GW	11/22/2009	Field Measurement
UP-PD	SC1109-UPPD-SW001	SW	11/22/2009	Primary
UP-PD	SC1109-UPPD-SW001	SW	11/22/2009	Primary
UP-PD	SC1109-UPPD-SW001	SW	11/22/2009	Primary
UP-PD	SC1109-UPPD-SW001	SW	11/22/2009	Primary
UP-PD	SC1109-UPPD-SW001	SW	11/22/2009	Primary
UP-PD	SC1109-UPPD-SW001	SW	11/22/2009	Primary
UP-PD	SC1109-UPPD-SW001-F	SW	11/22/2009	Field Measurement
UP-PD	SC1109-UPPD-SW001-F	SW	11/22/2009	Field Measurement
UP-PD	SC1109-UPPD-SW001-F	SW	11/22/2009	Field Measurement
UP-PD	SC1109-UPPD-SW001-F	SW	11/22/2009	Field Measurement
UP-PD	SC1109-UPPD-SW001-F	SW	11/22/2009	Field Measurement
UP-PD	SC1109-UPPD-SW001-F	SW	11/22/2009	Field Measurement
UP-PD	SC1109-UPPD-SW001-Q	SW	11/22/2009	Field Measurement
GW-15	GW-15-20100325	GW	3/25/2010	Primary
GW-15	GW-15-20100325	GW	3/25/2010	Primary
GW-15	GW-15-20100325	GW	3/25/2010	Primary
GW-15	GW-15-20100325	GW	3/25/2010	Primary

GW-15	GW-15-20100325-F	GW	3/25/2010	Field Measurement
GW-15	GW-15-20100325-F	GW	3/25/2010	Field Measurement
GW-15	GW-15-20100325-F	GW	3/25/2010	Field Measurement
GW-15	GW-15-20100325-F	GW	3/25/2010	Field Measurement
GW-15	GW-15-20100325-F	GW	3/25/2010	Field Measurement
GW-15	GW-15-20100325-F	GW	3/25/2010	Field Measurement
GW-16	GW-16-20100325	GW	3/25/2010	Primary
GW-16	GW-16-20100325	GW	3/25/2010	Primary
GW-16	GW-16-20100325	GW	3/25/2010	Primary
GW-16	GW-16-20100325	GW	3/25/2010	Primary
GW-16	GW-16-20100325-F	GW	3/25/2010	Field Measurement
GW-16	GW-16-20100325-F	GW	3/25/2010	Field Measurement
GW-16	GW-16-20100325-F	GW	3/25/2010	Field Measurement
GW-16	GW-16-20100325-F	GW	3/25/2010	Field Measurement
GW-16	GW-16-20100325-F	GW	3/25/2010	Field Measurement
GW-16	GW-16-20100325-F	GW	3/25/2010	Field Measurement
LP-1	LP-1	SW	4/28/2010	Primary
LP-1	LP-1	SW	4/28/2010	Primary
LP-1	LP-1	SW	4/28/2010	Primary
LP-1	LP-1	SW	4/28/2010	Primary
LP-1	LP-1	SW	4/28/2010	Primary
LP-1	LP-1	SW	4/28/2010	Primary
LP-1	LP-1-20100428-F	SW	4/28/2010	Field Measurement
LP-1	LP-1-20100428-F	SW	4/28/2010	Field Measurement
LP-1	LP-1-20100428-F	SW	4/28/2010	Field Measurement
LP-1	LP-1-20100428-F	SW	4/28/2010	Field Measurement
LP-1	LP-1-20100428-F	SW	4/28/2010	Field Measurement
LP-1	LP-1-20100428-F	SW	4/28/2010	Field Measurement
LSV-1	SC0610-LSV1-SW001	SW	6/6/2010	Primary
LSV-1	SC0610-LSV1-SW001	SW	6/6/2010	Primary
LSV-1	SC0610-LSV1-SW001	SW	6/6/2010	Primary
LSV-1	SC0610-LSV1-SW001	SW	6/6/2010	Primary
LSV-1	SC0610-LSV1-SW001	SW	6/6/2010	Primary
LSV-1	SC0610-LSV1-SW001	SW	6/6/2010	Primary
LSV-1	SC0610-LSV1-SW001-F	SW	6/6/2010	Field Measurement
LSV-1	SC0610-LSV1-SW001-F	SW	6/6/2010	Field Measurement
LSV-1	SC0610-LSV1-SW001-F	SW	6/6/2010	Field Measurement
LSV-1	SC0610-LSV1-SW001-F	SW	6/6/2010	Field Measurement
LSV-1	SC0610-LSV1-SW001-F	SW	6/6/2010	Field Measurement
LSV-1	SC0610-LSV1-SW001-F	SW	6/6/2010	Field Measurement
LSV-1	SC0610-LSV1-SW001-Q	SW	6/6/2010	Field Measurement
NSV-5	SC0610-NSV5-SW001	SW	6/7/2010	Primary
NSV-5	SC0610-NSV5-SW001	SW	6/7/2010	Primary
NSV-5	SC0610-NSV5-SW001	SW	6/7/2010	Primary
NSV-5	SC0610-NSV5-SW001	SW	6/7/2010	Primary
NSV-5	SC0610-NSV5-SW001	SW	6/7/2010	Primary
NSV-5	SC0610-NSV5-SW001	SW	6/7/2010	Primary

NSV-5	SC0610-NSV5-SW001-F	SW	6/7/2010	Field Measurement
NSV-5	SC0610-NSV5-SW001-F	SW	6/7/2010	Field Measurement
NSV-5	SC0610-NSV5-SW001-F	SW	6/7/2010	Field Measurement
NSV-5	SC0610-NSV5-SW001-F	SW	6/7/2010	Field Measurement
NSV-5	SC0610-NSV5-SW001-F	SW	6/7/2010	Field Measurement
NSV-5	SC0610-NSV5-SW001-F	SW	6/7/2010	Field Measurement
NSV-5	SC0610-NSV5-SW001-Q	SW	6/7/2010	Field Measurement
NSV-6	SC0610-NSV6-SW001	SW	6/7/2010	Primary
NSV-6	SC0610-NSV6-SW001	SW	6/7/2010	Primary
NSV-6	SC0610-NSV6-SW001	SW	6/7/2010	Primary
NSV-6	SC0610-NSV6-SW001	SW	6/7/2010	Primary
NSV-6	SC0610-NSV6-SW001	SW	6/7/2010	Primary
NSV-6	SC0610-NSV6-SW001	SW	6/7/2010	Primary
NSV-6	SC0610-NSV6-SW001-F	SW	6/7/2010	Field Measurement
NSV-6	SC0610-NSV6-SW001-F	SW	6/7/2010	Field Measurement
NSV-6	SC0610-NSV6-SW001-F	SW	6/7/2010	Field Measurement
NSV-6	SC0610-NSV6-SW001-F	SW	6/7/2010	Field Measurement
NSV-6	SC0610-NSV6-SW001-F	SW	6/7/2010	Field Measurement
NSV-6	SC0610-NSV6-SW001-F	SW	6/7/2010	Field Measurement
NSV-6	SC0610-NSV6-SW001-Q	SW	6/7/2010	Field Measurement
GW-15	SC0610-GW15-GW001	GW	6/8/2010	Primary
GW-15	SC0610-GW15-GW001	GW	6/8/2010	Primary
GW-15	SC0610-GW15-GW001	GW	6/8/2010	Primary
GW-15	SC0610-GW15-GW001	GW	6/8/2010	Primary
GW-15	SC0610-GW15-GW001	GW	6/8/2010	Primary
GW-15	SC0610-GW15-GW001-F	GW	6/8/2010	Field Measurement
GW-15	SC0610-GW15-GW001-F	GW	6/8/2010	Field Measurement
GW-15	SC0610-GW15-GW001-F	GW	6/8/2010	Field Measurement
GW-15	SC0610-GW15-GW001-F	GW	6/8/2010	Field Measurement
GW-15	SC0610-GW15-GW001-F	GW	6/8/2010	Field Measurement
GW-15	SC0610-GW15-GW001-F	GW	6/8/2010	Field Measurement
GW-15	SC0610-GW15-GW001-F	GW	6/8/2010	Field Measurement
GW-16	SC0610-GW16-GW001	GW	6/8/2010	Primary
GW-16	SC0610-GW16-GW001	GW	6/8/2010	Primary
GW-16	SC0610-GW16-GW001	GW	6/8/2010	Primary
GW-16	SC0610-GW16-GW001	GW	6/8/2010	Primary
GW-16	SC0610-GW16-GW001	GW	6/8/2010	Primary
GW-16	SC0610-GW16-GW001-F	GW	6/8/2010	Field Measurement
GW-16	SC0610-GW16-GW001-F	GW	6/8/2010	Field Measurement
GW-16	SC0610-GW16-GW001-F	GW	6/8/2010	Field Measurement
GW-16	SC0610-GW16-GW001-F	GW	6/8/2010	Field Measurement
GW-16	SC0610-GW16-GW001-F	GW	6/8/2010	Field Measurement
GW-16	SC0610-GW16-GW001-F	GW	6/8/2010	Field Measurement
GW-16	SC0610-GW16-GW001-F	GW	6/8/2010	Field Measurement
GW-22	SC0610-GW22-GW001	GW	6/8/2010	Primary
GW-22	SC0610-GW22-GW001	GW	6/8/2010	Primary
GW-22	SC0610-GW22-GW001	GW	6/8/2010	Primary

GW-22	SC0610-GW22-GW001	GW	6/8/2010	Primary
GW-22	SC0610-GW22-GW001	GW	6/8/2010	Primary
GW-22	SC0610-GW22-GW001-F	GW	6/8/2010	Field Measurement
GW-22	SC0610-GW22-GW001-F	GW	6/8/2010	Field Measurement
GW-22	SC0610-GW22-GW001-F	GW	6/8/2010	Field Measurement
GW-22	SC0610-GW22-GW001-F	GW	6/8/2010	Field Measurement
GW-22	SC0610-GW22-GW001-F	GW	6/8/2010	Field Measurement
GW-22	SC0610-GW22-GW001-F	GW	6/8/2010	Field Measurement
GW-22	SC0610-GW22-GW001-F	GW	6/8/2010	Field Measurement
GW-22	SC0610-GW22-GW002	GW	6/8/2010	Primary
GW-22	SC0610-GW22-GW002	GW	6/8/2010	Primary
GW-22	SC0610-GW22-GW002	GW	6/8/2010	Primary
GW-22	SC0610-GW22-GW002	GW	6/8/2010	Primary
GW-22	SC0610-GW22-GW002	GW	6/8/2010	Primary
GW-22	SC0610-GW22-GW002-F	GW	6/8/2010	Field Measurement
GW-22	SC0610-GW22-GW002-F	GW	6/8/2010	Field Measurement
GW-22	SC0610-GW22-GW002-F	GW	6/8/2010	Field Measurement
GW-22	SC0610-GW22-GW002-F	GW	6/8/2010	Field Measurement
GW-22	SC0610-GW22-GW002-F	GW	6/8/2010	Field Measurement
GW-22	SC0610-GW22-GW002-F	GW	6/8/2010	Field Measurement
GW-22	SC0610-GW22-GW002-F	GW	6/8/2010	Field Measurement
GW-26	SC0610-GW26-GW001	GW	6/8/2010	Primary
GW-26	SC0610-GW26-GW001	GW	6/8/2010	Primary
GW-26	SC0610-GW26-GW001	GW	6/8/2010	Primary
GW-26	SC0610-GW26-GW001	GW	6/8/2010	Primary
GW-26	SC0610-GW26-GW001	GW	6/8/2010	Primary
GW-26	SC0610-GW26-GW001-F	GW	6/8/2010	Field Measurement
GW-26	SC0610-GW26-GW001-F	GW	6/8/2010	Field Measurement
GW-26	SC0610-GW26-GW001-F	GW	6/8/2010	Field Measurement
GW-26	SC0610-GW26-GW001-F	GW	6/8/2010	Field Measurement
GW-26	SC0610-GW26-GW001-F	GW	6/8/2010	Field Measurement
GW-26	SC0610-GW26-GW001-F	GW	6/8/2010	Field Measurement
GW-26	SC0610-GW26-GW001-F	GW	6/8/2010	Field Measurement
LP-1	SC0610-LP1-SW001	SW	6/8/2010	Primary
LP-1	SC0610-LP1-SW001	SW	6/8/2010	Primary
LP-1	SC0610-LP1-SW001	SW	6/8/2010	Primary
LP-1	SC0610-LP1-SW001	SW	6/8/2010	Primary
LP-1	SC0610-LP1-SW001	SW	6/8/2010	Primary
LP-1	SC0610-LP1-SW001	SW	6/8/2010	Primary
LP-1	SC0610-LP1-SW001-F	SW	6/8/2010	Field Measurement
LP-1	SC0610-LP1-SW001-F	SW	6/8/2010	Field Measurement
LP-1	SC0610-LP1-SW001-F	SW	6/8/2010	Field Measurement
LP-1	SC0610-LP1-SW001-F	SW	6/8/2010	Field Measurement
LP-1	SC0610-LP1-SW001-F	SW	6/8/2010	Field Measurement
LP-1	SC0610-LP1-SW001-F	SW	6/8/2010	Field Measurement
LP-1	SC0610-LP1-SW001-Q	SW	6/8/2010	Field Measurement
LP-PD	SC0610-LPPD-SW001	SW	6/8/2010	Primary

LP-PD	SC0610-LPPD-SW001	SW	6/8/2010	Primary
LP-PD	SC0610-LPPD-SW001	SW	6/8/2010	Primary
LP-PD	SC0610-LPPD-SW001	SW	6/8/2010	Primary
LP-PD	SC0610-LPPD-SW001	SW	6/8/2010	Primary
LP-PD	SC0610-LPPD-SW001	SW	6/8/2010	Primary
LP-PD	SC0610-LPPD-SW001-F	SW	6/8/2010	Field Measurement
LP-PD	SC0610-LPPD-SW001-F	SW	6/8/2010	Field Measurement
LP-PD	SC0610-LPPD-SW001-F	SW	6/8/2010	Field Measurement
LP-PD	SC0610-LPPD-SW001-F	SW	6/8/2010	Field Measurement
LP-PD	SC0610-LPPD-SW001-F	SW	6/8/2010	Field Measurement
LP-PD	SC0610-LPPD-SW001-F	SW	6/8/2010	Field Measurement
LP-PD	SC0610-LPPD-SW001-Q	SW	6/8/2010	Field Measurement
PCO-06	SM0610-PCO06-VGGEN001	VG	6/19/2010	Primary
PCO-06	SM0610-PCO06-VGGEN002	VG	6/19/2010	Primary
PCO-07	SM0610-PCO07-VGGEN001	VG	6/19/2010	Primary
PCO-13	SM0610-PCO13-VGFRB001	VG	6/19/2010	Primary
PCO-13	SM0610-PCO13-VGGEN001	VG	6/19/2010	Primary
PCO-13	SM0610-PCO13-VGGRS001	VG	6/19/2010	Primary
PCO-14	SM0610-PCO14-VGFRB001	VG	6/19/2010	Primary
PCO-14	SM0610-PCO14-VGGEN001	VG	6/19/2010	Primary
PCO-14	SM0610-PCO14-VGGRS001	VG	6/19/2010	Primary
PCO-05	SM0610-PCO05-VGGEN001	VG	6/20/2010	Primary
PCO-08	SM0610-PCO08-VGGEN001	VG	6/20/2010	Primary
PCO-09	SM0610-PCO09-VGFRB001	VG	6/20/2010	Primary
PCO-09	SM0610-PCO09-VGGEN001	VG	6/20/2010	Primary
PCO-09	SM0610-PCO09-VGGRS001	VG	6/20/2010	Primary
PCO-10	SM0610-PCO10-VGFRB001	VG	6/20/2010	Primary
PCO-10	SM0610-PCO10-VGGEN001	VG	6/20/2010	Primary
PCO-10	SM0610-PCO10-VGGRS001	VG	6/20/2010	Primary
PCO-11	SM0610-PCO11-VGGEN001	VG	6/20/2010	Primary
PCO-11	SM0610-PCO11-VGGEN002	VG	6/20/2010	Primary
PCO-12	SM0610-PCO12-VGFRB001	VG	6/20/2010	Primary
PCO-12	SM0610-PCO12-VGGEN001	VG	6/20/2010	Primary
PCO-12	SM0610-PCO12-VGGRS001	VG	6/20/2010	Primary
UP-PD	SC0610-UPPD-SW001	SW	6/28/2010	Primary
UP-PD	SC0610-UPPD-SW001	SW	6/28/2010	Primary
UP-PD	SC0610-UPPD-SW001	SW	6/28/2010	Primary
UP-PD	SC0610-UPPD-SW001	SW	6/28/2010	Primary
UP-PD	SC0610-UPPD-SW001	SW	6/28/2010	Primary
UP-PD	SC0610-UPPD-SW001	SW	6/28/2010	Primary
UP-PD	SC0610-UPPD-SW001-F	SW	6/28/2010	Field Measurement
UP-PD	SC0610-UPPD-SW001-F	SW	6/28/2010	Field Measurement
UP-PD	SC0610-UPPD-SW001-F	SW	6/28/2010	Field Measurement
UP-PD	SC0610-UPPD-SW001-F	SW	6/28/2010	Field Measurement
UP-PD	SC0610-UPPD-SW001-F	SW	6/28/2010	Field Measurement
UP-PD	SC0610-UPPD-SW001-F	SW	6/28/2010	Field Measurement
GW-22	SC0710-GW22-GW001	GW	7/20/2010	Primary

GW-22	SC0710-GW22-GW001	GW	7/20/2010	Primary
GW-22	SC0710-GW22-GW001	GW	7/20/2010	Primary
GW-22	SC0710-GW22-GW001	GW	7/20/2010	Primary
GW-22	SC0710-GW22-GW001-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW001-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW001-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW001-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW001-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW001-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW001-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW002	GW	7/20/2010	Primary
GW-22	SC0710-GW22-GW002	GW	7/20/2010	Primary
GW-22	SC0710-GW22-GW002	GW	7/20/2010	Primary
GW-22	SC0710-GW22-GW002	GW	7/20/2010	Primary
GW-22	SC0710-GW22-GW002-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW002-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW002-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW002-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW002-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW002-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW003	GW	7/20/2010	Primary
GW-22	SC0710-GW22-GW003	GW	7/20/2010	Primary
GW-22	SC0710-GW22-GW003	GW	7/20/2010	Primary
GW-22	SC0710-GW22-GW003	GW	7/20/2010	Primary
GW-22	SC0710-GW22-GW003-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW003-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW003-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW003-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW003-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW003-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW004	GW	7/20/2010	Primary
GW-22	SC0710-GW22-GW004	GW	7/20/2010	Primary
GW-22	SC0710-GW22-GW004	GW	7/20/2010	Primary
GW-22	SC0710-GW22-GW004	GW	7/20/2010	Primary
GW-22	SC0710-GW22-GW004-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW004-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW004-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW004-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW004-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW004-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW005	GW	7/20/2010	Primary
GW-22	SC0710-GW22-GW005	GW	7/20/2010	Primary
GW-22	SC0710-GW22-GW005	GW	7/20/2010	Primary
GW-22	SC0710-GW22-GW005	GW	7/20/2010	Primary
GW-22	SC0710-GW22-GW005-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW005-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW005-F	GW	7/20/2010	Field Measurement

GW-22	SC0710-GW22-GW005-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW005-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW005-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW006	GW	7/20/2010	Primary
GW-22	SC0710-GW22-GW006	GW	7/20/2010	Primary
GW-22	SC0710-GW22-GW006	GW	7/20/2010	Primary
GW-22	SC0710-GW22-GW006	GW	7/20/2010	Primary
GW-22	SC0710-GW22-GW006-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW006-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW006-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW006-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW006-F	GW	7/20/2010	Field Measurement
GW-22	SC0710-GW22-GW006-F	GW	7/20/2010	Field Measurement
PCO-09	SM0810-PCO09-VGFRB001	VG	8/25/2010	Primary
PCO-10	SM0810-PCO10-VGFRB001	VG	8/25/2010	Primary
PCO-12	SM0810-PCO12-VGFRB001	VG	8/25/2010	Primary
PCO-13	SM0810-PCO13-VGFRB001	VG	8/25/2010	Primary
PCO-14	SM0810-PCO14-VGFRB001	VG	8/25/2010	Primary
LP-PD	SC0810-LPPD-SW001-F	SW	8/26/2010	Field Measurement
LP-PD	SC0810-LPPD-SW001-F	SW	8/26/2010	Field Measurement
LP-PD	SC0810-LPPD-SW001-F	SW	8/26/2010	Field Measurement
LP-PD	SC0810-LPPD-SW001-F	SW	8/26/2010	Field Measurement
LP-PD	SC0810-LPPD-SW001-F	SW	8/26/2010	Field Measurement
LP-PD	SC0810-LPPD-SW001-F	SW	8/26/2010	Field Measurement
NSV-6	SC0810-NSV6-SW001-F	SW	8/26/2010	Field Measurement
NSV-6	SC0810-NSV6-SW001-F	SW	8/26/2010	Field Measurement
NSV-6	SC0810-NSV6-SW001-F	SW	8/26/2010	Field Measurement
NSV-6	SC0810-NSV6-SW001-F	SW	8/26/2010	Field Measurement
NSV-6	SC0810-NSV6-SW001-F	SW	8/26/2010	Field Measurement
NSV-6	SC0810-NSV6-SW001-F	SW	8/26/2010	Field Measurement
NSV-6	SC0810-NSV6-SW001-Q	SW	8/26/2010	Field Measurement
GW-15	GW-15	GW	9/10/2010	Primary
GW-15	GW-15	GW	9/10/2010	Primary
GW-15	GW-15	GW	9/10/2010	Primary
GW-15	GW-15	GW	9/10/2010	Primary
GW-15	GW-15	GW	9/10/2010	Primary
GW-15	GW-15-F	GW	9/10/2010	Field Measurement
GW-15	GW-15-F	GW	9/10/2010	Field Measurement
GW-15	GW-15-F	GW	9/10/2010	Field Measurement
GW-15	GW-15-F	GW	9/10/2010	Field Measurement
GW-15	GW-15-F	GW	9/10/2010	Field Measurement
GW-15	GW-15-F	GW	9/10/2010	Field Measurement
GW-15	GW-15-F	GW	9/10/2010	Field Measurement
GW-16	GW-16	GW	9/10/2010	Primary
GW-16	GW-16	GW	9/10/2010	Primary
GW-16	GW-16	GW	9/10/2010	Primary
GW-16	GW-16	GW	9/10/2010	Primary

GW-16	GW-16	GW	9/10/2010	Primary
GW-16	GW-16-F	GW	9/10/2010	Field Measurement
GW-16	GW-16-F	GW	9/10/2010	Field Measurement
GW-16	GW-16-F	GW	9/10/2010	Field Measurement
GW-16	GW-16-F	GW	9/10/2010	Field Measurement
GW-16	GW-16-F	GW	9/10/2010	Field Measurement
GW-16	GW-16-F	GW	9/10/2010	Field Measurement
GW-16	GW-16-F	GW	9/10/2010	Field Measurement
GW-26	GW-26	GW	9/10/2010	Primary
GW-26	GW-26	GW	9/10/2010	Primary
GW-26	GW-26	GW	9/10/2010	Primary
GW-26	GW-26	GW	9/10/2010	Primary
GW-26	GW-26	GW	9/10/2010	Primary
GW-26	GW-26-F	GW	9/10/2010	Field Measurement
GW-26	GW-26-F	GW	9/10/2010	Field Measurement
GW-26	GW-26-F	GW	9/10/2010	Field Measurement
GW-26	GW-26-F	GW	9/10/2010	Field Measurement
GW-26	GW-26-F	GW	9/10/2010	Field Measurement
GW-26	GW-26-F	GW	9/10/2010	Field Measurement
GW-26	GW-26-F	GW	9/10/2010	Field Measurement
LSV-1	SC0910-LSV1-SW001	SW	9/14/2010	Primary
LSV-1	SC0910-LSV1-SW001	SW	9/14/2010	Primary
LSV-1	SC0910-LSV1-SW001	SW	9/14/2010	Primary
LSV-1	SC0910-LSV1-SW001	SW	9/14/2010	Primary
LSV-1	SC0910-LSV1-SW001	SW	9/14/2010	Primary
LSV-1	SC0910-LSV1-SW001	SW	9/14/2010	Primary
LSV-1	SC0910-LSV1-SW001-F	SW	9/14/2010	Field Measurement
LSV-1	SC0910-LSV1-SW001-F	SW	9/14/2010	Field Measurement
LSV-1	SC0910-LSV1-SW001-F	SW	9/14/2010	Field Measurement
LSV-1	SC0910-LSV1-SW001-F	SW	9/14/2010	Field Measurement
LSV-1	SC0910-LSV1-SW001-F	SW	9/14/2010	Field Measurement
LSV-1	SC0910-LSV1-SW001-F	SW	9/14/2010	Field Measurement
LSV-1	SC0910-LSV1-SW001-Q	SW	9/14/2010	Field Measurement
NSV-6	SC0910-NSV6-SW001	SW	9/14/2010	Primary
NSV-6	SC0910-NSV6-SW001	SW	9/14/2010	Primary
NSV-6	SC0910-NSV6-SW001	SW	9/14/2010	Primary
NSV-6	SC0910-NSV6-SW001	SW	9/14/2010	Primary
NSV-6	SC0910-NSV6-SW001	SW	9/14/2010	Primary
NSV-6	SC0910-NSV6-SW001	SW	9/14/2010	Primary
NSV-6	SC0910-NSV6-SW001-F	SW	9/14/2010	Field Measurement
NSV-6	SC0910-NSV6-SW001-F	SW	9/14/2010	Field Measurement
NSV-6	SC0910-NSV6-SW001-F	SW	9/14/2010	Field Measurement
NSV-6	SC0910-NSV6-SW001-F	SW	9/14/2010	Field Measurement
NSV-6	SC0910-NSV6-SW001-F	SW	9/14/2010	Field Measurement
NSV-6	SC0910-NSV6-SW001-F	SW	9/14/2010	Field Measurement
NSV-6	SC0910-NSV6-SW001-Q	SW	9/14/2010	Field Measurement
GW-22	GW-22 (148 FT)	GW	9/28/2010	Primary

GW-22	GW-22 (148 FT)	GW	9/28/2010	Primary
GW-22	GW-22 (148 FT)	GW	9/28/2010	Primary
GW-22	GW-22 (148 FT)	GW	9/28/2010	Primary
GW-22	GW-22 (148 FT)	GW	9/28/2010	Primary
GW-22	GW-22 (148FT)-F	GW	9/28/2010	Field Measurement
GW-22	GW-22 (148FT)-F	GW	9/28/2010	Field Measurement
GW-22	GW-22 (148FT)-F	GW	9/28/2010	Field Measurement
GW-22	GW-22 (148FT)-F	GW	9/28/2010	Field Measurement
GW-22	GW-22 (148FT)-F	GW	9/28/2010	Field Measurement
GW-22	GW-22 (148FT)-F	GW	9/28/2010	Field Measurement
GW-22	GW-22 (148FT)-F	GW	9/28/2010	Field Measurement
GW-22	GW-22 (98FT)-F	GW	9/28/2010	Field Measurement
GW-22	GW-22 (98FT)-F	GW	9/28/2010	Field Measurement
GW-22	GW-22 (98FT)-F	GW	9/28/2010	Field Measurement
GW-22	GW-22 (98FT)-F	GW	9/28/2010	Field Measurement
GW-22	GW-22 (98FT)-F	GW	9/28/2010	Field Measurement
GW-22	GW-22 (98FT)-F	GW	9/28/2010	Field Measurement
GW-22	GW-22 (98FT)-F	GW	9/28/2010	Field Measurement
NSV-5	NSV-5	SW	9/28/2010	Primary
NSV-5	NSV-5	SW	9/28/2010	Primary
NSV-5	NSV-5	SW	9/28/2010	Primary
NSV-5	NSV-5	SW	9/28/2010	Primary
NSV-5	NSV-5	SW	9/28/2010	Primary
NSV-5	NSV-5	SW	9/28/2010	Primary
NSV-5	NSV-5-F	SW	9/28/2010	Field Measurement
NSV-5	NSV-5-F	SW	9/28/2010	Field Measurement
NSV-5	NSV-5-F	SW	9/28/2010	Field Measurement
NSV-5	NSV-5-F	SW	9/28/2010	Field Measurement
NSV-5	NSV-5-F	SW	9/28/2010	Field Measurement
NSV-5	NSV-5-F	SW	9/28/2010	Field Measurement
UP-PD	UP-PD	SW	9/28/2010	Primary
UP-PD	UP-PD	SW	9/28/2010	Primary
UP-PD	UP-PD	SW	9/28/2010	Primary
UP-PD	UP-PD	SW	9/28/2010	Primary
UP-PD	UP-PD	SW	9/28/2010	Primary
UP-PD	UP-PD	SW	9/28/2010	Primary
UP-PD	UP-PD-F	SW	9/28/2010	Field Measurement
UP-PD	UP-PD-F	SW	9/28/2010	Field Measurement
UP-PD	UP-PD-F	SW	9/28/2010	Field Measurement
UP-PD	UP-PD-F	SW	9/28/2010	Field Measurement
UP-PD	UP-PD-F	SW	9/28/2010	Field Measurement
UP-PD	UP-PD-F	SW	9/28/2010	Field Measurement
GW-22	GW-22 (98 FT)	GW	9/29/2010	Primary
GW-22	GW-22 (98 FT)	GW	9/29/2010	Primary
GW-22	GW-22 (98 FT)	GW	9/29/2010	Primary
GW-22	GW-22 (98 FT)	GW	9/29/2010	Primary
GW-22	GW-22 (98 FT)	GW	9/29/2010	Primary

GW-15	SC1110-GW15-GW001	GW	11/11/2010	Primary
GW-15	SC1110-GW15-GW001	GW	11/11/2010	Primary
GW-15	SC1110-GW15-GW001	GW	11/11/2010	Primary
GW-15	SC1110-GW15-GW001	GW	11/11/2010	Primary
GW-15	SC1110-GW15-GW001	GW	11/11/2010	Primary
GW-15	SC1110-GW15-GW001-F	GW	11/11/2010	Field Measurement
GW-15	SC1110-GW15-GW001-F	GW	11/11/2010	Field Measurement
GW-15	SC1110-GW15-GW001-F	GW	11/11/2010	Field Measurement
GW-15	SC1110-GW15-GW001-F	GW	11/11/2010	Field Measurement
GW-15	SC1110-GW15-GW001-F	GW	11/11/2010	Field Measurement
GW-15	SC1110-GW15-GW001-F	GW	11/11/2010	Field Measurement
GW-15	SC1110-GW15-GW001-F	GW	11/11/2010	Field Measurement
GW-16	SC1110-GW16-GW001	GW	11/11/2010	Primary
GW-16	SC1110-GW16-GW001	GW	11/11/2010	Primary
GW-16	SC1110-GW16-GW001	GW	11/11/2010	Primary
GW-16	SC1110-GW16-GW001	GW	11/11/2010	Primary
GW-16	SC1110-GW16-GW001	GW	11/11/2010	Primary
GW-16	SC1110-GW16-GW001-F	GW	11/11/2010	Field Measurement
GW-16	SC1110-GW16-GW001-F	GW	11/11/2010	Field Measurement
GW-16	SC1110-GW16-GW001-F	GW	11/11/2010	Field Measurement
GW-16	SC1110-GW16-GW001-F	GW	11/11/2010	Field Measurement
GW-16	SC1110-GW16-GW001-F	GW	11/11/2010	Field Measurement
GW-16	SC1110-GW16-GW001-F	GW	11/11/2010	Field Measurement
GW-16	SC1110-GW16-GW001-F	GW	11/11/2010	Field Measurement
GW-22	SC1110-GW22-GW001	GW	11/11/2010	Primary
GW-22	SC1110-GW22-GW001	GW	11/11/2010	Primary
GW-22	SC1110-GW22-GW001	GW	11/11/2010	Primary
GW-22	SC1110-GW22-GW001	GW	11/11/2010	Primary
GW-22	SC1110-GW22-GW001	GW	11/11/2010	Primary
GW-22	SC1110-GW22-GW001-F	GW	11/11/2010	Field Measurement
GW-22	SC1110-GW22-GW001-F	GW	11/11/2010	Field Measurement
GW-22	SC1110-GW22-GW001-F	GW	11/11/2010	Field Measurement
GW-22	SC1110-GW22-GW001-F	GW	11/11/2010	Field Measurement
GW-22	SC1110-GW22-GW001-F	GW	11/11/2010	Field Measurement
GW-22	SC1110-GW22-GW001-F	GW	11/11/2010	Field Measurement
GW-22	SC1110-GW22-GW002	GW	11/11/2010	Primary
GW-22	SC1110-GW22-GW002	GW	11/11/2010	Primary
GW-22	SC1110-GW22-GW002	GW	11/11/2010	Primary
GW-22	SC1110-GW22-GW002	GW	11/11/2010	Primary
GW-22	SC1110-GW22-GW002	GW	11/11/2010	Primary
GW-22	SC1110-GW22-GW002-F	GW	11/11/2010	Field Measurement
GW-22	SC1110-GW22-GW002-F	GW	11/11/2010	Field Measurement
GW-22	SC1110-GW22-GW002-F	GW	11/11/2010	Field Measurement
GW-22	SC1110-GW22-GW002-F	GW	11/11/2010	Field Measurement
GW-22	SC1110-GW22-GW002-F	GW	11/11/2010	Field Measurement
GW-22	SC1110-GW22-GW002-F	GW	11/11/2010	Field Measurement
GW-26	SC1110-GW26-GW001	GW	11/11/2010	Primary

GW-26	SC1110-GW26-GW001	GW	11/11/2010	Primary
GW-26	SC1110-GW26-GW001	GW	11/11/2010	Primary
GW-26	SC1110-GW26-GW001	GW	11/11/2010	Primary
GW-26	SC1110-GW26-GW001	GW	11/11/2010	Primary
GW-26	SC1110-GW26-GW001-F	GW	11/11/2010	Field Measurement
GW-26	SC1110-GW26-GW001-F	GW	11/11/2010	Field Measurement
GW-26	SC1110-GW26-GW001-F	GW	11/11/2010	Field Measurement
GW-26	SC1110-GW26-GW001-F	GW	11/11/2010	Field Measurement
GW-26	SC1110-GW26-GW001-F	GW	11/11/2010	Field Measurement
GW-26	SC1110-GW26-GW001-F	GW	11/11/2010	Field Measurement
GW-26	SC1110-GW26-GW001-F	GW	11/11/2010	Field Measurement
LP-PD	SC1110-LPPD-SW001	SW	11/11/2010	Primary
LP-PD	SC1110-LPPD-SW001	SW	11/11/2010	Primary
LP-PD	SC1110-LPPD-SW001	SW	11/11/2010	Primary
LP-PD	SC1110-LPPD-SW001	SW	11/11/2010	Primary
LP-PD	SC1110-LPPD-SW001	SW	11/11/2010	Primary
LP-PD	SC1110-LPPD-SW001	SW	11/11/2010	Primary
LP-PD	SC1110-LPPD-SW001-F	SW	11/11/2010	Field Measurement
LP-PD	SC1110-LPPD-SW001-F	SW	11/11/2010	Field Measurement
LP-PD	SC1110-LPPD-SW001-F	SW	11/11/2010	Field Measurement
LP-PD	SC1110-LPPD-SW001-F	SW	11/11/2010	Field Measurement
LP-PD	SC1110-LPPD-SW001-F	SW	11/11/2010	Field Measurement
LP-PD	SC1110-LPPD-SW001-F	SW	11/11/2010	Field Measurement
LP-PD	SC1110-LPPD-SW001-Q	SW	11/11/2010	Field Measurement
NSV-5	SC1110-NSV5-SW001	SW	11/11/2010	Primary
NSV-5	SC1110-NSV5-SW001	SW	11/11/2010	Primary
NSV-5	SC1110-NSV5-SW001	SW	11/11/2010	Primary
NSV-5	SC1110-NSV5-SW001	SW	11/11/2010	Primary
NSV-5	SC1110-NSV5-SW001	SW	11/11/2010	Primary
NSV-5	SC1110-NSV5-SW001	SW	11/11/2010	Primary
NSV-5	SC1110-NSV5-SW001	SW	11/11/2010	Primary
NSV-5	SC1110-NSV5-SW001-F	SW	11/11/2010	Field Measurement
NSV-5	SC1110-NSV5-SW001-F	SW	11/11/2010	Field Measurement
NSV-5	SC1110-NSV5-SW001-F	SW	11/11/2010	Field Measurement
NSV-5	SC1110-NSV5-SW001-F	SW	11/11/2010	Field Measurement
NSV-5	SC1110-NSV5-SW001-F	SW	11/11/2010	Field Measurement
NSV-5	SC1110-NSV5-SW001-F	SW	11/11/2010	Field Measurement
NSV-5	SC1110-NSV5-SW001-Q	SW	11/11/2010	Field Measurement
NSV-6	SC1110-NSV6-SW001	SW	11/11/2010	Primary
NSV-6	SC1110-NSV6-SW001	SW	11/11/2010	Primary
NSV-6	SC1110-NSV6-SW001	SW	11/11/2010	Primary
NSV-6	SC1110-NSV6-SW001	SW	11/11/2010	Primary
NSV-6	SC1110-NSV6-SW001	SW	11/11/2010	Primary
NSV-6	SC1110-NSV6-SW001	SW	11/11/2010	Primary
NSV-6	SC1110-NSV6-SW001	SW	11/11/2010	Primary
NSV-6	SC1110-NSV6-SW001-F	SW	11/11/2010	Field Measurement
NSV-6	SC1110-NSV6-SW001-F	SW	11/11/2010	Field Measurement

NSV-6	SC1110-NSV6-SW001-F	SW	11/11/2010	Field Measurement
NSV-6	SC1110-NSV6-SW001-F	SW	11/11/2010	Field Measurement
NSV-6	SC1110-NSV6-SW001-F	SW	11/11/2010	Field Measurement
NSV-6	SC1110-NSV6-SW001-F	SW	11/11/2010	Field Measurement
NSV-6	SC1110-NSV6-SW001-Q	SW	11/11/2010	Field Measurement
UP-PD	SC1110-UPPD-SW001	SW	11/11/2010	Primary
UP-PD	SC1110-UPPD-SW001	SW	11/11/2010	Primary
UP-PD	SC1110-UPPD-SW001	SW	11/11/2010	Primary
UP-PD	SC1110-UPPD-SW001	SW	11/11/2010	Primary
UP-PD	SC1110-UPPD-SW001	SW	11/11/2010	Primary
UP-PD	SC1110-UPPD-SW001	SW	11/11/2010	Primary
UP-PD	SC1110-UPPD-SW001	SW	11/11/2010	Primary
UP-PD	SC1110-UPPD-SW001-F	SW	11/11/2010	Field Measurement
UP-PD	SC1110-UPPD-SW001-F	SW	11/11/2010	Field Measurement
UP-PD	SC1110-UPPD-SW001-F	SW	11/11/2010	Field Measurement
UP-PD	SC1110-UPPD-SW001-F	SW	11/11/2010	Field Measurement
UP-PD	SC1110-UPPD-SW001-F	SW	11/11/2010	Field Measurement
UP-PD	SC1110-UPPD-SW001-F	SW	11/11/2010	Field Measurement
UP-PD	SC1110-UPPD-SW001-Q	SW	11/11/2010	Field Measurement
LSV-1	SC1110-LSV1-SW001	SW	11/13/2010	Primary
LSV-1	SC1110-LSV1-SW001	SW	11/13/2010	Primary
LSV-1	SC1110-LSV1-SW001	SW	11/13/2010	Primary
LSV-1	SC1110-LSV1-SW001	SW	11/13/2010	Primary
LSV-1	SC1110-LSV1-SW001	SW	11/13/2010	Primary
LSV-1	SC1110-LSV1-SW001	SW	11/13/2010	Primary
LSV-1	SC1110-LSV1-SW001-F	SW	11/13/2010	Field Measurement
LSV-1	SC1110-LSV1-SW001-F	SW	11/13/2010	Field Measurement
LSV-1	SC1110-LSV1-SW001-F	SW	11/13/2010	Field Measurement
LSV-1	SC1110-LSV1-SW001-F	SW	11/13/2010	Field Measurement
LSV-1	SC1110-LSV1-SW001-F	SW	11/13/2010	Field Measurement
LSV-1	SC1110-LSV1-SW001-F	SW	11/13/2010	Field Measurement
LSV-1	SC1110-LSV1-SW001-Q	SW	11/13/2010	Field Measurement
LP-1	LP-1-20110517-F	SW	5/17/2011	Field Measurement
LP-1	LP-1-20110517-F	SW	5/17/2011	Field Measurement
LP-1	LP-1-20110517-F	SW	5/17/2011	Field Measurement
LP-1	LP-1-20110517-F	SW	5/17/2011	Field Measurement
LP-1	LP-1-20110517-F	SW	5/17/2011	Field Measurement
LP-1	LP-1-20110517IAS	SW	5/17/2011	Primary
LP-1	LP-1-20110517IAS	SW	5/17/2011	Primary
LP-1	LP-1-20110601-F	SW	6/1/2011	Field Measurement
LP-1	LP-1-20110601-F	SW	6/1/2011	Field Measurement
LP-1	LP-1-20110601-F	SW	6/1/2011	Field Measurement
LP-1	LP-1-20110601-F	SW	6/1/2011	Field Measurement
LP-1	LP-1-20110601-F	SW	6/1/2011	Field Measurement
LP-1	LP-1-20110601IAS	SW	6/1/2011	Primary
LP-1	LP-1-20110601IAS	SW	6/1/2011	Primary
LP-1	LP-1-20110601IAS	SW	6/1/2011	Primary

LP-1	LP-1-20110601IAS	SW	6/1/2011	Primary
LP-1	LP-1-20110601IAS	SW	6/1/2011	Primary
LP-1	LP-1-20110601IAS	SW	6/1/2011	Primary
LP-1	LP-1-20110601SVL	SW	6/1/2011	Primary
LP-1	LP-1-20110601SVL	SW	6/1/2011	Primary
LP-1	LP-1-20110601SVL	SW	6/1/2011	Primary
LP-1	LP-1-20110601SVL	SW	6/1/2011	Primary
LP-1	LP-1-20110601SVL	SW	6/1/2011	Primary
LP-1	LP-1-20110601SVL	SW	6/1/2011	Primary
LSV-1	LSV-1-20110601-F	SW	6/1/2011	Field Measurement
LSV-1	LSV-1-20110601-F	SW	6/1/2011	Field Measurement
LSV-1	LSV-1-20110601-F	SW	6/1/2011	Field Measurement
LSV-1	LSV-1-20110601-F	SW	6/1/2011	Field Measurement
LSV-1	LSV-1-20110601-F	SW	6/1/2011	Field Measurement
LSV-1	LSV-1-20110601-F	SW	6/1/2011	Field Measurement
LSV-1	LSV-1-20110601IAS	SW	6/1/2011	Primary
LSV-1	LSV-1-20110601IAS	SW	6/1/2011	Primary
LSV-1	LSV-1-20110601IAS	SW	6/1/2011	Primary
LSV-1	LSV-1-20110601IAS	SW	6/1/2011	Primary
LSV-1	LSV-1-20110601IAS	SW	6/1/2011	Primary
LSV-1	LSV-1-20110601IAS	SW	6/1/2011	Primary
LSV-1	LSV-1-20110601SVL	SW	6/1/2011	Primary
LSV-1	LSV-1-20110601SVL	SW	6/1/2011	Primary
LSV-1	LSV-1-20110601SVL	SW	6/1/2011	Primary
LSV-1	LSV-1-20110601SVL	SW	6/1/2011	Primary
LSV-1	LSV-1-20110601SVL	SW	6/1/2011	Primary
LSV-1	LSV-1-20110601SVL	SW	6/1/2011	Primary
GW-16	GW-16-20110602-F	GW	6/2/2011	Field Measurement
GW-16	GW-16-20110602-F	GW	6/2/2011	Field Measurement
GW-16	GW-16-20110602-F	GW	6/2/2011	Field Measurement
GW-16	GW-16-20110602-F	GW	6/2/2011	Field Measurement
GW-16	GW-16-20110602-F	GW	6/2/2011	Field Measurement
GW-16	GW-16-20110602-F	GW	6/2/2011	Field Measurement
GW-16	GW-16-20110602IAS	GW	6/2/2011	Primary
GW-16	GW-16-20110602IAS	GW	6/2/2011	Primary
GW-16	GW-16-20110602IAS	GW	6/2/2011	Primary
GW-16	GW-16-20110602IAS	GW	6/2/2011	Primary
GW-16	GW-16-20110602IAS	GW	6/2/2011	Primary
GW-16	GW-16-20110602SVL	GW	6/2/2011	Primary
GW-16	GW-16-20110602SVL	GW	6/2/2011	Primary
GW-16	GW-16-20110602SVL	GW	6/2/2011	Primary
GW-16	GW-16-20110602SVL	GW	6/2/2011	Primary
GW-16	GW-16-20110602SVL	GW	6/2/2011	Primary
GW-22	GW-22 (98ft)-20110602-F	GW	6/2/2011	Field Measurement
GW-22	GW-22 (98ft)-20110602-F	GW	6/2/2011	Field Measurement
GW-22	GW-22 (98ft)-20110602-F	GW	6/2/2011	Field Measurement
GW-22	GW-22 (98ft)-20110602-F	GW	6/2/2011	Field Measurement

GW-22	GW-22 (98ft)-20110602-F	GW	6/2/2011	Field Measurement
GW-22	GW-22 (98ft)-20110602-F	GW	6/2/2011	Field Measurement
GW-22	GW-22 (98ft)-20110602-F	GW	6/2/2011	Field Measurement
GW-22	GW-22 (98ft)-20110602IAS	GW	6/2/2011	Primary
GW-22	GW-22 (98ft)-20110602IAS	GW	6/2/2011	Primary
GW-22	GW-22 (98ft)-20110602IAS	GW	6/2/2011	Primary
GW-22	GW-22 (98ft)-20110602IAS	GW	6/2/2011	Primary
GW-22	GW-22 (98ft)-20110602IAS	GW	6/2/2011	Primary
GW-22	GW-22-20110602SVL	GW	6/2/2011	Primary
GW-22	GW-22-20110602SVL	GW	6/2/2011	Primary
GW-22	GW-22-20110602SVL	GW	6/2/2011	Primary
GW-22	GW-22-20110602SVL	GW	6/2/2011	Primary
GW-22	GW-22-20110602SVL	GW	6/2/2011	Primary
GW-26	GW-26-20110602-F	GW	6/2/2011	Field Measurement
GW-26	GW-26-20110602-F	GW	6/2/2011	Field Measurement
GW-26	GW-26-20110602-F	GW	6/2/2011	Field Measurement
GW-26	GW-26-20110602-F	GW	6/2/2011	Field Measurement
GW-26	GW-26-20110602-F	GW	6/2/2011	Field Measurement
GW-26	GW-26-20110602-F	GW	6/2/2011	Field Measurement
GW-26	GW-26-20110602-F	GW	6/2/2011	Field Measurement
GW-26	GW-26-20110602IAS	GW	6/2/2011	Primary
GW-26	GW-26-20110602IAS	GW	6/2/2011	Primary
GW-26	GW-26-20110602IAS	GW	6/2/2011	Primary
GW-26	GW-26-20110602IAS	GW	6/2/2011	Primary
GW-26	GW-26-20110602IAS	GW	6/2/2011	Primary
GW-26	GW-26-20110602SVL	GW	6/2/2011	Primary
GW-26	GW-26-20110602SVL	GW	6/2/2011	Primary
GW-26	GW-26-20110602SVL	GW	6/2/2011	Primary
GW-26	GW-26-20110602SVL	GW	6/2/2011	Primary
GW-26	GW-26-20110602SVL	GW	6/2/2011	Primary
NSV-6	NSV-6-20110602-F	SW	6/2/2011	Field Measurement
NSV-6	NSV-6-20110602-F	SW	6/2/2011	Field Measurement
NSV-6	NSV-6-20110602-F	SW	6/2/2011	Field Measurement
NSV-6	NSV-6-20110602-F	SW	6/2/2011	Field Measurement
NSV-6	NSV-6-20110602-F	SW	6/2/2011	Field Measurement
NSV-6	NSV-6-20110602-F	SW	6/2/2011	Field Measurement
NSV-6	NSV-6-20110602IAS	SW	6/2/2011	Primary
NSV-6	NSV-6-20110602IAS	SW	6/2/2011	Primary
NSV-6	NSV-6-20110602IAS	SW	6/2/2011	Primary
NSV-6	NSV-6-20110602IAS	SW	6/2/2011	Primary
NSV-6	NSV-6-20110602IAS	SW	6/2/2011	Primary
NSV-6	NSV-6-20110602IAS	SW	6/2/2011	Primary
NSV-6	NSV-6-20110602SVL	SW	6/2/2011	Primary
NSV-6	NSV-6-20110602SVL	SW	6/2/2011	Primary
NSV-6	NSV-6-20110602SVL	SW	6/2/2011	Primary
NSV-6	NSV-6-20110602SVL	SW	6/2/2011	Primary
NSV-6	NSV-6-20110602SVL	SW	6/2/2011	Primary

NSV-6	NSV-6-20110602SVL	SW	6/2/2011	Primary
UP-IN	UP-IN-20110602IAS	SW	6/2/2011	Primary
UP-IN	UP-IN-20110602IAS	SW	6/2/2011	Primary
LP-1	LP-1-20110604-F	SW	6/4/2011	Field Measurement
LP-1	LP-1-20110604-F	SW	6/4/2011	Field Measurement
LP-1	LP-1-20110604-F	SW	6/4/2011	Field Measurement
LP-1	LP-1-20110604-F	SW	6/4/2011	Field Measurement
LP-1	LP-1-20110604-F	SW	6/4/2011	Field Measurement
LP-1	LP-1-20110604-F	SW	6/4/2011	Field Measurement
LP-1	LP-1-20110604IAS	SW	6/4/2011	Primary
LP-1	LP-1-20110604IAS	SW	6/4/2011	Primary
LP-1	LP-1-20110604IAS	SW	6/4/2011	Primary
LP-PD	LP-PD-20110604-F	SW	6/4/2011	Field Measurement
LP-PD	LP-PD-20110604-F	SW	6/4/2011	Field Measurement
LP-PD	LP-PD-20110604-F	SW	6/4/2011	Field Measurement
LP-PD	LP-PD-20110604-F	SW	6/4/2011	Field Measurement
LP-PD	LP-PD-20110604-F	SW	6/4/2011	Field Measurement
LP-PD	LP-PD-20110604-F	SW	6/4/2011	Field Measurement
LP-PD	LP-PD-20110604IAS	SW	6/4/2011	Primary
LP-PD	LP-PD-20110604IAS	SW	6/4/2011	Primary
LP-PD	LP-PD-20110604IAS	SW	6/4/2011	Primary
LP-1	LP-1-20110605-F	SW	6/5/2011	Field Measurement
LP-1	LP-1-20110605-F	SW	6/5/2011	Field Measurement
LP-1	LP-1-20110605-F	SW	6/5/2011	Field Measurement
LP-1	LP-1-20110605-F	SW	6/5/2011	Field Measurement
LP-1	LP-1-20110605-F	SW	6/5/2011	Field Measurement
LP-1	LP-1-20110605IAS	SW	6/5/2011	Primary
LP-1	LP-1-20110605IAS	SW	6/5/2011	Primary
LP-1	LP-1-20110605IAS	SW	6/5/2011	Primary
LP-PD	LP-PD-20110605-F	SW	6/5/2011	Field Measurement
LP-PD	LP-PD-20110605-F	SW	6/5/2011	Field Measurement
LP-PD	LP-PD-20110605-F	SW	6/5/2011	Field Measurement
LP-PD	LP-PD-20110605-F	SW	6/5/2011	Field Measurement
LP-PD	LP-PD-20110605-F	SW	6/5/2011	Field Measurement
LP-PD	LP-PD-20110605IAS	SW	6/5/2011	Primary
LP-PD	LP-PD-20110605IAS	SW	6/5/2011	Primary
LP-PD	LP-PD-20110605IAS	SW	6/5/2011	Primary
LP-1	LP-1-20110607-F	SW	6/7/2011	Field Measurement
LP-1	LP-1-20110607-F	SW	6/7/2011	Field Measurement
LP-1	LP-1-20110607-F	SW	6/7/2011	Field Measurement
LP-1	LP-1-20110607-F	SW	6/7/2011	Field Measurement
LP-1	LP-1-20110607-F	SW	6/7/2011	Field Measurement
LP-1	LP-1-20110607-F	SW	6/7/2011	Field Measurement
LP-1	LP-1-20110607IAS	SW	6/7/2011	Primary
LP-1	LP-1-20110607IAS	SW	6/7/2011	Primary
LP-1	LP-1-20110607IAS	SW	6/7/2011	Primary
LP-PD	LP-PD-20110607-F	SW	6/7/2011	Field Measurement

LP-PD	LP-PD-20110607-F	SW	6/7/2011	Field Measurement
LP-PD	LP-PD-20110607-F	SW	6/7/2011	Field Measurement
LP-PD	LP-PD-20110607-F	SW	6/7/2011	Field Measurement
LP-PD	LP-PD-20110607-F	SW	6/7/2011	Field Measurement
LP-PD	LP-PD-20110607-F	SW	6/7/2011	Field Measurement
LP-PD	LP-PD-20110607IAS	SW	6/7/2011	Primary
LP-PD	LP-PD-20110607IAS	SW	6/7/2011	Primary
LP-PD	LP-PD-20110607IAS	SW	6/7/2011	Primary
NSV-6	NSV-6-20110607-F	SW	6/7/2011	Field Measurement
NSV-6	NSV-6-20110607-F	SW	6/7/2011	Field Measurement
NSV-6	NSV-6-20110607-F	SW	6/7/2011	Field Measurement
NSV-6	NSV-6-20110607-F	SW	6/7/2011	Field Measurement
NSV-6	NSV-6-20110607-F	SW	6/7/2011	Field Measurement
NSV-6	NSV-6-20110607IAS	SW	6/7/2011	Primary
NSV-6	NSV-6-20110607IAS	SW	6/7/2011	Primary
NSV-6	NSV-6-20110607IAS	SW	6/7/2011	Primary
LP-1	LP-1-20110609IAS	SW	6/9/2011	Primary
LP-1	LP-1-20110609IAS	SW	6/9/2011	Primary
LP-1	LP-1-20110609IAS	SW	6/9/2011	Primary
LP-1	LP-1-20110612IAS	SW	6/12/2011	Primary
LP-1	LP-1-20110612IAS	SW	6/12/2011	Primary
LP-1	LP-1-20110612IAS	SW	6/12/2011	Primary
LP-PD	LP-PD-20110612IAS	SW	6/12/2011	Primary
LP-PD	LP-PD-20110612IAS	SW	6/12/2011	Primary
LP-PD	LP-PD-20110612IAS	SW	6/12/2011	Primary
NSV-6	NSV-6-20110612IAS	SW	6/12/2011	Primary
NSV-6	NSV-6-20110612IAS	SW	6/12/2011	Primary
NSV-6	NSV-6-20110612IAS	SW	6/12/2011	Primary
LP-1	LP-1-20110614IAS	SW	6/14/2011	Primary
LP-1	LP-1-20110614IAS	SW	6/14/2011	Primary
LP-1	LP-1-20110614IAS	SW	6/14/2011	Primary
LP-1	SC0611-LP1-SW001	SW	6/14/2011	Primary
LP-1	SC0611-LP1-SW001	SW	6/14/2011	Primary
LP-1	SC0611-LP1-SW001	SW	6/14/2011	Primary
LP-1	SC0611-LP1-SW001	SW	6/14/2011	Primary
LP-1	SC0611-LP1-SW001	SW	6/14/2011	Primary
LP-1	SC0611-LP1-SW001	SW	6/14/2011	Primary
LP-1	SC0611-LP1-SW001-F	SW	6/14/2011	Field Measurement
LP-1	SC0611-LP1-SW001-F	SW	6/14/2011	Field Measurement
LP-1	SC0611-LP1-SW001-F	SW	6/14/2011	Field Measurement
LP-1	SC0611-LP1-SW001-F	SW	6/14/2011	Field Measurement
LP-1	SC0611-LP1-SW001-F	SW	6/14/2011	Field Measurement
LP-1	SC0611-LP1-SW001-F	SW	6/14/2011	Field Measurement
LP-1	SC0611-LP1-SW001-Q	SW	6/14/2011	Field Measurement
LP-PD	LP-PD-20110614IAS	SW	6/14/2011	Primary
LP-PD	LP-PD-20110614IAS	SW	6/14/2011	Primary
LP-PD	LP-PD-20110614IAS	SW	6/14/2011	Primary

LP-PD	SC0611-LPPD-SW001	SW	6/14/2011	Primary
LP-PD	SC0611-LPPD-SW001	SW	6/14/2011	Primary
LP-PD	SC0611-LPPD-SW001	SW	6/14/2011	Primary
LP-PD	SC0611-LPPD-SW001	SW	6/14/2011	Primary
LP-PD	SC0611-LPPD-SW001	SW	6/14/2011	Primary
LP-PD	SC0611-LPPD-SW001	SW	6/14/2011	Primary
LP-PD	SC0611-LPPD-SW001-F	SW	6/14/2011	Field Measurement
LP-PD	SC0611-LPPD-SW001-F	SW	6/14/2011	Field Measurement
LP-PD	SC0611-LPPD-SW001-F	SW	6/14/2011	Field Measurement
LP-PD	SC0611-LPPD-SW001-F	SW	6/14/2011	Field Measurement
LP-PD	SC0611-LPPD-SW001-F	SW	6/14/2011	Field Measurement
LP-PD	SC0611-LPPD-SW001-F	SW	6/14/2011	Field Measurement
LSV-1	SC0611-LSV1-SW001	SW	6/14/2011	Primary
LSV-1	SC0611-LSV1-SW001	SW	6/14/2011	Primary
LSV-1	SC0611-LSV1-SW001	SW	6/14/2011	Primary
LSV-1	SC0611-LSV1-SW001	SW	6/14/2011	Primary
LSV-1	SC0611-LSV1-SW001	SW	6/14/2011	Primary
LSV-1	SC0611-LSV1-SW001	SW	6/14/2011	Primary
LSV-1	SC0611-LSV1-SW001	SW	6/14/2011	Primary
LSV-1	SC0611-LSV1-SW001-F	SW	6/14/2011	Field Measurement
LSV-1	SC0611-LSV1-SW001-F	SW	6/14/2011	Field Measurement
LSV-1	SC0611-LSV1-SW001-F	SW	6/14/2011	Field Measurement
LSV-1	SC0611-LSV1-SW001-F	SW	6/14/2011	Field Measurement
LSV-1	SC0611-LSV1-SW001-F	SW	6/14/2011	Field Measurement
LSV-1	SC0611-LSV1-SW001-F	SW	6/14/2011	Field Measurement
LSV-1	SC0611-LSV1-SW001-Q	SW	6/14/2011	Field Measurement
NSV-5	SC0611-NSV5-SW001	SW	6/14/2011	Primary
NSV-5	SC0611-NSV5-SW001	SW	6/14/2011	Primary
NSV-5	SC0611-NSV5-SW001	SW	6/14/2011	Primary
NSV-5	SC0611-NSV5-SW001	SW	6/14/2011	Primary
NSV-5	SC0611-NSV5-SW001	SW	6/14/2011	Primary
NSV-5	SC0611-NSV5-SW001	SW	6/14/2011	Primary
NSV-5	SC0611-NSV5-SW001-F	SW	6/14/2011	Field Measurement
NSV-5	SC0611-NSV5-SW001-F	SW	6/14/2011	Field Measurement
NSV-5	SC0611-NSV5-SW001-F	SW	6/14/2011	Field Measurement
NSV-5	SC0611-NSV5-SW001-F	SW	6/14/2011	Field Measurement
NSV-5	SC0611-NSV5-SW001-F	SW	6/14/2011	Field Measurement
NSV-5	SC0611-NSV5-SW001-F	SW	6/14/2011	Field Measurement
NSV-5	SC0611-NSV5-SW001-Q	SW	6/14/2011	Field Measurement
NSV-6	NSV-6-20110614IAS	SW	6/14/2011	Primary
NSV-6	NSV-6-20110614IAS	SW	6/14/2011	Primary
NSV-6	NSV-6-20110614IAS	SW	6/14/2011	Primary
NSV-6	SC0611-NSV6-SW001	SW	6/14/2011	Primary
NSV-6	SC0611-NSV6-SW001	SW	6/14/2011	Primary
NSV-6	SC0611-NSV6-SW001	SW	6/14/2011	Primary
NSV-6	SC0611-NSV6-SW001	SW	6/14/2011	Primary
NSV-6	SC0611-NSV6-SW001	SW	6/14/2011	Primary

NSV-6	SC0611-NSV6-SW001	SW	6/14/2011	Primary
NSV-6	SC0611-NSV6-SW001-F	SW	6/14/2011	Field Measurement
NSV-6	SC0611-NSV6-SW001-F	SW	6/14/2011	Field Measurement
NSV-6	SC0611-NSV6-SW001-F	SW	6/14/2011	Field Measurement
NSV-6	SC0611-NSV6-SW001-F	SW	6/14/2011	Field Measurement
NSV-6	SC0611-NSV6-SW001-F	SW	6/14/2011	Field Measurement
NSV-6	SC0611-NSV6-SW001-F	SW	6/14/2011	Field Measurement
NSV-6	SC0611-NSV6-SW001-Q	SW	6/14/2011	Field Measurement
UP-IN	SC0611-UPIN-SW001	SW	6/14/2011	Primary
UP-IN	SC0611-UPIN-SW001	SW	6/14/2011	Primary
UP-IN	SC0611-UPIN-SW001	SW	6/14/2011	Primary
UP-IN	SC0611-UPIN-SW001	SW	6/14/2011	Primary
UP-IN	SC0611-UPIN-SW001	SW	6/14/2011	Primary
UP-IN	SC0611-UPIN-SW001	SW	6/14/2011	Primary
UP-IN	SC0611-UPIN-SW001-F	SW	6/14/2011	Field Measurement
UP-IN	SC0611-UPIN-SW001-F	SW	6/14/2011	Field Measurement
UP-IN	SC0611-UPIN-SW001-F	SW	6/14/2011	Field Measurement
UP-IN	SC0611-UPIN-SW001-F	SW	6/14/2011	Field Measurement
UP-IN	SC0611-UPIN-SW001-F	SW	6/14/2011	Field Measurement
UP-IN	SC0611-UPIN-SW001-F	SW	6/14/2011	Field Measurement
UP-IN	SC0611-UPIN-SW001-Q	SW	6/14/2011	Field Measurement
UP-PD	SC0611-UPPD-SW001	SW	6/14/2011	Primary
UP-PD	SC0611-UPPD-SW001	SW	6/14/2011	Primary
UP-PD	SC0611-UPPD-SW001	SW	6/14/2011	Primary
UP-PD	SC0611-UPPD-SW001	SW	6/14/2011	Primary
UP-PD	SC0611-UPPD-SW001	SW	6/14/2011	Primary
UP-PD	SC0611-UPPD-SW001	SW	6/14/2011	Primary
UP-PD	SC0611-UPPD-SW001-F	SW	6/14/2011	Field Measurement
UP-PD	SC0611-UPPD-SW001-F	SW	6/14/2011	Field Measurement
UP-PD	SC0611-UPPD-SW001-F	SW	6/14/2011	Field Measurement
UP-PD	SC0611-UPPD-SW001-F	SW	6/14/2011	Field Measurement
UP-PD	SC0611-UPPD-SW001-F	SW	6/14/2011	Field Measurement
UP-PD	SC0611-UPPD-SW001-F	SW	6/14/2011	Field Measurement
GW-15	SC0611-GW15-GW001	GW	6/15/2011	Primary
GW-15	SC0611-GW15-GW001	GW	6/15/2011	Primary
GW-15	SC0611-GW15-GW001	GW	6/15/2011	Primary
GW-15	SC0611-GW15-GW001	GW	6/15/2011	Primary
GW-15	SC0611-GW15-GW001	GW	6/15/2011	Primary
GW-15	SC0611-GW15-GW001-F	GW	6/15/2011	Field Measurement
GW-15	SC0611-GW15-GW001-F	GW	6/15/2011	Field Measurement
GW-15	SC0611-GW15-GW001-F	GW	6/15/2011	Field Measurement
GW-15	SC0611-GW15-GW001-F	GW	6/15/2011	Field Measurement
GW-15	SC0611-GW15-GW001-F	GW	6/15/2011	Field Measurement
GW-15	SC0611-GW15-GW001-F	GW	6/15/2011	Field Measurement
GW-15	SC0611-GW15-GW001-F	GW	6/15/2011	Field Measurement
GW-16	GW-16-20110615IAS	GW	6/15/2011	Primary
GW-16	GW-16-20110615IAS	GW	6/15/2011	Primary

GW-16	GW-16-20110615IAS	GW	6/15/2011	Primary
GW-16	SC0611-GW16-GW001	GW	6/15/2011	Primary
GW-16	SC0611-GW16-GW001	GW	6/15/2011	Primary
GW-16	SC0611-GW16-GW001	GW	6/15/2011	Primary
GW-16	SC0611-GW16-GW001	GW	6/15/2011	Primary
GW-16	SC0611-GW16-GW001	GW	6/15/2011	Primary
GW-16	SC0611-GW16-GW001-F	GW	6/15/2011	Field Measurement
GW-16	SC0611-GW16-GW001-F	GW	6/15/2011	Field Measurement
GW-16	SC0611-GW16-GW001-F	GW	6/15/2011	Field Measurement
GW-16	SC0611-GW16-GW001-F	GW	6/15/2011	Field Measurement
GW-16	SC0611-GW16-GW001-F	GW	6/15/2011	Field Measurement
GW-16	SC0611-GW16-GW001-F	GW	6/15/2011	Field Measurement
GW-16	SC0611-GW16-GW001-F	GW	6/15/2011	Field Measurement
GW-22	GW-22 (98ft)-20110615IAS	GW	6/15/2011	Primary
GW-22	GW-22 (98ft)-20110615IAS	GW	6/15/2011	Primary
GW-22	GW-22 (98ft)-20110615IAS	GW	6/15/2011	Primary
GW-22	SC0611-GW22-GW001	GW	6/15/2011	Primary
GW-22	SC0611-GW22-GW001	GW	6/15/2011	Primary
GW-22	SC0611-GW22-GW001	GW	6/15/2011	Primary
GW-22	SC0611-GW22-GW001	GW	6/15/2011	Primary
GW-22	SC0611-GW22-GW001	GW	6/15/2011	Primary
GW-22	SC0611-GW22-GW001-F	GW	6/15/2011	Field Measurement
GW-22	SC0611-GW22-GW001-F	GW	6/15/2011	Field Measurement
GW-22	SC0611-GW22-GW001-F	GW	6/15/2011	Field Measurement
GW-22	SC0611-GW22-GW001-F	GW	6/15/2011	Field Measurement
GW-22	SC0611-GW22-GW001-F	GW	6/15/2011	Field Measurement
GW-22	SC0611-GW22-GW001-F	GW	6/15/2011	Field Measurement
GW-22	SC0611-GW22-GW001-F	GW	6/15/2011	Field Measurement
GW-22	SC0611-GW22-GW002	GW	6/15/2011	Primary
GW-22	SC0611-GW22-GW002	GW	6/15/2011	Primary
GW-22	SC0611-GW22-GW002	GW	6/15/2011	Primary
GW-22	SC0611-GW22-GW002	GW	6/15/2011	Primary
GW-22	SC0611-GW22-GW002	GW	6/15/2011	Primary
GW-22	SC0611-GW22-GW002-F	GW	6/15/2011	Field Measurement
GW-22	SC0611-GW22-GW002-F	GW	6/15/2011	Field Measurement
GW-22	SC0611-GW22-GW002-F	GW	6/15/2011	Field Measurement
GW-22	SC0611-GW22-GW002-F	GW	6/15/2011	Field Measurement
GW-22	SC0611-GW22-GW002-F	GW	6/15/2011	Field Measurement
GW-22	SC0611-GW22-GW002-F	GW	6/15/2011	Field Measurement
GW-22	SC0611-GW22-GW002-F	GW	6/15/2011	Field Measurement
GW-26	SC0611-GW26-GW001	GW	6/15/2011	Primary
GW-26	SC0611-GW26-GW001	GW	6/15/2011	Primary
GW-26	SC0611-GW26-GW001	GW	6/15/2011	Primary
GW-26	SC0611-GW26-GW001	GW	6/15/2011	Primary
GW-26	SC0611-GW26-GW001	GW	6/15/2011	Primary
GW-26	SC0611-GW26-GW001-F	GW	6/15/2011	Field Measurement
GW-26	SC0611-GW26-GW001-F	GW	6/15/2011	Field Measurement

GW-26	SC0611-GW26-GW001-F	GW	6/15/2011	Field Measurement
GW-26	SC0611-GW26-GW001-F	GW	6/15/2011	Field Measurement
GW-26	SC0611-GW26-GW001-F	GW	6/15/2011	Field Measurement
GW-26	SC0611-GW26-GW001-F	GW	6/15/2011	Field Measurement
GW-26	SC0611-GW26-GW001-F	GW	6/15/2011	Field Measurement
LP-1	LP-1-20110621-F	SW	6/21/2011	Field Measurement
LP-1	LP-1-20110621-F	SW	6/21/2011	Field Measurement
LP-1	LP-1-20110621-F	SW	6/21/2011	Field Measurement
LP-1	LP-1-20110621-F	SW	6/21/2011	Field Measurement
LP-1	LP-1-20110621-F	SW	6/21/2011	Field Measurement
LP-1	LP-1-20110621-F	SW	6/21/2011	Field Measurement
LP-1	LP-1-20110621IAS	SW	6/21/2011	Primary
LP-1	LP-1-20110621IAS	SW	6/21/2011	Primary
LP-1	LP-1-20110621IAS	SW	6/21/2011	Primary
LP-PD	LP-PD-20110621-F	SW	6/21/2011	Field Measurement
LP-PD	LP-PD-20110621-F	SW	6/21/2011	Field Measurement
LP-PD	LP-PD-20110621-F	SW	6/21/2011	Field Measurement
LP-PD	LP-PD-20110621-F	SW	6/21/2011	Field Measurement
LP-PD	LP-PD-20110621-F	SW	6/21/2011	Field Measurement
LP-PD	LP-PD-20110621IAS	SW	6/21/2011	Primary
LP-PD	LP-PD-20110621IAS	SW	6/21/2011	Primary
LP-PD	LP-PD-20110621IAS	SW	6/21/2011	Primary
LP-1	LP-1-20110627IAS	SW	6/27/2011	Primary
LP-1	LP-1-20110627IAS	SW	6/27/2011	Primary
LP-1	LP-1-20110627IAS	SW	6/27/2011	Primary
LP-PD	LP-PD-20110627IAS	SW	6/27/2011	Primary
LP-PD	LP-PD-20110627IAS	SW	6/27/2011	Primary
LP-PD	LP-PD-20110627IAS	SW	6/27/2011	Primary
GW-16	GW-16-20110719	GW	7/19/2011	Primary
GW-16	GW-16-20110719	GW	7/19/2011	Primary
GW-16	GW-16-20110719	GW	7/19/2011	Primary
GW-16	GW-16-20110719	GW	7/19/2011	Primary
GW-16	GW-16-20110719	GW	7/19/2011	Primary
GW-16	GW-16-20110719	GW	7/19/2011	Primary
GW-16	GW-16-20110720-F	GW	7/20/2011	Field Measurement
GW-16	GW-16-20110720-F	GW	7/20/2011	Field Measurement
GW-16	GW-16-20110720-F	GW	7/20/2011	Field Measurement
GW-16	GW-16-20110720-F	GW	7/20/2011	Field Measurement
GW-16	GW-16-20110720-F	GW	7/20/2011	Field Measurement
GW-16	GW-16-20110720-F	GW	7/20/2011	Field Measurement
GW-16	GW-16-20110720-F	GW	7/20/2011	Field Measurement
LP-1	LP-1	SW	8/17/2011	Primary
LP-1	LP-1	SW	8/17/2011	Primary
LP-1	LP-1	SW	8/17/2011	Primary
LP-1	LP-1	SW	8/17/2011	Primary
LP-1	LP-1	SW	8/17/2011	Primary
LP-1	LP-1-20110817-F	SW	8/17/2011	Field Measurement

LP-1	LP-1-20110817-F	SW	8/17/2011	Field Measurement
LP-1	LP-1-20110817-F	SW	8/17/2011	Field Measurement
LP-1	LP-1-20110817-F	SW	8/17/2011	Field Measurement
LP-1	LP-1-20110817-F	SW	8/17/2011	Field Measurement
LP-1	LP-1-20110817-F	SW	8/17/2011	Field Measurement
LP-1	LP-1-20110817-Q	SW	8/17/2011	Field Measurement
LP-PD	SC0811-LPPD-SW001	SW	8/28/2011	Primary
LP-PD	SC0811-LPPD-SW001	SW	8/28/2011	Primary
LP-PD	SC0811-LPPD-SW001	SW	8/28/2011	Primary
LP-PD	SC0811-LPPD-SW001	SW	8/28/2011	Primary
LP-PD	SC0811-LPPD-SW001	SW	8/28/2011	Primary
LP-PD	SC0811-LPPD-SW001	SW	8/28/2011	Primary
LP-PD	SC0811-LPPD-SW001-F	SW	8/28/2011	Field Measurement
LP-PD	SC0811-LPPD-SW001-F	SW	8/28/2011	Field Measurement
LP-PD	SC0811-LPPD-SW001-F	SW	8/28/2011	Field Measurement
LP-PD	SC0811-LPPD-SW001-F	SW	8/28/2011	Field Measurement
LP-PD	SC0811-LPPD-SW001-F	SW	8/28/2011	Field Measurement
LP-PD	SC0811-LPPD-SW001-F	SW	8/28/2011	Field Measurement
LSV-1	LSV-1	SW	9/19/2011	Primary
LSV-1	LSV-1	SW	9/19/2011	Primary
LSV-1	LSV-1	SW	9/19/2011	Primary
LSV-1	LSV-1	SW	9/19/2011	Primary
LSV-1	LSV-1	SW	9/19/2011	Primary
LSV-1	LSV-1	SW	9/19/2011	Primary
LSV-1	LSV-1-20110919-F	SW	9/19/2011	Field Measurement
LSV-1	LSV-1-20110919-F	SW	9/19/2011	Field Measurement
LSV-1	LSV-1-20110919-F	SW	9/19/2011	Field Measurement
LSV-1	LSV-1-20110919-F	SW	9/19/2011	Field Measurement
LSV-1	LSV-1-20110919-F	SW	9/19/2011	Field Measurement
LSV-1	LSV-1-20110919-F	SW	9/19/2011	Field Measurement
LP-1	LP-1	SW	9/20/2011	Primary
LP-1	LP-1	SW	9/20/2011	Primary
LP-1	LP-1	SW	9/20/2011	Primary
LP-1	LP-1	SW	9/20/2011	Primary
LP-1	LP-1	SW	9/20/2011	Primary
LP-1	LP-1	SW	9/20/2011	Primary
LP-1	LP-1-20110920-F	SW	9/20/2011	Field Measurement
LP-1	LP-1-20110920-F	SW	9/20/2011	Field Measurement
LP-1	LP-1-20110920-F	SW	9/20/2011	Field Measurement
LP-1	LP-1-20110920-F	SW	9/20/2011	Field Measurement
LP-1	LP-1-20110920-F	SW	9/20/2011	Field Measurement
LP-1	LP-1-20110920-F	SW	9/20/2011	Field Measurement
LP-1	LP-1-20110920-Q	SW	9/20/2011	Field Measurement
NSV-5	NSV-5	SW	9/20/2011	Primary
NSV-5	NSV-5	SW	9/20/2011	Primary
NSV-5	NSV-5	SW	9/20/2011	Primary
NSV-5	NSV-5	SW	9/20/2011	Primary

NSV-5	NSV-5	SW	9/20/2011	Primary
NSV-5	NSV-5	SW	9/20/2011	Primary
NSV-5	NSV-5-20110920-F	SW	9/20/2011	Field Measurement
NSV-5	NSV-5-20110920-F	SW	9/20/2011	Field Measurement
NSV-5	NSV-5-20110920-F	SW	9/20/2011	Field Measurement
NSV-5	NSV-5-20110920-F	SW	9/20/2011	Field Measurement
NSV-5	NSV-5-20110920-F	SW	9/20/2011	Field Measurement
NSV-5	NSV-5-20110920-F	SW	9/20/2011	Field Measurement
NSV-6	NSV-6	SW	9/20/2011	Primary
NSV-6	NSV-6	SW	9/20/2011	Primary
NSV-6	NSV-6	SW	9/20/2011	Primary
NSV-6	NSV-6	SW	9/20/2011	Primary
NSV-6	NSV-6	SW	9/20/2011	Primary
NSV-6	NSV-6	SW	9/20/2011	Primary
NSV-6	NSV-6-20110920-F	SW	9/20/2011	Field Measurement
NSV-6	NSV-6-20110920-F	SW	9/20/2011	Field Measurement
NSV-6	NSV-6-20110920-F	SW	9/20/2011	Field Measurement
NSV-6	NSV-6-20110920-F	SW	9/20/2011	Field Measurement
NSV-6	NSV-6-20110920-F	SW	9/20/2011	Field Measurement
NSV-6	NSV-6-20110920-F	SW	9/20/2011	Field Measurement
UP-IN	UP-IN	SW	9/20/2011	Primary
UP-IN	UP-IN	SW	9/20/2011	Primary
UP-IN	UP-IN	SW	9/20/2011	Primary
UP-IN	UP-IN	SW	9/20/2011	Primary
UP-IN	UP-IN	SW	9/20/2011	Primary
UP-IN	UP-IN	SW	9/20/2011	Primary
UP-IN	UP-IN-20110920-F	SW	9/20/2011	Field Measurement
UP-IN	UP-IN-20110920-F	SW	9/20/2011	Field Measurement
UP-IN	UP-IN-20110920-F	SW	9/20/2011	Field Measurement
UP-IN	UP-IN-20110920-F	SW	9/20/2011	Field Measurement
UP-IN	UP-IN-20110920-F	SW	9/20/2011	Field Measurement
UP-IN	UP-IN-20110920-F	SW	9/20/2011	Field Measurement
UP-IN	UP-IN-20110920-Q	SW	9/20/2011	Field Measurement
UP-PD	UP-PD	SW	9/20/2011	Primary
UP-PD	UP-PD	SW	9/20/2011	Primary
UP-PD	UP-PD	SW	9/20/2011	Primary
UP-PD	UP-PD	SW	9/20/2011	Primary
UP-PD	UP-PD	SW	9/20/2011	Primary
UP-PD	UP-PD	SW	9/20/2011	Primary
UP-PD	UP-PD-20110920-F	SW	9/20/2011	Field Measurement
UP-PD	UP-PD-20110920-F	SW	9/20/2011	Field Measurement
UP-PD	UP-PD-20110920-F	SW	9/20/2011	Field Measurement
UP-PD	UP-PD-20110920-F	SW	9/20/2011	Field Measurement
UP-PD	UP-PD-20110920-F	SW	9/20/2011	Field Measurement
UP-PD	UP-PD-20110920-F	SW	9/20/2011	Field Measurement
GW-15	GW-15	GW	9/27/2011	Primary
GW-15	GW-15	GW	9/27/2011	Primary

GW-15	GW-15	GW	9/27/2011	Primary
GW-15	GW-15	GW	9/27/2011	Primary
GW-15	GW-15	GW	9/27/2011	Primary
GW-15	GW-15-20110927-F	GW	9/27/2011	Field Measurement
GW-15	GW-15-20110927-F	GW	9/27/2011	Field Measurement
GW-15	GW-15-20110927-F	GW	9/27/2011	Field Measurement
GW-15	GW-15-20110927-F	GW	9/27/2011	Field Measurement
GW-15	GW-15-20110927-F	GW	9/27/2011	Field Measurement
GW-15	GW-15-20110927-F	GW	9/27/2011	Field Measurement
GW-15	GW-15-20110927-F	GW	9/27/2011	Field Measurement
GW-16	GW-16	GW	9/27/2011	Primary
GW-16	GW-16	GW	9/27/2011	Primary
GW-16	GW-16	GW	9/27/2011	Primary
GW-16	GW-16	GW	9/27/2011	Primary
GW-16	GW-16	GW	9/27/2011	Primary
GW-16	GW-16-20110927-F	GW	9/27/2011	Field Measurement
GW-16	GW-16-20110927-F	GW	9/27/2011	Field Measurement
GW-16	GW-16-20110927-F	GW	9/27/2011	Field Measurement
GW-16	GW-16-20110927-F	GW	9/27/2011	Field Measurement
GW-16	GW-16-20110927-F	GW	9/27/2011	Field Measurement
GW-16	GW-16-20110927-F	GW	9/27/2011	Field Measurement
GW-16	GW-16-20110927-F	GW	9/27/2011	Field Measurement
GW-26	GW-26	GW	9/28/2011	Primary
GW-26	GW-26	GW	9/28/2011	Primary
GW-26	GW-26	GW	9/28/2011	Primary
GW-26	GW-26	GW	9/28/2011	Primary
GW-26	GW-26	GW	9/28/2011	Primary
GW-26	GW-26-20110928-F	GW	9/28/2011	Field Measurement
GW-26	GW-26-20110928-F	GW	9/28/2011	Field Measurement
GW-26	GW-26-20110928-F	GW	9/28/2011	Field Measurement
GW-26	GW-26-20110928-F	GW	9/28/2011	Field Measurement
GW-26	GW-26-20110928-F	GW	9/28/2011	Field Measurement
GW-26	GW-26-20110928-F	GW	9/28/2011	Field Measurement
GW-26	GW-26-20110928-F	GW	9/28/2011	Field Measurement
GW-22	GW-22-150	GW	10/1/2011	Primary
GW-22	GW-22-150	GW	10/1/2011	Primary
GW-22	GW-22-150	GW	10/1/2011	Primary
GW-22	GW-22-150	GW	10/1/2011	Primary
GW-22	GW-22-150	GW	10/1/2011	Primary
GW-22	GW-22-150-20111001-F	GW	10/1/2011	Field Measurement
GW-22	GW-22-150-20111001-F	GW	10/1/2011	Field Measurement
GW-22	GW-22-150-20111001-F	GW	10/1/2011	Field Measurement
GW-22	GW-22-150-20111001-F	GW	10/1/2011	Field Measurement
GW-22	GW-22-150-20111001-F	GW	10/1/2011	Field Measurement
GW-22	GW-22-150-20111001-F	GW	10/1/2011	Field Measurement
GW-22	GW-22-150-20111001-F	GW	10/1/2011	Field Measurement
GW-22	GW-22-98	GW	10/1/2011	Primary

GW-22	GW-22-98	GW	10/1/2011	Primary
GW-22	GW-22-98	GW	10/1/2011	Primary
GW-22	GW-22-98	GW	10/1/2011	Primary
GW-22	GW-22-98	GW	10/1/2011	Primary
GW-22	GW-22-98-20111001-F	GW	10/1/2011	Field Measurement
GW-22	GW-22-98-20111001-F	GW	10/1/2011	Field Measurement
GW-22	GW-22-98-20111001-F	GW	10/1/2011	Field Measurement
GW-22	GW-22-98-20111001-F	GW	10/1/2011	Field Measurement
GW-22	GW-22-98-20111001-F	GW	10/1/2011	Field Measurement
GW-22	GW-22-98-20111001-F	GW	10/1/2011	Field Measurement
GW-22	GW-22-98-20111001-F	GW	10/1/2011	Field Measurement
GW-15	SC1111-GW15-GW001	GW	11/7/2011	Primary
GW-15	SC1111-GW15-GW001	GW	11/7/2011	Primary
GW-15	SC1111-GW15-GW001	GW	11/7/2011	Primary
GW-15	SC1111-GW15-GW001	GW	11/7/2011	Primary
GW-15	SC1111-GW15-GW001	GW	11/7/2011	Primary
GW-15	SC1111-GW15-GW001-F	GW	11/7/2011	Field Measurement
GW-15	SC1111-GW15-GW001-F	GW	11/7/2011	Field Measurement
GW-15	SC1111-GW15-GW001-F	GW	11/7/2011	Field Measurement
GW-15	SC1111-GW15-GW001-F	GW	11/7/2011	Field Measurement
GW-15	SC1111-GW15-GW001-F	GW	11/7/2011	Field Measurement
GW-15	SC1111-GW15-GW001-F	GW	11/7/2011	Field Measurement
GW-15	SC1111-GW15-GW001-F	GW	11/7/2011	Field Measurement
GW-16	SC1111-GW16-GW001	GW	11/7/2011	Primary
GW-16	SC1111-GW16-GW001	GW	11/7/2011	Primary
GW-16	SC1111-GW16-GW001	GW	11/7/2011	Primary
GW-16	SC1111-GW16-GW001	GW	11/7/2011	Primary
GW-16	SC1111-GW16-GW001	GW	11/7/2011	Primary
GW-16	SC1111-GW16-GW001-F	GW	11/7/2011	Field Measurement
GW-16	SC1111-GW16-GW001-F	GW	11/7/2011	Field Measurement
GW-16	SC1111-GW16-GW001-F	GW	11/7/2011	Field Measurement
GW-16	SC1111-GW16-GW001-F	GW	11/7/2011	Field Measurement
GW-16	SC1111-GW16-GW001-F	GW	11/7/2011	Field Measurement
GW-16	SC1111-GW16-GW001-F	GW	11/7/2011	Field Measurement
GW-16	SC1111-GW16-GW001-F	GW	11/7/2011	Field Measurement
GW-22	SC1111-GW22-GW001	GW	11/7/2011	Primary
GW-22	SC1111-GW22-GW001	GW	11/7/2011	Primary
GW-22	SC1111-GW22-GW001	GW	11/7/2011	Primary
GW-22	SC1111-GW22-GW001	GW	11/7/2011	Primary
GW-22	SC1111-GW22-GW001	GW	11/7/2011	Primary
GW-22	SC1111-GW22-GW001-F	GW	11/7/2011	Field Measurement
GW-22	SC1111-GW22-GW001-F	GW	11/7/2011	Field Measurement
GW-22	SC1111-GW22-GW001-F	GW	11/7/2011	Field Measurement
GW-22	SC1111-GW22-GW001-F	GW	11/7/2011	Field Measurement
GW-22	SC1111-GW22-GW001-F	GW	11/7/2011	Field Measurement
GW-22	SC1111-GW22-GW001-F	GW	11/7/2011	Field Measurement
GW-22	SC1111-GW22-GW002	GW	11/7/2011	Primary

GW-22	SC1111-GW22-GW002	GW	11/7/2011	Primary
GW-22	SC1111-GW22-GW002	GW	11/7/2011	Primary
GW-22	SC1111-GW22-GW002	GW	11/7/2011	Primary
GW-22	SC1111-GW22-GW002	GW	11/7/2011	Primary
GW-22	SC1111-GW22-GW002-F	GW	11/7/2011	Field Measurement
GW-22	SC1111-GW22-GW002-F	GW	11/7/2011	Field Measurement
GW-22	SC1111-GW22-GW002-F	GW	11/7/2011	Field Measurement
GW-22	SC1111-GW22-GW002-F	GW	11/7/2011	Field Measurement
GW-22	SC1111-GW22-GW002-F	GW	11/7/2011	Field Measurement
GW-22	SC1111-GW22-GW002-F	GW	11/7/2011	Field Measurement
GW-26	SC1111-GW26-GW001	GW	11/7/2011	Primary
GW-26	SC1111-GW26-GW001	GW	11/7/2011	Primary
GW-26	SC1111-GW26-GW001	GW	11/7/2011	Primary
GW-26	SC1111-GW26-GW001	GW	11/7/2011	Primary
GW-26	SC1111-GW26-GW001	GW	11/7/2011	Primary
GW-26	SC1111-GW26-GW001-F	GW	11/7/2011	Field Measurement
GW-26	SC1111-GW26-GW001-F	GW	11/7/2011	Field Measurement
GW-26	SC1111-GW26-GW001-F	GW	11/7/2011	Field Measurement
GW-26	SC1111-GW26-GW001-F	GW	11/7/2011	Field Measurement
GW-26	SC1111-GW26-GW001-F	GW	11/7/2011	Field Measurement
GW-26	SC1111-GW26-GW001-F	GW	11/7/2011	Field Measurement
GW-26	SC1111-GW26-GW001-F	GW	11/7/2011	Field Measurement
LP-1	SC1111-LP1-SW001	SW	11/7/2011	Primary
LP-1	SC1111-LP1-SW001	SW	11/7/2011	Primary
LP-1	SC1111-LP1-SW001	SW	11/7/2011	Primary
LP-1	SC1111-LP1-SW001	SW	11/7/2011	Primary
LP-1	SC1111-LP1-SW001	SW	11/7/2011	Primary
LP-1	SC1111-LP1-SW001	SW	11/7/2011	Primary
LP-1	SC1111-LP1-SW001-F	SW	11/7/2011	Field Measurement
LP-1	SC1111-LP1-SW001-F	SW	11/7/2011	Field Measurement
LP-1	SC1111-LP1-SW001-F	SW	11/7/2011	Field Measurement
LP-1	SC1111-LP1-SW001-F	SW	11/7/2011	Field Measurement
LP-1	SC1111-LP1-SW001-F	SW	11/7/2011	Field Measurement
LP-1	SC1111-LP1-SW001-F	SW	11/7/2011	Field Measurement
LP-1	SC1111-LP1-SW001-Q	SW	11/7/2011	Field Measurement
LP-PD	SC1111-LPPD-SW001	SW	11/7/2011	Primary
LP-PD	SC1111-LPPD-SW001	SW	11/7/2011	Primary
LP-PD	SC1111-LPPD-SW001	SW	11/7/2011	Primary
LP-PD	SC1111-LPPD-SW001	SW	11/7/2011	Primary
LP-PD	SC1111-LPPD-SW001	SW	11/7/2011	Primary
LP-PD	SC1111-LPPD-SW001	SW	11/7/2011	Primary
LP-PD	SC1111-LPPD-SW001-F	SW	11/7/2011	Field Measurement
LP-PD	SC1111-LPPD-SW001-F	SW	11/7/2011	Field Measurement
LP-PD	SC1111-LPPD-SW001-F	SW	11/7/2011	Field Measurement
LP-PD	SC1111-LPPD-SW001-F	SW	11/7/2011	Field Measurement
LP-PD	SC1111-LPPD-SW001-F	SW	11/7/2011	Field Measurement
LP-PD	SC1111-LPPD-SW001-F	SW	11/7/2011	Field Measurement

LP-PD	SC1111-LPPD-SW001-Q	SW	11/7/2011	Field Measurement
UP-IN	SC1111-UPIN-SW001	SW	11/7/2011	Primary
UP-IN	SC1111-UPIN-SW001	SW	11/7/2011	Primary
UP-IN	SC1111-UPIN-SW001	SW	11/7/2011	Primary
UP-IN	SC1111-UPIN-SW001	SW	11/7/2011	Primary
UP-IN	SC1111-UPIN-SW001	SW	11/7/2011	Primary
UP-IN	SC1111-UPIN-SW001	SW	11/7/2011	Primary
UP-IN	SC1111-UPIN-SW001-F	SW	11/7/2011	Field Measurement
UP-IN	SC1111-UPIN-SW001-F	SW	11/7/2011	Field Measurement
UP-IN	SC1111-UPIN-SW001-F	SW	11/7/2011	Field Measurement
UP-IN	SC1111-UPIN-SW001-F	SW	11/7/2011	Field Measurement
UP-IN	SC1111-UPIN-SW001-F	SW	11/7/2011	Field Measurement
UP-IN	SC1111-UPIN-SW001-F	SW	11/7/2011	Field Measurement
UP-IN	SC1111-UPIN-SW001-Q	SW	11/7/2011	Field Measurement
UP-PD	SC1111-UPPD-SW001	SW	11/7/2011	Primary
UP-PD	SC1111-UPPD-SW001	SW	11/7/2011	Primary
UP-PD	SC1111-UPPD-SW001	SW	11/7/2011	Primary
UP-PD	SC1111-UPPD-SW001	SW	11/7/2011	Primary
UP-PD	SC1111-UPPD-SW001	SW	11/7/2011	Primary
UP-PD	SC1111-UPPD-SW001	SW	11/7/2011	Primary
UP-PD	SC1111-UPPD-SW001-F	SW	11/7/2011	Field Measurement
UP-PD	SC1111-UPPD-SW001-F	SW	11/7/2011	Field Measurement
UP-PD	SC1111-UPPD-SW001-F	SW	11/7/2011	Field Measurement
UP-PD	SC1111-UPPD-SW001-F	SW	11/7/2011	Field Measurement
UP-PD	SC1111-UPPD-SW001-F	SW	11/7/2011	Field Measurement
UP-PD	SC1111-UPPD-SW001-F	SW	11/7/2011	Field Measurement
LSV-1	SC1111-LSV1-SW001	SW	11/10/2011	Primary
LSV-1	SC1111-LSV1-SW001	SW	11/10/2011	Primary
LSV-1	SC1111-LSV1-SW001	SW	11/10/2011	Primary
LSV-1	SC1111-LSV1-SW001	SW	11/10/2011	Primary
LSV-1	SC1111-LSV1-SW001	SW	11/10/2011	Primary
LSV-1	SC1111-LSV1-SW001	SW	11/10/2011	Primary
LSV-1	SC1111-LSV1-SW001-F	SW	11/10/2011	Field Measurement
LSV-1	SC1111-LSV1-SW001-F	SW	11/10/2011	Field Measurement
LSV-1	SC1111-LSV1-SW001-F	SW	11/10/2011	Field Measurement
LSV-1	SC1111-LSV1-SW001-F	SW	11/10/2011	Field Measurement
LSV-1	SC1111-LSV1-SW001-F	SW	11/10/2011	Field Measurement
LSV-1	SC1111-LSV1-SW001-F	SW	11/10/2011	Field Measurement
LSV-1	SC1111-LSV1-SW001-Q	SW	11/10/2011	Field Measurement
GW-16	GW-16	GW	4/25/2012	Primary
GW-16	GW-16	GW	4/25/2012	Primary
GW-16	GW-16	GW	4/25/2012	Primary
GW-16	GW-16	GW	4/25/2012	Primary
GW-16	GW-16	GW	4/25/2012	Primary
GW-16	GW-16-F	GW	4/25/2012	Field Measurement
GW-16	GW-16-F	GW	4/25/2012	Field Measurement
GW-16	GW-16-F	GW	4/25/2012	Field Measurement

GW-16	GW-16-F	GW	4/25/2012	Field Measurement
GW-16	GW-16-F	GW	4/25/2012	Field Measurement
GW-16	GW-16-F	GW	4/25/2012	Field Measurement
GW-16	GW-16-F	GW	4/25/2012	Field Measurement
LP-1	LP-1	SW	4/25/2012	Primary
LP-1	LP-1	SW	4/25/2012	Primary
LP-1	LP-1	SW	4/25/2012	Primary
LP-1	LP-1	SW	4/25/2012	Primary
LP-1	LP-1	SW	4/25/2012	Primary
LP-1	LP-1	SW	4/25/2012	Primary
LP-1	LP-1-F	SW	4/25/2012	Field Measurement
LP-1	LP-1-F	SW	4/25/2012	Field Measurement
LP-1	LP-1-F	SW	4/25/2012	Field Measurement
LP-1	LP-1-F	SW	4/25/2012	Field Measurement
LP-1	LP-1-F	SW	4/25/2012	Field Measurement
LP-1	LP-1-F	SW	4/25/2012	Field Measurement
LP-1	LP-1-Q	SW	4/25/2012	Field Measurement
LP-PD	LP-PD	SW	4/25/2012	Primary
LP-PD	LP-PD	SW	4/25/2012	Primary
LP-PD	LP-PD	SW	4/25/2012	Primary
LP-PD	LP-PD	SW	4/25/2012	Primary
LP-PD	LP-PD	SW	4/25/2012	Primary
LP-PD	LP-PD	SW	4/25/2012	Primary
LP-PD	LP-PD-F	SW	4/25/2012	Field Measurement
LP-PD	LP-PD-F	SW	4/25/2012	Field Measurement
LP-PD	LP-PD-F	SW	4/25/2012	Field Measurement
LP-PD	LP-PD-F	SW	4/25/2012	Field Measurement
LP-PD	LP-PD-F	SW	4/25/2012	Field Measurement
LP-PD	LP-PD-F	SW	4/25/2012	Field Measurement
LSV-1	SC0512-LSV1-SW001	SW	5/10/2012	Primary
LSV-1	SC0512-LSV1-SW001	SW	5/10/2012	Primary
LSV-1	SC0512-LSV1-SW001	SW	5/10/2012	Primary
LSV-1	SC0512-LSV1-SW001	SW	5/10/2012	Primary
LSV-1	SC0512-LSV1-SW001	SW	5/10/2012	Primary
LSV-1	SC0512-LSV1-SW001	SW	5/10/2012	Primary
LSV-1	SC0512-LSV1-SW001-F	SW	5/10/2012	Field Measurement
LSV-1	SC0512-LSV1-SW001-F	SW	5/10/2012	Field Measurement
LSV-1	SC0512-LSV1-SW001-F	SW	5/10/2012	Field Measurement
LSV-1	SC0512-LSV1-SW001-F	SW	5/10/2012	Field Measurement
LSV-1	SC0512-LSV1-SW001-F	SW	5/10/2012	Field Measurement
LSV-1	SC0512-LSV1-SW001-F	SW	5/10/2012	Field Measurement
LSV-1	SC0512-LSV1-SW001-Q	SW	5/10/2012	Field Measurement
GW-15	SC0512-GW15-GW001	GW	5/11/2012	Primary
GW-15	SC0512-GW15-GW001	GW	5/11/2012	Primary
GW-15	SC0512-GW15-GW001	GW	5/11/2012	Primary
GW-15	SC0512-GW15-GW001	GW	5/11/2012	Primary
GW-15	SC0512-GW15-GW001	GW	5/11/2012	Primary

GW-15	SC0512-GW15-GW001-F	GW	5/11/2012	Field Measurement
GW-15	SC0512-GW15-GW001-F	GW	5/11/2012	Field Measurement
GW-15	SC0512-GW15-GW001-F	GW	5/11/2012	Field Measurement
GW-15	SC0512-GW15-GW001-F	GW	5/11/2012	Field Measurement
GW-15	SC0512-GW15-GW001-F	GW	5/11/2012	Field Measurement
GW-15	SC0512-GW15-GW001-F	GW	5/11/2012	Field Measurement
GW-15	SC0512-GW15-GW001-F	GW	5/11/2012	Field Measurement
GW-16	SC0512-GW16-GW001	GW	5/11/2012	Primary
GW-16	SC0512-GW16-GW001	GW	5/11/2012	Primary
GW-16	SC0512-GW16-GW001	GW	5/11/2012	Primary
GW-16	SC0512-GW16-GW001	GW	5/11/2012	Primary
GW-16	SC0512-GW16-GW001	GW	5/11/2012	Primary
GW-16	SC0512-GW16-GW001-F	GW	5/11/2012	Field Measurement
GW-16	SC0512-GW16-GW001-F	GW	5/11/2012	Field Measurement
GW-16	SC0512-GW16-GW001-F	GW	5/11/2012	Field Measurement
GW-16	SC0512-GW16-GW001-F	GW	5/11/2012	Field Measurement
GW-16	SC0512-GW16-GW001-F	GW	5/11/2012	Field Measurement
GW-16	SC0512-GW16-GW001-F	GW	5/11/2012	Field Measurement
GW-16	SC0512-GW16-GW001-F	GW	5/11/2012	Field Measurement
GW-22	SC0512-GW22-GW001	GW	5/11/2012	Primary
GW-22	SC0512-GW22-GW001	GW	5/11/2012	Primary
GW-22	SC0512-GW22-GW001	GW	5/11/2012	Primary
GW-22	SC0512-GW22-GW001	GW	5/11/2012	Primary
GW-22	SC0512-GW22-GW001	GW	5/11/2012	Primary
GW-22	SC0512-GW22-GW001-F	GW	5/11/2012	Field Measurement
GW-22	SC0512-GW22-GW001-F	GW	5/11/2012	Field Measurement
GW-22	SC0512-GW22-GW001-F	GW	5/11/2012	Field Measurement
GW-22	SC0512-GW22-GW001-F	GW	5/11/2012	Field Measurement
GW-22	SC0512-GW22-GW001-F	GW	5/11/2012	Field Measurement
GW-22	SC0512-GW22-GW001-F	GW	5/11/2012	Field Measurement
GW-22	SC0512-GW22-GW001-F	GW	5/11/2012	Field Measurement
GW-22	SC0512-GW22-GW002	GW	5/11/2012	Primary
GW-22	SC0512-GW22-GW002	GW	5/11/2012	Primary
GW-22	SC0512-GW22-GW002	GW	5/11/2012	Primary
GW-22	SC0512-GW22-GW002	GW	5/11/2012	Primary
GW-22	SC0512-GW22-GW002	GW	5/11/2012	Primary
GW-22	SC0512-GW22-GW002-F	GW	5/11/2012	Field Measurement
GW-22	SC0512-GW22-GW002-F	GW	5/11/2012	Field Measurement
GW-22	SC0512-GW22-GW002-F	GW	5/11/2012	Field Measurement
GW-22	SC0512-GW22-GW002-F	GW	5/11/2012	Field Measurement
GW-22	SC0512-GW22-GW002-F	GW	5/11/2012	Field Measurement
GW-22	SC0512-GW22-GW002-F	GW	5/11/2012	Field Measurement
GW-22	SC0512-GW22-GW002-F	GW	5/11/2012	Field Measurement
GW-26	SC0512-GW26-GW001	GW	5/11/2012	Primary
GW-26	SC0512-GW26-GW001	GW	5/11/2012	Primary
GW-26	SC0512-GW26-GW001	GW	5/11/2012	Primary
GW-26	SC0512-GW26-GW001	GW	5/11/2012	Primary

GW-26	SC0512-GW26-GW001	GW	5/11/2012	Primary
GW-26	SC0512-GW26-GW001-F	GW	5/11/2012	Field Measurement
GW-26	SC0512-GW26-GW001-F	GW	5/11/2012	Field Measurement
GW-26	SC0512-GW26-GW001-F	GW	5/11/2012	Field Measurement
GW-26	SC0512-GW26-GW001-F	GW	5/11/2012	Field Measurement
GW-26	SC0512-GW26-GW001-F	GW	5/11/2012	Field Measurement
GW-26	SC0512-GW26-GW001-F	GW	5/11/2012	Field Measurement
GW-26	SC0512-GW26-GW001-F	GW	5/11/2012	Field Measurement
LP-1	SC0512-LP1-SW001	SW	5/11/2012	Primary
LP-1	SC0512-LP1-SW001	SW	5/11/2012	Primary
LP-1	SC0512-LP1-SW001	SW	5/11/2012	Primary
LP-1	SC0512-LP1-SW001	SW	5/11/2012	Primary
LP-1	SC0512-LP1-SW001	SW	5/11/2012	Primary
LP-1	SC0512-LP1-SW001	SW	5/11/2012	Primary
LP-1	SC0512-LP1-SW001-F	SW	5/11/2012	Field Measurement
LP-1	SC0512-LP1-SW001-F	SW	5/11/2012	Field Measurement
LP-1	SC0512-LP1-SW001-F	SW	5/11/2012	Field Measurement
LP-1	SC0512-LP1-SW001-F	SW	5/11/2012	Field Measurement
LP-1	SC0512-LP1-SW001-F	SW	5/11/2012	Field Measurement
LP-1	SC0512-LP1-SW001-F	SW	5/11/2012	Field Measurement
LP-1	SC0512-LP1-SW001-Q	SW	5/11/2012	Field Measurement
LP-PD	SC0512-LPPD-SW001	SW	5/11/2012	Primary
LP-PD	SC0512-LPPD-SW001	SW	5/11/2012	Primary
LP-PD	SC0512-LPPD-SW001	SW	5/11/2012	Primary
LP-PD	SC0512-LPPD-SW001	SW	5/11/2012	Primary
LP-PD	SC0512-LPPD-SW001	SW	5/11/2012	Primary
LP-PD	SC0512-LPPD-SW001	SW	5/11/2012	Primary
LP-PD	SC0512-LPPD-SW001-F	SW	5/11/2012	Field Measurement
LP-PD	SC0512-LPPD-SW001-F	SW	5/11/2012	Field Measurement
LP-PD	SC0512-LPPD-SW001-F	SW	5/11/2012	Field Measurement
LP-PD	SC0512-LPPD-SW001-F	SW	5/11/2012	Field Measurement
LP-PD	SC0512-LPPD-SW001-F	SW	5/11/2012	Field Measurement
LP-PD	SC0512-LPPD-SW001-F	SW	5/11/2012	Field Measurement
LP-PD	SC0512-LPPD-SW001-Q	SW	5/11/2012	Field Measurement
NSV-5	SC0512-NSV5-SW001	SW	5/11/2012	Primary
NSV-5	SC0512-NSV5-SW001	SW	5/11/2012	Primary
NSV-5	SC0512-NSV5-SW001	SW	5/11/2012	Primary
NSV-5	SC0512-NSV5-SW001	SW	5/11/2012	Primary
NSV-5	SC0512-NSV5-SW001	SW	5/11/2012	Primary
NSV-5	SC0512-NSV5-SW001	SW	5/11/2012	Primary
NSV-5	SC0512-NSV5-SW001-F	SW	5/11/2012	Field Measurement
NSV-5	SC0512-NSV5-SW001-F	SW	5/11/2012	Field Measurement
NSV-5	SC0512-NSV5-SW001-F	SW	5/11/2012	Field Measurement
NSV-5	SC0512-NSV5-SW001-F	SW	5/11/2012	Field Measurement
NSV-5	SC0512-NSV5-SW001-F	SW	5/11/2012	Field Measurement
NSV-5	SC0512-NSV5-SW001-F	SW	5/11/2012	Field Measurement
NSV-5	SC0512-NSV5-SW001-Q	SW	5/11/2012	Field Measurement

NSV-6	SC0512-NSV6-SW001	SW	5/11/2012	Primary
NSV-6	SC0512-NSV6-SW001	SW	5/11/2012	Primary
NSV-6	SC0512-NSV6-SW001	SW	5/11/2012	Primary
NSV-6	SC0512-NSV6-SW001	SW	5/11/2012	Primary
NSV-6	SC0512-NSV6-SW001	SW	5/11/2012	Primary
NSV-6	SC0512-NSV6-SW001	SW	5/11/2012	Primary
NSV-6	SC0512-NSV6-SW001-F	SW	5/11/2012	Field Measurement
NSV-6	SC0512-NSV6-SW001-F	SW	5/11/2012	Field Measurement
NSV-6	SC0512-NSV6-SW001-F	SW	5/11/2012	Field Measurement
NSV-6	SC0512-NSV6-SW001-F	SW	5/11/2012	Field Measurement
NSV-6	SC0512-NSV6-SW001-F	SW	5/11/2012	Field Measurement
NSV-6	SC0512-NSV6-SW001-F	SW	5/11/2012	Field Measurement
NSV-6	SC0512-NSV6-SW001-Q	SW	5/11/2012	Field Measurement
UP-IN	SC0512-UPIN-SW001	SW	5/11/2012	Primary
UP-IN	SC0512-UPIN-SW001	SW	5/11/2012	Primary
UP-IN	SC0512-UPIN-SW001	SW	5/11/2012	Primary
UP-IN	SC0512-UPIN-SW001	SW	5/11/2012	Primary
UP-IN	SC0512-UPIN-SW001	SW	5/11/2012	Primary
UP-IN	SC0512-UPIN-SW001	SW	5/11/2012	Primary
UP-IN	SC0512-UPIN-SW001-F	SW	5/11/2012	Field Measurement
UP-IN	SC0512-UPIN-SW001-F	SW	5/11/2012	Field Measurement
UP-IN	SC0512-UPIN-SW001-F	SW	5/11/2012	Field Measurement
UP-IN	SC0512-UPIN-SW001-F	SW	5/11/2012	Field Measurement
UP-IN	SC0512-UPIN-SW001-F	SW	5/11/2012	Field Measurement
UP-IN	SC0512-UPIN-SW001-F	SW	5/11/2012	Field Measurement
UP-IN	SC0512-UPIN-SW001-Q	SW	5/11/2012	Field Measurement
UP-PD	SC0512-UPPD-SW001	SW	5/11/2012	Primary
UP-PD	SC0512-UPPD-SW001	SW	5/11/2012	Primary
UP-PD	SC0512-UPPD-SW001	SW	5/11/2012	Primary
UP-PD	SC0512-UPPD-SW001	SW	5/11/2012	Primary
UP-PD	SC0512-UPPD-SW001	SW	5/11/2012	Primary
UP-PD	SC0512-UPPD-SW001	SW	5/11/2012	Primary
UP-PD	SC0512-UPPD-SW001-F	SW	5/11/2012	Field Measurement
UP-PD	SC0512-UPPD-SW001-F	SW	5/11/2012	Field Measurement
UP-PD	SC0512-UPPD-SW001-F	SW	5/11/2012	Field Measurement
UP-PD	SC0512-UPPD-SW001-F	SW	5/11/2012	Field Measurement
UP-PD	SC0512-UPPD-SW001-F	SW	5/11/2012	Field Measurement
UP-PD	SC0512-UPPD-SW001-F	SW	5/11/2012	Field Measurement
LP-PD	LP-PD	SW	5/30/2012	Primary
LP-PD	LP-PD	SW	5/30/2012	Primary
LP-PD	LP-PD	SW	5/30/2012	Primary
LP-PD	LP-PD	SW	5/30/2012	Primary
LP-PD	LP-PD	SW	5/30/2012	Primary
LP-PD	LP-PD	SW	5/30/2012	Primary
LP-PD	LP-PD-F	SW	5/30/2012	Field Measurement
LP-PD	LP-PD-F	SW	5/30/2012	Field Measurement
LP-PD	LP-PD-F	SW	5/30/2012	Field Measurement

LP-PD	LP-PD-F	SW	5/30/2012	Field Measurement
LP-PD	LP-PD-F	SW	5/30/2012	Field Measurement
LP-PD	LP-PD-F	SW	5/30/2012	Field Measurement
LP-1	SC0612-LP1-SW001	SW	6/21/2012	Primary
LP-1	SC0612-LP1-SW001	SW	6/21/2012	Primary
LP-1	SC0612-LP1-SW001	SW	6/21/2012	Primary
LP-1	SC0612-LP1-SW001	SW	6/21/2012	Primary
LP-1	SC0612-LP1-SW001	SW	6/21/2012	Primary
LP-1	SC0612-LP1-SW001	SW	6/21/2012	Primary
LP-1	SC0612-LP1-SW001-F	SW	6/21/2012	Field Measurement
LP-1	SC0612-LP1-SW001-F	SW	6/21/2012	Field Measurement
LP-1	SC0612-LP1-SW001-F	SW	6/21/2012	Field Measurement
LP-1	SC0612-LP1-SW001-F	SW	6/21/2012	Field Measurement
LP-1	SC0612-LP1-SW001-F	SW	6/21/2012	Field Measurement
LP-1	SC0612-LP1-SW001-F	SW	6/21/2012	Field Measurement
LP-1	SC0612-LP1-SW001-Q	SW	6/21/2012	Field Measurement
LP-PD	SC0612-LPPD-SW001-Q	SW	6/21/2012	Field Measurement
GW-16	GW-16	GW	7/23/2012	Primary
GW-16	GW-16	GW	7/23/2012	Primary
GW-16	GW-16	GW	7/23/2012	Primary
GW-16	GW-16	GW	7/23/2012	Primary
GW-16	GW-16	GW	7/23/2012	Primary
GW-16	GW-16-F	GW	7/23/2012	Field Measurement
GW-16	GW-16-F	GW	7/23/2012	Field Measurement
GW-16	GW-16-F	GW	7/23/2012	Field Measurement
GW-16	GW-16-F	GW	7/23/2012	Field Measurement
GW-16	GW-16-F	GW	7/23/2012	Field Measurement
GW-16	GW-16-F	GW	7/23/2012	Field Measurement
GW-16	GW-16-F	GW	7/23/2012	Field Measurement
LP-1	LP-1	SW	7/23/2012	Primary
LP-1	LP-1	SW	7/23/2012	Primary
LP-1	LP-1	SW	7/23/2012	Primary
LP-1	LP-1	SW	7/23/2012	Primary
LP-1	LP-1	SW	7/23/2012	Primary
LP-1	LP-1	SW	7/23/2012	Primary
LP-1	LP-1-F	SW	7/23/2012	Field Measurement
LP-1	LP-1-F	SW	7/23/2012	Field Measurement
LP-1	LP-1-F	SW	7/23/2012	Field Measurement
LP-1	LP-1-F	SW	7/23/2012	Field Measurement
LP-1	LP-1-F	SW	7/23/2012	Field Measurement
LP-1	LP-1-F	SW	7/23/2012	Field Measurement
LP-PD	LP-PD	SW	7/23/2012	Primary
LP-PD	LP-PD	SW	7/23/2012	Primary
LP-PD	LP-PD	SW	7/23/2012	Primary
LP-PD	LP-PD	SW	7/23/2012	Primary
LP-PD	LP-PD	SW	7/23/2012	Primary
LP-PD	LP-PD	SW	7/23/2012	Primary

LP-PD	LP-PD-F	SW	7/23/2012	Field Measurement
LP-PD	LP-PD-F	SW	7/23/2012	Field Measurement
LP-PD	LP-PD-F	SW	7/23/2012	Field Measurement
LP-PD	LP-PD-F	SW	7/23/2012	Field Measurement
LP-PD	LP-PD-F	SW	7/23/2012	Field Measurement
LP-PD	LP-PD-F	SW	7/23/2012	Field Measurement
GW-16	SC0812-GW16-GW001	GW	8/30/2012	Primary
GW-16	SC0812-GW16-GW001	GW	8/30/2012	Primary
GW-16	SC0812-GW16-GW001	GW	8/30/2012	Primary
GW-16	SC0812-GW16-GW001	GW	8/30/2012	Primary
GW-16	SC0812-GW16-GW001	GW	8/30/2012	Primary
GW-16	SC0812-GW16-GW001-F	GW	8/30/2012	Field Measurement
GW-16	SC0812-GW16-GW001-F	GW	8/30/2012	Field Measurement
GW-16	SC0812-GW16-GW001-F	GW	8/30/2012	Field Measurement
GW-16	SC0812-GW16-GW001-F	GW	8/30/2012	Field Measurement
GW-16	SC0812-GW16-GW001-F	GW	8/30/2012	Field Measurement
GW-16	SC0812-GW16-GW001-F	GW	8/30/2012	Field Measurement
GW-16	SC0812-GW16-GW001-F	GW	8/30/2012	Field Measurement
LP-1	SC0812-LP1-SW001-Q	SW	8/30/2012	Field Measurement
LP-PD	SC0812-LPPD-SW001	SW	8/30/2012	Primary
LP-PD	SC0812-LPPD-SW001	SW	8/30/2012	Primary
LP-PD	SC0812-LPPD-SW001	SW	8/30/2012	Primary
LP-PD	SC0812-LPPD-SW001	SW	8/30/2012	Primary
LP-PD	SC0812-LPPD-SW001	SW	8/30/2012	Primary
LP-PD	SC0812-LPPD-SW001	SW	8/30/2012	Primary
LP-PD	SC0812-LPPD-SW001-F	SW	8/30/2012	Field Measurement
LP-PD	SC0812-LPPD-SW001-F	SW	8/30/2012	Field Measurement
LP-PD	SC0812-LPPD-SW001-F	SW	8/30/2012	Field Measurement
LP-PD	SC0812-LPPD-SW001-F	SW	8/30/2012	Field Measurement
LP-PD	SC0812-LPPD-SW001-F	SW	8/30/2012	Field Measurement
LP-PD	SC0812-LPPD-SW001-F	SW	8/30/2012	Field Measurement
LP-PD	SC0812-LPPD-SW001-Q	SW	8/30/2012	Field Measurement
LSV-1	SC0812-LSV1-SW001	SW	9/10/2012	Primary
LSV-1	SC0812-LSV1-SW001	SW	9/10/2012	Primary
LSV-1	SC0812-LSV1-SW001	SW	9/10/2012	Primary
LSV-1	SC0812-LSV1-SW001	SW	9/10/2012	Primary
LSV-1	SC0812-LSV1-SW001	SW	9/10/2012	Primary
LSV-1	SC0812-LSV1-SW001	SW	9/10/2012	Primary
LSV-1	SC0812-LSV1-SW001-F	SW	9/10/2012	Field Measurement
LSV-1	SC0812-LSV1-SW001-F	SW	9/10/2012	Field Measurement
LSV-1	SC0812-LSV1-SW001-F	SW	9/10/2012	Field Measurement
LSV-1	SC0812-LSV1-SW001-F	SW	9/10/2012	Field Measurement
LSV-1	SC0812-LSV1-SW001-F	SW	9/10/2012	Field Measurement
LSV-1	SC0812-LSV1-SW001-F	SW	9/10/2012	Field Measurement
GW-15	SC0912-GW15-GW001	GW	9/13/2012	Primary
GW-15	SC0912-GW15-GW001	GW	9/13/2012	Primary
GW-15	SC0912-GW15-GW001	GW	9/13/2012	Primary

GW-15	SC0912-GW15-GW001	GW	9/13/2012	Primary
GW-15	SC0912-GW15-GW001	GW	9/13/2012	Primary
GW-15	SC0912-GW15-GW001-F	GW	9/13/2012	Field Measurement
GW-15	SC0912-GW15-GW001-F	GW	9/13/2012	Field Measurement
GW-15	SC0912-GW15-GW001-F	GW	9/13/2012	Field Measurement
GW-15	SC0912-GW15-GW001-F	GW	9/13/2012	Field Measurement
GW-15	SC0912-GW15-GW001-F	GW	9/13/2012	Field Measurement
GW-15	SC0912-GW15-GW001-F	GW	9/13/2012	Field Measurement
GW-15	SC0912-GW15-GW001-F	GW	9/13/2012	Field Measurement
GW-16	SC0912-GW16-GW001	GW	9/13/2012	Primary
GW-16	SC0912-GW16-GW001	GW	9/13/2012	Primary
GW-16	SC0912-GW16-GW001	GW	9/13/2012	Primary
GW-16	SC0912-GW16-GW001	GW	9/13/2012	Primary
GW-16	SC0912-GW16-GW001	GW	9/13/2012	Primary
GW-16	SC0912-GW16-GW001-F	GW	9/13/2012	Field Measurement
GW-16	SC0912-GW16-GW001-F	GW	9/13/2012	Field Measurement
GW-16	SC0912-GW16-GW001-F	GW	9/13/2012	Field Measurement
GW-16	SC0912-GW16-GW001-F	GW	9/13/2012	Field Measurement
GW-16	SC0912-GW16-GW001-F	GW	9/13/2012	Field Measurement
GW-16	SC0912-GW16-GW001-F	GW	9/13/2012	Field Measurement
GW-16	SC0912-GW16-GW001-F	GW	9/13/2012	Field Measurement
GW-22	SC0912-GW22-GW001	GW	9/13/2012	Primary
GW-22	SC0912-GW22-GW001	GW	9/13/2012	Primary
GW-22	SC0912-GW22-GW001	GW	9/13/2012	Primary
GW-22	SC0912-GW22-GW001	GW	9/13/2012	Primary
GW-22	SC0912-GW22-GW001	GW	9/13/2012	Primary
GW-22	SC0912-GW22-GW001-F	GW	9/13/2012	Field Measurement
GW-22	SC0912-GW22-GW001-F	GW	9/13/2012	Field Measurement
GW-22	SC0912-GW22-GW001-F	GW	9/13/2012	Field Measurement
GW-22	SC0912-GW22-GW001-F	GW	9/13/2012	Field Measurement
GW-22	SC0912-GW22-GW001-F	GW	9/13/2012	Field Measurement
GW-22	SC0912-GW22-GW001-F	GW	9/13/2012	Field Measurement
GW-22	SC0912-GW22-GW001-F	GW	9/13/2012	Field Measurement
GW-22	SC0912-GW22-GW002	GW	9/13/2012	Primary
GW-22	SC0912-GW22-GW002	GW	9/13/2012	Primary
GW-22	SC0912-GW22-GW002	GW	9/13/2012	Primary
GW-22	SC0912-GW22-GW002	GW	9/13/2012	Primary
GW-22	SC0912-GW22-GW002	GW	9/13/2012	Primary
GW-22	SC0912-GW22-GW002-F	GW	9/13/2012	Field Measurement
GW-22	SC0912-GW22-GW002-F	GW	9/13/2012	Field Measurement
GW-22	SC0912-GW22-GW002-F	GW	9/13/2012	Field Measurement
GW-22	SC0912-GW22-GW002-F	GW	9/13/2012	Field Measurement
GW-22	SC0912-GW22-GW002-F	GW	9/13/2012	Field Measurement
GW-22	SC0912-GW22-GW002-F	GW	9/13/2012	Field Measurement
GW-22	SC0912-GW22-GW002-F	GW	9/13/2012	Field Measurement
GW-26	SC0912-GW26-GW001	GW	9/13/2012	Primary
GW-26	SC0912-GW26-GW001	GW	9/13/2012	Primary

GW-26	SC0912-GW26-GW001	GW	9/13/2012	Primary
GW-26	SC0912-GW26-GW001	GW	9/13/2012	Primary
GW-26	SC0912-GW26-GW001	GW	9/13/2012	Primary
GW-26	SC0912-GW26-GW001-F	GW	9/13/2012	Field Measurement
GW-26	SC0912-GW26-GW001-F	GW	9/13/2012	Field Measurement
GW-26	SC0912-GW26-GW001-F	GW	9/13/2012	Field Measurement
GW-26	SC0912-GW26-GW001-F	GW	9/13/2012	Field Measurement
GW-26	SC0912-GW26-GW001-F	GW	9/13/2012	Field Measurement
GW-26	SC0912-GW26-GW001-F	GW	9/13/2012	Field Measurement
GW-26	SC0912-GW26-GW001-F	GW	9/13/2012	Field Measurement
LP-1	SC0912-LP1-SW001-Q	SW	9/13/2012	Field Measurement
LP-PD	SC0912-LPPD-SW001	SW	9/13/2012	Primary
LP-PD	SC0912-LPPD-SW001	SW	9/13/2012	Primary
LP-PD	SC0912-LPPD-SW001	SW	9/13/2012	Primary
LP-PD	SC0912-LPPD-SW001	SW	9/13/2012	Primary
LP-PD	SC0912-LPPD-SW001	SW	9/13/2012	Primary
LP-PD	SC0912-LPPD-SW001	SW	9/13/2012	Primary
LP-PD	SC0912-LPPD-SW001-F	SW	9/13/2012	Field Measurement
LP-PD	SC0912-LPPD-SW001-F	SW	9/13/2012	Field Measurement
LP-PD	SC0912-LPPD-SW001-F	SW	9/13/2012	Field Measurement
LP-PD	SC0912-LPPD-SW001-F	SW	9/13/2012	Field Measurement
LP-PD	SC0912-LPPD-SW001-F	SW	9/13/2012	Field Measurement
LP-PD	SC0912-LPPD-SW001-F	SW	9/13/2012	Field Measurement
NSV-5	SC0912-NSV5-SW001	SW	9/13/2012	Primary
NSV-5	SC0912-NSV5-SW001	SW	9/13/2012	Primary
NSV-5	SC0912-NSV5-SW001	SW	9/13/2012	Primary
NSV-5	SC0912-NSV5-SW001	SW	9/13/2012	Primary
NSV-5	SC0912-NSV5-SW001	SW	9/13/2012	Primary
NSV-5	SC0912-NSV5-SW001	SW	9/13/2012	Primary
NSV-5	SC0912-NSV5-SW001-F	SW	9/13/2012	Field Measurement
NSV-5	SC0912-NSV5-SW001-F	SW	9/13/2012	Field Measurement
NSV-5	SC0912-NSV5-SW001-F	SW	9/13/2012	Field Measurement
NSV-5	SC0912-NSV5-SW001-F	SW	9/13/2012	Field Measurement
NSV-5	SC0912-NSV5-SW001-F	SW	9/13/2012	Field Measurement
NSV-5	SC0912-NSV5-SW001-F	SW	9/13/2012	Field Measurement
NSV-6	SC0912-NSV6-SW001	SW	9/13/2012	Primary
NSV-6	SC0912-NSV6-SW001	SW	9/13/2012	Primary
NSV-6	SC0912-NSV6-SW001	SW	9/13/2012	Primary
NSV-6	SC0912-NSV6-SW001	SW	9/13/2012	Primary
NSV-6	SC0912-NSV6-SW001	SW	9/13/2012	Primary
NSV-6	SC0912-NSV6-SW001	SW	9/13/2012	Primary
NSV-6	SC0912-NSV6-SW001-F	SW	9/13/2012	Field Measurement
NSV-6	SC0912-NSV6-SW001-F	SW	9/13/2012	Field Measurement
NSV-6	SC0912-NSV6-SW001-F	SW	9/13/2012	Field Measurement
NSV-6	SC0912-NSV6-SW001-F	SW	9/13/2012	Field Measurement
NSV-6	SC0912-NSV6-SW001-F	SW	9/13/2012	Field Measurement
NSV-6	SC0912-NSV6-SW001-F	SW	9/13/2012	Field Measurement

UP-IN	SC0912-UPIN-SW001	SW	9/13/2012	Primary
UP-IN	SC0912-UPIN-SW001	SW	9/13/2012	Primary
UP-IN	SC0912-UPIN-SW001	SW	9/13/2012	Primary
UP-IN	SC0912-UPIN-SW001	SW	9/13/2012	Primary
UP-IN	SC0912-UPIN-SW001	SW	9/13/2012	Primary
UP-IN	SC0912-UPIN-SW001	SW	9/13/2012	Primary
UP-IN	SC0912-UPIN-SW001-F	SW	9/13/2012	Field Measurement
UP-IN	SC0912-UPIN-SW001-F	SW	9/13/2012	Field Measurement
UP-IN	SC0912-UPIN-SW001-F	SW	9/13/2012	Field Measurement
UP-IN	SC0912-UPIN-SW001-F	SW	9/13/2012	Field Measurement
UP-IN	SC0912-UPIN-SW001-F	SW	9/13/2012	Field Measurement
UP-IN	SC0912-UPIN-SW001-F	SW	9/13/2012	Field Measurement
UP-IN	SC0912-UPIN-SW001-Q	SW	9/13/2012	Field Measurement
UP-PD	SC0912-UPPD-SW001	SW	9/13/2012	Primary
UP-PD	SC0912-UPPD-SW001	SW	9/13/2012	Primary
UP-PD	SC0912-UPPD-SW001	SW	9/13/2012	Primary
UP-PD	SC0912-UPPD-SW001	SW	9/13/2012	Primary
UP-PD	SC0912-UPPD-SW001	SW	9/13/2012	Primary
UP-PD	SC0912-UPPD-SW001	SW	9/13/2012	Primary
UP-PD	SC0912-UPPD-SW001-F	SW	9/13/2012	Field Measurement
UP-PD	SC0912-UPPD-SW001-F	SW	9/13/2012	Field Measurement
UP-PD	SC0912-UPPD-SW001-F	SW	9/13/2012	Field Measurement
UP-PD	SC0912-UPPD-SW001-F	SW	9/13/2012	Field Measurement
UP-PD	SC0912-UPPD-SW001-F	SW	9/13/2012	Field Measurement
UP-PD	SC0912-UPPD-SW001-F	SW	9/13/2012	Field Measurement
LP-1	SC1112-LP1-SW001-Q	SW	11/7/2012	Field Measurement
LP-PD	SC1112-LPPD-SW001	SW	11/7/2012	Primary
LP-PD	SC1112-LPPD-SW001	SW	11/7/2012	Primary
LP-PD	SC1112-LPPD-SW001	SW	11/7/2012	Primary
LP-PD	SC1112-LPPD-SW001	SW	11/7/2012	Primary
LP-PD	SC1112-LPPD-SW001	SW	11/7/2012	Primary
LP-PD	SC1112-LPPD-SW001	SW	11/7/2012	Primary
LP-PD	SC1112-LPPD-SW001-F	SW	11/7/2012	Field Measurement
LP-PD	SC1112-LPPD-SW001-F	SW	11/7/2012	Field Measurement
LP-PD	SC1112-LPPD-SW001-F	SW	11/7/2012	Field Measurement
LP-PD	SC1112-LPPD-SW001-F	SW	11/7/2012	Field Measurement
LP-PD	SC1112-LPPD-SW001-F	SW	11/7/2012	Field Measurement
LP-PD	SC1112-LPPD-SW001-F	SW	11/7/2012	Field Measurement
LP-PD	SC1112-LPPD-SW001-Q	SW	11/7/2012	Field Measurement
UP-IN	SC1112-UPIN-SW001	SW	11/7/2012	Primary
UP-IN	SC1112-UPIN-SW001	SW	11/7/2012	Primary
UP-IN	SC1112-UPIN-SW001	SW	11/7/2012	Primary
UP-IN	SC1112-UPIN-SW001	SW	11/7/2012	Primary
UP-IN	SC1112-UPIN-SW001	SW	11/7/2012	Primary
UP-IN	SC1112-UPIN-SW001	SW	11/7/2012	Primary
UP-IN	SC1112-UPIN-SW001-F	SW	11/7/2012	Field Measurement
UP-IN	SC1112-UPIN-SW001-F	SW	11/7/2012	Field Measurement

UP-IN	SC1112-UPIN-SW001-F	SW	11/7/2012	Field Measurement
UP-IN	SC1112-UPIN-SW001-F	SW	11/7/2012	Field Measurement
UP-IN	SC1112-UPIN-SW001-F	SW	11/7/2012	Field Measurement
UP-IN	SC1112-UPIN-SW001-F	SW	11/7/2012	Field Measurement
UP-IN	SC1112-UPIN-SW001-Q	SW	11/7/2012	Field Measurement
UP-PD	SC1112-UPPD-SW001	SW	11/7/2012	Primary
UP-PD	SC1112-UPPD-SW001	SW	11/7/2012	Primary
UP-PD	SC1112-UPPD-SW001	SW	11/7/2012	Primary
UP-PD	SC1112-UPPD-SW001	SW	11/7/2012	Primary
UP-PD	SC1112-UPPD-SW001	SW	11/7/2012	Primary
UP-PD	SC1112-UPPD-SW001	SW	11/7/2012	Primary
UP-PD	SC1112-UPPD-SW001-F	SW	11/7/2012	Field Measurement
UP-PD	SC1112-UPPD-SW001-F	SW	11/7/2012	Field Measurement
UP-PD	SC1112-UPPD-SW001-F	SW	11/7/2012	Field Measurement
UP-PD	SC1112-UPPD-SW001-F	SW	11/7/2012	Field Measurement
UP-PD	SC1112-UPPD-SW001-F	SW	11/7/2012	Field Measurement
UP-PD	SC1112-UPPD-SW001-F	SW	11/7/2012	Field Measurement
UP-PD	SC1112-UPPD-SW001-Q	SW	11/7/2012	Field Measurement
GW-15	SC1112-GW15-GW001	GW	11/15/2012	Primary
GW-15	SC1112-GW15-GW001	GW	11/15/2012	Primary
GW-15	SC1112-GW15-GW001	GW	11/15/2012	Primary
GW-15	SC1112-GW15-GW001	GW	11/15/2012	Primary
GW-15	SC1112-GW15-GW001	GW	11/15/2012	Primary
GW-15	SC1112-GW15-GW001-F	GW	11/15/2012	Field Measurement
GW-15	SC1112-GW15-GW001-F	GW	11/15/2012	Field Measurement
GW-15	SC1112-GW15-GW001-F	GW	11/15/2012	Field Measurement
GW-15	SC1112-GW15-GW001-F	GW	11/15/2012	Field Measurement
GW-15	SC1112-GW15-GW001-F	GW	11/15/2012	Field Measurement
GW-15	SC1112-GW15-GW001-F	GW	11/15/2012	Field Measurement
GW-15	SC1112-GW15-GW001-F	GW	11/15/2012	Field Measurement
GW-16	SC1112-GW16-GW001	GW	11/15/2012	Primary
GW-16	SC1112-GW16-GW001	GW	11/15/2012	Primary
GW-16	SC1112-GW16-GW001	GW	11/15/2012	Primary
GW-16	SC1112-GW16-GW001	GW	11/15/2012	Primary
GW-16	SC1112-GW16-GW001	GW	11/15/2012	Primary
GW-16	SC1112-GW16-GW001-F	GW	11/15/2012	Field Measurement
GW-16	SC1112-GW16-GW001-F	GW	11/15/2012	Field Measurement
GW-16	SC1112-GW16-GW001-F	GW	11/15/2012	Field Measurement
GW-16	SC1112-GW16-GW001-F	GW	11/15/2012	Field Measurement
GW-16	SC1112-GW16-GW001-F	GW	11/15/2012	Field Measurement
GW-16	SC1112-GW16-GW001-F	GW	11/15/2012	Field Measurement
GW-22	SC1112-GW22-GW001	GW	11/15/2012	Primary
GW-22	SC1112-GW22-GW001	GW	11/15/2012	Primary
GW-22	SC1112-GW22-GW001	GW	11/15/2012	Primary
GW-22	SC1112-GW22-GW001	GW	11/15/2012	Primary
GW-22	SC1112-GW22-GW001	GW	11/15/2012	Primary
GW-22	SC1112-GW22-GW001-F	GW	11/15/2012	Field Measurement

GW-22	SC1112-GW22-GW001-F	GW	11/15/2012	Field Measurement
GW-22	SC1112-GW22-GW001-F	GW	11/15/2012	Field Measurement
GW-22	SC1112-GW22-GW001-F	GW	11/15/2012	Field Measurement
GW-22	SC1112-GW22-GW001-F	GW	11/15/2012	Field Measurement
GW-22	SC1112-GW22-GW001-F	GW	11/15/2012	Field Measurement
GW-22	SC1112-GW22-GW001-F	GW	11/15/2012	Field Measurement
GW-22	SC1112-GW22-GW002	GW	11/15/2012	Primary
GW-22	SC1112-GW22-GW002	GW	11/15/2012	Primary
GW-22	SC1112-GW22-GW002	GW	11/15/2012	Primary
GW-22	SC1112-GW22-GW002	GW	11/15/2012	Primary
GW-22	SC1112-GW22-GW002	GW	11/15/2012	Primary
GW-22	SC1112-GW22-GW002-F	GW	11/15/2012	Field Measurement
GW-22	SC1112-GW22-GW002-F	GW	11/15/2012	Field Measurement
GW-22	SC1112-GW22-GW002-F	GW	11/15/2012	Field Measurement
GW-22	SC1112-GW22-GW002-F	GW	11/15/2012	Field Measurement
GW-22	SC1112-GW22-GW002-F	GW	11/15/2012	Field Measurement
GW-22	SC1112-GW22-GW002-F	GW	11/15/2012	Field Measurement
GW-22	SC1112-GW22-GW002-F	GW	11/15/2012	Field Measurement
GW-26	SC1112-GW26-GW001	GW	11/15/2012	Primary
GW-26	SC1112-GW26-GW001	GW	11/15/2012	Primary
GW-26	SC1112-GW26-GW001	GW	11/15/2012	Primary
GW-26	SC1112-GW26-GW001	GW	11/15/2012	Primary
GW-26	SC1112-GW26-GW001	GW	11/15/2012	Primary
LSV-1	SC1112-LSV1-SW001	SW	11/15/2012	Primary
LSV-1	SC1112-LSV1-SW001	SW	11/15/2012	Primary
LSV-1	SC1112-LSV1-SW001	SW	11/15/2012	Primary
LSV-1	SC1112-LSV1-SW001	SW	11/15/2012	Primary
LSV-1	SC1112-LSV1-SW001	SW	11/15/2012	Primary
LSV-1	SC1112-LSV1-SW001	SW	11/15/2012	Primary
LSV-1	SC1112-LSV1-SW001-F	SW	11/15/2012	Field Measurement
LSV-1	SC1112-LSV1-SW001-F	SW	11/15/2012	Field Measurement
LSV-1	SC1112-LSV1-SW001-F	SW	11/15/2012	Field Measurement
LSV-1	SC1112-LSV1-SW001-F	SW	11/15/2012	Field Measurement
LSV-1	SC1112-LSV1-SW001-F	SW	11/15/2012	Field Measurement
LSV-1	SC1112-LSV1-SW001-F	SW	11/15/2012	Field Measurement
LSV-1	SC1112-LSV1-SW001-Q	SW	11/15/2012	Field Measurement
NSV-5	SC1112-NSV5-SW001	SW	11/15/2012	Primary
NSV-5	SC1112-NSV5-SW001	SW	11/15/2012	Primary
NSV-5	SC1112-NSV5-SW001	SW	11/15/2012	Primary
NSV-5	SC1112-NSV5-SW001	SW	11/15/2012	Primary
NSV-5	SC1112-NSV5-SW001	SW	11/15/2012	Primary
NSV-5	SC1112-NSV5-SW001	SW	11/15/2012	Primary
NSV-5	SC1112-NSV5-SW001-F	SW	11/15/2012	Field Measurement
NSV-5	SC1112-NSV5-SW001-F	SW	11/15/2012	Field Measurement
NSV-5	SC1112-NSV5-SW001-F	SW	11/15/2012	Field Measurement
NSV-5	SC1112-NSV5-SW001-F	SW	11/15/2012	Field Measurement
NSV-5	SC1112-NSV5-SW001-F	SW	11/15/2012	Field Measurement

NSV-5	SC1112-NSV5-SW001-F	SW	11/15/2012	Field Measurement
NSV-5	SC1112-NSV5-SW001-Q	SW	11/15/2012	Field Measurement
NSV-6	SC1112-NSV6-SW001	SW	11/15/2012	Primary
NSV-6	SC1112-NSV6-SW001	SW	11/15/2012	Primary
NSV-6	SC1112-NSV6-SW001	SW	11/15/2012	Primary
NSV-6	SC1112-NSV6-SW001	SW	11/15/2012	Primary
NSV-6	SC1112-NSV6-SW001	SW	11/15/2012	Primary
NSV-6	SC1112-NSV6-SW001	SW	11/15/2012	Primary
NSV-6	SC1112-NSV6-SW001-F	SW	11/15/2012	Field Measurement
NSV-6	SC1112-NSV6-SW001-F	SW	11/15/2012	Field Measurement
NSV-6	SC1112-NSV6-SW001-F	SW	11/15/2012	Field Measurement
NSV-6	SC1112-NSV6-SW001-F	SW	11/15/2012	Field Measurement
NSV-6	SC1112-NSV6-SW001-F	SW	11/15/2012	Field Measurement
NSV-6	SC1112-NSV6-SW001-F	SW	11/15/2012	Field Measurement
NSV-6	SC1112-NSV6-SW001-Q	SW	11/15/2012	Field Measurement
GW-26	SC1112-GW26-GW001-F	GW	11/16/2012	Field Measurement
GW-26	SC1112-GW26-GW001-F	GW	11/16/2012	Field Measurement
GW-26	SC1112-GW26-GW001-F	GW	11/16/2012	Field Measurement
GW-26	SC1112-GW26-GW001-F	GW	11/16/2012	Field Measurement
GW-26	SC1112-GW26-GW001-F	GW	11/16/2012	Field Measurement
GW-26	SC1112-GW26-GW001-F	GW	11/16/2012	Field Measurement
GW-26	SC1112-GW26-GW001-F	GW	11/16/2012	Field Measurement
LSV-1	SC0513-LSV1-SW001	SW	5/20/2013	Primary
LSV-1	SC0513-LSV1-SW001	SW	5/20/2013	Primary
LSV-1	SC0513-LSV1-SW001	SW	5/20/2013	Primary
LSV-1	SC0513-LSV1-SW001	SW	5/20/2013	Primary
LSV-1	SC0513-LSV1-SW001	SW	5/20/2013	Primary
LSV-1	SC0513-LSV1-SW001	SW	5/20/2013	Primary
LSV-1	SC0513-LSV1-SW001-F	SW	5/20/2013	Field Measurement
LSV-1	SC0513-LSV1-SW001-F	SW	5/20/2013	Field Measurement
LSV-1	SC0513-LSV1-SW001-F	SW	5/20/2013	Field Measurement
LSV-1	SC0513-LSV1-SW001-F	SW	5/20/2013	Field Measurement
LSV-1	SC0513-LSV1-SW001-F	SW	5/20/2013	Field Measurement
LSV-1	SC0513-LSV1-SW001-F	SW	5/20/2013	Field Measurement
LSV-1	SC0513-LSV1-SW001-Q	SW	5/20/2013	Field Measurement
GW-15	SC0513-GW15-GW001	GW	5/21/2013	Primary
GW-15	SC0513-GW15-GW001	GW	5/21/2013	Primary
GW-15	SC0513-GW15-GW001	GW	5/21/2013	Primary
GW-15	SC0513-GW15-GW001	GW	5/21/2013	Primary
GW-15	SC0513-GW15-GW001	GW	5/21/2013	Primary
GW-15	SC0513-GW15-GW001-F	GW	5/21/2013	Field Measurement
GW-15	SC0513-GW15-GW001-F	GW	5/21/2013	Field Measurement
GW-15	SC0513-GW15-GW001-F	GW	5/21/2013	Field Measurement
GW-15	SC0513-GW15-GW001-F	GW	5/21/2013	Field Measurement
GW-15	SC0513-GW15-GW001-F	GW	5/21/2013	Field Measurement
GW-15	SC0513-GW15-GW001-F	GW	5/21/2013	Field Measurement
GW-15	SC0513-GW15-GW001-F	GW	5/21/2013	Field Measurement

GW-16	SC0513-GW16-GW001	GW	5/21/2013	Primary
GW-16	SC0513-GW16-GW001	GW	5/21/2013	Primary
GW-16	SC0513-GW16-GW001	GW	5/21/2013	Primary
GW-16	SC0513-GW16-GW001	GW	5/21/2013	Primary
GW-16	SC0513-GW16-GW001	GW	5/21/2013	Primary
GW-16	SC0513-GW16-GW001-F	GW	5/21/2013	Field Measurement
GW-16	SC0513-GW16-GW001-F	GW	5/21/2013	Field Measurement
GW-16	SC0513-GW16-GW001-F	GW	5/21/2013	Field Measurement
GW-16	SC0513-GW16-GW001-F	GW	5/21/2013	Field Measurement
GW-16	SC0513-GW16-GW001-F	GW	5/21/2013	Field Measurement
GW-16	SC0513-GW16-GW001-F	GW	5/21/2013	Field Measurement
GW-16	SC0513-GW16-GW001-F	GW	5/21/2013	Field Measurement
GW-22	SC0513-GW22-GW001	GW	5/21/2013	Primary
GW-22	SC0513-GW22-GW001	GW	5/21/2013	Primary
GW-22	SC0513-GW22-GW001	GW	5/21/2013	Primary
GW-22	SC0513-GW22-GW001	GW	5/21/2013	Primary
GW-22	SC0513-GW22-GW001	GW	5/21/2013	Primary
GW-22	SC0513-GW22-GW001-F	GW	5/21/2013	Field Measurement
GW-22	SC0513-GW22-GW001-F	GW	5/21/2013	Field Measurement
GW-22	SC0513-GW22-GW001-F	GW	5/21/2013	Field Measurement
GW-22	SC0513-GW22-GW001-F	GW	5/21/2013	Field Measurement
GW-22	SC0513-GW22-GW001-F	GW	5/21/2013	Field Measurement
GW-22	SC0513-GW22-GW001-F	GW	5/21/2013	Field Measurement
GW-22	SC0513-GW22-GW001-F	GW	5/21/2013	Field Measurement
GW-22	SC0513-GW22-GW002	GW	5/21/2013	Primary
GW-22	SC0513-GW22-GW002	GW	5/21/2013	Primary
GW-22	SC0513-GW22-GW002	GW	5/21/2013	Primary
GW-22	SC0513-GW22-GW002	GW	5/21/2013	Primary
GW-22	SC0513-GW22-GW002	GW	5/21/2013	Primary
GW-22	SC0513-GW22-GW002-F	GW	5/21/2013	Field Measurement
GW-22	SC0513-GW22-GW002-F	GW	5/21/2013	Field Measurement
GW-22	SC0513-GW22-GW002-F	GW	5/21/2013	Field Measurement
GW-22	SC0513-GW22-GW002-F	GW	5/21/2013	Field Measurement
GW-22	SC0513-GW22-GW002-F	GW	5/21/2013	Field Measurement
GW-22	SC0513-GW22-GW002-F	GW	5/21/2013	Field Measurement
GW-22	SC0513-GW22-GW002-F	GW	5/21/2013	Field Measurement
GW-26	SC0513-GW26-GW001	GW	5/21/2013	Primary
GW-26	SC0513-GW26-GW001	GW	5/21/2013	Primary
GW-26	SC0513-GW26-GW001	GW	5/21/2013	Primary
GW-26	SC0513-GW26-GW001	GW	5/21/2013	Primary
GW-26	SC0513-GW26-GW001	GW	5/21/2013	Primary
GW-26	SC0513-GW26-GW001-F	GW	5/21/2013	Field Measurement
GW-26	SC0513-GW26-GW001-F	GW	5/21/2013	Field Measurement
GW-26	SC0513-GW26-GW001-F	GW	5/21/2013	Field Measurement
GW-26	SC0513-GW26-GW001-F	GW	5/21/2013	Field Measurement
GW-26	SC0513-GW26-GW001-F	GW	5/21/2013	Field Measurement
GW-26	SC0513-GW26-GW001-F	GW	5/21/2013	Field Measurement

GW-26	SC0513-GW26-GW001-F	GW	5/21/2013	Field Measurement
LP-1	SC0513-LP1-SW001	SW	5/21/2013	Primary
LP-1	SC0513-LP1-SW001	SW	5/21/2013	Primary
LP-1	SC0513-LP1-SW001	SW	5/21/2013	Primary
LP-1	SC0513-LP1-SW001	SW	5/21/2013	Primary
LP-1	SC0513-LP1-SW001	SW	5/21/2013	Primary
LP-1	SC0513-LP1-SW001	SW	5/21/2013	Primary
LP-1	SC0513-LP1-SW001-F	SW	5/21/2013	Field Measurement
LP-1	SC0513-LP1-SW001-F	SW	5/21/2013	Field Measurement
LP-1	SC0513-LP1-SW001-F	SW	5/21/2013	Field Measurement
LP-1	SC0513-LP1-SW001-F	SW	5/21/2013	Field Measurement
LP-1	SC0513-LP1-SW001-F	SW	5/21/2013	Field Measurement
LP-1	SC0513-LP1-SW001-F	SW	5/21/2013	Field Measurement
LP-1	SC0513-LP1-SW001-Q	SW	5/21/2013	Field Measurement
LP-PD	SC0513-LPPD-SW001	SW	5/21/2013	Primary
LP-PD	SC0513-LPPD-SW001	SW	5/21/2013	Primary
LP-PD	SC0513-LPPD-SW001	SW	5/21/2013	Primary
LP-PD	SC0513-LPPD-SW001	SW	5/21/2013	Primary
LP-PD	SC0513-LPPD-SW001	SW	5/21/2013	Primary
LP-PD	SC0513-LPPD-SW001	SW	5/21/2013	Primary
LP-PD	SC0513-LPPD-SW001-F	SW	5/21/2013	Field Measurement
LP-PD	SC0513-LPPD-SW001-F	SW	5/21/2013	Field Measurement
LP-PD	SC0513-LPPD-SW001-F	SW	5/21/2013	Field Measurement
LP-PD	SC0513-LPPD-SW001-F	SW	5/21/2013	Field Measurement
LP-PD	SC0513-LPPD-SW001-F	SW	5/21/2013	Field Measurement
LP-PD	SC0513-LPPD-SW001-F	SW	5/21/2013	Field Measurement
LP-PD	SC0513-LPPD-SW001-Q	SW	5/21/2013	Field Measurement
NSV-5	SC0513-NSV5-SW001	SW	5/21/2013	Primary
NSV-5	SC0513-NSV5-SW001	SW	5/21/2013	Primary
NSV-5	SC0513-NSV5-SW001	SW	5/21/2013	Primary
NSV-5	SC0513-NSV5-SW001	SW	5/21/2013	Primary
NSV-5	SC0513-NSV5-SW001	SW	5/21/2013	Primary
NSV-5	SC0513-NSV5-SW001	SW	5/21/2013	Primary
NSV-5	SC0513-NSV5-SW001-F	SW	5/21/2013	Field Measurement
NSV-5	SC0513-NSV5-SW001-F	SW	5/21/2013	Field Measurement
NSV-5	SC0513-NSV5-SW001-F	SW	5/21/2013	Field Measurement
NSV-5	SC0513-NSV5-SW001-F	SW	5/21/2013	Field Measurement
NSV-5	SC0513-NSV5-SW001-F	SW	5/21/2013	Field Measurement
NSV-5	SC0513-NSV5-SW001-F	SW	5/21/2013	Field Measurement
NSV-5	SC0513-NSV5-SW001-Q	SW	5/21/2013	Field Measurement
NSV-6	SC0513-NSV6-SW001	SW	5/21/2013	Primary
NSV-6	SC0513-NSV6-SW001	SW	5/21/2013	Primary
NSV-6	SC0513-NSV6-SW001	SW	5/21/2013	Primary
NSV-6	SC0513-NSV6-SW001	SW	5/21/2013	Primary
NSV-6	SC0513-NSV6-SW001	SW	5/21/2013	Primary
NSV-6	SC0513-NSV6-SW001	SW	5/21/2013	Primary
NSV-6	SC0513-NSV6-SW001-F	SW	5/21/2013	Field Measurement

NSV-6	SC0513-NSV6-SW001-F	SW	5/21/2013	Field Measurement
NSV-6	SC0513-NSV6-SW001-F	SW	5/21/2013	Field Measurement
NSV-6	SC0513-NSV6-SW001-F	SW	5/21/2013	Field Measurement
NSV-6	SC0513-NSV6-SW001-F	SW	5/21/2013	Field Measurement
NSV-6	SC0513-NSV6-SW001-F	SW	5/21/2013	Field Measurement
NSV-6	SC0513-NSV6-SW001-Q	SW	5/21/2013	Field Measurement
UP-IN	SC0513-UPIN-SW001	SW	5/21/2013	Primary
UP-IN	SC0513-UPIN-SW001	SW	5/21/2013	Primary
UP-IN	SC0513-UPIN-SW001	SW	5/21/2013	Primary
UP-IN	SC0513-UPIN-SW001	SW	5/21/2013	Primary
UP-IN	SC0513-UPIN-SW001	SW	5/21/2013	Primary
UP-IN	SC0513-UPIN-SW001	SW	5/21/2013	Primary
UP-IN	SC0513-UPIN-SW001-F	SW	5/21/2013	Field Measurement
UP-IN	SC0513-UPIN-SW001-F	SW	5/21/2013	Field Measurement
UP-IN	SC0513-UPIN-SW001-F	SW	5/21/2013	Field Measurement
UP-IN	SC0513-UPIN-SW001-F	SW	5/21/2013	Field Measurement
UP-IN	SC0513-UPIN-SW001-F	SW	5/21/2013	Field Measurement
UP-IN	SC0513-UPIN-SW001-Q	SW	5/21/2013	Field Measurement
UP-PD	SC0513-UPPD-SW001	SW	5/21/2013	Primary
UP-PD	SC0513-UPPD-SW001	SW	5/21/2013	Primary
UP-PD	SC0513-UPPD-SW001	SW	5/21/2013	Primary
UP-PD	SC0513-UPPD-SW001	SW	5/21/2013	Primary
UP-PD	SC0513-UPPD-SW001	SW	5/21/2013	Primary
UP-PD	SC0513-UPPD-SW001	SW	5/21/2013	Primary
UP-PD	SC0513-UPPD-SW001-F	SW	5/21/2013	Field Measurement
UP-PD	SC0513-UPPD-SW001-F	SW	5/21/2013	Field Measurement
UP-PD	SC0513-UPPD-SW001-F	SW	5/21/2013	Field Measurement
UP-PD	SC0513-UPPD-SW001-F	SW	5/21/2013	Field Measurement
UP-PD	SC0513-UPPD-SW001-F	SW	5/21/2013	Field Measurement
UP-PD	SC0513-UPPD-SW001-F	SW	5/21/2013	Field Measurement
UP-PD	SC0513-UPPD-SW001-Q	SW	5/21/2013	Field Measurement
LP-1	SC0813-LP1-SW001-Q	SW	8/23/2013	Field Measurement
LP-PD	SC0813-LPPD-SW001	SW	8/23/2013	Primary
LP-PD	SC0813-LPPD-SW001	SW	8/23/2013	Primary
LP-PD	SC0813-LPPD-SW001	SW	8/23/2013	Primary
LP-PD	SC0813-LPPD-SW001	SW	8/23/2013	Primary
LP-PD	SC0813-LPPD-SW001	SW	8/23/2013	Primary
LP-PD	SC0813-LPPD-SW001	SW	8/23/2013	Primary
LP-PD	SC0813-LPPD-SW001-F	SW	8/23/2013	Field Measurement
LP-PD	SC0813-LPPD-SW001-F	SW	8/23/2013	Field Measurement
LP-PD	SC0813-LPPD-SW001-F	SW	8/23/2013	Field Measurement
LP-PD	SC0813-LPPD-SW001-F	SW	8/23/2013	Field Measurement
LP-PD	SC0813-LPPD-SW001-F	SW	8/23/2013	Field Measurement
LP-PD	SC0813-LPPD-SW001-F	SW	8/23/2013	Field Measurement
LP-PD	SC0813-LPPD-SW001-Q	SW	8/23/2013	Field Measurement
LSV-1	SC0813-LSV1-SW001	SW	8/23/2013	Primary
LSV-1	SC0813-LSV1-SW001	SW	8/23/2013	Primary

LSV-1	SC0813-LSV1-SW001	SW	8/23/2013	Primary
LSV-1	SC0813-LSV1-SW001	SW	8/23/2013	Primary
LSV-1	SC0813-LSV1-SW001	SW	8/23/2013	Primary
LSV-1	SC0813-LSV1-SW001	SW	8/23/2013	Primary
LSV-1	SC0813-LSV1-SW001-F	SW	8/23/2013	Field Measurement
LSV-1	SC0813-LSV1-SW001-F	SW	8/23/2013	Field Measurement
LSV-1	SC0813-LSV1-SW001-F	SW	8/23/2013	Field Measurement
LSV-1	SC0813-LSV1-SW001-F	SW	8/23/2013	Field Measurement
LSV-1	SC0813-LSV1-SW001-F	SW	8/23/2013	Field Measurement
LSV-1	SC0813-LSV1-SW001-F	SW	8/23/2013	Field Measurement
UP-PD	SC0813-UPPD-SW001	SW	8/23/2013	Primary
UP-PD	SC0813-UPPD-SW001	SW	8/23/2013	Primary
UP-PD	SC0813-UPPD-SW001	SW	8/23/2013	Primary
UP-PD	SC0813-UPPD-SW001	SW	8/23/2013	Primary
UP-PD	SC0813-UPPD-SW001	SW	8/23/2013	Primary
UP-PD	SC0813-UPPD-SW001	SW	8/23/2013	Primary
UP-PD	SC0813-UPPD-SW001-F	SW	8/23/2013	Field Measurement
UP-PD	SC0813-UPPD-SW001-F	SW	8/23/2013	Field Measurement
UP-PD	SC0813-UPPD-SW001-F	SW	8/23/2013	Field Measurement
UP-PD	SC0813-UPPD-SW001-F	SW	8/23/2013	Field Measurement
UP-PD	SC0813-UPPD-SW001-F	SW	8/23/2013	Field Measurement
UP-PD	SC0813-UPPD-SW001-F	SW	8/23/2013	Field Measurement
GW-15	SC0813-GW15-GW001	GW	9/18/2013	Primary
GW-15	SC0813-GW15-GW001	GW	9/18/2013	Primary
GW-15	SC0813-GW15-GW001	GW	9/18/2013	Primary
GW-15	SC0813-GW15-GW001	GW	9/18/2013	Primary
GW-15	SC0813-GW15-GW001	GW	9/18/2013	Primary
GW-15	SC0813-GW15-GW001-F	GW	9/18/2013	Field Measurement
GW-15	SC0813-GW15-GW001-F	GW	9/18/2013	Field Measurement
GW-15	SC0813-GW15-GW001-F	GW	9/18/2013	Field Measurement
GW-15	SC0813-GW15-GW001-F	GW	9/18/2013	Field Measurement
GW-15	SC0813-GW15-GW001-F	GW	9/18/2013	Field Measurement
GW-15	SC0813-GW15-GW001-F	GW	9/18/2013	Field Measurement
GW-16	SC0813-GW16-GW001	GW	9/18/2013	Primary
GW-16	SC0813-GW16-GW001	GW	9/18/2013	Primary
GW-16	SC0813-GW16-GW001	GW	9/18/2013	Primary
GW-16	SC0813-GW16-GW001	GW	9/18/2013	Primary
GW-16	SC0813-GW16-GW001	GW	9/18/2013	Primary
GW-16	SC0813-GW16-GW001-F	GW	9/18/2013	Field Measurement
GW-16	SC0813-GW16-GW001-F	GW	9/18/2013	Field Measurement
GW-16	SC0813-GW16-GW001-F	GW	9/18/2013	Field Measurement
GW-16	SC0813-GW16-GW001-F	GW	9/18/2013	Field Measurement
GW-16	SC0813-GW16-GW001-F	GW	9/18/2013	Field Measurement
GW-16	SC0813-GW16-GW001-F	GW	9/18/2013	Field Measurement
GW-22	SC0813-GW22-GW001	GW	9/18/2013	Primary
GW-22	SC0813-GW22-GW001	GW	9/18/2013	Primary
GW-22	SC0813-GW22-GW001	GW	9/18/2013	Primary

GW-22	SC0813-GW22-GW001	GW	9/18/2013	Primary
GW-22	SC0813-GW22-GW001	GW	9/18/2013	Primary
GW-22	SC0813-GW22-GW001-F	GW	9/18/2013	Field Measurement
GW-22	SC0813-GW22-GW001-F	GW	9/18/2013	Field Measurement
GW-22	SC0813-GW22-GW001-F	GW	9/18/2013	Field Measurement
GW-22	SC0813-GW22-GW001-F	GW	9/18/2013	Field Measurement
GW-22	SC0813-GW22-GW001-F	GW	9/18/2013	Field Measurement
GW-22	SC0813-GW22-GW001-F	GW	9/18/2013	Field Measurement
GW-22	SC0813-GW22-GW002	GW	9/18/2013	Primary
GW-22	SC0813-GW22-GW002	GW	9/18/2013	Primary
GW-22	SC0813-GW22-GW002	GW	9/18/2013	Primary
GW-22	SC0813-GW22-GW002	GW	9/18/2013	Primary
GW-22	SC0813-GW22-GW002	GW	9/18/2013	Primary
GW-22	SC0813-GW22-GW002-F	GW	9/18/2013	Field Measurement
GW-22	SC0813-GW22-GW002-F	GW	9/18/2013	Field Measurement
GW-22	SC0813-GW22-GW002-F	GW	9/18/2013	Field Measurement
GW-22	SC0813-GW22-GW002-F	GW	9/18/2013	Field Measurement
GW-22	SC0813-GW22-GW002-F	GW	9/18/2013	Field Measurement
GW-22	SC0813-GW22-GW002-F	GW	9/18/2013	Field Measurement
NSV-5	SC0813-NSV5-SW001	SW	9/18/2013	Primary
NSV-5	SC0813-NSV5-SW001	SW	9/18/2013	Primary
NSV-5	SC0813-NSV5-SW001	SW	9/18/2013	Primary
NSV-5	SC0813-NSV5-SW001	SW	9/18/2013	Primary
NSV-5	SC0813-NSV5-SW001	SW	9/18/2013	Primary
NSV-5	SC0813-NSV5-SW001	SW	9/18/2013	Primary
NSV-5	SC0813-NSV5-SW001-F	SW	9/18/2013	Field Measurement
NSV-5	SC0813-NSV5-SW001-F	SW	9/18/2013	Field Measurement
NSV-5	SC0813-NSV5-SW001-F	SW	9/18/2013	Field Measurement
NSV-5	SC0813-NSV5-SW001-F	SW	9/18/2013	Field Measurement
NSV-5	SC0813-NSV5-SW001-F	SW	9/18/2013	Field Measurement
NSV-5	SC0813-NSV5-SW001-F	SW	9/18/2013	Field Measurement
NSV-6	SC0813-NSV6-SW001	SW	9/18/2013	Primary
NSV-6	SC0813-NSV6-SW001	SW	9/18/2013	Primary
NSV-6	SC0813-NSV6-SW001	SW	9/18/2013	Primary
NSV-6	SC0813-NSV6-SW001	SW	9/18/2013	Primary
NSV-6	SC0813-NSV6-SW001	SW	9/18/2013	Primary
NSV-6	SC0813-NSV6-SW001	SW	9/18/2013	Primary
NSV-6	SC0813-NSV6-SW001-F	SW	9/18/2013	Field Measurement
NSV-6	SC0813-NSV6-SW001-F	SW	9/18/2013	Field Measurement
NSV-6	SC0813-NSV6-SW001-F	SW	9/18/2013	Field Measurement
NSV-6	SC0813-NSV6-SW001-F	SW	9/18/2013	Field Measurement
NSV-6	SC0813-NSV6-SW001-F	SW	9/18/2013	Field Measurement
NSV-6	SC0813-NSV6-SW001-F	SW	9/18/2013	Field Measurement
GW-26	SC0813-GW26-GW001	GW	9/23/2013	Primary
GW-26	SC0813-GW26-GW001	GW	9/23/2013	Primary
GW-26	SC0813-GW26-GW001	GW	9/23/2013	Primary
GW-26	SC0813-GW26-GW001	GW	9/23/2013	Primary

GW-26	SC0813-GW26-GW001	GW	9/23/2013	Primary
GW-26	SC0813-GW26-GW001-F	GW	9/23/2013	Field Measurement
GW-26	SC0813-GW26-GW001-F	GW	9/23/2013	Field Measurement
GW-26	SC0813-GW26-GW001-F	GW	9/23/2013	Field Measurement
GW-26	SC0813-GW26-GW001-F	GW	9/23/2013	Field Measurement
GW-26	SC0813-GW26-GW001-F	GW	9/23/2013	Field Measurement
GW-26	SC0813-GW26-GW001-F	GW	9/23/2013	Field Measurement
GW-26	SC0813-GW26-GW001-F	GW	9/23/2013	Field Measurement
UP-IN	SC0813-UPIN-SW001	SW	9/23/2013	Primary
UP-IN	SC0813-UPIN-SW001	SW	9/23/2013	Primary
UP-IN	SC0813-UPIN-SW001	SW	9/23/2013	Primary
UP-IN	SC0813-UPIN-SW001	SW	9/23/2013	Primary
UP-IN	SC0813-UPIN-SW001	SW	9/23/2013	Primary
UP-IN	SC0813-UPIN-SW001	SW	9/23/2013	Primary
UP-IN	SC0813-UPIN-SW001-F	SW	9/23/2013	Field Measurement
UP-IN	SC0813-UPIN-SW001-F	SW	9/23/2013	Field Measurement
UP-IN	SC0813-UPIN-SW001-F	SW	9/23/2013	Field Measurement
UP-IN	SC0813-UPIN-SW001-F	SW	9/23/2013	Field Measurement
UP-IN	SC0813-UPIN-SW001-F	SW	9/23/2013	Field Measurement
UP-IN	SC0813-UPIN-SW001-F	SW	9/23/2013	Field Measurement
LP-1	SC1113-LP1-SW001-Q	SW	11/5/2013	Field Measurement
LP-PD	SC1113-LPPD-SW001	SW	11/5/2013	Primary
LP-PD	SC1113-LPPD-SW001	SW	11/5/2013	Primary
LP-PD	SC1113-LPPD-SW001	SW	11/5/2013	Primary
LP-PD	SC1113-LPPD-SW001	SW	11/5/2013	Primary
LP-PD	SC1113-LPPD-SW001	SW	11/5/2013	Primary
LP-PD	SC1113-LPPD-SW001	SW	11/5/2013	Primary
LP-PD	SC1113-LPPD-SW001-F	SW	11/5/2013	Field Measurement
LP-PD	SC1113-LPPD-SW001-F	SW	11/5/2013	Field Measurement
LP-PD	SC1113-LPPD-SW001-F	SW	11/5/2013	Field Measurement
LP-PD	SC1113-LPPD-SW001-F	SW	11/5/2013	Field Measurement
LP-PD	SC1113-LPPD-SW001-F	SW	11/5/2013	Field Measurement
LP-PD	SC1113-LPPD-SW001-F	SW	11/5/2013	Field Measurement
LP-PD	SC1113-LPPD-SW001-Q	SW	11/5/2013	Field Measurement
UP-IN	SC1113-UPIN-SW001	SW	11/5/2013	Primary
UP-IN	SC1113-UPIN-SW001	SW	11/5/2013	Primary
UP-IN	SC1113-UPIN-SW001	SW	11/5/2013	Primary
UP-IN	SC1113-UPIN-SW001	SW	11/5/2013	Primary
UP-IN	SC1113-UPIN-SW001	SW	11/5/2013	Primary
UP-IN	SC1113-UPIN-SW001	SW	11/5/2013	Primary
UP-IN	SC1113-UPIN-SW001-F	SW	11/5/2013	Field Measurement
UP-IN	SC1113-UPIN-SW001-F	SW	11/5/2013	Field Measurement
UP-IN	SC1113-UPIN-SW001-F	SW	11/5/2013	Field Measurement
UP-IN	SC1113-UPIN-SW001-F	SW	11/5/2013	Field Measurement
UP-IN	SC1113-UPIN-SW001-F	SW	11/5/2013	Field Measurement
UP-IN	SC1113-UPIN-SW001-F	SW	11/5/2013	Field Measurement
UP-IN	SC1113-UPIN-SW001-Q	SW	11/5/2013	Field Measurement

UP-PD	SC1113-UPPD-SW001	SW	11/5/2013	Primary
UP-PD	SC1113-UPPD-SW001	SW	11/5/2013	Primary
UP-PD	SC1113-UPPD-SW001	SW	11/5/2013	Primary
UP-PD	SC1113-UPPD-SW001	SW	11/5/2013	Primary
UP-PD	SC1113-UPPD-SW001	SW	11/5/2013	Primary
UP-PD	SC1113-UPPD-SW001	SW	11/5/2013	Primary
UP-PD	SC1113-UPPD-SW001-F	SW	11/5/2013	Field Measurement
UP-PD	SC1113-UPPD-SW001-F	SW	11/5/2013	Field Measurement
UP-PD	SC1113-UPPD-SW001-F	SW	11/5/2013	Field Measurement
UP-PD	SC1113-UPPD-SW001-F	SW	11/5/2013	Field Measurement
UP-PD	SC1113-UPPD-SW001-F	SW	11/5/2013	Field Measurement
UP-PD	SC1113-UPPD-SW001-F	SW	11/5/2013	Field Measurement
UP-PD	SC1113-UPPD-SW001-Q	SW	11/5/2013	Field Measurement
LSV-1	SC1113-LSV1-SW001	SW	11/14/2013	Primary
LSV-1	SC1113-LSV1-SW001	SW	11/14/2013	Primary
LSV-1	SC1113-LSV1-SW001	SW	11/14/2013	Primary
LSV-1	SC1113-LSV1-SW001	SW	11/14/2013	Primary
LSV-1	SC1113-LSV1-SW001	SW	11/14/2013	Primary
LSV-1	SC1113-LSV1-SW001	SW	11/14/2013	Primary
LSV-1	SC1113-LSV1-SW001-F	SW	11/14/2013	Field Measurement
LSV-1	SC1113-LSV1-SW001-F	SW	11/14/2013	Field Measurement
LSV-1	SC1113-LSV1-SW001-F	SW	11/14/2013	Field Measurement
LSV-1	SC1113-LSV1-SW001-F	SW	11/14/2013	Field Measurement
LSV-1	SC1113-LSV1-SW001-F	SW	11/14/2013	Field Measurement
LSV-1	SC1113-LSV1-SW001-F	SW	11/14/2013	Field Measurement
LSV-1	SC1113-LSV1-SW001-Q	SW	11/14/2013	Field Measurement
GW-15	SC1113-GW15-GW001	GW	11/15/2013	Primary
GW-15	SC1113-GW15-GW001	GW	11/15/2013	Primary
GW-15	SC1113-GW15-GW001	GW	11/15/2013	Primary
GW-15	SC1113-GW15-GW001	GW	11/15/2013	Primary
GW-15	SC1113-GW15-GW001	GW	11/15/2013	Primary
GW-15	SC1113-GW15-GW001-F	GW	11/15/2013	Field Measurement
GW-15	SC1113-GW15-GW001-F	GW	11/15/2013	Field Measurement
GW-15	SC1113-GW15-GW001-F	GW	11/15/2013	Field Measurement
GW-15	SC1113-GW15-GW001-F	GW	11/15/2013	Field Measurement
GW-15	SC1113-GW15-GW001-F	GW	11/15/2013	Field Measurement
GW-15	SC1113-GW15-GW001-F	GW	11/15/2013	Field Measurement
GW-15	SC1113-GW15-GW001-F	GW	11/15/2013	Field Measurement
GW-16	SC1113-GW16-GW001	GW	11/15/2013	Primary
GW-16	SC1113-GW16-GW001	GW	11/15/2013	Primary
GW-16	SC1113-GW16-GW001	GW	11/15/2013	Primary
GW-16	SC1113-GW16-GW001	GW	11/15/2013	Primary
GW-16	SC1113-GW16-GW001	GW	11/15/2013	Primary
GW-16	SC1113-GW16-GW001-F	GW	11/15/2013	Field Measurement
GW-16	SC1113-GW16-GW001-F	GW	11/15/2013	Field Measurement
GW-16	SC1113-GW16-GW001-F	GW	11/15/2013	Field Measurement
GW-16	SC1113-GW16-GW001-F	GW	11/15/2013	Field Measurement

GW-16	SC1113-GW16-GW001-F	GW	11/15/2013	Field Measurement
GW-16	SC1113-GW16-GW001-F	GW	11/15/2013	Field Measurement
GW-16	SC1113-GW16-GW001-F	GW	11/15/2013	Field Measurement
GW-22	SC1113-GW22-GW001	GW	11/15/2013	Primary
GW-22	SC1113-GW22-GW001	GW	11/15/2013	Primary
GW-22	SC1113-GW22-GW001	GW	11/15/2013	Primary
GW-22	SC1113-GW22-GW001	GW	11/15/2013	Primary
GW-22	SC1113-GW22-GW001	GW	11/15/2013	Primary
GW-22	SC1113-GW22-GW001-F	GW	11/15/2013	Field Measurement
GW-22	SC1113-GW22-GW001-F	GW	11/15/2013	Field Measurement
GW-22	SC1113-GW22-GW001-F	GW	11/15/2013	Field Measurement
GW-22	SC1113-GW22-GW001-F	GW	11/15/2013	Field Measurement
GW-22	SC1113-GW22-GW001-F	GW	11/15/2013	Field Measurement
GW-22	SC1113-GW22-GW001-F	GW	11/15/2013	Field Measurement
GW-22	SC1113-GW22-GW001-F	GW	11/15/2013	Field Measurement
GW-22	SC1113-GW22-GW002	GW	11/15/2013	Primary
GW-22	SC1113-GW22-GW002	GW	11/15/2013	Primary
GW-22	SC1113-GW22-GW002	GW	11/15/2013	Primary
GW-22	SC1113-GW22-GW002	GW	11/15/2013	Primary
GW-22	SC1113-GW22-GW002	GW	11/15/2013	Primary
GW-22	SC1113-GW22-GW002-F	GW	11/15/2013	Field Measurement
GW-22	SC1113-GW22-GW002-F	GW	11/15/2013	Field Measurement
GW-22	SC1113-GW22-GW002-F	GW	11/15/2013	Field Measurement
GW-22	SC1113-GW22-GW002-F	GW	11/15/2013	Field Measurement
GW-22	SC1113-GW22-GW002-F	GW	11/15/2013	Field Measurement
GW-22	SC1113-GW22-GW002-F	GW	11/15/2013	Field Measurement
GW-22	SC1113-GW22-GW002-F	GW	11/15/2013	Field Measurement
GW-26	SC1113-GW26-GW001	GW	11/15/2013	Primary
GW-26	SC1113-GW26-GW001	GW	11/15/2013	Primary
GW-26	SC1113-GW26-GW001	GW	11/15/2013	Primary
GW-26	SC1113-GW26-GW001	GW	11/15/2013	Primary
GW-26	SC1113-GW26-GW001	GW	11/15/2013	Primary
GW-26	SC1113-GW26-GW001-F	GW	11/15/2013	Field Measurement
GW-26	SC1113-GW26-GW001-F	GW	11/15/2013	Field Measurement
GW-26	SC1113-GW26-GW001-F	GW	11/15/2013	Field Measurement
GW-26	SC1113-GW26-GW001-F	GW	11/15/2013	Field Measurement
GW-26	SC1113-GW26-GW001-F	GW	11/15/2013	Field Measurement
GW-26	SC1113-GW26-GW001-F	GW	11/15/2013	Field Measurement
GW-26	SC1113-GW26-GW001-F	GW	11/15/2013	Field Measurement
NSV-5	SC1113-NSV5-SW001	SW	11/15/2013	Primary
NSV-5	SC1113-NSV5-SW001	SW	11/15/2013	Primary
NSV-5	SC1113-NSV5-SW001	SW	11/15/2013	Primary
NSV-5	SC1113-NSV5-SW001	SW	11/15/2013	Primary
NSV-5	SC1113-NSV5-SW001	SW	11/15/2013	Primary
NSV-5	SC1113-NSV5-SW001	SW	11/15/2013	Primary
NSV-5	SC1113-NSV5-SW001-F	SW	11/15/2013	Field Measurement
NSV-5	SC1113-NSV5-SW001-F	SW	11/15/2013	Field Measurement

NSV-5	SC1113-NSV5-SW001-F	SW	11/15/2013	Field Measurement
NSV-5	SC1113-NSV5-SW001-F	SW	11/15/2013	Field Measurement
NSV-5	SC1113-NSV5-SW001-F	SW	11/15/2013	Field Measurement
NSV-5	SC1113-NSV5-SW001-F	SW	11/15/2013	Field Measurement
NSV-5	SC1113-NSV5-SW001-Q	SW	11/15/2013	Field Measurement
NSV-6	SC1113-NSV6-SW001	SW	11/15/2013	Primary
NSV-6	SC1113-NSV6-SW001	SW	11/15/2013	Primary
NSV-6	SC1113-NSV6-SW001	SW	11/15/2013	Primary
NSV-6	SC1113-NSV6-SW001	SW	11/15/2013	Primary
NSV-6	SC1113-NSV6-SW001	SW	11/15/2013	Primary
NSV-6	SC1113-NSV6-SW001	SW	11/15/2013	Primary
NSV-6	SC1113-NSV6-SW001-F	SW	11/15/2013	Field Measurement
NSV-6	SC1113-NSV6-SW001-F	SW	11/15/2013	Field Measurement
NSV-6	SC1113-NSV6-SW001-F	SW	11/15/2013	Field Measurement
NSV-6	SC1113-NSV6-SW001-F	SW	11/15/2013	Field Measurement
NSV-6	SC1113-NSV6-SW001-F	SW	11/15/2013	Field Measurement
NSV-6	SC1113-NSV6-SW001-F	SW	11/15/2013	Field Measurement
NSV-6	SC1113-NSV6-SW001-Q	SW	11/15/2013	Field Measurement
LP-1	SC0414-LP1-SW001-F	SW	4/24/2014	Field Measurement
LP-1	SC0414-LP1-SW001-F	SW	4/24/2014	Field Measurement
LP-1	SC0414-LP1-SW001-F	SW	4/24/2014	Field Measurement
LP-1	SC0414-LP1-SW001-F	SW	4/24/2014	Field Measurement
LP-1	SC0414-LP1-SW001-F	SW	4/24/2014	Field Measurement
LP-1	SC0414-LP1-SW001-F	SW	4/24/2014	Field Measurement
LP-1	SC0414-LP1-SW001-Q	SW	4/24/2014	Field Measurement
LP-1	SC0414-LP1-SW001	SW	4/29/2014	Primary
LP-1	SC0414-LP1-SW001	SW	4/29/2014	Primary
LP-1	SC0414-LP1-SW001	SW	4/29/2014	Primary
LP-1	SC0414-LP1-SW001	SW	4/29/2014	Primary
LP-1	SC0414-LP1-SW001	SW	4/29/2014	Primary
LP-1	SC0414-LP1-SW001	SW	4/29/2014	Primary
LSV-1	SC0514-LSV1-SW001	SW	5/19/2014	Primary
LSV-1	SC0514-LSV1-SW001	SW	5/19/2014	Primary
LSV-1	SC0514-LSV1-SW001	SW	5/19/2014	Primary
LSV-1	SC0514-LSV1-SW001	SW	5/19/2014	Primary
LSV-1	SC0514-LSV1-SW001	SW	5/19/2014	Primary
LSV-1	SC0514-LSV1-SW001	SW	5/19/2014	Primary
LSV-1	SC0514-LSV1-SW001-F	SW	5/19/2014	Field Measurement
LSV-1	SC0514-LSV1-SW001-F	SW	5/19/2014	Field Measurement
LSV-1	SC0514-LSV1-SW001-F	SW	5/19/2014	Field Measurement
LSV-1	SC0514-LSV1-SW001-F	SW	5/19/2014	Field Measurement
LSV-1	SC0514-LSV1-SW001-F	SW	5/19/2014	Field Measurement
LSV-1	SC0514-LSV1-SW001-F	SW	5/19/2014	Field Measurement
LSV-1	SC0514-LSV1-SW001-Q	SW	5/19/2014	Field Measurement
LP-1	SC0514-LP1-SW001	SW	5/20/2014	Primary
LP-1	SC0514-LP1-SW001	SW	5/20/2014	Primary
LP-1	SC0514-LP1-SW001	SW	5/20/2014	Primary

LP-1	SC0514-LP1-SW001	SW	5/20/2014	Primary
LP-1	SC0514-LP1-SW001	SW	5/20/2014	Primary
LP-1	SC0514-LP1-SW001	SW	5/20/2014	Primary
LP-1	SC0514-LP1-SW001-F	SW	5/20/2014	Field Measurement
LP-1	SC0514-LP1-SW001-F	SW	5/20/2014	Field Measurement
LP-1	SC0514-LP1-SW001-F	SW	5/20/2014	Field Measurement
LP-1	SC0514-LP1-SW001-F	SW	5/20/2014	Field Measurement
LP-1	SC0514-LP1-SW001-F	SW	5/20/2014	Field Measurement
LP-1	SC0514-LP1-SW001-F	SW	5/20/2014	Field Measurement
LP-1	SC0514-LP1-SW001-Q	SW	5/20/2014	Field Measurement
LP-PD	SC0514-LPPD-SW001	SW	5/20/2014	Primary
LP-PD	SC0514-LPPD-SW001	SW	5/20/2014	Primary
LP-PD	SC0514-LPPD-SW001	SW	5/20/2014	Primary
LP-PD	SC0514-LPPD-SW001	SW	5/20/2014	Primary
LP-PD	SC0514-LPPD-SW001	SW	5/20/2014	Primary
LP-PD	SC0514-LPPD-SW001	SW	5/20/2014	Primary
LP-PD	SC0514-LPPD-SW001-F	SW	5/20/2014	Field Measurement
LP-PD	SC0514-LPPD-SW001-F	SW	5/20/2014	Field Measurement
LP-PD	SC0514-LPPD-SW001-F	SW	5/20/2014	Field Measurement
LP-PD	SC0514-LPPD-SW001-F	SW	5/20/2014	Field Measurement
LP-PD	SC0514-LPPD-SW001-F	SW	5/20/2014	Field Measurement
LP-PD	SC0514-LPPD-SW001-F	SW	5/20/2014	Field Measurement
LP-PD	SC0514-LPPD-SW001-Q	SW	5/20/2014	Field Measurement
NSV-5	SC0514-NSV5-SW001	SW	5/20/2014	Primary
NSV-5	SC0514-NSV5-SW001	SW	5/20/2014	Primary
NSV-5	SC0514-NSV5-SW001	SW	5/20/2014	Primary
NSV-5	SC0514-NSV5-SW001	SW	5/20/2014	Primary
NSV-5	SC0514-NSV5-SW001	SW	5/20/2014	Primary
NSV-5	SC0514-NSV5-SW001	SW	5/20/2014	Primary
NSV-5	SC0514-NSV5-SW001-F	SW	5/20/2014	Field Measurement
NSV-5	SC0514-NSV5-SW001-F	SW	5/20/2014	Field Measurement
NSV-5	SC0514-NSV5-SW001-F	SW	5/20/2014	Field Measurement
NSV-5	SC0514-NSV5-SW001-F	SW	5/20/2014	Field Measurement
NSV-5	SC0514-NSV5-SW001-F	SW	5/20/2014	Field Measurement
NSV-5	SC0514-NSV5-SW001-F	SW	5/20/2014	Field Measurement
NSV-5	SC0514-NSV5-SW001-Q	SW	5/20/2014	Field Measurement
NSV-6	SC0514-NSV6-SW001	SW	5/20/2014	Primary
NSV-6	SC0514-NSV6-SW001	SW	5/20/2014	Primary
NSV-6	SC0514-NSV6-SW001	SW	5/20/2014	Primary
NSV-6	SC0514-NSV6-SW001	SW	5/20/2014	Primary
NSV-6	SC0514-NSV6-SW001	SW	5/20/2014	Primary
NSV-6	SC0514-NSV6-SW001	SW	5/20/2014	Primary
NSV-6	SC0514-NSV6-SW001-F	SW	5/20/2014	Field Measurement
NSV-6	SC0514-NSV6-SW001-F	SW	5/20/2014	Field Measurement
NSV-6	SC0514-NSV6-SW001-F	SW	5/20/2014	Field Measurement
NSV-6	SC0514-NSV6-SW001-F	SW	5/20/2014	Field Measurement
NSV-6	SC0514-NSV6-SW001-F	SW	5/20/2014	Field Measurement

NSV-6	SC0514-NSV6-SW001-F	SW	5/20/2014	Field Measurement
NSV-6	SC0514-NSV6-SW001-Q	SW	5/20/2014	Field Measurement
UP-IN	SC0514-UPIN-SW001	SW	5/20/2014	Primary
UP-IN	SC0514-UPIN-SW001	SW	5/20/2014	Primary
UP-IN	SC0514-UPIN-SW001	SW	5/20/2014	Primary
UP-IN	SC0514-UPIN-SW001	SW	5/20/2014	Primary
UP-IN	SC0514-UPIN-SW001	SW	5/20/2014	Primary
UP-IN	SC0514-UPIN-SW001	SW	5/20/2014	Primary
UP-IN	SC0514-UPIN-SW001-F	SW	5/20/2014	Field Measurement
UP-IN	SC0514-UPIN-SW001-F	SW	5/20/2014	Field Measurement
UP-IN	SC0514-UPIN-SW001-F	SW	5/20/2014	Field Measurement
UP-IN	SC0514-UPIN-SW001-F	SW	5/20/2014	Field Measurement
UP-IN	SC0514-UPIN-SW001-F	SW	5/20/2014	Field Measurement
UP-IN	SC0514-UPIN-SW001-F	SW	5/20/2014	Field Measurement
UP-IN	SC0514-UPIN-SW001-Q	SW	5/20/2014	Field Measurement
UP-PD	SC0514-UPPD-SW001	SW	5/20/2014	Primary
UP-PD	SC0514-UPPD-SW001	SW	5/20/2014	Primary
UP-PD	SC0514-UPPD-SW001	SW	5/20/2014	Primary
UP-PD	SC0514-UPPD-SW001	SW	5/20/2014	Primary
UP-PD	SC0514-UPPD-SW001	SW	5/20/2014	Primary
UP-PD	SC0514-UPPD-SW001	SW	5/20/2014	Primary
UP-PD	SC0514-UPPD-SW001-F	SW	5/20/2014	Field Measurement
UP-PD	SC0514-UPPD-SW001-F	SW	5/20/2014	Field Measurement
UP-PD	SC0514-UPPD-SW001-F	SW	5/20/2014	Field Measurement
UP-PD	SC0514-UPPD-SW001-F	SW	5/20/2014	Field Measurement
UP-PD	SC0514-UPPD-SW001-F	SW	5/20/2014	Field Measurement
UP-PD	SC0514-UPPD-SW001-F	SW	5/20/2014	Field Measurement
UP-PD	SC0514-UPPD-SW001-Q	SW	5/20/2014	Field Measurement
GW-15	SC0614-GW15-GW001	GW	6/11/2014	Primary
GW-15	SC0614-GW15-GW001	GW	6/11/2014	Primary
GW-15	SC0614-GW15-GW001	GW	6/11/2014	Primary
GW-15	SC0614-GW15-GW001	GW	6/11/2014	Primary
GW-15	SC0614-GW15-GW001	GW	6/11/2014	Primary
GW-15	SC0614-GW15-GW001-F	GW	6/11/2014	Field Measurement
GW-15	SC0614-GW15-GW001-F	GW	6/11/2014	Field Measurement
GW-15	SC0614-GW15-GW001-F	GW	6/11/2014	Field Measurement
GW-15	SC0614-GW15-GW001-F	GW	6/11/2014	Field Measurement
GW-15	SC0614-GW15-GW001-F	GW	6/11/2014	Field Measurement
GW-15	SC0614-GW15-GW001-F	GW	6/11/2014	Field Measurement
GW-15	SC0614-GW15-GW001-F	GW	6/11/2014	Field Measurement
GW-16	SC0614-GW16-GW001	GW	6/11/2014	Primary
GW-16	SC0614-GW16-GW001	GW	6/11/2014	Primary
GW-16	SC0614-GW16-GW001	GW	6/11/2014	Primary
GW-16	SC0614-GW16-GW001	GW	6/11/2014	Primary
GW-16	SC0614-GW16-GW001	GW	6/11/2014	Primary
GW-16	SC0614-GW16-GW001-F	GW	6/11/2014	Field Measurement
GW-16	SC0614-GW16-GW001-F	GW	6/11/2014	Field Measurement

GW-16	SC0614-GW16-GW001-F	GW	6/11/2014	Field Measurement
GW-16	SC0614-GW16-GW001-F	GW	6/11/2014	Field Measurement
GW-16	SC0614-GW16-GW001-F	GW	6/11/2014	Field Measurement
GW-16	SC0614-GW16-GW001-F	GW	6/11/2014	Field Measurement
GW-16	SC0614-GW16-GW001-F	GW	6/11/2014	Field Measurement
GW-22	SC0614-GW22-GW001	GW	6/11/2014	Primary
GW-22	SC0614-GW22-GW001	GW	6/11/2014	Primary
GW-22	SC0614-GW22-GW001	GW	6/11/2014	Primary
GW-22	SC0614-GW22-GW001	GW	6/11/2014	Primary
GW-22	SC0614-GW22-GW001	GW	6/11/2014	Primary
GW-22	SC0614-GW22-GW001-F	GW	6/11/2014	Field Measurement
GW-22	SC0614-GW22-GW001-F	GW	6/11/2014	Field Measurement
GW-22	SC0614-GW22-GW001-F	GW	6/11/2014	Field Measurement
GW-22	SC0614-GW22-GW001-F	GW	6/11/2014	Field Measurement
GW-22	SC0614-GW22-GW001-F	GW	6/11/2014	Field Measurement
GW-22	SC0614-GW22-GW001-F	GW	6/11/2014	Field Measurement
GW-22	SC0614-GW22-GW001-F	GW	6/11/2014	Field Measurement
GW-22	SC0614-GW22-GW002	GW	6/11/2014	Primary
GW-22	SC0614-GW22-GW002	GW	6/11/2014	Primary
GW-22	SC0614-GW22-GW002	GW	6/11/2014	Primary
GW-22	SC0614-GW22-GW002	GW	6/11/2014	Primary
GW-22	SC0614-GW22-GW002	GW	6/11/2014	Primary
GW-22	SC0614-GW22-GW002-F	GW	6/11/2014	Field Measurement
GW-22	SC0614-GW22-GW002-F	GW	6/11/2014	Field Measurement
GW-22	SC0614-GW22-GW002-F	GW	6/11/2014	Field Measurement
GW-22	SC0614-GW22-GW002-F	GW	6/11/2014	Field Measurement
GW-22	SC0614-GW22-GW002-F	GW	6/11/2014	Field Measurement
GW-22	SC0614-GW22-GW002-F	GW	6/11/2014	Field Measurement
GW-22	SC0614-GW22-GW002-F	GW	6/11/2014	Field Measurement
GW-26	SC0614-GW26-GW001	GW	6/11/2014	Primary
GW-26	SC0614-GW26-GW001	GW	6/11/2014	Primary
GW-26	SC0614-GW26-GW001	GW	6/11/2014	Primary
GW-26	SC0614-GW26-GW001	GW	6/11/2014	Primary
GW-26	SC0614-GW26-GW001	GW	6/11/2014	Primary
GW-26	SC0614-GW26-GW001-F	GW	6/11/2014	Field Measurement
GW-26	SC0614-GW26-GW001-F	GW	6/11/2014	Field Measurement
GW-26	SC0614-GW26-GW001-F	GW	6/11/2014	Field Measurement
GW-26	SC0614-GW26-GW001-F	GW	6/11/2014	Field Measurement
GW-26	SC0614-GW26-GW001-F	GW	6/11/2014	Field Measurement
GW-26	SC0614-GW26-GW001-F	GW	6/11/2014	Field Measurement
GW-26	SC0614-GW26-GW001-F	GW	6/11/2014	Field Measurement
LP-1	SC0814-LP1-SW001	SW	8/12/2014	Primary
LP-1	SC0814-LP1-SW001	SW	8/12/2014	Primary
LP-1	SC0814-LP1-SW001	SW	8/12/2014	Primary
LP-1	SC0814-LP1-SW001	SW	8/12/2014	Primary
LP-1	SC0814-LP1-SW001	SW	8/12/2014	Primary
LP-1	SC0814-LP1-SW001	SW	8/12/2014	Primary

LP-1	SC0814-LP1-SW001-F	SW	8/12/2014	Field Measurement
LP-1	SC0814-LP1-SW001-F	SW	8/12/2014	Field Measurement
LP-1	SC0814-LP1-SW001-F	SW	8/12/2014	Field Measurement
LP-1	SC0814-LP1-SW001-F	SW	8/12/2014	Field Measurement
LP-1	SC0814-LP1-SW001-F	SW	8/12/2014	Field Measurement
LP-1	SC0814-LP1-SW001-F	SW	8/12/2014	Field Measurement
LP-1	SC0814-LP1-SW001-Q	SW	8/12/2014	Field Measurement
LP-PD	SC0814-LPPD-SW001	SW	8/12/2014	Primary
LP-PD	SC0814-LPPD-SW001	SW	8/12/2014	Primary
LP-PD	SC0814-LPPD-SW001	SW	8/12/2014	Primary
LP-PD	SC0814-LPPD-SW001	SW	8/12/2014	Primary
LP-PD	SC0814-LPPD-SW001	SW	8/12/2014	Primary
LP-PD	SC0814-LPPD-SW001	SW	8/12/2014	Primary
LP-PD	SC0814-LPPD-SW001-F	SW	8/12/2014	Field Measurement
LP-PD	SC0814-LPPD-SW001-F	SW	8/12/2014	Field Measurement
LP-PD	SC0814-LPPD-SW001-F	SW	8/12/2014	Field Measurement
LP-PD	SC0814-LPPD-SW001-F	SW	8/12/2014	Field Measurement
LP-PD	SC0814-LPPD-SW001-F	SW	8/12/2014	Field Measurement
LP-PD	SC0814-LPPD-SW001-F	SW	8/12/2014	Field Measurement
LP-PD	SC0814-LPPD-SW001-Q	SW	8/12/2014	Field Measurement
UP-IN	SC0814-UPIN-SW001	SW	8/12/2014	Primary
UP-IN	SC0814-UPIN-SW001	SW	8/12/2014	Primary
UP-IN	SC0814-UPIN-SW001	SW	8/12/2014	Primary
UP-IN	SC0814-UPIN-SW001	SW	8/12/2014	Primary
UP-IN	SC0814-UPIN-SW001	SW	8/12/2014	Primary
UP-IN	SC0814-UPIN-SW001	SW	8/12/2014	Primary
UP-IN	SC0814-UPIN-SW001-F	SW	8/12/2014	Field Measurement
UP-IN	SC0814-UPIN-SW001-F	SW	8/12/2014	Field Measurement
UP-IN	SC0814-UPIN-SW001-F	SW	8/12/2014	Field Measurement
UP-IN	SC0814-UPIN-SW001-F	SW	8/12/2014	Field Measurement
UP-IN	SC0814-UPIN-SW001-F	SW	8/12/2014	Field Measurement
UP-IN	SC0814-UPIN-SW001-F	SW	8/12/2014	Field Measurement
UP-IN	SC0814-UPIN-SW001-Q	SW	8/12/2014	Field Measurement
UP-PD	SC0814-UPPD-SW001	SW	8/12/2014	Primary
UP-PD	SC0814-UPPD-SW001	SW	8/12/2014	Primary
UP-PD	SC0814-UPPD-SW001	SW	8/12/2014	Primary
UP-PD	SC0814-UPPD-SW001	SW	8/12/2014	Primary
UP-PD	SC0814-UPPD-SW001	SW	8/12/2014	Primary
UP-PD	SC0814-UPPD-SW001	SW	8/12/2014	Primary
UP-PD	SC0814-UPPD-SW001-F	SW	8/12/2014	Field Measurement
UP-PD	SC0814-UPPD-SW001-F	SW	8/12/2014	Field Measurement
UP-PD	SC0814-UPPD-SW001-F	SW	8/12/2014	Field Measurement
UP-PD	SC0814-UPPD-SW001-F	SW	8/12/2014	Field Measurement
UP-PD	SC0814-UPPD-SW001-F	SW	8/12/2014	Field Measurement
UP-PD	SC0814-UPPD-SW001-F	SW	8/12/2014	Field Measurement
UP-PD	SC0814-UPPD-SW001-Q	SW	8/12/2014	Field Measurement
LSV-1	SC0814-LSV1-SW001	SW	8/13/2014	Primary

LSV-1	SC0814-LSV1-SW001	SW	8/13/2014	Primary
LSV-1	SC0814-LSV1-SW001	SW	8/13/2014	Primary
LSV-1	SC0814-LSV1-SW001	SW	8/13/2014	Primary
LSV-1	SC0814-LSV1-SW001	SW	8/13/2014	Primary
LSV-1	SC0814-LSV1-SW001	SW	8/13/2014	Primary
LSV-1	SC0814-LSV1-SW001-F	SW	8/13/2014	Field Measurement
LSV-1	SC0814-LSV1-SW001-F	SW	8/13/2014	Field Measurement
LSV-1	SC0814-LSV1-SW001-F	SW	8/13/2014	Field Measurement
LSV-1	SC0814-LSV1-SW001-F	SW	8/13/2014	Field Measurement
LSV-1	SC0814-LSV1-SW001-F	SW	8/13/2014	Field Measurement
LSV-1	SC0814-LSV1-SW001-F	SW	8/13/2014	Field Measurement
LSV-1	SC0814-LSV1-SW001-Q	SW	8/13/2014	Field Measurement
NSV-5	SC0814-NSV-5-SW001	SW	8/14/2014	Primary
NSV-5	SC0814-NSV-5-SW001	SW	8/14/2014	Primary
NSV-5	SC0814-NSV-5-SW001	SW	8/14/2014	Primary
NSV-5	SC0814-NSV-5-SW001	SW	8/14/2014	Primary
NSV-5	SC0814-NSV-5-SW001	SW	8/14/2014	Primary
NSV-5	SC0814-NSV-5-SW001	SW	8/14/2014	Primary
NSV-5	SC0814-NSV5-SW001-F	SW	8/14/2014	Field Measurement
NSV-5	SC0814-NSV5-SW001-F	SW	8/14/2014	Field Measurement
NSV-5	SC0814-NSV5-SW001-F	SW	8/14/2014	Field Measurement
NSV-5	SC0814-NSV5-SW001-F	SW	8/14/2014	Field Measurement
NSV-5	SC0814-NSV5-SW001-F	SW	8/14/2014	Field Measurement
NSV-5	SC0814-NSV5-SW001-F	SW	8/14/2014	Field Measurement
NSV-5	SC0814-NSV5-SW001-Q	SW	8/14/2014	Field Measurement
NSV-6	SC0814-NSV-6-SW001	SW	8/14/2014	Primary
NSV-6	SC0814-NSV-6-SW001	SW	8/14/2014	Primary
NSV-6	SC0814-NSV-6-SW001	SW	8/14/2014	Primary
NSV-6	SC0814-NSV-6-SW001	SW	8/14/2014	Primary
NSV-6	SC0814-NSV-6-SW001	SW	8/14/2014	Primary
NSV-6	SC0814-NSV-6-SW001	SW	8/14/2014	Primary
NSV-6	SC0814-NSV6-SW001-F	SW	8/14/2014	Field Measurement
NSV-6	SC0814-NSV6-SW001-F	SW	8/14/2014	Field Measurement
NSV-6	SC0814-NSV6-SW001-F	SW	8/14/2014	Field Measurement
NSV-6	SC0814-NSV6-SW001-F	SW	8/14/2014	Field Measurement
NSV-6	SC0814-NSV6-SW001-F	SW	8/14/2014	Field Measurement
NSV-6	SC0814-NSV6-SW001-F	SW	8/14/2014	Field Measurement
NSV-6	SC0814-NSV6-SW001-Q	SW	8/14/2014	Field Measurement
GW-15	SC0814-GW15-GW001	GW	8/26/2014	Primary
GW-15	SC0814-GW15-GW001	GW	8/26/2014	Primary
GW-15	SC0814-GW15-GW001	GW	8/26/2014	Primary
GW-15	SC0814-GW15-GW001	GW	8/26/2014	Primary
GW-15	SC0814-GW15-GW001	GW	8/26/2014	Primary
GW-15	SC0814-GW15-GW001-F	GW	8/26/2014	Field Measurement
GW-15	SC0814-GW15-GW001-F	GW	8/26/2014	Field Measurement
GW-15	SC0814-GW15-GW001-F	GW	8/26/2014	Field Measurement
GW-15	SC0814-GW15-GW001-F	GW	8/26/2014	Field Measurement

GW-15	SC0814-GW15-GW001-F	GW	8/26/2014	Field Measurement
GW-15	SC0814-GW15-GW001-F	GW	8/26/2014	Field Measurement
GW-16	SC0814-GW16-GW001	GW	8/26/2014	Primary
GW-16	SC0814-GW16-GW001	GW	8/26/2014	Primary
GW-16	SC0814-GW16-GW001	GW	8/26/2014	Primary
GW-16	SC0814-GW16-GW001	GW	8/26/2014	Primary
GW-16	SC0814-GW16-GW001	GW	8/26/2014	Primary
GW-16	SC0814-GW16-GW001-F	GW	8/26/2014	Field Measurement
GW-16	SC0814-GW16-GW001-F	GW	8/26/2014	Field Measurement
GW-16	SC0814-GW16-GW001-F	GW	8/26/2014	Field Measurement
GW-16	SC0814-GW16-GW001-F	GW	8/26/2014	Field Measurement
GW-16	SC0814-GW16-GW001-F	GW	8/26/2014	Field Measurement
GW-16	SC0814-GW16-GW001-F	GW	8/26/2014	Field Measurement
GW-22	SC0814-GW22-GW001	GW	8/26/2014	Primary
GW-22	SC0814-GW22-GW001	GW	8/26/2014	Primary
GW-22	SC0814-GW22-GW001	GW	8/26/2014	Primary
GW-22	SC0814-GW22-GW001	GW	8/26/2014	Primary
GW-22	SC0814-GW22-GW001	GW	8/26/2014	Primary
GW-22	SC0814-GW22-GW001-F	GW	8/26/2014	Field Measurement
GW-22	SC0814-GW22-GW001-F	GW	8/26/2014	Field Measurement
GW-22	SC0814-GW22-GW001-F	GW	8/26/2014	Field Measurement
GW-22	SC0814-GW22-GW001-F	GW	8/26/2014	Field Measurement
GW-22	SC0814-GW22-GW001-F	GW	8/26/2014	Field Measurement
GW-22	SC0814-GW22-GW001-F	GW	8/26/2014	Field Measurement
GW-22	SC0814-GW22-GW001-F	GW	8/26/2014	Field Measurement
GW-22	SC0814-GW22-GW002	GW	8/26/2014	Primary
GW-22	SC0814-GW22-GW002	GW	8/26/2014	Primary
GW-22	SC0814-GW22-GW002	GW	8/26/2014	Primary
GW-22	SC0814-GW22-GW002	GW	8/26/2014	Primary
GW-22	SC0814-GW22-GW002	GW	8/26/2014	Primary
GW-22	SC0814-GW22-GW002-F	GW	8/26/2014	Field Measurement
GW-22	SC0814-GW22-GW002-F	GW	8/26/2014	Field Measurement
GW-22	SC0814-GW22-GW002-F	GW	8/26/2014	Field Measurement
GW-22	SC0814-GW22-GW002-F	GW	8/26/2014	Field Measurement
GW-22	SC0814-GW22-GW002-F	GW	8/26/2014	Field Measurement
GW-22	SC0814-GW22-GW002-F	GW	8/26/2014	Field Measurement
GW-26	SC0814-GW26-GW001	GW	8/26/2014	Primary
GW-26	SC0814-GW26-GW001	GW	8/26/2014	Primary
GW-26	SC0814-GW26-GW001	GW	8/26/2014	Primary
GW-26	SC0814-GW26-GW001	GW	8/26/2014	Primary
GW-26	SC0814-GW26-GW001	GW	8/26/2014	Primary
GW-26	SC0814-GW26-GW001-F	GW	8/26/2014	Field Measurement
GW-26	SC0814-GW26-GW001-F	GW	8/26/2014	Field Measurement
GW-26	SC0814-GW26-GW001-F	GW	8/26/2014	Field Measurement
GW-26	SC0814-GW26-GW001-F	GW	8/26/2014	Field Measurement
GW-26	SC0814-GW26-GW001-F	GW	8/26/2014	Field Measurement
GW-26	SC0814-GW26-GW001-F	GW	8/26/2014	Field Measurement

LSV-1	SC1114-LSV1-SW001	SW	11/17/2014	Primary
LSV-1	SC1114-LSV1-SW001	SW	11/17/2014	Primary
LSV-1	SC1114-LSV1-SW001	SW	11/17/2014	Primary
LSV-1	SC1114-LSV1-SW001	SW	11/17/2014	Primary
LSV-1	SC1114-LSV1-SW001	SW	11/17/2014	Primary
LSV-1	SC1114-LSV1-SW001	SW	11/17/2014	Primary
LSV-1	SC1114-LSV1-SW001E	SW	11/17/2014	Primary
LSV-1	SC1114-LSV1-SW001E	SW	11/17/2014	Primary
LSV-1	SC1114-LSV1-SW001E	SW	11/17/2014	Primary
LSV-1	SC1114-LSV1-SW001-F	SW	11/17/2014	Field Measurement
LSV-1	SC1114-LSV1-SW001-F	SW	11/17/2014	Field Measurement
LSV-1	SC1114-LSV1-SW001-F	SW	11/17/2014	Field Measurement
LSV-1	SC1114-LSV1-SW001-F	SW	11/17/2014	Field Measurement
LSV-1	SC1114-LSV1-SW001-F	SW	11/17/2014	Field Measurement
LSV-1	SC1114-LSV1-SW001-F	SW	11/17/2014	Field Measurement
LSV-1	SC1114-LSV1-SW001-Q	SW	11/17/2014	Field Measurement
GW-15	SC1114-GW15-GW001	GW	11/19/2014	Primary
GW-15	SC1114-GW15-GW001	GW	11/19/2014	Primary
GW-15	SC1114-GW15-GW001	GW	11/19/2014	Primary
GW-15	SC1114-GW15-GW001	GW	11/19/2014	Primary
GW-15	SC1114-GW15-GW001	GW	11/19/2014	Primary
GW-15	SC1114-GW15-GW001E	GW	11/19/2014	Primary
GW-15	SC1114-GW15-GW001E	GW	11/19/2014	Primary
GW-15	SC1114-GW15-GW001E	GW	11/19/2014	Primary
GW-15	SC1114-GW15-GW001-F	GW	11/19/2014	Field Measurement
GW-15	SC1114-GW15-GW001-F	GW	11/19/2014	Field Measurement
GW-15	SC1114-GW15-GW001-F	GW	11/19/2014	Field Measurement
GW-15	SC1114-GW15-GW001-F	GW	11/19/2014	Field Measurement
GW-15	SC1114-GW15-GW001-F	GW	11/19/2014	Field Measurement
GW-15	SC1114-GW15-GW001-F	GW	11/19/2014	Field Measurement
GW-15	SC1114-GW15-GW001-F	GW	11/19/2014	Field Measurement
GW-16	SC1114-GW16-GW001	GW	11/19/2014	Primary
GW-16	SC1114-GW16-GW001	GW	11/19/2014	Primary
GW-16	SC1114-GW16-GW001	GW	11/19/2014	Primary
GW-16	SC1114-GW16-GW001	GW	11/19/2014	Primary
GW-16	SC1114-GW16-GW001	GW	11/19/2014	Primary
GW-16	SC1114-GW16-GW001E	GW	11/19/2014	Primary
GW-16	SC1114-GW16-GW001E	GW	11/19/2014	Primary
GW-16	SC1114-GW16-GW001E	GW	11/19/2014	Primary
GW-16	SC1114-GW16-GW001-F	GW	11/19/2014	Field Measurement
GW-16	SC1114-GW16-GW001-F	GW	11/19/2014	Field Measurement
GW-16	SC1114-GW16-GW001-F	GW	11/19/2014	Field Measurement
GW-16	SC1114-GW16-GW001-F	GW	11/19/2014	Field Measurement
GW-16	SC1114-GW16-GW001-F	GW	11/19/2014	Field Measurement
GW-16	SC1114-GW16-GW001-F	GW	11/19/2014	Field Measurement
GW-16	SC1114-GW16-GW001-F	GW	11/19/2014	Field Measurement
GW-22	SC1114-GW22-GW001	GW	11/19/2014	Primary

GW-22	SC1114-GW22-GW001	GW	11/19/2014	Primary
GW-22	SC1114-GW22-GW001	GW	11/19/2014	Primary
GW-22	SC1114-GW22-GW001	GW	11/19/2014	Primary
GW-22	SC1114-GW22-GW001	GW	11/19/2014	Primary
GW-22	SC1114-GW22-GW001E	GW	11/19/2014	Primary
GW-22	SC1114-GW22-GW001E	GW	11/19/2014	Primary
GW-22	SC1114-GW22-GW001E	GW	11/19/2014	Primary
GW-22	SC1114-GW22-GW001-F	GW	11/19/2014	Field Measurement
GW-22	SC1114-GW22-GW001-F	GW	11/19/2014	Field Measurement
GW-22	SC1114-GW22-GW001-F	GW	11/19/2014	Field Measurement
GW-22	SC1114-GW22-GW001-F	GW	11/19/2014	Field Measurement
GW-22	SC1114-GW22-GW001-F	GW	11/19/2014	Field Measurement
GW-22	SC1114-GW22-GW001-F	GW	11/19/2014	Field Measurement
GW-22	SC1114-GW22-GW001-F	GW	11/19/2014	Field Measurement
GW-22	SC1114-GW22-GW002	GW	11/19/2014	Primary
GW-22	SC1114-GW22-GW002	GW	11/19/2014	Primary
GW-22	SC1114-GW22-GW002	GW	11/19/2014	Primary
GW-22	SC1114-GW22-GW002	GW	11/19/2014	Primary
GW-22	SC1114-GW22-GW002	GW	11/19/2014	Primary
GW-22	SC1114-GW22-GW002E	GW	11/19/2014	Primary
GW-22	SC1114-GW22-GW002E	GW	11/19/2014	Primary
GW-22	SC1114-GW22-GW002E	GW	11/19/2014	Primary
GW-22	SC1114-GW22-GW002-F	GW	11/19/2014	Field Measurement
GW-22	SC1114-GW22-GW002-F	GW	11/19/2014	Field Measurement
GW-22	SC1114-GW22-GW002-F	GW	11/19/2014	Field Measurement
GW-22	SC1114-GW22-GW002-F	GW	11/19/2014	Field Measurement
GW-22	SC1114-GW22-GW002-F	GW	11/19/2014	Field Measurement
GW-22	SC1114-GW22-GW002-F	GW	11/19/2014	Field Measurement
GW-26	SC1114-GW26-GW001	GW	11/19/2014	Primary
GW-26	SC1114-GW26-GW001	GW	11/19/2014	Primary
GW-26	SC1114-GW26-GW001	GW	11/19/2014	Primary
GW-26	SC1114-GW26-GW001	GW	11/19/2014	Primary
GW-26	SC1114-GW26-GW001	GW	11/19/2014	Primary
GW-26	SC1114-GW26-GW001E	GW	11/19/2014	Primary
GW-26	SC1114-GW26-GW001E	GW	11/19/2014	Primary
GW-26	SC1114-GW26-GW001E	GW	11/19/2014	Primary
GW-26	SC1114-GW26-GW001-F	GW	11/19/2014	Field Measurement
GW-26	SC1114-GW26-GW001-F	GW	11/19/2014	Field Measurement
GW-26	SC1114-GW26-GW001-F	GW	11/19/2014	Field Measurement
GW-26	SC1114-GW26-GW001-F	GW	11/19/2014	Field Measurement
GW-26	SC1114-GW26-GW001-F	GW	11/19/2014	Field Measurement
GW-26	SC1114-GW26-GW001-F	GW	11/19/2014	Field Measurement
GW-26	SC1114-GW26-GW001-F	GW	11/19/2014	Field Measurement
LP-PD	SC1114-LPPD-SW001	SW	11/19/2014	Primary
LP-PD	SC1114-LPPD-SW001	SW	11/19/2014	Primary
LP-PD	SC1114-LPPD-SW001	SW	11/19/2014	Primary
LP-PD	SC1114-LPPD-SW001	SW	11/19/2014	Primary

LP-PD	SC1114-LPPD-SW001	SW	11/19/2014	Primary
LP-PD	SC1114-LPPD-SW001	SW	11/19/2014	Primary
LP-PD	SC1114-LPPD-SW001E	SW	11/19/2014	Primary
LP-PD	SC1114-LPPD-SW001E	SW	11/19/2014	Primary
LP-PD	SC1114-LPPD-SW001E	SW	11/19/2014	Primary
LP-PD	SC1114-LPPD-SW001-F	SW	11/19/2014	Field Measurement
LP-PD	SC1114-LPPD-SW001-F	SW	11/19/2014	Field Measurement
LP-PD	SC1114-LPPD-SW001-F	SW	11/19/2014	Field Measurement
LP-PD	SC1114-LPPD-SW001-F	SW	11/19/2014	Field Measurement
LP-PD	SC1114-LPPD-SW001-F	SW	11/19/2014	Field Measurement
LP-PD	SC1114-LPPD-SW001-F	SW	11/19/2014	Field Measurement
LP-PD	SC1114-LPPD-SW001-Q	SW	11/19/2014	Field Measurement
NSV-5	SC1114-NSV5-SW001-Q	SW	11/19/2014	Field Measurement
NSV-6	SC1114-NSV6-SW001-Q	SW	11/19/2014	Field Measurement
UP-IN	SC1114-UPIN-SW001	SW	11/19/2014	Primary
UP-IN	SC1114-UPIN-SW001	SW	11/19/2014	Primary
UP-IN	SC1114-UPIN-SW001	SW	11/19/2014	Primary
UP-IN	SC1114-UPIN-SW001	SW	11/19/2014	Primary
UP-IN	SC1114-UPIN-SW001	SW	11/19/2014	Primary
UP-IN	SC1114-UPIN-SW001	SW	11/19/2014	Primary
UP-IN	SC1114-UPIN-SW001-F	SW	11/19/2014	Field Measurement
UP-IN	SC1114-UPIN-SW001-F	SW	11/19/2014	Field Measurement
UP-IN	SC1114-UPIN-SW001-F	SW	11/19/2014	Field Measurement
UP-IN	SC1114-UPIN-SW001-F	SW	11/19/2014	Field Measurement
UP-IN	SC1114-UPIN-SW001-F	SW	11/19/2014	Field Measurement
UP-IN	SC1114-UPIN-SW001-F	SW	11/19/2014	Field Measurement
UP-IN	SC1114-UPIN-SW001-Q	SW	11/19/2014	Field Measurement
UP-PD	SC1114-UPPD-SW001	SW	11/19/2014	Primary
UP-PD	SC1114-UPPD-SW001	SW	11/19/2014	Primary
UP-PD	SC1114-UPPD-SW001	SW	11/19/2014	Primary
UP-PD	SC1114-UPPD-SW001	SW	11/19/2014	Primary
UP-PD	SC1114-UPPD-SW001	SW	11/19/2014	Primary
UP-PD	SC1114-UPPD-SW001	SW	11/19/2014	Primary
UP-PD	SC1114-UPPD-SW001E	SW	11/19/2014	Primary
UP-PD	SC1114-UPPD-SW001E	SW	11/19/2014	Primary
UP-PD	SC1114-UPPD-SW001E	SW	11/19/2014	Primary
UP-PD	SC1114-UPPD-SW001-F	SW	11/19/2014	Field Measurement
UP-PD	SC1114-UPPD-SW001-F	SW	11/19/2014	Field Measurement
UP-PD	SC1114-UPPD-SW001-F	SW	11/19/2014	Field Measurement
UP-PD	SC1114-UPPD-SW001-F	SW	11/19/2014	Field Measurement
UP-PD	SC1114-UPPD-SW001-F	SW	11/19/2014	Field Measurement
UP-PD	SC1114-UPPD-SW001-F	SW	11/19/2014	Field Measurement
UP-PD	SC1114-UPPD-SW001-Q	SW	11/19/2014	Field Measurement
LP-1	SC1114-LP1-SW001	SW	11/20/2014	Primary
LP-1	SC1114-LP1-SW001	SW	11/20/2014	Primary
LP-1	SC1114-LP1-SW001	SW	11/20/2014	Primary
LP-1	SC1114-LP1-SW001	SW	11/20/2014	Primary

LP-1	SC1114-LP1-SW001	SW	11/20/2014	Primary
LP-1	SC1114-LP1-SW001	SW	11/20/2014	Primary
LP-1	SC1114-LP1-SW001-F	SW	11/20/2014	Field Measurement
LP-1	SC1114-LP1-SW001-F	SW	11/20/2014	Field Measurement
LP-1	SC1114-LP1-SW001-F	SW	11/20/2014	Field Measurement
LP-1	SC1114-LP1-SW001-F	SW	11/20/2014	Field Measurement
LP-1	SC1114-LP1-SW001-F	SW	11/20/2014	Field Measurement
LP-1	SC1114-LP1-SW001-F	SW	11/20/2014	Field Measurement
LP-1	SC1114-LP1-SW001-Q	SW	11/20/2014	Field Measurement
LSV-1	SC0515-LSV1-SW001	SW	5/7/2015	Primary
LSV-1	SC0515-LSV1-SW001	SW	5/7/2015	Primary
LSV-1	SC0515-LSV1-SW001	SW	5/7/2015	Primary
LSV-1	SC0515-LSV1-SW001	SW	5/7/2015	Primary
LSV-1	SC0515-LSV1-SW001	SW	5/7/2015	Primary
LSV-1	SC0515-LSV1-SW001	SW	5/7/2015	Primary
LSV-1	SC0515-LSV1-SW001-F	SW	5/7/2015	Field Measurement
LSV-1	SC0515-LSV1-SW001-F	SW	5/7/2015	Field Measurement
LSV-1	SC0515-LSV1-SW001-F	SW	5/7/2015	Field Measurement
LSV-1	SC0515-LSV1-SW001-F	SW	5/7/2015	Field Measurement
LSV-1	SC0515-LSV1-SW001-F	SW	5/7/2015	Field Measurement
LSV-1	SC0515-LSV1-SW001-F	SW	5/7/2015	Field Measurement
LSV-1	SC0515-LSV1-SW001-Q	SW	5/7/2015	Field Measurement
GW-15	SC0515-GW15-GW001	GW	5/8/2015	Primary
GW-15	SC0515-GW15-GW001	GW	5/8/2015	Primary
GW-15	SC0515-GW15-GW001	GW	5/8/2015	Primary
GW-15	SC0515-GW15-GW001	GW	5/8/2015	Primary
GW-15	SC0515-GW15-GW001	GW	5/8/2015	Primary
GW-15	SC0515-GW15-GW001	GW	5/8/2015	Primary
GW-15	SC0515-GW15-GW001-F	GW	5/8/2015	Field Measurement
GW-15	SC0515-GW15-GW001-F	GW	5/8/2015	Field Measurement
GW-15	SC0515-GW15-GW001-F	GW	5/8/2015	Field Measurement
GW-15	SC0515-GW15-GW001-F	GW	5/8/2015	Field Measurement
GW-15	SC0515-GW15-GW001-F	GW	5/8/2015	Field Measurement
GW-15	SC0515-GW15-GW001-F	GW	5/8/2015	Field Measurement
GW-15	SC0515-GW15-GW001-F	GW	5/8/2015	Field Measurement
GW-26	SC0515-GW26-GW001	GW	5/8/2015	Primary
GW-26	SC0515-GW26-GW001	GW	5/8/2015	Primary
GW-26	SC0515-GW26-GW001	GW	5/8/2015	Primary
GW-26	SC0515-GW26-GW001	GW	5/8/2015	Primary
GW-26	SC0515-GW26-GW001	GW	5/8/2015	Primary
GW-26	SC0515-GW26-GW001	GW	5/8/2015	Primary
GW-26	SC0515-GW26-GW001-F	GW	5/8/2015	Field Measurement
GW-26	SC0515-GW26-GW001-F	GW	5/8/2015	Field Measurement
GW-26	SC0515-GW26-GW001-F	GW	5/8/2015	Field Measurement
GW-26	SC0515-GW26-GW001-F	GW	5/8/2015	Field Measurement
GW-26	SC0515-GW26-GW001-F	GW	5/8/2015	Field Measurement
GW-26	SC0515-GW26-GW001-F	GW	5/8/2015	Field Measurement

GW-26	SC0515-GW26-GW001-F	GW	5/8/2015	Field Measurement
LP-1	SC0515-LP1-SW001	SW	5/8/2015	Primary
LP-1	SC0515-LP1-SW001	SW	5/8/2015	Primary
LP-1	SC0515-LP1-SW001	SW	5/8/2015	Primary
LP-1	SC0515-LP1-SW001	SW	5/8/2015	Primary
LP-1	SC0515-LP1-SW001	SW	5/8/2015	Primary
LP-1	SC0515-LP1-SW001	SW	5/8/2015	Primary
LP-1	SC0515-LP1-SW001-F	SW	5/8/2015	Field Measurement
LP-1	SC0515-LP1-SW001-F	SW	5/8/2015	Field Measurement
LP-1	SC0515-LP1-SW001-F	SW	5/8/2015	Field Measurement
LP-1	SC0515-LP1-SW001-F	SW	5/8/2015	Field Measurement
LP-1	SC0515-LP1-SW001-F	SW	5/8/2015	Field Measurement
LP-1	SC0515-LP1-SW001-F	SW	5/8/2015	Field Measurement
LP-1	SC0515-LP1-SW001-Q	SW	5/8/2015	Field Measurement
LP-PD	SC0515-LPPD-SW001	SW	5/8/2015	Primary
LP-PD	SC0515-LPPD-SW001	SW	5/8/2015	Primary
LP-PD	SC0515-LPPD-SW001	SW	5/8/2015	Primary
LP-PD	SC0515-LPPD-SW001	SW	5/8/2015	Primary
LP-PD	SC0515-LPPD-SW001	SW	5/8/2015	Primary
LP-PD	SC0515-LPPD-SW001	SW	5/8/2015	Primary
LP-PD	SC0515-LPPD-SW001-F	SW	5/8/2015	Field Measurement
LP-PD	SC0515-LPPD-SW001-F	SW	5/8/2015	Field Measurement
LP-PD	SC0515-LPPD-SW001-F	SW	5/8/2015	Field Measurement
LP-PD	SC0515-LPPD-SW001-F	SW	5/8/2015	Field Measurement
LP-PD	SC0515-LPPD-SW001-F	SW	5/8/2015	Field Measurement
LP-PD	SC0515-LPPD-SW001-F	SW	5/8/2015	Field Measurement
LP-PD	SC0515-LPPD-SW001-Q	SW	5/8/2015	Field Measurement
NSV-5	SC0515-NSV5-SW001	SW	5/8/2015	Primary
NSV-5	SC0515-NSV5-SW001	SW	5/8/2015	Primary
NSV-5	SC0515-NSV5-SW001	SW	5/8/2015	Primary
NSV-5	SC0515-NSV5-SW001	SW	5/8/2015	Primary
NSV-5	SC0515-NSV5-SW001	SW	5/8/2015	Primary
NSV-5	SC0515-NSV5-SW001	SW	5/8/2015	Primary
NSV-5	SC0515-NSV5-SW001-F	SW	5/8/2015	Field Measurement
NSV-5	SC0515-NSV5-SW001-F	SW	5/8/2015	Field Measurement
NSV-5	SC0515-NSV5-SW001-F	SW	5/8/2015	Field Measurement
NSV-5	SC0515-NSV5-SW001-F	SW	5/8/2015	Field Measurement
NSV-5	SC0515-NSV5-SW001-F	SW	5/8/2015	Field Measurement
NSV-5	SC0515-NSV5-SW001-F	SW	5/8/2015	Field Measurement
NSV-5	SC0515-NSV5-SW001-Q	SW	5/8/2015	Field Measurement
NSV-6	SC0515-NSV6-SW001	SW	5/8/2015	Primary
NSV-6	SC0515-NSV6-SW001	SW	5/8/2015	Primary
NSV-6	SC0515-NSV6-SW001	SW	5/8/2015	Primary
NSV-6	SC0515-NSV6-SW001	SW	5/8/2015	Primary
NSV-6	SC0515-NSV6-SW001	SW	5/8/2015	Primary
NSV-6	SC0515-NSV6-SW001	SW	5/8/2015	Primary
NSV-6	SC0515-NSV6-SW001-F	SW	5/8/2015	Field Measurement

NSV-6	SC0515-NSV6-SW001-F	SW	5/8/2015	Field Measurement
NSV-6	SC0515-NSV6-SW001-F	SW	5/8/2015	Field Measurement
NSV-6	SC0515-NSV6-SW001-F	SW	5/8/2015	Field Measurement
NSV-6	SC0515-NSV6-SW001-F	SW	5/8/2015	Field Measurement
NSV-6	SC0515-NSV6-SW001-F	SW	5/8/2015	Field Measurement
NSV-6	SC0515-NSV6-SW001-Q	SW	5/8/2015	Field Measurement
GW-16	SC0515-GW16-GW001	GW	5/11/2015	Primary
GW-16	SC0515-GW16-GW001	GW	5/11/2015	Primary
GW-16	SC0515-GW16-GW001	GW	5/11/2015	Primary
GW-16	SC0515-GW16-GW001	GW	5/11/2015	Primary
GW-16	SC0515-GW16-GW001	GW	5/11/2015	Primary
GW-16	SC0515-GW16-GW001	GW	5/11/2015	Primary
GW-16	SC0515-GW16-GW001-F	GW	5/11/2015	Field Measurement
GW-16	SC0515-GW16-GW001-F	GW	5/11/2015	Field Measurement
GW-16	SC0515-GW16-GW001-F	GW	5/11/2015	Field Measurement
GW-16	SC0515-GW16-GW001-F	GW	5/11/2015	Field Measurement
GW-16	SC0515-GW16-GW001-F	GW	5/11/2015	Field Measurement
GW-16	SC0515-GW16-GW001-F	GW	5/11/2015	Field Measurement
GW-16	SC0515-GW16-GW001-F	GW	5/11/2015	Field Measurement
GW-22	SC0515-GW22-GW001	GW	5/11/2015	Primary
GW-22	SC0515-GW22-GW001	GW	5/11/2015	Primary
GW-22	SC0515-GW22-GW001	GW	5/11/2015	Primary
GW-22	SC0515-GW22-GW001	GW	5/11/2015	Primary
GW-22	SC0515-GW22-GW001	GW	5/11/2015	Primary
GW-22	SC0515-GW22-GW001	GW	5/11/2015	Primary
GW-22	SC0515-GW22-GW001-F	GW	5/11/2015	Field Measurement
GW-22	SC0515-GW22-GW001-F	GW	5/11/2015	Field Measurement
GW-22	SC0515-GW22-GW001-F	GW	5/11/2015	Field Measurement
GW-22	SC0515-GW22-GW001-F	GW	5/11/2015	Field Measurement
GW-22	SC0515-GW22-GW001-F	GW	5/11/2015	Field Measurement
GW-22	SC0515-GW22-GW001-F	GW	5/11/2015	Field Measurement
GW-22	SC0515-GW22-GW001-F	GW	5/11/2015	Field Measurement
GW-22	SC0515-GW22-GW002	GW	5/11/2015	Primary
GW-22	SC0515-GW22-GW002	GW	5/11/2015	Primary
GW-22	SC0515-GW22-GW002	GW	5/11/2015	Primary
GW-22	SC0515-GW22-GW002	GW	5/11/2015	Primary
GW-22	SC0515-GW22-GW002	GW	5/11/2015	Primary
GW-22	SC0515-GW22-GW002	GW	5/11/2015	Primary
GW-22	SC0515-GW22-GW002-F	GW	5/11/2015	Field Measurement
GW-22	SC0515-GW22-GW002-F	GW	5/11/2015	Field Measurement
GW-22	SC0515-GW22-GW002-F	GW	5/11/2015	Field Measurement
GW-22	SC0515-GW22-GW002-F	GW	5/11/2015	Field Measurement
GW-22	SC0515-GW22-GW002-F	GW	5/11/2015	Field Measurement
GW-22	SC0515-GW22-GW002-F	GW	5/11/2015	Field Measurement
UP-IN	SC0515-UPIN-SW001	SW	5/11/2015	Primary
UP-IN	SC0515-UPIN-SW001	SW	5/11/2015	Primary
UP-IN	SC0515-UPIN-SW001	SW	5/11/2015	Primary

UP-IN	SC0515-UPIN-SW001	SW	5/11/2015	Primary
UP-IN	SC0515-UPIN-SW001	SW	5/11/2015	Primary
UP-IN	SC0515-UPIN-SW001	SW	5/11/2015	Primary
UP-IN	SC0515-UPIN-SW001-F	SW	5/11/2015	Field Measurement
UP-IN	SC0515-UPIN-SW001-F	SW	5/11/2015	Field Measurement
UP-IN	SC0515-UPIN-SW001-F	SW	5/11/2015	Field Measurement
UP-IN	SC0515-UPIN-SW001-F	SW	5/11/2015	Field Measurement
UP-IN	SC0515-UPIN-SW001-F	SW	5/11/2015	Field Measurement
UP-IN	SC0515-UPIN-SW001-F	SW	5/11/2015	Field Measurement
UP-IN	SC0515-UPIN-SW001-Q	SW	5/11/2015	Field Measurement
UP-PD	SC0515-UPPD-SW001	SW	5/11/2015	Primary
UP-PD	SC0515-UPPD-SW001	SW	5/11/2015	Primary
UP-PD	SC0515-UPPD-SW001	SW	5/11/2015	Primary
UP-PD	SC0515-UPPD-SW001	SW	5/11/2015	Primary
UP-PD	SC0515-UPPD-SW001	SW	5/11/2015	Primary
UP-PD	SC0515-UPPD-SW001	SW	5/11/2015	Primary
UP-PD	SC0515-UPPD-SW001-F	SW	5/11/2015	Field Measurement
UP-PD	SC0515-UPPD-SW001-F	SW	5/11/2015	Field Measurement
UP-PD	SC0515-UPPD-SW001-F	SW	5/11/2015	Field Measurement
UP-PD	SC0515-UPPD-SW001-F	SW	5/11/2015	Field Measurement
UP-PD	SC0515-UPPD-SW001-F	SW	5/11/2015	Field Measurement
UP-PD	SC0515-UPPD-SW001-F	SW	5/11/2015	Field Measurement
UP-PD	SC0515-UPPD-SW001-Q	SW	5/11/2015	Field Measurement
NSV-5	SC0715-NSV5-SW001	SW	7/21/2015	Primary
NSV-5	SC0715-NSV5-SW001	SW	7/21/2015	Primary
NSV-5	SC0715-NSV5-SW001	SW	7/21/2015	Primary
NSV-5	SC0715-NSV5-SW001	SW	7/21/2015	Primary
NSV-5	SC0715-NSV5-SW001	SW	7/21/2015	Primary
NSV-5	SC0715-NSV5-SW001	SW	7/21/2015	Primary
NSV-5	SC0715-NSV5-SW001-F	SW	7/21/2015	Field Measurement
NSV-5	SC0715-NSV5-SW001-F	SW	7/21/2015	Field Measurement
NSV-5	SC0715-NSV5-SW001-F	SW	7/21/2015	Field Measurement
NSV-5	SC0715-NSV5-SW001-F	SW	7/21/2015	Field Measurement
NSV-5	SC0715-NSV5-SW001-F	SW	7/21/2015	Field Measurement
NSV-5	SC0715-NSV5-SW001-F	SW	7/21/2015	Field Measurement
NSV-5	SC0715-NSV5-SW001-Q	SW	7/21/2015	Field Measurement
NSV-6	SC0715-NSV6-SW001	SW	7/21/2015	Primary
NSV-6	SC0715-NSV6-SW001	SW	7/21/2015	Primary
NSV-6	SC0715-NSV6-SW001	SW	7/21/2015	Primary
NSV-6	SC0715-NSV6-SW001	SW	7/21/2015	Primary
NSV-6	SC0715-NSV6-SW001	SW	7/21/2015	Primary
NSV-6	SC0715-NSV6-SW001	SW	7/21/2015	Primary
NSV-6	SC0715-NSV6-SW001-F	SW	7/21/2015	Field Measurement
NSV-6	SC0715-NSV6-SW001-F	SW	7/21/2015	Field Measurement
NSV-6	SC0715-NSV6-SW001-F	SW	7/21/2015	Field Measurement
NSV-6	SC0715-NSV6-SW001-F	SW	7/21/2015	Field Measurement
NSV-6	SC0715-NSV6-SW001-F	SW	7/21/2015	Field Measurement

NSV-6	SC0715-NSV6-SW001-F	SW	7/21/2015	Field Measurement
NSV-6	SC0715-NSV6-SW001-Q	SW	7/21/2015	Field Measurement
LSV-1	SC0715-LSV1-SW001	SW	7/22/2015	Primary
LSV-1	SC0715-LSV1-SW001	SW	7/22/2015	Primary
LSV-1	SC0715-LSV1-SW001	SW	7/22/2015	Primary
LSV-1	SC0715-LSV1-SW001	SW	7/22/2015	Primary
LSV-1	SC0715-LSV1-SW001	SW	7/22/2015	Primary
LSV-1	SC0715-LSV1-SW001	SW	7/22/2015	Primary
LSV-1	SC0715-LSV1-SW001-F	SW	7/22/2015	Field Measurement
LSV-1	SC0715-LSV1-SW001-F	SW	7/22/2015	Field Measurement
LSV-1	SC0715-LSV1-SW001-F	SW	7/22/2015	Field Measurement
LSV-1	SC0715-LSV1-SW001-F	SW	7/22/2015	Field Measurement
LSV-1	SC0715-LSV1-SW001-F	SW	7/22/2015	Field Measurement
LSV-1	SC0715-LSV1-SW001-F	SW	7/22/2015	Field Measurement
LSV-1	SC0715-LSV1-SW001-Q	SW	7/22/2015	Field Measurement
GW-15	SC0715-GW15-GW001	GW	7/28/2015	Primary
GW-15	SC0715-GW15-GW001	GW	7/28/2015	Primary
GW-15	SC0715-GW15-GW001	GW	7/28/2015	Primary
GW-15	SC0715-GW15-GW001	GW	7/28/2015	Primary
GW-15	SC0715-GW15-GW001	GW	7/28/2015	Primary
GW-15	SC0715-GW15-GW001	GW	7/28/2015	Primary
GW-15	SC0715-GW15-GW001-F	GW	7/28/2015	Field Measurement
GW-15	SC0715-GW15-GW001-F	GW	7/28/2015	Field Measurement
GW-15	SC0715-GW15-GW001-F	GW	7/28/2015	Field Measurement
GW-15	SC0715-GW15-GW001-F	GW	7/28/2015	Field Measurement
GW-15	SC0715-GW15-GW001-F	GW	7/28/2015	Field Measurement
GW-15	SC0715-GW15-GW001-F	GW	7/28/2015	Field Measurement
GW-15	SC0715-GW15-GW001-F	GW	7/28/2015	Field Measurement
GW-16	SC0715-GW16-GW001	GW	7/28/2015	Primary
GW-16	SC0715-GW16-GW001	GW	7/28/2015	Primary
GW-16	SC0715-GW16-GW001	GW	7/28/2015	Primary
GW-16	SC0715-GW16-GW001	GW	7/28/2015	Primary
GW-16	SC0715-GW16-GW001	GW	7/28/2015	Primary
GW-16	SC0715-GW16-GW001	GW	7/28/2015	Primary
GW-16	SC0715-GW16-GW001-F	GW	7/28/2015	Field Measurement
GW-16	SC0715-GW16-GW001-F	GW	7/28/2015	Field Measurement
GW-16	SC0715-GW16-GW001-F	GW	7/28/2015	Field Measurement
GW-16	SC0715-GW16-GW001-F	GW	7/28/2015	Field Measurement
GW-16	SC0715-GW16-GW001-F	GW	7/28/2015	Field Measurement
GW-16	SC0715-GW16-GW001-F	GW	7/28/2015	Field Measurement
GW-16	SC0715-GW16-GW001-F	GW	7/28/2015	Field Measurement
GW-22	SC0715-GW22-GW001	GW	7/28/2015	Primary
GW-22	SC0715-GW22-GW001	GW	7/28/2015	Primary
GW-22	SC0715-GW22-GW001	GW	7/28/2015	Primary
GW-22	SC0715-GW22-GW001	GW	7/28/2015	Primary
GW-22	SC0715-GW22-GW001	GW	7/28/2015	Primary
GW-22	SC0715-GW22-GW001	GW	7/28/2015	Primary

GW-22	SC0715-GW22-GW001-F	GW	7/28/2015	Field Measurement
GW-22	SC0715-GW22-GW001-F	GW	7/28/2015	Field Measurement
GW-22	SC0715-GW22-GW001-F	GW	7/28/2015	Field Measurement
GW-22	SC0715-GW22-GW001-F	GW	7/28/2015	Field Measurement
GW-22	SC0715-GW22-GW001-F	GW	7/28/2015	Field Measurement
GW-22	SC0715-GW22-GW001-F	GW	7/28/2015	Field Measurement
GW-22	SC0715-GW22-GW001-F	GW	7/28/2015	Field Measurement
GW-22	SC0715-GW22-GW002	GW	7/28/2015	Primary
GW-22	SC0715-GW22-GW002	GW	7/28/2015	Primary
GW-22	SC0715-GW22-GW002	GW	7/28/2015	Primary
GW-22	SC0715-GW22-GW002	GW	7/28/2015	Primary
GW-22	SC0715-GW22-GW002	GW	7/28/2015	Primary
GW-22	SC0715-GW22-GW002	GW	7/28/2015	Primary
GW-22	SC0715-GW22-GW002-F	GW	7/28/2015	Field Measurement
GW-22	SC0715-GW22-GW002-F	GW	7/28/2015	Field Measurement
GW-22	SC0715-GW22-GW002-F	GW	7/28/2015	Field Measurement
GW-22	SC0715-GW22-GW002-F	GW	7/28/2015	Field Measurement
GW-22	SC0715-GW22-GW002-F	GW	7/28/2015	Field Measurement
GW-22	SC0715-GW22-GW002-F	GW	7/28/2015	Field Measurement
GW-22	SC0715-GW22-GW002-F	GW	7/28/2015	Field Measurement
GW-26	SC0715-GW26-GW001	GW	7/28/2015	Primary
GW-26	SC0715-GW26-GW001	GW	7/28/2015	Primary
GW-26	SC0715-GW26-GW001	GW	7/28/2015	Primary
GW-26	SC0715-GW26-GW001	GW	7/28/2015	Primary
GW-26	SC0715-GW26-GW001	GW	7/28/2015	Primary
GW-26	SC0715-GW26-GW001	GW	7/28/2015	Primary
GW-26	SC0715-GW26-GW001-F	GW	7/28/2015	Field Measurement
GW-26	SC0715-GW26-GW001-F	GW	7/28/2015	Field Measurement
GW-26	SC0715-GW26-GW001-F	GW	7/28/2015	Field Measurement
GW-26	SC0715-GW26-GW001-F	GW	7/28/2015	Field Measurement
GW-26	SC0715-GW26-GW001-F	GW	7/28/2015	Field Measurement
GW-26	SC0715-GW26-GW001-F	GW	7/28/2015	Field Measurement
GW-26	SC0715-GW26-GW001-F	GW	7/28/2015	Field Measurement
LSV-1	SC0915-LSV1-SW001	SW	9/10/2015	Primary
LSV-1	SC0915-LSV1-SW001	SW	9/10/2015	Primary
LSV-1	SC0915-LSV1-SW001	SW	9/10/2015	Primary
LSV-1	SC0915-LSV1-SW001	SW	9/10/2015	Primary
LSV-1	SC0915-LSV1-SW001	SW	9/10/2015	Primary
LSV-1	SC0915-LSV1-SW001	SW	9/10/2015	Primary
LSV-1	SC0915-LSV1-SW001-F	SW	9/10/2015	Field Measurement
LSV-1	SC0915-LSV1-SW001-F	SW	9/10/2015	Field Measurement
LSV-1	SC0915-LSV1-SW001-F	SW	9/10/2015	Field Measurement
LSV-1	SC0915-LSV1-SW001-F	SW	9/10/2015	Field Measurement
LSV-1	SC0915-LSV1-SW001-F	SW	9/10/2015	Field Measurement
LSV-1	SC0915-LSV1-SW001-F	SW	9/10/2015	Field Measurement
LSV-1	SC0915-LSV1-SW001-Q	SW	9/10/2015	Field Measurement
LP-1	SC0915-LP1-SW001	SW	9/12/2015	Primary

LP-1	SC0915-LP1-SW001	SW	9/12/2015	Primary
LP-1	SC0915-LP1-SW001	SW	9/12/2015	Primary
LP-1	SC0915-LP1-SW001	SW	9/12/2015	Primary
LP-1	SC0915-LP1-SW001	SW	9/12/2015	Primary
LP-1	SC0915-LP1-SW001	SW	9/12/2015	Primary
LP-1	SC0915-LP1-SW001-F	SW	9/12/2015	Field Measurement
LP-1	SC0915-LP1-SW001-F	SW	9/12/2015	Field Measurement
LP-1	SC0915-LP1-SW001-F	SW	9/12/2015	Field Measurement
LP-1	SC0915-LP1-SW001-F	SW	9/12/2015	Field Measurement
LP-1	SC0915-LP1-SW001-F	SW	9/12/2015	Field Measurement
LP-1	SC0915-LP1-SW001-F	SW	9/12/2015	Field Measurement
LP-1	SC0915-LP1-SW001-Q	SW	9/12/2015	Field Measurement
LP-PD	SC0915-LPPD-SW001	SW	9/12/2015	Primary
LP-PD	SC0915-LPPD-SW001	SW	9/12/2015	Primary
LP-PD	SC0915-LPPD-SW001	SW	9/12/2015	Primary
LP-PD	SC0915-LPPD-SW001	SW	9/12/2015	Primary
LP-PD	SC0915-LPPD-SW001	SW	9/12/2015	Primary
LP-PD	SC0915-LPPD-SW001	SW	9/12/2015	Primary
LP-PD	SC0915-LPPD-SW001-F	SW	9/12/2015	Field Measurement
LP-PD	SC0915-LPPD-SW001-F	SW	9/12/2015	Field Measurement
LP-PD	SC0915-LPPD-SW001-F	SW	9/12/2015	Field Measurement
LP-PD	SC0915-LPPD-SW001-F	SW	9/12/2015	Field Measurement
LP-PD	SC0915-LPPD-SW001-F	SW	9/12/2015	Field Measurement
LP-PD	SC0915-LPPD-SW001-F	SW	9/12/2015	Field Measurement
LP-PD	SC0915-LPPD-SW001-Q	SW	9/12/2015	Field Measurement
NSV-5	SC0915-NSV5-SW001	SW	9/12/2015	Primary
NSV-5	SC0915-NSV5-SW001	SW	9/12/2015	Primary
NSV-5	SC0915-NSV5-SW001	SW	9/12/2015	Primary
NSV-5	SC0915-NSV5-SW001	SW	9/12/2015	Primary
NSV-5	SC0915-NSV5-SW001	SW	9/12/2015	Primary
NSV-5	SC0915-NSV5-SW001	SW	9/12/2015	Primary
NSV-5	SC0915-NSV5-SW001-F	SW	9/12/2015	Field Measurement
NSV-5	SC0915-NSV5-SW001-F	SW	9/12/2015	Field Measurement
NSV-5	SC0915-NSV5-SW001-F	SW	9/12/2015	Field Measurement
NSV-5	SC0915-NSV5-SW001-F	SW	9/12/2015	Field Measurement
NSV-5	SC0915-NSV5-SW001-F	SW	9/12/2015	Field Measurement
NSV-5	SC0915-NSV5-SW001-F	SW	9/12/2015	Field Measurement
NSV-5	SC0915-NSV5-SW001-Q	SW	9/12/2015	Field Measurement
NSV-6	SC0915-NSV6-SW001	SW	9/12/2015	Primary
NSV-6	SC0915-NSV6-SW001	SW	9/12/2015	Primary
NSV-6	SC0915-NSV6-SW001	SW	9/12/2015	Primary
NSV-6	SC0915-NSV6-SW001	SW	9/12/2015	Primary
NSV-6	SC0915-NSV6-SW001	SW	9/12/2015	Primary
NSV-6	SC0915-NSV6-SW001	SW	9/12/2015	Primary
NSV-6	SC0915-NSV6-SW001-F	SW	9/12/2015	Field Measurement
NSV-6	SC0915-NSV6-SW001-F	SW	9/12/2015	Field Measurement
NSV-6	SC0915-NSV6-SW001-F	SW	9/12/2015	Field Measurement

NSV-6	SC0915-NSV6-SW001-F	SW	9/12/2015	Field Measurement
NSV-6	SC0915-NSV6-SW001-F	SW	9/12/2015	Field Measurement
NSV-6	SC0915-NSV6-SW001-F	SW	9/12/2015	Field Measurement
NSV-6	SC0915-NSV6-SW001-Q	SW	9/12/2015	Field Measurement
UP-IN	SC0915-UPIN-SW001	SW	9/12/2015	Primary
UP-IN	SC0915-UPIN-SW001	SW	9/12/2015	Primary
UP-IN	SC0915-UPIN-SW001	SW	9/12/2015	Primary
UP-IN	SC0915-UPIN-SW001	SW	9/12/2015	Primary
UP-IN	SC0915-UPIN-SW001	SW	9/12/2015	Primary
UP-IN	SC0915-UPIN-SW001	SW	9/12/2015	Primary
UP-IN	SC0915-UPIN-SW001-F	SW	9/12/2015	Field Measurement
UP-IN	SC0915-UPIN-SW001-F	SW	9/12/2015	Field Measurement
UP-IN	SC0915-UPIN-SW001-F	SW	9/12/2015	Field Measurement
UP-IN	SC0915-UPIN-SW001-F	SW	9/12/2015	Field Measurement
UP-IN	SC0915-UPIN-SW001-F	SW	9/12/2015	Field Measurement
UP-IN	SC0915-UPIN-SW001-F	SW	9/12/2015	Field Measurement
UP-IN	SC0915-UPIN-SW001-Q	SW	9/12/2015	Field Measurement
UP-PD	SC0915-UPPD-SW001	SW	9/12/2015	Primary
UP-PD	SC0915-UPPD-SW001	SW	9/12/2015	Primary
UP-PD	SC0915-UPPD-SW001	SW	9/12/2015	Primary
UP-PD	SC0915-UPPD-SW001	SW	9/12/2015	Primary
UP-PD	SC0915-UPPD-SW001	SW	9/12/2015	Primary
UP-PD	SC0915-UPPD-SW001	SW	9/12/2015	Primary
UP-PD	SC0915-UPPD-SW001-F	SW	9/12/2015	Field Measurement
UP-PD	SC0915-UPPD-SW001-F	SW	9/12/2015	Field Measurement
UP-PD	SC0915-UPPD-SW001-F	SW	9/12/2015	Field Measurement
UP-PD	SC0915-UPPD-SW001-F	SW	9/12/2015	Field Measurement
UP-PD	SC0915-UPPD-SW001-F	SW	9/12/2015	Field Measurement
UP-PD	SC0915-UPPD-SW001-F	SW	9/12/2015	Field Measurement
UP-PD	SC0915-UPPD-SW001-Q	SW	9/12/2015	Field Measurement
GW-15	SC0915-GW15-GW001	GW	9/22/2015	Primary
GW-15	SC0915-GW15-GW001	GW	9/22/2015	Primary
GW-15	SC0915-GW15-GW001	GW	9/22/2015	Primary
GW-15	SC0915-GW15-GW001	GW	9/22/2015	Primary
GW-15	SC0915-GW15-GW001	GW	9/22/2015	Primary
GW-15	SC0915-GW15-GW001	GW	9/22/2015	Primary
GW-15	SC0915-GW15-GW001-F	GW	9/22/2015	Field Measurement
GW-15	SC0915-GW15-GW001-F	GW	9/22/2015	Field Measurement
GW-15	SC0915-GW15-GW001-F	GW	9/22/2015	Field Measurement
GW-15	SC0915-GW15-GW001-F	GW	9/22/2015	Field Measurement
GW-15	SC0915-GW15-GW001-F	GW	9/22/2015	Field Measurement
GW-15	SC0915-GW15-GW001-F	GW	9/22/2015	Field Measurement
GW-15	SC0915-GW15-GW001-F	GW	9/22/2015	Field Measurement
GW-16	SC0915-GW16-GW001	GW	9/22/2015	Primary
GW-16	SC0915-GW16-GW001	GW	9/22/2015	Primary
GW-16	SC0915-GW16-GW001	GW	9/22/2015	Primary
GW-16	SC0915-GW16-GW001	GW	9/22/2015	Primary

GW-16	SC0915-GW16-GW001	GW	9/22/2015	Primary
GW-16	SC0915-GW16-GW001	GW	9/22/2015	Primary
GW-16	SC0915-GW16-GW001-F	GW	9/22/2015	Field Measurement
GW-16	SC0915-GW16-GW001-F	GW	9/22/2015	Field Measurement
GW-16	SC0915-GW16-GW001-F	GW	9/22/2015	Field Measurement
GW-16	SC0915-GW16-GW001-F	GW	9/22/2015	Field Measurement
GW-16	SC0915-GW16-GW001-F	GW	9/22/2015	Field Measurement
GW-16	SC0915-GW16-GW001-F	GW	9/22/2015	Field Measurement
GW-16	SC0915-GW16-GW001-F	GW	9/22/2015	Field Measurement
GW-22	SC0915-GW22-GW001	GW	9/22/2015	Primary
GW-22	SC0915-GW22-GW001	GW	9/22/2015	Primary
GW-22	SC0915-GW22-GW001	GW	9/22/2015	Primary
GW-22	SC0915-GW22-GW001	GW	9/22/2015	Primary
GW-22	SC0915-GW22-GW001	GW	9/22/2015	Primary
GW-22	SC0915-GW22-GW001	GW	9/22/2015	Primary
GW-22	SC0915-GW22-GW001-F	GW	9/22/2015	Field Measurement
GW-22	SC0915-GW22-GW001-F	GW	9/22/2015	Field Measurement
GW-22	SC0915-GW22-GW001-F	GW	9/22/2015	Field Measurement
GW-22	SC0915-GW22-GW001-F	GW	9/22/2015	Field Measurement
GW-22	SC0915-GW22-GW001-F	GW	9/22/2015	Field Measurement
GW-22	SC0915-GW22-GW001-F	GW	9/22/2015	Field Measurement
GW-22	SC0915-GW22-GW001-F	GW	9/22/2015	Field Measurement
GW-22	SC0915-GW22-GW002	GW	9/22/2015	Primary
GW-22	SC0915-GW22-GW002	GW	9/22/2015	Primary
GW-22	SC0915-GW22-GW002	GW	9/22/2015	Primary
GW-22	SC0915-GW22-GW002	GW	9/22/2015	Primary
GW-22	SC0915-GW22-GW002	GW	9/22/2015	Primary
GW-22	SC0915-GW22-GW002	GW	9/22/2015	Primary
GW-22	SC0915-GW22-GW002-F	GW	9/22/2015	Field Measurement
GW-22	SC0915-GW22-GW002-F	GW	9/22/2015	Field Measurement
GW-22	SC0915-GW22-GW002-F	GW	9/22/2015	Field Measurement
GW-22	SC0915-GW22-GW002-F	GW	9/22/2015	Field Measurement
GW-22	SC0915-GW22-GW002-F	GW	9/22/2015	Field Measurement
GW-22	SC0915-GW22-GW002-F	GW	9/22/2015	Field Measurement
GW-22	SC0915-GW22-GW002-F	GW	9/22/2015	Field Measurement
GW-26	SC0915-GW26-GW001	GW	9/22/2015	Primary
GW-26	SC0915-GW26-GW001	GW	9/22/2015	Primary
GW-26	SC0915-GW26-GW001	GW	9/22/2015	Primary
GW-26	SC0915-GW26-GW001	GW	9/22/2015	Primary
GW-26	SC0915-GW26-GW001	GW	9/22/2015	Primary
GW-26	SC0915-GW26-GW001	GW	9/22/2015	Primary
GW-26	SC0915-GW26-GW001-F	GW	9/22/2015	Field Measurement
GW-26	SC0915-GW26-GW001-F	GW	9/22/2015	Field Measurement
GW-26	SC0915-GW26-GW001-F	GW	9/22/2015	Field Measurement
GW-26	SC0915-GW26-GW001-F	GW	9/22/2015	Field Measurement
GW-26	SC0915-GW26-GW001-F	GW	9/22/2015	Field Measurement
GW-26	SC0915-GW26-GW001-F	GW	9/22/2015	Field Measurement

GW-26	SC0915-GW26-GW001-F	GW	9/22/2015	Field Measurement
LSV-1	SC1115-LSV1-SW001	SW	11/4/2015	Primary
LSV-1	SC1115-LSV1-SW001	SW	11/4/2015	Primary
LSV-1	SC1115-LSV1-SW001	SW	11/4/2015	Primary
LSV-1	SC1115-LSV1-SW001	SW	11/4/2015	Primary
LSV-1	SC1115-LSV1-SW001	SW	11/4/2015	Primary
LSV-1	SC1115-LSV1-SW001	SW	11/4/2015	Primary
LSV-1	SC1115-LSV1-SW001-F	SW	11/4/2015	Field Measurement
LSV-1	SC1115-LSV1-SW001-F	SW	11/4/2015	Field Measurement
LSV-1	SC1115-LSV1-SW001-F	SW	11/4/2015	Field Measurement
LSV-1	SC1115-LSV1-SW001-F	SW	11/4/2015	Field Measurement
LSV-1	SC1115-LSV1-SW001-F	SW	11/4/2015	Field Measurement
LSV-1	SC1115-LSV1-SW001-F	SW	11/4/2015	Field Measurement
LSV-1	SC1115-LSV1-SW001-Q	SW	11/4/2015	Field Measurement
GW-26	SC1115-GW26-GW001	GW	11/5/2015	Primary
GW-26	SC1115-GW26-GW001	GW	11/5/2015	Primary
GW-26	SC1115-GW26-GW001	GW	11/5/2015	Primary
GW-26	SC1115-GW26-GW001	GW	11/5/2015	Primary
GW-26	SC1115-GW26-GW001	GW	11/5/2015	Primary
GW-26	SC1115-GW26-GW001	GW	11/5/2015	Primary
GW-26	SC1115-GW26-GW001-F	GW	11/5/2015	Field Measurement
GW-26	SC1115-GW26-GW001-F	GW	11/5/2015	Field Measurement
GW-26	SC1115-GW26-GW001-F	GW	11/5/2015	Field Measurement
GW-26	SC1115-GW26-GW001-F	GW	11/5/2015	Field Measurement
GW-26	SC1115-GW26-GW001-F	GW	11/5/2015	Field Measurement
GW-26	SC1115-GW26-GW001-F	GW	11/5/2015	Field Measurement
GW-26	SC1115-GW26-GW001-F	GW	11/5/2015	Field Measurement
LP-1	SC1115-LP1-SW001	SW	11/5/2015	Primary
LP-1	SC1115-LP1-SW001	SW	11/5/2015	Primary
LP-1	SC1115-LP1-SW001	SW	11/5/2015	Primary
LP-1	SC1115-LP1-SW001	SW	11/5/2015	Primary
LP-1	SC1115-LP1-SW001	SW	11/5/2015	Primary
LP-1	SC1115-LP1-SW001	SW	11/5/2015	Primary
LP-1	SC1115-LP1-SW001-F	SW	11/5/2015	Field Measurement
LP-1	SC1115-LP1-SW001-F	SW	11/5/2015	Field Measurement
LP-1	SC1115-LP1-SW001-F	SW	11/5/2015	Field Measurement
LP-1	SC1115-LP1-SW001-F	SW	11/5/2015	Field Measurement
LP-1	SC1115-LP1-SW001-F	SW	11/5/2015	Field Measurement
LP-1	SC1115-LP1-SW001-F	SW	11/5/2015	Field Measurement
LP-1	SC1115-LP1-SW001-Q	SW	11/5/2015	Field Measurement
LP-PD	SC1115-LPPD-SW001	SW	11/5/2015	Primary
LP-PD	SC1115-LPPD-SW001	SW	11/5/2015	Primary
LP-PD	SC1115-LPPD-SW001	SW	11/5/2015	Primary
LP-PD	SC1115-LPPD-SW001	SW	11/5/2015	Primary
LP-PD	SC1115-LPPD-SW001	SW	11/5/2015	Primary
LP-PD	SC1115-LPPD-SW001	SW	11/5/2015	Primary
LP-PD	SC1115-LPPD-SW001-F	SW	11/5/2015	Field Measurement

LP-PD	SC1115-LPPD-SW001-F	SW	11/5/2015	Field Measurement
LP-PD	SC1115-LPPD-SW001-F	SW	11/5/2015	Field Measurement
LP-PD	SC1115-LPPD-SW001-F	SW	11/5/2015	Field Measurement
LP-PD	SC1115-LPPD-SW001-F	SW	11/5/2015	Field Measurement
LP-PD	SC1115-LPPD-SW001-F	SW	11/5/2015	Field Measurement
LP-PD	SC1115-LPPD-SW001-Q	SW	11/5/2015	Field Measurement
NSV-5	SC1115-NSV5-SW001	SW	11/5/2015	Primary
NSV-5	SC1115-NSV5-SW001	SW	11/5/2015	Primary
NSV-5	SC1115-NSV5-SW001	SW	11/5/2015	Primary
NSV-5	SC1115-NSV5-SW001	SW	11/5/2015	Primary
NSV-5	SC1115-NSV5-SW001	SW	11/5/2015	Primary
NSV-5	SC1115-NSV5-SW001	SW	11/5/2015	Primary
NSV-5	SC1115-NSV5-SW001-F	SW	11/5/2015	Field Measurement
NSV-5	SC1115-NSV5-SW001-F	SW	11/5/2015	Field Measurement
NSV-5	SC1115-NSV5-SW001-F	SW	11/5/2015	Field Measurement
NSV-5	SC1115-NSV5-SW001-F	SW	11/5/2015	Field Measurement
NSV-5	SC1115-NSV5-SW001-F	SW	11/5/2015	Field Measurement
NSV-5	SC1115-NSV5-SW001-F	SW	11/5/2015	Field Measurement
NSV-5	SC1115-NSV5-SW001-Q	SW	11/5/2015	Field Measurement
NSV-6	SC1115-NSV6-SW001	SW	11/5/2015	Primary
NSV-6	SC1115-NSV6-SW001	SW	11/5/2015	Primary
NSV-6	SC1115-NSV6-SW001	SW	11/5/2015	Primary
NSV-6	SC1115-NSV6-SW001	SW	11/5/2015	Primary
NSV-6	SC1115-NSV6-SW001	SW	11/5/2015	Primary
NSV-6	SC1115-NSV6-SW001	SW	11/5/2015	Primary
NSV-6	SC1115-NSV6-SW001-F	SW	11/5/2015	Field Measurement
NSV-6	SC1115-NSV6-SW001-F	SW	11/5/2015	Field Measurement
NSV-6	SC1115-NSV6-SW001-F	SW	11/5/2015	Field Measurement
NSV-6	SC1115-NSV6-SW001-F	SW	11/5/2015	Field Measurement
NSV-6	SC1115-NSV6-SW001-F	SW	11/5/2015	Field Measurement
NSV-6	SC1115-NSV6-SW001-F	SW	11/5/2015	Field Measurement
NSV-6	SC1115-NSV6-SW001-Q	SW	11/5/2015	Field Measurement
UP-IN	SC1115-UPIN-SW001	SW	11/5/2015	Primary
UP-IN	SC1115-UPIN-SW001	SW	11/5/2015	Primary
UP-IN	SC1115-UPIN-SW001	SW	11/5/2015	Primary
UP-IN	SC1115-UPIN-SW001	SW	11/5/2015	Primary
UP-IN	SC1115-UPIN-SW001	SW	11/5/2015	Primary
UP-IN	SC1115-UPIN-SW001	SW	11/5/2015	Primary
UP-IN	SC1115-UPIN-SW001-F	SW	11/5/2015	Field Measurement
UP-IN	SC1115-UPIN-SW001-F	SW	11/5/2015	Field Measurement
UP-IN	SC1115-UPIN-SW001-F	SW	11/5/2015	Field Measurement
UP-IN	SC1115-UPIN-SW001-F	SW	11/5/2015	Field Measurement
UP-IN	SC1115-UPIN-SW001-F	SW	11/5/2015	Field Measurement
UP-IN	SC1115-UPIN-SW001-F	SW	11/5/2015	Field Measurement
UP-IN	SC1115-UPIN-SW001-Q	SW	11/5/2015	Field Measurement
UP-PD	SC1115-UPPD-SW001	SW	11/5/2015	Primary
UP-PD	SC1115-UPPD-SW001	SW	11/5/2015	Primary

UP-PD	SC1115-UPPD-SW001	SW	11/5/2015	Primary
UP-PD	SC1115-UPPD-SW001	SW	11/5/2015	Primary
UP-PD	SC1115-UPPD-SW001	SW	11/5/2015	Primary
UP-PD	SC1115-UPPD-SW001	SW	11/5/2015	Primary
UP-PD	SC1115-UPPD-SW001-F	SW	11/5/2015	Field Measurement
UP-PD	SC1115-UPPD-SW001-F	SW	11/5/2015	Field Measurement
UP-PD	SC1115-UPPD-SW001-F	SW	11/5/2015	Field Measurement
UP-PD	SC1115-UPPD-SW001-F	SW	11/5/2015	Field Measurement
UP-PD	SC1115-UPPD-SW001-F	SW	11/5/2015	Field Measurement
UP-PD	SC1115-UPPD-SW001-F	SW	11/5/2015	Field Measurement
UP-PD	SC1115-UPPD-SW001-Q	SW	11/5/2015	Field Measurement
GW-15	SC1115-GW15-GW001	GW	11/11/2015	Primary
GW-15	SC1115-GW15-GW001	GW	11/11/2015	Primary
GW-15	SC1115-GW15-GW001	GW	11/11/2015	Primary
GW-15	SC1115-GW15-GW001	GW	11/11/2015	Primary
GW-15	SC1115-GW15-GW001	GW	11/11/2015	Primary
GW-15	SC1115-GW15-GW001	GW	11/11/2015	Primary
GW-15	SC1115-GW15-GW001-F	GW	11/11/2015	Field Measurement
GW-15	SC1115-GW15-GW001-F	GW	11/11/2015	Field Measurement
GW-15	SC1115-GW15-GW001-F	GW	11/11/2015	Field Measurement
GW-15	SC1115-GW15-GW001-F	GW	11/11/2015	Field Measurement
GW-15	SC1115-GW15-GW001-F	GW	11/11/2015	Field Measurement
GW-15	SC1115-GW15-GW001-F	GW	11/11/2015	Field Measurement
GW-15	SC1115-GW15-GW001-F	GW	11/11/2015	Field Measurement
GW-16	SC1115-GW16-GW001	GW	11/11/2015	Primary
GW-16	SC1115-GW16-GW001	GW	11/11/2015	Primary
GW-16	SC1115-GW16-GW001	GW	11/11/2015	Primary
GW-16	SC1115-GW16-GW001	GW	11/11/2015	Primary
GW-16	SC1115-GW16-GW001	GW	11/11/2015	Primary
GW-16	SC1115-GW16-GW001	GW	11/11/2015	Primary
GW-16	SC1115-GW16-GW001-F	GW	11/11/2015	Field Measurement
GW-16	SC1115-GW16-GW001-F	GW	11/11/2015	Field Measurement
GW-16	SC1115-GW16-GW001-F	GW	11/11/2015	Field Measurement
GW-16	SC1115-GW16-GW001-F	GW	11/11/2015	Field Measurement
GW-16	SC1115-GW16-GW001-F	GW	11/11/2015	Field Measurement
GW-16	SC1115-GW16-GW001-F	GW	11/11/2015	Field Measurement
GW-16	SC1115-GW16-GW001-F	GW	11/11/2015	Field Measurement
GW-22	SC1115-GW22150-GW001	GW	11/11/2015	Primary
GW-22	SC1115-GW22150-GW001	GW	11/11/2015	Primary
GW-22	SC1115-GW22150-GW001	GW	11/11/2015	Primary
GW-22	SC1115-GW22150-GW001	GW	11/11/2015	Primary
GW-22	SC1115-GW22150-GW001	GW	11/11/2015	Primary
GW-22	SC1115-GW22150-GW001	GW	11/11/2015	Primary
GW-22	SC1115-GW22150-GW001-F	GW	11/11/2015	Field Measurement
GW-22	SC1115-GW22150-GW001-F	GW	11/11/2015	Field Measurement
GW-22	SC1115-GW22150-GW001-F	GW	11/11/2015	Field Measurement
GW-22	SC1115-GW22150-GW001-F	GW	11/11/2015	Field Measurement

GW-22	SC1115-GW22150-GW001-F	GW	11/11/2015	Field Measurement
GW-22	SC1115-GW22150-GW001-F	GW	11/11/2015	Field Measurement
GW-22	SC1115-GW22150-GW001-F	GW	11/11/2015	Field Measurement
GW-22	SC1115-GW2298-GW001	GW	11/11/2015	Primary
GW-22	SC1115-GW2298-GW001	GW	11/11/2015	Primary
GW-22	SC1115-GW2298-GW001	GW	11/11/2015	Primary
GW-22	SC1115-GW2298-GW001	GW	11/11/2015	Primary
GW-22	SC1115-GW2298-GW001	GW	11/11/2015	Primary
GW-22	SC1115-GW2298-GW001	GW	11/11/2015	Primary
GW-22	SC1115-GW2298-GW001-F	GW	11/11/2015	Field Measurement
GW-22	SC1115-GW2298-GW001-F	GW	11/11/2015	Field Measurement
GW-22	SC1115-GW2298-GW001-F	GW	11/11/2015	Field Measurement
GW-22	SC1115-GW2298-GW001-F	GW	11/11/2015	Field Measurement
GW-22	SC1115-GW2298-GW001-F	GW	11/11/2015	Field Measurement
GW-22	SC1115-GW2298-GW001-F	GW	11/11/2015	Field Measurement
GW-22	SC1115-GW2298-GW001-F	GW	11/11/2015	Field Measurement
GW-15	SC0516-GW15-GW001	GW	5/16/2016	Primary
GW-15	SC0516-GW15-GW001	GW	5/16/2016	Primary
GW-15	SC0516-GW15-GW001	GW	5/16/2016	Primary
GW-15	SC0516-GW15-GW001	GW	5/16/2016	Primary
GW-15	SC0516-GW15-GW001	GW	5/16/2016	Primary
GW-15	SC0516-GW15-GW001	GW	5/16/2016	Primary
GW-15	SC0516-GW15-GW001-F	GW	5/16/2016	Field Measurement
GW-15	SC0516-GW15-GW001-F	GW	5/16/2016	Field Measurement
GW-15	SC0516-GW15-GW001-F	GW	5/16/2016	Field Measurement
GW-15	SC0516-GW15-GW001-F	GW	5/16/2016	Field Measurement
GW-15	SC0516-GW15-GW001-F	GW	5/16/2016	Field Measurement
GW-15	SC0516-GW15-GW001-F	GW	5/16/2016	Field Measurement
GW-15	SC0516-GW15-GW001-F	GW	5/16/2016	Field Measurement
GW-16	SC0516-GW16-GW001	GW	5/16/2016	Primary
GW-16	SC0516-GW16-GW001	GW	5/16/2016	Primary
GW-16	SC0516-GW16-GW001	GW	5/16/2016	Primary
GW-16	SC0516-GW16-GW001	GW	5/16/2016	Primary
GW-16	SC0516-GW16-GW001	GW	5/16/2016	Primary
GW-16	SC0516-GW16-GW001	GW	5/16/2016	Primary
GW-16	SC0516-GW16-GW001-F	GW	5/16/2016	Field Measurement
GW-16	SC0516-GW16-GW001-F	GW	5/16/2016	Field Measurement
GW-16	SC0516-GW16-GW001-F	GW	5/16/2016	Field Measurement
GW-16	SC0516-GW16-GW001-F	GW	5/16/2016	Field Measurement
GW-16	SC0516-GW16-GW001-F	GW	5/16/2016	Field Measurement
GW-16	SC0516-GW16-GW001-F	GW	5/16/2016	Field Measurement
GW-16	SC0516-GW16-GW001-F	GW	5/16/2016	Field Measurement
GW-22	SC0516-GW22-150-GW001	GW	5/16/2016	Primary
GW-22	SC0516-GW22-150-GW001	GW	5/16/2016	Primary
GW-22	SC0516-GW22-150-GW001	GW	5/16/2016	Primary
GW-22	SC0516-GW22-150-GW001	GW	5/16/2016	Primary
GW-22	SC0516-GW22-150-GW001	GW	5/16/2016	Primary

GW-22	SC0516-GW22-150-GW001	GW	5/16/2016	Primary
GW-22	SC0516-GW22-150-GW001-F	GW	5/16/2016	Field Measurement
GW-22	SC0516-GW22-150-GW001-F	GW	5/16/2016	Field Measurement
GW-22	SC0516-GW22-150-GW001-F	GW	5/16/2016	Field Measurement
GW-22	SC0516-GW22-150-GW001-F	GW	5/16/2016	Field Measurement
GW-22	SC0516-GW22-150-GW001-F	GW	5/16/2016	Field Measurement
GW-22	SC0516-GW22-150-GW001-F	GW	5/16/2016	Field Measurement
GW-22	SC0516-GW22-150-GW001-F	GW	5/16/2016	Field Measurement
GW-22	SC0516-GW22-98-GW001	GW	5/16/2016	Primary
GW-22	SC0516-GW22-98-GW001	GW	5/16/2016	Primary
GW-22	SC0516-GW22-98-GW001	GW	5/16/2016	Primary
GW-22	SC0516-GW22-98-GW001	GW	5/16/2016	Primary
GW-22	SC0516-GW22-98-GW001	GW	5/16/2016	Primary
GW-22	SC0516-GW22-98-GW001	GW	5/16/2016	Primary
GW-22	SC0516-GW22-98-GW001-F	GW	5/16/2016	Field Measurement
GW-22	SC0516-GW22-98-GW001-F	GW	5/16/2016	Field Measurement
GW-22	SC0516-GW22-98-GW001-F	GW	5/16/2016	Field Measurement
GW-22	SC0516-GW22-98-GW001-F	GW	5/16/2016	Field Measurement
GW-22	SC0516-GW22-98-GW001-F	GW	5/16/2016	Field Measurement
GW-22	SC0516-GW22-98-GW001-F	GW	5/16/2016	Field Measurement
GW-22	SC0516-GW22-98-GW001-F	GW	5/16/2016	Field Measurement
GW-26	SC0516-GW26-GW001	GW	5/16/2016	Primary
GW-26	SC0516-GW26-GW001	GW	5/16/2016	Primary
GW-26	SC0516-GW26-GW001	GW	5/16/2016	Primary
GW-26	SC0516-GW26-GW001	GW	5/16/2016	Primary
GW-26	SC0516-GW26-GW001	GW	5/16/2016	Primary
GW-26	SC0516-GW26-GW001	GW	5/16/2016	Primary
GW-26	SC0516-GW26-GW001-F	GW	5/16/2016	Field Measurement
GW-26	SC0516-GW26-GW001-F	GW	5/16/2016	Field Measurement
GW-26	SC0516-GW26-GW001-F	GW	5/16/2016	Field Measurement
GW-26	SC0516-GW26-GW001-F	GW	5/16/2016	Field Measurement
GW-26	SC0516-GW26-GW001-F	GW	5/16/2016	Field Measurement
GW-26	SC0516-GW26-GW001-F	GW	5/16/2016	Field Measurement
GW-26	SC0516-GW26-GW001-F	GW	5/16/2016	Field Measurement
LSV-1	SC0516-LSV1-SW001	SW	5/17/2016	Primary
LSV-1	SC0516-LSV1-SW001	SW	5/17/2016	Primary
LSV-1	SC0516-LSV1-SW001	SW	5/17/2016	Primary
LSV-1	SC0516-LSV1-SW001	SW	5/17/2016	Primary
LSV-1	SC0516-LSV1-SW001	SW	5/17/2016	Primary
LSV-1	SC0516-LSV1-SW001	SW	5/17/2016	Primary
LSV-1	SC0516-LSV1-SW001-F	SW	5/17/2016	Field Measurement
LSV-1	SC0516-LSV1-SW001-F	SW	5/17/2016	Field Measurement
LSV-1	SC0516-LSV1-SW001-F	SW	5/17/2016	Field Measurement
LSV-1	SC0516-LSV1-SW001-F	SW	5/17/2016	Field Measurement
LSV-1	SC0516-LSV1-SW001-F	SW	5/17/2016	Field Measurement
LSV-1	SC0516-LSV1-SW001-F	SW	5/17/2016	Field Measurement
LSV-1	SC0516-LSV1-SW001-Q	SW	5/17/2016	Field Measurement

LP-1	SC0516-LP1-SW001	SW	5/18/2016	Primary
LP-1	SC0516-LP1-SW001	SW	5/18/2016	Primary
LP-1	SC0516-LP1-SW001	SW	5/18/2016	Primary
LP-1	SC0516-LP1-SW001	SW	5/18/2016	Primary
LP-1	SC0516-LP1-SW001	SW	5/18/2016	Primary
LP-1	SC0516-LP1-SW001	SW	5/18/2016	Primary
LP-1	SC0516-LP1-SW001-F	SW	5/18/2016	Field Measurement
LP-1	SC0516-LP1-SW001-F	SW	5/18/2016	Field Measurement
LP-1	SC0516-LP1-SW001-F	SW	5/18/2016	Field Measurement
LP-1	SC0516-LP1-SW001-F	SW	5/18/2016	Field Measurement
LP-1	SC0516-LP1-SW001-F	SW	5/18/2016	Field Measurement
LP-1	SC0516-LP1-SW001-F	SW	5/18/2016	Field Measurement
LP-1	SC0516-LP1-SW001-Q	SW	5/18/2016	Field Measurement
LP-PD	SC0516-LPPD-SW001	SW	5/18/2016	Primary
LP-PD	SC0516-LPPD-SW001	SW	5/18/2016	Primary
LP-PD	SC0516-LPPD-SW001	SW	5/18/2016	Primary
LP-PD	SC0516-LPPD-SW001	SW	5/18/2016	Primary
LP-PD	SC0516-LPPD-SW001	SW	5/18/2016	Primary
LP-PD	SC0516-LPPD-SW001	SW	5/18/2016	Primary
LP-PD	SC0516-LPPD-SW001-F	SW	5/18/2016	Field Measurement
LP-PD	SC0516-LPPD-SW001-F	SW	5/18/2016	Field Measurement
LP-PD	SC0516-LPPD-SW001-F	SW	5/18/2016	Field Measurement
LP-PD	SC0516-LPPD-SW001-F	SW	5/18/2016	Field Measurement
LP-PD	SC0516-LPPD-SW001-F	SW	5/18/2016	Field Measurement
LP-PD	SC0516-LPPD-SW001-F	SW	5/18/2016	Field Measurement
LP-PD	SC0516-LPPD-SW001-Q	SW	5/18/2016	Field Measurement
NSV-5	SC0516-NSV5-SW001	SW	5/18/2016	Primary
NSV-5	SC0516-NSV5-SW001	SW	5/18/2016	Primary
NSV-5	SC0516-NSV5-SW001	SW	5/18/2016	Primary
NSV-5	SC0516-NSV5-SW001	SW	5/18/2016	Primary
NSV-5	SC0516-NSV5-SW001	SW	5/18/2016	Primary
NSV-5	SC0516-NSV5-SW001	SW	5/18/2016	Primary
NSV-5	SC0516-NSV5-SW001-F	SW	5/18/2016	Field Measurement
NSV-5	SC0516-NSV5-SW001-F	SW	5/18/2016	Field Measurement
NSV-5	SC0516-NSV5-SW001-F	SW	5/18/2016	Field Measurement
NSV-5	SC0516-NSV5-SW001-F	SW	5/18/2016	Field Measurement
NSV-5	SC0516-NSV5-SW001-F	SW	5/18/2016	Field Measurement
NSV-5	SC0516-NSV5-SW001-F	SW	5/18/2016	Field Measurement
NSV-5	SC0516-NSV5-SW001-Q	SW	5/18/2016	Field Measurement
NSV-6	SC0516-NSV6-SW001	SW	5/18/2016	Primary
NSV-6	SC0516-NSV6-SW001	SW	5/18/2016	Primary
NSV-6	SC0516-NSV6-SW001	SW	5/18/2016	Primary
NSV-6	SC0516-NSV6-SW001	SW	5/18/2016	Primary
NSV-6	SC0516-NSV6-SW001	SW	5/18/2016	Primary
NSV-6	SC0516-NSV6-SW001	SW	5/18/2016	Primary
NSV-6	SC0516-NSV6-SW001-F	SW	5/18/2016	Field Measurement
NSV-6	SC0516-NSV6-SW001-F	SW	5/18/2016	Field Measurement

NSV-6	SC0516-NSV6-SW001-F	SW	5/18/2016	Field Measurement
NSV-6	SC0516-NSV6-SW001-F	SW	5/18/2016	Field Measurement
NSV-6	SC0516-NSV6-SW001-F	SW	5/18/2016	Field Measurement
NSV-6	SC0516-NSV6-SW001-F	SW	5/18/2016	Field Measurement
NSV-6	SC0516-NSV6-SW001-Q	SW	5/18/2016	Field Measurement
UP-IN	SC0516-UPIN-SW001	SW	5/18/2016	Primary
UP-IN	SC0516-UPIN-SW001	SW	5/18/2016	Primary
UP-IN	SC0516-UPIN-SW001	SW	5/18/2016	Primary
UP-IN	SC0516-UPIN-SW001	SW	5/18/2016	Primary
UP-IN	SC0516-UPIN-SW001	SW	5/18/2016	Primary
UP-IN	SC0516-UPIN-SW001	SW	5/18/2016	Primary
UP-IN	SC0516-UPIN-SW001-F	SW	5/18/2016	Field Measurement
UP-IN	SC0516-UPIN-SW001-F	SW	5/18/2016	Field Measurement
UP-IN	SC0516-UPIN-SW001-F	SW	5/18/2016	Field Measurement
UP-IN	SC0516-UPIN-SW001-F	SW	5/18/2016	Field Measurement
UP-IN	SC0516-UPIN-SW001-F	SW	5/18/2016	Field Measurement
UP-IN	SC0516-UPIN-SW001-F	SW	5/18/2016	Field Measurement
UP-IN	SC0516-UPIN-SW001-Q	SW	5/18/2016	Field Measurement
UP-PD	SC0516-UPPD-SW001	SW	5/18/2016	Primary
UP-PD	SC0516-UPPD-SW001	SW	5/18/2016	Primary
UP-PD	SC0516-UPPD-SW001	SW	5/18/2016	Primary
UP-PD	SC0516-UPPD-SW001	SW	5/18/2016	Primary
UP-PD	SC0516-UPPD-SW001	SW	5/18/2016	Primary
UP-PD	SC0516-UPPD-SW001	SW	5/18/2016	Primary
UP-PD	SC0516-UPPD-SW001-F	SW	5/18/2016	Field Measurement
UP-PD	SC0516-UPPD-SW001-F	SW	5/18/2016	Field Measurement
UP-PD	SC0516-UPPD-SW001-F	SW	5/18/2016	Field Measurement
UP-PD	SC0516-UPPD-SW001-F	SW	5/18/2016	Field Measurement
UP-PD	SC0516-UPPD-SW001-F	SW	5/18/2016	Field Measurement
UP-PD	SC0516-UPPD-SW001-F	SW	5/18/2016	Field Measurement
UP-PD	SC0516-UPPD-SW001-Q	SW	5/18/2016	Field Measurement
LSV-1	SC0716-LSV1-SW001	SW	7/7/2016	Primary
LSV-1	SC0716-LSV1-SW001	SW	7/7/2016	Primary
LSV-1	SC0716-LSV1-SW001	SW	7/7/2016	Primary
LSV-1	SC0716-LSV1-SW001	SW	7/7/2016	Primary
LSV-1	SC0716-LSV1-SW001	SW	7/7/2016	Primary
LSV-1	SC0716-LSV1-SW001	SW	7/7/2016	Primary
LSV-1	SC0716-LSV1-SW001-F	SW	7/7/2016	Field Measurement
LSV-1	SC0716-LSV1-SW001-F	SW	7/7/2016	Field Measurement
LSV-1	SC0716-LSV1-SW001-F	SW	7/7/2016	Field Measurement
LSV-1	SC0716-LSV1-SW001-F	SW	7/7/2016	Field Measurement
LSV-1	SC0716-LSV1-SW001-F	SW	7/7/2016	Field Measurement
LSV-1	SC0716-LSV1-SW001-F	SW	7/7/2016	Field Measurement
LSV-1	SC0716-LSV1-SW001-Q	SW	7/7/2016	Field Measurement
LP-1	SC0716-LP1-SW001	SW	7/8/2016	Primary
LP-1	SC0716-LP1-SW001	SW	7/8/2016	Primary
LP-1	SC0716-LP1-SW001	SW	7/8/2016	Primary

LP-1	SC0716-LP1-SW001	SW	7/8/2016	Primary
LP-1	SC0716-LP1-SW001	SW	7/8/2016	Primary
LP-1	SC0716-LP1-SW001	SW	7/8/2016	Primary
LP-1	SC0716-LP1-SW001-F	SW	7/8/2016	Field Measurement
LP-1	SC0716-LP1-SW001-F	SW	7/8/2016	Field Measurement
LP-1	SC0716-LP1-SW001-F	SW	7/8/2016	Field Measurement
LP-1	SC0716-LP1-SW001-F	SW	7/8/2016	Field Measurement
LP-1	SC0716-LP1-SW001-F	SW	7/8/2016	Field Measurement
LP-1	SC0716-LP1-SW001-F	SW	7/8/2016	Field Measurement
LP-1	SC0716-LP1-SW001-Q	SW	7/8/2016	Field Measurement
NSV-5	SC0716-NSV5-SW001	SW	7/8/2016	Primary
NSV-5	SC0716-NSV5-SW001	SW	7/8/2016	Primary
NSV-5	SC0716-NSV5-SW001	SW	7/8/2016	Primary
NSV-5	SC0716-NSV5-SW001	SW	7/8/2016	Primary
NSV-5	SC0716-NSV5-SW001	SW	7/8/2016	Primary
NSV-5	SC0716-NSV5-SW001	SW	7/8/2016	Primary
NSV-5	SC0716-NSV5-SW001-F	SW	7/8/2016	Field Measurement
NSV-5	SC0716-NSV5-SW001-F	SW	7/8/2016	Field Measurement
NSV-5	SC0716-NSV5-SW001-F	SW	7/8/2016	Field Measurement
NSV-5	SC0716-NSV5-SW001-F	SW	7/8/2016	Field Measurement
NSV-5	SC0716-NSV5-SW001-F	SW	7/8/2016	Field Measurement
NSV-5	SC0716-NSV5-SW001-F	SW	7/8/2016	Field Measurement
NSV-5	SC0716-NSV5-SW001-Q	SW	7/8/2016	Field Measurement
NSV-6	SC0716-NSV6-SW001	SW	7/8/2016	Primary
NSV-6	SC0716-NSV6-SW001	SW	7/8/2016	Primary
NSV-6	SC0716-NSV6-SW001	SW	7/8/2016	Primary
NSV-6	SC0716-NSV6-SW001	SW	7/8/2016	Primary
NSV-6	SC0716-NSV6-SW001	SW	7/8/2016	Primary
NSV-6	SC0716-NSV6-SW001	SW	7/8/2016	Primary
NSV-6	SC0716-NSV6-SW001-F	SW	7/8/2016	Field Measurement
NSV-6	SC0716-NSV6-SW001-F	SW	7/8/2016	Field Measurement
NSV-6	SC0716-NSV6-SW001-F	SW	7/8/2016	Field Measurement
NSV-6	SC0716-NSV6-SW001-F	SW	7/8/2016	Field Measurement
NSV-6	SC0716-NSV6-SW001-F	SW	7/8/2016	Field Measurement
NSV-6	SC0716-NSV6-SW001-F	SW	7/8/2016	Field Measurement
NSV-6	SC0716-NSV6-SW001-Q	SW	7/8/2016	Field Measurement
GW-15	SC0716-GW15-GW001	GW	7/14/2016	Primary
GW-15	SC0716-GW15-GW001	GW	7/14/2016	Primary
GW-15	SC0716-GW15-GW001	GW	7/14/2016	Primary
GW-15	SC0716-GW15-GW001	GW	7/14/2016	Primary
GW-15	SC0716-GW15-GW001	GW	7/14/2016	Primary
GW-15	SC0716-GW15-GW001	GW	7/14/2016	Primary
GW-15	SC0716-GW15-GW001-F	GW	7/14/2016	Field Measurement
GW-15	SC0716-GW15-GW001-F	GW	7/14/2016	Field Measurement
GW-15	SC0716-GW15-GW001-F	GW	7/14/2016	Field Measurement
GW-15	SC0716-GW15-GW001-F	GW	7/14/2016	Field Measurement
GW-15	SC0716-GW15-GW001-F	GW	7/14/2016	Field Measurement

GW-15	SC0716-GW15-GW001-F	GW	7/14/2016	Field Measurement
GW-15	SC0716-GW15-GW001-F	GW	7/14/2016	Field Measurement
GW-16	SC0716-GW16-GW001	GW	7/14/2016	Primary
GW-16	SC0716-GW16-GW001	GW	7/14/2016	Primary
GW-16	SC0716-GW16-GW001	GW	7/14/2016	Primary
GW-16	SC0716-GW16-GW001	GW	7/14/2016	Primary
GW-16	SC0716-GW16-GW001	GW	7/14/2016	Primary
GW-16	SC0716-GW16-GW001	GW	7/14/2016	Primary
GW-16	SC0716-GW16-GW001-F	GW	7/14/2016	Field Measurement
GW-16	SC0716-GW16-GW001-F	GW	7/14/2016	Field Measurement
GW-16	SC0716-GW16-GW001-F	GW	7/14/2016	Field Measurement
GW-16	SC0716-GW16-GW001-F	GW	7/14/2016	Field Measurement
GW-16	SC0716-GW16-GW001-F	GW	7/14/2016	Field Measurement
GW-16	SC0716-GW16-GW001-F	GW	7/14/2016	Field Measurement
GW-16	SC0716-GW16-GW001-F	GW	7/14/2016	Field Measurement
GW-22	SC0716-GW22-150-GW001	GW	7/14/2016	Primary
GW-22	SC0716-GW22-150-GW001	GW	7/14/2016	Primary
GW-22	SC0716-GW22-150-GW001	GW	7/14/2016	Primary
GW-22	SC0716-GW22-150-GW001	GW	7/14/2016	Primary
GW-22	SC0716-GW22-150-GW001	GW	7/14/2016	Primary
GW-22	SC0716-GW22-150-GW001	GW	7/14/2016	Primary
GW-22	SC0716-GW22-150-GW001-F	GW	7/14/2016	Field Measurement
GW-22	SC0716-GW22-150-GW001-F	GW	7/14/2016	Field Measurement
GW-22	SC0716-GW22-150-GW001-F	GW	7/14/2016	Field Measurement
GW-22	SC0716-GW22-150-GW001-F	GW	7/14/2016	Field Measurement
GW-22	SC0716-GW22-150-GW001-F	GW	7/14/2016	Field Measurement
GW-22	SC0716-GW22-150-GW001-F	GW	7/14/2016	Field Measurement
GW-22	SC0716-GW22-150-GW001-F	GW	7/14/2016	Field Measurement
GW-22	SC0716-GW22-98-GW001	GW	7/14/2016	Primary
GW-22	SC0716-GW22-98-GW001	GW	7/14/2016	Primary
GW-22	SC0716-GW22-98-GW001	GW	7/14/2016	Primary
GW-22	SC0716-GW22-98-GW001	GW	7/14/2016	Primary
GW-22	SC0716-GW22-98-GW001	GW	7/14/2016	Primary
GW-22	SC0716-GW22-98-GW001	GW	7/14/2016	Primary
GW-22	SC0716-GW22-98-GW001-F	GW	7/14/2016	Field Measurement
GW-22	SC0716-GW22-98-GW001-F	GW	7/14/2016	Field Measurement
GW-22	SC0716-GW22-98-GW001-F	GW	7/14/2016	Field Measurement
GW-22	SC0716-GW22-98-GW001-F	GW	7/14/2016	Field Measurement
GW-22	SC0716-GW22-98-GW001-F	GW	7/14/2016	Field Measurement
GW-22	SC0716-GW22-98-GW001-F	GW	7/14/2016	Field Measurement
GW-22	SC0716-GW22-98-GW001-F	GW	7/14/2016	Field Measurement
GW-26	SC0716-GW26-GW001	GW	7/14/2016	Primary
GW-26	SC0716-GW26-GW001	GW	7/14/2016	Primary
GW-26	SC0716-GW26-GW001	GW	7/14/2016	Primary
GW-26	SC0716-GW26-GW001	GW	7/14/2016	Primary
GW-26	SC0716-GW26-GW001	GW	7/14/2016	Primary
GW-26	SC0716-GW26-GW001	GW	7/14/2016	Primary

GW-26	SC0716-GW26-GW001-F	GW	7/14/2016	Field Measurement
GW-26	SC0716-GW26-GW001-F	GW	7/14/2016	Field Measurement
GW-26	SC0716-GW26-GW001-F	GW	7/14/2016	Field Measurement
GW-26	SC0716-GW26-GW001-F	GW	7/14/2016	Field Measurement
GW-26	SC0716-GW26-GW001-F	GW	7/14/2016	Field Measurement
GW-26	SC0716-GW26-GW001-F	GW	7/14/2016	Field Measurement
GW-26	SC0716-GW26-GW001-F	GW	7/14/2016	Field Measurement
LP-1	SC1116-LP1-SW001	SW	11/7/2016	Primary
LP-1	SC1116-LP1-SW001	SW	11/7/2016	Primary
LP-1	SC1116-LP1-SW001	SW	11/7/2016	Primary
LP-1	SC1116-LP1-SW001	SW	11/7/2016	Primary
LP-1	SC1116-LP1-SW001	SW	11/7/2016	Primary
LP-1	SC1116-LP1-SW001	SW	11/7/2016	Primary
LP-1	SC1116-LP1-SW001-F	SW	11/7/2016	Field Measurement
LP-1	SC1116-LP1-SW001-F	SW	11/7/2016	Field Measurement
LP-1	SC1116-LP1-SW001-F	SW	11/7/2016	Field Measurement
LP-1	SC1116-LP1-SW001-F	SW	11/7/2016	Field Measurement
LP-1	SC1116-LP1-SW001-F	SW	11/7/2016	Field Measurement
LP-1	SC1116-LP1-SW001-F	SW	11/7/2016	Field Measurement
LP-1	SC1116-LP1-SW001-Q	SW	11/7/2016	Field Measurement
LP-PD	SC1116-LPPD-SW001	SW	11/7/2016	Primary
LP-PD	SC1116-LPPD-SW001	SW	11/7/2016	Primary
LP-PD	SC1116-LPPD-SW001	SW	11/7/2016	Primary
LP-PD	SC1116-LPPD-SW001	SW	11/7/2016	Primary
LP-PD	SC1116-LPPD-SW001	SW	11/7/2016	Primary
LP-PD	SC1116-LPPD-SW001	SW	11/7/2016	Primary
LP-PD	SC1116-LPPD-SW001-F	SW	11/7/2016	Field Measurement
LP-PD	SC1116-LPPD-SW001-F	SW	11/7/2016	Field Measurement
LP-PD	SC1116-LPPD-SW001-F	SW	11/7/2016	Field Measurement
LP-PD	SC1116-LPPD-SW001-F	SW	11/7/2016	Field Measurement
LP-PD	SC1116-LPPD-SW001-F	SW	11/7/2016	Field Measurement
LP-PD	SC1116-LPPD-SW001-F	SW	11/7/2016	Field Measurement
LP-PD	SC1116-LPPD-SW001-Q	SW	11/7/2016	Field Measurement
UP-IN	SC1116-UPIN-SW001	SW	11/7/2016	Primary
UP-IN	SC1116-UPIN-SW001	SW	11/7/2016	Primary
UP-IN	SC1116-UPIN-SW001	SW	11/7/2016	Primary
UP-IN	SC1116-UPIN-SW001	SW	11/7/2016	Primary
UP-IN	SC1116-UPIN-SW001	SW	11/7/2016	Primary
UP-IN	SC1116-UPIN-SW001	SW	11/7/2016	Primary
UP-IN	SC1116-UPIN-SW001-F	SW	11/7/2016	Field Measurement
UP-IN	SC1116-UPIN-SW001-F	SW	11/7/2016	Field Measurement
UP-IN	SC1116-UPIN-SW001-F	SW	11/7/2016	Field Measurement
UP-IN	SC1116-UPIN-SW001-F	SW	11/7/2016	Field Measurement
UP-IN	SC1116-UPIN-SW001-F	SW	11/7/2016	Field Measurement
UP-IN	SC1116-UPIN-SW001-F	SW	11/7/2016	Field Measurement
UP-IN	SC1116-UPIN-SW001-Q	SW	11/7/2016	Field Measurement
UP-PD	SC1116-UPPD-SW001	SW	11/7/2016	Primary

UP-PD	SC1116-UPPD-SW001	SW	11/7/2016	Primary
UP-PD	SC1116-UPPD-SW001	SW	11/7/2016	Primary
UP-PD	SC1116-UPPD-SW001	SW	11/7/2016	Primary
UP-PD	SC1116-UPPD-SW001	SW	11/7/2016	Primary
UP-PD	SC1116-UPPD-SW001	SW	11/7/2016	Primary
UP-PD	SC1116-UPPD-SW001-F	SW	11/7/2016	Field Measurement
UP-PD	SC1116-UPPD-SW001-F	SW	11/7/2016	Field Measurement
UP-PD	SC1116-UPPD-SW001-F	SW	11/7/2016	Field Measurement
UP-PD	SC1116-UPPD-SW001-F	SW	11/7/2016	Field Measurement
UP-PD	SC1116-UPPD-SW001-F	SW	11/7/2016	Field Measurement
UP-PD	SC1116-UPPD-SW001-F	SW	11/7/2016	Field Measurement
UP-PD	SC1116-UPPD-SW001-Q	SW	11/7/2016	Field Measurement
LSV-1	SC1116-LSV1-SW001	SW	11/8/2016	Primary
LSV-1	SC1116-LSV1-SW001	SW	11/8/2016	Primary
LSV-1	SC1116-LSV1-SW001	SW	11/8/2016	Primary
LSV-1	SC1116-LSV1-SW001	SW	11/8/2016	Primary
LSV-1	SC1116-LSV1-SW001	SW	11/8/2016	Primary
LSV-1	SC1116-LSV1-SW001	SW	11/8/2016	Primary
LSV-1	SC1116-LSV1-SW001-F	SW	11/8/2016	Field Measurement
LSV-1	SC1116-LSV1-SW001-F	SW	11/8/2016	Field Measurement
LSV-1	SC1116-LSV1-SW001-F	SW	11/8/2016	Field Measurement
LSV-1	SC1116-LSV1-SW001-F	SW	11/8/2016	Field Measurement
LSV-1	SC1116-LSV1-SW001-F	SW	11/8/2016	Field Measurement
LSV-1	SC1116-LSV1-SW001-F	SW	11/8/2016	Field Measurement
LSV-1	SC1116-LSV1-SW001-Q	SW	11/8/2016	Field Measurement
NSV-5	SC1116-NSV5-SW001	SW	11/8/2016	Primary
NSV-5	SC1116-NSV5-SW001	SW	11/8/2016	Primary
NSV-5	SC1116-NSV5-SW001	SW	11/8/2016	Primary
NSV-5	SC1116-NSV5-SW001	SW	11/8/2016	Primary
NSV-5	SC1116-NSV5-SW001	SW	11/8/2016	Primary
NSV-5	SC1116-NSV5-SW001	SW	11/8/2016	Primary
NSV-5	SC1116-NSV5-SW001-F	SW	11/8/2016	Field Measurement
NSV-5	SC1116-NSV5-SW001-F	SW	11/8/2016	Field Measurement
NSV-5	SC1116-NSV5-SW001-F	SW	11/8/2016	Field Measurement
NSV-5	SC1116-NSV5-SW001-F	SW	11/8/2016	Field Measurement
NSV-5	SC1116-NSV5-SW001-F	SW	11/8/2016	Field Measurement
NSV-5	SC1116-NSV5-SW001-F	SW	11/8/2016	Field Measurement
NSV-5	SC1116-NSV5-SW001-Q	SW	11/8/2016	Field Measurement
NSV-6	SC1116-NSV6-SW001	SW	11/8/2016	Primary
NSV-6	SC1116-NSV6-SW001	SW	11/8/2016	Primary
NSV-6	SC1116-NSV6-SW001	SW	11/8/2016	Primary
NSV-6	SC1116-NSV6-SW001	SW	11/8/2016	Primary
NSV-6	SC1116-NSV6-SW001	SW	11/8/2016	Primary
NSV-6	SC1116-NSV6-SW001	SW	11/8/2016	Primary
NSV-6	SC1116-NSV6-SW001-F	SW	11/8/2016	Field Measurement
NSV-6	SC1116-NSV6-SW001-F	SW	11/8/2016	Field Measurement
NSV-6	SC1116-NSV6-SW001-F	SW	11/8/2016	Field Measurement

NSV-6	SC1116-NSV6-SW001-F	SW	11/8/2016	Field Measurement
NSV-6	SC1116-NSV6-SW001-F	SW	11/8/2016	Field Measurement
NSV-6	SC1116-NSV6-SW001-F	SW	11/8/2016	Field Measurement
NSV-6	SC1116-NSV6-SW001-Q	SW	11/8/2016	Field Measurement
GW-16	SC1116-GW16-GW001	GW	11/14/2016	Primary
GW-16	SC1116-GW16-GW001	GW	11/14/2016	Primary
GW-16	SC1116-GW16-GW001	GW	11/14/2016	Primary
GW-16	SC1116-GW16-GW001	GW	11/14/2016	Primary
GW-16	SC1116-GW16-GW001	GW	11/14/2016	Primary
GW-16	SC1116-GW16-GW001	GW	11/14/2016	Primary
GW-16	SC1116-GW16-GW001-F	GW	11/14/2016	Field Measurement
GW-16	SC1116-GW16-GW001-F	GW	11/14/2016	Field Measurement
GW-16	SC1116-GW16-GW001-F	GW	11/14/2016	Field Measurement
GW-16	SC1116-GW16-GW001-F	GW	11/14/2016	Field Measurement
GW-16	SC1116-GW16-GW001-F	GW	11/14/2016	Field Measurement
GW-16	SC1116-GW16-GW001-F	GW	11/14/2016	Field Measurement
GW-16	SC1116-GW16-GW001-F	GW	11/14/2016	Field Measurement
GW-22	SC1116-GW22-150-GW001	GW	11/14/2016	Primary
GW-22	SC1116-GW22-150-GW001	GW	11/14/2016	Primary
GW-22	SC1116-GW22-150-GW001	GW	11/14/2016	Primary
GW-22	SC1116-GW22-150-GW001	GW	11/14/2016	Primary
GW-22	SC1116-GW22-150-GW001	GW	11/14/2016	Primary
GW-22	SC1116-GW22-150-GW001	GW	11/14/2016	Primary
GW-22	SC1116-GW22150-GW001-F	GW	11/14/2016	Field Measurement
GW-22	SC1116-GW22150-GW001-F	GW	11/14/2016	Field Measurement
GW-22	SC1116-GW22150-GW001-F	GW	11/14/2016	Field Measurement
GW-22	SC1116-GW22150-GW001-F	GW	11/14/2016	Field Measurement
GW-22	SC1116-GW22150-GW001-F	GW	11/14/2016	Field Measurement
GW-22	SC1116-GW22150-GW001-F	GW	11/14/2016	Field Measurement
GW-22	SC1116-GW22150-GW001-F	GW	11/14/2016	Field Measurement
GW-22	SC1116-GW22-98-GW001	GW	11/14/2016	Primary
GW-22	SC1116-GW22-98-GW001	GW	11/14/2016	Primary
GW-22	SC1116-GW22-98-GW001	GW	11/14/2016	Primary
GW-22	SC1116-GW22-98-GW001	GW	11/14/2016	Primary
GW-22	SC1116-GW22-98-GW001	GW	11/14/2016	Primary
GW-22	SC1116-GW22-98-GW001	GW	11/14/2016	Primary
GW-22	SC1116-GW2298-GW001-F	GW	11/14/2016	Field Measurement
GW-22	SC1116-GW2298-GW001-F	GW	11/14/2016	Field Measurement
GW-22	SC1116-GW2298-GW001-F	GW	11/14/2016	Field Measurement
GW-22	SC1116-GW2298-GW001-F	GW	11/14/2016	Field Measurement
GW-22	SC1116-GW2298-GW001-F	GW	11/14/2016	Field Measurement
GW-22	SC1116-GW2298-GW001-F	GW	11/14/2016	Field Measurement
GW-22	SC1116-GW2298-GW001-F	GW	11/14/2016	Field Measurement
GW-15	SC1116-GW15-GW001	GW	11/15/2016	Primary
GW-15	SC1116-GW15-GW001	GW	11/15/2016	Primary
GW-15	SC1116-GW15-GW001	GW	11/15/2016	Primary
GW-15	SC1116-GW15-GW001	GW	11/15/2016	Primary

GW-15	SC1116-GW15-GW001	GW	11/15/2016	Primary
GW-15	SC1116-GW15-GW001	GW	11/15/2016	Primary
GW-15	SC1116-GW15-GW001-F	GW	11/15/2016	Field Measurement
GW-15	SC1116-GW15-GW001-F	GW	11/15/2016	Field Measurement
GW-15	SC1116-GW15-GW001-F	GW	11/15/2016	Field Measurement
GW-15	SC1116-GW15-GW001-F	GW	11/15/2016	Field Measurement
GW-15	SC1116-GW15-GW001-F	GW	11/15/2016	Field Measurement
GW-15	SC1116-GW15-GW001-F	GW	11/15/2016	Field Measurement
GW-15	SC1116-GW15-GW001-F	GW	11/15/2016	Field Measurement
GW-26	SC1116-GW26-GW001	GW	11/15/2016	Primary
GW-26	SC1116-GW26-GW001	GW	11/15/2016	Primary
GW-26	SC1116-GW26-GW001	GW	11/15/2016	Primary
GW-26	SC1116-GW26-GW001	GW	11/15/2016	Primary
GW-26	SC1116-GW26-GW001	GW	11/15/2016	Primary
GW-26	SC1116-GW26-GW001	GW	11/15/2016	Primary
GW-26	SC1116-GW26-GW001-F	GW	11/15/2016	Field Measurement
GW-26	SC1116-GW26-GW001-F	GW	11/15/2016	Field Measurement
GW-26	SC1116-GW26-GW001-F	GW	11/15/2016	Field Measurement
GW-26	SC1116-GW26-GW001-F	GW	11/15/2016	Field Measurement
GW-26	SC1116-GW26-GW001-F	GW	11/15/2016	Field Measurement
GW-26	SC1116-GW26-GW001-F	GW	11/15/2016	Field Measurement
GW-26	SC1116-GW26-GW001-F	GW	11/15/2016	Field Measurement
LP-1	SC0517-LP1-SW001	SW	5/15/2017	Primary
LP-1	SC0517-LP1-SW001	SW	5/15/2017	Primary
LP-1	SC0517-LP1-SW001	SW	5/15/2017	Primary
LP-1	SC0517-LP1-SW001	SW	5/15/2017	Primary
LP-1	SC0517-LP1-SW001	SW	5/15/2017	Primary
LP-1	SC0517-LP1-SW001	SW	5/15/2017	Primary
LP-1	SC0517-LP1-SW001-F	SW	5/15/2017	Field Measurement
LP-1	SC0517-LP1-SW001-F	SW	5/15/2017	Field Measurement
LP-1	SC0517-LP1-SW001-F	SW	5/15/2017	Field Measurement
LP-1	SC0517-LP1-SW001-F	SW	5/15/2017	Field Measurement
LP-1	SC0517-LP1-SW001-F	SW	5/15/2017	Field Measurement
LP-1	SC0517-LP1-SW001-F	SW	5/15/2017	Field Measurement
LP-1	SC0517-LP1-SW001-Q	SW	5/15/2017	Field Measurement
LP-PD	SC0517-LPPD-SW001	SW	5/15/2017	Primary
LP-PD	SC0517-LPPD-SW001	SW	5/15/2017	Primary
LP-PD	SC0517-LPPD-SW001	SW	5/15/2017	Primary
LP-PD	SC0517-LPPD-SW001	SW	5/15/2017	Primary
LP-PD	SC0517-LPPD-SW001	SW	5/15/2017	Primary
LP-PD	SC0517-LPPD-SW001	SW	5/15/2017	Primary
LP-PD	SC0517-LPPD-SW001-F	SW	5/15/2017	Field Measurement
LP-PD	SC0517-LPPD-SW001-F	SW	5/15/2017	Field Measurement
LP-PD	SC0517-LPPD-SW001-F	SW	5/15/2017	Field Measurement
LP-PD	SC0517-LPPD-SW001-F	SW	5/15/2017	Field Measurement
LP-PD	SC0517-LPPD-SW001-F	SW	5/15/2017	Field Measurement
LP-PD	SC0517-LPPD-SW001-F	SW	5/15/2017	Field Measurement

LP-PD	SC0517-LPPD-SW001-Q	SW	5/15/2017	Field Measurement
NSV-5	SC0517-NSV5-SW001	SW	5/15/2017	Primary
NSV-5	SC0517-NSV5-SW001	SW	5/15/2017	Primary
NSV-5	SC0517-NSV5-SW001	SW	5/15/2017	Primary
NSV-5	SC0517-NSV5-SW001	SW	5/15/2017	Primary
NSV-5	SC0517-NSV5-SW001	SW	5/15/2017	Primary
NSV-5	SC0517-NSV5-SW001	SW	5/15/2017	Primary
NSV-5	SC0517-NSV5-SW001-F	SW	5/15/2017	Field Measurement
NSV-5	SC0517-NSV5-SW001-F	SW	5/15/2017	Field Measurement
NSV-5	SC0517-NSV5-SW001-F	SW	5/15/2017	Field Measurement
NSV-5	SC0517-NSV5-SW001-F	SW	5/15/2017	Field Measurement
NSV-5	SC0517-NSV5-SW001-F	SW	5/15/2017	Field Measurement
NSV-5	SC0517-NSV5-SW001-F	SW	5/15/2017	Field Measurement
NSV-5	SC0517-NSV5-SW001-Q	SW	5/15/2017	Field Measurement
NSV-6	SC0517-NSV6-SW001	SW	5/15/2017	Primary
NSV-6	SC0517-NSV6-SW001	SW	5/15/2017	Primary
NSV-6	SC0517-NSV6-SW001	SW	5/15/2017	Primary
NSV-6	SC0517-NSV6-SW001	SW	5/15/2017	Primary
NSV-6	SC0517-NSV6-SW001	SW	5/15/2017	Primary
NSV-6	SC0517-NSV6-SW001	SW	5/15/2017	Primary
NSV-6	SC0517-NSV6-SW001-F	SW	5/15/2017	Field Measurement
NSV-6	SC0517-NSV6-SW001-F	SW	5/15/2017	Field Measurement
NSV-6	SC0517-NSV6-SW001-F	SW	5/15/2017	Field Measurement
NSV-6	SC0517-NSV6-SW001-F	SW	5/15/2017	Field Measurement
NSV-6	SC0517-NSV6-SW001-F	SW	5/15/2017	Field Measurement
NSV-6	SC0517-NSV6-SW001-F	SW	5/15/2017	Field Measurement
NSV-6	SC0517-NSV6-SW001-Q	SW	5/15/2017	Field Measurement
UP-IN	SC0517-UPIN-SW001	SW	5/15/2017	Primary
UP-IN	SC0517-UPIN-SW001	SW	5/15/2017	Primary
UP-IN	SC0517-UPIN-SW001	SW	5/15/2017	Primary
UP-IN	SC0517-UPIN-SW001	SW	5/15/2017	Primary
UP-IN	SC0517-UPIN-SW001	SW	5/15/2017	Primary
UP-IN	SC0517-UPIN-SW001	SW	5/15/2017	Primary
UP-IN	SC0517-UPIN-SW001-F	SW	5/15/2017	Field Measurement
UP-IN	SC0517-UPIN-SW001-F	SW	5/15/2017	Field Measurement
UP-IN	SC0517-UPIN-SW001-F	SW	5/15/2017	Field Measurement
UP-IN	SC0517-UPIN-SW001-F	SW	5/15/2017	Field Measurement
UP-IN	SC0517-UPIN-SW001-F	SW	5/15/2017	Field Measurement
UP-IN	SC0517-UPIN-SW001-F	SW	5/15/2017	Field Measurement
UP-IN	SC0517-UPIN-SW001-Q	SW	5/15/2017	Field Measurement
UP-PD	SC0517-UPPD-SW001	SW	5/15/2017	Primary
UP-PD	SC0517-UPPD-SW001	SW	5/15/2017	Primary
UP-PD	SC0517-UPPD-SW001	SW	5/15/2017	Primary
UP-PD	SC0517-UPPD-SW001	SW	5/15/2017	Primary
UP-PD	SC0517-UPPD-SW001	SW	5/15/2017	Primary
UP-PD	SC0517-UPPD-SW001	SW	5/15/2017	Primary
UP-PD	SC0517-UPPD-SW001-F	SW	5/15/2017	Field Measurement

UP-PD	SC0517-UPPD-SW001-F	SW	5/15/2017	Field Measurement
UP-PD	SC0517-UPPD-SW001-F	SW	5/15/2017	Field Measurement
UP-PD	SC0517-UPPD-SW001-F	SW	5/15/2017	Field Measurement
UP-PD	SC0517-UPPD-SW001-F	SW	5/15/2017	Field Measurement
UP-PD	SC0517-UPPD-SW001-F	SW	5/15/2017	Field Measurement
UP-PD	SC0517-UPPD-SW001-Q	SW	5/15/2017	Field Measurement
LSV-1	SC0517-LSV1-SW001	SW	5/16/2017	Primary
LSV-1	SC0517-LSV1-SW001	SW	5/16/2017	Primary
LSV-1	SC0517-LSV1-SW001	SW	5/16/2017	Primary
LSV-1	SC0517-LSV1-SW001	SW	5/16/2017	Primary
LSV-1	SC0517-LSV1-SW001	SW	5/16/2017	Primary
LSV-1	SC0517-LSV1-SW001	SW	5/16/2017	Primary
LSV-1	SC0517-LSV1-SW001-F	SW	5/16/2017	Field Measurement
LSV-1	SC0517-LSV1-SW001-F	SW	5/16/2017	Field Measurement
LSV-1	SC0517-LSV1-SW001-F	SW	5/16/2017	Field Measurement
LSV-1	SC0517-LSV1-SW001-F	SW	5/16/2017	Field Measurement
LSV-1	SC0517-LSV1-SW001-F	SW	5/16/2017	Field Measurement
LSV-1	SC0517-LSV1-SW001-F	SW	5/16/2017	Field Measurement
LSV-1	SC0517-LSV1-SW001-Q	SW	5/16/2017	Field Measurement
GW-15	SC0617-GW15-GW001	GW	6/6/2017	Primary
GW-15	SC0617-GW15-GW001	GW	6/6/2017	Primary
GW-15	SC0617-GW15-GW001	GW	6/6/2017	Primary
GW-15	SC0617-GW15-GW001	GW	6/6/2017	Primary
GW-15	SC0617-GW15-GW001	GW	6/6/2017	Primary
GW-15	SC0617-GW15-GW001-F	GW	6/6/2017	Field Measurement
GW-15	SC0617-GW15-GW001-F	GW	6/6/2017	Field Measurement
GW-15	SC0617-GW15-GW001-F	GW	6/6/2017	Field Measurement
GW-15	SC0617-GW15-GW001-F	GW	6/6/2017	Field Measurement
GW-15	SC0617-GW15-GW001-F	GW	6/6/2017	Field Measurement
GW-15	SC0617-GW15-GW001-F	GW	6/6/2017	Field Measurement
GW-15	SC0617-GW15-GW001-F	GW	6/6/2017	Field Measurement
GW-16	SC0617-GW16-GW001	GW	6/6/2017	Primary
GW-16	SC0617-GW16-GW001	GW	6/6/2017	Primary
GW-16	SC0617-GW16-GW001	GW	6/6/2017	Primary
GW-16	SC0617-GW16-GW001	GW	6/6/2017	Primary
GW-16	SC0617-GW16-GW001	GW	6/6/2017	Primary
GW-16	SC0617-GW16-GW001-F	GW	6/6/2017	Field Measurement
GW-16	SC0617-GW16-GW001-F	GW	6/6/2017	Field Measurement
GW-16	SC0617-GW16-GW001-F	GW	6/6/2017	Field Measurement
GW-16	SC0617-GW16-GW001-F	GW	6/6/2017	Field Measurement
GW-16	SC0617-GW16-GW001-F	GW	6/6/2017	Field Measurement
GW-16	SC0617-GW16-GW001-F	GW	6/6/2017	Field Measurement
GW-16	SC0617-GW16-GW001-F	GW	6/6/2017	Field Measurement
GW-26	SC0617-GW26-GW001	GW	6/6/2017	Primary
GW-26	SC0617-GW26-GW001	GW	6/6/2017	Primary
GW-26	SC0617-GW26-GW001	GW	6/6/2017	Primary
GW-26	SC0617-GW26-GW001	GW	6/6/2017	Primary

GW-26	SC0617-GW26-GW001	GW	6/6/2017	Primary
GW-26	SC0617-GW26-GW001-F	GW	6/6/2017	Field Measurement
GW-26	SC0617-GW26-GW001-F	GW	6/6/2017	Field Measurement
GW-26	SC0617-GW26-GW001-F	GW	6/6/2017	Field Measurement
GW-26	SC0617-GW26-GW001-F	GW	6/6/2017	Field Measurement
GW-26	SC0617-GW26-GW001-F	GW	6/6/2017	Field Measurement
GW-26	SC0617-GW26-GW001-F	GW	6/6/2017	Field Measurement
GW-22	SC0617-GW22150-GW001	GW	6/21/2017	Primary
GW-22	SC0617-GW22150-GW001	GW	6/21/2017	Primary
GW-22	SC0617-GW22150-GW001	GW	6/21/2017	Primary
GW-22	SC0617-GW22150-GW001	GW	6/21/2017	Primary
GW-22	SC0617-GW22150-GW001	GW	6/21/2017	Primary
GW-22	SC0617-GW22150-GW001-F	GW	6/21/2017	Field Measurement
GW-22	SC0617-GW22150-GW001-F	GW	6/21/2017	Field Measurement
GW-22	SC0617-GW22150-GW001-F	GW	6/21/2017	Field Measurement
GW-22	SC0617-GW22150-GW001-F	GW	6/21/2017	Field Measurement
GW-22	SC0617-GW22150-GW001-F	GW	6/21/2017	Field Measurement
GW-22	SC0617-GW22150-GW001-F	GW	6/21/2017	Field Measurement
GW-22	SC0617-GW22150-GW001-F	GW	6/21/2017	Field Measurement
GW-22	SC0617-GW2298-GW001	GW	6/21/2017	Primary
GW-22	SC0617-GW2298-GW001	GW	6/21/2017	Primary
GW-22	SC0617-GW2298-GW001	GW	6/21/2017	Primary
GW-22	SC0617-GW2298-GW001	GW	6/21/2017	Primary
GW-22	SC0617-GW2298-GW001	GW	6/21/2017	Primary
GW-22	SC0617-GW2298-GW001-F	GW	6/21/2017	Field Measurement
GW-22	SC0617-GW2298-GW001-F	GW	6/21/2017	Field Measurement
GW-22	SC0617-GW2298-GW001-F	GW	6/21/2017	Field Measurement
GW-22	SC0617-GW2298-GW001-F	GW	6/21/2017	Field Measurement
GW-22	SC0617-GW2298-GW001-F	GW	6/21/2017	Field Measurement
GW-22	SC0617-GW2298-GW001-F	GW	6/21/2017	Field Measurement
GW-22	SC0617-GW2298-GW001-F	GW	6/21/2017	Field Measurement
LP-1	SC0817-LP1-SW001	SW	8/1/2017	Primary
LP-1	SC0817-LP1-SW001	SW	8/1/2017	Primary
LP-1	SC0817-LP1-SW001	SW	8/1/2017	Primary
LP-1	SC0817-LP1-SW001	SW	8/1/2017	Primary
LP-1	SC0817-LP1-SW001	SW	8/1/2017	Primary
LP-1	SC0817-LP1-SW001	SW	8/1/2017	Primary
LP-1	SC0817-LP1-SW001-F	SW	8/1/2017	Field Measurement
LP-1	SC0817-LP1-SW001-F	SW	8/1/2017	Field Measurement
LP-1	SC0817-LP1-SW001-F	SW	8/1/2017	Field Measurement
LP-1	SC0817-LP1-SW001-F	SW	8/1/2017	Field Measurement
LP-1	SC0817-LP1-SW001-F	SW	8/1/2017	Field Measurement
LP-1	SC0817-LP1-SW001-F	SW	8/1/2017	Field Measurement
LP-1	SC0817-LP1-SW001-Q	SW	8/1/2017	Field Measurement
LSV-1	SC0817-LSV1-SW001	SW	8/1/2017	Primary
LSV-1	SC0817-LSV1-SW001	SW	8/1/2017	Primary
LSV-1	SC0817-LSV1-SW001	SW	8/1/2017	Primary

LSV-1	SC0817-LSV1-SW001	SW	8/1/2017	Primary
LSV-1	SC0817-LSV1-SW001	SW	8/1/2017	Primary
LSV-1	SC0817-LSV1-SW001	SW	8/1/2017	Primary
LSV-1	SC0817-LSV1-SW001-F	SW	8/1/2017	Field Measurement
LSV-1	SC0817-LSV1-SW001-F	SW	8/1/2017	Field Measurement
LSV-1	SC0817-LSV1-SW001-F	SW	8/1/2017	Field Measurement
LSV-1	SC0817-LSV1-SW001-F	SW	8/1/2017	Field Measurement
LSV-1	SC0817-LSV1-SW001-F	SW	8/1/2017	Field Measurement
LSV-1	SC0817-LSV1-SW001-F	SW	8/1/2017	Field Measurement
LSV-1	SC0817-LSV1-SW001-Q	SW	8/1/2017	Field Measurement
GW-22	SC1117-GW22150-GW001	GW	11/13/2017	Primary
GW-22	SC1117-GW22150-GW001	GW	11/13/2017	Primary
GW-22	SC1117-GW22150-GW001	GW	11/13/2017	Primary
GW-22	SC1117-GW22150-GW001	GW	11/13/2017	Primary
GW-22	SC1117-GW22150-GW001	GW	11/13/2017	Primary
GW-22	SC1117-GW22150-GW001-F	GW	11/13/2017	Field Measurement
GW-22	SC1117-GW22150-GW001-F	GW	11/13/2017	Field Measurement
GW-22	SC1117-GW22150-GW001-F	GW	11/13/2017	Field Measurement
GW-22	SC1117-GW22150-GW001-F	GW	11/13/2017	Field Measurement
GW-22	SC1117-GW22150-GW001-F	GW	11/13/2017	Field Measurement
GW-22	SC1117-GW22150-GW001-F	GW	11/13/2017	Field Measurement
GW-22	SC1117-GW22150-GW001-F	GW	11/13/2017	Field Measurement
GW-22	SC1117-GW2298-GW001	GW	11/13/2017	Primary
GW-22	SC1117-GW2298-GW001	GW	11/13/2017	Primary
GW-22	SC1117-GW2298-GW001	GW	11/13/2017	Primary
GW-22	SC1117-GW2298-GW001	GW	11/13/2017	Primary
GW-22	SC1117-GW2298-GW001	GW	11/13/2017	Primary
GW-22	SC1117-GW2298-GW001-F	GW	11/13/2017	Field Measurement
GW-22	SC1117-GW2298-GW001-F	GW	11/13/2017	Field Measurement
GW-22	SC1117-GW2298-GW001-F	GW	11/13/2017	Field Measurement
GW-22	SC1117-GW2298-GW001-F	GW	11/13/2017	Field Measurement
GW-22	SC1117-GW2298-GW001-F	GW	11/13/2017	Field Measurement
GW-22	SC1117-GW2298-GW001-F	GW	11/13/2017	Field Measurement
GW-22	SC1117-GW2298-GW001-F	GW	11/13/2017	Field Measurement
LP-1	SC1117-LP1-SW001	SW	11/13/2017	Primary
LP-1	SC1117-LP1-SW001	SW	11/13/2017	Primary
LP-1	SC1117-LP1-SW001	SW	11/13/2017	Primary
LP-1	SC1117-LP1-SW001	SW	11/13/2017	Primary
LP-1	SC1117-LP1-SW001	SW	11/13/2017	Primary
LP-1	SC1117-LP1-SW001	SW	11/13/2017	Primary
LP-1	SC1117-LP1-SW001-F	SW	11/13/2017	Field Measurement
LP-1	SC1117-LP1-SW001-F	SW	11/13/2017	Field Measurement
LP-1	SC1117-LP1-SW001-F	SW	11/13/2017	Field Measurement
LP-1	SC1117-LP1-SW001-F	SW	11/13/2017	Field Measurement
LP-1	SC1117-LP1-SW001-F	SW	11/13/2017	Field Measurement
LP-1	SC1117-LP1-SW001-F	SW	11/13/2017	Field Measurement
LP-1	SC1117-LP1-SW001-Q	SW	11/13/2017	Field Measurement

LP-PD	SC1117-LPPD-SW001	SW	11/13/2017	Primary
LP-PD	SC1117-LPPD-SW001	SW	11/13/2017	Primary
LP-PD	SC1117-LPPD-SW001	SW	11/13/2017	Primary
LP-PD	SC1117-LPPD-SW001	SW	11/13/2017	Primary
LP-PD	SC1117-LPPD-SW001	SW	11/13/2017	Primary
LP-PD	SC1117-LPPD-SW001	SW	11/13/2017	Primary
LP-PD	SC1117-LPPD-SW001-F	SW	11/13/2017	Field Measurement
LP-PD	SC1117-LPPD-SW001-F	SW	11/13/2017	Field Measurement
LP-PD	SC1117-LPPD-SW001-F	SW	11/13/2017	Field Measurement
LP-PD	SC1117-LPPD-SW001-F	SW	11/13/2017	Field Measurement
LP-PD	SC1117-LPPD-SW001-F	SW	11/13/2017	Field Measurement
LP-PD	SC1117-LPPD-SW001-F	SW	11/13/2017	Field Measurement
LP-PD	SC1117-LPPD-SW001-Q	SW	11/13/2017	Field Measurement
NSV-5	SC1117-NSV5-SW001	SW	11/13/2017	Primary
NSV-5	SC1117-NSV5-SW001	SW	11/13/2017	Primary
NSV-5	SC1117-NSV5-SW001	SW	11/13/2017	Primary
NSV-5	SC1117-NSV5-SW001	SW	11/13/2017	Primary
NSV-5	SC1117-NSV5-SW001	SW	11/13/2017	Primary
NSV-5	SC1117-NSV5-SW001	SW	11/13/2017	Primary
NSV-5	SC1117-NSV5-SW001-F	SW	11/13/2017	Field Measurement
NSV-5	SC1117-NSV5-SW001-F	SW	11/13/2017	Field Measurement
NSV-5	SC1117-NSV5-SW001-F	SW	11/13/2017	Field Measurement
NSV-5	SC1117-NSV5-SW001-F	SW	11/13/2017	Field Measurement
NSV-5	SC1117-NSV5-SW001-F	SW	11/13/2017	Field Measurement
NSV-5	SC1117-NSV5-SW001-F	SW	11/13/2017	Field Measurement
NSV-5	SC1117-NSV5-SW001-Q	SW	11/13/2017	Field Measurement
NSV-6	SC1117-NSV6-SW001	SW	11/13/2017	Primary
NSV-6	SC1117-NSV6-SW001	SW	11/13/2017	Primary
NSV-6	SC1117-NSV6-SW001	SW	11/13/2017	Primary
NSV-6	SC1117-NSV6-SW001	SW	11/13/2017	Primary
NSV-6	SC1117-NSV6-SW001	SW	11/13/2017	Primary
NSV-6	SC1117-NSV6-SW001	SW	11/13/2017	Primary
NSV-6	SC1117-NSV6-SW001-F	SW	11/13/2017	Field Measurement
NSV-6	SC1117-NSV6-SW001-F	SW	11/13/2017	Field Measurement
NSV-6	SC1117-NSV6-SW001-F	SW	11/13/2017	Field Measurement
NSV-6	SC1117-NSV6-SW001-F	SW	11/13/2017	Field Measurement
NSV-6	SC1117-NSV6-SW001-F	SW	11/13/2017	Field Measurement
NSV-6	SC1117-NSV6-SW001-F	SW	11/13/2017	Field Measurement
NSV-6	SC1117-NSV6-SW001-Q	SW	11/13/2017	Field Measurement
UP-IN	SC1117-UPIN-SW001	SW	11/13/2017	Primary
UP-IN	SC1117-UPIN-SW001	SW	11/13/2017	Primary
UP-IN	SC1117-UPIN-SW001	SW	11/13/2017	Primary
UP-IN	SC1117-UPIN-SW001	SW	11/13/2017	Primary
UP-IN	SC1117-UPIN-SW001	SW	11/13/2017	Primary
UP-IN	SC1117-UPIN-SW001	SW	11/13/2017	Primary
UP-IN	SC1117-UPIN-SW001-F	SW	11/13/2017	Field Measurement
UP-IN	SC1117-UPIN-SW001-F	SW	11/13/2017	Field Measurement

UP-IN	SC1117-UPIN-SW001-F	SW	11/13/2017	Field Measurement
UP-IN	SC1117-UPIN-SW001-F	SW	11/13/2017	Field Measurement
UP-IN	SC1117-UPIN-SW001-F	SW	11/13/2017	Field Measurement
UP-IN	SC1117-UPIN-SW001-Q	SW	11/13/2017	Field Measurement
UP-PD	SC1117-UPPD-SW001	SW	11/13/2017	Primary
UP-PD	SC1117-UPPD-SW001	SW	11/13/2017	Primary
UP-PD	SC1117-UPPD-SW001	SW	11/13/2017	Primary
UP-PD	SC1117-UPPD-SW001	SW	11/13/2017	Primary
UP-PD	SC1117-UPPD-SW001	SW	11/13/2017	Primary
UP-PD	SC1117-UPPD-SW001	SW	11/13/2017	Primary
UP-PD	SC1117-UPPD-SW001-F	SW	11/13/2017	Field Measurement
UP-PD	SC1117-UPPD-SW001-F	SW	11/13/2017	Field Measurement
UP-PD	SC1117-UPPD-SW001-F	SW	11/13/2017	Field Measurement
UP-PD	SC1117-UPPD-SW001-F	SW	11/13/2017	Field Measurement
UP-PD	SC1117-UPPD-SW001-F	SW	11/13/2017	Field Measurement
UP-PD	SC1117-UPPD-SW001-F	SW	11/13/2017	Field Measurement
UP-PD	SC1117-UPPD-SW001-Q	SW	11/13/2017	Field Measurement
LSV-1	SC1117-LSV1-SW001	SW	11/14/2017	Primary
LSV-1	SC1117-LSV1-SW001	SW	11/14/2017	Primary
LSV-1	SC1117-LSV1-SW001	SW	11/14/2017	Primary
LSV-1	SC1117-LSV1-SW001	SW	11/14/2017	Primary
LSV-1	SC1117-LSV1-SW001	SW	11/14/2017	Primary
LSV-1	SC1117-LSV1-SW001	SW	11/14/2017	Primary
LSV-1	SC1117-LSV1-SW001-F	SW	11/14/2017	Field Measurement
LSV-1	SC1117-LSV1-SW001-F	SW	11/14/2017	Field Measurement
LSV-1	SC1117-LSV1-SW001-F	SW	11/14/2017	Field Measurement
LSV-1	SC1117-LSV1-SW001-F	SW	11/14/2017	Field Measurement
LSV-1	SC1117-LSV1-SW001-F	SW	11/14/2017	Field Measurement
LSV-1	SC1117-LSV1-SW001-F	SW	11/14/2017	Field Measurement
LSV-1	SC1117-LSV1-SW001-Q	SW	11/14/2017	Field Measurement
GW-16	SC1117-GW16-GW001	GW	11/28/2017	Primary
GW-16	SC1117-GW16-GW001	GW	11/28/2017	Primary
GW-16	SC1117-GW16-GW001	GW	11/28/2017	Primary
GW-16	SC1117-GW16-GW001	GW	11/28/2017	Primary
GW-16	SC1117-GW16-GW001	GW	11/28/2017	Primary
GW-16	SC1117-GW16-GW001-F	GW	11/28/2017	Field Measurement
GW-16	SC1117-GW16-GW001-F	GW	11/28/2017	Field Measurement
GW-16	SC1117-GW16-GW001-F	GW	11/28/2017	Field Measurement
GW-16	SC1117-GW16-GW001-F	GW	11/28/2017	Field Measurement
GW-16	SC1117-GW16-GW001-F	GW	11/28/2017	Field Measurement
GW-16	SC1117-GW16-GW001-F	GW	11/28/2017	Field Measurement
GW-16	SC1117-GW16-GW001-F	GW	11/28/2017	Field Measurement
GW-15	SC1117-GW15-GW001	GW	11/29/2017	Primary
GW-15	SC1117-GW15-GW001	GW	11/29/2017	Primary
GW-15	SC1117-GW15-GW001	GW	11/29/2017	Primary
GW-15	SC1117-GW15-GW001	GW	11/29/2017	Primary
GW-15	SC1117-GW15-GW001	GW	11/29/2017	Primary

GW-15	SC1117-GW15-GW001-F	GW	11/29/2017	Field Measurement
GW-15	SC1117-GW15-GW001-F	GW	11/29/2017	Field Measurement
GW-15	SC1117-GW15-GW001-F	GW	11/29/2017	Field Measurement
GW-15	SC1117-GW15-GW001-F	GW	11/29/2017	Field Measurement
GW-15	SC1117-GW15-GW001-F	GW	11/29/2017	Field Measurement
GW-15	SC1117-GW15-GW001-F	GW	11/29/2017	Field Measurement
GW-15	SC1117-GW15-GW001-F	GW	11/29/2017	Field Measurement
GW-26	SC1117-GW26-GW001	GW	11/29/2017	Primary
GW-26	SC1117-GW26-GW001	GW	11/29/2017	Primary
GW-26	SC1117-GW26-GW001	GW	11/29/2017	Primary
GW-26	SC1117-GW26-GW001	GW	11/29/2017	Primary
GW-26	SC1117-GW26-GW001	GW	11/29/2017	Primary
GW-26	SC1117-GW26-GW001-F	GW	11/29/2017	Field Measurement
GW-26	SC1117-GW26-GW001-F	GW	11/29/2017	Field Measurement
GW-26	SC1117-GW26-GW001-F	GW	11/29/2017	Field Measurement
GW-26	SC1117-GW26-GW001-F	GW	11/29/2017	Field Measurement
GW-26	SC1117-GW26-GW001-F	GW	11/29/2017	Field Measurement
GW-26	SC1117-GW26-GW001-F	GW	11/29/2017	Field Measurement
GW-26	SC1117-GW26-GW001-F	GW	11/29/2017	Field Measurement
UP-IN	SC0518-UPIN-SW001	SW	5/14/2018	Primary
UP-IN	SC0518-UPIN-SW001	SW	5/14/2018	Primary
UP-IN	SC0518-UPIN-SW001	SW	5/14/2018	Primary
UP-IN	SC0518-UPIN-SW001	SW	5/14/2018	Primary
UP-IN	SC0518-UPIN-SW001	SW	5/14/2018	Primary
UP-IN	SC0518-UPIN-SW001	SW	5/14/2018	Primary
UP-IN	SC0518-UPIN-SW001-F	SW	5/14/2018	Field Measurement
UP-IN	SC0518-UPIN-SW001-F	SW	5/14/2018	Field Measurement
UP-IN	SC0518-UPIN-SW001-F	SW	5/14/2018	Field Measurement
UP-IN	SC0518-UPIN-SW001-F	SW	5/14/2018	Field Measurement
UP-IN	SC0518-UPIN-SW001-F	SW	5/14/2018	Field Measurement
UP-IN	SC0518-UPIN-SW001-F	SW	5/14/2018	Field Measurement
UP-IN	SC0518-UPIN-SW001-Q	SW	5/14/2018	Field Measurement
UP-PD	SC0518-UPPD-SW001	SW	5/14/2018	Primary
UP-PD	SC0518-UPPD-SW001	SW	5/14/2018	Primary
UP-PD	SC0518-UPPD-SW001	SW	5/14/2018	Primary
UP-PD	SC0518-UPPD-SW001	SW	5/14/2018	Primary
UP-PD	SC0518-UPPD-SW001	SW	5/14/2018	Primary
UP-PD	SC0518-UPPD-SW001	SW	5/14/2018	Primary
UP-PD	SC0518-UPPD-SW001-F	SW	5/14/2018	Field Measurement
UP-PD	SC0518-UPPD-SW001-F	SW	5/14/2018	Field Measurement
UP-PD	SC0518-UPPD-SW001-F	SW	5/14/2018	Field Measurement
UP-PD	SC0518-UPPD-SW001-F	SW	5/14/2018	Field Measurement
UP-PD	SC0518-UPPD-SW001-F	SW	5/14/2018	Field Measurement
UP-PD	SC0518-UPPD-SW001-F	SW	5/14/2018	Field Measurement
UP-PD	SC0518-UPPD-SW001-Q	SW	5/14/2018	Field Measurement
GW-15	SC0518-GW15-GW001	GW	5/15/2018	Primary
GW-15	SC0518-GW15-GW001	GW	5/15/2018	Primary

GW-15	SC0518-GW15-GW001	GW	5/15/2018	Primary
GW-15	SC0518-GW15-GW001	GW	5/15/2018	Primary
GW-15	SC0518-GW15-GW001	GW	5/15/2018	Primary
GW-15	SC0518-GW15-GW001-F	GW	5/15/2018	Field Measurement
GW-15	SC0518-GW15-GW001-F	GW	5/15/2018	Field Measurement
GW-15	SC0518-GW15-GW001-F	GW	5/15/2018	Field Measurement
GW-15	SC0518-GW15-GW001-F	GW	5/15/2018	Field Measurement
GW-15	SC0518-GW15-GW001-F	GW	5/15/2018	Field Measurement
GW-15	SC0518-GW15-GW001-F	GW	5/15/2018	Field Measurement
GW-15	SC0518-GW15-GW001-F	GW	5/15/2018	Field Measurement
GW-16	SC0518-GW16-GW001	GW	5/15/2018	Primary
GW-16	SC0518-GW16-GW001	GW	5/15/2018	Primary
GW-16	SC0518-GW16-GW001	GW	5/15/2018	Primary
GW-16	SC0518-GW16-GW001	GW	5/15/2018	Primary
GW-16	SC0518-GW16-GW001	GW	5/15/2018	Primary
GW-16	SC0518-GW16-GW001-F	GW	5/15/2018	Field Measurement
GW-16	SC0518-GW16-GW001-F	GW	5/15/2018	Field Measurement
GW-16	SC0518-GW16-GW001-F	GW	5/15/2018	Field Measurement
GW-16	SC0518-GW16-GW001-F	GW	5/15/2018	Field Measurement
GW-16	SC0518-GW16-GW001-F	GW	5/15/2018	Field Measurement
GW-16	SC0518-GW16-GW001-F	GW	5/15/2018	Field Measurement
GW-16	SC0518-GW16-GW001-F	GW	5/15/2018	Field Measurement
GW-22	SC0518-GW22150-GW001	GW	5/15/2018	Primary
GW-22	SC0518-GW22150-GW001	GW	5/15/2018	Primary
GW-22	SC0518-GW22150-GW001	GW	5/15/2018	Primary
GW-22	SC0518-GW22150-GW001	GW	5/15/2018	Primary
GW-22	SC0518-GW22150-GW001	GW	5/15/2018	Primary
GW-22	SC0518-GW22150-GW001-F	GW	5/15/2018	Field Measurement
GW-22	SC0518-GW22150-GW001-F	GW	5/15/2018	Field Measurement
GW-22	SC0518-GW22150-GW001-F	GW	5/15/2018	Field Measurement
GW-22	SC0518-GW22150-GW001-F	GW	5/15/2018	Field Measurement
GW-22	SC0518-GW22150-GW001-F	GW	5/15/2018	Field Measurement
GW-22	SC0518-GW22150-GW001-F	GW	5/15/2018	Field Measurement
GW-22	SC0518-GW22150-GW001-F	GW	5/15/2018	Field Measurement
GW-22	SC0518-GW2298-GW001	GW	5/15/2018	Primary
GW-22	SC0518-GW2298-GW001	GW	5/15/2018	Primary
GW-22	SC0518-GW2298-GW001	GW	5/15/2018	Primary
GW-22	SC0518-GW2298-GW001	GW	5/15/2018	Primary
GW-22	SC0518-GW2298-GW001	GW	5/15/2018	Primary
GW-22	SC0518-GW2298-GW001-F	GW	5/15/2018	Field Measurement
GW-22	SC0518-GW2298-GW001-F	GW	5/15/2018	Field Measurement
GW-22	SC0518-GW2298-GW001-F	GW	5/15/2018	Field Measurement
GW-22	SC0518-GW2298-GW001-F	GW	5/15/2018	Field Measurement
GW-22	SC0518-GW2298-GW001-F	GW	5/15/2018	Field Measurement
GW-22	SC0518-GW2298-GW001-F	GW	5/15/2018	Field Measurement
GW-22	SC0518-GW2298-GW001-F	GW	5/15/2018	Field Measurement
GW-26	SC0518-GW26-GW001	GW	5/15/2018	Primary

GW-26	SC0518-GW26-GW001	GW	5/15/2018	Primary
GW-26	SC0518-GW26-GW001	GW	5/15/2018	Primary
GW-26	SC0518-GW26-GW001	GW	5/15/2018	Primary
GW-26	SC0518-GW26-GW001	GW	5/15/2018	Primary
GW-26	SC0518-GW26-GW001-F	GW	5/15/2018	Field Measurement
GW-26	SC0518-GW26-GW001-F	GW	5/15/2018	Field Measurement
GW-26	SC0518-GW26-GW001-F	GW	5/15/2018	Field Measurement
GW-26	SC0518-GW26-GW001-F	GW	5/15/2018	Field Measurement
GW-26	SC0518-GW26-GW001-F	GW	5/15/2018	Field Measurement
GW-26	SC0518-GW26-GW001-F	GW	5/15/2018	Field Measurement
GW-26	SC0518-GW26-GW001-F	GW	5/15/2018	Field Measurement
LSV-1	SC0518-LSV1-SW001	SW	5/16/2018	Primary
LSV-1	SC0518-LSV1-SW001	SW	5/16/2018	Primary
LSV-1	SC0518-LSV1-SW001	SW	5/16/2018	Primary
LSV-1	SC0518-LSV1-SW001	SW	5/16/2018	Primary
LSV-1	SC0518-LSV1-SW001	SW	5/16/2018	Primary
LSV-1	SC0518-LSV1-SW001	SW	5/16/2018	Primary
LSV-1	SC0518-LSV1-SW001-F	SW	5/16/2018	Field Measurement
LSV-1	SC0518-LSV1-SW001-F	SW	5/16/2018	Field Measurement
LSV-1	SC0518-LSV1-SW001-F	SW	5/16/2018	Field Measurement
LSV-1	SC0518-LSV1-SW001-F	SW	5/16/2018	Field Measurement
LSV-1	SC0518-LSV1-SW001-F	SW	5/16/2018	Field Measurement
LSV-1	SC0518-LSV1-SW001-F	SW	5/16/2018	Field Measurement
LSV-1	SC0518-LSV1-SW001-Q	SW	5/16/2018	Field Measurement
LP-1	SC0518-LP1-SW001	SW	5/18/2018	Primary
LP-1	SC0518-LP1-SW001	SW	5/18/2018	Primary
LP-1	SC0518-LP1-SW001	SW	5/18/2018	Primary
LP-1	SC0518-LP1-SW001	SW	5/18/2018	Primary
LP-1	SC0518-LP1-SW001	SW	5/18/2018	Primary
LP-1	SC0518-LP1-SW001	SW	5/18/2018	Primary
LP-1	SC0518-LP1-SW001-F	SW	5/18/2018	Field Measurement
LP-1	SC0518-LP1-SW001-F	SW	5/18/2018	Field Measurement
LP-1	SC0518-LP1-SW001-F	SW	5/18/2018	Field Measurement
LP-1	SC0518-LP1-SW001-F	SW	5/18/2018	Field Measurement
LP-1	SC0518-LP1-SW001-F	SW	5/18/2018	Field Measurement
LP-1	SC0518-LP1-SW001-F	SW	5/18/2018	Field Measurement
LP-1	SC0518-LP1-SW001-Q	SW	5/18/2018	Field Measurement
LP-PD	SC0518-LPPD-SW001	SW	5/18/2018	Primary
LP-PD	SC0518-LPPD-SW001	SW	5/18/2018	Primary
LP-PD	SC0518-LPPD-SW001	SW	5/18/2018	Primary
LP-PD	SC0518-LPPD-SW001	SW	5/18/2018	Primary
LP-PD	SC0518-LPPD-SW001	SW	5/18/2018	Primary
LP-PD	SC0518-LPPD-SW001	SW	5/18/2018	Primary
LP-PD	SC0518-LPPD-SW001-F	SW	5/18/2018	Field Measurement
LP-PD	SC0518-LPPD-SW001-F	SW	5/18/2018	Field Measurement
LP-PD	SC0518-LPPD-SW001-F	SW	5/18/2018	Field Measurement
LP-PD	SC0518-LPPD-SW001-F	SW	5/18/2018	Field Measurement

LP-PD	SC0518-LPPD-SW001-F	SW	5/18/2018	Field Measurement
LP-PD	SC0518-LPPD-SW001-F	SW	5/18/2018	Field Measurement
LP-PD	SC0518-LPPD-SW001-Q	SW	5/18/2018	Field Measurement
NSV-5	SC0518-NSV5-SW001	SW	5/18/2018	Primary
NSV-5	SC0518-NSV5-SW001	SW	5/18/2018	Primary
NSV-5	SC0518-NSV5-SW001	SW	5/18/2018	Primary
NSV-5	SC0518-NSV5-SW001	SW	5/18/2018	Primary
NSV-5	SC0518-NSV5-SW001	SW	5/18/2018	Primary
NSV-5	SC0518-NSV5-SW001	SW	5/18/2018	Primary
NSV-5	SC0518-NSV5-SW001-F	SW	5/18/2018	Field Measurement
NSV-5	SC0518-NSV5-SW001-F	SW	5/18/2018	Field Measurement
NSV-5	SC0518-NSV5-SW001-F	SW	5/18/2018	Field Measurement
NSV-5	SC0518-NSV5-SW001-F	SW	5/18/2018	Field Measurement
NSV-5	SC0518-NSV5-SW001-F	SW	5/18/2018	Field Measurement
NSV-5	SC0518-NSV5-SW001-F	SW	5/18/2018	Field Measurement
NSV-5	SC0518-NSV5-SW001-Q	SW	5/18/2018	Field Measurement
NSV-6	SC0518-NSV6-SW001	SW	5/18/2018	Primary
NSV-6	SC0518-NSV6-SW001	SW	5/18/2018	Primary
NSV-6	SC0518-NSV6-SW001	SW	5/18/2018	Primary
NSV-6	SC0518-NSV6-SW001	SW	5/18/2018	Primary
NSV-6	SC0518-NSV6-SW001	SW	5/18/2018	Primary
NSV-6	SC0518-NSV6-SW001	SW	5/18/2018	Primary
NSV-6	SC0518-NSV6-SW001-F	SW	5/18/2018	Field Measurement
NSV-6	SC0518-NSV6-SW001-F	SW	5/18/2018	Field Measurement
NSV-6	SC0518-NSV6-SW001-F	SW	5/18/2018	Field Measurement
NSV-6	SC0518-NSV6-SW001-F	SW	5/18/2018	Field Measurement
NSV-6	SC0518-NSV6-SW001-F	SW	5/18/2018	Field Measurement
NSV-6	SC0518-NSV6-SW001-F	SW	5/18/2018	Field Measurement
NSV-6	SC0518-NSV6-SW001-Q	SW	5/18/2018	Field Measurement
PCO-15	SC0718-PCO15-VG001	VG	7/17/2018	Primary
PCO-15	SC0718-PCO15-VG001	VG	7/17/2018	Primary
PCO-16	SC0718-PCO16-VG001	VG	7/17/2018	Primary
PCO-16	SC0718-PCO16-VG001	VG	7/17/2018	Primary
PCO-17	SC0718-PCO17-VG001	VG	7/17/2018	Primary
PCO-17	SC0718-PCO17-VG001	VG	7/17/2018	Primary
PCO-18	SC0718-PCO18-VG001	VG	7/17/2018	Primary
PCO-18	SC0718-PCO18-VG001	VG	7/17/2018	Primary
PCO-19	SC0718-PCO19-VG001	VG	7/17/2018	Primary
PCO-19	SC0718-PCO19-VG001	VG	7/17/2018	Primary
PCO-20	SC0718-PCO20-VG001	VG	7/17/2018	Primary
PCO-20	SC0718-PCO20-VG001	VG	7/17/2018	Primary
LSV-1	SC0818-LSV1-SW001	SW	8/8/2018	Primary
LSV-1	SC0818-LSV1-SW001	SW	8/8/2018	Primary
LSV-1	SC0818-LSV1-SW001	SW	8/8/2018	Primary
LSV-1	SC0818-LSV1-SW001	SW	8/8/2018	Primary
LSV-1	SC0818-LSV1-SW001	SW	8/8/2018	Primary
LSV-1	SC0818-LSV1-SW001	SW	8/8/2018	Primary

LSV-1	SC0818-LSV1-SW001-F	SW	8/8/2018	Field Measurement
LSV-1	SC0818-LSV1-SW001-F	SW	8/8/2018	Field Measurement
LSV-1	SC0818-LSV1-SW001-F	SW	8/8/2018	Field Measurement
LSV-1	SC0818-LSV1-SW001-F	SW	8/8/2018	Field Measurement
LSV-1	SC0818-LSV1-SW001-F	SW	8/8/2018	Field Measurement
LSV-1	SC0818-LSV1-SW001-F	SW	8/8/2018	Field Measurement
LSV-1	SC0818-LSV1-SW001-Q	SW	8/8/2018	Field Measurement
LP-1	SC1018-LP1-SW001	SW	10/22/2018	Primary
LP-1	SC1018-LP1-SW001	SW	10/22/2018	Primary
LP-1	SC1018-LP1-SW001	SW	10/22/2018	Primary
LP-1	SC1018-LP1-SW001	SW	10/22/2018	Primary
LP-1	SC1018-LP1-SW001	SW	10/22/2018	Primary
LP-1	SC1018-LP1-SW001	SW	10/22/2018	Primary
LP-1	SC1018-LP1-SW001-F	SW	10/22/2018	Field Measurement
LP-1	SC1018-LP1-SW001-F	SW	10/22/2018	Field Measurement
LP-1	SC1018-LP1-SW001-F	SW	10/22/2018	Field Measurement
LP-1	SC1018-LP1-SW001-F	SW	10/22/2018	Field Measurement
LP-1	SC1018-LP1-SW001-F	SW	10/22/2018	Field Measurement
LP-1	SC1018-LP1-SW001-F	SW	10/22/2018	Field Measurement
LP-1	SC1018-LP1-SW001-Q	SW	10/22/2018	Field Measurement
LP-PD	SC1018-LPPD-SW001	SW	10/22/2018	Primary
LP-PD	SC1018-LPPD-SW001	SW	10/22/2018	Primary
LP-PD	SC1018-LPPD-SW001	SW	10/22/2018	Primary
LP-PD	SC1018-LPPD-SW001	SW	10/22/2018	Primary
LP-PD	SC1018-LPPD-SW001	SW	10/22/2018	Primary
LP-PD	SC1018-LPPD-SW001	SW	10/22/2018	Primary
LP-PD	SC1018-LPPD-SW001-F	SW	10/22/2018	Field Measurement
LP-PD	SC1018-LPPD-SW001-F	SW	10/22/2018	Field Measurement
LP-PD	SC1018-LPPD-SW001-F	SW	10/22/2018	Field Measurement
LP-PD	SC1018-LPPD-SW001-F	SW	10/22/2018	Field Measurement
LP-PD	SC1018-LPPD-SW001-F	SW	10/22/2018	Field Measurement
LP-PD	SC1018-LPPD-SW001-F	SW	10/22/2018	Field Measurement
NSV-5	SC1018-NSV5-SW001	SW	10/22/2018	Primary
NSV-5	SC1018-NSV5-SW001	SW	10/22/2018	Primary
NSV-5	SC1018-NSV5-SW001	SW	10/22/2018	Primary
NSV-5	SC1018-NSV5-SW001	SW	10/22/2018	Primary
NSV-5	SC1018-NSV5-SW001	SW	10/22/2018	Primary
NSV-5	SC1018-NSV5-SW001	SW	10/22/2018	Primary
NSV-5	SC1018-NSV5-SW001-F	SW	10/22/2018	Field Measurement
NSV-5	SC1018-NSV5-SW001-F	SW	10/22/2018	Field Measurement
NSV-5	SC1018-NSV5-SW001-F	SW	10/22/2018	Field Measurement
NSV-5	SC1018-NSV5-SW001-F	SW	10/22/2018	Field Measurement
NSV-5	SC1018-NSV5-SW001-F	SW	10/22/2018	Field Measurement
NSV-5	SC1018-NSV5-SW001-F	SW	10/22/2018	Field Measurement
NSV-5	SC1018-NSV5-SW001-Q	SW	10/22/2018	Field Measurement
NSV-6	SC1018-NSV6-SW001	SW	10/22/2018	Primary
NSV-6	SC1018-NSV6-SW001	SW	10/22/2018	Primary

NSV-6	SC1018-NSV6-SW001	SW	10/22/2018	Primary
NSV-6	SC1018-NSV6-SW001	SW	10/22/2018	Primary
NSV-6	SC1018-NSV6-SW001	SW	10/22/2018	Primary
NSV-6	SC1018-NSV6-SW001	SW	10/22/2018	Primary
NSV-6	SC1018-NSV6-SW001-F	SW	10/22/2018	Field Measurement
NSV-6	SC1018-NSV6-SW001-F	SW	10/22/2018	Field Measurement
NSV-6	SC1018-NSV6-SW001-F	SW	10/22/2018	Field Measurement
NSV-6	SC1018-NSV6-SW001-F	SW	10/22/2018	Field Measurement
NSV-6	SC1018-NSV6-SW001-F	SW	10/22/2018	Field Measurement
NSV-6	SC1018-NSV6-SW001-F	SW	10/22/2018	Field Measurement
NSV-6	SC1018-NSV6-SW001-Q	SW	10/22/2018	Field Measurement
UP-IN	SC1018-UPIN-SW001	SW	10/22/2018	Primary
UP-IN	SC1018-UPIN-SW001	SW	10/22/2018	Primary
UP-IN	SC1018-UPIN-SW001	SW	10/22/2018	Primary
UP-IN	SC1018-UPIN-SW001	SW	10/22/2018	Primary
UP-IN	SC1018-UPIN-SW001	SW	10/22/2018	Primary
UP-IN	SC1018-UPIN-SW001	SW	10/22/2018	Primary
UP-IN	SC1018-UPIN-SW001-F	SW	10/22/2018	Field Measurement
UP-IN	SC1018-UPIN-SW001-F	SW	10/22/2018	Field Measurement
UP-IN	SC1018-UPIN-SW001-F	SW	10/22/2018	Field Measurement
UP-IN	SC1018-UPIN-SW001-F	SW	10/22/2018	Field Measurement
UP-IN	SC1018-UPIN-SW001-F	SW	10/22/2018	Field Measurement
UP-IN	SC1018-UPIN-SW001-F	SW	10/22/2018	Field Measurement
UP-IN	SC1018-UPIN-SW001-Q	SW	10/22/2018	Field Measurement
UP-PD	SC1018-UPPD-SW001	SW	10/22/2018	Primary
UP-PD	SC1018-UPPD-SW001	SW	10/22/2018	Primary
UP-PD	SC1018-UPPD-SW001	SW	10/22/2018	Primary
UP-PD	SC1018-UPPD-SW001	SW	10/22/2018	Primary
UP-PD	SC1018-UPPD-SW001	SW	10/22/2018	Primary
UP-PD	SC1018-UPPD-SW001	SW	10/22/2018	Primary
UP-PD	SC1018-UPPD-SW001-F	SW	10/22/2018	Field Measurement
UP-PD	SC1018-UPPD-SW001-F	SW	10/22/2018	Field Measurement
UP-PD	SC1018-UPPD-SW001-F	SW	10/22/2018	Field Measurement
UP-PD	SC1018-UPPD-SW001-F	SW	10/22/2018	Field Measurement
UP-PD	SC1018-UPPD-SW001-F	SW	10/22/2018	Field Measurement
UP-PD	SC1018-UPPD-SW001-F	SW	10/22/2018	Field Measurement
UP-PD	SC1018-UPPD-SW001-Q	SW	10/22/2018	Field Measurement
LSV-1	SC1018-LSV1-SW001	SW	10/24/2018	Primary
LSV-1	SC1018-LSV1-SW001	SW	10/24/2018	Primary
LSV-1	SC1018-LSV1-SW001	SW	10/24/2018	Primary
LSV-1	SC1018-LSV1-SW001	SW	10/24/2018	Primary
LSV-1	SC1018-LSV1-SW001	SW	10/24/2018	Primary
LSV-1	SC1018-LSV1-SW001	SW	10/24/2018	Primary
LSV-1	SC1018-LSV1-SW001-F	SW	10/24/2018	Field Measurement
LSV-1	SC1018-LSV1-SW001-F	SW	10/24/2018	Field Measurement
LSV-1	SC1018-LSV1-SW001-F	SW	10/24/2018	Field Measurement
LSV-1	SC1018-LSV1-SW001-F	SW	10/24/2018	Field Measurement

LSV-1	SC1018-LSV1-SW001-F	SW	10/24/2018	Field Measurement
LSV-1	SC1018-LSV1-SW001-F	SW	10/24/2018	Field Measurement
LSV-1	SC1018-LSV1-SW001-Q	SW	10/24/2018	Field Measurement
LP-PD	SC1018-LPPD-SW001-Q	SW	10/25/2018	Field Measurement
GW-15	SC1018-GW15-GW001	GW	10/29/2018	Primary
GW-15	SC1018-GW15-GW001	GW	10/29/2018	Primary
GW-15	SC1018-GW15-GW001	GW	10/29/2018	Primary
GW-15	SC1018-GW15-GW001	GW	10/29/2018	Primary
GW-15	SC1018-GW15-GW001	GW	10/29/2018	Primary
GW-15	SC1018-GW15-GW001-F	GW	10/29/2018	Field Measurement
GW-15	SC1018-GW15-GW001-F	GW	10/29/2018	Field Measurement
GW-15	SC1018-GW15-GW001-F	GW	10/29/2018	Field Measurement
GW-15	SC1018-GW15-GW001-F	GW	10/29/2018	Field Measurement
GW-15	SC1018-GW15-GW001-F	GW	10/29/2018	Field Measurement
GW-15	SC1018-GW15-GW001-F	GW	10/29/2018	Field Measurement
GW-15	SC1018-GW15-GW001-F	GW	10/29/2018	Field Measurement
GW-16	SC1018-GW16-GW001	GW	10/29/2018	Primary
GW-16	SC1018-GW16-GW001	GW	10/29/2018	Primary
GW-16	SC1018-GW16-GW001	GW	10/29/2018	Primary
GW-16	SC1018-GW16-GW001	GW	10/29/2018	Primary
GW-16	SC1018-GW16-GW001	GW	10/29/2018	Primary
GW-16	SC1018-GW16-GW001-F	GW	10/29/2018	Field Measurement
GW-16	SC1018-GW16-GW001-F	GW	10/29/2018	Field Measurement
GW-16	SC1018-GW16-GW001-F	GW	10/29/2018	Field Measurement
GW-16	SC1018-GW16-GW001-F	GW	10/29/2018	Field Measurement
GW-16	SC1018-GW16-GW001-F	GW	10/29/2018	Field Measurement
GW-16	SC1018-GW16-GW001-F	GW	10/29/2018	Field Measurement
GW-16	SC1018-GW16-GW001-F	GW	10/29/2018	Field Measurement
GW-22	SC1018-GW22150-GW001	GW	10/29/2018	Primary
GW-22	SC1018-GW22150-GW001	GW	10/29/2018	Primary
GW-22	SC1018-GW22150-GW001	GW	10/29/2018	Primary
GW-22	SC1018-GW22150-GW001	GW	10/29/2018	Primary
GW-22	SC1018-GW22150-GW001	GW	10/29/2018	Primary
GW-22	SC1018-GW22150-GW001-F	GW	10/29/2018	Field Measurement
GW-22	SC1018-GW22150-GW001-F	GW	10/29/2018	Field Measurement
GW-22	SC1018-GW22150-GW001-F	GW	10/29/2018	Field Measurement
GW-22	SC1018-GW22150-GW001-F	GW	10/29/2018	Field Measurement
GW-22	SC1018-GW22150-GW001-F	GW	10/29/2018	Field Measurement
GW-22	SC1018-GW22150-GW001-F	GW	10/29/2018	Field Measurement
GW-22	SC1018-GW22150-GW001-F	GW	10/29/2018	Field Measurement
GW-22	SC1018-GW2298-GW001	GW	10/29/2018	Primary
GW-22	SC1018-GW2298-GW001	GW	10/29/2018	Primary
GW-22	SC1018-GW2298-GW001	GW	10/29/2018	Primary
GW-22	SC1018-GW2298-GW001	GW	10/29/2018	Primary
GW-22	SC1018-GW2298-GW001	GW	10/29/2018	Primary
GW-22	SC1018-GW2298-GW001-F	GW	10/29/2018	Field Measurement
GW-22	SC1018-GW2298-GW001-F	GW	10/29/2018	Field Measurement

GW-22	SC1018-GW2298-GW001-F	GW	10/29/2018	Field Measurement
GW-22	SC1018-GW2298-GW001-F	GW	10/29/2018	Field Measurement
GW-22	SC1018-GW2298-GW001-F	GW	10/29/2018	Field Measurement
GW-22	SC1018-GW2298-GW001-F	GW	10/29/2018	Field Measurement
GW-22	SC1018-GW2298-GW001-F	GW	10/29/2018	Field Measurement
GW-26	SC1018-GW26-GW001	GW	10/29/2018	Primary
GW-26	SC1018-GW26-GW001	GW	10/29/2018	Primary
GW-26	SC1018-GW26-GW001	GW	10/29/2018	Primary
GW-26	SC1018-GW26-GW001	GW	10/29/2018	Primary
GW-26	SC1018-GW26-GW001	GW	10/29/2018	Primary
GW-26	SC1018-GW26-GW001-F	GW	10/29/2018	Field Measurement
GW-26	SC1018-GW26-GW001-F	GW	10/29/2018	Field Measurement
GW-26	SC1018-GW26-GW001-F	GW	10/29/2018	Field Measurement
GW-26	SC1018-GW26-GW001-F	GW	10/29/2018	Field Measurement
GW-26	SC1018-GW26-GW001-F	GW	10/29/2018	Field Measurement
GW-26	SC1018-GW26-GW001-F	GW	10/29/2018	Field Measurement
GW-26	SC1018-GW26-GW001-F	GW	10/29/2018	Field Measurement
LP-1	SC0519-LP1-SW001	SW	21-May-19	Primary
LP-1	SC0519-LP1-SW001	SW	21-May-19	Primary
LP-1	SC0519-LP1-SW001	SW	21-May-19	Primary
LP-1	SC0519-LP1-SW001	SW	21-May-19	Primary
LP-1	SC0519-LP1-SW001	SW	21-May-19	Primary
LP-1	SC0519-LP1-SW001	SW	21-May-19	Primary
LP-1	SC0519-LP1-SW001-F	SW	21-May-19	Field Measurement
LP-1	SC0519-LP1-SW001-F	SW	21-May-19	Field Measurement
LP-1	SC0519-LP1-SW001-F	SW	21-May-19	Field Measurement
LP-1	SC0519-LP1-SW001-F	SW	21-May-19	Field Measurement
LP-1	SC0519-LP1-SW001-F	SW	21-May-19	Field Measurement
LP-1	SC0519-LP1-SW001-F	SW	21-May-19	Field Measurement
LP-1	SC0519-LP1-SW001-Q	SW	21-May-19	Field Measurement
LP-PD	SC0519-LPPD-SW001	SW	21-May-19	Primary
LP-PD	SC0519-LPPD-SW001	SW	21-May-19	Primary
LP-PD	SC0519-LPPD-SW001	SW	21-May-19	Primary
LP-PD	SC0519-LPPD-SW001	SW	21-May-19	Primary
LP-PD	SC0519-LPPD-SW001	SW	21-May-19	Primary
LP-PD	SC0519-LPPD-SW001	SW	21-May-19	Primary
LP-PD	SC0519-LPPD-SW001-F	SW	21-May-19	Field Measurement
LP-PD	SC0519-LPPD-SW001-F	SW	21-May-19	Field Measurement
LP-PD	SC0519-LPPD-SW001-F	SW	21-May-19	Field Measurement
LP-PD	SC0519-LPPD-SW001-F	SW	21-May-19	Field Measurement
LP-PD	SC0519-LPPD-SW001-F	SW	21-May-19	Field Measurement
LP-PD	SC0519-LPPD-SW001-F	SW	21-May-19	Field Measurement
LP-PD	SC0519-LPPD-SW001-Q	SW	21-May-19	Field Measurement
NSV-5	SC0519-NSV5-SW001	SW	21-May-19	Primary
NSV-5	SC0519-NSV5-SW001	SW	21-May-19	Primary
NSV-5	SC0519-NSV5-SW001	SW	21-May-19	Primary

NSV-5	SC0519-NSV5-SW001	SW	21-May-19	Primary
NSV-5	SC0519-NSV5-SW001	SW	21-May-19	Primary
NSV-5	SC0519-NSV5-SW001	SW	21-May-19	Primary
NSV-5	SC0519-NSV5-SW001-F	SW	21-May-19	Field Measurement
NSV-5	SC0519-NSV5-SW001-F	SW	21-May-19	Field Measurement
NSV-5	SC0519-NSV5-SW001-F	SW	21-May-19	Field Measurement
NSV-5	SC0519-NSV5-SW001-F	SW	21-May-19	Field Measurement
NSV-5	SC0519-NSV5-SW001-F	SW	21-May-19	Field Measurement
NSV-5	SC0519-NSV5-SW001-F	SW	21-May-19	Field Measurement
NSV-5	SC0519-NSV5-SW001-Q	SW	21-May-19	Field Measurement
NSV-6	SC0519-NSV6-SW001	SW	21-May-19	Primary
NSV-6	SC0519-NSV6-SW001	SW	21-May-19	Primary
NSV-6	SC0519-NSV6-SW001	SW	21-May-19	Primary
NSV-6	SC0519-NSV6-SW001	SW	21-May-19	Primary
NSV-6	SC0519-NSV6-SW001	SW	21-May-19	Primary
NSV-6	SC0519-NSV6-SW001	SW	21-May-19	Primary
NSV-6	SC0519-NSV6-SW001-F	SW	21-May-19	Field Measurement
NSV-6	SC0519-NSV6-SW001-F	SW	21-May-19	Field Measurement
NSV-6	SC0519-NSV6-SW001-F	SW	21-May-19	Field Measurement
NSV-6	SC0519-NSV6-SW001-F	SW	21-May-19	Field Measurement
NSV-6	SC0519-NSV6-SW001-F	SW	21-May-19	Field Measurement
NSV-6	SC0519-NSV6-SW001-F	SW	21-May-19	Field Measurement
NSV-6	SC0519-NSV6-SW001-Q	SW	21-May-19	Field Measurement
UP-IN	SC0519-UPIN-SW001	SW	21-May-19	Primary
UP-IN	SC0519-UPIN-SW001	SW	21-May-19	Primary
UP-IN	SC0519-UPIN-SW001	SW	21-May-19	Primary
UP-IN	SC0519-UPIN-SW001	SW	21-May-19	Primary
UP-IN	SC0519-UPIN-SW001	SW	21-May-19	Primary
UP-IN	SC0519-UPIN-SW001	SW	21-May-19	Primary
UP-IN	SC0519-UPIN-SW001-F	SW	21-May-19	Field Measurement
UP-IN	SC0519-UPIN-SW001-F	SW	21-May-19	Field Measurement
UP-IN	SC0519-UPIN-SW001-F	SW	21-May-19	Field Measurement
UP-IN	SC0519-UPIN-SW001-F	SW	21-May-19	Field Measurement
UP-IN	SC0519-UPIN-SW001-F	SW	21-May-19	Field Measurement
UP-IN	SC0519-UPIN-SW001-F	SW	21-May-19	Field Measurement
UP-IN	SC0519-UPIN-SW001-Q	SW	21-May-19	Field Measurement
UP-PD	SC0519-UPPD-SW001	SW	21-May-19	Primary
UP-PD	SC0519-UPPD-SW001	SW	21-May-19	Primary
UP-PD	SC0519-UPPD-SW001	SW	21-May-19	Primary
UP-PD	SC0519-UPPD-SW001	SW	21-May-19	Primary
UP-PD	SC0519-UPPD-SW001	SW	21-May-19	Primary
UP-PD	SC0519-UPPD-SW001	SW	21-May-19	Primary
UP-PD	SC0519-UPPD-SW001-F	SW	21-May-19	Field Measurement
UP-PD	SC0519-UPPD-SW001-F	SW	21-May-19	Field Measurement
UP-PD	SC0519-UPPD-SW001-F	SW	21-May-19	Field Measurement

UP-PD	SC0519-UPPD-SW001-F	SW	21-May-19	Field Measurement
UP-PD	SC0519-UPPD-SW001-F	SW	21-May-19	Field Measurement
UP-PD	SC0519-UPPD-SW001-F	SW	21-May-19	Field Measurement
UP-PD	SC0519-UPPD-SW001-Q	SW	21-May-19	Field Measurement
GW-15	SC0519-GW15-GW001	GW	22-May-19	Primary
GW-15	SC0519-GW15-GW001	GW	22-May-19	Primary
GW-15	SC0519-GW15-GW001	GW	22-May-19	Primary
GW-15	SC0519-GW15-GW001	GW	22-May-19	Primary
GW-15	SC0519-GW15-GW001	GW	22-May-19	Primary
GW-15	SC0519-GW15-GW001-DTW	GW	22-May-19	Field Measurement
GW-15	SC0519-GW15-GW001-F	GW	22-May-19	Field Measurement
GW-15	SC0519-GW15-GW001-F	GW	22-May-19	Field Measurement
GW-15	SC0519-GW15-GW001-F	GW	22-May-19	Field Measurement
GW-15	SC0519-GW15-GW001-F	GW	22-May-19	Field Measurement
GW-15	SC0519-GW15-GW001-F	GW	22-May-19	Field Measurement
GW-15	SC0519-GW15-GW001-F	GW	22-May-19	Field Measurement
GW-16	SC0519-GW16-GW001	GW	22-May-19	Primary
GW-16	SC0519-GW16-GW001	GW	22-May-19	Primary
GW-16	SC0519-GW16-GW001	GW	22-May-19	Primary
GW-16	SC0519-GW16-GW001	GW	22-May-19	Primary
GW-16	SC0519-GW16-GW001	GW	22-May-19	Primary
GW-16	SC0519-GW16-GW001-DTW	GW	22-May-19	Field Measurement
GW-16	SC0519-GW16-GW001-F	GW	22-May-19	Field Measurement
GW-16	SC0519-GW16-GW001-F	GW	22-May-19	Field Measurement
GW-16	SC0519-GW16-GW001-F	GW	22-May-19	Field Measurement
GW-16	SC0519-GW16-GW001-F	GW	22-May-19	Field Measurement
GW-16	SC0519-GW16-GW001-F	GW	22-May-19	Field Measurement
GW-16	SC0519-GW16-GW001-F	GW	22-May-19	Field Measurement
GW-22	SC0519-GW22150-GW001	GW	22-May-19	Primary
GW-22	SC0519-GW22150-GW001	GW	22-May-19	Primary
GW-22	SC0519-GW22150-GW001	GW	22-May-19	Primary
GW-22	SC0519-GW22150-GW001	GW	22-May-19	Primary
GW-22	SC0519-GW22150-GW001	GW	22-May-19	Primary
GW-22	SC0519-GW22150-GW001-DTW	GW	22-May-19	Field Measurement
GW-22	SC0519-GW22150-GW001-F	GW	22-May-19	Field Measurement
GW-22	SC0519-GW22150-GW001-F	GW	22-May-19	Field Measurement
GW-22	SC0519-GW22150-GW001-F	GW	22-May-19	Field Measurement
GW-22	SC0519-GW22150-GW001-F	GW	22-May-19	Field Measurement
GW-22	SC0519-GW22150-GW001-F	GW	22-May-19	Field Measurement
GW-22	SC0519-GW22150-GW001-F	GW	22-May-19	Field Measurement
GW-22	SC0519-GW2298-GW001	GW	22-May-19	Primary
GW-22	SC0519-GW2298-GW001	GW	22-May-19	Primary
GW-22	SC0519-GW2298-GW001	GW	22-May-19	Primary
GW-22	SC0519-GW2298-GW001	GW	22-May-19	Primary
GW-22	SC0519-GW2298-GW001	GW	22-May-19	Primary

GW-22	SC0519-GW2298-GW001-DTW	GW	22-May-19	Field Measurement
GW-22	SC0519-GW2298-GW001-F	GW	22-May-19	Field Measurement
GW-22	SC0519-GW2298-GW001-F	GW	22-May-19	Field Measurement
GW-22	SC0519-GW2298-GW001-F	GW	22-May-19	Field Measurement
GW-22	SC0519-GW2298-GW001-F	GW	22-May-19	Field Measurement
GW-22	SC0519-GW2298-GW001-F	GW	22-May-19	Field Measurement
GW-22	SC0519-GW2298-GW001-F	GW	22-May-19	Field Measurement
GW-26	SC0519-GW26-GW001	GW	22-May-19	Primary
GW-26	SC0519-GW26-GW001	GW	22-May-19	Primary
GW-26	SC0519-GW26-GW001	GW	22-May-19	Primary
GW-26	SC0519-GW26-GW001	GW	22-May-19	Primary
GW-26	SC0519-GW26-GW001	GW	22-May-19	Primary
GW-26	SC0519-GW26-GW001-DTW	GW	22-May-19	Field Measurement
GW-26	SC0519-GW26-GW001-F	GW	22-May-19	Field Measurement
GW-26	SC0519-GW26-GW001-F	GW	22-May-19	Field Measurement
GW-26	SC0519-GW26-GW001-F	GW	22-May-19	Field Measurement
GW-26	SC0519-GW26-GW001-F	GW	22-May-19	Field Measurement
GW-26	SC0519-GW26-GW001-F	GW	22-May-19	Field Measurement
GW-26	SC0519-GW26-GW001-F	GW	22-May-19	Field Measurement
LSV-1	SC0519-LSV1-SW002	SW	22-May-19	Primary
LSV-1	SC0519-LSV1-SW002	SW	22-May-19	Primary
LSV-1	SC0519-LSV1-SW002	SW	22-May-19	Primary
LSV-1	SC0519-LSV1-SW002	SW	22-May-19	Primary
LSV-1	SC0519-LSV1-SW002	SW	22-May-19	Primary
LSV-1	SC0519-LSV1-SW002	SW	22-May-19	Primary
LSV-1	SC0519-LSV1-SW002-F	SW	22-May-19	Field Measurement
LSV-1	SC0519-LSV1-SW002-F	SW	22-May-19	Field Measurement
LSV-1	SC0519-LSV1-SW002-F	SW	22-May-19	Field Measurement
LSV-1	SC0519-LSV1-SW002-F	SW	22-May-19	Field Measurement
LSV-1	SC0519-LSV1-SW002-F	SW	22-May-19	Field Measurement
LSV-1	SC0519-LSV1-SW002-F	SW	22-May-19	Field Measurement
LSV-1	SC0519-LSV1-SW002-Q	SW	22-May-19	Field Measurement
LSV-1	SC0819-LSV1-SW001	SW	14-Aug-19	Primary
LSV-1	SC0819-LSV1-SW001	SW	14-Aug-19	Primary
LSV-1	SC0819-LSV1-SW001	SW	14-Aug-19	Primary
LSV-1	SC0819-LSV1-SW001	SW	14-Aug-19	Primary
LSV-1	SC0819-LSV1-SW001	SW	14-Aug-19	Primary
LSV-1	SC0819-LSV1-SW001	SW	14-Aug-19	Primary
LSV-1	SC0819-LSV1-SW001-F	SW	14-Aug-19	Field Measurement
LSV-1	SC0819-LSV1-SW001-F	SW	14-Aug-19	Field Measurement
LSV-1	SC0819-LSV1-SW001-F	SW	14-Aug-19	Field Measurement
LSV-1	SC0819-LSV1-SW001-F	SW	14-Aug-19	Field Measurement
LSV-1	SC0819-LSV1-SW001-F	SW	14-Aug-19	Field Measurement
LSV-1	SC0819-LSV1-SW001-F	SW	14-Aug-19	Field Measurement
LSV-1	SC0819-LSV1-SW001-Q	SW	14-Aug-19	Field Measurement

GW-15	SC1119-GW15-GW001	GW	04-Nov-19	Primary
GW-15	SC1119-GW15-GW001	GW	04-Nov-19	Primary
GW-15	SC1119-GW15-GW001	GW	04-Nov-19	Primary
GW-15	SC1119-GW15-GW001	GW	04-Nov-19	Primary
GW-15	SC1119-GW15-GW001	GW	04-Nov-19	Primary
GW-15	SC1119-GW15-GW001-DTW	GW	04-Nov-19	Field Measurement
GW-15	SC1119-GW15-GW001-F	GW	04-Nov-19	Field Measurement
GW-15	SC1119-GW15-GW001-F	GW	04-Nov-19	Field Measurement
GW-15	SC1119-GW15-GW001-F	GW	04-Nov-19	Field Measurement
GW-15	SC1119-GW15-GW001-F	GW	04-Nov-19	Field Measurement
GW-15	SC1119-GW15-GW001-F	GW	04-Nov-19	Field Measurement
GW-15	SC1119-GW15-GW001-F	GW	04-Nov-19	Field Measurement
GW-16	SC1119-GW16-GW001	GW	04-Nov-19	Primary
GW-16	SC1119-GW16-GW001	GW	04-Nov-19	Primary
GW-16	SC1119-GW16-GW001	GW	04-Nov-19	Primary
GW-16	SC1119-GW16-GW001	GW	04-Nov-19	Primary
GW-16	SC1119-GW16-GW001	GW	04-Nov-19	Primary
GW-16	SC1119-GW16-GW001-DTW	GW	04-Nov-19	Field Measurement
GW-16	SC1119-GW16-GW001-F	GW	04-Nov-19	Field Measurement
GW-16	SC1119-GW16-GW001-F	GW	04-Nov-19	Field Measurement
GW-16	SC1119-GW16-GW001-F	GW	04-Nov-19	Field Measurement
GW-16	SC1119-GW16-GW001-F	GW	04-Nov-19	Field Measurement
GW-16	SC1119-GW16-GW001-F	GW	04-Nov-19	Field Measurement
GW-16	SC1119-GW16-GW001-F	GW	04-Nov-19	Field Measurement
GW-22	SC1119-GW22150-GW001	GW	04-Nov-19	Primary
GW-22	SC1119-GW22150-GW001	GW	04-Nov-19	Primary
GW-22	SC1119-GW22150-GW001	GW	04-Nov-19	Primary
GW-22	SC1119-GW22150-GW001	GW	04-Nov-19	Primary
GW-22	SC1119-GW22150-GW001	GW	04-Nov-19	Primary
GW-22	SC1119-GW22150-GW001-DTW	GW	04-Nov-19	Field Measurement
GW-22	SC1119-GW22150-GW001-F	GW	04-Nov-19	Field Measurement
GW-22	SC1119-GW22150-GW001-F	GW	04-Nov-19	Field Measurement
GW-22	SC1119-GW22150-GW001-F	GW	04-Nov-19	Field Measurement
GW-22	SC1119-GW22150-GW001-F	GW	04-Nov-19	Field Measurement
GW-22	SC1119-GW22150-GW001-F	GW	04-Nov-19	Field Measurement
GW-22	SC1119-GW22150-GW001-F	GW	04-Nov-19	Field Measurement
GW-22	SC1119-GW2298-GW001	GW	04-Nov-19	Primary
GW-22	SC1119-GW2298-GW001	GW	04-Nov-19	Primary
GW-22	SC1119-GW2298-GW001	GW	04-Nov-19	Primary
GW-22	SC1119-GW2298-GW001	GW	04-Nov-19	Primary
GW-22	SC1119-GW2298-GW001	GW	04-Nov-19	Primary
GW-22	SC1119-GW2298-GW001-DTW	GW	04-Nov-19	Field Measurement
GW-22	SC1119-GW2298-GW001-F	GW	04-Nov-19	Field Measurement
GW-22	SC1119-GW2298-GW001-F	GW	04-Nov-19	Field Measurement
GW-22	SC1119-GW2298-GW001-F	GW	04-Nov-19	Field Measurement

GW-22	SC1119-GW2298-GW001-F	GW	04-Nov-19	Field Measurement
GW-22	SC1119-GW2298-GW001-F	GW	04-Nov-19	Field Measurement
GW-22	SC1119-GW2298-GW001-F	GW	04-Nov-19	Field Measurement
LP-1	SC1119-LP1-SW001	SW	04-Nov-19	Primary
LP-1	SC1119-LP1-SW001	SW	04-Nov-19	Primary
LP-1	SC1119-LP1-SW001	SW	04-Nov-19	Primary
LP-1	SC1119-LP1-SW001	SW	04-Nov-19	Primary
LP-1	SC1119-LP1-SW001	SW	04-Nov-19	Primary
LP-1	SC1119-LP1-SW001	SW	04-Nov-19	Primary
LP-1	SC1119-LP1-SW001-F	SW	04-Nov-19	Field Measurement
LP-1	SC1119-LP1-SW001-F	SW	04-Nov-19	Field Measurement
LP-1	SC1119-LP1-SW001-F	SW	04-Nov-19	Field Measurement
LP-1	SC1119-LP1-SW001-F	SW	04-Nov-19	Field Measurement
LP-1	SC1119-LP1-SW001-F	SW	04-Nov-19	Field Measurement
LP-1	SC1119-LP1-SW001-F	SW	04-Nov-19	Field Measurement
LP-1	SC1119-LP1-SW001-Q	SW	04-Nov-19	Field Measurement
LP-PD	SC1119-LPPD-SW001	SW	04-Nov-19	Primary
LP-PD	SC1119-LPPD-SW001	SW	04-Nov-19	Primary
LP-PD	SC1119-LPPD-SW001	SW	04-Nov-19	Primary
LP-PD	SC1119-LPPD-SW001	SW	04-Nov-19	Primary
LP-PD	SC1119-LPPD-SW001	SW	04-Nov-19	Primary
LP-PD	SC1119-LPPD-SW001	SW	04-Nov-19	Primary
LP-PD	SC1119-LPPD-SW001-F	SW	04-Nov-19	Field Measurement
LP-PD	SC1119-LPPD-SW001-F	SW	04-Nov-19	Field Measurement
LP-PD	SC1119-LPPD-SW001-F	SW	04-Nov-19	Field Measurement
LP-PD	SC1119-LPPD-SW001-F	SW	04-Nov-19	Field Measurement
LP-PD	SC1119-LPPD-SW001-F	SW	04-Nov-19	Field Measurement
LP-PD	SC1119-LPPD-SW001-F	SW	04-Nov-19	Field Measurement
LP-PD	SC1119-LPPD-SW001-Q	SW	04-Nov-19	Field Measurement
UP-IN	SC1119-UPIN-SW001	SW	04-Nov-19	Primary
UP-IN	SC1119-UPIN-SW001	SW	04-Nov-19	Primary
UP-IN	SC1119-UPIN-SW001	SW	04-Nov-19	Primary
UP-IN	SC1119-UPIN-SW001	SW	04-Nov-19	Primary
UP-IN	SC1119-UPIN-SW001	SW	04-Nov-19	Primary
UP-IN	SC1119-UPIN-SW001	SW	04-Nov-19	Primary
UP-IN	SC1119-UPIN-SW001-F	SW	04-Nov-19	Field Measurement
UP-IN	SC1119-UPIN-SW001-F	SW	04-Nov-19	Field Measurement
UP-IN	SC1119-UPIN-SW001-F	SW	04-Nov-19	Field Measurement
UP-IN	SC1119-UPIN-SW001-F	SW	04-Nov-19	Field Measurement
UP-IN	SC1119-UPIN-SW001-F	SW	04-Nov-19	Field Measurement
UP-IN	SC1119-UPIN-SW001-F	SW	04-Nov-19	Field Measurement
UP-IN	SC1119-UPIN-SW001-Q	SW	04-Nov-19	Field Measurement
UP-PD	SC1119-UPPD-SW001	SW	04-Nov-19	Primary
UP-PD	SC1119-UPPD-SW001	SW	04-Nov-19	Primary
UP-PD	SC1119-UPPD-SW001	SW	04-Nov-19	Primary

UP-PD	SC1119-UPPD-SW001	SW	04-Nov-19	Primary
UP-PD	SC1119-UPPD-SW001	SW	04-Nov-19	Primary
UP-PD	SC1119-UPPD-SW001	SW	04-Nov-19	Primary
UP-PD	SC1119-UPPD-SW001-F	SW	04-Nov-19	Field Measurement
UP-PD	SC1119-UPPD-SW001-F	SW	04-Nov-19	Field Measurement
UP-PD	SC1119-UPPD-SW001-F	SW	04-Nov-19	Field Measurement
UP-PD	SC1119-UPPD-SW001-F	SW	04-Nov-19	Field Measurement
UP-PD	SC1119-UPPD-SW001-F	SW	04-Nov-19	Field Measurement
UP-PD	SC1119-UPPD-SW001-F	SW	04-Nov-19	Field Measurement
UP-PD	SC1119-UPPD-SW001-Q	SW	04-Nov-19	Field Measurement
GW-26	SC1119-GW26-GW001	GW	05-Nov-19	Primary
GW-26	SC1119-GW26-GW001	GW	05-Nov-19	Primary
GW-26	SC1119-GW26-GW001	GW	05-Nov-19	Primary
GW-26	SC1119-GW26-GW001	GW	05-Nov-19	Primary
GW-26	SC1119-GW26-GW001	GW	05-Nov-19	Primary
GW-26	SC1119-GW26-GW001-DTW	GW	05-Nov-19	Field Measurement
GW-26	SC1119-GW26-GW001-F	GW	05-Nov-19	Field Measurement
GW-26	SC1119-GW26-GW001-F	GW	05-Nov-19	Field Measurement
GW-26	SC1119-GW26-GW001-F	GW	05-Nov-19	Field Measurement
GW-26	SC1119-GW26-GW001-F	GW	05-Nov-19	Field Measurement
GW-26	SC1119-GW26-GW001-F	GW	05-Nov-19	Field Measurement
GW-26	SC1119-GW26-GW001-F	GW	05-Nov-19	Field Measurement
LSV-1	SC1119-LSV1-SW001	SW	06-Nov-19	Primary
LSV-1	SC1119-LSV1-SW001	SW	06-Nov-19	Primary
LSV-1	SC1119-LSV1-SW001	SW	06-Nov-19	Primary
LSV-1	SC1119-LSV1-SW001	SW	06-Nov-19	Primary
LSV-1	SC1119-LSV1-SW001	SW	06-Nov-19	Primary
LSV-1	SC1119-LSV1-SW001	SW	06-Nov-19	Primary
LSV-1	SC1119-LSV1-SW001-F	SW	06-Nov-19	Field Measurement
LSV-1	SC1119-LSV1-SW001-F	SW	06-Nov-19	Field Measurement
LSV-1	SC1119-LSV1-SW001-F	SW	06-Nov-19	Field Measurement
LSV-1	SC1119-LSV1-SW001-F	SW	06-Nov-19	Field Measurement
LSV-1	SC1119-LSV1-SW001-F	SW	06-Nov-19	Field Measurement
LSV-1	SC1119-LSV1-SW001-F	SW	06-Nov-19	Field Measurement
LSV-1	SC1119-LSV1-SW001-Q	SW	06-Nov-19	Field Measurement
NSV-5	SC1119-NSV5-SW001	SW	07-Nov-19	Primary
NSV-5	SC1119-NSV5-SW001	SW	07-Nov-19	Primary
NSV-5	SC1119-NSV5-SW001	SW	07-Nov-19	Primary
NSV-5	SC1119-NSV5-SW001	SW	07-Nov-19	Primary
NSV-5	SC1119-NSV5-SW001	SW	07-Nov-19	Primary
NSV-5	SC1119-NSV5-SW001	SW	07-Nov-19	Primary
NSV-5	SC1119-NSV5-SW001-F	SW	07-Nov-19	Field Measurement
NSV-5	SC1119-NSV5-SW001-F	SW	07-Nov-19	Field Measurement
NSV-5	SC1119-NSV5-SW001-F	SW	07-Nov-19	Field Measurement
NSV-5	SC1119-NSV5-SW001-F	SW	07-Nov-19	Field Measurement

NSV-5	SC1119-NSV5-SW001-F	SW	07-Nov-19	Field Measurement
NSV-5	SC1119-NSV5-SW001-F	SW	07-Nov-19	Field Measurement
NSV-5	SC1119-NSV5-SW001-Q	SW	07-Nov-19	Field Measurement
NSV-6	SC1119-NSV6-SW001	SW	07-Nov-19	Primary
NSV-6	SC1119-NSV6-SW001	SW	07-Nov-19	Primary
NSV-6	SC1119-NSV6-SW001	SW	07-Nov-19	Primary
NSV-6	SC1119-NSV6-SW001	SW	07-Nov-19	Primary
NSV-6	SC1119-NSV6-SW001	SW	07-Nov-19	Primary
NSV-6	SC1119-NSV6-SW001	SW	07-Nov-19	Primary
NSV-6	SC1119-NSV6-SW001-F	SW	07-Nov-19	Field Measurement
NSV-6	SC1119-NSV6-SW001-F	SW	07-Nov-19	Field Measurement
NSV-6	SC1119-NSV6-SW001-F	SW	07-Nov-19	Field Measurement
NSV-6	SC1119-NSV6-SW001-F	SW	07-Nov-19	Field Measurement
NSV-6	SC1119-NSV6-SW001-F	SW	07-Nov-19	Field Measurement
NSV-6	SC1119-NSV6-SW001-F	SW	07-Nov-19	Field Measurement
NSV-6	SC1119-NSV6-SW001-Q	SW	07-Nov-19	Field Measurement

Depth	DepthUnit	AnalyticalMethod
		Gravimetric
		M6020 ICP-MS
		Gravimetric
		M6020 ICP-MS
		Gravimetric
		M6020 ICP-MS
		Gravimetric
		M6020 ICP-MS
		Gravimetric
		Gravimetric
		M6020 ICP-MS
		Gravimetric
		M6020 ICP-MS
		Gravimetric
		M6020 ICP-MS
		Gravimetric
		Gravimetric
		Gravimetric
		Gravimetric
		Gravimetric
		Gravimetric
		Gravimetric
		Gravimetric
		M6020 ICP-MS
		M6020 ICP-MS
		M6020 ICP-MS
		M6020 ICP-MS
		M6020 ICP-MS
		Gravimetric
		Gravimetric
		Gravimetric
		Gravimetric
		M6020 ICP-MS
		M6020 ICP-MS
		M6020 ICP-MS
		Gravimetric
		Gravimetric
		Gravimetric
		M6020 ICP-MS
		M6020 ICP-MS
		Gravimetric
		M6020 ICP-MS
		Gravimetric
		M6020 ICP-MS
		Gravimetric
		M6020 ICP-MS

Gravimetric
Gravimetric
M6020 ICP-MS
Gravimetric
M6020 ICP-MS
2320B
2340B
3114C
3114C
300
160.1
Flow Meter
YSI Model 51B
WTW pH 330i
WTW pH 330i
Hach 2100P Turbidity Meter
2320B
3114C
3114C
300
160.1
2320B
3114C
3114C
300
160.1
2320B
2340B
3114C
3114C
300
1030E
160.1
Volumetric method, standard equation
YSI Model 51B
WTW pH 330i
WTW pH 330i
Hach 2100P Turbidity Meter
2320B
2340B
3114C
3114C
300
160.1
1030E
Flow Meter
YSI Model 51B

WTW pH 330i
WTW pH 330i
Hach 2100P Turbidity Meter
2320B
3114C
3114C
300
160.1
2320B
3114C
3114C
300
160.1

150.1
3114C
3114C
300
160.1
150.1
3114C
3114C
300
160.1
150.1
3114C
3114C
300
160.1
2320B
2340B
150.1
3114C
3114C
300
160.1

150.1
3114C
300
160.1

150.1
3114C
300
160.1
2320B
2340B
150.1
3114C
3114C
300
160.1

150.1
3114C
300
160.1
3114C
3114C
3114C
3114C
150.1
3114C
3114C
300
160.1

150.1
3114C
3114C
300
160.1

150.1
3114C
3114C
300
160.1

2320B
2340B
150.1
3114C
3114C
300
160.1

150.1
3114C
300
160.1

2320B
2340B
150.1

3114C
3114C
300
160.1
3114C
3114C
300
160.1

3114C
3114C
300
160.1

3114C
3114C
300
160.1

Solinst Meter, 500ft tape
Solinst Meter, 500ft tape
Solinst Meter, 500ft tape
Solinst Meter, 500ft tape
Solinst Meter, 500ft tape
Solinst Meter, 500ft tape

2320B
2340B
150.1

3114C
3114C
300.0
160.1

150.1
3114C
300.0
160.1

2320B
2340B
150.1
3114C
3114C
300
160.1
2340B
4500-H
3114C
300.0
2540C
Solinst Meter, 500ft tape
2340B
4500-H
3114C
300.0
2540C
Solinst Meter, 500ft tape
2340B
4500-H
3114C
300.0
2540C
Solinst Meter, 500ft tape
Solinst Meter, 500ft tape
Solinst Meter, 500ft tape

Solinst Meter, 500ft tape
Solinst Meter, 500ft tape
YSI Model 33
YSI Model 33
WTW pH 330i
WTW pH 330i
Hach 2100P Turbidity Meter
4 inch Baski cutthroat flume, table of values
2320B
2340B
4500-H
3114C
3114C
300
2540C
2320B
2340B
4500-H
3114C
3114C
300
2540C
YSI Model 33
YSI Model 33
WTW pH 330i
WTW pH 330i
Hach 2100P Turbidity Meter
4 inch Baski cutthroat flume, table of values
Solinst Meter, 500ft tape
Solinst Meter, 500ft tape
2340B
4500-H
3114C
3114C
300
2540C
Solinst Meter, 500ft tape
2320B
2340B
4500-H
3114C
3114C
300
2540C
Solinst Meter, 500ft tape
2320B
2340B

4500-H
3114C
3114C
300
2540C
Solinst Meter, 500ft tape
Solinst Meter, 500ft tape
Solinst Meter, 500ft tape
Solinst Meter, 500ft tape
Solinst Meter, 500ft tape
Solinst Meter, 500ft tape
Solinst Meter, 500ft tape
Solinst Meter, 500ft tape
Solinst Meter, 500ft tape
Solinst Meter, 500ft tape
Solinst Meter, 500ft tape
Hach SensIon
Hach SensIon
Hach SensIon
Hach SensIon
HF Scientific Handheld Turbidimeter
FP201 Global Flow Probe
SM 2320B
SM 2340B
SM4500-H-B
SM 3114 C
EPA 200.8
SM 3114 C
EPA 300.0
SM 2540 C
Hach SensIon
Hach SensIon
Hach SensIon
Hach SensIon
HF Scientific Handheld Turbidimeter
FP201 Global Flow Probe
SM 2320B
SM 2340B
SM4500-H-B
SM 3114 C
EPA 200.8
SM 3114 C
EPA 300.0
SM 2540 C
Hach SensIon
Hach SensIon
Hach SensIon

	Hach SensIon
	HF Scientific Handheld Turbidimeter
	FP201 Global Flow Probe
	SM 2320B
	SM 2340B
	SM4500-H-B
	SM 3114 C
	EPA 200.8
	SM 3114 C
	EPA 300.0
	SM 2540 C
	Solinst Meter, 500ft tape
	Solinst Meter, 500ft tape
	Solinst Meter, 500ft tape
	SM 2320B
	SM 2340B
	SM3114C
	SM3114C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific Handheld Turbidimeter
	SM 2320B
	SM 2340B
	SM3114C
	SM3114C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific Handheld Turbidimeter
	Global Water Flow Probe
148 feet	SM 2320B
148 feet	SM 2340B
148 feet	SM4500-H-B
148 feet	SM3114C
148 feet	SM3114C
148 feet	EPA 300.0
148 feet	SM 2540 C
148 feet	YSI 556 Multiprobe
148 feet	Solinst Meter, 500ft tape
148 feet	YSI 556 Multiprobe
148 feet	YSI 556 Multiprobe

148	feet	YSI 556 Multiprobe
148	feet	HF Scientific Handheld Turbidimeter
90	feet	SM 2320B
90	feet	SM 2340B
90	feet	SM4500-H-B
90	feet	SM3114C
90	feet	SM3114C
90	feet	EPA 300.0
90	feet	SM 2540 C
90	feet	YSI 556 Multiprobe
90	feet	Solinst Meter, 500ft tape
90	feet	YSI 556 Multiprobe
90	feet	YSI 556 Multiprobe
90	feet	YSI 556 Multiprobe
90	feet	HF Scientific Handheld Turbidimeter
		SM 2320B
		SM 2340B
		SM4500-H-B
		SM3114C
		SM3114C
		EPA 300.0
		YSI 556 Multiprobe
		Solinst Meter, 500ft tape
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		HF Scientific Handheld Turbidimeter
		SM 2320B
		SM 2340B
		SM4500-H-B
		SM3114C
		SM3114C
		EPA 300.0
		YSI 556 Multiprobe
		Solinst Meter, 500ft tape
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		HF Scientific Handheld Turbidimeter
		Solinst Meter, 500ft tape
		Solinst Meter, 500ft tape
		Solinst Meter, 500ft tape
		Solinst Meter, 500ft tape
		Solinst Meter, 500ft tape
		Solinst Meter, 500ft tape
		Global Water Flow Probe, 0.6 times depth
150	feet	SM 2320B

150	feet	SM 2340B
150	feet	SM4500-H-B
150	feet	SM3114C
150	feet	SM3114C
150	feet	EPA 300.0
150	feet	SM 2540 C
150	feet	YSI 556 Multiprobe
150	feet	Solinst Meter, 500ft tape, BTIC
150	feet	YSI 556 Multiprobe
150	feet	YSI 556 Multiprobe
150	feet	YSI 556 Multiprobe
150	feet	Hach 2100P Turbidity Meter
98	feet	SM 2320B
98	feet	SM 2340B
98	feet	SM4500-H-B
98	feet	SM3114C
98	feet	SM3114C
98	feet	EPA 300.0
98	feet	SM 2540 C
98	feet	YSI 556 Multiprobe
98	feet	Solinst Meter, 500ft tape, BTIC
98	feet	YSI 556 Multiprobe
98	feet	YSI 556 Multiprobe
98	feet	YSI 556 Multiprobe
98	feet	Hach 2100P Turbidity Meter
		SM 2320B
		SM 2340B
		SM4500-H-B
		SM3114C
		SM3114C
		EPA 300.0
		SM 2540 C
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		Hach 2100P Turbidity Meter
		SM 2320B
		SM 2340B
		SM4500-H-B
		SM3114C
		SM3114C
		EPA 300.0
		SM 2540 C
		YSI 556 Multiprobe
		Solinst Meter, 500ft tape, BTIC
		YSI 556 Multiprobe

YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
SM 2320B
SM 2340B
SM3114C
SM3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
SM 2320B
SM 2340B
SM3114C
SM3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
SM 2320B
SM 2340B
SM3114C
SM3114C
EPA 300.0
SM 2540 C
Global Water Flow Probe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
SM 2320B
SM 2340B
SM3114C
SM3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe

Hach 2100P Turbidity Meter
Global Water Flow Probe
Solinst Meter, 500ft tape
Solinst Meter, 500ft tape
Solinst Meter, 500ft tape
SM 2320B
SM 2340B
SM3114C
SM3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
SM 2320B
SM 2340B
SM3114C
SM3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
SM 2320B
SM 2340B
SM3114C
SM3114C
EPA 300.0
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
SM 2320B
SM3114C
SM3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
Solinst Meter, 500ft tape
YSI 556 Multiprobe

	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific MicroTPW Turbidity Meter
98 feet	SM 2320B
98 feet	SM3114C
98 feet	SM3114C
98 feet	EPA 300.0
98 feet	SM 2540 C
98 feet	YSI 556 Multiprobe
98 feet	Solinst Meter, 500ft tape
98 feet	YSI 556 Multiprobe
98 feet	YSI 556 Multiprobe
98 feet	YSI 556 Multiprobe
98 feet	HF Scientific MicroTPW Turbidity Meter
150 feet	SM 2320B
150 feet	SM3114C
150 feet	SM3114C
150 feet	EPA 300.0
150 feet	SM 2540 C
150 feet	YSI 556 Multiprobe
150 feet	Solinst Meter, 500ft tape
150 feet	YSI 556 Multiprobe
150 feet	YSI 556 Multiprobe
150 feet	YSI 556 Multiprobe
150 feet	HF Scientific MicroTPW Turbidity Meter
	SM 2320B
	SM3114C
	SM3114C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	Solinst Meter, 500ft tape
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific MicroTPW Turbidity Meter
	SM 2320B
	SM3114C
	SM3114C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	Solinst Meter, 500ft tape
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific MicroTPW Turbidity Meter

		SM 2320B
		SM 2340B
		SM3114C
		SM3114C
		EPA 300.0
		SM 2540 C
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		HF Scientific MicroTPW Turbidity Meter
		Marsh-McBirney, 0.6 times depth
		SM 2320B
		SM3114C
		SM3114C
		EPA 300.0
		SM 2540 C
		YSI 556 Multiprobe
		Keck Water Level Indicator, 200 or 500
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		HF Scientific MicroTPW Turbidity Meter
		SM 2320B
		SM3114C
		SM3114C
		EPA 300.0
		SM 2540 C
		YSI 556 Multiprobe
		Keck Water Level Indicator, 200 or 500
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		HF Scientific MicroTPW Turbidity Meter
98	feet	SM 2320B
98	feet	SM3114C
98	feet	SM3114C
98	feet	EPA 300.0
98	feet	SM 2540 C
98	feet	YSI 556 Multiprobe
98	feet	Keck Water Level Indicator, 200 or 500
98	feet	YSI 556 Multiprobe
98	feet	YSI 556 Multiprobe
98	feet	YSI 556 Multiprobe
98	feet	YSI 556 Multiprobe

98	feet	HF Scientific MicroTPW Turbidity Meter
150	feet	SM 2320B
150	feet	SM3114C
150	feet	SM3114C
150	feet	EPA 300.0
150	feet	SM 2540 C
150	feet	YSI 556 Multiprobe
150	feet	Keck Water Level Indicator, 200 or 500
150	feet	YSI 556 Multiprobe
150	feet	YSI 556 Multiprobe
150	feet	YSI 556 Multiprobe
150	feet	YSI 556 Multiprobe
150	feet	HF Scientific MicroTPW Turbidity Meter
		SM 2320B
		SM3114C
		SM3114C
		EPA 300.0
		SM 2540 C
		YSI 556 Multiprobe
		Keck Water Level Indicator, 200 or 500
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		HF Scientific MicroTPW Turbidity Meter
		SM 2320B
		SM 2340B
		SM3114C
		SM3114C
		EPA 300.0
		SM 2540 C
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		3 in Parshall Flume, standard equation
		SM 2320B
		SM 2340B
		SM3114C
		SM3114C
		EPA 300.0
		SM 2540 C
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe

YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
Marsh-McBirney, 0.6 times depth
SM 2320B
SM 2340B
SM3114C
SM3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
Marsh-McBirney, 0.6 times depth
SM 2320B
SM 2340B
SM3114C
SM3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
Marsh-McBirney, 0.6 times depth
SM 2320B
SM 2340B
SM3114C
SM3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Marsh-McBirney, 0.6 times depth
SM 2320B
SM 2340B
SM3114C
SM3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe

	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	Hach 2001P Turbidity Meter
	SM 2320B
	SM3114C
	SM3114C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	Solinst Meter, 500ft tape
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific MicroTPW Turbidity Meter
	SM 2320B
	SM3114C
	SM3114C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	Solinst Meter, 500ft tape
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific MicroTPW Turbidity Meter
	SM 2320B
	SM 2340B
	SM3114C
	SM3114C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	Hach 2001P Turbidity Meter
148 feet	SM 2320B
148 feet	SM 2340B
148 feet	SM3114C
148 feet	SM3114C
148 feet	EPA 300.0
148 feet	SM 2540 C
90 feet	SM 2320B
90 feet	SM 2340B
90 feet	SM3114C

90 feet	SM3114C
90 feet	EPA 300.0
90 feet	SM 2540 C
	SM 2320B
	SM 2340B
	SM3114C
	SM3114C
	EPA 300.0
	SM 2540 C
	Hach 2100 Turbidity Meter
	Hach 2100 Turbidity Meter
	Hach 2100 Turbidity Meter
	Hach 2100 Turbidity Meter
	Hach 2100 Turbidity Meter
	Hach 2100 Turbidity Meter
	SM 2320B
	SM 2340B
	SM3114C
	SM3114C
	EPA 300.0
	SM 2540 C
	Hach 2100 Turbidity Meter
	Hach 2100 Turbidity Meter
	Hach 2100 Turbidity Meter
	Hach 2100 Turbidity Meter
	Hach 2100 Turbidity Meter
	Hach 2100 Turbidity Meter
	SM 2320B
	SM 2340B
	SM3114C
	SM3114C
	EPA 300.0
	SM 2540 C
	Hach 2100 Turbidity Meter
	Hach 2100 Turbidity Meter
	Hach 2100 Turbidity Meter
	Hach 2100 Turbidity Meter
	Hach 2100 Turbidity Meter
	Hach 2100 Turbidity Meter
	SM 2320B
	SM 2340B
	SM3114C
	SM3114C
	EPA 300.0
	SM 2540 C
	Hach 2100 Turbidity Meter
	Hach 2100 Turbidity Meter

Hach 2100 Turbidity Meter
Hach 2100 Turbidity Meter
Hach 2100 Turbidity Meter
Hach 2100 Turbidity Meter
SM 2320B
SM3114C
SM3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
Solinst Meter, 500ft tape
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
SM 2320B
SM3114C
SM3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
Solinst Meter, 500ft tape
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
SM 2320B
SM3114C
SM3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
Solinst Meter, 500ft tape
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
SM 2320B
SM 2340B
SM3114C
SM3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe

YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
Marsh-McBirney, 0.6 times depth
SM 2320B
SM3114C
SM3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
Keck Water Level Indicator, 200'
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
SM 2320B
SM3114C
SM3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
In-Situ Level Troll 500
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HACH 2001P Turbitity Meter
SM3114C
SM3114C
YSI 556 Multiprobe
Keck Water Level Indicator, 200'
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
3 in Parshall Flume, standard equation
SM 2320B
SM 2340B
SM3114C
SM3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe

	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific MicroTPW Turbidity Meter
	90 deg V Notch Weir, standard equation
90 feet	SM 2320B
90 feet	SM3114C
90 feet	SM3114C
90 feet	EPA 300.0
90 feet	SM 2540 C
90 feet	YSI 556 Multiprobe
90 feet	Keck Water Level Indicator, 200'
90 feet	YSI 556 Multiprobe
90 feet	YSI 556 Multiprobe
90 feet	YSI 556 Multiprobe
90 feet	YSI 556 Multiprobe
90 feet	HF Scientific MicroTPW Turbidity Meter
148 feet	SM 2320B
148 feet	SM3114C
148 feet	SM3114C
148 feet	EPA 300.0
148 feet	SM 2540 C
148 feet	YSI 556 Multiprobe
148 feet	Keck Water Level Indicator, 200'
148 feet	YSI 556 Multiprobe
148 feet	YSI 556 Multiprobe
148 feet	YSI 556 Multiprobe
148 feet	YSI 556 Multiprobe
148 feet	HF Scientific MicroTPW Turbidity Meter
	SM 2320B
	SM 2340B
	SM3114C
	SM3114C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HACH 2001P Turbitity Meter
	Combination Weir, loc-specific equation
	SM3114C
	SM3114C
	EPA 300.0
	SM 2540 C

YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
SM3114C
SM3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
SM 2320B/2310B
SM 2340B
SM3114C
SM3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2001P
SM 2320B/2310B
SM 2340B
SM 3114 C
SM 3114 C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
Marsh-McBirney, 0.6 times depth
SM 2320B/2310B
SM 2340B
SM 3114 C
SM 3114 C
EPA 300.0
SM 2540 C

	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific MicroTPW Turbidity Meter
	Marsh-McBirney, 0.6 times depth
	SM 2320B/2310B
	SM 2340B
	SM 3114 C
	SM 3114 C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific MicroTPW Turbidity Meter
	Marsh-McBirney, 0.6 times depth
	SM 2320B/2310B
	SM 3114 C
	SM 3114 C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	Keck Water Level Indicator, 200 or 500
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific MicroTPW Turbidity Meter
	SM 2320B/2310B
	SM 3114 C
	SM 3114 C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	Keck Water Level Indicator, 200 or 500
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific MicroTPW Turbidity Meter
150 feet	SM 2320B/2310B
150 feet	SM 3114 C
150 feet	SM 3114 C

150 feet	EPA 300.0
150 feet	SM 2540 C
150 feet	YSI 556 Multiprobe
150 feet	Keck Water Level Indicator, 200 or 500
150 feet	YSI 556 Multiprobe
150 feet	YSI 556 Multiprobe
150 feet	YSI 556 Multiprobe
150 feet	YSI 556 Multiprobe
150 feet	HF Scientific MicroTPW Turbidity Meter
98 feet	SM 2320B/2310B
98 feet	SM 3114 C
98 feet	SM 3114 C
98 feet	EPA 300.0
98 feet	SM 2540 C
98 feet	YSI 556 Multiprobe
98 feet	Keck Water Level Indicator, 200 or 500
98 feet	YSI 556 Multiprobe
98 feet	YSI 556 Multiprobe
98 feet	YSI 556 Multiprobe
98 feet	YSI 556 Multiprobe
98 feet	HF Scientific MicroTPW Turbidity Meter
	SM 2320B/2310B
	SM 3114 C
	SM 3114 C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	Keck Water Level Indicator, 200 or 500
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific MicroTPW Turbidity Meter
	SM 2320B/2310B
	SM 2340B
	SM 3114 C
	SM 3114 C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific MicroTPW Turbidity Meter
	3 in Parshall Flume, standard equation
	SM 2320B/2310B

		SM 2340B
		SM 3114 C
		SM 3114 C
		EPA 300.0
		SM 2540 C
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		HF Scientific MicroTPW Turbidity Meter
		90 deg V Notch Weir, standard equation
		7742
		7742
		7742
		7742
		7742
		7742
		7742
		7742
		7742
		7742
		7742
		7742
		7742
		7742
		7742
		7742
		7742
		7742
		7742
		7742
		7742
		SM 2320B/2310B
		SM 2340B
		SM 3114 C
		SM 3114 C
		EPA 300.0
		SM 2540 C
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		HF Scientific MicroTPW Turbidity Meter
33	feet	SM 2320B/2310B

33	feet	SM 3114 C
33	feet	EPA 300.0
33	feet	SM 2540 C
33	feet	YSI 556 Multiprobe
33	feet	Keck Water Level Indicator, 200 or 500
33	feet	YSI 556 Multiprobe
33	feet	YSI 556 Multiprobe
33	feet	YSI 556 Multiprobe
33	feet	YSI 556 Multiprobe
33	feet	HF Scientific MicroTPW Turbidity Meter
91	feet	SM 2320B/2310B
91	feet	SM 3114 C
91	feet	EPA 300.0
91	feet	SM 2540 C
91	feet	YSI 556 Multiprobe
91	feet	YSI 556 Multiprobe
91	feet	YSI 556 Multiprobe
91	feet	YSI 556 Multiprobe
91	feet	YSI 556 Multiprobe
91	feet	HF Scientific MicroTPW Turbidity Meter
188	feet	SM 2320B/2310B
188	feet	SM 3114 C
188	feet	EPA 300.0
188	feet	SM 2540 C
188	feet	YSI 556 Multiprobe
188	feet	YSI 556 Multiprobe
188	feet	YSI 556 Multiprobe
188	feet	YSI 556 Multiprobe
188	feet	YSI 556 Multiprobe
188	feet	HF Scientific MicroTPW Turbidity Meter
33	feet	SM 2320B/2310B
33	feet	SM 3114 C
33	feet	EPA 300.0
33	feet	SM 2540 C
33	feet	YSI 556 Multiprobe
33	feet	YSI 556 Multiprobe
33	feet	YSI 556 Multiprobe
33	feet	YSI 556 Multiprobe
33	feet	YSI 556 Multiprobe
33	feet	HF Scientific MicroTPW Turbidity Meter
91	feet	SM 2320B/2310B
91	feet	SM 3114 C
91	feet	EPA 300.0
91	feet	SM 2540 C
91	feet	YSI 556 Multiprobe
91	feet	YSI 556 Multiprobe
91	feet	YSI 556 Multiprobe

91	feet	YSI 556 Multiprobe
91	feet	YSI 556 Multiprobe
91	feet	HF Scientific MicroTPW Turbidity Meter
188	feet	SM 2320B/2310B
188	feet	SM 3114 C
188	feet	EPA 300.0
188	feet	SM 2540 C
188	feet	YSI 556 Multiprobe
188	feet	YSI 556 Multiprobe
188	feet	YSI 556 Multiprobe
188	feet	YSI 556 Multiprobe
188	feet	YSI 556 Multiprobe
188	feet	HF Scientific MicroTPW Turbidity Meter
		7742
		7742
		7742
		7742
		7742
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		HF Scientific MicroTPW Turbidity Meter
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		HF Scientific MicroTPW Turbidity Meter
		Marsh-McBirney, 0.6 times depth
		SM 2320B/2310B
		SM3114C
		SM3114C
		EPA 300.0
		SM 2540 C
		YSI 556 Multiprobe
		Keck Water Level Indicator, 200 or 500
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		HF Scientific MicroTPW Turbidity Meter
		SM 2320B/2310B
		SM3114C
		SM3114C
		EPA 300.0

	SM 2540 C
	YSI 556 Multiprobe
	Keck Water Level Indicator, 200 or 500
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific MicroTPW Turbidity Meter
	SM 2320B/2310B
	SM3114C
	SM3114C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	Keck Water Level Indicator, 200 or 500
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific MicroTPW Turbidity Meter
	SM 2320B/2310B
	SM 2340B
	SM3114C
	SM3114C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific MicroTPW Turbidity Meter
	Marsh-McBirney, 0.6 times depth
	SM 2320B/2310B
	SM 2340B
	SM3114C
	SM3114C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific MicroTPW Turbidity Meter
	Marsh-McBirney, 0.6 times depth
148 feet	SM 2320B/2310B

148	feet	SM3114C
148	feet	SM3114C
148	feet	EPA 300.0
148	feet	SM 2540 C
148	feet	YSI 556 Multiprobe
148	feet	Keck Water Level Indicator, 200 or 500
148	feet	YSI 556 Multiprobe
148	feet	YSI 556 Multiprobe
148	feet	YSI 556 Multiprobe
148	feet	YSI 556 Multiprobe
148	feet	HF Scientific MicroTPW Turbidity Meter
98	feet	YSI 556 Multiprobe
98	feet	Keck Water Level Indicator, 200 or 500
98	feet	YSI 556 Multiprobe
98	feet	YSI 556 Multiprobe
98	feet	YSI 556 Multiprobe
98	feet	YSI 556 Multiprobe
98	feet	HF Scientific MicroTPW Turbidity Meter
		SM 2320B/2310B
		SM 2340B
		SM3114C
		SM3114C
		EPA 300.0
		SM 2540 C
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		Hach 2001P
		SM 2320B/2310B
		SM 2340B
		SM3114C
		SM3114C
		EPA 300.0
		SM 2540 C
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		Hach 2001P
98	feet	SM 2320B/2310B
98	feet	SM3114C
98	feet	SM3114C
98	feet	EPA 300.0
98	feet	SM 2540 C

	SM 2320B/2310B
	SM3114C
	SM3114C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	Keck Water Level Indicator, 200 or 500
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific MicroTPW Turbidity Meter
	SM 2320B/2310B
	SM3114C
	SM3114C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	Keck Water Level Indicator, 200 or 500
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific MicroTPW Turbidity Meter
98 feet	SM 2320B/2310B
98 feet	SM3114C
98 feet	SM3114C
98 feet	EPA 300.0
98 feet	SM 2540 C
98 feet	YSI 556 Multiprobe
98 feet	Keck Water Level Indicator, 200 or 500
98 feet	YSI 556 Multiprobe
98 feet	YSI 556 Multiprobe
98 feet	YSI 556 Multiprobe
98 feet	YSI 556 Multiprobe
148 feet	SM 2320B/2310B
148 feet	SM3114C
148 feet	SM3114C
148 feet	EPA 300.0
148 feet	SM 2540 C
148 feet	YSI 556 Multiprobe
148 feet	Keck Water Level Indicator, 200 or 500
148 feet	YSI 556 Multiprobe
148 feet	YSI 556 Multiprobe
148 feet	YSI 556 Multiprobe
148 feet	YSI 556 Multiprobe
	SM 2320B/2310B

SM3114C
SM3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
Keck Water Level Indicator, 200 or 500
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
SM 2320B/2310B
SM2340B
SM3114C
SM3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
90 deg V Notch Weir, standard equation
SM 2320B/2310B
SM2340B
SM2340B
SM3114C
SM3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter

SM 2320B/2310B
SM2340B
SM2340B
SM3114C
SM3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe

YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
Marsh-McBirney, 0.6 times depth
SM 2320B/2310B
SM2340B
SM2340B
SM3114C
SM3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
Combination Weir, loc-specific equation
SM 2320B/2310B
SM2340B
SM3114C
SM3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
Marsh-McBirney, 0.6 times depth

200.8
200.8

2320B
200.8 CALC
200.8

		200.8
		300.0
		2540C
		SM 2320B/2310B
		SM 2340B
		SM3114C
		SM3114C
		EPA 300.0
		SM 2540 C
		2320B
		200.8 CALC
		200.8
		200.8
		300.0
		2540C
		SM 2320B/2310B
		SM 2340B
		SM3114C
		SM3114C
		EPA 300.0
		SM 2540 C
		2320B
		200.8
		200.8
		300.0
		2540C
		SM 2320B/2310B
		SM3114C
		SM3114C
		EPA 300.0
		SM 2540 C
98	feet	
98	feet	Keck Water Level Indicator, 200 or 500
98	feet	
98	feet	

98 feet	
98 feet	
98 feet	
98 feet	2320B
98 feet	200.8
98 feet	200.8
98 feet	300.0
98 feet	2540C
98 feet	SM 2320B/2310B
98 feet	SM3114C
98 feet	SM3114C
98 feet	EPA 300.0
98 feet	SM 2540 C

Keck Water Level Indicator, 200 or 500

2320B
200.8
200.8
300.0
2540C
SM 2320B/2310B
SM3114C
SM3114C
EPA 300.0
SM 2540 C

2320B
200.8 CALC
200.8
200.8
300.0
2540C
SM 2320B/2310B
SM 2340B
SM3114C
SM3114C
EPA 300.0

SM 2540 C
200.8
200.8

200.8
200.8
300.0

200.8
200.8
300.0

200.8
200.8
300.0

200.8
200.8
300.0

200.8
200.8
300.0

200.8
200.8
300.0

200.8
200.8
300.0
200.8
200.8
300.0
200.8
200.8
300.0
200.8
200.8
300.0
200.8
200.8
300.0
200.8
200.8
300.0
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
3 in Parshall Flume, standard equation
200.8
200.8
300.0

SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
SM 2320B/2310B
SM 2340B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
Marsh-McBirney, 0.6 times depth
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
Marsh-McBirney, 0.6 times depth
200.8
200.8
300.0
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0

SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
Marsh-McBirney, 0.6 times depth
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
12 inch Parshall Flume, standard equation
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
SM 2320B/2310B
SM3114C
SM3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
Keck Water Level Indicator, 200 or 500
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
200.8
200.8

	300.0
	SM 2320B/2310B
	SM3114C
	SM3114C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	Keck Water Level Indicator, 200 or 500
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific MicroTPW Turbidity Meter
98 feet	200.8
98 feet	200.8
98 feet	300.0
98 feet	SM 2320B/2310B
98 feet	SM3114C
98 feet	SM3114C
98 feet	EPA 300.0
98 feet	SM 2540 C
98 feet	YSI 556 Multiprobe
98 feet	Keck Water Level Indicator, 200 or 500
98 feet	YSI 556 Multiprobe
98 feet	YSI 556 Multiprobe
98 feet	YSI 556 Multiprobe
98 feet	YSI 556 Multiprobe
98 feet	HF Scientific MicroTPW Turbidity Meter
150 feet	SM 2320B/2310B
150 feet	SM3114C
150 feet	SM3114C
150 feet	EPA 300.0
150 feet	SM 2540 C
150 feet	YSI 556 Multiprobe
150 feet	Keck Water Level Indicator, 200 or 500
150 feet	YSI 556 Multiprobe
150 feet	YSI 556 Multiprobe
150 feet	YSI 556 Multiprobe
150 feet	YSI 556 Multiprobe
150 feet	HF Scientific MicroTPW Turbidity Meter
	SM 2320B/2310B
	SM3114C
	SM3114C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	Keck Water Level Indicator, 200 or 500

YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter

200.8
200.8
300.0

200.8
200.8
300.0
200.8
200.8
300.0
200.8
200.8
300.0
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
Keck Water Level Indicator, 200 or 500
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
SM 2320B/2310B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe

YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
3 in Parshall Flume, standard equation
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
3 in Parshall Flume, standard equation
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C

EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
12 inch Parshall Flume, standard equation
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
SM 2320B/2310B
SM 3114C

	SM 3114C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	Keck Water Level Indicator, 200 or 500
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific MicroTPW Turbidity Meter
	SM 2320B/2310B
	SM 3114C
	SM 3114C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	Keck Water Level Indicator, 200 or 500
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific MicroTPW Turbidity Meter
	SM 2320B/2310B
	SM 3114C
	SM 3114C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	Keck Water Level Indicator, 200 or 500
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific MicroTPW Turbidity Meter
150 feet	SM 2320B/2310B
150 feet	SM 3114C
150 feet	SM 3114C
150 feet	EPA 300.0
150 feet	SM 2540 C
150 feet	YSI 556 Multiprobe
150 feet	Keck Water Level Indicator, 200 or 500
150 feet	YSI 556 Multiprobe
150 feet	YSI 556 Multiprobe
150 feet	YSI 556 Multiprobe
150 feet	YSI 556 Multiprobe
150 feet	HF Scientific MicroTPW Turbidity Meter
98 feet	SM 2320B/2310B

98	feet	SM 3114C
98	feet	SM 3114C
98	feet	EPA 300.0
98	feet	SM 2540 C
98	feet	YSI 556 Multiprobe
98	feet	Keck Water Level Indicator, 200 or 500
98	feet	YSI 556 Multiprobe
98	feet	YSI 556 Multiprobe
98	feet	YSI 556 Multiprobe
98	feet	YSI 556 Multiprobe
98	feet	HF Scientific MicroTPW Turbidity Meter
		SM 2320B/2310B
		SM 3114C
		SM 3114C
		EPA 300.0
		SM 2540 C
		YSI Pro Multiprobe
		Keck Water Level Indicator, 200 or 500
		YSI Pro Multiprobe
		YSI Pro Multiprobe
		YSI Pro Multiprobe
		YSI Pro Multiprobe
		HF Scientific MicroTPW Turbidity Meter
		SM 2320B/2310B
		SM 3114C
		SM 3114C
		EPA 300.0
		SM 2540 C
		YSI 556 Multiprobe
		Keck Water Level Indicator, 200 or 500
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		HF Scientific MicroTPW Turbidity Meter
98	feet	SM 2320B/2310B
98	feet	SM 3114C
98	feet	SM 3114C
98	feet	EPA 300.0
98	feet	SM 2540 C
98	feet	YSI 556 Multiprobe
98	feet	Keck Water Level Indicator, 200 or 500
98	feet	YSI 556 Multiprobe
98	feet	YSI 556 Multiprobe
98	feet	YSI 556 Multiprobe
98	feet	YSI 556 Multiprobe
150	feet	SM 2320B/2310B

150 feet	SM 3114C
150 feet	SM 3114C
150 feet	EPA 300.0
150 feet	SM 2540 C
150 feet	YSI 556 Multiprobe
150 feet	Keck Water Level Indicator, 200 or 500
150 feet	YSI 556 Multiprobe
150 feet	YSI 556 Multiprobe
150 feet	YSI 556 Multiprobe
150 feet	YSI 556 Multiprobe
	SM 2320B/2310B
	SM 3114C
	SM 3114C
	EPA 300.0
	SM 2540 C
	YSI Pro Multiprobe
	Keck Water Level Indicator, 200 or 500
	YSI Pro Multiprobe
	YSI Pro Multiprobe
	YSI Pro Multiprobe
	YSI Pro Multiprobe
	HF Scientific MicroTPW Turbidity Meter
	SM 2320B/2310B
	SM 2340B
	SM 3114C
	SM 3114C
	EPA 300.0
	SM 2540 C
	YSI Pro Multiprobe
	YSI Pro Multiprobe
	YSI Pro Multiprobe
	YSI Pro Multiprobe
	YSI Pro Multiprobe
	HF Scientific MicroTPW Turbidity Meter
	3 in Parshall Flume, standard equation
	SM 2320B/2310B
	SM 2340B
	SM 3114C
	SM 3114C
	EPA 300.0
	SM 2540 C
	YSI Pro Multiprobe
	YSI Pro Multiprobe
	YSI Pro Multiprobe
	YSI Pro Multiprobe
	YSI Pro Multiprobe
	HF Scientific MicroTPW Turbidity Meter

90 deg V Notch Weir, standard equation
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
HF Scientific MicroTPW Turbidity Meter
12 inch Parshall Flume, standard equation
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
HF Scientific MicroTPW Turbidity Meter
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
HF Scientific MicroTPW Turbidity Meter
Marsh-McBirney, 0.6 times depth
SM 2320B/2310B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
Keck Water Level Indicator, 200 or 500
YSI 556 Multiprobe

YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P
3 in Parshall Flume, standard equation
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
HF Scientific MicroTPW Turbidity Meter
Marsh-McBirney, 0.6 times depth
SM 2320B/2310B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C

	YSI Pro Multiprobe
	Keck Water Level Indicator - 200, 300, or 500 ft
	YSI Pro Multiprobe
	YSI Pro Multiprobe
	YSI Pro Multiprobe
	YSI Pro Multiprobe
	HF Scientific MicroTPW Turbidity Meter
	SM 2320B/2310B
	SM 3114C
	SM 3114C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	Keck Water Level Indicator - 200, 300, or 500 ft
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	Hach 2100P
98 feet	SM 2320B/2310B
98 feet	SM 3114C
98 feet	SM 3114C
98 feet	EPA 300.0
98 feet	SM 2540 C
98 feet	YSI 556 Multiprobe
98 feet	Keck Water Level Indicator - 200, 300, or 500 ft
98 feet	YSI 556 Multiprobe
98 feet	YSI 556 Multiprobe
98 feet	YSI 556 Multiprobe
98 feet	YSI 556 Multiprobe
98 feet	Hach 2100P
150 feet	SM 2320B/2310B
150 feet	SM 3114C
150 feet	SM 3114C
150 feet	EPA 300.0
150 feet	SM 2540 C
150 feet	YSI 556 Multiprobe
150 feet	Keck Water Level Indicator - 200, 300, or 500 ft
150 feet	YSI 556 Multiprobe
150 feet	YSI 556 Multiprobe
150 feet	YSI 556 Multiprobe
150 feet	YSI 556 Multiprobe
150 feet	Hach 2100P
	SM 2320B/2310B
	SM 3114C
	SM 3114C
	EPA 300.0

SM 2540 C
YSI Pro Multiprobe
Keck Water Level Indicator - 200, 300, or 500 ft
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
HF Scientific MicroTPW Turbidity Meter
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
HF Scientific MicroTPW Turbidity Meter
3 in Parshall Flume, standard equation
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
HF Scientific MicroTPW Turbidity Meter
Marsh-McBirney, 0.6 times depth
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
HF Scientific MicroTPW Turbidity Meter
4 inch Baski cutthroat flume, table of values

SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
HF Scientific MicroTPW Turbidity Meter
Marsh-McBirney, 0.6 times depth
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P
12 inch Parshall Flume, standard equation
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe

YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
HF Scientific MicroTPW Turbidity Meter
3 in Parshall Flume, standard equation

SM 2320B/2310B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
Keck Water Level Indicator - 200, 300, or 500 ft
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C

YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
SM 2320B/2310B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
Keck Water Level Indicator - 200, 300, or 500 ft
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter

SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
90 deg V Notch Weir, standard equation
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
SM 2320B/2310B
SM 3114C
SM 3114C

		EPA 300.0
		SM 2540 C
		YSI 556 Multiprobe
		Keck Water Level Indicator - 200, 300, or 500 ft
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		HF Scientific MicroTPW Turbidity Meter
		SM 2320B/2310B
		SM 3114C
		SM 3114C
		EPA 300.0
		SM 2540 C
		YSI 556 Multiprobe
		Keck Water Level Indicator - 200, 300, or 500 ft
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		HF Scientific MicroTPW Turbidity Meter
98	feet	SM 2320B/2310B
98	feet	SM 3114C
98	feet	SM 3114C
98	feet	EPA 300.0
98	feet	SM 2540 C
98	feet	YSI 556 Multiprobe
98	feet	Keck Water Level Indicator - 200, 300, or 500 ft
98	feet	YSI 556 Multiprobe
98	feet	YSI 556 Multiprobe
98	feet	YSI 556 Multiprobe
98	feet	YSI 556 Multiprobe
98	feet	HF Scientific MicroTPW Turbidity Meter
150	feet	SM 2320B/2310B
150	feet	SM 3114C
150	feet	SM 3114C
150	feet	EPA 300.0
150	feet	SM 2540 C
150	feet	YSI 556 Multiprobe
150	feet	Keck Water Level Indicator - 200, 300, or 500 ft
150	feet	YSI 556 Multiprobe
150	feet	YSI 556 Multiprobe
150	feet	YSI 556 Multiprobe
150	feet	YSI 556 Multiprobe
150	feet	HF Scientific MicroTPW Turbidity Meter
		SM 2320B/2310B
		SM 3114C

SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
Keck Water Level Indicator - 200, 300, or 500 ft
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter

SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter

SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
12 inch Parshall Flume, standard equation
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter

SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
LP-PD Weir stage-discharge rating curve estimation
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe

	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific MicroTPW Turbidity Meter
	12 inch Parshall Flume, standard equation
	SM 2320B/2310B
	SM 2340B
	SM 3114C
	SM 3114C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific MicroTPW Turbidity Meter
	UP-PD Weir stage-discharge rating curve estimation
	SM 2320B/2310B
	SM 3114C
	SM 3114C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	Keck Water Level Indicator - 200, 300, or 500 ft
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific MicroTPW Turbidity Meter
	SM 2320B/2310B
	SM 3114C
	SM 3114C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	HF Scientific MicroTPW Turbidity Meter
98 feet	SM 2320B/2310B
98 feet	SM 3114C
98 feet	SM 3114C
98 feet	EPA 300.0
98 feet	SM 2540 C
98 feet	YSI 556 Multiprobe

98	feet	Keck Water Level Indicator - 200, 300, or 500 ft
98	feet	YSI 556 Multiprobe
98	feet	YSI 556 Multiprobe
98	feet	YSI 556 Multiprobe
98	feet	YSI 556 Multiprobe
98	feet	HF Scientific MicroTPW Turbidity Meter
150	feet	SM 2320B/2310B
150	feet	SM 3114C
150	feet	SM 3114C
150	feet	EPA 300.0
150	feet	SM 2540 C
150	feet	YSI 556 Multiprobe
150	feet	Keck Water Level Indicator - 200, 300, or 500 ft
150	feet	YSI 556 Multiprobe
150	feet	YSI 556 Multiprobe
150	feet	YSI 556 Multiprobe
150	feet	YSI 556 Multiprobe
150	feet	HF Scientific MicroTPW Turbidity Meter
		SM 2320B/2310B
		SM 3114C
		SM 3114C
		EPA 300.0
		SM 2540 C
		SM 2320B/2310B
		SM 2340B
		SM 3114C
		SM 3114C
		EPA 300.0
		SM 2540 C
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		HF Scientific MicroTPW Turbidity Meter
		Marsh-McBirney, 0.6 times depth
		SM 2320B/2310B
		SM 2340B
		SM 3114C
		SM 3114C
		EPA 300.0
		SM 2540 C
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe

HF Scientific MicroTPW Turbidity Meter

SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter

YSI 556 Multiprobe
Keck Water Level Indicator - 200, 300, or 500 ft
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
HF Scientific MicroTPW Turbidity Meter
Marsh-McBirney, 0.6 times depth
SM 2320B/2310B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI Pro Multiprobe
Keck Water Level Indicator - 200, 300, or 500 ft
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
HF Scientific MicroTPW Turbidity Meter

	SM 2320B/2310B
	SM 3114C
	SM 3114C
	EPA 300.0
	SM 2540 C
	YSI Pro Multiprobe
	Keck Water Level Indicator - 200, 300, or 500 ft
	YSI Pro Multiprobe
	YSI Pro Multiprobe
	YSI Pro Multiprobe
	YSI Pro Multiprobe
	HF Scientific MicroTPW Turbidity Meter
150 feet	SM 2320B/2310B
150 feet	SM 3114C
150 feet	SM 3114C
150 feet	EPA 300.0
150 feet	SM 2540 C
150 feet	YSI Pro Multiprobe
150 feet	Keck Water Level Indicator - 200, 300, or 500 ft
150 feet	YSI Pro Multiprobe
150 feet	YSI Pro Multiprobe
150 feet	YSI Pro Multiprobe
150 feet	YSI Pro Multiprobe
150 feet	HF Scientific MicroTPW Turbidity Meter
98 feet	SM 2320B/2310B
98 feet	SM 3114C
98 feet	SM 3114C
98 feet	EPA 300.0
98 feet	SM 2540 C
98 feet	YSI Pro Multiprobe
98 feet	Keck Water Level Indicator - 200, 300, or 500 ft
98 feet	YSI Pro Multiprobe
98 feet	YSI Pro Multiprobe
98 feet	YSI Pro Multiprobe
98 feet	YSI Pro Multiprobe
98 feet	HF Scientific MicroTPW Turbidity Meter
	SM 2320B/2310B
	SM 3114C
	SM 3114C
	EPA 300.0
	SM 2540 C
	YSI Pro Multiprobe
	Keck Water Level Indicator - 200, 300, or 500 ft
	YSI Pro Multiprobe
	YSI Pro Multiprobe
	YSI Pro Multiprobe
	YSI Pro Multiprobe

HF Scientific MicroTPW Turbidity Meter
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
HF Scientific MicroTPW Turbidity Meter
3 in Parshall Flume, standard equation
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
HF Scientific MicroTPW Turbidity Meter
90 deg V Notch Weir, standard equation
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
HF Scientific MicroTPW Turbidity Meter
Visual Estimate
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI Pro Multiprobe

YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
HF Scientific MicroTPW Turbidity Meter
Marsh-McBirney, 0.6 times depth
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
12 inch Parshall Flume, standard equation
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
YSI Pro Multiprobe
HF Scientific MicroTPW Turbidity Meter
Combination Weir, loc-specific equation
3 in Parshall Flume, standard equation
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
90 deg V Notch Weir, standard equation
SM 2320B/2310B
SM 2340B

	SM 3114C
	SM 3114C
	EPA 300.0
	SM 2540 C
	YSI Pro Multiprobe
	YSI Pro Multiprobe
	YSI Pro Multiprobe
	YSI Pro Multiprobe
	YSI Pro Multiprobe
	HF Scientific MicroTPW Turbidity Meter
	SM 2320B/2310B
	SM 2340B
	SM 3114C
	SM 3114C
	EPA 300.0
	SM 2540 C
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	LaMotte 2020e Turbidimeter
	SM 2320B/2310B
	SM 3114C
	SM 3114C
	EPA 300.0
	SM 2540 C
	In-Situ SmarTroll MP
	Keck Water Level Indicator - 200, 300, or 500 ft
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	SM 2320B/2310B
	SM 3114C
	SM 3114C
	EPA 300.0
	SM 2540 C
	In-Situ SmarTroll MP
	Keck Water Level Indicator - 200, 300, or 500 ft
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
98 feet	SM 2320B/2310B
98 feet	SM 3114C
98 feet	SM 3114C

98	feet	EPA 300.0
98	feet	SM 2540 C
98	feet	In-Situ SmarTroll MP
98	feet	Keck Water Level Indicator - 200, 300, or 500 ft
98	feet	In-Situ SmarTroll MP
98	feet	In-Situ SmarTroll MP
98	feet	In-Situ SmarTroll MP
98	feet	In-Situ SmarTroll MP
150	feet	SM 2320B/2310B
150	feet	SM 3114C
150	feet	SM 3114C
150	feet	EPA 300.0
150	feet	SM 2540 C
150	feet	In-Situ SmarTroll MP
150	feet	Keck Water Level Indicator - 200, 300, or 500 ft
150	feet	In-Situ SmarTroll MP
150	feet	In-Situ SmarTroll MP
150	feet	In-Situ SmarTroll MP
150	feet	In-Situ SmarTroll MP
		SM 2320B/2310B
		SM 2340B
		SM 3114C
		SM 3114C
		EPA 300.0
		SM 2540 C
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		LaMotte 2020e Turbidimeter
		SM 2320B/2310B
		SM 2340B
		SM 3114C
		SM 3114C
		EPA 300.0
		SM 2540 C
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		LaMotte 2020e Turbidimeter
		SM 2320B/2310B
		SM 3114C
		SM 3114C
		EPA 300.0

SM 2540 C
In-Situ SmarTroll MP
Keck Water Level Indicator - 200, 300, or 500 ft
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter

SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
90 deg V Notch Weir, standard equation
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
12 inch Parshall Flume, standard equation

SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
Combination Weir, loc-specific equation
SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
Marsh-McBirney, 0.6 times depth
SM 2320B/2310B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
Keck Water Level Indicator - 200, 300, or 500 ft
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
SM 2320B/2310B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
Keck Water Level Indicator - 200, 300, or 500 ft
In-Situ SmarTroll MP
In-Situ SmarTroll MP

	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	LaMotte 2020e Turbidimeter
98 feet	SM 2320B/2310B
98 feet	SM 3114C
98 feet	SM 3114C
98 feet	EPA 300.0
98 feet	SM 2540 C
98 feet	YSI 556 Multiprobe
98 feet	Keck Water Level Indicator - 200, 300, or 500 ft
98 feet	In-Situ SmarTroll MP
98 feet	In-Situ SmarTroll MP
98 feet	In-Situ SmarTroll MP
98 feet	In-Situ SmarTroll MP
98 feet	LaMotte 2020e Turbidimeter
150 feet	SM 2320B/2310B
150 feet	SM 3114C
150 feet	SM 3114C
150 feet	EPA 300.0
150 feet	SM 2540 C
150 feet	YSI 556 Multiprobe
150 feet	Keck Water Level Indicator - 200, 300, or 500 ft
150 feet	In-Situ SmarTroll MP
150 feet	In-Situ SmarTroll MP
150 feet	In-Situ SmarTroll MP
150 feet	In-Situ SmarTroll MP
150 feet	LaMotte 2020e Turbidimeter
	SM 2320B/2310B
	SM 3114C
	SM 3114C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	Keck Water Level Indicator - 200, 300, or 500 ft
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	LaMotte 2020e Turbidimeter
	SM 2320B/2310B
	SM 2340B
	SM 3114C
	SM 3114C
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	YSI 556 Multiprobe

YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter

SM 2320B/2310B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter

YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
3 in Parshall Flume, standard equation
SM 2320B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
SM 2320B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
Marsh-McBirney, 0.6 times depth
SM 2320B
SM 2340B
SM 3114C

SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
3 in Parshall Flume, standard equation
SM 2320B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
90 deg V Notch Weir, standard equation
SM 2320B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
Marsh-McBirney, 0.6 times depth
SM 2320B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe

Hach 2100P Turbidity Meter
Marsh-McBirney, 0.6 times depth
SM 2320B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
12 inch Parshall Flume, standard equation
SM 2320B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
Combination Weir, loc-specific equation
SM 2320B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
Keck Water Level Indicator - 200, 300, or 500 ft
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
HF Scientific MicroTPW Turbidity Meter
SM 2320B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
Keck Water Level Indicator - 200, 300, or 500 ft

		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		HF Scientific MicroTPW Turbidity Meter
98	feet	SM 2320B
98	feet	SM 3114C
98	feet	SM 3114C
98	feet	EPA 300.0
98	feet	SM 2540 C
98	feet	YSI 556 Multiprobe
98	feet	Keck Water Level Indicator - 200, 300, or 500 ft
98	feet	YSI 556 Multiprobe
98	feet	YSI 556 Multiprobe
98	feet	YSI 556 Multiprobe
98	feet	YSI 556 Multiprobe
98	feet	HF Scientific MicroTPW Turbidity Meter
150	feet	SM 2320B
150	feet	SM 3114C
150	feet	SM 3114C
150	feet	EPA 300.0
150	feet	SM 2540 C
150	feet	YSI 556 Multiprobe
150	feet	Keck Water Level Indicator - 200, 300, or 500 ft
150	feet	YSI 556 Multiprobe
150	feet	YSI 556 Multiprobe
150	feet	YSI 556 Multiprobe
150	feet	YSI 556 Multiprobe
150	feet	HF Scientific MicroTPW Turbidity Meter
		SM 2320B
		SM 3114C
		SM 3114C
		EPA 300.0
		SM 2540 C
		YSI 556 Multiprobe
		Keck Water Level Indicator - 200, 300, or 500 ft
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		HF Scientific MicroTPW Turbidity Meter
		SM 2320B
		SM 2340B
		SM 3114C
		SM 3114C
		EPA 300.0
		SM 2540 C

In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
3 in Parshall Flume, standard equation
SM 2320B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
90 deg V Notch Weir, standard equation
SM 2320B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
12 inch Parshall Flume, standard equation
SM 2320B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
Combination Weir, loc-specific equation
SM 2320B

SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
SonTek Flow Tracker
SM 2320B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
2 inch Baski Cutthroat Flume
SM 2320B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
2 inch Baski Cutthroat Flume
SM 2320B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
Keck Water Level Indicator - 200, 300, or 500 ft
In-Situ SmarTroll MP
In-Situ SmarTroll MP

		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		SM 2320B
		SM 3114C
		SM 3114C
		EPA 300.0
		SM 2540 C
		In-Situ SmarTroll MP
		Keck Water Level Indicator - 200, 300, or 500 ft
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
98	feet	SM 2320B
98	feet	SM 3114C
98	feet	SM 3114C
98	feet	EPA 300.0
98	feet	SM 2540 C
98	feet	In-Situ SmarTroll MP
98	feet	Keck Water Level Indicator - 200, 300, or 500 ft
98	feet	In-Situ SmarTroll MP
98	feet	In-Situ SmarTroll MP
98	feet	In-Situ SmarTroll MP
98	feet	In-Situ SmarTroll MP
98	feet	LaMotte 2020e Turbidimeter
150	feet	SM 2320B
150	feet	SM 3114C
150	feet	SM 3114C
150	feet	EPA 300.0
150	feet	SM 2540 C
150	feet	In-Situ SmarTroll MP
150	feet	Keck Water Level Indicator - 200, 300, or 500 ft
150	feet	In-Situ SmarTroll MP
150	feet	In-Situ SmarTroll MP
150	feet	In-Situ SmarTroll MP
150	feet	In-Situ SmarTroll MP
		SM 2320B
		SM 3114C
		SM 3114C
		EPA 300.0
		SM 2540 C
		In-Situ SmarTroll MP
		Keck Water Level Indicator - 200, 300, or 500 ft
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP

		SM 2320B
		SM 2340B
		SM 3114C
		SM 3114C
		EPA 300.0
		SM 2540 C
		SM 2340B
		EPA 6020A
		EPA 6020A
		YSI PRO Multiprobe
		YSI PRO Multiprobe
		YSI PRO Multiprobe
		YSI PRO Multiprobe
		YSI PRO Multiprobe
		Hach 2100P Turbidity Meter
		Hach FH-950, 0.6 times depth, area-velocity method
		SM 2320B
		SM 3114C
		SM 3114C
		EPA 300.0
		SM 2540 C
		SM 2340B
		EPA 6020A
		EPA 6020A
		YSI PRO Multiprobe
		Keck Water Level Indicator (unknown length)
		YSI PRO Multiprobe
		YSI PRO Multiprobe
		YSI PRO Multiprobe
		YSI PRO Multiprobe
		Hach 2100P Turbidity Meter
		SM 2320B
		SM 3114C
		SM 3114C
		EPA 300.0
		SM 2540 C
		SM 2340B
		EPA 6020A
		EPA 6020A
		In-Situ SmarTroll MP
		Keck Water Level Indicator (unknown length)
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		LaMotte 2020e Turbidimeter
98	feet	SM 2320B

98	feet	SM 3114C
98	feet	SM 3114C
98	feet	EPA 300.0
98	feet	SM 2540 C
98	feet	SM 2340B
98	feet	EPA 6020A
98	feet	EPA 6020A
98	feet	In-Situ SmarTroll MP
98	feet	Keck Water Level Indicator (unknown length)
98	feet	In-Situ SmarTroll MP
98	feet	In-Situ SmarTroll MP
98	feet	In-Situ SmarTroll MP
98	feet	In-Situ SmarTroll MP
98	feet	LaMotte 2020e Turbidimeter
150	feet	SM 2320B
150	feet	SM 3114C
150	feet	SM 3114C
150	feet	EPA 300.0
150	feet	SM 2540 C
150	feet	SM 2340B
150	feet	EPA 6020A
150	feet	EPA 6020A
150	feet	In-Situ SmarTroll MP
150	feet	Keck Water Level Indicator (unknown length)
150	feet	In-Situ SmarTroll MP
150	feet	In-Situ SmarTroll MP
150	feet	In-Situ SmarTroll MP
150	feet	In-Situ SmarTroll MP
		SM 2320B
		SM 3114C
		SM 3114C
		EPA 300.0
		SM 2540 C
		SM 2340B
		EPA 6020A
		EPA 6020A
		YSI PRO Multiprobe
		Keck Water Level Indicator (unknown length)
		YSI PRO Multiprobe
		YSI PRO Multiprobe
		YSI PRO Multiprobe
		YSI PRO Multiprobe
		Hach 2100P Turbidity Meter
		SM 2320B
		SM 2340B
		SM 3114C
		SM 3114C

EPA 300.0
SM 2540 C
SM 2340B
EPA 6020A
EPA 6020A
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
Hach 2100P Turbidity Meter
90 deg V Notch Weir, standard equation

SM 2320B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
12 inch Parshall Flume, standard equation
SM 2320B
SM 2340B
SM 3114C
SM 3114C
EPA 300.0
SM 2540 C
SM 2340B
EPA 6020A
EPA 6020A
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
Combination weir, loc-specific equation
SM 2320B
SM 2340B
SM 3114C
SM 3114C

EPA 300.0
SM 2540 C
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
Hach 2100P Turbidity Meter
3 in Parshall Flume, standard equation
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
Marsh-McBirney, 0.6 times depth, area-velocity method
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
Keck Water Level Indicator
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
Keck Water Level Indicator - 200 ft
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe

Hach 2100P Turbidity Meter
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
3 in Parshall Flume, standard equation
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
90 deg V Notch Weir, standard equation
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter

SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe

	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	Hach 2100P Turbidity Meter
	SM 2320B
	SM 2340B
	EPA 6020A
	EPA 6020A
	EPA 300.0
	SM 2540 C
	In-Situ SmarTroll MP
	Keck Water Level Indicator
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	LaMotte 2020e Turbidimeter
98 feet	SM 2320B
98 feet	SM 2340B
98 feet	EPA 6020A
98 feet	EPA 6020A
98 feet	EPA 300.0
98 feet	SM 2540 C
98 feet	In-Situ SmarTroll MP
98 feet	Keck Water Level Indicator
98 feet	In-Situ SmarTroll MP
98 feet	In-Situ SmarTroll MP
98 feet	In-Situ SmarTroll MP
98 feet	In-Situ SmarTroll MP
98 feet	LaMotte 2020e Turbidimeter
150 feet	SM 2320B
150 feet	SM 2340B
150 feet	EPA 6020A
150 feet	EPA 6020A
150 feet	EPA 300.0
150 feet	SM 2540 C
150 feet	In-Situ SmarTroll MP
150 feet	In-Situ SmarTroll MP
150 feet	In-Situ SmarTroll MP
150 feet	In-Situ SmarTroll MP
150 feet	In-Situ SmarTroll MP
150 feet	LaMotte 2020e Turbidimeter
	SM 2320B
	SM 2340B
	EPA 6020A

EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
In-Situ SmarTroll MP
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
LaMotte 2020e Turbidimeter
12 inch Parshall Flume, standard equation
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
Combination Weir, loc-specific equation
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
2 inch Baski cutthroat Flume, table of values
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP

		LaMotte 2020e Turbidimeter
		Marsh-McBirney, 0.6 times depth, area-velocity method
		SM 2320B
		SM 2340B
		EPA 6020A
		EPA 6020A
		EPA 300.0
		SM 2540 C
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		LaMotte 2020e Turbidimeter
		Marsh-McBirney, 0.6 times depth, area-velocity method
		SM 2320B
		SM 2340B
		EPA 6020A
		EPA 6020A
		EPA 300.0
		SM 2540 C
		In-Situ SmarTroll MP
		Keck Water Level Indicator - 300 ft
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		YSI 556 Multiprobe
		In-Situ SmarTroll MP
		LaMotte 2020e Turbidimeter
		SM 2320B
		SM 2340B
		EPA 6020A
		EPA 6020A
		EPA 300.0
		SM 2540 C
		In-Situ SmarTroll MP
		Keck Water Level Indicator - 300 ft
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		LaMotte 2020e Turbidimeter
98	feet	SM 2320B
98	feet	SM 2340B
98	feet	EPA 6020A
98	feet	EPA 6020A
98	feet	EPA 300.0
98	feet	SM 2540 C

98	feet	In-Situ SmarTroll MP
98	feet	Keck Water Level Indicator - 300 ft
98	feet	In-Situ SmarTroll MP
98	feet	In-Situ SmarTroll MP
98	feet	In-Situ SmarTroll MP
98	feet	In-Situ SmarTroll MP
98	feet	LaMotte 2020e Turbidimeter
150	feet	SM 2320B
150	feet	SM 2340B
150	feet	EPA 6020A
150	feet	EPA 6020A
150	feet	EPA 300.0
150	feet	SM 2540 C
150	feet	In-Situ SmarTroll MP
150	feet	Keck Water Level Indicator - 300 ft
150	feet	In-Situ SmarTroll MP
150	feet	In-Situ SmarTroll MP
150	feet	In-Situ SmarTroll MP
150	feet	In-Situ SmarTroll MP
150	feet	LaMotte 2020e Turbidimeter
		SM 2320B
		SM 2340B
		EPA 6020A
		EPA 6020A
		EPA 300.0
		SM 2540 C
		In-Situ SmarTroll MP
		Keck Water Level Indicator - 300 ft
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		LaMotte 2020e Turbidimeter
		SM 2320B
		SM 2340B
		EPA 6020A
		EPA 6020A
		EPA 300.0
		SM 2540 C
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		YSI 556 Multiprobe
		LaMotte 2020e Turbidimeter
		Hach FH-950, 0.6 times depth, area-velocity method
		SM 2320B

SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
LaMotte 2020e Turbidimeter
3 in Parshall Flume, standard equation
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
LaMotte 2020e Turbidimeter
90 deg V Notch Weir, standard equation
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
LaMotte 2020e Turbidimeter

SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe

YSI 556 Multiprobe
YSI 556 Multiprobe
LaMotte 2020e Turbidimeter
Hach FH-950, 0.6 times depth, area-velocity method
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
LaMotte 2020e Turbidimeter
12 inch Parshall Flume, standard equation
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
LaMotte 2020e Turbidimeter
Combination Weir, loc-specific equation
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
Geotech Water Level Indicator - 1500 ft
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A

		EPA 300.0
		SM 2540 C
		In-Situ SmarTroll MP
		Geotech Water Level Indicator - 1500 ft
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		LaMotte 2020e Turbidimeter
98	feet	SM 2320B
98	feet	SM 2340B
98	feet	EPA 6020A
98	feet	EPA 6020A
98	feet	EPA 300.0
98	feet	SM 2540 C
98	feet	In-Situ SmarTroll MP
98	feet	Geotech Water Level Indicator - 1500 ft
98	feet	In-Situ SmarTroll MP
98	feet	In-Situ SmarTroll MP
98	feet	In-Situ SmarTroll MP
98	feet	In-Situ SmarTroll MP
98	feet	LaMotte 2020e Turbidimeter
150	feet	SM 2320B
150	feet	SM 2340B
150	feet	EPA 6020A
150	feet	EPA 6020A
150	feet	EPA 300.0
150	feet	SM 2540 C
150	feet	In-Situ SmarTroll MP
150	feet	Geotech Water Level Indicator - 1500 ft
150	feet	In-Situ SmarTroll MP
150	feet	In-Situ SmarTroll MP
150	feet	In-Situ SmarTroll MP
150	feet	In-Situ SmarTroll MP
150	feet	LaMotte 2020e Turbidimeter
		SM 2320B
		SM 2340B
		EPA 6020A
		EPA 6020A
		EPA 300.0
		SM 2540 C
		In-Situ SmarTroll MP
		Geotech Water Level Indicator - 1500 ft
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP

LaMotte 2020e Turbidimeter
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
Hach FH-950, 0.6 times depth, area-velocity method
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
Keck Water Level Indicator - 500 ft
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter

SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe

YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
90 deg V Notch Weir, standard equation
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter

SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
Hach FH-950, 0.6 times depth, area-velocity method
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
12 inch Parshall Flume, standard equation
SM 2320B
SM 2340B

	EPA 6020A
	EPA 6020A
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	Hach 2100P Turbidity Meter
	SM 2320B
	SM 2340B
	EPA 6020A
	EPA 6020A
	EPA 300.0
	SM 2540 C
	In-Situ SmarTroll MP
	Keck Water Level Indicator - 500 ft
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	LaMotte 2020e Turbidimeter
	SM 2320B
	SM 2340B
	EPA 6020A
	EPA 6020A
	EPA 300.0
	SM 2540 C
	In-Situ SmarTroll MP
	Keck Water Level Indicator - 500 ft
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	LaMotte 2020e Turbidimeter
150 feet	SM 2320B
150 feet	SM 2340B
150 feet	EPA 6020A
150 feet	EPA 6020A
150 feet	EPA 300.0
150 feet	SM 2540 C
150 feet	In-Situ SmarTroll MP
150 feet	Keck Water Level Indicator - 500 ft
150 feet	In-Situ SmarTroll MP
150 feet	In-Situ SmarTroll MP

150 feet	In-Situ SmarTroll MP
150 feet	In-Situ SmarTroll MP
150 feet	LaMotte 2020e Turbidimeter
98 feet	SM 2320B
98 feet	SM 2340B
98 feet	EPA 6020A
98 feet	EPA 6020A
98 feet	EPA 300.0
98 feet	SM 2540 C
98 feet	In-Situ SmarTroll MP
98 feet	Keck Water Level Indicator - 500 ft
98 feet	In-Situ SmarTroll MP
98 feet	In-Situ SmarTroll MP
98 feet	In-Situ SmarTroll MP
98 feet	In-Situ SmarTroll MP
98 feet	LaMotte 2020e Turbidimeter
	SM 2320B
	SM 2340B
	EPA 6020A
	EPA 6020A
	EPA 300.0
	SM 2540 C
	In-Situ SmarTroll MP
	In-Situ Level Troll 500
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	LaMotte 2020e Turbidimeter
	SM 2320B
	SM 2340B
	EPA 6020A
	EPA 6020A
	EPA 300.0
	SM 2540 C
	In-Situ SmarTroll MP
	Keck Water Level Indicator - 200, 300, or 500 ft
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	LaMotte 2020e Turbidimeter
150 feet	SM 2320B
150 feet	SM 2340B
150 feet	EPA 6020A
150 feet	EPA 6020A
150 feet	EPA 300.0

150	feet	SM 2540 C
150	feet	In-Situ SmarTroll MP
150	feet	Keck Water Level Indicator - 200, 300, or 500 ft
150	feet	In-Situ SmarTroll MP
150	feet	In-Situ SmarTroll MP
150	feet	In-Situ SmarTroll MP
150	feet	In-Situ SmarTroll MP
150	feet	LaMotte 2020e Turbidimeter
98	feet	SM 2320B
98	feet	SM 2340B
98	feet	EPA 6020A
98	feet	EPA 6020A
98	feet	EPA 300.0
98	feet	SM 2540 C
98	feet	In-Situ SmarTroll MP
98	feet	Keck Water Level Indicator - 200, 300, or 500 ft
98	feet	In-Situ SmarTroll MP
98	feet	In-Situ SmarTroll MP
98	feet	In-Situ SmarTroll MP
98	feet	In-Situ SmarTroll MP
98	feet	LaMotte 2020e Turbidimeter
		SM 2320B
		SM 2340B
		EPA 6020A
		EPA 6020A
		EPA 300.0
		SM 2540 C
		In-Situ SmarTroll MP
		Keck Water Level Indicator - 200, 300, or 500 ft
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		LaMotte 2020e Turbidimeter
		SM 2320B
		SM 2340B
		EPA 6020A
		EPA 6020A
		EPA 300.0
		SM 2540 C
		YSI PRO Multiprobe
		YSI PRO Multiprobe
		YSI PRO Multiprobe
		YSI PRO Multiprobe
		YSI PRO Multiprobe
		Hach 2100P Turbidity Meter
		Hach FH-950, 0.6 times depth, area-velocity method

SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
Hach 2100P Turbidity Meter

SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
Hach 2100P Turbidity Meter
90 deg V Notch Weir, standard equation
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
Hach 2100P Turbidity Meter

SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI PRO Multiprobe
YSI PRO Multiprobe

YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
Hach 2100P Turbidity Meter
Hach FH-950, 0.6 times depth, area-velocity method
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
Hach 2100P Turbidity Meter
12 inch Parshall Flume, standard equation
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
Hach 2100P Turbidity Meter
Combination Weir, loc-specific equation
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
Hach FH-950, 0.6 times depth, area-velocity method
SM 2320B
SM 2340B
EPA 6020A

EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
3 in Parshall Flume, standard equation
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter

SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
Hach FH-950, 0.6 times depth, area-velocity method
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
In-Situ Level Troll 500
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP

	In-Situ SmarTroll MP
	LaMotte 2020e Turbidimeter
	SM 2320B
	SM 2340B
	EPA 6020A
	EPA 6020A
	EPA 300.0
	SM 2540 C
	In-Situ SmarTroll MP
	Keck Water Level Indicator - 200, 300, or 500 ft
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	LaMotte 2020e Turbidimeter
150 feet	SM 2320B
150 feet	SM 2340B
150 feet	EPA 6020A
150 feet	EPA 6020A
150 feet	EPA 300.0
150 feet	SM 2540 C
150 feet	In-Situ SmarTroll MP
150 feet	Keck Water Level Indicator - 200, 300, or 500 ft
150 feet	In-Situ SmarTroll MP
150 feet	In-Situ SmarTroll MP
150 feet	In-Situ SmarTroll MP
150 feet	In-Situ SmarTroll MP
150 feet	LaMotte 2020e Turbidimeter
98 feet	SM 2320B
98 feet	SM 2340B
98 feet	EPA 6020A
98 feet	EPA 6020A
98 feet	EPA 300.0
98 feet	SM 2540 C
98 feet	In-Situ SmarTroll MP
98 feet	Keck Water Level Indicator - 200, 300, or 500 ft
98 feet	In-Situ SmarTroll MP
98 feet	In-Situ SmarTroll MP
98 feet	In-Situ SmarTroll MP
98 feet	In-Situ SmarTroll MP
98 feet	LaMotte 2020e Turbidimeter
	SM 2320B
	SM 2340B
	EPA 6020A
	EPA 6020A
	EPA 300.0
	SM 2540 C

In-Situ SmarTroll MP
In-Situ Level Troll 500
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
3 in Parshall Flume, standard equation
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
90 deg V Notch Weir, standard equation
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
12 inch Parshall Flume, standard equation
SM 2320B

SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
Combination weir, loc-specific equation
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
Hach FH-950, 0.6 times depth, area-velocity method
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter

SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe

	YSI 556 Multiprobe
	YSI 556 Multiprobe
	Hach 2100P Turbidity Meter
	Hach FH-950, 0.6 times depth, area-velocity method
	SM 2320B
	SM 2340B
	EPA 6020A
	EPA 6020A
	EPA 300.0
	SM 2540 C
	In-Situ SmarTroll MP
	Keck Water Level Indicator - 200, 300, or 500 ft
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	LaMotte 2020e Turbidimeter
150 feet	SM 2320B
150 feet	SM 2340B
150 feet	EPA 6020A
150 feet	EPA 6020A
150 feet	EPA 300.0
150 feet	SM 2540 C
150 feet	In-Situ SmarTroll MP
150 feet	Keck Water Level Indicator - 200, 300, or 500 ft
150 feet	In-Situ SmarTroll MP
150 feet	In-Situ SmarTroll MP
150 feet	In-Situ SmarTroll MP
150 feet	In-Situ SmarTroll MP
150 feet	LaMotte 2020e Turbidimeter
98 feet	SM 2320B
98 feet	SM 2340B
98 feet	EPA 6020A
98 feet	EPA 6020A
98 feet	EPA 300.0
98 feet	SM 2540 C
98 feet	In-Situ SmarTroll MP
98 feet	Keck Water Level Indicator - 200, 300, or 500 ft
98 feet	In-Situ SmarTroll MP
98 feet	In-Situ SmarTroll MP
98 feet	In-Situ SmarTroll MP
98 feet	In-Situ SmarTroll MP
98 feet	LaMotte 2020e Turbidimeter
	SM 2320B
	SM 2340B
	EPA 6020A
	EPA 6020A

EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
Keck Water Level Indicator - 200, 300, or 500 ft
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
Keck Water Level Indicator - 200, 300, or 500 ft
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
Hach 2100P Turbidity Meter
Permanent 3 inch Parshall Flume
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
Hach 2100P Turbidity Meter

90 deg V Notch Weir, standard equation
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
Hach 2100P Turbidity Meter
Hach FH-950, 0.6 times depth, area-velocity method
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
Hach 2100P Turbidity Meter
Hach FH-950, 0.6 times depth, area-velocity method
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
Hach 2100P Turbidity Meter
12 in Parshall Flume, standard equation
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP

In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
Hach 2100P Turbidity Meter
Combination Weir, loc-specific equation
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
Hach 2100P Turbidity Meter
Hach FH-950, 0.6 times depth, area-velocity method
SM 2320B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
Keck Water Level Indicator - 1500 ft
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
SM 2320B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
Keck Water Level Indicator - 1500 ft
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
SM 2320B
EPA 6020A
EPA 6020A
EPA 300.0

	SM 2540 C
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	LaMotte 2020e Turbidimeter
150 feet	SM 2320B
150 feet	EPA 6020A
150 feet	EPA 6020A
150 feet	EPA 300.0
150 feet	SM 2540 C
150 feet	In-Situ SmarTroll MP
150 feet	Keck Water Level Indicator - 1500 ft
150 feet	In-Situ SmarTroll MP
150 feet	In-Situ SmarTroll MP
150 feet	In-Situ SmarTroll MP
150 feet	In-Situ SmarTroll MP
150 feet	LaMotte 2020e Turbidimeter
98 feet	SM 2320B
98 feet	EPA 6020A
98 feet	EPA 6020A
98 feet	EPA 300.0
98 feet	SM 2540 C
98 feet	In-Situ SmarTroll MP
98 feet	Keck Water Level Indicator - 1500 ft
98 feet	In-Situ SmarTroll MP
98 feet	In-Situ SmarTroll MP
98 feet	In-Situ SmarTroll MP
98 feet	In-Situ SmarTroll MP
98 feet	LaMotte 2020e Turbidimeter
	SM 2320B
	SM 2340B
	EPA 6020A
	EPA 6020A
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	Hanna HI 98703
	3 in Parshall Flume, standard equation
	SM 2320B
	SM 2340B
	EPA 6020A

	EPA 6020A
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	Hanna HI 98703
	Hach FH-950, 0.6 times depth, area-velocity method
150 feet	SM 2320B
150 feet	EPA 6020A
150 feet	EPA 6020A
150 feet	EPA 300.0
150 feet	SM 2540 C
150 feet	In-Situ SmarTroll MP
150 feet	Keck Water Level Indicator - 1500 ft
150 feet	In-Situ SmarTroll MP
150 feet	In-Situ SmarTroll MP
150 feet	In-Situ SmarTroll MP
150 feet	In-Situ SmarTroll MP
150 feet	LaMotte 2020e Turbidimeter
98 feet	SM 2320B
98 feet	EPA 6020A
98 feet	EPA 6020A
98 feet	EPA 300.0
98 feet	SM 2540 C
98 feet	In-Situ SmarTroll MP
98 feet	Keck Water Level Indicator - 1500 ft
98 feet	In-Situ SmarTroll MP
98 feet	In-Situ SmarTroll MP
98 feet	In-Situ SmarTroll MP
98 feet	In-Situ SmarTroll MP
98 feet	LaMotte 2020e Turbidimeter
	SM 2320B
	SM 2340B
	EPA 6020A
	EPA 6020A
	EPA 300.0
	SM 2540 C
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	YSI 556 Multiprobe
	Hach 2100P Turbidity Meter
	3 in Parshall Flume, standard equation

SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
90 deg V Notch Weir, standard equation
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter

SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
Hach FH-950, 0.6 times depth, area-velocity method
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe

YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
12 in Parshall Flume, standard equation
SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter

SM 2320B
SM 2340B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
YSI 556 Multiprobe
Hach 2100P Turbidity Meter
Hach FH-950, 0.6 times depth, area-velocity method
SM 2320B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
Keck Water Level Indicator - 1500 ft
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
SM 2320B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C

In-Situ SmarTroll MP
Keck Water Level Indicator - 1500 ft
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
SM 2320B
EPA 6020A
EPA 6020A
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
Keck Water Level Indicator - 1500 ft
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
SM 2320 B
SM 2340 B
EPA 6020B
EPA 6020B
EPA 300.0
SM 2540 C
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
Hach 2100P Turbidity Meter
Permanent 12 inch Parshall Flume
SM 2320 B
SM 2340 B
EPA 6020B
EPA 6020B
EPA 300.0
SM 2540 C
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
Hach 2100P Turbidity Meter
Permanent Combination Weir
SM 2320 B
EPA 6020B

		EPA 6020B
		EPA 300.0
		SM 2540 C
		In-Situ SmarTroll MP
		In-Situ Water Level Indicator - 150 ft
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		LaMotte 2020e Turbidimeter
		SM 2320 B
		EPA 6020B
		EPA 6020B
		EPA 300.0
		SM 2540 C
		In-Situ SmarTroll MP
		Keck Water Level Indicator - 1500 ft
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		LaMotte 2020e Turbidimeter
150	feet	SM 2320 B
150	feet	EPA 6020B
150	feet	EPA 6020B
150	feet	EPA 300.0
150	feet	SM 2540 C
150	feet	In-Situ SmarTroll MP
150	feet	In-Situ Water Level Indicator - 150 ft
150	feet	In-Situ SmarTroll MP
150	feet	In-Situ SmarTroll MP
150	feet	In-Situ SmarTroll MP
150	feet	In-Situ SmarTroll MP
150	feet	LaMotte 2020e Turbidimeter
98	feet	SM 2320 B
98	feet	EPA 6020B
98	feet	EPA 6020B
98	feet	EPA 300.0
98	feet	SM 2540 C
98	feet	In-Situ SmarTroll MP
98	feet	In-Situ Water Level Indicator - 150 ft
98	feet	In-Situ SmarTroll MP
98	feet	In-Situ SmarTroll MP
98	feet	In-Situ SmarTroll MP
98	feet	In-Situ SmarTroll MP
98	feet	LaMotte 2020e Turbidimeter
		SM 2320 B

EPA 6020B
EPA 6020B
EPA 300.0
SM 2540 C
In-Situ SmarTroll MP
In-Situ Water Level Indicator - 150 ft
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
In-Situ SmarTroll MP
LaMotte 2020e Turbidimeter
SM 2320 B
SM 2340 B
EPA 6020B
EPA 6020B
EPA 300.0
SM 2540 C
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
Hach 2100P Turbidity Meter
SonTek Flow Tracker, area-velocity method
SM 2320 B
SM 2340 B
EPA 6020B
EPA 6020B
EPA 300.0
SM 2540 C
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
Hach 2100P Turbidity Meter
3 in Parshall Flume, standard equation
SM 2320 B
SM 2340 B
EPA 6020B
EPA 6020B
EPA 300.0
SM 2540 C
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe

YSI PRO Multiprobe
Hach 2100P Turbidity Meter
90 deg V Notch Weir, standard equation
SM 2320 B
SM 2340 B
EPA 6020B
EPA 6020B
EPA 300.0
SM 2540 C
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
Hach 2100P Turbidity Meter
SonTek Flow Tracker, area-velocity method
SM 2320 B
SM 2340 B
EPA 6020B
EPA 6020B
EPA 300.0
SM 2540 C
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
Hach 2100P Turbidity Meter
SonTek Flow Tracker, area-velocity method
Calculation
7742
Calculation
7742
Calculation
7742
Calculation
7742
Calculation
7742
Calculation
7742
SM 2320 B
SM 2340B
EPA 6020B
EPA 6020B
EPA 300.0
SM 2540 C

YSI ProDSS
YSI ProDSS
YSI ProDSS
YSI ProDSS
YSI ProDSS
YSI ProDSS
SonTek Flow Tracker, area-velocity method
SM 2320 B
SM 2340 B
EPA 6020B
EPA 6020B
EPA 300.0
SM 2540 C
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
Geotech Turbidity Meter
3 in Parshall Flume, standard equation
SM 2320 B
SM 2340 B
EPA 6020B
EPA 6020B
EPA 300.0
SM 2540 C
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
Geotech Turbidity Meter
SM 2320 B
SM 2340 B
EPA 6020B
EPA 6020B
EPA 300.0
SM 2540 C
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
Geotech Turbidity Meter

SM 2320 B
SM 2340 B

EPA 6020B
EPA 6020B
EPA 300.0
SM 2540 C
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
Geotech Turbidity Meter
SonTek Flow Tracker, area-velocity method
SM 2320 B
SM 2340 B
EPA 6020B
EPA 6020B
EPA 300.0
SM 2540 C
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
Geotech Turbidity Meter
12 inch Parshall Flume, standard equation
SM 2320 B
SM 2340 B
EPA 6020B
EPA 6020B
EPA 300.0
SM 2540 C
YSI ProDSS
YSI ProDSS
YSI ProDSS
YSI ProDSS
YSI ProDSS
Geotech Turbidity Meter
Combination weir, loc-specific equation
SM 2320 B
SM 2340 B
EPA 6020B
EPA 6020B
EPA 300.0
SM 2540 C
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe
YSI PRO Multiprobe

	YSI PRO Multiprobe
	Geotech Turbidity Meter
	SonTek Flow Tracker, area-velocity method
	90 deg V Notch Weir, standard equation
	SM 2320 B
	EPA 6020B
	EPA 6020B
	EPA 300.0
	SM 2540 C
	In-Situ SmarTroll MP
	Keck Water Level Indicator - 1500 ft
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	LaMotte 2020e Turbidimeter
	SM 2320 B
	EPA 6020B
	EPA 6020B
	EPA 300.0
	SM 2540 C
	In-Situ SmarTroll MP
	Keck Water Level Indicator - 1500 ft
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	LaMotte 2020e Turbidimeter
150 feet	SM 2320 B
150 feet	EPA 6020B
150 feet	EPA 6020B
150 feet	EPA 300.0
150 feet	SM 2540 C
150 feet	In-Situ SmarTroll MP
150 feet	Keck Water Level Indicator - 1500 ft
150 feet	In-Situ SmarTroll MP
150 feet	In-Situ SmarTroll MP
150 feet	In-Situ SmarTroll MP
150 feet	In-Situ SmarTroll MP
150 feet	LaMotte 2020e Turbidimeter
98 feet	SM 2320 B
98 feet	EPA 6020B
98 feet	EPA 6020B
98 feet	EPA 300.0
98 feet	SM 2540 C
98 feet	In-Situ SmarTroll MP
98 feet	Keck Water Level Indicator - 1500 ft

98	feet	In-Situ SmarTroll MP
98	feet	In-Situ SmarTroll MP
98	feet	In-Situ SmarTroll MP
98	feet	In-Situ SmarTroll MP
98	feet	LaMotte 2020e Turbidimeter
		SM 2320 B
		EPA 6020B
		EPA 6020B
		EPA 300.0
		SM 2540 C
		In-Situ SmarTroll MP
		Keck Water Level Indicator - 1500 ft
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		LaMotte 2020e Turbidimeter
		SM 2320 B
		SM 2340 B
		EPA 6020B
		EPA 6020B
		EPA 300.0
		SM 2540 C
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		3 in Parshall Flume, standard equation
		SM 2320 B
		SM 2340 B
		EPA 6020B
		EPA 6020B
		EPA 300.0
		SM 2540 C
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		90 deg V Notch Weir, standard equation
		SM 2320 B
		SM 2340 B
		EPA 6020B

		EPA 6020B
		EPA 300.0
		SM 2540 C
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		SonTek FlowTracker2, area-velocity method
		SM 2320 B
		SM 2340 B
		EPA 6020B
		EPA 6020B
		EPA 300.0
		SM 2540 C
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		SonTek FlowTracker2, area-velocity method
		SM 2320 B
		SM 2340 B
		EPA 6020B
		EPA 6020B
		EPA 300.0
		SM 2540 C
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		12 in Parshall Flume, standard equation
		SM 2320 B
		SM 2340 B
		EPA 6020B
		EPA 6020B
		EPA 300.0
		SM 2540 C
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS

		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		Combination Weir, loc-specific equation
		SM 2320 B
		EPA 6020B
		EPA 6020B
		EPA 300.0
		SM 2540 C
		Geotech Water Level Indicator - 1000 ft
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		SM 2320 B
		EPA 6020B
		EPA 6020B
		EPA 300.0
		SM 2540 C
		Geotech Water Level Indicator - 1000 ft
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
150	Feet	SM 2320 B
150	Feet	EPA 6020B
150	Feet	EPA 6020B
150	Feet	EPA 300.0
150	Feet	SM 2540 C
150	Feet	Geotech Water Level Indicator - 1000 ft
150	Feet	In-Situ SmarTroll MP
150	Feet	In-Situ SmarTroll MP
150	Feet	In-Situ SmarTroll MP
150	Feet	In-Situ SmarTroll MP
150	Feet	In-Situ SmarTroll MP
150	Feet	In-Situ SmarTroll MP
98	Feet	SM 2320 B
98	Feet	EPA 6020B
98	Feet	EPA 6020B
98	Feet	EPA 300.0
98	Feet	SM 2540 C

98	Feet	Geotech Water Level Indicator - 1000 ft
98	Feet	In-Situ SmarTroll MP
98	Feet	In-Situ SmarTroll MP
98	Feet	In-Situ SmarTroll MP
98	Feet	In-Situ SmarTroll MP
98	Feet	In-Situ SmarTroll MP
98	Feet	In-Situ SmarTroll MP
		SM 2320 B
		EPA 6020B
		EPA 6020B
		EPA 300.0
		SM 2540 C
		Geotech Water Level Indicator - 1000 ft
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		SM 2320 B
		SM 2340 B
		EPA 6020B
		EPA 6020B
		EPA 300.0
		SM 2540 C
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		SonTek FlowTracker2, area-velocity method
		SM 2320 B
		SM 2340B
		EPA 6020B
		EPA 6020B
		EPA 300.0
		SM 2540 C
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		SonTek FlowTracker2, area-velocity method

		SM 2320 B
		EPA 6020B
		EPA 6020B
		EPA 300.0
		SM 2540 C
		In-Situ Water Level Indicator
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		Hach 2100P OR Hach 2100Q Turbidity Meter
		SM 2320 B
		EPA 6020B
		EPA 6020B
		EPA 300.0
		SM 2540 C
		Geotech Water Level Indicator - 1500 ft
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		In-Situ SmarTroll MP
		Hach 2100P OR Hach 2100Q Turbidity Meter
150	feet	SM 2320 B
150	feet	EPA 6020B
150	feet	EPA 6020B
150	feet	EPA 300.0
150	feet	SM 2540 C
150	feet	In-Situ Water Level Indicator
150	feet	In-Situ SmarTroll MP
150	feet	In-Situ SmarTroll MP
150	feet	In-Situ SmarTroll MP
150	feet	In-Situ SmarTroll MP
150	feet	In-Situ SmarTroll MP
150	feet	Hach 2100P OR Hach 2100Q Turbidity Meter
98	feet	SM 2320 B
98	feet	EPA 6020B
98	feet	EPA 6020B
98	feet	EPA 300.0
98	feet	SM 2540 C
98	feet	In-Situ Water Level Indicator
98	feet	In-Situ SmarTroll MP
98	feet	In-Situ SmarTroll MP
98	feet	In-Situ SmarTroll MP

98	feet	In-Situ SmarTroll MP
98	feet	In-Situ SmarTroll MP
98	feet	Hach 2100P OR Hach 2100Q Turbidity Meter
		SM 2320 B
		SM 2340 B
		EPA 6020B
		EPA 6020B
		EPA 300.0
		SM 2540 C
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		3 in Parshall Flume, standard equation
		SM 2320 B
		SM 2340 B
		EPA 6020B
		EPA 6020B
		EPA 300.0
		SM 2540 C
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		90 deg V Notch Weir, standard equation
		SM 2320 B
		SM 2340 B
		EPA 6020B
		EPA 6020B
		EPA 300.0
		SM 2540 C
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		YSI ProDSS
		12 in Parshall Flume, standard equation
		SM 2320 B
		SM 2340 B
		EPA 6020B

	EPA 6020B
	EPA 300.0
	SM 2540 C
	YSI ProDSS
	YSI ProDSS
	YSI ProDSS
	YSI ProDSS
	YSI ProDSS
	YSI ProDSS
	Combination Weir, loc-specific equation
	SM 2320 B
	EPA 6020B
	EPA 6020B
	EPA 300.0
	SM 2540 C
	In-Situ Water Level Indicator
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	In-Situ SmarTroll MP
	Hach 2100P OR Hach 2100Q Turbidity Meter
	SM 2320 B
	SM 2340 B
	EPA 6020B
	EPA 6020B
	EPA 300.0
	SM 2540 C
	YSI ProDSS
	YSI ProDSS
	YSI ProDSS
	YSI ProDSS
	YSI ProDSS
	YSI ProDSS
	SonTek FlowTracker2, area-velocity method
	SM 2320 B
	SM 2340 B
	EPA 6020B
	EPA 6020B
	EPA 300.0
	SM 2540 C
	YSI ProDSS
	YSI ProDSS
	YSI ProDSS
	YSI ProDSS

	YSI ProDSS
	YSI ProDSS
	SM 2320 B
	SM 2340 B
	EPA 6020B
	EPA 6020B
	EPA 300.0
	SM 2540 C
	YSI ProDSS
	YSI ProDSS
	YSI ProDSS
	YSI ProDSS
	YSI ProDSS
	YSI ProDSS

StandardAnalyte	StandardResult	StandardUnit	StandardDetLimit	LimitType
Moisture Content	56.76309617	%		
Selenium	3.77	mg/kg	0.05	MDL
Moisture Content	57.05186533	%		
Selenium	2.77	mg/kg	0.05	MDL
Moisture Content	53.07612096	%		
Selenium	11.1	mg/kg	0.05	MDL
Moisture Content	57.14285714	%		
Selenium	7.85	mg/kg	0.05	MDL
Moisture Content	57.9004329	%		
Moisture Content	66.47311285	%		
Selenium	7.84	mg/kg	0.05	MDL
Moisture Content	59.70149254	%		
Selenium	2.52	mg/kg	0.05	MDL
Moisture Content	50.54811206	%		
Selenium	30	mg/kg	0.05	MDL
Moisture Content	58.42824601	%		
Moisture Content	67.38754325	%		
Moisture Content	52.02492212	%		
Moisture Content	48.9059081	%		
Moisture Content	55.36349771	%		
Moisture Content	33.72093023	%		
Moisture Content	43.23725055	%		
Moisture Content	47.30769231	%		
Selenium	145	mg/kg	0.05	MDL
Selenium	74.8	mg/kg	0.05	MDL
Selenium	29.8	mg/kg	0.05	MDL
Selenium	17.7	mg/kg	0.05	MDL
Selenium	61	mg/kg	0.05	MDL
Moisture Content	53.17589577	%		
Moisture Content	41.87697161	%		
Moisture Content	40.15518914	%		
Moisture Content	36.76880223	%		
Selenium	28.3	mg/kg	0.05	MDL
Selenium	1.6	mg/kg	0.05	MDL
Selenium	1.96	mg/kg	0.05	MDL
Moisture Content	34.54861111	%		
Moisture Content	29.05718702	%		
Moisture Content	37.65786452	%		
Selenium	1.1	mg/kg	0.05	MDL
Selenium	4.33	mg/kg	0.05	MDL
Moisture Content	62.67748479	%		
Selenium	8.74	mg/kg	0.05	MDL
Moisture Content	48.19004525	%		
Selenium	3.97	mg/kg	0.05	MDL
Moisture Content	61.06408706	%		
Selenium	7.13	mg/kg	0.05	MDL

Moisture Content	58.33333333	%		
Moisture Content	58.24915825	%		
Selenium	7.5	mg/kg	0.05	MDL
Moisture Content	52.63724435	%		
Selenium	3.93	mg/kg	0.05	MDL
Alkalinity, as CaCO3	232	mg/L	0.42	MDL
Hardness, as CaCO3	524	mg/L	0.042	MDL
Selenium, Dissolved	1.27	mg/L	0.02	MDL
Selenium, Total	1.33	mg/L	0.02	MDL
Sulfate	287	mg/L	1.75	MDL
TDS	670	mg/L	5.7	MDL
Flow	4.492	cfs		
Oxygen, Dissolved	7.8	mg/L		
pH	7.56	SU		
Temperature	5.8	C		
Turbidity	93.9	NTU		
Alkalinity, as CaCO3	270	mg/L	0.42	MDL
Selenium, Dissolved	1.19	mg/L	0.02	MDL
Selenium, Total	1.19	mg/L	0.02	MDL
Sulfate	315	mg/L	1.75	MDL
TDS	703	mg/L	5.7	MDL
Alkalinity, as CaCO3	223	mg/L	0.42	MDL
Selenium, Dissolved	0.722	mg/L	0.02	MDL
Selenium, Total	0.712	mg/L	0.02	MDL
Sulfate	230	mg/L	1.75	MDL
TDS	514	mg/L	5.7	MDL
Alkalinity, as CaCO3	295	mg/L	0.42	MDL
Hardness, as CaCO3	561	mg/L	0.0002	MDL
Selenium, Dissolved	0.926	mg/L	0.02	MDL
Selenium, Total	0.94	mg/L	0.02	MDL
Sulfate	292	mg/L	0.7	MDL
TDS	471	mg/L	0.1	MDL
TDS	705	mg/L	4.4	MDL
Flow	0.004	cfs		
Oxygen, Dissolved	8.9	mg/L		
pH	7.71	SU		
Temperature	11.1	C		
Turbidity	0.73	NTU		
Alkalinity, as CaCO3	187	mg/L	0.42	MDL
Hardness, as CaCO3	180	mg/L	0.0002	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.00025	mg/L	0.0002	MDL
Sulfate	16.3	mg/L	0.07	MDL
TDS	192	mg/L	4.4	MDL
TDS	130	mg/L	0.1	MDL
Flow	0.16	cfs		
Oxygen, Dissolved	9.8	mg/L		

pH	7.07	SU		
Temperature	6.2	C		
Turbidity	2.65	NTU		
Alkalinity, as CaCO3	249	mg/L	0.42	MDL
Selenium, Dissolved	0.734	mg/L	0.04	MDL
Selenium, Total	0.742	mg/L	0.04	MDL
Sulfate	214	mg/L	0.7	MDL
TDS	583	mg/L	4.4	MDL
Alkalinity, as CaCO3	264	mg/L	0.42	MDL
Selenium, Dissolved	1.38	mg/L	0.04	MDL
Selenium, Total	1.89	mg/L	0.04	MDL
Sulfate	512	mg/L	1.75	MDL
TDS	1023	mg/L	4.4	MDL
Flow	4.442285	cfs		
Flow	3.78552	cfs		
pH	7.66	SU	0.01	MDL
Selenium, Dissolved	1.43	mg/L	0.04	MDL
Selenium, Total	1.48	mg/L	0.04	MDL
Sulfate	273	mg/L	0.93	MDL
TDS	638	mg/L	4.4	MDL
pH	7.78	SU	0.01	MDL
Selenium, Dissolved	0.044	mg/L	0.001	MDL
Selenium, Total	0.0461	mg/L	0.001	MDL
Sulfate	19.5	mg/L	0.037	MDL
TDS	191	mg/L	4.4	MDL
pH	7.52	SU	0.01	MDL
Selenium, Dissolved	0.7	mg/L	0.02	MDL
Selenium, Total	0.822	mg/L	0.02	MDL
Sulfate	261	mg/L	0.37	MDL
TDS	603	mg/L	4.4	MDL
Alkalinity, as CaCO3	208	mg/L	0.3	MDL
Hardness, as CaCO3	414	mg/L	0.06	MDL
pH	8	SU	0.01	MDL
Selenium, Dissolved	0.928	mg/L	0.04	MDL
Selenium, Total	0.936	mg/L	0.04	MDL
Sulfate	226	mg/L	0.37	MDL
TDS	537	mg/L	4.4	MDL
Flow	4.969	cfs		
Oxygen, Dissolved	9.5	mg/L		
pH	7.51	SU		
Temperature	6.5	C		
Turbidity	46.4	NTU		
pH	7.32	SU	0.01	MDL
Selenium, Total	0.992	mg/L	0.04	MDL
Sulfate	232	mg/L	0.37	MDL
TDS	543	mg/L	4.4	MDL
Flow	8.384	cfs		

Oxygen, Dissolved	8.7	mg/L		
pH	7.26	SU		
Temperature	6.1	C		
Turbidity	35.5	NTU		
Oxygen, Dissolved	7.8	mg/L		
pH	8.35	SU		
Temperature	15.6	C		
Turbidity	20	NTU		
pH	8.34	SU	0.01	MDL
Selenium, Total	0.0336	mg/L	0.001	MDL
Sulfate	29.5	mg/L	0.037	MDL
TDS	228	mg/L	4.4	MDL
Alkalinity, as CaCO3	171	mg/L	0.3	MDL
Hardness, as CaCO3	165	mg/L	0.06	MDL
pH	8.35	SU	0.01	MDL
Selenium, Dissolved	0.00035	mg/L	0.0002	MDL
Selenium, Total	0.0004	mg/L	0.0002	MDL
Sulfate	9.75	mg/L	0.037	MDL
TDS	179	mg/L	4.4	MDL
Oxygen, Dissolved	9.5	mg/L		
pH	8.39	SU		
Temperature	7.5	C		
Turbidity	12.8	NTU		
pH	8.52	SU	0.01	MDL
Selenium, Total	0.00081	mg/L	0.0002	MDL
Sulfate	9.7	mg/L	0.037	MDL
TDS	178	mg/L	4.4	MDL
Selenium, Dissolved	0.628	mg/L	0.02	MDL
Selenium, Total	0.682	mg/L	0.02	MDL
Selenium, Dissolved	0.0087	mg/L	0.0002	MDL
Selenium, Total	0.0089	mg/L	0.0002	MDL
pH	7.75	SU	0.01	MDL
Selenium, Dissolved	0.895	mg/L	0.02	MDL
Selenium, Total	0.936	mg/L	0.02	MDL
Sulfate	218	mg/L	0.37	MDL
TDS	561	mg/L	4.4	MDL
Oxygen, Dissolved	10.22	mg/L		
pH	12.32	SU		
TDS	0.551	mg/L		
Temperature	8.66	C		
pH	7.65	SU	0.01	MDL
Selenium, Dissolved	0.714	mg/L	0.02	MDL
Selenium, Total	0.723	mg/L	0.02	MDL
Sulfate	251	mg/L	0.37	MDL
TDS	590	mg/L	4.4	MDL
Oxygen, Dissolved	10.7	mg/L		
pH	7.21	SU		

TDS	0.567	mg/L		
Temperature	5396	C		
pH	7.81	SU	0.01	MDL
Selenium, Dissolved	0.0174	mg/L	0.0002	MDL
Selenium, Total	0.0177	mg/L	0.0002	MDL
Sulfate	9.14	mg/L	0.037	MDL
TDS	197	mg/L	4.4	MDL
Oxygen, Dissolved	10.23	mg/L		
pH	7	SU		
Temperature	6.81	C		
Turbidity	0.259	NTU		
Flow		cfs		
Flow		cfs		
Flow		cfs		
Flow		cfs		
Alkalinity, as CaCO3	186	mg/L	0.45	MDL
Hardness, as CaCO3	182	mg/L	0.06	MDL
pH	8.26	SU	0.01	MDL
Selenium, Dissolved	0.00069	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	16.4	mg/L	0.037	MDL
TDS	181	mg/L	4.4	MDL
Conductivity at 25 C	200	umhos/cm		
Oxygen, Dissolved	10.6	mg/L		
pH	8.49	SU		
Temperature	3.9	C		
Turbidity	2.4	NTU		
Flow	1.037	cfs		
Conductivity at 25 C	365	umhos/cm		
Oxygen, Dissolved	9.2	mg/L		
pH	8.36	SU		
Temperature	7.7	C		
Turbidity	4.6	NTU		
Flow	2.568	cfs		
pH	8.4	SU	0.01	MDL
Selenium, Total	0.0012	mg/L	0.0002	MDL
Sulfate	34.7	mg/L	0.037	MDL
TDS	338	mg/L	4.4	MDL
Conductivity at 25 C	360	umhos/cm		
Oxygen, Dissolved	10.2	mg/L		
pH	8.13	SU		
Temperature	5.9	C		
Turbidity	5	NTU		
Flow	0.932	cfs		
Alkalinity, as CaCO3	311	mg/L	0.3	MDL
Hardness, as CaCO3	355	mg/L	0.06	MDL
pH	8.09	SU	0.01	MDL

Selenium, Dissolved	0.0013	mg/L	0.0002	MDL
Selenium, Total	0.0013	mg/L	0.0002	MDL
Sulfate	38.2	mg/L	0.037	MDL
TDS	391	mg/L	4.4	MDL
Selenium, Dissolved	0.766	mg/L	0.04	MDL
Selenium, Total	0.796	mg/L	0.04	MDL
Sulfate	225.39	mg/L	0.37	MDL
TDS	574	mg/L	9.2	MDL
Conductivity at 25 C	669	umhos/cm		
ORP	-123.4	mV		
Oxygen, Dissolved	9.74	mg/L		
pH	7.22	SU		
Temperature	8.89	C		
Turbidity	0	NTU		
Selenium, Dissolved	0.476	mg/L	0.04	MDL
Selenium, Total	0.492	mg/L	0.04	MDL
Sulfate	254.121	mg/L	0.37	MDL
TDS	604	mg/L	9.2	MDL
Conductivity at 25 C	619	umhos/cm		
ORP	-122	mV		
Oxygen, Dissolved	10.97	mg/L		
pH	7.32	SU		
Temperature	5.43	C		
Selenium, Dissolved	0.0225	mg/L	0.002	MDL
Selenium, Total	0.025	mg/L	0.002	MDL
Sulfate	13.252	mg/L	0.037	MDL
TDS	207	mg/L	9.2	MDL
Conductivity at 25 C	265	umhos/cm		
ORP	-113	mV		
Oxygen, Dissolved	10.34	mg/L		
pH	7.55	SU		
Temperature	6.47	C		
Turbidity	1	NTU		
DTW	44.1	Feet		
DTW	219.25	Feet		
DTW	14.82	Feet		
DTW	219.55	Feet		
DTW	7.96	Feet		
DTW	217.59	Feet		
Conductivity at 25 C	196	umhos/cm		
Oxygen, Dissolved	8.72	mg/L		
pH	8.61	SU		
Temperature	3.3	C		
Turbidity	2.86	NTU		
Alkalinity, as CaCO3	252.11	mg/L	0	MDL
Hardness, as CaCO3	467	mg/L	0	MDL
pH	8.1	SU	0	MDL

Selenium, Dissolved	0.703	mg/L	0.02	MDL
Selenium, Total	0.79	mg/L	0.02	MDL
Sulfate	222.516	mg/L	0	MDL
TDS	584	mg/L	0	MDL
Conductivity at 25 C	500	umhos/cm		
Oxygen, Dissolved	9.1	mg/L		
pH	8.04	SU		
Temperature	6.1	C		
Turbidity	0.41	NTU		
Flow	0.682	cfs		
pH	7.67	SU	0	MDL
Selenium, Total	0.804	mg/L	0.02	MDL
Sulfate	228.273	mg/L	0	MDL
TDS	580	mg/L	0	MDL
Conductivity at 25 C	500	umhos/cm		
Oxygen, Dissolved	8.8	mg/L		
pH	7.17	SU		
Temperature	6.6	C		
Turbidity	0.26	NTU		
Flow	1.289	cfs		
Alkalinity, as CaCO3	175.07	mg/L	0	MDL
Hardness, as CaCO3	178	mg/L	0	MDL
pH	8.32	SU	0	MDL
Selenium, Dissolved	0.00031	mg/L	0	MDL
Selenium, Total	0.00032	mg/L	0	MDL
Sulfate	11.971	mg/L	0	MDL
TDS	188	mg/L	0	MDL
Hardness, as CaCO3	550	mg/L	0.06	MDL
pH	7.46	SU	0.01	MDL
Selenium, Total	1.17	mg/L	0.013	MDL
Sulfate	300	mg/L	0.37	MDL
TDS	752	mg/L	9.2	MDL
DTW	9.42	Feet		
Hardness, as CaCO3	482	mg/L	0.06	MDL
pH	7.41	SU	0.01	MDL
Selenium, Total	0.887	mg/L	0.013	MDL
Sulfate	261	mg/L	0.37	MDL
TDS	654	mg/L	9.2	MDL
DTW	216.25	Feet		
Hardness, as CaCO3	188	mg/L	0.06	MDL
pH	7.61	SU	0.01	MDL
Selenium, Total	0.0627	mg/L	0.0013	MDL
Sulfate	21	mg/L	0.037	MDL
TDS	241	mg/L	9.2	MDL
DTW	21.7	Feet		
DTW	15.92	Feet		
DTW	215.95	Feet		

DTW	29.92	Feet		
DTW	217.95	Feet		
Conductivity at 25 C	248	umhos/cm		
Oxygen, Dissolved	8	mg/L		
pH	8.68	SU		
Temperature	10.3	C		
Turbidity	1.4	NTU		
Flow	0.0601	cfs		
Alkalinity, as CaCO3	179	mg/L	0.45	MDL
Hardness, as CaCO3	182	mg/L	0.06	MDL
pH	8.47	SU	0.01	MDL
Selenium, Dissolved	0.00033	mg/L	0.0002	MDL
Selenium, Total	0.00055	mg/L	0.0002	MDL
Sulfate	14.7	mg/L	0.037	MDL
TDS	208	mg/L	9.2	MDL
Alkalinity, as CaCO3	154	mg/L	0.45	MDL
Hardness, as CaCO3	158	mg/L	0.06	MDL
pH	8.27	SU	0.01	MDL
Selenium, Dissolved	0.00023	mg/L	0.0002	MDL
Selenium, Total	0.00021	mg/L	0.0002	MDL
Sulfate	13.8	mg/L	0.037	MDL
TDS	188	mg/L	9.2	MDL
Conductivity at 25 C	182	umhos/cm		
Oxygen, Dissolved	9.1	mg/L		
pH	8.59	SU		
Temperature	5.3	C		
Turbidity	2.4	NTU		
Flow	0.0601	cfs		
DTW	13.31	Feet		
DTW	219.36	Feet		
Hardness, as CaCO3	325	mg/L	0.06	MDL
pH	7.49	SU	0.01	MDL
Selenium, Dissolved	0.288	mg/L	0.01	MDL
Selenium, Total	0.293	mg/L	0.01	MDL
Sulfate	96.9	mg/L	0.19	MDL
TDS	377	mg/L	9.2	MDL
DTW	13.31	Feet		
Alkalinity, as CaCO3	222	mg/L	0.45	MDL
Hardness, as CaCO3	469	mg/L	0.06	MDL
pH	7.45	SU	0.01	MDL
Selenium, Dissolved	0.799	mg/L	0.02	MDL
Selenium, Total	0.806	mg/L	0.02	MDL
Sulfate	236	mg/L	0.37	MDL
TDS	583	mg/L	9.2	MDL
DTW	220.5	Feet		
Alkalinity, as CaCO3	170	mg/L	0.45	MDL
Hardness, as CaCO3	189	mg/L	0.06	MDL

pH	7.65	SU	0.01	MDL
Selenium, Dissolved	0.051	mg/L	0.002	MDL
Selenium, Total	0.0563	mg/L	0.002	MDL
Sulfate	19.7	mg/L	0.037	MDL
TDS	194	mg/L	9.2	MDL
DTW	26.5	Feet		
DTW	13.1	Feet		
DTW	220.38	Feet		
DTW	14.94	Feet		
DTW	221.31	Feet		
DTW	13.42	Feet		
DTW	222.22	Feet		
DTW	30.74	Feet		
DTW	8	Feet		
DTW	220.8	Feet		
DTW	25.94	Feet		
Conductivity at 25 C	1606	umhos/cm		
Oxygen, Dissolved	9.54	mg/L		
pH	7	SU		
Temperature	10.18	C		
Turbidity	2.7	NTU		
Flow	0.428	cfs		
Alkalinity, Total as CaCO3	251	mg/L	0.4	MDL
Hardness, as CaCO3	1370	mg/L	0.074	MDL
pH	8.27	SU		MDL
Selenium, Dissolved	4.94	mg/L	0.2	MDL
Selenium, Dissolved	6.23	mg/L	0.02	MDL
Selenium, Total	5.01	mg/L	0.2	MDL
Sulfate	1160	mg/L	2.35	MDL
TDS	1900	mg/L	4.3	MDL
Conductivity at 25 C	239	umhos/cm		
Oxygen, Dissolved	11.86	mg/L		
pH	8.49	SU		
Temperature	4.72	C		
Turbidity	41.9	NTU		
Flow	7.371	cfs		
Alkalinity, Total as CaCO3	187	mg/L	0.4	MDL
Hardness, as CaCO3	192	mg/L	0.074	MDL
pH	8.45	SU		MDL
Selenium, Dissolved	0.0396	mg/L	0.002	MDL
Selenium, Dissolved	0.0646	mg/L	0.0001	MDL
Selenium, Total	0.0409	mg/L	0.002	MDL
Sulfate	20.6	mg/L	0.05	MDL
TDS	230	mg/L	4.3	MDL
Conductivity at 25 C	222	umhos/cm		
Oxygen, Dissolved	12.03	mg/L		
pH	8.18	SU		

Temperature	3.72	C		
Turbidity	20.8	NTU		
Flow	4.883	cfs		
Alkalinity, Total as CaCO3	185	mg/L	0.4	MDL
Hardness, as CaCO3	183	mg/L	0.074	MDL
pH	8.4	SU		MDL
Selenium, Dissolved	0.0005	mg/L	0.0002	MDL
Selenium, Dissolved	0.00092	mg/L	0.0001	MDL
Selenium, Total	0.0004	mg/L	0.0002	MDL
Sulfate	9.7	mg/L	0.05	MDL
TDS	200	mg/L	4.3	MDL
DTW	17.25	Feet		
DTW	9.61	Feet		
DTW	217.87	Feet		
Alkalinity, Total as CaCO3	227	mg/L	0.3	MDL
Hardness, as CaCO3	238	mg/L	0	MDL
Selenium, Dissolved	0.00052	mg/L	0.0002	MDL
Selenium, Total	0.00053	mg/L	0.0002	MDL
Sulfate	12.1	mg/L	0.05	MDL
TDS	270	mg/L	4.3	MDL
Conductivity at 25 C	292	umhos/cm		
pH	7.96	SU		
Temperature	18.2	C		
Turbidity	14	NTU		
Alkalinity, Total as CaCO3	273	mg/L	0.3	MDL
Hardness, as CaCO3	311	mg/L	0	MDL
Selenium, Dissolved	0.0067	mg/L	0.0002	MDL
Selenium, Total	0.0067	mg/L	0.0002	MDL
Sulfate	35.8	mg/L	0.05	MDL
TDS	350	mg/L	4.3	MDL
Conductivity at 25 C	511	umhos/cm		
Oxygen, Dissolved	11	mg/L		
pH	8.12	SU		
Temperature	15.95	C		
Turbidity	4	NTU		
Flow	2.7708	cfs		
Alkalinity, Total as CaCO3	173	mg/L	0.4	MDL
Hardness, as CaCO3	172	mg/L	0	MDL
pH	7.86	SU		MDL
Selenium, Dissolved	0.0119	mg/L	0.0002	MDL
Selenium, Total	0.0125	mg/L	0.0002	MDL
Sulfate	7.13	mg/L	0.05	MDL
TDS	220	mg/L	4.3	MDL
Conductivity at 25 C	311	umhos/cm		
DTW	12.36	Feet		
Oxygen, Dissolved	9.59	mg/L		
pH	7.5	SU		

Temperature	15.36	C		
Turbidity	1	NTU		
Alkalinity, Total as CaCO3	173	mg/L	0.4	MDL
Hardness, as CaCO3	181	mg/L	0	MDL
pH	7.81	SU		MDL
Selenium, Dissolved	0.0401	mg/L	0.002	MDL
Selenium, Total	0.0421	mg/L	0.002	MDL
Sulfate	19	mg/L	0.05	MDL
TDS	220	mg/L	4.3	MDL
Conductivity at 25 C	330	umhos/cm		
DTW	12.36	Feet		
Oxygen, Dissolved	11.22	mg/L		
pH	7.46	SU		
Temperature	15.74	C		
Turbidity	1	NTU		
Alkalinity, Total as CaCO3	202	mg/L	0.4	MDL
Hardness, as CaCO3	255	mg/L	0	MDL
pH	7.7	SU		MDL
Selenium, Dissolved	0.261	mg/L	0.02	MDL
Selenium, Total	0.255	mg/L	0.02	MDL
Sulfate	76.6	mg/L	0.24	MDL
Conductivity at 25 C	360	umhos/cm		
DTW	14	Feet		
Oxygen, Dissolved	9.69	mg/L		
pH	7.4	SU		
Temperature	6.8	C		
Turbidity	0	NTU		
Alkalinity, Total as CaCO3	228	mg/L	0.4	MDL
Hardness, as CaCO3	398	mg/L	0	MDL
pH	7.63	SU		MDL
Selenium, Dissolved	0.91	mg/L	0.02	MDL
Selenium, Total	0.905	mg/L	0.02	MDL
Sulfate	264	mg/L	0.47	MDL
Conductivity at 25 C	724	umhos/cm		
DTW	214.72	Feet		
Oxygen, Dissolved	7.74	mg/L		
pH	7.2	SU		
Temperature	12.55	C		
Turbidity	4	NTU		
DTW	15.1	Feet		
DTW	214.43	Feet		
DTW	13.95	Feet		
DTW	18.93	Feet		
DTW	214.85	Feet		
DTW	16.49	Feet		
Flow	0.15129	cfs		
Alkalinity, Total as CaCO3	227	mg/L	0.3	MDL

Hardness, as CaCO3	161	mg/L	0.108	MDL
pH	7.85	SU		
Selenium, Dissolved	0.0184	mg/L	0.0002	MDL
Selenium, Total	0.0193	mg/L	0.0002	MDL
Sulfate	9.58	mg/L	0.05	MDL
TDS	190	mg/L	4.3	MDL
Conductivity at 25 C	308	umhos/cm		
DTW	17.5	Feet		
Oxygen, Dissolved	7.43	mg/L		
pH	7.59	SU		
Temperature	16.49	C		
Turbidity	0.33	NTU		
Alkalinity, Total as CaCO3	140	mg/L	0.3	MDL
Hardness, as CaCO3	165	mg/L	0.108	MDL
pH	7.88	SU		
Selenium, Dissolved	0.0345	mg/L	0.001	MDL
Selenium, Total	0.0346	mg/L	0.001	MDL
Sulfate	15.2	mg/L	0.05	MDL
TDS	200	mg/L	4.3	MDL
Conductivity at 25 C	296	umhos/cm		
DTW	17.5	Feet		
Oxygen, Dissolved	7.74	mg/L		
pH	7.63	SU		
Temperature	15.64	C		
Turbidity	0.36	NTU		
Alkalinity, Total as CaCO3	217	mg/L	0.3	MDL
Hardness, as CaCO3	279	mg/L	0.108	MDL
pH	7.69	SU		
Selenium, Dissolved	0.29	mg/L	0.02	MDL
Selenium, Total	0.422	mg/L	0.02	MDL
Sulfate	78.8	mg/L	0.47	MDL
TDS	310	mg/L	4.3	MDL
Conductivity at 25 C	363	umhos/cm		
Oxygen, Dissolved	8.54	mg/L		
pH	7.38	SU		
Temperature	7.58	C		
Turbidity	1.72	NTU		
Alkalinity, Total as CaCO3	176	mg/L	0.3	MDL
Hardness, as CaCO3	462	mg/L	0.108	MDL
pH	7.74	SU		
Selenium, Dissolved	1.02	mg/L	0.04	MDL
Selenium, Total	1.27	mg/L	0.04	MDL
Sulfate	251	mg/L	1.18	MDL
TDS	590	mg/L	4.3	MDL
Conductivity at 25 C	632	umhos/cm		
DTW	215.42	Feet		
Oxygen, Dissolved	7.86	mg/L		

pH	7.25	SU		
Temperature	10.25	C		
Turbidity	2.91	NTU		
Alkalinity, Total as CaCO3	313	mg/L	0.3	MDL
Hardness, as CaCO3	1610	mg/L	0.107	MDL
Selenium, Dissolved	4.26	mg/L	0.2	MDL
Selenium, Total	4.33	mg/L	0.2	MDL
Sulfate	1340	mg/L	1.8	MDL
TDS	2300	mg/L	4.3	MDL
Conductivity at 25 C	1658	umhos/cm		
Oxygen, Dissolved	10.05	mg/L		
pH	6.92	SU		
Temperature	10.18	C		
Turbidity	2.06	NTU		
Alkalinity, Total as CaCO3	184	mg/L	0.3	MDL
Hardness, as CaCO3	184	mg/L	0.107	MDL
Selenium, Dissolved	0.00047	mg/L	0.0002	MDL
Selenium, Total	0.00039	mg/L	0.0002	MDL
Sulfate	22.7	mg/L	0.18	MDL
TDS	230	mg/L	4.3	MDL
Conductivity at 25 C	277	umhos/cm		
Oxygen, Dissolved	7.44	mg/L		
pH	7.84	SU		
Temperature	10.4	C		
Turbidity	1.03	NTU		
Alkalinity, Total as CaCO3	340	mg/L	0.3	MDL
Hardness, as CaCO3	357	mg/L	0.107	MDL
Selenium, Dissolved	0.0016	mg/L	0.0002	MDL
Selenium, Total	0.0016	mg/L	0.0002	MDL
Sulfate	50.9	mg/L	0.36	MDL
TDS	420	mg/L	4.3	MDL
Flow	0.46	cfs		
Conductivity at 25 C	463	umhos/cm		
Oxygen, Dissolved	16.12	mg/L		
pH	8.08	SU		
Temperature	10.41	C		
Turbidity	6.18	NTU		
Alkalinity, Total as CaCO3	216	mg/L	0.3	MDL
Hardness, as CaCO3	219	mg/L	0.107	MDL
Selenium, Dissolved	0.0015	mg/L	0.0002	MDL
Selenium, Total	0.0014	mg/L	0.0002	MDL
Sulfate	21.1	mg/L	0.18	MDL
TDS	270	mg/L	4.3	MDL
Conductivity at 25 C	362	umhos/cm		
Oxygen, Dissolved	11.84	mg/L		
pH	8.44	SU		
Temperature	15.05	C		

Turbidity	7.42	NTU		
Flow	4.06	cfs		
DTW	22.44	Feet		
DTW	215.7	Feet		
DTW	18.27	Feet		
Alkalinity, Total as CaCO3	182	mg/L	0.3	MDL
Hardness, as CaCO3	177	mg/L	0.107	MDL
Selenium, Dissolved	0.00022	mg/L	0.0002	MDL
Selenium, Total	0.00025	mg/L	0.0002	MDL
Sulfate	16.3	mg/L	0.04	MDL
TDS	200	mg/L	4.3	MDL
Conductivity at 25 C	221	umhos/cm		
Oxygen, Dissolved	14.61	mg/L		
pH	8.35	SU		
Temperature	4.79	C		
Turbidity	1.2	NTU		
Alkalinity, Total as CaCO3	183	mg/L	0.3	MDL
Hardness, as CaCO3	181	mg/L	0.107	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	14.6	mg/L	0.05	MDL
TDS	220	mg/L	4.3	MDL
Conductivity at 25 C	250	umhos/cm		
Oxygen, Dissolved	12.74	mg/L		
pH	8.55	SU		
Temperature	9.24	C		
Turbidity	0.46	NTU		
Alkalinity, Total as CaCO3	151	mg/L	0.3	MDL
Hardness, as CaCO3	158	mg/L	0.0535	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	13.6	mg/L	0.04	MDL
Sulfate	13	mg/L	0.04	MDL
TDS	170	mg/L	4	MDL
Conductivity at 25 C	125	umhos/cm		
Oxygen, Dissolved	9.18	mg/L		
pH	8	SU		
Temperature	1.16	C		
Turbidity	0.45	NTU		
Alkalinity, Total as CaCO3	219	mg/L	0.3	MDL
Selenium, Dissolved	0.205	mg/L	0.004	MDL
Selenium, Total	0.207	mg/L	0.004	MDL
Sulfate	71.6	mg/L	0.18	MDL
TDS	335	mg/L	4	MDL
Conductivity at 25 C	311	umhos/cm		
DTW	30	Feet		
Oxygen, Dissolved	9.99	mg/L		

pH	7.12	SU		
Temperature	7.57	C		
Turbidity	3.43	NTU		
Alkalinity, Total as CaCO3	173	mg/L	0.3	MDL
Selenium, Dissolved	0.215	mg/L	0.004	MDL
Selenium, Total	0.226	mg/L	0.004	MDL
Sulfate	73.2	mg/L	0.18	MDL
TDS	293	mg/L	4	MDL
Conductivity at 25 C	269	umhos/cm		
DTW	26.4	Feet		
Oxygen, Dissolved	10.78	mg/L		
pH	7.22	SU		
Temperature	6.9	C		
Turbidity	3	NTU		
Alkalinity, Total as CaCO3	172	mg/L	0.3	MDL
Selenium, Dissolved	0.052	mg/L	0.001	MDL
Selenium, Total	0.0521	mg/L	0.001	MDL
Sulfate	20.2	mg/L	0.18	MDL
TDS	215	mg/L	4	MDL
Conductivity at 25 C	206	umhos/cm		
DTW	26.5	Feet		
Oxygen, Dissolved	11.7	mg/L		
pH	6.9	SU		
Temperature	7.14	C		
Turbidity	0.47	NTU		
Alkalinity, Total as CaCO3	219	mg/L	0.3	MDL
Selenium, Dissolved	0.825	mg/L	0.02	MDL
Selenium, Total	0.79	mg/L	0.02	MDL
Sulfate	222	mg/L	0.36	MDL
TDS	589	mg/L	4	MDL
Conductivity at 25 C	502	umhos/cm		
DTW	221.15	Feet		
Oxygen, Dissolved	10.98	mg/L		
pH	6.97	SU		
Temperature	6.1	C		
Turbidity	1	NTU		
Alkalinity, Total as CaCO3	264	mg/L	0.3	MDL
Selenium, Dissolved	1.31	mg/L	0.02	MDL
Selenium, Total	1.25	mg/L	0.02	MDL
Sulfate	279	mg/L	0.36	MDL
TDS	792	mg/L	4	MDL
Conductivity at 25 C	662	umhos/cm		
DTW	19.15	Feet		
Oxygen, Dissolved	5.67	mg/L		
pH	7.15	SU		
Temperature	8.28	C		
Turbidity	94.5	NTU		

Alkalinity, Total as CaCO3	201	mg/L	0.3	MDL
Hardness, as CaCO3	453	mg/L	0.107	MDL
Selenium, Dissolved	0.00089	mg/L	0.0002	MDL
Selenium, Total	0.0019	mg/L	0.0002	MDL
Sulfate	16	mg/L	0.04	MDL
TDS	269	mg/L	4	MDL
Conductivity at 25 C	409	umhos/cm		
ORP	145.3	mV		
Oxygen, Dissolved	7.36	mg/L		
pH	8.22	SU		
Temperature	12.45	C		
Turbidity	144.4	NTU		
Flow	22.274025	cfs		
Alkalinity, Total as CaCO3	213	mg/L	0.3	MDL
Selenium, Dissolved	1.64	mg/L	0.02	MDL
Selenium, Total	1.61	mg/L	0.02	MDL
Sulfate	295	mg/L	0.9	MDL
TDS	737	mg/L	4	MDL
Conductivity at 25 C	987	umhos/cm		
DTW	12.04	Feet		
ORP	183.9	mV		
Oxygen, Dissolved	7.92	mg/L		
pH	7.51	SU		
Temperature	6.12	C		
Turbidity	4.61	NTU		
Alkalinity, Total as CaCO3	227	mg/L	0.3	MDL
Selenium, Dissolved	0.86	mg/L	0.02	MDL
Selenium, Total	0.849	mg/L	0.02	MDL
Sulfate	233	mg/L	0.9	MDL
TDS	639	mg/L	4	MDL
Conductivity at 25 C	919	umhos/cm		
DTW	215.7	Feet		
Oxygen, Dissolved	2.85	mg/L		
pH	6.39	SU		
Temperature	7.07	C		
Turbidity	3.4	NTU		
Alkalinity, Total as CaCO3	170	mg/L	0.3	MDL
Selenium, Dissolved	0.0792	mg/L	0.002	MDL
Selenium, Total	0.0878	mg/L	0.002	MDL
Sulfate	24.9	mg/L	0.18	MDL
TDS	249	mg/L	4	MDL
Conductivity at 25 C	398	umhos/cm		
DTW	15.43	Feet		
ORP	171.9	mV		
Oxygen, Dissolved	7.54	mg/L		
pH	7.79	SU		
Temperature	10.18	C		

Turbidity	0.29	NTU		
Alkalinity, Total as CaCO3	172	mg/L	0.3	MDL
Selenium, Dissolved	0.0393	mg/L	0.001	MDL
Selenium, Total	0.0416	mg/L	0.001	MDL
Sulfate	14.5	mg/L	0.18	MDL
TDS	186	mg/L	4	MDL
Conductivity at 25 C	381	umhos/cm		
DTW	15.43	Feet		
ORP	181.7	mV		
Oxygen, Dissolved	8.59	mg/L		
pH	7.76	SU		
Temperature	7.54	C		
Turbidity	0	NTU		
Alkalinity, Total as CaCO3	268	mg/L	0.3	MDL
Selenium, Dissolved	1.67	mg/L	0.04	MDL
Selenium, Total	1.65	mg/L	0.04	MDL
Sulfate	420	mg/L	0.9	MDL
TDS	918	mg/L	4	MDL
Conductivity at 25 C	1233	umhos/cm		
DTW	16.22	Feet		
ORP	209.6	mV		
Oxygen, Dissolved	5.83	mg/L		
pH	7.28	SU		
Temperature	6.77	C		
Turbidity	6.01	NTU		
Alkalinity, Total as CaCO3	259	mg/L	0.3	MDL
Hardness, as CaCO3	1830	mg/L	0.0535	MDL
Selenium, Dissolved	7.13	mg/L	0.2	MDL
Selenium, Total	7.24	mg/L	0.2	MDL
Sulfate	1460	mg/L	1.8	MDL
TDS	2630	mg/L	4	MDL
Conductivity at 25 C	2771	umhos/cm		
ORP	218.9	mV		
Oxygen, Dissolved	8.45	mg/L		
pH	7.18	SU		
Temperature	9.7	C		
Flow	0.022280151	cfs		
Alkalinity, Total as CaCO3	172	mg/L	0.3	MDL
Hardness, as CaCO3	175	mg/L	0.0535	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.00041	mg/L	0.0002	MDL
Sulfate	9.94	mg/L	0.18	MDL
TDS	232	mg/L	4	MDL
Conductivity at 25 C	348	umhos/cm		
ORP	233.1	mV		
Oxygen, Dissolved	10.69	mg/L		
pH	7.27	SU		

Temperature	5.06	C		
Turbidity	3.28	NTU		
Flow	3.58325	cfs		
Alkalinity, Total as CaCO3	138	mg/L	0.3	MDL
Hardness, as CaCO3	132	mg/L	0.0535	MDL
Selenium, Dissolved	0.00029	mg/L	0.0002	MDL
Selenium, Total	0.00072	mg/L	0.0002	MDL
Sulfate	3.79	mg/L	0.18	MDL
TDS	234	mg/L	4	MDL
Conductivity at 25 C	200	umhos/cm		
ORP	192.4	mV		
Oxygen, Dissolved	5.98	mg/L		
pH	7.9	SU		
Temperature	19.61	C		
Turbidity	25.41	NTU		
Flow	0.5334	cfs		
Alkalinity, Total as CaCO3	251	mg/L	0.3	MDL
Hardness, as CaCO3	260	mg/L	0.0535	MDL
Selenium, Dissolved	0.0041	mg/L	0.0002	MDL
Selenium, Total	0.0061	mg/L	0.0002	MDL
Sulfate	17	mg/L	0.18	MDL
TDS	351	mg/L	4	MDL
Conductivity at 25 C	508	umhos/cm		
ORP	179.4	mV		
Oxygen, Dissolved	7.92	mg/L		
pH	8.21	SU		
Temperature	17.19	C		
Turbidity	5.91	NTU		
Flow	7.4447	cfs		
Alkalinity, Total as CaCO3	171	mg/L	0.3	MDL
Hardness, as CaCO3	174	mg/L	0.0535	MDL
Selenium, Dissolved	0.00036	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	10.1	mg/L	0.18	MDL
TDS	230	mg/L	4	MDL
Conductivity at 25 C	359	umhos/cm		
Oxygen, Dissolved	4.85	mg/L		
pH	6.92	SU		
Temperature	4.84	C		
Flow	4.87066	cfs		
Alkalinity, Total as CaCO3	306	mg/L	0.3	MDL
Hardness, as CaCO3	1660	mg/L	0.535	MDL
Selenium, Dissolved	5.79	mg/L	0.2	MDL
Selenium, Total	5.81	mg/L	0.2	MDL
Sulfate	1700	mg/L	1.8	MDL
TDS	2630	mg/L	4	MDL
Conductivity at 25 C	2912	umhos/cm		

Oxygen, Dissolved	6.46	mg/L		
pH	7.53	SU		
Temperature	11.35	C		
Turbidity	0.79	NTU		
Alkalinity, Total as CaCO3	213	mg/L	0.3	MDL
Selenium, Dissolved	0.369	mg/L	0.008	MDL
Selenium, Total	0.363	mg/L	0.008	MDL
Sulfate	96.9	mg/L	0.18	MDL
TDS	332	mg/L	4	MDL
Conductivity at 25 C	485	umhos/cm		
DTW	15.85	Feet		
Oxygen, Dissolved	2.68	mg/L		
pH	6.92	SU		
Temperature	6.94	C		
Turbidity	2.2	NTU		
Alkalinity, Total as CaCO3	231	mg/L	0.3	MDL
Selenium, Dissolved	0.849	mg/L	0.02	MDL
Selenium, Total	0.847	mg/L	0.02	MDL
Sulfate	249	mg/L	0.9	MDL
TDS	602	mg/L	4	MDL
Conductivity at 25 C	756	umhos/cm		
DTW	212.6	Feet		
Oxygen, Dissolved	3.59	mg/L		
pH	7.04	SU		
Temperature	7.49	C		
Turbidity	0.87	NTU		
Alkalinity, Total as CaCO3	201	mg/L	0.3	MDL
Hardness, as CaCO3	179	mg/L	0.052	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	14.7	mg/L	0.04	MDL
TDS	215	mg/L	4	MDL
Conductivity at 25 C	361	umhos/cm		
ORP	116.8	mV		
Oxygen, Dissolved	13.48	mg/L		
pH	8.45	SU		
Temperature	6.33	C		
Turbidity	5.63	NTU		
Alkalinity, Total as CaCO3	171	mg/L	0.3	MDL
Hardness, as CaCO3	169	mg/L	0.052	MDL
Selenium, Dissolved	0.0129	mg/L	0.0002	MDL
Selenium, Total	0.0122	mg/L	0.0002	MDL
Sulfate	8.07	mg/L	0.04	MDL
TDS	166	mg/L	4	MDL
Alkalinity, Total as CaCO3	172	mg/L	0.3	MDL
Hardness, as CaCO3	179	mg/L	0.052	MDL
Selenium, Dissolved	0.0334	mg/L	0.0004	MDL

Selenium, Total	0.0329	mg/L	0.0004	MDL
Sulfate	16.4	mg/L	0.04	MDL
TDS	202	mg/L	4	MDL
Alkalinity, Total as CaCO3	293	mg/L	0.3	MDL
Hardness, as CaCO3	1880	mg/L	0.52	MDL
Selenium, Dissolved	4.18	mg/L	0.1	MDL
Selenium, Total	5.29	mg/L	0.1	MDL
Sulfate	1590	mg/L	1.8	MDL
TDS	1820	mg/L	9	MDL
Conductivity at 25 C	2498	umhos/cm		
ORP	76.6	mV		
Oxygen, Dissolved	10.37	mg/L		
pH	7.46	SU		
Temperature	9.29	C		
Turbidity	9.36	NTU		
Alkalinity, Total as CaCO3	230	mg/L	0.3	MDL
Hardness, as CaCO3	245	mg/L	0.052	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.00029	mg/L	0.0002	MDL
Sulfate	21.6	mg/L	0.04	MDL
TDS	274	mg/L	4	MDL
Conductivity at 25 C	413	umhos/cm		
ORP	120.4	mV		
Oxygen, Dissolved	12.31	mg/L		
pH	8.47	SU		
Temperature	10.02	C		
Turbidity	12.8	NTU		
Alkalinity, Total as CaCO3	220	mg/L	0.3	MDL
Hardness, as CaCO3	227	mg/L	0.052	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	16.7	mg/L	0.04	MDL
TDS	260	mg/L	4	MDL
Conductivity at 25 C	405	umhos/cm		
ORP	-8.9	mV		
Oxygen, Dissolved	12.93	mg/L		
pH	8.34	SU		
Temperature	8.39	C		
Turbidity	9.47	NTU		
Alkalinity, Total as CaCO3	327	mg/L	0.3	MDL
Hardness, as CaCO3	343	mg/L	0.052	MDL
Selenium, Dissolved	0.00055	mg/L	0.0002	MDL
Selenium, Total	0.00066	mg/L	0.0002	MDL
Sulfate	27.7	mg/L	0.04	MDL
TDS	383	mg/L	4	MDL
Conductivity at 25 C	579	umhos/cm		
ORP	32.9	mV		

Oxygen, Dissolved	12.65	mg/L		
pH	8.16	SU		
Temperature	9.24	C		
Turbidity	16	NTU		
Alkalinity, Total as CaCO3	239	mg/L	0.3	MDL
Selenium, Dissolved	0.156	mg/L	0.005	MDL
Selenium, Total	0.175	mg/L	0.005	MDL
Sulfate	52.7	mg/L	0.07	MDL
TDS	294	mg/L	4	MDL
Conductivity at 25 C	495	umhos/cm		
DTW	19.99	Feet		
ORP	4.7	mV		
Oxygen, Dissolved	9.87	mg/L		
pH	7.42	SU		
Temperature	7.04	C		
Turbidity	0.43	NTU		
Alkalinity, Total as CaCO3	264	mg/L	0.3	MDL
Selenium, Dissolved	1.56	mg/L	0.02	MDL
Selenium, Total	1.62	mg/L	0.02	MDL
Sulfate	419	mg/L	0.36	MDL
TDS	742	mg/L	4	MDL
Conductivity at 25 C	1086	umhos/cm		
DTW	19.72	Feet		
ORP	78.2	mV		
Oxygen, Dissolved	3.7	mg/L		
pH	9.93	SU		
Temperature	8.33	C		
Turbidity	2.88	NTU		
Alkalinity, Total as CaCO3	226	mg/L	0.3	MDL
Selenium, Dissolved	0.757	mg/L	0.01	MDL
Selenium, Total	0.778	mg/L	0.01	MDL
Sulfate	233	mg/L	0.18	MDL
TDS	532	mg/L	4	MDL
Conductivity at 25 C	784	umhos/cm		
DTW	215.87	Feet		
ORP	43.9	mV		
Oxygen, Dissolved	11.37	mg/L		
pH	7.42	SU		
Temperature	6.16	C		
Turbidity	0.43	NTU		
Alkalinity, Total as CaCO3	239	mg/L	0.5	MDL
Hardness, as CaCO3	240	mg/L	0.052	MDL
Selenium, Dissolved	0.00083	mg/L	0.0002	MDL
Selenium, Total	0.00092	mg/L	0.0002	MDL
Sulfate	28.2	mg/L	0.04	MDL
TDS	292	mg/L	4	MDL
Conductivity at 25 C	452	umhos/cm		

ORP	215.2	mV		
Oxygen, Dissolved	13.24	mg/L		
pH	8.34	SU		
Temperature	1.55	C		
Turbidity	19.87	NTU		
Flow	2.789	cfs		
Alkalinity, Total as CaCO3	242	mg/L	0.5	MDL
Selenium, Dissolved	0.138	mg/L	0.004	MDL
Selenium, Total	0.136	mg/L	0.004	MDL
Sulfate	50.2	mg/L	0.07	MDL
TDS	335	mg/L	4	MDL
Conductivity at 25 C	506	umhos/cm		
DTW	20.47	Feet		
ORP	197.5	mV		
Oxygen, Dissolved	9.32	mg/L		
pH	7.42	SU		
Temperature	6.39	C		
Turbidity	0.99	NTU		
Alkalinity, Total as CaCO3	229	mg/L	0.5	MDL
Selenium, Dissolved	0.764	mg/L	0.02	MDL
Selenium, Total	0.759	mg/L	0.02	MDL
Sulfate	237	mg/L	0.18	MDL
TDS	577	mg/L	4	MDL
Conductivity at 25 C	755	umhos/cm		
DTW	214.62	Feet		
ORP	156.5	mV		
Oxygen, Dissolved	10.9	mg/L		
pH	7.42	SU		
Temperature	5.67	C		
Turbidity	0.38	NTU		
Selenium, Dissolved	1.63	mg/L	0.02	MDL
Selenium, Total	1.61	mg/L	0.02	MDL
Conductivity at 25 C	1089	umhos/cm		
DTW	21.7	Feet		
ORP	202.4	mV		
Oxygen, Dissolved	4.78	mg/L		
pH	7.21	SU		
Temperature	7.68	C		
Turbidity	0.38	NTU		
Flow	0.002	cfs		
Alkalinity, Total as CaCO3	181	mg/L	0.5	MDL
Hardness, as CaCO3	174	mg/L	0.052	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.00045	mg/L	0.0002	MDL
Sulfate	15.8	mg/L	0.04	MDL
TDS	197	mg/L	4	MDL
Conductivity at 25 C	333	umhos/cm		

ORP	226.5	mV		
Oxygen, Dissolved	11.92	mg/L		
pH	8.69	SU		
Temperature	3.17	C		
Turbidity	9.47	NTU		
Flow	0.143	cfs		
Alkalinity, Total as CaCO3	174	mg/L	0.5	MDL
Selenium, Dissolved	0.137	mg/L	0.004	MDL
Selenium, Total	0.137	mg/L	0.004	MDL
Sulfate	44.5	mg/L	0.04	MDL
TDS	250	mg/L	4	MDL
Conductivity at 25 C	390	umhos/cm		
DTW	20.46	Feet		
ORP	92.7	mV		
Oxygen, Dissolved	8.68	mg/L		
pH	7.66	SU		
Temperature	6.4	C		
Turbidity	1.48	NTU		
Alkalinity, Total as CaCO3	173	mg/L	0.5	MDL
Selenium, Dissolved	0.0314	mg/L	0.001	MDL
Selenium, Total	0.0294	mg/L	0.001	MDL
Sulfate	13.5	mg/L	0.04	MDL
TDS	204	mg/L	4	MDL
Conductivity at 25 C	340	umhos/cm		
DTW	20.49	Feet		
ORP	114.5	mV		
Oxygen, Dissolved	9.12	mg/L		
pH	7.67	SU		
Temperature	6.84	C		
Turbidity	0.77	NTU		
Alkalinity, Total as CaCO3	184	mg/L	0.5	MDL
Hardness, as CaCO3	179	mg/L	0.052	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.00039	mg/L	0.0002	MDL
Sulfate	15.9	mg/L	0.04	MDL
TDS	206	mg/L	4	MDL
Conductivity at 25 C	326	umhos/cm		
ORP	62.1	mV		
Oxygen, Dissolved	15.2	mg/L		
pH	8.5	SU		
Temperature	0.05	C		
Turbidity	2.71	NTU		
Flow	0.126	cfs		
Selenium, Dissolved	0.121	mg/L	0.002	MDL
Selenium, Total	0.116	mg/L	0.002	MDL
Sulfate	45.6	mg/L	0.08	MDL
TDS	266	mg/L	4	MDL

Conductivity at 25 C	421	umhos/cm		
ORP	398.5	mV		
Oxygen, Dissolved	13.57	mg/L		
pH	7.45	SU		
Temperature	6.1	C		
Turbidity	2.89	NTU		
Selenium, Dissolved	0.803	mg/L	0.02	MDL
Selenium, Total	0.871	mg/L	0.02	MDL
Sulfate	229	mg/L	0.38	MDL
TDS	571	mg/L	4	MDL
Conductivity at 25 C	741	umhos/cm		
ORP	394.6	mV		
Oxygen, Dissolved	12.18	mg/L		
pH	7.47	SU		
Temperature	5.82	C		
Turbidity	0.16	NTU		
Alkalinity, Total as CaCO3	239	mg/L	0.3	MDL
Hardness, as CaCO3	1690	mg/L	0.052	MDL
Selenium, Dissolved	3.98	mg/L	0.1	MDL
Selenium, Total	4.38	mg/L	0.1	MDL
Sulfate	1450	mg/L	3.75	MDL
TDS	2440	mg/L	9	MDL
Conductivity at 25 C	1700	umhos/cm		
ORP	-18.6	mV		
Oxygen, Dissolved	12.21	mg/L		
pH	8.04	SU		
Temperature	8.11	C		
Turbidity	0.59	NTU		
Alkalinity, Total as CaCO3	197	mg/L	0.5	MDL
Hardness, as CaCO3	194	mg/L	0.075	MDL
Selenium, Dissolved	0.0015	mg/L	0.0002	MDL
Selenium, Total	0.0015	mg/L	0.0002	MDL
Sulfate	10.4	mg/L	0.08	MDL
TDS	227	mg/L	0	MDL
Conductivity at 25 C	379	umhos/cm		
ORP	98.4	mV		
Oxygen, Dissolved	8.04	mg/L		
pH	7.4	SU		
Temperature	13.37	C		
Turbidity	8.36	NTU		
Flow	16.409	cfs		
Alkalinity, Total as CaCO3	168	mg/L	0.5	MDL
Hardness, as CaCO3	156	mg/L	0.075	MDL
Selenium, Dissolved	0.0004	mg/L	0.0002	MDL
Selenium, Total	0.0005	mg/L	0.0002	MDL
Sulfate	4.97	mg/L	0.08	MDL
TDS	207	mg/L	0	MDL

Conductivity at 25 C	320	umhos/cm		
ORP	143.5	mV		
Oxygen, Dissolved	9.04	mg/L		
pH	7.84	SU		
Temperature	13.45	C		
Turbidity	11.5	NTU		
Flow	0.212	cfs		
Alkalinity, Total as CaCO3	255	mg/L	0.5	MDL
Hardness, as CaCO3	254	mg/L	0.075	MDL
Selenium, Dissolved	0.0108	mg/L	0.0002	MDL
Selenium, Total	0.0116	mg/L	0.0002	MDL
Sulfate	17.1	mg/L	0.08	MDL
TDS	306	mg/L	0	MDL
Conductivity at 25 C	488	umhos/cm		
ORP	118.8	mV		
Oxygen, Dissolved	9.52	mg/L		
pH	7.91	SU		
Temperature	11.8	C		
Turbidity	10	NTU		
Flow	1.539	cfs		
Alkalinity, Total as CaCO3	202	mg/L	0.5	MDL
Selenium, Dissolved	0.28	mg/L	0.004	MDL
Selenium, Total	0.286	mg/L	0.004	MDL
Sulfate	73.4	mg/L	0.38	MDL
TDS	324	mg/L	0	MDL
Conductivity at 25 C	537	umhos/cm		
DTW	12.07	Feet		
ORP	130.1	mV		
Oxygen, Dissolved	9.13	mg/L		
pH	7.43	SU		
Temperature	6.82	C		
Turbidity	0.48	NTU		
Alkalinity, Total as CaCO3	230	mg/L	0.5	MDL
Selenium, Dissolved	0.787	mg/L	0.02	MDL
Selenium, Total	0.834	mg/L	0.02	MDL
Sulfate	226	mg/L	1.88	MDL
TDS	577	mg/L	0	MDL
Conductivity at 25 C	855	umhos/cm		
DTW	218.39	Feet		
ORP	16.4	mV		
Oxygen, Dissolved	8.74	mg/L		
pH	7.39	SU		
Temperature	6.78	C		
Turbidity	0.28	NTU		
Alkalinity, Total as CaCO3	174	mg/L	0.5	MDL
Selenium, Dissolved	0.0124	mg/L	0.0002	MDL
Selenium, Total	0.0126	mg/L	0.0002	MDL

Sulfate	6.82	mg/L	0.08	MDL
TDS	196	mg/L	0	MDL
Conductivity at 25 C	352	umhos/cm		
DTW	20.3	Feet		
ORP	29.4	mV		
Oxygen, Dissolved	8.81	mg/L		
pH	7.7	SU		
Temperature	7.95	C		
Turbidity	0.25	NTU		
Alkalinity, Total as CaCO3	177	mg/L	0.5	MDL
Selenium, Dissolved	0.0531	mg/L	0.002	MDL
Selenium, Total	0.0537	mg/L	0.002	MDL
Sulfate	21.7	mg/L	0.08	MDL
TDS	222	mg/L	0	MDL
Conductivity at 25 C	374	umhos/cm		
DTW	20.3	Feet		
ORP	28.8	mV		
Oxygen, Dissolved	7.97	mg/L		
pH	7.67	SU		
Temperature	11.14	C		
Turbidity	0.33	NTU		
Alkalinity, Total as CaCO3	264	mg/L	0.5	MDL
Selenium, Dissolved	1.98	mg/L	0.06	MDL
Selenium, Total	2.3	mg/L	0.06	MDL
Sulfate	491	mg/L	1.88	MDL
TDS	997	mg/L	0	MDL
Conductivity at 25 C	1310	umhos/cm		
DTW	16.93	Feet		
ORP	127.9	mV		
Oxygen, Dissolved	4.84	mg/L		
pH	7.17	SU		
Temperature	7.89	C		
Turbidity	0.94	NTU		
Alkalinity, Total as CaCO3	273	mg/L	0.5	MDL
Hardness, as CaCO3	1880	mg/L	0.075	MDL
Selenium, Dissolved	5.81	mg/L	0.08	MDL
Selenium, Total	6.26	mg/L	0.08	MDL
Sulfate	1640	mg/L	3.75	MDL
TDS	2690	mg/L	0	MDL
Conductivity at 25 C	2779	umhos/cm		
ORP	156.8	mV		
Oxygen, Dissolved	8.09	mg/L		
pH	7.96	SU		
Temperature	14.67	C		
Turbidity	1.56	NTU		
Flow	0.009	cfs		
Alkalinity, Total as CaCO3	181	mg/L	0.5	MDL

Hardness, as CaCO3	179	mg/L	0.075	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0005	mg/L	0.0002	MDL
Sulfate	9.55	mg/L	0.08	MDL
TDS	218	mg/L	0	MDL
Conductivity at 25 C	341	umhos/cm		
ORP	126.7	mV		
Oxygen, Dissolved	10.24	mg/L		
pH	8.62	SU		
Temperature	6.9	C		
Turbidity	15.6	NTU		
Flow	2.033	cfs		
Selenium	8.7	mg/kg	0.6	MDL
Selenium	13.3	mg/kg	0.6	MDL
Selenium	7.02	mg/kg	0.59	MDL
Selenium	14.5	mg/kg	0.6	MDL
Selenium	11	mg/kg	0.6	MDL
Selenium	4	mg/kg	0.59	MDL
Selenium	29.3	mg/kg	1.49	MDL
Selenium	16	mg/kg	0.59	MDL
Selenium	7.65	mg/kg	0.59	MDL
Selenium	3.71	mg/kg	0.3	MDL
Selenium	6.72	mg/kg	0.59	MDL
Selenium	24.5	mg/kg	1.49	MDL
Selenium	8.51	mg/kg	0.3	MDL
Selenium	3.89	mg/kg	0.3	MDL
Selenium	38.1	mg/kg	1.5	MDL
Selenium	29	mg/kg	1.5	MDL
Selenium	20.5	mg/kg	1.5	MDL
Selenium	2.7	mg/kg	0.29	MDL
Selenium	4.74	mg/kg	0.29	MDL
Selenium	10.2	mg/kg	0.59	MDL
Selenium	6.36	mg/kg	0.29	MDL
Selenium	1.49	mg/kg	0.15	MDL
Alkalinity, Total as CaCO3	178	mg/L	0.5	MDL
Hardness, as CaCO3	178	mg/L	0.122	MDL
Selenium, Dissolved	0.0003	mg/L	0.0002	MDL
Selenium, Total	0.0007	mg/L	0.0002	MDL
Sulfate	10.6	mg/L	0.08	MDL
TDS	184	mg/L	0	MDL
Conductivity at 25 C	305	umhos/cm		
ORP	-62.5	mV		
Oxygen, Dissolved	11.44	mg/L		
pH	8.48	SU		
Temperature	8.98	C		
Turbidity	2.45	NTU		
Alkalinity, Total as CaCO3	173	mg/L	0.5	MDL

Selenium, Dissolved	0.0388	mg/L	0.0006	MDL
Sulfate	16.5	mg/L	0.08	MDL
TDS	212	mg/L	0	MDL
Conductivity at 25 C	315	umhos/cm		
DTW	16.32	Feet		
ORP	-107	mV		
Oxygen, Dissolved	9.23	mg/L		
pH	7.59	SU		
Temperature	8.24	C		
Turbidity	3.7	NTU		
Alkalinity, Total as CaCO3	174	mg/L	0.5	MDL
Selenium, Dissolved	0.0187	mg/L	0.0002	MDL
Sulfate	9.59	mg/L	0.08	MDL
TDS	193	mg/L	0	MDL
Conductivity at 25 C	305	umhos/cm		
ORP	-216	mV		
Oxygen, Dissolved	9.51	mg/L		
pH	7.53	SU		
Temperature	8.49	C		
Turbidity	2.76	NTU		
Alkalinity, Total as CaCO3	169	mg/L	0.5	MDL
Selenium, Dissolved	0.0031	mg/L	0.0002	MDL
Sulfate	3.61	mg/L	0.08	MDL
TDS	195	mg/L	0	MDL
Conductivity at 25 C	293	umhos/cm		
ORP	-203	mV		
Oxygen, Dissolved	9.78	mg/L		
pH	7.56	SU		
Temperature	7.41	C		
Turbidity	1.18	NTU		
Alkalinity, Total as CaCO3	168	mg/L	0.5	MDL
Selenium, Dissolved	0.01	mg/L	0.0002	MDL
Sulfate	6.08	mg/L	0.08	MDL
TDS	234	mg/L	0	MDL
Conductivity at 25 C	296	umhos/cm		
ORP	-241	mV		
Oxygen, Dissolved	8.57	mg/L		
pH	7.62	SU		
Temperature	8.44	C		
Turbidity	15.22	NTU		
Alkalinity, Total as CaCO3	172	mg/L	0.5	MDL
Selenium, Dissolved	0.0424	mg/L	0.0008	MDL
Sulfate	18.3	mg/L	0.08	MDL
TDS	194	mg/L	0	MDL
Conductivity at 25 C	317	umhos/cm		
ORP	-148	mV		
Oxygen, Dissolved	10.3	mg/L		

pH	7.61	SU		
Temperature	10.34	C		
Turbidity	5.89	NTU		
Alkalinity, Total as CaCO3	165	mg/L	0.5	MDL
Selenium, Dissolved	0.002	mg/L	0.0002	MDL
Sulfate	2.94	mg/L	0.08	MDL
TDS	183	mg/L	0	MDL
Conductivity at 25 C	283	umhos/cm		
ORP	-132	mV		
Oxygen, Dissolved	10.08	mg/L		
pH	7.62	SU		
Temperature	8.72	C		
Turbidity	5.28	NTU		
Selenium	21.5	mg/kg	0.59	MDL
Selenium	49.4	mg/kg	3	MDL
Selenium	16.6	mg/kg	0.59	MDL
Selenium	33.2	mg/kg	1.49	MDL
Selenium	13.7	mg/kg	0.6	MDL
Conductivity at 25 C	310	umhos/cm		
ORP	279	mV		
Oxygen, Dissolved	9.53	mg/L		
pH	7.91	SU		
Temperature	10.58	C		
Turbidity	1.59	NTU		
Conductivity at 25 C	546	umhos/cm		
ORP	230.6	mV		
Oxygen, Dissolved	13.4	mg/L		
pH	8.18	SU		
Temperature	21.32	C		
Turbidity	9.71	NTU		
Flow	0.201	cfs		
Alkalinity, Total as CaCO3	206	mg/L	0.5	MDL
Selenium, Dissolved	0.0876	mg/L	0.002	MDL
Selenium, Total	0.0897	mg/L	0.002	MDL
Sulfate	37	mg/L	0.05	MDL
TDS	320	mg/L	0	MDL
Conductivity at 25 C	460	umhos/cm		
DTW	20.85	Feet		
ORP	169.3	mV		
Oxygen, Dissolved	10.57	mg/L		
pH	7.73	SU		
Temperature	6.34	C		
Turbidity	1.12	NTU		
Alkalinity, Total as CaCO3	227	mg/L	0.5	MDL
Selenium, Dissolved	0.793	mg/L	0.02	MDL
Selenium, Total	0.844	mg/L	0.02	MDL
Sulfate	232	mg/L	0.26	MDL

TDS	638	mg/L	0	MDL
Conductivity at 25 C	846	umhos/cm		
DTW	216.8	Feet		
ORP	163.7	mV		
Oxygen, Dissolved	11.85	mg/L		
pH	7.73	SU		
Temperature	6.24	C		
Turbidity	0.46	NTU		
Alkalinity, Total as CaCO3	257	mg/L	0.5	MDL
Selenium, Dissolved	1.86	mg/L	0.02	MDL
Selenium, Total	1.92	mg/L	0.02	MDL
Sulfate	476	mg/L	1.32	MDL
TDS	1020	mg/L	0	MDL
Conductivity at 25 C	1269	umhos/cm		
DTW	19.85	Feet		
ORP	211.1	mV		
Oxygen, Dissolved	4.44	mg/L		
pH	7.35	SU		
Temperature	7.54	C		
Turbidity	1.48	NTU		
Alkalinity, Total as CaCO3	235	mg/L	0.5	MDL
Hardness, as CaCO3	258	mg/L	0.0695	MDL
Selenium, Dissolved	0.0005	mg/L	0.0002	MDL
Selenium, Total	0.00062	mg/L	0.0002	MDL
Sulfate	26.2	mg/L	0.05	MDL
TDS	280	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	474	umhos/cm		
ORP	266.9	mV		
Oxygen, Dissolved	7.26	mg/L		
pH	8.42	SU		
Temperature	16.41	C		
Turbidity	0	NTU		
Flow	1.462	cfs		
Alkalinity, Total as CaCO3	329	mg/L	0.5	MDL
Hardness, as CaCO3	394	mg/L	0.0695	MDL
Selenium, Dissolved	0.00076	mg/L	0.0002	MDL
Selenium, Total	0.0012	mg/L	0.0002	MDL
Sulfate	50.4	mg/L	0.05	MDL
TDS	431	mg/L	4	MDL/RpToMRL
Conductivity at 25 C	672	umhos/cm		
ORP	283.4	mV		
Oxygen, Dissolved	10.49	mg/L		
pH	7.65	SU		
Temperature	8.73	C		
Turbidity	11.94	NTU		
Flow	0.192	cfs		
Alkalinity, Total as CaCO3	173	mg/L	0.5	MDL/RpToMRL

Selenium, Dissolved	0.0621	mg/L	0.002	MDL
Selenium, Total	0.0697	mg/L	0.002	MDL
Sulfate	21.5	mg/L	0.05	MDL/RpToMRL
TDS	209	mg/L	0	MDL
Conductivity at 25 C	372	umhos/cm		
DTW	19.83	Feet		
ORP	102.9	mV		
Oxygen, Dissolved	9.75	mg/L		
pH	7.48	SU		
Temperature	7.5	C		
Turbidity	3.16	NTU		
Conductivity at 25 C	426	umhos/cm		
DTW	19.83	Feet		
ORP	108.7	mV		
Oxygen, Dissolved	9.54	mg/L		
pH	7.48	SU		
Temperature	8.36	C		
Turbidity	2.26	NTU		
Alkalinity, Total as CaCO3	213	mg/L	0.5	MDL/RpToMRL
Hardness, as CaCO3	211	mg/L	0.0695	MDL
Selenium, Dissolved	0.00024	mg/L	0.0002	MDL
Selenium, Total	0.00026	mg/L	0.0002	MDL
Sulfate	18.2	mg/L	0.05	MDL/RpToMRL
TDS	269	mg/L	0	MDL
Conductivity at 25 C	320	umhos/cm		
ORP	-44.3	mV		
Oxygen, Dissolved	8.54	mg/L		
pH	7.76	SU		
Temperature	11.15	C		
Turbidity	18.31	NTU		
Alkalinity, Total as CaCO3	180	mg/L	0.5	MDL/RpToMRL
Hardness, as CaCO3	179	mg/L	0.0695	MDL
Selenium, Dissolved	0.00022	mg/L	0.0002	MDL
Selenium, Total	0.00073	mg/L	0.0002	MDL
Sulfate	14.2	mg/L	0.05	MDL/RpToMRL
TDS	196	mg/L	0	MDL
Conductivity at 25 C	342	umhos/cm		
ORP	121.9	mV		
Oxygen, Dissolved	8.75	mg/L		
pH	8.34	SU		
Temperature	9.4	C		
Turbidity	3.76	NTU		
Alkalinity, Total as CaCO3	174	mg/L	0.5	MDL/RpToMRL
Selenium, Dissolved	0.17	mg/L	0.002	MDL
Selenium, Total	0.168	mg/L	0.002	MDL
Sulfate	50.7	mg/L	0.26	MDL/RpToMRL
TDS	270	mg/L	0	MDL

Alkalinity, Total as CaCO3	227	mg/L	0.5	MDL
Selenium, Dissolved	0.12	mg/L	0.002	MDL
Selenium, Total	0.119	mg/L	0.002	MDL
Sulfate	48.1	mg/L	0.05	MDL
TDS	298	mg/L	0	MDL
Conductivity at 25 C	519	umhos/cm		
DTW	23.99	Feet		
ORP	85.6	mV		
Oxygen, Dissolved	6.99	mg/L		
pH	7.39	SU		
Temperature	5.77	C		
Turbidity	1.11	NTU		
Alkalinity, Total as CaCO3	225	mg/L	0.5	MDL
Selenium, Dissolved	0.757	mg/L	0.02	MDL
Selenium, Total	0.765	mg/L	0.02	MDL
Sulfate	222	mg/L	0.53	MDL
TDS	566	mg/L	0	MDL
Conductivity at 25 C	811	umhos/cm		
DTW	218.39	Feet		
ORP	177.2	mV		
Oxygen, Dissolved	12.24	mg/L		
pH	8.8	SU		
Temperature	5.57	C		
Turbidity	0.13	NTU		
Alkalinity, Total as CaCO3	175	mg/L	0.5	MDL
Selenium, Dissolved	0.171	mg/L	0.004	MDL
Selenium, Total	0.178	mg/L	0.004	MDL
Sulfate	49.9	mg/L	0.26	MDL
TDS	224	mg/L	0	MDL
Conductivity at 25 C	442	umhos/cm		
DTW	22.25	Feet		
ORP	233.8	mV		
Oxygen, Dissolved	9.62	mg/L		
pH	7.4	SU		
Temperature	6.89	C		
Alkalinity, Total as CaCO3	171	mg/L	0.5	MDL
Selenium, Dissolved	0.0612	mg/L	0.001	MDL
Selenium, Total	0.0623	mg/L	0.001	MDL
Sulfate	20.9	mg/L	0.05	MDL
TDS	219	mg/L	0	MDL
Conductivity at 25 C	377	umhos/cm		
DTW	22.28	Feet		
ORP	238.6	mV		
Oxygen, Dissolved	9.37	mg/L		
pH	7.39	SU		
Temperature	7.13	C		
Alkalinity, Total as CaCO3	254	mg/L	0.5	MDL

Selenium, Dissolved	1.91	mg/L	0.04	MDL
Selenium, Total	2	mg/L	0.04	MDL
Sulfate	473	mg/L	1.32	MDL
TDS	989	mg/L	0	MDL
Conductivity at 25 C	1309	umhos/cm		
DTW	20.61	Feet		
ORP	216.2	mV		
Oxygen, Dissolved	3.09	mg/L		
pH	7.16	SU		
Temperature	6	C		
Turbidity	3.38	NTU		
Alkalinity, Total as CaCO3	180	mg/L	0.5	MDL
Hardness, as CaCO3	188	mg/L	0.139	MDL
Selenium, Dissolved	0.00037	mg/L	0.0002	MDL
Selenium, Total	0.00044	mg/L	0.0002	MDL
Sulfate	15.6	mg/L	0.05	MDL
TDS	196	mg/L	0	MDL
Conductivity at 25 C	358	umhos/cm		
ORP	211.8	mV		
Oxygen, Dissolved	12.42	mg/L		
pH	8.36	SU		
Temperature	4.07	C		
Turbidity	0.62	NTU		
Flow	0.2	cfs		
Alkalinity, Total as CaCO3	207	mg/L	0.5	MDL
Hardness, as CaCO3	228	mg/L	0.139	MDL
Hardness, as CaCO3	222	mg/L	0.139	MDL
Selenium, Dissolved	0.00033	mg/L	0.0002	MDL
Selenium, Total	0.0003	mg/L	0.0002	MDL
Sulfate	22.3	mg/L	0.05	MDL
TDS	282	mg/L	0	MDL
Conductivity at 25 C	459	umhos/cm		
ORP	219.4	mV		
Oxygen, Dissolved	14.89	mg/L		
pH	7.76	SU		
Temperature	0.19	C		
Turbidity	3.58	NTU		
Flow		cfs		
Alkalinity, Total as CaCO3	330	mg/L	0.5	MDL
Hardness, as CaCO3	386	mg/L	0.139	MDL
Hardness, as CaCO3	392	mg/L	0.139	MDL
Selenium, Dissolved	0.0009	mg/L	0.0002	MDL
Selenium, Total	0.0014	mg/L	0.0002	MDL
Sulfate	48	mg/L	0.53	MDL
TDS	433	mg/L	0	MDL
Conductivity at 25 C	708	umhos/cm		
ORP	214	mV		

Oxygen, Dissolved	12.8	mg/L		
pH	7.81	SU		
Temperature	0.56	C		
Turbidity	56.06	NTU		
Flow	0.392	cfs		
Alkalinity, Total as CaCO3	175	mg/L	0.5	MDL
Hardness, as CaCO3	187	mg/L	0.139	MDL
Hardness, as CaCO3	191	mg/L	0.139	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	14.7	mg/L	0.05	MDL
TDS	192	mg/L	0	MDL
Conductivity at 25 C	359	umhos/cm		
ORP	214.1	mV		
Oxygen, Dissolved	14.48	mg/L		
pH	8.18	SU		
Temperature	0.24	C		
Turbidity	1.83	NTU		
Flow	0.008	cfs		
Alkalinity, Total as CaCO3	221	mg/L	0.5	MDL
Hardness, as CaCO3	238	mg/L	0.139	MDL
Selenium, Dissolved	0.00044	mg/L	0.0002	MDL
Selenium, Total	0.00054	mg/L	0.0002	MDL
Sulfate	30	mg/L	0.05	MDL
TDS	272	mg/L	0	MDL
Conductivity at 25 C	458	umhos/cm		
ORP	-79.4	mV		
Oxygen, Dissolved	14.68	mg/L		
pH	8.38	SU		
Temperature	2.08	C		
Turbidity	5.06	NTU		
Flow	2.869	cfs		
Conductivity at 25 C	2249	umhos/cm		
ORP	49.5	mV		
Oxygen, Dissolved	11.04	mg/L		
pH	6.88	SU		
Temperature	10.66	C		
Selenium, Dissolved	6.479	mg/L		
Selenium, Total	7.014	mg/L		
Conductivity at 25 C	1680	umhos/cm		
ORP	54.6	mV		
Oxygen, Dissolved	11.58	mg/L		
pH	7.19	SU		
Temperature	9.7	C		
Alkalinity, Total as CaCO3	260	mg/L		
Hardness, as CaCO3	1154	mg/L		
Selenium, Dissolved	4.139	mg/L		

Selenium, Total	4.648	mg/L		
Sulfate	1299	mg/L		
TDS	1662	mg/L		
Alkalinity, Total as CaCO3	253	mg/L	0.5	MDL/RpToMRL
Hardness, as CaCO3	1220	mg/L	0.061	MDL
Selenium, Dissolved	4.92	mg/L	0.1	MDL
Selenium, Total	4.9	mg/L	0.1	MDL
Sulfate	1000	mg/L	3.7	MDL/RpToMRL
TDS	1740	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	316	umhos/cm		
ORP	10.04	mV		
Oxygen, Dissolved	12.04	mg/L		
pH	8.73	SU		
Temperature	14.73	C		
Turbidity	6.56	NTU		
Alkalinity, Total as CaCO3	160	mg/L		
Hardness, as CaCO3	171	mg/L		
Selenium, Dissolved	0.001	mg/L		
Selenium, Total	0.001	mg/L		
Sulfate	15	mg/L		
TDS	146	mg/L		
Alkalinity, Total as CaCO3	188	mg/L	0.5	MDL/RpToMRL
Hardness, as CaCO3	198	mg/L	0.061	MDL
Selenium, Dissolved	0.0019	mg/L	0.0002	MDL
Selenium, Total	0.0018	mg/L	0.0002	MDL
Sulfate	17	mg/L	0.07	MDL/RpToMRL
TDS	225	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	722	umhos/cm		
ORP	53.4	mV		
Oxygen, Dissolved	12.68	mg/L		
pH	7.16	SU		
Temperature	6.43	C		
Turbidity	0.56	NTU		
Alkalinity, Total as CaCO3	220	mg/L		
Selenium, Dissolved	0.838	mg/L		
Selenium, Total	0.858	mg/L		
Sulfate	260	mg/L		
TDS	574	mg/L		
Alkalinity, Total as CaCO3	228	mg/L	0.5	MDL/RpToMRL
Selenium, Dissolved	0.848	mg/L	0.01	MDL
Selenium, Total	0.87	mg/L	0.01	MDL
Sulfate	240	mg/L	0.74	MDL/RpToMRL
TDS	572	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	353	umhos/cm		
DTW	12.1	Feet		
ORP	33.6	mV		
Oxygen, Dissolved	12.79	mg/L		

pH	7.15	SU		
Temperature	7.93	C		
Turbidity	1.18	NTU		
Alkalinity, Total as CaCO3	160	mg/L		
Selenium, Dissolved	0.146	mg/L		
Selenium, Total	0.15	mg/L		
Sulfate	42	mg/L		
TDS	240	mg/L		
Alkalinity, Total as CaCO3	174	mg/L	0.5	MDL/RpToMRL
Selenium, Dissolved	0.152	mg/L	0.002	MDL
Selenium, Total	0.152	mg/L	0.002	MDL
Sulfate	43.9	mg/L	0.07	MDL/RpToMRL
TDS	246	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	1537	umhos/cm		
DTW	8.56	Feet		
ORP	49.4	mV		
Oxygen, Dissolved	8.23	mg/L		
pH	6.95	SU		
Temperature	8.12	C		
Turbidity	1.36	NTU		
Alkalinity, Total as CaCO3	220	mg/L		
Selenium, Dissolved	3.997	mg/L		
Selenium, Total	4.18	mg/L		
Sulfate	1048	mg/L		
TDS	1472	mg/L		
Alkalinity, Total as CaCO3	245	mg/L	0.5	MDL/RpToMRL
Selenium, Dissolved	4.04	mg/L	0.06	MDL
Selenium, Total	4.13	mg/L	0.06	MDL
Sulfate	813	mg/L	3.7	MDL/RpToMRL
TDS	1480	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	366	umhos/cm		
ORP	13.7	mV		
Oxygen, Dissolved	11.34	mg/L		
pH	7.62	SU		
Temperature	13.13	C		
Turbidity	11	NTU		
Alkalinity, Total as CaCO3	180	mg/L		
Hardness, as CaCO3	228	mg/L		
Selenium, Dissolved	0.006	mg/L		
Selenium, Total	0.006	mg/L		
Sulfate	13	mg/L		
TDS	258	mg/L		
Alkalinity, Total as CaCO3	221	mg/L	0.5	MDL/RpToMRL
Hardness, as CaCO3	223	mg/L	0.061	MDL
Selenium, Dissolved	0.0052	mg/L	0.0002	MDL
Selenium, Total	0.0054	mg/L	0.0002	MDL
Sulfate	15	mg/L	0.07	MDL/RpToMRL

TDS	253	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.001	mg/L		
Selenium, Total	0.001	mg/L		
Conductivity at 25 C	1586	umhos/cm		
ORP	48.6	mV		
Oxygen, Dissolved	11.76	mg/L		
pH	7.02	SU		
Temperature	9.77	C		
Turbidity	0.36	NTU		
Selenium, Dissolved	4.219	mg/L		
Selenium, Total	4.255	mg/L		
Sulfate	1136	mg/L		
Conductivity at 25 C	453	umhos/cm		
ORP	36.5	mV		
Oxygen, Dissolved	13.9	mg/L		
pH	7.45	SU		
Temperature	6.1	C		
Turbidity	0.36	NTU		
Selenium, Dissolved	0.432	mg/L		
Selenium, Total	0.432	mg/L		
Sulfate	102	mg/L		
Conductivity at 25 C	1530	umhos/cm		
ORP	24	mV		
Oxygen, Dissolved	11.81	mg/L		
pH	7.18	SU		
Temperature	9.7	C		
Selenium, Dissolved	3.804	mg/L		
Selenium, Total	4.178	mg/L		
Sulfate	1066	mg/L		
Conductivity at 25 C	312	umhos/cm		
ORP	15.1	mV		
Oxygen, Dissolved	15.71	mg/L		
pH	7.83	SU		
Temperature	4.88	C		
Selenium, Dissolved	0.099	mg/L		
Selenium, Total	0.098	mg/L		
Sulfate	26	mg/L		
Conductivity at 25 C	1538	umhos/cm		
ORP	39.7	mV		
Oxygen, Dissolved	11.3	mg/L		
pH	7.15	SU		
Temperature	9.96	C		
Turbidity	0.5	NTU		
Selenium, Dissolved	4.503	mg/L		
Selenium, Total	5.132	mg/L		
Sulfate	1100	mg/L		
Conductivity at 25 C	297	umhos/cm		

ORP	39.8	mV		
Oxygen, Dissolved	14.84	mg/L		
pH	8.23	SU		
Temperature	4.84	C		
Turbidity	42.8	NTU		
Selenium, Dissolved	0.027	mg/L		
Selenium, Total	0.034	mg/L		
Sulfate	11	mg/L		
Conductivity at 25 C	365	umhos/cm		
ORP	-17.2	mV		
Oxygen, Dissolved	10.16	mg/L		
pH	7.71	SU		
Temperature	15.05	C		
Selenium, Dissolved	0.023	mg/L		
Selenium, Total	0.023	mg/L		
Sulfate	18	mg/L		
Selenium, Dissolved	4.725	mg/L		
Selenium, Total	5.268	mg/L		
Sulfate	1120	mg/L		
Selenium, Dissolved	3.335	mg/L		
Selenium, Total	3.602	mg/L		
Sulfate	1032	mg/L		
Selenium, Dissolved	1.012	mg/L		
Selenium, Total	1.091	mg/L		
Sulfate	283	mg/L		
Selenium, Dissolved	0.063	mg/L		
Selenium, Total	0.063	mg/L		
Sulfate	37	mg/L		
Selenium, Dissolved	3.071	mg/L		
Selenium, Total	3.193	mg/L		
Sulfate	942	mg/L		
Alkalinity, Total as CaCO3	249	mg/L	0.5	MDL
Hardness, as CaCO3	1030	mg/L	0.116	MDL
Selenium, Dissolved	3.53	mg/L	0.1	MDL
Selenium, Total	3.6	mg/L	0.1	MDL
Sulfate	738	mg/L	3.7	MDL
TDS	1330	mg/L	0	MDL/RptTo0
Conductivity at 25 C	1566	umhos/cm		
ORP	202.6	mV		
Oxygen, Dissolved	11.51	mg/L		
pH	6.79	SU		
Temperature	9.55	C		
Turbidity	0.52	NTU		
Flow	0.547	cfs		
Selenium, Dissolved	0.043	mg/L		
Selenium, Total	0.043	mg/L		
Sulfate	16	mg/L		

Alkalinity, Total as CaCO3	180	mg/L	0.5	MDL
Hardness, as CaCO3	197	mg/L	0.061	MDL
Selenium, Dissolved	0.0074	mg/L	0.0002	MDL
Selenium, Total	0.0364	mg/L	0.0008	MDL
Sulfate	16.8	mg/L	0.07	MDL
TDS	215	mg/L	0	MDL/RptTo0
Conductivity at 25 C	345	umhos/cm		
ORP	117	mV		
Oxygen, Dissolved	14.04	mg/L		
pH	7.08	SU		
Temperature	6.68	C		
Turbidity	7.09	NTU		
Alkalinity, Total as CaCO3	191	mg/L	0.5	MDL
Hardness, as CaCO3	201	mg/L	0.058	MDL
Hardness, as CaCO3	201	mg/L	0.058	MDL
Selenium, Dissolved	0.0061	mg/L	0.0002	MDL
Selenium, Total	0.006	mg/L	0.0002	MDL
Sulfate	14.9	mg/L	0.07	MDL
TDS	216	mg/L	0	MDL/RptTo0
Conductivity at 25 C	372	umhos/cm		
ORP	94.9	mV		
Oxygen, Dissolved	8.46	mg/L		
pH	8.11	SU		
Temperature	13.83	C		
Turbidity	52.41	NTU		
Flow	54.672	cfs		
Alkalinity, Total as CaCO3	112	mg/L	0.5	MDL
Hardness, as CaCO3	125	mg/L	0.061	MDL
Selenium, Dissolved	0.037	mg/L	0.0008	MDL
Selenium, Total	0.0444	mg/L	0.0008	MDL
Sulfate	15.6	mg/L	0.07	MDL
TDS	169	mg/L	0	MDL/RptTo0
Conductivity at 25 C	241	umhos/cm		
ORP	35	mV		
Oxygen, Dissolved	8	mg/L		
pH	8.07	SU		
Temperature	20.71	C		
Turbidity	25.8	NTU		
Flow	2.057	cfs		
Selenium, Dissolved	0.041	mg/L		
Selenium, Total	0.043	mg/L		
Sulfate	33	mg/L		
Alkalinity, Total as CaCO3	206	mg/L	0.5	MDL
Hardness, as CaCO3	248	mg/L	0.061	MDL
Selenium, Dissolved	0.0437	mg/L	0.001	MDL
Selenium, Total	0.0437	mg/L	0.001	MDL
Sulfate	34.9	mg/L	0.07	MDL

TDS	293	mg/L	0	MDL/RptTo0
Conductivity at 25 C	432	umhos/cm		
ORP	37.4	mV		
Oxygen, Dissolved	10.05	mg/L		
pH	8.55	SU		
Temperature	22.47	C		
Turbidity	7.85	NTU		
Flow	7.194	cfs		
Alkalinity, Total as CaCO3	200	mg/L	0.5	MDL
Hardness, as CaCO3	212	mg/L	0.061	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.00023	mg/L	0.0002	MDL
Sulfate	13.1	mg/L	0.07	MDL
TDS	202	mg/L	0	MDL/RptTo0
Conductivity at 25 C	372	umhos/cm		
ORP	125.6	mV		
Oxygen, Dissolved	13.86	mg/L		
pH	7.1	SU		
Temperature	5.89	C		
Turbidity	1.84	NTU		
Flow	2.618	cfs		
Alkalinity, Total as CaCO3	186	mg/L	0.5	MDL
Hardness, as CaCO3	201	mg/L	0.061	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	8.07	mg/L	0.07	MDL
TDS	204	mg/L	0	MDL/RptTo0
Conductivity at 25 C	357	umhos/cm		
ORP	86.4	mV		
Oxygen, Dissolved	13.52	mg/L		
pH	7.35	SU		
Temperature	6.91	C		
Turbidity	2.98	NTU		
Alkalinity, Total as CaCO3	217	mg/L	0.5	MDL
Selenium, Dissolved	3.92	mg/L	0.1	MDL
Selenium, Total	5.19	mg/L	0.2	MDL
Sulfate	845	mg/L	3.7	MDL
TDS	1550	mg/L	0	MDL/RptTo0
Conductivity at 25 C	1823	umhos/cm		
DTW	7.27	Feet		
ORP	-67.6	mV		
Oxygen, Dissolved	7.12	mg/L		
pH	7.29	SU		
Temperature	6.48	C		
Turbidity	0	NTU		
Selenium, Dissolved	0.756	mg/L		
Selenium, Total	0.833	mg/L		

Sulfate	258	mg/L		
Alkalinity, Total as CaCO3	234	mg/L	0.5	MDL
Selenium, Dissolved	0.686	mg/L	0.02	MDL
Selenium, Total	0.761	mg/L	0.02	MDL
Sulfate	236	mg/L	0.74	MDL
TDS	565	mg/L	0	MDL/RptTo0
Conductivity at 25 C	810	umhos/cm		
DTW	212.38	Feet		
ORP	106	mV		
Oxygen, Dissolved	11.87	mg/L		
pH	7.83	SU		
Temperature	6.97	C		
Turbidity	0.4	NTU		
Selenium, Dissolved	0.029	mg/L		
Selenium, Total	0.031	mg/L		
Sulfate	11	mg/L		
Alkalinity, Total as CaCO3	174	mg/L	0.5	MDL
Selenium, Dissolved	0.0274	mg/L	0.0008	MDL
Selenium, Total	0.0278	mg/L	0.0008	MDL
Sulfate	11.4	mg/L	0.07	MDL
TDS	184	mg/L	0	MDL/RptTo0
Conductivity at 25 C	343	umhos/cm		
DTW	7.01	Feet		
ORP	83.6	mV		
Oxygen, Dissolved	10.63	mg/L		
pH	7.55	SU		
Temperature	11.61	C		
Turbidity	0.4	NTU		
Alkalinity, Total as CaCO3	172	mg/L	0.5	MDL
Selenium, Dissolved	0.0123	mg/L	0.0002	MDL
Selenium, Total	0.0132	mg/L	0.0002	MDL
Sulfate	6.29	mg/L	0.07	MDL
TDS	185	mg/L	0	MDL/RptTo0
Conductivity at 25 C	331	umhos/cm		
DTW	7.01	Feet		
ORP	104.8	mV		
Oxygen, Dissolved	12.11	mg/L		
pH	7.63	SU		
Temperature	8.16	C		
Turbidity	0.46	NTU		
Alkalinity, Total as CaCO3	242	mg/L	0.5	MDL
Selenium, Dissolved	3.84	mg/L	0.1	MDL
Selenium, Total	3.72	mg/L	0.1	MDL
Sulfate	869	mg/L	3.7	MDL
TDS	163	mg/L	0	MDL/RptTo0
Conductivity at 25 C	1863	umhos/cm		
DTW	10.95	Feet		

ORP	-80.4	mV		
Oxygen, Dissolved	6.19	mg/L		
pH	9.6	SU		
Temperature	10.05	C		
Turbidity	0.75	NTU		
Conductivity at 25 C	1882	umhos/cm		
ORP	133.5	mV		
Oxygen, Dissolved	8.07	mg/L		
pH	7.65	SU		
Temperature	11.05	C		
Turbidity	0.2	NTU		
Selenium, Dissolved	6.281	mg/L		
Selenium, Total	6.518	mg/L		
Sulfate	1229	mg/L		
Conductivity at 25 C	332	umhos/cm		
ORP	166.2	mV		
Oxygen, Dissolved	9.71	mg/L		
pH	8.52	SU		
Temperature	7.27	C		
Selenium, Dissolved	0.001	mg/L		
Selenium, Total	0.001	mg/L		
Sulfate	14	mg/L		
Selenium, Dissolved	6.24	mg/L		
Selenium, Total	6.84	mg/L		
Sulfate	1374	mg/L		
Selenium, Dissolved	0.001	mg/L		
Selenium, Total	0.001	mg/L		
Sulfate	9	mg/L		
Alkalinity, Total as CaCO3	229	mg/L	0.5	MDL/RpToMRL
Hardness, as CaCO3	444	mg/L	0.061	MDL
Selenium, Dissolved	0.803	mg/L	0.02	MDL
Selenium, Total	0.792	mg/L	0.02	MDL
Sulfate	224	mg/L	0.37	MDL/RpToMRL
TDS	569	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	812	umhos/cm		
DTW	207.95	Feet		
ORP	181.6	mV		
Oxygen, Dissolved	11.07	mg/L		
pH	7.45	SU		
Temperature	6.94	C		
Turbidity	0.2	NTU		
Alkalinity, Total as CaCO3	290	mg/L	0.5	MDL/RpToMRL
Selenium, Dissolved	5.24	mg/L	0.1	MDL
Selenium, Total	5.22	mg/L	0.1	MDL
Sulfate	1210	mg/L	3.7	MDL/RpToMRL
TDS	2190	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	2252	umhos/cm		

ORP	170.5	mV		
Oxygen, Dissolved	10.59	mg/L		
pH	7.54	SU		
Temperature	12.63	C		
Turbidity	0.81	NTU		
Flow	0.0178	cfs		
Alkalinity, Total as CaCO3	175	mg/L	0.5	MDL/RpToMRL
Hardness, as CaCO3	168	mg/L	0.058	MDL
Selenium, Dissolved	0.00046	mg/L	0.0002	MDL
Selenium, Total	0.00047	mg/L	0.0002	MDL
Sulfate	12.7	mg/L	0.07	MDL/RpToMRL
TDS	173	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	332	umhos/cm		
ORP	88.3	mV		
Oxygen, Dissolved	9.21	mg/L		
pH	8.31	SU		
Temperature	9.29	C		
Turbidity	9.65	NTU		
Alkalinity, Total as CaCO3	197	mg/L	0.5	MDL/RpToMRL
Hardness, as CaCO3	208	mg/L	0.061	MDL
Selenium, Dissolved	0.00071	mg/L	0.0002	MDL
Selenium, Total	0.00077	mg/L	0.0002	MDL
Sulfate	19.5	mg/L	0.37	MDL/RpToMRL
TDS	230	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	383	umhos/cm		
ORP	212.5	mV		
Oxygen, Dissolved	9.48	mg/L		
pH	8.44	SU		
Temperature	11.8	C		
Turbidity	6.24	NTU		
Alkalinity, Total as CaCO3	284	mg/L	0.5	MDL
Hardness, as CaCO3	1690	mg/L	0.116	MDL
Selenium, Dissolved	4.76	mg/L	0.1	MDL
Selenium, Total	4.82	mg/L	0.1	MDL
Sulfate	1450	mg/L	3.7	MDL
TDS	2270	mg/L	0	MDL/RptTo0
Conductivity at 25 C	2373	umhos/cm		
ORP	194.3	mV		
Oxygen, Dissolved	7.68	mg/L		
pH	7.64	SU		
Temperature	12.35	C		
Turbidity	0.07	NTU		
Flow	0.011	cfs		
Alkalinity, Total as CaCO3	209	mg/L	0.5	MDL/RpToMRL
Hardness, as CaCO3	206	mg/L	0.058	MDL
Selenium, Dissolved	0.00025	mg/L	0.0002	MDL
Selenium, Total	0.00054	mg/L	0.0002	MDL

Sulfate	12.3	mg/L	0.37	MDL/RpToMRL
TDS	256	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	404	umhos/cm		
ORP	109.8	mV		
Oxygen, Dissolved	9.01	mg/L		
pH	8.2	SU		
Temperature	11.57	C		
Turbidity	5.27	NTU		
Alkalinity, Total as CaCO3	301	mg/L	0.5	MDL/RpToMRL
Hardness, as CaCO3	294	mg/L	0.058	MDL
Selenium, Dissolved	0.001	mg/L	0.0002	MDL
Selenium, Total	0.0014	mg/L	0.0002	MDL
Sulfate	16.4	mg/L	0.74	MDL/RpToMRL
TDS	357	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	557	umhos/cm		
ORP	108.6	mV		
Oxygen, Dissolved	10.15	mg/L		
pH	8.2	SU		
Temperature	8.46	C		
Turbidity	6.53	NTU		
Alkalinity, Total as CaCO3	205	mg/L	0.5	MDL/RpToMRL
Hardness, as CaCO3	210	mg/L	0.058	MDL
Selenium, Dissolved	0.00025	mg/L	0.0002	MDL
Selenium, Total	0.00044	mg/L	0.0002	MDL
Sulfate	21.3	mg/L	0.37	MDL/RpToMRL
TDS	235	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	408	umhos/cm		
ORP	-4.2	mV		
Oxygen, Dissolved	9.29	mg/L		
pH	8.14	SU		
Temperature	6.37	C		
Turbidity	2.64	NTU		
Flow	0.201	cfs		
Alkalinity, Total as CaCO3	176	mg/L	0.5	MDL/RpToMRL
Hardness, as CaCO3	183	mg/L	0.058	MDL
Selenium, Dissolved	0.00022	mg/L	0.0002	MDL
Selenium, Total	0.00035	mg/L	0.0002	MDL
Sulfate	13	mg/L	0.37	MDL/RpToMRL
TDS	191	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	341	umhos/cm		
ORP	50.1	mV		
Oxygen, Dissolved	9.57	mg/L		
pH	8.42	SU		
Temperature	7.19	C		
Turbidity	1.32	NTU		
Alkalinity, Total as CaCO3	206	mg/L	0.5	MDL/RpToMRL
Selenium, Dissolved	0.287	mg/L	0.01	MDL

Selenium, Total	0.31	mg/L	0.01	MDL
Sulfate	76.7	mg/L	0.37	MDL/RpToMRL
TDS	306	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	508	umhos/cm		
DTW	17.54	Feet		
ORP	387	mV		
Oxygen, Dissolved	10.96	mg/L		
pH	7.42	SU		
Temperature	7.11	C		
Turbidity	0	NTU		
Alkalinity, Total as CaCO3	262	mg/L	0.5	MDL/RpToMRL
Selenium, Dissolved	0.801	mg/L	0.02	MDL
Selenium, Total	0.798	mg/L	0.02	MDL
Sulfate	227	mg/L	0.37	MDL/RpToMRL
TDS	556	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	793	umhos/cm		
DTW	210.95	Feet		
ORP	402.1	mV		
Oxygen, Dissolved	12.05	mg/L		
pH	7.4	SU		
Temperature	6.6	C		
Turbidity	0	NTU		
Alkalinity, Total as CaCO3	262	mg/L	0.5	MDL/RpToMRL
Selenium, Dissolved	2.99	mg/L	0.06	MDL
Selenium, Total	3.01	mg/L	0.06	MDL
Sulfate	650	mg/L	1.85	MDL/RpToMRL
TDS	1210	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	1480	umhos/cm		
DTW	19.4	Feet		
ORP	397.2	mV		
Oxygen, Dissolved	4.9	mg/L		
pH	7.22	SU		
Temperature	9.45	C		
Turbidity	0	NTU		
Alkalinity, Total as CaCO3	176	mg/L	0.5	MDL/RpToMRL
Selenium, Dissolved	0.0085	mg/L	0.0002	MDL
Selenium, Total	0.0085	mg/L	0.0002	MDL
Sulfate	5.33	mg/L	0.07	MDL/RpToMRL
TDS	183	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	332	umhos/cm		
DTW	15.5	Feet		
ORP	395	mV		
Oxygen, Dissolved	12.74	mg/L		
pH	7.66	SU		
Temperature	8.56	C		
Turbidity	0	NTU		
Alkalinity, Total as CaCO3	176	mg/L	0.5	MDL/RpToMRL

Selenium, Dissolved	0.007	mg/L	0.0002	MDL
Selenium, Total	0.0072	mg/L	0.0002	MDL
Sulfate	5.54	mg/L	0.37	MDL/RpToMRL
TDS	185	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	335	umhos/cm		
DTW	15.5	Feet		
ORP	402.1	mV		
Oxygen, Dissolved	10.96	mg/L		
pH	7.67	SU		
Temperature	9.7	C		
Turbidity	0	NTU		
Alkalinity, Total as CaCO3	210	mg/L	0.5	MDL
Selenium, Dissolved	0.181	mg/L	0.004	MDL
Selenium, Total	0.18	mg/L	0.004	MDL
Sulfate	58.9	mg/L	0.2	MDL
TDS	291	mg/L	0	MDL/RptTo0
Conductivity at 25 C	483	umhos/cm		
DTW	17.02	Feet		
ORP	353.5	mV		
Oxygen, Dissolved	8.62	mg/L		
pH	7.41	SU		
Temperature	6.4	C		
Turbidity	1.35	NTU		
Alkalinity, Total as CaCO3	224	mg/L	0.5	MDL
Selenium, Dissolved	0.764	mg/L	0.02	MDL
Selenium, Total	0.769	mg/L	0.02	MDL
Sulfate	237	mg/L	0.39	MDL
TDS	518	mg/L	0	MDL/RptTo0
Conductivity at 25 C	762	umhos/cm		
DTW	212.6	Feet		
ORP	169.6	mV		
Oxygen, Dissolved	11.26	mg/L		
pH	7.35	SU		
Temperature	5.44	C		
Turbidity	1.64	NTU		
Alkalinity, Total as CaCO3	171	mg/L	0.5	MDL
Selenium, Dissolved	0.0422	mg/L	0.001	MDL
Selenium, Total	0.042	mg/L	0.001	MDL
Sulfate	16.6	mg/L	0.2	MDL
TDS	194	mg/L	0	MDL/RptTo0
Conductivity at 25 C	336	umhos/cm		
DTW	18.2	Feet		
ORP	149.3	mV		
Oxygen, Dissolved	11.7	mg/L		
pH	7.73	SU		
Temperature	6.8	C		
Alkalinity, Total as CaCO3	169	mg/L	0.5	MDL

Selenium, Dissolved	0.013	mg/L	0.0002	MDL
Selenium, Total	0.0129	mg/L	0.0002	MDL
Sulfate	7.5	mg/L	0.04	MDL
TDS	190	mg/L	0	MDL/RptTo0
Conductivity at 25 C	322	umhos/cm		
DTW	18.2	Feet		
ORP	157.5	mV		
Oxygen, Dissolved	11.24	mg/L		
pH	7.87	SU		
Temperature	6.81	C		
Alkalinity, Total as CaCO3	253	mg/L	0.5	MDL
Selenium, Dissolved	2.63	mg/L	0.06	MDL
Selenium, Total	2.61	mg/L	0.06	MDL
Sulfate	675	mg/L	0.98	MDL
TDS	1150	mg/L	0	MDL/RptTo0
Conductivity at 25 C	1450	umhos/cm		
DTW	20.74	Feet		
ORP	339.9	mV		
Oxygen, Dissolved	4.8	mg/L		
pH	7.22	SU		
Temperature	7.6	C		
Turbidity	1.1	NTU		
Alkalinity, Total as CaCO3	260	mg/L	0.5	MDL
Hardness, as CaCO3	1660	mg/L	0.116	MDL
Selenium, Dissolved	4.04	mg/L	0.08	MDL
Selenium, Total	4.33	mg/L	0.08	MDL
Sulfate	1590	mg/L	1.95	MDL
TDS	2380	mg/L	0	MDL/RptTo0
Conductivity at 25 C	266	umhos/cm		
ORP	170	mV		
Oxygen, Dissolved	8.68	mg/L		
pH	7.96	SU		
Temperature	4.7	C		
Turbidity	1.73	NTU		
Flow	0.012	cfs		
Alkalinity, Total as CaCO3	182	mg/L	0.5	MDL
Hardness, as CaCO3	189	mg/L	0.058	MDL
Selenium, Dissolved	0.00025	mg/L	0.0002	MDL
Selenium, Total	0.00022	mg/L	0.0002	MDL
Sulfate	14.4	mg/L	0.04	MDL
TDS	200	mg/L	0	MDL/RptTo0
Conductivity at 25 C	209.3	umhos/cm		
ORP	183.7	mV		
Oxygen, Dissolved	10.87	mg/L		
pH	8.73	SU		
Temperature	3.3	C		
Turbidity	0.77	NTU		

Flow	0.083	cfs		
Alkalinity, Total as CaCO3	209	mg/L	0.5	MDL
Hardness, as CaCO3	215	mg/L	0.058	MDL
Selenium, Dissolved	0.00022	mg/L	0.0002	MDL
Selenium, Total	0.0003	mg/L	0.0002	MDL
Sulfate	22.3	mg/L	0.04	MDL
TDS	231	mg/L	0	MDL/RptTo0
Conductivity at 25 C	430	umhos/cm		
ORP	176.6	mV		
Oxygen, Dissolved	10.09	mg/L		
pH	8.27	SU		
Temperature	2.7	C		
Turbidity	1.26	NTU		
Flow	0.089	cfs		
Alkalinity, Total as CaCO3	179	mg/L	0.5	MDL
Hardness, as CaCO3	180	mg/L	0.058	MDL
Selenium, Dissolved	0.00024	mg/L	0.0002	MDL
Selenium, Total	0.00031	mg/L	0.0002	MDL
Sulfate	14.2	mg/L	0.04	MDL
TDS	169	mg/L	0	MDL/RptTo0
Conductivity at 25 C	358	umhos/cm		
ORP	194.6	mV		
Oxygen, Dissolved	11.44	mg/L		
pH	8.45	SU		
Temperature	0.3	C		
Turbidity	2.34	NTU		
Alkalinity, Total as CaCO3	183	mg/L	0.5	MDL
Hardness, as CaCO3	195	mg/L	0.058	MDL
Selenium, Dissolved	0.00054	mg/L	0.0002	MDL
Selenium, Total	0.00049	mg/L	0.0002	MDL
Sulfate	23.7	mg/L	0.2	MDL
TDS	220	mg/L	0	MDL/RptTo0
Conductivity at 25 C	393.3	umhos/cm		
ORP	175.8	mV		
Oxygen, Dissolved	12.11	mg/L		
pH	8.55	SU		
Temperature	1.3	C		
Turbidity	12.58	NTU		
Flow	4.638	cfs		
Alkalinity, Total as CaCO3	220	mg/L	0.1	MDL/RpToMRL
Selenium, Dissolved	0.801	mg/L	0.02	MDL
Selenium, Total	0.803	mg/L	0.02	MDL
Sulfate	223	mg/L	0.47	MDL/RpToMRL
TDS	313	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	676	umhos/cm		
DTW	217.11	Feet		
ORP	49.9	mV		

Oxygen, Dissolved	10.86	mg/L		
pH	7.47	SU		
Temperature	6.45	C		
Turbidity	0.36	NTU		
Alkalinity, Total as CaCO3	241	mg/L	0.1	MDL/RpToMRL
Hardness, as CaCO3	1930	mg/L	0.14	MDL
Selenium, Dissolved	5.98	mg/L	0.1	MDL
Selenium, Total	6.62	mg/L	0.1	MDL
Sulfate	1630	mg/L	2.35	MDL/RpToMRL
TDS	2870	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	2287	umhos/cm		
ORP	58.5	mV		
Oxygen, Dissolved	10.96	mg/L		
pH	7.81	SU		
Temperature	10.97	C		
Turbidity	0.3	NTU		
Flow	0.022	cfs		
Alkalinity, Total as CaCO3	180	mg/L	0.1	MDL/RpToMRL
Hardness, as CaCO3	185	mg/L	0.14	MDL
Selenium, Dissolved	0.00022	mg/L	0.0002	MDL
Selenium, Total	0.00045	mg/L	0.0002	MDL
Sulfate	10.1	mg/L	0.05	MDL/RpToMRL
TDS	183	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	295	umhos/cm		
ORP	54	mV		
Oxygen, Dissolved	13.57	mg/L		
pH	8.21	SU		
Temperature	5.02	C		
Turbidity	12	NTU		
Alkalinity, Total as CaCO3	186	mg/L	0.1	MDL/RpToMRL
Hardness, as CaCO3	206	mg/L	0.14	MDL
Selenium, Dissolved	0.0011	mg/L	0.0002	MDL
Selenium, Total	0.0011	mg/L	0.0002	MDL
Sulfate	14.6	mg/L	0.05	MDL/RpToMRL
TDS	214	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	337.3	umhos/cm		
ORP	198.6	mV		
Oxygen, Dissolved	8.01	mg/L		
pH	8.61	SU		
Temperature	14	C		
Turbidity	11.5	NTU		
Flow	10.858	cfs		
Alkalinity, Total as CaCO3	178	mg/L	0.1	MDL/RpToMRL
Selenium, Dissolved	0.731	mg/L	0.02	MDL
Selenium, Total	0.724	mg/L	0.02	MDL
Sulfate	162	mg/L	0.47	MDL/RpToMRL
TDS	387	mg/L	0	MDL/RpToMRL

Conductivity at 25 C	606	umhos/cm		
DTW	13.83	Feet		
ORP	125.5	mV		
Oxygen, Dissolved	8.14	mg/L		
pH	9.02	SU		
Temperature	6.5	C		
Turbidity	0.17	NTU		
Alkalinity, Total as CaCO3	226	mg/L	0.1	MDL/RpToMRL
Selenium, Dissolved	0.788	mg/L	0.02	MDL
Selenium, Total	0.784	mg/L	0.02	MDL
Sulfate	226	mg/L	0.47	MDL/RpToMRL
TDS	530	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	665	umhos/cm		
DTW	216.22	Feet		
ORP	79	mV		
Oxygen, Dissolved	11.49	mg/L		
pH	7.46	SU		
Temperature	6.47	C		
Turbidity	0.25	NTU		
Alkalinity, Total as CaCO3	174	mg/L	0.1	MDL/RpToMRL
Selenium, Dissolved	0.169	mg/L	0.002	MDL
Selenium, Total	0.166	mg/L	0.002	MDL
Sulfate	52.9	mg/L	0.24	MDL/RpToMRL
TDS	255	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	354	umhos/cm		
DTW	21.93	Feet		
ORP	102	mV		
Oxygen, Dissolved	11.36	mg/L		
pH	7.66	SU		
Temperature	7.36	C		
Turbidity	0.71	NTU		
Alkalinity, Total as CaCO3	174	mg/L	0.1	MDL/RpToMRL
Selenium, Dissolved	0.0638	mg/L	0.002	MDL
Selenium, Total	0.0695	mg/L	0.002	MDL
Sulfate	23.3	mg/L	0.05	MDL/RpToMRL
TDS	205	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	306	umhos/cm		
DTW	21.93	Feet		
ORP	78.1	mV		
Oxygen, Dissolved	11.44	mg/L		
pH	7.71	SU		
Temperature	7.27	C		
Turbidity	0.24	NTU		
Alkalinity, Total as CaCO3	251	mg/L	0.1	MDL/RpToMRL
Selenium, Dissolved	3.74	mg/L	0.1	MDL
Selenium, Total	3.82	mg/L	0.1	MDL
Sulfate	916	mg/L	2.35	MDL/RpToMRL

TDS	1590	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	1777	umhos/cm		
DTW	16.68	Feet		
ORP	194.5	mV		
Oxygen, Dissolved	5.64	mg/L		
pH	7.47	SU		
Temperature	8.5	C		
Turbidity	0.41	NTU		
Alkalinity, Total as CaCO3	248	mg/L	0.1	MDL/RpToMRL
Hardness, as CaCO3	2080	mg/L	0.14	MDL
Selenium, Dissolved	5.96	mg/L	0.1	MDL
Selenium, Total	5.93	mg/L	0.1	MDL
Sulfate	1640	mg/L	2.35	MDL/RpToMRL
TDS	2500	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	2608	umhos/cm		
ORP	215.3	mV		
Oxygen, Dissolved	7.57	mg/L		
pH	8.25	SU		
Temperature	10.6	C		
Turbidity	1.18	NTU		
Flow	0.018	cfs		
Alkalinity, Total as CaCO3	182	mg/L	0.1	MDL/RpToMRL
Hardness, as CaCO3	196	mg/L	0.14	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	10.3	mg/L	0.05	MDL/RpToMRL
TDS	195	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	336.7	umhos/cm		
ORP	184.7	mV		
Oxygen, Dissolved	9.8	mg/L		
pH	8.92	SU		
Temperature	4.9	C		
Turbidity	4.16	NTU		
Flow	1.171	cfs		
Alkalinity, Total as CaCO3	206	mg/L	0.1	MDL/RpToMRL
Hardness, as CaCO3	216	mg/L	0.14	MDL
Selenium, Dissolved	0.00022	mg/L	0.0002	MDL
Selenium, Total	0.00024	mg/L	0.0002	MDL
Sulfate	11.9	mg/L	0.05	MDL/RpToMRL
TDS	239	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	389.8	umhos/cm		
ORP	103	mV		
Oxygen, Dissolved	8.43	mg/L		
pH	8.03	SU		
Temperature	12.2	C		
Turbidity	14.29	NTU		
Flow	0.101	cfs		

Alkalinity, Total as CaCO3	266	mg/L	0.1	MDL/RpToMRL
Hardness, as CaCO3	300	mg/L	0.14	MDL
Selenium, Dissolved	0.0094	mg/L	0.0002	MDL
Selenium, Total	0.0093	mg/L	0.0002	MDL
Sulfate	22.8	mg/L	0.05	MDL/RpToMRL
TDS	307	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	491.9	umhos/cm		
ORP	214.7	mV		
Oxygen, Dissolved	10.19	mg/L		
pH	8.16	SU		
Temperature	6.8	C		
Turbidity	19.83	NTU		
Flow	1.182	cfs		
Alkalinity, Total as CaCO3	195	mg/L	0.1	MDL/RpToMRL
Hardness, as CaCO3	210	mg/L	0.14	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.00023	mg/L	0.0002	MDL
Sulfate	16.2	mg/L	0.05	MDL/RpToMRL
TDS	214	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	318	umhos/cm		
ORP	120.5	mV		
Oxygen, Dissolved	13.65	mg/L		
pH	8.3	SU		
Temperature	4.38	C		
Turbidity	0.44	NTU		
Flow	0.446	cfs		
Alkalinity, Total as CaCO3	181	mg/L	0.1	MDL/RpToMRL
Hardness, as CaCO3	197	mg/L	0.14	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	10	mg/L	0.05	MDL/RpToMRL
TDS	193	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	287	umhos/cm		
ORP	79.9	mV		
Oxygen, Dissolved	13.3	mg/L		
pH	8.38	SU		
Temperature	5.03	C		
Turbidity	4.21	NTU		
Alkalinity, Total as CaCO3	176	mg/L	0.1	MDL/RpToMRL
Hardness, as CaCO3	174	mg/L	0.14	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.00023	mg/L	0.0002	MDL
Sulfate	10.5	mg/L	0.05	MDL/RpToMRL
TDS	192	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	275	umhos/cm		
ORP	173.6	mV		
Oxygen, Dissolved	13.18	mg/L		

pH	8.41	SU		
Temperature	6.89	C		
Turbidity	3.68	NTU		
Alkalinity, Total as CaCO3	297	mg/L	0.5	MDL/RpToMRL
Hardness, as CaCO3	2070	mg/L	0.14	MDL
Selenium, Dissolved	4.83	mg/L	0.1	MDL
Selenium, Total	5.03	mg/L	0.1	MDL
Sulfate	1660	mg/L	2.35	MDL/RpToMRL
TDS	2600	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	2851	umhos/cm		
ORP	119.7	mV		
Oxygen, Dissolved	7.19	mg/L		
pH	7.84	SU		
Temperature	16.5	C		
Turbidity	0.65	NTU		
Flow	0.009	cfs		
Flow		cfs		
Alkalinity, Total as CaCO3	235	mg/L	0.4	MDL/RpToMRL
Selenium, Dissolved	0.812	mg/L	0.02	MDL
Selenium, Total	0.81	mg/L	0.02	MDL
Sulfate	234	mg/L	0.47	MDL/RpToMRL
TDS	559	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	658	umhos/cm		
DTW	216	Feet		
ORP	196.5	mV		
Oxygen, Dissolved	11.6	mg/L		
pH	7.26	SU		
Temperature	6.68	C		
Turbidity	1.69	NTU		
Alkalinity, Total as CaCO3	337	mg/L	0.4	MDL/RpToMRL
Hardness, as CaCO3	1800	mg/L	0.14	MDL
Selenium, Dissolved	4.18	mg/L	0.1	MDL
Selenium, Total	4.4	mg/L	0.1	MDL
Sulfate	1710	mg/L	2.35	MDL/RpToMRL
TDS	2780	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	2303	umhos/cm		
ORP	160.6	mV		
Oxygen, Dissolved	8	mg/L		
pH	7.52	SU		
Temperature	17.11	C		
Turbidity	0.62	NTU		
Alkalinity, Total as CaCO3	187	mg/L	0.4	MDL/RpToMRL
Hardness, as CaCO3	171	mg/L	0.14	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.00026	mg/L	0.0002	MDL
Sulfate	12.6	mg/L	0.24	MDL/RpToMRL
TDS	204	mg/L	0	MDL/RpToMRL

Conductivity at 25 C	280	umhos/cm		
ORP	172.8	mV		
Oxygen, Dissolved	12.74	mg/L		
pH	8.48	SU		
Temperature	9.33	C		
Turbidity	2.43	NTU		
Alkalinity, Total as CaCO3	239	mg/L	0	MDL
Selenium, Dissolved	0.856	mg/L	0.01	MDL
Selenium, Total	0.855	mg/L	0.01	MDL
Sulfate	240	mg/L	0.47	MDL
TDS	551	mg/L	0	MDL/RptTo0
Conductivity at 25 C	778	umhos/cm		
DTW	216.2	Feet		
ORP	78.1	mV		
Oxygen, Dissolved	12.4	mg/L		
pH	7.49	SU		
Temperature	6.5	C		
Turbidity	0.44	NTU		
Flow		cfs		
Alkalinity, Total as CaCO3	190	mg/L	0	MDL
Hardness, as CaCO3	181	mg/L	0.123	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	14.1	mg/L	0.05	MDL
TDS	195	mg/L	0	MDL/RptTo0
Conductivity at 25 C	324	umhos/cm		
ORP	83.9	mV		
Oxygen, Dissolved	11.93	mg/L		
pH	8.56	SU		
Temperature	11.94	C		
Turbidity	2.31	NTU		
Flow	0.148	cfs		
Alkalinity, Total as CaCO3	224	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	235	mg/L	0.123	MDL
Selenium, Dissolved	0.00062	mg/L	0.0002	MDL
Selenium, Total	0.00057	mg/L	0.0002	MDL
Sulfate	24	mg/L	0.24	MDL/RpToMRL
TDS	271	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	409	umhos/cm		
ORP	72.3	mV		
Oxygen, Dissolved	13.48	mg/L		
pH	8.48	SU		
Temperature	12.91	C		
Turbidity	1.32	NTU		
Alkalinity, Total as CaCO3	213	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.114	mg/L	0.002	MDL
Selenium, Total	0.128	mg/L	0.002	MDL

Sulfate	42.4	mg/L	0.24	MDL/RpToMRL
TDS	290	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	456	umhos/cm		
DTW	17.43	Feet		
ORP	192.3	mV		
Oxygen, Dissolved	7.69	mg/L		
pH	7.93	SU		
Temperature	7.72	C		
Turbidity	0.31	NTU		
Alkalinity, Total as CaCO3	238	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.766	mg/L	0.02	MDL
Selenium, Total	0.785	mg/L	0.02	MDL
Sulfate	231	mg/L	0.47	MDL/RpToMRL
TDS	591	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	774	umhos/cm		
DTW	216.58	Feet		
ORP	69.3	mV		
Oxygen, Dissolved	12.49	mg/L		
pH	7.49	SU		
Temperature	6.71	C		
Turbidity	4.89	NTU		
Alkalinity, Total as CaCO3	187	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.163	mg/L	0.004	MDL
Selenium, Total	0.168	mg/L	0.004	MDL
Sulfate	55.2	mg/L	0.24	MDL/RpToMRL
TDS	284	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	419	umhos/cm		
DTW	22.8	Feet		
ORP	90.2	mV		
Oxygen, Dissolved	13.6	mg/L		
pH	7.69	SU		
Temperature	7.39	C		
Turbidity	0.55	NTU		
Alkalinity, Total as CaCO3	183	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.0584	mg/L	0.001	MDL
Selenium, Total	0.0605	mg/L	0.001	MDL
Sulfate	22.5	mg/L	0.24	MDL/RpToMRL
TDS	230	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	354	umhos/cm		
DTW	22.8	Feet		
ORP	86.6	mV		
Oxygen, Dissolved	13.51	mg/L		
pH	7.67	SU		
Temperature	7.42	C		
Turbidity	0.22	NTU		
Alkalinity, Total as CaCO3	268	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	2.83	mg/L	0.1	MDL

Selenium, Total	2.98	mg/L	0.1	MDL
Sulfate	708	mg/L	2.35	MDL/RpToMRL
TDS	1340	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	1608	umhos/cm		
DTW	20.4	Feet		
ORP	185.7	mV		
Oxygen, Dissolved	4.78	mg/L		
pH	7.81	SU		
Temperature	8.39	C		
Turbidity	0.84	NTU		
Flow		cfs		
Alkalinity, Total as CaCO3	190	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	177	mg/L	0.123	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	13.2	mg/L	0.24	MDL/RpToMRL
TDS	214	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	345	umhos/cm		
ORP	164	mV		
Oxygen, Dissolved	8.69	mg/L		
pH	8.9	SU		
Temperature	9.73	C		
Turbidity	141.6	NTU		
Alkalinity, Total as CaCO3	257	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	237	mg/L	0.123	MDL
Selenium, Dissolved	0.00076	mg/L	0.0002	MDL
Selenium, Total	0.00085	mg/L	0.0002	MDL
Sulfate	21.4	mg/L	0.24	MDL/RpToMRL
TDS	332	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	496	umhos/cm		
ORP	132.7	mV		
Oxygen, Dissolved	2.29	mg/L		
pH	7.78	SU		
Temperature	11.93	C		
Turbidity	379.5	NTU		
Alkalinity, Total as CaCO3	252	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	248	mg/L	0.123	MDL
Selenium, Dissolved	0.0011	mg/L	0.0002	MDL
Selenium, Total	0.0011	mg/L	0.0002	MDL
Sulfate	42.9	mg/L	0.24	MDL/RpToMRL
TDS	335	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	507	umhos/cm		
ORP	163.5	mV		
Oxygen, Dissolved	12.32	mg/L		
pH	8.78	SU		
Temperature	12.01	C		
Turbidity	212.4	NTU		

Alkalinity, Total as CaCO3	224	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	213	mg/L	0.123	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	20.8	mg/L	0.24	MDL/RpToMRL
TDS	244	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	399	umhos/cm		
ORP	88	mV		
Oxygen, Dissolved	13.24	mg/L		
pH	8.15	SU		
Temperature	7.37	C		
Turbidity	0.68	NTU		
Flow	0.111	cfs		
Alkalinity, Total as CaCO3	189	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	172	mg/L	0.123	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	13.4	mg/L	0.24	MDL/RpToMRL
TDS	207	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	328	umhos/cm		
ORP	99.4	mV		
Oxygen, Dissolved	22.16	mg/L		
pH	8.42	SU		
Temperature	8.79	C		
Turbidity	1.77	NTU		
Flow		cfs		
Alkalinity, Total as CaCO3	186	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	188	mg/L	0.123	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	15.4	mg/L	0.07	MDL/RpToMRL
TDS	187	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	284	umhos/cm		
ORP	11.2	mV		
Oxygen, Dissolved	21.04	mg/L		
pH	8.26	SU		
Temperature	5.43	C		
Turbidity	0.63	NTU		
Flow	0.106	cfs		
Alkalinity, Total as CaCO3	220	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	212	mg/L	0.123	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	23.1	mg/L	0.07	MDL/RpToMRL
TDS	227	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	340	umhos/cm		
ORP	14.6	mV		

Oxygen, Dissolved	20.06	mg/L		
pH	7.97	SU		
Temperature	3.52	C		
Turbidity	1.74	NTU		
Flow	0.167	cfs		
Alkalinity, Total as CaCO3	160	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	184	mg/L	0.123	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	14.9	mg/L	0.07	MDL/RpToMRL
TDS	157	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	285	umhos/cm		
ORP	19.4	mV		
Oxygen, Dissolved	21.37	mg/L		
pH	8.13	SU		
Temperature	3.02	C		
Turbidity	1.04	NTU		
Flow	1.086	cfs		
Alkalinity, Total as CaCO3	221	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.0899	mg/L	0.002	MDL
Selenium, Total	0.0892	mg/L	0.002	MDL
Sulfate	35.1	mg/L	0.35	MDL/RpToMRL
TDS	276	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	393.4	umhos/cm		
DTW	18.94	Feet		
ORP	53.3	mV		
Oxygen, Dissolved	7.27	mg/L		
pH	7.31	SU		
Temperature	6.6	C		
Turbidity	0	NTU		
Alkalinity, Total as CaCO3	233	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.748	mg/L	0.02	MDL
Selenium, Total	0.752	mg/L	0.02	MDL
Sulfate	231	mg/L	0.7	MDL/RpToMRL
TDS	554	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	656	umhos/cm		
ORP	-70.7	mV		
Oxygen, Dissolved	16.14	mg/L		
pH	7.34	SU		
Temperature	5.95	C		
Turbidity	0	NTU		
Alkalinity, Total as CaCO3	182	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.166	mg/L	0.002	MDL
Selenium, Total	0.167	mg/L	0.002	MDL
Sulfate	58.8	mg/L	0.35	MDL/RpToMRL
TDS	270	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	362	umhos/cm		

DTW	25.49	Feet		
ORP	-73.3	mV		
Oxygen, Dissolved	18.18	mg/L		
pH	7.56	SU		
Temperature	7.31	C		
Turbidity	0.03	NTU		
Alkalinity, Total as CaCO3	179	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.0654	mg/L	0.002	MDL
Selenium, Total	0.0651	mg/L	0.002	MDL
Sulfate	25.4	mg/L	0.07	MDL/RpToMRL
TDS	228	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	309	umhos/cm		
DTW	25.49	Feet		
ORP	-74.5	mV		
Oxygen, Dissolved	16.78	mg/L		
pH	7.6	SU		
Temperature	7.27	C		
Turbidity	0	NTU		
Alkalinity, Total as CaCO3	266	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	2.48	mg/L	0.1	MDL
Selenium, Total	2.78	mg/L	0.1	MDL
Sulfate	678	mg/L	1.75	MDL/RpToMRL
TDS	1220	mg/L	0	MDL/RpToMRL
Alkalinity, Total as CaCO3	215	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	245	mg/L	0.123	MDL
Selenium, Dissolved	0.00069	mg/L	0.0002	MDL
Selenium, Total	0.00065	mg/L	0.0002	MDL
Sulfate	50.2	mg/L	0.07	MDL/RpToMRL
TDS	272	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	404.5	umhos/cm		
ORP	30.3	mV		
Oxygen, Dissolved	10.71	mg/L		
pH	8.46	SU		
Temperature	3.8	C		
Turbidity	2.7	NTU		
Flow	0.873	cfs		
Alkalinity, Total as CaCO3	224	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	217	mg/L	0.123	MDL
Selenium, Dissolved	0.00032	mg/L	0.0002	MDL
Selenium, Total	0.00029	mg/L	0.0002	MDL
Sulfate	30.1	mg/L	0.07	MDL/RpToMRL
TDS	247	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	383.2	umhos/cm		
ORP	70.3	mV		
Oxygen, Dissolved	10.64	mg/L		
pH	8.23	SU		
Temperature	0.1	C		

Turbidity	37.03	NTU		
Flow		cfs		
Alkalinity, Total as CaCO3	274	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	406	mg/L	0.123	MDL
Selenium, Dissolved	0.00094	mg/L	0.0002	MDL
Selenium, Total	0.0013	mg/L	0.0002	MDL
Sulfate	160	mg/L	0.7	MDL/RpToMRL
TDS	513	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	661.4	umhos/cm		
ORP	23.5	mV		
Oxygen, Dissolved	9.53	mg/L		
pH	8.08	SU		
Temperature	0.2	C		
Turbidity	52.56	NTU		
Flow		cfs		
Conductivity at 25 C	1339	umhos/cm		
DTW	21.05	Feet		
ORP	199.9	mV		
Oxygen, Dissolved	4.65	mg/L		
pH	7.32	SU		
Temperature	7.3	C		
Turbidity	0.24	NTU		
Alkalinity, Total as CaCO3	184	mg/L	0	MDL
Hardness, as CaCO3	211	mg/L	0.128	MDL
Selenium, Dissolved	0.0036	mg/L	0.0002	MDL
Selenium, Total	0.0041	mg/L	0.0002	MDL
Sulfate	19.6	mg/L	0.33	MDL
TDS	219	mg/L	0	MDL/RptTo0
Conductivity at 25 C	368.7	umhos/cm		
ORP	242.1	mV		
Oxygen, Dissolved	10.25	mg/L		
pH	8.5	SU		
Temperature	9.6	C		
Turbidity	15.18	NTU		
Flow	11.41	cfs		
Alkalinity, Total as CaCO3	199	mg/L	0	MDL
Selenium, Dissolved	0.145	mg/L	0.002	MDL
Selenium, Total	0.15	mg/L	0.002	MDL
Sulfate	55.4	mg/L	0.33	MDL
TDS	273	mg/L	0	MDL/RptTo0
Conductivity at 25 C	486	umhos/cm		
DTW	13.56	Feet		
ORP	109.1	mV		
Oxygen, Dissolved	8.91	mg/L		
pH	7.48	SU		
Temperature	6.6	C		
Turbidity	0.25	NTU		

Alkalinity, Total as CaCO3	221	mg/L	0	MDL
Selenium, Dissolved	0.805	mg/L	0.02	MDL
Selenium, Total	0.807	mg/L	0.02	MDL
Sulfate	228	mg/L	0.66	MDL
TDS	540	mg/L	0	MDL/RptTo0
Conductivity at 25 C	819	umhos/cm		
DTW	218.47	Feet		
ORP	119.3	mV		
Oxygen, Dissolved	9.7	mg/L		
pH	7.32	SU		
Temperature	6.9	C		
Turbidity	0.22	NTU		
Alkalinity, Total as CaCO3	171	mg/L	0	MDL
Selenium, Dissolved	0.0798	mg/L	0.002	MDL
Selenium, Total	0.0828	mg/L	0.002	MDL
Sulfate	28.2	mg/L	0.33	MDL
TDS	223	mg/L	0	MDL/RptTo0
Conductivity at 25 C	392.9	umhos/cm		
DTW	24.93	Feet		
ORP	124.6	mV		
Oxygen, Dissolved	10.73	mg/L		
pH	7.46	SU		
Temperature	7.4	C		
Turbidity	0.49	NTU		
Alkalinity, Total as CaCO3	177	mg/L	0	MDL
Selenium, Dissolved	0.165	mg/L	0.002	MDL
Selenium, Total	0.178	mg/L	0.002	MDL
Sulfate	55.8	mg/L	0.33	MDL
TDS	271	mg/L	0	MDL/RptTo0
Conductivity at 25 C	450.2	umhos/cm		
DTW	24.93	Feet		
ORP	131.2	mV		
Oxygen, Dissolved	10.15	mg/L		
pH	7.5	SU		
Temperature	7.5	C		
Turbidity	0.12	NTU		
Alkalinity, Total as CaCO3	250	mg/L	0	MDL
Selenium, Dissolved	3.85	mg/L	0.1	MDL
Selenium, Total	3.91	mg/L	0.1	MDL
Sulfate	982	mg/L	3.3	MDL
TDS	1710	mg/L	0	MDL/RptTo0
Conductivity at 25 C	2021	umhos/cm		
DTW	16.55	Feet		
ORP	109.7	mV		
Oxygen, Dissolved	6.88	mg/L		
pH	7.18	SU		
Temperature	8	C		

Turbidity	1.25	NTU		
Alkalinity, Total as CaCO3	269	mg/L	0	MDL
Hardness, as CaCO3	1890	mg/L	0.128	MDL
Selenium, Dissolved	4.53	mg/L	0.1	MDL
Selenium, Total	4.9	mg/L	0.1	MDL
Sulfate	1750	mg/L	6.6	MDL
TDS	2710	mg/L	0	MDL/RptTo0
Conductivity at 25 C	2377	umhos/cm		
ORP	179.8	mV		
Oxygen, Dissolved	11.25	mg/L		
pH	7.86	SU		
Temperature	13.01	C		
Turbidity	1.43	NTU		
Flow	0.01	cfs		
Alkalinity, Total as CaCO3	176	mg/L	0	MDL
Hardness, as CaCO3	191	mg/L	0.128	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	10.4	mg/L	0.33	MDL
TDS	191	mg/L	0	MDL/RptTo0
Conductivity at 25 C	292	umhos/cm		
ORP	179.9	mV		
Oxygen, Dissolved	14.57	mg/L		
pH	8.49	SU		
Temperature	5.56	C		
Turbidity	0.25	NTU		
Flow	2.49	cfs		
Alkalinity, Total as CaCO3	180	mg/L	0	MDL
Hardness, as CaCO3	183	mg/L	0.128	MDL
Selenium, Dissolved	0.00031	mg/L	0.0002	MDL
Selenium, Total	0.00036	mg/L	0.0002	MDL
Sulfate	11.4	mg/L	0.33	MDL
TDS	214	mg/L	0	MDL/RptTo0
Conductivity at 25 C	370.8	umhos/cm		
ORP	104.7	mV		
Oxygen, Dissolved	9.53	mg/L		
pH	8	SU		
Temperature	7.9	C		
Turbidity	9.67	NTU		
Flow		cfs		
Alkalinity, Total as CaCO3	231	mg/L	0	MDL
Hardness, as CaCO3	273	mg/L	0.128	MDL
Selenium, Dissolved	0.0219	mg/L	0.0004	MDL
Selenium, Total	0.0229	mg/L	0.0004	MDL
Sulfate	43.5	mg/L	0.33	MDL
TDS	303	mg/L	0	MDL/RptTo0
Conductivity at 25 C	518.8	umhos/cm		

ORP	118.8	mV		
Oxygen, Dissolved	10.63	mg/L		
pH	8.18	SU		
Temperature	6.1	C		
Turbidity	15.83	NTU		
Flow	1.742	cfs		
Alkalinity, Total as CaCO3	188	mg/L	0	MDL
Hardness, as CaCO3	204	mg/L	0.128	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	16.7	mg/L	0.33	MDL
TDS	218	mg/L	0	MDL/RptTo0
Conductivity at 25 C	324	umhos/cm		
ORP	196.9	mV		
Oxygen, Dissolved	15.4	mg/L		
pH	8.29	SU		
Temperature	4.97	C		
Flow	0.469	cfs		
Alkalinity, Total as CaCO3	178	mg/L	0	MDL
Hardness, as CaCO3	186	mg/L	0.128	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	10.1	mg/L	0.33	MDL
TDS	190	mg/L	0	MDL/RptTo0
Conductivity at 25 C	292	umhos/cm		
ORP	180.7	mV		
Oxygen, Dissolved	14.66	mg/L		
pH	8.35	SU		
Temperature	5.37	C		
Turbidity	2.91	NTU		
Flow	1.99	cfs		
Flow		cfs		
Alkalinity, Total as CaCO3	177	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	189	mg/L	0.128	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	13.3	mg/L	0.33	MDL/RpToMRL
TDS	200	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	294.9	umhos/cm		
ORP	100.9	mV		
Oxygen, Dissolved	8.07	mg/L		
pH	8.61	SU		
Temperature	11.2	C		
Turbidity	0.37	NTU		
Flow	0.148	cfs		
Alkalinity, Total as CaCO3	172	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	187	mg/L	0.128	MDL

Selenium, Dissolved	0.00057	mg/L	0.0002	MDL
Selenium, Total	0.00056	mg/L	0.0002	MDL
Sulfate	17.5	mg/L	0.33	MDL/RpToMRL
TDS	200	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	347.3	umhos/cm		
ORP	121.5	mV		
Oxygen, Dissolved	9.39	mg/L		
pH	8.29	SU		
Temperature	15	C		
Turbidity	2.59	NTU		
Alkalinity, Total as CaCO3	176	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	187	mg/L	0.128	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	17.8	mg/L	0.33	MDL/RpToMRL
TDS	194	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	278.3	umhos/cm		
ORP	108.6	mV		
Oxygen, Dissolved	8.14	mg/L		
pH	8.44	SU		
Temperature	9.69	C		
Turbidity	0.33	NTU		
Alkalinity, Total as CaCO3	196	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.0288	mg/L	0.001	MDL
Selenium, Total	0.0309	mg/L	0.001	MDL
Sulfate	21.7	mg/L	0.33	MDL/RpToMRL
TDS	157	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	400.6	umhos/cm		
DTW	18.67	Feet		
ORP	47.5	mV		
Oxygen, Dissolved	7.94	mg/L		
pH	7.43	SU		
Temperature	7.69	C		
Alkalinity, Total as CaCO3	220	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.848	mg/L	0.02	MDL
Selenium, Total	0.862	mg/L	0.02	MDL
Sulfate	228	mg/L	0.66	MDL/RpToMRL
TDS	595	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	797.6	umhos/cm		
DTW	219.2	Feet		
ORP	50.1	mV		
Oxygen, Dissolved	7.86	mg/L		
pH	7.38	SU		
Temperature	7.24	C		
Alkalinity, Total as CaCO3	175	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.165	mg/L	0.002	MDL
Selenium, Total	0.169	mg/L	0.002	MDL

Sulfate	55.4	mg/L	0.33	MDL/RpToMRL
TDS	145	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	431.99	umhos/cm		
DTW	26.23	Feet		
ORP	52.44	mV		
Oxygen, Dissolved	8.5	mg/L		
pH	7.63	SU		
Temperature	7.48	C		
Alkalinity, Total as CaCO3	173	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.0661	mg/L	0.001	MDL
Selenium, Total	0.0719	mg/L	0.001	MDL
Sulfate	26.5	mg/L	0.07	MDL/RpToMRL
TDS	232	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	375.2	umhos/cm		
DTW	26.23	Feet		
ORP	52.5	mV		
Oxygen, Dissolved	8.67	mg/L		
pH	7.65	SU		
Temperature	7.5	C		
Alkalinity, Total as CaCO3	192	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	196	mg/L	0.206	MDL
Selenium, Dissolved	0.00021	mg/L	0.0002	MDL
Selenium, Total	0.00046	mg/L	0.0002	MDL
Sulfate	26.9	mg/L	0.07	MDL/RpToMRL
TDS	240	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	366.9	umhos/cm		
ORP	41.3	mV		
Oxygen, Dissolved	8.07	mg/L		
pH	8.36	SU		
Temperature	9.74	C		
Turbidity	18.1	NTU		
Alkalinity, Total as CaCO3	283	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	307	mg/L	0.206	MDL
Selenium, Dissolved	0.0008	mg/L	0.0002	MDL
Selenium, Total	0.0012	mg/L	0.0002	MDL
Sulfate	41.7	mg/L	0.33	MDL/RpToMRL
TDS	369	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	588.8	umhos/cm		
ORP	42.1	mV		
Oxygen, Dissolved	10.04	mg/L		
pH	8.44	SU		
Temperature	11.5	C		
Turbidity	8.85	NTU		
Alkalinity, Total as CaCO3	251	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	2.3	mg/L	0.04	MDL
Selenium, Total	3.23	mg/L	0.04	MDL
Sulfate	763	mg/L	1.65	MDL/RpToMRL

TDS	1390	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	1596	umhos/cm		
DTW	20.61	Feet		
ORP	51.9	mV		
Oxygen, Dissolved	5.69	mg/L		
pH	7.23	SU		
Temperature	8.08	C		
Turbidity	0.36	NTU		
Alkalinity, Total as CaCO3	210	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	232	mg/L	0.206	MDL
Selenium, Dissolved	0.0003	mg/L	0.0002	MDL
Selenium, Total	0.00031	mg/L	0.0002	MDL
Sulfate	21.1	mg/L	0.33	MDL/RpToMRL
TDS	230	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	421.8	umhos/cm		
ORP	42	mV		
Oxygen, Dissolved	9.11	mg/L		
pH	8.22	SU		
Temperature	6.49	C		
Turbidity	1.76	NTU		
Flow		cfs		
Alkalinity, Total as CaCO3	187	mg/L	0	MDL
Hardness, as CaCO3	196	mg/L	0.198	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	14.9	mg/L	0.1	MDL
TDS	220	mg/L	0	MDL/RptTo0
Conductivity at 25 C	358.3	umhos/cm		
ORP	42.9	mV		
Oxygen, Dissolved	10.11	mg/L		
pH	8.66	SU		
Temperature	4.03	C		
Turbidity	1.9	NTU		
Flow	0.086	cfs		
Alkalinity, Total as CaCO3	214	mg/L	0	MDL
Hardness, as CaCO3	228	mg/L	0.198	MDL
Selenium, Dissolved	0.00026	mg/L	0.0002	MDL
Selenium, Total	0.00026	mg/L	0.0002	MDL
Sulfate	21.5	mg/L	0.1	MDL
TDS	227	mg/L	0	MDL/RptTo0
Conductivity at 25 C	415.1	umhos/cm		
ORP	39.7	mV		
Oxygen, Dissolved	10.08	mg/L		
pH	8.15	SU		
Temperature	2.1	C		
Turbidity	0.68	NTU		
Flow	0.09	cfs		

Alkalinity, Total as CaCO3	183	mg/L	0	MDL
Hardness, as CaCO3	192	mg/L	0.198	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	14.5	mg/L	0.1	MDL
TDS	217	mg/L	0	MDL/RptTo0
Conductivity at 25 C	354.8	umhos/cm		
ORP	43.6	mV		
Oxygen, Dissolved	10.62	mg/L		
pH	8.48	SU		
Temperature	0.31	C		
Turbidity	0.46	NTU		
Flow	0.064	cfs		
Alkalinity, Total as CaCO3	195	mg/L	0	MDL
Hardness, as CaCO3	223	mg/L	0.198	MDL
Selenium, Dissolved	0.00029	mg/L	0.0002	MDL
Selenium, Total	0.00043	mg/L	0.0002	MDL
Sulfate	33.7	mg/L	0.1	MDL
TDS	258	mg/L	0	MDL/RptTo0
Conductivity at 25 C	420	umhos/cm		
ORP	253.5	mV		
Oxygen, Dissolved	11.72	mg/L		
pH	7.16	SU		
Temperature	4.82	C		
Turbidity	3.65	NTU		
Flow	1.6	cfs		
Alkalinity, Total as CaCO3	207	mg/L	0	MDL
Selenium, Dissolved	0.0339	mg/L	0.0006	MDL
Selenium, Total	0.0341	mg/L	0.0006	MDL
Sulfate	21.3	mg/L	0.21	MDL
TDS	265	mg/L	0	MDL/RptTo0
Conductivity at 25 C	438	umhos/cm		
DTW	19.38	Feet		
ORP	216.8	mV		
Oxygen, Dissolved	7.05	mg/L		
pH	6.86	SU		
Temperature	6.23	C		
Turbidity	0.99	NTU		
Alkalinity, Total as CaCO3	224	mg/L	0	MDL
Selenium, Dissolved	0.789	mg/L	0.02	MDL
Selenium, Total	0.787	mg/L	0.02	MDL
Sulfate	229	mg/L	0.21	MDL
TDS	561	mg/L	0	MDL/RptTo0
Conductivity at 25 C	823.3	umhos/cm		
DTW	220	Feet		
ORP	47.8	mV		
Oxygen, Dissolved	8.13	mg/L		

pH	7.52	SU		
Temperature	5.65	C		
Turbidity	0	NTU		
Alkalinity, Total as CaCO3	178	mg/L	0	MDL
Selenium, Dissolved	0.158	mg/L	0.002	MDL
Selenium, Total	0.158	mg/L	0.002	MDL
Sulfate	56.2	mg/L	0.1	MDL
TDS	143	mg/L	0	MDL/RptTo0
Conductivity at 25 C	440.9	umhos/cm		
DTW	27.78	Feet		
ORP	51.5	mV		
Oxygen, Dissolved	8.57	mg/L		
pH	7.75	SU		
Temperature	7.55	C		
Turbidity	0.03	NTU		
Alkalinity, Total as CaCO3	176	mg/L	0	MDL
Selenium, Dissolved	0.0716	mg/L	0.002	MDL
Selenium, Total	0.0738	mg/L	0.002	MDL
Sulfate	25.9	mg/L	0.1	MDL
TDS	107	mg/L	0	MDL/RptTo0
Conductivity at 25 C	387.8	umhos/cm		
DTW	27.78	Feet		
ORP	51	mV		
Oxygen, Dissolved	8.92	mg/L		
pH	7.77	SU		
Temperature	7.4	C		
Turbidity	0	NTU		
Alkalinity, Total as CaCO3	256	mg/L	0	MDL
Selenium, Dissolved	2.84	mg/L	0.1	MDL
Selenium, Total	2.92	mg/L	0.1	MDL
Sulfate	769	mg/L	1.05	MDL
TDS	1350	mg/L	0	MDL/RptTo0
Conductivity at 25 C	1651.5	umhos/cm		
DTW	21.23	Feet		
ORP	45.5	mV		
Oxygen, Dissolved	6.44	mg/L		
pH	7.35	SU		
Temperature	7.21	C		
Turbidity	1.4	NTU		
Alkalinity, Total as CaCO3	201	mg/L	0	MDL
Hardness, as CaCO3	220	mg/L	0.198	MDL
Selenium, Dissolved	0.00021	mg/L	0.0002	MDL
Selenium, Total	0.00033	mg/L	0.0002	MDL
Sulfate	32.2	mg/L	0.1	MDL
TDS	290	mg/L	0	MDL/RptTo0
Conductivity at 25 C	435	umhos/cm		
ORP	202.5	mV		

Oxygen, Dissolved	11.35	mg/L		
pH	6.06	SU		
Temperature	0.65	C		
Turbidity	1.88	NTU		
Flow		cfs		
Alkalinity, Total as CaCO3	289	mg/L	0	MDL
Hardness, as CaCO3	367	mg/L	0.198	MDL
Selenium, Dissolved	0.0007	mg/L	0.0002	MDL
Selenium, Total	0.00078	mg/L	0.0002	MDL
Sulfate	81.6	mg/L	0.21	MDL
TDS	387	mg/L	0	MDL/RptTo0
Conductivity at 25 C	665	umhos/cm		
ORP	155.4	mV		
Oxygen, Dissolved	10.77	mg/L		
pH	6.88	SU		
Temperature	0.04	C		
Turbidity	28.7	NTU		
Flow		cfs		
Conductivity at 25 C	2764	umhos/cm		
ORP	40.7	mV		
Oxygen, Dissolved	11.18	mg/L		
pH	7.5	SU		
Temperature	11.19	C		
Turbidity	1.04	NTU		
Flow	0.123	cfs		
Alkalinity, Total as CaCO3	234	mg/L	0	MDL
Hardness, as CaCO3	1920	mg/L	0.198	MDL
Selenium, Dissolved	6.83	mg/L	0.1	MDL
Selenium, Total	6.85	mg/L	0.1	MDL
Sulfate	1680	mg/L	2.75	MDL
TDS	2580	mg/L	0	MDL/RptTo0
Alkalinity, Total as CaCO3	179	mg/L	0	MDL
Hardness, as CaCO3	195	mg/L	0.198	MDL
Selenium, Dissolved	0.001	mg/L	0.0002	MDL
Selenium, Total	0.0015	mg/L	0.0002	MDL
Sulfate	14.4	mg/L	0.28	MDL
TDS	213	mg/L	0	MDL/RptTo0
Conductivity at 25 C	347	umhos/cm		
ORP	-73.6	mV		
Oxygen, Dissolved	11.19	mg/L		
pH	7.06	SU		
Temperature	10.47	C		
Turbidity	10.7	NTU		
Flow	22.17	cfs		
Alkalinity, Total as CaCO3	260	mg/L	0	MDL
Hardness, as CaCO3	1940	mg/L	0.198	MDL
Selenium, Dissolved	6.76	mg/L	0.1	MDL

Selenium, Total	6.84	mg/L	0.1	MDL
Sulfate	1700	mg/L	2.75	MDL
TDS	2650	mg/L	0	MDL/RptTo0
Conductivity at 25 C	2721.1	umhos/cm		
ORP	89	mV		
Oxygen, Dissolved	8.74	mg/L		
pH	7.69	SU		
Temperature	11.86	C		
Turbidity	0.36	NTU		
Flow	0.1	cfs		
Alkalinity, Total as CaCO3	191	mg/L	0	MDL
Hardness, as CaCO3	196	mg/L	0.198	MDL
Selenium, Dissolved	0.00025	mg/L	0.0002	MDL
Selenium, Total	0.00031	mg/L	0.0002	MDL
Sulfate	8.82	mg/L	0.28	MDL
TDS	186	mg/L	0	MDL/RptTo0
Conductivity at 25 C	351.6	umhos/cm		
ORP	67.6	mV		
Oxygen, Dissolved	10.69	mg/L		
pH	8.6	SU		
Temperature	5.45	C		
Turbidity	4.15	NTU		
Flow	5.74	cfs		
Alkalinity, Total as CaCO3	175	mg/L	0	MDL
Hardness, as CaCO3	178	mg/L	0.198	MDL
Selenium, Dissolved	0.00037	mg/L	0.0002	MDL
Selenium, Total	0.0004	mg/L	0.0002	MDL
Sulfate	11.1	mg/L	0.28	MDL
TDS	202	mg/L	0	MDL/RptTo0
Conductivity at 25 C	355	umhos/cm		
ORP	-133.6	mV		
Oxygen, Dissolved	9.63	mg/L		
pH	7.53	SU		
Temperature	11.64	C		
Turbidity	2.74	NTU		
Flow	0.21	cfs		
Alkalinity, Total as CaCO3	236	mg/L	0	MDL
Hardness, as CaCO3	267	mg/L	0.198	MDL
Selenium, Dissolved	0.0101	mg/L	0.0002	MDL
Selenium, Total	0.0104	mg/L	0.0002	MDL
Sulfate	30.5	mg/L	0.28	MDL
TDS	277	mg/L	0	MDL/RptTo0
Conductivity at 25 C	487	umhos/cm		
ORP	-146.6	mV		
Oxygen, Dissolved	11.03	mg/L		
pH	7.67	SU		
Temperature	7.55	C		

Turbidity	11.2	NTU		
Flow	1.77	cfs		
Alkalinity, Total as CaCO3	196	mg/L	0	MDL
Hardness, as CaCO3	204	mg/L	0.198	MDL
Selenium, Dissolved	0.00027	mg/L	0.0002	MDL
Selenium, Total	0.00029	mg/L	0.0002	MDL
Sulfate	14	mg/L	0.28	MDL
TDS	195	mg/L	0	MDL/RptTo0
Conductivity at 25 C	376.1	umhos/cm		
ORP	70.9	mV		
Oxygen, Dissolved	10.5	mg/L		
pH	8.12	SU		
Temperature	4.61	C		
Turbidity	0.78	NTU		
Flow	0.718	cfs		
Alkalinity, Total as CaCO3	192	mg/L	0	MDL
Hardness, as CaCO3	198	mg/L	0.198	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.00028	mg/L	0.0002	MDL
Sulfate	8.77	mg/L	0.28	MDL
TDS	188	mg/L	0	MDL/RptTo0
Conductivity at 25 C	354.1	umhos/cm		
ORP	68.6	mV		
Oxygen, Dissolved	10.6	mg/L		
pH	8.47	SU		
Temperature	4.46	C		
Turbidity	1.48	NTU		
Flow	0.008	cfs		
Alkalinity, Total as CaCO3	193	mg/L	0	MDL
Selenium, Dissolved	1.42	mg/L	0.04	MDL
Selenium, Total	1.57	mg/L	0.04	MDL
Sulfate	404	mg/L	1.38	MDL
TDS	761	mg/L	0	MDL/RptTo0
Conductivity at 25 C	941.2	umhos/cm		
DTW	13.67	Feet		
ORP	80.5	mV		
Oxygen, Dissolved	10.03	mg/L		
pH	7.55	SU		
Temperature	7.04	C		
Turbidity	0.99	NTU		
Alkalinity, Total as CaCO3	222	mg/L	0	MDL
Selenium, Dissolved	0.913	mg/L	0.02	MDL
Selenium, Total	0.918	mg/L	0.02	MDL
Sulfate	245	mg/L	0.55	MDL
TDS	550	mg/L	0	MDL/RptTo0
Conductivity at 25 C	766.6	umhos/cm		
DTW	216.17	Feet		

ORP	80.7	mV		
Oxygen, Dissolved	9.01	mg/L		
pH	7.6	SU		
Temperature	6.87	C		
Turbidity	-1.45	NTU		
Alkalinity, Total as CaCO3	172	mg/L	0	MDL
Selenium, Dissolved	0.117	mg/L	0.002	MDL
Selenium, Total	0.12	mg/L	0.002	MDL
Sulfate	38.1	mg/L	0.28	MDL
TDS	227	mg/L	0	MDL/RptTo0
Conductivity at 25 C	349.3	umhos/cm		
DTW	9.68	Feet		
ORP	77.1	mV		
Oxygen, Dissolved	10.48	mg/L		
pH	7.85	SU		
Temperature	7.61	C		
Turbidity	0.56	NTU		
Alkalinity, Total as CaCO3	173	mg/L	0	MDL
Selenium, Dissolved	0.0664	mg/L	0.002	MDL
Selenium, Total	0.0671	mg/L	0.002	MDL
Sulfate	20.7	mg/L	0.28	MDL
TDS	208	mg/L	0	MDL/RptTo0
Conductivity at 25 C	326.3	umhos/cm		
DTW	9.68	Feet		
ORP	78.9	mV		
Oxygen, Dissolved	9.05	mg/L		
pH	7.86	SU		
Temperature	7.85	C		
Turbidity	-1.18	NTU		
Alkalinity, Total as CaCO3	243	mg/L	0	MDL
Selenium, Dissolved	3.86	mg/L	0.1	MDL
Selenium, Total	4.35	mg/L	0.1	MDL
Sulfate	1120	mg/L	2.75	MDL
TDS	1850	mg/L	0	MDL/RptTo0
Conductivity at 25 C	1777.6	umhos/cm		
DTW	16.35	Feet		
ORP	80.6	mV		
Oxygen, Dissolved	8.36	mg/L		
pH	7.38	SU		
Temperature	9.13	C		
Turbidity	-0.98	NTU		
Alkalinity, Total as CaCO3	314	mg/L	0	MDL
Hardness, as CaCO3	2080	mg/L	0.443	MDL
Selenium, Dissolved	6.44	mg/L	0.2	MDL
Selenium, Total	6.26	mg/L	0.2	MDL
Sulfate	1900	mg/L	2.75	MDL
TDS	2850	mg/L	0	MDL/RptTo0

Conductivity at 25 C	3347.7	umhos/cm		
ORP	79.4	mV		
Oxygen, Dissolved	8.91	mg/L		
pH	7.73	SU		
Temperature	14.87	C		
Turbidity	2.92	NTU		
Flow	0.011	cfs		
Alkalinity, Total as CaCO3	179	mg/L	0	MDL
Hardness, as CaCO3	181	mg/L	0.443	MDL
Selenium, Dissolved	0.00052	mg/L	0.0002	MDL
Selenium, Total	0.00044	mg/L	0.0002	MDL
Sulfate	13.1	mg/L	0.28	MDL
TDS	208	mg/L	0	MDL/RptTo0
Conductivity at 25 C	388	umhos/cm		
ORP	51.7	mV		
Oxygen, Dissolved	9.29	mg/L		
pH	8.92	SU		
Temperature	10.52	C		
Turbidity	3.96	NTU		
Flow	0.38	cfs		
Alkalinity, Total as CaCO3	210	mg/L	0	MDL
Hardness, as CaCO3	218	mg/L	0.443	MDL
Selenium, Dissolved	0.00047	mg/L	0.0002	MDL
Selenium, Total	0.00042	mg/L	0.0002	MDL
Sulfate	21.1	mg/L	0.28	MDL
TDS	233	mg/L	0	MDL/RptTo0
Conductivity at 25 C	459.9	umhos/cm		
ORP	65.9	mV		
Oxygen, Dissolved	9.49	mg/L		
pH	8.5	SU		
Temperature	8.46	C		
Turbidity	3.83	NTU		
Flow	0.111	cfs		
Alkalinity, Total as CaCO3	178	mg/L	0	MDL
Hardness, as CaCO3	182	mg/L	0.443	MDL
Selenium, Dissolved	0.00044	mg/L	0.0002	MDL
Selenium, Total	0.00038	mg/L	0.0002	MDL
Sulfate	13.5	mg/L	0.28	MDL
TDS	195	mg/L	0	MDL/RptTo0
Conductivity at 25 C	392.2	umhos/cm		
ORP	69.9	mV		
Oxygen, Dissolved	9.64	mg/L		
pH	8.74	SU		
Temperature	7.77	C		
Turbidity	7.43	NTU		
Flow	0.352	cfs		
Alkalinity, Total as CaCO3	184	mg/L	0	MDL

Hardness, as CaCO3	193	mg/L	0.443	MDL
Selenium, Dissolved	0.00065	mg/L	0.0002	MDL
Selenium, Total	0.00057	mg/L	0.0002	MDL
Sulfate	17.9	mg/L	0.28	MDL
TDS	204	mg/L	0	MDL/RptTo0
Conductivity at 25 C	412.6	umhos/cm		
ORP	37.9	mV		
Oxygen, Dissolved	8.92	mg/L		
pH	8.95	SU		
Temperature	16.06	C		
Turbidity	7.2	NTU		
Flow	1.59	cfs		
Alkalinity, Total as CaCO3	235	mg/L	0	MDL
Hardness, as CaCO3	234	mg/L	0.443	MDL
Selenium, Dissolved	0.00043	mg/L	0.0002	MDL
Selenium, Total	0.00037	mg/L	0.0002	MDL
Sulfate	13.3	mg/L	0.28	MDL
TDS	275	mg/L	0	MDL/RptTo0
Conductivity at 25 C	530.5	umhos/cm		
ORP	60.6	mV		
Oxygen, Dissolved	7.29	mg/L		
pH	8.5	SU		
Temperature	17.32	C		
Turbidity	5.83	NTU		
Flow	0.086	cfs		
Alkalinity, Total as CaCO3	296	mg/L	0	MDL
Hardness, as CaCO3	304	mg/L	0.443	MDL
Selenium, Dissolved	0.0019	mg/L	0.0002	MDL
Selenium, Total	0.0019	mg/L	0.0002	MDL
Sulfate	22.9	mg/L	0.28	MDL
TDS	345	mg/L	0	MDL/RptTo0
Conductivity at 25 C	639.1	umhos/cm		
ORP	60.1	mV		
Oxygen, Dissolved	9.08	mg/L		
pH	8.74	SU		
Temperature	19.79	C		
Turbidity	9.87	NTU		
Flow	0.292	cfs		
Alkalinity, Total as CaCO3	193	mg/L	0	MDL
Selenium, Dissolved	0.353	mg/L	0.02	MDL
Selenium, Total	0.362	mg/L	0.02	MDL
Sulfate	117	mg/L	0.55	MDL
TDS	366	mg/L	0	MDL/RptTo0
Conductivity at 25 C	623.4	umhos/cm		
DTW	18.32	Feet		
ORP	76.8	mV		
Oxygen, Dissolved	7.63	mg/L		

pH	7.78	SU		
Temperature	9.04	C		
Alkalinity, Total as CaCO3	221	mg/L	0	MDL
Selenium, Dissolved	0.85	mg/L	0.02	MDL
Selenium, Total	0.873	mg/L	0.02	MDL
Sulfate	240	mg/L	0.55	MDL
TDS	559	mg/L	0	MDL/RptTo0
Conductivity at 25 C	906.3	umhos/cm		
DTW	216.49	Feet		
ORP	78.3	mV		
Oxygen, Dissolved	9.21	mg/L		
pH	7.78	SU		
Temperature	7.01	C		
Alkalinity, Total as CaCO3	175	mg/L	0	MDL
Selenium, Dissolved	0.135	mg/L	0.002	MDL
Selenium, Total	0.135	mg/L	0.002	MDL
Sulfate	46.5	mg/L	0.55	MDL
TDS	256	mg/L	0	MDL/RptTo0
Conductivity at 25 C	479.9	umhos/cm		
DTW	18.8	Feet		
ORP	74.9	mV		
Oxygen, Dissolved	10.39	mg/L		
pH	8.01	SU		
Temperature	7.41	C		
Turbidity	2.21	NTU		
Alkalinity, Total as CaCO3	174	mg/L	0	MDL
Selenium, Dissolved	0.0522	mg/L	0.002	MDL
Selenium, Total	0.0514	mg/L	0.002	MDL
Sulfate	20.3	mg/L	0.55	MDL
TDS	219	mg/L	0	MDL/RptTo0
Conductivity at 25 C	416.2	umhos/cm		
DTW	18.8	Feet		
ORP	73.3	mV		
Oxygen, Dissolved	10.18	mg/L		
pH	8.03	SU		
Temperature	7.89	C		
Alkalinity, Total as CaCO3	248	mg/L	0	MDL
Selenium, Dissolved	4.02	mg/L	0.1	MDL
Selenium, Total	4.02	mg/L	0.1	MDL
Sulfate	993	mg/L	2.75	MDL
TDS	1640	mg/L	0	MDL/RptTo0
Conductivity at 25 C	2170.7	umhos/cm		
DTW	18.7	Feet		
ORP	78.9	mV		
Oxygen, Dissolved	5.42	mg/L		
pH	7.57	SU		
Temperature	8.28	C		

Alkalinity, Total as CaCO3	204	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	219	mg/L	0.443	MDL
Selenium, Dissolved	0.00062	mg/L	0.0002	MDL
Selenium, Total	0.00072	mg/L	0.0002	MDL
Sulfate	29.3	mg/L	0.05	MDL/RpToMRL
TDS	246	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	226	mg/L	0.443	MDL
Selenium, Dissolved	0.00052	mg/L	0.00052	MDL
Selenium, Total	0.00057	mg/L	0.00052	MDL
Conductivity at 25 C	435.9	umhos/cm		
ORP	15.1	mV		
Oxygen, Dissolved	11.56	mg/L		
pH	8.3	SU		
Temperature	0.2	C		
Turbidity	2.94	NTU		
Flow	2.185	cfs		
Alkalinity, Total as CaCO3	210	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.292	mg/L	0.01	MDL
Selenium, Total	0.27	mg/L	0.01	MDL
Sulfate	87.8	mg/L	0.5	MDL/RpToMRL
TDS	336	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	288	mg/L	0.443	MDL
Selenium, Dissolved	0.259	mg/L	0.00052	MDL
Selenium, Total	0.268	mg/L	0.00052	MDL
Conductivity at 25 C	549.1	umhos/cm		
DTW	21.46	Feet		
ORP	-27.6	mV		
Oxygen, Dissolved	8.29	mg/L		
pH	7.31	SU		
Temperature	6	C		
Turbidity	0.6	NTU		
Alkalinity, Total as CaCO3	217	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.935	mg/L	0.02	MDL
Selenium, Total	0.856	mg/L	0.02	MDL
Sulfate	237	mg/L	0.5	MDL/RpToMRL
TDS	559	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	441	mg/L	0.443	MDL
Selenium, Dissolved	0.831	mg/L	0.00052	MDL
Selenium, Total	0.855	mg/L	0.00052	MDL
Conductivity at 25 C	825.3	umhos/cm		
DTW	217.88	Feet		
ORP	66.6	mV		
Oxygen, Dissolved	9.57	mg/L		
pH	7.46	SU		
Temperature	5.6	C		
Turbidity	0.69	NTU		
Alkalinity, Total as CaCO3	176	mg/L	0	MDL/RpToMRL

Selenium, Dissolved	0.155	mg/L	0.004	MDL
Selenium, Total	0.161	mg/L	0.004	MDL
Sulfate	50.2	mg/L	0.5	MDL/RpToMRL
TDS	270	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	217	mg/L	0.443	MDL
Selenium, Dissolved	0.161	mg/L	0.00023	MDL
Selenium, Total	0.152	mg/L	0.00023	MDL
Conductivity at 25 C	441.7	umhos/cm		
DTW	23.02	Feet		
ORP	64.5	mV		
Oxygen, Dissolved	10.3	mg/L		
pH	7.73	SU		
Temperature	7.27	C		
Turbidity	0.35	NTU		
Alkalinity, Total as CaCO3	173	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.0636	mg/L	0.002	MDL
Selenium, Total	0.068	mg/L	0.002	MDL
Sulfate	22.7	mg/L	0.5	MDL/RpToMRL
TDS	231	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	191	mg/L	0.443	MDL
Selenium, Dissolved	0.0675	mg/L	0.00023	MDL
Selenium, Total	0.0625	mg/L	0.00023	MDL
Conductivity at 25 C	388	umhos/cm		
DTW	23	Feet		
ORP	63.8	mV		
Oxygen, Dissolved	10.56	mg/L		
pH	7.74	SU		
Temperature	7.21	C		
Alkalinity, Total as CaCO3	250	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	4.77	mg/L	0.1	MDL
Selenium, Total	3.97	mg/L	0.1	MDL
Sulfate	901	mg/L	1.25	MDL/RpToMRL
TDS	1420	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	1130	mg/L	0.443	MDL
Selenium, Dissolved	3.95	mg/L	0.00052	MDL
Selenium, Total	3.89	mg/L	0.00052	MDL
Conductivity at 25 C	1830	umhos/cm		
DTW	20.38	Feet		
ORP	-27.2	mV		
Oxygen, Dissolved	5.96	mg/L		
pH	7.13	SU		
Temperature	6.7	C		
Turbidity	1.39	NTU		
Alkalinity, Total as CaCO3	180	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	185	mg/L	0.443	MDL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL

Sulfate	15	mg/L	0.05	MDL/RpToMRL
TDS	208	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	192	mg/L	0.443	MDL
Selenium, Dissolved	0.00052	mg/L	0.00052	MDL
Selenium, Total	0.00052	mg/L	0.00052	MDL
Conductivity at 25 C	368.4	umhos/cm		
ORP	245.6	mV		
Oxygen, Dissolved	10.33	mg/L		
pH	8.48	SU		
Temperature	3.2	C		
Turbidity	2.92	NTU		
Flow	0.086	cfs		
Flow		cfs		
Flow		cfs		
Alkalinity, Total as CaCO3	210	mg/L	0	MDL
Hardness, as CaCO3	217	mg/L	0.443	MDL
Selenium, Dissolved	0.00027	mg/L	0.0002	MDL
Selenium, Total	0.00031	mg/L	0.0002	MDL
Sulfate	22.3	mg/L	0.5	MDL
TDS	237	mg/L	0	MDL/RptTo0
Conductivity at 25 C	363.2	umhos/cm		
ORP	66	mV		
Oxygen, Dissolved	11.3	mg/L		
pH	8.59	SU		
Temperature	1.22	C		
Turbidity	0.85	NTU		
Flow	0.084	cfs		
Alkalinity, Total as CaCO3	179	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	180	mg/L	0.443	MDL
Selenium, Dissolved	0.00026	mg/L	0.0002	MDL
Selenium, Total	0.00033	mg/L	0.0002	MDL
Sulfate	15.5	mg/L	0.05	MDL/RpToMRL
TDS	216	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	191	mg/L	0.443	MDL
Selenium, Dissolved	0.00052	mg/L	0.00052	MDL
Selenium, Total	0.00024	mg/L	0.00023	MDL
Conductivity at 25 C	363.2	umhos/cm		
ORP	66	mV		
Oxygen, Dissolved	11.31	mg/L		
pH	8.59	SU		
Temperature	1.22	C		
Turbidity	0.85	NTU		
Flow	0.1	cfs		
Alkalinity, Total as CaCO3	278	mg/L	0	MDL
Hardness, as CaCO3	1970	mg/L	0.443	MDL
Selenium, Dissolved	4.35	mg/L	0.1	MDL
Selenium, Total	4.3	mg/L	0.1	MDL

Sulfate	1880	mg/L	2.5	MDL
TDS	2880	mg/L	0	MDL/RptTo0
Conductivity at 25 C	3086	umhos/cm		
ORP	258.1	mV		
Oxygen, Dissolved	7.43	mg/L		
pH	7.64	SU		
Temperature	3.6	C		
Turbidity	10.4	NTU		
Flow	0.002	cfs		
Alkalinity, Total as CaCO3	191	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	196	mg/L	0.525	MDL
Selenium, Dissolved	0.0012	mg/L	0.00062	MDL
Selenium, Total	0.0014	mg/L	0.00062	MDL
Sulfate	13.1	mg/L	0.5	MDL/RpToMRL
TDS	224	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	425	umhos/cm		
ORP	118.1	mV		
Oxygen, Dissolved	10.48	mg/L		
pH	8.42	SU		
Temperature	9.31	C		
Turbidity	22.1	NTU		
Flow	19.3924	cfs		
Alkalinity, Total as CaCO3	199	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	251	mg/L	0.525	MDL
Selenium, Dissolved	0.102	mg/L	0.00062	MDL
Selenium, Total	0.109	mg/L	0.00062	MDL
Sulfate	44.9	mg/L	0.5	MDL/RpToMRL
TDS	272	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	572	umhos/cm		
DTW	13.07	Feet		
ORP	138.3	mV		
Oxygen, Dissolved	7.91	mg/L		
pH	7.54	SU		
Temperature	7	C		
Turbidity	0.52	NTU		
Alkalinity, Total as CaCO3	252	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	1610	mg/L	0.525	MDL
Selenium, Dissolved	6.35	mg/L	0.0062	MDL
Selenium, Total	5.16	mg/L	0.0062	MDL
Sulfate	1220	mg/L	2.5	MDL/RpToMRL
TDS	2140	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	3023	umhos/cm		
DTW	16.79	Feet		
ORP	143.6	mV		
Oxygen, Dissolved	8.26	mg/L		
pH	7.14	SU		
Temperature	7.72	C		

Turbidity	1.11	NTU		
Alkalinity, Total as CaCO3	266	mg/L	0	MDL
Hardness, as CaCO3	1970	mg/L	0.525	MDL
Selenium, Dissolved	5.59	mg/L	0.0062	MDL
Selenium, Total	7.18	mg/L	0.0062	MDL
Sulfate	1730	mg/L	2.5	MDL
TDS	2740	mg/L	0	MDL/RptTo0
Conductivity at 25 C	3479	umhos/cm		
ORP	147.9	mV		
Oxygen, Dissolved	9.46	mg/L		
pH	8.1	SU		
Temperature	12.31	C		
Turbidity	0.47	NTU		
Flow	0.0072	cfs		
Alkalinity, Total as CaCO3	170	mg/L	0	MDL
Hardness, as CaCO3	191	mg/L	0.525	MDL
Selenium, Dissolved	0.00062	mg/L	0.00062	MDL
Selenium, Total	0.00062	mg/L	0.00062	MDL
Sulfate	9.88	mg/L	0.5	MDL
TDS	185	mg/L	0	MDL/RptTo0
Conductivity at 25 C	434	umhos/cm		
ORP	139.8	mV		
Oxygen, Dissolved	11.15	mg/L		
pH	8.49	SU		
Temperature	5.31	C		
Turbidity	6.83	NTU		
Flow	24.7054	cfs		
Alkalinity, Total as CaCO3	96.4	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	95.8	mg/L	0.525	MDL
Selenium, Dissolved	0.00062	mg/L	0.00062	MDL
Selenium, Total	0.00062	mg/L	0.00062	MDL
Sulfate	3	mg/L	0.5	MDL/RpToMRL
TDS	160	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	233	umhos/cm		
ORP	103.8	mV		
Oxygen, Dissolved	9.75	mg/L		
pH	8.05	SU		
Temperature	9.41	C		
Turbidity	22	NTU		
Flow		cfs		
Alkalinity, Total as CaCO3	188	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	198	mg/L	0.525	MDL
Selenium, Dissolved	0.0043	mg/L	0.00062	MDL
Selenium, Total	0.0045	mg/L	0.00062	MDL
Sulfate	13.1	mg/L	0.5	MDL/RpToMRL
TDS	247	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	469	umhos/cm		

ORP	120	mV		
Oxygen, Dissolved	10.6	mg/L		
pH	8.09	SU		
Temperature	7.44	C		
Turbidity	13.5	NTU		
Flow		cfs		
Alkalinity, Total as CaCO3	223	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	458	mg/L	0.525	MDL
Selenium, Dissolved	0.926	mg/L	0.00062	MDL
Selenium, Total	0.922	mg/L	0.00062	MDL
Sulfate	237	mg/L	0.5	MDL/RpToMRL
TDS	554	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	773.8	umhos/cm		
DTW	217.65	Feet		
ORP	79.6	mV		
Oxygen, Dissolved	8.91	mg/L		
pH	7.42	SU		
Temperature	7.31	C		
Turbidity	0.09	NTU		
Alkalinity, Total as CaCO3	179	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	237	mg/L	0.525	MDL
Selenium, Dissolved	0.16	mg/L	0.00062	MDL
Selenium, Total	0.163	mg/L	0.00062	MDL
Sulfate	55.4	mg/L	0.5	MDL/RpToMRL
TDS	262	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	423.3	umhos/cm		
DTW	22.14	Feet		
ORP	85.9	mV		
Oxygen, Dissolved	10.22	mg/L		
pH	7.69	SU		
Temperature	7.27	C		
Turbidity	1.28	NTU		
Alkalinity, Total as CaCO3	177	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	207	mg/L	0.525	MDL
Selenium, Dissolved	0.0833	mg/L	0.00062	MDL
Selenium, Total	0.0812	mg/L	0.00062	MDL
Sulfate	30	mg/L	0.5	MDL/RpToMRL
TDS	229	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	373.9	umhos/cm		
ORP	86.6	mV		
Oxygen, Dissolved	9.74	mg/L		
pH	7.69	SU		
Temperature	7.51	C		
Turbidity	2.41	NTU		
Alkalinity, Total as CaCO3	195	mg/L	0	MDL
Hardness, as CaCO3	209	mg/L	0.525	MDL
Selenium, Dissolved	0.00062	mg/L	0.00062	MDL

Selenium, Total	0.00062	mg/L	0.00062	MDL
Sulfate	14.5	mg/L	0.5	MDL
TDS	211	mg/L	0	MDL/RptTo0
Conductivity at 25 C	368.5	umhos/cm		
ORP	104.9	mV		
Oxygen, Dissolved	10.21	mg/L		
pH	8.15	SU		
Temperature	4.42	C		
Turbidity	1.8	NTU		
Flow	0.742	cfs		
Alkalinity, Total as CaCO3	180	mg/L	0	MDL
Hardness, as CaCO3	192	mg/L	0.525	MDL
Selenium, Dissolved	0.00062	mg/L	0.00062	MDL
Selenium, Total	0.00062	mg/L	0.00062	MDL
Sulfate	10.5	mg/L	0.5	MDL
TDS	203	mg/L	0	MDL/RptTo0
Conductivity at 25 C	340.3	umhos/cm		
ORP	74.1	mV		
Oxygen, Dissolved	10.32	mg/L		
pH	8.13	SU		
Temperature	3.73	C		
Turbidity	4.31	NTU		
Flow	2.6887	cfs		
Alkalinity, Total as CaCO3	212	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	214	mg/L	0.598	MDL
Selenium, Dissolved	0.00062	mg/L	0.00062	MDL
Selenium, Total	0.00062	mg/L	0.00062	MDL
Sulfate	13.3	mg/L	0.5	MDL/RpToMRL
TDS	258	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	412.9	umhos/cm		
ORP	57.1	mV		
Oxygen, Dissolved	7.11	mg/L		
pH	8.55	SU		
Temperature	18.43	C		
Turbidity	2.25	NTU		
Flow	0.0669	cfs		
Alkalinity, Total as CaCO3	268	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	292	mg/L	0.598	MDL
Selenium, Dissolved	0.0017	mg/L	0.00062	MDL
Selenium, Total	0.0015	mg/L	0.00062	MDL
Sulfate	13	mg/L	0.25	MDL/RpToMRL
TDS	301	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	497	umhos/cm		
ORP	55.1	mV		
Oxygen, Dissolved	10.05	mg/L		
pH	8.85	SU		
Temperature	17.2	C		

Turbidity	4.25	NTU		
Flow	0.558	cfs		
Alkalinity, Total as CaCO3	182	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	197	mg/L	0.598	MDL
Selenium, Dissolved	0.00062	mg/L	0.00062	MDL
Selenium, Total	0.00062	mg/L	0.00062	MDL
Sulfate	17.1	mg/L	0.5	MDL/RpToMRL
TDS	212	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	362.7	umhos/cm		
ORP	79.6	mV		
Oxygen, Dissolved	8.9	mg/L		
pH	8.69	SU		
Temperature	15.16	C		
Turbidity	1.97	NTU		
Flow	8.45775	cfs		
Alkalinity, Total as CaCO3	204	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	289	mg/L	0.598	MDL
Selenium, Dissolved	0.277	mg/L	0.00062	MDL
Selenium, Total	0.265	mg/L	0.00011	MDL
Sulfate	83.2	mg/L	0.25	MDL/RpToMRL
TDS	340	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	503	umhos/cm		
DTW	18	Feet		
ORP	117.4	mV		
Oxygen, Dissolved	8.4	mg/L		
pH	7.36	SU		
Temperature	7.71	C		
Turbidity	4.35	NTU		
Alkalinity, Total as CaCO3	220	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	440	mg/L	0.598	MDL
Selenium, Dissolved	0.917	mg/L	0.00062	MDL
Selenium, Total	0.867	mg/L	0.00011	MDL
Sulfate	238	mg/L	0.5	MDL/RpToMRL
TDS	563	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	758	umhos/cm		
DTW	216.04	Feet		
ORP	148.5	mV		
Oxygen, Dissolved	9.82	mg/L		
pH	7.39	SU		
Temperature	6.5	C		
Turbidity	3.1	NTU		
Alkalinity, Total as CaCO3	171	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	200	mg/L	0.598	MDL
Selenium, Dissolved	0.112	mg/L	0.00062	MDL
Selenium, Total	0.108	mg/L	0.00011	MDL
Sulfate	32.9	mg/L	0.25	MDL/RpToMRL
TDS	238	mg/L	0	MDL/RpToMRL

Conductivity at 25 C	366	umhos/cm		
DTW	16.54	Feet		
ORP	135.2	mV		
Oxygen, Dissolved	11.28	mg/L		
pH	7.65	SU		
Temperature	7.27	C		
Turbidity	3.68	NTU		
Alkalinity, Total as CaCO3	172	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	184	mg/L	0.598	MDL
Selenium, Dissolved	0.04	mg/L	0.00062	MDL
Selenium, Total	0.0362	mg/L	0.00011	MDL
Sulfate	14.3	mg/L	0.25	MDL/RpToMRL
TDS	218	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	337	umhos/cm		
DTW	16.54	Feet		
ORP	122.6	mV		
Oxygen, Dissolved	10.87	mg/L		
pH	7.58	SU		
Temperature	7.42	C		
Turbidity	3.22	NTU		
Alkalinity, Total as CaCO3	257	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	1540	mg/L	0.598	MDL
Selenium, Dissolved	5.29	mg/L	0.0031	MDL
Selenium, Total	5.93	mg/L	0.0011	MDL
Sulfate	1230	mg/L	2.5	MDL/RpToMRL
TDS	2180	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	2222.5	umhos/cm		
DTW	18	Feet		
ORP	120.9	mV		
Oxygen, Dissolved	6.47	mg/L		
pH	7.14	SU		
Temperature	8.37	C		
Turbidity	6.2	NTU		
Alkalinity, Total as CaCO3	180	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	196	mg/L	0.598	MDL
Selenium, Dissolved	0.00062	mg/L	0.00062	MDL
Selenium, Total	0.00062	mg/L	0.00062	MDL
Sulfate	20.3	mg/L	0.05	MDL/RpToMRL
TDS	202	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	318	umhos/cm		
ORP	117	mV		
Oxygen, Dissolved	8.34	mg/L		
pH	8.76	SU		
Temperature	16.61	C		
Turbidity	1.72	NTU		
Flow	4.0845	cfs		
Alkalinity, Total as CaCO3	327	mg/L	0	MDL

Hardness, as CaCO3	2220	mg/L	0.598	MDL
Selenium, Dissolved	4.57	mg/L	0.0062	MDL
Selenium, Total	4.6	mg/L	0.0062	MDL
Sulfate	1850	mg/L	2.5	MDL
TDS	2990	mg/L	0	MDL/RptTo0
Conductivity at 25 C	2410	umhos/cm		
ORP	184	mV		
Oxygen, Dissolved	6.85	mg/L		
pH	7.37	SU		
Temperature	13.74	C		
Turbidity	0.98	NTU		
Flow	0.0095	cfs		
Alkalinity, Total as CaCO3	181	mg/L	0	MDL
Hardness, as CaCO3	194	mg/L	0.598	MDL
Selenium, Dissolved	0.00062	mg/L	0.00062	MDL
Selenium, Total	0.0014	mg/L	0.00062	MDL
Sulfate	14	mg/L	0.5	MDL
TDS	210	mg/L	0	MDL/RptTo0
Conductivity at 25 C	402	umhos/cm		
ORP	148.7	mV		
Oxygen, Dissolved	9.1	mg/L		
pH	8.73	SU		
Temperature	9.12	C		
Turbidity	2.45	NTU		
Flow	0.1685	cfs		
Alkalinity, Total as CaCO3	197	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	207	mg/L	0.598	MDL
Selenium, Dissolved	0.00011	mg/L	0.00011	MDL
Selenium, Total	0.00062	mg/L	0.00062	MDL
Sulfate	20.7	mg/L	0.05	MDL/RpToMRL
TDS	238	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	461	umhos/cm		
ORP	71.9	mV		
Oxygen, Dissolved	7.85	mg/L		
pH	8.49	SU		
Temperature	13.25	C		
Turbidity	9.36	NTU		
Flow		cfs		
Alkalinity, Total as CaCO3	287	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	303	mg/L	0.598	MDL
Selenium, Dissolved	0.00062	mg/L	0.00011	MDL
Selenium, Total	0.00062	mg/L	0.00062	MDL
Sulfate	29.7	mg/L	0.05	MDL/RpToMRL
TDS	330	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	572	umhos/cm		
ORP	129.9	mV		
Oxygen, Dissolved	10.2	mg/L		

pH	8.43	SU		
Temperature	11.96	C		
Turbidity	7.86	NTU		
Flow	0.13505	cfs		
Alkalinity, Total as CaCO3	212	mg/L	0	MDL
Hardness, as CaCO3	231	mg/L	0.598	MDL
Selenium, Dissolved	0.00062	mg/L	0.00062	MDL
Selenium, Total	0.00062	mg/L	0.00062	MDL
Sulfate	21.5	mg/L	0.5	MDL
TDS	251	mg/L	0	MDL/RptTo0
Conductivity at 25 C	486	umhos/cm		
ORP	107.3	mV		
Oxygen, Dissolved	8.95	mg/L		
pH	8.27	SU		
Temperature	7.38	C		
Turbidity	4.11	NTU		
Flow	0.0845	cfs		
Alkalinity, Total as CaCO3	179	mg/L	0	MDL
Hardness, as CaCO3	192	mg/L	0.598	MDL
Selenium, Dissolved	0.00062	mg/L	0.00062	MDL
Selenium, Total	0.00062	mg/L	0.00062	MDL
Sulfate	13.7	mg/L	0.5	MDL
TDS	218	mg/L	0	MDL/RptTo0
Conductivity at 25 C	406	umhos/cm		
ORP	197	mV		
Oxygen, Dissolved	10.09	mg/L		
pH	8.53	SU		
Temperature	6.67	C		
Turbidity	3.06	NTU		
Flow	0.2029	cfs		
Alkalinity, Total as CaCO3	198	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	259	mg/L	0.598	MDL
Selenium, Dissolved	0.152	mg/L	0.00062	MDL
Selenium, Total	0.158	mg/L	0.00062	MDL
Sulfate	59	mg/L	0.5	MDL/RpToMRL
TDS	288	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	488	umhos/cm		
DTW	19.86	Feet		
ORP	79.8	mV		
Oxygen, Dissolved	7.04	mg/L		
pH	7.31	SU		
Temperature	8.39	C		
Turbidity	0.57	NTU		
Alkalinity, Total as CaCO3	219	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	462	mg/L	0.598	MDL
Selenium, Dissolved	0.889	mg/L	0.00062	MDL
Selenium, Total	0.865	mg/L	0.00062	MDL

Sulfate	230	mg/L	0.5	MDL/RpToMRL
TDS	550	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	841.2	umhos/cm		
DTW	216.81	Feet		
ORP	81.2	mV		
Oxygen, Dissolved	8.33	mg/L		
pH	7.33	SU		
Temperature	7.21	C		
Turbidity	0.31	NTU		
Alkalinity, Total as CaCO3	176	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	232	mg/L	0.598	MDL
Selenium, Dissolved	0.13	mg/L	0.00062	MDL
Selenium, Total	0.138	mg/L	0.00062	MDL
Sulfate	44.8	mg/L	0.5	MDL/RpToMRL
TDS	247	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	439.4	umhos/cm		
DTW	19.56	Feet		
ORP	74.3	mV		
Oxygen, Dissolved	8.86	mg/L		
pH	7.56	SU		
Temperature	7.6	C		
Turbidity	0.25	NTU		
Alkalinity, Total as CaCO3	172	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	197	mg/L	0.598	MDL
Selenium, Dissolved	0.048	mg/L	0.00062	MDL
Selenium, Total	0.051	mg/L	0.00062	MDL
Sulfate	18.6	mg/L	0.05	MDL/RpToMRL
TDS	220	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	390.7	umhos/cm		
DTW	19.56	Feet		
ORP	75.5	mV		
Oxygen, Dissolved	8.88	mg/L		
pH	7.57	SU		
Temperature	7.45	C		
Turbidity	0.8	NTU		
Alkalinity, Total as CaCO3	262	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	1510	mg/L	0.598	MDL
Selenium, Dissolved	5.13	mg/L	0.0031	MDL
Selenium, Total	4.97	mg/L	0.0031	MDL
Sulfate	1220	mg/L	2.5	MDL/RpToMRL
TDS	1990	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	2279	umhos/cm		
DTW	15.02	Feet		
ORP	86.6	mV		
Oxygen, Dissolved	7.74	mg/L		
pH	7.03	SU		
Temperature	10.4	C		

Turbidity	0.66	NTU		
Alkalinity, Total as CaCO3	198	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	215	mg/L	0.598	MDL
Selenium, Dissolved	0.00062	mg/L	0.00062	MDL
Selenium, Total	0.00062	mg/L	0.00062	MDL
Sulfate	24.6	mg/L	0.05	MDL/RpToMRL
TDS	243	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	436	umhos/cm		
ORP	31.6	mV		
Oxygen, Dissolved	5.8	mg/L		
pH	8.22	SU		
Temperature	5.21	C		
Turbidity	4.08	NTU		
Flow	2.9175	cfs		
Alkalinity, Total as CaCO3	259	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	1510	mg/L	0.598	MDL
Selenium, Dissolved	4.94	mg/L	0.0011	MDL
Selenium, Total	4.89	mg/L	0.0011	MDL
Sulfate	1120	mg/L	2.6	MDL/RpToMRL
TDS	1990	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	2218.1	umhos/cm		
DTW	18.55	Feet		
ORP	100.2	mV		
Oxygen, Dissolved	5.68	mg/L		
pH	7.09	SU		
Temperature	7.44	C		
Turbidity	2.88	NTU		
Alkalinity, Total as CaCO3	309	mg/L	0	MDL
Hardness, as CaCO3	2200	mg/L	0.598	MDL
Selenium, Dissolved	3.78	mg/L	0.0031	MDL
Selenium, Total	3.87	mg/L	0.0031	MDL
Sulfate	1750	mg/L	2.6	MDL
TDS	2910	mg/L	0	MDL/RptTo0
Conductivity at 25 C	2982	umhos/cm		
ORP	227.4	mV		
Oxygen, Dissolved	11.73	mg/L		
pH	7.1	SU		
Temperature	2.91	C		
Turbidity	5.3	NTU		
Flow		cfs		
Alkalinity, Total as CaCO3	183	mg/L	0	MDL
Hardness, as CaCO3	201	mg/L	0.598	MDL
Selenium, Dissolved	0.00062	mg/L	0.00062	MDL
Selenium, Total	0.00062	mg/L	0.00062	MDL
Sulfate	14.6	mg/L	0.52	MDL
TDS	208	mg/L	0	MDL/RptTo0
Conductivity at 25 C	362	umhos/cm		

ORP	143.8	mV		
Oxygen, Dissolved	11.38	mg/L		
pH	7.31	SU		
Temperature	5.41	C		
Turbidity	8	NTU		
Flow	0.0862	cfs		
Alkalinity, Total as CaCO3	204	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	222	mg/L	0.598	MDL
Selenium, Dissolved	0.00062	mg/L	0.00062	MDL
Selenium, Total	0.00062	mg/L	0.00062	MDL
Sulfate	19.1	mg/L	0.05	MDL/RpToMRL
TDS	252	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	426	umhos/cm		
ORP	304.2	mV		
Oxygen, Dissolved	6.37	mg/L		
pH	6.24	SU		
Temperature	1.19	C		
Turbidity	14.9	NTU		
Flow		cfs		
Alkalinity, Total as CaCO3	296	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	336	mg/L	0.598	MDL
Selenium, Dissolved	0.00062	mg/L	0.00062	MDL
Selenium, Total	0.00062	mg/L	0.00062	MDL
Sulfate	35.6	mg/L	0.05	MDL/RpToMRL
TDS	369	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	606	umhos/cm		
ORP	276.2	mV		
Oxygen, Dissolved	6.48	mg/L		
pH	7.13	SU		
Temperature	0.86	C		
Turbidity	13.8	NTU		
Flow	0.28585	cfs		
Alkalinity, Total as CaCO3	214	mg/L	0	MDL
Hardness, as CaCO3	235	mg/L	0.598	MDL
Selenium, Dissolved	0.0009	mg/L	0.00062	MDL
Selenium, Total	0.00075	mg/L	0.00062	MDL
Sulfate	23.6	mg/L	0.52	MDL
TDS	236	mg/L	0	MDL/RptTo0
Conductivity at 25 C	435	umhos/cm		
ORP	146.5	mV		
Oxygen, Dissolved	11.4	mg/L		
pH	7.28	SU		
Temperature	3.44	C		
Turbidity	4.6	NTU		
Flow	0.69	cfs		
Alkalinity, Total as CaCO3	182	mg/L	0	MDL
Hardness, as CaCO3	198	mg/L	0.598	MDL

Selenium, Dissolved	0.00062	mg/L	0.00062	MDL
Selenium, Total	0.00062	mg/L	0.00062	MDL
Sulfate	14.8	mg/L	0.52	MDL
TDS	206	mg/L	0	MDL/RptTo0
Conductivity at 25 C	367	umhos/cm		
ORP	129.4	mV		
Oxygen, Dissolved	13.44	mg/L		
pH	7.14	SU		
Temperature	1.03	C		
Turbidity	22	NTU		
Flow		cfs		
Alkalinity, Total as CaCO3	206	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	268	mg/L	0.598	MDL
Selenium, Dissolved	0.146	mg/L	0.00011	MDL
Selenium, Total	0.136	mg/L	0.00011	MDL
Sulfate	48.3	mg/L	0.26	MDL/RpToMRL
TDS	286	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	477.9	umhos/cm		
DTW	20.38	Feet		
ORP	78.7	mV		
Oxygen, Dissolved	7.08	mg/L		
pH	7.33	SU		
Temperature	7.07	C		
Turbidity	0.26	NTU		
Alkalinity, Total as CaCO3	217	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	471	mg/L	0.598	MDL
Selenium, Dissolved	0.878	mg/L	0.00011	MDL
Selenium, Total	0.864	mg/L	0.00011	MDL
Sulfate	201	mg/L	1.3	MDL/RpToMRL
TDS	562	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	824	umhos/cm		
DTW	218.19	Feet		
ORP	62	mV		
Oxygen, Dissolved	9.34	mg/L		
pH	7.47	SU		
Temperature	5.65	C		
Turbidity	0.49	NTU		
Alkalinity, Total as CaCO3	173	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	200	mg/L	0.598	MDL
Selenium, Dissolved	0.0585	mg/L	0.00011	MDL
Selenium, Total	0.0557	mg/L	0.00011	MDL
Sulfate	20.2	mg/L	0.05	MDL/RpToMRL
TDS	212	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	413.3	umhos/cm		
DTW	21.95	Feet		
ORP	76.2	mV		
Oxygen, Dissolved	9.96	mg/L		

pH	8.03	SU		
Temperature	6.48	C		
Turbidity	0.17	NTU		
Alkalinity, Total as CaCO3	176	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	230	mg/L	0.598	MDL
Selenium, Dissolved	0.145	mg/L	0.00011	MDL
Selenium, Total	0.143	mg/L	0.00011	MDL
Sulfate	44.5	mg/L	0.05	MDL/RpToMRL
TDS	259	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	442.9	umhos/cm		
DTW	21.95	Feet		
ORP	58.4	mV		
Oxygen, Dissolved	9.2	mg/L		
pH	7.8	SU		
Temperature	6.99	C		
Turbidity	1.01	NTU		
Alkalinity, Total as CaCO3	187	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	357	mg/L	0.466	MDL
Selenium, Dissolved	0.49	mg/L	0.00024	MDL
Selenium, Total	0.391	mg/L	0.00024	MDL
Sulfate	165	mg/L	0.31	MDL/RpToMRL
TDS	437	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	657	umhos/cm		
DTW	11.54	Feet		
ORP	94.1	mV		
Oxygen, Dissolved	9	mg/L		
pH	7.56	SU		
Temperature	5.97	C		
Turbidity	0.53	NTU		
Alkalinity, Total as CaCO3	225	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	440	mg/L	0.466	MDL
Selenium, Dissolved	0.924	mg/L	0.00024	MDL
Selenium, Total	0.901	mg/L	0.00024	MDL
Sulfate	219	mg/L	0.31	MDL/RpToMRL
TDS	555	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	833.8	umhos/cm		
DTW	217.08	Feet		
ORP	96	mV		
Oxygen, Dissolved	9.39	mg/L		
pH	7.47	SU		
Temperature	6.05	C		
Turbidity	0.8	NTU		
Alkalinity, Total as CaCO3	181	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	197	mg/L	0.466	MDL
Selenium, Dissolved	0.081	mg/L	0.00024	MDL
Selenium, Total	0.082	mg/L	0.00024	MDL
Sulfate	26.3	mg/L	0.16	MDL/RpToMRL

TDS	230	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	398.4	umhos/cm		
DTW	20.66	Feet		
ORP	94.9	mV		
Oxygen, Dissolved	10.36	mg/L		
pH	7.69	SU		
Temperature	6.94	C		
Turbidity	1.13	NTU		
Alkalinity, Total as CaCO3	185	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	219	mg/L	0.466	MDL
Selenium, Dissolved	0.172	mg/L	0.00024	MDL
Selenium, Total	0.163	mg/L	0.00024	MDL
Sulfate	50	mg/L	0.16	MDL/RpToMRL
TDS	262	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	448.6	umhos/cm		
DTW	20.66	Feet		
ORP	95	mV		
Oxygen, Dissolved	10.11	mg/L		
pH	7.66	SU		
Temperature	7.02	C		
Turbidity	0.64	NTU		
Alkalinity, Total as CaCO3	229	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	936	mg/L	0.466	MDL
Selenium, Dissolved	2.45	mg/L	0.00024	MDL
Selenium, Total	2.32	mg/L	0.00024	MDL
Sulfate	716	mg/L	0.78	MDL/RpToMRL
TDS	1290	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	1551.3	umhos/cm		
DTW	16.52	Feet		
ORP	99.4	mV		
Oxygen, Dissolved	7.77	mg/L		
pH	7.32	SU		
Temperature	7.22	C		
Turbidity	2.15	NTU		
Alkalinity, Total as CaCO3	189	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	192	mg/L	0.466	MDL
Selenium, Dissolved	0.0012	mg/L	0.00024	MDL
Selenium, Total	0.0012	mg/L	0.00024	MDL
Sulfate	12.5	mg/L	0.16	MDL/RpToMRL
TDS	210	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	370.3	umhos/cm		
ORP	108.3	mV		
Oxygen, Dissolved	10.65	mg/L		
pH	8.25	SU		
Temperature	8.9	C		
Turbidity	22.6	NTU		
Flow	23.4459	cfs		

Alkalinity, Total as CaCO3	320	mg/L	0	MDL
Hardness, as CaCO3	2140	mg/L	0.466	MDL/RpToMRL
Selenium, Dissolved	5.66	mg/L	0.0012	MDL
Selenium, Total	5.78	mg/L	0.0012	MDL
Sulfate	1790	mg/L	6.5	MDL
TDS	2820	mg/L	0	MDL/RptTo0
Conductivity at 25 C	2941	umhos/cm		
ORP	-37.7	mV		
Oxygen, Dissolved	7.55	mg/L		
pH	7.37	SU		
Temperature	12.4	C		
Turbidity	9.07	NTU		
Flow		cfs		
Alkalinity, Total as CaCO3	185	mg/L	0	MDL
Hardness, as CaCO3	190	mg/L	0.466	MDL/RpToMRL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	9.86	mg/L	0.65	MDL
TDS	198	mg/L	0	MDL/RptTo0
Conductivity at 25 C	350.4	umhos/cm		
ORP	-38.9	mV		
Oxygen, Dissolved	9.77	mg/L		
pH	8.37	SU		
Temperature	5.1	C		
Turbidity	5.34	NTU		
Flow	2.5	cfs		
Alkalinity, Total as CaCO3	139	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	138	mg/L	0.466	MDL
Selenium, Dissolved	0.00018	mg/L	0.000022	MDL
Selenium, Total	0.00024	mg/L	0.00024	MDL
Sulfate	3.28	mg/L	0.16	MDL/RpToMRL
TDS	183	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	265.6	umhos/cm		
ORP	-25.8	mV		
Oxygen, Dissolved	7.07	mg/L		
pH	7.81	SU		
Temperature	12.2	C		
Turbidity	28.7	NTU		
Flow		cfs		
Alkalinity, Total as CaCO3	223	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	228	mg/L	0.466	MDL
Selenium, Dissolved	0.0057	mg/L	0.000022	MDL
Selenium, Total	0.0057	mg/L	0.00024	MDL
Sulfate	13.6	mg/L	0.16	MDL/RpToMRL
TDS	248	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	413.5	umhos/cm		
ORP	-25.8	mV		

Oxygen, Dissolved	8.75	mg/L		
pH	8	SU		
Temperature	8.7	C		
Turbidity	7.86	NTU		
Flow	3.7175	cfs		
Alkalinity, Total as CaCO3	200	mg/L	0	MDL
Hardness, as CaCO3	200	mg/L	0.466	MDL/RpToMRL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	14.9	mg/L	0.65	MDL
TDS	204	mg/L	0	MDL/RptTo0
Conductivity at 25 C	386.7	umhos/cm		
ORP	-25.2	mV		
Oxygen, Dissolved	9.77	mg/L		
pH	7.97	SU		
Temperature	4.5	C		
Turbidity	5.62	NTU		
Flow	0.7308	cfs		
Alkalinity, Total as CaCO3	182	mg/L	0	MDL
Hardness, as CaCO3	190	mg/L	0.466	MDL/RpToMRL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	10.1	mg/L	0.65	MDL
TDS	195	mg/L	0	MDL/RptTo0
Conductivity at 25 C	349	umhos/cm		
ORP	35.9	mV		
Oxygen, Dissolved	9.68	mg/L		
pH	8.13	SU		
Temperature	4.3	C		
Turbidity	4.01	NTU		
Flow	2.877	cfs		
Alkalinity, Total as CaCO3	198	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	195	mg/L	0.424	MDL
Selenium, Dissolved	0.00038	mg/L	0.000022	MDL
Selenium, Total	0.00043	mg/L	0.000022	MDL
Sulfate	16.7	mg/L	0.31	MDL/RpToMRL
TDS	198	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	335	umhos/cm		
ORP	94.3	mV		
Oxygen, Dissolved	10.04	mg/L		
pH	8.51	SU		
Temperature	12.54	C		
Turbidity	6.28	NTU		
Flow	9.0399	cfs		
Alkalinity, Total as CaCO3	370	mg/L	0	MDL
Hardness, as CaCO3	2090	mg/L	0.424	MDL/RpToMRL
Selenium, Dissolved	4.02	mg/L	0.0002	MDL

Selenium, Total	4.03	mg/L	0.0002	MDL
Sulfate	1910	mg/L	1.55	MDL
TDS	2950	mg/L	0	MDL/RptTo0
Conductivity at 25 C	2454	umhos/cm		
ORP	241.6	mV		
Oxygen, Dissolved	8.72	mg/L		
pH	7.46	SU		
Temperature	12.68	C		
Turbidity	2.95	NTU		
Flow	0.0149	cfs		
Alkalinity, Total as CaCO3	223	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	213	mg/L	0.424	MDL
Selenium, Dissolved	0.00011	mg/L	0.000022	MDL
Selenium, Total	0.00014	mg/L	0.000022	MDL
Sulfate	18	mg/L	0.31	MDL/RpToMRL
TDS	249	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	391	umhos/cm		
ORP	95	mV		
Oxygen, Dissolved	10.2	mg/L		
pH	8.49	SU		
Temperature	9.37	C		
Turbidity	18.7	NTU		
Flow		cfs		
Alkalinity, Total as CaCO3	297	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	285	mg/L	0.424	MDL
Selenium, Dissolved	0.0016	mg/L	0.000022	MDL
Selenium, Total	0.0019	mg/L	0.000022	MDL
Sulfate	14.4	mg/L	0.31	MDL/RpToMRL
TDS	314	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	475	umhos/cm		
ORP	142.6	mV		
Oxygen, Dissolved	11	mg/L		
pH	8.56	SU		
Temperature	9.28	C		
Turbidity	9.55	NTU		
Flow	0.33725	cfs		
Alkalinity, Total as CaCO3	205	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	272	mg/L	0.424	MDL
Selenium, Dissolved	0.197	mg/L	0.00024	MDL
Selenium, Total	0.206	mg/L	0.00024	MDL
Sulfate	82.2	mg/L	0.31	MDL/RpToMRL
TDS	320	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	519	umhos/cm		
DTW	18.45	Feet		
ORP	141.4	mV		
Oxygen, Dissolved	8.61	mg/L		
pH	7.3	SU		

Temperature	7.58	C		
Turbidity	1.66	NTU		
Alkalinity, Total as CaCO3	231	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	422	mg/L	0.424	MDL
Selenium, Dissolved	0.802	mg/L	0.00024	MDL
Selenium, Total	0.839	mg/L	0.00024	MDL
Sulfate	236	mg/L	0.31	MDL/RpToMRL
TDS	547	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	816	umhos/cm		
DTW	215.8	Feet		
ORP	157.3	mV		
Oxygen, Dissolved	9.63	mg/L		
pH	7.27	SU		
Temperature	7.19	C		
Turbidity	8.08	NTU		
Alkalinity, Total as CaCO3	185	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	189	mg/L	0.424	MDL
Selenium, Dissolved	0.054	mg/L	0.00024	MDL
Selenium, Total	0.058	mg/L	0.00024	MDL
Sulfate	20.8	mg/L	0.16	MDL/RpToMRL
TDS	212	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	369	umhos/cm		
DTW	18.55	Feet		
ORP	148.1	mV		
Oxygen, Dissolved	9.73	mg/L		
pH	7.51	SU		
Temperature	7.76	C		
Turbidity	0.6	NTU		
Alkalinity, Total as CaCO3	187	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	216	mg/L	0.424	MDL
Selenium, Dissolved	0.129	mg/L	0.00024	MDL
Selenium, Total	0.133	mg/L	0.00024	MDL
Sulfate	45.3	mg/L	0.16	MDL/RpToMRL
TDS	244	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	422	umhos/cm		
DTW	18.55	Feet		
ORP	153.9	mV		
Oxygen, Dissolved	8.79	mg/L		
pH	7.49	SU		
Temperature	7.75	C		
Turbidity	0.76	NTU		
Alkalinity, Total as CaCO3	226	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	1010	mg/L	0.424	MDL
Selenium, Dissolved	2.6	mg/L	0.00024	MDL
Selenium, Total	2.69	mg/L	0.00024	MDL
Sulfate	797	mg/L	0.78	MDL/RpToMRL
TDS	1370	mg/L	0	MDL/RpToMRL

Conductivity at 25 C	1736	umhos/cm		
DTW	18.67	Feet		
ORP	163.9	mV		
Oxygen, Dissolved	7.12	mg/L		
pH	7.25	SU		
Temperature	7.62	C		
Turbidity	3.08	NTU		
Alkalinity, Total as CaCO3	352	mg/L	0	MDL
Hardness, as CaCO3	2120	mg/L	0.424	MDL/RpToMRL
Selenium, Dissolved	3.88	mg/L	0.0002	MDL
Selenium, Total	3.97	mg/L	0.0002	MDL
Sulfate	1740	mg/L	3.1	MDL
TDS	2950	mg/L	0	MDL/RptTo0
Conductivity at 25 C	261.03	umhos/cm		
ORP	35.2	mV		
Oxygen, Dissolved	0.93	mg/L		
pH	7.87	SU		
Temperature	8.3	C		
Turbidity	1.46	NTU		
Flow	0.01	cfs		
Alkalinity, Total as CaCO3	191	mg/L	0	MDL
Hardness, as CaCO3	197	mg/L	0.424	MDL/RpToMRL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0004	mg/L	0.0002	MDL
Sulfate	14	mg/L	0.03	MDL
TDS	221	mg/L	0	MDL/RptTo0
Conductivity at 25 C	404.6	umhos/cm		
ORP	3.24	mV		
Oxygen, Dissolved	10.11	mg/L		
pH	8.45	SU		
Temperature	5.54	C		
Turbidity	2.43	NTU		
Flow	0.16	cfs		
Alkalinity, Total as CaCO3	217	mg/L	0	MDL
Hardness, as CaCO3	221	mg/L	0.424	MDL/RpToMRL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	22	mg/L	0.03	MDL
TDS	248	mg/L	0	MDL/RptTo0
Conductivity at 25 C	475.4	umhos/cm		
ORP	47.3	mV		
Oxygen, Dissolved	9.74	mg/L		
pH	8.56	SU		
Temperature	3.79	C		
Turbidity	2.68	NTU		
Flow	0.09	cfs		
Alkalinity, Total as CaCO3	191	mg/L	0	MDL

Hardness, as CaCO3	197	mg/L	0.424	MDL/RpToMRL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0004	mg/L	0.0002	MDL
Sulfate	14.1	mg/L	0.03	MDL
TDS	209	mg/L	0	MDL/RptTo0
Conductivity at 25 C	409.3	umhos/cm		
ORP	41.4	mV		
Oxygen, Dissolved	10.34	mg/L		
pH	8.81	SU		
Temperature	3.14	C		
Turbidity	3.14	NTU		
Flow	0.15	cfs		
Alkalinity, Total as CaCO3	208	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	234	mg/L	0.424	MDL
Selenium, Dissolved	0.00047	mg/L	0.00024	MDL
Selenium, Total	0.00069	mg/L	0.00024	MDL
Sulfate	27.8	mg/L	0.03	MDL/RpToMRL
TDS	244	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	378	umhos/cm		
ORP	99.7	mV		
Oxygen, Dissolved	10.34	mg/L		
pH	8.67	SU		
Temperature	7.08	C		
Turbidity	3.7	NTU		
Flow	3.58	cfs		
Alkalinity, Total as CaCO3	208	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	214	mg/L	0.424	MDL
Selenium, Dissolved	0.00024	mg/L	0.00024	MDL
Selenium, Total	0.0003	mg/L	0.00024	MDL
Sulfate	16.7	mg/L	0.03	MDL/RpToMRL
TDS	236	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	370	umhos/cm		
ORP	-8	mV		
Oxygen, Dissolved	8.86	mg/L		
pH	8.06	SU		
Temperature	6.46	C		
Turbidity	6.75	NTU		
Flow		cfs		
Alkalinity, Total as CaCO3	278	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	306	mg/L	0.424	MDL
Selenium, Dissolved	0.001	mg/L	0.00024	MDL
Selenium, Total	0.0011	mg/L	0.00024	MDL
Sulfate	35.8	mg/L	0.03	MDL/RpToMRL
TDS	335	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	492	umhos/cm		
ORP	77.3	mV		
Oxygen, Dissolved	10.55	mg/L		

pH	8.38	SU		
Temperature	5.13	C		
Turbidity	14.3	NTU		
Flow	0.56	cfs		
Alkalinity, Total as CaCO3	224	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	431	mg/L	0.424	MDL
Selenium, Dissolved	0.766	mg/L	0.00024	MDL
Selenium, Total	0.786	mg/L	0.00024	MDL
Sulfate	216	mg/L	0.31	MDL/RpToMRL
TDS	545	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	873.9	umhos/cm		
DTW	217.59	Feet		
ORP	76.4	mV		
Oxygen, Dissolved	9.45	mg/L		
pH	7.42	SU		
Temperature	6.05	C		
Turbidity	0.97	NTU		
Alkalinity, Total as CaCO3	179	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	198	mg/L	0.424	MDL
Selenium, Dissolved	0.059	mg/L	0.00024	MDL
Selenium, Total	0.058	mg/L	0.00024	MDL
Sulfate	21.9	mg/L	0.03	MDL/RpToMRL
TDS	234	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	418.8	umhos/cm		
DTW	22.72	Feet		
ORP	72.8	mV		
Oxygen, Dissolved	10.14	mg/L		
pH	7.57	SU		
Temperature	7.36	C		
Turbidity	0.81	NTU		
Alkalinity, Total as CaCO3	182	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	219	mg/L	0.424	MDL
Selenium, Dissolved	0.136	mg/L	0.00024	MDL
Selenium, Total	0.132	mg/L	0.00024	MDL
Sulfate	47.6	mg/L	0.03	MDL/RpToMRL
TDS	271	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	470.2	umhos/cm		
DTW	22.72	Feet		
ORP	73.6	mV		
Oxygen, Dissolved	10.19	mg/L		
pH	7.6	SU		
Temperature	7.31	C		
Turbidity	1.02	NTU		
Alkalinity, Total as CaCO3	222	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	336	mg/L	0.424	MDL
Selenium, Dissolved	0.311	mg/L	0.00024	MDL
Selenium, Total	0.321	mg/L	0.00024	MDL

Sulfate	121	mg/L	0.31	MDL/RpToMRL
TDS	408	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	699.5	umhos/cm		
DTW	16.48	Feet		
ORP	84.5	mV		
Oxygen, Dissolved	8.55	mg/L		
pH	7.37	SU		
Temperature	7.03	C		
Turbidity	1.01	NTU		
Alkalinity, Total as CaCO3	199	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	620	mg/L	0.424	MDL
Selenium, Dissolved	1.21	mg/L	0.00024	MDL
Selenium, Total	1.16	mg/L	0.00024	MDL
Sulfate	418	mg/L	0.31	MDL/RpToMRL
TDS	775	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	1168.6	umhos/cm		
DTW	17.22	Feet		
ORP	79.9	mV		
Oxygen, Dissolved	6.92	mg/L		
pH	7.21	SU		
Temperature	7.29	C		
Turbidity	2.31	NTU		
Alkalinity, Total as CaCO3	355	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	2030	mg/L	0.444	MDL/RpToMRL
Selenium, Dissolved	3.79	mg/L	0.0004	MDL
Selenium, Total	3.72	mg/L	0.0004	MDL
Sulfate	1690	mg/L	6	MDL/RpToMRL
TDS	2760	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	3168.4	umhos/cm		
ORP	119.3	mV		
Oxygen, Dissolved	5.91	mg/L		
pH	7.94	SU		
Temperature	12.39	C		
Turbidity	2.49	NTU		
Flow	0.2124	cfs		
Alkalinity, Total as CaCO3	196	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	196	mg/L	0.444	MDL/RpToMRL
Selenium, Dissolved	0.0004	mg/L	0.0004	MDL
Selenium, Total	0.0004	mg/L	0.0004	MDL
Sulfate	8.72	mg/L	1.2	MDL/RpToMRL
TDS	209	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	390.3	umhos/cm		
ORP	78	mV		
Oxygen, Dissolved	9.45	mg/L		
pH	8.55	SU		
Temperature	6.19	C		
Turbidity	8.13	NTU		

Flow	9.4203	cfs		
Alkalinity, Total as CaCO3	153	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	144	mg/L	0.444	MDL/RpToMRL
Selenium, Dissolved	0.0006	mg/L	0.0004	MDL
Selenium, Total	0.0006	mg/L	0.0004	MDL
Sulfate	5.8	mg/L	0.12	MDL/RpToMRL
TDS	187	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	314.5	umhos/cm		
ORP	97	mV		
Oxygen, Dissolved	7.71	mg/L		
pH	8.45	SU		
Temperature	15.98	C		
Turbidity	4.15	NTU		
Flow	2.1674	cfs		
Alkalinity, Total as CaCO3	203	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	199	mg/L	0.444	MDL/RpToMRL
Selenium, Dissolved	0.0021	mg/L	0.0004	MDL
Selenium, Total	0.0022	mg/L	0.0004	MDL
Sulfate	8.51	mg/L	1.2	MDL/RpToMRL
TDS	230	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	409.8	umhos/cm		
ORP	125.3	mV		
Oxygen, Dissolved	8.31	mg/L		
pH	8.47	SU		
Temperature	11.31	C		
Turbidity	5.1	NTU		
Flow	7.5673	cfs		
Alkalinity, Total as CaCO3	213	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	211	mg/L	0.444	MDL/RpToMRL
Selenium, Dissolved	0.0004	mg/L	0.0004	MDL
Selenium, Total	0.0004	mg/L	0.0004	MDL
Sulfate	12.4	mg/L	1.2	MDL/RpToMRL
TDS	225	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	430	umhos/cm		
ORP	69.8	mV		
Oxygen, Dissolved	9.29	mg/L		
pH	8.57	SU		
Temperature	4.89	C		
Turbidity	2.14	NTU		
Flow	3.2236	cfs		
Alkalinity, Total as CaCO3	192	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	190	mg/L	0.444	MDL/RpToMRL
Selenium, Dissolved	0.0004	mg/L	0.0004	MDL
Selenium, Total	0.0004	mg/L	0.0004	MDL
Sulfate	9.26	mg/L	1.2	MDL/RpToMRL
TDS	207	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	387.2	umhos/cm		

ORP	76.9	mV		
Oxygen, Dissolved	9.43	mg/L		
pH	8.61	SU		
Temperature	4.67	C		
Turbidity	3.03	NTU		
Flow	6.8547	cfs		
Alkalinity, Total as CaCO3	202	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	201	mg/L	0.444	MDL/RpToMRL
Selenium, Dissolved	0.0007	mg/L	0.0004	MDL
Selenium, Total	0.0008	mg/L	0.0004	MDL
Sulfate	14.7	mg/L	0.12	MDL/RpToMRL
TDS	234	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	399.5	umhos/cm		
ORP	78.7	mV		
Oxygen, Dissolved	8.9	mg/L		
pH	8.61	SU		
Temperature	8.56	C		
Turbidity	11.5	NTU		
Flow	43.79285	cfs		
Alkalinity, Total as CaCO3	192	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.0646	mg/L	0.0004	MDL
Selenium, Total	0.0699	mg/L	0.0004	MDL
Sulfate	33.8	mg/L	1.2	MDL/RpToMRL
TDS	245	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	438.3	umhos/cm		
DTW	10.05	Feet		
ORP	108.7	mV		
Oxygen, Dissolved	7.65	mg/L		
pH	8.22	SU		
Temperature	7.04	C		
Turbidity	1.67	NTU		
Alkalinity, Total as CaCO3	237	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.706	mg/L	0.0004	MDL
Selenium, Total	0.71	mg/L	0.0004	MDL
Sulfate	218	mg/L	1.2	MDL/RpToMRL
TDS	540	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	843.1	umhos/cm		
DTW	204.09	Feet		
ORP	123	mV		
Oxygen, Dissolved	8.99	mg/L		
pH	8.18	SU		
Temperature	7.61	C		
Turbidity	1.52	NTU		
Alkalinity, Total as CaCO3	250	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	2.64	mg/L	0.0004	MDL
Selenium, Total	2.79	mg/L	0.0004	MDL
Sulfate	955	mg/L	6	MDL/RpToMRL

TDS	1620	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	2119.8	umhos/cm		
ORP	117.9	mV		
Oxygen, Dissolved	7.4	mg/L		
pH	7.74	SU		
Temperature	7.33	C		
Turbidity	2.11	NTU		
Alkalinity, Total as CaCO3	175	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.0561	mg/L	0.0004	MDL
Selenium, Total	0.0574	mg/L	0.0004	MDL
Sulfate	24.4	mg/L	1.3	MDL/RpToMRL
TDS	214	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	416.8	umhos/cm		
DTW	1.69	Feet		
ORP	73.5	mV		
Oxygen, Dissolved	9.02	mg/L		
pH	7.98	SU		
Temperature	7.91	C		
Turbidity	3.88	NTU		
Alkalinity, Total as CaCO3	177	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.0554	mg/L	0.0004	MDL
Selenium, Total	0.0554	mg/L	0.0004	MDL
Sulfate	23	mg/L	1.3	MDL/RpToMRL
TDS	207	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	415	umhos/cm		
DTW	1.69	Feet		
ORP	72.1	mV		
Oxygen, Dissolved	9.2	mg/L		
pH	8.06	SU		
Temperature	8.12	C		
Turbidity	3.24	NTU		
Alkalinity, Total as CaCO3	351	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	2120	mg/L	0.503	MDL/RpToMRL
Selenium, Dissolved	4.03	mg/L	0.002	MDL
Selenium, Total	4.12	mg/L	0.002	MDL
Sulfate	1800	mg/L	6.5	MDL/RpToMRL
TDS	2820	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	3526	umhos/cm		
ORP	25	mV		
Oxygen, Dissolved	5.46	mg/L		
pH	7.61	SU		
Temperature	16.6	C		
Turbidity	2.17	NTU		
Flow	0.0636	cfs		
Alkalinity, Total as CaCO3	186	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	207	mg/L	0.503	MDL/RpToMRL
Selenium, Dissolved	0.0008	mg/L	0.0004	MDL

Selenium, Total	0.001	mg/L	0.0004	MDL
Sulfate	24	mg/L	1.3	MDL/RpToMRL
TDS	232	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	451	umhos/cm		
ORP	21.4	mV		
Oxygen, Dissolved	4.68	mg/L		
pH	8.74	SU		
Temperature	15.35	C		
Turbidity	7.13	NTU		
Flow	6.2421	cfs		
Alkalinity, Total as CaCO3	185	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.0219	mg/L	0.0004	MDL
Selenium, Total	0.0244	mg/L	0.0004	MDL
Sulfate	11.2	mg/L	1.3	MDL/RpToMRL
TDS	203	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	367.1	umhos/cm		
DTW	19.62	Feet		
ORP	63.5	mV		
Oxygen, Dissolved	8.28	mg/L		
pH	8.51	SU		
Temperature	7.6	C		
Turbidity	1.7	NTU		
Alkalinity, Total as CaCO3	184	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.0226	mg/L	0.0004	MDL
Selenium, Total	0.0249	mg/L	0.0004	MDL
Sulfate	11.1	mg/L	1.3	MDL/RpToMRL
TDS	205	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	387.6	umhos/cm		
DTW	19.62	Feet		
ORP	56.5	mV		
Oxygen, Dissolved	8.59	mg/L		
pH	8.57	SU		
Temperature	7.51	C		
Turbidity	1.11	NTU		
Alkalinity, Total as CaCO3	346	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	2030	mg/L	0.503	MDL/RpToMRL
Selenium, Dissolved	2.85	mg/L	0.0004	MDL
Selenium, Total	3.31	mg/L	0.0004	MDL
Sulfate	1730	mg/L	6.5	MDL/RpToMRL
TDS	2880	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	3105	umhos/cm		
ORP	163	mV		
Oxygen, Dissolved	7.9	mg/L		
pH	7.23	SU		
Temperature	6.39	C		
Turbidity	0.52	NTU		
Flow	0.0072	cfs		

Alkalinity, Total as CaCO3	193	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	183	mg/L	0.503	MDL/RpToMRL
Selenium, Dissolved	0.0004	mg/L	0.0004	MDL
Selenium, Total	0.0004	mg/L	0.0004	MDL
Sulfate	14.9	mg/L	1.3	MDL/RpToMRL
TDS	204	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	380	umhos/cm		
ORP	149.2	mV		
Oxygen, Dissolved	9.96	mg/L		
pH	8.16	SU		
Temperature	5.67	C		
Turbidity	0.6	NTU		
Flow	0.0947	cfs		
Alkalinity, Total as CaCO3	201	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	198	mg/L	0.503	MDL/RpToMRL
Selenium, Dissolved	0.0004	mg/L	0.0004	MDL
Selenium, Total	0.0004	mg/L	0.0004	MDL
Sulfate	17.4	mg/L	0.13	MDL/RpToMRL
TDS	231	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	429	umhos/cm		
ORP	154.6	mV		
Oxygen, Dissolved	9.79	mg/L		
pH	8.08	SU		
Temperature	4.97	C		
Turbidity	12.9	NTU		
Flow		cfs		
Alkalinity, Total as CaCO3	285	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	281	mg/L	0.503	MDL/RpToMRL
Selenium, Dissolved	0.0004	mg/L	0.0004	MDL
Selenium, Total	0.0004	mg/L	0.0004	MDL
Sulfate	24.7	mg/L	1.3	MDL/RpToMRL
TDS	316	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	569	umhos/cm		
ORP	173.8	mV		
Oxygen, Dissolved	10.64	mg/L		
pH	7.73	SU		
Temperature	0.48	C		
Turbidity	15.3	NTU		
Flow	0.3539	cfs		
Alkalinity, Total as CaCO3	212	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	219	mg/L	0.503	MDL/RpToMRL
Selenium, Dissolved	0.0004	mg/L	0.0004	MDL
Selenium, Total	0.0004	mg/L	0.0004	MDL
Sulfate	23.8	mg/L	1.3	MDL/RpToMRL
TDS	229	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	447	umhos/cm		
ORP	154.9	mV		

Oxygen, Dissolved	9.9	mg/L		
pH	6.92	SU		
Temperature	2.67	C		
Flow	0.1182	cfs		
Alkalinity, Total as CaCO3	253	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	191	mg/L	0.503	MDL/RpToMRL
Selenium, Dissolved	0.0004	mg/L	0.0004	MDL
Selenium, Total	0.0004	mg/L	0.0004	MDL
Sulfate	16.7	mg/L	1.3	MDL/RpToMRL
TDS	206	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	384	umhos/cm		
ORP	152.3	mV		
Oxygen, Dissolved	10.91	mg/L		
pH	7.36	SU		
Temperature	0.75	C		
Turbidity	1.36	NTU		
Flow		cfs		
Alkalinity, Total as CaCO3	206	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	217	mg/L	0.503	MDL/RpToMRL
Selenium, Dissolved	0.0006	mg/L	0.0004	MDL
Selenium, Total	0.0006	mg/L	0.0004	MDL
Sulfate	30.8	mg/L	0.13	MDL/RpToMRL
TDS	231	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	435	umhos/cm		
ORP	84.3	mV		
Oxygen, Dissolved	10.64	mg/L		
pH	8.44	SU		
Temperature	4.2	C		
Turbidity	3.9	NTU		
Flow	4.42685	cfs		
Alkalinity, Total as CaCO3	232	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.668	mg/L	0.0004	MDL
Selenium, Total	0.648	mg/L	0.0004	MDL
Sulfate	201	mg/L	1.1	MDL/RpToMRL
TDS	519	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	841.3	umhos/cm		
DTW	211.47	Feet		
ORP	90.8	mV		
Oxygen, Dissolved	9.29	mg/L		
pH	8.35	SU		
Temperature	5.75	C		
Turbidity	1.49	NTU		
Alkalinity, Total as CaCO3	207	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.0582	mg/L	0.0004	MDL
Selenium, Total	0.0563	mg/L	0.0004	MDL
Sulfate	36.3	mg/L	1.1	MDL/RpToMRL
TDS	251	mg/L	0	MDL/RpToMRL

Conductivity at 25 C	465.7	umhos/cm		
DTW	19.03	Feet		
ORP	56.5	mV		
Oxygen, Dissolved	7.37	mg/L		
pH	8.48	SU		
Temperature	6.35	C		
Turbidity	0.74	NTU		
Alkalinity, Total as CaCO3	259	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	1.74	mg/L	0.0004	MDL
Selenium, Total	1.67	mg/L	0.0004	MDL
Sulfate	627	mg/L	2.75	MDL/RpToMRL
TDS	1160	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	1779.5	umhos/cm		
DTW	13.93	Feet		
ORP	68.1	mV		
Oxygen, Dissolved	8.51	mg/L		
pH	8.13	SU		
Temperature	8.01	C		
Turbidity	0.75	NTU		
Alkalinity, Total as CaCO3	195	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	213	mg/L	1.49	MDL/RpToMRL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	15.7	mg/L	1.8	MDL/RpToMRL
TDS	219	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	390.5	umhos/cm		
ORP	129.9	mV		
Oxygen, Dissolved	9.24	mg/L		
pH	7.94	SU		
Temperature	4.4	C		
Turbidity	0.4	NTU		
Flow	1.0933	cfs		
Alkalinity, Total as CaCO3	174	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	189	mg/L	1.49	MDL/RpToMRL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	10.9	mg/L	1.8	MDL/RpToMRL
TDS	197	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	349.7	umhos/cm		
ORP	122.5	mV		
Oxygen, Dissolved	9.16	mg/L		
pH	8.12	SU		
Temperature	4.7	C		
Turbidity	2.4	NTU		
Flow	3.6699	cfs		
Alkalinity, Total as CaCO3	190	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.102	mg/L	0.0002	MDL

Selenium, Total	0.118	mg/L	0.0002	MDL
Sulfate	57.9	mg/L	1.8	MDL/RpToMRL
TDS	272	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	468.3	umhos/cm		
DTW	7.14	Feet		
ORP	107.7	mV		
Oxygen, Dissolved	9.59	mg/L		
pH	7.44	SU		
Temperature	6.14	C		
Turbidity	2.45	NTU		
Alkalinity, Total as CaCO3	219	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.566	mg/L	0.0002	MDL
Selenium, Total	0.646	mg/L	0.0002	MDL
Sulfate	206	mg/L	1.8	MDL/RpToMRL
TDS	510	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	776.9	umhos/cm		
DTW	212.55	Feet		
ORP	111.1	mV		
Oxygen, Dissolved	9.63	mg/L		
pH	7.51	SU		
Temperature	6.29	C		
Turbidity	1.66	NTU		
Alkalinity, Total as CaCO3	175	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.0385	mg/L	0.0002	MDL
Selenium, Total	0.0453	mg/L	0.0002	MDL
Sulfate	19.7	mg/L	1.8	MDL/RpToMRL
TDS	219	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	383	umhos/cm		
DTW	15.81	Feet		
ORP	108.2	mV		
Oxygen, Dissolved	8.29	mg/L		
pH	7.78	SU		
Temperature	7.51	C		
Turbidity	1.54	NTU		
Alkalinity, Total as CaCO3	173	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.086	mg/L	0.0002	MDL
Selenium, Total	0.101	mg/L	0.0002	MDL
Sulfate	37.5	mg/L	1.8	MDL/RpToMRL
TDS	229	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	402.3	umhos/cm		
DTW	15.81	Feet		
ORP	106.8	mV		
Oxygen, Dissolved	8.39	mg/L		
pH	7.59	SU		
Temperature	7.79	C		
Turbidity	1.97	NTU		
Alkalinity, Total as CaCO3	217	mg/L	0	MDL/RpToMRL

Selenium, Dissolved	1.5	mg/L	0.0002	MDL
Selenium, Total	1.74	mg/L	0.0002	MDL
Sulfate	646	mg/L	9	MDL/RpToMRL
TDS	1140	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	1525	umhos/cm		
DTW	14.26	Feet		
ORP	111.6	mV		
Oxygen, Dissolved	7.63	mg/L		
pH	7.2	SU		
Temperature	8.27	C		
Turbidity	30.6	NTU		
Alkalinity, Total as CaCO3	187	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	202	mg/L	1.49	MDL/RpToMRL
Selenium, Dissolved	0.0012	mg/L	0.0002	MDL
Selenium, Total	0.0012	mg/L	0.0002	MDL
Sulfate	14.1	mg/L	1.8	MDL/RpToMRL
TDS	225	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	363.8	umhos/cm		
ORP	151.3	mV		
Oxygen, Dissolved	10.97	mg/L		
pH	8.37	SU		
Temperature	10.6	C		
Turbidity	9.23	NTU		
Flow	28.725625	cfs		
Alkalinity, Total as CaCO3	337	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	2170	mg/L	3.04	MDL/RpToMRL
Selenium, Dissolved	5.31	mg/L	0.0012	MDL
Selenium, Total	4.91	mg/L	0.0002	MDL
Sulfate	1800	mg/L	9	MDL/RpToMRL
TDS	2790	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	293.9	umhos/cm		
ORP	198	mV		
Oxygen, Dissolved	10.11	mg/L		
pH	7.26	SU		
Temperature	11.5	C		
Turbidity	8.38	NTU		
Flow	0.0211	cfs		
Alkalinity, Total as CaCO3	177	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	195	mg/L	1.49	MDL/RpToMRL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0009	mg/L	0.0002	MDL
Sulfate	11.1	mg/L	1.8	MDL/RpToMRL
TDS	196	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	349.1	umhos/cm		
ORP	175.5	mV		
Oxygen, Dissolved	32.12	mg/L		
pH	8.45	SU		

Temperature	4.6	C		
Turbidity	1.56	NTU		
Flow	3.6231	cfs		
Alkalinity, Total as CaCO3	163	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	171	mg/L	1.49	MDL/RpToMRL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	9.84	mg/L	1.8	MDL/RpToMRL
TDS	206	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	328.9	umhos/cm		
ORP	70.2	mV		
Oxygen, Dissolved	20.83	mg/L		
pH	7.81	SU		
Temperature	7.3	C		
Turbidity	6.45	NTU		
Flow	0.416	cfs		
Alkalinity, Total as CaCO3	205	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	228	mg/L	1.49	MDL/RpToMRL
Selenium, Dissolved	0.0051	mg/L	0.0002	MDL
Selenium, Total	0.005	mg/L	0.0002	MDL
Sulfate	29.4	mg/L	1.8	MDL/RpToMRL
TDS	253	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	405.1	umhos/cm		
ORP	166.9	mV		
Oxygen, Dissolved	19.5	mg/L		
pH	8.11	SU		
Temperature	4.3	C		
Turbidity	5.28	NTU		
Flow	3.783	cfs		
Moisture Content	56.8	%		MDL
Selenium	0.037	mg/kg	0.02	MDL
Moisture Content	76.9	%		MDL
Selenium	0.246	mg/kg	0.02	MDL
Moisture Content	63.7	%		MDL
Selenium	0.057	mg/kg	0.02	MDL
Moisture Content	57.4	%		MDL
Selenium	0.034	mg/kg	0.02	MDL
Moisture Content	65	%		MDL
Selenium	0.02	mg/kg	0.02	MDL
Moisture Content	68.7	%		MDL
Selenium	0.114	mg/kg	0.02	MDL
Alkalinity, Total as CaCO3	182	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	204	mg/L	1.49	MDL/RpToMRL
Selenium, Dissolved	0.0007	mg/L	0.0002	MDL
Selenium, Total	0.0007	mg/L	0.0002	MDL
Sulfate	22.2	mg/L	1.8	MDL/RpToMRL
TDS	214	mg/L	0	MDL/RpToMRL

Conductivity at 25 C	360.7	umhos/cm		
ORP	166.4	mV		
Oxygen, Dissolved	8.36	mg/L		
pH	8.62	SU		
Temperature	17.4	C		
Turbidity	9.02	NTU		
Flow	6.042	cfs		
Alkalinity, Total as CaCO3	354	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	2110	mg/L	1.49	MDL/RpToMRL
Selenium, Dissolved	2.41	mg/L	0.0002	MDL
Selenium, Total	2.44	mg/L	0.0002	MDL
Sulfate	1870	mg/L	9	MDL/RpToMRL
TDS	2880	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	2984	umhos/cm		
ORP	219.1	mV		
Oxygen, Dissolved	6.41	mg/L		
pH	7.66	SU		
Temperature	11.6	C		
Turbidity	41.2	NTU		
Flow	0.0033	cfs		
Alkalinity, Total as CaCO3	179	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	193	mg/L	1.49	MDL/RpToMRL
Selenium, Dissolved	0.0003	mg/L	0.0002	MDL
Selenium, Total	0.0003	mg/L	0.0002	MDL
Sulfate	14.5	mg/L	1.8	MDL/RpToMRL
TDS	198	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	350	umhos/cm		
ORP	-98.9	mV		
Oxygen, Dissolved	10.4	mg/L		
pH	8.43	SU		
Temperature	7	C		
Turbidity	0.02	NTU		
Alkalinity, Total as CaCO3	203	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	214	mg/L	1.49	MDL/RpToMRL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	19.9	mg/L	1.8	MDL/RpToMRL
TDS	252	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	290	umhos/cm		
ORP	158.1	mV		
Oxygen, Dissolved	10.05	mg/L		
pH	8.1	SU		
Temperature	8	C		
Turbidity	14.2	NTU		
Flow		cfs		
Alkalinity, Total as CaCO3	269	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	294	mg/L	1.49	MDL/RpToMRL

Selenium, Dissolved	0.0003	mg/L	0.0002	MDL
Selenium, Total	0.0004	mg/L	0.0002	MDL
Sulfate	30	mg/L	1.8	MDL/RpToMRL
TDS	310	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	537	umhos/cm		
ORP	-79.8	mV		
Oxygen, Dissolved	11.88	mg/L		
pH	8.1	SU		
Temperature	1.4	C		
Turbidity	8.98	NTU		
Flow	0.201	cfs		
Alkalinity, Total as CaCO3	215	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	227	mg/L	1.49	MDL/RpToMRL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	22.3	mg/L	0.18	MDL/RpToMRL
TDS	245	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	417.4	umhos/cm		
ORP	13.9	mV		
Oxygen, Dissolved	9.23	mg/L		
pH	7.98	SU		
Temperature	5.4	C		
Turbidity	0.6	NTU		
Flow	0.0413	cfs		
Alkalinity, Total as CaCO3	181	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	194	mg/L	1.49	MDL/RpToMRL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	13.6	mg/L	1.8	MDL/RpToMRL
TDS	192	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	358.1	umhos/cm		
ORP	-95.9	mV		
Oxygen, Dissolved	10.41	mg/L		
pH	8.39	SU		
Temperature	5	C		
Turbidity	0.56	NTU		
Flow	0.1731	cfs		
Alkalinity, Total as CaCO3	189	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	209	mg/L	1.49	MDL/RpToMRL
Selenium, Dissolved	0.0005	mg/L	0.0002	MDL
Selenium, Total	0.0005	mg/L	0.0002	MDL
Sulfate	28.7	mg/L	1.8	MDL/RpToMRL
TDS	236	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	395.1	umhos/cm		
ORP	-98.4	mV		
Oxygen, Dissolved	10.66	mg/L		
pH	8.29	SU		

Temperature	9.7	C		
Turbidity	1.78	NTU		
Flow	3.085	cfs		
Flow	0.1132	cfs		
Alkalinity, Total as CaCO3	197	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.0243	mg/L	0.0002	MDL
Selenium, Total	0.0247	mg/L	0.0002	MDL
Sulfate	21.1	mg/L	1.8	MDL/RpToMRL
TDS	226	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	416.9	umhos/cm		
DTW	16.56	Feet		
ORP	140.5	mV		
Oxygen, Dissolved	8.27	mg/L		
pH	7.9	SU		
Temperature	6.97	C		
Turbidity	0.82	NTU		
Alkalinity, Total as CaCO3	219	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.547	mg/L	0.0002	MDL
Selenium, Total	0.543	mg/L	0.0002	MDL
Sulfate	186	mg/L	1.8	MDL/RpToMRL
TDS	476	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	759.2	umhos/cm		
DTW	214.57	Feet		
ORP	141.3	mV		
Oxygen, Dissolved	9.79	mg/L		
pH	7.9	SU		
Temperature	6.13	C		
Turbidity	1.01	NTU		
Alkalinity, Total as CaCO3	176	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.0372	mg/L	0.0002	MDL
Selenium, Total	0.0372	mg/L	0.0002	MDL
Sulfate	17	mg/L	1.8	MDL/RpToMRL
TDS	222	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	383.8	umhos/cm		
DTW	21.68	Feet		
ORP	134.6	mV		
Oxygen, Dissolved	9.26	mg/L		
pH	8.06	SU		
Temperature	7.17	C		
Turbidity	1.96	NTU		
Alkalinity, Total as CaCO3	180	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.0933	mg/L	0.0002	MDL
Selenium, Total	0.0957	mg/L	0.0002	MDL
Sulfate	36.7	mg/L	1.8	MDL/RpToMRL
TDS	247	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	425.5	umhos/cm		
DTW	21.68	Feet		

ORP	138.8	mV		
Oxygen, Dissolved	10.38	mg/L		
pH	8.1	SU		
Temperature	7.12	C		
Turbidity	1.94	NTU		
Alkalinity, Total as CaCO3	227	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	2.08	mg/L	0.0002	MDL
Selenium, Total	2.2	mg/L	0.0002	MDL
Sulfate	734	mg/L	9	MDL/RpToMRL
TDS	1310	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	1693.8	umhos/cm		
DTW	19.53	Feet		
ORP	137.5	mV		
Oxygen, Dissolved	6.06	mg/L		
pH	7.65	SU		
Temperature	7.02	C		
Turbidity	1.53	NTU		
Alkalinity, Total as CaCO3	351	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	1790	mg/L	0.51	MDL/RpToMRL
Selenium, Dissolved	4.67	mg/L	0.0002	MDL
Selenium, Total	4.69	mg/L	0.0002	MDL
Sulfate	1720	mg/L	9	MDL/RpToMRL
TDS	2880	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	293.7	umhos/cm		
ORP	153.8	mV		
Oxygen, Dissolved	7.53	mg/L		
pH	7.06	SU		
Temperature	12.5	C		
Turbidity	70.1	NTU		
Flow	0.02	cfs		
Alkalinity, Total as CaCO3	189	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	188	mg/L	0.51	MDL/RpToMRL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0004	mg/L	0.0002	MDL
Sulfate	9.9	mg/L	0.9	MDL/RpToMRL
TDS	224	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	355.9	umhos/cm		
ORP	109.6	mV		
Oxygen, Dissolved	9.7	mg/L		
pH	8.35	SU		
Temperature	5.1	C		
Turbidity	2.51	NTU		
Flow	2.55	cfs		
Alkalinity, Total as CaCO3	94.3	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	86.1	mg/L	0.51	MDL/RpToMRL
Selenium, Dissolved	0.0003	mg/L	0.0002	MDL

Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	3.07	mg/L	0.36	MDL/RpToMRL
TDS	123	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	187.2	umhos/cm		
ORP	115.9	mV		
Oxygen, Dissolved	7.3	mg/L		
pH	7.71	SU		
Temperature	11.9	C		
Turbidity	4.1	NTU		
Flow	0.77	cfs		
Alkalinity, Total as CaCO3	191	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	197	mg/L	0.51	MDL/RpToMRL
Selenium, Dissolved	0.0047	mg/L	0.0002	MDL
Selenium, Total	0.0053	mg/L	0.0002	MDL
Sulfate	12.3	mg/L	0.9	MDL/RpToMRL
TDS	275	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	372.6	umhos/cm		
ORP	120.8	mV		
Oxygen, Dissolved	7.73	mg/L		
pH	7.96	SU		
Temperature	11.3	C		
Turbidity	6.68	NTU		
Flow	5.26	cfs		
Alkalinity, Total as CaCO3	208	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	197	mg/L	0.51	MDL/RpToMRL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	15.9	mg/L	0.9	MDL/RpToMRL
TDS	246	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	390.5	umhos/cm		
ORP	129.5	mV		
Oxygen, Dissolved	9.6	mg/L		
pH	7.96	SU		
Temperature	4.3	C		
Turbidity	1.22	NTU		
Flow	0.55	cfs		
Alkalinity, Total as CaCO3	185	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	184	mg/L	0.51	MDL/RpToMRL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	10.4	mg/L	0.18	MDL/RpToMRL
TDS	228	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	357.2	umhos/cm		
ORP	142.4	mV		
Oxygen, Dissolved	9.6	mg/L		

pH	8.14	SU		
Temperature	4.4	C		
Turbidity	2.28	NTU		
Flow	2.51	cfs		
Alkalinity, Total as CaCO3	181	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.124	mg/L	0.0002	MDL
Selenium, Total	0.139	mg/L	0.0002	MDL
Sulfate	64.9	mg/L	0.9	MDL/RpToMRL
TDS	196	mg/L	0	MDL/RpToMRL
DTW	12.31	Feet		
Conductivity at 25 C	482.4	umhos/cm		
ORP	148.2	mV		
Oxygen, Dissolved	8.03	mg/L		
pH	8.33	SU		
Temperature	6.24	C		
Turbidity	1.19	NTU		
Alkalinity, Total as CaCO3	219	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.443	mg/L	0.0002	MDL
Selenium, Total	0.47	mg/L	0.0002	MDL
Sulfate	162	mg/L	4.5	MDL/RpToMRL
TDS	404	mg/L	0	MDL/RpToMRL
DTW	216.03	Feet		
Conductivity at 25 C	742.1	umhos/cm		
ORP	160.1	mV		
Oxygen, Dissolved	8.68	mg/L		
pH	8.18	SU		
Temperature	5.95	C		
Turbidity	0.38	NTU		
Alkalinity, Total as CaCO3	179	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.0433	mg/L	0.0002	MDL
Selenium, Total	0.048	mg/L	0.0002	MDL
Sulfate	21.2	mg/L	0.9	MDL/RpToMRL
TDS	143	mg/L	0	MDL/RpToMRL
DTW	22.86	Feet		
Conductivity at 25 C	397.4	umhos/cm		
ORP	158	mV		
Oxygen, Dissolved	8.66	mg/L		
pH	8.24	SU		
Temperature	6.88	C		
Turbidity	0.44	NTU		
Alkalinity, Total as CaCO3	183	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.0958	mg/L	0.0002	MDL
Selenium, Total	0.0994	mg/L	0.0002	MDL
Sulfate	39.4	mg/L	0.9	MDL/RpToMRL
TDS	165	mg/L	0	MDL/RpToMRL

DTW	22.86	Feet		
Conductivity at 25 C	436.6	umhos/cm		
ORP	156.2	mV		
Oxygen, Dissolved	9.3	mg/L		
pH	8.28	SU		
Temperature	7.01	C		
Turbidity	0.2	NTU		
Alkalinity, Total as CaCO3	229	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	1.72	mg/L	0.0002	MDL
Selenium, Total	1.85	mg/L	0.0002	MDL
Sulfate	743	mg/L	9	MDL/RpToMRL
TDS	1230	mg/L	0	MDL/RpToMRL
DTW	13.22	Feet		
Conductivity at 25 C	1667.7	umhos/cm		
ORP	153.8	mV		
Oxygen, Dissolved	7.55	mg/L		
pH	8.02	SU		
Temperature	6.6	C		
Turbidity	1.41	NTU		
Alkalinity, Total as CaCO3	204	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	184	mg/L	0.51	MDL/RpToMRL
Selenium, Dissolved	0.0012	mg/L	0.0002	MDL
Selenium, Total	0.0013	mg/L	0.0002	MDL
Sulfate	14.4	mg/L	0.18	MDL/RpToMRL
TDS	263	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	346.6	umhos/cm		
ORP	205.7	mV		
Oxygen, Dissolved	10.03	mg/L		
pH	7.97	SU		
Temperature	5.8	C		
Turbidity	9.65	NTU		
Flow	21.61	cfs		
Alkalinity, Total as CaCO3	177	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	193	mg/L	0.51	MDL/RpToMRL
Selenium, Dissolved	0.0006	mg/L	0.0002	MDL
Selenium, Total	0.0007	mg/L	0.0002	MDL
Sulfate	18.3	mg/L	0.18	MDL/RpToMRL
TDS	192	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	360.5	umhos/cm		
ORP	194.5	mV		
Oxygen, Dissolved	8.33	mg/L		
pH	8.62	SU		
Temperature	17.5	C		
Turbidity	10.3	NTU		
Flow	6.13	cfs		

Alkalinity, Total as CaCO3	196	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.0325	mg/L	0.0002	MDL
Selenium, Total	0.0322	mg/L	0.0002	MDL
Sulfate	22	mg/L	1.8	MDL/RpToMRL
TDS	232	mg/L	0	MDL/RpToMRL
DTW	19.51	Feet		
Conductivity at 25 C	404.8	umhos/cm		
ORP	166.3	mV		
Oxygen, Dissolved	6.44	mg/L		
pH	8.83	SU		
Temperature	8.99	C		
Turbidity	0.55	NTU		
Alkalinity, Total as CaCO3	216	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.466	mg/L	0.0002	MDL
Selenium, Total	0.476	mg/L	0.0002	MDL
Sulfate	157	mg/L	1.8	MDL/RpToMRL
TDS	469	mg/L	0	MDL/RpToMRL
DTW	216.65	Feet		
Conductivity at 25 C	728.5	umhos/cm		
ORP	151.2	mV		
Oxygen, Dissolved	8.49	mg/L		
pH	8.88	SU		
Temperature	6.29	C		
Turbidity	0.9	NTU		
Alkalinity, Total as CaCO3	178	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.0436	mg/L	0.0002	MDL
Selenium, Total	0.0429	mg/L	0.0002	MDL
Sulfate	18.8	mg/L	1.8	MDL/RpToMRL
TDS	225	mg/L	0	MDL/RpToMRL
DTW	23.55	Feet		
Conductivity at 25 C	394.4	umhos/cm		
ORP	151.5	mV		
Oxygen, Dissolved	7.71	mg/L		
pH	8.82	SU		
Temperature	7.26	C		
Turbidity	0.31	NTU		
Alkalinity, Total as CaCO3	180	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	0.103	mg/L	0.0002	MDL
Selenium, Total	0.1	mg/L	0.0002	MDL
Sulfate	37.9	mg/L	1.8	MDL/RpToMRL
TDS	236	mg/L	0	MDL/RpToMRL
DTW	23.55	Feet		
Conductivity at 25 C	432.2	umhos/cm		
ORP	156.1	mV		
Oxygen, Dissolved	9.26	mg/L		

pH	8.85	SU		
Temperature	7.22	C		
Turbidity	0.33	NTU		
Alkalinity, Total as CaCO3	351	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	2000	mg/L	0.51	MDL/RpToMRL
Selenium, Dissolved	2.4	mg/L	0.0002	MDL
Selenium, Total	2.31	mg/L	0.0002	MDL
Sulfate	1690	mg/L	9	MDL/RpToMRL
TDS	2890	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	2973	umhos/cm		
ORP	230.1	mV		
Oxygen, Dissolved	8.53	mg/L		
pH	7.86	SU		
Temperature	7.9	C		
Turbidity	1.76	NTU		
Flow	0.005	cfs		
Alkalinity, Total as CaCO3	175	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	195	mg/L	0.51	MDL/RpToMRL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	14.3	mg/L	1.8	MDL/RpToMRL
TDS	220	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	355	umhos/cm		
ORP	176.7	mV		
Oxygen, Dissolved	10.15	mg/L		
pH	8.78	SU		
Temperature	4.5	C		
Turbidity	2.46	NTU		
Flow	0.126	cfs		
Alkalinity, Total as CaCO3	214	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	230	mg/L	0.51	MDL/RpToMRL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	22.8	mg/L	1.8	MDL/RpToMRL
TDS	238	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	426.5	umhos/cm		
ORP	145.3	mV		
Oxygen, Dissolved	9.61	mg/L		
pH	8.34	SU		
Temperature	2.9	C		
Turbidity	0.71	NTU		
Flow		cfs		
Alkalinity, Total as CaCO3	191	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	205	mg/L	0.51	MDL/RpToMRL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL

Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	13.9	mg/L	0.18	MDL/RpToMRL
TDS	253	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	374.1	umhos/cm		
ORP	223.6	mV		
Oxygen, Dissolved	10.43	mg/L		
pH	8.55	SU		
Temperature	1.6	C		
Turbidity	7.29	NTU		
Flow	0.24	cfs		
Alkalinity, Total as CaCO3	231	mg/L	0	MDL/RpToMRL
Selenium, Dissolved	1.45	mg/L	0.0002	MDL
Selenium, Total	1.59	mg/L	0.0002	MDL
Sulfate	636	mg/L	4.5	MDL/RpToMRL
TDS	1190	mg/L	0	MDL/RpToMRL
DTW	18.23	Feet		
Conductivity at 25 C	1633.6	umhos/cm		
ORP	167.4	mV		
Oxygen, Dissolved	6.48	mg/L		
pH	8.71	SU		
Temperature	6.76	C		
Turbidity	0.68	NTU		
Alkalinity, Total as CaCO3	189	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	213	mg/L	0.51	MDL/RpToMRL
Selenium, Dissolved	0.0006	mg/L	0.0002	MDL
Selenium, Total	0.0005	mg/L	0.0002	MDL
Sulfate	24.9	mg/L	0.18	MDL/RpToMRL
TDS	211	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	414	umhos/cm		
ORP	138	mV		
Oxygen, Dissolved	11.4	mg/L		
pH	8.16	SU		
Temperature	2.2	C		
Turbidity	3.3	NTU		
Flow	3.3	cfs		
Alkalinity, Total as CaCO3	198	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	208	mg/L	0.51	MDL/RpToMRL
Selenium, Dissolved	0.0002	mg/L	0.0002	MDL
Selenium, Total	0.0002	mg/L	0.0002	MDL
Sulfate	23.2	mg/L	0.18	MDL/RpToMRL
TDS	279	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	358.6	umhos/cm		
ORP	207.4	mV		
Oxygen, Dissolved	10.6	mg/L		
pH	7.83	SU		

Temperature	0	C		
Turbidity	3.09	NTU		
Flow		cfs		
Alkalinity, Total as CaCO3	306	mg/L	0	MDL/RpToMRL
Hardness, as CaCO3	315	mg/L	0.51	MDL/RpToMRL
Selenium, Dissolved	0.0003	mg/L	0.0002	MDL
Selenium, Total	0.0004	mg/L	0.0002	MDL
Sulfate	26.7	mg/L	0.18	MDL/RpToMRL
TDS	344	mg/L	0	MDL/RpToMRL
Conductivity at 25 C	498.1	umhos/cm		
ORP	190.3	mV		
Oxygen, Dissolved	11.29	mg/L		
pH	7.87	SU		
Temperature	0	C		
Turbidity	2.32	NTU		
Flow		cfs		

StandardPQL	LabQualifier	ValidationQualifier	ReviewQualifier	FinalQualifier
0.3				
0.3				
0.3				
0.3				
0.3				
0.3				
0.3				
0.3				
0.3				
0.3				
0.3				
0.3				
0.3				
0.3				
0.3				
0.3				

0.3

0.3
1
0.347
0.2
0.2
7.5
10

1
0.2
0.2
7.5
10
1
0.2
0.2
7.5
10
1
0.347
0.2
0.2
3
10
10

1
0.347
0.002 U U
0.002 B
0.3
10
10

1
0.2
0.2
3
10
1
0.2
0.2
7.5
10

0.01
0.4
0.4
7.5
10
0.01
0.01
0.01
0.3
10
0.01
0.2
0.2
3
10
1
0.347
0.01
0.4
0.4
3
10

0.01
0.4
3
10

0.01			
0.01			
0.3			
10			
1			
0.347			
0.01			
0.002	B		
0.002	B		
0.3			
10			
0.01			
0.002	B		
0.3			
10			
0.2			
0.2			
0.002			
0.002			
0.01		J	J
0.2			
0.2			
3			
10		J	J
0.01		J	J
0.2			
0.2			
3			
10		J	J

0.01 J J
0.002
0.002
0.3
10

B
U U

B

B
B

1
0.35
0.01

0.2	
0.2	
7.5	
10	
0.01	
0.2	
3	
10	
1	
0.35	
0.01	
0.0003	B
0.0003	B
0.3	
10	
0.35	
0.01	
0.03	
3	
10	
0.35	
0.01	
0.03	
3	
10	
0.35	
0.01	
0.003	
0.3	
10	

1			
0.35			
0.01			
0.002	B		
0.002	B		
0.3			
10			
1			
0.35			
0.01			
0.002	B		
0.002	B		
0.3			
10			
0.35			
0.01		J	J
2	B		
2	B		
1.5			
10		J	J
1			
0.35			
0.01		J	J
0.2			
0.2			
3			
10		J	J
1			
0.35			

0.01	J	J
0.02		
0.02		
0.3		
10	J	J

1		
0.347		
	J	J
2		
0.08		
2		
15		
10		

1		
0.347		
	J	J
0.02		
0.003		
0.02		
0.3		
10		

1			
0.347			
		J	J
0.002	B		
0.003	B		
0.002	B		
0.3			
10			

1			
0.35			
0.002	B		
0.002	B		
0.3		J+	J+
10			

1			
0.35			
0.002			
0.002			
0.3		J+	J+
10			

1			
0.354			
0.002			
0.002			
0.5			
10			

1
0.354

0.02
0.02
0.5
10

1
0.354

0.2
0.2
1.5

1
0.354

0.2
0.2
3

1

0.354

J J

0.002
0.002
0.5
10

1
0.354

J J

0.01
0.01
0.5
10

1
0.354

J J

0.2
0.2
3
10

1
0.354

J J

0.4
0.4
7.5
10

1	
0.35	
2	
2	
15	
10	

1	
0.35	
0.002	B
0.002	B
1.5	
10	

1	
0.35	
0.002	B
0.002	B
3	
10	

1	
0.35	
0.002	B
0.002	B
1.5	
10	

1			
0.35			
0.002	B		
0.002	B		
0.3			
10		J	J

1			
0.35			
0.002	U		U
0.002	U		U
0.3			
10			

1			
0.175			
0.002	U		U
0.002	U		U
0.5			
0.3			
10			

1			
0.04			
0.04			
1.5			
10		J	J

1		
0.04		
0.04		
1.5		
10	J	J

1		
0.01		
0.01		
1.5		
10	J	J

1
0.2
0.2
3
10

1
0.2
0.2
3
10

1	
0.35	
0.002	B
0.002	B
0.3	
10	

1
0.2
0.2
7.5
10

1
0.2
0.2
7.5
10

1
0.02
0.02
1.5
10

1		
0.01		
0.01		
1.5		
10	J	J

1
0.4
0.4
7.5
10

1
0.175
2
2
15
10

1		
0.175		
0.002	U	U
0.002	B	
1.5		
10		

1		
0.175		
0.002	B	
0.002	B	
1.5		
10		

1		
0.175		
0.002		
0.002		
1.5		
10		

1		
0.175		
0.002	B	
0.002	U	U
1.5		
10		

1	
1.75	
2	
2	
15	
10	

1		
0.08		
0.08		
1.5		
10		

1		
0.2		
0.2		
7.5		
10		

1		
0.175		
0.002	U	U
0.002	U	U
0.3		
10		

1		
0.175		
0.002		
0.002		
0.3		
10	J	J
1		
0.175		
0.004		

0.004		
0.3		
10	J	J
1		
1.75		
1		
1		
15		
20		

1		
0.175		
0.002	U	U
0.002	B	
0.3		
10		

1		
0.175		
0.002	U	U
0.002	U	U
0.3		
10		

1	
0.175	
0.002	B
0.002	B
0.3	
10	

1	
0.05	
0.05	
0.6	
10	

1	
0.2	
0.2	
3	
10	

1	
0.1	
0.1	
1.5	
10	

1	
0.175	
0.002	B
0.002	B
0.3	
10	

1			
0.04			
0.04			
0.6		J+	J+
10			
1			
0.2			
0.2			
1.5		J+	J+
10			
0.2			
0.2			
1			
0.175			
0.002	U		U
0.002	B		
0.3			
10			

1			
0.04			
0.04			
0.3		J+	J+
10			

1			
0.01			
0.01			
0.3			
10			

1			
0.175			
0.002	U		U
0.002	B		
0.3			
10			

0.02			
0.02			
0.3			
10			

0.2			
0.2			
1.5			
10			
1			
0.175			
1			
1			
15			
20			
1			
0.537			
0.002	B		
0.002	B	U	U
1			
10			
1			
0.537			
0.002	B	U	U
0.002	B	U	U
1			
10			

1
0.537
0.002
0.002
1
10

1
0.04
0.04
1.5
10

1
0.2
0.2
7.5
10

1
0.002
0.002

1
10

1
0.02
0.02
1
10

1
0.6
0.6
7.5
10

1
0.537
0.8
0.8
15
20

1

0.537			
0.002	B	U	U
0.002	B	U	U
1			
10			
2			
2			
1.98			
2			
2			
1.98			
4.95			
1.98	N	J+	J+
1.96	N	J+	J+
1			
1.96			
4.95			
1			
1			
5			
5			
5			
0.98			
0.98			
1.98			
0.98			
0.5			
1			
0.537			
0.002	B	U	U
0.002	B	U	U
1			
10		J-	J-
1			

0.006
1
10

1
0.002
1
10

1
0.002
1
10

1
0.002
1
10

1
0.008
1
10

1
0.002
1
10

1.98
10
1.96
4.95
2

1
0.02
0.02
0.3
10

1
0.2
0.2
1.5

10

1
0.2
0.2
7.5
10

1
0.175
0.002 B
0.002 B
0.3
10

1
0.175
0.002 B
0.002 B
0.3
10

1

0.02
0.02
0.3
10

1
0.175
0.002 B
0.002 B
0.3
10

1
0.175
0.002 B
0.002 B
0.3
10

1
0.02
0.02
1.5
10

1
0.02
0.02
1
10

1
0.2
0.2
3
10

1
0.04
0.04
1.5
10

1
0.01
0.01
1
10

1

0.4
0.4
7.5
10

1
0.536
0.002 B
0.002 B
1
10

1
0.536
0.536
0.002 B
0.002 B
1
10

1
0.536
0.536
0.002 B
0.002 B
3
10

1		
0.536		
0.536		
0.002	U	U
0.002	U	U
1		
10		

1	
0.536	
0.002	B
0.002	B
1	
10	

1			
0.175			
1			
1			
15			
10		J-	J-

1			
0.175			
0.002	B		
0.002	B		
0.3			
10		J-	J-

1			
0.1			
0.1			
3			
10		J-	J-

1		
0.02		
0.02		
0.3		
10	J-	J-

1		
0.6		
0.6		
15		
10	J-	J-

1
0.175
0.002
0.002
0.3

10	J-	J-
U		U

1
0.536
1
1
15
10

1
0.175
0.002
0.008
1
10

1
0.175
0.537
0.002
0.002
1
10

1
0.175
0.008
0.008
1
10

1
0.175
0.01
0.01
1

10

1
0.175
0.002 U U
0.002 B
1
10

1
0.175
0.002 U U
0.002 U U
1
10

1
1
2
15
10

1
0.2
0.2
3
10

1
0.008
0.008
1
10

1
0.002
0.002
1
10

1
1
1
15
10

<		U
<		U
<		U
<		U
1		
0.175		
0.2		
0.2		
1.5		
10		
1	J-	J-
1		
1		
15		
40	J-	J-

1			
0.175			
0.002	B		
0.002	B		
0.3			
10			
1			
0.175			
0.002	B		
0.002	B		
1.5			
10		J-	J-
1		J-	J-
0.536			
1			
1			
15			
40		J-	J-
1			
0.175			
0.002	B		
0.002	B		

1.5
10 J- J-

1
0.175
0.002 B
0.002 B
3
10 J- J-

1
0.175
0.002 B
0.002 B
1.5
10 J- J-

1
0.175
0.002 B
0.002 B
1.5
10 J- J-

1
0.1

0.1		
1.5		
10	J-	J-
1		
0.2		
0.2		
1.5		
10	J-	J-
1		
0.6		
0.6		
7.5		
10	J-	J-
1		
0.002		
0.002		
0.3		
10	J-	J-
1		

0.002
0.002
1.5
10 J- J-

1
0.04
0.04
1.5
10

1
0.2
0.2
3
10

1
0.01
0.01
1.5
10

1

0.002
0.002
1
10

1
0.6
0.6
7.5
10

1
0.536
0.8
0.8
15
40

1
0.175
0.002 B
0.002 B
1
10

1	
0.175	
0.002	B
0.002	B
1	
10	

1	
0.175	
0.002	B
0.002	B
1	
10	

1	
0.175	
0.002	B
0.002	B
1.5	
10	

1
0.2
0.2
3
10

1
0.536
1
1
15
40

1
0.536
0.002 J
0.002 J
0.3
10

1
0.536
0.002 J
0.002 J
0.3
10

1
0.2
0.2
3
10

1
0.2
0.2
3
10

1
0.02
0.02
1.5
10

1
0.02
0.02
0.3
10

1
1
1
15

10		
1		
0.536		
1		
1		
15		
40		
1		
0.536		
0.002	U	U
0.002	U	U
0.3		
10		
1		
0.536		
0.002	J	
0.002	J	
0.3		
10		

1		
0.536		
0.002		
0.002		
0.3		
10		

1		
0.536		
0.002	U	U
0.002	J	
0.3		
10		

1		
0.536		
0.002	U	U
0.002	U	U
0.3		
10		

1		
0.536		
0.002	U	U
0.002	J	
0.3		
10		

1		
0.536		
1		
1		
15		
40		

1		
0.2		
0.2		
3		
10		

1		
0.536		
1		
1		
15		
40		

1		
0.536		
0.002	U	U
0.002	J	
1.5		
10		

1		
0.1		
0.1		
3		
10		

1		
0.536		
0.002	U	U
0.002	U	U
1		
10		

1		
0.536	J	J
0.002	J	
0.002	J	
1.5		
10		

1		
0.02		
0.02		

1.5
10

1
0.2
0.2
3
10

1
0.04
0.04
1.5
10

1
0.01
0.01
1.5
10

1
1

1		
15		
10		

1		
0.536		
0.002	U	U
0.002	U	U
1.5		
10		

1	
0.536	
0.002	J
0.002	J
1.5	
10	

1	
0.536	
0.002	J
0.002	J
1.5	
10	

1			
0.536			
0.002	U		U
0.002	U		U
1.5			
10			

1			
0.536			
0.002	U		U
0.002	U		U
1.5			
10			

1			
0.536			
0.002	U		U
0.002	U		U
0.3			
10		J-	J-

1			
0.536			
0.002	U		U
0.002	U		U
0.3			
10		J-	J-

1			
0.536			
0.002	U		U
0.002	U		U
0.3			
10		J-	J-

1
0.02
0.02
1.5
10

1
0.2
0.2
3
10

1
0.02
0.02
1.5
10

1	
0.02	
0.02	
0.3	
10	

1	
1	
1	
7.5	
10	
1	
0.536	
0.002	J
0.002	J
0.3	
10	

1	
0.536	
0.002	J
0.002	J
0.3	
10	

1	
0.536	
0.002	J
0.002	J
3	
10	

1
0.536
0.002
0.002
1.5
10

1
0.02
0.02
1.5
10

1
0.2
0.2
3
10

1
0.02
0.02
1.5
10

1
0.02
0.02
1.5
10

1
1
1
15
10

1		
0.536		
1		
1		
30		
40		

1		
0.536		
0.002	U	U
0.002	U	U
1.5		
10		

1	
0.536	
0.002	J
0.002	J
1.5	
10	

1
0.536
0.004
0.004
1.5
10

1		
0.536		
0.002	U	U
0.002	U	U
1.5		
10		

1		
0.536		
0.002	U	U
0.002	U	U
1.5		
10		

1		
0.536		
0.002	U	U
0.002	U	U
1.5		
10		

1	
0.536	

0.002	J	
0.002	J	
1.5		
10		

1		
0.536		
0.002	U	U
0.002	U	U
1.5		
10		

1
0.01
0.01
1.5
10

1
0.2
0.2
3
10

1
0.02
0.02

1.5	
10	

1	
0.01	
0.01	
0.3	
10	

1	
0.536	
0.002	J
0.002	J
0.3	
10	

1	
0.536	
0.002	J
0.002	J
1.5	
10	

1	
0.4	
0.4	
7.5	

10		

1		
0.536		
0.002	U	U
0.002	U	U
1.5		
10		

1	
0.536	
0.002	J
0.002	J
1.5	
10	

1
0.006
0.006
3
10

1
0.2
0.2
3
10

1
0.02
0.02
1.5
10

1
0.02
0.02
1.5
10

1
1
1
15
10

1
0.536
0.002 J
0.002 J
1.5
10

1
0.536
0.002 J
0.002 J
3
10

1
0.948
1
1
15
40
1
0.948
0.002 J
0.002 J
1.5
10

1
0.948
1

1
15
40

1
0.948
0.002 J
0.002 J
1.5
10

1
0.948
0.002 J
0.002 J
1.5
10

1
0.948
0.002
0.002
1.5
10

1		
0.948		
0.002	J	
0.002	J	
1.5		
10		

1		
0.948		
0.002	U	U
0.002	J	
1.5		
10		

1
0.4
0.4
7.5
10

1
0.2
0.2
3
10

1
0.02
0.02
1.5
10

1
0.02
0.02
1.5
10

1
1
1
15
10

1
0.923
2
2
15
40

1			
0.923			
0.002	J	U	U
0.002	J	U	U
1.5			
10			

1			
0.923			
0.002	J	U	U
0.002	J	U	U
1.5			
10			

1			
0.923			
0.002	J	U	U
0.002	J	U	U
1.5			
10			

1

0.923			
0.002	J	U	U
0.002	J	U	U
1.5			
10			

1			
0.923			
0.002	J	U	U
0.002	J	U	U
1.5			
10			

1			
0.923			
0.002	J	U	U
0.002	J	U	U
1.5			
10			

1			
0.2			
0.2			
3			
10			

1
0.2
0.2
3
10

1
0.02
0.02
3
10

1
0.02
0.02
3
10

1
1
1
15
10

1		
0.923		
0.002	J	
0.002	J	
0.3		
10		
0.923		
0.003	U	U
0.003	J	

1		
0.1		
0.1	J	J
3		
10		
0.923		
0.003	J	J
0.003	J	J

1		
0.2		
0.2	J	J
3		
10		
0.923		
0.003	J	J
0.003	J	J

1

0.04		
0.04	J	J
3		
10		
0.923		
0.002	J	J
0.002	J	J

1		
0.02		
0.02	J	J
3		
10		
0.923		
0.002	J	J
0.002	J	J

1		
1		
1	J	J
7.5		
10		
0.923		
0.003	J	J
0.003	J	J

1		
0.923		
0.002	U	U
0.002	U	U

0.3		
10		
0.923		
0.003	U	U
0.003	U	U

1	
0.923	
0.002	J
0.002	J
3	
10	

1		
0.923		
0.002	J	
0.002	J	
0.3		
10		
0.923		
0.003	U	U
0.002	J	

1
0.923
1
1

15
40

1
1.07
0.002 J
0.002 J
3
10

1
1.07
0.002
0.002
3
10

1
1.07
0.02
0.02
15
40

1			
1.07			
0.02			
0.02		J	J
15			
40			

1			
1.07			
0.002	U		U
0.002	U	UJ	UJ
3			
10			

1			
1.07			
0.002	U		U
0.002	U		U
3	U		U
10			

1			
1.07			
0.002			
0.002			
3			
10			

1
1.07
0.002
0.002
3
10

1
1.07
0.002
0.002
3
10

1
1.07
0.002
0.002
3
10

1
1.07
0.002 U U

0.002	U	J	UJ
3			
10			
1			
1.07			
0.002	U		U
0.002	U	J	UJ
3			
10			
1			
1.07			
0.002	U		U
0.002	U		U
3			
10			
1			
1.07			
0.002	J		
0.002	J		
1.5			
10			

1		
1.07		
0.002	U	U
0.002	U	U
3		
10		

1
1.07
0.002
0.002
1.5
10

1
1.07
0.002
0.002
3
10

1
1.07
0.002
0.002
1.5
10

1			
1.07			
0.002			
0.002			
1.5			
10			

1			
1.07			
0.01			
0.02			
15			
40			

1			
1.07			
0.002	U		U
0.002	U	UJ	UJ
0.3			
10			

1			

1.07		
0.02		
0.02		
15		
40		

1		
1.07		
0.002	U	U
0.002	J	
3		
10		

1		
1.07		
0.002	U	U
0.002	U	U
0.3		
10		

1		
1.07		
0.002	J	
0.002	U	U
0.3		
10		

1		
1.07		
0.002	U	U
0.002	U	U
3		
10		

1		
1.07		
0.002	U	U
0.002	U	U
3		
10		

1
1.07
0.002
0.002
3
10

1
1.07
0.002
0.002

3
10

1
1.07
0.002
0.002
3
10

1
1.07
0.002
0.002
0.3
10

1
1.07
0.01
0.01
15
40

1			
1.07			
0.002	U	UJ	UJ
0.002	U	UJ	UJ
0.3			
10			

1			
1.07			
0.02			
0.02		J	J
15			
40		J-	J-

1			
1.07			
0.01			
0.01			
15			
40			

1			
1.07			
0.002	U		U
0.002	U		U
3			
10			

1		
1.07		
0.002	U	U
0.002	U	U
0.3		
10		

1		
1.07		
0.002	U	U
0.002	U	U
0.3		
10		

1	
1.07	
0.002	J
0.002	J
3	
10	

1
1.07

0.002	U		U
0.002	U		U
3			
10			
1			
1.07			
0.002			
0.002		J	J
1.5			
10			
1			
1.07			
0.002			
0.002		J	J
7.5			
10			
1			
1.07			
0.002			
0.002		J	J
0.3			
10			

1		
1.07		
0.002		
0.002	J	J
0.3		
10		

1		
1.07		
0.002		
0.002	J	J
3		
10		

1		
1.07		
0.002		
0.002	J	J
3		
10		

1		
1.07		
0.002		
0.002	J	J
1.5		

10		
1		
1.07		
0.002		
0.002	J	J
1.5		
10		
1		
1.07		
0.002		
0.002	J	J
7.5		
10		
1		
1.07		
0.002	J	
0.002	J	
1.5		
10		

1				
1.07				
0.005			J	J
0.005				
15				
40				

1				
1.07				
0.003	U		J	UJ
0.005	U			U
1.5				
10				

1				
1.07				
0.002	J	U		U
0.002	U			U
1.5				
10				

1
1.07
0.002
0.002
1.5
10

1			
1.07			
0.003	J	J	J
0.005	J	U	U
1.5			
10			

1			
1.07			
0.003	U	J	UJ
0.005	J	U	U
1.5			
10			

1			
1.07			
0.002	J	U	U
0.002	J	U	U
3			
10			

1
1.07
0.003

0.005			
15			
40			
1			
1.07			
0.002	J	U	U
0.002	J	U	U
3			
10			
1			
1.07			
0.002	J	U	U
0.002	J	U	U
3			
10			
1			
1.07			
0.002			
0.002			
3			
10			

1
1.07
0.002
0.002
3
10

1
1.07
0.002
0.002
1.5
10

1
1.07
0.002
0.002
1.5
10

1
1.07
0.002
0.002
7.5
10

1	
1.07	
0.003	
0.005	
30	
40	

1	
1.07	
0.003	J
0.005	J
1	
10	

1	
1.07	
0.003	J
0.005	J
1	
10	

1	

1.07		
0.003	J	
0.005	J	
1		
10		

1		
1.07		
0.002	J	
0.002	J	
0.3		
10		

1		
1.07		
0.002	U	U
0.002	J	
0.3		
10		

1		
1.07		
0.002	J	
0.002	J	
0.3		
10		

1
1.07
0.002
0.002
3
10

1
1.07
0.002
0.002
0.3
10

1
1.07
0.002
0.002
0.3
10

1
1.07
0.002
0.002

3		
10		

1		
1.07		
0.002	J	
0.002	J	
0.3		
10		

1		
1.07		
0.002		
0.002		
3		
10		

1		
1.07		
0.002	U	U
0.002	U	U
3		
10		

1		
1.07		
0.002	U	U
0.002	U	U
3		
10		

1	
1.07	
0.002	J
0.002	J
0.3	
10	

1	
0.002	
0.002	
3	
10	

1	
0.002	
0.002	
3	
10	

1	
0.002	
0.002	
15	

10

1
0.002
0.002
3
10

1
0.002
0.002
3
10

1
1.07
0.005
0.005
15
40

1
1.07
0.002 J

0.002 J
3
10

1
0.002
0.002
3
10

1
0.002
0.002
3
10

1
1.07
0.002
0.002
15
40

1		
1.07		
0.002	U	U
0.002	U	U
3		
10		

1		
1.07		
0.002	U	U
0.002	U	U
0.3		
10		

1		
1.07		
0.002	J	
0.002	J	
3		
10		

1		
1.07		
0.002	U	U
0.002	U	U
3		
10		

1		
1.07		
0.002	U	U
0.002	U	U
3		
10		

1	
1.07	
0.002	J
0.002	J
0.3	
10	

1
0.002
0.002
3
10

1
0.002
0.002
3
10

1
0.002
0.002
7.5
10

1
2.31
0.002 U U
0.002 J
3
10

1
2.31
0.002 U U
0.002 J
3
10

1
0.002

0.002
3
10

1
0.002
0.002
3
10

1
0.002
0.002
3
10

1
0.002
0.002
3
10

1

0.002	
0.002	
15	
10	

1	
2.31	
0.002	J
0.002	J
3	
10	

1	
4.56	
0.01	
0.002	
15	
40	

1	
2.31	
0.002	J
0.002	J
3	
10	

1		
2.31		
0.002	J	
0.002	J	
3		
10		

1		
2.31		
0.002		
0.002		
3		
10		

0.04	J	
0.04		
0.04		
0.04	J	
0.04	U	U
0.04		
1		
2.31		
0.002	J	
0.002	J	
3		
10		

1		
2.31		
0.002		
0.002		
15		
40		

1		
2.31		
0.002	J	
0.002	J	
3		
10		

1		
2.31		
0.002	U	U
0.002	U	U
3		
10		

1	
2.31	

0.002	J	
0.002	J	
3		
10		

1		
2.31		
0.002	J	
0.002	U	U
0.3		
10		

1		
2.31		
0.002	U	U
0.002	U	U
3		
10		

1		
2.31		
0.002	J	
0.002	J	
3		
10		

1		
0.002		
0.002		
3	J	J
10		

1		
0.002		
0.002		
3	J	J
10		

1		
0.002		
0.002		
3	J	J
10		

1		
0.002		
0.002		
3	J	J
10		

1				
0.002				
0.002				
15			J	J
10				

1				
4.62				
0.002				
0.002				
15				
40			J	J
1				
4.62				
0.002	J			
0.002	J			
1.5				
10			J	J
1				
4.62				
0.002	J			

0.002	J			
0.6				
10			J	J
1				
4.62				
0.002				
0.002				
1.5				
10			J	J
1				
4.62				
0.002	J			
0.002	J			
1.5				
10			J	J
1				
4.62				
0.002	U			U
0.002	J			
0.3				
10			J	J

1				
0.002				
0.002				
1.5				
10			J	J
1				
0.002				
0.002				
7.5				
10			J	J
1				
0.002				
0.002				
1.5				
10			J	J
1				
0.002				
0.002				
1.5				
10			J	J

1				
0.002				
0.002				
15				
10			J	J
1				
4.62				
0.002	J			
0.002	J			
0.3				
10			J	J
1				
4.62				
0.002	J			
0.002	J			
0.3				
10				

1				
0.002				
0.002				
3				
10				
1				
0.002				
0.002				
3				
10				
1				
0.002				
0.002				
3				
10				
1				
0.002				
0.002				
3				
10				

1				
4.62				
0.002				
0.002				
15				
40				
1				
4.62				
0.002	U			U
0.002	U			U
3				
10				
1				
4.62				
0.002	J			
0.002	J			
3				
10				
1				
4.62				
0.002	U			U

0.002	J			
0.3				
10				
1				
0.002				
0.002				
7.5				
10				
1				
4.62				
0.002	J			
0.002	J			
0.3				
10				
1				
4.62				
0.002	U			U
0.002	U			U
0.3				
10				

1				
4.62				
0.002	J			
0.002	J			
0.3				
10				

ValStatus	ReviewStatus	LabName
Not validated	Not reviewed	
Complete	Not reviewed	ACZ Laboratories
Not validated	Not reviewed	
Complete	Not reviewed	ACZ Laboratories
Not validated	Not reviewed	
Complete	Not reviewed	ACZ Laboratories
Not validated	Not reviewed	
Complete	Not reviewed	ACZ Laboratories
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	ACZ Laboratories
Not validated	Not reviewed	
Complete	Not reviewed	ACZ Laboratories
Not validated	Not reviewed	
Complete	Not reviewed	ACZ Laboratories
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	ACZ Laboratories
Complete	Not reviewed	ACZ Laboratories
Complete	Not reviewed	ACZ Laboratories
Complete	Not reviewed	ACZ Laboratories
Complete	Not reviewed	ACZ Laboratories
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	ACZ Laboratories
Complete	Not reviewed	ACZ Laboratories
Complete	Not reviewed	ACZ Laboratories
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	ACZ Laboratories
Complete	Not reviewed	ACZ Laboratories
Not validated	Not reviewed	
Complete	Not reviewed	ACZ Laboratories
Not validated	Not reviewed	
Complete	Not reviewed	ACZ Laboratories
Not validated	Not reviewed	
Complete	Not reviewed	ACZ Laboratories

Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	ACZ Laboratories
Not validated	Not reviewed	
Complete	Not reviewed	ACZ Laboratories
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL

Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL

Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Complete	SVL
Complete	Complete	SVL
Complete	Complete	SVL
Complete	Complete	SVL
Complete	Complete	SVL
Complete	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Complete	SVL
Complete	Complete	SVL
Complete	Complete	SVL
Complete	Complete	SVL
Complete	Complete	SVL
Complete	Complete	SVL
Complete	Complete	SVL
Complete	Complete	SVL
Complete	Complete	SVL

Complete	Complete	SVL
Complete	Complete	SVL
Complete	Complete	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Complete	SVL
Complete	Complete	SVL
Complete	Complete	SVL
Complete	Complete	SVL
Complete	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Complete	SVL
Complete	Complete	SVL
Complete	Complete	SVL
Complete	Complete	SVL
Complete	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Complete	SVL
Complete	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Complete	SVL
Complete	Complete	SVL
Complete	Complete	SVL
Complete	Complete	SVL
Complete	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Complete	SVL
Complete	Complete	SVL
Complete	Complete	SVL
Complete	Complete	SVL
Complete	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL Analytical, Inc.
Complete	Not reviewed	SVL Analytical, Inc.
Complete	Not reviewed	SVL Analytical, Inc.
Complete	Not reviewed	SVL Analytical, Inc.
Complete	Not reviewed	SVL Analytical, Inc.
Complete	Not reviewed	SVL Analytical, Inc.
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL Analytical, Inc.

Complete	Not reviewed	SVL Analytical, Inc.
Complete	Not reviewed	SVL Analytical, Inc.
Complete	Not reviewed	SVL Analytical, Inc.
Complete	Not reviewed	SVL Analytical, Inc.
Complete	Not reviewed	SVL Analytical, Inc.
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	CAS_K
Complete	Not reviewed	CAS_K
Complete	Not reviewed	CAS_K
Complete	Not reviewed	CAS_K
Complete	Not reviewed	CAS_K
Complete	Not reviewed	CAS_K
Complete	Not reviewed	CAS_K
Complete	Not reviewed	CAS_K
Complete	Not reviewed	CAS_K
Complete	Not reviewed	CAS_K
Complete	Not reviewed	CAS_K
Complete	Not reviewed	CAS_K
Complete	Not reviewed	CAS_K
Complete	Not reviewed	CAS_K
Complete	Not reviewed	CAS_K
Complete	Not reviewed	CAS_K
Complete	Not reviewed	CAS_K
Complete	Not reviewed	CAS_K
Complete	Not reviewed	CAS_K
Complete	Not reviewed	CAS_K
Complete	Not reviewed	CAS_K
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	CAS_K
Complete	Not reviewed	CAS_K
Complete	Not reviewed	CAS_K
Complete	Not reviewed	CAS_K
Complete	Not reviewed	CAS_K
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS

Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS

Not validated	Not reviewed	IAS
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Not validated	Not reviewed	IAS
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL

Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL

Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL

Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL

Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL

Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL

Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL

Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	ALS_K
Complete	Not reviewed	ALS_K
Complete	Not reviewed	ALS_K
Complete	Not reviewed	ALS_K
Complete	Not reviewed	ALS_K
Complete	Not reviewed	ALS_K
Complete	Not reviewed	ALS_K
Complete	Not reviewed	ALS_K
Complete	Not reviewed	ALS_K
Complete	Not reviewed	ALS_K
Complete	Not reviewed	ALS_K
Complete	Not reviewed	ALS_K
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL

Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL

Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL

Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Complete	Not reviewed	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	

Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Complete	SVL
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	
Not validated	Not reviewed	