AMRO Environmental Laboratories Corporation

111 Herrick Street, Merrimack, NH 03054
TEL: (603) 424-2022 • FAX: (603) 429-8496
www.amrolabs.com

June 28, 2010

ANALYTICAL TEST RESULTS

Raymond Siegener
GEI Consultants, Inc.
400 Unicorn Park Drive
Woburn, MA 01801
TEL: (781) 721-4098
FAX: (781) 721-4073

Subject: 09382-2 Canton Airport

Workorder No.: 1006079

Dear Raymond Siegener:

AMRO Environmental Laboratories Corp. received 50 samples on 6/21/2010 for the analyses presented in the following report.

AMRO is accredited in accordance with NELAC and certifies that these test results meet all the requirements of NELAC, where applicable, unless otherwise noted in the case narrative.

The enclosed Sample Receipt Checklist details the condition of your sample(s) upon receipt. Please be advised that any unused sample volume and sample extracts will be stored for a period of 60 days from sample receipt date (90 days for samples from New York). After this time, AMRO will properly dispose of the remaining sample(s). If you require further analysis, or need the samples held for a longer period, please contact us immediately.

This report consists of a total of 67 pages. This letter is an integral part of your data report. All results in this project relate only to the sample(s) as received by the laboratory and documented in the Chain-of-Custody. This report shall not be reproduced except in full, without the written approval of the laboratory. If you have any questions regarding this project in the future, please refer to the Workorder Number above.

Sincerely,

Nancy Stewart
Vice President

State Certifications: NH (NELAC): 1001, MA: M-NH012, CT: PH-0758, NY: 11278 (NELAC), ME: NH012 and 1001, NJ: NH125, RI: 00105, U.S. Army Corps of Engineers (USACE), Naval Facilities Engineering Service Center (NFESC).

Hard copy of the State Certification is available upon request.

CLIENT: GEI Consultants, Inc.
Project: 09382-2 Canton Airport
Lab Order: 1006079
Date Received: 6/21/2010

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Collection Date	Collection Time
1006079-36A	093822-B11-3	6/18/2010	9:32 AM
1006079-37A	093822-B11-4	6/18/2010	9:39 AM
1006079-38A	093822-B11-5	6/18/2010	9:53 AM
1006079-39A	093822-C8-1	6/18/2010	10:49 AM
1006079-40A	093822-C8-2	6/18/2010	10:58 AM
1006079-41A	093822-C9-1	6/18/2010	11:08 AM
1006079-42A	093822-C9-2	6/18/2010	11:15 AM
1006079-43A	093822-C9-3	6/18/2010	11:23 AM
1006079-44A	093822-C9-4	6/18/2010	11:29 AM
1006079-45A	093822-C9-5	6/18/2010	11:42 AM
1006079-46A	093822-D8-1	6/18/2010	12:02 PM
1006079-47A	093822-D8-2	6/18/2010	12:09 PM
1006079-48A	093822-D8-3	6/18/2010	12:15 PM
1006079-49A	093822-B11-DUP1	6/18/2010	7:10 AM
1006079-50A	093822-C9-DUP1	6/18/2010	7:12 AM

AMRO Environmental Laboratories Corp.

28-Jun-10

Lab Order: 1006079
Client: GEI Consultants, Inc.
Project: 09382-2 Canton Airport

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name / Preparatory Test Name	Prep Date	Analysis Date / Batch ID	TCLP Date
1006079-07A	093822-A8-1	6/18/2010 8:20:00 AM	Soil	EPA 8082 PCBS IN SOIL/SOLIDS		6/24/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	6/21/2010	20351	
				Percent Moisture		6/23/2010	
						R44866	
1006079-08A	093822-A8-2	6/18/2010 8:28:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		6/24/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	6/21/2010	20351	
				Percent Moisture		6/23/2010	
						R44866	
1006079-09A	093822-A8-3	6/18/2010 8:32:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		6/24/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	6/21/2010	20351	
				Percent Moisture		6/23/2010	
						R44866	
1006079-10A	093822-A8-4	6/18/2010 8:37:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		6/24/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	6/21/2010	20351	
				Percent Moisture		6/23/2010	
						R44866	
1006079-11A	093822-A8-5	6/18/2010 8:42:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		6/24/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	6/21/2010	20351	
				Percent Moisture		6/23/2010	
						R44866	
1006079-12A	093822-A9-1	6/18/2010 8:54:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		6/24/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	6/21/2010	20351	
				Percent Moisture		6/23/2010	
						R44866	

AMRO Environmental Laboratories Corp.

28-Jun-10

Lab Order: 1006079
Client: GEI Consultants, Inc.
Project: 09382-2 Canton Airport

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name / Preparatory Test Name	Prep Date	Analysis Date / Batch ID	TCLP Date
1006079-19A	093822-A10-3	6/18/2010 9:55:00 AM	Soil	EPA 8082 PCBS IN SOIL/SOLIDS		6/24/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	6/21/2010	20351	
				Percent Moisture		6/23/2010	
						R44866	
1006079-20A	093822-A11-1	6/18/2010 10:09:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		6/25/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	6/22/2010	20357	
				Percent Moisture		6/23/2010	
						R44866	
1006079-21A	093822-A11-2	6/18/2010 10:17:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		6/25/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	6/22/2010	20357	
				Percent Moisture		6/23/2010	
						R44866	
1006079-22A	093822-A11-3	6/18/2010 10:22:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		6/25/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	6/22/2010	20357	
				Percent Moisture		6/23/2010	
						R44866	
1006079-23A	093822-A11-4	6/18/2010 9:00:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		6/25/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	6/22/2010	20357	
				Percent Moisture		6/23/2010	
						R44866	
1006079-24A	093822-D7-1	6/18/2010 12:00:00 PM		EPA 8082 PCBS IN SOIL/SOLIDS		6/25/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	6/22/2010	20357	
				Percent Moisture		6/23/2010	
						R44866	

AMRO Environmental Laboratories Corp.

28-Jun-10

Lab Order: 1006079
Client: GEI Consultants, Inc.
Project: 09382-2 Canton Airport

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name / Preparatory Test Name	Prep Date	Analysis Date / Batch ID	TCLP Date
1006079-31A	093822-B10-1	6/18/2010 8:26:00 AM	Soil	EPA 8082 PCBS IN SOIL/SOLIDS		6/24/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	6/22/2010	20357	
				Percent Moisture		6/23/2010	
						R44866	
1006079-32A	093822-B10-2	6/18/2010 8:35:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		6/25/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	6/22/2010	20357	
				Percent Moisture		6/23/2010	
						R44866	
1006079-33A	093822-B10-3	6/18/2010 8:46:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		6/25/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	6/22/2010	20358	
				Percent Moisture		6/23/2010	
						R44866	
1006079-34A	093822-B11-1	6/18/2010 9:14:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		6/25/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	6/22/2010	20358	
				Percent Moisture		6/23/2010	
						R44866	
1006079-35A	093822-B11-2	6/18/2010 9:21:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		6/25/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	6/22/2010	20358	
				Percent Moisture		6/23/2010	
						R44866	
1006079-36A	093822-B11-3	6/18/2010 9:32:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		6/25/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	6/22/2010	20358	
				Percent Moisture		6/23/2010	
						R44866	

AMRO Environmental Laboratories Corp.

28-Jun-10

Lab Order: 1006079
Client: GEI Consultants, Inc.
Project: 09382-2 Canton Airport

DATES REPORT

Sample ID	Client Sample ID	Collection Date	Matrix	Analytical Test Name / Preparatory Test Name	Prep Date	Analysis Date / Batch ID	TCLP Date
1006079-43A	093822-C9-3	6/18/2010 11:23:00 AM	Soil	EPA 8082 PCBS IN SOIL/SOLIDS		6/25/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	6/22/2010	20358	
				Percent Moisture		6/23/2010	
						R44866	
1006079-44A	093822-C9-4	6/18/2010 11:29:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		6/25/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	6/22/2010	20358	
				Percent Moisture		6/23/2010	
						R44866	
1006079-45A	093822-C9-5	6/18/2010 11:42:00 AM		EPA 8082 PCBS IN SOIL/SOLIDS		6/25/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	6/22/2010	20358	
				Percent Moisture		6/23/2010	
						R44866	
1006079-46A	093822-D8-1	6/18/2010 12:02:00 PM		EPA 8082 PCBS IN SOIL/SOLIDS		6/25/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	6/22/2010	20358	
				Percent Moisture		6/23/2010	
						R44866	
1006079-47A	093822-D8-2	6/18/2010 12:09:00 PM		EPA 8082 PCBS IN SOIL/SOLIDS		6/25/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	6/22/2010	20358	
				Percent Moisture		6/23/2010	
						R44866	
1006079-48A	093822-D8-3	6/18/2010 12:15:00 PM		EPA 8082 PCBS IN SOIL/SOLIDS		6/25/2010	
				EPA 3540C SOPREP SOXHLET: PCBS	6/22/2010	20358	
				Percent Moisture		6/23/2010	
						R44866	

Chain-of-Custody Record

Laboratory: AMRO

Laboratory Job # (Lab use only) 1008079

GEI Consultants
400 Unicorn Park Drive
Woburn, MA 01801
PH: 781.721.4000
FX: 781.721.4073

Project Information

Project Name: Canton Airport
Project Location: Canton, MA
Project Number: 09382-2
Project Manager: Anne Leifer
Send Report to: Ray Siegener
Send EDD to: labdata@geiconsultants.com

MCP PRESUMPTIVE CERTAINTY REQUIRED -- (YES) NO

If Yes, Are MCP Analytical Methods Required? (YES) NO NA
If Yes, Are Drinking Water Samples Submitted? YES (NO) NA
If Yes, Have You Met Minimum Field QC Requirements? (YES) NO NA

Sample Handling: Samples Field Filtered YES (NO) NA; Sampled Shipped With Ice (YES) NO

Lab Sample Number	GEI Sample ID	Collection Date	Collection Time	Matrix	No. of Bottles	Sampler(s) Initials	Preservative: None	Analysis: PCBs by manual soxlet extraction	Sample Specific Remarks
	093822-B8-1	6/18/2010	0750	SO	1	SSH		x	
	093822-B8-2		0800	SO	1			x	
	093822-B8-3		0803	SO	1			x	
	093822-B8-4		0808	SO	1			x	
	093822-B8-5		0812	SO	1			x	
	093822-B8-DUP1		0700	SO	1			x	
	093822-A8-1		0820	SO	1			x	
	093822-A8-2		0828	SO	1			x	
	093822-A8-3		0832	SO	1			x	
	093822-A8-4		0837	SO	1			x	
	093822-A8-5		0842	SO	1			x	
	093822-A9-1		0854	SO	1			x	

MCP Level Needed: GEI requires the most stringent Method 1 MCP standard be met for all analytes whenever possible.

Relinquished by sampler: (signature)	Date:	Time:	Received by: (signature)
1. [signature]	6/18/10	1400	1. GEI Sample Fridge
Relinquished by: (signature) 2. GEI Sample Fridge	6/21/10	1005	Received by: (signature) 2. Ray Siegener
Relinquished by: (signature) 3. Ray Siegener	6/21/10	1005	Received by: (signature) 3. W H Lawson
Relinquished by: (signature) 4. W H Lawson	6/21/10	1105	Received by: (signature) 4. [signature]

Turnaround Time (Business days):
Normal __X__ Other ____
10-Day ____ 7-Day ____
5-Day ____ 3-Day ____

Before submitting rush turnaround samples, you **must** notify the laboratory to confirm that the TAT can be achieved.

Additional Requirements/Comments/Remarks:

MANUAL SOXLET EXTRACTION REQUIRED.
DCR RATES APPLY.
~~CAUTION- POTENTIAL ELEVATED PCBs.~~

Chain-of-Custody Record

Laboratory: AMRO

Laboratory Job # (Lab use only) 1006079

GEI Consultants
400 Unicorn Park Drive
Woburn, MA 01801
PH: 781.721.4000
FX: 781.721.4073

Project Information

Project Name: Canton Airport

Project Location: Canton, MA

Project Number: 09382-2

Project Manager: Anne Leifer

Send Report to: Ray Siegener

Send EDD to: labdata@geiconsultants.com

MCP PRESUMPTIVE CERTAINTY REQUIRED -- (YES) NO

If Yes, Are MCP Analytical Methods Required? (YES) NO NA

If Yes, Are Drinking Water Samples Submitted? YES (NO) NA

If Yes, Have You Met Minimum Field QC Requirements? (YES) NO NA

Sample Handling: Samples Field Filtered YES (NO) NA

Sampled Shipped With Ice (YES) NO

Lab Sample Number	GEI Sample ID	Collection Date	Collection Time	Matrix	No. of Bottles	Sampler(s) Initials	Preservative: None	Analysis: PCBs by manual soxlet extraction	Sample Specific Remarks
	093822-D7-2	6/18/10	1208	SO	1	SSH		x	
	093822-B9-1		0747	SO	1	TGC		x	
	093822-B9-2		0755	SO	1			x	
	093822-B9-3		0802	SO	1			x	
	093822-B9-4		0806	SO	1			x	
	093822-B9-5		0816	SO	1			x	
	093822-B10-1		0826	SO	1			x	
	093822-B10-2		0835	SO	1			x	
	093822-B10-3		0846	SO	1			x	
	093822-B11-1		0914	SO	1			x	
	093822-B11-2		0921	SO	1			x	
	093822-B11-3		0932	SO	1			x	

MCP Level Needed: GEI requires the most stringent Method 1 MCP standard be met for all analytes, whenever possible.

Relinquished by: Sampler: (signature)	Date:	Time:	Received by: (signature)
1. [signature]	6/18/10	1400	1. GEI Sample Fridge
2. GEI Sample Fridge	6/21/10	1005	2. Ray Siegener
3. Ray Siegener	6/21/10	1005	3. W H Dawson
4. W H Dawson	6/21/10	1105	4. [signature]

Turnaround Time (Business days):

Normal __X__ Other ____

10-Day ____ 7-Day ____

5-Day ____ 3-Day ____

Before submitting rush turnaround samples, you **must** notify the laboratory to confirm that the TAT can be achieved.

Additional Requirements/Comments/Remarks:

MANUAL SOXLET EXTRACTION REQUIRED.

DCR RATES APPLY.

Chain-of-Custody Record

Laboratory: AMRO

Laboratory Job # (Lab use only) 1006079

GEI Consultants
400 Unicorn Park Drive
Woburn, MA 01801
PH: 781.721.4000
FX: 781.721.4073

Project Information

Project Name: Canton Airport

Project Location: Canton, MA

Project Number: 09382-2

Project Manager: Anne Leifer

Send Report to: Ray Siegener

Send EDD to: labdata@geiconsultants.com

MCP PRESUMPTIVE CERTAINTY REQUIRED -- (YES) NO

If Yes, Are MCP Analytical Methods Required? (YES) NO NA

If Yes, Are Drinking Water Samples Submitted? YES (NO) NA

If Yes, Have You Met Minimum Field QC Requirements? (YES) NO NA

Sample Handling: Samples Field Filtered YES (NO) NA

Sampled Shipped With Ice (YES) NO

Lab Sample Number	GEI Sample ID	Collection Date	Collection Time	Matrix	No. of Bottles	Sampler(s) Initials	Preservative: None	Analysis: PCBs by manual soxlet extraction	Sample Specific Remarks
	093822- B11 - DUP1	6/18/10	710	SO	1	TGC		x	
	093822- C9 - DUP1	6/18/10	712	SO	1	TGC		x	
	~~093822-~~			~~SO~~	~~1~~			~~x~~	NOT USED
	093822-			SO	1			x	
	093822-			SO	1			x	
	093822-			SO	1			x	
	093822-			SO	1			x	
	093822-			SO	1			x	
	093822-			SO	1			x	
	093822-			SO	1			x	
	093822-			SO	1			x	
	093822-			SO	1			x	

MCP Level Needed: GEI requires the most stringent Method 1 MCP standard be met for all analytes whenever possible.

Relinquished by sampler: (signature)	Date:	Time:	Received by: (signature)
1. [signature]	6/18/10	1400	1. GEI Sample Fridge
Relinquished by: (signature) 2. GEI Sample Fridge	6/21/10	1005	Received by: (signature) 2. Ray Siegener
Relinquished by: (signature) 3. Ray Siegener	6/21/10	1005	Received by: (signature) 3. W H Larsen
Relinquished by: (signature) 4. W H Larsen	6/21/10	1105	Received by: (signature) 4. [signature]

Turnaround Time (Business days):

Normal __X__ Other ____

10-Day ____ 7-Day ____

5-Day ____ 3-Day ____

Before submitting rush turnaround samples, you must notify the laboratory to confirm that the TAT can be achieved.

Additional Requirements/Comments/Remarks:

MANUAL SOXLET EXTRACTION REQUIRED.

DCR RATES APPLY.

AMRO Environmental Laboratories Corporation

SAMPLE RECEIPT CHECKLIST

111 Herrick Street
Merrimack, NH 03054
(603) 424-2022

Client: GEI
Project Name: 093822 Canton Airport
Ship via: (circle one) Fed Ex., UPS, AMRO Courier, Hand Del., Other Courier, Other:

AMRO ID: 1006079
Date Rec.: 6/21/10
Date Due: 6/28/10

Items to be Checked Upon Receipt	Yes	No	NA	Comments
1. Army Samples received in individual plastic bags?			✓	
2. Custody Seals present?			✓	
3. Custody Seals Intact?			✓	
4. Air Bill included in folder if received?			✓	
5. Is COC included with samples?	✓			
6. Is COC signed and dated by client?	✓			
7. Laboratory receipt temperature. TEMP = 6°				
Samples rec. with ice ✓ ice packs___ neither___				
8. Were samples received the same day they were sampled?		✓		
Is client temperature = or <6°C ?	✓			
If no obtain authorization from the client for the analyses.				
Client authorization from: Date: Obtained by:				
9. Is the COC filled out correctly and completely?	✓			
10. Does the info on the COC match the samples?	✓	✓		SEE - EMAIL
11. Were samples rec. within holding time?	✓			
12. Were all samples properly labeled?	✓			
13. Were all samples properly preserved?			✓	
14. Were proper sample containers used?	✓			
15. Were all samples received intact? (none broken or leaking)	✓			
16. Were VOA vials rec. with no air bubbles?			✓	
17. Were the sample volumes sufficient for requested analysis?	✓			
18. Were all samples received?	✓			
19. VPH and VOA Soils only:			✓	
Sampling Method VPH (circle one): M=Methanol, E=EnCore (air-tight container)				
Sampling Method VOA (circle one): M=Methanol, SB=Sodium Bisulfate, E=EnCore, B=Bulk				
If M or SB:				
Does preservative cover the soil?				
If NO then client must be faxed.				
Does preservation level come close to the fill line on the vial?				
If NO then client must be faxed.				
Were vials provided by AMRO?				
If NO then weights MUST be obtained from client				
Was dry weight aliquot provided?				
If NO then fax client and inform the VOA lab ASAP.				
20. Subcontracted Samples:			✓	
What samples sent:				
Where sent:				
Date:				
Analysis:				
TAT:				
21. Information entered into:				
Internal Tracking Log?	✓			
Dry Weight Log?	✓			
Client Log?			✓	
Composite Log?			✓	
Filtration Log?			✓	

Received By: KW MG Date: 6/21/10 Logged in By: KW Date: 6/21/10
Labeled By: KW Date: 6/21/10 Checked By: MG Date: 6-21-10

NA= Not Applicable

qc/qcmemos/forms/samplerec Rev.19 04/20/09

MADEP MCP Analytical Method Report Certification Form

Laboratory Name: AMRO Environmental Laboratories, Inc. Project Number: 1006079

Project Location: 09382-2 Canton Airport MADEP RTN [1]

1006079-01	1006079-02	1006079-03	1006079-04	1006079-05	1006079-06	1006079-07
1006079-08	1006079-09	1006079-10	1006079-11	1006079-12	1006079-13	1006079-14
1006079-15	1006079-16	1006079-17	1006079-18	1006079-19	1006079-20	1006079-21
1006079-22	1006079-23	1006079-24	1006079-25	1006079-26	1006079-27	1006079-28
1006079-29	1006079-30	1006079-31	1006079-32	1006079-33	1006079-34	1006079-35
1006079-36	1006079-37	1006079-38	1006079-39	1006079-40	1006079-41	1006079-42 to 50

Sample Matrices: Ground Water ☐ Soil / Sediment ☑ Drinking Water ☐ OtherMatrix ☐

MCP SW-846 Methods Used					
	8260B ☐	8151A ☐	8330 ☐	6010B ☐	7470A/1A ☐
	8270C ☐	8081A ☐	VPH ☐	6020 ☐	9014M [2] ☐
As specified in MADEP Compendium of Analytical Methods. (check all that apply)	8082 ☑	8021B ☐	EPH ☐	7000S [3] ☐	Other ☐

1 List Release Tracking Number (RTN) if known
2 M: SW-846 Method 9014 or MADEP Physiologically Available Cyanide (PAC) Method
3 S: SW-846 Methods 7000 Series List individual method analyte

An affirmative response to questions A, B, C and D is required for "Presumptive Certainty" status

A	Were all samples received by the laboratory in a condition consistent with that described on the Chain of Custody documentation for the data set?	◉ Yes ○ No [1]
B	Were all QA/QC procedures required for the specified analytical method(s)included in this report followed, including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guide lines?	◉ Yes ○ No [1]
C	Does the analytical data included in this report meet all the requirements for Presumptive Certainty, as described in Section 2.0 of the MADEP document CAM VII A, Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data?	◉ Yes ○ No [1]
D	**VPH and EPH methods only:** Was the VPH or EPH method run without significant modifications, as specified in Section 11.3?	~~○ Yes ◉ No~~ N/A SD 6/29/10

A response to questions E and F below is required for "Presumptive Certainty" status

E	Were all QC performance standards and recommendations for the specified methods achieved?	◉ Yes ○ No [1]
F	Were results for all analyte-list compounds / elements for the specified method(s) reported?	◉ Yes ○ No [1]

[1] All NO answers must be addressed in an attached Environmental Laboratory case narrative.

I, the undersigned, attest under the pains and penalties of perjury that, based upon my personal inqury of those responsible for obtaining the information, the material contained in this analytical report is, to the best of my knowledge and belief, accurate and complete.

Signature: Nancy Stewart Position: Vice Pres.

Printed Name: Nancy Stewart Date: 6-29-10

AMRO Environmental Laboratories Corp.

Date: *28-Jun-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-2 Canton Airport
Lab Order: 1006079

Lab ID: 1006079-01
Collection Date: 6/18/2010 7:50:00 AM
Collection Time:
Client Sample ID: 093822-B8-1
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: KA
Aroclor 1016	ND	210		µg/Kg-dry	1	6/24/2010 9:40:00 AM
Aroclor 1221	ND	210		µg/Kg-dry	1	6/24/2010 9:40:00 AM
Aroclor 1232	ND	210		µg/Kg-dry	1	6/24/2010 9:40:00 AM
Aroclor 1242	ND	210		µg/Kg-dry	1	6/24/2010 9:40:00 AM
Aroclor 1248	ND	210		µg/Kg-dry	1	6/24/2010 9:40:00 AM
Aroclor 1254	ND	210		µg/Kg-dry	1	6/24/2010 9:40:00 AM
Aroclor 1260	ND	210		µg/Kg-dry	1	6/24/2010 9:40:00 AM
Aroclor 1262	ND	210		µg/Kg-dry	1	6/24/2010 9:40:00 AM
Aroclor 1268	ND	210		µg/Kg-dry	1	6/24/2010 9:40:00 AM
Surr: Tetrachloro-m-xylene	77.9	30-150		%REC	1	6/24/2010 9:40:00 AM
Surr: Decachlorobiphenyl	103	30-150		%REC	1	6/24/2010 9:40:00 AM

Lab ID: 1006079-02
Collection Date: 6/18/2010 8:00:00 AM
Collection Time:
Client Sample ID: 093822-B8-2
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: KA
Aroclor 1016	ND	210		µg/Kg-dry	1	6/24/2010 10:06:00 AM
Aroclor 1221	ND	210		µg/Kg-dry	1	6/24/2010 10:06:00 AM
Aroclor 1232	ND	210		µg/Kg-dry	1	6/24/2010 10:06:00 AM
Aroclor 1242	ND	210		µg/Kg-dry	1	6/24/2010 10:06:00 AM
Aroclor 1248	ND	210		µg/Kg-dry	1	6/24/2010 10:06:00 AM
Aroclor 1254	ND	210		µg/Kg-dry	1	6/24/2010 10:06:00 AM
Aroclor 1260	ND	210		µg/Kg-dry	1	6/24/2010 10:06:00 AM
Aroclor 1262	ND	210		µg/Kg-dry	1	6/24/2010 10:06:00 AM
Aroclor 1268	ND	210		µg/Kg-dry	1	6/24/2010 10:06:00 AM
Surr: Tetrachloro-m-xylene	90.6	30-150		%REC	1	6/24/2010 10:06:00 AM
Surr: Decachlorobiphenyl	107	30-150		%REC	1	6/24/2010 10:06:00 AM

AMRO Environmental Laboratories Corp.

Date: *28-Jun-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-2 Canton Airport
Lab Order: 1006079

Lab ID: 1006079-05
Client Sample ID: 093822-B8-5
Collection Date: 6/18/2010 8:12:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: KA
Aroclor 1016	ND	100		µg/Kg-dry	1	6/24/2010 11:26:00 AM
Aroclor 1221	ND	100		µg/Kg-dry	1	6/24/2010 11:26:00 AM
Aroclor 1232	ND	100		µg/Kg-dry	1	6/24/2010 11:26:00 AM
Aroclor 1242	ND	100		µg/Kg-dry	1	6/24/2010 11:26:00 AM
Aroclor 1248	ND	100		µg/Kg-dry	1	6/24/2010 11:26:00 AM
Aroclor 1254	ND	100		µg/Kg-dry	1	6/24/2010 11:26:00 AM
Aroclor 1260	ND	100		µg/Kg-dry	1	6/24/2010 11:26:00 AM
Aroclor 1262	ND	100		µg/Kg-dry	1	6/24/2010 11:26:00 AM
Aroclor 1268	ND	100		µg/Kg-dry	1	6/24/2010 11:26:00 AM
Surr: Tetrachloro-m-xylene	98.0	30-150		%REC	1	6/24/2010 11:26:00 AM
Surr: Decachlorobiphenyl	108	30-150		%REC	1	6/24/2010 11:26:00 AM

Lab ID: 1006079-06
Client Sample ID: 093822-B8-DUP1
Collection Date: 6/18/2010 7:00:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: KA
Aroclor 1016	ND	230		µg/Kg-dry	1	6/24/2010 11:53:00 AM
Aroclor 1221	ND	230		µg/Kg-dry	1	6/24/2010 11:53:00 AM
Aroclor 1232	ND	230		µg/Kg-dry	1	6/24/2010 11:53:00 AM
Aroclor 1242	ND	230		µg/Kg-dry	1	6/24/2010 11:53:00 AM
Aroclor 1248	ND	230		µg/Kg-dry	1	6/24/2010 11:53:00 AM
Aroclor 1254	ND	230		µg/Kg-dry	1	6/24/2010 11:53:00 AM
Aroclor 1260	ND	230		µg/Kg-dry	1	6/24/2010 11:53:00 AM
Aroclor 1262	ND	230		µg/Kg-dry	1	6/24/2010 11:53:00 AM
Aroclor 1268	ND	230		µg/Kg-dry	1	6/24/2010 11:53:00 AM
Surr: Tetrachloro-m-xylene	91.4	30-150		%REC	1	6/24/2010 11:53:00 AM
Surr: Decachlorobiphenyl	112	30-150		%REC	1	6/24/2010 11:53:00 AM

AMRO Environmental Laboratories Corp.

Date: *28-Jun-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-2 Canton Airport
Lab Order: 1006079

Lab ID: 1006079-09
Collection Date: 6/18/2010 8:32:00 AM
Collection Time:
Client Sample ID: 093822-A8-3
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: KA
Aroclor 1016	ND	200		µg/Kg-dry	1	6/24/2010 1:12:00 PM
Aroclor 1221	ND	200		µg/Kg-dry	1	6/24/2010 1:12:00 PM
Aroclor 1232	ND	200		µg/Kg-dry	1	6/24/2010 1:12:00 PM
Aroclor 1242	ND	200		µg/Kg-dry	1	6/24/2010 1:12:00 PM
Aroclor 1248	ND	200		µg/Kg-dry	1	6/24/2010 1:12:00 PM
Aroclor 1254	ND	200		µg/Kg-dry	1	6/24/2010 1:12:00 PM
Aroclor 1260	ND	200		µg/Kg-dry	1	6/24/2010 1:12:00 PM
Aroclor 1262	ND	200		µg/Kg-dry	1	6/24/2010 1:12:00 PM
Aroclor 1268	ND	200		µg/Kg-dry	1	6/24/2010 1:12:00 PM
Surr: Tetrachloro-m-xylene	83.9	30-150		%REC	1	6/24/2010 1:12:00 PM
Surr: Decachlorobiphenyl	99.1	30-150		%REC	1	6/24/2010 1:12:00 PM

Lab ID: 1006079-10
Collection Date: 6/18/2010 8:37:00 AM
Collection Time:
Client Sample ID: 093822-A8-4
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: KA
Aroclor 1016	ND	170		µg/Kg-dry	1	6/24/2010 1:38:00 PM
Aroclor 1221	ND	170		µg/Kg-dry	1	6/24/2010 1:38:00 PM
Aroclor 1232	ND	170		µg/Kg-dry	1	6/24/2010 1:38:00 PM
Aroclor 1242	ND	170		µg/Kg-dry	1	6/24/2010 1:38:00 PM
Aroclor 1248	ND	170		µg/Kg-dry	1	6/24/2010 1:38:00 PM
Aroclor 1254	ND	170		µg/Kg-dry	1	6/24/2010 1:38:00 PM
Aroclor 1260	ND	170		µg/Kg-dry	1	6/24/2010 1:38:00 PM
Aroclor 1262	ND	170		µg/Kg-dry	1	6/24/2010 1:38:00 PM
Aroclor 1268	ND	170		µg/Kg-dry	1	6/24/2010 1:38:00 PM
Surr: Tetrachloro-m-xylene	90.9	30-150		%REC	1	6/24/2010 1:38:00 PM
Surr: Decachlorobiphenyl	97.0	30-150		%REC	1	6/24/2010 1:38:00 PM

AMRO Environmental Laboratories Corp.

Date: *28-Jun-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-2 Canton Airport
Lab Order: 1006079

Lab ID: 1006079-13
Client Sample ID: 093822-A9-2
Collection Date: 6/18/2010 9:03:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: KA
Aroclor 1016	ND	240		µg/Kg-dry	1	6/24/2010 2:58:00 PM
Aroclor 1221	ND	240		µg/Kg-dry	1	6/24/2010 2:58:00 PM
Aroclor 1232	ND	240		µg/Kg-dry	1	6/24/2010 2:58:00 PM
Aroclor 1242	ND	240		µg/Kg-dry	1	6/24/2010 2:58:00 PM
Aroclor 1248	ND	240		µg/Kg-dry	1	6/24/2010 2:58:00 PM
Aroclor 1254	ND	240		µg/Kg-dry	1	6/24/2010 2:58:00 PM
Aroclor 1260	ND	240		µg/Kg-dry	1	6/24/2010 2:58:00 PM
Aroclor 1262	ND	240		µg/Kg-dry	1	6/24/2010 2:58:00 PM
Aroclor 1268	ND	240		µg/Kg-dry	1	6/24/2010 2:58:00 PM
Surr: Tetrachloro-m-xylene	83.3	30-150		%REC	1	6/24/2010 2:58:00 PM
Surr: Decachlorobiphenyl	106	30-150		%REC	1	6/24/2010 2:58:00 PM

Lab ID: 1006079-14
Client Sample ID: 093822-A9-3
Collection Date: 6/18/2010 9:19:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: KA
Aroclor 1016	ND	250		µg/Kg-dry	1	6/24/2010 3:24:00 PM
Aroclor 1221	ND	250		µg/Kg-dry	1	6/24/2010 3:24:00 PM
Aroclor 1232	ND	250		µg/Kg-dry	1	6/24/2010 3:24:00 PM
Aroclor 1242	ND	250		µg/Kg-dry	1	6/24/2010 3:24:00 PM
Aroclor 1248	ND	250		µg/Kg-dry	1	6/24/2010 3:24:00 PM
Aroclor 1254	ND	250		µg/Kg-dry	1	6/24/2010 3:24:00 PM
Aroclor 1260	ND	250		µg/Kg-dry	1	6/24/2010 3:24:00 PM
Aroclor 1262	ND	250		µg/Kg-dry	1	6/24/2010 3:24:00 PM
Aroclor 1268	ND	250		µg/Kg-dry	1	6/24/2010 3:24:00 PM
Surr: Tetrachloro-m-xylene	79.5	30-150		%REC	1	6/24/2010 3:24:00 PM
Surr: Decachlorobiphenyl	103	30-150		%REC	1	6/24/2010 3:24:00 PM

AMRO Environmental Laboratories Corp.

Date: *28-Jun-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-2 Canton Airport
Lab Order: 1006079

Lab ID: 1006079-17
Collection Date: 6/18/2010 9:41:00 AM
Collection Time:
Client Sample ID: 093822-A10-1
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: KA
Aroclor 1016	ND	240		µg/Kg-dry	1	6/24/2010 4:44:00 PM
Aroclor 1221	ND	240		µg/Kg-dry	1	6/24/2010 4:44:00 PM
Aroclor 1232	ND	240		µg/Kg-dry	1	6/24/2010 4:44:00 PM
Aroclor 1242	ND	240		µg/Kg-dry	1	6/24/2010 4:44:00 PM
Aroclor 1248	ND	240		µg/Kg-dry	1	6/24/2010 4:44:00 PM
Aroclor 1254	ND	240		µg/Kg-dry	1	6/24/2010 4:44:00 PM
Aroclor 1260	ND	240		µg/Kg-dry	1	6/24/2010 4:44:00 PM
Aroclor 1262	ND	240		µg/Kg-dry	1	6/24/2010 4:44:00 PM
Aroclor 1268	ND	240		µg/Kg-dry	1	6/24/2010 4:44:00 PM
Surr: Tetrachloro-m-xylene	73.7	30-150		%REC	1	6/24/2010 4:44:00 PM
Surr: Decachlorobiphenyl	101	30-150		%REC	1	6/24/2010 4:44:00 PM

Lab ID: 1006079-18
Collection Date: 6/18/2010 9:47:00 AM
Collection Time:
Client Sample ID: 093822-A10-2
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: KA
Aroclor 1016	ND	230		µg/Kg-dry	1	6/24/2010 5:10:00 PM
Aroclor 1221	ND	230		µg/Kg-dry	1	6/24/2010 5:10:00 PM
Aroclor 1232	ND	230		µg/Kg-dry	1	6/24/2010 5:10:00 PM
Aroclor 1242	ND	230		µg/Kg-dry	1	6/24/2010 5:10:00 PM
Aroclor 1248	ND	230		µg/Kg-dry	1	6/24/2010 5:10:00 PM
Aroclor 1254	ND	230		µg/Kg-dry	1	6/24/2010 5:10:00 PM
Aroclor 1260	ND	230		µg/Kg-dry	1	6/24/2010 5:10:00 PM
Aroclor 1262	ND	230		µg/Kg-dry	1	6/24/2010 5:10:00 PM
Aroclor 1268	ND	230		µg/Kg-dry	1	6/24/2010 5:10:00 PM
Surr: Tetrachloro-m-xylene	77.1	30-150		%REC	1	6/24/2010 5:10:00 PM
Surr: Decachlorobiphenyl	101	30-150		%REC	1	6/24/2010 5:10:00 PM

AMRO Environmental Laboratories Corp.

Date: *28-Jun-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-2 Canton Airport
Lab Order: 1006079

Lab ID: 1006079-21
Collection Date: 6/18/2010 10:17:00 AM
Collection Time:
Client Sample ID: 093822-A11-2
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		SW8082				Analyst: KA
Aroclor 1016	ND	76		µg/Kg-dry	1	6/25/2010 1:29:00 AM
Aroclor 1221	ND	76		µg/Kg-dry	1	6/25/2010 1:29:00 AM
Aroclor 1232	ND	76		µg/Kg-dry	1	6/25/2010 1:29:00 AM
Aroclor 1242	ND	76		µg/Kg-dry	1	6/25/2010 1:29:00 AM
Aroclor 1248	ND	76		µg/Kg-dry	1	6/25/2010 1:29:00 AM
Aroclor 1254	ND	76		µg/Kg-dry	1	6/25/2010 1:29:00 AM
Aroclor 1260	ND	76		µg/Kg-dry	1	6/25/2010 1:29:00 AM
Aroclor 1262	ND	76		µg/Kg-dry	1	6/25/2010 1:29:00 AM
Aroclor 1268	ND	76		µg/Kg-dry	1	6/25/2010 1:29:00 AM
Surr: Tetrachloro-m-xylene	97.0	30-150		%REC	1	6/25/2010 1:29:00 AM
Surr: Decachlorobiphenyl	88.8	30-150		%REC	1	6/25/2010 1:29:00 AM

Lab ID: 1006079-22
Collection Date: 6/18/2010 10:22:00 AM
Collection Time:
Client Sample ID: 093822-A11-3
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		SW8082				Analyst: KA
Aroclor 1016	ND	160		µg/Kg-dry	1	6/25/2010 1:56:00 AM
Aroclor 1221	ND	160		µg/Kg-dry	1	6/25/2010 1:56:00 AM
Aroclor 1232	ND	160		µg/Kg-dry	1	6/25/2010 1:56:00 AM
Aroclor 1242	ND	160		µg/Kg-dry	1	6/25/2010 1:56:00 AM
Aroclor 1248	ND	160		µg/Kg-dry	1	6/25/2010 1:56:00 AM
Aroclor 1254	ND	160		µg/Kg-dry	1	6/25/2010 1:56:00 AM
Aroclor 1260	ND	160		µg/Kg-dry	1	6/25/2010 1:56:00 AM
Aroclor 1262	ND	160		µg/Kg-dry	1	6/25/2010 1:56:00 AM
Aroclor 1268	ND	160		µg/Kg-dry	1	6/25/2010 1:56:00 AM
Surr: Tetrachloro-m-xylene	103	30-150		%REC	1	6/25/2010 1:56:00 AM
Surr: Decachlorobiphenyl	80.5	30-150		%REC	1	6/25/2010 1:56:00 AM

AMRO Environmental Laboratories Corp.

Date: *28-Jun-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-2 Canton Airport
Lab Order: 1006079

Lab ID: 1006079-25
Collection Date: 6/18/2010 12:08:00 PM
Collection Time:
Client Sample ID: 093822-D7-2
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		SW8082				Analyst: KA
Aroclor 1016	ND	60		µg/Kg-dry	1	6/25/2010 3:19:00 AM
Aroclor 1221	ND	60		µg/Kg-dry	1	6/25/2010 3:19:00 AM
Aroclor 1232	ND	60		µg/Kg-dry	1	6/25/2010 3:19:00 AM
Aroclor 1242	ND	60		µg/Kg-dry	1	6/25/2010 3:19:00 AM
Aroclor 1248	ND	60		µg/Kg-dry	1	6/25/2010 3:19:00 AM
Aroclor 1254	ND	60		µg/Kg-dry	1	6/25/2010 3:19:00 AM
Aroclor 1260	ND	60		µg/Kg-dry	1	6/25/2010 3:19:00 AM
Aroclor 1262	ND	60		µg/Kg-dry	1	6/25/2010 3:19:00 AM
Aroclor 1268	ND	60		µg/Kg-dry	1	6/25/2010 3:19:00 AM
Surr: Tetrachloro-m-xylene	105	30-150		%REC	1	6/25/2010 3:19:00 AM
Surr: Decachlorobiphenyl	85.7	30-150		%REC	1	6/25/2010 3:19:00 AM

Lab ID: 1006079-26
Collection Date: 6/18/2010 7:47:00 AM
Collection Time:
Client Sample ID: 093822-B9-1
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		SW8082				Analyst: KA
Aroclor 1016	ND	85		µg/Kg-dry	1	6/25/2010 3:46:00 AM
Aroclor 1221	ND	85		µg/Kg-dry	1	6/25/2010 3:46:00 AM
Aroclor 1232	ND	85		µg/Kg-dry	1	6/25/2010 3:46:00 AM
Aroclor 1242	ND	85		µg/Kg-dry	1	6/25/2010 3:46:00 AM
Aroclor 1248	ND	85		µg/Kg-dry	1	6/25/2010 3:46:00 AM
Aroclor 1254	ND	85		µg/Kg-dry	1	6/25/2010 3:46:00 AM
Aroclor 1260	ND	85		µg/Kg-dry	1	6/25/2010 3:46:00 AM
Aroclor 1262	ND	85		µg/Kg-dry	1	6/25/2010 3:46:00 AM
Aroclor 1268	ND	85		µg/Kg-dry	1	6/25/2010 3:46:00 AM
Surr: Tetrachloro-m-xylene	94 6	30-150		%REC	1	6/25/2010 3:46:00 AM
Surr: Decachlorobiphenyl	90.0	30-150		%REC	1	6/25/2010 3:46:00 AM

AMRO Environmental Laboratories Corp.

Date: *28-Jun-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-2 Canton Airport

Lab Order: 1006079

Lab ID: 1006079-29
Collection Date: 6/18/2010 8:06:00 AM
Collection Time:
Client Sample ID: 093822-B9-4
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: KA
Aroclor 1016	ND	83		µg/Kg-dry	1	6/25/2010 5:08:00 AM
Aroclor 1221	ND	83		µg/Kg-dry	1	6/25/2010 5:08:00 AM
Aroclor 1232	ND	83		µg/Kg-dry	1	6/25/2010 5:08:00 AM
Aroclor 1242	ND	83		µg/Kg-dry	1	6/25/2010 5:08:00 AM
Aroclor 1248	ND	83		µg/Kg-dry	1	6/25/2010 5:08:00 AM
Aroclor 1254	ND	83		µg/Kg-dry	1	6/25/2010 5:08:00 AM
Aroclor 1260	ND	83		µg/Kg-dry	1	6/25/2010 5:08:00 AM
Aroclor 1262	ND	83		µg/Kg-dry	1	6/25/2010 5:08:00 AM
Aroclor 1268	ND	83		µg/Kg-dry	1	6/25/2010 5:08:00 AM
Surr: Tetrachloro-m-xylene	106	30-150		%REC	1	6/25/2010 5:08:00 AM
Surr: Decachlorobiphenyl	84.1	30-150		%REC	1	6/25/2010 5:08:00 AM

Lab ID: 1006079-30
Collection Date: 6/18/2010 8:16:00 AM
Collection Time:
Client Sample ID: 093822-B9-5
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: KA
Aroclor 1016	ND	95		µg/Kg-dry	1	6/24/2010 11:22:00 PM
Aroclor 1221	ND	95		µg/Kg-dry	1	6/24/2010 11:22:00 PM
Aroclor 1232	ND	95		µg/Kg-dry	1	6/24/2010 11:22:00 PM
Aroclor 1242	ND	95		µg/Kg-dry	1	6/24/2010 11:22:00 PM
Aroclor 1248	ND	95		µg/Kg-dry	1	6/24/2010 11:22:00 PM
Aroclor 1254	ND	95		µg/Kg-dry	1	6/24/2010 11:22:00 PM
Aroclor 1260	ND	95		µg/Kg-dry	1	6/24/2010 11:22:00 PM
Aroclor 1262	ND	95		µg/Kg-dry	1	6/24/2010 11:22:00 PM
Aroclor 1268	ND	95		µg/Kg-dry	1	6/24/2010 11:22:00 PM
Surr: Tetrachloro-m-xylene	76.7	30-150		%REC	1	6/24/2010 11:22:00 PM
Surr: Decachlorobiphenyl	84.3	30-150		%REC	1	6/24/2010 11:22:00 PM

AMRO Environmental Laboratories Corp.

Date: *28-Jun-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-2 Canton Airport
Lab Order: 1006079

Lab ID: 1006079-33
Collection Date: 6/18/2010 8:46:00 AM
Collection Time:
Client Sample ID: 093822-B10-3
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: KA
Aroclor 1016	ND	67		µg/Kg-dry	1	6/25/2010 12:41:00 AM
Aroclor 1221	ND	67		µg/Kg-dry	1	6/25/2010 12:41:00 AM
Aroclor 1232	ND	67		µg/Kg-dry	1	6/25/2010 12:41:00 AM
Aroclor 1242	ND	67		µg/Kg-dry	1	6/25/2010 12:41:00 AM
Aroclor 1248	ND	67		µg/Kg-dry	1	6/25/2010 12:41:00 AM
Aroclor 1254	ND	67		µg/Kg-dry	1	6/25/2010 12:41:00 AM
Aroclor 1260	ND	67		µg/Kg-dry	1	6/25/2010 12:41:00 AM
Aroclor 1262	ND	67		µg/Kg-dry	1	6/25/2010 12:41:00 AM
Aroclor 1268	ND	67		µg/Kg-dry	1	6/25/2010 12:41:00 AM
Surr: Tetrachloro-m-xylene	78.0	30-150		%REC	1	6/25/2010 12:41:00 AM
Surr: Decachlorobiphenyl	92.6	30-150		%REC	1	6/25/2010 12:41:00 AM

Lab ID: 1006079-34
Collection Date: 6/18/2010 9:14:00 AM
Collection Time:
Client Sample ID: 093822-B11-1
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: KA
Aroclor 1016	ND	260		µg/Kg-dry	1	6/25/2010 1:08:00 AM
Aroclor 1221	ND	260		µg/Kg-dry	1	6/25/2010 1:08:00 AM
Aroclor 1232	ND	260		µg/Kg-dry	1	6/25/2010 1:08:00 AM
Aroclor 1242	ND	260		µg/Kg-dry	1	6/25/2010 1:08:00 AM
Aroclor 1248	ND	260		µg/Kg-dry	1	6/25/2010 1:08:00 AM
Aroclor 1254	ND	260		µg/Kg-dry	1	6/25/2010 1:08:00 AM
Aroclor 1260	ND	260		µg/Kg-dry	1	6/25/2010 1:08:00 AM
Aroclor 1262	ND	260		µg/Kg-dry	1	6/25/2010 1:08:00 AM
Aroclor 1268	ND	260		µg/Kg-dry	1	6/25/2010 1:08:00 AM
Surr: Tetrachloro-m-xylene	73.5	30-150		%REC	1	6/25/2010 1:08:00 AM
Surr: Decachlorobiphenyl	91.7	30-150		%REC	1	6/25/2010 1:08:00 AM

AMRO Environmental Laboratories Corp.

Date: *28-Jun-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-2 Canton Airport

Lab Order: 1006079

Lab ID: 1006079-37
Client Sample ID: 093822-B11-4

Collection Date: 6/18/2010 9:39:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: KA
Aroclor 1016	ND	200		µg/Kg-dry	1	6/25/2010 2:27:00 AM
Aroclor 1221	ND	200		µg/Kg-dry	1	6/25/2010 2:27:00 AM
Aroclor 1232	ND	200		µg/Kg-dry	1	6/25/2010 2:27:00 AM
Aroclor 1242	ND	200		µg/Kg-dry	1	6/25/2010 2:27:00 AM
Aroclor 1248	ND	200		µg/Kg-dry	1	6/25/2010 2:27:00 AM
Aroclor 1254	ND	200		µg/Kg-dry	1	6/25/2010 2:27:00 AM
Aroclor 1260	ND	200		µg/Kg-dry	1	6/25/2010 2:27:00 AM
Aroclor 1262	ND	200		µg/Kg-dry	1	6/25/2010 2:27:00 AM
Aroclor 1268	ND	200		µg/Kg-dry	1	6/25/2010 2:27:00 AM
Surr: Tetrachloro-m-xylene	65.4	30-150		%REC	1	6/25/2010 2:27:00 AM
Surr: Decachlorobiphenyl	72.5	30-150		%REC	1	6/25/2010 2:27:00 AM

Lab ID: 1006079-38
Client Sample ID: 093822-B11-5

Collection Date: 6/18/2010 9:53:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: KA
Aroclor 1016	ND	270		µg/Kg-dry	1	6/25/2010 2:54:00 AM
Aroclor 1221	ND	270		µg/Kg-dry	1	6/25/2010 2:54:00 AM
Aroclor 1232	ND	270		µg/Kg-dry	1	6/25/2010 2:54:00 AM
Aroclor 1242	ND	270		µg/Kg-dry	1	6/25/2010 2:54:00 AM
Aroclor 1248	ND	270		µg/Kg-dry	1	6/25/2010 2:54:00 AM
Aroclor 1254	ND	270		µg/Kg-dry	1	6/25/2010 2:54:00 AM
Aroclor 1260	ND	270		µg/Kg-dry	1	6/25/2010 2:54:00 AM
Aroclor 1262	ND	270		µg/Kg-dry	1	6/25/2010 2:54:00 AM
Aroclor 1268	ND	270		µg/Kg-dry	1	6/25/2010 2:54:00 AM
Surr: Tetrachloro-m-xylene	73.1	30-150		%REC	1	6/25/2010 2:54:00 AM
Surr: Decachlorobiphenyl	77.4	30-150		%REC	1	6/25/2010 2:54:00 AM

AMRO Environmental Laboratories Corp.

Date: *28-Jun-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-2 Canton Airport

Lab Order: 1006079

Lab ID: 1006079-41

Collection Date: 6/18/2010 11:08:00 AM
Collection Time:

Client Sample ID: 093822-C9-1

Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: KA
Aroclor 1016	ND	240		µg/Kg-dry	1	6/25/2010 4:13:00 AM
Aroclor 1221	ND	240		µg/Kg-dry	1	6/25/2010 4:13:00 AM
Aroclor 1232	ND	240		µg/Kg-dry	1	6/25/2010 4:13:00 AM
Aroclor 1242	ND	240		µg/Kg-dry	1	6/25/2010 4:13:00 AM
Aroclor 1248	ND	240		µg/Kg-dry	1	6/25/2010 4:13:00 AM
Aroclor 1254	ND	240		µg/Kg-dry	1	6/25/2010 4:13:00 AM
Aroclor 1260	ND	240		µg/Kg-dry	1	6/25/2010 4:13:00 AM
Aroclor 1262	ND	240		µg/Kg-dry	1	6/25/2010 4:13:00 AM
Aroclor 1268	ND	240		µg/Kg-dry	1	6/25/2010 4:13:00 AM
Surr: Tetrachloro-m-xylene	64.1	30-150		%REC	1	6/25/2010 4:13:00 AM
Surr: Decachlorobiphenyl	77.3	30-150		%REC	1	6/25/2010 4:13:00 AM

Lab ID: 1006079-42

Collection Date: 6/18/2010 11:15:00 AM
Collection Time:

Client Sample ID: 093822-C9-2

Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: KA
Aroclor 1016	ND	190		µg/Kg-dry	1	6/25/2010 9:30:00 AM
Aroclor 1221	ND	190		µg/Kg-dry	1	6/25/2010 9:30:00 AM
Aroclor 1232	ND	190		µg/Kg-dry	1	6/25/2010 9:30:00 AM
Aroclor 1242	ND	190		µg/Kg-dry	1	6/25/2010 9:30:00 AM
Aroclor 1248	ND	190		µg/Kg-dry	1	6/25/2010 9:30:00 AM
Aroclor 1254	ND	190		µg/Kg-dry	1	6/25/2010 9:30:00 AM
Aroclor 1260	ND	190		µg/Kg-dry	1	6/25/2010 9:30:00 AM
Aroclor 1262	ND	190		µg/Kg-dry	1	6/25/2010 9:30:00 AM
Aroclor 1268	ND	190		µg/Kg-dry	1	6/25/2010 9:30:00 AM
Surr: Tetrachloro-m-xylene	86.9	30-150		%REC	1	6/25/2010 9:30:00 AM
Surr: Decachlorobiphenyl	77.4	30-150		%REC	1	6/25/2010 9:30:00 AM

AMRO Environmental Laboratories Corp.

Date: *28-Jun-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-2 Canton Airport

Lab Order: 1006079

Lab ID: 1006079-45
Client Sample ID: 093822-C9-5

Collection Date: 6/18/2010 11:42:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: KA
Aroclor 1016	ND	78		µg/Kg-dry	1	6/25/2010 10:53:00 AM
Aroclor 1221	ND	78		µg/Kg-dry	1	6/25/2010 10:53:00 AM
Aroclor 1232	ND	78		µg/Kg-dry	1	6/25/2010 10:53:00 AM
Aroclor 1242	ND	78		µg/Kg-dry	1	6/25/2010 10:53:00 AM
Aroclor 1248	ND	78		µg/Kg-dry	1	6/25/2010 10:53:00 AM
Aroclor 1254	ND	78		µg/Kg-dry	1	6/25/2010 10:53:00 AM
Aroclor 1260	ND	78		µg/Kg-dry	1	6/25/2010 10:53:00 AM
Aroclor 1262	ND	78		µg/Kg-dry	1	6/25/2010 10:53:00 AM
Aroclor 1268	ND	78		µg/Kg-dry	1	6/25/2010 10:53:00 AM
Surr: Tetrachloro-m-xylene	102	30-150		%REC	1	6/25/2010 10:53:00 AM
Surr: Decachlorobiphenyl	94.3	30-150		%REC	1	6/25/2010 10:53:00 AM

Lab ID: 1006079-46
Client Sample ID: 093822-D8-1

Collection Date: 6/18/2010 12:02:00 PM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: KA
Aroclor 1016	ND	70		µg/Kg-dry	1	6/25/2010 11:21:00 AM
Aroclor 1221	ND	70		µg/Kg-dry	1	6/25/2010 11:21:00 AM
Aroclor 1232	ND	70		µg/Kg-dry	1	6/25/2010 11:21:00 AM
Aroclor 1242	ND	70		µg/Kg-dry	1	6/25/2010 11:21:00 AM
Aroclor 1248	ND	70		µg/Kg-dry	1	6/25/2010 11:21:00 AM
Aroclor 1254	ND	70		µg/Kg-dry	1	6/25/2010 11:21:00 AM
Aroclor 1260	97	70		µg/Kg-dry	1	6/25/2010 11:21:00 AM
Aroclor 1262	ND	70		µg/Kg-dry	1	6/25/2010 11:21:00 AM
Aroclor 1268	ND	70		µg/Kg-dry	1	6/25/2010 11:21:00 AM
Surr: Tetrachloro-m-xylene	87.9	30-150		%REC	1	6/25/2010 11:21:00 AM
Surr: Decachlorobiphenyl	79.6	30-150		%REC	1	6/25/2010 11:21:00 AM

AMRO Environmental Laboratories Corp.

Date: *28-Jun-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-2 Canton Airport
Lab Order: 1006079

Lab ID: 1006079-49
Collection Date: 6/18/2010 7:10:00 AM
Collection Time:
Client Sample ID: 093822-B11-DUP1
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: KA
Aroclor 1016	ND	280		µg/Kg-dry	1	6/25/2010 12:44:00 PM
Aroclor 1221	ND	280		µg/Kg-dry	1	6/25/2010 12:44:00 PM
Aroclor 1232	ND	280		µg/Kg-dry	1	6/25/2010 12:44:00 PM
Aroclor 1242	ND	280		µg/Kg-dry	1	6/25/2010 12:44:00 PM
Aroclor 1248	ND	280		µg/Kg-dry	1	6/25/2010 12:44:00 PM
Aroclor 1254	ND	280		µg/Kg-dry	1	6/25/2010 12:44:00 PM
Aroclor 1260	ND	280		µg/Kg-dry	1	6/25/2010 12:44:00 PM
Aroclor 1262	ND	280		µg/Kg-dry	1	6/25/2010 12:44:00 PM
Aroclor 1268	ND	280		µg/Kg-dry	1	6/25/2010 12:44:00 PM
Surr: Tetrachloro-m-xylene	79.4	30-150		%REC	1	6/25/2010 12:44:00 PM
Surr: Decachlorobiphenyl	65.4	30-150		%REC	1	6/25/2010 12:44:00 PM

Lab ID: 1006079-50
Collection Date: 6/18/2010 7:12:00 AM
Collection Time:
Client Sample ID: 093822-C9-DUP1
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PCBS BY EPA8082		**SW8082**				Analyst: KA
Aroclor 1016	ND	90		µg/Kg-dry	1	6/25/2010 10:37:00 AM
Aroclor 1221	ND	90		µg/Kg-dry	1	6/25/2010 10:37:00 AM
Aroclor 1232	ND	90		µg/Kg-dry	1	6/25/2010 10:37:00 AM
Aroclor 1242	ND	90		µg/Kg-dry	1	6/25/2010 10:37:00 AM
Aroclor 1248	ND	90		µg/Kg-dry	1	6/25/2010 10:37:00 AM
Aroclor 1254	ND	90		µg/Kg-dry	1	6/25/2010 10:37:00 AM
Aroclor 1260	ND	90		µg/Kg-dry	1	6/25/2010 10:37:00 AM
Aroclor 1262	ND	90		µg/Kg-dry	1	6/25/2010 10:37:00 AM
Aroclor 1268	ND	90		µg/Kg-dry	1	6/25/2010 10:37:00 AM
Surr: Tetrachloro-m-xylene	78.4	30-150		%REC	1	6/25/2010 10:37:00 AM
Surr: Decachlorobiphenyl	92.6	30-150		%REC	1	6/25/2010 10:37:00 AM

AMRO Environmental Laboratories Corp.

Date: *28-Jun-10*

CLIENT: GEI Consultants, Inc.
Work Order: 1006079
Project: 09382-2 Canton Airport

QC SUMMARY REPORT

Method Blank

Sample ID **MB-20357** Batch ID: **20357** Test Code: **SW8082** Units: **µg/Kg** Analysis Date **6/24/10 8:28:00 PM** Prep Date **6/22/10**

Client ID: Run ID: **GC-TRENT_100624A** SeqNo: **744990**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Aroclor 1016	ND	50	µg/Kg									
Aroclor 1221	ND	50	µg/Kg									
Aroclor 1232	ND	50	µg/Kg									
Aroclor 1242	ND	50	µg/Kg									
Aroclor 1248	ND	50	µg/Kg									
Aroclor 1254	ND	50	µg/Kg									
Aroclor 1260	ND	50	µg/Kg									
Aroclor 1262	ND	50	µg/Kg									
Aroclor 1268	ND	50	µg/Kg									
Surr: Tetrachloro-m-xylene	15.8	0	µg/Kg	16	0	98.7	30	150	0			
Surr: Decachlorobiphenyl	13.66	0	µg/Kg	16	0	85.4	30	150	0			

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank
NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: *28-Jun-10*

CLIENT: GEI Consultants, Inc.
Work Order: 1006079
Project: 09382-2 Canton Airport

QC SUMMARY REPORT

Method Blank

Sample ID **MB-20359** Batch ID: **20359** Test Code: **SW8082** Units: **µg/Kg** Analysis Date **6/25/10 10:10:00 AM** Prep Date **6/23/10**

Client ID: Run ID: **GC-ELVIS_100625A** SeqNo: **745236**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Aroclor 1016	ND	50	µg/Kg									
Aroclor 1221	ND	50	µg/Kg									
Aroclor 1232	ND	50	µg/Kg									
Aroclor 1242	ND	50	µg/Kg									
Aroclor 1248	ND	50	µg/Kg									
Aroclor 1254	ND	50	µg/Kg									
Aroclor 1260	ND	50	µg/Kg									
Aroclor 1262	ND	50	µg/Kg									
Aroclor 1268	ND	50	µg/Kg									
Surr: Tetrachloro-m-xylene	11.57	0	µg/Kg	16	0	72.3	30	150	0			
Surr: Decachlorobiphenyl	14.19	0	µg/Kg	16	0	88.7	30	150	0			

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank
NA - Not applicable where J values or ND results occur
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.

AMRO Environmental Laboratories Corp.

Date: *28-Jun-10*

CLIENT: GEI Consultants, Inc.
Work Order: 1006079
Project: 09382-2 Canton Airport

QC SUMMARY REPORT

Laboratory Control Spike Duplicate

Sample ID **LCSD-20357** Batch ID: **20357** Test Code: **SW8082** Units: **µg/Kg** Analysis Date **6/24/10 9:22:00 PM** Prep Date **6/22/10**
Client ID: Run ID: **GC-TRENT_100624A** SeqNo: **744992**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Aroclor 1016	1026	50	µg/Kg	1000	0	103	70.9	125	931.5	9.62	50	
Aroclor 1260	958.9	50	µg/Kg	1000	0	95.9	60.1	126	892.5	7.17	50	
Surr: Tetrachloro-m-xylene	16.78	0	µg/Kg	16	0	105	30	150	0	0	0	
Surr: Decachlorobiphenyl	15.29	0	µg/Kg	16	0	95.6	30	150	0	0	0	

Sample ID **LCS-20358** Batch ID: **20358** Test Code: **SW8082** Units: **µg/Kg** Analysis Date **6/24/10 10:29:00 PM** Prep Date **6/22/10**
Client ID: Run ID: **GC-ELVIS_100624A** SeqNo: **745045**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Aroclor 1016	1102	50	µg/Kg	1000	0	110	70.9	125	0			
Aroclor 1260	1145	50	µg/Kg	1000	0	115	60.1	126	0			
Surr: Tetrachloro-m-xylene	16.49	0	µg/Kg	16	0	103	30	150	0			
Surr: Decachlorobiphenyl	13.56	0	µg/Kg	16	0	84.7	30	150	0			

Sample ID **LCSD-20358** Batch ID: **20358** Test Code: **SW8082** Units: **µg/Kg** Analysis Date **6/24/10 10:55:00 PM** Prep Date **6/22/10**
Client ID: Run ID: **GC-ELVIS_100624A** SeqNo: **745046**

Analyte	QC Sample Result	RL	Units	QC Spike Amount	Original Sample Result	%REC	LowLimit	HighLimit	Original Sample or MS Result	%RPD	RPDLimit	Qua
Aroclor 1016	989.5	50	µg/Kg	1000	0	99	70.9	125	1102	10.8	50	
Aroclor 1260	1066	50	µg/Kg	1000	0	107	60.1	126	1145	7.15	50	
Surr: Tetrachloro-m-xylene	15.86	0	µg/Kg	16	0	99.1	30	150	0	0	0	
Surr: Decachlorobiphenyl	14.87	0	µg/Kg	16	0	92.9	30	150	0	0	0	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
RL - Reporting Limit; defined as the lowest concentration the laboratory can accurately quantitate.
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank
NA - Not applicable where J values or ND results occur

AMRO Environmental Laboratories Corp.

Date: *28-Jun-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-2 Canton Airport
Lab Order: 1006079

Lab ID: 1006079-01
Client Sample ID: 093822-B8-1
Collection Date: 6/18/2010 7:50:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	77.8	0		wt%	1	6/23/2010

Lab ID: 1006079-02
Client Sample ID: 093822-B8-2
Collection Date: 6/18/2010 8:00:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	75.9	0		wt%	1	6/23/2010

Lab ID: 1006079-03
Client Sample ID: 093822-B8-3
Collection Date: 6/18/2010 8:03:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	84.2	0		wt%	1	6/23/2010

Lab ID: 1006079-04
Client Sample ID: 093822-B8-4
Collection Date: 6/18/2010 8:08:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	80.8	0		wt%	1	6/23/2010

AMRO Environmental Laboratories Corp.

Date: *28-Jun-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-2 Canton Airport
Lab Order: 1006079

Lab ID: 1006079-09
Client Sample ID: 093822-A8-3
Collection Date: 6/18/2010 8:32:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	76.6	0		wt%	1	6/23/2010

Lab ID: 1006079-10
Client Sample ID: 093822-A8-4
Collection Date: 6/18/2010 8:37:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	73.1	0		wt%	1	6/23/2010

Lab ID: 1006079-11
Client Sample ID: 093822-A8-5
Collection Date: 6/18/2010 8:42:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	66.5	0		wt%	1	6/23/2010

Lab ID: 1006079-12
Client Sample ID: 093822-A9-1
Collection Date: 6/18/2010 8:54:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	54.5	0		wt%	1	6/23/2010

AMRO Environmental Laboratories Corp.

Date: *28-Jun-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-2 Canton Airport
Lab Order: 1006079

Lab ID: 1006079-17
Client Sample ID: 093822-A10-1
Collection Date: 6/18/2010 9:41:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	80.8	0		wt%	1	6/23/2010

Lab ID: 1006079-18
Client Sample ID: 093822-A10-2
Collection Date: 6/18/2010 9:47:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	79.8	0		wt%	1	6/23/2010

Lab ID: 1006079-19
Client Sample ID: 093822-A10-3
Collection Date: 6/18/2010 9:55:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	18.9	0		wt%	1	6/23/2010

Lab ID: 1006079-20
Client Sample ID: 093822-A11-1
Collection Date: 6/18/2010 10:09:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	77.0	0		wt%	1	6/23/2010

AMRO Environmental Laboratories Corp.

Date: *28-Jun-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-2 Canton Airport
Lab Order: 1006079

Lab ID: 1006079-25
Client Sample ID: 093822-D7-2
Collection Date: 6/18/2010 12:08:00 PM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	19.2	0		wt%	1	6/23/2010

Lab ID: 1006079-26
Client Sample ID: 093822-B9-1
Collection Date: 6/18/2010 7:47:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	44.3	0		wt%	1	6/23/2010

Lab ID: 1006079-27
Client Sample ID: 093822-B9-2
Collection Date: 6/18/2010 7:55:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	46.9	0		wt%	1	6/23/2010

Lab ID: 1006079-28
Client Sample ID: 093822-B9-3
Collection Date: 6/18/2010 8:02:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	31.7	0		wt%	1	6/23/2010

AMRO Environmental Laboratories Corp.

Date: *28-Jun-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-2 Canton Airport
Lab Order: 1006079

Lab ID: 1006079-33
Client Sample ID: 093822-B10-3
Collection Date: 6/18/2010 8:46:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	28.3	0		wt%	1	6/23/2010

Lab ID: 1006079-34
Client Sample ID: 093822-B11-1
Collection Date: 6/18/2010 9:14:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	81.2	0		wt%	1	6/23/2010

Lab ID: 1006079-35
Client Sample ID: 093822-B11-2
Collection Date: 6/18/2010 9:21:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	82.8	0		wt%	1	6/23/2010

Lab ID: 1006079-36
Client Sample ID: 093822-B11-3
Collection Date: 6/18/2010 9:32:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	85.1	0		wt%	1	6/23/2010

AMRO Environmental Laboratories Corp.

Date: *28-Jun-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-2 Canton Airport
Lab Order: 1006079

Lab ID: 1006079-41
Client Sample ID: 093822-C9-1
Collection Date: 6/18/2010 11:08:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	79.2	0		wt%	1	6/23/2010

Lab ID: 1006079-42
Client Sample ID: 093822-C9-2
Collection Date: 6/18/2010 11:15:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	75.1	0		wt%	1	6/23/2010

Lab ID: 1006079-43
Client Sample ID: 093822-C9-3
Collection Date: 6/18/2010 11:23:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	84.4	0		wt%	1	6/23/2010

Lab ID: 1006079-44
Client Sample ID: 093822-C9-4
Collection Date: 6/18/2010 11:29:00 AM
Collection Time:
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	73.0	0		wt%	1	6/23/2010

AMRO Environmental Laboratories Corp.

Date: *28-Jun-10*

CLIENT: GEI Consultants, Inc.
Project: 09382-2 Canton Airport
Lab Order: 1006079

Lab ID: 1006079-49
Collection Date: 6/18/2010 7:10:00 AM
Collection Time:
Client Sample ID: 093822-B11-DUP1
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	83.4	0		wt%	1	6/23/2010

Lab ID: 1006079-50
Collection Date: 6/18/2010 7:12:00 AM
Collection Time:
Client Sample ID: 093822-C9-DUP1
Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
PERCENT MOISTURE		D2216				Analyst: MG
Percent Moisture	46.4	0		wt%	1	6/23/2010