US EPA RECORDS CENTER REGION 5
1007467

7428 Rockville Road | Indianapolis, IN 46214 | 317.347.1111 office | 317.347.9326 fax

Semi-Annual Post-Closure Monitoring Report
Implemented Corrective Measure
Former Amphenol Facility

Prepared for
Amphenol Corporation

November 27, 2012

7428 Rockville Road | Indianapolis, IN 46214 | 317.347.1111 office | 317.347.9326 fax

Semi-Annual Post-Closure Monitoring Report
Implemented Corrective Measure
Former Amphenol Facility

Prepared for
Amphenol Corporation

November 27, 2012

iWM CONSULTING GROUP

7428 Rockville Road, Indianapolis, IN 46214

November 27, 2012

Mr. Juan Thomas
United States Environmental Protection Agency Region 5
RCRA Enforcement and Compliance Assurance Branch, DE-9J
77 West Jackson Boulevard
Chicago, IL 60604

Re: Implemented Corrective Measures – Groundwater Recovery and Treatment System Semi-Annual Post Closure Monitoring Report
Former Amphenol Facility #IND 044 587 848
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Thomas:

This Implemented Corrective Measures – Groundwater Recovery and Treatment System (ICM-GRTS) Report is submitted on behalf of the "Respondents", Franklin Power Products, Incorporated and Amphenol Corporation. This report summarizes the "Work Efforts" completed during the second semi-annual period (April 20, 2012 through October 19, 2012) of the calendar year 2012. The "Work Efforts" were conducted pursuant to Section VIII of the Administrative Order on Consent for Corrective Measures Implementation (CMI) for the above referenced site and in accordance with the approved Post Closure Monitoring Work Plan submitted to the USEPA in March 2000.

The "Work Efforts" performed at the site included:

- Operations and Maintenance of the Groundwater Recovery and Treatment System
- Groundwater Elevation Monitoring
- Quarterly Sampling and Analysis of the Groundwater Recovery and Treatment System
- Semi-Annual Groundwater Sampling and Analysis

Groundwater Recovery and Treatment System – Operations and Maintenance

The Implemented Corrective Measure (ICM) at the site is a groundwater pump and treat system consisting of 5 recovery wells (RW-1 through RW-5). Recovery wells RW-1, RW-2, and RW-3 have 5 foot screened intervals at depths of approximately 15 to 20 ft BGS and 2 foot sumps. Recovery well RW-4 has a 10 foot screened interval at a depth of approximately 13 to 23 ft BGS and a 4-foot sump. An additional recovery well (RW-5) was installed in June 2010 and activated in July 2010 in conjunction with supplemental bioremediation activities being completed at the site. Recovery well RW-5 has a 10 foot screened interval at a depth of approximately 14 to 24 feet BGS and a 2-foot sump. Electric submersible pumps are used to pump groundwater from the recovery wells to an air stripper where volatile organic compounds (VOCs) are volatilized and exhausted to the atmosphere. Groundwater effluent from the air stripper is discharged to the City of Franklin municipal sanitary sewer system. In addition to VOC removal, the ICM is designed to lower the potentiometric groundwater surface to below the level of the existing storm sewer invert.

To ensure proper performance of the groundwater recovery and treatment system, IWM Consulting Group, LLC (IWM) personnel conducted routine operation and maintenance (O&M) inspections. Bi-weekly O&M duties include measurement of influent flow rates, measurement of groundwater elevations of the recovery wells, routine inspections and necessary repairs of influent and effluent lines, and air stripper maintenance. On a monthly basis, depth to groundwater is recorded in monitoring wells IT-2, IT-3, MW-3, MW-9, MW-12R, MW-20, MW-21, MW-22, MW-24, MW-26, MW-27, MW-28, MW-29, MW-30, and recovery wells RW-1 through RW-5. The air stripper trays and effluent discharge line are inspected and cleaned as necessary during monthly O&M activities. Also, influent sediment filters are replaced monthly. Quarterly O&M activities include complete disassembly and cleaning of the air stripper trays and sump. The sequestering agent system is also maintained on a quarterly basis. The air stripper blower lubrication and integrity is inspected on a quarterly basis. All recovery well pumps are also removed and cleaned on a quarterly basis. Monthly O&M reports are attached in **Appendix A**.

During this reporting period (April 20, 2012 through October 19, 2012), approximately 7,268,290 gallons of groundwater were recovered, treated, and discharged. The combined average influent flow rate for the period was 27.7 gpm. To date, approximately 173,521,218 gallons have been recovered. Groundwater recovery rates to date are provided in **Table 1**.

Overall the groundwater recovery and treatment system was very reliable and was operational during the majority of this reporting period. However, the following operational issues were encountered:

IWM personnel mobilized to the site on June 26, 2012 to complete bi-weekly system operation and maintenance activities. A crack was observed in the groundwater recovery line at the top of the well head to recovery well RW-1. Recovery well RW-1 was deactivated, the cracked PVC piping was replaced, and the recovery well was restarted. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on June 26, 2012.

IWM personnel mobilized to the site on September 21, 2012 to complete bi-weekly system operation and maintenance activities. Upon inspection, it was discovered that the pump in recovery well RW-4 was dysfunctional. IWM personnel replaced the pump in RW-4 and re-started groundwater recovery operations from RW-4. The groundwater recovery and treatment system was completely operational upon departure from the site on September 21, 2012.

Groundwater Level Measurements

On a monthly basis, IWM personnel gauge select monitoring wells (IT-2, IT-3, MW-3, MW-9, MW-12R, MW-20, MW-21, MW-22, MW-23, MW-24, MW-26, MW-27, MW-28, MW-29, and MW-30) at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. For this semi-annual reporting period, depth to water in the monitoring wells ranged from 6.59 feet below top of casing (TOC) in MW-9 to 18.87 feet below TOC in MW-22. During this reporting period, neither LNAPL nor DNAPL were detected within the monitoring and recovery well network at the site. Additionally, the water table has raised approximately 1.57 feet from April 2012 to October 2012. The groundwater elevation data indicates that the groundwater recovery and treatment system maintains hydraulic control of the dissolved VOC plume. **Figure 1** is a site plan illustrating pertinent site features and well locations. A groundwater elevation contour map based on the most recent gauging event (October 5, 2012) is provided as **Figure 2**. Historic groundwater elevation data and groundwater contour maps for this reporting period are provided in each monthly O&M report included in **Appendix A**. Groundwater elevations during this semi-annual reporting period are provided in **Table 2**.

Quarterly Treatment System Sampling and Analysis

On May 22, 2012, influent samples from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 and a combined effluent sample were obtained to evaluate the groundwater treatment system. Each of the influent sample taps was allowed to run for at least 10 seconds. Prior to sampling, water flow from the tap was reduced to minimize turbulence and agitation. All samples were submitted to Pace Analytical Services, Inc. (Pace), located in Indianapolis, Indiana for VOC analysis by SW-846 Method 8260B.

Laboratory analytical results from the May 22, 2012 quarterly system sampling activities indicated the presence of 1,1,1-trichloroethane and trichloroethene in groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, and RW-5. 1,1-Dichloroethane was detected in the groundwater samples obtained from recovery wells RW-2 and RW-3. Cis-1,2-dichloroethene was detected in the groundwater samples obtained from recovery wells RW-2, RW-3, and RW-5. Tetrachloroethene was detected in the groundwater samples obtained from recovery wells RW-2, RW-3, RW-4, and RW-5. No constituents of concern were detected in the remedial system's effluent water sample.

On August 24, 2012, influent samples from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 and a combined effluent sample were obtained to evaluate the groundwater treatment system. Each of the influent sample taps was allowed to run for at least 10 seconds. Prior to sampling, water flow from the tap was reduced to minimize turbulence and agitation. All samples were submitted to Pace, located in Indianapolis, Indiana for VOC analysis by SW-846 Method 8260B.

Laboratory analytical results from the August 24, 2012 quarterly system sampling activities indicated the presence of tetrachloroethene in the groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. 1,1-Dichloroethane was detected in the groundwater samples obtained from recovery wells RW-3 and RW-5. Cis-1,2-dichloroethene, 1,1,1-trichloroethane, and trichloroethene were detected in the groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, and RW-5. No constituents of concern were detected in the remedial system's effluent water sample.

The analytical reports for the quarterly system sampling events are included in **Appendix B**. A summary of quarterly system sampling results is included in **Table 3**.

Semi-Annual Groundwater Sampling and Analysis

On October 5, 2012, groundwater samples were obtained from monitoring wells IT-2, IT-3, MW-12R, MW-20, MW-22, MW-28, MW-29, and MW-30 for VOC analysis to evaluate current groundwater quality at the site. Groundwater samples were collected using dedicated, disposable, bottom-loading bailers to reduce the risk of cross-contamination. Three-well volumes were purged prior to sample collection. Samples were submitted to Pace for VOC analysis using US EPA SW 846 Method 8260B. Groundwater sampling logs are provided in **Attachment C**.

The highest VOC concentrations were detected in the groundwater samples obtained from monitoring well MW-22 (905.3 µg/L total VOCs) located 30 feet northwest of recovery well RW-3 and monitoring well MW-12R (890.6 µg/L total VOCs) located adjacent to recovery well RW-2. Therefore, the groundwater recovery and treatment system is effectively targeting the area of greatest VOC concentration. The concentrations of dissolved VOCs in monitoring wells MW-12 and MW-22 decreased substantially following installation of the groundwater recovery and treatment system in 1996. Overall, total VOC

concentrations in these wells have been relatively stable during operation of the treatment system from 2000 to 2012.

Trichloroethene was detected in monitoring wells IT-2, IT-3, MW-12R, MW-22, MW-28, and MW-30. Cis-1,2-dichloroethene was detected in monitoring wells IT-2, MW-12R, and MW-22. 1,1,1-Trichloroethane was detected in monitoring wells IT-2, IT-3, MW-12R, MW-22, MW-28, and MW-30. Tetrachloroethene was detected in monitoring wells MW-12R, MW-20, MW-22, and MW-28.

Both monitoring wells IT-2 and IT-3 are located down-gradient from the site. Overall, total dissolved VOC concentrations in monitoring wells IT-2 and IT-3 have decreased over time during operation of the groundwater recovery and treatment system. Total dissolved VOC concentrations in monitoring wells MW-12/12R and MW-30 have decreased since the startup of the remedial system in 1996. Total dissolved VOC concentrations decreased substantially in monitoring wells MW-22 and MW-28 during the initial startup of the recovery system in 1996 and have been decreasing during operation of the groundwater recovery and treatment system from 2000 to 2012. Tetrachloroethene and trichloroethene concentrations were reduced significantly (47% and 37%, respectively) in monitoring well MW-22 as part of a three month enhanced bioremediation pilot study conducted in early 2007. During the implementation of the full scale enhanced bioremediation activities (July 2010 through March 2011), tetrachloroethene concentrations decreased an additional 22% in monitoring well MW-22. Post full scale enhanced bioremediation activities, tetrachloroethene concentrations have decreased an additional 32% in monitoring well MW-22.

The dissolved VOC concentrations observed in monitoring well MW-12R initially (October 2010) increased immediately after implementation of the full scale enhanced bioremediation. The reason for the increased dissolved VOC concentrations appears to be because several combination groundwater and microbe injection points (IN-4, IN-5, IN-6, and IN-7) were installed immediately hydraulically up-gradient from this well and the injection points were able to "flush" the VOC impacted saturated soil, thus increasing the dissolved VOC concentrations while simultaneously decreasing the adsorbed VOC concentrations. Furthermore, the dissolved VOCs were drawn to and recovered by hydraulically down-gradient recovery wells RW-2 (adjacent to MW-12R) and RW-5 (approximately 45 feet west of MW-12R). Since monitoring well MW-12R is located between these two recovery wells, this explains why the dissolved VOC concentrations increased immediately after start-up of the full scale enhanced bioremediation activities. It should be noted that the dissolved VOCs displayed a decrease in concentrations during the April 2011 groundwater sampling event. During the October 2011 event, a substantial rebound of dissolved VOC concentrations was observed, however the dissolved VOC concentrations in monitoring well MW-12R decreased approximately 72% from the October 2011 sampling event when compared to the October 2012 sampling event.

Hydraulically upgradient well MW-20 had a detectable concentration of tetrachloroethene during the October 2012 sampling event. This is the first time tetrachloroethene has been detected in MW-20. Additional groundwater samples will continue to be obtained on a semi-annual basis and a determination will be made in the future regarding the long term trend of the tetrachloroethene.

No VOCs were detected in the groundwater samples obtained from monitoring well MW-29.

A trip blank and a field duplicate sample (MW-22) were obtained per IDEM Minimum Data Documentation Requirements dated February 13, 2003. The trip blank and the duplicate sample were analyzed for VOCs. The trip blank was below laboratory detection limits for all constituents and the duplicate analysis was relatively consistent with the sample which was duplicated. Groundwater sampling field logs are provided

in **Appendix C**. Laboratory data sheets are provided in **Appendix D**. A summary of groundwater analytical results is included in **Table 4**.

Conclusions

Based on the data collected during this semi-annual post closure monitoring period, the following conclusions can be asserted:

1. The groundwater recovery and treatment system maintains hydraulic control of the dissolved VOC plume.

2. The cone of influence developed by the on-site recovery wells extends beyond the downgradient site property boundary.

3. The average combined influent rate for the groundwater recovery system is approximately 27.7 gpm.

4. The highest dissolved PCE concentrations were detected near the suspected release area where the sanitary sewer crosses the existing storm sewer.

5. The highest VOC concentrations were detected in the groundwater samples obtained from monitoring wells MW-22 and MW-12R, located adjacent to recovery wells RW-3 and RW-2, respectively. Therefore, the groundwater recovery and treatment system is effectively targeting the area of greatest VOC concentrations.

6. Following activation of the groundwater recovery and treatment system, total dissolved VOC concentrations decreased substantially. Since initial startup of the remedial system, total VOC concentrations have displayed decreasing trends in monitoring wells IT-2, IT-3, MW-12/12R, MW-22, MW-28, and MW-30.

7. A full-scale implementation of enhanced bio-remediation activities were initiated in July 2010. As part of enhanced bio-remediation corrective actions, one recovery well (RW-5) and five additional injection wells (IN-3 through IN-7) were installed at the site. The recovery well was activated in July 2010. The injection of oxygenated water with intermittent microbe injection activities were also initiated in late July 2010. Immediately following the completion of the full scale enhanced bioremediation activities in March 2011, tetrachloroethene concentrations were reduced 16% (MW-21), 68% (MW-22), 42% (ASI-1), 73% (ASI-2), 19% (MON-1), 26% (MON-2), 69% (RW-2), 64% (RW-3), 40% (RW-5), 78% (IN-1), 89% (IN-2), 76% (IN-3), 75% (IN-4), 25% (IN-5), and 76% (IN-7). The injection activities were ceased in March 2011 and a determination will be made in the future regarding additional enhanced bio-remediation activities.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111.

Sincerely,

IWM CONSULTING GROUP, LLC

Christopher D. Parks, LPG
Project Manager

Bradley E. Gentry, LPG
Senior Project Manager

Attachments
cc: Mr. Samuel Waldo, Amphenol Corporation

FIGURES

iWM CONSULTING GROUP



EGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

Scale 1":100 ft.

DRAWN BY:	L. STRUM
DATE:	9/27/99
REVISED:	
HWPA #111291-01	
DWG. NO.	111291S1

FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP



LEGEND

- MONITORING WELL
- RECOVERY WELL
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER
- 722.00 POTENTIONMETRIC SURFACE (CONTOUR INTERVAL = 1.0 FT.)

0 100
SCALE IN FEET

DRAWN BY: L. STRUM	FIGURE 2 GROUNDWATER ELEVATION MAP (10/05/12)	FORMER AMPHENOL RFI/CMS 980 HURRICANE ROAD FRANKLIN, INDIANA	iWM CONSULTING GROUP
DATE: 9/27/99			
REVISED:			
HWPA #111291-01			
DWG. NO. 111291S1			

TABLES

Table 1

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	**RW-1**	**RW-2**	**RW-3**	**RW-4**	**RW-5**	**Total**
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	***445,555***	***428,463***	***536,852***	-	-	***1,410,870***
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	***1,949,120***	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	***2,835,673***	-	-	6,436,098
3/28/1997	1,692,834	2,039,011	***2,835,673***	-	-	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	***2,842,124***	-	-	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	**RW-1**	**RW-2**	**RW-3**	**RW-4**	**RW-5**	**Total**
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	3,313,604	7,312,970	6,402,525	-	-	17,050,326
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	3,889,675	8,638,302	7,429,910	1,171,610	-	21,150,724
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	**RW-1**	**RW-2**	**RW-3**	**RW-4**	**RW-5**	**Total**
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	**RW-1**	**RW-2**	**RW-3**	**RW-4**	**RW-5**	**Total**
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	**RW-1**	**RW-2**	**RW-3**	**RW-4**	**RW-5**	**Total**
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308
12/1/2011	18,629,825	33,598,934	48,320,048	53,355,570	6,100,310	160,025,914
12/16/2011	18,629,949	33,694,694	48,451,868	53,577,620	6,282,440	160,657,798
12/28/2011	18,629,987	33,779,384	48,561,758	53,756,850	6,369,780	161,118,986
1/13/2012	18,645,754	33,859,637	48,708,053	53,992,589	6,573,941	161,801,201
1/16/2012	18,716,529	33,865,708	48,721,294	54,013,533	6,592,457	161,930,748
1/27/2012	18,757,241	33,938,060	48,817,779	54,170,142	6,731,820	162,436,269
2/10/2012	18,815,117	34,035,651	48,942,826	54,373,450	6,910,967	163,099,238
2/24/2012	18,862,640	34,104,647	49,069,225	54,579,272	7,090,969	163,727,980
3/9/2012	18,902,508	34,170,267	49,197,023	54,783,061	7,269,776	164,343,862
3/23/2012	18,937,777	34,222,618	49,324,691	54,989,061	7,449,391	164,944,765
4/6/2012	18,985,172	34,316,006	49,452,912	55,194,431	7,629,191	165,598,939
4/20/2012	19,034,085	34,411,741	49,579,662	55,399,648	7,806,565	166,252,928
5/2/2012	19,072,065	34,481,477	49,688,956	55,576,321	7,959,176	166,799,222
5/16/2012	19,126,410	34,578,497	49,817,176	55,781,962	8,137,991	167,463,263
5/22/2012	19,148,742	34,617,182	49,872,834	55,871,142	8,215,560	167,746,687
6/1/2012	19,182,310	34,668,364	49,964,636	56,017,651	8,342,793	168,196,981
6/14/2012	19,220,759	34,715,694	50,084,238	56,206,400	8,508,700	168,757,018
6/26/2012	19,250,934	34,755,010	50,196,416	56,384,007	8,664,407	169,272,001
7/13/2012	19,282,456	34,789,492	50,351,741	56,627,498	8,878,597	169,951,011

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/27/2012	19,300,279	34,815,104	50,481,138	56,830,580	9,056,180	170,504,508
8/10/2012	19,309,368	34,840,760	50,610,359	57,033,320	9,233,830	171,048,864
8/24/2012	19,315,213	34,851,574	50,736,895	57,233,136	9,408,656	171,566,701
9/6/2012	19,318,377	34,861,041	50,856,179	57,234,830	9,571,204	171,862,858
9/21/2012	19,335,883	34,872,814	50,991,985	57,455,799	9,757,477	172,435,185
10/5/2012	19,352,210	34,883,464	51,121,784	57,668,757	9,934,425	172,981,867
10/19/2012	19,370,447	34,892,551	51,249,042	57,878,757	10,109,194	173,521,218

Notes:

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.

AMPHENOL CORPORATION
FRANKLIN, INDIANA



Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/03/07	732.25	11.52	720.73
	02/12/07		12.00	720.25
	03/12/07		11.74	720.51
	04/09/07		12.01	720.24
	05/07/07		12.11	720.14
	06/08/07		12.45	719.80
	07/17/07		12.66	719.59
	08/01/07		12.73	719.52
	09/14/07		13.03	719.22
	10/12/07		13.38	718.87
	11/09/07		13.37	718.88
	12/07/07		13.27	718.98
	01/04/08		12.79	719.46
	02/15/08		11.85	720.40
	03/13/08		11.48	720.77
	04/11/08		11.31	720.94
	05/08/08		11.95	720.30
	06/06/08		11.08	721.17
	07/03/08		11.29	720.96
	08/01/08		11.65	720.60
	09/12/08		12.38	719.87
	10/10/08		12.78	719.47
	11/06/08		13.05	719.20
	12/19/08		12.97	719.28
	01/02/09		12.39	719.86
	02/13/09		12.30	719.95
	03/13/09		12.40	719.85
	04/09/09		12.22	720.03
	05/08/09		11.90	720.35
	06/05/09		11.89	720.36
	07/02/09		12.05	720.20
	08/14/09		11.55	720.70
	09/11/09		12.02	720.23
	10/09/09		12.29	719.96
	11/04/09		12.26	719.99
	12/04/09		12.55	719.70
	01/14/10		12.50	719.75
	02/10/10		NG	NG
	03/11/10		12.49	719.76
	04/08/10		12.19	720.06
	05/06/10		12.35	719.90
	06/04/10		12.47	719.78
	07/01/10		11.69	720.56
	08/12/10		12.39	719.86
	09/08/10		13.07	719.18
	10/07/10		14.04	718.21
	11/19/10		14.28	717.97
	12/03/10		13.70	718.55
	01/14/11		13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99
	12/01/11		12.82	719.43
	01/13/12		12.50	719.75
	02/10/12		12.30	719.95
	03/09/12		12.80	719.45
	04/06/12		12.31	719.94
	05/02/12		12.47	719.78
	06/01/12		12.71	719.54
	07/13/12		13.48	718.77
	08/10/12		13.94	718.31
	09/06/12		13.72	718.53
	10/05/12		13.56	718.69

IWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/03/07	728.71	10.46	718.25
	02/12/07		10.93	717.78
	03/12/07		10.81	717.90
	04/09/07		10.88	717.83
	05/07/07		10.95	717.76
	06/08/07		11.10	717.61
	07/17/07		11.12	717.59
	08/01/07		11.12	717.59
	09/14/07		11.21	717.50
	10/12/07		11.35	717.36
	11/09/07		11.35	717.36
	12/07/07		11.36	717.35
	01/04/08		11.24	717.47
	02/15/08		10.61	718.10
	03/13/08		10.42	718.29
	04/11/08		10.23	718.48
	05/08/08		10.70	718.01
	06/06/08		9.84	718.87
	07/03/08		9.89	718.82
	08/01/08		10.54	718.17
	09/12/08		10.92	717.79
	10/10/08		11.04	717.67
	11/06/08		11.20	717.51
	12/19/08		11.01	717.70
	01/02/09		10.98	717.73
	02/13/09		10.79	717.92
	03/13/09		11.13	717.58
	04/09/09		10.86	717.85
	05/08/09		10.81	717.90
	06/05/09		10.71	718.00
	07/02/09		10.81	717.90
	08/14/09		10.52	718.19
	09/11/09		10.80	717.91
	10/09/09		10.77	717.94
	11/04/09		10.91	717.80
	12/04/09		11.07	717.64
	01/14/10		11.09	717.62
	02/10/10		11.13	717.58
	03/11/10		11.03	717.68
	04/08/10		10.75	717.96
	05/06/10		10.96	717.75
	06/04/10		11.01	717.70
	07/01/10		10.52	718.19
	08/12/10		10.88	717.83
	09/08/10		11.10	717.61
	10/07/10		11.33	717.38
	11/19/10		11.49	717.22
	12/03/10		11.26	717.45
	01/14/11		11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		10.60	718.11
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69
	12/01/11		10.74	717.97
	01/13/12		10.90	717.81
	02/10/12		10.86	717.85
	03/09/12		11.08	717.63
	04/06/12		10.73	717.98
	05/02/12		10.68	718.03
	06/01/12		10.97	717.74
	07/13/12		11.18	717.53
	08/10/12		11.29	717.42
	09/06/12		11.30	717.41
	10/05/12		11.24	717.47

iWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/03/07	736.44	14.00	722.44
	02/12/07		14.58	721.86
	03/12/07		14.41	722.03
	04/09/07		14.64	721.80
	05/07/07		14.83	721.61
	06/08/07		15.32	721.12
	07/17/07		15.73	720.71
	08/01/07		16.89	719.55
	09/14/07		16.23	720.21
	10/12/07		16.65	719.79
	11/09/07		16.60	719.84
	12/07/07		16.55	719.89
	01/04/08		15.87	720.57
	02/15/08		14.41	722.03
	03/13/08		13.82	722.62
	04/11/08		13.50	722.94
	05/08/08		14.33	722.11
	06/06/08		13.30	723.14
	07/03/08		13.41	723.03
	08/01/08		13.68	722.76
	09/12/08		15.28	721.16
	10/10/08		15.77	720.67
	11/06/08		16.11	720.33
	12/19/08		16.10	720.34
	01/02/09		15.26	721.18
	02/13/09		15.16	721.28
	03/13/09		15.25	721.19
	04/09/09		14.88	721.56
	05/08/09		NG	NG
	06/05/09		14.25	722.19
	07/02/09		14.62	721.82
	08/14/09		13.92	722.52
	09/11/09		14.73	721.71
	10/09/09		15.17	721.27
	11/04/09		15.07	721.37
	12/04/09		15.48	720.96
	01/14/10		15.23	721.21
	02/10/10		15.37	721.07
	03/11/10		15.21	721.23
	04/08/10		14.82	721.62
	05/06/10		14.92	721.52
	06/04/10		15.13	721.31
	07/01/10		14.04	722.40
	08/12/10		15.06	721.38
	09/08/10		15.85	720.59
	10/07/10		16.52	719.92
	11/19/10		16.99	719.45
	12/03/10		16.32	720.12
	01/14/11		16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47
	12/01/11		15.48	720.96
	01/13/12		14.87	721.57
	02/10/12		14.49	721.95
	03/09/12		15.10	721.34
	04/06/12		14.63	721.81
	05/02/12		14.59	721.85
	06/01/12		15.13	721.31
	07/13/12		16.09	720.35
	08/10/12		16.63	719.81
	09/06/12		16.50	719.94
	10/05/12		16.38	720.06

iWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/03/07	733.04	6.85	726.19
	02/12/07		7.81	725.23
	03/12/07		9.56	723.48
	04/09/07		10.56	722.48
	05/07/07		8.35	724.69
	06/08/07		9.07	723.97
	07/17/07		9.65	723.39
	08/01/07		9.82	723.22
	09/14/07		10.49	722.55
	10/12/07		10.95	722.09
	11/09/07		11.14	721.90
	12/07/07		11.21	721.83
	01/04/08		10.46	722.58
	02/15/08		8.45	724.59
	03/13/08		7.28	725.76
	04/11/08		6.40	726.64
	05/08/08		7.74	725.30
	06/06/08		8.49	724.55
	07/03/08		8.50	724.54
	08/01/08		7.28	725.76
	09/12/08		7.30	725.74
	10/10/08		9.47	723.57
	11/06/08		9.98	723.06
	12/19/08		9.34	723.70
	01/02/09		8.77	724.27
	02/13/09		8.04	725.00
	03/13/09		8.75	724.29
	04/09/09		7.82	725.22
	05/08/09		NG	NG
	06/05/09		7.24	725.80
	07/02/09		7.89	725.15
	08/14/09		6.96	726.08
	09/11/09		8.47	724.57
	10/09/09		8.34	724.70
	11/04/09		8.46	724.58
	12/04/09		8.98	724.06
	01/14/10		8.83	724.21
	02/10/10		NG	NG
	03/11/10		8.51	724.53
	04/08/10		7.37	725.67
	05/06/10		8.16	724.88
	06/04/10		8.48	724.56
	07/01/10		7.22	725.82
	08/12/10		8.94	724.10
	09/08/10		9.81	723.23
	10/07/10		10.51	722.53
	11/19/10		11.10	721.94
	12/03/10		10.31	722.73
	01/14/11		10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29
	12/01/11		8.57	724.47
	01/13/12		8.18	724.86
	02/10/12		7.76	725.28
	03/09/12		8.52	724.52
	04/06/12		7.71	725.33
	05/02/12		6.56	726.48
	06/01/12		8.58	724.46
	07/13/12		9.90	723.14
	08/10/12		10.42	722.62
	09/06/12		10.68	722.36
	10/05/12		10.41	722.63

iWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12	01/03/07	736.38	15.70	720.68
	02/12/07		16.18	720.20
	03/12/07		15.54	720.84
	04/09/07		16.17	720.21
	05/07/07		16.32	720.06
	06/08/07		16.58	719.80
	07/17/07		16.79	719.59
	08/01/07		16.88	719.50
	09/14/07		17.10	719.28
	10/12/07		17.47	718.91
	11/09/07		17.45	718.93
	12/07/07		17.35	719.03
	01/04/08		16.86	719.52
	02/03/08		15.97	720.41
	03/13/08		15.67	720.71
	04/11/08		15.52	720.86
	05/08/08		16.06	720.32
Well Damaged	06/06/08		NG	NG
MW-12R	07/03/08	736.15	15.47	720.68
	08/01/08		15.76	720.39
	09/12/08		16.49	719.66
	10/10/08		16.85	719.30
	11/06/08		17.17	718.98
	12/19/08		17.05	719.10
	01/02/09		16.51	719.64
	02/13/09		16.44	719.71
	03/13/09		16.57	719.58
	04/09/09		16.38	719.77
	05/08/09		16.11	720.04
	06/05/09		16.05	720.10
	07/02/09		16.22	719.93
	08/14/09		15.77	720.38
	09/11/09		16.04	720.11
	10/09/09		16.41	719.74
	11/04/09		16.46	719.69
	12/04/09		16.71	719.44
	01/14/10		16.60	719.55
	02/10/10		16.68	719.47
	03/11/10		16.63	719.52
	04/08/10		16.32	719.83
	05/06/10		16.49	719.66
	06/04/10		16.61	719.54
	07/01/10		15.85	720.30
	08/12/10		16.64	719.51
	09/08/10		17.28	718.87
	10/07/10		18.41	717.74
	11/19/10		18.71	717.44
	12/03/10		18.22	717.93
	01/14/11		17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61
	12/01/11		17.20	718.95
	01/13/12		16.83	719.32
	02/10/12		16.66	719.49
	03/09/12		17.15	719.00
	04/06/12		16.74	719.41
	05/02/12		16.87	719.28
	06/01/12		18.87	717.28
	07/13/12		17.80	718.35
	08/10/12		18.16	717.99
	09/06/12		18.10	718.05
	10/05/12		17.95	718.20

iWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/03/07	734.03	8.51	725.52
	02/12/07		9.42	724.61
	03/12/07		9.24	724.79
	04/09/07		9.36	724.67
	05/07/07		9.61	724.42
	06/08/07		10.20	723.83
	07/17/07		10.72	723.31
	08/01/07		10.85	723.18
	09/14/07		11.58	722.45
	10/12/07		12.02	722.01
	11/09/07		12.10	721.93
	12/07/07		11.91	722.12
	01/04/08		11.11	722.92
	02/15/08		9.43	724.60
	03/13/08		8.71	725.32
	04/11/08		8.28	725.75
	05/08/08		9.23	724.80
	06/06/08		7.64	726.39
	07/03/08		7.67	726.36
	08/01/08		9.00	725.03
	09/12/08		9.05	724.98
	10/10/08		10.51	723.52
	11/06/08		11.17	722.86
	12/19/08		10.01	724.02
	01/02/09		9.69	724.34
	02/13/09		9.12	724.91
	03/13/09		9.84	724.19
	04/09/09		9.04	724.99
	05/08/09		8.53	725.50
	06/05/09		8.93	725.10
	07/02/09		9.34	724.69
	08/14/09		8.68	725.35
	09/11/09		9.74	724.29
	10/09/09		9.24	724.79
	11/04/09		9.55	724.48
	12/04/09		9.98	724.05
	01/14/10		9.99	724.04
	02/10/10		9.99	724.04
	03/11/10		9.46	724.57
	04/08/10		8.53	725.50
	05/06/10		9.41	724.62
	06/04/10		9.51	724.52
	07/01/10		8.81	725.22
	08/12/10		10.16	723.87
	09/08/10		11.07	722.96
	10/07/10		11.76	722.27
	11/19/10		12.08	721.95
	12/03/10		10.96	723.07
	01/14/11		11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52
	12/01/11		9.32	724.71
	01/13/12		9.39	724.64
	02/10/12		9.19	724.84
	03/09/12		9.63	724.40
	04/06/12		9.04	724.99
	05/02/12		8.41	725.62
	06/01/12		9.84	724.19
	07/13/12		11.14	722.89
	08/10/12		11.33	722.70
	09/06/12		11.38	722.65
	10/05/12		11.10	722.93

iWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/03/07	737.91	15.71	722.20
	02/12/07		4.76	733.15
	03/12/07		16.10	721.81
	04/09/07		16.91	721.00
	05/07/07		16.50	721.41
	06/08/07		16.98	720.93
	07/17/07		17.35	720.56
	08/01/07		17.55	720.36
	09/14/07		17.88	720.03
	10/12/07		18.29	719.62
	11/09/07		18.23	719.68
	12/07/07		18.19	719.72
	01/04/08		17.48	720.43
	02/15/08		16.10	721.81
	03/13/08		15.52	722.39
	04/11/08		15.20	722.71
	05/08/08		16.02	721.89
	06/06/08		15.00	722.91
	07/03/08		15.05	722.86
	08/01/08		15.36	722.55
	09/12/08		16.95	720.96
	10/10/08		17.43	720.48
	11/06/08		17.78	720.13
	12/19/08		17.75	720.16
	01/02/09		16.94	720.97
	02/13/09		16.85	721.06
	03/13/09		16.94	720.97
	04/09/09		16.60	721.31
	05/08/09		16.16	721.75
	06/05/09		15.97	721.94
	07/02/09		16.32	721.59
	08/14/09		15.67	722.24
	09/11/09		16.41	721.50
	10/09/09		16.94	720.97
	11/04/09		16.76	721.15
	12/04/09		17.15	720.76
	01/14/10		16.95	720.96
	02/10/10		17.06	720.85
	03/11/10		16.91	721.00
	04/08/10		16.53	721.38
	05/06/10		16.63	721.28
	06/04/10		16.84	721.07
	07/01/10		15.78	722.13
	08/12/10		16.76	721.15
	09/08/10		17.51	720.40
	10/07/10		18.17	719.74
	11/19/10		18.64	719.27
	12/03/10		17.98	719.93
	01/14/11		17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27
	12/01/11		17.18	720.73
	01/13/12		16.57	721.34
	02/10/12		16.24	721.67
	03/09/12		16.89	721.02
	04/06/12		16.33	721.58
	05/02/12		16.43	721.48
	06/01/12		16.79	721.12
	07/13/12		17.78	720.13
	08/10/12		18.29	719.62
	09/06/12		18.10	719.81
	10/05/12		18.04	719.87

iWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/03/07	737.64	16.46	721.18
	02/12/07		16.90	720.74
	03/12/07		16.66	720.98
	04/09/07		16.91	720.73
	05/07/07		17.03	720.61
	06/08/07		17.43	720.21
	07/17/07		17.76	719.88
	08/01/07		17.97	719.67
	09/14/07		18.24	719.40
	10/12/07		18.62	719.02
	11/09/07		18.59	719.05
	12/07/07		18.51	719.13
	01/04/08		17.91	719.73
	02/15/08		16.80	720.84
	03/13/08		16.37	721.27
	04/11/08		16.13	721.51
	05/08/08		16.74	720.90
	06/06/08		15.88	721.76
	07/03/08		15.91	721.73
	08/01/08		16.29	721.35
	09/12/08		17.47	720.17
	10/10/08		17.87	719.77
	11/06/08		18.22	719.42
	12/19/08		18.12	719.52
	01/02/09		17.47	720.17
	02/13/09		17.37	720.27
	03/13/09		17.58	720.06
	04/09/09		17.23	720.41
	05/08/09		16.89	720.75
	06/05/09		16.72	720.92
	07/02/09		16.98	720.66
	08/14/09		16.49	721.15
	09/11/09		16.91	720.73
	10/09/09		17.36	720.28
	11/04/09		17.30	720.34
	12/04/09		17.65	719.99
	01/14/10		17.48	720.16
	02/10/10		17.57	720.07
	03/11/10		17.46	720.18
	04/08/10		17.14	720.50
	05/06/10		17.28	720.36
	06/04/10		17.42	720.22
	07/01/10		16.55	721.09
	08/12/10		17.27	720.37
	09/08/10		17.88	719.76
	10/07/10		18.64	719.00
	11/19/10		19.08	718.56
	12/03/10		18.46	719.18
	01/14/11		18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53
	12/01/11		17.70	719.94
	01/13/12		17.24	720.40
	02/10/12		17.05	720.59
	03/09/12		17.55	720.09
	04/06/12		17.06	720.58
	05/02/12		17.19	720.45
	06/01/12		17.43	720.21
	07/13/12		18.29	719.35
	08/10/12		18.76	718.88
	09/06/12		18.62	719.02
	10/05/12		18.52	719.12

iWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/03/07	736.02	14.51	721.51
	02/12/07		14.97	721.05
	03/12/07		14.88	721.14
	04/09/07		15.07	720.95
	05/07/07		15.24	720.78
	06/08/07		15.63	720.39
	07/17/07		15.95	720.07
	08/01/07		16.02	720.00
	09/14/07		16.31	719.71
	10/12/07		16.64	719.38
	11/09/07		16.65	719.37
	12/07/07		16.67	719.35
	01/04/08		16.18	719.84
	02/15/08		14.95	721.07
	03/13/08		14.43	721.59
	04/11/08		14.07	721.95
	05/08/08		14.88	721.14
	06/06/08		13.85	722.17
	07/03/08		13.87	722.15
	08/01/08		14.38	721.64
	09/12/08		15.58	720.44
	10/10/08		15.98	720.04
	11/06/08		16.26	719.76
	12/19/08		16.28	719.74
	01/02/09		15.74	720.28
	02/13/09		15.54	720.48
	03/13/09		15.66	720.36
	04/09/09		15.43	720.59
	05/08/09		15.03	720.99
	06/05/09		14.79	721.23
	07/02/09		15.07	720.95
	08/14/09		14.50	721.52
	09/11/09		15.13	720.89
	10/09/09		15.53	720.49
	11/04/09		15.49	720.53
	12/04/09		15.80	720.22
	01/14/10		15.60	720.42
	02/10/10		15.71	720.31
	03/11/10		15.61	720.41
	04/08/10		15.28	720.74
	05/06/10		15.39	720.63
	06/04/10		15.55	720.47
	07/01/10		14.56	721.46
	08/12/10		15.39	720.63
	09/08/10		16.02	720.00
	10/07/10		16.57	719.45
	11/19/10		16.98	719.04
	12/03/10		16.56	719.46
	01/14/11		16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86
	12/01/11		15.83	720.19
	01/13/12		15.27	720.75
	02/10/12		15.03	720.99
	03/09/12		15.63	720.39
	04/06/12		15.11	720.91
	05/02/12		15.25	720.77
	06/01/12		15.47	720.55
	07/13/12		16.20	719.82
	08/10/12		17.65	718.37
	09/06/12		16.64	719.38
	10/05/12		16.52	719.50

IWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/03/07	736.39	11.42	724.97
	02/12/07		12.28	724.11
	03/12/07		12.15	724.24
	04/09/07		12.39	724.00
	05/07/07		12.65	723.74
	06/08/07		13.25	723.14
	07/17/07		13.69	722.70
	08/01/07		13.85	722.54
	09/14/07		14.37	722.02
	10/12/07		14.82	721.57
	11/09/07		14.93	721.46
	12/07/07		14.91	721.48
	01/04/08		14.20	722.19
	02/15/08		12.47	723.92
	03/13/08		11.63	724.76
	04/11/08		11.04	725.35
	05/08/08		12.13	724.26
	06/06/08		10.29	726.10
	07/03/08		10.31	726.08
	08/01/08		11.71	724.68
	09/12/08		11.80	724.59
	10/10/08		13.61	722.78
	11/06/08		14.07	722.32
	12/19/08		13.95	722.44
	01/02/09		12.92	723.47
	02/13/09		12.47	723.92
	03/13/09		13.02	723.37
	04/09/09		12.22	724.17
	05/08/09		11.72	724.67
	06/05/09		11.78	724.61
	07/02/09		12.27	724.12
	08/14/09		11.44	724.95
	09/11/09		12.70	723.69
	10/09/09		12.72	723.67
	11/04/09		12.74	723.65
	12/04/09		13.21	723.18
	01/14/10		13.06	723.33
	02/10/10		13.15	723.24
	03/11/10		12.78	723.61
	04/08/10		12.18	724.21
	05/06/10		12.52	723.87
	06/04/10		12.69	723.70
	07/01/10		11.62	724.77
	08/12/10		13.06	723.33
	09/08/10		13.89	722.50
	10/07/10		14.52	721.87
	11/19/10		14.97	721.42
	12/03/10		14.11	722.28
	01/14/11		14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68
	12/01/11		12.73	723.66
	01/13/12		12.48	723.91
	02/10/12		12.15	724.24
	03/09/12		12.81	723.58
	04/06/12		12.09	724.30
	05/02/12		11.98	724.41
	06/01/12		12.81	723.58
	07/13/12		13.97	722.42
	08/10/12		14.32	722.07
	09/06/12		14.47	721.92
	10/05/12		14.27	722.12

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/03/07	736.63	14.31	722.32
	02/12/07		15.04	721.59
	03/12/07		16.68	719.95
	04/09/07		15.03	721.60
	05/07/07		15.17	721.46
	06/08/07		15.71	720.92
	07/17/07		16.11	720.52
	08/01/07		16.31	720.32
	09/14/07		16.63	720.00
	10/12/07		17.08	719.55
	11/09/07		17.08	719.55
	12/07/07		16.79	719.84
	01/04/08		16.30	720.33
	02/15/08		14.87	721.76
	03/13/08		14.33	722.30
	04/11/08		14.11	722.52
	05/08/08		14.93	721.70
	06/06/08		13.76	722.87
	07/03/08		13.80	722.83
	08/01/08		14.46	722.17
	09/12/08		15.67	720.96
	10/10/08		16.12	720.51
	11/06/08		16.52	720.11
	12/19/08		16.41	720.22
	01/02/09		15.50	721.13
	02/13/09		15.43	721.20
	03/13/09		15.58	721.05
	04/09/09		15.11	721.52
	05/08/09		14.72	721.91
	06/05/09		14.64	721.99
	07/02/09		15.01	721.62
	08/14/09		14.37	722.26
	09/11/09		15.08	721.55
	10/09/09		15.43	721.20
	11/04/09		15.34	721.29
	12/04/09		15.78	720.85
	01/14/10		15.61	721.02
	02/10/10		15.73	720.90
	03/11/10		15.47	721.16
	04/08/10		15.12	721.51
	05/06/10		15.26	721.37
	06/04/10		15.47	721.16
	07/01/10		14.45	722.18
	08/12/10		15.42	721.21
	09/08/10		16.33	720.30
	10/07/10		16.99	719.64
	11/19/10		17.38	719.25
	12/03/10		16.64	719.99
	01/14/11		16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37
	12/01/11		15.68	720.95
	01/13/12		15.21	721.42
	02/10/12		14.93	721.70
	03/09/12		15.62	721.01
	04/06/12		14.95	721.68
	05/02/12		15.20	721.43
	06/01/12		15.48	721.15
	07/13/12		16.54	720.09
	08/10/12		17.03	719.60
	09/06/12		16.72	719.91
	10/05/12		16.68	719.95

iWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/03/07	738.04	16.07	721.97
	02/12/07		16.67	721.37
	03/12/07		NG	NG
	04/09/07		16.66	721.38
	05/07/07		16.81	721.23
	06/08/07		17.29	720.75
	07/17/07		17.67	720.37
	08/01/07		17.88	720.16
	09/14/07		18.19	719.85
	10/12/07		18.61	719.43
	11/09/07		18.60	719.44
	12/07/07		18.35	719.69
	01/04/08		17.85	720.19
	02/15/08		16.51	721.53
	03/13/08		16.01	722.03
	04/11/08		15.74	722.30
	05/08/08		16.51	721.53
	06/06/08		15.52	722.52
	07/03/08		15.56	722.48
	08/01/08		16.01	722.03
	09/12/08		17.28	720.76
	10/10/08		17.71	720.33
	11/06/08		18.11	719.93
	12/19/08		18.03	720.01
	01/02/09		17.20	720.84
	02/13/09		17.12	720.92
	03/13/09		17.23	720.81
	04/09/09		16.87	721.17
	05/08/09		16.48	721.56
	06/05/09		16.35	721.69
	07/02/09		16.44	721.60
	08/14/09		16.07	721.97
	09/11/09		16.68	721.36
	10/09/09		17.11	720.93
	11/04/09		17.03	721.01
	12/04/09		17.43	720.61
	01/14/10		17.25	720.79
	02/10/10		17.34	720.70
	03/11/10		17.18	720.86
	04/08/10		16.82	721.22
	05/06/10		16.95	721.09
	06/04/10		17.14	720.90
	07/01/10		16.15	721.89
	08/12/10		17.03	721.01
	09/08/10		17.87	720.17
	10/07/10		18.57	719.47
	11/19/10		19.00	719.04
	12/03/10		18.31	719.73
	01/14/11		18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12
	12/01/11		17.42	720.62
	01/13/12		16.92	721.12
	02/10/12		16.65	721.39
	03/09/12		17.29	720.75
	04/06/12		16.66	721.38
	05/02/12		16.90	721.14
	06/01/12		17.16	720.88
	07/13/12		18.17	719.87
	08/10/12		18.68	719.36
	09/06/12		18.35	719.69
	10/05/12		18.35	719.69

iWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/03/07	737.61	15.89	721.72
	02/12/07		16.53	721.08
	03/12/07		16.34	721.27
	04/09/07		16.51	721.10
	05/07/07		16.65	720.96
	06/08/07		17.16	720.45
	07/17/07		17.52	720.09
	08/01/07		17.71	719.90
	09/14/07		18.03	719.58
	10/12/07		18.45	719.16
	11/09/07		18.44	719.17
	12/07/07		18.13	719.48
	01/04/08		17.66	719.95
	02/15/08		16.36	721.25
	03/13/08		15.89	721.72
	04/11/08		15.67	721.94
	05/08/08		16.43	721.18
	06/06/08		15.45	722.16
	07/03/08		15.47	722.14
	08/01/08		16.08	721.53
	09/12/08		17.13	720.48
	10/10/08		17.55	720.06
	11/06/08		17.93	719.68
	12/19/08		17.80	719.81
	01/02/09		16.96	720.65
	02/13/09		16.90	720.71
	03/13/09		17.02	720.59
	04/09/09		16.84	720.77
	05/08/09		16.27	721.34
	06/05/09		16.88	720.73
	07/02/09		16.91	720.70
	08/14/09		15.93	721.68
	09/11/09		15.84	721.77
	10/09/09		16.92	720.69
	11/04/09		16.83	720.78
	12/04/09		17.25	720.36
	01/14/10		17.03	720.58
	02/10/10		17.18	720.43
	03/11/10		16.98	720.63
	04/08/10		16.61	721.00
	05/06/10		16.77	720.84
	06/04/10		16.97	720.64
	07/01/10		15.99	721.62
	08/12/10		16.90	720.71
	09/08/10		17.78	719.83
	10/07/10		18.45	719.16
	11/19/10		18.84	718.77
	12/03/10		18.12	719.49
	01/14/11		17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88
	12/01/11		17.19	720.42
	01/13/12		16.73	720.88
	02/10/12		16.48	721.13
	03/09/12		17.13	720.48
	04/06/12		16.48	721.13
	05/02/12		16.69	720.92
	06/01/12		17.00	720.61
	07/13/12		18.03	719.58
	08/10/12		18.55	719.06
	09/06/12		18.40	719.21
	10/05/12		18.15	719.46

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/03/07	734.84	15.15	719.69
	02/12/07		15.34	719.50
	03/12/07		17.13	717.71
	04/09/07		15.36	719.48
	05/07/07		15.44	719.40
	06/08/07		15.48	719.36
	07/17/07		15.47	719.37
	08/01/07		15.49	719.35
	09/14/07		16.07	718.77
	10/12/07		16.06	718.78
	11/09/07		16.10	718.74
	12/07/07		16.15	718.69
	01/04/08		16.01	718.83
	02/15/08		15.17	719.67
	03/13/08		14.88	719.96
	04/11/08		14.67	720.17
	05/08/08		15.22	719.62
	06/06/08		14.32	720.52
	07/03/08		14.80	720.04
	08/01/08		14.91	719.93
	09/12/08		15.72	719.12
	10/10/08		15.92	718.92
	11/06/08		16.07	718.77
	12/19/08		15.84	719.00
	01/02/09		15.72	719.12
	02/13/09		15.68	719.16
	03/13/09		15.79	719.05
	04/09/09		15.66	719.18
	05/08/09		15.57	719.27
	06/05/09		15.40	719.44
	07/02/09		15.55	719.29
	08/14/09		15.10	719.74
	09/11/09		15.16	719.68
	10/09/09		15.67	719.17
	11/04/09		15.39	719.45
	12/04/09		15.87	718.97
	01/14/10		15.82	719.02
	02/10/10		15.74	719.10
	03/11/10		15.68	719.16
	04/08/10		15.48	719.36
	05/06/10		16.61	718.23
	06/04/10		15.66	719.18
	07/01/10		13.07	721.77
	08/12/10		14.99	719.85
	09/08/10		15.83	719.01
	10/07/10		16.12	718.72
	11/19/10		16.24	718.60
	12/03/10		16.03	718.81
	01/14/11		16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13
	12/01/11		15.22	719.62
	01/13/12		15.44	719.40
	02/10/12		15.37	719.47
	03/09/12		15.64	719.20
	04/06/12		15.31	719.53
	05/02/12		15.37	719.47
	06/01/12		15.52	719.32
	07/13/12		15.83	719.01
	08/10/12		16.01	718.83
	09/06/12		15.98	718.86
	10/05/12		15.94	718.90

iWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/03/07	730.97	12.40	718.57
	02/12/07		11.96	719.01
	03/12/07		12.22	718.75
	04/09/07		11.98	718.99
	05/07/07		11.10	719.87
	06/08/07		11.68	719.29
	07/17/07		11.44	719.53
	08/01/07		11.60	719.37
	09/14/07		13.10	717.87
	10/12/07		12.20	718.77
	11/09/07		12.27	718.70
	12/07/07		13.18	717.79
	01/04/08		12.85	718.12
	02/15/08		11.70	719.27
	03/13/08		11.61	719.36
	04/11/08		11.40	719.57
	05/08/08		11.39	719.58
	06/06/08		10.88	720.09
	07/03/08		11.65	719.32
	08/01/08		11.58	719.39
	09/12/08		13.09	717.88
	10/10/08		13.22	717.75
	11/06/08		12.96	718.01
	12/19/08		13.02	717.95
	01/02/09		12.80	718.17
	02/13/09		12.90	718.07
	03/13/09		12.78	718.19
	04/09/09		12.10	718.87
	05/08/09		13.35	717.62
	06/05/09		12.90	718.07
	07/02/09		12.68	718.29
	08/14/09		12.38	718.59
	09/11/09		12.30	718.67
	10/09/09		13.50	717.47
	11/04/09		13.04	717.93
	12/04/09		13.21	717.76
	01/14/10		13.42	717.55
	02/10/10		13.39	717.58
	03/11/10		12.81	718.16
	04/08/10		13.15	717.82
	05/06/10		12.14	718.83
	06/04/10		12.10	718.87
	07/01/10		13.42	717.55
	08/12/10		10.90	720.07
	09/08/10		12.70	718.27
	10/07/10		12.40	718.57
	11/19/10		12.45	718.52
	12/03/10		12.45	718.52
	01/14/11		12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22
	12/01/11		11.37	719.60
	01/13/12		12.84	718.13
	02/10/12		12.31	718.66
	03/09/12		12.98	717.99
	04/06/12		12.96	718.01
	05/02/12		12.90	718.07
	06/01/12		12.40	718.57
	07/13/12		12.95	718.02
	08/10/12		12.94	718.03
	09/06/12		12.81	718.16
	10/05/12		12.38	718.59

iWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/03/07	732.05	15.36	716.69
	02/12/07		15.82	716.23
	03/12/07		11.66	720.39
	04/09/07		15.91	716.14
	05/07/07		12.35	719.70
	06/08/07		15.31	716.74
	07/17/07		15.83	716.22
	08/01/07		14.40	717.65
	09/14/07		14.85	717.20
	10/12/07		14.41	717.64
	11/09/07		14.62	717.43
	12/07/07		14.68	717.37
	01/04/08		14.70	717.35
	02/15/08		15.25	716.80
	03/13/08		15.31	716.74
	04/11/08		14.10	717.95
	05/08/08		15.24	716.81
	06/06/08		12.13	719.92
	07/03/08		12.28	719.77
	08/01/08		12.30	719.75
	09/12/08		15.05	717.00
	10/10/08		15.88	716.17
	11/06/08		15.20	716.85
	12/19/08		15.50	716.55
	01/02/09		15.44	716.61
	02/13/09		12.15	719.90
	03/13/09		16.85	715.20
	04/09/09		16.30	715.75
	05/08/09		15.65	716.40
	06/05/09		14.68	717.37
	07/02/09		14.60	717.45
	08/14/09		15.35	716.70
	09/11/09		14.50	717.55
	10/09/09		17.15	714.90
	11/04/09		12.14	719.91
	12/04/09		16.81	715.24
	01/14/10		15.50	716.55
	02/10/10		15.20	716.85
	03/11/10		14.35	717.70
	04/08/10		14.28	717.77
	05/06/10		13.72	718.33
	06/04/10		13.45	718.60
	07/01/10		13.81	718.24
	08/12/10		14.58	717.47
	09/08/10		16.10	715.95
	10/07/10		15.50	716.55
	11/19/10		15.05	717.00
	12/03/10		13.78	718.27
	01/14/11		13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87
	12/01/11		15.06	716.99
	01/13/12		12.70	719.35
	02/10/12		12.48	719.57
	03/09/12		14.95	717.10
	04/06/12		13.22	718.83
	05/02/12		15.24	716.81
	06/01/12		15.21	716.84
	07/13/12		13.40	718.65
	08/10/12		15.18	716.87
	09/06/12		15.10	716.95
	10/05/12		13.70	718.35

iWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/03/07	733.19	18.41	714.78
	02/12/07		16.88	716.31
	03/12/07		12.16	721.03
	04/09/07		18.18	715.01
	05/07/07		12.95	720.24
	06/08/07		17.15	716.04
	07/17/07		17.71	715.48
	08/01/07		16.05	717.14
	09/14/07		16.45	716.74
	10/12/07		16.97	716.22
	11/09/07		18.75	714.44
	12/07/07		16.55	716.64
	01/04/08		15.67	717.52
	02/15/08		15.68	717.51
	03/13/08		15.79	717.40
	04/11/08		13.37	719.82
	05/08/08		16.65	716.54
	06/06/08		13.05	720.14
	07/03/08		13.90	719.29
	08/01/08		14.24	718.95
	09/12/08		15.59	717.60
	10/10/08		16.51	716.68
	11/06/08		16.55	716.64
	12/19/08		16.87	716.32
	01/02/09		16.81	716.38
	02/13/09		16.28	716.91
	03/13/09		16.35	716.84
	04/09/09		16.01	717.18
	05/08/09		15.77	717.42
	06/05/09		15.45	717.74
	07/02/09		15.10	718.09
	08/14/09		15.03	718.16
	09/11/09		14.84	718.35
	10/09/09		15.71	717.48
	11/04/09		15.66	717.53
	12/04/09		15.50	717.69
	01/14/10		16.01	717.18
	02/10/10		16.24	716.95
	03/11/10		16.21	716.98
	04/08/10		15.93	717.26
	05/06/10		16.03	717.16
	06/04/10		16.13	717.06
	07/01/10		15.09	718.10
	08/12/10		16.68	716.51
	09/08/10		15.38	717.81
	10/07/10		16.47	716.72
	11/19/10		18.69	714.50
	12/03/10		17.40	715.79
	01/14/11		17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47
	12/01/11		16.03	717.16
	01/13/12		15.63	717.56
	02/10/12		15.42	717.77
	03/09/12		15.93	717.26
	04/06/12		15.58	717.61
	05/02/12		15.75	717.44
	06/01/12		15.71	717.48
	07/13/12		17.98	715.21
	08/10/12		18.25	714.94
	09/06/12		18.01	715.18
	10/05/12		18.18	715.01

iWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/03/07	735.48	16.35	719.13
	02/12/07		16.99	718.49
	03/12/07		16.68	718.80
	04/09/07		15.45	720.03
	05/07/07		15.71	719.77
	06/08/07		16.01	719.47
	07/17/07		16.45	719.03
	08/01/07		18.05	717.43
	09/14/07		17.59	717.89
	10/12/07		18.17	717.31
	11/09/07		17.88	717.60
	12/07/07		15.77	719.71
	01/04/08		17.90	717.58
	02/15/08		16.91	718.57
	03/13/08		16.41	719.07
	04/11/08		14.99	720.49
	05/08/08		15.81	719.67
	06/06/08		14.71	720.77
	07/03/08		14.60	720.88
	08/01/08		14.79	720.69
	09/12/08		16.43	719.05
	10/10/08		17.12	718.36
	11/06/08		17.16	718.32
	12/19/08		17.59	717.89
	01/02/09		17.65	717.83
	02/13/09		16.52	718.96
	03/13/09		16.61	718.87
	04/09/09		16.42	719.06
	05/08/09		15.86	719.62
	06/05/09		15.86	719.62
	07/02/09		16.77	718.71
	08/14/09		15.28	720.20
	09/11/09		15.28	720.20
	10/09/09		16.42	719.06
	11/04/09		16.28	719.20
	12/04/09		16.94	718.54
	01/14/10		16.64	718.84
	02/10/10		16.84	718.64
	03/11/10		16.29	719.19
	04/08/10		16.29	719.19
	05/06/10		16.79	718.69
	06/04/10		16.59	718.89
	07/01/10		15.72	719.76
	08/12/10		16.54	718.94
	09/08/10		18.06	717.42
	10/07/10		18.98	716.50
	11/19/10		19.80	715.68
	12/03/10		18.81	716.67
	01/14/11		18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42
	12/01/11		18.26	717.22
	01/13/12		17.56	717.92
	02/10/12		16.98	718.50
	03/09/12		18.00	717.48
	04/06/12		17.15	718.33
	05/02/12		17.62	717.86
	06/01/12		17.26	718.22
	07/13/12		19.53	715.95
	08/10/12		19.14	716.34
	09/06/12		15.78	719.70
	10/05/12		19.31	716.17

iWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	08/12/10	731.96	13.81	718.15
	09/08/10		14.07	717.89
	10/07/10		15.41	716.55
	11/19/10		16.78	715.18
	12/03/10		16.38	715.58
	01/14/11		15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78
	12/01/11		14.73	717.23
	01/13/12		14.37	717.59
	02/10/12		14.34	717.62
	03/09/12		14.86	717.10
	04/06/12		14.38	717.58
	05/02/12		14.53	717.43
	06/01/12		14.51	717.45
	07/13/12		15.65	716.31
	08/10/12		15.98	715.98
	09/06/12		15.88	716.08
	10/05/12		15.94	716.02

NR-Not Recorded
NG-Not Gauged

le 3
For henol Facility
980 ..urricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 - Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-1	5/3/1995	33	ND	ND[1]	ND	ND	100	200	ND	520	ND	ND	ND	ND	ND	ND	853
	8/3/1995	31	ND	ND	ND	ND	170	180	ND	400	ND	ND	ND	ND	ND	ND	781
	11/7/1995	30	ND	ND	ND	ND	ND	190	ND	390	ND	ND	ND	ND	ND	ND	610
	4/12/1996	NS[2]	ND	NS	NS	ND	NS	NS	ND	NS	ND	ND	ND	ND	ND	ND	0
	7/8/1996	14	ND	ND	ND	ND	31	120	ND	350	ND	ND	ND	ND	ND	ND	515
	10/17/1996	15	ND	ND	ND	ND	29	150	ND	1,800	ND	ND	ND	ND	ND	ND	1,994
	2/7/1997	18	ND	ND	ND	ND	ND	140	ND	260	ND	ND	ND	ND	ND	ND	278
	5/7/1997	9.9	ND	ND	ND	ND	20	91	ND	250	ND	ND	ND	ND	ND	ND	371
	8/4/1997	9.8	ND	ND	ND	ND	35	160	ND	210	ND	ND	ND	ND	ND	ND	415
	11/10/1997	NS	ND	NS	NS	ND	NS	NS	ND	NS	ND	ND	ND	ND	ND	ND	0
	12/1/1997	28	ND	ND	27	ND	180	190	ND	320	ND	ND	ND	ND	ND	ND	745
	2/4/1998	24	ND	ND	ND	ND	ND	150	ND	270	ND	ND	ND	ND	ND	ND	444
	5/8/1998	ND	ND	ND	ND	ND	350	240	ND	540	ND	ND	ND	ND	ND	ND	1,130
	7/30/1998	16	ND	ND	ND	ND	180	160	ND	140	ND	ND	ND	ND	ND	ND	496
	11/13/1998	12	11	ND	ND	ND	ND	150	ND	270 E	ND	ND	ND	ND	ND	ND	173
	2/12/1999	6.3	ND	ND	ND	ND	24	76	ND	156	ND	ND	ND	ND	ND	ND	262
	5/7/1999	7.5	ND	ND	ND	ND	6.6	97	ND	150	ND	ND	ND	ND	ND	ND	261
	8/13/1999	7.7	ND	ND	ND	ND	7.6	89	ND	180	ND	ND	ND	ND	ND	ND	284
	11/5/1999	11	ND	ND	ND	ND	6.6	120	ND	170	ND	ND	ND	ND	ND	ND	308
	2/11/2000	12	ND	ND	ND	ND	9.9	110	ND	150	ND	ND	ND	ND	ND	ND	282
	5/24/2000	10	ND	ND	ND	ND	38	88	ND	150	ND	ND	ND	ND	ND	ND	286
	8/4/2000	10	ND	ND	ND	ND	13	120	ND	200	ND	ND	ND	ND	ND	ND	343
	9/1/2000	8.4	ND	ND	ND	ND	ND	ND	5.6	200	ND	ND	ND	ND	ND	ND	214
	11/20/2000	8.3	ND	ND	ND	ND	ND	90	ND	170	ND	ND	ND	ND	ND	ND	268
	2/16/2001	7.4	ND	ND	ND	ND	ND	77	ND	170	ND	ND	ND	ND	ND	ND	254
	5/11/2001	5.2	ND	ND	ND	ND	71	140	ND	150	ND	ND	ND	ND	ND	ND	366
	8/10/2001	5.8	ND	ND	ND	ND	ND	64	ND	150	ND	ND	ND	ND	ND	ND	220
	1/22/2002	8.1	ND	ND	ND	ND	ND	95	ND	140	ND	ND	ND	ND	ND	ND	243
	5/2/2002	ND	ND	ND	ND	ND	ND	51	ND	130	ND	ND	ND	ND	ND	ND	181
	8/2/2002	ND	ND	ND	ND	ND	ND	53	ND	95	ND	ND	ND	ND	ND	ND	148
	10/17/2002	5.5	ND	ND	ND	ND	ND	64	ND	150	ND	ND	ND	ND	ND	ND	220
	1/7/2003	6.9	ND	ND	ND	ND	ND	58	ND	120	ND	ND	ND	ND	ND	ND	185
	4/30/2003	ND	ND	ND	ND	ND	14	66	ND	140	ND	ND	ND	ND	ND	ND	220
	7/25/2003	ND	ND	ND	ND	ND	39	45	ND	110	ND	ND	ND	ND	ND	ND	194
	10/3/2003	6.9	ND	ND	ND	ND	ND	53	ND	130	ND	ND	ND	ND	ND	ND	190
	1/8/2004	ND	ND	ND	ND	ND	5	39	ND	97	ND	ND	ND	ND	ND	ND	141
	4/2/2004	5.1	ND	ND	ND	ND	ND	49	ND	110	ND	ND	ND	ND	ND	ND	164
	7/7/2004	ND	ND	ND	ND	ND	9.1	39	ND	97	ND	ND	ND	ND	ND	ND	145
	10/29/2004	8.5	ND	ND	ND	ND	780	100	ND	230	ND	ND	ND	ND	ND	ND	1,119
	2/17/2005	ND	ND	ND	ND	ND	6	32	ND	83	ND	ND	ND	ND	ND	ND	121
	4/28/2005	ND	ND	ND	ND	ND	ND	32	ND	73	ND	ND	ND	ND	ND	ND	105
	8/19/2005	5.51	ND	ND	ND	ND	5.02	56.2	ND	103	ND	ND	ND	ND	ND	ND	170
	11/11/2005	9	ND	ND	ND	ND	222	105	ND	200	ND	ND	ND	ND	ND	ND	536
	1/6/2006	ND	ND	ND	ND	ND	5.99	51.8	ND	90.2	ND	ND	ND	ND	ND	ND	147.99
	5/25/2006	ND	ND	ND	ND	ND	7.65	36.7	ND	71.0	ND	ND	ND	ND	ND	ND	115.35
	8/18/2006	ND	ND	ND	ND	ND	ND	45.0	ND	87.2	ND	ND	ND	ND	ND	ND	132.20
	10/27/2006	5.01	ND	ND	ND	ND	ND	45.2	ND	92.6	ND	ND	ND	ND	ND	ND	142.81
	1/16/2007	ND	ND	ND	ND	ND	ND	26.0	ND	62.0	ND	ND	ND	ND	ND	ND	88.00
	4/17/2007	ND	ND	ND	ND	ND	70.8	28	ND	56.9	ND	ND	ND	ND	ND	ND	155.7
	7/17/2007	ND	ND	ND	ND	ND	ND	33.8	ND	68	ND	ND	ND	ND	ND	6.3	108.1
	10/26/2007	5.9	ND	ND	ND	ND	ND	49.8	ND	74.1	ND	ND	ND	ND	ND	ND	129.8
	1/4/2008	ND	ND	ND	ND	ND	ND	48	ND	83.8	ND	ND	ND	ND	ND	8.3	140.1
	4/25/2008	ND	ND	ND	ND	ND	50	22.2	ND	ND	ND	ND	ND	ND	ND	ND	72.2
	7/3/2008	ND	ND	ND	ND	ND	ND	22.9	ND	38.4	ND	ND	ND	ND	ND	ND	61.3
	11/21/2008	ND	ND	ND	ND	ND	9.5	33.8	ND	73.5	ND	ND	ND	ND	ND	ND	116.8
	2/27/2009	ND	ND	ND	ND	ND	5.5	28.3	ND	56.4	ND	ND	ND	ND	ND	ND	90.2
	5/22/2009	ND	ND	ND	ND	ND	5.3	24.5	ND	53.3	ND	ND	ND	ND	ND	ND	83.1
	8/28/2009	ND	ND	ND	ND	ND	6.7	23.8	ND	51.0	ND	ND	ND	ND	ND	ND	81.5
	11/19/2009	ND	ND	ND	ND	ND	5.3	28.5	ND	63.1	ND	ND	ND	ND	ND	ND	96.9
	2/26/2010	ND	ND	ND	22.5	ND	192	47.2	ND	71.8	ND	ND	ND	ND	ND	ND	333.5
	5/21/2010	ND	ND	ND	14.8	ND	103	32.0	ND	58.8	ND	ND	ND	ND	ND	ND	208.6
	8/26/2010	ND	ND	ND	ND	ND	ND	23.3	ND	39.9	ND	ND	ND	ND	ND	ND	63.2
	11/19/2010	ND	ND	ND	190	5.1	159	41.0	ND	96.3	ND	ND	ND	ND	ND	ND	491.4
	2/11/2011	ND	ND	ND	5.3	ND	9.3	20.3	ND	37.7	ND	ND	ND	ND	ND	ND	72.6
	5/20/2011	ND	ND	ND	5.5	ND	5.6	14.6	ND	29	ND	ND	ND	ND	ND	ND	54.7
	8/25/2011	ND	ND	ND	51.5	ND	131	27.3	ND	72	ND	ND	ND	ND	ND	ND	281.8
	11/18/2011	ND	ND	ND	ND	ND	ND	24.2	ND	29.8	ND	ND	ND	ND	ND	ND	54
	2/24/2012	ND	ND	ND	ND	ND	ND	ND	ND	31	ND	ND	ND	ND	ND	ND	31
	5/22/2012	ND	ND	ND	ND	ND	ND	15.9	ND	32.8	ND	ND	ND	ND	ND	ND	48.7
	8/24/2012	ND	ND	ND	93.6	ND	286	37.7	ND	156	ND	ND	ND	ND	ND	ND	573.3

Notes:
Results in micrograms per liter (ug/l).
(1) ND - Not Detected - analyte not detected above laboratory method detection limit.
(2) NS - Not Sampled, RW-1 not in operation during April 1996 and November 1997 sampling events.
E - Trichloroethane value for RW-1 during the November 13, 1998 sampling event is an estimated value only.

ontinued)
Fo henol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-2	5/3/1995	47	ND	8.1	3.9	ND	1,500	960	ND	4,300	ND	ND	ND	ND	ND	ND	6,819
	8/3/1995	48	ND	ND	ND	ND	1,500	1,100	ND	3,000	ND	ND	ND	ND	ND	ND	5,648
	11/7/1995	58	ND	9.1	5.3	ND	2,100	1,300	ND	2,200	ND	ND	ND	ND	ND	ND	5,672
	4/12/1996	ND	ND	ND	ND	ND	980	530	ND	1,500	ND	ND	ND	ND	ND	ND	3,010
	7/8/1996	31	ND	7.3	ND	ND	2,100	1,200	ND	2,100	ND	ND	ND	ND	ND	ND	5,438
	10/17/1996	33	ND	ND	ND	ND	2,600	680	ND	2,900	ND	ND	ND	ND	ND	ND	6,213
	2/7/1997	27	ND	ND	ND	ND	37	400	ND	410	ND	ND	ND	ND	ND	ND	874
	5/7/1997	24	ND	ND	ND	ND	880	340	ND	860	ND	ND	ND	ND	ND	ND	2,104
	8/4/1997	18	ND	ND	ND	ND	400	310	ND	560	ND	ND	ND	ND	ND	ND	1,288
	11/10/1997	21	ND	ND	ND	ND	250	260	ND	550	ND	ND	ND	ND	ND	ND	1,081
	2/4/1998	22	ND	ND	ND	ND	310	260	ND	590	ND	ND	ND	ND	ND	ND	1,182
	5/8/1998	ND	ND	ND	ND	ND	750	330	ND	790	ND	ND	ND	ND	ND	ND	1,870
	7/30/1998	16	ND	ND	ND	ND	870	270	ND	890	ND	ND	ND	ND	ND	ND	2,046
	11/13/1998	ND	13	ND	ND	ND	200	160	ND	93	ND	ND	ND	ND	ND	ND	466
	2/12/1999	32	ND	ND	ND	ND	1,400	390	ND	1,200	ND	ND	ND	ND	ND	ND	3,022
	5/7/1999	28	ND	ND	ND	ND	1,300	530	ND	900	ND	ND	ND	ND	ND	ND	2,758
	8/13/1999	14	ND	ND	ND	ND	1,200	410	ND	810	ND	ND	ND	ND	ND	ND	2,434
	11/5/1999	21	ND	5.4	ND	ND	920	390	ND	780	ND	ND	ND	ND	ND	ND	2,116
	2/11/2000	30	ND	ND	ND	ND	1,300	420	ND	880	ND	ND	ND	ND	ND	ND	2,630
	5/24/2000	26	ND	ND	ND	ND	1,100	370	ND	840	ND	ND	ND	ND	ND	ND	2,336
	8/4/2000	25	ND	ND	ND	ND	1,600	500	ND	980	22	ND	ND	ND	ND	ND	3,127
	9/1/2000	22	ND	ND	ND	ND	1,400	430	ND	860	ND	ND	ND	ND	ND	ND	2,712
	11/20/2000	23	ND	ND	ND	ND	1,100	300	ND	680	ND	ND	ND	ND	ND	ND	2,103
	2/16/2001	16	ND	ND	ND	ND	1,000	260	ND	580	ND	ND	ND	ND	ND	ND	1,856
	5/11/2001	18	ND	ND	ND	ND	1,200	480	ND	690	ND	ND	ND	ND	ND	ND	2,388
	8/10/2001	ND	ND	ND	ND	ND	1,300	410	ND	940	ND	ND	ND	ND	ND	ND	2,650
	1/22/2002	ND	8.3	ND	ND	ND	1,100	730	ND	560	ND	ND	ND	ND	ND	ND	2,398
	5/2/2002	14	ND	ND	ND	ND	810	290	ND	600	ND	ND	ND	ND	ND	ND	1,714
	8/2/2002	ND	ND	ND	ND	ND	120	81	ND	61	ND	ND	ND	ND	ND	ND	262
	10/17/2002	17	ND	ND	ND	ND	1,800	340	ND	960	ND	ND	ND	ND	ND	ND	3;117
	1/7/2003	21	ND	5	ND	ND	1,500	350	ND	700	ND	ND	ND	ND	ND	ND	2,576
	4/30/2003	18	ND	ND	ND	ND	1,500	630	ND	1,000	ND	ND	ND	ND	ND	ND	3,148
	7/25/2003	13	ND	ND	ND	ND	1,200	270	ND	640	ND	ND	ND	ND	ND	ND	2,123
	10/3/2003	15	ND	ND	ND	ND	1,400	240	ND	650	ND	ND	ND	ND	ND	ND	2,305
	1/8/2004	16	ND	ND	ND	ND	1,300	320	ND	750	ND	ND	ND	ND	ND	ND	2,386
	4/2/2004	15	ND	ND	ND	ND	1,300	330	ND	700	ND	ND	ND	ND	ND	ND	2,345
	7/7/2004	14	ND	ND	ND	ND	1,400	260	ND	610	ND	ND	ND	ND	ND	ND	2,284
	10/29/2004	20	ND	ND	5.3	ND	1,900	210	ND	690	ND	ND	ND	ND	ND	ND	2,825
	2/17/2005	18	ND	ND	ND	ND	1,600	280	ND	690	ND	ND	ND	ND	ND	ND	2,588
	4/28/2005	13	ND	ND	ND	ND	1,300	200	ND	550	ND	ND	ND	ND	ND	ND	2,063
	8/19/2005	ND	ND	ND	ND	ND	129	109	ND	58.9	ND	ND	ND	ND	ND	ND	297
	11/11/2005	30	ND	ND	7	ND	1,390	238	ND	534	ND	ND	ND	ND	ND	ND	2,199
	1/6/2006	18.4	ND	ND	ND	ND	2,220	380	ND	699	6.04	ND	ND	ND	ND	ND	3,323.44
	5/25/2006	20.8	ND	ND	14.4	ND	1,874	296	ND	570	ND	ND	ND	ND	ND	ND	2,775.20
	9/1/2006	10.5	ND	ND	12.1	ND	842	121	ND	266	ND	ND	ND	ND	ND	ND	1,251.60
	10/27/2006	20.2	ND	ND	19.2	ND	1,590	181	ND	510	ND	ND	ND	ND	ND	ND	2,320.40
	1/16/2007	17	ND	ND	32	ND	1,600	200	ND	500	ND	ND	ND	ND	ND	ND	2,349
	4/17/2007	12.2	ND	ND	34.1	ND	1,760	162	ND	445	ND	ND	ND	ND	ND	ND	2,413.3
	7/17/2007	16.1	ND	5	325	ND	1,960	176	ND	530	ND	ND	ND	ND	ND	ND	3,012.1
	10/26/2007	18.8	ND	ND	577	ND	1,000	169	ND	407	ND	ND	ND	ND	ND	31.5	2,203.3
	1/4/2008	18.6	ND	ND	770	ND	1,610	158	ND	425	ND	ND	ND	ND	ND	ND	2,981.6
	4/25/2008	28.4	ND	28.4	535	ND	1,880	206	ND	529	ND	ND	ND	ND	ND	ND	3,206.8
	7/3/2008	17.6	ND	ND	291	ND	1,390	178	ND	461	ND	ND	ND	ND	ND	ND	2,337.6
	11/21/2008	13.8	ND	ND	190	ND	1,900	177	ND	498	ND	ND	ND	ND	ND	ND	2,778.8
	2/27/2009	14.4	ND	ND	144	ND	1,390	158	ND	411	ND	ND	ND	ND	ND	ND	2,117.4
	5/22/2009	15.7	ND	ND	159	ND	1,280	199	ND	397	ND	ND	ND	ND	ND	ND	2,050.7
	8/28/2009	11.2	ND	ND	145	ND	1,340	193	ND	355	ND	ND	ND	ND	ND	ND	2,044.2
	11/19/2009	17.1	ND	ND	225	ND	1,630	214	ND	428	ND	ND	ND	ND	ND	ND	2,514.1
	2/26/2010	13.2	ND	ND	181	ND	973	168	ND	297	ND	ND	ND	ND	ND	ND	1,632.2
	5/21/2010	ND	ND	ND	164	ND	1,610	128	ND	493	ND	ND	ND	ND	ND	ND	2,395.0
	8/26/2010	10.6	ND	ND	202	ND	1,230	132	ND	332	ND	ND	ND	ND	ND	ND	1,906.6
	11/19/2010	8.6	ND	ND	6.3	ND	297	151	ND	160	ND	ND	ND	ND	ND	ND	622.9
	2/11/2011	12.2	ND	ND	51	ND	579	99.6	ND	196	ND	ND	ND	ND	ND	ND	937.8
	5/20/2011	9.1	ND	ND	1,000	ND	812	78.5	ND	196	ND	ND	ND	ND	ND	ND	2,095.6
	8/25/2011	ND	ND	ND	17.9	ND	164	44.7	ND	68.1	ND	ND	ND	ND	ND	ND	294.7
	11/18/2011	11	ND	ND	8.5	ND	213	103	ND	173	ND	ND	ND	ND	ND	ND	508.5
	2/24/2012	5	ND	ND	83.7	ND	131	53.7	ND	74	ND	ND	ND	ND	ND	ND	347.4
	5/22/2012	9.5	ND	ND	252	ND	330	84.9	ND	231	ND	ND	ND	ND	ND	ND	907.4
	8/24/2012	ND	ND	ND	21	ND	77.1	44.1	ND	47.7	ND	ND	ND	ND	ND	ND	189.9

Notes:
Results in micrograms per liter (ug/l).

ontinued)
For enol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethane	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-3	5/3/1995	28	ND	ND	ND	ND	160	540	ND	2,900	ND	ND	ND	ND	ND	ND	3,628
	8/3/1995	53	ND	ND	ND	ND	16	560	ND	870	ND	ND	ND	ND	ND	ND	1,499
	11/7/1995	48	ND	6.9	ND	ND	1,400	950	ND	1,700	ND	ND	ND	ND	ND	ND	4,105
	4/12/1996	ND	ND	ND	ND	ND	93	450	ND	1,200	ND	ND	ND	ND	ND	ND	1,743
	7/8/1996	39	ND	6.5	ND	ND	45	820	ND	1,100	ND	ND	ND	ND	ND	ND	2,011
	10/17/1996	34	ND	ND	ND	ND	2,600	720	ND	2,900	ND	ND	ND	ND	ND	ND	6,254
	2/7/1997	28	ND	ND	ND	ND	37	410	ND	410	ND	ND	ND	ND	ND	ND	885
	5/7/1997	24	ND	ND	ND	ND	1,000	400	ND	990	ND	ND	ND	ND	ND	ND	2,414
	8/4/1997	17	ND	ND	ND	ND	110	330	ND	490	ND	ND	ND	ND	ND	ND	947
	11/10/1997	25	ND	ND	ND	ND	76	400	ND	600	ND	ND	ND	ND	ND	ND	1,101
	2/4/1998	30	ND	ND	ND	ND	180	460	ND	840	ND	ND	ND	ND	ND	ND	1,510
	5/8/1998	ND	ND	ND	ND	ND	260	380	ND	640	ND	ND	ND	ND	ND	ND	1,280
	7/30/1998	33	ND	ND	ND	ND	27	450	ND	190	ND	ND	ND	ND	ND	ND	700
	11/13/1998	11	ND	ND	ND	ND	48	120	ND	130	ND	ND	ND	ND	ND	ND	309
	2/12/1999	33	ND	ND	ND	ND	110	420	ND	420	ND	ND	ND	ND	ND	ND	983
	5/7/1999	18	ND	ND	ND	ND	180	320	ND	410	ND	ND	ND	ND	ND	ND	928
	8/13/1999	15	ND	ND	ND	ND	260	240	ND	400	ND	ND	ND	ND	ND	ND	915
	11/5/1999	13	ND	ND	ND	ND	280	260	ND	400	ND	ND	ND	ND	ND	ND	953
	2/11/2000	19	ND	ND	ND	ND	370	280	ND	400	ND	ND	ND	ND	ND	ND	1,069
	5/24/2000	17	ND	ND	ND	ND	480	260	ND	480	ND	ND	ND	ND	ND	ND	1,237
	8/4/2000	16	ND	ND	ND	ND	1,100	290	ND	550	ND	ND	ND	ND	ND	ND	1,956
	9/1/2000	15	ND	ND	ND	ND	830	270	ND	440	ND	ND	ND	ND	ND	ND	1,555
	11/20/2000	15	23	ND	ND	ND	650	220	ND	330	ND	ND	ND	ND	ND	ND	1,238
	2/16/2001	13	ND	ND	ND	ND	630	200	ND	300	ND	ND	ND	ND	ND	ND	1,143
	5/11/2001	ND	ND	ND	ND	ND	1,700	260	ND	310	ND	ND	ND	ND	ND	ND	2,270
	8/10/2001	13	ND	ND	ND	ND	1,200	260	ND	390	ND	ND	ND	ND	ND	ND	1,863
	1/22/2002	14	ND	7	ND	ND	610	ND	ND	340	ND	ND	ND	ND	ND	ND	971
	5/2/2002	11	ND	ND	ND	ND	340	240	ND	190	ND	ND	ND	ND	ND	ND	781
	8/2/2002	10	ND	ND	ND	ND	300	220	ND	170	ND	ND	ND	ND	11	ND	711
	10/17/2002	9	ND	ND	ND	ND	360	190	ND	210	ND	ND	ND	ND	ND	ND	769
	1/7/2003	23	ND	ND	ND	ND	310	350	ND	250	ND	ND	ND	ND	ND	ND	933
	4/30/2003	12	ND	ND	ND	ND	560	160	ND	190	ND	ND	ND	ND	ND	ND	922
	7/25/2003	9.6	ND	ND	ND	ND	400	180	ND	160	ND	ND	ND	ND	ND	ND	750
	10/3/2003	10	ND	ND	ND	ND	500	160	ND	180	ND	ND	ND	ND	ND	ND	850
	1/8/2004	ND	ND	ND	ND	ND	450	220	ND	180	ND	ND	ND	ND	ND	ND	850
	4/2/2004	9.5	ND	ND	ND	ND	370	240	ND	150	ND	ND	ND	ND	ND	ND	770
	7/7/2004	8.7	ND	ND	ND	ND	430	200	ND	160	ND	ND	ND	ND	ND	ND	799
	10/29/2004	9.1	ND	ND	ND	ND	450	180	ND	160	ND	ND	ND	ND	ND	ND	799
	2/17/2005	ND	ND	ND	ND	ND	25	ND	ND	ND	ND	ND	ND	ND	ND	ND	25
	4/28/2005	31	ND	ND	ND	ND	100	660	ND	85	ND	ND	ND	ND	ND	ND	876
	8/19/2005	12.5	ND	ND	ND	ND	269	282	ND	150	ND	ND	ND	ND	ND	ND	714
	11/11/2005	20	ND	ND	ND	ND	299	235	ND	128	ND	ND	ND	ND	ND	ND	682
	1/16/2006	ND	ND	ND	ND	ND	207	400	ND	156	ND	ND	ND	ND	ND	ND	763
	5/25/2006	22.8	ND	ND	ND	ND	295	412	ND	145	ND	ND	ND	ND	ND	ND	875
	8/18/2006	14.6	ND	ND	ND	ND	217	223	ND	154	ND	ND	ND	ND	ND	ND	609
	10/27/2006	13.8	ND	ND	ND	ND	199	168	ND	154	ND	ND	ND	ND	ND	ND	535
	1/16/2007	13	ND	ND	ND	ND	240	240	ND	110	ND	ND	ND	ND	ND	ND	603
	4/17/2007	6.9	ND	ND	ND	ND	165	146	ND	73	ND	ND	ND	ND	ND	ND	391
	7/17/2007	11.5	ND	5.1	87.3	ND	223	234	ND	107	ND	ND	ND	ND	ND	ND	667.9
	10/26/2007	11.8	ND	ND	160	ND	146	191	ND	96.1	ND	ND	ND	ND	ND	ND	604.9
	1/4/2008	9.3	ND	ND	141	ND	292	195	ND	109	ND	ND	ND	ND	ND	ND	746.3
	4/25/2008	13.6	ND	ND	ND	ND	154	252	ND	83.9	ND	ND	ND	ND	ND	ND	503.5
	7/3/2008	16.8	ND	ND	ND	ND	87.6	300	ND	72.9	ND	ND	ND	ND	ND	ND	477.3
	11/21/2008	8	ND	ND	45.2	ND	269	145	ND	95.7	ND	ND	ND	ND	ND	ND	562.9
	2/27/2009	6.5	ND	ND	61.1	ND	219	148	ND	103.0	ND	ND	ND	ND	ND	ND	537.6
	5/22/2009	7.5	ND	ND	25.7	ND	239	164	ND	86.7	ND	ND	ND	ND	ND	ND	522.9
	8/28/2009	6.3	ND	ND	13.6	ND	267	126	ND	76.4	ND	ND	ND	ND	ND	ND	489.3
	11/19/2009	7.6	ND	ND	33.4	ND	272	136	ND	90.9	ND	ND	ND	ND	ND	ND	541.9
	2/26/2010	6.5	ND	ND	33.4	ND	262	111	ND	80	ND	ND	ND	ND	ND	ND	492.9
	5/21/2010	ND	ND	ND	21.9	ND	292	93.4	ND	70.2	ND	ND	ND	ND	ND	ND	477.5
	8/26/2010	5.3	ND	ND	5.2	ND	177	84	ND	49.9	ND	ND	ND	ND	ND	ND	321.4
	11/19/2010	9.2	ND	ND	382	6.9	162	137	ND	121	ND	ND	ND	ND	ND	ND	818.1
	2/11/2011	8.8	ND	ND	605	ND	81.8	118	ND	134	ND	ND	ND	ND	ND	ND	947.6
	5/20/2011	6	ND	ND	59	ND	69.6	88.8	ND	53.4	ND	ND	ND	ND	ND	ND	276.8
	8/25/2011	ND	ND	ND	55.3	ND	96.1	68.4	ND	50.8	ND	ND	ND	ND	ND	ND	270.6
	11/18/2011	6.7	ND	ND	138	ND	126	86.7	ND	77.4	ND	ND	ND	ND	ND	ND	434.8
	2/24/2012	ND	ND	ND	55.7	ND	83.6	ND	ND	61.4	ND	ND	ND	ND	ND	ND	200.7
	5/22/2012	5.5	ND	ND	44	ND	122	71	ND	58.7	ND	ND	ND	ND	ND	ND	301.2
	8/24/2012	6.3	ND	ND	77.5	ND	143	75.8	ND	74.6	ND	ND	ND	ND	ND	ND	377.2

Notes:
Results in micrograms per liter (ug/l).

ontinued)
For enol Facility
980 ..urricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-4	3/10/1999	ND	ND	ND	ND	ND	65	7	ND	ND	ND	ND	ND	ND	ND	ND	72
	5/7/1999	ND	ND	ND	ND	ND	6.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	7
	8/13/1999	ND	ND	ND	ND	ND	37	ND	ND	ND	ND	ND	ND	ND	ND	ND	37
	11/5/1999	10	ND	ND	ND	ND	140	180	ND	220	ND	ND	ND	ND	ND	ND	550
	2/11/2000	ND	ND	ND	ND	ND	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	15
	5/24/2000	ND	ND	ND	ND	ND	23	ND	ND	ND	ND	ND	ND	ND	ND	ND	23
	8/4/2000	ND	ND	ND	ND	ND	30	ND	ND	ND	ND	ND	ND	ND	ND	ND	30
	9/1/2000	ND	ND	ND	ND	ND	24	ND	ND	ND	ND	ND	ND	ND	ND	ND	24
	11/20/2000	ND	ND	ND	ND	ND	46	5.1	ND	ND	ND	ND	ND	ND	ND	ND	51
	2/16/2001	ND	ND	ND	ND	ND	37	ND	ND	ND	ND	ND	ND	ND	ND	ND	37
	5/11/2001	ND	ND	ND	ND	ND	8	ND	ND	ND	ND	ND	ND	ND	ND	ND	8
	8/10/2001	ND	ND	ND	ND	ND	13	ND	ND	ND	ND	ND	ND	ND	ND	ND	13
	1/22/2002	ND	ND	ND	ND	ND	43	ND	ND	ND	ND	ND	ND	ND	ND	ND	43
	5/2/2002	ND	ND	ND	ND	ND	25	ND	ND	ND	ND	ND	ND	ND	ND	ND	25
	8/2/2002	ND	ND	ND	ND	ND	28	ND	ND	ND	ND	ND	ND	ND	ND	ND	28
	10/17/2002	ND	ND	ND	ND	ND	27	6.2	ND	ND	ND	ND	ND	ND	ND	ND	33
	1/7/2003	ND	ND	ND	ND	ND	32	7.0	ND	ND	ND	ND	ND	ND	ND	ND	39
	4/30/2003	ND	ND	ND	ND	ND	22	6.1	ND	ND	ND	ND	ND	ND	ND	ND	28
	7/25/2003	8.6	ND	ND	ND	ND	380	160	ND	170	ND	ND	ND	ND	ND	ND	719
	10/3/2003	ND	ND	ND	ND	ND	36	ND	ND	ND	ND	ND	ND	ND	ND	ND	36
	1/8/2004	ND	ND	ND	ND	ND	35	ND	ND	ND	ND	ND	ND	ND	ND	ND	35
	4/2/2004	ND	ND	ND	ND	ND	29	ND	ND	ND	ND	ND	ND	ND	ND	ND	29
	7/7/2004	ND	ND	ND	ND	ND	30	ND	ND	ND	ND	ND	ND	ND	ND	ND	30
	10/29/2004	ND	ND	ND	ND	ND	18	ND	ND	ND	ND	ND	ND	ND	ND	ND	18
	2/17/2005	7.4	ND	ND	ND	ND	350	210	ND	140	ND	ND	ND	ND	ND	ND	707
	4/28/2005	ND	ND	ND	ND	ND	25	6.2	ND	ND	ND	ND	ND	ND	ND	ND	31
	8/19/2005	ND	ND	ND	ND	ND	35.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	35.4
	11/11/2005	ND	ND	ND	ND	ND	20	ND	ND	ND	ND	ND	ND	ND	ND	ND	20
	1/6/2006	ND	ND	ND	ND	ND	39.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	39.4
	5/25/2006	ND	ND	ND	ND	ND	47.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	47.1
	8/18/2006	ND	ND	ND	ND	ND	27.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	27.3
	10/27/2006	ND	ND	ND	ND	ND	34.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	34.0
	1/16/2007	ND	ND	ND	ND	ND	34.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	34
	4/17/2007	ND	ND	ND	ND	ND	23	ND	ND	ND	ND	ND	ND	ND	ND	ND	23
	7/17/2007	ND	ND	ND	ND	ND	21.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	21.9
	10/26/2007	ND	ND	ND	ND	ND	5.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.5
	1/4/2008	ND	ND	ND	ND	ND	13.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	13.4
	4/25/2008	ND	ND	ND	ND	ND	20.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	20.4
	7/3/2008	ND	ND	ND	ND	ND	31.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	31.3
	11/21/2008	ND	ND	ND	ND	ND	16	ND	ND	ND	ND	ND	ND	ND	ND	ND	16
	2/27/2009	ND	ND	ND	ND	ND	20.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	20.3
	5/22/2009	ND	ND	ND	ND	ND	23.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	23.7
	8/28/2009	ND	ND	ND	ND	ND	30.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	30.9
	11/19/2009	ND	ND	ND	ND	ND	23.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	23.8
	2/26/2010	ND	ND	ND	ND	ND	19.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	19.8
	5/21/2010	ND	ND	ND	ND	ND	16.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	16.3
	8/26/2010	ND	ND	ND	ND	ND	14.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	14.2
	11/19/2010	ND	ND	ND	ND	ND	8.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.2
	2/11/2011	ND	ND	ND	ND	ND	8.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.6
	5/20/2011	ND	ND	ND	ND	ND	13.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	13.7
	8/25/2011	ND	ND	ND	ND	ND	10.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.1
	11/18/2011	ND	ND	ND	ND	ND	12	ND	ND	ND	ND	ND	ND	ND	ND	ND	12.0
	2/24/2012	ND	ND	ND	ND	ND	7.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.6
	5/22/2012	ND	ND	ND	ND	ND	15.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	15.4
	8/24/2012	ND	ND	ND	ND	ND	6.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.8
RW-5	7/22/2010	ND	ND	ND	ND	ND	1,120	132	ND	253	ND	ND	ND	8,890	ND	ND	10,395
	8/26/2010	ND	ND	ND	99.3	ND	669	114	ND	281	ND	ND	ND	ND	ND	ND	1,163
	11/19/2010	8.2	ND	ND	1,020	6.3	907	106	ND	355	ND	ND	ND	ND	ND	ND	2,403
	2/11/2011	5.2	ND	ND	766	ND	721	73.6	ND	325	ND	ND	ND	ND	ND	ND	1,890.8
	5/20/2011	ND	ND	ND	251	ND	440	87.6	ND	262	ND	ND	ND	ND	ND	ND	1,040.6
	8/25/2011	ND	ND	ND	244	ND	262	21	ND	135	ND	ND	ND	ND	ND	ND	662
	11/18/2011	ND	ND	ND	442	ND	579	67	ND	447	ND	ND	ND	ND	ND	ND	1,535
	2/24/2012	ND	ND	ND	228	ND	345	ND	ND	305	ND	ND	ND	ND	ND	ND	878
	5/22/2012	ND	ND	ND	127	ND	549	46.8	ND	288	ND	ND	ND	ND	ND	ND	1,010.8
	8/24/2012	5.1	ND	ND	254	ND	585	68.1	ND	351	ND	ND	ND	ND	ND	ND	1,263.2

Notes:
Results in micrograms per liter (ug/l).

ontinued)
Fo enol Facility
980 ..urricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 - Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
Effluent	5/7/1999	ND	ND	ND	ND	ND	6.1	ND	ND	7.8	ND	ND	ND	ND	ND	ND	14
	6/18/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/13/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/5/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/11/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/24/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/4/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	9/1/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/20/2000	ND	ND	ND	ND	ND	95	40	ND	86	ND	ND	ND	ND	ND	ND	221
	12/6/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	270	ND	ND	270
	2/16/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/11/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/10/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/22/2002	ND	ND	ND	ND	ND	93	25	ND	61	ND	ND	ND	ND	ND	ND	179
	*05/02/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	18	17	ND	ND	ND	35
	8/2/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/17/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/7/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/30/2003	ND	ND	ND	ND	ND	31	8.6	ND	19	ND	ND	ND	ND	ND	ND	59
	**05/19/2003	ND	ND	ND	ND	ND	31	7.5	ND	24	ND	ND	ND	ND	ND	ND	63
	5/22/2003	ND	ND	ND	ND	ND	21	8.1	ND	18	ND	ND	ND	ND	ND	ND	47
	5/27/2003	ND	ND	ND	ND	ND	18	ND	ND	13	ND	ND	ND	ND	ND	ND	31
	5/30/2003	ND	ND	ND	ND	ND	11	ND	ND	9.6	ND	ND	ND	ND	ND	ND	21
	7/25/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/3/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/8/2004	ND	ND	ND	ND	ND	72	21	ND	49	ND	ND	ND	ND	ND	ND	142
	1/16/2004	ND	ND	ND	ND	ND	75	26	ND	62	ND	ND	ND	ND	ND	ND	163
	1/19/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/2/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/7/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/17/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/19/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/11/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/6/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/25/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/18/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/27/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/16/2007	ND	ND	ND	ND	ND	73	19	ND	35	ND	ND	ND	ND	ND	ND	127
	2/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/17/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/17/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/26/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/4/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/3/2008	ND	ND	ND	ND	ND	10.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.7
	7/18/2008	ND	ND	ND	ND	ND	5.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.7
	7/22/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/21/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/22/2009	ND	ND	ND	ND	ND	5.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.9
	6/9/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/28/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/19/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/21/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/19/2010	ND	ND	ND	55.9	ND	15.7	ND	ND	10.3	ND	ND	ND	ND	ND	ND	81.9
	12/8/2010	ND	ND	ND	57.9	ND	24.4	ND	ND	11.8	ND	ND	ND	ND	ND	ND	94.1
	12/10/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/11/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/20/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/18/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/24/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/24/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0

Notes:
Results in micrograms per liter (ug/l).
* - Naphthalene and MTBE were detected at 18 and 17 ug/L, respectively; however, these detections are most likely due to laboratory artifacts or handling issues.
** - Methylene chloride was detected at 5.9 ug/L, however, this detection was most likely due to a laboratory artifact.

le 4

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
IT-2	2/1/1986	NA	15	NR	1.5	90	88	NR	NR	ND	ND	ND	195
	5/1/1986	NA	10	NR	7.5	64	93	NR	NR	ND	ND	ND	175
	8/1/1986	NA	11	NR	38	120	120	NR	NR	ND	ND	ND	289
	11/1/1986	NA	34	NR	55	39	130	NR	NR	ND	ND	ND	258
	3/5/1992	NA	41	78	ND	25	18	NR	NR	ND	ND	ND	162
	7/27/1992	NA	17	30	ND	28	39	NR	NR	ND	ND	ND	114
	2/16/1993	NA	18	51	5J	29	29	NR	NR	ND	ND	ND	127
	10/9/1996	NA	18	79	17	9	18	NR	NR	ND	ND	ND	141
	9/29/2000	12.40	16	87	ND	ND	14	ND	ND	ND	ND	ND	117
	4/2/2001	13.12	11	56	ND	26	60	ND	ND	ND	ND	ND	153
	10/19/2001	12.53	14	70	ND	10	20	ND	ND	ND	ND	ND	114
	4/16/2002	11.65	ND	24	ND	ND	10	ND	ND	ND	ND	ND	34
	10/17/2002	13.13	8.8	46	ND	ND	14	ND	ND	ND	ND	ND	69
	4/30/2003	12.75	ND	31	ND	8.8	21	ND	ND	ND	ND	ND	61
	10/3/2003	12.23	8.8	50	ND	ND	11	ND	ND	ND	ND	ND	70
	4/2/2004	12.47	ND	43	ND	ND	15	ND	ND	ND	ND	ND	58
	10/4/2004	12.61	9.4	60	6.1	12	36	ND	ND	ND	ND	ND	124
	4/1/2005	12.46	6.3	29	ND	5.4	18	ND	ND	ND	ND	ND	59
	10/14/2005	12.38	8	52	ND	ND	9	ND	ND	ND	ND	ND	69
	4/27/2006	11.75	ND	25.5	ND	4.98	14.6	ND	ND	ND	ND	ND	45.1
	10/13/2006	12.47	ND	36.6	ND	ND	13.6	ND	ND	ND	ND	ND	50.2
	4/17/2007	11.96	ND	13.1	ND	ND	8.9	ND	ND	ND	ND	ND	22
	10/12/2007	13.38	8.4	42.7	ND	ND	8.2	ND	ND	ND	ND	ND	59.3
	4/4/2008	11.13	ND	19.1	ND	ND	10.7	ND	ND	ND	ND	ND	29.8
	10/10/2008	12.78	ND	18	ND	ND	5.5	ND	ND	ND	ND	ND	23.5
	4/9/2009	12.22	ND	17.3	ND	6.2	10.1	ND	ND	ND	ND	ND	33.6
	10/9/2009	12.29	ND	11.4	ND	ND	10.3	ND	ND	ND	ND	ND	21.7
	4/8/2010	12.19	ND	5.4	ND	ND	ND	ND	ND	ND	ND	ND	5.4
	10/7/2010	14.04	6.3	29.7	ND	ND	15.6	ND	ND	ND	ND	ND	51.6
	4/14/2011	11.93	ND	15.4	ND	ND	10.8	ND	ND	ND	ND	ND	26.2
	10/5/2011	13.30	6.5	30.4	ND	5.7	18.7	ND	ND	ND	ND	ND	61.3
	4/6/2012	12.31	ND	18.3	ND	ND	8.5	ND	ND	ND	ND	ND	26.8
	10/5/2012	13.56	ND	33.3	ND	5.6	31.7	ND	ND	ND	ND	ND	70.6

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Ta ontinued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
IT-3	2/1/1986	NA	13	NR	290	190	67	NR	NR	ND	ND	ND	560
	5/1/1986	NA	10	NR	NA	200	27	NR	NR	ND	ND	ND	237
	8/1/1986	NA	7.5	NR	24	150	50	NR	NR	ND	ND	ND	232
	11/1/1986	NA	7.9	NR	16	160	72	NR	NR	ND	ND	ND	256
	3/5/1992	NA	4J	ND	ND	83	34	NR	NR	ND	ND	ND	117
	7/27/1992	NA	4J	ND	8	67	22	NR	NR	ND	ND	ND	97
	2/16/1993	NA	5J	ND	ND	71	29	NR	NR	ND	ND	ND	100
	10/9/1996	NA	5	ND	ND	49	58	NR	NR	ND	ND	ND	112
	9/29/2000	10.74	ND	ND	ND	23	17	ND	ND	ND	ND	ND	40
	4/2/2001	11.30	ND	ND	ND	14	14	ND	ND	ND	ND	ND	28
	10/19/2001	10.78	ND	ND	ND	23	16	ND	ND	ND	ND	ND	39
	4/16/2002	10.72	ND	ND	ND	22	11	ND	ND	ND	ND	ND	33
	10/17/2002	11.25	ND	ND	ND	18	16	ND	ND	ND	ND	ND	34
	4/30/2003	11.21	ND	ND	ND	19	11	ND	ND	ND	ND	ND	30
	10/3/2003	10.91	ND	ND	ND	17	9.5	ND	ND	ND	ND	ND	27
	4/2/2004	10.97	ND	ND	ND	12	6	ND	ND	ND	ND	ND	18
	10/4/2004	11.03	ND	ND	5.3	11	5.8	ND	ND	ND	ND	ND	22
	4/1/2005	10.94	ND	ND	ND	8.1	ND	ND	ND	ND	ND	ND	8.1
	10/14/2005	10.91	ND	ND	ND	7	ND	ND	ND	ND	ND	ND	7.0
	4/27/2006	10.75	ND	ND	ND	12.9	ND	ND	ND	ND	ND	ND	12.9
	10/13/2006	10.95	ND	ND	ND	11.1	5.78	ND	ND	ND	ND	ND	16.9
	4/17/2007	10.83	ND	ND	ND	12.4	7.6	ND	ND	ND	ND	5.7	25.7
	10/12/2007	11.35	ND	ND	ND	12.9	10.2	ND	ND	ND	ND	ND	23.1
	4/4/2008	10.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	10/10/2008	11.04	ND	ND	ND	19.9	18.7	ND	ND	ND	ND	ND	38.6
	4/9/2009	10.86	ND	ND	ND	11.4	16.3	ND	ND	ND	ND	ND	27.7
	10/9/2009	10.77	ND	ND	ND	18.9	25.7	ND	ND	ND	ND	ND	44.6
	4/8/2010	10.75	ND	ND	ND	5.6	17.8	ND	ND	ND	ND	ND	23.4
	10/7/2010	11.33	ND	ND	ND	21.6	32.5	ND	ND	ND	ND	ND	54.1
	4/14/2011	10.52	ND	ND	ND	ND	6.5	ND	ND	ND	ND	ND	6.5
	10/5/2011	11.07	ND	ND	ND	10.4	13.3	ND	ND	ND	ND	ND	23.7
	4/6/2012	10.73	ND	ND	ND	ND	7.2	ND	ND	ND	ND	ND	7.2
	10/5/2012	11.24	ND	ND	ND	6.6	7	ND	ND	ND	ND	ND	13.6

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Ta ontinued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-12	2/1/1986	NA	360	NR	17,000	19,000	7,400	NR	NR	ND	ND	ND	43,760
	5/1/1986	NA	280	NR	34,000	25,000	5,400	NR	NR	ND	ND	ND	64,680
	8/1/1986	NA	310	NR	18,000	9,600	6,100	NR	NR	ND	ND	ND	34,010
	11/1/1986	NA	440	NR	26,000	24,000	9,100	NR	NR	ND	ND	ND	59,540
	10/9/1996	NA	26	ND	2,000	910	1,200	NR	NR	ND	ND	ND	4,136
	9/29/2000	16.56	11	ND	860	290	880	ND	ND	ND	ND	ND	2,041
	4/2/2001	17.31	9.3	ND	650	170	760	ND	ND	ND	ND	ND	1,589
	10/19/2001	16.67	14	ND	320	240	690	ND	ND	ND	ND	ND	1,264
	4/16/2002	15.86	12	ND	1,300	580	2,600	25	30	ND	ND	ND	4,547
	10/17/2002	17.36	18	ND	1,100	390	980	ND	ND	ND	ND	ND	2,488
	4/30/2003	16.92	12	ND	650	310	900	22	ND	ND	ND	ND	1,894
	10/3/2003	16.32	9.8	ND	550	190	810	ND	ND	ND	ND	ND	1,560
	4/2/2004	16.67	ND	ND	450	170	780	ND	ND	ND	ND	ND	1,400
	10/4/2004	16.72	14	ND	520	300	890	ND	ND	ND	ND	ND	1,724
	4/1/2005	16.67	7	ND	570	180	810	ND	ND	ND	ND	ND	1,567
	10/14/2005	16.53	10	ND	540	171	508	ND	ND	ND	ND	ND	1,229
	4/27/2006	15.83	59.6	ND	873	582	635	ND	ND	6.25	14.7	ND	2,170.55
	10/13/2006	16.56	ND	ND	788	502	574	ND	ND	ND	9.74	ND	1,873.74
	4/17/2007	15.16	7.5	ND	1,020	162	635	ND	ND	ND	ND	ND	1,824.5
	10/12/2007	17.47	22.8	124	1,380	360	571	ND	53.1	ND	ND	ND	2,510.9
	4/4/2008	15.41	28.9	11.4	1,590	331	698	ND	ND	ND	ND	ND	2,659.3
MW-12R	10/10/2008	16.85	ND	ND	352	90	320	ND	ND	ND	ND	ND	762
	4/9/2009	16.38	5.8	ND	444	100	208	ND	ND	ND	ND	ND	758
	10/9/2009	16.41	9.3	ND	552	152	288	ND	ND	ND	ND	ND	1,001
	4/8/2010	16.32	ND	ND	331	63.3	182	ND	ND	ND	ND	ND	576
	10/7/2010	18.41	21.6	703	1,040	222	580	ND	ND	ND	ND	ND	2,567
	4/14/2011	16.34	ND	46.1	477	68.9	289	ND	ND	ND	ND	ND	881
	10/5/2011	17.63	ND	159	2,470	67.2	272	ND	ND	ND	ND	ND	2,968
	4/6/2012	16.74	ND	81.4	884	56.3	234	ND	ND	ND	ND	ND	1,255.7
	10/5/2012	17.95	ND	23	687	45.6	135	ND	ND	ND	ND	ND	890.6

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Ta ontinued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-20	3/5/1992	NA	ND	ND	ND	ND	ND	NR	NR	ND	ND	ND	ND
	9/29/2000	8.98	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/2/2001	11.05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/19/2001	9.95	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/16/2002	8.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/17/2002	11.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/30/2003	9.72	ND	ND	ND	ND	5.4	ND	ND	ND	ND	ND	5
	10/3/2003	9.62	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/2/2004	9.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/4/2004	11.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/1/2005	9.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/14/2005	10.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/2006	9.09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/13/2006	10.57	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/17/2007	9.19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/12/2007	12.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/4/2008	7.87	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/10/2008	10.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/9/2009	9.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/9/2009	9.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/8/2010	8.53	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/7/2010	11.76	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/14/2011	8.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2011	10.67	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/6/2012	9.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2012	11.10	ND	ND	5	ND	ND	ND	ND	ND	ND	ND	5

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

T ontinued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-22	10/9/1996	NA	ND	ND	5,600	ND	1,000	NR	NR	ND	ND	ND	6,600
	9/29/2000	16.98	ND	ND	3,300	41	230	ND	ND	ND	ND	ND	3,571
	4/2/2001	17.88	14	ND	4,400	37	220	ND	ND	ND	ND	ND	4,671
	10/19/2001	17.29	ND	ND	2,000	53	290	120	ND	ND	ND	ND	2,463
	4/16/2002	16.51	ND	ND	4,100	34	400	110	ND	ND	ND	ND	4,644
	10/17/2002	18.08	ND	ND	2,600	26	250	ND	ND	ND	ND	ND	2,876
	4/30/2003	17.32	ND	ND	3,500	31	570	ND	ND	ND	ND	ND	4,101
	Duplicate		ND	ND	3,200	30	580	ND	ND	ND	ND	ND	3,810
	10/3/2003	17.01	ND	ND	3,100	27	230	ND	ND	ND	ND	ND	3,357
	Duplicate		ND	ND	3,200	27	220 J	ND	ND	ND	ND	ND	3,227
	4/2/2004	17.03	ND	ND	ND	15	140	ND	ND	ND	ND	ND	155
	Duplicate		ND	ND	ND	18	140	ND	ND	ND	ND	ND	158
	10/4/2004	17.52	ND	ND	2,400	18	190	ND	ND	ND	ND	ND	2,608
	Duplicate		ND	ND	2,400	19	200	ND	ND	ND	ND	ND	2,619
	4/1/2005	17.07	ND	ND	1,900	20	170	ND	ND	ND	ND	ND	2,090
	Duplicate		ND	ND	1,900	19	160	ND	ND	ND	ND	ND	2,079
	10/14/2005	17.16	ND	ND	1,720	15	136	ND	ND	ND	ND	ND	1,871
	Duplicate		ND	ND	1,730	15	141	ND	ND	ND	ND	ND	1,886
	4/27/2006	16.65	ND	ND	2,710	24.7	159	ND	ND	ND	ND	ND	2,894
	Duplicate		ND	ND	2,600	23.9	147	ND	ND	ND	ND	ND	2,770.9
	10/13/2006	17.56	ND	ND	1,830	20	146	ND	ND	ND	ND	ND	1,996
	Duplicate		ND	ND	1,880	19	151	ND	ND	ND	ND	ND	2,050.0
	4/17/2007	16.80	ND	8.5	1,320	6.8	68.2	ND	ND	ND	ND	ND	1,403.5
	Duplicate		ND	8.3	1,420	7.4	71.1	ND	ND	ND	ND	ND	1,506.8
	10/12/2007	18.62	ND	58.3	1,190	10	51.4	ND	ND	ND	ND	ND	1,309.7
	Duplicate		ND	68.3	1,160	10.9	58.8	ND	ND	ND	ND	ND	1,298.0
	4/4/2008	16.07	ND	ND	1,030	14	99.4	ND	ND	ND	ND	ND	1,143.4
	Duplicate		ND	ND	1,280	13.5	98.4	ND	ND	ND	ND	ND	1,391.9
	10/10/2008	17.87	ND	ND	1,210	13.2	106	ND	ND	ND	ND	ND	1,329.2
	Duplicate		ND	ND	1,170	11.9	95.1	ND	ND	ND	ND	ND	1,277.0
	4/9/2009	17.23	ND	ND	1,230	17.5	87.9	ND	ND	ND	ND	ND	1,335.4
	Duplicate		ND	ND	1,300	17.7	90.4	ND	ND	ND	ND	ND	1,408.1
	10/9/2009	17.36	ND	ND	1,600	13.4	96.1	ND	ND	ND	ND	ND	1,709.5
	Duplicate		ND	ND	1,610	13.2	97	ND	ND	ND	ND	ND	1,720.2
	4/8/2010	17.14	ND	ND	1,380	10.1	61.8	ND	ND	ND	ND	ND	1,451.9
	Duplicate		ND	ND	1,660	10.6	64.5	ND	ND	ND	ND	ND	1,735.1
	10/7/2010	18.64	ND	428	797	10.6	84.3	ND	ND	ND	ND	ND	1,319.9
	Duplicate		ND	403	746	10.3	83.1	ND	ND	ND	ND	ND	1,242.4
	4/14/2011	16.63	ND	487	1,070	ND	35.3	ND	ND	ND	ND	ND	1,592.3
	Duplicate		ND	473	1,030	ND	34.1	ND	ND	ND	ND	ND	1,537.1
	10/5/2011	18.06	ND	136	1,150	ND	58.5	ND	ND	ND	ND	ND	1,344.5
	Duplicate		ND	131	1,100	ND	54.8	ND	ND	ND	ND	ND	1,285.8
	4/6/2012	17.06	ND	87.8	656	7.7	95.9	ND	ND	ND	ND	ND	847.4
	Duplicate		ND	74.7	468	8.7	82.3	ND	ND	ND	ND	ND	633.7
	10/5/2012	18.52	ND	69.3	710	10.2	111	ND	ND	ND	ND	ND	900.5
	Duplicate		ND	65.4	722	9.9	108	ND	ND	ND	ND	ND	905.3

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Ta ontinued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-28	2/17/1993	NA	ND	ND	318	415	230	NR	52	ND	ND	ND	1,015
	10/9/1996	NA	ND	ND	54	36	38	NR	NR	ND	ND	ND	128
	9/29/2000	16.92	ND	ND	51	49	44	ND	ND	ND	ND	ND	144
	4/2/2001	17.97	ND	ND	30	49	42	ND	ND	ND	ND	ND	121
	10/19/2001	17.22	ND	ND	30	37	37	ND	ND	ND	ND	ND	104
	4/16/2002	16.37	ND	ND	26	43	29	ND	ND	ND	ND	ND	98
	10/17/2002	18.35	ND	ND	27	41	34	ND	ND	ND	ND	ND	102
	4/30/2003	17.33	ND	ND	40	36	35	ND	ND	ND	ND	ND	111
	10/3/2003	17.05	ND	ND	46	35	36	ND	ND	ND	ND	ND	117
	4/2/2004	16.96	ND	ND	32	27	27	ND	ND	ND	ND	ND	86
	10/4/2004	17.81	ND	ND	33	41	48	ND	ND	ND	ND	ND	122
	4/1/2005	17.05	ND	ND	30	37	35	ND	ND	ND	ND	ND	102
	10/14/2005	17.26	ND	ND	29	25	36	ND	ND	ND	ND	ND	90
	4/27/2006	16.39	ND	ND	19.1	17.1	20.2	ND	ND	ND	ND	ND	56.4
	10/13/2006	17.42	ND	ND	23.2	41.5	47	ND	ND	ND	ND	ND	111.7
	4/17/2007	16.67	ND	ND	25.6	24	27.1	ND	ND	ND	ND	ND	76.7
	10/12/2007	18.61	ND	ND	30.2	39.4	26.1	ND	5.8	ND	ND	ND	101.5
	4/4/2008	15.67	ND	ND	34.4	23.1	25.7	ND	ND	ND	ND	ND	83.2
	10/10/2008	17.71	ND	ND	30.5	29	34.7	ND	ND	ND	ND	ND	94.2
	4/9/2009	16.87	ND	ND	33.7	21.9	25.6	ND	ND	ND	ND	ND	81.2
	10/9/2009	17.11	ND	ND	34.9	22.1	30.1	ND	ND	ND	ND	ND	87.1
	4/8/2010	16.82	ND	ND	29.7	15.1	18.8	ND	ND	ND	ND	ND	63.6
	10/7/2010	18.57	ND	ND	23.8	21.9	21.2	ND	ND	ND	ND	ND	66.9
	4/14/2011	16.18	ND	ND	18.9	9.5	11.4	ND	ND	ND	ND	ND	39.8
	10/5/2011	17.93	ND	ND	29.4	14.7	19.3	ND	ND	ND	ND	ND	63.4
	4/6/2012	16.66	ND	ND	29.9	9.1	13.9	ND	ND	ND	ND	ND	52.9
	10/5/2012	18.35	ND	ND	32.7	13.4	13.9	ND	ND	ND	ND	ND	60.0

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Ta ontinued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-29	9/29/2000	16.71	ND	ND	11	ND	ND	ND	ND	ND	ND	ND	11
	4/2/2001	17.75	ND	ND	5.1	ND	ND	ND	ND	ND	ND	ND	5
	10/19/2001	17.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/16/2002	16.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/17/2002	18.74	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/30/2003	16.02	ND	ND	8.8	ND	ND	ND	ND	ND	ND	ND	9
	10/3/2003	16.83	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/2/2004	16.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/4/2004	17.84	ND	ND	6.7	ND	ND	ND	ND	ND	ND	ND	6.7
	4/1/2005	16.88	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/14/2005	17.05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/2006	16.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/13/2006	17.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/17/2007	16.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/12/2007	18.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/4/2008	15.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/10/2008	17.55	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/9/2009	16.84	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/9/2009	16.92	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/8/2010	16.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/7/2010	18.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/14/2011	16.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2011	17.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/6/2012	16.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2012	18.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Ta ontinued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-30	9/29/2000	15.76	ND	ND	ND	36	70	ND	ND	ND	ND	ND	106
	4/2/2001	16.18	ND	ND	ND	31	50	ND	ND	ND	ND	ND	81
	10/19/2001	13.78	ND	ND	ND	37	48	ND	ND	ND	ND	ND	85
	4/16/2002	15.26	ND	ND	ND	39	37	ND	ND	ND	ND	ND	76
	10/17/2002	16.00	ND	ND	ND	29	42	ND	ND	ND	ND	ND	71
	4/30/2003	9.72*	ND	ND	ND	32	35	ND	ND	ND	ND	ND	67
	10/3/2003	15.63	ND	ND	ND	25	26	ND	ND	ND	ND	ND	51
	4/2/2004	15.75	ND	ND	ND	20	19	ND	ND	ND	ND	ND	39
	10/4/2004	15.51	ND	ND	6.3	26	27	ND	ND	ND	ND	ND	59
	4/1/2005	15.46	ND	ND	ND	31	28	ND	ND	ND	ND	ND	59
	10/14/2005	15.45	ND	ND	ND	22	33	ND	ND	ND	ND	ND	55
	4/27/2006	14.90	ND	ND	ND	12.2	16.8	ND	ND	ND	ND	ND	29
	10/13/2006	15.45	ND	ND	ND	33.3	30.5	ND	ND	ND	ND	ND	64
	4/17/2007	15.34	ND	ND	ND	14.1	14.7	ND	ND	ND	ND	ND	28.8
	10/12/2007	16.06	ND	ND	ND	39.6	27.6	ND	5.7	ND	ND	ND	72.9
	4/4/2008	14.57	ND	ND	ND	15.9	15.2	ND	ND	ND	ND	ND	31.1
	10/10/2008	15.92	ND	ND	ND	18.2	12.7	ND	ND	ND	ND	ND	30.9
	4/9/2009	15.66	ND	ND	ND	15.6	9.9	ND	ND	ND	ND	ND	25.5
	10/9/2009	15.67	ND	ND	ND	15.2	7.9	ND	ND	ND	ND	ND	23.1
	4/8/2010	15.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/7/2010	16.12	ND	ND	ND	24.3	10.1	ND	ND	ND	ND	ND	34.4
	4/14/2011	15.17	ND	ND	ND	7.7	ND	ND	ND	ND	ND	ND	7.7
	10/5/2011	15.87	ND	ND	ND	13.5	ND	ND	ND	ND	ND	ND	13.5
	4/6/2012	15.31	ND	ND	ND	6.6	ND	ND	ND	ND	ND	ND	6.6
	10/5/2012	15.94	ND	ND	ND	15.4	5	ND	ND	ND	ND	ND	20.4

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.
* Depth to water in MW-30 on May 30, 2003 is believed to be erroneous.

APPENDIX A

Monthly O&M Reports

7428 Rockville Road, Indianapolis, IN 46214

May 21, 2012

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492

Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED CORRECTIVE MEASURE
Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the April 20 through May 16, 2012 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On May 2, 2012, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 6.56 feet below top of casing (TOC) in MW-9 to 17.19 feet below TOC in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 were operational during groundwater gauging activities. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a groundwater contour map based on the May 2, 2012 depth to water measurements has been included as **Figure 2**.

Groundwater Treatment System

From April 20 through May 16, 2012, approximately 1,210,335 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 167,463,263 gallons. The average influent groundwater recovery rate from April 20 through May 16, 2012 was approximately 32.3 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on May 2, 2012 to complete quarterly, monthly, and bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on May 2, 2012.

IWM personnel mobilized to the site on May 16, 2012 to complete bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on May 16, 2012.

Schedule of Activities

Monthly and biweekly system operation and maintenance activities are scheduled for the month of June 2012. Site visits are scheduled for the weeks beginning May 28, June 11, and June 25, 2012. The information from these site inspections will be included in the June 2012 Progress Report.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting Group, LLC appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

IWM CONSULTING GROUP, LLC

Christopher D. Parks, LPG
Project Manager

Bradley E. Gentry, LPG
Senior Project Manager

Attachments
cc: Mr. Dave Dowden, Lancer Realty & Development Co.

FIGURES



GEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

Scale 1":100 ft.

DRAWN BY: L. STRUM	
DATE: 9/27/99	
REVISED:	
HWPA #111291-01	
DWG. NO. 111291S1	

FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP



LEGEND

- MONITORING WELL
- RECOVERY WELL
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER
- 722.00 POTENTIONMETRIC SURFACE (CONTOUR INTERVAL = 1.0 FT.)

0 100
SCALE IN FEET

DRAWN BY: L. STRUM	FIGURE 2 GROUNDWATER ELEVATION MAP (05/02/12)	FORMER AMPHENOL RFI/CMS 980 HURRICANE ROAD FRANKLIN, INDIANA	iWM CONSULTING GROUP
DATE: 9/27/99			
REVISED:			
HWPA #111291-01			
DWG. NO. 111291S1			

ATTACHMENT A

Groundwater Level Measurements

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/03/07	732.25	11.52	720.73
	02/12/07		12.00	720.25
	03/12/07		11.74	720.51
	04/09/07		12.01	720.24
	05/07/07		12.11	720.14
	06/08/07		12.45	719.80
	07/17/07		12.66	719.59
	08/01/07		12.73	719.52
	09/14/07		13.03	719.22
	10/12/07		13.38	718.87
	11/09/07		13.37	718.88
	12/07/07		13.27	718.98
	01/04/08		12.79	719.46
	02/15/08		11.85	720.40
	03/13/08		11.48	720.77
	04/11/08		11.31	720.94
	05/08/08		11.95	720.30
	06/06/08		11.08	721.17
	07/03/08		11.29	720.96
	08/01/08		11.65	720.60
	09/12/08		12.38	719.87
	10/10/08		12.78	719.47
	11/06/08		13.05	719.20
	12/19/08		12.97	719.28
	01/02/09		12.39	719.86
	02/13/09		12.30	719.95
	03/13/09		12.40	719.85
	04/09/09		12.22	720.03
	05/08/09		11.90	720.35
	06/05/09		11.89	720.36
	07/02/09		12.05	720.20
	08/14/09		11.55	720.70
	09/11/09		12.02	720.23
	10/09/09		12.29	719.96
	11/04/09		12.26	719.99
	12/04/09		12.55	719.70
	01/14/10		12.50	719.75
	02/10/10		NG	NG
	03/11/10		12.49	719.76
	04/08/10		12.19	720.06
	05/06/10		12.35	719.90
	06/04/10		12.47	719.78
	07/01/10		11.69	720.56
	08/12/10		12.39	719.86
	09/08/10		13.07	719.18
	10/07/10		14.04	718.21
	11/19/10		14.28	717.97
	12/03/10		13.70	718.55
	01/14/11		13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99
	12/01/11		12.82	719.43
	01/13/12		12.50	719.75
	02/10/12		12.30	719.95
	03/09/12		12.80	719.45
	04/06/12		12.31	719.94
	05/02/12		12.47	719.78

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/03/07	728.71	10.46	718.25
	02/12/07		10.93	717.78
	03/12/07		10.81	717.90
	04/09/07		10.88	717.83
	05/07/07		10.95	717.76
	06/08/07		11.10	717.61
	07/17/07		11.12	717.59
	08/01/07		11.12	717.59
	09/14/07		11.21	717.50
	10/12/07		11.35	717.36
	11/09/07		11.35	717.36
	12/07/07		11.36	717.35
	01/04/08		11.24	717.47
	02/15/08		10.61	718.10
	03/13/08		10.42	718.29
	04/11/08		10.23	718.48
	05/08/08		10.70	718.01
	06/06/08		9.84	718.87
	07/03/08		9.89	718.82
	08/01/08		10.54	718.17
	09/12/08		10.92	717.79
	10/10/08		11.04	717.67
	11/06/08		11.20	717.51
	12/19/08		11.01	717.70
	01/02/09		10.98	717.73
	02/13/09		10.79	717.92
	03/13/09		11.13	717.58
	04/09/09		10.86	717.85
	05/08/09		10.81	717.90
	06/05/09		10.71	718.00
	07/02/09		10.81	717.90
	08/14/09		10.52	718.19
	09/11/09		10.80	717.91
	10/09/09		10.77	717.94
	11/04/09		10.91	717.80
	12/04/09		11.07	717.64
	01/14/10		11.09	717.62
	02/10/10		11.13	717.58
	03/11/10		11.03	717.68
	04/08/10		10.75	717.96
	05/06/10		10.96	717.75
	06/04/10		11.01	717.70
	07/01/10		10.52	718.19
	08/12/10		10.88	717.83
	09/08/10		11.10	717.61
	10/07/10		11.33	717.38
	11/19/10		11.49	717.22
	12/03/10		11.26	717.45
	01/14/11		11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		10.60	718.11
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69
	12/01/11		10.74	717.97
	01/13/12		10.90	717.81
	02/10/12		10.86	717.85
	03/09/12		11.08	717.63
	04/06/12		10.73	717.98
	05/02/12		10.68	718.03

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/03/07	736.44	14.00	722.44
	02/12/07		14.58	721.86
	03/12/07		14.41	722.03
	04/09/07		14.64	721.80
	05/07/07		14.83	721.61
	06/08/07		15.32	721.12
	07/17/07		15.73	720.71
	08/01/07		16.89	719.55
	09/14/07		16.23	720.21
	10/12/07		16.65	719.79
	11/09/07		16.60	719.84
	12/07/07		16.55	719.89
	01/04/08		15.87	720.57
	02/15/08		14.41	722.03
	03/13/08		13.82	722.62
	04/11/08		13.50	722.94
	05/08/08		14.33	722.11
	06/06/08		13.30	723.14
	07/03/08		13.41	723.03
	08/01/08		13.68	722.76
	09/12/08		15.28	721.16
	10/10/08		15.77	720.67
	11/06/08		16.11	720.33
	12/19/08		16.10	720.34
	01/02/09		15.26	721.18
	02/13/09		15.16	721.28
	03/13/09		15.25	721.19
	04/09/09		14.88	721.56
	05/08/09		NG	NG
	06/05/09		14.25	722.19
	07/02/09		14.62	721.82
	08/14/09		13.92	722.52
	09/11/09		14.73	721.71
	10/09/09		15.17	721.27
	11/04/09		15.07	721.37
	12/04/09		15.48	720.96
	01/14/10		15.23	721.21
	02/10/10		15.37	721.07
	03/11/10		15.21	721.23
	04/08/10		14.82	721.62
	05/06/10		14.92	721.52
	06/04/10		15.13	721.31
	07/01/10		14.04	722.40
	08/12/10		15.06	721.38
	09/08/10		15.85	720.59
	10/07/10		16.52	719.92
	11/19/10		16.99	719.45
	12/03/10		16.32	720.12
	01/14/11		16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47
	12/01/11		15.48	720.96
	01/13/12		14.87	721.57
	02/10/12		14.49	721.95
	03/09/12		15.10	721.34
	04/06/12		14.63	721.81
	05/02/12		14.59	721.85

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/03/07	733.04	6.85	726.19
	02/12/07		7.81	725.23
	03/12/07		9.56	723.48
	04/09/07		10.56	722.48
	05/07/07		8.35	724.69
	06/08/07		9.07	723.97
	07/17/07		9.65	723.39
	08/01/07		9.82	723.22
	09/14/07		10.49	722.55
	10/12/07		10.95	722.09
	11/09/07		11.14	721.90
	12/07/07		11.21	721.83
	01/04/08		10.46	722.58
	02/15/08		8.45	724.59
	03/13/08		7.28	725.76
	04/11/08		6.40	726.64
	05/08/08		7.74	725.30
	06/06/08		8.49	724.55
	07/03/08		8.50	724.54
	08/01/08		7.28	725.76
	09/12/08		7.30	725.74
	10/10/08		9.47	723.57
	11/06/08		9.98	723.06
	12/19/08		9.34	723.70
	01/02/09		8.77	724.27
	02/13/09		8.04	725.00
	03/13/09		8.75	724.29
	04/09/09		7.82	725.22
	05/08/09		NG	NG
	06/05/09		7.24	725.80
	07/02/09		7.89	725.15
	08/14/09		6.96	726.08
	09/11/09		8.47	724.57
	10/09/09		8.34	724.70
	11/04/09		8.46	724.58
	12/04/09		8.98	724.06
	01/14/10		8.83	724.21
	02/10/10		NG	NG
	03/11/10		8.51	724.53
	04/08/10		7.37	725.67
	05/06/10		8.16	724.88
	06/04/10		8.48	724.56
	07/01/10		7.22	725.82
	08/12/10		8.94	724.10
	09/08/10		9.81	723.23
	10/07/10		10.51	722.53
	11/19/10		11.10	721.94
	12/03/10		10.31	722.73
	01/14/11		10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29
	12/01/11		8.57	724.47
	01/13/12		8.18	724.86
	02/10/12		7.76	725.28
	03/09/12		8.52	724.52
	04/06/12		7.71	725.33
	05/02/12		6.56	726.48

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12	01/03/07	736.38	15.70	720.68
	02/12/07		16.18	720.20
	03/12/07		15.54	720.84
	04/09/07		16.17	720.21
	05/07/07		16.32	720.06
	06/08/07		16.58	719.80
	07/17/07		16.79	719.59
	08/01/07		16.88	719.50
	09/14/07		17.10	719.28
	10/12/07		17.47	718.91
	11/09/07		17.45	718.93
	12/07/07		17.35	719.03
	01/04/08		16.86	719.52
	02/03/08		15.97	720.41
	03/13/08		15.67	720.71
	04/11/08		15.52	720.86
	05/08/08		16.06	720.32
Well Damaged	06/06/08		NG	NG
MW-12R	07/03/08	736.15	15.47	720.68
	08/01/08		15.76	720.39
	09/12/08		16.49	719.66
	10/10/08		16.85	719.30
	11/06/08		17.17	718.98
	12/19/08		17.05	719.10
	01/02/09		16.51	719.64
	02/13/09		16.44	719.71
	03/13/09		16.57	719.58
	04/09/09		16.38	719.77
	05/08/09		16.11	720.04
	06/05/09		16.05	720.10
	07/02/09		16.22	719.93
	08/14/09		15.77	720.38
	09/11/09		16.04	720.11
	10/09/09		16.41	719.74
	11/04/09		16.46	719.69
	12/04/09		16.71	719.44
	01/14/10		16.60	719.55
	02/10/10		16.68	719.47
	03/11/10		16.63	719.52
	04/08/10		16.32	719.83
	05/06/10		16.49	719.66
	06/04/10		16.61	719.54
	07/01/10		15.85	720.30
	08/12/10		16.64	719.51
	09/08/10		17.28	718.87
	10/07/10		18.41	717.74
	11/19/10		18.71	717.44
	12/03/10		18.22	717.93
	01/14/11		17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61
	12/01/11		17.20	718.95
	01/13/12		16.83	719.32
	02/10/12		16.66	719.49
	03/09/12		17.15	719.00
	04/06/12		16.74	719.41
	05/02/12		16.87	719.28

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/03/07	734.03	8.51	725.52
	02/12/07		9.42	724.61
	03/12/07		9.24	724.79
	04/09/07		9.36	724.67
	05/07/07		9.61	724.42
	06/08/07		10.20	723.83
	07/17/07		10.72	723.31
	08/01/07		10.85	723.18
	09/14/07		11.58	722.45
	10/12/07		12.02	722.01
	11/09/07		12.10	721.93
	12/07/07		11.91	722.12
	01/04/08		11.11	722.92
	02/15/08		9.43	724.60
	03/13/08		8.71	725.32
	04/11/08		8.28	725.75
	05/08/08		9.23	724.80
	06/06/08		7.64	726.39
	07/03/08		7.67	726.36
	08/01/08		9.00	725.03
	09/12/08		9.05	724.98
	10/10/08		10.51	723.52
	11/06/08		11.17	722.86
	12/19/08		10.01	724.02
	01/02/09		9.69	724.34
	02/13/09		9.12	724.91
	03/13/09		9.84	724.19
	04/09/09		9.04	724.99
	05/08/09		8.53	725.50
	06/05/09		8.93	725.10
	07/02/09		9.34	724.69
	08/14/09		8.68	725.35
	09/11/09		9.74	724.29
	10/09/09		9.24	724.79
	11/04/09		9.55	724.48
	12/04/09		9.98	724.05
	01/14/10		9.99	724.04
	02/10/10		9.99	724.04
	03/11/10		9.46	724.57
	04/08/10		8.53	725.50
	05/06/10		9.41	724.62
	06/04/10		9.51	724.52
	07/01/10		8.81	725.22
	08/12/10		10.16	723.87
	09/08/10		11.07	722.96
	10/07/10		11.76	722.27
	11/19/10		12.08	721.95
	12/03/10		10.96	723.07
	01/14/11		11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52
	12/01/11		9.32	724.71
	01/13/12		9.39	724.64
	02/10/12		9.19	724.84
	03/09/12		9.63	724.40
	04/06/12		9.04	724.99
	05/02/12		8.41	725.62

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/03/07	737.91	15.71	722.20
	02/12/07		4.76	733.15
	03/12/07		16.10	721.81
	04/09/07		16.91	721.00
	05/07/07		16.50	721.41
	06/08/07		16.98	720.93
	07/17/07		17.35	720.56
	08/01/07		17.55	720.36
	09/14/07		17.88	720.03
	10/12/07		18.29	719.62
	11/09/07		18.23	719.68
	12/07/07		18.19	719.72
	01/04/08		17.48	720.43
	02/15/08		16.10	721.81
	03/13/08		15.52	722.39
	04/11/08		15.20	722.71
	05/08/08		16.02	721.89
	06/06/08		15.00	722.91
	07/03/08		15.05	722.86
	08/01/08		15.36	722.55
	09/12/08		16.95	720.96
	10/10/08		17.43	720.48
	11/06/08		17.78	720.13
	12/19/08		17.75	720.16
	01/02/09		16.94	720.97
	02/13/09		16.85	721.06
	03/13/09		16.94	720.97
	04/09/09		16.60	721.31
	05/08/09		16.16	721.75
	06/05/09		15.97	721.94
	07/02/09		16.32	721.59
	08/14/09		15.67	722.24
	09/11/09		16.41	721.50
	10/09/09		16.94	720.97
	11/04/09		16.76	721.15
	12/04/09		17.15	720.76
	01/14/10		16.95	720.96
	02/10/10		17.06	720.85
	03/11/10		16.91	721.00
	04/08/10		16.53	721.38
	05/06/10		16.63	721.28
	06/04/10		16.84	721.07
	07/01/10		15.78	722.13
	08/12/10		16.76	721.15
	09/08/10		17.51	720.40
	10/07/10		18.17	719.74
	11/19/10		18.64	719.27
	12/03/10		17.98	719.93
	01/14/11		17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27
	12/01/11		17.18	720.73
	01/13/12		16.57	721.34
	02/10/12		16.24	721.67
	03/09/12		16.89	721.02
	04/06/12		16.33	721.58
	05/02/12		16.43	721.48

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/03/07	737.64	16.46	721.18
	02/12/07		16.90	720.74
	03/12/07		16.66	720.98
	04/09/07		16.91	720.73
	05/07/07		17.03	720.61
	06/08/07		17.43	720.21
	07/17/07		17.76	719.88
	08/01/07		17.97	719.67
	09/14/07		18.24	719.40
	10/12/07		18.62	719.02
	11/09/07		18.59	719.05
	12/07/07		18.51	719.13
	01/04/08		17.91	719.73
	02/15/08		16.80	720.84
	03/13/08		16.37	721.27
	04/11/08		16.13	721.51
	05/08/08		16.74	720.90
	06/06/08		15.88	721.76
	07/03/08		15.91	721.73
	08/01/08		16.29	721.35
	09/12/08		17.47	720.17
	10/10/08		17.87	719.77
	11/06/08		18.22	719.42
	12/19/08		18.12	719.52
	01/02/09		17.47	720.17
	02/13/09		17.37	720.27
	03/13/09		17.58	720.06
	04/09/09		17.23	720.41
	05/08/09		16.89	720.75
	06/05/09		16.72	720.92
	07/02/09		16.98	720.66
	08/14/09		16.49	721.15
	09/11/09		16.91	720.73
	10/09/09		17.36	720.28
	11/04/09		17.30	720.34
	12/04/09		17.65	719.99
	01/14/10		17.48	720.16
	02/10/10		17.57	720.07
	03/11/10		17.46	720.18
	04/08/10		17.14	720.50
	05/06/10		17.28	720.36
	06/04/10		17.42	720.22
	07/01/10		16.55	721.09
	08/12/10		17.27	720.37
	09/08/10		17.88	719.76
	10/07/10		18.64	719.00
	11/19/10		19.08	718.56
	12/03/10		18.46	719.18
	01/14/11		18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53
	12/01/11		17.70	719.94
	01/13/12		17.24	720.40
	02/10/12		17.05	720.59
	03/09/12		17.55	720.09
	04/06/12		17.06	720.58
	05/02/12		17.19	720.45

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/03/07	736.02	14.51	721.51
	02/12/07		14.97	721.05
	03/12/07		14.88	721.14
	04/09/07		15.07	720.95
	05/07/07		15.24	720.78
	06/08/07		15.63	720.39
	07/17/07		15.95	720.07
	08/01/07		16.02	720.00
	09/14/07		16.31	719.71
	10/12/07		16.64	719.38
	11/09/07		16.65	719.37
	12/07/07		16.67	719.35
	01/04/08		16.18	719.84
	02/15/08		14.95	721.07
	03/13/08		14.43	721.59
	04/11/08		14.07	721.95
	05/08/08		14.88	721.14
	06/06/08		13.85	722.17
	07/03/08		13.87	722.15
	08/01/08		14.38	721.64
	09/12/08		15.58	720.44
	10/10/08		15.98	720.04
	11/06/08		16.26	719.76
	12/19/08		16.28	719.74
	01/02/09		15.74	720.28
	02/13/09		15.54	720.48
	03/13/09		15.66	720.36
	04/09/09		15.43	720.59
	05/08/09		15.03	720.99
	06/05/09		14.79	721.23
	07/02/09		15.07	720.95
	08/14/09		14.50	721.52
	09/11/09		15.13	720.89
	10/09/09		15.53	720.49
	11/04/09		15.49	720.53
	12/04/09		15.80	720.22
	01/14/10		15.60	720.42
	02/10/10		15.71	720.31
	03/11/10		15.61	720.41
	04/08/10		15.28	720.74
	05/06/10		15.39	720.63
	06/04/10		15.55	720.47
	07/01/10		14.56	721.46
	08/12/10		15.39	720.63
	09/08/10		16.02	720.00
	10/07/10		16.57	719.45
	11/19/10		16.98	719.04
	12/03/10		16.56	719.46
	01/14/11		16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86
	12/01/11		15.83	720.19
	01/13/12		15.27	720.75
	02/10/12		15.03	720.99
	03/09/12		15.63	720.39
	04/06/12		15.11	720.91
	05/02/12		15.25	720.77

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/03/07	736.39	11.42	724.97
	02/12/07		12.28	724.11
	03/12/07		12.15	724.24
	04/09/07		12.39	724.00
	05/07/07		12.65	723.74
	06/08/07		13.25	723.14
	07/17/07		13.69	722.70
	08/01/07		13.85	722.54
	09/14/07		14.37	722.02
	10/12/07		14.82	721.57
	11/09/07		14.93	721.46
	12/07/07		14.91	721.48
	01/04/08		14.20	722.19
	02/15/08		12.47	723.92
	03/13/08		11.63	724.76
	04/11/08		11.04	725.35
	05/08/08		12.13	724.26
	06/06/08		10.29	726.10
	07/03/08		10.31	726.08
	08/01/08		11.71	724.68
	09/12/08		11.80	724.59
	10/10/08		13.61	722.78
	11/06/08		14.07	722.32
	12/19/08		13.95	722.44
	01/02/09		12.92	723.47
	02/13/09		12.47	723.92
	03/13/09		13.02	723.37
	04/09/09		12.22	724.17
	05/08/09		11.72	724.67
	06/05/09		11.78	724.61
	07/02/09		12.27	724.12
	08/14/09		11.44	724.95
	09/11/09		12.70	723.69
	10/09/09		12.72	723.67
	11/04/09		12.74	723.65
	12/04/09		13.21	723.18
	01/14/10		13.06	723.33
	02/10/10		13.15	723.24
	03/11/10		12.78	723.61
	04/08/10		12.18	724.21
	05/06/10		12.52	723.87
	06/04/10		12.69	723.70
	07/01/10		11.62	724.77
	08/12/10		13.06	723.33
	09/08/10		13.89	722.50
	10/07/10		14.52	721.87
	11/19/10		14.97	721.42
	12/03/10		14.11	722.28
	01/14/11		14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68
	12/01/11		12.73	723.66
	01/13/12		12.48	723.91
	02/10/12		12.15	724.24
	03/09/12		12.81	723.58
	04/06/12		12.09	724.30
	05/02/12		11.98	724.41

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/03/07	736.63	14.31	722.32
	02/12/07		15.04	721.59
	03/12/07		16.68	719.95
	04/09/07		15.03	721.60
	05/07/07		15.17	721.46
	06/08/07		15.71	720.92
	07/17/07		16.11	720.52
	08/01/07		16.31	720.32
	09/14/07		16.63	720.00
	10/12/07		17.08	719.55
	11/09/07		17.08	719.55
	12/07/07		16.79	719.84
	01/04/08		16.30	720.33
	02/15/08		14.87	721.76
	03/13/08		14.33	722.30
	04/11/08		14.11	722.52
	05/08/08		14.93	721.70
	06/06/08		13.76	722.87
	07/03/08		13.80	722.83
	08/01/08		14.46	722.17
	09/12/08		15.67	720.96
	10/10/08		16.12	720.51
	11/06/08		16.52	720.11
	12/19/08		16.41	720.22
	01/02/09		15.50	721.13
	02/13/09		15.43	721.20
	03/13/09		15.58	721.05
	04/09/09		15.11	721.52
	05/08/09		14.72	721.91
	06/05/09		14.64	721.99
	07/02/09		15.01	721.62
	08/14/09		14.37	722.26
	09/11/09		15.08	721.55
	10/09/09		15.43	721.20
	11/04/09		15.34	721.29
	12/04/09		15.78	720.85
	01/14/10		15.61	721.02
	02/10/10		15.73	720.90
	03/11/10		15.47	721.16
	04/08/10		15.12	721.51
	05/06/10		15.26	721.37
	06/04/10		15.47	721.16
	07/01/10		14.45	722.18
	08/12/10		15.42	721.21
	09/08/10		16.33	720.30
	10/07/10		16.99	719.64
	11/19/10		17.38	719.25
	12/03/10		16.64	719.99
	01/14/11		16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37
	12/01/11		15.68	720.95
	01/13/12		15.21	721.42
	02/10/12		14.93	721.70
	03/09/12		15.62	721.01
	04/06/12		14.95	721.68
	05/02/12		15.20	721.43

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/03/07	738.04	16.07	721.97
	02/12/07		16.67	721.37
	03/12/07		NG	NG
	04/09/07		16.66	721.38
	05/07/07		16.81	721.23
	06/08/07		17.29	720.75
	07/17/07		17.67	720.37
	08/01/07		17.88	720.16
	09/14/07		18.19	719.85
	10/12/07		18.61	719.43
	11/09/07		18.60	719.44
	12/07/07		18.35	719.69
	01/04/08		17.85	720.19
	02/15/08		16.51	721.53
	03/13/08		16.01	722.03
	04/11/08		15.74	722.30
	05/08/08		16.51	721.53
	06/06/08		15.52	722.52
	07/03/08		15.56	722.48
	08/01/08		16.01	722.03
	09/12/08		17.28	720.76
	10/10/08		17.71	720.33
	11/06/08		18.11	719.93
	12/19/08		18.03	720.01
	01/02/09		17.20	720.84
	02/13/09		17.12	720.92
	03/13/09		17.23	720.81
	04/09/09		16.87	721.17
	05/08/09		16.48	721.56
	06/05/09		16.35	721.69
	07/02/09		16.44	721.60
	08/14/09		16.07	721.97
	09/11/09		16.68	721.36
	10/09/09		17.11	720.93
	11/04/09		17.03	721.01
	12/04/09		17.43	720.61
	01/14/10		17.25	720.79
	02/10/10		17.34	720.70
	03/11/10		17.18	720.86
	04/08/10		16.82	721.22
	05/06/10		16.95	721.09
	06/04/10		17.14	720.90
	07/01/10		16.15	721.89
	08/12/10		17.03	721.01
	09/08/10		17.87	720.17
	10/07/10		18.57	719.47
	11/19/10		19.00	719.04
	12/03/10		18.31	719.73
	01/14/11		18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12
	12/01/11		17.42	720.62
	01/13/12		16.92	721.12
	02/10/12		16.65	721.39
	03/09/12		17.29	720.75
	04/06/12		16.66	721.38
	05/02/12		16.90	721.14

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/03/07	737.61	15.89	721.72
	02/12/07		16.53	721.08
	03/12/07		16.34	721.27
	04/09/07		16.51	721.10
	05/07/07		16.65	720.96
	06/08/07		17.16	720.45
	07/17/07		17.52	720.09
	08/01/07		17.71	719.90
	09/14/07		18.03	719.58
	10/12/07		18.45	719.16
	11/09/07		18.44	719.17
	12/07/07		18.13	719.48
	01/04/08		17.66	719.95
	02/15/08		16.36	721.25
	03/13/08		15.89	721.72
	04/11/08		15.67	721.94
	05/08/08		16.43	721.18
	06/06/08		15.45	722.16
	07/03/08		15.47	722.14
	08/01/08		16.08	721.53
	09/12/08		17.13	720.48
	10/10/08		17.55	720.06
	11/06/08		17.93	719.68
	12/19/08		17.80	719.81
	01/02/09		16.96	720.65
	02/13/09		16.90	720.71
	03/13/09		17.02	720.59
	04/09/09		16.84	720.77
	05/08/09		16.27	721.34
	06/05/09		16.88	720.73
	07/02/09		16.91	720.70
	08/14/09		15.93	721.68
	09/11/09		15.84	721.77
	10/09/09		16.92	720.69
	11/04/09		16.83	720.78
	12/04/09		17.25	720.36
	01/14/10		17.03	720.58
	02/10/10		17.18	720.43
	03/11/10		16.98	720.63
	04/08/10		16.61	721.00
	05/06/10		16.77	720.84
	06/04/10		16.97	720.64
	07/01/10		15.99	721.62
	08/12/10		16.90	720.71
	09/08/10		17.78	719.83
	10/07/10		18.45	719.16
	11/19/10		18.84	718.77
	12/03/10		18.12	719.49
	01/14/11		17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88
	12/01/11		17.19	720.42
	01/13/12		16.73	720.88
	02/10/12		16.48	721.13
	03/09/12		17.13	720.48
	04/06/12		16.48	721.13
	05/02/12		16.69	720.92

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/03/07	734.84	15.15	719.69
	02/12/07		15.34	719.50
	03/12/07		17.13	717.71
	04/09/07		15.36	719.48
	05/07/07		15.44	719.40
	06/08/07		15.48	719.36
	07/17/07		15.47	719.37
	08/01/07		15.49	719.35
	09/14/07		16.07	718.77
	10/12/07		16.06	718.78
	11/09/07		16.10	718.74
	12/07/07		16.15	718.69
	01/04/08		16.01	718.83
	02/15/08		15.17	719.67
	03/13/08		14.88	719.96
	04/11/08		14.67	720.17
	05/08/08		15.22	719.62
	06/06/08		14.32	720.52
	07/03/08		14.80	720.04
	08/01/08		14.91	719.93
	09/12/08		15.72	719.12
	10/10/08		15.92	718.92
	11/06/08		16.07	718.77
	12/19/08		15.84	719.00
	01/02/09		15.72	719.12
	02/13/09		15.68	719.16
	03/13/09		15.79	719.05
	04/09/09		15.66	719.18
	05/08/09		15.57	719.27
	06/05/09		15.40	719.44
	07/02/09		15.55	719.29
	08/14/09		15.10	719.74
	09/11/09		15.16	719.68
	10/09/09		15.67	719.17
	11/04/09		15.39	719.45
	12/04/09		15.87	718.97
	01/14/10		15.82	719.02
	02/10/10		15.74	719.10
	03/11/10		15.68	719.16
	04/08/10		15.48	719.36
	05/06/10		16.61	718.23
	06/04/10		15.66	719.18
	07/01/10		13.07	721.77
	08/12/10		14.99	719.85
	09/08/10		15.83	719.01
	10/07/10		16.12	718.72
	11/19/10		16.24	718.60
	12/03/10		16.03	718.81
	01/14/11		16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13
	12/01/11		15.22	719.62
	01/13/12		15.44	719.40
	02/10/12		15.37	719.47
	03/09/12		15.64	719.20
	04/06/12		15.31	719.53
	05/02/12		15.37	719.47

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/03/07	730.97	12.40	718.57
	02/12/07		11.96	719.01
	03/12/07		12.22	718.75
	04/09/07		11.98	718.99
	05/07/07		11.10	719.87
	06/08/07		11.68	719.29
	07/17/07		11.44	719.53
	08/01/07		11.60	719.37
	09/14/07		13.10	717.87
	10/12/07		12.20	718.77
	11/09/07		12.27	718.70
	12/07/07		13.18	717.79
	01/04/08		12.85	718.12
	02/15/08		11.70	719.27
	03/13/08		11.61	719.36
	04/11/08		11.40	719.57
	05/08/08		11.39	719.58
	06/06/08		10.88	720.09
	07/03/08		11.65	719.32
	08/01/08		11.58	719.39
	09/12/08		13.09	717.88
	10/10/08		13.22	717.75
	11/06/08		12.96	718.01
	12/19/08		13.02	717.95
	01/02/09		12.80	718.17
	02/13/09		12.90	718.07
	03/13/09		12.78	718.19
	04/09/09		12.10	718.87
	05/08/09		13.35	717.62
	06/05/09		12.90	718.07
	07/02/09		12.68	718.29
	08/14/09		12.38	718.59
	09/11/09		12.30	718.67
	10/09/09		13.50	717.47
	11/04/09		13.04	717.93
	12/04/09		13.21	717.76
	01/14/10		13.42	717.55
	02/10/10		13.39	717.58
	03/11/10		12.81	718.16
	04/08/10		13.15	717.82
	05/06/10		12.14	718.83
	06/04/10		12.10	718.87
	07/01/10		13.42	717.55
	08/12/10		10.90	720.07
	09/08/10		12.70	718.27
	10/07/10		12.40	718.57
	11/19/10		12.45	718.52
	12/03/10		12.45	718.52
	01/14/11		12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22
	12/01/11		11.37	719.60
	01/13/12		12.84	718.13
	02/10/12		12.31	718.66
	03/09/12		12.98	717.99
	04/06/12		12.96	718.01
	05/02/12		12.90	718.07

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/03/07	732.05	15.36	716.69
	02/12/07		*15.82*	*716.23*
	03/12/07		11.66	720.39
	04/09/07		15.91	716.14
	05/07/07		12.35	719.70
	06/08/07		15.31	716.74
	07/17/07		15.83	716.22
	08/01/07		14.40	717.65
	09/14/07		14.85	717.20
	10/12/07		14.41	717.64
	11/09/07		14.62	717.43
	12/07/07		14.68	717.37
	01/04/08		14.70	717.35
	02/15/08		15.25	716.80
	03/13/08		15.31	716.74
	04/11/08		*14.10*	*717.95*
	05/08/08		15.24	716.81
	06/06/08		12.13	719.92
	07/03/08		12.28	719.77
	08/01/08		12.30	719.75
	09/12/08		15.05	717.00
	10/10/08		15.88	716.17
	11/06/08		15.20	716.85
	12/19/08		15.50	716.55
	01/02/09		15.44	716.61
	02/13/09		12.15	719.90
	03/13/09		16.85	715.20
	04/09/09		16.30	715.75
	05/08/09		15.65	716.40
	06/05/09		14.68	*717.37*
	07/02/09		14.60	717.45
	08/14/09		15.35	716.70
	09/11/09		14.50	717.55
	10/09/09		17.15	714.90
	11/04/09		12.14	719.91
	12/04/09		16.81	715.24
	01/14/10		15.50	716.55
	02/10/10		15.20	716.85
	03/11/10		14.35	717.70
	04/08/10		14.28	717.77
	05/06/10		13.72	718.33
	06/04/10		13.45	718.60
	07/01/10		13.81	718.24
	08/12/10		14.58	717.47
	09/08/10		16.10	715.95
	10/07/10		15.50	716.55
	11/19/10		15.05	717.00
	12/03/10		13.78	718.27
	01/14/11		13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87
	12/01/11		15.06	716.99
	01/13/12		12.70	719.35
	02/10/12		12.48	719.57
	03/09/12		14.95	717.10
	04/06/12		13.22	718.83
	05/02/12		15.24	716.81

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/03/07	733.19	18.41	714.78
	02/12/07		16.88	716.31
	03/12/07		12.16	721.03
	04/09/07		18.18	715.01
	05/07/07		12.95	720.24
	06/08/07		17.15	716.04
	07/17/07		17.71	715.48
	08/01/07		16.05	717.14
	09/14/07		16.45	716.74
	10/12/07		16.97	716.22
	11/09/07		18.75	714.44
	12/07/07		16.55	716.64
	01/04/08		15.67	717.52
	02/15/08		15.68	717.51
	03/13/08		15.79	717.40
	04/11/08		13.37	719.82
	05/08/08		16.65	716.54
	06/06/08		13.05	720.14
	07/03/08		13.90	719.29
	08/01/08		14.24	718.95
	09/12/08		15.59	717.60
	10/10/08		16.51	716.68
	11/06/08		16.55	716.64
	12/19/08		16.87	716.32
	01/02/09		16.81	716.38
	02/13/09		16.28	716.91
	03/13/09		16.35	716.84
	04/09/09		16.01	717.18
	05/08/09		15.77	717.42
	06/05/09		15.45	717.74
	07/02/09		15.10	718.09
	08/14/09		15.03	718.16
	09/11/09		14.84	718.35
	10/09/09		15.71	717.48
	11/04/09		15.66	717.53
	12/04/09		15.50	717.69
	01/14/10		16.01	717.18
	02/10/10		16.24	716.95
	03/11/10		16.21	716.98
	04/08/10		15.93	717.26
	05/06/10		16.03	717.16
	06/04/10		16.13	717.06
	07/01/10		15.09	718.10
	08/12/10		16.68	716.51
	09/08/10		15.38	717.81
	10/07/10		16.47	716.72
	11/19/10		18.69	714.50
	12/03/10		17.40	715.79
	01/14/11		17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47
	12/01/11		16.03	717.16
	01/13/12		15.63	717.56
	02/10/12		15.42	717.77
	03/09/12		15.93	717.26
	04/06/12		15.58	717.61
	05/02/12		15.75	717.44

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/03/07	735.48	16.35	719.13
	02/12/07		16.99	718.49
	03/12/07		16.68	718.80
	04/09/07		15.45	720.03
	05/07/07		15.71	719.77
	06/08/07		16.01	719.47
	07/17/07		16.45	719.03
	08/01/07		18.05	717.43
	09/14/07		17.59	717.89
	10/12/07		18.17	717.31
	11/09/07		17.88	717.60
	12/07/07		15.77	719.71
	01/04/08		17.90	717.58
	02/15/08		16.91	718.57
	03/13/08		16.41	719.07
	04/11/08		14.99	720.49
	05/08/08		15.81	719.67
	06/06/08		14.71	720.77
	07/03/08		14.60	720.88
	08/01/08		14.79	720.69
	09/12/08		16.43	719.05
	10/10/08		17.12	718.36
	11/06/08		17.16	718.32
	12/19/08		17.59	717.89
	01/02/09		17.65	717.83
	02/13/09		16.52	718.96
	03/13/09		16.61	718.87
	04/09/09		16.42	719.06
	05/08/09		15.86	719.62
	06/05/09		15.86	719.62
	07/02/09		16.77	718.71
	08/14/09		15.28	720.20
	09/11/09		15.28	720.20
	10/09/09		16.42	719.06
	11/04/09		16.28	719.20
	12/04/09		16.94	718.54
	01/14/10		16.64	718.84
	02/10/10		16.84	718.64
	03/11/10		16.29	719.19
	04/08/10		16.29	719.19
	05/06/10		16.79	718.69
	06/04/10		16.59	718.89
	07/01/10		15.72	719.76
	08/12/10		16.54	718.94
	09/08/10		18.06	717.42
	10/07/10		18.98	716.50
	11/19/10		19.80	715.68
	12/03/10		18.81	716.67
	01/14/11		18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42
	12/01/11		18.26	717.22
	01/13/12		17.56	717.92
	02/10/12		16.98	718.50
	03/09/12		18.00	717.48
	04/06/12		17.15	718.33
	05/02/12		17.62	717.86

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	08/12/10	731.96	13.81	718.15
	09/08/10		14.07	717.89
	10/07/10		15.41	716.55
	11/19/10		16.78	715.18
	12/03/10		16.38	715.58
	01/14/11		15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78
	12/01/11		14.73	717.23
	01/13/12		14.37	717.59
	02/10/12		14.34	717.62
	03/09/12		14.86	717.10
	04/06/12		14.38	717.58
	05/02/12		14.53	717.43

NR-Not Recorded
NG-Not Gauged

ATTACHMENT B

Groundwater Recovery

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	***445,555***	***428,463***	***536,852***	-	-	***1,410,870***
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	***1,949,120***	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	***2,835,673***	-	-	6,436,098
3/28/1997	1,692,834	2,039,011	***2,835,673***	-	-	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	***2,842,124***	-	-	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	*3,313,604*	*7,312,970*	*6,402,525*	-	-	*17,050,326*
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	*3,889,675*	*8,638,302*	*7,429,910*	*1,171,610*	-	*21,150,724*
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308
12/1/2011	18,629,825	33,598,934	48,320,048	53,355,570	6,100,310	160,025,914
12/16/2011	18,629,949	33,694,694	48,451,868	53,577,620	6,282,440	160,657,798
12/28/2011	18,629,987	33,779,384	48,561,758	53,756,850	6,369,780	161,118,986

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
1/13/2012	18,645,754	33,859,637	48,708,053	53,992,589	6,573,941	161,801,201
1/16/2012	18,716,529	33,865,708	48,721,294	54,013,533	6,592,457	161,930,748
1/27/2012	18,757,241	33,938,060	48,817,779	54,170,142	6,731,820	162,436,269
2/10/2012	18,815,117	34,035,651	48,942,826	54,373,450	6,910,967	163,099,238
2/24/2012	18,862,640	34,104,647	49,069,225	54,579,272	7,090,969	163,727,980
3/9/2012	18,902,508	34,170,267	49,197,023	54,783,061	7,269,776	164,343,862
3/23/2012	18,937,777	34,222,618	49,324,691	54,989,061	7,449,391	164,944,765
4/6/2012	18,985,172	34,316,006	49,452,912	55,194,431	7,629,191	165,598,939
4/20/2012	19,034,085	34,411,741	49,579,662	55,399,648	7,806,565	166,252,928
5/2/2012	19,072,065	34,481,477	49,688,956	55,576,321	7,959,176	166,799,222
5/16/2012	19,126,410	34,578,497	49,817,176	55,781,962	8,137,991	167,463,263

Notes:

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.

AMPHENOL CORPORATION
FRANKLIN, INDIANA

CUMULATIVE PUMPAGE



iWM CONSULTING GROUP

ATTACHMENT C

Field Notes

iWM CONSULTING GROUP

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Inspection Date: 5-2-12

/ Personnel: Mier, white

val Time: 755

arture Time: 300

m Response Visit: YES NO

BIWEEKLY DATA

ilizer Readings: RW-1 444516.0 RW-2 19392133.0 RW-3 33188228.0 RW-4 555176321.0 RW-5 79559176.0

v Rate GPM: RW-1 cycling RW-2 4.25 RW-3 6.50 RW-4 10.00 RW-5 9.25

ip Running Amps RW-1 3.1 RW-2 3.1 RW-3 3.3 RW-4 4.2 RW-5 3.5

Stripper Pressure: 15 Inches of Water

uent Clarity: Clear

ding Temperature: 72 Degrees F

em Operation Upon Arrival: YES NO (if no please explain below)

er Leaks: RW-1 RW-2 RW-3 RW-4 RW-5

se circle appropriate controller(s) below:

Manholes	NO	YES	Repaired
Lines	NO	YES	Repaired
Stripper	NO	YES	Repaired

s, explain:

MONTHLY DATA

r Cartridges Replaced: yes RW-1 yes RW-2 yes RW-3 yes RW-4 yes RW-5

per Trays and Tubes Checked: yes

per Trays and Tubes Cleaned: yes

itoring/Recovery Wells Gauged: yes and clean pumps and floats

ommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Site ction Date: 5-16-12
IWM Personnel: Mier
Arrival Time: 929
Departure Time: 1045
Alarm Response Visit: YES (NO)

BIWEEKLY DATA

Totalizer Readings: RW-1 498861.0 RW-2 19489153.0 RW-3 33316448.0 RW-4 55781862.0 RW-5 81375891.0

Flow Rate GPM: RW-1 cycling RW-2 4.50 RW-3 6.25 RW-4 10.00 RW-5 9.00

Pump Running Amps RW-1 3.2 RW-2 3.1 RW-3 3.3 RW-4 4.2 RW-5 3.4

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: (Clear)

Building Temperature: 69° Degrees F

System Operation Upon Arrival: (YES) NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

Manholes	(NO)	YES	Repaired	
Lines	(NO)	YES	Repaired	
Stripper	(NO)	YES	Repaired	

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

7428 Rockville Road, Indianapolis, IN 46214

July 3, 2012

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492

Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED CORRECTIVE MEASURE
Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the May 16 through June 26, 2012 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On June 1, 2012, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 8.58 feet below top of casing (TOC) in MW-9 to 18.87 feet below TOC in MW-12R. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 were operational during groundwater gauging activities. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a groundwater contour map based on the June 1, 2012 depth to water measurements has been included as **Figure 2**.

Groundwater Treatment System

From May 16 through June 26, 2012, approximately 1,808,738 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 169,272,001 gallons. The average influent groundwater recovery rate from May 16 through June 26, 2012 was approximately 30.6 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on May 22, 2012 to complete quarterly system sampling activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on May 22, 2012.

IWM personnel mobilized to the site on June 1, 2012 to complete bi-weekly and monthly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on June 1, 2012.

IWM personnel mobilized to the site on June 14, 2012 to complete bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on June 14, 2012.

IWM personnel mobilized to the site on June 26, 2012 to complete bi-weekly system operation and maintenance activities. A crack was observed in the groundwater recovery line at the top of the well head to recovery well RW-1. Recovery well RW-1 was deactivated, the cracked PVC piping was replaced, and the recovery well was restarted. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on June 26, 2012.

Quarterly Treatment System Sampling

On May 22, 2012, influent samples from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 and a combined effluent sample were obtained to evaluate the groundwater treatment system. Each of the influent sample taps was allowed to run for at least 10 seconds. Prior to sampling, water flow from the tap was reduced to minimize turbulence and agitation. All samples were submitted to Pace Analytical Services, Inc. (Pace), located in Indianapolis, Indiana for volatile organic compound (VOC) analysis by SW-846 Method 8260B.

Laboratory analytical results from the May 22, 2012 quarterly system sampling activities indicated the presence of 1,1,1-trichloroethane and trichloroethene in groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, and RW-5. 1,1-Dichloroethane was detected in the groundwater samples obtained from recovery wells RW-2 and RW-3. Cis-1,2-dichloroethene was detected in the groundwater samples obtained from recovery wells RW-2, RW-3, and RW-5. Tetrachloroethene was detected in the groundwater samples obtained from recovery wells RW-2, RW-3, RW-4, and RW-5. No constituents of concern were detected in the remedial system's effluent water sample.

Historic quarterly system sampling analytical results are summarized in **Table 1**. Laboratory data sheets are provided in **Attachment D**.

Schedule of Activities

Monthly and biweekly system operation and maintenance activities are scheduled for the month of July 2012. Site visits are scheduled for the weeks beginning July 9 and July 23, 2012. The information from these site inspections will be included in the July 2012 Progress Report.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting Group, LLC appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

IWM CONSULTING GROUP, LLC

Christopher D. Parks, LPG
Project Manager

Bradley E. Gentry, LPG
Senior Project Manager

Attachments
cc: Mr. Dave Dowden, Lancer Realty & Development Co.

FIGURES



GEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

Scale 1":100 ft.

DRAWN BY: L. STRUM	
DATE: 9/27/99	
REVISED:	
HWPA #111291-01	
DWG. NO. 111291S1	

FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP



LEGEND

- MONITORING WELL
- RECOVERY WELL
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER
- 722.00 POTENTIONMETRIC SURFACE (CONTOUR INTERVAL = 1.0 FT.)

0 100
SCALE IN FEET

DRAWN BY: L. STRUM	FIGURE 2 GROUNDWATER ELEVATION MAP (06/01/12)	FORMER AMPHENOL RFI/CMS 980 HURRICANE ROAD FRANKLIN, INDIANA	IWM CONSULTING GROUP
DATE: 9/27/99			
REVISED:			
HWPA #111291-01			
DWG. NO. 111291S1			

TABLES

Table 1
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-1	5/3/1995	33	ND	ND(1)	ND	ND	100	200	ND	520	ND	ND	ND	ND	ND	ND	853
	8/3/1995	31	ND	ND	ND	ND	170	180	ND	400	ND	ND	ND	ND	ND	ND	781
	11/7/1995	30	ND	ND	ND	ND	ND	190	ND	390	ND	ND	ND	ND	ND	ND	610
	4/12/1996	NS(2)	ND	NS	NS	ND	NS	NS	ND	NS	ND	ND	ND	ND	ND	ND	0
	7/8/1996	14	ND	ND	ND	ND	31	120	ND	350	ND	ND	ND	ND	ND	ND	515
	10/17/1996	15	ND	ND	ND	ND	29	150	ND	1,800	ND	ND	ND	ND	ND	ND	1,994
	2/7/1997	18	ND	ND	ND	ND	ND	140	ND	260	ND	ND	ND	ND	ND	ND	278
	5/7/1997	9.9	ND	ND	ND	ND	20	91	ND	250	ND	ND	ND	ND	ND	ND	371
	8/4/1997	9.8	ND	ND	ND	ND	35	160	ND	210	ND	ND	ND	ND	ND	ND	415
	11/10/1997	NS	ND	NS	NS	ND	NS	NS	ND	NS	ND	ND	ND	ND	ND	ND	0
	12/1/1997	28	ND	ND	27	ND	180	190	ND	320	ND	ND	ND	ND	ND	ND	745
	2/4/1998	24	ND	ND	ND	ND	ND	150	ND	270	ND	ND	ND	ND	ND	ND	444
	5/8/1998	ND	ND	ND	ND	ND	350	240	ND	540	ND	ND	ND	ND	ND	ND	1,130
	7/30/1998	18	ND	ND	ND	ND	180	160	ND	140	ND	ND	ND	ND	ND	ND	496
	11/13/1998	12	11	ND	ND	ND	ND	150	ND	270 E	ND	ND	ND	ND	ND	ND	173
	2/12/1999	6.3	ND	ND	ND	ND	24	76	ND	156	ND	ND	ND	ND	ND	ND	262
	5/7/1999	7.5	ND	ND	ND	ND	6.6	97	ND	150	ND	ND	ND	ND	ND	ND	261
	8/13/1999	7.7	ND	ND	ND	ND	7.6	89	ND	180	ND	ND	ND	ND	ND	ND	284
	11/5/1999	11	ND	ND	ND	ND	6.6	120	ND	170	ND	ND	ND	ND	ND	ND	308
	2/11/2000	12	ND	ND	ND	ND	9.9	110	ND	150	ND	ND	ND	ND	ND	ND	282
	5/24/2000	10	ND	ND	ND	ND	38	88	ND	150	ND	ND	ND	ND	ND	ND	286
	8/4/2000	10	ND	ND	ND	ND	13	120	ND	200	ND	ND	ND	ND	ND	ND	343
	9/1/2000	8.4	ND	ND	ND	ND	ND	ND	5.6	200	ND	ND	ND	ND	ND	ND	214
	11/20/2000	8.3	ND	ND	ND	ND	ND	90	ND	170	ND	ND	ND	ND	ND	ND	268
	2/16/2001	7.4	ND	ND	ND	ND	ND	77	ND	170	ND	ND	ND	ND	ND	ND	254
	5/11/2001	5.2	ND	ND	ND	ND	71	140	ND	150	ND	ND	ND	ND	ND	ND	366
	8/10/2001	5.8	ND	ND	ND	ND	ND	64	ND	150	ND	ND	ND	ND	ND	ND	220
	1/22/2002	8.1	ND	ND	ND	ND	ND	95	ND	140	ND	ND	ND	ND	ND	ND	243
	5/2/2002	ND	ND	ND	ND	ND	ND	51	ND	130	ND	ND	ND	ND	ND	ND	181
	8/2/2002	ND	ND	ND	ND	ND	ND	53	ND	95	ND	ND	ND	ND	ND	ND	148
	10/17/2002	5.5	ND	ND	ND	ND	ND	64	ND	150	ND	ND	ND	ND	ND	ND	220
	1/7/2003	6.9	ND	ND	ND	ND	ND	58	ND	120	ND	ND	ND	ND	ND	ND	185
	4/30/2003	ND	ND	ND	ND	ND	14	66	ND	140	ND	ND	ND	ND	ND	ND	220
	7/25/2003	ND	ND	ND	ND	ND	39	45	ND	110	ND	ND	ND	ND	ND	ND	194
	10/3/2003	6.9	ND	ND	ND	ND	ND	53	ND	130	ND	ND	ND	ND	ND	ND	190
	1/8/2004	ND	ND	ND	ND	ND	5	39	ND	97	ND	ND	ND	ND	ND	ND	141
	4/2/2004	5.1	ND	ND	ND	ND	ND	49	ND	110	ND	ND	ND	ND	ND	ND	164
	7/7/2004	ND	ND	ND	ND	ND	9.1	39	ND	97	ND	ND	ND	ND	ND	ND	145
	10/29/2004	8.5	ND	ND	ND	ND	780	100	ND	230	ND	ND	ND	ND	ND	ND	1,119
	2/17/2005	ND	ND	ND	ND	ND	6	32	ND	83	ND	ND	ND	ND	ND	ND	121
	4/28/2005	ND	ND	ND	ND	ND	ND	32	ND	73	ND	ND	ND	ND	ND	ND	105
	8/19/2005	5.51	ND	ND	ND	ND	5.02	56.2	ND	103	ND	ND	ND	ND	ND	ND	170
	11/11/2005	9	ND	ND	ND	ND	222	105	ND	200	ND	ND	ND	ND	ND	ND	536
	1/6/2006	ND	ND	ND	ND	ND	5.99	51.8	ND	90.2	ND	ND	ND	ND	ND	ND	147.99
	5/25/2006	ND	ND	ND	ND	ND	7.65	36.7	ND	71.0	ND	ND	ND	ND	ND	ND	115.35
	8/18/2006	ND	ND	ND	ND	ND	ND	45.0	ND	87.2	ND	ND	ND	ND	ND	ND	132.20
	10/27/2006	5.01	ND	ND	ND	ND	ND	45.2	ND	92.6	ND	ND	ND	ND	ND	ND	142.81
	1/16/2007	ND	ND	ND	ND	ND	ND	26.0	ND	62.0	ND	ND	ND	ND	ND	ND	88.00
	4/17/2007	ND	ND	ND	ND	ND	70.8	28	ND	56.9	ND	ND	ND	ND	ND	ND	155.7
	7/17/2007	ND	ND	ND	ND	ND	ND	33.8	ND	68	ND	ND	ND	ND	ND	6.3	108.1
	10/28/2007	5.9	ND	ND	ND	ND	ND	49.8	ND	74.1	ND	ND	ND	ND	ND	ND	129.8
	1/4/2008	ND	ND	ND	ND	ND	ND	48	ND	83.8	ND	ND	ND	ND	ND	8.3	140.1
	4/25/2008	ND	ND	ND	ND	ND	50	22.2	ND	ND	ND	ND	ND	ND	ND	ND	72.2
	7/3/2008	ND	ND	ND	ND	ND	ND	22.9	ND	38.4	ND	ND	ND	ND	ND	ND	61.3
	11/21/2008	ND	ND	ND	ND	ND	9.5	33.8	ND	73.5	ND	ND	ND	ND	ND	ND	116.8
	2/27/2009	ND	ND	ND	ND	ND	5.5	28.3	ND	56.4	ND	ND	ND	ND	ND	ND	90.2
	5/22/2009	ND	ND	ND	ND	ND	5.3	24.5	ND	53.3	ND	ND	ND	ND	ND	ND	83.1
	8/26/2009	ND	ND	ND	ND	ND	6.7	23.8	ND	51.0	ND	ND	ND	ND	ND	ND	81.5
	11/19/2009	ND	ND	ND	ND	ND	5.3	28.5	ND	63.1	ND	ND	ND	ND	ND	ND	96.9
	2/26/2010	ND	ND	ND	22.5	ND	192	47.2	ND	71.8	ND	ND	ND	ND	ND	ND	333.5
	5/21/2010	ND	ND	ND	14.8	ND	103	32.0	ND	58.8	ND	ND	ND	ND	ND	ND	208.6
	8/26/2010	ND	ND	ND	ND	ND	ND	23.3	ND	39.9	ND	ND	ND	ND	ND	ND	63.2
	11/19/2010	ND	ND	ND	190	5.1	159	41.0	ND	96.3	ND	ND	ND	ND	ND	ND	491.4
	2/11/2011	ND	ND	ND	5.3	ND	9.3	20.3	ND	37.7	ND	ND	ND	ND	ND	ND	72.6
	5/20/2011	ND	ND	ND	5.5	ND	5.6	14.6	ND	29	ND	ND	ND	ND	ND	ND	54.7
	8/25/2011	ND	ND	ND	51.5	ND	131	27.3	ND	72	ND	ND	ND	ND	ND	ND	281.8
	11/18/2011	ND	ND	ND	ND	ND	ND	24.2	ND	29.8	ND	ND	ND	ND	ND	ND	54
	2/24/2012	ND	ND	ND	ND	ND	ND	ND	ND	31	ND	ND	ND	ND	ND	ND	31
	5/22/2012	ND	ND	ND	ND	ND	ND	15.9	ND	32.8	ND	ND	ND	ND	ND	ND	48.7

Notes:
Results in micrograms per liter (ug/l).
(1) ND - Not Detected - analyte not detected above laboratory method detection limit.
(2) NS - Not Sampled, RW-1 not in operation during April 1996 and November 1997 sampling events.
E - Trichloroethane value for RW-1 during the November 13, 1998 sampling event is an estimated value only.

Tai inued)
Former ol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro ethene	trans-1,2 - Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-2	5/3/1995	47	ND	8.1	3.9	ND	1,500	960	ND	4,300	ND	ND	ND	ND	ND	ND	6,819
	8/3/1995	48	ND	ND	ND	ND	1,500	1,100	ND	3,000	ND	ND	ND	ND	ND	ND	5,648
	11/7/1995	58	ND	9.1	5.3	ND	2,100	1,300	ND	2,200	ND	ND	ND	ND	ND	ND	5,672
	4/12/1996	ND	ND	ND	ND	ND	980	530	ND	1,500	ND	ND	ND	ND	ND	ND	3,010
	7/8/1996	31	ND	7.3	ND	ND	2,100	1,200	ND	2,100	ND	ND	ND	ND	ND	ND	5,438
	10/17/1996	33	ND	ND	ND	ND	2,600	680	ND	2,900	ND	ND	ND	ND	ND	ND	6,213
	2/7/1997	27	ND	ND	ND	ND	37	400	ND	410	ND	ND	ND	ND	ND	ND	874
	5/7/1997	24	ND	ND	ND	ND	880	340	ND	860	ND	ND	ND	ND	ND	ND	2,104
	8/4/1997	18	ND	ND	ND	ND	400	310	ND	560	ND	ND	ND	ND	ND	ND	1,288
	11/10/1997	21	ND	ND	ND	ND	250	260	ND	550	ND	ND	ND	ND	ND	ND	1,081
	2/4/1998	22	ND	ND	ND	ND	310	260	ND	590	ND	ND	ND	ND	ND	ND	1,182
	5/8/1998	ND	ND	ND	ND	ND	750	330	ND	790	ND	ND	ND	ND	ND	ND	1,870
	7/30/1998	16	ND	ND	ND	ND	870	270	ND	890	ND	ND	ND	ND	ND	ND	2,046
	11/13/1998	ND	13	ND	ND	ND	200	160	ND	93	ND	ND	ND	ND	ND	ND	466
	2/12/1999	32	ND	ND	ND	ND	1,400	390	ND	1,200	ND	ND	ND	ND	ND	ND	3,022
	5/7/1999	28	ND	ND	ND	ND	1,300	530	ND	900	ND	ND	ND	ND	ND	ND	2,758
	8/13/1999	14	ND	ND	ND	ND	1,200	410	ND	810	ND	ND	ND	ND	ND	ND	2,434
	11/5/1999	21	ND	5.4	ND	ND	920	390	ND	780	ND	ND	ND	ND	ND	ND	2,116
	2/11/2000	30	ND	ND	ND	ND	1,300	420	ND	880	ND	ND	ND	ND	ND	ND	2,630
	5/24/2000	26	ND	ND	ND	ND	1,100	370	ND	840	ND	ND	ND	ND	ND	ND	2,336
	8/4/2000	25	ND	ND	ND	ND	1,600	500	ND	980	22	ND	ND	ND	ND	ND	3,127
	9/1/2000	22	ND	ND	ND	ND	1,400	430	ND	860	ND	ND	ND	ND	ND	ND	2,712
	11/20/2000	23	ND	ND	ND	ND	1,100	300	ND	680	ND	ND	ND	ND	ND	ND	2,103
	2/16/2001	16	ND	ND	ND	ND	1,000	260	ND	580	ND	ND	ND	ND	ND	ND	1,856
	5/11/2001	18	ND	ND	ND	ND	1,200	480	ND	690	ND	ND	ND	ND	ND	ND	2,388
	8/10/2001	ND	ND	ND	ND	ND	1,300	410	ND	940	ND	ND	ND	ND	ND	ND	2,650
	1/22/2002	ND	8.3	ND	ND	ND	1,100	730	ND	560	ND	ND	ND	ND	ND	ND	2,398
	5/2/2002	14	ND	ND	ND	ND	810	290	ND	600	ND	ND	ND	ND	ND	ND	1,714
	8/2/2002	ND	ND	ND	ND	ND	120	81	ND	61	ND	ND	ND	ND	ND	ND	262
	10/17/2002	17	ND	ND	ND	ND	1,800	340	ND	960	ND	ND	ND	ND	ND	ND	3,117
	1/7/2003	21	ND	5	ND	ND	1,500	350	ND	700	ND	ND	ND	ND	ND	ND	2,576
	4/30/2003	18	ND	ND	ND	ND	1,500	630	ND	1,000	ND	ND	ND	ND	ND	ND	3,148
	7/25/2003	13	ND	ND	ND	ND	1,200	270	ND	640	ND	ND	ND	ND	ND	ND	2,123
	10/3/2003	15	ND	ND	ND	ND	1,400	240	ND	650	ND	ND	ND	ND	ND	ND	2,305
	1/8/2004	16	ND	ND	ND	ND	1,300	320	ND	750	ND	ND	ND	ND	ND	ND	2,386
	4/2/2004	15	ND	ND	ND	ND	1,300	330	ND	700	ND	ND	ND	ND	ND	ND	2,345
	7/7/2004	14	ND	ND	ND	ND	1,400	260	ND	610	ND	ND	ND	ND	ND	ND	2,284
	10/29/2004	20	ND	ND	5.3	ND	1,900	210	ND	690	ND	ND	ND	ND	ND	ND	2,825
	2/17/2005	18	ND	ND	ND	ND	1,600	280	ND	690	ND	ND	ND	ND	ND	ND	2,588
	4/28/2005	13	ND	ND	ND	ND	1,300	200	ND	550	ND	ND	ND	ND	ND	ND	2,063
	8/19/2005	ND	ND	ND	ND	ND	129	109	ND	58.9	ND	ND	ND	ND	ND	ND	297
	11/11/2005	30	ND	ND	7	ND	1,390	238	ND	534	ND	ND	ND	ND	ND	ND	2,199
	1/6/2006	18.4	ND	ND	ND	ND	2,220	380	ND	699	6.04	ND	ND	ND	ND	ND	3,323.44
	5/25/2006	20.8	ND	ND	14.4	ND	1,874	296	ND	570	ND	ND	ND	ND	ND	ND	2,775.20
	9/1/2006	10.5	ND	ND	12.1	ND	842	121	ND	266	ND	ND	ND	ND	ND	ND	1,251.60
	10/27/2006	20.2	ND	ND	19.2	ND	1,590	181	ND	510	ND	ND	ND	ND	ND	ND	2,320.40
	1/16/2007	17	ND	ND	32	ND	1,600	200	ND	500	ND	ND	ND	ND	ND	ND	2,349
	4/17/2007	12.2	ND	ND	34.1	ND	1,760	162	ND	445	ND	ND	ND	ND	ND	ND	2,413.3
	7/17/2007	16.1	ND	5	325	ND	1,960	176	ND	530	ND	ND	ND	ND	ND	ND	3,012.1
	10/26/2007	18.8	ND	ND	577	ND	1,000	169	ND	407	ND	ND	ND	ND	ND	31.5	2,203.3
	1/4/2008	18.6	ND	ND	770	ND	1,610	158	ND	425	ND	ND	ND	ND	ND	ND	2,981.6
	4/25/2008	28.4	ND	28.4	535	ND	1,880	206	ND	529	ND	ND	ND	ND	ND	ND	3,206.8
	7/3/2008	17.6	ND	ND	291	ND	1,390	178	ND	461	ND	ND	ND	ND	ND	ND	2,337.6
	11/21/2008	13.8	ND	ND	190	ND	1,900	177	ND	498	ND	ND	ND	ND	ND	ND	2,778.8
	2/27/2009	14.4	ND	ND	144	ND	1,390	158	ND	411	ND	ND	ND	ND	ND	ND	2,117.4
	5/22/2009	15.7	ND	ND	159	ND	1,280	199	ND	397	ND	ND	ND	ND	ND	ND	2,050.7
	8/28/2009	11.2	ND	ND	145	ND	1,340	193	ND	355	ND	ND	ND	ND	ND	ND	2,044.2
	11/19/2009	17.1	ND	ND	225	ND	1,630	214	ND	428	ND	ND	ND	ND	ND	ND	2,514.1
	2/26/2010	13.2	ND	ND	181	ND	973	168	ND	297	ND	ND	ND	ND	ND	ND	1,632.2
	5/21/2010	ND	ND	ND	164	ND	1,610	128	ND	493	ND	ND	ND	ND	ND	ND	2,395.0
	8/26/2010	10.6	ND	ND	202	ND	1,230	132	ND	332	ND	ND	ND	ND	ND	ND	1,906.6
	11/19/2010	8.6	ND	ND	6.3	ND	297	151	ND	160	ND	ND	ND	ND	ND	ND	622.9
	2/11/2011	12.2	ND	ND	51	ND	579	99.6	ND	196	ND	ND	ND	ND	ND	ND	937.8
	5/20/2011	9.1	ND	ND	1,000	ND	812	78.5	ND	196	ND	ND	ND	ND	ND	ND	2,095.6
	8/25/2011	ND	ND	ND	17.9	ND	164	44.7	ND	68.1	ND	ND	ND	ND	ND	ND	294.7
	11/18/2011	11	ND	ND	8.5	ND	213	103	ND	173	ND	ND	ND	ND	ND	ND	508.5
	2/24/2012	5	ND	ND	83.7	ND	131	53.7	ND	74	ND	ND	ND	ND	ND	ND	347.4
	5/22/2012	9.5	ND	ND	252	ND	330	84.9	ND	231	ND	ND	ND	ND	ND	ND	907.4

Notes:
Results in micrograms per liter (ug/l).

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-3	5/3/1995	28	ND	ND	ND	ND	160	540	ND	2,900	ND	ND	ND	ND	ND	ND	3,628
	8/3/1995	53	ND	ND	ND	ND	16	560	ND	870	ND	ND	ND	ND	ND	ND	1,499
	11/7/1995	48	ND	6.9	ND	ND	1,400	950	ND	1,700	ND	ND	ND	ND	ND	ND	4,105
	4/12/1996	ND	ND	ND	ND	ND	93	450	ND	1,200	ND	ND	ND	ND	ND	ND	1,743
	7/8/1996	39	ND	6.5	ND	ND	45	820	ND	1,100	ND	ND	ND	ND	ND	ND	2,011
	10/17/1996	34	ND	ND	ND	ND	2,600	720	ND	2,900	ND	ND	ND	ND	ND	ND	6,254
	2/7/1997	28	ND	ND	ND	ND	37	410	ND	410	ND	ND	ND	ND	ND	ND	885
	5/7/1997	24	ND	ND	ND	ND	1,000	400	ND	990	ND	ND	ND	ND	ND	ND	2,414
	8/4/1997	17	ND	ND	ND	ND	110	330	ND	490	ND	ND	ND	ND	ND	ND	947
	11/10/1997	25	ND	ND	ND	ND	76	400	ND	600	ND	ND	ND	ND	ND	ND	1,101
	2/4/1998	30	ND	ND	ND	ND	180	460	ND	840	ND	ND	ND	ND	ND	ND	1,510
	5/8/1998	ND	ND	ND	ND	ND	260	380	ND	640	ND	ND	ND	ND	ND	ND	1,280
	7/30/1998	33	ND	ND	ND	ND	27	450	ND	190	ND	ND	ND	ND	ND	ND	700
	11/13/1998	11	ND	ND	ND	ND	48	120	ND	130	ND	ND	ND	ND	ND	ND	308
	2/12/1999	33	ND	ND	ND	ND	110	420	ND	420	ND	ND	ND	ND	ND	ND	983
	5/7/1999	18	ND	ND	ND	ND	180	320	ND	410	ND	ND	ND	ND	ND	ND	928
	8/13/1999	15	ND	ND	ND	ND	260	240	ND	400	ND	ND	ND	ND	ND	ND	915
	11/5/1999	13	ND	ND	ND	ND	280	260	ND	400	ND	ND	ND	ND	ND	ND	953
	2/11/2000	19	ND	ND	ND	ND	370	280	ND	400	ND	ND	ND	ND	ND	ND	1,069
	5/24/2000	17	ND	ND	ND	ND	480	260	ND	480	ND	ND	ND	ND	ND	ND	1,237
	8/4/2000	16	ND	ND	ND	ND	1,100	290	ND	550	ND	ND	ND	ND	ND	ND	1,956
	9/1/2000	15	ND	ND	ND	ND	830	270	ND	440	ND	ND	ND	ND	ND	ND	1,555
	11/20/2000	15	23	ND	ND	ND	650	220	ND	330	ND	ND	ND	ND	ND	ND	1,238
	2/16/2001	13	ND	ND	ND	ND	630	200	ND	300	ND	ND	ND	ND	ND	ND	1,143
	5/11/2001	ND	ND	ND	ND	ND	1,700	260	ND	310	ND	ND	ND	ND	ND	ND	2,270
	8/10/2001	13	ND	ND	ND	ND	1,200	260	ND	390	ND	ND	ND	ND	ND	ND	1,863
	1/22/2002	14	ND	7	ND	ND	610	ND	ND	340	ND	ND	ND	ND	ND	ND	971
	5/2/2002	11	ND	ND	ND	ND	340	240	ND	190	ND	ND	ND	ND	ND	ND	781
	8/2/2002	10	ND	ND	ND	ND	300	220	ND	170	ND	ND	ND	ND	11	ND	711
	10/17/2002	9	ND	ND	ND	ND	360	190	ND	210	ND	ND	ND	ND	ND	ND	769
	1/7/2003	23	ND	ND	ND	ND	310	350	ND	250	ND	ND	ND	ND	ND	ND	933
	4/30/2003	12	ND	ND	ND	ND	560	160	ND	190	ND	ND	ND	ND	ND	ND	922
	7/25/2003	9.6	ND	ND	ND	ND	400	180	ND	160	ND	ND	ND	ND	ND	ND	750
	10/3/2003	10	ND	ND	ND	ND	500	160	ND	180	ND	ND	ND	ND	ND	ND	850
	1/8/2004	ND	ND	ND	ND	ND	450	220	ND	180	ND	ND	ND	ND	ND	ND	850
	4/2/2004	9.5	ND	ND	ND	ND	370	240	ND	150	ND	ND	ND	ND	ND	ND	770
	7/7/2004	8.7	ND	ND	ND	ND	430	200	ND	160	ND	ND	ND	ND	ND	ND	799
	10/29/2004	9.1	ND	ND	ND	ND	450	180	ND	160	ND	ND	ND	ND	ND	ND	799
	2/17/2005	ND	ND	ND	ND	ND	25	ND	ND	ND	ND	ND	ND	ND	ND	ND	25
	4/28/2005	31	ND	ND	ND	ND	100	660	ND	85	ND	ND	ND	ND	ND	ND	876
	8/19/2005	12.5	ND	ND	ND	ND	269	282	ND	150	ND	ND	ND	ND	ND	ND	714
	11/11/2005	20	ND	ND	ND	ND	299	235	ND	128	ND	ND	ND	ND	ND	ND	682
	1/16/2006	ND	ND	ND	ND	ND	207	400	ND	156	ND	ND	ND	ND	ND	ND	763
	5/25/2006	22.8	ND	ND	ND	ND	295	412	ND	145	ND	ND	ND	ND	ND	ND	875
	8/18/2006	14.6	ND	ND	ND	ND	217	223	ND	154	ND	ND	ND	ND	ND	ND	609
	10/27/2006	13.8	ND	ND	ND	ND	199	168	ND	154	ND	ND	ND	ND	ND	ND	535
	1/16/2007	13	ND	ND	ND	ND	240	240	ND	110	ND	ND	ND	ND	ND	ND	603
	4/17/2007	6.9	ND	ND	ND	ND	165	146	ND	73	ND	ND	ND	ND	ND	ND	391
	7/17/2007	11.5	ND	5.1	87.3	ND	223	234	ND	107	ND	ND	ND	ND	ND	ND	667.9
	10/26/2007	11.8	ND	ND	160	ND	146	191	ND	96.1	ND	ND	ND	ND	ND	ND	604.9
	1/4/2008	9.3	ND	ND	141	ND	292	195	ND	109	ND	ND	ND	ND	ND	ND	746.3
	4/25/2008	13.6	ND	ND	ND	ND	154	252	ND	83.9	ND	ND	ND	ND	ND	ND	503.5
	7/3/2008	16.8	ND	ND	ND	ND	87.8	300	ND	72.9	ND	ND	ND	ND	ND	ND	477.3
	11/21/2008	8	ND	ND	45.2	ND	269	145	ND	95.7	ND	ND	ND	ND	ND	ND	562.9
	2/27/2009	6.5	ND	ND	61.1	ND	219	148	ND	103.0	ND	ND	ND	ND	ND	ND	537.6
	5/22/2009	7.5	ND	ND	25.7	ND	239	164	ND	86.7	ND	ND	ND	ND	ND	ND	522.9
	8/28/2009	6.3	ND	ND	13.6	ND	267	126	ND	76.4	ND	ND	ND	ND	ND	ND	489.3
	11/19/2009	7.6	ND	ND	33.4	ND	272	138	ND	90.9	ND	ND	ND	ND	ND	ND	541.9
	2/26/2010	6.5	ND	ND	33.4	ND	262	111	ND	80	ND	ND	ND	ND	ND	ND	492.9
	5/21/2010	ND	ND	ND	21.9	ND	292	93.4	ND	70.2	ND	ND	ND	ND	ND	ND	477.5
	8/26/2010	5.3	ND	ND	5.2	ND	177	84	ND	49.9	ND	ND	ND	ND	ND	ND	321.4
	11/19/2010	9.2	ND	ND	382	6.9	162	137	ND	121	ND	ND	ND	ND	ND	ND	818.1
	2/11/2011	8.8	ND	ND	605	ND	81.8	118	ND	134	ND	ND	ND	ND	ND	ND	947.6
	5/20/2011	6	ND	ND	59	ND	69.6	88.8	ND	53.4	ND	ND	ND	ND	ND	ND	276.8
	8/25/2011	ND	ND	ND	55.3	ND	96.1	68.4	ND	50.8	ND	ND	ND	ND	ND	ND	270.6
	11/18/2011	6.7	ND	ND	138	ND	126	86.7	ND	77.4	ND	ND	ND	ND	ND	ND	434.8
	2/24/2012	ND	ND	ND	55.7	ND	83.6	ND	ND	61.4	ND	ND	ND	ND	ND	ND	200.7
	5/22/2012	5.5	ND	ND	44	ND	122	71	ND	58.7	ND	ND	ND	ND	ND	ND	301.2

Notes:
Results in micrograms per liter (ug/l).

Ta inued)
Former ol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-4	3/10/1999	ND	ND	ND	ND	ND	65	7	ND	ND	ND	ND	ND	ND	ND	ND	72
	5/7/1999	ND	ND	ND	ND	ND	6.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	7
	8/13/1999	ND	ND	ND	ND	ND	37	ND	ND	ND	ND	ND	ND	ND	ND	ND	37
	11/5/1999	10	ND	ND	ND	ND	140	180	ND	220	ND	ND	ND	ND	ND	ND	550
	2/11/2000	ND	ND	ND	ND	ND	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	15
	5/24/2000	ND	ND	ND	ND	ND	23	ND	ND	ND	ND	ND	ND	ND	ND	ND	23
	8/4/2000	ND	ND	ND	ND	ND	30	ND	ND	ND	ND	ND	ND	ND	ND	ND	30
	9/1/2000	ND	ND	ND	ND	ND	24	ND	ND	ND	ND	ND	ND	ND	ND	ND	24
	11/20/2000	ND	ND	ND	ND	ND	46	5.1	ND	ND	ND	ND	ND	ND	ND	ND	51
	2/16/2001	ND	ND	ND	ND	ND	37	ND	ND	ND	ND	ND	ND	ND	ND	ND	37
	5/11/2001	ND	ND	ND	ND	ND	8	ND	ND	ND	ND	ND	ND	ND	ND	ND	8
	8/10/2001	ND	ND	ND	ND	ND	13	ND	ND	ND	ND	ND	ND	ND	ND	ND	13
	1/22/2002	ND	ND	ND	ND	ND	43	ND	ND	ND	ND	ND	ND	ND	ND	ND	43
	5/2/2002	ND	ND	ND	ND	ND	25	ND	ND	ND	ND	ND	ND	ND	ND	ND	25
	8/2/2002	ND	ND	ND	ND	ND	28	ND	ND	ND	ND	ND	ND	ND	ND	ND	28
	10/17/2002	ND	ND	ND	ND	ND	27	6.2	ND	ND	ND	ND	ND	ND	ND	ND	33
	1/7/2003	ND	ND	ND	ND	ND	32	7.0	ND	ND	ND	ND	ND	ND	ND	ND	39
	4/30/2003	ND	ND	ND	ND	ND	22	6.1	ND	ND	ND	ND	ND	ND	ND	ND	28
	7/25/2003	8.6	ND	ND	ND	ND	380	160	ND	170	ND	ND	ND	ND	ND	ND	719
	10/3/2003	ND	ND	ND	ND	ND	36	ND	ND	ND	ND	ND	ND	ND	ND	ND	36
	1/8/2004	ND	ND	ND	ND	ND	35	ND	ND	ND	ND	ND	ND	ND	ND	ND	35
	4/2/2004	ND	ND	ND	ND	ND	29	ND	ND	ND	ND	ND	ND	ND	ND	ND	29
	7/7/2004	ND	ND	ND	ND	ND	30	ND	ND	ND	ND	ND	ND	ND	ND	ND	30
	10/29/2004	ND	ND	ND	ND	ND	18	ND	ND	ND	ND	ND	ND	ND	ND	ND	18
	2/17/2005	7.4	ND	ND	ND	ND	350	210	ND	140	ND	ND	ND	ND	ND	ND	707
	4/28/2005	ND	ND	ND	ND	ND	25	6.2	ND	ND	ND	ND	ND	ND	ND	ND	31
	8/19/2005	ND	ND	ND	ND	ND	35.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	35.4
	11/11/2005	ND	ND	ND	ND	ND	20	ND	ND	ND	ND	ND	ND	ND	ND	ND	20
	1/6/2006	ND	ND	ND	ND	ND	39.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	39.4
	5/25/2006	ND	ND	ND	ND	ND	47.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	47.1
	8/18/2006	ND	ND	ND	ND	ND	27.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	27.3
	10/27/2006	ND	ND	ND	ND	ND	34.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	34.0
	1/16/2007	ND	ND	ND	ND	ND	34.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	34
	4/17/2007	ND	ND	ND	ND	ND	23	ND	ND	ND	ND	ND	ND	ND	ND	ND	23
	7/17/2007	ND	ND	ND	ND	ND	21.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	21.9
	10/26/2007	ND	ND	ND	ND	ND	5.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.5
	1/4/2008	ND	ND	ND	ND	ND	13.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	13.4
	4/25/2008	ND	ND	ND	ND	ND	20.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	20.4
	7/3/2008	ND	ND	ND	ND	ND	31.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	31.3
	11/21/2008	ND	ND	ND	ND	ND	16	ND	ND	ND	ND	ND	ND	ND	ND	ND	16
	2/27/2009	ND	ND	ND	ND	ND	20.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	20.3
	5/22/2009	ND	ND	ND	ND	ND	23.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	23.7
	8/28/2009	ND	ND	ND	ND	ND	30.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	30.9
	11/19/2009	ND	ND	ND	ND	ND	23.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	23.8
	2/26/2010	ND	ND	ND	ND	ND	19.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	19.8
	5/21/2010	ND	ND	ND	ND	ND	16.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	16.3
	8/26/2010	ND	ND	ND	ND	ND	14.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	14.2
	11/19/2010	ND	ND	ND	ND	ND	8.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.2
	2/11/2011	ND	ND	ND	ND	ND	8.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.6
	5/20/2011	ND	ND	ND	ND	ND	13.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	13.7
	8/25/2011	ND	ND	ND	ND	ND	10.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.1
	11/18/2011	ND	ND	ND	ND	ND	12	ND	ND	ND	ND	ND	ND	ND	ND	ND	12.0
	2/24/2012	ND	ND	ND	ND	ND	7.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.6
	5/22/2012	ND	ND	ND	ND	ND	15.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	15.4
RW-5	7/22/2010	ND	ND	ND	ND	ND	1,120	132	ND	253	ND	ND	ND	8,890	ND	ND	10,395
	8/26/2010	ND	ND	ND	99.3	ND	669	114	ND	281	ND	ND	ND	ND	ND	ND	1,163
	11/19/2010	8.2	ND	ND	1,020	6.3	907	106	ND	355	ND	ND	ND	ND	ND	ND	2,403
	2/11/2011	5.2	ND	ND	766	ND	721	73.6	ND	325	ND	ND	ND	ND	ND	ND	1,890.8
	5/20/2011	ND	ND	ND	251	ND	440	87.6	ND	262	ND	ND	ND	ND	ND	ND	1,040.6
	8/25/2011	ND	ND	ND	244	ND	262	21	ND	135	ND	ND	ND	ND	ND	ND	662
	11/18/2011	ND	ND	ND	442	ND	579	67	ND	447	ND	ND	ND	ND	ND	ND	1,535
	2/24/2012	ND	ND	ND	228	ND	345	ND	ND	305	ND	ND	ND	ND	ND	ND	878
	5/22/2012	ND	ND	ND	127	ND	549	46.8	ND	288	ND	ND	ND	ND	ND	ND	1,010.8

Notes:
Results in micrograms per liter (ug/l).

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	*1,2 -Dichloro-ethane*	*1,1 -Dichloro-ethene*	*cis-1,2 -Dichloro ethene*	*trans-1,2 -Dichloro-ethene*	*Tetrachloro-ethene*	*1,1,1 -Trichloro-ethane*	*1,2,3 -Trichloro-benzene*	*Trichloro-ethene*	*Trichloro-fluoromethane*	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
Effluent	5/7/1999	ND	ND	ND	ND	ND	6.1	ND	ND	7.8	ND	ND	ND	ND	ND	ND	14
	6/18/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/13/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/5/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/11/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/24/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/4/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	9/1/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/20/2000	ND	ND	ND	ND	ND	95	40	ND	86	ND	ND	ND	ND	ND	ND	221
	12/6/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	270	ND	ND	270
	2/16/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/11/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/10/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/22/2002	ND	ND	ND	ND	ND	93	25	ND	61	ND	ND	ND	ND	ND	ND	179
	*05/02/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	18	17	ND	ND	ND	35
	8/2/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/17/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/7/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/30/2003	ND	ND	ND	ND	ND	31	8.6	ND	19	ND	ND	ND	ND	ND	ND	59
	**05/19/2003	ND	ND	ND	ND	ND	31	7.5	ND	24	ND	ND	ND	ND	ND	ND	63
	5/22/2003	ND	ND	ND	ND	ND	21	8.1	ND	18	ND	ND	ND	ND	ND	ND	47
	5/27/2003	ND	ND	ND	ND	ND	18	ND	ND	13	ND	ND	ND	ND	ND	ND	31
	5/30/2003	ND	ND	ND	ND	ND	11	ND	ND	9.6	ND	ND	ND	ND	ND	ND	21
	7/25/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/3/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/8/2004	ND	ND	ND	ND	ND	72	21	ND	49	ND	ND	ND	ND	ND	ND	142
	1/16/2004	ND	ND	ND	ND	ND	75	26	ND	62	ND	ND	ND	ND	ND	ND	163
	1/19/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/2/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/7/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/17/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/19/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/11/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/6/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/25/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/18/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/27/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/16/2007	ND	ND	ND	ND	ND	73	19	ND	35	ND	ND	ND	ND	ND	ND	127
	2/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/17/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/17/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/26/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/4/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/3/2008	ND	ND	ND	ND	ND	10.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.7
	7/18/2008	ND	ND	ND	ND	ND	5.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.7
	7/22/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/21/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/22/2009	ND	ND	ND	ND	ND	5.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.9
	6/9/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/28/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/19/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/21/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/19/2010	ND	ND	ND	55.9	ND	15.7	ND	ND	10.3	ND	ND	ND	ND	ND	ND	81.9
	12/8/2010	ND	ND	ND	57.9	ND	24.4	ND	ND	11.8	ND	ND	ND	ND	ND	ND	94.1
	12/10/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/11/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/20/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/18/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/24/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0

Notes:
Results in micrograms per liter (ug/l).
* - Naphthalene and MTBE were detected at 18 and 17 ug/L, respectively; however, these detections are most likely due to laboratory artifacts or handling issues.
** - Methylene chloride was detected at 5.9 ug/L, however, this detection was most likely due to a laboratory artifact.

ATTACHMENT A

Groundwater Level Measurements

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/03/07	732.25	11.52	720.73
	02/12/07		12.00	720.25
	03/12/07		11.74	720.51
	04/09/07		12.01	720.24
	05/07/07		12.11	720.14
	06/08/07		12.45	719.80
	07/17/07		12.66	719.59
	08/01/07		12.73	719.52
	09/14/07		13.03	719.22
	10/12/07		13.38	718.87
	11/09/07		13.37	718.88
	12/07/07		13.27	718.98
	01/04/08		12.79	719.46
	02/15/08		11.85	720.40
	03/13/08		11.48	720.77
	04/11/08		11.31	720.94
	05/08/08		11.95	720.30
	06/06/08		11.08	721.17
	07/03/08		11.29	720.96
	08/01/08		11.65	720.60
	09/12/08		12.38	719.87
	10/10/08		12.78	719.47
	11/06/08		13.05	719.20
	12/19/08		12.97	719.28
	01/02/09		12.39	719.86
	02/13/09		12.30	719.95
	03/13/09		12.40	719.85
	04/09/09		12.22	720.03
	05/08/09		11.90	720.35
	06/05/09		11.89	720.36
	07/02/09		12.05	720.20
	08/14/09		11.55	720.70
	09/11/09		12.02	720.23
	10/09/09		12.29	719.96
	11/04/09		12.26	719.99
	12/04/09		12.55	719.70
	01/14/10		12.50	719.75
	02/10/10		NG	NG
	03/11/10		12.49	719.76
	04/08/10		12.19	720.06
	05/06/10		12.35	719.90
	06/04/10		12.47	719.78
	07/01/10		11.69	720.56
	08/12/10		12.39	719.86
	09/08/10		13.07	719.18
	10/07/10		14.04	718.21
	11/19/10		14.28	717.97
	12/03/10		13.70	718.55
	01/14/11		13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99
	12/01/11		12.82	719.43
	01/13/12		12.50	719.75
	02/10/12		12.30	719.95
	03/09/12		12.80	719.45
	04/06/12		12.31	719.94
	05/02/12		12.47	719.78
	06/01/12		12.71	719.54

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/03/07	728.71	10.46	718.25
	02/12/07		10.93	717.78
	03/12/07		10.81	717.90
	04/09/07		10.88	717.83
	05/07/07		10.95	717.76
	06/08/07		11.10	717.61
	07/17/07		11.12	717.59
	08/01/07		11.12	717.59
	09/14/07		11.21	717.50
	10/12/07		11.35	717.36
	11/09/07		11.35	717.36
	12/07/07		11.36	717.35
	01/04/08		11.24	717.47
	02/15/08		10.61	718.10
	03/13/08		10.42	718.29
	04/11/08		10.23	718.48
	05/08/08		10.70	718.01
	06/06/08		9.84	718.87
	07/03/08		9.89	718.82
	08/01/08		10.54	718.17
	09/12/08		10.92	717.79
	10/10/08		11.04	717.67
	11/06/08		11.20	717.51
	12/19/08		11.01	717.70
	01/02/09		10.98	717.73
	02/13/09		10.79	717.92
	03/13/09		11.13	717.58
	04/09/09		10.86	717.85
	05/08/09		10.81	717.90
	06/05/09		10.71	718.00
	07/02/09		10.81	717.90
	08/14/09		10.52	718.19
	09/11/09		10.80	717.91
	10/09/09		10.77	717.94
	11/04/09		10.91	717.80
	12/04/09		11.07	717.64
	01/14/10		11.09	717.62
	02/10/10		11.13	717.58
	03/11/10		11.03	717.68
	04/08/10		10.75	717.96
	05/06/10		10.96	717.75
	06/04/10		11.01	717.70
	07/01/10		10.52	718.19
	08/12/10		10.88	717.83
	09/08/10		11.10	717.61
	10/07/10		11.33	717.38
	11/19/10		11.49	717.22
	12/03/10		11.26	717.45
	01/14/11		11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		10.60	718.11
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69
	12/01/11		10.74	717.97
	01/13/12		10.90	717.81
	02/10/12		10.86	717.85
	03/09/12		11.08	717.63
	04/06/12		10.73	717.98
	05/02/12		10.68	718.03
	06/01/12		10.97	717.74

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/03/07	736.44	14.00	722.44
	02/12/07		14.58	721.86
	03/12/07		14.41	722.03
	04/09/07		14.64	721.80
	05/07/07		14.83	721.61
	06/08/07		15.32	721.12
	07/17/07		15.73	720.71
	08/01/07		16.89	719.55
	09/14/07		16.23	720.21
	10/12/07		16.65	719.79
	11/09/07		16.60	719.84
	12/07/07		16.55	719.89
	01/04/08		15.87	720.57
	02/15/08		14.41	722.03
	03/13/08		13.82	722.62
	04/11/08		13.50	722.94
	05/08/08		14.33	722.11
	06/06/08		13.30	723.14
	07/03/08		13.41	723.03
	08/01/08		13.68	722.76
	09/12/08		15.28	721.16
	10/10/08		15.77	720.67
	11/06/08		16.11	720.33
	12/19/08		16.10	720.34
	01/02/09		15.26	721.18
	02/13/09		15.16	721.28
	03/13/09		15.25	721.19
	04/09/09		14.88	721.56
	05/08/09		NG	NG
	06/05/09		14.25	722.19
	07/02/09		14.62	721.82
	08/14/09		13.92	722.52
	09/11/09		14.73	721.71
	10/09/09		15.17	721.27
	11/04/09		15.07	721.37
	12/04/09		15.48	720.96
	01/14/10		15.23	721.21
	02/10/10		15.37	721.07
	03/11/10		15.21	721.23
	04/08/10		14.82	721.62
	05/06/10		14.92	721.52
	06/04/10		15.13	721.31
	07/01/10		14.04	722.40
	08/12/10		15.06	721.38
	09/08/10		15.85	720.59
	10/07/10		16.52	719.92
	11/19/10		16.99	719.45
	12/03/10		16.32	720.12
	01/14/11		16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47
	12/01/11		15.48	720.96
	01/13/12		14.87	721.57
	02/10/12		14.49	721.95
	03/09/12		15.10	721.34
	04/06/12		14.63	721.81
	05/02/12		14.59	721.85
	06/01/12		15.13	721.31

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/03/07	733.04	6.85	726.19
	02/12/07		7.81	725.23
	03/12/07		9.56	723.48
	04/09/07		10.56	722.48
	05/07/07		8.35	724.69
	06/08/07		9.07	723.97
	07/17/07		9.65	723.39
	08/01/07		9.82	723.22
	09/14/07		10.49	722.55
	10/12/07		10.95	722.09
	11/09/07		11.14	721.90
	12/07/07		11.21	721.83
	01/04/08		10.46	722.58
	02/15/08		8.45	724.59
	03/13/08		7.28	725.76
	04/11/08		6.40	726.64
	05/08/08		7.74	725.30
	06/06/08		8.49	724.55
	07/03/08		8.50	724.54
	08/01/08		7.28	725.76
	09/12/08		7.30	725.74
	10/10/08		9.47	723.57
	11/06/08		9.98	723.06
	12/19/08		9.34	723.70
	01/02/09		8.77	724.27
	02/13/09		8.04	725.00
	03/13/09		8.75	724.29
	04/09/09		7.82	725.22
	05/08/09		NG	NG
	06/05/09		7.24	725.80
	07/02/09		7.89	725.15
	08/14/09		6.96	726.08
	09/11/09		8.47	724.57
	10/09/09		8.34	724.70
	11/04/09		8.46	724.58
	12/04/09		8.98	724.06
	01/14/10		8.83	724.21
	02/10/10		NG	NG
	03/11/10		8.51	724.53
	04/08/10		7.37	725.67
	05/06/10		8.16	724.88
	06/04/10		8.48	724.56
	07/01/10		7.22	725.82
	08/12/10		8.94	724.10
	09/08/10		9.81	723.23
	10/07/10		10.51	722.53
	11/19/10		11.10	721.94
	12/03/10		10.31	722.73
	01/14/11		10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29
	12/01/11		8.57	724.47
	01/13/12		8.18	724.86
	02/10/12		7.76	725.28
	03/09/12		8.52	724.52
	04/06/12		7.71	725.33
	05/02/12		6.56	726.48
	06/01/12		8.58	724.46

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12	01/03/07	736.38	15.70	720.68
	02/12/07		16.18	720.20
	03/12/07		15.54	720.84
	04/09/07		16.17	720.21
	05/07/07		16.32	720.06
	06/08/07		16.58	719.80
	07/17/07		16.79	719.59
	08/01/07		16.88	719.50
	09/14/07		17.10	719.28
	10/12/07		17.47	718.91
	11/09/07		17.45	718.93
	12/07/07		17.35	719.03
	01/04/08		16.86	719.52
	02/03/08		15.97	720.41
	03/13/08		15.67	720.71
	04/11/08		15.52	720.86
	05/08/08		16.06	720.32
Well Damaged	06/06/08		NG	NG
MW-12R	07/03/08	736.15	15.47	720.68
	08/01/08		15.76	720.39
	09/12/08		16.49	719.66
	10/10/08		16.85	719.30
	11/06/08		17.17	718.98
	12/19/08		17.05	719.10
	01/02/09		16.51	719.64
	02/13/09		16.44	719.71
	03/13/09		16.57	719.58
	04/09/09		16.38	719.77
	05/08/09		16.11	720.04
	06/05/09		16.05	720.10
	07/02/09		16.22	719.93
	08/14/09		15.77	720.38
	09/11/09		16.04	720.11
	10/09/09		16.41	719.74
	11/04/09		16.46	719.69
	12/04/09		16.71	719.44
	01/14/10		16.60	719.55
	02/10/10		16.68	719.47
	03/11/10		16.63	719.52
	04/08/10		16.32	719.83
	05/06/10		16.49	719.66
	06/04/10		16.61	719.54
	07/01/10		15.85	720.30
	08/12/10		16.64	719.51
	09/08/10		17.28	718.87
	10/07/10		18.41	717.74
	11/19/10		18.71	717.44
	12/03/10		18.22	717.93
	01/14/11		17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61
	12/01/11		17.20	718.95
	01/13/12		16.83	719.32
	02/10/12		16.66	719.49
	03/09/12		17.15	719.00
	04/06/12		16.74	719.41
	05/02/12		16.87	719.28
	05/02/12		18.87	717.28

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/03/07	734.03	8.51	725.52
	02/12/07		9.42	724.61
	03/12/07		9.24	724.79
	04/09/07		9.36	724.67
	05/07/07		9.61	724.42
	06/08/07		10.20	723.83
	07/17/07		10.72	723.31
	08/01/07		10.85	723.18
	09/14/07		11.58	722.45
	10/12/07		12.02	722.01
	11/09/07		12.10	721.93
	12/07/07		11.91	722.12
	01/04/08		11.11	722.92
	02/15/08		9.43	724.60
	03/13/08		8.71	725.32
	04/11/08		8.28	725.75
	05/08/08		9.23	724.80
	06/06/08		7.64	726.39
	07/03/08		7.67	726.36
	08/01/08		9.00	725.03
	09/12/08		9.05	724.98
	10/10/08		10.51	723.52
	11/06/08		11.17	722.86
	12/19/08		10.01	724.02
	01/02/09		9.69	724.34
	02/13/09		9.12	724.91
	03/13/09		9.84	724.19
	04/09/09		9.04	724.99
	05/08/09		8.53	725.50
	06/05/09		8.93	725.10
	07/02/09		9.34	724.69
	08/14/09		8.68	725.35
	09/11/09		9.74	724.29
	10/09/09		9.24	724.79
	11/04/09		9.55	724.48
	12/04/09		9.98	724.05
	01/14/10		9.99	724.04
	02/10/10		9.99	724.04
	03/11/10		9.46	724.57
	04/08/10		8.53	725.50
	05/06/10		9.41	724.62
	06/04/10		9.51	724.52
	07/01/10		8.81	725.22
	08/12/10		10.16	723.87
	09/08/10		11.07	722.96
	10/07/10		11.76	722.27
	11/19/10		12.08	721.95
	12/03/10		10.96	723.07
	01/14/11		11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52
	12/01/11		9.32	724.71
	01/13/12		9.39	724.64
	02/10/12		9.19	724.84
	03/09/12		9.63	724.40
	04/06/12		9.04	724.99
	05/02/12		8.41	725.62
	06/01/12		9.84	724.19

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/03/07	737.91	15.71	722.20
	02/12/07		4.76	733.15
	03/12/07		16.10	721.81
	04/09/07		16.91	721.00
	05/07/07		16.50	721.41
	06/08/07		16.98	720.93
	07/17/07		17.35	720.56
	08/01/07		17.55	720.36
	09/14/07		17.88	720.03
	10/12/07		18.29	719.62
	11/09/07		18.23	719.68
	12/07/07		18.19	719.72
	01/04/08		17.48	720.43
	02/15/08		16.10	721.81
	03/13/08		15.52	722.39
	04/11/08		15.20	722.71
	05/08/08		16.02	721.89
	06/06/08		15.00	722.91
	07/03/08		15.05	722.86
	08/01/08		15.36	722.55
	09/12/08		16.95	720.96
	10/10/08		17.43	720.48
	11/06/08		17.78	720.13
	12/19/08		17.75	720.16
	01/02/09		16.94	720.97
	02/13/09		16.85	721.06
	03/13/09		16.94	720.97
	04/09/09		16.60	721.31
	05/08/09		16.16	721.75
	06/05/09		15.97	721.94
	07/02/09		16.32	721.59
	08/14/09		15.67	722.24
	09/11/09		16.41	721.50
	10/09/09		16.94	720.97
	11/04/09		16.76	721.15
	12/04/09		17.15	720.76
	01/14/10		16.95	720.96
	02/10/10		17.06	720.85
	03/11/10		16.91	721.00
	04/08/10		16.53	721.38
	05/06/10		16.63	721.28
	06/04/10		16.84	721.07
	07/01/10		15.78	722.13
	08/12/10		16.76	721.15
	09/08/10		17.51	720.40
	10/07/10		18.17	719.74
	11/19/10		18.64	719.27
	12/03/10		17.98	719.93
	01/14/11		17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27
	12/01/11		17.18	720.73
	01/13/12		16.57	721.34
	02/10/12		16.24	721.67
	03/09/12		16.89	721.02
	04/06/12		16.33	721.58
	05/02/12		16.43	721.48
	06/01/12		16.79	721.12

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/03/07	737.64	16.46	721.18
	02/12/07		16.90	720.74
	03/12/07		16.66	720.98
	04/09/07		16.91	720.73
	05/07/07		17.03	720.61
	06/08/07		17.43	720.21
	07/17/07		17.76	719.88
	08/01/07		17.97	719.67
	09/14/07		18.24	719.40
	10/12/07		18.62	719.02
	11/09/07		18.59	719.05
	12/07/07		18.51	719.13
	01/04/08		17.91	719.73
	02/15/08		16.80	720.84
	03/13/08		16.37	721.27
	04/11/08		16.13	721.51
	05/08/08		16.74	720.90
	06/06/08		15.88	721.76
	07/03/08		15.91	721.73
	08/01/08		16.29	721.35
	09/12/08		17.47	720.17
	10/10/08		17.87	719.77
	11/06/08		18.22	719.42
	12/19/08		18.12	719.52
	01/02/09		17.47	720.17
	02/13/09		17.37	720.27
	03/13/09		17.58	720.06
	04/09/09		17.23	720.41
	05/08/09		16.89	720.75
	06/05/09		16.72	720.92
	07/02/09		16.98	720.66
	08/14/09		16.49	721.15
	09/11/09		16.91	720.73
	10/09/09		17.36	720.28
	11/04/09		17.30	720.34
	12/04/09		17.65	719.99
	01/14/10		17.48	720.16
	02/10/10		17.57	720.07
	03/11/10		17.46	720.18
	04/08/10		17.14	720.50
	05/06/10		17.28	720.36
	06/04/10		17.42	720.22
	07/01/10		16.55	721.09
	08/12/10		17.27	720.37
	09/08/10		17.88	719.76
	10/07/10		18.64	719.00
	11/19/10		19.08	718.56
	12/03/10		18.46	719.18
	01/14/11		18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53
	12/01/11		17.70	719.94
	01/13/12		17.24	720.40
	02/10/12		17.05	720.59
	03/09/12		17.55	720.09
	04/06/12		17.06	720.58
	05/02/12		17.19	720.45
	06/01/12		17.43	720.21

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/03/07	736.02	14.51	721.51
	02/12/07		14.97	721.05
	03/12/07		14.88	721.14
	04/09/07		15.07	720.95
	05/07/07		15.24	720.78
	06/08/07		15.63	720.39
	07/17/07		15.95	720.07
	08/01/07		16.02	720.00
	09/14/07		16.31	719.71
	10/12/07		16.64	719.38
	11/09/07		16.65	719.37
	12/07/07		16.67	719.35
	01/04/08		16.18	719.84
	02/15/08		14.95	721.07
	03/13/08		14.43	721.59
	04/11/08		14.07	721.95
	05/08/08		14.88	721.14
	06/06/08		13.85	722.17
	07/03/08		13.87	722.15
	08/01/08		14.38	721.64
	09/12/08		15.58	720.44
	10/10/08		15.98	720.04
	11/06/08		16.26	719.76
	12/19/08		16.28	719.74
	01/02/09		15.74	720.28
	02/13/09		15.54	720.48
	03/13/09		15.66	720.36
	04/09/09		15.43	720.59
	05/08/09		15.03	720.99
	06/05/09		14.79	721.23
	07/02/09		15.07	720.95
	08/14/09		14.50	721.52
	09/11/09		15.13	720.89
	10/09/09		15.53	720.49
	11/04/09		15.49	720.53
	12/04/09		15.80	720.22
	01/14/10		15.60	720.42
	02/10/10		15.71	720.31
	03/11/10		15.61	720.41
	04/08/10		15.28	720.74
	05/06/10		15.39	720.63
	06/04/10		15.55	720.47
	07/01/10		14.56	721.46
	08/12/10		15.39	720.63
	09/08/10		16.02	720.00
	10/07/10		16.57	719.45
	11/19/10		16.98	719.04
	12/03/10		16.56	719.46
	01/14/11		16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86
	12/01/11		15.83	720.19
	01/13/12		15.27	720.75
	02/10/12		15.03	720.99
	03/09/12		15.63	720.39
	04/06/12		15.11	720.91
	05/02/12		15.25	720.77
	06/01/12		15.47	720.55

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/03/07	736.39	11.42	724.97
	02/12/07		12.28	724.11
	03/12/07		12.15	724.24
	04/09/07		12.39	724.00
	05/07/07		12.65	723.74
	06/08/07		13.25	723.14
	07/17/07		13.69	722.70
	08/01/07		13.85	722.54
	09/14/07		14.37	722.02
	10/12/07		14.82	721.57
	11/09/07		14.93	721.46
	12/07/07		14.91	721.48
	01/04/08		14.20	722.19
	02/15/08		12.47	723.92
	03/13/08		11.63	724.76
	04/11/08		11.04	725.35
	05/08/08		12.13	724.26
	06/06/08		10.29	726.10
	07/03/08		10.31	726.08
	08/01/08		11.71	724.68
	09/12/08		11.80	724.59
	10/10/08		13.61	722.78
	11/06/08		14.07	722.32
	12/19/08		13.95	722.44
	01/02/09		12.92	723.47
	02/13/09		12.47	723.92
	03/13/09		13.02	723.37
	04/09/09		12.22	724.17
	05/08/09		11.72	724.67
	06/05/09		11.78	724.61
	07/02/09		12.27	724.12
	08/14/09		11.44	724.95
	09/11/09		12.70	723.69
	10/09/09		12.72	723.67
	11/04/09		12.74	723.65
	12/04/09		13.21	723.18
	01/14/10		13.06	723.33
	02/10/10		13.15	723.24
	03/11/10		12.78	723.61
	04/08/10		12.18	724.21
	05/06/10		12.52	723.87
	06/04/10		12.69	723.70
	07/01/10		11.62	724.77
	08/12/10		13.06	723.33
	09/08/10		13.89	722.50
	10/07/10		14.52	721.87
	11/19/10		14.97	721.42
	12/03/10		14.11	722.28
	01/14/11		14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68
	12/01/11		12.73	723.66
	01/13/12		12.48	723.91
	02/10/12		12.15	724.24
	03/09/12		12.81	723.58
	04/06/12		12.09	724.30
	05/02/12		11.98	724.41
	06/01/12		12.81	723.58

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/03/07	736.63	14.31	722.32
	02/12/07		15.04	721.59
	03/12/07		16.68	719.95
	04/09/07		15.03	721.60
	05/07/07		15.17	721.46
	06/08/07		15.71	720.92
	07/17/07		16.11	720.52
	08/01/07		16.31	720.32
	09/14/07		16.63	720.00
	10/12/07		17.08	719.55
	11/09/07		17.08	719.55
	12/07/07		16.79	719.84
	01/04/08		16.30	720.33
	02/15/08		14.87	721.76
	03/13/08		14.33	722.30
	04/11/08		14.11	722.52
	05/08/08		14.93	721.70
	06/06/08		13.76	722.87
	07/03/08		13.80	722.83
	08/01/08		14.46	722.17
	09/12/08		15.67	720.96
	10/10/08		16.12	720.51
	11/06/08		16.52	720.11
	12/19/08		16.41	720.22
	01/02/09		15.50	721.13
	02/13/09		15.43	721.20
	03/13/09		15.58	721.05
	04/09/09		15.11	721.52
	05/08/09		14.72	721.91
	06/05/09		14.64	721.99
	07/02/09		15.01	721.62
	08/14/09		14.37	722.26
	09/11/09		15.08	721.55
	10/09/09		15.43	721.20
	11/04/09		15.34	721.29
	12/04/09		15.78	720.85
	01/14/10		15.61	721.02
	02/10/10		15.73	720.90
	03/11/10		15.47	721.16
	04/08/10		15.12	721.51
	05/06/10		15.26	721.37
	06/04/10		15.47	721.16
	07/01/10		14.45	722.18
	08/12/10		15.42	721.21
	09/08/10		16.33	720.30
	10/07/10		16.99	719.64
	11/19/10		17.38	719.25
	12/03/10		16.64	719.99
	01/14/11		16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37
	12/01/11		15.68	720.95
	01/13/12		15.21	721.42
	02/10/12		14.93	721.70
	03/09/12		15.62	721.01
	04/06/12		14.95	721.68
	05/02/12		15.20	721.43
	06/01/12		15.48	721.15

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/03/07	738.04	16.07	721.97
	02/12/07		16.67	721.37
	03/12/07		NG	NG
	04/09/07		16.66	721.38
	05/07/07		16.81	721.23
	06/08/07		17.29	720.75
	07/17/07		17.67	720.37
	08/01/07		17.88	720.16
	09/14/07		18.19	719.85
	10/12/07		18.61	719.43
	11/09/07		18.60	719.44
	12/07/07		18.35	719.69
	01/04/08		17.85	720.19
	02/15/08		16.51	721.53
	03/13/08		16.01	722.03
	04/11/08		15.74	722.30
	05/08/08		16.51	721.53
	06/06/08		15.52	722.52
	07/03/08		15.56	722.48
	08/01/08		16.01	722.03
	09/12/08		17.28	720.76
	10/10/08		17.71	720.33
	11/06/08		18.11	719.93
	12/19/08		18.03	720.01
	01/02/09		17.20	720.84
	02/13/09		17.12	720.92
	03/13/09		17.23	720.81
	04/09/09		16.87	721.17
	05/08/09		16.48	721.56
	06/05/09		16.35	721.69
	07/02/09		16.44	721.60
	08/14/09		16.07	721.97
	09/11/09		16.68	721.36
	10/09/09		17.11	720.93
	11/04/09		17.03	721.01
	12/04/09		17.43	720.61
	01/14/10		17.25	720.79
	02/10/10		17.34	720.70
	03/11/10		17.18	720.86
	04/08/10		16.82	721.22
	05/06/10		16.95	721.09
	06/04/10		17.14	720.90
	07/01/10		16.15	721.89
	08/12/10		17.03	721.01
	09/08/10		17.87	720.17
	10/07/10		18.57	719.47
	11/19/10		19.00	719.04
	12/03/10		18.31	719.73
	01/14/11		18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12
	12/01/11		17.42	720.62
	01/13/12		16.92	721.12
	02/10/12		16.65	721.39
	03/09/12		17.29	720.75
	04/06/12		16.66	721.38
	05/02/12		16.90	721.14
	06/01/12		17.16	720.88

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/03/07	737.61	15.89	721.72
	02/12/07		16.53	721.08
	03/12/07		16.34	721.27
	04/09/07		16.51	721.10
	05/07/07		16.65	720.96
	06/08/07		17.16	720.45
	07/17/07		17.52	720.09
	08/01/07		17.71	719.90
	09/14/07		18.03	719.58
	10/12/07		18.45	719.16
	11/09/07		18.44	719.17
	12/07/07		18.13	719.48
	01/04/08		17.66	719.95
	02/15/08		16.36	721.25
	03/13/08		15.89	721.72
	04/11/08		15.67	721.94
	05/08/08		16.43	721.18
	06/06/08		15.45	722.16
	07/03/08		15.47	722.14
	08/01/08		16.08	721.53
	09/12/08		17.13	720.48
	10/10/08		17.55	720.06
	11/06/08		17.93	719.68
	12/19/08		17.80	719.81
	01/02/09		16.96	720.65
	02/13/09		16.90	720.71
	03/13/09		17.02	720.59
	04/09/09		16.84	720.77
	05/08/09		16.27	721.34
	06/05/09		16.88	720.73
	07/02/09		16.91	720.70
	08/14/09		15.93	721.68
	09/11/09		15.84	721.77
	10/09/09		16.92	720.69
	11/04/09		16.83	720.78
	12/04/09		17.25	720.36
	01/14/10		17.03	720.58
	02/10/10		17.18	720.43
	03/11/10		16.98	720.63
	04/08/10		16.61	721.00
	05/06/10		16.77	720.84
	06/04/10		16.97	720.64
	07/01/10		15.99	721.62
	08/12/10		16.90	720.71
	09/08/10		17.78	719.83
	10/07/10		18.45	719.16
	11/19/10		18.84	718.77
	12/03/10		18.12	719.49
	01/14/11		17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88
	12/01/11		17.19	720.42
	01/13/12		16.73	720.88
	02/10/12		16.48	721.13
	03/09/12		17.13	720.48
	04/06/12		16.48	721.13
	05/02/12		16.69	720.92
	06/01/12		17.00	720.61

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/03/07	734.84	15.15	719.69
	02/12/07		15.34	719.50
	03/12/07		17.13	717.71
	04/09/07		15.36	719.48
	05/07/07		15.44	719.40
	06/08/07		15.48	719.36
	07/17/07		15.47	719.37
	08/01/07		15.49	719.35
	09/14/07		16.07	718.77
	10/12/07		16.06	718.78
	11/09/07		16.10	718.74
	12/07/07		16.15	718.69
	01/04/08		16.01	718.83
	02/15/08		15.17	719.67
	03/13/08		14.88	719.96
	04/11/08		14.67	720.17
	05/08/08		15.22	719.62
	06/06/08		14.32	720.52
	07/03/08		14.80	720.04
	08/01/08		14.91	719.93
	09/12/08		15.72	719.12
	10/10/08		15.92	718.92
	11/06/08		16.07	718.77
	12/19/08		15.84	719.00
	01/02/09		15.72	719.12
	02/13/09		15.68	719.16
	03/13/09		15.79	719.05
	04/09/09		15.66	719.18
	05/08/09		15.57	719.27
	06/05/09		15.40	719.44
	07/02/09		15.55	719.29
	08/14/09		15.10	719.74
	09/11/09		15.16	719.68
	10/09/09		15.67	719.17
	11/04/09		15.39	719.45
	12/04/09		15.87	718.97
	01/14/10		15.82	719.02
	02/10/10		15.74	719.10
	03/11/10		15.68	719.16
	04/08/10		15.48	719.36
	05/06/10		16.61	718.23
	06/04/10		15.66	719.18
	07/01/10		13.07	721.77
	08/12/10		14.99	719.85
	09/08/10		15.83	719.01
	10/07/10		16.12	718.72
	11/19/10		16.24	718.60
	12/03/10		16.03	718.81
	01/14/11		16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13
	12/01/11		15.22	719.62
	01/13/12		15.44	719.40
	02/10/12		15.37	719.47
	03/09/12		15.64	719.20
	04/06/12		15.31	719.53
	05/02/12		15.37	719.47
	06/01/12		15.52	719.32

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/03/07	730.97	12.40	718.57
	02/12/07		11.96	719.01
	03/12/07		12.22	718.75
	04/09/07		11.98	718.99
	05/07/07		11.10	719.87
	06/08/07		11.68	719.29
	07/17/07		11.44	719.53
	08/01/07		11.60	719.37
	09/14/07		13.10	717.87
	10/12/07		12.20	718.77
	11/09/07		12.27	718.70
	12/07/07		13.18	717.79
	01/04/08		12.85	718.12
	02/15/08		11.70	719.27
	03/13/08		11.61	719.36
	04/11/08		11.40	719.57
	05/08/08		11.39	719.58
	06/06/08		10.88	720.09
	07/03/08		11.65	719.32
	08/01/08		11.58	719.39
	09/12/08		13.09	717.88
	10/10/08		13.22	717.75
	11/06/08		12.96	718.01
	12/19/08		13.02	717.95
	01/02/09		12.80	718.17
	02/13/09		12.90	718.07
	03/13/09		12.78	718.19
	04/09/09		12.10	718.87
	05/08/09		13.35	717.62
	06/05/09		12.90	718.07
	07/02/09		12.68	718.29
	08/14/09		12.38	718.59
	09/11/09		12.30	718.67
	10/09/09		13.50	717.47
	11/04/09		13.04	717.93
	12/04/09		13.21	717.76
	01/14/10		13.42	717.55
	02/10/10		13.39	717.58
	03/11/10		12.81	718.16
	04/08/10		13.15	717.82
	05/06/10		12.14	718.83
	06/04/10		12.10	718.87
	07/01/10		13.42	717.55
	08/12/10		10.90	720.07
	09/08/10		12.70	718.27
	10/07/10		12.40	718.57
	11/19/10		12.45	718.52
	12/03/10		12.45	718.52
	01/14/11		12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22
	12/01/11		11.37	719.60
	01/13/12		12.84	718.13
	02/10/12		12.31	718.66
	03/09/12		12.98	717.99
	04/06/12		12.96	718.01
	05/02/12		12.90	718.07
	06/01/12		12.40	718.57

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/03/07	732.05	15.36	716.69
	02/12/07		15.82	716.23
	03/12/07		11.66	720.39
	04/09/07		15.91	716.14
	05/07/07		12.35	719.70
	06/08/07		15.31	716.74
	07/17/07		15.83	716.22
	08/01/07		14.40	717.65
	09/14/07		14.85	717.20
	10/12/07		14.41	717.64
	11/09/07		14.62	717.43
	12/07/07		14.68	717.37
	01/04/08		14.70	717.35
	02/15/08		15.25	716.80
	03/13/08		15.31	716.74
	04/11/08		14.10	717.95
	05/08/08		15.24	716.81
	06/06/08		12.13	719.92
	07/03/08		12.28	719.77
	08/01/08		12.30	719.75
	09/12/08		15.05	717.00
	10/10/08		15.88	716.17
	11/06/08		15.20	716.85
	12/19/08		15.50	716.55
	01/02/09		15.44	716.61
	02/13/09		12.15	719.90
	03/13/09		16.85	715.20
	04/09/09		16.30	715.75
	05/08/09		15.65	716.40
	06/05/09		14.68	717.37
	07/02/09		14.60	717.45
	08/14/09		15.35	716.70
	09/11/09		14.50	717.55
	10/09/09		17.15	714.90
	11/04/09		12.14	719.91
	12/04/09		16.81	715.24
	01/14/10		15.50	716.55
	02/10/10		15.20	716.85
	03/11/10		14.35	717.70
	04/08/10		14.28	717.77
	05/06/10		13.72	718.33
	06/04/10		13.45	718.60
	07/01/10		13.81	718.24
	08/12/10		14.58	717.47
	09/08/10		16.10	715.95
	10/07/10		15.50	716.55
	11/19/10		15.05	717.00
	12/03/10		13.78	718.27
	01/14/11		13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87
	12/01/11		15.06	716.99
	01/13/12		12.70	719.35
	02/10/12		12.48	719.57
	03/09/12		14.95	717.10
	04/06/12		13.22	718.83
	05/02/12		15.24	716.81
	06/01/12		15.21	716.84

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/03/07	733.19	18.41	714.78
	02/12/07		16.88	716.31
	03/12/07		12.16	721.03
	04/09/07		18.18	715.01
	05/07/07		12.95	720.24
	06/08/07		17.15	716.04
	07/17/07		17.71	715.48
	08/01/07		16.05	717.14
	09/14/07		16.45	716.74
	10/12/07		16.97	716.22
	11/09/07		18.75	714.44
	12/07/07		16.55	716.64
	01/04/08		15.67	717.52
	02/15/08		15.68	717.51
	03/13/08		15.79	717.40
	04/11/08		13.37	719.82
	05/08/08		16.65	716.54
	06/06/08		13.05	720.14
	07/03/08		13.90	719.29
	08/01/08		14.24	718.95
	09/12/08		15.59	717.60
	10/10/08		16.51	716.68
	11/06/08		16.55	716.64
	12/19/08		16.87	716.32
	01/02/09		16.81	716.38
	02/13/09		16.28	716.91
	03/13/09		16.35	716.84
	04/09/09		16.01	717.18
	05/08/09		15.77	717.42
	06/05/09		15.45	717.74
	07/02/09		15.10	718.09
	08/14/09		15.03	718.16
	09/11/09		14.84	718.35
	10/09/09		15.71	717.48
	11/04/09		15.66	717.53
	12/04/09		15.50	717.69
	01/14/10		16.01	717.18
	02/10/10		16.24	716.95
	03/11/10		16.21	716.98
	04/08/10		15.93	717.26
	05/06/10		16.03	717.16
	06/04/10		16.13	717.06
	07/01/10		15.09	718.10
	08/12/10		16.68	716.51
	09/08/10		15.38	717.81
	10/07/10		16.47	716.72
	11/19/10		18.69	714.50
	12/03/10		17.40	715.79
	01/14/11		17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47
	12/01/11		16.03	717.16
	01/13/12		15.63	717.56
	02/10/12		15.42	717.77
	03/09/12		15.93	717.26
	04/06/12		15.58	717.61
	05/02/12		15.75	717.44
	06/01/12		15.71	717.48

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/03/07	735.48	16.35	719.13
	02/12/07		16.99	718.49
	03/12/07		16.68	718.80
	04/09/07		15.45	720.03
	05/07/07		15.71	719.77
	06/08/07		16.01	719.47
	07/17/07		16.45	719.03
	08/01/07		18.05	717.43
	09/14/07		17.59	717.89
	10/12/07		18.17	717.31
	11/09/07		17.88	717.60
	12/07/07		15.77	719.71
	01/04/08		17.90	717.58
	02/15/08		16.91	718.57
	03/13/08		16.41	719.07
	04/11/08		14.99	720.49
	05/08/08		15.81	719.67
	06/06/08		14.71	720.77
	07/03/08		14.60	720.88
	08/01/08		14.79	720.69
	09/12/08		16.43	719.05
	10/10/08		17.12	718.36
	11/06/08		17.16	718.32
	12/19/08		17.59	717.89
	01/02/09		17.65	717.83
	02/13/09		16.52	718.96
	03/13/09		16.61	718.87
	04/09/09		16.42	719.06
	05/08/09		15.86	719.62
	06/05/09		15.86	719.62
	07/02/09		16.77	718.71
	08/14/09		15.28	720.20
	09/11/09		15.28	720.20
	10/09/09		16.42	719.06
	11/04/09		16.28	719.20
	12/04/09		16.94	718.54
	01/14/10		16.64	718.84
	02/10/10		16.84	718.64
	03/11/10		16.29	719.19
	04/08/10		16.29	719.19
	05/06/10		16.79	718.69
	06/04/10		16.59	718.89
	07/01/10		15.72	719.76
	08/12/10		16.54	718.94
	09/08/10		18.06	717.42
	10/07/10		18.98	716.50
	11/19/10		19.80	715.68
	12/03/10		18.81	716.67
	01/14/11		18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42
	12/01/11		18.26	717.22
	01/13/12		17.56	717.92
	02/10/12		16.98	718.50
	03/09/12		18.00	717.48
	04/06/12		17.15	718.33
	05/02/12		17.62	717.86
	06/01/12		17.26	718.22

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	08/12/10	731.96	13.81	718.15
	09/08/10		14.07	717.89
	10/07/10		15.41	716.55
	11/19/10		16.78	715.18
	12/03/10		16.38	715.58
	01/14/11		15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78
	12/01/11		14.73	717.23
	01/13/12		14.37	717.59
	02/10/12		14.34	717.62
	03/09/12		14.86	717.10
	04/06/12		14.38	717.58
	05/02/12		14.53	717.43
	06/01/12		14.51	717.45

NR-Not Recorded
NG-Not Gauged

ATTACHMENT B

Groundwater Recovery

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	***445,555***	***428,463***	***536,852***	-	-	***1,410,870***
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	***1,949,120***	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	***2,835,673***	-	-	6,436,098
3/28/1997	1,692,834	2,039,011	***2,835,673***	-	-	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	***2,842,124***	-	-	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	3,313,604	7,312,970	6,402,525	-	-	17,050,326
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	3,889,675	8,638,302	7,429,910	1,171,610	-	21,150,724
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308
12/1/2011	18,629,825	33,598,934	48,320,048	53,355,570	6,100,310	160,025,914
12/16/2011	18,629,949	33,694,694	48,451,868	53,577,620	6,282,440	160,657,798
12/28/2011	18,629,987	33,779,384	48,561,758	53,756,850	6,369,780	161,118,986

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	**RW-1**	**RW-2**	**RW-3**	**RW-4**	**RW-5**	**Total**
1/13/2012	18,645,754	33,859,637	48,708,053	53,992,589	6,573,941	161,801,201
1/16/2012	18,716,529	33,865,708	48,721,294	54,013,533	6,592,457	161,930,748
1/27/2012	18,757,241	33,938,060	48,817,779	54,170,142	6,731,820	162,436,269
2/10/2012	18,815,117	34,035,651	48,942,826	54,373,450	6,910,967	163,099,238
2/24/2012	18,862,640	34,104,647	49,069,225	54,579,272	7,090,969	163,727,980
3/9/2012	18,902,508	34,170,267	49,197,023	54,783,061	7,269,776	164,343,862
3/23/2012	18,937,777	34,222,618	49,324,691	54,989,061	7,449,391	164,944,765
4/6/2012	18,985,172	34,316,006	49,452,912	55,194,431	7,629,191	165,598,939
4/20/2012	19,034,085	34,411,741	49,579,662	55,399,648	7,806,565	166,252,928
5/2/2012	19,072,065	34,481,477	49,688,956	55,576,321	7,959,176	166,799,222
5/16/2012	19,126,410	34,578,497	49,817,176	55,781,962	8,137,991	167,463,263
5/22/2012	19,148,742	34,617,182	49,872,834	55,871,142	8,215,560	167,746,687
6/1/2012	19,182,310	34,668,364	49,964,636	56,017,651	8,342,793	168,196,981
6/14/2012	19,220,759	34,715,694	50,084,238	56,206,400	8,508,700	168,757,018
6/26/2012	19,250,934	34,755,010	50,196,416	56,384,007	8,664,407	169,272,001

Notes:

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.

AMPHENOL CORPORATION
FRANKLIN, INDIANA



iWM CONSULTING GROUP

ATTACHMENT C

Field Notes

IWM CONSULTING GROUP

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

: Inspection Date: 5-22-12
M Personnel: Mier
ival Time: 10 710
parture Time: 11:15
rm Response Visit: YES NO

BIWEEKLY DATA

alizer Readings: RW-1 521193.0 RW-2 19527838.0 RW-3 33372106.0 RW-4 55871142.0 RW-5 8215560.0

w Rate GPM: RW-1 ____ RW-2 ____ RW-3 ____ RW-4 ____ RW-5 ____

np Running Amps RW-1 ____ RW-2 ____ RW-3 ____ RW-4 ____ RW-5 ____

Stripper Pressure: 15 Inches of Water

luent Clarity: Clear

lding Temperature: 68 Degrees F

tem Operation Upon Arrival: YES NO (if no please explain below)

ter Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
ase circle appropriate controller(s) below:

Manholes	NO	YES	Repaired	
Lines	NO	YES	Repaired	
Stripper	NO	YES	Repaired	

es, explain:

MONTHLY DATA

er Cartridges Replaced: RW-1 ____ RW-2 ____ RW-3 ____ RW-4 ____ RW-5

ipper Trays and Tubes Checked:

ipper Trays and Tubes Cleaned:

nitoring/Recovery Wells Gauged:

commendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Sit ction Date: 6-1-12
IWM rersonnel: Mier
Arrival Time: 925
Departure Time: 1:15
Alarm Response Visit: YES (NO)

BIWEEKLY DATA

Totalizer Readings: RW-1 554761.0 RW-2 19579020.0 RW-3 33463208.0 RW-4 56017651.0 RW-5 8342793.0

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 6.25 RW-4 10.00 RW-5 9.00

Pump Running Amps RW-1 3.1 RW-2 3.2 RW-3 3.2 RW-4 4.1 RW-5 3.2

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: (Clear)

Building Temperature: 64 Degrees F

System Operation Upon Arrival: (YES) NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

Manholes	(NO)	YES	Repaired	
Lines	(NO)	YES	Repaired	
Stripper	(NO)	YES	Repaired	

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: yes RW-1 yes RW-2 yes RW-3 yes RW-4 yes RW-5

Stripper Trays and Tubes Checked: yes

Stripper Trays and Tubes Cleaned: No

Monitoring/Recovery Wells Gauged: yes

Reco endations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Site Inspection Date: 6/14/12
WM Personnel: D. White
Arrival Time: 9:30
Departure Time: 11:45
Alarm Response Visit: YES (NO)

BIWEEKLY DATA

Totalizer Readings: RW-1 593210 RW-2 1962650 RW-3 3358570 RW-4 5620400 RW-5 8508700

Flow Rate GPM: RW-1 Cycling 1.6 RW-2 7.2 RW-3 6.4 RW-4 8.6 RW-5 9.2

Pump Running Amps RW-1 4.2 RW-2 3.7 RW-3 3.0 RW-4 4.5 RW-5 3.8

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: Clear

Building Temperature: 70° Degrees F

System Operation Upon Arrival: (YES) NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

Manholes	(NO)	YES	Repaired	
Lines	(NO)	YES	Repaired	
Stripper	(NO)	YES	Repaired	

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Sit ection Date: 6-26-12
IWM Personnel: R. Mier
Arrival Time: 1:45
Departure Time: 2:40
Alarm Response Visit: YES (NO)

BIWEEKLY DATA

Totalizer Readings: RW-1 623385.0 RW-2 19605666.0 RW-3 33695688.0 RW-4 56384007.0 RW-5 86644017.0

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 6.00 RW-4 10.00 RW-5 9.25

Pump Running Amps RW-1 3.1 RW-2 3.1 RW-3 3.3 RW-4 4.1 RW-5 3.4

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: (Clear)

Building Temperature: 79 Degrees F

System Operation Upon Arrival: (YES) NO (if no please explain below)

Water Leaks: (RW-1) RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

Manholes	NO	(YES)	Repaired	Top of 90° had small crack
Lines	NO	(YES)	Repaired	"
Stripper	(NO)	YES	Repaired	

If yes, explain: cracked PVC was replaced and the new line is no longer leaking.

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Re endations for system optimization or general comments:

ATTACHMENT D

System Sample Laboratory Analytical Report

iWM CONSULTING GROUP

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

June 06, 2012

Mr. Chris Parks
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Dear Mr. Parks:
Enclosed are the analytical results for sample(s) received by the laboratory on May 22, 2012. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kenneth Hunt

kenneth.hunt@pacelabs.com
Project Manager

Enclosures

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

CERTIFICATIONS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Indiana Certification IDs
7726 Moller Road, Indianapolis, IN 46268
Illinois Certification #: 200074
Indiana Certification #: C-49-06
Kansas Certification #: E-10247
Kentucky Certification #: 0042

Louisiana/NELAC Certification #: 04076
Ohio VAP: CL0065
Pennsylvania: 68-04991
West Virginia Certification #: 330

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

SAMPLE SUMMARY

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Lab ID	Sample ID	Matrix	Date Collected	Date Received
5063292001	**RW-1**	Water	05/22/12 10:36	05/22/12 12:27
5063292002	**RW-2**	Water	05/22/12 10:41	05/22/12 12:27
5063292003	**RW-3**	Water	05/22/12 10:47	05/22/12 12:27
5063292004	**RW-4**	Water	05/22/12 10:52	05/22/12 12:27
5063292005	**RW-5**	Water	05/22/12 11:00	05/22/12 12:27
5063292006	**EFFLUENT**	Water	05/22/12 10:30	05/22/12 12:27
5063292007	**TRIP BLANK**	Water	05/22/12 08:00	05/22/12 12:27

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

SAMPLE ANALYTE COUNT

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Lab ID	Sample ID	Method	Analysts	Analytes Reported
5063292001	**RW-1**	EPA 8260	JLZ	72
5063292002	**RW-2**	EPA 8260	JLZ	72
5063292003	**RW-3**	EPA 8260	JLZ	72
5063292004	**RW-4**	EPA 8260	JLZ	72
5063292005	**RW-5**	EPA 8260	JLZ	72
5063292006	**EFFLUENT**	EPA 8260	JLZ	72
5063292007	**TRIP BLANK**	EPA 8260	JLZ	72

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: RW-1 **Lab ID: 5063292001** Collected: 05/22/12 10:36 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		05/24/12 16:20	67-64-1	
Acrolein	ND	ug/L	50.0	1		05/24/12 16:20	107-02-8	
Acrylonitrile	ND	ug/L	100	1		05/24/12 16:20	107-13-1	
Benzene	ND	ug/L	5.0	1		05/24/12 16:20	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		05/24/12 16:20	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		05/24/12 16:20	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		05/24/12 16:20	75-27-4	
Bromoform	ND	ug/L	5.0	1		05/24/12 16:20	75-25-2	
Bromomethane	ND	ug/L	5.0	1		05/24/12 16:20	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		05/24/12 16:20	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		05/24/12 16:20	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		05/24/12 16:20	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		05/24/12 16:20	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		05/24/12 16:20	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		05/24/12 16:20	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		05/24/12 16:20	108-90-7	
Chloroethane	ND	ug/L	5.0	1		05/24/12 16:20	75-00-3	
Chloroform	ND	ug/L	5.0	1		05/24/12 16:20	67-66-3	
oromethane	ND	ug/L	5.0	1		05/24/12 16:20	74-87-3	
lorotoluene	ND	ug/L	5.0	1		05/24/12 16:20	95-49-8	
-Chlorotoluene	ND	ug/L	5.0	1		05/24/12 16:20	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		05/24/12 16:20	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		05/24/12 16:20	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		05/24/12 16:20	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 16:20	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 16:20	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 16:20	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		05/24/12 16:20	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		05/24/12 16:20	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		05/24/12 16:20	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		05/24/12 16:20	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		05/24/12 16:20	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		05/24/12 16:20	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		05/24/12 16:20	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 16:20	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		05/24/12 16:20	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 16:20	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		05/24/12 16:20	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 16:20	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 16:20	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		05/24/12 16:20	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		05/24/12 16:20	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		05/24/12 16:20	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		05/24/12 16:20	591-78-6	
Iodomethane	ND	ug/L	10.0	1		05/24/12 16:20	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		05/24/12 16:20	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		05/24/12 16:20	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: RW-1 **Lab ID: 5063292001** Collected: 05/22/12 10:36 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		05/24/12 16:20	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		05/24/12 16:20	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		05/24/12 16:20	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		05/24/12 16:20	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		05/24/12 16:20	103-65-1	
Styrene	ND	ug/L	5.0	1		05/24/12 16:20	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 16:20	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 16:20	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		05/24/12 16:20	127-18-4	
Toluene	ND	ug/L	5.0	1		05/24/12 16:20	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 16:20	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 16:20	120-82-1	
1,1,1-Trichloroethane	**15.9**	ug/L	5.0	1		05/24/12 16:20	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		05/24/12 16:20	79-00-5	
Trichloroethene	**32.8**	ug/L	5.0	1		05/24/12 16:20	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		05/24/12 16:20	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		05/24/12 16:20	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 16:20	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 16:20	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		05/24/12 16:20	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		05/24/12 16:20	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		05/24/12 16:20	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	99	%.	83-123	1		05/24/12 16:20	1868-53-7	
4-Bromofluorobenzene (S)	94	%.	72-125	1		05/24/12 16:20	460-00-4	
Toluene-d8 (S)	99	%.	81-114	1		05/24/12 16:20	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: RW-2 **Lab ID: 5063292002** Collected: 05/22/12 10:41 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		05/24/12 16:52	67-64-1	
Acrolein	ND	ug/L	50.0	1		05/24/12 16:52	107-02-8	
Acrylonitrile	ND	ug/L	100	1		05/24/12 16:52	107-13-1	
Benzene	ND	ug/L	5.0	1		05/24/12 16:52	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		05/24/12 16:52	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		05/24/12 16:52	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		05/24/12 16:52	75-27-4	
Bromoform	ND	ug/L	5.0	1		05/24/12 16:52	75-25-2	
Bromomethane	ND	ug/L	5.0	1		05/24/12 16:52	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		05/24/12 16:52	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		05/24/12 16:52	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		05/24/12 16:52	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		05/24/12 16:52	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		05/24/12 16:52	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		05/24/12 16:52	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		05/24/12 16:52	108-90-7	
Chloroethane	ND	ug/L	5.0	1		05/24/12 16:52	75-00-3	
Chloroform	ND	ug/L	5.0	1		05/24/12 16:52	67-66-3	
oromethane	ND	ug/L	5.0	1		05/24/12 16:52	74-87-3	
lorotoluene	ND	ug/L	5.0	1		05/24/12 16:52	95-49-8	
-Chlorotoluene	ND	ug/L	5.0	1		05/24/12 16:52	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		05/24/12 16:52	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		05/24/12 16:52	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		05/24/12 16:52	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 16:52	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 16:52	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 16:52	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		05/24/12 16:52	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		05/24/12 16:52	75-71-8	
1,1-Dichloroethane	**9.5**	ug/L	5.0	1		05/24/12 16:52	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		05/24/12 16:52	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		05/24/12 16:52	75-35-4	
cis-1,2-Dichloroethene	**252**	ug/L	5.0	1		05/24/12 16:52	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		05/24/12 16:52	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 16:52	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		05/24/12 16:52	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 16:52	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		05/24/12 16:52	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 16:52	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 16:52	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		05/24/12 16:52	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		05/24/12 16:52	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		05/24/12 16:52	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		05/24/12 16:52	591-78-6	
Iodomethane	ND	ug/L	10.0	1		05/24/12 16:52	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		05/24/12 16:52	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		05/24/12 16:52	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: RW-2 **Lab ID: 5063292002** Collected: 05/22/12 10:41 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		05/24/12 16:52	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		05/24/12 16:52	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		05/24/12 16:52	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		05/24/12 16:52	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		05/24/12 16:52	103-65-1	
Styrene	ND	ug/L	5.0	1		05/24/12 16:52	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 16:52	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 16:52	79-34-5	
Tetrachloroethene	**330**	ug/L	50.0	10		05/25/12 10:45	127-18-4	
Toluene	ND	ug/L	5.0	1		05/24/12 16:52	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 16:52	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 16:52	120-82-1	
1,1,1-Trichloroethane	**84.9**	ug/L	5.0	1		05/24/12 16:52	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		05/24/12 16:52	79-00-5	
Trichloroethene	**231**	ug/L	5.0	1		05/24/12 16:52	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		05/24/12 16:52	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		05/24/12 16:52	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 16:52	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 16:52	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		05/24/12 16:52	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		05/24/12 16:52	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		05/24/12 16:52	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	101	%.	83-123	1		05/24/12 16:52	1868-53-7	
4-Bromofluorobenzene (S)	94	%.	72-125	1		05/24/12 16:52	460-00-4	
Toluene-d8 (S)	97	%.	81-114	1		05/24/12 16:52	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: RW-3 **Lab ID: 5063292003** Collected: 05/22/12 10:47 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		05/24/12 17:24	67-64-1	
Acrolein	ND	ug/L	50.0	1		05/24/12 17:24	107-02-8	
Acrylonitrile	ND	ug/L	100	1		05/24/12 17:24	107-13-1	
Benzene	ND	ug/L	5.0	1		05/24/12 17:24	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		05/24/12 17:24	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		05/24/12 17:24	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		05/24/12 17:24	75-27-4	
Bromoform	ND	ug/L	5.0	1		05/24/12 17:24	75-25-2	
Bromomethane	ND	ug/L	5.0	1		05/24/12 17:24	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		05/24/12 17:24	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		05/24/12 17:24	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		05/24/12 17:24	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		05/24/12 17:24	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		05/24/12 17:24	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		05/24/12 17:24	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		05/24/12 17:24	108-90-7	
Chloroethane	ND	ug/L	5.0	1		05/24/12 17:24	75-00-3	
Chloroform	ND	ug/L	5.0	1		05/24/12 17:24	67-66-3	
oromethane	ND	ug/L	5.0	1		05/24/12 17:24	74-87-3	
ılorotoluene	ND	ug/L	5.0	1		05/24/12 17:24	95-49-8	
¬-Chlorotoluene	ND	ug/L	5.0	1		05/24/12 17:24	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		05/24/12 17:24	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		05/24/12 17:24	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		05/24/12 17:24	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 17:24	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 17:24	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 17:24	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		05/24/12 17:24	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		05/24/12 17:24	75-71-8	
1,1-Dichloroethane	**5.5**	ug/L	5.0	1		05/24/12 17:24	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		05/24/12 17:24	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		05/24/12 17:24	75-35-4	
cis-1,2-Dichloroethene	**44.0**	ug/L	5.0	1		05/24/12 17:24	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		05/24/12 17:24	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 17:24	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		05/24/12 17:24	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 17:24	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		05/24/12 17:24	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 17:24	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 17:24	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		05/24/12 17:24	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		05/24/12 17:24	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		05/24/12 17:24	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		05/24/12 17:24	591-78-6	
Iodomethane	ND	ug/L	10.0	1		05/24/12 17:24	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		05/24/12 17:24	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		05/24/12 17:24	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: RW-3 **Lab ID: 5063292003** Collected: 05/22/12 10:47 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		05/24/12 17:24	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		05/24/12 17:24	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		05/24/12 17:24	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		05/24/12 17:24	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		05/24/12 17:24	103-65-1	
Styrene	ND	ug/L	5.0	1		05/24/12 17:24	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 17:24	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 17:24	79-34-5	
Tetrachloroethene	**122**	ug/L	5.0	1		05/24/12 17:24	127-18-4	
Toluene	ND	ug/L	5.0	1		05/24/12 17:24	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 17:24	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 17:24	120-82-1	
1,1,1-Trichloroethane	**71.0**	ug/L	5.0	1		05/24/12 17:24	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		05/24/12 17:24	79-00-5	
Trichloroethene	**58.7**	ug/L	5.0	1		05/24/12 17:24	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		05/24/12 17:24	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		05/24/12 17:24	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 17:24	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 17:24	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		05/24/12 17:24	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		05/24/12 17:24	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		05/24/12 17:24	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	102	%.	83-123	1		05/24/12 17:24	1868-53-7	
4-Bromofluorobenzene (S)	96	%.	72-125	1		05/24/12 17:24	460-00-4	
Toluene-d8 (S)	101	%.	81-114	1		05/24/12 17:24	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: RW-4 **Lab ID: 5063292004** Collected: 05/22/12 10:52 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		05/24/12 17:56	67-64-1	
Acrolein	ND	ug/L	50.0	1		05/24/12 17:56	107-02-8	
Acrylonitrile	ND	ug/L	100	1		05/24/12 17:56	107-13-1	
Benzene	ND	ug/L	5.0	1		05/24/12 17:56	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		05/24/12 17:56	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		05/24/12 17:56	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		05/24/12 17:56	75-27-4	
Bromoform	ND	ug/L	5.0	1		05/24/12 17:56	75-25-2	
Bromomethane	ND	ug/L	5.0	1		05/24/12 17:56	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		05/24/12 17:56	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		05/24/12 17:56	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		05/24/12 17:56	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		05/24/12 17:56	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		05/24/12 17:56	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		05/24/12 17:56	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		05/24/12 17:56	108-90-7	
Chloroethane	ND	ug/L	5.0	1		05/24/12 17:56	75-00-3	
Chloroform	ND	ug/L	5.0	1		05/24/12 17:56	67-66-3	
oromethane	ND	ug/L	5.0	1		05/24/12 17:56	74-87-3	
lorotoluene	ND	ug/L	5.0	1		05/24/12 17:56	95-49-8	
.-hlorotoluene	ND	ug/L	5.0	1		05/24/12 17:56	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		05/24/12 17:56	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		05/24/12 17:56	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		05/24/12 17:56	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 17:56	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 17:56	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 17:56	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		05/24/12 17:56	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		05/24/12 17:56	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		05/24/12 17:56	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		05/24/12 17:56	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		05/24/12 17:56	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		05/24/12 17:56	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		05/24/12 17:56	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 17:56	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		05/24/12 17:56	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 17:56	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		05/24/12 17:56	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 17:56	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 17:56	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		05/24/12 17:56	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		05/24/12 17:56	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		05/24/12 17:56	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		05/24/12 17:56	591-78-6	
Iodomethane	ND	ug/L	10.0	1		05/24/12 17:56	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		05/24/12 17:56	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		05/24/12 17:56	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: RW-4 **Lab ID: 5063292004** Collected: 05/22/12 10:52 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		05/24/12 17:56	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		05/24/12 17:56	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		05/24/12 17:56	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		05/24/12 17:56	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		05/24/12 17:56	103-65-1	
Styrene	ND	ug/L	5.0	1		05/24/12 17:56	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 17:56	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 17:56	79-34-5	
Tetrachloroethene	**15.4**	ug/L	5.0	1		05/24/12 17:56	127-18-4	
Toluene	ND	ug/L	5.0	1		05/24/12 17:56	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 17:56	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 17:56	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		05/24/12 17:56	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		05/24/12 17:56	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		05/24/12 17:56	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		05/24/12 17:56	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		05/24/12 17:56	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 17:56	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 17:56	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		05/24/12 17:56	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		05/24/12 17:56	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		05/24/12 17:56	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	99	%.	83-123	1		05/24/12 17:56	1868-53-7	
4-Bromofluorobenzene (S)	95	%.	72-125	1		05/24/12 17:56	460-00-4	
Toluene-d8 (S)	101	%.	81-114	1		05/24/12 17:56	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: RW-5 **Lab ID: 5063292005** Collected: 05/22/12 11:00 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		05/24/12 18:28	67-64-1	
Acrolein	ND	ug/L	50.0	1		05/24/12 18:28	107-02-8	
Acrylonitrile	ND	ug/L	100	1		05/24/12 18:28	107-13-1	
Benzene	ND	ug/L	5.0	1		05/24/12 18:28	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		05/24/12 18:28	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		05/24/12 18:28	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		05/24/12 18:28	75-27-4	
Bromoform	ND	ug/L	5.0	1		05/24/12 18:28	75-25-2	
Bromomethane	ND	ug/L	5.0	1		05/24/12 18:28	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		05/24/12 18:28	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		05/24/12 18:28	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		05/24/12 18:28	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		05/24/12 18:28	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		05/24/12 18:28	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		05/24/12 18:28	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		05/24/12 18:28	108-90-7	
Chloroethane	ND	ug/L	5.0	1		05/24/12 18:28	75-00-3	
Chloroform	ND	ug/L	5.0	1		05/24/12 18:28	67-66-3	
oromethane	ND	ug/L	5.0	1		05/24/12 18:28	74-87-3	
ılorotoluene	ND	ug/L	5.0	1		05/24/12 18:28	95-49-8	
-chlorotoluene	ND	ug/L	5.0	1		05/24/12 18:28	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		05/24/12 18:28	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		05/24/12 18:28	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		05/24/12 18:28	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 18:28	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 18:28	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 18:28	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		05/24/12 18:28	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		05/24/12 18:28	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		05/24/12 18:28	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		05/24/12 18:28	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		05/24/12 18:28	75-35-4	
cis-1,2-Dichloroethene	**127**	ug/L	5.0	1		05/24/12 18:28	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		05/24/12 18:28	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 18:28	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		05/24/12 18:28	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 18:28	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		05/24/12 18:28	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 18:28	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 18:28	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		05/24/12 18:28	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		05/24/12 18:28	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		05/24/12 18:28	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		05/24/12 18:28	591-78-6	
Iodomethane	ND	ug/L	10.0	1		05/24/12 18:28	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		05/24/12 18:28	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		05/24/12 18:28	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: RW-5 **Lab ID: 5063292005** Collected: 05/22/12 11:00 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		05/24/12 18:28	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		05/24/12 18:28	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		05/24/12 18:28	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		05/24/12 18:28	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		05/24/12 18:28	103-65-1	
Styrene	ND	ug/L	5.0	1		05/24/12 18:28	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 18:28	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 18:28	79-34-5	
Tetrachloroethene	**549**	ug/L	50.0	10		05/24/12 19:00	127-18-4	
Toluene	ND	ug/L	5.0	1		05/24/12 18:28	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 18:28	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 18:28	120-82-1	
1,1,1-Trichloroethane	**46.8**	ug/L	5.0	1		05/24/12 18:28	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		05/24/12 18:28	79-00-5	
Trichloroethene	**288**	ug/L	50.0	10		05/24/12 19:00	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		05/24/12 18:28	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		05/24/12 18:28	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 18:28	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 18:28	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		05/24/12 18:28	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		05/24/12 18:28	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		05/24/12 18:28	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	99	%.	83-123	1		05/24/12 18:28	1868-53-7	
4-Bromofluorobenzene (S)	93	%.	72-125	1		05/24/12 18:28	460-00-4	
Toluene-d8 (S)	100	%.	81-114	1		05/24/12 18:28	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: EFFLUENT **Lab ID: 5063292006** Collected: 05/22/12 10:30 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		05/24/12 19:32	67-64-1	
Acrolein	ND	ug/L	50.0	1		05/24/12 19:32	107-02-8	
Acrylonitrile	ND	ug/L	100	1		05/24/12 19:32	107-13-1	
Benzene	ND	ug/L	5.0	1		05/24/12 19:32	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		05/24/12 19:32	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		05/24/12 19:32	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		05/24/12 19:32	75-27-4	
Bromoform	ND	ug/L	5.0	1		05/24/12 19:32	75-25-2	
Bromomethane	ND	ug/L	5.0	1		05/24/12 19:32	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		05/24/12 19:32	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		05/24/12 19:32	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		05/24/12 19:32	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		05/24/12 19:32	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		05/24/12 19:32	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		05/24/12 19:32	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		05/24/12 19:32	108-90-7	
Chloroethane	ND	ug/L	5.0	1		05/24/12 19:32	75-00-3	
Chloroform	ND	ug/L	5.0	1		05/24/12 19:32	67-66-3	
loromethane	ND	ug/L	5.0	1		05/24/12 19:32	74-87-3	
hlorotoluene	ND	ug/L	5.0	1		05/24/12 19:32	95-49-8	
-Chlorotoluene	ND	ug/L	5.0	1		05/24/12 19:32	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		05/24/12 19:32	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		05/24/12 19:32	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		05/24/12 19:32	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 19:32	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 19:32	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 19:32	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		05/24/12 19:32	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		05/24/12 19:32	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		05/24/12 19:32	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		05/24/12 19:32	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		05/24/12 19:32	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		05/24/12 19:32	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		05/24/12 19:32	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 19:32	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		05/24/12 19:32	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 19:32	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		05/24/12 19:32	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 19:32	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 19:32	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		05/24/12 19:32	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		05/24/12 19:32	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		05/24/12 19:32	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		05/24/12 19:32	591-78-6	
Iodomethane	ND	ug/L	10.0	1		05/24/12 19:32	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		05/24/12 19:32	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		05/24/12 19:32	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: EFFLUENT **Lab ID: 5063292006** Collected: 05/22/12 10:30 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		05/24/12 19:32	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		05/24/12 19:32	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		05/24/12 19:32	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		05/24/12 19:32	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		05/24/12 19:32	103-65-1	
Styrene	ND	ug/L	5.0	1		05/24/12 19:32	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 19:32	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 19:32	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		05/24/12 19:32	127-18-4	
Toluene	ND	ug/L	5.0	1		05/24/12 19:32	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 19:32	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 19:32	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		05/24/12 19:32	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		05/24/12 19:32	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		05/24/12 19:32	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		05/24/12 19:32	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		05/24/12 19:32	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 19:32	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 19:32	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		05/24/12 19:32	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		05/24/12 19:32	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		05/24/12 19:32	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	101	%.	83-123	1		05/24/12 19:32	1868-53-7	
4-Bromofluorobenzene (S)	94	%.	72-125	1		05/24/12 19:32	460-00-4	
Toluene-d8 (S)	101	%.	81-114	1		05/24/12 19:32	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: TRIP BLANK **Lab ID: 5063292007** Collected: 05/22/12 08:00 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		05/24/12 20:36	67-64-1	
Acrolein	ND	ug/L	50.0	1		05/24/12 20:36	107-02-8	
Acrylonitrile	ND	ug/L	100	1		05/24/12 20:36	107-13-1	
Benzene	ND	ug/L	5.0	1		05/24/12 20:36	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		05/24/12 20:36	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		05/24/12 20:36	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		05/24/12 20:36	75-27-4	
Bromoform	ND	ug/L	5.0	1		05/24/12 20:36	75-25-2	
Bromomethane	ND	ug/L	5.0	1		05/24/12 20:36	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		05/24/12 20:36	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		05/24/12 20:36	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		05/24/12 20:36	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		05/24/12 20:36	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		05/24/12 20:36	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		05/24/12 20:36	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		05/24/12 20:36	108-90-7	
Chloroethane	ND	ug/L	5.0	1		05/24/12 20:36	75-00-3	
Chloroform	ND	ug/L	5.0	1		05/24/12 20:36	67-66-3	
oromethane	ND	ug/L	5.0	1		05/24/12 20:36	74-87-3	
lorotoluene	ND	ug/L	5.0	1		05/24/12 20:36	95-49-8	
.-hlorotoluene	ND	ug/L	5.0	1		05/24/12 20:36	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		05/24/12 20:36	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		05/24/12 20:36	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		05/24/12 20:36	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 20:36	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 20:36	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 20:36	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		05/24/12 20:36	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		05/24/12 20:36	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		05/24/12 20:36	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		05/24/12 20:36	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		05/24/12 20:36	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		05/24/12 20:36	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		05/24/12 20:36	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 20:36	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		05/24/12 20:36	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 20:36	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		05/24/12 20:36	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 20:36	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 20:36	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		05/24/12 20:36	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		05/24/12 20:36	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		05/24/12 20:36	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		05/24/12 20:36	591-78-6	
Iodomethane	ND	ug/L	10.0	1		05/24/12 20:36	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		05/24/12 20:36	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		05/24/12 20:36	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: TRIP BLANK **Lab ID: 5063292007** Collected: 05/22/12 08:00 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		05/24/12 20:36	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		05/24/12 20:36	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		05/24/12 20:36	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		05/24/12 20:36	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		05/24/12 20:36	103-65-1	
Styrene	ND	ug/L	5.0	1		05/24/12 20:36	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 20:36	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 20:36	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		05/24/12 20:36	127-18-4	
Toluene	ND	ug/L	5.0	1		05/24/12 20:36	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 20:36	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 20:36	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		05/24/12 20:36	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		05/24/12 20:36	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		05/24/12 20:36	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		05/24/12 20:36	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		05/24/12 20:36	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 20:36	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 20:36	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		05/24/12 20:36	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		05/24/12 20:36	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		05/24/12 20:36	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	100	%.	83-123	1		05/24/12 20:36	1868-53-7	
4-Bromofluorobenzene (S)	96	%.	72-125	1		05/24/12 20:36	460-00-4	
Toluene-d8 (S)	101	%.	81-114	1		05/24/12 20:36	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

QC Batch: MSV/42448 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 5063292001, 5063292002, 5063292003, 5063292004, 5063292005, 5063292006, 5063292007

METHOD BLANK: 739629 Matrix: Water
Associated Lab Samples: 5063292001, 5063292002, 5063292003, 5063292004, 5063292005, 5063292006, 5063292007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	05/24/12 13:08	
1,1,1-Trichloroethane	ug/L	ND	5.0	05/24/12 13:08	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	05/24/12 13:08	
1,1,2-Trichloroethane	ug/L	ND	5.0	05/24/12 13:08	
1,1-Dichloroethane	ug/L	ND	5.0	05/24/12 13:08	
1,1-Dichloroethene	ug/L	ND	5.0	05/24/12 13:08	
1,1-Dichloropropene	ug/L	ND	5.0	05/24/12 13:08	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	05/24/12 13:08	
1,2,3-Trichloropropane	ug/L	ND	5.0	05/24/12 13:08	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	05/24/12 13:08	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	05/24/12 13:08	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	05/24/12 13:08	
1,2-Dichlorobenzene	ug/L	ND	5.0	05/24/12 13:08	
1,2-Dichloroethane	ug/L	ND	5.0	05/24/12 13:08	
-Dichloropropane	ug/L	ND	5.0	05/24/12 13:08	
,5-Trimethylbenzene	ug/L	ND	5.0	05/24/12 13:08	
,3-Dichlorobenzene	ug/L	ND	5.0	05/24/12 13:08	
1,3-Dichloropropane	ug/L	ND	5.0	05/24/12 13:08	
1,4-Dichlorobenzene	ug/L	ND	5.0	05/24/12 13:08	
2,2-Dichloropropane	ug/L	ND	5.0	05/24/12 13:08	
2-Butanone (MEK)	ug/L	ND	25.0	05/24/12 13:08	
2-Chlorotoluene	ug/L	ND	5.0	05/24/12 13:08	
2-Hexanone	ug/L	ND	25.0	05/24/12 13:08	
4-Chlorotoluene	ug/L	ND	5.0	05/24/12 13:08	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	05/24/12 13:08	
Acetone	ug/L	ND	100	05/24/12 13:08	
Acrolein	ug/L	ND	50.0	05/24/12 13:08	
Acrylonitrile	ug/L	ND	100	05/24/12 13:08	
Benzene	ug/L	ND	5.0	05/24/12 13:08	
Bromobenzene	ug/L	ND	5.0	05/24/12 13:08	
Bromochloromethane	ug/L	ND	5.0	05/24/12 13:08	
Bromodichloromethane	ug/L	ND	5.0	05/24/12 13:08	
Bromoform	ug/L	ND	5.0	05/24/12 13:08	
Bromomethane	ug/L	ND	5.0	05/24/12 13:08	
Carbon disulfide	ug/L	ND	10.0	05/24/12 13:08	
Carbon tetrachloride	ug/L	ND	5.0	05/24/12 13:08	
Chlorobenzene	ug/L	ND	5.0	05/24/12 13:08	
Chloroethane	ug/L	ND	5.0	05/24/12 13:08	
Chloroform	ug/L	ND	5.0	05/24/12 13:08	
Chloromethane	ug/L	ND	5.0	05/24/12 13:08	
cis-1,2-Dichloroethene	ug/L	ND	5.0	05/24/12 13:08	
cis-1,3-Dichloropropene	ug/L	ND	5.0	05/24/12 13:08	
Dibromochloromethane	ug/L	ND	5.0	05/24/12 13:08	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

METHOD BLANK: 739629 Matrix: Water

Associated Lab Samples: 5063292001, 5063292002, 5063292003, 5063292004, 5063292005, 5063292006, 5063292007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	05/24/12 13:08	
Dichlorodifluoromethane	ug/L	ND	5.0	05/24/12 13:08	
Ethyl methacrylate	ug/L	ND	100	05/24/12 13:08	
Ethylbenzene	ug/L	ND	5.0	05/24/12 13:08	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	05/24/12 13:08	
Iodomethane	ug/L	ND	10.0	05/24/12 13:08	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	05/24/12 13:08	
Methyl-tert-butyl ether	ug/L	ND	4.0	05/24/12 13:08	
Methylene Chloride	ug/L	ND	5.0	05/24/12 13:08	
n-Butylbenzene	ug/L	ND	5.0	05/24/12 13:08	
n-Propylbenzene	ug/L	ND	5.0	05/24/12 13:08	
Naphthalene	ug/L	ND	5.0	05/24/12 13:08	
p-Isopropyltoluene	ug/L	ND	5.0	05/24/12 13:08	
sec-Butylbenzene	ug/L	ND	5.0	05/24/12 13:08	
Styrene	ug/L	ND	5.0	05/24/12 13:08	
tert-Butylbenzene	ug/L	ND	5.0	05/24/12 13:08	
Tetrachloroethene	ug/L	ND	5.0	05/24/12 13:08	
Toluene	ug/L	ND	5.0	05/24/12 13:08	
trans-1,2-Dichloroethene	ug/L	ND	5.0	05/24/12 13:08	
trans-1,3-Dichloropropene	ug/L	ND	5.0	05/24/12 13:08	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	05/24/12 13:08	
Trichloroethene	ug/L	ND	5.0	05/24/12 13:08	
Trichlorofluoromethane	ug/L	ND	5.0	05/24/12 13:08	
Vinyl acetate	ug/L	ND	50.0	05/24/12 13:08	
Vinyl chloride	ug/L	ND	2.0	05/24/12 13:08	
Xylene (Total)	ug/L	ND	10.0	05/24/12 13:08	
4-Bromofluorobenzene (S)	%.	92	72-125	05/24/12 13:08	
Dibromofluoromethane (S)	%.	99	83-123	05/24/12 13:08	
Toluene-d8 (S)	%.	99	81-114	05/24/12 13:08	

LABORATORY CONTROL SAMPLE: 739630

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	51.7	103	69-122	
1,1,1-Trichloroethane	ug/L	50	55.2	110	69-126	
1,1,2,2-Tetrachloroethane	ug/L	50	52.3	105	68-134	
1,1,2-Trichloroethane	ug/L	50	57.0	114	77-129	
1,1-Dichloroethane	ug/L	50	51.4	103	70-127	
1,1-Dichloroethene	ug/L	50	54.9	110	75-145	
1,1-Dichloropropene	ug/L	50	57.3	115	75-126	
1,2,3-Trichlorobenzene	ug/L	50	53.2	106	63-130	
1,2,3-Trichloropropane	ug/L	50	98.8	198	45-121	L3
1,2,4-Trichlorobenzene	ug/L	50	52.8	106	64-122	
1,2,4-Trimethylbenzene	ug/L	50	54.4	109	68-129	
1,2-Dibromoethane (EDB)	ug/L	50	59.2	118	77-123	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

LABORATORY CONTROL SAMPLE: 739630

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	55.4	111	74-123	
1,2-Dichloroethane	ug/L	50	51.0	102	71-127	
1,2-Dichloropropane	ug/L	50	55.6	111	75-126	
1,3,5-Trimethylbenzene	ug/L	50	53.3	107	69-129	
1,3-Dichlorobenzene	ug/L	50	54.7	109	76-123	
1,3-Dichloropropane	ug/L	50	53.6	107	77-126	
1,4-Dichlorobenzene	ug/L	50	53.3	107	77-121	
2,2-Dichloropropane	ug/L	50	50.6	101	45-138	
2-Butanone (MEK)	ug/L	250	277	111	42-177	
2-Chlorotoluene	ug/L	50	48.4	97	74-129	
2-Hexanone	ug/L	250	295	118	57-162	
4-Chlorotoluene	ug/L	50	55.5	111	70-125	
4-Methyl-2-pentanone (MIBK)	ug/L	250	294	118	64-135	
Acetone	ug/L	250	302	121	10-200	
Acrolein	ug/L	1000	1180	118	10-200	
Acrylonitrile	ug/L	1000	1010	101	59-144	
Benzene	ug/L	50	52.2	104	76-123	
Bromobenzene	ug/L	50	51.9	104	67-130	
Bromochloromethane	ug/L	50	49.8	100	58-153	
Bromodichloromethane	ug/L	50	48.8	98	71-124	
moform	ug/L	50	44.1	88	64-116	
momethane	ug/L	50	49.9	100	23-197	
Carbon disulfide	ug/L	100	104	104	55-146	
Carbon tetrachloride	ug/L	50	48.7	97	65-125	
Chlorobenzene	ug/L	50	54.2	108	78-120	
Chloroethane	ug/L	50	51.1	102	56-163	
Chloroform	ug/L	50	55.0	110	73-122	
Chloromethane	ug/L	50	47.9	96	46-146	
cis-1,2-Dichloroethene	ug/L	50	53.3	107	79-129	
cis-1,3-Dichloropropene	ug/L	50	51.2	102	66-123	
Dibromochloromethane	ug/L	50	47.7	95	70-123	
Dibromomethane	ug/L	50	57.1	114	73-123	
Dichlorodifluoromethane	ug/L	50	48.6	97	19-200	
Ethyl methacrylate	ug/L	200	217	109	70-127	
Ethylbenzene	ug/L	50	54.5	109	75-120	
Hexachloro-1,3-butadiene	ug/L	50	57.7	115	64-131	
Iodomethane	ug/L	100	104	104	16-181	
Isopropylbenzene (Cumene)	ug/L	50	51.2	102	73-123	
Methyl-tert-butyl ether	ug/L	100	113	113	66-128	
Methylene Chloride	ug/L	50	55.2	110	61-138	
n-Butylbenzene	ug/L	50	53.9	108	69-130	
n-Propylbenzene	ug/L	50	51.2	102	71-132	
Naphthalene	ug/L	50	54.0	108	62-130	
p-Isopropyltoluene	ug/L	50	55.3	111	71-126	
sec-Butylbenzene	ug/L	50	51.9	104	69-130	
Styrene	ug/L	50	58.2	116	75-125	
tert-Butylbenzene	ug/L	50	42.7	85	49-114	
Tetrachloroethene	ug/L	50	55.7	111	57-125	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

LABORATORY CONTROL SAMPLE: 739630

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	50.8	102	72-124	
trans-1,2-Dichloroethene	ug/L	50	54.3	109	71-145	
trans-1,3-Dichloropropene	ug/L	50	49.7	99	58-118	
trans-1,4-Dichloro-2-butene	ug/L	200	208	104	50-121	
Trichloroethene	ug/L	50	56.7	113	77-122	
Trichlorofluoromethane	ug/L	50	57.5	115	56-159	
Vinyl acetate	ug/L	200	206	103	27-119	
Vinyl chloride	ug/L	50	50.7	101	61-146	
Xylene (Total)	ug/L	150	169	112	72-126	
4-Bromofluorobenzene (S)	%.			97	72-125	
Dibromofluoromethane (S)	%.			103	83-123	
Toluene-d8 (S)	%.			98	81-114	

MATRIX SPIKE SAMPLE: 739631

Parameter	Units	5063292006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	50	38.6	77	30-122	
1,1,1-Trichloroethane	ug/L	ND	50	43.2	86	37-136	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	39.6	79	47-132	
1,1,2-Trichloroethane	ug/L	ND	50	46.6	93	53-131	
1,1-Dichloroethane	ug/L	ND	50	41.1	82	47-138	
1,1-Dichloroethene	ug/L	ND	50	46.6	93	54-152	
1,1-Dichloropropene	ug/L	ND	50	46.7	93	47-136	
1,2,3-Trichlorobenzene	ug/L	ND	50	37.2	74	15-132	
1,2,3-Trichloropropane	ug/L	ND	50	70.8	142	24-108	M0
1,2,4-Trichlorobenzene	ug/L	ND	50	36.4	73	10-130	
1,2,4-Trimethylbenzene	ug/L	ND	50	41.5	83	10-141	
1,2-Dibromoethane (EDB)	ug/L	ND	50	47.6	95	49-130	
1,2-Dichlorobenzene	ug/L	ND	50	42.3	85	20-137	
1,2-Dichloroethane	ug/L	ND	50	41.2	82	42-139	
1,2-Dichloropropane	ug/L	ND	50	45.5	91	50-131	
1,3,5-Trimethylbenzene	ug/L	ND	50	41.7	83	10-145	
1,3-Dichlorobenzene	ug/L	ND	50	41.0	82	13-143	
1,3-Dichloropropane	ug/L	ND	50	43.7	87	53-130	
1,4-Dichlorobenzene	ug/L	ND	50	40.3	81	13-140	
2,2-Dichloropropane	ug/L	ND	50	36.1	72	13-142	
2-Butanone (MEK)	ug/L	ND	250	218	87	43-142	
2-Chlorotoluene	ug/L	ND	50	38.4	77	15-145	
2-Hexanone	ug/L	ND	250	236	94	46-139	
4-Chlorotoluene	ug/L	ND	50	41.4	83	12-143	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	237	95	43-140	
Acetone	ug/L	ND	250	229	92	38-155	
Acrolein	ug/L	ND	1000	956	96	11-200	
Acrylonitrile	ug/L	ND	1000	804	80	42-150	
Benzene	ug/L	ND	50	43.3	87	52-134	
Bromobenzene	ug/L	ND	50	40.7	81	25-140	
Bromochloromethane	ug/L	ND	50	40.5	81	54-144	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

MATRIX SPIKE SAMPLE: 739631

Parameter	Units	5063292006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/L	ND	50	38.0	76	42-128	
Bromoform	ug/L	ND	50	30.2	60	34-116	
Bromomethane	ug/L	ND	50	44.8	90	10-200	
Carbon disulfide	ug/L	ND	100	87.2	87	43-144	
Carbon tetrachloride	ug/L	ND	50	36.9	74	26-136	
Chlorobenzene	ug/L	ND	50	43.6	87	33-136	
Chloroethane	ug/L	ND	50	43.0	86	21-200	
Chloroform	ug/L	ND	50	45.1	90	50-134	
Chloromethane	ug/L	ND	50	42.4	85	32-160	
cis-1,2-Dichloroethene	ug/L	ND	50	45.9	89	48-145	
cis-1,3-Dichloropropene	ug/L	ND	50	39.3	79	35-116	
Dibromochloromethane	ug/L	ND	50	35.5	71	39-122	
Dibromomethane	ug/L	ND	50	44.3	89	49-134	
Dichlorodifluoromethane	ug/L	ND	50	43.3	87	35-200	
Ethyl methacrylate	ug/L	ND	200	173	86	54-123	
Ethylbenzene	ug/L	ND	50	43.8	88	29-132	
Hexachloro-1,3-butadiene	ug/L	ND	50	43.3	87	10-146	
Iodomethane	ug/L	ND	100	63.0	63	10-171	
Isopropylbenzene (Cumene)	ug/L	ND	50	42.1	84	11-146	
Methyl-tert-butyl ether	ug/L	ND	100	87.0	87	39-137	
hylene Chloride	ug/L	ND	50	45.5	91	47-141	
utylbenzene	ug/L	ND	50	41.4	83	10-156	
n-Propylbenzene	ug/L	ND	50	40.1	80	10-148	
Naphthalene	ug/L	ND	50	35.8	72	40-124	
p-Isopropyltoluene	ug/L	ND	50	42.6	85	10-150	
sec-Butylbenzene	ug/L	ND	50	41.2	82	10-150	
Styrene	ug/L	ND	50	46.4	93	20-143	
tert-Butylbenzene	ug/L	ND	50	33.8	68	10-123	
Tetrachloroethene	ug/L	ND	50	45.9	90	30-124	
Toluene	ug/L	ND	50	43.3	87	42-130	
trans-1,2-Dichloroethene	ug/L	ND	50	44.6	89	48-144	
trans-1,3-Dichloropropene	ug/L	ND	50	37.6	75	24-114	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	160	80	22-120	
Trichloroethene	ug/L	ND	50	46.1	90	44-130	
Trichlorofluoromethane	ug/L	ND	50	49.2	98	17-200	
Vinyl acetate	ug/L	ND	200	140	70	10-115	
Vinyl chloride	ug/L	ND	50	43.6	87	45-159	
Xylene (Total)	ug/L	ND	150	135	90	29-131	
4-Bromofluorobenzene (S)	%.				97	72-125	
Dibromofluoromethane (S)	%.				101	83-123	
Toluene-d8 (S)	%.				102	81-114	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALIFIERS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

L3	Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.
M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
5063292001	**RW-1**	EPA 8260	MSV/42448		
5063292002	**RW-2**	EPA 8260	MSV/42448		
5063292003	**RW-3**	EPA 8260	MSV/42448		
5063292004	**RW-4**	EPA 8260	MSV/42448		
5063292005	**RW-5**	EPA 8260	MSV/42448		
5063292006	**EFFLUENT**	EPA 8260	MSV/42448		
5063292007	**TRIP BLANK**	EPA 8260	MSV/42448		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical™
www.pacelabs.com

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately

Page: 1 of 1

Required Client Information: **Section A**	Required Client Information: **Section B**	Client Information (Check quote/contract):	To Be Completed by Pace Analytical Client: **Section C**
Company: IWM Consulting Group, LLC	Report To: Chris Parks	Requested Due Date: Standard	Quote Reference:
Address: 7428 Rockville Road	Copy To:	*TAT: Standard	Project Manager: Ken Hunt
Indianapolis, IN 46214	Invoice To: Chris Parks	* Turn around times less than 14 days subject	Project #:
Phone: 317-347-1111 Fax: 317-347-9326	P.O.	laboratory and contractual obligations and may	Profile #:
	Project Name: Amphenol	In a Rush Turnaround Surcharge.	
	Project Number: IN-AMP-11-05	Turn Around Time (TAT) in calender days.	

Required Client Information: **Section D**

Valid Matrix Codes: Matrix / Code; Water / WT; Soil / SL; Oil / OL; Wipe / WP; Air / AR; Tissue / TS; Other / OT

ITEM NUMBER	SAMPLE ID (One character per box.)	MATRIX CODE	DATE COLLECTED	TIME COLLECTED	# Containers	Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	VOCs 8260 B	REMARKS / Lab ID
1	RW-1	GW	5/22/2012	10:36	3				3				X	-001
2	RW-2	GW	5/22/2012	10:41	3				3				X	-002
3	RW-3	GW	5/22/2012	10:47	3				3				X	-003
4	RW-4	GW	5/22/2012	10:52	3				3				X	-004
5	RW-5	GW	5/22/2012	11:00	3				3				X	-005
6	EFFLUENT	GW	5/22/2012	10:30	3				3				X	-006
7	TRIP BLANK	GW	5/22/2012		3				3				X	-007
8														
9														
10														
11														
12														

5063292

SHIPMENT METHOD	AIRBILL NO	SHIPPING DATE	NO. OF COOLERS	ITEM #	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME
					Ralph Mier IWM	5-22-12	1227	Marisa Wilson	5/22/12	1227

SAMPLE CONDITION: **SAMPLE NOTES:**

Temp in C	5.4°C
Received on Ice	Y / N
Sealed Cooler	Y / N
Sample Intact	Y / N

Additional Comments:

Client WI

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Ralph Mier

SIGNATURE of SAMPLER: Ralph Mier

DATE Signed:

Sample Condition Upon Receipt

Pace Analytical

Client Name: JWM Project # 5063292

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☑ Client ☐ Commercial ☐ Pace Other

Tracking #:

Custody Seal on Cooler/Box Present: ☐ yes ☑ no Seals intact: ☐ yes ☑ no

Date/Time 5035A kits placed in freezer

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☑ Other foam

Thermometer Used 1 2 3 4 5 A B C D E Type of Ice: (Wet) Blue None ☑ Samples on ice, cooling process has begun

Cooler Temperature (Corrected, if applicable) 5.4/C Ice Visible in Sample Containers: ☐ yes ☑ no

Temp should be above freezing to 6°C

Date and Initials of person examining contents: 5/22/12 - MW

				Comments:
Chain of Custody Present:	☑Yes	☐No	☐N/A	1.
Chain of Custody Filled Out:	☑Yes	☐No	☐N/A	2.
Chain of Custody Relinquished:	☑Yes	☐No	☐N/A	3.
Sampler Name & Signature on COC:	☑Yes	☐No	☐N/A	4.
Short Hold Time Analysis (<72hr):	☐Yes	☑No	☐N/A	5.
Rush Turn Around Time Requested:	☐Yes	☑No	☐N/A	6.
Containers Intact:	☑Yes	☐No	☐N/A	7.
Sample Labels match COC: -Includes date/time/ID/Analysis	☑Yes	☐No	☐N/A	8.
All containers needing acid/base pres. have been checked? exceptions: VOA, coliform, TOC, O&G	☐Yes	☐No	☑N/A	9. (Circle) HNO3 H2SO4 NaOH HCl
All containers needing preservation are found to be in compliance with EPA recommendation.	☐Yes	☐No	☑N/A	
Headspace in VOA Vials (>6mm)	☐Yes	☑No	☐N/A	10.
Trip Blank Present:	☑Yes	☐No	☐N/A	11.
Trip Blank Custody Seals Present	☑Yes	☐No	☐N/A	
[illegible]				
Samples Arrived within Hold Time:	☑Yes	☐No	☐N/A	12.
Sufficient Volume:	☑Yes	☐No	☐N/A	13.
Correct Containers Used:	☑Yes	☐No	☐N/A	14.

Client Notification/ Resolution: Field Data Required? Y / N

Person Contacted: Date/Time:

Comments/ Resolution:

Project Manager Review: Kenneth Hunt **Date:** 5/22/12

Form F-IN-Q290-rev.04, 28Apr2011

Sample Container Count

Pace Analytical
www.pacelabs.com

CLIENT: TWM

COC PAGE 1 of 1
COC ID#

Project # 5063292

Sample Line Item	DG9H	AG1U	WGFU	AG0U	R 4/6	BP2N	BP2U	BP2S	BP3N	BP3U	BP3S	AG3S	AG1H			Comments
1	3															
2																
3																
4																
5																
6																
7																TB
8																
9																
10																
11																
12																

Container Codes

DG9H	40mL HCL amber voa vial	AG0U	100mL unpreserved amber glass	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WGFU	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber gl	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved **amber** vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	I	Wipe/Swab
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber gla	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber gla	AF	Air Filter	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved **clear** vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear gla	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag

CONSULTING GROUP

7428 Rockville Road, Indianapolis, IN 46214

August 3, 2012

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492

Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED CORRECTIVE MEASURE
Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the June 26 through July 27, 2012 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On July 13, 2012, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 9.90 feet below top of casing (TOC) in MW-9 to 18.29 feet below TOC in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 were operational during groundwater gauging activities. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a groundwater contour map based on the July 13, 2012 depth to water measurements has been included as **Figure 2**.

Groundwater Treatment System

From June 26 through July 27, 2012, approximately 1,232,507 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 170,504,508 gallons. The average influent groundwater recovery rate from June 26 through July 27, 2012 was approximately 27.6 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on July 13, 2012 to complete bi-weekly and monthly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on July 13, 2012.

IWM personnel mobilized to the site on July 27, 2012 to complete bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on July 27, 2012.

Schedule of Activities

Quarterly, monthly, and biweekly system operation and maintenance activities and quarterly system sampling activities are scheduled for the month of August 2012. Site visits are scheduled for the weeks beginning August 6 and August 20, 2012. The information from these site inspections will be included in the August 2012 Progress Report.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting Group, LLC appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

IWM CONSULTING GROUP, LLC

Christopher D. Parks, LPG
Project Manager

Bradley E. Gentry, LPG
Senior Project Manager

Attachments
cc: Mr. Dave Dowden, Lancer Realty & Development Co.

FIGURES



EGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

Scale 1":100 ft.

DRAWN BY:	L. STRUM
DATE:	9/27/99
REVISED:	
HWPA #111291-01	
DWG. NO.	111291S1

FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP



LEGEND

- MONITORING WELL
- RECOVERY WELL
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER
- 722.00 POTENTIONMETRIC SURFACE (CONTOUR INTERVAL = 1.0 FT.)

0 100
SCALE IN FEET

DRAWN BY: L. STRUM	FIGURE 2 GROUNDWATER ELEVATION MAP (07/13/12)	FORMER AMPHENOL RFI/CMS 980 HURRICANE ROAD FRANKLIN, INDIANA	iWM CONSULTING GROUP
DATE: 9/27/99			
REVISED:			
HWPA #111291-01			
DWG. NO. 111291S1			

ATTACHMENT A

Groundwater Level Measurements

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/03/07	732.25	11.52	720.73
	02/12/07		12.00	720.25
	03/12/07		11.74	720.51
	04/09/07		12.01	720.24
	05/07/07		12.11	720.14
	06/08/07		12.45	719.80
	07/17/07		12.66	719.59
	08/01/07		12.73	719.52
	09/14/07		13.03	719.22
	10/12/07		13.38	718.87
	11/09/07		13.37	718.88
	12/07/07		13.27	718.98
	01/04/08		12.79	719.46
	02/15/08		11.85	720.40
	03/13/08		11.48	720.77
	04/11/08		11.31	720.94
	05/08/08		11.95	720.30
	06/06/08		11.08	721.17
	07/03/08		11.29	720.96
	08/01/08		11.65	720.60
	09/12/08		12.38	719.87
	10/10/08		12.78	719.47
	11/06/08		13.05	719.20
	12/19/08		12.97	719.28
	01/02/09		12.39	719.86
	02/13/09		12.30	719.95
	03/13/09		12.40	719.85
	04/09/09		12.22	720.03
	05/08/09		11.90	720.35
	06/05/09		11.89	720.36
	07/02/09		12.05	720.20
	08/14/09		11.55	720.70
	09/11/09		12.02	720.23
	10/09/09		12.29	719.96
	11/04/09		12.26	719.99
	12/04/09		12.55	719.70
	01/14/10		12.50	719.75
	02/10/10		NG	NG
	03/11/10		12.49	719.76
	04/08/10		12.19	720.06
	05/06/10		12.35	719.90
	06/04/10		12.47	719.78
	07/01/10		11.69	720.56
	08/12/10		12.39	719.86
	09/08/10		13.07	719.18
	10/07/10		14.04	718.21
	11/19/10		14.28	717.97
	12/03/10		13.70	718.55
	01/14/11		13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99
	12/01/11		12.82	719.43
	01/13/12		12.50	719.75
	02/10/12		12.30	719.95
	03/09/12		12.80	719.45
	04/06/12		12.31	719.94
	05/02/12		12.47	719.78
	06/01/12		12.71	719.54
	07/13/12		13.48	718.77

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/03/07	728.71	10.46	718.25
	02/12/07		10.93	717.78
	03/12/07		10.81	717.90
	04/09/07		10.88	717.83
	05/07/07		10.95	717.76
	06/08/07		11.10	717.61
	07/17/07		11.12	717.59
	08/01/07		11.12	717.59
	09/14/07		11.21	717.50
	10/12/07		11.35	717.36
	11/09/07		11.35	717.36
	12/07/07		11.36	717.35
	01/04/08		11.24	717.47
	02/15/08		10.61	718.10
	03/13/08		10.42	718.29
	04/11/08		10.23	718.48
	05/08/08		10.70	718.01
	06/06/08		9.84	718.87
	07/03/08		9.89	718.82
	08/01/08		10.54	718.17
	09/12/08		10.92	717.79
	10/10/08		11.04	717.67
	11/06/08		11.20	717.51
	12/19/08		11.01	717.70
	01/02/09		10.98	717.73
	02/13/09		10.79	717.92
	03/13/09		11.13	717.58
	04/09/09		10.86	717.85
	05/08/09		10.81	717.90
	06/05/09		10.71	718.00
	07/02/09		10.81	717.90
	08/14/09		10.52	718.19
	09/11/09		10.80	717.91
	10/09/09		10.77	717.94
	11/04/09		10.91	717.80
	12/04/09		11.07	717.64
	01/14/10		11.09	717.62
	02/10/10		11.13	717.58
	03/11/10		11.03	717.68
	04/08/10		10.75	717.96
	05/06/10		10.96	717.75
	06/04/10		11.01	717.70
	07/01/10		10.52	718.19
	08/12/10		10.88	717.83
	09/08/10		11.10	717.61
	10/07/10		11.33	717.38
	11/19/10		11.49	717.22
	12/03/10		11.26	717.45
	01/14/11		11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		10.60	718.11
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69
	12/01/11		10.74	717.97
	01/13/12		10.90	717.81
	02/10/12		10.86	717.85
	03/09/12		11.08	717.63
	04/06/12		10.73	717.98
	05/02/12		10.68	718.03
	06/01/12		10.97	717.74
	07/13/12		11.18	717.53

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/03/07	736.44	14.00	722.44
	02/12/07		14.58	721.86
	03/12/07		14.41	722.03
	04/09/07		14.64	721.80
	05/07/07		14.83	721.61
	06/08/07		15.32	721.12
	07/17/07		15.73	720.71
	08/01/07		16.89	719.55
	09/14/07		16.23	720.21
	10/12/07		16.65	719.79
	11/09/07		16.60	719.84
	12/07/07		16.55	719.89
	01/04/08		15.87	720.57
	02/15/08		14.41	722.03
	03/13/08		13.82	722.62
	04/11/08		13.50	722.94
	05/08/08		14.33	722.11
	06/06/08		13.30	723.14
	07/03/08		13.41	723.03
	08/01/08		13.68	722.76
	09/12/08		15.28	721.16
	10/10/08		15.77	720.67
	11/06/08		16.11	720.33
	12/19/08		16.10	720.34
	01/02/09		15.26	721.18
	02/13/09		15.16	721.28
	03/13/09		15.25	721.19
	04/09/09		14.88	721.56
	05/08/09		NG	NG
	06/05/09		14.25	722.19
	07/02/09		14.62	721.82
	08/14/09		13.92	722.52
	09/11/09		14.73	721.71
	10/09/09		15.17	721.27
	11/04/09		15.07	721.37
	12/04/09		15.48	720.96
	01/14/10		15.23	721.21
	02/10/10		15.37	721.07
	03/11/10		15.21	721.23
	04/08/10		14.82	721.62
	05/06/10		14.92	721.52
	06/04/10		15.13	721.31
	07/01/10		14.04	722.40
	08/12/10		15.06	721.38
	09/08/10		15.85	720.59
	10/07/10		16.52	719.92
	11/19/10		16.99	719.45
	12/03/10		16.32	720.12
	01/14/11		16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47
	12/01/11		15.48	720.96
	01/13/12		14.87	721.57
	02/10/12		14.49	721.95
	03/09/12		15.10	721.34
	04/06/12		14.63	721.81
	05/02/12		14.59	721.85
	06/01/12		15.13	721.31
	07/13/12		16.09	720.35

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/03/07	733.04	6.85	726.19
	02/12/07		7.81	725.23
	03/12/07		9.56	723.48
	04/09/07		10.56	722.48
	05/07/07		8.35	724.69
	06/08/07		9.07	723.97
	07/17/07		9.65	723.39
	08/01/07		9.82	723.22
	09/14/07		10.49	722.55
	10/12/07		10.95	722.09
	11/09/07		11.14	721.90
	12/07/07		11.21	721.83
	01/04/08		10.46	722.58
	02/15/08		8.45	724.59
	03/13/08		7.28	725.76
	04/11/08		6.40	726.64
	05/08/08		7.74	725.30
	06/06/08		8.49	724.55
	07/03/08		8.50	724.54
	08/01/08		7.28	725.76
	09/12/08		7.30	725.74
	10/10/08		9.47	723.57
	11/06/08		9.98	723.06
	12/19/08		9.34	723.70
	01/02/09		8.77	724.27
	02/13/09		8.04	725.00
	03/13/09		8.75	724.29
	04/09/09		7.82	725.22
	05/08/09		NG	NG
	06/05/09		7.24	725.80
	07/02/09		7.89	725.15
	08/14/09		6.96	726.08
	09/11/09		8.47	724.57
	10/09/09		8.34	724.70
	11/04/09		8.46	724.58
	12/04/09		8.98	724.06
	01/14/10		8.83	724.21
	02/10/10		NG	NG
	03/11/10		8.51	724.53
	04/08/10		7.37	725.67
	05/06/10		8.16	724.88
	06/04/10		8.48	724.56
	07/01/10		7.22	725.82
	08/12/10		8.94	724.10
	09/08/10		9.81	723.23
	10/07/10		10.51	722.53
	11/19/10		11.10	721.94
	12/03/10		10.31	722.73
	01/14/11		10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29
	12/01/11		8.57	724.47
	01/13/12		8.18	724.86
	02/10/12		7.76	725.28
	03/09/12		8.52	724.52
	04/06/12		7.71	725.33
	05/02/12		6.56	726.48
	06/01/12		8.58	724.46
	07/13/12		9.90	723.14

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12	01/03/07	736.38	15.70	720.68
	02/12/07		16.18	720.20
	03/12/07		15.54	720.84
	04/09/07		16.17	720.21
	05/07/07		16.32	720.06
	06/08/07		16.58	719.80
	07/17/07		16.79	719.59
	08/01/07		16.88	719.50
	09/14/07		17.10	719.28
	10/12/07		17.47	718.91
	11/09/07		17.45	718.93
	12/07/07		17.35	719.03
	01/04/08		16.86	719.52
	02/03/08		15.97	720.41
	03/13/08		15.67	720.71
	04/11/08		15.52	720.86
	05/08/08		16.06	720.32
Well Damaged	06/06/08		NG	NG
MW-12R	07/03/08	736.15	15.47	720.68
	08/01/08		15.76	720.39
	09/12/08		16.49	719.66
	10/10/08		16.85	719.30
	11/06/08		17.17	718.98
	12/19/08		17.05	719.10
	01/02/09		16.51	719.64
	02/13/09		16.44	719.71
	03/13/09		16.57	719.58
	04/09/09		16.38	719.77
	05/08/09		16.11	720.04
	06/05/09		16.05	720.10
	07/02/09		16.22	719.93
	08/14/09		15.77	720.38
	09/11/09		16.04	720.11
	10/09/09		16.41	719.74
	11/04/09		16.46	719.69
	12/04/09		16.71	719.44
	01/14/10		16.60	719.55
	02/10/10		16.68	719.47
	03/11/10		16.63	719.52
	04/08/10		16.32	719.83
	05/06/10		16.49	719.66
	06/04/10		16.61	719.54
	07/01/10		15.85	720.30
	08/12/10		16.64	719.51
	09/08/10		17.28	718.87
	10/07/10		18.41	717.74
	11/19/10		18.71	717.44
	12/03/10		18.22	717.93
	01/14/11		17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61
	12/01/11		17.20	718.95
	01/13/12		16.83	719.32
	02/10/12		16.66	719.49
	03/09/12		17.15	719.00
	04/06/12		16.74	719.41
	05/02/12		16.87	719.28
	06/01/12		18.87	717.28
	07/13/12		17.80	718.35

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/03/07	734.03	8.51	725.52
	02/12/07		9.42	724.61
	03/12/07		9.24	724.79
	04/09/07		9.36	724.67
	05/07/07		9.61	724.42
	06/08/07		10.20	723.83
	07/17/07		10.72	723.31
	08/01/07		10.85	723.18
	09/14/07		11.58	722.45
	10/12/07		12.02	722.01
	11/09/07		12.10	721.93
	12/07/07		11.91	722.12
	01/04/08		11.11	722.92
	02/15/08		9.43	724.60
	03/13/08		8.71	725.32
	04/11/08		8.28	725.75
	05/08/08		9.23	724.80
	06/06/08		7.64	726.39
	07/03/08		7.67	726.36
	08/01/08		9.00	725.03
	09/12/08		9.05	724.98
	10/10/08		10.51	723.52
	11/06/08		11.17	722.86
	12/19/08		10.01	724.02
	01/02/09		9.69	724.34
	02/13/09		9.12	724.91
	03/13/09		9.84	724.19
	04/09/09		9.04	724.99
	05/08/09		8.53	725.50
	06/05/09		8.93	725.10
	07/02/09		9.34	724.69
	08/14/09		8.68	725.35
	09/11/09		9.74	724.29
	10/09/09		9.24	724.79
	11/04/09		9.55	724.48
	12/04/09		9.98	724.05
	01/14/10		9.99	724.04
	02/10/10		9.99	724.04
	03/11/10		9.46	724.57
	04/08/10		8.53	725.50
	05/06/10		9.41	724.62
	06/04/10		9.51	724.52
	07/01/10		8.81	725.22
	08/12/10		10.16	723.87
	09/08/10		11.07	722.96
	10/07/10		11.76	722.27
	11/19/10		12.08	721.95
	12/03/10		10.96	723.07
	01/14/11		11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52
	12/01/11		9.32	724.71
	01/13/12		9.39	724.64
	02/10/12		9.19	724.84
	03/09/12		9.63	724.40
	04/06/12		9.04	724.99
	05/02/12		8.41	725.62
	06/01/12		9.84	724.19
	07/13/12		11.14	722.89

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/03/07	737.91	15.71	722.20
	02/12/07		4.76	733.15
	03/12/07		16.10	721.81
	04/09/07		16.91	721.00
	05/07/07		16.50	721.41
	06/08/07		16.98	720.93
	07/17/07		17.35	720.56
	08/01/07		17.55	720.36
	09/14/07		17.88	720.03
	10/12/07		18.29	719.62
	11/09/07		18.23	719.68
	12/07/07		18.19	719.72
	01/04/08		17.48	720.43
	02/15/08		16.10	721.81
	03/13/08		15.52	722.39
	04/11/08		15.20	722.71
	05/08/08		16.02	721.89
	06/06/08		15.00	722.91
	07/03/08		15.05	722.86
	08/01/08		15.36	722.55
	09/12/08		16.95	720.96
	10/10/08		17.43	720.48
	11/06/08		17.78	720.13
	12/19/08		17.75	720.16
	01/02/09		16.94	720.97
	02/13/09		16.85	721.06
	03/13/09		16.94	720.97
	04/09/09		16.60	721.31
	05/08/09		16.16	721.75
	06/05/09		15.97	721.94
	07/02/09		16.32	721.59
	08/14/09		15.67	722.24
	09/11/09		16.41	721.50
	10/09/09		16.94	720.97
	11/04/09		16.76	721.15
	12/04/09		17.15	720.76
	01/14/10		16.95	720.96
	02/10/10		17.06	720.85
	03/11/10		16.91	721.00
	04/08/10		16.53	721.38
	05/06/10		16.63	721.28
	06/04/10		16.84	721.07
	07/01/10		15.78	722.13
	08/12/10		16.76	721.15
	09/08/10		17.51	720.40
	10/07/10		18.17	719.74
	11/19/10		18.64	719.27
	12/03/10		17.98	719.93
	01/14/11		17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27
	12/01/11		17.18	720.73
	01/13/12		16.57	721.34
	02/10/12		16.24	721.67
	03/09/12		16.89	721.02
	04/06/12		16.33	721.58
	05/02/12		16.43	721.48
	06/01/12		16.79	721.12
	07/13/12		17.78	720.13

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/03/07	737.64	16.46	721.18
	02/12/07		16.90	720.74
	03/12/07		16.66	720.98
	04/09/07		16.91	720.73
	05/07/07		17.03	720.61
	06/08/07		17.43	720.21
	07/17/07		17.76	719.88
	08/01/07		17.97	719.67
	09/14/07		18.24	719.40
	10/12/07		18.62	719.02
	11/09/07		18.59	719.05
	12/07/07		18.51	719.13
	01/04/08		17.91	719.73
	02/15/08		16.80	720.84
	03/13/08		16.37	721.27
	04/11/08		16.13	721.51
	05/08/08		16.74	720.90
	06/06/08		15.88	721.76
	07/03/08		15.91	721.73
	08/01/08		16.29	721.35
	09/12/08		17.47	720.17
	10/10/08		17.87	719.77
	11/06/08		18.22	719.42
	12/19/08		18.12	719.52
	01/02/09		17.47	720.17
	02/13/09		17.37	720.27
	03/13/09		17.58	720.06
	04/09/09		17.23	720.41
	05/08/09		16.89	720.75
	06/05/09		16.72	720.92
	07/02/09		16.98	720.66
	08/14/09		16.49	721.15
	09/11/09		16.91	720.73
	10/09/09		17.36	720.28
	11/04/09		17.30	720.34
	12/04/09		17.65	719.99
	01/14/10		17.48	720.16
	02/10/10		17.57	720.07
	03/11/10		17.46	720.18
	04/08/10		17.14	720.50
	05/06/10		17.28	720.36
	06/04/10		17.42	720.22
	07/01/10		16.55	721.09
	08/12/10		17.27	720.37
	09/08/10		17.88	719.76
	10/07/10		18.64	719.00
	11/19/10		19.08	718.56
	12/03/10		18.46	719.18
	01/14/11		18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53
	12/01/11		17.70	719.94
	01/13/12		17.24	720.40
	02/10/12		17.05	720.59
	03/09/12		17.55	720.09
	04/06/12		17.06	720.58
	05/02/12		17.19	720.45
	06/01/12		17.43	720.21
	07/13/12		18.29	719.35

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/03/07	736.02	14.51	721.51
	02/12/07		14.97	721.05
	03/12/07		14.88	721.14
	04/09/07		15.07	720.95
	05/07/07		15.24	720.78
	06/08/07		15.63	720.39
	07/17/07		15.95	720.07
	08/01/07		16.02	720.00
	09/14/07		16.31	719.71
	10/12/07		16.64	719.38
	11/09/07		16.65	719.37
	12/07/07		16.67	719.35
	01/04/08		16.18	719.84
	02/15/08		14.95	721.07
	03/13/08		14.43	721.59
	04/11/08		14.07	721.95
	05/08/08		14.88	721.14
	06/06/08		13.85	722.17
	07/03/08		13.87	722.15
	08/01/08		14.38	721.64
	09/12/08		15.58	720.44
	10/10/08		15.98	720.04
	11/06/08		16.26	719.76
	12/19/08		16.28	719.74
	01/02/09		15.74	720.28
	02/13/09		15.54	720.48
	03/13/09		15.66	720.36
	04/09/09		15.43	720.59
	05/08/09		15.03	720.99
	06/05/09		14.79	721.23
	07/02/09		15.07	720.95
	08/14/09		14.50	721.52
	09/11/09		15.13	720.89
	10/09/09		15.53	720.49
	11/04/09		15.49	720.53
	12/04/09		15.80	720.22
	01/14/10		15.60	720.42
	02/10/10		15.71	720.31
	03/11/10		15.61	720.41
	04/08/10		15.28	720.74
	05/06/10		15.39	720.63
	06/04/10		15.55	720.47
	07/01/10		14.56	721.46
	08/12/10		15.39	720.63
	09/08/10		16.02	720.00
	10/07/10		16.57	719.45
	11/19/10		16.98	719.04
	12/03/10		16.56	719.46
	01/14/11		16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86
	12/01/11		15.83	720.19
	01/13/12		15.27	720.75
	02/10/12		15.03	720.99
	03/09/12		15.63	720.39
	04/06/12		15.11	720.91
	05/02/12		15.25	720.77
	06/01/12		15.47	720.55
	07/13/12		16.20	719.82

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/03/07	736.39	11.42	724.97
	02/12/07		12.28	724.11
	03/12/07		12.15	724.24
	04/09/07		12.39	724.00
	05/07/07		12.65	723.74
	06/08/07		13.25	723.14
	07/17/07		13.69	722.70
	08/01/07		13.85	722.54
	09/14/07		14.37	722.02
	10/12/07		14.82	721.57
	11/09/07		14.93	721.46
	12/07/07		14.91	721.48
	01/04/08		14.20	722.19
	02/15/08		12.47	723.92
	03/13/08		11.63	724.76
	04/11/08		11.04	725.35
	05/08/08		12.13	724.26
	06/06/08		10.29	726.10
	07/03/08		10.31	726.08
	08/01/08		11.71	724.68
	09/12/08		11.80	724.59
	10/10/08		13.61	722.78
	11/06/08		14.07	722.32
	12/19/08		13.95	722.44
	01/02/09		12.92	723.47
	02/13/09		12.47	723.92
	03/13/09		13.02	723.37
	04/09/09		12.22	724.17
	05/08/09		11.72	724.67
	06/05/09		11.78	724.61
	07/02/09		12.27	724.12
	08/14/09		11.44	724.95
	09/11/09		12.70	723.69
	10/09/09		12.72	723.67
	11/04/09		12.74	723.65
	12/04/09		13.21	723.18
	01/14/10		13.06	723.33
	02/10/10		13.15	723.24
	03/11/10		12.78	723.61
	04/08/10		12.18	724.21
	05/06/10		12.52	723.87
	06/04/10		12.69	723.70
	07/01/10		11.62	724.77
	08/12/10		13.06	723.33
	09/08/10		13.89	722.50
	10/07/10		14.52	721.87
	11/19/10		14.97	721.42
	12/03/10		14.11	722.28
	01/14/11		14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68
	12/01/11		12.73	723.66
	01/13/12		12.48	723.91
	02/10/12		12.15	724.24
	03/09/12		12.81	723.58
	04/06/12		12.09	724.30
	05/02/12		11.98	724.41
	06/01/12		12.81	723.58
	07/13/12		13.97	722.42

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/03/07	736.63	14.31	722.32
	02/12/07		15.04	721.59
	03/12/07		16.68	719.95
	04/09/07		15.03	721.60
	05/07/07		15.17	721.46
	06/08/07		15.71	720.92
	07/17/07		16.11	720.52
	08/01/07		16.31	720.32
	09/14/07		16.63	720.00
	10/12/07		17.08	719.55
	11/09/07		17.08	719.55
	12/07/07		16.79	719.84
	01/04/08		16.30	720.33
	02/15/08		14.87	721.76
	03/13/08		14.33	722.30
	04/11/08		14.11	722.52
	05/08/08		14.93	721.70
	06/06/08		13.76	722.87
	07/03/08		13.80	722.83
	08/01/08		14.46	722.17
	09/12/08		15.67	720.96
	10/10/08		16.12	720.51
	11/06/08		16.52	720.11
	12/19/08		16.41	720.22
	01/02/09		15.50	721.13
	02/13/09		15.43	721.20
	03/13/09		15.58	721.05
	04/09/09		15.11	721.52
	05/08/09		14.72	721.91
	06/05/09		14.64	721.99
	07/02/09		15.01	721.62
	08/14/09		14.37	722.26
	09/11/09		15.08	721.55
	10/09/09		15.43	721.20
	11/04/09		15.34	721.29
	12/04/09		15.78	720.85
	01/14/10		15.61	721.02
	02/10/10		15.73	720.90
	03/11/10		15.47	721.16
	04/08/10		15.12	721.51
	05/06/10		15.26	721.37
	06/04/10		15.47	721.16
	07/01/10		14.45	722.18
	08/12/10		15.42	721.21
	09/08/10		16.33	720.30
	10/07/10		16.99	719.64
	11/19/10		17.38	719.25
	12/03/10		16.64	719.99
	01/14/11		16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37
	12/01/11		15.68	720.95
	01/13/12		15.21	721.42
	02/10/12		14.93	721.70
	03/09/12		15.62	721.01
	04/06/12		14.95	721.68
	05/02/12		15.20	721.43
	06/01/12		15.48	721.15
	07/13/12		16.54	720.09

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/03/07	738.04	16.07	721.97
	02/12/07		16.67	721.37
	03/12/07		NG	NG
	04/09/07		16.66	721.38
	05/07/07		16.81	721.23
	06/08/07		17.29	720.75
	07/17/07		17.67	720.37
	08/01/07		17.88	720.16
	09/14/07		18.19	719.85
	10/12/07		18.61	719.43
	11/09/07		18.60	719.44
	12/07/07		18.35	719.69
	01/04/08		17.85	720.19
	02/15/08		16.51	721.53
	03/13/08		16.01	722.03
	04/11/08		15.74	722.30
	05/08/08		16.51	721.53
	06/06/08		15.52	722.52
	07/03/08		15.56	722.48
	08/01/08		16.01	722.03
	09/12/08		17.28	720.76
	10/10/08		17.71	720.33
	11/06/08		18.11	719.93
	12/19/08		18.03	720.01
	01/02/09		17.20	720.84
	02/13/09		17.12	720.92
	03/13/09		17.23	720.81
	04/09/09		16.87	721.17
	05/08/09		16.48	721.56
	06/05/09		16.35	721.69
	07/02/09		16.44	721.60
	08/14/09		16.07	721.97
	09/11/09		16.68	721.36
	10/09/09		17.11	720.93
	11/04/09		17.03	721.01
	12/04/09		17.43	720.61
	01/14/10		17.25	720.79
	02/10/10		17.34	720.70
	03/11/10		17.18	720.86
	04/08/10		16.82	721.22
	05/06/10		16.95	721.09
	06/04/10		17.14	720.90
	07/01/10		16.15	721.89
	08/12/10		17.03	721.01
	09/08/10		17.87	720.17
	10/07/10		18.57	719.47
	11/19/10		19.00	719.04
	12/03/10		18.31	719.73
	01/14/11		18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12
	12/01/11		17.42	720.62
	01/13/12		16.92	721.12
	02/10/12		16.65	721.39
	03/09/12		17.29	720.75
	04/06/12		16.66	721.38
	05/02/12		16.90	721.14
	06/01/12		17.16	720.88
	07/13/12		18.17	719.87

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/03/07	737.61	15.89	721.72
	02/12/07		16.53	721.08
	03/12/07		16.34	721.27
	04/09/07		16.51	721.10
	05/07/07		16.65	720.96
	06/08/07		17.16	720.45
	07/17/07		17.52	720.09
	08/01/07		17.71	719.90
	09/14/07		18.03	719.58
	10/12/07		18.45	719.16
	11/09/07		18.44	719.17
	12/07/07		18.13	719.48
	01/04/08		17.66	719.95
	02/15/08		16.36	721.25
	03/13/08		15.89	721.72
	04/11/08		15.67	721.94
	05/08/08		16.43	721.18
	06/06/08		15.45	722.16
	07/03/08		15.47	722.14
	08/01/08		16.08	721.53
	09/12/08		17.13	720.48
	10/10/08		17.55	720.06
	11/06/08		17.93	719.68
	12/19/08		17.80	719.81
	01/02/09		16.96	720.65
	02/13/09		16.90	720.71
	03/13/09		17.02	720.59
	04/09/09		16.84	720.77
	05/08/09		16.27	721.34
	06/05/09		16.88	720.73
	07/02/09		16.91	720.70
	08/14/09		15.93	721.68
	09/11/09		15.84	721.77
	10/09/09		16.92	720.69
	11/04/09		16.83	720.78
	12/04/09		17.25	720.36
	01/14/10		17.03	720.58
	02/10/10		17.18	720.43
	03/11/10		16.98	720.63
	04/08/10		16.61	721.00
	05/06/10		16.77	720.84
	06/04/10		16.97	720.64
	07/01/10		15.99	721.62
	08/12/10		16.90	720.71
	09/08/10		17.78	719.83
	10/07/10		18.45	719.16
	11/19/10		18.84	718.77
	12/03/10		18.12	719.49
	01/14/11		17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88
	12/01/11		17.19	720.42
	01/13/12		16.73	720.88
	02/10/12		16.48	721.13
	03/09/12		17.13	720.48
	04/06/12		16.48	721.13
	05/02/12		16.69	720.92
	06/01/12		17.00	720.61
	07/13/12		18.03	719.58

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/03/07	734.84	15.15	719.69
	02/12/07		15.34	719.50
	03/12/07		17.13	717.71
	04/09/07		15.36	719.48
	05/07/07		15.44	719.40
	06/08/07		15.48	719.36
	07/17/07		15.47	719.37
	08/01/07		15.49	719.35
	09/14/07		16.07	718.77
	10/12/07		16.06	718.78
	11/09/07		16.10	718.74
	12/07/07		16.15	718.69
	01/04/08		16.01	718.83
	02/15/08		15.17	719.67
	03/13/08		14.88	719.96
	04/11/08		14.67	720.17
	05/08/08		15.22	719.62
	06/06/08		14.32	720.52
	07/03/08		14.80	720.04
	08/01/08		14.91	719.93
	09/12/08		15.72	719.12
	10/10/08		15.92	718.92
	11/06/08		16.07	718.77
	12/19/08		15.84	719.00
	01/02/09		15.72	719.12
	02/13/09		15.68	719.16
	03/13/09		15.79	719.05
	04/09/09		15.66	719.18
	05/08/09		15.57	719.27
	06/05/09		15.40	719.44
	07/02/09		15.55	719.29
	08/14/09		15.10	719.74
	09/11/09		15.16	719.68
	10/09/09		15.67	719.17
	11/04/09		15.39	719.45
	12/04/09		15.87	718.97
	01/14/10		15.82	719.02
	02/10/10		15.74	719.10
	03/11/10		15.68	719.16
	04/08/10		15.48	719.36
	05/06/10		16.61	718.23
	06/04/10		15.66	719.18
	07/01/10		13.07	721.77
	08/12/10		14.99	719.85
	09/08/10		15.83	719.01
	10/07/10		16.12	718.72
	11/19/10		16.24	718.60
	12/03/10		16.03	718.81
	01/14/11		16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13
	12/01/11		15.22	719.62
	01/13/12		15.44	719.40
	02/10/12		15.37	719.47
	03/09/12		15.64	719.20
	04/06/12		15.31	719.53
	05/02/12		15.37	719.47
	06/01/12		15.52	719.32
	07/13/12		15.83	719.01

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/03/07	730.97	12.40	718.57
	02/12/07		11.96	719.01
	03/12/07		12.22	718.75
	04/09/07		11.98	718.99
	05/07/07		11.10	719.87
	06/08/07		11.68	719.29
	07/17/07		11.44	719.53
	08/01/07		11.60	719.37
	09/14/07		13.10	717.87
	10/12/07		12.20	718.77
	11/09/07		12.27	718.70
	12/07/07		13.18	717.79
	01/04/08		12.85	718.12
	02/15/08		11.70	719.27
	03/13/08		11.61	719.36
	04/11/08		11.40	719.57
	05/08/08		11.39	719.58
	06/06/08		10.88	720.09
	07/03/08		11.65	719.32
	08/01/08		11.58	719.39
	09/12/08		13.09	717.88
	10/10/08		13.22	717.75
	11/06/08		12.96	718.01
	12/19/08		13.02	717.95
	01/02/09		12.80	718.17
	02/13/09		12.90	718.07
	03/13/09		12.78	718.19
	04/09/09		12.10	718.87
	05/08/09		13.35	717.62
	06/05/09		12.90	718.07
	07/02/09		12.68	718.29
	08/14/09		12.38	718.59
	09/11/09		12.30	718.67
	10/09/09		13.50	717.47
	11/04/09		13.04	717.93
	12/04/09		13.21	717.76
	01/14/10		13.42	717.55
	02/10/10		13.39	717.58
	03/11/10		12.81	718.16
	04/08/10		13.15	717.82
	05/06/10		12.14	718.83
	06/04/10		12.10	718.87
	07/01/10		13.42	717.55
	08/12/10		10.90	720.07
	09/08/10		12.70	718.27
	10/07/10		12.40	718.57
	11/19/10		12.45	718.52
	12/03/10		12.45	718.52
	01/14/11		12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22
	12/01/11		11.37	719.60
	01/13/12		12.84	718.13
	02/10/12		12.31	718.66
	03/09/12		12.98	717.99
	04/06/12		12.96	718.01
	05/02/12		12.90	718.07
	06/01/12		12.40	718.57
	07/13/12		12.95	718.02

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/03/07	732.05	15.36	716.69
	02/12/07		15.82	716.23
	03/12/07		11.66	720.39
	04/09/07		15.91	716.14
	05/07/07		12.35	719.70
	06/08/07		15.31	716.74
	07/17/07		15.83	716.22
	08/01/07		14.40	717.65
	09/14/07		14.85	717.20
	10/12/07		14.41	717.64
	11/09/07		14.62	717.43
	12/07/07		14.68	717.37
	01/04/08		14.70	717.35
	02/15/08		15.25	716.80
	03/13/08		15.31	716.74
	04/11/08		14.10	717.95
	05/08/08		15.24	716.81
	06/06/08		12.13	719.92
	07/03/08		12.28	719.77
	08/01/08		12.30	719.75
	09/12/08		15.05	717.00
	10/10/08		15.88	716.17
	11/06/08		15.20	716.85
	12/19/08		15.50	716.55
	01/02/09		15.44	716.61
	02/13/09		12.15	719.90
	03/13/09		16.85	715.20
	04/09/09		16.30	715.75
	05/08/09		15.65	716.40
	06/05/09		14.68	717.37
	07/02/09		14.60	717.45
	08/14/09		15.35	716.70
	09/11/09		14.50	717.55
	10/09/09		17.15	714.90
	11/04/09		12.14	719.91
	12/04/09		16.81	715.24
	01/14/10		15.50	716.55
	02/10/10		15.20	716.85
	03/11/10		14.35	717.70
	04/08/10		14.28	717.77
	05/06/10		13.72	718.33
	06/04/10		13.45	718.60
	07/01/10		13.81	718.24
	08/12/10		14.58	717.47
	09/08/10		16.10	715.95
	10/07/10		15.50	716.55
	11/19/10		15.05	717.00
	12/03/10		13.78	718.27
	01/14/11		13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87
	12/01/11		15.06	716.99
	01/13/12		12.70	719.35
	02/10/12		12.48	719.57
	03/09/12		14.95	717.10
	04/06/12		13.22	718.83
	05/02/12		15.24	716.81
	06/01/12		15.21	716.84
	07/13/12		13.40	718.65

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/03/07	733.19	18.41	714.78
	02/12/07		16.88	716.31
	03/12/07		12.16	721.03
	04/09/07		18.18	715.01
	05/07/07		12.95	720.24
	06/08/07		17.15	716.04
	07/17/07		17.71	715.48
	08/01/07		16.05	717.14
	09/14/07		16.45	716.74
	10/12/07		16.97	716.22
	11/09/07		18.75	714.44
	12/07/07		16.55	716.64
	01/04/08		15.67	717.52
	02/15/08		15.68	717.51
	03/13/08		15.79	717.40
	04/11/08		13.37	719.82
	05/08/08		16.65	716.54
	06/06/08		13.05	720.14
	07/03/08		13.90	719.29
	08/01/08		14.24	718.95
	09/12/08		15.59	717.60
	10/10/08		16.51	716.68
	11/06/08		16.55	716.64
	12/19/08		16.87	716.32
	01/02/09		16.81	716.38
	02/13/09		16.28	716.91
	03/13/09		16.35	716.84
	04/09/09		16.01	717.18
	05/08/09		15.77	717.42
	06/05/09		15.45	717.74
	07/02/09		15.10	718.09
	08/14/09		15.03	718.16
	09/11/09		14.84	718.35
	10/09/09		15.71	717.48
	11/04/09		15.66	717.53
	12/04/09		15.50	717.69
	01/14/10		16.01	717.18
	02/10/10		16.24	716.95
	03/11/10		16.21	716.98
	04/08/10		15.93	717.26
	05/06/10		16.03	717.16
	06/04/10		16.13	717.06
	07/01/10		15.09	718.10
	08/12/10		16.68	716.51
	09/08/10		15.38	717.81
	10/07/10		16.47	716.72
	11/19/10		18.69	714.50
	12/03/10		17.40	715.79
	01/14/11		17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47
	12/01/11		16.03	717.16
	01/13/12		15.63	717.56
	02/10/12		15.42	717.77
	03/09/12		15.93	717.26
	04/06/12		15.58	717.61
	05/02/12		15.75	717.44
	06/01/12		15.71	717.48
	07/13/12		17.98	715.21

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/03/07	735.48	16.35	719.13
	02/12/07		16.99	718.49
	03/12/07		16.68	718.80
	04/09/07		15.45	720.03
	05/07/07		15.71	719.77
	06/08/07		16.01	719.47
	07/17/07		16.45	719.03
	08/01/07		18.05	717.43
	09/14/07		17.59	717.89
	10/12/07		18.17	717.31
	11/09/07		17.88	717.60
	12/07/07		15.77	719.71
	01/04/08		17.90	717.58
	02/15/08		16.91	718.57
	03/13/08		16.41	719.07
	04/11/08		14.99	720.49
	05/08/08		15.81	719.67
	06/06/08		14.71	720.77
	07/03/08		14.60	720.88
	08/01/08		14.79	720.69
	09/12/08		16.43	719.05
	10/10/08		17.12	718.36
	11/06/08		17.16	718.32
	12/19/08		17.59	717.89
	01/02/09		17.65	717.83
	02/13/09		16.52	718.96
	03/13/09		16.61	718.87
	04/09/09		16.42	719.06
	05/08/09		15.86	719.62
	06/05/09		15.86	719.62
	07/02/09		16.77	718.71
	08/14/09		15.28	720.20
	09/11/09		15.28	720.20
	10/09/09		16.42	719.06
	11/04/09		16.28	719.20
	12/04/09		16.94	718.54
	01/14/10		16.64	718.84
	02/10/10		16.84	718.64
	03/11/10		16.29	719.19
	04/08/10		16.29	719.19
	05/06/10		16.79	718.69
	06/04/10		16.59	718.89
	07/01/10		15.72	719.76
	08/12/10		16.54	718.94
	09/08/10		18.06	717.42
	10/07/10		18.98	716.50
	11/19/10		19.80	715.68
	12/03/10		18.81	716.67
	01/14/11		18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42
	12/01/11		18.26	717.22
	01/13/12		17.56	717.92
	02/10/12		16.98	718.50
	03/09/12		18.00	717.48
	04/06/12		17.15	718.33
	05/02/12		17.62	717.86
	06/01/12		17.26	718.22
	07/13/12		19.53	715.95

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	08/12/10	731.96	13.81	718.15
	09/08/10		14.07	717.89
	10/07/10		15.41	716.55
	11/19/10		16.78	715.18
	12/03/10		16.38	715.58
	01/14/11		15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78
	12/01/11		14.73	717.23
	01/13/12		14.37	717.59
	02/10/12		14.34	717.62
	03/09/12		14.86	717.10
	04/06/12		14.38	717.58
	05/02/12		14.53	717.43
	06/01/12		14.51	717.45
	07/13/12		15.65	716.31

NR-Not Recorded
NG-Not Gauged

ATTACHMENT B

Groundwater Recovery

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	**RW-1**	**RW-2**	**RW-3**	**RW-4**	**RW-5**	**Total**
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	***445,555***	***428,463***	***536,852***	-	-	***1,410,870***
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	***1,949,120***	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	***2,835,673***	-	-	6,436,098
3/28/1997	1,692,834	2,039,011	***2,835,673***	-	-	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	***2,842,124***	-	-	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	3,313,604	7,312,970	6,402,525	-	-	17,050,326
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	3,889,675	8,638,302	7,429,910	1,171,610	-	21,150,724
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308
12/1/2011	18,629,825	33,598,934	48,320,048	53,355,570	6,100,310	160,025,914
12/16/2011	18,629,949	33,694,694	48,451,868	53,577,620	6,282,440	160,657,798
12/28/2011	18,629,987	33,779,384	48,561,758	53,756,850	6,369,780	161,118,986

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
1/13/2012	18,645,754	33,859,637	48,708,053	53,992,589	6,573,941	161,801,201
1/16/2012	18,716,529	33,865,708	48,721,294	54,013,533	6,592,457	161,930,748
1/27/2012	18,757,241	33,938,060	48,817,779	54,170,142	6,731,820	162,436,269
2/10/2012	18,815,117	34,035,651	48,942,826	54,373,450	6,910,967	163,099,238
2/24/2012	18,862,640	34,104,647	49,069,225	54,579,272	7,090,969	163,727,980
3/9/2012	18,902,508	34,170,267	49,197,023	54,783,061	7,269,776	164,343,862
3/23/2012	18,937,777	34,222,618	49,324,691	54,989,061	7,449,391	164,944,765
4/6/2012	18,985,172	34,316,006	49,452,912	55,194,431	7,629,191	165,598,939
4/20/2012	19,034,085	34,411,741	49,579,662	55,399,648	7,806,565	166,252,928
5/2/2012	19,072,065	34,481,477	49,688,956	55,576,321	7,959,176	166,799,222
5/16/2012	19,126,410	34,578,497	49,817,176	55,781,962	8,137,991	167,463,263
5/22/2012	19,148,742	34,617,182	49,872,834	55,871,142	8,215,560	167,746,687
6/1/2012	19,182,310	34,668,364	49,964,636	56,017,651	8,342,793	168,196,981
6/14/2012	19,220,759	34,715,694	50,084,238	56,206,400	8,508,700	168,757,018
6/26/2012	19,250,934	34,755,010	50,196,416	56,384,007	8,664,407	169,272,001
7/13/2012	19,282,456	34,789,492	50,351,741	56,627,498	8,878,597	169,951,011
7/27/2012	19,300,279	34,815,104	50,481,138	56,830,580	9,056,180	170,504,508

Notes:
- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.

AMPHENOL CORPORATION
FRANKLIN, INDIANA



iWM CONSULTING GROUP

ATTACHMENT C

Field Notes

iWM CONSULTING GROUP

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

nspection Date: 7-13-12

Personnel: R. Mier

al Time: 845

rture Time: 1:36

n Response Visit: YES (NO)

BIWEEKLY DATA

izer Readings: RW-1 654907.0 RW-2 19780148.0 RW-3 33851013.0 RW-4 56627488.0 RW-5 88785971.0

Rate GPM: RW-1 cycling RW-2 cycling RW-3 6.25 RW-4 10.00 RW-5 9.00

Running Amps RW-1 3.2 RW-2 3.1 RW-3 3.3 RW-4 4.2 RW-5 3.2

tripper Pressure: 14.5 Inches of Water

ent Clarity: (Clear)

ling Temperature: 75 Degrees F

em Operation Upon Arrival: (YES) NO (if no please explain below)

er Leaks: RW-1 RW-2 RW-3 RW-4 RW-5

se circle appropriate controller(s) below:

Manholes	(NO)	YES	Repaired	
Lines	(NO)	YES	Repaired	
Stripper	(NO)	YES	Repaired	

s, explain:

MONTHLY DATA

r Cartridges Replaced: yes RW-1 yes RW-2 yes RW-3 yes RW-4 yes RW-5

per Trays and Tubes Checked: yes

per Trays and Tubes Cleaned: N

itoring/Recovery Wells Gauged: yes cleaned lines

ommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Site ction Date: 7/27/2012

IWM Personnel: D. White

Arrival Time: 9:50

Departure Time:

Alarm Response Visit: YES NO

BIWEEKLY DATA

Totalizer Readings: RW-1 672730 RW-2 19725760 RW-3 33980410 RW-4 56830580 RW-5 9056180

Flow Rate GPM: RW-1 Cycling RW-2 4.6 Cycling RW-3 6.4 gpm RW-4 10 gpm RW-5 9.2 gpm

Pump Running Amps RW-1 4.3 RW-2 3.63 RW-3 3.9 RW-4 4.49 RW-5 4.02

Air Stripper Pressure: 14.5 Inches of Water

Effluent Clarity: clear

Building Temperature: 80 Degrees F

System Operation Upon Arrival: YES NO (if no please explain below)

DTW – 13.1 13.6 17.94 20.19 15.95

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5

Please circle appropriate controller(s) below:

Manholes	NO	YES	Repaired	
Lines	NO	YES	Repaired	
Stripper	NO	YES	Repaired	

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Re endations for system optimization or general comments:

7428 Rockville Road, Indianapolis, IN 46214

September 21, 2012

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492

Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED CORRECTIVE MEASURE
Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the July 27 through August 24, 2012 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On August 10, 2012, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 10.42 feet below top of casing (TOC) in MW-9 to 18.76 feet below TOC in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 were operational during groundwater gauging activities. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a groundwater contour map based on the August 10, 2012 depth to water measurements has been included as **Figure 2**.

Groundwater Treatment System

From July 27 through August 24, 2012, approximately 1,062,193 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 171,566,701 gallons. The average influent groundwater recovery rate from July 27 through August 24, 2012 was approximately 26.3 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on August 10, 2012 to complete bi-weekly, monthly, and quarterly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on August 10, 2012.

IWM personnel mobilized to the site on August 24, 2012 to complete bi-weekly system operation and maintenance activities and quarterly system sampling activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on August 24, 2012.

Quarterly Treatment System Sampling

On August 24, 2012, influent samples from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 and a combined effluent sample were obtained to evaluate the groundwater treatment system. Each of the influent sample taps was allowed to run for at least 10 seconds. Prior to sampling, water flow from the tap was reduced to minimize turbulence and agitation. All samples were submitted to Pace Analytical Services, Inc. (Pace), located in Indianapolis, Indiana for volatile organic compound (VOC) analysis by SW-846 Method 8260B.

Laboratory analytical results from the August 24, 2012 quarterly system sampling activities indicated the presence of tetrachloroethene in the groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. 1,1-Dichloroethane was detected in the groundwater samples obtained from recovery wells RW-3 and RW-5. Cis-1,2-dichloroethene, 1,1,1-trichloroethane, and trichloroethene were detected in the groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, and RW-5. No constituents of concern were detected in the remedial system's effluent water sample.

Historic quarterly system sampling analytical results are summarized in **Table 1**. Laboratory data sheets are provided in **Attachment D**.

Schedule of Activities

Monthly and biweekly system operation and maintenance activities are scheduled for the month of September 2012. Site visits are scheduled for the weeks beginning September 3 and September 17, 2012. The information from these site inspections will be included in the September 2012 Progress Report.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting Group, LLC appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

IWM CONSULTING GROUP, LLC

Christopher D. Parks, LPG
Project Manager

Bradley E. Gentry, LPG
Senior Project Manager

Attachments
cc: Mr. Dave Dowden, Lancer Realty & Development Co.

FIGURES



LEGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

Scale 1":100 ft.

DRAWN BY:	L. STRUM
DATE:	9/27/99
REVISED:	
HWPA #111291-01	
DWG. NO.	111291S1

FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP



LEGEND

- MONITORING WELL
- RECOVERY WELL
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER
- 722.00 POTENTIONMETRIC SURFACE (CONTOUR INTERVAL = 1.0 FT.)

0 100
SCALE IN FEET

DRAWN BY: L. STRUM	FIGURE 2 GROUNDWATER ELEVATION MAP (08/10/12)	FORMER AMPHENOL RFI/CMS 980 HURRICANE ROAD FRANKLIN, INDIANA	IWM CONSULTING GROUP
DATE: 9/27/99			
REVISED:			
HWPA #111291-01			
DWG. NO. 111291S1			

TABLES

Table 1
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro ethene	trans-1,2 - Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-1	5/3/1995	33	ND	ND(1)	ND	ND	100	200	ND	520	ND	ND	ND	ND	ND	ND	853
	8/3/1995	31	ND	ND	ND	ND	170	180	ND	400	ND	ND	ND	ND	ND	ND	781
	11/7/1995	30	ND	ND	ND	ND	ND	190	ND	390	ND	ND	ND	ND	ND	ND	610
	4/12/1996	NS(2)	ND	NS	NS	ND	NS	NS	ND	NS	ND	ND	ND	ND	ND	ND	0
	7/8/1996	14	ND	ND	ND	ND	31	120	ND	350	ND	ND	ND	ND	ND	ND	515
	10/17/1996	15	ND	ND	ND	ND	29	150	ND	1,800	ND	ND	ND	ND	ND	ND	1,994
	2/7/1997	18	ND	ND	ND	ND	ND	140	ND	260	ND	ND	ND	ND	ND	ND	276
	5/7/1997	9.9	ND	ND	ND	ND	20	91	ND	250	ND	ND	ND	ND	ND	ND	371
	8/4/1997	9.8	ND	ND	ND	ND	35	160	ND	210	ND	ND	ND	ND	ND	ND	415
	11/10/1997	NS	ND	NS	NS	ND	NS	NS	ND	NS	ND	ND	ND	ND	ND	ND	0
	12/1/1997	28	ND	ND	27	ND	180	190	ND	320	ND	ND	ND	ND	ND	ND	745
	2/4/1998	24	ND	ND	ND	ND	ND	150	ND	270	ND	ND	ND	ND	ND	ND	444
	5/8/1998	ND	ND	ND	ND	ND	350	240	ND	540	ND	ND	ND	ND	ND	ND	1,130
	7/30/1998	16	ND	ND	ND	ND	180	160	ND	140	ND	ND	ND	ND	ND	ND	496
	11/13/1998	12	11	ND	ND	ND	ND	150	ND	270 E	ND	ND	ND	ND	ND	ND	173
	2/12/1999	6.3	ND	ND	ND	ND	24	76	ND	156	ND	ND	ND	ND	ND	ND	262
	5/7/1999	7.5	ND	ND	ND	ND	6.6	97	ND	150	ND	ND	ND	ND	ND	ND	261
	8/13/1999	7.7	ND	ND	ND	ND	7.6	89	ND	180	ND	ND	ND	ND	ND	ND	284
	11/5/1999	11	ND	ND	ND	ND	6.6	120	ND	170	ND	ND	ND	ND	ND	ND	308
	2/11/2000	12	ND	ND	ND	ND	9.9	110	ND	150	ND	ND	ND	ND	ND	ND	282
	5/24/2000	10	ND	ND	ND	ND	38	88	ND	150	ND	ND	ND	ND	ND	ND	286
	8/4/2000	10	ND	ND	ND	ND	13	120	ND	200	ND	ND	ND	ND	ND	ND	343
	9/1/2000	8.4	ND	ND	ND	ND	ND	ND	5.6	200	ND	ND	ND	ND	ND	ND	214
	11/20/2000	8.3	ND	ND	ND	ND	ND	90	ND	170	ND	ND	ND	ND	ND	ND	268
	2/16/2001	7.4	ND	ND	ND	ND	ND	77	ND	170	ND	ND	ND	ND	ND	ND	254
	5/11/2001	5.2	ND	ND	ND	ND	71	140	ND	150	ND	ND	ND	ND	ND	ND	366
	8/10/2001	5.8	ND	ND	ND	ND	ND	64	ND	150	ND	ND	ND	ND	ND	ND	220
	1/22/2002	8.1	ND	ND	ND	ND	ND	95	ND	140	ND	ND	ND	ND	ND	ND	243
	5/2/2002	ND	ND	ND	ND	ND	ND	51	ND	130	ND	ND	ND	ND	ND	ND	181
	8/2/2002	ND	ND	ND	ND	ND	ND	53	ND	95	ND	ND	ND	ND	ND	ND	148
	10/17/2002	5.5	ND	ND	ND	ND	ND	64	ND	150	ND	ND	ND	ND	ND	ND	220
	1/7/2003	6.9	ND	ND	ND	ND	ND	58	ND	120	ND	ND	ND	ND	ND	ND	185
	4/30/2003	ND	ND	ND	ND	ND	14	66	ND	140	ND	ND	ND	ND	ND	ND	220
	7/25/2003	ND	ND	ND	ND	ND	39	45	ND	110	ND	ND	ND	ND	ND	ND	194
	10/3/2003	6.9	ND	ND	ND	ND	ND	53	ND	130	ND	ND	ND	ND	ND	ND	190
	1/8/2004	ND	ND	ND	ND	ND	5	39	ND	97	ND	ND	ND	ND	ND	ND	141
	4/2/2004	5.1	ND	ND	ND	ND	ND	49	ND	110	ND	ND	ND	ND	ND	ND	164
	7/7/2004	ND	ND	ND	ND	ND	9.1	39	ND	97	ND	ND	ND	ND	ND	ND	145
	10/29/2004	8.5	ND	ND	ND	ND	780	100	ND	230	ND	ND	ND	ND	ND	ND	1,119
	2/17/2005	ND	ND	ND	ND	ND	6	32	ND	83	ND	ND	ND	ND	ND	ND	121
	4/28/2005	ND	ND	ND	ND	ND	ND	32	ND	73	ND	ND	ND	ND	ND	ND	105
	8/19/2005	5.51	ND	ND	ND	ND	5.02	56.2	ND	103	ND	ND	ND	ND	ND	ND	170
	11/11/2005	9	ND	ND	ND	ND	222	105	ND	200	ND	ND	ND	ND	ND	ND	536
	1/6/2006	ND	ND	ND	ND	ND	5.99	51.8	ND	90.2	ND	ND	ND	ND	ND	ND	147.99
	5/25/2006	ND	ND	ND	ND	ND	7.65	36.7	ND	71.0	ND	ND	ND	ND	ND	ND	115.35
	8/18/2006	ND	ND	ND	ND	ND	ND	45.0	ND	87.2	ND	ND	ND	ND	ND	ND	132.20
	10/27/2006	5.01	ND	ND	ND	ND	ND	45.2	ND	92.6	ND	ND	ND	ND	ND	ND	142.81
	1/16/2007	ND	ND	ND	ND	ND	ND	26.0	ND	62.0	ND	ND	ND	ND	ND	ND	88.00
	4/17/2007	ND	ND	ND	ND	ND	70.8	28	ND	56.9	ND	ND	ND	ND	ND	ND	155.7
	7/17/2007	ND	ND	ND	ND	ND	ND	33.8	ND	68	ND	ND	ND	ND	ND	6.3	108.1
	10/26/2007	5.9	ND	ND	ND	ND	ND	49.8	ND	74.1	ND	ND	ND	ND	ND	ND	129.8
	1/4/2008	ND	ND	ND	ND	ND	ND	48	ND	83.8	ND	ND	ND	ND	ND	8.3	140.1
	4/25/2008	ND	ND	ND	ND	ND	50	22.2	ND	ND	ND	ND	ND	ND	ND	ND	72.2
	7/3/2008	ND	ND	ND	ND	ND	ND	22.9	ND	38.4	ND	ND	ND	ND	ND	ND	61.3
	11/21/2008	ND	ND	ND	ND	ND	9.5	33.8	ND	73.5	ND	ND	ND	ND	ND	ND	116.8
	2/27/2009	ND	ND	ND	ND	ND	5.5	28.3	ND	56.4	ND	ND	ND	ND	ND	ND	90.2
	5/22/2009	ND	ND	ND	ND	ND	5.3	24.5	ND	53.3	ND	ND	ND	ND	ND	ND	83.1
	8/28/2009	ND	ND	ND	ND	ND	6.7	23.8	ND	51.0	ND	ND	ND	ND	ND	ND	81.5
	11/19/2009	ND	ND	ND	ND	ND	5.3	28.5	ND	63.1	ND	ND	ND	ND	ND	ND	96.9
	2/26/2010	ND	ND	ND	22.5	ND	192	47.2	ND	71.8	ND	ND	ND	ND	ND	ND	333.5
	5/21/2010	ND	ND	ND	14.8	ND	103	32.0	ND	58.8	ND	ND	ND	ND	ND	ND	208.6
	8/26/2010	ND	ND	ND	ND	ND	ND	23.3	ND	39.9	ND	ND	ND	ND	ND	ND	63.2
	11/19/2010	ND	ND	ND	190	5.1	159	41.0	ND	96.3	ND	ND	ND	ND	ND	ND	491.4
	2/11/2011	ND	ND	ND	5.3	ND	9.3	20.3	ND	37.7	ND	ND	ND	ND	ND	ND	72.6
	5/20/2011	ND	ND	ND	5.5	ND	5.6	14.6	ND	29	ND	ND	ND	ND	ND	ND	54.7
	8/25/2011	ND	ND	ND	51.5	ND	131	27.3	ND	72	ND	ND	ND	ND	ND	ND	281.8
	11/18/2011	ND	ND	ND	ND	ND	ND	24.2	ND	29.8	ND	ND	ND	ND	ND	ND	54
	2/24/2012	ND	ND	ND	ND	ND	ND	ND	ND	31	ND	ND	ND	ND	ND	ND	31
	5/22/2012	ND	ND	ND	ND	ND	ND	15.9	ND	32.8	ND	ND	ND	ND	ND	ND	48.7
	8/24/2012	ND	ND	ND	93.6	ND	286	37.7	ND	156	ND	ND	ND	ND	ND	ND	573.3

Notes:
Results in micrograms per liter (ug/l).
(1) ND - Not Detected - analyte not detected above laboratory method detection limit.
(2) NS - Not Sampled, RW-1 not in operation during April 1996 and November 1997 sampling events.
E - Trichloroethane value for RW-1 during the November 13, 1998 sampling event is an estimated value only.

Ta tinued)
Form nol Facility
980 ane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro ethene	trans-1,2 - Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-2	5/3/1995	47	ND	8.1	3.9	ND	1,500	960	ND	4,300	ND	ND	ND	ND	ND	ND	6,819
	8/3/1995	48	ND	ND	ND	ND	1,500	1,100	ND	3,000	ND	ND	ND	ND	ND	ND	5,648
	11/7/1995	58	ND	9.1	5.3	ND	2,100	1,300	ND	2,200	ND	ND	ND	ND	ND	ND	5,672
	4/12/1996	ND	ND	ND	ND	ND	980	530	ND	1,500	ND	ND	ND	ND	ND	ND	3,010
	7/8/1996	31	ND	7.3	ND	ND	2,100	1,200	ND	2,100	ND	ND	ND	ND	ND	ND	5,438
	10/17/1996	33	ND	ND	ND	ND	2,600	680	ND	2,900	ND	ND	ND	ND	ND	ND	6,213
	2/7/1997	27	ND	ND	ND	ND	37	400	ND	410	ND	ND	ND	ND	ND	ND	874
	5/7/1997	24	ND	ND	ND	ND	880	340	ND	860	ND	ND	ND	ND	ND	ND	2,104
	8/4/1997	18	ND	ND	ND	ND	400	310	ND	560	ND	ND	ND	ND	ND	ND	1,288
	11/10/1997	21	ND	ND	ND	ND	250	260	ND	550	ND	ND	ND	ND	ND	ND	1,081
	2/4/1998	22	ND	ND	ND	ND	310	260	ND	590	ND	ND	ND	ND	ND	ND	1,182
	5/8/1998	ND	ND	ND	ND	ND	750	330	ND	790	ND	ND	ND	ND	ND	ND	1,870
	7/30/1998	16	ND	ND	ND	ND	870	270	ND	890	ND	ND	ND	ND	ND	ND	2,046
	11/13/1998	ND	13	ND	ND	ND	200	160	ND	93	ND	ND	ND	ND	ND	ND	466
	2/12/1999	32	ND	ND	ND	ND	1,400	390	ND	1,200	ND	ND	ND	ND	ND	ND	3,022
	5/7/1999	28	ND	ND	ND	ND	1,300	530	ND	900	ND	ND	ND	ND	ND	ND	2,758
	8/13/1999	14	ND	ND	ND	ND	1,200	410	ND	810	ND	ND	ND	ND	ND	ND	2,434
	11/5/1999	21	ND	5.4	ND	ND	920	390	ND	780	ND	ND	ND	ND	ND	ND	2,116
	2/11/2000	30	ND	ND	ND	ND	1,300	420	ND	880	ND	ND	ND	ND	ND	ND	2,630
	5/24/2000	26	ND	ND	ND	ND	1,100	370	ND	840	ND	ND	ND	ND	ND	ND	2,336
	8/4/2000	25	ND	ND	ND	ND	1,600	500	ND	980	22	ND	ND	ND	ND	ND	3,127
	9/1/2000	22	ND	ND	ND	ND	1,400	430	ND	860	ND	ND	ND	ND	ND	ND	2,712
	11/20/2000	23	ND	ND	ND	ND	1,100	300	ND	680	ND	ND	ND	ND	ND	ND	2,103
	2/18/2001	16	ND	ND	ND	ND	1,000	260	ND	580	ND	ND	ND	ND	ND	ND	1,856
	5/11/2001	18	ND	ND	ND	ND	1,200	480	ND	690	ND	ND	ND	ND	ND	ND	2,388
	8/10/2001	ND	ND	ND	ND	ND	1,300	410	ND	940	ND	ND	ND	ND	ND	ND	2,650
	1/22/2002	ND	8.3	ND	ND	ND	1,100	730	ND	560	ND	ND	ND	ND	ND	ND	2,398
	5/2/2002	14	ND	ND	ND	ND	810	290	ND	600	ND	ND	ND	ND	ND	ND	1,714
	8/2/2002	ND	ND	ND	ND	ND	120	81	ND	61	ND	ND	ND	ND	ND	ND	262
	10/17/2002	17	ND	ND	ND	ND	1,800	340	ND	960	ND	ND	ND	ND	ND	ND	3,117
	1/7/2003	21	ND	5	ND	ND	1,500	350	ND	700	ND	ND	ND	ND	ND	ND	2,576
	4/30/2003	18	ND	ND	ND	ND	1,500	630	ND	1,000	ND	ND	ND	ND	ND	ND	3,148
	7/25/2003	13	ND	ND	ND	ND	1,200	270	ND	640	ND	ND	ND	ND	ND	ND	2,123
	10/3/2003	15	ND	ND	ND	ND	1,400	240	ND	650	ND	ND	ND	ND	ND	ND	2,305
	1/8/2004	16	ND	ND	ND	ND	1,300	320	ND	750	ND	ND	ND	ND	ND	ND	2,386
	4/2/2004	15	ND	ND	ND	ND	1,300	330	ND	700	ND	ND	ND	ND	ND	ND	2,345
	7/7/2004	14	ND	ND	ND	ND	1,400	260	ND	610	ND	ND	ND	ND	ND	ND	2,284
	10/29/2004	20	ND	ND	5.3	ND	1,900	210	ND	690	ND	ND	ND	ND	ND	ND	2,825
	2/17/2005	18	ND	ND	ND	ND	1,600	280	ND	690	ND	ND	ND	ND	ND	ND	2,588
	4/28/2005	13	ND	ND	ND	ND	1,300	200	ND	550	ND	ND	ND	ND	ND	ND	2,063
	8/19/2005	ND	ND	ND	ND	ND	129	109	ND	58.9	ND	ND	ND	ND	ND	ND	297
	11/11/2005	30	ND	ND	7	ND	1,390	238	ND	534	ND	ND	ND	ND	ND	ND	2,199
	1/6/2006	18.4	ND	ND	ND	ND	2,220	380	ND	699	6.04	ND	ND	ND	ND	ND	3,323.44
	5/25/2006	20.8	ND	ND	14.4	ND	1,874	286	ND	570	ND	ND	ND	ND	ND	ND	2,775.20
	9/1/2006	10.5	ND	ND	12.1	ND	842	121	ND	266	ND	ND	ND	ND	ND	ND	1,251.60
	10/27/2006	20.2	ND	ND	19.2	ND	1,590	181	ND	510	ND	ND	ND	ND	ND	ND	2,320.40
	1/16/2007	17	ND	ND	32	ND	1,600	200	ND	500	ND	ND	ND	ND	ND	ND	2,349
	4/17/2007	12.2	ND	ND	34.1	ND	1,760	162	ND	445	ND	ND	ND	ND	ND	ND	2,413.3
	7/17/2007	16.1	ND	5	325	ND	1,960	176	ND	530	ND	ND	ND	ND	ND	ND	3,012.1
	10/26/2007	18.8	ND	ND	577	ND	1,000	169	ND	407	ND	ND	ND	ND	ND	31.5	2,203.3
	1/4/2008	18.6	ND	ND	770	ND	1,810	158	ND	425	ND	ND	ND	ND	ND	ND	2,981.6
	4/25/2008	28.4	ND	28.4	535	ND	1,880	206	ND	529	ND	ND	ND	ND	ND	ND	3,206.8
	7/3/2008	17.6	ND	ND	291	ND	1,390	178	ND	461	ND	ND	ND	ND	ND	ND	2,337.6
	11/21/2008	13.8	ND	ND	190	ND	1,900	177	ND	498	ND	ND	ND	ND	ND	ND	2,778.8
	2/27/2009	14.4	ND	ND	144	ND	1,390	158	ND	411	ND	ND	ND	ND	ND	ND	2,117.4
	5/22/2009	15.7	ND	ND	159	ND	1,280	199	ND	397	ND	ND	ND	ND	ND	ND	2,050.7
	8/28/2009	11.2	ND	ND	145	ND	1,340	193	ND	355	ND	ND	ND	ND	ND	ND	2,044.2
	11/19/2009	17.1	ND	ND	225	ND	1,630	214	ND	428	ND	ND	ND	ND	ND	ND	2,514.1
	2/26/2010	13.2	ND	ND	181	ND	973	168	ND	297	ND	ND	ND	ND	ND	ND	1,632.2
	5/21/2010	ND	ND	ND	164	ND	1,610	128	ND	493	ND	ND	ND	ND	ND	ND	2,395.0
	8/26/2010	10.6	ND	ND	202	ND	1,230	132	ND	332	ND	ND	ND	ND	ND	ND	1,906.6
	11/19/2010	8.6	ND	ND	6.3	ND	297	151	ND	160	ND	ND	ND	ND	ND	ND	622.9
	2/11/2011	12.2	ND	ND	51	ND	579	99.6	ND	196	ND	ND	ND	ND	ND	ND	937.8
	5/20/2011	9.1	ND	ND	1,000	ND	812	78.5	ND	196	ND	ND	ND	ND	ND	ND	2,095.6
	8/25/2011	ND	ND	ND	17.9	ND	164	44.7	ND	68.1	ND	ND	ND	ND	ND	ND	294.7
	11/18/2011	11	ND	ND	8.5	ND	213	103	ND	173	ND	ND	ND	ND	ND	ND	508.5
	2/24/2012	5	ND	ND	83.7	ND	131	53.7	ND	74	ND	ND	ND	ND	ND	ND	347.4
	5/22/2012	9.5	ND	ND	252	ND	330	84.9	ND	231	ND	ND	ND	ND	ND	ND	907.4
	8/24/2012	ND	ND	ND	21	ND	77.1	44.1	ND	47.7	ND	ND	ND	ND	ND	ND	189.9

Notes:
Results in micrograms per liter (ug/l).

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-3	5/3/1995	28	ND	ND	ND	ND	160	540	ND	2,900	ND	ND	ND	ND	ND	ND	3,628
	8/3/1995	53	ND	ND	ND	ND	16	560	ND	870	ND	ND	ND	ND	ND	ND	1,499
	11/7/1995	48	ND	6.9	ND	ND	1,400	950	ND	1,700	ND	ND	ND	ND	ND	ND	4,105
	4/12/1996	ND	ND	ND	ND	ND	93	450	ND	1,200	ND	ND	ND	ND	ND	ND	1,743
	7/8/1996	39	ND	6.5	ND	ND	45	820	ND	1,100	ND	ND	ND	ND	ND	ND	2,011
	10/17/1996	34	ND	ND	ND	ND	2,600	720	ND	2,900	ND	ND	ND	ND	ND	ND	6,254
	2/7/1997	28	ND	ND	ND	ND	37	410	ND	410	ND	ND	ND	ND	ND	ND	885
	5/7/1997	24	ND	ND	ND	ND	1,000	400	ND	990	ND	ND	ND	ND	ND	ND	2,414
	8/4/1997	17	ND	ND	ND	ND	110	330	ND	490	ND	ND	ND	ND	ND	ND	947
	11/10/1997	25	ND	ND	ND	ND	76	400	ND	600	ND	ND	ND	ND	ND	ND	1,101
	2/4/1998	30	ND	ND	ND	ND	180	460	ND	840	ND	ND	ND	ND	ND	ND	1,510
	5/8/1998	ND	ND	ND	ND	ND	260	380	ND	640	ND	ND	ND	ND	ND	ND	1,280
	7/30/1998	33	ND	ND	ND	ND	27	450	ND	190	ND	ND	ND	ND	ND	ND	700
	11/13/1998	11	ND	ND	ND	ND	48	120	ND	130	ND	ND	ND	ND	ND	ND	309
	2/12/1999	33	ND	ND	ND	ND	110	420	ND	420	ND	ND	ND	ND	ND	ND	983
	5/7/1999	18	ND	ND	ND	ND	180	320	ND	410	ND	ND	ND	ND	ND	ND	928
	8/13/1999	15	ND	ND	ND	ND	260	240	ND	400	ND	ND	ND	ND	ND	ND	915
	11/5/1999	13	ND	ND	ND	ND	280	260	ND	400	ND	ND	ND	ND	ND	ND	953
	2/11/2000	19	ND	ND	ND	ND	370	280	ND	400	ND	ND	ND	ND	ND	ND	1,069
	5/24/2000	17	ND	ND	ND	ND	480	260	ND	480	ND	ND	ND	ND	ND	ND	1,237
	8/4/2000	16	ND	ND	ND	ND	1,100	290	ND	550	ND	ND	ND	ND	ND	ND	1,958
	9/1/2000	15	ND	ND	ND	ND	830	270	ND	440	ND	ND	ND	ND	ND	ND	1,555
	11/20/2000	15	23	ND	ND	ND	650	220	ND	330	ND	ND	ND	ND	ND	ND	1,238
	2/16/2001	13	ND	ND	ND	ND	630	200	ND	300	ND	ND	ND	ND	ND	ND	1,143
	5/11/2001	ND	ND	ND	ND	ND	1,700	260	ND	310	ND	ND	ND	ND	ND	ND	2,270
	8/10/2001	13	ND	ND	ND	ND	1,200	260	ND	390	ND	ND	ND	ND	ND	ND	1,863
	1/22/2002	14	ND	7	ND	ND	610	ND	ND	340	ND	ND	ND	ND	ND	ND	971
	5/2/2002	11	ND	ND	ND	ND	340	240	ND	190	ND	ND	ND	ND	ND	ND	781
	8/2/2002	10	ND	ND	ND	ND	300	220	ND	170	ND	ND	ND	ND	11	ND	711
	10/17/2002	9	ND	ND	ND	ND	360	190	ND	210	ND	ND	ND	ND	ND	ND	769
	1/7/2003	23	ND	ND	ND	ND	310	350	ND	250	ND	ND	ND	ND	ND	ND	933
	4/30/2003	12	ND	ND	ND	ND	560	160	ND	190	ND	ND	ND	ND	ND	ND	922
	7/25/2003	9.6	ND	ND	ND	ND	400	180	ND	160	ND	ND	ND	ND	ND	ND	750
	10/3/2003	10	ND	ND	ND	ND	500	160	ND	180	ND	ND	ND	ND	ND	ND	850
	1/8/2004	ND	ND	ND	ND	ND	450	220	ND	180	ND	ND	ND	ND	ND	ND	850
	4/2/2004	9.5	ND	ND	ND	ND	370	240	ND	150	ND	ND	ND	ND	ND	ND	770
	7/7/2004	8.7	ND	ND	ND	ND	430	200	ND	160	ND	ND	ND	ND	ND	ND	799
	10/29/2004	9.1	ND	ND	ND	ND	450	180	ND	160	ND	ND	ND	ND	ND	ND	799
	2/17/2005	ND	ND	ND	ND	ND	25	ND	ND	ND	ND	ND	ND	ND	ND	ND	25
	4/28/2005	31	ND	ND	ND	ND	100	660	ND	85	ND	ND	ND	ND	ND	ND	876
	8/19/2005	12.5	ND	ND	ND	ND	269	282	ND	150	ND	ND	ND	ND	ND	ND	714
	11/11/2005	20	ND	ND	ND	ND	299	235	ND	128	ND	ND	ND	ND	ND	ND	682
	1/16/2006	ND	ND	ND	ND	ND	207	400	ND	156	ND	ND	ND	ND	ND	ND	763
	5/25/2006	22.8	ND	ND	ND	ND	295	412	ND	145	ND	ND	ND	ND	ND	ND	875
	8/18/2006	14.6	ND	ND	ND	ND	217	223	ND	154	ND	ND	ND	ND	ND	ND	609
	10/27/2006	13.8	ND	ND	ND	ND	199	168	ND	154	ND	ND	ND	ND	ND	ND	535
	1/16/2007	13	ND	ND	ND	ND	240	240	ND	110	ND	ND	ND	ND	ND	ND	603
	4/17/2007	6.9	ND	ND	ND	ND	165	146	ND	73	ND	ND	ND	ND	ND	ND	391
	7/17/2007	11.5	ND	5.1	87.3	ND	223	234	ND	107	ND	ND	ND	ND	ND	ND	667.9
	10/26/2007	11.8	ND	ND	160	ND	146	191	ND	96.1	ND	ND	ND	ND	ND	ND	604.9
	1/4/2008	9.3	ND	ND	141	ND	292	195	ND	109	ND	ND	ND	ND	ND	ND	746.3
	4/25/2008	13.6	ND	ND	ND	ND	154	252	ND	83.9	ND	ND	ND	ND	ND	ND	503.5
	7/3/2008	16.8	ND	ND	ND	ND	87.6	300	ND	72.9	ND	ND	ND	ND	ND	ND	477.3
	11/21/2008	8	ND	ND	45.2	ND	269	145	ND	95.7	ND	ND	ND	ND	ND	ND	562.9
	2/27/2009	6.5	ND	ND	61.1	ND	219	148	ND	103.0	ND	ND	ND	ND	ND	ND	537.6
	5/22/2009	7.5	ND	ND	25.7	ND	239	164	ND	86.7	ND	ND	ND	ND	ND	ND	522.9
	8/28/2009	6.3	ND	ND	13.6	ND	267	126	ND	76.4	ND	ND	ND	ND	ND	ND	489.3
	11/19/2009	7.6	ND	ND	33.4	ND	272	138	ND	90.9	ND	ND	ND	ND	ND	ND	541.9
	2/26/2010	6.5	ND	ND	33.4	ND	262	111	ND	80	ND	ND	ND	ND	ND	ND	492.9
	5/21/2010	ND	ND	ND	21.9	ND	292	93.4	ND	70.2	ND	ND	ND	ND	ND	ND	477.5
	8/26/2010	5.3	ND	ND	5.2	ND	177	84	ND	49.9	ND	ND	ND	ND	ND	ND	321.4
	11/19/2010	9.2	ND	ND	382	6.9	162	137	ND	121	ND	ND	ND	ND	ND	ND	818.1
	2/11/2011	8.8	ND	ND	605	ND	81.8	118	ND	134	ND	ND	ND	ND	ND	ND	947.6
	5/20/2011	6	ND	ND	59	ND	69.6	88.8	ND	53.4	ND	ND	ND	ND	ND	ND	276.8
	8/25/2011	ND	ND	ND	55.3	ND	96.1	68.4	ND	50.8	ND	ND	ND	ND	ND	ND	270.6
	11/18/2011	6.7	ND	ND	138	ND	126	86.7	ND	77.4	ND	ND	ND	ND	ND	ND	434.8
	2/24/2012	ND	ND	ND	55.7	ND	83.6	ND	ND	61.4	ND	ND	ND	ND	ND	ND	200.7
	5/22/2012	5.5	ND	ND	44	ND	122	71	ND	58.7	ND	ND	ND	ND	ND	ND	301.2
	8/24/2012	6.3	ND	ND	77.5	ND	143	75.8	ND	74.6	ND	ND	ND	ND	ND	ND	377.2

Notes:
Results in micrograms per liter (ug/l).

Ta tinued)
Form nol Facility
980 ne Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-4	3/10/1999	ND	ND	ND	ND	ND	65	7	ND	ND	ND	ND	ND	ND	ND	ND	72
	5/7/1999	ND	ND	ND	ND	ND	6.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	7
	8/13/1999	ND	ND	ND	ND	ND	37	ND	ND	ND	ND	ND	ND	ND	ND	ND	37
	11/5/1999	10	ND	ND	ND	ND	140	180	ND	220	ND	ND	ND	ND	ND	ND	550
	2/11/2000	ND	ND	ND	ND	ND	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	15
	5/24/2000	ND	ND	ND	ND	ND	23	ND	ND	ND	ND	ND	ND	ND	ND	ND	23
	8/4/2000	ND	ND	ND	ND	ND	30	ND	ND	ND	ND	ND	ND	ND	ND	ND	30
	9/1/2000	ND	ND	ND	ND	ND	24	ND	ND	ND	ND	ND	ND	ND	ND	ND	24
	11/20/2000	ND	ND	ND	ND	ND	46	5.1	ND	ND	ND	ND	ND	ND	ND	ND	51
	2/16/2001	ND	ND	ND	ND	ND	37	ND	ND	ND	ND	ND	ND	ND	ND	ND	37
	5/11/2001	ND	ND	ND	ND	ND	8	ND	ND	ND	ND	ND	ND	ND	ND	ND	8
	8/10/2001	ND	ND	ND	ND	ND	13	ND	ND	ND	ND	ND	ND	ND	ND	ND	13
	1/22/2002	ND	ND	ND	ND	ND	43	ND	ND	ND	ND	ND	ND	ND	ND	ND	43
	5/2/2002	ND	ND	ND	ND	ND	25	ND	ND	ND	ND	ND	ND	ND	ND	ND	25
	8/2/2002	ND	ND	ND	ND	ND	28	ND	ND	ND	ND	ND	ND	ND	ND	ND	28
	10/17/2002	ND	ND	ND	ND	ND	27	6.2	ND	ND	ND	ND	ND	ND	ND	ND	33
	1/7/2003	ND	ND	ND	ND	ND	32	7.0	ND	ND	ND	ND	ND	ND	ND	ND	39
	4/30/2003	ND	ND	ND	ND	ND	22	6.1	ND	ND	ND	ND	ND	ND	ND	ND	28
	7/25/2003	8.6	ND	ND	ND	ND	380	160	ND	170	ND	ND	ND	ND	ND	ND	719
	10/3/2003	ND	ND	ND	ND	ND	36	ND	ND	ND	ND	ND	ND	ND	ND	ND	36
	1/8/2004	ND	ND	ND	ND	ND	35	ND	ND	ND	ND	ND	ND	ND	ND	ND	35
	4/2/2004	ND	ND	ND	ND	ND	29	ND	ND	ND	ND	ND	ND	ND	ND	ND	29
	7/7/2004	ND	ND	ND	ND	ND	30	ND	ND	ND	ND	ND	ND	ND	ND	ND	30
	10/29/2004	ND	ND	ND	ND	ND	18	ND	ND	ND	ND	ND	ND	ND	ND	ND	18
	2/17/2005	7.4	ND	ND	ND	ND	350	210	ND	140	ND	ND	ND	ND	ND	ND	707
	4/28/2005	ND	ND	ND	ND	ND	25	6.2	ND	ND	ND	ND	ND	ND	ND	ND	31
	8/19/2005	ND	ND	ND	ND	ND	35.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	35.4
	11/11/2005	ND	ND	ND	ND	ND	20	ND	ND	ND	ND	ND	ND	ND	ND	ND	20
	1/6/2006	ND	ND	ND	ND	ND	39.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	39.4
	5/25/2006	ND	ND	ND	ND	ND	47.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	47.1
	8/18/2006	ND	ND	ND	ND	ND	27.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	27.3
	10/27/2006	ND	ND	ND	ND	ND	34.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	34.0
	1/16/2007	ND	ND	ND	ND	ND	34.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	34
	4/17/2007	ND	ND	ND	ND	ND	23	ND	ND	ND	ND	ND	ND	ND	ND	ND	23
	7/17/2007	ND	ND	ND	ND	ND	21.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	21.9
	10/26/2007	ND	ND	ND	ND	ND	5.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.5
	1/4/2008	ND	ND	ND	ND	ND	13.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	13.4
	4/25/2008	ND	ND	ND	ND	ND	20.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	20.4
	7/3/2008	ND	ND	ND	ND	ND	31.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	31.3
	11/21/2008	ND	ND	ND	ND	ND	16	ND	ND	ND	ND	ND	ND	ND	ND	ND	16
	2/27/2009	ND	ND	ND	ND	ND	20.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	20.3
	5/22/2009	ND	ND	ND	ND	ND	23.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	23.7
	8/28/2009	ND	ND	ND	ND	ND	30.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	30.9
	11/19/2009	ND	ND	ND	ND	ND	23.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	23.8
	2/26/2010	ND	ND	ND	ND	ND	19.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	19.8
	5/21/2010	ND	ND	ND	ND	ND	16.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	16.3
	8/26/2010	ND	ND	ND	ND	ND	14.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	14.2
	11/19/2010	ND	ND	ND	ND	ND	8.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.2
	2/11/2011	ND	ND	ND	ND	ND	8.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.6
	5/20/2011	ND	ND	ND	ND	ND	13.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	13.7
	8/25/2011	ND	ND	ND	ND	ND	10.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.1
	11/18/2011	ND	ND	ND	ND	ND	12	ND	ND	ND	ND	ND	ND	ND	ND	ND	12.0
	2/24/2012	ND	ND	ND	ND	ND	7.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.6
	5/22/2012	ND	ND	ND	ND	ND	15.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	15.4
	8/24/2012	ND	ND	ND	ND	ND	6.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	6.8
RW-5	7/22/2010	ND	ND	ND	ND	ND	1,120	132	ND	253	ND	ND	ND	8,890	ND	ND	10,395
	8/26/2010	ND	ND	ND	99.3	ND	669	114	ND	281	ND	ND	ND	ND	ND	ND	1,163
	11/19/2010	8.2	ND	ND	1,020	6.3	907	106	ND	355	ND	ND	ND	ND	ND	ND	2,403
	2/11/2011	5.2	ND	ND	766	ND	721	73.6	ND	325	ND	ND	ND	ND	ND	ND	1,890.8
	5/20/2011	ND	ND	ND	251	ND	440	87.6	ND	262	ND	ND	ND	ND	ND	ND	1,040.6
	8/25/2011	ND	ND	ND	244	ND	262	21	ND	135	ND	ND	ND	ND	ND	ND	662
	11/18/2011	ND	ND	ND	442	ND	579	67	ND	447	ND	ND	ND	ND	ND	ND	1,535
	2/24/2012	ND	ND	ND	228	ND	345	ND	ND	305	ND	ND	ND	ND	ND	ND	878
	5/22/2012	ND	ND	ND	127	ND	549	46.8	ND	288	ND	ND	ND	ND	ND	ND	1,010.8
	8/24/2012	5.1	ND	ND	254	ND	585	68.1	ND	351	ND	ND	ND	ND	ND	ND	1,263.2

Notes:
Results in micrograms per liter (ug/l).

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro ethene	trans-1,2 - Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
Effluent	5/7/1999	ND	ND	ND	ND	ND	6.1	ND	ND	7.8	ND	ND	ND	ND	ND	ND	14
	6/18/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/13/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/5/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/11/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/24/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/4/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	9/1/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/20/2000	ND	ND	ND	ND	ND	95	40	ND	86	ND	ND	ND	ND	ND	ND	221
	12/6/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	270	ND	ND	270
	2/16/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/11/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/10/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/22/2002	ND	ND	ND	ND	ND	93	25	ND	61	ND	ND	ND	ND	ND	ND	179
	*05/02/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	18	17	ND	ND	ND	35
	8/2/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/17/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/7/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/30/2003	ND	ND	ND	ND	ND	31	8.6	ND	19	ND	ND	ND	ND	ND	ND	59
	**05/19/2003	ND	ND	ND	ND	ND	31	7.5	ND	24	ND	ND	ND	ND	ND	ND	63
	5/22/2003	ND	ND	ND	ND	ND	21	8.1	ND	18	ND	ND	ND	ND	ND	ND	47
	5/27/2003	ND	ND	ND	ND	ND	18	ND	ND	13	ND	ND	ND	ND	ND	ND	31
	5/30/2003	ND	ND	ND	ND	ND	11	ND	ND	9.6	ND	ND	ND	ND	ND	ND	21
	7/25/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/3/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/8/2004	ND	ND	ND	ND	ND	72	21	ND	49	ND	ND	ND	ND	ND	ND	142
	1/16/2004	ND	ND	ND	ND	ND	75	26	ND	62	ND	ND	ND	ND	ND	ND	163
	1/19/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/2/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/7/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/17/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/19/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/11/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/6/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/25/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/18/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/27/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/16/2007	ND	ND	ND	ND	ND	73	19	ND	35	ND	ND	ND	ND	ND	ND	127
	2/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/17/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/17/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/26/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/4/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/3/2008	ND	ND	ND	ND	ND	10.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.7
	7/18/2008	ND	ND	ND	ND	ND	5.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.7
	7/22/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/21/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/22/2009	ND	ND	ND	ND	ND	5.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.9
	6/9/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/28/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/19/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/21/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/19/2010	ND	ND	ND	55.9	ND	15.7	ND	ND	10.3	ND	ND	ND	ND	ND	ND	81.9
	12/8/2010	ND	ND	ND	57.9	ND	24.4	ND	ND	11.8	ND	ND	ND	ND	ND	ND	94.1
	12/10/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/11/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/20/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/18/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/24/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/22/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/24/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0

Notes:
Results in micrograms per liter (ug/l).
* - Naphthalene and MTBE were detected at 18 and 17 ug/L, respectively; however, these detections are most likely due to laboratory artifacts or handling issues.
** - Methylene chloride was detected at 5.9 ug/L, however, this detection was most likely due to a laboratory artifact.

ATTACHMENT A

Groundwater Level Measurements

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/03/07	732.25	11.52	720.73
	02/12/07		12.00	720.25
	03/12/07		11.74	720.51
	04/09/07		12.01	720.24
	05/07/07		12.11	720.14
	06/08/07		12.45	719.80
	07/17/07		12.66	719.59
	08/01/07		12.73	719.52
	09/14/07		13.03	719.22
	10/12/07		13.38	718.87
	11/09/07		13.37	718.88
	12/07/07		13.27	718.98
	01/04/08		12.79	719.46
	02/15/08		11.85	720.40
	03/13/08		11.48	720.77
	04/11/08		11.31	720.94
	05/08/08		11.95	720.30
	06/06/08		11.08	721.17
	07/03/08		11.29	720.96
	08/01/08		11.65	720.60
	09/12/08		12.38	719.87
	10/10/08		12.78	719.47
	11/06/08		13.05	719.20
	12/19/08		12.97	719.28
	01/02/09		12.39	719.86
	02/13/09		12.30	719.95
	03/13/09		12.40	719.85
	04/09/09		12.22	720.03
	05/08/09		11.90	720.35
	06/05/09		11.89	720.36
	07/02/09		12.05	720.20
	08/14/09		11.55	720.70
	09/11/09		12.02	720.23
	10/09/09		12.29	719.96
	11/04/09		12.26	719.99
	12/04/09		12.55	719.70
	01/14/10		12.50	719.75
	02/10/10		NG	NG
	03/11/10		12.49	719.76
	04/08/10		12.19	720.06
	05/06/10		12.35	719.90
	06/04/10		12.47	719.78
	07/01/10		11.69	720.56
	08/12/10		12.39	719.86
	09/08/10		13.07	719.18
	10/07/10		14.04	718.21
	11/19/10		14.28	717.97
	12/03/10		13.70	718.55
	01/14/11		13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99
	12/01/11		12.82	719.43
	01/13/12		12.50	719.75
	02/10/12		12.30	719.95
	03/09/12		12.80	719.45
	04/06/12		12.31	719.94
	05/02/12		12.47	719.78
	06/01/12		12.71	719.54
	07/13/12		13.48	718.77
	08/10/12		13.94	718.31

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/03/07	728.71	10.46	718.25
	02/12/07		10.93	717.78
	03/12/07		10.81	717.90
	04/09/07		10.88	717.83
	05/07/07		10.95	717.76
	06/08/07		11.10	717.61
	07/17/07		11.12	717.59
	08/01/07		11.12	717.59
	09/14/07		11.21	717.50
	10/12/07		11.35	717.36
	11/09/07		11.35	717.36
	12/07/07		11.36	717.35
	01/04/08		11.24	717.47
	02/15/08		10.61	718.10
	03/13/08		10.42	718.29
	04/11/08		10.23	718.48
	05/08/08		10.70	718.01
	06/06/08		9.84	718.87
	07/03/08		9.89	718.82
	08/01/08		10.54	718.17
	09/12/08		10.92	717.79
	10/10/08		11.04	717.67
	11/06/08		11.20	717.51
	12/19/08		11.01	717.70
	01/02/09		10.98	717.73
	02/13/09		10.79	717.92
	03/13/09		11.13	717.58
	04/09/09		10.86	717.85
	05/08/09		10.81	717.90
	06/05/09		10.71	718.00
	07/02/09		10.81	717.90
	08/14/09		10.52	718.19
	09/11/09		10.80	717.91
	10/09/09		10.77	717.94
	11/04/09		10.91	717.80
	12/04/09		11.07	717.64
	01/14/10		11.09	717.62
	02/10/10		11.13	717.58
	03/11/10		11.03	717.68
	04/08/10		10.75	717.96
	05/06/10		10.96	717.75
	06/04/10		11.01	717.70
	07/01/10		10.52	718.19
	08/12/10		10.88	717.83
	09/08/10		11.10	717.61
	10/07/10		11.33	717.38
	11/19/10		11.49	717.22
	12/03/10		11.26	717.45
	01/14/11		11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		10.60	718.11
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69
	12/01/11		10.74	717.97
	01/13/12		10.90	717.81
	02/10/12		10.86	717.85
	03/09/12		11.08	717.63
	04/06/12		10.73	717.98
	05/02/12		10.68	718.03
	06/01/12		10.97	717.74
	07/13/12		11.18	717.53
	08/10/12		11.29	717.42

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/03/07	736.44	14.00	722.44
	02/12/07		14.58	721.86
	03/12/07		14.41	722.03
	04/09/07		14.64	721.80
	05/07/07		14.83	721.61
	06/08/07		15.32	721.12
	07/17/07		15.73	720.71
	08/01/07		16.89	719.55
	09/14/07		16.23	720.21
	10/12/07		16.65	719.79
	11/09/07		16.60	719.84
	12/07/07		16.55	719.89
	01/04/08		15.87	720.57
	02/15/08		14.41	722.03
	03/13/08		13.82	722.62
	04/11/08		13.50	722.94
	05/08/08		14.33	722.11
	06/06/08		13.30	723.14
	07/03/08		13.41	723.03
	08/01/08		13.68	722.76
	09/12/08		15.28	721.16
	10/10/08		15.77	720.67
	11/06/08		16.11	720.33
	12/19/08		16.10	720.34
	01/02/09		15.26	721.18
	02/13/09		15.16	721.28
	03/13/09		15.25	721.19
	04/09/09		14.88	721.56
	05/08/09		NG	NG
	06/05/09		14.25	722.19
	07/02/09		14.62	721.82
	08/14/09		13.92	722.52
	09/11/09		14.73	721.71
	10/09/09		15.17	721.27
	11/04/09		15.07	721.37
	12/04/09		15.48	720.96
	01/14/10		15.23	721.21
	02/10/10		15.37	721.07
	03/11/10		15.21	721.23
	04/08/10		14.82	721.62
	05/06/10		14.92	721.52
	06/04/10		15.13	721.31
	07/01/10		14.04	722.40
	08/12/10		15.06	721.38
	09/08/10		15.85	720.59
	10/07/10		16.52	719.92
	11/19/10		16.99	719.45
	12/03/10		16.32	720.12
	01/14/11		16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47
	12/01/11		15.48	720.96
	01/13/12		14.87	721.57
	02/10/12		14.49	721.95
	03/09/12		15.10	721.34
	04/06/12		14.63	721.81
	05/02/12		14.59	721.85
	06/01/12		15.13	721.31
	07/13/12		16.09	720.35
	08/10/12		16.63	719.81

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/03/07	733.04	6.85	726.19
	02/12/07		7.81	725.23
	03/12/07		9.56	723.48
	04/09/07		10.56	722.48
	05/07/07		8.35	724.69
	06/08/07		9.07	723.97
	07/17/07		9.65	723.39
	08/01/07		9.82	723.22
	09/14/07		10.49	722.55
	10/12/07		10.95	722.09
	11/09/07		11.14	721.90
	12/07/07		11.21	721.83
	01/04/08		10.46	722.58
	02/15/08		8.45	724.59
	03/13/08		7.28	725.76
	04/11/08		6.40	726.64
	05/08/08		7.74	725.30
	06/06/08		8.49	724.55
	07/03/08		8.50	724.54
	08/01/08		7.28	725.76
	09/12/08		7.30	725.74
	10/10/08		9.47	723.57
	11/06/08		9.98	723.06
	12/19/08		9.34	723.70
	01/02/09		8.77	724.27
	02/13/09		8.04	725.00
	03/13/09		8.75	724.29
	04/09/09		7.82	725.22
	05/08/09		NG	NG
	06/05/09		7.24	725.80
	07/02/09		7.89	725.15
	08/14/09		6.96	726.08
	09/11/09		8.47	724.57
	10/09/09		8.34	724.70
	11/04/09		8.46	724.58
	12/04/09		8.98	724.06
	01/14/10		8.83	724.21
	02/10/10		NG	NG
	03/11/10		8.51	724.53
	04/08/10		7.37	725.67
	05/06/10		8.16	724.88
	06/04/10		8.48	724.56
	07/01/10		7.22	725.82
	08/12/10		8.94	724.10
	09/08/10		9.81	723.23
	10/07/10		10.51	722.53
	11/19/10		11.10	721.94
	12/03/10		10.31	722.73
	01/14/11		10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29
	12/01/11		8.57	724.47
	01/13/12		8.18	724.86
	02/10/12		7.76	725.28
	03/09/12		8.52	724.52
	04/06/12		7.71	725.33
	05/02/12		6.56	726.48
	06/01/12		8.58	724.46
	07/13/12		9.90	723.14
	08/10/12		10.42	722.62

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12	01/03/07	736.38	15.70	720.68
	02/12/07		16.18	720.20
	03/12/07		15.54	720.84
	04/09/07		16.17	720.21
	05/07/07		16.32	720.06
	06/08/07		16.58	719.80
	07/17/07		16.79	719.59
	08/01/07		16.88	719.50
	09/14/07		17.10	719.28
	10/12/07		17.47	718.91
	11/09/07		17.45	718.93
	12/07/07		17.35	719.03
	01/04/08		16.86	719.52
	02/03/08		15.97	720.41
	03/13/08		15.67	720.71
	04/11/08		15.52	720.86
	05/08/08		16.06	720.32
Well Damaged	06/06/08		NG	NG
MW-12R	07/03/08	736.15	15.47	720.68
	08/01/08		15.76	720.39
	09/12/08		16.49	719.66
	10/10/08		16.85	719.30
	11/06/08		17.17	718.98
	12/19/08		17.05	719.10
	01/02/09		16.51	719.64
	02/13/09		16.44	719.71
	03/13/09		16.57	719.58
	04/09/09		16.38	719.77
	05/08/09		16.11	720.04
	06/05/09		16.05	720.10
	07/02/09		16.22	719.93
	08/14/09		15.77	720.38
	09/11/09		16.04	720.11
	10/09/09		16.41	719.74
	11/04/09		16.46	719.69
	12/04/09		16.71	719.44
	01/14/10		16.60	719.55
	02/10/10		16.68	719.47
	03/11/10		16.63	719.52
	04/08/10		16.32	719.83
	05/06/10		16.49	719.66
	06/04/10		16.61	719.54
	07/01/10		15.85	720.30
	08/12/10		16.64	719.51
	09/08/10		17.28	718.87
	10/07/10		18.41	717.74
	11/19/10		18.71	717.44
	12/03/10		18.22	717.93
	01/14/11		17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61
	12/01/11		17.20	718.95
	01/13/12		16.83	719.32
	02/10/12		16.66	719.49
	03/09/12		17.15	719.00
	04/06/12		16.74	719.41
	05/02/12		16.87	719.28
	06/01/12		18.87	717.28
	07/13/12		17.80	718.35
	08/10/12		18.16	717.99

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/03/07	734.03	8.51	725.52
	02/12/07		9.42	724.61
	03/12/07		9.24	724.79
	04/09/07		9.36	724.67
	05/07/07		9.61	724.42
	06/08/07		10.20	723.83
	07/17/07		10.72	723.31
	08/01/07		10.85	723.18
	09/14/07		11.58	722.45
	10/12/07		12.02	722.01
	11/09/07		12.10	721.93
	12/07/07		11.91	722.12
	01/04/08		11.11	722.92
	02/15/08		9.43	724.60
	03/13/08		8.71	725.32
	04/11/08		8.28	725.75
	05/08/08		9.23	724.80
	06/06/08		7.64	726.39
	07/03/08		7.67	726.36
	08/01/08		9.00	725.03
	09/12/08		9.05	724.98
	10/10/08		10.51	723.52
	11/06/08		11.17	722.86
	12/19/08		10.01	724.02
	01/02/09		9.69	724.34
	02/13/09		9.12	724.91
	03/13/09		9.84	724.19
	04/09/09		9.04	724.99
	05/08/09		8.53	725.50
	06/05/09		8.93	725.10
	07/02/09		9.34	724.69
	08/14/09		8.68	725.35
	09/11/09		9.74	724.29
	10/09/09		9.24	724.79
	11/04/09		9.55	724.48
	12/04/09		9.98	724.05
	01/14/10		9.99	724.04
	02/10/10		9.99	724.04
	03/11/10		9.46	724.57
	04/08/10		8.53	725.50
	05/06/10		9.41	724.62
	06/04/10		9.51	724.52
	07/01/10		8.81	725.22
	08/12/10		10.16	723.87
	09/08/10		11.07	722.96
	10/07/10		11.76	722.27
	11/19/10		12.08	721.95
	12/03/10		10.96	723.07
	01/14/11		11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52
	12/01/11		9.32	724.71
	01/13/12		9.39	724.64
	02/10/12		9.19	724.84
	03/09/12		9.63	724.40
	04/06/12		9.04	724.99
	05/02/12		8.41	725.62
	06/01/12		9.84	724.19
	07/13/12		11.14	722.89
	08/10/12		11.33	722.70

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/03/07	737.91	15.71	722.20
	02/12/07		4.76	733.15
	03/12/07		16.10	721.81
	04/09/07		16.91	721.00
	05/07/07		16.50	721.41
	06/08/07		16.98	720.93
	07/17/07		17.35	720.56
	08/01/07		17.55	720.36
	09/14/07		17.88	720.03
	10/12/07		18.29	719.62
	11/09/07		18.23	719.68
	12/07/07		18.19	719.72
	01/04/08		17.48	720.43
	02/15/08		16.10	721.81
	03/13/08		15.52	722.39
	04/11/08		15.20	722.71
	05/08/08		16.02	721.89
	06/06/08		15.00	722.91
	07/03/08		15.05	722.86
	08/01/08		15.36	722.55
	09/12/08		16.95	720.96
	10/10/08		17.43	720.48
	11/06/08		17.78	720.13
	12/19/08		17.75	720.16
	01/02/09		16.94	720.97
	02/13/09		16.85	721.06
	03/13/09		16.94	720.97
	04/09/09		16.60	721.31
	05/08/09		16.16	721.75
	06/05/09		15.97	721.94
	07/02/09		16.32	721.59
	08/14/09		15.67	722.24
	09/11/09		16.41	721.50
	10/09/09		16.94	720.97
	11/04/09		16.76	721.15
	12/04/09		17.15	720.76
	01/14/10		16.95	720.96
	02/10/10		17.06	720.85
	03/11/10		16.91	721.00
	04/08/10		16.53	721.38
	05/06/10		16.63	721.28
	06/04/10		16.84	721.07
	07/01/10		15.78	722.13
	08/12/10		16.76	721.15
	09/08/10		17.51	720.40
	10/07/10		18.17	719.74
	11/19/10		18.64	719.27
	12/03/10		17.98	719.93
	01/14/11		17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27
	12/01/11		17.18	720.73
	01/13/12		16.57	721.34
	02/10/12		16.24	721.67
	03/09/12		16.89	721.02
	04/06/12		16.33	721.58
	05/02/12		16.43	721.48
	06/01/12		16.79	721.12
	07/13/12		17.78	720.13
	08/10/12		18.29	719.62

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/03/07	737.64	16.46	721.18
	02/12/07		16.90	720.74
	03/12/07		16.66	720.98
	04/09/07		16.91	720.73
	05/07/07		17.03	720.61
	06/08/07		17.43	720.21
	07/17/07		17.76	719.88
	08/01/07		17.97	719.67
	09/14/07		18.24	719.40
	10/12/07		18.62	719.02
	11/09/07		18.59	719.05
	12/07/07		18.51	719.13
	01/04/08		17.91	719.73
	02/15/08		16.80	720.84
	03/13/08		16.37	721.27
	04/11/08		16.13	721.51
	05/08/08		16.74	720.90
	06/06/08		15.88	721.76
	07/03/08		15.91	721.73
	08/01/08		16.29	721.35
	09/12/08		17.47	720.17
	10/10/08		17.87	719.77
	11/06/08		18.22	719.42
	12/19/08		18.12	719.52
	01/02/09		17.47	720.17
	02/13/09		17.37	720.27
	03/13/09		17.58	720.06
	04/09/09		17.23	720.41
	05/08/09		16.89	720.75
	06/05/09		16.72	720.92
	07/02/09		16.98	720.66
	08/14/09		16.49	721.15
	09/11/09		16.91	720.73
	10/09/09		17.36	720.28
	11/04/09		17.30	720.34
	12/04/09		17.65	719.99
	01/14/10		17.48	720.16
	02/10/10		17.57	720.07
	03/11/10		17.46	720.18
	04/08/10		17.14	720.50
	05/06/10		17.28	720.36
	06/04/10		17.42	720.22
	07/01/10		16.55	721.09
	08/12/10		17.27	720.37
	09/08/10		17.88	719.76
	10/07/10		18.64	719.00
	11/19/10		19.08	718.56
	12/03/10		18.46	719.18
	01/14/11		18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53
	12/01/11		17.70	719.94
	01/13/12		17.24	720.40
	02/10/12		17.05	720.59
	03/09/12		17.55	720.09
	04/06/12		17.06	720.58
	05/02/12		17.19	720.45
	06/01/12		17.43	720.21
	07/13/12		18.29	719.35
	08/10/12		18.76	718.88

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/03/07	736.02	14.51	721.51
	02/12/07		14.97	721.05
	03/12/07		14.88	721.14
	04/09/07		15.07	720.95
	05/07/07		15.24	720.78
	06/08/07		15.63	720.39
	07/17/07		15.95	720.07
	08/01/07		16.02	720.00
	09/14/07		16.31	719.71
	10/12/07		16.64	719.38
	11/09/07		16.65	719.37
	12/07/07		16.67	719.35
	01/04/08		16.18	719.84
	02/15/08		14.95	721.07
	03/13/08		14.43	721.59
	04/11/08		14.07	721.95
	05/08/08		14.88	721.14
	06/06/08		13.85	722.17
	07/03/08		13.87	722.15
	08/01/08		14.38	721.64
	09/12/08		15.58	720.44
	10/10/08		15.98	720.04
	11/06/08		16.26	719.76
	12/19/08		16.28	719.74
	01/02/09		15.74	720.28
	02/13/09		15.54	720.48
	03/13/09		15.66	720.36
	04/09/09		15.43	720.59
	05/08/09		15.03	720.99
	06/05/09		14.79	721.23
	07/02/09		15.07	720.95
	08/14/09		14.50	721.52
	09/11/09		15.13	720.89
	10/09/09		15.53	720.49
	11/04/09		15.49	720.53
	12/04/09		15.80	720.22
	01/14/10		15.60	720.42
	02/10/10		15.71	720.31
	03/11/10		15.61	720.41
	04/08/10		15.28	720.74
	05/06/10		15.39	720.63
	06/04/10		15.55	720.47
	07/01/10		14.56	721.46
	08/12/10		15.39	720.63
	09/08/10		16.02	720.00
	10/07/10		16.57	719.45
	11/19/10		16.98	719.04
	12/03/10		16.56	719.46
	01/14/11		16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86
	12/01/11		15.83	720.19
	01/13/12		15.27	720.75
	02/10/12		15.03	720.99
	03/09/12		15.63	720.39
	04/06/12		15.11	720.91
	05/02/12		15.25	720.77
	06/01/12		15.47	720.55
	07/13/12		16.20	719.82
	08/10/12		17.65	718.37

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/03/07	736.39	11.42	724.97
	02/12/07		12.28	724.11
	03/12/07		12.15	724.24
	04/09/07		12.39	724.00
	05/07/07		12.65	723.74
	06/08/07		13.25	723.14
	07/17/07		13.69	722.70
	08/01/07		13.85	722.54
	09/14/07		14.37	722.02
	10/12/07		14.82	721.57
	11/09/07		14.93	721.46
	12/07/07		14.91	721.48
	01/04/08		14.20	722.19
	02/15/08		12.47	723.92
	03/13/08		11.63	724.76
	04/11/08		11.04	725.35
	05/08/08		12.13	724.26
	06/06/08		10.29	726.10
	07/03/08		10.31	726.08
	08/01/08		11.71	724.68
	09/12/08		11.80	724.59
	10/10/08		13.61	722.78
	11/06/08		14.07	722.32
	12/19/08		13.95	722.44
	01/02/09		12.92	723.47
	02/13/09		12.47	723.92
	03/13/09		13.02	723.37
	04/09/09		12.22	724.17
	05/08/09		11.72	724.67
	06/05/09		11.78	724.61
	07/02/09		12.27	724.12
	08/14/09		11.44	724.95
	09/11/09		12.70	723.69
	10/09/09		12.72	723.67
	11/04/09		12.74	723.65
	12/04/09		13.21	723.18
	01/14/10		13.06	723.33
	02/10/10		13.15	723.24
	03/11/10		12.78	723.61
	04/08/10		12.18	724.21
	05/06/10		12.52	723.87
	06/04/10		12.69	723.70
	07/01/10		11.62	724.77
	08/12/10		13.06	723.33
	09/08/10		13.89	722.50
	10/07/10		14.52	721.87
	11/19/10		14.97	721.42
	12/03/10		14.11	722.28
	01/14/11		14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68
	12/01/11		12.73	723.66
	01/13/12		12.48	723.91
	02/10/12		12.15	724.24
	03/09/12		12.81	723.58
	04/06/12		12.09	724.30
	05/02/12		11.98	724.41
	06/01/12		12.81	723.58
	07/13/12		13.97	722.42
	08/10/12		14.32	722.07

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/03/07	736.63	14.31	722.32
	02/12/07		15.04	721.59
	03/12/07		16.68	719.95
	04/09/07		15.03	721.60
	05/07/07		15.17	721.46
	06/08/07		15.71	720.92
	07/17/07		16.11	720.52
	08/01/07		16.31	720.32
	09/14/07		16.63	720.00
	10/12/07		17.08	719.55
	11/09/07		17.08	719.55
	12/07/07		16.79	719.84
	01/04/08		16.30	720.33
	02/15/08		14.87	721.76
	03/13/08		14.33	722.30
	04/11/08		14.11	722.52
	05/08/08		14.93	721.70
	06/06/08		13.76	722.87
	07/03/08		13.80	722.83
	08/01/08		14.46	722.17
	09/12/08		15.67	720.96
	10/10/08		16.12	720.51
	11/06/08		16.52	720.11
	12/19/08		16.41	720.22
	01/02/09		15.50	721.13
	02/13/09		15.43	721.20
	03/13/09		15.58	721.05
	04/09/09		15.11	721.52
	05/08/09		14.72	721.91
	06/05/09		14.64	721.99
	07/02/09		15.01	721.62
	08/14/09		14.37	722.26
	09/11/09		15.08	721.55
	10/09/09		15.43	721.20
	11/04/09		15.34	721.29
	12/04/09		15.78	720.85
	01/14/10		15.61	721.02
	02/10/10		15.73	720.90
	03/11/10		15.47	721.16
	04/08/10		15.12	721.51
	05/06/10		15.26	721.37
	06/04/10		15.47	721.16
	07/01/10		14.45	722.18
	08/12/10		15.42	721.21
	09/08/10		16.33	720.30
	10/07/10		16.99	719.64
	11/19/10		17.38	719.25
	12/03/10		16.64	719.99
	01/14/11		16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37
	12/01/11		15.68	720.95
	01/13/12		15.21	721.42
	02/10/12		14.93	721.70
	03/09/12		15.62	721.01
	04/06/12		14.95	721.68
	05/02/12		15.20	721.43
	06/01/12		15.48	721.15
	07/13/12		16.54	720.09
	08/10/12		17.03	719.60

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/03/07	738.04	16.07	721.97
	02/12/07		16.67	721.37
	03/12/07		NG	NG
	04/09/07		16.66	721.38
	05/07/07		16.81	721.23
	06/08/07		17.29	720.75
	07/17/07		17.67	720.37
	08/01/07		17.88	720.16
	09/14/07		18.19	719.85
	10/12/07		18.61	719.43
	11/09/07		18.60	719.44
	12/07/07		18.35	719.69
	01/04/08		17.85	720.19
	02/15/08		16.51	721.53
	03/13/08		16.01	722.03
	04/11/08		15.74	722.30
	05/08/08		16.51	721.53
	06/06/08		15.52	722.52
	07/03/08		15.56	722.48
	08/01/08		16.01	722.03
	09/12/08		17.28	720.76
	10/10/08		17.71	720.33
	11/06/08		18.11	719.93
	12/19/08		18.03	720.01
	01/02/09		17.20	720.84
	02/13/09		17.12	720.92
	03/13/09		17.23	720.81
	04/09/09		16.87	721.17
	05/08/09		16.48	721.56
	06/05/09		16.35	721.69
	07/02/09		16.44	721.60
	08/14/09		16.07	721.97
	09/11/09		16.68	721.36
	10/09/09		17.11	720.93
	11/04/09		17.03	721.01
	12/04/09		17.43	720.61
	01/14/10		17.25	720.79
	02/10/10		17.34	720.70
	03/11/10		17.18	720.86
	04/08/10		16.82	721.22
	05/06/10		16.95	721.09
	06/04/10		17.14	720.90
	07/01/10		16.15	721.89
	08/12/10		17.03	721.01
	09/08/10		17.87	720.17
	10/07/10		18.57	719.47
	11/19/10		19.00	719.04
	12/03/10		18.31	719.73
	01/14/11		18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12
	12/01/11		17.42	720.62
	01/13/12		16.92	721.12
	02/10/12		16.65	721.39
	03/09/12		17.29	720.75
	04/06/12		16.66	721.38
	05/02/12		16.90	721.14
	06/01/12		17.16	720.88
	07/13/12		18.17	719.87
	08/10/12		18.68	719.36

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/03/07	737.61	15.89	721.72
	02/12/07		16.53	721.08
	03/12/07		16.34	721.27
	04/09/07		16.51	721.10
	05/07/07		16.65	720.96
	06/08/07		17.16	720.45
	07/17/07		17.52	720.09
	08/01/07		17.71	719.90
	09/14/07		18.03	719.58
	10/12/07		18.45	719.16
	11/09/07		18.44	719.17
	12/07/07		18.13	719.48
	01/04/08		17.66	719.95
	02/15/08		16.36	721.25
	03/13/08		15.89	721.72
	04/11/08		15.67	721.94
	05/08/08		16.43	721.18
	06/06/08		15.45	722.16
	07/03/08		15.47	722.14
	08/01/08		16.08	721.53
	09/12/08		17.13	720.48
	10/10/08		17.55	720.06
	11/06/08		17.93	719.68
	12/19/08		17.80	719.81
	01/02/09		16.96	720.65
	02/13/09		16.90	720.71
	03/13/09		17.02	720.59
	04/09/09		16.84	720.77
	05/08/09		16.27	721.34
	06/05/09		16.88	720.73
	07/02/09		16.91	720.70
	08/14/09		15.93	721.68
	09/11/09		15.84	721.77
	10/09/09		16.92	720.69
	11/04/09		16.83	720.78
	12/04/09		17.25	720.36
	01/14/10		17.03	720.58
	02/10/10		17.18	720.43
	03/11/10		16.98	720.63
	04/08/10		16.61	721.00
	05/06/10		16.77	720.84
	06/04/10		16.97	720.64
	07/01/10		15.99	721.62
	08/12/10		16.90	720.71
	09/08/10		17.78	719.83
	10/07/10		18.45	719.16
	11/19/10		18.84	718.77
	12/03/10		18.12	719.49
	01/14/11		17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88
	12/01/11		17.19	720.42
	01/13/12		16.73	720.88
	02/10/12		16.48	721.13
	03/09/12		17.13	720.48
	04/06/12		16.48	721.13
	05/02/12		16.69	720.92
	06/01/12		17.00	720.61
	07/13/12		18.03	719.58
	08/10/12		18.55	719.06

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/03/07	734.84	15.15	719.69
	02/12/07		15.34	719.50
	03/12/07		17.13	717.71
	04/09/07		15.36	719.48
	05/07/07		15.44	719.40
	06/08/07		15.48	719.36
	07/17/07		15.47	719.37
	08/01/07		15.49	719.35
	09/14/07		16.07	718.77
	10/12/07		16.06	718.78
	11/09/07		16.10	718.74
	12/07/07		16.15	718.69
	01/04/08		16.01	718.83
	02/15/08		15.17	719.67
	03/13/08		14.88	719.96
	04/11/08		14.67	720.17
	05/08/08		15.22	719.62
	06/06/08		14.32	720.52
	07/03/08		14.80	720.04
	08/01/08		14.91	719.93
	09/12/08		15.72	719.12
	10/10/08		15.92	718.92
	11/06/08		16.07	718.77
	12/19/08		15.84	719.00
	01/02/09		15.72	719.12
	02/13/09		15.68	719.16
	03/13/09		15.79	719.05
	04/09/09		15.66	719.18
	05/08/09		15.57	719.27
	06/05/09		15.40	719.44
	07/02/09		15.55	719.29
	08/14/09		15.10	719.74
	09/11/09		15.16	719.68
	10/09/09		15.67	719.17
	11/04/09		15.39	719.45
	12/04/09		15.87	718.97
	01/14/10		15.82	719.02
	02/10/10		15.74	719.10
	03/11/10		15.68	719.16
	04/08/10		15.48	719.36
	05/06/10		16.61	718.23
	06/04/10		15.66	719.18
	07/01/10		13.07	721.77
	08/12/10		14.99	719.85
	09/08/10		15.83	719.01
	10/07/10		16.12	718.72
	11/19/10		16.24	718.60
	12/03/10		16.03	718.81
	01/14/11		16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13
	12/01/11		15.22	719.62
	01/13/12		15.44	719.40
	02/10/12		15.37	719.47
	03/09/12		15.64	719.20
	04/06/12		15.31	719.53
	05/02/12		15.37	719.47
	06/01/12		15.52	719.32
	07/13/12		15.83	719.01
	08/10/12		16.01	718.83

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/03/07	730.97	12.40	718.57
	02/12/07		11.96	719.01
	03/12/07		12.22	718.75
	04/09/07		11.98	718.99
	05/07/07		11.10	719.87
	06/08/07		11.68	719.29
	07/17/07		11.44	719.53
	08/01/07		11.60	719.37
	09/14/07		13.10	717.87
	10/12/07		12.20	718.77
	11/09/07		12.27	718.70
	12/07/07		13.18	717.79
	01/04/08		12.85	718.12
	02/15/08		11.70	719.27
	03/13/08		11.61	719.36
	04/11/08		11.40	719.57
	05/08/08		11.39	719.58
	06/06/08		10.88	720.09
	07/03/08		11.65	719.32
	08/01/08		11.58	719.39
	09/12/08		13.09	717.88
	10/10/08		13.22	717.75
	11/06/08		12.96	718.01
	12/19/08		13.02	717.95
	01/02/09		12.80	718.17
	02/13/09		12.90	718.07
	03/13/09		12.78	718.19
	04/09/09		12.10	718.87
	05/08/09		13.35	717.62
	06/05/09		12.90	718.07
	07/02/09		12.68	718.29
	08/14/09		12.38	718.59
	09/11/09		12.30	718.67
	10/09/09		13.50	717.47
	11/04/09		13.04	717.93
	12/04/09		13.21	717.76
	01/14/10		13.42	717.55
	02/10/10		13.39	717.58
	03/11/10		12.81	718.16
	04/08/10		13.15	717.82
	05/06/10		12.14	718.83
	06/04/10		12.10	718.87
	07/01/10		13.42	717.55
	08/12/10		10.90	720.07
	09/08/10		12.70	718.27
	10/07/10		12.40	718.57
	11/19/10		12.45	718.52
	12/03/10		12.45	718.52
	01/14/11		12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22
	12/01/11		11.37	719.60
	01/13/12		12.84	718.13
	02/10/12		12.31	718.66
	03/09/12		12.98	717.99
	04/06/12		12.96	718.01
	05/02/12		12.90	718.07
	06/01/12		12.40	718.57
	07/13/12		12.95	718.02
	08/10/12		12.94	718.03

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/03/07	732.05	15.36	716.69
	02/12/07		15.82	716.23
	03/12/07		11.66	720.39
	04/09/07		15.91	716.14
	05/07/07		12.35	719.70
	06/08/07		15.31	716.74
	07/17/07		15.83	716.22
	08/01/07		14.40	717.65
	09/14/07		14.85	717.20
	10/12/07		14.41	717.64
	11/09/07		14.62	717.43
	12/07/07		14.68	717.37
	01/04/08		14.70	717.35
	02/15/08		15.25	716.80
	03/13/08		15.31	716.74
	04/11/08		14.10	717.95
	05/08/08		15.24	716.81
	06/06/08		12.13	719.92
	07/03/08		12.28	719.77
	08/01/08		12.30	719.75
	09/12/08		15.05	717.00
	10/10/08		15.88	716.17
	11/06/08		15.20	716.85
	12/19/08		15.50	716.55
	01/02/09		15.44	716.61
	02/13/09		12.15	719.90
	03/13/09		16.85	715.20
	04/09/09		16.30	715.75
	05/08/09		15.65	716.40
	06/05/09		14.68	717.37
	07/02/09		14.60	717.45
	08/14/09		15.35	716.70
	09/11/09		14.50	717.55
	10/09/09		17.15	714.90
	11/04/09		12.14	719.91
	12/04/09		16.81	715.24
	01/14/10		15.50	716.55
	02/10/10		15.20	716.85
	03/11/10		14.35	717.70
	04/08/10		14.28	717.77
	05/06/10		13.72	718.33
	06/04/10		13.45	718.60
	07/01/10		13.81	718.24
	08/12/10		14.58	717.47
	09/08/10		16.10	715.95
	10/07/10		15.50	716.55
	11/19/10		15.05	717.00
	12/03/10		13.78	718.27
	01/14/11		13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87
	12/01/11		15.06	716.99
	01/13/12		12.70	719.35
	02/10/12		12.48	719.57
	03/09/12		14.95	717.10
	04/06/12		13.22	718.83
	05/02/12		15.24	716.81
	06/01/12		15.21	716.84
	07/13/12		13.40	718.65
	08/10/12		15.18	716.87

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/03/07	733.19	18.41	714.78
	02/12/07		16.88	716.31
	03/12/07		12.16	721.03
	04/09/07		18.18	715.01
	05/07/07		12.95	720.24
	06/08/07		17.15	716.04
	07/17/07		17.71	715.48
	08/01/07		16.05	717.14
	09/14/07		16.45	716.74
	10/12/07		16.97	716.22
	11/09/07		18.75	714.44
	12/07/07		16.55	716.64
	01/04/08		15.67	717.52
	02/15/08		15.68	717.51
	03/13/08		15.79	717.40
	04/11/08		13.37	719.82
	05/08/08		16.65	716.54
	06/06/08		13.05	720.14
	07/03/08		13.90	719.29
	08/01/08		14.24	718.95
	09/12/08		15.59	717.60
	10/10/08		16.51	716.68
	11/06/08		16.55	716.64
	12/19/08		16.87	716.32
	01/02/09		16.81	716.38
	02/13/09		16.28	716.91
	03/13/09		16.35	716.84
	04/09/09		16.01	717.18
	05/08/09		15.77	717.42
	06/05/09		15.45	717.74
	07/02/09		15.10	718.09
	08/14/09		15.03	718.16
	09/11/09		14.84	718.35
	10/09/09		15.71	717.48
	11/04/09		15.66	717.53
	12/04/09		15.50	717.69
	01/14/10		16.01	717.18
	02/10/10		16.24	716.95
	03/11/10		16.21	716.98
	04/08/10		15.93	717.26
	05/06/10		16.03	717.16
	06/04/10		16.13	717.06
	07/01/10		15.09	718.10
	08/12/10		16.68	716.51
	09/08/10		15.38	717.81
	10/07/10		16.47	716.72
	11/19/10		18.69	714.50
	12/03/10		17.40	715.79
	01/14/11		17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47
	12/01/11		16.03	717.16
	01/13/12		15.63	717.56
	02/10/12		15.42	717.77
	03/09/12		15.93	717.26
	04/06/12		15.58	717.61
	05/02/12		15.75	717.44
	06/01/12		15.71	717.48
	07/13/12		17.98	715.21
	08/10/12		18.25	714.94

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/03/07	735.48	16.35	719.13
	02/12/07		16.99	718.49
	03/12/07		16.68	718.80
	04/09/07		15.45	720.03
	05/07/07		15.71	719.77
	06/08/07		16.01	719.47
	07/17/07		16.45	719.03
	08/01/07		18.05	717.43
	09/14/07		17.59	717.89
	10/12/07		18.17	717.31
	11/09/07		17.88	717.60
	12/07/07		15.77	719.71
	01/04/08		17.90	717.58
	02/15/08		16.91	718.57
	03/13/08		16.41	719.07
	04/11/08		14.99	720.49
	05/08/08		15.81	719.67
	06/06/08		14.71	720.77
	07/03/08		14.60	720.88
	08/01/08		14.79	720.69
	09/12/08		16.43	719.05
	10/10/08		17.12	718.36
	11/06/08		17.16	718.32
	12/19/08		17.59	717.89
	01/02/09		17.65	717.83
	02/13/09		16.52	718.96
	03/13/09		16.61	718.87
	04/09/09		16.42	719.06
	05/08/09		15.86	719.62
	06/05/09		15.86	719.62
	07/02/09		16.77	718.71
	08/14/09		15.28	720.20
	09/11/09		15.28	720.20
	10/09/09		16.42	719.06
	11/04/09		16.28	719.20
	12/04/09		16.94	718.54
	01/14/10		16.64	718.84
	02/10/10		16.84	718.64
	03/11/10		16.29	719.19
	04/08/10		16.29	719.19
	05/06/10		16.79	718.69
	06/04/10		16.59	718.89
	07/01/10		15.72	719.76
	08/12/10		16.54	718.94
	09/08/10		18.06	717.42
	10/07/10		18.98	716.50
	11/19/10		19.80	715.68
	12/03/10		18.81	716.67
	01/14/11		18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42
	12/01/11		18.26	717.22
	01/13/12		17.56	717.92
	02/10/12		16.98	718.50
	03/09/12		18.00	717.48
	04/06/12		17.15	718.33
	05/02/12		17.62	717.86
	06/01/12		17.26	718.22
	07/13/12		19.53	715.95
	08/10/12		19.14	716.34

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	08/12/10	731.96	13.81	718.15
	09/08/10		14.07	717.89
	10/07/10		15.41	716.55
	11/19/10		16.78	715.18
	12/03/10		16.38	715.58
	01/14/11		15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78
	12/01/11		14.73	717.23
	01/13/12		14.37	717.59
	02/10/12		14.34	717.62
	03/09/12		14.86	717.10
	04/06/12		14.38	717.58
	05/02/12		14.53	717.43
	06/01/12		14.51	717.45
	07/13/12		15.65	716.31
	08/10/12		15.98	715.98

NR-Not Recorded
NG-Not Gauged

ATTACHMENT B

Groundwater Recovery

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	**RW-1**	**RW-2**	**RW-3**	**RW-4**	**RW-5**	**Total**
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	***445,555***	***428,463***	***536,852***	-	-	***1,410,870***
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	***1,949,120***	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	***2,835,673***	-	-	6,436,098
3/28/1997	1,692,834	2,039,011	***2,835,673***	-	-	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	***2,842,124***	-	-	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	3,313,604	7,312,970	6,402,525	-	-	17,050,326
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	3,889,675	8,638,302	7,429,910	1,171,610	-	21,150,724
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	**RW-1**	**RW-2**	**RW-3**	**RW-4**	**RW-5**	**Total**
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308
12/1/2011	18,629,825	33,598,934	48,320,048	53,355,570	6,100,310	160,025,914
12/16/2011	18,629,949	33,694,694	48,451,868	53,577,620	6,282,440	160,657,798
12/28/2011	18,629,987	33,779,384	48,561,758	53,756,850	6,369,780	161,118,986

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
1/13/2012	18,645,754	33,859,637	48,708,053	53,992,589	6,573,941	161,801,201
1/16/2012	18,716,529	33,865,708	48,721,294	54,013,533	6,592,457	161,930,748
1/27/2012	18,757,241	33,938,060	48,817,779	54,170,142	6,731,820	162,436,269
2/10/2012	18,815,117	34,035,651	48,942,826	54,373,450	6,910,967	163,099,238
2/24/2012	18,862,640	34,104,647	49,069,225	54,579,272	7,090,969	163,727,980
3/9/2012	18,902,508	34,170,267	49,197,023	54,783,061	7,269,776	164,343,862
3/23/2012	18,937,777	34,222,618	49,324,691	54,989,061	7,449,391	164,944,765
4/6/2012	18,985,172	34,316,006	49,452,912	55,194,431	7,629,191	165,598,939
4/20/2012	19,034,085	34,411,741	49,579,662	55,399,648	7,806,565	166,252,928
5/2/2012	19,072,065	34,481,477	49,688,956	55,576,321	7,959,176	166,799,222
5/16/2012	19,126,410	34,578,497	49,817,176	55,781,962	8,137,991	167,463,263
5/22/2012	19,148,742	34,617,182	49,872,834	55,871,142	8,215,560	167,746,687
6/1/2012	19,182,310	34,668,364	49,964,636	56,017,651	8,342,793	168,196,981
6/14/2012	19,220,759	34,715,694	50,084,238	56,206,400	8,508,700	168,757,018
6/26/2012	19,250,934	34,755,010	50,196,416	56,384,007	8,664,407	169,272,001
7/13/2012	19,282,456	34,789,492	50,351,741	56,627,498	8,878,597	169,951,011
7/27/2012	19,300,279	34,815,104	50,481,138	56,830,580	9,056,180	170,504,508
8/10/2012	19,309,368	34,840,760	50,610,359	57,033,320	9,233,830	171,048,864
8/24/2012	19,315,213	34,851,574	50,736,895	57,233,136	9,408,656	171,566,701

Notes:

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.

AMPHENOL CORPORATION
FRANKLIN, INDIANA

CUMULATIVE PUMPAGE



iWM CONSULTING GROUP

ATTACHMENT C

Field Notes

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Inspection Date: 8-10-12
l Personnel: R. Mien, D. White
val Time: 1200
arture Time: 3:00
m Response Visit: YES (NO)

BIWEEKLY DATA

ilizer Readings: RW-1 681819.0 RW-2 19751416.8 RW-3 34109631.0 RW-4 51033320.0 RW-5 923383.0

v Rate GPM: RW-1 cycling RW-2 cycling RW-3 6.75 RW-4 10.00 RW-5 8.50

ip Running Amps RW-1 3.3 RW-2 3.1 RW-3 3.2 RW-4 4.2 RW-5 3.1

Stripper Pressure: 15 Inches of Water

uent Clarity: (Clear)

lding Temperature: 72° Degrees F

tem Operation Upon Arrival: (YES) NO (if no please explain below)

ter Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
ase circle appropriate controller(s) below:

Manholes	(NO)	YES	Repaired	
Lines	(NO)	YES	Repaired	
Stripper	(NO)	YES	Repaired	

'es, explain:

MONTHLY DATA

ter Cartridges Replaced: yes RW-1 yes RW-2 yes RW-3 yes RW-4 yes RW-5

ipper Trays and Tubes Checked: yes

ipper Trays and Tubes Cleaned: No

onitoring/Recovery Wells Gauged: yes

commendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

ite I ion Date: 8-24-12
WM Personnel: Mier
Arrival Time: 10:45
Departure Time: 12:20
Alarm Response Visit: YES NO

BIWEEKLY DATA

Totalizer Readings: RW-1 68716604.0 RW-2 19162230.0 RW-3 34236167.0 RW-4 51233136.0 RW-5 8408656.0

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 6.50 RW-4 10.00 RW-5 8.25

Pump Running Amps RW-1 3.2 RW-2 3.1 RW-3 3.3 RW-4 4.0 RW-5 3.5

Air Stripper Pressure: 15 Inches of Water

Effluent Clarity: Clear

Building Temperature: 78 Degrees F

System Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

Manholes	NO	YES	Repaired	
Lines	NO	YES	Repaired	
Stripper	NO	YES	Repaired	

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

ATTACHMENT D

System Sample Laboratory Analytical Report

iWM CONSULTING GROUP

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

September 06, 2012

Mr. Chris Parks
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol
Pace Project No.: 5068122

Dear Mr. Parks:
Enclosed are the analytical results for sample(s) received by the laboratory on August 24, 2012. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kenneth Hunt

kenneth.hunt@pacelabs.com
Project Manager

Enclosures

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

CERTIFICATIONS

Project: Amphenol
Pace Project No.: 5068122

Indiana Certification IDs
7726 Moller Road, Indianapolis, IN 46268
Illinois Certification #: 200074
Indiana Certification #: C-49-06
Kansas Certification #: E-10247
Kentucky Certification #: 0042
Louisiana/NELAC Certification #: 04076
Ohio VAP Certification #: CL0065
Pennsylvania Certification #: 68-04991
West Virginia Certification #: 330

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

SAMPLE SUMMARY

Project: Amphenol
Pace Project No.: 5068122

Lab ID	Sample ID	Matrix	Date Collected	Date Received
5068122001	**RW-1**	Water	08/24/12 11:48	08/24/12 13:36
5068122002	**RW-2**	Water	08/24/12 11:52	08/24/12 13:36
5068122003	**RW-3**	Water	08/24/12 11:57	08/24/12 13:36
5068122004	**RW-4**	Water	08/24/12 12:10	08/24/12 13:36
5068122005	**RW-5**	Water	08/24/12 12:04	08/24/12 13:36
5068122006	**EFFLUENT**	Water	08/24/12 11:44	08/24/12 13:36

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

SAMPLE ANALYTE COUNT

Project: Amphenol
Pace Project No.: 5068122

Lab ID	Sample ID	Method	Analysts	Analytes Reported
5068122001	**RW-1**	EPA 8260	JLZ	72
5068122002	**RW-2**	EPA 8260	JLZ	72
5068122003	**RW-3**	EPA 8260	JLZ	72
5068122004	**RW-4**	EPA 8260	JLZ	72
5068122005	**RW-5**	EPA 8260	JLZ	72
5068122006	**EFFLUENT**	EPA 8260	JLZ	72

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 5068122

Sample: RW-1 **Lab ID: 5068122001** Collected: 08/24/12 11:48 Received: 08/24/12 13:36 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		09/04/12 19:15	67-64-1	
Acrolein	ND	ug/L	50.0	1		09/04/12 19:15	107-02-8	
Acrylonitrile	ND	ug/L	100	1		09/04/12 19:15	107-13-1	
Benzene	ND	ug/L	5.0	1		09/04/12 19:15	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		09/04/12 19:15	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		09/04/12 19:15	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		09/04/12 19:15	75-27-4	
Bromoform	ND	ug/L	5.0	1		09/04/12 19:15	75-25-2	
Bromomethane	ND	ug/L	5.0	1		09/04/12 19:15	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		09/04/12 19:15	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		09/04/12 19:15	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		09/04/12 19:15	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		09/04/12 19:15	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		09/04/12 19:15	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		09/04/12 19:15	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		09/04/12 19:15	108-90-7	
Chloroethane	ND	ug/L	5.0	1		09/04/12 19:15	75-00-3	
Chloroform	ND	ug/L	5.0	1		09/04/12 19:15	67-66-3	
loromethane	ND	ug/L	5.0	1		09/04/12 19:15	74-87-3	
hlorotoluene	ND	ug/L	5.0	1		09/04/12 19:15	95-49-8	
-Chlorotoluene	ND	ug/L	5.0	1		09/04/12 19:15	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		09/04/12 19:15	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		09/04/12 19:15	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		09/04/12 19:15	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		09/04/12 19:15	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		09/04/12 19:15	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		09/04/12 19:15	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		09/04/12 19:15	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		09/04/12 19:15	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		09/04/12 19:15	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		09/04/12 19:15	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		09/04/12 19:15	75-35-4	
cis-1,2-Dichloroethene	**93.6**	ug/L	5.0	1		09/04/12 19:15	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		09/04/12 19:15	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		09/04/12 19:15	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		09/04/12 19:15	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		09/04/12 19:15	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		09/04/12 19:15	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		09/04/12 19:15	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		09/04/12 19:15	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		09/04/12 19:15	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		09/04/12 19:15	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		09/04/12 19:15	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		09/04/12 19:15	591-78-6	
Iodomethane	ND	ug/L	10.0	1		09/04/12 19:15	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		09/04/12 19:15	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		09/04/12 19:15	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 5068122

Sample: RW-1 **Lab ID: 5068122001** Collected: 08/24/12 11:48 Received: 08/24/12 13:36 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		09/04/12 19:15	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		09/04/12 19:15	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		09/04/12 19:15	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		09/04/12 19:15	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		09/04/12 19:15	103-65-1	
Styrene	ND	ug/L	5.0	1		09/04/12 19:15	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		09/04/12 19:15	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		09/04/12 19:15	79-34-5	
Tetrachloroethene	**286**	ug/L	5.0	1		09/04/12 19:15	127-18-4	
Toluene	ND	ug/L	5.0	1		09/04/12 19:15	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		09/04/12 19:15	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		09/04/12 19:15	120-82-1	
1,1,1-Trichloroethane	**37.7**	ug/L	5.0	1		09/04/12 19:15	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		09/04/12 19:15	79-00-5	
Trichloroethene	**156**	ug/L	5.0	1		09/04/12 19:15	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		09/04/12 19:15	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		09/04/12 19:15	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		09/04/12 19:15	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		09/04/12 19:15	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		09/04/12 19:15	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		09/04/12 19:15	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		09/04/12 19:15	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	101	%.	83-123	1		09/04/12 19:15	1868-53-7	
4-Bromofluorobenzene (S)	109	%.	72-125	1		09/04/12 19:15	460-00-4	
Toluene-d8 (S)	97	%.	81-114	1		09/04/12 19:15	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 5068122

Sample: RW-2 **Lab ID: 5068122002** Collected: 08/24/12 11:52 Received: 08/24/12 13:36 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		09/04/12 20:20	67-64-1	
Acrolein	ND	ug/L	50.0	1		09/04/12 20:20	107-02-8	
Acrylonitrile	ND	ug/L	100	1		09/04/12 20:20	107-13-1	
Benzene	ND	ug/L	5.0	1		09/04/12 20:20	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		09/04/12 20:20	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		09/04/12 20:20	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		09/04/12 20:20	75-27-4	
Bromoform	ND	ug/L	5.0	1		09/04/12 20:20	75-25-2	
Bromomethane	ND	ug/L	5.0	1		09/04/12 20:20	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		09/04/12 20:20	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		09/04/12 20:20	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		09/04/12 20:20	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		09/04/12 20:20	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		09/04/12 20:20	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		09/04/12 20:20	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		09/04/12 20:20	108-90-7	
Chloroethane	ND	ug/L	5.0	1		09/04/12 20:20	75-00-3	
Chloroform	ND	ug/L	5.0	1		09/04/12 20:20	67-66-3	
oromethane	ND	ug/L	5.0	1		09/04/12 20:20	74-87-3	
hlorotoluene	ND	ug/L	5.0	1		09/04/12 20:20	95-49-8	
-Chlorotoluene	ND	ug/L	5.0	1		09/04/12 20:20	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		09/04/12 20:20	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		09/04/12 20:20	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		09/04/12 20:20	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		09/04/12 20:20	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		09/04/12 20:20	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		09/04/12 20:20	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		09/04/12 20:20	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		09/04/12 20:20	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		09/04/12 20:20	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		09/04/12 20:20	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		09/04/12 20:20	75-35-4	
cis-1,2-Dichloroethene	**21.0**	ug/L	5.0	1		09/04/12 20:20	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		09/04/12 20:20	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		09/04/12 20:20	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		09/04/12 20:20	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		09/04/12 20:20	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		09/04/12 20:20	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		09/04/12 20:20	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		09/04/12 20:20	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		09/04/12 20:20	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		09/04/12 20:20	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		09/04/12 20:20	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		09/04/12 20:20	591-78-6	
Iodomethane	ND	ug/L	10.0	1		09/04/12 20:20	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		09/04/12 20:20	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		09/04/12 20:20	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 5068122

Sample: RW-2 **Lab ID: 5068122002** Collected: 08/24/12 11:52 Received: 08/24/12 13:36 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		09/04/12 20:20	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		09/04/12 20:20	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		09/04/12 20:20	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		09/04/12 20:20	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		09/04/12 20:20	103-65-1	
Styrene	ND	ug/L	5.0	1		09/04/12 20:20	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		09/04/12 20:20	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		09/04/12 20:20	79-34-5	
Tetrachloroethene	**77.1**	ug/L	5.0	1		09/04/12 20:20	127-18-4	
Toluene	ND	ug/L	5.0	1		09/04/12 20:20	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		09/04/12 20:20	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		09/04/12 20:20	120-82-1	
1,1,1-Trichloroethane	**44.1**	ug/L	5.0	1		09/04/12 20:20	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		09/04/12 20:20	79-00-5	
Trichloroethene	**47.7**	ug/L	5.0	1		09/04/12 20:20	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		09/04/12 20:20	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		09/04/12 20:20	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		09/04/12 20:20	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		09/04/12 20:20	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		09/04/12 20:20	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		09/04/12 20:20	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		09/04/12 20:20	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	105	%.	83-123	1		09/04/12 20:20	1868-53-7	
4-Bromofluorobenzene (S)	106	%.	72-125	1		09/04/12 20:20	460-00-4	
Toluene-d8 (S)	94	%.	81-114	1		09/04/12 20:20	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 5068122

Sample: RW-3 **Lab ID: 5068122003** · Collected: 08/24/12 11:57 Received: 08/24/12 13:36 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		09/04/12 19:47	67-64-1	
Acrolein	ND	ug/L	50.0	1		09/04/12 19:47	107-02-8	
Acrylonitrile	ND	ug/L	100	1		09/04/12 19:47	107-13-1	
Benzene	ND	ug/L	5.0	1		09/04/12 19:47	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		09/04/12 19:47	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		09/04/12 19:47	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		09/04/12 19:47	75-27-4	
Bromoform	ND	ug/L	5.0	1		09/04/12 19:47	75-25-2	
Bromomethane	ND	ug/L	5.0	1		09/04/12 19:47	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		09/04/12 19:47	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		09/04/12 19:47	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		09/04/12 19:47	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		09/04/12 19:47	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		09/04/12 19:47	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		09/04/12 19:47	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		09/04/12 19:47	108-90-7	
Chloroethane	ND	ug/L	5.0	1		09/04/12 19:47	75-00-3	
Chloroform	ND	ug/L	5.0	1		09/04/12 19:47	67-66-3	
lomethane	ND	ug/L	5.0	1		09/04/12 19:47	74-87-3	
hlorotoluene	ND	ug/L	5.0	1		09/04/12 19:47	95-49-8	
-Chlorotoluene	ND	ug/L	5.0	1		09/04/12 19:47	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		09/04/12 19:47	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		09/04/12 19:47	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		09/04/12 19:47	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		09/04/12 19:47	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		09/04/12 19:47	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		09/04/12 19:47	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		09/04/12 19:47	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		09/04/12 19:47	75-71-8	
1,1-Dichloroethane	**6.3**	ug/L	5.0	1		09/04/12 19:47	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		09/04/12 19:47	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		09/04/12 19:47	75-35-4	
cis-1,2-Dichloroethene	**77.5**	ug/L	5.0	1		09/04/12 19:47	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		09/04/12 19:47	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		09/04/12 19:47	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		09/04/12 19:47	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		09/04/12 19:47	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		09/04/12 19:47	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		09/04/12 19:47	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		09/04/12 19:47	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		09/04/12 19:47	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		09/04/12 19:47	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		09/04/12 19:47	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		09/04/12 19:47	591-78-6	
Iodomethane	ND	ug/L	10.0	1		09/04/12 19:47	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		09/04/12 19:47	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		09/04/12 19:47	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 5068122

Sample: RW-3 **Lab ID: 5068122003** Collected: 08/24/12 11:57 Received: 08/24/12 13:36 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		09/04/12 19:47	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		09/04/12 19:47	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		09/04/12 19:47	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		09/04/12 19:47	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		09/04/12 19:47	103-65-1	
Styrene	ND	ug/L	5.0	1		09/04/12 19:47	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		09/04/12 19:47	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		09/04/12 19:47	79-34-5	
Tetrachloroethene	**143**	ug/L	5.0	1		09/04/12 19:47	127-18-4	
Toluene	ND	ug/L	5.0	1		09/04/12 19:47	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		09/04/12 19:47	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		09/04/12 19:47	120-82-1	
1,1,1-Trichloroethane	**75.8**	ug/L	5.0	1		09/04/12 19:47	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		09/04/12 19:47	79-00-5	
Trichloroethene	**74.6**	ug/L	5.0	1		09/04/12 19:47	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		09/04/12 19:47	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		09/04/12 19:47	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		09/04/12 19:47	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		09/04/12 19:47	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		09/04/12 19:47	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		09/04/12 19:47	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		09/04/12 19:47	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	105	%.	83-123	1		09/04/12 19:47	1868-53-7	
4-Bromofluorobenzene (S)	106	%.	72-125	1		09/04/12 19:47	460-00-4	
Toluene-d8 (S)	97	%.	81-114	1		09/04/12 19:47	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 5068122

Sample: RW-4 **Lab ID: 5068122004** Collected: 08/24/12 12:10 Received: 08/24/12 13:36 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		09/05/12 01:47	67-64-1	
Acrolein	ND	ug/L	50.0	1		09/05/12 01:47	107-02-8	
Acrylonitrile	ND	ug/L	100	1		09/05/12 01:47	107-13-1	
Benzene	ND	ug/L	5.0	1		09/05/12 01:47	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		09/05/12 01:47	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		09/05/12 01:47	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		09/05/12 01:47	75-27-4	
Bromoform	ND	ug/L	5.0	1		09/05/12 01:47	75-25-2	
Bromomethane	ND	ug/L	5.0	1		09/05/12 01:47	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		09/05/12 01:47	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		09/05/12 01:47	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		09/05/12 01:47	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		09/05/12 01:47	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		09/05/12 01:47	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		09/05/12 01:47	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		09/05/12 01:47	108-90-7	
Chloroethane	ND	ug/L	5.0	1		09/05/12 01:47	75-00-3	
Chloroform	ND	ug/L	5.0	1		09/05/12 01:47	67-66-3	
loromethane	ND	ug/L	5.0	1		09/05/12 01:47	74-87-3	
hlorotoluene	ND	ug/L	5.0	1		09/05/12 01:47	95-49-8	
.-Chlorotoluene	ND	ug/L	5.0	1		09/05/12 01:47	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		09/05/12 01:47	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		09/05/12 01:47	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		09/05/12 01:47	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		09/05/12 01:47	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		09/05/12 01:47	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		09/05/12 01:47	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		09/05/12 01:47	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		09/05/12 01:47	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		09/05/12 01:47	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		09/05/12 01:47	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		09/05/12 01:47	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		09/05/12 01:47	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		09/05/12 01:47	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		09/05/12 01:47	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		09/05/12 01:47	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		09/05/12 01:47	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		09/05/12 01:47	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		09/05/12 01:47	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		09/05/12 01:47	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		09/05/12 01:47	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		09/05/12 01:47	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		09/05/12 01:47	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		09/05/12 01:47	591-78-6	
Iodomethane	ND	ug/L	10.0	1		09/05/12 01:47	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		09/05/12 01:47	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		09/05/12 01:47	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 5068122

Sample: RW-4 **Lab ID: 5068122004** Collected: 08/24/12 12:10 Received: 08/24/12 13:36 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		09/05/12 01:47	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		09/05/12 01:47	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		09/05/12 01:47	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		09/05/12 01:47	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		09/05/12 01:47	103-65-1	
Styrene	ND	ug/L	5.0	1		09/05/12 01:47	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		09/05/12 01:47	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		09/05/12 01:47	79-34-5	
Tetrachloroethene	**6.8**	ug/L	5.0	1		09/05/12 01:47	127-18-4	
Toluene	ND	ug/L	5.0	1		09/05/12 01:47	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		09/05/12 01:47	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		09/05/12 01:47	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		09/05/12 01:47	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		09/05/12 01:47	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		09/05/12 01:47	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		09/05/12 01:47	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		09/05/12 01:47	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		09/05/12 01:47	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		09/05/12 01:47	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		09/05/12 01:47	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		09/05/12 01:47	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		09/05/12 01:47	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	98	%.	83-123	1		09/05/12 01:47	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	72-125	1		09/05/12 01:47	460-00-4	
Toluene-d8 (S)	93	%.	81-114	1		09/05/12 01:47	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 5068122

Sample: RW-5 **Lab ID: 5068122005** Collected: 08/24/12 12:04 Received: 08/24/12 13:36 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		09/05/12 02:19	67-64-1	
Acrolein	ND	ug/L	50.0	1		09/05/12 02:19	107-02-8	
Acrylonitrile	ND	ug/L	100	1		09/05/12 02:19	107-13-1	
Benzene	ND	ug/L	5.0	1		09/05/12 02:19	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		09/05/12 02:19	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		09/05/12 02:19	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		09/05/12 02:19	75-27-4	
Bromoform	ND	ug/L	5.0	1		09/05/12 02:19	75-25-2	
Bromomethane	ND	ug/L	5.0	1		09/05/12 02:19	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		09/05/12 02:19	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		09/05/12 02:19	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		09/05/12 02:19	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		09/05/12 02:19	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		09/05/12 02:19	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		09/05/12 02:19	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		09/05/12 02:19	108-90-7	
Chloroethane	ND	ug/L	5.0	1		09/05/12 02:19	75-00-3	
Chloroform	ND	ug/L	5.0	1		09/05/12 02:19	67-66-3	
~' loromethane	ND	ug/L	5.0	1		09/05/12 02:19	74-87-3	
hlorotoluene	ND	ug/L	5.0	1		09/05/12 02:19	95-49-8	
hlorotoluene	ND	ug/L	5.0	1		09/05/12 02:19	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		09/05/12 02:19	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		09/05/12 02:19	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		09/05/12 02:19	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		09/05/12 02:19	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		09/05/12 02:19	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		09/05/12 02:19	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		09/05/12 02:19	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		09/05/12 02:19	75-71-8	
1,1-Dichloroethane	**5.1**	ug/L	5.0	1		09/05/12 02:19	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		09/05/12 02:19	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		09/05/12 02:19	75-35-4	
cis-1,2-Dichloroethene	**254**	ug/L	5.0	1		09/05/12 02:19	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		09/05/12 02:19	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		09/05/12 02:19	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		09/05/12 02:19	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		09/05/12 02:19	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		09/05/12 02:19	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		09/05/12 02:19	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		09/05/12 02:19	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		09/05/12 02:19	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		09/05/12 02:19	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		09/05/12 02:19	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		09/05/12 02:19	591-78-6	
Iodomethane	ND	ug/L	10.0	1		09/05/12 02:19	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		09/05/12 02:19	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		09/05/12 02:19	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 5068122

Sample: RW-5 **Lab ID: 5068122005** Collected: 08/24/12 12:04 Received: 08/24/12 13:36 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		09/05/12 02:19	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		09/05/12 02:19	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		09/05/12 02:19	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		09/05/12 02:19	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		09/05/12 02:19	103-65-1	
Styrene	ND	ug/L	5.0	1		09/05/12 02:19	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		09/05/12 02:19	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		09/05/12 02:19	79-34-5	
Tetrachloroethene	**585**	ug/L	100	20		09/05/12 02:52	127-18-4	
Toluene	ND	ug/L	5.0	1		09/05/12 02:19	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		09/05/12 02:19	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		09/05/12 02:19	120-82-1	
1,1,1-Trichloroethane	**68.1**	ug/L	5.0	1		09/05/12 02:19	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		09/05/12 02:19	79-00-5	
Trichloroethene	**351**	ug/L	100	20		09/05/12 02:52	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		09/05/12 02:19	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		09/05/12 02:19	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		09/05/12 02:19	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		09/05/12 02:19	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		09/05/12 02:19	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		09/05/12 02:19	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		09/05/12 02:19	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	109	%.	83-123	1		09/05/12 02:19	1868-53-7	
4-Bromofluorobenzene (S)	107	%.	72-125	1		09/05/12 02:19	460-00-4	
Toluene-d8 (S)	95	%.	81-114	1		09/05/12 02:19	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 5068122

Sample: EFFLUENT **Lab ID: 5068122006** Collected: 08/24/12 11:44 Received: 08/24/12 13:36 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		09/04/12 21:25	67-64-1	
Acrolein	ND	ug/L	50.0	1		09/04/12 21:25	107-02-8	
Acrylonitrile	ND	ug/L	100	1		09/04/12 21:25	107-13-1	
Benzene	ND	ug/L	5.0	1		09/04/12 21:25	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		09/04/12 21:25	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		09/04/12 21:25	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		09/04/12 21:25	75-27-4	
Bromoform	ND	ug/L	5.0	1		09/04/12 21:25	75-25-2	
Bromomethane	ND	ug/L	5.0	1		09/04/12 21:25	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		09/04/12 21:25	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		09/04/12 21:25	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		09/04/12 21:25	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		09/04/12 21:25	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		09/04/12 21:25	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		09/04/12 21:25	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		09/04/12 21:25	108-90-7	
Chloroethane	ND	ug/L	5.0	1		09/04/12 21:25	75-00-3	
Chloroform	ND	ug/L	5.0	1		09/04/12 21:25	67-66-3	
oromethane	ND	ug/L	5.0	1		09/04/12 21:25	74-87-3	
hlorotoluene	ND	ug/L	5.0	1		09/04/12 21:25	95-49-8	
-Chlorotoluene	ND	ug/L	5.0	1		09/04/12 21:25	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		09/04/12 21:25	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		09/04/12 21:25	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		09/04/12 21:25	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		09/04/12 21:25	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		09/04/12 21:25	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		09/04/12 21:25	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		09/04/12 21:25	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		09/04/12 21:25	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		09/04/12 21:25	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		09/04/12 21:25	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		09/04/12 21:25	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		09/04/12 21:25	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		09/04/12 21:25	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		09/04/12 21:25	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		09/04/12 21:25	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		09/04/12 21:25	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		09/04/12 21:25	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		09/04/12 21:25	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		09/04/12 21:25	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		09/04/12 21:25	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		09/04/12 21:25	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		09/04/12 21:25	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		09/04/12 21:25	591-78-6	
Iodomethane	ND	ug/L	10.0	1		09/04/12 21:25	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		09/04/12 21:25	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		09/04/12 21:25	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 5068122

Sample: EFFLUENT **Lab ID: 5068122006** Collected: 08/24/12 11:44 Received: 08/24/12 13:36 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		09/04/12 21:25	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		09/04/12 21:25	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		09/04/12 21:25	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		09/04/12 21:25	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		09/04/12 21:25	103-65-1	
Styrene	ND	ug/L	5.0	1		09/04/12 21:25	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		09/04/12 21:25	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		09/04/12 21:25	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		09/04/12 21:25	127-18-4	
Toluene	ND	ug/L	5.0	1		09/04/12 21:25	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		09/04/12 21:25	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		09/04/12 21:25	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		09/04/12 21:25	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		09/04/12 21:25	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		09/04/12 21:25	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		09/04/12 21:25	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		09/04/12 21:25	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		09/04/12 21:25	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		09/04/12 21:25	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		09/04/12 21:25	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		09/04/12 21:25	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		09/04/12 21:25	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	100	%.	83-123	1		09/04/12 21:25	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	72-125	1		09/04/12 21:25	460-00-4	
Toluene-d8 (S)	92	%.	81-114	1		09/04/12 21:25	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 5068122

QC Batch: MSV/45442 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 5068122001, 5068122002, 5068122003, 5068122006

METHOD BLANK: 792005 Matrix: Water
Associated Lab Samples: 5068122001, 5068122002, 5068122003, 5068122006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	09/04/12 11:33	
1,1,1-Trichloroethane	ug/L	ND	5.0	09/04/12 11:33	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	09/04/12 11:33	
1,1,2-Trichloroethane	ug/L	ND	5.0	09/04/12 11:33	
1,1-Dichloroethane	ug/L	ND	5.0	09/04/12 11:33	
1,1-Dichloroethene	ug/L	ND	5.0	09/04/12 11:33	
1,1-Dichloropropene	ug/L	ND	5.0	09/04/12 11:33	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	09/04/12 11:33	
1,2,3-Trichloropropane	ug/L	ND	5.0	09/04/12 11:33	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	09/04/12 11:33	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	09/04/12 11:33	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	09/04/12 11:33	
1,2-Dichlorobenzene	ug/L	ND	5.0	09/04/12 11:33	
1,2-Dichloroethane	ug/L	ND	5.0	09/04/12 11:33	
-Dichloropropane	ug/L	ND	5.0	09/04/12 11:33	
,5-Trimethylbenzene	ug/L	ND	5.0	09/04/12 11:33	
1,3-Dichlorobenzene	ug/L	ND	5.0	09/04/12 11:33	
1,3-Dichloropropane	ug/L	ND	5.0	09/04/12 11:33	
1,4-Dichlorobenzene	ug/L	ND	5.0	09/04/12 11:33	
2,2-Dichloropropane	ug/L	ND	5.0	09/04/12 11:33	
2-Butanone (MEK)	ug/L	ND	25.0	09/04/12 11:33	
2-Chlorotoluene	ug/L	ND	5.0	09/04/12 11:33	
2-Hexanone	ug/L	ND	25.0	09/04/12 11:33	
4-Chlorotoluene	ug/L	ND	5.0	09/04/12 11:33	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	09/04/12 11:33	
Acetone	ug/L	ND	100	09/04/12 11:33	
Acrolein	ug/L	ND	50.0	09/04/12 11:33	
Acrylonitrile	ug/L	ND	100	09/04/12 11:33	
Benzene	ug/L	ND	5.0	09/04/12 11:33	
Bromobenzene	ug/L	ND	5.0	09/04/12 11:33	
Bromochloromethane	ug/L	ND	5.0	09/04/12 11:33	
Bromodichloromethane	ug/L	ND	5.0	09/04/12 11:33	
Bromoform	ug/L	ND	5.0	09/04/12 11:33	
Bromomethane	ug/L	ND	5.0	09/04/12 11:33	
Carbon disulfide	ug/L	ND	10.0	09/04/12 11:33	
Carbon tetrachloride	ug/L	ND	5.0	09/04/12 11:33	
Chlorobenzene	ug/L	ND	5.0	09/04/12 11:33	
Chloroethane	ug/L	ND	5.0	09/04/12 11:33	
Chloroform	ug/L	ND	5.0	09/04/12 11:33	
Chloromethane	ug/L	ND	5.0	09/04/12 11:33	
cis-1,2-Dichloroethene	ug/L	ND	5.0	09/04/12 11:33	
cis-1,3-Dichloropropene	ug/L	ND	5.0	09/04/12 11:33	
Dibromochloromethane	ug/L	ND	5.0	09/04/12 11:33	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 5068122

METHOD BLANK: 792005 Matrix: Water

Associated Lab Samples: 5068122001, 5068122002, 5068122003, 5068122006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	09/04/12 11:33	
Dichlorodifluoromethane	ug/L	ND	5.0	09/04/12 11:33	
Ethyl methacrylate	ug/L	ND	100	09/04/12 11:33	
Ethylbenzene	ug/L	ND	5.0	09/04/12 11:33	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	09/04/12 11:33	
Iodomethane	ug/L	ND	10.0	09/04/12 11:33	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	09/04/12 11:33	
Methyl-tert-butyl ether	ug/L	ND	4.0	09/04/12 11:33	
Methylene Chloride	ug/L	ND	5.0	09/04/12 11:33	
n-Butylbenzene	ug/L	ND	5.0	09/04/12 11:33	
n-Propylbenzene	ug/L	ND	5.0	09/04/12 11:33	
Naphthalene	ug/L	ND	5.0	09/04/12 11:33	
p-Isopropyltoluene	ug/L	ND	5.0	09/04/12 11:33	
sec-Butylbenzene	ug/L	ND	5.0	09/04/12 11:33	
Styrene	ug/L	ND	5.0	09/04/12 11:33	
tert-Butylbenzene	ug/L	ND	5.0	09/04/12 11:33	
Tetrachloroethene	ug/L	ND	5.0	09/04/12 11:33	
Toluene	ug/L	ND	5.0	09/04/12 11:33	
trans-1,2-Dichloroethene	ug/L	ND	5.0	09/04/12 11:33	
trans-1,3-Dichloropropene	ug/L	ND	5.0	09/04/12 11:33	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	09/04/12 11:33	
Trichloroethene	ug/L	ND	5.0	09/04/12 11:33	
Trichlorofluoromethane	ug/L	ND	5.0	09/04/12 11:33	
Vinyl acetate	ug/L	ND	50.0	09/04/12 11:33	
Vinyl chloride	ug/L	ND	2.0	09/04/12 11:33	
Xylene (Total)	ug/L	ND	10.0	09/04/12 11:33	
4-Bromofluorobenzene (S)	%.	104	72-125	09/04/12 11:33	
Dibromofluoromethane (S)	%.	102	83-123	09/04/12 11:33	
Toluene-d8 (S)	%.	95	81-114	09/04/12 11:33	

LABORATORY CONTROL SAMPLE: 792006

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	54.9	110	69-122	
1,1,1-Trichloroethane	ug/L	50	57.5	115	69-126	
1,1,2,2-Tetrachloroethane	ug/L	50	50.1	100	68-134	
1,1,2-Trichloroethane	ug/L	50	54.5	109	77-129	
1,1-Dichloroethane	ug/L	50	55.7	111	70-127	
1,1-Dichloroethene	ug/L	50	52.4	105	75-145	
1,1-Dichloropropene	ug/L	50	56.8	114	75-126	
1,2,3-Trichlorobenzene	ug/L	50	51.7	103	63-130	
1,2,3-Trichloropropane	ug/L	50	110	221	45-121	L3
1,2,4-Trichlorobenzene	ug/L	50	52.3	105	64-122	
1,2,4-Trimethylbenzene	ug/L	50	52.2	104	68-129	
1,2-Dibromoethane (EDB)	ug/L	50	51.3	103	77-123	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 5068122

LABORATORY CONTROL SAMPLE: 792006

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	48.7	97	74-123	
1,2-Dichloroethane	ug/L	50	53.1	106	71-127	
1,2-Dichloropropane	ug/L	50	57.2	114	75-126	
1,3,5-Trimethylbenzene	ug/L	50	51.3	103	69-129	
1,3-Dichlorobenzene	ug/L	50	49.2	98	76-123	
1,3-Dichloropropane	ug/L	50	48.9	98	77-126	
1,4-Dichlorobenzene	ug/L	50	45.9	92	77-121	
2,2-Dichloropropane	ug/L	50	68.2	136	45-138	
2-Butanone (MEK)	ug/L	250	271	109	42-177	
2-Chlorotoluene	ug/L	50	48.2	96	74-129	
2-Hexanone	ug/L	250	278	111	57-162	
4-Chlorotoluene	ug/L	50	51.5	103	70-125	
4-Methyl-2-pentanone (MIBK)	ug/L	250	262	105	64-135	
Acetone	ug/L	250	276	110	10-200	
Acrolein	ug/L	1000	719	72	10-200	
Acrylonitrile	ug/L	1000	1130	113	59-144	
Benzene	ug/L	50	49.6	99	76-123	
Bromobenzene	ug/L	50	50.8	102	67-130	
Bromochloromethane	ug/L	50	53.4	107	58-153	
romodichloromethane	ug/L	50	51.8	104	71-124	
moform	ug/L	50	46.8	94	64-116	
omomethane	ug/L	50	86.3	173	23-197	
Carbon disulfide	ug/L	100	110	110	55-146	
Carbon tetrachloride	ug/L	50	62.1	124	65-125	
Chlorobenzene	ug/L	50	49.4	99	78-120	
Chloroethane	ug/L	50	75.6	151	56-163	
Chloroform	ug/L	50	54.1	108	73-122	
Chloromethane	ug/L	50	49.0	98	46-146	
cis-1,2-Dichloroethene	ug/L	50	52.1	104	79-129	
cis-1,3-Dichloropropene	ug/L	50	49.6	99	66-123	
Dibromochloromethane	ug/L	50	48.2	96	70-123	
Dibromomethane	ug/L	50	52.5	105	73-123	
Dichlorodifluoromethane	ug/L	50	51.5	103	19-200	
Ethyl methacrylate	ug/L	200	218	109	70-127	
Ethylbenzene	ug/L	50	48.3	97	75-120	
Hexachloro-1,3-butadiene	ug/L	50	50.6	101	64-131	
Iodomethane	ug/L	100	93.2	93	16-181	
Isopropylbenzene (Cumene)	ug/L	50	46.8	94	73-123	
Methyl-tert-butyl ether	ug/L	100	104	104	66-128	
Methylene Chloride	ug/L	50	51.6	103	61-138	
n-Butylbenzene	ug/L	50	50.5	101	69-130	
n-Propylbenzene	ug/L	50	49.2	98	71-132	
Naphthalene	ug/L	50	50.0	100	62-130	
p-Isopropyltoluene	ug/L	50	52.0	104	71-126	
sec-Butylbenzene	ug/L	50	49.6	99	69-130	
Styrene	ug/L	50	52.1	104	75-125	
tert-Butylbenzene	ug/L	50	38.2	76	49-114	
Tetrachloroethene	ug/L	50	50.6	101	57-125	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 5068122

LABORATORY CONTROL SAMPLE: 792006

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	47.8	96	72-124	
trans-1,2-Dichloroethene	ug/L	50	51.8	104	71-145	
trans-1,3-Dichloropropene	ug/L	50	54.6	109	58-118	
trans-1,4-Dichloro-2-butene	ug/L	200	207	103	50-121	
Trichloroethene	ug/L	50	53.0	106	77-122	
Trichlorofluoromethane	ug/L	50	63.6	127	56-159	
Vinyl acetate	ug/L	200	111	56	27-119	
Vinyl chloride	ug/L	50	48.7	97	61-146	
Xylene (Total)	ug/L	150	151	101	72-126	
4-Bromofluorobenzene (S)	%.			104	72-125	
Dibromofluoromethane (S)	%.			103	83-123	
Toluene-d8 (S)	%.			98	81-114	

MATRIX SPIKE SAMPLE: 792007

Parameter	Units	5068122006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	50	45.6	91	30-122	
1,1,1-Trichloroethane	ug/L	ND	50	52.1	104	37-136	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	40.6	81	47-132	
1,1,2-Trichloroethane	ug/L	ND	50	47.0	94	53-131	
1,1-Dichloroethane	ug/L	ND	50	50.5	101	47-138	
1,1-Dichloroethene	ug/L	ND	50	49.7	99	54-152	
1,1-Dichloropropene	ug/L	ND	50	53.0	106	47-136	
1,2,3-Trichlorobenzene	ug/L	ND	50	38.9	78	15-132	
1,2,3-Trichloropropane	ug/L	ND	50	77.5	155	24-108	M0
1,2,4-Trichlorobenzene	ug/L	ND	50	39.5	79	10-130	
1,2,4-Trimethylbenzene	ug/L	ND	50	40.6	81	10-141	
1,2-Dibromoethane (EDB)	ug/L	ND	50	42.6	85	49-130	
1,2-Dichlorobenzene	ug/L	ND	50	39.6	79	20-137	
1,2-Dichloroethane	ug/L	ND	50	48.4	97	42-139	
1,2-Dichloropropane	ug/L	ND	50	48.3	97	50-131	
1,3,5-Trimethylbenzene	ug/L	ND	50	42.9	86	10-145	
1,3-Dichlorobenzene	ug/L	ND	50	38.3	77	13-143	
1,3-Dichloropropane	ug/L	ND	50	42.7	85	53-130	
1,4-Dichlorobenzene	ug/L	ND	50	38.0	76	13-140	
2,2-Dichloropropane	ug/L	ND	50	50.6	101	13-142	
2-Butanone (MEK)	ug/L	ND	250	222	89	43-142	
2-Chlorotoluene	ug/L	ND	50	39.9	80	15-145	
2-Hexanone	ug/L	ND	250	216	86	46-139	
4-Chlorotoluene	ug/L	ND	50	42.1	84	12-143	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	218	87	43-140	
Acetone	ug/L	ND	250	228	91	38-155	
Acrolein	ug/L	ND	1000	1230	123	11-200	
Acrylonitrile	ug/L	ND	1000	963	96	42-150	
Benzene	ug/L	ND	50	46.0	92	52-134	
Bromobenzene	ug/L	ND	50	43.2	86	25-140	
Bromochloromethane	ug/L	ND	50	47.6	95	54-144	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 5068122

MATRIX SPIKE SAMPLE: 792007

Parameter	Units	5068122006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/L	ND	50	45.2	90	42-128	
Bromoform	ug/L	ND	50	34.7	69	34-116	
Bromomethane	ug/L	ND	50	65.0	130	10-200	
Carbon disulfide	ug/L	ND	100	102	102	43-144	
Carbon tetrachloride	ug/L	ND	50	55.1	110	26-136	
Chlorobenzene	ug/L	ND	50	43.2	86	33-136	
Chloroethane	ug/L	ND	50	60.9	122	21-200	
Chloroform	ug/L	ND	50	49.9	100	50-134	
Chloromethane	ug/L	ND	50	45.5	91	32-160	
cis-1,2-Dichloroethene	ug/L	ND	50	47.7	95	48-145	
cis-1,3-Dichloropropene	ug/L	ND	50	39.3	79	35-116	
Dibromochloromethane	ug/L	ND	50	40.2	80	39-122	
Dibromomethane	ug/L	ND	50	47.1	94	49-134	
Dichlorodifluoromethane	ug/L	ND	50	54.9	110	35-200	
Ethyl methacrylate	ug/L	ND	200	183	92	54-123	
Ethylbenzene	ug/L	ND	50	42.7	85	29-132	
Hexachloro-1,3-butadiene	ug/L	ND	50	40.5	81	10-146	
Iodomethane	ug/L	ND	100	83.3	83	10-171	
Isopropylbenzene (Cumene)	ug/L	ND	50	41.2	82	11-146	
* *ethyl-tert-butyl ether	ug/L	ND	100	83.9	84	39-137	
thylene Chloride	ug/L	ND	50	44.8	90	47-141	
utylbenzene	ug/L	ND	50	42.4	85	10-156	
n-Propylbenzene	ug/L	ND	50	41.2	82	10-148	
Naphthalene	ug/L	ND	50	38.8	78	40-124	
p-Isopropyltoluene	ug/L	ND	50	43.9	88	10-150	
sec-Butylbenzene	ug/L	ND	50	42.3	85	10-150	
Styrene	ug/L	ND	50	43.0	86	20-143	
tert-Butylbenzene	ug/L	ND	50	32.2	64	10-123	
Tetrachloroethene	ug/L	ND	50	44.3	89	30-124	
Toluene	ug/L	ND	50	42.2	84	42-130	
trans-1,2-Dichloroethene	ug/L	ND	50	48.5	97	48-144	
trans-1,3-Dichloropropene	ug/L	ND	50	43.3	87	24-114	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	159	79	22-120	
Trichloroethene	ug/L	ND	50	47.7	95	44-130	
Trichlorofluoromethane	ug/L	ND	50	65.3	131	17-200	
Vinyl acetate	ug/L	ND	200	72.4	36	10-115	
Vinyl chloride	ug/L	ND	50	47.7	95	45-159	
Xylene (Total)	ug/L	ND	150	128	86	29-131	
4-Bromofluorobenzene (S)	%.				107	72-125	
Dibromofluoromethane (S)	%.				101	83-123	
Toluene-d8 (S)	%.				94	81-114	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 5068122

QC Batch: MSV/45454 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 5068122004, 5068122005

METHOD BLANK: 792141 Matrix: Water
Associated Lab Samples: 5068122004, 5068122005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	09/05/12 00:09	
1,1,1-Trichloroethane	ug/L	ND	5.0	09/05/12 00:09	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	09/05/12 00:09	
1,1,2-Trichloroethane	ug/L	ND	5.0	09/05/12 00:09	
1,1-Dichloroethane	ug/L	ND	5.0	09/05/12 00:09	
1,1-Dichloroethene	ug/L	ND	5.0	09/05/12 00:09	
1,1-Dichloropropene	ug/L	ND	5.0	09/05/12 00:09	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	09/05/12 00:09	
1,2,3-Trichloropropane	ug/L	ND	5.0	09/05/12 00:09	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	09/05/12 00:09	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	09/05/12 00:09	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	09/05/12 00:09	
1,2-Dichlorobenzene	ug/L	ND	5.0	09/05/12 00:09	
1,2-Dichloroethane	ug/L	ND	5.0	09/05/12 00:09	
1,2-Dichloropropane	ug/L	ND	5.0	09/05/12 00:09	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	09/05/12 00:09	
1,3-Dichlorobenzene	ug/L	ND	5.0	09/05/12 00:09	
1,3-Dichloropropane	ug/L	ND	5.0	09/05/12 00:09	
1,4-Dichlorobenzene	ug/L	ND	5.0	09/05/12 00:09	
2,2-Dichloropropane	ug/L	ND	5.0	09/05/12 00:09	
2-Butanone (MEK)	ug/L	ND	25.0	09/05/12 00:09	
2-Chlorotoluene	ug/L	ND	5.0	09/05/12 00:09	
2-Hexanone	ug/L	ND	25.0	09/05/12 00:09	
4-Chlorotoluene	ug/L	ND	5.0	09/05/12 00:09	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	09/05/12 00:09	
Acetone	ug/L	ND	100	09/05/12 00:09	
Acrolein	ug/L	ND	50.0	09/05/12 00:09	
Acrylonitrile	ug/L	ND	100	09/05/12 00:09	
Benzene	ug/L	ND	5.0	09/05/12 00:09	
Bromobenzene	ug/L	ND	5.0	09/05/12 00:09	
Bromochloromethane	ug/L	ND	5.0	09/05/12 00:09	
Bromodichloromethane	ug/L	ND	5.0	09/05/12 00:09	
Bromoform	ug/L	ND	5.0	09/05/12 00:09	
Bromomethane	ug/L	ND	5.0	09/05/12 00:09	
Carbon disulfide	ug/L	ND	10.0	09/05/12 00:09	
Carbon tetrachloride	ug/L	ND	5.0	09/05/12 00:09	
Chlorobenzene	ug/L	ND	5.0	09/05/12 00:09	
Chloroethane	ug/L	ND	5.0	09/05/12 00:09	
Chloroform	ug/L	ND	5.0	09/05/12 00:09	
Chloromethane	ug/L	ND	5.0	09/05/12 00:09	
cis-1,2-Dichloroethene	ug/L	ND	5.0	09/05/12 00:09	
cis-1,3-Dichloropropene	ug/L	ND	5.0	09/05/12 00:09	
Dibromochloromethane	ug/L	ND	5.0	09/05/12 00:09	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 5068122

METHOD BLANK: 792141 Matrix: Water

Associated Lab Samples: 5068122004, 5068122005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	09/05/12 00:09	
Dichlorodifluoromethane	ug/L	ND	5.0	09/05/12 00:09	
Ethyl methacrylate	ug/L	ND	100	09/05/12 00:09	
Ethylbenzene	ug/L	ND	5.0	09/05/12 00:09	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	09/05/12 00:09	
Iodomethane	ug/L	ND	10.0	09/05/12 00:09	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	09/05/12 00:09	
Methyl-tert-butyl ether	ug/L	ND	4.0	09/05/12 00:09	
Methylene Chloride	ug/L	ND	5.0	09/05/12 00:09	
n-Butylbenzene	ug/L	ND	5.0	09/05/12 00:09	
n-Propylbenzene	ug/L	ND	5.0	09/05/12 00:09	
Naphthalene	ug/L	ND	5.0	09/05/12 00:09	
p-Isopropyltoluene	ug/L	ND	5.0	09/05/12 00:09	
sec-Butylbenzene	ug/L	ND	5.0	09/05/12 00:09	
Styrene	ug/L	ND	5.0	09/05/12 00:09	
tert-Butylbenzene	ug/L	ND	5.0	09/05/12 00:09	
Tetrachloroethene	ug/L	ND	5.0	09/05/12 00:09	
Toluene	ug/L	ND	5.0	09/05/12 00:09	
ns-1,2-Dichloroethene	ug/L	ND	5.0	09/05/12 00:09	
is-1,3-Dichloropropene	ug/L	ND	5.0	09/05/12 00:09	
ans-1,4-Dichloro-2-butene	ug/L	ND	100	09/05/12 00:09	
Trichloroethene	ug/L	ND	5.0	09/05/12 00:09	
Trichlorofluoromethane	ug/L	ND	5.0	09/05/12 00:09	
Vinyl acetate	ug/L	ND	50.0	09/05/12 00:09	
Vinyl chloride	ug/L	ND	2.0	09/05/12 00:09	
Xylene (Total)	ug/L	ND	10.0	09/05/12 00:09	
4-Bromofluorobenzene (S)	%.	106	72-125	09/05/12 00:09	
Dibromofluoromethane (S)	%.	101	83-123	09/05/12 00:09	
Toluene-d8 (S)	%.	95	81-114	09/05/12 00:09	

LABORATORY CONTROL SAMPLE: 792142

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	51.9	104	69-122	
1,1,1-Trichloroethane	ug/L	50	55.3	111	69-126	
1,1,2,2-Tetrachloroethane	ug/L	50	45.2	90	68-134	
1,1,2-Trichloroethane	ug/L	50	51.5	103	77-129	
1,1-Dichloroethane	ug/L	50	55.0	110	70-127	
1,1-Dichloroethene	ug/L	50	51.2	102	75-145	
1,1-Dichloropropene	ug/L	50	55.1	110	75-126	
1,2,3-Trichlorobenzene	ug/L	50	47.2	94	63-130	
1,2,3-Trichloropropane	ug/L	50	89.9	180	45-121	L3
1,2,4-Trichlorobenzene	ug/L	50	46.1	92	64-122	
1,2,4-Trimethylbenzene	ug/L	50	46.6	93	68-129	
1,2-Dibromoethane (EDB)	ug/L	50	49.9	100	77-123	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 5068122

LABORATORY CONTROL SAMPLE: 792142

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	46.1	92	74-123	
1,2-Dichloroethane	ug/L	50	54.5	109	71-127	
1,2-Dichloropropane	ug/L	50	56.8	114	75-126	
1,3,5-Trimethylbenzene	ug/L	50	47.4	95	69-129	
1,3-Dichlorobenzene	ug/L	50	44.8	90	76-123	
1,3-Dichloropropane	ug/L	50	49.5	99	77-126	
1,4-Dichlorobenzene	ug/L	50	44.8	90	77-121	
2,2-Dichloropropane	ug/L	50	50.6	101	45-138	
2-Butanone (MEK)	ug/L	250	260	104	42-177	
2-Chlorotoluene	ug/L	50	44.5	89	74-129	
2-Hexanone	ug/L	250	258	103	57-162	
4-Chlorotoluene	ug/L	50	47.0	94	70-125	
4-Methyl-2-pentanone (MIBK)	ug/L	250	253	101	64-135	
Acetone	ug/L	250	273	109	10-200	
Acrolein	ug/L	1000	855	85	10-200	
Acrylonitrile	ug/L	1000	1150	115	59-144	
Benzene	ug/L	50	50.1	100	76-123	
Bromobenzene	ug/L	50	47.2	94	67-130	
Bromochloromethane	ug/L	50	54.5	109	58-153	
Bromodichloromethane	ug/L	50	51.1	102	71-124	
Bromoform	ug/L	50	41.4	83	64-116	
Bromomethane	ug/L	50	82.3	165	23-197	
Carbon disulfide	ug/L	100	109	109	55-146	
Carbon tetrachloride	ug/L	50	58.7	117	65-125	
Chlorobenzene	ug/L	50	47.2	94	78-120	
Chloroethane	ug/L	50	64.4	129	56-163	
Chloroform	ug/L	50	55.4	111	73-122	
Chloromethane	ug/L	50	47.4	95	46-146	
cis-1,2-Dichloroethene	ug/L	50	53.3	107	79-129	
cis-1,3-Dichloropropene	ug/L	50	44.4	89	66-123	
Dibromochloromethane	ug/L	50	46.5	93	70-123	
Dibromomethane	ug/L	50	53.8	108	73-123	
Dichlorodifluoromethane	ug/L	50	53.0	106	19-200	
Ethyl methacrylate	ug/L	200	204	102	70-127	
Ethylbenzene	ug/L	50	44.6	89	75-120	
Hexachloro-1,3-butadiene	ug/L	50	41.9	84	64-131	
Iodomethane	ug/L	100	100	100	16-181	
Isopropylbenzene (Cumene)	ug/L	50	44.3	89	73-123	
Methyl-tert-butyl ether	ug/L	100	102	102	66-128	
Methylene Chloride	ug/L	50	52.5	105	61-138	
n-Butylbenzene	ug/L	50	45.1	90	69-130	
n-Propylbenzene	ug/L	50	44.2	88	71-132	
Naphthalene	ug/L	50	46.0	92	62-130	
p-Isopropyltoluene	ug/L	50	47.5	95	71-126	
sec-Butylbenzene	ug/L	50	43.4	87	69-130	
Styrene	ug/L	50	49.2	98	75-125	
tert-Butylbenzene	ug/L	50	35.1	70	49-114	
Tetrachloroethene	ug/L	50	46.3	93	57-125	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 5068122

LABORATORY CONTROL SAMPLE: 792142

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	46.5	93	72-124	
trans-1,2-Dichloroethene	ug/L	50	52.7	105	71-145	
trans-1,3-Dichloropropene	ug/L	50	48.5	97	58-118	
trans-1,4-Dichloro-2-butene	ug/L	200	178	89	50-121	
Trichloroethene	ug/L	50	52.4	105	77-122	
Trichlorofluoromethane	ug/L	50	66.3	133	56-159	
Vinyl acetate	ug/L	200	110	55	27-119	
Vinyl chloride	ug/L	50	48.7	97	61-146	
Xylene (Total)	ug/L	150	141	94	72-126	
4-Bromofluorobenzene (S)	%.			103	72-125	
Dibromofluoromethane (S)	%.			104	83-123	
Toluene-d8 (S)	%.			94	81-114	

MATRIX SPIKE SAMPLE: 792143

Parameter	Units	5068164014 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	50	44.7	89	30-122	
1,1,1-Trichloroethane	ug/L	ND	50	54.5	109	37-136	
,2,2-Tetrachloroethane	ug/L	ND	50	42.0	84	47-132	
,2-Trichloroethane	ug/L	ND	50	46.9	94	53-131	
ı,1-Dichloroethane	ug/L	ND	50	51.6	103	47-138	
1,1-Dichloroethene	ug/L	ND	50	51.4	103	54-152	
1,1-Dichloropropene	ug/L	ND	50	55.4	111	47-136	
1,2,3-Trichlorobenzene	ug/L	ND	50	43.4	87	15-132	
1,2,3-Trichloropropane	ug/L	ND	50	76.5	153	24-108	M0
1,2,4-Trichlorobenzene	ug/L	ND	50	42.1	84	10-130	
1,2,4-Trimethylbenzene	ug/L	304	50	310	12	10-141	
1,2-Dibromoethane (EDB)	ug/L	ND	50	43.7	87	49-130	
1,2-Dichlorobenzene	ug/L	ND	50	42.5	85	20-137	
1,2-Dichloroethane	ug/L	ND	50	51.2	102	42-139	
1,2-Dichloropropane	ug/L	ND	50	52.8	106	50-131	
1,3,5-Trimethylbenzene	ug/L	61.5	50	96.3	70	10-145	
1,3-Dichlorobenzene	ug/L	ND	50	40.3	81	13-143	
1,3-Dichloropropane	ug/L	ND	50	43.5	87	53-130	
1,4-Dichlorobenzene	ug/L	ND	50	40.2	80	13-140	
2,2-Dichloropropane	ug/L	ND	50	40.6	81	13-142	
2-Butanone (MEK)	ug/L	ND	250	243	97	43-142	
2-Chlorotoluene	ug/L	ND	50	52.4	105	15-145	
2-Hexanone	ug/L	ND	250	238	95	46-139	
4-Chlorotoluene	ug/L	ND	50	41.3	83	12-143	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	222	89	43-140	
Acetone	ug/L	ND	250	249	99	38-155	
Acrolein	ug/L	ND	1000	1190	119	11-200	
Acrylonitrile	ug/L	ND	1000	999	100	42-150	
Benzene	ug/L	ND	50	51.9	98	52-134	
Bromobenzene	ug/L	ND	50	40.3	81	25-140	
Bromochloromethane	ug/L	ND	50	49.1	98	54-144	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 5068122

MATRIX SPIKE SAMPLE: 792143

Parameter	Units	5068164014 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/L	ND	50	46.0	92	42-128	
Bromoform	ug/L	ND	50	34.5	69	34-116	
Bromomethane	ug/L	ND	50	41.7	83	10-200	
Carbon disulfide	ug/L	ND	100	107	107	43-144	
Carbon tetrachloride	ug/L	ND	50	54.1	108	26-136	
Chlorobenzene	ug/L	ND	50	42.7	85	33-136	
Chloroethane	ug/L	ND	50	75.6	151	21-200	
Chloroform	ug/L	ND	50	52.2	99	50-134	
Chloromethane	ug/L	ND	50	48.1	96	32-160	
cis-1,2-Dichloroethene	ug/L	ND	50	46.7	93	48-145	
cis-1,3-Dichloropropene	ug/L	ND	50	40.3	81	35-116	
Dibromochloromethane	ug/L	ND	50	38.4	77	39-122	
Dibromomethane	ug/L	ND	50	50.1	100	49-134	
Dichlorodifluoromethane	ug/L	ND	50	57.7	115	35-200	
Ethyl methacrylate	ug/L	ND	200	183	91	54-123	
Ethylbenzene	ug/L	80.0	50	95.0	30	29-132	
Hexachloro-1,3-butadiene	ug/L	ND	50	35.4	71	10-146	
Iodomethane	ug/L	ND	100	65.7	66	10-171	
Isopropylbenzene (Cumene)	ug/L	24.5	50	62.7	76	11-146	
Methyl-tert-butyl ether	ug/L	ND	100	89.7	90	39-137	
Methylene Chloride	ug/L	ND	50	45.3	91	47-141	
n-Butylbenzene	ug/L	14.8	50	56.9	84	10-156	
n-Propylbenzene	ug/L	58.6	50	91.6	66	10-148	
Naphthalene	ug/L	29.2	50	68.3	78	40-124	
p-Isopropyltoluene	ug/L	ND	50	46.8	87	10-150	
sec-Butylbenzene	ug/L	ND	50	47.8	86	10-150	
Styrene	ug/L	ND	50	43.3	87	20-143	
tert-Butylbenzene	ug/L	ND	50	33.1	66	10-123	
Tetrachloroethene	ug/L	ND	50	44.1	88	30-124	
Toluene	ug/L	9.3	50	48.5	78	42-130	
trans-1,2-Dichloroethene	ug/L	ND	50	47.4	95	48-144	
trans-1,3-Dichloropropene	ug/L	ND	50	40.5	81	24-114	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	144	72	22-120	
Trichloroethene	ug/L	ND	50	50.6	101	44-130	
Trichlorofluoromethane	ug/L	ND	50	66.0	132	17-200	
Vinyl acetate	ug/L	ND	200	66.2	33	10-115	
Vinyl chloride	ug/L	ND	50	45.5	91	45-159	
Xylene (Total)	ug/L	174	150	246	48	29-131	
4-Bromofluorobenzene (S)	%.				104	72-125	
Dibromofluoromethane (S)	%.				103	83-123	
Toluene-d8 (S)	%.				92	81-114	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALIFIERS

Project: Amphenol
Pace Project No.: 5068122

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

L3	Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.
M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Amphenol
Pace Project No.: 5068122

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
5068122001	**RW-1**	EPA 8260	MSV/45442		
5068122002	**RW-2**	EPA 8260	MSV/45442		
5068122003	**RW-3**	EPA 8260	MSV/45442		
5068122004	**RW-4**	EPA 8260	MSV/45454		
5068122005	**RW-5**	EPA 8260	MSV/45454		
5068122006	**EFFLUENT**	EPA 8260	MSV/45442		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page : 1 Of 1

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company:	IWM Consulting	Report To:	Chris Parks	Attention:	Chris Parks
Address:	7428 Rockville Road	Copy To:		Company Name:	IWM Consulting
	Indianapolis, IN 46214			Address:	7428 Rockville Road, Indianapolis, IN 462
Email To:	cparks@iwmconsult.com	Purchase Order No.	AMP 11-05	Pace Quote Reference:	
Phone:	347-1111 Fax:	Client Project ID:	Amphenol	Pace Project Manager:	Hunt, Kenneth
Requested Due Date/TAT:	10 Day (Default)	Container Order Number:	69929	Pace Profile #:	

Regulatory Agency: RCRA - Resource Conservation and Recovery Act

State / Location: Indiana

ITEM#	SAMPLE ID (One Character per box. (A-Z, 0-9 / , -) Sample Ids must be unique)	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED START DATE	COLLECTED START TIME	COLLECTED END DATE	COLLECTED END TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other	Analyses Test Y/N	VOC 8260 WT	Residual Chlorine (Y/N)	5068122
1	RW-1	WT	G	8-24-12	11:48				3				X						X		-001
2	RW-2	WT			11:52				3				X						X		-002
3	RW-3	WT			11:57				3				X						X		-003
4	RW-4	WT			12:10				3				X						X		-004
5	RW-5	WT			12:04				3				X						X		-005
6	EFFLUENT	WT			11:44				3				X						X		-006
7																					
8																					
9																					
10																					
11																					
12																					

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS: TEMP in C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
	Ralph Mian IWM	8-24-12	1:36 pm	[signature]	8/24/12	1336	1.7	Y	N	Y

WI Client del

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Ralph Mian

SIGNATURE of SAMPLER: [signature]

DATE Signed:

Sample Condition Upon Receipt

Pace Analytical

Client Name: IWM Project # 5068122

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace Other

Tracking #:

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Date/Time 5035A kits placed in freezer

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☒ Other Ice/Foam block

Thermometer Used 1 2 3 4 6 A B C D E **Type of Ice:** Wet Blue None ☒ Samples on ice, cooling process has begun

Cooler Temperature 1.7°C **Ice Visible in Sample Containers:** ☐ yes ☒ no

(Corrected, if applicable)

Temp should be above freezing to 6°C

Date and initials of person examining contents: 8/24/12 Kelly

				Comments:
Chain of Custody Present:	☒Yes	☐No	☐N/A	1.
Chain of Custody Filled Out:	☒Yes	☐No	☐N/A	2.
Chain of Custody Relinquished:	☒Yes	☐No	☐N/A	3.
Sampler Name & Signature on COC:	☒Yes	☐No	☐N/A	4.
Short Hold Time Analysis (<72hr):	☐Yes	☒No	☐N/A	5.
Rush Turn Around Time Requested:	☐Yes	☒No	☐N/A	6.
Containers Intact:	☒Yes	☐No	☐N/A	7.
Sample Labels match COC: -Includes date/time/ID/Analysis	☒Yes	☐No	☐N/A	8.
All containers needing acid/base pres. have been checked? exceptions: VOA, coliform, TOC, O&G	☐Yes	☐No	☒N/A	9. (Circle) HNO3 H2SO4 NaOH HCl
All containers needing preservation are found to be in compliance with EPA recommendation.	☐Yes	☐No	☒N/A	
Headspace in VOA Vials (>6mm):	☐Yes	☒No	☐N/A	10.
Trip Blank Present:	☒Yes	☐No	☐N/A	11. 3 Trip blanks received not on C.O.C
Trip Blank Custody Seals Present	☒Yes	☐No	☐N/A	Not Needed per Chris Parks
[illegible]				
Samples Arrived within Hold Time:	☐Yes	☐No	☐N/A	12.
Sufficient Volume:	☐Yes	☐No	☐N/A	13.
Correct Containers Used:	☐Yes	☐No	☐N/A	14.

Client Notification/ Resolution: Field Data Required? Y / N

Person Contacted: Chris Parks Date/Time: 8/24/12

Comments/ Resolution:

Project Manager Review: Kenneth Hunt **Date:** 8/24/12

Form F-IN-Q290-rev.04, 28Apr2011

Sample C ainer Count

Pace Analytical™ www.pacelabs.com

CLIENT: WM

COC PAGE 1 of 1
COC ID#

Project # 5068122

Sample Line Item	DG9H	AG1U	WGFU	AG0U	R 4/6	BP2N	BP2U	BP2S	BP3N	BP3U	BP3S	AG3S	AG1H			Comments
1	3															
2																
3																
4																
5																
6																
7																Trip blank not on Coc.
8																
9																
10																
11																
12																

Container Codes

DG9H	40mL HCL amber voa vial	AG0U	100mL unpreserved amber glass	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WGFU	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber gl	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved amber vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	I	Wipe/Swab
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber gla	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber gla	AF	Air Filter	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved clear vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear gla	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag

7428 Rockville Road, Indianapolis, IN 46214

September 24, 2012

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492

Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED CORRECTIVE MEASURE
Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the August 24 through September 21, 2012 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On September 6, 2012, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 10.68 feet below top of casing (TOC) in MW-9 to 18.62 feet below TOC in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 were operational during groundwater gauging activities. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a groundwater contour map based on the September 6, 2012 depth to water measurements has been included as **Figure 2**.

Groundwater Treatment System

From August 24 through September 21, 2012, approximately 868,484 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 172,435,185 gallons. The average influent groundwater recovery rate from August 24 through September 21, 2012 was approximately 21.5 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on September 6, 2012 to complete bi-weekly and monthly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on September 6, 2012.

IWM personnel mobilized to the site on September 21, 2012 to complete bi-weekly system operation and maintenance activities. Upon inspection, it was discovered that the pump in recovery well RW-4 was dysfunctional. IWM personnel replaced the pump in RW-4 and re-started groundwater recovery operations from RW-4. The groundwater recovery and treatment system was completely operational upon departure from the site on September 21, 2012.

Schedule of Activities

Monthly and biweekly system operation and maintenance activities and semi-annual groundwater sampling activities are scheduled for the month of October 2012. Site visits are scheduled for the weeks beginning October 1 and October 15, 2012. The information from these site inspections will be included in the October 2012 Progress Report.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting Group, LLC appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

IWM CONSULTING GROUP, LLC

Christopher D. Parks, LPG
Project Manager

Bradley E. Gentry, LPG
Senior Project Manager

Attachments
cc: Mr. Dave Dowden, Lancer Realty & Development Co.

FIGURES



EGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

Scale 1":100 ft.

DRAWN BY:	L. STRUM
DATE:	9/27/99
REVISED:	
HWPA #111291-01	
DWG. NO.	111291S1

FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP



LEGEND

- MONITORING WELL
- RECOVERY WELL
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER
- 722.00 POTENTIONMETRIC SURFACE (CONTOUR INTERVAL = 1.0 FT.)

0 100
SCALE IN FEET

DRAWN BY: L. STRUM	FIGURE 2 GROUNDWATER ELEVATION MAP (09/06/12)	FORMER AMPHENOL RFI/CMS 980 HURRICANE ROAD FRANKLIN, INDIANA	IWM CONSULTING GROUP
DATE: 9/27/99			
REVISED:			
HWPA #111291-01			
DWG. NO. 111291S1			

ATTACHMENT A

Groundwater Level Measurements

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/03/07	732.25	11.52	720.73
	02/12/07		12.00	720.25
	03/12/07		11.74	720.51
	04/09/07		12.01	720.24
	05/07/07		12.11	720.14
	06/08/07		12.45	719.80
	07/17/07		12.66	719.59
	08/01/07		12.73	719.52
	09/14/07		13.03	719.22
	10/12/07		13.38	718.87
	11/09/07		13.37	718.88
	12/07/07		13.27	718.98
	01/04/08		12.79	719.46
	02/15/08		11.85	720.40
	03/13/08		11.48	720.77
	04/11/08		11.31	720.94
	05/08/08		11.95	720.30
	06/06/08		11.08	721.17
	07/03/08		11.29	720.96
	08/01/08		11.65	720.60
	09/12/08		12.38	719.87
	10/10/08		12.78	719.47
	11/06/08		13.05	719.20
	12/19/08		12.97	719.28
	01/02/09		12.39	719.86
	02/13/09		12.30	719.95
	03/13/09		12.40	719.85
	04/09/09		12.22	720.03
	05/08/09		11.90	720.35
	06/05/09		11.89	720.36
	07/02/09		12.05	720.20
	08/14/09		11.55	720.70
	09/11/09		12.02	720.23
	10/09/09		12.29	719.96
	11/04/09		12.26	719.99
	12/04/09		12.55	719.70
	01/14/10		12.50	719.75
	02/10/10		NG	NG
	03/11/10		12.49	719.76
	04/08/10		12.19	720.06
	05/06/10		12.35	719.90
	06/04/10		12.47	719.78
	07/01/10		11.69	720.56
	08/12/10		12.39	719.86
	09/08/10		13.07	719.18
	10/07/10		14.04	718.21
	11/19/10		14.28	717.97
	12/03/10		13.70	718.55
	01/14/11		13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99
	12/01/11		12.82	719.43
	01/13/12		12.50	719.75
	02/10/12		12.30	719.95
	03/09/12		12.80	719.45
	04/06/12		12.31	719.94
	05/02/12		12.47	719.78
	06/01/12		12.71	719.54
	07/13/12		13.48	718.77
	08/10/12		13.94	718.31
	09/06/12		13.72	718.53

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/03/07	728.71	10.46	718.25
	02/12/07		10.93	717.78
	03/12/07		10.81	717.90
	04/09/07		10.88	717.83
	05/07/07		10.95	717.76
	06/08/07		11.10	717.61
	07/17/07		11.12	717.59
	08/01/07		11.12	717.59
	09/14/07		11.21	717.50
	10/12/07		11.35	717.36
	11/09/07		11.35	717.36
	12/07/07		11.36	717.35
	01/04/08		11.24	717.47
	02/15/08		10.61	718.10
	03/13/08		10.42	718.29
	04/11/08		10.23	718.48
	05/08/08		10.70	718.01
	06/06/08		9.84	718.87
	07/03/08		9.89	718.82
	08/01/08		10.54	718.17
	09/12/08		10.92	717.79
	10/10/08		11.04	717.67
	11/06/08		11.20	717.51
	12/19/08		11.01	717.70
	01/02/09		10.98	717.73
	02/13/09		10.79	717.92
	03/13/09		11.13	717.58
	04/09/09		10.86	717.85
	05/08/09		10.81	717.90
	06/05/09		10.71	718.00
	07/02/09		10.81	717.90
	08/14/09		10.52	718.19
	09/11/09		10.80	717.91
	10/09/09		10.77	717.94
	11/04/09		10.91	717.80
	12/04/09		11.07	717.64
	01/14/10		11.09	717.62
	02/10/10		11.13	717.58
	03/11/10		11.03	717.68
	04/08/10		10.75	717.96
	05/06/10		10.96	717.75
	06/04/10		11.01	717.70
	07/01/10		10.52	718.19
	08/12/10		10.88	717.83
	09/08/10		11.10	717.61
	10/07/10		11.33	717.38
	11/19/10		11.49	717.22
	12/03/10		11.26	717.45
	01/14/11		11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		10.60	718.11
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69
	12/01/11		10.74	717.97
	01/13/12		10.90	717.81
	02/10/12		10.86	717.85
	03/09/12		11.08	717.63
	04/06/12		10.73	717.98
	05/02/12		10.68	718.03
	06/01/12		10.97	717.74
	07/13/12		11.18	717.53
	08/10/12		11.29	717.42
	09/06/12		11.30	717.41

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/03/07	736.44	14.00	722.44
	02/12/07		14.58	721.86
	03/12/07		14.41	722.03
	04/09/07		14.64	721.80
	05/07/07		14.83	721.61
	06/08/07		15.32	721.12
	07/17/07		15.73	720.71
	08/01/07		16.89	719.55
	09/14/07		16.23	720.21
	10/12/07		16.65	719.79
	11/09/07		16.60	719.84
	12/07/07		16.55	719.89
	01/04/08		15.87	720.57
	02/15/08		14.41	722.03
	03/13/08		13.82	722.62
	04/11/08		13.50	722.94
	05/08/08		14.33	722.11
	06/06/08		13.30	723.14
	07/03/08		13.41	723.03
	08/01/08		13.68	722.76
	09/12/08		15.28	721.16
	10/10/08		15.77	720.67
	11/06/08		16.11	720.33
	12/19/08		16.10	720.34
	01/02/09		15.26	721.18
	02/13/09		15.16	721.28
	03/13/09		15.25	721.19
	04/09/09		14.88	721.56
	05/08/09		NG	NG
	06/05/09		14.25	722.19
	07/02/09		14.62	721.82
	08/14/09		13.92	722.52
	09/11/09		14.73	721.71
	10/09/09		15.17	721.27
	11/04/09		15.07	721.37
	12/04/09		15.48	720.96
	01/14/10		15.23	721.21
	02/10/10		15.37	721.07
	03/11/10		15.21	721.23
	04/08/10		14.82	721.62
	05/06/10		14.92	721.52
	06/04/10		15.13	721.31
	07/01/10		14.04	722.40
	08/12/10		15.06	721.38
	09/08/10		15.85	720.59
	10/07/10		16.52	719.92
	11/19/10		16.99	719.45
	12/03/10		16.32	720.12
	01/14/11		16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47
	12/01/11		15.48	720.96
	01/13/12		14.87	721.57
	02/10/12		14.49	721.95
	03/09/12		15.10	721.34
	04/06/12		14.63	721.81
	05/02/12		14.59	721.85
	06/01/12		15.13	721.31
	07/13/12		16.09	720.35
	08/10/12		16.63	719.81
	09/06/12		16.50	719.94

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/03/07	733.04	6.85	726.19
	02/12/07		7.81	725.23
	03/12/07		9.56	723.48
	04/09/07		10.56	722.48
	05/07/07		8.35	724.69
	06/08/07		9.07	723.97
	07/17/07		9.65	723.39
	08/01/07		9.82	723.22
	09/14/07		10.49	722.55
	10/12/07		10.95	722.09
	11/09/07		11.14	721.90
	12/07/07		11.21	721.83
	01/04/08		10.46	722.58
	02/15/08		8.45	724.59
	03/13/08		7.28	725.76
	04/11/08		6.40	726.64
	05/08/08		7.74	725.30
	06/06/08		8.49	724.55
	07/03/08		8.50	724.54
	08/01/08		7.28	725.76
	09/12/08		7.30	725.74
	10/10/08		9.47	723.57
	11/06/08		9.98	723.06
	12/19/08		9.34	723.70
	01/02/09		8.77	724.27
	02/13/09		8.04	725.00
	03/13/09		8.75	724.29
	04/09/09		7.82	725.22
	05/08/09		NG	NG
	06/05/09		7.24	725.80
	07/02/09		7.89	725.15
	08/14/09		6.96	726.08
	09/11/09		8.47	724.57
	10/09/09		8.34	724.70
	11/04/09		8.46	724.58
	12/04/09		8.98	724.06
	01/14/10		8.83	724.21
	02/10/10		NG	NG
	03/11/10		8.51	724.53
	04/08/10		7.37	725.67
	05/06/10		8.16	724.88
	06/04/10		8.48	724.56
	07/01/10		7.22	725.82
	08/12/10		8.94	724.10
	09/08/10		9.81	723.23
	10/07/10		10.51	722.53
	11/19/10		11.10	721.94
	12/03/10		10.31	722.73
	01/14/11		10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29
	12/01/11		8.57	724.47
	01/13/12		8.18	724.86
	02/10/12		7.76	725.28
	03/09/12		8.52	724.52
	04/06/12		7.71	725.33
	05/02/12		6.56	726.48
	06/01/12		8.58	724.46
	07/13/12		9.90	723.14
	08/10/12		10.42	722.62
	09/06/12		10.68	722.36

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12	01/03/07	736.38	15.70	720.68
	02/12/07		16.18	720.20
	03/12/07		15.54	720.84
	04/09/07		16.17	720.21
	05/07/07		16.32	720.06
	06/08/07		16.58	719.80
	07/17/07		16.79	719.59
	08/01/07		16.88	719.50
	09/14/07		17.10	719.28
	10/12/07		17.47	718.91
	11/09/07		17.45	718.93
	12/07/07		17.35	719.03
	01/04/08		16.86	719.52
	02/03/08		15.97	720.41
	03/13/08		15.67	720.71
	04/11/08		15.52	720.86
	05/08/08		16.06	720.32
Well Damaged	06/06/08		NG	NG
MW-12R	07/03/08	736.15	15.47	720.68
	08/01/08		15.76	720.39
	09/12/08		16.49	719.66
	10/10/08		16.85	719.30
	11/06/08		17.17	718.98
	12/19/08		17.05	719.10
	01/02/09		16.51	719.64
	02/13/09		16.44	719.71
	03/13/09		16.57	719.58
	04/09/09		16.38	719.77
	05/08/09		16.11	720.04
	06/05/09		16.05	720.10
	07/02/09		16.22	719.93
	08/14/09		15.77	720.38
	09/11/09		16.04	720.11
	10/09/09		16.41	719.74
	11/04/09		16.46	719.69
	12/04/09		16.71	719.44
	01/14/10		16.60	719.55
	02/10/10		16.68	719.47
	03/11/10		16.63	719.52
	04/08/10		16.32	719.83
	05/06/10		16.49	719.66
	06/04/10		16.61	719.54
	07/01/10		15.85	720.30
	08/12/10		16.64	719.51
	09/08/10		17.28	718.87
	10/07/10		18.41	717.74
	11/19/10		18.71	717.44
	12/03/10		18.22	717.93
	01/14/11		17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61
	12/01/11		17.20	718.95
	01/13/12		16.83	719.32
	02/10/12		16.66	719.49
	03/09/12		17.15	719.00
	04/06/12		16.74	719.41
	05/02/12		16.87	719.28
	06/01/12		18.87	717.28
	07/13/12		17.80	718.35
	08/10/12		18.16	717.99
	09/06/12		18.10	718.05

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/03/07	734.03	8.51	725.52
	02/12/07		9.42	724.61
	03/12/07		9.24	724.79
	04/09/07		9.36	724.67
	05/07/07		9.61	724.42
	06/08/07		10.20	723.83
	07/17/07		10.72	723.31
	08/01/07		10.85	723.18
	09/14/07		11.58	722.45
	10/12/07		12.02	722.01
	11/09/07		12.10	721.93
	12/07/07		11.91	722.12
	01/04/08		11.11	722.92
	02/15/08		9.43	724.60
	03/13/08		8.71	725.32
	04/11/08		8.28	725.75
	05/08/08		9.23	724.80
	06/06/08		7.64	726.39
	07/03/08		7.67	726.36
	08/01/08		9.00	725.03
	09/12/08		9.05	724.98
	10/10/08		10.51	723.52
	11/06/08		11.17	722.86
	12/19/08		10.01	724.02
	01/02/09		9.69	724.34
	02/13/09		9.12	724.91
	03/13/09		9.84	724.19
	04/09/09		9.04	724.99
	05/08/09		8.53	725.50
	06/05/09		8.93	725.10
	07/02/09		9.34	724.69
	08/14/09		8.68	725.35
	09/11/09		9.74	724.29
	10/09/09		9.24	724.79
	11/04/09		9.55	724.48
	12/04/09		9.98	724.05
	01/14/10		9.99	724.04
	02/10/10		9.99	724.04
	03/11/10		9.46	724.57
	04/08/10		8.53	725.50
	05/06/10		9.41	724.62
	06/04/10		9.51	724.52
	07/01/10		8.81	725.22
	08/12/10		10.16	723.87
	09/08/10		11.07	722.96
	10/07/10		11.76	722.27
	11/19/10		12.08	721.95
	12/03/10		10.96	723.07
	01/14/11		11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52
	12/01/11		9.32	724.71
	01/13/12		9.39	724.64
	02/10/12		9.19	724.84
	03/09/12		9.63	724.40
	04/06/12		9.04	724.99
	05/02/12		8.41	725.62
	06/01/12		9.84	724.19
	07/13/12		11.14	722.89
	08/10/12		11.33	722.70
	09/06/12		11.38	722.65

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/03/07	737.91	15.71	722.20
	02/12/07		4.76	733.15
	03/12/07		16.10	721.81
	04/09/07		16.91	721.00
	05/07/07		16.50	721.41
	06/08/07		16.98	720.93
	07/17/07		17.35	720.56
	08/01/07		17.55	720.36
	09/14/07		17.88	720.03
	10/12/07		18.29	719.62
	11/09/07		18.23	719.68
	12/07/07		18.19	719.72
	01/04/08		17.48	720.43
	02/15/08		16.10	721.81
	03/13/08		15.52	722.39
	04/11/08		15.20	722.71
	05/08/08		16.02	721.89
	06/06/08		15.00	722.91
	07/03/08		15.05	722.86
	08/01/08		15.36	722.55
	09/12/08		16.95	720.96
	10/10/08		17.43	720.48
	11/06/08		17.78	720.13
	12/19/08		17.75	720.16
	01/02/09		16.94	720.97
	02/13/09		16.85	721.06
	03/13/09		16.94	720.97
	04/09/09		16.60	721.31
	05/08/09		16.16	721.75
	06/05/09		15.97	721.94
	07/02/09		16.32	721.59
	08/14/09		15.67	722.24
	09/11/09		16.41	721.50
	10/09/09		16.94	720.97
	11/04/09		16.76	721.15
	12/04/09		17.15	720.76
	01/14/10		16.95	720.96
	02/10/10		17.06	720.85
	03/11/10		16.91	721.00
	04/08/10		16.53	721.38
	05/06/10		16.63	721.28
	06/04/10		16.84	721.07
	07/01/10		15.78	722.13
	08/12/10		16.76	721.15
	09/08/10		17.51	720.40
	10/07/10		18.17	719.74
	11/19/10		18.64	719.27
	12/03/10		17.98	719.93
	01/14/11		17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27
	12/01/11		17.18	720.73
	01/13/12		16.57	721.34
	02/10/12		16.24	721.67
	03/09/12		16.89	721.02
	04/06/12		16.33	721.58
	05/02/12		16.43	721.48
	06/01/12		16.79	721.12
	07/13/12		17.78	720.13
	08/10/12		18.29	719.62
	09/06/12		18.10	719.81

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/03/07	737.64	16.46	721.18
	02/12/07		16.90	720.74
	03/12/07		16.66	720.98
	04/09/07		16.91	720.73
	05/07/07		17.03	720.61
	06/08/07		17.43	720.21
	07/17/07		17.76	719.88
	08/01/07		17.97	719.67
	09/14/07		18.24	719.40
	10/12/07		18.62	719.02
	11/09/07		18.59	719.05
	12/07/07		18.51	719.13
	01/04/08		17.91	719.73
	02/15/08		16.80	720.84
	03/13/08		16.37	721.27
	04/11/08		16.13	721.51
	05/08/08		16.74	720.90
	06/06/08		15.88	721.76
	07/03/08		15.91	721.73
	08/01/08		16.29	721.35
	09/12/08		17.47	720.17
	10/10/08		17.87	719.77
	11/06/08		18.22	719.42
	12/19/08		18.12	719.52
	01/02/09		17.47	720.17
	02/13/09		17.37	720.27
	03/13/09		17.58	720.06
	04/09/09		17.23	720.41
	05/08/09		16.89	720.75
	06/05/09		16.72	720.92
	07/02/09		16.98	720.66
	08/14/09		16.49	721.15
	09/11/09		16.91	720.73
	10/09/09		17.36	720.28
	11/04/09		17.30	720.34
	12/04/09		17.65	719.99
	01/14/10		17.48	720.16
	02/10/10		17.57	720.07
	03/11/10		17.46	720.18
	04/08/10		17.14	720.50
	05/06/10		17.28	720.36
	06/04/10		17.42	720.22
	07/01/10		16.55	721.09
	08/12/10		17.27	720.37
	09/08/10		17.88	719.76
	10/07/10		18.64	719.00
	11/19/10		19.08	718.56
	12/03/10		18.46	719.18
	01/14/11		18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53
	12/01/11		17.70	719.94
	01/13/12		17.24	720.40
	02/10/12		17.05	720.59
	03/09/12		17.55	720.09
	04/06/12		17.06	720.58
	05/02/12		17.19	720.45
	06/01/12		17.43	720.21
	07/13/12		18.29	719.35
	08/10/12		18.76	718.88
	09/06/12		18.62	719.02

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/03/07	736.02	14.51	721.51
	02/12/07		14.97	721.05
	03/12/07		14.88	721.14
	04/09/07		15.07	720.95
	05/07/07		15.24	720.78
	06/08/07		15.63	720.39
	07/17/07		15.95	720.07
	08/01/07		16.02	720.00
	09/14/07		16.31	719.71
	10/12/07		16.64	719.38
	11/09/07		16.65	719.37
	12/07/07		16.67	719.35
	01/04/08		16.18	719.84
	02/15/08		14.95	721.07
	03/13/08		14.43	721.59
	04/11/08		14.07	721.95
	05/08/08		14.88	721.14
	06/06/08		13.85	722.17
	07/03/08		13.87	722.15
	08/01/08		14.38	721.64
	09/12/08		15.58	720.44
	10/10/08		15.98	720.04
	11/06/08		16.26	719.76
	12/19/08		16.28	719.74
	01/02/09		15.74	720.28
	02/13/09		15.54	720.48
	03/13/09		15.66	720.36
	04/09/09		15.43	720.59
	05/08/09		15.03	720.99
	06/05/09		14.79	721.23
	07/02/09		15.07	720.95
	08/14/09		14.50	721.52
	09/11/09		15.13	720.89
	10/09/09		15.53	720.49
	11/04/09		15.49	720.53
	12/04/09		15.80	720.22
	01/14/10		15.60	720.42
	02/10/10		15.71	720.31
	03/11/10		15.61	720.41
	04/08/10		15.28	720.74
	05/06/10		15.39	720.63
	06/04/10		15.55	720.47
	07/01/10		14.56	721.46
	08/12/10		15.39	720.63
	09/08/10		16.02	720.00
	10/07/10		16.57	719.45
	11/19/10		16.98	719.04
	12/03/10		16.56	719.46
	01/14/11		16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86
	12/01/11		15.83	720.19
	01/13/12		15.27	720.75
	02/10/12		15.03	720.99
	03/09/12		15.63	720.39
	04/06/12		15.11	720.91
	05/02/12		15.25	720.77
	06/01/12		15.47	720.55
	07/13/12		16.20	719.82
	08/10/12		17.65	718.37
	09/06/12		16.64	719.38

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/03/07	736.39	11.42	724.97
	02/12/07		12.28	724.11
	03/12/07		12.15	724.24
	04/09/07		12.39	724.00
	05/07/07		12.65	723.74
	06/08/07		13.25	723.14
	07/17/07		13.69	722.70
	08/01/07		13.85	722.54
	09/14/07		14.37	722.02
	10/12/07		14.82	721.57
	11/09/07		14.93	721.46
	12/07/07		14.91	721.48
	01/04/08		14.20	722.19
	02/15/08		12.47	723.92
	03/13/08		11.63	724.76
	04/11/08		11.04	725.35
	05/08/08		12.13	724.26
	06/06/08		10.29	726.10
	07/03/08		10.31	726.08
	08/01/08		11.71	724.68
	09/12/08		11.80	724.59
	10/10/08		13.61	722.78
	11/06/08		14.07	722.32
	12/19/08		13.95	722.44
	01/02/09		12.92	723.47
	02/13/09		12.47	723.92
	03/13/09		13.02	723.37
	04/09/09		12.22	724.17
	05/08/09		11.72	724.67
	06/05/09		11.78	724.61
	07/02/09		12.27	724.12
	08/14/09		11.44	724.95
	09/11/09		12.70	723.69
	10/09/09		12.72	723.67
	11/04/09		12.74	723.65
	12/04/09		13.21	723.18
	01/14/10		13.06	723.33
	02/10/10		13.15	723.24
	03/11/10		12.78	723.61
	04/08/10		12.18	724.21
	05/06/10		12.52	723.87
	06/04/10		12.69	723.70
	07/01/10		11.62	724.77
	08/12/10		13.06	723.33
	09/08/10		13.89	722.50
	10/07/10		14.52	721.87
	11/19/10		14.97	721.42
	12/03/10		14.11	722.28
	01/14/11		14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68
	12/01/11		12.73	723.66
	01/13/12		12.48	723.91
	02/10/12		12.15	724.24
	03/09/12		12.81	723.58
	04/06/12		12.09	724.30
	05/02/12		11.98	724.41
	06/01/12		12.81	723.58
	07/13/12		13.97	722.42
	08/10/12		14.32	722.07
	09/06/12		14.47	721.92

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/03/07	736.63	14.31	722.32
	02/12/07		15.04	721.59
	03/12/07		16.68	719.95
	04/09/07		15.03	721.60
	05/07/07		15.17	721.46
	06/08/07		15.71	720.92
	07/17/07		16.11	720.52
	08/01/07		16.31	720.32
	09/14/07		16.63	720.00
	10/12/07		17.08	719.55
	11/09/07		17.08	719.55
	12/07/07		16.79	719.84
	01/04/08		16.30	720.33
	02/15/08		14.87	721.76
	03/13/08		14.33	722.30
	04/11/08		14.11	722.52
	05/08/08		14.93	721.70
	06/06/08		13.76	722.87
	07/03/08		13.80	722.83
	08/01/08		14.46	722.17
	09/12/08		15.67	720.96
	10/10/08		16.12	720.51
	11/06/08		16.52	720.11
	12/19/08		16.41	720.22
	01/02/09		15.50	721.13
	02/13/09		15.43	721.20
	03/13/09		15.58	721.05
	04/09/09		15.11	721.52
	05/08/09		14.72	721.91
	06/05/09		14.64	721.99
	07/02/09		15.01	721.62
	08/14/09		14.37	722.26
	09/11/09		15.08	721.55
	10/09/09		15.43	721.20
	11/04/09		15.34	721.29
	12/04/09		15.78	720.85
	01/14/10		15.61	721.02
	02/10/10		15.73	720.90
	03/11/10		15.47	721.16
	04/08/10		15.12	721.51
	05/06/10		15.26	721.37
	06/04/10		15.47	721.16
	07/01/10		14.45	722.18
	08/12/10		15.42	721.21
	09/08/10		16.33	720.30
	10/07/10		16.99	719.64
	11/19/10		17.38	719.25
	12/03/10		16.64	719.99
	01/14/11		16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37
	12/01/11		15.68	720.95
	01/13/12		15.21	721.42
	02/10/12		14.93	721.70
	03/09/12		15.62	721.01
	04/06/12		14.95	721.68
	05/02/12		15.20	721.43
	06/01/12		15.48	721.15
	07/13/12		16.54	720.09
	08/10/12		17.03	719.60
	09/06/12		16.72	719.91

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/03/07	738.04	16.07	721.97
	02/12/07		16.67	721.37
	03/12/07		NG	NG
	04/09/07		16.66	721.38
	05/07/07		16.81	721.23
	06/08/07		17.29	720.75
	07/17/07		17.67	720.37
	08/01/07		17.88	720.16
	09/14/07		18.19	719.85
	10/12/07		18.61	719.43
	11/09/07		18.60	719.44
	12/07/07		18.35	719.69
	01/04/08		17.85	720.19
	02/15/08		16.51	721.53
	03/13/08		16.01	722.03
	04/11/08		15.74	722.30
	05/08/08		16.51	721.53
	06/06/08		15.52	722.52
	07/03/08		15.56	722.48
	08/01/08		16.01	722.03
	09/12/08		17.28	720.76
	10/10/08		17.71	720.33
	11/06/08		18.11	719.93
	12/19/08		18.03	720.01
	01/02/09		17.20	720.84
	02/13/09		17.12	720.92
	03/13/09		17.23	720.81
	04/09/09		16.87	721.17
	05/08/09		16.48	721.56
	06/05/09		16.35	721.69
	07/02/09		16.44	721.60
	08/14/09		16.07	721.97
	09/11/09		16.68	721.36
	10/09/09		17.11	720.93
	11/04/09		17.03	721.01
	12/04/09		17.43	720.61
	01/14/10		17.25	720.79
	02/10/10		17.34	720.70
	03/11/10		17.18	720.86
	04/08/10		16.82	721.22
	05/06/10		16.95	721.09
	06/04/10		17.14	720.90
	07/01/10		16.15	721.89
	08/12/10		17.03	721.01
	09/08/10		17.87	720.17
	10/07/10		18.57	719.47
	11/19/10		19.00	719.04
	12/03/10		18.31	719.73
	01/14/11		18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12
	12/01/11		17.42	720.62
	01/13/12		16.92	721.12
	02/10/12		16.65	721.39
	03/09/12		17.29	720.75
	04/06/12		16.66	721.38
	05/02/12		16.90	721.14
	06/01/12		17.16	720.88
	07/13/12		18.17	719.87
	08/10/12		18.68	719.36
	09/06/12		18.35	719.69

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/03/07	737.61	15.89	721.72
	02/12/07		16.53	721.08
	03/12/07		16.34	721.27
	04/09/07		16.51	721.10
	05/07/07		16.65	720.96
	06/08/07		17.16	720.45
	07/17/07		17.52	720.09
	08/01/07		17.71	719.90
	09/14/07		18.03	719.58
	10/12/07		18.45	719.16
	11/09/07		18.44	719.17
	12/07/07		18.13	719.48
	01/04/08		17.66	719.95
	02/15/08		16.36	721.25
	03/13/08		15.89	721.72
	04/11/08		15.67	721.94
	05/08/08		16.43	721.18
	06/06/08		15.45	722.16
	07/03/08		15.47	722.14
	08/01/08		16.08	721.53
	09/12/08		17.13	720.48
	10/10/08		17.55	720.06
	11/06/08		17.93	719.68
	12/19/08		17.80	719.81
	01/02/09		16.96	720.65
	02/13/09		16.90	720.71
	03/13/09		17.02	720.59
	04/09/09		16.84	720.77
	05/08/09		16.27	721.34
	06/05/09		16.88	720.73
	07/02/09		16.91	720.70
	08/14/09		15.93	721.68
	09/11/09		15.84	721.77
	10/09/09		16.92	720.69
	11/04/09		16.83	720.78
	12/04/09		17.25	720.36
	01/14/10		17.03	720.58
	02/10/10		17.18	720.43
	03/11/10		16.98	720.63
	04/08/10		16.61	721.00
	05/06/10		16.77	720.84
	06/04/10		16.97	720.64
	07/01/10		15.99	721.62
	08/12/10		16.90	720.71
	09/08/10		17.78	719.83
	10/07/10		18.45	719.16
	11/19/10		18.84	718.77
	12/03/10		18.12	719.49
	01/14/11		17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88
	12/01/11		17.19	720.42
	01/13/12		16.73	720.88
	02/10/12		16.48	721.13
	03/09/12		17.13	720.48
	04/06/12		16.48	721.13
	05/02/12		16.69	720.92
	06/01/12		17.00	720.61
	07/13/12		18.03	719.58
	08/10/12		18.55	719.06
	09/06/12		18.40	719.21

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/03/07	734.84	15.15	719.69
	02/12/07		15.34	719.50
	03/12/07		17.13	717.71
	04/09/07		15.36	719.48
	05/07/07		15.44	719.40
	06/08/07		15.48	719.36
	07/17/07		15.47	719.37
	08/01/07		15.49	719.35
	09/14/07		16.07	718.77
	10/12/07		16.06	718.78
	11/09/07		16.10	718.74
	12/07/07		16.15	718.69
	01/04/08		16.01	718.83
	02/15/08		15.17	719.67
	03/13/08		14.88	719.96
	04/11/08		14.67	720.17
	05/08/08		15.22	719.62
	06/06/08		14.32	720.52
	07/03/08		14.80	720.04
	08/01/08		14.91	719.93
	09/12/08		15.72	719.12
	10/10/08		15.92	718.92
	11/06/08		16.07	718.77
	12/19/08		15.84	719.00
	01/02/09		15.72	719.12
	02/13/09		15.68	719.16
	03/13/09		15.79	719.05
	04/09/09		15.66	719.18
	05/08/09		15.57	719.27
	06/05/09		15.40	719.44
	07/02/09		15.55	719.29
	08/14/09		15.10	719.74
	09/11/09		15.16	719.68
	10/09/09		15.67	719.17
	11/04/09		15.39	719.45
	12/04/09		15.87	718.97
	01/14/10		15.82	719.02
	02/10/10		15.74	719.10
	03/11/10		15.68	719.16
	04/08/10		15.48	719.36
	05/06/10		16.61	718.23
	06/04/10		15.66	719.18
	07/01/10		13.07	721.77
	08/12/10		14.99	719.85
	09/08/10		15.83	719.01
	10/07/10		16.12	718.72
	11/19/10		16.24	718.60
	12/03/10		16.03	718.81
	01/14/11		16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13
	12/01/11		15.22	719.62
	01/13/12		15.44	719.40
	02/10/12		15.37	719.47
	03/09/12		15.64	719.20
	04/06/12		15.31	719.53
	05/02/12		15.37	719.47
	06/01/12		15.52	719.32
	07/13/12		15.83	719.01
	08/10/12		16.01	718.83
	09/06/12		15.98	718.86

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/03/07	730.97	12.40	718.57
	02/12/07		11.96	719.01
	03/12/07		12.22	718.75
	04/09/07		11.98	718.99
	05/07/07		11.10	719.87
	06/08/07		11.68	719.29
	07/17/07		11.44	719.53
	08/01/07		11.60	719.37
	09/14/07		13.10	717.87
	10/12/07		12.20	718.77
	11/09/07		12.27	718.70
	12/07/07		13.18	717.79
	01/04/08		12.85	718.12
	02/15/08		11.70	719.27
	03/13/08		11.61	719.36
	04/11/08		11.40	719.57
	05/08/08		11.39	719.58
	06/06/08		10.88	720.09
	07/03/08		11.65	719.32
	08/01/08		11.58	719.39
	09/12/08		13.09	717.88
	10/10/08		13.22	717.75
	11/06/08		12.96	718.01
	12/19/08		13.02	717.95
	01/02/09		12.80	718.17
	02/13/09		12.90	718.07
	03/13/09		12.78	718.19
	04/09/09		12.10	718.87
	05/08/09		13.35	717.62
	06/05/09		12.90	718.07
	07/02/09		12.68	718.29
	08/14/09		12.38	718.59
	09/11/09		12.30	718.67
	10/09/09		13.50	717.47
	11/04/09		13.04	717.93
	12/04/09		13.21	717.76
	01/14/10		13.42	717.55
	02/10/10		13.39	717.58
	03/11/10		12.81	718.16
	04/08/10		13.15	717.82
	05/06/10		12.14	718.83
	06/04/10		12.10	718.87
	07/01/10		13.42	717.55
	08/12/10		10.90	720.07
	09/08/10		12.70	718.27
	10/07/10		12.40	718.57
	11/19/10		12.45	718.52
	12/03/10		12.45	718.52
	01/14/11		12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22
	12/01/11		11.37	719.60
	01/13/12		12.84	718.13
	02/10/12		12.31	718.66
	03/09/12		12.98	717.99
	04/06/12		12.96	718.01
	05/02/12		12.90	718.07
	06/01/12		12.40	718.57
	07/13/12		12.95	718.02
	08/10/12		12.94	718.03
	09/06/12		12.81	718.16

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/03/07	732.05	15.36	716.69
	02/12/07		15.82	716.23
	03/12/07		11.66	720.39
	04/09/07		15.91	716.14
	05/07/07		12.35	719.70
	06/08/07		15.31	716.74
	07/17/07		15.83	716.22
	08/01/07		14.40	717.65
	09/14/07		14.85	717.20
	10/12/07		14.41	717.64
	11/09/07		14.62	717.43
	12/07/07		14.68	717.37
	01/04/08		14.70	717.35
	02/15/08		15.25	716.80
	03/13/08		15.31	716.74
	04/11/08		14.10	717.95
	05/08/08		15.24	716.81
	06/06/08		12.13	719.92
	07/03/08		12.28	719.77
	08/01/08		12.30	719.75
	09/12/08		15.05	717.00
	10/10/08		15.88	716.17
	11/06/08		15.20	716.85
	12/19/08		15.50	716.55
	01/02/09		15.44	716.61
	02/13/09		12.15	719.90
	03/13/09		16.85	715.20
	04/09/09		16.30	715.75
	05/08/09		15.65	716.40
	06/05/09		14.68	717.37
	07/02/09		14.60	717.45
	08/14/09		15.35	716.70
	09/11/09		14.50	717.55
	10/09/09		17.15	714.90
	11/04/09		12.14	719.91
	12/04/09		16.81	715.24
	01/14/10		15.50	716.55
	02/10/10		15.20	716.85
	03/11/10		14.35	717.70
	04/08/10		14.28	717.77
	05/06/10		13.72	718.33
	06/04/10		13.45	718.60
	07/01/10		13.81	718.24
	08/12/10		14.58	717.47
	09/08/10		16.10	715.95
	10/07/10		15.50	716.55
	11/19/10		15.05	717.00
	12/03/10		13.78	718.27
	01/14/11		13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87
	12/01/11		15.06	716.99
	01/13/12		12.70	719.35
	02/10/12		12.48	719.57
	03/09/12		14.95	717.10
	04/06/12		13.22	718.83
	05/02/12		15.24	716.81
	06/01/12		15.21	716.84
	07/13/12		13.40	718.65
	08/10/12		15.18	716.87
	09/06/12		15.10	716.95

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/03/07	733.19	18.41	714.78
	02/12/07		16.88	716.31
	03/12/07		12.16	721.03
	04/09/07		18.18	715.01
	05/07/07		12.95	720.24
	06/08/07		17.15	716.04
	07/17/07		17.71	715.48
	08/01/07		16.05	717.14
	09/14/07		16.45	716.74
	10/12/07		16.97	716.22
	11/09/07		18.75	714.44
	12/07/07		16.55	716.64
	01/04/08		15.67	717.52
	02/15/08		15.68	717.51
	03/13/08		15.79	717.40
	04/11/08		13.37	719.82
	05/08/08		16.65	716.54
	06/06/08		13.05	720.14
	07/03/08		13.90	719.29
	08/01/08		14.24	718.95
	09/12/08		15.59	717.60
	10/10/08		16.51	716.68
	11/06/08		16.55	716.64
	12/19/08		16.87	716.32
	01/02/09		16.81	716.38
	02/13/09		16.28	716.91
	03/13/09		16.35	716.84
	04/09/09		16.01	717.18
	05/08/09		15.77	717.42
	06/05/09		15.45	717.74
	07/02/09		15.10	718.09
	08/14/09		15.03	718.16
	09/11/09		14.84	718.35
	10/09/09		15.71	717.48
	11/04/09		15.66	717.53
	12/04/09		15.50	717.69
	01/14/10		16.01	717.18
	02/10/10		16.24	716.95
	03/11/10		16.21	716.98
	04/08/10		15.93	717.26
	05/06/10		16.03	717.16
	06/04/10		16.13	717.06
	07/01/10		15.09	718.10
	08/12/10		16.68	716.51
	09/08/10		15.38	717.81
	10/07/10		16.47	716.72
	11/19/10		18.69	714.50
	12/03/10		17.40	715.79
	01/14/11		17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47
	12/01/11		16.03	717.16
	01/13/12		15.63	717.56
	02/10/12		15.42	717.77
	03/09/12		15.93	717.26
	04/06/12		15.58	717.61
	05/02/12		15.75	717.44
	06/01/12		15.71	717.48
	07/13/12		17.98	715.21
	08/10/12		18.25	714.94
	09/06/12		18.01	715.18

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/03/07	735.48	16.35	719.13
	02/12/07		16.99	718.49
	03/12/07		16.68	718.80
	04/09/07		15.45	720.03
	05/07/07		15.71	719.77
	06/08/07		16.01	719.47
	07/17/07		16.45	719.03
	08/01/07		18.05	717.43
	09/14/07		17.59	717.89
	10/12/07		18.17	717.31
	11/09/07		17.88	717.60
	12/07/07		15.77	719.71
	01/04/08		17.90	717.58
	02/15/08		16.91	718.57
	03/13/08		16.41	719.07
	04/11/08		14.99	720.49
	05/08/08		15.81	719.67
	06/06/08		14.71	720.77
	07/03/08		14.60	720.88
	08/01/08		14.79	720.69
	09/12/08		16.43	719.05
	10/10/08		17.12	718.36
	11/06/08		17.16	718.32
	12/19/08		17.59	717.89
	01/02/09		17.65	717.83
	02/13/09		16.52	718.96
	03/13/09		16.61	718.87
	04/09/09		16.42	719.06
	05/08/09		15.86	719.62
	06/05/09		15.86	719.62
	07/02/09		16.77	718.71
	08/14/09		15.28	720.20
	09/11/09		15.28	720.20
	10/09/09		16.42	719.06
	11/04/09		16.28	719.20
	12/04/09		16.94	718.54
	01/14/10		16.64	718.84
	02/10/10		16.84	718.64
	03/11/10		16.29	719.19
	04/08/10		16.29	719.19
	05/06/10		16.79	718.69
	06/04/10		16.59	718.89
	07/01/10		15.72	719.76
	08/12/10		16.54	718.94
	09/08/10		18.06	717.42
	10/07/10		18.98	716.50
	11/19/10		19.80	715.68
	12/03/10		18.81	716.67
	01/14/11		18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42
	12/01/11		18.26	717.22
	01/13/12		17.56	717.92
	02/10/12		16.98	718.50
	03/09/12		18.00	717.48
	04/06/12		17.15	718.33
	05/02/12		17.62	717.86
	06/01/12		17.26	718.22
	07/13/12		19.53	715.95
	08/10/12		19.14	716.34
	09/06/12		15.78	719.70

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	08/12/10	731.96	13.81	718.15
	09/08/10		14.07	717.89
	10/07/10		15.41	716.55
	11/19/10		16.78	715.18
	12/03/10		16.38	715.58
	01/14/11		15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78
	12/01/11		14.73	717.23
	01/13/12		14.37	717.59
	02/10/12		14.34	717.62
	03/09/12		14.86	717.10
	04/06/12		14.38	717.58
	05/02/12		14.53	717.43
	06/01/12		14.51	717.45
	07/13/12		15.65	716.31
	08/10/12		15.98	715.98
	09/06/12		15.88	716.08

NR-Not Recorded
NG-Not Gauged

ATTACHMENT B

Groundwater Recovery

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	**RW-1**	**RW-2**	**RW-3**	**RW-4**	**RW-5**	**Total**
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	***445,555***	***428,463***	***536,852***	-	-	***1,410,870***
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	***1,949,120***	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	***2,835,673***	-	-	6,436,098
3/28/1997	1,692,834	2,039,011	***2,835,673***	-	-	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	***2,842,124***	-	-	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	3,313,604	7,312,970	6,402,525	-	-	17,050,326
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	3,889,675	8,638,302	7,429,910	1,171,610	-	21,150,724
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308
12/1/2011	18,629,825	33,598,934	48,320,048	53,355,570	6,100,310	160,025,914
12/16/2011	18,629,949	33,694,694	48,451,868	53,577,620	6,282,440	160,657,798
12/28/2011	18,629,987	33,779,384	48,561,758	53,756,850	6,369,780	161,118,986
1/13/2012	18,645,754	33,859,637	48,708,053	53,992,589	6,573,941	161,801,201
1/16/2012	18,716,529	33,865,708	48,721,294	54,013,533	6,592,457	161,930,748
1/27/2012	18,757,241	33,938,060	48,817,779	54,170,142	6,731,820	162,436,269
2/10/2012	18,815,117	34,035,651	48,942,826	54,373,450	6,910,967	163,099,238
2/24/2012	18,862,640	34,104,647	49,069,225	54,579,272	7,090,969	163,727,980
3/9/2012	18,902,508	34,170,267	49,197,023	54,783,061	7,269,776	164,343,862
3/23/2012	18,937,777	34,222,618	49,324,691	54,989,061	7,449,391	164,944,765
4/6/2012	18,985,172	34,316,006	49,452,912	55,194,431	7,629,191	165,598,939
4/20/2012	19,034,085	34,411,741	49,579,662	55,399,648	7,806,565	166,252,928
5/2/2012	19,072,065	34,481,477	49,688,956	55,576,321	7,959,176	166,799,222
5/16/2012	19,126,410	34,578,497	49,817,176	55,781,962	8,137,991	167,463,263
5/22/2012	19,148,742	34,617,182	49,872,834	55,871,142	8,215,560	167,746,687
6/1/2012	19,182,310	34,668,364	49,964,636	56,017,651	8,342,793	168,196,981
6/14/2012	19,220,759	34,715,694	50,084,238	56,206,400	8,508,700	168,757,018
6/26/2012	19,250,934	34,755,010	50,196,416	56,384,007	8,664,407	169,272,001
7/13/2012	19,282,456	34,789,492	50,351,741	56,627,498	8,878,597	169,951,011

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/27/2012	19,300,279	34,815,104	50,481,138	56,830,580	9,056,180	170,504,508
8/10/2012	19,309,368	34,840,760	50,610,359	57,033,320	9,233,830	171,048,864
8/24/2012	19,315,213	34,851,574	50,736,895	57,233,136	9,408,656	171,566,701
9/6/2012	19,318,377	34,861,041	50,856,179	57,234,830	9,571,204	171,862,858
9/21/2012	19,335,883	34,872,814	50,991,985	57,455,799	9,757,477	172,435,185

Notes:
- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.

AMPHENOL CORPORATION
FRANKLIN, INDIANA



iWM CONSULTING GROUP

ATTACHMENT C

Field Notes

iWM CONSULTING GROUP

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

inspection Date: 9-6-12
[Personnel: Mier / White
'al Time: 1005
ırture Time: 3:30
n Response Visit: YES (NO)

BIWEEKLY DATA

lizer Readings: RW-1 6808288.0 RW-2 19771697.0 RW-3 34355451.0 RW-4 57234830.0 RW-5 8571204.0

' Rate GPM: RW-1 cycling RW-2 cycling RW-3 6.50 RW-4 10.25 RW-5 8.25

p Running Amps RW-1 3.2 RW-2 3.2 RW-3 34 RW-4 3.5 RW-5 3.4

Stripper Pressure: 15 Inches of Water

ıent Clarity: (Clear)

ding Temperature: 72 Degrees F

em Operation Upon Arrival: (YES) NO (if no please explain below)

Rw-4 was not working Replaced pump and Restarted

er Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
se circle appropriate controller(s) below:

Manholes	(NO)	YES	Repaired	
Lines	(NO)	YES	Repaired	
Stripper	(NO)	YES	Repaired	

:s, explain:

MONTHLY DATA

er Cartridges Replaced: yes RW-1 yes RW-2 yes RW-3 yes RW-4 yes RW-5

pper Trays and Tubes Checked: yes

pper Trays and Tubes Cleaned: NO

nitoring/Recovery Wells Gauged: yes

ommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

ite Inspection Date: 9-21-12
WM nel: Mier
rrival ime: 915
eparture Time: 1045
larm Response Visit: YES NO

BIWEEKLY DATA

otalizer Readings: RW-1 708334.0 RW-2 197834710.0 RW-3 34491257.0 RW-4 57455188.0 RW-5 97574711.0

low Rate GPM: RW-1 cycling RW-2 cycling RW-3 6.50 RW-4 10.00 RW-5 8.50

ump Running Amps RW-1 3.2 RW-2 3.2 RW-3 3.5 RW-4 3.8 RW-5 3.4

ir Stripper Pressure: 15 Inches of Water

ffluent Clarity: Clear

uilding Temperature: 62 Degrees F

ystem Operation Upon Arrival: YES NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
lease circle appropriate controller(s) below:

Manholes	NO	YES	Repaired
Lines	NO	YES	Repaired
Stripper	NO	YES	Repaired

f yes, explain:

MONTHLY DATA

ilter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

tripper Trays and Tubes Checked:

tripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

7428 Rockville Road, Indianapolis, IN 46214

November 10, 2012

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492

Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED CORRECTIVE MEASURE
Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the September 21 through October 19, 2012 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On October 5, 2012, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 10.41 feet below top of casing (TOC) in MW-9 to 18.52 feet below TOC in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 were operational during groundwater gauging activities. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a groundwater contour map based on the October 5, 2012 depth to water measurements has been included as **Figure 2**.

Groundwater Treatment System

From September 21 through October 19, 2012, approximately 1,086,033 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 173,521,218 gallons. The average influent groundwater recovery rate from September 21 through October 19, 2012 was approximately 26.9 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on October 5, 2012 to complete bi-weekly and monthly system operation and maintenance activities and semi-annual groundwater sampling activities. The groundwater

recovery and treatment system was completely operational upon arrival and departure from the site on October 5, 2012.

IWM personnel mobilized to the site on October 19, 2012 to complete bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon departure from the site on October 19, 2012.

Semi-Annual Groundwater Sampling and Analysis

On October 5, 2012, groundwater samples were obtained from monitoring wells IT-2, IT-3, MW-12R, MW-20, MW-22, MW-28, MW-29, and MW-30 for VOC analysis to evaluate current groundwater quality at the site. Groundwater samples were collected using dedicated, disposable, bottom-loading bailers to reduce the risk of cross-contamination. Three-well volumes were purged prior to sample collection. Samples were submitted to Pace Analytical Services, Inc. (Pace) for VOC analysis using US EPA SW 846 Method 8260B. Groundwater sampling logs are provided in **Attachment D**.

The highest VOC concentrations were detected in the groundwater samples obtained from monitoring well MW-22 (905.3 µg/L total VOCs) located 30 feet northwest of recovery well RW-3 and monitoring well MW-12R (890.6 µg/L total VOCs) located adjacent to recovery well RW-2. Therefore, the groundwater recovery and treatment system is effectively targeting the area of greatest VOC concentration. The concentrations of dissolved VOCs in monitoring wells MW-12 and MW-22 decreased substantially following installation of the groundwater recovery and treatment system in 1996. Overall, total VOC concentrations in these wells have been relatively stable during operation of the treatment system from 2000 to 2012.

Trichloroethene was detected in monitoring wells IT-2, IT-3, MW-12R, MW-22, MW-28, and MW-30. Cis-1,2-dichloroethene was detected in monitoring wells IT-2, MW-12R, and MW-22. 1,1,1-Trichloroethane was detected in monitoring wells IT-2, IT-3, MW-12R, MW-22, MW-28, and MW-30. Tetrachloroethene was detected in monitoring wells MW-12R, MW-20, MW-22, and MW-28.

Both monitoring wells IT-2 and IT-3 are located down-gradient from the site. Overall, total dissolved VOC concentrations in monitoring wells IT-2 and IT-3 have decreased over time during operation of the groundwater recovery and treatment system. Total dissolved VOC concentrations in monitoring wells MW-12R and MW-30 have decreased since the startup of the remedial system in 1996. Total dissolved VOC concentrations decreased substantially in monitoring wells MW-22 and MW-28 during the initial startup of the recovery system in 1996 and have been decreasing during operation of the groundwater recovery and treatment system from 2000 to 2012. Tetrachloroethene and trichloroethene concentrations were reduced significantly (47% and 37%, respectively) in monitoring well MW-22 as part of a three month enhanced bioremediation pilot study conducted in early 2007. During the implementation of the full scale enhanced bioremediation activities (July 2010 through March 2011), tetrachloroethene concentrations decreased 22% in monitoring well MW-22. Post full scale enhanced bioremediation activities, tetrachloroethene concentrations have decreased an additional 32% in monitoring well MW-22.

The dissolved VOC concentrations observed in monitoring well MW-12R initially (October 2010) increased immediately after implementation of the full scale enhanced bioremediation. The reason for the increased dissolved VOC concentrations is because several combination groundwater and microbe injection points (IN-4, IN-5, IN-6, and IN-7) were installed immediately hydraulically up-gradient from this well and

the injection points were able to "flush" the VOC impacted saturated soil, thus increasing the dissolved VOC concentrations while simultaneously decreasing the adsorbed VOC concentrations. Furthermore, the dissolved VOCs were drawn to and recovered by hydraulically down-gradient recovery wells RW-2 (adjacent to MW-12R) and RW-5 (approximately 45 feet west of MW-12R). Since monitoring well MW-12R is located between these two recovery wells, this explains why the dissolved VOC concentrations increased immediately after start-up of the full scale enhanced bioremediation activities. It should be noted that the dissolved VOCs displayed a decrease in concentrations during the April 2011 groundwater sampling event. During the October 2011 event, a substantial rebound of dissolved VOC concentrations was observed. Dissolved VOC concentrations in monitoring well MW-12R decreased approximately 72% from the October 2011 sampling event to the October 2012 sampling event.

No VOCs were detected in the groundwater samples obtained from monitoring well MW-29.

A trip blank and a field duplicate sample (MW-22) were obtained per IDEM Minimum Data Documentation Requirements dated February 13, 2003. The trip blank and the duplicate sample were analyzed for VOCs. The trip blank was below laboratory detection limits for all constituents and the duplicate analysis was relatively consistent with the sample which was duplicated. Groundwater sampling field logs are provided in **Attachment D**. Laboratory data sheets are provided in **Attachment E**. A summary of groundwater analytical results is included in **Table 1**.

Schedule of Activities

Quarterly, monthly, and biweekly system operation and maintenance activities activities are scheduled for the month of November 2012. Site visits are scheduled for the weeks beginning October 29, November 12, and November 26, 2012. The information from these site inspections will be included in the November 2012 Progress Report.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting Group, LLC appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

IWM CONSULTING GROUP, LLC

Christopher D. Parks, LPG
Project Manager

Bradley E. Gentry, LPG
Senior Project Manager

Attachments
cc: Mr. Dave Dowden, Lancer Realty & Development Co.

FIGURES



GEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

Scale 1":100 ft.

DRAWN BY: L. STRUM	
DATE: 9/27/99	
REVISED:	
HWPA #111291-01	
DWG. NO. 111291S1	

FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP



LEGEND

- MONITORING WELL
- RECOVERY WELL
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER
- 722.00 POTENTIONMETRIC SURFACE (CONTOUR INTERVAL = 1.0 FT.)

0 100
SCALE IN FEET

DRAWN BY: L. STRUM	FIGURE 2 GROUNDWATER ELEVATION MAP (10/05/12)	FORMER AMPHENOL RFI/CMS 980 HURRICANE ROAD FRANKLIN, INDIANA	IWM CONSULTING GROUP
DATE: 9/27/99			
REVISED:			
HWPA #111291-01			
DWG. NO. 111291S1			

TABLES

Table 1

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
IT-2	2/1/1986	NA	15	NR	1.5	90	88	NR	NR	ND	ND	ND	195
	5/1/1986	NA	10	NR	7.5	64	93	NR	NR	ND	ND	ND	175
	8/1/1986	NA	11	NR	38	120	120	NR	NR	ND	ND	ND	289
	11/1/1986	NA	34	NR	55	39	130	NR	NR	ND	ND	ND	258
	3/5/1992	NA	41	78	ND	25	18	NR	NR	ND	ND	ND	162
	7/27/1992	NA	17	30	ND	28	39	NR	NR	ND	ND	ND	114
	2/16/1993	NA	18	51	5J	29	29	NR	NR	ND	ND	ND	127
	10/9/1996	NA	18	79	17	9	18	NR	NR	ND	ND	ND	141
	9/29/2000	12.40	16	87	ND	ND	14	ND	ND	ND	ND	ND	117
	4/2/2001	13.12	11	56	ND	26	60	ND	ND	ND	ND	ND	153
	10/19/2001	12.53	14	70	ND	10	20	ND	ND	ND	ND	ND	114
	4/16/2002	11.65	ND	24	ND	ND	10	ND	ND	ND	ND	ND	34
	10/17/2002	13.13	8.8	46	ND	ND	14	ND	ND	ND	ND	ND	69
	4/30/2003	12.75	ND	31	ND	8.8	21	ND	ND	ND	ND	ND	61
	10/3/2003	12.23	8.8	50	ND	ND	11	ND	ND	ND	ND	ND	70
	4/2/2004	12.47	ND	43	ND	ND	15	ND	ND	ND	ND	ND	58
	10/4/2004	12.61	9.4	60	6.1	12	36	ND	ND	ND	ND	ND	124
	4/1/2005	12.46	6.3	29	ND	5.4	18	ND	ND	ND	ND	ND	59
	10/14/2005	12.38	8	52	ND	ND	9	ND	ND	ND	ND	ND	69
	4/27/2006	11.75	ND	25.5	ND	4.98	14.6	ND	ND	ND	ND	ND	45.1
	10/13/2006	12.47	ND	36.6	ND	ND	13.6	ND	ND	ND	ND	ND	50.2
	4/17/2007	11.96	ND	13.1	ND	ND	8.9	ND	ND	ND	ND	ND	22
	10/12/2007	13.38	8.4	42.7	ND	ND	8.2	ND	ND	ND	ND	ND	59.3
	4/4/2008	11.13	ND	19.1	ND	ND	10.7	ND	ND	ND	ND	ND	29.8
	10/10/2008	12.78	ND	18	ND	ND	5.5	ND	ND	ND	ND	ND	23.5
	4/9/2009	12.22	ND	17.3	ND	6.2	10.1	ND	ND	ND	ND	ND	33.6
	10/9/2009	12.29	ND	11.4	ND	ND	10.3	ND	ND	ND	ND	ND	21.7
	4/8/2010	12.19	ND	5.4	ND	ND	ND	ND	ND	ND	ND	ND	5.4
	10/7/2010	14.04	6.3	29.7	ND	ND	15.6	ND	ND	ND	ND	ND	51.6
	4/14/2011	11.93	ND	15.4	ND	ND	10.8	ND	ND	ND	ND	ND	26.2
	10/5/2011	13.30	6.5	30.4	ND	5.7	18.7	ND	ND	ND	ND	ND	61.3
	4/6/2012	12.31	ND	18.3	ND	ND	8.5	ND	ND	ND	ND	ND	26.8
	10/5/2012	13.56	ND	33.3	ND	5.6	31.7	ND	ND	ND	ND	ND	70.6

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

T: ontinued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
IT-3	2/1/1986	NA	13	NR	290	190	67	NR	NR	ND	ND	ND	560
	5/1/1986	NA	10	NR	NA	200	27	NR	NR	ND	ND	ND	237
	8/1/1986	NA	7.5	NR	24	150	50	NR	NR	ND	ND	ND	232
	11/1/1986	NA	7.9	NR	16	160	72	NR	NR	ND	ND	ND	256
	3/5/1992	NA	4J	ND	ND	83	34	NR	NR	ND	ND	ND	117
	7/27/1992	NA	4J	ND	8	67	22	NR	NR	ND	ND	ND	97
	2/16/1993	NA	5J	ND	ND	71	29	NR	NR	ND	ND	ND	100
	10/9/1996	NA	5	ND	ND	49	58	NR	NR	ND	ND	ND	112
	9/29/2000	10.74	ND	ND	ND	23	17	ND	ND	ND	ND	ND	40
	4/2/2001	11.30	ND	ND	ND	14	14	ND	ND	ND	ND	ND	28
	10/19/2001	10.78	ND	ND	ND	23	16	ND	ND	ND	ND	ND	39
	4/16/2002	10.72	ND	ND	ND	22	11	ND	ND	ND	ND	ND	33
	10/17/2002	11.25	ND	ND	ND	18	16	ND	ND	ND	ND	ND	34
	4/30/2003	11.21	ND	ND	ND	19	11	ND	ND	ND	ND	ND	30
	10/3/2003	10.91	ND	ND	ND	17	9.5	ND	ND	ND	ND	ND	27
	4/2/2004	10.97	ND	ND	ND	12	6	ND	ND	ND	ND	ND	18
	10/4/2004	11.03	ND	ND	5.3	11	5.8	ND	ND	ND	ND	ND	22
	4/1/2005	10.94	ND	ND	ND	8.1	ND	ND	ND	ND	ND	ND	8.1
	10/14/2005	10.91	ND	ND	ND	7	ND	ND	ND	ND	ND	ND	7.0
	4/27/2006	10.75	ND	ND	ND	12.9	ND	ND	ND	ND	ND	ND	12.9
	10/13/2006	10.95	ND	ND	ND	11.1	5.78	ND	ND	ND	ND	ND	16.9
	4/17/2007	10.83	ND	ND	ND	12.4	7.6	ND	ND	ND	ND	5.7	25.7
	10/12/2007	11.35	ND	ND	ND	12.9	10.2	ND	ND	ND	ND	ND	23.1
	4/4/2008	10.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	10/10/2008	11.04	ND	ND	ND	19.9	18.7	ND	ND	ND	ND	ND	38.6
	4/9/2009	10.86	ND	ND	ND	11.4	16.3	ND	ND	ND	ND	ND	27.7
	10/9/2009	10.77	ND	ND	ND	18.9	25.7	ND	ND	ND	ND	ND	44.6
	4/8/2010	10.75	ND	ND	ND	5.6	17.8	ND	ND	ND	ND	ND	23.4
	10/7/2010	11.33	ND	ND	ND	21.6	32.5	ND	ND	ND	ND	ND	54.1
	4/14/2011	10.52	ND	ND	ND	ND	6.5	ND	ND	ND	ND	ND	6.5
	10/5/2011	11.07	ND	ND	ND	10.4	13.3	ND	ND	ND	ND	ND	23.7
	4/6/2012	10.73	ND	ND	ND	ND	7.2	ND	ND	ND	ND	ND	7.2
	10/5/2012	11.24	ND	ND	ND	6.6	7	ND	ND	ND	ND	ND	13.6

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-12	2/1/1986	NA	360	NR	17,000	19,000	7,400	NR	NR	ND	ND	ND	43,760
	5/1/1986	NA	280	NR	34,000	25,000	5,400	NR	NR	ND	ND	ND	64,680
	8/1/1986	NA	310	NR	18,000	9,600	6,100	NR	NR	ND	ND	ND	34,010
	11/1/1986	NA	440	NR	26,000	24,000	9,100	NR	NR	ND	ND	ND	59,540
	10/9/1996	NA	26	ND	2,000	910	1,200	NR	NR	ND	ND	ND	4,136
	9/29/2000	16.56	11	ND	860	290	880	ND	ND	ND	ND	ND	2,041
	4/2/2001	17.31	9.3	ND	650	170	760	ND	ND	ND	ND	ND	1,589
	10/19/2001	16.67	14	ND	320	240	690	ND	ND	ND	ND	ND	1,264
	4/16/2002	15.86	12	ND	1,300	580	2,600	25	30	ND	ND	ND	4,547
	10/17/2002	17.36	18	ND	1,100	390	980	ND	ND	ND	ND	ND	2,488
	4/30/2003	16.92	12	ND	650	310	900	22	ND	ND	ND	ND	1,894
	10/3/2003	16.32	9.8	ND	550	190	810	ND	ND	ND	ND	ND	1,560
	4/2/2004	16.67	ND	ND	450	170	780	ND	ND	ND	ND	ND	1,400
	10/4/2004	16.72	14	ND	520	300	890	ND	ND	ND	ND	ND	1,724
	4/1/2005	16.67	7	ND	570	180	810	ND	ND	ND	ND	ND	1,567
	10/14/2005	16.53	10	ND	540	171	508	ND	ND	ND	ND	ND	1,229
	4/27/2006	15.83	59.6	ND	873	582	635	ND	ND	6.25	14.7	ND	2,170.55
	10/13/2006	16.56	ND	ND	788	502	574	ND	ND	ND	9.74	ND	1,873.74
	4/17/2007	15.16	7.5	ND	1,020	162	635	ND	ND	ND	ND	ND	1,824.5
	10/12/2007	17.47	22.8	124	1,380	360	571	ND	53.1	ND	ND	ND	2,510.9
	4/4/2008	15.41	28.9	11.4	1,590	331	698	ND	ND	ND	ND	ND	2,659.3
MW-12R	10/10/2008	16.85	ND	ND	352	90	320	ND	ND	ND	ND	ND	762
	4/9/2009	16.38	5.8	ND	444	100	208	ND	ND	ND	ND	ND	758
	10/9/2009	16.41	9.3	ND	552	152	288	ND	ND	ND	ND	ND	1,001
	4/8/2010	16.32	ND	ND	331	63.3	182	ND	ND	ND	ND	ND	576
	10/7/2010	18.41	21.6	703	1,040	222	580	ND	ND	ND	ND	ND	2,567
	4/14/2011	16.34	ND	46.1	477	68.9	289	ND	ND	ND	ND	ND	881
	10/5/2011	17.63	ND	159	2,470	67.2	272	ND	ND	ND	ND	ND	2,968
	4/6/2012	16.74	ND	81.4	884	56.3	234	ND	ND	ND	ND	ND	1,255.7
	10/5/2012	17.95	ND	23	687	45.6	135	ND	ND	ND	ND	ND	890.6

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

T ontinued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-20	3/5/1992	NA	ND	ND	ND	ND	ND	NR	NR	ND	ND	ND	ND
	9/29/2000	8.98	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/2/2001	11.05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/19/2001	9.95	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/16/2002	8.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/17/2002	11.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/30/2003	9.72	ND	ND	ND	ND	5.4	ND	ND	ND	ND	ND	5
	10/3/2003	9.62	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/2/2004	9.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/4/2004	11.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/1/2005	9.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/14/2005	10.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/2006	9.09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/13/2006	10.57	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/17/2007	9.19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/12/2007	12.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/4/2008	7.87	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/10/2008	10.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/9/2009	9.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/9/2009	9.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/8/2010	8.53	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/7/2010	11.76	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/14/2011	8.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2011	10.67	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/6/2012	9.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2012	11.10	ND	ND	5	ND	ND	ND	ND	ND	ND	ND	5

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-22	10/9/1996	NA	ND	ND	5,600	ND	1,000	NR	NR	ND	ND	ND	6,600
	9/29/2000	16.98	ND	ND	3,300	41	230	ND	ND	ND	ND	ND	3,571
	4/2/2001	17.88	14	ND	4,400	37	220	ND	ND	ND	ND	ND	4,671
	10/19/2001	17.29	ND	ND	2,000	53	290	120	ND	ND	ND	ND	2,463
	4/16/2002	16.51	ND	ND	4,100	34	400	110	ND	ND	ND	ND	4,644
	10/17/2002	18.08	ND	ND	2,600	26	250	ND	ND	ND	ND	ND	2,876
	4/30/2003	17.32	ND	ND	3,500	31	570	ND	ND	ND	ND	ND	4,101
	Duplicate		ND	ND	3,200	30	580	ND	ND	ND	ND	ND	3,810
	10/3/2003	17.01	ND	ND	3,100	27	230	ND	ND	ND	ND	ND	3,357
	Duplicate		ND	ND	3,200	27	220 J	ND	ND	ND	ND	ND	3,227
	4/2/2004	17.03	ND	ND	ND	15	140	ND	ND	ND	ND	ND	155
	Duplicate		ND	ND	ND	18	140	ND	ND	ND	ND	ND	158
	10/4/2004	17.52	ND	ND	2,400	18	190	ND	ND	ND	ND	ND	2,608
	Duplicate		ND	ND	2,400	19	200	ND	ND	ND	ND	ND	2,619
	4/1/2005	17.07	ND	ND	1,900	20	170	ND	ND	ND	ND	ND	2,090
	Duplicate		ND	ND	1,900	19	160	ND	ND	ND	ND	ND	2,079
	10/14/2005	17.16	ND	ND	1,720	15	136	ND	ND	ND	ND	ND	1,871
	Duplicate		ND	ND	1,730	15	141	ND	ND	ND	ND	ND	1,886
	4/27/2006	16.65	ND	ND	2,710	24.7	159	ND	ND	ND	ND	ND	2,894
	Duplicate		ND	ND	2,600	23.9	147	ND	ND	ND	ND	ND	2,770.9
	10/13/2006	17.56	ND	ND	1,830	20	146	ND	ND	ND	ND	ND	1,996
	Duplicate		ND	ND	1,880	19	151	ND	ND	ND	ND	ND	2,050.0
	4/17/2007	16.80	ND	8.5	1,320	6.8	68.2	ND	ND	ND	ND	ND	1,403.5
	Duplicate		ND	8.3	1,420	7.4	71.1	ND	ND	ND	ND	ND	1,506.8
	10/12/2007	18.62	ND	58.3	1,190	10	51.4	ND	ND	ND	ND	ND	1,309.7
	Duplicate		ND	68.3	1,160	10.9	58.8	ND	ND	ND	ND	ND	1,298.0
	4/4/2008	16.07	ND	ND	1,030	14	99.4	ND	ND	ND	ND	ND	1,143.4
	Duplicate		ND	ND	1,280	13.5	98.4	ND	ND	ND	ND	ND	1,391.9
	10/10/2008	17.87	ND	ND	1,210	13.2	106	ND	ND	ND	ND	ND	1,329.2
	Duplicate		ND	ND	1,170	11.9	95.1	ND	ND	ND	ND	ND	1,277.0
	4/9/2009	17.23	ND	ND	1,230	17.5	87.9	ND	ND	ND	ND	ND	1,335.4
	Duplicate		ND	ND	1,300	17.7	90.4	ND	ND	ND	ND	ND	1,408.1
	10/9/2009	17.36	ND	ND	1,600	13.4	96.1	ND	ND	ND	ND	ND	1,709.5
	Duplicate		ND	ND	1,610	13.2	97	ND	ND	ND	ND	ND	1,720.2
	4/8/2010	17.14	ND	ND	1,380	10.1	61.8	ND	ND	ND	ND	ND	1,451.9
	Duplicate		ND	ND	1,660	10.6	64.5	ND	ND	ND	ND	ND	1,735.1
	10/7/2010	18.64	ND	428	797	10.6	84.3	ND	ND	ND	ND	ND	1,319.9
	Duplicate		ND	403	746	10.3	83.1	ND	ND	ND	ND	ND	1,242.4
	4/14/2011	16.63	ND	487	1,070	ND	35.3	ND	ND	ND	ND	ND	1,592.3
	Duplicate		ND	473	1,030	ND	34.1	ND	ND	ND	ND	ND	1,537.1
	10/5/2011	18.06	ND	136	1,150	ND	58.5	ND	ND	ND	ND	ND	1,344.5
	Duplicate		ND	131	1,100	ND	54.8	ND	ND	ND	ND	ND	1,285.8
	4/6/2012	17.06	ND	87.8	656	7.7	95.9	ND	ND	ND	ND	ND	847.4
	Duplicate		ND	74.7	468	8.7	82.3	ND	ND	ND	ND	ND	633.7
	10/5/2012	18.52	ND	69.3	710	10.2	111	ND	ND	ND	ND	ND	900.5
	Duplicate		ND	65.4	722	9.9	108	ND	ND	ND	ND	ND	905.3

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

T. ontinued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-28	2/17/1993	NA	ND	ND	318	415	230	NR	52	ND	ND	ND	1,015
	10/9/1996	NA	ND	ND	54	36	38	NR	NR	ND	ND	ND	128
	9/29/2000	16.92	ND	ND	51	49	44	ND	ND	ND	ND	ND	144
	4/2/2001	17.97	ND	ND	30	49	42	ND	ND	ND	ND	ND	121
	10/19/2001	17.22	ND	ND	30	37	37	ND	ND	ND	ND	ND	104
	4/16/2002	16.37	ND	ND	26	43	29	ND	ND	ND	ND	ND	98
	10/17/2002	18.35	ND	ND	27	41	34	ND	ND	ND	ND	ND	102
	4/30/2003	17.33	ND	ND	40	36	35	ND	ND	ND	ND	ND	111
	10/3/2003	17.05	ND	ND	46	35	36	ND	ND	ND	ND	ND	117
	4/2/2004	16.96	ND	ND	32	27	27	ND	ND	ND	ND	ND	86
	10/4/2004	17.81	ND	ND	33	41	48	ND	ND	ND	ND	ND	122
	4/1/2005	17.05	ND	ND	30	37	35	ND	ND	ND	ND	ND	102
	10/14/2005	17.26	ND	ND	29	25	36	ND	ND	ND	ND	ND	90
	4/27/2006	16.39	ND	ND	19.1	17.1	20.2	ND	ND	ND	ND	ND	56.4
	10/13/2006	17.42	ND	ND	23.2	41.5	47	ND	ND	ND	ND	ND	111.7
	4/17/2007	16.67	ND	ND	25.6	24	27.1	ND	ND	ND	ND	ND	76.7
	10/12/2007	18.61	ND	ND	30.2	39.4	26.1	ND	5.8	ND	ND	ND	101.5
	4/4/2008	15.67	ND	ND	34.4	23.1	25.7	ND	ND	ND	ND	ND	83.2
	10/10/2008	17.71	ND	ND	30.5	29	34.7	ND	ND	ND	ND	ND	94.2
	4/9/2009	16.87	ND	ND	33.7	21.9	25.6	ND	ND	ND	ND	ND	81.2
	10/9/2009	17.11	ND	ND	34.9	22.1	30.1	ND	ND	ND	ND	ND	87.1
	4/8/2010	16.82	ND	ND	29.7	15.1	18.8	ND	ND	ND	ND	ND	63.6
	10/7/2010	18.57	ND	ND	23.8	21.9	21.2	ND	ND	ND	ND	ND	66.9
	4/14/2011	16.18	ND	ND	18.9	9.5	11.4	ND	ND	ND	ND	ND	39.8
	10/5/2011	17.93	ND	ND	29.4	14.7	19.3	ND	ND	ND	ND	ND	63.4
	4/6/2012	16.66	ND	ND	29.9	9.1	13.9	ND	ND	ND	ND	ND	52.9
	10/5/2012	18.35	ND	ND	32.7	13.4	13.9	ND	ND	ND	ND	ND	60.0

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-29	9/29/2000	16.71	ND	ND	11	ND	ND	ND	ND	ND	ND	ND	11
	4/2/2001	17.75	ND	ND	5.1	ND	ND	ND	ND	ND	ND	ND	5
	10/19/2001	17.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/16/2002	16.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/17/2002	18.74	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/30/2003	16.02	ND	ND	8.8	ND	ND	ND	ND	ND	ND	ND	9
	10/3/2003	16.83	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/2/2004	16.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/4/2004	17.84	ND	ND	6.7	ND	ND	ND	ND	ND	ND	ND	6.7
	4/1/2005	16.88	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/14/2005	17.05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/2006	16.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/13/2006	17.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/17/2007	16.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/12/2007	18.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/4/2008	15.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/10/2008	17.55	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/9/2009	16.84	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/9/2009	16.92	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/8/2010	16.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/7/2010	18.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/14/2011	16.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2011	17.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/6/2012	16.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2012	18.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Ta ntinued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-30	9/29/2000	15.76	ND	ND	ND	36	70	ND	ND	ND	ND	ND	106
	4/2/2001	16.18	ND	ND	ND	31	50	ND	ND	ND	ND	ND	81
	10/19/2001	13.78	ND	ND	ND	37	48	ND	ND	ND	ND	ND	85
	4/16/2002	15.26	ND	ND	ND	39	37	ND	ND	ND	ND	ND	76
	10/17/2002	16.00	ND	ND	ND	29	42	ND	ND	ND	ND	ND	71
	4/30/2003	9.72*	ND	ND	ND	32	35	ND	ND	ND	ND	ND	67
	10/3/2003	15.63	ND	ND	ND	25	26	ND	ND	ND	ND	ND	51
	4/2/2004	15.75	ND	ND	ND	20	19	ND	ND	ND	ND	ND	39
	10/4/2004	15.51	ND	ND	6.3	26	27	ND	ND	ND	ND	ND	59
	4/1/2005	15.46	ND	ND	ND	31	28	ND	ND	ND	ND	ND	59
	10/14/2005	15.45	ND	ND	ND	22	33	ND	ND	ND	ND	ND	55
	4/27/2006	14.90	ND	ND	ND	12.2	16.8	ND	ND	ND	ND	ND	29
	10/13/2006	15.45	ND	ND	ND	33.3	30.5	ND	ND	ND	ND	ND	64
	4/17/2007	15.34	ND	ND	ND	14.1	14.7	ND	ND	ND	ND	ND	28.8
	10/12/2007	16.06	ND	ND	ND	39.6	27.6	ND	5.7	ND	ND	ND	72.9
	4/4/2008	14.57	ND	ND	ND	15.9	15.2	ND	ND	ND	ND	ND	31.1
	10/10/2008	15.92	ND	ND	ND	18.2	12.7	ND	ND	ND	ND	ND	30.9
	4/9/2009	15.66	ND	ND	ND	15.6	9.9	ND	ND	ND	ND	ND	25.5
	10/9/2009	15.67	ND	ND	ND	15.2	7.9	ND	ND	ND	ND	ND	23.1
	4/8/2010	15.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/7/2010	16.12	ND	ND	ND	24.3	10.1	ND	ND	ND	ND	ND	34.4
	4/14/2011	15.17	ND	ND	ND	7.7	ND	ND	ND	ND	ND	ND	7.7
	10/5/2011	15.87	ND	ND	ND	13.5	ND	ND	ND	ND	ND	ND	13.5
	4/6/2012	15.31	ND	ND	ND	6.6	ND	ND	ND	ND	ND	ND	6.6
	10/5/2012	15.94	ND	ND	ND	15.4	5	ND	ND	ND	ND	ND	20.4

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.
* Depth to water in MW-30 on May 30, 2003 is believed to be erroneous.

ATTACHMENT A

Groundwater Level Measurements

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/03/07	732.25	11.52	720.73
	02/12/07		12.00	720.25
	03/12/07		11.74	720.51
	04/09/07		12.01	720.24
	05/07/07		12.11	720.14
	06/08/07		12.45	719.80
	07/17/07		12.66	719.59
	08/01/07		12.73	719.52
	09/14/07		13.03	719.22
	10/12/07		13.38	718.87
	11/09/07		13.37	718.88
	12/07/07		13.27	718.98
	01/04/08		12.79	719.46
	02/15/08		11.85	720.40
	03/13/08		11.48	720.77
	04/11/08		11.31	720.94
	05/08/08		11.95	720.30
	06/06/08		11.08	721.17
	07/03/08		11.29	720.96
	08/01/08		11.65	720.60
	09/12/08		12.38	719.87
	10/10/08		12.78	719.47
	11/06/08		13.05	719.20
	12/19/08		12.97	719.28
	01/02/09		12.39	719.86
	02/13/09		12.30	719.95
	03/13/09		12.40	719.85
	04/09/09		12.22	720.03
	05/08/09		11.90	720.35
	06/05/09		11.89	720.36
	07/02/09		12.05	720.20
	08/14/09		11.55	720.70
	09/11/09		12.02	720.23
	10/09/09		12.29	719.96
	11/04/09		12.26	719.99
	12/04/09		12.55	719.70
	01/14/10		12.50	719.75
	02/10/10		NG	NG
	03/11/10		12.49	719.76
	04/08/10		12.19	720.06
	05/06/10		12.35	719.90
	06/04/10		12.47	719.78
	07/01/10		11.69	720.56
	08/12/10		12.39	719.86
	09/08/10		13.07	719.18
	10/07/10		14.04	718.21
	11/19/10		14.28	717.97
	12/03/10		13.70	718.55
	01/14/11		13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99
	12/01/11		12.82	719.43
	01/13/12		12.50	719.75
	02/10/12		12.30	719.95
	03/09/12		12.80	719.45
	04/06/12		12.31	719.94
	05/02/12		12.47	719.78
	06/01/12		12.71	719.54
	07/13/12		13.48	718.77
	08/10/12		13.94	718.31
	09/06/12		13.72	718.53
	10/05/12		13.56	718.69

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/03/07	728.71	10.46	718.25
	02/12/07		10.93	717.78
	03/12/07		10.81	717.90
	04/09/07		10.88	717.83
	05/07/07		10.95	717.76
	06/08/07		11.10	717.61
	07/17/07		11.12	717.59
	08/01/07		11.12	717.59
	09/14/07		11.21	717.50
	10/12/07		11.35	717.36
	11/09/07		11.35	717.36
	12/07/07		11.36	717.35
	01/04/08		11.24	717.47
	02/15/08		10.61	718.10
	03/13/08		10.42	718.29
	04/11/08		10.23	718.48
	05/08/08		10.70	718.01
	06/06/08		9.84	718.87
	07/03/08		9.89	718.82
	08/01/08		10.54	718.17
	09/12/08		10.92	717.79
	10/10/08		11.04	717.67
	11/06/08		11.20	717.51
	12/19/08		11.01	717.70
	01/02/09		10.98	717.73
	02/13/09		10.79	717.92
	03/13/09		11.13	717.58
	04/09/09		10.86	717.85
	05/08/09		10.81	717.90
	06/05/09		10.71	718.00
	07/02/09		10.81	717.90
	08/14/09		10.52	718.19
	09/11/09		10.80	717.91
	10/09/09		10.77	717.94
	11/04/09		10.91	717.80
	12/04/09		11.07	717.64
	01/14/10		11.09	717.62
	02/10/10		11.13	717.58
	03/11/10		11.03	717.68
	04/08/10		10.75	717.96
	05/06/10		10.96	717.75
	06/04/10		11.01	717.70
	07/01/10		10.52	718.19
	08/12/10		10.88	717.83
	09/08/10		11.10	717.61
	10/07/10		11.33	717.38
	11/19/10		11.49	717.22
	12/03/10		11.26	717.45
	01/14/11		11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		10.60	718.11
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69
	12/01/11		10.74	717.97
	01/13/12		10.90	717.81
	02/10/12		10.86	717.85
	03/09/12		11.08	717.63
	04/06/12		10.73	717.98
	05/02/12		10.68	718.03
	06/01/12		10.97	717.74
	07/13/12		11.18	717.53
	08/10/12		11.29	717.42
	09/06/12		11.30	717.41
	10/05/12		11.24	717.47

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/03/07	736.44	14.00	722.44
	02/12/07		14.58	721.86
	03/12/07		14.41	722.03
	04/09/07		14.64	721.80
	05/07/07		14.83	721.61
	06/08/07		15.32	721.12
	07/17/07		15.73	720.71
	08/01/07		16.89	719.55
	09/14/07		16.23	720.21
	10/12/07		16.65	719.79
	11/09/07		16.60	719.84
	12/07/07		16.55	719.89
	01/04/08		15.87	720.57
	02/15/08		14.41	722.03
	03/13/08		13.82	722.62
	04/11/08		13.50	722.94
	05/08/08		14.33	722.11
	06/06/08		13.30	723.14
	07/03/08		13.41	723.03
	08/01/08		13.68	722.76
	09/12/08		15.28	721.16
	10/10/08		15.77	720.67
	11/06/08		16.11	720.33
	12/19/08		16.10	720.34
	01/02/09		15.26	721.18
	02/13/09		15.16	721.28
	03/13/09		15.25	721.19
	04/09/09		14.88	721.56
	05/08/09		NG	NG
	06/05/09		14.25	722.19
	07/02/09		14.62	721.82
	08/14/09		13.92	722.52
	09/11/09		14.73	721.71
	10/09/09		15.17	721.27
	11/04/09		15.07	721.37
	12/04/09		15.48	720.96
	01/14/10		15.23	721.21
	02/10/10		15.37	721.07
	03/11/10		15.21	721.23
	04/08/10		14.82	721.62
	05/06/10		14.92	721.52
	06/04/10		15.13	721.31
	07/01/10		14.04	722.40
	08/12/10		15.06	721.38
	09/08/10		15.85	720.59
	10/07/10		16.52	719.92
	11/19/10		16.99	719.45
	12/03/10		16.32	720.12
	01/14/11		16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47
	12/01/11		15.48	720.96
	01/13/12		14.87	721.57
	02/10/12		14.49	721.95
	03/09/12		15.10	721.34
	04/06/12		14.63	721.81
	05/02/12		14.59	721.85
	06/01/12		15.13	721.31
	07/13/12		16.09	720.35
	08/10/12		16.63	719.81
	09/06/12		16.50	719.94
	10/05/12		16.38	720.06

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/03/07	733.04	6.85	726.19
	02/12/07		7.81	725.23
	03/12/07		9.56	723.48
	04/09/07		10.56	722.48
	05/07/07		8.35	724.69
	06/08/07		9.07	723.97
	07/17/07		9.65	723.39
	08/01/07		9.82	723.22
	09/14/07		10.49	722.55
	10/12/07		10.95	722.09
	11/09/07		11.14	721.90
	12/07/07		11.21	721.83
	01/04/08		10.46	722.58
	02/15/08		8.45	724.59
	03/13/08		7.28	725.76
	04/11/08		6.40	726.64
	05/08/08		7.74	725.30
	06/06/08		8.49	724.55
	07/03/08		8.50	724.54
	08/01/08		7.28	725.76
	09/12/08		7.30	725.74
	10/10/08		9.47	723.57
	11/06/08		9.98	723.06
	12/19/08		9.34	723.70
	01/02/09		8.77	724.27
	02/13/09		8.04	725.00
	03/13/09		8.75	724.29
	04/09/09		7.82	725.22
	05/08/09		NG	NG
	06/05/09		7.24	725.80
	07/02/09		7.89	725.15
	08/14/09		6.96	726.08
	09/11/09		8.47	724.57
	10/09/09		8.34	724.70
	11/04/09		8.46	724.58
	12/04/09		8.98	724.06
	01/14/10		8.83	724.21
	02/10/10		NG	NG
	03/11/10		8.51	724.53
	04/08/10		7.37	725.67
	05/06/10		8.16	724.88
	06/04/10		8.48	724.56
	07/01/10		7.22	725.82
	08/12/10		8.94	724.10
	09/08/10		9.81	723.23
	10/07/10		10.51	722.53
	11/19/10		11.10	721.94
	12/03/10		10.31	722.73
	01/14/11		10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29
	12/01/11		8.57	724.47
	01/13/12		8.18	724.86
	02/10/12		7.76	725.28
	03/09/12		8.52	724.52
	04/06/12		7.71	725.33
	05/02/12		6.56	726.48
	06/01/12		8.58	724.46
	07/13/12		9.90	723.14
	08/10/12		10.42	722.62
	09/06/12		10.68	722.36
	10/05/12		10.41	722.63

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12	01/03/07	736.38	15.70	720.68
	02/12/07		16.18	720.20
	03/12/07		15.54	720.84
	04/09/07		16.17	720.21
	05/07/07		16.32	720.06
	06/08/07		16.58	719.80
	07/17/07		16.79	719.59
	08/01/07		16.88	719.50
	09/14/07		17.10	719.28
	10/12/07		17.47	718.91
	11/09/07		17.45	718.93
	12/07/07		17.35	719.03
	01/04/08		16.86	719.52
	02/03/08		15.97	720.41
	03/13/08		15.67	720.71
	04/11/08		15.52	720.86
	05/08/08		16.06	720.32
Well Damaged	06/06/08		NG	NG
MW-12R	07/03/08	736.15	15.47	720.68
	08/01/08		15.76	720.39
	09/12/08		16.49	719.66
	10/10/08		16.85	719.30
	11/06/08		17.17	718.98
	12/19/08		17.05	719.10
	01/02/09		16.51	719.64
	02/13/09		16.44	719.71
	03/13/09		16.57	719.58
	04/09/09		16.38	719.77
	05/08/09		16.11	720.04
	06/05/09		16.05	720.10
	07/02/09		16.22	719.93
	08/14/09		15.77	720.38
	09/11/09		16.04	720.11
	10/09/09		16.41	719.74
	11/04/09		16.46	719.69
	12/04/09		16.71	719.44
	01/14/10		16.60	719.55
	02/10/10		16.68	719.47
	03/11/10		16.63	719.52
	04/08/10		16.32	719.83
	05/06/10		16.49	719.66
	06/04/10		16.61	719.54
	07/01/10		15.85	720.30
	08/12/10		16.64	719.51
	09/08/10		17.28	718.87
	10/07/10		18.41	717.74
	11/19/10		18.71	717.44
	12/03/10		18.22	717.93
	01/14/11		17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61
	12/01/11		17.20	718.95
	01/13/12		16.83	719.32
	02/10/12		16.66	719.49
	03/09/12		17.15	719.00
	04/06/12		16.74	719.41
	05/02/12		16.87	719.28
	06/01/12		18.87	717.28
	07/13/12		17.80	718.35
	08/10/12		18.16	717.99
	09/06/12		18.10	718.05
	10/05/12		17.95	718.20

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/03/07	734.03	8.51	725.52
	02/12/07		9.42	724.61
	03/12/07		9.24	724.79
	04/09/07		9.36	724.67
	05/07/07		9.61	724.42
	06/08/07		10.20	723.83
	07/17/07		10.72	723.31
	08/01/07		10.85	723.18
	09/14/07		11.58	722.45
	10/12/07		12.02	722.01
	11/09/07		12.10	721.93
	12/07/07		11.91	722.12
	01/04/08		11.11	722.92
	02/15/08		9.43	724.60
	03/13/08		8.71	725.32
	04/11/08		8.28	725.75
	05/08/08		9.23	724.80
	06/06/08		7.64	726.39
	07/03/08		7.67	726.36
	08/01/08		9.00	725.03
	09/12/08		9.05	724.98
	10/10/08		10.51	723.52
	11/06/08		11.17	722.86
	12/19/08		10.01	724.02
	01/02/09		9.69	724.34
	02/13/09		9.12	724.91
	03/13/09		9.84	724.19
	04/09/09		9.04	724.99
	05/08/09		8.53	725.50
	06/05/09		8.93	725.10
	07/02/09		9.34	724.69
	08/14/09		8.68	725.35
	09/11/09		9.74	724.29
	10/09/09		9.24	724.79
	11/04/09		9.55	724.48
	12/04/09		9.98	724.05
	01/14/10		9.99	724.04
	02/10/10		9.99	724.04
	03/11/10		9.46	724.57
	04/08/10		8.53	725.50
	05/06/10		9.41	724.62
	06/04/10		9.51	724.52
	07/01/10		8.81	725.22
	08/12/10		10.16	723.87
	09/08/10		11.07	722.96
	10/07/10		11.76	722.27
	11/19/10		12.08	721.95
	12/03/10		10.96	723.07
	01/14/11		11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52
	12/01/11		9.32	724.71
	01/13/12		9.39	724.64
	02/10/12		9.19	724.84
	03/09/12		9.63	724.40
	04/06/12		9.04	724.99
	05/02/12		8.41	725.62
	06/01/12		9.84	724.19
	07/13/12		11.14	722.89
	08/10/12		11.33	722.70
	09/06/12		11.38	722.65
	10/05/12		11.10	722.93

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/03/07	737.91	15.71	722.20
	02/12/07		4.76	733.15
	03/12/07		16.10	721.81
	04/09/07		16.91	721.00
	05/07/07		16.50	721.41
	06/08/07		16.98	720.93
	07/17/07		17.35	720.56
	08/01/07		17.55	720.36
	09/14/07		17.88	720.03
	10/12/07		18.29	719.62
	11/09/07		18.23	719.68
	12/07/07		18.19	719.72
	01/04/08		17.48	720.43
	02/15/08		16.10	721.81
	03/13/08		15.52	722.39
	04/11/08		15.20	722.71
	05/08/08		16.02	721.89
	06/06/08		15.00	722.91
	07/03/08		15.05	722.86
	08/01/08		15.36	722.55
	09/12/08		16.95	720.96
	10/10/08		17.43	720.48
	11/06/08		17.78	720.13
	12/19/08		17.75	720.16
	01/02/09		16.94	720.97
	02/13/09		16.85	721.06
	03/13/09		16.94	720.97
	04/09/09		16.60	721.31
	05/08/09		16.16	721.75
	06/05/09		15.97	721.94
	07/02/09		16.32	721.59
	08/14/09		15.67	722.24
	09/11/09		16.41	721.50
	10/09/09		16.94	720.97
	11/04/09		16.76	721.15
	12/04/09		17.15	720.76
	01/14/10		16.95	720.96
	02/10/10		17.06	720.85
	03/11/10		16.91	721.00
	04/08/10		16.53	721.38
	05/06/10		16.63	721.28
	06/04/10		16.84	721.07
	07/01/10		15.78	722.13
	08/12/10		16.76	721.15
	09/08/10		17.51	720.40
	10/07/10		18.17	719.74
	11/19/10		18.64	719.27
	12/03/10		17.98	719.93
	01/14/11		17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27
	12/01/11		17.18	720.73
	01/13/12		16.57	721.34
	02/10/12		16.24	721.67
	03/09/12		16.89	721.02
	04/06/12		16.33	721.58
	05/02/12		16.43	721.48
	06/01/12		16.79	721.12
	07/13/12		17.78	720.13
	08/10/12		18.29	719.62
	09/06/12		18.10	719.81
	10/05/12		18.04	719.87

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/03/07	737.64	16.46	721.18
	02/12/07		16.90	720.74
	03/12/07		16.66	720.98
	04/09/07		16.91	720.73
	05/07/07		17.03	720.61
	06/08/07		17.43	720.21
	07/17/07		17.76	719.88
	08/01/07		17.97	719.67
	09/14/07		18.24	719.40
	10/12/07		18.62	719.02
	11/09/07		18.59	719.05
	12/07/07		18.51	719.13
	01/04/08		17.91	719.73
	02/15/08		16.80	720.84
	03/13/08		16.37	721.27
	04/11/08		16.13	721.51
	05/08/08		16.74	720.90
	06/06/08		15.88	721.76
	07/03/08		15.91	721.73
	08/01/08		16.29	721.35
	09/12/08		17.47	720.17
	10/10/08		17.87	719.77
	11/06/08		18.22	719.42
	12/19/08		18.12	719.52
	01/02/09		17.47	720.17
	02/13/09		17.37	720.27
	03/13/09		17.58	720.06
	04/09/09		17.23	720.41
	05/08/09		16.89	720.75
	06/05/09		16.72	720.92
	07/02/09		16.98	720.66
	08/14/09		16.49	721.15
	09/11/09		16.91	720.73
	10/09/09		17.36	720.28
	11/04/09		17.30	720.34
	12/04/09		17.65	719.99
	01/14/10		17.48	720.16
	02/10/10		17.57	720.07
	03/11/10		17.46	720.18
	04/08/10		17.14	720.50
	05/06/10		17.28	720.36
	06/04/10		17.42	720.22
	07/01/10		16.55	721.09
	08/12/10		17.27	720.37
	09/08/10		17.88	719.76
	10/07/10		18.64	719.00
	11/19/10		19.08	718.56
	12/03/10		18.46	719.18
	01/14/11		18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53
	12/01/11		17.70	719.94
	01/13/12		17.24	720.40
	02/10/12		17.05	720.59
	03/09/12		17.55	720.09
	04/06/12		17.06	720.58
	05/02/12		17.19	720.45
	06/01/12		17.43	720.21
	07/13/12		18.29	719.35
	08/10/12		18.76	718.88
	09/06/12		18.62	719.02
	10/05/12		18.52	719.12

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/03/07	736.02	14.51	721.51
	02/12/07		14.97	721.05
	03/12/07		14.88	721.14
	04/09/07		15.07	720.95
	05/07/07		15.24	720.78
	06/08/07		15.63	720.39
	07/17/07		15.95	720.07
	08/01/07		16.02	720.00
	09/14/07		16.31	719.71
	10/12/07		16.64	719.38
	11/09/07		16.65	719.37
	12/07/07		16.67	719.35
	01/04/08		16.18	719.84
	02/15/08		14.95	721.07
	03/13/08		14.43	721.59
	04/11/08		14.07	721.95
	05/08/08		14.88	721.14
	06/06/08		13.85	722.17
	07/03/08		13.87	722.15
	08/01/08		14.38	721.64
	09/12/08		15.58	720.44
	10/10/08		15.98	720.04
	11/06/08		16.26	719.76
	12/19/08		16.28	719.74
	01/02/09		15.74	720.28
	02/13/09		15.54	720.48
	03/13/09		15.66	720.36
	04/09/09		15.43	720.59
	05/08/09		15.03	720.99
	06/05/09		14.79	721.23
	07/02/09		15.07	720.95
	08/14/09		14.50	721.52
	09/11/09		15.13	720.89
	10/09/09		15.53	720.49
	11/04/09		15.49	720.53
	12/04/09		15.80	720.22
	01/14/10		15.60	720.42
	02/10/10		15.71	720.31
	03/11/10		15.61	720.41
	04/08/10		15.28	720.74
	05/06/10		15.39	720.63
	06/04/10		15.55	720.47
	07/01/10		14.56	721.46
	08/12/10		15.39	720.63
	09/08/10		16.02	720.00
	10/07/10		16.57	719.45
	11/19/10		16.98	719.04
	12/03/10		16.56	719.46
	01/14/11		16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86
	12/01/11		15.83	720.19
	01/13/12		15.27	720.75
	02/10/12		15.03	720.99
	03/09/12		15.63	720.39
	04/06/12		15.11	720.91
	05/02/12		15.25	720.77
	06/01/12		15.47	720.55
	07/13/12		16.20	719.82
	08/10/12		17.65	718.37
	09/06/12		16.64	719.38
	10/05/12		16.52	719.50

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/03/07	736.39	11.42	724.97
	02/12/07		12.28	724.11
	03/12/07		12.15	724.24
	04/09/07		12.39	724.00
	05/07/07		12.65	723.74
	06/08/07		13.25	723.14
	07/17/07		13.69	722.70
	08/01/07		13.85	722.54
	09/14/07		14.37	722.02
	10/12/07		14.82	721.57
	11/09/07		14.93	721.46
	12/07/07		14.91	721.48
	01/04/08		14.20	722.19
	02/15/08		12.47	723.92
	03/13/08		11.63	724.76
	04/11/08		11.04	725.35
	05/08/08		12.13	724.26
	06/06/08		10.29	726.10
	07/03/08		10.31	726.08
	08/01/08		11.71	724.68
	09/12/08		11.80	724.59
	10/10/08		13.61	722.78
	11/06/08		14.07	722.32
	12/19/08		13.95	722.44
	01/02/09		12.92	723.47
	02/13/09		12.47	723.92
	03/13/09		13.02	723.37
	04/09/09		12.22	724.17
	05/08/09		11.72	724.67
	06/05/09		11.78	724.61
	07/02/09		12.27	724.12
	08/14/09		11.44	724.95
	09/11/09		12.70	723.69
	10/09/09		12.72	723.67
	11/04/09		12.74	723.65
	12/04/09		13.21	723.18
	01/14/10		13.06	723.33
	02/10/10		13.15	723.24
	03/11/10		12.78	723.61
	04/08/10		12.18	724.21
	05/06/10		12.52	723.87
	06/04/10		12.69	723.70
	07/01/10		11.62	724.77
	08/12/10		13.06	723.33
	09/08/10		13.89	722.50
	10/07/10		14.52	721.87
	11/19/10		14.97	721.42
	12/03/10		14.11	722.28
	01/14/11		14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68
	12/01/11		12.73	723.66
	01/13/12		12.48	723.91
	02/10/12		12.15	724.24
	03/09/12		12.81	723.58
	04/06/12		12.09	724.30
	05/02/12		11.98	724.41
	06/01/12		12.81	723.58
	07/13/12		13.97	722.42
	08/10/12		14.32	722.07
	09/06/12		14.47	721.92
	10/05/12		14.27	722.12

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/03/07	736.63	14.31	722.32
	02/12/07		15.04	721.59
	03/12/07		16.68	719.95
	04/09/07		15.03	721.60
	05/07/07		15.17	721.46
	06/08/07		15.71	720.92
	07/17/07		16.11	720.52
	08/01/07		16.31	720.32
	09/14/07		16.63	720.00
	10/12/07		17.08	719.55
	11/09/07		17.08	719.55
	12/07/07		16.79	719.84
	01/04/08		16.30	720.33
	02/15/08		14.87	721.76
	03/13/08		14.33	722.30
	04/11/08		14.11	722.52
	05/08/08		14.93	721.70
	06/06/08		13.76	722.87
	07/03/08		13.80	722.83
	08/01/08		14.46	722.17
	09/12/08		15.67	720.96
	10/10/08		16.12	720.51
	11/06/08		16.52	720.11
	12/19/08		16.41	720.22
	01/02/09		15.50	721.13
	02/13/09		15.43	721.20
	03/13/09		15.58	721.05
	04/09/09		15.11	721.52
	05/08/09		14.72	721.91
	06/05/09		14.64	721.99
	07/02/09		15.01	721.62
	08/14/09		14.37	722.26
	09/11/09		15.08	721.55
	10/09/09		15.43	721.20
	11/04/09		15.34	721.29
	12/04/09		15.78	720.85
	01/14/10		15.61	721.02
	02/10/10		15.73	720.90
	03/11/10		15.47	721.16
	04/08/10		15.12	721.51
	05/06/10		15.26	721.37
	06/04/10		15.47	721.16
	07/01/10		14.45	722.18
	08/12/10		15.42	721.21
	09/08/10		16.33	720.30
	10/07/10		16.99	719.64
	11/19/10		17.38	719.25
	12/03/10		16.64	719.99
	01/14/11		16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37
	12/01/11		15.68	720.95
	01/13/12		15.21	721.42
	02/10/12		14.93	721.70
	03/09/12		15.62	721.01
	04/06/12		14.95	721.68
	05/02/12		15.20	721.43
	06/01/12		15.48	721.15
	07/13/12		16.54	720.09
	08/10/12		17.03	719.60
	09/06/12		16.72	719.91
	10/05/12		16.68	719.95

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/03/07	738.04	16.07	721.97
	02/12/07		16.67	721.37
	03/12/07		NG	NG
	04/09/07		16.66	721.38
	05/07/07		16.81	721.23
	06/08/07		17.29	720.75
	07/17/07		17.67	720.37
	08/01/07		17.88	720.16
	09/14/07		18.19	719.85
	10/12/07		18.61	719.43
	11/09/07		18.60	719.44
	12/07/07		18.35	719.69
	01/04/08		17.85	720.19
	02/15/08		16.51	721.53
	03/13/08		16.01	722.03
	04/11/08		15.74	722.30
	05/08/08		16.51	721.53
	06/06/08		15.52	722.52
	07/03/08		15.56	722.48
	08/01/08		16.01	722.03
	09/12/08		17.28	720.76
	10/10/08		17.71	720.33
	11/06/08		18.11	719.93
	12/19/08		18.03	720.01
	01/02/09		17.20	720.84
	02/13/09		17.12	720.92
	03/13/09		17.23	720.81
	04/09/09		16.87	721.17
	05/08/09		16.48	721.56
	06/05/09		16.35	721.69
	07/02/09		16.44	721.60
	08/14/09		16.07	721.97
	09/11/09		16.68	721.36
	10/09/09		17.11	720.93
	11/04/09		17.03	721.01
	12/04/09		17.43	720.61
	01/14/10		17.25	720.79
	02/10/10		17.34	720.70
	03/11/10		17.18	720.86
	04/08/10		16.82	721.22
	05/06/10		16.95	721.09
	06/04/10		17.14	720.90
	07/01/10		16.15	721.89
	08/12/10		17.03	721.01
	09/08/10		17.87	720.17
	10/07/10		18.57	719.47
	11/19/10		19.00	719.04
	12/03/10		18.31	719.73
	01/14/11		18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12
	12/01/11		17.42	720.62
	01/13/12		16.92	721.12
	02/10/12		16.65	721.39
	03/09/12		17.29	720.75
	04/06/12		16.66	721.38
	05/02/12		16.90	721.14
	06/01/12		17.16	720.88
	07/13/12		18.17	719.87
	08/10/12		18.68	719.36
	09/06/12		18.35	719.69
	10/05/12		18.35	719.69

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/03/07	737.61	15.89	721.72
	02/12/07		16.53	721.08
	03/12/07		16.34	721.27
	04/09/07		16.51	721.10
	05/07/07		16.65	720.96
	06/08/07		17.16	720.45
	07/17/07		17.52	720.09
	08/01/07		17.71	719.90
	09/14/07		18.03	719.58
	10/12/07		18.45	719.16
	11/09/07		18.44	719.17
	12/07/07		18.13	719.48
	01/04/08		17.66	719.95
	02/15/08		16.36	721.25
	03/13/08		15.89	721.72
	04/11/08		15.67	721.94
	05/08/08		16.43	721.18
	06/06/08		15.45	722.16
	07/03/08		15.47	722.14
	08/01/08		16.08	721.53
	09/12/08		17.13	720.48
	10/10/08		17.55	720.06
	11/06/08		17.93	719.68
	12/19/08		17.80	719.81
	01/02/09		16.96	720.65
	02/13/09		16.90	720.71
	03/13/09		17.02	720.59
	04/09/09		16.84	720.77
	05/08/09		16.27	721.34
	06/05/09		16.88	720.73
	07/02/09		16.91	720.70
	08/14/09		15.93	721.68
	09/11/09		15.84	721.77
	10/09/09		16.92	720.69
	11/04/09		16.83	720.78
	12/04/09		17.25	720.36
	01/14/10		17.03	720.58
	02/10/10		17.18	720.43
	03/11/10		16.98	720.63
	04/08/10		16.61	721.00
	05/06/10		16.77	720.84
	06/04/10		16.97	720.64
	07/01/10		15.99	721.62
	08/12/10		16.90	720.71
	09/08/10		17.78	719.83
	10/07/10		18.45	719.16
	11/19/10		18.84	718.77
	12/03/10		18.12	719.49
	01/14/11		17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88
	12/01/11		17.19	720.42
	01/13/12		16.73	720.88
	02/10/12		16.48	721.13
	03/09/12		17.13	720.48
	04/06/12		16.48	721.13
	05/02/12		16.69	720.92
	06/01/12		17.00	720.61
	07/13/12		18.03	719.58
	08/10/12		18.55	719.06
	09/06/12		18.40	719.21
	10/05/12		18.15	719.46

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/03/07	734.84	15.15	719.69
	02/12/07		15.34	719.50
	03/12/07		17.13	717.71
	04/09/07		15.36	719.48
	05/07/07		15.44	719.40
	06/08/07		15.48	719.36
	07/17/07		15.47	719.37
	08/01/07		15.49	719.35
	09/14/07		16.07	718.77
	10/12/07		16.06	718.78
	11/09/07		16.10	718.74
	12/07/07		16.15	718.69
	01/04/08		16.01	718.83
	02/15/08		15.17	719.67
	03/13/08		14.88	719.96
	04/11/08		14.67	720.17
	05/08/08		15.22	719.62
	06/06/08		14.32	720.52
	07/03/08		14.80	720.04
	08/01/08		14.91	719.93
	09/12/08		15.72	719.12
	10/10/08		15.92	718.92
	11/06/08		16.07	718.77
	12/19/08		15.84	719.00
	01/02/09		15.72	719.12
	02/13/09		15.68	719.16
	03/13/09		15.79	719.05
	04/09/09		15.66	719.18
	05/08/09		15.57	719.27
	06/05/09		15.40	719.44
	07/02/09		15.55	719.29
	08/14/09		15.10	719.74
	09/11/09		15.16	719.68
	10/09/09		15.67	719.17
	11/04/09		15.39	719.45
	12/04/09		15.87	718.97
	01/14/10		15.82	719.02
	02/10/10		15.74	719.10
	03/11/10		15.68	719.16
	04/08/10		15.48	719.36
	05/06/10		16.61	718.23
	06/04/10		15.66	719.18
	07/01/10		13.07	721.77
	08/12/10		14.99	719.85
	09/08/10		15.83	719.01
	10/07/10		16.12	718.72
	11/19/10		16.24	718.60
	12/03/10		16.03	718.81
	01/14/11		16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13
	12/01/11		15.22	719.62
	01/13/12		15.44	719.40
	02/10/12		15.37	719.47
	03/09/12		15.64	719.20
	04/06/12		15.31	719.53
	05/02/12		15.37	719.47
	06/01/12		15.52	719.32
	07/13/12		15.83	719.01
	08/10/12		16.01	718.83
	09/06/12		15.98	718.86
	10/05/12		15.94	718.90

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/03/07	730.97	12.40	718.57
	02/12/07		11.96	719.01
	03/12/07		12.22	718.75
	04/09/07		11.98	718.99
	05/07/07		11.10	719.87
	06/08/07		11.68	719.29
	07/17/07		11.44	719.53
	08/01/07		11.60	719.37
	09/14/07		13.10	717.87
	10/12/07		12.20	718.77
	11/09/07		12.27	718.70
	12/07/07		13.18	717.79
	01/04/08		12.85	718.12
	02/15/08		11.70	719.27
	03/13/08		11.61	719.36
	04/11/08		11.40	719.57
	05/08/08		11.39	719.58
	06/06/08		10.88	720.09
	07/03/08		11.65	719.32
	08/01/08		11.58	719.39
	09/12/08		13.09	717.88
	10/10/08		13.22	717.75
	11/06/08		12.96	718.01
	12/19/08		13.02	717.95
	01/02/09		12.80	718.17
	02/13/09		12.90	718.07
	03/13/09		12.78	718.19
	04/09/09		12.10	718.87
	05/08/09		13.35	717.62
	06/05/09		12.90	718.07
	07/02/09		12.68	718.29
	08/14/09		12.38	718.59
	09/11/09		12.30	718.67
	10/09/09		13.50	717.47
	11/04/09		13.04	717.93
	12/04/09		13.21	717.76
	01/14/10		13.42	717.55
	02/10/10		13.39	717.58
	03/11/10		12.81	718.16
	04/08/10		13.15	717.82
	05/06/10		12.14	718.83
	06/04/10		12.10	718.87
	07/01/10		13.42	717.55
	08/12/10		10.90	720.07
	09/08/10		12.70	718.27
	10/07/10		12.40	718.57
	11/19/10		12.45	718.52
	12/03/10		12.45	718.52
	01/14/11		12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22
	12/01/11		11.37	719.60
	01/13/12		12.84	718.13
	02/10/12		12.31	718.66
	03/09/12		12.98	717.99
	04/06/12		12.96	718.01
	05/02/12		12.90	718.07
	06/01/12		12.40	718.57
	07/13/12		12.95	718.02
	08/10/12		12.94	718.03
	09/06/12		12.81	718.16
	10/05/12		12.38	718.59

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/03/07	732.05	15.36	716.69
	02/12/07		15.82	716.23
	03/12/07		11.66	720.39
	04/09/07		15.91	716.14
	05/07/07		12.35	719.70
	06/08/07		15.31	716.74
	07/17/07		15.83	716.22
	08/01/07		14.40	717.65
	09/14/07		14.85	717.20
	10/12/07		14.41	717.64
	11/09/07		14.62	717.43
	12/07/07		14.68	717.37
	01/04/08		14.70	717.35
	02/15/08		15.25	716.80
	03/13/08		15.31	716.74
	04/11/08		14.10	717.95
	05/08/08		15.24	716.81
	06/06/08		12.13	719.92
	07/03/08		12.28	719.77
	08/01/08		12.30	719.75
	09/12/08		15.05	717.00
	10/10/08		15.88	716.17
	11/06/08		15.20	716.85
	12/19/08		15.50	716.55
	01/02/09		15.44	716.61
	02/13/09		12.15	719.90
	03/13/09		16.85	715.20
	04/09/09		16.30	715.75
	05/08/09		15.65	716.40
	06/05/09		14.68	717.37
	07/02/09		14.60	717.45
	08/14/09		15.35	716.70
	09/11/09		14.50	717.55
	10/09/09		17.15	714.90
	11/04/09		12.14	719.91
	12/04/09		16.81	715.24
	01/14/10		15.50	716.55
	02/10/10		15.20	716.85
	03/11/10		14.35	717.70
	04/08/10		14.28	717.77
	05/06/10		13.72	718.33
	06/04/10		13.45	718.60
	07/01/10		13.81	718.24
	08/12/10		14.58	717.47
	09/08/10		16.10	715.95
	10/07/10		15.50	716.55
	11/19/10		15.05	717.00
	12/03/10		13.78	718.27
	01/14/11		13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87
	12/01/11		15.06	716.99
	01/13/12		12.70	719.35
	02/10/12		12.48	719.57
	03/09/12		14.95	717.10
	04/06/12		13.22	718.83
	05/02/12		15.24	716.81
	06/01/12		15.21	716.84
	07/13/12		13.40	718.65
	08/10/12		15.18	716.87
	09/06/12		15.10	716.95
	10/05/12		13.70	718.35

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/03/07	733.19	18.41	714.78
	02/12/07		16.88	716.31
	03/12/07		12.16	721.03
	04/09/07		18.18	715.01
	05/07/07		12.95	720.24
	06/08/07		17.15	716.04
	07/17/07		17.71	715.48
	08/01/07		16.05	717.14
	09/14/07		16.45	716.74
	10/12/07		16.97	716.22
	11/09/07		18.75	714.44
	12/07/07		16.55	716.64
	01/04/08		15.67	717.52
	02/15/08		15.68	717.51
	03/13/08		15.79	717.40
	04/11/08		13.37	719.82
	05/08/08		16.65	716.54
	06/06/08		13.05	720.14
	07/03/08		13.90	719.29
	08/01/08		14.24	718.95
	09/12/08		15.59	717.60
	10/10/08		16.51	716.68
	11/06/08		16.55	716.64
	12/19/08		16.87	716.32
	01/02/09		16.81	716.38
	02/13/09		16.28	716.91
	03/13/09		16.35	716.84
	04/09/09		16.01	717.18
	05/08/09		15.77	717.42
	06/05/09		15.45	717.74
	07/02/09		15.10	718.09
	08/14/09		15.03	718.16
	09/11/09		14.84	718.35
	10/09/09		15.71	717.48
	11/04/09		15.66	717.53
	12/04/09		15.50	717.69
	01/14/10		16.01	717.18
	02/10/10		16.24	716.95
	03/11/10		16.21	716.98
	04/08/10		15.93	717.26
	05/06/10		16.03	717.16
	06/04/10		16.13	717.06
	07/01/10		15.09	718.10
	08/12/10		16.68	716.51
	09/08/10		15.38	717.81
	10/07/10		16.47	716.72
	11/19/10		18.69	714.50
	12/03/10		17.40	715.79
	01/14/11		17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47
	12/01/11		16.03	717.16
	01/13/12		15.63	717.56
	02/10/12		15.42	717.77
	03/09/12		15.93	717.26
	04/06/12		15.58	717.61
	05/02/12		15.75	717.44
	06/01/12		15.71	717.48
	07/13/12		17.98	715.21
	08/10/12		18.25	714.94
	09/06/12		18.01	715.18
	10/05/12		18.18	715.01

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/03/07	735.48	16.35	719.13
	02/12/07		16.99	718.49
	03/12/07		16.68	718.80
	04/09/07		15.45	720.03
	05/07/07		15.71	719.77
	06/08/07		16.01	719.47
	07/17/07		16.45	719.03
	08/01/07		18.05	717.43
	09/14/07		17.59	717.89
	10/12/07		18.17	717.31
	11/09/07		17.88	717.60
	12/07/07		15.77	719.71
	01/04/08		17.90	717.58
	02/15/08		16.91	718.57
	03/13/08		16.41	719.07
	04/11/08		14.99	720.49
	05/08/08		15.81	719.67
	06/06/08		14.71	720.77
	07/03/08		14.60	720.88
	08/01/08		14.79	720.69
	09/12/08		16.43	719.05
	10/10/08		17.12	718.36
	11/06/08		17.16	718.32
	12/19/08		17.59	717.89
	01/02/09		17.65	717.83
	02/13/09		16.52	718.96
	03/13/09		16.61	718.87
	04/09/09		16.42	719.06
	05/08/09		15.86	719.62
	06/05/09		15.86	719.62
	07/02/09		16.77	718.71
	08/14/09		15.28	720.20
	09/11/09		15.28	720.20
	10/09/09		16.42	719.06
	11/04/09		16.28	719.20
	12/04/09		16.94	718.54
	01/14/10		16.64	718.84
	02/10/10		16.84	718.64
	03/11/10		16.29	719.19
	04/08/10		16.29	719.19
	05/06/10		16.79	718.69
	06/04/10		16.59	718.89
	07/01/10		15.72	719.76
	08/12/10		16.54	718.94
	09/08/10		18.06	717.42
	10/07/10		18.98	716.50
	11/19/10		19.80	715.68
	12/03/10		18.81	716.67
	01/14/11		18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42
	12/01/11		18.26	717.22
	01/13/12		17.56	717.92
	02/10/12		16.98	718.50
	03/09/12		18.00	717.48
	04/06/12		17.15	718.33
	05/02/12		17.62	717.86
	06/01/12		17.26	718.22
	07/13/12		19.53	715.95
	08/10/12		19.14	716.34
	09/06/12		15.78	719.70
	10/05/12		19.31	716.17

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	08/12/10	731.96	13.81	718.15
	09/08/10		14.07	717.89
	10/07/10		15.41	716.55
	11/19/10		16.78	715.18
	12/03/10		16.38	715.58
	01/14/11		15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78
	12/01/11		14.73	717.23
	01/13/12		14.37	717.59
	02/10/12		14.34	717.62
	03/09/12		14.86	717.10
	04/06/12		14.38	717.58
	05/02/12		14.53	717.43
	06/01/12		14.51	717.45
	07/13/12		15.65	716.31
	08/10/12		15.98	715.98
	09/06/12		15.88	716.08
	10/05/12		15.94	716.02

NR-Not Recorded
NG-Not Gauged

ATTACHMENT B

Groundwater Recovery

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	***445,555***	***428,463***	***536,852***	-	-	***1,410,870***
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	***1,949,120***	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	***2,835,673***	-	-	6,436,098
3/28/1997	1,692,834	2,039,011	***2,835,673***	-	-	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	***2,842,124***	-	-	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	3,313,604	7,312,970	6,402,525	-	-	17,050,326
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	3,889,675	8,638,302	7,429,910	1,171,610	-	21,150,724
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308
12/1/2011	18,629,825	33,598,934	48,320,048	53,355,570	6,100,310	160,025,914
12/16/2011	18,629,949	33,694,694	48,451,868	53,577,620	6,282,440	160,657,798
12/28/2011	18,629,987	33,779,384	48,561,758	53,756,850	6,369,780	161,118,986
1/13/2012	18,645,754	33,859,637	48,708,053	53,992,589	6,573,941	161,801,201
1/16/2012	18,716,529	33,865,708	48,721,294	54,013,533	6,592,457	161,930,748
1/27/2012	18,757,241	33,938,060	48,817,779	54,170,142	6,731,820	162,436,269
2/10/2012	18,815,117	34,035,651	48,942,826	54,373,450	6,910,967	163,099,238
2/24/2012	18,862,640	34,104,647	49,069,225	54,579,272	7,090,969	163,727,980
3/9/2012	18,902,508	34,170,267	49,197,023	54,783,061	7,269,776	164,343,862
3/23/2012	18,937,777	34,222,618	49,324,691	54,989,061	7,449,391	164,944,765
4/6/2012	18,985,172	34,316,006	49,452,912	55,194,431	7,629,191	165,598,939
4/20/2012	19,034,085	34,411,741	49,579,662	55,399,648	7,806,565	166,252,928
5/2/2012	19,072,065	34,481,477	49,688,956	55,576,321	7,959,176	166,799,222
5/16/2012	19,126,410	34,578,497	49,817,176	55,781,962	8,137,991	167,463,263
5/22/2012	19,148,742	34,617,182	49,872,834	55,871,142	8,215,560	167,746,687
6/1/2012	19,182,310	34,668,364	49,964,636	56,017,651	8,342,793	168,196,981
6/14/2012	19,220,759	34,715,694	50,084,238	56,206,400	8,508,700	168,757,018
6/26/2012	19,250,934	34,755,010	50,196,416	56,384,007	8,664,407	169,272,001
7/13/2012	19,282,456	34,789,492	50,351,741	56,627,498	8,878,597	169,951,011

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/27/2012	19,300,279	34,815,104	50,481,138	56,830,580	9,056,180	170,504,508
8/10/2012	19,309,368	34,840,760	50,610,359	57,033,320	9,233,830	171,048,864
8/24/2012	19,315,213	34,851,574	50,736,895	57,233,136	9,408,656	171,566,701
9/6/2012	19,318,377	34,861,041	50,856,179	57,234,830	9,571,204	171,862,858
9/21/2012	19,335,883	34,872,814	50,991,985	57,455,799	9,757,477	172,435,185
10/5/2012	19,352,210	34,883,464	51,121,784	57,668,757	9,934,425	172,981,867
10/19/2012	19,370,447	34,892,551	51,249,042	57,878,757	10,109,194	173,521,218

Notes:
- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.

AMPHEN ORPORATION
FRAN.N, INDIANA

CUMULATIVE PUMPAGE



iWM CONSULTING GROUP

ATTACHMENT C

Field Notes

iWM CONSULTING GROUP

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

ite I ion Date: 10-5-12
WM nnel: Mier, White
rrival Time: 9:00
Departure Time: 300
larm Response Visit: YES (NO)

BIWEEKLY DATA

otalizer Readings: RW-1 7246610 RW-2 19294120.0 RW-3 34621056.0 RW-4 57668750.0 RW-5 9934425.0
low Rate GPM: RW-1 cycling RW-2 cycling RW-3 6.50 RW-4 10.00 RW-5 6.25
ump Running Amps RW-1 NR RW-2 NR RW-3 NR RW-4 NR RW-5 NR
ir Stripper Pressure: 15 Inches of Water
ffluent Clarity: (Clear)
uilding Temperature: 64 Degrees F
ystem Operation Upon Arrival: (YES) NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
lease circle appropriate controller(s) below:

Manholes	(NO)	YES	Repaired
Lines	(NO)	YES	Repaired
Stripper	(NO)	YES	Repaired

f yes, explain:

MONTHLY DATA

ilter Cartridges Replaced: yes RW-1 yes RW-2 yes RW-3 yes RW-4 yes RW-5
tripper Trays and Tubes Checked: yes
tripper Trays and Tubes Cleaned: NO
Monitoring/Recovery Wells Gauged: yes
Recommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Inspection Date: 10-19-12
I Personnel: Mier
/al Time: 12:50
urture Time: 2:10
m Response Visit: YES (NO)

BIWEEKLY DATA

lizer Readings: RW-1 742888.0 RW-2 19803207.0 RW-3 34748314.0 RW-4 57878753.0 RW-5 10,109184.0

/ Rate GPM: RW-1 cycling RW-2 cycling RW-3 6.00 RW-4 10.00 RW-5 8.50

p Running Amps RW-1 3.1 RW-2 3.1 RW-3 3.2 RW-4 3.3 RW-5 3.2

Stripper Pressure: 15 Inches of Water

ıent Clarity: (Clear)

ding Temperature: 60 Degrees F

em Operation Upon Arrival: (YES) NO (if no please explain below)

er Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
se circle appropriate controller(s) below:

Manholes	(NO)	YES	Repaired	
Lines	(NO)	YES	Repaired	
Stripper	(NO)	YES	Repaired	

es, explain:

MONTHLY DATA

er Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

pper Trays and Tubes Checked:

pper Trays and Tubes Cleaned:

nitoring/Recovery Wells Gauged:

ommendations for system optimization or general comments:

ATTACHMENT D

Groundwater Field Sampling Logs

iWM CONSULTING GROUP

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	I4-2	Project No.	IN-AMP-12-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	10/5/12
		Time In	11:09 Time Out 11:15

I. Well Information

Reference point on well casing		(P)	N
Well Diameter	ID 2"	OD	
Total Well Depth	17.30		
Depth to Water	13.56		
Slug Test Performed		Y	(N)
Redevelop		Y	(N)

II. Well Water Information

Length of water column (ft.)		3.74
Volume of water in well (gal.)		.60
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		1.82	Evacuation Method	Bailer
Did well go dry ?	Y	N	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	11:15
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		16.4
Conductivity (uS/cm)		.821
pH (SU)		6.93
ORP (mV)		-131.1
DO (mg/L)		6.1
Film	Y	(N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel [signature]

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No. MW-3
Project Amphenol
Sampling Purpose Semi-Annual GWS

Project No. IN-AMP-12-06
Site Name Amphenol, Franklin, IN
Sampling Personnel Mier/White
Date 10/5/12
Time In 10:24 Time Out 10:38

I. Well Information

Reference point on well casing		Y	N
Well Diameter	ID 2"	OD 2"	
Total Well Depth	13.70		
Depth to Water	11.24		
Slug Test Performed		Y	N
Redevelop		Y	N

II. Well Water Information

Length of water column (ft.)		2.46
Volume of water in well (gal.)		.40
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		1.20
Did well go dry ?	Y	N

Evacuation Method Bailer
Evacuation Rate (gpm) - 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	10:35
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		17.1
Conductivity (uS/cm)		.984
pH (SU)		6.9
ORP (mV)		206.3
DO (mg/L)		2.1
Film	Y	N

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel [illegible]

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No. MW- 12R
Project Amphenol
Sampling Purpose Semi-Annual GWS

Project No. IN-AMP-12-06
Site Name Amphenol, Franklin, IN
Sampling Personnel Mier/White
Date 10/5/12
Time In 1125 Time Out 1140

I. Well Information

Reference point on well casing		(Y)	N
Well Diameter	ID 2"	OD	
Total Well Depth	25.20		
Depth to Water	17.95		
Slug Test Performed		Y	(N)
Redevelop		Y	(N)

II. Well Water Information

Length of water column (ft.)		7.25
Volume of water in well (gal.)		1.18
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		3.54	
Did well go dry ?	Y	(N)	

Evacuation Method Bailer
Evacuation Rate (gpm) - 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	11.40
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		15.6
Conductivity (uS/cm)		1.052
pH (SU)		6.83
ORP (mV)		34.4
DO (mg/L)		.87
Film	Y	(N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel Ralph Mier

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	MW-20	Project No.	IN-AMP-12-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	10/5/12
		Time In	9:40 Time Out 9:55

I. Well Information

Reference point on well casing		Y	N
Well Diameter	ID 2"	OD	
Total Well Depth	23.45		
Depth to Water	11.10		
Slug Test Performed		Y	N
Redevelop		Y	N

II. Well Water Information

Length of water column (ft.)		12.35
Volume of water in well (gal.)		2.01
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		6.03	Evacuation Method	Bailer
Did well go dry ?	Y	N	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	10:00
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		14.9
Conductivity (uS/cm)		870
pH (SU)		5.81
ORP (mV)		322.9
DO (mg/L)		2.65
Film	Y	N

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel [illegible]

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	MW- 22	Project No.	IN-AMP-12-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	10/5/12
		Time In	1141 Time Out 1155

I. Well Information

Reference point on well casing		(Y)	N
Well Diameter	ID 2"	OD	
Total Well Depth	24.00		
Depth to Water	18.52		
Slug Test Performed		Y	(N)
Redevelop		Y	(N)

II. Well Water Information

Length of water column (ft.)		4.89
Volume of water in well (gal.)		.79
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		2.67	Evacuation Method	Bailer
Did well go dry ?	Y	(N)	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	11:55
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		15.9
Conductivity (uS/cm)		1,557
pH (SU)		6.77
ORP (mV)		-101.5
DO (mg/L)		.96
Film	Y	(N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel [signature]

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No. MW-28
Project Amphenol
Sampling Purpose Semi-Annual GWS

Project No. IN-AMP-12-06
Site Name Amphenol, Franklin, IN
Sampling Personnel Mier/White
Date 10/5/12
Time In 1300 Time Out 1315

I. Well Information

Reference point on well casing		(Y)	N
Well Diameter	ID 2"	OD	
Total Well Depth	25.25		
Depth to Water	18.35		
Slug Test Performed		Y	(N)
Redevelop		Y	(N)

II. Well Water Information

Length of water column (ft.)		6.90
Volume of water in well (gal.)		1.12
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		3.37	
Did well go dry ?	Y	(N)	

Evacuation Method Bailer
Evacuation Rate (gpm) - 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	1315
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		16.1
Conductivity (uS/cm)		1.641
pH (SU)		6.93
ORP (mV)		75.0
DO (mg/L)		3.5
Film	Y	(N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (RWM)

Field Personnel [signature]

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	MW-29	Project No.	IN-AMP-12-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	10/5/12
		Time In	1318 Time Out 1325

I. Well Information

Reference point on well casing		(Y)	N
Well Diameter	ID 2"	OD	
Total Well Depth	25.53		
Depth to Water	18.15		
Slug Test Performed		Y	(N)
Redevelop		Y	(N)

II. Well Water Information

Length of water column (ft.)		7.38
Volume of water in well (gal.)		1.20
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		3.60	Evacuation Method	Bailer
Did well go dry ?	Y	(N)	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	1325
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		14.4
Conductivity (uS/cm)		.823
pH (SU)		6.73
ORP (mV)		81.8
DO (mg/L)		.62
Film	Y	(N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel [signature]

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	MW-30	Project No.	IN-AMP-12-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	10/5/12
		Time In	10:48 Time Out 11:01

I. Well Information

Reference point on well casing		(Y)	N
Well Diameter	ID 2"	OD	
Total Well Depth	21.20		
Depth to Water	15.94		
Slug Test Performed		Y	(N)
Redevelop		Y	(N)

II. Well Water Information

Length of water column (ft.)		5.26
Volume of water in well (gal.)		.85
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		2.56	Evacuation Method	Bailer
Did well go dry ?	Y	(N)	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	11.05
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		16.3
Conductivity (uS/cm)		922
pH (SU)		6.98
ORP (mV)		146.5
DO (mg/L)		1.6
Film	Y	(N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel [signature]

ATTACHMENT E

Groundwater Laboratory Analytical Report

iWM CONSULTING GROUP

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

October 19, 2012

Mr. Chris Parks
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Dear Mr. Parks:
Enclosed are the analytical results for sample(s) received by the laboratory on October 05, 2012. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kenneth Hunt

kenneth.hunt@pacelabs.com
Project Manager

Enclosures

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

CERTIFICATIONS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Indiana Certification IDs
7726 Moller Road, Indianapolis, IN 46268
Illinois Certification #: 200074
Indiana Certification #: C-49-06
Kansas Certification #: E-10247
Kentucky Certification #: 0042
Louisiana/NELAC Certification #: 04076
Ohio VAP Certification #: CL0065
Pennsylvania Certification #: 68-04991
West Virginia Certification #: 330

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

SAMPLE SUMMARY

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Lab ID	Sample ID	Matrix	Date Collected	Date Received
5070413001	IT-2	Water	10/05/12 11:15	10/05/12 15:38
5070413002	IT-3	Water	10/05/12 10:35	10/05/12 15:38
5070413003	MW-12R	Water	10/05/12 11:40	10/05/12 15:38
5070413004	MW-20	Water	10/05/12 10:00	10/05/12 15:38
5070413005	MW-22	Water	10/05/12 11:55	10/05/12 15:38
5070413006	MW-28	Water	10/05/12 13:15	10/05/12 15:38
5070413007	MW-29	Water	10/05/12 13:25	10/05/12 15:38
5070413008	MW-30	Water	10/05/12 11:05	10/05/12 15:38
5070413009	DUPLICATE	Water	10/05/12 08:00	10/05/12 15:38
5070413010	TRIP BLANK	Water	10/05/12 08:00	10/05/12 15:38

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

SAMPLE ANALYTE COUNT

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Lab ID	Sample ID	Method	Analysts	Analytes Reported
5070413001	**IT-2**	EPA 8260	KMU	72
5070413002	**IT-3**	EPA 8260	KMU	72
5070413003	**MW-12R**	EPA 8260	KMU	72
5070413004	**MW-20**	EPA 8260	KMU	72
5070413005	**MW-22**	EPA 8260	KMU	72
5070413006	**MW-28**	EPA 8260	KMU	72
5070413007	**MW-29**	EPA 8260	KMU	72
5070413008	**MW-30**	EPA 8260	KMU	72
5070413009	**DUPLICATE**	EPA 8260	KMU	72
5070413010	**TRIP BLANK**	EPA 8260	KMU	72

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: IT-2 **Lab ID: 5070413001** Collected: 10/05/12 11:15 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		10/16/12 04:48	67-64-1	
Acrolein	ND	ug/L	50.0	1		10/16/12 04:48	107-02-8	
Acrylonitrile	ND	ug/L	100	1		10/16/12 04:48	107-13-1	
Benzene	ND	ug/L	5.0	1		10/16/12 04:48	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		10/16/12 04:48	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		10/16/12 04:48	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		10/16/12 04:48	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/16/12 04:48	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/16/12 04:48	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/16/12 04:48	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		10/16/12 04:48	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		10/16/12 04:48	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		10/16/12 04:48	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		10/16/12 04:48	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/16/12 04:48	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/16/12 04:48	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/16/12 04:48	75-00-3	
hloroform	ND	ug/L	5.0	1		10/16/12 04:48	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/16/12 04:48	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		10/16/12 04:48	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		10/16/12 04:48	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		10/16/12 04:48	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/16/12 04:48	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		10/16/12 04:48	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/16/12 04:48	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/16/12 04:48	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/16/12 04:48	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		10/16/12 04:48	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/16/12 04:48	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/16/12 04:48	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/16/12 04:48	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/16/12 04:48	75-35-4	
cis-1,2-Dichloroethene	**33.3**	ug/L	5.0	1		10/16/12 04:48	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/12 04:48	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/16/12 04:48	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		10/16/12 04:48	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		10/16/12 04:48	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		10/16/12 04:48	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/12 04:48	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/12 04:48	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/16/12 04:48	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		10/16/12 04:48	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		10/16/12 04:48	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		10/16/12 04:48	591-78-6	
Iodomethane	ND	ug/L	10.0	1		10/16/12 04:48	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/16/12 04:48	98-82-8	
-Isopropyltoluene	ND	ug/L	5.0	1		10/16/12 04:48	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: IT-2 **Lab ID: 5070413001** Collected: 10/05/12 11:15 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		10/16/12 04:48	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/16/12 04:48	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/16/12 04:48	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		10/16/12 04:48	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		10/16/12 04:48	103-65-1	
Styrene	ND	ug/L	5.0	1		10/16/12 04:48	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/12 04:48	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/12 04:48	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/16/12 04:48	127-18-4	
Toluene	ND	ug/L	5.0	1		10/16/12 04:48	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		10/16/12 04:48	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/16/12 04:48	120-82-1	
1,1,1-Trichloroethane	**5.6**	ug/L	5.0	1		10/16/12 04:48	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/16/12 04:48	79-00-5	
Trichloroethene	**31.7**	ug/L	5.0	1		10/16/12 04:48	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/16/12 04:48	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		10/16/12 04:48	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		10/16/12 04:48	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		10/16/12 04:48	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		10/16/12 04:48	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		10/16/12 04:48	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		10/16/12 04:48	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	94	%.	83-123	1		10/16/12 04:48	1868-53-7	
4-Bromofluorobenzene (S)	91	%.	72-125	1		10/16/12 04:48	460-00-4	
Toluene-d8 (S)	95	%.	81-114	1		10/16/12 04:48	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: IT-3 **Lab ID: 5070413002** Collected: 10/05/12 10:35 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		10/16/12 05:54	67-64-1	
Acrolein	ND	ug/L	50.0	1		10/16/12 05:54	107-02-8	
Acrylonitrile	ND	ug/L	100	1		10/16/12 05:54	107-13-1	
Benzene	ND	ug/L	5.0	1		10/16/12 05:54	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		10/16/12 05:54	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		10/16/12 05:54	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		10/16/12 05:54	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/16/12 05:54	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/16/12 05:54	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/16/12 05:54	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		10/16/12 05:54	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		10/16/12 05:54	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		10/16/12 05:54	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		10/16/12 05:54	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/16/12 05:54	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/16/12 05:54	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/16/12 05:54	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/16/12 05:54	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/16/12 05:54	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		10/16/12 05:54	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		10/16/12 05:54	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		10/16/12 05:54	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/16/12 05:54	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		10/16/12 05:54	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/16/12 05:54	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/16/12 05:54	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/16/12 05:54	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		10/16/12 05:54	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/16/12 05:54	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/16/12 05:54	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/16/12 05:54	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/16/12 05:54	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/12 05:54	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/12 05:54	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/16/12 05:54	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		10/16/12 05:54	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		10/16/12 05:54	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		10/16/12 05:54	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/12 05:54	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/12 05:54	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/16/12 05:54	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		10/16/12 05:54	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		10/16/12 05:54	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		10/16/12 05:54	591-78-6	
Iodomethane	ND	ug/L	10.0	1		10/16/12 05:54	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/16/12 05:54	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		10/16/12 05:54	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: IT-3 **Lab ID: 5070413002** Collected: 10/05/12 10:35 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		10/16/12 05:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/16/12 05:54	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/16/12 05:54	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		10/16/12 05:54	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		10/16/12 05:54	103-65-1	
Styrene	ND	ug/L	5.0	1		10/16/12 05:54	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/12 05:54	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/12 05:54	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/16/12 05:54	127-18-4	
Toluene	ND	ug/L	5.0	1		10/16/12 05:54	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		10/16/12 05:54	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/16/12 05:54	120-82-1	
1,1,1-Trichloroethane	**6.6**	ug/L	5.0	1		10/16/12 05:54	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/16/12 05:54	79-00-5	
Trichloroethene	**7.0**	ug/L	5.0	1		10/16/12 05:54	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/16/12 05:54	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		10/16/12 05:54	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		10/16/12 05:54	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		10/16/12 05:54	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		10/16/12 05:54	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		10/16/12 05:54	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		10/16/12 05:54	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	93	%.	83-123	1		10/16/12 05:54	1868-53-7	
4-Bromofluorobenzene (S)	91	%.	72-125	1		10/16/12 05:54	460-00-4	
Toluene-d8 (S)	96	%.	81-114	1		10/16/12 05:54	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: MW-12R **Lab ID: 5070413003** Collected: 10/05/12 11:40 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		10/16/12 06:27	67-64-1	
Acrolein	ND	ug/L	50.0	1		10/16/12 06:27	107-02-8	
Acrylonitrile	ND	ug/L	100	1		10/16/12 06:27	107-13-1	
Benzene	ND	ug/L	5.0	1		10/16/12 06:27	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		10/16/12 06:27	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		10/16/12 06:27	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		10/16/12 06:27	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/16/12 06:27	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/16/12 06:27	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/16/12 06:27	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		10/16/12 06:27	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		10/16/12 06:27	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		10/16/12 06:27	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		10/16/12 06:27	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/16/12 06:27	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/16/12 06:27	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/16/12 06:27	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/16/12 06:27	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/16/12 06:27	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		10/16/12 06:27	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		10/16/12 06:27	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		10/16/12 06:27	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/16/12 06:27	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		10/16/12 06:27	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/16/12 06:27	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/16/12 06:27	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/16/12 06:27	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		10/16/12 06:27	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/16/12 06:27	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/16/12 06:27	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/16/12 06:27	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/16/12 06:27	75-35-4	
cis-1,2-Dichloroethene	**23.0**	ug/L	5.0	1		10/16/12 06:27	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/12 06:27	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/16/12 06:27	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		10/16/12 06:27	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		10/16/12 06:27	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		10/16/12 06:27	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/12 06:27	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/12 06:27	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/16/12 06:27	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		10/16/12 06:27	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		10/16/12 06:27	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		10/16/12 06:27	591-78-6	
Iodomethane	ND	ug/L	10.0	1		10/16/12 06:27	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/16/12 06:27	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		10/16/12 06:27	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: MW-12R **Lab ID: 5070413003** Collected: 10/05/12 11:40 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		10/16/12 06:27	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/16/12 06:27	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/16/12 06:27	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		10/16/12 06:27	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		10/16/12 06:27	103-65-1	
Styrene	ND	ug/L	5.0	1		10/16/12 06:27	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/12 06:27	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/12 06:27	79-34-5	
Tetrachloroethene	**687**	ug/L	100	20		10/16/12 15:25	127-18-4	
Toluene	ND	ug/L	5.0	1		10/16/12 06:27	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		10/16/12 06:27	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/16/12 06:27	120-82-1	
1,1,1-Trichloroethane	**45.6**	ug/L	5.0	1		10/16/12 06:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/16/12 06:27	79-00-5	
Trichloroethene	**135**	ug/L	5.0	1		10/16/12 06:27	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/16/12 06:27	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		10/16/12 06:27	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		10/16/12 06:27	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		10/16/12 06:27	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		10/16/12 06:27	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		10/16/12 06:27	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		10/16/12 06:27	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	93	%.	83-123	1		10/16/12 06:27	1868-53-7	
4-Bromofluorobenzene (S)	88	%.	72-125	1		10/16/12 06:27	460-00-4	
Toluene-d8 (S)	88	%.	81-114	1		10/16/12 06:27	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: MW-20 **Lab ID: 5070413004** Collected: 10/05/12 10:00 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		10/16/12 07:00	67-64-1	
Acrolein	ND	ug/L	50.0	1		10/16/12 07:00	107-02-8	
Acrylonitrile	ND	ug/L	100	1		10/16/12 07:00	107-13-1	
Benzene	ND	ug/L	5.0	1		10/16/12 07:00	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		10/16/12 07:00	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		10/16/12 07:00	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		10/16/12 07:00	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/16/12 07:00	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/16/12 07:00	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/16/12 07:00	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		10/16/12 07:00	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		10/16/12 07:00	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		10/16/12 07:00	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		10/16/12 07:00	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/16/12 07:00	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/16/12 07:00	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/16/12 07:00	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/16/12 07:00	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/16/12 07:00	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		10/16/12 07:00	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		10/16/12 07:00	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		10/16/12 07:00	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/16/12 07:00	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		10/16/12 07:00	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/16/12 07:00	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/16/12 07:00	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/16/12 07:00	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		10/16/12 07:00	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/16/12 07:00	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/16/12 07:00	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/16/12 07:00	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/16/12 07:00	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/12 07:00	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/12 07:00	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/16/12 07:00	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		10/16/12 07:00	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		10/16/12 07:00	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		10/16/12 07:00	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/12 07:00	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/12 07:00	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/16/12 07:00	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		10/16/12 07:00	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		10/16/12 07:00	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		10/16/12 07:00	591-78-6	
Iodomethane	ND	ug/L	10.0	1		10/16/12 07:00	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/16/12 07:00	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		10/16/12 07:00	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: MW-20 **Lab ID: 5070413004** Collected: 10/05/12 10:00 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		10/16/12 07:00	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/16/12 07:00	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/16/12 07:00	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		10/16/12 07:00	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		10/16/12 07:00	103-65-1	
Styrene	ND	ug/L	5.0	1		10/16/12 07:00	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/12 07:00	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/12 07:00	79-34-5	
Tetrachloroethene	**5.0**	ug/L	5.0	1		10/16/12 07:00	127-18-4	
Toluene	ND	ug/L	5.0	1		10/16/12 07:00	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		10/16/12 07:00	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/16/12 07:00	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/16/12 07:00	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/16/12 07:00	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/16/12 07:00	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/16/12 07:00	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		10/16/12 07:00	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		10/16/12 07:00	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		10/16/12 07:00	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		10/16/12 07:00	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		10/16/12 07:00	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		10/16/12 07:00	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	90	%.	83-123	1		10/16/12 07:00	1868-53-7	
4-Bromofluorobenzene (S)	91	%.	72-125	1		10/16/12 07:00	460-00-4	
Toluene-d8 (S)	96	%.	81-114	1		10/16/12 07:00	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: MW-22 **Lab ID: 5070413005** Collected: 10/05/12 11:55 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		10/17/12 02:54	67-64-1	
Acrolein	ND	ug/L	50.0	1		10/17/12 02:54	107-02-8	
Acrylonitrile	ND	ug/L	100	1		10/17/12 02:54	107-13-1	
Benzene	ND	ug/L	5.0	1		10/17/12 02:54	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		10/17/12 02:54	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		10/17/12 02:54	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		10/17/12 02:54	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/17/12 02:54	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/17/12 02:54	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/17/12 02:54	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		10/17/12 02:54	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		10/17/12 02:54	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		10/17/12 02:54	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		10/17/12 02:54	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/17/12 02:54	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/17/12 02:54	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/17/12 02:54	75-00-3	
hloroform	ND	ug/L	5.0	1		10/17/12 02:54	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/17/12 02:54	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		10/17/12 02:54	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		10/17/12 02:54	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		10/17/12 02:54	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/17/12 02:54	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		10/17/12 02:54	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 02:54	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 02:54	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 02:54	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		10/17/12 02:54	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/17/12 02:54	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/17/12 02:54	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/17/12 02:54	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/17/12 02:54	75-35-4	
cis-1,2-Dichloroethene	**69.3**	ug/L	5.0	1		10/17/12 02:54	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/12 02:54	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/17/12 02:54	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		10/17/12 02:54	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		10/17/12 02:54	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		10/17/12 02:54	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/12 02:54	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/12 02:54	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/17/12 02:54	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		10/17/12 02:54	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		10/17/12 02:54	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		10/17/12 02:54	591-78-6	
Iodomethane	ND	ug/L	10.0	1		10/17/12 02:54	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/17/12 02:54	98-82-8	
-Isopropyltoluene	ND	ug/L	5.0	1		10/17/12 02:54	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: MW-22 **Lab ID: 5070413005** Collected: 10/05/12 11:55 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		10/17/12 02:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/17/12 02:54	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/17/12 02:54	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		10/17/12 02:54	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		10/17/12 02:54	103-65-1	
Styrene	ND	ug/L	5.0	1		10/17/12 02:54	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/12 02:54	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/12 02:54	79-34-5	
Tetrachloroethene	**710**	ug/L	50.0	10		10/18/12 20:12	127-18-4	
Toluene	ND	ug/L	5.0	1		10/17/12 02:54	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		10/17/12 02:54	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/17/12 02:54	120-82-1	
1,1,1-Trichloroethane	**10.2**	ug/L	5.0	1		10/17/12 02:54	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/17/12 02:54	79-00-5	
Trichloroethene	**111**	ug/L	5.0	1		10/17/12 02:54	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/17/12 02:54	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		10/17/12 02:54	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		10/17/12 02:54	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		10/17/12 02:54	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		10/17/12 02:54	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		10/17/12 02:54	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		10/17/12 02:54	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	89	%.	83-123	1		10/17/12 02:54	1868-53-7	
4-Bromofluorobenzene (S)	87	%.	72-125	1		10/17/12 02:54	460-00-4	
Toluene-d8 (S)	87	%.	81-114	1		10/17/12 02:54	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: MW-28 **Lab ID: 5070413006** Collected: 10/05/12 13:15 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		10/17/12 03:27	67-64-1	
Acrolein	ND	ug/L	50.0	1		10/17/12 03:27	107-02-8	
Acrylonitrile	ND	ug/L	100	1		10/17/12 03:27	107-13-1	
Benzene	ND	ug/L	5.0	1		10/17/12 03:27	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		10/17/12 03:27	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		10/17/12 03:27	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		10/17/12 03:27	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/17/12 03:27	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/17/12 03:27	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/17/12 03:27	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		10/17/12 03:27	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		10/17/12 03:27	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		10/17/12 03:27	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		10/17/12 03:27	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/17/12 03:27	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/17/12 03:27	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/17/12 03:27	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/17/12 03:27	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/17/12 03:27	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		10/17/12 03:27	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		10/17/12 03:27	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		10/17/12 03:27	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/17/12 03:27	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		10/17/12 03:27	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 03:27	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 03:27	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 03:27	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		10/17/12 03:27	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/17/12 03:27	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/17/12 03:27	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/17/12 03:27	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/17/12 03:27	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/12 03:27	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/12 03:27	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/17/12 03:27	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		10/17/12 03:27	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		10/17/12 03:27	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		10/17/12 03:27	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/12 03:27	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/12 03:27	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/17/12 03:27	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		10/17/12 03:27	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		10/17/12 03:27	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		10/17/12 03:27	591-78-6	
Iodomethane	ND	ug/L	10.0	1		10/17/12 03:27	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/17/12 03:27	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		10/17/12 03:27	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: MW-28 **Lab ID: 5070413006** Collected: 10/05/12 13:15 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		10/17/12 03:27	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/17/12 03:27	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/17/12 03:27	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		10/17/12 03:27	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		10/17/12 03:27	103-65-1	
Styrene	ND	ug/L	5.0	1		10/17/12 03:27	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/12 03:27	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/12 03:27	79-34-5	
Tetrachloroethene	**32.7**	ug/L	5.0	1		10/17/12 03:27	127-18-4	
Toluene	ND	ug/L	5.0	1		10/17/12 03:27	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		10/17/12 03:27	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/17/12 03:27	120-82-1	
1,1,1-Trichloroethane	**13.4**	ug/L	5.0	1		10/17/12 03:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/17/12 03:27	79-00-5	
Trichloroethene	**13.9**	ug/L	5.0	1		10/17/12 03:27	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/17/12 03:27	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		10/17/12 03:27	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		10/17/12 03:27	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		10/17/12 03:27	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		10/17/12 03:27	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		10/17/12 03:27	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		10/17/12 03:27	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	93	%.	83-123	1		10/17/12 03:27	1868-53-7	
4-Bromofluorobenzene (S)	91	%.	72-125	1		10/17/12 03:27	460-00-4	
Toluene-d8 (S)	96	%.	81-114	1		10/17/12 03:27	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: MW-29 **Lab ID: 5070413007** Collected: 10/05/12 13:25 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		10/17/12 03:59	67-64-1	
Acrolein	ND	ug/L	50.0	1		10/17/12 03:59	107-02-8	
Acrylonitrile	ND	ug/L	100	1		10/17/12 03:59	107-13-1	
Benzene	ND	ug/L	5.0	1		10/17/12 03:59	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		10/17/12 03:59	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		10/17/12 03:59	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		10/17/12 03:59	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/17/12 03:59	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/17/12 03:59	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/17/12 03:59	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		10/17/12 03:59	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		10/17/12 03:59	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		10/17/12 03:59	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		10/17/12 03:59	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/17/12 03:59	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/17/12 03:59	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/17/12 03:59	75-00-3	
hloroform	ND	ug/L	5.0	1		10/17/12 03:59	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/17/12 03:59	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		10/17/12 03:59	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		10/17/12 03:59	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		10/17/12 03:59	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/17/12 03:59	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		10/17/12 03:59	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 03:59	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 03:59	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 03:59	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		10/17/12 03:59	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/17/12 03:59	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/17/12 03:59	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/17/12 03:59	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/17/12 03:59	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/12 03:59	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/12 03:59	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/17/12 03:59	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		10/17/12 03:59	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		10/17/12 03:59	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		10/17/12 03:59	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/12 03:59	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/12 03:59	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/17/12 03:59	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		10/17/12 03:59	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		10/17/12 03:59	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		10/17/12 03:59	591-78-6	
Iodomethane	ND	ug/L	10.0	1		10/17/12 03:59	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/17/12 03:59	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		10/17/12 03:59	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: MW-29 **Lab ID: 5070413007** Collected: 10/05/12 13:25 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		10/17/12 03:59	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/17/12 03:59	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/17/12 03:59	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		10/17/12 03:59	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		10/17/12 03:59	103-65-1	
Styrene	ND	ug/L	5.0	1		10/17/12 03:59	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/12 03:59	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/12 03:59	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/17/12 03:59	127-18-4	
Toluene	ND	ug/L	5.0	1		10/17/12 03:59	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		10/17/12 03:59	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/17/12 03:59	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/17/12 03:59	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/17/12 03:59	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/17/12 03:59	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/17/12 03:59	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		10/17/12 03:59	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		10/17/12 03:59	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		10/17/12 03:59	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		10/17/12 03:59	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		10/17/12 03:59	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		10/17/12 03:59	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	93	%.	83-123	1		10/17/12 03:59	1868-53-7	
4-Bromofluorobenzene (S)	91	%.	72-125	1		10/17/12 03:59	460-00-4	
Toluene-d8 (S)	98	%.	81-114	1		10/17/12 03:59	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: MW-30 **Lab ID: 5070413008** Collected: 10/05/12 11:05 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		10/17/12 04:32	67-64-1	
Acrolein	ND	ug/L	50.0	1		10/17/12 04:32	107-02-8	
Acrylonitrile	ND	ug/L	100	1		10/17/12 04:32	107-13-1	
Benzene	ND	ug/L	5.0	1		10/17/12 04:32	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		10/17/12 04:32	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		10/17/12 04:32	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		10/17/12 04:32	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/17/12 04:32	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/17/12 04:32	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/17/12 04:32	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		10/17/12 04:32	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		10/17/12 04:32	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		10/17/12 04:32	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		10/17/12 04:32	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/17/12 04:32	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/17/12 04:32	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/17/12 04:32	75-00-3	
:hloroform	ND	ug/L	5.0	1		10/17/12 04:32	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/17/12 04:32	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		10/17/12 04:32	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		10/17/12 04:32	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		10/17/12 04:32	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/17/12 04:32	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		10/17/12 04:32	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 04:32	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 04:32	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 04:32	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		10/17/12 04:32	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/17/12 04:32	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/17/12 04:32	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/17/12 04:32	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/17/12 04:32	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/12 04:32	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/12 04:32	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/17/12 04:32	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		10/17/12 04:32	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		10/17/12 04:32	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		10/17/12 04:32	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/12 04:32	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/12 04:32	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/17/12 04:32	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		10/17/12 04:32	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		10/17/12 04:32	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		10/17/12 04:32	591-78-6	
Iodomethane	ND	ug/L	10.0	1		10/17/12 04:32	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/17/12 04:32	98-82-8	
-Isopropyltoluene	ND	ug/L	5.0	1		10/17/12 04:32	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: MW-30 **Lab ID: 5070413008** Collected: 10/05/12 11:05 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		10/17/12 04:32	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/17/12 04:32	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/17/12 04:32	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		10/17/12 04:32	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		10/17/12 04:32	103-65-1	
Styrene	ND	ug/L	5.0	1		10/17/12 04:32	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/12 04:32	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/12 04:32	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/17/12 04:32	127-18-4	
Toluene	ND	ug/L	5.0	1		10/17/12 04:32	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		10/17/12 04:32	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/17/12 04:32	120-82-1	
1,1,1-Trichloroethane	**15.4**	ug/L	5.0	1		10/17/12 04:32	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/17/12 04:32	79-00-5	
Trichloroethene	**5.0**	ug/L	5.0	1		10/17/12 04:32	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/17/12 04:32	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		10/17/12 04:32	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		10/17/12 04:32	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		10/17/12 04:32	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		10/17/12 04:32	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		10/17/12 04:32	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		10/17/12 04:32	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	94	%.	83-123	1		10/17/12 04:32	1868-53-7	
4-Bromofluorobenzene (S)	91	%.	72-125	1		10/17/12 04:32	460-00-4	
Toluene-d8 (S)	96	%.	81-114	1		10/17/12 04:32	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: DUPLICATE **Lab ID: 5070413009** Collected: 10/05/12 08:00 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		10/17/12 05:05	67-64-1	
Acrolein	ND	ug/L	50.0	1		10/17/12 05:05	107-02-8	
Acrylonitrile	ND	ug/L	100	1		10/17/12 05:05	107-13-1	
Benzene	ND	ug/L	5.0	1		10/17/12 05:05	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		10/17/12 05:05	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		10/17/12 05:05	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		10/17/12 05:05	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/17/12 05:05	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/17/12 05:05	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/17/12 05:05	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		10/17/12 05:05	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		10/17/12 05:05	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		10/17/12 05:05	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		10/17/12 05:05	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/17/12 05:05	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/17/12 05:05	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/17/12 05:05	75-00-3	
hloroform	ND	ug/L	5.0	1		10/17/12 05:05	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/17/12 05:05	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		10/17/12 05:05	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		10/17/12 05:05	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		10/17/12 05:05	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/17/12 05:05	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		10/17/12 05:05	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 05:05	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 05:05	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 05:05	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		10/17/12 05:05	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/17/12 05:05	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/17/12 05:05	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/17/12 05:05	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/17/12 05:05	75-35-4	
cis-1,2-Dichloroethene	**65.4**	ug/L	5.0	1		10/17/12 05:05	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/12 05:05	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/17/12 05:05	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		10/17/12 05:05	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		10/17/12 05:05	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		10/17/12 05:05	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/12 05:05	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/12 05:05	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/17/12 05:05	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		10/17/12 05:05	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		10/17/12 05:05	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		10/17/12 05:05	591-78-6	
Iodomethane	ND	ug/L	10.0	1		10/17/12 05:05	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/17/12 05:05	98-82-8	
-Isopropyltoluene	ND	ug/L	5.0	1		10/17/12 05:05	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: DUPLICATE **Lab ID: 5070413009** Collected: 10/05/12 08:00 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		10/17/12 05:05	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/17/12 05:05	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/17/12 05:05	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		10/17/12 05:05	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		10/17/12 05:05	103-65-1	
Styrene	ND	ug/L	5.0	1		10/17/12 05:05	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/12 05:05	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/12 05:05	79-34-5	
Tetrachloroethene	**722**	ug/L	50.0	10		10/18/12 21:17	127-18-4	
Toluene	ND	ug/L	5.0	1		10/17/12 05:05	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		10/17/12 05:05	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/17/12 05:05	120-82-1	
1,1,1-Trichloroethane	**9.9**	ug/L	5.0	1		10/17/12 05:05	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/17/12 05:05	79-00-5	
Trichloroethene	**108**	ug/L	5.0	1		10/17/12 05:05	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/17/12 05:05	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		10/17/12 05:05	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		10/17/12 05:05	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		10/17/12 05:05	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		10/17/12 05:05	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		10/17/12 05:05	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		10/17/12 05:05	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	89	%.	83-123	1		10/17/12 05:05	1868-53-7	
4-Bromofluorobenzene (S)	88	%.	72-125	1		10/17/12 05:05	460-00-4	
Toluene-d8 (S)	88	%.	81-114	1		10/17/12 05:05	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: TRIP BLANK **Lab ID: 5070413010** Collected: 10/05/12 08:00 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		10/17/12 05:38	67-64-1	
Acrolein	ND	ug/L	50.0	1		10/17/12 05:38	107-02-8	
Acrylonitrile	ND	ug/L	100	1		10/17/12 05:38	107-13-1	
Benzene	ND	ug/L	5.0	1		10/17/12 05:38	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		10/17/12 05:38	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		10/17/12 05:38	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		10/17/12 05:38	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/17/12 05:38	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/17/12 05:38	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/17/12 05:38	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		10/17/12 05:38	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		10/17/12 05:38	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		10/17/12 05:38	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		10/17/12 05:38	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/17/12 05:38	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/17/12 05:38	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/17/12 05:38	75-00-3	
hloroform	ND	ug/L	5.0	1		10/17/12 05:38	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/17/12 05:38	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		10/17/12 05:38	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		10/17/12 05:38	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		10/17/12 05:38	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/17/12 05:38	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		10/17/12 05:38	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 05:38	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 05:38	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 05:38	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		10/17/12 05:38	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/17/12 05:38	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/17/12 05:38	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/17/12 05:38	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/17/12 05:38	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/12 05:38	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/12 05:38	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/17/12 05:38	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		10/17/12 05:38	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		10/17/12 05:38	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		10/17/12 05:38	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/12 05:38	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/12 05:38	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/17/12 05:38	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		10/17/12 05:38	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		10/17/12 05:38	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		10/17/12 05:38	591-78-6	
Iodomethane	ND	ug/L	10.0	1		10/17/12 05:38	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/17/12 05:38	98-82-8	
-Isopropyltoluene	ND	ug/L	5.0	1		10/17/12 05:38	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: TRIP BLANK **Lab ID: 5070413010** Collected: 10/05/12 08:00 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		10/17/12 05:38	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/17/12 05:38	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/17/12 05:38	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		10/17/12 05:38	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		10/17/12 05:38	103-65-1	
Styrene	ND	ug/L	5.0	1		10/17/12 05:38	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/12 05:38	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/12 05:38	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/17/12 05:38	127-18-4	
Toluene	ND	ug/L	5.0	1		10/17/12 05:38	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		10/17/12 05:38	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/17/12 05:38	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/17/12 05:38	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/17/12 05:38	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/17/12 05:38	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/17/12 05:38	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		10/17/12 05:38	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		10/17/12 05:38	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		10/17/12 05:38	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		10/17/12 05:38	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		10/17/12 05:38	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		10/17/12 05:38	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	94	%.	83-123	1		10/17/12 05:38	1868-53-7	
4-Bromofluorobenzene (S)	90	%.	72-125	1		10/17/12 05:38	460-00-4	
Toluene-d8 (S)	97	%.	81-114	1		10/17/12 05:38	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

QC Batch: MSV/46913 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 5070413001, 5070413002, 5070413003, 5070413004

METHOD BLANK: 816365 Matrix: Water
Associated Lab Samples: 5070413001, 5070413002, 5070413003, 5070413004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	10/15/12 21:05	
1,1,1-Trichloroethane	ug/L	ND	5.0	10/15/12 21:05	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	10/15/12 21:05	
1,1,2-Trichloroethane	ug/L	ND	5.0	10/15/12 21:05	
1,1-Dichloroethane	ug/L	ND	5.0	10/15/12 21:05	
1,1-Dichloroethene	ug/L	ND	5.0	10/15/12 21:05	
1,1-Dichloropropene	ug/L	ND	5.0	10/15/12 21:05	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	10/15/12 21:05	
1,2,3-Trichloropropane	ug/L	ND	5.0	10/15/12 21:05	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	10/15/12 21:05	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	10/15/12 21:05	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	10/15/12 21:05	
1,2-Dichlorobenzene	ug/L	ND	5.0	10/15/12 21:05	
,2-Dichloroethane	ug/L	ND	5.0	10/15/12 21:05	
1,2-Dichloropropane	ug/L	ND	5.0	10/15/12 21:05	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	10/15/12 21:05	
1,3-Dichlorobenzene	ug/L	ND	5.0	10/15/12 21:05	
1,3-Dichloropropane	ug/L	ND	5.0	10/15/12 21:05	
1,4-Dichlorobenzene	ug/L	ND	5.0	10/15/12 21:05	
2,2-Dichloropropane	ug/L	ND	5.0	10/15/12 21:05	
2-Butanone (MEK)	ug/L	ND	25.0	10/15/12 21:05	
2-Chlorotoluene	ug/L	ND	5.0	10/15/12 21:05	
2-Hexanone	ug/L	ND	25.0	10/15/12 21:05	
4-Chlorotoluene	ug/L	ND	5.0	10/15/12 21:05	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	10/15/12 21:05	
Acetone	ug/L	ND	100	10/15/12 21:05	
Acrolein	ug/L	ND	50.0	10/15/12 21:05	
Acrylonitrile	ug/L	ND	100	10/15/12 21:05	
Benzene	ug/L	ND	5.0	10/15/12 21:05	
Bromobenzene	ug/L	ND	5.0	10/15/12 21:05	
Bromochloromethane	ug/L	ND	5.0	10/15/12 21:05	
Bromodichloromethane	ug/L	ND	5.0	10/15/12 21:05	
Bromoform	ug/L	ND	5.0	10/15/12 21:05	
Bromomethane	ug/L	ND	5.0	10/15/12 21:05	
Carbon disulfide	ug/L	ND	10.0	10/15/12 21:05	
Carbon tetrachloride	ug/L	ND	5.0	10/15/12 21:05	
Chlorobenzene	ug/L	ND	5.0	10/15/12 21:05	
Chloroethane	ug/L	ND	5.0	10/15/12 21:05	
Chloroform	ug/L	ND	5.0	10/15/12 21:05	
Chloromethane	ug/L	ND	5.0	10/15/12 21:05	
cis-1,2-Dichloroethene	ug/L	ND	5.0	10/15/12 21:05	
cis-1,3-Dichloropropene	ug/L	ND	5.0	10/15/12 21:05	
)ibromochloromethane	ug/L	ND	5.0	10/15/12 21:05	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

METHOD BLANK: 816365 Matrix: Water

Associated Lab Samples: 5070413001, 5070413002, 5070413003, 5070413004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	10/15/12 21:05	
Dichlorodifluoromethane	ug/L	ND	5.0	10/15/12 21:05	
Ethyl methacrylate	ug/L	ND	100	10/15/12 21:05	
Ethylbenzene	ug/L	ND	5.0	10/15/12 21:05	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	10/15/12 21:05	
Iodomethane	ug/L	ND	10.0	10/15/12 21:05	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	10/15/12 21:05	
Methyl-tert-butyl ether	ug/L	ND	4.0	10/15/12 21:05	
Methylene Chloride	ug/L	ND	5.0	10/15/12 21:05	
n-Butylbenzene	ug/L	ND	5.0	10/15/12 21:05	
n-Propylbenzene	ug/L	ND	5.0	10/15/12 21:05	
Naphthalene	ug/L	ND	5.0	10/15/12 21:05	
p-Isopropyltoluene	ug/L	ND	5.0	10/15/12 21:05	
sec-Butylbenzene	ug/L	ND	5.0	10/15/12 21:05	
Styrene	ug/L	ND	5.0	10/15/12 21:05	
tert-Butylbenzene	ug/L	ND	5.0	10/15/12 21:05	
Tetrachloroethene	ug/L	ND	5.0	10/15/12 21:05	
Toluene	ug/L	ND	5.0	10/15/12 21:05	
trans-1,2-Dichloroethene	ug/L	ND	5.0	10/15/12 21:05	
trans-1,3-Dichloropropene	ug/L	ND	5.0	10/15/12 21:05	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	10/15/12 21:05	
Trichloroethene	ug/L	ND	5.0	10/15/12 21:05	
Trichlorofluoromethane	ug/L	ND	5.0	10/15/12 21:05	
Vinyl acetate	ug/L	ND	50.0	10/15/12 21:05	
Vinyl chloride	ug/L	ND	2.0	10/15/12 21:05	
Xylene (Total)	ug/L	ND	10.0	10/15/12 21:05	
4-Bromofluorobenzene (S)	%.	93	72-125	10/15/12 21:05	
Dibromofluoromethane (S)	%.	96	83-123	10/15/12 21:05	
Toluene-d8 (S)	%.	96	81-114	10/15/12 21:05	

LABORATORY CONTROL SAMPLE: 816366

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	48.0	96	69-122	
1,1,1-Trichloroethane	ug/L	50	47.6	95	69-126	
1,1,2,2-Tetrachloroethane	ug/L	50	48.9	98	68-134	
1,1,2-Trichloroethane	ug/L	50	56.9	114	77-129	
1,1-Dichloroethane	ug/L	50	56.3	113	70-127	
1,1-Dichloroethene	ug/L	50	57.0	114	75-145	
1,1-Dichloropropene	ug/L	50	51.5	103	75-126	
1,2,3-Trichlorobenzene	ug/L	50	49.4	99	63-130	
1,2,3-Trichloropropane	ug/L	50	82.4	165	45-121	L3
1,2,4-Trichlorobenzene	ug/L	50	48.3	97	64-122	
1,2,4-Trimethylbenzene	ug/L	50	52.4	105	68-129	
1,2-Dibromoethane (EDB)	ug/L	50	54.7	109	77-123	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

LABORATORY CONTROL SAMPLE: 816366

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	52.1	104	74-123	
1,2-Dichloroethane	ug/L	50	55.8	112	71-127	
1,2-Dichloropropane	ug/L	50	48.3	97	75-126	
1,3,5-Trimethylbenzene	ug/L	50	51.3	103	69-129	
1,3-Dichlorobenzene	ug/L	50	52.8	106	76-123	
1,3-Dichloropropane	ug/L	50	55.1	110	77-126	
1,4-Dichlorobenzene	ug/L	50	53.1	106	77-121	
2,2-Dichloropropane	ug/L	50	34.6	69	45-138	
2-Butanone (MEK)	ug/L	250	271	108	42-177	
2-Chlorotoluene	ug/L	50	51.7	103	74-129	
2-Hexanone	ug/L	250	256	102	57-162	
4-Chlorotoluene	ug/L	50	52.8	106	70-125	
4-Methyl-2-pentanone (MIBK)	ug/L	250	251	100	64-135	
Acetone	ug/L	250	323	129	10-200	
Acrolein	ug/L	1000	2180	218	10-200	L0
Acrylonitrile	ug/L	1000	1110	111	59-144	
Benzene	ug/L	50	47.8	96	76-123	
Bromobenzene	ug/L	50	54.6	109	67-130	
Bromochloromethane	ug/L	50	52.8	106	58-153	
Bromodichloromethane	ug/L	50	48.0	96	71-124	
Bromoform	ug/L	50	36.7	73	64-116	
Bromomethane	ug/L	50	66.4	133	23-197	
Carbon disulfide	ug/L	100	84.2	84	55-146	
Carbon tetrachloride	ug/L	50	43.0	86	65-125	
Chlorobenzene	ug/L	50	52.6	105	78-120	
Chloroethane	ug/L	50	61.3	123	56-163	
Chloroform	ug/L	50	55.4	111	73-122	
Chloromethane	ug/L	50	56.6	113	46-146	
cis-1,2-Dichloroethene	ug/L	50	51.9	104	79-129	
cis-1,3-Dichloropropene	ug/L	50	47.0	94	66-123	
Dibromochloromethane	ug/L	50	45.2	90	70-123	
Dibromomethane	ug/L	50	52.9	106	73-123	
Dichlorodifluoromethane	ug/L	50	52.7	105	19-200	
Ethyl methacrylate	ug/L	200	211	106	70-127	
Ethylbenzene	ug/L	50	53.7	107	75-120	
Hexachloro-1,3-butadiene	ug/L	50	50.7	101	64-131	
Iodomethane	ug/L	100	108	108	16-181	
Isopropylbenzene (Cumene)	ug/L	50	53.1	106	73-123	
Methyl-tert-butyl ether	ug/L	100	97.1	97	66-128	
Methylene Chloride	ug/L	50	57.7	115	61-138	
n-Butylbenzene	ug/L	50	52.6	105	69-130	
n-Propylbenzene	ug/L	50	50.2	100	71-132	
Naphthalene	ug/L	50	50.9	102	62-130	
p-Isopropyltoluene	ug/L	50	53.2	106	71-126	
sec-Butylbenzene	ug/L	50	51.4	103	69-130	
Styrene	ug/L	50	55.1	110	75-125	
tert-Butylbenzene	ug/L	50	44.8	90	49-114	
Tetrachloroethene	ug/L	50	54.1	108	57-125	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

LABORATORY CONTROL SAMPLE: 816366

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	51.2	102	72-124	
trans-1,2-Dichloroethene	ug/L	50	51.0	102	71-145	
trans-1,3-Dichloropropene	ug/L	50	43.1	86	58-118	
trans-1,4-Dichloro-2-butene	ug/L	200	202	101	50-121	
Trichloroethene	ug/L	50	49.1	98	77-122	
Trichlorofluoromethane	ug/L	50	56.9	114	56-159	
Vinyl acetate	ug/L	200	101	51	27-119	
Vinyl chloride	ug/L	50	44.0	88	61-146	
Xylene (Total)	ug/L	150	162	108	72-126	
4-Bromofluorobenzene (S)	%.			101	72-125	
Dibromofluoromethane (S)	%.			93	83-123	
Toluene-d8 (S)	%.			97	81-114	

MATRIX SPIKE SAMPLE: 816367

Parameter	Units	5070399001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	50	44.1	88	30-122	
1,1,1-Trichloroethane	ug/L	ND	50	49.0	98	37-136	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	47.3	95	47-132	
1,1,2-Trichloroethane	ug/L	ND	50	55.3	111	53-131	
1,1-Dichloroethane	ug/L	ND	50	57.3	115	47-138	
1,1-Dichloroethene	ug/L	ND	50	57.8	116	54-152	
1,1-Dichloropropene	ug/L	ND	50	56.3	113	47-136	
1,2,3-Trichlorobenzene	ug/L	ND	50	45.6	91	15-132	
1,2,3-Trichloropropane	ug/L	ND	50	78.3	157	24-108	M0
1,2,4-Trichlorobenzene	ug/L	ND	50	44.9	90	10-130	
1,2,4-Trimethylbenzene	ug/L	ND	50	51.1	102	10-141	
1,2-Dibromoethane (EDB)	ug/L	ND	50	53.3	107	49-130	
1,2-Dichlorobenzene	ug/L	ND	50	49.5	99	20-137	
1,2-Dichloroethane	ug/L	ND	50	53.3	107	42-139	
1,2-Dichloropropane	ug/L	ND	50	47.8	96	50-131	
1,3,5-Trimethylbenzene	ug/L	ND	50	51.0	102	10-145	
1,3-Dichlorobenzene	ug/L	ND	50	50.8	102	13-143	
1,3-Dichloropropane	ug/L	ND	50	54.3	109	53-130	
1,4-Dichlorobenzene	ug/L	ND	50	51.3	103	13-140	
2,2-Dichloropropane	ug/L	ND	50	40.8	82	13-142	
2-Butanone (MEK)	ug/L	ND	250	282	113	43-142	
2-Chlorotoluene	ug/L	ND	50	50.6	101	15-145	
2-Hexanone	ug/L	ND	250	273	109	46-139	
4-Chlorotoluene	ug/L	ND	50	51.8	104	12-143	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	264	106	43-140	
Acetone	ug/L	ND	250	304	121	38-155	
Acrolein	ug/L	ND	1000	1890	189	11-200	
Acrylonitrile	ug/L	ND	1000	1090	109	42-150	
Benzene	ug/L	ND	50	49.4	99	52-134	
Bromobenzene	ug/L	ND	50	54.3	109	25-140	
Bromochloromethane	ug/L	ND	50	48.9	98	54-144	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

MATRIX SPIKE SAMPLE: 816367

Parameter	Units	5070399001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/L	ND	50	43.2	86	42-128	
Bromoform	ug/L	ND	50	30.3	61	34-116	
Bromomethane	ug/L	ND	50	60.3	121	10-200	
Carbon disulfide	ug/L	ND	100	84.5	85	43-144	
Carbon tetrachloride	ug/L	ND	50	43.4	87	26-136	
Chlorobenzene	ug/L	ND	50	52.5	105	33-136	
Chloroethane	ug/L	ND	50	57.3	115	21-200	
Chloroform	ug/L	ND	50	54.3	109	50-134	
Chloromethane	ug/L	ND	50	47.5	95	32-160	
cis-1,2-Dichloroethene	ug/L	ND	50	50.2	100	48-145	
cis-1,3-Dichloropropene	ug/L	ND	50	44.2	88	35-116	
Dibromochloromethane	ug/L	ND	50	39.3	79	39-122	
Dibromomethane	ug/L	ND	50	50.1	100	49-134	
Dichlorodifluoromethane	ug/L	ND	50	55.2	110	35-200	
Ethyl methacrylate	ug/L	ND	200	212	106	54-123	
Ethylbenzene	ug/L	ND	50	56.2	112	29-132	
Hexachloro-1,3-butadiene	ug/L	ND	50	51.2	102	10-146	
Iodomethane	ug/L	ND	100	97.1	97	10-171	
sopropylbenzene (Cumene)	ug/L	ND	50	56.7	113	11-146	
/ethyl-tert-butyl ether	ug/L	ND	100	94.3	94	39-137	
Methylene Chloride	ug/L	ND	50	54.6	109	47-141	
n-Butylbenzene	ug/L	ND	50	54.8	110	10-156	
n-Propylbenzene	ug/L	ND	50	51.5	103	10-148	
Naphthalene	ug/L	ND	50	49.4	99	40-124	
p-Isopropyltoluene	ug/L	ND	50	54.9	110	10-150	
sec-Butylbenzene	ug/L	ND	50	54.1	108	10-150	
Styrene	ug/L	ND	50	54.9	110	20-143	
tert-Butylbenzene	ug/L	ND	50	46.0	92	10-123	
Tetrachloroethene	ug/L	ND	50	58.1	116	30-124	
Toluene	ug/L	ND	50	52.8	106	42-130	
trans-1,2-Dichloroethene	ug/L	ND	50	54.2	108	48-144	
trans-1,3-Dichloropropene	ug/L	ND	50	40.2	80	24-114	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	209	104	22-120	
Trichloroethene	ug/L	ND	50	50.5	101	44-130	
Trichlorofluoromethane	ug/L	ND	50	58.8	118	17-200	
Vinyl acetate	ug/L	ND	200	74.8	37	10-115	
Vinyl chloride	ug/L	ND	50	44.6	89	45-159	
Xylene (Total)	ug/L	ND	150	165	110	29-131	
4-Bromofluorobenzene (S)	%.				102	72-125	
Dibromofluoromethane (S)	%.				91	83-123	
Toluene-d8 (S)	%.				97	81-114	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Molier Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

QC Batch: MSV/46943 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 5070413005, 5070413006, 5070413007, 5070413008, 5070413009, 5070413010

METHOD BLANK: 816751 Matrix: Water
Associated Lab Samples: 5070413005, 5070413006, 5070413007, 5070413008, 5070413009, 5070413010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	10/16/12 23:04	
1,1,1-Trichloroethane	ug/L	ND	5.0	10/16/12 23:04	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	10/16/12 23:04	
1,1,2-Trichloroethane	ug/L	ND	5.0	10/16/12 23:04	
1,1-Dichloroethane	ug/L	ND	5.0	10/16/12 23:04	
1,1-Dichloroethene	ug/L	ND	5.0	10/16/12 23:04	
1,1-Dichloropropene	ug/L	ND	5.0	10/16/12 23:04	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	10/16/12 23:04	
1,2,3-Trichloropropane	ug/L	ND	5.0	10/16/12 23:04	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	10/16/12 23:04	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	10/16/12 23:04	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	10/16/12 23:04	
1,2-Dichlorobenzene	ug/L	ND	5.0	10/16/12 23:04	
1,2-Dichloroethane	ug/L	ND	5.0	10/16/12 23:04	
1,2-Dichloropropane	ug/L	ND	5.0	10/16/12 23:04	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	10/16/12 23:04	
1,3-Dichlorobenzene	ug/L	ND	5.0	10/16/12 23:04	
1,3-Dichloropropane	ug/L	ND	5.0	10/16/12 23:04	
1,4-Dichlorobenzene	ug/L	ND	5.0	10/16/12 23:04	
2,2-Dichloropropane	ug/L	ND	5.0	10/16/12 23:04	
2-Butanone (MEK)	ug/L	ND	25.0	10/16/12 23:04	
2-Chlorotoluene	ug/L	ND	5.0	10/16/12 23:04	
2-Hexanone	ug/L	ND	25.0	10/16/12 23:04	
4-Chlorotoluene	ug/L	ND	5.0	10/16/12 23:04	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	10/16/12 23:04	
Acetone	ug/L	ND	100	10/16/12 23:04	
Acrolein	ug/L	ND	50.0	10/16/12 23:04	
Acrylonitrile	ug/L	ND	100	10/16/12 23:04	
Benzene	ug/L	ND	5.0	10/16/12 23:04	
Bromobenzene	ug/L	ND	5.0	10/16/12 23:04	
Bromochloromethane	ug/L	ND	5.0	10/16/12 23:04	
Bromodichloromethane	ug/L	ND	5.0	10/16/12 23:04	
Bromoform	ug/L	ND	5.0	10/16/12 23:04	
Bromomethane	ug/L	ND	5.0	10/16/12 23:04	
Carbon disulfide	ug/L	ND	10.0	10/16/12 23:04	
Carbon tetrachloride	ug/L	ND	5.0	10/16/12 23:04	
Chlorobenzene	ug/L	ND	5.0	10/16/12 23:04	
Chloroethane	ug/L	ND	5.0	10/16/12 23:04	
Chloroform	ug/L	ND	5.0	10/16/12 23:04	
Chloromethane	ug/L	ND	5.0	10/16/12 23:04	
cis-1,2-Dichloroethene	ug/L	ND	5.0	10/16/12 23:04	
cis-1,3-Dichloropropene	ug/L	ND	5.0	10/16/12 23:04	
Dibromochloromethane	ug/L	ND	5.0	10/16/12 23:04	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

METHOD BLANK: 816751 Matrix: Water

Associated Lab Samples: 5070413005, 5070413006, 5070413007, 5070413008, 5070413009, 5070413010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	10/16/12 23:04	
Dichlorodifluoromethane	ug/L	ND	5.0	10/16/12 23:04	
Ethyl methacrylate	ug/L	ND	100	10/16/12 23:04	
Ethylbenzene	ug/L	ND	5.0	10/16/12 23:04	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	10/16/12 23:04	
Iodomethane	ug/L	ND	10.0	10/16/12 23:04	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	10/16/12 23:04	
Methyl-tert-butyl ether	ug/L	ND	4.0	10/16/12 23:04	
Methylene Chloride	ug/L	ND	5.0	10/16/12 23:04	
n-Butylbenzene	ug/L	ND	5.0	10/16/12 23:04	
n-Propylbenzene	ug/L	ND	5.0	10/16/12 23:04	
Naphthalene	ug/L	ND	5.0	10/16/12 23:04	
p-Isopropyltoluene	ug/L	ND	5.0	10/16/12 23:04	
sec-Butylbenzene	ug/L	ND	5.0	10/16/12 23:04	
Styrene	ug/L	ND	5.0	10/16/12 23:04	
tert-Butylbenzene	ug/L	ND	5.0	10/16/12 23:04	
Tetrachloroethene	ug/L	ND	5.0	10/16/12 23:04	
oluene	ug/L	ND	5.0	10/16/12 23:04	
trans-1,2-Dichloroethene	ug/L	ND	5.0	10/16/12 23:04	
trans-1,3-Dichloropropene	ug/L	ND	5.0	10/16/12 23:04	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	10/16/12 23:04	
Trichloroethene	ug/L	ND	5.0	10/16/12 23:04	
Trichlorofluoromethane	ug/L	ND	5.0	10/16/12 23:04	
Vinyl acetate	ug/L	ND	50.0	10/16/12 23:04	
Vinyl chloride	ug/L	ND	2.0	10/16/12 23:04	
Xylene (Total)	ug/L	ND	10.0	10/16/12 23:04	
4-Bromofluorobenzene (S)	%.	91	72-125	10/16/12 23:04	
Dibromofluoromethane (S)	%.	91	83-123	10/16/12 23:04	
Toluene-d8 (S)	%.	96	81-114	10/16/12 23:04	

LABORATORY CONTROL SAMPLE: 816752

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	47.9	96	69-122	
1,1,1-Trichloroethane	ug/L	50	48.5	97	69-126	
1,1,2,2-Tetrachloroethane	ug/L	50	51.4	103	68-134	
1,1,2-Trichloroethane	ug/L	50	57.6	115	77-129	
1,1-Dichloroethane	ug/L	50	58.1	116	70-127	
1,1-Dichloroethene	ug/L	50	56.8	114	75-145	
1,1-Dichloropropene	ug/L	50	55.2	110	75-126	
1,2,3-Trichlorobenzene	ug/L	50	48.5	97	63-130	
1,2,3-Trichloropropane	ug/L	50	84.9	170	45-121	L3
1,2,4-Trichlorobenzene	ug/L	50	47.2	94	64-122	
1,2,4-Trimethylbenzene	ug/L	50	53.6	107	68-129	
1,2-Dibromoethane (EDB)	ug/L	50	55.0	110	77-123	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

LABORATORY CONTROL SAMPLE: 816752

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	51.6	103	74-123	
1,2-Dichloroethane	ug/L	50	53.7	107	71-127	
1,2-Dichloropropane	ug/L	50	48.9	98	75-126	
1,3,5-Trimethylbenzene	ug/L	50	52.8	106	69-129	
1,3-Dichlorobenzene	ug/L	50	52.7	105	76-123	
1,3-Dichloropropane	ug/L	50	56.2	112	77-126	
1,4-Dichlorobenzene	ug/L	50	53.3	107	77-121	
2,2-Dichloropropane	ug/L	50	35.8	72	45-138	
2-Butanone (MEK)	ug/L	250	287	115	42-177	
2-Chlorotoluene	ug/L	50	52.9	106	74-129	
2-Hexanone	ug/L	250	275	110	57-162	
4-Chlorotoluene	ug/L	50	54.1	108	70-125	
4-Methyl-2-pentanone (MIBK)	ug/L	250	269	108	64-135	
Acetone	ug/L	250	326	130	10-200	
Acrolein	ug/L	1000	2110	211	10-200	L3
Acrylonitrile	ug/L	1000	1170	117	59-144	
Benzene	ug/L	50	49.7	99	76-123	
Bromobenzene	ug/L	50	55.7	111	67-130	
Bromochloromethane	ug/L	50	49.9	100	58-153	
Bromodichloromethane	ug/L	50	47.8	96	71-124	
Bromoform	ug/L	50	36.1	72	64-116	
Bromomethane	ug/L	50	57.5	115	23-197	
Carbon disulfide	ug/L	100	84.2	84	55-146	
Carbon tetrachloride	ug/L	50	44.9	90	65-125	
Chlorobenzene	ug/L	50	54.3	109	78-120	
Chloroethane	ug/L	50	60.2	120	56-163	
Chloroform	ug/L	50	53.9	108	73-122	
Chloromethane	ug/L	50	47.8	96	46-146	
cis-1,2-Dichloroethene	ug/L	50	52.2	104	79-129	
cis-1,3-Dichloropropene	ug/L	50	47.0	94	66-123	
Dibromochloromethane	ug/L	50	44.8	90	70-123	
Dibromomethane	ug/L	50	51.0	102	73-123	
Dichlorodifluoromethane	ug/L	50	55.2	110	19-200	
Ethyl methacrylate	ug/L	200	221	111	70-127	
Ethylbenzene	ug/L	50	56.0	112	75-120	
Hexachloro-1,3-butadiene	ug/L	50	50.3	101	64-131	
Iodomethane	ug/L	100	98.2	98	16-181	
Isopropylbenzene (Cumene)	ug/L	50	56.4	113	73-123	
Methyl-tert-butyl ether	ug/L	100	94.6	95	66-128	
Methylene Chloride	ug/L	50	56.1	112	61-138	
n-Butylbenzene	ug/L	50	55.2	110	69-130	
n-Propylbenzene	ug/L	50	53.3	107	71-132	
Naphthalene	ug/L	50	51.2	102	62-130	
p-Isopropyltoluene	ug/L	50	56.1	112	71-126	
sec-Butylbenzene	ug/L	50	55.2	110	69-130	
Styrene	ug/L	50	56.6	113	75-125	
tert-Butylbenzene	ug/L	50	46.6	93	49-114	
Tetrachloroethene	ug/L	50	56.3	113	57-125	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

LABORATORY CONTROL SAMPLE: 816752

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	53.5	107	72-124	
trans-1,2-Dichloroethene	ug/L	50	52.7	105	71-145	
trans-1,3-Dichloropropene	ug/L	50	42.4	85	58-118	
trans-1,4-Dichloro-2-butene	ug/L	200	203	102	50-121	
Trichloroethene	ug/L	50	51.2	102	77-122	
Trichlorofluoromethane	ug/L	50	59.0	118	56-159	
Vinyl acetate	ug/L	200	104	52	27-119	
Vinyl chloride	ug/L	50	44.0	88	61-146	
Xylene (Total)	ug/L	150	169	113	72-126	
4-Bromofluorobenzene (S)	%.			101	72-125	
Dibromofluoromethane (S)	%.			90	83-123	
Toluene-d8 (S)	%.			98	81-114	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALIFIERS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

L0	Analyte recovery in the laboratory control sample (LCS) was outside QC limits.
L3	Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.
M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
5070413001	**IT-2**	EPA 8260	MSV/46913		
5070413002	**IT-3**	EPA 8260	MSV/46913		
5070413003	**MW-12R**	EPA 8260	MSV/46913		
5070413004	**MW-20**	EPA 8260	MSV/46913		
5070413005	**MW-22**	EPA 8260	MSV/46943		
5070413006	**MW-28**	EPA 8260	MSV/46943		
5070413007	**MW-29**	EPA 8260	MSV/46943		
5070413008	**MW-30**	EPA 8260	MSV/46943		
5070413009	**DUPLICATE**	EPA 8260	MSV/46943		
5070413010	**TRIP BLANK**	EPA 8260	MSV/46943		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical

CHAIN-OF-CUSTODY / Analytical Request Document

✓ TMS

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page: 1 Of 1

Section A Required Client Information:

Company:	IWM Consulting
Address:	7428 Rockville Road
	Indianapolis, IN 46214
Email To:	cparks@iwmconsult.com
Phone: 347-1111	Fax:
Requested Due Date/TAT:	10 Day (Default)

Section B Required Project Information:

Report To:	Chris Parks
Copy To:	
Purchase Order No.	
Client Project ID:	Amphenol - AMP11-06
Container Order Number:	71889

Section C Invoice Information:

Attention:	Chris Parks
Company Name:	IWM Consulting
Address:	7428 Rockville Road, Indianapolis, IN 462
Pace Quote Reference:	
Pace Project Manager:	Hunt, Kenneth
Pace Profile #:	

Regulatory Agency: RCRA - Resource Conservation and Recovery Act

State / Location: Indiana

Requested Analysis Filtered (Y/N)

ITEM#	SAMPLE ID (One Character per box. (A-Z, 0-9 /, -) Sample Ids must be unique)	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED START DATE	COLLECTED START TIME	COLLECTED END DATE	COLLECTED END TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives: Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other	Analyses Test	VOC 8260 WT	Residual Chlorine (Y/N)	5070403
1	IT-2	WT		10-5-12	1115				3				X						X		-001
2	IT-3	WT			1035				3				X						X		-002
3	MW-12R	WT			1140				3				X						X		-003
4	MW-20	WT			1000				3				X						X		-004
5	MW-22	WT			1155				3				X						X		-005
6	MW-28	WT			1315				3				X						X		-006
7	MW-29	WT			1335				3				X						X		-007
8	MW-30	WT			1105				3				X						X		-008
9	DUPLICATE	WT											X						X		-009
10	TRIP BLANK	WT																	X		-010
11																					
12																					

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
	[illegible] IWM	10-5-12	1538	[illegible]	10-5-12	1538	1.7	Y	N	Y

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Ralph Mason

SIGNATURE of SAMPLER: [illegible] DATE Signed: 10-5-12

TEMP in C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)

WI Client del!

Sample Condition Upon Receipt

Pace Analytical

Client Name: IWM

Project # 5070413

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace Other

Tracking #:

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Date/Time 5035A kits placed in freezer

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☒ Other ICE/FOAM BLOCKS

Thermometer Used 1 2 3 4 6 A B C D E

Type of Ice: Wet Blue None ☒ Samples on ice, cooling process has begun

Cooler Temperature 1.7 °C

(Corrected, if applicable)

Ice Visible in Sample Containers: ☐ yes ☒ no

Temp should be above freezing to 6°C

Date and Initials of person examining contents: 10/5/12 [illegible]

				Comments:
Chain of Custody Present:	☒Yes	☐No	☐N/A	1.
Chain of Custody Filled Out:	☒Yes	☐No	☐N/A	2.
Chain of Custody Relinquished:	☒Yes	☐No	☐N/A	3.
Sampler Name & Signature on COC:	☒Yes	☐No	☐N/A	4.
Short Hold Time Analysis (<72hr):	☐Yes	☒No	☐N/A	5.
Rush Turn Around Time Requested:	☐Yes	☒No	☐N/A	6.
Containers Intact:	☒Yes	☐No	☐N/A	7.
Sample Labels match COC: -Includes date/time/ID/Analysis	☒Yes	☐No	☐N/A	8.
All containers needing acid/base pres. have been checked? ceptions: VOA, coliform, TOC, O&G	☐Yes	☐No	☒N/A	9. (Circle) HNO3 H2SO4 NaOH HCl
I containers needing preservation are found to be in compliance with EPA recommendation.	☐Yes	☐No	☒N/A	
Headspace in VOA Vials (>6mm):	☐Yes	☒No	☐N/A	10.
Trip Blank Present:	☒Yes	☐No	☐N/A	11.
Trip Blank Custody Seals Present	☒Yes	☐No	☐N/A	
Samples Arrived within Hold Time:	☒Yes	☐No	☐N/A	12.
Sufficient Volume:	☒Yes	☐No	☐N/A	13.
Correct Containers Used:	☒Yes	☐No	☐N/A	14.

Client Notification/ Resolution: Field Data Required? Y / N

Person Contacted: Date/Time:

Comments/ Resolution:

Project Manager Review: [signature] **Date:** 10/5/12

Form F-IN-Q290-rev.04, 28Apr2011

Sample Container Count

Pace Analytical
www.pacelabs.com

CLIENT: WM

COC PAGE 1 of 1

COC ID#

Project # 5070413

Sample Line Item	DG9H	AG1U	WGFU	AG0U	R 4/6	BP2N	BP2U	BP2S	BP3N	BP3U	BP3S	AG3S	AG1H			Comments
1	3															
2																
3																
4																
5																
6																
7																
8																
9																
10																
11																
12																

Container Codes

DG9H	40mL HCL amber voa vial	AG0U	100mL unpreserved amber glass	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WGFU	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber gl	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved amber vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	I	Wipe/Swab
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber gla	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber gla	AF	Air Filter	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved clear vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear gla	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag

APPENDIX B

Laboratory Analytical Reports
Groundwater Recovery and Treatment System Samples

iWM CONSULTING GROUP

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

June 06, 2012

Mr. Chris Parks
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Dear Mr. Parks:
Enclosed are the analytical results for sample(s) received by the laboratory on May 22, 2012. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kenneth Hunt

kenneth.hunt@pacelabs.com
Project Manager

Enclosures

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

CERTIFICATIONS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Indiana Certification IDs
7726 Moller Road, Indianapolis, IN 46268
Illinois Certification #: 200074
Indiana Certification #: C-49-06
Kansas Certification #: E-10247
Kentucky Certification #: 0042
Louisiana/NELAC Certification #: 04076
Ohio VAP: CL0065
Pennsylvania: 68-04991
West Virginia Certification #: 330

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

SAMPLE SUMMARY

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Lab ID	Sample ID	Matrix	Date Collected	Date Received
5063292001	**RW-1**	Water	05/22/12 10:36	05/22/12 12:27
5063292002	**RW-2**	Water	05/22/12 10:41	05/22/12 12:27
5063292003	**RW-3**	Water	05/22/12 10:47	05/22/12 12:27
5063292004	**RW-4**	Water	05/22/12 10:52	05/22/12 12:27
5063292005	**RW-5**	Water	05/22/12 11:00	05/22/12 12:27
5063292006	**EFFLUENT**	Water	05/22/12 10:30	05/22/12 12:27
5063292007	**TRIP BLANK**	Water	05/22/12 08:00	05/22/12 12:27

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

SAMPLE ANALYTE COUNT

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Lab ID	Sample ID	Method	Analysts	Analytes Reported
5063292001	RW-1	EPA 8260	JLZ	72
5063292002	RW-2	EPA 8260	JLZ	72
5063292003	RW-3	EPA 8260	JLZ	72
5063292004	RW-4	EPA 8260	JLZ	72
5063292005	RW-5	EPA 8260	JLZ	72
5063292006	EFFLUENT	EPA 8260	JLZ	72
5063292007	TRIP BLANK	EPA 8260	JLZ	72

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: RW-1 **Lab ID: 5063292001** Collected: 05/22/12 10:36 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		05/24/12 16:20	67-64-1	
Acrolein	ND	ug/L	50.0	1		05/24/12 16:20	107-02-8	
Acrylonitrile	ND	ug/L	100	1		05/24/12 16:20	107-13-1	
Benzene	ND	ug/L	5.0	1		05/24/12 16:20	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		05/24/12 16:20	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		05/24/12 16:20	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		05/24/12 16:20	75-27-4	
Bromoform	ND	ug/L	5.0	1		05/24/12 16:20	75-25-2	
Bromomethane	ND	ug/L	5.0	1		05/24/12 16:20	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		05/24/12 16:20	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		05/24/12 16:20	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		05/24/12 16:20	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		05/24/12 16:20	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		05/24/12 16:20	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		05/24/12 16:20	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		05/24/12 16:20	108-90-7	
Chloroethane	ND	ug/L	5.0	1		05/24/12 16:20	75-00-3	
oroform	ND	ug/L	5.0	1		05/24/12 16:20	67-66-3	
loromethane	ND	ug/L	5.0	1		05/24/12 16:20	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		05/24/12 16:20	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		05/24/12 16:20	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		05/24/12 16:20	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		05/24/12 16:20	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		05/24/12 16:20	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 16:20	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 16:20	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 16:20	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		05/24/12 16:20	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		05/24/12 16:20	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		05/24/12 16:20	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		05/24/12 16:20	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		05/24/12 16:20	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		05/24/12 16:20	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		05/24/12 16:20	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 16:20	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		05/24/12 16:20	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 16:20	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		05/24/12 16:20	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 16:20	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 16:20	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		05/24/12 16:20	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		05/24/12 16:20	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		05/24/12 16:20	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		05/24/12 16:20	591-78-6	
Iodomethane	ND	ug/L	10.0	1		05/24/12 16:20	74-88-4	
propylbenzene (Cumene)	ND	ug/L	5.0	1		05/24/12 16:20	98-82-8	
sopropyltoluene	ND	ug/L	5.0	1		05/24/12 16:20	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: RW-1 **Lab ID: 5063292001** Collected: 05/22/12 10:36 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		05/24/12 16:20	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		05/24/12 16:20	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		05/24/12 16:20	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		05/24/12 16:20	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		05/24/12 16:20	103-65-1	
Styrene	ND	ug/L	5.0	1		05/24/12 16:20	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 16:20	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 16:20	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		05/24/12 16:20	127-18-4	
Toluene	ND	ug/L	5.0	1		05/24/12 16:20	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 16:20	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 16:20	120-82-1	
1,1,1-Trichloroethane	**15.9**	ug/L	5.0	1		05/24/12 16:20	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		05/24/12 16:20	79-00-5	
Trichloroethene	**32.8**	ug/L	5.0	1		05/24/12 16:20	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		05/24/12 16:20	75-69-4	
1 2,3-Trichloropropane	ND	ug/L	5.0	1		05/24/12 16:20	96-18-4	
,4-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 16:20	95-63-6	
, ,5-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 16:20	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		05/24/12 16:20	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		05/24/12 16:20	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		05/24/12 16:20	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	99	%.	83-123	1		05/24/12 16:20	1868-53-7	
4-Bromofluorobenzene (S)	94	%.	72-125	1		05/24/12 16:20	460-00-4	
Toluene-d8 (S)	99	%.	81-114	1		05/24/12 16:20	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: RW-2 **Lab ID: 5063292002** Collected: 05/22/12 10:41 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		05/24/12 16:52	67-64-1	
Acrolein	ND	ug/L	50.0	1		05/24/12 16:52	107-02-8	
Acrylonitrile	ND	ug/L	100	1		05/24/12 16:52	107-13-1	
Benzene	ND	ug/L	5.0	1		05/24/12 16:52	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		05/24/12 16:52	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		05/24/12 16:52	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		05/24/12 16:52	75-27-4	
Bromoform	ND	ug/L	5.0	1		05/24/12 16:52	75-25-2	
Bromomethane	ND	ug/L	5.0	1		05/24/12 16:52	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		05/24/12 16:52	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		05/24/12 16:52	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		05/24/12 16:52	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		05/24/12 16:52	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		05/24/12 16:52	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		05/24/12 16:52	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		05/24/12 16:52	108-90-7	
Chloroethane	ND	ug/L	5.0	1		05/24/12 16:52	75-00-3	
oroform	ND	ug/L	5.0	1		05/24/12 16:52	67-66-3	
loromethane	ND	ug/L	5.0	1		05/24/12 16:52	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		05/24/12 16:52	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		05/24/12 16:52	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		05/24/12 16:52	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		05/24/12 16:52	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		05/24/12 16:52	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 16:52	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 16:52	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 16:52	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		05/24/12 16:52	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		05/24/12 16:52	75-71-8	
1,1-Dichloroethane	**9.5**	ug/L	5.0	1		05/24/12 16:52	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		05/24/12 16:52	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		05/24/12 16:52	75-35-4	
cis-1,2-Dichloroethene	**252**	ug/L	5.0	1		05/24/12 16:52	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		05/24/12 16:52	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 16:52	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		05/24/12 16:52	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 16:52	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		05/24/12 16:52	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 16:52	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 16:52	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		05/24/12 16:52	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		05/24/12 16:52	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		05/24/12 16:52	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		05/24/12 16:52	591-78-6	
Iodomethane	ND	ug/L	10.0	1		05/24/12 16:52	74-88-4	
propylbenzene (Cumene)	ND	ug/L	5.0	1		05/24/12 16:52	98-82-8	
sopropyltoluene	ND	ug/L	5.0	1		05/24/12 16:52	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: RW-2 **Lab ID: 5063292002** Collected: 05/22/12 10:41 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		05/24/12 16:52	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		05/24/12 16:52	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		05/24/12 16:52	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		05/24/12 16:52	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		05/24/12 16:52	103-65-1	
Styrene	ND	ug/L	5.0	1		05/24/12 16:52	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 16:52	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 16:52	79-34-5	
Tetrachloroethene	**330**	ug/L	50.0	10		05/25/12 10:45	127-18-4	
Toluene	ND	ug/L	5.0	1		05/24/12 16:52	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 16:52	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 16:52	120-82-1	
1,1,1-Trichloroethane	**84.9**	ug/L	5.0	1		05/24/12 16:52	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		05/24/12 16:52	79-00-5	
Trichloroethene	**231**	ug/L	5.0	1		05/24/12 16:52	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		05/24/12 16:52	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		05/24/12 16:52	96-18-4	
,4-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 16:52	95-63-6	
, ,5-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 16:52	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		05/24/12 16:52	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		05/24/12 16:52	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		05/24/12 16:52	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	101	%.	83-123	1		05/24/12 16:52	1868-53-7	
4-Bromofluorobenzene (S)	94	%.	72-125	1		05/24/12 16:52	460-00-4	
Toluene-d8 (S)	97	%.	81-114	1		05/24/12 16:52	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: RW-3 **Lab ID: 5063292003** Collected: 05/22/12 10:47 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		05/24/12 17:24	67-64-1	
Acrolein	ND	ug/L	50.0	1		05/24/12 17:24	107-02-8	
Acrylonitrile	ND	ug/L	100	1		05/24/12 17:24	107-13-1	
Benzene	ND	ug/L	5.0	1		05/24/12 17:24	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		05/24/12 17:24	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		05/24/12 17:24	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		05/24/12 17:24	75-27-4	
Bromoform	ND	ug/L	5.0	1		05/24/12 17:24	75-25-2	
Bromomethane	ND	ug/L	5.0	1		05/24/12 17:24	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		05/24/12 17:24	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		05/24/12 17:24	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		05/24/12 17:24	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		05/24/12 17:24	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		05/24/12 17:24	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		05/24/12 17:24	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		05/24/12 17:24	108-90-7	
Chloroethane	ND	ug/L	5.0	1		05/24/12 17:24	75-00-3	
loroform	ND	ug/L	5.0	1		05/24/12 17:24	67-66-3	
loromethane	ND	ug/L	5.0	1		05/24/12 17:24	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		05/24/12 17:24	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		05/24/12 17:24	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		05/24/12 17:24	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		05/24/12 17:24	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		05/24/12 17:24	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 17:24	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 17:24	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 17:24	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		05/24/12 17:24	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		05/24/12 17:24	75-71-8	
1,1-Dichloroethane	**5.5**	ug/L	5.0	1		05/24/12 17:24	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		05/24/12 17:24	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		05/24/12 17:24	75-35-4	
cis-1,2-Dichloroethene	**44.0**	ug/L	5.0	1		05/24/12 17:24	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		05/24/12 17:24	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 17:24	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		05/24/12 17:24	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 17:24	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		05/24/12 17:24	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 17:24	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 17:24	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		05/24/12 17:24	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		05/24/12 17:24	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		05/24/12 17:24	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		05/24/12 17:24	591-78-6	
Iodomethane	ND	ug/L	10.0	1		05/24/12 17:24	74-88-4	
propylbenzene (Cumene)	ND	ug/L	5.0	1		05/24/12 17:24	98-82-8	
sopropyltoluene	ND	ug/L	5.0	1		05/24/12 17:24	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: RW-3 **Lab ID: 5063292003** Collected: 05/22/12 10:47 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		05/24/12 17:24	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		05/24/12 17:24	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		05/24/12 17:24	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		05/24/12 17:24	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		05/24/12 17:24	103-65-1	
Styrene	ND	ug/L	5.0	1		05/24/12 17:24	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 17:24	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 17:24	79-34-5	
Tetrachloroethene	**122**	ug/L	5.0	1		05/24/12 17:24	127-18-4	
Toluene	ND	ug/L	5.0	1		05/24/12 17:24	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 17:24	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 17:24	120-82-1	
1,1,1-Trichloroethane	**71.0**	ug/L	5.0	1		05/24/12 17:24	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		05/24/12 17:24	79-00-5	
Trichloroethene	**58.7**	ug/L	5.0	1		05/24/12 17:24	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		05/24/12 17:24	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		05/24/12 17:24	96-18-4	
,4-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 17:24	95-63-6	
, ,5-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 17:24	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		05/24/12 17:24	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		05/24/12 17:24	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		05/24/12 17:24	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	102	%.	83-123	1		05/24/12 17:24	1868-53-7	
4-Bromofluorobenzene (S)	96	%.	72-125	1		05/24/12 17:24	460-00-4	
Toluene-d8 (S)	101	%.	81-114	1		05/24/12 17:24	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: RW-4 **Lab ID: 5063292004** Collected: 05/22/12 10:52 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		05/24/12 17:56	67-64-1	
Acrolein	ND	ug/L	50.0	1		05/24/12 17:56	107-02-8	
Acrylonitrile	ND	ug/L	100	1		05/24/12 17:56	107-13-1	
Benzene	ND	ug/L	5.0	1		05/24/12 17:56	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		05/24/12 17:56	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		05/24/12 17:56	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		05/24/12 17:56	75-27-4	
Bromoform	ND	ug/L	5.0	1		05/24/12 17:56	75-25-2	
Bromomethane	ND	ug/L	5.0	1		05/24/12 17:56	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		05/24/12 17:56	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		05/24/12 17:56	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		05/24/12 17:56	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		05/24/12 17:56	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		05/24/12 17:56	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		05/24/12 17:56	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		05/24/12 17:56	108-90-7	
Chloroethane	ND	ug/L	5.0	1		05/24/12 17:56	75-00-3	
oroform	ND	ug/L	5.0	1		05/24/12 17:56	67-66-3	
loromethane	ND	ug/L	5.0	1		05/24/12 17:56	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		05/24/12 17:56	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		05/24/12 17:56	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		05/24/12 17:56	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		05/24/12 17:56	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		05/24/12 17:56	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 17:56	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 17:56	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 17:56	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		05/24/12 17:56	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		05/24/12 17:56	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		05/24/12 17:56	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		05/24/12 17:56	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		05/24/12 17:56	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		05/24/12 17:56	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		05/24/12 17:56	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 17:56	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		05/24/12 17:56	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 17:56	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		05/24/12 17:56	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 17:56	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 17:56	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		05/24/12 17:56	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		05/24/12 17:56	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		05/24/12 17:56	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		05/24/12 17:56	591-78-6	
Iodomethane	ND	ug/L	10.0	1		05/24/12 17:56	74-88-4	
›ropylbenzene (Cumene)	ND	ug/L	5.0	1		05/24/12 17:56	98-82-8	
›opropyltoluene	ND	ug/L	5.0	1		05/24/12 17:56	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: RW-4 **Lab ID: 5063292004** Collected: 05/22/12 10:52 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		05/24/12 17:56	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		05/24/12 17:56	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		05/24/12 17:56	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		05/24/12 17:56	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		05/24/12 17:56	103-65-1	
Styrene	ND	ug/L	5.0	1		05/24/12 17:56	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 17:56	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 17:56	79-34-5	
Tetrachloroethene	**15.4**	ug/L	5.0	1		05/24/12 17:56	127-18-4	
Toluene	ND	ug/L	5.0	1		05/24/12 17:56	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 17:56	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 17:56	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		05/24/12 17:56	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		05/24/12 17:56	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		05/24/12 17:56	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		05/24/12 17:56	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		05/24/12 17:56	96-18-4	
,4-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 17:56	95-63-6	
, ,5-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 17:56	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		05/24/12 17:56	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		05/24/12 17:56	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		05/24/12 17:56	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	99	%.	83-123	1		05/24/12 17:56	1868-53-7	
4-Bromofluorobenzene (S)	95	%.	72-125	1		05/24/12 17:56	460-00-4	
Toluene-d8 (S)	101	%.	81-114	1		05/24/12 17:56	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: RW-5 **Lab ID: 5063292005** Collected: 05/22/12 11:00 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		05/24/12 18:28	67-64-1	
Acrolein	ND	ug/L	50.0	1		05/24/12 18:28	107-02-8	
Acrylonitrile	ND	ug/L	100	1		05/24/12 18:28	107-13-1	
Benzene	ND	ug/L	5.0	1		05/24/12 18:28	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		05/24/12 18:28	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		05/24/12 18:28	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		05/24/12 18:28	75-27-4	
Bromoform	ND	ug/L	5.0	1		05/24/12 18:28	75-25-2	
Bromomethane	ND	ug/L	5.0	1		05/24/12 18:28	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		05/24/12 18:28	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		05/24/12 18:28	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		05/24/12 18:28	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		05/24/12 18:28	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		05/24/12 18:28	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		05/24/12 18:28	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		05/24/12 18:28	108-90-7	
Chloroethane	ND	ug/L	5.0	1		05/24/12 18:28	75-00-3	
oroform	ND	ug/L	5.0	1		05/24/12 18:28	67-66-3	
loromethane	ND	ug/L	5.0	1		05/24/12 18:28	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		05/24/12 18:28	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		05/24/12 18:28	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		05/24/12 18:28	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		05/24/12 18:28	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		05/24/12 18:28	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 18:28	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 18:28	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 18:28	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		05/24/12 18:28	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		05/24/12 18:28	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		05/24/12 18:28	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		05/24/12 18:28	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		05/24/12 18:28	75-35-4	
cis-1,2-Dichloroethene	**127**	ug/L	5.0	1		05/24/12 18:28	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		05/24/12 18:28	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 18:28	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		05/24/12 18:28	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 18:28	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		05/24/12 18:28	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 18:28	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 18:28	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		05/24/12 18:28	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		05/24/12 18:28	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		05/24/12 18:28	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		05/24/12 18:28	591-78-6	
Iodomethane	ND	ug/L	10.0	1		05/24/12 18:28	74-88-4	
propylbenzene (Cumene)	ND	ug/L	5.0	1		05/24/12 18:28	98-82-8	
sopropyltoluene	ND	ug/L	5.0	1		05/24/12 18:28	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: RW-5 **Lab ID: 5063292005** Collected: 05/22/12 11:00 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		05/24/12 18:28	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		05/24/12 18:28	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		05/24/12 18:28	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		05/24/12 18:28	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		05/24/12 18:28	103-65-1	
Styrene	ND	ug/L	5.0	1		05/24/12 18:28	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 18:28	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 18:28	79-34-5	
Tetrachloroethene	**549**	ug/L	50.0	10		05/24/12 19:00	127-18-4	
Toluene	ND	ug/L	5.0	1		05/24/12 18:28	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 18:28	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 18:28	120-82-1	
1,1,1-Trichloroethane	**46.8**	ug/L	5.0	1		05/24/12 18:28	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		05/24/12 18:28	79-00-5	
Trichloroethene	**288**	ug/L	50.0	10		05/24/12 19:00	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		05/24/12 18:28	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		05/24/12 18:28	96-18-4	
,4-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 18:28	95-63-6	
, ,5-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 18:28	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		05/24/12 18:28	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		05/24/12 18:28	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		05/24/12 18:28	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	99	%.	83-123	1		05/24/12 18:28	1868-53-7	
4-Bromofluorobenzene (S)	93	%.	72-125	1		05/24/12 18:28	460-00-4	
Toluene-d8 (S)	100	%.	81-114	1		05/24/12 18:28	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: EFFLUENT **Lab ID: 5063292006** Collected: 05/22/12 10:30 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		05/24/12 19:32	67-64-1	
Acrolein	ND	ug/L	50.0	1		05/24/12 19:32	107-02-8	
Acrylonitrile	ND	ug/L	100	1		05/24/12 19:32	107-13-1	
Benzene	ND	ug/L	5.0	1		05/24/12 19:32	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		05/24/12 19:32	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		05/24/12 19:32	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		05/24/12 19:32	75-27-4	
Bromoform	ND	ug/L	5.0	1		05/24/12 19:32	75-25-2	
Bromomethane	ND	ug/L	5.0	1		05/24/12 19:32	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		05/24/12 19:32	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		05/24/12 19:32	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		05/24/12 19:32	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		05/24/12 19:32	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		05/24/12 19:32	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		05/24/12 19:32	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		05/24/12 19:32	108-90-7	
Chloroethane	ND	ug/L	5.0	1		05/24/12 19:32	75-00-3	
oroform	ND	ug/L	5.0	1		05/24/12 19:32	67-66-3	
loromethane	ND	ug/L	5.0	1		05/24/12 19:32	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		05/24/12 19:32	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		05/24/12 19:32	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		05/24/12 19:32	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		05/24/12 19:32	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		05/24/12 19:32	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 19:32	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 19:32	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 19:32	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		05/24/12 19:32	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		05/24/12 19:32	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		05/24/12 19:32	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		05/24/12 19:32	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		05/24/12 19:32	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		05/24/12 19:32	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		05/24/12 19:32	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 19:32	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		05/24/12 19:32	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 19:32	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		05/24/12 19:32	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 19:32	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 19:32	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		05/24/12 19:32	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		05/24/12 19:32	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		05/24/12 19:32	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		05/24/12 19:32	591-78-6	
Iodomethane	ND	ug/L	10.0	1		05/24/12 19:32	74-88-4	
propylbenzene (Cumene)	ND	ug/L	5.0	1		05/24/12 19:32	98-82-8	
opropyltoluene	ND	ug/L	5.0	1		05/24/12 19:32	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: EFFLUENT **Lab ID: 5063292006** Collected: 05/22/12 10:30 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		05/24/12 19:32	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		05/24/12 19:32	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		05/24/12 19:32	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		05/24/12 19:32	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		05/24/12 19:32	103-65-1	
Styrene	ND	ug/L	5.0	1		05/24/12 19:32	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 19:32	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 19:32	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		05/24/12 19:32	127-18-4	
Toluene	ND	ug/L	5.0	1		05/24/12 19:32	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 19:32	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 19:32	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		05/24/12 19:32	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		05/24/12 19:32	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		05/24/12 19:32	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		05/24/12 19:32	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		05/24/12 19:32	96-18-4	
,4-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 19:32	95-63-6	
, ,5-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 19:32	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		05/24/12 19:32	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		05/24/12 19:32	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		05/24/12 19:32	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	101	%.	83-123	1		05/24/12 19:32	1868-53-7	
4-Bromofluorobenzene (S)	94	%.	72-125	1		05/24/12 19:32	460-00-4	
Toluene-d8 (S)	101	%.	81-114	1		05/24/12 19:32	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: TRIP BLANK **Lab ID: 5063292007** Collected: 05/22/12 08:00 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		05/24/12 20:36	67-64-1	
Acrolein	ND	ug/L	50.0	1		05/24/12 20:36	107-02-8	
Acrylonitrile	ND	ug/L	100	1		05/24/12 20:36	107-13-1	
Benzene	ND	ug/L	5.0	1		05/24/12 20:36	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		05/24/12 20:36	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		05/24/12 20:36	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		05/24/12 20:36	75-27-4	
Bromoform	ND	ug/L	5.0	1		05/24/12 20:36	75-25-2	
Bromomethane	ND	ug/L	5.0	1		05/24/12 20:36	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		05/24/12 20:36	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		05/24/12 20:36	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		05/24/12 20:36	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		05/24/12 20:36	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		05/24/12 20:36	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		05/24/12 20:36	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		05/24/12 20:36	108-90-7	
^hloroethane	ND	ug/L	5.0	1		05/24/12 20:36	75-00-3	
oroform	ND	ug/L	5.0	1		05/24/12 20:36	67-66-3	
loromethane	ND	ug/L	5.0	1		05/24/12 20:36	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		05/24/12 20:36	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		05/24/12 20:36	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		05/24/12 20:36	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		05/24/12 20:36	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		05/24/12 20:36	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 20:36	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 20:36	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		05/24/12 20:36	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		05/24/12 20:36	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		05/24/12 20:36	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		05/24/12 20:36	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		05/24/12 20:36	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		05/24/12 20:36	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		05/24/12 20:36	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		05/24/12 20:36	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 20:36	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		05/24/12 20:36	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		05/24/12 20:36	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		05/24/12 20:36	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 20:36	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		05/24/12 20:36	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		05/24/12 20:36	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		05/24/12 20:36	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		05/24/12 20:36	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		05/24/12 20:36	591-78-6	
Iodomethane	ND	ug/L	10.0	1		05/24/12 20:36	74-88-4	
ıropylbenzene (Cumene)	ND	ug/L	5.0	1		05/24/12 20:36	98-82-8	
opropyltoluene	ND	ug/L	5.0	1		05/24/12 20:36	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Sample: TRIP BLANK **Lab ID: 5063292007** Collected: 05/22/12 08:00 Received: 05/22/12 12:27 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		05/24/12 20:36	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		05/24/12 20:36	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		05/24/12 20:36	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		05/24/12 20:36	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		05/24/12 20:36	103-65-1	
Styrene	ND	ug/L	5.0	1		05/24/12 20:36	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 20:36	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		05/24/12 20:36	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		05/24/12 20:36	127-18-4	
Toluene	ND	ug/L	5.0	1		05/24/12 20:36	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 20:36	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		05/24/12 20:36	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		05/24/12 20:36	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		05/24/12 20:36	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		05/24/12 20:36	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		05/24/12 20:36	75-69-4	
1 2,3-Trichloropropane	ND	ug/L	5.0	1		05/24/12 20:36	96-18-4	
,4-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 20:36	95-63-6	
, ,5-Trimethylbenzene	ND	ug/L	5.0	1		05/24/12 20:36	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		05/24/12 20:36	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		05/24/12 20:36	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		05/24/12 20:36	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	100	%.	83-123	1		05/24/12 20:36	1868-53-7	
4-Bromofluorobenzene (S)	96	%.	72-125	1		05/24/12 20:36	460-00-4	
Toluene-d8 (S)	101	%.	81-114	1		05/24/12 20:36	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

QC Batch: MSV/42448 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 5063292001, 5063292002, 5063292003, 5063292004, 5063292005, 5063292006, 5063292007

METHOD BLANK: 739629 Matrix: Water
Associated Lab Samples: 5063292001, 5063292002, 5063292003, 5063292004, 5063292005, 5063292006, 5063292007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	05/24/12 13:08	
1,1,1-Trichloroethane	ug/L	ND	5.0	05/24/12 13:08	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	05/24/12 13:08	
1,1,2-Trichloroethane	ug/L	ND	5.0	05/24/12 13:08	
1,1-Dichloroethane	ug/L	ND	5.0	05/24/12 13:08	
1,1-Dichloroethene	ug/L	ND	5.0	05/24/12 13:08	
1,1-Dichloropropene	ug/L	ND	5.0	05/24/12 13:08	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	05/24/12 13:08	
1,2,3-Trichloropropane	ug/L	ND	5.0	05/24/12 13:08	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	05/24/12 13:08	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	05/24/12 13:08	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	05/24/12 13:08	
' 2-Dichlorobenzene	ug/L	ND	5.0	05/24/12 13:08	
-Dichloroethane	ug/L	ND	5.0	05/24/12 13:08	
,2-Dichloropropane	ug/L	ND	5.0	05/24/12 13:08	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	05/24/12 13:08	
1,3-Dichlorobenzene	ug/L	ND	5.0	05/24/12 13:08	
1,3-Dichloropropane	ug/L	ND	5.0	05/24/12 13:08	
1,4-Dichlorobenzene	ug/L	ND	5.0	05/24/12 13:08	
2,2-Dichloropropane	ug/L	ND	5.0	05/24/12 13:08	
2-Butanone (MEK)	ug/L	ND	25.0	05/24/12 13:08	
2-Chlorotoluene	ug/L	ND	5.0	05/24/12 13:08	
2-Hexanone	ug/L	ND	25.0	05/24/12 13:08	
4-Chlorotoluene	ug/L	ND	5.0	05/24/12 13:08	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	05/24/12 13:08	
Acetone	ug/L	ND	100	05/24/12 13:08	
Acrolein	ug/L	ND	50.0	05/24/12 13:08	
Acrylonitrile	ug/L	ND	100	05/24/12 13:08	
Benzene	ug/L	ND	5.0	05/24/12 13:08	
Bromobenzene	ug/L	ND	5.0	05/24/12 13:08	
Bromochloromethane	ug/L	ND	5.0	05/24/12 13:08	
Bromodichloromethane	ug/L	ND	5.0	05/24/12 13:08	
Bromoform	ug/L	ND	5.0	05/24/12 13:08	
Bromomethane	ug/L	ND	5.0	05/24/12 13:08	
Carbon disulfide	ug/L	ND	10.0	05/24/12 13:08	
Carbon tetrachloride	ug/L	ND	5.0	05/24/12 13:08	
Chlorobenzene	ug/L	ND	5.0	05/24/12 13:08	
Chloroethane	ug/L	ND	5.0	05/24/12 13:08	
Chloroform	ug/L	ND	5.0	05/24/12 13:08	
Chloromethane	ug/L	ND	5.0	05/24/12 13:08	
cis-1,2-Dichloroethene	ug/L	ND	5.0	05/24/12 13:08	
-1,3-Dichloropropene	ug/L	ND	5.0	05/24/12 13:08	
bromochloromethane	ug/L	ND	5.0	05/24/12 13:08	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

METHOD BLANK: 739629 Matrix: Water

Associated Lab Samples: 5063292001, 5063292002, 5063292003, 5063292004, 5063292005, 5063292006, 5063292007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	05/24/12 13:08	
Dichlorodifluoromethane	ug/L	ND	5.0	05/24/12 13:08	
Ethyl methacrylate	ug/L	ND	100	05/24/12 13:08	
Ethylbenzene	ug/L	ND	5.0	05/24/12 13:08	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	05/24/12 13:08	
Iodomethane	ug/L	ND	10.0	05/24/12 13:08	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	05/24/12 13:08	
Methyl-tert-butyl ether	ug/L	ND	4.0	05/24/12 13:08	
Methylene Chloride	ug/L	ND	5.0	05/24/12 13:08	
n-Butylbenzene	ug/L	ND	5.0	05/24/12 13:08	
n-Propylbenzene	ug/L	ND	5.0	05/24/12 13:08	
Naphthalene	ug/L	ND	5.0	05/24/12 13:08	
p-Isopropyltoluene	ug/L	ND	5.0	05/24/12 13:08	
sec-Butylbenzene	ug/L	ND	5.0	05/24/12 13:08	
Styrene	ug/L	ND	5.0	05/24/12 13:08	
tert-Butylbenzene	ug/L	ND	5.0	05/24/12 13:08	
Tetrachloroethene	ug/L	ND	5.0	05/24/12 13:08	
uene	ug/L	ND	5.0	05/24/12 13:08	
ns-1,2-Dichloroethene	ug/L	ND	5.0	05/24/12 13:08	
trans-1,3-Dichloropropene	ug/L	ND	5.0	05/24/12 13:08	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	05/24/12 13:08	
Trichloroethene	ug/L	ND	5.0	05/24/12 13:08	
Trichlorofluoromethane	ug/L	ND	5.0	05/24/12 13:08	
Vinyl acetate	ug/L	ND	50.0	05/24/12 13:08	
Vinyl chloride	ug/L	ND	2.0	05/24/12 13:08	
Xylene (Total)	ug/L	ND	10.0	05/24/12 13:08	
4-Bromofluorobenzene (S)	%.	92	72-125	05/24/12 13:08	
Dibromofluoromethane (S)	%.	99	83-123	05/24/12 13:08	
Toluene-d8 (S)	%.	99	81-114	05/24/12 13:08	

LABORATORY CONTROL SAMPLE: 739630

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	51.7	103	69-122	
1,1,1-Trichloroethane	ug/L	50	55.2	110	69-126	
1,1,2,2-Tetrachloroethane	ug/L	50	52.3	105	68-134	
1,1,2-Trichloroethane	ug/L	50	57.0	114	77-129	
1,1-Dichloroethane	ug/L	50	51.4	103	70-127	
1,1-Dichloroethene	ug/L	50	54.9	110	75-145	
1,1-Dichloropropene	ug/L	50	57.3	115	75-126	
1,2,3-Trichlorobenzene	ug/L	50	53.2	106	63-130	
1,2,3-Trichloropropane	ug/L	50	98.8	198	45-121	L3
1,2,4-Trichlorobenzene	ug/L	50	52.8	106	64-122	
2,4-Trimethylbenzene	ug/L	50	54.4	109	68-129	
-Dibromoethane (EDB)	ug/L	50	59.2	118	77-123	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

LABORATORY CONTROL SAMPLE: 739630

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	55.4	111	74-123	
1,2-Dichloroethane	ug/L	50	51.0	102	71-127	
1,2-Dichloropropane	ug/L	50	55.6	111	75-126	
1,3,5-Trimethylbenzene	ug/L	50	53.3	107	69-129	
1,3-Dichlorobenzene	ug/L	50	54.7	109	76-123	
1,3-Dichloropropane	ug/L	50	53.6	107	77-126	
1,4-Dichlorobenzene	ug/L	50	53.3	107	77-121	
2,2-Dichloropropane	ug/L	50	50.6	101	45-138	
2-Butanone (MEK)	ug/L	250	277	111	42-177	
2-Chlorotoluene	ug/L	50	48.4	97	74-129	
2-Hexanone	ug/L	250	295	118	57-162	
4-Chlorotoluene	ug/L	50	55.5	111	70-125	
4-Methyl-2-pentanone (MIBK)	ug/L	250	294	118	64-135	
Acetone	ug/L	250	302	121	10-200	
Acrolein	ug/L	1000	1180	118	10-200	
Acrylonitrile	ug/L	1000	1010	101	59-144	
Benzene	ug/L	50	52.2	104	76-123	
Bromobenzene	ug/L	50	51.9	104	67-130	
›mochloromethane	ug/L	50	49.8	100	58-153	
omodichloromethane	ug/L	50	48.8	98	71-124	
Bromoform	ug/L	50	44.1	88	64-116	
Bromomethane	ug/L	50	49.9	100	23-197	
Carbon disulfide	ug/L	100	104	104	55-146	
Carbon tetrachloride	ug/L	50	48.7	97	65-125	
Chlorobenzene	ug/L	50	54.2	108	78-120	
Chloroethane	ug/L	50	51.1	102	56-163	
Chloroform	ug/L	50	55.0	110	73-122	
Chloromethane	ug/L	50	47.9	96	46-146	
cis-1,2-Dichloroethene	ug/L	50	53.3	107	79-129	
cis-1,3-Dichloropropene	ug/L	50	51.2	102	66-123	
Dibromochloromethane	ug/L	50	47.7	95	70-123	
Dibromomethane	ug/L	50	57.1	114	73-123	
Dichlorodifluoromethane	ug/L	50	48.6	97	19-200	
Ethyl methacrylate	ug/L	200	217	109	70-127	
Ethylbenzene	ug/L	50	54.5	109	75-120	
Hexachloro-1,3-butadiene	ug/L	50	57.7	115	64-131	
Iodomethane	ug/L	100	104	104	16-181	
Isopropylbenzene (Cumene)	ug/L	50	51.2	102	73-123	
Methyl-tert-butyl ether	ug/L	100	113	113	66-128	
Methylene Chloride	ug/L	50	55.2	110	61-138	
n-Butylbenzene	ug/L	50	53.9	108	69-130	
n-Propylbenzene	ug/L	50	51.2	102	71-132	
Naphthalene	ug/L	50	54.0	108	62-130	
p-Isopropyltoluene	ug/L	50	55.3	111	71-126	
sec-Butylbenzene	ug/L	50	51.9	104	69-130	
Styrene	ug/L	50	58.2	116	75-125	
rt-Butylbenzene	ug/L	50	42.7	85	49-114	
rachloroethene	ug/L	50	55.7	111	57-125	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

LABORATORY CONTROL SAMPLE: 739630

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	50.8	102	72-124	
trans-1,2-Dichloroethene	ug/L	50	54.3	109	71-145	
trans-1,3-Dichloropropene	ug/L	50	49.7	99	58-118	
trans-1,4-Dichloro-2-butene	ug/L	200	208	104	50-121	
Trichloroethene	ug/L	50	56.7	113	77-122	
Trichlorofluoromethane	ug/L	50	57.5	115	56-159	
Vinyl acetate	ug/L	200	206	103	27-119	
Vinyl chloride	ug/L	50	50.7	101	61-146	
Xylene (Total)	ug/L	150	169	112	72-126	
4-Bromofluorobenzene (S)	%.			97	72-125	
Dibromofluoromethane (S)	%.			103	83-123	
Toluene-d8 (S)	%.			98	81-114	

MATRIX SPIKE SAMPLE: 739631

Parameter	Units	5063292006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,2-Tetrachloroethane	ug/L	ND	50	38.6	77	30-122	
,1-Trichloroethane	ug/L	ND	50	43.2	86	37-136	
.,1,2,2-Tetrachloroethane	ug/L	ND	50	39.6	79	47-132	
1,1,2-Trichloroethane	ug/L	ND	50	46.6	93	53-131	
1,1-Dichloroethane	ug/L	ND	50	41.1	82	47-138	
1,1-Dichloroethene	ug/L	ND	50	46.6	93	54-152	
1,1-Dichloropropene	ug/L	ND	50	46.7	93	47-136	
1,2,3-Trichlorobenzene	ug/L	ND	50	37.2	74	15-132	
1,2,3-Trichloropropane	ug/L	ND	50	70.8	142	24-108	M0
1,2,4-Trichlorobenzene	ug/L	ND	50	36.4	73	10-130	
1,2,4-Trimethylbenzene	ug/L	ND	50	41.5	83	10-141	
1,2-Dibromoethane (EDB)	ug/L	ND	50	47.6	95	49-130	
1,2-Dichlorobenzene	ug/L	ND	50	42.3	85	20-137	
1,2-Dichloroethane	ug/L	ND	50	41.2	82	42-139	
1,2-Dichloropropane	ug/L	ND	50	45.5	91	50-131	
1,3,5-Trimethylbenzene	ug/L	ND	50	41.7	83	10-145	
1,3-Dichlorobenzene	ug/L	ND	50	41.0	82	13-143	
1,3-Dichloropropane	ug/L	ND	50	43.7	87	53-130	
1,4-Dichlorobenzene	ug/L	ND	50	40.3	81	13-140	
2,2-Dichloropropane	ug/L	ND	50	36.1	72	13-142	
2-Butanone (MEK)	ug/L	ND	250	218	87	43-142	
2-Chlorotoluene	ug/L	ND	50	38.4	77	15-145	
2-Hexanone	ug/L	ND	250	236	94	46-139	
4-Chlorotoluene	ug/L	ND	50	41.4	83	12-143	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	237	95	43-140	
Acetone	ug/L	ND	250	229	92	38-155	
Acrolein	ug/L	ND	1000	956	96	11-200	
Acrylonitrile	ug/L	ND	1000	804	80	42-150	
Benzene	ug/L	ND	50	43.3	87	52-134	
mobenzene	ug/L	ND	50	40.7	81	25-140	
omochloromethane	ug/L	ND	50	40.5	81	54-144	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

MATRIX SPIKE SAMPLE: 739631

Parameter	Units	5063292006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/L	ND	50	38.0	76	42-128	
Bromoform	ug/L	ND	50	30.2	60	34-116	
Bromomethane	ug/L	ND	50	44.8	90	10-200	
Carbon disulfide	ug/L	ND	100	87.2	87	43-144	
Carbon tetrachloride	ug/L	ND	50	36.9	74	26-136	
Chlorobenzene	ug/L	ND	50	43.6	87	33-136	
Chloroethane	ug/L	ND	50	43.0	86	21-200	
Chloroform	ug/L	ND	50	45.1	90	50-134	
Chloromethane	ug/L	ND	50	42.4	85	32-160	
cis-1,2-Dichloroethene	ug/L	ND	50	45.9	89	48-145	
cis-1,3-Dichloropropene	ug/L	ND	50	39.3	79	35-116	
Dibromochloromethane	ug/L	ND	50	35.5	71	39-122	
Dibromomethane	ug/L	ND	50	44.3	89	49-134	
Dichlorodifluoromethane	ug/L	ND	50	43.3	87	35-200	
Ethyl methacrylate	ug/L	ND	200	173	86	54-123	
Ethylbenzene	ug/L	ND	50	43.8	88	29-132	
Hexachloro-1,3-butadiene	ug/L	ND	50	43.3	87	10-146	
Iodomethane	ug/L	ND	100	63.0	63	10-171	
propylbenzene (Cumene)	ug/L	ND	50	42.1	84	11-146	
thyl-tert-butyl ether	ug/L	ND	100	87.0	87	39-137	
Methylene Chloride	ug/L	ND	50	45.5	91	47-141	
n-Butylbenzene	ug/L	ND	50	41.4	83	10-156	
n-Propylbenzene	ug/L	ND	50	40.1	80	10-148	
Naphthalene	ug/L	ND	50	35.8	72	40-124	
p-Isopropyltoluene	ug/L	ND	50	42.6	85	10-150	
sec-Butylbenzene	ug/L	ND	50	41.2	82	10-150	
Styrene	ug/L	ND	50	46.4	93	20-143	
tert-Butylbenzene	ug/L	ND	50	33.8	68	10-123	
Tetrachloroethene	ug/L	ND	50	45.9	90	30-124	
Toluene	ug/L	ND	50	43.3	87	42-130	
trans-1,2-Dichloroethene	ug/L	ND	50	44.6	89	48-144	
trans-1,3-Dichloropropene	ug/L	ND	50	37.6	75	24-114	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	160	80	22-120	
Trichloroethene	ug/L	ND	50	46.1	90	44-130	
Trichlorofluoromethane	ug/L	ND	50	49.2	98	17-200	
Vinyl acetate	ug/L	ND	200	140	70	10-115	
Vinyl chloride	ug/L	ND	50	43.6	87	45-159	
Xylene (Total)	ug/L	ND	150	135	90	29-131	
4-Bromofluorobenzene (S)	%.				97	72-125	
Dibromofluoromethane (S)	%.				101	83-123	
Toluene-d8 (S)	%.				102	81-114	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALIFIERS

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

L3	Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.
M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Amphenol IN-AMP-11-05
Pace Project No.: 5063292

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
5063292001	**RW-1**	EPA 8260	MSV/42448		
5063292002	**RW-2**	EPA 8260	MSV/42448		
5063292003	**RW-3**	EPA 8260	MSV/42448		
5063292004	**RW-4**	EPA 8260	MSV/42448		
5063292005	**RW-5**	EPA 8260	MSV/42448		
5063292006	**EFFLUENT**	EPA 8260	MSV/42448		
5063292007	**TRIP BLANK**	EPA 8260	MSV/42448		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pac... ...alytical™
www.pacelabs.com

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accu...y

Page: 1 of 1

Required Client Information: **Section A**	Required Client Information: **Section B**	**Client Information (Check quote/contract):**	To Be Completed by Pace Analytical Client: **Section C**
Company: IWM Consulting Group, LLC	Report To: Chris Parks	Requested Due Date: Standard	Quote Reference:
Address: 7428 Rockville Road	Copy To:	*TAT: Standard	Project Manager: Ken Hunt
Indianapolis, IN 46214	Invoice To: Chris Parks	* Turn around times less than 14 days subject	Project #:
Phone: 317-347-1111 Fax: 317-347-9326	P.O.	laboratory and contractual obligations and may	Profile #:
	Project Name: Amphenol	In a Rush Turnaround Surcharge.	
	Project Number: IN-AMP-11-05	Turn Around Time (TAT) in calender days.	

Required Client Information: **Section D**

SAMPLE ID (One character per box.)

Valid Matrix Codes: Matrix / Code — Water / WT; Soil / SL; Oil / OL; Wipe / WP; Air / AR; Tissue / TS; Other / OT

5063292

ITEM NUMBER	SAMPLE ID	MATRIX CODE	DATE COLLECTED	TIME COLLECTED	# Containers	Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	VOCs 8260 B	REMARKS / Lab ID
1	RW-1	GW	5/22/2012	10:36	3				3				X	-001
2	RW-2	GW	5/22/2012	10:41	3				3				X	-002
3	RW-3	GW	5/22/2012	10:47	3				3				X	-003
4	RW-4	GW	5/22/2012	10:52	3				3				X	-004
5	RW-5	GW	5/22/2012	11:00	3				3				X	-005
6	EFLUENT	GW	5/22/2012	10:30	3				3				X	-006
7	TRIP BLANK	GW	5/22/2012		3				3				X	-007
8														
9														
10														
11														
12														

SHIPMENT METHOD	AIRBILL NO	SHIPPING DATE	NO. OF COOLERS	ITEM #	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME
					Ralph Mier IWM	5-22-12	12:27	Marisa Wilson	5/22/12	12:27

SAMPLE CONDITION:

Temp in C	5.4°C
Received on Ice	Y / N
Sealed Cooler	Y / N
Sample Intact	Y / N

SAMPLE NOTES:

Additional Comments:

client WT

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Ralph Mier

SIGNATURE of SAMPLER: Ralph Mier

DATE Signed:

Sample Condition Upon Receipt

Pace Analytical

Client Name: TWM Project # 5063292

urier: ☐ Fed Ex ☐ UPS ☐ USPS ☑ Client ☐ Commercial ☐ Pace Other

Tracking #:

Custody Seal on Cooler/Box Present: ☐ yes ☑ no Seals intact: ☐ yes ☑ no

Date/Time 5035A kits placed in freezer

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☑ Other foam

Thermometer Used 1 2 3 4 A B C D E Type of Ice: (Wet) Blue None ☑ Samples on ice, cooling process has begun

Cooler Temperature (Corrected, if applicable) 5.4/C Ice Visible in Sample Containers: ☐ yes ☑ no

Temp should be above freezing to 6°C

Date and initials of person examining contents: 5/22/12 - MW

				Comments:
Chain of Custody Present:	☑Yes	☐No	☐N/A	1.
Chain of Custody Filled Out:	☑Yes	☐No	☐N/A	2.
Chain of Custody Relinquished:	☑Yes	☐No	☐N/A	3.
Sampler Name & Signature on COC:	☑Yes	☐No	☐N/A	4.
Short Hold Time Analysis (<72hr):	☐Yes	☑No	☐N/A	5.
Rush Turn Around Time Requested:	☐Yes	☑No	☐N/A	6.
Containers Intact:	☑Yes	☐No	☐N/A	7.
Sample Labels match COC: -Includes date/time/ID/Analysis	☑Yes	☐No	☐N/A	8.
All containers needing acid/base pres. have been checked? tions: VOA, coliform, TOC, O&G	☐Yes	☐No	☑N/A	9. (Circle) HNO3 H2SO4 NaOH HCl
ontainers needing preservation are found to be in compliance with EPA recommendation.	☐Yes	☐No	☑N/A	
Headspace in VOA Vials (>6mm)	☐Yes	☑No	☐N/A	10.
Trip Blank Present:	☑Yes	☐No	☐N/A	11.
Trip Blank Custody Seals Present	☑Yes	☐No	☐N/A	
Samples Arrived within Hold Time:	☑Yes	☐No	☐N/A	12.
Sufficient Volume:	☑Yes	☐No	☐N/A	13.
Correct Containers Used:	☑Yes	☐No	☐N/A	14.

Client Notification/ Resolution: Field Data Required? Y / N

Person Contacted: Date/Time:

Comments/ Resolution:

oject Manager Review: Kenneth Burt Date: 5/22/12

Form F-IN-Q290-rev.04, 28Apr2011

Sample Co--ainer Count

Pace Analytical
www.pacelabs.com

CLIENT: WM

COC PAGE 1 of 1
COC ID#

Project # 5063292

Sample Line Item	DG9H	AG1U	WGFU	AG0U	R 4/6	BP2N	BP2U	BP2S	BP3N	BP3U	BP3S	AG3S	AG1H			Comments
1	3															
2																
3																
4																
5																
6																
7																TB
8																
9																
10																
11																
12																

Container Codes

DG9H	40mL HCL amber voa vial	AG0U	100mL unpreserved amber glass	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WGFU	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber gl	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved **amber** vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	I	Wipe/Swab
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber gla	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber gla	AF	Air Filter	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved **clear** vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear gla	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

September 06, 2012

Mr. Chris Parks
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol
Pace Project No.: 5068122

Dear Mr. Parks:
Enclosed are the analytical results for sample(s) received by the laboratory on August 24, 2012. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kenneth Hunt

kenneth.hunt@pacelabs.com
Project Manager

Enclosures

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

CERTIFICATIONS

Project: Amphenol
Pace Project No.: 5068122

Indiana Certification IDs
7726 Moller Road, Indianapolis, IN 46268
Illinois Certification #: 200074
Indiana Certification #: C-49-06
Kansas Certification #: E-10247
Kentucky Certification #: 0042
Louisiana/NELAC Certification #: 04076
Ohio VAP Certification #: CL0065
Pennsylvania Certification #: 68-04991
West Virginia Certification #: 330

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

SAMPLE SUMMARY

Project: Amphenol
Pace Project No.: 5068122

Lab ID	Sample ID	Matrix	Date Collected	Date Received
5068122001	**RW-1**	Water	08/24/12 11:48	08/24/12 13:36
5068122002	**RW-2**	Water	08/24/12 11:52	08/24/12 13:36
5068122003	**RW-3**	Water	08/24/12 11:57	08/24/12 13:36
5068122004	**RW-4**	Water	08/24/12 12:10	08/24/12 13:36
5068122005	**RW-5**	Water	08/24/12 12:04	08/24/12 13:36
5068122006	**EFFLUENT**	Water	08/24/12 11:44	08/24/12 13:36

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

SAMPLE ANALYTE COUNT

Project: Amphenol
Pace Project No.: 5068122

Lab ID	Sample ID	Method	Analysts	Analytes Reported
5068122001	**RW-1**	EPA 8260	JLZ	72
5068122002	**RW-2**	EPA 8260	JLZ	72
5068122003	**RW-3**	EPA 8260	JLZ	72
5068122004	**RW-4**	EPA 8260	JLZ	72
5068122005	**RW-5**	EPA 8260	JLZ	72
5068122006	**EFFLUENT**	EPA 8260	JLZ	72

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 5068122

Sample: RW-1 **Lab ID: 5068122001** Collected: 08/24/12 11:48 Received: 08/24/12 13:36 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		09/04/12 19:15	67-64-1	
Acrolein	ND	ug/L	50.0	1		09/04/12 19:15	107-02-8	
Acrylonitrile	ND	ug/L	100	1		09/04/12 19:15	107-13-1	
Benzene	ND	ug/L	5.0	1		09/04/12 19:15	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		09/04/12 19:15	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		09/04/12 19:15	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		09/04/12 19:15	75-27-4	
Bromoform	ND	ug/L	5.0	1		09/04/12 19:15	75-25-2	
Bromomethane	ND	ug/L	5.0	1		09/04/12 19:15	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		09/04/12 19:15	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		09/04/12 19:15	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		09/04/12 19:15	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		09/04/12 19:15	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		09/04/12 19:15	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		09/04/12 19:15	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		09/04/12 19:15	108-90-7	
Chloroethane	ND	ug/L	5.0	1		09/04/12 19:15	75-00-3	
Chloroform	ND	ug/L	5.0	1		09/04/12 19:15	67-66-3	
Chloromethane	ND	ug/L	5.0	1		09/04/12 19:15	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		09/04/12 19:15	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		09/04/12 19:15	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		09/04/12 19:15	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		09/04/12 19:15	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		09/04/12 19:15	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		09/04/12 19:15	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		09/04/12 19:15	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		09/04/12 19:15	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		09/04/12 19:15	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		09/04/12 19:15	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		09/04/12 19:15	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		09/04/12 19:15	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		09/04/12 19:15	75-35-4	
cis-1,2-Dichloroethene	**93.6**	ug/L	5.0	1		09/04/12 19:15	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		09/04/12 19:15	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		09/04/12 19:15	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		09/04/12 19:15	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		09/04/12 19:15	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		09/04/12 19:15	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		09/04/12 19:15	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		09/04/12 19:15	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		09/04/12 19:15	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		09/04/12 19:15	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		09/04/12 19:15	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		09/04/12 19:15	591-78-6	
Iodomethane	ND	ug/L	10.0	1		09/04/12 19:15	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		09/04/12 19:15	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		09/04/12 19:15	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 5068122

Sample: RW-1 **Lab ID: 5068122001** Collected: 08/24/12 11:48 Received: 08/24/12 13:36 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		09/04/12 19:15	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		09/04/12 19:15	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		09/04/12 19:15	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		09/04/12 19:15	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		09/04/12 19:15	103-65-1	
Styrene	ND	ug/L	5.0	1		09/04/12 19:15	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		09/04/12 19:15	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		09/04/12 19:15	79-34-5	
Tetrachloroethene	**286**	ug/L	5.0	1		09/04/12 19:15	127-18-4	
Toluene	ND	ug/L	5.0	1		09/04/12 19:15	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		09/04/12 19:15	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		09/04/12 19:15	120-82-1	
1,1,1-Trichloroethane	**37.7**	ug/L	5.0	1		09/04/12 19:15	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		09/04/12 19:15	79-00-5	
Trichloroethene	**156**	ug/L	5.0	1		09/04/12 19:15	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		09/04/12 19:15	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		09/04/12 19:15	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		09/04/12 19:15	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		09/04/12 19:15	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		09/04/12 19:15	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		09/04/12 19:15	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		09/04/12 19:15	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	101	%.	83-123	1		09/04/12 19:15	1868-53-7	
4-Bromofluorobenzene (S)	109	%.	72-125	1		09/04/12 19:15	460-00-4	
Toluene-d8 (S)	97	%.	81-114	1		09/04/12 19:15	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 5068122

Sample: RW-2 **Lab ID: 5068122002** Collected: 08/24/12 11:52 Received: 08/24/12 13:36 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		09/04/12 20:20	67-64-1	
Acrolein	ND	ug/L	50.0	1		09/04/12 20:20	107-02-8	
Acrylonitrile	ND	ug/L	100	1		09/04/12 20:20	107-13-1	
Benzene	ND	ug/L	5.0	1		09/04/12 20:20	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		09/04/12 20:20	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		09/04/12 20:20	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		09/04/12 20:20	75-27-4	
Bromoform	ND	ug/L	5.0	1		09/04/12 20:20	75-25-2	
Bromomethane	ND	ug/L	5.0	1		09/04/12 20:20	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		09/04/12 20:20	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		09/04/12 20:20	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		09/04/12 20:20	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		09/04/12 20:20	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		09/04/12 20:20	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		09/04/12 20:20	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		09/04/12 20:20	108-90-7	
Chloroethane	ND	ug/L	5.0	1		09/04/12 20:20	75-00-3	
Chloroform	ND	ug/L	5.0	1		09/04/12 20:20	67-66-3	
Chloromethane	ND	ug/L	5.0	1		09/04/12 20:20	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		09/04/12 20:20	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		09/04/12 20:20	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		09/04/12 20:20	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		09/04/12 20:20	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		09/04/12 20:20	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		09/04/12 20:20	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		09/04/12 20:20	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		09/04/12 20:20	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		09/04/12 20:20	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		09/04/12 20:20	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		09/04/12 20:20	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		09/04/12 20:20	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		09/04/12 20:20	75-35-4	
cis-1,2-Dichloroethene	**21.0**	ug/L	5.0	1		09/04/12 20:20	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		09/04/12 20:20	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		09/04/12 20:20	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		09/04/12 20:20	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		09/04/12 20:20	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		09/04/12 20:20	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		09/04/12 20:20	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		09/04/12 20:20	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		09/04/12 20:20	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		09/04/12 20:20	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		09/04/12 20:20	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		09/04/12 20:20	591-78-6	
Iodomethane	ND	ug/L	10.0	1		09/04/12 20:20	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		09/04/12 20:20	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		09/04/12 20:20	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 5068122

Sample: RW-2 **Lab ID: 5068122002** Collected: 08/24/12 11:52 Received: 08/24/12 13:36 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		09/04/12 20:20	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		09/04/12 20:20	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		09/04/12 20:20	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		09/04/12 20:20	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		09/04/12 20:20	103-65-1	
Styrene	ND	ug/L	5.0	1		09/04/12 20:20	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		09/04/12 20:20	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		09/04/12 20:20	79-34-5	
Tetrachloroethene	**77.1**	ug/L	5.0	1		09/04/12 20:20	127-18-4	
Toluene	ND	ug/L	5.0	1		09/04/12 20:20	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		09/04/12 20:20	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		09/04/12 20:20	120-82-1	
1,1,1-Trichloroethane	**44.1**	ug/L	5.0	1		09/04/12 20:20	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		09/04/12 20:20	79-00-5	
Trichloroethene	**47.7**	ug/L	5.0	1		09/04/12 20:20	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		09/04/12 20:20	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		09/04/12 20:20	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		09/04/12 20:20	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		09/04/12 20:20	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		09/04/12 20:20	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		09/04/12 20:20	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		09/04/12 20:20	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	105	%.	83-123	1		09/04/12 20:20	1868-53-7	
4-Bromofluorobenzene (S)	106	%.	72-125	1		09/04/12 20:20	460-00-4	
Toluene-d8 (S)	94	%.	81-114	1		09/04/12 20:20	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 5068122

Sample: RW-3 **Lab ID: 5068122003** Collected: 08/24/12 11:57 Received: 08/24/12 13:36 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		09/04/12 19:47	67-64-1	
Acrolein	ND	ug/L	50.0	1		09/04/12 19:47	107-02-8	
Acrylonitrile	ND	ug/L	100	1		09/04/12 19:47	107-13-1	
Benzene	ND	ug/L	5.0	1		09/04/12 19:47	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		09/04/12 19:47	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		09/04/12 19:47	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		09/04/12 19:47	75-27-4	
Bromoform	ND	ug/L	5.0	1		09/04/12 19:47	75-25-2	
Bromomethane	ND	ug/L	5.0	1		09/04/12 19:47	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		09/04/12 19:47	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		09/04/12 19:47	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		09/04/12 19:47	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		09/04/12 19:47	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		09/04/12 19:47	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		09/04/12 19:47	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		09/04/12 19:47	108-90-7	
Chloroethane	ND	ug/L	5.0	1		09/04/12 19:47	75-00-3	
Chloroform	ND	ug/L	5.0	1		09/04/12 19:47	67-66-3	
Chloromethane	ND	ug/L	5.0	1		09/04/12 19:47	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		09/04/12 19:47	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		09/04/12 19:47	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		09/04/12 19:47	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		09/04/12 19:47	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		09/04/12 19:47	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		09/04/12 19:47	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		09/04/12 19:47	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		09/04/12 19:47	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		09/04/12 19:47	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		09/04/12 19:47	75-71-8	
1,1-Dichloroethane	**6.3**	ug/L	5.0	1		09/04/12 19:47	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		09/04/12 19:47	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		09/04/12 19:47	75-35-4	
cis-1,2-Dichloroethene	**77.5**	ug/L	5.0	1		09/04/12 19:47	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		09/04/12 19:47	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		09/04/12 19:47	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		09/04/12 19:47	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		09/04/12 19:47	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		09/04/12 19:47	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		09/04/12 19:47	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		09/04/12 19:47	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		09/04/12 19:47	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		09/04/12 19:47	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		09/04/12 19:47	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		09/04/12 19:47	591-78-6	
Iodomethane	ND	ug/L	10.0	1		09/04/12 19:47	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		09/04/12 19:47	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		09/04/12 19:47	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 5068122

Sample: RW-3 **Lab ID: 5068122003** Collected: 08/24/12 11:57 Received: 08/24/12 13:36 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		09/04/12 19:47	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		09/04/12 19:47	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		09/04/12 19:47	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		09/04/12 19:47	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		09/04/12 19:47	103-65-1	
Styrene	ND	ug/L	5.0	1		09/04/12 19:47	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		09/04/12 19:47	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		09/04/12 19:47	79-34-5	
Tetrachloroethene	**143**	ug/L	5.0	1		09/04/12 19:47	127-18-4	
Toluene	ND	ug/L	5.0	1		09/04/12 19:47	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		09/04/12 19:47	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		09/04/12 19:47	120-82-1	
1,1,1-Trichloroethane	**75.8**	ug/L	5.0	1		09/04/12 19:47	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		09/04/12 19:47	79-00-5	
Trichloroethene	**74.6**	ug/L	5.0	1		09/04/12 19:47	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		09/04/12 19:47	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		09/04/12 19:47	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		09/04/12 19:47	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		09/04/12 19:47	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		09/04/12 19:47	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		09/04/12 19:47	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		09/04/12 19:47	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	105	%.	83-123	1		09/04/12 19:47	1868-53-7	
4-Bromofluorobenzene (S)	106	%.	72-125	1		09/04/12 19:47	460-00-4	
Toluene-d8 (S)	97	%.	81-114	1		09/04/12 19:47	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 5068122

Sample: RW-4 **Lab ID: 5068122004** Collected: 08/24/12 12:10 Received: 08/24/12 13:36 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		09/05/12 01:47	67-64-1	
Acrolein	ND	ug/L	50.0	1		09/05/12 01:47	107-02-8	
Acrylonitrile	ND	ug/L	100	1		09/05/12 01:47	107-13-1	
Benzene	ND	ug/L	5.0	1		09/05/12 01:47	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		09/05/12 01:47	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		09/05/12 01:47	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		09/05/12 01:47	75-27-4	
Bromoform	ND	ug/L	5.0	1		09/05/12 01:47	75-25-2	
Bromomethane	ND	ug/L	5.0	1		09/05/12 01:47	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		09/05/12 01:47	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		09/05/12 01:47	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		09/05/12 01:47	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		09/05/12 01:47	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		09/05/12 01:47	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		09/05/12 01:47	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		09/05/12 01:47	108-90-7	
Chloroethane	ND	ug/L	5.0	1		09/05/12 01:47	75-00-3	
Chloroform	ND	ug/L	5.0	1		09/05/12 01:47	67-66-3	
Chloromethane	ND	ug/L	5.0	1		09/05/12 01:47	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		09/05/12 01:47	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		09/05/12 01:47	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		09/05/12 01:47	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		09/05/12 01:47	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		09/05/12 01:47	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		09/05/12 01:47	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		09/05/12 01:47	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		09/05/12 01:47	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		09/05/12 01:47	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		09/05/12 01:47	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		09/05/12 01:47	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		09/05/12 01:47	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		09/05/12 01:47	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		09/05/12 01:47	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		09/05/12 01:47	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		09/05/12 01:47	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		09/05/12 01:47	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		09/05/12 01:47	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		09/05/12 01:47	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		09/05/12 01:47	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		09/05/12 01:47	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		09/05/12 01:47	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		09/05/12 01:47	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		09/05/12 01:47	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		09/05/12 01:47	591-78-6	
Iodomethane	ND	ug/L	10.0	1		09/05/12 01:47	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		09/05/12 01:47	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		09/05/12 01:47	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 5068122

Sample: RW-4 **Lab ID: 5068122004** Collected: 08/24/12 12:10 Received: 08/24/12 13:36 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		09/05/12 01:47	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		09/05/12 01:47	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		09/05/12 01:47	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		09/05/12 01:47	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		09/05/12 01:47	103-65-1	
Styrene	ND	ug/L	5.0	1		09/05/12 01:47	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		09/05/12 01:47	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		09/05/12 01:47	79-34-5	
Tetrachloroethene	**6.8**	ug/L	5.0	1		09/05/12 01:47	127-18-4	
Toluene	ND	ug/L	5.0	1		09/05/12 01:47	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		09/05/12 01:47	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		09/05/12 01:47	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		09/05/12 01:47	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		09/05/12 01:47	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		09/05/12 01:47	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		09/05/12 01:47	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		09/05/12 01:47	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		09/05/12 01:47	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		09/05/12 01:47	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		09/05/12 01:47	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		09/05/12 01:47	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		09/05/12 01:47	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	98	%.	83-123	1		09/05/12 01:47	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	72-125	1		09/05/12 01:47	460-00-4	
Toluene-d8 (S)	93	%.	81-114	1		09/05/12 01:47	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 5068122

Sample: RW-5 **Lab ID: 5068122005** Collected: 08/24/12 12:04 Received: 08/24/12 13:36 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		09/05/12 02:19	67-64-1	
Acrolein	ND	ug/L	50.0	1		09/05/12 02:19	107-02-8	
Acrylonitrile	ND	ug/L	100	1		09/05/12 02:19	107-13-1	
Benzene	ND	ug/L	5.0	1		09/05/12 02:19	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		09/05/12 02:19	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		09/05/12 02:19	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		09/05/12 02:19	75-27-4	
Bromoform	ND	ug/L	5.0	1		09/05/12 02:19	75-25-2	
Bromomethane	ND	ug/L	5.0	1		09/05/12 02:19	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		09/05/12 02:19	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		09/05/12 02:19	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		09/05/12 02:19	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		09/05/12 02:19	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		09/05/12 02:19	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		09/05/12 02:19	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		09/05/12 02:19	108-90-7	
Chloroethane	ND	ug/L	5.0	1		09/05/12 02:19	75-00-3	
Chloroform	ND	ug/L	5.0	1		09/05/12 02:19	67-66-3	
Chloromethane	ND	ug/L	5.0	1		09/05/12 02:19	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		09/05/12 02:19	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		09/05/12 02:19	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		09/05/12 02:19	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		09/05/12 02:19	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		09/05/12 02:19	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		09/05/12 02:19	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		09/05/12 02:19	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		09/05/12 02:19	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		09/05/12 02:19	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		09/05/12 02:19	75-71-8	
1,1-Dichloroethane	**5.1**	ug/L	5.0	1		09/05/12 02:19	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		09/05/12 02:19	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		09/05/12 02:19	75-35-4	
cis-1,2-Dichloroethene	**254**	ug/L	5.0	1		09/05/12 02:19	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		09/05/12 02:19	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		09/05/12 02:19	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		09/05/12 02:19	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		09/05/12 02:19	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		09/05/12 02:19	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		09/05/12 02:19	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		09/05/12 02:19	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		09/05/12 02:19	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		09/05/12 02:19	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		09/05/12 02:19	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		09/05/12 02:19	591-78-6	
Iodomethane	ND	ug/L	10.0	1		09/05/12 02:19	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		09/05/12 02:19	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		09/05/12 02:19	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 5068122

Sample: RW-5 **Lab ID: 5068122005** Collected: 08/24/12 12:04 Received: 08/24/12 13:36 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		09/05/12 02:19	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		09/05/12 02:19	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		09/05/12 02:19	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		09/05/12 02:19	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		09/05/12 02:19	103-65-1	
Styrene	ND	ug/L	5.0	1		09/05/12 02:19	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		09/05/12 02:19	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		09/05/12 02:19	79-34-5	
Tetrachloroethene	**585**	ug/L	100	20		09/05/12 02:52	127-18-4	
Toluene	ND	ug/L	5.0	1		09/05/12 02:19	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		09/05/12 02:19	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		09/05/12 02:19	120-82-1	
1,1,1-Trichloroethane	**68.1**	ug/L	5.0	1		09/05/12 02:19	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		09/05/12 02:19	79-00-5	
Trichloroethene	**351**	ug/L	100	20		09/05/12 02:52	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		09/05/12 02:19	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		09/05/12 02:19	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		09/05/12 02:19	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		09/05/12 02:19	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		09/05/12 02:19	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		09/05/12 02:19	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		09/05/12 02:19	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	109	%.	83-123	1		09/05/12 02:19	1868-53-7	
4-Bromofluorobenzene (S)	107	%.	72-125	1		09/05/12 02:19	460-00-4	
Toluene-d8 (S)	95	%.	81-114	1		09/05/12 02:19	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 5068122

Sample: EFFLUENT **Lab ID: 5068122006** Collected: 08/24/12 11:44 Received: 08/24/12 13:36 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		09/04/12 21:25	67-64-1	
Acrolein	ND	ug/L	50.0	1		09/04/12 21:25	107-02-8	
Acrylonitrile	ND	ug/L	100	1		09/04/12 21:25	107-13-1	
Benzene	ND	ug/L	5.0	1		09/04/12 21:25	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		09/04/12 21:25	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		09/04/12 21:25	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		09/04/12 21:25	75-27-4	
Bromoform	ND	ug/L	5.0	1		09/04/12 21:25	75-25-2	
Bromomethane	ND	ug/L	5.0	1		09/04/12 21:25	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		09/04/12 21:25	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		09/04/12 21:25	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		09/04/12 21:25	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		09/04/12 21:25	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		09/04/12 21:25	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		09/04/12 21:25	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		09/04/12 21:25	108-90-7	
Chloroethane	ND	ug/L	5.0	1		09/04/12 21:25	75-00-3	
Chloroform	ND	ug/L	5.0	1		09/04/12 21:25	67-66-3	
Chloromethane	ND	ug/L	5.0	1		09/04/12 21:25	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		09/04/12 21:25	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		09/04/12 21:25	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		09/04/12 21:25	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		09/04/12 21:25	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		09/04/12 21:25	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		09/04/12 21:25	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		09/04/12 21:25	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		09/04/12 21:25	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		09/04/12 21:25	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		09/04/12 21:25	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		09/04/12 21:25	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		09/04/12 21:25	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		09/04/12 21:25	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		09/04/12 21:25	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		09/04/12 21:25	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		09/04/12 21:25	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		09/04/12 21:25	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		09/04/12 21:25	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		09/04/12 21:25	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		09/04/12 21:25	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		09/04/12 21:25	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		09/04/12 21:25	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		09/04/12 21:25	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		09/04/12 21:25	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		09/04/12 21:25	591-78-6	
Iodomethane	ND	ug/L	10.0	1		09/04/12 21:25	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		09/04/12 21:25	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		09/04/12 21:25	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol
Pace Project No.: 5068122

Sample: EFFLUENT **Lab ID: 5068122006** Collected: 08/24/12 11:44 Received: 08/24/12 13:36 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		09/04/12 21:25	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		09/04/12 21:25	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		09/04/12 21:25	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		09/04/12 21:25	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		09/04/12 21:25	103-65-1	
Styrene	ND	ug/L	5.0	1		09/04/12 21:25	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		09/04/12 21:25	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		09/04/12 21:25	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		09/04/12 21:25	127-18-4	
Toluene	ND	ug/L	5.0	1		09/04/12 21:25	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		09/04/12 21:25	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		09/04/12 21:25	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		09/04/12 21:25	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		09/04/12 21:25	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		09/04/12 21:25	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		09/04/12 21:25	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		09/04/12 21:25	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		09/04/12 21:25	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		09/04/12 21:25	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		09/04/12 21:25	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		09/04/12 21:25	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		09/04/12 21:25	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	100	%.	83-123	1		09/04/12 21:25	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	72-125	1		09/04/12 21:25	460-00-4	
Toluene-d8 (S)	92	%.	81-114	1		09/04/12 21:25	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 5068122

QC Batch: MSV/45442 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 5068122001, 5068122002, 5068122003, 5068122006

METHOD BLANK: 792005 Matrix: Water
Associated Lab Samples: 5068122001, 5068122002, 5068122003, 5068122006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	09/04/12 11:33	
1,1,1-Trichloroethane	ug/L	ND	5.0	09/04/12 11:33	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	09/04/12 11:33	
1,1,2-Trichloroethane	ug/L	ND	5.0	09/04/12 11:33	
1,1-Dichloroethane	ug/L	ND	5.0	09/04/12 11:33	
1,1-Dichloroethene	ug/L	ND	5.0	09/04/12 11:33	
1,1-Dichloropropene	ug/L	ND	5.0	09/04/12 11:33	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	09/04/12 11:33	
1,2,3-Trichloropropane	ug/L	ND	5.0	09/04/12 11:33	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	09/04/12 11:33	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	09/04/12 11:33	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	09/04/12 11:33	
1,2-Dichlorobenzene	ug/L	ND	5.0	09/04/12 11:33	
1,2-Dichloroethane	ug/L	ND	5.0	09/04/12 11:33	
1,2-Dichloropropane	ug/L	ND	5.0	09/04/12 11:33	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	09/04/12 11:33	
1,3-Dichlorobenzene	ug/L	ND	5.0	09/04/12 11:33	
1,3-Dichloropropane	ug/L	ND	5.0	09/04/12 11:33	
1,4-Dichlorobenzene	ug/L	ND	5.0	09/04/12 11:33	
2,2-Dichloropropane	ug/L	ND	5.0	09/04/12 11:33	
2-Butanone (MEK)	ug/L	ND	25.0	09/04/12 11:33	
2-Chlorotoluene	ug/L	ND	5.0	09/04/12 11:33	
2-Hexanone	ug/L	ND	25.0	09/04/12 11:33	
4-Chlorotoluene	ug/L	ND	5.0	09/04/12 11:33	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	09/04/12 11:33	
Acetone	ug/L	ND	100	09/04/12 11:33	
Acrolein	ug/L	ND	50.0	09/04/12 11:33	
Acrylonitrile	ug/L	ND	100	09/04/12 11:33	
Benzene	ug/L	ND	5.0	09/04/12 11:33	
Bromobenzene	ug/L	ND	5.0	09/04/12 11:33	
Bromochloromethane	ug/L	ND	5.0	09/04/12 11:33	
Bromodichloromethane	ug/L	ND	5.0	09/04/12 11:33	
Bromoform	ug/L	ND	5.0	09/04/12 11:33	
Bromomethane	ug/L	ND	5.0	09/04/12 11:33	
Carbon disulfide	ug/L	ND	10.0	09/04/12 11:33	
Carbon tetrachloride	ug/L	ND	5.0	09/04/12 11:33	
Chlorobenzene	ug/L	ND	5.0	09/04/12 11:33	
Chloroethane	ug/L	ND	5.0	09/04/12 11:33	
Chloroform	ug/L	ND	5.0	09/04/12 11:33	
Chloromethane	ug/L	ND	5.0	09/04/12 11:33	
cis-1,2-Dichloroethene	ug/L	ND	5.0	09/04/12 11:33	
cis-1,3-Dichloropropene	ug/L	ND	5.0	09/04/12 11:33	
Dibromochloromethane	ug/L	ND	5.0	09/04/12 11:33	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 5068122

METHOD BLANK: 792005 Matrix: Water

Associated Lab Samples: 5068122001, 5068122002, 5068122003, 5068122006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	09/04/12 11:33	
Dichlorodifluoromethane	ug/L	ND	5.0	09/04/12 11:33	
Ethyl methacrylate	ug/L	ND	100	09/04/12 11:33	
Ethylbenzene	ug/L	ND	5.0	09/04/12 11:33	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	09/04/12 11:33	
Iodomethane	ug/L	ND	10.0	09/04/12 11:33	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	09/04/12 11:33	
Methyl-tert-butyl ether	ug/L	ND	4.0	09/04/12 11:33	
Methylene Chloride	ug/L	ND	5.0	09/04/12 11:33	
n-Butylbenzene	ug/L	ND	5.0	09/04/12 11:33	
n-Propylbenzene	ug/L	ND	5.0	09/04/12 11:33	
Naphthalene	ug/L	ND	5.0	09/04/12 11:33	
p-Isopropyltoluene	ug/L	ND	5.0	09/04/12 11:33	
sec-Butylbenzene	ug/L	ND	5.0	09/04/12 11:33	
Styrene	ug/L	ND	5.0	09/04/12 11:33	
tert-Butylbenzene	ug/L	ND	5.0	09/04/12 11:33	
Tetrachloroethene	ug/L	ND	5.0	09/04/12 11:33	
Toluene	ug/L	ND	5.0	09/04/12 11:33	
trans-1,2-Dichloroethene	ug/L	ND	5.0	09/04/12 11:33	
trans-1,3-Dichloropropene	ug/L	ND	5.0	09/04/12 11:33	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	09/04/12 11:33	
Trichloroethene	ug/L	ND	5.0	09/04/12 11:33	
Trichlorofluoromethane	ug/L	ND	5.0	09/04/12 11:33	
Vinyl acetate	ug/L	ND	50.0	09/04/12 11:33	
Vinyl chloride	ug/L	ND	2.0	09/04/12 11:33	
Xylene (Total)	ug/L	ND	10.0	09/04/12 11:33	
4-Bromofluorobenzene (S)	%.	104	72-125	09/04/12 11:33	
Dibromofluoromethane (S)	%.	102	83-123	09/04/12 11:33	
Toluene-d8 (S)	%.	95	81-114	09/04/12 11:33	

LABORATORY CONTROL SAMPLE: 792006

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	54.9	110	69-122	
1,1,1-Trichloroethane	ug/L	50	57.5	115	69-126	
1,1,2,2-Tetrachloroethane	ug/L	50	50.1	100	68-134	
1,1,2-Trichloroethane	ug/L	50	54.5	109	77-129	
1,1-Dichloroethane	ug/L	50	55.7	111	70-127	
1,1-Dichloroethene	ug/L	50	52.4	105	75-145	
1,1-Dichloropropene	ug/L	50	56.8	114	75-126	
1,2,3-Trichlorobenzene	ug/L	50	51.7	103	63-130	
1,2,3-Trichloropropane	ug/L	50	110	221	45-121	L3
1,2,4-Trichlorobenzene	ug/L	50	52.3	105	64-122	
1,2,4-Trimethylbenzene	ug/L	50	52.2	104	68-129	
1,2-Dibromoethane (EDB)	ug/L	50	51.3	103	77-123	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 5068122

LABORATORY CONTROL SAMPLE: 792006

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	48.7	97	74-123	
1,2-Dichloroethane	ug/L	50	53.1	106	71-127	
1,2-Dichloropropane	ug/L	50	57.2	114	75-126	
1,3,5-Trimethylbenzene	ug/L	50	51.3	103	69-129	
1,3-Dichlorobenzene	ug/L	50	49.2	98	76-123	
1,3-Dichloropropane	ug/L	50	48.9	98	77-126	
1,4-Dichlorobenzene	ug/L	50	45.9	92	77-121	
2,2-Dichloropropane	ug/L	50	68.2	136	45-138	
2-Butanone (MEK)	ug/L	250	271	109	42-177	
2-Chlorotoluene	ug/L	50	48.2	96	74-129	
2-Hexanone	ug/L	250	278	111	57-162	
4-Chlorotoluene	ug/L	50	51.5	103	70-125	
4-Methyl-2-pentanone (MIBK)	ug/L	250	262	105	64-135	
Acetone	ug/L	250	276	110	10-200	
Acrolein	ug/L	1000	719	72	10-200	
Acrylonitrile	ug/L	1000	1130	113	59-144	
Benzene	ug/L	50	49.6	99	76-123	
Bromobenzene	ug/L	50	50.8	102	67-130	
Bromochloromethane	ug/L	50	53.4	107	58-153	
Bromodichloromethane	ug/L	50	51.8	104	71-124	
Bromoform	ug/L	50	46.8	94	64-116	
Bromomethane	ug/L	50	86.3	173	23-197	
Carbon disulfide	ug/L	100	110	110	55-146	
Carbon tetrachloride	ug/L	50	62.1	124	65-125	
Chlorobenzene	ug/L	50	49.4	99	78-120	
Chloroethane	ug/L	50	75.6	151	56-163	
Chloroform	ug/L	50	54.1	108	73-122	
Chloromethane	ug/L	50	49.0	98	46-146	
cis-1,2-Dichloroethene	ug/L	50	52.1	104	79-129	
cis-1,3-Dichloropropene	ug/L	50	49.6	99	66-123	
Dibromochloromethane	ug/L	50	48.2	96	70-123	
Dibromomethane	ug/L	50	52.5	105	73-123	
Dichlorodifluoromethane	ug/L	50	51.5	103	19-200	
Ethyl methacrylate	ug/L	200	218	109	70-127	
Ethylbenzene	ug/L	50	48.3	97	75-120	
Hexachloro-1,3-butadiene	ug/L	50	50.6	101	64-131	
Iodomethane	ug/L	100	93.2	93	16-181	
Isopropylbenzene (Cumene)	ug/L	50	46.8	94	73-123	
Methyl-tert-butyl ether	ug/L	100	104	104	66-128	
Methylene Chloride	ug/L	50	51.6	103	61-138	
n-Butylbenzene	ug/L	50	50.5	101	69-130	
n-Propylbenzene	ug/L	50	49.2	98	71-132	
Naphthalene	ug/L	50	50.0	100	62-130	
p-Isopropyltoluene	ug/L	50	52.0	104	71-126	
sec-Butylbenzene	ug/L	50	49.6	99	69-130	
Styrene	ug/L	50	52.1	104	75-125	
tert-Butylbenzene	ug/L	50	38.2	76	49-114	
Tetrachloroethene	ug/L	50	50.6	101	57-125	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 5068122

LABORATORY CONTROL SAMPLE: 792006

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	47.8	96	72-124	
trans-1,2-Dichloroethene	ug/L	50	51.8	104	71-145	
trans-1,3-Dichloropropene	ug/L	50	54.6	109	58-118	
trans-1,4-Dichloro-2-butene	ug/L	200	207	103	50-121	
Trichloroethene	ug/L	50	53.0	106	77-122	
Trichlorofluoromethane	ug/L	50	63.6	127	56-159	
Vinyl acetate	ug/L	200	111	56	27-119	
Vinyl chloride	ug/L	50	48.7	97	61-146	
Xylene (Total)	ug/L	150	151	101	72-126	
4-Bromofluorobenzene (S)	%.			104	72-125	
Dibromofluoromethane (S)	%.			103	83-123	
Toluene-d8 (S)	%.			98	81-114	

MATRIX SPIKE SAMPLE: 792007

Parameter	Units	5068122006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	50	45.6	91	30-122	
1,1,1-Trichloroethane	ug/L	ND	50	52.1	104	37-136	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	40.6	81	47-132	
1,1,2-Trichloroethane	ug/L	ND	50	47.0	94	53-131	
1,1-Dichloroethane	ug/L	ND	50	50.5	101	47-138	
1,1-Dichloroethene	ug/L	ND	50	49.7	99	54-152	
1,1-Dichloropropene	ug/L	ND	50	53.0	106	47-136	
1,2,3-Trichlorobenzene	ug/L	ND	50	38.9	78	15-132	
1,2,3-Trichloropropane	ug/L	ND	50	77.5	155	24-108	M0
1,2,4-Trichlorobenzene	ug/L	ND	50	39.5	79	10-130	
1,2,4-Trimethylbenzene	ug/L	ND	50	40.6	81	10-141	
1,2-Dibromoethane (EDB)	ug/L	ND	50	42.6	85	49-130	
1,2-Dichlorobenzene	ug/L	ND	50	39.6	79	20-137	
1,2-Dichloroethane	ug/L	ND	50	48.4	97	42-139	
1,2-Dichloropropane	ug/L	ND	50	48.3	97	50-131	
1,3,5-Trimethylbenzene	ug/L	ND	50	42.9	86	10-145	
1,3-Dichlorobenzene	ug/L	ND	50	38.3	77	13-143	
1,3-Dichloropropane	ug/L	ND	50	42.7	85	53-130	
1,4-Dichlorobenzene	ug/L	ND	50	38.0	76	13-140	
2,2-Dichloropropane	ug/L	ND	50	50.6	101	13-142	
2-Butanone (MEK)	ug/L	ND	250	222	89	43-142	
2-Chlorotoluene	ug/L	ND	50	39.9	80	15-145	
2-Hexanone	ug/L	ND	250	216	86	46-139	
4-Chlorotoluene	ug/L	ND	50	42.1	84	12-143	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	218	87	43-140	
Acetone	ug/L	ND	250	228	91	38-155	
Acrolein	ug/L	ND	1000	1230	123	11-200	
Acrylonitrile	ug/L	ND	1000	963	96	42-150	
Benzene	ug/L	ND	50	46.0	92	52-134	
Bromobenzene	ug/L	ND	50	43.2	86	25-140	
Bromochloromethane	ug/L	ND	50	47.6	95	54-144	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 5068122

MATRIX SPIKE SAMPLE: 792007

Parameter	Units	5068122006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/L	ND	50	45.2	90	42-128	
Bromoform	ug/L	ND	50	34.7	69	34-116	
Bromomethane	ug/L	ND	50	65.0	130	10-200	
Carbon disulfide	ug/L	ND	100	102	102	43-144	
Carbon tetrachloride	ug/L	ND	50	55.1	110	26-136	
Chlorobenzene	ug/L	ND	50	43.2	86	33-136	
Chloroethane	ug/L	ND	50	60.9	122	21-200	
Chloroform	ug/L	ND	50	49.9	100	50-134	
Chloromethane	ug/L	ND	50	45.5	91	32-160	
cis-1,2-Dichloroethene	ug/L	ND	50	47.7	95	48-145	
cis-1,3-Dichloropropene	ug/L	ND	50	39.3	79	35-116	
Dibromochloromethane	ug/L	ND	50	40.2	80	39-122	
Dibromomethane	ug/L	ND	50	47.1	94	49-134	
Dichlorodifluoromethane	ug/L	ND	50	54.9	110	35-200	
Ethyl methacrylate	ug/L	ND	200	183	92	54-123	
Ethylbenzene	ug/L	ND	50	42.7	85	29-132	
Hexachloro-1,3-butadiene	ug/L	ND	50	40.5	81	10-146	
Iodomethane	ug/L	ND	100	83.3	83	10-171	
Isopropylbenzene (Cumene)	ug/L	ND	50	41.2	82	11-146	
Methyl-tert-butyl ether	ug/L	ND	100	83.9	84	39-137	
Methylene Chloride	ug/L	ND	50	44.8	90	47-141	
n-Butylbenzene	ug/L	ND	50	42.4	85	10-156	
n-Propylbenzene	ug/L	ND	50	41.2	82	10-148	
Naphthalene	ug/L	ND	50	38.8	78	40-124	
p-Isopropyltoluene	ug/L	ND	50	43.9	88	10-150	
sec-Butylbenzene	ug/L	ND	50	42.3	85	10-150	
Styrene	ug/L	ND	50	43.0	86	20-143	
tert-Butylbenzene	ug/L	ND	50	32.2	64	10-123	
Tetrachloroethene	ug/L	ND	50	44.3	89	30-124	
Toluene	ug/L	ND	50	42.2	84	42-130	
trans-1,2-Dichloroethene	ug/L	ND	50	48.5	97	48-144	
trans-1,3-Dichloropropene	ug/L	ND	50	43.3	87	24-114	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	159	79	22-120	
Trichloroethene	ug/L	ND	50	47.7	95	44-130	
Trichlorofluoromethane	ug/L	ND	50	65.3	131	17-200	
Vinyl acetate	ug/L	ND	200	72.4	36	10-115	
Vinyl chloride	ug/L	ND	50	47.7	95	45-159	
Xylene (Total)	ug/L	ND	150	128	86	29-131	
4-Bromofluorobenzene (S)	%.				107	72-125	
Dibromofluoromethane (S)	%.				101	83-123	
Toluene-d8 (S)	%.				94	81-114	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 5068122

QC Batch: MSV/45454 | Analysis Method: EPA 8260
QC Batch Method: EPA 8260 | Analysis Description: 8260 MSV
Associated Lab Samples: 5068122004, 5068122005

METHOD BLANK: 792141 | Matrix: Water
Associated Lab Samples: 5068122004, 5068122005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	09/05/12 00:09	
1,1,1-Trichloroethane	ug/L	ND	5.0	09/05/12 00:09	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	09/05/12 00:09	
1,1,2-Trichloroethane	ug/L	ND	5.0	09/05/12 00:09	
1,1-Dichloroethane	ug/L	ND	5.0	09/05/12 00:09	
1,1-Dichloroethene	ug/L	ND	5.0	09/05/12 00:09	
1,1-Dichloropropene	ug/L	ND	5.0	09/05/12 00:09	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	09/05/12 00:09	
1,2,3-Trichloropropane	ug/L	ND	5.0	09/05/12 00:09	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	09/05/12 00:09	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	09/05/12 00:09	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	09/05/12 00:09	
1,2-Dichlorobenzene	ug/L	ND	5.0	09/05/12 00:09	
1,2-Dichloroethane	ug/L	ND	5.0	09/05/12 00:09	
1,2-Dichloropropane	ug/L	ND	5.0	09/05/12 00:09	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	09/05/12 00:09	
1,3-Dichlorobenzene	ug/L	ND	5.0	09/05/12 00:09	
1,3-Dichloropropane	ug/L	ND	5.0	09/05/12 00:09	
1,4-Dichlorobenzene	ug/L	ND	5.0	09/05/12 00:09	
2,2-Dichloropropane	ug/L	ND	5.0	09/05/12 00:09	
2-Butanone (MEK)	ug/L	ND	25.0	09/05/12 00:09	
2-Chlorotoluene	ug/L	ND	5.0	09/05/12 00:09	
2-Hexanone	ug/L	ND	25.0	09/05/12 00:09	
4-Chlorotoluene	ug/L	ND	5.0	09/05/12 00:09	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	09/05/12 00:09	
Acetone	ug/L	ND	100	09/05/12 00:09	
Acrolein	ug/L	ND	50.0	09/05/12 00:09	
Acrylonitrile	ug/L	ND	100	09/05/12 00:09	
Benzene	ug/L	ND	5.0	09/05/12 00:09	
Bromobenzene	ug/L	ND	5.0	09/05/12 00:09	
Bromochloromethane	ug/L	ND	5.0	09/05/12 00:09	
Bromodichloromethane	ug/L	ND	5.0	09/05/12 00:09	
Bromoform	ug/L	ND	5.0	09/05/12 00:09	
Bromomethane	ug/L	ND	5.0	09/05/12 00:09	
Carbon disulfide	ug/L	ND	10.0	09/05/12 00:09	
Carbon tetrachloride	ug/L	ND	5.0	09/05/12 00:09	
Chlorobenzene	ug/L	ND	5.0	09/05/12 00:09	
Chloroethane	ug/L	ND	5.0	09/05/12 00:09	
Chloroform	ug/L	ND	5.0	09/05/12 00:09	
Chloromethane	ug/L	ND	5.0	09/05/12 00:09	
cis-1,2-Dichloroethene	ug/L	ND	5.0	09/05/12 00:09	
cis-1,3-Dichloropropene	ug/L	ND	5.0	09/05/12 00:09	
Dibromochloromethane	ug/L	ND	5.0	09/05/12 00:09	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 5068122

METHOD BLANK: 792141 Matrix: Water

Associated Lab Samples: 5068122004, 5068122005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	09/05/12 00:09	
Dichlorodifluoromethane	ug/L	ND	5.0	09/05/12 00:09	
Ethyl methacrylate	ug/L	ND	100	09/05/12 00:09	
Ethylbenzene	ug/L	ND	5.0	09/05/12 00:09	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	09/05/12 00:09	
Iodomethane	ug/L	ND	10.0	09/05/12 00:09	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	09/05/12 00:09	
Methyl-tert-butyl ether	ug/L	ND	4.0	09/05/12 00:09	
Methylene Chloride	ug/L	ND	5.0	09/05/12 00:09	
n-Butylbenzene	ug/L	ND	5.0	09/05/12 00:09	
n-Propylbenzene	ug/L	ND	5.0	09/05/12 00:09	
Naphthalene	ug/L	ND	5.0	09/05/12 00:09	
p-Isopropyltoluene	ug/L	ND	5.0	09/05/12 00:09	
sec-Butylbenzene	ug/L	ND	5.0	09/05/12 00:09	
Styrene	ug/L	ND	5.0	09/05/12 00:09	
tert-Butylbenzene	ug/L	ND	5.0	09/05/12 00:09	
Tetrachloroethene	ug/L	ND	5.0	09/05/12 00:09	
Toluene	ug/L	ND	5.0	09/05/12 00:09	
trans-1,2-Dichloroethene	ug/L	ND	5.0	09/05/12 00:09	
trans-1,3-Dichloropropene	ug/L	ND	5.0	09/05/12 00:09	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	09/05/12 00:09	
Trichloroethene	ug/L	ND	5.0	09/05/12 00:09	
Trichlorofluoromethane	ug/L	ND	5.0	09/05/12 00:09	
Vinyl acetate	ug/L	ND	50.0	09/05/12 00:09	
Vinyl chloride	ug/L	ND	2.0	09/05/12 00:09	
Xylene (Total)	ug/L	ND	10.0	09/05/12 00:09	
4-Bromofluorobenzene (S)	%.	106	72-125	09/05/12 00:09	
Dibromofluoromethane (S)	%.	101	83-123	09/05/12 00:09	
Toluene-d8 (S)	%.	95	81-114	09/05/12 00:09	

LABORATORY CONTROL SAMPLE: 792142

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	51.9	104	69-122	
1,1,1-Trichloroethane	ug/L	50	55.3	111	69-126	
1,1,2,2-Tetrachloroethane	ug/L	50	45.2	90	68-134	
1,1,2-Trichloroethane	ug/L	50	51.5	103	77-129	
1,1-Dichloroethane	ug/L	50	55.0	110	70-127	
1,1-Dichloroethene	ug/L	50	51.2	102	75-145	
1,1-Dichloropropene	ug/L	50	55.1	110	75-126	
1,2,3-Trichlorobenzene	ug/L	50	47.2	94	63-130	
1,2,3-Trichloropropane	ug/L	50	89.9	180	45-121	L3
1,2,4-Trichlorobenzene	ug/L	50	46.1	92	64-122	
1,2,4-Trimethylbenzene	ug/L	50	46.6	93	68-129	
1,2-Dibromoethane (EDB)	ug/L	50	49.9	100	77-123	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 5068122

LABORATORY CONTROL SAMPLE: 792142

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	46.1	92	74-123	
1,2-Dichloroethane	ug/L	50	54.5	109	71-127	
1,2-Dichloropropane	ug/L	50	56.8	114	75-126	
1,3,5-Trimethylbenzene	ug/L	50	47.4	95	69-129	
1,3-Dichlorobenzene	ug/L	50	44.8	90	76-123	
1,3-Dichloropropane	ug/L	50	49.5	99	77-126	
1,4-Dichlorobenzene	ug/L	50	44.8	90	77-121	
2,2-Dichloropropane	ug/L	50	50.6	101	45-138	
2-Butanone (MEK)	ug/L	250	260	104	42-177	
2-Chlorotoluene	ug/L	50	44.5	89	74-129	
2-Hexanone	ug/L	250	258	103	57-162	
4-Chlorotoluene	ug/L	50	47.0	94	70-125	
4-Methyl-2-pentanone (MIBK)	ug/L	250	253	101	64-135	
Acetone	ug/L	250	273	109	10-200	
Acrolein	ug/L	1000	855	85	10-200	
Acrylonitrile	ug/L	1000	1150	115	59-144	
Benzene	ug/L	50	50.1	100	76-123	
Bromobenzene	ug/L	50	47.2	94	67-130	
Bromochloromethane	ug/L	50	54.5	109	58-153	
Bromodichloromethane	ug/L	50	51.1	102	71-124	
Bromoform	ug/L	50	41.4	83	64-116	
Bromomethane	ug/L	50	82.3	165	23-197	
Carbon disulfide	ug/L	100	109	109	55-146	
Carbon tetrachloride	ug/L	50	58.7	117	65-125	
Chlorobenzene	ug/L	50	47.2	94	78-120	
Chloroethane	ug/L	50	64.4	129	56-163	
Chloroform	ug/L	50	55.4	111	73-122	
Chloromethane	ug/L	50	47.4	95	46-146	
cis-1,2-Dichloroethene	ug/L	50	53.3	107	79-129	
cis-1,3-Dichloropropene	ug/L	50	44.4	89	66-123	
Dibromochloromethane	ug/L	50	46.5	93	70-123	
Dibromomethane	ug/L	50	53.8	108	73-123	
Dichlorodifluoromethane	ug/L	50	53.0	106	19-200	
Ethyl methacrylate	ug/L	200	204	102	70-127	
Ethylbenzene	ug/L	50	44.6	89	75-120	
Hexachloro-1,3-butadiene	ug/L	50	41.9	84	64-131	
Iodomethane	ug/L	100	100	100	16-181	
Isopropylbenzene (Cumene)	ug/L	50	44.3	89	73-123	
Methyl-tert-butyl ether	ug/L	100	102	102	66-128	
Methylene Chloride	ug/L	50	52.5	105	61-138	
n-Butylbenzene	ug/L	50	45.1	90	69-130	
n-Propylbenzene	ug/L	50	44.2	88	71-132	
Naphthalene	ug/L	50	46.0	92	62-130	
p-Isopropyltoluene	ug/L	50	47.5	95	71-126	
sec-Butylbenzene	ug/L	50	43.4	87	69-130	
Styrene	ug/L	50	49.2	98	75-125	
tert-Butylbenzene	ug/L	50	35.1	70	49-114	
Tetrachloroethene	ug/L	50	46.3	93	57-125	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 5068122

LABORATORY CONTROL SAMPLE: 792142

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	46.5	93	72-124	
trans-1,2-Dichloroethene	ug/L	50	52.7	105	71-145	
trans-1,3-Dichloropropene	ug/L	50	48.5	97	58-118	
trans-1,4-Dichloro-2-butene	ug/L	200	178	89	50-121	
Trichloroethene	ug/L	50	52.4	105	77-122	
Trichlorofluoromethane	ug/L	50	66.3	133	56-159	
Vinyl acetate	ug/L	200	110	55	27-119	
Vinyl chloride	ug/L	50	48.7	97	61-146	
Xylene (Total)	ug/L	150	141	94	72-126	
4-Bromofluorobenzene (S)	%.			103	72-125	
Dibromofluoromethane (S)	%.			104	83-123	
Toluene-d8 (S)	%.			94	81-114	

MATRIX SPIKE SAMPLE: 792143

Parameter	Units	5068164014 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	50	44.7	89	30-122	
1,1,1-Trichloroethane	ug/L	ND	50	54.5	109	37-136	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	42.0	84	47-132	
1,1,2-Trichloroethane	ug/L	ND	50	46.9	94	53-131	
1,1-Dichloroethane	ug/L	ND	50	51.6	103	47-138	
1,1-Dichloroethene	ug/L	ND	50	51.4	103	54-152	
1,1-Dichloropropene	ug/L	ND	50	55.4	111	47-136	
1,2,3-Trichlorobenzene	ug/L	ND	50	43.4	87	15-132	
1,2,3-Trichloropropane	ug/L	ND	50	76.5	153	24-108	M0
1,2,4-Trichlorobenzene	ug/L	ND	50	42.1	84	10-130	
1,2,4-Trimethylbenzene	ug/L	304	50	310	12	10-141	
1,2-Dibromoethane (EDB)	ug/L	ND	50	43.7	87	49-130	
1,2-Dichlorobenzene	ug/L	ND	50	42.5	85	20-137	
1,2-Dichloroethane	ug/L	ND	50	51.2	102	42-139	
1,2-Dichloropropane	ug/L	ND	50	52.8	106	50-131	
1,3,5-Trimethylbenzene	ug/L	61.5	50	96.3	70	10-145	
1,3-Dichlorobenzene	ug/L	ND	50	40.3	81	13-143	
1,3-Dichloropropane	ug/L	ND	50	43.5	87	53-130	
1,4-Dichlorobenzene	ug/L	ND	50	40.2	80	13-140	
2,2-Dichloropropane	ug/L	ND	50	40.6	81	13-142	
2-Butanone (MEK)	ug/L	ND	250	243	97	43-142	
2-Chlorotoluene	ug/L	ND	50	52.4	105	15-145	
2-Hexanone	ug/L	ND	250	238	95	46-139	
4-Chlorotoluene	ug/L	ND	50	41.3	83	12-143	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	222	89	43-140	
Acetone	ug/L	ND	250	249	99	38-155	
Acrolein	ug/L	ND	1000	1190	119	11-200	
Acrylonitrile	ug/L	ND	1000	999	100	42-150	
Benzene	ug/L	ND	50	51.9	98	52-134	
Bromobenzene	ug/L	ND	50	40.3	81	25-140	
Bromochloromethane	ug/L	ND	50	49.1	98	54-144	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol
Pace Project No.: 5068122

MATRIX SPIKE SAMPLE: 792143

Parameter	Units	5068164014 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/L	ND	50	46.0	92	42-128	
Bromoform	ug/L	ND	50	34.5	69	34-116	
Bromomethane	ug/L	ND	50	41.7	83	10-200	
Carbon disulfide	ug/L	ND	100	107	107	43-144	
Carbon tetrachloride	ug/L	ND	50	54.1	108	26-136	
Chlorobenzene	ug/L	ND	50	42.7	85	33-136	
Chloroethane	ug/L	ND	50	75.6	151	21-200	
Chloroform	ug/L	ND	50	52.2	99	50-134	
Chloromethane	ug/L	ND	50	48.1	96	32-160	
cis-1,2-Dichloroethene	ug/L	ND	50	46.7	93	48-145	
cis-1,3-Dichloropropene	ug/L	ND	50	40.3	81	35-116	
Dibromochloromethane	ug/L	ND	50	38.4	77	39-122	
Dibromomethane	ug/L	ND	50	50.1	100	49-134	
Dichlorodifluoromethane	ug/L	ND	50	57.7	115	35-200	
Ethyl methacrylate	ug/L	ND	200	183	91	54-123	
Ethylbenzene	ug/L	80.0	50	95.0	30	29-132	
Hexachloro-1,3-butadiene	ug/L	ND	50	35.4	71	10-146	
Iodomethane	ug/L	ND	100	65.7	66	10-171	
Isopropylbenzene (Cumene)	ug/L	24.5	50	62.7	76	11-146	
Methyl-tert-butyl ether	ug/L	ND	100	89.7	90	39-137	
Methylene Chloride	ug/L	ND	50	45.3	91	47-141	
n-Butylbenzene	ug/L	14.8	50	56.9	84	10-156	
n-Propylbenzene	ug/L	58.6	50	91.6	66	10-148	
Naphthalene	ug/L	29.2	50	68.3	78	40-124	
p-Isopropyltoluene	ug/L	ND	50	46.8	87	10-150	
sec-Butylbenzene	ug/L	ND	50	47.8	86	10-150	
Styrene	ug/L	ND	50	43.3	87	20-143	
tert-Butylbenzene	ug/L	ND	50	33.1	66	10-123	
Tetrachloroethene	ug/L	ND	50	44.1	88	30-124	
Toluene	ug/L	9.3	50	48.5	78	42-130	
trans-1,2-Dichloroethene	ug/L	ND	50	47.4	95	48-144	
trans-1,3-Dichloropropene	ug/L	ND	50	40.5	81	24-114	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	144	72	22-120	
Trichloroethene	ug/L	ND	50	50.6	101	44-130	
Trichlorofluoromethane	ug/L	ND	50	66.0	132	17-200	
Vinyl acetate	ug/L	ND	200	66.2	33	10-115	
Vinyl chloride	ug/L	ND	50	45.5	91	45-159	
Xylene (Total)	ug/L	174	150	246	48	29-131	
4-Bromofluorobenzene (S)	%.				104	72-125	
Dibromofluoromethane (S)	%.				103	83-123	
Toluene-d8 (S)	%.				92	81-114	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALIFIERS

Project: Amphenol
Pace Project No.: 5068122

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

L3	Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.
M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Amphenol
Pace Project No.: 5068122

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
5068122001	**RW-1**	EPA 8260	MSV/45442		
5068122002	**RW-2**	EPA 8260	MSV/45442		
5068122003	**RW-3**	EPA 8260	MSV/45442		
5068122004	**RW-4**	EPA 8260	MSV/45454		
5068122005	**RW-5**	EPA 8260	MSV/45454		
5068122006	**EFFLUENT**	EPA 8260	MSV/45442		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

MWN

Section A — Required Client Information:

Company:	IWM Consulting
Address:	7428 Rockville Road
	Indianapolis, IN 46214
Email To:	cparks@iwmconsult.com
Phone:	347-1111 Fax:
Requested Due Date/TAT:	10 Day (Default)

Section B — Required Project Information:

Report To:	Chris Parks
Copy To:	
Purchase Order No.	AMP 11-05
Client Project ID:	Amphenol
Container Order Number:	69929

Section C — Invoice Information:

Attention:	Chris Parks
Company Name:	IWM Consulting
Address:	7428 Rockville Road, Indianapolis, IN 462
Pace Quote Reference:	
Pace Project Manager:	Hunt, Kenneth
Pace Profile #:	

Regulatory Agency: RCRA - Resource Conservation and Recovery Act

State / Location: Indiana

Requested Analysis Filtered (Y/N)

ITEM#	SAMPLE ID (One Character per box. (A-Z, 0-9 / , -) Sample Ids must be unique)	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED START DATE	COLLECTED START TIME	COLLECTED END DATE	COLLECTED END TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives: Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other	Analysis Test	VOC 8260 WT	Residual Chlorine (Y/N)	
1	RW-1	WT	G	8-24-12	11:48				3				X						X		001
2	RW-2	WT			11:52				3				X						X		002
3	RW-3	WT			11:57				3				X						X		003
4	RW-4	WT			12:10				3				X						X		004
5	RW-5	WT			12:04				3				X						X		005
6	EFFLUENT	WT			11:44				3				X						X		006
7																					
8																					
9																					
10																					
11																					
12																					

5068122

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
	Ralph Wilson IWM	8-24-12	1:36 pm	[illegible]	8/24/12	1336	1.7	Y	N	Y

W/Client del

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Ralph Wilson

SIGNATURE of SAMPLER: Ralph Wilson

DATE Signed:

TEMP in C | Received on Ice (Y/N) | Custody Sealed Cooler (Y/N) | Samples Intact (Y/N)

Sample Condition Upon Receipt

Pace Analytical

Client Name: IWM Project # 5068122

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace Other

Tracking #:

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Date/Time 5035A kits placed in freezer

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☒ Other Ice/Foam block

Thermometer Used 1 2 3 4 6 A B C D E **Type of Ice:** Wet Blue None ☒ Samples on ice, cooling process has begun

Cooler Temperature 1.7°C **Ice Visible in Sample Containers:** ☐ yes ☒ no

(Corrected, if applicable)

Temp should be above freezing to 6°C

Date and initials of person examining contents: 8/24/12 Kelly

				Comments:
Chain of Custody Present:	☒Yes	☐No	☐N/A	1.
Chain of Custody Filled Out:	☒Yes	☐No	☐N/A	2.
Chain of Custody Relinquished:	☒Yes	☐No	☐N/A	3.
Sampler Name & Signature on COC:	☒Yes	☐No	☐N/A	4.
Short Hold Time Analysis (<72hr):	☐Yes	☒No	☐N/A	5.
Rush Turn Around Time Requested:	☐Yes	☒No	☐N/A	6.
Containers Intact:	☒Yes	☐No	☐N/A	7.
Sample Labels match COC: -Includes date/time/ID/Analysis	☒Yes	☐No	☐N/A	8.
All containers needing acid/base pres. have been checked? xceptions: VOA, coliform, TOC, O&G	☐Yes	☐No	☒N/A	9. (Circle) HNO3 H2SO4 NaOH HCl
All containers needing preservation are found to be in compliance with EPA recommendation.	☐Yes	☐No	☒N/A	
Headspace in VOA Vials (>6mm)	☐Yes	☒No	☐N/A	10.
Trip Blank Present:	☒Yes	☐No	☐N/A	11. 3 Trip blanks received not on C.O.C
Trip Blank Custody Seals Present	☒Yes	☐No	☐N/A	Not Needed per Chris Parks
Samples Arrived within Hold Time:	☐Yes	☐No	☐N/A	12.
Sufficient Volume:	☐Yes	☐No	☐N/A	13.
Correct Containers Used:	☐Yes	☐No	☐N/A	14.

Client Notification/ Resolution: Field Data Required? Y / N

Person Contacted: Chris Parks Date/Time: 8/24/12

Comments/ Resolution:

Project Manager Review: Kenneth Hurst **Date:** 8/24/12

Form F-IN-Q290-rev.04, 28Apr2011

Sample Cor ıer Count

Pace Analytical
www.pacelabs.com

CLIENT: IWM

COC PAGE 1 of 1
COC ID#

Project # 5068122

Sample Line Item	DG9H	AG1U	WGFU	AG0U	R 4 / 6	BP2N	BP2U	BP2S	BP3N	BP3U	BP3S	AG3S	AG1H			Comments
1	3															
2																
3																
4																
5																
6																
7																Trip blank not on Coc.
8																
9																
10																
11																
12																

Container Codes

DG9H	40mL HCL amber voa vial	AG0U	100mL unpreserved amber glass	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WGFU	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber gl	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved amber vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	I	Wipe/Swab
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber gla	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber gla	AF	Air Filter	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved clear vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear gla	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag

APPENDIX C

Semi-Annual Groundwater Sampling Logs

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	I4-2	Project No.	IN-AMP-12-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	10/5/12
		Time In	11:05 Time Out 11:15

I. Well Information

Reference point on well casing		(TOC)	N
Well Diameter	ID 2"	OD	
Total Well Depth	17.30		
Depth to Water	13.56		
Slug Test Performed		Y	(N)
Redevelop		Y	(N)

II. Well Water Information

Length of water column (ft.)		3.74
Volume of water in well (gal.)		.60
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		1.82	Evacuation Method	Bailer
Did well go dry ?	Y	N	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	11:15
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		16.4
Conductivity (uS/cm)		.821
pH (SU)		6.93
ORP (mV)		-131.1
DO (mg/L)		6.1
Film	Y	(N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel [signature]

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	4-3	Project No.	IN-AMP-12-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	10/5/12
		Time In	10:24 Time Out 10:38

I. Well Information

Reference point on well casing		Y	N
Well Diameter	ID 2"	OD 2	
Total Well Depth	13.70		
Depth to Water	11.24		
Slug Test Performed		Y	N
Redevelop		Y	N

II. Well Water Information

Length of water column (ft.)		2.46
Volume of water in well (gal.)		.40
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		1.20	Evacuation Method	Bailer
Did well go dry ?	Y	N	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	10:35
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		17.1
Conductivity (uS/cm)		.984
pH (SU)		6.9
ORP (mV)		206.3
DO (mg/L)		2.1
Film	Y	N

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel [illegible]

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	MW- 12R	Project No.	IN-AMP-12-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	10/5/12
		Time In	1125 Time Out 1140

I. Well Information

Reference point on well casing		(Y)	N
Well Diameter	ID 2"	OD	
Total Well Depth	25.20		
Depth to Water	17.95		
Slug Test Performed		Y	(N)
Redevelop		Y	(N)

II. Well Water Information

Length of water column (ft.)		7.25
Volume of water in well (gal.)		1.18
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		3.54	Evacuation Method	Bailer
Did well go dry ?	Y	(N)	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	1140
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		15.6
Conductivity (uS/cm)		1.052
pH (SU)		6.83
ORP (mV)		34.4
DO (mg/L)		.87
Film	Y	(N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel Ralph Mier

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	MW-20	Project No.	IN-AMP-12-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	10/5/12
		Time In	9:40 Time Out 9:55

I. Well Information

Reference point on well casing		Y	N
Well Diameter	ID 2"	OD	
Total Well Depth	23.45		
Depth to Water	11.10		
Slug Test Performed		Y	N
Redevelop		Y	N

II. Well Water Information

Length of water column (ft.)		12.35
Volume of water in well (gal.)		2.01
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		6.03	Evacuation Method	Bailer
Did well go dry ?	Y	N	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	10:00
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		14.9
Conductivity (uS/cm)		870
pH (SU)		5.81
ORP (mV)		322.9
DO (mg/L)		2.65
Film	Y	N

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel [illegible]

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	MW- 22	Project No.	IN-AMP-12-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	10/5/12
		Time In	1141 Time Out 1155

I. Well Information

Reference point on well casing		(Y)	N
Well Diameter	ID 2"	OD	
Total Well Depth	24.00		
Depth to Water	18.52		
Slug Test Performed		Y	(N)
Redevelop		Y	(N)

II. Well Water Information

Length of water column (ft.)		4.89
Volume of water in well (gal.)		.79
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		2.67	Evacuation Method	Bailer
Did well go dry ?	Y	(N)	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	11:55
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		15.9
Conductivity (uS/cm)		1.557
pH (SU)		6.77
ORP (mV)		-101.5
DO (mg/L)		.46
Film	Y	(N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel [signature]

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	MW-28	Project No.	IN-AMP-12-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	10/5/12
		Time In	1300 Time Out 1315

I. Well Information

Reference point on well casing		O	N
Well Diameter	ID 2"	OD	
Total Well Depth	25.25		
Depth to Water	18.35		
Slug Test Performed		Y	N
Redevelop		Y	N

II. Well Water Information

Length of water column (ft.)		6.90
Volume of water in well (gal.)		1.12
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		3.37	Evacuation Method	Bailer
Did well go dry ?	Y	N	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	1315
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		16.1
Conductivity (uS/cm)		1.041
pH (SU)		6.93
ORP (mV)		75.0
DO (mg/L)		3.5
Film	Y	N

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (RWM)

Field Personnel [signature]

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	MW-29	Project No.	IN-AMP-12-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	10/5/12
		Time In	1318 Time Out 1325

I. Well Information

Reference point on well casing		(Y)	N
Well Diameter	ID 2"	OD	
Total Well Depth	25.53		
Depth to Water	18.15		
Slug Test Performed		Y	(N)
Redevelop		Y	(N)

II. Well Water Information

Length of water column (ft.)		7.38
Volume of water in well (gal.)		1.20
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		3.60	Evacuation Method	Bailer
Did well go dry ?	Y	(N)	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	1325
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		14.4
Conductivity (uS/cm)		823
pH (SU)		6.73
ORP (mV)		81.8
DO (mg/L)		.62
Film	Y	(N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel [signature]

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	MW-30	Project No.	IN-AMP-12-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	10/5/12
		Time In	10:48 Time Out 11:01

I. Well Information

Reference point on well casing		(Y)	N
Well Diameter	ID 2"	OD	
Total Well Depth	21.20		
Depth to Water	15.94		
Slug Test Performed		Y	(N)
Redevelop		Y	(N)

II. Well Water Information

Length of water column (ft.)		5.26
Volume of water in well (gal.)		.85
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		2.56	Evacuation Method	Bailer
Did well go dry ?	Y	(N)	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	11.05
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		16.3
Conductivity (uS/cm)		922
pH (SU)		6.98
ORP (mV)		146.5
DO (mg/L)		1.6
Film	Y	(N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel R. Mier

APPENDIX D

Laboratory Analytical Report
Semi-Annual Groundwater Samples

iWM CONSULTING GROUP

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

October 19, 2012

Mr. Chris Parks
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Dear Mr. Parks:
Enclosed are the analytical results for sample(s) received by the laboratory on October 05, 2012. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kenneth Hunt

kenneth.hunt@pacelabs.com
Project Manager

Enclosures

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

CERTIFICATIONS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Indiana Certification IDs
7726 Moller Road, Indianapolis, IN 46268
Illinois Certification #: 200074
Indiana Certification #: C-49-06
Kansas Certification #: E-10247
Kentucky Certification #: 0042
Louisiana/NELAC Certification #: 04076
Ohio VAP Certification #: CL0065
Pennsylvania Certification #: 68-04991
West Virginia Certification #: 330

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

SAMPLE SUMMARY

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Lab ID	Sample ID	Matrix	Date Collected	Date Received
5070413001	**IT-2**	Water	10/05/12 11:15	10/05/12 15:38
5070413002	**IT-3**	Water	10/05/12 10:35	10/05/12 15:38
5070413003	**MW-12R**	Water	10/05/12 11:40	10/05/12 15:38
5070413004	**MW-20**	Water	10/05/12 10:00	10/05/12 15:38
5070413005	**MW-22**	Water	10/05/12 11:55	10/05/12 15:38
5070413006	**MW-28**	Water	10/05/12 13:15	10/05/12 15:38
5070413007	**MW-29**	Water	10/05/12 13:25	10/05/12 15:38
5070413008	**MW-30**	Water	10/05/12 11:05	10/05/12 15:38
5070413009	**DUPLICATE**	Water	10/05/12 08:00	10/05/12 15:38
5070413010	**TRIP BLANK**	Water	10/05/12 08:00	10/05/12 15:38

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

SAMPLE ANALYTE COUNT

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Lab ID	Sample ID	Method	Analysts	Analytes Reported
5070413001	IT-2	EPA 8260	KMU	72
5070413002	IT-3	EPA 8260	KMU	72
5070413003	MW-12R	EPA 8260	KMU	72
5070413004	MW-20	EPA 8260	KMU	72
5070413005	MW-22	EPA 8260	KMU	72
5070413006	MW-28	EPA 8260	KMU	72
5070413007	MW-29	EPA 8260	KMU	72
5070413008	MW-30	EPA 8260	KMU	72
5070413009	DUPLICATE	EPA 8260	KMU	72
5070413010	TRIP BLANK	EPA 8260	KMU	72

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: IT-2 **Lab ID: 5070413001** Collected: 10/05/12 11:15 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		10/16/12 04:48	67-64-1	
Acrolein	ND	ug/L	50.0	1		10/16/12 04:48	107-02-8	
Acrylonitrile	ND	ug/L	100	1		10/16/12 04:48	107-13-1	
Benzene	ND	ug/L	5.0	1		10/16/12 04:48	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		10/16/12 04:48	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		10/16/12 04:48	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		10/16/12 04:48	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/16/12 04:48	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/16/12 04:48	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/16/12 04:48	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		10/16/12 04:48	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		10/16/12 04:48	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		10/16/12 04:48	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		10/16/12 04:48	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/16/12 04:48	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/16/12 04:48	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/16/12 04:48	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/16/12 04:48	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/16/12 04:48	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		10/16/12 04:48	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		10/16/12 04:48	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		10/16/12 04:48	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/16/12 04:48	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		10/16/12 04:48	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/16/12 04:48	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/16/12 04:48	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/16/12 04:48	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		10/16/12 04:48	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/16/12 04:48	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/16/12 04:48	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/16/12 04:48	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/16/12 04:48	75-35-4	
cis-1,2-Dichloroethene	**33.3**	ug/L	5.0	1		10/16/12 04:48	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/12 04:48	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/16/12 04:48	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		10/16/12 04:48	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		10/16/12 04:48	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		10/16/12 04:48	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/12 04:48	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/12 04:48	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/16/12 04:48	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		10/16/12 04:48	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		10/16/12 04:48	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		10/16/12 04:48	591-78-6	
Iodomethane	ND	ug/L	10.0	1		10/16/12 04:48	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/16/12 04:48	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		10/16/12 04:48	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: IT-2 **Lab ID: 5070413001** Collected: 10/05/12 11:15 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		10/16/12 04:48	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/16/12 04:48	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/16/12 04:48	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		10/16/12 04:48	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		10/16/12 04:48	103-65-1	
Styrene	ND	ug/L	5.0	1		10/16/12 04:48	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/12 04:48	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/12 04:48	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/16/12 04:48	127-18-4	
Toluene	ND	ug/L	5.0	1		10/16/12 04:48	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		10/16/12 04:48	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/16/12 04:48	120-82-1	
1,1,1-Trichloroethane	**5.6**	ug/L	5.0	1		10/16/12 04:48	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/16/12 04:48	79-00-5	
Trichloroethene	**31.7**	ug/L	5.0	1		10/16/12 04:48	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/16/12 04:48	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		10/16/12 04:48	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		10/16/12 04:48	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		10/16/12 04:48	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		10/16/12 04:48	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		10/16/12 04:48	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		10/16/12 04:48	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	94	%.	83-123	1		10/16/12 04:48	1868-53-7	
4-Bromofluorobenzene (S)	91	%.	72-125	1		10/16/12 04:48	460-00-4	
Toluene-d8 (S)	95	%.	81-114	1		10/16/12 04:48	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: IT-3 **Lab ID: 5070413002** Collected: 10/05/12 10:35 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		10/16/12 05:54	67-64-1	
Acrolein	ND	ug/L	50.0	1		10/16/12 05:54	107-02-8	
Acrylonitrile	ND	ug/L	100	1		10/16/12 05:54	107-13-1	
Benzene	ND	ug/L	5.0	1		10/16/12 05:54	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		10/16/12 05:54	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		10/16/12 05:54	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		10/16/12 05:54	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/16/12 05:54	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/16/12 05:54	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/16/12 05:54	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		10/16/12 05:54	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		10/16/12 05:54	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		10/16/12 05:54	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		10/16/12 05:54	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/16/12 05:54	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/16/12 05:54	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/16/12 05:54	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/16/12 05:54	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/16/12 05:54	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		10/16/12 05:54	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		10/16/12 05:54	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		10/16/12 05:54	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/16/12 05:54	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		10/16/12 05:54	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/16/12 05:54	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/16/12 05:54	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/16/12 05:54	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		10/16/12 05:54	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/16/12 05:54	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/16/12 05:54	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/16/12 05:54	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/16/12 05:54	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/12 05:54	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/12 05:54	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/16/12 05:54	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		10/16/12 05:54	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		10/16/12 05:54	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		10/16/12 05:54	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/12 05:54	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/12 05:54	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/16/12 05:54	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		10/16/12 05:54	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		10/16/12 05:54	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		10/16/12 05:54	591-78-6	
Iodomethane	ND	ug/L	10.0	1		10/16/12 05:54	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/16/12 05:54	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		10/16/12 05:54	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: IT-3 **Lab ID: 5070413002** Collected: 10/05/12 10:35 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		10/16/12 05:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/16/12 05:54	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/16/12 05:54	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		10/16/12 05:54	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		10/16/12 05:54	103-65-1	
Styrene	ND	ug/L	5.0	1		10/16/12 05:54	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/12 05:54	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/12 05:54	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/16/12 05:54	127-18-4	
Toluene	ND	ug/L	5.0	1		10/16/12 05:54	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		10/16/12 05:54	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/16/12 05:54	120-82-1	
1,1,1-Trichloroethane	**6.6**	ug/L	5.0	1		10/16/12 05:54	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/16/12 05:54	79-00-5	
Trichloroethene	**7.0**	ug/L	5.0	1		10/16/12 05:54	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/16/12 05:54	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		10/16/12 05:54	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		10/16/12 05:54	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		10/16/12 05:54	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		10/16/12 05:54	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		10/16/12 05:54	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		10/16/12 05:54	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	93	%.	83-123	1		10/16/12 05:54	1868-53-7	
4-Bromofluorobenzene (S)	91	%.	72-125	1		10/16/12 05:54	460-00-4	
Toluene-d8 (S)	96	%.	81-114	1		10/16/12 05:54	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: MW-12R **Lab ID: 5070413003** Collected: 10/05/12 11:40 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		10/16/12 06:27	67-64-1	
Acrolein	ND	ug/L	50.0	1		10/16/12 06:27	107-02-8	
Acrylonitrile	ND	ug/L	100	1		10/16/12 06:27	107-13-1	
Benzene	ND	ug/L	5.0	1		10/16/12 06:27	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		10/16/12 06:27	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		10/16/12 06:27	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		10/16/12 06:27	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/16/12 06:27	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/16/12 06:27	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/16/12 06:27	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		10/16/12 06:27	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		10/16/12 06:27	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		10/16/12 06:27	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		10/16/12 06:27	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/16/12 06:27	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/16/12 06:27	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/16/12 06:27	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/16/12 06:27	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/16/12 06:27	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		10/16/12 06:27	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		10/16/12 06:27	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		10/16/12 06:27	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/16/12 06:27	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		10/16/12 06:27	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/16/12 06:27	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/16/12 06:27	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/16/12 06:27	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		10/16/12 06:27	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/16/12 06:27	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/16/12 06:27	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/16/12 06:27	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/16/12 06:27	75-35-4	
cis-1,2-Dichloroethene	**23.0**	ug/L	5.0	1		10/16/12 06:27	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/12 06:27	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/16/12 06:27	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		10/16/12 06:27	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		10/16/12 06:27	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		10/16/12 06:27	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/12 06:27	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/12 06:27	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/16/12 06:27	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		10/16/12 06:27	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		10/16/12 06:27	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		10/16/12 06:27	591-78-6	
Iodomethane	ND	ug/L	10.0	1		10/16/12 06:27	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/16/12 06:27	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		10/16/12 06:27	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: MW-12R **Lab ID: 5070413003** Collected: 10/05/12 11:40 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		10/16/12 06:27	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/16/12 06:27	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/16/12 06:27	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		10/16/12 06:27	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		10/16/12 06:27	103-65-1	
Styrene	ND	ug/L	5.0	1		10/16/12 06:27	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/12 06:27	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/12 06:27	79-34-5	
Tetrachloroethene	**687**	ug/L	100	20		10/16/12 15:25	127-18-4	
Toluene	ND	ug/L	5.0	1		10/16/12 06:27	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		10/16/12 06:27	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/16/12 06:27	120-82-1	
1,1,1-Trichloroethane	**45.6**	ug/L	5.0	1		10/16/12 06:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/16/12 06:27	79-00-5	
Trichloroethene	**135**	ug/L	5.0	1		10/16/12 06:27	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/16/12 06:27	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		10/16/12 06:27	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		10/16/12 06:27	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		10/16/12 06:27	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		10/16/12 06:27	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		10/16/12 06:27	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		10/16/12 06:27	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	93	%.	83-123	1		10/16/12 06:27	1868-53-7	
4-Bromofluorobenzene (S)	88	%.	72-125	1		10/16/12 06:27	460-00-4	
Toluene-d8 (S)	88	%.	81-114	1		10/16/12 06:27	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: MW-20 **Lab ID: 5070413004** Collected: 10/05/12 10:00 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		10/16/12 07:00	67-64-1	
Acrolein	ND	ug/L	50.0	1		10/16/12 07:00	107-02-8	
Acrylonitrile	ND	ug/L	100	1		10/16/12 07:00	107-13-1	
Benzene	ND	ug/L	5.0	1		10/16/12 07:00	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		10/16/12 07:00	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		10/16/12 07:00	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		10/16/12 07:00	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/16/12 07:00	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/16/12 07:00	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/16/12 07:00	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		10/16/12 07:00	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		10/16/12 07:00	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		10/16/12 07:00	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		10/16/12 07:00	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/16/12 07:00	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/16/12 07:00	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/16/12 07:00	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/16/12 07:00	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/16/12 07:00	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		10/16/12 07:00	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		10/16/12 07:00	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		10/16/12 07:00	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/16/12 07:00	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		10/16/12 07:00	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/16/12 07:00	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/16/12 07:00	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/16/12 07:00	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		10/16/12 07:00	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/16/12 07:00	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/16/12 07:00	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/16/12 07:00	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/16/12 07:00	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/12 07:00	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/16/12 07:00	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/16/12 07:00	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		10/16/12 07:00	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		10/16/12 07:00	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		10/16/12 07:00	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/12 07:00	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/16/12 07:00	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/16/12 07:00	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		10/16/12 07:00	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		10/16/12 07:00	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		10/16/12 07:00	591-78-6	
Iodomethane	ND	ug/L	10.0	1		10/16/12 07:00	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/16/12 07:00	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		10/16/12 07:00	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: MW-20 **Lab ID: 5070413004** Collected: 10/05/12 10:00 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		10/16/12 07:00	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/16/12 07:00	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/16/12 07:00	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		10/16/12 07:00	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		10/16/12 07:00	103-65-1	
Styrene	ND	ug/L	5.0	1		10/16/12 07:00	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/12 07:00	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/16/12 07:00	79-34-5	
Tetrachloroethene	**5.0**	ug/L	5.0	1		10/16/12 07:00	127-18-4	
Toluene	ND	ug/L	5.0	1		10/16/12 07:00	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		10/16/12 07:00	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/16/12 07:00	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/16/12 07:00	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/16/12 07:00	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/16/12 07:00	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/16/12 07:00	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		10/16/12 07:00	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		10/16/12 07:00	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		10/16/12 07:00	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		10/16/12 07:00	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		10/16/12 07:00	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		10/16/12 07:00	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	90	%.	83-123	1		10/16/12 07:00	1868-53-7	
4-Bromofluorobenzene (S)	91	%.	72-125	1		10/16/12 07:00	460-00-4	
Toluene-d8 (S)	96	%.	81-114	1		10/16/12 07:00	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: MW-22 **Lab ID: 5070413005** Collected: 10/05/12 11:55 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		10/17/12 02:54	67-64-1	
Acrolein	ND	ug/L	50.0	1		10/17/12 02:54	107-02-8	
Acrylonitrile	ND	ug/L	100	1		10/17/12 02:54	107-13-1	
Benzene	ND	ug/L	5.0	1		10/17/12 02:54	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		10/17/12 02:54	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		10/17/12 02:54	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		10/17/12 02:54	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/17/12 02:54	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/17/12 02:54	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/17/12 02:54	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		10/17/12 02:54	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		10/17/12 02:54	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		10/17/12 02:54	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		10/17/12 02:54	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/17/12 02:54	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/17/12 02:54	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/17/12 02:54	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/17/12 02:54	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/17/12 02:54	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		10/17/12 02:54	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		10/17/12 02:54	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		10/17/12 02:54	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/17/12 02:54	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		10/17/12 02:54	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 02:54	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 02:54	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 02:54	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		10/17/12 02:54	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/17/12 02:54	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/17/12 02:54	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/17/12 02:54	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/17/12 02:54	75-35-4	
cis-1,2-Dichloroethene	**69.3**	ug/L	5.0	1		10/17/12 02:54	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/12 02:54	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/17/12 02:54	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		10/17/12 02:54	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		10/17/12 02:54	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		10/17/12 02:54	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/12 02:54	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/12 02:54	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/17/12 02:54	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		10/17/12 02:54	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		10/17/12 02:54	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		10/17/12 02:54	591-78-6	
Iodomethane	ND	ug/L	10.0	1		10/17/12 02:54	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/17/12 02:54	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		10/17/12 02:54	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: MW-22 **Lab ID: 5070413005** Collected: 10/05/12 11:55 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		10/17/12 02:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/17/12 02:54	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/17/12 02:54	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		10/17/12 02:54	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		10/17/12 02:54	103-65-1	
Styrene	ND	ug/L	5.0	1		10/17/12 02:54	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/12 02:54	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/12 02:54	79-34-5	
Tetrachloroethene	**710**	ug/L	50.0	10		10/18/12 20:12	127-18-4	
Toluene	ND	ug/L	5.0	1		10/17/12 02:54	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		10/17/12 02:54	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/17/12 02:54	120-82-1	
1,1,1-Trichloroethane	**10.2**	ug/L	5.0	1		10/17/12 02:54	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/17/12 02:54	79-00-5	
Trichloroethene	**111**	ug/L	5.0	1		10/17/12 02:54	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/17/12 02:54	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		10/17/12 02:54	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		10/17/12 02:54	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		10/17/12 02:54	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		10/17/12 02:54	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		10/17/12 02:54	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		10/17/12 02:54	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	89	%.	83-123	1		10/17/12 02:54	1868-53-7	
4-Bromofluorobenzene (S)	87	%.	72-125	1		10/17/12 02:54	460-00-4	
Toluene-d8 (S)	87	%.	81-114	1		10/17/12 02:54	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: MW-28 **Lab ID: 5070413006** Collected: 10/05/12 13:15 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		10/17/12 03:27	67-64-1	
Acrolein	ND	ug/L	50.0	1		10/17/12 03:27	107-02-8	
Acrylonitrile	ND	ug/L	100	1		10/17/12 03:27	107-13-1	
Benzene	ND	ug/L	5.0	1		10/17/12 03:27	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		10/17/12 03:27	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		10/17/12 03:27	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		10/17/12 03:27	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/17/12 03:27	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/17/12 03:27	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/17/12 03:27	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		10/17/12 03:27	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		10/17/12 03:27	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		10/17/12 03:27	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		10/17/12 03:27	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/17/12 03:27	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/17/12 03:27	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/17/12 03:27	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/17/12 03:27	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/17/12 03:27	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		10/17/12 03:27	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		10/17/12 03:27	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		10/17/12 03:27	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/17/12 03:27	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		10/17/12 03:27	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 03:27	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 03:27	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 03:27	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		10/17/12 03:27	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/17/12 03:27	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/17/12 03:27	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/17/12 03:27	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/17/12 03:27	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/12 03:27	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/12 03:27	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/17/12 03:27	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		10/17/12 03:27	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		10/17/12 03:27	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		10/17/12 03:27	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/12 03:27	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/12 03:27	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/17/12 03:27	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		10/17/12 03:27	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		10/17/12 03:27	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		10/17/12 03:27	591-78-6	
Iodomethane	ND	ug/L	10.0	1		10/17/12 03:27	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/17/12 03:27	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		10/17/12 03:27	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: MW-28 **Lab ID: 5070413006** Collected: 10/05/12 13:15 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		10/17/12 03:27	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/17/12 03:27	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/17/12 03:27	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		10/17/12 03:27	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		10/17/12 03:27	103-65-1	
Styrene	ND	ug/L	5.0	1		10/17/12 03:27	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/12 03:27	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/12 03:27	79-34-5	
Tetrachloroethene	**32.7**	ug/L	5.0	1		10/17/12 03:27	127-18-4	
Toluene	ND	ug/L	5.0	1		10/17/12 03:27	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		10/17/12 03:27	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/17/12 03:27	120-82-1	
1,1,1-Trichloroethane	**13.4**	ug/L	5.0	1		10/17/12 03:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/17/12 03:27	79-00-5	
Trichloroethene	**13.9**	ug/L	5.0	1		10/17/12 03:27	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/17/12 03:27	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		10/17/12 03:27	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		10/17/12 03:27	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		10/17/12 03:27	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		10/17/12 03:27	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		10/17/12 03:27	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		10/17/12 03:27	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	93	%.	83-123	1		10/17/12 03:27	1868-53-7	
4-Bromofluorobenzene (S)	91	%.	72-125	1		10/17/12 03:27	460-00-4	
Toluene-d8 (S)	96	%.	81-114	1		10/17/12 03:27	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: MW-29 **Lab ID: 5070413007** Collected: 10/05/12 13:25 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		10/17/12 03:59	67-64-1	
Acrolein	ND	ug/L	50.0	1		10/17/12 03:59	107-02-8	
Acrylonitrile	ND	ug/L	100	1		10/17/12 03:59	107-13-1	
Benzene	ND	ug/L	5.0	1		10/17/12 03:59	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		10/17/12 03:59	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		10/17/12 03:59	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		10/17/12 03:59	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/17/12 03:59	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/17/12 03:59	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/17/12 03:59	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		10/17/12 03:59	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		10/17/12 03:59	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		10/17/12 03:59	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		10/17/12 03:59	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/17/12 03:59	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/17/12 03:59	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/17/12 03:59	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/17/12 03:59	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/17/12 03:59	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		10/17/12 03:59	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		10/17/12 03:59	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		10/17/12 03:59	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/17/12 03:59	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		10/17/12 03:59	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 03:59	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 03:59	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 03:59	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		10/17/12 03:59	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/17/12 03:59	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/17/12 03:59	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/17/12 03:59	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/17/12 03:59	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/12 03:59	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/12 03:59	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/17/12 03:59	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		10/17/12 03:59	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		10/17/12 03:59	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		10/17/12 03:59	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/12 03:59	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/12 03:59	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/17/12 03:59	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		10/17/12 03:59	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		10/17/12 03:59	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		10/17/12 03:59	591-78-6	
Iodomethane	ND	ug/L	10.0	1		10/17/12 03:59	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/17/12 03:59	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		10/17/12 03:59	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: MW-29 **Lab ID: 5070413007** Collected: 10/05/12 13:25 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		10/17/12 03:59	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/17/12 03:59	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/17/12 03:59	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		10/17/12 03:59	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		10/17/12 03:59	103-65-1	
Styrene	ND	ug/L	5.0	1		10/17/12 03:59	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/12 03:59	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/12 03:59	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/17/12 03:59	127-18-4	
Toluene	ND	ug/L	5.0	1		10/17/12 03:59	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		10/17/12 03:59	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/17/12 03:59	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/17/12 03:59	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/17/12 03:59	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/17/12 03:59	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/17/12 03:59	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		10/17/12 03:59	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		10/17/12 03:59	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		10/17/12 03:59	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		10/17/12 03:59	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		10/17/12 03:59	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		10/17/12 03:59	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	93	%.	83-123	1		10/17/12 03:59	1868-53-7	
4-Bromofluorobenzene (S)	91	%.	72-125	1		10/17/12 03:59	460-00-4	
Toluene-d8 (S)	98	%.	81-114	1		10/17/12 03:59	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: MW-30 **Lab ID: 5070413008** Collected: 10/05/12 11:05 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		10/17/12 04:32	67-64-1	
Acrolein	ND	ug/L	50.0	1		10/17/12 04:32	107-02-8	
Acrylonitrile	ND	ug/L	100	1		10/17/12 04:32	107-13-1	
Benzene	ND	ug/L	5.0	1		10/17/12 04:32	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		10/17/12 04:32	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		10/17/12 04:32	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		10/17/12 04:32	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/17/12 04:32	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/17/12 04:32	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/17/12 04:32	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		10/17/12 04:32	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		10/17/12 04:32	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		10/17/12 04:32	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		10/17/12 04:32	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/17/12 04:32	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/17/12 04:32	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/17/12 04:32	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/17/12 04:32	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/17/12 04:32	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		10/17/12 04:32	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		10/17/12 04:32	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		10/17/12 04:32	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/17/12 04:32	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		10/17/12 04:32	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 04:32	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 04:32	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 04:32	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		10/17/12 04:32	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/17/12 04:32	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/17/12 04:32	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/17/12 04:32	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/17/12 04:32	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/12 04:32	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/12 04:32	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/17/12 04:32	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		10/17/12 04:32	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		10/17/12 04:32	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		10/17/12 04:32	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/12 04:32	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/12 04:32	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/17/12 04:32	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		10/17/12 04:32	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		10/17/12 04:32	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		10/17/12 04:32	591-78-6	
Iodomethane	ND	ug/L	10.0	1		10/17/12 04:32	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/17/12 04:32	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		10/17/12 04:32	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: MW-30 **Lab ID: 5070413008** Collected: 10/05/12 11:05 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		10/17/12 04:32	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/17/12 04:32	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/17/12 04:32	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		10/17/12 04:32	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		10/17/12 04:32	103-65-1	
Styrene	ND	ug/L	5.0	1		10/17/12 04:32	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/12 04:32	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/12 04:32	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/17/12 04:32	127-18-4	
Toluene	ND	ug/L	5.0	1		10/17/12 04:32	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		10/17/12 04:32	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/17/12 04:32	120-82-1	
1,1,1-Trichloroethane	**15.4**	ug/L	5.0	1		10/17/12 04:32	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/17/12 04:32	79-00-5	
Trichloroethene	**5.0**	ug/L	5.0	1		10/17/12 04:32	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/17/12 04:32	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		10/17/12 04:32	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		10/17/12 04:32	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		10/17/12 04:32	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		10/17/12 04:32	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		10/17/12 04:32	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		10/17/12 04:32	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	94	%.	83-123	1		10/17/12 04:32	1868-53-7	
4-Bromofluorobenzene (S)	91	%.	72-125	1		10/17/12 04:32	460-00-4	
Toluene-d8 (S)	96	%.	81-114	1		10/17/12 04:32	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: DUPLICATE **Lab ID: 5070413009** Collected: 10/05/12 08:00 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		10/17/12 05:05	67-64-1	
Acrolein	ND	ug/L	50.0	1		10/17/12 05:05	107-02-8	
Acrylonitrile	ND	ug/L	100	1		10/17/12 05:05	107-13-1	
Benzene	ND	ug/L	5.0	1		10/17/12 05:05	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		10/17/12 05:05	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		10/17/12 05:05	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		10/17/12 05:05	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/17/12 05:05	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/17/12 05:05	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/17/12 05:05	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		10/17/12 05:05	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		10/17/12 05:05	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		10/17/12 05:05	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		10/17/12 05:05	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/17/12 05:05	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/17/12 05:05	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/17/12 05:05	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/17/12 05:05	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/17/12 05:05	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		10/17/12 05:05	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		10/17/12 05:05	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		10/17/12 05:05	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/17/12 05:05	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		10/17/12 05:05	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 05:05	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 05:05	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 05:05	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		10/17/12 05:05	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/17/12 05:05	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/17/12 05:05	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/17/12 05:05	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/17/12 05:05	75-35-4	
cis-1,2-Dichloroethene	**65.4**	ug/L	5.0	1		10/17/12 05:05	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/12 05:05	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/17/12 05:05	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		10/17/12 05:05	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		10/17/12 05:05	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		10/17/12 05:05	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/12 05:05	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/12 05:05	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/17/12 05:05	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		10/17/12 05:05	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		10/17/12 05:05	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		10/17/12 05:05	591-78-6	
Iodomethane	ND	ug/L	10.0	1		10/17/12 05:05	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/17/12 05:05	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		10/17/12 05:05	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: DUPLICATE **Lab ID: 5070413009** Collected: 10/05/12 08:00 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		10/17/12 05:05	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/17/12 05:05	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/17/12 05:05	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		10/17/12 05:05	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		10/17/12 05:05	103-65-1	
Styrene	ND	ug/L	5.0	1		10/17/12 05:05	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/12 05:05	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/12 05:05	79-34-5	
Tetrachloroethene	**722**	ug/L	50.0	10		10/18/12 21:17	127-18-4	
Toluene	ND	ug/L	5.0	1		10/17/12 05:05	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		10/17/12 05:05	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/17/12 05:05	120-82-1	
1,1,1-Trichloroethane	**9.9**	ug/L	5.0	1		10/17/12 05:05	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/17/12 05:05	79-00-5	
Trichloroethene	**108**	ug/L	5.0	1		10/17/12 05:05	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/17/12 05:05	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		10/17/12 05:05	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		10/17/12 05:05	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		10/17/12 05:05	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		10/17/12 05:05	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		10/17/12 05:05	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		10/17/12 05:05	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	89	%.	83-123	1		10/17/12 05:05	1868-53-7	
4-Bromofluorobenzene (S)	88	%.	72-125	1		10/17/12 05:05	460-00-4	
Toluene-d8 (S)	88	%.	81-114	1		10/17/12 05:05	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: TRIP BLANK **Lab ID: 5070413010** Collected: 10/05/12 08:00 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		10/17/12 05:38	67-64-1	
Acrolein	ND	ug/L	50.0	1		10/17/12 05:38	107-02-8	
Acrylonitrile	ND	ug/L	100	1		10/17/12 05:38	107-13-1	
Benzene	ND	ug/L	5.0	1		10/17/12 05:38	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		10/17/12 05:38	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		10/17/12 05:38	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		10/17/12 05:38	75-27-4	
Bromoform	ND	ug/L	5.0	1		10/17/12 05:38	75-25-2	
Bromomethane	ND	ug/L	5.0	1		10/17/12 05:38	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		10/17/12 05:38	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		10/17/12 05:38	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		10/17/12 05:38	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		10/17/12 05:38	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		10/17/12 05:38	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		10/17/12 05:38	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		10/17/12 05:38	108-90-7	
Chloroethane	ND	ug/L	5.0	1		10/17/12 05:38	75-00-3	
Chloroform	ND	ug/L	5.0	1		10/17/12 05:38	67-66-3	
Chloromethane	ND	ug/L	5.0	1		10/17/12 05:38	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		10/17/12 05:38	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		10/17/12 05:38	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		10/17/12 05:38	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		10/17/12 05:38	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		10/17/12 05:38	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 05:38	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 05:38	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		10/17/12 05:38	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		10/17/12 05:38	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		10/17/12 05:38	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		10/17/12 05:38	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		10/17/12 05:38	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		10/17/12 05:38	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/12 05:38	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		10/17/12 05:38	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		10/17/12 05:38	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		10/17/12 05:38	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		10/17/12 05:38	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		10/17/12 05:38	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/12 05:38	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		10/17/12 05:38	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		10/17/12 05:38	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		10/17/12 05:38	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		10/17/12 05:38	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		10/17/12 05:38	591-78-6	
Iodomethane	ND	ug/L	10.0	1		10/17/12 05:38	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		10/17/12 05:38	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		10/17/12 05:38	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Sample: TRIP BLANK **Lab ID: 5070413010** Collected: 10/05/12 08:00 Received: 10/05/12 15:38 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		10/17/12 05:38	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		10/17/12 05:38	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		10/17/12 05:38	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		10/17/12 05:38	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		10/17/12 05:38	103-65-1	
Styrene	ND	ug/L	5.0	1		10/17/12 05:38	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/12 05:38	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		10/17/12 05:38	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		10/17/12 05:38	127-18-4	
Toluene	ND	ug/L	5.0	1		10/17/12 05:38	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		10/17/12 05:38	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		10/17/12 05:38	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		10/17/12 05:38	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		10/17/12 05:38	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		10/17/12 05:38	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		10/17/12 05:38	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		10/17/12 05:38	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		10/17/12 05:38	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		10/17/12 05:38	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		10/17/12 05:38	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		10/17/12 05:38	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		10/17/12 05:38	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	94	%.	83-123	1		10/17/12 05:38	1868-53-7	
4-Bromofluorobenzene (S)	90	%.	72-125	1		10/17/12 05:38	460-00-4	
Toluene-d8 (S)	97	%.	81-114	1		10/17/12 05:38	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

QC Batch: MSV/46913 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 5070413001, 5070413002, 5070413003, 5070413004

METHOD BLANK: 816365 Matrix: Water
Associated Lab Samples: 5070413001, 5070413002, 5070413003, 5070413004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	10/15/12 21:05	
1,1,1-Trichloroethane	ug/L	ND	5.0	10/15/12 21:05	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	10/15/12 21:05	
1,1,2-Trichloroethane	ug/L	ND	5.0	10/15/12 21:05	
1,1-Dichloroethane	ug/L	ND	5.0	10/15/12 21:05	
1,1-Dichloroethene	ug/L	ND	5.0	10/15/12 21:05	
1,1-Dichloropropene	ug/L	ND	5.0	10/15/12 21:05	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	10/15/12 21:05	
1,2,3-Trichloropropane	ug/L	ND	5.0	10/15/12 21:05	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	10/15/12 21:05	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	10/15/12 21:05	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	10/15/12 21:05	
1,2-Dichlorobenzene	ug/L	ND	5.0	10/15/12 21:05	
1,2-Dichloroethane	ug/L	ND	5.0	10/15/12 21:05	
1,2-Dichloropropane	ug/L	ND	5.0	10/15/12 21:05	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	10/15/12 21:05	
1,3-Dichlorobenzene	ug/L	ND	5.0	10/15/12 21:05	
1,3-Dichloropropane	ug/L	ND	5.0	10/15/12 21:05	
1,4-Dichlorobenzene	ug/L	ND	5.0	10/15/12 21:05	
2,2-Dichloropropane	ug/L	ND	5.0	10/15/12 21:05	
2-Butanone (MEK)	ug/L	ND	25.0	10/15/12 21:05	
2-Chlorotoluene	ug/L	ND	5.0	10/15/12 21:05	
2-Hexanone	ug/L	ND	25.0	10/15/12 21:05	
4-Chlorotoluene	ug/L	ND	5.0	10/15/12 21:05	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	10/15/12 21:05	
Acetone	ug/L	ND	100	10/15/12 21:05	
Acrolein	ug/L	ND	50.0	10/15/12 21:05	
Acrylonitrile	ug/L	ND	100	10/15/12 21:05	
Benzene	ug/L	ND	5.0	10/15/12 21:05	
Bromobenzene	ug/L	ND	5.0	10/15/12 21:05	
Bromochloromethane	ug/L	ND	5.0	10/15/12 21:05	
Bromodichloromethane	ug/L	ND	5.0	10/15/12 21:05	
Bromoform	ug/L	ND	5.0	10/15/12 21:05	
Bromomethane	ug/L	ND	5.0	10/15/12 21:05	
Carbon disulfide	ug/L	ND	10.0	10/15/12 21:05	
Carbon tetrachloride	ug/L	ND	5.0	10/15/12 21:05	
Chlorobenzene	ug/L	ND	5.0	10/15/12 21:05	
Chloroethane	ug/L	ND	5.0	10/15/12 21:05	
Chloroform	ug/L	ND	5.0	10/15/12 21:05	
Chloromethane	ug/L	ND	5.0	10/15/12 21:05	
cis-1,2-Dichloroethene	ug/L	ND	5.0	10/15/12 21:05	
cis-1,3-Dichloropropene	ug/L	ND	5.0	10/15/12 21:05	
Dibromochloromethane	ug/L	ND	5.0	10/15/12 21:05	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

METHOD BLANK: 816365 Matrix: Water

Associated Lab Samples: 5070413001, 5070413002, 5070413003, 5070413004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	10/15/12 21:05	
Dichlorodifluoromethane	ug/L	ND	5.0	10/15/12 21:05	
Ethyl methacrylate	ug/L	ND	100	10/15/12 21:05	
Ethylbenzene	ug/L	ND	5.0	10/15/12 21:05	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	10/15/12 21:05	
Iodomethane	ug/L	ND	10.0	10/15/12 21:05	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	10/15/12 21:05	
Methyl-tert-butyl ether	ug/L	ND	4.0	10/15/12 21:05	
Methylene Chloride	ug/L	ND	5.0	10/15/12 21:05	
n-Butylbenzene	ug/L	ND	5.0	10/15/12 21:05	
n-Propylbenzene	ug/L	ND	5.0	10/15/12 21:05	
Naphthalene	ug/L	ND	5.0	10/15/12 21:05	
p-Isopropyltoluene	ug/L	ND	5.0	10/15/12 21:05	
sec-Butylbenzene	ug/L	ND	5.0	10/15/12 21:05	
Styrene	ug/L	ND	5.0	10/15/12 21:05	
tert-Butylbenzene	ug/L	ND	5.0	10/15/12 21:05	
Tetrachloroethene	ug/L	ND	5.0	10/15/12 21:05	
Toluene	ug/L	ND	5.0	10/15/12 21:05	
trans-1,2-Dichloroethene	ug/L	ND	5.0	10/15/12 21:05	
trans-1,3-Dichloropropene	ug/L	ND	5.0	10/15/12 21:05	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	10/15/12 21:05	
Trichloroethene	ug/L	ND	5.0	10/15/12 21:05	
Trichlorofluoromethane	ug/L	ND	5.0	10/15/12 21:05	
Vinyl acetate	ug/L	ND	50.0	10/15/12 21:05	
Vinyl chloride	ug/L	ND	2.0	10/15/12 21:05	
Xylene (Total)	ug/L	ND	10.0	10/15/12 21:05	
4-Bromofluorobenzene (S)	%.	93	72-125	10/15/12 21:05	
Dibromofluoromethane (S)	%.	96	83-123	10/15/12 21:05	
Toluene-d8 (S)	%.	96	81-114	10/15/12 21:05	

LABORATORY CONTROL SAMPLE: 816366

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	48.0	96	69-122	
1,1,1-Trichloroethane	ug/L	50	47.6	95	69-126	
1,1,2,2-Tetrachloroethane	ug/L	50	48.9	98	68-134	
1,1,2-Trichloroethane	ug/L	50	56.9	114	77-129	
1,1-Dichloroethane	ug/L	50	56.3	113	70-127	
1,1-Dichloroethene	ug/L	50	57.0	114	75-145	
1,1-Dichloropropene	ug/L	50	51.5	103	75-126	
1,2,3-Trichlorobenzene	ug/L	50	49.4	99	63-130	
1,2,3-Trichloropropane	ug/L	50	82.4	165	45-121	L3
1,2,4-Trichlorobenzene	ug/L	50	48.3	97	64-122	
1,2,4-Trimethylbenzene	ug/L	50	52.4	105	68-129	
1,2-Dibromoethane (EDB)	ug/L	50	54.7	109	77-123	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

LABORATORY CONTROL SAMPLE: 816366

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	52.1	104	74-123	
1,2-Dichloroethane	ug/L	50	55.8	112	71-127	
1,2-Dichloropropane	ug/L	50	48.3	97	75-126	
1,3,5-Trimethylbenzene	ug/L	50	51.3	103	69-129	
1,3-Dichlorobenzene	ug/L	50	52.8	106	76-123	
1,3-Dichloropropane	ug/L	50	55.1	110	77-126	
1,4-Dichlorobenzene	ug/L	50	53.1	106	77-121	
2,2-Dichloropropane	ug/L	50	34.6	69	45-138	
2-Butanone (MEK)	ug/L	250	271	108	42-177	
2-Chlorotoluene	ug/L	50	51.7	103	74-129	
2-Hexanone	ug/L	250	256	102	57-162	
4-Chlorotoluene	ug/L	50	52.8	106	70-125	
4-Methyl-2-pentanone (MIBK)	ug/L	250	251	100	64-135	
Acetone	ug/L	250	323	129	10-200	
Acrolein	ug/L	1000	2180	218	10-200	L0
Acrylonitrile	ug/L	1000	1110	111	59-144	
Benzene	ug/L	50	47.8	96	76-123	
Bromobenzene	ug/L	50	54.6	109	67-130	
Bromochloromethane	ug/L	50	52.8	106	58-153	
Bromodichloromethane	ug/L	50	48.0	96	71-124	
Bromoform	ug/L	50	36.7	73	64-116	
Bromomethane	ug/L	50	66.4	133	23-197	
Carbon disulfide	ug/L	100	84.2	84	55-146	
Carbon tetrachloride	ug/L	50	43.0	86	65-125	
Chlorobenzene	ug/L	50	52.6	105	78-120	
Chloroethane	ug/L	50	61.3	123	56-163	
Chloroform	ug/L	50	55.4	111	73-122	
Chloromethane	ug/L	50	56.6	113	46-146	
cis-1,2-Dichloroethene	ug/L	50	51.9	104	79-129	
cis-1,3-Dichloropropene	ug/L	50	47.0	94	66-123	
Dibromochloromethane	ug/L	50	45.2	90	70-123	
Dibromomethane	ug/L	50	52.9	106	73-123	
Dichlorodifluoromethane	ug/L	50	52.7	105	19-200	
Ethyl methacrylate	ug/L	200	211	106	70-127	
Ethylbenzene	ug/L	50	53.7	107	75-120	
Hexachloro-1,3-butadiene	ug/L	50	50.7	101	64-131	
Iodomethane	ug/L	100	108	108	16-181	
Isopropylbenzene (Cumene)	ug/L	50	53.1	106	73-123	
Methyl-tert-butyl ether	ug/L	100	97.1	97	66-128	
Methylene Chloride	ug/L	50	57.7	115	61-138	
n-Butylbenzene	ug/L	50	52.6	105	69-130	
n-Propylbenzene	ug/L	50	50.2	100	71-132	
Naphthalene	ug/L	50	50.9	102	62-130	
p-Isopropyltoluene	ug/L	50	53.2	106	71-126	
sec-Butylbenzene	ug/L	50	51.4	103	69-130	
Styrene	ug/L	50	55.1	110	75-125	
tert-Butylbenzene	ug/L	50	44.8	90	49-114	
Tetrachloroethene	ug/L	50	54.1	108	57-125	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

LABORATORY CONTROL SAMPLE: 816366

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	51.2	102	72-124	
trans-1,2-Dichloroethene	ug/L	50	51.0	102	71-145	
trans-1,3-Dichloropropene	ug/L	50	43.1	86	58-118	
trans-1,4-Dichloro-2-butene	ug/L	200	202	101	50-121	
Trichloroethene	ug/L	50	49.1	98	77-122	
Trichlorofluoromethane	ug/L	50	56.9	114	56-159	
Vinyl acetate	ug/L	200	101	51	27-119	
Vinyl chloride	ug/L	50	44.0	88	61-146	
Xylene (Total)	ug/L	150	162	108	72-126	
4-Bromofluorobenzene (S)	%.			101	72-125	
Dibromofluoromethane (S)	%.			93	83-123	
Toluene-d8 (S)	%.			97	81-114	

MATRIX SPIKE SAMPLE: 816367

Parameter	Units	5070399001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	50	44.1	88	30-122	
1,1,1-Trichloroethane	ug/L	ND	50	49.0	98	37-136	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	47.3	95	47-132	
1,1,2-Trichloroethane	ug/L	ND	50	55.3	111	53-131	
1,1-Dichloroethane	ug/L	ND	50	57.3	115	47-138	
1,1-Dichloroethene	ug/L	ND	50	57.8	116	54-152	
1,1-Dichloropropene	ug/L	ND	50	56.3	113	47-136	
1,2,3-Trichlorobenzene	ug/L	ND	50	45.6	91	15-132	
1,2,3-Trichloropropane	ug/L	ND	50	78.3	157	24-108	M0
1,2,4-Trichlorobenzene	ug/L	ND	50	44.9	90	10-130	
1,2,4-Trimethylbenzene	ug/L	ND	50	51.1	102	10-141	
1,2-Dibromoethane (EDB)	ug/L	ND	50	53.3	107	49-130	
1,2-Dichlorobenzene	ug/L	ND	50	49.5	99	20-137	
1,2-Dichloroethane	ug/L	ND	50	53.3	107	42-139	
1,2-Dichloropropane	ug/L	ND	50	47.8	96	50-131	
1,3,5-Trimethylbenzene	ug/L	ND	50	51.0	102	10-145	
1,3-Dichlorobenzene	ug/L	ND	50	50.8	102	13-143	
1,3-Dichloropropane	ug/L	ND	50	54.3	109	53-130	
1,4-Dichlorobenzene	ug/L	ND	50	51.3	103	13-140	
2,2-Dichloropropane	ug/L	ND	50	40.8	82	13-142	
2-Butanone (MEK)	ug/L	ND	250	282	113	43-142	
2-Chlorotoluene	ug/L	ND	50	50.6	101	15-145	
2-Hexanone	ug/L	ND	250	273	109	46-139	
4-Chlorotoluene	ug/L	ND	50	51.8	104	12-143	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	264	106	43-140	
Acetone	ug/L	ND	250	304	121	38-155	
Acrolein	ug/L	ND	1000	1890	189	11-200	
Acrylonitrile	ug/L	ND	1000	1090	109	42-150	
Benzene	ug/L	ND	50	49.4	99	52-134	
Bromobenzene	ug/L	ND	50	54.3	109	25-140	
Bromochloromethane	ug/L	ND	50	48.9	98	54-144	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

MATRIX SPIKE SAMPLE: 816367

Parameter	Units	5070399001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/L	ND	50	43.2	86	42-128	
Bromoform	ug/L	ND	50	30.3	61	34-116	
Bromomethane	ug/L	ND	50	60.3	121	10-200	
Carbon disulfide	ug/L	ND	100	84.5	85	43-144	
Carbon tetrachloride	ug/L	ND	50	43.4	87	26-136	
Chlorobenzene	ug/L	ND	50	52.5	105	33-136	
Chloroethane	ug/L	ND	50	57.3	115	21-200	
Chloroform	ug/L	ND	50	54.3	109	50-134	
Chloromethane	ug/L	ND	50	47.5	95	32-160	
cis-1,2-Dichloroethene	ug/L	ND	50	50.2	100	48-145	
cis-1,3-Dichloropropene	ug/L	ND	50	44.2	88	35-116	
Dibromochloromethane	ug/L	ND	50	39.3	79	39-122	
Dibromomethane	ug/L	ND	50	50.1	100	49-134	
Dichlorodifluoromethane	ug/L	ND	50	55.2	110	35-200	
Ethyl methacrylate	ug/L	ND	200	212	106	54-123	
Ethylbenzene	ug/L	ND	50	56.2	112	29-132	
Hexachloro-1,3-butadiene	ug/L	ND	50	51.2	102	10-146	
Iodomethane	ug/L	ND	100	97.1	97	10-171	
Isopropylbenzene (Cumene)	ug/L	ND	50	56.7	113	11-146	
Methyl-tert-butyl ether	ug/L	ND	100	94.3	94	39-137	
Methylene Chloride	ug/L	ND	50	54.6	109	47-141	
n-Butylbenzene	ug/L	ND	50	54.8	110	10-156	
n-Propylbenzene	ug/L	ND	50	51.5	103	10-148	
Naphthalene	ug/L	ND	50	49.4	99	40-124	
p-Isopropyltoluene	ug/L	ND	50	54.9	110	10-150	
sec-Butylbenzene	ug/L	ND	50	54.1	108	10-150	
Styrene	ug/L	ND	50	54.9	110	20-143	
tert-Butylbenzene	ug/L	ND	50	46.0	92	10-123	
Tetrachloroethene	ug/L	ND	50	58.1	116	30-124	
Toluene	ug/L	ND	50	52.8	106	42-130	
trans-1,2-Dichloroethene	ug/L	ND	50	54.2	108	48-144	
trans-1,3-Dichloropropene	ug/L	ND	50	40.2	80	24-114	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	209	104	22-120	
Trichloroethene	ug/L	ND	50	50.5	101	44-130	
Trichlorofluoromethane	ug/L	ND	50	58.8	118	17-200	
Vinyl acetate	ug/L	ND	200	74.8	37	10-115	
Vinyl chloride	ug/L	ND	50	44.6	89	45-159	
Xylene (Total)	ug/L	ND	150	165	110	29-131	
4-Bromofluorobenzene (S)	%.				102	72-125	
Dibromofluoromethane (S)	%.				91	83-123	
Toluene-d8 (S)	%.				97	81-114	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

QC Batch: MSV/46943 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 5070413005, 5070413006, 5070413007, 5070413008, 5070413009, 5070413010

METHOD BLANK: 816751 Matrix: Water
Associated Lab Samples: 5070413005, 5070413006, 5070413007, 5070413008, 5070413009, 5070413010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	10/16/12 23:04	
1,1,1-Trichloroethane	ug/L	ND	5.0	10/16/12 23:04	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	10/16/12 23:04	
1,1,2-Trichloroethane	ug/L	ND	5.0	10/16/12 23:04	
1,1-Dichloroethane	ug/L	ND	5.0	10/16/12 23:04	
1,1-Dichloroethene	ug/L	ND	5.0	10/16/12 23:04	
1,1-Dichloropropene	ug/L	ND	5.0	10/16/12 23:04	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	10/16/12 23:04	
1,2,3-Trichloropropane	ug/L	ND	5.0	10/16/12 23:04	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	10/16/12 23:04	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	10/16/12 23:04	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	10/16/12 23:04	
1,2-Dichlorobenzene	ug/L	ND	5.0	10/16/12 23:04	
1,2-Dichloroethane	ug/L	ND	5.0	10/16/12 23:04	
1,2-Dichloropropane	ug/L	ND	5.0	10/16/12 23:04	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	10/16/12 23:04	
1,3-Dichlorobenzene	ug/L	ND	5.0	10/16/12 23:04	
1,3-Dichloropropane	ug/L	ND	5.0	10/16/12 23:04	
1,4-Dichlorobenzene	ug/L	ND	5.0	10/16/12 23:04	
2,2-Dichloropropane	ug/L	ND	5.0	10/16/12 23:04	
2-Butanone (MEK)	ug/L	ND	25.0	10/16/12 23:04	
2-Chlorotoluene	ug/L	ND	5.0	10/16/12 23:04	
2-Hexanone	ug/L	ND	25.0	10/16/12 23:04	
4-Chlorotoluene	ug/L	ND	5.0	10/16/12 23:04	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	10/16/12 23:04	
Acetone	ug/L	ND	100	10/16/12 23:04	
Acrolein	ug/L	ND	50.0	10/16/12 23:04	
Acrylonitrile	ug/L	ND	100	10/16/12 23:04	
Benzene	ug/L	ND	5.0	10/16/12 23:04	
Bromobenzene	ug/L	ND	5.0	10/16/12 23:04	
Bromochloromethane	ug/L	ND	5.0	10/16/12 23:04	
Bromodichloromethane	ug/L	ND	5.0	10/16/12 23:04	
Bromoform	ug/L	ND	5.0	10/16/12 23:04	
Bromomethane	ug/L	ND	5.0	10/16/12 23:04	
Carbon disulfide	ug/L	ND	10.0	10/16/12 23:04	
Carbon tetrachloride	ug/L	ND	5.0	10/16/12 23:04	
Chlorobenzene	ug/L	ND	5.0	10/16/12 23:04	
Chloroethane	ug/L	ND	5.0	10/16/12 23:04	
Chloroform	ug/L	ND	5.0	10/16/12 23:04	
Chloromethane	ug/L	ND	5.0	10/16/12 23:04	
cis-1,2-Dichloroethene	ug/L	ND	5.0	10/16/12 23:04	
cis-1,3-Dichloropropene	ug/L	ND	5.0	10/16/12 23:04	
Dibromochloromethane	ug/L	ND	5.0	10/16/12 23:04	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

METHOD BLANK: 816751 Matrix: Water

Associated Lab Samples: 5070413005, 5070413006, 5070413007, 5070413008, 5070413009, 5070413010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	10/16/12 23:04	
Dichlorodifluoromethane	ug/L	ND	5.0	10/16/12 23:04	
Ethyl methacrylate	ug/L	ND	100	10/16/12 23:04	
Ethylbenzene	ug/L	ND	5.0	10/16/12 23:04	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	10/16/12 23:04	
Iodomethane	ug/L	ND	10.0	10/16/12 23:04	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	10/16/12 23:04	
Methyl-tert-butyl ether	ug/L	ND	4.0	10/16/12 23:04	
Methylene Chloride	ug/L	ND	5.0	10/16/12 23:04	
n-Butylbenzene	ug/L	ND	5.0	10/16/12 23:04	
n-Propylbenzene	ug/L	ND	5.0	10/16/12 23:04	
Naphthalene	ug/L	ND	5.0	10/16/12 23:04	
p-Isopropyltoluene	ug/L	ND	5.0	10/16/12 23:04	
sec-Butylbenzene	ug/L	ND	5.0	10/16/12 23:04	
Styrene	ug/L	ND	5.0	10/16/12 23:04	
tert-Butylbenzene	ug/L	ND	5.0	10/16/12 23:04	
Tetrachloroethene	ug/L	ND	5.0	10/16/12 23:04	
Toluene	ug/L	ND	5.0	10/16/12 23:04	
trans-1,2-Dichloroethene	ug/L	ND	5.0	10/16/12 23:04	
trans-1,3-Dichloropropene	ug/L	ND	5.0	10/16/12 23:04	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	10/16/12 23:04	
Trichloroethene	ug/L	ND	5.0	10/16/12 23:04	
Trichlorofluoromethane	ug/L	ND	5.0	10/16/12 23:04	
Vinyl acetate	ug/L	ND	50.0	10/16/12 23:04	
Vinyl chloride	ug/L	ND	2.0	10/16/12 23:04	
Xylene (Total)	ug/L	ND	10.0	10/16/12 23:04	
4-Bromofluorobenzene (S)	%.	91	72-125	10/16/12 23:04	
Dibromofluoromethane (S)	%.	91	83-123	10/16/12 23:04	
Toluene-d8 (S)	%.	96	81-114	10/16/12 23:04	

LABORATORY CONTROL SAMPLE: 816752

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	47.9	96	69-122	
1,1,1-Trichloroethane	ug/L	50	48.5	97	69-126	
1,1,2,2-Tetrachloroethane	ug/L	50	51.4	103	68-134	
1,1,2-Trichloroethane	ug/L	50	57.6	115	77-129	
1,1-Dichloroethane	ug/L	50	58.1	116	70-127	
1,1-Dichloroethene	ug/L	50	56.8	114	75-145	
1,1-Dichloropropene	ug/L	50	55.2	110	75-126	
1,2,3-Trichlorobenzene	ug/L	50	48.5	97	63-130	
1,2,3-Trichloropropane	ug/L	50	84.9	170	45-121	L3
1,2,4-Trichlorobenzene	ug/L	50	47.2	94	64-122	
1,2,4-Trimethylbenzene	ug/L	50	53.6	107	68-129	
1,2-Dibromoethane (EDB)	ug/L	50	55.0	110	77-123	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

LABORATORY CONTROL SAMPLE: 816752

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	51.6	103	74-123	
1,2-Dichloroethane	ug/L	50	53.7	107	71-127	
1,2-Dichloropropane	ug/L	50	48.9	98	75-126	
1,3,5-Trimethylbenzene	ug/L	50	52.8	106	69-129	
1,3-Dichlorobenzene	ug/L	50	52.7	105	76-123	
1,3-Dichloropropane	ug/L	50	56.2	112	77-126	
1,4-Dichlorobenzene	ug/L	50	53.3	107	77-121	
2,2-Dichloropropane	ug/L	50	35.8	72	45-138	
2-Butanone (MEK)	ug/L	250	287	115	42-177	
2-Chlorotoluene	ug/L	50	52.9	106	74-129	
2-Hexanone	ug/L	250	275	110	57-162	
4-Chlorotoluene	ug/L	50	54.1	108	70-125	
4-Methyl-2-pentanone (MIBK)	ug/L	250	269	108	64-135	
Acetone	ug/L	250	326	130	10-200	
Acrolein	ug/L	1000	2110	211	10-200	L3
Acrylonitrile	ug/L	1000	1170	117	59-144	
Benzene	ug/L	50	49.7	99	76-123	
Bromobenzene	ug/L	50	55.7	111	67-130	
Bromochloromethane	ug/L	50	49.9	100	58-153	
Bromodichloromethane	ug/L	50	47.8	96	71-124	
Bromoform	ug/L	50	36.1	72	64-116	
Bromomethane	ug/L	50	57.5	115	23-197	
Carbon disulfide	ug/L	100	84.2	84	55-146	
Carbon tetrachloride	ug/L	50	44.9	90	65-125	
Chlorobenzene	ug/L	50	54.3	109	78-120	
Chloroethane	ug/L	50	60.2	120	56-163	
Chloroform	ug/L	50	53.9	108	73-122	
Chloromethane	ug/L	50	47.8	96	46-146	
cis-1,2-Dichloroethene	ug/L	50	52.2	104	79-129	
cis-1,3-Dichloropropene	ug/L	50	47.0	94	66-123	
Dibromochloromethane	ug/L	50	44.8	90	70-123	
Dibromomethane	ug/L	50	51.0	102	73-123	
Dichlorodifluoromethane	ug/L	50	55.2	110	19-200	
Ethyl methacrylate	ug/L	200	221	111	70-127	
Ethylbenzene	ug/L	50	56.0	112	75-120	
Hexachloro-1,3-butadiene	ug/L	50	50.3	101	64-131	
Iodomethane	ug/L	100	98.2	98	16-181	
Isopropylbenzene (Cumene)	ug/L	50	56.4	113	73-123	
Methyl-tert-butyl ether	ug/L	100	94.6	95	66-128	
Methylene Chloride	ug/L	50	56.1	112	61-138	
n-Butylbenzene	ug/L	50	55.2	110	69-130	
n-Propylbenzene	ug/L	50	53.3	107	71-132	
Naphthalene	ug/L	50	51.2	102	62-130	
p-Isopropyltoluene	ug/L	50	56.1	112	71-126	
sec-Butylbenzene	ug/L	50	55.2	110	69-130	
Styrene	ug/L	50	56.6	113	75-125	
tert-Butylbenzene	ug/L	50	46.6	93	49-114	
Tetrachloroethene	ug/L	50	56.3	113	57-125	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

LABORATORY CONTROL SAMPLE: 816752

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	53.5	107	72-124	
trans-1,2-Dichloroethene	ug/L	50	52.7	105	71-145	
trans-1,3-Dichloropropene	ug/L	50	42.4	85	58-118	
trans-1,4-Dichloro-2-butene	ug/L	200	203	102	50-121	
Trichloroethene	ug/L	50	51.2	102	77-122	
Trichlorofluoromethane	ug/L	50	59.0	118	56-159	
Vinyl acetate	ug/L	200	104	52	27-119	
Vinyl chloride	ug/L	50	44.0	88	61-146	
Xylene (Total)	ug/L	150	169	113	72-126	
4-Bromofluorobenzene (S)	%.			101	72-125	
Dibromofluoromethane (S)	%.			90	83-123	
Toluene-d8 (S)	%.			98	81-114	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALIFIERS

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

L0	Analyte recovery in the laboratory control sample (LCS) was outside QC limits.
L3	Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.
M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Amphenol-AMP11-06
Pace Project No.: 5070413

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
5070413001	**IT-2**	EPA 8260	MSV/46913		
5070413002	**IT-3**	EPA 8260	MSV/46913		
5070413003	**MW-12R**	EPA 8260	MSV/46913		
5070413004	**MW-20**	EPA 8260	MSV/46913		
5070413005	**MW-22**	EPA 8260	MSV/46943		
5070413006	**MW-28**	EPA 8260	MSV/46943		
5070413007	**MW-29**	EPA 8260	MSV/46943		
5070413008	**MW-30**	EPA 8260	MSV/46943		
5070413009	**DUPLICATE**	EPA 8260	MSV/46943		
5070413010	**TRIP BLANK**	EPA 8260	MSV/46943		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical

CHAIN-OF-CUSTODY / Analytical Request Document

✓ TMB

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information:

Company:	IWM Consulting
Address:	7428 Rockville Road
	Indianapolis, IN 46214
Email To:	cparks@iwmconsult.com
Phone:	347-1111 Fax:
Requested Due Date/TAT:	10 Day (Default)

Section B Required Project Information:

Report To:	Chris Parks
Copy To:	
Purchase Order No.	
Client Project ID:	Amphenol - AMP11-06
Container Order Number:	71889

Section C Invoice Information:

Attention:	Chris Parks
Company Name:	IWM Consulting
Address:	7428 Rockville Road, Indianapolis, IN 462
Pace Quote Reference:	
Pace Project Manager:	Hunt, Kenneth
Pace Profile #:	

Requested Analysis: RCRA - Resource Conservation and Recovery Act

State / Location: Indiana

ITEM#	SAMPLE ID (One Character per box. (A-Z, 0-9 / , -) Sample Ids must be unique)	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED START DATE	COLLECTED START TIME	COLLECTED END DATE	COLLECTED END TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives: Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other	Analysis Test Y/N	VOC 8260 WT	Residual Chlorine (Y/N)	50704113
1	IT-2	WT		10-5-12	1115				3				X						X		-001
2	IT-3	WT			1035				3				X						X		-002
3	MW-12R	WT			1140				3				X						X		-003
4	MW-20	WT			1000				3				X						X		-004
5	MW-22	WT			1155				3				X						X		-005
6	MW-28	WT			1315				3				X						X		-006
7	MW-29	WT			1325				3				X						X		-007
8	MW-30	WT			1105				3				X						X		-008
9	DUPLICATE	WT											X						X		-009
10	TRIP BLANK	WT																	X		-010
11																					
12																					

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
	[illegible] IWM	10-5-12	1538	[illegible]	10-5-12	1538	1.7	Y	N	Y

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Ralph Mlon

SIGNATURE of SAMPLER: [illegible] DATE Signed: 10-5-12

TEMP in C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)

WI Client del!

Sample Condition Upon Receipt

Pace Analytical

Client Name: IWM Project # 5070413

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☑ Client ☐ Commercial ☐ Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☑ no Seals intact: ☐ yes ☐ no

Date/Time 5035A kits placed in freezer _____

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☑ Other ICE/Foam blocks

Thermometer Used 1 2 3 4 6 A B C D E Type of Ice: Wet Blue None ☑ Samples on ice, cooling process has begun

Cooler Temperature (Corrected, if applicable) 1.7°C Ice Visible in Sample Containers: ☐ yes ☑ no

Temp should be above freezing to 6°C

Date and Initials of person examining contents: 10/5 [illegible]

				Comments:
Chain of Custody Present:	☑Yes	☐No	☐N/A	1.
Chain of Custody Filled Out:	☑Yes	☐No	☐N/A	2.
Chain of Custody Relinquished:	☑Yes	☐No	☐N/A	3.
Sampler Name & Signature on COC:	☑Yes	☐No	☐N/A	4.
Short Hold Time Analysis (<72hr):	☐Yes	☑No	☐N/A	5.
Rush Turn Around Time Requested:	☐Yes	☑No	☐N/A	6.
Containers Intact:	☑Yes	☐No	☐N/A	7.
Sample Labels match COC: -Includes date/time/ID/Analysis	☑Yes	☐No	☐N/A	8.
All containers needing acid/base pres. have been checked? exceptions: VOA, coliform, TOC, O&G	☐Yes	☐No	☑N/A	9. (Circle) HNO3 H2SO4 NaOH HCl
ll containers needing preservation are found to be in compliance with EPA recommendation.	☐Yes	☐No	☑N/A	
Headspace in VOA Vials (>6mm):	☐Yes	☑No	☐N/A	10.
Trip Blank Present:	☑Yes	☐No	☐N/A	11.
Trip Blank Custody Seals Present	☑Yes	☐No	☐N/A	
Samples Arrived within Hold Time:	☑Yes	☐No	☐N/A	12.
Sufficient Volume:	☑Yes	☐No	☐N/A	13.
Correct Containers Used:	☑Yes	☐No	☐N/A	14.

Client Notification/ Resolution: Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: Kenneth Hunt **Date:** 10/5/12

Form F-IN-Q290-rev.04, 28Apr2011

Sample Co ner Count

Pace Analytical
www.pacelabs.com

CLIENT: LWM

COC PAGE 1 of 1

COC ID#

Project # 5070413

Sample Line Item	DG9H	AG1U	WGFU	AG0U	R 4 / 6	BP2N	BP2U	BP2S	BP3N	BP3U	BP3S	AG3S	AG1H			Comments
1	3															
2																
3																
4																
5																
6																
7																
8																
9																
10																
11																
12																

Container Codes

DG9H	40mL HCL amber voa vial	AG0U	100mL unpreserved amber glass	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WGFU	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber gl	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved amber vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	I	Wipe/Swab
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber gla	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber gla	AF	Air Filter	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved clear vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear gla	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag

7428 Rockville Road | Indianapolis, IN 46214 | 317.347.1111 office | 317.347.9326 fax

Semi-Annual Post-Closure Monitoring Report
Implemented Corrective Measure
Former Amphenol Facility

5/14/12
IND 044 587 848

Prepared for
Amphenol Corporation

May 14, 2012

7428 Rockville Road, Indianapolis, IN 46214

May 14, 2012

Mr. Juan Thomas
United States Environmental Protection Agency Region 5
RCRA Enforcement and Compliance Assurance Branch, DE-9J
77 West Jackson Boulevard
Chicago, IL 60604

Re: Implemented Corrective Measures – Groundwater Recovery and Treatment System
Semi-Annual Post Closure Monitoring Report
Former Amphenol Facility #IND 044 587 848
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Thomas:

This Implemented Corrective Measures – Groundwater Recovery and Treatment System (ICM-GRTS) Report is submitted on behalf of the "Respondents", Franklin Power Products, Incorporated and Amphenol Corporation. This report summarizes the "Work Efforts" completed during the first semi-annual period (October 18, 2011 through April 20, 2012) of the calendar year 2012. The "Work Efforts" were conducted pursuant to Section VIII of the Administrative Order on Consent for Corrective Measures Implementation (CMI) for the above referenced site and in accordance with the approved Post Closure Monitoring Work Plan submitted to the USEPA in March 2000.

The "Work Efforts" performed at the site included:

- Operations and Maintenance of the Groundwater Recovery and Treatment System
- Groundwater Elevation Monitoring
- Quarterly Sampling and Analysis of the Groundwater Recovery and Treatment System
- Semi-Annual Groundwater Sampling and Analysis

Groundwater Recovery and Treatment System – Operations and Maintenance

The Implemented Corrective Measure (ICM) at the site is a groundwater pump and treat system consisting of 5 recovery wells (RW-1 through RW-5). Recovery wells RW-1, RW-2, and RW-3 have 5 foot screened intervals at depths of approximately 15 to 20 ft BGS and 2 foot sumps. Recovery well RW-4 has a 10 foot screened interval at a depth of approximately 13 to 23 ft BGS and a 4-foot sump. An additional recovery well (RW-5) was installed in June 2010 and activated in July 2010 in conjunction with supplemental bioremediation activities being completed at the site. Recovery well RW-5 has a 10 foot screened interval at a depth of approximately 14 to 24 feet BGS and a 2-foot sump. Electric submersible pumps are used to pump groundwater from the recovery wells to an air stripper where volatile organic compounds (VOCs) are volatilized and exhausted to the atmosphere. Groundwater effluent from the air stripper is discharged to the City of Franklin municipal sanitary sewer system. In addition to VOC removal, the ICM is designed to lower the potentiometric groundwater surface to below the level of the existing storm sewer invert.

To ensure proper performance of the groundwater recovery and treatment system, IWM Consulting Group, LLC (IWM) personnel conducted routine operation and maintenance (O&M) inspections. Bi-weekly O&M duties include measurement of influent flow rates, measurement of groundwater elevations of the recovery wells, routine inspections and necessary repairs of influent and effluent lines, and air stripper maintenance. On a monthly basis, depth to groundwater is recorded in monitoring wells IT-2, IT-3, MW-3, MW-9, MW-12R, MW-20, MW-21, MW-22, MW-24, MW-26, MW-27, MW-28, MW-29, MW-30, and recovery wells RW-1 through RW-5. The air stripper trays and effluent discharge line are inspected and cleaned as necessary during monthly O&M activities. Also, influent sediment filters are replaced monthly. Quarterly O&M activities include complete disassembly and cleaning of the air stripper trays and sump. The sequestering agent system is also maintained on a quarterly basis. The air stripper blower lubrication and integrity is inspected on a quarterly basis. All recovery well pumps are also removed and cleaned on a quarterly basis. Monthly O&M reports are attached in **Appendix A**.

During this reporting period (October 18, 2011 through April 20, 2012), approximately 7,823,670 gallons of groundwater were recovered, treated, and discharged. The combined average influent flow rate for the period was 29.4 gpm. To date, approximately 166,252,928 gallons have been recovered. Groundwater recovery rates to date are provided in **Table 1**.

Overall the groundwater recovery and treatment system was very reliable and was operational during the majority of this reporting period. However, the following operational issues were encountered:

IWM personnel mobilized to the site on December 1, 2011 to complete monthly and bi-weekly system operation and maintenance activities. Upon arrival to the site, the pump for RW-1 appeared to be operating, but groundwater recovery was not being registered. The totalizer was permanently replaced but groundwater was still not being recovered by the pump in recovery well RW-1. Additional personnel would be required for removing the groundwater recovery pump in RW-1. The groundwater recovery and treatment system was completely operational upon departure from the site on December 1, 2011, with the exception of recovery well RW-1.

IWM personnel mobilized to the site on December 13, 2011 to evaluate the pump on recovery well RW-1. The pump and Warrick control for recovery well RW-1 were replaced. The pump continued to not operate properly. The starter for recovery well RW-1 was evaluated and found to be faulty. The starter was ordered and would have to be installed at a later date. The groundwater recovery and treatment system was completely operational upon departure from the site on December 13, 2011, with the exception of recovery well RW-1.

IWM personnel mobilized to the site on December 21, 2011 to replace the starter on recovery well RW-1. Upon replacement of the starter, recovery well RW-1 began to recover groundwater and operate correctly. The groundwater recovery and treatment system was completely operational upon departure from the site on December 21, 2011.

IWM personnel mobilized to the site on January 16, 2012 to respond to a Chatterbox alarm notification. The groundwater recovery and treatment system was not operational upon arrival. It was discovered that a power interruption had shut down the system. The system was restarted and checked for operational issues. The groundwater recovery and treatment system was completely operational upon departure from the site on January 16, 2012.

Groundwater Level Measurements

On a monthly basis, IWM personnel gauge select monitoring wells (IT-2, IT-3, MW-3, MW-9, MW-12R, MW-20, MW-21, MW-22, MW-23, MW-24, MW-26, MW-27, MW-28, MW-29, and MW-30) at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. For this semi-annual reporting period, depth to water in the monitoring wells ranged from 7.71 feet below top of casing (TOC) in MW-9 to 18.11 feet below TOC in MW-22. During this reporting period, neither LNAPL nor DNAPL were detected within the monitoring and recovery well network at the site. Additionally, the water table has raised approximately 1.14 feet from October 2011 to April 2012. The groundwater elevation data indicates that the groundwater recovery and treatment system maintains hydraulic control of the dissolved VOC plume. **Figure 1** is a site plan illustrating pertinent site features and well locations. A groundwater elevation contour map based on the most recent gauging event (April 6, 2012) is provided as **Figure 2**. Historic groundwater elevation data and groundwater contour maps for this reporting period are provided in each monthly O&M report included in **Appendix A**. Groundwater elevations during this semi-annual reporting period are provided in **Table 2**.

Quarterly Treatment System Sampling and Analysis

On November 18, 2011, influent samples from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 and a combined effluent sample were obtained to evaluate the groundwater treatment system. Each of the influent sample taps was allowed to run for at least 10 seconds. Prior to sampling, water flow from the tap was reduced to minimize turbulence and agitation. All samples were submitted to Pace Analytical Services, Inc. (Pace), located in Indianapolis, Indiana for VOC analysis by SW-846 Method 8260B.

Laboratory analytical results from the November 18, 2011 quarterly system sampling activities indicated the presence of trichloroethene and 1,1,1-trichloroethane in groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, and RW-5. Cis-1,2-dichloroethene was detected in the groundwater samples obtained from recovery wells RW-2, RW-3, and RW-5. Tetrachloroethene was detected in the groundwater samples obtained from recovery wells RW-2, RW-3, RW-4, and RW-5. 1,1-Dichloroethane was detected in the groundwater samples obtained from recovery wells RW-2 and RW-3. No constituents of concern were detected in the remedial system's effluent water sample.

On February 24, 2012, influent samples from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 and a combined effluent sample were obtained to evaluate the groundwater treatment system. Each of the influent sample taps was allowed to run for at least 10 seconds. Prior to sampling, water flow from the tap was reduced to minimize turbulence and agitation. All samples were submitted to Pace, located in Indianapolis, Indiana for VOC analysis by SW-846 Method 8260B.

Laboratory analytical results from the February 24, 2012 quarterly system sampling activities indicated the presence of trichloroethene in groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, and RW-5. 1,1,1-Trichloroethane was detected in the groundwater sample obtained from recovery well RW-2. Cis-1,2-dichloroethene was detected in the groundwater samples obtained from recovery wells RW-2, RW-3, and RW-5. Tetrachloroethene was detected in the groundwater samples obtained from recovery wells RW-2, RW-3, RW-4, and RW-5. 1,1-Dichloroethane was detected in the groundwater sample obtained from recovery well RW-2. No constituents of concern were detected in the remedial system's effluent water sample.

The analytical reports for the quarterly system sampling events are included in **Appendix B**. A summary of quarterly system sampling results is included in **Table 3**.

Semi-Annual Groundwater Sampling and Analysis

On April 6, 2012, groundwater samples were obtained from monitoring wells IT-2, IT-3, MW-12R, MW-20, MW-22, MW-28, MW-29, and MW-30 for VOC analysis to evaluate current groundwater quality at the site. Groundwater samples were collected using dedicated, disposable, bottom-loading bailers to reduce the risk of cross-contamination. Three-well volumes were purged prior to sample collection. Samples were submitted to Pace for VOC analysis using US EPA SW 846 Method 8260B.

The highest VOC concentrations were detected in the groundwater samples obtained from monitoring well MW-22 (847.4 µg/L total VOCs) located 30 feet northwest of recovery well RW-3 and monitoring well MW-12R (1,255.7 µg/L total VOCs) located adjacent to recovery well RW-2. Therefore, the groundwater recovery and treatment system is effectively targeting the area of greatest VOC concentration. The concentrations of dissolved VOCs in monitoring wells MW-12 and MW-22 decreased substantially following installation of the groundwater recovery and treatment system in 1996. Overall, total VOC concentrations in these wells have been relatively stable during operation of the treatment system from 2000 to 2012.

No VOCs were detected in the groundwater samples obtained from monitoring wells MW-20 and MW-29. Trichloroethene was detected in monitoring wells IT-2, IT-3, MW-12R, MW-22, and MW-28. Cis-1,2-dichloroethene was detected in monitoring wells IT-2, MW-12R, and MW-22. 1,1,1-Trichloroethane was detected in monitoring wells MW-12R, MW-22, MW-28, and MW-30. Tetrachloroethene was detected in monitoring wells MW-12R, MW-22, and MW-28.

Both monitoring wells IT-2 and IT-3 are located down-gradient from the site. Overall, total dissolved VOC concentrations in monitoring wells IT-2 and IT-3 have decreased over time during operation of the groundwater recovery and treatment system. Total dissolved VOC concentrations in monitoring wells MW-12R and MW-30 have decreased since the startup of the remedial system in 1996. Total dissolved VOC concentrations decreased substantially in monitoring wells MW-22 and MW-28 during the initial startup of the recovery system in 1996 and have been decreasing during operation of the groundwater recovery and treatment system from 2000 to 2012. Tetrachloroethene and trichloroethene concentrations were reduced significantly (47% and 37%, respectively) in monitoring well MW-22 as part of a three month enhanced bioremediation pilot study conducted in early 2007. During the implementation of the full scale enhanced bioremediation activities (July 2010 through March 2011), tetrachloroethene concentrations decreased 22% in monitoring well MW-22. Post full scale enhanced bioremediation activities, tetrachloroethene concentrations have decreased an additional 39% in monitoring well MW-22.

The dissolved VOC concentrations observed in monitoring well MW-12R initially (October 2010) increased immediately after implementation of the full scale enhanced bioremediation. The reason for the increased dissolved VOC concentrations is because several combination groundwater and microbe injection points (IN-4, IN-5, IN-6, and IN-7) were installed immediately hydraulically up-gradient from this well and the injection points were able to "flush" the VOC impacted saturated soil, thus increasing the dissolved VOC concentrations while simultaneously decreasing the adsorbed VOC concentrations. Furthermore, the dissolved VOCs were drawn to and recovered by hydraulically down-gradient recovery wells RW-2 (adjacent to MW-12R) and RW-5 (approximately 45 feet west of MW-12R). Since monitoring well MW-12R is located between these two recovery wells, this explains why the dissolved VOC concentrations increased immediately after start-up of the full scale enhanced bioremediation activities. It should be noted that the dissolved VOCs displayed a decrease in concentrations during the April 2011 groundwater sampling event.

During the October 2011 event, a substantial rebound of dissolved VOC concentrations was observed after the full-scale bioremediation activities were ceased. However, the dissolved VOC concentrations in monitoring well MW-12R decreased approximately 58% between the October 2011 sampling event and the April 2012 sampling event. At this point, the dissolved VOC concentrations in MW-12R are not exhibiting any consistent trend and further sampling is required.

A trip blank and a field duplicate sample (MW-22) were obtained per IDEM Minimum Data Documentation Requirements dated February 13, 2003. The trip blank and the duplicate sample were analyzed for VOCs. The trip blank was below laboratory detection limits for all constituents and the duplicate analysis was relatively consistent with the sample which was duplicated. Groundwater sampling field logs are provided in **Appendix C**. Laboratory data sheets are provided in **Appendix D**. A summary of groundwater analytical results is included in **Table 4**.

Conclusions

Based on the data collected during this semi-annual post closure monitoring period, the following conclusions can be asserted:

1. The groundwater recovery and treatment system maintains hydraulic control of the dissolved VOC plume.

2. The cone of influence developed by the on-site recovery wells extends beyond the downgradient site property boundary.

3. The average combined influent rate for the groundwater recovery system is approximately 29.4 gpm.

4. The highest dissolved PCE concentrations were detected near the suspected release area where the sanitary sewer crosses the existing storm sewer.

5. The highest VOC concentrations were detected in the groundwater samples obtained from monitoring wells MW-22 and MW-12R, located adjacent to recovery wells RW-3 and RW-2, respectively. Therefore, the groundwater recovery and treatment system is effectively targeting the area of greatest VOC concentrations.

6. Following activation of the groundwater recovery and treatment system, total dissolved VOC concentrations decreased substantially. Since initial startup of the remedial system, total VOC concentrations have displayed decreasing trends in monitoring wells IT-2, IT-3, MW-12/12R, MW-22, MW-28, and MW-30.

7. A full-scale implementation of enhanced bio-remediation activities were initiated in July 2010. As part of enhanced bio-remediation corrective actions, one recovery well (RW-5) and five additional injection wells (IN-3 through IN-7) were installed at the site. The recovery well was activated in July 2010. The injection of oxygenated water with intermittent microbe injection activities were also initiated in late July 2010. Immediately following the completion of the full scale enhanced bioremediation activities in March 2011, tetrachloroethene concentrations were reduced 16% (MW-21), 68% (MW-22), 42% (ASI-1), 73% (ASI-2), 19% (MON-1), 26% (MON-2), 69% (RW-2), 64% (RW-3), 40% (RW-5), 78% (IN-1), 89% (IN-2), 76% (IN-3), 75% (IN-4), 25% (IN-5), and 76% (IN-7). The injection activities were ceased in March 2011.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111.

Sincerely,

IWM CONSULTING GROUP, LLC

Christopher D. Parks, LPG
Project Manager

Bradley E. Gentry, LPG
Senior Project Manager

Attachments
cc: Mr. Samuel Waldo, Amphenol Corporation

FIGURES



LEGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

Scale 1":100 ft.

DRAWN BY:	L. STRUM
DATE:	9/27/99
REVISED:	
HWPA #111291-01	
DWG. NO.	111291S1

FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP



LEGEND

- MONITORING WELL
- RECOVERY WELL
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER
- 722.00 POTENTIONMETRIC SURFACE (CONTOUR INTERVAL = 1.0 FT.)

0 100
SCALE IN FEET

DRAWN BY: L. STRUM	FIGURE 2 GROUNDWATER ELEVATION MAP (04/06/12)	FORMER AMPHENOL RFI/CMS 980 HURRICANE ROAD FRANKLIN, INDIANA	iWM CONSULTING GROUP
DATE: 9/27/99			
REVISED:			
HWPA #111291-01			
DWG. NO. 111291S1			

TABLES

Table 1

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	***445,555***	***428,463***	***536,852***	-	-	***1,410,870***
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	***1,949,120***	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	***2,835,673***	-	-	6,436,098
3/28/1997	1,692,834	2,039,011	***2,835,673***	-	-	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	***2,842,124***	-	-	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	3,313,604	7,312,970	6,402,525	-	-	17,050,326
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	3,889,675	8,638,302	7,429,910	1,171,610	-	21,150,724
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308
12/1/2011	18,629,825	33,598,934	48,320,048	53,355,570	6,100,310	160,025,914
12/16/2011	18,629,949	33,694,694	48,451,868	53,577,620	6,282,440	160,657,798
12/28/2011	18,629,987	33,779,384	48,561,758	53,756,850	6,369,780	161,118,986

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
1/13/2012	18,645,754	33,859,637	48,708,053	53,992,589	6,573,941	161,801,201
1/16/2012	18,716,529	33,865,708	48,721,294	54,013,533	6,592,457	161,930,748
1/27/2012	18,757,241	33,938,060	48,817,779	54,170,142	6,731,820	162,436,269
2/10/2012	18,815,117	34,035,651	48,942,826	54,373,450	6,910,967	163,099,238
2/24/2012	18,862,640	34,104,647	49,069,225	54,579,272	7,090,969	163,727,980
3/9/2012	18,902,508	34,170,267	49,197,023	54,783,061	7,269,776	164,343,862
3/23/2012	18,937,777	34,222,618	49,324,691	54,989,061	7,449,391	164,944,765
4/6/2012	18,985,172	34,316,006	49,452,912	55,194,431	7,629,191	165,598,939
4/20/2012	19,034,085	34,411,741	49,579,662	55,399,648	7,806,565	166,252,928

Notes:

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.

AMPHENOL CORPORATION
FRANKLIN, INDIANA



iWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/03/07	732.25	11.52	720.73
	02/12/07		12.00	720.25
	03/12/07		11.74	720.51
	04/09/07		12.01	720.24
	05/07/07		12.11	720.14
	06/08/07		12.45	719.80
	07/17/07		12.66	719.59
	08/01/07		12.73	719.52
	09/14/07		13.03	719.22
	10/12/07		13.38	718.87
	11/09/07		13.37	718.88
	12/07/07		13.27	718.98
	01/04/08		12.79	719.46
	02/15/08		11.85	720.40
	03/13/08		11.48	720.77
	04/11/08		11.31	720.94
	05/08/08		11.95	720.30
	06/06/08		11.08	721.17
	07/03/08		11.29	720.96
	08/01/08		11.65	720.60
	09/12/08		12.38	719.87
	10/10/08		12.78	719.47
	11/06/08		13.05	719.20
	12/19/08		12.97	719.28
	01/02/09		12.39	719.86
	02/13/09		12.30	719.95
	03/13/09		12.40	719.85
	04/09/09		12.22	720.03
	05/08/09		11.90	720.35
	06/05/09		11.89	720.36
	07/02/09		12.05	720.20
	08/14/09		11.55	720.70
	09/11/09		12.02	720.23
	10/09/09		12.29	719.96
	11/04/09		12.26	719.99
	12/04/09		12.55	719.70
	01/14/10		12.50	719.75
	02/10/10		NG	NG
	03/11/10		12.49	719.76
	04/08/10		12.19	720.06
	05/06/10		12.35	719.90
	06/04/10		12.47	719.78
	07/01/10		11.69	720.56
	08/12/10		12.39	719.86
	09/08/10		13.07	719.18
	10/07/10		14.04	718.21
	11/19/10		14.28	717.97
	12/03/10		13.70	718.55
	01/14/11		13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99
	12/01/11		12.82	719.43
	01/13/12		12.50	719.75
	02/10/12		12.30	719.95
	03/09/12		12.80	719.45
	04/06/12		12.31	719.94

iWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/03/07	728.71	10.46	718.25
	02/12/07		10.93	717.78
	03/12/07		10.81	717.90
	04/09/07		10.88	717.83
	05/07/07		10.95	717.76
	06/08/07		11.10	717.61
	07/17/07		11.12	717.59
	08/01/07		11.12	717.59
	09/14/07		11.21	717.50
	10/12/07		11.35	717.36
	11/09/07		11.35	717.36
	12/07/07		11.36	717.35
	01/04/08		11.24	717.47
	02/15/08		10.61	718.10
	03/13/08		10.42	718.29
	04/11/08		10.23	718.48
	05/08/08		10.70	718.01
	06/06/08		9.84	718.87
	07/03/08		9.89	718.82
	08/01/08		10.54	718.17
	09/12/08		10.92	717.79
	10/10/08		11.04	717.67
	11/06/08		11.20	717.51
	12/19/08		11.01	717.70
	01/02/09		10.98	717.73
	02/13/09		10.79	717.92
	03/13/09		11.13	717.58
	04/09/09		10.86	717.85
	05/08/09		10.81	717.90
	06/05/09		10.71	718.00
	07/02/09		10.81	717.90
	08/14/09		10.52	718.19
	09/11/09		10.80	717.91
	10/09/09		10.77	717.94
	11/04/09		10.91	717.80
	12/04/09		11.07	717.64
	01/14/10		11.09	717.62
	02/10/10		11.13	717.58
	03/11/10		11.03	717.68
	04/08/10		10.75	717.96
	05/06/10		10.96	717.75
	06/04/10		11.01	717.70
	07/01/10		10.52	718.19
	08/12/10		10.88	717.83
	09/08/10		11.10	717.61
	10/07/10		11.33	717.38
	11/19/10		11.49	717.22
	12/03/10		11.26	717.45
	01/14/11		11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		10.60	718.11
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69
	12/01/11		10.74	717.97
	01/13/12		10.90	717.81
	02/10/12		10.86	717.85
	03/09/12		11.08	717.63
	04/06/12		10.73	717.98

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/03/07	736.44	14.00	722.44
	02/12/07		14.58	721.86
	03/12/07		14.41	722.03
	04/09/07		14.64	721.80
	05/07/07		14.83	721.61
	06/08/07		15.32	721.12
	07/17/07		15.73	720.71
	08/01/07		16.89	719.55
	09/14/07		16.23	720.21
	10/12/07		16.65	719.79
	11/09/07		16.60	719.84
	12/07/07		16.55	719.89
	01/04/08		15.87	720.57
	02/15/08		14.41	722.03
	03/13/08		13.82	722.62
	04/11/08		13.50	722.94
	05/08/08		14.33	722.11
	06/06/08		13.30	723.14
	07/03/08		13.41	723.03
	08/01/08		13.68	722.76
	09/12/08		15.28	721.16
	10/10/08		15.77	720.67
	11/06/08		16.11	720.33
	12/19/08		16.10	720.34
	01/02/09		15.26	721.18
	02/13/09		15.16	721.28
	03/13/09		15.25	721.19
	04/09/09		14.88	721.56
	05/08/09		NG	NG
	06/05/09		14.25	722.19
	07/02/09		14.62	721.82
	08/14/09		13.92	722.52
	09/11/09		14.73	721.71
	10/09/09		15.17	721.27
	11/04/09		15.07	721.37
	12/04/09		15.48	720.96
	01/14/10		15.23	721.21
	02/10/10		15.37	721.07
	03/11/10		15.21	721.23
	04/08/10		14.82	721.62
	05/06/10		14.92	721.52
	06/04/10		15.13	721.31
	07/01/10		14.04	722.40
	08/12/10		15.06	721.38
	09/08/10		15.85	720.59
	10/07/10		16.52	719.92
	11/19/10		16.99	719.45
	12/03/10		16.32	720.12
	01/14/11		16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47
	12/01/11		15.48	720.96
	01/13/12		14.87	721.57
	02/10/12		14.49	721.95
	03/09/12		15.10	721.34
	04/06/12		14.63	721.81

IWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/03/07	733.04	6.85	726.19
	02/12/07		7.81	725.23
	03/12/07		9.56	723.48
	04/09/07		10.56	722.48
	05/07/07		8.35	724.69
	06/08/07		9.07	723.97
	07/17/07		9.65	723.39
	08/01/07		9.82	723.22
	09/14/07		10.49	722.55
	10/12/07		10.95	722.09
	11/09/07		11.14	721.90
	12/07/07		11.21	721.83
	01/04/08		10.46	722.58
	02/15/08		8.45	724.59
	03/13/08		7.28	725.76
	04/11/08		6.40	726.64
	05/08/08		7.74	725.30
	06/06/08		8.49	724.55
	07/03/08		8.50	724.54
	08/01/08		7.28	725.76
	09/12/08		7.30	725.74
	10/10/08		9.47	723.57
	11/06/08		9.98	723.06
	12/19/08		9.34	723.70
	01/02/09		8.77	724.27
	02/13/09		8.04	725.00
	03/13/09		8.75	724.29
	04/09/09		7.82	725.22
	05/08/09		NG	NG
	06/05/09		7.24	725.80
	07/02/09		7.89	725.15
	08/14/09		6.96	726.08
	09/11/09		8.47	724.57
	10/09/09		8.34	724.70
	11/04/09		8.46	724.58
	12/04/09		8.98	724.06
	01/14/10		8.83	724.21
	02/10/10		NG	NG
	03/11/10		8.51	724.53
	04/08/10		7.37	725.67
	05/06/10		8.16	724.88
	06/04/10		8.48	724.56
	07/01/10		7.22	725.82
	08/12/10		8.94	724.10
	09/08/10		9.81	723.23
	10/07/10		10.51	722.53
	11/19/10		11.10	721.94
	12/03/10		10.31	722.73
	01/14/11		10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29
	12/01/11		8.57	724.47
	01/13/12		8.18	724.86
	02/10/12		7.76	725.28
	03/09/12		8.52	724.52
	04/06/12		7.71	725.33

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12	01/03/07	736.38	15.70	720.68
	02/12/07		16.18	720.20
	03/12/07		15.54	720.84
	04/09/07		16.17	720.21
	05/07/07		16.32	720.06
	06/08/07		16.58	719.80
	07/17/07		16.79	719.59
	08/01/07		16.88	719.50
	09/14/07		17.10	719.28
	10/12/07		17.47	718.91
	11/09/07		17.45	718.93
	12/07/07		17.35	719.03
	01/04/08		16.86	719.52
	02/03/08		15.97	720.41
	03/13/08		15.67	720.71
	04/11/08		15.52	720.86
	05/08/08		16.06	720.32
Well Damaged	06/06/08		NG	NG
MW-12R	07/03/08	736.15	15.47	720.68
	08/01/08		15.76	720.39
	09/12/08		16.49	719.66
	10/10/08		16.85	719.30
	11/06/08		17.17	718.98
	12/19/08		17.05	719.10
	01/02/09		16.51	719.64
	02/13/09		16.44	719.71
	03/13/09		16.57	719.58
	04/09/09		16.38	719.77
	05/08/09		16.11	720.04
	06/05/09		16.05	720.10
	07/02/09		16.22	719.93
	08/14/09		15.77	720.38
	09/11/09		16.04	720.11
	10/09/09		16.41	719.74
	11/04/09		16.46	719.69
	12/04/09		16.71	719.44
	01/14/10		16.60	719.55
	02/10/10		16.68	719.47
	03/11/10		16.63	719.52
	04/08/10		16.32	719.83
	05/06/10		16.49	719.66
	06/04/10		16.61	719.54
	07/01/10		15.85	720.30
	08/12/10		16.64	719.51
	09/08/10		17.28	718.87
	10/07/10		18.41	717.74
	11/19/10		18.71	717.44
	12/03/10		18.22	717.93
	01/14/11		17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61
	12/01/11		17.20	718.95
	01/13/12		16.83	719.32
	02/10/12		16.66	719.49
	03/09/12		17.15	719.00
	04/06/12		16.74	719.41

iWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/03/07	734.03	8.51	725.52
	02/12/07		9.42	724.61
	03/12/07		9.24	724.79
	04/09/07		9.36	724.67
	05/07/07		9.61	724.42
	06/08/07		10.20	723.83
	07/17/07		10.72	723.31
	08/01/07		10.85	723.18
	09/14/07		11.58	722.45
	10/12/07		12.02	722.01
	11/09/07		12.10	721.93
	12/07/07		11.91	722.12
	01/04/08		11.11	722.92
	02/15/08		9.43	724.60
	03/13/08		8.71	725.32
	04/11/08		8.28	725.75
	05/08/08		9.23	724.80
	06/06/08		7.64	726.39
	07/03/08		7.67	726.36
	08/01/08		9.00	725.03
	09/12/08		9.05	724.98
	10/10/08		10.51	723.52
	11/06/08		11.17	722.86
	12/19/08		10.01	724.02
	01/02/09		9.69	724.34
	02/13/09		9.12	724.91
	03/13/09		9.84	724.19
	04/09/09		9.04	724.99
	05/08/09		8.53	725.50
	06/05/09		8.93	725.10
	07/02/09		9.34	724.69
	08/14/09		8.68	725.35
	09/11/09		9.74	724.29
	10/09/09		9.24	724.79
	11/04/09		9.55	724.48
	12/04/09		9.98	724.05
	01/14/10		9.99	724.04
	02/10/10		9.99	724.04
	03/11/10		9.46	724.57
	04/08/10		8.53	725.50
	05/06/10		9.41	724.62
	06/04/10		9.51	724.52
	07/01/10		8.81	725.22
	08/12/10		10.16	723.87
	09/08/10		11.07	722.96
	10/07/10		11.76	722.27
	11/19/10		12.08	721.95
	12/03/10		10.96	723.07
	01/14/11		11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52
	12/01/11		9.32	724.71
	01/13/12		9.39	724.64
	02/10/12		9.19	724.84
	03/09/12		9.63	724.40
	04/06/12		9.04	724.99

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/03/07	737.91	15.71	722.20
	02/12/07		4.76	733.15
	03/12/07		16.10	721.81
	04/09/07		16.91	721.00
	05/07/07		16.50	721.41
	06/08/07		16.98	720.93
	07/17/07		17.35	720.56
	08/01/07		17.55	720.36
	09/14/07		17.88	720.03
	10/12/07		18.29	719.62
	11/09/07		18.23	719.68
	12/07/07		18.19	719.72
	01/04/08		17.48	720.43
	02/15/08		16.10	721.81
	03/13/08		15.52	722.39
	04/11/08		15.20	722.71
	05/08/08		16.02	721.89
	06/06/08		15.00	722.91
	07/03/08		15.05	722.86
	08/01/08		15.36	722.55
	09/12/08		16.95	720.96
	10/10/08		17.43	720.48
	11/06/08		17.78	720.13
	12/19/08		17.75	720.16
	01/02/09		16.94	720.97
	02/13/09		16.85	721.06
	03/13/09		16.94	720.97
	04/09/09		16.60	721.31
	05/08/09		16.16	721.75
	06/05/09		15.97	721.94
	07/02/09		16.32	721.59
	08/14/09		15.67	722.24
	09/11/09		16.41	721.50
	10/09/09		16.94	720.97
	11/04/09		16.76	721.15
	12/04/09		17.15	720.76
	01/14/10		16.95	720.96
	02/10/10		17.06	720.85
	03/11/10		16.91	721.00
	04/08/10		16.53	721.38
	05/06/10		16.63	721.28
	06/04/10		16.84	721.07
	07/01/10		15.78	722.13
	08/12/10		16.76	721.15
	09/08/10		17.51	720.40
	10/07/10		18.17	719.74
	11/19/10		18.64	719.27
	12/03/10		17.98	719.93
	01/14/11		17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27
	12/01/11		17.18	720.73
	01/13/12		16.57	721.34
	02/10/12		16.24	721.67
	03/09/12		16.89	721.02
	04/06/12		16.33	721.58

iWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/03/07	737.64	16.46	721.18
	02/12/07		16.90	720.74
	03/12/07		16.66	720.98
	04/09/07		16.91	720.73
	05/07/07		17.03	720.61
	06/08/07		17.43	720.21
	07/17/07		17.76	719.88
	08/01/07		17.97	719.67
	09/14/07		18.24	719.40
	10/12/07		18.62	719.02
	11/09/07		18.59	719.05
	12/07/07		18.51	719.13
	01/04/08		17.91	719.73
	02/15/08		16.80	720.84
	03/13/08		16.37	721.27
	04/11/08		16.13	721.51
	05/08/08		16.74	720.90
	06/06/08		15.88	721.76
	07/03/08		15.91	721.73
	08/01/08		16.29	721.35
	09/12/08		17.47	720.17
	10/10/08		17.87	719.77
	11/06/08		18.22	719.42
	12/19/08		18.12	719.52
	01/02/09		17.47	720.17
	02/13/09		17.37	720.27
	03/13/09		17.58	720.06
	04/09/09		17.23	720.41
	05/08/09		16.89	720.75
	06/05/09		16.72	720.92
	07/02/09		16.98	720.66
	08/14/09		16.49	721.15
	09/11/09		16.91	720.73
	10/09/09		17.36	720.28
	11/04/09		17.30	720.34
	12/04/09		17.65	719.99
	01/14/10		17.48	720.16
	02/10/10		17.57	720.07
	03/11/10		17.46	720.18
	04/08/10		17.14	720.50
	05/06/10		17.28	720.36
	06/04/10		17.42	720.22
	07/01/10		16.55	721.09
	08/12/10		17.27	720.37
	09/08/10		17.88	719.76
	10/07/10		18.64	719.00
	11/19/10		19.08	718.56
	12/03/10		18.46	719.18
	01/14/11		18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53
	12/01/11		17.70	719.94
	01/13/12		17.24	720.40
	02/10/12		17.05	720.59
	03/09/12		17.55	720.09
	04/06/12		17.06	720.58

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/03/07	736.02	14.51	721.51
	02/12/07		14.97	721.05
	03/12/07		14.88	721.14
	04/09/07		15.07	720.95
	05/07/07		15.24	720.78
	06/08/07		15.63	720.39
	07/17/07		15.95	720.07
	08/01/07		16.02	720.00
	09/14/07		16.31	719.71
	10/12/07		16.64	719.38
	11/09/07		16.65	719.37
	12/07/07		16.67	719.35
	01/04/08		16.18	719.84
	02/15/08		14.95	721.07
	03/13/08		14.43	721.59
	04/11/08		14.07	721.95
	05/08/08		14.88	721.14
	06/06/08		13.85	722.17
	07/03/08		13.87	722.15
	08/01/08		14.38	721.64
	09/12/08		15.58	720.44
	10/10/08		15.98	720.04
	11/06/08		16.26	719.76
	12/19/08		16.28	719.74
	01/02/09		15.74	720.28
	02/13/09		15.54	720.48
	03/13/09		15.66	720.36
	04/09/09		15.43	720.59
	05/08/09		15.03	720.99
	06/05/09		14.79	721.23
	07/02/09		15.07	720.95
	08/14/09		14.50	721.52
	09/11/09		15.13	720.89
	10/09/09		15.53	720.49
	11/04/09		15.49	720.53
	12/04/09		15.80	720.22
	01/14/10		15.60	720.42
	02/10/10		15.71	720.31
	03/11/10		15.61	720.41
	04/08/10		15.28	720.74
	05/06/10		15.39	720.63
	06/04/10		15.55	720.47
	07/01/10		14.56	721.46
	08/12/10		15.39	720.63
	09/08/10		16.02	720.00
	10/07/10		16.57	719.45
	11/19/10		16.98	719.04
	12/03/10		16.56	719.46
	01/14/11		16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86
	12/01/11		15.83	720.19
	01/13/12		15.27	720.75
	02/10/12		15.03	720.99
	03/09/12		15.63	720.39
	04/06/12		15.11	720.91

iWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/03/07	736.39	11.42	724.97
	02/12/07		12.28	724.11
	03/12/07		12.15	724.24
	04/09/07		12.39	724.00
	05/07/07		12.65	723.74
	06/08/07		13.25	723.14
	07/17/07		13.69	722.70
	08/01/07		13.85	722.54
	09/14/07		14.37	722.02
	10/12/07		14.82	721.57
	11/09/07		14.93	721.46
	12/07/07		14.91	721.48
	01/04/08		14.20	722.19
	02/15/08		12.47	723.92
	03/13/08		11.63	724.76
	04/11/08		11.04	725.35
	05/08/08		12.13	724.26
	06/06/08		10.29	726.10
	07/03/08		10.31	726.08
	08/01/08		11.71	724.68
	09/12/08		11.80	724.59
	10/10/08		13.61	722.78
	11/06/08		14.07	722.32
	12/19/08		13.95	722.44
	01/02/09		12.92	723.47
	02/13/09		12.47	723.92
	03/13/09		13.02	723.37
	04/09/09		12.22	724.17
	05/08/09		11.72	724.67
	06/05/09		11.78	724.61
	07/02/09		12.27	724.12
	08/14/09		11.44	724.95
	09/11/09		12.70	723.69
	10/09/09		12.72	723.67
	11/04/09		12.74	723.65
	12/04/09		13.21	723.18
	01/14/10		13.06	723.33
	02/10/10		13.15	723.24
	03/11/10		12.78	723.61
	04/08/10		12.18	724.21
	05/06/10		12.52	723.87
	06/04/10		12.69	723.70
	07/01/10		11.62	724.77
	08/12/10		13.06	723.33
	09/08/10		13.89	722.50
	10/07/10		14.52	721.87
	11/19/10		14.97	721.42
	12/03/10		14.11	722.28
	01/14/11		14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68
	12/01/11		12.73	723.66
	01/13/12		12.48	723.91
	02/10/12		12.15	724.24
	03/09/12		12.81	723.58
	04/06/12		12.09	724.30

iWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/03/07	736.63	14.31	722.32
	02/12/07		15.04	721.59
	03/12/07		16.68	719.95
	04/09/07		15.03	721.60
	05/07/07		15.17	721.46
	06/08/07		15.71	720.92
	07/17/07		16.11	720.52
	08/01/07		16.31	720.32
	09/14/07		16.63	720.00
	10/12/07		17.08	719.55
	11/09/07		17.08	719.55
	12/07/07		16.79	719.84
	01/04/08		16.30	720.33
	02/15/08		14.87	721.76
	03/13/08		14.33	722.30
	04/11/08		14.11	722.52
	05/08/08		14.93	721.70
	06/06/08		13.76	722.87
	07/03/08		13.80	722.83
	08/01/08		14.46	722.17
	09/12/08		15.67	720.96
	10/10/08		16.12	720.51
	11/06/08		16.52	720.11
	12/19/08		16.41	720.22
	01/02/09		15.50	721.13
	02/13/09		15.43	721.20
	03/13/09		15.58	721.05
	04/09/09		15.11	721.52
	05/08/09		14.72	721.91
	06/05/09		14.64	721.99
	07/02/09		15.01	721.62
	08/14/09		14.37	722.26
	09/11/09		15.08	721.55
	10/09/09		15.43	721.20
	11/04/09		15.34	721.29
	12/04/09		15.78	720.85
	01/14/10		15.61	721.02
	02/10/10		15.73	720.90
	03/11/10		15.47	721.16
	04/08/10		15.12	721.51
	05/06/10		15.26	721.37
	06/04/10		15.47	721.16
	07/01/10		14.45	722.18
	08/12/10		15.42	721.21
	09/08/10		16.33	720.30
	10/07/10		16.99	719.64
	11/19/10		17.38	719.25
	12/03/10		16.64	719.99
	01/14/11		16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37
	12/01/11		15.68	720.95
	01/13/12		15.21	721.42
	02/10/12		14.93	721.70
	03/09/12		15.62	721.01
	04/06/12		14.95	721.68

iWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/03/07	738.04	16.07	721.97
	02/12/07		16.67	721.37
	03/12/07		NG	NG
	04/09/07		16.66	721.38
	05/07/07		16.81	721.23
	06/08/07		17.29	720.75
	07/17/07		17.67	720.37
	08/01/07		17.88	720.16
	09/14/07		18.19	719.85
	10/12/07		18.61	719.43
	11/09/07		18.60	719.44
	12/07/07		18.35	719.69
	01/04/08		17.85	720.19
	02/15/08		16.51	721.53
	03/13/08		16.01	722.03
	04/11/08		15.74	722.30
	05/08/08		16.51	721.53
	06/06/08		15.52	722.52
	07/03/08		15.56	722.48
	08/01/08		16.01	722.03
	09/12/08		17.28	720.76
	10/10/08		17.71	720.33
	11/06/08		18.11	719.93
	12/19/08		18.03	720.01
	01/02/09		17.20	720.84
	02/13/09		17.12	720.92
	03/13/09		17.23	720.81
	04/09/09		16.87	721.17
	05/08/09		16.48	721.56
	06/05/09		16.35	721.69
	07/02/09		16.44	721.60
	08/14/09		16.07	721.97
	09/11/09		16.68	721.36
	10/09/09		17.11	720.93
	11/04/09		17.03	721.01
	12/04/09		17.43	720.61
	01/14/10		17.25	720.79
	02/10/10		17.34	720.70
	03/11/10		17.18	720.86
	04/08/10		16.82	721.22
	05/06/10		16.95	721.09
	06/04/10		17.14	720.90
	07/01/10		16.15	721.89
	08/12/10		17.03	721.01
	09/08/10		17.87	720.17
	10/07/10		18.57	719.47
	11/19/10		19.00	719.04
	12/03/10		18.31	719.73
	01/14/11		18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12
	12/01/11		17.42	720.62
	01/13/12		16.92	721.12
	02/10/12		16.65	721.39
	03/09/12		17.29	720.75
	04/06/12		16.66	721.38

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/03/07	737.61	15.89	721.72
	02/12/07		16.53	721.08
	03/12/07		16.34	721.27
	04/09/07		16.51	721.10
	05/07/07		16.65	720.96
	06/08/07		17.16	720.45
	07/17/07		17.52	720.09
	08/01/07		17.71	719.90
	09/14/07		18.03	719.58
	10/12/07		18.45	719.16
	11/09/07		18.44	719.17
	12/07/07		18.13	719.48
	01/04/08		17.66	719.95
	02/15/08		16.36	721.25
	03/13/08		15.89	721.72
	04/11/08		15.67	721.94
	05/08/08		16.43	721.18
	06/06/08		15.45	722.16
	07/03/08		15.47	722.14
	08/01/08		16.08	721.53
	09/12/08		17.13	720.48
	10/10/08		17.55	720.06
	11/06/08		17.93	719.68
	12/19/08		17.80	719.81
	01/02/09		16.96	720.65
	02/13/09		16.90	720.71
	03/13/09		17.02	720.59
	04/09/09		16.84	720.77
	05/08/09		16.27	721.34
	06/05/09		16.88	720.73
	07/02/09		16.91	720.70
	08/14/09		15.93	721.68
	09/11/09		15.84	721.77
	10/09/09		16.92	720.69
	11/04/09		16.83	720.78
	12/04/09		17.25	720.36
	01/14/10		17.03	720.58
	02/10/10		17.18	720.43
	03/11/10		16.98	720.63
	04/08/10		16.61	721.00
	05/06/10		16.77	720.84
	06/04/10		16.97	720.64
	07/01/10		15.99	721.62
	08/12/10		16.90	720.71
	09/08/10		17.78	719.83
	10/07/10		18.45	719.16
	11/19/10		18.84	718.77
	12/03/10		18.12	719.49
	01/14/11		17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88
	12/01/11		17.19	720.42
	01/13/12		16.73	720.88
	02/10/12		16.48	721.13
	03/09/12		17.13	720.48
	04/06/12		16.48	721.13

iWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/03/07	734.84	15.15	719.69
	02/12/07		15.34	719.50
	03/12/07		17.13	717.71
	04/09/07		15.36	719.48
	05/07/07		15.44	719.40
	06/08/07		15.48	719.36
	07/17/07		15.47	719.37
	08/01/07		15.49	719.35
	09/14/07		16.07	718.77
	10/12/07		16.06	718.78
	11/09/07		16.10	718.74
	12/07/07		16.15	718.69
	01/04/08		16.01	718.83
	02/15/08		15.17	719.67
	03/13/08		14.88	719.96
	04/11/08		14.67	720.17
	05/08/08		15.22	719.62
	06/06/08		14.32	720.52
	07/03/08		14.80	720.04
	08/01/08		14.91	719.93
	09/12/08		15.72	719.12
	10/10/08		15.92	718.92
	11/06/08		16.07	718.77
	12/19/08		15.84	719.00
	01/02/09		15.72	719.12
	02/13/09		15.68	719.16
	03/13/09		15.79	719.05
	04/09/09		15.66	719.18
	05/08/09		15.57	719.27
	06/05/09		15.40	719.44
	07/02/09		15.55	719.29
	08/14/09		15.10	719.74
	09/11/09		15.16	719.68
	10/09/09		15.67	719.17
	11/04/09		15.39	719.45
	12/04/09		15.87	718.97
	01/14/10		15.82	719.02
	02/10/10		15.74	719.10
	03/11/10		15.68	719.16
	04/08/10		15.48	719.36
	05/06/10		16.61	718.23
	06/04/10		15.66	719.18
	07/01/10		13.07	721.77
	08/12/10		14.99	719.85
	09/08/10		15.83	719.01
	10/07/10		16.12	718.72
	11/19/10		16.24	718.60
	12/03/10		16.03	718.81
	01/14/11		16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13
	12/01/11		15.22	719.62
	01/13/12		15.44	719.40
	02/10/12		15.37	719.47
	03/09/12		15.64	719.20
	04/06/12		15.31	719.53

iWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/03/07	730.97	12.40	718.57
	02/12/07		11.96	719.01
	03/12/07		12.22	718.75
	04/09/07		11.98	718.99
	05/07/07		11.10	719.87
	06/08/07		11.68	719.29
	07/17/07		11.44	719.53
	08/01/07		11.60	719.37
	09/14/07		13.10	717.87
	10/12/07		12.20	718.77
	11/09/07		12.27	718.70
	12/07/07		13.18	717.79
	01/04/08		12.85	718.12
	02/15/08		11.70	719.27
	03/13/08		11.61	719.36
	04/11/08		11.40	719.57
	05/08/08		11.39	719.58
	06/06/08		10.88	720.09
	07/03/08		11.65	719.32
	08/01/08		11.58	719.39
	09/12/08		13.09	717.88
	10/10/08		13.22	717.75
	11/06/08		12.96	718.01
	12/19/08		13.02	717.95
	01/02/09		12.80	718.17
	02/13/09		12.90	718.07
	03/13/09		12.78	718.19
	04/09/09		12.10	718.87
	05/08/09		13.35	717.62
	06/05/09		12.90	718.07
	07/02/09		12.68	718.29
	08/14/09		12.38	718.59
	09/11/09		12.30	718.67
	10/09/09		13.50	717.47
	11/04/09		13.04	717.93
	12/04/09		13.21	717.76
	01/14/10		13.42	717.55
	02/10/10		13.39	717.58
	03/11/10		12.81	718.16
	04/08/10		13.15	717.82
	05/06/10		12.14	718.83
	06/04/10		12.10	718.87
	07/01/10		13.42	717.55
	08/12/10		10.90	720.07
	09/08/10		12.70	718.27
	10/07/10		12.40	718.57
	11/19/10		12.45	718.52
	12/03/10		12.45	718.52
	01/14/11		12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22
	12/01/11		11.37	719.60
	01/13/12		12.84	718.13
	02/10/12		12.31	718.66
	03/09/12		12.98	717.99
	04/06/12		12.96	718.01

iWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/03/07	732.05	15.36	716.69
	02/12/07		15.82	716.23
	03/12/07		11.66	720.39
	04/09/07		15.91	716.14
	05/07/07		12.35	719.70
	06/08/07		15.31	716.74
	07/17/07		15.83	716.22
	08/01/07		14.40	717.65
	09/14/07		14.85	717.20
	10/12/07		14.41	717.64
	11/09/07		14.62	717.43
	12/07/07		14.68	717.37
	01/04/08		14.70	717.35
	02/15/08		15.25	716.80
	03/13/08		15.31	716.74
	04/11/08		14.10	717.95
	05/08/08		15.24	716.81
	06/06/08		12.13	719.92
	07/03/08		12.28	719.77
	08/01/08		12.30	719.75
	09/12/08		15.05	717.00
	10/10/08		15.88	716.17
	11/06/08		15.20	716.85
	12/19/08		15.50	716.55
	01/02/09		15.44	716.61
	02/13/09		12.15	719.90
	03/13/09		16.85	715.20
	04/09/09		16.30	715.75
	05/08/09		15.65	716.40
	06/05/09		14.68	717.37
	07/02/09		14.60	717.45
	08/14/09		15.35	716.70
	09/11/09		14.50	717.55
	10/09/09		17.15	714.90
	11/04/09		12.14	719.91
	12/04/09		16.81	715.24
	01/14/10		15.50	716.55
	02/10/10		15.20	716.85
	03/11/10		14.35	717.70
	04/08/10		14.28	717.77
	05/06/10		13.72	718.33
	06/04/10		13.45	718.60
	07/01/10		13.81	718.24
	08/12/10		14.58	717.47
	09/08/10		16.10	715.95
	10/07/10		15.50	716.55
	11/19/10		15.05	717.00
	12/03/10		13.78	718.27
	01/14/11		13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87
	12/01/11		15.06	716.99
	01/13/12		12.70	719.35
	02/10/12		12.48	719.57
	03/09/12		14.95	717.10
	04/06/12		13.22	718.83

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/03/07	733.19	18.41	714.78
	02/12/07		16.88	716.31
	03/12/07		12.16	721.03
	04/09/07		18.18	715.01
	05/07/07		12.95	720.24
	06/08/07		17.15	716.04
	07/17/07		17.71	715.48
	08/01/07		16.05	717.14
	09/14/07		16.45	716.74
	10/12/07		16.97	716.22
	11/09/07		18.75	714.44
	12/07/07		16.55	716.64
	01/04/08		15.67	717.52
	02/15/08		15.68	717.51
	03/13/08		15.79	717.40
	04/11/08		13.37	719.82
	05/08/08		16.65	716.54
	06/06/08		13.05	720.14
	07/03/08		13.90	719.29
	08/01/08		14.24	718.95
	09/12/08		15.59	717.60
	10/10/08		16.51	716.68
	11/06/08		16.55	716.64
	12/19/08		16.87	716.32
	01/02/09		16.81	716.38
	02/13/09		16.28	716.91
	03/13/09		16.35	716.84
	04/09/09		16.01	717.18
	05/08/09		15.77	717.42
	06/05/09		15.45	717.74
	07/02/09		15.10	718.09
	08/14/09		15.03	718.16
	09/11/09		14.84	718.35
	10/09/09		15.71	717.48
	11/04/09		15.66	717.53
	12/04/09		15.50	717.69
	01/14/10		16.01	717.18
	02/10/10		16.24	716.95
	03/11/10		16.21	716.98
	04/08/10		15.93	717.26
	05/06/10		16.03	717.16
	06/04/10		16.13	717.06
	07/01/10		15.09	718.10
	08/12/10		16.68	716.51
	09/08/10		15.38	717.81
	10/07/10		16.47	716.72
	11/19/10		18.69	714.50
	12/03/10		17.40	715.79
	01/14/11		17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47
	12/01/11		16.03	717.16
	01/13/12		15.63	717.56
	02/10/12		15.42	717.77
	03/09/12		15.93	717.26
	04/06/12		15.58	717.61

iWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/03/07	735.48	16.35	719.13
	02/12/07		16.99	718.49
	03/12/07		16.68	718.80
	04/09/07		15.45	720.03
	05/07/07		15.71	719.77
	06/08/07		16.01	719.47
	07/17/07		16.45	719.03
	08/01/07		18.05	717.43
	09/14/07		17.59	717.89
	10/12/07		18.17	717.31
	11/09/07		17.88	717.60
	12/07/07		15.77	719.71
	01/04/08		17.90	717.58
	02/15/08		16.91	718.57
	03/13/08		16.41	719.07
	04/11/08		14.99	720.49
	05/08/08		15.81	719.67
	06/06/08		14.71	720.77
	07/03/08		14.60	720.88
	08/01/08		14.79	720.69
	09/12/08		16.43	719.05
	10/10/08		17.12	718.36
	11/06/08		17.16	718.32
	12/19/08		17.59	717.89
	01/02/09		17.65	717.83
	02/13/09		16.52	718.96
	03/13/09		16.61	718.87
	04/09/09		16.42	719.06
	05/08/09		15.86	719.62
	06/05/09		15.86	719.62
	07/02/09		16.77	718.71
	08/14/09		15.28	720.20
	09/11/09		15.28	720.20
	10/09/09		16.42	719.06
	11/04/09		16.28	719.20
	12/04/09		16.94	718.54
	01/14/10		16.64	718.84
	02/10/10		16.84	718.64
	03/11/10		16.29	719.19
	04/08/10		16.29	719.19
	05/06/10		16.79	718.69
	06/04/10		16.59	718.89
	07/01/10		15.72	719.76
	08/12/10		16.54	718.94
	09/08/10		18.06	717.42
	10/07/10		18.98	716.50
	11/19/10		19.80	715.68
	12/03/10		18.81	716.67
	01/14/11		18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42
	12/01/11		18.26	717.22
	01/13/12		17.56	717.92
	02/10/12		16.98	718.50
	03/09/12		18.00	717.48
	04/06/12		17.15	718.33

iWM CONSULTING GROUP

Table 2
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	08/12/10	731.96	13.81	718.15
	09/08/10		14.07	717.89
	10/07/10		15.41	716.55
	11/19/10		16.78	715.18
	12/03/10		16.38	715.58
	01/14/11		15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78
	12/01/11		14.73	717.23
	01/13/12		14.37	717.59
	02/10/12		14.34	717.62
	03/09/12		14.86	717.10
	04/06/12		14.38	717.58

NR-Not Recorded
NG-Not Gauged

Table 3
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-1	5/3/1995	33	ND	ND(1)	ND	ND	100	200	ND	520	ND	ND	ND	ND	ND	ND	853
	8/3/1995	31	ND	ND	ND	ND	170	180	ND	400	ND	ND	ND	ND	ND	ND	781
	11/7/1995	30	ND	ND	ND	ND	ND	190	ND	390	ND	ND	ND	ND	ND	ND	610
	4/12/1996	NS(2)	ND	NS	NS	ND	NS	NS	ND	NS	ND	ND	ND	ND	ND	ND	0
	7/8/1996	14	ND	ND	ND	ND	31	120	ND	350	ND	ND	ND	ND	ND	ND	515
	10/17/1996	15	ND	ND	ND	ND	29	150	ND	1,800	ND	ND	ND	ND	ND	ND	1,994
	2/7/1997	18	ND	ND	ND	ND	ND	140	ND	260	ND	ND	ND	ND	ND	ND	278
	5/7/1997	9.9	ND	ND	ND	ND	20	91	ND	250	ND	ND	ND	ND	ND	ND	371
	8/4/1997	9.8	ND	ND	ND	ND	35	160	ND	210	ND	ND	ND	ND	ND	ND	415
	11/10/1997	NS	ND	NS	NS	ND	NS	NS	ND	NS	ND	ND	ND	ND	ND	ND	0
	12/1/1997	28	ND	ND	27	ND	180	190	ND	320	ND	ND	ND	ND	ND	ND	745
	2/4/1998	24	ND	ND	ND	ND	ND	150	ND	270	ND	ND	ND	ND	ND	ND	444
	5/8/1998	ND	ND	ND	ND	ND	350	240	ND	540	ND	ND	ND	ND	ND	ND	1,130
	7/30/1998	16	ND	ND	ND	ND	180	160	ND	140	ND	ND	ND	ND	ND	ND	496
	11/13/1998	12	11	ND	ND	ND	ND	150	ND	270 E	ND	ND	ND	ND	ND	ND	173
	2/12/1999	6.3	ND	ND	ND	ND	24	76	ND	156	ND	ND	ND	ND	ND	ND	262
	5/7/1999	7.5	ND	ND	ND	ND	6.6	97	ND	150	ND	ND	ND	ND	ND	ND	261
	8/13/1999	7.7	ND	ND	ND	ND	7.6	89	ND	180	ND	ND	ND	ND	ND	ND	284
	11/5/1999	11	ND	ND	ND	ND	6.6	120	ND	170	ND	ND	ND	ND	ND	ND	308
	2/11/2000	12	ND	ND	ND	ND	9.9	110	ND	150	ND	ND	ND	ND	ND	ND	282
	5/24/2000	10	ND	ND	ND	ND	38	88	ND	150	ND	ND	ND	ND	ND	ND	286
	8/4/2000	10	ND	ND	ND	ND	13	120	ND	200	ND	ND	ND	ND	ND	ND	343
	9/1/2000	8.4	ND	ND	ND	ND	ND	ND	5.6	200	ND	ND	ND	ND	ND	ND	214
	11/20/2000	8.3	ND	ND	ND	ND	ND	90	ND	170	ND	ND	ND	ND	ND	ND	268
	2/16/2001	7.4	ND	ND	ND	ND	ND	77	ND	170	ND	ND	ND	ND	ND	ND	254
	5/11/2001	5.2	ND	ND	ND	ND	71	140	ND	150	ND	ND	ND	ND	ND	ND	366
	8/10/2001	5.8	ND	ND	ND	ND	ND	64	ND	150	ND	ND	ND	ND	ND	ND	220
	1/22/2002	8.1	ND	ND	ND	ND	ND	95	ND	140	ND	ND	ND	ND	ND	ND	243
	5/2/2002	ND	ND	ND	ND	ND	ND	51	ND	130	ND	ND	ND	ND	ND	ND	181
	8/2/2002	ND	ND	ND	ND	ND	ND	53	ND	95	ND	ND	ND	ND	ND	ND	148
	10/17/2002	5.5	ND	ND	ND	ND	ND	64	ND	150	ND	ND	ND	ND	ND	ND	220
	1/7/2003	6.9	ND	ND	ND	ND	ND	58	ND	120	ND	ND	ND	ND	ND	ND	185
	4/30/2003	ND	ND	ND	ND	ND	14	66	ND	140	ND	ND	ND	ND	ND	ND	220
	7/25/2003	ND	ND	ND	ND	ND	39	45	ND	110	ND	ND	ND	ND	ND	ND	194
	10/3/2003	6.9	ND	ND	ND	ND	ND	53	ND	130	ND	ND	ND	ND	ND	ND	190
	1/8/2004	ND	ND	ND	ND	ND	5	39	ND	97	ND	ND	ND	ND	ND	ND	141
	4/2/2004	5.1	ND	ND	ND	ND	ND	49	ND	110	ND	ND	ND	ND	ND	ND	164
	7/7/2004	ND	ND	ND	ND	ND	9.1	39	ND	97	ND	ND	ND	ND	ND	ND	145
	10/29/2004	8.5	ND	ND	ND	ND	780	100	ND	230	ND	ND	ND	ND	ND	ND	1,119
	2/17/2005	ND	ND	ND	ND	ND	6	32	ND	83	ND	ND	ND	ND	ND	ND	121
	4/28/2005	ND	ND	ND	ND	ND	ND	32	ND	73	ND	ND	ND	ND	ND	ND	105
	8/19/2005	5.51	ND	ND	ND	ND	5.02	56.2	ND	103	ND	ND	ND	ND	ND	ND	170
	11/11/2005	9	ND	ND	ND	ND	222	105	ND	200	ND	ND	ND	ND	ND	ND	536
	1/6/2006	ND	ND	ND	ND	ND	5.99	51.8	ND	90.2	ND	ND	ND	ND	ND	ND	147.99
	5/25/2006	ND	ND	ND	ND	ND	7.65	36.7	ND	71.0	ND	ND	ND	ND	ND	ND	115.35
	8/18/2006	ND	ND	ND	ND	ND	ND	45.0	ND	87.2	ND	ND	ND	ND	ND	ND	132.20
	10/27/2006	5.01	ND	ND	ND	ND	ND	45.2	ND	92.6	ND	ND	ND	ND	ND	ND	142.81
	1/16/2007	ND	ND	ND	ND	ND	ND	26.0	ND	62.0	ND	ND	ND	ND	ND	ND	88.00
	4/17/2007	ND	ND	ND	ND	ND	70.8	28	ND	56.9	ND	ND	ND	ND	ND	ND	155.7
	7/17/2007	ND	ND	ND	ND	ND	ND	33.8	ND	68	ND	ND	ND	ND	ND	6.3	108.1
	10/26/2007	5.9	ND	ND	ND	ND	ND	49.8	ND	74.1	ND	ND	ND	ND	ND	ND	129.8
	1/4/2008	ND	ND	ND	ND	ND	ND	48	ND	83.8	ND	ND	ND	ND	ND	8.3	140.1
	4/25/2008	ND	ND	ND	ND	ND	50	22.2	ND	ND	ND	ND	ND	ND	ND	ND	72.2
	7/3/2008	ND	ND	ND	ND	ND	ND	22.9	ND	38.4	ND	ND	ND	ND	ND	ND	61.3
	11/21/2008	ND	ND	ND	ND	ND	9.5	33.8	ND	73.5	ND	ND	ND	ND	ND	ND	116.8
	2/27/2009	ND	ND	ND	ND	ND	5.5	28.3	ND	56.4	ND	ND	ND	ND	ND	ND	90.2
	5/22/2009	ND	ND	ND	ND	ND	5.3	24.5	ND	53.3	ND	ND	ND	ND	ND	ND	83.1
	8/28/2009	ND	ND	ND	ND	ND	6.7	23.8	ND	51.0	ND	ND	ND	ND	ND	ND	81.5
	11/19/2009	ND	ND	ND	ND	ND	5.3	28.5	ND	63.1	ND	ND	ND	ND	ND	ND	96.9
	2/26/2010	ND	ND	ND	22.5	ND	192	47.2	ND	71.8	ND	ND	ND	ND	ND	ND	333.5
	5/21/2010	ND	ND	ND	14.8	ND	103	32.0	ND	58.8	ND	ND	ND	ND	ND	ND	208.6
	8/26/2010	ND	ND	ND	ND	ND	ND	23.3	ND	39.9	ND	ND	ND	ND	ND	ND	63.2
	11/19/2010	ND	ND	ND	190	5.1	159	41.0	ND	96.3	ND	ND	ND	ND	ND	ND	491.4
	2/11/2011	ND	ND	ND	5.3	ND	9.3	20.3	ND	37.7	ND	ND	ND	ND	ND	ND	72.6
	5/20/2011	ND	ND	ND	5.5	ND	5.6	14.6	ND	29	ND	ND	ND	ND	ND	ND	54.7
	8/25/2011	ND	ND	ND	51.5	ND	131	27.3	ND	72	ND	ND	ND	ND	ND	ND	281.8
	11/18/2011	ND	ND	ND	ND	ND	ND	24.2	ND	29.8	ND	ND	ND	ND	ND	ND	54
	2/24/2012	ND	ND	ND	ND	ND	ND	ND	ND	31	ND	ND	ND	ND	ND	ND	31

Notes:
Results in micrograms per liter (ug/l).
(1) ND - Not Detected - analyte not detected above laboratory method detection limit.
(2) NS - Not Sampled, RW-1 not in operation during April 1996 and November 1997 sampling events.
E - Trichloroethane value for RW-1 during the November 13, 1998 sampling event is an estimated value only.

Table 3 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro ethene	trans-1,2 - Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-2	5/3/1995	47	ND	8.1	3.9	ND	1,500	960	ND	4,300	ND	ND	ND	ND	ND	ND	6,819
	8/3/1995	48	ND	ND	ND	ND	1,500	1,100	ND	3,000	ND	ND	ND	ND	ND	ND	5,648
	11/7/1995	58	ND	9.1	5.3	ND	2,100	1,300	ND	2,200	ND	ND	ND	ND	ND	ND	5,672
	4/12/1996	ND	ND	ND	ND	ND	980	530	ND	1,500	ND	ND	ND	ND	ND	ND	3,010
	7/8/1996	31	ND	7.3	ND	ND	2,100	1,200	ND	2,100	ND	ND	ND	ND	ND	ND	5,438
	10/17/1996	33	ND	ND	ND	ND	2,600	680	ND	2,900	ND	ND	ND	ND	ND	ND	6,213
	2/7/1997	27	ND	ND	ND	ND	37	400	ND	410	ND	ND	ND	ND	ND	ND	874
	5/7/1997	24	ND	ND	ND	ND	880	340	ND	860	ND	ND	ND	ND	ND	ND	2,104
	8/4/1997	18	ND	ND	ND	ND	400	310	ND	560	ND	ND	ND	ND	ND	ND	1,288
	11/10/1997	21	ND	ND	ND	ND	250	260	ND	550	ND	ND	ND	ND	ND	ND	1,081
	2/4/1998	22	ND	ND	ND	ND	310	260	ND	590	ND	ND	ND	ND	ND	ND	1,182
	5/8/1998	ND	ND	ND	ND	ND	750	330	ND	790	ND	ND	ND	ND	ND	ND	1,870
	7/30/1998	16	ND	ND	ND	ND	870	270	ND	890	ND	ND	ND	ND	ND	ND	2,046
	11/13/1998	ND	13	ND	ND	ND	200	160	ND	93	ND	ND	ND	ND	ND	ND	466
	2/12/1999	32	ND	ND	ND	ND	1,400	390	ND	1,200	ND	ND	ND	ND	ND	ND	3,022
	5/7/1999	28	ND	ND	ND	ND	1,300	530	ND	900	ND	ND	ND	ND	ND	ND	2,758
	8/13/1999	14	ND	ND	ND	ND	1,200	410	ND	810	ND	ND	ND	ND	ND	ND	2,434
	11/5/1999	21	ND	5.4	ND	ND	920	390	ND	780	ND	ND	ND	ND	ND	ND	2,116
	2/11/2000	30	ND	ND	ND	ND	1,300	420	ND	880	ND	ND	ND	ND	ND	ND	2,630
	5/24/2000	26	ND	ND	ND	ND	1,100	370	ND	840	ND	ND	ND	ND	ND	ND	2,336
	8/4/2000	25	ND	ND	ND	ND	1,600	500	ND	980	22	ND	ND	ND	ND	ND	3,127
	9/1/2000	22	ND	ND	ND	ND	1,400	430	ND	860	ND	ND	ND	ND	ND	ND	2,712
	11/20/2000	23	ND	ND	ND	ND	1,100	300	ND	680	ND	ND	ND	ND	ND	ND	2,103
	2/16/2001	16	ND	ND	ND	ND	1,000	260	ND	580	ND	ND	ND	ND	ND	ND	1,856
	5/11/2001	18	ND	ND	ND	ND	1,200	480	ND	690	ND	ND	ND	ND	ND	ND	2,388
	8/10/2001	ND	ND	ND	ND	ND	1,300	410	ND	940	ND	ND	ND	ND	ND	ND	2,650
	1/22/2002	ND	8.3	ND	ND	ND	1,100	730	ND	560	ND	ND	ND	ND	ND	ND	2,398
	5/2/2002	14	ND	ND	ND	ND	810	290	ND	600	ND	ND	ND	ND	ND	ND	1,714
	8/2/2002	ND	ND	ND	ND	ND	120	81	ND	61	ND	ND	ND	ND	ND	ND	262
	10/17/2002	17	ND	ND	ND	ND	1,800	340	ND	960	ND	ND	ND	ND	ND	ND	3,117
	1/7/2003	21	ND	5	ND	ND	1,500	350	ND	700	ND	ND	ND	ND	ND	ND	2,576
	4/30/2003	18	ND	ND	ND	ND	1,500	630	ND	1,000	ND	ND	ND	ND	ND	ND	3,148
	7/25/2003	13	ND	ND	ND	ND	1,200	270	ND	640	ND	ND	ND	ND	ND	ND	2,123
	10/3/2003	15	ND	ND	ND	ND	1,400	240	ND	650	ND	ND	ND	ND	ND	ND	2,305
	1/6/2004	16	ND	ND	ND	ND	1,300	320	ND	750	ND	ND	ND	ND	ND	ND	2,386
	4/2/2004	15	ND	ND	ND	ND	1,300	330	ND	700	ND	ND	ND	ND	ND	ND	2,345
	7/7/2004	14	ND	ND	ND	ND	1,400	260	ND	610	ND	ND	ND	ND	ND	ND	2,284
	10/29/2004	20	ND	ND	5.3	ND	1,900	210	ND	690	ND	ND	ND	ND	ND	ND	2,825
	2/17/2005	18	ND	ND	ND	ND	1,600	280	ND	690	ND	ND	ND	ND	ND	ND	2,588
	4/28/2005	13	ND	ND	ND	ND	1,300	200	ND	550	ND	ND	ND	ND	ND	ND	2,063
	8/19/2005	ND	ND	ND	ND	ND	129	109	ND	58.9	ND	ND	ND	ND	ND	ND	297
	11/11/2005	30	ND	ND	7	ND	1,390	238	ND	534	ND	ND	ND	ND	ND	ND	2,199
	1/6/2006	18.4	ND	ND	ND	ND	2,220	380	ND	699	6.04	ND	ND	ND	ND	ND	3,323.44
	5/25/2006	20.8	ND	ND	14.4	ND	1,874	296	ND	570	ND	ND	ND	ND	ND	ND	2,775.20
	9/1/2006	10.5	ND	ND	12.1	ND	842	121	ND	266	ND	ND	ND	ND	ND	ND	1,251.60
	10/27/2006	20.2	ND	ND	19.2	ND	1,590	181	ND	510	ND	ND	ND	ND	ND	ND	2,320.40
	1/16/2007	17	ND	ND	32	ND	1,600	200	ND	500	ND	ND	ND	ND	ND	ND	2,349
	4/17/2007	12.2	ND	ND	34.1	ND	1,760	162	ND	445	ND	ND	ND	ND	ND	ND	2,413.3
	7/17/2007	16.1	ND	5	325	ND	1,960	176	ND	530	ND	ND	ND	ND	ND	ND	3,012.1
	10/26/2007	18.8	ND	ND	577	ND	1,000	169	ND	407	ND	ND	ND	ND	ND	31.5	2,203.3
	1/4/2008	18.6	ND	ND	770	ND	1,610	158	ND	425	ND	ND	ND	ND	ND	ND	2,981.6
	4/25/2008	28.4	ND	28.4	535	ND	1,880	206	ND	529	ND	ND	ND	ND	ND	ND	3,206.8
	7/3/2008	17.6	ND	ND	291	ND	1,390	178	ND	461	ND	ND	ND	ND	ND	ND	2,337.6
	11/21/2008	13.8	ND	ND	190	ND	1,900	177	ND	498	ND	ND	ND	ND	ND	ND	2,778.8
	2/27/2009	14.4	ND	ND	144	ND	1,390	158	ND	411	ND	ND	ND	ND	ND	ND	2,117.4
	5/22/2009	15.7	ND	ND	159	ND	1,280	199	ND	397	ND	ND	ND	ND	ND	ND	2,050.7
	8/28/2009	11.2	ND	ND	145	ND	1,340	193	ND	355	ND	ND	ND	ND	ND	ND	2,044.2
	11/19/2009	17.1	ND	ND	225	ND	1,630	214	ND	428	ND	ND	ND	ND	ND	ND	2,514.1
	2/26/2010	13.2	ND	ND	181	ND	973	168	ND	297	ND	ND	ND	ND	ND	ND	1,632.2
	5/21/2010	ND	ND	ND	164	ND	1,610	128	ND	493	ND	ND	ND	ND	ND	ND	2,395.0
	8/26/2010	10.6	ND	ND	202	ND	1,230	132	ND	332	ND	ND	ND	ND	ND	ND	1,906.6
	11/19/2010	8.6	ND	ND	6.3	ND	297	151	ND	160	ND	ND	ND	ND	ND	ND	622.9
	2/11/2011	12.2	ND	ND	51	ND	579	99.6	ND	196	ND	ND	ND	ND	ND	ND	937.8
	5/20/2011	9.1	ND	ND	1,000	ND	812	78.5	ND	196	ND	ND	ND	ND	ND	ND	2,095.6
	8/25/2011	ND	ND	ND	17.9	ND	164	44.7	ND	68.1	ND	ND	ND	ND	ND	ND	294.7
	11/18/2011	11	ND	ND	8.5	ND	213	103	ND	173	ND	ND	ND	ND	ND	ND	508.5
	2/24/2012	5	ND	ND	83.7	ND	131	53.7	ND	74	ND	ND	ND	ND	ND	ND	347.4

Notes:
Results in micrograms per liter (ug/l).

Table 3 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-3	5/3/1995	28	ND	ND	ND	ND	160	540	ND	2,900	ND	ND	ND	ND	ND	ND	3,628
	8/3/1995	53	ND	ND	ND	ND	16	560	ND	870	ND	ND	ND	ND	ND	ND	1,499
	11/7/1995	48	ND	6.9	ND	ND	1,400	950	ND	1,700	ND	ND	ND	ND	ND	ND	4,105
	4/12/1996	ND	ND	ND	ND	ND	93	450	ND	1,200	ND	ND	ND	ND	ND	ND	1,743
	7/8/1996	39	ND	6.5	ND	ND	45	820	ND	1,100	ND	ND	ND	ND	ND	ND	2,011
	10/17/1996	34	ND	ND	ND	ND	2,600	720	ND	2,900	ND	ND	ND	ND	ND	ND	6,254
	2/7/1997	28	ND	ND	ND	ND	37	410	ND	410	ND	ND	ND	ND	ND	ND	885
	5/7/1997	24	ND	ND	ND	ND	1,000	400	ND	990	ND	ND	ND	ND	ND	ND	2,414
	8/4/1997	17	ND	ND	ND	ND	110	330	ND	490	ND	ND	ND	ND	ND	ND	947
	11/10/1997	25	ND	ND	ND	ND	76	400	ND	600	ND	ND	ND	ND	ND	ND	1,101
	2/4/1998	30	ND	ND	ND	ND	180	460	ND	840	ND	ND	ND	ND	ND	ND	1,510
	5/8/1998	ND	ND	ND	ND	ND	260	380	ND	640	ND	ND	ND	ND	ND	ND	1,280
	7/30/1998	33	ND	ND	ND	ND	27	450	ND	190	ND	ND	ND	ND	ND	ND	700
	11/13/1998	11	ND	ND	ND	ND	48	120	ND	130	ND	ND	ND	ND	ND	ND	309
	2/12/1999	33	ND	ND	ND	ND	110	420	ND	420	ND	ND	ND	ND	ND	ND	983
	5/7/1999	18	ND	ND	ND	ND	180	320	ND	410	ND	ND	ND	ND	ND	ND	928
	8/13/1999	15	ND	ND	ND	ND	260	240	ND	400	ND	ND	ND	ND	ND	ND	915
	11/5/1999	13	ND	ND	ND	ND	280	260	ND	400	ND	ND	ND	ND	ND	ND	953
	2/11/2000	19	ND	ND	ND	ND	370	280	ND	400	ND	ND	ND	ND	ND	ND	1,069
	5/24/2000	17	ND	ND	ND	ND	480	260	ND	480	ND	ND	ND	ND	ND	ND	1,237
	8/4/2000	16	ND	ND	ND	ND	1,100	290	ND	550	ND	ND	ND	ND	ND	ND	1,956
	9/1/2000	15	ND	ND	ND	ND	830	270	ND	440	ND	ND	ND	ND	ND	ND	1,555
	11/20/2000	15	23	ND	ND	ND	650	220	ND	330	ND	ND	ND	ND	ND	ND	1,238
	2/16/2001	13	ND	ND	ND	ND	630	200	ND	300	ND	ND	ND	ND	ND	ND	1,143
	5/11/2001	ND	ND	ND	ND	ND	1,700	260	ND	310	ND	ND	ND	ND	ND	ND	2,270
	8/10/2001	13	ND	ND	ND	ND	1,200	260	ND	390	ND	ND	ND	ND	ND	ND	1,863
	1/22/2002	14	ND	7	ND	ND	610	ND	ND	340	ND	ND	ND	ND	ND	ND	971
	5/2/2002	11	ND	ND	ND	ND	340	240	ND	190	ND	ND	ND	ND	ND	ND	781
	8/2/2002	10	ND	ND	ND	ND	300	220	ND	170	ND	ND	ND	ND	11	ND	711
	10/17/2002	9	ND	ND	ND	ND	360	190	ND	210	ND	ND	ND	ND	ND	ND	769
	1/7/2003	23	ND	ND	ND	ND	310	350	ND	250	ND	ND	ND	ND	ND	ND	933
	4/30/2003	12	ND	ND	ND	ND	560	160	ND	190	ND	ND	ND	ND	ND	ND	922
	7/25/2003	9.6	ND	ND	ND	ND	400	180	ND	160	ND	ND	ND	ND	ND	ND	750
	10/3/2003	10	ND	ND	ND	ND	500	160	ND	180	ND	ND	ND	ND	ND	ND	850
	1/8/2004	ND	ND	ND	ND	ND	450	220	ND	180	ND	ND	ND	ND	ND	ND	850
	4/2/2004	9.5	ND	ND	ND	ND	370	240	ND	150	ND	ND	ND	ND	ND	ND	770
	7/7/2004	8.7	ND	ND	ND	ND	430	200	ND	160	ND	ND	ND	ND	ND	ND	799
	10/29/2004	9.1	ND	ND	ND	ND	450	180	ND	160	ND	ND	ND	ND	ND	ND	799
	2/17/2005	ND	ND	ND	ND	ND	25	ND	ND	ND	ND	ND	ND	ND	ND	ND	25
	4/28/2005	31	ND	ND	ND	ND	100	660	ND	85	ND	ND	ND	ND	ND	ND	876
	8/19/2005	12.5	ND	ND	ND	ND	269	282	ND	150	ND	ND	ND	ND	ND	ND	714
	11/11/2005	20	ND	ND	ND	ND	299	235	ND	128	ND	ND	ND	ND	ND	ND	682
	1/16/2006	ND	ND	ND	ND	ND	207	400	ND	156	ND	ND	ND	ND	ND	ND	763
	5/25/2006	22.8	ND	ND	ND	ND	295	412	ND	145	ND	ND	ND	ND	ND	ND	875
	8/18/2006	14.6	ND	ND	ND	ND	217	223	ND	154	ND	ND	ND	ND	ND	ND	609
	10/27/2006	13.8	ND	ND	ND	ND	199	168	ND	154	ND	ND	ND	ND	ND	ND	535
	1/16/2007	13	ND	ND	ND	ND	240	240	ND	110	ND	ND	ND	ND	ND	ND	603
	4/17/2007	6.9	ND	ND	ND	ND	165	146	ND	73	ND	ND	ND	ND	ND	ND	391
	7/17/2007	11.5	ND	5.1	87.3	ND	223	234	ND	107	ND	ND	ND	ND	ND	ND	667.9
	10/28/2007	11.8	ND	ND	160	ND	146	191	ND	96.1	ND	ND	ND	ND	ND	ND	604.9
	1/4/2008	9.3	ND	ND	141	ND	292	195	ND	109	ND	ND	ND	ND	ND	ND	746.3
	4/25/2008	13.6	ND	ND	ND	ND	154	252	ND	83.9	ND	ND	ND	ND	ND	ND	503.5
	7/3/2008	16.8	ND	ND	ND	ND	87.6	300	ND	72.9	ND	ND	ND	ND	ND	ND	477.3
	11/21/2008	8	ND	ND	45.2	ND	269	145	ND	95.7	ND	ND	ND	ND	ND	ND	562.9
	2/27/2009	6.5	ND	ND	61.1	ND	219	148	ND	103.0	ND	ND	ND	ND	ND	ND	537.6
	5/22/2009	7.5	ND	ND	25.7	ND	239	164	ND	86.7	ND	ND	ND	ND	ND	ND	522.9
	8/28/2009	6.3	ND	ND	13.6	ND	267	126	ND	76.4	ND	ND	ND	ND	ND	ND	489.3
	11/19/2009	7.6	ND	ND	33.4	ND	272	138	ND	90.9	ND	ND	ND	ND	ND	ND	541.9
	2/26/2010	6.5	ND	ND	33.4	ND	262	111	ND	80	ND	ND	ND	ND	ND	ND	492.9
	5/21/2010	ND	ND	ND	21.9	ND	292	93.4	ND	70.2	ND	ND	ND	ND	ND	ND	477.5
	8/26/2010	5.3	ND	ND	5.2	ND	177	84	ND	49.9	ND	ND	ND	ND	ND	ND	321.4
	11/19/2010	9.2	ND	ND	382	6.9	162	137	ND	121	ND	ND	ND	ND	ND	ND	818.1
	2/11/2011	8.8	ND	ND	605	ND	81.8	118	ND	134	ND	ND	ND	ND	ND	ND	947.6
	5/20/2011	6	ND	ND	59	ND	69.6	88.8	ND	53.4	ND	ND	ND	ND	ND	ND	276.8
	8/25/2011	ND	ND	ND	55.3	ND	96.1	68.4	ND	50.8	ND	ND	ND	ND	ND	ND	270.6
	11/18/2011	6.7	ND	ND	138	ND	126	86.7	ND	77.4	ND	ND	ND	ND	ND	ND	434.8
	2/24/2012	ND	ND	ND	55.7	ND	83.6	ND	ND	61.4	ND	ND	ND	ND	ND	ND	200.7

Notes:
Results in micrograms per liter (ug/l).

Table 3 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro ethene	trans-1,2 - Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-4	3/10/1999	ND	ND	ND	ND	ND	65	7	ND	ND	ND	ND	ND	ND	ND	ND	72
	5/7/1999	ND	ND	ND	ND	ND	6.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	7
	8/13/1999	ND	ND	ND	ND	ND	37	ND	ND	ND	ND	ND	ND	ND	ND	ND	37
	11/5/1999	10	ND	ND	ND	ND	140	180	ND	220	ND	ND	ND	ND	ND	ND	550
	2/11/2000	ND	ND	ND	ND	ND	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	15
	5/24/2000	ND	ND	ND	ND	ND	23	ND	ND	ND	ND	ND	ND	ND	ND	ND	23
	8/4/2000	ND	ND	ND	ND	ND	30	ND	ND	ND	ND	ND	ND	ND	ND	ND	30
	9/1/2000	ND	ND	ND	ND	ND	24	ND	ND	ND	ND	ND	ND	ND	ND	ND	24
	11/20/2000	ND	ND	ND	ND	ND	46	5.1	ND	ND	ND	ND	ND	ND	ND	ND	51
	2/16/2001	ND	ND	ND	ND	ND	37	ND	ND	ND	ND	ND	ND	ND	ND	ND	37
	5/11/2001	ND	ND	ND	ND	ND	8	ND	ND	ND	ND	ND	ND	ND	ND	ND	8
	8/10/2001	ND	ND	ND	ND	ND	13	ND	ND	ND	ND	ND	ND	ND	ND	ND	13
	1/22/2002	ND	ND	ND	ND	ND	43	ND	ND	ND	ND	ND	ND	ND	ND	ND	43
	5/2/2002	ND	ND	ND	ND	ND	25	ND	ND	ND	ND	ND	ND	ND	ND	ND	25
	8/2/2002	ND	ND	ND	ND	ND	28	ND	ND	ND	ND	ND	ND	ND	ND	ND	28
	10/17/2002	ND	ND	ND	ND	ND	27	6.2	ND	ND	ND	ND	ND	ND	ND	ND	33
	1/7/2003	ND	ND	ND	ND	ND	32	7.0	ND	ND	ND	ND	ND	ND	ND	ND	39
	4/30/2003	ND	ND	ND	ND	ND	22	6.1	ND	ND	ND	ND	ND	ND	ND	ND	28
	7/25/2003	8.6	ND	ND	ND	ND	380	160	ND	170	ND	ND	ND	ND	ND	ND	719
	10/3/2003	ND	ND	ND	ND	ND	36	ND	ND	ND	ND	ND	ND	ND	ND	ND	36
	1/8/2004	ND	ND	ND	ND	ND	35	ND	ND	ND	ND	ND	ND	ND	ND	ND	35
	4/2/2004	ND	ND	ND	ND	ND	29	ND	ND	ND	ND	ND	ND	ND	ND	ND	29
	7/7/2004	ND	ND	ND	ND	ND	30	ND	ND	ND	ND	ND	ND	ND	ND	ND	30
	10/29/2004	ND	ND	ND	ND	ND	18	ND	ND	ND	ND	ND	ND	ND	ND	ND	18
	2/17/2005	7.4	ND	ND	ND	ND	350	210	ND	140	ND	ND	ND	ND	ND	ND	707
	4/28/2005	ND	ND	ND	ND	ND	25	6.2	ND	ND	ND	ND	ND	ND	ND	ND	31
	8/19/2005	ND	ND	ND	ND	ND	35.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	35.4
	11/11/2005	ND	ND	ND	ND	ND	20	ND	ND	ND	ND	ND	ND	ND	ND	ND	20
	1/6/2006	ND	ND	ND	ND	ND	39.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	39.4
	5/25/2006	ND	ND	ND	ND	ND	47.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	47.1
	8/18/2006	ND	ND	ND	ND	ND	27.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	27.3
	10/27/2006	ND	ND	ND	ND	ND	34.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	34.0
	1/16/2007	ND	ND	ND	ND	ND	34.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	34
	4/17/2007	ND	ND	ND	ND	ND	23	ND	ND	ND	ND	ND	ND	ND	ND	ND	23
	7/17/2007	ND	ND	ND	ND	ND	21.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	21.9
	10/26/2007	ND	ND	ND	ND	ND	5.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.5
	1/4/2008	ND	ND	ND	ND	ND	13.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	13.4
	4/25/2008	ND	ND	ND	ND	ND	20.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	20.4
	7/3/2008	ND	ND	ND	ND	ND	31.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	31.3
	11/21/2008	ND	ND	ND	ND	ND	16	ND	ND	ND	ND	ND	ND	ND	ND	ND	16
	2/27/2009	ND	ND	ND	ND	ND	20.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	20.3
	5/22/2009	ND	ND	ND	ND	ND	23.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	23.7
	8/28/2009	ND	ND	ND	ND	ND	30.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	30.9
	11/19/2009	ND	ND	ND	ND	ND	23.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	23.8
	2/26/2010	ND	ND	ND	ND	ND	19.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	19.8
	5/21/2010	ND	ND	ND	ND	ND	16.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	16.3
	8/26/2010	ND	ND	ND	ND	ND	14.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	14.2
	11/19/2010	ND	ND	ND	ND	ND	8.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.2
	2/11/2011	ND	ND	ND	ND	ND	8.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.6
	5/20/2011	ND	ND	ND	ND	ND	13.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	13.7
	8/25/2011	ND	ND	ND	ND	ND	10.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.1
	11/18/2011	ND	ND	ND	ND	ND	12	ND	ND	ND	ND	ND	ND	ND	ND	ND	12.0
	2/24/2012	ND	ND	ND	ND	ND	7.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.6
RW-5	7/22/2010	ND	ND	ND	ND	ND	1,120	132	ND	253	ND	ND	ND	8,890	ND	ND	10,395
	8/26/2010	ND	ND	ND	99.3	ND	669	114	ND	281	ND	ND	ND	ND	ND	ND	1,163
	11/19/2010	8.2	ND	ND	1,020	6.3	807	106	ND	355	ND	ND	ND	ND	ND	ND	2,403
	2/11/2011	5.2	ND	ND	766	ND	721	73.6	ND	325	ND	ND	ND	ND	ND	ND	1,890.8
	5/20/2011	ND	ND	ND	251	ND	440	87.6	ND	262	ND	ND	ND	ND	ND	ND	1,040.6
	8/25/2011	ND	ND	ND	244	ND	262	21	ND	135	ND	ND	ND	ND	ND	ND	662
	11/18/2011	ND	ND	ND	442	ND	579	67	ND	447	ND	ND	ND	ND	ND	ND	1,535
	2/24/2012	ND	ND	ND	228	ND	345	ND	ND	305	ND	ND	ND	ND	ND	ND	878

Notes:
Results in micrograms per liter (ug/l).

Table 3 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 - Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
Effluent	5/7/1999	ND	ND	ND	ND	ND	6.1	ND	ND	7.8	ND	ND	ND	ND	ND	ND	14
	6/18/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/13/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/5/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/11/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/24/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/4/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	9/1/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/20/2000	ND	ND	ND	ND	ND	95	40	ND	86	ND	ND	ND	ND	ND	ND	221
	12/6/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	270	ND	ND	270
	2/16/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/11/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/10/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/22/2002	ND	ND	ND	ND	ND	93	25	ND	61	ND	ND	ND	ND	ND	ND	179
	*05/02/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	18	17	ND	ND	ND	35
	8/2/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/17/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/7/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/30/2003	ND	ND	ND	ND	ND	31	8.6	ND	19	ND	ND	ND	ND	ND	ND	59
	**05/19/2003	ND	ND	ND	ND	ND	31	7.5	ND	24	ND	ND	ND	ND	ND	ND	63
	5/22/2003	ND	ND	ND	ND	ND	21	8.1	ND	18	ND	ND	ND	ND	ND	ND	47
	5/27/2003	ND	ND	ND	ND	ND	18	ND	ND	13	ND	ND	ND	ND	ND	ND	31
	5/30/2003	ND	ND	ND	ND	ND	11	ND	ND	9.6	ND	ND	ND	ND	ND	ND	21
	7/25/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/3/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/8/2004	ND	ND	ND	ND	ND	72	21	ND	49	ND	ND	ND	ND	ND	ND	142
	1/16/2004	ND	ND	ND	ND	ND	75	26	ND	62	ND	ND	ND	ND	ND	ND	163
	1/19/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/2/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/7/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/17/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/19/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/11/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/6/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/25/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/18/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/27/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/16/2007	ND	ND	ND	ND	ND	73	19	ND	35	ND	ND	ND	ND	ND	ND	127
	2/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/17/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/17/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/26/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/4/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/3/2008	ND	ND	ND	ND	ND	10.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.7
	7/18/2008	ND	ND	ND	ND	ND	5.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.7
	7/22/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/21/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/22/2009	ND	ND	ND	ND	ND	5.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.9
	6/9/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/28/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/19/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/21/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/19/2010	ND	ND	ND	55.9	ND	15.7	ND	ND	10.3	ND	ND	ND	ND	ND	ND	81.9
	12/8/2010	ND	ND	ND	57.9	ND	24.4	ND	ND	11.8	ND	ND	ND	ND	ND	ND	94.1
	12/10/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/11/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/20/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/18/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/24/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0

Notes:
Results in micrograms per liter (ug/l).
* - Naphthalene and MTBE were detected at 18 and 17 ug/L, respectively; however, these detections are most likely due to laboratory artifacts or handling issues.
** - Methylene chloride was detected at 5.9 ug/L, however, this detection was most likely due to a laboratory artifact.

Table 4

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
IT-2	2/1/1986	NA	15	NR	1.5	90	88	NR	NR	ND	ND	ND	195
	5/1/1986	NA	10	NR	7.5	64	93	NR	NR	ND	ND	ND	175
	8/1/1986	NA	11	NR	38	120	120	NR	NR	ND	ND	ND	289
	11/1/1986	NA	34	NR	55	39	130	NR	NR	ND	ND	ND	258
	3/5/1992	NA	41	78	ND	25	18	NR	NR	ND	ND	ND	162
	7/27/1992	NA	17	30	ND	28	39	NR	NR	ND	ND	ND	114
	2/16/1993	NA	18	51	5J	29	29	NR	NR	ND	ND	ND	127
	10/9/1996	NA	18	79	17	9	18	NR	NR	ND	ND	ND	141
	9/29/2000	12.40	16	87	ND	ND	14	ND	ND	ND	ND	ND	117
	4/2/2001	13.12	11	56	ND	26	60	ND	ND	ND	ND	ND	153
	10/19/2001	12.53	14	70	ND	10	20	ND	ND	ND	ND	ND	114
	4/16/2002	11.65	ND	24	ND	ND	10	ND	ND	ND	ND	ND	34
	10/17/2002	13.13	8.8	46	ND	ND	14	ND	ND	ND	ND	ND	69
	4/30/2003	12.75	ND	31	ND	8.8	21	ND	ND	ND	ND	ND	61
	10/3/2003	12.23	8.8	50	ND	ND	11	ND	ND	ND	ND	ND	70
	4/2/2004	12.47	ND	43	ND	ND	15	ND	ND	ND	ND	ND	58
	10/4/2004	12.61	9.4	60	6.1	12	36	ND	ND	ND	ND	ND	124
	4/1/2005	12.46	6.3	29	ND	5.4	18	ND	ND	ND	ND	ND	59
	10/14/2005	12.38	8	52	ND	ND	9	ND	ND	ND	ND	ND	69
	4/27/2006	11.75	ND	25.5	ND	4.98	14.6	ND	ND	ND	ND	ND	45.1
	10/13/2006	12.47	ND	36.6	ND	ND	13.6	ND	ND	ND	ND	ND	50.2
	4/17/2007	11.96	ND	13.1	ND	ND	8.9	ND	ND	ND	ND	ND	22
	10/12/2007	13.38	8.4	42.7	ND	ND	8.2	ND	ND	ND	ND	ND	59.3
	4/4/2008	11.13	ND	19.1	ND	ND	10.7	ND	ND	ND	ND	ND	29.8
	10/10/2008	12.78	ND	18	ND	ND	5.5	ND	ND	ND	ND	ND	23.5
	4/9/2009	12.22	ND	17.3	ND	6.2	10.1	ND	ND	ND	ND	ND	33.6
	10/9/2009	12.29	ND	11.4	ND	ND	10.3	ND	ND	ND	ND	ND	21.7
	4/8/2010	12.19	ND	5.4	ND	ND	ND	ND	ND	ND	ND	ND	5.4
	10/7/2010	14.04	6.3	29.7	ND	ND	15.6	ND	ND	ND	ND	ND	51.6
	4/14/2011	11.93	ND	15.4	ND	ND	10.8	ND	ND	ND	ND	ND	26.2
	10/5/2011	13.30	6.5	30.4	ND	5.7	18.7	ND	ND	ND	ND	ND	61.3
	4/6/2012	12.31	ND	18.3	ND	ND	8.5	ND	ND	ND	ND	ND	26.8

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 4 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
IT-3	2/1/1986	NA	13	NR	290	190	67	NR	NR	ND	ND	ND	560
	5/1/1986	NA	10	NR	NA	200	27	NR	NR	ND	ND	ND	237
	8/1/1986	NA	7.5	NR	24	150	50	NR	NR	ND	ND	ND	232
	11/1/1986	NA	7.9	NR	16	160	72	NR	NR	ND	ND	ND	256
	3/5/1992	NA	4J	ND	ND	83	34	NR	NR	ND	ND	ND	117
	7/27/1992	NA	4J	ND	8	67	22	NR	NR	ND	ND	ND	97
	2/16/1993	NA	5J	ND	ND	71	29	NR	NR	ND	ND	ND	100
	10/9/1996	NA	5	ND	ND	49	58	NR	NR	ND	ND	ND	112
	9/29/2000	10.74	ND	ND	ND	23	17	ND	ND	ND	ND	ND	40
	4/2/2001	11.30	ND	ND	ND	14	14	ND	ND	ND	ND	ND	28
	10/19/2001	10.78	ND	ND	ND	23	16	ND	ND	ND	ND	ND	39
	4/16/2002	10.72	ND	ND	ND	22	11	ND	ND	ND	ND	ND	33
	10/17/2002	11.25	ND	ND	ND	18	16	ND	ND	ND	ND	ND	34
	4/30/2003	11.21	ND	ND	ND	19	11	ND	ND	ND	ND	ND	30
	10/3/2003	10.91	ND	ND	ND	17	9.5	ND	ND	ND	ND	ND	27
	4/2/2004	10.97	ND	ND	ND	12	6	ND	ND	ND	ND	ND	18
	10/4/2004	11.03	ND	ND	5.3	11	5.8	ND	ND	ND	ND	ND	22
	4/1/2005	10.94	ND	ND	ND	8.1	ND	ND	ND	ND	ND	ND	8.1
	10/14/2005	10.91	ND	ND	ND	7	ND	ND	ND	ND	ND	ND	7.0
	4/27/2006	10.75	ND	ND	ND	12.9	ND	ND	ND	ND	ND	ND	12.9
	10/13/2006	10.95	ND	ND	ND	11.1	5.78	ND	ND	ND	ND	ND	16.9
	4/17/2007	10.83	ND	ND	ND	12.4	7.6	ND	ND	ND	ND	5.7	25.7
	10/12/2007	11.35	ND	ND	ND	12.9	10.2	ND	ND	ND	ND	ND	23.1
	4/4/2008	10.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	10/10/2008	11.04	ND	ND	ND	19.9	18.7	ND	ND	ND	ND	ND	38.6
	4/9/2009	10.86	ND	ND	ND	11.4	16.3	ND	ND	ND	ND	ND	27.7
	10/9/2009	10.77	ND	ND	ND	18.9	25.7	ND	ND	ND	ND	ND	44.6
	4/8/2010	10.75	ND	ND	ND	5.6	17.8	ND	ND	ND	ND	ND	23.4
	10/7/2010	11.33	ND	ND	ND	21.6	32.5	ND	ND	ND	ND	ND	54.1
	4/14/2011	10.52	ND	ND	ND	ND	6.5	ND	ND	ND	ND	ND	6.5
	10/5/2011	11.07	ND	ND	ND	10.4	13.3	ND	ND	ND	ND	ND	23.7
	4/6/2012	10.73	ND	ND	ND	ND	7.2	ND	ND	ND	ND	ND	7.2

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 4 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-12	2/1/1986	NA	360	NR	17,000	19,000	7,400	NR	NR	ND	ND	ND	43,760
	5/1/1986	NA	280	NR	34,000	25,000	5,400	NR	NR	ND	ND	ND	64,680
	8/1/1986	NA	310	NR	18,000	9,600	6,100	NR	NR	ND	ND	ND	34,010
	11/1/1986	NA	440	NR	26,000	24,000	9,100	NR	NR	ND	ND	ND	59,540
	10/9/1996	NA	26	ND	2,000	910	1,200	NR	NR	ND	ND	ND	4,136
	9/29/2000	16.56	11	ND	860	290	880	ND	ND	ND	ND	ND	2,041
	4/2/2001	17.31	9.3	ND	650	170	760	ND	ND	ND	ND	ND	1,589
	10/19/2001	16.67	14	ND	320	240	690	ND	ND	ND	ND	ND	1,264
	4/16/2002	15.86	12	ND	1,300	580	2,600	25	30	ND	ND	ND	4,547
	10/17/2002	17.36	18	ND	1,100	390	980	ND	ND	ND	ND	ND	2,488
	4/30/2003	16.92	12	ND	650	310	900	22	ND	ND	ND	ND	1,894
	10/3/2003	16.32	9.8	ND	550	190	810	ND	ND	ND	ND	ND	1,560
	4/2/2004	16.67	ND	ND	450	170	780	ND	ND	ND	ND	ND	1,400
	10/4/2004	16.72	14	ND	520	300	890	ND	ND	ND	ND	ND	1,724
	4/1/2005	16.67	7	ND	570	180	810	ND	ND	ND	ND	ND	1,567
	10/14/2005	16.53	10	ND	540	171	508	ND	ND	ND	ND	ND	1,229
	4/27/2006	15.83	59.6	ND	873	582	635	ND	ND	6.25	14.7	ND	2,170.55
	10/13/2006	16.56	ND	ND	788	502	574	ND	ND	ND	9.74	ND	1,873.74
	4/17/2007	15.16	7.5	ND	1,020	162	635	ND	ND	ND	ND	ND	1,824.5
	10/12/2007	17.47	22.8	124	1,380	360	571	ND	53.1	ND	ND	ND	2,510.9
	4/4/2008	15.41	28.9	11.4	1,590	331	698	ND	ND	ND	ND	ND	2,659.3
MW-12R	10/10/2008	16.85	ND	ND	352	90	320	ND	ND	ND	ND	ND	762
	4/9/2009	16.38	5.8	ND	444	100	208	ND	ND	ND	ND	ND	758
	10/9/2009	16.41	9.3	ND	552	152	288	ND	ND	ND	ND	ND	1,001
	4/8/2010	16.32	ND	ND	331	63.3	182	ND	ND	ND	ND	ND	576
	10/7/2010	18.41	21.6	703	1,040	222	580	ND	ND	ND	ND	ND	2,567
	4/14/2011	16.34	ND	46.1	477	68.9	289	ND	ND	ND	ND	ND	881
	10/5/2011	17.63	ND	159	2,470	67.2	272	ND	ND	ND	ND	ND	2,968
	4/6/2012	16.74	ND	81.4	884	56.3	234	ND	ND	ND	ND	ND	1,255.7

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 4 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-20	3/5/1992	NA	ND	ND	ND	ND	ND	NR	NR	ND	ND	ND	ND
	9/29/2000	8.98	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/2/2001	11.05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/19/2001	9.95	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/16/2002	8.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/17/2002	11.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/30/2003	9.72	ND	ND	ND	ND	5.4	ND	ND	ND	ND	ND	5
	10/3/2003	9.62	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/2/2004	9.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/4/2004	11.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/1/2005	9.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/14/2005	10.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/2006	9.09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/13/2006	10.57	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/17/2007	9.19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/12/2007	12.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/4/2008	7.87	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/10/2008	10.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/9/2009	9.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/9/2009	9.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/8/2010	8.53	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/7/2010	11.76	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/14/2011	8.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2011	10.67	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/6/2012	9.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 4 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-22	10/9/1996	NA	ND	ND	5,600	ND	1,000	NR	NR	ND	ND	ND	6,600
	9/29/2000	16.98	ND	ND	3,300	41	230	ND	ND	ND	ND	ND	3,571
	4/2/2001	17.88	14	ND	4,400	37	220	ND	ND	ND	ND	ND	4,671
	10/19/2001	17.29	ND	ND	2,000	53	290	120	ND	ND	ND	ND	2,463
	4/16/2002	16.51	ND	ND	4,100	34	400	110	ND	ND	ND	ND	4,644
	10/17/2002	18.08	ND	ND	2,600	26	250	ND	ND	ND	ND	ND	2,876
	4/30/2003	17.32	ND	ND	3,500	31	570	ND	ND	ND	ND	ND	4,101
	Duplicate		ND	ND	3,200	30	580	ND	ND	ND	ND	ND	3,810
	10/3/2003	17.01	ND	ND	3,100	27	230	ND	ND	ND	ND	ND	3,357
	Duplicate		ND	ND	3,200	27	220 J	ND	ND	ND	ND	ND	3,227
	4/2/2004	17.03	ND	ND	ND	15	140	ND	ND	ND	ND	ND	155
	Duplicate		ND	ND	ND	18	140	ND	ND	ND	ND	ND	158
	10/4/2004	17.52	ND	ND	2,400	18	190	ND	ND	ND	ND	ND	2,608
	Duplicate		ND	ND	2,400	19	200	ND	ND	ND	ND	ND	2,619
	4/1/2005	17.07	ND	ND	1,900	20	170	ND	ND	ND	ND	ND	2,090
	Duplicate		ND	ND	1,900	19	160	ND	ND	ND	ND	ND	2,079
	10/14/2005	17.16	ND	ND	1,720	15	136	ND	ND	ND	ND	ND	1,871
	Duplicate		ND	ND	1,730	15	141	ND	ND	ND	ND	ND	1,886
	4/27/2006	16.65	ND	ND	2,710	24.7	159	ND	ND	ND	ND	ND	2,894
	Duplicate		ND	ND	2,600	23.9	147	ND	ND	ND	ND	ND	2,770.9
	10/13/2006	17.56	ND	ND	1,830	20	146	ND	ND	ND	ND	ND	1,996
	Duplicate		ND	ND	1,880	19	151	ND	ND	ND	ND	ND	2,050.0
	4/17/2007	16.80	ND	8.5	1,320	6.8	68.2	ND	ND	ND	ND	ND	1,403.5
	Duplicate		ND	8.3	1,420	7.4	71.1	ND	ND	ND	ND	ND	1,506.8
	10/12/2007	18.62	ND	58.3	1,190	10	51.4	ND	ND	ND	ND	ND	1,309.7
	Duplicate		ND	68.3	1,160	10.9	58.8	ND	ND	ND	ND	ND	1,298.0
	4/4/2008	16.07	ND	ND	1,030	14	99.4	ND	ND	ND	ND	ND	1,143.4
	Duplicate		ND	ND	1,280	13.5	98.4	ND	ND	ND	ND	ND	1,391.9
	10/10/2008	17.87	ND	ND	1,210	13.2	106	ND	ND	ND	ND	ND	1,329.2
	Duplicate		ND	ND	1,170	11.9	95.1	ND	ND	ND	ND	ND	1,277.0
	4/9/2009	17.23	ND	ND	1,230	17.5	87.9	ND	ND	ND	ND	ND	1,335.4
	Duplicate		ND	ND	1,300	17.7	90.4	ND	ND	ND	ND	ND	1,408.1
	10/9/2009	17.36	ND	ND	1,600	13.4	96.1	ND	ND	ND	ND	ND	1,709.5
	Duplicate		ND	ND	1,610	13.2	97	ND	ND	ND	ND	ND	1,720.2
	4/8/2010	17.14	ND	ND	1,380	10.1	61.8	ND	ND	ND	ND	ND	1,451.9
	Duplicate		ND	ND	1,660	10.6	64.5	ND	ND	ND	ND	ND	1,735.1
	10/7/2010	18.64	ND	428	797	10.6	84.3	ND	ND	ND	ND	ND	1,319.9
	Duplicate		ND	403	746	10.3	83.1	ND	ND	ND	ND	ND	1,242.4
	4/14/2011	16.63	ND	487	1,070	ND	35.3	ND	ND	ND	ND	ND	1,592.3
	Duplicate		ND	473	1,030	ND	34.1	ND	ND	ND	ND	ND	1,537.1
	10/5/2011	18.06	ND	136	1,150	ND	58.5	ND	ND	ND	ND	ND	1,344.5
	Duplicate		ND	131	1,100	ND	54.8	ND	ND	ND	ND	ND	1,285.8
	4/6/2012	17.06	ND	87.8	656	7.7	95.9	ND	ND	ND	ND	ND	847.4
	Duplicate		ND	74.7	468	8.7	82.3	ND	ND	ND	ND	ND	633.7

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 4 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-28	2/17/1993	NA	ND	ND	318	415	230	NR	52	ND	ND	ND	1,015
	10/9/1996	NA	ND	ND	54	36	38	NR	NR	ND	ND	ND	128
	9/29/2000	16.92	ND	ND	51	49	44	ND	ND	ND	ND	ND	144
	4/2/2001	17.97	ND	ND	30	49	42	ND	ND	ND	ND	ND	121
	10/19/2001	17.22	ND	ND	30	37	37	ND	ND	ND	ND	ND	104
	4/16/2002	16.37	ND	ND	26	43	29	ND	ND	ND	ND	ND	98
	10/17/2002	18.35	ND	ND	27	41	34	ND	ND	ND	ND	ND	102
	4/30/2003	17.33	ND	ND	40	36	35	ND	ND	ND	ND	ND	111
	10/3/2003	17.05	ND	ND	46	35	36	ND	ND	ND	ND	ND	117
	4/2/2004	16.96	ND	ND	32	27	27	ND	ND	ND	ND	ND	86
	10/4/2004	17.81	ND	ND	33	41	48	ND	ND	ND	ND	ND	122
	4/1/2005	17.05	ND	ND	30	37	35	ND	ND	ND	ND	ND	102
	10/14/2005	17.26	ND	ND	29	25	36	ND	ND	ND	ND	ND	90
	4/27/2006	16.39	ND	ND	19.1	17.1	20.2	ND	ND	ND	ND	ND	56.4
	10/13/2006	17.42	ND	ND	23.2	41.5	47	ND	ND	ND	ND	ND	111.7
	4/17/2007	16.67	ND	ND	25.6	24	27.1	ND	ND	ND	ND	ND	76.7
	10/12/2007	18.61	ND	ND	30.2	39.4	26.1	ND	5.8	ND	ND	ND	101.5
	4/4/2008	15.67	ND	ND	34.4	23.1	25.7	ND	ND	ND	ND	ND	83.2
	10/10/2008	17.71	ND	ND	30.5	29	34.7	ND	ND	ND	ND	ND	94.2
	4/9/2009	16.87	ND	ND	33.7	21.9	25.6	ND	ND	ND	ND	ND	81.2
	10/9/2009	17.11	ND	ND	34.9	22.1	30.1	ND	ND	ND	ND	ND	87.1
	4/8/2010	16.82	ND	ND	29.7	15.1	18.8	ND	ND	ND	ND	ND	63.6
	10/7/2010	18.57	ND	ND	23.8	21.9	21.2	ND	ND	ND	ND	ND	66.9
	4/14/2011	16.18	ND	ND	18.9	9.5	11.4	ND	ND	ND	ND	ND	39.8
	10/5/2011	17.93	ND	ND	29.4	14.7	19.3	ND	ND	ND	ND	ND	63.4
	4/6/2012	16.66	ND	ND	29.9	9.1	13.9	ND	ND	ND	ND	ND	52.9

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 4 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-29	9/29/2000	16.71	ND	ND	11	ND	ND	ND	ND	ND	ND	ND	11
	4/2/2001	17.75	ND	ND	5.1	ND	ND	ND	ND	ND	ND	ND	5
	10/19/2001	17.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/16/2002	16.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/17/2002	18.74	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/30/2003	16.02	ND	ND	8.8	ND	ND	ND	ND	ND	ND	ND	9
	10/3/2003	16.83	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/2/2004	16.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/4/2004	17.84	ND	ND	6.7	ND	ND	ND	ND	ND	ND	ND	6.7
	4/1/2005	16.88	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/14/2005	17.05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/2006	16.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/13/2006	17.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/17/2007	16.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/12/2007	18.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/4/2008	15.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/10/2008	17.55	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/9/2009	16.84	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/9/2009	16.92	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/8/2010	16.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/7/2010	18.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/14/2011	16.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2011	17.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/6/2012	16.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 4 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-30	9/29/2000	15.76	ND	ND	ND	36	70	ND	ND	ND	ND	ND	106
	4/2/2001	16.18	ND	ND	ND	31	50	ND	ND	ND	ND	ND	81
	10/19/2001	13.78	ND	ND	ND	37	48	ND	ND	ND	ND	ND	85
	4/16/2002	15.26	ND	ND	ND	39	37	ND	ND	ND	ND	ND	76
	10/17/2002	16.00	ND	ND	ND	29	42	ND	ND	ND	ND	ND	71
	4/30/2003	9.72*	ND	ND	ND	32	35	ND	ND	ND	ND	ND	67
	10/3/2003	15.63	ND	ND	ND	25	26	ND	ND	ND	ND	ND	51
	4/2/2004	15.75	ND	ND	ND	20	19	ND	ND	ND	ND	ND	39
	10/4/2004	15.51	ND	ND	6.3	26	27	ND	ND	ND	ND	ND	59
	4/1/2005	15.46	ND	ND	ND	31	28	ND	ND	ND	ND	ND	59
	10/14/2005	15.45	ND	ND	ND	22	33	ND	ND	ND	ND	ND	55
	4/27/2006	14.90	ND	ND	ND	12.2	16.8	ND	ND	ND	ND	ND	29
	10/13/2006	15.45	ND	ND	ND	33.3	30.5	ND	ND	ND	ND	ND	64
	4/17/2007	15.34	ND	ND	ND	14.1	14.7	ND	ND	ND	ND	ND	28.8
	10/12/2007	16.06	ND	ND	ND	39.6	27.6	ND	5.7	ND	ND	ND	72.9
	4/4/2008	14.57	ND	ND	ND	15.9	15.2	ND	ND	ND	ND	ND	31.1
	10/10/2008	15.92	ND	ND	ND	18.2	12.7	ND	ND	ND	ND	ND	30.9
	4/9/2009	15.66	ND	ND	ND	15.6	9.9	ND	ND	ND	ND	ND	25.5
	10/9/2009	15.67	ND	ND	ND	15.2	7.9	ND	ND	ND	ND	ND	23.1
	4/8/2010	15.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/7/2010	16.12	ND	ND	ND	24.3	10.1	ND	ND	ND	ND	ND	34.4
	4/14/2011	15.17	ND	ND	ND	7.7	ND	ND	ND	ND	ND	ND	7.7
	10/5/2011	15.87	ND	ND	ND	13.5	ND	ND	ND	ND	ND	ND	13.5
	4/6/2012	15.31	ND	ND	ND	6.6	ND	ND	ND	ND	ND	ND	6.6

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.
* Depth to water in MW-30 on May 30, 2003 is believed to be erroneous.

APPENDIX A

Monthly O&M Reports

7428 Rockville Road, Indianapolis, IN 46214

December 6, 2011

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492

Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED CORRECTIVE MEASURE
Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the October 18 through November 18, 2011 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On November 4, 2011, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 9.75 feet below top of casing (TOC) in MW-9 to 18.11 feet below TOC in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 were operational during groundwater gauging activities. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a groundwater contour map based on the November 4, 2011 depth to water measurements has been included as **Figure 2**.

Groundwater Treatment System

From October 18 through November 18, 2011, approximately 1,079,050 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 159,508,308 gallons. The average influent groundwater recovery rate from October 18 through November 18, 2011 was approximately 24.2 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on November 4, 2011 to complete quarterly, monthly, and bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on November 4, 2011.

IWM personnel mobilized to the site on November 18, 2011 to complete bi-weekly system operation and maintenance activities and quarterly system sampling activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on November 18, 2011.

Quarterly Treatment System Sampling

On November 18, 2011, influent samples from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 and a combined effluent sample were obtained to evaluate the groundwater treatment system. Each of the influent sample taps was allowed to run for at least 10 seconds. Prior to sampling, water flow from the tap was reduced to minimize turbulence and agitation. All samples were submitted to Pace Analytical Services, Inc. (Pace), located in Indianapolis, Indiana for volatile organic compound (VOC) analysis by SW-846 Method 8260B.

Laboratory analytical results from the November 18, 2011 quarterly system sampling activities indicated the presence of trichloroethene and 1,1,1-trichloroethane in groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, and RW-5. Cis-1,2-dichloroethene was detected in the groundwater samples obtained from recovery wells RW-2, RW-3, and RW-5. Tetrachloroethene was detected in the groundwater samples obtained from recovery wells RW-2, RW-3, RW-4, and RW-5. 1,1-Dichloroethane was detected in the groundwater samples obtained from recovery wells RW-2 and RW-3. No constituents of concern were detected in the remedial system's effluent water sample.

Historic quarterly system sampling analytical results are summarized in **Table 1**. Laboratory data sheets are provided in **Attachment D**.

Schedule of Activities

Bi-weekly and monthly system operation and maintenance activities are scheduled for the month of December 2011. Site visits are scheduled for the weeks beginning November 28, December 12, and December 26, 2011. The information from these site inspections will be included in the December 2011 Progress Report.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting Group, LLC appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

IWM CONSULTING GROUP, LLC

Christopher D. Parks, LPG
Project Manager

Bradley E. Gentry, LPG
Senior Project Manager

Attachments
cc: Mr. Dave Dowden, Lancer Realty & Development Co.

IWM CONSULTING GROUP



LEGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

Scale 1":100 ft.

DRAWN BY:	L. STRUM
DATE:	9/27/99
REVISED:	
HWPA #111291-01	
DWG. NO.	111291S1

FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP



LEGEND

- MONITORING WELL
- RECOVERY WELL
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER
- 722.00 POTENTIONMETRIC SURFACE (CONTOUR INTERVAL = 1.0 FT.)

0 100
SCALE IN FEET

DRAWN BY: L. STRUM	
DATE: 9/27/99	
REVISED:	
HWPA #111291-01	
DWG. NO. 111291S1	

FIGURE 2
GROUNDWATER
ELEVATION MAP
(11/04/11)

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP

TABLES

Table 1
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-1	5/3/1995	33	ND	ND[1]	ND	ND	100	200	ND	520	ND	ND	ND	ND	ND	ND	853
	8/3/1995	31	ND	ND	ND	ND	170	180	ND	400	ND	ND	ND	ND	ND	ND	781
	11/7/1995	30	ND	ND	ND	ND	ND	190	ND	390	ND	ND	ND	ND	ND	ND	610
	4/12/1996	NS[2]	ND	NS	NS	ND	NS	NS	ND	NS	ND	ND	ND	ND	ND	ND	0
	7/8/1996	14	ND	ND	ND	ND	31	120	ND	350	ND	ND	ND	ND	ND	ND	515
	10/17/1996	15	ND	ND	ND	ND	29	150	ND	1,800	ND	ND	ND	ND	ND	ND	1,994
	2/7/1997	18	ND	ND	ND	ND	ND	140	ND	280	ND	ND	ND	ND	ND	ND	278
	5/7/1997	9.9	ND	ND	ND	ND	20	91	ND	250	ND	ND	ND	ND	ND	ND	371
	8/4/1997	9.8	ND	ND	ND	ND	35	160	ND	210	ND	ND	ND	ND	ND	ND	415
	11/10/1997	NS	ND	NS	NS	ND	NS	NS	ND	NS	ND	ND	ND	ND	ND	ND	0
	12/1/1997	28	ND	ND	27	ND	180	190	ND	320	ND	ND	ND	ND	ND	ND	745
	2/4/1998	24	ND	ND	ND	ND	ND	150	ND	270	ND	ND	ND	ND	ND	ND	444
	5/8/1998	ND	ND	ND	ND	ND	350	240	ND	540	ND	ND	ND	ND	ND	ND	1,130
	7/30/1998	16	ND	ND	ND	ND	180	160	ND	140	ND	ND	ND	ND	ND	ND	496
	11/13/1998	12	11	ND	ND	ND	ND	150	ND	270 E	ND	ND	ND	ND	ND	ND	173
	2/12/1999	6.3	ND	ND	ND	ND	24	76	ND	156	ND	ND	ND	ND	ND	ND	262
	5/7/1999	7.5	ND	ND	ND	ND	6.6	97	ND	150	ND	ND	ND	ND	ND	ND	261
	8/13/1999	7.7	ND	ND	ND	ND	7.6	89	ND	180	ND	ND	ND	ND	ND	ND	284
	11/5/1999	11	ND	ND	ND	ND	6.6	120	ND	170	ND	ND	ND	ND	ND	ND	308
	2/11/2000	12	ND	ND	ND	ND	9.9	110	ND	150	ND	ND	ND	ND	ND	ND	282
	5/24/2000	10	ND	ND	ND	ND	38	88	ND	150	ND	ND	ND	ND	ND	ND	286
	8/4/2000	10	ND	ND	ND	ND	13	120	ND	200	ND	ND	ND	ND	ND	ND	343
	9/1/2000	8.4	ND	ND	ND	ND	ND	ND	5.6	200	ND	ND	ND	ND	ND	ND	214
	11/20/2000	8.3	ND	ND	ND	ND	ND	90	ND	170	ND	ND	ND	ND	ND	ND	268
	2/16/2001	7.4	ND	ND	ND	ND	ND	77	ND	170	ND	ND	ND	ND	ND	ND	254
	5/11/2001	5.2	ND	ND	ND	ND	71	140	ND	150	ND	ND	ND	ND	ND	ND	366
	8/10/2001	5.8	ND	ND	ND	ND	ND	64	ND	150	ND	ND	ND	ND	ND	ND	220
	1/22/2002	8.1	ND	ND	ND	ND	ND	95	ND	140	ND	ND	ND	ND	ND	ND	243
	5/2/2002	ND	ND	ND	ND	ND	ND	51	ND	130	ND	ND	ND	ND	ND	ND	181
	8/2/2002	ND	ND	ND	ND	ND	ND	53	ND	95	ND	ND	ND	ND	ND	ND	148
	10/17/2002	5.5	ND	ND	ND	ND	ND	64	ND	150	ND	ND	ND	ND	ND	ND	220
	1/7/2003	6.9	ND	ND	ND	ND	ND	58	ND	120	ND	ND	ND	ND	ND	ND	185
	4/30/2003	ND	ND	ND	ND	ND	14	66	ND	140	ND	ND	ND	ND	ND	ND	220
	7/25/2003	ND	ND	ND	ND	ND	39	45	ND	110	ND	ND	ND	ND	ND	ND	194
	10/3/2003	6.9	ND	ND	ND	ND	ND	53	ND	130	ND	ND	ND	ND	ND	ND	190
	1/6/2004	ND	ND	ND	ND	ND	5	39	ND	97	ND	ND	ND	ND	ND	ND	141
	4/2/2004	5.1	ND	ND	ND	ND	ND	49	ND	110	ND	ND	ND	ND	ND	ND	164
	7/7/2004	ND	ND	ND	ND	ND	9.1	39	ND	97	ND	ND	ND	ND	ND	ND	145
	10/29/2004	8.5	ND	ND	ND	ND	780	100	ND	230	ND	ND	ND	ND	ND	ND	1,119
	2/17/2005	ND	ND	ND	ND	ND	6	32	ND	83	ND	ND	ND	ND	ND	ND	121
	4/28/2005	ND	ND	ND	ND	ND	ND	32	ND	73	ND	ND	ND	ND	ND	ND	105
	8/19/2005	5.51	ND	ND	ND	ND	5.02	56.2	ND	103	ND	ND	ND	ND	ND	ND	170
	11/11/2005	9	ND	ND	ND	ND	222	105	ND	200	ND	ND	ND	ND	ND	ND	536
	1/6/2006	ND	ND	ND	ND	ND	5.99	51.8	ND	90.2	ND	ND	ND	ND	ND	ND	147.99
	5/25/2006	ND	ND	ND	ND	ND	7.65	36.7	ND	71.0	ND	ND	ND	ND	ND	ND	115.35
	8/18/2006	ND	ND	ND	ND	ND	ND	45.0	ND	87.2	ND	ND	ND	ND	ND	ND	132.20
	10/27/2006	5.01	ND	ND	ND	ND	ND	45.2	ND	92.6	ND	ND	ND	ND	ND	ND	142.81
	1/16/2007	ND	ND	ND	ND	ND	ND	26.0	ND	62.0	ND	ND	ND	ND	ND	ND	88.00
	4/17/2007	ND	ND	ND	ND	ND	70.8	28	ND	56.9	ND	ND	ND	ND	ND	ND	155.7
	7/17/2007	ND	ND	ND	ND	ND	ND	33.8	ND	68	ND	ND	ND	ND	ND	6.3	108.1
	10/26/2007	5.9	ND	ND	ND	ND	ND	49.8	ND	74.1	ND	ND	ND	ND	ND	ND	129.8
	1/4/2008	ND	ND	ND	ND	ND	ND	48	ND	83.8	ND	ND	ND	ND	ND	8.3	140.1
	4/25/2008	ND	ND	ND	ND	ND	50	22.2	ND	ND	ND	ND	ND	ND	ND	ND	72.2
	7/3/2008	ND	ND	ND	ND	ND	ND	22.9	ND	38.4	ND	ND	ND	ND	ND	ND	61.3
	11/21/2008	ND	ND	ND	ND	ND	9.5	33.8	ND	73.5	ND	ND	ND	ND	ND	ND	116.8
	2/27/2009	ND	ND	ND	ND	ND	5.5	28.3	ND	56.4	ND	ND	ND	ND	ND	ND	90.2
	5/22/2009	ND	ND	ND	ND	ND	5.3	24.5	ND	53.3	ND	ND	ND	ND	ND	ND	83.1
	8/28/2009	ND	ND	ND	ND	ND	6.7	23.8	ND	51.0	ND	ND	ND	ND	ND	ND	81.5
	11/19/2009	ND	ND	ND	ND	ND	5.3	28.5	ND	63.1	ND	ND	ND	ND	ND	ND	96.9
	2/26/2010	ND	ND	ND	22.5	ND	192	47.2	ND	71.8	ND	ND	ND	ND	ND	ND	333.5
	5/21/2010	ND	ND	ND	14.8	ND	103	32.0	ND	58.8	ND	ND	ND	ND	ND	ND	208.6
	8/26/2010	ND	ND	ND	ND	ND	ND	23.3	ND	39.9	ND	ND	ND	ND	ND	ND	63.2
	11/19/2010	ND	ND	ND	190	5.1	159	41.0	ND	96.3	ND	ND	ND	ND	ND	ND	491.4
	2/11/2011	ND	ND	ND	5.3	ND	9.3	20.3	ND	37.7	ND	ND	ND	ND	ND	ND	72.8
	5/20/2011	ND	ND	ND	5.5	ND	5.6	14.6	ND	29	ND	ND	ND	ND	ND	ND	54.7
	8/25/2011	ND	ND	ND	51.5	ND	131	27.3	ND	72	ND	ND	ND	ND	ND	ND	281.8
	11/18/2011	ND	ND	ND	ND	ND	ND	24.2	ND	29.8	ND	ND	ND	ND	ND	ND	54.0

Notes:
Results in micrograms per liter (ug/l).
(1) ND - Not Detected - analyte not detected above laboratory method detection limit.
(2) NS - Not Sampled, RW-1 not in operation during April 1996 and November 1997 sampling events.
E - Trichloroethane value for RW-1 during the November 13, 1998 sampling event is an estimated value only.

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 - Dichloro-ethene	trans-1,2 - Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-2	5/3/1995	47	ND	8.1	3.9	ND	1,500	960	ND	4,300	ND	ND	ND	ND	ND	ND	8,819
	8/3/1995	48	ND	ND	ND	ND	1,500	1,100	ND	3,000	ND	ND	ND	ND	ND	ND	5,648
	11/7/1995	58	ND	9.1	5.3	ND	2,100	1,300	ND	2,200	ND	ND	ND	ND	ND	ND	5,672
	4/12/1996	ND	ND	ND	ND	ND	980	530	ND	1,500	ND	ND	ND	ND	ND	ND	3,010
	7/8/1996	31	ND	7.3	ND	ND	2,100	1,200	ND	2,100	ND	ND	ND	ND	ND	ND	5,438
	10/17/1996	33	ND	ND	ND	ND	2,600	680	ND	2,900	ND	ND	ND	ND	ND	ND	6,213
	2/7/1997	27	ND	ND	ND	ND	37	400	ND	410	ND	ND	ND	ND	ND	ND	874
	5/7/1997	24	ND	ND	ND	ND	880	340	ND	860	ND	ND	ND	ND	ND	ND	2,104
	8/4/1997	18	ND	ND	ND	ND	400	310	ND	560	ND	ND	ND	ND	ND	ND	1,288
	11/10/1997	21	ND	ND	ND	ND	250	260	ND	550	ND	ND	ND	ND	ND	ND	1,081
	2/4/1998	22	ND	ND	ND	ND	310	260	ND	590	ND	ND	ND	ND	ND	ND	1,182
	5/8/1998	ND	ND	ND	ND	ND	750	330	ND	790	ND	ND	ND	ND	ND	ND	1,870
	7/30/1998	16	ND	ND	ND	ND	870	270	ND	890	ND	ND	ND	ND	ND	ND	2,046
	11/13/1998	ND	13	ND	ND	ND	200	160	ND	93	ND	ND	ND	ND	ND	ND	466
	2/12/1999	32	ND	ND	ND	ND	1,400	390	ND	1,200	ND	ND	ND	ND	ND	ND	3,022
	5/7/1999	28	ND	ND	ND	ND	1,300	530	ND	900	ND	ND	ND	ND	ND	ND	2,758
	8/13/1999	14	ND	ND	ND	ND	1,200	410	ND	810	ND	ND	ND	ND	ND	ND	2,434
	11/5/1999	21	ND	5.4	ND	ND	920	390	ND	780	ND	ND	ND	ND	ND	ND	2,116
	2/11/2000	30	ND	ND	ND	ND	1,300	420	ND	880	ND	ND	ND	ND	ND	ND	2,630
	5/24/2000	26	ND	ND	ND	ND	1,100	370	ND	840	ND	ND	ND	ND	ND	ND	2,336
	8/4/2000	25	ND	ND	ND	ND	1,600	500	ND	980	22	ND	ND	ND	ND	ND	3,127
	9/1/2000	22	ND	ND	ND	ND	1,400	430	ND	860	ND	ND	ND	ND	ND	ND	2,712
	11/20/2000	23	ND	ND	ND	ND	1,100	300	ND	680	ND	ND	ND	ND	ND	ND	2,103
	2/16/2001	16	ND	ND	ND	ND	1,000	260	ND	580	ND	ND	ND	ND	ND	ND	1,856
	5/11/2001	18	ND	ND	ND	ND	1,200	480	ND	690	ND	ND	ND	ND	ND	ND	2,388
	8/10/2001	ND	ND	ND	ND	ND	1,300	410	ND	940	ND	ND	ND	ND	ND	ND	2,650
	1/22/2002	ND	8.3	ND	ND	ND	1,100	730	ND	560	ND	ND	ND	ND	ND	ND	2,398
	5/2/2002	14	ND	ND	ND	ND	810	290	ND	600	ND	ND	ND	ND	ND	ND	1,714
	8/2/2002	ND	ND	ND	ND	ND	120	81	ND	61	ND	ND	ND	ND	ND	ND	262
	10/17/2002	17	ND	ND	ND	ND	1,800	340	ND	960	ND	ND	ND	ND	ND	ND	3,117
	1/7/2003	21	ND	5	ND	ND	1,500	350	ND	700	ND	ND	ND	ND	ND	ND	2,576
	4/30/2003	18	ND	ND	ND	ND	1,500	630	ND	1,000	ND	ND	ND	ND	ND	ND	3,148
	7/25/2003	13	ND	ND	ND	ND	1,200	270	ND	640	ND	ND	ND	ND	ND	ND	2,123
	10/3/2003	15	ND	ND	ND	ND	1,400	240	ND	650	ND	ND	ND	ND	ND	ND	2,305
	1/8/2004	16	ND	ND	ND	ND	1,300	320	ND	750	ND	ND	ND	ND	ND	ND	2,386
	4/2/2004	15	ND	ND	ND	ND	1,300	330	ND	700	ND	ND	ND	ND	ND	ND	2,345
	7/7/2004	14	ND	ND	ND	ND	1,400	260	ND	610	ND	ND	ND	ND	ND	ND	2,284
	10/29/2004	20	ND	ND	5.3	ND	1,900	210	ND	690	ND	ND	ND	ND	ND	ND	2,825
	2/17/2005	18	ND	ND	ND	ND	1,600	280	ND	690	ND	ND	ND	ND	ND	ND	2,588
	4/28/2005	13	ND	ND	ND	ND	1,300	200	ND	550	ND	ND	ND	ND	ND	ND	2,063
	8/19/2005	ND	ND	ND	ND	ND	129	109	ND	58.9	ND	ND	ND	ND	ND	ND	297
	11/11/2005	30	ND	ND	7	ND	1,390	238	ND	534	ND	ND	ND	ND	ND	ND	2,199
	1/6/2006	18.4	ND	ND	ND	ND	2,220	380	ND	699	6.04	ND	ND	ND	ND	ND	3,323.44
	5/25/2006	20.8	ND	ND	14.4	ND	1,874	296	ND	570	ND	ND	ND	ND	ND	ND	2,775.20
	9/1/2006	10.5	ND	ND	12.1	ND	842	121	ND	266	ND	ND	ND	ND	ND	ND	1,251.60
	10/27/2006	20.2	ND	ND	19.2	ND	1,590	181	ND	510	ND	ND	ND	ND	ND	ND	2,320.40
	1/16/2007	17	ND	ND	32	ND	1,600	200	ND	500	ND	ND	ND	ND	ND	ND	2,349
	4/17/2007	12.2	ND	ND	34.1	ND	1,760	162	ND	445	ND	ND	ND	ND	ND	ND	2,413.3
	7/17/2007	16.1	ND	5	325	ND	1,960	176	ND	530	ND	ND	ND	ND	ND	ND	3,012.1
	10/26/2007	18.8	ND	ND	577	ND	1,000	169	ND	407	ND	ND	ND	ND	ND	31.5	2,203.3
	1/4/2008	18.6	ND	ND	770	ND	1,610	158	ND	425	ND	ND	ND	ND	ND	ND	2,981.6
	4/25/2008	28.4	ND	28.4	535	ND	1,880	206	ND	529	ND	ND	ND	ND	ND	ND	3,206.8
	7/3/2008	17.6	ND	ND	291	ND	1,390	178	ND	461	ND	ND	ND	ND	ND	ND	2,337.6
	11/21/2008	13.8	ND	ND	190	ND	1,900	177	ND	498	ND	ND	ND	ND	ND	ND	2,778.8
	2/27/2009	14.4	ND	ND	144	ND	1,390	158	ND	411	ND	ND	ND	ND	ND	ND	2,117.4
	5/22/2009	15.7	ND	ND	159	ND	1,280	199	ND	397	ND	ND	ND	ND	ND	ND	2,050.7
	8/28/2009	11.2	ND	ND	145	ND	1,340	193	ND	355	ND	ND	ND	ND	ND	ND	2,044.2
	11/19/2009	17.1	ND	ND	225	ND	1,630	214	ND	428	ND	ND	ND	ND	ND	ND	2,514.1
	2/26/2010	13.2	ND	ND	181	ND	973	168	ND	297	ND	ND	ND	ND	ND	ND	1,632.2
	5/21/2010	ND	ND	ND	164	ND	1,610	128	ND	493	ND	ND	ND	ND	ND	ND	2,395.0
	8/26/2010	10.6	ND	ND	202	ND	1,230	132	ND	332	ND	ND	ND	ND	ND	ND	1,906.6
	11/19/2010	8.6	ND	ND	6.3	ND	297	151	ND	160	ND	ND	ND	ND	ND	ND	622.9
	2/11/2011	12.2	ND	ND	51	ND	579	99.6	ND	196	ND	ND	ND	ND	ND	ND	937.8
	5/20/2011	9.1	ND	ND	1,000	ND	812	78.5	ND	196	ND	ND	ND	ND	ND	ND	2,095.6
	8/25/2011	ND	ND	ND	17.9	ND	164	44.7	ND	68.1	ND	ND	ND	ND	ND	ND	294.7
	11/18/2011	11	ND	ND	8.5	ND	213	103	ND	173	ND	ND	ND	ND	ND	ND	508.5

Notes:
Results in micrograms per liter (ug/l).

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	*Naphthalene*	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-3	5/3/1995	28	ND	ND	ND	ND	160	540	ND	2,900	ND	ND	ND	ND	ND	ND	3,628
	8/3/1995	53	ND	ND	ND	ND	16	560	ND	870	ND	ND	ND	ND	ND	ND	1,499
	11/7/1995	48	ND	6.9	ND	ND	1,400	950	ND	1,700	ND	ND	ND	ND	ND	ND	4,105
	4/12/1996	ND	ND	ND	ND	ND	93	450	ND	1,200	ND	ND	ND	ND	ND	ND	1,743
	7/8/1996	39	ND	6.5	ND	ND	45	820	ND	1,100	ND	ND	ND	ND	ND	ND	2,011
	10/17/1996	34	ND	ND	ND	ND	2,600	720	ND	2,900	ND	ND	ND	ND	ND	ND	6,254
	2/7/1997	28	ND	ND	ND	ND	37	410	ND	410	ND	ND	ND	ND	ND	ND	885
	5/7/1997	24	ND	ND	ND	ND	1,000	400	ND	990	ND	ND	ND	ND	ND	ND	2,414
	8/4/1997	17	ND	ND	ND	ND	110	330	ND	490	ND	ND	ND	ND	ND	ND	947
	11/10/1997	25	ND	ND	ND	ND	76	400	ND	600	ND	ND	ND	ND	ND	ND	1,101
	2/4/1998	30	ND	ND	ND	ND	180	460	ND	840	ND	ND	ND	ND	ND	ND	1,510
	5/8/1998	ND	ND	ND	ND	ND	260	380	ND	640	ND	ND	ND	ND	ND	ND	1,280
	7/30/1998	33	ND	ND	ND	ND	27	450	ND	190	ND	ND	ND	ND	ND	ND	700
	11/13/1998	11	ND	ND	ND	ND	48	120	ND	130	ND	ND	ND	ND	ND	ND	309
	2/12/1999	33	ND	ND	ND	ND	110	420	ND	420	ND	ND	ND	ND	ND	ND	983
	5/7/1999	18	ND	ND	ND	ND	180	320	ND	410	ND	ND	ND	ND	ND	ND	928
	8/13/1999	15	ND	ND	ND	ND	260	240	ND	400	ND	ND	ND	ND	ND	ND	915
	11/5/1999	13	ND	ND	ND	ND	280	280	ND	400	ND	ND	ND	ND	ND	ND	953
	2/11/2000	19	ND	ND	ND	ND	370	280	ND	400	ND	ND	ND	ND	ND	ND	1,069
	5/24/2000	17	ND	ND	ND	ND	480	260	ND	480	ND	ND	ND	ND	ND	ND	1,237
	8/4/2000	16	ND	ND	ND	ND	1,100	290	ND	550	ND	ND	ND	ND	ND	ND	1,956
	9/1/2000	15	ND	ND	ND	ND	830	270	ND	440	ND	ND	ND	ND	ND	ND	1,555
	11/20/2000	15	23	ND	ND	ND	650	220	ND	330	ND	ND	ND	ND	ND	ND	1,238
	2/16/2001	13	ND	ND	ND	ND	630	200	ND	300	ND	ND	ND	ND	ND	ND	1,143
	5/11/2001	ND	ND	ND	ND	ND	1,700	260	ND	310	ND	ND	ND	ND	ND	ND	2,270
	8/10/2001	13	ND	ND	ND	ND	1,200	260	ND	390	ND	ND	ND	ND	ND	ND	1,863
	1/22/2002	14	ND	7	ND	ND	610	ND	ND	340	ND	ND	ND	ND	ND	ND	971
	5/2/2002	11	ND	ND	ND	ND	340	240	ND	190	ND	ND	ND	ND	ND	ND	781
	8/2/2002	10	ND	ND	ND	ND	300	220	ND	170	ND	ND	ND	ND	11	ND	711
	10/17/2002	9	ND	ND	ND	ND	360	190	ND	210	ND	ND	ND	ND	ND	ND	769
	1/7/2003	23	ND	ND	ND	ND	310	350	ND	250	ND	ND	ND	ND	ND	ND	933
	4/30/2003	12	ND	ND	ND	ND	560	160	ND	190	ND	ND	ND	ND	ND	ND	922
	7/25/2003	9.6	ND	ND	ND	ND	400	180	ND	160	ND	ND	ND	ND	ND	ND	750
	10/3/2003	10	ND	ND	ND	ND	500	160	ND	180	ND	ND	ND	ND	ND	ND	850
	1/8/2004	ND	ND	ND	ND	ND	450	220	ND	180	ND	ND	ND	ND	ND	ND	850
	4/2/2004	9.5	ND	ND	ND	ND	370	240	ND	150	ND	ND	ND	ND	ND	ND	770
	7/7/2004	8.7	ND	ND	ND	ND	430	200	ND	160	ND	ND	ND	ND	ND	ND	799
	10/29/2004	9.1	ND	ND	ND	ND	450	180	ND	160	ND	ND	ND	ND	ND	ND	799
	2/17/2005	ND	ND	ND	ND	ND	25	ND	ND	ND	ND	ND	ND	ND	ND	ND	25
	4/28/2005	31	ND	ND	ND	ND	100	660	ND	85	ND	ND	ND	ND	ND	ND	876
	8/19/2005	12.5	ND	ND	ND	ND	269	282	ND	150	ND	ND	ND	ND	ND	ND	714
	11/11/2005	20	ND	ND	ND	ND	299	235	ND	128	ND	ND	ND	ND	ND	ND	682
	1/18/2006	ND	ND	ND	ND	ND	207	400	ND	156	ND	ND	ND	ND	ND	ND	763
	5/25/2006	22.8	ND	ND	ND	ND	295	412	ND	145	ND	ND	ND	ND	ND	ND	875
	8/18/2006	14.6	ND	ND	ND	ND	217	223	ND	154	ND	ND	ND	ND	ND	ND	609
	10/27/2006	13.8	ND	ND	ND	ND	199	168	ND	154	ND	ND	ND	ND	ND	ND	535
	1/16/2007	13	ND	ND	ND	ND	240	240	ND	110	ND	ND	ND	ND	ND	ND	603
	4/17/2007	6.9	ND	ND	ND	ND	165	146	ND	73	ND	ND	ND	ND	ND	ND	391
	7/17/2007	11.5	ND	5.1	87.3	ND	223	234	ND	107	ND	ND	ND	ND	ND	ND	667.9
	10/26/2007	11.8	ND	ND	160	ND	146	191	ND	96.1	ND	ND	ND	ND	ND	ND	604.9
	1/4/2008	9.3	ND	ND	141	ND	292	195	ND	109	ND	ND	ND	ND	ND	ND	746.3
	4/25/2008	13.6	ND	ND	ND	ND	154	252	ND	83.9	ND	ND	ND	ND	ND	ND	503.5
	7/3/2008	16.8	ND	ND	ND	ND	87.6	300	ND	72.9	ND	ND	ND	ND	ND	ND	477.3
	11/21/2008	8	ND	ND	45.2	ND	269	145	ND	95.7	ND	ND	ND	ND	ND	ND	562.9
	2/27/2009	6.5	ND	ND	61.1	ND	219	148	ND	103.0	ND	ND	ND	ND	ND	ND	537.6
	5/22/2009	7.5	ND	ND	25.7	ND	239	164	ND	86.7	ND	ND	ND	ND	ND	ND	522.9
	8/28/2009	6.3	ND	ND	13.6	ND	267	126	ND	76.4	ND	ND	ND	ND	ND	ND	489.3
	11/19/2009	7.8	ND	ND	33.4	ND	272	138	ND	90.9	ND	ND	ND	ND	ND	ND	541.9
	2/26/2010	6.5	ND	ND	33.4	ND	262	111	ND	80	ND	ND	ND	ND	ND	ND	492.9
	5/21/2010	ND	ND	ND	21.9	ND	292	93.4	ND	70.2	ND	ND	ND	ND	ND	ND	477.5
	8/26/2010	5.3	ND	ND	5.2	ND	177	84	ND	49.9	ND	ND	ND	ND	ND	ND	321.4
	11/19/2010	9.2	ND	ND	382	6.9	162	137	ND	121	ND	ND	ND	ND	ND	ND	818.1
	2/11/2011	8.8	ND	ND	605	ND	81.8	118	ND	134	ND	ND	ND	ND	ND	ND	947.6
	5/20/2011	6	ND	ND	59	ND	69.6	88.8	ND	53.4	ND	ND	ND	ND	ND	ND	276.8
	8/25/2011	ND	ND	ND	55.3	ND	96.1	68.4	ND	50.8	ND	ND	ND	ND	ND	ND	270.6
	11/18/2011	6.7	ND	ND	138	ND	126	86.7	ND	77.4	ND	ND	ND	ND	ND	ND	434.8

Notes:
Results in micrograms per liter (ug/l).

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-4	3/10/1999	ND	ND	ND	ND	ND	65	7	ND	ND	ND	ND	ND	ND	ND	ND	72
	5/7/1999	ND	ND	ND	ND	ND	6.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	7
	8/13/1999	ND	ND	ND	ND	ND	37	ND	ND	ND	ND	ND	ND	ND	ND	ND	37
	11/5/1999	10	ND	ND	ND	ND	140	180	ND	220	ND	ND	ND	ND	ND	ND	550
	2/11/2000	ND	ND	ND	ND	ND	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	15
	5/24/2000	ND	ND	ND	ND	ND	23	ND	ND	ND	ND	ND	ND	ND	ND	ND	23
	8/4/2000	ND	ND	ND	ND	ND	30	ND	ND	ND	ND	ND	ND	ND	ND	ND	30
	9/1/2000	ND	ND	ND	ND	ND	24	ND	ND	ND	ND	ND	ND	ND	ND	ND	24
	11/20/2000	ND	ND	ND	ND	ND	46	5.1	ND	ND	ND	ND	ND	ND	ND	ND	51
	2/16/2001	ND	ND	ND	ND	ND	37	ND	ND	ND	ND	ND	ND	ND	ND	ND	37
	5/11/2001	ND	ND	ND	ND	ND	8	ND	ND	ND	ND	ND	ND	ND	ND	ND	8
	8/10/2001	ND	ND	ND	ND	ND	13	ND	ND	ND	ND	ND	ND	ND	ND	ND	13
	1/22/2002	ND	ND	ND	ND	ND	43	ND	ND	ND	ND	ND	ND	ND	ND	ND	43
	5/2/2002	ND	ND	ND	ND	ND	25	ND	ND	ND	ND	ND	ND	ND	ND	ND	25
	8/2/2002	ND	ND	ND	ND	ND	28	ND	ND	ND	ND	ND	ND	ND	ND	ND	28
	10/17/2002	ND	ND	ND	ND	ND	27	6.2	ND	ND	ND	ND	ND	ND	ND	ND	33
	1/7/2003	ND	ND	ND	ND	ND	32	7.0	ND	ND	ND	ND	ND	ND	ND	ND	39
	4/30/2003	ND	ND	ND	ND	ND	22	6.1	ND	ND	ND	ND	ND	ND	ND	ND	28
	7/25/2003	8.6	ND	ND	ND	ND	380	160	ND	170	ND	ND	ND	ND	ND	ND	719
	10/3/2003	ND	ND	ND	ND	ND	36	ND	ND	ND	ND	ND	ND	ND	ND	ND	36
	1/8/2004	ND	ND	ND	ND	ND	35	ND	ND	ND	ND	ND	ND	ND	ND	ND	35
	4/2/2004	ND	ND	ND	ND	ND	29	ND	ND	ND	ND	ND	ND	ND	ND	ND	29
	7/7/2004	ND	ND	ND	ND	ND	30	ND	ND	ND	ND	ND	ND	ND	ND	ND	30
	10/29/2004	ND	ND	ND	ND	ND	18	ND	ND	ND	ND	ND	ND	ND	ND	ND	18
	2/17/2005	7.4	ND	ND	ND	ND	350	210	ND	140	ND	ND	ND	ND	ND	ND	707
	4/28/2005	ND	ND	ND	ND	ND	25	6.2	ND	ND	ND	ND	ND	ND	ND	ND	31
	8/19/2005	ND	ND	ND	ND	ND	35.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	35.4
	11/11/2005	ND	ND	ND	ND	ND	20	ND	ND	ND	ND	ND	ND	ND	ND	ND	20
	1/6/2006	ND	ND	ND	ND	ND	39.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	39.4
	5/25/2006	ND	ND	ND	ND	ND	47.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	47.1
	8/18/2006	ND	ND	ND	ND	ND	27.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	27.3
	10/27/2006	ND	ND	ND	ND	ND	34.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	34.0
	1/16/2007	ND	ND	ND	ND	ND	34.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	34
	4/17/2007	ND	ND	ND	ND	ND	23	ND	ND	ND	ND	ND	ND	ND	ND	ND	23
	7/17/2007	ND	ND	ND	ND	ND	21.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	21.9
	10/26/2007	ND	ND	ND	ND	ND	5.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.5
	1/4/2008	ND	ND	ND	ND	ND	13.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	13.4
	4/25/2008	ND	ND	ND	ND	ND	20.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	20.4
	7/3/2008	ND	ND	ND	ND	ND	31.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	31.3
	11/21/2008	ND	ND	ND	ND	ND	16	ND	ND	ND	ND	ND	ND	ND	ND	ND	16
	2/27/2009	ND	ND	ND	ND	ND	20.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	20.3
	5/22/2009	ND	ND	ND	ND	ND	23.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	23.7
	8/28/2009	ND	ND	ND	ND	ND	30.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	30.9
	11/19/2009	ND	ND	ND	ND	ND	23.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	23.8
	2/26/2010	ND	ND	ND	ND	ND	19.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	19.8
	5/21/2010	ND	ND	ND	ND	ND	16.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	16.3
	8/26/2010	ND	ND	ND	ND	ND	14.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	14.2
	11/19/2010	ND	ND	ND	ND	ND	8.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.2
	2/11/2011	ND	ND	ND	ND	ND	8.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.6
	5/20/2011	ND	ND	ND	ND	ND	13.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	13.7
	8/25/2011	ND	ND	ND	ND	ND	10.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.1
	11/18/2011	ND	ND	ND	ND	ND	12	ND	ND	ND	ND	ND	ND	ND	ND	ND	12.0
RW-5	7/22/2010	ND	ND	ND	ND	ND	1,120	132	ND	253	ND	ND	ND	8,890	ND	ND	10,395
	8/26/2010	ND	ND	ND	99.3	ND	669	114	ND	281	ND	ND	ND	ND	ND	ND	1,163
	11/19/2010	8.2	ND	ND	1,020	6.3	907	106	ND	355	ND	ND	ND	ND	ND	ND	2,403
	2/11/2011	5.2	ND	ND	766	ND	721	73.6	ND	325	ND	ND	ND	ND	ND	ND	1,890.8
	5/20/2011	ND	ND	ND	251	ND	440	87.6	ND	262	ND	ND	ND	ND	ND	ND	1,040.6
	8/25/2011	ND	ND	ND	244	ND	262	21	ND	135	ND	ND	ND	ND	ND	ND	662
	11/18/2011	ND	ND	ND	442	ND	579	67	ND	447	ND	ND	ND	ND	ND	ND	1,535

Notes:
Results in micrograms per liter (ug/l).

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
Effluent	5/7/1999	ND	ND	ND	ND	ND	6.1	ND	ND	7.8	ND	ND	ND	ND	ND	ND	14
	6/18/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/13/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/5/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/11/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/24/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/4/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	9/1/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/20/2000	ND	ND	ND	ND	ND	95	40	ND	86	ND	ND	ND	ND	ND	ND	221
	12/8/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	270	ND	ND	270
	2/16/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/11/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/10/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/22/2002	ND	ND	ND	ND	ND	93	25	ND	61	ND	ND	ND	ND	ND	ND	179
	*05/02/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	18	17	ND	ND	ND	35
	8/2/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/17/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/7/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/30/2003	ND	ND	ND	ND	ND	31	6.6	ND	19	ND	ND	ND	ND	ND	ND	59
	**05/19/2003	ND	ND	ND	ND	ND	31	7.5	ND	24	ND	ND	ND	ND	ND	ND	63
	5/22/2003	ND	ND	ND	ND	ND	21	8.1	ND	18	ND	ND	ND	ND	ND	ND	47
	5/27/2003	ND	ND	ND	ND	ND	18	ND	ND	13	ND	ND	ND	ND	ND	ND	31
	5/30/2003	ND	ND	ND	ND	ND	11	ND	ND	9.6	ND	ND	ND	ND	ND	ND	21
	7/25/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/3/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/8/2004	ND	ND	ND	ND	ND	72	21	ND	49	ND	ND	ND	ND	ND	ND	142
	1/16/2004	ND	ND	ND	ND	ND	75	28	ND	62	ND	ND	ND	ND	ND	ND	163
	1/19/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/2/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/7/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/17/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/19/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/11/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/6/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/25/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/18/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/27/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/16/2007	ND	ND	ND	ND	ND	73	19	ND	35	ND	ND	ND	ND	ND	ND	127
	2/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/17/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/17/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/26/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/4/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/3/2008	ND	ND	ND	ND	ND	10.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.7
	7/18/2008	ND	ND	ND	ND	ND	5.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.7
	7/22/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/21/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/22/2009	ND	ND	ND	ND	ND	5.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.9
	6/9/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/28/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/19/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/21/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/19/2010	ND	ND	ND	55.9	ND	15.7	ND	ND	10.3	ND	ND	ND	ND	ND	ND	81.9
	12/8/2010	ND	ND	ND	57.9	ND	24.4	ND	ND	11.8	ND	ND	ND	ND	ND	ND	94.1
	12/10/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/11/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/20/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/18/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0

Notes:
Results in micrograms per liter (ug/l).
* - Naphthalene and MTBE were detected at 18 and 17 ug/L, respectively; however, these detections are most likely due to laboratory artifacts or handling issues.
** - Methylene chloride was detected at 5.9 ug/L, however, this detection was most likely due to a laboratory artifact.

ATTACHMENT A

Groundwater Level Measurements

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/06/06	732.25	12.29	719.96
	02/03/06		12.09	720.16
	03/03/06		12.28	719.97
	04/26/06		11.60	720.65
	05/25/06		11.67	720.58
	06/23/06		12.05	720.20
	07/07/06		12.23	720.02
	08/04/06		12.17	720.08
	09/15/06		12.21	720.04
	10/13/06		12.47	719.78
	11/10/06		12.13	720.12
	12/08/06		11.68	720.57
	01/03/07		11.52	720.73
	02/12/07		12.00	720.25
	03/12/07		11.74	720.51
	04/09/07		12.01	720.24
	05/07/07		12.11	720.14
	06/08/07		12.45	719.80
	07/17/07		12.66	719.59
	08/01/07		12.73	719.52
	09/14/07		13.03	719.22
	10/12/07		13.38	718.87
	11/09/07		13.37	718.88
	12/07/07		13.27	718.98
	01/04/08		12.79	719.46
	02/15/08		11.85	720.40
	03/13/08		11.48	720.77
	04/11/08		11.31	720.94
	05/08/08		11.95	720.30
	06/06/08		11.08	721.17
	07/03/08		11.29	720.96
	08/01/08		11.65	720.60
	09/12/08		12.38	719.87
	10/10/08		12.78	719.47
	11/06/08		13.05	719.20
	12/19/08		12.97	719.28
	01/02/09		12.39	719.86
	02/13/09		12.30	719.95
	03/13/09		12.40	719.85
	04/09/09		12.22	720.03
	05/08/09		11.90	720.35
	06/05/09		11.89	720.36
	07/02/09		12.05	720.20
	08/14/09		11.55	720.70
	09/11/09		12.02	720.23
	10/09/09		12.29	719.96
	11/04/09		12.26	719.99
	12/04/09		12.55	719.70
	01/14/10		12.50	719.75
	02/10/10		NG	NG
	03/11/10		12.49	719.76
	04/08/10		12.19	720.06
	05/06/10		12.35	719.90
	06/04/10		12.47	719.78
	07/01/10		11.69	720.56
	08/12/10		12.39	719.86
	09/08/10		13.07	719.18
	10/07/10		14.04	718.21
	11/19/10		14.28	717.97
	12/03/10		13.70	718.55
	01/14/11		13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/06/06	728.71	NG	NG
	02/03/06		10.92	717.79
	03/03/06		11.03	717.68
	04/26/06		10.71	718.00
	05/25/06		10.55	718.16
	06/23/06		10.72	717.99
	07/07/06		10.85	717.86
	08/04/06		10.78	717.93
	09/15/06		10.82	717.89
	10/13/06		10.95	717.76
	11/10/06		10.83	717.88
	12/08/06		10.60	718.11
	01/03/07		10.46	718.25
	02/12/07		10.93	717.78
	03/12/07		10.81	717.90
	04/09/07		10.88	717.83
	05/07/07		10.95	717.76
	06/08/07		11.10	717.61
	07/17/07		11.12	717.59
	08/01/07		11.12	717.59
	09/14/07		11.21	717.50
	10/12/07		11.35	717.36
	11/09/07		11.35	717.36
	12/07/07		11.36	717.35
	01/04/08		11.24	717.47
	02/15/08		10.61	718.10
	03/13/08		10.42	718.29
	04/11/08		10.23	718.48
	05/08/08		10.70	718.01
	06/06/08		9.84	718.87
	07/03/08		9.89	718.82
	08/01/08		10.54	718.17
	09/12/08		10.92	717.79
	10/10/08		11.04	717.67
	11/06/08		11.20	717.51
	12/19/08		11.01	717.70
	01/02/09		10.98	717.73
	02/13/09		10.79	717.92
	03/13/09		11.13	717.58
	04/09/09		10.86	717.85
	05/08/09		10.81	717.90
	06/05/09		10.71	718.00
	07/02/09		10.81	717.90
	08/14/09		10.52	718.19
	09/11/09		10.80	717.91
	10/09/09		10.77	717.94
	11/04/09		10.91	717.80
	12/04/09		11.07	717.64
	01/14/10		11.09	717.62
	02/10/10		11.13	717.58
	03/11/10		11.03	717.68
	04/08/10		10.75	717.96
	05/06/10		10.96	717.75
	06/04/10		11.01	717.70
	07/01/10		10.52	718.19
	08/12/10		10.88	717.83
	09/08/10		11.10	717.61
	10/07/10		11.33	717.38
	11/19/10		11.49	717.22
	12/03/10		11.26	717.45
	01/14/11		11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		*10.60*	*718.11*
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/06/06	736.44	15.06	721.38
	02/03/06		14.87	721.57
	03/03/06		15.00	721.44
	04/26/06		14.33	722.11
	05/25/06		NG	NG
	06/23/06		14.75	721.69
	07/07/06		14.97	721.47
	08/04/06		14.93	721.51
	09/15/06		NG	NG
	10/13/06		15.48	720.96
	11/10/06		14.98	721.46
	12/08/06		14.15	722.29
	01/03/07		14.00	722.44
	02/12/07		14.58	721.86
	03/12/07		14.41	722.03
	04/09/07		14.64	721.80
	05/07/07		14.83	721.61
	06/08/07		15.32	721.12
	07/17/07		15.73	720.71
	08/01/07		16.89	719.55
	09/14/07		16.23	720.21
	10/12/07		16.65	719.79
	11/09/07		16.60	719.84
	12/07/07		16.55	719.89
	01/04/08		15.87	720.57
	02/15/08		14.41	722.03
	03/13/08		13.82	722.62
	04/11/08		13.50	722.94
	05/08/08		14.33	722.11
	06/06/08		13.30	723.14
	07/03/08		13.41	723.03
	08/01/08		13.68	722.76
	09/12/08		15.28	721.16
	10/10/08		15.77	720.67
	11/06/08		16.11	720.33
	12/19/08		16.10	720.34
	01/02/09		15.26	721.18
	02/13/09		15.16	721.28
	03/13/09		15.25	721.19
	04/09/09		14.88	721.56
	05/08/09		NG	NG
	06/05/09		14.25	722.19
	07/02/09		14.62	721.82
	08/14/09		13.92	722.52
	09/11/09		14.73	721.71
	10/09/09		15.17	721.27
	11/04/09		15.07	721.37
	12/04/09		15.48	720.96
	01/14/10		15.23	721.21
	02/10/10		15.37	721.07
	03/11/10		15.21	721.23
	04/08/10		14.82	721.62
	05/06/10		14.92	721.52
	06/04/10		15.13	721.31
	07/01/10		14.04	722.40
	08/12/10		15.06	721.38
	09/08/10		15.85	720.59
	10/07/10		16.52	719.92
	11/19/10		16.99	719.45
	12/03/10		16.32	720.12
	01/14/11		16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/06/06	733.04	8.90	724.14
	02/03/06		8.16	724.88
	03/03/06		8.52	724.52
	04/26/06		7.55	725.49
	05/25/06		6.90	726.14
	06/23/06		7.81	725.23
	07/07/06		8.51	724.53
	08/04/06		8.59	724.45
	09/15/06		8.99	724.05
	10/13/06		9.40	723.64
	11/10/06		8.67	724.37
	12/08/06		7.71	725.33
	01/03/07		6.85	726.19
	02/12/07		7.81	725.23
	03/12/07		9.56	723.48
	04/09/07		10.56	722.48
	05/07/07		8.35	724.69
	06/08/07		9.07	723.97
	07/17/07		9.65	723.39
	08/01/07		9.82	723.22
	09/14/07		10.49	722.55
	10/12/07		10.95	722.09
	11/09/07		11.14	721.90
	12/07/07		11.21	721.83
	01/04/08		10.46	722.58
	02/15/08		8.45	724.59
	03/13/08		7.28	725.76
	04/11/08		6.40	726.64
	05/08/08		7.74	725.30
	06/06/08		8.49	724.55
	07/03/08		8.50	724.54
	08/01/08		7.28	725.76
	09/12/08		7.30	725.74
	10/10/08		9.47	723.57
	11/06/08		9.98	723.06
	12/19/08		9.34	723.70
	01/02/09		8.77	724.27
	02/13/09		8.04	725.00
	03/13/09		8.75	724.29
	04/09/09		7.82	725.22
	05/08/09		NG	NG
	06/05/09		7.24	725.80
	07/02/09		7.89	725.15
	08/14/09		6.96	726.08
	09/11/09		8.47	724.57
	10/09/09		8.34	724.70
	11/04/09		8.46	724.58
	12/04/09		8.98	724.06
	01/14/10		8.83	724.21
	02/10/10		NG	NG
	03/11/10		8.51	724.53
	04/08/10		7.37	725.67
	05/06/10		8.16	724.88
	06/04/10		8.48	724.56
	07/01/10		7.22	725.82
	08/12/10		8.94	724.10
	09/08/10		9.81	723.23
	10/07/10		10.51	722.53
	11/19/10		11.10	721.94
	12/03/10		10.31	722.73
	01/14/11		10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12	01/06/06	736.38	16.40	719.98
	02/03/06		16.30	720.08
	03/03/06		16.40	719.98
	04/26/06		15.79	720.59
	05/25/06		15.82	720.56
	06/23/06		16.20	720.18
	07/07/06		16.34	720.04
	08/04/06		16.24	720.14
	09/15/06		16.39	719.99
	10/13/06		16.56	719.82
	11/10/06		16.25	720.13
	12/08/06		17.72	718.66
	01/03/07		15.70	720.68
	02/12/07		16.18	720.20
	03/12/07		15.54	720.84
	04/09/07		16.17	720.21
	05/07/07		16.32	720.06
	06/08/07		16.58	719.80
	07/17/07		16.79	719.59
	08/01/07		16.88	719.50
	09/14/07		17.10	719.28
	10/12/07		17.47	718.91
	11/09/07		17.45	718.93
	12/07/07		17.35	719.03
	01/04/08		16.86	719.52
	02/03/08		15.97	720.41
	03/13/08		15.67	720.71
	04/11/08		15.52	720.86
	05/08/08		16.06	720.32
Well Damaged	06/06/08		NG	NG
MW-12R	07/03/08	736.15	15.47	720.68
	08/01/08		15.76	720.39
	09/12/08		16.49	719.66
	10/10/08		16.85	719.30
	11/06/08		17.17	718.98
	12/19/08		17.05	719.10
	01/02/09		16.51	719.64
	02/13/09		16.44	719.71
	03/13/09		16.57	719.58
	04/09/09		16.38	719.77
	05/08/09		16.11	720.04
	06/05/09		16.05	720.10
	07/02/09		16.22	719.93
	08/14/09		15.77	720.38
	09/11/09		16.04	720.11
	10/09/09		16.41	719.74
	11/04/09		16.46	719.69
	12/04/09		16.71	719.44
	01/14/10		16.60	719.55
	02/10/10		16.68	719.47
	03/11/10		16.63	719.52
	04/08/10		16.32	719.83
	05/06/10		16.49	719.66
	06/04/10		16.61	719.54
	07/01/10		15.85	720.30
	08/12/10		16.64	719.51
	09/08/10		17.28	718.87
	10/07/10		18.41	717.74
	11/19/10		18.71	717.44
	12/03/10		18.22	717.93
	01/14/11		17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/06/06	734.03	9.58	724.45
	02/03/06		9.11	724.92
	03/03/06		9.61	724.42
	04/26/06		9.02	725.01
	05/25/06		8.55	725.48
	06/23/06		9.14	724.89
	07/07/06		9.30	724.73
	08/04/06		9.72	724.31
	09/15/06		9.38	724.65
	10/13/06		10.57	723.46
	11/10/06		9.64	724.39
	12/08/06		9.06	724.97
	01/03/07		8.51	725.52
	02/12/07		9.42	724.61
	03/12/07		9.24	724.79
	04/09/07		9.36	724.67
	05/07/07		9.61	724.42
	06/08/07		10.20	723.83
	07/17/07		10.72	723.31
	08/01/07		10.85	723.18
	09/14/07		11.58	722.45
	10/12/07		12.02	722.01
	11/09/07		12.10	721.93
	12/07/07		11.91	722.12
	01/04/08		11.11	722.92
	02/15/08		9.43	724.60
	03/13/08		8.71	725.32
	04/11/08		8.28	725.75
	05/08/08		9.23	724.80
	06/06/08		7.64	726.39
	07/03/08		7.67	726.36
	08/01/08		9.00	725.03
	09/12/08		9.05	724.98
	10/10/08		10.51	723.52
	11/06/08		11.17	722.86
	12/19/08		10.01	724.02
	01/02/09		9.69	724.34
	02/13/09		9.12	724.91
	03/13/09		9.84	724.19
	04/09/09		9.04	724.99
	05/08/09		8.53	725.50
	06/05/09		8.93	725.10
	07/02/09		9.34	724.69
	08/14/09		8.68	725.35
	09/11/09		9.74	724.29
	10/09/09		9.24	724.79
	11/04/09		9.55	724.48
	12/04/09		9.98	724.05
	01/14/10		9.99	724.04
	02/10/10		9.99	724.04
	03/11/10		9.46	724.57
	04/08/10		8.53	725.50
	05/06/10		9.41	724.62
	06/04/10		9.51	724.52
	07/01/10		8.81	725.22
	08/12/10		10.16	723.87
	09/08/10		11.07	722.96
	10/07/10		11.76	722.27
	11/19/10		12.08	721.95
	12/03/10		10.96	723.07
	01/14/11		11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/06/06	737.91	16.65	721.26
	02/03/06		16.48	721.43
	03/03/06		16.60	721.31
	04/26/06		16.01	721.90
	05/25/06		15.81	722.10
	06/23/06		16.40	721.51
	07/07/06		16.62	721.29
	08/04/06		16.61	721.30
	09/15/06		NG	NG
	10/13/06		17.12	720.79
	11/10/06		16.64	721.27
	12/08/06		16.65	721.26
	01/03/07		15.71	722.20
	02/12/07		4.76	733.15
	03/12/07		16.10	721.81
	04/09/07		16.91	721.00
	05/07/07		16.50	721.41
	06/08/07		16.98	720.93
	07/17/07		17.35	720.56
	08/01/07		17.55	720.36
	09/14/07		17.88	720.03
	10/12/07		18.29	719.62
	11/09/07		18.23	719.68
	12/07/07		18.19	719.72
	01/04/08		17.48	720.43
	02/15/08		16.10	721.81
	03/13/08		15.52	722.39
	04/11/08		15.20	722.71
	05/08/08		16.02	721.89
	06/06/08		15.00	722.91
	07/03/08		15.05	722.86
	08/01/08		15.36	722.55
	09/12/08		16.95	720.96
	10/10/08		17.43	720.48
	11/06/08		17.78	720.13
	12/19/08		17.75	720.16
	01/02/09		16.94	720.97
	02/13/09		16.85	721.06
	03/13/09		16.94	720.97
	04/09/09		16.60	721.31
	05/08/09		16.16	721.75
	06/05/09		15.97	721.94
	07/02/09		16.32	721.59
	08/14/09		15.67	722.24
	09/11/09		16.41	721.50
	10/09/09		16.94	720.97
	11/04/09		16.76	721.15
	12/04/09		17.15	720.76
	01/14/10		16.95	720.96
	02/10/10		17.06	720.85
	03/11/10		16.91	721.00
	04/08/10		16.53	721.38
	05/06/10		16.63	721.28
	06/04/10		16.84	721.07
	07/01/10		15.78	722.13
	08/12/10		16.76	721.15
	09/08/10		17.51	720.40
	10/07/10		18.17	719.74
	11/19/10		18.64	719.27
	12/03/10		17.98	719.93
	01/14/11		17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/06/06	737.64	16.91	720.73
	02/03/06		16.85	720.79
	03/03/06		16.96	720.68
	04/26/06		16.60	721.04
	05/25/06		16.52	721.12
	06/23/06		16.98	720.66
	07/07/06		17.16	720.48
	08/04/06		17.13	720.51
	09/15/06		17.35	720.29
	10/13/06		17.56	720.08
	11/10/06		17.16	720.48
	12/08/06		16.52	721.12
	01/03/07		16.46	721.18
	02/12/07		16.90	720.74
	03/12/07		16.66	720.98
	04/09/07		16.91	720.73
	05/07/07		17.03	720.61
	06/08/07		17.43	720.21
	07/17/07		17.76	719.88
	08/01/07		17.97	719.67
	09/14/07		18.24	719.40
	10/12/07		18.62	719.02
	11/09/07		18.59	719.05
	12/07/07		18.51	719.13
	01/04/08		17.91	719.73
	02/15/08		16.80	720.84
	03/13/08		16.37	721.27
	04/11/08		16.13	721.51
	05/08/08		16.74	720.90
	06/06/08		15.88	721.76
	07/03/08		15.91	721.73
	08/01/08		16.29	721.35
	09/12/08		17.47	720.17
	10/10/08		17.87	719.77
	11/06/08		18.22	719.42
	12/19/08		18.12	719.52
	01/02/09		17.47	720.17
	02/13/09		17.37	720.27
	03/13/09		17.58	720.06
	04/09/09		17.23	720.41
	05/08/09		16.89	720.75
	06/05/09		16.72	720.92
	07/02/09		16.98	720.66
	08/14/09		16.49	721.15
	09/11/09		16.91	720.73
	10/09/09		17.36	720.28
	11/04/09		17.30	720.34
	12/04/09		17.65	719.99
	01/14/10		17.48	720.16
	02/10/10		17.57	720.07
	03/11/10		17.46	720.18
	04/08/10		17.14	720.50
	05/06/10		17.28	720.36
	06/04/10		17.42	720.22
	07/01/10		16.55	721.09
	08/12/10		17.27	720.37
	09/08/10		17.88	719.76
	10/07/10		18.64	719.00
	11/19/10		19.08	718.56
	12/03/10		18.46	719.18
	01/14/11		18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/06/06	736.02	15.55	720.47
	02/03/06		15.31	720.71
	03/03/06		15.41	720.61
	04/26/06		14.82	721.20
	05/25/06		14.58	721.44
	06/23/06		15.11	720.91
	07/07/06		15.31	720.71
	08/04/06		15.31	720.71
	09/15/06		15.54	720.48
	10/13/06		15.73	720.29
	11/10/06		15.35	720.67
	12/08/06		14.69	721.33
	01/03/07		14.51	721.51
	02/12/07		14.97	721.05
	03/12/07		14.88	721.14
	04/09/07		15.07	720.95
	05/07/07		15.24	720.78
	06/08/07		15.63	720.39
	07/17/07		15.95	720.07
	08/01/07		16.02	720.00
	09/14/07		16.31	719.71
	10/12/07		16.64	719.38
	11/09/07		16.65	719.37
	12/07/07		16.67	719.35
	01/04/08		16.18	719.84
	02/15/08		14.95	721.07
	03/13/08		14.43	721.59
	04/11/08		14.07	721.95
	05/08/08		14.88	721.14
	06/06/08		13.85	722.17
	07/03/08		13.87	722.15
	08/01/08		14.38	721.64
	09/12/08		15.58	720.44
	10/10/08		15.98	720.04
	11/06/08		16.26	719.76
	12/19/08		16.28	719.74
	01/02/09		15.74	720.28
	02/13/09		15.54	720.48
	03/13/09		15.66	720.36
	04/09/09		15.43	720.59
	05/08/09		15.03	720.99
	06/05/09		14.79	721.23
	07/02/09		15.07	720.95
	08/14/09		14.50	721.52
	09/11/09		15.13	720.89
	10/09/09		15.53	720.49
	11/04/09		15.49	720.53
	12/04/09		15.80	720.22
	01/14/10		15.60	720.42
	02/10/10		15.71	720.31
	03/11/10		15.61	720.41
	04/08/10		15.28	720.74
	05/06/10		15.39	720.63
	06/04/10		15.55	720.47
	07/01/10		14.56	721.46
	08/12/10		15.39	720.63
	09/08/10		16.02	720.00
	10/07/10		16.57	719.45
	11/19/10		16.98	719.04
	12/03/10		16.56	719.46
	01/14/11		16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/06/06	736.39	13.05	723.34
	02/03/06		12.56	723.83
	03/03/06		12.91	723.48
	04/26/06		12.05	724.34
	05/25/06		11.50	724.89
	06/23/06		12.19	724.20
	07/07/06		12.76	723.63
	08/04/06		12.75	723.64
	09/15/06		13.09	723.30
	10/13/06		13.45	722.94
	11/10/06		12.81	723.58
	12/08/06		11.99	724.40
	01/03/07		11.42	724.97
	02/12/07		12.28	724.11
	03/12/07		12.15	724.24
	04/09/07		12.39	724.00
	05/07/07		12.65	723.74
	06/08/07		13.25	723.14
	07/17/07		13.69	722.70
	08/01/07		13.85	722.54
	09/14/07		14.37	722.02
	10/12/07		14.82	721.57
	11/09/07		14.93	721.46
	12/07/07		14.91	721.48
	01/04/08		14.20	722.19
	02/15/08		12.47	723.92
	03/13/08		11.63	724.76
	04/11/08		11.04	725.35
	05/08/08		12.13	724.26
	06/06/08		10.29	726.10
	07/03/08		10.31	726.08
	08/01/08		11.71	724.68
	09/12/08		11.80	724.59
	10/10/08		13.61	722.78
	11/06/08		14.07	722.32
	12/19/08		13.95	722.44
	01/02/09		12.92	723.47
	02/13/09		12.47	723.92
	03/13/09		13.02	723.37
	04/09/09		12.22	724.17
	05/08/09		11.72	724.67
	06/05/09		11.78	724.61
	07/02/09		12.27	724.12
	08/14/09		11.44	724.95
	09/11/09		12.70	723.69
	10/09/09		12.72	723.67
	11/04/09		12.74	723.65
	12/04/09		13.21	723.18
	01/14/10		13.06	723.33
	02/10/10		13.15	723.24
	03/11/10		12.78	723.61
	04/08/10		12.18	724.21
	05/06/10		12.52	723.87
	06/04/10		12.69	723.70
	07/01/10		11.62	724.77
	08/12/10		13.06	723.33
	09/08/10		13.89	722.50
	10/07/10		14.52	721.87
	11/19/10		14.97	721.42
	12/03/10		14.11	722.28
	01/14/11		14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/06/06	736.63	15.35	721.28
	02/03/06		15.15	721.48
	03/03/06		15.31	721.32
	04/26/06		14.69	721.94
	05/25/06		14.55	722.08
	06/23/06		15.10	721.53
	07/07/06		15.35	721.28
	08/04/06		15.27	721.36
	09/15/06		NG	NG
	10/13/06		15.81	720.82
	11/10/06		15.26	721.37
	12/08/06		14.58	722.05
	01/03/07		14.31	722.32
	02/12/07		15.04	721.59
	03/12/07		16.68	719.95
	04/09/07		15.03	721.60
	05/07/07		15.17	721.46
	06/08/07		15.71	720.92
	07/17/07		16.11	720.52
	08/01/07		16.31	720.32
	09/14/07		16.63	720.00
	10/12/07		17.08	719.55
	11/09/07		17.08	719.55
	12/07/07		16.79	719.84
	01/04/08		16.30	720.33
	02/15/08		14.87	721.76
	03/13/08		14.33	722.30
	04/11/08		14.11	722.52
	05/08/08		14.93	721.70
	06/06/08		13.76	722.87
	07/03/08		13.80	722.83
	08/01/08		14.46	722.17
	09/12/08		15.67	720.96
	10/10/08		16.12	720.51
	11/06/08		16.52	720.11
	12/19/08		16.41	720.22
	01/02/09		15.50	721.13
	02/13/09		15.43	721.20
	03/13/09		15.58	721.05
	04/09/09		15.11	721.52
	05/08/09		14.72	721.91
	06/05/09		14.64	721.99
	07/02/09		15.01	721.62
	08/14/09		14.37	722.26
	09/11/09		15.08	721.55
	10/09/09		15.43	721.20
	11/04/09		15.34	721.29
	12/04/09		15.78	720.85
	01/14/10		15.61	721.02
	02/10/10		15.73	720.90
	03/11/10		15.47	721.16
	04/08/10		15.12	721.51
	05/06/10		15.26	721.37
	06/04/10		15.47	721.16
	07/01/10		14.45	722.18
	08/12/10		15.42	721.21
	09/08/10		16.33	720.30
	10/07/10		16.99	719.64
	11/19/10		17.38	719.25
	12/03/10		16.64	719.99
	01/14/11		16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/06/06	738.04	17.02	721.02
	02/03/06		16.84	721.20
	03/03/06		17.00	721.04
	04/26/06		16.35	721.69
	05/25/06		16.21	721.83
	06/23/06		16.77	721.27
	07/07/06		16.97	721.07
	08/04/06		16.91	721.13
	09/15/06		17.18	720.86
	10/13/06		17.42	720.62
	11/10/06		16.95	721.09
	12/08/06		16.25	721.79
	01/03/07		16.07	721.97
	02/12/07		16.67	721.37
	03/12/07		NG	NG
	04/09/07		16.66	721.38
	05/07/07		16.81	721.23
	06/08/07		17.29	720.75
	07/17/07		17.67	720.37
	08/01/07		17.88	720.16
	09/14/07		18.19	719.85
	10/12/07		18.61	719.43
	11/09/07		18.60	719.44
	12/07/07		18.35	719.69
	01/04/08		17.85	720.19
	02/15/08		16.51	721.53
	03/13/08		16.01	722.03
	04/11/08		15.74	722.30
	05/08/08		16.51	721.53
	06/06/08		15.52	722.52
	07/03/08		15.56	722.48
	08/01/08		16.01	722.03
	09/12/08		17.28	720.76
	10/10/08		17.71	720.33
	11/06/08		18.11	719.93
	12/19/08		18.03	720.01
	01/02/09		17.20	720.84
	02/13/09		17.12	720.92
	03/13/09		17.23	720.81
	04/09/09		16.87	721.17
	05/08/09		16.48	721.56
	06/05/09		16.35	721.69
	07/02/09		16.44	721.60
	08/14/09		16.07	721.97
	09/11/09		16.68	721.36
	10/09/09		17.11	720.93
	11/04/09		17.03	721.01
	12/04/09		17.43	720.61
	01/14/10		17.25	720.79
	02/10/10		17.34	720.70
	03/11/10		17.18	720.86
	04/08/10		16.82	721.22
	05/06/10		16.95	721.09
	06/04/10		17.14	720.90
	07/01/10		16.15	721.89
	08/12/10		17.03	721.01
	09/08/10		17.87	720.17
	10/07/10		18.57	719.47
	11/19/10		19.00	719.04
	12/03/10		18.31	719.73
	01/14/11		18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/06/06	737.61	16.82	720.79
	02/03/06		16.65	720.96
	03/03/06		16.81	720.80
	04/26/06		16.22	721.39
	05/25/06		16.07	721.54
	06/23/06		16.60	721.01
	07/07/06		16.82	720.79
	08/04/06		16.72	720.89
	09/15/06		16.98	720.63
	10/13/06		17.24	720.37
	11/10/06		16.75	720.86
	12/08/06		16.10	721.51
	01/03/07		15.89	721.72
	02/12/07		16.53	721.08
	03/12/07		16.34	721.27
	04/09/07		16.51	721.10
	05/07/07		16.65	720.96
	06/08/07		17.16	720.45
	07/17/07		17.52	720.09
	08/01/07		17.71	719.90
	09/14/07		18.03	719.58
	10/12/07		18.45	719.16
	11/09/07		18.44	719.17
	12/07/07		18.13	719.48
	01/04/08		17.66	719.95
	02/15/08		16.36	721.25
	03/13/08		15.89	721.72
	04/11/08		15.67	721.94
	05/08/08		16.43	721.18
	06/06/08		15.45	722.16
	07/03/08		15.47	722.14
	08/01/08		16.08	721.53
	09/12/08		17.13	720.48
	10/10/08		17.55	720.06
	11/06/08		17.93	719.68
	12/19/08		17.80	719.81
	01/02/09		16.96	720.65
	02/13/09		16.90	720.71
	03/13/09		17.02	720.59
	04/09/09		16.84	720.77
	05/08/09		16.27	721.34
	06/05/09		16.88	720.73
	07/02/09		16.91	720.70
	08/14/09		15.93	721.68
	09/11/09		15.84	721.77
	10/09/09		16.92	720.69
	11/04/09		16.83	720.78
	12/04/09		17.25	720.36
	01/14/10		17.03	720.58
	02/10/10		17.18	720.43
	03/11/10		16.98	720.63
	04/08/10		16.61	721.00
	05/06/10		16.77	720.84
	06/04/10		16.97	720.64
	07/01/10		15.99	721.62
	08/12/10		16.90	720.71
	09/08/10		17.78	719.83
	10/07/10		18.45	719.16
	11/19/10		18.84	718.77
	12/03/10		18.12	719.49
	01/14/11		17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/06/06	734.84	15.43	719.41
	02/03/06		15.37	719.47
	03/03/06		15.45	719.39
	04/26/06		14.86	719.98
	05/25/06		15.13	719.71
	06/23/06		15.30	719.54
	07/07/06		15.37	719.47
	08/04/06		15.33	719.51
	09/15/06		15.40	719.44
	10/13/06		15.45	719.39
	11/10/06		15.36	719.48
	12/08/06		15.20	719.64
	01/03/07		15.15	719.69
	02/12/07		15.34	719.50
	03/12/07		17.13	717.71
	04/09/07		15.36	719.48
	05/07/07		15.44	719.40
	06/08/07		15.48	719.36
	07/17/07		15.47	719.37
	08/01/07		15.49	719.35
	09/14/07		16.07	718.77
	10/12/07		16.06	718.78
	11/09/07		16.10	718.74
	12/07/07		16.15	718.69
	01/04/08		16.01	718.83
	02/15/08		15.17	719.67
	03/13/08		14.88	719.96
	04/11/08		14.67	720.17
	05/08/08		15.22	719.62
	06/06/08		14.32	720.52
	07/03/08		14.80	720.04
	08/01/08		14.91	719.93
	09/12/08		15.72	719.12
	10/10/08		15.92	718.92
	11/06/08		16.07	718.77
	12/19/08		15.84	719.00
	01/02/09		15.72	719.12
	02/13/09		15.68	719.16
	03/13/09		15.79	719.05
	04/09/09		15.66	719.18
	05/08/09		15.57	719.27
	06/05/09		15.40	719.44
	07/02/09		15.55	719.29
	08/14/09		15.10	719.74
	09/11/09		15.16	719.68
	10/09/09		15.67	719.17
	11/04/09		15.39	719.45
	12/04/09		15.87	718.97
	01/14/10		15.82	719.02
	02/10/10		15.74	719.10
	03/11/10		15.68	719.16
	04/08/10		15.48	719.36
	05/06/10		16.61	718.23
	06/04/10		15.66	719.18
	07/01/10		13.07	721.77
	08/12/10		14.99	719.85
	09/08/10		15.83	719.01
	10/07/10		16.12	718.72
	11/19/10		16.24	718.60
	12/03/10		16.03	718.81
	01/14/11		16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/06/06	730.97	12.88	718.09
	02/03/06		12.86	718.11
	03/03/06		12.02	718.95
	04/26/06		10.94	720.03
	05/25/06		12.08	718.89
	06/23/06		12.85	718.12
	07/07/06		12.61	718.36
	08/04/06		12.85	718.12
	09/15/06		11.14	719.83
	10/13/06		12.95	718.02
	11/10/06		12.71	718.26
	12/08/06		12.35	718.62
	01/03/07		12.40	718.57
	02/12/07		11.96	719.01
	03/12/07		12.22	718.75
	04/09/07		11.98	718.99
	05/07/07		11.10	719.87
	06/08/07		11.68	719.29
	07/17/07		11.44	719.53
	08/01/07		11.60	719.37
	09/14/07		13.10	717.87
	10/12/07		12.20	718.77
	11/09/07		12.27	718.70
	12/07/07		13.18	717.79
	01/04/08		12.85	718.12
	02/15/08		11.70	719.27
	03/13/08		11.61	719.36
	04/11/08		11.40	719.57
	05/08/08		11.39	719.58
	06/06/08		10.88	720.09
	07/03/08		11.65	719.32
	08/01/08		11.58	719.39
	09/12/08		13.09	717.88
	10/10/08		13.22	717.75
	11/06/08		12.96	718.01
	12/19/08		13.02	717.95
	01/02/09		12.80	718.17
	02/13/09		12.90	718.07
	03/13/09		12.78	718.19
	04/09/09		12.10	718.87
	05/08/09		13.35	717.62
	06/05/09		12.90	718.07
	07/02/09		12.68	718.29
	08/14/09		12.38	718.59
	09/11/09		12.30	718.67
	10/09/09		13.50	717.47
	11/04/09		13.04	717.93
	12/04/09		13.21	717.76
	01/14/10		13.42	717.55
	02/10/10		13.39	717.58
	03/11/10		12.81	718.16
	04/08/10		13.15	717.82
	05/06/10		12.14	718.83
	06/04/10		12.10	718.87
	07/01/10		13.42	717.55
	08/12/10		10.90	720.07
	09/08/10		12.70	718.27
	10/07/10		12.40	718.57
	11/19/10		12.45	718.52
	12/03/10		12.45	718.52
	01/14/11		12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/06/06	732.05	15.79	716.26
	02/03/06		14.90	717.15
	03/03/06		15.75	716.30
	04/26/06		11.51	720.54
	05/25/06		13.45	718.60
	06/23/06		15.17	716.88
	07/07/06		15.09	716.96
	08/04/06		15.45	716.60
	09/15/06		12.06	719.99
	10/13/06		15.83	716.22
	11/10/06		15.60	716.45
	12/08/06		15.30	716.75
	01/03/07		15.36	716.69
	02/12/07		15.82	716.23
	03/12/07		11.66	720.39
	04/09/07		15.91	716.14
	05/07/07		12.35	719.70
	06/08/07		15.31	716.74
	07/17/07		15.83	716.22
	08/01/07		14.40	717.65
	09/14/07		14.85	717.20
	10/12/07		14.41	717.64
	11/09/07		14.62	717.43
	12/07/07		14.68	717.37
	01/04/08		14.70	717.35
	02/15/08		15.25	716.80
	03/13/08		15.31	716.74
	04/11/08		14.10	717.95
	05/08/08		15.24	716.81
	06/06/08		12.13	719.92
	07/03/08		12.28	719.77
	08/01/08		12.30	719.75
	09/12/08		15.05	717.00
	10/10/08		15.88	716.17
	11/06/08		15.20	716.85
	12/19/08		15.50	716.55
	01/02/09		15.44	716.61
	02/13/09		12.15	719.90
	03/13/09		16.85	715.20
	04/09/09		16.30	715.75
	05/08/09		15.65	716.40
	06/05/09		14.68	717.37
	07/02/09		14.60	717.45
	08/14/09		15.35	716.70
	09/11/09		14.50	717.55
	10/09/09		17.15	714.90
	11/04/09		12.14	719.91
	12/04/09		16.81	715.24
	01/14/10		15.50	716.55
	02/10/10		15.20	716.85
	03/11/10		14.35	717.70
	04/08/10		14.28	717.77
	05/06/10		13.72	718.33
	06/04/10		13.45	718.60
	07/01/10		13.81	718.24
	08/12/10		14.58	717.47
	09/08/10		16.10	715.95
	10/07/10		15.50	716.55
	11/19/10		15.05	717.00
	12/03/10		13.78	718.27
	01/14/11		13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/06/06	733.19	12.61	720.58
	02/03/06		18.65	714.54
	03/03/06		18.81	714.38
	04/26/06		12.00	721.19
	05/25/06		17.61	715.58
	06/23/06		17.88	715.31
	07/07/06		17.61	715.58
	08/04/06		17.88	715.31
	09/15/06		12.99	720.20
	10/13/06		17.99	715.20
	11/10/06		17.52	715.67
	12/08/06		18.38	714.81
	01/03/07		18.41	714.78
	02/12/07		16.88	716.31
	03/12/07		12.16	721.03
	04/09/07		18.18	715.01
	05/07/07		12.95	720.24
	06/08/07		17.15	716.04
	07/17/07		17.71	715.48
	08/01/07		16.05	717.14
	09/14/07		16.45	716.74
	10/12/07		16.97	716.22
	11/09/07		18.75	714.44
	12/07/07		16.55	716.64
	01/04/08		15.67	717.52
	02/15/08		15.68	717.51
	03/13/08		15.79	717.40
	04/11/08		13.37	719.82
	05/08/08		16.65	716.54
	06/06/08		13.05	720.14
	07/03/08		13.90	719.29
	08/01/08		14.24	718.95
	09/12/08		15.59	717.60
	10/10/08		16.51	716.68
	11/06/08		16.55	716.64
	12/19/08		16.87	716.32
	01/02/09		16.81	716.38
	02/13/09		16.28	716.91
	03/13/09		16.35	716.84
	04/09/09		16.01	717.18
	05/08/09		15.77	717.42
	06/05/09		15.45	717.74
	07/02/09		15.10	718.09
	08/14/09		15.03	718.16
	09/11/09		14.84	718.35
	10/09/09		15.71	717.48
	11/04/09		15.66	717.53
	12/04/09		15.50	717.69
	01/14/10		16.01	717.18
	02/10/10		16.24	716.95
	03/11/10		16.21	716.98
	04/08/10		15.93	717.26
	05/06/10		16.03	717.16
	06/04/10		16.13	717.06
	07/01/10		15.09	718.10
	08/12/10		16.68	716.51
	09/08/10		15.38	717.81
	10/07/10		16.47	716.72
	11/19/10		18.69	714.50
	12/03/10		17.40	715.79
	01/14/11		17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/06/06	735.48	15.94	719.54
	02/03/06		15.66	719.82
	03/03/06		15.92	719.56
	04/26/06		13.81	721.67
	05/25/06		15.07	720.41
	06/23/06		15.62	719.86
	07/07/06		15.82	719.66
	08/04/06		15.77	719.71
	09/15/06		16.05	719.43
	10/13/06		16.29	719.19
	11/10/06		16.01	719.47
	12/08/06		16.41	719.07
	01/03/07		16.35	719.13
	02/12/07		16.99	718.49
	03/12/07		16.68	718.80
	04/09/07		15.45	720.03
	05/07/07		15.71	719.77
	06/08/07		16.01	719.47
	07/17/07		16.45	719.03
	08/01/07		18.05	717.43
	09/14/07		17.59	717.89
	10/12/07		18.17	717.31
	11/09/07		17.88	717.60
	12/07/07		15.77	719.71
	01/04/08		17.90	717.58
	02/15/08		16.91	718.57
	03/13/08		16.41	719.07
	04/11/08		14.99	720.49
	05/08/08		15.81	719.67
	06/06/08		14.71	720.77
	07/03/08		14.60	720.88
	08/01/08		14.79	720.69
	09/12/08		16.43	719.05
	10/10/08		17.12	718.36
	11/06/08		17.16	718.32
	12/19/08		17.59	717.89
	01/02/09		17.65	717.83
	02/13/09		16.52	718.96
	03/13/09		16.61	718.87
	04/09/09		16.42	719.06
	05/08/09		15.86	719.62
	06/05/09		15.86	719.62
	07/02/09		16.77	718.71
	08/14/09		15.28	720.20
	09/11/09		15.28	720.20
	10/09/09		16.42	719.06
	11/04/09		16.28	719.20
	12/04/09		16.94	718.54
	01/14/10		16.64	718.84
	02/10/10		16.84	718.64
	03/11/10		16.29	719.19
	04/08/10		16.29	719.19
	05/06/10		16.79	718.69
	06/04/10		16.59	718.89
	07/01/10		15.72	719.76
	08/12/10		16.54	718.94
	09/08/10		18.06	717.42
	10/07/10		18.98	716.50
	11/19/10		19.80	715.68
	12/03/10		18.81	716.67
	01/14/11		18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	08/12/10	731.96	13.81	718.15
	09/08/10		14.07	717.89
	10/07/10		15.41	716.55
	11/19/10		16.78	715.18
	12/03/10		16.38	715.58
	01/14/11		15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78

NR-Not Recorded
NG-Not Gauged

iWM CONSULTING GROUP

ATTACHMENT B

Groundwater Recovery

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	***445,555***	***428,463***	***536,852***	-	-	***1,410,870***
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	***1,949,120***	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	***2,835,673***	-	-	6,436,098
3/28/1997	1,692,834	2,039,011	***2,835,673***	-	-	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	***2,842,124***	-	-	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	3,313,604	7,312,970	6,402,525	-	-	17,050,326
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	3,889,675	8,638,302	7,429,910	1,171,610	-	21,150,724
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308

Notes:

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.

AMPHENOL CORPORATION
FRANKLIN, INDIANA



ATTACHMENT C

Field Notes

iWM CONSULTING GROUP

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Inspection Date: 11/4/2011

/I Personnel: White/Newell

val Time: 10:15

arture Time: 14:10

:m Response Visit: YES (NO)

BIWEEKLY DATA

alizer Readings: RW-1 12274110 RW-2 18441840 RW-3 31573900 RW-4 52985390 RW-5 5764380

v Rate GPM: RW-1 Cycling RW-2 5.6 RW-3 6.8 RW-4 8.0 8.6 RW-5 8.5

ıp Running Amps RW-1 4.80 RW-2 3.52 RW-3 3.9 RW-4 4.52 RW-5 3.66

Stripper Pressure: 15 Inches of Water

uent Clarity: Clear

lding Temperature: 54° Degrees F

tem Operation Upon Arrival: (YES) NO (if no please explain below)

ter Leaks: RW-1 none RW-2 none RW-3 none RW-4 none RW-5 none

ase circle appropriate controller(s) below:

Manholes	(NO)	YES	Repaired	
Lines	(NO)	YES	Repaired	
Stripper	(NO)	YES	Repaired	

es, explain:

MONTHLY DATA

:er Cartridges Replaced: yes RW-1 yes RW-2 yes RW-3 yes RW-4 yes RW-5

ipper Trays and Tubes Checked: yes

ipper Trays and Tubes Cleaned: no no Bio Film or Calcium Buildup

ıonitoring/Recovery Wells Gauged: yes

commendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Site Inspection Date: 11/18/2011

M Personnel: White

Arrival Time: 10:00

Departure Time: 13:10

Alarm Response Visit: YES (NO)

BIWEEKLY DATA

alizer Readings: RW-1 1227598.0 RW-2 1847/250 RW-3 3170090.0 RW-4 5815864.0 RW-5 5938670

w Rate GPM: RW-1 cycling RW-2 4.8 RW-3 6.8 RW-4 9.6 RW-5 9.6

Pump Running Amps RW-1 4.8 RW-2 3.80 RW-3 3.90 RW-4 4.5 RW-5 3.73

Stripper Pressure: 15.5 Inches of Water

Effluent Clarity: Clear

ilding Temperature: 48° Degrees F

stem Operation Upon Arrival: (YES) NO (if no please explain below)

ater Leaks: RW-1 RW-2 RW-3 RW-4 RW-5

Please circle appropriate controller(s) below:

Manholes	(NO)	YES	Repaired	
Lines	(NO)	YES	Repaired	
Stripper	(NO)	YES	Repaired	

yes, explain:

MONTHLY DATA

lter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

ripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

ATTACHMENT D

System Sampling Laboratory Analytical Report

iWM CONSULTING GROUP

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

December 05, 2011

Mr. Chris Parks
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol 11-05
Pace Project No.: 5054970

Dear Mr. Parks:
Enclosed are the analytical results for sample(s) received by the laboratory on November 18, 2011. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kenneth Hunt

kenneth.hunt@pacelabs.com
Project Manager

Illinois Certification #: 100418
Indiana Certification #: C-49-06
Kansas Certification #: E-10247
Kentucky Certification #: 0042
Louisiana/NELAC Certification #: 04076
Ohio VAP: CL0065
West Virginia Certification #: 330

Enclosures

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

SAMPLE SUMMARY

Project: Amphenol 11-05
Pace Project No.: 5054970

Lab ID	Sample ID	Matrix	Date Collected	Date Received
5054970001	**RW-1**	Water	11/18/11 12:00	11/18/11 13:31
5054970002	**RW-2**	Water	11/18/11 11:25	11/18/11 13:31
5054970003	**RW-3**	Water	11/18/11 11:18	11/18/11 13:31
5054970004	**RW-4**	Water	11/18/11 11:00	11/18/11 13:31
5054970005	**RW-5**	Water	11/18/11 10:45	11/18/11 13:31
5054970006	**EFF**	Water	11/18/11 10:35	11/18/11 13:31
5054970007	**TB**	Water	11/18/11 08:00	11/18/11 13:31

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

SAMPLE ANALYTE COUNT

Project: Amphenol 11-05
Pace Project No.: 5054970

Lab ID	Sample ID	Method	Analysts	Analytes Reported
5054970001	**RW-1**	EPA 8260	GRM	72
5054970002	**RW-2**	EPA 8260	GRM	72
5054970003	**RW-3**	EPA 8260	GRM	72
5054970004	**RW-4**	EPA 8260	GRM	72
5054970005	**RW-5**	EPA 8260	GRM	72
5054970006	**EFF**	EPA 8260	GRM	72
5054970007	**TB**	EPA 8260	GRM	72

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: 5054970

Sample: RW-1 **Lab ID: 5054970001** Collected: 11/18/11 12:00 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		11/28/11 16:38	67-64-1	
Acrolein	ND	ug/L	50.0	1		11/28/11 16:38	107-02-8	
Acrylonitrile	ND	ug/L	100	1		11/28/11 16:38	107-13-1	
Benzene	ND	ug/L	5.0	1		11/28/11 16:38	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		11/28/11 16:38	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		11/28/11 16:38	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/11 16:38	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/11 16:38	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/11 16:38	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/11 16:38	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		11/28/11 16:38	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		11/28/11 16:38	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		11/28/11 16:38	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		11/28/11 16:38	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/11 16:38	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/11 16:38	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/11 16:38	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/11 16:38	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/11 16:38	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 16:38	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 16:38	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/11 16:38	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/11 16:38	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		11/28/11 16:38	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 16:38	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 16:38	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 16:38	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		11/28/11 16:38	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/11 16:38	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/28/11 16:38	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/11 16:38	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/28/11 16:38	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/11 16:38	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/11 16:38	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 16:38	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		11/28/11 16:38	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 16:38	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		11/28/11 16:38	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 16:38	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 16:38	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/11 16:38	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		11/28/11 16:38	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		11/28/11 16:38	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		11/28/11 16:38	591-78-6	
Iodomethane	ND	ug/L	10.0	1		11/28/11 16:38	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/11 16:38	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		11/28/11 16:38	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: 5054970

Sample: RW-1 **Lab ID: 5054970001** Collected: 11/18/11 12:00 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		11/28/11 16:38	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/11 16:38	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/11 16:38	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		11/28/11 16:38	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		11/28/11 16:38	103-65-1	
Styrene	ND	ug/L	5.0	1		11/28/11 16:38	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 16:38	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 16:38	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/28/11 16:38	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/11 16:38	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 16:38	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 16:38	120-82-1	
1,1,1-Trichloroethane	**24.2**	ug/L	5.0	1		11/28/11 16:38	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/11 16:38	79-00-5	
Trichloroethene	**29.8**	ug/L	5.0	1		11/28/11 16:38	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/11 16:38	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		11/28/11 16:38	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 16:38	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 16:38	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		11/28/11 16:38	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		11/28/11 16:38	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		11/28/11 16:38	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	114	%	83-123	1		11/28/11 16:38	1868-53-7	
4-Bromofluorobenzene (S)	107	%	72-125	1		11/28/11 16:38	460-00-4	
Toluene-d8 (S)	103	%	81-114	1		11/28/11 16:38	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: 5054970

Sample: RW-2 **Lab ID: 5054970002** Collected: 11/18/11 11:25 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		11/28/11 17:12	67-64-1	
Acrolein	ND	ug/L	50.0	1		11/28/11 17:12	107-02-8	
Acrylonitrile	ND	ug/L	100	1		11/28/11 17:12	107-13-1	
Benzene	ND	ug/L	5.0	1		11/28/11 17:12	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		11/28/11 17:12	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		11/28/11 17:12	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/11 17:12	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/11 17:12	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/11 17:12	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/11 17:12	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		11/28/11 17:12	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		11/28/11 17:12	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		11/28/11 17:12	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		11/28/11 17:12	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/11 17:12	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/11 17:12	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/11 17:12	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/11 17:12	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/11 17:12	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 17:12	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 17:12	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/11 17:12	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/11 17:12	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		11/28/11 17:12	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 17:12	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 17:12	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 17:12	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		11/28/11 17:12	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/11 17:12	75-71-8	
1,1-Dichloroethane	**11.0**	ug/L	5.0	1		11/28/11 17:12	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/11 17:12	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/28/11 17:12	75-35-4	
cis-1,2-Dichloroethene	**8.5**	ug/L	5.0	1		11/28/11 17:12	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/11 17:12	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 17:12	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		11/28/11 17:12	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 17:12	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		11/28/11 17:12	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 17:12	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 17:12	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/11 17:12	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		11/28/11 17:12	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		11/28/11 17:12	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		11/28/11 17:12	591-78-6	
Iodomethane	ND	ug/L	10.0	1		11/28/11 17:12	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/11 17:12	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		11/28/11 17:12	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: 5054970

Sample: RW-2 **Lab ID: 5054970002** Collected: 11/18/11 11:25 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		11/28/11 17:12	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/11 17:12	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/11 17:12	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		11/28/11 17:12	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		11/28/11 17:12	103-65-1	
Styrene	ND	ug/L	5.0	1		11/28/11 17:12	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 17:12	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 17:12	79-34-5	
Tetrachloroethene	**213**	ug/L	50.0	10		11/29/11 20:43	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/11 17:12	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 17:12	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 17:12	120-82-1	
1,1,1-Trichloroethane	**103**	ug/L	5.0	1		11/28/11 17:12	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/11 17:12	79-00-5	
Trichloroethene	**173**	ug/L	5.0	1		11/28/11 17:12	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/11 17:12	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		11/28/11 17:12	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 17:12	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 17:12	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		11/28/11 17:12	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		11/28/11 17:12	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		11/28/11 17:12	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	102	%	83-123	1		11/28/11 17:12	1868-53-7	
4-Bromofluorobenzene (S)	99	%	72-125	1		11/28/11 17:12	460-00-4	
Toluene-d8 (S)	102	%	81-114	1		11/28/11 17:12	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: *5054970*

Sample: RW-3 **Lab ID: 5054970003** Collected: 11/18/11 11:18 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		11/28/11 17:46	67-64-1	
Acrolein	ND	ug/L	50.0	1		11/28/11 17:46	107-02-8	
Acrylonitrile	ND	ug/L	100	1		11/28/11 17:46	107-13-1	
Benzene	ND	ug/L	5.0	1		11/28/11 17:46	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		11/28/11 17:46	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		11/28/11 17:46	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/11 17:46	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/11 17:46	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/11 17:46	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/11 17:46	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		11/28/11 17:46	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		11/28/11 17:46	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		11/28/11 17:46	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		11/28/11 17:46	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/11 17:46	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/11 17:46	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/11 17:46	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/11 17:46	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/11 17:46	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 17:46	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 17:46	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/11 17:46	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/11 17:46	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		11/28/11 17:46	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 17:46	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 17:46	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 17:46	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		11/28/11 17:46	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/11 17:46	75-71-8	
1,1-Dichloroethane	**6.7**	ug/L	5.0	1		11/28/11 17:46	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/11 17:46	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/28/11 17:46	75-35-4	
cis-1,2-Dichloroethene	**138**	ug/L	5.0	1		11/28/11 17:46	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/11 17:46	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 17:46	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		11/28/11 17:46	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 17:46	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		11/28/11 17:46	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 17:46	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 17:46	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/11 17:46	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		11/28/11 17:46	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		11/28/11 17:46	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		11/28/11 17:46	591-78-6	
Iodomethane	ND	ug/L	10.0	1		11/28/11 17:46	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/11 17:46	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		11/28/11 17:46	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: 5054970

Sample: RW-3 **Lab ID: 5054970003** Collected: 11/18/11 11:18 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		11/28/11 17:46	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/11 17:46	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/11 17:46	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		11/28/11 17:46	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		11/28/11 17:46	103-65-1	
Styrene	ND	ug/L	5.0	1		11/28/11 17:46	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 17:46	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 17:46	79-34-5	
Tetrachloroethene	**126**	ug/L	5.0	1		11/28/11 17:46	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/11 17:46	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 17:46	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 17:46	120-82-1	
1,1,1-Trichloroethane	**86.7**	ug/L	5.0	1		11/28/11 17:46	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/11 17:46	79-00-5	
Trichloroethene	**77.4**	ug/L	5.0	1		11/28/11 17:46	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/11 17:46	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		11/28/11 17:46	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 17:46	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 17:46	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		11/28/11 17:46	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		11/28/11 17:46	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		11/28/11 17:46	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	110	%	83-123	1		11/28/11 17:46	1868-53-7	
4-Bromofluorobenzene (S)	103	%	72-125	1		11/28/11 17:46	460-00-4	
Toluene-d8 (S)	102	%	81-114	1		11/28/11 17:46	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: 5054970

Sample: RW-4 **Lab ID: 5054970004** Collected: 11/18/11 11:00 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		11/28/11 18:19	67-64-1	
Acrolein	ND	ug/L	50.0	1		11/28/11 18:19	107-02-8	
Acrylonitrile	ND	ug/L	100	1		11/28/11 18:19	107-13-1	
Benzene	ND	ug/L	5.0	1		11/28/11 18:19	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		11/28/11 18:19	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		11/28/11 18:19	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/11 18:19	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/11 18:19	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/11 18:19	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/11 18:19	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		11/28/11 18:19	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		11/28/11 18:19	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		11/28/11 18:19	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		11/28/11 18:19	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/11 18:19	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/11 18:19	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/11 18:19	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/11 18:19	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/11 18:19	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 18:19	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 18:19	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/11 18:19	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/11 18:19	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		11/28/11 18:19	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 18:19	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 18:19	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 18:19	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		11/28/11 18:19	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/11 18:19	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/28/11 18:19	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/11 18:19	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/28/11 18:19	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/11 18:19	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/11 18:19	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 18:19	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		11/28/11 18:19	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 18:19	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		11/28/11 18:19	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 18:19	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 18:19	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/11 18:19	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		11/28/11 18:19	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		11/28/11 18:19	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		11/28/11 18:19	591-78-6	
Iodomethane	ND	ug/L	10.0	1		11/28/11 18:19	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/11 18:19	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		11/28/11 18:19	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: 5054970

Sample: RW-4 **Lab ID: 5054970004** Collected: 11/18/11 11:00 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		11/28/11 18:19	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/11 18:19	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/11 18:19	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		11/28/11 18:19	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		11/28/11 18:19	103-65-1	
Styrene	ND	ug/L	5.0	1		11/28/11 18:19	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 18:19	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 18:19	79-34-5	
Tetrachloroethene	**12.0**	ug/L	5.0	1		11/28/11 18:19	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/11 18:19	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 18:19	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 18:19	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/28/11 18:19	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/11 18:19	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/28/11 18:19	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/11 18:19	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		11/28/11 18:19	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 18:19	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 18:19	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		11/28/11 18:19	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		11/28/11 18:19	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		11/28/11 18:19	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	105	%	83-123	1		11/28/11 18:19	1868-53-7	
4-Bromofluorobenzene (S)	101	%	72-125	1		11/28/11 18:19	460-00-4	
Toluene-d8 (S)	99	%	81-114	1		11/28/11 18:19	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: 5054970

Sample: RW-5 **Lab ID: 5054970005** Collected: 11/18/11 10:45 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		11/28/11 18:53	67-64-1	
Acrolein	ND	ug/L	50.0	1		11/28/11 18:53	107-02-8	
Acrylonitrile	ND	ug/L	100	1		11/28/11 18:53	107-13-1	
Benzene	ND	ug/L	5.0	1		11/28/11 18:53	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		11/28/11 18:53	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		11/28/11 18:53	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/11 18:53	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/11 18:53	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/11 18:53	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/11 18:53	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		11/28/11 18:53	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		11/28/11 18:53	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		11/28/11 18:53	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		11/28/11 18:53	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/11 18:53	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/11 18:53	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/11 18:53	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/11 18:53	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/11 18:53	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 18:53	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 18:53	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/11 18:53	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/11 18:53	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		11/28/11 18:53	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 18:53	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 18:53	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 18:53	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		11/28/11 18:53	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/11 18:53	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/28/11 18:53	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/11 18:53	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/28/11 18:53	75-35-4	
cis-1,2-Dichloroethene	**442**	ug/L	50.0	10		11/29/11 21:16	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/11 18:53	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 18:53	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		11/28/11 18:53	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 18:53	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		11/28/11 18:53	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 18:53	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 18:53	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/11 18:53	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		11/28/11 18:53	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		11/28/11 18:53	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		11/28/11 18:53	591-78-6	
Iodomethane	ND	ug/L	10.0	1		11/28/11 18:53	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/11 18:53	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		11/28/11 18:53	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: 5054970

Sample: RW-5 **Lab ID: 5054970005** Collected: 11/18/11 10:45 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		11/28/11 18:53	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/11 18:53	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/11 18:53	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		11/28/11 18:53	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		11/28/11 18:53	103-65-1	
Styrene	ND	ug/L	5.0	1		11/28/11 18:53	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 18:53	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 18:53	79-34-5	
Tetrachloroethene	**579**	ug/L	50.0	10		11/29/11 21:16	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/11 18:53	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 18:53	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 18:53	120-82-1	
1,1,1-Trichloroethane	**67.0**	ug/L	5.0	1		11/28/11 18:53	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/11 18:53	79-00-5	
Trichloroethene	**447**	ug/L	50.0	10		11/29/11 21:16	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/11 18:53	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		11/28/11 18:53	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 18:53	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 18:53	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		11/28/11 18:53	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		11/28/11 18:53	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		11/28/11 18:53	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	97	%	83-123	1		11/28/11 18:53	1868-53-7	
4-Bromofluorobenzene (S)	98	%	72-125	1		11/28/11 18:53	460-00-4	
Toluene-d8 (S)	106	%	81-114	1		11/28/11 18:53	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: 5054970

Sample: EFF **Lab ID: 5054970006** Collected: 11/18/11 10:35 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		11/28/11 19:26	67-64-1	
Acrolein	ND	ug/L	50.0	1		11/28/11 19:26	107-02-8	
Acrylonitrile	ND	ug/L	100	1		11/28/11 19:26	107-13-1	
Benzene	ND	ug/L	5.0	1		11/28/11 19:26	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		11/28/11 19:26	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		11/28/11 19:26	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/11 19:26	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/11 19:26	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/11 19:26	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/11 19:26	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		11/28/11 19:26	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		11/28/11 19:26	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		11/28/11 19:26	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		11/28/11 19:26	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/11 19:26	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/11 19:26	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/11 19:26	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/11 19:26	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/11 19:26	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 19:26	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 19:26	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/11 19:26	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/11 19:26	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		11/28/11 19:26	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 19:26	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 19:26	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 19:26	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		11/28/11 19:26	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/11 19:26	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/28/11 19:26	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/11 19:26	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/28/11 19:26	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/11 19:26	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/11 19:26	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 19:26	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		11/28/11 19:26	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 19:26	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		11/28/11 19:26	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 19:26	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 19:26	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/11 19:26	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		11/28/11 19:26	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		11/28/11 19:26	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		11/28/11 19:26	591-78-6	
Iodomethane	ND	ug/L	10.0	1		11/28/11 19:26	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/11 19:26	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		11/28/11 19:26	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: 5054970

Sample: EFF **Lab ID: 5054970006** Collected: 11/18/11 10:35 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		11/28/11 19:26	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/11 19:26	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/11 19:26	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		11/28/11 19:26	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		11/28/11 19:26	103-65-1	
Styrene	ND	ug/L	5.0	1		11/28/11 19:26	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 19:26	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 19:26	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/28/11 19:26	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/11 19:26	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 19:26	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 19:26	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/28/11 19:26	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/11 19:26	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/28/11 19:26	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/11 19:26	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		11/28/11 19:26	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 19:26	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 19:26	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		11/28/11 19:26	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		11/28/11 19:26	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		11/28/11 19:26	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	108	%	83-123	1		11/28/11 19:26	1868-53-7	
4-Bromofluorobenzene (S)	102	%	72-125	1		11/28/11 19:26	460-00-4	
Toluene-d8 (S)	103	%	81-114	1		11/28/11 19:26	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: 5054970

Sample: TB **Lab ID: 5054970007** Collected: 11/18/11 08:00 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		11/28/11 20:00	67-64-1	
Acrolein	ND	ug/L	50.0	1		11/28/11 20:00	107-02-8	
Acrylonitrile	ND	ug/L	100	1		11/28/11 20:00	107-13-1	
Benzene	ND	ug/L	5.0	1		11/28/11 20:00	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		11/28/11 20:00	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		11/28/11 20:00	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/11 20:00	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/11 20:00	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/11 20:00	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/11 20:00	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		11/28/11 20:00	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		11/28/11 20:00	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		11/28/11 20:00	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		11/28/11 20:00	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/11 20:00	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/11 20:00	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/11 20:00	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/11 20:00	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/11 20:00	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 20:00	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 20:00	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/11 20:00	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/11 20:00	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		11/28/11 20:00	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 20:00	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 20:00	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 20:00	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		11/28/11 20:00	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/11 20:00	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/28/11 20:00	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/11 20:00	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/28/11 20:00	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/11 20:00	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/11 20:00	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 20:00	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		11/28/11 20:00	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 20:00	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		11/28/11 20:00	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 20:00	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 20:00	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/11 20:00	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		11/28/11 20:00	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		11/28/11 20:00	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		11/28/11 20:00	591-78-6	
Iodomethane	ND	ug/L	10.0	1		11/28/11 20:00	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/11 20:00	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		11/28/11 20:00	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: 5054970

Sample: TB **Lab ID: 5054970007** Collected: 11/18/11 08:00 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		11/28/11 20:00	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/11 20:00	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/11 20:00	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		11/28/11 20:00	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		11/28/11 20:00	103-65-1	
Styrene	ND	ug/L	5.0	1		11/28/11 20:00	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 20:00	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 20:00	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/28/11 20:00	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/11 20:00	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 20:00	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 20:00	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/28/11 20:00	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/11 20:00	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/28/11 20:00	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/11 20:00	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		11/28/11 20:00	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 20:00	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 20:00	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		11/28/11 20:00	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		11/28/11 20:00	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		11/28/11 20:00	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	104	%	83-123	1		11/28/11 20:00	1868-53-7	
4-Bromofluorobenzene (S)	103	%	72-125	1		11/28/11 20:00	460-00-4	
Toluene-d8 (S)	98	%	81-114	1		11/28/11 20:00	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol 11-05
Pace Project No.: 5054970

QC Batch: MSV/37644 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 5054970001, 5054970002, 5054970003, 5054970004, 5054970005, 5054970006, 5054970007

METHOD BLANK: 652973 Matrix: Water
Associated Lab Samples: 5054970001, 5054970002, 5054970003, 5054970004, 5054970005, 5054970006, 5054970007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	11/28/11 13:01	
1,1,1-Trichloroethane	ug/L	ND	5.0	11/28/11 13:01	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	11/28/11 13:01	
1,1,2-Trichloroethane	ug/L	ND	5.0	11/28/11 13:01	
1,1-Dichloroethane	ug/L	ND	5.0	11/28/11 13:01	
1,1-Dichloroethene	ug/L	ND	5.0	11/28/11 13:01	
1,1-Dichloropropene	ug/L	ND	5.0	11/28/11 13:01	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	11/28/11 13:01	
1,2,3-Trichloropropane	ug/L	ND	5.0	11/28/11 13:01	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	11/28/11 13:01	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	11/28/11 13:01	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	11/28/11 13:01	
1,2-Dichlorobenzene	ug/L	ND	5.0	11/28/11 13:01	
1,2-Dichloroethane	ug/L	ND	5.0	11/28/11 13:01	
1,2-Dichloropropane	ug/L	ND	5.0	11/28/11 13:01	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	11/28/11 13:01	
1,3-Dichlorobenzene	ug/L	ND	5.0	11/28/11 13:01	
1,3-Dichloropropane	ug/L	ND	5.0	11/28/11 13:01	
1,4-Dichlorobenzene	ug/L	ND	5.0	11/28/11 13:01	
2,2-Dichloropropane	ug/L	ND	5.0	11/28/11 13:01	
2-Butanone (MEK)	ug/L	ND	25.0	11/28/11 13:01	
2-Chlorotoluene	ug/L	ND	5.0	11/28/11 13:01	
2-Hexanone	ug/L	ND	25.0	11/28/11 13:01	
4-Chlorotoluene	ug/L	ND	5.0	11/28/11 13:01	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	11/28/11 13:01	
Acetone	ug/L	ND	100	11/28/11 13:01	
Acrolein	ug/L	ND	50.0	11/28/11 13:01	
Acrylonitrile	ug/L	ND	100	11/28/11 13:01	
Benzene	ug/L	ND	5.0	11/28/11 13:01	
Bromobenzene	ug/L	ND	5.0	11/28/11 13:01	
Bromochloromethane	ug/L	ND	5.0	11/28/11 13:01	
Bromodichloromethane	ug/L	ND	5.0	11/28/11 13:01	
Bromoform	ug/L	ND	5.0	11/28/11 13:01	
Bromomethane	ug/L	ND	5.0	11/28/11 13:01	
Carbon disulfide	ug/L	ND	10.0	11/28/11 13:01	
Carbon tetrachloride	ug/L	ND	5.0	11/28/11 13:01	
Chlorobenzene	ug/L	ND	5.0	11/28/11 13:01	
Chloroethane	ug/L	ND	5.0	11/28/11 13:01	
Chloroform	ug/L	ND	5.0	11/28/11 13:01	
Chloromethane	ug/L	ND	5.0	11/28/11 13:01	
cis-1,2-Dichloroethene	ug/L	ND	5.0	11/28/11 13:01	
cis-1,3-Dichloropropene	ug/L	ND	5.0	11/28/11 13:01	
Dibromochloromethane	ug/L	ND	5.0	11/28/11 13:01	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol 11-05
Pace Project No.: 5054970

METHOD BLANK: 652973 Matrix: Water

Associated Lab Samples: 5054970001, 5054970002, 5054970003, 5054970004, 5054970005, 5054970006, 5054970007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	11/28/11 13:01	
Dichlorodifluoromethane	ug/L	ND	5.0	11/28/11 13:01	
Ethyl methacrylate	ug/L	ND	100	11/28/11 13:01	
Ethylbenzene	ug/L	ND	5.0	11/28/11 13:01	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	11/28/11 13:01	
Iodomethane	ug/L	ND	10.0	11/28/11 13:01	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	11/28/11 13:01	
Methyl-tert-butyl ether	ug/L	ND	4.0	11/28/11 13:01	
Methylene Chloride	ug/L	ND	5.0	11/28/11 13:01	
n-Butylbenzene	ug/L	ND	5.0	11/28/11 13:01	
n-Propylbenzene	ug/L	ND	5.0	11/28/11 13:01	
Naphthalene	ug/L	ND	5.0	11/28/11 13:01	
p-Isopropyltoluene	ug/L	ND	5.0	11/28/11 13:01	
sec-Butylbenzene	ug/L	ND	5.0	11/28/11 13:01	
Styrene	ug/L	ND	5.0	11/28/11 13:01	
tert-Butylbenzene	ug/L	ND	5.0	11/28/11 13:01	
Tetrachloroethene	ug/L	ND	5.0	11/28/11 13:01	
Toluene	ug/L	ND	5.0	11/28/11 13:01	
trans-1,2-Dichloroethene	ug/L	ND	5.0	11/28/11 13:01	
trans-1,3-Dichloropropene	ug/L	ND	5.0	11/28/11 13:01	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	11/28/11 13:01	
Trichloroethene	ug/L	ND	5.0	11/28/11 13:01	
Trichlorofluoromethane	ug/L	ND	5.0	11/28/11 13:01	
Vinyl acetate	ug/L	ND	50.0	11/28/11 13:01	
Vinyl chloride	ug/L	ND	2.0	11/28/11 13:01	
Xylene (Total)	ug/L	ND	10.0	11/28/11 13:01	
4-Bromofluorobenzene (S)	%	100	72-125	11/28/11 13:01	
Dibromofluoromethane (S)	%	109	83-123	11/28/11 13:01	
Toluene-d8 (S)	%	103	81-114	11/28/11 13:01	

LABORATORY CONTROL SAMPLE: 652974

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	54.7	109	69-122	
1,1,1-Trichloroethane	ug/L	50	51.0	102	69-126	
1,1,2,2-Tetrachloroethane	ug/L	50	61.6	123	68-134	
1,1,2-Trichloroethane	ug/L	50	57.0	114	77-129	
1,1-Dichloroethane	ug/L	50	44.9	90	70-127	
1,1-Dichloroethene	ug/L	50	47.1	94	75-145	
1,1-Dichloropropene	ug/L	50	52.3	105	75-126	
1,2,3-Trichlorobenzene	ug/L	50	50.4	101	63-130	
1,2,3-Trichloropropane	ug/L	100	90.1	90	45-121	
1,2,4-Trichlorobenzene	ug/L	50	49.9	100	64-122	
1,2,4-Trimethylbenzene	ug/L	50	53.3	107	68-129	
1,2-Dibromoethane (EDB)	ug/L	50	61.3	123	77-123	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol 11-05
Pace Project No.: 5054970

LABORATORY CONTROL SAMPLE: 652974

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	54.2	108	74-123	
1,2-Dichloroethane	ug/L	50	47.9	96	71-127	
1,2-Dichloropropane	ug/L	50	54.8	110	75-126	
1,3,5-Trimethylbenzene	ug/L	50	51.6	103	69-129	
1,3-Dichlorobenzene	ug/L	50	52.4	105	76-123	
1,3-Dichloropropane	ug/L	50	57.9	116	77-126	
1,4-Dichlorobenzene	ug/L	50	51.2	102	77-121	
2,2-Dichloropropane	ug/L	50	56.4	113	45-138	
2-Butanone (MEK)	ug/L	250	270	108	42-177	
2-Chlorotoluene	ug/L	50	53.2	106	74-129	
2-Hexanone	ug/L	250	290	116	57-162	
4-Chlorotoluene	ug/L	50	54.3	109	70-125	
4-Methyl-2-pentanone (MIBK)	ug/L	250	315	126	64-135	
Acetone	ug/L	250	266	106	10-200	
Acrolein	ug/L	1000	679	68	10-200	
Acrylonitrile	ug/L	1000	1160	116	59-144	
Benzene	ug/L	50	50.7	101	76-123	
Bromobenzene	ug/L	50	53.7	107	67-130	
Bromochloromethane	ug/L	50	41.6	83	58-153	
Bromodichloromethane	ug/L	50	50.4	101	71-124	
Bromoform	ug/L	50	49.6	99	64-116	
Bromomethane	ug/L	50	43.3	87	23-197	
Carbon disulfide	ug/L	100	92.2	92	55-146	
Carbon tetrachloride	ug/L	50	50.9	102	65-125	
Chlorobenzene	ug/L	50	49.9	100	78-120	
Chloroethane	ug/L	50	48.6	97	56-163	
Chloroform	ug/L	50	47.0	94	73-122	
Chloromethane	ug/L	50	28.1	56	46-146	
cis-1,2-Dichloroethene	ug/L	50	52.1	104	79-129	
cis-1,3-Dichloropropene	ug/L	50	54.9	110	66-123	
Dibromochloromethane	ug/L	50	51.3	103	70-123	
Dibromomethane	ug/L	50	55.3	111	73-123	
Dichlorodifluoromethane	ug/L	50	20.0	40	19-200	
Ethyl methacrylate	ug/L	200	210	105	70-127	
Ethylbenzene	ug/L	50	53.2	106	75-120	
Hexachloro-1,3-butadiene	ug/L	50	53.2	106	64-131	
Iodomethane	ug/L	100	103	103	16-181	
Isopropylbenzene (Cumene)	ug/L	50	55.5	111	73-123	
Methyl-tert-butyl ether	ug/L	100	109	109	66-128	
Methylene Chloride	ug/L	50	47.4	95	61-138	
n-Butylbenzene	ug/L	50	53.1	106	69-130	
n-Propylbenzene	ug/L	50	53.5	107	71-132	
Naphthalene	ug/L	50	50.2	100	62-130	
p-Isopropyltoluene	ug/L	50	52.0	104	71-126	
sec-Butylbenzene	ug/L	50	52.3	105	69-130	
Styrene	ug/L	50	55.8	112	75-125	
tert-Butylbenzene	ug/L	50	52.6	105	49-114	
Tetrachloroethene	ug/L	50	52.3	105	57-125	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol 11-05
Pace Project No.: 5054970

LABORATORY CONTROL SAMPLE: 652974

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	49.8	100	72-124	
trans-1,2-Dichloroethene	ug/L	50	49.0	98	71-145	
trans-1,3-Dichloropropene	ug/L	50	53.0	106	58-118	
trans-1,4-Dichloro-2-butene	ug/L	200	198	99	50-121	
Trichloroethene	ug/L	50	54.5	109	77-122	
Trichlorofluoromethane	ug/L	50	39.2	78	56-159	
Vinyl acetate	ug/L	200	253	126	27-119	L3
Vinyl chloride	ug/L	50	33.8	68	61-146	
Xylene (Total)	ug/L	150	156	104	72-126	
4-Bromofluorobenzene (S)	%			99	72-125	
Dibromofluoromethane (S)	%			91	83-123	
Toluene-d8 (S)	%			104	81-114	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 652975 652976

Parameter	Units	5055043003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	38.6	32.1	77	64	30-122	19	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	41.8	35.4	84	71	37-136	17	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	44.8	36.2	90	72	47-132	21	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	43.8	34.4	88	69	53-131	24	20	
1,1-Dichloroethane	ug/L	ND	50	50	39.5	33.3	79	67	47-138	17	20	
1,1-Dichloroethene	ug/L	ND	50	50	47.5	37.8	95	76	54-152	23	20	
1,1-Dichloropropene	ug/L	ND	50	50	47.5	38.8	95	78	47-136	20	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	37.9	30.5	76	61	15-132	22	20	
1,2,3-Trichloropropane	ug/L	ND	100	100	58.7	47.2	59	47	24-108	22	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	37.1	30.2	74	60	10-130	20	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	42.4	34.9	85	70	10-141	19	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	44.6	36.1	89	72	49-130	21	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	42.4	34.6	85	69	20-137	20	20	
1,2-Dichloroethane	ug/L	ND	50	50	41.9	34.5	84	69	42-139	20	20	
1,2-Dichloropropane	ug/L	ND	50	50	45.0	35.7	90	71	50-131	23	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	41.8	33.5	84	67	10-145	22	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	41.3	34.2	83	68	13-143	19	20	
1,3-Dichloropropane	ug/L	ND	50	50	44.2	35.2	88	70	53-130	23	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	39.3	31.4	79	63	13-140	22	20	
2,2-Dichloropropane	ug/L	ND	50	50	31.4	29.4	63	59	13-142	7	20	
2-Butanone (MEK)	ug/L	ND	250	250	207	174	83	69	43-142	18	20	
2-Chlorotoluene	ug/L	ND	50	50	42.9	34.3	86	69	15-145	22	20	
2-Hexanone	ug/L	ND	250	250	197	166	79	66	46-139	17	20	
4-Chlorotoluene	ug/L	ND	50	50	43.0	35.9	86	72	12-143	18	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	221	182	89	73	43-140	20	20	
Acetone	ug/L	ND	250	250	227	181	91	73	38-155	22	20	
Acrolein	ug/L	ND	1000	1000	1060	903	106	90	11-200	16	20	
Acrylonitrile	ug/L	ND	1000	1000	1020	823	102	82	42-150	21	20	
Benzene	ug/L	ND	50	50	45.1	36.6	90	73	52-134	21	20	
Bromobenzene	ug/L	ND	50	50	43.9	35.6	88	71	25-140	21	20	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol 11-05
Pace Project No.: 5054970

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 652975 652976

Parameter	Units	5055043003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Bromochloromethane	ug/L	ND	50	50	38.4	32.3	77	65	54-144	17	20	
Bromodichloromethane	ug/L	ND	50	50	39.5	33.2	79	66	42-128	17	20	
Bromoform	ug/L	ND	50	50	32.4	25.3	65	51	34-116	25	20	
Bromomethane	ug/L	ND	50	50	31.0	32.1	62	64	10-200	3	20	
Carbon disulfide	ug/L	ND	100	100	96.9	79.0	97	79	43-144	20	20	
Carbon tetrachloride	ug/L	ND	50	50	40.8	34.1	82	68	26-136	18	20	
Chlorobenzene	ug/L	ND	50	50	42.1	32.9	84	66	33-136	25	20	
Chloroethane	ug/L	ND	50	50	52.5	41.6	105	83	21-200	23	20	
Chloroform	ug/L	ND	50	50	41.9	34.7	84	69	50-134	19	20	
Chloromethane	ug/L	ND	50	50	30.6	27.6	61	55	32-160	10	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	46.8	39.0	94	78	48-145	18	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	40.0	30.8	80	62	35-116	26	20	
Dibromochloromethane	ug/L	ND	50	50	36.5	28.9	73	58	39-122	23	20	
Dibromomethane	ug/L	ND	50	50	46.2	37.9	92	76	49-134	20	20	
Dichlorodifluoromethane	ug/L	ND	50	50	50.7	38.9	101	78	35-200	26	20	
Ethyl methacrylate	ug/L	ND	200	200	162	124	81	62	54-123	27	20	
Ethylbenzene	ug/L	ND	50	50	42.8	36.4	86	73	29-132	16	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	39.8	32.5	80	65	10-146	20	20	
Iodomethane	ug/L	ND	100	100	78.5	74.6	79	75	10-171	5	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	44.0	35.7	88	71	11-146	21	20	
Methyl-tert-butyl ether	ug/L	ND	100	100	76.2	65.5	76	65	39-137	15	20	
Methylene Chloride	ug/L	ND	50	50	44.0	37.1	88	74	47-141	17	20	
n-Butylbenzene	ug/L	ND	50	50	41.0	32.1	82	64	10-156	24	20	
n-Propylbenzene	ug/L	ND	50	50	40.7	32.7	81	65	10-148	22	20	
Naphthalene	ug/L	ND	50	50	37.1	30.8	74	62	40-124	19	20	
p-Isopropyltoluene	ug/L	ND	50	50	40.6	34.8	81	70	10-150	15	20	
sec-Butylbenzene	ug/L	ND	50	50	41.1	32.1	82	64	10-150	25	20	
Styrene	ug/L	ND	50	50	43.7	36.1	87	72	20-143	19	20	
tert-Butylbenzene	ug/L	ND	50	50	41.5	34.6	83	69	10-123	18	20	
Tetrachloroethene	ug/L	ND	50	50	41.3	34.5	83	69	30-124	18	20	
Toluene	ug/L	ND	50	50	40.5	33.8	81	68	42-130	18	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	48.8	40.1	98	80	48-144	20	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	34.6	29.6	69	59	24-114	15	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	200	148	116	74	58	22-120	24	20	
Trichloroethene	ug/L	ND	50	50	44.5	37.7	89	75	44-130	17	20	
Trichlorofluoromethane	ug/L	ND	50	50	40.7	34.0	81	68	17-200	18	20	
Vinyl acetate	ug/L	ND	200	200	167	141	84	71	10-115	17	20	
Vinyl chloride	ug/L	ND	50	50	40.2	33.8	80	68	45-159	17	20	
Xylene (Total)	ug/L	ND	150	150	126	105	84	70	29-131	18	20	
4-Bromofluorobenzene (S)	%						99	100	72-125		20	
Dibromofluoromethane (S)	%						101	100	83-123		20	1d
Toluene-d8 (S)	%						104	100	81-114		20	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALIFIERS

Project: Amphenol 11-05
Pace Project No.: 5054970

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

ANALYTE QUALIFIERS

1d	Several compounds are outside of acceptance limits for RPD value. Refer to batch QC for system control. grm 11-29-11
L3	Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page: of

1497658

Section A Required Client Information:	Section B Required Project Information:	Section C Invoice Information:
Company: IWM	Report To:	Attention:
Address:	Copy To:	Company Name:
		Address:
Email To: CPartes @ IWM consult	Purchase Order No.:	Pace Quote Reference:
Phone: Fax:	Project Name: Amphenol 11-05	Pace Project Manager:
Requested Due Date/TAT:	Project Number:	Pace Profile #:

REGULATORY AGENCY

☐ NPDES ☐ GROUND WATER ☐ DRINKING WATER
☐ UST ☐ RCRA ☐ OTHER

Site Location STATE:

Requested Analysis Filtered (Y/N)

SD54970

Section D Required Client Information

Matrix Codes MATRIX / CODE: Drinking Water DW, Water WT, Waste Water WW, Product P, Soil/Solid SL, Oil OL, Wipe WP, Air AR, Tissue TS, Other OT

SAMPLE ID (A-Z, 0-9 / ,-) Sample IDs MUST BE UNIQUE

ITEM #	SAMPLE ID	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED COMPOSITE START DATE	COLLECTED COMPOSITE START TIME	COLLECTED COMPOSITE END/GRAB DATE	COLLECTED COMPOSITE END/GRAB TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives: Unpreserved	H_2SO_4	HNO_3	HCl	NaOH	$Na_2S_2O_3$	Methanol	Other	Analysis Test (Y/N)	VOCs 8260	Residual Chlorine (Y/N)	Pace Project No./ Lab I.D.
1	RW-1			11/18/11	12:00								3								-001
2	RW-2				11:25																-002
3	RW-3				11:15																-003
4	RW-4				11:00																-004
5	RW-5				10:45																-005
6	EFS				10:35																-006
7	TB																				-007
8																					
9																					
10																					
11																					
12																					

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
	[signature]	11/18/11	13:31	[signature] / Pace	11-18-11	1331	9.48	Y	N	Y

ORIGINAL

WI/client

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SIGNATURE of SAMPLER: DATE Signed (MM/DD/YY):

Temp in °C | Received on Ice (Y/N) | Custody Sealed Cooler (Y/N) | Samples Intact (Y/N)

*Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.

F-ALL-Q-020rev.07, 15-May-2007

Sample Condition Upon Receipt

Pace Analytical

Client Name: IWM Project # 5054970

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☑ Client ☐ Commercial ☐ Pace Other

Tracking #: 1497658

Custody Seal on Cooler/Box Present: ☐ yes ☑ no Seals intact: ☐ yes ☐ no

Date/Time 5035A kits placed in freezer

Packing Material: ☐ Bubble Wrap ☑ Bubble Bags ☐ None ☑ Other Foam

Thermometer Used 1 2 3 4 6 A B C D E Type of Ice: Wet Blue None ☑ Samples on ice, cooling process has begun

Cooler Temperature (Corrected, if applicable) 9.4°C Ice Visible in Sample Containers: ☐ yes ☑ no

Temp should be above freezing to 6°C Just sampled,

Date and Initials of person examining contents: KO 11-18-11

		Comments:
Chain of Custody Present:	☑Yes ☐No ☐N/A	1.
Chain of Custody Filled Out:	☑Yes ☐No ☐N/A	2.
Chain of Custody Relinquished:	☑Yes ☐No ☐N/A	3.
Sampler Name & Signature on COC:	☑Yes ☐No ☐N/A	4.
Short Hold Time Analysis (<72hr):	☐Yes ☑No ☐N/A	5.
Rush Turn Around Time Requested:	☐Yes ☑No ☐N/A	6.
Containers Intact:	☑Yes ☐No ☐N/A	7.
Sample Labels match COC: -Includes date/time/ID/Analysis	☐Yes ☑No ☐N/A	8. No trip Blanks on CoC
All containers needing acid/base pres. have been checked? exceptions: VOA, coliform, TOC, O&G	☐Yes ☑No ☐N/A	9. (Circle) HNO3 H2SO4 NaOH HCl
All containers needing preservation are found to be in compliance with EPA recommendation.	☐Yes ☐No ☑N/A	
Headspace in VOA Vials (>6mm):	☐Yes ☑No ☐N/A	10.
Trip Blank Present:	☑Yes ☐No ☐N/A	11.
Trip Blank Custody Seals Present	☑Yes ☐No ☐N/A	
Samples Arrived within Hold Time:	☑Yes ☐No ☐N/A	12.
Sufficient Volume:	☑Yes ☐No ☐N/A	13.
Correct Containers Used:	☑Yes ☐No ☐N/A	14.

Client Notification/ Resolution: Field Data Required? Y / N

Person Contacted: Date/Time:

Comments/ Resolution:

Project Manager Review: [signature] Date: 11/18/11

Form F-IN-Q290-rev.04, 28Apr2011

Sample Container Count

Pace Analytical
www.pacelabs.com

CLIENT: IWM

COC PAGE 1 of 1
COC ID#

Project # 5054970

Sample Line Item	DG9H	AG1U	WGFU	R 4/6	BP2N	BP2U	BP2S	BP3N	BP3U	BP3S	AG3S	AG1H				Comments
1	3															
2	3															
3	3															
4	3															
5	3															
6	3															
7	3															Trip Blanks
8																
9																
10																
11																
12																

Container Codes

DG9H	40mL HCL amber voa vial	AF	Air Filter	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WGFU	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber gl	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved **amber** vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	I	Wipe/Swab
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber gla	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber gla	BP3A	250mL NaOh, Asc Acid plastic	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved **clear** vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear gla	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag

IWM CONSULTING GROUP

7428 Rockville Road, Indianapolis, IN 46214

January 9, 2012

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492

Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED CORRECTIVE MEASURE
Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the November 18 through December 28, 2011 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On December 1, 2011, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 8.57 feet below top of casing (TOC) in MW-9 to 17.70 feet below TOC in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 were operational during groundwater gauging activities. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a groundwater contour map based on the December 1, 2011 depth to water measurements has been included as **Figure 2**.

Groundwater Treatment System

From November 18 through December 28, 2011, approximately 1,610,678 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 161,118,986 gallons. The average influent groundwater recovery rate from November 18 through December 28, 2011 was approximately 28.0 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on December 1, 2011 to complete monthly and bi-weekly system operation and maintenance activities. Upon arrival to the site, the pump for RW-1 appeared to be operating, but groundwater recovery was not being registered. The totalizer was permanently replaced but

groundwater was still not being recovered by the pump in recovery well RW-1. Additional personnel would be required for removing the groundwater recovery pump in RW-1. The groundwater recovery and treatment system was completely operational upon departure, with the exception of recovery well RW-1, from the site on December 1, 2011.

IWM personnel mobilized to the site on December 13, 2011 to evaluate the pump on recovery well RW-1. The pump and Warrick control for recovery well RW-1 were replaced. The pump continued to not operate properly. The starter for recovery well RW-1 was evaluated and found to be faulty. The starter was ordered and would have to be installed at a later date. The groundwater recovery and treatment system was completely operational, with the exception of recovery well RW-1, upon departure from the site on December 13, 2011.

IWM personnel mobilized to the site on December 16, 2011 to complete bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational, with the exception of recovery well RW-1, upon departure from the site on December 16, 2011.

IWM personnel mobilized to the site on December 21, 2011 to replace the starter on recovery well RW-1. Upon replacement of the starter, recovery well RW-1 began to recover groundwater and operate correctly. The groundwater recovery and treatment system was completely operational upon departure from the site on December 21, 2011.

IWM personnel mobilized to the site on December 28, 2011 to complete bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on December 28, 2011.

Schedule of Activities

Bi-weekly and monthly system operation and maintenance activities are scheduled for the month of January 2012. Site visits are scheduled for the weeks beginning January 9 and January 23, 2012. The information from these site inspections will be included in the January 2012 Progress Report.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting Group, LLC appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

IWM CONSULTING GROUP, LLC

Christopher D. Parks, LPG
Project Manager

Bradley E. Gentry, LPG
Senior Project Manager

Attachments
cc: Mr. Dave Dowden, Lancer Realty & Development Co.

IWM CONSULTING GROUP

FIGURES

iWM CONSULTING GROUP



LEGEND

- MONITORING WELL
- RECOVERY WELL
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER
- 722.00 POTENTIONMETRIC SURFACE (CONTOUR INTERVAL = 1.0 FT.)

0 100
SCALE IN FEET

DRAWN BY: L. STRUM	FIGURE 2 GROUNDWATER ELEVATION MAP (12/01/11)	FORMER AMPHENOL RFI/CMS 980 HURRICANE ROAD FRANKLIN, INDIANA	iWM CONSULTING GROUP
DATE: 9/27/99			
REVISED:			
HWPA #111291-01			
DWG. NO. 111291S1			

ATTACHMENT A

Groundwater Level Measurements

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/06/06	732.25	12.29	719.96
	02/03/06		12.09	720.16
	03/03/06		12.28	719.97
	04/26/06		11.60	720.65
	05/25/06		11.67	720.58
	06/23/06		12.05	720.20
	07/07/06		12.23	720.02
	08/04/06		12.17	720.08
	09/15/06		12.21	720.04
	10/13/06		12.47	719.78
	11/10/06		12.13	720.12
	12/08/06		11.68	720.57
	01/03/07		11.52	720.73
	02/12/07		12.00	720.25
	03/12/07		11.74	720.51
	04/09/07		12.01	720.24
	05/07/07		12.11	720.14
	06/08/07		12.45	719.80
	07/17/07		12.66	719.59
	08/01/07		12.73	719.52
	09/14/07		13.03	719.22
	10/12/07		13.38	718.87
	11/09/07		13.37	718.88
	12/07/07		13.27	718.98
	01/04/08		12.79	719.46
	02/15/08		11.85	720.40
	03/13/08		11.48	720.77
	04/11/08		11.31	720.94
	05/08/08		11.95	720.30
	06/06/08		11.08	721.17
	07/03/08		11.29	720.96
	08/01/08		11.65	720.60
	09/12/08		12.38	719.87
	10/10/08		12.78	719.47
	11/06/08		13.05	719.20
	12/19/08		12.97	719.28
	01/02/09		12.39	719.86
	02/13/09		12.30	719.95
	03/13/09		12.40	719.85
	04/09/09		12.22	720.03
	05/08/09		11.90	720.35
	06/05/09		11.89	720.36
	07/02/09		12.05	720.20
	08/14/09		11.55	720.70
	09/11/09		12.02	720.23
	10/09/09		12.29	719.96
	11/04/09		12.26	719.99
	12/04/09		12.55	719.70
	01/14/10		12.50	719.75
	02/10/10		NG	NG
	03/11/10		12.49	719.76
	04/08/10		12.19	720.06
	05/06/10		12.35	719.90
	06/04/10		12.47	719.78
	07/01/10		11.69	720.56
	08/12/10		12.39	719.86
	09/08/10		13.07	719.18
	10/07/10		14.04	718.21
	11/19/10		14.28	717.97
	12/03/10		13.70	718.55
	01/14/11		13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99
	12/01/11		12.82	719.43

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/06/06	728.71	NG	NG
	02/03/06		10.92	717.79
	03/03/06		11.03	717.68
	04/26/06		10.71	718.00
	05/25/06		10.55	718.16
	06/23/06		10.72	717.99
	07/07/06		10.85	717.86
	08/04/06		10.78	717.93
	09/15/06		10.82	717.89
	10/13/06		10.95	717.76
	11/10/06		10.83	717.88
	12/08/06		10.60	718.11
	01/03/07		10.46	718.25
	02/12/07		10.93	717.78
	03/12/07		10.81	717.90
	04/09/07		10.88	717.83
	05/07/07		10.95	717.76
	06/08/07		11.10	717.61
	07/17/07		11.12	717.59
	08/01/07		11.12	717.59
	09/14/07		11.21	717.50
	10/12/07		11.35	717.36
	11/09/07		11.35	717.36
	12/07/07		11.36	717.35
	01/04/08		11.24	717.47
	02/15/08		10.61	718.10
	03/13/08		10.42	718.29
	04/11/08		10.23	718.48
	05/08/08		10.70	718.01
	06/06/08		9.84	718.87
	07/03/08		9.89	718.82
	08/01/08		10.54	718.17
	09/12/08		10.92	717.79
	10/10/08		11.04	717.67
	11/06/08		11.20	717.51
	12/19/08		11.01	717.70
	01/02/09		10.98	717.73
	02/13/09		10.79	717.92
	03/13/09		11.13	717.58
	04/09/09		10.86	717.85
	05/08/09		10.81	717.90
	06/05/09		10.71	718.00
	07/02/09		10.81	717.90
	08/14/09		10.52	718.19
	09/11/09		10.80	717.91
	10/09/09		10.77	717.94
	11/04/09		10.91	717.80
	12/04/09		11.07	717.64
	01/14/10		11.09	717.62
	02/10/10		11.13	717.58
	03/11/10		11.03	717.68
	04/08/10		10.75	717.96
	05/06/10		10.96	717.75
	06/04/10		11.01	717.70
	07/01/10		10.52	718.19
	08/12/10		10.88	717.83
	09/08/10		11.10	717.61
	10/07/10		11.33	717.38
	11/19/10		11.49	717.22
	12/03/10		11.26	717.45
	01/14/11		11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		10.60	718.11
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69
	12/01/11		10.74	717.97

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/06/06	736.44	15.06	721.38
	02/03/06		14.87	721.57
	03/03/06		15.00	721.44
	04/26/06		14.33	722.11
	05/25/06		NG	NG
	06/23/06		14.75	721.69
	07/07/06		14.97	721.47
	08/04/06		14.93	721.51
	09/15/06		NG	NG
	10/13/06		15.48	720.96
	11/10/06		14.98	721.46
	12/08/06		14.15	722.29
	01/03/07		14.00	722.44
	02/12/07		14.58	721.86
	03/12/07		14.41	722.03
	04/09/07		14.64	721.80
	05/07/07		14.83	721.61
	06/08/07		15.32	721.12
	07/17/07		15.73	720.71
	08/01/07		16.89	719.55
	09/14/07		16.23	720.21
	10/12/07		16.65	719.79
	11/09/07		16.60	719.84
	12/07/07		16.55	719.89
	01/04/08		15.87	720.57
	02/15/08		14.41	722.03
	03/13/08		13.82	722.62
	04/11/08		13.50	722.94
	05/08/08		14.33	722.11
	06/06/08		13.30	723.14
	07/03/08		13.41	723.03
	08/01/08		13.68	722.76
	09/12/08		15.28	721.16
	10/10/08		15.77	720.67
	11/06/08		16.11	720.33
	12/19/08		16.10	720.34
	01/02/09		15.26	721.18
	02/13/09		15.16	721.28
	03/13/09		15.25	721.19
	04/09/09		14.88	721.56
	05/08/09		NG	NG
	06/05/09		14.25	722.19
	07/02/09		14.62	721.82
	08/14/09		13.92	722.52
	09/11/09		14.73	721.71
	10/09/09		15.17	721.27
	11/04/09		15.07	721.37
	12/04/09		15.48	720.96
	01/14/10		15.23	721.21
	02/10/10		15.37	721.07
	03/11/10		15.21	721.23
	04/08/10		14.82	721.62
	05/06/10		14.92	721.52
	06/04/10		15.13	721.31
	07/01/10		14.04	722.40
	08/12/10		15.06	721.38
	09/08/10		15.85	720.59
	10/07/10		16.52	719.92
	11/19/10		16.99	719.45
	12/03/10		16.32	720.12
	01/14/11		16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47
	12/01/11		15.48	720.96

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/06/06	733.04	8.90	724.14
	02/03/06		8.16	724.88
	03/03/06		8.52	724.52
	04/26/06		7.55	725.49
	05/25/06		6.90	726.14
	06/23/06		7.81	725.23
	07/07/06		8.51	724.53
	08/04/06		8.59	724.45
	09/15/06		8.99	724.05
	10/13/06		9.40	723.64
	11/10/06		8.67	724.37
	12/08/06		7.71	725.33
	01/03/07		6.85	726.19
	02/12/07		7.81	725.23
	03/12/07		9.56	723.48
	04/09/07		10.56	722.48
	05/07/07		8.35	724.69
	06/08/07		9.07	723.97
	07/17/07		9.65	723.39
	08/01/07		9.82	723.22
	09/14/07		10.49	722.55
	10/12/07		10.95	722.09
	11/09/07		11.14	721.90
	12/07/07		11.21	721.83
	01/04/08		10.46	722.58
	02/15/08		8.45	724.59
	03/13/08		7.28	725.76
	04/11/08		6.40	726.64
	05/08/08		7.74	725.30
	06/06/08		8.49	724.55
	07/03/08		8.50	724.54
	08/01/08		7.28	725.76
	09/12/08		7.30	725.74
	10/10/08		9.47	723.57
	11/06/08		9.98	723.06
	12/19/08		9.34	723.70
	01/02/09		8.77	724.27
	02/13/09		8.04	725.00
	03/13/09		8.75	724.29
	04/09/09		7.82	725.22
	05/08/09		NG	NG
	06/05/09		7.24	725.80
	07/02/09		7.89	725.15
	08/14/09		6.96	726.08
	09/11/09		8.47	724.57
	10/09/09		8.34	724.70
	11/04/09		8.46	724.58
	12/04/09		8.98	724.06
	01/14/10		8.83	724.21
	02/10/10		NG	NG
	03/11/10		8.51	724.53
	04/08/10		7.37	725.67
	05/06/10		8.16	724.88
	06/04/10		8.48	724.56
	07/01/10		7.22	725.82
	08/12/10		8.94	724.10
	09/08/10		9.81	723.23
	10/07/10		10.51	722.53
	11/19/10		11.10	721.94
	12/03/10		10.31	722.73
	01/14/11		10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29
	12/01/11		8.57	724.47

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12	01/06/06	736.38	16.40	719.98
	02/03/06		16.30	720.08
	03/03/06		16.40	719.98
	04/26/06		15.79	720.59
	05/25/06		15.82	720.56
	06/23/06		16.20	720.18
	07/07/06		16.34	720.04
	08/04/06		16.24	720.14
	09/15/06		16.39	719.99
	10/13/06		16.56	719.82
	11/10/06		16.25	720.13
	12/08/06		17.72	718.66
	01/03/07		15.70	720.68
	02/12/07		16.18	720.20
	03/12/07		15.54	720.84
	04/09/07		16.17	720.21
	05/07/07		16.32	720.06
	06/08/07		16.58	719.80
	07/17/07		16.79	719.59
	08/01/07		16.88	719.50
	09/14/07		17.10	719.28
	10/12/07		17.47	718.91
	11/09/07		17.45	718.93
	12/07/07		17.35	719.03
	01/04/08		16.86	719.52
	02/03/08		15.97	720.41
	03/13/08		15.67	720.71
	04/11/08		15.52	720.86
	05/08/08		16.06	720.32
Well Damaged	06/06/08		NG	NG
MW-12R	07/03/08	736.15	15.47	720.68
	08/01/08		15.76	720.39
	09/12/08		16.49	719.66
	10/10/08		16.85	719.30
	11/06/08		17.17	718.98
	12/19/08		17.05	719.10
	01/02/09		16.51	719.64
	02/13/09		16.44	719.71
	03/13/09		16.57	719.58
	04/09/09		16.38	719.77
	05/08/09		16.11	720.04
	06/05/09		16.05	720.10
	07/02/09		16.22	719.93
	08/14/09		15.77	720.38
	09/11/09		16.04	720.11
	10/09/09		16.41	719.74
	11/04/09		16.46	719.69
	12/04/09		16.71	719.44
	01/14/10		16.60	719.55
	02/10/10		16.68	719.47
	03/11/10		16.63	719.52
	04/08/10		16.32	719.83
	05/06/10		16.49	719.66
	06/04/10		16.61	719.54
	07/01/10		15.85	720.30
	08/12/10		16.64	719.51
	09/08/10		17.28	718.87
	10/07/10		18.41	717.74
	11/19/10		18.71	717.44
	12/03/10		18.22	717.93
	01/14/11		17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61
	12/01/11		17.20	718.95

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/06/06	734.03	9.58	724.45
	02/03/06		9.11	724.92
	03/03/06		9.61	724.42
	04/26/06		9.02	725.01
	05/25/06		8.55	725.48
	06/23/06		9.14	724.89
	07/07/06		9.30	724.73
	08/04/06		9.72	724.31
	09/15/06		9.38	724.65
	10/13/06		10.57	723.46
	11/10/06		9.64	724.39
	12/08/06		9.06	724.97
	01/03/07		8.51	725.52
	02/12/07		9.42	724.61
	03/12/07		9.24	724.79
	04/09/07		9.36	724.67
	05/07/07		9.61	724.42
	06/08/07		10.20	723.83
	07/17/07		10.72	723.31
	08/01/07		10.85	723.18
	09/14/07		11.58	722.45
	10/12/07		12.02	722.01
	11/09/07		12.10	721.93
	12/07/07		11.91	722.12
	01/04/08		11.11	722.92
	02/15/08		9.43	724.60
	03/13/08		8.71	725.32
	04/11/08		8.28	725.75
	05/08/08		9.23	724.80
	06/06/08		7.64	726.39
	07/03/08		7.67	726.36
	08/01/08		9.00	725.03
	09/12/08		9.05	724.98
	10/10/08		10.51	723.52
	11/06/08		11.17	722.86
	12/19/08		10.01	724.02
	01/02/09		9.69	724.34
	02/13/09		9.12	724.91
	03/13/09		9.84	724.19
	04/09/09		9.04	724.99
	05/08/09		8.53	725.50
	06/05/09		8.93	725.10
	07/02/09		9.34	724.69
	08/14/09		8.68	725.35
	09/11/09		9.74	724.29
	10/09/09		9.24	724.79
	11/04/09		9.55	724.48
	12/04/09		9.98	724.05
	01/14/10		9.99	724.04
	02/10/10		9.99	724.04
	03/11/10		9.46	724.57
	04/08/10		8.53	725.50
	05/06/10		9.41	724.62
	06/04/10		9.51	724.52
	07/01/10		8.81	725.22
	08/12/10		10.16	723.87
	09/08/10		11.07	722.96
	10/07/10		11.76	722.27
	11/19/10		12.08	721.95
	12/03/10		10.96	723.07
	01/14/11		11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52
	12/01/11		9.32	724.71

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/06/06	737.91	16.65	721.26
	02/03/06		16.48	721.43
	03/03/06		16.60	721.31
	04/26/06		16.01	721.90
	05/25/06		15.81	722.10
	06/23/06		16.40	721.51
	07/07/06		16.62	721.29
	08/04/06		16.61	721.30
	09/15/06		NG	NG
	10/13/06		17.12	720.79
	11/10/06		16.64	721.27
	12/08/06		16.65	721.26
	01/03/07		15.71	722.20
	02/12/07		4.76	733.15
	03/12/07		16.10	721.81
	04/09/07		16.91	721.00
	05/07/07		16.50	721.41
	06/08/07		16.98	720.93
	07/17/07		17.35	720.56
	08/01/07		17.55	720.36
	09/14/07		17.88	720.03
	10/12/07		18.29	719.62
	11/09/07		18.23	719.68
	12/07/07		18.19	719.72
	01/04/08		17.48	720.43
	02/15/08		16.10	721.81
	03/13/08		15.52	722.39
	04/11/08		15.20	722.71
	05/08/08		16.02	721.89
	06/06/08		15.00	722.91
	07/03/08		15.05	722.86
	08/01/08		15.36	722.55
	09/12/08		16.95	720.96
	10/10/08		17.43	720.48
	11/06/08		17.78	720.13
	12/19/08		17.75	720.16
	01/02/09		16.94	720.97
	02/13/09		16.85	721.06
	03/13/09		16.94	720.97
	04/09/09		16.60	721.31
	05/08/09		16.16	721.75
	06/05/09		15.97	721.94
	07/02/09		16.32	721.59
	08/14/09		15.67	722.24
	09/11/09		16.41	721.50
	10/09/09		16.94	720.97
	11/04/09		16.76	721.15
	12/04/09		17.15	720.76
	01/14/10		16.95	720.96
	02/10/10		17.06	720.85
	03/11/10		16.91	721.00
	04/08/10		16.53	721.38
	05/06/10		16.63	721.28
	06/04/10		16.84	721.07
	07/01/10		15.78	722.13
	08/12/10		16.76	721.15
	09/08/10		17.51	720.40
	10/07/10		18.17	719.74
	11/19/10		18.64	719.27
	12/03/10		17.98	719.93
	01/14/11		17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27
	12/01/11		17.18	720.73

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/06/06	737.64	16.91	720.73
	02/03/06		16.85	720.79
	03/03/06		16.96	720.68
	04/26/06		16.60	721.04
	05/25/06		16.52	721.12
	06/23/06		16.98	720.66
	07/07/06		17.16	720.48
	08/04/06		17.13	720.51
	09/15/06		17.35	720.29
	10/13/06		17.56	720.08
	11/10/06		17.16	720.48
	12/08/06		16.52	721.12
	01/03/07		16.46	721.18
	02/12/07		16.90	720.74
	03/12/07		16.66	720.98
	04/09/07		16.91	720.73
	05/07/07		17.03	720.61
	06/08/07		17.43	720.21
	07/17/07		17.76	719.88
	08/01/07		17.97	719.67
	09/14/07		18.24	719.40
	10/12/07		18.62	719.02
	11/09/07		18.59	719.05
	12/07/07		18.51	719.13
	01/04/08		17.91	719.73
	02/15/08		16.80	720.84
	03/13/08		16.37	721.27
	04/11/08		16.13	721.51
	05/08/08		16.74	720.90
	06/06/08		15.88	721.76
	07/03/08		15.91	721.73
	08/01/08		16.29	721.35
	09/12/08		17.47	720.17
	10/10/08		17.87	719.77
	11/06/08		18.22	719.42
	12/19/08		18.12	719.52
	01/02/09		17.47	720.17
	02/13/09		17.37	720.27
	03/13/09		17.58	720.06
	04/09/09		17.23	720.41
	05/08/09		16.89	720.75
	06/05/09		16.72	720.92
	07/02/09		16.98	720.66
	08/14/09		16.49	721.15
	09/11/09		16.91	720.73
	10/09/09		17.36	720.28
	11/04/09		17.30	720.34
	12/04/09		17.65	719.99
	01/14/10		17.48	720.16
	02/10/10		17.57	720.07
	03/11/10		17.46	720.18
	04/08/10		17.14	720.50
	05/06/10		17.28	720.36
	06/04/10		17.42	720.22
	07/01/10		16.55	721.09
	08/12/10		17.27	720.37
	09/08/10		17.88	719.76
	10/07/10		18.64	719.00
	11/19/10		19.08	718.56
	12/03/10		18.46	719.18
	01/14/11		18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53
	12/01/11		17.70	719.94

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/06/06	736.02	15.55	720.47
	02/03/06		15.31	720.71
	03/03/06		15.41	720.61
	04/26/06		14.82	721.20
	05/25/06		14.58	721.44
	06/23/06		15.11	720.91
	07/07/06		15.31	720.71
	08/04/06		15.31	720.71
	09/15/06		15.54	720.48
	10/13/06		15.73	720.29
	11/10/06		15.35	720.67
	12/08/06		14.69	721.33
	01/03/07		14.51	721.51
	02/12/07		14.97	721.05
	03/12/07		14.88	721.14
	04/09/07		15.07	720.95
	05/07/07		15.24	720.78
	06/08/07		15.63	720.39
	07/17/07		15.95	720.07
	08/01/07		16.02	720.00
	09/14/07		16.31	719.71
	10/12/07		16.64	719.38
	11/09/07		16.65	719.37
	12/07/07		16.67	719.35
	01/04/08		16.18	719.84
	02/15/08		14.95	721.07
	03/13/08		14.43	721.59
	04/11/08		14.07	721.95
	05/08/08		14.88	721.14
	06/06/08		13.85	722.17
	07/03/08		13.87	722.15
	08/01/08		14.38	721.64
	09/12/08		15.58	720.44
	10/10/08		15.98	720.04
	11/06/08		16.26	719.76
	12/19/08		16.28	719.74
	01/02/09		15.74	720.28
	02/13/09		15.54	720.48
	03/13/09		15.66	720.36
	04/09/09		15.43	720.59
	05/08/09		15.03	720.99
	06/05/09		14.79	721.23
	07/02/09		15.07	720.95
	08/14/09		14.50	721.52
	09/11/09		15.13	720.89
	10/09/09		15.53	720.49
	11/04/09		15.49	720.53
	12/04/09		15.80	720.22
	01/14/10		15.60	720.42
	02/10/10		15.71	720.31
	03/11/10		15.61	720.41
	04/08/10		15.28	720.74
	05/06/10		15.39	720.63
	06/04/10		15.55	720.47
	07/01/10		14.56	721.46
	08/12/10		15.39	720.63
	09/08/10		16.02	720.00
	10/07/10		16.57	719.45
	11/19/10		16.98	719.04
	12/03/10		16.56	719.46
	01/14/11		16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86
	12/01/11		15.83	720.19

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/06/06	736.39	13.05	723.34
	02/03/06		12.56	723.83
	03/03/06		12.91	723.48
	04/26/06		12.05	724.34
	05/25/06		11.50	724.89
	06/23/06		12.19	724.20
	07/07/06		12.76	723.63
	08/04/06		12.75	723.64
	09/15/06		13.09	723.30
	10/13/06		13.45	722.94
	11/10/06		12.81	723.58
	12/08/06		11.99	724.40
	01/03/07		11.42	724.97
	02/12/07		12.28	724.11
	03/12/07		12.15	724.24
	04/09/07		12.39	724.00
	05/07/07		12.65	723.74
	06/08/07		13.25	723.14
	07/17/07		13.69	722.70
	08/01/07		13.85	722.54
	09/14/07		14.37	722.02
	10/12/07		14.82	721.57
	11/09/07		14.93	721.46
	12/07/07		14.91	721.48
	01/04/08		14.20	722.19
	02/15/08		12.47	723.92
	03/13/08		11.63	724.76
	04/11/08		11.04	725.35
	05/08/08		12.13	724.26
	06/06/08		10.29	726.10
	07/03/08		10.31	726.08
	08/01/08		11.71	724.68
	09/12/08		11.80	724.59
	10/10/08		13.61	722.78
	11/06/08		14.07	722.32
	12/19/08		13.95	722.44
	01/02/09		12.92	723.47
	02/13/09		12.47	723.92
	03/13/09		13.02	723.37
	04/09/09		12.22	724.17
	05/08/09		11.72	724.67
	06/05/09		11.78	724.61
	07/02/09		12.27	724.12
	08/14/09		11.44	724.95
	09/11/09		12.70	723.69
	10/09/09		12.72	723.67
	11/04/09		12.74	723.65
	12/04/09		13.21	723.18
	01/14/10		13.06	723.33
	02/10/10		13.15	723.24
	03/11/10		12.78	723.61
	04/08/10		12.18	724.21
	05/06/10		12.52	723.87
	06/04/10		12.69	723.70
	07/01/10		11.62	724.77
	08/12/10		13.06	723.33
	09/08/10		13.89	722.50
	10/07/10		14.52	721.87
	11/19/10		14.97	721.42
	12/03/10		14.11	722.28
	01/14/11		14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68
	12/01/11		12.73	723.66

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/06/06	736.63	15.35	721.28
	02/03/06		15.15	721.48
	03/03/06		15.31	721.32
	04/26/06		14.69	721.94
	05/25/06		14.55	722.08
	06/23/06		15.10	721.53
	07/07/06		15.35	721.28
	08/04/06		15.27	721.36
	09/15/06		NG	NG
	10/13/06		15.81	720.82
	11/10/06		15.26	721.37
	12/08/06		14.58	722.05
	01/03/07		14.31	722.32
	02/12/07		15.04	721.59
	03/12/07		16.68	719.95
	04/09/07		15.03	721.60
	05/07/07		15.17	721.46
	06/08/07		15.71	720.92
	07/17/07		16.11	720.52
	08/01/07		16.31	720.32
	09/14/07		16.63	720.00
	10/12/07		17.08	719.55
	11/09/07		17.08	719.55
	12/07/07		16.79	719.84
	01/04/08		16.30	720.33
	02/15/08		14.87	721.76
	03/13/08		14.33	722.30
	04/11/08		14.11	722.52
	05/08/08		14.93	721.70
	06/06/08		13.76	722.87
	07/03/08		13.80	722.83
	08/01/08		14.46	722.17
	09/12/08		15.67	720.96
	10/10/08		16.12	720.51
	11/06/08		16.52	720.11
	12/19/08		16.41	720.22
	01/02/09		15.50	721.13
	02/13/09		15.43	721.20
	03/13/09		15.58	721.05
	04/09/09		15.11	721.52
	05/08/09		14.72	721.91
	06/05/09		14.64	721.99
	07/02/09		15.01	721.62
	08/14/09		14.37	722.26
	09/11/09		15.08	721.55
	10/09/09		15.43	721.20
	11/04/09		15.34	721.29
	12/04/09		15.78	720.85
	01/14/10		15.61	721.02
	02/10/10		15.73	720.90
	03/11/10		15.47	721.16
	04/08/10		15.12	721.51
	05/06/10		15.26	721.37
	06/04/10		15.47	721.16
	07/01/10		14.45	722.18
	08/12/10		15.42	721.21
	09/08/10		16.33	720.30
	10/07/10		16.99	719.64
	11/19/10		17.38	719.25
	12/03/10		16.64	719.99
	01/14/11		16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37
	12/01/11		15.68	720.95

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/06/06	738.04	17.02	721.02
	02/03/06		16.84	721.20
	03/03/06		17.00	721.04
	04/26/06		16.35	721.69
	05/25/06		16.21	721.83
	06/23/06		16.77	721.27
	07/07/06		16.97	721.07
	08/04/06		16.91	721.13
	09/15/06		17.18	720.86
	10/13/06		17.42	720.62
	11/10/06		16.95	721.09
	12/08/06		16.25	721.79
	01/03/07		16.07	721.97
	02/12/07		16.67	721.37
	03/12/07		NG	NG
	04/09/07		16.66	721.38
	05/07/07		16.81	721.23
	06/08/07		17.29	720.75
	07/17/07		17.67	720.37
	08/01/07		17.88	720.16
	09/14/07		18.19	719.85
	10/12/07		18.61	719.43
	11/09/07		18.60	719.44
	12/07/07		18.35	719.69
	01/04/08		17.85	720.19
	02/15/08		16.51	721.53
	03/13/08		16.01	722.03
	04/11/08		15.74	722.30
	05/08/08		16.51	721.53
	06/06/08		15.52	722.52
	07/03/08		15.56	722.48
	08/01/08		16.01	722.03
	09/12/08		17.28	720.76
	10/10/08		17.71	720.33
	11/06/08		18.11	719.93
	12/19/08		18.03	720.01
	01/02/09		17.20	720.84
	02/13/09		17.12	720.92
	03/13/09		17.23	720.81
	04/09/09		16.87	721.17
	05/08/09		16.48	721.56
	06/05/09		16.35	721.69
	07/02/09		16.44	721.60
	08/14/09		16.07	721.97
	09/11/09		16.68	721.36
	10/09/09		17.11	720.93
	11/04/09		17.03	721.01
	12/04/09		17.43	720.61
	01/14/10		17.25	720.79
	02/10/10		17.34	720.70
	03/11/10		17.18	720.86
	04/08/10		16.82	721.22
	05/06/10		16.95	721.09
	06/04/10		17.14	720.90
	07/01/10		16.15	721.89
	08/12/10		17.03	721.01
	09/08/10		17.87	720.17
	10/07/10		18.57	719.47
	11/19/10		19.00	719.04
	12/03/10		18.31	719.73
	01/14/11		18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12
	12/01/11		17.42	720.62

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/06/06	737.61	16.82	720.79
	02/03/06		16.65	720.96
	03/03/06		16.81	720.80
	04/26/06		16.22	721.39
	05/25/06		16.07	721.54
	06/23/06		16.60	721.01
	07/07/06		16.82	720.79
	08/04/06		16.72	720.89
	09/15/06		16.98	720.63
	10/13/06		17.24	720.37
	11/10/06		16.75	720.86
	12/08/06		16.10	721.51
	01/03/07		15.89	721.72
	02/12/07		16.53	721.08
	03/12/07		16.34	721.27
	04/09/07		16.51	721.10
	05/07/07		16.65	720.96
	06/08/07		17.16	720.45
	07/17/07		17.52	720.09
	08/01/07		17.71	719.90
	09/14/07		18.03	719.58
	10/12/07		18.45	719.16
	11/09/07		18.44	719.17
	12/07/07		18.13	719.48
	01/04/08		17.66	719.95
	02/15/08		16.36	721.25
	03/13/08		15.89	721.72
	04/11/08		15.67	721.94
	05/08/08		16.43	721.18
	06/06/08		15.45	722.16
	07/03/08		15.47	722.14
	08/01/08		16.08	721.53
	09/12/08		17.13	720.48
	10/10/08		17.55	720.06
	11/06/08		17.93	719.68
	12/19/08		17.80	719.81
	01/02/09		16.96	720.65
	02/13/09		16.90	720.71
	03/13/09		17.02	720.59
	04/09/09		16.84	720.77
	05/08/09		16.27	721.34
	06/05/09		16.88	720.73
	07/02/09		16.91	720.70
	08/14/09		15.93	721.68
	09/11/09		15.84	721.77
	10/09/09		16.92	720.69
	11/04/09		16.83	720.78
	12/04/09		17.25	720.36
	01/14/10		17.03	720.58
	02/10/10		17.18	720.43
	03/11/10		16.98	720.63
	04/08/10		16.61	721.00
	05/06/10		16.77	720.84
	06/04/10		16.97	720.64
	07/01/10		15.99	721.62
	08/12/10		16.90	720.71
	09/08/10		17.78	719.83
	10/07/10		18.45	719.16
	11/19/10		18.84	718.77
	12/03/10		18.12	719.49
	01/14/11		17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88
	12/01/11		17.19	720.42

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/06/06	734.84	15.43	719.41
	02/03/06		15.37	719.47
	03/03/06		15.45	719.39
	04/26/06		14.86	719.98
	05/25/06		15.13	719.71
	06/23/06		15.30	719.54
	07/07/06		15.37	719.47
	08/04/06		15.33	719.51
	09/15/06		15.40	719.44
	10/13/06		15.45	719.39
	11/10/06		15.36	719.48
	12/08/06		15.20	719.64
	01/03/07		15.15	719.69
	02/12/07		15.34	719.50
	03/12/07		17.13	717.71
	04/09/07		15.36	719.48
	05/07/07		15.44	719.40
	06/08/07		15.48	719.36
	07/17/07		15.47	719.37
	08/01/07		15.49	719.35
	09/14/07		16.07	718.77
	10/12/07		16.06	718.78
	11/09/07		16.10	718.74
	12/07/07		16.15	718.69
	01/04/08		16.01	718.83
	02/15/08		15.17	719.67
	03/13/08		14.88	719.96
	04/11/08		14.67	720.17
	05/08/08		15.22	719.62
	06/06/08		14.32	720.52
	07/03/08		14.80	720.04
	08/01/08		14.91	719.93
	09/12/08		15.72	719.12
	10/10/08		15.92	718.92
	11/06/08		16.07	718.77
	12/19/08		15.84	719.00
	01/02/09		15.72	719.12
	02/13/09		15.68	719.16
	03/13/09		15.79	719.05
	04/09/09		15.66	719.18
	05/08/09		15.57	719.27
	06/05/09		15.40	719.44
	07/02/09		15.55	719.29
	08/14/09		15.10	719.74
	09/11/09		15.16	719.68
	10/09/09		15.67	719.17
	11/04/09		15.39	719.45
	12/04/09		15.87	718.97
	01/14/10		15.82	719.02
	02/10/10		15.74	719.10
	03/11/10		15.68	719.16
	04/08/10		15.48	719.36
	05/06/10		16.61	718.23
	06/04/10		15.66	719.18
	07/01/10		13.07	721.77
	08/12/10		14.99	719.85
	09/08/10		15.83	719.01
	10/07/10		16.12	718.72
	11/19/10		16.24	718.60
	12/03/10		16.03	718.81
	01/14/11		16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13
	12/01/11		15.22	719.62

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/06/06	730.97	12.88	718.09
	02/03/06		12.86	718.11
	03/03/06		12.02	718.95
	04/26/06		10.94	720.03
	05/25/06		12.08	718.89
	06/23/06		12.85	718.12
	07/07/06		12.61	718.36
	08/04/06		12.85	718.12
	09/15/06		11.14	719.83
	10/13/06		12.95	718.02
	11/10/06		12.71	718.26
	12/08/06		12.35	718.62
	01/03/07		12.40	718.57
	02/12/07		11.96	719.01
	03/12/07		12.22	718.75
	04/09/07		11.98	718.99
	05/07/07		11.10	719.87
	06/08/07		11.68	719.29
	07/17/07		11.44	719.53
	08/01/07		11.60	719.37
	09/14/07		13.10	717.87
	10/12/07		12.20	718.77
	11/09/07		12.27	718.70
	12/07/07		13.18	717.79
	01/04/08		12.85	718.12
	02/15/08		11.70	719.27
	03/13/08		11.61	719.36
	04/11/08		11.40	719.57
	05/08/08		11.39	719.58
	06/06/08		10.88	720.09
	07/03/08		11.65	719.32
	08/01/08		11.58	719.39
	09/12/08		13.09	717.88
	10/10/08		13.22	717.75
	11/06/08		12.96	718.01
	12/19/08		13.02	717.95
	01/02/09		12.80	718.17
	02/13/09		12.90	718.07
	03/13/09		12.78	718.19
	04/09/09		12.10	718.87
	05/08/09		13.35	717.62
	06/05/09		12.90	718.07
	07/02/09		12.68	718.29
	08/14/09		12.38	718.59
	09/11/09		12.30	718.67
	10/09/09		13.50	717.47
	11/04/09		13.04	717.93
	12/04/09		13.21	717.76
	01/14/10		13.42	717.55
	02/10/10		13.39	717.58
	03/11/10		12.81	718.16
	04/08/10		13.15	717.82
	05/06/10		12.14	718.83
	06/04/10		12.10	718.87
	07/01/10		13.42	717.55
	08/12/10		10.90	720.07
	09/08/10		12.70	718.27
	10/07/10		12.40	718.57
	11/19/10		12.45	718.52
	12/03/10		12.45	718.52
	01/14/11		12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22
	12/01/11		11.37	719.60

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/06/06	732.05	15.79	716.26
	02/03/06		14.90	717.15
	03/03/06		15.75	716.30
	04/26/06		11.51	720.54
	05/25/06		13.45	718.60
	06/23/06		15.17	716.88
	07/07/06		15.09	716.96
	08/04/06		15.45	716.60
	09/15/06		12.06	719.99
	10/13/06		15.83	716.22
	11/10/06		15.60	716.45
	12/08/06		15.30	716.75
	01/03/07		15.36	716.69
	02/12/07		15.82	716.23
	03/12/07		11.66	720.39
	04/09/07		15.91	716.14
	05/07/07		12.35	719.70
	06/08/07		15.31	716.74
	07/17/07		15.83	716.22
	08/01/07		14.40	717.65
	09/14/07		14.85	717.20
	10/12/07		14.41	717.64
	11/09/07		14.62	717.43
	12/07/07		14.68	717.37
	01/04/08		14.70	717.35
	02/15/08		15.25	716.80
	03/13/08		15.31	716.74
	04/11/08		14.10	717.95
	05/08/08		15.24	716.81
	06/06/08		12.13	719.92
	07/03/08		12.28	719.77
	08/01/08		12.30	719.75
	09/12/08		15.05	717.00
	10/10/08		15.88	716.17
	11/06/08		15.20	716.85
	12/19/08		15.50	716.55
	01/02/09		15.44	716.61
	02/13/09		12.15	719.90
	03/13/09		16.85	715.20
	04/09/09		16.30	715.75
	05/08/09		15.65	716.40
	06/05/09		14.68	717.37
	07/02/09		14.60	717.45
	08/14/09		15.35	716.70
	09/11/09		14.50	717.55
	10/09/09		17.15	714.90
	11/04/09		12.14	719.91
	12/04/09		16.81	715.24
	01/14/10		15.50	716.55
	02/10/10		15.20	716.85
	03/11/10		14.35	717.70
	04/08/10		14.28	717.77
	05/06/10		13.72	718.33
	06/04/10		13.45	718.60
	07/01/10		13.81	718.24
	08/12/10		14.58	717.47
	09/08/10		16.10	715.95
	10/07/10		15.50	716.55
	11/19/10		15.05	717.00
	12/03/10		13.78	718.27
	01/14/11		13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87
	12/01/11		15.06	716.99

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/06/06	733.19	12.61	720.58
	02/03/06		18.65	714.54
	03/03/06		18.81	714.38
	04/26/06		12.00	721.19
	05/25/06		17.61	715.58
	06/23/06		17.88	715.31
	07/07/06		17.61	715.58
	08/04/06		17.88	715.31
	09/15/06		12.99	720.20
	10/13/06		17.99	715.20
	11/10/06		17.52	715.67
	12/08/06		18.38	714.81
	01/03/07		18.41	714.78
	02/12/07		16.88	716.31
	03/12/07		12.16	721.03
	04/09/07		18.18	715.01
	05/07/07		12.95	720.24
	06/08/07		17.15	716.04
	07/17/07		17.71	715.48
	08/01/07		16.05	717.14
	09/14/07		16.45	716.74
	10/12/07		16.97	716.22
	11/09/07		18.75	714.44
	12/07/07		16.55	716.64
	01/04/08		15.67	717.52
	02/15/08		15.68	717.51
	03/13/08		15.79	717.40
	04/11/08		13.37	719.82
	05/08/08		16.65	716.54
	06/06/08		13.05	720.14
	07/03/08		13.90	719.29
	08/01/08		14.24	718.95
	09/12/08		15.59	717.60
	10/10/08		16.51	716.68
	11/06/08		16.55	716.64
	12/19/08		16.87	716.32
	01/02/09		16.81	716.38
	02/13/09		16.28	716.91
	03/13/09		16.35	716.84
	04/09/09		16.01	717.18
	05/08/09		15.77	717.42
	06/05/09		15.45	717.74
	07/02/09		15.10	718.09
	08/14/09		15.03	718.16
	09/11/09		14.84	718.35
	10/09/09		15.71	717.48
	11/04/09		15.66	717.53
	12/04/09		15.50	717.69
	01/14/10		16.01	717.18
	02/10/10		16.24	716.95
	03/11/10		16.21	716.98
	04/08/10		15.93	717.26
	05/06/10		16.03	717.16
	06/04/10		16.13	717.06
	07/01/10		15.09	718.10
	08/12/10		16.68	716.51
	09/08/10		15.38	717.81
	10/07/10		16.47	716.72
	11/19/10		18.69	714.50
	12/03/10		17.40	715.79
	01/14/11		17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47
	12/01/11		16.03	717.16

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/06/06	735.48	15.94	719.54
	02/03/06		15.66	719.82
	03/03/06		15.92	719.56
	04/26/06		13.81	721.67
	05/25/06		15.07	720.41
	06/23/06		15.62	719.86
	07/07/06		15.82	719.66
	08/04/06		15.77	719.71
	09/15/06		16.05	719.43
	10/13/06		16.29	719.19
	11/10/06		16.01	719.47
	12/08/06		16.41	719.07
	01/03/07		16.35	719.13
	02/12/07		16.99	718.49
	03/12/07		16.68	718.80
	04/09/07		15.45	720.03
	05/07/07		15.71	719.77
	06/08/07		16.01	719.47
	07/17/07		16.45	719.03
	08/01/07		18.05	717.43
	09/14/07		17.59	717.89
	10/12/07		18.17	717.31
	11/09/07		17.88	717.60
	12/07/07		15.77	719.71
	01/04/08		17.90	717.58
	02/15/08		16.91	718.57
	03/13/08		16.41	719.07
	04/11/08		14.99	720.49
	05/08/08		15.81	719.67
	06/06/08		14.71	720.77
	07/03/08		14.60	720.88
	08/01/08		14.79	720.69
	09/12/08		16.43	719.05
	10/10/08		17.12	718.36
	11/06/08		17.16	718.32
	12/19/08		17.59	717.89
	01/02/09		17.65	717.83
	02/13/09		16.52	718.96
	03/13/09		16.61	718.87
	04/09/09		16.42	719.06
	05/08/09		15.86	719.62
	06/05/09		15.86	719.62
	07/02/09		16.77	718.71
	08/14/09		15.28	720.20
	09/11/09		15.28	720.20
	10/09/09		16.42	719.06
	11/04/09		16.28	719.20
	12/04/09		16.94	718.54
	01/14/10		16.64	718.84
	02/10/10		16.84	718.64
	03/11/10		16.29	719.19
	04/08/10		16.29	719.19
	05/06/10		16.79	718.69
	06/04/10		16.59	718.89
	07/01/10		15.72	719.76
	08/12/10		16.54	718.94
	09/08/10		18.06	717.42
	10/07/10		18.98	716.50
	11/19/10		19.80	715.68
	12/03/10		18.81	716.67
	01/14/11		18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42
	12/01/11		18.26	717.22

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	08/12/10	731.96	13.81	718.15
	09/08/10		14.07	717.89
	10/07/10		15.41	716.55
	11/19/10		16.78	715.18
	12/03/10		16.38	715.58
	01/14/11		15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78
	12/01/11		14.73	717.23

NR-Not Recorded
NG-Not Gauged

ATTACHMENT B

Groundwater Recovery

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	***445,555***	***428,463***	***536,852***	-	-	***1,410,870***
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	***1,949,120***	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	***2,835,673***	-	-	6,436,098
3/28/1997	1,692,834	2,039,011	***2,835,673***	-	-	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	***2,842,124***	-	-	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	3,313,604	7,312,970	6,402,525	-	-	17,050,326
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	3,889,675	8,638,302	7,429,910	1,171,610	-	21,150,724
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308
12/1/2011	18,629,825	33,598,934	48,320,048	53,355,570	6,100,310	160,025,914
12/16/2011	18,629,949	33,694,694	48,451,868	53,577,620	6,282,440	160,657,798
12/28/2011	18,629,987	33,779,384	48,561,758	53,756,850	6,369,780	161,118,986

Notes:
- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.

AMPHENOL CORPORATION
FRANKLIN, INDIANA



iWM CONSULTING GROUP

ATTACHMENT C

Field Notes

iWM CONSULTING GROUP

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

e Inspection Date: 12/1/2011

M Personnel: White/Newell

rival Time: 08:45

parture Time: 16:15

Alarm Response Visit: YES (NO)

BIWEEKLY DATA

Totalizer Readings: RW-1 2276.08 RW-2 18509590 RW-3 31819320 RW-4 53355570 RW-5 6100310

ow Rate GPM: RW-1 cycling RW-2 4.5 RW-3 6.1 RW-4 5.2 RW-5 6.0

mp Running Amps RW-1 4.3 RW-2 3.3 RW-3 3.7 RW-4 4.5 RW-5 3.8

r Stripper Pressure: 15.5 Inches of Water

fluent Clarity: Clear

Building Temperature: 60° Degrees F

stem Operation Upon Arrival: (YES) NO (if no please explain below)

Replaced totalizer on RW-1; still not pumping consistently.

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5

Please circle appropriate controller(s) below:

Manholes	(NO)	YES	Repaired	
Lines	(NO)	YES	Repaired	
Stripper	(NO)	YES	Repaired	

ı yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: yes RW-1 yes RW-2 yes RW-3 yes RW-4 yes RW-5

ripper Trays and Tubes Checked: yes

Stripper Trays and Tubes Cleaned: NO

Ionitoring/Recovery Wells Gauged: yes

ecommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Inspection Date: 12/13/2011

/I Personnel: White/Newell

val Time: 9:45 AM

arture Time: 13:30 PM

m Response Visit: YES [NO]

BIWEEKLY DATA

ılizer Readings: RW-1 NA RW-2 NA RW-3 NA RW-4 NA RW-5 NA

v Rate GPM: RW-1 NA RW-2 NA RW-3 NA RW-4 NA RW-5 NA

ıp Running Amps RW-1 NA RW-2 NA RW-3 NA RW-4 NA RW-5 NA

Stripper Pressure: NA Inches of Water

uent Clarity: NA

lding Temperature: NA Degrees F

tem Operation Upon Arrival: [YES] NO (if no please explain below)

ılaced pump and warrick control on RW-1 with equipment onhand; well still not operating properly. Evaluate starter control. Needs new starter.

l have to order and replace at a later date.

ter Leaks: RW-1 RW-2 RW-3 RW-4 RW-5

ase circle appropriate controller(s) below:

Manholes	[NO]	YES	Repaired
Lines	[NO]	YES	Repaired
Stripper	[NO]	YES	Repaired

es, explain:

MONTHLY DATA

ter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

ipper Trays and Tubes Checked:

ipper Trays and Tubes Cleaned:

ɔnitoring/Recovery Wells Gauged:

commendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Inspection Date: 12/16/11
M Personnel: White
Arrival Time: 9:10
Departure Time: 11:05
Alarm Response Visit: YES (NO)

BIWEEKLY DATA

Totalizer Readings: RW-1 2400 RW-2 18605350 RW-3 31951140 RW-4 53577620 RW-5 62224440
Flow Rate GPM: RW-1 OFF RW-2 8 RW-3 6.0 RW-4 7.6 RW-5 0.0
Pump Running Amps RW-1 4.3 RW-2 3.62 RW-3 3.00 RW-4 4.62 RW-5 3.85
Stripper Pressure: 15.5 Inches of Water
Effluent Clarity: clear
Building Temperature: 56° Degrees F
System Operation Upon Arrival: (YES) NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

Manholes	(NO)	YES	Repaired	
Lines	(NO)	YES	Repaired	
Stripper	(NO)	YES	Repaired	

Yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: yes RW-1 no RW-2 yes RW-3 yes RW-4 yes RW-5
Stripper Trays and Tubes Checked: yes
Stripper Trays and Tubes Cleaned: no
Monitoring/Recovery Wells Gauged: yes

Recommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

e Inspection Date: 12/21/2011

M Personnel: Mier

rival Time: 1:30 PM

parture Time: 2:30 PM

arm Response Visit: YES [NO]

BIWEEKLY DATA

talizer Readings:	RW-1		RW-2	18,644,667	RW-3	31,998,882	RW-4	53,655,851	RW-5	6,283,050
w Rate GPM:	RW-1	4	RW-2	6	RW-3	6.25	RW-4	10	RW-5	9.25
mp Running Amps	RW-1	3.6	RW-2	3.4	RW-3	3.6	RW-4	4.2	RW-5	3.4

· Stripper Pressure: 15 Inches of Water

luent Clarity:

ilding Temperature: 64 Degrees F

tem Operation Upon Arrival: [YES] NO (if no please explain below)

Replaced starter on RW-1

ter Leaks: RW-1 RW-2 RW-3 RW-4 RW-5

ase circle appropriate controller(s) below:

Manholes	[NO]	YES	Repaired	
Lines	[NO]	YES	Repaired	
Stripper	[NO]	YES	Repaired	

es, explain:

MONTHLY DATA

er Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

pper Trays and Tubes Checked:

pper Trays and Tubes Cleaned:

nitoring/Recovery Wells Gauged:

ommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Site Inspection Date: 12/28/11

/M Personnel: White

Arrival Time: 9:20

:parture Time: 11:00

..arm Response Visit: YES (NO)

BIWEEKLY DATA

talizer Readings: RW-1 2438.0 RW-2 1869040 RW-3 32061030 RW-4 53756850 RW-5 6369780

ow Rate GPM: RW-1 3.2 cycling RW-2 5.4 RW-3 6.4 RW-4 10.0 RW-5 8.0

Pump Running Amps RW-1 3.46 RW-2 3.60 RW-3 3.80 RW-4 4.56 RW-5 3.83

· Stripper Pressure: 15.25 Inches of Water

Effluent Clarity: clear

ilding Temperature: 60° Degrees F

stem Operation Upon Arrival: (YES) NO (if no please explain below)

ter Leaks: RW-1 RW-2 RW-3 RW-4 RW-5

Please circle appropriate controller(s) below:

Manholes	(NO)	YES	Repaired	
Lines	(NO)	YES	Repaired	
Stripper	(NO)	YES	Repaired	

I es, explain:

MONTHLY DATA

F r Cartridges Replaced: yes RW-1 yes RW-2 yes RW-3 no RW-4 yes RW-5

S per Trays and Tubes Checked: No

Stripper Trays and Tubes Cleaned: No

M itoring/Recovery Wells Gauged: No

Recommendations for system optimization or general comments:

7428 Rockville Road, Indianapolis, IN 46214

January 30, 2012

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492

Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED CORRECTIVE MEASURE
Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the December 28, 2011 through January 27, 2012 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On January 13, 2012, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 8.18 feet below top of casing (TOC) in MW-9 to 17.24 feet below TOC in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 were operational during groundwater gauging activities. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a groundwater contour map based on the January 13, 2012 depth to water measurements has been included as **Figure 2**.

Groundwater Treatment System

From December 28, 2011 through January 27, 2012, approximately 1,317,283 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 162,436,269 gallons. The average influent groundwater recovery rate from December 28, 2011 through January 27, 2012 was approximately 30.5 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on January 13, 2012 to complete monthly and bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon departure from the site on January 13, 2012.

IWM personnel mobilized to the site on January 16, 2012 to respond to a Chatterbox alarm notification. The groundwater recovery and treatment system was not operational upon arrival. It was discovered that a power interruption had shut down the system. The system was restarted and checked for operational issues. The groundwater recovery and treatment system was completely operational upon departure from the site on January 16, 2012.

IWM personnel mobilized to the site on January 27, 2012 to complete bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on January 27, 2012.

Schedule of Activities

Bi-weekly, monthly, and quarterly system operation and maintenance activities are scheduled for the month of February 2012. Site visits are scheduled for the weeks beginning February 6 and February 20, 2012. The information from these site inspections will be included in the February 2012 Progress Report.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting Group, LLC appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

IWM CONSULTING GROUP, LLC

Christopher D. Parks, LPG
Project Manager

Bradley E. Gentry, LPG
Senior Project Manager

Attachments
cc: Mr. Dave Dowden, Lancer Realty & Development Co.

IWM CONSULTING GROUP

FIGURES



LEGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

Scale 1":100 ft.

DRAWN BY:	L. STRUM
DATE:	9/27/99
REVISED:	
HWPA #111291-01	
DWG. NO.	111291S1

FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP



LEGEND

- MONITORING WELL
- RECOVERY WELL
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER
- 722.00 POTENTIONMETRIC SURFACE (CONTOUR INTERVAL = 1.0 FT.)

0 100
SCALE IN FEET

DRAWN BY: L. STRUM	FIGURE 2 GROUNDWATER ELEVATION MAP (01/13/12)	FORMER AMPHENOL RFI/CMS 980 HURRICANE ROAD FRANKLIN, INDIANA	IWM CONSULTING GROUP
DATE: 9/27/99			
REVISED:			
HWPA #111291-01			
DWG. NO. 111291S1			

ATTACHMENT A

Groundwater Level Measurements

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/06/06	732.25	12.29	719.96
	02/03/06		12.09	720.16
	03/03/06		12.28	719.97
	04/26/06		11.60	720.65
	05/25/06		11.67	720.58
	06/23/06		12.05	720.20
	07/07/06		12.23	720.02
	08/04/06		12.17	720.08
	09/15/06		12.21	720.04
	10/13/06		12.47	719.78
	11/10/06		12.13	720.12
	12/08/06		11.68	720.57
	01/03/07		11.52	720.73
	02/12/07		12.00	720.25
	03/12/07		11.74	720.51
	04/09/07		12.01	720.24
	05/07/07		12.11	720.14
	06/08/07		12.45	719.80
	07/17/07		12.66	719.59
	08/01/07		12.73	719.52
	09/14/07		13.03	719.22
	10/12/07		13.38	718.87
	11/09/07		13.37	718.88
	12/07/07		13.27	718.98
	01/04/08		12.79	719.46
	02/15/08		11.85	720.40
	03/13/08		11.48	720.77
	04/11/08		11.31	720.94
	05/08/08		11.95	720.30
	06/06/08		11.08	721.17
	07/03/08		11.29	720.96
	08/01/08		11.65	720.60
	09/12/08		12.38	719.87
	10/10/08		12.78	719.47
	11/06/08		13.05	719.20
	12/19/08		12.97	719.28
	01/02/09		12.39	719.86
	02/13/09		12.30	719.95
	03/13/09		12.40	719.85
	04/09/09		12.22	720.03
	05/08/09		11.90	720.35
	06/05/09		11.89	720.36
	07/02/09		12.05	720.20
	08/14/09		11.55	720.70
	09/11/09		12.02	720.23
	10/09/09		12.29	719.96
	11/04/09		12.26	719.99
	12/04/09		12.55	719.70
	01/14/10		12.50	719.75
	02/10/10		NG	NG
	03/11/10		12.49	719.76
	04/08/10		12.19	720.06
	05/06/10		12.35	719.90
	06/04/10		12.47	719.78
	07/01/10		11.69	720.56
	08/12/10		12.39	719.86
	09/08/10		13.07	719.18
	10/07/10		14.04	718.21
	11/19/10		14.28	717.97
	12/03/10		13.70	718.55
	01/14/11		13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99
	12/01/11		12.82	719.43
	01/13/12		12.50	719.75

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/06/06	728.71	NG	NG
	02/03/06		10.92	717.79
	03/03/06		11.03	717.68
	04/26/06		10.71	718.00
	05/25/06		10.55	718.16
	06/23/06		10.72	717.99
	07/07/06		10.85	717.86
	08/04/06		10.78	717.93
	09/15/06		10.82	717.89
	10/13/06		10.95	717.76
	11/10/06		10.83	717.88
	12/08/06		10.60	718.11
	01/03/07		10.46	718.25
	02/12/07		10.93	717.78
	03/12/07		10.81	717.90
	04/09/07		10.88	717.83
	05/07/07		10.95	717.76
	06/08/07		11.10	717.61
	07/17/07		11.12	717.59
	08/01/07		11.12	717.59
	09/14/07		11.21	717.50
	10/12/07		11.35	717.36
	11/09/07		11.35	717.36
	12/07/07		11.36	717.35
	01/04/08		11.24	717.47
	02/15/08		10.61	718.10
	03/13/08		10.42	718.29
	04/11/08		10.23	718.48
	05/08/08		10.70	718.01
	06/06/08		9.84	718.87
	07/03/08		9.89	718.82
	08/01/08		10.54	718.17
	09/12/08		10.92	717.79
	10/10/08		11.04	717.67
	11/06/08		11.20	717.51
	12/19/08		11.01	717.70
	01/02/09		10.98	717.73
	02/13/09		10.79	717.92
	03/13/09		11.13	717.58
	04/09/09		10.86	717.85
	05/08/09		10.81	717.90
	06/05/09		10.71	718.00
	07/02/09		10.81	717.90
	08/14/09		10.52	718.19
	09/11/09		10.80	717.91
	10/09/09		10.77	717.94
	11/04/09		10.91	717.80
	12/04/09		11.07	717.64
	01/14/10		11.09	717.62
	02/10/10		11.13	717.58
	03/11/10		11.03	717.68
	04/08/10		10.75	717.96
	05/06/10		10.96	717.75
	06/04/10		11.01	717.70
	07/01/10		10.52	718.19
	08/12/10		10.88	717.83
	09/08/10		11.10	717.61
	10/07/10		11.33	717.38
	11/19/10		11.49	717.22
	12/03/10		11.26	717.45
	01/14/11		11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		10.60	718.11
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69
	12/01/11		10.74	717.97
	01/13/12		10.90	717.81

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/06/06	736.44	15.06	721.38
	02/03/06		14.87	721.57
	03/03/06		15.00	721.44
	04/26/06		14.33	722.11
	05/25/06		NG	NG
	06/23/06		14.75	721.69
	07/07/06		14.97	721.47
	08/04/06		14.93	721.51
	09/15/06		NG	NG
	10/13/06		15.48	720.96
	11/10/06		14.98	721.46
	12/08/06		14.15	722.29
	01/03/07		14.00	722.44
	02/12/07		14.58	721.86
	03/12/07		14.41	722.03
	04/09/07		14.64	721.80
	05/07/07		14.83	721.61
	06/08/07		15.32	721.12
	07/17/07		15.73	720.71
	08/01/07		16.89	719.55
	09/14/07		16.23	720.21
	10/12/07		16.65	719.79
	11/09/07		16.60	719.84
	12/07/07		16.55	719.89
	01/04/08		15.87	720.57
	02/15/08		14.41	722.03
	03/13/08		13.82	722.62
	04/11/08		13.50	722.94
	05/08/08		14.33	722.11
	06/06/08		13.30	723.14
	07/03/08		13.41	723.03
	08/01/08		13.68	722.76
	09/12/08		15.28	721.16
	10/10/08		15.77	720.67
	11/06/08		16.11	720.33
	12/19/08		16.10	720.34
	01/02/09		15.26	721.18
	02/13/09		15.16	721.28
	03/13/09		15.25	721.19
	04/09/09		14.88	721.56
	05/08/09		NG	NG
	06/05/09		14.25	722.19
	07/02/09		14.62	721.82
	08/14/09		13.92	722.52
	09/11/09		14.73	721.71
	10/09/09		15.17	721.27
	11/04/09		15.07	721.37
	12/04/09		15.48	720.96
	01/14/10		15.23	721.21
	02/10/10		15.37	721.07
	03/11/10		15.21	721.23
	04/08/10		14.82	721.62
	05/06/10		14.92	721.52
	06/04/10		15.13	721.31
	07/01/10		14.04	722.40
	08/12/10		15.06	721.38
	09/08/10		15.85	720.59
	10/07/10		16.52	719.92
	11/19/10		16.99	719.45
	12/03/10		16.32	720.12
	01/14/11		16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47
	12/01/11		15.48	720.96
	01/13/12		14.87	721.57

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/06/06	733.04	8.90	724.14
	02/03/06		8.16	724.88
	03/03/06		8.52	724.52
	04/26/06		7.55	725.49
	05/25/06		6.90	726.14
	06/23/06		7.81	725.23
	07/07/06		8.51	724.53
	08/04/06		8.59	724.45
	09/15/06		8.99	724.05
	10/13/06		9.40	723.64
	11/10/06		8.67	724.37
	12/08/06		7.71	725.33
	01/03/07		6.85	726.19
	02/12/07		7.81	725.23
	03/12/07		9.56	723.48
	04/09/07		10.56	722.48
	05/07/07		8.35	724.69
	06/08/07		9.07	723.97
	07/17/07		9.65	723.39
	08/01/07		9.82	723.22
	09/14/07		10.49	722.55
	10/12/07		10.95	722.09
	11/09/07		11.14	721.90
	12/07/07		11.21	721.83
	01/04/08		10.46	722.58
	02/15/08		8.45	724.59
	03/13/08		7.28	725.76
	04/11/08		6.40	726.64
	05/08/08		7.74	725.30
	06/06/08		8.49	724.55
	07/03/08		8.50	724.54
	08/01/08		7.28	725.76
	09/12/08		7.30	725.74
	10/10/08		9.47	723.57
	11/06/08		9.98	723.06
	12/19/08		9.34	723.70
	01/02/09		8.77	724.27
	02/13/09		8.04	725.00
	03/13/09		8.75	724.29
	04/09/09		7.82	725.22
	05/08/09		NG	NG
	06/05/09		7.24	725.80
	07/02/09		7.89	725.15
	08/14/09		6.96	726.08
	09/11/09		8.47	724.57
	10/09/09		8.34	724.70
	11/04/09		8.46	724.58
	12/04/09		8.98	724.06
	01/14/10		8.83	724.21
	02/10/10		NG	NG
	03/11/10		8.51	724.53
	04/08/10		7.37	725.67
	05/06/10		8.16	724.88
	06/04/10		8.48	724.56
	07/01/10		7.22	725.82
	08/12/10		8.94	724.10
	09/08/10		9.81	723.23
	10/07/10		10.51	722.53
	11/19/10		11.10	721.94
	12/03/10		10.31	722.73
	01/14/11		10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29
	12/01/11		8.57	724.47
	01/13/12		8.18	724.86

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12	01/06/06	736.38	16.40	719.98
	02/03/06		16.30	720.08
	03/03/06		16.40	719.98
	04/26/06		15.79	720.59
	05/25/06		15.82	720.56
	06/23/06		16.20	720.18
	07/07/06		16.34	720.04
	08/04/06		16.24	720.14
	09/15/06		16.39	719.99
	10/13/06		16.56	719.82
	11/10/06		16.25	720.13
	12/08/06		17.72	718.66
	01/03/07		15.70	720.68
	02/12/07		16.18	720.20
	03/12/07		15.54	720.84
	04/09/07		16.17	720.21
	05/07/07		16.32	720.06
	06/08/07		16.58	719.80
	07/17/07		16.79	719.59
	08/01/07		16.88	719.50
	09/14/07		17.10	719.28
	10/12/07		17.47	718.91
	11/09/07		17.45	718.93
	12/07/07		17.35	719.03
	01/04/08		16.86	719.52
	02/03/08		15.97	720.41
	03/13/08		15.67	720.71
	04/11/08		15.52	720.86
	05/08/08		16.06	720.32
Well Damaged	06/06/08		NG	NG
MW-12R	07/03/08	736.15	15.47	720.68
	08/01/08		15.76	720.39
	09/12/08		16.49	719.66
	10/10/08		16.85	719.30
	11/06/08		17.17	718.98
	12/19/08		17.05	719.10
	01/02/09		16.51	719.64
	02/13/09		16.44	719.71
	03/13/09		16.57	719.58
	04/09/09		16.38	719.77
	05/08/09		16.11	720.04
	06/05/09		16.05	720.10
	07/02/09		16.22	719.93
	08/14/09		15.77	720.38
	09/11/09		16.04	720.11
	10/09/09		16.41	719.74
	11/04/09		16.46	719.69
	12/04/09		16.71	719.44
	01/14/10		16.60	719.55
	02/10/10		16.68	719.47
	03/11/10		16.63	719.52
	04/08/10		16.32	719.83
	05/06/10		16.49	719.66
	06/04/10		16.61	719.54
	07/01/10		15.85	720.30
	08/12/10		16.64	719.51
	09/08/10		17.28	718.87
	10/07/10		18.41	717.74
	11/19/10		18.71	717.44
	12/03/10		18.22	717.93
	01/14/11		17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61
	12/01/11		17.20	718.95
	01/13/12		16.83	719.32

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/06/06	734.03	9.58	724.45
	02/03/06		9.11	724.92
	03/03/06		9.61	724.42
	04/26/06		9.02	725.01
	05/25/06		8.55	725.48
	06/23/06		9.14	724.89
	07/07/06		9.30	724.73
	08/04/06		9.72	724.31
	09/15/06		9.38	724.65
	10/13/06		10.57	723.46
	11/10/06		9.64	724.39
	12/08/06		9.06	724.97
	01/03/07		8.51	725.52
	02/12/07		9.42	724.61
	03/12/07		9.24	724.79
	04/09/07		9.36	724.67
	05/07/07		9.61	724.42
	06/08/07		10.20	723.83
	07/17/07		10.72	723.31
	08/01/07		10.85	723.18
	09/14/07		11.58	722.45
	10/12/07		12.02	722.01
	11/09/07		12.10	721.93
	12/07/07		11.91	722.12
	01/04/08		11.11	722.92
	02/15/08		9.43	724.60
	03/13/08		8.71	725.32
	04/11/08		8.28	725.75
	05/08/08		9.23	724.80
	06/06/08		7.64	726.39
	07/03/08		7.67	726.36
	08/01/08		9.00	725.03
	09/12/08		9.05	724.98
	10/10/08		10.51	723.52
	11/06/08		11.17	722.86
	12/19/08		10.01	724.02
	01/02/09		9.69	724.34
	02/13/09		9.12	724.91
	03/13/09		9.84	724.19
	04/09/09		9.04	724.99
	05/08/09		8.53	725.50
	06/05/09		8.93	725.10
	07/02/09		9.34	724.69
	08/14/09		8.68	725.35
	09/11/09		9.74	724.29
	10/09/09		9.24	724.79
	11/04/09		9.55	724.48
	12/04/09		9.98	724.05
	01/14/10		9.99	724.04
	02/10/10		9.99	724.04
	03/11/10		9.46	724.57
	04/08/10		8.53	725.50
	05/06/10		9.41	724.62
	06/04/10		9.51	724.52
	07/01/10		8.81	725.22
	08/12/10		10.16	723.87
	09/08/10		11.07	722.96
	10/07/10		11.76	722.27
	11/19/10		12.08	721.95
	12/03/10		10.96	723.07
	01/14/11		11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52
	12/01/11		9.32	724.71
	01/13/12		9.39	724.64

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/06/06	737.91	16.65	721.26
	02/03/06		16.48	721.43
	03/03/06		16.60	721.31
	04/26/06		16.01	721.90
	05/25/06		15.81	722.10
	06/23/06		16.40	721.51
	07/07/06		16.62	721.29
	08/04/06		16.61	721.30
	09/15/06		NG	NG
	10/13/06		17.12	720.79
	11/10/06		16.64	721.27
	12/08/06		16.65	721.26
	01/03/07		15.71	722.20
	02/12/07		4.76	733.15
	03/12/07		16.10	721.81
	04/09/07		16.91	721.00
	05/07/07		16.50	721.41
	06/08/07		16.98	720.93
	07/17/07		17.35	720.56
	08/01/07		17.55	720.36
	09/14/07		17.88	720.03
	10/12/07		18.29	719.62
	11/09/07		18.23	719.68
	12/07/07		18.19	719.72
	01/04/08		17.48	720.43
	02/15/08		16.10	721.81
	03/13/08		15.52	722.39
	04/11/08		15.20	722.71
	05/08/08		16.02	721.89
	06/06/08		15.00	722.91
	07/03/08		15.05	722.86
	08/01/08		15.36	722.55
	09/12/08		16.95	720.96
	10/10/08		17.43	720.48
	11/06/08		17.78	720.13
	12/19/08		17.75	720.16
	01/02/09		16.94	720.97
	02/13/09		16.85	721.06
	03/13/09		16.94	720.97
	04/09/09		16.60	721.31
	05/08/09		16.16	721.75
	06/05/09		15.97	721.94
	07/02/09		16.32	721.59
	08/14/09		15.67	722.24
	09/11/09		16.41	721.50
	10/09/09		16.94	720.97
	11/04/09		16.76	721.15
	12/04/09		17.15	720.76
	01/14/10		16.95	720.96
	02/10/10		17.06	720.85
	03/11/10		16.91	721.00
	04/08/10		16.53	721.38
	05/06/10		16.63	721.28
	06/04/10		16.84	721.07
	07/01/10		15.78	722.13
	08/12/10		16.76	721.15
	09/08/10		17.51	720.40
	10/07/10		18.17	719.74
	11/19/10		18.64	719.27
	12/03/10		17.98	719.93
	01/14/11		17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27
	12/01/11		17.18	720.73
	01/13/12		16.57	721.34

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/06/06	737.64	16.91	720.73
	02/03/06		16.85	720.79
	03/03/06		16.96	720.68
	04/26/06		16.60	721.04
	05/25/06		16.52	721.12
	06/23/06		16.98	720.66
	07/07/06		17.16	720.48
	08/04/06		17.13	720.51
	09/15/06		17.35	720.29
	10/13/06		17.56	720.08
	11/10/06		17.16	720.48
	12/08/06		16.52	721.12
	01/03/07		16.46	721.18
	02/12/07		16.90	720.74
	03/12/07		16.66	720.98
	04/09/07		16.91	720.73
	05/07/07		17.03	720.61
	06/08/07		17.43	720.21
	07/17/07		17.76	719.88
	08/01/07		17.97	719.67
	09/14/07		18.24	719.40
	10/12/07		18.62	719.02
	11/09/07		18.59	719.05
	12/07/07		18.51	719.13
	01/04/08		17.91	719.73
	02/15/08		16.80	720.84
	03/13/08		16.37	721.27
	04/11/08		16.13	721.51
	05/08/08		16.74	720.90
	06/06/08		15.88	721.76
	07/03/08		15.91	721.73
	08/01/08		16.29	721.35
	09/12/08		17.47	720.17
	10/10/08		17.87	719.77
	11/06/08		18.22	719.42
	12/19/08		18.12	719.52
	01/02/09		17.47	720.17
	02/13/09		17.37	720.27
	03/13/09		17.58	720.06
	04/09/09		17.23	720.41
	05/08/09		16.89	720.75
	06/05/09		16.72	720.92
	07/02/09		16.98	720.66
	08/14/09		16.49	721.15
	09/11/09		16.91	720.73
	10/09/09		17.36	720.28
	11/04/09		17.30	720.34
	12/04/09		17.65	719.99
	01/14/10		17.48	720.16
	02/10/10		17.57	720.07
	03/11/10		17.46	720.18
	04/08/10		17.14	720.50
	05/06/10		17.28	720.36
	06/04/10		17.42	720.22
	07/01/10		16.55	721.09
	08/12/10		17.27	720.37
	09/08/10		17.88	719.76
	10/07/10		18.64	719.00
	11/19/10		19.08	718.56
	12/03/10		18.46	719.18
	01/14/11		18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53
	12/01/11		17.70	719.94
	01/13/12		17.24	720.40

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/06/06	736.02	15.55	720.47
	02/03/06		15.31	720.71
	03/03/06		15.41	720.61
	04/26/06		14.82	721.20
	05/25/06		14.58	721.44
	06/23/06		15.11	720.91
	07/07/06		15.31	720.71
	08/04/06		15.31	720.71
	09/15/06		15.54	720.48
	10/13/06		15.73	720.29
	11/10/06		15.35	720.67
	12/08/06		14.69	721.33
	01/03/07		14.51	721.51
	02/12/07		14.97	721.05
	03/12/07		14.88	721.14
	04/09/07		15.07	720.95
	05/07/07		15.24	720.78
	06/08/07		15.63	720.39
	07/17/07		15.95	720.07
	08/01/07		16.02	720.00
	09/14/07		16.31	719.71
	10/12/07		16.64	719.38
	11/09/07		16.65	719.37
	12/07/07		16.67	719.35
	01/04/08		16.18	719.84
	02/15/08		14.95	721.07
	03/13/08		14.43	721.59
	04/11/08		14.07	721.95
	05/08/08		14.88	721.14
	06/06/08		13.85	722.17
	07/03/08		13.87	722.15
	08/01/08		14.38	721.64
	09/12/08		15.58	720.44
	10/10/08		15.98	720.04
	11/06/08		16.26	719.76
	12/19/08		16.28	719.74
	01/02/09		15.74	720.28
	02/13/09		15.54	720.48
	03/13/09		15.66	720.36
	04/09/09		15.43	720.59
	05/08/09		15.03	720.99
	06/05/09		14.79	721.23
	07/02/09		15.07	720.95
	08/14/09		14.50	721.52
	09/11/09		15.13	720.89
	10/09/09		15.53	720.49
	11/04/09		15.49	720.53
	12/04/09		15.80	720.22
	01/14/10		15.60	720.42
	02/10/10		15.71	720.31
	03/11/10		15.61	720.41
	04/08/10		15.28	720.74
	05/06/10		15.39	720.63
	06/04/10		15.55	720.47
	07/01/10		14.56	721.46
	08/12/10		15.39	720.63
	09/08/10		16.02	720.00
	10/07/10		16.57	719.45
	11/19/10		16.98	719.04
	12/03/10		16.56	719.46
	01/14/11		16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86
	12/01/11		15.83	720.19
	01/13/12		15.27	720.75

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/06/06	736.39	13.05	723.34
	02/03/06		12.56	723.83
	03/03/06		12.91	723.48
	04/26/06		12.05	724.34
	05/25/06		11.50	724.89
	06/23/06		12.19	724.20
	07/07/06		12.76	723.63
	08/04/06		12.75	723.64
	09/15/06		13.09	723.30
	10/13/06		13.45	722.94
	11/10/06		12.81	723.58
	12/08/06		11.99	724.40
	01/03/07		11.42	724.97
	02/12/07		12.28	724.11
	03/12/07		12.15	724.24
	04/09/07		12.39	724.00
	05/07/07		12.65	723.74
	06/08/07		13.25	723.14
	07/17/07		13.69	722.70
	08/01/07		13.85	722.54
	09/14/07		14.37	722.02
	10/12/07		14.82	721.57
	11/09/07		14.93	721.46
	12/07/07		14.91	721.48
	01/04/08		14.20	722.19
	02/15/08		12.47	723.92
	03/13/08		11.63	724.76
	04/11/08		11.04	725.35
	05/08/08		12.13	724.26
	06/06/08		10.29	726.10
	07/03/08		10.31	726.08
	08/01/08		11.71	724.68
	09/12/08		11.80	724.59
	10/10/08		13.61	722.78
	11/06/08		14.07	722.32
	12/19/08		13.95	722.44
	01/02/09		12.92	723.47
	02/13/09		12.47	723.92
	03/13/09		13.02	723.37
	04/09/09		12.22	724.17
	05/08/09		11.72	724.67
	06/05/09		11.78	724.61
	07/02/09		12.27	724.12
	08/14/09		11.44	724.95
	09/11/09		12.70	723.69
	10/09/09		12.72	723.67
	11/04/09		12.74	723.65
	12/04/09		13.21	723.18
	01/14/10		13.06	723.33
	02/10/10		13.15	723.24
	03/11/10		12.78	723.61
	04/08/10		12.18	724.21
	05/06/10		12.52	723.87
	06/04/10		12.69	723.70
	07/01/10		11.62	724.77
	08/12/10		13.06	723.33
	09/08/10		13.89	722.50
	10/07/10		14.52	721.87
	11/19/10		14.97	721.42
	12/03/10		14.11	722.28
	01/14/11		14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68
	12/01/11		12.73	723.66
	01/13/12		12.48	723.91

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/06/06	736.63	15.35	721.28
	02/03/06		15.15	721.48
	03/03/06		15.31	721.32
	04/26/06		14.69	721.94
	05/25/06		14.55	722.08
	06/23/06		15.10	721.53
	07/07/06		15.35	721.28
	08/04/06		15.27	721.36
	09/15/06		NG	NG
	10/13/06		15.81	720.82
	11/10/06		15.26	721.37
	12/08/06		14.58	722.05
	01/03/07		14.31	722.32
	02/12/07		15.04	721.59
	03/12/07		16.68	719.95
	04/09/07		15.03	721.60
	05/07/07		15.17	721.46
	06/08/07		15.71	720.92
	07/17/07		16.11	720.52
	08/01/07		16.31	720.32
	09/14/07		16.63	720.00
	10/12/07		17.08	719.55
	11/09/07		17.08	719.55
	12/07/07		16.79	719.84
	01/04/08		16.30	720.33
	02/15/08		14.87	721.76
	03/13/08		14.33	722.30
	04/11/08		14.11	722.52
	05/08/08		14.93	721.70
	06/06/08		13.76	722.87
	07/03/08		13.80	722.83
	08/01/08		14.46	722.17
	09/12/08		15.67	720.96
	10/10/08		16.12	720.51
	11/06/08		16.52	720.11
	12/19/08		16.41	720.22
	01/02/09		15.50	721.13
	02/13/09		15.43	721.20
	03/13/09		15.58	721.05
	04/09/09		15.11	721.52
	05/08/09		14.72	721.91
	06/05/09		14.64	721.99
	07/02/09		15.01	721.62
	08/14/09		14.37	722.26
	09/11/09		15.08	721.55
	10/09/09		15.43	721.20
	11/04/09		15.34	721.29
	12/04/09		15.78	720.85
	01/14/10		15.61	721.02
	02/10/10		15.73	720.90
	03/11/10		15.47	721.16
	04/08/10		15.12	721.51
	05/06/10		15.26	721.37
	06/04/10		15.47	721.16
	07/01/10		14.45	722.18
	08/12/10		15.42	721.21
	09/08/10		16.33	720.30
	10/07/10		16.99	719.64
	11/19/10		17.38	719.25
	12/03/10		16.64	719.99
	01/14/11		16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37
	12/01/11		15.68	720.95
	01/13/12		15.21	721.42

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/06/06	738.04	17.02	721.02
	02/03/06		16.84	721.20
	03/03/06		17.00	721.04
	04/26/06		16.35	721.69
	05/25/06		16.21	721.83
	06/23/06		16.77	721.27
	07/07/06		16.97	721.07
	08/04/06		16.91	721.13
	09/15/06		17.18	720.86
	10/13/06		17.42	720.62
	11/10/06		16.95	721.09
	12/08/06		16.25	721.79
	01/03/07		16.07	721.97
	02/12/07		16.67	721.37
	03/12/07		NG	NG
	04/09/07		16.66	721.38
	05/07/07		16.81	721.23
	06/08/07		17.29	720.75
	07/17/07		17.67	720.37
	08/01/07		17.88	720.16
	09/14/07		18.19	719.85
	10/12/07		18.61	719.43
	11/09/07		18.60	719.44
	12/07/07		18.35	719.69
	01/04/08		17.85	720.19
	02/15/08		16.51	721.53
	03/13/08		16.01	722.03
	04/11/08		15.74	722.30
	05/08/08		16.51	721.53
	06/06/08		15.52	722.52
	07/03/08		15.56	722.48
	08/01/08		16.01	722.03
	09/12/08		17.28	720.76
	10/10/08		17.71	720.33
	11/06/08		18.11	719.93
	12/19/08		18.03	720.01
	01/02/09		17.20	720.84
	02/13/09		17.12	720.92
	03/13/09		17.23	720.81
	04/09/09		16.87	721.17
	05/08/09		16.48	721.56
	06/05/09		16.35	721.69
	07/02/09		16.44	721.60
	08/14/09		16.07	721.97
	09/11/09		16.68	721.36
	10/09/09		17.11	720.93
	11/04/09		17.03	721.01
	12/04/09		17.43	720.61
	01/14/10		17.25	720.79
	02/10/10		17.34	720.70
	03/11/10		17.18	720.86
	04/08/10		16.82	721.22
	05/06/10		16.95	721.09
	06/04/10		17.14	720.90
	07/01/10		16.15	721.89
	08/12/10		17.03	721.01
	09/08/10		17.87	720.17
	10/07/10		18.57	719.47
	11/19/10		19.00	719.04
	12/03/10		18.31	719.73
	01/14/11		18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12
	12/01/11		17.42	720.62
	01/13/12		16.92	721.12

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/06/06	737.61	16.82	720.79
	02/03/06		16.65	720.96
	03/03/06		16.81	720.80
	04/26/06		16.22	721.39
	05/25/06		16.07	721.54
	06/23/06		16.60	721.01
	07/07/06		16.82	720.79
	08/04/06		16.72	720.89
	09/15/06		16.98	720.63
	10/13/06		17.24	720.37
	11/10/06		16.75	720.86
	12/08/06		16.10	721.51
	01/03/07		15.89	721.72
	02/12/07		16.53	721.08
	03/12/07		16.34	721.27
	04/09/07		16.51	721.10
	05/07/07		16.65	720.96
	06/08/07		17.16	720.45
	07/17/07		17.52	720.09
	08/01/07		17.71	719.90
	09/14/07		18.03	719.58
	10/12/07		18.45	719.16
	11/09/07		18.44	719.17
	12/07/07		18.13	719.48
	01/04/08		17.66	719.95
	02/15/08		16.36	721.25
	03/13/08		15.89	721.72
	04/11/08		15.67	721.94
	05/08/08		16.43	721.18
	06/06/08		15.45	722.16
	07/03/08		15.47	722.14
	08/01/08		16.08	721.53
	09/12/08		17.13	720.48
	10/10/08		17.55	720.06
	11/06/08		17.93	719.68
	12/19/08		17.80	719.81
	01/02/09		16.96	720.65
	02/13/09		16.90	720.71
	03/13/09		17.02	720.59
	04/09/09		16.84	720.77
	05/08/09		16.27	721.34
	06/05/09		16.88	720.73
	07/02/09		16.91	720.70
	08/14/09		15.93	721.68
	09/11/09		15.84	721.77
	10/09/09		16.92	720.69
	11/04/09		16.83	720.78
	12/04/09		17.25	720.36
	01/14/10		17.03	720.58
	02/10/10		17.18	720.43
	03/11/10		16.98	720.63
	04/08/10		16.61	721.00
	05/06/10		16.77	720.84
	06/04/10		16.97	720.64
	07/01/10		15.99	721.62
	08/12/10		16.90	720.71
	09/08/10		17.78	719.83
	10/07/10		18.45	719.16
	11/19/10		18.84	718.77
	12/03/10		18.12	719.49
	01/14/11		17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88
	12/01/11		17.19	720.42
	01/13/12		16.73	720.88

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/06/06	734.84	15.43	719.41
	02/03/06		15.37	719.47
	03/03/06		15.45	719.39
	04/26/06		14.86	719.98
	05/25/06		15.13	719.71
	06/23/06		15.30	719.54
	07/07/06		15.37	719.47
	08/04/06		15.33	719.51
	09/15/06		15.40	719.44
	10/13/06		15.45	719.39
	11/10/06		15.36	719.48
	12/08/06		15.20	719.64
	01/03/07		15.15	719.69
	02/12/07		15.34	719.50
	03/12/07		17.13	717.71
	04/09/07		15.36	719.48
	05/07/07		15.44	719.40
	06/08/07		15.48	719.36
	07/17/07		15.47	719.37
	08/01/07		15.49	719.35
	09/14/07		16.07	718.77
	10/12/07		16.06	718.78
	11/09/07		16.10	718.74
	12/07/07		16.15	718.69
	01/04/08		16.01	718.83
	02/15/08		15.17	719.67
	03/13/08		14.88	719.96
	04/11/08		14.67	720.17
	05/08/08		15.22	719.62
	06/06/08		14.32	720.52
	07/03/08		14.80	720.04
	08/01/08		14.91	719.93
	09/12/08		15.72	719.12
	10/10/08		15.92	718.92
	11/06/08		16.07	718.77
	12/19/08		15.84	719.00
	01/02/09		15.72	719.12
	02/13/09		15.68	719.16
	03/13/09		15.79	719.05
	04/09/09		15.66	719.18
	05/08/09		15.57	719.27
	06/05/09		15.40	719.44
	07/02/09		15.55	719.29
	08/14/09		15.10	719.74
	09/11/09		15.16	719.68
	10/09/09		15.67	719.17
	11/04/09		15.39	719.45
	12/04/09		15.87	718.97
	01/14/10		15.82	719.02
	02/10/10		15.74	719.10
	03/11/10		15.68	719.16
	04/08/10		15.48	719.36
	05/06/10		16.61	718.23
	06/04/10		15.66	719.18
	07/01/10		13.07	721.77
	08/12/10		14.99	719.85
	09/08/10		15.83	719.01
	10/07/10		16.12	718.72
	11/19/10		16.24	718.60
	12/03/10		16.03	718.81
	01/14/11		16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13
	12/01/11		15.22	719.62
	01/13/12		15.44	719.40

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/06/06	730.97	12.88	718.09
	02/03/06		12.86	718.11
	03/03/06		12.02	718.95
	04/26/06		10.94	720.03
	05/25/06		12.08	718.89
	06/23/06		12.85	718.12
	07/07/06		12.61	718.36
	08/04/06		12.85	718.12
	09/15/06		11.14	719.83
	10/13/06		12.95	718.02
	11/10/06		12.71	718.26
	12/08/06		12.35	718.62
	01/03/07		12.40	718.57
	02/12/07		11.96	719.01
	03/12/07		12.22	718.75
	04/09/07		11.98	718.99
	05/07/07		11.10	719.87
	06/08/07		11.68	719.29
	07/17/07		11.44	719.53
	08/01/07		11.60	719.37
	09/14/07		13.10	717.87
	10/12/07		12.20	718.77
	11/09/07		12.27	718.70
	12/07/07		13.18	717.79
	01/04/08		12.85	718.12
	02/15/08		11.70	719.27
	03/13/08		11.61	719.36
	04/11/08		11.40	719.57
	05/08/08		11.39	719.58
	06/06/08		10.88	720.09
	07/03/08		11.65	719.32
	08/01/08		11.58	719.39
	09/12/08		13.09	717.88
	10/10/08		13.22	717.75
	11/06/08		12.96	718.01
	12/19/08		13.02	717.95
	01/02/09		12.80	718.17
	02/13/09		12.90	718.07
	03/13/09		12.78	718.19
	04/09/09		12.10	718.87
	05/08/09		13.35	717.62
	06/05/09		12.90	718.07
	07/02/09		12.68	718.29
	08/14/09		12.38	718.59
	09/11/09		12.30	718.67
	10/09/09		13.50	717.47
	11/04/09		13.04	717.93
	12/04/09		13.21	717.76
	01/14/10		13.42	717.55
	02/10/10		13.39	717.58
	03/11/10		12.81	718.16
	04/08/10		13.15	717.82
	05/06/10		12.14	718.83
	06/04/10		12.10	718.87
	07/01/10		13.42	717.55
	08/12/10		10.90	720.07
	09/08/10		12.70	718.27
	10/07/10		12.40	718.57
	11/19/10		12.45	718.52
	12/03/10		12.45	718.52
	01/14/11		12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22
	12/01/11		11.37	719.60
	01/13/12		12.84	718.13

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/06/06	732.05	15.79	716.26
	02/03/06		14.90	717.15
	03/03/06		15.75	716.30
	04/26/06		11.51	720.54
	05/25/06		13.45	718.60
	06/23/06		15.17	716.88
	07/07/06		15.09	716.96
	08/04/06		15.45	716.60
	09/15/06		12.06	719.99
	10/13/06		15.83	716.22
	11/10/06		15.60	716.45
	12/08/06		15.30	716.75
	01/03/07		15.36	716.69
	02/12/07		15.82	716.23
	03/12/07		11.66	720.39
	04/09/07		15.91	716.14
	05/07/07		12.35	719.70
	06/08/07		15.31	716.74
	07/17/07		15.83	716.22
	08/01/07		14.40	717.65
	09/14/07		14.85	717.20
	10/12/07		14.41	717.64
	11/09/07		14.62	717.43
	12/07/07		14.68	717.37
	01/04/08		14.70	717.35
	02/15/08		15.25	716.80
	03/13/08		15.31	716.74
	04/11/08		14.10	717.95
	05/08/08		15.24	716.81
	06/06/08		12.13	719.92
	07/03/08		12.28	719.77
	08/01/08		12.30	719.75
	09/12/08		15.05	717.00
	10/10/08		15.88	716.17
	11/06/08		15.20	716.85
	12/19/08		15.50	716.55
	01/02/09		15.44	716.61
	02/13/09		12.15	719.90
	03/13/09		16.85	715.20
	04/09/09		16.30	715.75
	05/08/09		15.65	716.40
	06/05/09		14.68	717.37
	07/02/09		14.60	717.45
	08/14/09		15.35	716.70
	09/11/09		14.50	717.55
	10/09/09		17.15	714.90
	11/04/09		12.14	719.91
	12/04/09		16.81	715.24
	01/14/10		15.50	716.55
	02/10/10		15.20	716.85
	03/11/10		14.35	717.70
	04/08/10		14.28	717.77
	05/06/10		13.72	718.33
	06/04/10		13.45	718.60
	07/01/10		13.81	718.24
	08/12/10		14.58	717.47
	09/08/10		16.10	715.95
	10/07/10		15.50	716.55
	11/19/10		15.05	717.00
	12/03/10		13.78	718.27
	01/14/11		13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87
	12/01/11		15.06	716.99
	01/13/12		12.70	719.35

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/06/06	733.19	12.61	720.58
	02/03/06		18.65	714.54
	03/03/06		18.81	714.38
	04/26/06		12.00	721.19
	05/25/06		17.61	715.58
	06/23/06		17.88	715.31
	07/07/06		17.61	715.58
	08/04/06		17.88	715.31
	09/15/06		12.99	720.20
	10/13/06		17.99	715.20
	11/10/06		17.52	715.67
	12/08/06		18.38	714.81
	01/03/07		18.41	714.78
	02/12/07		16.88	716.31
	03/12/07		12.16	721.03
	04/09/07		18.18	715.01
	05/07/07		12.95	720.24
	06/08/07		17.15	716.04
	07/17/07		17.71	715.48
	08/01/07		16.05	717.14
	09/14/07		16.45	716.74
	10/12/07		16.97	716.22
	11/09/07		18.75	714.44
	12/07/07		16.55	716.64
	01/04/08		15.67	717.52
	02/15/08		15.68	717.51
	03/13/08		15.79	717.40
	04/11/08		13.37	719.82
	05/08/08		16.65	716.54
	06/06/08		13.05	720.14
	07/03/08		13.90	719.29
	08/01/08		14.24	718.95
	09/12/08		15.59	717.60
	10/10/08		16.51	716.68
	11/06/08		16.55	716.64
	12/19/08		16.87	716.32
	01/02/09		16.81	716.38
	02/13/09		16.28	716.91
	03/13/09		16.35	716.84
	04/09/09		16.01	717.18
	05/08/09		15.77	717.42
	06/05/09		15.45	717.74
	07/02/09		15.10	718.09
	08/14/09		15.03	718.16
	09/11/09		14.84	718.35
	10/09/09		15.71	717.48
	11/04/09		15.66	717.53
	12/04/09		15.50	717.69
	01/14/10		16.01	717.18
	02/10/10		16.24	716.95
	03/11/10		16.21	716.98
	04/08/10		15.93	717.26
	05/06/10		16.03	717.16
	06/04/10		16.13	717.06
	07/01/10		15.09	718.10
	08/12/10		16.68	716.51
	09/08/10		15.38	717.81
	10/07/10		16.47	716.72
	11/19/10		18.69	714.50
	12/03/10		17.40	715.79
	01/14/11		17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47
	12/01/11		16.03	717.16
	01/13/12		15.63	717.56

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/06/06	735.48	15.94	719.54
	02/03/06		15.66	719.82
	03/03/06		15.92	719.56
	04/26/06		13.81	721.67
	05/25/06		15.07	720.41
	06/23/06		15.62	719.86
	07/07/06		15.82	719.66
	08/04/06		15.77	719.71
	09/15/06		16.05	719.43
	10/13/06		16.29	719.19
	11/10/06		16.01	719.47
	12/08/06		16.41	719.07
	01/03/07		16.35	719.13
	02/12/07		16.99	718.49
	03/12/07		16.68	718.80
	04/09/07		15.45	720.03
	05/07/07		15.71	719.77
	06/08/07		16.01	719.47
	07/17/07		16.45	719.03
	08/01/07		18.05	717.43
	09/14/07		17.59	717.89
	10/12/07		18.17	717.31
	11/09/07		17.88	717.60
	12/07/07		15.77	719.71
	01/04/08		17.90	717.58
	02/15/08		16.91	718.57
	03/13/08		16.41	719.07
	04/11/08		14.99	720.49
	05/08/08		15.81	719.67
	06/06/08		14.71	720.77
	07/03/08		14.60	720.88
	08/01/08		14.79	720.69
	09/12/08		16.43	719.05
	10/10/08		17.12	718.36
	11/06/08		17.16	718.32
	12/19/08		17.59	717.89
	01/02/09		17.65	717.83
	02/13/09		16.52	718.96
	03/13/09		16.61	718.87
	04/09/09		16.42	719.06
	05/08/09		15.86	719.62
	06/05/09		15.86	719.62
	07/02/09		16.77	718.71
	08/14/09		15.28	720.20
	09/11/09		15.28	720.20
	10/09/09		16.42	719.06
	11/04/09		16.28	719.20
	12/04/09		16.94	718.54
	01/14/10		16.64	718.84
	02/10/10		16.84	718.64
	03/11/10		16.29	719.19
	04/08/10		16.29	719.19
	05/06/10		16.79	718.69
	06/04/10		16.59	718.89
	07/01/10		15.72	719.76
	08/12/10		16.54	718.94
	09/08/10		18.06	717.42
	10/07/10		18.98	716.50
	11/19/10		19.80	715.68
	12/03/10		18.81	716.67
	01/14/11		18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42
	12/01/11		18.26	717.22
	01/13/12		17.56	717.92

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	08/12/10	731.96	13.81	718.15
	09/08/10		14.07	717.89
	10/07/10		15.41	716.55
	11/19/10		16.78	715.18
	12/03/10		16.38	715.58
	01/14/11		15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78
	12/01/11		14.73	717.23
	01/13/12		14.37	717.59

NR-Not Recorded
NG-Not Gauged

ATTACHMENT B

Groundwater Recovery

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	***445,555***	***428,463***	***536,852***	-	-	***1,410,870***
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	***1,949,120***	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	***2,835,673***	-	-	6,436,098
3/28/1997	1,692,834	2,039,011	***2,835,673***	-	-	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	***2,842,124***	-	-	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	3,313,604	7,312,970	6,402,525	-	-	17,050,326
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	3,889,675	8,638,302	7,429,910	1,171,610	-	21,150,724
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308
12/1/2011	18,629,825	33,598,934	48,320,048	53,355,570	6,100,310	160,025,914
12/16/2011	18,629,949	33,694,694	48,451,868	53,577,620	6,282,440	160,657,798
12/28/2011	18,629,987	33,779,384	48,561,758	53,756,850	6,369,780	161,118,986
1/13/2012	18,645,754	33,859,637	48,708,053	53,992,589	6,573,941	161,801,201
1/16/2012	18,716,529	33,865,708	48,721,294	54,013,533	6,592,457	161,930,748
1/27/2012	18,757,241	33,938,060	48,817,779	54,170,142	6,731,820	162,436,269

Notes:

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.

AMPHENOL CORPORATION
FRANKLIN, INDIANA



ATTACHMENT C

Field Notes

iWM CONSULTING GROUP

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Inspection Date: 1-13-12
A Personnel: R. Mien D. White
Arrival Time: 9:40
arture Time: 12:35
m Response Visit: YES (NO)

BIWEEKLY DATA

alizer Readings: RW-1 18205.6 RW-2 18170293.0 RW-3 32207325.0 RW-4 53992589.0 RW-5 6573941.0
v Rate GPM: RW-1 cycling RW-2 cycling RW-3 6.00 RW-4 10.00 RW-5 9.25
ump Running Amps RW-1 3.4 RW-2 3.6 RW-3 3.5 RW-4 3.7 RW-5 3.7
Stripper Pressure: 15" Inches of Water
ffluent Clarity: (Clear)
ding Temperature: 58° Degrees F
tem Operation Upon Arrival: (YES) NO (if no please explain below)

er Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
lease circle appropriate controller(s) below:

Manholes	(NO)	YES	Repaired	
Lines	(NO)	YES	Repaired	
Stripper	(NO)	YES	Repaired	

es, explain:

MONTHLY DATA

er Cartridges Replaced: No RW-1 yes RW-2 yes RW-3 No RW-4 yes RW-5
pper Trays and Tubes Checked: yes
tripper Trays and Tubes Cleaned: No
nitoring/Recovery Wells Gauged: yes
ecommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

: Inspection Date: 1/16/2012
M Personnel: R. Mier
ival Time: 1:30 PM
arture Time: 1:45 PM
rm Response Visit: YES NO

BIWEEKLY DATA

alizer Readings: RW-1 88,980,8 RW-2 18,776,364 RW-3 32,220,566 RW-4 54,013,533 RW-5 6,592,457

w Rate GPM: RW-1 NA RW-2 NA RW-3 NA RW-4 NA RW-5 NA

np Running Amps RW-1 NA RW-2 NA RW-3 NA RW-4 NA RW-5 NA

Stripper Pressure: NA Inches of Water

luent Clarity: NA

lding Temperature: NA Degrees F

tem Operation Upon Arrival: YES NO (if no please explain below)

ınd system down due to power interruption.

ter Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
ase circle appropriate controller(s) below:

Manholes	NO	YES	Repaired	
Lines	NO	YES	Repaired	
Stripper	NO	YES	Repaired	

es, explain:

MONTHLY DATA

er Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

pper Trays and Tubes Checked:

pper Trays and Tubes Cleaned:

nitoring/Recovery Wells Gauged:

commendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Site Inspection Date: 1-27-12

W Personnel: Mier

Arrival Time: 920

De rture Time: 1035

Al n Response Visit: YES (NO)

BIWEEKLY DATA

Tc izer Readings: RW-1 129692.0 RW-2 18848716.0 RW-3 32317051.0 RW-4 54170142.0 RW-5 6731820.0

Flow Rate GPM: RW-1 cycling RW-2 4.25 RW-3 6.25 RW-4 10.00 RW-5 8.25

Pu p Running Amps RW-1 3.2 RW-2 3.4 RW-3 3.6 RW-4 4.2 RW-5 3.5

Ai Stripper Pressure: 15" Inches of Water

Effluent Clarity: (Clear)

Bi ling Temperature: 64° Degrees F

System Operation Upon Arrival: (YES) NO (if no please explain below)

W er Leaks: RW-1 RW-2 RW-3 RW-4 RW-5

Pl se circle appropriate controller(s) below:

Manholes	(NO)	YES	Repaired	
Lines	(NO)	YES	Repaired	
Stripper	(NO)	YES	Repaired	

f s, explain:

MONTHLY DATA

Fi Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

M toring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

7428 Rockville Road, Indianapolis, IN 46214

March 12, 2012

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492

Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED CORRECTIVE MEASURE
Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the January 27 through February 24, 2012 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On February 10, 2012, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 7.76 feet below top of casing (TOC) in MW-9 to 17.05 feet below TOC in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 were operational during groundwater gauging activities. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a groundwater contour map based on the February 10, 2012 depth to water measurements has been included as **Figure 2**.

Groundwater Treatment System

From January 27 through February 24, 2012, approximately 1,291,711 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 163,727,980 gallons. The average influent groundwater recovery rate from January 27 through February 24, 2012 was approximately 32.0 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on February 10, 2012 to complete quarterly, monthly, and bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon departure from the site on February 10, 2012.

IWM personnel mobilized to the site on February 24, 2012 to complete bi-weekly system operation and maintenance activities and quarterly system sampling activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on February 24, 2012.

Quarterly Treatment System Sampling

On February 24, 2012, influent samples from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 and a combined effluent sample were obtained to evaluate the groundwater treatment system. Each of the influent sample taps was allowed to run for at least 10 seconds. Prior to sampling, water flow from the tap was reduced to minimize turbulence and agitation. All samples were submitted to Pace Analytical Services, Inc. (Pace), located in Indianapolis, Indiana for volatile organic compound (VOC) analysis by SW-846 Method 8260B.

Laboratory analytical results from the February 24, 2012 quarterly system sampling activities indicated the presence of trichloroethene in groundwater samples obtained from recovery wells RW-1, RW-2, RW-3, and RW-5. 1,1,1-Trichloroethane was detected in the groundwater sample obtained from recovery well RW-2. Cis-1,2-dichloroethene was detected in the groundwater samples obtained from recovery wells RW-2, RW-3, and RW-5. Tetrachloroethene was detected in the groundwater samples obtained from recovery wells RW-2, RW-3, RW-4, and RW-5. 1,1-Dichloroethane was detected in the groundwater sample obtained from recovery well RW-2. No constituents of concern were detected in the remedial system's effluent water sample.

Historic quarterly system sampling analytical results are summarized in **Table 1**. Laboratory data sheets are provided in **Attachment D**.

Schedule of Activities

Monthly and biweekly system operation and maintenance activities are scheduled for the month of March 2012. Site visits are scheduled for the weeks beginning March 5 and March 19, 2012. The information from these site inspections will be included in the March 2012 Progress Report.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting Group, LLC appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

IWM CONSULTING GROUP, LLC

Christopher D. Parks, LPG
Project Manager

Bradley E. Gentry, LPG
Senior Project Manager

Attachments
cc: Mr. Dave Dowden, Lancer Realty & Development Co.

IWM CONSULTING GROUP

FIGURES



LEGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

Scale 1":100 ft.

DRAWN BY:	L. STRUM
DATE:	9/27/99
REVISED:	
HWPA #111291-01	
DWG. NO.	111291S1

FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP



LEGEND

- MONITORING WELL
- RECOVERY WELL
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER
- 722.00 POTENTIONMETRIC SURFACE (CONTOUR INTERVAL = 1.0 FT.)

0 100
SCALE IN FEET

DRAWN BY: L. STRUM	FIGURE 2 GROUNDWATER ELEVATION MAP (02/10/12)	FORMER AMPHENOL RFI/CMS 980 HURRICANE ROAD FRANKLIN, INDIANA	IWM CONSULTING GROUP
DATE: 9/27/99			
REVISED:			
HWPA #111291-01			
DWG. NO. 111291S1			

TABLES

Table 1
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-1	5/3/1995	33	ND	ND[1]	ND	ND	100	200	ND	520	ND	ND	ND	ND	ND	ND	853
	8/3/1995	31	ND	ND	ND	ND	170	180	ND	400	ND	ND	ND	ND	ND	ND	781
	11/7/1995	30	ND	ND	ND	ND	ND	190	ND	390	ND	ND	ND	ND	ND	ND	610
	4/12/1996	NS[2]	ND	NS	NS	ND	NS	NS	ND	NS	ND	ND	ND	ND	ND	ND	0
	7/8/1996	14	ND	ND	ND	ND	31	120	ND	350	ND	ND	ND	ND	ND	ND	515
	10/17/1996	15	ND	ND	ND	ND	29	150	ND	1,800	ND	ND	ND	ND	ND	ND	1,994
	2/7/1997	18	ND	ND	ND	ND	ND	140	ND	260	ND	ND	ND	ND	ND	ND	278
	5/7/1997	9.9	ND	ND	ND	ND	20	91	ND	250	ND	ND	ND	ND	ND	ND	371
	8/4/1997	9.8	ND	ND	ND	ND	35	160	ND	210	ND	ND	ND	ND	ND	ND	415
	11/10/1997	NS	ND	NS	NS	ND	NS	NS	ND	NS	ND	ND	ND	ND	ND	ND	0
	12/1/1997	28	ND	ND	27	ND	180	190	ND	320	ND	ND	ND	ND	ND	ND	745
	2/4/1998	24	ND	ND	ND	ND	ND	150	ND	270	ND	ND	ND	ND	ND	ND	444
	5/8/1998	ND	ND	ND	ND	ND	350	240	ND	540	ND	ND	ND	ND	ND	ND	1,130
	7/30/1998	16	ND	ND	ND	ND	180	160	ND	140	ND	ND	ND	ND	ND	ND	496
	11/13/1998	12	11	ND	ND	ND	ND	150	ND	270 E	ND	ND	ND	ND	ND	ND	173
	2/12/1999	6.3	ND	ND	ND	ND	24	76	ND	156	ND	ND	ND	ND	ND	ND	262
	5/7/1999	7.5	ND	ND	ND	ND	6.6	97	ND	150	ND	ND	ND	ND	ND	ND	261
	8/13/1999	7.7	ND	ND	ND	ND	7.6	89	ND	180	ND	ND	ND	ND	ND	ND	284
	11/5/1999	11	ND	ND	ND	ND	6.6	120	ND	170	ND	ND	ND	ND	ND	ND	308
	2/11/2000	12	ND	ND	ND	ND	9.9	110	ND	150	ND	ND	ND	ND	ND	ND	282
	5/24/2000	10	ND	ND	ND	ND	38	88	ND	150	ND	ND	ND	ND	ND	ND	286
	8/4/2000	10	ND	ND	ND	ND	13	120	ND	200	ND	ND	ND	ND	ND	ND	343
	9/1/2000	8.4	ND	ND	ND	ND	ND	ND	5.6	200	ND	ND	ND	ND	ND	ND	214
	11/20/2000	8.3	ND	ND	ND	ND	ND	90	ND	170	ND	ND	ND	ND	ND	ND	268
	2/16/2001	7.4	ND	ND	ND	ND	ND	77	ND	170	ND	ND	ND	ND	ND	ND	254
	5/11/2001	5.2	ND	ND	ND	ND	71	140	ND	150	ND	ND	ND	ND	ND	ND	366
	8/10/2001	5.8	ND	ND	ND	ND	ND	64	ND	150	ND	ND	ND	ND	ND	ND	220
	1/22/2002	8.1	ND	ND	ND	ND	ND	95	ND	140	ND	ND	ND	ND	ND	ND	243
	5/2/2002	ND	ND	ND	ND	ND	ND	51	ND	130	ND	ND	ND	ND	ND	ND	181
	8/2/2002	ND	ND	ND	ND	ND	ND	53	ND	95	ND	ND	ND	ND	ND	ND	148
	10/17/2002	5.5	ND	ND	ND	ND	ND	64	ND	150	ND	ND	ND	ND	ND	ND	220
	1/7/2003	6.9	ND	ND	ND	ND	ND	58	ND	120	ND	ND	ND	ND	ND	ND	185
	4/30/2003	ND	ND	ND	ND	ND	14	66	ND	140	ND	ND	ND	ND	ND	ND	220
	7/25/2003	ND	ND	ND	ND	ND	39	45	ND	110	ND	ND	ND	ND	ND	ND	194
	10/3/2003	6.9	ND	ND	ND	ND	ND	53	ND	130	ND	ND	ND	ND	ND	ND	190
	1/8/2004	ND	ND	ND	ND	ND	5	39	ND	97	ND	ND	ND	ND	ND	ND	141
	4/2/2004	5.1	ND	ND	ND	ND	ND	49	ND	110	ND	ND	ND	ND	ND	ND	164
	7/7/2004	ND	ND	ND	ND	ND	9.1	39	ND	97	ND	ND	ND	ND	ND	ND	145
	10/29/2004	8.5	ND	ND	ND	ND	780	100	ND	230	ND	ND	ND	ND	ND	ND	1,119
	2/17/2005	ND	ND	ND	ND	ND	6	32	ND	83	ND	ND	ND	ND	ND	ND	121
	4/28/2005	ND	ND	ND	ND	ND	ND	32	ND	73	ND	ND	ND	ND	ND	ND	105
	8/19/2005	5.51	ND	ND	ND	ND	5.02	56.2	ND	103	ND	ND	ND	ND	ND	ND	170
	11/11/2005	9	ND	ND	ND	ND	222	105	ND	200	ND	ND	ND	ND	ND	ND	536
	1/6/2006	ND	ND	ND	ND	ND	5.99	51.8	ND	90.2	ND	ND	ND	ND	ND	ND	147.99
	5/25/2006	ND	ND	ND	ND	ND	7.65	36.7	ND	71.0	ND	ND	ND	ND	ND	ND	115.35
	8/18/2006	ND	ND	ND	ND	ND	ND	45.0	ND	87.2	ND	ND	ND	ND	ND	ND	132.20
	10/27/2006	5.01	ND	ND	ND	ND	ND	45.2	ND	92.6	ND	ND	ND	ND	ND	ND	142.81
	1/16/2007	ND	ND	ND	ND	ND	ND	26.0	ND	62.0	ND	ND	ND	ND	ND	ND	88.00
	4/17/2007	ND	ND	ND	ND	ND	70.8	28	ND	56.9	ND	ND	ND	ND	ND	ND	155.7
	7/17/2007	ND	ND	ND	ND	ND	ND	33.8	ND	68	ND	ND	ND	ND	ND	6.3	108.1
	10/26/2007	5.9	ND	ND	ND	ND	ND	49.8	ND	74.1	ND	ND	ND	ND	ND	ND	129.8
	1/4/2008	ND	ND	ND	ND	ND	ND	48	ND	83.8	ND	ND	ND	ND	ND	8.3	140.1
	4/25/2008	ND	ND	ND	ND	ND	50	22.2	ND	ND	ND	ND	ND	ND	ND	ND	72.2
	7/3/2008	ND	ND	ND	ND	ND	ND	22.9	ND	38.4	ND	ND	ND	ND	ND	ND	61.3
	11/21/2008	ND	ND	ND	ND	ND	9.5	33.8	ND	73.5	ND	ND	ND	ND	ND	ND	116.8
	2/27/2009	ND	ND	ND	ND	ND	5.5	28.3	ND	56.4	ND	ND	ND	ND	ND	ND	90.2
	5/22/2009	ND	ND	ND	ND	ND	5.3	24.5	ND	53.3	ND	ND	ND	ND	ND	ND	83.1
	8/28/2009	ND	ND	ND	ND	ND	6.7	23.8	ND	51.0	ND	ND	ND	ND	ND	ND	81.5
	11/19/2009	ND	ND	ND	ND	ND	5.3	28.5	ND	63.1	ND	ND	ND	ND	ND	ND	96.9
	2/26/2010	ND	ND	ND	22.5	ND	192	47.2	ND	71.8	ND	ND	ND	ND	ND	ND	333.5
	5/21/2010	ND	ND	ND	14.8	ND	103	32.0	ND	58.8	ND	ND	ND	ND	ND	ND	208.6
	8/26/2010	ND	ND	ND	ND	ND	ND	23.3	ND	39.9	ND	ND	ND	ND	ND	ND	63.2
	11/19/2010	ND	ND	ND	190	5.1	159	41.0	ND	96.3	ND	ND	ND	ND	ND	ND	491.4
	2/11/2011	ND	ND	ND	5.3	ND	9.3	20.3	ND	37.7	ND	ND	ND	ND	ND	ND	72.6
	5/20/2011	ND	ND	ND	5.5	ND	5.6	14.6	ND	29	ND	ND	ND	ND	ND	ND	54.7
	8/25/2011	ND	ND	ND	51.5	ND	131	27.3	ND	72	ND	ND	ND	ND	ND	ND	281.8
	11/18/2011	ND	ND	ND	ND	ND	ND	24.2	ND	29.8	ND	ND	ND	ND	ND	ND	54
	2/24/2012	ND	ND	ND	ND	ND	ND	ND	ND	31	ND	ND	ND	ND	ND	ND	31

Notes:
Results in micrograms per liter (ug/l).
(1) ND - Not Detected - analyte not detected above laboratory method detection limit.
(2) NS - Not Sampled, RW-1 not in operation during April 1996 and November 1997 sampling events.
E - Trichloroethane value for RW-1 during the November 13, 1998 sampling event is an estimated value only.

Table 1 (continued)
Former Amphenol Facility
960 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-2	5/3/1995	47	ND	8.1	3.9	ND	1,500	960	ND	4,300	ND	ND	ND	ND	ND	ND	6,819
	8/3/1995	48	ND	ND	ND	ND	1,500	1,100	ND	3,000	ND	ND	ND	ND	ND	ND	5,648
	11/7/1995	58	ND	9.1	5.3	ND	2,100	1,300	ND	2,200	ND	ND	ND	ND	ND	ND	5,672
	4/12/1996	ND	ND	ND	ND	ND	980	530	ND	1,500	ND	ND	ND	ND	ND	ND	3,010
	7/8/1996	31	ND	7.3	ND	ND	2,100	1,200	ND	2,100	ND	ND	ND	ND	ND	ND	5,438
	10/17/1996	33	ND	ND	ND	ND	2,600	680	ND	2,900	ND	ND	ND	ND	ND	ND	6,213
	2/7/1997	27	ND	ND	ND	ND	37	400	ND	410	ND	ND	ND	ND	ND	ND	874
	5/7/1997	24	ND	ND	ND	ND	880	340	ND	860	ND	ND	ND	ND	ND	ND	2,104
	8/4/1997	18	ND	ND	ND	ND	400	310	ND	560	ND	ND	ND	ND	ND	ND	1,288
	11/10/1997	21	ND	ND	ND	ND	250	260	ND	550	ND	ND	ND	ND	ND	ND	1,081
	2/4/1998	22	ND	ND	ND	ND	310	260	ND	590	ND	ND	ND	ND	ND	ND	1,182
	5/8/1998	ND	ND	ND	ND	ND	750	330	ND	790	ND	ND	ND	ND	ND	ND	1,870
	7/30/1998	16	ND	ND	ND	ND	870	270	ND	890	ND	ND	ND	ND	ND	ND	2,046
	11/13/1998	ND	13	ND	ND	ND	200	160	ND	93	ND	ND	ND	ND	ND	ND	466
	2/12/1999	32	ND	ND	ND	ND	1,400	390	ND	1,200	ND	ND	ND	ND	ND	ND	3,022
	5/7/1999	28	ND	ND	ND	ND	1,300	530	ND	900	ND	ND	ND	ND	ND	ND	2,758
	8/13/1999	14	ND	ND	ND	ND	1,200	410	ND	810	ND	ND	ND	ND	ND	ND	2,434
	11/5/1999	21	ND	5.4	ND	ND	920	390	ND	760	ND	ND	ND	ND	ND	ND	2,116
	2/11/2000	30	ND	ND	ND	ND	1,300	420	ND	880	ND	ND	ND	ND	ND	ND	2,630
	5/24/2000	26	ND	ND	ND	ND	1,100	370	ND	840	ND	ND	ND	ND	ND	ND	2,336
	8/4/2000	25	ND	ND	ND	ND	1,600	500	ND	980	22	ND	ND	ND	ND	ND	3,127
	9/1/2000	22	ND	ND	ND	ND	1,400	430	ND	860	ND	ND	ND	ND	ND	ND	2,712
	11/20/2000	23	ND	ND	ND	ND	1,100	300	ND	680	ND	ND	ND	ND	ND	ND	2,103
	2/16/2001	16	ND	ND	ND	ND	1,000	260	ND	580	ND	ND	ND	ND	ND	ND	1,856
	5/11/2001	18	ND	ND	ND	ND	1,200	480	ND	690	ND	ND	ND	ND	ND	ND	2,388
	8/10/2001	ND	ND	ND	ND	ND	1,300	410	ND	940	ND	ND	ND	ND	ND	ND	2,650
	1/22/2002	ND	8.3	ND	ND	ND	1,100	730	ND	560	ND	ND	ND	ND	ND	ND	2,398
	5/2/2002	14	ND	ND	ND	ND	810	290	ND	600	ND	ND	ND	ND	ND	ND	1,714
	8/2/2002	ND	ND	ND	ND	ND	120	81	ND	61	ND	ND	ND	ND	ND	ND	262
	10/17/2002	17	ND	ND	ND	ND	1,800	340	ND	960	ND	ND	ND	ND	ND	ND	3,117
	1/7/2003	21	ND	5	ND	ND	1,500	350	ND	700	ND	ND	ND	ND	ND	ND	2,576
	4/30/2003	18	ND	ND	ND	ND	1,500	630	ND	1,000	ND	ND	ND	ND	ND	ND	3,148
	7/25/2003	13	ND	ND	ND	ND	1,200	270	ND	640	ND	ND	ND	ND	ND	ND	2,123
	10/3/2003	15	ND	ND	ND	ND	1,400	240	ND	650	ND	ND	ND	ND	ND	ND	2,305
	1/8/2004	16	ND	ND	ND	ND	1,300	320	ND	750	ND	ND	ND	ND	ND	ND	2,386
	4/2/2004	15	ND	ND	ND	ND	1,300	330	ND	700	ND	ND	ND	ND	ND	ND	2,345
	7/7/2004	14	ND	ND	ND	ND	1,400	260	ND	610	ND	ND	ND	ND	ND	ND	2,284
	10/28/2004	20	ND	ND	5.3	ND	1,900	210	ND	690	ND	ND	ND	ND	ND	ND	2,825
	2/17/2005	18	ND	ND	ND	ND	1,600	280	ND	690	ND	ND	ND	ND	ND	ND	2,588
	4/28/2005	13	ND	ND	ND	ND	1,300	200	ND	550	ND	ND	ND	ND	ND	ND	2,063
	8/19/2005	ND	ND	ND	ND	ND	129	109	ND	58.9	ND	ND	ND	ND	ND	ND	297
	11/11/2005	30	ND	ND	7	ND	1,390	238	ND	534	ND	ND	ND	ND	ND	ND	2,199
	1/6/2006	18.4	ND	ND	ND	ND	2,220	380	ND	699	6.04	ND	ND	ND	ND	ND	3,323.44
	5/25/2006	20.8	ND	ND	14.4	ND	1,874	298	ND	570	ND	ND	ND	ND	ND	ND	2,775.20
	9/1/2006	10.5	ND	ND	12.1	ND	842	121	ND	266	ND	ND	ND	ND	ND	ND	1,251.60
	10/27/2006	20.2	ND	ND	19.2	ND	1,590	181	ND	510	ND	ND	ND	ND	ND	ND	2,320.40
	1/16/2007	17	ND	ND	32	ND	1,600	200	ND	500	ND	ND	ND	ND	ND	ND	2,349
	4/17/2007	12.2	ND	ND	34.1	ND	1,760	162	ND	445	ND	ND	ND	ND	ND	ND	2,413.3
	7/17/2007	16.1	ND	5	325	ND	1,960	176	ND	530	ND	ND	ND	ND	ND	ND	3,012.1
	10/26/2007	18.8	ND	ND	577	ND	1,000	169	ND	407	ND	ND	ND	ND	ND	31.5	2,203.3
	1/4/2008	18.6	ND	ND	770	ND	1,610	158	ND	425	ND	ND	ND	ND	ND	ND	2,981.6
	4/25/2008	28.4	ND	28.4	535	ND	1,880	208	ND	529	ND	ND	ND	ND	ND	ND	3,208.8
	7/3/2008	17.6	ND	ND	291	ND	1,390	178	ND	461	ND	ND	ND	ND	ND	ND	2,337.6
	11/21/2008	13.8	ND	ND	190	ND	1,900	177	ND	498	ND	ND	ND	ND	ND	ND	2,778.8
	2/27/2009	14.4	ND	ND	144	ND	1,390	158	ND	411	ND	ND	ND	ND	ND	ND	2,117.4
	5/22/2009	15.7	ND	ND	159	ND	1,280	199	ND	397	ND	ND	ND	ND	ND	ND	2,050.7
	8/26/2009	11.2	ND	ND	145	ND	1,340	193	ND	355	ND	ND	ND	ND	ND	ND	2,044.2
	11/19/2009	17.1	ND	ND	225	ND	1,630	214	ND	428	ND	ND	ND	ND	ND	ND	2,514.1
	2/26/2010	13.2	ND	ND	181	ND	973	168	ND	297	ND	ND	ND	ND	ND	ND	1,632.2
	5/21/2010	ND	ND	ND	164	ND	1,610	128	ND	493	ND	ND	ND	ND	ND	ND	2,395.0
	8/26/2010	10.6	ND	ND	202	ND	1,230	132	ND	332	ND	ND	ND	ND	ND	ND	1,906.6
	11/19/2010	8.6	ND	ND	6.3	ND	297	151	ND	160	ND	ND	ND	ND	ND	ND	622.9
	2/11/2011	12.2	ND	ND	51	ND	579	99.6	ND	196	ND	ND	ND	ND	ND	ND	937.8
	5/20/2011	9.1	ND	ND	1,000	ND	812	78.5	ND	196	ND	ND	ND	ND	ND	ND	2,095.6
	8/25/2011	ND	ND	ND	17.9	ND	164	44.7	ND	68.1	ND	ND	ND	ND	ND	ND	294.7
	11/18/2011	11	ND	ND	8.5	ND	213	103	ND	173	ND	ND	ND	ND	ND	ND	508.5
	2/24/2012	5	ND	ND	83.7	ND	131	53.7	ND	74	ND	ND	ND	ND	ND	ND	347.4

Notes:
Results in micrograms per liter (ug/l).

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-3	5/3/1995	28	ND	ND	ND	ND	160	540	ND	2,900	ND	ND	ND	ND	ND	ND	3,628
	8/3/1995	53	ND	ND	ND	ND	16	560	ND	870	ND	ND	ND	ND	ND	ND	1,499
	11/7/1995	48	ND	6.9	ND	ND	1,400	950	ND	1,700	ND	ND	ND	ND	ND	ND	4,105
	4/12/1996	ND	ND	ND	ND	ND	93	450	ND	1,200	ND	ND	ND	ND	ND	ND	1,743
	7/8/1996	39	ND	6.5	ND	ND	45	820	ND	1,100	ND	ND	ND	ND	ND	ND	2,011
	10/17/1996	34	ND	ND	ND	ND	2,600	720	ND	2,900	ND	ND	ND	ND	ND	ND	6,254
	2/7/1997	28	ND	ND	ND	ND	37	410	ND	410	ND	ND	ND	ND	ND	ND	885
	5/7/1997	24	ND	ND	ND	ND	1,000	400	ND	990	ND	ND	ND	ND	ND	ND	2,414
	8/4/1997	17	ND	ND	ND	ND	110	330	ND	490	ND	ND	ND	ND	ND	ND	947
	11/10/1997	25	ND	ND	ND	ND	76	400	ND	600	ND	ND	ND	ND	ND	ND	1,101
	2/4/1998	30	ND	ND	ND	ND	180	460	ND	840	ND	ND	ND	ND	ND	ND	1,510
	5/8/1998	ND	ND	ND	ND	ND	260	380	ND	640	ND	ND	ND	ND	ND	ND	1,280
	7/30/1998	33	ND	ND	ND	ND	27	450	ND	190	ND	ND	ND	ND	ND	ND	700
	11/13/1998	11	ND	ND	ND	ND	48	120	ND	130	ND	ND	ND	ND	ND	ND	309
	2/12/1999	33	ND	ND	ND	ND	110	420	ND	420	ND	ND	ND	ND	ND	ND	983
	5/7/1999	18	ND	ND	ND	ND	180	320	ND	410	ND	ND	ND	ND	ND	ND	928
	8/13/1999	15	ND	ND	ND	ND	260	240	ND	400	ND	ND	ND	ND	ND	ND	915
	11/5/1999	13	ND	ND	ND	ND	280	260	ND	400	ND	ND	ND	ND	ND	ND	953
	2/11/2000	19	ND	ND	ND	ND	370	280	ND	400	ND	ND	ND	ND	ND	ND	1,069
	5/24/2000	17	ND	ND	ND	ND	480	260	ND	480	ND	ND	ND	ND	ND	ND	1,237
	8/4/2000	16	ND	ND	ND	ND	1,100	290	ND	550	ND	ND	ND	ND	ND	ND	1,956
	9/1/2000	15	ND	ND	ND	ND	830	270	ND	440	ND	ND	ND	ND	ND	ND	1,555
	11/20/2000	15	23	ND	ND	ND	650	220	ND	330	ND	ND	ND	ND	ND	ND	1,238
	2/16/2001	13	ND	ND	ND	ND	630	200	ND	300	ND	ND	ND	ND	ND	ND	1,143
	5/11/2001	ND	ND	ND	ND	ND	1,700	260	ND	310	ND	ND	ND	ND	ND	ND	2,270
	8/10/2001	13	ND	ND	ND	ND	1,200	260	ND	390	ND	ND	ND	ND	ND	ND	1,863
	1/22/2002	14	ND	7	ND	ND	610	ND	ND	340	ND	ND	ND	ND	ND	ND	971
	5/2/2002	11	ND	ND	ND	ND	340	240	ND	190	ND	ND	ND	ND	ND	ND	781
	8/2/2002	10	ND	ND	ND	ND	300	220	ND	170	ND	ND	ND	ND	11	ND	711
	10/17/2002	9	ND	ND	ND	ND	360	190	ND	210	ND	ND	ND	ND	ND	ND	769
	1/7/2003	23	ND	ND	ND	ND	310	350	ND	250	ND	ND	ND	ND	ND	ND	933
	4/30/2003	12	ND	ND	ND	ND	560	160	ND	190	ND	ND	ND	ND	ND	ND	922
	7/25/2003	9.6	ND	ND	ND	ND	400	180	ND	160	ND	ND	ND	ND	ND	ND	750
	10/3/2003	10	ND	ND	ND	ND	500	160	ND	180	ND	ND	ND	ND	ND	ND	850
	1/8/2004	ND	ND	ND	ND	ND	450	220	ND	180	ND	ND	ND	ND	ND	ND	850
	4/2/2004	9.5	ND	ND	ND	ND	370	240	ND	150	ND	ND	ND	ND	ND	ND	770
	7/7/2004	8.7	ND	ND	ND	ND	430	200	ND	160	ND	ND	ND	ND	ND	ND	799
	10/29/2004	9.1	ND	ND	ND	ND	450	180	ND	160	ND	ND	ND	ND	ND	ND	799
	2/17/2005	ND	ND	ND	ND	ND	25	ND	ND	ND	ND	ND	ND	ND	ND	ND	25
	4/28/2005	31	ND	ND	ND	ND	100	660	ND	85	ND	ND	ND	ND	ND	ND	876
	8/19/2005	12.5	ND	ND	ND	ND	269	282	ND	150	ND	ND	ND	ND	ND	ND	714
	11/11/2005	20	ND	ND	ND	ND	299	235	ND	128	ND	ND	ND	ND	ND	ND	682
	1/16/2006	ND	ND	ND	ND	ND	207	400	ND	156	ND	ND	ND	ND	ND	ND	763
	5/25/2006	22.8	ND	ND	ND	ND	295	412	ND	145	ND	ND	ND	ND	ND	ND	875
	8/18/2006	14.6	ND	ND	ND	ND	217	223	ND	154	ND	ND	ND	ND	ND	ND	609
	10/27/2006	13.8	ND	ND	ND	ND	199	168	ND	154	ND	ND	ND	ND	ND	ND	535
	1/16/2007	13	ND	ND	ND	ND	240	240	ND	110	ND	ND	ND	ND	ND	ND	603
	4/17/2007	6.9	ND	ND	ND	ND	165	146	ND	73	ND	ND	ND	ND	ND	ND	391
	7/17/2007	11.5	ND	5.1	87.3	ND	223	234	ND	107	ND	ND	ND	ND	ND	ND	667.9
	10/26/2007	11.8	ND	ND	160	ND	146	191	ND	96.1	ND	ND	ND	ND	ND	ND	604.9
	1/4/2008	9.3	ND	ND	141	ND	292	195	ND	109	ND	ND	ND	ND	ND	ND	746.3
	4/25/2008	13.6	ND	ND	ND	ND	154	252	ND	83.9	ND	ND	ND	ND	ND	ND	503.5
	7/3/2008	16.8	ND	ND	ND	ND	87.6	300	ND	72.9	ND	ND	ND	ND	ND	ND	477.3
	11/21/2008	8	ND	ND	45.2	ND	269	145	ND	95.7	ND	ND	ND	ND	ND	ND	562.9
	2/27/2009	6.5	ND	ND	61.1	ND	219	148	ND	103.0	ND	ND	ND	ND	ND	ND	537.6
	5/22/2009	7.5	ND	ND	25.7	ND	239	164	ND	86.7	ND	ND	ND	ND	ND	ND	522.9
	8/28/2009	6.3	ND	ND	13.6	ND	267	126	ND	76.4	ND	ND	ND	ND	ND	ND	489.3
	11/19/2009	7.6	ND	ND	33.4	ND	272	138	ND	90.9	ND	ND	ND	ND	ND	ND	541.9
	2/26/2010	6.5	ND	ND	33.4	ND	262	111	ND	80	ND	ND	ND	ND	ND	ND	492.9
	5/21/2010	ND	ND	ND	21.9	ND	292	93.4	ND	70.2	ND	ND	ND	ND	ND	ND	477.5
	8/26/2010	5.3	ND	ND	5.2	ND	177	84	ND	49.9	ND	ND	ND	ND	ND	ND	321.4
	11/19/2010	9.2	ND	ND	382	6.9	162	137	ND	121	ND	ND	ND	ND	ND	ND	818.1
	2/11/2011	8.8	ND	ND	605	ND	81.8	118	ND	134	ND	ND	ND	ND	ND	ND	947.6
	5/20/2011	6	ND	ND	59	ND	69.6	88.8	ND	53.4	ND	ND	ND	ND	ND	ND	276.8
	8/25/2011	ND	ND	ND	55.3	ND	96.1	68.4	ND	50.8	ND	ND	ND	ND	ND	ND	270.6
	11/18/2011	6.7	ND	ND	138	ND	126	86.7	ND	77.4	ND	ND	ND	ND	ND	ND	434.8
	2/24/2012	ND	ND	ND	55.7	ND	83.6	ND	ND	61.4	ND	ND	ND	ND	ND	ND	200.7

Notes:
Results in micrograms per liter (ug/l).

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro-ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
RW-4	3/10/1999	ND	ND	ND	ND	ND	65	7	ND	ND	ND	ND	ND	ND	ND	ND	72
	5/7/1999	ND	ND	ND	ND	ND	6.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	7
	8/13/1999	ND	ND	ND	ND	ND	37	ND	ND	ND	ND	ND	ND	ND	ND	ND	37
	11/5/1999	10	ND	ND	ND	ND	140	180	ND	220	ND	ND	ND	ND	ND	ND	550
	2/11/2000	ND	ND	ND	ND	ND	15	ND	ND	ND	ND	ND	ND	ND	ND	ND	15
	5/24/2000	ND	ND	ND	ND	ND	23	ND	ND	ND	ND	ND	ND	ND	ND	ND	23
	8/4/2000	ND	ND	ND	ND	ND	30	ND	ND	ND	ND	ND	ND	ND	ND	ND	30
	9/1/2000	ND	ND	ND	ND	ND	24	ND	ND	ND	ND	ND	ND	ND	ND	ND	24
	11/20/2000	ND	ND	ND	ND	ND	46	5.1	ND	ND	ND	ND	ND	ND	ND	ND	51
	2/16/2001	ND	ND	ND	ND	ND	37	ND	ND	ND	ND	ND	ND	ND	ND	ND	37
	5/11/2001	ND	ND	ND	ND	ND	8	ND	ND	ND	ND	ND	ND	ND	ND	ND	8
	8/10/2001	ND	ND	ND	ND	ND	13	ND	ND	ND	ND	ND	ND	ND	ND	ND	13
	1/22/2002	ND	ND	ND	ND	ND	43	ND	ND	ND	ND	ND	ND	ND	ND	ND	43
	5/2/2002	ND	ND	ND	ND	ND	25	ND	ND	ND	ND	ND	ND	ND	ND	ND	25
	8/2/2002	ND	ND	ND	ND	ND	28	ND	ND	ND	ND	ND	ND	ND	ND	ND	28
	10/17/2002	ND	ND	ND	ND	ND	27	6.2	ND	ND	ND	ND	ND	ND	ND	ND	33
	1/7/2003	ND	ND	ND	ND	ND	32	7.0	ND	ND	ND	ND	ND	ND	ND	ND	39
	4/30/2003	ND	ND	ND	ND	ND	22	6.1	ND	ND	ND	ND	ND	ND	ND	ND	28
	7/25/2003	8.6	ND	ND	ND	ND	380	160	ND	170	ND	ND	ND	ND	ND	ND	719
	10/3/2003	ND	ND	ND	ND	ND	36	ND	ND	ND	ND	ND	ND	ND	ND	ND	36
	1/8/2004	ND	ND	ND	ND	ND	35	ND	ND	ND	ND	ND	ND	ND	ND	ND	35
	4/2/2004	ND	ND	ND	ND	ND	29	ND	ND	ND	ND	ND	ND	ND	ND	ND	29
	7/7/2004	ND	ND	ND	ND	ND	30	ND	ND	ND	ND	ND	ND	ND	ND	ND	30
	10/29/2004	ND	ND	ND	ND	ND	18	ND	ND	ND	ND	ND	ND	ND	ND	ND	18
	2/17/2005	7.4	ND	ND	ND	ND	350	210	ND	140	ND	ND	ND	ND	ND	ND	707
	4/28/2005	ND	ND	ND	ND	ND	25	6.2	ND	ND	ND	ND	ND	ND	ND	ND	31
	8/19/2005	ND	ND	ND	ND	ND	35.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	35.4
	11/11/2005	ND	ND	ND	ND	ND	20	ND	ND	ND	ND	ND	ND	ND	ND	ND	20
	1/6/2006	ND	ND	ND	ND	ND	39.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	39.4
	5/25/2006	ND	ND	ND	ND	ND	47.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	47.1
	8/18/2006	ND	ND	ND	ND	ND	27.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	27.3
	10/27/2006	ND	ND	ND	ND	ND	34.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	34.0
	1/16/2007	ND	ND	ND	ND	ND	34.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	34
	4/17/2007	ND	ND	ND	ND	ND	23	ND	ND	ND	ND	ND	ND	ND	ND	ND	23
	7/17/2007	ND	ND	ND	ND	ND	21.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	21.9
	10/26/2007	ND	ND	ND	ND	ND	5.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.5
	1/4/2008	ND	ND	ND	ND	ND	13.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	13.4
	4/25/2008	ND	ND	ND	ND	ND	20.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	20.4
	7/3/2008	ND	ND	ND	ND	ND	31.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	31.3
	11/21/2008	ND	ND	ND	ND	ND	16	ND	ND	ND	ND	ND	ND	ND	ND	ND	16
	2/27/2009	ND	ND	ND	ND	ND	20.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	20.3
	5/22/2009	ND	ND	ND	ND	ND	23.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	23.7
	8/28/2009	ND	ND	ND	ND	ND	30.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	30.9
	11/19/2009	ND	ND	ND	ND	ND	23.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	23.8
	2/26/2010	ND	ND	ND	ND	ND	19.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	19.8
	5/21/2010	ND	ND	ND	ND	ND	16.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	16.3
	8/26/2010	ND	ND	ND	ND	ND	14.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	14.2
	11/19/2010	ND	ND	ND	ND	ND	8.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.2
	2/11/2011	ND	ND	ND	ND	ND	8.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	8.6
	5/20/2011	ND	ND	ND	ND	ND	13.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	13.7
	8/25/2011	ND	ND	ND	ND	ND	10.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.1
	11/18/2011	ND	ND	ND	ND	ND	12	ND	ND	ND	ND	ND	ND	ND	ND	ND	12.0
	2/24/2012	ND	ND	ND	ND	ND	7.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.6
RW-5	7/22/2010	ND	ND	ND	ND	ND	1,120	132	ND	253	ND	ND	ND	8,890	ND	ND	10,395
	8/26/2010	ND	ND	ND	99.3	ND	669	114	ND	281	ND	ND	ND	ND	ND	ND	1,163
	11/19/2010	8.2	ND	ND	1,020	6.3	907	106	ND	355	ND	ND	ND	ND	ND	ND	2,403
	2/11/2011	5.2	ND	ND	766	ND	721	73.6	ND	325	ND	ND	ND	ND	ND	ND	1,890.8
	5/20/2011	ND	ND	ND	251	ND	440	87.6	ND	262	ND	ND	ND	ND	ND	ND	1,040.6
	8/25/2011	ND	ND	ND	244	ND	282	21	ND	135	ND	ND	ND	ND	ND	ND	662
	11/18/2011	ND	ND	ND	442	ND	579	67	ND	447	ND	ND	ND	ND	ND	ND	1,535
	2/24/2012	ND	ND	ND	228	ND	345	ND	ND	305	ND	ND	ND	ND	ND	ND	878

Notes:
Results in micrograms per liter (ug/l).

Table 1 (continued)
Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Treatment System Laboratory Analytical Results

Well Number	Sample Date	Analytes															
		1,1 -Dichloro-ethane	1,2 -Dichloro-ethane	1,1 -Dichloro-ethene	cis-1,2 -Dichloro ethene	trans-1,2 -Dichloro-ethene	Tetrachloro-ethene	1,1,1 -Trichloro-ethane	1,2,3 -Trichloro-benzene	Trichloro-ethene	Trichloro-fluoromethane	Naphthalene	Methyl-tert-butyl-ether	Methyl-Ethyl-Ketone	1,1,2-Trichloro-ethane	Carbon Tetrachloride	Total VOC's
Effluent	5/7/1999	ND	ND	ND	ND	ND	6.1	ND	ND	7.8	ND	ND	ND	ND	ND	ND	14
	6/18/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/13/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/5/1999	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/11/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/24/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/4/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	9/1/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/20/2000	ND	ND	ND	ND	ND	95	40	ND	86	ND	ND	ND	ND	ND	ND	221
	12/6/2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	270	ND	ND	270
	2/16/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/11/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/10/2001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/22/2002	ND	ND	ND	ND	ND	93	25	ND	61	ND	ND	ND	ND	ND	ND	179
	*05/02/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	18	17	ND	ND	ND	35
	8/2/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/17/2002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/7/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/30/2003	ND	ND	ND	ND	ND	31	8.6	ND	19	ND	ND	ND	ND	ND	ND	59
	**05/19/2003	ND	ND	ND	ND	ND	31	7.5	ND	24	ND	ND	ND	ND	ND	ND	63
	5/22/2003	ND	ND	ND	ND	ND	21	8.1	ND	18	ND	ND	ND	ND	ND	ND	47
	5/27/2003	ND	ND	ND	ND	ND	18	ND	ND	13	ND	ND	ND	ND	ND	ND	31
	5/30/2003	ND	ND	ND	ND	ND	11	ND	ND	9.6	ND	ND	ND	ND	ND	ND	21
	7/25/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/3/2003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/8/2004	ND	ND	ND	ND	ND	72	21	ND	49	ND	ND	ND	ND	ND	ND	142
	1/16/2004	ND	ND	ND	ND	ND	75	26	ND	62	ND	ND	ND	ND	ND	ND	163
	1/19/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/2/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/7/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/29/2004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/17/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/28/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/19/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/11/2005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/6/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/25/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/18/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/27/2006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/16/2007	ND	ND	ND	ND	ND	73	19	ND	35	ND	ND	ND	ND	ND	ND	127
	2/1/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/17/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/17/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	10/26/2007	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	1/4/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	4/25/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	7/3/2008	ND	ND	ND	ND	ND	10.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	10.7
	7/18/2008	ND	ND	ND	ND	ND	5.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.7
	7/22/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/21/2008	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/27/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/22/2009	ND	ND	ND	ND	ND	5.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.9
	6/9/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/28/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/19/2009	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	2/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	5/21/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	8/26/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0
	11/19/2010	ND	ND	ND	55.9	ND	15.7	ND	ND	10.3	ND	ND	ND	ND	ND	ND	81.9
	12/8/2010	ND	ND	ND	57.9	ND	24.4	ND	ND	11.8	ND	ND	ND	ND	ND	ND	94.1
	12/10/2010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/11/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	5/20/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	8/25/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	11/18/2011	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	2/24/2012	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0

Notes:
Results in micrograms per liter (ug/l).
* - Naphthalene and MTBE were detected at 18 and 17 ug/L, respectively; however, these detections are most likely due to laboratory artifacts or handling issues.
** - Methylene chloride was detected at 5.9 ug/L, however, this detection was most likely due to a laboratory artifact.

ATTACHMENT A

Groundwater Level Measurements

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/06/06	732.25	12.29	719.96
	02/03/06		12.09	720.16
	03/03/06		12.28	719.97
	04/26/06		11.60	720.65
	05/25/06		11.67	720.58
	06/23/06		12.05	720.20
	07/07/06		12.23	720.02
	08/04/06		12.17	720.08
	09/15/06		12.21	720.04
	10/13/06		12.47	719.78
	11/10/06		12.13	720.12
	12/08/06		11.68	720.57
	01/03/07		11.52	720.73
	02/12/07		12.00	720.25
	03/12/07		11.74	720.51
	04/09/07		12.01	720.24
	05/07/07		12.11	720.14
	06/08/07		12.45	719.80
	07/17/07		12.66	719.59
	08/01/07		12.73	719.52
	09/14/07		13.03	719.22
	10/12/07		13.38	718.87
	11/09/07		13.37	718.88
	12/07/07		13.27	718.98
	01/04/08		12.79	719.46
	02/15/08		11.85	720.40
	03/13/08		11.48	720.77
	04/11/08		11.31	720.94
	05/08/08		11.95	720.30
	06/06/08		11.08	721.17
	07/03/08		11.29	720.96
	08/01/08		11.65	720.60
	09/12/08		12.38	719.87
	10/10/08		12.78	719.47
	11/06/08		13.05	719.20
	12/19/08		12.97	719.28
	01/02/09		12.39	719.86
	02/13/09		12.30	719.95
	03/13/09		12.40	719.85
	04/09/09		12.22	720.03
	05/08/09		11.90	720.35
	06/05/09		11.89	720.36
	07/02/09		12.05	720.20
	08/14/09		11.55	720.70
	09/11/09		12.02	720.23
	10/09/09		12.29	719.96
	11/04/09		12.26	719.99
	12/04/09		12.55	719.70
	01/14/10		12.50	719.75
	02/10/10		NG	NG
	03/11/10		12.49	719.76
	04/08/10		12.19	720.06
	05/06/10		12.35	719.90
	06/04/10		12.47	719.78
	07/01/10		11.69	720.56
	08/12/10		12.39	719.86
	09/08/10		13.07	719.18
	10/07/10		14.04	718.21
	11/19/10		14.28	717.97
	12/03/10		13.70	718.55
	01/14/11		13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99
	12/01/11		12.82	719.43
	01/13/12		12.50	719.75
	02/10/12		12.30	719.95

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/06/06	728.71	NG	NG
	02/03/06		10.92	717.79
	03/03/06		11.03	717.68
	04/26/06		10.71	718.00
	05/25/06		10.55	718.16
	06/23/06		10.72	717.99
	07/07/06		10.85	717.86
	08/04/06		10.78	717.93
	09/15/06		10.82	717.89
	10/13/06		10.95	717.76
	11/10/06		10.83	717.88
	12/08/06		10.60	718.11
	01/03/07		10.46	718.25
	02/12/07		10.93	717.78
	03/12/07		10.81	717.90
	04/09/07		10.88	717.83
	05/07/07		10.95	717.76
	06/08/07		11.10	717.61
	07/17/07		11.12	717.59
	08/01/07		11.12	717.59
	09/14/07		11.21	717.50
	10/12/07		11.35	717.36
	11/09/07		11.35	717.36
	12/07/07		11.36	717.35
	01/04/08		11.24	717.47
	02/15/08		10.61	718.10
	03/13/08		10.42	718.29
	04/11/08		10.23	718.48
	05/08/08		10.70	718.01
	06/06/08		9.84	718.87
	07/03/08		9.89	718.82
	08/01/08		10.54	718.17
	09/12/08		10.92	717.79
	10/10/08		11.04	717.67
	11/06/08		11.20	717.51
	12/19/08		11.01	717.70
	01/02/09		10.98	717.73
	02/13/09		10.79	717.92
	03/13/09		11.13	717.58
	04/09/09		10.86	717.85
	05/08/09		10.81	717.90
	06/05/09		10.71	718.00
	07/02/09		10.81	717.90
	08/14/09		10.52	718.19
	09/11/09		10.80	717.91
	10/09/09		10.77	717.94
	11/04/09		10.91	717.80
	12/04/09		11.07	717.64
	01/14/10		11.09	717.62
	02/10/10		11.13	717.58
	03/11/10		11.03	717.68
	04/08/10		10.75	717.96
	05/06/10		10.96	717.75
	06/04/10		11.01	717.70
	07/01/10		10.52	718.19
	08/12/10		10.88	717.83
	09/08/10		11.10	717.61
	10/07/10		11.33	717.38
	11/19/10		11.49	717.22
	12/03/10		11.26	717.45
	01/14/11		11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		10.60	718.11
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69
	12/01/11		10.74	717.97
	01/13/12		10.90	717.81
	02/10/12		10.86	717.85

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/06/06	736.44	15.06	721.38
	02/03/06		14.87	721.57
	03/03/06		15.00	721.44
	04/26/06		14.33	722.11
	05/25/06		NG	NG
	06/23/06		14.75	721.69
	07/07/06		14.97	721.47
	08/04/06		14.93	721.51
	09/15/06		NG	NG
	10/13/06		15.48	720.96
	11/10/06		14.98	721.46
	12/08/06		14.15	722.29
	01/03/07		14.00	722.44
	02/12/07		14.58	721.86
	03/12/07		14.41	722.03
	04/09/07		14.64	721.80
	05/07/07		14.83	721.61
	06/08/07		15.32	721.12
	07/17/07		15.73	720.71
	08/01/07		16.89	719.55
	09/14/07		16.23	720.21
	10/12/07		16.65	719.79
	11/09/07		16.60	719.84
	12/07/07		16.55	719.89
	01/04/08		15.87	720.57
	02/15/08		14.41	722.03
	03/13/08		13.82	722.62
	04/11/08		13.50	722.94
	05/08/08		14.33	722.11
	06/06/08		13.30	723.14
	07/03/08		13.41	723.03
	08/01/08		13.68	722.76
	09/12/08		15.28	721.16
	10/10/08		15.77	720.67
	11/06/08		16.11	720.33
	12/19/08		16.10	720.34
	01/02/09		15.26	721.18
	02/13/09		15.16	721.28
	03/13/09		15.25	721.19
	04/09/09		14.88	721.56
	05/08/09		NG	NG
	06/05/09		14.25	722.19
	07/02/09		14.62	721.82
	08/14/09		13.92	722.52
	09/11/09		14.73	721.71
	10/09/09		15.17	721.27
	11/04/09		15.07	721.37
	12/04/09		15.48	720.96
	01/14/10		15.23	721.21
	02/10/10		15.37	721.07
	03/11/10		15.21	721.23
	04/08/10		14.82	721.62
	05/06/10		14.92	721.52
	06/04/10		15.13	721.31
	07/01/10		14.04	722.40
	08/12/10		15.06	721.38
	09/08/10		15.85	720.59
	10/07/10		16.52	719.92
	11/19/10		16.99	719.45
	12/03/10		16.32	720.12
	01/14/11		16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47
	12/01/11		15.48	720.96
	01/13/12		14.87	721.57
	02/10/12		14.49	721.95

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/06/06	733.04	8.90	724.14
	02/03/06		8.16	724.88
	03/03/06		8.52	724.52
	04/26/06		7.55	725.49
	05/25/06		6.90	726.14
	06/23/06		7.81	725.23
	07/07/06		8.51	724.53
	08/04/06		8.59	724.45
	09/15/06		8.99	724.05
	10/13/06		9.40	723.64
	11/10/06		8.67	724.37
	12/08/06		7.71	725.33
	01/03/07		6.85	726.19
	02/12/07		7.81	725.23
	03/12/07		9.56	723.48
	04/09/07		10.56	722.48
	05/07/07		8.35	724.69
	06/08/07		9.07	723.97
	07/17/07		9.65	723.39
	08/01/07		9.82	723.22
	09/14/07		10.49	722.55
	10/12/07		10.95	722.09
	11/09/07		11.14	721.90
	12/07/07		11.21	721.83
	01/04/08		10.46	722.58
	02/15/08		8.45	724.59
	03/13/08		7.28	725.76
	04/11/08		6.40	726.64
	05/08/08		7.74	725.30
	06/06/08		8.49	724.55
	07/03/08		8.50	724.54
	08/01/08		7.28	725.76
	09/12/08		7.30	725.74
	10/10/08		9.47	723.57
	11/06/08		9.98	723.06
	12/19/08		9.34	723.70
	01/02/09		8.77	724.27
	02/13/09		8.04	725.00
	03/13/09		8.75	724.29
	04/09/09		7.82	725.22
	05/08/09		NG	NG
	06/05/09		7.24	725.80
	07/02/09		7.89	725.15
	08/14/09		6.96	726.08
	09/11/09		8.47	724.57
	10/09/09		8.34	724.70
	11/04/09		8.46	724.58
	12/04/09		8.98	724.06
	01/14/10		8.83	724.21
	02/10/10		NG	NG
	03/11/10		8.51	724.53
	04/08/10		7.37	725.67
	05/06/10		8.16	724.88
	06/04/10		8.48	724.56
	07/01/10		7.22	725.82
	08/12/10		8.94	724.10
	09/08/10		9.81	723.23
	10/07/10		10.51	722.53
	11/19/10		11.10	721.94
	12/03/10		10.31	722.73
	01/14/11		10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29
	12/01/11		8.57	724.47
	01/13/12		8.18	724.86
	02/10/12		7.76	725.28

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12	01/06/06	736.38	16.40	719.98
	02/03/06		16.30	720.08
	03/03/06		16.40	719.98
	04/26/06		15.79	720.59
	05/25/06		15.82	720.56
	06/23/06		16.20	720.18
	07/07/06		16.34	720.04
	08/04/06		16.24	720.14
	09/15/06		16.39	719.99
	10/13/06		16.56	719.82
	11/10/06		16.25	720.13
	12/08/06		17.72	718.66
	01/03/07		15.70	720.68
	02/12/07		16.18	720.20
	03/12/07		15.54	720.84
	04/09/07		16.17	720.21
	05/07/07		16.32	720.06
	06/08/07		16.58	719.80
	07/17/07		16.79	719.59
	08/01/07		16.88	719.50
	09/14/07		17.10	719.28
	10/12/07		17.47	718.91
	11/09/07		17.45	718.93
	12/07/07		17.35	719.03
	01/04/08		16.86	719.52
	02/03/08		15.97	720.41
	03/13/08		15.67	720.71
	04/11/08		15.52	720.86
	05/08/08		16.06	720.32
Well Damaged	06/06/08		NG	NG
MW-12R	07/03/08	736.15	15.47	720.68
	08/01/08		15.76	720.39
	09/12/08		16.49	719.66
	10/10/08		16.85	719.30
	11/06/08		17.17	718.98
	12/19/08		17.05	719.10
	01/02/09		16.51	719.64
	02/13/09		16.44	719.71
	03/13/09		16.57	719.58
	04/09/09		16.38	719.77
	05/08/09		16.11	720.04
	06/05/09		16.05	720.10
	07/02/09		16.22	719.93
	08/14/09		15.77	720.38
	09/11/09		16.04	720.11
	10/09/09		16.41	719.74
	11/04/09		16.46	719.69
	12/04/09		16.71	719.44
	01/14/10		16.60	719.55
	02/10/10		16.68	719.47
	03/11/10		16.63	719.52
	04/08/10		16.32	719.83
	05/06/10		16.49	719.66
	06/04/10		16.61	719.54
	07/01/10		15.85	720.30
	08/12/10		16.64	719.51
	09/08/10		17.28	718.87
	10/07/10		18.41	717.74
	11/19/10		18.71	717.44
	12/03/10		18.22	717.93
	01/14/11		17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61
	12/01/11		17.20	718.95
	01/13/12		16.83	719.32
	02/10/12		16.66	719.49

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/06/06	734.03	9.58	724.45
	02/03/06		9.11	724.92
	03/03/06		9.61	724.42
	04/26/06		9.02	725.01
	05/25/06		8.55	725.48
	06/23/06		9.14	724.89
	07/07/06		9.30	724.73
	08/04/06		9.72	724.31
	09/15/06		9.38	724.65
	10/13/06		10.57	723.46
	11/10/06		9.64	724.39
	12/08/06		9.06	724.97
	01/03/07		8.51	725.52
	02/12/07		9.42	724.61
	03/12/07		9.24	724.79
	04/09/07		9.36	724.67
	05/07/07		9.61	724.42
	06/08/07		10.20	723.83
	07/17/07		10.72	723.31
	08/01/07		10.85	723.18
	09/14/07		11.58	722.45
	10/12/07		12.02	722.01
	11/09/07		12.10	721.93
	12/07/07		11.91	722.12
	01/04/08		11.11	722.92
	02/15/08		9.43	724.60
	03/13/08		8.71	725.32
	04/11/08		8.28	725.75
	05/08/08		9.23	724.80
	06/06/08		7.64	726.39
	07/03/08		7.67	726.36
	08/01/08		9.00	725.03
	09/12/08		9.05	724.98
	10/10/08		10.51	723.52
	11/06/08		11.17	722.86
	12/19/08		10.01	724.02
	01/02/09		9.69	724.34
	02/13/09		9.12	724.91
	03/13/09		9.84	724.19
	04/09/09		9.04	724.99
	05/08/09		8.53	725.50
	06/05/09		8.93	725.10
	07/02/09		9.34	724.69
	08/14/09		8.68	725.35
	09/11/09		9.74	724.29
	10/09/09		9.24	724.79
	11/04/09		9.55	724.48
	12/04/09		9.98	724.05
	01/14/10		9.99	724.04
	02/10/10		9.99	724.04
	03/11/10		9.46	724.57
	04/08/10		8.53	725.50
	05/06/10		9.41	724.62
	06/04/10		9.51	724.52
	07/01/10		8.81	725.22
	08/12/10		10.16	723.87
	09/08/10		11.07	722.96
	10/07/10		11.76	722.27
	11/19/10		12.08	721.95
	12/03/10		10.96	723.07
	01/14/11		11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52
	12/01/11		9.32	724.71
	01/13/12		9.39	724.64
	02/10/12		9.19	724.84

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/06/06	737.91	16.65	721.26
	02/03/06		16.48	721.43
	03/03/06		16.60	721.31
	04/26/06		16.01	721.90
	05/25/06		15.81	722.10
	06/23/06		16.40	721.51
	07/07/06		16.62	721.29
	08/04/06		16.61	721.30
	09/15/06		NG	NG
	10/13/06		17.12	720.79
	11/10/06		16.64	721.27
	12/08/06		16.65	721.26
	01/03/07		15.71	722.20
	02/12/07		4.76	733.15
	03/12/07		16.10	721.81
	04/09/07		16.91	721.00
	05/07/07		16.50	721.41
	06/08/07		16.98	720.93
	07/17/07		17.35	720.56
	08/01/07		17.55	720.36
	09/14/07		17.88	720.03
	10/12/07		18.29	719.62
	11/09/07		18.23	719.68
	12/07/07		18.19	719.72
	01/04/08		17.48	720.43
	02/15/08		16.10	721.81
	03/13/08		15.52	722.39
	04/11/08		15.20	722.71
	05/08/08		16.02	721.89
	06/06/08		15.00	722.91
	07/03/08		15.05	722.86
	08/01/08		15.36	722.55
	09/12/08		16.95	720.96
	10/10/08		17.43	720.48
	11/06/08		17.78	720.13
	12/19/08		17.75	720.16
	01/02/09		16.94	720.97
	02/13/09		16.85	721.06
	03/13/09		16.94	720.97
	04/09/09		16.60	721.31
	05/08/09		16.16	721.75
	06/05/09		15.97	721.94
	07/02/09		16.32	721.59
	08/14/09		15.67	722.24
	09/11/09		16.41	721.50
	10/09/09		16.94	720.97
	11/04/09		16.76	721.15
	12/04/09		17.15	720.76
	01/14/10		16.95	720.96
	02/10/10		17.06	720.85
	03/11/10		16.91	721.00
	04/08/10		16.53	721.38
	05/06/10		16.63	721.28
	06/04/10		16.84	721.07
	07/01/10		15.78	722.13
	08/12/10		16.76	721.15
	09/08/10		17.51	720.40
	10/07/10		18.17	719.74
	11/19/10		18.64	719.27
	12/03/10		17.98	719.93
	01/14/11		17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27
	12/01/11		17.18	720.73
	01/13/12		16.57	721.34
	02/10/12		16.24	721.67

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/06/06	737.64	16.91	720.73
	02/03/06		16.85	720.79
	03/03/06		16.96	720.68
	04/26/06		16.60	721.04
	05/25/06		16.52	721.12
	06/23/06		16.98	720.66
	07/07/06		17.16	720.48
	08/04/06		17.13	720.51
	09/15/06		17.35	720.29
	10/13/06		17.56	720.08
	11/10/06		17.16	720.48
	12/08/06		16.52	721.12
	01/03/07		16.46	721.18
	02/12/07		16.90	720.74
	03/12/07		16.66	720.98
	04/09/07		16.91	720.73
	05/07/07		17.03	720.61
	06/08/07		17.43	720.21
	07/17/07		17.76	719.88
	08/01/07		17.97	719.67
	09/14/07		18.24	719.40
	10/12/07		18.62	719.02
	11/09/07		18.59	719.05
	12/07/07		18.51	719.13
	01/04/08		17.91	719.73
	02/15/08		16.80	720.84
	03/13/08		16.37	721.27
	04/11/08		16.13	721.51
	05/08/08		16.74	720.90
	06/06/08		15.88	721.76
	07/03/08		15.91	721.73
	08/01/08		16.29	721.35
	09/12/08		17.47	720.17
	10/10/08		17.87	719.77
	11/06/08		18.22	719.42
	12/19/08		18.12	719.52
	01/02/09		17.47	720.17
	02/13/09		17.37	720.27
	03/13/09		17.58	720.06
	04/09/09		17.23	720.41
	05/08/09		16.89	720.75
	06/05/09		16.72	720.92
	07/02/09		16.98	720.66
	08/14/09		16.49	721.15
	09/11/09		16.91	720.73
	10/09/09		17.36	720.28
	11/04/09		17.30	720.34
	12/04/09		17.65	719.99
	01/14/10		17.48	720.16
	02/10/10		17.57	720.07
	03/11/10		17.46	720.18
	04/08/10		17.14	720.50
	05/06/10		17.28	720.36
	06/04/10		17.42	720.22
	07/01/10		16.55	721.09
	08/12/10		17.27	720.37
	09/08/10		17.88	719.76
	10/07/10		18.64	719.00
	11/19/10		19.08	718.56
	12/03/10		18.46	719.18
	01/14/11		18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53
	12/01/11		17.70	719.94
	01/13/12		17.24	720.40
	02/10/12		17.05	720.59

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/06/06	736.02	15.55	720.47
	02/03/06		15.31	720.71
	03/03/06		15.41	720.61
	04/26/06		14.82	721.20
	05/25/06		14.58	721.44
	06/23/06		15.11	720.91
	07/07/06		15.31	720.71
	08/04/06		15.31	720.71
	09/15/06		15.54	720.48
	10/13/06		15.73	720.29
	11/10/06		15.35	720.67
	12/08/06		14.69	721.33
	01/03/07		14.51	721.51
	02/12/07		14.97	721.05
	03/12/07		14.88	721.14
	04/09/07		15.07	720.95
	05/07/07		15.24	720.78
	06/08/07		15.63	720.39
	07/17/07		15.95	720.07
	08/01/07		16.02	720.00
	09/14/07		16.31	719.71
	10/12/07		16.64	719.38
	11/09/07		16.65	719.37
	12/07/07		16.67	719.35
	01/04/08		16.18	719.84
	02/15/08		14.95	721.07
	03/13/08		14.43	721.59
	04/11/08		14.07	721.95
	05/08/08		14.88	721.14
	06/06/08		13.85	722.17
	07/03/08		13.87	722.15
	08/01/08		14.38	721.64
	09/12/08		15.58	720.44
	10/10/08		15.98	720.04
	11/06/08		16.26	719.76
	12/19/08		16.28	719.74
	01/02/09		15.74	720.28
	02/13/09		15.54	720.48
	03/13/09		15.66	720.36
	04/09/09		15.43	720.59
	05/08/09		15.03	720.99
	06/05/09		14.79	721.23
	07/02/09		15.07	720.95
	08/14/09		14.50	721.52
	09/11/09		15.13	720.89
	10/09/09		15.53	720.49
	11/04/09		15.49	720.53
	12/04/09		15.80	720.22
	01/14/10		15.60	720.42
	02/10/10		15.71	720.31
	03/11/10		15.61	720.41
	04/08/10		15.28	720.74
	05/06/10		15.39	720.63
	06/04/10		15.55	720.47
	07/01/10		14.56	721.46
	08/12/10		15.39	720.63
	09/08/10		16.02	720.00
	10/07/10		16.57	719.45
	11/19/10		16.98	719.04
	12/03/10		16.56	719.46
	01/14/11		16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86
	12/01/11		15.83	720.19
	01/13/12		15.27	720.75
	02/10/12		15.03	720.99

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/06/06	736.39	13.05	723.34
	02/03/06		12.56	723.83
	03/03/06		12.91	723.48
	04/26/06		12.05	724.34
	05/25/06		11.50	724.89
	06/23/06		12.19	724.20
	07/07/06		12.76	723.63
	08/04/06		12.75	723.64
	09/15/06		13.09	723.30
	10/13/06		13.45	722.94
	11/10/06		12.81	723.58
	12/08/06		11.99	724.40
	01/03/07		11.42	724.97
	02/12/07		12.28	724.11
	03/12/07		12.15	724.24
	04/09/07		12.39	724.00
	05/07/07		12.65	723.74
	06/08/07		13.25	723.14
	07/17/07		13.69	722.70
	08/01/07		13.85	722.54
	09/14/07		14.37	722.02
	10/12/07		14.82	721.57
	11/09/07		14.93	721.46
	12/07/07		14.91	721.48
	01/04/08		14.20	722.19
	02/15/08		12.47	723.92
	03/13/08		11.63	724.76
	04/11/08		11.04	725.35
	05/08/08		12.13	724.26
	06/06/08		10.29	726.10
	07/03/08		10.31	726.08
	08/01/08		11.71	724.68
	09/12/08		11.80	724.59
	10/10/08		13.61	722.78
	11/06/08		14.07	722.32
	12/19/08		13.95	722.44
	01/02/09		12.92	723.47
	02/13/09		12.47	723.92
	03/13/09		13.02	723.37
	04/09/09		12.22	724.17
	05/08/09		11.72	724.67
	06/05/09		11.78	724.61
	07/02/09		12.27	724.12
	08/14/09		11.44	724.95
	09/11/09		12.70	723.69
	10/09/09		12.72	723.67
	11/04/09		12.74	723.65
	12/04/09		13.21	723.18
	01/14/10		13.06	723.33
	02/10/10		13.15	723.24
	03/11/10		12.78	723.61
	04/08/10		12.18	724.21
	05/06/10		12.52	723.87
	06/04/10		12.69	723.70
	07/01/10		11.62	724.77
	08/12/10		13.06	723.33
	09/08/10		13.89	722.50
	10/07/10		14.52	721.87
	11/19/10		14.97	721.42
	12/03/10		14.11	722.28
	01/14/11		14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68
	12/01/11		12.73	723.66
	01/13/12		12.48	723.91
	02/10/12		12.15	724.24

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/06/06	736.63	15.35	721.28
	02/03/06		15.15	721.48
	03/03/06		15.31	721.32
	04/26/06		14.69	721.94
	05/25/06		14.55	722.08
	06/23/06		15.10	721.53
	07/07/06		15.35	721.28
	08/04/06		15.27	721.36
	09/15/06		NG	NG
	10/13/06		15.81	720.82
	11/10/06		15.26	721.37
	12/08/06		14.58	722.05
	01/03/07		14.31	722.32
	02/12/07		15.04	721.59
	03/12/07		16.68	719.95
	04/09/07		15.03	721.60
	05/07/07		15.17	721.46
	06/08/07		15.71	720.92
	07/17/07		16.11	720.52
	08/01/07		16.31	720.32
	09/14/07		16.63	720.00
	10/12/07		17.08	719.55
	11/09/07		17.08	719.55
	12/07/07		16.79	719.84
	01/04/08		16.30	720.33
	02/15/08		14.87	721.76
	03/13/08		14.33	722.30
	04/11/08		14.11	722.52
	05/08/08		14.93	721.70
	06/06/08		13.76	722.87
	07/03/08		13.80	722.83
	08/01/08		14.46	722.17
	09/12/08		15.67	720.96
	10/10/08		16.12	720.51
	11/06/08		16.52	720.11
	12/19/08		16.41	720.22
	01/02/09		15.50	721.13
	02/13/09		15.43	721.20
	03/13/09		15.58	721.05
	04/09/09		15.11	721.52
	05/08/09		14.72	721.91
	06/05/09		14.64	721.99
	07/02/09		15.01	721.62
	08/14/09		14.37	722.26
	09/11/09		15.08	721.55
	10/09/09		15.43	721.20
	11/04/09		15.34	721.29
	12/04/09		15.78	720.85
	01/14/10		15.61	721.02
	02/10/10		15.73	720.90
	03/11/10		15.47	721.16
	04/08/10		15.12	721.51
	05/06/10		15.26	721.37
	06/04/10		15.47	721.16
	07/01/10		14.45	722.18
	08/12/10		15.42	721.21
	09/08/10		16.33	720.30
	10/07/10		16.99	719.64
	11/19/10		17.38	719.25
	12/03/10		16.64	719.99
	01/14/11		16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37
	12/01/11		15.68	720.95
	01/13/12		15.21	721.42
	02/10/12		14.93	721.70

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/06/06	738.04	17.02	721.02
	02/03/06		16.84	721.20
	03/03/06		17.00	721.04
	04/26/06		16.35	721.69
	05/25/06		16.21	721.83
	06/23/06		16.77	721.27
	07/07/06		16.97	721.07
	08/04/06		16.91	721.13
	09/15/06		17.18	720.86
	10/13/06		17.42	720.62
	11/10/06		16.95	721.09
	12/08/06		16.25	721.79
	01/03/07		16.07	721.97
	02/12/07		16.67	721.37
	03/12/07		NG	NG
	04/09/07		16.66	721.38
	05/07/07		16.81	721.23
	06/08/07		17.29	720.75
	07/17/07		17.67	720.37
	08/01/07		17.88	720.16
	09/14/07		18.19	719.85
	10/12/07		18.61	719.43
	11/09/07		18.60	719.44
	12/07/07		18.35	719.69
	01/04/08		17.85	720.19
	02/15/08		16.51	721.53
	03/13/08		16.01	722.03
	04/11/08		15.74	722.30
	05/08/08		16.51	721.53
	06/06/08		15.52	722.52
	07/03/08		15.56	722.48
	08/01/08		16.01	722.03
	09/12/08		17.28	720.76
	10/10/08		17.71	720.33
	11/06/08		18.11	719.93
	12/19/08		18.03	720.01
	01/02/09		17.20	720.84
	02/13/09		17.12	720.92
	03/13/09		17.23	720.81
	04/09/09		16.87	721.17
	05/08/09		16.48	721.56
	06/05/09		16.35	721.69
	07/02/09		16.44	721.60
	08/14/09		16.07	721.97
	09/11/09		16.68	721.36
	10/09/09		17.11	720.93
	11/04/09		17.03	721.01
	12/04/09		17.43	720.61
	01/14/10		17.25	720.79
	02/10/10		17.34	720.70
	03/11/10		17.18	720.86
	04/08/10		16.82	721.22
	05/06/10		16.95	721.09
	06/04/10		17.14	720.90
	07/01/10		16.15	721.89
	08/12/10		17.03	721.01
	09/08/10		17.87	720.17
	10/07/10		18.57	719.47
	11/19/10		19.00	719.04
	12/03/10		18.31	719.73
	01/14/11		18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12
	12/01/11		17.42	720.62
	01/13/12		16.92	721.12
	02/10/12		16.65	721.39

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/06/06	737.61	16.82	720.79
	02/03/06		16.65	720.96
	03/03/06		16.81	720.80
	04/26/06		16.22	721.39
	05/25/06		16.07	721.54
	06/23/06		16.60	721.01
	07/07/06		16.82	720.79
	08/04/06		16.72	720.89
	09/15/06		16.98	720.63
	10/13/06		17.24	720.37
	11/10/06		16.75	720.86
	12/08/06		16.10	721.51
	01/03/07		15.89	721.72
	02/12/07		16.53	721.08
	03/12/07		16.34	721.27
	04/09/07		16.51	721.10
	05/07/07		16.65	720.96
	06/08/07		17.16	720.45
	07/17/07		17.52	720.09
	08/01/07		17.71	719.90
	09/14/07		18.03	719.58
	10/12/07		18.45	719.16
	11/09/07		18.44	719.17
	12/07/07		18.13	719.48
	01/04/08		17.66	719.95
	02/15/08		16.36	721.25
	03/13/08		15.89	721.72
	04/11/08		15.67	721.94
	05/08/08		16.43	721.18
	06/06/08		15.45	722.16
	07/03/08		15.47	722.14
	08/01/08		16.08	721.53
	09/12/08		17.13	720.48
	10/10/08		17.55	720.06
	11/06/08		17.93	719.68
	12/19/08		17.80	719.81
	01/02/09		16.96	720.65
	02/13/09		16.90	720.71
	03/13/09		17.02	720.59
	04/09/09		16.84	720.77
	05/08/09		16.27	721.34
	06/05/09		16.88	720.73
	07/02/09		16.91	720.70
	08/14/09		15.93	721.68
	09/11/09		15.84	721.77
	10/09/09		16.92	720.69
	11/04/09		16.83	720.78
	12/04/09		17.25	720.36
	01/14/10		17.03	720.58
	02/10/10		17.18	720.43
	03/11/10		16.98	720.63
	04/08/10		16.61	721.00
	05/06/10		16.77	720.84
	06/04/10		16.97	720.64
	07/01/10		15.99	721.62
	08/12/10		16.90	720.71
	09/08/10		17.78	719.83
	10/07/10		18.45	719.16
	11/19/10		18.84	718.77
	12/03/10		18.12	719.49
	01/14/11		17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88
	12/01/11		17.19	720.42
	01/13/12		16.73	720.88
	02/10/12		16.48	721.13

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/06/06	734.84	15.43	719.41
	02/03/06		15.37	719.47
	03/03/06		15.45	719.39
	04/26/06		14.86	719.98
	05/25/06		15.13	719.71
	06/23/06		15.30	719.54
	07/07/06		15.37	719.47
	08/04/06		15.33	719.51
	09/15/06		15.40	719.44
	10/13/06		15.45	719.39
	11/10/06		15.36	719.48
	12/08/06		15.20	719.64
	01/03/07		15.15	719.69
	02/12/07		15.34	719.50
	03/12/07		17.13	717.71
	04/09/07		15.36	719.48
	05/07/07		15.44	719.40
	06/08/07		15.48	719.36
	07/17/07		15.47	719.37
	08/01/07		15.49	719.35
	09/14/07		16.07	718.77
	10/12/07		16.06	718.78
	11/09/07		16.10	718.74
	12/07/07		16.15	718.69
	01/04/08		16.01	718.83
	02/15/08		15.17	719.67
	03/13/08		14.88	719.96
	04/11/08		14.67	720.17
	05/08/08		15.22	719.62
	06/06/08		14.32	720.52
	07/03/08		14.80	720.04
	08/01/08		14.91	719.93
	09/12/08		15.72	719.12
	10/10/08		15.92	718.92
	11/06/08		16.07	718.77
	12/19/08		15.84	719.00
	01/02/09		15.72	719.12
	02/13/09		15.68	719.16
	03/13/09		15.79	719.05
	04/09/09		15.66	719.18
	05/08/09		15.57	719.27
	06/05/09		15.40	719.44
	07/02/09		15.55	719.29
	08/14/09		15.10	719.74
	09/11/09		15.16	719.68
	10/09/09		15.67	719.17
	11/04/09		15.39	719.45
	12/04/09		15.87	718.97
	01/14/10		15.82	719.02
	02/10/10		15.74	719.10
	03/11/10		15.68	719.16
	04/08/10		15.48	719.36
	05/06/10		16.61	718.23
	06/04/10		15.66	719.18
	07/01/10		13.07	721.77
	08/12/10		14.99	719.85
	09/08/10		15.83	719.01
	10/07/10		16.12	718.72
	11/19/10		16.24	718.60
	12/03/10		16.03	718.81
	01/14/11		16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13
	12/01/11		15.22	719.62
	01/13/12		15.44	719.40
	02/10/12		15.37	719.47

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/06/06	730.97	12.88	718.09
	02/03/06		12.86	718.11
	03/03/06		12.02	718.95
	04/26/06		10.94	720.03
	05/25/06		12.08	718.89
	06/23/06		12.85	718.12
	07/07/06		12.61	718.36
	08/04/06		12.85	718.12
	09/15/06		11.14	719.83
	10/13/06		12.95	718.02
	11/10/06		12.71	718.26
	12/08/06		12.35	718.62
	01/03/07		12.40	718.57
	02/12/07		11.96	719.01
	03/12/07		12.22	718.75
	04/09/07		11.98	718.99
	05/07/07		11.10	719.87
	06/08/07		11.68	719.29
	07/17/07		11.44	719.53
	08/01/07		11.60	719.37
	09/14/07		13.10	717.87
	10/12/07		12.20	718.77
	11/09/07		12.27	718.70
	12/07/07		13.18	717.79
	01/04/08		12.85	718.12
	02/15/08		11.70	719.27
	03/13/08		11.61	719.36
	04/11/08		11.40	719.57
	05/08/08		11.39	719.58
	06/06/08		10.88	720.09
	07/03/08		11.65	719.32
	08/01/08		11.58	719.39
	09/12/08		13.09	717.88
	10/10/08		13.22	717.75
	11/06/08		12.96	718.01
	12/19/08		13.02	717.95
	01/02/09		12.80	718.17
	02/13/09		12.90	718.07
	03/13/09		12.78	718.19
	04/09/09		12.10	718.87
	05/08/09		13.35	717.62
	06/05/09		12.90	718.07
	07/02/09		12.68	718.29
	08/14/09		12.38	718.59
	09/11/09		12.30	718.67
	10/09/09		13.50	717.47
	11/04/09		13.04	717.93
	12/04/09		13.21	717.76
	01/14/10		13.42	717.55
	02/10/10		13.39	717.58
	03/11/10		12.81	718.16
	04/08/10		13.15	717.82
	05/06/10		12.14	718.83
	06/04/10		12.10	718.87
	07/01/10		13.42	717.55
	08/12/10		10.90	720.07
	09/08/10		12.70	718.27
	10/07/10		12.40	718.57
	11/19/10		12.45	718.52
	12/03/10		12.45	718.52
	01/14/11		12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22
	12/01/11		11.37	719.60
	01/13/12		12.84	718.13
	02/10/12		12.31	718.66

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/06/06	732.05	15.79	716.26
	02/03/06		14.90	717.15
	03/03/06		15.75	716.30
	04/26/06		11.51	720.54
	05/25/06		13.45	718.60
	06/23/06		15.17	716.88
	07/07/06		15.09	716.96
	08/04/06		15.45	716.60
	09/15/06		12.06	719.99
	10/13/06		15.83	716.22
	11/10/06		15.60	716.45
	12/08/06		15.30	716.75
	01/03/07		15.36	716.69
	02/12/07		15.82	716.23
	03/12/07		11.66	720.39
	04/09/07		15.91	716.14
	05/07/07		12.35	719.70
	06/08/07		15.31	716.74
	07/17/07		15.83	716.22
	08/01/07		14.40	717.65
	09/14/07		14.85	717.20
	10/12/07		14.41	717.64
	11/09/07		14.62	717.43
	12/07/07		14.68	717.37
	01/04/08		14.70	717.35
	02/15/08		15.25	716.80
	03/13/08		15.31	716.74
	04/11/08		14.10	717.95
	05/08/08		15.24	716.81
	06/06/08		12.13	719.92
	07/03/08		12.28	719.77
	08/01/08		12.30	719.75
	09/12/08		15.05	717.00
	10/10/08		15.88	716.17
	11/06/08		15.20	716.85
	12/19/08		15.50	716.55
	01/02/09		15.44	716.61
	02/13/09		12.15	719.90
	03/13/09		16.85	715.20
	04/09/09		16.30	715.75
	05/08/09		15.65	716.40
	06/05/09		14.68	717.37
	07/02/09		14.60	717.45
	08/14/09		15.35	716.70
	09/11/09		14.50	717.55
	10/09/09		17.15	714.90
	11/04/09		12.14	719.91
	12/04/09		16.81	715.24
	01/14/10		15.50	716.55
	02/10/10		15.20	716.85
	03/11/10		14.35	717.70
	04/08/10		14.28	717.77
	05/06/10		13.72	718.33
	06/04/10		13.45	718.60
	07/01/10		13.81	718.24
	08/12/10		14.58	717.47
	09/08/10		16.10	715.95
	10/07/10		15.50	716.55
	11/19/10		15.05	717.00
	12/03/10		13.78	718.27
	01/14/11		13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87
	12/01/11		15.06	716.99
	01/13/12		12.70	719.35
	02/10/12		12.48	719.57

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/06/06	733.19	12.61	720.58
	02/03/06		18.65	714.54
	03/03/06		18.81	714.38
	04/26/06		12.00	721.19
	05/25/06		17.61	715.58
	06/23/06		17.88	715.31
	07/07/06		17.61	715.58
	08/04/06		17.88	715.31
	09/15/06		12.99	720.20
	10/13/06		17.99	715.20
	11/10/06		17.52	715.67
	12/08/06		18.38	714.81
	01/03/07		18.41	714.78
	02/12/07		16.88	716.31
	03/12/07		12.16	721.03
	04/09/07		18.18	715.01
	05/07/07		12.95	720.24
	06/08/07		17.15	716.04
	07/17/07		17.71	715.48
	08/01/07		16.05	717.14
	09/14/07		16.45	716.74
	10/12/07		16.97	716.22
	11/09/07		18.75	714.44
	12/07/07		16.55	716.64
	01/04/08		15.67	717.52
	02/15/08		15.68	717.51
	03/13/08		15.79	717.40
	04/11/08		13.37	719.82
	05/08/08		16.65	716.54
	06/06/08		13.05	720.14
	07/03/08		13.90	719.29
	08/01/08		14.24	718.95
	09/12/08		15.59	717.60
	10/10/08		16.51	716.68
	11/06/08		16.55	716.64
	12/19/08		16.87	716.32
	01/02/09		16.81	716.38
	02/13/09		16.28	716.91
	03/13/09		16.35	716.84
	04/09/09		16.01	717.18
	05/08/09		15.77	717.42
	06/05/09		15.45	717.74
	07/02/09		15.10	718.09
	08/14/09		15.03	718.16
	09/11/09		14.84	718.35
	10/09/09		15.71	717.48
	11/04/09		15.66	717.53
	12/04/09		15.50	717.69
	01/14/10		16.01	717.18
	02/10/10		16.24	716.95
	03/11/10		16.21	716.98
	04/08/10		15.93	717.26
	05/06/10		16.03	717.16
	06/04/10		16.13	717.06
	07/01/10		15.09	718.10
	08/12/10		16.68	716.51
	09/08/10		15.38	717.81
	10/07/10		16.47	716.72
	11/19/10		18.69	714.50
	12/03/10		17.40	715.79
	01/14/11		17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47
	12/01/11		16.03	717.16
	01/13/12		15.63	717.56
	02/10/12		15.42	717.77

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/06/06	735.48	15.94	719.54
	02/03/06		15.66	719.82
	03/03/06		15.92	719.56
	04/26/06		13.81	721.67
	05/25/06		15.07	720.41
	06/23/06		15.62	719.86
	07/07/06		15.82	719.66
	08/04/06		15.77	719.71
	09/15/06		16.05	719.43
	10/13/06		16.29	719.19
	11/10/06		16.01	719.47
	12/08/06		16.41	719.07
	01/03/07		16.35	719.13
	02/12/07		16.99	718.49
	03/12/07		16.68	718.80
	04/09/07		15.45	720.03
	05/07/07		15.71	719.77
	06/08/07		16.01	719.47
	07/17/07		16.45	719.03
	08/01/07		18.05	717.43
	09/14/07		17.59	717.89
	10/12/07		18.17	717.31
	11/09/07		17.88	717.60
	12/07/07		15.77	719.71
	01/04/08		17.90	717.58
	02/15/08		16.91	718.57
	03/13/08		16.41	719.07
	04/11/08		14.99	720.49
	05/08/08		15.81	719.67
	06/06/08		14.71	720.77
	07/03/08		14.60	720.88
	08/01/08		14.79	720.69
	09/12/08		16.43	719.05
	10/10/08		17.12	718.36
	11/06/08		17.16	718.32
	12/19/08		17.59	717.89
	01/02/09		17.65	717.83
	02/13/09		16.52	718.96
	03/13/09		16.61	718.87
	04/09/09		16.42	719.06
	05/08/09		15.86	719.62
	06/05/09		15.86	719.62
	07/02/09		16.77	718.71
	08/14/09		15.28	720.20
	09/11/09		15.28	720.20
	10/09/09		16.42	719.06
	11/04/09		16.28	719.20
	12/04/09		16.94	718.54
	01/14/10		16.64	718.84
	02/10/10		16.84	718.64
	03/11/10		16.29	719.19
	04/08/10		16.29	719.19
	05/06/10		16.79	718.69
	06/04/10		16.59	718.89
	07/01/10		15.72	719.76
	08/12/10		16.54	718.94
	09/08/10		18.06	717.42
	10/07/10		18.98	716.50
	11/19/10		19.80	715.68
	12/03/10		18.81	716.67
	01/14/11		18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42
	12/01/11		18.26	717.22
	01/13/12		17.56	717.92
	02/10/12		16.98	718.50

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	08/12/10	731.96	13.81	718.15
	09/08/10		14.07	717.89
	10/07/10		15.41	716.55
	11/19/10		16.78	715.18
	12/03/10		16.38	715.58
	01/14/11		15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78
	12/01/11		14.73	717.23
	01/13/12		14.37	717.59
	02/10/12		14.34	717.62

NR-Not Recorded
NG-Not Gauged

ATTACHMENT B

Groundwater Recovery

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	*445,555*	*428,463*	*536,852*	-	-	*1,410,870*
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	*1,949,120*	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	*2,835,673*	-	-	6,436,098
3/28/1997	1,692,834	2,039,011	*2,835,673*	-	-	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	*2,842,124*	-	-	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	3,313,604	7,312,970	6,402,525	-	-	17,050,326
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	3,889,675	8,638,302	7,429,910	1,171,610	-	21,150,724
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	**RW-1**	**RW-2**	**RW-3**	**RW-4**	**RW-5**	**Total**
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308
12/1/2011	18,629,825	33,598,934	48,320,048	53,355,570	6,100,310	160,025,914
12/16/2011	18,629,949	33,694,694	48,451,868	53,577,620	6,282,440	160,657,798
12/28/2011	18,629,987	33,779,384	48,561,758	53,756,850	6,369,780	161,118,986

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
1/13/2012	18,645,754	33,859,637	48,708,053	53,992,589	6,573,941	161,801,201
1/16/2012	18,716,529	33,865,708	48,721,294	54,013,533	6,592,457	161,930,748
1/27/2012	18,757,241	33,938,060	48,817,779	54,170,142	6,731,820	162,436,269
2/10/2012	18,815,117	34,035,651	48,942,826	54,373,450	6,910,967	163,099,238
2/24/2012	18,862,640	34,104,647	49,069,225	54,579,272	7,090,969	163,727,980

Notes:

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.

AMPHENOL CORPORATION
FRANKLIN, INDIANA



ATTACHMENT C

Field Notes

iWM CONSULTING GROUP

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Inspection Date: 2-10-12
M Personnel: White/Mier
ival Time: @ 6:55
arture Time: 11:00
rm Response Visit: YES NO

BIWEEKLY DATA

alizer Readings: RW-1 187568.0 RW-2 18946307.0 RW-3 32442098.0 RW-4 54373450.0 RW-5 6910967.0

w Rate GPM: RW-1 cycling RW-2 5.50 RW-3 6.50 RW-4 10.00 RW-5 9.50

ıp Running Amps RW-1 3.2 RW-2 3.1 RW-3 3.5 RW-4 4.2 RW-5 3.5

Stripper Pressure: 15" Inches of Water

uent Clarity: Clear

lding Temperature: 67 Degrees F

tem Operation Upon Arrival: YES NO (if no please explain below)

ter Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
ase circle appropriate controller(s) below:

Manholes	NO	YES	Repaired	
Lines	NO	YES	Repaired	
Stripper	NO	YES	Repaired	

es, explain:

MONTHLY DATA

er Cartridges Replaced: yes RW-1 yes RW-2 yes RW-3 yes RW-4 yes RW-5

ipper Trays and Tubes Checked: yes

ipper Trays and Tubes Cleaned: yes

nitoring/Recovery Wells Gauged: yes and clean RW-pumps

commendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Inspection Date: 2-24-12
WM Personnel: R. Mier Mier
Arrival Time: 915
Departure Time: 10:49
Alarm Response Visit: YES (NO)

BIWEEKLY DATA

Totalizer Readings: RW-1 235091.0 RW-2 19015303.0 RW-3 32568497.0 RW-4 54579272.0 RW-5 7090969.0

Flow Rate GPM: RW-1 cycling RW-2 5.25 RW-3 6.25 RW-4 10.00 RW-5 9.25

Pump Running Amps RW-1 3.1 RW-2 3.2 RW-3 3.3 RW-4 4.1 RW-5 3.2

Stripper Pressure: 15 Inches of Water

Effluent Clarity: (Clear)

Building Temperature: 68 Degrees F

System Operation Upon Arrival: (YES) NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

Manholes	(NO)	YES	Repaired	
Lines	(NO)	YES	Repaired	
Stripper	(NO)	YES	Repaired	

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

ATTACHMENT D

Laboratory Analytical Report

iWM CONSULTING GROUP

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

March 08, 2012

Mr. Chris Parks
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Dear Mr. Parks:
Enclosed are the analytical results for sample(s) received by the laboratory on February 24, 2012. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kenneth Hunt

kenneth.hunt@pacelabs.com
Project Manager

Enclosures

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

CERTIFICATIONS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Indiana Certification IDs
7726 Moller Road, Indianapolis, IN 46268
Illinois Certification #: 100418
Indiana Certification #: C-49-06
Kansas Certification #: E-10247
Kentucky Certification #: 0042
Louisiana/NELAC Certification #: 04076
Ohio VAP: CL0065
West Virginia Certification #: 330

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

SAMPLE SUMMARY

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Lab ID	Sample ID	Matrix	Date Collected	Date Received
5059033001	**RW-1**	Water	02/24/12 10:15	02/24/12 11:44
5059033002	**RW-2**	Water	02/24/12 10:09	02/24/12 11:44
5059033003	**RW-3**	Water	02/24/12 10:04	02/24/12 11:44
5059033004	**RW-4**	Water	02/24/12 09:57	02/24/12 11:44
5059033005	**RW-5**	Water	02/24/12 09:53	02/24/12 11:44
5059033006	**EFFLUENT**	Water	02/24/12 09:49	02/24/12 11:44

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

SAMPLE ANALYTE COUNT

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Lab ID	Sample ID	Method	Analysts	Analytes Reported
5059033001	**RW-1**	EPA 8260	KMP	72
5059033002	**RW-2**	EPA 8260	KMP	72
5059033003	**RW-3**	EPA 8260	KMP	72
5059033004	**RW-4**	EPA 8260	KMP	72
5059033005	**RW-5**	EPA 8260	KMP	72
5059033006	**EFFLUENT**	EPA 8260	KMP	72

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Sample: RW-1 **Lab ID: 5059033001** Collected: 02/24/12 10:15 Received: 02/24/12 11:44 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/04/12 00:50	67-64-1	
Acrolein	ND	ug/L	50.0	1		03/04/12 00:50	107-02-8	
Acrylonitrile	ND	ug/L	100	1		03/04/12 00:50	107-13-1	
Benzene	ND	ug/L	5.0	1		03/04/12 00:50	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		03/04/12 00:50	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		03/04/12 00:50	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		03/04/12 00:50	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/04/12 00:50	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/04/12 00:50	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/04/12 00:50	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		03/04/12 00:50	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		03/04/12 00:50	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		03/04/12 00:50	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		03/04/12 00:50	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/04/12 00:50	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/04/12 00:50	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/04/12 00:50	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/04/12 00:50	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/04/12 00:50	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		03/04/12 00:50	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		03/04/12 00:50	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		03/04/12 00:50	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/04/12 00:50	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		03/04/12 00:50	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 00:50	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 00:50	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 00:50	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		03/04/12 00:50	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/04/12 00:50	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/04/12 00:50	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/04/12 00:50	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/04/12 00:50	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/04/12 00:50	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/04/12 00:50	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/04/12 00:50	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		03/04/12 00:50	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		03/04/12 00:50	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		03/04/12 00:50	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/04/12 00:50	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/04/12 00:50	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/04/12 00:50	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		03/04/12 00:50	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		03/04/12 00:50	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		03/04/12 00:50	591-78-6	
Iodomethane	ND	ug/L	10.0	1		03/04/12 00:50	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/04/12 00:50	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		03/04/12 00:50	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Sample: RW-1 **Lab ID: 5059033001** Collected: 02/24/12 10:15 Received: 02/24/12 11:44 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		03/04/12 00:50	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/04/12 00:50	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/04/12 00:50	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		03/04/12 00:50	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		03/04/12 00:50	103-65-1	
Styrene	ND	ug/L	5.0	1		03/04/12 00:50	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		03/04/12 00:50	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/04/12 00:50	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		03/04/12 00:50	127-18-4	
Toluene	ND	ug/L	5.0	1		03/04/12 00:50	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		03/04/12 00:50	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/04/12 00:50	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/04/12 00:50	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/04/12 00:50	79-00-5	
Trichloroethene	**31.0**	ug/L	5.0	1		03/04/12 00:50	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/04/12 00:50	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		03/04/12 00:50	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		03/04/12 00:50	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		03/04/12 00:50	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		03/04/12 00:50	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		03/04/12 00:50	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		03/04/12 00:50	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	107	%.	83-123	1		03/04/12 00:50	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	72-125	1		03/04/12 00:50	460-00-4	
Toluene-d8 (S)	98	%.	81-114	1		03/04/12 00:50	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Sample: RW-2 **Lab ID: 5059033002** Collected: 02/24/12 10:09 Received: 02/24/12 11:44 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/04/12 01:56	67-64-1	
Acrolein	ND	ug/L	50.0	1		03/04/12 01:56	107-02-8	
Acrylonitrile	ND	ug/L	100	1		03/04/12 01:56	107-13-1	
Benzene	ND	ug/L	5.0	1		03/04/12 01:56	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		03/04/12 01:56	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		03/04/12 01:56	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		03/04/12 01:56	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/04/12 01:56	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/04/12 01:56	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/04/12 01:56	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		03/04/12 01:56	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		03/04/12 01:56	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		03/04/12 01:56	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		03/04/12 01:56	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/04/12 01:56	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/04/12 01:56	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/04/12 01:56	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/04/12 01:56	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/04/12 01:56	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		03/04/12 01:56	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		03/04/12 01:56	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		03/04/12 01:56	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/04/12 01:56	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		03/04/12 01:56	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 01:56	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 01:56	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 01:56	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		03/04/12 01:56	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/04/12 01:56	75-71-8	
1,1-Dichloroethane	**5.0**	ug/L	5.0	1		03/04/12 01:56	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/04/12 01:56	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/04/12 01:56	75-35-4	
cis-1,2-Dichloroethene	**83.7**	ug/L	5.0	1		03/04/12 01:56	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/04/12 01:56	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/04/12 01:56	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		03/04/12 01:56	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		03/04/12 01:56	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		03/04/12 01:56	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/04/12 01:56	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/04/12 01:56	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/04/12 01:56	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		03/04/12 01:56	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		03/04/12 01:56	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		03/04/12 01:56	591-78-6	
Iodomethane	ND	ug/L	10.0	1		03/04/12 01:56	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/04/12 01:56	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		03/04/12 01:56	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Sample: RW-2 **Lab ID: 5059033002** Collected: 02/24/12 10:09 Received: 02/24/12 11:44 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		03/04/12 01:56	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/04/12 01:56	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/04/12 01:56	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		03/04/12 01:56	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		03/04/12 01:56	103-65-1	
Styrene	ND	ug/L	5.0	1		03/04/12 01:56	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		03/04/12 01:56	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/04/12 01:56	79-34-5	
Tetrachloroethene	**131**	ug/L	5.0	1		03/04/12 01:56	127-18-4	
Toluene	ND	ug/L	5.0	1		03/04/12 01:56	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		03/04/12 01:56	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/04/12 01:56	120-82-1	
1,1,1-Trichloroethane	**53.7**	ug/L	5.0	1		03/04/12 01:56	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/04/12 01:56	79-00-5	
Trichloroethene	**74.0**	ug/L	5.0	1		03/04/12 01:56	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/04/12 01:56	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		03/04/12 01:56	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		03/04/12 01:56	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		03/04/12 01:56	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		03/04/12 01:56	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		03/04/12 01:56	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		03/04/12 01:56	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	103	%.	83-123	1		03/04/12 01:56	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	72-125	1		03/04/12 01:56	460-00-4	
Toluene-d8 (S)	98	%.	81-114	1		03/04/12 01:56	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Sample: RW-3 **Lab ID: 5059033003** Collected: 02/24/12 10:04 Received: 02/24/12 11:44 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/04/12 04:42	67-64-1	
Acrolein	ND	ug/L	50.0	1		03/04/12 04:42	107-02-8	
Acrylonitrile	ND	ug/L	100	1		03/04/12 04:42	107-13-1	
Benzene	ND	ug/L	5.0	1		03/04/12 04:42	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		03/04/12 04:42	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		03/04/12 04:42	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		03/04/12 04:42	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/04/12 04:42	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/04/12 04:42	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/04/12 04:42	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		03/04/12 04:42	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		03/04/12 04:42	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		03/04/12 04:42	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		03/04/12 04:42	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/04/12 04:42	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/04/12 04:42	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/04/12 04:42	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/04/12 04:42	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/04/12 04:42	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		03/04/12 04:42	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		03/04/12 04:42	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		03/04/12 04:42	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/04/12 04:42	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		03/04/12 04:42	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 04:42	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 04:42	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 04:42	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		03/04/12 04:42	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/04/12 04:42	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/04/12 04:42	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/04/12 04:42	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/04/12 04:42	75-35-4	
cis-1,2-Dichloroethene	**55.7**	ug/L	5.0	1		03/04/12 04:42	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/04/12 04:42	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/04/12 04:42	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		03/04/12 04:42	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		03/04/12 04:42	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		03/04/12 04:42	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/04/12 04:42	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/04/12 04:42	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/04/12 04:42	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		03/04/12 04:42	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		03/04/12 04:42	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		03/04/12 04:42	591-78-6	
Iodomethane	ND	ug/L	10.0	1		03/04/12 04:42	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/04/12 04:42	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		03/04/12 04:42	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Sample: RW-3 **Lab ID: 5059033003** Collected: 02/24/12 10:04 Received: 02/24/12 11:44 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		03/04/12 04:42	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/04/12 04:42	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/04/12 04:42	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		03/04/12 04:42	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		03/04/12 04:42	103-65-1	
Styrene	ND	ug/L	5.0	1		03/04/12 04:42	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		03/04/12 04:42	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/04/12 04:42	79-34-5	
Tetrachloroethene	**83.6**	ug/L	5.0	1		03/04/12 04:42	127-18-4	
Toluene	ND	ug/L	5.0	1		03/04/12 04:42	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		03/04/12 04:42	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/04/12 04:42	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/04/12 04:42	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/04/12 04:42	79-00-5	
Trichloroethene	**61.4**	ug/L	5.0	1		03/04/12 04:42	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/04/12 04:42	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		03/04/12 04:42	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		03/04/12 04:42	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		03/04/12 04:42	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		03/04/12 04:42	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		03/04/12 04:42	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		03/04/12 04:42	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	104	%.	83-123	1		03/04/12 04:42	1868-53-7	
4-Bromofluorobenzene (S)	97	%.	72-125	1		03/04/12 04:42	460-00-4	
Toluene-d8 (S)	97	%.	81-114	1		03/04/12 04:42	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Sample: RW-4 **Lab ID: 5059033004** Collected: 02/24/12 09:57 Received: 02/24/12 11:44 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/04/12 05:15	67-64-1	
Acrolein	ND	ug/L	50.0	1		03/04/12 05:15	107-02-8	
Acrylonitrile	ND	ug/L	100	1		03/04/12 05:15	107-13-1	
Benzene	ND	ug/L	5.0	1		03/04/12 05:15	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		03/04/12 05:15	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		03/04/12 05:15	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		03/04/12 05:15	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/04/12 05:15	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/04/12 05:15	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/04/12 05:15	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		03/04/12 05:15	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		03/04/12 05:15	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		03/04/12 05:15	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		03/04/12 05:15	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/04/12 05:15	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/04/12 05:15	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/04/12 05:15	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/04/12 05:15	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/04/12 05:15	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		03/04/12 05:15	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		03/04/12 05:15	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		03/04/12 05:15	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/04/12 05:15	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		03/04/12 05:15	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 05:15	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 05:15	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 05:15	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		03/04/12 05:15	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/04/12 05:15	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/04/12 05:15	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/04/12 05:15	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/04/12 05:15	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/04/12 05:15	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/04/12 05:15	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/04/12 05:15	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		03/04/12 05:15	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		03/04/12 05:15	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		03/04/12 05:15	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/04/12 05:15	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/04/12 05:15	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/04/12 05:15	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		03/04/12 05:15	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		03/04/12 05:15	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		03/04/12 05:15	591-78-6	
Iodomethane	ND	ug/L	10.0	1		03/04/12 05:15	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/04/12 05:15	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		03/04/12 05:15	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Sample: RW-4 **Lab ID: 5059033004** Collected: 02/24/12 09:57 Received: 02/24/12 11:44 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		03/04/12 05:15	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/04/12 05:15	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/04/12 05:15	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		03/04/12 05:15	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		03/04/12 05:15	103-65-1	
Styrene	ND	ug/L	5.0	1		03/04/12 05:15	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		03/04/12 05:15	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/04/12 05:15	79-34-5	
Tetrachloroethene	**7.6**	ug/L	5.0	1		03/04/12 05:15	127-18-4	
Toluene	ND	ug/L	5.0	1		03/04/12 05:15	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		03/04/12 05:15	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/04/12 05:15	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/04/12 05:15	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/04/12 05:15	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		03/04/12 05:15	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/04/12 05:15	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		03/04/12 05:15	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		03/04/12 05:15	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		03/04/12 05:15	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		03/04/12 05:15	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		03/04/12 05:15	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		03/04/12 05:15	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	105	%.	83-123	1		03/04/12 05:15	1868-53-7	
4-Bromofluorobenzene (S)	96	%.	72-125	1		03/04/12 05:15	460-00-4	
Toluene-d8 (S)	99	%.	81-114	1		03/04/12 05:15	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Sample: RW-5 **Lab ID: 5059033005** Collected: 02/24/12 09:53 Received: 02/24/12 11:44 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/04/12 05:48	67-64-1	
Acrolein	ND	ug/L	50.0	1		03/04/12 05:48	107-02-8	
Acrylonitrile	ND	ug/L	100	1		03/04/12 05:48	107-13-1	
Benzene	ND	ug/L	5.0	1		03/04/12 05:48	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		03/04/12 05:48	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		03/04/12 05:48	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		03/04/12 05:48	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/04/12 05:48	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/04/12 05:48	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/04/12 05:48	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		03/04/12 05:48	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		03/04/12 05:48	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		03/04/12 05:48	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		03/04/12 05:48	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/04/12 05:48	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/04/12 05:48	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/04/12 05:48	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/04/12 05:48	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/04/12 05:48	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		03/04/12 05:48	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		03/04/12 05:48	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		03/04/12 05:48	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/04/12 05:48	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		03/04/12 05:48	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 05:48	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 05:48	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 05:48	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		03/04/12 05:48	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/04/12 05:48	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/04/12 05:48	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/04/12 05:48	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/04/12 05:48	75-35-4	
cis-1,2-Dichloroethene	**228**	ug/L	5.0	1		03/04/12 05:48	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/04/12 05:48	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/04/12 05:48	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		03/04/12 05:48	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		03/04/12 05:48	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		03/04/12 05:48	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/04/12 05:48	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/04/12 05:48	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/04/12 05:48	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		03/04/12 05:48	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		03/04/12 05:48	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		03/04/12 05:48	591-78-6	
Iodomethane	ND	ug/L	10.0	1		03/04/12 05:48	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/04/12 05:48	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		03/04/12 05:48	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Sample: RW-5 **Lab ID: 5059033005** Collected: 02/24/12 09:53 Received: 02/24/12 11:44 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		03/04/12 05:48	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/04/12 05:48	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/04/12 05:48	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		03/04/12 05:48	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		03/04/12 05:48	103-65-1	
Styrene	ND	ug/L	5.0	1		03/04/12 05:48	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		03/04/12 05:48	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/04/12 05:48	79-34-5	
Tetrachloroethene	**345**	ug/L	50.0	10		03/06/12 03:02	127-18-4	
Toluene	ND	ug/L	5.0	1		03/04/12 05:48	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		03/04/12 05:48	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/04/12 05:48	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/04/12 05:48	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/04/12 05:48	79-00-5	
Trichloroethene	**305**	ug/L	50.0	10		03/06/12 03:02	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/04/12 05:48	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		03/04/12 05:48	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		03/04/12 05:48	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		03/04/12 05:48	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		03/04/12 05:48	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		03/04/12 05:48	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		03/04/12 05:48	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	96	%.	83-123	1		03/04/12 05:48	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	72-125	1		03/04/12 05:48	460-00-4	
Toluene-d8 (S)	98	%.	81-114	1		03/04/12 05:48	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Sample: EFFLUENT **Lab ID: 5059033006** Collected: 02/24/12 09:49 Received: 02/24/12 11:44 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/04/12 06:21	67-64-1	
Acrolein	ND	ug/L	50.0	1		03/04/12 06:21	107-02-8	
Acrylonitrile	ND	ug/L	100	1		03/04/12 06:21	107-13-1	
Benzene	ND	ug/L	5.0	1		03/04/12 06:21	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		03/04/12 06:21	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		03/04/12 06:21	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		03/04/12 06:21	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/04/12 06:21	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/04/12 06:21	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/04/12 06:21	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		03/04/12 06:21	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		03/04/12 06:21	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		03/04/12 06:21	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		03/04/12 06:21	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/04/12 06:21	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/04/12 06:21	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/04/12 06:21	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/04/12 06:21	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/04/12 06:21	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		03/04/12 06:21	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		03/04/12 06:21	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		03/04/12 06:21	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/04/12 06:21	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		03/04/12 06:21	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 06:21	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 06:21	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 06:21	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		03/04/12 06:21	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/04/12 06:21	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/04/12 06:21	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/04/12 06:21	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/04/12 06:21	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/04/12 06:21	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/04/12 06:21	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/04/12 06:21	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		03/04/12 06:21	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		03/04/12 06:21	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		03/04/12 06:21	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/04/12 06:21	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/04/12 06:21	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/04/12 06:21	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		03/04/12 06:21	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		03/04/12 06:21	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		03/04/12 06:21	591-78-6	
Iodomethane	ND	ug/L	10.0	1		03/04/12 06:21	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/04/12 06:21	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		03/04/12 06:21	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Sample: EFFLUENT **Lab ID: 5059033006** Collected: 02/24/12 09:49 Received: 02/24/12 11:44 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		03/04/12 06:21	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/04/12 06:21	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/04/12 06:21	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		03/04/12 06:21	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		03/04/12 06:21	103-65-1	
Styrene	ND	ug/L	5.0	1		03/04/12 06:21	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		03/04/12 06:21	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/04/12 06:21	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		03/04/12 06:21	127-18-4	
Toluene	ND	ug/L	5.0	1		03/04/12 06:21	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		03/04/12 06:21	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/04/12 06:21	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/04/12 06:21	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/04/12 06:21	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		03/04/12 06:21	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/04/12 06:21	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		03/04/12 06:21	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		03/04/12 06:21	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		03/04/12 06:21	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		03/04/12 06:21	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		03/04/12 06:21	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		03/04/12 06:21	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	103	%.	83-123	1		03/04/12 06:21	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	72-125	1		03/04/12 06:21	460-00-4	
Toluene-d8 (S)	99	%.	81-114	1		03/04/12 06:21	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

QC Batch: MSV/40079 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 5059033001, 5059033002

METHOD BLANK: 697413 Matrix: Water
Associated Lab Samples: 5059033001, 5059033002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	03/03/12 15:59	
1,1,1-Trichloroethane	ug/L	ND	5.0	03/03/12 15:59	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	03/03/12 15:59	
1,1,2-Trichloroethane	ug/L	ND	5.0	03/03/12 15:59	
1,1-Dichloroethane	ug/L	ND	5.0	03/03/12 15:59	
1,1-Dichloroethene	ug/L	ND	5.0	03/03/12 15:59	
1,1-Dichloropropene	ug/L	ND	5.0	03/03/12 15:59	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	03/03/12 15:59	
1,2,3-Trichloropropane	ug/L	ND	5.0	03/03/12 15:59	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	03/03/12 15:59	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	03/03/12 15:59	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	03/03/12 15:59	
1,2-Dichlorobenzene	ug/L	ND	5.0	03/03/12 15:59	
1,2-Dichloroethane	ug/L	ND	5.0	03/03/12 15:59	
1,2-Dichloropropane	ug/L	ND	5.0	03/03/12 15:59	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	03/03/12 15:59	
1,3-Dichlorobenzene	ug/L	ND	5.0	03/03/12 15:59	
1,3-Dichloropropane	ug/L	ND	5.0	03/03/12 15:59	
1,4-Dichlorobenzene	ug/L	ND	5.0	03/03/12 15:59	
2,2-Dichloropropane	ug/L	ND	5.0	03/03/12 15:59	
2-Butanone (MEK)	ug/L	ND	25.0	03/03/12 15:59	
2-Chlorotoluene	ug/L	ND	5.0	03/03/12 15:59	
2-Hexanone	ug/L	ND	25.0	03/03/12 15:59	
4-Chlorotoluene	ug/L	ND	5.0	03/03/12 15:59	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	03/03/12 15:59	
Acetone	ug/L	ND	100	03/03/12 15:59	
Acrolein	ug/L	ND	50.0	03/03/12 15:59	
Acrylonitrile	ug/L	ND	100	03/03/12 15:59	
Benzene	ug/L	ND	5.0	03/03/12 15:59	
Bromobenzene	ug/L	ND	5.0	03/03/12 15:59	
Bromochloromethane	ug/L	ND	5.0	03/03/12 15:59	
Bromodichloromethane	ug/L	ND	5.0	03/03/12 15:59	
Bromoform	ug/L	ND	5.0	03/03/12 15:59	
Bromomethane	ug/L	ND	5.0	03/03/12 15:59	
Carbon disulfide	ug/L	ND	10.0	03/03/12 15:59	
Carbon tetrachloride	ug/L	ND	5.0	03/03/12 15:59	
Chlorobenzene	ug/L	ND	5.0	03/03/12 15:59	
Chloroethane	ug/L	ND	5.0	03/03/12 15:59	
Chloroform	ug/L	ND	5.0	03/03/12 15:59	
Chloromethane	ug/L	ND	5.0	03/03/12 15:59	
cis-1,2-Dichloroethene	ug/L	ND	5.0	03/03/12 15:59	
cis-1,3-Dichloropropene	ug/L	ND	5.0	03/03/12 15:59	
Dibromochloromethane	ug/L	ND	5.0	03/03/12 15:59	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

METHOD BLANK: 697413 Matrix: Water

Associated Lab Samples: 5059033001, 5059033002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	03/03/12 15:59	
Dichlorodifluoromethane	ug/L	ND	5.0	03/03/12 15:59	
Ethyl methacrylate	ug/L	ND	100	03/03/12 15:59	
Ethylbenzene	ug/L	ND	5.0	03/03/12 15:59	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	03/03/12 15:59	
Iodomethane	ug/L	ND	10.0	03/03/12 15:59	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	03/03/12 15:59	
Methyl-tert-butyl ether	ug/L	ND	4.0	03/03/12 15:59	
Methylene Chloride	ug/L	ND	5.0	03/03/12 15:59	
n-Butylbenzene	ug/L	ND	5.0	03/03/12 15:59	
n-Propylbenzene	ug/L	ND	5.0	03/03/12 15:59	
Naphthalene	ug/L	ND	5.0	03/03/12 15:59	
p-Isopropyltoluene	ug/L	ND	5.0	03/03/12 15:59	
sec-Butylbenzene	ug/L	ND	5.0	03/03/12 15:59	
Styrene	ug/L	ND	5.0	03/03/12 15:59	
tert-Butylbenzene	ug/L	ND	5.0	03/03/12 15:59	
Tetrachloroethene	ug/L	ND	5.0	03/03/12 15:59	
Toluene	ug/L	ND	5.0	03/03/12 15:59	
trans-1,2-Dichloroethene	ug/L	ND	5.0	03/03/12 15:59	
trans-1,3-Dichloropropene	ug/L	ND	5.0	03/03/12 15:59	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	03/03/12 15:59	
Trichloroethene	ug/L	ND	5.0	03/03/12 15:59	
Trichlorofluoromethane	ug/L	ND	5.0	03/03/12 15:59	
Vinyl acetate	ug/L	ND	50.0	03/03/12 15:59	
Vinyl chloride	ug/L	ND	2.0	03/03/12 15:59	
Xylene (Total)	ug/L	ND	10.0	03/03/12 15:59	
4-Bromofluorobenzene (S)	%.	99	72-125	03/03/12 15:59	
Dibromofluoromethane (S)	%.	105	83-123	03/03/12 15:59	
Toluene-d8 (S)	%.	98	81-114	03/03/12 15:59	

LABORATORY CONTROL SAMPLE: 697414

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	50.5	101	69-122	
1,1,1-Trichloroethane	ug/L	50	56.5	113	69-126	
1,1,2,2-Tetrachloroethane	ug/L	50	53.5	107	68-134	
1,1,2-Trichloroethane	ug/L	50	54.2	108	77-129	
1,1-Dichloroethane	ug/L	50	51.9	104	70-127	
1,1-Dichloroethene	ug/L	50	50.1	100	75-145	
1,1-Dichloropropene	ug/L	50	53.8	108	75-126	
1,2,3-Trichlorobenzene	ug/L	50	48.0	96	63-130	
1,2,3-Trichloropropane	ug/L	50	87.0	174	45-121	L3
1,2,4-Trichlorobenzene	ug/L	50	48.4	97	64-122	
1,2,4-Trimethylbenzene	ug/L	50	52.6	105	68-129	
1,2-Dibromoethane (EDB)	ug/L	50	56.2	112	77-123	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

LABORATORY CONTROL SAMPLE: 697414

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	50.4	101	74-123	
1,2-Dichloroethane	ug/L	50	49.6	99	71-127	
1,2-Dichloropropane	ug/L	50	50.4	101	75-126	
1,3,5-Trimethylbenzene	ug/L	50	52.8	106	69-129	
1,3-Dichlorobenzene	ug/L	50	51.5	103	76-123	
1,3-Dichloropropane	ug/L	50	52.9	106	77-126	
1,4-Dichlorobenzene	ug/L	50	51.5	103	77-121	
2,2-Dichloropropane	ug/L	50	61.6	123	45-138	
2-Butanone (MEK)	ug/L	250	318	127	42-177	
2-Chlorotoluene	ug/L	50	53.2	106	74-129	
2-Hexanone	ug/L	250	319	128	57-162	
4-Chlorotoluene	ug/L	50	54.7	109	70-125	
4-Methyl-2-pentanone (MIBK)	ug/L	250	269	108	64-135	
Acetone	ug/L	250	450	180	10-200	
Acrolein	ug/L	1000	1420	142	10-200	
Acrylonitrile	ug/L	1000	891	89	59-144	
Benzene	ug/L	50	49.6	99	76-123	
Bromobenzene	ug/L	50	51.9	104	67-130	
Bromochloromethane	ug/L	50	43.8	88	58-153	
Bromodichloromethane	ug/L	50	49.5	99	71-124	
Bromoform	ug/L	50	41.5	83	64-116	
Bromomethane	ug/L	50	52.8	106	23-197	
Carbon disulfide	ug/L	100	94.5	94	55-146	
Carbon tetrachloride	ug/L	50	52.3	105	65-125	
Chlorobenzene	ug/L	50	53.5	107	78-120	
Chloroethane	ug/L	50	49.3	99	56-163	
Chloroform	ug/L	50	49.0	98	73-122	
Chloromethane	ug/L	50	45.0	90	46-146	
cis-1,2-Dichloroethene	ug/L	50	49.4	99	79-129	
cis-1,3-Dichloropropene	ug/L	50	46.9	94	66-123	
Dibromochloromethane	ug/L	50	47.0	94	70-123	
Dibromomethane	ug/L	50	47.2	94	73-123	
Dichlorodifluoromethane	ug/L	50	55.7	111	19-200	
Ethyl methacrylate	ug/L	200	225	112	70-127	
Ethylbenzene	ug/L	50	52.2	104	75-120	
Hexachloro-1,3-butadiene	ug/L	50	52.2	104	64-131	
Iodomethane	ug/L	100	77.2	77	16-181	
Isopropylbenzene (Cumene)	ug/L	50	56.0	112	73-123	
Methyl-tert-butyl ether	ug/L	100	96.1	96	66-128	
Methylene Chloride	ug/L	50	52.6	105	61-138	
n-Butylbenzene	ug/L	50	52.2	104	69-130	
n-Propylbenzene	ug/L	50	52.8	106	71-132	
Naphthalene	ug/L	50	47.2	94	62-130	
p-Isopropyltoluene	ug/L	50	56.1	112	71-126	
sec-Butylbenzene	ug/L	50	54.2	108	69-130	
Styrene	ug/L	50	54.1	108	75-125	
tert-Butylbenzene	ug/L	50	50.4	101	49-114	
Tetrachloroethene	ug/L	50	38.0	76	57-125	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

LABORATORY CONTROL SAMPLE: 697414

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	51.0	102	72-124	
trans-1,2-Dichloroethene	ug/L	50	46.8	94	71-145	
trans-1,3-Dichloropropene	ug/L	50	45.8	92	58-118	
trans-1,4-Dichloro-2-butene	ug/L	200	223	111	50-121	
Trichloroethene	ug/L	50	53.4	107	77-122	
Trichlorofluoromethane	ug/L	50	55.0	110	56-159	
Vinyl acetate	ug/L	200	247	123	27-119	L3
Vinyl chloride	ug/L	50	49.7	99	61-146	
Xylene (Total)	ug/L	150	155	103	72-126	
4-Bromofluorobenzene (S)	%.			100	72-125	
Dibromofluoromethane (S)	%.			95	83-123	
Toluene-d8 (S)	%.			101	81-114	

MATRIX SPIKE SAMPLE: 697415

Parameter	Units	5059033001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	50	45.1	90	30-122	
1,1,1-Trichloroethane	ug/L	ND	50	76.8	154	37-136	M0
1,1,2,2-Tetrachloroethane	ug/L	ND	50	47.5	95	47-132	
1,1,2-Trichloroethane	ug/L	ND	50	49.3	99	53-131	
1,1-Dichloroethane	ug/L	ND	50	54.5	109	47-138	
1,1-Dichloroethene	ug/L	ND	50	52.5	105	54-152	
1,1-Dichloropropene	ug/L	ND	50	54.5	109	47-136	
1,2,3-Trichlorobenzene	ug/L	ND	50	40.1	80	15-132	
1,2,3-Trichloropropane	ug/L	ND	50	72.4	145	24-108	M0
1,2,4-Trichlorobenzene	ug/L	ND	50	40.5	81	10-130	
1,2,4-Trimethylbenzene	ug/L	ND	50	48.0	96	10-141	
1,2-Dibromoethane (EDB)	ug/L	ND	50	49.8	100	49-130	
1,2-Dichlorobenzene	ug/L	ND	50	45.9	92	20-137	
1,2-Dichloroethane	ug/L	ND	50	47.8	96	42-139	
1,2-Dichloropropane	ug/L	ND	50	48.2	96	50-131	
1,3,5-Trimethylbenzene	ug/L	ND	50	48.3	97	10-145	
1,3-Dichlorobenzene	ug/L	ND	50	46.4	93	13-143	
1,3-Dichloropropane	ug/L	ND	50	47.4	95	53-130	
1,4-Dichlorobenzene	ug/L	ND	50	46.6	93	13-140	
2,2-Dichloropropane	ug/L	ND	50	51.5	103	13-142	
2-Butanone (MEK)	ug/L	ND	250	246	99	43-142	
2-Chlorotoluene	ug/L	ND	50	49.6	99	15-145	
2-Hexanone	ug/L	ND	250	240	96	46-139	
4-Chlorotoluene	ug/L	ND	50	49.3	99	12-143	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	233	93	43-140	
Acetone	ug/L	ND	250	264	105	38-155	
Acrolein	ug/L	ND	1000	1810	181	11-200	
Acrylonitrile	ug/L	ND	1000	818	82	42-150	
Benzene	ug/L	ND	50	48.5	97	52-134	
Bromobenzene	ug/L	ND	50	47.5	95	25-140	
Bromochloromethane	ug/L	ND	50	44.5	89	54-144	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

MATRIX SPIKE SAMPLE: 697415

Parameter	Units	5059033001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/L	ND	50	46.6	93	42-128	
Bromoform	ug/L	ND	50	36.0	72	34-116	
Bromomethane	ug/L	ND	50	54.4	109	10-200	
Carbon disulfide	ug/L	ND	100	97.5	97	43-144	
Carbon tetrachloride	ug/L	ND	50	52.4	105	26-136	
Chlorobenzene	ug/L	ND	50	49.5	99	33-136	
Chloroethane	ug/L	ND	50	49.6	99	21-200	
Chloroform	ug/L	ND	50	47.3	95	50-134	
Chloromethane	ug/L	ND	50	47.7	95	32-160	
cis-1,2-Dichloroethene	ug/L	ND	50	49.3	98	48-145	
cis-1,3-Dichloropropene	ug/L	ND	50	42.0	84	35-116	
Dibromochloromethane	ug/L	ND	50	41.2	82	39-122	
Dibromomethane	ug/L	ND	50	45.8	92	49-134	
Dichlorodifluoromethane	ug/L	ND	50	61.3	123	35-200	
Ethyl methacrylate	ug/L	ND	200	201	100	54-123	
Ethylbenzene	ug/L	ND	50	48.9	98	29-132	
Hexachloro-1,3-butadiene	ug/L	ND	50	46.2	92	10-146	
Iodomethane	ug/L	ND	100	67.1	67	10-171	
Isopropylbenzene (Cumene)	ug/L	ND	50	52.8	106	11-146	
Methyl-tert-butyl ether	ug/L	ND	100	89.2	89	39-137	
Methylene Chloride	ug/L	ND	50	50.5	101	47-141	
n-Butylbenzene	ug/L	ND	50	48.0	96	10-156	
n-Propylbenzene	ug/L	ND	50	49.6	99	10-148	
Naphthalene	ug/L	ND	50	38.4	77	40-124	
p-Isopropyltoluene	ug/L	ND	50	52.4	105	10-150	
sec-Butylbenzene	ug/L	ND	50	51.1	102	10-150	
Styrene	ug/L	ND	50	48.6	97	20-143	
tert-Butylbenzene	ug/L	ND	50	47.7	95	10-123	
Tetrachloroethene	ug/L	ND	50	37.6	75	30-124	
Toluene	ug/L	ND	50	48.2	96	42-130	
trans-1,2-Dichloroethene	ug/L	ND	50	45.7	91	48-144	
trans-1,3-Dichloropropene	ug/L	ND	50	38.8	78	24-114	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	195	98	22-120	
Trichloroethene	ug/L	31.0	50	83.4	105	44-130	
Trichlorofluoromethane	ug/L	ND	50	59.3	119	17-200	
Vinyl acetate	ug/L	ND	200	193	97	10-115	
Vinyl chloride	ug/L	ND	50	52.6	105	45-159	
Xylene (Total)	ug/L	ND	150	143	96	29-131	
4-Bromofluorobenzene (S)	%.				100	72-125	
Dibromofluoromethane (S)	%.				99	83-123	
Toluene-d8 (S)	%.				100	81-114	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

QC Batch: MSV/40080 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 5059033003, 5059033004, 5059033005, 5059033006

METHOD BLANK: 697416 Matrix: Water
Associated Lab Samples: 5059033003, 5059033004, 5059033005, 5059033006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	03/04/12 04:09	
1,1,1-Trichloroethane	ug/L	ND	5.0	03/04/12 04:09	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	03/04/12 04:09	
1,1,2-Trichloroethane	ug/L	ND	5.0	03/04/12 04:09	
1,1-Dichloroethane	ug/L	ND	5.0	03/04/12 04:09	
1,1-Dichloroethene	ug/L	ND	5.0	03/04/12 04:09	
1,1-Dichloropropene	ug/L	ND	5.0	03/04/12 04:09	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	03/04/12 04:09	
1,2,3-Trichloropropane	ug/L	ND	5.0	03/04/12 04:09	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	03/04/12 04:09	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	03/04/12 04:09	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	03/04/12 04:09	
1,2-Dichlorobenzene	ug/L	ND	5.0	03/04/12 04:09	
1,2-Dichloroethane	ug/L	ND	5.0	03/04/12 04:09	
1,2-Dichloropropane	ug/L	ND	5.0	03/04/12 04:09	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	03/04/12 04:09	
1,3-Dichlorobenzene	ug/L	ND	5.0	03/04/12 04:09	
1,3-Dichloropropane	ug/L	ND	5.0	03/04/12 04:09	
1,4-Dichlorobenzene	ug/L	ND	5.0	03/04/12 04:09	
2,2-Dichloropropane	ug/L	ND	5.0	03/04/12 04:09	
2-Butanone (MEK)	ug/L	ND	25.0	03/04/12 04:09	
2-Chlorotoluene	ug/L	ND	5.0	03/04/12 04:09	
2-Hexanone	ug/L	ND	25.0	03/04/12 04:09	
4-Chlorotoluene	ug/L	ND	5.0	03/04/12 04:09	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	03/04/12 04:09	
Acetone	ug/L	ND	100	03/04/12 04:09	
Acrolein	ug/L	ND	50.0	03/04/12 04:09	
Acrylonitrile	ug/L	ND	100	03/04/12 04:09	
Benzene	ug/L	ND	5.0	03/04/12 04:09	
Bromobenzene	ug/L	ND	5.0	03/04/12 04:09	
Bromochloromethane	ug/L	ND	5.0	03/04/12 04:09	
Bromodichloromethane	ug/L	ND	5.0	03/04/12 04:09	
Bromoform	ug/L	ND	5.0	03/04/12 04:09	
Bromomethane	ug/L	ND	5.0	03/04/12 04:09	
Carbon disulfide	ug/L	ND	10.0	03/04/12 04:09	
Carbon tetrachloride	ug/L	ND	5.0	03/04/12 04:09	
Chlorobenzene	ug/L	ND	5.0	03/04/12 04:09	
Chloroethane	ug/L	ND	5.0	03/04/12 04:09	
Chloroform	ug/L	ND	5.0	03/04/12 04:09	
Chloromethane	ug/L	ND	5.0	03/04/12 04:09	
cis-1,2-Dichloroethene	ug/L	ND	5.0	03/04/12 04:09	
cis-1,3-Dichloropropene	ug/L	ND	5.0	03/04/12 04:09	
Dibromochloromethane	ug/L	ND	5.0	03/04/12 04:09	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

METHOD BLANK: 697416 Matrix: Water

Associated Lab Samples: 5059033003, 5059033004, 5059033005, 5059033006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	03/04/12 04:09	
Dichlorodifluoromethane	ug/L	ND	5.0	03/04/12 04:09	
Ethyl methacrylate	ug/L	ND	100	03/04/12 04:09	
Ethylbenzene	ug/L	ND	5.0	03/04/12 04:09	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	03/04/12 04:09	
Iodomethane	ug/L	ND	10.0	03/04/12 04:09	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	03/04/12 04:09	
Methyl-tert-butyl ether	ug/L	ND	4.0	03/04/12 04:09	
Methylene Chloride	ug/L	ND	5.0	03/04/12 04:09	
n-Butylbenzene	ug/L	ND	5.0	03/04/12 04:09	
n-Propylbenzene	ug/L	ND	5.0	03/04/12 04:09	
Naphthalene	ug/L	ND	5.0	03/04/12 04:09	
p-Isopropyltoluene	ug/L	ND	5.0	03/04/12 04:09	
sec-Butylbenzene	ug/L	ND	5.0	03/04/12 04:09	
Styrene	ug/L	ND	5.0	03/04/12 04:09	
tert-Butylbenzene	ug/L	ND	5.0	03/04/12 04:09	
Tetrachloroethene	ug/L	ND	5.0	03/04/12 04:09	
Toluene	ug/L	ND	5.0	03/04/12 04:09	
trans-1,2-Dichloroethene	ug/L	ND	5.0	03/04/12 04:09	
trans-1,3-Dichloropropene	ug/L	ND	5.0	03/04/12 04:09	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	03/04/12 04:09	
Trichloroethene	ug/L	ND	5.0	03/04/12 04:09	
Trichlorofluoromethane	ug/L	ND	5.0	03/04/12 04:09	
Vinyl acetate	ug/L	ND	50.0	03/04/12 04:09	
Vinyl chloride	ug/L	ND	2.0	03/04/12 04:09	
Xylene (Total)	ug/L	ND	10.0	03/04/12 04:09	
4-Bromofluorobenzene (S)	%.	99	72-125	03/04/12 04:09	
Dibromofluoromethane (S)	%.	107	83-123	03/04/12 04:09	
Toluene-d8 (S)	%.	96	81-114	03/04/12 04:09	

LABORATORY CONTROL SAMPLE: 697417

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	54.9	110	69-122	
1,1,1-Trichloroethane	ug/L	50	60.8	122	69-126	
1,1,2,2-Tetrachloroethane	ug/L	50	54.6	109	68-134	
1,1,2-Trichloroethane	ug/L	50	56.1	112	77-129	
1,1-Dichloroethane	ug/L	50	55.6	111	70-127	
1,1-Dichloroethene	ug/L	50	54.5	109	75-145	
1,1-Dichloropropene	ug/L	50	56.8	114	75-126	
1,2,3-Trichlorobenzene	ug/L	50	51.9	104	63-130	
1,2,3-Trichloropropane	ug/L	50	87.0	174	45-121	L3
1,2,4-Trichlorobenzene	ug/L	50	54.0	108	64-122	
1,2,4-Trimethylbenzene	ug/L	50	57.5	115	68-129	
1,2-Dibromoethane (EDB)	ug/L	50	59.2	118	77-123	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

LABORATORY CONTROL SAMPLE: 697417

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	54.4	109	74-123	
1,2-Dichloroethane	ug/L	50	54.3	109	71-127	
1,2-Dichloropropane	ug/L	50	54.6	109	75-126	
1,3,5-Trimethylbenzene	ug/L	50	57.6	115	69-129	
1,3-Dichlorobenzene	ug/L	50	54.9	110	76-123	
1,3-Dichloropropane	ug/L	50	55.8	112	77-126	
1,4-Dichlorobenzene	ug/L	50	55.7	111	77-121	
2,2-Dichloropropane	ug/L	50	52.0	104	45-138	
2-Butanone (MEK)	ug/L	250	314	125	42-177	
2-Chlorotoluene	ug/L	50	57.9	116	74-129	
2-Hexanone	ug/L	250	305	122	57-162	
4-Chlorotoluene	ug/L	50	58.7	117	70-125	
4-Methyl-2-pentanone (MIBK)	ug/L	250	276	110	64-135	
Acetone	ug/L	250	434	174	10-200	
Acrolein	ug/L	1000	1380	138	10-200	
Acrylonitrile	ug/L	1000	912	91	59-144	
Benzene	ug/L	50	54.1	108	76-123	
Bromobenzene	ug/L	50	55.6	111	67-130	
Bromochloromethane	ug/L	50	47.3	95	58-153	
Bromodichloromethane	ug/L	50	55.6	111	71-124	
Bromoform	ug/L	50	45.1	90	64-116	
Bromomethane	ug/L	50	55.8	112	23-197	
Carbon disulfide	ug/L	100	99.8	100	55-146	
Carbon tetrachloride	ug/L	50	57.8	116	65-125	
Chlorobenzene	ug/L	50	58.0	116	78-120	
Chloroethane	ug/L	50	52.5	105	56-163	
Chloroform	ug/L	50	54.1	108	73-122	
Chloromethane	ug/L	50	47.1	94	46-146	
cis-1,2-Dichloroethene	ug/L	50	53.3	107	79-129	
cis-1,3-Dichloropropene	ug/L	50	49.7	99	66-123	
Dibromochloromethane	ug/L	50	51.6	103	70-123	
Dibromomethane	ug/L	50	49.9	100	73-123	
Dichlorodifluoromethane	ug/L	50	56.0	112	19-200	
Ethyl methacrylate	ug/L	200	238	119	70-127	
Ethylbenzene	ug/L	50	56.6	113	75-120	
Hexachloro-1,3-butadiene	ug/L	50	56.4	113	64-131	
Iodomethane	ug/L	100	94.7	95	16-181	
Isopropylbenzene (Cumene)	ug/L	50	60.3	121	73-123	
Methyl-tert-butyl ether	ug/L	100	101	101	66-128	
Methylene Chloride	ug/L	50	57.0	114	61-138	
n-Butylbenzene	ug/L	50	54.8	110	69-130	
n-Propylbenzene	ug/L	50	57.0	114	71-132	
Naphthalene	ug/L	50	48.8	98	62-130	
p-Isopropyltoluene	ug/L	50	60.9	122	71-126	
sec-Butylbenzene	ug/L	50	59.1	118	69-130	
Styrene	ug/L	50	58.6	117	75-125	
tert-Butylbenzene	ug/L	50	55.1	110	49-114	
Tetrachloroethene	ug/L	50	40.4	81	57-125	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

LABORATORY CONTROL SAMPLE: 697417

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	55.4	111	72-124	
trans-1,2-Dichloroethene	ug/L	50	49.6	99	71-145	
trans-1,3-Dichloropropene	ug/L	50	48.0	96	58-118	
trans-1,4-Dichloro-2-butene	ug/L	200	221	110	50-121	
Trichloroethene	ug/L	50	58.9	118	77-122	
Trichlorofluoromethane	ug/L	50	59.1	118	56-159	
Vinyl acetate	ug/L	200	206	103	27-119	
Vinyl chloride	ug/L	50	52.9	106	61-146	
Xylene (Total)	ug/L	150	168	112	72-126	
4-Bromofluorobenzene (S)	%.			102	72-125	
Dibromofluoromethane (S)	%.			95	83-123	
Toluene-d8 (S)	%.			99	81-114	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 697418 697419

Parameter	Units	5059226001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	43.3	47.3	87	95	30-122	9	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	54.7	58.4	109	117	37-136	6	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	46.6	50.3	93	101	47-132	8	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	47.5	52.1	95	104	53-131	9	20	
1,1-Dichloroethane	ug/L	ND	50	50	50.5	53.5	101	107	47-138	6	20	
1,1-Dichloroethene	ug/L	ND	50	50	54.1	55.3	108	111	54-152	2	20	
1,1-Dichloropropene	ug/L	ND	50	50	55.2	57.3	110	115	47-136	4	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	41.0	45.7	82	91	15-132	11	20	
1,2,3-Trichloropropane	ug/L	ND	50	50	68.3	73.7	137	147	24-108	8	20	M0
1,2,4-Trichlorobenzene	ug/L	ND	50	50	41.1	46.4	82	93	10-130	12	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	48.5	53.7	97	107	10-141	10	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	49.2	52.4	98	105	49-130	6	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	45.7	49.7	91	99	20-137	8	20	
1,2-Dichloroethane	ug/L	ND	50	50	47.0	50.5	94	101	42-139	7	20	
1,2-Dichloropropane	ug/L	ND	50	50	48.5	51.2	97	102	50-131	5	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	49.2	54.2	98	108	10-145	10	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	47.0	50.8	94	102	13-143	8	20	
1,3-Dichloropropane	ug/L	ND	50	50	47.7	50.2	95	100	53-130	5	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	46.6	51.2	93	102	13-140	9	20	
2,2-Dichloropropane	ug/L	ND	50	50	43.9	47.0	88	94	13-142	7	20	
2-Butanone (MEK)	ug/L	ND	250	250	232	244	93	97	43-142	5	20	
2-Chlorotoluene	ug/L	ND	50	50	49.7	54.1	99	108	15-145	8	20	
2-Hexanone	ug/L	ND	250	250	233	254	93	101	46-139	9	20	
4-Chlorotoluene	ug/L	ND	50	50	49.2	53.8	98	108	12-143	9	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	229	246	92	98	43-140	7	20	
Acetone	ug/L	ND	250	250	249	262	100	105	38-155	5	20	
Acrolein	ug/L	ND	1000	1000	1680	1780	168	178	11-200	6	20	
Acrylonitrile	ug/L	ND	1000	1000	802	851	80	85	42-150	6	20	
Benzene	ug/L	ND	50	50	49.0	51.5	98	103	52-134	5	20	
Bromobenzene	ug/L	ND	50	50	47.3	50.3	95	101	25-140	6	20	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 697418 697419

Parameter	Units	5059226001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Bromochloromethane	ug/L	ND	50	50	45.1	47.5	90	95	54-144	5	20	
Bromodichloromethane	ug/L	ND	50	50	45.2	48.9	90	98	42-128	8	20	
Bromoform	ug/L	ND	50	50	32.7	36.8	65	74	34-116	12	20	
Bromomethane	ug/L	ND	50	50	57.6	62.3	115	124	10-200	8	20	
Carbon disulfide	ug/L	ND	100	100	98.0	102	98	102	43-144	4	20	
Carbon tetrachloride	ug/L	ND	50	50	49.6	55.1	99	110	26-136	11	20	
Chlorobenzene	ug/L	ND	50	50	50.3	53.3	101	107	33-136	6	20	
Chloroethane	ug/L	ND	50	50	51.0	53.8	102	108	21-200	5	20	
Chloroform	ug/L	ND	50	50	48.8	50.9	98	102	50-134	4	20	
Chloromethane	ug/L	ND	50	50	ND	49.2	1	98	32-160		20	M0
cis-1,2-Dichloroethene	ug/L	ND	50	50	48.7	50.3	97	101	48-145	3	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	38.3	42.6	77	85	35-116	10	20	
Dibromochloromethane	ug/L	ND	50	50	39.1	43.8	78	88	39-122	11	20	
Dibromomethane	ug/L	ND	50	50	43.9	46.5	88	93	49-134	6	20	
Dichlorodifluoromethane	ug/L	ND	50	50	62.2	62.8	124	126	35-200	.9	20	
Ethyl methacrylate	ug/L	ND	200	200	198	216	99	108	54-123	9	20	
Ethylbenzene	ug/L	ND	50	50	48.8	51.8	98	104	29-132	6	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	45.8	50.3	92	101	10-146	9	20	
Iodomethane	ug/L	ND	100	100	79.3	96.2	79	96	10-171	19	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	52.7	56.9	105	114	11-146	8	20	
Methyl-tert-butyl ether	ug/L	ND	100	100	87.5	93.3	88	93	39-137	6	20	
Methylene Chloride	ug/L	ND	50	50	50.4	53.0	101	106	47-141	5	20	
n-Butylbenzene	ug/L	ND	50	50	46.7	52.4	93	105	10-156	11	20	
n-Propylbenzene	ug/L	ND	50	50	50.1	53.7	100	107	10-148	7	20	
Naphthalene	ug/L	ND	50	50	38.9	43.1	75	84	40-124	10	20	
p-Isopropyltoluene	ug/L	ND	50	50	52.2	57.4	104	115	10-150	9	20	
sec-Butylbenzene	ug/L	ND	50	50	51.7	56.4	103	113	10-150	9	20	
Styrene	ug/L	ND	50	50	49.9	53.2	100	106	20-143	6	20	
tert-Butylbenzene	ug/L	ND	50	50	47.8	52.5	96	105	10-123	9	20	
Tetrachloroethene	ug/L	ND	50	50	35.7	37.6	71	75	30-124	5	20	
Toluene	ug/L	ND	50	50	49.2	52.1	98	104	42-130	6	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	46.3	48.9	93	98	48-144	5	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	36.2	40.0	72	80	24-114	10	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	200	178	191	89	96	22-120	7	20	
Trichloroethene	ug/L	ND	50	50	52.1	54.6	104	109	44-130	5	20	
Trichlorofluoromethane	ug/L	ND	50	50	59.1	61.5	118	123	17-200	4	20	
Vinyl acetate	ug/L	ND	200	200	171	183	86	92	10-115	7	20	
Vinyl chloride	ug/L	ND	50	50	53.2	55.1	106	110	45-159	4	20	
Xylene (Total)	ug/L	ND	150	150	144	155	96	103	29-131	7	20	
4-Bromofluorobenzene (S)	%.						100	102	72-125		20	
Dibromofluoromethane (S)	%.						97	97	83-123		20	
Toluene-d8 (S)	%.						99	98	81-114		20	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALIFIERS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

L3	Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.
M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
5059033001	**RW-1**	EPA 8260	MSV/40079		
5059033002	**RW-2**	EPA 8260	MSV/40079		
5059033003	**RW-3**	EPA 8260	MSV/40080		
5059033004	**RW-4**	EPA 8260	MSV/40080		
5059033005	**RW-5**	EPA 8260	MSV/40080		
5059033006	**EFFLUENT**	EPA 8260	MSV/40080		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page: 1 of 1

1549342

Section A Required Client Information:	Section B Required Project Information:	Section C Invoice Information:
Company: IWM CONSULTING GROUP	Report To: CHRIS PARKS	Attention: Chris Parks
Address: 7428 Rockville Rd Indianapolis, IN 46214	Copy To:	Company Name: IWM
		Address: SAME
Email To: cparks@iwmconsult.com	Purchase Order No.:	Pace Quote Reference:
Phone: 317-347-7111 Fax: 317-347-9326	Project Name: AMPHENOL	Pace Project Manager: KEN HUNT
Requested Due Date/TAT: Std.	Project Number: IN.AMP.11.05	Pace Profile #:

REGULATORY AGENCY: ☐ NPDES ☐ GROUND WATER ☐ DRINKING WATER ☐ UST ☒ RCRA ☐ OTHER

Site Location STATE: IN

Requested Analysis Filtered (Y/N): 5059033

Section D Required Client Information

Matrix Codes MATRIX / CODE: Drinking Water DW, Water WT, Waste Water WW, Product P, Soil/Solid SL, Oil OL, Wipe WP, Air AR, Tissue TS, Other OT

SAMPLE ID (A-Z, 0-9 / ,-) Sample IDs MUST BE UNIQUE

ITEM #	SAMPLE ID	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED COMPOSITE START DATE	COMPOSITE START TIME	COMPOSITE END/GRAB DATE	COMPOSITE END/GRAB TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Unpreserved	H_2SO_4	HNO_3	HCl	NaOH	$Na_2S_2O_3$	Methanol	Other	Analysis Test (Y/N) VOCs 8260	Residual Chlorine (Y/N)	Pace Project No./ Lab I.D.
1	RW-1	WT	G			2/24	10:15		3				X					X		-001
2	RW-2	WT	G				10:09		3				X					X		-002
3	RW-3	WT	G				10:04		3				X					X		-003
4	RW-4	WT	G				9:57		3				X					X		-004
5	RW-5	WT	G				9:53		3				X					X		-005
6	~~[illegible]~~ EFFLUENT	WT	G				9:49		3				X					X		-006
7																				
8																				
9																				
10																				
11																				
12																				

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS: Temp in °C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
	[signature] IWM	2-24-12	11:44	Kathy Eck / Pace	2/24/12	11:44	8.4	Y	N	Y

ORIGINAL

WI / Client

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: [signature]

SIGNATURE of SAMPLER: [signature]

DATE Signed (MM/DD/YY): 12-24-12

*Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.

F-ALL-Q-020rev.07, 15-May-2007

Sample Condition Upon Receipt

Pace Analytical Client Name: IWM Consult. Project # 5059033

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Date/Time 5035A kits placed in freezer _____

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☒ Other foam

Thermometer Used 1 2 3 4 5 A B C D E Type of Ice: Wet Blue None ☒ Samples on ice, cooling process has begun

Cooler Temperature 8.4°C Ice Visible in Sample Containers: ☐ yes ☒ no

(Corrected, if applicable)

Temp should be above freezing to 6°C Just Sampled,

Date and Initials of person examining contents: Kee 2-24-12

				Comments:
Chain of Custody Present:	☒ Yes	☐ No	☐ N/A	1.
Chain of Custody Filled Out:	☒ Yes	☐ No	☐ N/A	2.
Chain of Custody Relinquished:	☒ Yes	☐ No	☐ N/A	3.
Sampler Name & Signature on COC:	☒ Yes	☐ No	☐ N/A	4.
Short Hold Time Analysis (<72hr):	☐ Yes	☒ No	☐ N/A	5.
Rush Turn Around Time Requested:	☐ Yes	☒ No	☐ N/A	6.
Containers Intact:	☒ Yes	☐ No	☐ N/A	7.
Sample Labels match COC: -Includes date/time/ID/Analysis	☒ Yes	☐ No	☐ N/A	8.
All containers needing acid/base pres. have been checked? Exceptions: VOA, coliform, TOC, O&G	☐ Yes	☐ No	☒ N/A	9. (Circle) HNO3 H2SO4 NaOH HCl
All containers needing preservation are found to be in compliance with EPA recommendation.	☐ Yes	☐ No	☒ N/A	
Headspace in VOA Vials (>6mm):	☐ Yes	☒ No	☐ N/A	10.
Trip Blank Present:	☐ Yes	☒ No	☐ N/A	11.
Trip Blank Custody Seals Present	☐ Yes	☐ No	☒ N/A	
[illegible]				
Samples Arrived within Hold Time:	☒ Yes	☐ No	☐ N/A	12.
Sufficient Volume:	☒ Yes	☐ No	☐ N/A	13.
Correct Containers Used:	☒ Yes	☐ No	☐ N/A	14.

Client Notification/ Resolution: Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: [signature] Date: 2/24/12

Sample Container Count

Pace Analytical
www.pacelabs.com

CLIENT: IWM Consult,

COC PAGE 1 of 1
COC ID# 1549342

Project # SD59033

Sample Line Item	DG9H	AG1U	WGFU	R 4/6	BP2N	BP2U	BP2S	BP3N	BP3U	BP3S	AG3S	AG1H	VG9H			Comments
1													3			
2																
3																
4																
5																
6																
7																
8																
9																
10																
11																
12																

Container Codes

DG9H	40mL HCL amber voa vial	AF	Air Filter	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WGFU	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber gl	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved **amber** vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	I	Wipe/Swab
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber gla	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber gla	BP3A	250mL NaOh, Asc Acid plastic	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved **clear** vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear gla	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag

7428 Rockville Road, Indianapolis, IN 46214

April 17, 2012

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492

Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED CORRECTIVE MEASURE
Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the February 24 through March 23, 2012 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On March 9, 2012, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 8.52 feet below top of casing (TOC) in MW-9 to 17.55 feet below TOC in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 were operational during groundwater gauging activities. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a groundwater contour map based on the March 9, 2012 depth to water measurements has been included as **Figure 2**.

Groundwater Treatment System

From February 24 through March 23, 2012, approximately 1,216,785 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 164,944,765 gallons. The average influent groundwater recovery rate from February 24 through March 23, 2012 was approximately 30.2 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on March 9, 2012 to complete monthly and bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon departure from the site on March 9, 2012.

IWM personnel mobilized to the site on March 23, 2012 to complete bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on March 23, 2012.

Schedule of Activities

Monthly and biweekly system operation and maintenance activities and semi-annual groundwater sampling activities are scheduled for the month of April 2012. Site visits are scheduled for the weeks beginning April 2 and April 16, 2012. The information from these site inspections will be included in the April 2012 Progress Report.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting Group, LLC appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

IWM CONSULTING GROUP, LLC

Christopher D. Parks, LPG
Project Manager

Bradley E. Gentry, LPG
Senior Project Manager

Attachments
cc: Mr. Dave Dowden, Lancer Realty & Development Co.

FIGURES



LEGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

Scale 1":100 ft.

DRAWN BY:	L. STRUM
DATE:	9/27/99
REVISED:	
HWPA #111291-01	
DWG. NO.	111291S1

FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP



LEGEND

- MONITORING WELL
- RECOVERY WELL
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER
- 722.00 POTENTIONMETRIC SURFACE (CONTOUR INTERVAL = 1.0 FT.)

0 100
SCALE IN FEET

DRAWN BY: L. STRUM	FIGURE 2 GROUNDWATER ELEVATION MAP (03/09/12)	FORMER AMPHENOL RFI/CMS 980 HURRICANE ROAD FRANKLIN, INDIANA	IWM CONSULTING GROUP
DATE: 9/27/99			
REVISED:			
HWPA #111291-01			
DWG. NO. 111291S1			

ATTACHMENT A

Groundwater Level Measurements

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/06/06	732.25	12.29	719.96
	02/03/06		12.09	720.16
	03/03/06		12.28	719.97
	04/26/06		11.60	720.65
	05/25/06		11.67	720.58
	06/23/06		12.05	720.20
	07/07/06		12.23	720.02
	08/04/06		12.17	720.08
	09/15/06		12.21	720.04
	10/13/06		12.47	719.78
	11/10/06		12.13	720.12
	12/08/06		11.68	720.57
	01/03/07		11.52	720.73
	02/12/07		12.00	720.25
	03/12/07		11.74	720.51
	04/09/07		12.01	720.24
	05/07/07		12.11	720.14
	06/08/07		12.45	719.80
	07/17/07		12.66	719.59
	08/01/07		12.73	719.52
	09/14/07		13.03	719.22
	10/12/07		13.38	718.87
	11/09/07		13.37	718.88
	12/07/07		13.27	718.98
	01/04/08		12.79	719.46
	02/15/08		11.85	720.40
	03/13/08		11.48	720.77
	04/11/08		11.31	720.94
	05/08/08		11.95	720.30
	06/06/08		11.08	721.17
	07/03/08		11.29	720.96
	08/01/08		11.65	720.60
	09/12/08		12.38	719.87
	10/10/08		12.78	719.47
	11/06/08		13.05	719.20
	12/19/08		12.97	719.28
	01/02/09		12.39	719.86
	02/13/09		12.30	719.95
	03/13/09		12.40	719.85
	04/09/09		12.22	720.03
	05/08/09		11.90	720.35
	06/05/09		11.89	720.36
	07/02/09		12.05	720.20
	08/14/09		11.55	720.70
	09/11/09		12.02	720.23
	10/09/09		12.29	719.96
	11/04/09		12.26	719.99
	12/04/09		12.55	719.70
	01/14/10		12.50	719.75
	02/10/10		NG	NG
	03/11/10		12.49	719.76
	04/08/10		12.19	720.06
	05/06/10		12.35	719.90
	06/04/10		12.47	719.78
	07/01/10		11.69	720.56
	08/12/10		12.39	719.86
	09/08/10		13.07	719.18
	10/07/10		14.04	718.21
	11/19/10		14.28	717.97
	12/03/10		13.70	718.55
	01/14/11		13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99
	12/01/11		12.82	719.43
	01/13/12		12.50	719.75
	02/10/12		12.30	719.95
	03/09/12		12.80	719.45

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/06/06	728.71	NG	NG
	02/03/06		10.92	717.79
	03/03/06		11.03	717.68
	04/26/06		10.71	718.00
	05/25/06		10.55	718.16
	06/23/06		10.72	717.99
	07/07/06		10.85	717.86
	08/04/06		10.78	717.93
	09/15/06		10.82	717.89
	10/13/06		10.95	717.76
	11/10/06		10.83	717.88
	12/08/06		10.60	718.11
	01/03/07		10.46	718.25
	02/12/07		10.93	717.78
	03/12/07		10.81	717.90
	04/09/07		10.88	717.83
	05/07/07		10.95	717.76
	06/08/07		11.10	717.61
	07/17/07		11.12	717.59
	08/01/07		11.12	717.59
	09/14/07		11.21	717.50
	10/12/07		11.35	717.36
	11/09/07		11.35	717.36
	12/07/07		11.36	717.35
	01/04/08		11.24	717.47
	02/15/08		10.61	718.10
	03/13/08		10.42	718.29
	04/11/08		10.23	718.48
	05/08/08		10.70	718.01
	06/06/08		9.84	718.87
	07/03/08		9.89	718.82
	08/01/08		10.54	718.17
	09/12/08		10.92	717.79
	10/10/08		11.04	717.67
	11/06/08		11.20	717.51
	12/19/08		11.01	717.70
	01/02/09		10.98	717.73
	02/13/09		10.79	717.92
	03/13/09		11.13	717.58
	04/09/09		10.86	717.85
	05/08/09		10.81	717.90
	06/05/09		10.71	718.00
	07/02/09		10.81	717.90
	08/14/09		10.52	718.19
	09/11/09		10.80	717.91
	10/09/09		10.77	717.94
	11/04/09		10.91	717.80
	12/04/09		11.07	717.64
	01/14/10		11.09	717.62
	02/10/10		11.13	717.58
	03/11/10		11.03	717.68
	04/08/10		10.75	717.96
	05/06/10		10.96	717.75
	06/04/10		11.01	717.70
	07/01/10		10.52	718.19
	08/12/10		10.88	717.83
	09/08/10		11.10	717.61
	10/07/10		11.33	717.38
	11/19/10		11.49	717.22
	12/03/10		11.26	717.45
	01/14/11		11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		10.60	718.11
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69
	12/01/11		10.74	717.97
	01/13/12		10.90	717.81
	02/10/12		10.86	717.85
	03/09/12		11.08	717.63

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/06/06	736.44	15.06	721.38
	02/03/06		14.87	721.57
	03/03/06		15.00	721.44
	04/26/06		14.33	722.11
	05/25/06		NG	NG
	06/23/06		14.75	721.69
	07/07/06		14.97	721.47
	08/04/06		14.93	721.51
	09/15/06		NG	NG
	10/13/06		15.48	720.96
	11/10/06		14.98	721.46
	12/08/06		14.15	722.29
	01/03/07		14.00	722.44
	02/12/07		14.58	721.86
	03/12/07		14.41	722.03
	04/09/07		14.64	721.80
	05/07/07		14.83	721.61
	06/08/07		15.32	721.12
	07/17/07		15.73	720.71
	08/01/07		16.89	719.55
	09/14/07		16.23	720.21
	10/12/07		16.65	719.79
	11/09/07		16.60	719.84
	12/07/07		16.55	719.89
	01/04/08		15.87	720.57
	02/15/08		14.41	722.03
	03/13/08		13.82	722.62
	04/11/08		13.50	722.94
	05/08/08		14.33	722.11
	06/06/08		13.30	723.14
	07/03/08		13.41	723.03
	08/01/08		13.68	722.76
	09/12/08		15.28	721.16
	10/10/08		15.77	720.67
	11/06/08		16.11	720.33
	12/19/08		16.10	720.34
	01/02/09		15.26	721.18
	02/13/09		15.16	721.28
	03/13/09		15.25	721.19
	04/09/09		14.88	721.56
	05/08/09		NG	NG
	06/05/09		14.25	722.19
	07/02/09		14.62	721.82
	08/14/09		13.92	722.52
	09/11/09		14.73	721.71
	10/09/09		15.17	721.27
	11/04/09		15.07	721.37
	12/04/09		15.48	720.96
	01/14/10		15.23	721.21
	02/10/10		15.37	721.07
	03/11/10		15.21	721.23
	04/08/10		14.82	721.62
	05/06/10		14.92	721.52
	06/04/10		15.13	721.31
	07/01/10		14.04	722.40
	08/12/10		15.06	721.38
	09/08/10		15.85	720.59
	10/07/10		16.52	719.92
	11/19/10		16.99	719.45
	12/03/10		16.32	720.12
	01/14/11		16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47
	12/01/11		15.48	720.96
	01/13/12		14.87	721.57
	02/10/12		14.49	721.95
	03/09/12		15.10	721.34

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/06/06	733.04	8.90	724.14
	02/03/06		8.16	724.88
	03/03/06		8.52	724.52
	04/26/06		7.55	725.49
	05/25/06		6.90	726.14
	06/23/06		7.81	725.23
	07/07/06		8.51	724.53
	08/04/06		8.59	724.45
	09/15/06		8.99	724.05
	10/13/06		9.40	723.64
	11/10/06		8.67	724.37
	12/08/06		7.71	725.33
	01/03/07		6.85	726.19
	02/12/07		7.81	725.23
	03/12/07		9.56	723.48
	04/09/07		10.56	722.48
	05/07/07		8.35	724.69
	06/08/07		9.07	723.97
	07/17/07		9.65	723.39
	08/01/07		9.82	723.22
	09/14/07		10.49	722.55
	10/12/07		10.95	722.09
	11/09/07		11.14	721.90
	12/07/07		11.21	721.83
	01/04/08		10.46	722.58
	02/15/08		8.45	724.59
	03/13/08		7.28	725.76
	04/11/08		6.40	726.64
	05/08/08		7.74	725.30
	06/06/08		8.49	724.55
	07/03/08		8.50	724.54
	08/01/08		7.28	725.76
	09/12/08		7.30	725.74
	10/10/08		9.47	723.57
	11/06/08		9.98	723.06
	12/19/08		9.34	723.70
	01/02/09		8.77	724.27
	02/13/09		8.04	725.00
	03/13/09		8.75	724.29
	04/09/09		7.82	725.22
	05/08/09		NG	NG
	06/05/09		7.24	725.80
	07/02/09		7.89	725.15
	08/14/09		6.96	726.08
	09/11/09		8.47	724.57
	10/09/09		8.34	724.70
	11/04/09		8.46	724.58
	12/04/09		8.98	724.06
	01/14/10		8.83	724.21
	02/10/10		NG	NG
	03/11/10		8.51	724.53
	04/08/10		7.37	725.67
	05/06/10		8.16	724.88
	06/04/10		8.48	724.56
	07/01/10		7.22	725.82
	08/12/10		8.94	724.10
	09/08/10		9.81	723.23
	10/07/10		10.51	722.53
	11/19/10		11.10	721.94
	12/03/10		10.31	722.73
	01/14/11		10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29
	12/01/11		8.57	724.47
	01/13/12		8.18	724.86
	02/10/12		7.76	725.28
	03/09/12		8.52	724.52

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12	01/06/06	736.38	16.40	719.98
	02/03/06		16.30	720.08
	03/03/06		16.40	719.98
	04/26/06		15.79	720.59
	05/25/06		15.82	720.56
	06/23/06		16.20	720.18
	07/07/06		16.34	720.04
	08/04/06		16.24	720.14
	09/15/06		16.39	719.99
	10/13/06		16.56	719.82
	11/10/06		16.25	720.13
	12/08/06		17.72	718.66
	01/03/07		15.70	720.68
	02/12/07		16.18	720.20
	03/12/07		15.54	720.84
	04/09/07		16.17	720.21
	05/07/07		16.32	720.06
	06/08/07		16.58	719.80
	07/17/07		16.79	719.59
	08/01/07		16.88	719.50
	09/14/07		17.10	719.28
	10/12/07		17.47	718.91
	11/09/07		17.45	718.93
	12/07/07		17.35	719.03
	01/04/08		16.86	719.52
	02/03/08		15.97	720.41
	03/13/08		15.67	720.71
	04/11/08		15.52	720.86
	05/08/08		16.06	720.32
Well Damaged	06/06/08		NG	NG
MW-12R	07/03/08	736.15	15.47	720.68
	08/01/08		15.76	720.39
	09/12/08		16.49	719.66
	10/10/08		16.85	719.30
	11/06/08		17.17	718.98
	12/19/08		17.05	719.10
	01/02/09		16.51	719.64
	02/13/09		16.44	719.71
	03/13/09		16.57	719.58
	04/09/09		16.38	719.77
	05/08/09		16.11	720.04
	06/05/09		16.05	720.10
	07/02/09		16.22	719.93
	08/14/09		15.77	720.38
	09/11/09		16.04	720.11
	10/09/09		16.41	719.74
	11/04/09		16.46	719.69
	12/04/09		16.71	719.44
	01/14/10		16.60	719.55
	02/10/10		16.68	719.47
	03/11/10		16.63	719.52
	04/08/10		16.32	719.83
	05/06/10		16.49	719.66
	06/04/10		16.61	719.54
	07/01/10		15.85	720.30
	08/12/10		16.64	719.51
	09/08/10		17.28	718.87
	10/07/10		18.41	717.74
	11/19/10		18.71	717.44
	12/03/10		18.22	717.93
	01/14/11		17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61
	12/01/11		17.20	718.95
	01/13/12		16.83	719.32
	02/10/12		16.66	719.49
	03/09/12		17.15	719.00

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/06/06	734.03	9.58	724.45
	02/03/06		9.11	724.92
	03/03/06		9.61	724.42
	04/26/06		9.02	725.01
	05/25/06		8.55	725.48
	06/23/06		9.14	724.89
	07/07/06		9.30	724.73
	08/04/06		9.72	724.31
	09/15/06		9.38	724.65
	10/13/06		10.57	723.46
	11/10/06		9.64	724.39
	12/08/06		9.06	724.97
	01/03/07		8.51	725.52
	02/12/07		9.42	724.61
	03/12/07		9.24	724.79
	04/09/07		9.36	724.67
	05/07/07		9.61	724.42
	06/08/07		10.20	723.83
	07/17/07		10.72	723.31
	08/01/07		10.85	723.18
	09/14/07		11.58	722.45
	10/12/07		12.02	722.01
	11/09/07		12.10	721.93
	12/07/07		11.91	722.12
	01/04/08		11.11	722.92
	02/15/08		9.43	724.60
	03/13/08		8.71	725.32
	04/11/08		8.28	725.75
	05/08/08		9.23	724.80
	06/06/08		7.64	726.39
	07/03/08		7.67	726.36
	08/01/08		9.00	725.03
	09/12/08		9.05	724.98
	10/10/08		10.51	723.52
	11/06/08		11.17	722.86
	12/19/08		10.01	724.02
	01/02/09		9.69	724.34
	02/13/09		9.12	724.91
	03/13/09		9.84	724.19
	04/09/09		9.04	724.99
	05/08/09		8.53	725.50
	06/05/09		8.93	725.10
	07/02/09		9.34	724.69
	08/14/09		8.68	725.35
	09/11/09		9.74	724.29
	10/09/09		9.24	724.79
	11/04/09		9.55	724.48
	12/04/09		9.98	724.05
	01/14/10		9.99	724.04
	02/10/10		9.99	724.04
	03/11/10		9.46	724.57
	04/08/10		8.53	725.50
	05/06/10		9.41	724.62
	06/04/10		9.51	724.52
	07/01/10		8.81	725.22
	08/12/10		10.16	723.87
	09/08/10		11.07	722.96
	10/07/10		11.76	722.27
	11/19/10		12.08	721.95
	12/03/10		10.96	723.07
	01/14/11		11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52
	12/01/11		9.32	724.71
	01/13/12		9.39	724.64
	02/10/12		9.19	724.84
	03/09/12		9.63	724.40

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/06/06	737.91	16.65	721.26
	02/03/06		16.48	721.43
	03/03/06		16.60	721.31
	04/26/06		16.01	721.90
	05/25/06		15.81	722.10
	06/23/06		16.40	721.51
	07/07/06		16.62	721.29
	08/04/06		16.61	721.30
	09/15/06		NG	NG
	10/13/06		17.12	720.79
	11/10/06		16.64	721.27
	12/08/06		16.65	721.26
	01/03/07		15.71	722.20
	02/12/07		4.76	733.15
	03/12/07		16.10	721.81
	04/09/07		16.91	721.00
	05/07/07		16.50	721.41
	06/08/07		16.98	720.93
	07/17/07		17.35	720.56
	08/01/07		17.55	720.36
	09/14/07		17.88	720.03
	10/12/07		18.29	719.62
	11/09/07		18.23	719.68
	12/07/07		18.19	719.72
	01/04/08		17.48	720.43
	02/15/08		16.10	721.81
	03/13/08		15.52	722.39
	04/11/08		15.20	722.71
	05/08/08		16.02	721.89
	06/06/08		15.00	722.91
	07/03/08		15.05	722.86
	08/01/08		15.36	722.55
	09/12/08		16.95	720.96
	10/10/08		17.43	720.48
	11/06/08		17.78	720.13
	12/19/08		17.75	720.16
	01/02/09		16.94	720.97
	02/13/09		16.85	721.06
	03/13/09		16.94	720.97
	04/09/09		16.60	721.31
	05/08/09		16.16	721.75
	06/05/09		15.97	721.94
	07/02/09		16.32	721.59
	08/14/09		15.67	722.24
	09/11/09		16.41	721.50
	10/09/09		16.94	720.97
	11/04/09		16.76	721.15
	12/04/09		17.15	720.76
	01/14/10		16.95	720.96
	02/10/10		17.06	720.85
	03/11/10		16.91	721.00
	04/08/10		16.53	721.38
	05/06/10		16.63	721.28
	06/04/10		16.84	721.07
	07/01/10		15.78	722.13
	08/12/10		16.76	721.15
	09/08/10		17.51	720.40
	10/07/10		18.17	719.74
	11/19/10		18.64	719.27
	12/03/10		17.98	719.93
	01/14/11		17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27
	12/01/11		17.18	720.73
	01/13/12		16.57	721.34
	02/10/12		16.24	721.67
	03/09/12		16.89	721.02

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/06/06	737.64	16.91	720.73
	02/03/06		16.85	720.79
	03/03/06		16.96	720.68
	04/26/06		16.60	721.04
	05/25/06		16.52	721.12
	06/23/06		16.98	720.66
	07/07/06		17.16	720.48
	08/04/06		17.13	720.51
	09/15/06		17.35	720.29
	10/13/06		17.56	720.08
	11/10/06		17.16	720.48
	12/08/06		16.52	721.12
	01/03/07		16.46	721.18
	02/12/07		16.90	720.74
	03/12/07		16.66	720.98
	04/09/07		16.91	720.73
	05/07/07		17.03	720.61
	06/08/07		17.43	720.21
	07/17/07		17.76	719.88
	08/01/07		17.97	719.67
	09/14/07		18.24	719.40
	10/12/07		18.62	719.02
	11/09/07		18.59	719.05
	12/07/07		18.51	719.13
	01/04/08		17.91	719.73
	02/15/08		16.80	720.84
	03/13/08		16.37	721.27
	04/11/08		16.13	721.51
	05/08/08		16.74	720.90
	06/06/08		15.88	721.76
	07/03/08		15.91	721.73
	08/01/08		16.29	721.35
	09/12/08		17.47	720.17
	10/10/08		17.87	719.77
	11/06/08		18.22	719.42
	12/19/08		18.12	719.52
	01/02/09		17.47	720.17
	02/13/09		17.37	720.27
	03/13/09		17.58	720.06
	04/09/09		17.23	720.41
	05/08/09		16.89	720.75
	06/05/09		16.72	720.92
	07/02/09		16.98	720.66
	08/14/09		16.49	721.15
	09/11/09		16.91	720.73
	10/09/09		17.36	720.28
	11/04/09		17.30	720.34
	12/04/09		17.65	719.99
	01/14/10		17.48	720.16
	02/10/10		17.57	720.07
	03/11/10		17.46	720.18
	04/08/10		17.14	720.50
	05/06/10		17.28	720.36
	06/04/10		17.42	720.22
	07/01/10		16.55	721.09
	08/12/10		17.27	720.37
	09/08/10		17.88	719.76
	10/07/10		18.64	719.00
	11/19/10		19.08	718.56
	12/03/10		18.46	719.18
	01/14/11		18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53
	12/01/11		17.70	719.94
	01/13/12		17.24	720.40
	02/10/12		17.05	720.59
	03/09/12		17.55	720.09

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/06/06	736.02	15.55	720.47
	02/03/06		15.31	720.71
	03/03/06		15.41	720.61
	04/26/06		14.82	721.20
	05/25/06		14.58	721.44
	06/23/06		15.11	720.91
	07/07/06		15.31	720.71
	08/04/06		15.31	720.71
	09/15/06		15.54	720.48
	10/13/06		15.73	720.29
	11/10/06		15.35	720.67
	12/08/06		14.69	721.33
	01/03/07		14.51	721.51
	02/12/07		14.97	721.05
	03/12/07		14.88	721.14
	04/09/07		15.07	720.95
	05/07/07		15.24	720.78
	06/08/07		15.63	720.39
	07/17/07		15.95	720.07
	08/01/07		16.02	720.00
	09/14/07		16.31	719.71
	10/12/07		16.64	719.38
	11/09/07		16.65	719.37
	12/07/07		16.67	719.35
	01/04/08		16.18	719.84
	02/15/08		14.95	721.07
	03/13/08		14.43	721.59
	04/11/08		14.07	721.95
	05/08/08		14.88	721.14
	06/06/08		13.85	722.17
	07/03/08		13.87	722.15
	08/01/08		14.38	721.64
	09/12/08		15.58	720.44
	10/10/08		15.98	720.04
	11/06/08		16.26	719.76
	12/19/08		16.28	719.74
	01/02/09		15.74	720.28
	02/13/09		15.54	720.48
	03/13/09		15.66	720.36
	04/09/09		15.43	720.59
	05/08/09		15.03	720.99
	06/05/09		14.79	721.23
	07/02/09		15.07	720.95
	08/14/09		14.50	721.52
	09/11/09		15.13	720.89
	10/09/09		15.53	720.49
	11/04/09		15.49	720.53
	12/04/09		15.80	720.22
	01/14/10		15.60	720.42
	02/10/10		15.71	720.31
	03/11/10		15.61	720.41
	04/08/10		15.28	720.74
	05/06/10		15.39	720.63
	06/04/10		15.55	720.47
	07/01/10		14.56	721.46
	08/12/10		15.39	720.63
	09/08/10		16.02	720.00
	10/07/10		16.57	719.45
	11/19/10		16.98	719.04
	12/03/10		16.56	719.46
	01/14/11		16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86
	12/01/11		15.83	720.19
	01/13/12		15.27	720.75
	02/10/12		15.03	720.99
	03/09/12		15.63	720.39

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/06/06	736.39	13.05	723.34
	02/03/06		12.56	723.83
	03/03/06		12.91	723.48
	04/26/06		12.05	724.34
	05/25/06		11.50	724.89
	06/23/06		12.19	724.20
	07/07/06		12.76	723.63
	08/04/06		12.75	723.64
	09/15/06		13.09	723.30
	10/13/06		13.45	722.94
	11/10/06		12.81	723.58
	12/08/06		11.99	724.40
	01/03/07		11.42	724.97
	02/12/07		12.28	724.11
	03/12/07		12.15	724.24
	04/09/07		12.39	724.00
	05/07/07		12.65	723.74
	06/08/07		13.25	723.14
	07/17/07		13.69	722.70
	08/01/07		13.85	722.54
	09/14/07		14.37	722.02
	10/12/07		14.82	721.57
	11/09/07		14.93	721.46
	12/07/07		14.91	721.48
	01/04/08		14.20	722.19
	02/15/08		12.47	723.92
	03/13/08		11.63	724.76
	04/11/08		11.04	725.35
	05/08/08		12.13	724.26
	06/06/08		10.29	726.10
	07/03/08		10.31	726.08
	08/01/08		11.71	724.68
	09/12/08		11.80	724.59
	10/10/08		13.61	722.78
	11/06/08		14.07	722.32
	12/19/08		13.95	722.44
	01/02/09		12.92	723.47
	02/13/09		12.47	723.92
	03/13/09		13.02	723.37
	04/09/09		12.22	724.17
	05/08/09		11.72	724.67
	06/05/09		11.78	724.61
	07/02/09		12.27	724.12
	08/14/09		11.44	724.95
	09/11/09		12.70	723.69
	10/09/09		12.72	723.67
	11/04/09		12.74	723.65
	12/04/09		13.21	723.18
	01/14/10		13.06	723.33
	02/10/10		13.15	723.24
	03/11/10		12.78	723.61
	04/08/10		12.18	724.21
	05/06/10		12.52	723.87
	06/04/10		12.69	723.70
	07/01/10		11.62	724.77
	08/12/10		13.06	723.33
	09/08/10		13.89	722.50
	10/07/10		14.52	721.87
	11/19/10		14.97	721.42
	12/03/10		14.11	722.28
	01/14/11		14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68
	12/01/11		12.73	723.66
	01/13/12		12.48	723.91
	02/10/12		12.15	724.24
	03/09/12		12.81	723.58

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/06/06	736.63	15.35	721.28
	02/03/06		15.15	721.48
	03/03/06		15.31	721.32
	04/26/06		14.69	721.94
	05/25/06		14.55	722.08
	06/23/06		15.10	721.53
	07/07/06		15.35	721.28
	08/04/06		15.27	721.36
	09/15/06		NG	NG
	10/13/06		15.81	720.82
	11/10/06		15.26	721.37
	12/08/06		14.58	722.05
	01/03/07		14.31	722.32
	02/12/07		15.04	721.59
	03/12/07		16.68	719.95
	04/09/07		15.03	721.60
	05/07/07		15.17	721.46
	06/08/07		15.71	720.92
	07/17/07		16.11	720.52
	08/01/07		16.31	720.32
	09/14/07		16.63	720.00
	10/12/07		17.08	719.55
	11/09/07		17.08	719.55
	12/07/07		16.79	719.84
	01/04/08		16.30	720.33
	02/15/08		14.87	721.76
	03/13/08		14.33	722.30
	04/11/08		14.11	722.52
	05/08/08		14.93	721.70
	06/06/08		13.76	722.87
	07/03/08		13.80	722.83
	08/01/08		14.46	722.17
	09/12/08		15.67	720.96
	10/10/08		16.12	720.51
	11/06/08		16.52	720.11
	12/19/08		16.41	720.22
	01/02/09		15.50	721.13
	02/13/09		15.43	721.20
	03/13/09		15.58	721.05
	04/09/09		15.11	721.52
	05/08/09		14.72	721.91
	06/05/09		14.64	721.99
	07/02/09		15.01	721.62
	08/14/09		14.37	722.26
	09/11/09		15.08	721.55
	10/09/09		15.43	721.20
	11/04/09		15.34	721.29
	12/04/09		15.78	720.85
	01/14/10		15.61	721.02
	02/10/10		15.73	720.90
	03/11/10		15.47	721.16
	04/08/10		15.12	721.51
	05/06/10		15.26	721.37
	06/04/10		15.47	721.16
	07/01/10		14.45	722.18
	08/12/10		15.42	721.21
	09/08/10		16.33	720.30
	10/07/10		16.99	719.64
	11/19/10		17.38	719.25
	12/03/10		16.64	719.99
	01/14/11		16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37
	12/01/11		15.68	720.95
	01/13/12		15.21	721.42
	02/10/12		14.93	721.70
	03/09/12		15.62	721.01

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/06/06	738.04	17.02	721.02
	02/03/06		16.84	721.20
	03/03/06		17.00	721.04
	04/26/06		16.35	721.69
	05/25/06		16.21	721.83
	06/23/06		16.77	721.27
	07/07/06		16.97	721.07
	08/04/06		16.91	721.13
	09/15/06		17.18	720.86
	10/13/06		17.42	720.62
	11/10/06		16.95	721.09
	12/08/06		16.25	721.79
	01/03/07		16.07	721.97
	02/12/07		16.67	721.37
	03/12/07		NG	NG
	04/09/07		16.66	721.38
	05/07/07		16.81	721.23
	06/08/07		17.29	720.75
	07/17/07		17.67	720.37
	08/01/07		17.88	720.16
	09/14/07		18.19	719.85
	10/12/07		18.61	719.43
	11/09/07		18.60	719.44
	12/07/07		18.35	719.69
	01/04/08		17.85	720.19
	02/15/08		16.51	721.53
	03/13/08		16.01	722.03
	04/11/08		15.74	722.30
	05/08/08		16.51	721.53
	06/06/08		15.52	722.52
	07/03/08		15.56	722.48
	08/01/08		16.01	722.03
	09/12/08		17.28	720.76
	10/10/08		17.71	720.33
	11/06/08		18.11	719.93
	12/19/08		18.03	720.01
	01/02/09		17.20	720.84
	02/13/09		17.12	720.92
	03/13/09		17.23	720.81
	04/09/09		16.87	721.17
	05/08/09		16.48	721.56
	06/05/09		16.35	721.69
	07/02/09		16.44	721.60
	08/14/09		16.07	721.97
	09/11/09		16.68	721.36
	10/09/09		17.11	720.93
	11/04/09		17.03	721.01
	12/04/09		17.43	720.61
	01/14/10		17.25	720.79
	02/10/10		17.34	720.70
	03/11/10		17.18	720.86
	04/08/10		16.82	721.22
	05/06/10		16.95	721.09
	06/04/10		17.14	720.90
	07/01/10		16.15	721.89
	08/12/10		17.03	721.01
	09/08/10		17.87	720.17
	10/07/10		18.57	719.47
	11/19/10		19.00	719.04
	12/03/10		18.31	719.73
	01/14/11		18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12
	12/01/11		17.42	720.62
	01/13/12		16.92	721.12
	02/10/12		16.65	721.39
	03/09/12		17.29	720.75

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/06/06	737.61	16.82	720.79
	02/03/06		16.65	720.96
	03/03/06		16.81	720.80
	04/26/06		16.22	721.39
	05/25/06		16.07	721.54
	06/23/06		16.60	721.01
	07/07/06		16.82	720.79
	08/04/06		16.72	720.89
	09/15/06		16.98	720.63
	10/13/06		17.24	720.37
	11/10/06		16.75	720.86
	12/08/06		16.10	721.51
	01/03/07		15.89	721.72
	02/12/07		16.53	721.08
	03/12/07		16.34	721.27
	04/09/07		16.51	721.10
	05/07/07		16.65	720.96
	06/08/07		17.16	720.45
	07/17/07		17.52	720.09
	08/01/07		17.71	719.90
	09/14/07		18.03	719.58
	10/12/07		18.45	719.16
	11/09/07		18.44	719.17
	12/07/07		18.13	719.48
	01/04/08		17.66	719.95
	02/15/08		16.36	721.25
	03/13/08		15.89	721.72
	04/11/08		15.67	721.94
	05/08/08		16.43	721.18
	06/06/08		15.45	722.16
	07/03/08		15.47	722.14
	08/01/08		16.08	721.53
	09/12/08		17.13	720.48
	10/10/08		17.55	720.06
	11/06/08		17.93	719.68
	12/19/08		17.80	719.81
	01/02/09		16.96	720.65
	02/13/09		16.90	720.71
	03/13/09		17.02	720.59
	04/09/09		16.84	720.77
	05/08/09		16.27	721.34
	06/05/09		16.88	720.73
	07/02/09		16.91	720.70
	08/14/09		15.93	721.68
	09/11/09		15.84	721.77
	10/09/09		16.92	720.69
	11/04/09		16.83	720.78
	12/04/09		17.25	720.36
	01/14/10		17.03	720.58
	02/10/10		17.18	720.43
	03/11/10		16.98	720.63
	04/08/10		16.61	721.00
	05/06/10		16.77	720.84
	06/04/10		16.97	720.64
	07/01/10		15.99	721.62
	08/12/10		16.90	720.71
	09/08/10		17.78	719.83
	10/07/10		18.45	719.16
	11/19/10		18.84	718.77
	12/03/10		18.12	719.49
	01/14/11		17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88
	12/01/11		17.19	720.42
	01/13/12		16.73	720.88
	02/10/12		16.48	721.13
	03/09/12		17.13	720.48

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/06/06	734.84	15.43	719.41
	02/03/06		15.37	719.47
	03/03/06		15.45	719.39
	04/26/06		14.86	719.98
	05/25/06		15.13	719.71
	06/23/06		15.30	719.54
	07/07/06		15.37	719.47
	08/04/06		15.33	719.51
	09/15/06		15.40	719.44
	10/13/06		15.45	719.39
	11/10/06		15.36	719.48
	12/08/06		15.20	719.64
	01/03/07		15.15	719.69
	02/12/07		15.34	719.50
	03/12/07		17.13	717.71
	04/09/07		15.36	719.48
	05/07/07		15.44	719.40
	06/08/07		15.48	719.36
	07/17/07		15.47	719.37
	08/01/07		15.49	719.35
	09/14/07		16.07	718.77
	10/12/07		16.06	718.78
	11/09/07		16.10	718.74
	12/07/07		16.15	718.69
	01/04/08		16.01	718.83
	02/15/08		15.17	719.67
	03/13/08		14.88	719.96
	04/11/08		14.67	720.17
	05/08/08		15.22	719.62
	06/06/08		14.32	720.52
	07/03/08		14.80	720.04
	08/01/08		14.91	719.93
	09/12/08		15.72	719.12
	10/10/08		15.92	718.92
	11/06/08		16.07	718.77
	12/19/08		15.84	719.00
	01/02/09		15.72	719.12
	02/13/09		15.68	719.16
	03/13/09		15.79	719.05
	04/09/09		15.66	719.18
	05/08/09		15.57	719.27
	06/05/09		15.40	719.44
	07/02/09		15.55	719.29
	08/14/09		15.10	719.74
	09/11/09		15.16	719.68
	10/09/09		15.67	719.17
	11/04/09		15.39	719.45
	12/04/09		15.87	718.97
	01/14/10		15.82	719.02
	02/10/10		15.74	719.10
	03/11/10		15.68	719.16
	04/08/10		15.48	719.36
	05/06/10		16.61	718.23
	06/04/10		15.66	719.18
	07/01/10		13.07	721.77
	08/12/10		14.99	719.85
	09/08/10		15.83	719.01
	10/07/10		16.12	718.72
	11/19/10		16.24	718.60
	12/03/10		16.03	718.81
	01/14/11		16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13
	12/01/11		15.22	719.62
	01/13/12		15.44	719.40
	02/10/12		15.37	719.47
	03/09/12		15.64	719.20

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/06/06	730.97	12.88	718.09
	02/03/06		12.86	718.11
	03/03/06		12.02	718.95
	04/26/06		10.94	720.03
	05/25/06		12.08	718.89
	06/23/06		12.85	718.12
	07/07/06		12.61	718.36
	08/04/06		12.85	718.12
	09/15/06		11.14	719.83
	10/13/06		12.95	718.02
	11/10/06		12.71	718.26
	12/08/06		12.35	718.62
	01/03/07		12.40	718.57
	02/12/07		11.96	719.01
	03/12/07		12.22	718.75
	04/09/07		11.98	718.99
	05/07/07		11.10	719.87
	06/08/07		11.68	719.29
	07/17/07		*11.44*	*719.53*
	08/01/07		11.60	719.37
	09/14/07		13.10	717.87
	10/12/07		12.20	718.77
	11/09/07		12.27	718.70
	12/07/07		13.18	717.79
	01/04/08		12.85	718.12
	02/15/08		11.70	719.27
	03/13/08		11.61	719.36
	04/11/08		11.40	719.57
	05/08/08		11.39	719.58
	06/06/08		10.88	720.09
	07/03/08		11.65	719.32
	08/01/08		11.58	719.39
	09/12/08		13.09	717.88
	10/10/08		13.22	717.75
	11/06/08		12.96	718.01
	12/19/08		13.02	717.95
	01/02/09		12.80	718.17
	02/13/09		12.90	718.07
	03/13/09		12.78	718.19
	04/09/09		12.10	718.87
	05/08/09		13.35	717.62
	06/05/09		12.90	718.07
	07/02/09		12.68	718.29
	08/14/09		12.38	718.59
	09/11/09		12.30	718.67
	10/09/09		13.50	717.47
	11/04/09		13.04	717.93
	12/04/09		13.21	717.76
	01/14/10		13.42	717.55
	02/10/10		13.39	717.58
	03/11/10		12.81	718.16
	04/08/10		13.15	717.82
	05/06/10		12.14	718.83
	06/04/10		12.10	718.87
	07/01/10		13.42	717.55
	08/12/10		10.90	720.07
	09/08/10		12.70	718.27
	10/07/10		12.40	718.57
	11/19/10		12.45	718.52
	12/03/10		12.45	718.52
	01/14/11		12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22
	12/01/11		11.37	719.60
	01/13/12		12.84	718.13
	02/10/12		12.31	718.66
	03/09/12		12.98	717.99

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/06/06	732.05	15.79	716.26
	02/03/06		14.90	717.15
	03/03/06		15.75	716.30
	04/26/06		11.51	720.54
	05/25/06		13.45	718.60
	06/23/06		15.17	716.88
	07/07/06		15.09	716.96
	08/04/06		15.45	716.60
	09/15/06		12.06	719.99
	10/13/06		15.83	716.22
	11/10/06		15.60	716.45
	12/08/06		15.30	716.75
	01/03/07		15.36	716.69
	02/12/07		15.82	716.23
	03/12/07		11.66	720.39
	04/09/07		15.91	716.14
	05/07/07		12.35	719.70
	06/08/07		15.31	716.74
	07/17/07		15.83	716.22
	08/01/07		14.40	717.65
	09/14/07		14.85	717.20
	10/12/07		14.41	717.64
	11/09/07		14.62	717.43
	12/07/07		14.68	717.37
	01/04/08		14.70	717.35
	02/15/08		15.25	716.80
	03/13/08		15.31	716.74
	04/11/08		14.10	717.95
	05/08/08		15.24	716.81
	06/06/08		12.13	719.92
	07/03/08		12.28	719.77
	08/01/08		12.30	719.75
	09/12/08		15.05	717.00
	10/10/08		15.88	716.17
	11/06/08		15.20	716.85
	12/19/08		15.50	716.55
	01/02/09		15.44	716.61
	02/13/09		12.15	719.90
	03/13/09		16.85	715.20
	04/09/09		16.30	715.75
	05/08/09		15.65	716.40
	06/05/09		14.68	717.37
	07/02/09		14.60	717.45
	08/14/09		15.35	716.70
	09/11/09		14.50	717.55
	10/09/09		17.15	714.90
	11/04/09		12.14	719.91
	12/04/09		16.81	715.24
	01/14/10		15.50	716.55
	02/10/10		15.20	716.85
	03/11/10		14.35	717.70
	04/08/10		14.28	717.77
	05/06/10		13.72	718.33
	06/04/10		13.45	718.60
	07/01/10		13.81	718.24
	08/12/10		14.58	717.47
	09/08/10		16.10	715.95
	10/07/10		15.50	716.55
	11/19/10		15.05	717.00
	12/03/10		13.78	718.27
	01/14/11		13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87
	12/01/11		15.06	716.99
	01/13/12		12.70	719.35
	02/10/12		12.48	719.57
	03/09/12		14.95	717.10

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/06/06	733.19	12.61	720.58
	02/03/06		18.65	714.54
	03/03/06		18.81	714.38
	04/26/06		12.00	721.19
	05/25/06		17.61	715.58
	06/23/06		17.88	715.31
	07/07/06		17.61	715.58
	08/04/06		17.88	715.31
	09/15/06		12.99	720.20
	10/13/06		17.99	715.20
	11/10/06		17.52	715.67
	12/08/06		18.38	714.81
	01/03/07		18.41	714.78
	02/12/07		16.88	716.31
	03/12/07		12.16	721.03
	04/09/07		18.18	715.01
	05/07/07		12.95	720.24
	06/08/07		17.15	716.04
	07/17/07		17.71	715.48
	08/01/07		16.05	717.14
	09/14/07		16.45	716.74
	10/12/07		16.97	716.22
	11/09/07		18.75	714.44
	12/07/07		16.55	716.64
	01/04/08		15.67	717.52
	02/15/08		15.68	717.51
	03/13/08		15.79	717.40
	04/11/08		13.37	719.82
	05/08/08		16.65	716.54
	06/06/08		13.05	720.14
	07/03/08		13.90	719.29
	08/01/08		14.24	718.95
	09/12/08		15.59	717.60
	10/10/08		16.51	716.68
	11/06/08		16.55	716.64
	12/19/08		16.87	716.32
	01/02/09		16.81	716.38
	02/13/09		16.28	716.91
	03/13/09		16.35	716.84
	04/09/09		16.01	717.18
	05/08/09		15.77	717.42
	06/05/09		15.45	717.74
	07/02/09		15.10	718.09
	08/14/09		15.03	718.16
	09/11/09		14.84	718.35
	10/09/09		15.71	717.48
	11/04/09		15.66	717.53
	12/04/09		15.50	717.69
	01/14/10		16.01	717.18
	02/10/10		16.24	716.95
	03/11/10		16.21	716.98
	04/08/10		15.93	717.26
	05/06/10		16.03	717.16
	06/04/10		16.13	717.06
	07/01/10		15.09	718.10
	08/12/10		16.68	716.51
	09/08/10		15.38	717.81
	10/07/10		16.47	716.72
	11/19/10		18.69	714.50
	12/03/10		17.40	715.79
	01/14/11		17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47
	12/01/11		16.03	717.16
	01/13/12		15.63	717.56
	02/10/12		15.42	717.77
	03/09/12		15.93	717.26

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/06/06	735.48	15.94	719.54
	02/03/06		15.66	719.82
	03/03/06		15.92	719.56
	04/26/06		13.81	721.67
	05/25/06		15.07	720.41
	06/23/06		15.62	719.86
	07/07/06		15.82	719.66
	08/04/06		15.77	719.71
	09/15/06		16.05	719.43
	10/13/06		16.29	719.19
	11/10/06		16.01	719.47
	12/08/06		16.41	719.07
	01/03/07		16.35	719.13
	02/12/07		16.99	718.49
	03/12/07		16.68	718.80
	04/09/07		15.45	720.03
	05/07/07		15.71	719.77
	06/08/07		16.01	719.47
	07/17/07		16.45	719.03
	08/01/07		18.05	717.43
	09/14/07		17.59	717.89
	10/12/07		18.17	717.31
	11/09/07		17.88	717.60
	12/07/07		15.77	719.71
	01/04/08		17.90	717.58
	02/15/08		16.91	718.57
	03/13/08		16.41	719.07
	04/11/08		14.99	720.49
	05/08/08		15.81	719.67
	06/06/08		14.71	720.77
	07/03/08		14.60	720.88
	08/01/08		14.79	720.69
	09/12/08		16.43	719.05
	10/10/08		17.12	718.36
	11/06/08		17.16	718.32
	12/19/08		17.59	717.89
	01/02/09		17.65	717.83
	02/13/09		16.52	718.96
	03/13/09		16.61	718.87
	04/09/09		16.42	719.06
	05/08/09		15.86	719.62
	06/05/09		15.86	719.62
	07/02/09		16.77	718.71
	08/14/09		15.28	720.20
	09/11/09		15.28	720.20
	10/09/09		16.42	719.06
	11/04/09		16.28	719.20
	12/04/09		16.94	718.54
	01/14/10		16.64	718.84
	02/10/10		16.84	718.64
	03/11/10		16.29	719.19
	04/08/10		16.29	719.19
	05/06/10		16.79	718.69
	06/04/10		16.59	718.89
	07/01/10		15.72	719.76
	08/12/10		16.54	718.94
	09/08/10		18.06	717.42
	10/07/10		18.98	716.50
	11/19/10		19.80	715.68
	12/03/10		18.81	716.67
	01/14/11		18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42
	12/01/11		18.26	717.22
	01/13/12		17.56	717.92
	02/10/12		16.98	718.50
	03/09/12		18.00	717.48

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	08/12/10	731.96	13.81	718.15
	09/08/10		14.07	717.89
	10/07/10		15.41	716.55
	11/19/10		16.78	715.18
	12/03/10		16.38	715.58
	01/14/11		15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78
	12/01/11		14.73	717.23
	01/13/12		14.37	717.59
	02/10/12		14.34	717.62
	03/09/12		14.86	717.10

NR-Not Recorded
NG-Not Gauged

ATTACHMENT B

Groundwater Recovery

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	**RW-1**	**RW-2**	**RW-3**	**RW-4**	**RW-5**	**Total**
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	***445,555***	***428,463***	***536,852***	-	-	***1,410,870***
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	***1,949,120***	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	***2,835,673***	-	-	6,436,098
3/28/1997	1,692,834	2,039,011	***2,835,673***	-	-	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	***2,842,124***	-	-	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	3,313,604	7,312,970	6,402,525	-	-	17,050,326
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	3,889,675	8,638,302	7,429,910	1,171,610	-	21,150,724
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308
12/1/2011	18,629,825	33,598,934	48,320,048	53,355,570	6,100,310	160,025,914
12/16/2011	18,629,949	33,694,694	48,451,868	53,577,620	6,282,440	160,657,798
12/28/2011	18,629,987	33,779,384	48,561,758	53,756,850	6,369,780	161,118,986

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
1/13/2012	18,645,754	33,859,637	48,708,053	53,992,589	6,573,941	161,801,201
1/16/2012	18,716,529	33,865,708	48,721,294	54,013,533	6,592,457	161,930,748
1/27/2012	18,757,241	33,938,060	48,817,779	54,170,142	6,731,820	162,436,269
2/10/2012	18,815,117	34,035,651	48,942,826	54,373,450	6,910,967	163,099,238
2/24/2012	18,862,640	34,104,647	49,069,225	54,579,272	7,090,969	163,727,980
3/9/2012	18,902,508	34,170,267	49,197,023	54,783,061	7,269,776	164,343,862
3/23/2012	18,937,777	34,222,618	49,324,691	54,989,061	7,449,391	164,944,765

Notes:

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.

AMPHENOL CORPORATION
FRANKLIN, INDIANA

CUMULATIVE PUMPAGE



iWM CONSULTING GROUP

ATTACHMENT C

Field Notes

iWM CONSULTING GROUP

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Inspection Date: 3-9-12
ɅI Personnel: Mier
val Time: 7:05
arture Time: 1130
m Response Visit: YES NO

BIWEEKLY DATA

ılizer Readings: RW-1 274959.0 RW-2 19080923.0 RW-3 32696295.0 RW-4 54783061 RW-5 7269776.0
v Rate GPM: RW-1 cycling RW-2 cycling RW-3 6.00 RW-4 10.00 RW-5 9.25
ıp Running Amps RW-1 3.1 RW-2 3.2 RW-3 3.3 RW-4 4.2 RW-5 3.4
Stripper Pressure: 15 Inches of Water
uent Clarity: Clear
ding Temperature: 68 Degrees F
em Operation Upon Arrival: YES NO (if no please explain below)

er Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
ıse circle appropriate controller(s) below:

Manholes	NO	YES	Repaired
Lines	NO	YES	Repaired
Stripper	NO	YES	Repaired

es, explain:

MONTHLY DATA

er Cartridges Replaced: yey RW-1 yes RW-2 yes RW-3 yes RW-4 yes RW-5
pper Trays and Tubes Checked: yes
pper Trays and Tubes Cleaned: NO
ıitoring/Recovery Wells Gauged: yes
ommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Inspection Date: 3-23-12
M Personnel: Mier
Arrival Time: 9:45
Departure Time: 11:10
Alarm Response Visit: YES (NO)

BIWEEKLY DATA

Totalizer Readings: RW-1 310228.0 RW-2 19133274.0 RW-3 32823963.0 RW-4 54989061.0 RW-5 7449391.0

Flow Rate GPM: RW-1 cycling RW-2 cycling RW-3 6.25 RW-4 10.00 RW-5 9.08

Pump Running Amps RW-1 3.3 RW-2 3.1 RW-3 3.1 RW-4 4.1 RW-5 3.6

Stripper Pressure: 15 Inches of Water

Effluent Clarity: (Clear)

Building Temperature: 74 Degrees F

System Operation Upon Arrival: (YES) NO (if no please explain below)

Water Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
Please circle appropriate controller(s) below:

Manholes	(NO)	YES	Repaired	
Lines	(NO)	YES	Repaired	
Stripper	(NO)	YES	Repaired	

If yes, explain:

MONTHLY DATA

Filter Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

Stripper Trays and Tubes Checked:

Stripper Trays and Tubes Cleaned:

Monitoring/Recovery Wells Gauged:

Recommendations for system optimization or general comments:

IWM CONSULTING GROUP

7428 Rockville Road, Indianapolis, IN 46214

May 1, 2012

Mr. Sam Waldo
Director, Environmental Affairs
AMPHENOL CORPORATION
World Headquarters
358 Hall Avenue
Wallingford, CT 06492

Re: OPERATION AND MAINTENANCE OF THE APPROVED IMPLEMENTED CORRECTIVE MEASURE
Former Amphenol Facility
980 B Hurricane Road
Franklin, Indiana

Dear Mr. Waldo:

Enclosed, please find a summary of the operation and maintenance (O&M) and gauging activities completed by IWM Consulting Group, LLC (IWM) at the above-referenced site. This report summarizes the activities completed during the March 23 through April 20, 2012 reporting period. IWM personnel inspected the site on a regular basis to monitor system operations and ground water recovery and treatment.

Groundwater Level Measurements

On April 6, 2012, IWM personnel gauged the monitoring well network at the site using an electronic oil/water interface probe to determine the depth to water and the presence of detectable thickness of liquid-phase hydrocarbons. Depth to water in the monitoring wells ranged from 7.71 feet below top of casing (TOC) in MW-9 to 17.06 feet below TOC in MW-22. Liquid-phase hydrocarbons were not detected within the monitoring and recovery well network at the site. Recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5 were operational during groundwater gauging activities. **Figure 1** is a site plan illustrating pertinent site features and well locations. The groundwater elevation data is summarized in **Attachment A**, and a groundwater contour map based on the April 6, 2012 depth to water measurements has been included as **Figure 2**.

Groundwater Treatment System

From March 23 through April 20, 2012, approximately 1,308,163 gallons of groundwater were treated and discharged from recovery wells RW-1, RW-2, RW-3, RW-4, and RW-5. Based on data provided by EMCON, Handex, and IWM field data sheets, the total volume of groundwater recovered to date is approximately 166,252,928 gallons. The average influent groundwater recovery rate from March 23 through April 20, 2012 was approximately 32.4 gpm. **Attachment B** includes a table and a graph illustrating the recovery rates to date, and **Attachment C** contains copies of Field Data Sheets completed by IWM personnel.

IWM personnel mobilized to the site on April 6, 2012 to complete monthly and bi-weekly system operation and maintenance activities and semi-annual groundwater sampling activities. The groundwater recovery and treatment system was completely operational upon departure from the site on April 6, 2012.

IWM personnel mobilized to the site on April 20, 2012 to complete bi-weekly system operation and maintenance activities. The groundwater recovery and treatment system was completely operational upon arrival and departure from the site on April 20, 2012.

Semi-Annual Groundwater Sampling and Analysis

On April 6, 2012, groundwater samples were obtained from monitoring wells IT-2, IT-3, MW-12R, MW-20, MW-22, MW-28, MW-29, and MW-30 for VOC analysis to evaluate current groundwater quality at the site. Groundwater samples were collected using dedicated, disposable, bottom-loading bailers to reduce the risk of cross-contamination. Three-well volumes were purged prior to sample collection. Samples were submitted to Pace Analytical Services, Inc. (Pace) for VOC analysis using US EPA SW 846 Method 8260B. Groundwater sampling logs are provided in **Attachment D**.

The highest VOC concentrations were detected in the groundwater samples obtained from monitoring well MW-22 (847.4 µg/L total VOCs) located 30 feet northwest of recovery well RW-3 and monitoring well MW-12R (1,255.7 µg/L total VOCs) located adjacent to recovery well RW-2. Therefore, the groundwater recovery and treatment system is effectively targeting the area of greatest VOC concentration. The concentrations of dissolved VOCs in monitoring wells MW-12 and MW-22 decreased substantially following installation of the groundwater recovery and treatment system in 1996. Overall, total VOC concentrations in these wells have been relatively stable during operation of the treatment system from 2000 to 2012.

Trichloroethene was detected in monitoring wells IT-2, IT-3, MW-12R, MW-22, and MW-28. Cis-1,2-dichloroethene was detected in monitoring wells IT-2, MW-12R, and MW-22. 1,1,1-Trichloroethane was detected in monitoring wells MW-12R, MW-22, MW-28, and MW-30. Tetrachloroethene was detected in monitoring wells MW-12R, MW-22, and MW-28.

Both monitoring wells IT-2 and IT-3 are located down-gradient from the site. Overall, total dissolved VOC concentrations in monitoring wells IT-2 and IT-3 have decreased over time during operation of the groundwater recovery and treatment system. Total dissolved VOC concentrations in monitoring wells MW-12R and MW-30 have decreased since the startup of the remedial system in 1996. Total dissolved VOC concentrations decreased substantially in monitoring wells MW-22 and MW-28 during the initial startup of the recovery system in 1996 and have been decreasing during operation of the groundwater recovery and treatment system from 2000 to 2012. Tetrachloroethene and trichloroethene concentrations were reduced significantly (47% and 37%, respectively) in monitoring well MW-22 as part of a three month enhanced bioremediation pilot study conducted in early 2007. During the implementation of the full scale enhanced bioremediation activities (July 2010 through March 2011), tetrachloroethene concentrations decreased 22% in monitoring well MW-22. Post full scale enhanced bioremediation activities, tetrachloroethene concentrations have decreased an additional 39% in monitoring well MW-22.

The dissolved VOC concentrations observed in monitoring well MW-12R initially (October 2010) increased immediately after implementation of the full scale enhanced bioremediation. The reason for the increased dissolved VOC concentrations is because several combination groundwater and microbe injection points (IN-4, IN-5, IN-6, and IN-7) were installed immediately hydraulically up-gradient from this well and the injection points were able to "flush" the VOC impacted saturated soil, thus increasing the dissolved VOC concentrations while simultaneously decreasing the adsorbed VOC concentrations. Furthermore, the dissolved VOCs were drawn to and recovered by hydraulically down-gradient recovery wells RW-2 (adjacent to MW-12R) and RW-5 (approximately 45 feet west of MW-12R). Since monitoring well MW-12R is located between these two recovery wells, this explains why the dissolved VOC concentrations increased

immediately after start-up of the full scale enhanced bioremediation activities. It should be noted that the dissolved VOCs displayed a decrease in concentrations during the April 2011 groundwater sampling event. During the October 2011 event, a substantial rebound of dissolved VOC concentrations was observed. Dissolved VOC concentrations in monitoring well MW-12R decreased approximately 58% from the October 2011 sampling event to the April 2012 sampling event.

No VOCs were detected in the groundwater samples obtained from monitoring wells MW-20 and MW-29.

A trip blank and a field duplicate sample (MW-22) were obtained per IDEM Minimum Data Documentation Requirements dated February 13, 2003. The trip blank and the duplicate sample were analyzed for VOCs. The trip blank was below laboratory detection limits for all constituents and the duplicate analysis was relatively consistent with the sample which was duplicated. Groundwater sampling field logs are provided in **Attachment D**. Laboratory data sheets are provided in **Attachment E**. A summary of groundwater analytical results is included in **Table 1**.

Schedule of Activities

Quarterly, monthly, and biweekly system operation and maintenance activities and semi-annual groundwater sampling activities are scheduled for the month of May 2012. Site visits are scheduled for the weeks beginning April 30 and May 14, 2012. The information from these site inspections will be included in the May 2012 Progress Report.

Should you have any questions regarding this site or information summarized within this report, please contact the undersigned at (317) 347-1111. IWM Consulting Group, LLC appreciates the opportunity to provide environmental services to Amphenol Corporation.

Sincerely,

IWM CONSULTING GROUP, LLC

Christopher D. Parks, LPG
Project Manager

Bradley E. Gentry, LPG
Senior Project Manager

Attachments
cc: Mr. Dave Dowden, Lancer Realty & Development Co.

FIGURES



LEGEND

- MONITORING WELL
- RECOVERY WELL
- INJECTION WELL
- PRIMARY BUILDING WALLS
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER

Scale 1":100 ft.

DRAWN BY:	L. STRUM
DATE:	9/27/99
REVISED:	
HWPA #111291-01	
DWG. NO.	111291S1

FIGURE 1

SITE MAP

FORMER AMPHENOL RFI/CMS
980 HURRICANE ROAD
FRANKLIN, INDIANA

IWM CONSULTING GROUP



LEGEND

- MONITORING WELL
- RECOVERY WELL
- PROPERTY LINE (APPROXIMATE)
- STORM SEWER
- SANITARY SEWER
- O/H POWER
- 722.00 POTENTIONMETRIC SURFACE (CONTOUR INTERVAL = 1.0 FT.)

0 100
SCALE IN FEET

DRAWN BY: L. STRUM	FIGURE 2 GROUNDWATER ELEVATION MAP (04/06/12)	FORMER AMPHENOL RFI/CMS 980 HURRICANE ROAD FRANKLIN, INDIANA	iWM CONSULTING GROUP
DATE: 9/27/99			
REVISED:			
HWPA #111291-01			
DWG. NO. 111291S1			

TABLES

Table 1

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
IT-2	2/1/1986	NA	15	NR	1.5	90	88	NR	NR	ND	ND	ND	195
	5/1/1986	NA	10	NR	7.5	64	93	NR	NR	ND	ND	ND	175
	8/1/1986	NA	11	NR	38	120	120	NR	NR	ND	ND	ND	289
	11/1/1986	NA	34	NR	55	39	130	NR	NR	ND	ND	ND	258
	3/5/1992	NA	41	78	ND	25	18	NR	NR	ND	ND	ND	162
	7/27/1992	NA	17	30	ND	28	39	NR	NR	ND	ND	ND	114
	2/16/1993	NA	18	51	5J	29	29	NR	NR	ND	ND	ND	127
	10/9/1996	NA	18	79	17	9	18	NR	NR	ND	ND	ND	141
	9/29/2000	12.40	16	87	ND	ND	14	ND	ND	ND	ND	ND	117
	4/2/2001	13.12	11	56	ND	26	60	ND	ND	ND	ND	ND	153
	10/19/2001	12.53	14	70	ND	10	20	ND	ND	ND	ND	ND	114
	4/16/2002	11.65	ND	24	ND	ND	10	ND	ND	ND	ND	ND	34
	10/17/2002	13.13	8.8	46	ND	ND	14	ND	ND	ND	ND	ND	69
	4/30/2003	12.75	ND	31	ND	8.8	21	ND	ND	ND	ND	ND	61
	10/3/2003	12.23	8.8	50	ND	ND	11	ND	ND	ND	ND	ND	70
	4/2/2004	12.47	ND	43	ND	ND	15	ND	ND	ND	ND	ND	58
	10/4/2004	12.61	9.4	60	6.1	12	36	ND	ND	ND	ND	ND	124
	4/1/2005	12.46	6.3	29	ND	5.4	18	ND	ND	ND	ND	ND	59
	10/14/2005	12.38	8	52	ND	ND	9	ND	ND	ND	ND	ND	69
	4/27/2006	11.75	ND	25.5	ND	4.98	14.6	ND	ND	ND	ND	ND	45.1
	10/13/2006	12.47	ND	36.6	ND	ND	13.6	ND	ND	ND	ND	ND	50.2
	4/17/2007	11.96	ND	13.1	ND	ND	8.9	ND	ND	ND	ND	ND	22
	10/12/2007	13.38	8.4	42.7	ND	ND	8.2	ND	ND	ND	ND	ND	59.3
	4/4/2008	11.13	ND	19.1	ND	ND	10.7	ND	ND	ND	ND	ND	29.8
	10/10/2008	12.78	ND	18	ND	ND	5.5	ND	ND	ND	ND	ND	23.5
	4/9/2009	12.22	ND	17.3	ND	6.2	10.1	ND	ND	ND	ND	ND	33.6
	10/9/2009	12.29	ND	11.4	ND	ND	10.3	ND	ND	ND	ND	ND	21.7
	4/8/2010	12.19	ND	5.4	ND	ND	ND	ND	ND	ND	ND	ND	5.4
	10/7/2010	14.04	6.3	29.7	ND	ND	15.6	ND	ND	ND	ND	ND	51.6
	4/14/2011	11.93	ND	15.4	ND	ND	10.8	ND	ND	ND	ND	ND	26.2
	10/5/2011	13.30	6.5	30.4	ND	5.7	18.7	ND	ND	ND	ND	ND	61.3
	4/6/2012	12.31	ND	18.3	ND	ND	8.5	ND	ND	ND	ND	ND	26.8

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
IT-3	2/1/1986	NA	13	NR	290	190	67	NR	NR	ND	ND	ND	560
	5/1/1986	NA	10	NR	NA	200	27	NR	NR	ND	ND	ND	237
	8/1/1986	NA	7.5	NR	24	150	50	NR	NR	ND	ND	ND	232
	11/1/1986	NA	7.9	NR	16	160	72	NR	NR	ND	ND	ND	256
	3/5/1992	NA	4J	ND	ND	83	34	NR	NR	ND	ND	ND	117
	7/27/1992	NA	4J	ND	8	67	22	NR	NR	ND	ND	ND	97
	2/16/1993	NA	5J	ND	ND	71	29	NR	NR	ND	ND	ND	100
	10/9/1996	NA	5	ND	ND	49	58	NR	NR	ND	ND	ND	112
	9/29/2000	10.74	ND	ND	ND	23	17	ND	ND	ND	ND	ND	40
	4/2/2001	11.30	ND	ND	ND	14	14	ND	ND	ND	ND	ND	28
	10/19/2001	10.78	ND	ND	ND	23	16	ND	ND	ND	ND	ND	39
	4/16/2002	10.72	ND	ND	ND	22	11	ND	ND	ND	ND	ND	33
	10/17/2002	11.25	ND	ND	ND	18	16	ND	ND	ND	ND	ND	34
	4/30/2003	11.21	ND	ND	ND	19	11	ND	ND	ND	ND	ND	30
	10/3/2003	10.91	ND	ND	ND	17	9.5	ND	ND	ND	ND	ND	27
	4/2/2004	10.97	ND	ND	ND	12	6	ND	ND	ND	ND	ND	18
	10/4/2004	11.03	ND	ND	5.3	11	5.8	ND	ND	ND	ND	ND	22
	4/1/2005	10.94	ND	ND	ND	8.1	ND	ND	ND	ND	ND	ND	8.1
	10/14/2005	10.91	ND	ND	ND	7	ND	ND	ND	ND	ND	ND	7.0
	4/27/2006	10.75	ND	ND	ND	12.9	ND	ND	ND	ND	ND	ND	12.9
	10/13/2006	10.95	ND	ND	ND	11.1	5.78	ND	ND	ND	ND	ND	16.9
	4/17/2007	10.83	ND	ND	ND	12.4	7.6	ND	ND	ND	ND	5.7	25.7
	10/12/2007	11.35	ND	ND	ND	12.9	10.2	ND	ND	ND	ND	ND	23.1
	4/4/2008	10.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0
	10/10/2008	11.04	ND	ND	ND	19.9	18.7	ND	ND	ND	ND	ND	38.6
	4/9/2009	10.86	ND	ND	ND	11.4	16.3	ND	ND	ND	ND	ND	27.7
	10/9/2009	10.77	ND	ND	ND	18.9	25.7	ND	ND	ND	ND	ND	44.6
	4/8/2010	10.75	ND	ND	ND	5.6	17.8	ND	ND	ND	ND	ND	23.4
	10/7/2010	11.33	ND	ND	ND	21.6	32.5	ND	ND	ND	ND	ND	54.1
	4/14/2011	10.52	ND	ND	ND	ND	6.5	ND	ND	ND	ND	ND	6.5
	10/5/2011	11.07	ND	ND	ND	10.4	13.3	ND	ND	ND	ND	ND	23.7
	4/6/2012	10.73	ND	ND	ND	ND	7.2	ND	ND	ND	ND	ND	7.2

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-12	2/1/1986	NA	360	NR	17,000	19,000	7,400	NR	NR	ND	ND	ND	43,760
	5/1/1986	NA	280	NR	34,000	25,000	5,400	NR	NR	ND	ND	ND	64,680
	8/1/1986	NA	310	NR	18,000	9,600	6,100	NR	NR	ND	ND	ND	34,010
	11/1/1986	NA	440	NR	26,000	24,000	9,100	NR	NR	ND	ND	ND	59,540
	10/9/1996	NA	26	ND	2,000	910	1,200	NR	NR	ND	ND	ND	4,136
	9/29/2000	16.56	11	ND	860	290	880	ND	ND	ND	ND	ND	2,041
	4/2/2001	17.31	9.3	ND	650	170	760	ND	ND	ND	ND	ND	1,589
	10/19/2001	16.67	14	ND	320	240	690	ND	ND	ND	ND	ND	1,264
	4/16/2002	15.86	12	ND	1,300	580	2,600	25	30	ND	ND	ND	4,547
	10/17/2002	17.36	18	ND	1,100	390	980	ND	ND	ND	ND	ND	2,488
	4/30/2003	16.92	12	ND	650	310	900	22	ND	ND	ND	ND	1,894
	10/3/2003	16.32	9.8	ND	550	190	810	ND	ND	ND	ND	ND	1,560
	4/2/2004	16.67	ND	ND	450	170	780	ND	ND	ND	ND	ND	1,400
	10/4/2004	16.72	14	ND	520	300	890	ND	ND	ND	ND	ND	1,724
	4/1/2005	16.67	7	ND	570	180	810	ND	ND	ND	ND	ND	1,567
	10/14/2005	16.53	10	ND	540	171	508	ND	ND	ND	ND	ND	1,229
	4/27/2006	15.83	59.6	ND	873	582	635	ND	ND	6.25	14.7	ND	2,170.55
	10/13/2006	16.56	ND	ND	788	502	574	ND	ND	ND	9.74	ND	1,873.74
	4/17/2007	15.16	7.5	ND	1,020	162	635	ND	ND	ND	ND	ND	1,824.5
	10/12/2007	17.47	22.8	124	1,380	360	571	ND	53.1	ND	ND	ND	2,510.9
	4/4/2008	15.41	28.9	11.4	1,590	331	698	ND	ND	ND	ND	ND	2,659.3
MW-12R	10/10/2008	16.85	ND	ND	352	90	320	ND	ND	ND	ND	ND	762
	4/9/2009	16.38	5.8	ND	444	100	208	ND	ND	ND	ND	ND	758
	10/9/2009	16.41	9.3	ND	552	152	288	ND	ND	ND	ND	ND	1,001
	4/8/2010	16.32	ND	ND	331	63.3	182	ND	ND	ND	ND	ND	576
	10/7/2010	18.41	21.6	703	1,040	222	580	ND	ND	ND	ND	ND	2,567
	4/14/2011	16.34	ND	46.1	477	68.9	289	ND	ND	ND	ND	ND	881
	10/5/2011	17.63	ND	159	2,470	67.2	272	ND	ND	ND	ND	ND	2,968
	4/6/2012	16.74	ND	81.4	884	56.3	234	ND	ND	ND	ND	ND	1,255.7

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-20	3/5/1992	NA	ND	ND	ND	ND	ND	NR	NR	ND	ND	ND	ND
	9/29/2000	8.98	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/2/2001	11.05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/19/2001	9.95	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/16/2002	8.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/17/2002	11.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/30/2003	9.72	ND	ND	ND	ND	5.4	ND	ND	ND	ND	ND	5
	10/3/2003	9.62	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/2/2004	9.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/4/2004	11.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/1/2005	9.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/14/2005	10.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/2006	9.09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/13/2006	10.57	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/17/2007	9.19	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/12/2007	12.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/4/2008	7.87	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/10/2008	10.51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/9/2009	9.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/9/2009	9.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/8/2010	8.53	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/7/2010	11.76	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/14/2011	8.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2011	10.67	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/6/2012	9.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-22	10/9/1996	NA	ND	ND	5,600	ND	1,000	NR	NR	ND	ND	ND	6,600
	9/29/2000	16.98	ND	ND	3,300	41	230	ND	ND	ND	ND	ND	3,571
	4/2/2001	17.88	14	ND	4,400	37	220	ND	ND	ND	ND	ND	4,671
	10/19/2001	17.29	ND	ND	2,000	53	290	120	ND	ND	ND	ND	2,463
	4/16/2002	16.51	ND	ND	4,100	34	400	110	ND	ND	ND	ND	4,644
	10/17/2002	18.08	ND	ND	2,600	26	250	ND	ND	ND	ND	ND	2,876
	4/30/2003	17.32	ND	ND	3,500	31	570	ND	ND	ND	ND	ND	4,101
	Duplicate		ND	ND	3,200	30	580	ND	ND	ND	ND	ND	3,810
	10/3/2003	17.01	ND	ND	3,100	27	230	ND	ND	ND	ND	ND	3,357
	Duplicate		ND	ND	3,200	27	220 J	ND	ND	ND	ND	ND	3,227
	4/2/2004	17.03	ND	ND	ND	15	140	ND	ND	ND	ND	ND	155
	Duplicate		ND	ND	ND	18	140	ND	ND	ND	ND	ND	158
	10/4/2004	17.52	ND	ND	2,400	18	190	ND	ND	ND	ND	ND	2,608
	Duplicate		ND	ND	2,400	19	200	ND	ND	ND	ND	ND	2,619
	4/1/2005	17.07	ND	ND	1,900	20	170	ND	ND	ND	ND	ND	2,090
	Duplicate		ND	ND	1,900	19	160	ND	ND	ND	ND	ND	2,079
	10/14/2005	17.16	ND	ND	1,720	15	136	ND	ND	ND	ND	ND	1,871
	Duplicate		ND	ND	1,730	15	141	ND	ND	ND	ND	ND	1,886
	4/27/2006	16.65	ND	ND	2,710	24.7	159	ND	ND	ND	ND	ND	2,894
	Duplicate		ND	ND	2,600	23.9	147	ND	ND	ND	ND	ND	2,770.9
	10/13/2006	17.56	ND	ND	1,830	20	146	ND	ND	ND	ND	ND	1,996
	Duplicate		ND	ND	1,880	19	151	ND	ND	ND	ND	ND	2,050.0
	4/17/2007	16.80	ND	8.5	1,320	6.8	68.2	ND	ND	ND	ND	ND	1,403.5
	Duplicate		ND	8.3	1,420	7.4	71.1	ND	ND	ND	ND	ND	1,506.8
	10/12/2007	18.62	ND	58.3	1,190	10	51.4	ND	ND	ND	ND	ND	1,309.7
	Duplicate		ND	68.3	1,160	10.9	58.8	ND	ND	ND	ND	ND	1,298.0
	4/4/2008	16.07	ND	ND	1,030	14	99.4	ND	ND	ND	ND	ND	1,143.4
	Duplicate		ND	ND	1,280	13.5	98.4	ND	ND	ND	ND	ND	1,391.9
	10/10/2008	17.87	ND	ND	1,210	13.2	106	ND	ND	ND	ND	ND	1,329.2
	Duplicate		ND	ND	1,170	11.9	95.1	ND	ND	ND	ND	ND	1,277.0
	4/9/2009	17.23	ND	ND	1,230	17.5	87.9	ND	ND	ND	ND	ND	1,335.4
	Duplicate		ND	ND	1,300	17.7	90.4	ND	ND	ND	ND	ND	1,408.1
	10/9/2009	17.36	ND	ND	1,600	13.4	96.1	ND	ND	ND	ND	ND	1,709.5
	Duplicate		ND	ND	1,610	13.2	97	ND	ND	ND	ND	ND	1,720.2
	4/8/2010	17.14	ND	ND	1,380	10.1	61.8	ND	ND	ND	ND	ND	1,451.9
	Duplicate		ND	ND	1,660	10.6	64.5	ND	ND	ND	ND	ND	1,735.1
	10/7/2010	18.64	ND	428	797	10.6	84.3	ND	ND	ND	ND	ND	1,319.9
	Duplicate		ND	403	746	10.3	83.1	ND	ND	ND	ND	ND	1,242.4
	4/14/2011	16.63	ND	487	1,070	ND	35.3	ND	ND	ND	ND	ND	1,592.3
	Duplicate		ND	473	1,030	ND	34.1	ND	ND	ND	ND	ND	1,537.1
	10/5/2011	18.06	ND	136	1,150	ND	58.5	ND	ND	ND	ND	ND	1,344.5
	Duplicate		ND	131	1,100	ND	54.8	ND	ND	ND	ND	ND	1,285.8
	4/6/2012	17.06	ND	87.8	656	7.7	95.9	ND	ND	ND	ND	ND	847.4
	Duplicate		ND	74.7	468	8.7	82.3	ND	ND	ND	ND	ND	633.7

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-28	2/17/1993	NA	ND	ND	318	415	230	NR	52	ND	ND	ND	1,015
	10/9/1996	NA	ND	ND	54	36	38	NR	NR	ND	ND	ND	128
	9/29/2000	16.92	ND	ND	51	49	44	ND	ND	ND	ND	ND	144
	4/2/2001	17.97	ND	ND	30	49	42	ND	ND	ND	ND	ND	121
	10/19/2001	17.22	ND	ND	30	37	37	ND	ND	ND	ND	ND	104
	4/16/2002	16.37	ND	ND	26	43	29	ND	ND	ND	ND	ND	98
	10/17/2002	18.35	ND	ND	27	41	34	ND	ND	ND	ND	ND	102
	4/30/2003	17.33	ND	ND	40	36	35	ND	ND	ND	ND	ND	111
	10/3/2003	17.05	ND	ND	46	35	36	ND	ND	ND	ND	ND	117
	4/2/2004	16.96	ND	ND	32	27	27	ND	ND	ND	ND	ND	86
	10/4/2004	17.81	ND	ND	33	41	48	ND	ND	ND	ND	ND	122
	4/1/2005	17.05	ND	ND	30	37	35	ND	ND	ND	ND	ND	102
	10/14/2005	17.26	ND	ND	29	25	36	ND	ND	ND	ND	ND	90
	4/27/2006	16.39	ND	ND	19.1	17.1	20.2	ND	ND	ND	ND	ND	56.4
	10/13/2006	17.42	ND	ND	23.2	41.5	47	ND	ND	ND	ND	ND	111.7
	4/17/2007	16.67	ND	ND	25.6	24	27.1	ND	ND	ND	ND	ND	76.7
	10/12/2007	18.61	ND	ND	30.2	39.4	26.1	ND	5.8	ND	ND	ND	101.5
	4/4/2008	15.67	ND	ND	34.4	23.1	25.7	ND	ND	ND	ND	ND	83.2
	10/10/2008	17.71	ND	ND	30.5	29	34.7	ND	ND	ND	ND	ND	94.2
	4/9/2009	16.87	ND	ND	33.7	21.9	25.6	ND	ND	ND	ND	ND	81.2
	10/9/2009	17.11	ND	ND	34.9	22.1	30.1	ND	ND	ND	ND	ND	87.1
	4/8/2010	16.82	ND	ND	29.7	15.1	18.8	ND	ND	ND	ND	ND	63.6
	10/7/2010	18.57	ND	ND	23.8	21.9	21.2	ND	ND	ND	ND	ND	66.9
	4/14/2011	16.18	ND	ND	18.9	9.5	11.4	ND	ND	ND	ND	ND	39.8
	10/5/2011	17.93	ND	ND	29.4	14.7	19.3	ND	ND	ND	ND	ND	63.4
	4/6/2012	16.66	ND	ND	29.9	9.1	13.9	ND	ND	ND	ND	ND	52.9

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-29	9/29/2000	16.71	ND	ND	11	ND	ND	ND	ND	ND	ND	ND	11
	4/2/2001	17.75	ND	ND	5.1	ND	ND	ND	ND	ND	ND	ND	5
	10/19/2001	17.18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/16/2002	16.15	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/17/2002	18.74	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/30/2003	16.02	ND	ND	8.8	ND	ND	ND	ND	ND	ND	ND	9
	10/3/2003	16.83	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/2/2004	16.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/4/2004	17.84	ND	ND	6.7	ND	ND	ND	ND	ND	ND	ND	6.7
	4/1/2005	16.88	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/14/2005	17.05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/27/2006	16.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/13/2006	17.24	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/17/2007	16.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/12/2007	18.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/4/2008	15.59	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/10/2008	17.55	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/9/2009	16.84	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/9/2009	16.92	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/8/2010	16.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/7/2010	18.45	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/14/2011	16.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/5/2011	17.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/6/2012	16.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.

Table 1 (continued)

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Groundwater Laboratory Analytical Results

Well Number	Sample Date	Depth to Water (feet)	Analytes										
			1,1 - Dichloro - ethane	cis-1,2 - Dichloro - ethene	Tetrachloro - ethene	1,1,1 - Trichloro - ethane	Trichloro - ethene	1,1,2 - Trichloro- ethane	Carbon Tetrachloride	1,1-Dichloro ethene	Trichlorofluoro methane	Toluene	Total VOCs
MW-30	9/29/2000	15.76	ND	ND	ND	36	70	ND	ND	ND	ND	ND	106
	4/2/2001	16.18	ND	ND	ND	31	50	ND	ND	ND	ND	ND	81
	10/19/2001	13.78	ND	ND	ND	37	48	ND	ND	ND	ND	ND	85
	4/16/2002	15.26	ND	ND	ND	39	37	ND	ND	ND	ND	ND	76
	10/17/2002	16.00	ND	ND	ND	29	42	ND	ND	ND	ND	ND	71
	4/30/2003	9.72*	ND	ND	ND	32	35	ND	ND	ND	ND	ND	67
	10/3/2003	15.63	ND	ND	ND	25	26	ND	ND	ND	ND	ND	51
	4/2/2004	15.75	ND	ND	ND	20	19	ND	ND	ND	ND	ND	39
	10/4/2004	15.51	ND	ND	6.3	26	27	ND	ND	ND	ND	ND	59
	4/1/2005	15.46	ND	ND	ND	31	28	ND	ND	ND	ND	ND	59
	10/14/2005	15.45	ND	ND	ND	22	33	ND	ND	ND	ND	ND	55
	4/27/2006	14.90	ND	ND	ND	12.2	16.8	ND	ND	ND	ND	ND	29
	10/13/2006	15.45	ND	ND	ND	33.3	30.5	ND	ND	ND	ND	ND	64
	4/17/2007	15.34	ND	ND	ND	14.1	14.7	ND	ND	ND	ND	ND	28.8
	10/12/2007	16.06	ND	ND	ND	39.6	27.6	ND	5.7	ND	ND	ND	72.9
	4/4/2008	14.57	ND	ND	ND	15.9	15.2	ND	ND	ND	ND	ND	31.1
	10/10/2008	15.92	ND	ND	ND	18.2	12.7	ND	ND	ND	ND	ND	30.9
	4/9/2009	15.66	ND	ND	ND	15.6	9.9	ND	ND	ND	ND	ND	25.5
	10/9/2009	15.67	ND	ND	ND	15.2	7.9	ND	ND	ND	ND	ND	23.1
	4/8/2010	15.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	10/7/2010	16.12	ND	ND	ND	24.3	10.1	ND	ND	ND	ND	ND	34.4
	4/14/2011	15.17	ND	ND	ND	7.7	ND	ND	ND	ND	ND	ND	7.7
	10/5/2011	15.87	ND	ND	ND	13.5	ND	ND	ND	ND	ND	ND	13.5
	4/6/2012	15.31	ND	ND	ND	6.6	ND	ND	ND	ND	ND	ND	6.6

Notes:
Results in micrograms per liter (ug/l).
ND - Not Detected - analyte not detected above laboratory method detection limit of 5.0 ug/L.
Samples were analyzed for VOCs using USEPA Method 8260 B.

NA - Not Available.
J - Estimated value.
* Depth to water in MW-30 on May 30, 2003 is believed to be erroneous.

ATTACHMENT A

Groundwater Level Measurements

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-2	01/06/06	732.25	12.29	719.96
	02/03/06		12.09	720.16
	03/03/06		12.28	719.97
	04/26/06		11.60	720.65
	05/25/06		11.67	720.58
	06/23/06		12.05	720.20
	07/07/06		12.23	720.02
	08/04/06		12.17	720.08
	09/15/06		12.21	720.04
	10/13/06		12.47	719.78
	11/10/06		12.13	720.12
	12/08/06		11.68	720.57
	01/03/07		11.52	720.73
	02/12/07		12.00	720.25
	03/12/07		11.74	720.51
	04/09/07		12.01	720.24
	05/07/07		12.11	720.14
	06/08/07		12.45	719.80
	07/17/07		12.66	719.59
	08/01/07		12.73	719.52
	09/14/07		13.03	719.22
	10/12/07		13.38	718.87
	11/09/07		13.37	718.88
	12/07/07		13.27	718.98
	01/04/08		12.79	719.46
	02/15/08		11.85	720.40
	03/13/08		11.48	720.77
	04/11/08		11.31	720.94
	05/08/08		11.95	720.30
	06/06/08		11.08	721.17
	07/03/08		11.29	720.96
	08/01/08		11.65	720.60
	09/12/08		12.38	719.87
	10/10/08		12.78	719.47
	11/06/08		13.05	719.20
	12/19/08		12.97	719.28
	01/02/09		12.39	719.86
	02/13/09		12.30	719.95
	03/13/09		12.40	719.85
	04/09/09		12.22	720.03
	05/08/09		11.90	720.35
	06/05/09		11.89	720.36
	07/02/09		12.05	720.20
	08/14/09		11.55	720.70
	09/11/09		12.02	720.23
	10/09/09		12.29	719.96
	11/04/09		12.26	719.99
	12/04/09		12.55	719.70
	01/14/10		12.50	719.75
	02/10/10		NG	NG
	03/11/10		12.49	719.76
	04/08/10		12.19	720.06
	05/06/10		12.35	719.90
	06/04/10		12.47	719.78
	07/01/10		11.69	720.56
	08/12/10		12.39	719.86
	09/08/10		13.07	719.18
	10/07/10		14.04	718.21
	11/19/10		14.28	717.97
	12/03/10		13.70	718.55
	01/14/11		13.42	718.83
	02/11/11		13.71	718.54
	03/11/11		11.64	720.61
	04/14/11		11.93	720.32
	05/06/11		10.84	721.41
	06/02/11		11.83	720.42
	07/15/11		12.20	720.05
	08/11/11		12.79	719.46
	09/07/11		13.32	718.93
	10/05/11		13.30	718.95
	11/04/11		13.26	718.99
	12/01/11		12.82	719.43
	01/13/12		12.50	719.75
	02/10/12		12.30	719.95
	03/09/12		12.80	719.45
	04/06/12		12.31	719.94

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
IT-3	01/06/06	728.71	NG	NG
	02/03/06		10.92	717.79
	03/03/06		11.03	717.68
	04/26/06		10.71	718.00
	05/25/06		10.55	718.16
	06/23/06		10.72	717.99
	07/07/06		10.85	717.86
	08/04/06		10.78	717.93
	09/15/06		10.82	717.89
	10/13/06		10.95	717.76
	11/10/06		10.83	717.88
	12/08/06		10.60	718.11
	01/03/07		10.46	718.25
	02/12/07		10.93	717.78
	03/12/07		10.81	717.90
	04/09/07		10.88	717.83
	05/07/07		10.95	717.76
	06/08/07		11.10	717.61
	07/17/07		11.12	717.59
	08/01/07		11.12	717.59
	09/14/07		11.21	717.50
	10/12/07		11.35	717.36
	11/09/07		11.35	717.36
	12/07/07		11.36	717.35
	01/04/08		11.24	717.47
	02/15/08		10.61	718.10
	03/13/08		10.42	718.29
	04/11/08		10.23	718.48
	05/08/08		10.70	718.01
	06/06/08		9.84	718.87
	07/03/08		9.89	718.82
	08/01/08		10.54	718.17
	09/12/08		10.92	717.79
	10/10/08		11.04	717.67
	11/06/08		11.20	717.51
	12/19/08		11.01	717.70
	01/02/09		10.98	717.73
	02/13/09		10.79	717.92
	03/13/09		11.13	717.58
	04/09/09		10.86	717.85
	05/08/09		10.81	717.90
	06/05/09		10.71	718.00
	07/02/09		10.81	717.90
	08/14/09		10.52	718.19
	09/11/09		10.80	717.91
	10/09/09		10.77	717.94
	11/04/09		10.91	717.80
	12/04/09		11.07	717.64
	01/14/10		11.09	717.62
	02/10/10		11.13	717.58
	03/11/10		11.03	717.68
	04/08/10		10.75	717.96
	05/06/10		10.96	717.75
	06/04/10		11.01	717.70
	07/01/10		10.52	718.19
	08/12/10		10.88	717.83
	09/08/10		11.10	717.61
	10/07/10		11.33	717.38
	11/19/10		11.49	717.22
	12/03/10		11.26	717.45
	01/14/11		11.35	717.36
	02/11/11		11.41	717.30
	03/11/11		10.35	718.36
	04/14/11		10.52	718.19
	05/06/11		9.79	718.92
	06/02/11		10.42	718.29
	07/15/11		10.60	718.11
	08/11/11		10.86	717.85
	09/07/11		11.07	717.64
	10/05/11		11.07	717.64
	11/04/11		11.02	717.69
	12/01/11		10.74	717.97
	01/13/12		10.90	717.81
	02/10/12		10.86	717.85
	03/09/12		11.08	717.63
	04/06/12		10.73	717.98

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-3	01/06/06	736.44	15.06	721.38
	02/03/06		14.87	721.57
	03/03/06		15.00	721.44
	04/26/06		14.33	722.11
	05/25/06		NG	NG
	06/23/06		14.75	721.69
	07/07/06		14.97	721.47
	08/04/06		14.93	721.51
	09/15/06		NG	NG
	10/13/06		15.48	720.96
	11/10/06		14.98	721.46
	12/08/06		14.15	722.29
	01/03/07		14.00	722.44
	02/12/07		14.58	721.86
	03/12/07		14.41	722.03
	04/09/07		14.64	721.80
	05/07/07		14.83	721.61
	06/08/07		15.32	721.12
	07/17/07		15.73	720.71
	08/01/07		16.89	719.55
	09/14/07		16.23	720.21
	10/12/07		16.65	719.79
	11/09/07		16.60	719.84
	12/07/07		16.55	719.89
	01/04/08		15.87	720.57
	02/15/08		14.41	722.03
	03/13/08		13.82	722.62
	04/11/08		13.50	722.94
	05/08/08		14.33	722.11
	06/06/08		13.30	723.14
	07/03/08		13.41	723.03
	08/01/08		13.68	722.76
	09/12/08		15.28	721.16
	10/10/08		15.77	720.67
	11/06/08		16.11	720.33
	12/19/08		16.10	720.34
	01/02/09		15.26	721.18
	02/13/09		15.16	721.28
	03/13/09		15.25	721.19
	04/09/09		14.88	721.56
	05/08/09		NG	NG
	06/05/09		14.25	722.19
	07/02/09		14.62	721.82
	08/14/09		13.92	722.52
	09/11/09		14.73	721.71
	10/09/09		15.17	721.27
	11/04/09		15.07	721.37
	12/04/09		15.48	720.96
	01/14/10		15.23	721.21
	02/10/10		15.37	721.07
	03/11/10		15.21	721.23
	04/08/10		14.82	721.62
	05/06/10		14.92	721.52
	06/04/10		15.13	721.31
	07/01/10		14.04	722.40
	08/12/10		15.06	721.38
	09/08/10		15.85	720.59
	10/07/10		16.52	719.92
	11/19/10		16.99	719.45
	12/03/10		16.32	720.12
	01/14/11		16.07	720.37
	02/11/11		16.31	720.13
	03/11/11		13.91	722.53
	04/14/11		14.08	722.36
	05/06/11		12.53	723.91
	06/02/11		13.84	722.60
	07/15/11		14.48	721.96
	08/11/11		15.26	721.18
	09/07/11		15.91	720.53
	10/05/11		15.71	720.73
	11/04/11		15.97	720.47
	12/01/11		15.48	720.96
	01/13/12		14.87	721.57
	02/10/12		14.49	721.95
	03/09/12		15.10	721.34
	04/06/12		14.63	721.81

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-9	01/06/06	733.04	8.90	724.14
	02/03/06		8.16	724.88
	03/03/06		8.52	724.52
	04/26/06		7.55	725.49
	05/25/06		6.90	726.14
	06/23/06		7.81	725.23
	07/07/06		8.51	724.53
	08/04/06		8.59	724.45
	09/15/06		8.99	724.05
	10/13/06		9.40	723.64
	11/10/06		8.67	724.37
	12/08/06		7.71	725.33
	01/03/07		6.85	726.19
	02/12/07		7.81	725.23
	03/12/07		9.56	723.48
	04/09/07		10.56	722.48
	05/07/07		8.35	724.69
	06/08/07		9.07	723.97
	07/17/07		9.65	723.39
	08/01/07		9.82	723.22
	09/14/07		10.49	722.55
	10/12/07		10.95	722.09
	11/09/07		11.14	721.90
	12/07/07		11.21	721.83
	01/04/08		10.46	722.58
	02/15/08		8.45	724.59
	03/13/08		7.28	725.76
	04/11/08		6.40	726.64
	05/08/08		7.74	725.30
	06/06/08		8.49	724.55
	07/03/08		8.50	724.54
	08/01/08		7.28	725.76
	09/12/08		7.30	725.74
	10/10/08		9.47	723.57
	11/06/08		9.98	723.06
	12/19/08		9.34	723.70
	01/02/09		8.77	724.27
	02/13/09		8.04	725.00
	03/13/09		8.75	724.29
	04/09/09		7.82	725.22
	05/08/09		NG	NG
	06/05/09		7.24	725.80
	07/02/09		7.89	725.15
	08/14/09		6.96	726.08
	09/11/09		8.47	724.57
	10/09/09		8.34	724.70
	11/04/09		8.46	724.58
	12/04/09		8.98	724.06
	01/14/10		8.83	724.21
	02/10/10		NG	NG
	03/11/10		8.51	724.53
	04/08/10		7.37	725.67
	05/06/10		8.16	724.88
	06/04/10		8.48	724.56
	07/01/10		7.22	725.82
	08/12/10		8.94	724.10
	09/08/10		9.81	723.23
	10/07/10		10.51	722.53
	11/19/10		11.10	721.94
	12/03/10		10.31	722.73
	01/14/11		10.19	722.85
	02/11/11		10.22	722.82
	03/11/11		7.00	726.04
	04/14/11		6.84	726.20
	05/06/11		4.71	728.33
	06/02/11		6.74	726.30
	07/15/11		7.80	725.24
	08/11/11		8.83	724.21
	09/07/11		9.72	723.32
	10/05/11		9.74	723.30
	11/04/11		9.75	723.29
	12/01/11		8.57	724.47
	01/13/12		8.18	724.86
	02/10/12		7.76	725.28
	03/09/12		8.52	724.52
	04/06/12		7.71	725.33

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-12	01/06/06	736.38	16.40	719.98
	02/03/06		16.30	720.08
	03/03/06		16.40	719.98
	04/26/06		15.79	720.59
	05/25/06		15.82	720.56
	06/23/06		16.20	720.18
	07/07/06		16.34	720.04
	08/04/06		16.24	720.14
	09/15/06		16.39	719.99
	10/13/06		16.56	719.82
	11/10/06		16.25	720.13
	12/08/06		17.72	718.66
	01/03/07		15.70	720.68
	02/12/07		16.18	720.20
	03/12/07		15.54	720.84
	04/09/07		16.17	720.21
	05/07/07		16.32	720.06
	06/08/07		16.58	719.80
	07/17/07		16.79	719.59
	08/01/07		16.88	719.50
	09/14/07		17.10	719.28
	10/12/07		17.47	718.91
	11/09/07		17.45	718.93
	12/07/07		17.35	719.03
	01/04/08		16.86	719.52
	02/03/08		15.97	720.41
	03/13/08		15.67	720.71
	04/11/08		15.52	720.86
	05/08/08		16.06	720.32
Well Damaged	06/06/08		NG	NG
MW-12R	07/03/08	736.15	15.47	720.68
	08/01/08		15.76	720.39
	09/12/08		16.49	719.66
	10/10/08		16.85	719.30
	11/06/08		17.17	718.98
	12/19/08		17.05	719.10
	01/02/09		16.51	719.64
	02/13/09		16.44	719.71
	03/13/09		16.57	719.58
	04/09/09		16.38	719.77
	05/08/09		16.11	720.04
	06/05/09		16.05	720.10
	07/02/09		16.22	719.93
	08/14/09		15.77	720.38
	09/11/09		16.04	720.11
	10/09/09		16.41	719.74
	11/04/09		16.46	719.69
	12/04/09		16.71	719.44
	01/14/10		16.60	719.55
	02/10/10		16.68	719.47
	03/11/10		16.63	719.52
	04/08/10		16.32	719.83
	05/06/10		16.49	719.66
	06/04/10		16.61	719.54
	07/01/10		15.85	720.30
	08/12/10		16.64	719.51
	09/08/10		17.28	718.87
	10/07/10		18.41	717.74
	11/19/10		18.71	717.44
	12/03/10		18.22	717.93
	01/14/11		17.76	718.39
	02/11/11		18.05	718.10
	03/11/11		16.09	720.06
	04/14/11		16.34	719.81
	05/06/11		15.32	720.83
	06/02/11		16.21	719.94
	07/15/11		16.53	719.62
	08/11/11		17.05	719.10
	09/07/11		17.62	718.53
	10/05/11		17.63	718.52
	11/04/11		17.54	718.61
	12/01/11		17.20	718.95
	01/13/12		16.83	719.32
	02/10/12		16.66	719.49
	03/09/12		17.15	719.00
	04/06/12		16.74	719.41

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-20	01/06/06	734.03	9.58	724.45
	02/03/06		9.11	724.92
	03/03/06		9.61	724.42
	04/26/06		9.02	725.01
	05/25/06		8.55	725.48
	06/23/06		9.14	724.89
	07/07/06		9.30	724.73
	08/04/06		9.72	724.31
	09/15/06		9.38	724.65
	10/13/06		10.57	723.46
	11/10/06		9.64	724.39
	12/08/06		9.06	724.97
	01/03/07		8.51	725.52
	02/12/07		9.42	724.61
	03/12/07		9.24	724.79
	04/09/07		9.36	724.67
	05/07/07		9.61	724.42
	06/08/07		10.20	723.83
	07/17/07		10.72	723.31
	08/01/07		10.85	723.18
	09/14/07		11.58	722.45
	10/12/07		12.02	722.01
	11/09/07		12.10	721.93
	12/07/07		11.91	722.12
	01/04/08		11.11	722.92
	02/15/08		9.43	724.60
	03/13/08		8.71	725.32
	04/11/08		8.28	725.75
	05/08/08		9.23	724.80
	06/06/08		7.64	726.39
	07/03/08		7.67	726.36
	08/01/08		9.00	725.03
	09/12/08		9.05	724.98
	10/10/08		10.51	723.52
	11/06/08		11.17	722.86
	12/19/08		10.01	724.02
	01/02/09		9.69	724.34
	02/13/09		9.12	724.91
	03/13/09		9.84	724.19
	04/09/09		9.04	724.99
	05/08/09		8.53	725.50
	06/05/09		8.93	725.10
	07/02/09		9.34	724.69
	08/14/09		8.68	725.35
	09/11/09		9.74	724.29
	10/09/09		9.24	724.79
	11/04/09		9.55	724.48
	12/04/09		9.98	724.05
	01/14/10		9.99	724.04
	02/10/10		9.99	724.04
	03/11/10		9.46	724.57
	04/08/10		8.53	725.50
	05/06/10		9.41	724.62
	06/04/10		9.51	724.52
	07/01/10		8.81	725.22
	08/12/10		10.16	723.87
	09/08/10		11.07	722.96
	10/07/10		11.76	722.27
	11/19/10		12.08	721.95
	12/03/10		10.96	723.07
	01/14/11		11.02	723.01
	02/11/11		11.06	722.97
	03/11/11		8.22	725.81
	04/14/11		8.34	725.69
	05/06/11		7.24	726.79
	06/02/11		8.56	725.47
	07/15/11		9.25	724.78
	08/11/11		15.68	718.35
	09/07/11		10.94	723.09
	10/05/11		10.67	723.36
	11/04/11		10.51	723.52
	12/01/11		9.32	724.71
	01/13/12		9.39	724.64
	02/10/12		9.19	724.84
	03/09/12		9.63	724.40
	04/06/12		9.04	724.99

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-21	01/06/06	737.91	16.65	721.26
	02/03/06		16.48	721.43
	03/03/06		16.60	721.31
	04/26/06		16.01	721.90
	05/25/06		15.81	722.10
	06/23/06		16.40	721.51
	07/07/06		16.62	721.29
	08/04/06		16.61	721.30
	09/15/06		NG	NG
	10/13/06		17.12	720.79
	11/10/06		16.64	721.27
	12/08/06		16.65	721.26
	01/03/07		15.71	722.20
	02/12/07		4.76	733.15
	03/12/07		16.10	721.81
	04/09/07		16.91	721.00
	05/07/07		16.50	721.41
	06/08/07		16.98	720.93
	07/17/07		17.35	720.56
	08/01/07		17.55	720.36
	09/14/07		17.88	720.03
	10/12/07		18.29	719.62
	11/09/07		18.23	719.68
	12/07/07		18.19	719.72
	01/04/08		17.48	720.43
	02/15/08		16.10	721.81
	03/13/08		15.52	722.39
	04/11/08		15.20	722.71
	05/08/08		16.02	721.89
	06/06/08		15.00	722.91
	07/03/08		15.05	722.86
	08/01/08		15.36	722.55
	09/12/08		16.95	720.96
	10/10/08		17.43	720.48
	11/06/08		17.78	720.13
	12/19/08		17.75	720.16
	01/02/09		16.94	720.97
	02/13/09		16.85	721.06
	03/13/09		16.94	720.97
	04/09/09		16.60	721.31
	05/08/09		16.16	721.75
	06/05/09		15.97	721.94
	07/02/09		16.32	721.59
	08/14/09		15.67	722.24
	09/11/09		16.41	721.50
	10/09/09		16.94	720.97
	11/04/09		16.76	721.15
	12/04/09		17.15	720.76
	01/14/10		16.95	720.96
	02/10/10		17.06	720.85
	03/11/10		16.91	721.00
	04/08/10		16.53	721.38
	05/06/10		16.63	721.28
	06/04/10		16.84	721.07
	07/01/10		15.78	722.13
	08/12/10		16.76	721.15
	09/08/10		17.51	720.40
	10/07/10		18.17	719.74
	11/19/10		18.64	719.27
	12/03/10		17.98	719.93
	01/14/11		17.71	720.20
	02/11/11		17.96	719.95
	03/11/11		15.62	722.29
	04/14/11		15.82	722.09
	05/06/11		14.32	723.59
	06/02/11		15.61	722.30
	07/15/11		16.21	721.70
	08/11/11		16.97	720.94
	09/07/11		17.59	720.32
	10/05/11		17.47	720.44
	11/04/11		17.64	720.27
	12/01/11		17.18	720.73
	01/13/12		16.57	721.34
	02/10/12		16.24	721.67
	03/09/12		16.89	721.02
	04/06/12		16.33	721.58

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-22	01/06/06	737.64	16.91	720.73
	02/03/06		16.85	720.79
	03/03/06		16.96	720.68
	04/26/06		16.60	721.04
	05/25/06		16.52	721.12
	06/23/06		16.98	720.66
	07/07/06		17.16	720.48
	08/04/06		17.13	720.51
	09/15/06		17.35	720.29
	10/13/06		17.56	720.08
	11/10/06		17.16	720.48
	12/08/06		16.52	721.12
	01/03/07		16.46	721.18
	02/12/07		16.90	720.74
	03/12/07		16.66	720.98
	04/09/07		16.91	720.73
	05/07/07		17.03	720.61
	06/08/07		17.43	720.21
	07/17/07		17.76	719.88
	08/01/07		17.97	719.67
	09/14/07		18.24	719.40
	10/12/07		18.62	719.02
	11/09/07		18.59	719.05
	12/07/07		18.51	719.13
	01/04/08		17.91	719.73
	02/15/08		16.80	720.84
	03/13/08		16.37	721.27
	04/11/08		16.13	721.51
	05/08/08		16.74	720.90
	06/06/08		15.88	721.76
	07/03/08		15.91	721.73
	08/01/08		16.29	721.35
	09/12/08		17.47	720.17
	10/10/08		17.87	719.77
	11/06/08		18.22	719.42
	12/19/08		18.12	719.52
	01/02/09		17.47	720.17
	02/13/09		17.37	720.27
	03/13/09		17.58	720.06
	04/09/09		17.23	720.41
	05/08/09		16.89	720.75
	06/05/09		16.72	720.92
	07/02/09		16.98	720.66
	08/14/09		16.49	721.15
	09/11/09		16.91	720.73
	10/09/09		17.36	720.28
	11/04/09		17.30	720.34
	12/04/09		17.65	719.99
	01/14/10		17.48	720.16
	02/10/10		17.57	720.07
	03/11/10		17.46	720.18
	04/08/10		17.14	720.50
	05/06/10		17.28	720.36
	06/04/10		17.42	720.22
	07/01/10		16.55	721.09
	08/12/10		17.27	720.37
	09/08/10		17.88	719.76
	10/07/10		18.64	719.00
	11/19/10		19.08	718.56
	12/03/10		18.46	719.18
	01/14/11		18.07	719.57
	02/11/11		18.36	719.28
	03/11/11		16.43	721.21
	04/14/11		16.63	721.01
	05/06/11		15.57	722.07
	06/02/11		16.53	721.11
	07/15/11		16.93	720.71
	08/11/11		17.54	720.10
	09/07/11		18.11	719.53
	10/05/11		18.06	719.58
	11/04/11		18.11	719.53
	12/01/11		17.70	719.94
	01/13/12		17.24	720.40
	02/10/12		17.05	720.59
	03/09/12		17.55	720.09
	04/06/12		17.06	720.58

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-24	01/06/06	736.02	15.55	720.47
	02/03/06		15.31	720.71
	03/03/06		15.41	720.61
	04/26/06		14.82	721.20
	05/25/06		14.58	721.44
	06/23/06		15.11	720.91
	07/07/06		15.31	720.71
	08/04/06		15.31	720.71
	09/15/06		15.54	720.48
	10/13/06		15.73	720.29
	11/10/06		15.35	720.67
	12/08/06		14.69	721.33
	01/03/07		14.51	721.51
	02/12/07		14.97	721.05
	03/12/07		14.88	721.14
	04/09/07		15.07	720.95
	05/07/07		15.24	720.78
	06/08/07		15.63	720.39
	07/17/07		15.95	720.07
	08/01/07		16.02	720.00
	09/14/07		16.31	719.71
	10/12/07		16.64	719.38
	11/09/07		16.65	719.37
	12/07/07		16.67	719.35
	01/04/08		16.18	719.84
	02/15/08		14.95	721.07
	03/13/08		14.43	721.59
	04/11/08		14.07	721.95
	05/08/08		14.88	721.14
	06/06/08		13.85	722.17
	07/03/08		13.87	722.15
	08/01/08		14.38	721.64
	09/12/08		15.58	720.44
	10/10/08		15.98	720.04
	11/06/08		16.26	719.76
	12/19/08		16.28	719.74
	01/02/09		15.74	720.28
	02/13/09		15.54	720.48
	03/13/09		15.66	720.36
	04/09/09		15.43	720.59
	05/08/09		15.03	720.99
	06/05/09		14.79	721.23
	07/02/09		15.07	720.95
	08/14/09		14.50	721.52
	09/11/09		15.13	720.89
	10/09/09		15.53	720.49
	11/04/09		15.49	720.53
	12/04/09		15.80	720.22
	01/14/10		15.60	720.42
	02/10/10		15.71	720.31
	03/11/10		15.61	720.41
	04/08/10		15.28	720.74
	05/06/10		15.39	720.63
	06/04/10		15.55	720.47
	07/01/10		14.56	721.46
	08/12/10		15.39	720.63
	09/08/10		16.02	720.00
	10/07/10		16.57	719.45
	11/19/10		16.98	719.04
	12/03/10		16.56	719.46
	01/14/11		16.31	719.71
	02/11/11		16.51	719.51
	03/11/11		14.47	721.55
	04/14/11		14.70	721.32
	05/06/11		13.13	722.89
	06/02/11		14.42	721.60
	07/15/11		14.93	721.09
	08/11/11		15.58	720.44
	09/07/11		16.08	719.94
	10/05/11		16.11	719.91
	11/04/11		16.16	719.86
	12/01/11		15.83	720.19
	01/13/12		15.27	720.75
	02/10/12		15.03	720.99
	03/09/12		15.63	720.39
	04/06/12		15.11	720.91

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-26	01/06/06	736.39	13.05	723.34
	02/03/06		12.56	723.83
	03/03/06		12.91	723.48
	04/26/06		12.05	724.34
	05/25/06		11.50	724.89
	06/23/06		12.19	724.20
	07/07/06		12.76	723.63
	08/04/06		12.75	723.64
	09/15/06		13.09	723.30
	10/13/06		13.45	722.94
	11/10/06		12.81	723.58
	12/08/06		11.99	724.40
	01/03/07		11.42	724.97
	02/12/07		12.28	724.11
	03/12/07		12.15	724.24
	04/09/07		12.39	724.00
	05/07/07		12.65	723.74
	06/08/07		13.25	723.14
	07/17/07		13.69	722.70
	08/01/07		13.85	722.54
	09/14/07		14.37	722.02
	10/12/07		14.82	721.57
	11/09/07		14.93	721.46
	12/07/07		14.91	721.48
	01/04/08		14.20	722.19
	02/15/08		12.47	723.92
	03/13/08		11.63	724.76
	04/11/08		11.04	725.35
	05/08/08		12.13	724.26
	06/06/08		10.29	726.10
	07/03/08		10.31	726.08
	08/01/08		11.71	724.68
	09/12/08		11.80	724.59
	10/10/08		13.61	722.78
	11/06/08		14.07	722.32
	12/19/08		13.95	722.44
	01/02/09		12.92	723.47
	02/13/09		12.47	723.92
	03/13/09		13.02	723.37
	04/09/09		12.22	724.17
	05/08/09		11.72	724.67
	06/05/09		11.78	724.61
	07/02/09		12.27	724.12
	08/14/09		11.44	724.95
	09/11/09		12.70	723.69
	10/09/09		12.72	723.67
	11/04/09		12.74	723.65
	12/04/09		13.21	723.18
	01/14/10		13.06	723.33
	02/10/10		13.15	723.24
	03/11/10		12.78	723.61
	04/08/10		12.18	724.21
	05/06/10		12.52	723.87
	06/04/10		12.69	723.70
	07/01/10		11.62	724.77
	08/12/10		13.06	723.33
	09/08/10		13.89	722.50
	10/07/10		14.52	721.87
	11/19/10		14.97	721.42
	12/03/10		14.11	722.28
	01/14/11		14.11	722.28
	02/11/11		14.24	722.15
	03/11/11		11.34	725.05
	04/14/11		11.33	725.06
	05/06/11		9.52	726.87
	06/02/11		11.25	725.14
	07/15/11		12.16	724.23
	08/11/11		13.02	723.37
	09/07/11		13.80	722.59
	10/05/11		13.70	722.69
	11/04/11		13.71	722.68
	12/01/11		12.73	723.66
	01/13/12		12.48	723.91
	02/10/12		12.15	724.24
	03/09/12		12.81	723.58
	04/06/12		12.09	724.30

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-27	01/06/06	736.63	15.35	721.28
	02/03/06		15.15	721.48
	03/03/06		15.31	721.32
	04/26/06		14.69	721.94
	05/25/06		14.55	722.08
	06/23/06		15.10	721.53
	07/07/06		15.35	721.28
	08/04/06		15.27	721.36
	09/15/06		NG	NG
	10/13/06		15.81	720.82
	11/10/06		15.26	721.37
	12/08/06		14.58	722.05
	01/03/07		14.31	722.32
	02/12/07		15.04	721.59
	03/12/07		16.68	719.95
	04/09/07		15.03	721.60
	05/07/07		15.17	721.46
	06/08/07		15.71	720.92
	07/17/07		16.11	720.52
	08/01/07		16.31	720.32
	09/14/07		16.63	720.00
	10/12/07		17.08	719.55
	11/09/07		17.08	719.55
	12/07/07		16.79	719.84
	01/04/08		16.30	720.33
	02/15/08		14.87	721.76
	03/13/08		14.33	722.30
	04/11/08		14.11	722.52
	05/08/08		14.93	721.70
	06/06/08		13.76	722.87
	07/03/08		13.80	722.83
	08/01/08		14.46	722.17
	09/12/08		15.67	720.96
	10/10/08		16.12	720.51
	11/06/08		16.52	720.11
	12/19/08		16.41	720.22
	01/02/09		15.50	721.13
	02/13/09		15.43	721.20
	03/13/09		15.58	721.05
	04/09/09		15.11	721.52
	05/08/09		14.72	721.91
	06/05/09		14.64	721.99
	07/02/09		15.01	721.62
	08/14/09		14.37	722.26
	09/11/09		15.08	721.55
	10/09/09		15.43	721.20
	11/04/09		15.34	721.29
	12/04/09		15.78	720.85
	01/14/10		15.61	721.02
	02/10/10		15.73	720.90
	03/11/10		15.47	721.16
	04/08/10		15.12	721.51
	05/06/10		15.26	721.37
	06/04/10		15.47	721.16
	07/01/10		14.45	722.18
	08/12/10		15.42	721.21
	09/08/10		16.33	720.30
	10/07/10		16.99	719.64
	11/19/10		17.38	719.25
	12/03/10		16.64	719.99
	01/14/11		16.43	720.20
	02/11/11		16.65	719.98
	03/11/11		14.16	722.47
	04/14/11		14.38	722.25
	05/06/11		13.09	723.54
	06/02/11		14.28	722.35
	07/15/11		14.92	721.71
	08/11/11		10.00	726.63
	09/07/11		16.35	720.28
	10/05/11		16.18	720.45
	11/04/11		16.26	720.37
	12/01/11		15.68	720.95
	01/13/12		15.21	721.42
	02/10/12		14.93	721.70
	03/09/12		15.62	721.01
	04/06/12		14.95	721.68

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-28	01/06/06	738.04	17.02	721.02
	02/03/06		16.84	721.20
	03/03/06		17.00	721.04
	04/26/06		16.35	721.69
	05/25/06		16.21	721.83
	06/23/06		16.77	721.27
	07/07/06		16.97	721.07
	08/04/06		16.91	721.13
	09/15/06		17.18	720.86
	10/13/06		17.42	720.62
	11/10/06		16.95	721.09
	12/08/06		16.25	721.79
	01/03/07		16.07	721.97
	02/12/07		16.67	721.37
	03/12/07		NG	NG
	04/09/07		16.66	721.38
	05/07/07		16.81	721.23
	06/08/07		17.29	720.75
	07/17/07		17.67	720.37
	08/01/07		17.88	720.16
	09/14/07		18.19	719.85
	10/12/07		18.61	719.43
	11/09/07		18.60	719.44
	12/07/07		18.35	719.69
	01/04/08		17.85	720.19
	02/15/08		16.51	721.53
	03/13/08		16.01	722.03
	04/11/08		15.74	722.30
	05/08/08		16.51	721.53
	06/06/08		15.52	722.52
	07/03/08		15.56	722.48
	08/01/08		16.01	722.03
	09/12/08		17.28	720.76
	10/10/08		17.71	720.33
	11/06/08		18.11	719.93
	12/19/08		18.03	720.01
	01/02/09		17.20	720.84
	02/13/09		17.12	720.92
	03/13/09		17.23	720.81
	04/09/09		16.87	721.17
	05/08/09		16.48	721.56
	06/05/09		16.35	721.69
	07/02/09		16.44	721.60
	08/14/09		16.07	721.97
	09/11/09		16.68	721.36
	10/09/09		17.11	720.93
	11/04/09		17.03	721.01
	12/04/09		17.43	720.61
	01/14/10		17.25	720.79
	02/10/10		17.34	720.70
	03/11/10		17.18	720.86
	04/08/10		16.82	721.22
	05/06/10		16.95	721.09
	06/04/10		17.14	720.90
	07/01/10		16.15	721.89
	08/12/10		17.03	721.01
	09/08/10		17.87	720.17
	10/07/10		18.57	719.47
	11/19/10		19.00	719.04
	12/03/10		18.31	719.73
	01/14/11		18.03	720.01
	02/11/11		18.29	719.75
	03/11/11		15.95	722.09
	04/14/11		16.18	721.86
	05/06/11		14.91	723.13
	06/02/11		16.03	722.01
	07/15/11		16.59	721.45
	08/11/11		17.32	720.72
	09/07/11		17.97	720.07
	10/05/11		17.93	720.11
	11/04/11		17.92	720.12
	12/01/11		17.42	720.62
	01/13/12		16.92	721.12
	02/10/12		16.65	721.39
	03/09/12		17.29	720.75
	04/06/12		16.66	721.38

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-29	01/06/06	737.61	16.82	720.79
	02/03/06		16.65	720.96
	03/03/06		16.81	720.80
	04/26/06		16.22	721.39
	05/25/06		16.07	721.54
	06/23/06		16.60	721.01
	07/07/06		16.82	720.79
	08/04/06		16.72	720.89
	09/15/06		16.98	720.63
	10/13/06		17.24	720.37
	11/10/06		16.75	720.86
	12/08/06		16.10	721.51
	01/03/07		15.89	721.72
	02/12/07		16.53	721.08
	03/12/07		16.34	721.27
	04/09/07		16.51	721.10
	05/07/07		16.65	720.96
	06/08/07		17.16	720.45
	07/17/07		17.52	720.09
	08/01/07		17.71	719.90
	09/14/07		18.03	719.58
	10/12/07		18.45	719.16
	11/09/07		18.44	719.17
	12/07/07		18.13	719.48
	01/04/08		17.66	719.95
	02/15/08		16.36	721.25
	03/13/08		15.89	721.72
	04/11/08		15.67	721.94
	05/08/08		16.43	721.18
	06/06/08		15.45	722.16
	07/03/08		15.47	722.14
	08/01/08		16.08	721.53
	09/12/08		17.13	720.48
	10/10/08		17.55	720.06
	11/06/08		17.93	719.68
	12/19/08		17.80	719.81
	01/02/09		16.96	720.65
	02/13/09		16.90	720.71
	03/13/09		17.02	720.59
	04/09/09		16.84	720.77
	05/08/09		16.27	721.34
	06/05/09		16.88	720.73
	07/02/09		16.91	720.70
	08/14/09		15.93	721.68
	09/11/09		15.84	721.77
	10/09/09		16.92	720.69
	11/04/09		16.83	720.78
	12/04/09		17.25	720.36
	01/14/10		17.03	720.58
	02/10/10		17.18	720.43
	03/11/10		16.98	720.63
	04/08/10		16.61	721.00
	05/06/10		16.77	720.84
	06/04/10		16.97	720.64
	07/01/10		15.99	721.62
	08/12/10		16.90	720.71
	09/08/10		17.78	719.83
	10/07/10		18.45	719.16
	11/19/10		18.84	718.77
	12/03/10		18.12	719.49
	01/14/11		17.86	719.75
	02/11/11		18.10	719.51
	03/11/11		15.74	721.87
	04/14/11		16.01	721.60
	05/06/11		14.83	722.78
	06/02/11		15.88	721.73
	07/15/11		15.98	721.63
	08/11/11		17.19	720.42
	09/07/11		17.83	719.78
	10/05/11		17.68	719.93
	11/04/11		17.73	719.88
	12/01/11		17.19	720.42
	01/13/12		16.73	720.88
	02/10/12		16.48	721.13
	03/09/12		17.13	720.48
	04/06/12		16.48	721.13

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
MW-30	01/06/06	734.84	15.43	719.41
	02/03/06		15.37	719.47
	03/03/06		15.45	719.39
	04/26/06		14.86	719.98
	05/25/06		15.13	719.71
	06/23/06		15.30	719.54
	07/07/06		15.37	719.47
	08/04/06		15.33	719.51
	09/15/06		15.40	719.44
	10/13/06		15.45	719.39
	11/10/06		15.36	719.48
	12/08/06		15.20	719.64
	01/03/07		15.15	719.69
	02/12/07		15.34	719.50
	03/12/07		17.13	717.71
	04/09/07		15.36	719.48
	05/07/07		15.44	719.40
	06/08/07		15.48	719.36
	07/17/07		15.47	719.37
	08/01/07		15.49	719.35
	09/14/07		16.07	718.77
	10/12/07		16.06	718.78
	11/09/07		16.10	718.74
	12/07/07		16.15	718.69
	01/04/08		16.01	718.83
	02/15/08		15.17	719.67
	03/13/08		14.88	719.96
	04/11/08		14.67	720.17
	05/08/08		15.22	719.62
	06/06/08		14.32	720.52
	07/03/08		14.80	720.04
	08/01/08		14.91	719.93
	09/12/08		15.72	719.12
	10/10/08		15.92	718.92
	11/06/08		16.07	718.77
	12/19/08		15.84	719.00
	01/02/09		15.72	719.12
	02/13/09		15.68	719.16
	03/13/09		15.79	719.05
	04/09/09		15.66	719.18
	05/08/09		15.57	719.27
	06/05/09		15.40	719.44
	07/02/09		15.55	719.29
	08/14/09		15.10	719.74
	09/11/09		15.16	719.68
	10/09/09		15.67	719.17
	11/04/09		15.39	719.45
	12/04/09		15.87	718.97
	01/14/10		15.82	719.02
	02/10/10		15.74	719.10
	03/11/10		15.68	719.16
	04/08/10		15.48	719.36
	05/06/10		16.61	718.23
	06/04/10		15.66	719.18
	07/01/10		13.07	721.77
	08/12/10		14.99	719.85
	09/08/10		15.83	719.01
	10/07/10		16.12	718.72
	11/19/10		16.24	718.60
	12/03/10		16.03	718.81
	01/14/11		16.00	718.84
	02/11/11		16.07	718.77
	03/11/11		15.02	719.82
	04/14/11		15.17	719.67
	05/06/11		14.38	720.46
	06/02/11		14.98	719.86
	07/15/11		15.21	719.63
	08/11/11		15.55	719.29
	09/07/11		15.57	719.27
	10/05/11		15.87	718.97
	11/04/11		15.71	719.13
	12/01/11		15.22	719.62
	01/13/12		15.44	719.40
	02/10/12		15.37	719.47
	03/09/12		15.64	719.20
	04/06/12		15.31	719.53

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-1	01/06/06	730.97	12.88	718.09
	02/03/06		12.86	718.11
	03/03/06		12.02	718.95
	04/26/06		10.94	720.03
	05/25/06		12.08	718.89
	06/23/06		12.85	718.12
	07/07/06		12.61	718.36
	08/04/06		12.85	718.12
	09/15/06		11.14	719.83
	10/13/06		12.95	718.02
	11/10/06		12.71	718.26
	12/08/06		12.35	718.62
	01/03/07		12.40	718.57
	02/12/07		11.96	719.01
	03/12/07		12.22	718.75
	04/09/07		11.98	718.99
	05/07/07		11.10	719.87
	06/08/07		11.68	719.29
	07/17/07		11.44	719.53
	08/01/07		11.60	719.37
	09/14/07		13.10	717.87
	10/12/07		12.20	718.77
	11/09/07		12.27	718.70
	12/07/07		13.18	717.79
	01/04/08		12.85	718.12
	02/15/08		11.70	719.27
	03/13/08		11.61	719.36
	04/11/08		11.40	719.57
	05/08/08		11.39	719.58
	06/06/08		10.88	720.09
	07/03/08		11.65	719.32
	08/01/08		11.58	719.39
	09/12/08		13.09	717.88
	10/10/08		13.22	717.75
	11/06/08		12.96	718.01
	12/19/08		13.02	717.95
	01/02/09		12.80	718.17
	02/13/09		12.90	718.07
	03/13/09		12.78	718.19
	04/09/09		12.10	718.87
	05/08/09		13.35	717.62
	06/05/09		12.90	718.07
	07/02/09		12.68	718.29
	08/14/09		12.38	718.59
	09/11/09		12.30	718.67
	10/09/09		13.50	717.47
	11/04/09		13.04	717.93
	12/04/09		13.21	717.76
	01/14/10		13.42	717.55
	02/10/10		13.39	717.58
	03/11/10		12.81	718.16
	04/08/10		13.15	717.82
	05/06/10		12.14	718.83
	06/04/10		12.10	718.87
	07/01/10		13.42	717.55
	08/12/10		10.90	720.07
	09/08/10		12.70	718.27
	10/07/10		12.40	718.57
	11/19/10		12.45	718.52
	12/03/10		12.45	718.52
	01/14/11		12.60	718.37
	02/11/11		13.23	717.74
	03/11/11		12.81	718.16
	04/14/11		12.88	718.09
	05/06/11		12.18	718.79
	06/02/11		12.61	718.36
	07/15/11		12.50	718.47
	08/11/11		13.05	717.92
	09/07/11		12.80	718.17
	10/05/11		12.31	718.66
	11/04/11		11.75	719.22
	12/01/11		11.37	719.60
	01/13/12		12.84	718.13
	02/10/12		12.31	718.66
	03/09/12		12.98	717.99
	04/06/12		12.96	718.01

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-2	01/06/06	732.05	15.79	716.26
	02/03/06		14.90	717.15
	03/03/06		15.75	716.30
	04/26/06		11.51	720.54
	05/25/06		13.45	718.60
	06/23/06		15.17	716.88
	07/07/06		15.09	716.96
	08/04/06		15.45	716.60
	09/15/06		12.06	719.99
	10/13/06		15.83	716.22
	11/10/06		15.60	716.45
	12/08/06		15.30	716.75
	01/03/07		15.36	716.69
	02/12/07		15.82	716.23
	03/12/07		11.66	720.39
	04/09/07		15.91	716.14
	05/07/07		12.35	719.70
	06/08/07		15.31	716.74
	07/17/07		15.83	716.22
	08/01/07		14.40	717.65
	09/14/07		14.85	717.20
	10/12/07		14.41	717.64
	11/09/07		14.62	717.43
	12/07/07		14.68	717.37
	01/04/08		14.70	717.35
	02/15/08		15.25	716.80
	03/13/08		15.31	716.74
	04/11/08		14.10	717.95
	05/08/08		15.24	716.81
	06/06/08		12.13	719.92
	07/03/08		12.28	719.77
	08/01/08		12.30	719.75
	09/12/08		15.05	717.00
	10/10/08		15.88	716.17
	11/06/08		15.20	716.85
	12/19/08		15.50	716.55
	01/02/09		15.44	716.61
	02/13/09		12.15	719.90
	03/13/09		16.85	715.20
	04/09/09		16.30	715.75
	05/08/09		15.65	716.40
	06/05/09		14.68	717.37
	07/02/09		14.60	717.45
	08/14/09		15.35	716.70
	09/11/09		14.50	717.55
	10/09/09		17.15	714.90
	11/04/09		12.14	719.91
	12/04/09		16.81	715.24
	01/14/10		15.50	716.55
	02/10/10		15.20	716.85
	03/11/10		14.35	717.70
	04/08/10		14.28	717.77
	05/06/10		13.72	718.33
	06/04/10		13.45	718.60
	07/01/10		13.81	718.24
	08/12/10		14.58	717.47
	09/08/10		16.10	715.95
	10/07/10		15.50	716.55
	11/19/10		15.05	717.00
	12/03/10		13.78	718.27
	01/14/11		13.40	718.65
	02/11/11		16.42	715.63
	03/11/11		16.10	715.95
	04/14/11		16.21	715.84
	05/06/11		12.91	719.14
	06/02/11		15.45	716.60
	07/15/11		13.11	718.94
	08/11/11		12.72	719.33
	09/07/11		12.96	719.09
	10/05/11		12.90	719.15
	11/04/11		13.18	718.87
	12/01/11		15.06	716.99
	01/13/12		12.70	719.35
	02/10/12		12.48	719.57
	03/09/12		14.95	717.10
	04/06/12		13.22	718.83

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-3	01/06/06	733.19	12.61	720.58
	02/03/06		18.65	714.54
	03/03/06		18.81	714.38
	04/26/06		12.00	721.19
	05/25/06		17.61	715.58
	06/23/06		17.88	715.31
	07/07/06		17.61	715.58
	08/04/06		17.88	715.31
	09/15/06		12.99	720.20
	10/13/06		17.99	715.20
	11/10/06		17.52	715.67
	12/08/06		18.38	714.81
	01/03/07		18.41	714.78
	02/12/07		16.88	716.31
	03/12/07		12.16	721.03
	04/09/07		18.18	715.01
	05/07/07		12.95	720.24
	06/08/07		17.15	716.04
	07/17/07		17.71	715.48
	08/01/07		16.05	717.14
	09/14/07		16.45	716.74
	10/12/07		16.97	716.22
	11/09/07		18.75	714.44
	12/07/07		16.55	716.64
	01/04/08		15.67	717.52
	02/15/08		15.68	717.51
	03/13/08		15.79	717.40
	04/11/08		13.37	719.82
	05/08/08		16.65	716.54
	06/06/08		13.05	720.14
	07/03/08		13.90	719.29
	08/01/08		14.24	718.95
	09/12/08		15.59	717.60
	10/10/08		16.51	716.68
	11/06/08		16.55	716.64
	12/19/08		16.87	716.32
	01/02/09		16.81	716.38
	02/13/09		16.28	716.91
	03/13/09		16.35	716.84
	04/09/09		16.01	717.18
	05/08/09		15.77	717.42
	06/05/09		15.45	717.74
	07/02/09		15.10	718.09
	08/14/09		15.03	718.16
	09/11/09		14.84	718.35
	10/09/09		15.71	717.48
	11/04/09		15.66	717.53
	12/04/09		15.50	717.69
	01/14/10		16.01	717.18
	02/10/10		16.24	716.95
	03/11/10		16.21	716.98
	04/08/10		15.93	717.26
	05/06/10		16.03	717.16
	06/04/10		16.13	717.06
	07/01/10		15.09	718.10
	08/12/10		16.68	716.51
	09/08/10		15.38	717.81
	10/07/10		16.47	716.72
	11/19/10		18.69	714.50
	12/03/10		17.40	715.79
	01/14/11		17.50	715.69
	02/11/11		16.24	716.95
	03/11/11		16.23	716.96
	04/14/11		14.88	718.31
	05/06/11		14.03	719.16
	06/02/11		15.00	718.19
	07/15/11		14.14	719.05
	08/11/11		15.94	717.25
	09/07/11		15.51	717.68
	10/05/11		13.99	719.20
	11/04/11		16.72	716.47
	12/01/11		16.03	717.16
	01/13/12		15.63	717.56
	02/10/12		15.42	717.77
	03/09/12		15.93	717.26
	04/06/12		15.58	717.61

IWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-4	01/06/06	735.48	15.94	719.54
	02/03/06		15.66	719.82
	03/03/06		15.92	719.56
	04/26/06		13.81	721.67
	05/25/06		15.07	720.41
	06/23/06		15.62	719.86
	07/07/06		15.82	719.66
	08/04/06		15.77	719.71
	09/15/06		16.05	719.43
	10/13/06		16.29	719.19
	11/10/06		16.01	719.47
	12/08/06		16.41	719.07
	01/03/07		16.35	719.13
	02/12/07		16.99	718.49
	03/12/07		16.68	718.80
	04/09/07		15.45	720.03
	05/07/07		15.71	719.77
	06/08/07		16.01	719.47
	07/17/07		16.45	719.03
	08/01/07		18.05	717.43
	09/14/07		17.59	717.89
	10/12/07		18.17	717.31
	11/09/07		17.88	717.60
	12/07/07		15.77	719.71
	01/04/08		17.90	717.58
	02/15/08		16.91	718.57
	03/13/08		16.41	719.07
	04/11/08		14.99	720.49
	05/08/08		15.81	719.67
	06/06/08		14.71	720.77
	07/03/08		14.60	720.88
	08/01/08		14.79	720.69
	09/12/08		16.43	719.05
	10/10/08		17.12	718.36
	11/06/08		17.16	718.32
	12/19/08		17.59	717.89
	01/02/09		17.65	717.83
	02/13/09		16.52	718.96
	03/13/09		16.61	718.87
	04/09/09		16.42	719.06
	05/08/09		15.86	719.62
	06/05/09		15.86	719.62
	07/02/09		16.77	718.71
	08/14/09		15.28	720.20
	09/11/09		15.28	720.20
	10/09/09		16.42	719.06
	11/04/09		16.28	719.20
	12/04/09		16.94	718.54
	01/14/10		16.64	718.84
	02/10/10		16.84	718.64
	03/11/10		16.29	719.19
	04/08/10		16.29	719.19
	05/06/10		16.79	718.69
	06/04/10		16.59	718.89
	07/01/10		15.72	719.76
	08/12/10		16.54	718.94
	09/08/10		18.06	717.42
	10/07/10		18.98	716.50
	11/19/10		19.80	715.68
	12/03/10		18.81	716.67
	01/14/11		18.20	717.28
	02/11/11		18.65	716.83
	03/11/11		18.29	717.19
	04/14/11		15.89	719.59
	05/06/11		14.31	721.17
	06/02/11		15.69	719.79
	07/15/11		16.23	719.25
	08/11/11		17.25	718.23
	09/07/11		16.91	718.57
	10/05/11		15.31	720.17
	11/04/11		18.06	717.42
	12/01/11		18.26	717.22
	01/13/12		17.56	717.92
	02/10/12		16.98	718.50
	03/09/12		18.00	717.48
	04/06/12		17.15	718.33

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana

Ground Water Level Measurements

Well Number	Gauging Date	TOC Elev. (feet)	Depth to Water (feet)	Corrected Ground Water Elevation (feet)
RW-5	08/12/10	731.96	13.81	718.15
	09/08/10		14.07	717.89
	10/07/10		15.41	716.55
	11/19/10		16.78	715.18
	12/03/10		16.38	715.58
	01/14/11		15.91	716.05
	02/11/11		16.03	715.93
	03/11/11		16.10	715.86
	04/14/11		14.03	717.93
	05/06/11		13.07	718.89
	06/02/11		14.08	717.88
	07/15/11		13.48	718.48
	08/11/11		14.74	717.22
	09/07/11		15.10	716.86
	10/05/11		13.18	718.78
	11/04/11		15.18	716.78
	12/01/11		14.73	717.23
	01/13/12		14.37	717.59
	02/10/12		14.34	717.62
	03/09/12		14.86	717.10
	04/06/12		14.38	717.58

NR-Not Recorded
NG-Not Gauged

ATTACHMENT B

Groundwater Recovery

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/24/1995	-	-	-	-	-	-
3/3/1995	20,984	31,644	80,228	-	-	132,856
3/29/1995	84,695	88,774	152,228	-	-	325,697
4/14/1995	136,654	133,675	224,228	-	-	494,557
5/3/1995	200,683	193,729	284,420	-	-	678,832
5/14/1995	237,115	228,577	319,268	-	-	784,960
5/18/1995	255,043	245,727	354,116	-	-	854,886
5/23/1995	255,043	245,727	354,116	-	-	854,886
5/26/1995	276,211	266,031	374,420	-	-	916,662
6/19/1995	445,555	428,463	536,852	-	-	1,410,870
8/3/1995	***445,555***	***428,463***	***536,852***	-	-	***1,410,870***
8/4/1995	448,963	431,997	543,600	-	-	1,424,560
8/9/1995	473,414	453,496	590,792	-	-	1,517,702
8/11/1995	482,414	461,556	609,202	-	-	1,553,172
8/14/1995	496,474	474,106	637,152	-	-	1,607,732
8/29/1995	561,302	533,550	768,644	-	-	1,863,496
10/6/1995	664,814	629,975	985,749	-	-	2,280,538
11/7/1995	665,305	763,804	1,159,950	-	-	2,589,059
12/8/1995	686,316	766,356	1,253,348	-	-	2,706,020
1/15/1996	778,585	873,570	1,263,941	-	-	2,916,096
4/12/1996	778,585	1,170,564	1,651,617	-	-	3,600,766
5/29/1996	873,365	1,376,384	1,823,668	-	-	4,073,417
6/26/1996	915,555	1,414,873	1,884,622	-	-	4,215,050
7/8/1996	972,328	1,474,048	1,987,350	-	-	4,433,726
7/18/1996	1,006,046	1,516,919	2,060,742	-	-	4,583,707
8/1/1996	1,049,996	1,577,801	2,164,916	-	-	4,792,713
8/16/1996	1,091,112	1,638,683	2,246,037	-	-	4,975,832
8/27/1996	1,118,169	1,684,621	2,314,606	-	-	5,117,396
9/12/1996	1,146,432	1,754,050	2,360,521	-	-	5,261,003
9/24/1996	1,159,035	1,796,140	2,409,496	-	-	5,364,671
10/1/1996	1,174,178	1,825,149	2,408,298	-	-	5,407,625
10/17/1996	1,253,727	1,855,632	2,411,539	-	-	5,520,898
11/2/1996	1,315,165	1,906,634	2,420,559	-	-	5,642,358
11/15/1996	1,365,973	1,908,623	2,502,342	-	-	5,776,938
11/25/1996	1,396,032	1,911,188	2,552,717	-	-	5,859,937
12/11/1996	1,430,595	1,935,775	2,611,374	-	-	5,977,744
12/27/1996	1,452,912	1,937,132	2,649,962	-	-	6,040,006
1/3/1997	1,456,304	1,939,518	2,655,775	-	-	6,051,597
1/14/1997	1,470,242	***1,949,120***	2,684,864	-	-	6,104,226
1/24/1997	1,470,505	1,949,124	2,702,272	-	-	6,121,901
2/7/1997	1,518,975	1,950,754	2,796,872	-	-	6,266,601
2/21/1997	1,571,273	1,952,209	2,835,673	-	-	6,359,155
3/14/1997	1,646,678	1,952,209	***2,835,673***	-	-	6,436,098
3/28/1997	1,692,834	2,039,011	***2,835,673***	-	-	6,588,745
4/11/1997	1,734,064	2,124,196	2,835,673	-	-	6,715,160
4/25/1997	1,773,261	2,182,646	2,842,124	-	-	6,819,258
5/7/1997	1,798,995	2,336,981	***2,842,124***	-	-	6,999,327
5/22/1997	1,825,676	2,393,705	2,905,414	-	-	7,146,022
6/5/1997	1,867,121	2,472,696	2,988,177	-	-	7,349,221
6/20/1997	1,912,764	2,540,269	3,061,814	-	-	7,536,074
7/3/1997	1,954,658	2,609,124	3,135,756	-	-	7,720,764
7/17/1997	1,975,303	2,680,948	3,199,801	-	-	7,877,279
8/4/1997	2,025,486	2,806,996	3,364,397	-	-	8,218,106
8/15/1997	2,052,962	2,958,721	3,461,264	-	-	8,494,174
8/28/1997	2,083,623	3,093,542	3,569,012	-	-	8,767,404
9/12/1997	2,083,684	3,119,818	3,692,072	-	-	8,916,801
9/29/1997	2,083,905	3,120,840	3,839,556	-	-	9,065,528
10/10/1997	2,101,637	3,231,288	3,924,600	-	-	9,278,752
10/31/1997	2,101,662	3,254,766	4,062,129	-	-	9,439,784
11/10/1997	2,101,662	3,394,895	4,102,900	-	-	9,620,684
12/1/1997	2,101,662	3,626,479	4,211,530	-	-	9,960,898
12/28/1997	2,102,033	3,627,036	4,212,021	-	-	9,962,317
1/16/1998	2,145,973	3,914,074	4,365,837	-	-	10,447,111
1/27/1998	2,146,228	3,915,067	4,366,295	-	-	10,448,817
2/4/1998	2,146,228	4,068,235	4,412,344	-	-	10,648,034
2/17/1998	2,189,727	4,222,732	4,539,755	-	-	10,973,441
3/18/1998	2,293,340	4,743,314	4,774,847	-	-	11,832,728
3/25/1998	2,309,656	4,805,528	4,802,993	-	-	11,939,404
4/10/1998	2,383,929	5,043,344	4,927,777	-	-	12,376,277

iWM CONSULTING GROUP

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
4/24/1998	2,453,055	5,233,074	5,019,725	-	-	12,727,081
5/8/1998	2,525,463	5,474,383	5,106,293	-	-	13,127,366
5/22/1998	2,593,232	5,670,794	5,210,326	-	-	13,495,579
6/5/1998	2,659,709	5,852,839	5,315,076	-	-	13,848,851
6/19/1998	2,698,743	6,047,156	5,406,842	-	-	14,173,968
7/2/1998	2,700,428	6,135,172	5,453,010	-	-	14,309,837
7/16/1998	2,701,261	6,336,772	5,654,610	-	-	14,713,870
7/30/1998	2,702,469	6,378,927	5,700,300	-	-	14,802,923
8/6/1998	2,702,469	6,381,833	5,702,810	-	-	14,808,339
8/7/1998	2,702,469	6,381,833	5,709,497	-	-	14,815,026
8/26/1998	2,702,469	6,381,833	5,709,507	-	-	14,815,036
9/10/1998	2,763,725	6,446,571	5,779,418	-	-	15,010,941
9/25/1998	2,770,423	6,451,177	5,784,427	-	-	15,027,254
10/12/1998	2,861,852	6,516,954	5,858,558	-	-	15,258,591
10/23/1998	2,917,194	6,605,960	5,991,054	-	-	15,535,435
11/13/1998	2,992,505	6,736,611	6,138,358	-	-	15,888,701
11/24/1998	3,043,555	6,829,030	6,208,200	-	-	16,102,012
12/11/1998	3,116,948	6,964,953	6,260,783	-	-	16,363,911
12/23/1998	3,166,441	7,055,518	6,295,200	-	-	16,538,386
1/8/1999	3,231,706	7,182,268	6,341,789	-	-	16,776,990
1/22/1999	3,291,306	7,288,952	6,391,971	-	-	16,993,456
1/29/1999	3,313,604	7,312,970	6,402,525	-	-	17,050,326
2/12/1999	3,400,844	7,406,750	6,440,706	-	-	17,269,527
2/25/1999	3,458,990	7,473,334	6,481,956	-	-	17,435,507
3/10/1999	3,519,722	7,615,173	6,582,877	182,940	-	17,921,939
3/19/1999	3,562,578	7,723,673	6,659,777	293,220	-	18,260,475
3/25/1999	3,590,475	7,794,462	6,709,350	364,810	-	18,480,324
4/9/1999	3,655,331	7,976,488	6,832,533	555,038	-	19,040,617
4/16/1999	3,682,214	8,056,148	6,887,292	640,127	-	19,287,008
4/23/1999	3,710,105	8,136,972	6,944,210	728,260	-	19,540,774
5/7/1999	3,764,768	8,289,628	7,087,681	892,281	-	20,055,585
5/21/1999	3,818,876	8,438,495	7,231,742	1,065,242	-	20,575,582
6/4/1999	3,873,641	8,591,045	7,379,733	1,128,343	-	20,993,989
6/8/1999	3,889,675	8,638,302	7,429,910	1,171,610	-	21,150,724
6/18/1999	3,928,797	8,741,161	7,537,384	1,279,142	-	21,507,711
7/2/1999	3,983,641	8,885,162	7,691,278	1,401,901	-	21,983,209
7/16/1999	4,038,857	9,032,265	7,848,761	1,556,142	-	22,497,252
7/21/1999	4,058,235	9,084,172	7,904,870	1,610,600	-	22,679,104
7/26/1999	4,079,505	9,141,300	7,966,860	1,669,735	-	22,878,627
7/29/1999	4,089,902	9,169,233	7,997,079	1,698,578	-	22,976,019
8/10/1999	4,137,725	9,300,212	8,181,440	1,803,781	-	23,444,385
8/13/1999	4,149,388	9,330,366	8,224,159	1,827,658	-	23,552,798
8/27/1999	4,206,170	9,484,469	8,443,644	1,953,321	-	24,108,831
9/10/1999	4,261,154	9,626,142	8,657,880	2,072,522	-	24,638,925
9/16/1999	4,285,275	9,627,062	8,658,900	2,124,680	-	24,717,144
9/24/1999	4,293,556	9,702,059	8,719,323	2,194,307	-	24,930,472
10/7/1999	4,318,548	9,753,409	8,793,405	2,245,674	-	25,132,263
10/22/1999	4,356,266	9,841,081	8,918,487	2,332,784	-	25,469,845
11/5/1999	4,408,638	9,930,458	9,099,688	2,332,899	-	25,792,910
11/19/1999	4,436,325	9,985,499	9,245,735	2,332,890	-	26,021,676
12/3/1999	4,476,036	10,072,837	9,436,312	2,332,890	-	26,339,302
12/17/1999	4,508,206	10,153,967	9,436,336	2,453,220	-	26,572,956
12/30/1999	4,539,958	10,241,384	9,436,373	2,563,353	-	26,802,295
1/12/2000	4,551,012	10,270,175	9,436,389	2,604,012	-	26,882,815
1/28/2000	4,590,383	10,380,940	9,436,441	2,737,925	-	27,166,916
2/11/2000	4,613,996	10,461,324	9,671,352	2,855,881	-	27,623,780
2/23/2000	4,634,343	10,544,925	9,873,902	2,956,415	-	28,030,812
3/7/2000	4,663,674	10,647,224	10,097,769	3,068,273	-	28,498,167
3/24/2000	4,703,190	10,789,711	10,396,093	3,214,041	-	29,124,262
4/6/2000	4,738,241	10,906,380	10,624,401	3,325,342	-	29,615,591
4/19/2000	4,740,926	10,915,401	10,641,521	3,333,699	-	29,652,774
5/5/2000	4,760,154	10,982,211	10,733,262	3,380,058	-	29,876,912
5/17/2000	4,760,332	10,982,832	10,734,118	3,380,531	-	29,879,040
5/19/2000	4,760,616	10,983,881	10,735,492	3,381,229	-	29,882,445
5/24/2000	4,779,776	11,051,385	10,825,470	3,426,457	-	30,104,315
6/8/2000	4,838,842	11,256,732	11,097,797	3,561,542	-	30,776,140
6/23/2000	4,897,916	11,463,429	11,373,095	3,696,102	-	31,451,769
7/6/2000	4,944,182	11,628,190	11,591,731	3,801,393	-	31,986,723
7/17/2000	4,987,864	11,789,458	11,805,359	3,903,071	-	32,506,979

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
8/4/2000	5,059,470	12,053,854	12,152,181	4,066,111	-	33,352,843
8/17/2000	5,111,594	12,248,616	12,407,573	4,184,942	-	33,973,952
8/24/2000	5,112,639	12,252,541	12,412,699	4,187,319	-	33,986,425
8/29/2000	5,132,041	12,326,280	12,508,309	4,231,188	-	34,219,045
9/1/2000	5,138,902	12,339,401	12,525,089	4,241,582	-	34,266,201
9/15/2000	5,238,595	12,553,462	12,807,110	4,414,760	-	35,035,154
9/29/2000	5,334,605	12,763,182	13,084,580	4,583,810	-	35,787,404
10/10/2000	5,421,586	12,929,514	13,305,298	4,717,746	-	36,395,371
10/26/2000	5,558,366	13,171,384	13,616,111	4,912,827	-	37,279,915
11/6/2000	5,637,665	13,332,392	13,825,700	5,044,360	-	37,861,344
11/8/2000	5,645,101	13,348,427	13,846,781	5,057,531	-	37,919,067
11/20/2000	5,733,075	13,544,342	14,112,350	5,219,660	-	38,630,654
12/6/2000	5,803,045	13,712,109	14,337,589	5,358,100	-	39,232,069
12/18/2000	5,875,128	13,887,377	14,586,256	5,505,183	-	39,875,171
12/29/2000	5,943,366	14,051,045	14,822,820	5,641,678	-	40,480,136
1/4/2001	5,979,735	14,144,572	14,956,990	5,718,740	-	40,821,264
1/16/2001	6,045,860	14,320,001	15,212,939	5,867,501	-	41,467,528
2/2/2001	6,133,186	14,547,193	15,578,601	6,078,795	-	42,359,002
2/16/2001	6,205,896	14,750,447	15,882,693	6,252,179	-	43,112,442
3/2/2001	6,280,310	14,916,411	16,191,471	6,425,696	-	43,835,115
3/16/2001	6,351,585	15,089,360	16,500,744	6,598,928	-	44,561,844
4/2/2001	6,412,440	15,170,703	16,679,387	6,808,472	-	45,092,229
4/20/2001	6,459,980	15,294,588	16,836,488	6,993,756	-	45,606,039
4/27/2001	6,489,572	15,372,258	16,938,412	7,116,123	-	45,937,592
5/11/2001	6,528,273	15,476,031	17,079,000	7,288,897	-	46,393,428
5/22/2001	6,558,165	15,557,507	17,188,026	7,425,011	-	46,749,936
6/8/2001	6,612,414	15,693,850	17,347,273	7,631,881	-	47,306,645
6/25/2001	6,677,090	15,833,125	17,498,373	7,840,405	-	47,870,220
7/13/2001	6,753,523	15,944,131	17,647,133	8,063,654	-	48,429,668
8/8/2001	6,825,979	16,006,644	17,779,088	8,271,650	-	48,904,588
8/10/2001	6,835,289	16,023,492	17,796,455	8,298,180	-	48,974,643
8/24/2001	6,880,212	16,117,962	17,889,456	8,446,000	-	49,354,857
9/18/2001	6,922,434	16,208,548	17,979,570	8,588,059	-	49,719,838
9/28/2001	6,961,194	16,286,536	18,063,075	8,709,937	-	50,041,969
10/15/2001	7,024,790	16,420,719	18,153,919	8,920,268	-	50,540,923
10/19/2001	7,042,789	16,450,704	18,174,045	8,967,608	-	50,656,373
11/9/2001	7,141,490	16,613,035	18,303,759	9,223,906	-	51,303,417
12/7/2001	7,263,636	16,831,409	18,543,989	9,569,385	-	52,229,646
12/31/2001	7,368,601	16,943,168	18,741,784	9,865,132	-	52,939,912
1/22/2002	7,462,176	16,943,168	18,918,160	10,140,259	-	53,484,990
1/29/2002	7,490,739	16,967,404	18,971,278	10,224,740	-	53,675,388
2/1/2002	7,490,762	16,967,385	18,971,312	10,224,777	-	53,675,463
2/14/2002	7,544,218	17,087,087	19,049,344	10,384,011	-	54,085,887
3/1/2002	7,602,049	17,226,765	19,169,136	10,567,057	-	54,586,234
3/18/2002	7,669,166	17,355,800	19,297,022	10,777,132	-	55,120,347
4/5/2002	7,744,107	17,436,125	19,437,119	11,001,691	-	55,640,269
4/16/2002	7,788,652	17,436,125	19,517,802	11,136,922	-	55,900,728
5/2/2002	7,854,781	17,436,125	19,639,630	11,335,009	-	56,286,772
5/17/2002	7,915,896	17,436,125	19,751,201	11,522,712	-	56,647,161
6/4/2002	7,986,130	17,615,528	19,879,899	11,745,419	-	57,248,203
6/20/2002	8,047,112	17,797,257	19,994,351	11,946,789	-	57,806,736
7/2/2002	8,090,720	17,924,245	20,080,993	12,094,495	-	58,211,680
7/17/2002	8,147,403	17,996,429	20,199,248	12,294,320	-	58,658,627
8/2/2002	8,197,508	18,037,646	20,307,554	12,481,356	-	59,045,291
8/14/2002	8,236,979	18,037,646	20,392,838	12,634,800	-	59,323,490
8/29/2002	8,283,640	18,037,646	20,498,099	12,818,746	-	59,659,358
9/12/2002	8,316,025	18,037,646	20,595,247	12,995,366	-	59,965,511
9/16/2002	8,324,468	18,037,670	20,621,539	13,043,091	-	60,047,995
10/2/2002	8,359,091	18,049,874	20,729,889	13,243,831	-	60,403,912
10/17/2002	8,389,625	18,128,236	20,826,599	13,427,861	-	60,793,548
10/31/2002	8,411,767	18,130,899	20,913,187	13,620,041	-	61,097,121
11/15/2002	8,414,059	18,130,843	21,006,468	13,828,819	-	61,401,416
11/27/2002	8,419,389	18,195,564	21,078,498	13,991,330	-	61,706,008
12/17/2002	8,427,086	18,276,486	21,203,845	14,267,819	-	62,196,463
12/31/2002	8,427,223	18,355,165	21,286,051	14,444,891	-	62,534,557
1/7/2003	8,457,041	18,382,420	21,286,396	14,540,108	-	62,687,192
1/17/2003	8,497,105	18,445,666	21,385,485	14,675,911	-	63,025,394
1/31/2003	8,548,271	18,522,550	21,523,010	14,864,717	-	63,479,775
2/13/2003	8,594,681	18,590,481	21,650,853	15,040,419	-	63,897,661

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
2/26/2003	8,645,264	18,666,787	21,764,302	15,216,356	-	64,313,936
3/14/2003	8,714,863	18,785,277	21,926,020	15,433,688	-	64,881,075
3/28/2003	8,778,944	18,895,572	22,070,583	15,622,849	-	65,389,175
4/11/2003	8,842,295	18,958,250	22,210,147	15,812,291	-	65,844,210
4/25/2003	8,900,907	19,105,331	22,334,921	15,998,818	-	66,361,204
4/30/2003	8,922,419	19,159,024	22,380,658	16,066,820	-	66,550,148
5/7/2003	8,952,014	19,232,522	22,444,239	16,145,262	-	66,795,264
5/19/2003	9,011,919	19,359,874	22,566,238	16,272,340	-	67,231,598
5/22/2003	9,012,320	19,360,573	22,566,921	16,272,895	-	67,233,936
5/29/2003	9,012,744	19,361,339	22,567,642	16,273,493	-	67,236,445
5/30/2003	9,017,712	19,370,456	22,576,152	16,280,480	-	67,266,027
6/13/2003	9,087,552	19,521,197	22,717,118	16,420,595	-	67,767,689
6/26/2003	9,154,084	19,590,057	22,845,032	16,565,278	-	68,175,678
7/3/2003	9,185,590	19,660,560	22,911,462	16,639,773	-	68,418,612
7/10/2003	9,215,749	19,733,864	22,981,288	16,717,450	-	68,669,578
7/25/2003	9,278,975	19,889,510	23,129,417	16,882,725	-	69,201,854
8/4/2003	9,322,051	19,907,438	23,229,602	16,995,082	-	69,475,400
8/15/2003	9,368,199	20,024,831	23,339,380	17,115,562	-	69,869,199
8/27/2003	9,419,886	20,061,344	23,461,373	17,251,201	-	70,215,031
9/12/2003	9,488,130	20,215,516	23,620,922	17,429,402	-	70,775,197
9/26/2003	9,548,009	20,221,295	23,761,756	17,587,893	-	71,140,180
10/3/2003	9,577,232	20,260,942	23,828,449	17,664,841	-	71,352,691
10/15/2003	9,627,517	20,279,687	23,946,645	17,799,322	-	71,674,398
10/24/2003	9,665,304	20,351,155	24,033,004	17,898,142	-	71,968,832
11/6/2003	9,721,158	20,438,472	24,160,677	18,043,639	-	72,385,173
11/26/2003	9,804,970	20,442,832	24,353,715	18,267,482	-	72,890,226
12/10/2003	9,864,848	20,545,648	24,490,607	18,424,611	-	73,346,941
12/19/2003	9,901,970	20,569,308	24,577,317	18,524,466	-	73,594,288
1/8/2004	9,985,307	20,714,283	24,771,313	18,747,906	-	74,240,036
1/16/2004	10,018,470	20,793,676	24,849,490	18,838,200	-	74,521,063
1/19/2004	10,018,604	20,793,853	24,849,637	18,838,355	-	74,521,676
2/5/2004	10,088,253	20,939,430	24,983,110	19,026,665	-	75,058,685
2/24/2004	10,167,419	21,011,224	25,167,908	19,240,510	-	75,608,288
3/5/2004	10,208,911	21,016,498	25,262,233	19,351,736	-	75,860,605
3/18/2004	10,260,489	21,133,960	25,388,120	19,476,883	-	76,280,679
4/2/2004	10,322,759	21,273,202	25,536,779	19,639,877	-	76,793,844
4/30/2004	10,436,951	21,406,056	25,799,204	19,938,821	-	77,602,259
5/14/2004	10,494,226	21,534,971	25,933,730	20,089,712	-	78,073,866
5/27/2004	10,546,867	21,631,037	26,057,053	20,251,563	-	78,507,747
6/11/2004	10,607,815	21,776,935	26,202,597	20,438,759	-	79,047,333
6/25/2004	10,663,567	21,912,033	26,337,362	20,611,803	-	79,545,992
7/7/2004	10,712,504	22,029,480	26,454,850	20,763,118	-	79,981,179
7/26/2004	10,787,757	22,155,609	26,638,418	21,000,011	-	80,603,022
8/6/2004	10,830,532	22,259,958	26,743,484	21,138,062	-	80,993,263
8/20/2004	10,830,771	22,335,605	26,879,644	21,315,341	-	81,382,588
9/3/2004	10,830,779	22,405,574	27,015,508	21,493,610	-	81,766,698
9/16/2004	10,870,378	22,509,209	27,142,149	21,659,262	-	82,202,225
10/4/2004	10,893,136	22,509,361	27,192,032	21,890,859	-	82,506,615
10/15/2004	10,893,995	22,567,762	27,284,258	22,028,499	-	82,795,741
10/29/2004	10,896,112	22,568,304	27,388,448	22,167,320	-	83,041,411
11/12/2004	10,898,048	22,603,544	27,522,248	22,344,554	-	83,389,621
11/19/2004	10,898,136	22,645,092	27,585,807	22,440,386	-	83,590,648
11/24/2004	10,898,136	22,649,452	27,634,548	22,511,290	-	83,714,653
12/10/2004	10,900,536	22,763,344	27,786,758	22,732,470	-	84,204,335
12/28/2004	10,907,790	22,771,103	27,956,610	22,983,373	-	84,640,103
1/10/2005	10,961,114	22,771,431	28,079,120	23,165,107	-	84,997,999
1/21/2005	11,033,140	22,808,366	28,181,287	23,316,873	-	85,360,893
2/4/2005	11,092,814	22,883,581	28,302,382	23,509,172	-	85,809,176
2/17/2005	11,131,888	23,005,400	28,420,829	23,685,587	-	86,264,931
3/8/2005	11,179,645	23,185,250	28,595,481	23,946,431	-	86,928,034
3/21/2005	11,202,462	23,307,424	28,713,071	24,123,192	-	87,367,376
4/1/2005	11,219,696	23,411,079	28,812,983	24,273,943	-	87,738,928
4/13/2005	11,236,868	23,522,949	28,920,892	24,437,205	-	88,139,141
4/28/2005	11,259,438	23,665,033	28,978,338	24,642,773	-	88,566,809
5/10/2005	11,275,854	23,777,045	29,052,516	24,806,272	-	88,932,914
5/25/2005	11,309,393	23,922,247	29,168,942	25,011,733	-	89,433,542
6/10/2005	11,344,164	24,076,309	29,230,627	25,227,301	-	89,899,628
6/21/2005	11,373,392	24,184,747	29,231,327	25,378,327	-	90,189,020

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
7/8/2005	11,376,927	24,198,300	29,242,573	25,393,379	-	90,232,406
7/22/2005	11,407,659	24,329,864	29,352,118	25,544,830	-	90,655,698
8/5/2005	11,407,742	24,329,922	29,352,305	25,544,901	-	90,656,097
8/19/2005	11,436,244	24,414,005	29,464,080	25,695,045	-	91,030,601
8/23/2005	11,443,658	24,414,695	29,496,446	25,738,438	-	91,114,464
9/2/2005	11,459,819	24,482,662	29,571,910	25,862,359	-	91,397,977
9/16/2005	11,485,204	24,576,145	29,677,960	26,036,972	-	91,797,508
9/20/2005	11,491,269	24,598,954	29,707,315	26,085,527	-	91,904,292
9/29/2005	11,514,774	24,658,922	29,776,362	26,199,944	-	92,171,229
10/7/2005	11,536,098	24,710,355	29,836,885	26,300,438	-	92,405,003
10/14/2005	11,551,081	24,750,195	29,889,779	26,388,323	-	92,600,605
10/28/2005	11,574,846	24,820,955	29,993,687	26,561,303	-	92,972,018
11/11/2005	11,587,619	24,886,754	30,098,358	26,735,850	-	93,329,808
11/21/2005	11,602,449	24,942,204	30,158,188	26,861,480	-	93,585,548
12/5/2005	11,627,167	25,016,445	30,244,291	27,035,822	-	93,944,952
12/19/2005	11,642,442	25,085,846	30,260,323	27,211,214	-	94,221,052
1/6/2006	11,672,872	25,179,326	30,260,323	27,437,526	-	94,571,274
1/16/2006	11,696,358	25,236,183	30,260,470	27,564,629	-	94,778,867
1/20/2006	11,707,086	25,260,258	30,292,076	27,613,029	-	94,893,676
2/3/2006	11,742,726	25,343,766	30,421,363	27,786,445	-	95,315,527
2/17/2006	11,775,236	25,416,715	30,550,756	27,960,322	-	95,724,256
3/3/2006	11,808,025	25,486,889	30,679,286	28,133,142	-	96,128,569
3/16/2006	11,858,147	25,555,893	30,797,531	28,293,532	-	96,526,330
3/31/2006	11,927,096	25,648,149	30,934,969	28,480,437	-	97,011,878
4/26/2006	11,973,875	25,730,176	31,057,899	28,648,854	-	97,432,031
5/11/2006	11,973,875	25,789,358	31,057,900	28,648,853	-	97,491,213
5/25/2006	12,043,380	25,872,879	31,185,595	28,824,501	-	97,947,582
6/9/2006	12,105,881	25,959,062	31,318,200	29,007,831	-	98,412,201
6/12/2006	12,113,182	25,970,165	31,335,477	29,031,748	-	98,471,799
6/19/2006	12,132,973	26,001,611	31,384,377	29,099,614	-	98,639,802
6/23/2006	12,146,475	26,024,570	31,419,831	29,149,121	-	98,761,224
7/7/2006	12,190,151	26,098,884	31,543,822	29,322,891	-	99,176,975
7/19/2006	12,223,023	26,153,621	31,649,339	29,471,155	-	99,518,365
8/4/2006	12,275,813	26,225,381	31,788,217	29,667,661	-	99,978,299
8/18/2006	12,317,178	26,243,567	31,908,629	29,839,799	-	100,330,400
8/21/2006	12,325,696	26,243,644	31,935,128	29,877,810	-	100,403,505
9/1/2006	12,354,429	26,297,236	32,031,052	29,915,488	-	100,619,432
9/15/2006	12,390,013	26,349,885	32,152,272	30,190,464	-	101,103,861
9/29/2006	12,425,509	26,396,650	32,272,301	30,364,557	-	101,480,244
10/13/2006	12,453,565	26,442,743	32,382,695	30,536,891	-	101,837,121
10/20/2006	12,463,988	26,467,027	32,450,300	30,624,768	-	102,027,310
10/27/2006	12,481,425	26,489,512	32,508,727	30,710,729	-	102,211,620
10/31/2006	12,495,075	26,504,303	32,542,405	30,760,436	-	102,323,446
11/10/2006	12,527,544	26,545,728	32,626,071	30,884,443	-	102,605,013
11/22/2006	12,562,741	26,592,582	32,725,300	31,032,373	-	102,934,223
12/8/2006	12,629,123	26,641,016	32,818,400	31,220,334	-	103,330,100
12/20/2006	12,680,144	26,701,736	32,916,776	31,372,025	-	103,691,908
1/3/2007	12,748,558	26,773,838	33,027,340	31,545,211	-	104,116,174
1/16/2007	12,824,270	26,843,289	33,134,931	31,706,294	-	104,530,011
1/26/2007	12,889,074	26,896,753	33,216,916	31,828,291	-	104,852,261
1/29/2007	12,905,755	26,913,000	33,242,118	31,865,763	-	104,947,863
2/12/2007	12,961,660	26,986,034	33,350,778	32,037,000	-	105,356,699
2/26/2007	13,005,719	27,052,574	33,466,338	32,208,820	-	105,754,678
3/1/2007	13,018,339	27,066,335	33,491,073	32,244,070	-	105,841,044
3/12/2007	13,069,289	27,089,034	33,529,808	32,379,410	-	106,088,768
3/26/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/9/2007	13,120,219	27,175,534	33,645,618	32,467,380	-	106,429,978
4/23/2007	13,214,618	27,310,105	33,867,762	32,771,902	-	107,185,614
5/7/2007	13,258,997	27,383,580	33,973,504	32,897,461	-	107,534,769
5/21/2007	13,297,469	27,455,854	34,037,508	33,047,670	-	107,859,728
6/8/2007	13,331,729	27,538,975	34,159,276	33,239,962	-	108,291,169
6/22/2007	13,348,532	27,593,798	34,248,339	33,389,670	-	108,601,566
7/6/2007	13,363,799	27,644,036	34,335,901	33,539,406	-	108,904,369
7/17/2007	13,378,617	27,678,691	34,386,385	33,657,194	-	109,122,114
8/1/2007	13,382,770	27,702,941	34,520,347	33,874,162	-	109,501,447
8/20/2007	13,382,771	27,727,410	34,623,226	34,119,501	-	109,874,135
8/31/2007	13,382,771	27,741,601	34,623,226	34,259,733	-	110,028,558
9/10/2007	13,402,482	27,753,584	34,623,226	34,390,601	-	110,191,120
9/14/2007	13,417,672	27,757,801	34,638,599	34,439,106	-	110,274,405

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
9/27/2007	13,455,711	27,768,739	34,749,149	34,603,727	-	110,598,553
10/12/2007	13,486,445	27,782,779	34,874,719	34,794,863	-	110,960,033
10/26/2007	13,511,135	27,797,832	34,987,340	34,969,551	-	111,287,085
11/9/2007	13,539,201	27,812,380	35,102,887	35,147,683	-	111,623,378
11/21/2007	13,557,730	27,822,865	35,199,265	35,293,864	-	111,894,951
12/7/2007	13,583,550	27,836,591	35,331,719	35,400,089	-	112,173,176
12/19/2007	13,619,719	27,851,131	35,431,627	35,411,037	-	112,334,741
1/4/2008	13,672,681	27,874,974	35,564,804	35,630,390	-	112,764,076
1/18/2008	13,672,813	27,905,552	35,680,886	35,819,131	-	113,099,609
1/30/2008	13,672,913	27,934,099	35,780,139	35,975,264	-	113,383,642
2/15/2008	13,732,737	27,979,314	35,909,561	36,185,859	-	113,828,698
2/29/2008	13,786,310	28,023,167	36,018,127	36,367,947	-	114,216,778
3/6/2008	13,809,646	28,043,372	36,063,150	36,446,813	-	114,384,208
3/13/2008	13,836,130	28,067,359	36,104,080	36,534,616	-	114,563,412
3/28/2008	13,895,027	28,124,359	36,196,824	36,735,293	-	114,972,730
4/4/2008	13,921,545	28,150,159	36,240,242	36,826,519	-	115,159,692
4/11/2008	13,948,579	28,176,874	36,285,199	36,919,690	-	115,351,569
4/25/2008	14,002,830	28,223,875	36,375,654	37,104,043	-	115,727,629
5/8/2008	14,052,501	28,266,971	36,459,927	37,271,839	-	116,072,465
5/23/2008	14,110,123	28,271,276	36,559,690	37,470,731	-	116,433,047
6/6/2008	14,163,789	28,348,367	36,653,660	37,658,565	-	116,845,608
6/20/2008	14,177,522	28,388,958	36,701,800	37,754,425	-	117,043,932
6/27/2008	14,177,576	28,427,042	36,746,703	37,754,507	-	117,127,055
7/3/2008	14,222,773	28,457,794	36,784,785	37,861,991	-	117,348,570
7/17/2008	14,282,200	28,533,225	36,930,154	38,067,866	-	117,834,672
7/18/2008	14,282,246	28,533,305	36,930,301	38,068,033	-	117,835,112
7/23/2008	14,284,640	28,536,367	36,935,951	38,076,081	-	117,854,266
8/1/2008	14,319,357	28,579,113	37,018,332	38,193,899	-	118,131,928
8/15/2008	14,319,642	28,649,008	37,155,026	38,386,216	-	118,531,119
8/29/2008	14,408,170	28,708,429	37,300,199	38,578,662	-	119,016,687
9/12/2008	14,476,470	28,745,368	37,447,009	38,766,209	-	119,456,283
9/26/2008	14,536,243	28,779,675	37,596,052	38,954,602	-	119,887,799
10/10/2008	14,594,697	28,820,941	37,746,790	39,144,458	-	120,328,113
10/22/2008	14,645,493	28,848,490	37,877,950	39,306,311	-	120,699,471
11/6/2008	14,701,087	28,890,192	38,037,715	39,502,465	-	121,152,686
11/21/2008	14,749,861	28,924,439	38,200,648	39,701,162	-	121,597,337
12/5/2008	14,769,926	28,954,345	38,351,807	39,885,773	-	121,983,078
12/19/2008	14,803,469	28,985,730	38,503,875	40,069,861	-	122,384,162
1/2/2009	14,852,813	29,028,942	38,656,486	40,256,232	-	122,815,700
1/16/2009	14,906,699	29,078,794	38,811,232	40,446,834	-	123,264,786
1/30/2009	14,954,862	29,122,221	38,963,402	40,634,582	-	123,696,294
2/13/2009	15,008,850	29,172,644	39,117,909	40,824,303	-	124,144,933
2/27/2009	15,077,699	29,237,168	39,270,184	41,006,687	-	124,612,965
3/13/2009	15,135,091	29,290,295	39,422,357	41,188,805	-	125,057,775
3/25/2009	15,179,908	29,341,649	39,552,762	41,347,108	-	125,442,654
4/9/2009	15,240,658	29,416,783	39,716,316	41,546,762	-	125,941,746
4/24/2009	15,325,208	29,503,932	39,878,557	41,745,655	-	126,474,579
5/8/2009	15,406,729	29,538,701	40,032,738	41,934,227	-	126,933,622
5/22/2009	15,487,601	29,548,109	40,182,813	42,121,440	-	127,361,190
6/5/2009	15,630,809	29,770,803	40,335,485	42,310,188	-	128,068,512
6/19/2009	15,643,892	29,856,362	40,472,623	42,481,053	-	128,475,157
7/2/2009	15,719,694	29,941,349	40,612,807	42,655,040	-	128,950,117
7/17/2009	15,806,732	30,014,231	40,774,335	42,854,786	-	129,471,311
7/31/2009	15,887,687	30,084,820	40,925,416	43,041,536	-	129,960,686
8/14/2009	15,969,273	30,160,735	41,078,203	43,233,076	-	130,462,514
8/28/2009	16,050,400	30,214,108	41,226,912	43,423,531	-	130,936,178
9/11/2009	16,050,834	30,214,420	41,227,679	43,424,589	-	130,938,749
9/25/2009	16,127,545	30,251,659	41,374,230	43,615,318	-	131,389,979
10/9/2009	16,171,700	30,300,898	41,523,631	43,802,390	-	131,819,846
10/23/2009	16,277,020	30,348,624	41,672,316	43,991,890	-	132,311,077
11/4/2009	16,339,699	30,387,274	41,802,098	44,100,810	-	132,651,108
11/19/2009	16,411,579	30,440,724	41,962,138	44,304,480	-	133,140,148
12/4/2009	16,481,414	30,496,174	42,123,371	44,509,801	-	133,631,987
12/17/2009	16,540,771	30,566,187	42,262,914	44,686,357	-	134,077,456
12/31/2009	16,576,771	30,609,449	42,345,091	44,789,332	-	134,341,870
1/14/2010	16,643,539	30,681,300	42,493,061	44,977,337	-	134,816,464
1/29/2010	16,687,727	30,760,844	42,653,478	45,177,640	-	135,300,916
2/10/2010	16,768,070	30,823,106	42,782,092	45,336,706	-	135,731,201
2/26/2010	16,819,759	30,906,844	42,953,188	45,548,270	-	136,249,288

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

	Cumulative Pumpage (gallons)					
Date	RW-1	RW-2	RW-3	RW-4	RW-5	Total
3/11/2010	16,863,810	30,980,102	43,091,809	45,722,405	-	136,679,353
3/26/2010	16,918,571	31,068,262	43,253,045	45,925,716	-	137,186,821
4/8/2010	16,970,320	31,147,905	43,392,917	46,102,158	-	137,634,527
4/22/2010	17,026,281	31,231,925	43,543,300	46,290,482	-	138,113,215
5/6/2010	17,078,739	31,312,954	43,692,198	46,475,780	-	138,580,898
5/21/2010	17,134,670	31,400,080	43,852,156	46,676,949	-	139,085,082
6/4/2010	17,186,615	31,480,069	44,001,729	46,863,932	-	139,553,572
6/18/2010	17,242,088	31,564,524	44,149,574	47,048,223	-	140,025,636
7/1/2010	17,315,451	31,564,524	44,149,574	47,048,223	-	140,098,999
7/17/2010	17,381,146	31,758,866	44,437,557	47,353,371	-	140,952,167
7/22/2010	17,403,991	31,792,243	44,492,196	47,429,664	19,925	141,159,246
7/29/2010	17,429,707	31,826,886	44,558,093	47,519,611	93,937	141,449,461
8/12/2010	17,441,083	31,846,592	44,585,569	47,570,743	153,611	141,618,825
8/26/2010	17,489,418	31,898,926	44,687,639	47,752,356	295,252	142,144,818
9/8/2010	17,529,355	31,947,331	44,784,449	47,922,972	433,486	142,638,820
9/23/2010	17,561,653	31,982,488	44,882,792	48,081,182	600,041	143,129,383
10/7/2010	17,585,640	32,019,799	44,977,320	48,261,591	851,845	143,717,422
10/21/2010	17,593,111	32,049,503	45,085,891	48,443,692	1,071,314	144,264,738
11/5/2010	17,601,448	32,086,233	45,207,040	48,638,074	1,307,287	144,861,309
11/19/2010	17,607,470	32,099,609	45,332,485	48,809,910	1,533,273	145,403,974
12/3/2010	17,619,579	32,114,164	45,472,544	48,989,824	1,781,877	145,999,215
12/8/2010	17,626,995	32,125,605	45,523,166	49,054,279	1,870,420	146,221,692
12/17/2010	17,631,007	32,134,945	45,542,511	49,080,186	1,896,816	146,306,692
12/30/2010	17,651,743	32,184,258	45,629,260	49,248,390	2,061,387	146,796,265
1/14/2011	17,680,025	32,246,229	45,691,252	49,442,051	2,243,622	147,324,406
1/17/2011	17,680,297	32,246,898	45,692,073	49,443,662	2,245,245	147,329,402
1/28/2011	17,699,998	32,290,059	45,784,699	49,587,767	2,392,051	147,775,801
2/11/2011	17,721,483	32,341,319	45,894,922	49,770,401	2,576,071	148,325,423
2/25/2011	17,747,891	32,393,107	46,009,176	49,953,215	2,753,448	148,878,064
3/11/2011	17,785,498	32,449,430	46,064,625	50,044,410	2,844,586	149,209,776
3/24/2011	17,830,377	32,526,658	46,144,050	50,175,033	2,972,875	149,670,220
4/8/2011	17,888,953	32,619,922	46,267,644	50,370,951	3,164,567	150,333,264
4/14/2011	17,914,844	32,664,643	46,315,580	50,450,497	3,241,754	150,608,545
4/22/2011	17,960,378	32,731,346	46,381,722	50,553,331	3,343,885	150,991,889
5/6/2011	18,055,787	32,860,780	46,499,773	50,732,537	3,521,652	151,691,756
5/20/2011	18,141,748	32,980,818	46,623,576	50,913,264	3,703,445	152,384,078
6/2/2011	18,206,512	33,075,552	46,738,377	51,079,938	3,871,772	152,993,378
6/15/2011	18,244,670	33,125,979	46,808,525	51,185,307	3,977,652	153,363,360
6/30/2011	18,319,640	33,219,405	46,939,477	51,377,551	4,171,071	154,048,371
7/15/2011	18,387,307	33,293,241	47,074,989	51,572,475	4,361,525	154,710,764
7/28/2011	18,436,904	33,330,915	47,193,016	51,739,774	4,524,640	155,246,476
8/11/2011	18,482,582	33,357,395	47,318,765	51,916,025	4,697,317	155,793,311
8/25/2011	18,523,927	33,378,136	47,443,677	52,096,542	4,873,010	156,336,519
9/7/2011	18,552,986	33,413,417	47,556,188	52,265,341	5,036,623	156,845,782
9/23/2011	18,577,187	33,437,902	47,698,746	52,466,281	5,238,251	157,439,594
10/5/2011	18,603,833	33,466,140	47,803,470	52,612,112	5,386,333	157,893,115
10/7/2011	18,608,445	33,470,877	47,821,996	52,637,761	5,412,350	157,972,656
10/18/2011	18,625,588	33,495,216	47,932,071	52,789,225	5,565,931	158,429,258
11/4/2011	18,625,679	33,531,184	48,074,628	52,985,390	5,764,380	159,002,488
11/18/2011	18,627,549	33,560,594	48,201,628	53,158,640	5,938,670	159,508,308
12/1/2011	18,629,825	33,598,934	48,320,048	53,355,570	6,100,310	160,025,914
12/16/2011	18,629,949	33,694,694	48,451,868	53,577,620	6,282,440	160,657,798
12/28/2011	18,629,987	33,779,384	48,561,758	53,756,850	6,369,780	161,118,986

Former Amphenol Facility
980 Hurricane Road
Franklin, Indiana
Cumulative Ground Water Flow Readings

Date	Cumulative Pumpage (gallons)					
	RW-1	RW-2	RW-3	RW-4	RW-5	Total
1/13/2012	18,645,754	33,859,637	48,708,053	53,992,589	6,573,941	161,801,201
1/16/2012	18,716,529	33,865,708	48,721,294	54,013,533	6,592,457	161,930,748
1/27/2012	18,757,241	33,938,060	48,817,779	54,170,142	6,731,820	162,436,269
2/10/2012	18,815,117	34,035,651	48,942,826	54,373,450	6,910,967	163,099,238
2/24/2012	18,862,640	34,104,647	49,069,225	54,579,272	7,090,969	163,727,980
3/9/2012	18,902,508	34,170,267	49,197,023	54,783,061	7,269,776	164,343,862
3/23/2012	18,937,777	34,222,618	49,324,691	54,989,061	7,449,391	164,944,765
4/6/2012	18,985,172	34,316,006	49,452,912	55,194,431	7,629,191	165,598,939
4/20/2012	19,034,085	34,411,741	49,579,662	55,399,648	7,806,565	166,252,928

Notes:

- Data prior to 4/12/96 was collected by EMCON.
- A new flow baseline (zero cumulative flow) was established on August 3, 1995, due to flow meter replacement.
- Erroneous flow meter reading from RW-3 on 10/1/96.
- Due to a flow meter malfunction, the totalizer for RW-2 showed a negative flow of 1,051 gallons on January 14, 1997.
- Due to a flow meter malfunction, the totalizer for RW-3 showed a negative flowage of 1,538 gallons, 19,689 gallons, and 20,197 gallons on March 14, March 28, and May 7, 1997, respectively.
- Due to a flow meter malfunction, the total gallons pumped between July 2 and July 16, 1998 was estimated at 10 gpm for RW-2 and RW-3.
- Recovery wells converted from pneumatic to electrical submersible pumps in March 1999.
- Recovery well RW-4 installed late February 1999.
- Recovery well RW-5 was initiated on July 20, 2010.
- Recovery wells RW-1, RW-2, RW-3 and RW-4 were developed on May 15, 2000.
- NEEP Systems air stripper installed on August 29 through August 31, 2000.

AMPHENOL CORPORATION
FRANKLIN, INDIANA



ATTACHMENT C

Field Notes

iWM CONSULTING GROUP

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

'te Inspection Date: 4-6-12

VM Personnel: R. Mier D. White

Arrival Time: 9:30

eparture Time: 1:30

Alarm Response Visit: YES (NO)

BIWEEKLY DATA

otalizer Readings: RW-1 357623.0 RW-2 19226662.0 RW-3 32952184.0 RW-4 55194431.0 RW-5 7629191.0

ow Rate GPM: RW-1 cycling RW-2 4.75 RW-3 6.50 RW-4 10.00 RW-5 9.00

Pump Running Amps RW-1 3.1 RW-2 3.2 RW-3 3.2 RW-4 4.1 RW-5 3.3

r Stripper Pressure: 15" Inches of Water

ffluent Clarity: clean

uilding Temperature: 60° Degrees F

stem Operation Upon Arrival: (YES) NO (if no please explain below)

'ater Leaks: RW-1 RW-2 RW-3 RW-4 RW-5

Please circle appropriate controller(s) below:

Manholes	(NO)	YES	Repaired	
Lines	(NO)	YES	Repaired	
Stripper	(NO)	YES	Repaired	

yes, explain:

MONTHLY DATA

ilter Cartridges Replaced: yes RW-1 yes RW-2 yes RW-3 yes RW-4 yes RW-5

ripper Trays and Tubes Checked: yes

Stripper Trays and Tubes Cleaned: No, not needed

onitoring/Recovery Wells Gauged: yes

ecommendations for system optimization or general comments:

FORMER AMPHENOL FACILITY
980B Hurricane Road
Franklin, Indiana

Inspection Date: 4-20-12
/ Personnel: Mier
val Time: 9:12
arture Time: 10:23
m Response Visit: YES NO

BIWEEKLY DATA

ilizer Readings: RW-1 406536.0 RW-2 19322391.0 RW-3 33078934.0 RW-4 55399648.9 RW-5 7806565.0

v Rate GPM: RW-1 cycling RW-2 4.50 RW-3 6.00 RW-4 10.00 RW-5 9.25

ip Running Amps RW-1 3.2 RW-2 3.3 RW-3 3.1 RW-4 4.1 RW-5 3.5

Stripper Pressure: 1.5 Inches of Water

uent Clarity: Clear

lding Temperature: 67° Degrees F

:em Operation Upon Arrival: YES NO (if no please explain below)

:er Leaks: RW-1 RW-2 RW-3 RW-4 RW-5
ise circle appropriate controller(s) below:

Manholes	NO	YES	Repaired	
Lines	NO	YES	Repaired	
Stripper	NO	YES	Repaired	

es, explain:

MONTHLY DATA

er Cartridges Replaced: RW-1 RW-2 RW-3 RW-4 RW-5

pper Trays and Tubes Checked:

pper Trays and Tubes Cleaned:

nitoring/Recovery Wells Gauged:

:ommendations for system optimization or general comments:

ATTACHMENT D

Groundwater Sampling Logs

IWM CONSULTING GROUP

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No. IT-2
Project Amphenol
Sampling Purpose Semi-Annual GWS

Project No. IN-AMP-11-06
Site Name Amphenol, Franklin, IN
Sampling Personnel Mier/White
Date 4/6/12
Time In _____ Time Out _____

I. Well Information

Reference point on well casing		Y	N
Well Diameter	ID 2"	OD	
Total Well Depth	17.30		
Depth to Water	12.31		
Slug Test Performed		Y	N
Redevelop		Y	N

II. Well Water Information

Length of water column (ft.)		4.99
Volume of water in well (gal.)		.81
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		2.39
Did well go dry ?	Y	N

Evacuation Method Bailer
Evacuation Rate (gpm) - 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	12:52
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		18
Conductivity (uS/cm)		.799
pH (SU)		7.26
ORP (mV)		-153.7
DO (mg/L)		.17
Film	Y	N

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel Ralph Mier

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	IT-3	Project No.	IN-AMP-11-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	4/6/12
		Time In	Time Out

I. Well Information

Reference point on well casing		Y	N
Well Diameter	ID 2"	OD	
Total Well Depth	13.70		
Depth to Water	10.73		
Slug Test Performed		Y	N
Redevelop		Y	N

II. Well Water Information

Length of water column (ft.)		2.97
Volume of water in well (gal.)		.48
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		1.42	Evacuation Method	Bailer
Did well go dry ?	Y	N	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	13:02
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		16
Conductivity (uS/cm)		.939
pH (SU)		7.30
ORP (mV)		4.4
DO (mg/L)		3.42
Film	Y	N

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel [signature]

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No. MW-12R
Project Amphenol
Sampling Purpose Semi-Annual GWS

Project No. IN-AMP-11-06
Site Name Amphenol, Franklin, IN
Sampling Personnel Mier/White
Date 4/6/12
Time In _____ Time Out _____

I. Well Information

Reference point on well casing		(Y)	N
Well Diameter	ID 2"	OD	
Total Well Depth	25.20		
Depth to Water	16.74		
Slug Test Performed		Y	(N)
Redevelop		Y	(N)

II. Well Water Information

Length of water column (ft.)		8.46
Volume of water in well (gal.)		1.35
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		4.03
Did well go dry ?	Y	(N)

Evacuation Method Bailer
Evacuation Rate (gpm) - 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	12:45
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		16
Conductivity (uS/cm)		1,218
pH (SU)		7.21
ORP (mV)		77.6
DO (mg/L)		.33
Film	(Y)	N

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel Ralph Mier

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	MW-20	Project No.	IN-AMP-11-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	4/6/12
		Time In	Time Out

I. Well Information

Reference point on well casing		(Y)	N
Well Diameter	ID 2"	OD	
Total Well Depth	23.45		
Depth to Water	9.04		
Slug Test Performed		Y	(N)
Redevelop		Y	(N)

II. Well Water Information

Length of water column (ft.)		14.41
Volume of water in well (gal.)		2.34
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		7.04	Evacuation Method	Bailer
Did well go dry ?	Y	(N)	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	9:55
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		17
Conductivity (uS/cm)		.807
pH (SU)		6.90
ORP (mV)		295
DO (mg/L)		1.39
Film	Y	(N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel Ralph Mier

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No. MW - 22
Project Amphenol
Sampling Purpose Semi-Annual GWS

Project No. IN-AMP-11-06
Site Name Amphenol, Franklin, IN
Sampling Personnel Mier/White
Date 4/6/12
Time In _____ Time Out _____

I. Well Information

Reference point on well casing		(Y)	N
Well Diameter	ID 2"	OD	
Total Well Depth	24.00		
Depth to Water	17.06		
Slug Test Performed		Y	(N)
Redevelop		Y	(N)

II. Well Water Information

Length of water column (ft.)		6.94
Volume of water in well (gal.)		1.13
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		3.33
Did well go dry ?	Y	(N)

Evacuation Method Bailer
Evacuation Rate (gpm) - 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	12:25
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		17
Conductivity (uS/cm)		2.737
pH (SU)		6.78
ORP (mV)		-16.8
DO (mg/L)		.20
Film	Y	(N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel Ralph Mier

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	MW-28	Project No.	IN-AMP-11-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	4/6/12
		Time In	Time Out

I. Well Information

Reference point on well casing		(Y)	N
Well Diameter	ID 2"	OD	
Total Well Depth	25.25		
Depth to Water	16.66		
Slug Test Performed		Y	(N)
Redevelop		Y	(N)

II. Well Water Information

Length of water column (ft.)		8.59
Volume of water in well (gal.)		1.40
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		4.11	Evacuation Method	Bailer
Did well go dry ?	Y	(N)	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	12:35
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		18
Conductivity (uS/cm)		.955
pH (SU)		7.10
ORP (mV)		132.8
DO (mg/L)		5.56
Film	Y	(N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel Ralph Mier

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No. MW-29
Project Amphenol
Sampling Purpose Semi-Annual GWS

Project No. IN-AMP-11-06
Site Name Amphenol, Franklin, IN
Sampling Personnel Mier/White
Date 4/6/12
Time In _____ Time Out _____

I. Well Information

Reference point on well casing		(Y)	N
Well Diameter	ID 2"	OD	
Total Well Depth	25.53		
Depth to Water	16.48		
Slug Test Performed		Y	(N)
Redevelop		Y	(N)

II. Well Water Information

Length of water column (ft.)		9.05
Volume of water in well (gal.)		1.47
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		4.34
Did well go dry ?	Y	(N)

Evacuation Method Bailer
Evacuation Rate (gpm) - 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	12:00
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		16
Conductivity (uS/cm)		.795
pH (SU)		7.27
ORP (mV)		84.1
DO (mg/L)		.17
Film	Y	(N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel Ralph Mier

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	MW-30	Project No.	IN-AMP-11-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	4/6/12
		Time In	_____ Time Out _____

I. Well Information

Reference point on well casing		(Y)	N
Well Diameter	ID 2"	OD	
Total Well Depth	21.20		
Depth to Water	15.31		
Slug Test Performed		Y	(N)
Redevelop		Y	(N)

II. Well Water Information

Length of water column (ft.)		5.89
Volume of water in well (gal.)		.96
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		2.82	Evacuation Method	Bailer
Did well go dry ?	Y	(N)	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	12:55
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		17
Conductivity (uS/cm)		1,060
pH (SU)		7.21
ORP (mV)		-17.6
DO (mg/L)		.25
Film	Y	(N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel [signature]

ATTACHMENT E

Groundwater Laboratory Analytical Report

iWM CONSULTING GROUP

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

April 17, 2012

Mr. Chris Parks
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Dear Mr. Parks:
Enclosed are the analytical results for sample(s) received by the laboratory on April 06, 2012. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kenneth Hunt

kenneth.hunt@pacelabs.com
Project Manager

Enclosures

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

CERTIFICATIONS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Indiana Certification IDs
7726 Moller Road, Indianapolis, IN 46268
Illinois Certification #: 200074
Indiana Certification #: C-49-06
Kansas Certification #: E-10247

Louisiana/NELAC Certification #: 04076
Pennsylvania: 68-04991
West Virginia Certification #: 330

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

SAMPLE SUMMARY

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Lab ID	Sample ID	Matrix	Date Collected	Date Received
5061177001	IT-2	Water	04/06/12 12:52	04/06/12 14:07
5061177002	IT-3	Water	04/06/12 13:02	04/06/12 14:07
5061177003	MW-12R	Water	04/06/12 12:45	04/06/12 14:07
5061177004	MW-20	Water	04/06/12 09:55	04/06/12 14:07
5061177005	MW-22	Water	04/06/12 12:25	04/06/12 14:07
5061177006	MW-28	Water	04/06/12 12:35	04/06/12 14:07
5061177007	MW-29	Water	04/06/12 12:00	04/06/12 14:07
5061177008	MW-30	Water	04/06/12 12:55	04/06/12 14:07
5061177009	DUPLICATE	Water	04/06/12 08:00	04/06/12 14:07
5061177010	TRIP BLANK	Water	04/06/12 08:00	04/06/12 14:07

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

SAMPLE ANALYTE COUNT

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Lab ID	Sample ID	Method	Analysts	Analytes Reported
5061177001	IT-2	EPA 8260	ALA	72
5061177002	IT-3	EPA 8260	ALA	72
5061177003	MW-12R	EPA 8260	ALA	72
5061177004	MW-20	EPA 8260	ALA	72
5061177005	MW-22	EPA 8260	ALA	72
5061177006	MW-28	EPA 8260	ALA	72
5061177007	MW-29	EPA 8260	ALA	72
5061177008	MW-30	EPA 8260	ALA	72
5061177009	DUPLICATE	EPA 8260	ALA	72
5061177010	TRIP BLANK	EPA 8260	ALA	72

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: IT-2 **Lab ID: 5061177001** Collected: 04/06/12 12:52 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/14/12 06:49	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/14/12 06:49	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/14/12 06:49	107-13-1	
Benzene	ND	ug/L	5.0	1		04/14/12 06:49	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/14/12 06:49	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/14/12 06:49	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/14/12 06:49	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/14/12 06:49	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/14/12 06:49	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/14/12 06:49	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/14/12 06:49	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/14/12 06:49	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/14/12 06:49	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/14/12 06:49	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/14/12 06:49	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/14/12 06:49	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/14/12 06:49	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/14/12 06:49	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/14/12 06:49	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/14/12 06:49	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/14/12 06:49	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/14/12 06:49	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/14/12 06:49	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/14/12 06:49	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 06:49	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 06:49	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 06:49	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/14/12 06:49	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/14/12 06:49	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/14/12 06:49	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/14/12 06:49	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/14/12 06:49	75-35-4	
cis-1,2-Dichloroethene	**18.3**	ug/L	5.0	1		04/14/12 06:49	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/14/12 06:49	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/14/12 06:49	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/14/12 06:49	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/14/12 06:49	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/14/12 06:49	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/14/12 06:49	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/14/12 06:49	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/14/12 06:49	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/14/12 06:49	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/14/12 06:49	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/14/12 06:49	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/14/12 06:49	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/14/12 06:49	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/14/12 06:49	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: IT-2 **Lab ID: 5061177001** Collected: 04/06/12 12:52 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/14/12 06:49	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/14/12 06:49	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/14/12 06:49	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/14/12 06:49	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/14/12 06:49	103-65-1	
Styrene	ND	ug/L	5.0	1		04/14/12 06:49	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/14/12 06:49	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/14/12 06:49	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/14/12 06:49	127-18-4	
Toluene	ND	ug/L	5.0	1		04/14/12 06:49	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/14/12 06:49	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/14/12 06:49	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/14/12 06:49	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/14/12 06:49	79-00-5	
Trichloroethene	**8.5**	ug/L	5.0	1		04/14/12 06:49	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/14/12 06:49	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/14/12 06:49	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/14/12 06:49	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/14/12 06:49	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/14/12 06:49	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/14/12 06:49	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/14/12 06:49	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	105	%.	83-123	1		04/14/12 06:49	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	72-125	1		04/14/12 06:49	460-00-4	
Toluene-d8 (S)	108	%.	81-114	1		04/14/12 06:49	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: IT-3 **Lab ID: 5061177002** Collected: 04/06/12 13:02 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/14/12 07:22	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/14/12 07:22	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/14/12 07:22	107-13-1	
Benzene	ND	ug/L	5.0	1		04/14/12 07:22	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/14/12 07:22	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/14/12 07:22	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/14/12 07:22	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/14/12 07:22	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/14/12 07:22	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/14/12 07:22	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/14/12 07:22	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/14/12 07:22	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/14/12 07:22	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/14/12 07:22	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/14/12 07:22	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/14/12 07:22	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/14/12 07:22	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/14/12 07:22	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/14/12 07:22	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/14/12 07:22	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/14/12 07:22	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/14/12 07:22	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/14/12 07:22	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/14/12 07:22	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 07:22	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 07:22	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 07:22	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/14/12 07:22	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/14/12 07:22	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/14/12 07:22	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/14/12 07:22	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/14/12 07:22	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/14/12 07:22	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/14/12 07:22	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/14/12 07:22	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/14/12 07:22	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/14/12 07:22	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/14/12 07:22	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/14/12 07:22	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/14/12 07:22	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/14/12 07:22	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/14/12 07:22	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/14/12 07:22	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/14/12 07:22	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/14/12 07:22	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/14/12 07:22	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/14/12 07:22	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: IT-3 **Lab ID: 5061177002** Collected: 04/06/12 13:02 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/14/12 07:22	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/14/12 07:22	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/14/12 07:22	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/14/12 07:22	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/14/12 07:22	103-65-1	
Styrene	ND	ug/L	5.0	1		04/14/12 07:22	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/14/12 07:22	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/14/12 07:22	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/14/12 07:22	127-18-4	
Toluene	ND	ug/L	5.0	1		04/14/12 07:22	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/14/12 07:22	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/14/12 07:22	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/14/12 07:22	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/14/12 07:22	79-00-5	
Trichloroethene	**7.2**	ug/L	5.0	1		04/14/12 07:22	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/14/12 07:22	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/14/12 07:22	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/14/12 07:22	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/14/12 07:22	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/14/12 07:22	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/14/12 07:22	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/14/12 07:22	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	99	%.	83-123	1		04/14/12 07:22	1868-53-7	
4-Bromofluorobenzene (S)	95	%.	72-125	1		04/14/12 07:22	460-00-4	
Toluene-d8 (S)	102	%.	81-114	1		04/14/12 07:22	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: MW-12R **Lab ID: 5061177003** Collected: 04/06/12 12:45 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/14/12 07:56	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/14/12 07:56	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/14/12 07:56	107-13-1	
Benzene	ND	ug/L	5.0	1		04/14/12 07:56	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/14/12 07:56	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/14/12 07:56	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/14/12 07:56	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/14/12 07:56	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/14/12 07:56	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/14/12 07:56	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/14/12 07:56	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/14/12 07:56	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/14/12 07:56	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/14/12 07:56	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/14/12 07:56	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/14/12 07:56	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/14/12 07:56	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/14/12 07:56	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/14/12 07:56	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/14/12 07:56	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/14/12 07:56	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/14/12 07:56	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/14/12 07:56	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/14/12 07:56	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 07:56	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 07:56	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 07:56	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/14/12 07:56	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/14/12 07:56	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/14/12 07:56	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/14/12 07:56	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/14/12 07:56	75-35-4	
cis-1,2-Dichloroethene	**81.4**	ug/L	5.0	1		04/14/12 07:56	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/14/12 07:56	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/14/12 07:56	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/14/12 07:56	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/14/12 07:56	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/14/12 07:56	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/14/12 07:56	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/14/12 07:56	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/14/12 07:56	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/14/12 07:56	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/14/12 07:56	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/14/12 07:56	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/14/12 07:56	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/14/12 07:56	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/14/12 07:56	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: MW-12R **Lab ID: 5061177003** Collected: 04/06/12 12:45 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/14/12 07:56	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/14/12 07:56	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/14/12 07:56	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/14/12 07:56	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/14/12 07:56	103-65-1	
Styrene	ND	ug/L	5.0	1		04/14/12 07:56	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/14/12 07:56	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/14/12 07:56	79-34-5	
Tetrachloroethene	**884**	ug/L	50.0	10		04/14/12 08:30	127-18-4	
Toluene	ND	ug/L	5.0	1		04/14/12 07:56	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/14/12 07:56	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/14/12 07:56	120-82-1	
1,1,1-Trichloroethane	**56.3**	ug/L	5.0	1		04/14/12 07:56	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/14/12 07:56	79-00-5	
Trichloroethene	**234**	ug/L	5.0	1		04/14/12 07:56	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/14/12 07:56	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/14/12 07:56	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/14/12 07:56	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/14/12 07:56	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/14/12 07:56	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/14/12 07:56	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/14/12 07:56	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	98	%.	83-123	1		04/14/12 07:56	1868-53-7	
4-Bromofluorobenzene (S)	94	%.	72-125	1		04/14/12 07:56	460-00-4	
Toluene-d8 (S)	100	%.	81-114	1		04/14/12 07:56	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: MW-20 **Lab ID: 5061177004** Collected: 04/06/12 09:55 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/16/12 14:45	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/16/12 14:45	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/16/12 14:45	107-13-1	
Benzene	ND	ug/L	5.0	1		04/16/12 14:45	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/16/12 14:45	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/16/12 14:45	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/16/12 14:45	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/16/12 14:45	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/16/12 14:45	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/16/12 14:45	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/16/12 14:45	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/16/12 14:45	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/16/12 14:45	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/16/12 14:45	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/16/12 14:45	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/16/12 14:45	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/16/12 14:45	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/16/12 14:45	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/16/12 14:45	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/16/12 14:45	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/16/12 14:45	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/16/12 14:45	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/16/12 14:45	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/16/12 14:45	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 14:45	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 14:45	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 14:45	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/16/12 14:45	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/16/12 14:45	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/16/12 14:45	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/16/12 14:45	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/16/12 14:45	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/16/12 14:45	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/16/12 14:45	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/16/12 14:45	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/16/12 14:45	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/16/12 14:45	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/16/12 14:45	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/16/12 14:45	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/16/12 14:45	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/16/12 14:45	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/16/12 14:45	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/16/12 14:45	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/16/12 14:45	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/16/12 14:45	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/16/12 14:45	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/16/12 14:45	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: MW-20 **Lab ID: 5061177004** Collected: 04/06/12 09:55 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/16/12 14:45	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/16/12 14:45	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/16/12 14:45	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/16/12 14:45	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/16/12 14:45	103-65-1	
Styrene	ND	ug/L	5.0	1		04/16/12 14:45	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/16/12 14:45	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/16/12 14:45	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/16/12 14:45	127-18-4	
Toluene	ND	ug/L	5.0	1		04/16/12 14:45	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/16/12 14:45	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/16/12 14:45	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/16/12 14:45	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/16/12 14:45	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/16/12 14:45	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/16/12 14:45	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/16/12 14:45	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/16/12 14:45	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/16/12 14:45	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/16/12 14:45	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/16/12 14:45	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/16/12 14:45	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	104	%.	83-123	1		04/16/12 14:45	1868-53-7	
4-Bromofluorobenzene (S)	103	%.	72-125	1		04/16/12 14:45	460-00-4	
Toluene-d8 (S)	100	%.	81-114	1		04/16/12 14:45	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: MW-22 **Lab ID: 5061177005** Collected: 04/06/12 12:25 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/14/12 09:04	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/14/12 09:04	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/14/12 09:04	107-13-1	
Benzene	ND	ug/L	5.0	1		04/14/12 09:04	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/14/12 09:04	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/14/12 09:04	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/14/12 09:04	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/14/12 09:04	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/14/12 09:04	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/14/12 09:04	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/14/12 09:04	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/14/12 09:04	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/14/12 09:04	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/14/12 09:04	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/14/12 09:04	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/14/12 09:04	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/14/12 09:04	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/14/12 09:04	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/14/12 09:04	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/14/12 09:04	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/14/12 09:04	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/14/12 09:04	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/14/12 09:04	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/14/12 09:04	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 09:04	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 09:04	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 09:04	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/14/12 09:04	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/14/12 09:04	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/14/12 09:04	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/14/12 09:04	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/14/12 09:04	75-35-4	
cis-1,2-Dichloroethene	**87.8**	ug/L	5.0	1		04/14/12 09:04	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/14/12 09:04	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/14/12 09:04	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/14/12 09:04	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/14/12 09:04	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/14/12 09:04	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/14/12 09:04	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/14/12 09:04	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/14/12 09:04	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/14/12 09:04	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/14/12 09:04	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/14/12 09:04	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/14/12 09:04	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/14/12 09:04	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/14/12 09:04	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: MW-22 **Lab ID: 5061177005** Collected: 04/06/12 12:25 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/14/12 09:04	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/14/12 09:04	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/14/12 09:04	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/14/12 09:04	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/14/12 09:04	103-65-1	
Styrene	ND	ug/L	5.0	1		04/14/12 09:04	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/14/12 09:04	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/14/12 09:04	79-34-5	
Tetrachloroethene	**656**	ug/L	50.0	10		04/14/12 09:38	127-18-4	
Toluene	ND	ug/L	5.0	1		04/14/12 09:04	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/14/12 09:04	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/14/12 09:04	120-82-1	
1,1,1-Trichloroethane	**7.7**	ug/L	5.0	1		04/14/12 09:04	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/14/12 09:04	79-00-5	
Trichloroethene	**95.9**	ug/L	5.0	1		04/14/12 09:04	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/14/12 09:04	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/14/12 09:04	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/14/12 09:04	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/14/12 09:04	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/14/12 09:04	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/14/12 09:04	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/14/12 09:04	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	103	%.	83-123	1		04/14/12 09:04	1868-53-7	
4-Bromofluorobenzene (S)	97	%.	72-125	1		04/14/12 09:04	460-00-4	
Toluene-d8 (S)	101	%.	81-114	1		04/14/12 09:04	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: MW-28 **Lab ID: 5061177006** Collected: 04/06/12 12:35 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/14/12 10:12	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/14/12 10:12	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/14/12 10:12	107-13-1	
Benzene	ND	ug/L	5.0	1		04/14/12 10:12	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/14/12 10:12	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/14/12 10:12	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/14/12 10:12	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/14/12 10:12	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/14/12 10:12	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/14/12 10:12	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/14/12 10:12	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/14/12 10:12	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/14/12 10:12	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/14/12 10:12	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/14/12 10:12	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/14/12 10:12	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/14/12 10:12	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/14/12 10:12	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/14/12 10:12	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/14/12 10:12	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/14/12 10:12	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/14/12 10:12	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/14/12 10:12	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/14/12 10:12	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 10:12	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 10:12	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 10:12	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/14/12 10:12	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/14/12 10:12	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/14/12 10:12	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/14/12 10:12	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/14/12 10:12	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/14/12 10:12	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/14/12 10:12	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/14/12 10:12	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/14/12 10:12	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/14/12 10:12	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/14/12 10:12	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/14/12 10:12	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/14/12 10:12	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/14/12 10:12	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/14/12 10:12	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/14/12 10:12	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/14/12 10:12	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/14/12 10:12	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/14/12 10:12	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/14/12 10:12	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: MW-28 **Lab ID: 5061177006** Collected: 04/06/12 12:35 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/14/12 10:12	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/14/12 10:12	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/14/12 10:12	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/14/12 10:12	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/14/12 10:12	103-65-1	
Styrene	ND	ug/L	5.0	1		04/14/12 10:12	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/14/12 10:12	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/14/12 10:12	79-34-5	
Tetrachloroethene	**29.9**	ug/L	5.0	1		04/14/12 10:12	127-18-4	
Toluene	ND	ug/L	5.0	1		04/14/12 10:12	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/14/12 10:12	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/14/12 10:12	120-82-1	
1,1,1-Trichloroethane	**9.1**	ug/L	5.0	1		04/14/12 10:12	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/14/12 10:12	79-00-5	
Trichloroethene	**13.9**	ug/L	5.0	1		04/14/12 10:12	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/14/12 10:12	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/14/12 10:12	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/14/12 10:12	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/14/12 10:12	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/14/12 10:12	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/14/12 10:12	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/14/12 10:12	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	102	%.	83-123	1		04/14/12 10:12	1868-53-7	
4-Bromofluorobenzene (S)	96	%.	72-125	1		04/14/12 10:12	460-00-4	
Toluene-d8 (S)	103	%.	81-114	1		04/14/12 10:12	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: MW-29 **Lab ID: 5061177007** Collected: 04/06/12 12:00 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/16/12 16:26	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/16/12 16:26	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/16/12 16:26	107-13-1	
Benzene	ND	ug/L	5.0	1		04/16/12 16:26	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/16/12 16:26	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/16/12 16:26	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/16/12 16:26	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/16/12 16:26	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/16/12 16:26	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/16/12 16:26	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/16/12 16:26	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/16/12 16:26	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/16/12 16:26	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/16/12 16:26	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/16/12 16:26	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/16/12 16:26	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/16/12 16:26	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/16/12 16:26	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/16/12 16:26	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/16/12 16:26	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/16/12 16:26	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/16/12 16:26	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/16/12 16:26	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/16/12 16:26	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 16:26	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 16:26	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 16:26	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/16/12 16:26	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/16/12 16:26	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/16/12 16:26	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/16/12 16:26	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/16/12 16:26	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/16/12 16:26	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/16/12 16:26	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/16/12 16:26	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/16/12 16:26	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/16/12 16:26	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/16/12 16:26	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/16/12 16:26	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/16/12 16:26	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/16/12 16:26	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/16/12 16:26	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/16/12 16:26	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/16/12 16:26	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/16/12 16:26	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/16/12 16:26	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/16/12 16:26	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: MW-29 **Lab ID: 5061177007** Collected: 04/06/12 12:00 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/16/12 16:26	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/16/12 16:26	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/16/12 16:26	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/16/12 16:26	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/16/12 16:26	103-65-1	
Styrene	ND	ug/L	5.0	1		04/16/12 16:26	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/16/12 16:26	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/16/12 16:26	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/16/12 16:26	127-18-4	
Toluene	ND	ug/L	5.0	1		04/16/12 16:26	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/16/12 16:26	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/16/12 16:26	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/16/12 16:26	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/16/12 16:26	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/16/12 16:26	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/16/12 16:26	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/16/12 16:26	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/16/12 16:26	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/16/12 16:26	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/16/12 16:26	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/16/12 16:26	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/16/12 16:26	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	104	%.	83-123	1		04/16/12 16:26	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	72-125	1		04/16/12 16:26	460-00-4	
Toluene-d8 (S)	100	%.	81-114	1		04/16/12 16:26	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: MW-30 **Lab ID: 5061177008** Collected: 04/06/12 12:55 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/16/12 17:00	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/16/12 17:00	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/16/12 17:00	107-13-1	
Benzene	ND	ug/L	5.0	1		04/16/12 17:00	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/16/12 17:00	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/16/12 17:00	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/16/12 17:00	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/16/12 17:00	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/16/12 17:00	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/16/12 17:00	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/16/12 17:00	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/16/12 17:00	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/16/12 17:00	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/16/12 17:00	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/16/12 17:00	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/16/12 17:00	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/16/12 17:00	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/16/12 17:00	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/16/12 17:00	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/16/12 17:00	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/16/12 17:00	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/16/12 17:00	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/16/12 17:00	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/16/12 17:00	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 17:00	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 17:00	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 17:00	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/16/12 17:00	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/16/12 17:00	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/16/12 17:00	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/16/12 17:00	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/16/12 17:00	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/16/12 17:00	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/16/12 17:00	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/16/12 17:00	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/16/12 17:00	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/16/12 17:00	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/16/12 17:00	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/16/12 17:00	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/16/12 17:00	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/16/12 17:00	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/16/12 17:00	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/16/12 17:00	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/16/12 17:00	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/16/12 17:00	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/16/12 17:00	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/16/12 17:00	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: MW-30 **Lab ID: 5061177008** Collected: 04/06/12 12:55 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/16/12 17:00	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/16/12 17:00	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/16/12 17:00	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/16/12 17:00	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/16/12 17:00	103-65-1	
Styrene	ND	ug/L	5.0	1		04/16/12 17:00	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/16/12 17:00	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/16/12 17:00	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/16/12 17:00	127-18-4	
Toluene	ND	ug/L	5.0	1		04/16/12 17:00	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/16/12 17:00	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/16/12 17:00	120-82-1	
1,1,1-Trichloroethane	**6.6**	ug/L	5.0	1		04/16/12 17:00	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/16/12 17:00	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/16/12 17:00	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/16/12 17:00	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/16/12 17:00	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/16/12 17:00	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/16/12 17:00	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/16/12 17:00	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/16/12 17:00	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/16/12 17:00	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	99	%.	83-123	1		04/16/12 17:00	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	72-125	1		04/16/12 17:00	460-00-4	
Toluene-d8 (S)	99	%.	81-114	1		04/16/12 17:00	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: DUPLICATE **Lab ID: 5061177009** Collected: 04/06/12 08:00 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/16/12 17:33	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/16/12 17:33	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/16/12 17:33	107-13-1	
Benzene	ND	ug/L	5.0	1		04/16/12 17:33	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/16/12 17:33	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/16/12 17:33	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/16/12 17:33	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/16/12 17:33	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/16/12 17:33	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/16/12 17:33	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/16/12 17:33	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/16/12 17:33	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/16/12 17:33	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/16/12 17:33	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/16/12 17:33	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/16/12 17:33	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/16/12 17:33	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/16/12 17:33	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/16/12 17:33	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/16/12 17:33	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/16/12 17:33	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/16/12 17:33	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/16/12 17:33	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/16/12 17:33	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 17:33	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 17:33	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 17:33	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/16/12 17:33	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/16/12 17:33	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/16/12 17:33	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/16/12 17:33	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/16/12 17:33	75-35-4	
cis-1,2-Dichloroethene	**74.7**	ug/L	5.0	1		04/16/12 17:33	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/16/12 17:33	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/16/12 17:33	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/16/12 17:33	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/16/12 17:33	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/16/12 17:33	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/16/12 17:33	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/16/12 17:33	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/16/12 17:33	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/16/12 17:33	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/16/12 17:33	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/16/12 17:33	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/16/12 17:33	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/16/12 17:33	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/16/12 17:33	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: DUPLICATE **Lab ID: 5061177009** Collected: 04/06/12 08:00 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/16/12 17:33	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/16/12 17:33	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/16/12 17:33	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/16/12 17:33	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/16/12 17:33	103-65-1	
Styrene	ND	ug/L	5.0	1		04/16/12 17:33	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/16/12 17:33	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/16/12 17:33	79-34-5	
Tetrachloroethene	**468**	ug/L	50.0	10		04/16/12 18:07	127-18-4	
Toluene	ND	ug/L	5.0	1		04/16/12 17:33	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/16/12 17:33	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/16/12 17:33	120-82-1	
1,1,1-Trichloroethane	**8.7**	ug/L	5.0	1		04/16/12 17:33	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/16/12 17:33	79-00-5	
Trichloroethene	**82.3**	ug/L	5.0	1		04/16/12 17:33	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/16/12 17:33	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/16/12 17:33	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/16/12 17:33	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/16/12 17:33	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/16/12 17:33	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/16/12 17:33	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/16/12 17:33	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	104	%.	83-123	1		04/16/12 17:33	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	72-125	1		04/16/12 17:33	460-00-4	
Toluene-d8 (S)	97	%.	81-114	1		04/16/12 17:33	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: TRIP BLANK **Lab ID: 5061177010** Collected: 04/06/12 08:00 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/16/12 18:41	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/16/12 18:41	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/16/12 18:41	107-13-1	
Benzene	ND	ug/L	5.0	1		04/16/12 18:41	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/16/12 18:41	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/16/12 18:41	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/16/12 18:41	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/16/12 18:41	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/16/12 18:41	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/16/12 18:41	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/16/12 18:41	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/16/12 18:41	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/16/12 18:41	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/16/12 18:41	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/16/12 18:41	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/16/12 18:41	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/16/12 18:41	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/16/12 18:41	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/16/12 18:41	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/16/12 18:41	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/16/12 18:41	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/16/12 18:41	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/16/12 18:41	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/16/12 18:41	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 18:41	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 18:41	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 18:41	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/16/12 18:41	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/16/12 18:41	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/16/12 18:41	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/16/12 18:41	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/16/12 18:41	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/16/12 18:41	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/16/12 18:41	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/16/12 18:41	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/16/12 18:41	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/16/12 18:41	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/16/12 18:41	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/16/12 18:41	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/16/12 18:41	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/16/12 18:41	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/16/12 18:41	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/16/12 18:41	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/16/12 18:41	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/16/12 18:41	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/16/12 18:41	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/16/12 18:41	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: TRIP BLANK **Lab ID: 5061177010** Collected: 04/06/12 08:00 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/16/12 18:41	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/16/12 18:41	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/16/12 18:41	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/16/12 18:41	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/16/12 18:41	103-65-1	
Styrene	ND	ug/L	5.0	1		04/16/12 18:41	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/16/12 18:41	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/16/12 18:41	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/16/12 18:41	127-18-4	
Toluene	ND	ug/L	5.0	1		04/16/12 18:41	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/16/12 18:41	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/16/12 18:41	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/16/12 18:41	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/16/12 18:41	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/16/12 18:41	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/16/12 18:41	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/16/12 18:41	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/16/12 18:41	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/16/12 18:41	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/16/12 18:41	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/16/12 18:41	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/16/12 18:41	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	103	%.	83-123	1		04/16/12 18:41	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	72-125	1		04/16/12 18:41	460-00-4	
Toluene-d8 (S)	99	%.	81-114	1		04/16/12 18:41	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

QC Batch: MSV/41313 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 5061177001, 5061177002, 5061177003, 5061177005, 5061177006

METHOD BLANK: 720639 Matrix: Water
Associated Lab Samples: 5061177001, 5061177002, 5061177003, 5061177005, 5061177006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	04/14/12 00:38	
1,1,1-Trichloroethane	ug/L	ND	5.0	04/14/12 00:38	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	04/14/12 00:38	
1,1,2-Trichloroethane	ug/L	ND	5.0	04/14/12 00:38	
1,1-Dichloroethane	ug/L	ND	5.0	04/14/12 00:38	
1,1-Dichloroethene	ug/L	ND	5.0	04/14/12 00:38	
1,1-Dichloropropene	ug/L	ND	5.0	04/14/12 00:38	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	04/14/12 00:38	
1,2,3-Trichloropropane	ug/L	ND	5.0	04/14/12 00:38	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	04/14/12 00:38	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	04/14/12 00:38	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	04/14/12 00:38	
1,2-Dichlorobenzene	ug/L	ND	5.0	04/14/12 00:38	
1,2-Dichloroethane	ug/L	ND	5.0	04/14/12 00:38	
1,2-Dichloropropane	ug/L	ND	5.0	04/14/12 00:38	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	04/14/12 00:38	
1,3-Dichlorobenzene	ug/L	ND	5.0	04/14/12 00:38	
1,3-Dichloropropane	ug/L	ND	5.0	04/14/12 00:38	
1,4-Dichlorobenzene	ug/L	ND	5.0	04/14/12 00:38	
2,2-Dichloropropane	ug/L	ND	5.0	04/14/12 00:38	
2-Butanone (MEK)	ug/L	ND	25.0	04/14/12 00:38	
2-Chlorotoluene	ug/L	ND	5.0	04/14/12 00:38	
2-Hexanone	ug/L	ND	25.0	04/14/12 00:38	
4-Chlorotoluene	ug/L	ND	5.0	04/14/12 00:38	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	04/14/12 00:38	
Acetone	ug/L	ND	100	04/14/12 00:38	
Acrolein	ug/L	ND	50.0	04/14/12 00:38	
Acrylonitrile	ug/L	ND	100	04/14/12 00:38	
Benzene	ug/L	ND	5.0	04/14/12 00:38	
Bromobenzene	ug/L	ND	5.0	04/14/12 00:38	
Bromochloromethane	ug/L	ND	5.0	04/14/12 00:38	
Bromodichloromethane	ug/L	ND	5.0	04/14/12 00:38	
Bromoform	ug/L	ND	5.0	04/14/12 00:38	
Bromomethane	ug/L	ND	5.0	04/14/12 00:38	
Carbon disulfide	ug/L	ND	10.0	04/14/12 00:38	
Carbon tetrachloride	ug/L	ND	5.0	04/14/12 00:38	
Chlorobenzene	ug/L	ND	5.0	04/14/12 00:38	
Chloroethane	ug/L	ND	5.0	04/14/12 00:38	
Chloroform	ug/L	ND	5.0	04/14/12 00:38	
Chloromethane	ug/L	ND	5.0	04/14/12 00:38	
cis-1,2-Dichloroethene	ug/L	ND	5.0	04/14/12 00:38	
cis-1,3-Dichloropropene	ug/L	ND	5.0	04/14/12 00:38	
Dibromochloromethane	ug/L	ND	5.0	04/14/12 00:38	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

METHOD BLANK: 720639 Matrix: Water

Associated Lab Samples: 5061177001, 5061177002, 5061177003, 5061177005, 5061177006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	04/14/12 00:38	
Dichlorodifluoromethane	ug/L	ND	5.0	04/14/12 00:38	
Ethyl methacrylate	ug/L	ND	100	04/14/12 00:38	
Ethylbenzene	ug/L	ND	5.0	04/14/12 00:38	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	04/14/12 00:38	
Iodomethane	ug/L	ND	10.0	04/14/12 00:38	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	04/14/12 00:38	
Methyl-tert-butyl ether	ug/L	ND	4.0	04/14/12 00:38	
Methylene Chloride	ug/L	ND	5.0	04/14/12 00:38	
n-Butylbenzene	ug/L	ND	5.0	04/14/12 00:38	
n-Propylbenzene	ug/L	ND	5.0	04/14/12 00:38	
Naphthalene	ug/L	ND	5.0	04/14/12 00:38	
p-Isopropyltoluene	ug/L	ND	5.0	04/14/12 00:38	
sec-Butylbenzene	ug/L	ND	5.0	04/14/12 00:38	
Styrene	ug/L	ND	5.0	04/14/12 00:38	
tert-Butylbenzene	ug/L	ND	5.0	04/14/12 00:38	
Tetrachloroethene	ug/L	ND	5.0	04/14/12 00:38	
Toluene	ug/L	ND	5.0	04/14/12 00:38	
trans-1,2-Dichloroethene	ug/L	ND	5.0	04/14/12 00:38	
trans-1,3-Dichloropropene	ug/L	ND	5.0	04/14/12 00:38	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	04/14/12 00:38	
Trichloroethene	ug/L	ND	5.0	04/14/12 00:38	
Trichlorofluoromethane	ug/L	ND	5.0	04/14/12 00:38	
Vinyl acetate	ug/L	ND	50.0	04/14/12 00:38	
Vinyl chloride	ug/L	ND	2.0	04/14/12 00:38	
Xylene (Total)	ug/L	ND	10.0	04/14/12 00:38	
4-Bromofluorobenzene (S)	%.	94	72-125	04/14/12 00:38	
Dibromofluoromethane (S)	%.	101	83-123	04/14/12 00:38	
Toluene-d8 (S)	%.	104	81-114	04/14/12 00:38	

LABORATORY CONTROL SAMPLE: 720640

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	47.7	95	69-122	
1,1,1-Trichloroethane	ug/L	50	47.4	95	69-126	
1,1,2,2-Tetrachloroethane	ug/L	50	56.2	112	68-134	
1,1,2-Trichloroethane	ug/L	50	49.0	98	77-129	
1,1-Dichloroethane	ug/L	50	33.7	67	70-127	L0
1,1-Dichloroethene	ug/L	50	49.0	98	75-145	
1,1-Dichloropropene	ug/L	50	46.5	93	75-126	
1,2,3-Trichlorobenzene	ug/L	50	51.0	102	63-130	
1,2,3-Trichloropropane	ug/L	50	81.9	164	45-121	L3
1,2,4-Trichlorobenzene	ug/L	50	45.6	91	64-122	
1,2,4-Trimethylbenzene	ug/L	50	53.2	106	68-129	
1,2-Dibromoethane (EDB)	ug/L	50	49.4	99	77-123	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

LABORATORY CONTROL SAMPLE: 720640

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	52.2	104	74-123	
1,2-Dichloroethane	ug/L	50	50.9	102	71-127	
1,2-Dichloropropane	ug/L	50	46.2	92	75-126	
1,3,5-Trimethylbenzene	ug/L	50	51.2	102	69-129	
1,3-Dichlorobenzene	ug/L	50	49.8	100	76-123	
1,3-Dichloropropane	ug/L	50	48.1	96	77-126	
1,4-Dichlorobenzene	ug/L	50	49.6	99	77-121	
2,2-Dichloropropane	ug/L	50	42.7	85	45-138	
2-Butanone (MEK)	ug/L	250	249	99	42-177	
2-Chlorotoluene	ug/L	50	51.3	103	74-129	
2-Hexanone	ug/L	250	284	113	57-162	
4-Chlorotoluene	ug/L	50	50.4	101	70-125	
4-Methyl-2-pentanone (MIBK)	ug/L	250	284	114	64-135	
Acetone	ug/L	250	246	98	10-200	
Acrolein	ug/L	1000	1130	113	10-200	
Acrylonitrile	ug/L	1000	930	93	59-144	
Benzene	ug/L	50	48.3	97	76-123	
Bromobenzene	ug/L	50	40.5	81	67-130	
Bromochloromethane	ug/L	50	40.5	81	58-153	
Bromodichloromethane	ug/L	50	47.3	95	71-124	
Bromoform	ug/L	50	37.3	75	64-116	
Bromomethane	ug/L	50	56.1	112	23-197	
Carbon disulfide	ug/L	100	108	108	55-146	
Carbon tetrachloride	ug/L	50	45.4	91	65-125	
Chlorobenzene	ug/L	50	54.8	110	78-120	
Chloroethane	ug/L	50	46.5	93	56-163	
Chloroform	ug/L	50	48.3	97	73-122	
Chloromethane	ug/L	50	44.2	88	46-146	
cis-1,2-Dichloroethene	ug/L	50	50.6	101	79-129	
cis-1,3-Dichloropropene	ug/L	50	48.3	97	66-123	
Dibromochloromethane	ug/L	50	42.7	85	70-123	
Dibromomethane	ug/L	50	51.2	102	73-123	
Dichlorodifluoromethane	ug/L	50	49.0	98	19-200	
Ethyl methacrylate	ug/L	200	182	91	70-127	
Ethylbenzene	ug/L	50	45.1	90	75-120	
Hexachloro-1,3-butadiene	ug/L	50	46.9	94	64-131	
Iodomethane	ug/L	100	105	105	16-181	
Isopropylbenzene (Cumene)	ug/L	50	43.1	86	73-123	
Methyl-tert-butyl ether	ug/L	100	94.5	94	66-128	
Methylene Chloride	ug/L	50	47.9	96	61-138	
n-Butylbenzene	ug/L	50	50.6	101	69-130	
n-Propylbenzene	ug/L	50	52.9	106	71-132	
Naphthalene	ug/L	50	53.0	106	62-130	
p-Isopropyltoluene	ug/L	50	53.1	106	71-126	
sec-Butylbenzene	ug/L	50	45.9	92	69-130	
Styrene	ug/L	50	43.5	87	75-125	
tert-Butylbenzene	ug/L	50	43.1	86	49-114	
Tetrachloroethene	ug/L	50	56.8	114	57-125	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

LABORATORY CONTROL SAMPLE: 720640

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	52.1	104	72-124	
trans-1,2-Dichloroethene	ug/L	50	47.1	94	71-145	
trans-1,3-Dichloropropene	ug/L	50	45.1	90	58-118	
trans-1,4-Dichloro-2-butene	ug/L	200	194	97	50-121	
Trichloroethene	ug/L	50	49.6	99	77-122	
Trichlorofluoromethane	ug/L	50	49.0	98	56-159	
Vinyl acetate	ug/L	200	144	72	27-119	
Vinyl chloride	ug/L	50	44.6	89	61-146	
Xylene (Total)	ug/L	150	148	99	72-126	
4-Bromofluorobenzene (S)	%.			93	72-125	
Dibromofluoromethane (S)	%.			103	83-123	
Toluene-d8 (S)	%.			102	81-114	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 720641 720642

Parameter	Units	5061129001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	49.5	50.8	99	102	30-122	3	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	49.4	49.4	99	99	37-136	.03	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	59.7	59.0	119	118	47-132	1	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	51.8	52.5	104	105	53-131	1	20	
1,1-Dichloroethane	ug/L	ND	50	50	36.3	35.7	73	71	47-138	1	20	
1,1-Dichloroethene	ug/L	ND	50	50	50.1	49.6	100	99	54-152	1	20	
1,1-Dichloropropene	ug/L	ND	50	50	48.3	47.4	97	95	47-136	2	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	51.3	56.9	103	114	15-132	10	20	
1,2,3-Trichloropropane	ug/L	ND	50	50	81.4	83.6	163	167	24-108	3	20	M0
1,2,4-Trichlorobenzene	ug/L	ND	50	50	47.3	51.4	95	103	10-130	8	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	54.4	56.6	109	113	10-141	4	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	51.1	50.2	102	100	49-130	2	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	53.9	55.9	108	112	20-137	4	20	
1,2-Dichloroethane	ug/L	ND	50	50	53.0	53.2	106	106	42-139	.4	20	
1,2-Dichloropropane	ug/L	ND	50	50	48.9	50.5	98	101	50-131	3	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	52.0	54.4	104	109	10-145	5	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	52.2	54.4	104	109	13-143	4	20	
1,3-Dichloropropane	ug/L	ND	50	50	51.8	51.0	104	102	53-130	2	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	51.4	53.4	103	107	13-140	4	20	
2,2-Dichloropropane	ug/L	ND	50	50	40.5	41.9	81	84	13-142	3	20	
2-Butanone (MEK)	ug/L	ND	250	250	260	266	104	106	43-142	2	20	
2-Chlorotoluene	ug/L	ND	50	50	52.9	54.2	106	108	15-145	3	20	
2-Hexanone	ug/L	ND	250	250	299	304	120	122	46-139	2	20	
4-Chlorotoluene	ug/L	ND	50	50	52.7	54.4	105	109	12-143	3	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	295	295	118	118	43-140	.2	20	
Acetone	ug/L	ND	250	250	261	261	105	105	38-155	.06	20	
Acrolein	ug/L	ND	1000	1000	1080	1130	108	113	11-200	5	20	
Acrylonitrile	ug/L	ND	1000	1000	994	994	99	99	42-150	.003	20	
Benzene	ug/L	ND	50	50	50.6	51.1	101	102	52-134	1	20	
Bromobenzene	ug/L	ND	50	50	49.7	50.9	99	102	25-140	2	20	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 720641 720642

Parameter	Units	5061129001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Bromochloromethane	ug/L	ND	50	50	44.0	42.2	88	84	54-144	4	20	
Bromodichloromethane	ug/L	ND	50	50	49.9	50.0	100	100	42-128	.1	20	
Bromoform	ug/L	ND	50	50	38.1	39.0	76	78	34-116	2	20	
Bromomethane	ug/L	ND	50	50	54.6	56.1	109	112	10-200	3	20	
Carbon disulfide	ug/L	ND	100	100	110	108	110	108	43-144	2	20	
Carbon tetrachloride	ug/L	ND	50	50	45.7	45.7	91	91	26-136	.2	20	
Chlorobenzene	ug/L	ND	50	50	59.0	59.3	118	119	33-136	.6	20	
Chloroethane	ug/L	ND	50	50	46.6	45.3	93	91	21-200	3	20	
Chloroform	ug/L	ND	50	50	51.2	51.6	102	103	50-134	.7	20	
Chloromethane	ug/L	ND	50	50	44.1	42.3	88	85	32-160	4	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	52.3	51.3	105	103	48-145	2	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	49.1	49.9	98	100	35-116	2	20	
Dibromochloromethane	ug/L	ND	50	50	44.4	44.4	89	89	39-122	.2	20	
Dibromomethane	ug/L	ND	50	50	55.2	54.9	110	110	49-134	.5	20	
Dichlorodifluoromethane	ug/L	ND	50	50	48.3	48.7	97	97	35-200	.8	20	
Ethyl methacrylate	ug/L	ND	200	200	184	191	92	96	54-123	4	20	
Ethylbenzene	ug/L	ND	50	50	47.5	47.1	95	94	29-132	.9	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	47.8	49.2	96	98	10-146	3	20	
Iodomethane	ug/L	ND	100	100	106	107	106	107	10-171	.9	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	46.1	46.1	92	92	11-146	.07	20	
Methyl-tert-butyl ether	ug/L	ND	100	100	101	102	101	102	39-137	2	20	
Methylene Chloride	ug/L	ND	50	50	50.1	49.3	100	99	47-141	1	20	
n-Butylbenzene	ug/L	ND	50	50	51.5	53.4	103	107	10-156	4	20	
n-Propylbenzene	ug/L	ND	50	50	54.4	55.9	109	112	10-148	3	20	
Naphthalene	ug/L	ND	50	50	53.6	58.2	107	116	40-124	8	20	
p-Isopropyltoluene	ug/L	ND	50	50	53.8	56.3	108	113	10-150	4	20	
sec-Butylbenzene	ug/L	ND	50	50	47.9	49.2	96	98	10-150	3	20	
Styrene	ug/L	ND	50	50	45.0	47.0	90	94	20-143	4	20	
tert-Butylbenzene	ug/L	ND	50	50	44.5	45.7	89	91	10-123	3	20	
Tetrachloroethene	ug/L	ND	50	50	59.3	59.6	119	119	30-124	.4	20	
Toluene	ug/L	ND	50	50	54.8	54.4	110	109	42-130	.6	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	49.7	48.3	99	97	48-144	3	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	44.8	46.9	90	94	24-114	4	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	200	195	191	97	95	22-120	2	20	
Trichloroethene	ug/L	ND	50	50	53.8	55.0	108	110	44-130	2	20	
Trichlorofluoromethane	ug/L	ND	50	50	51.2	51.3	102	103	17-200	.3	20	
Vinyl acetate	ug/L	ND	200	200	123	127	62	64	10-115	3	20	
Vinyl chloride	ug/L	ND	50	50	45.3	43.2	91	86	45-159	5	20	
Xylene (Total)	ug/L	ND	150	150	159	159	106	106	29-131	.02	20	
4-Bromofluorobenzene (S)	%.						90	93	72-125		20	
Dibromofluoromethane (S)	%.						102	100	83-123		20	
Toluene-d8 (S)	%.						99	100	81-114		20	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

QC Batch: MSV/41340 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 5061177004, 5061177007, 5061177008, 5061177009, 5061177010

METHOD BLANK: 721143 Matrix: Water
Associated Lab Samples: 5061177004, 5061177007, 5061177008, 5061177009, 5061177010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	04/16/12 12:30	
1,1,1-Trichloroethane	ug/L	ND	5.0	04/16/12 12:30	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	04/16/12 12:30	
1,1,2-Trichloroethane	ug/L	ND	5.0	04/16/12 12:30	
1,1-Dichloroethane	ug/L	ND	5.0	04/16/12 12:30	
1,1-Dichloroethene	ug/L	ND	5.0	04/16/12 12:30	
1,1-Dichloropropene	ug/L	ND	5.0	04/16/12 12:30	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	04/16/12 12:30	
1,2,3-Trichloropropane	ug/L	ND	5.0	04/16/12 12:30	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	04/16/12 12:30	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	04/16/12 12:30	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	04/16/12 12:30	
1,2-Dichlorobenzene	ug/L	ND	5.0	04/16/12 12:30	
1,2-Dichloroethane	ug/L	ND	5.0	04/16/12 12:30	
1,2-Dichloropropane	ug/L	ND	5.0	04/16/12 12:30	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	04/16/12 12:30	
1,3-Dichlorobenzene	ug/L	ND	5.0	04/16/12 12:30	
1,3-Dichloropropane	ug/L	ND	5.0	04/16/12 12:30	
1,4-Dichlorobenzene	ug/L	ND	5.0	04/16/12 12:30	
2,2-Dichloropropane	ug/L	ND	5.0	04/16/12 12:30	
2-Butanone (MEK)	ug/L	ND	25.0	04/16/12 12:30	
2-Chlorotoluene	ug/L	ND	5.0	04/16/12 12:30	
2-Hexanone	ug/L	ND	25.0	04/16/12 12:30	
4-Chlorotoluene	ug/L	ND	5.0	04/16/12 12:30	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	04/16/12 12:30	
Acetone	ug/L	ND	100	04/16/12 12:30	
Acrolein	ug/L	ND	50.0	04/16/12 12:30	
Acrylonitrile	ug/L	ND	100	04/16/12 12:30	
Benzene	ug/L	ND	5.0	04/16/12 12:30	
Bromobenzene	ug/L	ND	5.0	04/16/12 12:30	
Bromochloromethane	ug/L	ND	5.0	04/16/12 12:30	
Bromodichloromethane	ug/L	ND	5.0	04/16/12 12:30	
Bromoform	ug/L	ND	5.0	04/16/12 12:30	
Bromomethane	ug/L	ND	5.0	04/16/12 12:30	
Carbon disulfide	ug/L	ND	10.0	04/16/12 12:30	
Carbon tetrachloride	ug/L	ND	5.0	04/16/12 12:30	
Chlorobenzene	ug/L	ND	5.0	04/16/12 12:30	
Chloroethane	ug/L	ND	5.0	04/16/12 12:30	
Chloroform	ug/L	ND	5.0	04/16/12 12:30	
Chloromethane	ug/L	ND	5.0	04/16/12 12:30	
cis-1,2-Dichloroethene	ug/L	ND	5.0	04/16/12 12:30	
cis-1,3-Dichloropropene	ug/L	ND	5.0	04/16/12 12:30	
Dibromochloromethane	ug/L	ND	5.0	04/16/12 12:30	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

METHOD BLANK: 721143 Matrix: Water

Associated Lab Samples: 5061177004, 5061177007, 5061177008, 5061177009, 5061177010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	04/16/12 12:30	
Dichlorodifluoromethane	ug/L	ND	5.0	04/16/12 12:30	
Ethyl methacrylate	ug/L	ND	100	04/16/12 12:30	
Ethylbenzene	ug/L	ND	5.0	04/16/12 12:30	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	04/16/12 12:30	
Iodomethane	ug/L	ND	10.0	04/16/12 12:30	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	04/16/12 12:30	
Methyl-tert-butyl ether	ug/L	ND	4.0	04/16/12 12:30	
Methylene Chloride	ug/L	ND	5.0	04/16/12 12:30	
n-Butylbenzene	ug/L	ND	5.0	04/16/12 12:30	
n-Propylbenzene	ug/L	ND	5.0	04/16/12 12:30	
Naphthalene	ug/L	ND	5.0	04/16/12 12:30	
p-Isopropyltoluene	ug/L	ND	5.0	04/16/12 12:30	
sec-Butylbenzene	ug/L	ND	5.0	04/16/12 12:30	
Styrene	ug/L	ND	5.0	04/16/12 12:30	
tert-Butylbenzene	ug/L	ND	5.0	04/16/12 12:30	
Tetrachloroethene	ug/L	ND	5.0	04/16/12 12:30	
Toluene	ug/L	ND	5.0	04/16/12 12:30	
trans-1,2-Dichloroethene	ug/L	ND	5.0	04/16/12 12:30	
trans-1,3-Dichloropropene	ug/L	ND	5.0	04/16/12 12:30	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	04/16/12 12:30	
Trichloroethene	ug/L	ND	5.0	04/16/12 12:30	
Trichlorofluoromethane	ug/L	ND	5.0	04/16/12 12:30	
Vinyl acetate	ug/L	ND	50.0	04/16/12 12:30	
Vinyl chloride	ug/L	ND	2.0	04/16/12 12:30	
Xylene (Total)	ug/L	ND	10.0	04/16/12 12:30	
4-Bromofluorobenzene (S)	%.	104	72-125	04/16/12 12:30	
Dibromofluoromethane (S)	%.	103	83-123	04/16/12 12:30	
Toluene-d8 (S)	%.	99	81-114	04/16/12 12:30	

LABORATORY CONTROL SAMPLE: 721144

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	46.8	94	69-122	
1,1,1-Trichloroethane	ug/L	50	43.0	86	69-126	
1,1,2,2-Tetrachloroethane	ug/L	50	44.9	90	68-134	
1,1,2-Trichloroethane	ug/L	50	39.4	79	77-129	
1,1-Dichloroethane	ug/L	50	39.4	79	70-127	
1,1-Dichloroethene	ug/L	50	44.3	89	75-145	
1,1-Dichloropropene	ug/L	50	39.7	79	75-126	
1,2,3-Trichlorobenzene	ug/L	50	45.5	91	63-130	
1,2,3-Trichloropropane	ug/L	50	79.1	158	45-121	L3
1,2,4-Trichlorobenzene	ug/L	50	47.5	95	64-122	
1,2,4-Trimethylbenzene	ug/L	50	54.2	108	68-129	
1,2-Dibromoethane (EDB)	ug/L	50	40.9	82	77-123	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

LABORATORY CONTROL SAMPLE: 721144

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	47.4	95	74-123	
1,2-Dichloroethane	ug/L	50	41.8	84	71-127	
1,2-Dichloropropane	ug/L	50	39.0	78	75-126	
1,3,5-Trimethylbenzene	ug/L	50	51.9	104	69-129	
1,3-Dichlorobenzene	ug/L	50	49.5	99	76-123	
1,3-Dichloropropane	ug/L	50	38.3	77	77-126	
1,4-Dichlorobenzene	ug/L	50	42.7	85	77-121	
2,2-Dichloropropane	ug/L	50	42.5	85	45-138	
2-Butanone (MEK)	ug/L	250	235	94	42-177	
2-Chlorotoluene	ug/L	50	50.0	100	74-129	
2-Hexanone	ug/L	250	222	89	57-162	
4-Chlorotoluene	ug/L	50	43.5	87	70-125	
4-Methyl-2-pentanone (MIBK)	ug/L	250	218	87	64-135	
Acetone	ug/L	250	217	87	10-200	
Acrolein	ug/L	1000	1390	139	10-200	
Acrylonitrile	ug/L	1000	753	75	59-144	
Benzene	ug/L	50	38.2	76	76-123	
Bromobenzene	ug/L	50	48.5	97	67-130	
Bromochloromethane	ug/L	50	44.5	89	58-153	
Bromodichloromethane	ug/L	50	44.6	89	71-124	
Bromoform	ug/L	50	36.4	73	64-116	
Bromomethane	ug/L	50	63.5	127	23-197	
Carbon disulfide	ug/L	100	100	100	55-146	
Carbon tetrachloride	ug/L	50	42.5	85	65-125	
Chlorobenzene	ug/L	50	40.0	80	78-120	
Chloroethane	ug/L	50	51.7	103	56-163	
Chloroform	ug/L	50	42.7	85	73-122	
Chloromethane	ug/L	50	49.9	100	46-146	
cis-1,2-Dichloroethene	ug/L	50	37.6	75	79-129	L0
cis-1,3-Dichloropropene	ug/L	50	42.9	86	66-123	
Dibromochloromethane	ug/L	50	39.5	79	70-123	
Dibromomethane	ug/L	50	45.7	91	73-123	
Dichlorodifluoromethane	ug/L	50	46.7	93	19-200	
Ethyl methacrylate	ug/L	200	162	81	70-127	
Ethylbenzene	ug/L	50	40.3	81	75-120	
Hexachloro-1,3-butadiene	ug/L	50	43.0	86	64-131	
Iodomethane	ug/L	100	108	108	16-181	
Isopropylbenzene (Cumene)	ug/L	50	43.1	86	73-123	
Methyl-tert-butyl ether	ug/L	100	81.5	82	66-128	
Methylene Chloride	ug/L	50	41.3	83	61-138	
n-Butylbenzene	ug/L	50	46.4	93	69-130	
n-Propylbenzene	ug/L	50	41.5	83	71-132	
Naphthalene	ug/L	50	46.9	94	62-130	
p-Isopropyltoluene	ug/L	50	47.4	95	71-126	
sec-Butylbenzene	ug/L	50	46.1	92	69-130	
Styrene	ug/L	50	47.7	95	75-125	
tert-Butylbenzene	ug/L	50	43.4	87	49-114	
Tetrachloroethene	ug/L	50	37.0	74	57-125	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

LABORATORY CONTROL SAMPLE: 721144

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	44.6	89	72-124	
trans-1,2-Dichloroethene	ug/L	50	42.3	85	71-145	
trans-1,3-Dichloropropene	ug/L	50	44.3	89	58-118	
trans-1,4-Dichloro-2-butene	ug/L	200	163	81	50-121	
Trichloroethene	ug/L	50	41.5	83	77-122	
Trichlorofluoromethane	ug/L	50	49.7	99	56-159	
Vinyl acetate	ug/L	200	238	119	27-119	
Vinyl chloride	ug/L	50	52.6	105	61-146	
Xylene (Total)	ug/L	150	136	90	72-126	
4-Bromofluorobenzene (S)	%.			101	72-125	
Dibromofluoromethane (S)	%.			100	83-123	
Toluene-d8 (S)	%.			93	81-114	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 721145 721146

Parameter	Units	5061177004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	47.2	51.0	94	102	30-122	8	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	44.4	46.3	89	93	37-136	4	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	46.5	45.3	93	91	47-132	3	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	41.0	43.8	82	88	53-131	7	20	
1,1-Dichloroethane	ug/L	ND	50	50	41.5	42.9	83	86	47-138	3	20	
1,1-Dichloroethene	ug/L	ND	50	50	49.4	49.3	99	99	54-152	.2	20	
1,1-Dichloropropene	ug/L	ND	50	50	41.0	41.5	82	83	47-136	1	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	43.4	43.9	87	88	15-132	1	20	
1,2,3-Trichloropropane	ug/L	ND	50	50	72.2	75.8	144	152	24-108	5	20	M0
1,2,4-Trichlorobenzene	ug/L	ND	50	50	40.9	42.1	82	84	10-130	3	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	51.6	53.0	103	106	10-141	3	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	44.0	46.5	88	93	49-130	6	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	48.3	50.1	97	100	20-137	4	20	
1,2-Dichloroethane	ug/L	ND	50	50	44.7	46.1	89	92	42-139	3	20	
1,2-Dichloropropane	ug/L	ND	50	50	43.4	45.0	87	90	50-131	3	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	49.7	51.1	99	102	10-145	3	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	47.7	48.1	95	96	13-143	.9	20	
1,3-Dichloropropane	ug/L	ND	50	50	40.3	43.5	81	87	53-130	8	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	41.4	42.6	83	85	13-140	3	20	
2,2-Dichloropropane	ug/L	ND	50	50	43.9	44.2	88	88	13-142	.5	20	
2-Butanone (MEK)	ug/L	ND	250	250	244	250	98	100	43-142	3	20	
2-Chlorotoluene	ug/L	ND	50	50	50.9	51.3	102	103	15-145	.8	20	
2-Hexanone	ug/L	ND	250	250	223	236	89	94	46-139	6	20	
4-Chlorotoluene	ug/L	ND	50	50	42.3	44.1	85	88	12-143	4	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	221	230	88	92	43-140	4	20	
Acetone	ug/L	ND	250	250	241	273	96	109	38-155	13	20	
Acrolein	ug/L	ND	1000	1000	1390	1310	139	131	11-200	5	20	
Acrylonitrile	ug/L	ND	1000	1000	815	844	82	84	42-150	3	20	
Benzene	ug/L	ND	50	50	41.3	41.7	83	83	52-134	.8	20	
Bromobenzene	ug/L	ND	50	50	47.9	51.3	96	103	25-140	7	20	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 721145 721146

Parameter	Units	5061177004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Bromochloromethane	ug/L	ND	50	50	48.6	52.1	97	104	54-144	7	20	
Bromodichloromethane	ug/L	ND	50	50	45.5	47.9	91	96	42-128	5	20	
Bromoform	ug/L	ND	50	50	32.5	35.1	65	70	34-116	8	20	
Bromomethane	ug/L	ND	50	50	61.8	65.5	124	131	10-200	6	20	
Carbon disulfide	ug/L	ND	100	100	105	99.4	105	99	43-144	5	20	
Carbon tetrachloride	ug/L	ND	50	50	39.4	42.2	79	84	26-136	7	20	
Chlorobenzene	ug/L	ND	50	50	42.3	44.1	85	88	33-136	4	20	
Chloroethane	ug/L	ND	50	50	54.4	50.7	109	101	21-200	7	20	
Chloroform	ug/L	ND	50	50	48.4	48.5	97	97	50-134	.2	20	
Chloromethane	ug/L	ND	50	50	50.8	47.2	102	94	32-160	7	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	41.3	43.2	83	86	48-145	4	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	43.6	46.7	87	93	35-116	7	20	
Dibromochloromethane	ug/L	ND	50	50	37.4	40.3	75	81	39-122	7	20	
Dibromomethane	ug/L	ND	50	50	46.8	49.0	94	98	49-134	5	20	
Dichlorodifluoromethane	ug/L	ND	50	50	47.6	44.6	95	89	35-200	6	20	
Ethyl methacrylate	ug/L	ND	200	200	164	177	82	89	54-123	8	20	
Ethylbenzene	ug/L	ND	50	50	42.4	44.2	85	88	29-132	4	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	40.6	40.3	81	81	10-146	.6	20	
Iodomethane	ug/L	ND	100	100	124	123	124	123	10-171	.9	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	45.6	47.2	91	94	11-146	3	20	
Methyl-tert-butyl ether	ug/L	ND	100	100	83.7	87.1	84	87	39-137	4	20	
Methylene Chloride	ug/L	ND	50	50	48.0	49.0	96	98	47-141	2	20	
n-Butylbenzene	ug/L	ND	50	50	39.6	40.2	79	80	10-156	1	20	
n-Propylbenzene	ug/L	ND	50	50	40.4	40.5	81	81	10-148	.2	20	
Naphthalene	ug/L	ND	50	50	45.3	46.2	91	92	40-124	2	20	
p-Isopropyltoluene	ug/L	ND	50	50	46.2	45.9	92	92	10-150	.6	20	
sec-Butylbenzene	ug/L	ND	50	50	46.2	46.7	92	93	10-150	1	20	
Styrene	ug/L	ND	50	50	47.9	50.0	96	100	20-143	4	20	
tert-Butylbenzene	ug/L	ND	50	50	45.0	45.1	90	90	10-123	.2	20	
Tetrachloroethene	ug/L	ND	50	50	38.7	39.7	74	76	30-124	3	20	
Toluene	ug/L	ND	50	50	47.8	50.0	96	100	42-130	5	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	45.8	43.0	92	86	48-144	6	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	44.4	46.6	89	93	24-114	5	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	200	158	164	79	82	22-120	4	20	
Trichloroethene	ug/L	ND	50	50	43.5	44.2	86	88	44-130	2	20	
Trichlorofluoromethane	ug/L	ND	50	50	51.7	49.2	103	98	17-200	5	20	
Vinyl acetate	ug/L	ND	200	200	183	187	91	94	10-115	2	20	
Vinyl chloride	ug/L	ND	50	50	54.0	49.5	108	99	45-159	9	20	
Xylene (Total)	ug/L	ND	150	150	142	150	95	100	29-131	5	20	
4-Bromofluorobenzene (S)	%.						101	102	72-125		20	
Dibromofluoromethane (S)	%.						101	99	83-123		20	
Toluene-d8 (S)	%.						94	96	81-114		20	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALIFIERS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

L0	Analyte recovery in the laboratory control sample (LCS) was outside QC limits.
L3	Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.
M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
5061177001	**IT-2**	EPA 8260	MSV/41313		
5061177002	**IT-3**	EPA 8260	MSV/41313		
5061177003	**MW-12R**	EPA 8260	MSV/41313		
5061177004	**MW-20**	EPA 8260	MSV/41340		
5061177005	**MW-22**	EPA 8260	MSV/41313		
5061177006	**MW-28**	EPA 8260	MSV/41313		
5061177007	**MW-29**	EPA 8260	MSV/41340		
5061177008	**MW-30**	EPA 8260	MSV/41340		
5061177009	**DUPLICATE**	EPA 8260	MSV/41340		
5061177010	**TRIP BLANK**	EPA 8260	MSV/41340		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

✓TMS

Pace Analytical

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page : 1 Of 1

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company:	IWM Consulting	Report To:	Chris Parks	Attention:	Chris Parks
Address:	7428 Rockville Road	Copy To:		Company Name:	IWM Consulting
	Indianapolis, IN 46214			Address:	7428 Rockville Road, Indianapolis, IN 462
Email To:	cparks@iwmconsult.com	Purchase Order No.		Pace Quote Reference:	
Phone:	347-1111 Fax:	Client Project ID:	Amphenol - AMP11-06	Pace Project Manager:	Hunt, Kenneth
Requested Due Date/TAT:	10 Day (Default)	Container Order Number:	63809	Pace Profile #:	

Regulatory Agency: RCRA - Resource Conservation and Recovery Act

State / Location: Indiana

ITEM#	SAMPLE ID (One Character per box. (A-Z, 0-9 / , -) Sample Ids must be unique)	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED START DATE	COLLECTED START TIME	COLLECTED END DATE	COLLECTED END TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other	Analyses Test Y/N	VOC 8260 WT	Residual Chlorine (Y/N)	5061177
1	IT-2	WT	G	4-6-12	12:52				3				X						X		-001
2	IT-3	WT			13:02								X						X		-002
3	MW-12R	WT			12:45								X						X		-003
4	MW-20	WT			9:55								X						X		-004
5	MW-22	WT			12:25								X						X		-005
6	MW-28	WT			12:35								X						X		-006
7	MW-29	WT			12:00								X						X		-007
8	MW-30	WT			12:55								X						X		-008
9	DUPLICATE	WT											X						X		-009
10	TRIP BLANK	WT											X						X		-010
11																					
12																					

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS: TEMP in C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
	Ralph Mier IWM	4-6-12	14:07	D. [signature] PACE	4-6-12	14:07	2.7	Y	N	Y

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Ralph Mier

SIGNATURE of SAMPLER: Ralph Mier

DATE Signed: 4-6-12

w/ client

Sample Condition Upon Receipt

Pace Analytical

Client Name: IWM Project # 5061177

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☒ no

Date/Time 5035A kits placed in freezer _____

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☐ Other FOAM

Thermometer Used 1 2 3 4 6 A B (C) D E Type of Ice: (Wet) Blue None ☐ Samples on ice, cooling process has begun

Cooler Temperature (Corrected, if applicable) 27°C Ice Visible in Sample Containers: ☐ yes ☒ no

Temp should be above freezing to 6°C

Date and Initials of person examining contents: 4-6-12 DB

				Comments:
Chain of Custody Present:	☒Yes	☐No	☐N/A	1.
Chain of Custody Filled Out:	☒Yes	☐No	☐N/A	2.
Chain of Custody Relinquished:	☒Yes	☐No	☐N/A	3.
Sampler Name & Signature on COC:	☒Yes	☐No	☐N/A	4.
Short Hold Time Analysis (<72hr):	☐Yes	☒No	☐N/A	5.
Rush Turn Around Time Requested:	☐Yes	☒No	☐N/A	6.
Containers Intact:	☒Yes	☐No	☐N/A	7.
Sample Labels match COC: -Includes date/time/ID/Analysis	☒Yes	☐No	☐N/A	8.
All containers needing acid/base pres. have been checked? exceptions: VOA, coliform, TOC, O&G	☐Yes	☐No	☒N/A	9. (Circle) HNO3 H2SO4 NaOH HCl
All containers needing preservation are found to be in compliance with EPA recommendation.	☐Yes	☐No	☒N/A	
Headspace in VOA Vials (>6mm)	☐Yes	☒No	☐N/A	10.
Trip Blank Present:	☒Yes	☐No	☐N/A	11.
Trip Blank Custody Seals Present	☒Yes	☐No	☐N/A	
Samples Arrived within Hold Time:	☒Yes	☐No	☐N/A	12.
Sufficient Volume:	☒Yes	☐No	☐N/A	13.
Correct Containers Used:	☒Yes	☐No	☐N/A	14.

Client Notification/ Resolution: Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: Kenneth Hurst **Date:** 4/6/12

Form F-IN-Q290-rev.04, 28Apr2011

Sample Container Count

CLIENT: IWM

COC PAGE 1 of 1

COC ID#

Project # 5061177

Pace Analytical
www.pacelabs.com

Sample Line Item	DG9H	AG1U	WGFU	R 4/6	BP2N	BP2U	BP2S	BP3N	BP3U	BP3S	AG3S	AG1H				Comments
1	3															
2																
3																
4																
5																
6																
7																
8																
9																
10																
11																
12																

Container Codes

DG9H	40mL HCL amber voa vial	AF	Air Filter	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WGFU	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber gl	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved amber vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	I	Wipe/Swab
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber gla	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber gla	BP3A	250mL NaOh, Asc Acid plastic	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved clear vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear gla	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag

APPENDIX B

Laboratory Analytical Reports
Groundwater Recovery and Treatment System Samples

IWM CONSULTING GROUP

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

December 05, 2011

Mr. Chris Parks
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol 11-05
Pace Project No.: 5054970

Dear Mr. Parks:
Enclosed are the analytical results for sample(s) received by the laboratory on November 18, 2011. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kenneth Hunt

kenneth.hunt@pacelabs.com
Project Manager

Illinois Certification #: 100418
Indiana Certification #: C-49-06
Kansas Certification #: E-10247
Kentucky Certification #: 0042
Louisiana/NELAC Certification #: 04076
Ohio VAP: CL0065
West Virginia Certification #: 330

Enclosures

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

SAMPLE SUMMARY

Project: Amphenol 11-05
Pace Project No.: 5054970

Lab ID	Sample ID	Matrix	Date Collected	Date Received
5054970001	**RW-1**	Water	11/18/11 12:00	11/18/11 13:31
5054970002	**RW-2**	Water	11/18/11 11:25	11/18/11 13:31
5054970003	**RW-3**	Water	11/18/11 11:18	11/18/11 13:31
5054970004	**RW-4**	Water	11/18/11 11:00	11/18/11 13:31
5054970005	**RW-5**	Water	11/18/11 10:45	11/18/11 13:31
5054970006	**EFF**	Water	11/18/11 10:35	11/18/11 13:31
5054970007	**TB**	Water	11/18/11 08:00	11/18/11 13:31

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

SAMPLE ANALYTE COUNT

Project: Amphenol 11-05
Pace Project No.: 5054970

Lab ID	Sample ID	Method	Analysts	Analytes Reported
5054970001	**RW-1**	EPA 8260	GRM	72
5054970002	**RW-2**	EPA 8260	GRM	72
5054970003	**RW-3**	EPA 8260	GRM	72
5054970004	**RW-4**	EPA 8260	GRM	72
5054970005	**RW-5**	EPA 8260	GRM	72
5054970006	**EFF**	EPA 8260	GRM	72
5054970007	**TB**	EPA 8260	GRM	72

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: 5054970

Sample: RW-1 **Lab ID: 5054970001** Collected: 11/18/11 12:00 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		11/28/11 16:38	67-64-1	
Acrolein	ND	ug/L	50.0	1		11/28/11 16:38	107-02-8	
Acrylonitrile	ND	ug/L	100	1		11/28/11 16:38	107-13-1	
Benzene	ND	ug/L	5.0	1		11/28/11 16:38	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		11/28/11 16:38	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		11/28/11 16:38	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/11 16:38	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/11 16:38	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/11 16:38	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/11 16:38	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		11/28/11 16:38	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		11/28/11 16:38	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		11/28/11 16:38	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		11/28/11 16:38	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/11 16:38	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/11 16:38	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/11 16:38	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/11 16:38	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/11 16:38	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 16:38	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 16:38	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/11 16:38	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/11 16:38	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		11/28/11 16:38	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 16:38	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 16:38	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 16:38	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		11/28/11 16:38	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/11 16:38	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/28/11 16:38	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/11 16:38	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/28/11 16:38	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/11 16:38	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/11 16:38	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 16:38	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		11/28/11 16:38	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 16:38	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		11/28/11 16:38	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 16:38	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 16:38	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/11 16:38	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		11/28/11 16:38	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		11/28/11 16:38	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		11/28/11 16:38	591-78-6	
Iodomethane	ND	ug/L	10.0	1		11/28/11 16:38	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/11 16:38	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		11/28/11 16:38	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: 5054970

Sample: RW-1 **Lab ID: 5054970001** Collected: 11/18/11 12:00 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		11/28/11 16:38	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/11 16:38	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/11 16:38	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		11/28/11 16:38	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		11/28/11 16:38	103-65-1	
Styrene	ND	ug/L	5.0	1		11/28/11 16:38	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 16:38	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 16:38	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/28/11 16:38	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/11 16:38	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 16:38	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 16:38	120-82-1	
1,1,1-Trichloroethane	**24.2**	ug/L	5.0	1		11/28/11 16:38	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/11 16:38	79-00-5	
Trichloroethene	**29.8**	ug/L	5.0	1		11/28/11 16:38	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/11 16:38	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		11/28/11 16:38	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 16:38	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 16:38	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		11/28/11 16:38	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		11/28/11 16:38	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		11/28/11 16:38	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	114	%	83-123	1		11/28/11 16:38	1868-53-7	
4-Bromofluorobenzene (S)	107	%	72-125	1		11/28/11 16:38	460-00-4	
Toluene-d8 (S)	103	%	81-114	1		11/28/11 16:38	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: 5054970

Sample: RW-2 **Lab ID: 5054970002** Collected: 11/18/11 11:25 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		11/28/11 17:12	67-64-1	
Acrolein	ND	ug/L	50.0	1		11/28/11 17:12	107-02-8	
Acrylonitrile	ND	ug/L	100	1		11/28/11 17:12	107-13-1	
Benzene	ND	ug/L	5.0	1		11/28/11 17:12	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		11/28/11 17:12	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		11/28/11 17:12	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/11 17:12	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/11 17:12	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/11 17:12	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/11 17:12	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		11/28/11 17:12	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		11/28/11 17:12	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		11/28/11 17:12	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		11/28/11 17:12	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/11 17:12	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/11 17:12	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/11 17:12	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/11 17:12	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/11 17:12	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 17:12	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 17:12	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/11 17:12	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/11 17:12	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		11/28/11 17:12	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 17:12	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 17:12	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 17:12	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		11/28/11 17:12	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/11 17:12	75-71-8	
1,1-Dichloroethane	**11.0**	ug/L	5.0	1		11/28/11 17:12	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/11 17:12	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/28/11 17:12	75-35-4	
cis-1,2-Dichloroethene	**8.5**	ug/L	5.0	1		11/28/11 17:12	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/11 17:12	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 17:12	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		11/28/11 17:12	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 17:12	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		11/28/11 17:12	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 17:12	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 17:12	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/11 17:12	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		11/28/11 17:12	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		11/28/11 17:12	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		11/28/11 17:12	591-78-6	
Iodomethane	ND	ug/L	10.0	1		11/28/11 17:12	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/11 17:12	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		11/28/11 17:12	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: 5054970

Sample: RW-2 **Lab ID: 5054970002** Collected: 11/18/11 11:25 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		11/28/11 17:12	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/11 17:12	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/11 17:12	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		11/28/11 17:12	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		11/28/11 17:12	103-65-1	
Styrene	ND	ug/L	5.0	1		11/28/11 17:12	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 17:12	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 17:12	79-34-5	
Tetrachloroethene	**213**	ug/L	50.0	10		11/29/11 20:43	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/11 17:12	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 17:12	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 17:12	120-82-1	
1,1,1-Trichloroethane	**103**	ug/L	5.0	1		11/28/11 17:12	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/11 17:12	79-00-5	
Trichloroethene	**173**	ug/L	5.0	1		11/28/11 17:12	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/11 17:12	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		11/28/11 17:12	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 17:12	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 17:12	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		11/28/11 17:12	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		11/28/11 17:12	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		11/28/11 17:12	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	102	%	83-123	1		11/28/11 17:12	1868-53-7	
4-Bromofluorobenzene (S)	99	%	72-125	1		11/28/11 17:12	460-00-4	
Toluene-d8 (S)	102	%	81-114	1		11/28/11 17:12	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: 5054970

Sample: RW-3 **Lab ID: 5054970003** Collected: 11/18/11 11:18 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		11/28/11 17:46	67-64-1	
Acrolein	ND	ug/L	50.0	1		11/28/11 17:46	107-02-8	
Acrylonitrile	ND	ug/L	100	1		11/28/11 17:46	107-13-1	
Benzene	ND	ug/L	5.0	1		11/28/11 17:46	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		11/28/11 17:46	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		11/28/11 17:46	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/11 17:46	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/11 17:46	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/11 17:46	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/11 17:46	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		11/28/11 17:46	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		11/28/11 17:46	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		11/28/11 17:46	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		11/28/11 17:46	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/11 17:46	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/11 17:46	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/11 17:46	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/11 17:46	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/11 17:46	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 17:46	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 17:46	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/11 17:46	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/11 17:46	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		11/28/11 17:46	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 17:46	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 17:46	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 17:46	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		11/28/11 17:46	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/11 17:46	75-71-8	
1,1-Dichloroethane	**6.7**	ug/L	5.0	1		11/28/11 17:46	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/11 17:46	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/28/11 17:46	75-35-4	
cis-1,2-Dichloroethene	**138**	ug/L	5.0	1		11/28/11 17:46	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/11 17:46	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 17:46	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		11/28/11 17:46	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 17:46	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		11/28/11 17:46	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 17:46	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 17:46	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/11 17:46	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		11/28/11 17:46	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		11/28/11 17:46	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		11/28/11 17:46	591-78-6	
Iodomethane	ND	ug/L	10.0	1		11/28/11 17:46	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/11 17:46	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		11/28/11 17:46	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: 5054970

Sample: RW-3 **Lab ID: 5054970003** Collected: 11/18/11 11:18 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		11/28/11 17:46	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/11 17:46	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/11 17:46	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		11/28/11 17:46	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		11/28/11 17:46	103-65-1	
Styrene	ND	ug/L	5.0	1		11/28/11 17:46	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 17:46	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 17:46	79-34-5	
Tetrachloroethene	**126**	ug/L	5.0	1		11/28/11 17:46	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/11 17:46	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 17:46	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 17:46	120-82-1	
1,1,1-Trichloroethane	**86.7**	ug/L	5.0	1		11/28/11 17:46	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/11 17:46	79-00-5	
Trichloroethene	**77.4**	ug/L	5.0	1		11/28/11 17:46	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/11 17:46	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		11/28/11 17:46	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 17:46	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 17:46	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		11/28/11 17:46	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		11/28/11 17:46	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		11/28/11 17:46	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	110	%	83-123	1		11/28/11 17:46	1868-53-7	
4-Bromofluorobenzene (S)	103	%	72-125	1		11/28/11 17:46	460-00-4	
Toluene-d8 (S)	102	%	81-114	1		11/28/11 17:46	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: 5054970

Sample: RW-4 **Lab ID: 5054970004** Collected: 11/18/11 11:00 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		11/28/11 18:19	67-64-1	
Acrolein	ND	ug/L	50.0	1		11/28/11 18:19	107-02-8	
Acrylonitrile	ND	ug/L	100	1		11/28/11 18:19	107-13-1	
Benzene	ND	ug/L	5.0	1		11/28/11 18:19	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		11/28/11 18:19	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		11/28/11 18:19	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/11 18:19	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/11 18:19	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/11 18:19	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/11 18:19	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		11/28/11 18:19	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		11/28/11 18:19	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		11/28/11 18:19	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		11/28/11 18:19	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/11 18:19	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/11 18:19	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/11 18:19	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/11 18:19	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/11 18:19	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 18:19	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 18:19	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/11 18:19	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/11 18:19	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		11/28/11 18:19	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 18:19	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 18:19	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 18:19	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		11/28/11 18:19	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/11 18:19	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/28/11 18:19	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/11 18:19	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/28/11 18:19	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/11 18:19	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/11 18:19	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 18:19	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		11/28/11 18:19	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 18:19	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		11/28/11 18:19	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 18:19	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 18:19	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/11 18:19	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		11/28/11 18:19	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		11/28/11 18:19	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		11/28/11 18:19	591-78-6	
Iodomethane	ND	ug/L	10.0	1		11/28/11 18:19	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/11 18:19	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		11/28/11 18:19	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: 5054970

Sample: RW-4 **Lab ID: 5054970004** Collected: 11/18/11 11:00 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		11/28/11 18:19	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/11 18:19	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/11 18:19	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		11/28/11 18:19	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		11/28/11 18:19	103-65-1	
Styrene	ND	ug/L	5.0	1		11/28/11 18:19	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 18:19	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 18:19	79-34-5	
Tetrachloroethene	**12.0**	ug/L	5.0	1		11/28/11 18:19	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/11 18:19	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 18:19	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 18:19	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/28/11 18:19	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/11 18:19	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/28/11 18:19	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/11 18:19	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		11/28/11 18:19	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 18:19	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 18:19	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		11/28/11 18:19	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		11/28/11 18:19	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		11/28/11 18:19	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	105	%	83-123	1		11/28/11 18:19	1868-53-7	
4-Bromofluorobenzene (S)	101	%	72-125	1		11/28/11 18:19	460-00-4	
Toluene-d8 (S)	99	%	81-114	1		11/28/11 18:19	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: 5054970

Sample: RW-5 **Lab ID: 5054970005** Collected: 11/18/11 10:45 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		11/28/11 18:53	67-64-1	
Acrolein	ND	ug/L	50.0	1		11/28/11 18:53	107-02-8	
Acrylonitrile	ND	ug/L	100	1		11/28/11 18:53	107-13-1	
Benzene	ND	ug/L	5.0	1		11/28/11 18:53	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		11/28/11 18:53	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		11/28/11 18:53	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/11 18:53	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/11 18:53	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/11 18:53	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/11 18:53	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		11/28/11 18:53	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		11/28/11 18:53	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		11/28/11 18:53	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		11/28/11 18:53	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/11 18:53	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/11 18:53	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/11 18:53	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/11 18:53	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/11 18:53	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 18:53	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 18:53	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/11 18:53	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/11 18:53	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		11/28/11 18:53	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 18:53	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 18:53	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 18:53	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		11/28/11 18:53	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/11 18:53	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/28/11 18:53	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/11 18:53	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/28/11 18:53	75-35-4	
cis-1,2-Dichloroethene	**442**	ug/L	50.0	10		11/29/11 21:16	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/11 18:53	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 18:53	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		11/28/11 18:53	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 18:53	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		11/28/11 18:53	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 18:53	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 18:53	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/11 18:53	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		11/28/11 18:53	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		11/28/11 18:53	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		11/28/11 18:53	591-78-6	
Iodomethane	ND	ug/L	10.0	1		11/28/11 18:53	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/11 18:53	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		11/28/11 18:53	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: 5054970

Sample: RW-5 **Lab ID: 5054970005** Collected: 11/18/11 10:45 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		11/28/11 18:53	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/11 18:53	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/11 18:53	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		11/28/11 18:53	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		11/28/11 18:53	103-65-1	
Styrene	ND	ug/L	5.0	1		11/28/11 18:53	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 18:53	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 18:53	79-34-5	
Tetrachloroethene	**579**	ug/L	50.0	10		11/29/11 21:16	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/11 18:53	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 18:53	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 18:53	120-82-1	
1,1,1-Trichloroethane	**67.0**	ug/L	5.0	1		11/28/11 18:53	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/11 18:53	79-00-5	
Trichloroethene	**447**	ug/L	50.0	10		11/29/11 21:16	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/11 18:53	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		11/28/11 18:53	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 18:53	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 18:53	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		11/28/11 18:53	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		11/28/11 18:53	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		11/28/11 18:53	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	97	%	83-123	1		11/28/11 18:53	1868-53-7	
4-Bromofluorobenzene (S)	98	%	72-125	1		11/28/11 18:53	460-00-4	
Toluene-d8 (S)	106	%	81-114	1		11/28/11 18:53	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: 5054970

Sample: EFF **Lab ID: 5054970006** Collected: 11/18/11 10:35 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		11/28/11 19:26	67-64-1	
Acrolein	ND	ug/L	50.0	1		11/28/11 19:26	107-02-8	
Acrylonitrile	ND	ug/L	100	1		11/28/11 19:26	107-13-1	
Benzene	ND	ug/L	5.0	1		11/28/11 19:26	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		11/28/11 19:26	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		11/28/11 19:26	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/11 19:26	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/11 19:26	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/11 19:26	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/11 19:26	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		11/28/11 19:26	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		11/28/11 19:26	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		11/28/11 19:26	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		11/28/11 19:26	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/11 19:26	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/11 19:26	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/11 19:26	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/11 19:26	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/11 19:26	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 19:26	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 19:26	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/11 19:26	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/11 19:26	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		11/28/11 19:26	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 19:26	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 19:26	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 19:26	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		11/28/11 19:26	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/11 19:26	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/28/11 19:26	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/11 19:26	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/28/11 19:26	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/11 19:26	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/11 19:26	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 19:26	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		11/28/11 19:26	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 19:26	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		11/28/11 19:26	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 19:26	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 19:26	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/11 19:26	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		11/28/11 19:26	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		11/28/11 19:26	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		11/28/11 19:26	591-78-6	
Iodomethane	ND	ug/L	10.0	1		11/28/11 19:26	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/11 19:26	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		11/28/11 19:26	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: 5054970

Sample: EFF **Lab ID: 5054970006** Collected: 11/18/11 10:35 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		11/28/11 19:26	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/11 19:26	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/11 19:26	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		11/28/11 19:26	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		11/28/11 19:26	103-65-1	
Styrene	ND	ug/L	5.0	1		11/28/11 19:26	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 19:26	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 19:26	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/28/11 19:26	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/11 19:26	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 19:26	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 19:26	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/28/11 19:26	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/11 19:26	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/28/11 19:26	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/11 19:26	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		11/28/11 19:26	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 19:26	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 19:26	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		11/28/11 19:26	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		11/28/11 19:26	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		11/28/11 19:26	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	108	%	83-123	1		11/28/11 19:26	1868-53-7	
4-Bromofluorobenzene (S)	102	%	72-125	1		11/28/11 19:26	460-00-4	
Toluene-d8 (S)	103	%	81-114	1		11/28/11 19:26	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: 5054970

Sample: TB **Lab ID: 5054970007** Collected: 11/18/11 08:00 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		11/28/11 20:00	67-64-1	
Acrolein	ND	ug/L	50.0	1		11/28/11 20:00	107-02-8	
Acrylonitrile	ND	ug/L	100	1		11/28/11 20:00	107-13-1	
Benzene	ND	ug/L	5.0	1		11/28/11 20:00	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		11/28/11 20:00	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		11/28/11 20:00	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		11/28/11 20:00	75-27-4	
Bromoform	ND	ug/L	5.0	1		11/28/11 20:00	75-25-2	
Bromomethane	ND	ug/L	5.0	1		11/28/11 20:00	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		11/28/11 20:00	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		11/28/11 20:00	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		11/28/11 20:00	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		11/28/11 20:00	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		11/28/11 20:00	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		11/28/11 20:00	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		11/28/11 20:00	108-90-7	
Chloroethane	ND	ug/L	5.0	1		11/28/11 20:00	75-00-3	
Chloroform	ND	ug/L	5.0	1		11/28/11 20:00	67-66-3	
Chloromethane	ND	ug/L	5.0	1		11/28/11 20:00	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 20:00	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		11/28/11 20:00	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		11/28/11 20:00	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		11/28/11 20:00	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		11/28/11 20:00	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 20:00	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 20:00	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		11/28/11 20:00	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		11/28/11 20:00	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		11/28/11 20:00	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		11/28/11 20:00	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		11/28/11 20:00	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		11/28/11 20:00	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/11 20:00	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		11/28/11 20:00	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 20:00	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		11/28/11 20:00	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		11/28/11 20:00	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		11/28/11 20:00	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 20:00	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		11/28/11 20:00	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		11/28/11 20:00	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		11/28/11 20:00	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		11/28/11 20:00	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		11/28/11 20:00	591-78-6	
Iodomethane	ND	ug/L	10.0	1		11/28/11 20:00	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		11/28/11 20:00	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		11/28/11 20:00	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol 11-05
Pace Project No.: 5054970

Sample: TB **Lab ID: 5054970007** Collected: 11/18/11 08:00 Received: 11/18/11 13:31 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		11/28/11 20:00	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		11/28/11 20:00	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		11/28/11 20:00	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		11/28/11 20:00	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		11/28/11 20:00	103-65-1	
Styrene	ND	ug/L	5.0	1		11/28/11 20:00	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 20:00	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		11/28/11 20:00	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		11/28/11 20:00	127-18-4	
Toluene	ND	ug/L	5.0	1		11/28/11 20:00	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 20:00	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		11/28/11 20:00	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		11/28/11 20:00	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		11/28/11 20:00	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		11/28/11 20:00	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		11/28/11 20:00	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		11/28/11 20:00	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 20:00	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		11/28/11 20:00	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		11/28/11 20:00	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		11/28/11 20:00	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		11/28/11 20:00	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	104	%	83-123	1		11/28/11 20:00	1868-53-7	
4-Bromofluorobenzene (S)	103	%	72-125	1		11/28/11 20:00	460-00-4	
Toluene-d8 (S)	98	%	81-114	1		11/28/11 20:00	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol 11-05
Pace Project No.: 5054970

QC Batch: MSV/37644 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 5054970001, 5054970002, 5054970003, 5054970004, 5054970005, 5054970006, 5054970007

METHOD BLANK: 652973 Matrix: Water
Associated Lab Samples: 5054970001, 5054970002, 5054970003, 5054970004, 5054970005, 5054970006, 5054970007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	11/28/11 13:01	
1,1,1-Trichloroethane	ug/L	ND	5.0	11/28/11 13:01	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	11/28/11 13:01	
1,1,2-Trichloroethane	ug/L	ND	5.0	11/28/11 13:01	
1,1-Dichloroethane	ug/L	ND	5.0	11/28/11 13:01	
1,1-Dichloroethene	ug/L	ND	5.0	11/28/11 13:01	
1,1-Dichloropropene	ug/L	ND	5.0	11/28/11 13:01	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	11/28/11 13:01	
1,2,3-Trichloropropane	ug/L	ND	5.0	11/28/11 13:01	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	11/28/11 13:01	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	11/28/11 13:01	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	11/28/11 13:01	
1,2-Dichlorobenzene	ug/L	ND	5.0	11/28/11 13:01	
1,2-Dichloroethane	ug/L	ND	5.0	11/28/11 13:01	
1,2-Dichloropropane	ug/L	ND	5.0	11/28/11 13:01	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	11/28/11 13:01	
1,3-Dichlorobenzene	ug/L	ND	5.0	11/28/11 13:01	
1,3-Dichloropropane	ug/L	ND	5.0	11/28/11 13:01	
1,4-Dichlorobenzene	ug/L	ND	5.0	11/28/11 13:01	
2,2-Dichloropropane	ug/L	ND	5.0	11/28/11 13:01	
2-Butanone (MEK)	ug/L	ND	25.0	11/28/11 13:01	
2-Chlorotoluene	ug/L	ND	5.0	11/28/11 13:01	
2-Hexanone	ug/L	ND	25.0	11/28/11 13:01	
4-Chlorotoluene	ug/L	ND	5.0	11/28/11 13:01	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	11/28/11 13:01	
Acetone	ug/L	ND	100	11/28/11 13:01	
Acrolein	ug/L	ND	50.0	11/28/11 13:01	
Acrylonitrile	ug/L	ND	100	11/28/11 13:01	
Benzene	ug/L	ND	5.0	11/28/11 13:01	
Bromobenzene	ug/L	ND	5.0	11/28/11 13:01	
Bromochloromethane	ug/L	ND	5.0	11/28/11 13:01	
Bromodichloromethane	ug/L	ND	5.0	11/28/11 13:01	
Bromoform	ug/L	ND	5.0	11/28/11 13:01	
Bromomethane	ug/L	ND	5.0	11/28/11 13:01	
Carbon disulfide	ug/L	ND	10.0	11/28/11 13:01	
Carbon tetrachloride	ug/L	ND	5.0	11/28/11 13:01	
Chlorobenzene	ug/L	ND	5.0	11/28/11 13:01	
Chloroethane	ug/L	ND	5.0	11/28/11 13:01	
Chloroform	ug/L	ND	5.0	11/28/11 13:01	
Chloromethane	ug/L	ND	5.0	11/28/11 13:01	
cis-1,2-Dichloroethene	ug/L	ND	5.0	11/28/11 13:01	
cis-1,3-Dichloropropene	ug/L	ND	5.0	11/28/11 13:01	
Dibromochloromethane	ug/L	ND	5.0	11/28/11 13:01	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol 11-05
Pace Project No.: 5054970

METHOD BLANK: 652973 Matrix: Water

Associated Lab Samples: 5054970001, 5054970002, 5054970003, 5054970004, 5054970005, 5054970006, 5054970007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	11/28/11 13:01	
Dichlorodifluoromethane	ug/L	ND	5.0	11/28/11 13:01	
Ethyl methacrylate	ug/L	ND	100	11/28/11 13:01	
Ethylbenzene	ug/L	ND	5.0	11/28/11 13:01	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	11/28/11 13:01	
Iodomethane	ug/L	ND	10.0	11/28/11 13:01	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	11/28/11 13:01	
Methyl-tert-butyl ether	ug/L	ND	4.0	11/28/11 13:01	
Methylene Chloride	ug/L	ND	5.0	11/28/11 13:01	
n-Butylbenzene	ug/L	ND	5.0	11/28/11 13:01	
n-Propylbenzene	ug/L	ND	5.0	11/28/11 13:01	
Naphthalene	ug/L	ND	5.0	11/28/11 13:01	
p-Isopropyltoluene	ug/L	ND	5.0	11/28/11 13:01	
sec-Butylbenzene	ug/L	ND	5.0	11/28/11 13:01	
Styrene	ug/L	ND	5.0	11/28/11 13:01	
tert-Butylbenzene	ug/L	ND	5.0	11/28/11 13:01	
Tetrachloroethene	ug/L	ND	5.0	11/28/11 13:01	
Toluene	ug/L	ND	5.0	11/28/11 13:01	
trans-1,2-Dichloroethene	ug/L	ND	5.0	11/28/11 13:01	
trans-1,3-Dichloropropene	ug/L	ND	5.0	11/28/11 13:01	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	11/28/11 13:01	
Trichloroethene	ug/L	ND	5.0	11/28/11 13:01	
Trichlorofluoromethane	ug/L	ND	5.0	11/28/11 13:01	
Vinyl acetate	ug/L	ND	50.0	11/28/11 13:01	
Vinyl chloride	ug/L	ND	2.0	11/28/11 13:01	
Xylene (Total)	ug/L	ND	10.0	11/28/11 13:01	
4-Bromofluorobenzene (S)	%	100	72-125	11/28/11 13:01	
Dibromofluoromethane (S)	%	109	83-123	11/28/11 13:01	
Toluene-d8 (S)	%	103	81-114	11/28/11 13:01	

LABORATORY CONTROL SAMPLE: 652974

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	54.7	109	69-122	
1,1,1-Trichloroethane	ug/L	50	51.0	102	69-126	
1,1,2,2-Tetrachloroethane	ug/L	50	61.6	123	68-134	
1,1,2-Trichloroethane	ug/L	50	57.0	114	77-129	
1,1-Dichloroethane	ug/L	50	44.9	90	70-127	
1,1-Dichloroethene	ug/L	50	47.1	94	75-145	
1,1-Dichloropropene	ug/L	50	52.3	105	75-126	
1,2,3-Trichlorobenzene	ug/L	50	50.4	101	63-130	
1,2,3-Trichloropropane	ug/L	100	90.1	90	45-121	
1,2,4-Trichlorobenzene	ug/L	50	49.9	100	64-122	
1,2,4-Trimethylbenzene	ug/L	50	53.3	107	68-129	
1,2-Dibromoethane (EDB)	ug/L	50	61.3	123	77-123	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol 11-05
Pace Project No.: 5054970

LABORATORY CONTROL SAMPLE: 652974

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	54.2	108	74-123	
1,2-Dichloroethane	ug/L	50	47.9	96	71-127	
1,2-Dichloropropane	ug/L	50	54.8	110	75-126	
1,3,5-Trimethylbenzene	ug/L	50	51.6	103	69-129	
1,3-Dichlorobenzene	ug/L	50	52.4	105	76-123	
1,3-Dichloropropane	ug/L	50	57.9	116	77-126	
1,4-Dichlorobenzene	ug/L	50	51.2	102	77-121	
2,2-Dichloropropane	ug/L	50	56.4	113	45-138	
2-Butanone (MEK)	ug/L	250	270	108	42-177	
2-Chlorotoluene	ug/L	50	53.2	106	74-129	
2-Hexanone	ug/L	250	290	116	57-162	
4-Chlorotoluene	ug/L	50	54.3	109	70-125	
4-Methyl-2-pentanone (MIBK)	ug/L	250	315	126	64-135	
Acetone	ug/L	250	266	106	10-200	
Acrolein	ug/L	1000	679	68	10-200	
Acrylonitrile	ug/L	1000	1160	116	59-144	
Benzene	ug/L	50	50.7	101	76-123	
Bromobenzene	ug/L	50	53.7	107	67-130	
Bromochloromethane	ug/L	50	41.6	83	58-153	
Bromodichloromethane	ug/L	50	50.4	101	71-124	
Bromoform	ug/L	50	49.6	99	64-116	
Bromomethane	ug/L	50	43.3	87	23-197	
Carbon disulfide	ug/L	100	92.2	92	55-146	
Carbon tetrachloride	ug/L	50	50.9	102	65-125	
Chlorobenzene	ug/L	50	49.9	100	78-120	
Chloroethane	ug/L	50	48.6	97	56-163	
Chloroform	ug/L	50	47.0	94	73-122	
Chloromethane	ug/L	50	28.1	56	46-146	
cis-1,2-Dichloroethene	ug/L	50	52.1	104	79-129	
cis-1,3-Dichloropropene	ug/L	50	54.9	110	66-123	
Dibromochloromethane	ug/L	50	51.3	103	70-123	
Dibromomethane	ug/L	50	55.3	111	73-123	
Dichlorodifluoromethane	ug/L	50	20.0	40	19-200	
Ethyl methacrylate	ug/L	200	210	105	70-127	
Ethylbenzene	ug/L	50	53.2	106	75-120	
Hexachloro-1,3-butadiene	ug/L	50	53.2	106	64-131	
Iodomethane	ug/L	100	103	103	16-181	
Isopropylbenzene (Cumene)	ug/L	50	55.5	111	73-123	
Methyl-tert-butyl ether	ug/L	100	109	109	66-128	
Methylene Chloride	ug/L	50	47.4	95	61-138	
n-Butylbenzene	ug/L	50	53.1	106	69-130	
n-Propylbenzene	ug/L	50	53.5	107	71-132	
Naphthalene	ug/L	50	50.2	100	62-130	
p-Isopropyltoluene	ug/L	50	52.0	104	71-126	
sec-Butylbenzene	ug/L	50	52.3	105	69-130	
Styrene	ug/L	50	55.8	112	75-125	
tert-Butylbenzene	ug/L	50	52.6	105	49-114	
Tetrachloroethene	ug/L	50	52.3	105	57-125	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol 11-05
Pace Project No.: 5054970

LABORATORY CONTROL SAMPLE: 652974

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	49.8	100	72-124	
trans-1,2-Dichloroethene	ug/L	50	49.0	98	71-145	
trans-1,3-Dichloropropene	ug/L	50	53.0	106	58-118	
trans-1,4-Dichloro-2-butene	ug/L	200	198	99	50-121	
Trichloroethene	ug/L	50	54.5	109	77-122	
Trichlorofluoromethane	ug/L	50	39.2	78	56-159	
Vinyl acetate	ug/L	200	253	126	27-119	L3
Vinyl chloride	ug/L	50	33.8	68	61-146	
Xylene (Total)	ug/L	150	156	104	72-126	
4-Bromofluorobenzene (S)	%			99	72-125	
Dibromofluoromethane (S)	%			91	83-123	
Toluene-d8 (S)	%			104	81-114	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 652975 652976

Parameter	Units	5055043003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	38.6	32.1	77	64	30-122	19	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	41.8	35.4	84	71	37-136	17	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	44.8	36.2	90	72	47-132	21	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	43.8	34.4	88	69	53-131	24	20	
1,1-Dichloroethane	ug/L	ND	50	50	39.5	33.3	79	67	47-138	17	20	
1,1-Dichloroethene	ug/L	ND	50	50	47.5	37.8	95	76	54-152	23	20	
1,1-Dichloropropene	ug/L	ND	50	50	47.5	38.8	95	78	47-136	20	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	37.9	30.5	76	61	15-132	22	20	
1,2,3-Trichloropropane	ug/L	ND	100	100	58.7	47.2	59	47	24-108	22	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	37.1	30.2	74	60	10-130	20	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	42.4	34.9	85	70	10-141	19	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	44.6	36.1	89	72	49-130	21	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	42.4	34.6	85	69	20-137	20	20	
1,2-Dichloroethane	ug/L	ND	50	50	41.9	34.5	84	69	42-139	20	20	
1,2-Dichloropropane	ug/L	ND	50	50	45.0	35.7	90	71	50-131	23	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	41.8	33.5	84	67	10-145	22	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	41.3	34.2	83	68	13-143	19	20	
1,3-Dichloropropane	ug/L	ND	50	50	44.2	35.2	88	70	53-130	23	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	39.3	31.4	79	63	13-140	22	20	
2,2-Dichloropropane	ug/L	ND	50	50	31.4	29.4	63	59	13-142	7	20	
2-Butanone (MEK)	ug/L	ND	250	250	207	174	83	69	43-142	18	20	
2-Chlorotoluene	ug/L	ND	50	50	42.9	34.3	86	69	15-145	22	20	
2-Hexanone	ug/L	ND	250	250	197	166	79	66	46-139	17	20	
4-Chlorotoluene	ug/L	ND	50	50	43.0	35.9	86	72	12-143	18	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	221	182	89	73	43-140	20	20	
Acetone	ug/L	ND	250	250	227	181	91	73	38-155	22	20	
Acrolein	ug/L	ND	1000	1000	1060	903	106	90	11-200	16	20	
Acrylonitrile	ug/L	ND	1000	1000	1020	823	102	82	42-150	21	20	
Benzene	ug/L	ND	50	50	45.1	36.6	90	73	52-134	21	20	
Bromobenzene	ug/L	ND	50	50	43.9	35.6	88	71	25-140	21	20	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol 11-05
Pace Project No.: 5054970

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 652975 652976

Parameter	Units	5055043003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Bromochloromethane	ug/L	ND	50	50	38.4	32.3	77	65	54-144	17	20	
Bromodichloromethane	ug/L	ND	50	50	39.5	33.2	79	66	42-128	17	20	
Bromoform	ug/L	ND	50	50	32.4	25.3	65	51	34-116	25	20	
Bromomethane	ug/L	ND	50	50	31.0	32.1	62	64	10-200	3	20	
Carbon disulfide	ug/L	ND	100	100	96.9	79.0	97	79	43-144	20	20	
Carbon tetrachloride	ug/L	ND	50	50	40.8	34.1	82	68	26-136	18	20	
Chlorobenzene	ug/L	ND	50	50	42.1	32.9	84	66	33-136	25	20	
Chloroethane	ug/L	ND	50	50	52.5	41.6	105	83	21-200	23	20	
Chloroform	ug/L	ND	50	50	41.9	34.7	84	69	50-134	19	20	
Chloromethane	ug/L	ND	50	50	30.6	27.6	61	55	32-160	10	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	46.8	39.0	94	78	48-145	18	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	40.0	30.8	80	62	35-116	26	20	
Dibromochloromethane	ug/L	ND	50	50	36.5	28.9	73	58	39-122	23	20	
Dibromomethane	ug/L	ND	50	50	46.2	37.9	92	76	49-134	20	20	
Dichlorodifluoromethane	ug/L	ND	50	50	50.7	38.9	101	78	35-200	26	20	
Ethyl methacrylate	ug/L	ND	200	200	162	124	81	62	54-123	27	20	
Ethylbenzene	ug/L	ND	50	50	42.8	36.4	86	73	29-132	16	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	39.8	32.5	80	65	10-146	20	20	
Iodomethane	ug/L	ND	100	100	78.5	74.6	79	75	10-171	5	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	44.0	35.7	88	71	11-146	21	20	
Methyl-tert-butyl ether	ug/L	ND	100	100	76.2	65.5	76	65	39-137	15	20	
Methylene Chloride	ug/L	ND	50	50	44.0	37.1	88	74	47-141	17	20	
n-Butylbenzene	ug/L	ND	50	50	41.0	32.1	82	64	10-156	24	20	
n-Propylbenzene	ug/L	ND	50	50	40.7	32.7	81	65	10-148	22	20	
Naphthalene	ug/L	ND	50	50	37.1	30.8	74	62	40-124	19	20	
p-Isopropyltoluene	ug/L	ND	50	50	40.6	34.8	81	70	10-150	15	20	
sec-Butylbenzene	ug/L	ND	50	50	41.1	32.1	82	64	10-150	25	20	
Styrene	ug/L	ND	50	50	43.7	36.1	87	72	20-143	19	20	
tert-Butylbenzene	ug/L	ND	50	50	41.5	34.6	83	69	10-123	18	20	
Tetrachloroethene	ug/L	ND	50	50	41.3	34.5	83	69	30-124	18	20	
Toluene	ug/L	ND	50	50	40.5	33.8	81	68	42-130	18	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	48.8	40.1	98	80	48-144	20	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	34.6	29.6	69	59	24-114	15	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	200	148	116	74	58	22-120	24	20	
Trichloroethene	ug/L	ND	50	50	44.5	37.7	89	75	44-130	17	20	
Trichlorofluoromethane	ug/L	ND	50	50	40.7	34.0	81	68	17-200	18	20	
Vinyl acetate	ug/L	ND	200	200	167	141	84	71	10-115	17	20	
Vinyl chloride	ug/L	ND	50	50	40.2	33.8	80	68	45-159	17	20	
Xylene (Total)	ug/L	ND	150	150	126	105	84	70	29-131	18	20	
4-Bromofluorobenzene (S)	%						99	100	72-125		20	
Dibromofluoromethane (S)	%						101	100	83-123		20	1d
Toluene-d8 (S)	%						104	100	81-114		20	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALIFIERS

Project: Amphenol 11-05
Pace Project No.: 5054970

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

ANALYTE QUALIFIERS

1d	Several compounds are outside of acceptance limits for RPD value. Refer to batch QC for system control. grm 11-29-11
L3	Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page: of

1497658

Section A Required Client Information:	Section B Required Project Information:	Section C Invoice Information:
Company: IWM	Report To:	Attention:
Address:	Copy To:	Company Name:
		Address:
Email To: C Partes @ IWM consult	Purchase Order No.:	Pace Quote Reference:
Phone: Fax:	Project Name: Amphenol 11-05	Pace Project Manager:
Requested Due Date/TAT:	Project Number:	Pace Profile #:

REGULATORY AGENCY

☐ NPDES ☐ GROUND WATER ☐ DRINKING WATER
☐ UST ☐ RCRA ☐ OTHER

Site Location STATE:

Requested Analysis Filtered (Y/N): 5054970

Section D Required Client Information

Matrix Codes MATRIX / CODE: Drinking Water DW, Water WT, Waste Water WW, Product P, Soil/Solid SL, Oil OL, Wipe WP, Air AR, Tissue TS, Other OT

SAMPLE ID (A-Z, 0-9 / ,-) Sample IDs MUST BE UNIQUE

ITEM #	SAMPLE ID	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED COMPOSITE START DATE	COLLECTED COMPOSITE START TIME	COLLECTED COMPOSITE END/GRAB DATE	COLLECTED COMPOSITE END/GRAB TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives: Unpreserved	H_2SO_4	HNO_3	HCl	NaOH	$Na_2S_2O_3$	Methanol	Other	Analysis Test Y/N	VOCS 8260	Residual Chlorine (Y/N)	Pace Project No./ Lab I.D.
1	RW-1			11/18/11	12:00								3								-001
2	RW-2				11:25																-002
3	RW-3				11:15																-003
4	RW-4				11:00																-004
5	RW-5				10:45																-005
6	EFIS				10:35																-006
7	TB																				-007
8																					
9																					
10																					
11																					
12																					

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS: Temp in °C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
	[signature]	11/18/11	13:31	[signature] / Pace	11-18-11	1331	9.4°C	Y	N	Y

ORIGINAL

WI/client

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SIGNATURE of SAMPLER: DATE Signed (MM/DD/YY):

*Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.

F-ALL-Q-020rev.07, 15-May-2007

Sample Condition Upon Receipt

Pace Analytical

Client Name: IWM Project # 5054970

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☑ Client ☐ Commercial ☐ Pace Other

Tracking #: 1497658

Custody Seal on Cooler/Box Present: ☐ yes ☑ no Seals intact: ☐ yes ☐ no

Date/Time 5035A kits placed in freezer

Packing Material: ☐ Bubble Wrap ☑ Bubble Bags ☐ None ☑ Other Foam

Thermometer Used 1 2 3 4 5 A B C D E Type of Ice: Wet Blue None ☑ Samples on ice, cooling process has begun

Cooler Temperature 9.4°C Ice Visible in Sample Containers: ☐ yes ☑ no

(Corrected, if applicable)

Temp should be above freezing to 6°C Just sampled, Comments:

Date and Initials of person examining contents: KO 11-18-11

Chain of Custody Present:	☑Yes	☐No	☐N/A	1.
Chain of Custody Filled Out:	☑Yes	☐No	☐N/A	2.
Chain of Custody Relinquished:	☑Yes	☐No	☐N/A	3.
Sampler Name & Signature on COC:	☑Yes	☐No	☐N/A	4.
Short Hold Time Analysis (<72hr):	☐Yes	☑No	☐N/A	5.
Rush Turn Around Time Requested:	☐Yes	☑No	☐N/A	6.
Containers Intact:	☑Yes	☐No	☐N/A	7.
Sample Labels match COC: -Includes date/time/ID/Analysis	☐Yes	☑No	☐N/A	8. No trip Blanks on CoC
All containers needing acid/base pres. have been checked? exceptions: VOA, coliform, TOC, O&G	☐Yes	☑No	☐N/A	9. (Circle) HNO3 H2SO4 NaOH HCl
All containers needing preservation are found to be in compliance with EPA recommendation.	☐Yes	☐No	☑N/A	
Headspace in VOA Vials (>6mm):	☐Yes	☑No	☐N/A	10.
Trip Blank Present:	☑Yes	☐No	☐N/A	11.
Trip Blank Custody Seals Present	☑Yes	☐No	☐N/A	
Project Manager Review				
Samples Arrived within Hold Time:	☑Yes	☐No	☐N/A	12.
Sufficient Volume:	☑Yes	☐No	☐N/A	13.
Correct Containers Used:	☑Yes	☐No	☐N/A	14.

Client Notification/ Resolution: Field Data Required? Y / N

Person Contacted: Date/Time:

Comments/ Resolution:

Project Manager Review: Kenneth Hunt Date: 11/18/11

Form F-IN-Q290-rev.04, 28Apr2011

Sample Container Count

CLIENT: Iwm

COC PAGE 1 of 1

COC ID#

Project # 5054970

Pace Analytical
www.pacelabs.com

Sample Line Item	DG9H	AG1U	WGFU	R 4/6	BP2N	BP2U	BP2S	BP3N	BP3U	BP3S	AG3S	AG1H				Comments
1	3															
2	3															
3	3															
4	3															
5	3															
6	3															
7	3															Trip Blanks
8																
9																
10																
11																
12																

Container Codes

DG9H	40mL HCL amber voa vial	AF	Air Filter	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WGFU	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber gl	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved **amber** vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	I	Wipe/Swab
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber gla	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber gla	BP3A	250mL NaOh, Asc Acid plastic	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved **clear** vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear gla	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

March 08, 2012

Mr. Chris Parks
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Dear Mr. Parks:
Enclosed are the analytical results for sample(s) received by the laboratory on February 24, 2012. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kenneth Hunt

kenneth.hunt@pacelabs.com
Project Manager

Enclosures

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

CERTIFICATIONS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Indiana Certification IDs
7726 Moller Road, Indianapolis, IN 46268
Illinois Certification #: 100418
Indiana Certification #: C-49-06
Kansas Certification #: E-10247
Kentucky Certification #: 0042
Louisiana/NELAC Certification #: 04076
Ohio VAP: CL0065
West Virginia Certification #: 330

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

SAMPLE SUMMARY

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Lab ID	Sample ID	Matrix	Date Collected	Date Received
5059033001	**RW-1**	Water	02/24/12 10:15	02/24/12 11:44
5059033002	**RW-2**	Water	02/24/12 10:09	02/24/12 11:44
5059033003	**RW-3**	Water	02/24/12 10:04	02/24/12 11:44
5059033004	**RW-4**	Water	02/24/12 09:57	02/24/12 11:44
5059033005	**RW-5**	Water	02/24/12 09:53	02/24/12 11:44
5059033006	**EFFLUENT**	Water	02/24/12 09:49	02/24/12 11:44

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

SAMPLE ANALYTE COUNT

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Lab ID	Sample ID	Method	Analysts	Analytes Reported
5059033001	RW-1	EPA 8260	KMP	72
5059033002	RW-2	EPA 8260	KMP	72
5059033003	RW-3	EPA 8260	KMP	72
5059033004	RW-4	EPA 8260	KMP	72
5059033005	RW-5	EPA 8260	KMP	72
5059033006	EFFLUENT	EPA 8260	KMP	72

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Sample: RW-1 **Lab ID: 5059033001** Collected: 02/24/12 10:15 Received: 02/24/12 11:44 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	*Analytical Method: EPA 8260*							
Acetone	ND	ug/L	100	1		03/04/12 00:50	67-64-1	
Acrolein	ND	ug/L	50.0	1		03/04/12 00:50	107-02-8	
Acrylonitrile	ND	ug/L	100	1		03/04/12 00:50	107-13-1	
Benzene	ND	ug/L	5.0	1		03/04/12 00:50	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		03/04/12 00:50	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		03/04/12 00:50	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		03/04/12 00:50	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/04/12 00:50	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/04/12 00:50	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/04/12 00:50	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		03/04/12 00:50	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		03/04/12 00:50	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		03/04/12 00:50	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		03/04/12 00:50	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/04/12 00:50	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/04/12 00:50	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/04/12 00:50	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/04/12 00:50	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/04/12 00:50	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		03/04/12 00:50	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		03/04/12 00:50	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		03/04/12 00:50	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/04/12 00:50	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		03/04/12 00:50	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 00:50	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 00:50	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 00:50	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		03/04/12 00:50	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/04/12 00:50	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/04/12 00:50	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/04/12 00:50	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/04/12 00:50	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/04/12 00:50	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/04/12 00:50	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/04/12 00:50	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		03/04/12 00:50	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		03/04/12 00:50	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		03/04/12 00:50	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/04/12 00:50	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/04/12 00:50	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/04/12 00:50	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		03/04/12 00:50	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		03/04/12 00:50	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		03/04/12 00:50	591-78-6	
Iodomethane	ND	ug/L	10.0	1		03/04/12 00:50	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/04/12 00:50	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		03/04/12 00:50	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Sample: RW-1 **Lab ID: 5059033001** Collected: 02/24/12 10:15 Received: 02/24/12 11:44 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		03/04/12 00:50	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/04/12 00:50	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/04/12 00:50	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		03/04/12 00:50	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		03/04/12 00:50	103-65-1	
Styrene	ND	ug/L	5.0	1		03/04/12 00:50	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		03/04/12 00:50	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/04/12 00:50	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		03/04/12 00:50	127-18-4	
Toluene	ND	ug/L	5.0	1		03/04/12 00:50	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		03/04/12 00:50	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/04/12 00:50	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/04/12 00:50	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/04/12 00:50	79-00-5	
Trichloroethene	**31.0**	ug/L	5.0	1		03/04/12 00:50	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/04/12 00:50	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		03/04/12 00:50	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		03/04/12 00:50	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		03/04/12 00:50	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		03/04/12 00:50	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		03/04/12 00:50	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		03/04/12 00:50	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	107	%.	83-123	1		03/04/12 00:50	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	72-125	1		03/04/12 00:50	460-00-4	
Toluene-d8 (S)	98	%.	81-114	1		03/04/12 00:50	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Sample: RW-2 **Lab ID: 5059033002** Collected: 02/24/12 10:09 Received: 02/24/12 11:44 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/04/12 01:56	67-64-1	
Acrolein	ND	ug/L	50.0	1		03/04/12 01:56	107-02-8	
Acrylonitrile	ND	ug/L	100	1		03/04/12 01:56	107-13-1	
Benzene	ND	ug/L	5.0	1		03/04/12 01:56	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		03/04/12 01:56	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		03/04/12 01:56	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		03/04/12 01:56	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/04/12 01:56	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/04/12 01:56	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/04/12 01:56	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		03/04/12 01:56	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		03/04/12 01:56	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		03/04/12 01:56	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		03/04/12 01:56	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/04/12 01:56	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/04/12 01:56	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/04/12 01:56	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/04/12 01:56	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/04/12 01:56	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		03/04/12 01:56	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		03/04/12 01:56	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		03/04/12 01:56	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/04/12 01:56	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		03/04/12 01:56	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 01:56	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 01:56	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 01:56	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		03/04/12 01:56	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/04/12 01:56	75-71-8	
1,1-Dichloroethane	**5.0**	ug/L	5.0	1		03/04/12 01:56	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/04/12 01:56	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/04/12 01:56	75-35-4	
cis-1,2-Dichloroethene	**83.7**	ug/L	5.0	1		03/04/12 01:56	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/04/12 01:56	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/04/12 01:56	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		03/04/12 01:56	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		03/04/12 01:56	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		03/04/12 01:56	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/04/12 01:56	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/04/12 01:56	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/04/12 01:56	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		03/04/12 01:56	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		03/04/12 01:56	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		03/04/12 01:56	591-78-6	
Iodomethane	ND	ug/L	10.0	1		03/04/12 01:56	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/04/12 01:56	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		03/04/12 01:56	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Sample: RW-2 **Lab ID: 5059033002** Collected: 02/24/12 10:09 Received: 02/24/12 11:44 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		03/04/12 01:56	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/04/12 01:56	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/04/12 01:56	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		03/04/12 01:56	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		03/04/12 01:56	103-65-1	
Styrene	ND	ug/L	5.0	1		03/04/12 01:56	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		03/04/12 01:56	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/04/12 01:56	79-34-5	
Tetrachloroethene	**131**	ug/L	5.0	1		03/04/12 01:56	127-18-4	
Toluene	ND	ug/L	5.0	1		03/04/12 01:56	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		03/04/12 01:56	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/04/12 01:56	120-82-1	
1,1,1-Trichloroethane	**53.7**	ug/L	5.0	1		03/04/12 01:56	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/04/12 01:56	79-00-5	
Trichloroethene	**74.0**	ug/L	5.0	1		03/04/12 01:56	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/04/12 01:56	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		03/04/12 01:56	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		03/04/12 01:56	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		03/04/12 01:56	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		03/04/12 01:56	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		03/04/12 01:56	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		03/04/12 01:56	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	103	%.	83-123	1		03/04/12 01:56	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	72-125	1		03/04/12 01:56	460-00-4	
Toluene-d8 (S)	98	%.	81-114	1		03/04/12 01:56	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Sample: RW-3 **Lab ID: 5059033003** Collected: 02/24/12 10:04 Received: 02/24/12 11:44 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/04/12 04:42	67-64-1	
Acrolein	ND	ug/L	50.0	1		03/04/12 04:42	107-02-8	
Acrylonitrile	ND	ug/L	100	1		03/04/12 04:42	107-13-1	
Benzene	ND	ug/L	5.0	1		03/04/12 04:42	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		03/04/12 04:42	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		03/04/12 04:42	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		03/04/12 04:42	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/04/12 04:42	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/04/12 04:42	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/04/12 04:42	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		03/04/12 04:42	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		03/04/12 04:42	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		03/04/12 04:42	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		03/04/12 04:42	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/04/12 04:42	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/04/12 04:42	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/04/12 04:42	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/04/12 04:42	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/04/12 04:42	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		03/04/12 04:42	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		03/04/12 04:42	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		03/04/12 04:42	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/04/12 04:42	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		03/04/12 04:42	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 04:42	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 04:42	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 04:42	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		03/04/12 04:42	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/04/12 04:42	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/04/12 04:42	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/04/12 04:42	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/04/12 04:42	75-35-4	
cis-1,2-Dichloroethene	**55.7**	ug/L	5.0	1		03/04/12 04:42	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/04/12 04:42	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/04/12 04:42	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		03/04/12 04:42	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		03/04/12 04:42	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		03/04/12 04:42	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/04/12 04:42	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/04/12 04:42	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/04/12 04:42	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		03/04/12 04:42	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		03/04/12 04:42	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		03/04/12 04:42	591-78-6	
Iodomethane	ND	ug/L	10.0	1		03/04/12 04:42	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/04/12 04:42	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		03/04/12 04:42	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Sample: RW-3 **Lab ID: 5059033003** Collected: 02/24/12 10:04 Received: 02/24/12 11:44 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		03/04/12 04:42	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/04/12 04:42	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/04/12 04:42	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		03/04/12 04:42	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		03/04/12 04:42	103-65-1	
Styrene	ND	ug/L	5.0	1		03/04/12 04:42	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		03/04/12 04:42	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/04/12 04:42	79-34-5	
Tetrachloroethene	**83.6**	ug/L	5.0	1		03/04/12 04:42	127-18-4	
Toluene	ND	ug/L	5.0	1		03/04/12 04:42	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		03/04/12 04:42	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/04/12 04:42	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/04/12 04:42	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/04/12 04:42	79-00-5	
Trichloroethene	**61.4**	ug/L	5.0	1		03/04/12 04:42	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/04/12 04:42	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		03/04/12 04:42	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		03/04/12 04:42	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		03/04/12 04:42	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		03/04/12 04:42	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		03/04/12 04:42	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		03/04/12 04:42	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	104	%.	83-123	1		03/04/12 04:42	1868-53-7	
4-Bromofluorobenzene (S)	97	%.	72-125	1		03/04/12 04:42	460-00-4	
Toluene-d8 (S)	97	%.	81-114	1		03/04/12 04:42	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Sample: RW-4 **Lab ID: 5059033004** Collected: 02/24/12 09:57 Received: 02/24/12 11:44 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/04/12 05:15	67-64-1	
Acrolein	ND	ug/L	50.0	1		03/04/12 05:15	107-02-8	
Acrylonitrile	ND	ug/L	100	1		03/04/12 05:15	107-13-1	
Benzene	ND	ug/L	5.0	1		03/04/12 05:15	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		03/04/12 05:15	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		03/04/12 05:15	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		03/04/12 05:15	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/04/12 05:15	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/04/12 05:15	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/04/12 05:15	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		03/04/12 05:15	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		03/04/12 05:15	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		03/04/12 05:15	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		03/04/12 05:15	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/04/12 05:15	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/04/12 05:15	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/04/12 05:15	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/04/12 05:15	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/04/12 05:15	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		03/04/12 05:15	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		03/04/12 05:15	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		03/04/12 05:15	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/04/12 05:15	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		03/04/12 05:15	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 05:15	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 05:15	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 05:15	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		03/04/12 05:15	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/04/12 05:15	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/04/12 05:15	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/04/12 05:15	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/04/12 05:15	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/04/12 05:15	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/04/12 05:15	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/04/12 05:15	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		03/04/12 05:15	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		03/04/12 05:15	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		03/04/12 05:15	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/04/12 05:15	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/04/12 05:15	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/04/12 05:15	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		03/04/12 05:15	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		03/04/12 05:15	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		03/04/12 05:15	591-78-6	
Iodomethane	ND	ug/L	10.0	1		03/04/12 05:15	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/04/12 05:15	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		03/04/12 05:15	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Sample: RW-4 **Lab ID: 5059033004** Collected: 02/24/12 09:57 Received: 02/24/12 11:44 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		03/04/12 05:15	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/04/12 05:15	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/04/12 05:15	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		03/04/12 05:15	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		03/04/12 05:15	103-65-1	
Styrene	ND	ug/L	5.0	1		03/04/12 05:15	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		03/04/12 05:15	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/04/12 05:15	79-34-5	
Tetrachloroethene	**7.6**	ug/L	5.0	1		03/04/12 05:15	127-18-4	
Toluene	ND	ug/L	5.0	1		03/04/12 05:15	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		03/04/12 05:15	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/04/12 05:15	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/04/12 05:15	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/04/12 05:15	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		03/04/12 05:15	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/04/12 05:15	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		03/04/12 05:15	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		03/04/12 05:15	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		03/04/12 05:15	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		03/04/12 05:15	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		03/04/12 05:15	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		03/04/12 05:15	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	105	%.	83-123	1		03/04/12 05:15	1868-53-7	
4-Bromofluorobenzene (S)	96	%.	72-125	1		03/04/12 05:15	460-00-4	
Toluene-d8 (S)	99	%.	81-114	1		03/04/12 05:15	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Sample: RW-5 **Lab ID: 5059033005** Collected: 02/24/12 09:53 Received: 02/24/12 11:44 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/04/12 05:48	67-64-1	
Acrolein	ND	ug/L	50.0	1		03/04/12 05:48	107-02-8	
Acrylonitrile	ND	ug/L	100	1		03/04/12 05:48	107-13-1	
Benzene	ND	ug/L	5.0	1		03/04/12 05:48	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		03/04/12 05:48	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		03/04/12 05:48	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		03/04/12 05:48	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/04/12 05:48	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/04/12 05:48	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/04/12 05:48	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		03/04/12 05:48	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		03/04/12 05:48	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		03/04/12 05:48	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		03/04/12 05:48	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/04/12 05:48	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/04/12 05:48	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/04/12 05:48	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/04/12 05:48	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/04/12 05:48	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		03/04/12 05:48	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		03/04/12 05:48	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		03/04/12 05:48	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/04/12 05:48	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		03/04/12 05:48	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 05:48	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 05:48	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 05:48	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		03/04/12 05:48	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/04/12 05:48	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/04/12 05:48	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/04/12 05:48	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/04/12 05:48	75-35-4	
cis-1,2-Dichloroethene	**228**	ug/L	5.0	1		03/04/12 05:48	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/04/12 05:48	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/04/12 05:48	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		03/04/12 05:48	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		03/04/12 05:48	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		03/04/12 05:48	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/04/12 05:48	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/04/12 05:48	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/04/12 05:48	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		03/04/12 05:48	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		03/04/12 05:48	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		03/04/12 05:48	591-78-6	
Iodomethane	ND	ug/L	10.0	1		03/04/12 05:48	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/04/12 05:48	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		03/04/12 05:48	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Sample: RW-5 **Lab ID: 5059033005** Collected: 02/24/12 09:53 Received: 02/24/12 11:44 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		03/04/12 05:48	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/04/12 05:48	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/04/12 05:48	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		03/04/12 05:48	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		03/04/12 05:48	103-65-1	
Styrene	ND	ug/L	5.0	1		03/04/12 05:48	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		03/04/12 05:48	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/04/12 05:48	79-34-5	
Tetrachloroethene	**345**	ug/L	50.0	10		03/06/12 03:02	127-18-4	
Toluene	ND	ug/L	5.0	1		03/04/12 05:48	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		03/04/12 05:48	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/04/12 05:48	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/04/12 05:48	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/04/12 05:48	79-00-5	
Trichloroethene	**305**	ug/L	50.0	10		03/06/12 03:02	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/04/12 05:48	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		03/04/12 05:48	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		03/04/12 05:48	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		03/04/12 05:48	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		03/04/12 05:48	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		03/04/12 05:48	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		03/04/12 05:48	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	96	%.	83-123	1		03/04/12 05:48	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	72-125	1		03/04/12 05:48	460-00-4	
Toluene-d8 (S)	98	%.	81-114	1		03/04/12 05:48	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Sample: EFFLUENT **Lab ID: 5059033006** Collected: 02/24/12 09:49 Received: 02/24/12 11:44 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		03/04/12 06:21	67-64-1	
Acrolein	ND	ug/L	50.0	1		03/04/12 06:21	107-02-8	
Acrylonitrile	ND	ug/L	100	1		03/04/12 06:21	107-13-1	
Benzene	ND	ug/L	5.0	1		03/04/12 06:21	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		03/04/12 06:21	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		03/04/12 06:21	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		03/04/12 06:21	75-27-4	
Bromoform	ND	ug/L	5.0	1		03/04/12 06:21	75-25-2	
Bromomethane	ND	ug/L	5.0	1		03/04/12 06:21	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		03/04/12 06:21	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		03/04/12 06:21	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		03/04/12 06:21	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		03/04/12 06:21	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		03/04/12 06:21	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		03/04/12 06:21	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		03/04/12 06:21	108-90-7	
Chloroethane	ND	ug/L	5.0	1		03/04/12 06:21	75-00-3	
Chloroform	ND	ug/L	5.0	1		03/04/12 06:21	67-66-3	
Chloromethane	ND	ug/L	5.0	1		03/04/12 06:21	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		03/04/12 06:21	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		03/04/12 06:21	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		03/04/12 06:21	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		03/04/12 06:21	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		03/04/12 06:21	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 06:21	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 06:21	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		03/04/12 06:21	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		03/04/12 06:21	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		03/04/12 06:21	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		03/04/12 06:21	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		03/04/12 06:21	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		03/04/12 06:21	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		03/04/12 06:21	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		03/04/12 06:21	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		03/04/12 06:21	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		03/04/12 06:21	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		03/04/12 06:21	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		03/04/12 06:21	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		03/04/12 06:21	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		03/04/12 06:21	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		03/04/12 06:21	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		03/04/12 06:21	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		03/04/12 06:21	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		03/04/12 06:21	591-78-6	
Iodomethane	ND	ug/L	10.0	1		03/04/12 06:21	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		03/04/12 06:21	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		03/04/12 06:21	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Sample: EFFLUENT **Lab ID: 5059033006** Collected: 02/24/12 09:49 Received: 02/24/12 11:44 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		03/04/12 06:21	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		03/04/12 06:21	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		03/04/12 06:21	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		03/04/12 06:21	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		03/04/12 06:21	103-65-1	
Styrene	ND	ug/L	5.0	1		03/04/12 06:21	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		03/04/12 06:21	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		03/04/12 06:21	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		03/04/12 06:21	127-18-4	
Toluene	ND	ug/L	5.0	1		03/04/12 06:21	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		03/04/12 06:21	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		03/04/12 06:21	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		03/04/12 06:21	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		03/04/12 06:21	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		03/04/12 06:21	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		03/04/12 06:21	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		03/04/12 06:21	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		03/04/12 06:21	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		03/04/12 06:21	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		03/04/12 06:21	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		03/04/12 06:21	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		03/04/12 06:21	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	103	%.	83-123	1		03/04/12 06:21	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	72-125	1		03/04/12 06:21	460-00-4	
Toluene-d8 (S)	99	%.	81-114	1		03/04/12 06:21	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

QC Batch: MSV/40079 | Analysis Method: EPA 8260
QC Batch Method: EPA 8260 | Analysis Description: 8260 MSV
Associated Lab Samples: 5059033001, 5059033002

METHOD BLANK: 697413 | Matrix: Water
Associated Lab Samples: 5059033001, 5059033002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	03/03/12 15:59	
1,1,1-Trichloroethane	ug/L	ND	5.0	03/03/12 15:59	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	03/03/12 15:59	
1,1,2-Trichloroethane	ug/L	ND	5.0	03/03/12 15:59	
1,1-Dichloroethane	ug/L	ND	5.0	03/03/12 15:59	
1,1-Dichloroethene	ug/L	ND	5.0	03/03/12 15:59	
1,1-Dichloropropene	ug/L	ND	5.0	03/03/12 15:59	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	03/03/12 15:59	
1,2,3-Trichloropropane	ug/L	ND	5.0	03/03/12 15:59	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	03/03/12 15:59	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	03/03/12 15:59	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	03/03/12 15:59	
1,2-Dichlorobenzene	ug/L	ND	5.0	03/03/12 15:59	
1,2-Dichloroethane	ug/L	ND	5.0	03/03/12 15:59	
1,2-Dichloropropane	ug/L	ND	5.0	03/03/12 15:59	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	03/03/12 15:59	
1,3-Dichlorobenzene	ug/L	ND	5.0	03/03/12 15:59	
1,3-Dichloropropane	ug/L	ND	5.0	03/03/12 15:59	
1,4-Dichlorobenzene	ug/L	ND	5.0	03/03/12 15:59	
2,2-Dichloropropane	ug/L	ND	5.0	03/03/12 15:59	
2-Butanone (MEK)	ug/L	ND	25.0	03/03/12 15:59	
2-Chlorotoluene	ug/L	ND	5.0	03/03/12 15:59	
2-Hexanone	ug/L	ND	25.0	03/03/12 15:59	
4-Chlorotoluene	ug/L	ND	5.0	03/03/12 15:59	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	03/03/12 15:59	
Acetone	ug/L	ND	100	03/03/12 15:59	
Acrolein	ug/L	ND	50.0	03/03/12 15:59	
Acrylonitrile	ug/L	ND	100	03/03/12 15:59	
Benzene	ug/L	ND	5.0	03/03/12 15:59	
Bromobenzene	ug/L	ND	5.0	03/03/12 15:59	
Bromochloromethane	ug/L	ND	5.0	03/03/12 15:59	
Bromodichloromethane	ug/L	ND	5.0	03/03/12 15:59	
Bromoform	ug/L	ND	5.0	03/03/12 15:59	
Bromomethane	ug/L	ND	5.0	03/03/12 15:59	
Carbon disulfide	ug/L	ND	10.0	03/03/12 15:59	
Carbon tetrachloride	ug/L	ND	5.0	03/03/12 15:59	
Chlorobenzene	ug/L	ND	5.0	03/03/12 15:59	
Chloroethane	ug/L	ND	5.0	03/03/12 15:59	
Chloroform	ug/L	ND	5.0	03/03/12 15:59	
Chloromethane	ug/L	ND	5.0	03/03/12 15:59	
cis-1,2-Dichloroethene	ug/L	ND	5.0	03/03/12 15:59	
cis-1,3-Dichloropropene	ug/L	ND	5.0	03/03/12 15:59	
Dibromochloromethane	ug/L	ND	5.0	03/03/12 15:59	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

METHOD BLANK: 697413 Matrix: Water

Associated Lab Samples: 5059033001, 5059033002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	03/03/12 15:59	
Dichlorodifluoromethane	ug/L	ND	5.0	03/03/12 15:59	
Ethyl methacrylate	ug/L	ND	100	03/03/12 15:59	
Ethylbenzene	ug/L	ND	5.0	03/03/12 15:59	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	03/03/12 15:59	
Iodomethane	ug/L	ND	10.0	03/03/12 15:59	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	03/03/12 15:59	
Methyl-tert-butyl ether	ug/L	ND	4.0	03/03/12 15:59	
Methylene Chloride	ug/L	ND	5.0	03/03/12 15:59	
n-Butylbenzene	ug/L	ND	5.0	03/03/12 15:59	
n-Propylbenzene	ug/L	ND	5.0	03/03/12 15:59	
Naphthalene	ug/L	ND	5.0	03/03/12 15:59	
p-Isopropyltoluene	ug/L	ND	5.0	03/03/12 15:59	
sec-Butylbenzene	ug/L	ND	5.0	03/03/12 15:59	
Styrene	ug/L	ND	5.0	03/03/12 15:59	
tert-Butylbenzene	ug/L	ND	5.0	03/03/12 15:59	
Tetrachloroethene	ug/L	ND	5.0	03/03/12 15:59	
Toluene	ug/L	ND	5.0	03/03/12 15:59	
trans-1,2-Dichloroethene	ug/L	ND	5.0	03/03/12 15:59	
trans-1,3-Dichloropropene	ug/L	ND	5.0	03/03/12 15:59	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	03/03/12 15:59	
Trichloroethene	ug/L	ND	5.0	03/03/12 15:59	
Trichlorofluoromethane	ug/L	ND	5.0	03/03/12 15:59	
Vinyl acetate	ug/L	ND	50.0	03/03/12 15:59	
Vinyl chloride	ug/L	ND	2.0	03/03/12 15:59	
Xylene (Total)	ug/L	ND	10.0	03/03/12 15:59	
4-Bromofluorobenzene (S)	%.	99	72-125	03/03/12 15:59	
Dibromofluoromethane (S)	%.	105	83-123	03/03/12 15:59	
Toluene-d8 (S)	%.	98	81-114	03/03/12 15:59	

LABORATORY CONTROL SAMPLE: 697414

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	50.5	101	69-122	
1,1,1-Trichloroethane	ug/L	50	56.5	113	69-126	
1,1,2,2-Tetrachloroethane	ug/L	50	53.5	107	68-134	
1,1,2-Trichloroethane	ug/L	50	54.2	108	77-129	
1,1-Dichloroethane	ug/L	50	51.9	104	70-127	
1,1-Dichloroethene	ug/L	50	50.1	100	75-145	
1,1-Dichloropropene	ug/L	50	53.8	108	75-126	
1,2,3-Trichlorobenzene	ug/L	50	48.0	96	63-130	
1,2,3-Trichloropropane	ug/L	50	87.0	174	45-121	L3
1,2,4-Trichlorobenzene	ug/L	50	48.4	97	64-122	
1,2,4-Trimethylbenzene	ug/L	50	52.6	105	68-129	
1,2-Dibromoethane (EDB)	ug/L	50	56.2	112	77-123	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

LABORATORY CONTROL SAMPLE: 697414

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	50.4	101	74-123	
1,2-Dichloroethane	ug/L	50	49.6	99	71-127	
1,2-Dichloropropane	ug/L	50	50.4	101	75-126	
1,3,5-Trimethylbenzene	ug/L	50	52.8	106	69-129	
1,3-Dichlorobenzene	ug/L	50	51.5	103	76-123	
1,3-Dichloropropane	ug/L	50	52.9	106	77-126	
1,4-Dichlorobenzene	ug/L	50	51.5	103	77-121	
2,2-Dichloropropane	ug/L	50	61.6	123	45-138	
2-Butanone (MEK)	ug/L	250	318	127	42-177	
2-Chlorotoluene	ug/L	50	53.2	106	74-129	
2-Hexanone	ug/L	250	319	128	57-162	
4-Chlorotoluene	ug/L	50	54.7	109	70-125	
4-Methyl-2-pentanone (MIBK)	ug/L	250	269	108	64-135	
Acetone	ug/L	250	450	180	10-200	
Acrolein	ug/L	1000	1420	142	10-200	
Acrylonitrile	ug/L	1000	891	89	59-144	
Benzene	ug/L	50	49.6	99	76-123	
Bromobenzene	ug/L	50	51.9	104	67-130	
Bromochloromethane	ug/L	50	43.8	88	58-153	
Bromodichloromethane	ug/L	50	49.5	99	71-124	
Bromoform	ug/L	50	41.5	83	64-116	
Bromomethane	ug/L	50	52.8	106	23-197	
Carbon disulfide	ug/L	100	94.5	94	55-146	
Carbon tetrachloride	ug/L	50	52.3	105	65-125	
Chlorobenzene	ug/L	50	53.5	107	78-120	
Chloroethane	ug/L	50	49.3	99	56-163	
Chloroform	ug/L	50	49.0	98	73-122	
Chloromethane	ug/L	50	45.0	90	46-146	
cis-1,2-Dichloroethene	ug/L	50	49.4	99	79-129	
cis-1,3-Dichloropropene	ug/L	50	46.9	94	66-123	
Dibromochloromethane	ug/L	50	47.0	94	70-123	
Dibromomethane	ug/L	50	47.2	94	73-123	
Dichlorodifluoromethane	ug/L	50	55.7	111	19-200	
Ethyl methacrylate	ug/L	200	225	112	70-127	
Ethylbenzene	ug/L	50	52.2	104	75-120	
Hexachloro-1,3-butadiene	ug/L	50	52.2	104	64-131	
Iodomethane	ug/L	100	77.2	77	16-181	
Isopropylbenzene (Cumene)	ug/L	50	56.0	112	73-123	
Methyl-tert-butyl ether	ug/L	100	96.1	96	66-128	
Methylene Chloride	ug/L	50	52.6	105	61-138	
n-Butylbenzene	ug/L	50	52.2	104	69-130	
n-Propylbenzene	ug/L	50	52.8	106	71-132	
Naphthalene	ug/L	50	47.2	94	62-130	
p-Isopropyltoluene	ug/L	50	56.1	112	71-126	
sec-Butylbenzene	ug/L	50	54.2	108	69-130	
Styrene	ug/L	50	54.1	108	75-125	
tert-Butylbenzene	ug/L	50	50.4	101	49-114	
Tetrachloroethene	ug/L	50	38.0	76	57-125	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

LABORATORY CONTROL SAMPLE: 697414

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	51.0	102	72-124	
trans-1,2-Dichloroethene	ug/L	50	46.8	94	71-145	
trans-1,3-Dichloropropene	ug/L	50	45.8	92	58-118	
trans-1,4-Dichloro-2-butene	ug/L	200	223	111	50-121	
Trichloroethene	ug/L	50	53.4	107	77-122	
Trichlorofluoromethane	ug/L	50	55.0	110	56-159	
Vinyl acetate	ug/L	200	247	123	27-119	L3
Vinyl chloride	ug/L	50	49.7	99	61-146	
Xylene (Total)	ug/L	150	155	103	72-126	
4-Bromofluorobenzene (S)	%.			100	72-125	
Dibromofluoromethane (S)	%.			95	83-123	
Toluene-d8 (S)	%.			101	81-114	

MATRIX SPIKE SAMPLE: 697415

Parameter	Units	5059033001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	50	45.1	90	30-122	
1,1,1-Trichloroethane	ug/L	ND	50	76.8	154	37-136	M0
1,1,2,2-Tetrachloroethane	ug/L	ND	50	47.5	95	47-132	
1,1,2-Trichloroethane	ug/L	ND	50	49.3	99	53-131	
1,1-Dichloroethane	ug/L	ND	50	54.5	109	47-138	
1,1-Dichloroethene	ug/L	ND	50	52.5	105	54-152	
1,1-Dichloropropene	ug/L	ND	50	54.5	109	47-136	
1,2,3-Trichlorobenzene	ug/L	ND	50	40.1	80	15-132	
1,2,3-Trichloropropane	ug/L	ND	50	72.4	145	24-108	M0
1,2,4-Trichlorobenzene	ug/L	ND	50	40.5	81	10-130	
1,2,4-Trimethylbenzene	ug/L	ND	50	48.0	96	10-141	
1,2-Dibromoethane (EDB)	ug/L	ND	50	49.8	100	49-130	
1,2-Dichlorobenzene	ug/L	ND	50	45.9	92	20-137	
1,2-Dichloroethane	ug/L	ND	50	47.8	96	42-139	
1,2-Dichloropropane	ug/L	ND	50	48.2	96	50-131	
1,3,5-Trimethylbenzene	ug/L	ND	50	48.3	97	10-145	
1,3-Dichlorobenzene	ug/L	ND	50	46.4	93	13-143	
1,3-Dichloropropane	ug/L	ND	50	47.4	95	53-130	
1,4-Dichlorobenzene	ug/L	ND	50	46.6	93	13-140	
2,2-Dichloropropane	ug/L	ND	50	51.5	103	13-142	
2-Butanone (MEK)	ug/L	ND	250	246	99	43-142	
2-Chlorotoluene	ug/L	ND	50	49.6	99	15-145	
2-Hexanone	ug/L	ND	250	240	96	46-139	
4-Chlorotoluene	ug/L	ND	50	49.3	99	12-143	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	233	93	43-140	
Acetone	ug/L	ND	250	264	105	38-155	
Acrolein	ug/L	ND	1000	1810	181	11-200	
Acrylonitrile	ug/L	ND	1000	818	82	42-150	
Benzene	ug/L	ND	50	48.5	97	52-134	
Bromobenzene	ug/L	ND	50	47.5	95	25-140	
Bromochloromethane	ug/L	ND	50	44.5	89	54-144	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

MATRIX SPIKE SAMPLE: 697415

Parameter	Units	5059033001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/L	ND	50	46.6	93	42-128	
Bromoform	ug/L	ND	50	36.0	72	34-116	
Bromomethane	ug/L	ND	50	54.4	109	10-200	
Carbon disulfide	ug/L	ND	100	97.5	97	43-144	
Carbon tetrachloride	ug/L	ND	50	52.4	105	26-136	
Chlorobenzene	ug/L	ND	50	49.5	99	33-136	
Chloroethane	ug/L	ND	50	49.6	99	21-200	
Chloroform	ug/L	ND	50	47.3	95	50-134	
Chloromethane	ug/L	ND	50	47.7	95	32-160	
cis-1,2-Dichloroethene	ug/L	ND	50	49.3	98	48-145	
cis-1,3-Dichloropropene	ug/L	ND	50	42.0	84	35-116	
Dibromochloromethane	ug/L	ND	50	41.2	82	39-122	
Dibromomethane	ug/L	ND	50	45.8	92	49-134	
Dichlorodifluoromethane	ug/L	ND	50	61.3	123	35-200	
Ethyl methacrylate	ug/L	ND	200	201	100	54-123	
Ethylbenzene	ug/L	ND	50	48.9	98	29-132	
Hexachloro-1,3-butadiene	ug/L	ND	50	46.2	92	10-146	
Iodomethane	ug/L	ND	100	67.1	67	10-171	
Isopropylbenzene (Cumene)	ug/L	ND	50	52.8	106	11-146	
Methyl-tert-butyl ether	ug/L	ND	100	89.2	89	39-137	
Methylene Chloride	ug/L	ND	50	50.5	101	47-141	
n-Butylbenzene	ug/L	ND	50	48.0	96	10-156	
n-Propylbenzene	ug/L	ND	50	49.6	99	10-148	
Naphthalene	ug/L	ND	50	38.4	77	40-124	
p-Isopropyltoluene	ug/L	ND	50	52.4	105	10-150	
sec-Butylbenzene	ug/L	ND	50	51.1	102	10-150	
Styrene	ug/L	ND	50	48.6	97	20-143	
tert-Butylbenzene	ug/L	ND	50	47.7	95	10-123	
Tetrachloroethene	ug/L	ND	50	37.6	75	30-124	
Toluene	ug/L	ND	50	48.2	96	42-130	
trans-1,2-Dichloroethene	ug/L	ND	50	45.7	91	48-144	
trans-1,3-Dichloropropene	ug/L	ND	50	38.8	78	24-114	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	195	98	22-120	
Trichloroethene	ug/L	31.0	50	83.4	105	44-130	
Trichlorofluoromethane	ug/L	ND	50	59.3	119	17-200	
Vinyl acetate	ug/L	ND	200	193	97	10-115	
Vinyl chloride	ug/L	ND	50	52.6	105	45-159	
Xylene (Total)	ug/L	ND	150	143	96	29-131	
4-Bromofluorobenzene (S)	%.				100	72-125	
Dibromofluoromethane (S)	%.				99	83-123	
Toluene-d8 (S)	%.				100	81-114	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

QC Batch: MSV/40080 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 5059033003, 5059033004, 5059033005, 5059033006

METHOD BLANK: 697416 Matrix: Water
Associated Lab Samples: 5059033003, 5059033004, 5059033005, 5059033006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	03/04/12 04:09	
1,1,1-Trichloroethane	ug/L	ND	5.0	03/04/12 04:09	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	03/04/12 04:09	
1,1,2-Trichloroethane	ug/L	ND	5.0	03/04/12 04:09	
1,1-Dichloroethane	ug/L	ND	5.0	03/04/12 04:09	
1,1-Dichloroethene	ug/L	ND	5.0	03/04/12 04:09	
1,1-Dichloropropene	ug/L	ND	5.0	03/04/12 04:09	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	03/04/12 04:09	
1,2,3-Trichloropropane	ug/L	ND	5.0	03/04/12 04:09	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	03/04/12 04:09	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	03/04/12 04:09	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	03/04/12 04:09	
1,2-Dichlorobenzene	ug/L	ND	5.0	03/04/12 04:09	
1,2-Dichloroethane	ug/L	ND	5.0	03/04/12 04:09	
1,2-Dichloropropane	ug/L	ND	5.0	03/04/12 04:09	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	03/04/12 04:09	
1,3-Dichlorobenzene	ug/L	ND	5.0	03/04/12 04:09	
1,3-Dichloropropane	ug/L	ND	5.0	03/04/12 04:09	
1,4-Dichlorobenzene	ug/L	ND	5.0	03/04/12 04:09	
2,2-Dichloropropane	ug/L	ND	5.0	03/04/12 04:09	
2-Butanone (MEK)	ug/L	ND	25.0	03/04/12 04:09	
2-Chlorotoluene	ug/L	ND	5.0	03/04/12 04:09	
2-Hexanone	ug/L	ND	25.0	03/04/12 04:09	
4-Chlorotoluene	ug/L	ND	5.0	03/04/12 04:09	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	03/04/12 04:09	
Acetone	ug/L	ND	100	03/04/12 04:09	
Acrolein	ug/L	ND	50.0	03/04/12 04:09	
Acrylonitrile	ug/L	ND	100	03/04/12 04:09	
Benzene	ug/L	ND	5.0	03/04/12 04:09	
Bromobenzene	ug/L	ND	5.0	03/04/12 04:09	
Bromochloromethane	ug/L	ND	5.0	03/04/12 04:09	
Bromodichloromethane	ug/L	ND	5.0	03/04/12 04:09	
Bromoform	ug/L	ND	5.0	03/04/12 04:09	
Bromomethane	ug/L	ND	5.0	03/04/12 04:09	
Carbon disulfide	ug/L	ND	10.0	03/04/12 04:09	
Carbon tetrachloride	ug/L	ND	5.0	03/04/12 04:09	
Chlorobenzene	ug/L	ND	5.0	03/04/12 04:09	
Chloroethane	ug/L	ND	5.0	03/04/12 04:09	
Chloroform	ug/L	ND	5.0	03/04/12 04:09	
Chloromethane	ug/L	ND	5.0	03/04/12 04:09	
cis-1,2-Dichloroethene	ug/L	ND	5.0	03/04/12 04:09	
cis-1,3-Dichloropropene	ug/L	ND	5.0	03/04/12 04:09	
Dibromochloromethane	ug/L	ND	5.0	03/04/12 04:09	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

METHOD BLANK: 697416 Matrix: Water

Associated Lab Samples: 5059033003, 5059033004, 5059033005, 5059033006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	03/04/12 04:09	
Dichlorodifluoromethane	ug/L	ND	5.0	03/04/12 04:09	
Ethyl methacrylate	ug/L	ND	100	03/04/12 04:09	
Ethylbenzene	ug/L	ND	5.0	03/04/12 04:09	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	03/04/12 04:09	
Iodomethane	ug/L	ND	10.0	03/04/12 04:09	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	03/04/12 04:09	
Methyl-tert-butyl ether	ug/L	ND	4.0	03/04/12 04:09	
Methylene Chloride	ug/L	ND	5.0	03/04/12 04:09	
n-Butylbenzene	ug/L	ND	5.0	03/04/12 04:09	
n-Propylbenzene	ug/L	ND	5.0	03/04/12 04:09	
Naphthalene	ug/L	ND	5.0	03/04/12 04:09	
p-Isopropyltoluene	ug/L	ND	5.0	03/04/12 04:09	
sec-Butylbenzene	ug/L	ND	5.0	03/04/12 04:09	
Styrene	ug/L	ND	5.0	03/04/12 04:09	
tert-Butylbenzene	ug/L	ND	5.0	03/04/12 04:09	
Tetrachloroethene	ug/L	ND	5.0	03/04/12 04:09	
Toluene	ug/L	ND	5.0	03/04/12 04:09	
trans-1,2-Dichloroethene	ug/L	ND	5.0	03/04/12 04:09	
trans-1,3-Dichloropropene	ug/L	ND	5.0	03/04/12 04:09	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	03/04/12 04:09	
Trichloroethene	ug/L	ND	5.0	03/04/12 04:09	
Trichlorofluoromethane	ug/L	ND	5.0	03/04/12 04:09	
Vinyl acetate	ug/L	ND	50.0	03/04/12 04:09	
Vinyl chloride	ug/L	ND	2.0	03/04/12 04:09	
Xylene (Total)	ug/L	ND	10.0	03/04/12 04:09	
4-Bromofluorobenzene (S)	%.	99	72-125	03/04/12 04:09	
Dibromofluoromethane (S)	%.	107	83-123	03/04/12 04:09	
Toluene-d8 (S)	%.	96	81-114	03/04/12 04:09	

LABORATORY CONTROL SAMPLE: 697417

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	54.9	110	69-122	
1,1,1-Trichloroethane	ug/L	50	60.8	122	69-126	
1,1,2,2-Tetrachloroethane	ug/L	50	54.6	109	68-134	
1,1,2-Trichloroethane	ug/L	50	56.1	112	77-129	
1,1-Dichloroethane	ug/L	50	55.6	111	70-127	
1,1-Dichloroethene	ug/L	50	54.5	109	75-145	
1,1-Dichloropropene	ug/L	50	56.8	114	75-126	
1,2,3-Trichlorobenzene	ug/L	50	51.9	104	63-130	
1,2,3-Trichloropropane	ug/L	50	87.0	174	45-121	L3
1,2,4-Trichlorobenzene	ug/L	50	54.0	108	64-122	
1,2,4-Trimethylbenzene	ug/L	50	57.5	115	68-129	
1,2-Dibromoethane (EDB)	ug/L	50	59.2	118	77-123	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

LABORATORY CONTROL SAMPLE: 697417

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	54.4	109	74-123	
1,2-Dichloroethane	ug/L	50	54.3	109	71-127	
1,2-Dichloropropane	ug/L	50	54.6	109	75-126	
1,3,5-Trimethylbenzene	ug/L	50	57.6	115	69-129	
1,3-Dichlorobenzene	ug/L	50	54.9	110	76-123	
1,3-Dichloropropane	ug/L	50	55.8	112	77-126	
1,4-Dichlorobenzene	ug/L	50	55.7	111	77-121	
2,2-Dichloropropane	ug/L	50	52.0	104	45-138	
2-Butanone (MEK)	ug/L	250	314	125	42-177	
2-Chlorotoluene	ug/L	50	57.9	116	74-129	
2-Hexanone	ug/L	250	305	122	57-162	
4-Chlorotoluene	ug/L	50	58.7	117	70-125	
4-Methyl-2-pentanone (MIBK)	ug/L	250	276	110	64-135	
Acetone	ug/L	250	434	174	10-200	
Acrolein	ug/L	1000	1380	138	10-200	
Acrylonitrile	ug/L	1000	912	91	59-144	
Benzene	ug/L	50	54.1	108	76-123	
Bromobenzene	ug/L	50	55.6	111	67-130	
Bromochloromethane	ug/L	50	47.3	95	58-153	
Bromodichloromethane	ug/L	50	55.6	111	71-124	
Bromoform	ug/L	50	45.1	90	64-116	
Bromomethane	ug/L	50	55.8	112	23-197	
Carbon disulfide	ug/L	100	99.8	100	55-146	
Carbon tetrachloride	ug/L	50	57.8	116	65-125	
Chlorobenzene	ug/L	50	58.0	116	78-120	
Chloroethane	ug/L	50	52.5	105	56-163	
Chloroform	ug/L	50	54.1	108	73-122	
Chloromethane	ug/L	50	47.1	94	46-146	
cis-1,2-Dichloroethene	ug/L	50	53.3	107	79-129	
cis-1,3-Dichloropropene	ug/L	50	49.7	99	66-123	
Dibromochloromethane	ug/L	50	51.6	103	70-123	
Dibromomethane	ug/L	50	49.9	100	73-123	
Dichlorodifluoromethane	ug/L	50	56.0	112	19-200	
Ethyl methacrylate	ug/L	200	238	119	70-127	
Ethylbenzene	ug/L	50	56.6	113	75-120	
Hexachloro-1,3-butadiene	ug/L	50	56.4	113	64-131	
Iodomethane	ug/L	100	94.7	95	16-181	
Isopropylbenzene (Cumene)	ug/L	50	60.3	121	73-123	
Methyl-tert-butyl ether	ug/L	100	101	101	66-128	
Methylene Chloride	ug/L	50	57.0	114	61-138	
n-Butylbenzene	ug/L	50	54.8	110	69-130	
n-Propylbenzene	ug/L	50	57.0	114	71-132	
Naphthalene	ug/L	50	48.8	98	62-130	
p-Isopropyltoluene	ug/L	50	60.9	122	71-126	
sec-Butylbenzene	ug/L	50	59.1	118	69-130	
Styrene	ug/L	50	58.6	117	75-125	
tert-Butylbenzene	ug/L	50	55.1	110	49-114	
Tetrachloroethene	ug/L	50	40.4	81	57-125	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

LABORATORY CONTROL SAMPLE: 697417

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	55.4	111	72-124	
trans-1,2-Dichloroethene	ug/L	50	49.6	99	71-145	
trans-1,3-Dichloropropene	ug/L	50	48.0	96	58-118	
trans-1,4-Dichloro-2-butene	ug/L	200	221	110	50-121	
Trichloroethene	ug/L	50	58.9	118	77-122	
Trichlorofluoromethane	ug/L	50	59.1	118	56-159	
Vinyl acetate	ug/L	200	206	103	27-119	
Vinyl chloride	ug/L	50	52.9	106	61-146	
Xylene (Total)	ug/L	150	168	112	72-126	
4-Bromofluorobenzene (S)	%.			102	72-125	
Dibromofluoromethane (S)	%.			95	83-123	
Toluene-d8 (S)	%.			99	81-114	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 697418 697419

Parameter	Units	5059226001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	43.3	47.3	87	95	30-122	9	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	54.7	58.4	109	117	37-136	6	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	46.6	50.3	93	101	47-132	8	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	47.5	52.1	95	104	53-131	9	20	
1,1-Dichloroethane	ug/L	ND	50	50	50.5	53.5	101	107	47-138	6	20	
1,1-Dichloroethene	ug/L	ND	50	50	54.1	55.3	108	111	54-152	2	20	
1,1-Dichloropropene	ug/L	ND	50	50	55.2	57.3	110	115	47-136	4	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	41.0	45.7	82	91	15-132	11	20	
1,2,3-Trichloropropane	ug/L	ND	50	50	68.3	73.7	137	147	24-108	8	20	M0
1,2,4-Trichlorobenzene	ug/L	ND	50	50	41.1	46.4	82	93	10-130	12	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	48.5	53.7	97	107	10-141	10	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	49.2	52.4	98	105	49-130	6	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	45.7	49.7	91	99	20-137	8	20	
1,2-Dichloroethane	ug/L	ND	50	50	47.0	50.5	94	101	42-139	7	20	
1,2-Dichloropropane	ug/L	ND	50	50	48.5	51.2	97	102	50-131	5	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	49.2	54.2	98	108	10-145	10	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	47.0	50.8	94	102	13-143	8	20	
1,3-Dichloropropane	ug/L	ND	50	50	47.7	50.2	95	100	53-130	5	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	46.6	51.2	93	102	13-140	9	20	
2,2-Dichloropropane	ug/L	ND	50	50	43.9	47.0	88	94	13-142	7	20	
2-Butanone (MEK)	ug/L	ND	250	250	232	244	93	97	43-142	5	20	
2-Chlorotoluene	ug/L	ND	50	50	49.7	54.1	99	108	15-145	8	20	
2-Hexanone	ug/L	ND	250	250	233	254	93	101	46-139	9	20	
4-Chlorotoluene	ug/L	ND	50	50	49.2	53.8	98	108	12-143	9	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	229	246	92	98	43-140	7	20	
Acetone	ug/L	ND	250	250	249	262	100	105	38-155	5	20	
Acrolein	ug/L	ND	1000	1000	1680	1780	168	178	11-200	6	20	
Acrylonitrile	ug/L	ND	1000	1000	802	851	80	85	42-150	6	20	
Benzene	ug/L	ND	50	50	49.0	51.5	98	103	52-134	5	20	
Bromobenzene	ug/L	ND	50	50	47.3	50.3	95	101	25-140	6	20	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 697418 697419

Parameter	Units	5059226001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Bromochloromethane	ug/L	ND	50	50	45.1	47.5	90	95	54-144	5	20	
Bromodichloromethane	ug/L	ND	50	50	45.2	48.9	90	98	42-128	8	20	
Bromoform	ug/L	ND	50	50	32.7	36.8	65	74	34-116	12	20	
Bromomethane	ug/L	ND	50	50	57.6	62.3	115	124	10-200	8	20	
Carbon disulfide	ug/L	ND	100	100	98.0	102	98	102	43-144	4	20	
Carbon tetrachloride	ug/L	ND	50	50	49.6	55.1	99	110	26-136	11	20	
Chlorobenzene	ug/L	ND	50	50	50.3	53.3	101	107	33-136	6	20	
Chloroethane	ug/L	ND	50	50	51.0	53.8	102	108	21-200	5	20	
Chloroform	ug/L	ND	50	50	48.8	50.9	98	102	50-134	4	20	
Chloromethane	ug/L	ND	50	50	ND	49.2	1	98	32-160		20	M0
cis-1,2-Dichloroethene	ug/L	ND	50	50	48.7	50.3	97	101	48-145	3	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	38.3	42.6	77	85	35-116	10	20	
Dibromochloromethane	ug/L	ND	50	50	39.1	43.8	78	88	39-122	11	20	
Dibromomethane	ug/L	ND	50	50	43.9	46.5	88	93	49-134	6	20	
Dichlorodifluoromethane	ug/L	ND	50	50	62.2	62.8	124	126	35-200	.9	20	
Ethyl methacrylate	ug/L	ND	200	200	198	216	99	108	54-123	9	20	
Ethylbenzene	ug/L	ND	50	50	48.8	51.8	98	104	29-132	6	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	45.8	50.3	92	101	10-146	9	20	
Iodomethane	ug/L	ND	100	100	79.3	96.2	79	96	10-171	19	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	52.7	56.9	105	114	11-146	8	20	
Methyl-tert-butyl ether	ug/L	ND	100	100	87.5	93.3	88	93	39-137	6	20	
Methylene Chloride	ug/L	ND	50	50	50.4	53.0	101	106	47-141	5	20	
n-Butylbenzene	ug/L	ND	50	50	46.7	52.4	93	105	10-156	11	20	
n-Propylbenzene	ug/L	ND	50	50	50.1	53.7	100	107	10-148	7	20	
Naphthalene	ug/L	ND	50	50	38.9	43.1	75	84	40-124	10	20	
p-Isopropyltoluene	ug/L	ND	50	50	52.2	57.4	104	115	10-150	9	20	
sec-Butylbenzene	ug/L	ND	50	50	51.7	56.4	103	113	10-150	9	20	
Styrene	ug/L	ND	50	50	49.9	53.2	100	106	20-143	6	20	
tert-Butylbenzene	ug/L	ND	50	50	47.8	52.5	96	105	10-123	9	20	
Tetrachloroethene	ug/L	ND	50	50	35.7	37.6	71	75	30-124	5	20	
Toluene	ug/L	ND	50	50	49.2	52.1	98	104	42-130	6	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	46.3	48.9	93	98	48-144	5	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	36.2	40.0	72	80	24-114	10	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	200	178	191	89	96	22-120	7	20	
Trichloroethene	ug/L	ND	50	50	52.1	54.6	104	109	44-130	5	20	
Trichlorofluoromethane	ug/L	ND	50	50	59.1	61.5	118	123	17-200	4	20	
Vinyl acetate	ug/L	ND	200	200	171	183	86	92	10-115	7	20	
Vinyl chloride	ug/L	ND	50	50	53.2	55.1	106	110	45-159	4	20	
Xylene (Total)	ug/L	ND	150	150	144	155	96	103	29-131	7	20	
4-Bromofluorobenzene (S)	%.						100	102	72-125		20	
Dibromofluoromethane (S)	%.						97	97	83-123		20	
Toluene-d8 (S)	%.						99	98	81-114		20	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALIFIERS

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

L3	Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.
M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Amphenol / IN.AMP.11.05
Pace Project No.: 5059033

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
5059033001	**RW-1**	EPA 8260	MSV/40079		
5059033002	**RW-2**	EPA 8260	MSV/40079		
5059033003	**RW-3**	EPA 8260	MSV/40080		
5059033004	**RW-4**	EPA 8260	MSV/40080		
5059033005	**RW-5**	EPA 8260	MSV/40080		
5059033006	**EFFLUENT**	EPA 8260	MSV/40080		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page: 1 of 1

1549342

Section A Required Client Information:

Company: IWM CONSULTING GROUP
Address: 7428 Rockville Rd, Indianapolis, IN 46214
Email To: cparks@iwmconsult.com
Phone: 317-347-1111 Fax: 317-347-9326
Requested Due Date/TAT: Std.

Section B Required Project Information:

Report To: CHRIS PARKS
Copy To:
Purchase Order No.:
Project Name: AMPHENOL
Project Number: IN.AMP.11.05

Section C Invoice Information:

Attention: Chris Parks
Company Name: IWM
Address: SAME
Pace Quote Reference:
Pace Project Manager: KEN HUNT
Pace Profile #:

REGULATORY AGENCY: ☐ NPDES ☐ GROUND WATER ☐ DRINKING WATER ☐ UST ☒ RCRA ☐ OTHER

Site Location STATE: IN

Section D Required Client Information

Matrix Codes (MATRIX / CODE): Drinking Water DW, Water WT, Waste Water WW, Product P, Soil/Solid SL, Oil OL, Wipe WP, Air AR, Tissue TS, Other OT

SAMPLE ID (A-Z, 0-9 / ,-) Sample IDs MUST BE UNIQUE

Requested Analysis Filtered (Y/N): 505933

ITEM #	SAMPLE ID	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED COMPOSITE START DATE	COLLECTED COMPOSITE START TIME	COLLECTED COMPOSITE END/GRAB DATE	COLLECTED COMPOSITE END/GRAB TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives: Unpreserved	H_2SO_4	HNO_3	HCl	NaOH	$Na_2S_2O_3$	Methanol	Other	Analysis Test Y/N	VOC 8260	Residual Chlorine (Y/N)	Pace Project No./ Lab I.D.
1	RW-1	WT	G			2/24	10:15		3				X						X		-001
2	RW-2	WT	G				10:09		3				X						X		-002
3	RW-3	WT	G				10:04		3				X						X		-003
4	RW-4	WT	G				9:57		3				X						X		-004
5	RW-5	WT	G				9:53		3				X						X		-005
6	~~RW-6~~ EFFLUENT	WT	G				9:49		3				X						X		-006
7																					
8																					
9																					
10																					
11																					
12																					

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS: Temp in °C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
	[signature] IWM	2-24-12	11:44	Kathy Eck Pace	2/24/12	11:44	8.4	Y	N	Y

WI / Client

ORIGINAL

SAMPLER NAME AND SIGNATURE
PRINT Name of SAMPLER: [signature]
SIGNATURE of SAMPLER: [signature] DATE Signed (MM/DD/YY): 12-24-12

*Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.

F-ALL-Q-020rev.07, 15-May-2007

Sample Condition Upon Receipt

Pace Analytical Client Name: IWM Consult. Project # 5059033

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☐ no

Date/Time 5035A kits placed in freezer _____

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☒ Other foam

Thermometer Used 1 2 3 4 5 A B C D E Type of Ice: (Wet) Blue None ☒ Samples on ice, cooling process has begun

Cooler Temperature (Corrected, if applicable) 8.4°C Ice Visible in Sample Containers: ☐ yes ☒ no

Temp should be above freezing to 6°C. Just Sampled,

Date and Initials of person examining contents: Kel 2-24-12

				Comments:
Chain of Custody Present:	☒Yes	☐No	☐N/A	1.
Chain of Custody Filled Out:	☒Yes	☐No	☐N/A	2.
Chain of Custody Relinquished:	☒Yes	☐No	☐N/A	3.
Sampler Name & Signature on COC:	☒Yes	☐No	☐N/A	4.
Short Hold Time Analysis (<72hr):	☐Yes	☒No	☐N/A	5.
Rush Turn Around Time Requested:	☐Yes	☒No	☐N/A	6.
Containers Intact:	☒Yes	☐No	☐N/A	7.
Sample Labels match COC: -Includes date/time/ID/Analysis	☒Yes	☐No	☐N/A	8.
All containers needing acid/base pres have been checked? Exceptions: VOA, coliform, TOC, O&G	☐Yes	☐No	☒N/A	9. (Circle) HNO3 H2SO4 NaOH HCl
All containers needing preservation are found to be in compliance with EPA recommendation.	☐Yes	☐No	☒N/A	
Headspace in VOA Vials (>6mm):	☐Yes	☒No	☐N/A	10.
Trip Blank Present:	☐Yes	☒No	☐N/A	11.
Trip Blank Custody Seals Present	☐Yes	☐No	☒N/A	
[illegible]				
Samples Arrived within Hold Time:	☒Yes	☐No	☐N/A	12.
Sufficient Volume:	☒Yes	☐No	☐N/A	13.
Correct Containers Used:	☒Yes	☐No	☐N/A	14.

Client Notification/ Resolution: Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: Kenneth Hurst Date: 2/24/12

Sample Container Count

Pace Analytical
www.pacelabs.com

CLIENT: IWM Consult,

COC PAGE 1 of 1
COC ID# 1549342

Project # SD59033

Sample Line Item	DG9H	AG1U	WGFU	R 4/6	BP2N	BP2U	BP2S	BP3N	BP3U	BP3S	AG3S	AG1H	VG9H			Comments
1													3			
2																
3																
4																
5																
6																
7																
8																
9																
10																
11																
12																

Container Codes

DG9H	40mL HCL amber voa vial	AF	Air Filter	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WGFU	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber gl	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved **amber** vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	I	Wipe/Swab
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber gla	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber gla	BP3A	250mL NaOh, Asc Acid plastic	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved **clear** vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear gla	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag

APPENDIX C

Semi-Annual Groundwater Sampling Logs

iWM CONSULTING GROUP

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	I+-2	Project No.	IN-AMP-11-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	4/6/12
		Time In	Time Out

I. Well Information

Reference point on well casing		(Y)	N
Well Diameter	ID 2"	OD	
Total Well Depth	17.30		
Depth to Water	12.31		
Slug Test Performed		Y	(N)
Redevelop		Y	(N)

II. Well Water Information

Length of water column (ft.)		4.99
Volume of water in well (gal.)		.81
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		2.39	Evacuation Method	Bailer
Did well go dry ?	Y	(N)	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	12:52
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		18
Conductivity (uS/cm)		.799
pH (SU)		7.26
ORP (mV)		-153.7
DO (mg/L)		.17
Film	Y	(N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel Ralph Mier

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	It-3	Project No.	IN-AMP-11-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	4/6/12
		Time In	Time Out

I. Well Information

Reference point on well casing			(Y)	N
Well Diameter	ID	2"	OD	
Total Well Depth		13.70		
Depth to Water		10.73		
Slug Test Performed			Y	(N)
Redevelop			Y	(N)

II. Well Water Information

Length of water column (ft.)		2.97
Volume of water in well (gal.)		.48
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		1.42	Evacuation Method	Bailer
Did well go dry ?	Y	(N)	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	13:02
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		16
Conductivity (uS/cm)		.939
pH (SU)		7.30
ORP (mV)		4.4
DO (mg/L)		3.42
Film	Y	(N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel [signature]

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	MW- 12R	Project No.	IN-AMP-11-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	4/6/12
		Time In	Time Out

I. Well Information

Reference point on well casing		(Y)	N
Well Diameter	ID 2"	OD	
Total Well Depth	25.20		
Depth to Water	16.74		
Slug Test Performed		Y	(N)
Redevelop		Y	(N)

II. Well Water Information

Length of water column (ft.)		8.46
Volume of water in well (gal.)		1.35
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		4.03	Evacuation Method	Bailer
Did well go dry ?	Y	(N)	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	12:45
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		16
Conductivity (uS/cm)		1,218
pH (SU)		7.21
ORP (mV)		77.6
DO (mg/L)		.33
Film	(Y)	N

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel Ralph Mier

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	MW-20	Project No.	IN-AMP-11-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	4/6/12
		Time In	Time Out

I. Well Information

Reference point on well casing		(Y)	N
Well Diameter	ID 2"	OD	
Total Well Depth	23.45		
Depth to Water	9.04		
Slug Test Performed		Y	(N)
Redevelop		Y	(N)

II. Well Water Information

Length of water column (ft.)		14.41
Volume of water in well (gal.)		2.34
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		7.04	Evacuation Method	Bailer
Did well go dry ?	Y	(N)	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	9:55
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		17
Conductivity (uS/cm)		1,807
pH (SU)		6.90
ORP (mV)		295
DO (mg/L)		1.39
Film	Y	(N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel Ralph Mier

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	MW-22	Project No.	IN-AMP-11-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	4/6/12
		Time In	Time Out

I. Well Information

Reference point on well casing		Y	N
Well Diameter	ID 2"	OD	
Total Well Depth	24.00		
Depth to Water	17.06		
Slug Test Performed		Y	N
Redevelop		Y	N

II. Well Water Information

Length of water column (ft.)		6.94
Volume of water in well (gal.)		1.13
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		3.33	Evacuation Method	Bailer
Did well go dry ?	Y	N	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	12:25
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		17
Conductivity (uS/cm)		2.737
pH (SU)		6.78
ORP (mV)		-16.0
DO (mg/L)		1.20
Film	Y	N

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel Ralph Mier

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	MW-28	Project No.	IN-AMP-11-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	4/6/12
		Time In	Time Out

I. Well Information

Reference point on well casing		(Y)	N
Well Diameter	ID 2"	OD	
Total Well Depth	25.25		
Depth to Water	16.66		
Slug Test Performed		Y	(N)
Redevelop		Y	(N)

II. Well Water Information

Length of water column (ft.)		8.59
Volume of water in well (gal.)		1.40
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		4.11	Evacuation Method	Bailer
Did well go dry ?	Y	(N)	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	12:35
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		18
Conductivity (uS/cm)		.955
pH (SU)		7.10
ORP (mV)		132.8
DO (mg/L)		5.56
Film	Y	(N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel Ralph Mier

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	MW-29	Project No.	IN-AMP-11-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	4/6/12
		Time In	Time Out

I. Well Information

Reference point on well casing		(Y)	N
Well Diameter	ID 2"	OD	
Total Well Depth	25.53		
Depth to Water	16.48		
Slug Test Performed		Y	(N)
Redevelop		Y	(N)

II. Well Water Information

Length of water column (ft.)		9.05
Volume of water in well (gal.)		1.47
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		4.34	Evacuation Method	Bailer
Did well go dry ?	Y	(N)	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	12:00
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		16
Conductivity (uS/cm)		.775
pH (SU)		7.27
ORP (mV)		84.1
DO (mg/L)		.17
Film	Y	(N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel Ralph Mier

ATTACHMENT 1
GROUNDWATER SAMPLING FIELD LOG

Well No.	MW-30	Project No.	IN-AMP-11-06
Project	Amphenol	Site Name	Amphenol, Franklin, IN
Sampling Purpose	Semi-Annual GWS	Sampling Personnel	Mier/White
		Date	4/6/12
		Time In	_____ Time Out _____

I. Well Information

Reference point on well casing		(Y)	N
Well Diameter	ID 2"	OD	
Total Well Depth	21.20		
Depth to Water	15.31		
Slug Test Performed		Y	(N)
Redevelop		Y	(N)

II. Well Water Information

Length of water column (ft.)		5.89
Volume of water in well (gal.)		.96
Volume of bailer (gal.)	0.33	

III. Evacuation Information

Volume of water removed from well (gal.)		2.82	Evacuation Method	Bailer
Did well go dry ?	Y	(N)	Evacuation Rate (gpm)	- 0.66

IV. Well Sampling

Container	3x 40 ml VOA
Preservative	HCl
Time Sampled	12:55
Analysis	VOCs EPA Method 8260B

V. Groundwater Characteristics After Well Evacuation

Temperature (C)		17
Conductivity (uS/cm)		1,060
pH (SU)		7.21
ORP (mV)		-17.6
DO (mg/L)		.25
Film	Y	(N)

VI. Miscellaneous Observations/Problems

VII. Sample Destination

Pace Analytical via Hand delivery (IWM)

Field Personnel [signature]

APPENDIX D

Laboratory Analytical Report
Semi-Annual Groundwater Samples

iWM CONSULTING GROUP

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

April 17, 2012

Mr. Chris Parks
IWM Consulting
7428 Rockville Road
Indianapolis, IN 46214

RE: Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Dear Mr. Parks:
Enclosed are the analytical results for sample(s) received by the laboratory on April 06, 2012. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kenneth Hunt

kenneth.hunt@pacelabs.com
Project Manager

Enclosures

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

CERTIFICATIONS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Indiana Certification IDs
7726 Moller Road, Indianapolis, IN 46268
Illinois Certification #: 200074
Indiana Certification #: C-49-06
Kansas Certification #: E-10247
Louisiana/NELAC Certification #: 04076
Pennsylvania: 68-04991
West Virginia Certification #: 330

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

SAMPLE SUMMARY

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Lab ID	Sample ID	Matrix	Date Collected	Date Received
5061177001	**IT-2**	Water	04/06/12 12:52	04/06/12 14:07
5061177002	**IT-3**	Water	04/06/12 13:02	04/06/12 14:07
5061177003	**MW-12R**	Water	04/06/12 12:45	04/06/12 14:07
5061177004	**MW-20**	Water	04/06/12 09:55	04/06/12 14:07
5061177005	**MW-22**	Water	04/06/12 12:25	04/06/12 14:07
5061177006	**MW-28**	Water	04/06/12 12:35	04/06/12 14:07
5061177007	**MW-29**	Water	04/06/12 12:00	04/06/12 14:07
5061177008	**MW-30**	Water	04/06/12 12:55	04/06/12 14:07
5061177009	**DUPLICATE**	Water	04/06/12 08:00	04/06/12 14:07
5061177010	**TRIP BLANK**	Water	04/06/12 08:00	04/06/12 14:07

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

SAMPLE ANALYTE COUNT

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Lab ID	Sample ID	Method	Analysts	Analytes Reported
5061177001	**IT-2**	EPA 8260	ALA	72
5061177002	**IT-3**	EPA 8260	ALA	72
5061177003	**MW-12R**	EPA 8260	ALA	72
5061177004	**MW-20**	EPA 8260	ALA	72
5061177005	**MW-22**	EPA 8260	ALA	72
5061177006	**MW-28**	EPA 8260	ALA	72
5061177007	**MW-29**	EPA 8260	ALA	72
5061177008	**MW-30**	EPA 8260	ALA	72
5061177009	**DUPLICATE**	EPA 8260	ALA	72
5061177010	**TRIP BLANK**	EPA 8260	ALA	72

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: IT-2 **Lab ID: 5061177001** Collected: 04/06/12 12:52 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/14/12 06:49	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/14/12 06:49	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/14/12 06:49	107-13-1	
Benzene	ND	ug/L	5.0	1		04/14/12 06:49	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/14/12 06:49	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/14/12 06:49	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/14/12 06:49	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/14/12 06:49	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/14/12 06:49	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/14/12 06:49	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/14/12 06:49	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/14/12 06:49	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/14/12 06:49	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/14/12 06:49	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/14/12 06:49	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/14/12 06:49	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/14/12 06:49	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/14/12 06:49	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/14/12 06:49	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/14/12 06:49	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/14/12 06:49	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/14/12 06:49	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/14/12 06:49	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/14/12 06:49	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 06:49	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 06:49	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 06:49	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/14/12 06:49	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/14/12 06:49	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/14/12 06:49	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/14/12 06:49	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/14/12 06:49	75-35-4	
cis-1,2-Dichloroethene	**18.3**	ug/L	5.0	1		04/14/12 06:49	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/14/12 06:49	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/14/12 06:49	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/14/12 06:49	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/14/12 06:49	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/14/12 06:49	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/14/12 06:49	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/14/12 06:49	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/14/12 06:49	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/14/12 06:49	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/14/12 06:49	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/14/12 06:49	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/14/12 06:49	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/14/12 06:49	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/14/12 06:49	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: IT-2 **Lab ID: 5061177001** Collected: 04/06/12 12:52 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/14/12 06:49	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/14/12 06:49	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/14/12 06:49	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/14/12 06:49	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/14/12 06:49	103-65-1	
Styrene	ND	ug/L	5.0	1		04/14/12 06:49	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/14/12 06:49	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/14/12 06:49	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/14/12 06:49	127-18-4	
Toluene	ND	ug/L	5.0	1		04/14/12 06:49	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/14/12 06:49	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/14/12 06:49	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/14/12 06:49	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/14/12 06:49	79-00-5	
Trichloroethene	**8.5**	ug/L	5.0	1		04/14/12 06:49	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/14/12 06:49	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/14/12 06:49	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/14/12 06:49	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/14/12 06:49	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/14/12 06:49	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/14/12 06:49	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/14/12 06:49	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	105	%.	83-123	1		04/14/12 06:49	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	72-125	1		04/14/12 06:49	460-00-4	
Toluene-d8 (S)	108	%.	81-114	1		04/14/12 06:49	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: IT-3 **Lab ID: 5061177002** Collected: 04/06/12 13:02 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/14/12 07:22	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/14/12 07:22	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/14/12 07:22	107-13-1	
Benzene	ND	ug/L	5.0	1		04/14/12 07:22	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/14/12 07:22	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/14/12 07:22	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/14/12 07:22	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/14/12 07:22	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/14/12 07:22	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/14/12 07:22	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/14/12 07:22	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/14/12 07:22	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/14/12 07:22	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/14/12 07:22	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/14/12 07:22	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/14/12 07:22	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/14/12 07:22	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/14/12 07:22	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/14/12 07:22	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/14/12 07:22	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/14/12 07:22	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/14/12 07:22	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/14/12 07:22	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/14/12 07:22	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 07:22	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 07:22	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 07:22	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/14/12 07:22	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/14/12 07:22	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/14/12 07:22	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/14/12 07:22	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/14/12 07:22	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/14/12 07:22	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/14/12 07:22	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/14/12 07:22	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/14/12 07:22	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/14/12 07:22	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/14/12 07:22	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/14/12 07:22	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/14/12 07:22	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/14/12 07:22	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/14/12 07:22	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/14/12 07:22	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/14/12 07:22	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/14/12 07:22	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/14/12 07:22	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/14/12 07:22	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: IT-3 **Lab ID: 5061177002** Collected: 04/06/12 13:02 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/14/12 07:22	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/14/12 07:22	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/14/12 07:22	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/14/12 07:22	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/14/12 07:22	103-65-1	
Styrene	ND	ug/L	5.0	1		04/14/12 07:22	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/14/12 07:22	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/14/12 07:22	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/14/12 07:22	127-18-4	
Toluene	ND	ug/L	5.0	1		04/14/12 07:22	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/14/12 07:22	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/14/12 07:22	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/14/12 07:22	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/14/12 07:22	79-00-5	
Trichloroethene	**7.2**	ug/L	5.0	1		04/14/12 07:22	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/14/12 07:22	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/14/12 07:22	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/14/12 07:22	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/14/12 07:22	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/14/12 07:22	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/14/12 07:22	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/14/12 07:22	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	99	%.	83-123	1		04/14/12 07:22	1868-53-7	
4-Bromofluorobenzene (S)	95	%.	72-125	1		04/14/12 07:22	460-00-4	
Toluene-d8 (S)	102	%.	81-114	1		04/14/12 07:22	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: MW-12R **Lab ID: 5061177003** Collected: 04/06/12 12:45 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/14/12 07:56	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/14/12 07:56	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/14/12 07:56	107-13-1	
Benzene	ND	ug/L	5.0	1		04/14/12 07:56	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/14/12 07:56	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/14/12 07:56	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/14/12 07:56	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/14/12 07:56	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/14/12 07:56	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/14/12 07:56	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/14/12 07:56	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/14/12 07:56	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/14/12 07:56	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/14/12 07:56	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/14/12 07:56	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/14/12 07:56	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/14/12 07:56	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/14/12 07:56	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/14/12 07:56	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/14/12 07:56	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/14/12 07:56	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/14/12 07:56	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/14/12 07:56	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/14/12 07:56	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 07:56	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 07:56	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 07:56	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/14/12 07:56	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/14/12 07:56	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/14/12 07:56	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/14/12 07:56	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/14/12 07:56	75-35-4	
cis-1,2-Dichloroethene	**81.4**	ug/L	5.0	1		04/14/12 07:56	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/14/12 07:56	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/14/12 07:56	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/14/12 07:56	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/14/12 07:56	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/14/12 07:56	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/14/12 07:56	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/14/12 07:56	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/14/12 07:56	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/14/12 07:56	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/14/12 07:56	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/14/12 07:56	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/14/12 07:56	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/14/12 07:56	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/14/12 07:56	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: MW-12R **Lab ID: 5061177003** Collected: 04/06/12 12:45 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/14/12 07:56	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/14/12 07:56	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/14/12 07:56	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/14/12 07:56	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/14/12 07:56	103-65-1	
Styrene	ND	ug/L	5.0	1		04/14/12 07:56	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/14/12 07:56	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/14/12 07:56	79-34-5	
Tetrachloroethene	**884**	ug/L	50.0	10		04/14/12 08:30	127-18-4	
Toluene	ND	ug/L	5.0	1		04/14/12 07:56	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/14/12 07:56	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/14/12 07:56	120-82-1	
1,1,1-Trichloroethane	**56.3**	ug/L	5.0	1		04/14/12 07:56	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/14/12 07:56	79-00-5	
Trichloroethene	**234**	ug/L	5.0	1		04/14/12 07:56	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/14/12 07:56	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/14/12 07:56	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/14/12 07:56	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/14/12 07:56	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/14/12 07:56	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/14/12 07:56	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/14/12 07:56	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	98	%.	83-123	1		04/14/12 07:56	1868-53-7	
4-Bromofluorobenzene (S)	94	%.	72-125	1		04/14/12 07:56	460-00-4	
Toluene-d8 (S)	100	%.	81-114	1		04/14/12 07:56	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: MW-20 **Lab ID: 5061177004** Collected: 04/06/12 09:55 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/16/12 14:45	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/16/12 14:45	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/16/12 14:45	107-13-1	
Benzene	ND	ug/L	5.0	1		04/16/12 14:45	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/16/12 14:45	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/16/12 14:45	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/16/12 14:45	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/16/12 14:45	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/16/12 14:45	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/16/12 14:45	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/16/12 14:45	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/16/12 14:45	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/16/12 14:45	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/16/12 14:45	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/16/12 14:45	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/16/12 14:45	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/16/12 14:45	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/16/12 14:45	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/16/12 14:45	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/16/12 14:45	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/16/12 14:45	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/16/12 14:45	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/16/12 14:45	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/16/12 14:45	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 14:45	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 14:45	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 14:45	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/16/12 14:45	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/16/12 14:45	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/16/12 14:45	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/16/12 14:45	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/16/12 14:45	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/16/12 14:45	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/16/12 14:45	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/16/12 14:45	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/16/12 14:45	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/16/12 14:45	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/16/12 14:45	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/16/12 14:45	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/16/12 14:45	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/16/12 14:45	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/16/12 14:45	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/16/12 14:45	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/16/12 14:45	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/16/12 14:45	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/16/12 14:45	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/16/12 14:45	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: MW-20 **Lab ID: 5061177004** Collected: 04/06/12 09:55 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/16/12 14:45	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/16/12 14:45	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/16/12 14:45	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/16/12 14:45	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/16/12 14:45	103-65-1	
Styrene	ND	ug/L	5.0	1		04/16/12 14:45	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/16/12 14:45	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/16/12 14:45	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/16/12 14:45	127-18-4	
Toluene	ND	ug/L	5.0	1		04/16/12 14:45	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/16/12 14:45	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/16/12 14:45	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/16/12 14:45	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/16/12 14:45	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/16/12 14:45	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/16/12 14:45	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/16/12 14:45	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/16/12 14:45	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/16/12 14:45	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/16/12 14:45	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/16/12 14:45	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/16/12 14:45	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	104	%.	83-123	1		04/16/12 14:45	1868-53-7	
4-Bromofluorobenzene (S)	103	%.	72-125	1		04/16/12 14:45	460-00-4	
Toluene-d8 (S)	100	%.	81-114	1		04/16/12 14:45	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: MW-22 **Lab ID: 5061177005** Collected: 04/06/12 12:25 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/14/12 09:04	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/14/12 09:04	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/14/12 09:04	107-13-1	
Benzene	ND	ug/L	5.0	1		04/14/12 09:04	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/14/12 09:04	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/14/12 09:04	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/14/12 09:04	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/14/12 09:04	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/14/12 09:04	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/14/12 09:04	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/14/12 09:04	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/14/12 09:04	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/14/12 09:04	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/14/12 09:04	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/14/12 09:04	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/14/12 09:04	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/14/12 09:04	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/14/12 09:04	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/14/12 09:04	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/14/12 09:04	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/14/12 09:04	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/14/12 09:04	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/14/12 09:04	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/14/12 09:04	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 09:04	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 09:04	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 09:04	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/14/12 09:04	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/14/12 09:04	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/14/12 09:04	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/14/12 09:04	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/14/12 09:04	75-35-4	
cis-1,2-Dichloroethene	**87.8**	ug/L	5.0	1		04/14/12 09:04	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/14/12 09:04	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/14/12 09:04	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/14/12 09:04	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/14/12 09:04	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/14/12 09:04	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/14/12 09:04	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/14/12 09:04	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/14/12 09:04	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/14/12 09:04	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/14/12 09:04	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/14/12 09:04	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/14/12 09:04	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/14/12 09:04	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/14/12 09:04	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: MW-22 **Lab ID: 5061177005** Collected: 04/06/12 12:25 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/14/12 09:04	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/14/12 09:04	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/14/12 09:04	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/14/12 09:04	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/14/12 09:04	103-65-1	
Styrene	ND	ug/L	5.0	1		04/14/12 09:04	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/14/12 09:04	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/14/12 09:04	79-34-5	
Tetrachloroethene	**656**	ug/L	50.0	10		04/14/12 09:38	127-18-4	
Toluene	ND	ug/L	5.0	1		04/14/12 09:04	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/14/12 09:04	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/14/12 09:04	120-82-1	
1,1,1-Trichloroethane	**7.7**	ug/L	5.0	1		04/14/12 09:04	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/14/12 09:04	79-00-5	
Trichloroethene	**95.9**	ug/L	5.0	1		04/14/12 09:04	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/14/12 09:04	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/14/12 09:04	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/14/12 09:04	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/14/12 09:04	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/14/12 09:04	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/14/12 09:04	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/14/12 09:04	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	103	%.	83-123	1		04/14/12 09:04	1868-53-7	
4-Bromofluorobenzene (S)	97	%.	72-125	1		04/14/12 09:04	460-00-4	
Toluene-d8 (S)	101	%.	81-114	1		04/14/12 09:04	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: MW-28 **Lab ID: 5061177006** Collected: 04/06/12 12:35 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/14/12 10:12	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/14/12 10:12	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/14/12 10:12	107-13-1	
Benzene	ND	ug/L	5.0	1		04/14/12 10:12	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/14/12 10:12	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/14/12 10:12	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/14/12 10:12	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/14/12 10:12	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/14/12 10:12	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/14/12 10:12	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/14/12 10:12	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/14/12 10:12	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/14/12 10:12	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/14/12 10:12	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/14/12 10:12	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/14/12 10:12	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/14/12 10:12	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/14/12 10:12	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/14/12 10:12	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/14/12 10:12	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/14/12 10:12	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/14/12 10:12	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/14/12 10:12	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/14/12 10:12	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 10:12	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 10:12	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/14/12 10:12	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/14/12 10:12	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/14/12 10:12	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/14/12 10:12	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/14/12 10:12	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/14/12 10:12	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/14/12 10:12	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/14/12 10:12	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/14/12 10:12	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/14/12 10:12	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/14/12 10:12	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/14/12 10:12	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/14/12 10:12	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/14/12 10:12	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/14/12 10:12	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/14/12 10:12	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/14/12 10:12	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/14/12 10:12	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/14/12 10:12	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/14/12 10:12	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/14/12 10:12	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: MW-28 **Lab ID: 5061177006** Collected: 04/06/12 12:35 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/14/12 10:12	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/14/12 10:12	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/14/12 10:12	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/14/12 10:12	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/14/12 10:12	103-65-1	
Styrene	ND	ug/L	5.0	1		04/14/12 10:12	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/14/12 10:12	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/14/12 10:12	79-34-5	
Tetrachloroethene	**29.9**	ug/L	5.0	1		04/14/12 10:12	127-18-4	
Toluene	ND	ug/L	5.0	1		04/14/12 10:12	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/14/12 10:12	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/14/12 10:12	120-82-1	
1,1,1-Trichloroethane	**9.1**	ug/L	5.0	1		04/14/12 10:12	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/14/12 10:12	79-00-5	
Trichloroethene	**13.9**	ug/L	5.0	1		04/14/12 10:12	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/14/12 10:12	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/14/12 10:12	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/14/12 10:12	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/14/12 10:12	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/14/12 10:12	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/14/12 10:12	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/14/12 10:12	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	102	%.	83-123	1		04/14/12 10:12	1868-53-7	
4-Bromofluorobenzene (S)	96	%.	72-125	1		04/14/12 10:12	460-00-4	
Toluene-d8 (S)	103	%.	81-114	1		04/14/12 10:12	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: MW-29 **Lab ID: 5061177007** Collected: 04/06/12 12:00 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/16/12 16:26	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/16/12 16:26	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/16/12 16:26	107-13-1	
Benzene	ND	ug/L	5.0	1		04/16/12 16:26	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/16/12 16:26	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/16/12 16:26	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/16/12 16:26	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/16/12 16:26	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/16/12 16:26	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/16/12 16:26	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/16/12 16:26	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/16/12 16:26	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/16/12 16:26	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/16/12 16:26	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/16/12 16:26	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/16/12 16:26	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/16/12 16:26	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/16/12 16:26	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/16/12 16:26	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/16/12 16:26	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/16/12 16:26	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/16/12 16:26	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/16/12 16:26	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/16/12 16:26	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 16:26	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 16:26	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 16:26	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/16/12 16:26	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/16/12 16:26	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/16/12 16:26	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/16/12 16:26	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/16/12 16:26	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/16/12 16:26	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/16/12 16:26	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/16/12 16:26	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/16/12 16:26	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/16/12 16:26	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/16/12 16:26	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/16/12 16:26	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/16/12 16:26	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/16/12 16:26	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/16/12 16:26	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/16/12 16:26	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/16/12 16:26	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/16/12 16:26	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/16/12 16:26	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/16/12 16:26	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: MW-29 **Lab ID: 5061177007** Collected: 04/06/12 12:00 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/16/12 16:26	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/16/12 16:26	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/16/12 16:26	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/16/12 16:26	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/16/12 16:26	103-65-1	
Styrene	ND	ug/L	5.0	1		04/16/12 16:26	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/16/12 16:26	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/16/12 16:26	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/16/12 16:26	127-18-4	
Toluene	ND	ug/L	5.0	1		04/16/12 16:26	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/16/12 16:26	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/16/12 16:26	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/16/12 16:26	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/16/12 16:26	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/16/12 16:26	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/16/12 16:26	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/16/12 16:26	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/16/12 16:26	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/16/12 16:26	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/16/12 16:26	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/16/12 16:26	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/16/12 16:26	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	104	%.	83-123	1		04/16/12 16:26	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	72-125	1		04/16/12 16:26	460-00-4	
Toluene-d8 (S)	100	%.	81-114	1		04/16/12 16:26	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: MW-30 **Lab ID: 5061177008** Collected: 04/06/12 12:55 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/16/12 17:00	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/16/12 17:00	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/16/12 17:00	107-13-1	
Benzene	ND	ug/L	5.0	1		04/16/12 17:00	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/16/12 17:00	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/16/12 17:00	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/16/12 17:00	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/16/12 17:00	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/16/12 17:00	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/16/12 17:00	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/16/12 17:00	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/16/12 17:00	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/16/12 17:00	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/16/12 17:00	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/16/12 17:00	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/16/12 17:00	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/16/12 17:00	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/16/12 17:00	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/16/12 17:00	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/16/12 17:00	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/16/12 17:00	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/16/12 17:00	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/16/12 17:00	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/16/12 17:00	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 17:00	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 17:00	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 17:00	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/16/12 17:00	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/16/12 17:00	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/16/12 17:00	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/16/12 17:00	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/16/12 17:00	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/16/12 17:00	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/16/12 17:00	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/16/12 17:00	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/16/12 17:00	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/16/12 17:00	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/16/12 17:00	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/16/12 17:00	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/16/12 17:00	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/16/12 17:00	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/16/12 17:00	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/16/12 17:00	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/16/12 17:00	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/16/12 17:00	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/16/12 17:00	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/16/12 17:00	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: MW-30 **Lab ID: 5061177008** Collected: 04/06/12 12:55 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/16/12 17:00	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/16/12 17:00	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/16/12 17:00	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/16/12 17:00	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/16/12 17:00	103-65-1	
Styrene	ND	ug/L	5.0	1		04/16/12 17:00	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/16/12 17:00	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/16/12 17:00	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/16/12 17:00	127-18-4	
Toluene	ND	ug/L	5.0	1		04/16/12 17:00	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/16/12 17:00	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/16/12 17:00	120-82-1	
1,1,1-Trichloroethane	**6.6**	ug/L	5.0	1		04/16/12 17:00	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/16/12 17:00	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/16/12 17:00	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/16/12 17:00	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/16/12 17:00	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/16/12 17:00	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/16/12 17:00	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/16/12 17:00	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/16/12 17:00	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/16/12 17:00	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	99	%.	83-123	1		04/16/12 17:00	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	72-125	1		04/16/12 17:00	460-00-4	
Toluene-d8 (S)	99	%.	81-114	1		04/16/12 17:00	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: DUPLICATE **Lab ID: 5061177009** Collected: 04/06/12 08:00 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/16/12 17:33	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/16/12 17:33	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/16/12 17:33	107-13-1	
Benzene	ND	ug/L	5.0	1		04/16/12 17:33	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/16/12 17:33	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/16/12 17:33	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/16/12 17:33	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/16/12 17:33	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/16/12 17:33	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/16/12 17:33	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/16/12 17:33	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/16/12 17:33	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/16/12 17:33	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/16/12 17:33	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/16/12 17:33	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/16/12 17:33	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/16/12 17:33	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/16/12 17:33	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/16/12 17:33	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/16/12 17:33	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/16/12 17:33	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/16/12 17:33	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/16/12 17:33	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/16/12 17:33	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 17:33	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 17:33	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 17:33	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/16/12 17:33	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/16/12 17:33	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/16/12 17:33	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/16/12 17:33	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/16/12 17:33	75-35-4	
cis-1,2-Dichloroethene	**74.7**	ug/L	5.0	1		04/16/12 17:33	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/16/12 17:33	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/16/12 17:33	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/16/12 17:33	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/16/12 17:33	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/16/12 17:33	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/16/12 17:33	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/16/12 17:33	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/16/12 17:33	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/16/12 17:33	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/16/12 17:33	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/16/12 17:33	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/16/12 17:33	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/16/12 17:33	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/16/12 17:33	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: DUPLICATE **Lab ID: 5061177009** Collected: 04/06/12 08:00 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/16/12 17:33	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/16/12 17:33	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/16/12 17:33	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/16/12 17:33	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/16/12 17:33	103-65-1	
Styrene	ND	ug/L	5.0	1		04/16/12 17:33	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/16/12 17:33	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/16/12 17:33	79-34-5	
Tetrachloroethene	**468**	ug/L	50.0	10		04/16/12 18:07	127-18-4	
Toluene	ND	ug/L	5.0	1		04/16/12 17:33	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/16/12 17:33	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/16/12 17:33	120-82-1	
1,1,1-Trichloroethane	**8.7**	ug/L	5.0	1		04/16/12 17:33	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/16/12 17:33	79-00-5	
Trichloroethene	**82.3**	ug/L	5.0	1		04/16/12 17:33	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/16/12 17:33	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/16/12 17:33	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/16/12 17:33	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/16/12 17:33	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/16/12 17:33	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/16/12 17:33	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/16/12 17:33	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	104	%.	83-123	1		04/16/12 17:33	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	72-125	1		04/16/12 17:33	460-00-4	
Toluene-d8 (S)	97	%.	81-114	1		04/16/12 17:33	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: TRIP BLANK **Lab ID: 5061177010** Collected: 04/06/12 08:00 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Acetone	ND	ug/L	100	1		04/16/12 18:41	67-64-1	
Acrolein	ND	ug/L	50.0	1		04/16/12 18:41	107-02-8	
Acrylonitrile	ND	ug/L	100	1		04/16/12 18:41	107-13-1	
Benzene	ND	ug/L	5.0	1		04/16/12 18:41	71-43-2	
Bromobenzene	ND	ug/L	5.0	1		04/16/12 18:41	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1		04/16/12 18:41	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	1		04/16/12 18:41	75-27-4	
Bromoform	ND	ug/L	5.0	1		04/16/12 18:41	75-25-2	
Bromomethane	ND	ug/L	5.0	1		04/16/12 18:41	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1		04/16/12 18:41	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	1		04/16/12 18:41	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	1		04/16/12 18:41	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1		04/16/12 18:41	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1		04/16/12 18:41	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1		04/16/12 18:41	56-23-5	
Chlorobenzene	ND	ug/L	5.0	1		04/16/12 18:41	108-90-7	
Chloroethane	ND	ug/L	5.0	1		04/16/12 18:41	75-00-3	
Chloroform	ND	ug/L	5.0	1		04/16/12 18:41	67-66-3	
Chloromethane	ND	ug/L	5.0	1		04/16/12 18:41	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	1		04/16/12 18:41	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	1		04/16/12 18:41	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	1		04/16/12 18:41	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/16/12 18:41	106-93-4	
Dibromomethane	ND	ug/L	5.0	1		04/16/12 18:41	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 18:41	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 18:41	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/16/12 18:41	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1		04/16/12 18:41	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1		04/16/12 18:41	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/16/12 18:41	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/16/12 18:41	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/16/12 18:41	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/16/12 18:41	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/16/12 18:41	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/16/12 18:41	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1		04/16/12 18:41	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1		04/16/12 18:41	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1		04/16/12 18:41	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/16/12 18:41	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/16/12 18:41	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	1		04/16/12 18:41	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1		04/16/12 18:41	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1		04/16/12 18:41	87-68-3	
2-Hexanone	ND	ug/L	25.0	1		04/16/12 18:41	591-78-6	
Iodomethane	ND	ug/L	10.0	1		04/16/12 18:41	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1		04/16/12 18:41	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	1		04/16/12 18:41	99-87-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

ANALYTICAL RESULTS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Sample: TRIP BLANK **Lab ID: 5061177010** Collected: 04/06/12 08:00 Received: 04/06/12 14:07 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260							
Methylene Chloride	ND	ug/L	5.0	1		04/16/12 18:41	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1		04/16/12 18:41	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	1		04/16/12 18:41	1634-04-4	
Naphthalene	ND	ug/L	5.0	1		04/16/12 18:41	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	1		04/16/12 18:41	103-65-1	
Styrene	ND	ug/L	5.0	1		04/16/12 18:41	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/16/12 18:41	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/16/12 18:41	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	1		04/16/12 18:41	127-18-4	
Toluene	ND	ug/L	5.0	1		04/16/12 18:41	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1		04/16/12 18:41	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1		04/16/12 18:41	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/16/12 18:41	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/16/12 18:41	79-00-5	
Trichloroethene	ND	ug/L	5.0	1		04/16/12 18:41	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1		04/16/12 18:41	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/16/12 18:41	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	1		04/16/12 18:41	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	1		04/16/12 18:41	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1		04/16/12 18:41	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1		04/16/12 18:41	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1		04/16/12 18:41	1330-20-7	
Surrogates								
Dibromofluoromethane (S)	103	%.	83-123	1		04/16/12 18:41	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	72-125	1		04/16/12 18:41	460-00-4	
Toluene-d8 (S)	99	%.	81-114	1		04/16/12 18:41	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

QC Batch: MSV/41313 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 5061177001, 5061177002, 5061177003, 5061177005, 5061177006

METHOD BLANK: 720639 Matrix: Water
Associated Lab Samples: 5061177001, 5061177002, 5061177003, 5061177005, 5061177006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	04/14/12 00:38	
1,1,1-Trichloroethane	ug/L	ND	5.0	04/14/12 00:38	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	04/14/12 00:38	
1,1,2-Trichloroethane	ug/L	ND	5.0	04/14/12 00:38	
1,1-Dichloroethane	ug/L	ND	5.0	04/14/12 00:38	
1,1-Dichloroethene	ug/L	ND	5.0	04/14/12 00:38	
1,1-Dichloropropene	ug/L	ND	5.0	04/14/12 00:38	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	04/14/12 00:38	
1,2,3-Trichloropropane	ug/L	ND	5.0	04/14/12 00:38	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	04/14/12 00:38	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	04/14/12 00:38	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	04/14/12 00:38	
1,2-Dichlorobenzene	ug/L	ND	5.0	04/14/12 00:38	
1,2-Dichloroethane	ug/L	ND	5.0	04/14/12 00:38	
1,2-Dichloropropane	ug/L	ND	5.0	04/14/12 00:38	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	04/14/12 00:38	
1,3-Dichlorobenzene	ug/L	ND	5.0	04/14/12 00:38	
1,3-Dichloropropane	ug/L	ND	5.0	04/14/12 00:38	
1,4-Dichlorobenzene	ug/L	ND	5.0	04/14/12 00:38	
2,2-Dichloropropane	ug/L	ND	5.0	04/14/12 00:38	
2-Butanone (MEK)	ug/L	ND	25.0	04/14/12 00:38	
2-Chlorotoluene	ug/L	ND	5.0	04/14/12 00:38	
2-Hexanone	ug/L	ND	25.0	04/14/12 00:38	
4-Chlorotoluene	ug/L	ND	5.0	04/14/12 00:38	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	04/14/12 00:38	
Acetone	ug/L	ND	100	04/14/12 00:38	
Acrolein	ug/L	ND	50.0	04/14/12 00:38	
Acrylonitrile	ug/L	ND	100	04/14/12 00:38	
Benzene	ug/L	ND	5.0	04/14/12 00:38	
Bromobenzene	ug/L	ND	5.0	04/14/12 00:38	
Bromochloromethane	ug/L	ND	5.0	04/14/12 00:38	
Bromodichloromethane	ug/L	ND	5.0	04/14/12 00:38	
Bromoform	ug/L	ND	5.0	04/14/12 00:38	
Bromomethane	ug/L	ND	5.0	04/14/12 00:38	
Carbon disulfide	ug/L	ND	10.0	04/14/12 00:38	
Carbon tetrachloride	ug/L	ND	5.0	04/14/12 00:38	
Chlorobenzene	ug/L	ND	5.0	04/14/12 00:38	
Chloroethane	ug/L	ND	5.0	04/14/12 00:38	
Chloroform	ug/L	ND	5.0	04/14/12 00:38	
Chloromethane	ug/L	ND	5.0	04/14/12 00:38	
cis-1,2-Dichloroethene	ug/L	ND	5.0	04/14/12 00:38	
cis-1,3-Dichloropropene	ug/L	ND	5.0	04/14/12 00:38	
Dibromochloromethane	ug/L	ND	5.0	04/14/12 00:38	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

METHOD BLANK: 720639 Matrix: Water

Associated Lab Samples: 5061177001, 5061177002, 5061177003, 5061177005, 5061177006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	04/14/12 00:38	
Dichlorodifluoromethane	ug/L	ND	5.0	04/14/12 00:38	
Ethyl methacrylate	ug/L	ND	100	04/14/12 00:38	
Ethylbenzene	ug/L	ND	5.0	04/14/12 00:38	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	04/14/12 00:38	
Iodomethane	ug/L	ND	10.0	04/14/12 00:38	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	04/14/12 00:38	
Methyl-tert-butyl ether	ug/L	ND	4.0	04/14/12 00:38	
Methylene Chloride	ug/L	ND	5.0	04/14/12 00:38	
n-Butylbenzene	ug/L	ND	5.0	04/14/12 00:38	
n-Propylbenzene	ug/L	ND	5.0	04/14/12 00:38	
Naphthalene	ug/L	ND	5.0	04/14/12 00:38	
p-Isopropyltoluene	ug/L	ND	5.0	04/14/12 00:38	
sec-Butylbenzene	ug/L	ND	5.0	04/14/12 00:38	
Styrene	ug/L	ND	5.0	04/14/12 00:38	
tert-Butylbenzene	ug/L	ND	5.0	04/14/12 00:38	
Tetrachloroethene	ug/L	ND	5.0	04/14/12 00:38	
Toluene	ug/L	ND	5.0	04/14/12 00:38	
trans-1,2-Dichloroethene	ug/L	ND	5.0	04/14/12 00:38	
trans-1,3-Dichloropropene	ug/L	ND	5.0	04/14/12 00:38	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	04/14/12 00:38	
Trichloroethene	ug/L	ND	5.0	04/14/12 00:38	
Trichlorofluoromethane	ug/L	ND	5.0	04/14/12 00:38	
Vinyl acetate	ug/L	ND	50.0	04/14/12 00:38	
Vinyl chloride	ug/L	ND	2.0	04/14/12 00:38	
Xylene (Total)	ug/L	ND	10.0	04/14/12 00:38	
4-Bromofluorobenzene (S)	%.	94	72-125	04/14/12 00:38	
Dibromofluoromethane (S)	%.	101	83-123	04/14/12 00:38	
Toluene-d8 (S)	%.	104	81-114	04/14/12 00:38	

LABORATORY CONTROL SAMPLE: 720640

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	47.7	95	69-122	
1,1,1-Trichloroethane	ug/L	50	47.4	95	69-126	
1,1,2,2-Tetrachloroethane	ug/L	50	56.2	112	68-134	
1,1,2-Trichloroethane	ug/L	50	49.0	98	77-129	
1,1-Dichloroethane	ug/L	50	33.7	67	70-127	L0
1,1-Dichloroethene	ug/L	50	49.0	98	75-145	
1,1-Dichloropropene	ug/L	50	46.5	93	75-126	
1,2,3-Trichlorobenzene	ug/L	50	51.0	102	63-130	
1,2,3-Trichloropropane	ug/L	50	81.9	164	45-121	L3
1,2,4-Trichlorobenzene	ug/L	50	45.6	91	64-122	
1,2,4-Trimethylbenzene	ug/L	50	53.2	106	68-129	
1,2-Dibromoethane (EDB)	ug/L	50	49.4	99	77-123	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

LABORATORY CONTROL SAMPLE: 720640

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	52.2	104	74-123	
1,2-Dichloroethane	ug/L	50	50.9	102	71-127	
1,2-Dichloropropane	ug/L	50	46.2	92	75-126	
1,3,5-Trimethylbenzene	ug/L	50	51.2	102	69-129	
1,3-Dichlorobenzene	ug/L	50	49.8	100	76-123	
1,3-Dichloropropane	ug/L	50	48.1	96	77-126	
1,4-Dichlorobenzene	ug/L	50	49.6	99	77-121	
2,2-Dichloropropane	ug/L	50	42.7	85	45-138	
2-Butanone (MEK)	ug/L	250	249	99	42-177	
2-Chlorotoluene	ug/L	50	51.3	103	74-129	
2-Hexanone	ug/L	250	284	113	57-162	
4-Chlorotoluene	ug/L	50	50.4	101	70-125	
4-Methyl-2-pentanone (MIBK)	ug/L	250	284	114	64-135	
Acetone	ug/L	250	246	98	10-200	
Acrolein	ug/L	1000	1130	113	10-200	
Acrylonitrile	ug/L	1000	930	93	59-144	
Benzene	ug/L	50	48.3	97	76-123	
Bromobenzene	ug/L	50	40.5	81	67-130	
Bromochloromethane	ug/L	50	40.5	81	58-153	
Bromodichloromethane	ug/L	50	47.3	95	71-124	
Bromoform	ug/L	50	37.3	75	64-116	
Bromomethane	ug/L	50	56.1	112	23-197	
Carbon disulfide	ug/L	100	108	108	55-146	
Carbon tetrachloride	ug/L	50	45.4	91	65-125	
Chlorobenzene	ug/L	50	54.8	110	78-120	
Chloroethane	ug/L	50	46.5	93	56-163	
Chloroform	ug/L	50	48.3	97	73-122	
Chloromethane	ug/L	50	44.2	88	46-146	
cis-1,2-Dichloroethene	ug/L	50	50.6	101	79-129	
cis-1,3-Dichloropropene	ug/L	50	48.3	97	66-123	
Dibromochloromethane	ug/L	50	42.7	85	70-123	
Dibromomethane	ug/L	50	51.2	102	73-123	
Dichlorodifluoromethane	ug/L	50	49.0	98	19-200	
Ethyl methacrylate	ug/L	200	182	91	70-127	
Ethylbenzene	ug/L	50	45.1	90	75-120	
Hexachloro-1,3-butadiene	ug/L	50	46.9	94	64-131	
Iodomethane	ug/L	100	105	105	16-181	
Isopropylbenzene (Cumene)	ug/L	50	43.1	86	73-123	
Methyl-tert-butyl ether	ug/L	100	94.5	94	66-128	
Methylene Chloride	ug/L	50	47.9	96	61-138	
n-Butylbenzene	ug/L	50	50.6	101	69-130	
n-Propylbenzene	ug/L	50	52.9	106	71-132	
Naphthalene	ug/L	50	53.0	106	62-130	
p-Isopropyltoluene	ug/L	50	53.1	106	71-126	
sec-Butylbenzene	ug/L	50	45.9	92	69-130	
Styrene	ug/L	50	43.5	87	75-125	
tert-Butylbenzene	ug/L	50	43.1	86	49-114	
Tetrachloroethene	ug/L	50	56.8	114	57-125	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

LABORATORY CONTROL SAMPLE: 720640

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	52.1	104	72-124	
trans-1,2-Dichloroethene	ug/L	50	47.1	94	71-145	
trans-1,3-Dichloropropene	ug/L	50	45.1	90	58-118	
trans-1,4-Dichloro-2-butene	ug/L	200	194	97	50-121	
Trichloroethene	ug/L	50	49.6	99	77-122	
Trichlorofluoromethane	ug/L	50	49.0	98	56-159	
Vinyl acetate	ug/L	200	144	72	27-119	
Vinyl chloride	ug/L	50	44.6	89	61-146	
Xylene (Total)	ug/L	150	148	99	72-126	
4-Bromofluorobenzene (S)	%.			93	72-125	
Dibromofluoromethane (S)	%.			103	83-123	
Toluene-d8 (S)	%.			102	81-114	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 720641 720642

Parameter	Units	5061129001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	49.5	50.8	99	102	30-122	3	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	49.4	49.4	99	99	37-136	.03	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	59.7	59.0	119	118	47-132	1	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	51.8	52.5	104	105	53-131	1	20	
1,1-Dichloroethane	ug/L	ND	50	50	36.3	35.7	73	71	47-138	1	20	
1,1-Dichloroethene	ug/L	ND	50	50	50.1	49.6	100	99	54-152	1	20	
1,1-Dichloropropene	ug/L	ND	50	50	48.3	47.4	97	95	47-136	2	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	51.3	56.9	103	114	15-132	10	20	
1,2,3-Trichloropropane	ug/L	ND	50	50	81.4	83.6	163	167	24-108	3	20	M0
1,2,4-Trichlorobenzene	ug/L	ND	50	50	47.3	51.4	95	103	10-130	8	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	54.4	56.6	109	113	10-141	4	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	51.1	50.2	102	100	49-130	2	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	53.9	55.9	108	112	20-137	4	20	
1,2-Dichloroethane	ug/L	ND	50	50	53.0	53.2	106	106	42-139	.4	20	
1,2-Dichloropropane	ug/L	ND	50	50	48.9	50.5	98	101	50-131	3	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	52.0	54.4	104	109	10-145	5	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	52.2	54.4	104	109	13-143	4	20	
1,3-Dichloropropane	ug/L	ND	50	50	51.8	51.0	104	102	53-130	2	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	51.4	53.4	103	107	13-140	4	20	
2,2-Dichloropropane	ug/L	ND	50	50	40.5	41.9	81	84	13-142	3	20	
2-Butanone (MEK)	ug/L	ND	250	250	260	266	104	106	43-142	2	20	
2-Chlorotoluene	ug/L	ND	50	50	52.9	54.2	106	108	15-145	3	20	
2-Hexanone	ug/L	ND	250	250	299	304	120	122	46-139	2	20	
4-Chlorotoluene	ug/L	ND	50	50	52.7	54.4	105	109	12-143	3	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	295	295	118	118	43-140	.2	20	
Acetone	ug/L	ND	250	250	261	261	105	105	38-155	.06	20	
Acrolein	ug/L	ND	1000	1000	1080	1130	108	113	11-200	5	20	
Acrylonitrile	ug/L	ND	1000	1000	994	994	99	99	42-150	.003	20	
Benzene	ug/L	ND	50	50	50.6	51.1	101	102	52-134	1	20	
Bromobenzene	ug/L	ND	50	50	49.7	50.9	99	102	25-140	2	20	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 720641 720642

Parameter	Units	5061129001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Bromochloromethane	ug/L	ND	50	50	44.0	42.2	88	84	54-144	4	20	
Bromodichloromethane	ug/L	ND	50	50	49.9	50.0	100	100	42-128	.1	20	
Bromoform	ug/L	ND	50	50	38.1	39.0	76	78	34-116	2	20	
Bromomethane	ug/L	ND	50	50	54.6	56.1	109	112	10-200	3	20	
Carbon disulfide	ug/L	ND	100	100	110	108	110	108	43-144	2	20	
Carbon tetrachloride	ug/L	ND	50	50	45.7	45.7	91	91	26-136	.2	20	
Chlorobenzene	ug/L	ND	50	50	59.0	59.3	118	119	33-136	.6	20	
Chloroethane	ug/L	ND	50	50	46.6	45.3	93	91	21-200	3	20	
Chloroform	ug/L	ND	50	50	51.2	51.6	102	103	50-134	.7	20	
Chloromethane	ug/L	ND	50	50	44.1	42.3	88	85	32-160	4	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	52.3	51.3	105	103	48-145	2	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	49.1	49.9	98	100	35-116	2	20	
Dibromochloromethane	ug/L	ND	50	50	44.4	44.4	89	89	39-122	.2	20	
Dibromomethane	ug/L	ND	50	50	55.2	54.9	110	110	49-134	.5	20	
Dichlorodifluoromethane	ug/L	ND	50	50	48.3	48.7	97	97	35-200	.8	20	
Ethyl methacrylate	ug/L	ND	200	200	184	191	92	96	54-123	4	20	
Ethylbenzene	ug/L	ND	50	50	47.5	47.1	95	94	29-132	.9	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	47.8	49.2	96	98	10-146	3	20	
Iodomethane	ug/L	ND	100	100	106	107	106	107	10-171	.9	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	46.1	46.1	92	92	11-146	.07	20	
Methyl-tert-butyl ether	ug/L	ND	100	100	101	102	101	102	39-137	2	20	
Methylene Chloride	ug/L	ND	50	50	50.1	49.3	100	99	47-141	1	20	
n-Butylbenzene	ug/L	ND	50	50	51.5	53.4	103	107	10-156	4	20	
n-Propylbenzene	ug/L	ND	50	50	54.4	55.9	109	112	10-148	3	20	
Naphthalene	ug/L	ND	50	50	53.6	58.2	107	116	40-124	8	20	
p-Isopropyltoluene	ug/L	ND	50	50	53.8	56.3	108	113	10-150	4	20	
sec-Butylbenzene	ug/L	ND	50	50	47.9	49.2	96	98	10-150	3	20	
Styrene	ug/L	ND	50	50	45.0	47.0	90	94	20-143	4	20	
tert-Butylbenzene	ug/L	ND	50	50	44.5	45.7	89	91	10-123	3	20	
Tetrachloroethene	ug/L	ND	50	50	59.3	59.6	119	119	30-124	.4	20	
Toluene	ug/L	ND	50	50	54.8	54.4	110	109	42-130	.6	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	49.7	48.3	99	97	48-144	3	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	44.8	46.9	90	94	24-114	4	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	200	195	191	97	95	22-120	2	20	
Trichloroethene	ug/L	ND	50	50	53.8	55.0	108	110	44-130	2	20	
Trichlorofluoromethane	ug/L	ND	50	50	51.2	51.3	102	103	17-200	.3	20	
Vinyl acetate	ug/L	ND	200	200	123	127	62	64	10-115	3	20	
Vinyl chloride	ug/L	ND	50	50	45.3	43.2	91	86	45-159	5	20	
Xylene (Total)	ug/L	ND	150	150	159	159	106	106	29-131	.02	20	
4-Bromofluorobenzene (S)	%.						90	93	72-125		20	
Dibromofluoromethane (S)	%.						102	100	83-123		20	
Toluene-d8 (S)	%.						99	100	81-114		20	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

QC Batch: MSV/41340 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 5061177004, 5061177007, 5061177008, 5061177009, 5061177010

METHOD BLANK: 721143 Matrix: Water
Associated Lab Samples: 5061177004, 5061177007, 5061177008, 5061177009, 5061177010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	04/16/12 12:30	
1,1,1-Trichloroethane	ug/L	ND	5.0	04/16/12 12:30	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	04/16/12 12:30	
1,1,2-Trichloroethane	ug/L	ND	5.0	04/16/12 12:30	
1,1-Dichloroethane	ug/L	ND	5.0	04/16/12 12:30	
1,1-Dichloroethene	ug/L	ND	5.0	04/16/12 12:30	
1,1-Dichloropropene	ug/L	ND	5.0	04/16/12 12:30	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	04/16/12 12:30	
1,2,3-Trichloropropane	ug/L	ND	5.0	04/16/12 12:30	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	04/16/12 12:30	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	04/16/12 12:30	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	04/16/12 12:30	
1,2-Dichlorobenzene	ug/L	ND	5.0	04/16/12 12:30	
1,2-Dichloroethane	ug/L	ND	5.0	04/16/12 12:30	
1,2-Dichloropropane	ug/L	ND	5.0	04/16/12 12:30	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	04/16/12 12:30	
1,3-Dichlorobenzene	ug/L	ND	5.0	04/16/12 12:30	
1,3-Dichloropropane	ug/L	ND	5.0	04/16/12 12:30	
1,4-Dichlorobenzene	ug/L	ND	5.0	04/16/12 12:30	
2,2-Dichloropropane	ug/L	ND	5.0	04/16/12 12:30	
2-Butanone (MEK)	ug/L	ND	25.0	04/16/12 12:30	
2-Chlorotoluene	ug/L	ND	5.0	04/16/12 12:30	
2-Hexanone	ug/L	ND	25.0	04/16/12 12:30	
4-Chlorotoluene	ug/L	ND	5.0	04/16/12 12:30	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	04/16/12 12:30	
Acetone	ug/L	ND	100	04/16/12 12:30	
Acrolein	ug/L	ND	50.0	04/16/12 12:30	
Acrylonitrile	ug/L	ND	100	04/16/12 12:30	
Benzene	ug/L	ND	5.0	04/16/12 12:30	
Bromobenzene	ug/L	ND	5.0	04/16/12 12:30	
Bromochloromethane	ug/L	ND	5.0	04/16/12 12:30	
Bromodichloromethane	ug/L	ND	5.0	04/16/12 12:30	
Bromoform	ug/L	ND	5.0	04/16/12 12:30	
Bromomethane	ug/L	ND	5.0	04/16/12 12:30	
Carbon disulfide	ug/L	ND	10.0	04/16/12 12:30	
Carbon tetrachloride	ug/L	ND	5.0	04/16/12 12:30	
Chlorobenzene	ug/L	ND	5.0	04/16/12 12:30	
Chloroethane	ug/L	ND	5.0	04/16/12 12:30	
Chloroform	ug/L	ND	5.0	04/16/12 12:30	
Chloromethane	ug/L	ND	5.0	04/16/12 12:30	
cis-1,2-Dichloroethene	ug/L	ND	5.0	04/16/12 12:30	
cis-1,3-Dichloropropene	ug/L	ND	5.0	04/16/12 12:30	
Dibromochloromethane	ug/L	ND	5.0	04/16/12 12:30	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

METHOD BLANK: 721143 Matrix: Water

Associated Lab Samples: 5061177004, 5061177007, 5061177008, 5061177009, 5061177010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/L	ND	5.0	04/16/12 12:30	
Dichlorodifluoromethane	ug/L	ND	5.0	04/16/12 12:30	
Ethyl methacrylate	ug/L	ND	100	04/16/12 12:30	
Ethylbenzene	ug/L	ND	5.0	04/16/12 12:30	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	04/16/12 12:30	
Iodomethane	ug/L	ND	10.0	04/16/12 12:30	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	04/16/12 12:30	
Methyl-tert-butyl ether	ug/L	ND	4.0	04/16/12 12:30	
Methylene Chloride	ug/L	ND	5.0	04/16/12 12:30	
n-Butylbenzene	ug/L	ND	5.0	04/16/12 12:30	
n-Propylbenzene	ug/L	ND	5.0	04/16/12 12:30	
Naphthalene	ug/L	ND	5.0	04/16/12 12:30	
p-Isopropyltoluene	ug/L	ND	5.0	04/16/12 12:30	
sec-Butylbenzene	ug/L	ND	5.0	04/16/12 12:30	
Styrene	ug/L	ND	5.0	04/16/12 12:30	
tert-Butylbenzene	ug/L	ND	5.0	04/16/12 12:30	
Tetrachloroethene	ug/L	ND	5.0	04/16/12 12:30	
Toluene	ug/L	ND	5.0	04/16/12 12:30	
trans-1,2-Dichloroethene	ug/L	ND	5.0	04/16/12 12:30	
trans-1,3-Dichloropropene	ug/L	ND	5.0	04/16/12 12:30	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	04/16/12 12:30	
Trichloroethene	ug/L	ND	5.0	04/16/12 12:30	
Trichlorofluoromethane	ug/L	ND	5.0	04/16/12 12:30	
Vinyl acetate	ug/L	ND	50.0	04/16/12 12:30	
Vinyl chloride	ug/L	ND	2.0	04/16/12 12:30	
Xylene (Total)	ug/L	ND	10.0	04/16/12 12:30	
4-Bromofluorobenzene (S)	%.	104	72-125	04/16/12 12:30	
Dibromofluoromethane (S)	%.	103	83-123	04/16/12 12:30	
Toluene-d8 (S)	%.	99	81-114	04/16/12 12:30	

LABORATORY CONTROL SAMPLE: 721144

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	46.8	94	69-122	
1,1,1-Trichloroethane	ug/L	50	43.0	86	69-126	
1,1,2,2-Tetrachloroethane	ug/L	50	44.9	90	68-134	
1,1,2-Trichloroethane	ug/L	50	39.4	79	77-129	
1,1-Dichloroethane	ug/L	50	39.4	79	70-127	
1,1-Dichloroethene	ug/L	50	44.3	89	75-145	
1,1-Dichloropropene	ug/L	50	39.7	79	75-126	
1,2,3-Trichlorobenzene	ug/L	50	45.5	91	63-130	
1,2,3-Trichloropropane	ug/L	50	79.1	158	45-121	L3
1,2,4-Trichlorobenzene	ug/L	50	47.5	95	64-122	
1,2,4-Trimethylbenzene	ug/L	50	54.2	108	68-129	
1,2-Dibromoethane (EDB)	ug/L	50	40.9	82	77-123	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

LABORATORY CONTROL SAMPLE: 721144

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichlorobenzene	ug/L	50	47.4	95	74-123	
1,2-Dichloroethane	ug/L	50	41.8	84	71-127	
1,2-Dichloropropane	ug/L	50	39.0	78	75-126	
1,3,5-Trimethylbenzene	ug/L	50	51.9	104	69-129	
1,3-Dichlorobenzene	ug/L	50	49.5	99	76-123	
1,3-Dichloropropane	ug/L	50	38.3	77	77-126	
1,4-Dichlorobenzene	ug/L	50	42.7	85	77-121	
2,2-Dichloropropane	ug/L	50	42.5	85	45-138	
2-Butanone (MEK)	ug/L	250	235	94	42-177	
2-Chlorotoluene	ug/L	50	50.0	100	74-129	
2-Hexanone	ug/L	250	222	89	57-162	
4-Chlorotoluene	ug/L	50	43.5	87	70-125	
4-Methyl-2-pentanone (MIBK)	ug/L	250	218	87	64-135	
Acetone	ug/L	250	217	87	10-200	
Acrolein	ug/L	1000	1390	139	10-200	
Acrylonitrile	ug/L	1000	753	75	59-144	
Benzene	ug/L	50	38.2	76	76-123	
Bromobenzene	ug/L	50	48.5	97	67-130	
Bromochloromethane	ug/L	50	44.5	89	58-153	
Bromodichloromethane	ug/L	50	44.6	89	71-124	
Bromoform	ug/L	50	36.4	73	64-116	
Bromomethane	ug/L	50	63.5	127	23-197	
Carbon disulfide	ug/L	100	100	100	55-146	
Carbon tetrachloride	ug/L	50	42.5	85	65-125	
Chlorobenzene	ug/L	50	40.0	80	78-120	
Chloroethane	ug/L	50	51.7	103	56-163	
Chloroform	ug/L	50	42.7	85	73-122	
Chloromethane	ug/L	50	49.9	100	46-146	
cis-1,2-Dichloroethene	ug/L	50	37.6	75	79-129	L0
cis-1,3-Dichloropropene	ug/L	50	42.9	86	66-123	
Dibromochloromethane	ug/L	50	39.5	79	70-123	
Dibromomethane	ug/L	50	45.7	91	73-123	
Dichlorodifluoromethane	ug/L	50	46.7	93	19-200	
Ethyl methacrylate	ug/L	200	162	81	70-127	
Ethylbenzene	ug/L	50	40.3	81	75-120	
Hexachloro-1,3-butadiene	ug/L	50	43.0	86	64-131	
Iodomethane	ug/L	100	108	108	16-181	
Isopropylbenzene (Cumene)	ug/L	50	43.1	86	73-123	
Methyl-tert-butyl ether	ug/L	100	81.5	82	66-128	
Methylene Chloride	ug/L	50	41.3	83	61-138	
n-Butylbenzene	ug/L	50	46.4	93	69-130	
n-Propylbenzene	ug/L	50	41.5	83	71-132	
Naphthalene	ug/L	50	46.9	94	62-130	
p-Isopropyltoluene	ug/L	50	47.4	95	71-126	
sec-Butylbenzene	ug/L	50	46.1	92	69-130	
Styrene	ug/L	50	47.7	95	75-125	
tert-Butylbenzene	ug/L	50	43.4	87	49-114	
Tetrachloroethene	ug/L	50	37.0	74	57-125	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

LABORATORY CONTROL SAMPLE: 721144

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene	ug/L	50	44.6	89	72-124	
trans-1,2-Dichloroethene	ug/L	50	42.3	85	71-145	
trans-1,3-Dichloropropene	ug/L	50	44.3	89	58-118	
trans-1,4-Dichloro-2-butene	ug/L	200	163	81	50-121	
Trichloroethene	ug/L	50	41.5	83	77-122	
Trichlorofluoromethane	ug/L	50	49.7	99	56-159	
Vinyl acetate	ug/L	200	238	119	27-119	
Vinyl chloride	ug/L	50	52.6	105	61-146	
Xylene (Total)	ug/L	150	136	90	72-126	
4-Bromofluorobenzene (S)	%.			101	72-125	
Dibromofluoromethane (S)	%.			100	83-123	
Toluene-d8 (S)	%.			93	81-114	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 721145 721146

Parameter	Units	5061177004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	47.2	51.0	94	102	30-122	8	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	44.4	46.3	89	93	37-136	4	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	46.5	45.3	93	91	47-132	3	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	41.0	43.8	82	88	53-131	7	20	
1,1-Dichloroethane	ug/L	ND	50	50	41.5	42.9	83	86	47-138	3	20	
1,1-Dichloroethene	ug/L	ND	50	50	49.4	49.3	99	99	54-152	.2	20	
1,1-Dichloropropene	ug/L	ND	50	50	41.0	41.5	82	83	47-136	1	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	43.4	43.9	87	88	15-132	1	20	
1,2,3-Trichloropropane	ug/L	ND	50	50	72.2	75.8	144	152	24-108	5	20	M0
1,2,4-Trichlorobenzene	ug/L	ND	50	50	40.9	42.1	82	84	10-130	3	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	51.6	53.0	103	106	10-141	3	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	44.0	46.5	88	93	49-130	6	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	48.3	50.1	97	100	20-137	4	20	
1,2-Dichloroethane	ug/L	ND	50	50	44.7	46.1	89	92	42-139	3	20	
1,2-Dichloropropane	ug/L	ND	50	50	43.4	45.0	87	90	50-131	3	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	49.7	51.1	99	102	10-145	3	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	47.7	48.1	95	96	13-143	.9	20	
1,3-Dichloropropane	ug/L	ND	50	50	40.3	43.5	81	87	53-130	8	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	41.4	42.6	83	85	13-140	3	20	
2,2-Dichloropropane	ug/L	ND	50	50	43.9	44.2	88	88	13-142	.5	20	
2-Butanone (MEK)	ug/L	ND	250	250	244	250	98	100	43-142	3	20	
2-Chlorotoluene	ug/L	ND	50	50	50.9	51.3	102	103	15-145	.8	20	
2-Hexanone	ug/L	ND	250	250	223	236	89	94	46-139	6	20	
4-Chlorotoluene	ug/L	ND	50	50	42.3	44.1	85	88	12-143	4	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	221	230	88	92	43-140	4	20	
Acetone	ug/L	ND	250	250	241	273	96	109	38-155	13	20	
Acrolein	ug/L	ND	1000	1000	1390	1310	139	131	11-200	5	20	
Acrylonitrile	ug/L	ND	1000	1000	815	844	82	84	42-150	3	20	
Benzene	ug/L	ND	50	50	41.3	41.7	83	83	52-134	.8	20	
Bromobenzene	ug/L	ND	50	50	47.9	51.3	96	103	25-140	7	20	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 721145 721146

Parameter	Units	5061177004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Bromochloromethane	ug/L	ND	50	50	48.6	52.1	97	104	54-144	7	20	
Bromodichloromethane	ug/L	ND	50	50	45.5	47.9	91	96	42-128	5	20	
Bromoform	ug/L	ND	50	50	32.5	35.1	65	70	34-116	8	20	
Bromomethane	ug/L	ND	50	50	61.8	65.5	124	131	10-200	6	20	
Carbon disulfide	ug/L	ND	100	100	105	99.4	105	99	43-144	5	20	
Carbon tetrachloride	ug/L	ND	50	50	39.4	42.2	79	84	26-136	7	20	
Chlorobenzene	ug/L	ND	50	50	42.3	44.1	85	88	33-136	4	20	
Chloroethane	ug/L	ND	50	50	54.4	50.7	109	101	21-200	7	20	
Chloroform	ug/L	ND	50	50	48.4	48.5	97	97	50-134	.2	20	
Chloromethane	ug/L	ND	50	50	50.8	47.2	102	94	32-160	7	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	41.3	43.2	83	86	48-145	4	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	43.6	46.7	87	93	35-116	7	20	
Dibromochloromethane	ug/L	ND	50	50	37.4	40.3	75	81	39-122	7	20	
Dibromomethane	ug/L	ND	50	50	46.8	49.0	94	98	49-134	5	20	
Dichlorodifluoromethane	ug/L	ND	50	50	47.6	44.6	95	89	35-200	6	20	
Ethyl methacrylate	ug/L	ND	200	200	164	177	82	89	54-123	8	20	
Ethylbenzene	ug/L	ND	50	50	42.4	44.2	85	88	29-132	4	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	40.6	40.3	81	81	10-146	.6	20	
Iodomethane	ug/L	ND	100	100	124	123	124	123	10-171	.9	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	45.6	47.2	91	94	11-146	3	20	
Methyl-tert-butyl ether	ug/L	ND	100	100	83.7	87.1	84	87	39-137	4	20	
Methylene Chloride	ug/L	ND	50	50	48.0	49.0	96	98	47-141	2	20	
n-Butylbenzene	ug/L	ND	50	50	39.6	40.2	79	80	10-156	1	20	
n-Propylbenzene	ug/L	ND	50	50	40.4	40.5	81	81	10-148	.2	20	
Naphthalene	ug/L	ND	50	50	45.3	46.2	91	92	40-124	2	20	
p-Isopropyltoluene	ug/L	ND	50	50	46.2	45.9	92	92	10-150	.6	20	
sec-Butylbenzene	ug/L	ND	50	50	46.2	46.7	92	93	10-150	1	20	
Styrene	ug/L	ND	50	50	47.9	50.0	96	100	20-143	4	20	
tert-Butylbenzene	ug/L	ND	50	50	45.0	45.1	90	90	10-123	.2	20	
Tetrachloroethene	ug/L	ND	50	50	38.7	39.7	74	76	30-124	3	20	
Toluene	ug/L	ND	50	50	47.8	50.0	96	100	42-130	5	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	45.8	43.0	92	86	48-144	6	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	44.4	46.6	89	93	24-114	5	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	200	200	158	164	79	82	22-120	4	20	
Trichloroethene	ug/L	ND	50	50	43.5	44.2	86	88	44-130	2	20	
Trichlorofluoromethane	ug/L	ND	50	50	51.7	49.2	103	98	17-200	5	20	
Vinyl acetate	ug/L	ND	200	200	183	187	91	94	10-115	2	20	
Vinyl chloride	ug/L	ND	50	50	54.0	49.5	108	99	45-159	9	20	
Xylene (Total)	ug/L	ND	150	150	142	150	95	100	29-131	5	20	
4-Bromofluorobenzene (S)	%.						101	102	72-125		20	
Dibromofluoromethane (S)	%.						101	99	83-123		20	
Toluene-d8 (S)	%.						94	96	81-114		20	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALIFIERS

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

L0	Analyte recovery in the laboratory control sample (LCS) was outside QC limits.
L3	Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.
M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
1233 Dublin Road
Columbus, OH 43215
(614)486-5421

Pace Analytical Services, Inc.
7726 Moller Road
Indianapolis, IN 46268
(317)875-5894

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Amphenol-AMP11-06
Pace Project No.: 5061177

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
5061177001	**IT-2**	EPA 8260	MSV/41313		
5061177002	**IT-3**	EPA 8260	MSV/41313		
5061177003	**MW-12R**	EPA 8260	MSV/41313		
5061177004	**MW-20**	EPA 8260	MSV/41340		
5061177005	**MW-22**	EPA 8260	MSV/41313		
5061177006	**MW-28**	EPA 8260	MSV/41313		
5061177007	**MW-29**	EPA 8260	MSV/41340		
5061177008	**MW-30**	EPA 8260	MSV/41340		
5061177009	**DUPLICATE**	EPA 8260	MSV/41340		
5061177010	**TRIP BLANK**	EPA 8260	MSV/41340		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

✓TMS

Pace Analytical

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page : 1 Of 1

Section A Required Client Information:

Company:	IWM Consulting
Address:	7428 Rockville Road
	Indianapolis, IN 46214
Email To:	cparks@iwmconsult.com
Phone: 347-1111	Fax:
Requested Due Date/TAT:	10 Day (Default)

Section B Required Project Information:

Report To:	Chris Parks
Copy To:	
Purchase Order No.	
Client Project ID:	Amphenol - AMP11-06
Container Order Number:	63809

Section C Invoice Information:

Attention:	Chris Parks
Company Name:	IWM Consulting
Address:	7428 Rockville Road, Indianapolis, IN 462
Pace Quote Reference:	
Pace Project Manager:	Hunt, Kenneth
Pace Profile #:	

Regulatory Agency
RCRA - Resource Conservation and Recovery Act
State / Location
Indiana

Requested Analysis Filtered (Y/N)

ITEM#	SAMPLE ID (One Character per box. (A-Z, 0-9 / , -) Sample Ids must be unique)	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED START DATE	COLLECTED START TIME	COLLECTED END DATE	COLLECTED END TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other	Analyses Test Y/N	VOC 8260 WT	Residual Chlorine (Y/N)	5061177
1	IT-2	WT	G	4-6-12	12:52				3				X						X		-001
2	IT-3	WT			13:02								X						X		-002
3	MW-12R	WT			12:45								X						X		-003
4	MW-20	WT			9:55								X						X		-004
5	MW-22	WT			12:25								X						X		-005
6	MW-28	WT			12:35								X						X		-006
7	MW-29	WT			12:00								X						X		-007
8	MW-30	WT			12:55								X						X		-008
9	DUPLICATE	WT											X						X		-009
10	TRIP BLANK	WT											X						X		-010
11																					
12																					

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
	Ralph Miera IWM	4-6-12	14:07	[illegible]	4-6-12	14:07	8.7 Y N Y

SAMPLER NAME AND SIGNATURE	
PRINT Name of SAMPLER:	Ralph Miera
SIGNATURE of SAMPLER:	Ralph Miera
DATE Signed:	4-6-12

TEMP in C | Received on Ice (Y/N) | Custody Sealed Cooler (Y/N) | Samples Intact (Y/N)

w/ client

Sample Condition Upon Receipt

Pace Analytical

Client Name: IWM Project # 5061177

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace Other _____

Tracking #: _____

Custody Seal on Cooler/Box Present: ☐ yes ☒ no Seals intact: ☐ yes ☒ no

Date/Time 5035A kits placed in freezer _____

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ None ☐ Other FOAM

Thermometer Used 1 2 3 4 6 A B (C) D E Type of Ice: (Wet) Blue None ☐ Samples on ice, cooling process has begun

Cooler Temperature (Corrected, if applicable) 27°C Ice Visible in Sample Containers: ☐ yes ☒ no

Temp should be above freezing to 6°C

Date and Initials of person examining contents: 4-6-12 DB

				Comments:
Chain of Custody Present:	☒Yes	☐No	☐N/A	1.
Chain of Custody Filled Out:	☒Yes	☐No	☐N/A	2.
Chain of Custody Relinquished:	☒Yes	☐No	☐N/A	3.
Sampler Name & Signature on COC:	☒Yes	☐No	☐N/A	4.
Short Hold Time Analysis (<72hr):	☐Yes	☒No	☐N/A	5.
Rush Turn Around Time Requested:	☐Yes	☒No	☐N/A	6.
Containers Intact:	☒Yes	☐No	☐N/A	7.
Sample Labels match COC: -Includes date/time/ID/Analysis	☒Yes	☐No	☐N/A	8.
All containers needing acid/base pres. have been checked? exceptions: VOA, coliform, TOC, O&G	☐Yes	☐No	☒N/A	9. (Circle) HNO3 H2SO4 NaOH HCl
All containers needing preservation are found to be in compliance with EPA recommendation.	☐Yes	☐No	☒N/A	
Headspace in VOA Vials (>6mm)	☐Yes	☒No	☐N/A	10.
Trip Blank Present:	☒Yes	☐No	☐N/A	11.
Trip Blank Custody Seals Present	☒Yes	☐No	☐N/A	
Project Manager Review				
Samples Arrived within Hold Time:	☒Yes	☐No	☐N/A	12.
Sufficient Volume:	☒Yes	☐No	☐N/A	13.
Correct Containers Used:	☒Yes	☐No	☐N/A	14.

Client Notification/ Resolution: Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: Kenneth Hunt **Date:** 4/6/12

Form F-IN-Q290-rev.04, 28Apr2011

Sample Container Count

CLIENT: IWM

COC PAGE 1 of 1

COC ID#

Project # 5061177

Sample Line Item	DG9H	AG1U	WGFU	R 4/6	BP2N	BP2U	BP2S	BP3N	BP3U	BP3S	AG3S	AG1H				Comments
1	3															
2																
3																
4																
5																
6																
7																
8																
9																
10																
11																
12																

Container Codes

DG9H	40mL HCL amber voa vial	AF	Air Filter	BP1N	1 liter HNO3 plastic	DG9P	40mL TSP amber vial
AG1U	1liter unpreserved amber glass	AG1H	1 liter HCL amber glass	BP1S	1 liter H2SO4 plastic	DG9S	40mL H2SO4 amber vial
WGFU	4oz clear soil jar	AG1S	1 liter H2SO4 amber glass	BP1U	1 liter unpreserved plastic	DG9T	40mL Na Thio amber vial
R	terra core kit	AG1T	1 liter Na Thiosulfate amber gl	BP1Z	1 liter NaOH, Zn, Ac	DG9U	40mL unpreserved **amber** vial
BP2N	500mL HNO3 plastic	AG2N	500mL HNO3 amber glass	BP2A	500mL NaOH, Asc Acid plastic	I	Wipe/Swab
BP2U	500mL unpreserved plastic	AG2S	500mL H2SO4 amber glass	BP2O	500mL NaOH plastic	JGFU	4oz unpreserved amber wide
BP2S	500mL H2SO4 plastic	AG2U	500mL unpreserved amber gla	BP2Z	500mL NaOH, Zn Ac	U	Summa Can
BP3N	250mL HNO3 plastic	AG3U	250mL unpreserved amber gla	BP3A	250mL NaOh, Asc Acid plastic	VG9H	40mL HCL clear vial
BP3U	250mL unpreserved plastic	BG1H	1 liter HCL clear glass	BP3C	250mL NaOH plastic	VG9T	40mL Na Thio. clear vial
BP3S	250mL H2SO4 plastic	BG1S	1 liter H2SO4 clear glass	BP3Z	250mL NaOH, Zn Ac plastic	VG9U	40mL unpreserved **clear** vial
AG3S	250mL H2SO4 glass amber	BG1T	1 liter Na Thiosulfate clear gla	C	Air Cassettes	VSG	Headspace septa vial & HCL
AG1S	1 liter H2SO4 amber glass	BG1U	1 liter unpreserved glass	DG9B	40mL Na Bisulfate amber vial	WGFX	4oz wide jar w/hexane wipe
BP1U	1 liter unpreserved plastic	BP1A	1 liter NaOH, Asc Acid plastic	DG9M	40mL MeOH clear vial	ZPLC	Ziploc Bag