From: Miller, Barbara J
To: Howell, Tonya; feyi.ilesanmi@dnr.mo.gov; Brown, Randolph; Sperry, Clint
Cc: Meyer, Lisa A; Todd Aseltyne; Nicholas Galla
Subject: 10/28/2022 PW-11 and CW-6 results
Date: Friday, November 04, 2022 6:15:58 AM
Attachments: 22101907.pdf
22101907EDD.XLS
22101907EDD_212.csv

Everyone

Here is the PW-11 and CW-6 results from 10/28/2022

Well ID	Date	cis-DCE	VC	PCE	1,1-DCE	t-1,2-DCE	TCE
PZ-11	01/14/2022	19.3	18.4				
PZ-11	01/28/2022	30.2	26.2				
PZ-11	02/11/2022	48.9	39.4				
PZ-11	02/25/2022	51.6	35.6		0.2 J	0.2 J	
PZ-11	03/11/2022	69.6	45				
PZ-11	03/25/2022	88.6	48.2				
PZ-11	04/08/2022	83.6	56.8				
PZ-11	04/22/2022	4.3	<0.1				
PZ-11	05/09/2022	65.4	47.7				
PZ-11	05/27/2022	46.4	29.2				
PZ-11	06/10/2022	47.1	28.8				
PZ-11	06/24/2022	88.4	50.9	0.7 J	0.2 J	0.2 J	
PZ-11	07/08/2022	82.8	39.2	<0.1	0.2 J	0.2 J	
PZ-11	07/22/2022	75	33.7	<0.1	0.2 J	0.2 J	
PZ-11	08/05/2022	89.9	30.4	0.3 J	0.3 J	0.3 J	
PZ-11	08/22/2022	71.2	23.5	<0.1	0.2 J	0.2 J	<0.2
PZ-11	09/01/2022	147	57.4	<0.1	0.4 J	0.2 J	<0.2
PZ-11	09/16/2022	135	61.9	<0.1	0.3 J	0.3 J	<0.2
PZ-11	10/04/2022	129	49	<0.1	<0.1	<0.1	<0.2
PZ-11	10/14/2022	170	53.8	<0.1	0.4 J	0.5 J	<0.2
PZ-11	10/28/2022	168	37.2	<0.1	<0.1	0.5 J	<0.2
CW-6	01/14/2022	2.2	1.1 J				
CW-6	1/14/2022 D	2.2	1.2 J				
CW-6	01/28/2022	1.4 J	0.6J				
CW-6	02/11/2022	0.5 J	0.2 J				
CW-6	02/25/2022	0.5 J	<0.1				
CW-6 - 45'	03/11/2022	<0.2	<0.1	<0.5			
CW-6 - 70'	03/11/2022	<0.2	<0.1	<0.5			
CW-6 - 90'	03/11/2022	<0.2	<0.1	<0.5			
CW-6 - 45'	03/25/2022	<0.2	<0.1	<0.5			
CW-6 - 70'	03/25/2022	<0.2	<0.1	<0.5			
CW-6 - 90'	03/25/2022	<0.2	<0.1	<0.5			
CW-6 - 45'	04/08/2022	<0.2	<0.1	<0.5			
CW-6 - 70'	04/08/2022	<0.2	<0.1	<0.5			
CW-6 - 90'	04/08/2022	<0.2	<0.1	<0.5			
CW-6 - 45'	04/22/2022	<0.2	<0.1	<0.5			
CW-6 - 70'	04/22/2022	<0.2	<0.1	<0.5			
CW-6 - 90'	04/22/2022	<0.2	<0.1	<0.5			
CW-6 - 45'	05/09/2022	0.2 J	<0.1	0.2J			
CW-6 - 70'	05/09/2022	0.2 J	<0.1	0.1 J			
CW-6 - 90'	05/09/2022	0.4 J	1.0 J	<0.5			
CW-6 - 45'	05/27/2022	<0.2	<0.1	0.2 J			
CW-6 - 70'	05/27/2022	0.3 J	<0.1	<0.1			
CW-6 - 90'	05/27/2022	0.3 J	1.1 J	<0.1			
CW-6 - 45'	06/10/2022	0.2 J	<0.1	0.2 J			
CW-6 - 70'	06/10/2022	0.3 J	<0.1	0.1 J			
CW-6 - 90'	06/10/2022	0.4 J	1.3 J	<0.1			
CW-6 - 45'	06/24/2022	0.2 J	<0.1	0.4 J			
CW-6 - 70'	06/24/2022	0.2 J	<0.1	0.3 J			
CW-6 - 90'	06/24/2022	0.4 J	1.3 J	<0.1			
CW-6 - 45'	07/08/2022	0.2 J	<0.1	0.2 J			

CW-6 - 70'	07/08/2022	0.2 J	<0.1	0.3 J			
CW-6 - 90'	07/08/2022	0.5 J	1.3 J	<0.1			
CW-6 - 45'	07/22/2022	0.2 J	<0.1	0.2 J			
CW-6 - 70'	07/22/2022	0.6 J	1.6	<0.1			
CW-6 - 90'	07/22/2022	0.5 J	1.5	<0.1			
CW-6 - 45'	08/05/2022	0.3 J	<0.1	0.5 J			
CW-6 - 70'	08/05/2022	0.6 J	1.6	0.2 J			
CW-6 - 90'	08/05/2022	0.6 J	1.5	0.2 J			
CW-6 - 45'	08/22/2022	0.2 J	<0.1	0.3 J			
CW-6 - 70'	08/22/2022	0.2 J	<0.1	0.3 J			
CW-6 - 90'	08/22/2022	0.4 J	1.1	<0.1			
CW-6 - 45'	09/01/2022	0.3 J	<0.1	0.2 J			
CW-6 - 70'	09/01/2022	0.2 J	<0.1	0.3 J			
CW-6 - 90'	09/01/2022	0.4 J	1	<0.1			
CW-6 - 45'	09/16/2022	0.2 J	<0.1	0.3 J			
CW-6 - 70'	09/16/2022	0.9 J	<0.1	<0.1			
CW-6 - 90'	09/16/2022	0.4 J	1.2	<0.1			
CW-6 - 45'	10/04/2022	<0.2	<0.1	<0.1			
CW-6 - 70'	10/04/2022	<0.2	<0.1	<0.1			
CW-6 - 90'	10/04/2022	<0.2	1.4	<0.1			
CW-6 - 45'	10/14/2022	0.4 J	<0.1	0.3 J			
CW-6 - 70'	10/14/2022	<0.2	<0.1	0.4 J			
CW-6 - 90'	10/14/2022	0.6 J	1.6	<0.1			
CW-6 - 45'	10/28/2022	0.2 J	<0.1	0.3 J			
CW-6 - 70'	10/28/2022	1.5 J	2.0	<0.1			
CW-6 - 90'	10/28/2022	0.6 J	1.2	<0.1			

Let me know if you have any questions.

Barbara J Miller

Environmental Specialist
Ameren Missouri Environmental Services
Working remotely
Cell: 314-223-4655

This communication and any attachments may be privileged and/or confidential and protected from disclosure, and are otherwise the exclusive property of Ameren Corporation and its affiliates (Ameren) or the intended recipient. If you are not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. Note that any views or opinions presented in this message do not necessarily represent those of Ameren. All e-mails are subject to Ameren policies. If you have received this in error, please notify the sender immediately by replying to the message and deleting the material from any computer.