Rineco

- **Manifest # AR-1551928**

11a) Paint Commodity Pack (LP-3)
11b) Mixed Solvents (3-L)
11d) Mixed Perc Liquids (TOX-L)
Land Disposal Restriction (LDR)

Profile Data Sheets

- **Manifest # 24809165**

11a) Paint Related Debris (3-S)
Land Disposal Restriction (LDR)
Profile Data Sheet

Crosby & Overton

- **Manifest # 24809409**

11a) Mercury Nitrate (LP-Merc) Lab Pack # 09
11b) Non-RCRA Liquids (LP-NRL) Lab Pack # 18
11c) Non-RCRA Liquids (LP-NRL) Lab Pack # 19
Land Disposal Restriction (LDR)
Lab Pack Inventory Sheets
Profile Data Sheet

Kinsbursky Brothers, Inc.

- **Manifest # 25109659**

11a) Lead Acid Car Batteries (LP-LEAD)
Land Disposal Restriction (LDR)
Profile Data Sheet

Onyx Environmental Services

- **Manifest # NH-12080501**

11a) Fluorescent Light Tubes (FL)
Profile Data Sheet

Ditty Drum

- **Bill of Lading # 122205-Excello**
  Empty 55-Gallon Drums

Puretec Industrial Water

- **Delivery Order # 128224**
  (3) 3.5 Ft^3 Deionization Bottles

Cal Water

- **Work Order # 49112**
  (3) 3.5 Ft^3 Deionization Bottles

Arkansas Department of Environmental Quality
Hazardous Waste Division
P.O. Box 8913, Little Rock, AR 72219-8913
Telephone: (501) 682-0833

5

Please print or type. *(Form designed for use on elite (12-pitch) typewriter.)* *Form Approved. OMB No. 2050-0039*

AR-2-99

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. CAP000000007
Manifest Document No. 51720
2. Page 1 of 1
Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
SPIRITO FAMLY TRUST
1801 SOUTH MYRTLE AVENUE - SUITE H
MONROVIA CA 91016
4. Generator's Phone (626 359-3368

A. State Manifest Document Number AR-1551928
B. State Generator's ID

5. Transporter 1 Company Name: ENVIRONMENTAL RECOVERY SERVICES, INC.
6. US EPA ID Number: CAD000097032
C. State Transporter's ID: H-
D. Transporter's Phone: 562 427-7277

7. Transporter 2 Company Name: MAUMEE EXPRESS (I.D. #778)
8. US EPA ID Number: NJD986600730
E. State Transporter's ID: H-
F. Transporter's Phone:

9. Designated Facility Name and Site Address
RINECO
1007 VULCAN ROAD - HASKELL
BENTON AR 72015
10. US EPA ID Number: ARD981057870
G. State Facility's ID: 550 620-6330
H. Facility's Phone: 501 778-2069

11. US DOT Description *(Including Proper Shipping Name, Hazard Class and ID Number)*	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. WASTE PAINT RELATED MATERIAL, N.O.S., 3, UN3175, PGIII (PAINT, METHYL ETHYL KETONE)	001	CF	01000	P	331 D001
b. RQ, WASTE FLAMMABLE LIQUID, N.O.S., 3, UN1993, PGIII (METHYL ETHYL KETONE, MINERAL SPIRITS)	003	DM	00100	G	331 D001
c. ~~RQ, WASTE PAINT, 3, UN1263, PGIII~~		~~CF~~		~~P~~	~~331~~ D001
d. WASTE TOXIC LIQUID, ORGANIC, N.O.S., 6.1, UN2810, PGIII	003	DM	00150	G	331 F002

J. Additional Description for Materials Listed Above
11A, 12A, 11B, 12B, 11C, 12C, 11D, 12D
11A) SFT-SOLVPNT - PAINT COMMODITY PACK #LP-311A, EPA_CODES - F005
11B) SFT-SOLVENTS - MIXED SOLVENTS #S-L118, EPA_CODES - F005
12C) SFT-PAINT - MISC. PAINT RELIDS #OS
11D) SFT-PERS.UN - MIXED PERS LIQUIDS #TOX-L
If no alternate TSDF, return to generator.

K. Emergency Response Information:
EMERGENCY CALL ENVIROSERV 1-562-427-7277

15. Special Handling Instructions and Additional Information
** BILL TO ENVIRONMENTAL RECOVERY SERVICES ** USE PROPER SAFETY EQUIPMENT
** ERS W.O.# 29873 - LQ **
SITE: EXCELLO PLATING - 4057 GOODWIN AVE., LOS ANGELES, CA 90039

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packaged, marked, and labeled/placarded, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and Arkansas state regulations.
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: On Behalf of Spirito Fam Tr
Signature:
Month Day Year: 12 22 05

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Juan M Gomez
Signature:
Month Day Year: 12 22 05

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name
Signature
Month Day Year

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name
Signature
Month Day Year

EPA Form 8700-22 (Rev. 9-88) Previous edition is obsolete.

GENERATOR INITIAL COPY

RINECO LAND DISPOSAL RESTRICTION NOTIFICATION FOR

Generator SPIRITO FAMILY TRUST EPA ID # CAP000006007

EPA Codes D001, F005 State Man. Doc. # 1551928 Man. Doc. # 51928

331 **Profile #** SFT-SOLVPNT Line Item 11A

EPA Waste Code	Waste Description & Treatment/ Regulatory Subcategory	NON-WASTEWATE	Concentration in mg/l or Technology Code
	D001	Ignitable characteristic wastes, except for 261.21(a)(1) High TOC subcategory that are managed in Non-CWA/nonCWA equivalent/non class I SDWA systems.	DEACT and meet 268.48 standards or RORGS; or CMBST
X	D001	High TOC Ignitable characteristic liquids subcategory based on 40 CFR 261.21(a)(1)-greater than or equal to 10% TOC.	RORGS; or CMBST; or POLYM
	D002	Corrosive characteristic wastes that are managed in non-CWA non CWA equivalent, or class / SDWA systems.	DEACT & meet 268.48 standards

D004-D011 Heavy Metals Expressed in Concentrations of mg/l (TCLP) and must meet 268.48 Standards. **(NON-WASTEWATER)**

	D004 Arsenic 5.0		**D008** Lead 0.75
	D005 Barium 21		**D009** Mercury 0.20 low mercury subcategory
	D006 Cadmium 0.11		**D010** Selenium 5.7
	D007 Chromium 0.06		**D011** Silver 0.14

D012-D043 Concentrations Expressed in mg/kg, and Must Meet 268.48 Standards. **(NON-WASTEWATER)**

	D012 Endrin 0.13		**D024** m-cresol 5.6		**D036** Nitrobenzene 14
	D013 Lindane 0.066		**D025** p-cresol 5.6		**D037** Pentachlorophenol 7.4
	D014 Methoxychlor 0.18		**D026** Cresol Mixed Isomer 11.2		**D038** Pyridine 16
	D015 Toxaphene 2.6		**D027** p-dichlorobenzene 6.0		**D039** Tetrachloroethylene 6.0
	D016 2,4 D 10		**D028** 1,2-dichloroethane 6.0		**D040** Trichloroethylene 6.0
	D017 2,4,5-TP Silvex 7.9		**D029** 1,1-dichloroethylene 6.0		**D041** 2,4,5-Trichlorophenol 7.4
	D018 Benzene 10		**D030** 2,4-dinitrotoluene 140		**D042** 2,4,6-Trichlorophenol 7.4
	D019 Carbon Tetrachloride 6.0		**D031** Heptachlor & epoxides 0.066		**D043** Vinyl Chloride 6.0
	D020 Chlordane 0.26		**D032** Hexachlorobenzene 10		
	D021 Chlorobenzene 6.0		**D033** Hexachlorobutadiene 5.6		
	D022 Chloroform 6.0		**D034** Hexachloroethane 30		
	D023 o-cresol 5.6		**D035** Methyl Ethyl Ketone 36		

F001-F005 Spent Solvents; concentrations expressed in mg/kg	**(NON-WASTEWATER)**	**F003-F005 Non-Wastewater spent solvents expressed in mg/l (TCLP)**
Acetone 160	Isobutyl Alcohol 170	Carbon disulfide 4.8
Benzene 10	Methylene Chloride 30	Cyclohexanone 0.75
N-butyl alcohol 2.6	X Methyl Ethyl Ketone 36	Methanol 0.75
carbon tetrachloride 6.0	Methyl Isobutyl Ketone 33	
clorobenzene 6.0	Nitrobenzene 14	
o-cresol 5.6	Pyridine 16	
m-cresol 5.6	Tetrachloroethylene 6.0	
p-cresol 5.6	Toluene 10	
Cresol-mixed isomers 11.2	111-Trichloroethane 6.0	
O - Dichlorobenzene 6.0	112-Trichloroethane 6.0	
Ethyl Acetate 33	112-Trichloro-122-trifluoroethane 30	
Ethyl Benzene 10	Trichloroethylene 6.0	
Ethyl Ether 160	Trichloromonofluoromethane 30	
	Xylene (mixed isomers) 30	

GENERATOR COPY

RINECO LAND DISPOSAL RESTRICTION NOTIFICATION FOR

Generator	SPIRITO FAMILY TRUST	EPA ID #	CAP000006007	
EPA Codes	D001, F005	State Man. Doc. #	1551928	Man. Doc. # 51928
	331	**Profile #**	SFT-SOLVENTS	Line Item 11B

EPA Waste Code	Waste Description & Treatment/ Regulatory Subcategory	NON-WASTEWATE	Concentration in mg/l or Technology Code
D001	Ignitable characteristic wastes, except for 261.21(a)(1) High TOC subcategory that are managed in Non-CWA/nonCWA equivalent/non class I SDWA systems.		DEACT and meet 268.48 standards or RORGS; or CMBST
D001	High TOC Ignitable characteristic liquids subcategory based on 40 CFR 261.21(a)(1)-greater than or equal to 10% TOC.		RORGS; or CMBST; or POLYM
D002	Corrosive characteristic wastes that are managed in non-CWA non CWA equivalent, or class / SDWA systems.		DEACT & meet 268.48 standards

D004-D011 Heavy Metals Expressed in Concentrations of mg/l (TCLP) and must meet 268.48 Standards. **(NON-WASTEWATER)**

D004	Arsenic 5.0	**D008**	Lead 0.75
D005	Barium 21	**D009**	Mercury 0.20 low mercury subcategory
D006	Cadmium 0.11	**D010**	Selenium 5.7
D007	Chromium 0.06	**D011**	Silver 0.14

D012-D043 Concentrations Expressed in mg/kg, and Must Meet 268.48 Standards. **(NON-WASTEWATER)**

D012	Endrin 0.13	**D024**	m-cresol 5.6	**D036**	Nitrobenzene 14
D013	Lindane 0.066	**D025**	p-cresol 5.6	**D037**	Pentachlorophenol 7.4
D014	Methoxychlor 0.18	**D026**	Cresol Mixed Isomer 11.2	**D038**	Pyridine 16
D015	Toxaphene 2.6	**D027**	p-dichlorobenzene 6.0	**D039**	Tetrachloroethylene 6.0
D016	2,4 D 10	**D028**	1,2-dichloroethane 6.0	**D040**	Trichloroethylene 6.0
D017	2,4,5-TP Silvex 7.9	**D029**	1,1-dichloroethylene 6.0	**D041**	2,4,5-Trichlorophenol 7.4
D018	Benzene 10	**D030**	2,4-dinitrotoluene 140	**D042**	2,4,6-Trichlorophenol 7.4
D019	Carbon Tetrachloride 6.0	**D031**	Heptachlor & epoxides 0.066	**D043**	Vinyl Chloride 6.0
D020	Chlordane 0.26	**D032**	Hexachlorobenzene 10		
D021	Chlorobenzene 6.0	**D033**	Hexachlorobutadiene 5.6		
D022	Chloroform 6.0	**D034**	Hexachloroethane 30		
D023	o-cresol 5.6	**D035**	Methyl Ethyl Ketone 36		

F001-F005 Spent Solvents; concentrations expressed in mg/kg **(NON-WASTEWATER)** **F003-F005 Non-Wastewater spent solvents expressed in mg/l (TCLP)**

Acetone 160	Isobutyl Alcohol 170	Carbon disulfide 4.8
Benzene 10	Methylene Chloride 30	Cyclohexanone 0.75
N-butyl alcohol 2.6	Methyl Ethyl Ketone 36	Methanol 0.75
carbon tetrachloride 6.0	Methyl Isobutyl Ketone 33	
clorobenzene 6.0	Nitrobenzene 14	
o-cresol 5.6	Pyridine 16	
m-cresol 5.6	Tetrachloroethylene 6.0	
p-cresol 5.6	Toluene 10	
Cresol mixed isomers 11.2	111-Trichloroethane 6.0	
O - Dichlorobenzene 6.0	112-Trichloroethane 6.0	
Ethyl Acetate 33	112-Trichloro-122-trifluoroethane 30	
Ethyl Benzene 10	Trichloroethylene 6.0	
Ethyl Ether 160	Trichloromonofluoromethane 30	
	Xylene (mixed isomers) 30	

GENERATOR COPY

RINECO LAND DISPOSAL RESTRICTION NOTIFICATION FOR

Generator	SPIRITO FAMILY TRUST	EPA ID #	CAP000006007	
EPA Codes	D001	State Man. Doc. #	1551928	Man. Doc. # 51928
	343	**Profile #**	SFT-PAINT	Line Item 11C

EPA Waste Code	Waste Description & Treatment/ Regulatory Subcategory	NON-WASTEWATE	Concentration in mg/l or Technology Code
D001	Ignitable characteristic wastes, except for 261.21(a)(1) High TOC subcategory that are managed in Non-CWA/nonCWA equivalent/non class I SDWA systems.		DEACT and meet 268.48 standards or RORGS; or CMBST
D001	High TOC Ignitable characteristic liquids subcategory based on 40 CFR 261.21(a)(1)-greater than or equal to 10% TOC.		RORGS; or CMBST; or POLYM
D002	Corrosive characteristic wastes that are managed in non-CWA non CWA equivalent, or class / SDWA systems.		DEACT & meet 268.48 standards

D004-D011 Heavy Metals Expressed in Concentrations of mg/l (TCLP) and must meet 268.48 Standards. **(NON-WASTEWATER)**

D004	Arsenic 5.0	**D008**	Lead 0.75
D005	Barium 21	**D009**	Mercury 0.20 low mercury subcategory
D006	Cadmium 0.11	**D010**	Selenium 5.7
D007	Chromium 0.06	**D011**	Silver 0.14

D012-D043 Concentrations Expressed in mg/kg, and Must Meet 268.48 Standards. **(NON-WASTEWATER)**

D012	Endrin 0.13	**D024**	m-cresol 5.6	**D036**	Nitrobenzene 14
D013	Lindane 0.066	**D025**	p-cresol 5.6	**D037**	Pentachlorophenol 7.4
D014	Methoxychlor 0.18	**D026**	Cresol Mixed Isomer 11.2	**D038**	Pyridine 16
D015	Toxaphene 2.6	**D027**	p-dichlorobenzene 6.0	**D039**	Tetrachloroethylene 6.0
D016	2,4 D 10	**D028**	1,2-dichloroethane 6.0	**D040**	Trichloroethylene 6.0
D017	2,4,5-TP Silvex 7.9	**D029**	1,1-dichloroethylene 6.0	**D041**	2,4,5-Trichlorophenol 7.4
D018	Benzene 10	**D030**	2,4-dinitrotoluene 140	**D042**	2,4,6-Trichlorophenol 7.4
D019	Carbon Tetrachloride 6.0	**D031**	Heptachlor & epoxides 0.066	**D043**	Vinyl Chloride 6.0
D020	Chlordane 0.26	**D032**	Hexachlorobenzene 10		
D021	Chlorobenzene 6.0	**D033**	Hexachlorobutadiene 5.6		
D022	Chloroform 6.0	**D034**	Hexachloroethane 30		
D023	o-cresol 5.6	**D035**	Methyl Ethyl Ketone 36		

F001-F005 Spent Solvents; concentrations expressed in mg/kg	**(NON-WASTEWATER)**	**F003-F005 Non-Wastewater spent solvents expressed in mg/l (TCLP)**
Acetone 160	Isobutyl Alcohol 170	Carbon disulfide 4.8
Benzene 10	Methylene Chloride 30	Cyclohexanone 0.75
N-butyl alcohol 2.6	Methyl Ethyl Ketone 36	Methanol 0.75
carbon tetrachloride 6.0	Methyl Isobutyl Ketone 33	
clorobenzene 6.0	Nitrobenzene 14	
o-cresol 5.6	Pyridine 16	
m-cresol 5.6	Tetrachloroethylene 6.0	
p-cresol 5.6	Toluene 10	
Cresol mixed isomers 11.2	111-Trichloroethane 6.0	
O - Dichlorobenzene 6.0	112-Trichloroethane 6.0	
Ethyl Acetate 33	112-Trichloro-122-trifluoroethane 30	
Ethyl Benzene 10	Trichloroethylene 6.0	
Ethyl Ether 160	Trichloromonofluoromethane 30	
	Xylene (mixed isomers) 30	

GENERATOR COPY

RINECO LAND DISPOSAL RESTRICTION NOTIFICATION FOR

Generator SPIRITO FAMILY TRUST EPA ID # CAP000006007

EPA Codes F002 State Man. Doc. # 1551928 Man. Doc. # 51928

331 **Profile #** SFT-PERCLIQ Line Item 11D

EPA Waste Code	Waste Description & Treatment/ Regulatory Subcategory	NON-WASTEWATE	Concentration in mg/l or Technology Code
D001	Ignitable characteristic wastes, except for 261.21(a)(1) High TOC subcategory that are managed in Non-CWA/nonCWA equivalent/non class I SDWA systems.		DEACT and meet 268.48 standards or RORGS; or CMBST
D001	High TOC Ignitable characteristic liquids subcategory based on 40 CFR 261.21(a)(1)-greater than or equal to 10% TOC.		RORGS; or CMBST; or POLYM
D002	Corrosive characteristic wastes that are managed in non-CWA non CWA equivalent, or class / SDWA systems.		DEACT & meet 268.48 standards

D004-D011 Heavy Metals Expressed in Concentrations of mg/l (TCLP) and must meet 268.48 Standards. **(NON-WASTEWATER)**

D004	Arsenic 5.0	**D008**	Lead 0.75
D005	Barium 21	**D009**	Mercury 0.20 low mercury subcategory
D006	Cadmium 0.11	**D010**	Selenium 5.7
D007	Chromium 0.06	**D011**	Silver 0.14

D012-D043 Concentrations Expressed in mg/kg, and Must Meet 268.48 Standards. **(NON-WASTEWATER)**

D012	Endrin 0.13	**D024**	m-cresol 5.6	**D036**	Nitrobenzene 14
D013	Lindane 0.066	**D025**	p-cresol 5.6	**D037**	Pentachlorophenol 7.4
D014	Methoxychlor 0.18	**D026**	Cresol Mixed Isomer 11.2	**D038**	Pyridine 16
D015	Toxaphene 2.6	**D027**	p-dichlorobenzene 6.0	**D039**	Tetrachloroethylene 6.0
D016	2,4 D 10	**D028**	1,2-dichloroethane 6.0	**D040**	Trichloroethylene 6.0
D017	2,4,5-TP Silvex 7.9	**D029**	1,1-dichloroethylene 6.0	**D041**	2,4,5-Trichlorophenol 7.4
D018	Benzene 10	**D030**	2,4-dinitrotoluene 140	**D042**	2,4,6-Trichlorophenol 7.4
D019	Carbon Tetrachloride 6.0	**D031**	Heptachlor & epoxides 0.066	**D043**	Vinyl Chloride 6.0
D020	Chlordane 0.26	**D032**	Hexachlorobenzene 10		
D021	Chlorobenzene 6.0	**D033**	Hexachlorobutadiene 5.6		
D022	Chloroform 6.0	**D034**	Hexachloroethane 30		
D023	o-cresol 5.6	**D035**	Methyl Ethyl Ketone 36		

F001-F005 Spent Solvents; concentrations expressed in mg/kg **(NON-WASTEWATER)** **F003-F005 Non-Wastewater spent solvents expressed in mg/l (TCLP)**

Acetone 160	Isobutyl Alcohol 170	Carbon disulfide 4.8
Benzene 10	Methylene Chloride 30	Cyclohexanone 0.75
N-butyl alcohol 2.6	Methyl Ethyl Ketone 36	Methanol 0.75
carbon tetrachloride 6.0	Methyl Isobutyl Ketone 33	
clorobenzene 6.0	Nitrobenzene 14	
o-cresol 5.6	Pyridine 16	
m-cresol 5.6	Tetrachloroethylene 6.0	
p-cresol 5.6	Toluene 10	
Cresol mixed isomers 11.2	111-Trichloroethane 6.0	
O - Dichlorobenzene 6.0	112-Trichloroethane 6.0	
Ethyl Acetate 33	112-Trichloro-122-trifluoroethane 30	
Ethyl Benzene 10	Trichloroethylene 6.0	
Ethyl Ether 160	Trichloromonofluoromethane 30	
	Xylene (mixed isomers) 30	

GENERATOR COPY

AR-1551928 (11A)

Rineco

819 Vulcan Road -- Haskell
P.O. Box 729, Benton, AR 72015
Office (501) 778-9089 Fax (501) 778-0201

Prepared by: ENVIROSERV

FOR OFFICE USE ONLY

Account Rep:

Region:

I. WASTE MATERIAL PROFILE SHEET

In accordance with the Federal and State regulations, it is necessary for the Generator of hazardous waste to properly identify the waste for their records as well as to supply the disposal facility with the information necessary to handle the waste. The information outlined below must be complete and signed by the generator. PLEASE PRINT LEGIBLY OR TYPE.

Generator Name: SPIRITO FAMILY TRUST/ EXCELLO
Address: 4057 GOODWIN AVENUE
LOS ANGELES, CA 90039
MAILING: 1801 S. MY
Technical Contact: N. FRUMKIN / DAVID CASH
24 hour Emergency Contact:
Is this material located or generated in a foreign country? N
Foreign Address:

USEPA I.D. No.: CAP000006007
State I.D. No.:
Phone: (562) 788-0829
Fax:
Title: PROJECT MGRS.
24 hour Phone:

II. GENERAL INFORMATION

Material Name: MIXED SOLVENTS AND PAINT IN CANS

- Y A. Does waste exhibit the characteristic of ignitablility as defined in 40 CFR 261.21?
- N B. Does waste exhibit the characteristic of corrosivity as defined in 40 CFR 261.22?
- N C. Does waste exhibit the characteristic of reactivity as defined in 40 CFR 261.23?
- Y D. Is waste a spent solvent as defined in 40 CFR 261.31?
- N E. Is waste a discarded chemical product, off spec, container or spill residues as defined in 40 CFR 261.33?

Detailed description of process generating waste: DISCARD

Anticipated Monthly Volume: 5 - 10

Bulk: [ ] Drum: [X] Other: [ ] Explain:

III. MATERIAL COMPOSITION

Component	Concentration Min	Max	Actual	PPM
METHYL ETHYL KETONE IN 5G PAILS		20		
PETROLEUM DISTILLATE CLEANER IN 5G PAIL		20		
PAINT RELATED MATERIAL IN 1G & 5G PAILS		80		

IV. PHYSICAL CHARACTERISTICS

Physical State: X Solid ___ Semi-Solid X Liquid
Free Liquid: ___ Yes X No
Viscosity: ___ Low X Medium ___ High
Layers: ___ Single ___ Bi-Layered X Multi
Odor: ___ None X Mild ___ Strong
Flash Point: X <73F ___ 73F - 140F ___ 140F-200F ___ >200F
pH: ___ < 2 ___ >12.5
Actual pH: 7 - 8
Density: BTU: > 8 K

V. OTHER CHARACTERISTICS

___ Explosive ___ Dioxin
___ Radioactive ___ Shock Sensitive
___ Sulfide ___ PCB
___ Etiological ___ Cyanide
___ Pyrophoric ___ Water Reactive

VI. SHIPPING INFORMATION

DOT Hazardous Material: X Yes ____ No ER Guide Page #: 128

Proper Shipping Name: WASTE PAINT RELATED MATERAIL, N.O.S. (PAINT, METHYL ETHYL KETONE)

Hazard Class and Division: 3 UN or NA: 3175 Packaging Group: III

RQ: X ____ Yes ____ No If Yes: 100 # Special Provisions: ____

USEPA HAZARDOUS WASTE: X Yes ____ No

Waste I.D. Numbers: D001, F005

331

VII. INDICATE IF THIS WASTE CONTAINS ANY OF THE FOLLOWING CHARACTERISTICS as defined by 40 CFR 261.24.

Check only if waste exceeds regulatory threshold levels and include analytical date if available.

Constituent	Regulatory level PPM	TCLP PPM	Total PPM	Know-ledge
D004 Arsenic	5.000			
D005 Barium	100.000			
D006 Cadmium	1.000			
D007 Chromium	5.000			
D008 Lead	5.000			
D009 Mercury	0.200			
D010 Selenium	1.000			
D011 Silver	5.000			
D012 Endrin	0.020			
D013 Lindane	0.400			
D014 Methoxychlor	10.000			
D015 Toxaphene	0.500			
D016 2,4 Dichlorophenoxyacetic acid	10.000			
D017 2,4,5 TP Silvex	1.000			

Constituent	Regulatory level PPM	TCLP PPM	Total PPM	Know-ledge
D018 Benzene	0.500			
D019 Carbon Tetrachloride	0.500			
D020 Chlordane	0.030			
D021 Chlorobenzer	100.000			
D022 Chloroform	6.000			
D023 0-Cresol	200.000			
D024 m-Cresol	200.000			
D025 p-Cresol	200.000			
D026 Cresol	200.000			
D027 1,4 Dichlorobenzene	7.500			
D028 1,2 Dichloroethane	0.500			
D029 1,1 Dichloroehtylene	0.700			
D030 2 4 Dinitrotoluene	0.130			
D031 Heptachlor	0.010			

VIII. Benzene Waste Operations NESHAP Generator Certification. Complete only if D018 and/or U019 appear in section VI (shipping information).

	Yes	No
1. Is this waste generated by an industry with any of the following SIC Codes: 2911, 2800-2899, 3312 or 4953?	☐	☐
2. Does this stream have Benzene concentration of 10 ppm or more?	☐	☐
3. Does this stream contain greater than 10% moisture?	☐	☐
4. Is this company's Total Annual Benzene (TAB) of 10Mg or greater per year?	☐	☐

AUTHORIZATION TO CORRECT WASTE MATERIAL PROFILE SHEET: In the event Rineco determines that it is necessary to make corrections on this Waste Material Profile Sheet to make the information herin consistent with the results of the sample characterization and/or applicable federal and state statutes and regulations. Rineco will contact the Generator and receive oral authorization to make such corrections. Generator ____ **does** ____ **does not** hereby authorize Rineco to make such changes pursuant to this paragraph.

GENERATOR CERTIFICATION: THIS CERTIFICATION IS REQUIRED FOR EACH PROFILE.

This above information is to be held confidential and is true and accurate to the best of my knowledge.

Signature: ____ Date: ____

Print Name: ____ Title: ____

AR.1551928 11B

Rineco

819 Vulcan Road -- Haskell
P.O. Box 729, Benton, AR 72015
Office (501) 778-9089 Fax (501) 778-0201

Prepared by: ENVIROSERV

FOR OFFICE USE ONLY

Account Rep:

Region:

I. WASTE MATERIAL PROFILE SHEET

In accordance with the Federal and State regulations, it is necessary for the Generator of hazardous waste to properly identify the waste for their records as well as to supply the disposal facility with the information necessary to handle the waste. The information outlined below must be complete and signed by the generator. PLEASE PRINT LEGIBLY OR TYPE.

Generator Name: SPIRITO FAMILY TRUST/ EXCELLO
Address: 4057 GOODWIN AVENUE
LOS ANGELES, CA 90039
MAILING: 1801 S. MY
Technical Contact: N. FRUMKIN / DAVID CASH
24 hour Emergency Contact:
Is this material located or generated in a foreign country? N
Foreign Address:

USEPA I.D. No. : CAP000006007
State I.D. No. :
Phone: (562) 788-0829
Fax:
Title: PROJECT MGRS.
24 hour Phone:

II. GENERAL INFORMATION

Material Name: MIXED SOLVENTS

Y A. Does waste exhibit the characteristic of ignitablility as defined in 40 CFR 261.21?
N B. Does waste exhibit the characteristic of corrosivity as defined in 40 CFR 261.22?
N C. Does waste exhibit the characteristic of reactivity as defined in 40 CFR 261.23?
Y D. Is waste a spent solvent as defined in 40 CFR 261.31?
N E. Is waste a discarded chemical product, off spec, container or spill residues as defined in 40 CFR 261.33?

Detailed description of process generating waste: DISCARD

Anticipated Monthly Volume: 5 - 10

Bulk: [ ] Drum: [X] Other: [ ] Explain:

III. MATERIAL COMPOSITION

Component	Concentration Min	Max	Actual	PPM
METHYL ETHYL KETONE		100		
MINERAL SPIRITS		100		

IV. PHYSICAL CHARACTERISTICS

Physical State: ___ Solid ___ Semi-Solid X Liquid
Free Liquid: X Yes ___ No
Viscosity: ___ Low X Medium ___ High
Layers: X Single ___ Bi-Layered ___ Multi
Odor: ___ None X Mild ___ Strong
Flash Point: X <73F ___ 73F - 140F ___ 140F-200F ___ >200F
pH: ___ < 2 ___ >12.5
Actual pH: 7 - 8
Density: BTU: > 8 K

V. OTHER CHARACTERISTICS

___ Explosive ___ Dioxin
___ Radioactive ___ Shock Sensitive
___ Sulfide ___ PCB
___ Etiological ___ Cyanide
___ Pyrophoric ___ Water Reactive

VI. SHIPPING INFORMATION

DOT Hazardous Material: X Yes ____ No ER Guide Page #: 128

Proper Shipping Name: RQ, WASTE FLAMMABLE LIQUID, N.O.S. (METHYL ETHYL KETONE, MINERAL SPIR

Hazard Class and Division: 3 UN or NA: 1993 Packaging Group: III

RQ: X ____ Yes ____ No If Yes: 100 # Special Provisions: ____

USEPA HAZARDOUS WASTE: X Yes ____ No

Waste I.D. Numbers: D001, F005

331

VII. INDICATE IF THIS WASTE CONTAINS ANY OF THE FOLLOWING CHARACTERISTICS as defined by 40 CFR 261.24.

Check only if waste exceeds regulatory threshold levels and include analytical date if available.

Constituent	Regulatory level PPM	TCLP PPM	Total PPM	Know-ledge	Constituent	Regulatory level PPM	TCLP PPM	Total PPM	Know-ledge
D004 Arsenic	5.000				D018 Benzene	0.500			
D005 Barium	100.000				D019 Carbon Tetrachloride	0.500			
D006 Cadmium	1.000				D020 Chlordane	0.030			
D007 Chromium	5.000				D021 Chlorobenzer	100.000			
D008 Lead	5.000				D022 Chloroform	6.000			
D009 Mercury	0.200				D023 0-Cresol	200.000			
D010 Selenium	1.000				D024 m-Cresol	200.000			
D011 Silver	5.000				D025 p-Cresol	200.000			
D012 Endrin	0.020				D026 Cresol	200.000			
D013 Lindane	0.400				D027 1,4 Dichlorobenzene	7.500			
D014 Methoxychlor	10.000				D028 1,2 Dichloroethane	0.500			
D015 Toxaphene	0.500				D029 1,1 Dichloroehtylene	0.700			
D016 2,4 Dichlorophenoxyacetic acid	10.000				D030 2 4 Dinitrotoluene	0.130			
D017 2,4,5 TP Silvex	1.000				D031 Heptachlor	0.010			

VIII. Benzene Waste Operations NESHAP Generator Certification. Complete only if D018 and/or U019 appear in section VI (shipping information).

	Yes	No
1. Is this waste generated by an industry with any of the following SIC Codes: 2911, 2800-2899, 3312 or 4953?	☐	☐
2. Does this stream have Benzene concentration of 10 ppm or more?	☐	☐
3. Does this stream contain greater than 10% moisture?	☐	☐
4. Is this company's Total Annual Benzene (TAB) of 10Mg or greater per year?	☐	☐

AUTHORIZATION TO CORRECT WASTE MATERIAL PROFILE SHEET: In the event Rineco determines that it is necessary to make corrections on this Waste Material Profile Sheet to make the information herin consistent with the results of the sample characterization and/or applicable federal and state statutes and regulations. Rineco will contact the Generator and receive oral authorization to make such corrections. Generator ____ **does** ____ **does not** hereby authorize Rineco to make such changes pursuant to this paragraph.

GENERATOR CERTIFICATION: THIS CERTIFICATION IS REQUIRED FOR EACH PROFILE.

This above information is to be held confidential and is true and accurate to the best of my knowledge.

Signature: ____ Date: ____

Print Name: ____ Title: ____

AR 1551928 110

Rineco

819 Vulcan Road -- Haskell
P.O. Box 729, Benton, AR 72015
Office (501) 778-9089 Fax (501) 778-0201

Prepared by: ENVIROSERV

FOR OFFICE USE ONLY

Account Rep:

Region:

I. WASTE MATERIAL PROFILE SHEET

In accordance with the Federal and State regulations, it is necessary for the Generator of hazardous waste to properly identify the waste for their records as well as to supply the disposal facility with the information necessary to handle the waste. The information outlined below must be complete and signed by the generator. PLEASE PRINT LEGIBLY OR TYPE.

Generator Name: SPIRITO FAMILY TRUST/ EXCELLO
Address: 4057 GOODWIN AVENUE
LOS ANGELES, CA 90039
MAILING: 1801 S. MY
Technical Contact: N. FRUMKIN / DAVID CASH
24 hour Emergency Contact:
Is this material located or generated in a foreign country? N
Foreign Address:

USEPA I.D. No. : CAP000006007
State I.D. No. :
Phone: (562) 788-0829
Fax:
Title: PROJECT MGRS.
24 hour Phone:

II. GENERAL INFORMATION

Material Name: MIXED HALOGENATED SOLVENTS

N A. Does waste exhibit the characteristic of ignitablility as defined in 40 CFR 261.21?
N B. Does waste exhibit the characteristic of corrosivity as defined in 40 CFR 261.22?
N C. Does waste exhibit the characteristic of reactivity as defined in 40 CFR 261.23?
Y D. Is waste a spent solvent as defined in 40 CFR 261.31?
N E. Is waste a discarded chemical product, off spec, container or spill residues as defined in 40 CFR 261.33?

Detailed description of process generating waste: DISCARD

Anticipated Monthly Volume: 5 - 10

Bulk: [ ] Drum: [X] Other: [ ] Explain:

III. MATERIAL COMPOSITION

Component	Concentration Min	Max	Actual	PPM
ULTRASONIC CLEANER		20		
TETRACHLOROETHYLENE SOLUTION		40		
DEGREASER SOLVENTS		40		

IV. PHYSICAL CHARACTERISTICS

Physical State: ___ Solid ___ Semi-Solid X Liquid
Free Liquid: X Yes ___ No
Viscosity: ___ Low X Medium ___ High
Layers: ___ Single ___ Bi-Layered X Multi
Odor: ___ None X Mild ___ Strong
Flash Point: ___ <73F ___ 73F - 140F ___ 140F-200F X >200F
pH: ___ < 2 ___ >12.5
Actual pH: 7 - 8
Density: BTU: > 8 K

V. OTHER CHARACTERISTICS

___ Explosive ___ Dioxin
___ Radioactive ___ Shock Sensitive
___ Sulfide ___ PCB
___ Etiological ___ Cyanide
___ Pyrophoric ___ Water Reactive

VI. SHIPPING INFORMATION

DOT Hazardous Material: X Yes ____ No ER Guide Page #: 153

Proper Shipping Name: WASTE TOXIC LIQUID, ORGANIC, N. O. S.

Hazard Class and Division: 6.1 UN or NA: 2810 Packaging Group: III

RQ: ____ Yes X No If Yes: ____ Special Provisions: ____

USEPA HAZARDOUS WASTE: X Yes ____ No

Waste I.D. Numbers: F002

CA: 331

VII. INDICATE IF THIS WASTE CONTAINS ANY OF THE FOLLOWING CHARACTERISTICS as defined by 40 CFR 261.24.

Check only if waste exceeds regulatory threshold levels and include analytical date if available.

Constituent	Regulatory level PPM	TCLP PPM	Total PPM	Know-ledge	Constituent	Regulatory level PPM	TCLP PPM	Total PPM	Know-ledge
D004 Arsenic	5.000				D018 Benzene	0.500			
D005 Barium	100.000				D019 Carbon Tetrachloride	0.500			
D006 Cadmium	1.000				D020 Chlordane	0.030			
D007 Chromium	5.000				D021 Chlorobenzer	100.000			
D008 Lead	5.000				D022 Chloroform	6.000			
D009 Mercury	0.200				D023 0-Cresol	200.000			
D010 Selenium	1.000				D024 m-Cresol	200.000			
D011 Silver	5.000				D025 p-Cresol	200.000			
D012 Endrin	0.020				D026 Cresol	200.000			
D013 Lindane	0.400				D027 1,4 Dichlorobenzene	7.500			
D014 Methoxychlor	10.000				D028 1,2 Dichloroethane	0.500			
D015 Toxaphene	0.500				D029 1,1 Dichloroehtylene	0.700			
D016 2,4 Dichlorophenoxyacetic acid	10.000				D030 2 4 Dinitrotoluene	0.130			
D017 2,4,5 TP Silvex	1.000				D031 Heptachlor	0.010			

VIII. Benzene Waste Operations NESHAP Generator Certification. Complete only if D018 and/or U019 appear in section VI (shipping information).

	Yes	No
1. Is this waste generated by an industry with any of the following SIC Codes: 2911, 2800-2899, 3312 or 4953?	☐	☐
2. Does this stream have Benzene concentration of 10 ppm or more?	☐	☐
3. Does this stream contain greater than 10% moisture?	☐	☐
4. Is this company's Total Annual Benzene (TAB) of 10Mg or greater per year?	☐	☐

AUTHORIZATION TO CORRECT WASTE MATERIAL PROFILE SHEET: In the event Rineco determines that it is necessary to make corrections on this Waste Material Profile Sheet to make the information herin consistent with the results of the sample characterization and/or applicable federal and state statutes and regulations. Rineco will contact the Generator and receive oral authorization to make such corrections. Generator ____ **does** ____ **does not** hereby authorize Rineco to make such changes pursuant to this paragraph.

GENERATOR CERTIFICATION: THIS CERTIFICATION IS REQUIRED FOR EACH PROFILE.

This above information is to be held confidential and is true and accurate to the best of my knowledge.

Signature: ____ Date: ____

Print Name: ____ Title: ____

State of California—Environmental Protection Agency
Form Approved OMB No. 2050-0039 (Expires 9-30-99)
Please print or type. *Form designed for use on elite (12-pitch) typewriter.*

See Instructions on back of page 6.

Department of Toxic Substances Control
Sacramento, California

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. CAD000088017 Manifest Document No. 09116 15
2. Page 1 of 1

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
SPIRITO FAMLY TRUST
1801 SOUTH MYRTLE AVENUE - SUITE H
MONROVIA CA 91016

4. Generator's Phone ( ) 626 359 2359

A. State Manifest Document Number 24809165

B. State Generator's ID

5. Transporter 1 Company Name
ENVIRONMENTAL RECOVERY SERVICES, INC.

6. US EPA ID Number CAD000097993

C. State Transporter's ID [Reserved.]

D. Transporter's Phone (562) 427-7277

7. Transporter 2 Company Name
MAUMEE EXPRESS (I.D. #778)

8. US EPA ID Number

E. State Transporter's ID [Reserved.]

F. Transporter's Phone (800) 872 4299

9. Designated Facility Name and Site Address
RINECO
1007 VULCAN ROAD - HASKELL
BENTON AR 72015

10. US EPA ID Number ARD069127993

G. State Facility's ID

H. Facility's Phone (501) 778 8000

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Number
a. WASTE SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S., 4.1, UN3175, PGII (DEBRIS, PAINT)	00K	CF	00.500	P	State; EPA/Other D001
b.					State; EPA/Other
c.					State; EPA/Other
d.					State; EPA/Other

J. Additional Descriptions for Materials Listed Above
NAERG # 11A 133
11A) EXCELLO-PTDEBR - PAINT DEBRIS

K. Handling Codes for Wastes Listed Above
a. b. c. d.

15. Special Handling Instructions and Additional Information
EMERGENCY CALL ENVIROSERV 1-562-427-7277 ** BILL TO ENVIROSERV ** USE PROPER SAFETY EQUIPMENT
** ERS W.O. # 30007 ** LK
SITE: EXCELLO PLATING - 4057 GOODWIN AVE., LOS ANGELES, CA 90039

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: ON BEHALF OF SPIRITO FAMILY NEIL FRANK
Signature:
Month 12 Day 15 Year 05

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: JOSE GIRON
Signature:
Month 12 Day 15 Year 05

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name:
Signature:
Month Day Year

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name:
Signature:
Month Day Year

DO NOT WRITE BELOW THIS LINE.

DTSC 8022A (1/99)
EPA 8700—22

Yellow: GENERATOR RETAINS

GENERATOR

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESP E CENTER 1-800-424-8802: WITHIN CALIFORNIA, CALL 1-800-852-755C

24809165

RINECO LAND DISPOSAL RESTRICTION NOTIFICATION FOR

Generator SPIRITO FAMILY TRUST EPA ID # CAP000006007

EPA Codes D001 State Man. Doc. # 24809165 Man. Doc. # 09165

352 **Profile #** EXCELLO-PTDEBR Line Item 11A

EPA Waste Code	Waste Description & Treatment/ Regulatory Subcategory	NON-WASTEWATE	Concentration in mg/l or Technology Code
X	D001	Ignitable characteristic wastes, except for 261.21(a)(1) High TOC subcategory that are managed in Non-CWA/nonCWA equivalent/non class I SDWA systems.	DEACT and meet 268.48 standards or RORGS; or CMBST
	D001	High TOC Ignitable characteristic liquids subcategory based on 40 CFR 261.21(a)(1)-greater than or equal to 10% TOC.	RORGS; or CMBST; or POLYM
	D002	Corrosive characteristic wastes that are managed in non-CWA non CWA equivalent, or class / SDWA systems.	DEACT & meet 268.48 standards

D004-D011 Heavy Metals Expressed in Concentrations of mg/l (TCLP) and must meet 268.48 Standards. **(NON-WASTEWATER)**

X	**D004** Arsenic 5.0		**D008** Lead 0.75
	D005 Barium 21		**D009** Mercury 0.20 low mercury subcategory
	D006 Cadmium 0.11		**D010** Selenium 5.7
	D007 Chromium 0.06		**D011** Silver 0.14

D012-D043 Concentrations Expressed in mg/kg, and Must Meet 268.48 Standards. **(NON-WASTEWATER)**

	D012 Endrin 0.13		**D024** m-cresol 5.6		**D036** Nitrobenzene 14
	D013 Lindane 0.066		**D025** p-cresol 5.6		**D037** Pentachlorophenol 7.4
	D014 Methoxychlor 0.18		**D026** Cresol Mixed Isomer 11.2		**D038** Pyridine 16
	D015 Toxaphene 2.6		**D027** p-dichlorobenzene 6.0		**D039** Tetrachloroethylene 6.0
	D016 2,4 D 10		**D028** 1,2-dichloroethane 6.0		**D040** Trichloroethylene 6.0
	D017 2,4,5-TP Silvex 7.9		**D029** 1,1-dichloroethylene 6.0		**D041** 2,4,5-Trichlorophenol 7.4
	D018 Benzene 10		**D030** 2,4-dinitrotoluene 140		**D042** 2,4,6-Trichlorophenol 7.4
	D019 Carbon Tetrachloride 6.0		**D031** Heptachlor & epoxides 0.066		**D043** Vinyl Chloride 6.0
	D020 Chlordane 0.26		**D032** Hexachlorobenzene 10		
	D021 Chlorobenzene 6.0		**D033** Hexachlorobutadiene 5.6		
	D022 Chloroform 6.0		**D034** Hexachloroethane 30		
	D023 o-cresol 5.6		**D035** Methyl Ethyl Ketone 36		

F001-F005 Spent Solvents; concentrations expressed in mg/kg	**(NON-WASTEWATER)**	**F003-F005 Non-Wastewater spent solvents expressed in mg/l (TCLP)**
Acetone 160	Isobutyl Alcohol 170	Carbon disulfide 4.8
Benzene 10	Methylene Chloride 30	Cyclohexanone 0.75
N-butyl alcohol 2.6	Methyl Ethyl Ketone 36	Methanol 0.75
carbon tetrachloride 6.0	Methyl Isobutyl Ketone 33	
clorobenzene 6.0	Nitrobenzene 14	
o-cresol 5.6	Pyridine 16	
m-cresol 5.6	Tetrachloroethylene 6.0	
p-cresol 5.6	Toluene 10	
Cresol mixed isomers 11.2	111-Trichloroethane 6.0	
O - Dichlorobenzene 6.0	112-Trichloroethane 6.0	
Ethyl Acetate 33	112-Trichloro-122-trifluoroethane 30	
Ethyl Benzene 10	Trichloroethylene 6.0	
Ethyl Ether 160	Trichloromonofluoromethane 30	
	Xylene (mixed isomers) 30	

GENERATOR COPY

Rineco

819 Vulcan Road -- Haskell
P.O. Box 729, Benton, AR 72015
ice (501) 778-9089 Fax (501) 778-0201

Prepared by: _____

FOR OFFICE USE ONLY
Account Rep: 0512-16532
Region: exp 12/14/06

I. WASTE MATERIAL PROFILE SHEET

In accordance with the Federal and State regulations, it is necessary for the Generator of hazardous waste to properly identify the waste for their records as well as to supply the disposal facility with the information necessary to handle the waste. The information outlined below must be complete and signed by the generator. PLEASE PRINT LEGIBLY OR TYPE.

Generator Name: SPIRITO FAMILY TRUST/ EXCELLO
Address: 4057 GOODWIN AVE.
LOSAng ~~[illegible]~~, CA

USEPA I.D. No.: CAD00006007
State I.D. No.:
Phone: (562) 788-0829
Fax:
Title: PROJ. MGR.
24 hour Phone:

Technical Contact: N. FRUMKIN
24 hour Emergency Contact:
Is this material located or generated in a foreign country? N
Foreign Address:

II. GENERAL INFORMATION

Material Name: PAINT DEBRIS

Y A. Does waste exhibit the characteristic of ignitablility as defined in 40 CFR 261.21?
N B. Does waste exhibit the characteristic of corrosivity as defined in 40 CFR 261.22?
N C. Does waste exhibit the characteristic of reactivity as defined in 40 CFR 261.23?
N D. Is waste a spent solvent as defined in 40 CFR 261.31?
N E. Is waste a discarded chemical product, off spec, container or spill residues as defined in 40 CFR 261.33?

Detailed description of process generating waste: SITE CLEAN UP
Anticipated Monthly Volume: 1-5
Bulk: [ ] Drum: [X] Other: [ ] Explain:

III. MATERIAL COMPOSITION

Component	Concentration Min	Max	Actual	PPM
PAINT RESIDUE (FLAMMABLE)	3	5		
RAGS, PAPER, STICKS, DEBRIS	95	97		

IV. PHYSICAL CHARACTERISTICS

Physical State: X Solid ___ Semi-Solid ___ Liquid
Free Liquid: ___ Yes ___ No
Viscosity: ___ Low X Medium ___ High
Layers: X Single ___ Bi-Layered ___ Multi
Odor: X None ___ Mild ___ Strong
Flash Point: ___ <73F X 73F - 140F ___ 140F-200F ___ >200F
pH: ___ < 2 ___ >12.5
Actual pH: 7
Density: ___ BTU: > 8 K

V. OTHER CHARACTERISTICS

___ Explosive ___ Dioxin
___ Radioactive ___ Shock Sensitive
___ Sulfide ___ PCB
___ Etiological ___ Cyanide
___ Pyrophoric ___ Water Reactive

VI. SHIPPING INFORMATION

DOT Hazardous Material: ____ Yes X No ER Guide Page #: 133

Proper Shipping Name: WASTE SOLIDS CONTAINING A FLAMMABLE LIQUID, N.O.S. (PAINT, DEBRIS)

Hazard Class and Division: 4.1 UN or NA: 3175 Packaging Group: III

RQ: ____ Yes X No If Yes: 100 # ____ Special Provisions: ____

USEPA HAZARDOUS WASTE: X Yes ____ No

Waste I.D. Numbers: D001

352

VII. INDICATE IF THIS WASTE CONTAINS ANY OF THE FOLLOWING CHARACTERISTICS as defined by 40 CFR 261.24.

Check only if waste exceeds regulatory threshold levels and include analytical date if available.

Constituent	Regulatory level PPM	TCLP PPM	Total PPM	Know-ledge	Constituent	Regulatory level PPM	TCLP PPM	Total PPM	Know-ledge
D004 Arsenic	5.000				D018 Benzene	0.500			
D005 Barium	100.000				D019 Carbon Tetrachloride	0.500			
D006 Cadmium	1.000				D020 Chlordane	0.030			
D007 Chromium	5.000				D021 Chlorobenzer	100.000			
D008 Lead	5.000				D022 Chloroform	6.000			
D009 Mercury	0.200				D023 0-Cresol	200.000			
D010 Selenium	1.000				D024 m-Cresol	200.000			
D011 Silver	5.000				D025 p-Cresol	200.000			
D012 Endrin	0.020				D026 Cresol	200.000			
D013 Lindane	0.400				D027 1,4 Dichlorobenzene	7.500			
D014 Methoxychlor	10.000				D028 1,2 Dichloroethane	0.500			
D015 Toxaphene	0.500				D029 1,1 Dichloroehtylene	0.700			
D016 2,4 Dichlorophenoxyacetic acid	10.000				D030 2 4 Dinitrotoluene	0.130			
D017 2,4,5 TP Silvex	1.000				D031 Heptachlor	0.010			

VIII. Benzene Waste Operations NESHAP Generator Certification. Complete only if D018 and/or U019 appear in section VI (shipping information).

	Yes	No
1. Is this waste generated by an industry with any of the following SIC Codes: 2911, 2800-2899, 3312 or 4953?	☐	☐
2. Does this stream have Benzene concentration of 10 ppm or more?	☐	☐
3. Does this stream contain greater than 10% moisture?	☐	☐
4. Is this company's Total Annual Benzene (TAB) of 10Mg or greater per year?	☐	☐

AUTHORIZATION TO CORRECT WASTE MATERIAL PROFILE SHEET: In the event Rineco determines that it is necessary to make corrections on this Waste Material Profile Sheet to make the information herin consistent with the results of the sample characterization and/or applicable federal and state statutes and regulations. Rineco will contact the Generator and receive oral authorization to make such corrections. Generator ____ **does** ____ **does not** hereby authorize Rineco to make such changes pursuant to this paragraph.

GENERATOR CERTIFICATION: THIS CERTIFICATION IS REQUIRED FOR EACH PROFILE.

This above information is to be held confidential and is true and accurate to the best of my knowledge.

Signature: Lisa Kirk Date: 12/10/05

Print Name: Lisa Kirk Title: CSM

State of California—Environmental Protection Agency
Form Approved OMB No. 2050-0039 (Expires 9-30-99)
Please print or type. *Form designed for use on elite (12-pitch) typewriter.*

See Instructions on back of page 6.

Department of Toxic Substances Control
Sacramento, California

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. CAD 000 000 000 — Manifest Document No. 019140 19 — 2. Page 1 of 1

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
SPIRITO FAMLY TRUST
1601 SOUTH MYRTLE AVENUE - SUITE H
MONROVIA CA 91016

4. Generator's Phone ( ) 626 359 3369

A. State Manifest Document Number: 24809409

B. State Generator's ID:

5. Transporter 1 Company Name: ENVIRONMENTAL RECOVERY SERVICES, INC.

6. US EPA ID Number: CAD 000 000 000

C. State Transporter's ID [Reserved.]

D. Transporter's Phone: (562) 427-7277

7. Transporter 2 Company Name:

8. US EPA ID Number:

E. State Transporter's ID [Reserved.]

F. Transporter's Phone:

9. Designated Facility Name and Site Address
CROSBY & OVERTON
1630 W. 17TH STREET
LONG BEACH CA 90500

10. US EPA ID Number: CAD 000 000 000

G. State Facility's ID:

H. Facility's Phone: (562) 432-5445

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Number
a. WASTE MERCURIC NITRATE, 6.1, UN1625, PGII	001	DA	00005	P	State 141 / EPA/Other D009
b. NON RCRA HAZARDOUS WASTE, LIQUID	001	DM	00022	P	State 704 / EPA/Other NONE
c. NON RCRA HAZARDOUS WASTE, LIQUID	001	DM	00020	P	State 704 / EPA/Other NONE
d.					State / EPA/Other

J. Additional Descriptions for Materials Listed Above
NAERG #: 11A. 141, 11B. N/A, 11C. N/A
11(A) LP91472-09 - MERC NITRATE LP- DM#09 11A. EPA CODES: D009
11(B) LP91472-18 - NRL LP- DM#18
11(C) LP91472-19 - NRL LP- DM#19

K. Handling Codes for Wastes Listed Above
a. b. c. d.

15. Special Handling Instructions and Additional Information
EMERGENCY CALL ENVIROSERV 1-562-427-7277 ** BILL TO ENVIROSERV ** USE PROPER SAFETY EQUIPMENT
** ERS W.O.# 30165 - LQ **
SITE: EXCELLO PLATING - 4057 GOODWIN AVE., LOS ANGELES, CA 90039

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR

Printed/Typed Name: ON BEHALF OF SPIRITO FAMILY — NAL FRUMK — Signature: [signature] — Month 12 Day 22 Year 05

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: JIM M GOMEZ — Signature: [signature] — Month 12 Day 22 Year 05

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: — Signature: — Month Day Year

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: — Signature: — Month Day Year

DO NOT WRITE BELOW THIS LINE.

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-852-755

24809409

DTSC 8022A (1/99)
EPA 8700—22

Yellow: GENERATOR RETAINS

Crosby & Overton

Environmental Services

LAND DISPOSAL RESTRICTION NOTIFICATION FORM (LDRNF)

For Wastes Subject to the Treatment Standards Found in 40 CFR 268

INSTRUCTIONS: Complete Part 1, check and complete Part II. complete and sign Part III, if applicable.

PART I. Generator, Reference and Manifest Information

Generator Name: SPIRITO FAMILY TRUST EPA I.D. #: CAP000006007

Address: 1801 SOUTH MYRTLE AVENUE - SUITE H City: MONROVIA

State: CA Zip: 91016 Manifest Number: 24809409

This stream is (check one)___wastewater (Per section 40 CFR 268.2(f)(1)(2)(3)) X non-wastewater.

PART I. Genreator, Reference and Manifest Information

Pursuant to 40 CFR 268.7(a), I hereby notify that this waste shipment contains one or more of the following waste(s) restricted under the land disposal restrictions for which applicable treatment standards are set forth in 40 CFR, 268.40 or 42 USSC, 6924(d).

EPA Hazardous Waste Numbers

F listed Solvents (check all that apply)

__F001, F002, F003, F004 or F005 (Underlying constituents must be identified. Use form LDRN-1A)

__F005 containing 2-Nitropropane or 2-Ethoxyethanol

__F001-F005 Containing carbon disulfide, cyclohexanone, methanol, or a combination of these constituents as the sole F001-5 regulated constituent.

Other Wastes

List all D,F,K,U or P codes (if any) P001, D003, etc.	Subcategory (if any) See LDRN-1B	Wastewater or Non-wastewater WW	NWW	C&O Profile Number	Applicable California Codes
D001, D009			X	LP31472	141/331

Hazardous Debris Notification

___This hazardous debris is subject to the alternative treatment standards of 40 CFR 268.45

Contaminants subject to treatment (please list waste codes applicable to the debris)

_____ _____ _____ _____ _____ _____ _____ _____ _____ _____ _____

FACILITY: Note that "Contaminants Subject to Treatment" are those constituents applicable to a waste code listed above for which a BDAT treatment standard is established in 40 CFR, 268.40, including underlying constituents where applicable.

1610 West 17th Street, Long Beach, California 90813

(310) 432-5445 (800) 8 CROSBY FAX (310) 436-7540

GENERATOR COPY

Underlying Constituents to be Monitored
___ F039 (Constituents to be monitored must be indicated. Use Form LDRN-1A)
___ F001-F005, D001 (other than residues from RORGS or CMBST), D002, D012-D043 (Underlying constituents must be indicated. Use from LDRN-1A)
fined: An underlying constituent includes any constituent listed in 268.48. Table UTS-Universal Treatment Standards, except zinc, which can reasonably be expected to be present at the point of generation of the hazardous waste at a concentration above the constituent specific UTS treatment standard.

___ The waste is a characteristic hazardous waste D001 or D002 which is intended for treatment/disposal in a CWA system, CWA-equivalent system, or Class I SDWA system. Underlying Hazardous Constituents (UHC's) are NOT required to be identified.

___ The waste is a characteristic hazardous waste D001 High TOC Ignitable Liquids Subcategory (i.e., greater than or equal to 10% TOC). Pursuant to 40 CFR 268.40, the waste must be treated using organic recovery (RORGS) or combustion technology. UHC's are NOT required to be identified.

___ Check here if the wate is a D012-17 non-wastewater or a D018-43 that is intended to treated in a CWA system, CWA-equivalent system, or Class I SDWA system. If so, the waste is EXEMPT from the LDR regulations, and no further information is required.

Deadline Extensions and Variances
Certain wastes may be subject to a deadline extension or variance (e.g. treatability variance, case-by-case extension). Describe below any extension that applies to a waste in this waste shipment (include dates and waste codes).

_____
_____
_____
_____

NOTICE: This section must be completed (attach additional sheets if necessary)
Basis for this certification. Describe the knowledge upon which the certification is made._____
_____

ARE THERE ANY CONSTITUENTS WHICH DO NOT MEET APPLICABLE LDR TREATMENT STANDARDS? If yes, please list the consituents which require further treatment.

Waste Code	Constituent(s)

_____ _____ _____
Signature Printed Name Date

Applicable Certifications

ART III. Authorized Representative

Crosby & Overton Profile Number	Manifest and Line Item Number associated with waste shipment
LP31472	24809409 (11a-11c)

CHECK THE APPROPRIATE CERTIFICATION

_____ 1. **Generator's Certification (268.7(a)(2)(ii)) for waste that meets Treatment Standards**
I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that the waste complies with the treatment standards specified in 40 CFR, Part 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment.

_____ 2. **Waste Treated to Remove Characteristics (268.7(b)(5)(iv))**
I certify under penalty of law that the waste has been treated in accordance with the requirements of 40 CFR 268.40 to remove the hazardous characteristic. This decharacterized waste contains underlying hazardous constituents that require further treatment to meet universal treatment standards. I am aware that there are significant penalties for submitting a false certification including the possibility of fine and imprisonment.

_____ 3. **Debris Treated to meet Alternative Standards (268.7(d)(3)(iii))**
I certify under penalty of law that the debris has been treated in accordance with the requirements of 40 CFR 268.45. I am aware that there are significant penalties for making a false certification including the possibility of fine and imprisonment.

_____ 4. **Lab Packs to be Treated by Incineration (Certification must be completed.) Appendix IV Lab Packs**
I certify under penalty of law that I have personally examined and am familiar with the waste and that the lab pack contains only wastes which have not been excluded under Appendix IV to 40 CFR Part 268 or solid wastes not subject to regulation under 40 CFR Part 261. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine or imprisonment.

_____ 5. **Appendix V Lab Pack:**
I certify under penalty of law that I personally have examined and am familiar with the waste through analysis testing or through knowledge of the waste and that the lab pack contains only organic waste specified in Appendix V to part 268 or solid wastes not subject to regulation under Part 261. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine or imprisonment.

Signature	**Print Name**
Title	**Date**

Crosby & Overton, Inc.

Environmental Services

LP 31472

Lab Packs

I. GENERAL INFORMATION

Generator Name: Excello Plating / Espinito Trust
Address: 4057 Goodwin Ave
City, State, Zip: Los Angeles, CA 90026
Contact: David Cash
Phone: 6263593368 Fax:
EPA Number: CAF000 006007

Billing Name: Environmental Recovery Services
Address: 2650 Lime Avenue
City, State, Zip: Signal Hill, CA 90755
Contact: (562) 427-7277
Phone: Fax:

Lab Pack Drum Numbers: E-09 E-18 E-19

To insure expeditious approvals of lab pack inventories, please adhere to the following:

- ASSIGN each drum a unique ID number
- USE a C & O inventory sheet or one that contains the following information:
  - Generator name, address, and EPA ID number
  - Drum number, size, type, and weight
  - Proper and complete DOT shipping information
  - A numbered line entry for each item packed, including
    - material description
    - number of containers, size, and type (liquids in volume units, solids by weight)
    - Applicable waste codes (or "none", "N/R", etc.)
  - Page number (1 of 2, 2 of 2, etc.)
  - Crosby & Overton Waste Product Questionnaire number (upper right corner of this document)
  - Manifest document number
- Fax this questionnaire along with the lab pack inventories to (562) 436-7540

II. GENERATOR CERTIFICATION STATEMENT

I hereby certify that, as an authorized representative of the generator named above, all information submitted in this and all the attached documents is true and accurate. Analysis of the waste was conducted in accordance with the approved test methods in 40 CFR 261 on a representative sample as defined in 40 CFR 261.20. To the best of my knowledge, all known (40 CFR 261) and suspected hazardous components have been included in this documentation. All material and packaging will comply with all current regulations.

Signature: Joel Quintana Title: SEE ATTACHED AUTHORIZATION Date: 12/20/05

1610 West 17th Street, Long Beach, California 90813
(562) 432-5445 (800) 8 CROSBY FAX (562) 436-7540

ENVIROSERV
LAB PACK INVENTORY SHEET

DRUM #: E-09

Generator:
Excello Plating
4057 Goodwin Avenue
Los Angeles, CA 90039

Shipping Name:
Waste Mercuric Nitrate, 6.1, UN1625, II.

EPA ID #: CAP 000 006 007

Date Packed:	Facility:	Profile Number:
12/19/05	C+O	LP31472

Quantity	Size	Waste Name	Drum Wgt	Drum Size	# of Pages	Page #	EPA and State Codes
			5 lb	05 poly	1	1	
1	1/2 pint	mercuric nitrate solution					D001, D009 141
		Supervised By: **Walter Vargas**					

ENVIROSERV
LAB PACK INVENTORY SHEET

DRUM #: E-18

Generator:
Excello Plating
4057 Goodwin Avenue
Los Angeles, CA 90039

Shipping Name:
Non-RCRA Hazardous Waste, Liquid.

EPA ID #: CAP 000 006 007

Date Packed:	Facility:	Profile Number:
12/19/05	C+O	LP31472

Drum Wgt	Drum Size	# of Pages	Page #
225 lb	55 steel	1	1

Quantity	Size	Waste Name	EPA and State Codes
2	5 gal	oil	None, 331
1	5 gal	sodium phosphate solution	None
8	1 gal	oil	None
10	quart	oil	None
4	1 gal	suppressant solution with water, surfactants	None
		Supervised By: Walter Vargas	

ENVIROSERV
LAB PACK INVENTORY SHEET

DRUM #: E-19

Generator:
Excello Plating
4057 Goodwin Avenue
Los Angeles, CA 90039

Shipping Name:
Non-RCRA Hazardous Waste, Liquid.

EPA ID #: CAP 000 006 007

Date Packed:	Facility:	Profile Number:
12/19/05	C+O	LP31472

Drum Wgt	Drum Size	# of Pages	Page #
225 lb	55 steel	1	1

Quantity	Size	Waste Name	EPA and State Codes
3	1 gal	latex paint	None, 331
1	pint	latex paint	None
3	1 gal	deionized water	None
1	1 gal	hand cleaner (soap)	None
1	pint	hand cleaner (soap)	None
6	quart	oil	None
1	quart	brake fluid	None
10	pint	pH=4-7 buffer solutions with sodium phosphate	None
1	pint	saline solution	None
		Supervised By: Walter Vargas	

State of California—Environmental Protection Agency
Form Approved OMB No. 2050-0039 (Expires 9-30-99)
Please print or type. *Form designed for use on elite (12-pitch) typewriter.*

See Instructions on back of page 6.

Department of Toxic Substances Control
Sacramento, California

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. CAD 000 095 967 | Manifest Document No. 09659 | 2. Page 1 of 1 | Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
SPIRITO FAMILY TRUST
1601 SOUTH MYRTLE AVENUE - SUITE H
MONROVIA CA 91016
4. Generator's Phone (626 359-3968

A. State Manifest Document Number: 25109659
B. State Generator's ID:

5. Transporter 1 Company Name: ENVIRONMENTAL RECOVERY SERVICES, INC.
6. US EPA ID Number: CAD 000 095 967
C. State Transporter's ID [Reserved.]
D. Transporter's Phone: (562) 427-7277

7. Transporter 2 Company Name:
8. US EPA ID Number:
E. State Transporter's ID [Reserved.]
F. Transporter's Phone: (562) 928-9178

9. Designated Facility Name and Site Address
KINSBURSKY BROTHERS, INC.
1314 NORTH LEMON AVENUE
ANAHEIM CA 92801
10. US EPA ID Number: CAD 000 629 472
G. State Facility's ID:
H. Facility's Phone: (714) 738-9346

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	12. Containers Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Number
a. WASTE BATTERIES, FILLED WITH ACID, 8, UN2794, PGII (LEAD, SULFURIC ACID)	010	DF	01550	P	State 181; EPA/Other D008
b.					State; EPA/Other
c.					State; EPA/Other
d.					State; EPA/Other

J. Additional Descriptions for Materials Listed Above
NAERG # 11A 154
11A) SPIRITO-PBBATT - LEAD ACID BATTERIES 11A, EPA CODE6 : D008
1 X 50 GAL DF 1 X 55 GAL DF

K. Handling Codes for Wastes Listed Above
a. b. c. d.

15. Special Handling Instructions and Additional Information
EMERGENCY CALL ENVIROSERV 1-562-427-7277 ** BILL TO ENVIROSERV ** USE PROPER SAFETY EQUIPMENT
** ERS W.O.# 30323 ** LK
SITE: EXCELLO PLATING - 4057 GOODWIN AVE., LOS ANGELES, CA 90039

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: ON BEHALF OF SPIRITO FAMILY NEIL FRIMK II | Signature | Month 12 Day 29 Year 05

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: David Coleman | Signature | Month 12 Day 29 Year 05

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name | Signature | Month | Day | Year

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name | Signature | Month | Day | Year

DO NOT WRITE BELOW THIS LINE.

GENERATOR

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-852-7550

DTSC 8022A (1/99)
EPA 8700—22

Yellow: GENERATOR RETAINS

Kinsbursky Brothers Inc. Land Disposal Restriction Form

Manifest # 25109659 / Waste Stream Number (profile #) _____
Generator Name SPIRITO FAMILY TRUST EPA ID # CAP000008977
Address 1801 S. MYRTLE AVE. - SUITE H
City MONROVIA State CA Zip 91016

Please check the appropriate Box(s). Attach waste analysis data when available.

1. ☐ This waste is not prohibited from land disposal.
The waste identified on the above referenced manifest can be land disposed without further treatment.
"I certify under penalty of law that I personally have examined and am familiar with the waste stream(s) through analysis and testing, or through knowledge of the waste, to support this certification. The waste complies with the treatment standards specified in CCR title 22, division 4.5 chapter 18, article 4 and article 11 and all applicable prohibitions set forth in CCR title 22, section 66268.32 or RCRA section 3004 (d) (42 USC section 69249 (d)). I believe that the information I submitted is true, accurate, and complete. I am aware that there are significant penalties for submitting false certification including the possibility of a fine and imprisonment."

2. ☒ Pursuant to 40 CFR 268.7, *"I am notifying Kinsbursky Brothers Inc. that under the above listed manifest number, I am shipping a waste identified by the EPA waste numbers and subcategories listed below, that is subject to land disposal restrictions as indicated."*

All treatment standards listed as expressed in 40 CFR §268.40 for NON-Wastewater's only.

RCRA Waste Code	Waste description and subcategories	Technology Based Treatment Standard	Numeric treatment standard
D001	☐ Ignitable Characteristic Solids (Lithium, magnesium batteries only)	DEACT and meet §268.48 standards.	N/A
D002	☒ Corrosive Characteristic	DEACT and meet §268.48 standards.	N/A
D003	☐ Reactive Characteristic Water reactive subcategory based on 261.23 (a) (2) (3) and (4)	DEACT and meet §268.48 standards.	N/A
D004	☐ Arsenic Characteristic		5.0 mg/l TCLP and meet §268.48 standards.
D005	☐ Barium Characteristic		21 mg/l TCLP and meet §268.48 Standards
D006	☐ Cadmium Characteristic		0.11 mg/l TCLP and meet §268.48 standards
	☐ Cadmium Containing Batteries	RTHRM	
D007	☐ Chromium Characteristic		0.60 mg/l TCLP and meet §268.48 standards
D008	☒ Lead Characteristic		0.75 mg/l TCLP and meet §268.48 standards
	☐ Lead Acid Batteries (note this standard only applies to lead acid batteries that are identified as RCRA hazardous wastes and that are not excluded from regulations under the land disposal restriction of 40 CFR 268 or exempted under other EPA regulations (see 40 CFR 266.80).	RLEAD	

GENERATOR COPY

D009	☐ Mercury Characteristic ≥260mg/l total Hg (inorganic)	RMERC	
	☐ Mercury Characteristic ≤260 mg/l total Hg (inorganic)		0.025 mg/l TCLP and meet §268.48 standards
D010	☐ Selenium characteristic		5.7 mg/l TCLP and meet §268.48 standards
D011	☐ Silver characteristic		0.14 mg/l TCLP and meet §268.48 standards

	Listed waste from non-specific sources	Regulated constituent	Numeric treatment standard
F006	☐ Wastewater treatment sludges from electroplating operations except from the following processes: (1) Sulfuric acid anodizing of aluminum (2) Tin plating on carbon steel (3) Zinc plating (segregated basis) on carbon steel (4) Aluminum or zinc-aluminum plating on carbon steel (5) Cleaning/stripping associated with tin, zinc and aluminum plating on carbon steel; and (6) Chemical etching and milling of aluminum.	Cadmium	0.11 mg/l TCLP
		Chromium (Total)	0.60 mg/l TCLP
		Cyanides (Total)	590 mg/kg
		Cyanides (Amenable)	30 mg/kg
		Lead	0.75 mg/l TCLP
		Nickel	11 mg/l TCLP
		Silver	0.14 mg/l TCLP
F007	☐ Spent cyanide plating bath solution from electroplating operations.	Cadmium	0.11 mg/l TCLP
		Chromium (Total)	0.60 mg/l TCLP
		Cyanides (Total)	590 mg/kg
		Cyanides (Amenable)	30 mg/kg
		Lead	0.75 mg/l TCLP
		Nickel	11 mg/l TCLP
		Silver	0.14 mg/l TCLP
F008	☐ Plating bath residues from the bottom of plating baths from electroplating operations where cyanides are used in the process.	Cadmium	0.11 mg/l TCLP
		Chromium (Total)	0.60 mg/l TCLP
		Cyanides (Total)	590 mg/kg
		Cyanides (Amenable)	30 mg/kg
		Lead	0.75 mg/l TCLP
		Nickel	11 mg/l TCLP
		Silver	0.14 mg/l TCLP
☐ Other	*For codes other than those listed above pre approval will be necessary.*		

3. Does the waste listed above contain any underlying hazardous constituents as listed in 40 CFR §268.48 (check one)?

☒ No

☐ Yes (please indicate underlying constituents on attachment 1)

4. Does the material listed above meet the definition of debris (solid material exceeding a 60 mm particle size that is intended for disposal and that is: Manufactured object: plant or animal matter: or natural geological material.)?

☐ No

☒ Yes

5. California regulated waste only (please specify) _____

The waste identified above must be treated to meet the applicable standards in CCR Title 22, Division 4.5, chapter 16 article II.

I certify and warrant that the information that appears on this form and any appended documents is true and correct. I have correctly indicated how my waste is to be managed in accordance with 40 CFR 268. My certification is based on personal examination of the information submitted or is based on my inquires of the individuals responsible for obtaining the information.

Name NEIL FRIEMAN Signature _____ Date _____

MATERIAL PROFILE

X Kinsbursky Brothers, Inc.
1314 N. Anaheim Blvd.
Anaheim, CA 92801
EPA ID# CAD088504881
Phone (714) 738-8516
Fax (714) 441-0857

☐ KEM
125 N. Glover Avenue
Chula Vista, CA 91910
EPA ID# CAR000020743
Phone (619) 409-9292
Fax (619) 409-9290

A. General Information

Generator Name SPIRITO FAMILY TRUST/ EXCELLO

Address 4057 GOODWIN AVE

City LOS ANGELES State CA Zip 90039

Contact Name N. FRUMKIN

Contact Phone (562) 7880-0829

Contact Fax

EPA ID# CAP000006007

Invoice Information

Company Name ENVIROSERV

Address 2650 LIME AVE.

City SIGNAL HILL State CA Zip 90755

Contact Name

Contact Phone 562-427-7277

Contact Fax 562-490-7272

EPA ID# CA0 000 970 392

Waste Information

Of Waste LEAD ACID BATTERIES

s Generating Waste (be specific) DISCARD

Ge tor has provided the following: ☐ Sample ☐ MSDS ☐ Waste Analysis ☐ Other

Form Code *B* Source Code *A* ☐ Wastewater ☐ Non-Wastewater

RA Waste Codes NA D002 D008

Vaste Codes NA 181

hipping Name ☐ RQ

iption Hazard Class ID # PG

s RQ Substance / Waste Code ☐ Poison Inhalation Hazard / Zone

y Response Phone Number (562) 427-7277 ☐ **CHEMTREC (800) 424-9300**

type) If waste is not batteries go to section **D**.

☐ Mercury
☐ Lead Acid
- ☐ Gel Cell
- ☐ Absolyte
- ☐ Gates
- ☐ Industrial
- ☐ Automotive

☐ Military
- ☐ Tank / Missile
- ☐ Aircraft

☐ Magnesium
☐ Lithium (describe chemistry)
☐ Silver or Silver/Zinc
☐ Other (describe below)

n:

D. Physical Characteristics

Color _____ Odor _____ ☐ None ☐ Mild ☐ Strong

Physical State @ 70°F ☐ Liquid_____% ☐ Solid_____% ☐ Sludge_____% ☐ Powder_____% ☐ Compressed Gas
☐ Dispersible Solids_____% ☐ Non-Dispersible Solids_____% ☐ Other_____

Layers ☐ Single Phase ☐ Bi-layered ☐ Multi-layered

Specific Gravity ☐ <0.8 ☐ 0.8-1.0 ☐ 1.1-1.2 ☐ 1.3-1.4 ☐ 1.4-1.7 ☐ >1.7 ☐ Actual_____

pH: ☐ NA ☐ <2 ☐ 2-4 ☐ 4-6 ☐ 6-8 ☐ 8-10 ☐ 10-12 ☐ 12.5 or greater ☐ Exact or Range _____

Flash Point ☐ NA ☐ <73 ☐ 73-100 ☐ 101-141 ☐ 142-200 ☐ >200 Closed Cup / Open Cup

BTU/lb ☐ NA ☐ <1 ☐ 1-4 ☐ 5-7 ☐ 8-9 ☐ 10-12 ☐ 12-16 ☐ >16 ☐ Actual_____/lb

Ash (Wt. %) ☐ NA ☐ <.1 ☐ .1-1 ☐ 1-5 ☐ 5-20 ☐ >20 ☐ Actual_____%

E. Metals

☐ Less than regulatory levels ☐ Total ☐ TCLP ☐ Generator Knowledge ☐ ppm ☐ mg/l ☐ mg/kg

Antimony	Sb	_____	Chrome VI	Cr^6	_____	Nickel	Ni	_____
Arsenic	As	_____	Cobalt	Co	_____	Selenium	Se	_____
Barium	Ba	_____	Copper	Cu	_____	Silver	Ag	_____
Beryllium	Be	_____	Lead	Pb	_____	Thallium	Th	_____
Cadmium	Cd	_____	Mercury	Hg	_____	Vanadium	V	_____
Chromium	Cr	_____	Molybdenum	Mo	_____	Zinc	Zn	_____

Chemical Composition (All constituents must be identified)	Actual / Range
_____	_____%
Lead Acid Batteries	100 %
_____	_____%
_____	_____%
_____	_____%
_____	_____%
_____	_____%
_____	_____%
_____	_____%
_____	_____%
_____	_____%
_____	_____%

G. Hazardous Components
(Mark all that apply)

- ☐ Affected Benzene
- ☐ Air Reactive
- ☐ Asbestos
- ☐ Biological
- ☐ Bromine _____%
- ☐ Chlorine _____%
- ☐ Controlled Benzene
- ☐ Cyanides _____ppm
- ☐ Dioxins / Furans
- ☐ Explosive
- ☐ Fluorine _____%
- ☐ Fuming / Smoking
- ☐ Iodine _____%
- ☐ Marine Pollutant
- ☐ Ozone Depleting
- ☐ PCB's _____ppm
- ☐ Phenolics _____ppm
- ☐ Pyrophoric
- ☐ Radioactive
- ☐ Shock Sensitive
- ☐ Sulfides _____ppm
- ☐ Water Reactive
- ☐ >500 VOC's

ions

ation

tion submitted in this and all attached documents are true and accurate descriptions of this waste. Any sample submitted is representative as defined in ivalent method. All relevant information regarding known or suspected hazards in the possession of the generator has been disclosed.

rize gnature Title Date

Approval Date_____

Disposal Method_____

NON-HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: CAP000006007 05 01

Manifest Document No.:

2. Page 1 of

12080501

3. Generator's Name and Mailing Address
SPIRITO FAMILY TRUST
1801 SOUTH MYRTLE AVENUE - SUITE H

4. Generator's Phone (626 350-3368) CA 91016

5. Transporter 1 Company Name: ENVIRONMENTAL RECOVERY SERVICES, INC.
6. US EPA ID Number: CA000097039 2
A. Transporter's Phone: 562 427-7277

7. Transporter 2 Company Name: ONYX ENVIRONMENTAL SERVICES
8. US EPA ID Number: NJD080631369
B. Transporter's Phone: 800 368-9095

9. Designated Facility Name and Site Address
ONYX ENVIRONMENTAL SERVICES, LLC - ERD
5736 W. JEFFERSON STREET
PHOENIX AZ 85043
10. US EPA ID Number: AZ0000337360
C. Facility's Phone: 800 368-9095

11. Waste Shipping Name and Description	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol
a. UNIVERSAL WASTE (FLUORESCENT TUBES)	001	CF	00020	P
b.				
c.				
d.				

D. Additional Descriptions for Materials Listed Above
11A) SPIRITO-TUBES - FLUORESCENT LIGHT TUBES

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

EMERGENCY CALL ENVIROSERV 1-562-427-7277 ** BILL TO ENVIROSERV ** USE PROPER SAFETY EQUIPMENT
** ERS W.O. # 29868 ** LK
Site: EXCELLO PLATING - 4057 GOODWIN AVE., LOS ANGELES, CA 90039

16. **GENERATOR'S CERTIFICATION:** I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name: O/O Bellalf of Spirito Family NEIL FRUMKIN
Signature: [signature]
Month 1.2 Day 2.3 Year 0.5

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name: ENRIQUE PLASCENCIA
Signature: [signature]
Month 1.2 Day 2.3 Year 0.5

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name:
Signature:
Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name:
Signature:
Month Day Year

GENERATOR

TRANSPORTER

FACILITY

GENERATOR'S COPY

vironmental Services
, Recycling

Jeffe
, Street, Phoenix, Arizona 85043
55 Fax: (602) 415-3030

MATERIAL PROFILE SHEET
Lamps & Spent Electronic Equipment

the waste generated?

ame EXCELLO PLATING 2. EPA ID NO. CAP 000 006 007

dress 4057 GOODWIN AVE.

/, State LOS ANGELES, CA Zip Code 90039

Contact _____ Phone _____

should the invoices and disposal tracking document be sent? Same as address above _____

/ Name _____

y Address _____

ıy City, State _____ Zip Code _____

_____ Phone _____

Environmental Recovery Services, Inc.
2650 Lime Avenue
Signal Hill, CA. 90755

sary waste information:

f waste: ☒ *Whole lamps* ☐ *Crushed lamps* ☐ *Unsorted Spent Computer Equipment* _____

erial an EPA hazardous waste? ☒ *NO* ☐ *YES (if so, mark hazardous components listed below)*

☐ *D002 (corrosive)* ☐ *D003 (reactive)* ☐ *D006 (cadmium)* ☐ *D008 (lead)* ☐ *D009 (mercury)*

e *ONE* of the following waste streams per this form. For more than one waste stream, complete and additional form.

LAMPS

rescents: straight or linear
rescents: U-tube
escents: circular
escents: compact
lescents

Spent Electronic Equipment

- ☐ Central Processing Units (CPU's)
- ☐ Cathode Ray Tubes
- ☐ Monitors
- ☐ Keyboards & Peripherals
- ☐ Electronic Scrap
- ☐ Other electronic waste: _____

ıipping method: ☐ *drums* ☐ *pallets* ☐ *totes* ☒ *other* boxes

ntity and frequency: _____ *pounds* ☐ *monthly* ☐ *quarterly* ☐ *annually* ☐ *other* _____

e for waste: *(Television, Copiers, switch, lamp, etc.)* Light Tubes

all information submitted in this and all attached documents contain true and accurate descriptions of the waste and that all regarding known or suspected hazards in the possession of the generator has been disclosed, including its classification as RCRA or Universal Waste. I authorize ONYX SPECIAL SERVICES to obtain a sample from any waste shipment for ation.

Title SEE ATTACHED AUTHORIZATION

Date 12/01/05

BELOW FOR SUPERIOR USE ONLY

Date Entered:	*RSM/CSA:*	*Approved*

ALTERNATE STRAIGHT BILL OF LADING—SHORT FORM — SHIPPING ORDER COPY

Name of Carrier: Enviroserv

Carrier's No.

Date: 12-22-05

Shipper's No.: 122205-Excello

TO Consignee: Dirty Drum

Street: 2226 N. Rosemead Blvd.

Destination: So. El Monte, CA

Zip Code

FROM Shipper: Excello Plating, 4057 Goodwin Ave, Los Angeles, CA

Emergency Response Phone No.

Route:

Vehicle No.

No. Shipping Units	+ HM	Kind of Package, Description of Articles, Special Marks and Exceptions	* Weight (Sub. to Corr.)	RATE	✓	CHARGES
14		Empty Drums				

REMIT C.O.D. TO: ADDRESS

C.O.D. AMT:

C.O.D. FEE: PREPAID ☐ $ COLLECT ☐

TOTAL CHARGES: $

* If the shipment moves between two ports by a carrier by water, the law requires that the bill of lading shall state whether it is "carrier's or shipper's weight".

NOTE: Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property.

The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding

$_____ per_____

Subject to Section 7 of conditions, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement:

The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.

_____ (Signature of Consignor)

FREIGHT CHARGES

Check Appropriate Box:

☐ Freight prepaid ☐ Collect

RECEIVED, subject to the classifications and lawfully filed tariffs in effect on the date of the issue of receipt by the carrier of the property described in the Original Bill of Lading, the property described above in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated above, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of, said property over all or any portion of said route to destination and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Uniform Freight Classifications in effect on the date hereof, if this is a rail or a rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment.

Shipper hereby certifies that he is familiar with all the terms and conditions of the said bill of lading, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

"This is to certify that the above named materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation, according to the applicable regulations of the Department of Transportation."

Excello Plating Shipper, Per [signature] _____ Agent, Per _____

Permanent post office address of shipper + Mark with "X" to designate Hazardous Material as defined in Title 49 of Federal Regulations.

For further details on TRANSPORTING HAZARDOUS MATERIALS see Federal Regulations 49 CFR, Part 172.

TOPS FORM No. 3843

Printed in the U.S.A.

2

PURETEC® INDUSTRIAL WATER

Phone: 800-906-6060 • Fax: 800-906-6070
Corporate: P.O. Box 24280 • Ventura, CA 93002
www.puretecinc.com
Ventura • Los Angeles • Orange • San Diego • Mexico

Key	Grid	Date	Rt	D	Seq
	564C6	12/16/05	WC		

$ EXCELLO PLATING INC
LOC: PLATING FLOOR
4057 GOODWIN AVENUE
LOS ANGELES CA 90039
H (323)245-3626

1-14" C-S-M/WILL CALL 03/05 TO SMALL CLAIMS
CONT: CLOYD COOK 2/14/05 BILLED FOR TANKS NOT RETURNED

Description	Qty	Unit Price	Total Price
PUO PICK UP/MISCELLANEOUS PICK UP 1-14"CSM TO DISCONTINUE SERVICE MUST BE THERE AT 8:30. MR NEIL FRUMPKIN WILL MEET YOU THERE DO NOT BE LATE Freq: 0	1		
PRT PARTS-PLEASE DESCRIBE PICK UP 14"CSM. BE THERE AT 8:30 AM Freq: 0	1		

parts

BOTTLES Picked Up	BOTTLES Delivered	CUPS	Acct # 175550	Delivery Order # 128224	Tax
3+1	Ø		0-30 / 30-60 / +60		Previous Balance
Received By			Payment Received $ ☐ Cash ☐ Check	Initials	Total

CAL WATER
A better solution

PLACENTIA OFFICE • 714/835-7878 • FAX 714/792-0794
REMITTANCE ADDRESS: P.O. BOX 429 • PLACENTIA, CA 92871
WWW.CAL-WATER.COM

SCHED. SHIP DATE WEEK OF	PAGE NO.	WORK ORD. NO.	CANCELLATION DATE	CUST.
	1	49112	12/14/2025	E1199

DELIVERY TICKET

SOLD TO
EXCELLO PLATING CO
4057 GOODWIN AVE
LOS ANGELES, CA 90039
ACCOUNTS PAYABLE

SHIP TO
EXCELLO PLATING CO
4057 GOODWIN AVE
564:C6
LOS ANGELES, CA 90039
SHIP TO KEY:000

ORDER DATE	PURCHASE ORDER NO.	SHIP VIA	F.O.B.	TERMS
12/19/2005		COMPANY TRUCK	DESTINATION	NET 30

BUYER	DATE REQUESTED	LOCATION	SALESPERSON	TERRITORY
	12/19/2005	SNA	Jim Campbell	

ITEM NO. / BIN LOCATION NO.	DESCRIPTION	QUANTITY ORDERED	QUANTITY BACK ORDERED	QUANTITY SHIPPED
S-3RMM16B1	TRIBED CSM 1.6 FG OPENS 6AM TILL 2PM REMOVAL OF EQUIPMENT 12-20-05 CALL NEIL W/~~EPA~~ ENVIROSERV 562/788-0829 WITH APPROXIMATE TIME *****MUST WEAR HARD HAT AND SAFTEY GLASSES	1.00000		

NEW

CATIONS (RED)	
W-ANIONS (WHITE)	
S-ANIONS (GREEN)	
MIXEDBEDS	
HIGH PURITY MIXEDBED	
HI FLO MIXEDBED	
MIXEDBEDS (SS-50)	

EXHAUSTED

CATIONS (RED)	0070
W-ANIONS (WHITE)	
S-ANIONS (GREEN)	3067
MIXEDBEDS	7192
HIGH PURITY MIXEDBED	
HI FLO MIXEDBED	
MIXEDBEDS (SS-50)	

NEW UNITS RECEIVED BY

EXHAUSTED PICKED UP BY

DATE

TIME

WORK ORDER NO. 49112