SDMS DOCID# 1120786

REVISED TABLE 1

ANALYTICAL DATA FOR SOIL SAMPLES FROM HISTORIC REMEDIAL INVESTIGATIONS & SITE CHARACTERIZATION ACTIVITIES

(10/04/2007)

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in μg/kg (ppb)

Boring No.	Sample Date	TPH-g * (C_4-C_{12})	TPH-d * (C_{13}-C_{23})	TPH-m * (C_{24}-C_{40})	Vinyl Chloride	Chloro-ethane	1,1 DCA	1,1 DCE	trans-1,2-DCE	cis-1,2 DCE	1,1,1 TCA
BSB1-5	6/5/2002	1.6	<10	<10	<10	<10	5.7	<5	<5	19.5	<5
BSB1-10	6/5/2002	<1	NA	NA	<50	<50	35	<25	<25	50	<25
BSB1-17.5	6/5/2002	<1	<10	<10	<10	<10	<5	<5	<5	<5	<5
BSB1-20	6/5/2002	<1	<10	<10	<50	<50	112	37.5	<25	178	115
BSB1-27.5	6/5/2002	<1	<10	<10	<100	<100	305	222	<50	365	550
BSB1-28	6/5/2002	1.2	<10	<10	<100	<100	745	110	<50	1580	230
BSB1-35	6/5/2002	<1	<10	<10	<100	<100	205	100	<50	308	95
BSB1-40	6/5/2002	<1	<10	<10	<100	<100	196	132	<50	270	<50
BSB1-45	6/5/2002	NA	NA	NA	<100	<100	148	80	<50	125	<50
BSB1-50	6/5/2002	<1	<10	<10	NA	NA	NA	NA	NA	NA	NA
BSB2-4	6/6/2002	<1	NA	NA	<10	<10	12	<5	<5	<5	11
BSB2-9	6/6/2002	<1	NA	NA	<10	<10	5.6	<5	<5	<5	5.6
BSB2-14	6/6/2002	<1	NA	NA	<10	<10	<5	<5	<5	<5	<5
BSB2-18	6/6/2002	<1	<10	<10	<20	<20	35	<10	<10	<10	55
BSB2-21	6/6/2002	<1	<10	<10	<10	<10	<5	<5	<5	<5	<5
BSB2-26.5	6/6/2002	<1	<10	<10	<10	<10	18.5	9.1	<5	22	42.5
BSB3-6.5	8/15/2002	<1	<10	<10	<10	<10	8.6	<5	<5	<5	<5
BSB3-11.5	8/15/2002	<1	<10	<10	<10	<10	<5	<5	<5	<5	<5
BSB3-18	8/15/2002	<1	<10	<10	<20	<20	325	14	<10	195	<10
BSB3-19	8/15/2002	<1	<10	<10	<10	<10	<5	<5	<5	<5	<5
BSB3-27	8/15/2002	54.4	<10	<10	<10	<10	<5	<5	<5	<5	<5
BSB3-28	8/15/2002	1,410	42	<10	<2,500	<2,500	2,000	<1,250	<1,250	1,280	<1,250
BSB3-35	8/15/2002	<1	<10	<10	<20	<20	77	174(1)	<10	474	<10
BSB3-40	8/15/2002	<1	<10	<10	90	<50	152	250	<25	660	<25
BSB4-6.5	8/15/2002	<1	<10	<10	<10	<10	36.8	<5	<5	49	<5
BSB4-12	8/15/2002	<1	<10	<10	<10	<10	207	<5	<5	340	<5
BSB4-17	8/15/2002	9.6	<10	<10	<100	<100	<50	<50	<50	<50	<50
BSB4-25	8/15/2002	9.5	<10	<10	<100	<100	<50	<50	<50	<50	<50
BSB4-26.5	8/15/2002	8.1	<10	<10	<250	<250	850	<125	<125	1,070	<125
BSB4-34	8/15/2002	67.2	<10	<10	<500	<500	2,210	857	<250	10,200	<250
BSB4-40	8/15/2002	80	10	<10	<500	<500	895	1,780	<250	7,600	1,010
BSB5-7	8/16/2002	<1	<10	<10	<10	<10	<5	<5	<5	<5	<5
BSB5-12	8/16/2002	<1	<10	<10	<10	<10	<5	<5	<5	<5	<5
BSB5-20	8/16/2002	<1	<10	<10	<250	<250	<125	<125	<125	565	<125
BSB5-23	8/16/2002	1.1	<10	<10	<250	<250	<125	<125	<125	405	<125
BSB5-28	8/16/2002	6	<10	<10	<10	<10	<5	<5	<5	<5	<5
BSB5-34	8/16/2002	8	<10	<10	<250	<250	330	350	<125	2,000	<125
BSB5-37.5	8/16/2002	58	<10	<10	<250	<250	350	310	<125	1,750	<125
BSB5-40	8/16/2002	83.6	<10	<10	<250	<250	190	270	<125	1,190	<125
BSB6-5	8/16/2002	6,890	426	<10	<5,000	<5,000	<2,500	<2,500	<2,500	8,350	36,800
BSB6-9	8/16/2002	594	<10	<10	<1,000	<1,000	<500	<500	<500	1,150	1,580
BSB6-10	8/16/2002	137	<10	<10	<5,000	<5,000	<2,500	<2,500	<2,500	1,690	1,460
BSB6-15	8/16/2002	1,760	48	<10	<2,000	<2,000	1,460	1,000	<1,000	10,400	80,000
BSB6-15 (D)	8/16/2002	NA	NA	NA	<2,000	<2,000	<1,000	<1,000	<1,000	960	1,400
BSB6-15 (D)	8/16/2002	NA	NA	NA	<2,000	<2,000	<1,000	<1,000	<1,000	2,040	2,460
BSB6-19	8/16/2002	1,970	119	<10	<1,000	<1,000	<500	<500	<500	9,850	30,300
BSB6-25	8/16/2002	780	86	<10	<2,500	<2,500	<1,250	<1,250	<1,250	1,790	2,,540
BSB6-30	8/16/2002	2,080	172	<10	<1,000	<1,000	<500	<500	<500	5,710	10,000
BSB6-34	8/16/2002	2,490	449	<10	<2,500	<2,500	4,930	4,950	<1,250	9,50	26,300
BSB6-40	8/16/2002	55.4	10	<10	<1,000	<1,000	1,420	580	<500	4,120	<500

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	1,2 DCA	TCE	PCE	Methylene Chloride	Chloro benzene	Benzene	Toluene	Ethyl benzene	Xylene	Styrene	Iso-propyl benzene
BSB1-5	6/5/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
BSB1-10	6/5/2002	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
BSB1-17.5	6/5/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
BSB1-20	6/5/2002	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
BSB1-27.5	6/5/2002	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
BSB1-28	6/5/2002	<50	<50	<50	<50	<50	<50	<50	<50	**130**	<50	<50
BSB1-35	6/5/2002	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
BSB1-40	6/5/2002	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
BSB1-45	6/5/2002	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
BSB1-50	6/5/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BSB2-4	6/6/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25
BSB2-9	6/6/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25
BSB2-14	6/6/2002	<5	<5	**6.8**	<5	<5	<5	<5	<5	<5	<5	<25
BSB2-18	6/6/2002	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<25
BSB2-21	6/6/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25
BSB2-26.5	6/6/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25
BSB3-6.5	8/15/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
BSB3-11.5	8/15/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
BSB3-18	8/15/2002	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BSB3-19	8/15/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
BSB3-27	8/15/2002	<5	<5	<5	<5	<5	<5	**85**	**180**	**545**	<5	<5
BSB3-28	8/15/2002	<1,250	<1,250	<1,250	<1,250	<1,250	<1,250	**12,100**	**18,400**	**81,000**	<1,250	**1,850**
BSB3-35	8/15/2002	<10	**450**	**294**	<10	<10	**10.2**	**3.2**	<10	<10	<10	**22**
BSB3-40	8/15/2002	<25	**255**	**255**	<25	<25	<25	<25	<25	<25	<25	<25
BSB4-6.5	8/15/2002	<5	<5	**9.4**	<5	<5	<5	<5	<5	<5	<5	<5
BSB4-12	8/15/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
BSB4-17	8/15/2002	<50	<50	<50	<50	<50	<50	**195**	<50	**120**	<50	<50
BSB4-25	8/15/2002	<50	<50	<50	<50	<50	<50	**80**	<50	<50	<50	<50
BSB4-26.5	8/15/2002	<125	<125	<125	<125	<125	<125	**540**	**55**	**210**	<125	<125
BSB4-34	8/15/2002	<250	<250	<250	<250	<250	**80**	**600**	**1,120**	**4,880**	<250	<250
BSB4-40	8/15/2002	<250	**1,350**	**530**	<250	<250	**230**	**4,550**	**1,250**	**4,720**	<250	<250
BSB5-7	8/16/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
BSB5-12	8/16/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
BSB5-20	8/16/2002	<125	**153**	<125	<125	<125	<125	<125	<125	**150**	<125	<125
BSB5-23	8/16/2002	<125	<125	<125	<125	<125	<125	<125	<125	<125	<125	<125
BSB5-28	8/16/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
BSB5-34	8/16/2002	<125	<125	<125	<125	<125	<125	<125	<125	<125	<125	<125
BSB5-37.5	8/16/2002	<125	<125	<125	<125	<125	<125	<125	<125	<125	<125	<125
BSB5-40	8/16/2002	<125	<125	<125	<125	<125	**80**	**225**	**195**	**500**	<125	<125
BSB6-5	8/16/2002	<2,500	**100,000**	**827,00**	**6,000**	<2,500	<2,500	**6,000**	**4,550**	**27,800**	<2,500	**1,650**
BSB6-9	8/16/2002	<500	**7,150**	**24,000**	**2,880**	<500	<500	**487**	<500	**820**	<500	<500
BSB6-10	8/16/2002	<2,500	**4,670**	**14,000**	**7,960**	<2,500	<2,500	**225**	<2,500	**360**	<2,500	<2,500
BSB6-15	8/16/2002	<1,000	**42,200**	**462,000**	**19,600**	<1,000	<1,000	**8,200**	**1,820**	**7,780**	<1,000	<1,000
BSB6-15 (D)	8/16/2002	<1,000	**5,640**	**23,400**	**3,800**	<1,000	<1,000	**400**	<1,000	**600**	<1,000	<1,000
BSB6-15 (D)	8/16/2002	<1,000	**656**	**12,000**	<1,000	<1,000	<1,000	**2,860**	**1,200**	**4,840**	<1,000	<1,000
BSB6-19	8/16/2002	<500	**15,000**	**301,000**	**1,340**	<500	<500	**14,000**	**2,800**	**12,200**	<500	**608**
BSB6-25	8/16/2002	<1,250	**690**	**16,100**	<1,250	<1,250	<1,250	**3,210**	**1,480**	**5,600**	<1,250	<1,250
BSB6-30	8/16/2002	<500	<500	**1,150**	<500	<500	<500	**9,540**	**3,650**	**14,400**	<500	**588**
BSB6-34	8/16/2002	<1,250	**105,000**	**20,900**	**5,800**	<1,250	<1,250	**56,500**	**14,400**	**55,800**	<1,250	**1,100**
BSB6-40	8/16/2002	<500	<500	<500	<500	<500	<500	**1,760**	<500	**440**	<500	<500

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	n-Propyl benzene	4-Chloro toluene	1,3,5-TMB	ter-Butyl benzene	1,2,4-TMB	sec-Butyl benzene	p-Isopropyl toluene	1,2-DCB	n-Butyl benzene	Naphthalene	DIPE
BSB1-5	6/5/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
BSB1-10	6/5/2002	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
BSB1-17.5	6/5/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
BSB1-20	6/5/2002	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
BSB1-27.5	6/5/2002	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
BSB1-28	6/5/2002	<50	<50	<50	<50	**120**	<50	<50	<50	<50	**85**	<50
BSB1-35	6/5/2002	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
BSB1-40	6/5/2002	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
BSB1-45	6/5/2002	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
BSB1-50	6/5/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BSB2-4	6/6/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
BSB2-9	6/6/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
BSB2-14	6/6/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
BSB2-18	6/6/2002	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BSB2-21	6/6/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
BSB2-26.5	6/6/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
BSB3-6.5	8/15/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<500	<5
BSB3-11.5	8/15/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<500	<5
BSB3-18	8/15/2002	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	**10**
BSB3-19	8/15/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
BSB3-27	8/15/2002	**460**	<5	**265**	<5	**975**	<5	<5	<5	<5	<5	<5
BSB3-28	8/15/2002	**3,650**	<1,250	**10,400**	<1,250	**40,300**	<1,250	<1,250	<1,250	**2,380**	**2,350**	<1,250
BSB3-35	8/15/2002	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BSB3-40	8/15/2002	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
BSB4-6.5	8/15/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<500	<5
BSB4-12	8/15/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<500	<5
BSB4-17	8/15/2002	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
BSB4-25	8/15/2002	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
BSB4-26.5	8/15/2002	<125	<125	<125	<125	<125	<125	<125	<125	<125	<125	<125
BSB4-34	8/15/2002	<250	<250	**460**	<250	**1,950**	<250	<250	<250	<250	<250	<250
BSB4-40	8/15/2002	**2,270**	<250	**965**	<250	**3,830**	<250	<250	<250	**260**	**375**	<250
BSB5-7	8/16/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
BSB5-12	8/16/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
BSB5-20	8/16/2002	<125	<125	<125	<125	<125	<125	<125	<125	<125	<125	<125
BSB5-23	8/16/2002	<125	<125	<125	<125	<125	<125	<125	<125	<125	<125	<125
BSB5-28	8/16/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
BSB5-34	8/16/2002	<125	<125	**165**	<125	**965**	<125	<125	<125	<125	<125	<125
BSB5-37.5	8/16/2002	<125	<125	**175**	<125	**850**	<125	<125	<125	<125	<125	<125
BSB5-40	8/16/2002	<125	<125	**195**	<125	**860**	<125	<125	<125	<125	<125	<125
BSB6-5	8/16/2002	**9,550**	<2,500	**70,500**	<2,500	**424,000**	**4,750**	**7,100**	<2,500	**7,200**	**217,000**	<2,500
BSB6-9	8/16/2002	**3,920**	<500	**2,880**	<500	**24,200**	<500	<500	<500	**4,910**	**9,250**	<500
BSB6-10	8/16/2002	<2,500	<2,500	**500**	<2,500	**4,690**	<2,500	<2,500	<2,500	**890**	**3,070**	<2,500
BSB6-15	8/16/2002	**12,100**	<1,000	**6,680**	<1,000	**80,700**	<1,000	<1,000	<1,000	**9,840**	**40,000**	<1,000
BSB6-15 (D)	8/16/2002	<1,000	<1,000	**2,480**	<1,000	**23,200**	<1,000	<1,000	<1,000	**5,120**	**11,000**	<1,000
BSB6-15 (D)	8/16/2002	**4,860**	<1,000	**3,520**	<1,000	**24,400**	<1,000	<1,000	<1,000	**3,200**	**10,200**	<1,000
BSB6-19	8/16/2002	**1,680**	<500	**10,300**	<500	**84,000**	<500	<500	<500	**17,600**	**40,000**	<500
BSB6-25	8/16/2002	**380**	<1,250	**2,940**	<1,250	**21,700**	<1,250	<1,250	<1,250	**4,410**	**10,200**	<1,250
BSB6-30	8/16/2002	**1,540**	<500	**7,340**	<500	**54,200**	<500	<500	<500	**12,600**	**27,600**	<500
BSB6-34	8/16/2002	**2,430**	<1,250	**13,300**	<1,250	**93,000**	<1,250	**1,480**	<1,250	**93,000**	**34,000**	<1,250
BSB6-40	8/16/2002	<500	<500	<500	<500	<500	<500	<500	<500	<500	<500	<500

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	1,1,2 TCA	Acetone	MEK	MIBK	2-Hexanone	Vinyl Acetate	1,2 Dibromo-3-Chloropropane	2-Chloroethyl vinyl ether	MTBE	1,4-Dioxane	T-Butyl Alcohol
BSB1-5	6/5/2002	<5	<50	<50	<50	<50	<50	<5	<10	NA	NA	<30
BSB1-10	6/5/2002	<25	<250	<250	<250	<250	<250	<25	<50	NA	NA	<150
BSB1-17.5	6/5/2002	<5	<50	<50	<50	<50	<50	<5	<10	NA	NA	<30
BSB1-20	6/5/2002	<25	<50	<50	<50	<50	<50	<25	<50	NA	NA	<150
BSB1-27.5	6/5/2002	<50	<500	<500	<500	<500	<500	<50	<100	NA	NA	<300
BSB1-28	6/5/2002	<50	<500	<500	<500	<500	<500	<50	<100	NA	NA	<300
BSB1-35	6/5/2002	<50	<500	<500	<500	<500	<500	<50	<100	NA	NA	<300
BSB1-40	6/5/2002	<50	<500	<500	<500	<500	<500	<50	<100	NA	NA	<300
BSB1-45	6/5/2002	<50	<500	<500	<500	<500	<500	<50	<100	NA	NA	<300
BSB1-50	6/5/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BSB2-4	6/6/2002	<5	<50	<50	<50	<50	<50	<5	<10	NA	NA	<30
BSB2-9	6/6/2002	<5	<50	<50	<50	<50	<50	<5	<10	NA	NA	<30
BSB2-14	6/6/2002	<5	<50	<50	<50	<50	<50	<5	<10	NA	NA	<30
BSB2-18	6/6/2002	<10	<100	<100	<100	<100	<100	<10	<20	NA	NA	<60
BSB2-21	6/6/2002	<5	<50	<50	<50	<50	<50	<5	<10	NA	NA	<30
BSB2-26.5	6/6/2002	<5	<50	<50	<50	<50	<50	<5	<10	NA	NA	<30
BSB3-6.5	8/15/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	NA	<30
BSB3-11.5	8/15/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	NA	<30
BSB3-18	8/15/2002	<10	<100	<100	<100	<100	<100	<10	<20	<10	NA	<60
BSB3-19	8/15/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	NA	<30
BSB3-27	8/15/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	NA	<30
BSB3-28	8/15/2002	**3,980**	<12,500	<12,500	<12,500	<12,500	<12,500	<1,250	<2,500	<1,250	NA	<7,500
BSB3-35	8/15/2002	<10	<100	<100	<100	<100	<100	<10	<20	<10	NA	<60
BSB3-40	8/15/2002	<25	<250	<250	<250	<250	<250	<25	<100	<25	NA	<150
BSB4-6.5	8/15/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	NA	<30
BSB4-12	8/15/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	NA	<30
BSB4-17	8/15/2002	<50	<500	<500	<500	<500	<500	<50	<100	<50	NA	<300
BSB4-25	8/15/2002	<50	**3,800**	<500	<500	<500	<500	<50	<100	<50	NA	<300
BSB4-26.5	8/15/2002	<125	**3,500**	<1250	<1250	<1250	<1250	<125	<250	<125	NA	<750
BSB4-34	8/15/2002	<250	**2,380**	<2500	<2500	<2500	<2500	<250	<500	<250	NA	<1,500
BSB4-40	8/15/2002	<250	<2500	<2500	<2500	<2500	<2500	<250	<500	<250	NA	<1,500
BSB5-7	8/16/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	NA	<30
BSB5-12	8/16/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	NA	<30
BSB5-20	8/16/2002	<125	**6,300**	<1250	<1250	<1250	<1250	<125	<250	<125	NA	<750
BSB5-23	8/16/2002	<125	**7,700**	<1250	<1250	<1250	<1250	<125	<250	<125	NA	<750
BSB5-28	8/16/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	NA	<30
BSB5-34	8/16/2002	<125	<1250	<1250	<1250	<1250	<1250	<125	<250	<125	NA	<750
BSB5-37.5	8/16/2002	<125	**1,370**	<1250	<1250	<1250	<1250	<125	<250	<125	NA	<750
BSB5-40	8/16/2002	<125	**1,830**	<1250	<1250	<1250	<1250	<125	<250	<125	NA	<750
BSB6-5	8/16/2002	<2,500	**36,500**	<25,000	<25,000	<25,000	<25,000	<2,500	<5,000	<2,500	NA	<15,000
BSB6-9	8/16/2002	<500	**16,600**	<5000	<5000	<5000	<5000	<500	<1,000	<500	NA	<3,000
BSB6-10	8/16/2002	<2,500	**173,000**	<2,5000	<2,5000	<2,5000	<2,5000	<2,500	<5,000	<2,500	NA	<15,000
BSB6-15	8/16/2002	<1,000	**19,100**	<10,000	<10,000	<10,000	<10,000	<1,000	<2,000	<1,000	<20,000	<6,000
BSB6-15 (D)	8/16/2002	<1,000	**19,300**	<10,000	<10,000	<10,000	<10,000	<1,000	<2,000	<1,000	<20,000	NA
BSB6-15 (D)	8/16/2002	<1,000	**16,500**	<10,000	<10,000	<10,000	<10,000	<1,000	<2,000	<1,000	<20,000	NA
BSB6-19	8/16/2002	<500	**7,870**	<5000	<5000	<5000	<5000	<500	<1,000	<500	NA	<3,000
BSB6-25	8/16/2002	<1,250	**14,400**	<12,500	<12,500	<12,500	<12,500	<1,250	<2,500	<1,250	NA	<7,500
BSB6-30	8/16/2002	<500	**10,900**	<5000	<5000	<5000	<5000	<500	<1,000	<500	NA	<3,000
BSB6-34	8/16/2002	**4,080**	**31,300**	<12,500	<12,500	<12,500	<12,500	<1,250	<2,500	<1,250	NA	<7,500
BSB6-40	8/16/2002	<500	**39,400**	<5000	<5000	<5000	<5000	<500	<1,000	<500	NA	<3,000

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	TPH-g * (C_4-C_{12})	TPH-d * (C_{13}-C_{23})	TPH-m * (C_{24}-C_{40})	Vinyl Chloride	Chloro-ethane	1,1 DCA	1,1 DCE	trans-1,2-DCE	cis-1,2 DCE	1,1,1 TCA
BSB7-2.5	8/19/2002	1.9	<10	<10	<100	<100	<50	<50	<50	<50	<50
BSB7-7.5	8/19/2002	10.6	<10	<10	<250	<250	188	<125	<125	795	<125
BSB7-15	8/19/2002	10,400	190	<10	<10,000	<10,000	<5000	<5000	<5000	5,800	61,600
BSB7-17	8/19/2002	301	53	<10	<1,000	<1,000	440	<500	<500	<500	<500
BSB7-22	8/19/2002	542	30	<10	<1,000	<1,000	440	<500	<500	<500	<500
BSB7-27.5	8/19/2002	290	<10	<10	<500	<500	355	<250	<250	<250	<250
BSB7-30	8/19/2002	1,430	244	<10	<1,000	<1,000	2,140	828	<500	12,300	16,800
BSB7-33	8/19/2002	9,070	309	<10	<25,000	<25,000	<12,500	<12,500	<12,500	34,500	78,000
BSB7-40	8/19/2002	31	<10	<10	<250	<250	985	375	<250	1,270	775
BSB7-41.5	8/19/2002	<1	<10	<10	<25	<25	167	18	<12.5	72.1	<12.5
BSB8-5	8/19/2002	32	<10	<10	<250	<250	290	<125	<125	650	<125
BSB8-10	8/19/2002	204	<10	<10	<500	<500	<250	<250	<250	420	<250
BSB8-13	8/19/2002	190	<10	<10	<500	<500	250	<250	<250	665	<250
BSB8-18	8/19/2002	344	<10	<10	<1,000	<1,000	400	<500	<500	<500	<500
BSB8-27.5	8/19/2002	279	<10	<10	<500	<500	286	<250	<250	<250	<250
BSB8-31	8/19/2002	782	<10	<10	<5,000	<5,000	5,400	<2,500	<2,500	4,100	<2,500
BSB8-35	8/19/2002	143	<10	<10	<250	<250	335	285	<125	1,820	<125
BSB8-40	8/19/2002	29	<10	<10	<500	<500	1,020	437	<250	1,970	<250
BSB8-45	8/19/2002	57	<10	<10	<500	<500	1,580	355	<250	1,520	<250
BSB9-5	8/20/2002	2,490	1,150	<10	<2,000	<2,000	900	<1,000	<1,000	<1,000	36,500
BSB9-8	8/20/2002	2,980	125	<10	<5,000	<5,000	2,200	<2,500	<2,500	<2,500	176,000
BSB9-15	8/20/2002	191	<10	<10	<500	<500	1,130	<250	<250	258	19,800
BSB9-17	8/20/2002	26	<10	<10	<250	<250	170	<125	<125	62.5	2,380
BSB9-22.5	8/20/2002	54	<10	<10	<50	<50	57	85	<25	57	595
BSB9-24	8/20/2002	223	<10	<10	<500	<500	<250	<250	<250	<250	783
BSB9-27.5	8/20/2002	6,260	340	<10	<5,000	<5,000	<2,500	3,780	<2,500	3,600	306,000
BSB9-32.5	8/20/2002	1,940	<10	<10	<5,000	<5,000	<2,500	<2,500	<2,500	<2,500	37,600
BSB9-35	8/20/2002	105	<10	<10	<100	<100	50	260	<50	<50	230
BSB9-40	8/20/2002	43	<10	<10	<100	<100	<50	250	<50	165	60
BSB10-2	8/20/2002	<1	<10	<10	<50	<50	<25	<25	<25	<25	27.1
BSB10-7.5	8/20/2002	37	<10	<10	<250	<250	125	<125	<125	575	510
BSB10-12.5	8/20/2002	<1	<10	<10	<20	<20	26	11.5	<10	135	132
BSB10-16	8/20/2002	<1	<10	<10	<200	<200	165	<100	<100	1,490	342
BSB10-22.5	8/20/2002	<1	<10	<10	<20	<20	<10	<10	<10	24	14
BSB10-27.5	8/20/2002	35	<10	<10	<250	<250	<125	<125	<125	235	<125
BSB10-30	8/20/2002	20	<10	<10	<200	<200	232	525	<100	218	<100
BSB10-35	8/20/2002	<1	<10	<10	<20	<20	45	52.5	<10	16	<10
BSB10-40	8/20/2002	<1	<10	<10	<20	<20	27	20	<10	13.5	<10
BSB11-9.5	11/11/2002	<1	<10	<10	<10	<10	<5	<5	<5	<5	<5
BSB11-14.5	11/11/2002	<1	<10	<10	<10	<10	<5	<5	<5	<5	<5
BSB11-19.5	11/11/2002	<1	<10	<10	<500	<500	846	<250	<250	365	<250
BSB11-24.5	11/11/2002	<1	<10	<10	<250	<250	529	<125	<125	194	<125
BSB11-29.5	11/11/2002	15	<10	<10	<500	<500	11,300	406	<250	5,480	<250
BSB11-34.5	11/11/2002	84.3	<10	<10	<250	<250	2,970	745	<125	5,600	<125
BSB11-39.5	11/11/2002	20	<10	<10	<250	<250	1,230	926	<125	6,710	<125
BSB11-42	11/11/2002	263	120	<10	<500	<500	780	1,580	<250	3,640	2,850
BSB11-44	11/11/2002	12.1	<10	<10	<100	<100	<50	989	<50	425	988

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	1,2 DCA	TCE	PCE	Methylene Chloride	Chloro benzene	Benzene	Toluene	Ethyl benzene	Xylene	Styrene	Iso-propyl benzene
BSB7-2.5	8/19/2002	<50	<50	60	<50	<50	<50	60	<50	280	<50	<50
BSB7-7.5	8/19/2002	<125	<125	<125	<125	<125	<125	<125	<125	100	<125	<125
BSB7-15	8/19/2002	<5000	13,200	210,000	<5000	<5000	<5000	574,000	143,000	872,000	<5000	13,800
BSB7-17	8/19/2002	<500	<500	<500	<500	<500	<500	1,240	1,060	7,600	<500	<500
BSB7-22	8/19/2002	<500	<500	<500	<500	<500	<500	7,100	3,880	26,800	<500	760
BSB7-27.5	8/19/2002	<250	<250	<250	<250	<250	<250	5,300	3,050	18,800	<250	<250
BSB7-30	8/19/2002	<500	1,400	12,000	<500	<500	220	102,000	18,300	106,000	<500	2,200
BSB7-33	8/19/2002	<12,500	41,500	13,500	<12,500	<12,500	<12,500	441,000	60,500	308,000	<12,500	13,500
BSB7-40	8/19/2002	<250	<250	<250	<250	<250	75	8,600	590	2,770	<250	<250
BSB7-41.5	8/19/2002	<12.5	<12.5	<12.5	<12.5	<12.5	11.9	111	<12.5	55	<12.5	<12.5
BSB8-5	8/19/2002	<125	<125	<125	<125	<125	<125	1,950	235	1,230	<125	<125
BSB8-10	8/19/2002	<250	<250	<250	<250	<250	<250	1,410	80	425	<250	<250
BSB8-13	8/19/2002	<250	<250	<250	<250	<250	<250	2,740	140	775	<250	<250
BSB8-18	8/19/2002	<500	<500	<500	<500	<500	<500	2,300	1,250	6,550	<500	<500
BSB8-27.5	8/19/2002	<250	<250	<250	<250	<250	<250	2,400	1,680	7,900	<250	2,600
BSB8-31	8/19/2002	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500	34,600	8,600	32,000	<2,500	<2,500
BSB8-35	8/19/2002	<125	180	360	<125	<125	85	250	1,020	3,570	<125	150
BSB8-40	8/19/2002	<250	<250	<250	<250	<250	<250	1,710	367	1,10	<250	<250
BSB8-45	8/19/2002	<250	<250	<250	<250	<250	<250	2,190	472	1,110	<250	<250
BSB9-5	8/20/2002	<1,000	4,400	13,700	<1,000	<1,000	<1,000	<1,000	6,600	6,550	<1,000	40,200
BSB9-8	8/20/2002	<2,500	4,360	26,000	<2,500	<2,500	<2,500	12,900	14,300	81,300	<2,500	<2,500
BSB9-15	8/20/2002	<250	845	2,440	<250	<250	1,570	2,360	1,440	7,880	<250	<250
BSB9-17	8/20/2002	<125	177	427	<125	<125	285	572	323	1,700	<125	<125
BSB9-22.5	8/20/2002	<25	80	145	<25	<25	130	315	150-	925	<25	<25
BSB9-24	8/20/2002	<250	358	<250	<250	<250	<250	1,280	1,050	7,170	<250	<250
BSB9-27.5	8/20/2002	<2,500	64,000	9,200	<2,500	<2,500	<2,500	93,400	40,800	205,000	<2,500	4,400
BSB9-32.5	8/20/2002	<2,500	5,550	<2,500	<2,500	<2,500	<2,500	7,700	3,250	15,400	<2,500	<2,500
BSB9-35	8/20/2002	<50	95	90	<50	<50	110	230	125	420	<50	<50
BSB9-40	8/20/2002	<50	<50	<50	<50	<50	65	250	82	255	<50	<50
BSB10-2	8/20/2002	<25	63.4	658	<25	<25	<25	<25	<25	<25	<25	<25
BSB10-7.5	8/20/2002	<125	1,020	1,100	<125	<125	<125	60	<125	<125	<125	<125
BSB10-12.5	8/20/2002	<10	69.3	25	<10	<10	<10	<10	<10	<10	<10	<10
BSB10-16	8/20/2002	<100	<100	<100	<100	<100	<100	155	<100	<100	<100	<100
BSB10-22.5	8/20/2002	<10	<10	<10	<10	<10	<10	7.5	<10	<10	<10	<10
BSB10-27.5	8/20/2002	<125	63.4	<125	<125	<125	<125	<125	<125	<125	<125	<125
BSB10-30	8/20/2002	<100	63.4	<100	<100	<100	<100	<100	42,5	97.5	<100	<100
BSB10-35	8/20/2002	<10	63.4	7	<10	<10	<10	<10	<10	<10	<10	<10
BSB10-40	8/20/2002	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BSB11-9.5	11/11/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
BSB11-14.5	11/11/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
BSB11-19.5	11/11/2002	<250	<250	<250	<250	<250	<250	<250	<250	<250	<250	<250
BSB11-24.5	11/11/2002	<125	<125	<125	<125	<125	125	357	<125	136	<125	<125
BSB11-29.5	11/11/2002	<250	<250	<250	<250	<250	<250	244	409	1,800	<250	<250
BSB11-34.5	11/11/2002	<125	<125	<125	<125	<125	65	5,410	903	4,410	<125	218
BSB11-39.5	11/11/2002	<125	<125	<125	<125	<125	77.5	263	267	616	<125	<125
BSB11-42	11/11/2002	<250	1,480	1,950	<250	<250	226	1690	4,110	12,700	<250	1,180
BSB11-44	11/11/2002	<50	65	180	<50	<50	129	1540	255	649	<50	<50

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	n-Propyl benzene	4-Chloro toluene	1,3,5-TMB	ter-Butyl benzene	1,2,4-TMB	sec-Butyl benzene	p-Isopropyl toluene	1,2-DCB	n-Butyl benzene	Naphthalene	DIPE
BSB7-2.5	8/19/2002	<50	<50	60	<50	195	<50	<50	<50	<50	70	<50
BSB7-7.5	8/19/2002	<125	<125	<125	<125	155	<125	<125	<125	<125	107	<125
BSB7-15	8/19/2002	34,400	<5000	59,000	<5000	224,000	<5000	<5000	<5000	9,000	18,000	<5000
BSB7-17	8/19/2002	846	<500	2,560	<500	10,600	<500	<500	<500	700	1,320	<500
BSB7-22	8/19/2002	2,240	<500	5,800	<500	22,400	<500	<500	<500	1,120	1,900	<500
BSB7-27.5	8/19/2002	1,340	<250	3,150	<250	12,200	<250	<250	<250	535	795	<250
BSB7-30	8/19/2002	5,840	<500	11,500	<500	40,200	<500	<500	<500	1,760	2,440	<500
BSB7-33	8/19/2002	41,000	<12,500	78,000	<12,500	252,000	<12,500	<12,500	<12,500	12,500	13,000	<12,500
BSB7-40	8/19/2002	125	<250	<250	<250	485	<250	<250	<250	<250	<250	<250
BSB7-41.5	8/19/2002	<12.5	<12.5	<12.5	<12.5	25	<12.5	<12.5	<12.5	<12.5	<12.5	<12.5
BSB8-5	8/19/2002	<125	<125	<125	<125	615	<125	<125	<125	<125	<125	<125
BSB8-10	8/19/2002	<250	<250	<250	<250	<250	<250	<250	<250	<250	<250	<250
BSB8-13	8/19/2002	<250	<250	<250	<250	<250	<250	<250	<250	<250	<250	<250
BSB8-18	8/19/2002	575	<500	1,750	<500	6,880	<500	<500	<500	<500	925	<500
BSB8-27.5	8/19/2002	786	<250	2,290	<250	8,840	<250	<250	<250	649	1,090	<250
BSB8-31	8/19/2002	<2,500	<2,500	5,000	<2,500	18,600	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500
BSB8-35	8/19/2002	357	<125	857	<125	3,080	<125	<125	<125	140	240	<125
BSB8-40	8/19/2002	<250	<250	<250	<250	838	<250	<250	<250	<250	<250	<250
BSB8-45	8/19/2002	<250	<250	548	<250	1,850	<250	<250	<250	<250	<250	<250
BSB9-5	8/20/2002	<1,000	<1,000	3,350	<1,000	3,350	<1,000	<1,000	<1,000	51,500	8,700	23,900
BSB9-8	8/20/2002	3,900	<2,500	10,900	<2,500	76,400	<2,500	<2,500	<2,500	13,800	31,000	<2,500
BSB9-15	8/20/2002	752	<250	1,600	<250	9,370	<250	<250	<250	1,550	4,760	<250
BSB9-17	8/20/2002	150	<125	353	<125	1,990	<125	<125	<125	340	900	<125
BSB9-22.5	8/20/2002	<25	<25	148	<25	770	<25	<25	<25	125	425	<25
BSB9-24	8/20/2002	<250	<250	536	<250	2,470	<250	<250	<250	250	459	<250
BSB9-27.5	8/20/2002	4,400	<2,500	2,700	<2,500	113,000	<2,500	<2,500	<2,500	9,400	14,800	<2500
BSB9-32.5	8/20/2002	<2,500	<2,500	2,110	<2,500	8,890	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500
BSB9-35	8/20/2002	60	<50	80	<50	365	<50	<50	<50	50	160	<50
BSB9-40	8/20/2002	<50	<50	<50	<50	175	<50	<50	<50	<50	70	<50
BSB10-2	8/20/2002	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
BSB10-7.5	8/20/2002	<125	<125	125	<125	1,230	<125	<125	<125	<125	605	<125
BSB10-12.5	8/20/2002	<10	<10	<10	<10	40.8	<10	<10	<10	<10	<10	<10
BSB10-16	8/20/2002	<100	<100	97.5	<100	308	<100	<100	<100	<100	<100	<100
BSB10-22.5	8/20/2002	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BSB10-27.5	8/20/2002	<125	<125	<125	<125	210	<125	<125	<125	<125	<125	<125
BSB10-30	8/20/2002	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
BSB10-35	8/20/2002	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BSB10-40	8/20/2002	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BSB11-9.5	11/11/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
BSB11-14.5	11/11/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
BSB11-19.5	11/11/2002	<250	<250	<250	<250	<250	<250	<250	<250	<250	<250	<250
BSB11-24.5	11/11/2002	<125	<125	<125	<125	<125	<125	<125	<125	<125	<125	<125
BSB11-29.5	11/11/2002	<250	<250	<250	<250	235	<250	<250	<250	<250	<250	<250
BSB11-34.5	11/11/2002	405	<125	1,370	<125	4,560	<125	<125	<125	<125	212	<125
BSB11-39.5	11/11/2002	<125	<125	138	<125	527	<125	<125	<125	<125	<125	<125
BSB11-42	11/11/2002	3,010	<250	6,890	<250	21,000	<250	<250	<250	910	432	<250
BSB11-44	11/11/2002	<50	<50	461	<50	636	<50	<50	<50	<<50	<50	<50

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	1,1,2 TCA	Acetone	MEK	MIBK	2-Hexanone	Vinyl Acetate	1,2 Dibromo-3-Chloropropane	2-Chloroethyl vinyl ether	MTBE	1,4-Dioxane	T-Butyl Alcohol
BSB7-2.5	8/19/2002	<50	1,200	<500	<500	<500	<500	<50	<100	<50	NA	<300
BSB7-7.5	8/19/2002	<125	<125	<1,250	<1,250	<1,250	<1,250	<125	<250	<125	NA	<750
BSB7-15	8/19/2002	139,000	<5	<50,000	<50,000	<50,000	<50,000	<5,000	<10,000	<5000	NA	<30,000
BSB7-17	8/19/2002	<500	2,970	5,320	<5,000	<5,000	<5,000	<500	<1,000	<500	NA	<3,000
BSB7-22	8/19/2002	3,360	<5,000	<5,000	<5,000	<5,000	<5,000	<500	<1,000	<500	NA	<3,000
BSB7-27.5	8/19/2002	2,250	1,210	4,720	<2,500	<2,500	<2,500	<250	<500	<250	NA	<1,500
BSB7-30	8/19/2002	18,400	34,300	17,100	3,780	<5,000	<5,000	<500	<1,000	<500	NA	<3,000
BSB7-33	8/19/2002	88,500	72,500	<125,000	<125,000	<125,000	<125,000	<12,500	<25,000	<12,500	NA	<75,000
BSB7-40	8/19/2002	<250	1,950	7,850	<2,500	<2,500	<2,500	<250	<250	<250	NA	<750
BSB7-41.5	8/19/2002	<12.5	842	442	203	<125	<125	<12.5	<25	<12.5	NA	<75
BSB8-5	8/19/2002	<125	32,700	25,700	1,770	<1,250	<1,250	<125	<250	<125	NA	<750
BSB8-10	8/19/2002	<250	76,000	50,000	1,590	<2,500	<2,500	<250	<500	<250	<5,000	<1,500
BSB8-13	8/19/2002	<250	81,000	43,500	2,130	<2,500	<2,500	<250	<500	<250	<5,000	<1,500
BSB8-18	8/19/2002	1,450	11,100	12,500	<5,000	<5,000	<5,000	<500	<1,000	<500	<10,000	<3,000
BSB8-27.5	8/19/2002	1,810	5,170	7,100	<2,500	<2,500	<2,500	<250	<500	<250	<5,000	<1,500
BSB8-31	8/19/2002	<2,500	27,600	<25,000	<25,000	<25,000	<25,000	<2,500	<5,000	<2,500	<50,000	<15,000
BSB8-35	8/19/2002	760	19,500	13,100	<1,250	<1,250	<1,250	<125	<250	<125	<2,500	<750
BSB8-40	8/19/2002	<250	12,300	13,900	<2,500	<2,500	<2,500	<250	<500	<250	<5,000	<1,500
BSB8-45	8/19/2002	<250	8,400	14,700	1,800	<2,500	<2,500	<250	<500	<250	<5,000	<1,500
BSB9-5	8/20/2002	2,250	5,850	12,000	<10,000	<10,000	<10,000	<1,000	<2,000	<1,000	<20,000	<6,000
BSB9-8	8/20/2002	4,000	60,000	30,000	<25,000	<25,000	<25,000	<2,500	<5,000	<2,500	<50,000	<15,000
BSB9-15	8/20/2002	<250	24,300	10,400	<2,500	<2,500	<2,500	<250	<500	<250	<5,000	<1,500
BSB9-17	8/20/2002	570	9,900	9,850	<1,250	<1,250	<1,250	<125	<250	<125	<2,500	<750
BSB9-22.5	8/20/2002	<25	5,450	9,500	<250	<250	<250	<25	<50	<25	<500	<150
BSB9-24	8/20/2002	<250	4,650	11,200	<2,500	<2,500	<2,500	<250	<500	<250	<5,000	<1,500
BSB9-27.5	8/20/2002	36,600	23,200	<50	<25,000	<25,000	<25,000	<2,500	<5,000	<2,500	<50,000	<15,000
BSB9-32.5	8/20/2002	3,450	<25,000	<25,000	<25,000	<25,000	<25,000	<2,500	<5,000	<2,500	<50,000	<15,000
BSB9-35	8/20/2002	<50	1,910	4,670	<500	<500	<500	<50	<100	<50	<1,000	<300
BSB9-40	8/20/2002	<50	1,850	3,950	<500	<500	<500	<50	<100	<50	<1,000	<300
BSB10-2	8/20/2002	<25	<50	<50	<50	<50	<50	<25	<50	<25	<500	<150
BSB10-7.5	8/20/2002	<125	<1,250	<1,250	<1,250	<1,250	<1,250	<125	<250	<125	<2,500	<750
BSB10-12.5	8/20/2002	<10	<50	<50	<50	<50	<50	<10	<20	<10	<200	<60
BSB10-16	8/20/2002	<100	2,900	7,730	<1,000	<1,000	<1,000	<100	<200	<100	<2,000	<600
BSB10-22.5	8/20/2002	<10	400	125	<100	<100	<100	<10	<20	<10	<200	<60
BSB10-27.5	8/20/2002	<125	3,690	7,350	<1,250	<1,250	<1,250	<125	<250	<125	<2,500	<750
BSB10-30	8/20/2002	<100	2,630	8,530	<1,000	<1,000	<1,000	<100	<200	<100	<2,000	<600
BSB10-35	8/20/2002	<10	<100	<100	<100	<100	<100	<10	<20	<10	<200	<60
BSB10-40	8/20/2002	<10	<100	<100	<100	<100	<100	<10	<20	<10	<200	<60
BSB11-9.5	11/11/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	<100	<30
BSB11-14.5	11/11/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	<100	<30
BSB11-19.5	11/11/2002	<250	<2,500	<2,500	<2,500	<2,500	<2,500	<250	<500	<250	<5,000	<1,500
BSB11-24.5	11/11/2002	<125	<1,250	<1,250	<1,250	<1,250	<1,250	<125	<250	<125	<2,500	<750
BSB11-29.5	11/11/2002	<250	1,840	6,390	<2,500	<2,500	<2,500	<250	<500	<250	<5,000	<1,500
BSB11-34.5	11/11/2002	<125	2,100	<1250	<1,250	<1,250	143	194.4	<250	<125	<2,500	<750
BSB11-39.5	11/11/2002	<125	39,700	23,400	<1,250	1,750	<1,250	<125	<250	<125	<2,500	<750
BSB11-42	11/11/2002	<250	<2,500	<2,500	<2,500	<2,500	966	<250	<500	<250	<5,000	<1,500
BSB11-44	11/11/2002	<50	2,440	<500	<500	<500	<500	<50	<100	<50	<1,000	<300

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	TPH-g * (C_4-C_{12})	TPH-d * (C_{13}-C_{23})	TPH-m * (C_{24}-C_{40})	Vinyl Chloride	Chloro-ethane	1,1 DCA	1,1 DCE	trans-1,2-DCE	cis-1,2 DCE	1,1,1 TCA
BSB12-9	11/11/2002	13.3	<10	<10	<500	<500	676	160	<250	3,770	259
BSB12-10	11/11/2002	NA	NA	NA	<110	<110	750	173	<250	4,470	292
BSB12-14.5	11/11/2002	4,320	57	<10	<10,000	<10,000	7,660	8,040	<5,000	18,300	207,000
BSB12-19.5	11/11/2002	290	41	<10	<500	<500	<250	<250	<250	366	458
BSB12-24.5	11/11/2002	1,350	155	<10	<5,000	<5,000	<2,500	<2,500	<2,500	4,360	8,690
BSB12-28.5	11/11/2002	17	<10	<10	<250	<250	671	242	<125	7,940	1,150
BSB12-34.5	11/11/2002	367	14	<10	<500	<500	2,500	2,200	<250	2,660	1,570
BSB12-39.5	11/11/2002	73	<10	<10	<5,000	<5,000	3,280	3,460	<2,500	<2,500	<2,500
BSB12-44.5	11/11/2002	0.63	<10	<10	<10	<10	586	957	<5	83	<5
BSB13-4.5	11/12/2002	602	37	<10	<1,000	<1000	<500	<500	<500	<500	1,600
BSB13-9.5	11/12/2002	78	<10	<10	<250	168	285,0	<125	<125	758	244
BSB13-14.5	11/12/2002	<10	<10	<10	<250	<250	689	<125	<125	2,520	247
BSB13-19.5	11/12/2002	<10	<10	<10	<10	<10	929	<5	<5	1,070	213
BSB13-25	11/12/2002	60	10	<10	<500	<500	340	<20	<250	294	<250
BSB13-27	11/12/2002	408	40	<10	<2,000	<2,000	2,210	<1,000	<1,000	5,700	<1,000
BSB13-29.5	11/12/2002	250	23	<10	<500	<500	1,120	370	<250	10,900	<250
BSB13-30	11/12/2002	NA	NA	NA	<500	<500	1,100	460	<250	11,700	<250
BSB13-32	11/12/2002	84	<10	<10	<500	<500	1,180	396	<250	7,090	<250
BSB13-34.5	11/12/2002	287	30	<10	<500	<500	1,700	947	<250	3,550	<250
BSB13-39.5	11/12/2002	<10	<10	<10	<500	<500	2340	380	<250	2,110	<250
BSB14-9.5	11/12/2002	<10	<10	<10	<500	<500	461	297	<250	94	798
BSB14-14.5	11/12/2002	<10	<10	<10	<250	<250	1130	1,050	<125	264	2,850
BSB14-19.5	11/12/2002	<10	<10	<10	<10	<10	65	95	<5	95	110
BSB14-27	11/12/2002	<10	<10	<10	<10	<10	91.6	225	<5	335	400
BSB14-28.5	11/12/2002	<10	<10	<10	<500	<500	35	213	<250	<250	577
BSB14-29	11/12/2002	NA	NA	NA	<10	<10	26.7	251	<5	27.4	304
BSB14-33	11/12/2002	<10	<10	<10	<10	<10	109	635	<5	142	628
BSB14-39.5	11/12/2002	<10	<10	<10	<250	<250	634	1,400	<125	108	<125
BSB14-42	11/12/2002	<10	<10	<10	<10	<10	108	327	<5	19.3	<5
BSB16-4.5	11/13/2002	10.9	<10	<10	<10	<10	<5	<5	<5	<5	<5
BSB16-9	11/13/2002	21	<10	<10	<10	<10	<5	<5	<5	7.2	<5
BSB16-10	11/13/2002	NA	NA	NA	<10	<10	<5	<5	<5	8.4	<5
BSB16-14.5	11/13/2002	0.6	<10	<10	<10	<10	<5	<5	<5	<5	<5
BSB16-19.5	11/13/2002	<1	12	<10	<10	<10	<5	<5	<5	<5	<5
BSB16-22	11/13/2002	<1	<10	<10	<10	<10	<5	<5	<5	7.5	<5
BSB16-24.5	11/13/2002	1,440	<10	<10	<2,000	<2,000	<1,000	<1,000	<1,000	1,330	<1,000
BSB16-29.5	11/13/2002	758	76	<10	<1,000	<1,000	<500	1,040	<500	1,830	4.95
BSB16-34.5	11/13/2002	1	<10	<10	<10	<10	164	341	<5	181	18.3
BSB16-39.5	11/13/2002	<1	<10	<10	<10	<10	<5	179	<5	378	10.6
BSB16-44.5	11/13/2002	0.5	<10	<10	<10	<10	202	238	5.4	658	<5
BSB16-49.5	11/13/2002	<1	<10	<10	<10	<10	254	180	<5	698	<5
BSB17-0	11/14/2002	NA	NA	NA	<20,000	<20,000	<10,00	<10,000	<10,000	42,700	<10,000
BSB17-10	11/14/2002	3,000	200	<10	<2,000	<2,000	<1,000	<1,000	<1,000	664	<1,000
BSB17-14	11/14/2002	8,760	452	<10	<25,000	<25,000	<12,500	<12,500	<12,500	23,600	11,100
BSB17-15	11/14/2002	5,300	350	<10	<25,000	<25,000	<12,500	<12,500	<12,500	19,400	12,800
BSB17-20	11/14/2002	5,000	504	<10	<25,000	<25,000	27,700	<12,500	<12,500	19,800	28,500
BSB17-22.5	11/14/2002	2,150	171	<10	<2,000	<2,000	3,790	<1,000	<1,000	2,730	3,250
BSB17-25	11/14/2002	1,760	143	<10	<5,000	<5,000	4,900	<2,500	<2,500	2,690	<2,500
BSB17-27.5	11/14/2002	2,070	183	<10	<2,000	<2,000	16,200	2,270	<1,000	20,400	36,400

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	1,2 DCA	TCE	PCE	Methylene Chloride	Chloro benzene	Benzene	Toluene	Ethyl benzene	Xylene	Styrene	Iso-propyl benzene
BSB12-9	11/11/2002	<250	<250	<250	4,000	<250	<250	494	64	271	<250	<250
BSB12-10	11/11/2002	<250	<250	<250	3,720	<250	<250	391	51,5	190	<250	<250
BSB12-14.5	11/11/2002	<5,000	20,700	355,000	107,000	<5,000	<5,000	126000	28,200	129,000	<5,000	<5,000
BSB12-19.5	11/11/2002	<250	<2500	<2500	<250	<250	<250	460	485	2,400	<250	<250
BSB12-24.5	11/11/2002	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500	10200	4,700	21,300	<2,500	<2,500
BSB12-28.5	11/11/2002	<125	<125	<125	289	<125	<125	1140	170	476	<125	<125
BSB12-34.5	11/11/2002	<250	<250	13,000	11,500	<250	<250	9320	2,350	9,240	<250	<250
BSB12-39.5	11/11/2002	<2,500	<2,500	<2,500	23,400	<2,500	<2,500	3200	<2,500	<2,500	<2,500	<2,500
BSB12-44.5	11/11/2002	<5	17	285	<5	<5	13.9	2.9	<5	3.5	<5	<5
BSB13-4.5	11/12/2002	<500	<500	3,940	<500	<500	310	15,000	1,110	6,510	<500	816
BSB13-9.5	11/12/2002	<125	<125	117	557	<125	56	1,170	55	258	<125	<125
BSB13-14.5	11/12/2002	<125	<125	<125	775	96.3	105	2,480	<125	307	<125	<125
BSB13-19.5	11/12/2002	<5	<5	<5	<5	<5	29.6	1,120	98.1	443	<5	5.8
BSB13-25	11/12/2002	<250	<250	2,090	<250	<250	<250	<250	830	3700	<250	<250
BSB13-27	11/12/2002	<1,000	<1,000	<1,000	<1,000	<1,000	<1,000	64800	12300	48800	<1,000	978
BSB13-29.5	11/12/2002	<250	<250	<250	<250	532	197	111000	19400	90600	<250	2,110
BSB13-30	11/12/2002	<250	<250	<250	<250	456	199	98600	18500	74300	<250	1,630
BSB13-32	11/12/2002	<250	<250	<250	<250	<250	<250	12900	3080	7730	<250	671
BSB13-34.5	11/12/2002	<250	<250	<250	<250	<250	<250	256	2120	3060	<250	1,300
BSB13-39.5	11/12/2002	<250	<250	<250	<250	<250	<250	3480	1180	2280	<250	253
BSB14-9.5	11/12/2002	<250	115	130	<250	<250	<250	<250	<250	<250	<250	<250
BSB14-14.5	11/12/2002	<125	255	270	425	<125	<125	<125	<125	185	<125	<125
BSB14-19.5	11/12/2002	<5	12.7	5	<5	<5	<5	14.2	4.2	65	<5	<5
BSB14-27	11/12/2002	<5	89.3	15.6	<5	4.9	8.7	81.7	23.7	119	<5	<5
BSB14-28.5	11/12/2002	<250	40	45	<250	<250	25	234	40	125	<250	<250
BSB14-29	11/12/2002	<5	15.8	32.9	<5	<5	13.7	196	15.8	84.5	<5	<5
BSB14-33	11/12/2002	<5	10	29.7	<5	<5	15.4	7.1	65	115	<5	<5
BSB14-39.5	11/12/2002	<125	<125	<125	<125	<125	203	943	305	435	<125	<125
BSB14-42	11/12/2002	<5	<5	16.2	<5	<5	3.2	2	10.2	<5	<5	<5
BSB16-4.5	11/13/2002	<5	<5	<5	<5	<5	<5	6.2	9.4	37.9	6.3	<5
BSB16-9	11/13/2002	<5	<5	<5	<5	<5	<5	81.4	93.1	222	33	4.6
BSB16-10	11/13/2002	<5	<5	<5	<5	<5	<5	92.1	112	251	40	5.8
BSB16-14.5	11/13/2002	<5	<5	<5	<5	<5	<5	2	<5	4	<5	<5
BSB16-19.5	11/13/2002	<5	<5	<5	<5	<5	<5	5.9	7.6	15.3	<5	<5
BSB16-22	11/13/2002	<5	<5	<5	<5	<5	<5	8.3	11.2	30.2	<5	<5
BSB16-24.5	11/13/2002	<1,000	<1,000	<1,000	<1,000	<1,000	<1,000	54,700	46,900	101,000	<1,000	1,100
BSB16-29.5	11/13/2002	<500	9,560	14,300	892	<500	<500	46,700	23,500	45,300	<500	703
BSB16-34.5	11/13/2002	<5	345	137	22.7	<5	<5	525	61	268	<5	<5
BSB16-39.5	11/13/2002	<5	64.7	13	8.1	<5	14.8	53.4	12	24.6	<5	<5
BSB16-44.5	11/13/2002	<5	350	14.3	<5	8.4	19	12.5	4	10	<5	6.1
BSB16-49.5	11/13/2002	<5	536	67.1	<5	18.4	<5	4.9	<5	113	<5	11.3
BSB17-0	11/14/2002	<10,000	31,700	760,000	<10,000	<10,000	<10,000	943,000	193,000	1,450,000	<10,000	29,800
BSB17-10	11/14/2002	<1,000	<1,000	<1,000	<1,000	<1,000	<1,000	67,000	9,500	64,100	<1,000	2,520
BSB17-14	11/14/2002	<12,500	<12,500	<12,500	<12,500	<12,500	<12,500	450,000	55,000	343,000	<12,500	12,500
BSB17-15	11/14/2002	<12,500	<12,500	<12,500	<12,500	<12,500	<12,500	320,000	73,600	388,000	<12,500	14,700
BSB17-20	11/14/2002	<12,500	20,700	21,100	<12,500	<12,500	<12,500	546,000	94,500	451,000	<12,500	7,200
BSB17-22.5	11/14/2002	<1,000	<1,000	<1,000	<1,000	<1,000	<1,000	120,000	27,600	118,000	<1,000	2,110
BSB17-25	11/14/2002	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500	131,000	45,100	195,000	<2,500	3,340
BSB17-27.5	11/14/2002	<1,000	10,300	90,900	<1,000	<1,000	<1,000	195,000	41,900	172,000	<1,000	2,480

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	n-Propyl benzene	4-Chloro toluene	1,3,5-TMB	ter-Butyl benzene	1,2,4-TMB	sec-Butyl benzene	p-Isopropyl toluene	1,2-DCB	n-Butyl benzene	Naphthalene	DIPE
BSB12-9	11/11/2002	<250	<250	<250	<250	281	<250	<250	<250	<250	<250	<250
BSB12-10	11/11/2002	<250	<250	<250	<250	228	<250	<250	<250	<250	<250	<250
BSB12-14.5	11/11/2002	49,700	<5,000	28,400	<5,000	156,000	<5,000	<5,000	<5,000	14,600	18,900	<5,000
BSB12-19.5	11/11/2002	1,860	<250	1,020	<250	7,050	<250	<250	<250	899	1,250	<250
BSB12-24.5	11/11/2002	13,700	<2,500	9,460	<2,500	65,200	<2,500	<2,500	<2,500	4,570	13,100	<2,500
BSB12-28.5	11/11/2002	<125	<125	<125	<125	403	<125	<125	<125	<125	<125	<125
BSB12-34.5	11/11/2002	3,830	<250	2,370	<250	17,700	<250	<250	<250	1,880	2,590	<250
BSB12-39.5	11/11/2002	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500
BSB12-44.5	11/11/2002	<5	<5	8.2	<5	14.2	<5	<5	<5	<5	<5	<5
BSB13-4.5	11/12/2002	3,060	<500	7,450	<500	21,200	<500	<500	<500	940	1,140	<500
BSB13-9.5	11/12/2002	<125	<125	<125	<125	259	<125	<125	<125	<125	<125	<125
BSB13-14.5	11/12/2002	<125	<125	<125	<125	205	<125	<125	<125	<125	<125	<125
BSB13-19.5	11/12/2002	62	<5	26.1	<5	125	<5	<5	<5	<5	22.1	<5
BSB13-25	11/12/2002	<250	<250	693	<250	2,720	<250	<250	<250	<250	<250	<250
BSB13-27	11/12/2002	11,100	<1,000	5,030	<1,000	17,000	<1,000	<1,000	<1,000	1,170	<1000	<1,000
BSB13-29.5	11/12/2002	3,780	<250	8,770	<250	32,100	<250	<250	<250	2,340	1,880	<250
BSB13-30	11/12/2002	2,860	<250	7,260	<250	25,500	<250	<250	<250	1,740	1,600	<250
BSB13-32	11/12/2002	1,200	<250	2,920	<250	10,600	<250	255	<250	8,010	307	<250
BSB13-34.5	11/12/2002	2,480	<250	6,070	<250	18,700	260	251	<250	1,470	273	<250
BSB13-39.5	11/12/2002	<250	<250	1,310	<250	4,320	<250	<250	<250	319	<250	<250
BSB14-9.5	11/12/2002	<250	<250	<250	<250	<250	<250	<250	<250	<250	<250	<250
BSB14-14.5	11/12/2002	<125	<125	<125	<125	<125	<125	<125	<125	<125	<125	<125
BSB14-19.5	11/12/2002	<5	<5	15	<5	68	<5	<5	<5	<5	7	<5
BSB14-27	11/12/2002	23.5	<5	10	6	39	<5	<5	<5	<5	<5	<5
BSB14-28.5	11/12/2002	<250	<250	<250	<250	<250	<250	<250	<250	<250	<250	<250
BSB14-29	11/12/2002	19.8	<5	7.5	<5	27.2	<5	<5	<5	<5	<5	<5
BSB14-33	11/12/2002	<5	<5	<5	<5	8	<5	<5	<5	<5	<5	<5
BSB14-39.5	11/12/2002	<125	<125	272	<125	332	<125	<125	<125	<125	107	<125
BSB14-42	11/12/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
BSB16-4.5	11/13/2002	38.7	<5	24.2	14.2	96.4	<5	<5	<5	<5	<5	<5
BSB16-9	11/13/2002	14.2	7	61.4	<5	240	<5	<5	<5	<5	<5	<5
BSB16-10	11/13/2002	16.6	9.4	73.3	<5	285	<5	<5	<5	<5	<5	<5
BSB16-14.5	11/13/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
BSB16-19.5	11/13/2002	<5	<5	<5	<5	7.4	<5	<5	<5	<5	<5	<5
BSB16-22	11/13/2002	<5	<5	<5	<5	12.2	<5	<5	<5	<5	8.9	<5
BSB16-24.5	11/13/2002	2,090	<1,000	6,200	<1,000	21,100	<1,000	<1,000	<1,000	1,400	<1,000	<1,000
BSB16-29.5	11/13/2002	1,480	<500	3,970	<500	14,400	<500	<500	<500	965	<500	<500
BSB16-34.5	11/13/2002	17.1	<5	12.7	<5	67.3	<5	<5	<5	<5	8.8	<5
BSB16-39.5	11/13/2002	<5	<5	<5	<5	5.2	<5	<5	<5	<5	12	<5
BSB16-44.5	11/13/2002	<5	<5	<5	<5	13.8	<5	<5	<5	<5	25	<5
BSB16-49.5	11/13/2002	<5	<5	45.2	<5	208	<5	<5	<5	<5	27.2	<5
BSB17-0	11/14/2002	73,700	<10,000	199,000	<10,000	631,000	21,000	23,500	<10,000	43,200	<10,000	<10,000
BSB17-10	11/14/2002	4,730	<1,000	14,000	<1,000	<1,000	<1,000	<1,000	3,480	960	2,620	<1,000
BSB17-14	11/14/2002	151,000	<12,500	60,700	<12,500	207,000	<12,500	<12,500	30,000	<12,500	<12,500	<12,500
BSB17-15	11/14/2002	150,000	<12,500	71,000	<12,500	234,000	<12,500	<12,500	34,400	<12,500	<12,500	<12,500
BSB17-20	11/14/2002	13,400	<12,500	39,100	<12,500	161,000	<12,500	<12,500	<12,500	<12,500	15,400	<12,500
BSB17-22.5	11/14/2002	4,150	<1,000	12,600	<1,000	47,200	<1,000	<1,000	<1,000	2,790	3,550	<1,000
BSB17-25	11/14/2002	6,010	<2,500	17,000	<2,500	70,000	<2,500	<2,500	<2,500	4,450	2,910	<2,500
BSB17-27.5	11/14/2002	4,320	<1,000	14,300	<1,000	54,100	<1,000	<1,000	<1,000	2,970	2,770	<1,000

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	1,1,2 TCA	Acetone	MEK	MIBK	2-Hexanone	Vinyl Acetate	1,2 Dibromo-3-Chloropropane	2-Chloroethyl vinyl ether	MTBE	1,4-Dioxane	T-Butyl Alcohol
BSB12-9	11/11/2002	<250	9,600	13,000	525	<2,500	<2,500	<250	<500	<250	<5,000	<1,500
BSB12-10	11/11/2002	<250	13,600	15,400	468	<2,500	<2,500	<250	<500	<250	<5,000	<1,500
BSB12-14.5	11/11/2002	<5,000	46,200	<50,000	<50,000	<50,000	<50,000	<5,000	<10,000	<5,000	<100,000	<30,000
BSB12-19.5	11/11/2002	<250	4,230	1,750	<2,500	<2,500	<2,500	<250	<500	<250	<5,000	<1,500
BSB12-24.5	11/11/2002	<2,500	<25,000	<25,000	<25,000	<25,000	<25,000	<2,500	<5,000	<2,500	<50,000	<15,000
BSB12-28.5	11/11/2002	<125	4,790	2,770	<1,250	<1,250	<1,250	<125	<250	<125	<2,500	<750
BSB12-34.5	11/11/2002	<250	17,900	8,630	1740	<2,500	<2,500	<250	<500	<250	<5,000	<1,500
BSB12-39.5	11/11/2002	<2,500	43,000	52,500	<25,000	<25,000	<25,000	<2,500	<5,000	<2,500	<50,000	<15,000
BSB12-44.5	11/11/2002	<5	48	<50	<50	<50	<50	<5	<10	<5	<100	<30
BSB13-4.5	11/12/2002	<500	44,700	<5,000	<5,000	<5,000	<5,000	<500	<1,000	<500	<10,000	<3,000
BSB13-9.5	11/12/2002	<125	32,500	9,430	660	<1,250	<1,250	<125	<250	<125	27,300	<750
BSB13-14.5	11/12/2002	<125	39,000	14,700	685	<1,250	<1,250	<125	2,860	<125	4,640	<750
BSB13-19.5	11/12/2002	<5	12,300	6,140	1,260	<50	<50	<5	<10	<5	<100	<30
BSB13-25	11/12/2002	<250	9,040	5,460	1,270	<2,500	<2,500	<250	<500	<250	<5000	<1,500
BSB13-27	11/12/2002	<1,000	69,500	12,500	8,180	<10,000	<10,000	<1,000	<2,000	<1,000	<20,000	<6,000
BSB13-29.5	11/12/2002	<250	29,100	13,000	11,800	<2,500	<2,500	<250	<500	<250	<5000	<1,500
BSB13-30	11/12/2002	<250	31,500	15,400	11,900	<2,500	<2,500	<250	<500	<250	<5000	<1,500
BSB13-32	11/12/2002	<250	5,820	6,500	1,380	<2,500	<2,500	<250	<500	<250	<5000	<1,500
BSB13-34.5	11/12/2002	<250	3,570	5,250	3,650	<2,500	<2,500	<250	<500	<250	<5000	<1,500
BSB13-39.5	11/12/2002	<250	2,460	3,960	<2,500	<2,500	<2,500	<250	<500	<250	<5000	<1,500
BSB14-9.5	11/12/2002	<250	1,430	3,850	<2,500	<2,500	<2,500	<250	<500	<250	<5000	<1,500
BSB14-14.5	11/12/2002	<125	1,050	2,630	<1,250	<1,250	<1,250	<125	<250	<125	<2500	<750
BSB14-19.5	11/12/2002	<5	1,000	2,540	<50	<50	<50	<5	<10	<5	<100	<30
BSB14-27	11/12/2002	<5	222	59	34	<50	<50	<5	<10	<5	<100	<30
BSB14-28.5	11/12/2002	<250	1,230	1,800	<2,500	<2,500	<2,500	<250	<500	<250	<5000	<1,500
BSB14-29	11/12/2002	<5	418	299	85	<50	<50	<5	<10	<5	<100	<30
BSB14-33	11/12/2002	<5	418	37	<50	<50	<50	<5	<10	<5	<500	<30
BSB14-39.5	11/12/2002	<125	966	2,800	<1,250	<1,250	<1,250	<125	<250	<125	<2500	<750
BSB14-42	11/12/2002	<5	83	46	<50	<50	<50	<5	<10	<5	<100	<30
BSB16-4.5	11/13/2002	<5	7,300	7,666	276	<50	<50	<5	<10	<5	<100	<30
BSB16-9	11/13/2002	<5	39,400	8,640	3,310	<50	<50	<5	<10	<5	<100	<30
BSB16-10	11/13/2002	<5	46,000	8,640	3,770	<50	<50	<5	<10	<5	<100	<30
BSB16-14.5	11/13/2002	<5	4,100	2,970	449	<50	<50	<5	<10	<5	<100	<30
BSB16-19.5	11/13/2002	<5	201	<50	73	<50	<50	<5	<10	<5	<100	<30
BSB16-22	11/13/2002	<5	138	<50	<50	<50	<50	<5	<10	<5	<100	<30
BSB16-24.5	11/13/2002	<1,000	5,980	<10,000	<10,000	<10,000	<10,000	<1,000	<2,000	<1,000	<20,000	<6,000
BSB16-29.5	11/13/2002	<500	5,220	2,500	3,960	<5,000	<5,000	<500	<1,000	<500	<10,000	<3,000
BSB16-34.5	11/13/2002	<5	27	<50	<50	<50	<50	<5	<10	<5	<100	<30
BSB16-39.5	11/13/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	<100	<30
BSB16-44.5	11/13/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	<100	<30
BSB16-49.5	11/13/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	<100	<30
BSB17-0	11/14/2002	<10,000	49,300	<100,000	<100,000	<100,000	<100,000	<10,000	<20,000	<10,000	<200.000	<60,000
BSB17-10	11/14/2002	<1,000	16,300	<10,000	<10,000	<10,000	<10,000	<1,000	<2,000	<1,000	<20,000	<6,000
BSB17-14	11/14/2002	<12,500	<125,000	<125,000	<125,000	<125,000	<125,000	<12,500	<25,000	<12,500	<250,000	<75,000
BSB17-15	11/14/2002	<12,500	<125,000	<125,000	<125,000	<125,000	<125,000	<12,500	<25,000	<12,500	<250,000	<75,000
BSB17-20	11/14/2002	<12,500	<125,000	<125,000	<125,000	<125,000	<125,000	<12,500	<25,000	<12,500	<250,000	<75,000
BSB17-22.5	11/14/2002	<1,000	<10,000	<10,000	<10,000	<10,000	<10,000	<1,000	<2,000	<1,000	<20,000	<6,000
BSB17-25	11/14/2002	<2,500	<25,000	<25,000	<25,000	<25,000	<25,000	<2,500	<5,000	<2,500	<50,000	<15,000
BSB17-27.5	11/14/2002	<1,000	20,800	7,650	14,000	<10,000	<10,000	<1,000	<2,000	<1,000	<20,000	<6,000

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	TPH-g * (C_4-C_{12})	TPH-d * (C_{13}-C_{23})	TPH-m * (C_{24}-C_{40})	Vinyl Chloride	Chloro-ethane	1,1 DCA	1,1 DCE	trans-1,2-DCE	cis-1,2 DCE	1,1,1 TCA
BSB17-30	11/14/2002	254	29	<10	<2,000	<2,000	6,690	1,140	<1,000	14,400	14,900
BSB17-35	11/14/2002	80	8	<10	<5,000	<5,000	2,110	<2,500	<2,500	8,460	<2,500
BSB17-40	11/14/2002	<10	<10	<10	<500	<500	916	630	<250	6,820	<250
BSB17-45	11/14/2002	<10	<10	<10	<500	<500	337	282	<250	1,860	<250
BH1-5	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH1-10	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH1-15	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH1-20	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	18
BH2-5	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH2-10	1/1/190	NA	NA	NA	NA	NA	76	29	NA	NA	91
BH2-15	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH2-20	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH3-5	1/1/190	NA	NA	NA	NA	NA	62	ND	NA	NA	19
BH3-10	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH3-15	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH3-20	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH4-5	1/1/190	NA	NA	NA	NA	NA	98	ND	NA	NA	65
BH4-10	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH4-15	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	39
BH4-20	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH5-5	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH5-10	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	30
BH5-15	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH5-20	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH6-5	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH6-10	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH6-15	1/1/190	NA	NA	NA	NA	NA	25	ND	NA	NA	230
BH6-20	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	29
BH6-25	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH6-30	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	45
BH6-35	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH6-40	1/1/190	NA	NA	NA	NA	NA	310	270	NA	NA	720
BH6-45	1/1/190	NA	NA	NA	NA	NA	180	680	NA	NA	900
BH6-50	1/1/190	NA	NA	NA	NA	NA	56	31	NA	NA	18
BH7-5	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH7-10	1/1/190	NA	NA	NA	NA	NA	18	21	NA	NA	11
BH7-15	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	71
BH7-20	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH8-5	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH8-10	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH8-15	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH8-20	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH8-25	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH9-5	1/1/190	NA	NA	NA	NA	NA	30	ND	NA	NA	56
BH9-15	1/1/190	NA	NA	NA	NA	NA	24	ND	NA	NA	ND
BH9-25	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH10-10	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH10-20	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	1,2 DCA	TCE	PCE	Methylene Chloride	Chloro benzene	Benzene	Toluene	Ethyl benzene	Xylene	Styrene	Iso-propyl benzene
BSB17-30	11/14/2002	<1,000	5,130	54,400	2,060	<1,000	<1000	112,000	17,700	37,400	<1,000	1,430
BSB17-35	11/14/2002	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500	37,300	7,060	30,000	<2,500	<2,500
BSB17-40	11/14/2002	<250	<250	<250	<250	<250	179	8,720	364	2,430	<250	<250
BSB17-45	11/14/2002	<250	<250	<250	<250	<250	101	1,450	110	2,550	<250	<250
BH1-5	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH1-10	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH1-15	1/1/190	NA	ND	ND	NA	NA	ND	19	ND	ND	NA	NA
BH1-20	1/1/190	NA	ND	16	NA	NA	ND	21	ND	12	NA	NA
BH2-5	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH2-10	1/1/190	NA	40	210	NA	NA	21	250	87	412	NA	NA
BH2-15	1/1/190	NA	ND	ND	NA	NA	ND	12	ND	ND	NA	NA
BH2-20	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH3-5	1/1/190	NA	10	120	NA	NA	ND	440	62	450	NA	NA
BH3-10	1/1/190	NA	ND	ND	NA	NA	ND	160	ND	70	NA	NA
BH3-15	1/1/190	NA	ND	ND	NA	NA	ND	28	ND	ND	NA	NA
BH3-20	1/1/190	NA	ND	ND	NA	NA	ND	ND	ND	ND	NA	NA
BH4-5	1/1/190	NA	ND	ND	NA	NA	ND	150	ND	ND	NA	NA
BH4-10	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH4-15	1/1/190	NA	ND	ND	NA	NA	ND	33	ND	ND	NA	NA
BH4-20	1/1/190	NA	ND	ND	NA	NA	ND	ND	ND	ND	NA	NA
BH5-5	1/1/190	NA	ND	ND	NA	NA	ND	160	42	175	NA	NA
BH5-10	1/1/190	NA	ND	30	NA	NA	ND	360	53	163	NA	NA
BH5-15	1/1/190	NA	ND	ND	NA	NA	ND	35	ND	15	NA	NA
BH5-20	1/1/190	NA	ND	ND	NA	NA	ND	12	ND	ND	NA	NA
BH6-5	1/1/190	NA	16	35	NA	NA	ND	>700	71	320	NA	NA
BH6-10	1/1/190	NA	ND	ND	NA	NA	ND	40	ND	13	NA	NA
BH6-15	1/1/190	NA	60	330	NA	NA	11	1900	220	>2300	NA	NA
BH6-20	1/1/190	NA	ND	26	NA	NA	ND	150	13	67	NA	NA
BH6-25	1/1/190	NA	ND	ND	NA	NA	ND	32	ND	10	NA	NA
BH6-30	1/1/190	NA	ND	750	NA	NA	ND	870	260	1650	NA	NA
BH6-35	1/1/190	NA	ND	ND	NA	NA	ND	26	ND	12	NA	NA
BH6-40	1/1/190	NA	33	150	NA	NA	160	820	220	530	NA	NA
BH6-45	1/1/190	NA	87	940	NA	NA	160	1,600	1,100	2,570	NA	NA
BH6-50	1/1/190	NA	ND	10	NA	NA	67	65	39	123	NA	NA
BH7-5	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH7-10	1/1/190	NA	ND	20	NA	NA	120	20	ND	13	NA	NA
BH7-15	1/1/190	NA	ND	ND	NA	NA	46	ND	ND	ND	NA	NA
BH7-20	1/1/190	NA	ND	ND	NA	NA	ND	28	ND	ND	NA	NA
BH8-5	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH8-10	1/1/190	NA	ND	ND	NA	NA	ND	ND	ND	ND	NA	NA
BH8-15	1/1/190	NA	ND	ND	NA	NA	ND	ND	ND	ND	NA	NA
BH8-20	1/1/190	NA	ND	ND	NA	NA	ND	ND	ND	ND	NA	NA
BH8-25	1/1/190	NA	ND	ND	NA	NA	ND	ND	ND	ND	NA	NA
BH9-5	1/1/190	<10	20	37	460	NA	ND	410	37	250	NA	NA
BH9-15	1/1/190	<10	<10	ND	730	NA	ND	190	32	161	NA	NA
BH9-25	1/1/190	<10	<50	ND	ND	NA	ND	ND	ND	ND	NA	NA
BH10-10	1/1/190	NA	ND	ND	ND	NA	ND	ND	ND	ND	NA	NA
BH10-20	1/1/190	NA	ND	ND	ND	NA	ND	ND	ND	ND	NA	NA

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	n-Propyl benzene	4-Chloro toluene	1,3,5-TMB	ter-Butyl benzene	1,2,4-TMB	sec-Butyl benzene	p-Isopropyl toluene	1,2-DCB	n-Butyl benzene	Naphthalene	DIPE
BSB17-30	11/14/2002	**2,340**	<1,000	**7,820**	<1,000	**30,600**	<1,000	<1,000	<1,000	**1,750**	**1,170**	<1,000
BSB17-35	11/14/2002	**6,520**	<2,500	**8,110**	<2,500	**10,100**	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500
BSB17-40	11/14/2002	<250	<250	**221**	<250	**404**	<250	<250	<250	<250	<250	<250
BSB17-45	11/14/2002	<250	<250	<250	<250	<250	<250	<250	<250	<250	<250	<250
BH1-5	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH1-10	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH1-15	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH1-20	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH2-5	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH2-10	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH2-15	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH2-20	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH3-5	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH3-10	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH3-15	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH3-20	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH4-5	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH4-10	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH4-15	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH4-20	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH5-5	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH5-10	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH5-15	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH5-20	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH6-5	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH6-10	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH6-15	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH6-20	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH6-25	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH6-30	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH6-35	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH6-40	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH6-45	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH6-50	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH7-5	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH7-10	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH7-15	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH7-20	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH8-5	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH8-10	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH8-15	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH8-20	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH8-25	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH9-5	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH9-15	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH9-25	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH10-10	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH10-20	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	1,1,2 TCA	Acetone	MEK	MIBK	2-Hexanone	Vinyl Acetate	1,2 Dibromo-3-Chloropropane	2-Chloroethyl vinyl ether	MTBE	1,4-Dioxane	T-Butyl Alcohol
BSB17-30	11/14/2002	<1,000	24,200	9,000	7,220	<10,000	<10,000	<1,000	<2,000	<1,000	<20,000	<6,000
BSB17-35	11/14/2002	<2,500	28,400	10,000	<25,000	<25,000	<25,000	<2,500	<5,000	<2,500	<50,000	<15,000
BSB17-40	11/14/2002	<250	58,000	18,500	7,000	<2,500	<2,500	<250	<50	<250	<5000	<1,500
BSB17-45	11/14/2002	<250	18,800	7,500	2,450	<2,500	<2,500	<250	<50	<250	<5000	<1,500
BH1-5	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH1-10	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH1-15	1/1/190	NA	NA	ND	ND	NA	NA	NA	NA	NA	NA	NA
BH1-20	1/1/190	NA	NA	200	180	NA	NA	NA	NA	NA	NA	NA
BH2-5	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH2-10	1/1/190	NA	NA	ND	ND	NA	NA	NA	NA	NA	NA	NA
BH2-15	1/1/190	NA	NA	ND	60	NA	NA	NA	NA	NA	NA	NA
BH2-20	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH3-5	1/1/190	NA	NA	ND	230	NA	NA	NA	NA	NA	NA	NA
BH3-10	1/1/190	NA	NA	ND	ND	NA	NA	NA	NA	NA	NA	NA
BH3-15	1/1/190	NA	NA	110	370	NA	NA	NA	NA	NA	NA	NA
BH3-20	1/1/190	NA	NA	ND	ND	NA	NA	NA	NA	NA	NA	NA
BH4-5	1/1/190	NA	NA	ND	ND	NA	NA	NA	NA	NA	NA	NA
BH4-10	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH4-15	1/1/190	NA	NA	ND	ND	NA	NA	NA	NA	NA	NA	NA
BH4-20	1/1/190	NA	NA	ND	980	NA	NA	NA	NA	NA	NA	NA
BH5-5	1/1/190	NA	NA	1,800	2,100	NA	NA	NA	NA	NA	NA	NA
BH5-10	1/1/190	NA	NA	640	2,100	NA	NA	NA	NA	NA	NA	NA
BH5-15	1/1/190	NA	NA	600	1,300	NA	NA	NA	NA	NA	NA	NA
BH5-20	1/1/190	NA	NA	300	600	NA	NA	NA	NA	NA	NA	NA
BH6-5	1/1/190	NA	NA	110	120	NA	NA	NA	NA	NA	NA	NA
BH6-10	1/1/190	NA	NA	40	120	NA	NA	NA	NA	NA	NA	NA
BH6-15	1/1/190	NA	NA	1,300	1,900	NA	NA	NA	NA	NA	NA	NA
BH6-20	1/1/190	NA	NA	240	600	NA	NA	NA	NA	NA	NA	NA
BH6-25	1/1/190	NA	NA	110	450	NA	NA	NA	NA	NA	NA	NA
BH6-30	1/1/190	NA	NA	1,000	2,000	NA	NA	NA	NA	NA	NA	NA
BH6-35	1/1/190	NA	NA	200	620	NA	NA	NA	NA	NA	NA	NA
BH6-40	1/1/190	NA	NA	1,200	2,300	NA	NA	NA	NA	NA	NA	NA
BH6-45	1/1/190	NA	NA	750	2,200	NA	NA	NA	NA	NA	NA	NA
BH6-50	1/1/190	NA	NA	ND	1,200	NA	NA	NA	NA	NA	NA	NA
BH7-5	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH7-10	1/1/190	NA	NA	ND	ND	NA	NA	NA	NA	NA	NA	NA
BH7-15	1/1/190	NA	NA	ND	ND	NA	NA	NA	NA	NA	NA	NA
BH7-20	1/1/190	NA	NA	ND	ND	NA	NA	NA	NA	NA	NA	NA
BH8-5	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH8-10	1/1/190	NA	NA	ND	ND	NA	NA	NA	NA	NA	NA	NA
BH8-15	1/1/190	NA	NA	ND	ND	NA	NA	NA	NA	NA	NA	NA
BH8-20	1/1/190	NA	NA	ND	ND	NA	NA	NA	NA	NA	NA	NA
BH8-25	1/1/190	NA	NA	ND	ND	NA	NA	NA	NA	NA	NA	NA
BH9-5	1/1/190	NA	550	120	450	NA	NA	NA	NA	NA	NA	NA
BH9-15	1/1/190	NA	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA
BH9-25	1/1/190	NA	380	390	170	NA	NA	NA	NA	NA	NA	NA
BH10-10	1/1/190	NA	250	ND	ND	NA	NA	NA	NA	NA	NA	NA
BH10-20	1/1/190	NA	600	ND	ND	NA	NA	NA	NA	NA	NA	NA

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	TPH-g * (C_4-C_{12})	TPH-d * (C_{13}-C_{23})	TPH-m * (C_{24}-C_{40})	Vinyl Chloride	Chloro-ethane	1,1 DCA	1,1 DCE	trans-1,2-DCE	cis-1,2 DCE	1,1,1 TCA
BH11-25	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH11-30	1/1/190	NA	NA	NA	NA	NA	ND	**210**	NA	NA	**1,200**
BH11-35	1/1/190	NA	NA	NA	NA	NA	**81**	**130**	NA	NA	**1,000**
BH12-10	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH12-20	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH13-15	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH13-30	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	**210**
BH13-40	1/1/190	NA	NA	NA	NA	NA	ND	**160**	NA	NA	**280**
BH14-5	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH14-10	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH14-15	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	**2,300**
BH14-20	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	**28,000**
BH14-25	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH14-30	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH14-35	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
BH14-40	1/1/190	NA	NA	NA	NA	NA	ND	ND	NA	NA	**1,800**
BH15-2	2/3/2000	NA	NA	NA	<1000	<1000	**4,000**	**1,600**	<1000	<1000	**1,800**
BH15-4	2/3/2000	NA	NA	NA	<1000	<1000	**1,400**	<1000	<1000	<1000	**2,700**
BH15-6	2/3/2000	NA	NA	NA	<1000	<1000	<1000	<1000	<1000	<1000	**1,900**
BH15-10	2/3/2000	NA	NA	NA	<1000	<1000	**1,200**	<1000	<1000	<1000	**5,700**
BH15-15	2/3/2000	NA	NA	NA	<400	<400	<400	**810**	<400	<400	**760**
BH15-20	2/3/2000	NA	NA	NA	<1000	<1000	**5,400**	<1000	<1000	**2,000**	**18,000**
BH16-2	2/3/2000	NA	NA	NA	<1000	<1000	<1000	<1000	<1000	<1000	**1,200**
BH16-6	2/3/2000	NA	NA	NA	<1000	<1000	<1000	<1000	<1000	<1000	**1,100**
BH16-10	2/3/2000	NA	NA	NA	<1000	<1000	<1000	<1000	<1000	<1000	**2,200**
BH17-2	2/3/2000	NA	NA	NA	<1000	<1000	<1000	<1000	<1000	<1000	<1000
BH17-6	2/3/2000	NA	NA	NA	<1000	<1000	<1000	<1000	<1000	<1000	**1,800**
BH17-10	2/3/2000	NA	NA	NA	<1000	<1000	<1000	<1000	<1000	<1000	<1000
BH18-2	2/3/2000	NA	NA	NA	<1000	<1000	<1000	<1000	<1000	<1000	<1000
BH18-6	2/3/2000	NA	NA	NA	<400	<400	<400	<400	<400	<400	<400
BH18-10	2/3/2000	NA	NA	NA	<400	<400	<400	<400	<400	<400	<400
E11-1.5	3/18/2003	<10	<10	<10	<2	<5	**8.3**	<5	<5	**17**	<5
E11-5	3/18/2003	**11.2**	<10	<10	<2	<5	**14**	<5	<5	**61**	<5
E11-10	3/18/2003	**10.4**	<10	<10	<2	<5	**34**	<5	<5	**327**	**9**
E11-15	3/18/2003	<10	<10	<10	<2	<5	**34**	<5	<5	**246**	<5
E11-19.5	3/18/2003	<10	<10	<10	<2	<5	**6.4**	<5	<5	**35**	<5
E11-25	3/18/2003	<10	<10	<10	<100	<250	**330**	<250	<250	**3,560**	<250
E11-30	3/18/2003	**148**	<10	<10	<100	<250	**674**	**374**	<250	**8,560**	<250
E11-35	3/18/2003	<10	<10	<10	<2	<5	**182**	**163**	<5	**1,790**	<5
E11-40	3/18/2003	<10	<10	<10	<2	<5	**260**	**130**	<5	**787**	<5
E12-1.5	3/18/2003	<10	<10	<10	<2	<5	<5	<5	<5	<5	<5
E12-5	3/18/2003	<10	<10	<10	<2	<5	<5	<5	<5	**9.00**	<5
E12-10	3/18/2003	<10	<10	<10	<2	<5	<5	<5	<5	<5	<5
E12-15	3/18/2003	**5,440**	**194**	<10	<1,000	<2,500	<2,500	<2,500	<2,500	**850J**	<2,500
E12-16	3/18/2003	NA	NA	NA	<1,000	<2,500	<2,500	<2,500	<2,500	**700J**	<2,500
E12-20	3/18/2003	**200**	**11**	<10	<100	<100	<250	<250	<250	**69J**	<250
E12-25	3/18/2003	NA	NA	NA	<100	<100	<250	<250	<250	**1,460**	<250
E12-25.5	3/18/2003	**26**	<10	<10	<20		**162**		<50	**2,900**	<50

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	1,2 DCA	TCE	PCE	Methylene Chloride	Chloro benzene	Benzene	Toluene	Ethyl benzene	Xylene	Styrene	Iso-propyl benzene
BH11-25	1/1/190	NA	ND	ND	ND	NA	ND	59	ND	50	NA	NA
BH11-30	1/1/190	NA	76	ND	ND	NA	ND	10,000	11,000	24,300	NA	NA
BH11-35	1/1/190	NA	ND	330	ND	NA	ND	1,900	1,400	2,630	NA	NA
BH12-10	1/1/190	NA	ND	ND	ND	NA	ND	ND	ND	ND	NA	NA
BH12-20	1/1/190	NA	ND	ND	ND	NA	ND	ND	ND	ND	NA	NA
BH13-15	1/1/190	NA	ND	ND	ND	NA	ND	ND	ND	ND	NA	NA
BH13-30	1/1/190	NA	ND	90	ND	NA	ND	ND	ND	ND	NA	NA
BH13-40	1/1/190	NA	120	230	300	NA	ND	98	ND	60	NA	NA
BH14-5	1/1/190	NA	8,700	ND	ND	NA	ND	67,000	45,000	233,000	NA	NA
BH14-10	1/1/190	NA	8,400	ND	ND	NA	ND	98,000	29,000	112,000	NA	NA
BH14-15	1/1/190	NA	ND	8,900	ND	NA	ND	27,000	9,300	28,300	NA	NA
BH14-20	1/1/190	NA	ND	48,000	ND	NA	ND	150,000	44,000	128,000	NA	NA
BH14-25	1/1/190	NA	ND	19,000	ND	NA	ND	37,000	17,000	52,000	NA	NA
BH14-30	1/1/190	NA	ND	ND	7,800	NA	10,000	3,300	ND	1,900	NA	NA
BH14-35	1/1/190	NA	ND	ND	ND	NA	ND	1,600	ND	ND	NA	NA
BH14-40	1/1/190	NA	ND	1,400	ND	NA	ND	2,400	2,600	8,300	NA	NA
BH15-2	2/3/2000	<1000	<1000	3,700	12,000	<1000	<1000	300,000	100,000	410,000	<1000	10,000
BH15-4	2/3/2000	<1000	<1000	3,400	4,400	<1000	<1000	48,000	11,000	63,000	<1000	<1000
BH15-6	2/3/2000	<1000	<1000	2,600	2,700	<1000	<1000	25,000	3,200	19,400	<1000	<1000
BH15-10	2/3/2000	<1000	<1000	5,500	1,800	<1000	<1000	46,000	4,700	26,200	<1000	4,800
BH15-15	2/3/2000	<400	<400	<400	<400	<400	<400	620	<400	<800	<400	<400
BH15-20	2/3/2000	<1000	2,500	2,300	<1000	<1000	<1000	39,000	3,300	5,600	<1000	2,200
BH16-2	2/3/2000	<1000	<1000	2,100	1,500	<1000	<1000	64,000	32,000	166,000	<1000	3,800
BH16-6	2/3/2000	<1000	<1000	3,800	2,500	<1000	<1000	25,000	4,600	29,000	<1000	4,400
BH16-10	2/3/2000	<1000	<1000	3,500	1,800	<1000	<1000	15,000	<1000	6,600	<1000	2,500
BH17-2	2/3/2000	<1000	<1000	<1000	<1000	<1000	<1000	9,200	<1000	6,800	<1000	<1000
BH17-6	2/3/2000	<1000	<1000	5,400	<1000	<1000	<1000	22,000	2,300	15,100	<1000	3,000
BH17-10	2/3/2000	<1000	<1000	<1000	<1000	<1000	<1000	1,400	<1000	<2000	<1000	<1000
BH18-2	2/3/2000	<1000	<1000	<1000	<1000	<1000	<1000	<1000	<1000	<2000	<1000	<1000
BH18-6	2/3/2000	<400	<400	<400	<400	<400	<400	<400	<400	<800	<400	<400
BH18-10	2/3/2000	<400	<400	<400	<400	<400	<400	<400	<400	<800	<400	<400
E11-1.5	3/18/2003	<5	25	14	<5	<5	<1	12.5	7	75	<5	<5
E11-5	3/18/2003	<5	29	<2	<5	<5	<1	13	<1	22	<5	<5
E11-10	3/18/2003	<5	18.1	<2	<5	<5	<1	2.1	19.4	85	<5	<5
E11-15	3/18/2003	<5	<2	<2	<5	<5	<1	20	27	116	<5	<5
E11-19.5	3/18/2003	<5	2.9	<2	<5	<5	<1	16	5	19	<5	<5
E11-25	3/18/2003	<250	<100	<100	<250	<250	<50	6,940	1,170	4,650	<250	<250
E11-30	3/18/2003	<250	<100	<100	<250	109J	<50	3,310	5,940	25,200	<250	400
E11-35	3/18/2003	<5	<2	<2	<5	9.8	13.8	191	286	888	<5	23.4
E11-40	3/18/2003	<5	<2	<2	<5	10	21.4	97.7	168	188	<5	5.4
E12-1.5	3/18/2003	<5	<2	30.7	<5	<5	<1	<1	<1	<1	<5	<5
E12-5	3/18/2003	<5	<2	112	<5	<5	<1	<1	<1	<1	<5	<5
E12-10	3/18/2003	<5	<2	<2	<5	<5	<1	<1	<1	<1	<5	<5
E12-15	3/18/2003	<2,500	<1,000	<1,000	<2,500	<2,500	<500	16,800	24,500	61,900	<2,500	2,700
E12-16	3/18/2003	<2,500	<1,000	<1,000	<2,500	<2,500	<500	11,600	23,000	51,200	<2,500	2,440
E12-20	3/18/2003	<250	<100	<100	<250	<250	<50	620	1,440	3,840	<250	106
E12-25	3/18/2003	<250	<100	<100	<250	<250	<50	6,100	7,575	13,300	<250	257
E12-25.5	3/18/2003	<50	<20	<20	<50	<50	<10	5,070	1,670	2,130	<50	<50

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	n-Propyl benzene	4-Chloro toluene	1,3,5-TMB	ter-Butyl benzene	1,2,4-TMB	sec-Butyl benzene	p-Isopropyl toluene	1,2-DCB	n-Butyl benzene	Naphthalene	DIPE
BH11-25	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH11-30	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH11-35	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH12-10	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH12-20	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH13-15	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH13-30	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH13-40	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH14-5	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH14-10	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH14-15	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH14-20	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH14-25	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH14-30	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH14-35	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH14-40	1/1/190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH15-2	2/3/2000	**24,000**	<1000	**130,000**	<1000	**150,000**	**14,000**	**18,000**	<1000	<1000	**6,100**	NA
BH15-4	2/3/2000	**7,700**	<1000	**51,000**	<1000	**69,000**	<1000	**3,300**	<1000	<1000	**4,100**	NA
BH15-6	2/3/2000	**6,000**	<1000	**44,000**	<1000	**58,000**	<1000	**2,500**	<1000	<1000	**2,500**	NA
BH15-10	2/3/2000	**8,400**	<1000	**68,000**	<1000	**85,000**	<1000	**2,200**	<1000	<1000	**2,600**	NA
BH15-15	2/3/2000	<400	<400	**550**	<400	**730**	<400	<400	<400	<400	<400	NA
BH15-20	2/3/2000	**3,800**	<1000	**30,000**	<1000	**35,000**	<1000	**1,200**	<1000	<1000	**2,800**	NA
BH16-2	2/3/2000	**9,400**	<1000	**51,000**	<1000	**64,000**	<1000	**7,000**	<1000	<1000	**2,900**	NA
BH16-6	2/3/2000	**7,200**	<1000	**53,000**	<1000	**66,000**	<1000	**2,000**	<1000	<1000	**2,800**	NA
BH16-10	2/3/2000	**4,300**	<1000	**33,000**	<1000	**42,000**	<1000	<1000	<1000	<1000	**1,700**	NA
BH17-2	2/3/2000	**1,900**	<1000	**18,000**	<1000	**20,000**	<1000	<1000	<1000	<1000	**1,400**	NA
BH17-6	2/3/2000	**4,900**	<1000	**37,000**	<1000	**47,000**	<1000	<1000	<1000	<1000	**3,000**	NA
BH17-10	2/3/2000	<1000	<1000	<1000	<1000	**1,200**	<1000	<1000	<1000	<1000	<1000	NA
BH18-2	2/3/2000	<1000	<1000	<1000	<1000	**1,400**	<1000	<1000	<1000	<1000	**2,400**	NA
BH18-6	2/3/2000	<400	<400	<400	<400	<400	<400	<400	<400	<400	<400	NA
BH18-10	2/3/2000	<400	<400	<400	<400	<400	<400	<400	<400	<400	<400	NA
E11-1.5	3/18/2003	**29**	<5	**25**	<5	**88**	<5	<5	<5	**5.3**	**12**	<2
E11-5	3/18/2003	<5	<5	<5	<5	**5**	<5	<5	<5	<5	<5	<2
E11-10	3/18/2003	<5	<5	**6.5**	<5	**26**	<5	<5	<5	<5	<5	<2
E11-15	3/18/2003	**16**	<5	**8**	<5	**41**	<5	<5	<5	<5	**10**	<2
E11-19.5	3/18/2003	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<2
E11-25	3/18/2003	<250	<250	**320**	<250	**1,350**	<250	<250	<250	<250	**290**	<100
E11-30	3/18/2003	**690**	<250	**1,800**	<250	**7,000**	<250	<250	<250	**421**	**1,010**	<100
E11-35	3/18/2003	**38.3**	<5	**108**	<5	**471**	<5	<5	<5	**19.4**	**89**	<2
E11-40	3/18/2003	**11**	<5	**24**	<5	**125**	<5	<5	<5	<5	**66**	<2
E12-1.5	3/18/2003	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<2
E12-5	3/18/2003	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<2
E12-10	3/18/2003	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<2
E12-15	3/18/2003	**6,070**	<2,500	**18,000**	<2,500	**58,500**	<2,500	<2,500	<2,500	**5,320**	**3,890**	<1,000
E12-16	3/18/2003	**5,730**	<2,500	**15,100**	<2,500	**55,400**	<2,500	<2,500	<2,500	**3,860**	**5,500**	<1,000
E12-20	3/18/2003	**261**	<250	**840**	<250	**352**	<250	<250	<250	**240**	**516**	<100
E12-25	3/18/2003	**525**	<250	**1,350**	<250	**5,700**	<250	<250	<250	**290**	**762**	<100
E12-25.5	3/18/2003	<50	<50	**72**	<50	**355**	<50	<50	<50	**33J**	**79**	<20

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	1,1,2 TCA	Acetone	MEK	MIBK	2-Hexanone	Vinyl Acetate	1,2 Dibromo-3-Chloropropane	2-Chloroethyl vinyl ether	MTBE	1,4-Dioxane	T-Butyl Alcohol
BH11-25	1/1/190	NA	1,300	ND	ND	NA	NA	NA	NA	NA	NA	NA
BH11-30	1/1/190	NA	ND	500	ND	NA	NA	NA	NA	NA	NA	NA
BH11-35	1/1/190	NA	ND	ND	700	NA	NA	NA	NA	NA	NA	NA
BH12-10	1/1/190	NA	27,000	ND	ND	NA	NA	NA	NA	NA	NA	NA
BH12-20	1/1/190	NA	8,600	ND	54	NA	NA	NA	NA	NA	NA	NA
BH13-15	1/1/190	NA	6,900	ND	ND	NA	NA	NA	NA	NA	NA	NA
BH13-30	1/1/190	NA	1,300	ND	ND	NA	NA	NA	NA	NA	NA	NA
BH13-40	1/1/190	NA	11,000	530	150	NA	NA	NA	NA	NA	NA	NA
BH14-5	1/1/190	NA	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA
BH14-10	1/1/190	NA	41,000	ND	ND	NA	NA	NA	NA	NA	NA	NA
BH14-15	1/1/190	NA	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA
BH14-20	1/1/190	NA	50,000	ND	ND	NA	NA	NA	NA	NA	NA	NA
BH14-25	1/1/190	NA	39,000	ND	ND	NA	NA	NA	NA	NA	NA	NA
BH14-30	1/1/190	NA	31,000	ND	9,300	NA	NA	NA	NA	NA	NA	NA
BH14-35	1/1/190	NA	55,000	15,000	6,300	NA	NA	NA	NA	NA	NA	NA
BH14-40	1/1/190	NA	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA
BH15-2	2/3/2000	<1000	3,000	1,500	<20	<2.0	NA	<1000	NA	<1000	NA	NA
BH15-4	2/3/2000	<1000	2300E	1500E	5.3	<2.0	NA	<1000	NA	<1000	NA	NA
BH15-6	2/3/2000	<1000	1500E	850E	2.9	<2.0	NA	<1000	NA	<1000	NA	NA
BH15-10	2/3/2000	<1000	250E	170E	3.4	<2.0	NA	<1000	NA	<1000	NA	NA
BH15-15	2/3/2000	<400	52	26	1.4	<0.8	NA	<400	NA	<400	NA	NA
BH15-20	2/3/2000	<1000	25	16	2.2	<0.8	NA	<1000	NA	<1000	NA	NA
BH16-2	2/3/2000	<1000	450	220	5.0	<2.0	NA	<1000	NA	<1000	NA	NA
BH16-6	2/3/2000	<1000	490E	290E	3.5	<2.0	NA	<1000	NA	<1000	NA	NA
BH16-10	2/3/2000	<1000	130E	74	<2.0	<2.0	NA	<1000	NA	<1000	NA	NA
BH17-2	2/3/2000	<1000	96E	49	5.3	<2.0	NA	<1000	NA	<1000	NA	NA
BH17-6	2/3/2000	<1000	150	64	<2.0	<2.0	NA	<1000	NA	<1000	NA	NA
BH17-10	2/3/2000	<1000	120E	55	<2.0	<2.0	NA	<1000	NA	<1000	NA	NA
BH18-2	2/3/2000	<1000	0.15	0.05	<0.02	<0.02	NA	<1000	NA	<1000	NA	NA
BH18-6	2/3/2000	<400	4.4	1.8	<0.8	<0.8	NA	<400	NA	<400	NA	NA
BH18-10	2/3/2000	<400	1.0	<0.8	<0.8	<0.8	NA	<400	NA	<400	NA	NA
E11-1.5	3/18/2003	<5	3,880	95	<25	<25	<25	<5	<5	<2	<100	<10
E11-5	3/18/2003	<5	2,120	170	<25	<25	<25	<5	<5	<2	<100	<10
E11-10	3/18/2003	<5	2,670	351	266	<25	<25	<5	<5	<2	1,700	<10
E11-15	3/18/2003	<5	4,150	778	<25	<25	<25	<5	<5	<2	5,030	<10
E11-19.5	3/18/2003	<5	2,260	451	<25	<25	<25	<5	<5	<2	3,410	<10
E11-25	3/18/2003	<250	16,700	10,900	<1,250	<1,250	<1,250	<250	<250	<100	3,190	<500
E11-30	3/18/2003	<250	47,100	27,500	<1,250	<1,250	<1,250	<250	<250	<100	3,310	<500
E11-35	3/18/2003	<5	551	526	<25	<25	<25	<5	<5	<2	2,340	<10
E11-40	3/18/2003	<5	110	<25	<25	<25	<25	<5	<5	<2	<100	<10
E12-1.5	3/18/2003	<5	<25	<25	<25	<25	<25	<5	<5	<2	<100	<10
E12-5	3/18/2003	<5	<25	<25	<25	<25	<25	<5	<5	<2	176	<10
E12-10	3/18/2003	<5	<25	<25	<25	<25	<25	<5	<5	<2	<100	<10
E12-15	3/18/2003	<2,500	<12,500	<12,500	<12,500	<12,500	<12,500	<2,500	<2,500	<1,000	<50,000	<5,000
E12-16	3/18/2003	<2,500	<12,500	<12,500	<12,500	<12,500	<12,500	<2,500	<2,500	<1,000	<50,000	<5,000
E12-20	3/18/2003	<250	1,420	6360	<1,250	<1,250	<1,250	<250	<250	<100	<5,000	<500
E12-25	3/18/2003	<250	<1,250	<1,250	<1,250	<1,250	<1,250	<250	<250	<100	<5,000	<500
E12-25.5	3/18/2003	<50	985	4750	<250	<250	<250	<50	<50	<20	<200	<20

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	TPH-g * (C_4-C_{12})	TPH-d * (C_{13}-C_{23})	TPH-m * (C_{24}-C_{40})	Vinyl Chloride	Chloro-ethane	1,1 DCA	1,1 DCE	trans-1,2-DCE	cis-1,2 DCE	1,1,1 TCA
S-1-0	4/1/1990	NA	NA	NA	NA	NA	ND	ND	NA	NA	**6,400**
S-2-0	4/1/1990	NA	NA	NA	NA	NA	ND	ND	NA	NA	NA
SS-01-0	9/25/2002	NA	NA	NA	<10	<10	<5	<5	<5	<5	<5
SS-02-0	9/25/2002	NA	NA	NA	<10	<10	<5	<5	<5	<5	<5
MW1-1	1/1/1990	NA	NA	NA	NA	NA	**21**	**270**	NA	NA	**120**
MW1-10	1/1/1990	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
MW1-15	1/1/1990	NA	NA	NA	NA	NA	**21**	**92**	NA	NA	**150**
MW1-20	1/1/1990	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
MW1-25	1/1/1990	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
MW1-30	1/1/1990	NA	NA	NA	NA	NA	**240**	ND	NA	NA	**3,500**
MW1-35	1/1/1990	NA	NA	NA	NA	NA	**39**	ND	NA	NA	ND
MW1-40	1/1/1990	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
MW2-5	1/7/1994	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
MW2-10	1/7/1994	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
MW2-20	1/7/1994	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
MW2-30	1/7/1994	NA	NA	NA	NA	NA	**10**	**37**	NA	NA	**69**
MW2-40	1/7/1994	NA	NA	NA	NA	NA	**30**	**102**	NA	NA	**88**
MW3-5	1/7/1994	NA	NA	NA	NA	NA	ND	ND	NA	NA	**18**
MW3-10	1/7/1994	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
MW3-20	1/7/1994	NA	NA	NA	NA	NA	ND	ND	NA	NA	ND
MW3-30	1/7/1994	NA	NA	NA	NA	NA	ND	**332**	NA	NA	**88**
MW3-40	1/7/1994	NA	NA	NA	NA	NA	**23**	ND	NA	NA	ND
MW4-5	1/5/1994	NA	NA	NA	NA	NA	<50	<50	NA	NA	<50
MW4-10	1/5/1994	NA	NA	NA	NA	NA	<50	<50	NA	NA	**71**
MW4-20	1/5/1994	NA	NA	NA	NA	NA	<1000	<1000	NA	NA	**54,700**
MW5-2	1/5/1994	NA	NA	NA	NA	NA	<5	<5	NA	NA	**5**
MW5-5	1/5/1994	NA	NA	NA	NA	NA	**31**	<5	NA	NA	<5
MW5-10	1/5/1994	NA	NA	NA	NA	NA	<5	<5	NA	NA	<5
MW5-20	1/5/1994	NA	NA	NA	NA	NA	<5	<5	NA	NA	<5
MW6-5	1/11/1994	NA	NA	NA	NA	NA	**301**	**10**	NA	NA	**412**
MW6-10	1/11/1994	NA	NA	NA	NA	NA	**78**	**18**	NA	NA	**312**
MW6-20	1/11/1994	NA	NA	NA	NA	NA	<10	<10	NA	NA	**2,970**
MW7-5	1/6/1994	NA	NA	NA	NA	NA	**12**	<5	NA	NA	<5
MW7-10	1/6/1994	NA	NA	NA	NA	NA	<5	<5	NA	NA	<5
MW7-20	1/6/1994	NA	NA	NA	NA	NA	<5	<5	NA	NA	<5
MW7-30	1/10/1994	NA	NA	NA	NA	NA	**28**	<5	NA	NA	<5
MW7-40	1/10/1994	NA	NA	NA	NA	NA	**27**	<5	NA	NA	<5
MW8-3.5	6/6/2002	<1	NA	NA	<10	<10	**27.5**	<5	<5	**8**	**42.5**
MW8-10	6/6/2002	<1	NA	NA	<10	<10	**40**	<5	<5	**20**	**52.5**
MW8-15	6/6/2002	<1	NA	NA	<10	<10	**47.5**	**5.6**	<5	**25**	**45**
MW8-19	6/6/2002	<1	<10	<10	<10	<10	**175**	**6.7**	<5	**115**	**247**
MW8-24	6/6/2002	**2.1**	<10	<10	<100	<100	**455**	**195**	<50	**265**	**835**
MW8-29	6/6/2002	**417**	NA	NA	<500	<500	**991**	<250	<250	**748**	**9,550**
MW8-30	6/6/2002	**991**	**72**	<10	<2,500	<2,500	**7,350**	<1,250	<1,250	**3,600**	**36,400**
MW8-32.5	6/6/2002	**3,120**	**456**	<10	<5,000	<5,000	**29,800**	**1,850**	<2,500	**12,300**	**42,800**
MW8-35	6/6/2002	**358**	**17**	<10	<500	<500	**3,680**	<250	<250	**1,900**	**10,200**
MW8-40	6/6/2002	**586**	**105**	<10	<250	<250	**2,090**	**90**	<125	**1,360**	**10,600**
MW8-42.5	6/6/2002	**7.6**	<10	<10	<50	<50	**145**	**35**	<25	**212**	**55**
MW9-3	6/7/2002	<1	NA	NA	<10	<10	**5**	**5.1**	<5	**17.6**	**13.3**

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	1,2 DCA	TCE	PCE	Methylene Chloride	Chloro benzene	Benzene	Toluene	Ethyl benzene	Xylene	Styrene	Iso-propyl benzene
S-1-0	4/1/1990	NA	9,900	32,000	ND	NA	ND	>220,000	>210,000	>540,000	NA	NA
S-2-0	4/1/1990	NA	5,100	33,000	ND	NA	ND	120,000	94,000	264,000	NA	NA
SS-01-0	9/25/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
SS-02-0	9/25/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW1-1	1/1/1990	NA	210	100	NA	NA	10	10	NA	18	NA	NA
MW1-10	1/1/1990	NA	ND	ND	ND	NA	ND	14	ND	ND	NA	NA
MW1-15	1/1/1990	NA	ND	49	ND	NA	ND	ND	ND	ND	NA	NA
MW1-20	1/1/1990	NA	ND	ND	ND	NA	ND	ND	ND	ND	NA	NA
MW1-25	1/1/1990	NA	ND	ND	ND	NA	ND	ND	ND	ND	NA	NA
MW1-30	1/1/1990	NA	270	6,300	10,000	NA	ND	330	2,200	7,700	NA	NA
MW1-35	1/1/1990	NA	180	ND	6,800	NA	16	ND	ND	2,400	NA	NA
MW1-40	1/1/1990	NA	ND	ND	ND	NA	ND	ND	ND	1,800	NA	NA
MW2-5	1/7/1994	ND	ND	ND	NA	NA	ND	ND	ND	ND	NA	NA
MW2-10	1/7/1994	ND	ND	ND	NA	NA	ND	ND	ND	ND	NA	NA
MW2-20	1/7/1994	ND	ND	ND	NA	NA	ND	ND	ND	ND	NA	NA
MW2-30	1/7/1994	ND	24	33	NA	NA	ND	15	ND	ND	NA	NA
MW2-40	1/7/1994	ND	ND	194	NA	NA	ND	168	113	494	NA	NA
MW3-5	1/7/1994	ND	18	13	NA	NA	ND	ND	ND	ND	NA	NA
MW3-10	1/7/1994	ND	ND	ND	NA	NA	ND	ND	ND	ND	NA	NA
MW3-20	1/7/1994	ND	ND	ND	NA	NA	ND	ND	ND	ND	NA	NA
MW3-30	1/7/1994	ND	ND	452	NA	NA	ND	480	109	470	NA	NA
MW3-40	1/7/1994	ND	ND	69	NA	NA	ND	ND	ND	ND	NA	NA
MW4-5	1/5/1994	<50	<50	<50	<500	NA	<50	<50	<50	<50	NA	NA
MW4-10	1/5/1994	<50	<50	<50	<500	NA	<50	<50	<50	<50	NA	NA
MW4-20	1/5/1994	<1000	16,500	98,900	<10000	NA	<1000	48,700	16,600	61,000	NA	NA
MW5-2	1/5/1994	<5	<5	21	<5	NA	<5	6	<5	13	NA	NA
MW5-5	1/5/1994	<5	7	19	<5	NA	<5	6	<5	16	NA	NA
MW5-10	1/5/1994	<5	<5	<5	<5	NA	<5	9	<5	<5	NA	NA
MW5-20	1/5/1994	<5	<5	<5	<5	NA	<5	<5	<5	<5	NA	NA
MW6-5	1/11/1994	10	11	24	<5	NA	17	424	32	277	NA	NA
MW6-10	1/11/1994	18	<10	<10	<5	NA	<10	36	<10	<10	NA	NA
MW6-20	1/11/1994	<10	154	3,510	<5	NA	<10	4,300	3,220	10,240	NA	NA
MW7-5	1/6/1994	<5	<5	<5	<5	NA	<5	<5	<5	<5	NA	NA
MW7-10	1/6/1994	<5	<5	<5	<5	NA	<5	<5	<5	<5	NA	NA
MW7-20	1/6/1994	<5	<5	<5	<5	NA	<5	<5	<5	<5	NA	NA
MW7-30	1/10/1994	<5	<5	<5	<5	NA	<5	34	<5	7	NA	NA
MW7-40	1/10/1994	<5	<5	<5	<5	NA	<5	<5	<5	<5	NA	NA
MW8-3.5	6/6/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW8-10	6/6/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW8-15	6/6/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW8-19	6/6/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW8-24	6/6/2002	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
MW8-29	6/6/2002	<250	<250	<250	<250	<250	<250	2,310	2,260	9,580	<250	438
MW8-30	6/6/2002	4,920	<1,250	<1,250	<1,250	<1,250	<1,250	34,100	14,100	52,000	<1,250	2,750
MW8-32.5	6/6/2002	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500	65,500	27,900	92,600	<2,500	5,290
MW8-35	6/6/2002	<250	460	<250	<250	<250	<250	6,920	3,340	10,900	<250	520
MW8-40	6/6/2002	<125	260	160	<125	<125	<125	7,250	3,510	11,600	<125	566
MW8-42.5	6/6/2002	<25	<25	<25	<25	<25	62.5	452	25	113	<25	<25
MW9-3	6/7/2002	<5	6.7	24.8	<5	<5	<5	<5	<5	<5	<5	<25

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	n-Propyl benzene	4-Chloro toluene	1,3,5-TMB	ter-Butyl benzene	1,2,4-TMB	sec-Butyl benzene	p-Isopropyl toluene	1,2-DCB	n-Butyl benzene	Naphthalene	DIPE
S-1-0	4/1/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
S-2-0	4/1/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
SS-01-0	9/25/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
SS-02-0	9/25/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW1-1	1/1/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW1-10	1/1/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW1-15	1/1/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW1-20	1/1/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW1-25	1/1/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW1-30	1/1/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW1-35	1/1/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW1-40	1/1/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW2-5	1/7/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW2-10	1/7/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW2-20	1/7/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW2-30	1/7/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW2-40	1/7/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW3-5	1/7/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW3-10	1/7/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW3-20	1/7/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW3-30	1/7/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW3-40	1/7/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW4-5	1/5/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW4-10	1/5/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW4-20	1/5/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW5-2	1/5/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW5-5	1/5/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW5-10	1/5/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW5-20	1/5/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW6-5	1/11/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW6-10	1/11/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW6-20	1/11/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW7-5	1/6/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW7-10	1/6/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW7-20	1/6/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW7-30	1/10/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW7-40	1/10/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW8-3.5	6/6/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW8-10	6/6/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW8-15	6/6/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW8-19	6/6/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW8-24	6/6/2002	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
MW8-29	6/6/2002	**1,300**	<250	**4,420**	<250	**15,500**	<250	<250	<250	**968**	**1,040**	<250
MW8-30	6/6/2002	**8,700**	<1,250	**19,800**	<1,250	**80,500**	<1,250	<1,250	<1,250	**4,350**	**6,100**	<1,250
MW8-32.5	6/6/2002	**18,100**	<2,500	**47,500**	<2,500	**161,000**	<2,500	<2,500	<2,500	**7,950**	**11,000**	<2,500
MW8-35	6/6/2002	**1,820**	<250	**4,580**	<250	**17,300**	<250	<250	<250	**800**	**980**	<250
MW8-40	6/6/2002	**1,870**	<125	**4,630**	<125	**18,400**	<125	<125	<125	**851**	**1,290**	<125
MW8-42.5	6/6/2002	<25	<25	**95**	<25	**50**	<25	<25	<25	<25	<25	<25
MW9-3	6/7/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	1,1,2 TCA	Acetone	MEK	MIBK	2-Hexanone	Vinyl Acetate	1,2 Dibromo-3-Chloropropane	2-Chloroethyl vinyl ether	MTBE	1,4-Dioxane	T-Butyl Alcohol
S-1-0	4/1/1990	NA	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA
S-2-0	4/1/1990	NA	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA
SS-01-0	9/25/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	<100	NA
SS-02-0	9/25/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	<100	NA
MW1-1	1/1/1990	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW1-10	1/1/1990	NA	**21,000**	ND	ND	NA	NA	NA	NA	NA	NA	NA
MW1-15	1/1/1990	NA	**7,900**	ND	ND	NA	NA	NA	NA	NA	NA	NA
MW1-20	1/1/1990	NA	**8,400**	ND	ND	NA	NA	NA	NA	NA	NA	NA
MW1-25	1/1/1990	NA	**430**	ND	ND	NA	NA	NA	NA	NA	NA	NA
MW1-30	1/1/1990	NA	**15,000**	ND	ND	NA	NA	NA	NA	NA	NA	NA
MW1-35	1/1/1990	NA	**85**	ND	ND	NA	NA	NA	NA	NA	NA	NA
MW1-40	1/1/1990	NA	**15,000**	ND	ND	NA	NA	NA	NA	NA	NA	NA
MW2-5	1/7/1994	NA	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA
MW2-10	1/7/1994	NA	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA
MW2-20	1/7/1994	NA	**97**	ND	ND	NA	NA	NA	NA	NA	NA	NA
MW2-30	1/7/1994	NA	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA
MW2-40	1/7/1994	NA	**1,102**	**720**	**352**	NA	NA	NA	NA	NA	NA	NA
MW3-5	1/7/1994	NA	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA
MW3-10	1/7/1994	NA	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA
MW3-20	1/7/1994	NA	**261**	ND	ND	NA	NA	NA	NA	NA	NA	NA
MW3-30	1/7/1994	NA	**15,100**	**3,000**	**1,340**	NA	NA	NA	NA	NA	NA	NA
MW3-40	1/7/1994	NA	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA
MW4-5	1/5/1994	NA	**1,640**	**1,990**	**594**	NA	NA	NA	NA	NA	NA	NA
MW4-10	1/5/1994	NA	**2,130**	**4,260**	<300	NA	NA	NA	NA	NA	NA	NA
MW4-20	1/5/1994	NA	<1,000	<10,000	**12,000**	NA	NA	NA	NA	NA	NA	NA
MW5-2	1/5/1994	NA	<8,000	<50	<50	NA	NA	NA	NA	NA	NA	NA
MW5-5	1/5/1994	NA	<50	<50	<50	NA	NA	NA	NA	NA	NA	NA
MW5-10	1/5/1994	NA	<50	<50	<50	NA	NA	NA	NA	NA	NA	NA
MW5-20	1/5/1994	NA	**974**	**529**	<50	NA	NA	NA	NA	NA	NA	NA
MW6-5	1/11/1994	NA	**5,180**	**3,110**	**900**	NA	NA	NA	NA	NA	NA	NA
MW6-10	1/11/1994	NA	**2,030**	**804**	**1,230**	NA	NA	NA	NA	NA	NA	NA
MW6-20	1/11/1994	NA	<50	<50	**2,440**	NA	NA	NA	NA	NA	NA	NA
MW7-5	1/6/1994	NA	<50	<50	<50	NA	NA	NA	NA	NA	NA	NA
MW7-10	1/6/1994	NA	<50	<50	<50	NA	NA	NA	NA	NA	NA	NA
MW7-20	1/6/1994	NA	**117**	**147**	<50	NA	NA	NA	NA	NA	NA	NA
MW7-30	1/10/1994	NA	**6,050**	**29,700**	**69**	NA	NA	NA	NA	NA	NA	NA
MW7-40	1/10/1994	NA	<50	<50	<30	NA	NA	NA	NA	NA	NA	NA
MW8-3.5	6/6/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	NA	<30
MW8-10	6/6/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	NA	<30
MW8-15	6/6/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	NA	<30
MW8-19	6/6/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	NA	<30
MW8-24	6/6/2002	<50	<500	<500	<500	<500	<500	<50	<100	<50	NA	<300
MW8-29	6/6/2002	<250	<2,500	<2,500	<2,500	<2,500	<2,500	<250	<500	<250	NA	<1,500
MW8-30	6/6/2002	<1,250	<12,500	<12,500	<12,500	<12,500	<12,500	<1,250	<2,500	<1,250	NA	<7,500
MW8-32.5	6/6/2002	<2,500	<25,000	<25,000	<25,000	<25,000	<25,000	<2,500	<5,000	<2,500	NA	<15,000
MW8-35	6/6/2002	<250	<2,500	<2,500	<2,500	<2,500	<2,500	<250	<500	<250	NA	<1,500
MW8-40	6/6/2002	<125	<1,250	<1,250	<1,250	<1,250	<1,250	<125	<250	<125	NA	<750
MW8-42.5	6/6/2002	<25	<250	<250	<250	<250	<250	<25	<50	<25	NA	<150
MW9-3	6/7/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	NA	<30

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	TPH-g * (C_4-C_{12})	TPH-d * (C_{13}-C_{23})	TPH-m * (C_{24}-C_{40})	Vinyl Chloride	Chloro-ethane	1,1 DCA	1,1 DCE	trans-1,2-DCE	cis-1,2 DCE	1,1,1 TCA
MW9-10	6/7/2002	<1	NA	NA	<10	<10	<5	<5	<5	<5	<5
MW9-12.5	6/7/2002	NA	<10	<10	NA	NA	NA	NA	NA	NA	NA
MW9-15	6/7/2002	1.3	NA	NA	<10	<10	5	<5	<5	22.5	<5
MW9-20	6/7/2002	<1	<10	<10	<10	<10	<5	<5	<5	7.2	<5
MW9-25	6/7/2002	<1	<10	<10	<10	<10	15	<5	<5	60	7.6
MW9-29	6/7/2002	<1	NA	NA	<10	<10	95	33	<5	400	35
MW9-30	6/7/2002	NA	<10	<10	NA	NA	NA	NA	NA	NA	NA
MW9-35	6/7/2002	<1	<10	<10	<10	<10	88	85	<5	68	<5
MW9-40	6/7/2002	<1	<10	<10	<10	<10	26	27	<5	19	<5
MW9-45	6/7/2002	<1	<10	<10	<10	<10	5.7	12	<5	5	<5
MW9-50	6/7/2002	<1	<10	<10	<10	<10	<5	21.8	<5	<5	<5
MW10-18.5	11/13/2002	5.4	<10	<10	<10	<10	2,040	92.8	<5	1,550	1,150
MW10-24.5	11/13/2002	<10	<10	<10	<10	<10	394	41.5	<5	281	336
MW10-27	11/13/2002	201	15	<10	<1,000	<1,000	4,310	520	<500	3,020	5,450
MW10-32	11/13/2002	9,550	178	<10	<5,000	<5,000	20,200	4,230	<2,500	16,500	198,000
MW10-35	11/13/2002	2,100	78	<10	<2,000	<2,000	17,800	2,560	<1,000	12,900	1,020
MW10-37	11/13/2002	892	33	<10	<5,000	<5,000	8,350	<2,500	<2,500	1,260	<2,500
MW10-40	11/13/2002	26.3	<10	<10	<250	<250	1,740	<125	<125	393	<125
MW12-5	11/15/2002	<10	<10	<10	<10	<10	9.6	<5	<5	13.4	6.8
MW12-10	11/15/2002	<10	<10	<10	<10	<10	6.8	<5	<5	7	<5
MW12-14.5	11/15/2002	<10	<10	<10	<10	<10	7.1	<5	<5	6.6	<5
MW12-19.5	11/15/2002	<10	<10	<10	<10	<10	<5	<5	<5	<5	<5
MW12-22	11/15/2002	<10	<10	<10	<10	<10	<5	<5	<5	<5	<5
MW12-24.5	11/15/2002	<10	<10	<10	<10	<10	<5	<5	<5	<5	<5
MW12-27	11/15/2002	<10	<10	<10	<10	<10	<5	<5	<5	<5	<5
MW12-29.5	11/15/2002	<10	<10	<10	<10	<10	<5	<5	<5	<5	<5
MW12-32	11/15/2002	<10	<10	<10	<10	<10	10.2	<5	<5	<5	<5
MW12-32.5	11/15/2002	<10	<10	<10	<10	<10	11.2	<5	<5	<5	<5
MW12-34.5	11/15/2002	<10	<10	<10	146	<10	217	<5	<5	<5	<5
MW12-39.5	11/15/2002	238	17	<10	<100	<100	453	<50	<50	67.5	<50
MW12-44.5	11/15/2002	80	<10	<10	<250	<250	422	<125	<125	<125	<125
MW12-47	11/15/2002	<10	<10	<10	<10	<10	60.1	200	<5	92	<5
MW14-4.5	11/18/2002	11.2			<500	<500	<250	<250	<250	<250	<250
MW14-9.5	11/18/2002	17.1			<250	<250	388	<125	<125	553	<125
MW14-14.5	11/18/2002	20.4			<250	<250	<125	<125	<125	589	495
MW14-15	11/18/2002	NA	NA	NA	<250	<250	426	<125	<125	586	450
MW14-19.5	11/18/2002	352	15		<250	<250	445	<125	<125	550	739
MW14-24.5	11/18/2002	846	46		<250	<250	406	<125	<125	487	286
MW14-29.5	11/18/2002	7,600	158		<5,000	<5,000	13,600	5,530	<2,500	12,300	150,000
MW14-30	11/18/2002	NA	NA	NA	<5,000	<5,000	11,600	5,180	<2,500	9,670	120,000
MW14-34.5	11/18/2002	4,400	171		<1,000	<1,000	2,210	2,800	<500	11,100	93,300
MW14-39.5	11/18/2002	63			<500	<500	3,270	298	<250	6,950	<250
MW14-40	11/18/2002	NA	NA	NA	<500	<500	3,600	358	<250	7,910	<250
MW14-42	11/18/2002	301			<1,000	<1,000	842	510	<500	2,330	<500
MW14-65	12/3/2002				<10	<10	<5	<5	<5	<5	<5
MW15-24.5	11/19/2002	<10	<10	<10	8.4	<10	5	<5	<5	17.9	<5
MW15-25	11/19/2002	<10	<10	<10	7.8	<10	5.2	<5	<5	17.8	<5
MW15-30	11/19/2002	<10	<10	<10	29.6	<10	142	6.1	<5	665	<5

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	1,2 DCA	TCE	PCE	Methylene Chloride	Chloro benzene	Benzene	Toluene	Ethyl benzene	Xylene	Styrene	Iso-propyl benzene
MW9-10	6/7/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25
MW9-12.5	6/7/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW9-15	6/7/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25
MW9-20	6/7/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25
MW9-25	6/7/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25
MW9-29	6/7/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25
MW9-30	6/7/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW9-35	6/7/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25
MW9-40	6/7/2002	<5	**5.6**	<5	<5	<5	<5	<5	<5	<5	<5	<25
MW9-45	6/7/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25
MW9-50	6/7/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25
MW10-18.5	11/13/2002	<5	<5	<5	<5	<5	**7.8**	**285**	**35.2**	**220**	<5	<5
MW10-24.5	11/13/2002	<5	<5	<5	<5	<5	**2.5**	**98.6**	**21.5**	**101**	<5	<5
MW10-27	11/13/2002	<500	<500	<500	<500	<500	<500	**4,240**	**2,180**	**10,000**	<500	<500
MW10-32	11/13/2002	<2,500	**35,560**	**2,590**	<2,500	<2,500	<2,500	**179,000**	**93,100**	**315,000**	<2,500	**15,200**
MW10-35	11/13/2002	<1,000	<1,000	<1,000	<1,000	<1,000	<1,000	**69,000**	**20,500**	**63,700**	<1,000	**5,220**
MW10-37	11/13/2002	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500	**54,800**	**9,010**	**31,000**	<2,500	**3,060**
MW10-40	11/13/2002	<125	<125	<125	<125	<125	**54.5**	**4,770**	**321**	**1,290**	<125	<125
MW12-5	11/15/2002	<5	**5.8**	**20.3**	<5	<5	<5	<5	<5	<5	<5	<5
MW12-10	11/15/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW12-14.5	11/15/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW12-19.5	11/15/2002	<5	<5	<5	<5	<5	<5	**2**	<5	<5	<5	<5
MW12-22	11/15/2002	<5	<5	<5	<5	**5.4**	<5	<5	<5	<5	<5	<5
MW12-24.5	11/15/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW12-27	11/15/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW12-29.5	11/15/2002	<5	<5	<5	<5	<5	<5	**2.9**	<5	**2.7**	<5	<5
MW12-32	11/15/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW12-32.5	11/15/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW12-34.5	11/15/2002	<5	<5	<5	<5	<5	<5	<5	**8.5**	**10**	<5	<5
MW12-39.5	11/15/2002	<50	<50	<50	<50	**116**	**145**	**97**	**238**	**135**	<50	<50
MW12-44.5	11/15/2002	<125	<125	<125	<125	<125	<125	<125	<125	<125	<125	<125
MW12-47	11/15/2002	<5	**78.9**	**11.8**	<5	<5	**52.3**	<5	<5	<5	<5	<5
MW14-4.5	11/18/2002	<250	<250	<250	<250	<250	<250	**450**	**100**	**800**	<250	<250
MW14-9.5	11/18/2002	**10,400**	<125	<125	<125	<125	<125	**2,520**	**142**	**927**	<125	<125
MW14-14.5	11/18/2002	<125	**219**	<125	<125	<125	<125	**7,940**	**192**	**1,230**	<125	<125
MW14-15	11/18/2002	<125	**180**	<125	<125	<125	<125	**7,230**	**173**	**1,200**	<125	<125
MW14-19.5	11/18/2002	<125	<125	**1,740**	<125	<125	<125	**20,000**	**3,530**	**22,800**	<125	**450**
MW14-24.5	11/18/2002	<125	**229**	**1,290**	<125	<125	<125	**31,300**	**8,890**	**53,000**	<125	**1,250**
MW14-29.5	11/18/2002	<2,500	**5,770**	**131,000**	<2,500	<2,500	<2,500	**758,000**	**110,000**	**641,000**	<2,500	**12,000**
MW14-30	11/18/2002	<2,500	**4,650**	**111,000**	<2,500	<2,500	<2,500	**654,000**	**91,600**	**551,000**	<2,500	**9,650**
MW14-34.5	11/18/2002	<500	**6,020**	**52,300**	**17,500**	<500	<500	**384,000**	**59,400**	**316,000**	<500	**6,060**
MW14-39.5	11/18/2002	<250	<250	<250	<250	<250	<250	**10,800**	**1,000**	**5,620**	<250	<250
MW14-40	11/18/2002	<250	<250	<250	<250	<250	<250	**8,600**	**525**	**2,600**	<250	<250
MW14-42	11/18/2002	<500	<500	<500	<500	<500	<500	**20,400**	**4,010**	**23,100**	<500	**530**
MW14-65	12/3/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW15-24.5	11/19/2002	<5	<5	<5	<5	<5	<5	<5	**2.2**	**4.8**	<5	<5
MW15-25	11/19/2002	<5	<5	<5	<5	<5	<5	<5	**3.2**	**5.3**	<5	<5
MW15-30	11/19/2002	<5	<5	<5	<5	**5**	**2**	<5	<5	<5	<5	<5

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	n-Propyl benzene	4-Chloro toluene	1,3,5-TMB	ter-Butyl benzene	1,2,4-TMB	sec-Butyl benzene	p-Isopropyl toluene	1,2-DCB	n-Butyl benzene	Naphthalene	DIPE
MW9-10	6/7/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW9-12.5	6/7/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW9-15	6/7/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW9-20	6/7/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW9-25	6/7/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW9-29	6/7/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW9-30	6/7/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW9-35	6/7/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW9-40	6/7/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW9-45	6/7/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW9-50	6/7/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW10-18.5	11/13/2002	<5	<5	**11.6**	<5	**63.8**	<5	<5	<5	<5	<5	<5
MW10-24.5	11/13/2002	**16.6**	<5	**7.3**	<5	**35.5**	<5	<5	<5	<5	**7.9**	<5
MW10-27	11/13/2002	<500	<500	**1,910**	<500	**7,830**	<500	<500	<500	<500	<500	<500
MW10-32	11/13/2002	**38,500**	<2,500	**115,000**	<2,500	**393,000**	<2,500	<2,500	<2,500	**25,000**	**33,800**	<2,500
MW10-35	11/13/2002	**14,900**	<1,000	**35,900**	<1,000	**106,000**	<1,000	<1,000	<1,000	**4,450**	**4,230**	<1,000
MW10-37	11/13/2002	**8,190**	<2,500	**18,100**	<2,500	**51,600**	<2,500	<2,500	<2,500	**2,590**	**2,500**	<2,500
MW10-40	11/13/2002	<125	<125	**105**	<125	**304**	<125	<125	<125	<125	<125	<125
MW12-5	11/15/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW12-10	11/15/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW12-14.5	11/15/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW12-19.5	11/15/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW12-22	11/15/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW12-24.5	11/15/2002	**16.8**	<5	**6.1**	<5	**25.4**	<5	<5	<5	<5	<5	<5
MW12-27	11/15/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW12-29.5	11/15/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW12-32	11/15/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW12-32.5	11/15/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW12-34.5	11/15/2002	<5	<5	**10.2**	<5	<5	<5	<5	<5	<5	**7.6**	<5
MW12-39.5	11/15/2002	**3,910**	<50	**8,750**	<50	**17,700**	**351**	**287**	<50	**1,350**	**202**	<50
MW12-44.5	11/15/2002	**747**	<125	**1,860**	<125	**4,050**	<125	<125	<125	<125	<125	<125
MW12-47	11/15/2002	<5	<5	**8.8**	<5	**21.2**	<5	<5	<5	<5	<5	<5
MW14-4.5	11/18/2002	<250	<250	<250	<250	**356**	<250	<250	<250	<250	<250	<250
MW14-9.5	11/18/2002	<125	<125	<125	<125	**230**	<125	<125	<125	<125	<125	<125
MW14-14.5	11/18/2002	<125	<125	<125	<125	**197**	<125	<125	<125	<125	<125	<125
MW14-15	11/18/2002	<125	<125	<125	<125	**187**	<125	<125	<125	<125	<125	<125
MW14-19.5	11/18/2002	**1,080**	<125	**2,360**	<125	**8,810**	<125	<125	<125	**350**	**489**	<125
MW14-24.5	11/18/2002	**3,000**	<125	**7,440**	<125	**25,000**	<125	<125	<125	**1,110**	**1,780**	<125
MW14-29.5	11/18/2002	**25,800**	<2,500	**51,000**	<2,500	**172,000**	<2,500	<2,500	<2,500	**6,530**	**11,100**	<2,500
MW14-30	11/18/2002	**20,300**	<2,500	**41,000**	<2,500	**135,000**	<2,500	<2,500	<2,500	**5,780**	**9,050**	<2,500
MW14-34.5	11/18/2002	**12,600**	<500	**26,300**	<500	**87,600**	<500	<500	<500	**3,300**	**5,400**	<500
MW14-39.5	11/18/2002	<250	<250	**434**	<250	**1,450**	<250	<250	<250	<250	<250	<250
MW14-40	11/18/2002	<250	<250	<250	<250	**500**	<250	<250	<250	<250	<250	<250
MW14-42	11/18/2002	**1,120**	<500	**2,110**	<500	**7,420**	<500	<500	<500	<500	<500	<500
MW14-65	12/3/2002	<5	<5	<5	<5	<5	<5	<5		<5	<5	<5
MW15-24.5	11/19/2002	<5	<5	<5	<5	**6**	<5	<5	<5	<5	<5	<5
MW15-25	11/19/2002	<5	<5	<5	<5	**8.8**	<5	<5	<5	<5	<5	<5
MW15-30	11/19/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	1,1,2 TCA	Acetone	MEK	MIBK	2-Hexanone	Vinyl Acetate	1,2 Dibromo-3-Chloropropane	2-Chloroethyl vinyl ether	MTBE	1,4-Dioxane	T-Butyl Alcohol
MW9-10	6/7/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	NA	<30
MW9-12.5	6/7/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW9-15	6/7/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	NA	<30
MW9-20	6/7/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	NA	<30
MW9-25	6/7/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	NA	<30
MW9-29	6/7/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	NA	<30
MW9-30	6/7/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW9-35	6/7/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	NA	<30
MW9-40	6/7/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	NA	<30
MW9-45	6/7/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	NA	<30
MW9-50	6/7/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	NA	<30
MW10-18.5	11/13/2002	<5	**12,400**	**4,550**	**135**	<50	<50	<5	<10	<5	<100	<30
MW10-24.5	11/13/2002	<5	**3,280**	<50	**39**	<50	<50	<5	<10	<5	<100	<30
MW10-27	11/13/2002	<500	**6,520**	**4,010**	<5,000	<5,000	<5,000	<500	<1,000	<500	<10,000	<3,000
MW10-32	11/13/2002	<2,500	<25,000	<25,000	<25,000	<25,000	<25,000	<2,500	<5,000	<2,500	<50,000	<15,000
MW10-35	11/13/2002	<1,000	<10,000	<10,000	<10,000	<10,000	<10,000	<1,000	<2,000	<1,000	<20,000	<6,000
MW10-37	11/13/2002	<2,500	<25,000	<25,000	<25,000	<25,000	<25,000	<2,500	<5,000	<2,500	<50,000	<15,000
MW10-40	11/13/2002	<125	**50,500**	**22,000**	**6,160**	<1,250	<1,250	<125	<250	<125	<2,500	<750
MW12-5	11/15/2002	<5	**25**	<50	<50	<50	<50	<5	<10	<5	<100	<30
MW12-10	11/15/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	<100	<30
MW12-14.5	11/15/2002	<5	**26**	<50	<50	<50	<50	<5	<10	<5	<100	<30
MW12-19.5	11/15/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	<100	<30
MW12-22	11/15/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	<100	<30
MW12-24.5	11/15/2002	<5	<50	<50	<50	<50	<50	<5	<10	**5.6**	<100	<30
MW12-27	11/15/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	<100	<30
MW12-29.5	11/15/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	<100	<30
MW12-32	11/15/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	<100	<30
MW12-32.5	11/15/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	<500	<30
MW12-34.5	11/15/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	<100	<30
MW12-39.5	11/15/2002	<50	**964**	**1,560**	**680**	<500	<500	<50	<100	<50	<1,000	<300
MW12-44.5	11/15/2002	<125	**2,500**	**2,430**	<1,250	<1,250	<1,250	<125	<250	<125	<2,500	<750
MW12-47	11/15/2002	<5	**43**	<50	<50	<50	<50	<5	<10	<5	<100	<30
MW14-4.5	11/18/2002	<250	**4,500**	**4,360**	<2,500	<2,500	<2,500	<250	<500	<250	<5,000	<1,500
MW14-9.5	11/18/2002	<125	**27,200**	**10,400**	**2,110**	<1,250	<1,250	<125	<250	<125	<2,500	<750
MW14-14.5	11/18/2002	<125	**32,800**	**14,000**	**26,000**	<1,250	<1,250	<125	<250	<125	<2,500	**1320**
MW14-15	11/18/2002	<125	**41,300**	**16,000**	**3,240**	<1,250	<1,250	<125	<250	<125	<2,500	<750
MW14-19.5	11/18/2002	<125	**27,600**	**6,830**	**3,270**	<1,250	<1,250	<125	<250	<125	<2,500	<750
MW14-24.5	11/18/2002	<125	**12,300**	**6,770**	**2,170**	<1,250	<1,250	<125	<250	<125	<2,500	<750
MW14-29.5	11/18/2002	<2,500	**60,300**	**14,900**	**26,600**	<25,000	<25,000	<2,500	<5,000	<2,500	<50,000	<15,000
MW14-30	11/18/2002	<2,500	**68,400**	**14,500**	**26,100**	<25,000	<25,000	<2,500	<5,000	<2,500	<50,000	<15,000
MW14-34.5	11/18/2002	<500	**46,300**	**13,000**	**15,400**	<5,000	<5,000	<500	<1,000	<500	<10,000	<1,200
MW14-39.5	11/18/2002	<250	**6,730**	<2,500	<2,500	<2,500	<2,500	<250	<500	<250	<5,000	<600
MW14-40	11/18/2002	<250	**6,680**	<2,500	<2,500	<2,500	<2,500	<250	<500	<250	<5,000	<600
MW14-42	11/18/2002	<500	**38,300**	<5,000	**2,090**	<5,000	<5,000	<500	<1,000	<500	<10,000	<1,200
MW14-65	12/3/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5		<30
MW15-24.5	11/19/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	<100	<30
MW15-25	11/19/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	<100	<30
MW15-30	11/19/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	<100	<30

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	TPH-g * (C_4-C_{12})	TPH-d * (C_{13}-C_{23})	TPH-m * (C_{24}-C_{40})	Vinyl Chloride	Chloro-ethane	1,1 DCA	1,1 DCE	trans-1,2-DCE	cis-1,2 DCE	1,1,1 TCA
MW15-35	11/19/2002	<10	<10	<10	17.4	<10	258	32.7	<5	1,050	<5
MW15-45	11/19/2002	<10	<10	<10	<10	6.3	310	384	<5	1,910	<5
MW15-50	11/19/2002	<10	<10	<10	<10	<10	205	1,250	<5	1,250	<5
MW15-55	11/19/2002	<10	<10	<10	9.9	17	270	113	<5	1,880	<5
MW16-10	11/19/2002	<10	<10	<10	<10	<10	27.9	12.4	<5	175	8.7
MW16-25	11/19/2002	<10	15	<10	<10	<10	36	29.3	<5	233	92
MW16-27.5	11/19/2002	<10	<10	<10	276	<10	203	73.5	<5	840	20.7
MW16-39.5	11/19/2002	<10	<10	<10	81.9	<250	625	380		172	<125
MW16-40	11/19/2002	<10	<10	<10	105	<10	669	494	<5	194	<5
MW17-9.5	11/20/2002	<10	<10	<10	9.8	<10	73.8	37.6	<5	455	16.3
MW17-24.5	11/20/2002	<10	<10	<10	<10	<10	39.6	10	<5	111	24.6
MW17-26.8	11/20/2002	<10	<10	<10	69	<10	1,010	185	<5	2,680	840
MW17-29.5	11/20/2002	<10	<10	<10	79.2	<10	251	10.1	<5	54	16.1
MW17-30	11/20/2002	NA	NA	NA	18	<10	95.6	3.5	<5	23.5	7.3
MW17-34.5	11/20/2002	<10	19	<10	13.9	<10	221	12.4	<5	8.2	11.4
MW17-39.5	11/20/2002	<10	<10	<10	8.8	<10	138	161	<5	49.6	<5
MW17-40	11/20/2002	NA	NA	NA	9.5	<10	127	150	<5	49.7	<5
MW19-4.5	11/21/2002	4,910	492	32	<2,000	<2,000	1,660	1,000	<1,000	<1,000	45,700
MW19-5	11/21/2002	NA	NA	NA	<2,000	<2,000	1,700	1,000	<1,000	<1,000	38,600
MW19-14.5	11/21/2002	3,990	156	<10	<10,000	<10,000	17,100	55,200	<5,000	<5,000	4,150,000
MW19-19.5	11/21/2002	2,730	200	<10	<5,000	<5,000	<2500	3,500	<2,500	<2,500	209,000
MW19-24.5	11/21/2002	279	<10	<10	<100	<100	58	<50	<50	<50	2,050
MW19-28	11/21/2002	3,380	212	<10	<20,000	<20,000	<10,000	48,800	<10,000	<10,000	846,000
MW19-29.5	11/21/2002	5,750	296	<10	<20,000	<20,000	<10,000	47,600	<10,000	<10,000	748,000
MW19-34	11/21/2002	51	<10	<10	<100	<100	685	2,000	<50	2,220	560
MW19-38	11/21/2002	12	<10	<10	<100	<100	994	2,060	<50	1,810	350
MW19-39	11/21/2002	NA	NA	NA	<100	<100	1,060	2,310	<50	1,740	300
MW19-44	11/21/2002	<10	<10	<10	<250	<250	156	206	<125	<125	<125
MW19-49.5	11/21/2002	<10	<10	<10	<100	<100	161	237	<50	<50	<50
MW19-54.5	11/21/2002	<10	<10	<10	<100	<100	50	258	<50	<50	<50
MW-22-30	6/17/2003	NA	NA	NA	24	<5	410	<5	<5	650	<5
MW-22-42.5	6/17/2003	NA	NA	NA	7	<11	170	<5	16	819	<5
MW-26-5	6/20/2003	NA	NA	NA	<10	<10	<5	<5	<5	19	<5
MW-26-15	6/20/2003	NA	NA	NA	<10	<10	<5	<5	<5	<5	<5
MW-26-25	6/20/2003	NA	NA	NA	<500	<500	<250	<250	<250	279	1,130
MW-26-35	6/20/2003	NA	NA	NA	<250	<250	<125	<125	<125	135	<125
MW-26-39	6/20/2003	NA	NA	NA	<10	<10	49	<5	387	15	<5
MW-26-40	6/20/2003	NA	NA	NA	<10	<10	17	<5	350	57	<5
RR-1	10/1/1992	NA	NA	NA	NA	NA	<100	<100	NA	NA	<100
RR-2	10/1/1992	NA	NA	NA	NA	NA	<2,000	<2,000	NA	NA	17,000
RR-3	10/1/1992	NA	NA	NA	NA	NA	<2,000	8,300	NA	NA	19,000,000
RR-4	10/1/1992	NA	NA	NA	NA	NA	<800	<800	NA	NA	<800
RR-5	10/1/1992	NA	NA	NA	NA	NA	<2,000	<2,000	NA	NA	16,000
RR-6	10/1/1992	NA	NA	NA	NA	NA	<2,000	<2,000	NA	NA	160,000
RR-7	10/1/1992	NA	NA	NA	NA	NA	<2,000	<2,000	NA	NA	73,000

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	1,2 DCA	TCE	PCE	Methylene Chloride	Chloro benzene	Benzene	Toluene	Ethyl benzene	Xylene	Styrene	Iso-propyl benzene
MW15-35	11/19/2002	<5	19.3	11.7	<5	5	5.6	2.5	<5	<5	<5	<5
MW15-45	11/19/2002	<5	250	165	<5	<5	7.3	<5	23	2.6	<5	<5
MW15-50	11/19/2002	<5	23.6	12.1	<5	10.6	7.1	2.4	<5	3	<5	<5
MW15-55	11/19/2002	<5	<5	<5	<5	5.9	8.5	<5	6.5	5	<5	<5
MW16-10	11/19/2002	<5	<5	8.6	<5	<5	<5	<5	<5	<5	<5	<5
MW16-25	11/19/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW16-27.5	11/19/2002	<5	,5	<5	<5	<5	<5	4.4	<5	10	<5	<5
MW16-39.5	11/19/2002		42.2	53	<125	<125	9.6	<125	<125	<125	<125	<125
MW16-40	11/19/2002	<5	49.6	<5	<5	<5	11.5	<5	<5	<5	<5	<5
MW17-9.5	11/20/2002	<5	5	5	<5	<5	56	271	<5	<5	<5	<5
MW17-24.5	11/20/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW17-26.8	11/20/2002	<5	<5	14	<5	<5	4.2	9.8	<5	60.6	<5	<5
MW17-29.5	11/20/2002	<5	<5	<5	<5	<5	6.5	43.4	21.3	27.2	<5	<5
MW17-30	11/20/2002	<5	<5	<5	<5	<5	2.4	12.5	5.2	8.3	<5	760
MW17-34.5	11/20/2002	<5	<5	<5	<5	<5	10.9	560	105	545	<5	9.5
MW17-39.5	11/20/2002	<5	6.8	22.4	<5	<5	3.2	<5	<5	<5	<5	<5
MW17-40	11/20/2002	<5	7.1	21.2	<5	<5	3.4	<5	<5	<5	<5	<5
MW19-4.5	11/21/2002	<1,000	2,350	9,310	<1,000	<1,000	<1,000	12,200	5,050	38,300	<1,000	<1,000
MW19-5	11/21/2002	<1,000	2,180	7,740	<1,000	<1,000	<1,000	9,950	4,550	33,600	<1,000	<1,000
MW19-14.5	11/21/2002	<5,000	<5,000	210,000	15,400	<5,000	<5,000	239,000	101,000	323,000	<5,000	<5,000
MW19-19.5	11/21/2002	<2,500	6,100	28,200	<2,500	<2,500	<2,500	28,500	17,100	41,100	<2,500	<2,500
MW19-24.5	11/21/2002	<50	245	482	<50	<50	<50	2,600	1,050	3,360	<50	262
MW19-28	11/21/2002	<10,000	<10,000	98,400	<10,000	<10,000	122,000	58,000	149,000	<10,000	<10,000	19,600
MW19-29.5	11/21/2002	<10,000	<10,000	85,800	<10,000	<10,000	122,000	54,000	128,000	<10,000	<10,000	18,400
MW19-34	11/21/2002	<50	50	53	125	<50	3,620	1,140	2,450	110	<50	305
MW19-38	11/21/2002	<50	<50	<50	202	<50	3,680	575	1,270	<50	<50	87.5
MW19-39	11/21/2002	<50	<50	<50	250	<50	5,310	1,050	2,330	<50	<50	256
MW19-44	11/21/2002	<125	<125	<125	<125	<125	<125	670	137	251	<125	<125
MW19-49.5	11/21/2002	<50	<50	<50	<50	<50	33	<50	<50	<50	<50	<50
MW19-54.5	11/21/2002	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
MW-22-30	6/17/2003	<5	<5	<5	<10	<5	<5	<5	<2	3.2	<5	<5
MW-22-42.5	6/17/2003	<5	<5	<5	<10	<5	<5	<5	<2	<2	<5	<5
MW-26-5	6/20/2003	<5	<5	15.8	<5	<5	<5	<5	<5	<5	<5	<5
MW-26-15	6/20/2003	<5	<5	<5	<5	<5	<250	<5	<5	<5	<5	<5
MW-26-25	6/20/2003	<250	380	2,790	<250	<250	<5	5,560	24,100	27,300	<250	597
MW-26-35	6/20/2003	<125	473	1,890	1,840	<125	60	4,680	940	3,900	<125	<125
MW-26-39	6/20/2003	<5	230	1,160	2,650	<5	17.6	1,660	228	1,240	<5	<5
MW-26-40	6/20/2003	<5	207	1,080	2,520	<5	55	1,500	187	1,090	<5	<5
RR-1	10/1/1992	<100	<100	170	<500	NA	<100	250	<100	670	NA	NA
RR-2	10/1/1992	<2,000	2,200	32,000	<10,000	NA	<2,000	210,000	16,000	115,000	NA	NA
RR-3	10/1/1992	3,900	4,200	7,600	<10,000	NA	<2,000	9,300	<2,000	3,400	NA	NA
RR-4	10/1/1992	<800	<800	4,100	<4,000	NA	<800	840	1,100	9,100	NA	NA
RR-5	10/1/1992	<2,000	<2,000	2,300,000	<10,000	NA	<2,000	17,000	<2,000	6,400	NA	NA
RR-6	10/1/1992	<2,000	<2,000	1,200,000	<10,000	NA	<2,000	14,000	5,200	28,500	NA	NA
RR-7	10/1/1992	<2,000	<2,000	37,000	<10,000	NA	<2,000	4,300	3,600	39,000	NA	NA

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	n-Propyl benzene	4-Chloro toluene	1,3,5-TMB	ter-Butyl benzene	1,2,4-TMB	sec-Butyl benzene	p-Isopropyl toluene	1,2-DCB	n-Butyl benzene	Naphthalene	DIPE
MW15-35	11/19/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW15-45	11/19/2002	<5	<5	<5	<5	**16.3**	<5	<5	<5	<5	**6.6**	<5
MW15-50	11/19/2002	<5	<5	<5	<5	**34.3**	<5	<5	<5	<5	<5	<5
MW15-55	11/19/2002	<5	<5	**8.4**	<5	**54.6**	<5	<5	<5	<5	<5	<5
MW16-10	11/19/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW16-25	11/19/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW16-27.5	11/19/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW16-39.5	11/19/2002	<125	<125	<125	<125	<125	<125	<125	<125	<125	<125	<125
MW16-40	11/19/2002	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW17-9.5	11/20/2002	<5	<5	<5	<5	**5.8**	<5	<5	<5	<5	<5	<5
MW17-24.5	11/20/2002	<5	<5	<5	<5	**6.6**	<5	<5	<5	<5	<5	<5
MW17-26.8	11/20/2002	<5	<5	**12.9**	<5	**89.7**	<5	<5	<5	<5	**13.2**	<5
MW17-29.5	11/20/2002	<5	<5	**9.9**	<5	**44.9**	<5	<5	<5	<5	**9.2**	<5
MW17-30	11/20/2002	<5	<5	<5	<5	**12.3**	<5	<5	<5	<5	<5	<5
MW17-34.5	11/20/2002	**15.5**	<5	**69.1**	<5	**900**	<5	<5	<5	**25.8**	**99.4**	<5
MW17-39.5	11/20/2002	<5	<5	<5	<5	**11**	<5	<5	<5	**,5**	**5.4**	<5
MW17-40	11/20/2002	<5	<5	<5	<5	**19.5**	<5	<5	<5	<5	**5**	<5
MW19-4.5	11/21/2002	**2,140**	<1,000	**9,070**	<1,000	**57,300**	<1,000	<1,000	<1,000	**9,650**	**21,500**	<1,000
MW19-5	11/21/2002	**2,010**	<1,000	**8,130**	<1,000	**50,500**	<1,000	<1,000	<1,000	**8,380**	**17,800**	<1,000
MW19-14.5	11/21/2002	**40,100**	<5,000	**123,000**	<5,000	**391,000**	<5,000	<5,000	<5,000	**16,500**	**17,000**	<5,000
MW19-19.5	11/21/2002	**8,900**	<2,500	**28,300**	<2,500	**102,000**	<2,500	<2,500	<2,500	**4,100**	**4,800**	<2,500
MW19-24.5	11/21/2002	**722**	<50	**3,380**	<50	**11,300**	<50	<50	<50	**850**	**1,150**	<50
MW19-28	11/21/2002	**72,600**	<10,000	**316,000**	<10,000	<10,000	<10,000	<10,000	<10,000	**19,600**	**28,000**	<10,000
MW19-29.5	11/21/2002	**65,000**	<10,000	**296,000**	<10,000	<10,000	<10,000	<10,000	<10,000	**18,400**	**20,000**	<10,000
MW19-34	11/21/2002	**1,350**	<50	**6,350**	<50	<50	<50	<50	<50	**292**	**483**	<50
MW19-38	11/21/2002	**280**	<50	**1,450**	<50	<50	<50	<50	<50	**65**	**213**	<50
MW19-39	11/21/2002	**933**	<50	**4,170**	<50	<50	<50	<50	<50	**231**	**431**	<50
MW19-44	11/21/2002	<125	<125	<125	<125	**231**	<125	<125	<125	<125	<125	<125
MW19-49.5	11/21/2002	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
MW19-54.5	11/21/2002	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
MW-22-30	6/17/2003	<5	<5	<5	<5	<5	<5	NA	<5	<5	<5	<5
MW-22-42.5	6/17/2003	<5	<5	<5	<5	<5	<5	NA	<5	<5	<5	<5
MW-26-5	6/20/2003	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW-26-15	6/20/2003	<5	<5	<5	<5	<5	<5	NA	<5	<5	<5	<5
MW-26-25	6/20/2003	**1,350**	<250	**5,530**	<250	**22,200**	<250	NA	<250	**1,580**	**2,970**	<250
MW-26-35	6/20/2003	<125	<125	<125	<125	**259**	<125	NA	<125	<125	<125	<125
MW-26-39	6/20/2003	**12**	<5	**5.9**	<5	**32.6**	<5	NA	<5	<5	**12.5**	<5
MW-26-40	6/20/2003	**13**	<5	**7.5**	<5	**39**	<5	NA	<5	<5	**17**	<5
RR-1	10/1/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
RR-2	10/1/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
RR-3	10/1/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
RR-4	10/1/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
RR-5	10/1/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
RR-6	10/1/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
RR-7	10/1/1992	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	1,1,2 TCA	Acetone	MEK	MIBK	2-Hexanone	Vinyl Acetate	1,2 Dibromo-3-Chloropropane	2-Chloroethyl vinyl ether	MTBE	1,4-Dioxane	T-Butyl Alcohol
MW15-35	11/19/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	<100	<30
MW15-45	11/19/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	<100	<30
MW15-50	11/19/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	**283**	<30
MW15-55	11/19/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	**627**	<30
MW16-10	11/19/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	**189**	<30
MW16-25	11/19/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	<100	<30
MW16-27.5	11/19/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	<100	<30
MW16-39.5	11/19/2002	<125	<1,250	<1,250	<1,250	<1,250	<1,250	<125	<250	<125	**3,480**	<750
MW16-40	11/19/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	**4,340**	<30
MW17-9.5	11/20/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	<100	<30
MW17-24.5	11/20/2002	<5	**,50**	<50	<50	<50	<50	<5	<10	<5	<100	<30
MW17-26.8	11/20/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	**252**	<30
MW17-29.5	11/20/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	**840**	<30
MW17-30	11/20/2002	<5	**42**	<50	<50	<50	<50	<5	<10	<5	**1,020**	<30
MW17-34.5	11/20/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	**13,800**	<30
MW17-39.5	11/20/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	**3,710**	<30
MW17-40	11/20/2002	<5	<50	<50	<50	<50	<50	<5	<10	<5	**3,560**	<30
MW19-4.5	11/21/2002	<1,000	**38,400**	**10,500**	<10,000	<10,000	<10,000	<1,000	<2,000	<1,000	**42,000**	<6,000
MW19-5	11/21/2002	<1,000	**26,400**	**10,800**	<10,000	<10,000	<10,000	<1,000	<2,000	<1,000	**36,000**	<6,000
MW19-14.5	11/21/2002	<5,000	<50,000	<50,000	<50,000	<50,000	<50,000	<5,000	<10,000	<5,000	**13,000**	<30,000
MW19-19.5	11/21/2002	<2,500	<25,000	<25,000	<5,000	<5,000	<5,000	<2,500	<5,000	<2,500	<50,000	<15,000
MW19-24.5	11/21/2002	<50	**2,700**	**5,330**	<500	<500	<500	<50	<100	<50	**2,700**	<300
MW19-28	11/21/2002	<10,000	<100,000	<100,000	<100,000	<100,000	<100,000	<10,000	<20,000	<10,000	<200,000	<60,000
MW19-29.5	11/21/2002	<10,000	<100,000	<100,000	<100,000	<100,000	<100,000	<10,000	<20,000	<10,000	<200,000	<60,000
MW19-34	11/21/2002	<50	**15,200**	**7,510**	<500	<500	<500	<50	<100	<50	<1000	<300
MW19-38	11/21/2002	<50	**17,000**	**7,830**	<500	<500	<500	<50	<100	<50	**1,600**	<300
MW19-39	11/21/2002	<50	**17,600**	**8,490**	<500	<500	<500	<50	<100	<50	**1,830**	<300
MW19-44	11/21/2002	<125	<1,250	<1,250	<1,250	<1,250	<1,250	<125	<250	<125	<2,500	<750
MW19-49.5	11/21/2002	<50	**1,020**	<500	<500	<500	<500	<50	<100	<50	<1,000	<300
MW19-54.5	11/21/2002	<50	<500	<500	<500	<500	<500	<50	<100	<50	<1,000	<300
MW-22-30	6/17/2003	<5	<25	<25	<25	<25	<25	<5	<5	**25,000**	NA	NA
MW-22-42.5	6/17/2003	<5	<25	<25	<25	<25	<25	<5	<5	NA	NA	NA
MW-26-5	6/20/2003	<5	<5	<50	<50	<50	<50	<5	<10	<5	NA	NA
MW-26-15	6/20/2003	<5	<2,500	<2,500	<50	<50	<50	<5	<10	NA	NA	NA
MW-26-25	6/20/2003	<250	<5	<50	<2,500	<2,500	**2,500**	<250	<500	NA	NA	NA
MW-26-35	6/20/2003	<125	<5	<50	**2,020**	<1,250	**1,250**	<125	<250	NA	NA	NA
MW-26-39	6/20/2003	<5	<5	<50	<50	<50	<50	<5	<5	NA	NA	NA
MW-26-40	6/20/2003	<5	**5,950**	**3,880**	<50	<50	<50	<5	<10	NA	NA	NA
RR-1	10/1/1992	NA	**2,800**	<500	<300	NA	NA	NA	NA	NA	NA	NA
RR-2	10/1/1992	NA	<10,000	<10,000	<6,000	NA	NA	NA	NA	NA	NA	NA
RR-3	10/1/1992	NA	<10,000	<10,000	<6,000	NA	NA	NA	NA	NA	NA	NA
RR-4	10/1/1992	NA	<4,000	**15,000**	<2,400	NA	NA	NA	NA	NA	NA	NA
RR-5	10/1/1992	NA	<10,000	<10,000	<6,000	NA	NA	NA	NA	NA	NA	NA
RR-6	10/1/1992	NA	**3,100,000**	**38,000**	**7,200**	NA	NA	NA	NA	NA	NA	NA
RR-7	10/1/1992	NA	<10,000	<10,000	<6,000	NA	NA	NA	NA	NA	NA	NA

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	TPH-g * (C_4-C_{12})	TPH-d * (C_{13}-C_{23})	TPH-m * (C_{24}-C_{40})	Vinyl Chloride	Chloro-ethane	1,1 DCA	1,1 DCE	trans-1,2-DCE	cis-1,2 DCE	1,1,1 TCA
RRBH15-1 or BH-15-1	1/5/1994	NA	NA	NA	NA	NA	**462**	**269**	NA	NA	**20,900**
RRBH15-5 or BH-15-5	1/5/1994	NA	NA	NA	NA	NA	**74**	**10**	NA	NA	**109**
RRBH15-10 or BH-15-10	1/5/1994	NA	NA	NA	NA	NA	<5	<5	NA	NA	**5**
RRBH15-20 or BH-15-20	1/5/1994	NA	NA	NA	NA	NA	<5	<5	NA	NA	<5
RRBH16-1 or BH-16-1	1/6/1994	NA	NA	NA	NA	NA	<50	<50	NA	NA	<50
RRBH16-5 or BH-16-5	1/6/1994	NA	NA	NA	NA	NA	<50	<50	NA	NA	**55**
RRBH16-10 or BH-16-10	1/6/1994	NA	NA	NA	NA	NA	<50	<50	NA	NA	**6**
RRBH16-20 or BH-16-20	1/6/1994	NA	NA	NA	NA	NA	<50	<50	NA	NA	<50
RRBH17-1 or BH-17-1	1/11/1994	NA	NA	NA	NA	NA	**706**	<250	NA	NA	**36,800**
RRBH17-5 or BH-17-5	1/11/1994	NA	NA	NA	NA	NA	<1,000	<1,000	NA	NA	**19,400**
RRBH17-10 or BH-17-10	1/11/1994	NA	NA	NA	NA	NA	**11**	<10	NA	NA	**55**
RRBH17-20 or BH-17-20	1/11/1994	NA	NA	NA	NA	NA	<10	<10	NA	NA	<10
1SPA or TK-01A	6/3/1999	<10	<10	<10	<5	<5	**15**	<5	<5	**11**	**21**
1SPB or TK-01B	6/3/1999	NA	NA	NA	<5	<5	<5	<5	<5	<5	<5
2SPA or TK-02A	6/3/1999	**258**	**10**	<10	<50	<50	<50	<50	<50	**61**	**940**
2SPB or TK-02B	6/3/1999	**12,670**	**1,750**	<100	<50	<50	**61**	<50	<50	**429**	**1,430**
3SPA or TK-03A	6/3/1999	**5,490**	**125**	<10	<25	<25	**742**	**182**	<25	**1,440**	**18,000**
3SPB or TK-03B	6/3/1999	**1,313**	<10	<10	<5	<5	**56**	<5	<5	**60**	**108**
4SPA or TK-04A	6/3/1999	NA	NA	NA	<50	<50	**485**	**136**	<50	**1,410**	**4,920**
4SPB or TK-04B	6/3/1999	NA	NA	NA	<5	<5	<5	<5	<5	<5	<5
18SPB or TK-18B	6/3/1999	NA	NA	NA	<25	<25	<25	<25	<25	<25	**52**

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	1,2 DCA	TCE	PCE	Methylene Chloride	Chloro benzene	Benzene	Toluene	Ethyl benzene	Xylene	Styrene	Iso-propyl benzene
RRBH15-1 or BH-15-1	1/5/1994	<5	27	6,330	<5	NA	8	1,300	218	43,200	NA	NA
RRBH15-5 or BH-15-5	1/5/1994	<5	<5	11	<50	NA	<5	24	<5	23	NA	NA
RRBH15-10 or BH-15-10	1/5/1994	<5	<5	<5	<50	NA	<5	6	<5	<5	NA	NA
RRBH15-20 or BH-15-20	1/5/1994	<5	<5	<5	<50	NA	<5	<5	<5	<5	NA	NA
RRBH16-1 or BH-16-1	1/6/1994	<50	<50	<50	<50	NA	<50	<50	<50	<50	NA	NA
RRBH16-5 or BH-16-5	1/6/1994	<50	61	<50	<50	NA	<50	<50	<50	<50	NA	NA
RRBH16-10 or BH-16-10	1/6/1994	<50	<50	<50	<50	NA	<50	<50	<50	<50	NA	NA
RRBH16-20 or BH-16-20	1/6/1994	<50	<50	471	<50	NA	<50	125	82	422	NA	NA
RRBH17-1 or BH-17-1	1/11/1994	<250	9,280	41,800	<250	NA	<250	11,200	1,560	10,480	NA	NA
RRBH17-5 or BH-17-5	1/11/1994	<1,000	5,630	58,200	<5,000	NA	<1,000	48,300	6,330	27,770	NA	NA
RRBH17-10 or BH-17-10	1/11/1994	<10	21	12	<50	NA	<10	179	<10	24	NA	NA
RRBH17-20 or BH-17-20	1/11/1994	<10	<10	<10	<50	NA	<10	<10	<10	<10	NA	NA
1SPA or TK-01A	6/3/1999	<5	9	<5	<15	<5	<5	35	<5	<5	<5	<5
1SPB or TK-01B	6/3/1999	<5	<5	<5	<15	<5	<5	15	<5	<5	<5	<5
2SPA or TK-02A	6/3/1999	<50	1,200	59	<150	<50	<50	5,140	1,510	5,850	<50	201
2SPB or TK-02B	6/3/1999	<50	2,600	887	<150	<50	<50	12,800	7,840	53,600	<50	2,050
3SPA or TK-03A	6/3/1999	<25	20,600	547	<75	<25	<25	291,000	93,600	442,000	<25	9,490
3SPB or TK-03B	6/3/1999	<5	23	<5	<15	<5	<5	12,400	29,700	135,000	<5	4,230
4SPA or TK-04A	6/3/1999	<50	7,790	1,570	<150	<50	<50	280,000	51,500	167,000	<50	6,680
4SPB or TK-04B	6/3/1999	<5	<5	<5	<15	<5	<5	<5	55	356	<5	<5
18SPB or TK-18B	6/3/1999	<25	44	<250	<75	66	<25	6,980	<25	8,250	<25	<12.5

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	n-Propyl benzene	4-Chloro toluene	1,3,5-TMB	ter-Butyl benzene	1,2,4-TMB	sec-Butyl benzene	p-Isopropyl toluene	1,2-DCB	n-Butyl benzene	Naphthalene	DIPE
RRBH15-1 or BH-15-1	1/5/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
RRBH15-5 or BH-15-5	1/5/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
RRBH15-10 or BH-15-10	1/5/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
RRBH15-20 or BH-15-20	1/5/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
RRBH16-1 or BH-16-1	1/6/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
RRBH16-5 or BH-16-5	1/6/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
RRBH16-10 or BH-16-10	1/6/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
RRBH16-20 or BH-16-20	1/6/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
RRBH17-1 or BH-17-1	1/11/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
RRBH17-5 or BH-17-5	1/11/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
RRBH17-10 or BH-17-10	1/11/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
RRBH17-20 or BH-17-20	1/11/1994	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1SPA or TK-01A	6/3/1999	<5	<5	<5	<5	**5**	<5	<5	<5	<5	<5	NA
1SPB or TK-01B	6/3/1999	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	NA
2SPA or TK-02A	6/3/1999	**500**	<50	**1,380**	<50	**2,720**	**79**	<50	<50	**360**	**199**	NA
2SPB or TK-02B	6/3/1999	**6,200**	<50	**23,200**	<50	**59,900**	**486**	<50	<50	**1,820**	**402**	NA
3SPA or TK-03A	6/3/1999	**22,400**	<25	**56,500**	<25	**219,000**	**1,100**	<25	<25	**588**	**8,300**	NA
3SPB or TK-03B	6/3/1999	**3,780**	<5	**6,950**	<5	**20,000**	<5	<5	<5	**2,280**	**1,480**	NA
4SPA or TK-04A	6/3/1999	**16,100**	<50	**35,000**	<50	**152,000**	**1,630**	<50	<50	**2,660**	**242**	NA
4SPB or TK-04B	6/3/1999	**5**	<5	**16**	<5	**34**	<5	<5	<5	**6**	**12**	NA
18SPB or TK-18B	6/3/1999	<25	<25	**2,490**	<25	<250	**58**	<25	<25	**390**	<25	NA

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	1,1,2 TCA	Acetone	MEK	MIBK	2-Hexanone	Vinyl Acetate	1,2 Dibromo-3-Chloropropane	2-Chloroethyl vinyl ether	MTBE	1,4-Dioxane	T-Butyl Alcohol
RRBH15-1 or BH-15-1	1/5/1994	NA	**4,480**	**193**	**198**	NA	NA	NA	NA	NA	NA	NA
RRBH15-5 or BH-15-5	1/5/1994	NA	**9,380**	**1,590**	<30	NA	NA	NA	NA	NA	NA	NA
RRBH15-10 or BH-15-10	1/5/1994	NA	**67**	<50	<30	NA	NA	NA	NA	NA	NA	NA
RRBH15-20 or BH-15-20	1/5/1994	NA	**261**	<50	<30	NA	NA	NA	NA	NA	NA	NA
RRBH16-1 or BH-16-1	1/6/1994	NA	**10,100**	**23,400**	<300	NA	NA	NA	NA	NA	NA	NA
RRBH16-5 or BH-16-5	1/6/1994	NA	**2,180**	**52,000**	<300	NA	NA	NA	NA	NA	NA	NA
RRBH16-10 or BH-16-10	1/6/1994	NA	<500	**11,600**	<300	NA	NA	NA	NA	NA	NA	NA
RRBH16-20 or BH-16-20	1/6/1994	NA	<500	<500	<300	NA	NA	NA	NA	NA	NA	NA
RRBH17-1 or BH-17-1	1/11/1994	NA	**39,700**	**12,200**	**2,050**	NA	NA	NA	NA	NA	NA	NA
RRBH17-5 or BH-17-5	1/11/1994	NA	**25,200**	**35,200**	**11,600**	NA	NA	NA	NA	NA	NA	NA
RRBH17-10 or BH-17-10	1/11/1994	NA	**15,400**	**60,300**	**3,020**	NA	NA	NA	NA	NA	NA	NA
RRBH17-20 or BH-17-20	1/11/1994	NA	**1,050**	**2,400**	**399**	NA	NA	NA	NA	NA	NA	NA
1SPA or TK-01A	6/3/1999	<5	**6,140**	**579**	**61**	<50	NA	<10	NA	NA	NA	NA
1SPB or TK-01B	6/3/1999	<5	**97**	<50	<50	<50	NA	<10	NA	NA	NA	NA
2SPA or TK-02A	6/3/1999	<50	**7,640**	**730**	<500	<500	NA	<100	NA	NA	NA	NA
2SPB or TK-02B	6/3/1999	<50	**4,720**	<50	<50	<50	NA	<100	NA	NA	NA	NA
3SPA or TK-03A	6/3/1999	<25	**13,400**	**1,760**	<250	<250	NA	<50	NA	NA	NA	NA
3SPB or TK-03B	6/3/1999	<5	**165**	<50	<50	<50	NA	<10	NA	NA	NA	NA
4SPA or TK-04A	6/3/1999	<50	**23,500**	**2,300**	<50	<50	NA	<100	NA	NA	NA	NA
4SPB or TK-04B	6/3/1999	<5	**494**	<50	<50	<50	NA	<10	NA	NA	NA	NA
18SPB or TK-18B	6/3/1999	<25	**50,300**	**29,700**	NA	<250	NA	<50	NA	NA	NA	NA

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	TPH-g * (C_4-C_{12})	TPH-d * (C_{13}-C_{23})	TPH-m * (C_{24}-C_{40})	Vinyl Chloride	Chloro-ethane	1,1 DCA	1,1 DCE	trans-1,2-DCE	cis-1,2 DCE	1,1,1 TCA
19SPA or TK-19A	6/3/1999	NA	NA	NA	<5	<50	**240**	<5	<5	**527**	**1,330**
20SPB or TK-20B	6/3/1999	<10	<10	<10	<5	<5	<5	<5	<5	<5	<5
21SPA or TK-21A	6/3/1999	<10	<10	<10	<5	<5	<5	<5	<5	<5	<5
22SPA or TK-22A	6/3/1999	<10	<10	<10	<5	<5	<5	<5	<5	<5	<5
22SPB or TK-22B	6/3/1999	<10	<10	<10	<50	<50	<50	<50	<50	<50	<50
23SPA or TK-23A	6/3/1999	**1.1**	<10	<10	<5	<5	<5	<5	<5	<5	<5
23SPB or TK-23B	6/3/1999	**6**	**2,670**	<10	<25	<25	**219**	<25	<25	**5,730**	**13,500**
17A	7/18/2001	**6**	<10	<50	<250	<250	<5	<250	<250	**325**	<5
17B	7/18/2001	**1,270**	**179**	<50	<250	<250	<5	<250	<250	**300**	<5
17C	7/18/2001	<0.5	<10	<50	<12.5	<12.5	**55**	<12.5	<12.5	**251**	**16**
24A	7/18/2001	**5.6**	**33**	<50	<5	<5	<5	<5	<5	<5	<5
24B	7/18/2001	**11,300**	**1,180**	<50	<2,500	<2,500	**3,310**	<2,500	<2,500	**5,870**	**6,910**
24C	7/18/2001	**6,460**	**292**	<50	<5,000	<5,000	<5,000	<5,000	<5,000	<5,000	<5,000
25A	7/18/2001	**2**	**47**	<50	<50	<50	<50	<50	<50	<50	<50
25B	7/18/2001	**6,050**	**165**	<50	<500	<500	<500	<500	<500	<500	<500
25C	7/18/2001	**1.2**	**120**	<50	<250	<250	<250	<250	<250	<250	<250
29A	7/18/2001	<0.5	**96**	<50	<12.5	<12.5	<12.5	<12.5	<12.5	<12.5	<12.5
29B	7/18/2001	**15,900**	**95**	<50	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500
30A	7/18/2001	<0.5	<10	<50	<5	<5	<5	<5	<5	<5	<5
30B	7/18/2001	<0.5	**20**	<50	<5	<5	<5	<5	<5	<5	<5
31A	7/18/2001	<0.5	**21**	<50	<5	<5	<5	<5	<5	<5	<5
31B	7/18/2001	<0.5	**55**	<50	<5	<5	<5	<5	<5	<5	<5
G1	7/19/2001	**14,000**	**647**	<50	<5,000	<5,000	<5,000	<5,000	<5,000	**38,000**	**43,200**
G2	7/19/2001	**2**	<10	<50	<10	<10	**41**	<10	<10	**11**	<10
G3	7/19/2001	**11,910**	**146**	<50	<500	<500	<500	<500	<500	<500	<500
G4	7/19/2001	**1,120**	**121**	<50	<1,250	<1,250	<1,250	<1,250	<1,250	<1,250	<1,250
G5	7/19/2001	**5,790**	**431**	<50	<6,250	<6,250	<6,250	<6,250	<6,250	<6,250	**108,000**
G6	7/19/2001	**17,200**	**456**	<50	<10,000	<10,000	**17,800**	<10,000	<10,000	<10,000	**540,000**
G7	7/19/2001	**11,400**	**571**	<50	<12,500	<12,500	<12,500	<12,500	<12,500	<12,500	**320,000**
G8	7/19/2001	**0.63**	<10	<50	<50	<50	<50	<50	<50	<50	<50
G9	7/19/2001	<0.5	**25**	<50	<5	<5	<5	<5	<5	<5	<5
G10	7/19/2001	**1,360**	**302**	<50	<1000	<1000	<1000	<1000	<1000	<1000	<1000
G11	7/19/2001	**0.7**	**21**	<50	<12.5	<12.5	**74**	<12.5	<12.5	**79**	<12.5
G12	7/19/2001	<0.5	**64**	<50	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500
G13	7/19/2001	<0.5	**33**	<50	<5	<5	<5	<5	<5	<5	<5

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	1,2 DCA	TCE	PCE	Methylene Chloride	Chloro benzene	Benzene	Toluene	Ethyl benzene	Xylene	Styrene	Iso-propyl benzene
19SPA or TK-19A	6/3/1999	<5	**1,820**	**9,760**	**24**	**113**	**17**	**20,100**	**3,680**	**25,000**	<5	<25
20SPB or TK-20B	6/3/1999	<5	<5	<5	<15	<5	<5	<5	<5	<5	<5	<5
21SPA or TK-21A	6/3/1999	<5	<5	<5	<15	<5	<5	<5	<5	**12**	<5	<5
22SPA or TK-22A	6/3/1999	<5	<5	<5	<15	<5	<5	<5	<5	<5	<5	<5
22SPB or TK-22B	6/3/1999	<50	<50	<50	<150	<50	<50	**175**	**711**	**2,990**	<50	<50
23SPA or TK-23A	6/3/1999	<5	<5	<5	<15	<5	<5	<5	<5	<5	<5	<5
23SPB or TK-23B	6/3/1999	<25	**29,000**	**522**	<25	**112**	<25	**176,000**	**33,500**	**145,000**	<25	**928**
17A	7/18/2001	<250	<250	<250	<500	<250	<250	**720**	<250	**265**	<250	<5
17B	7/18/2001	<250	<250	<250	<500	<250	<250	**4,260**	**1,400**	**5,200**	<250	<5
17C	7/18/2001	<12.5	<12.5	<12.5	<25	<12.5	<12.5	**57**	**22**	**117**	<12.5	<5
24A	7/18/2001	<5	<5	<5	<5	<5	<5	**500**	**130**	**460**	<5	<5
24B	7/18/2001	<2,500	<2,500	<2,500	<5,000	<2,500	<2,500	**144,000**	**24,100**	**76,900**	<2,500	**2,800**
24C	7/18/2001	<5,000	<5,000	<5,000	<10,000	<5,000	<5,000	**115,000**	**41,600**	**177,000**	<5,000	**6,100**
25A	7/18/2001	<50	<50	<50	<100	<50	<50	**416**	**130**	**390**	<50	<5
25B	7/18/2001	<500	<500	<500	<1,000	<500	<500	**6,420**	**1,160**	**4,440**	<500	**329**
25C	7/18/2001	<250	<250	<250	<500	<250	<250	**168**	<250	<250	<250	<250
29A	7/18/2001	<12.5	<12.5	<12.5	<25	<12.5	<12.5	<12.5	<12.5	<12.5	<12.5	<12.5
29B	7/18/2001	<2,500	<2,500	<2,500	<5,000	<2,500	<2,500	**5,650**	**4,850**	**21,600**	<2,500	**4,150**
30A	7/18/2001	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5
30B	7/18/2001	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5
31A	7/18/2001	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5
31B	7/18/2001	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5
G1	7/19/2001	<5,000	**44,200**	<5,000	<10,000	<5,000	<5,000	**475,000**	**105,000**	**474,000**	<5,000	**15,200**
G2	7/19/2001	<10	<10	<10	<20	<10	<10	**19**	<10	<10	<10	<10
G3	7/19/2001	<500	**525**	**950**	<1000	<500	<500	**13,800**	**5,500**	**30,100**	<500	**1,430**
G4	7/19/2001	<1,250	<1,250	**2,870**	<2,500	<1,250	<1,250	**3,720**	**5,100**	**33,900**	<1,250	**1,150**
G5	7/19/2001	<6,250	**11,000**	**85,500**	<12,500	<6,250	<6,250	**613,000**	**120,000**	**662,000**	<6,250	**14,000**
G6	7/19/2001	<10,000	<10,000	**411,000**	<20,000	<10,000	<10,000	**1,310,000**	**145,000**	**909,000**	<10,000	**19,200**
G7	7/19/2001	<12,500	<12,500	**240,000**	<25,000	<12,500	<12,500	**2,240,000**	**260,000**	**1,250,000**	<12,500	**24,000**
G8	7/19/2001	<50	<50	<50	<100	<50	<50	<50	<50	<50	<50	<50
G9	7/19/2001	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5
G10	7/19/2001	<1000	<1000	<1000	<2000	<1000	<1000	**2,200**	**2,500**	**13,700**	<1000	<1000
G11	7/19/2001	<12.5	<12.5	<12.5	<25	<12.5	<12.5	**9**	<12.5	**7**	<12.5	<12.5
G12	7/19/2001	<2,500	<2,500	<2,500	<5,00	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500
G13	7/19/2001	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	n-Propyl benzene	4-Chloro toluene	1,3,5-TMB	ter-Butyl benzene	1,2,4-TMB	sec-Butyl benzene	p-Isopropyl toluene	1,2-DCB	n-Butyl benzene	Naphthalene	DIPE
19SPA or TK-19A	6/3/1999	**4,780**	<50	**8,360**	<5	**31,000**	<5	<5	<5	**29**	<5	NA
20SPB or TK-20B	6/3/1999	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	NA
21SPA or TK-21A	6/3/1999	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	NA
22SPA or TK-22A	6/3/1999	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	NA
22SPB or TK-22B	6/3/1999	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	NA
23SPA or TK-23A	6/3/1999	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	NA
23SPB or TK-23B	6/3/1999	**1,360**	<25	**13,300**	<25	**39,400**	<25	<25	**179**	<25	**496**	NA
17A	7/18/2001	<5	<250	<5	<250	<5	<250	<250	<250	<250	<250	NA
17B	7/18/2001	<5	<250	**2,280**	<250	**4,080**	<250	<250	<250	<250	<250	NA
17C	7/18/2001	**145**	<12.5	**44**	<12.5	**156**	<12.5	<12.5	<12.5	<12.5	<12.5	NA
24A	7/18/2001	<5	<5	**145**	<5	**269**	<5	<5	<5	<5	<5	NA
24B	7/18/2001	**6,600**	<2,500	**21,900**	<2,500	**63,900**	<2,500	**2,960**	<2,500	**5,960**	<2,500	NA
24C	7/18/2001	**15,500**	<5,000	**43,600**	<5,000	**152,000**	<5,000	<5,000	<5,000	**8,000**	**5,000**	NA
25A	7/18/2001	<5	<50	**232**	<50	**348**	<50	<50	<50	<50	<50	NA
25B	7/18/2001	**875**	<500	**2,960**	<500	**9,050**	**600**	<500	<500	**2,190**	**1,930**	NA
25C	7/18/2001	<250	<250	<250	<250	<250	<250	<250	<250	<250	<250	NA
29A	7/18/2001	<12.5	<12.5	<12.5	<12.5	<12.5	<12.5	<12.5	<12.5	<12.5	<12.5	NA
29B	7/18/2001	**9,900**	<2,500	**13,100**	<2,500	**103,000**	<5	**3,300**	<2,500	**6,750**	**4,300**	NA
30A	7/18/2001	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	NA
30B	7/18/2001	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	NA
31A	7/18/2001	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	NA
31B	7/18/2001	<5	<5	<5	<5	**7**	<5	<5	<5	<5	<5	NA
G1	7/19/2001	**34,400**	<5,000	**87,000**	<5,000	**282,000**	<5,000	**5,000**	**31,600**	**12,200**	**11,000**	NA
G2	7/19/2001	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	NA
G3	7/19/2001	**3,880**	<500	**9,350**	<500	**31,300**	<500	**1,650**	<500	**3,050**	**1,250**	NA
G4	7/19/2001	**16,900**	<1,250	**7,100**	<1,250	**26,200**	<1,250	<1,250	<1,250	**1,850**	**2,700**	NA
G5	7/19/2001	**35,000**	<6,250	**80,500**	<6,250	**283,000**	<6,250	<6,250	<6,250	**7,750**	**9,250**	NA
G6	7/19/2001	**46,200**	<10,000	**119,000**	<10,000	**500,000**	<10,000	**7,600**	<10,000	**6,400**	**19,200**	NA
G7	7/19/2001	**51,000**	<12,500	**103,000**	<12,500	**356,000**	<12,500	<12,500	<12,500	<12,500	**14,000**	NA
G8	7/19/2001	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	NA
G9	7/19/2001	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	NA
G10	7/19/2001	**12,000**	<1000	**5,560**	<1000	**22,600**	<1000	<1000	<1000	**3,270**	<1000	NA
G11	7/19/2001	<12.5	<12.5	<12.5	<12.5	**5**	<12.5	<12.5	<12.5	<12.5	<12.5	NA
G12	7/19/2001	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500	NA
G13	7/19/2001	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	NA

REVISED TABLE 1. REMEDIAL INVESTIGATIONS - SITE CHARACTERIZATION - SOIL, ANGELES CHEMICAL CO.

Analytical Results: All values listed in µg/kg (ppb)

Boring No.	Sample Date	1,1,2 TCA	Acetone	MEK	MIBK	2-Hexanone	Vinyl Acetate	1,2 Dibromo-3-Chloropropane	2-Chloroethyl vinyl ether	MTBE	1,4-Dioxane	T-Butyl Alcohol
19SPA or TK-19A	6/3/1999	<5	**1,180**	**1,180**	NA	<50	NA	<10	NA	NA	NA	NA
20SPB or TK-20B	6/3/1999	<5	**1,610**	**158**	<50	<50	NA	<10	NA	NA	NA	NA
21SPA or TK-21A	6/3/1999	<5	**1,350**	**285**	**1,310**	<50	NA	<10	NA	NA	NA	NA
22SPA or TK-22A	6/3/1999	<5	**3,980**	**92**	**382**	<50	NA	<10	NA	NA	NA	NA
22SPB or TK-22B	6/3/1999	<50	<50	<50	<50	<50	NA	<100	NA	NA	NA	NA
23SPA or TK-23A	6/3/1999	<5	**29,900**	<50	<50	<50	NA	<10	NA	NA	NA	NA
23SPB or TK-23B	6/3/1999	<25	**13,500**	**2,400**	<250	<250	NA	<50	NA	NA	NA	NA
17A	7/18/2001	<250	**76,600**	**24,300**	**8,050**	<2,500	<2,500	<250	<250	<250	NA	NA
17B	7/18/2001	<250	**4,130**	**1,500**	<2,500	<2,500	<2,500	<250	<250	<250	NA	NA
17C	7/18/2001	<12.5	**31**	<125	<125	<125	<125	<12.5	<12.5	<12.5	NA	NA
24A	7/18/2001	<5	**2,650**	<50	<50	<50	<50	<5	<5	<5	NA	NA
24B	7/18/2001	<2,500	**118,000**	**13,000**	<25,000	<25,000	<25,000	<2,500	<2,500	<2,500	NA	NA
24C	7/18/2001	<5,000	<50,000	<50,000	<50,000	<50,000	<50,000	<5,000	<5,000	<5,000	NA	NA
25A	7/18/2001	<50	**4,580**	**5,770**	<500	<500	<500	<50	<50	<50	NA	NA
25B	7/18/2001	<500	**89,800**	**5,780**	<50	<50	<50	<500	<500	<500	NA	NA
25C	7/18/2001	<250	**4,030**	**2,610**	<2,500	<2,500	<2,500	<250	<250	<250	NA	NA
29A	7/18/2001	<12.5	**147**	<125	<125	<125	<125	<12.5	<12.5	<12.5	NA	NA
29B	7/18/2001	<2,500	<25,000	<25,000	<25,000	<25,000	<25,000	<2,500	<2,500	<2,500	NA	NA
30A	7/18/2001	<5	**34**	<50	<50	<50	<50	<5	<5	<5	NA	NA
30B	7/18/2001	<5	<50	<50	<50	<50	<50	<5	<5	<5	NA	NA
31A	7/18/2001	<5	**50**	<50	<50	<50	<50	<5	<5	<5	NA	NA
31B	7/18/2001	<5	**78**	<50	**55**	<50	<50	<5	<5	<5	NA	NA
G1	7/19/2001	<5,000	<50,000	<50,000	<50,000	<50,000	<50,000	<5,000	<5,000	<5,000	NA	NA
G2	7/19/2001	<10	**105**	<100	<100	<100	<100	<10	<10	<10	NA	NA
G3	7/19/2001	<500	<5,000	<5,000	<5,000	<5,000	<5,000	<500	<500	<500	NA	NA
G4	7/19/2001	<1,250	**17,300**	<12,500	<12,500	<12,500	<12,500	<1,250	<1,250	<1,250	NA	NA
G5	7/19/2001	<6,250	<62,500	<62,500	<62,500	<62,500	<62,500	<6,250	<6,250	<6,250	NA	NA
G6	7/19/2001	<10,000	**48,000**	<100,000	<100,000	<100,000	<100,000	<10,000	<10,000	<10,000	NA	NA
G7	7/19/2001	<12,500	<125,000	<125,000	<125,000	<125,000	<125,000	<12,500	<12,500	<12,500	NA	NA
G8	7/19/2001	<50	<500	<500	<500	<500	<500	<50	<50	<50	NA	NA
G9	7/19/2001	<5	<50	<50	<50	<50	<50	<5	<5	<5	NA	NA
G10	7/19/2001	<1000	<10,000	<10,000	<10,000	<10,000	<10,000	<1000	<1000	<1000	NA	NA
G11	7/19/2001	<12.5	**776**	**52**	<125	<125	<125	<12.5	<12.5	<12.5	NA	NA
G12	7/19/2001	<2,500	<25,000	<25,000	<25,000	<25,000	<25,000	<2,500	<2,500	<2,500	NA	NA
G13	7/19/2001	<5	<10	<10	**325**	<10	<10	<5	<5	<5	NA	NA

** All TPH values listed in mg/kg (ppm)*

(D) = Duplicate Sample

(1) - Result is either 174 or 474 ug/kg.

NA = Analytical Data Not Reported or Available

ND = Not Detected, detection limit not provided

DCB=dichlorobenzene; DCA=dichloroethane; DCE=dichloroethene; MEK=methyl ethyl ketone or 2-Butanone; MIBK=methyl isobutyl ketone or 4-Methyl-2-Pentanone; MTBE=Methyl tert-butyl ether; PCE=tetrachloroethene; TCA=trichloroethane; TCE=trichloroethene; TMB=tri

Note: For ease of review, all constituents reported above the method detection limits are presented in bold.