127137

missing first page

Table 1
(continued)
National Smelting of New Jersey, Inc./
NL Industries, Inc. Site
Waste Inventory

SAMPLED	STATE	NUMBER	MATERIAL TYPE	CONTAINER	VOLUME (cu yd)	MASS (lbs.)	DESCRIPTION
	L	046	Petroleum	Drum	0.27		no identifying marks; one drum 90% full.
	S	047	Dross	Drum	0.15	1517	one decomposed drum 50% full.
	S	048	Dross	Drum	0.30	3034	two drums 100% full.
	S	049	Iron	Pail	0.02	131	one pail of a black powder material 50% full.
	S	050	Iron	Bag		800	labled: Magnifloat; magnitite, iron bearing sub., 8 partially broken bags.
	S	051	BHB	Drum	33.00	233626	lead oxide, 110 drums 100% full.
	S	052	Dross	Drum	0.75	7585	two drums 100% full, one drum 50% full.
	S	053	Dross	Drum	0.55	5563	three decomposed drums of 30%, 50% & 100% full.
X	S	054	Dross(yellow)	Drum	1.20	12136	four drums 100% full.
X	S	055	Dross(yellow)	Drum	0.60	6068	two drums 100% full.
	S	056	Dross(yellow)	Drum	0.30	3034	one drum 100% full.
	S	057	Dross(yellow)	Drum	0.30	3034	four drums 70-100% full.
	S	058	Dross(yellow)	Drum	0.81	8192	three drums 90% full.
	S	059	Dross	Drum	0.90	9102	three drums 100% full.
	S	060	BHB	Drum	19.50	138051	lead oxide, 65 drums 100% full.
	S	061	Dross(yellow)	Drum	0.15	1517	one drum 50% full.
X	S	062	Dross(yellow)	Drum	0.20	2022	unknown granular material; one drum 50% full.
	S	063	Dross	Slag pot	1.00	10114	one pot containing lead material 100% full.
	L	064-1	Water	Lead mold	0.50	843	mold containing water only.
	L	064-2	Water	Lead mold	0.45	759	mold containing 80% water only, on lead train.
	L	064-3	Water	Lead mold	0.45	759	mold containing 80% water only, on lead train.
	L	064-4	Water	Lead mold	0.45	759	mold containing 80% water only, on lead train.
	L	064-5	Water	Lead mold	0.45	759	mold containing 80% water only, on lead train.
	S	065	BHB	Drum	2.10	14868	seven drums of Bag house bags 80-100% full.
	S	066	Iron	Bag		2000	magnitite; one pallet of 25 unbroken bags.
	S	067	Slag	Drum	0.27	1911	one drum 90%.
X	L	068	Water	Tank	0.17	287	contained material to be determined. Cooling tower sump
	S	069	Slag	Lead mold	0.50	3540	unreacted slag in mold.
	L	070-01	Water	Slag pot	0.80	1348	water in pot.
	L	070-02	Water	Slag pot	0.80	1348	water in pot.
	L	070-02	Water	Slag pot	0.80	1348	50% to 100% full
	L	070-03	Water	Slag pot	0.80	1348	50% to 100% full
	L	070-03	Water	Slag pot	0.80	1348	water in pot.
	L	070-04	Water	Slag pot	0.80	1348	50% to 100% full
	L	070-05	Water	Slag pot	0.80	1348	50% to 100% full
	L	070-06	Water	Slag pot	0.80	1348	50% to 100% full
	L	070-07	Water	Slag pot	0.80	1348	50% to 100% full
	L	070-08	Water	Slag pot	0.80	1348	50% to 100% full
	L	070-09	Water	Slag pot	0.80	1348	50% to 100% full
	L	070-10	Water	Slag pot	0.80	1348	50% to 100% full
	L	070-11	Water	Slag pot	0.80	1348	50% to 100% full
	L	070-12	Water	Slag pot	0.80	1348	50% to 100% full
	L	070-13	Water	Slag pot	0.80	1348	50% to 100% full
	L	070-14	Water	Slag pot	0.80	1348	50% to 100% full
	L	070-15	Water	Slag pot	0.80	1348	50% to 100% full

Table 1
(continued)
National Smelting of New Jersey, Inc./
NL Industries, Inc. Site
Waste Inventory

SAMPLED	STATE	NUMBER	MATERIAL TYPE	CONTAINER	VOLUME (cu yd)	MASS (lbs.)	DESCRIPTION
	L	070-16	Water	Slag pot	0.80	1348	50% to 100% full
	L	070-17	Water	Slag pot	0.80	1348	50% to 100% full
	L	070-18	Water	Slag pot	0.80	1348	50% to 100% full
	L	070-19	Water	slag pot	0.80	1348	50% to 100% full
	L	070-20	Water	Slag pot	0.80	1348	50% to 100% full
	L	070-21	Water	Slag pot	0.80	1348	50% to 100% full
	L	070-22	Water	Slag pot	0.80	1348	50% to 100% full
	L	070-23	Water	Slag pot	0.80	1348	50% to 100% full
	L	070-24	Water	Slag pot	0.80	1348	50% to 100% full
	L	070-25	Water	Slag pot	0.80	1348	50% to 100% full
	L	070-26	Water	Slag pot	0.80	1348	50% to 100% full
	L	070-27	Water	Slag pot	0.80	1348	50% to 100% full
	L	070-28	Water	Slag pot	0.80	1348	50% to 100% full
	S	071	Slag	Lead mold	0.50	3540	slag in mold 100% full.
	S	072	Lead	Lead mold	0.50	9524	100% full.
	S	073	Dross	Lead mold	0.25	2528	50% full.
	S	074	Slag	Drum	1.68	11894	17 drums 30% full, one lead pot 30% full.
	S	075	Slag	Slag pot	0.50	3540	100% full.
	L	076-01	Petroleum	Drum	0.05		one drum 15% full of a water/gear oil.
	L	076-02	Petroleum	Drum	0.05		one drum 15% full of a water/gear oil.
	L	076-02	Petroleum	Drum	0.30		four drums on edge lube oil.
	L	076-03	Petroleum	Drum	2.70		nine drums, approx. 100% full, lube oil.
X	L	077	Water	Drum	0.27	455	water on top of a soap composition, two drums 100% full.
	S	078	Coke	Drum	0.09	212	30% full.
	S	079	Red Phosphorus	Drum	0.92	2540	four drums 100% full; two drums 30% full.
	S	080	Sodium	Pail	0.18	294	six pails 100% full.
	S	081	Sodium Powder	Drum	0.30	343	one drum 100% full.
	S	082	Lead	Lead mold	7.50	142855	15 molds connected on lead train beneath rotary kiln.
	S	084	Lead Oxide	Tank			Cyclone 1 and Cyclone 2; empty
	L	085	Water	Pail			two buckets of rain water. empty
	S	086-01	Slag	Slag pot	1.00	7080	100% full
	S	086-02	Slag	Slag pot	1.00	7080	100% full
	S	086-03	Slag	Slag pot	1.00	7080	100% full
	S	086-04	Slag	Slag pot	1.00	7080	100% full
	S	086-05	Slag	Slag pot	1.00	7080	100% full
	S	086-06	Slag	Slag pot	1.00	7080	100% full
	S	086-07	Slag	Slag pot	1.00	7080	100% full
	S	086-08	Slag	Slag pot	1.00	7080	100% full
	S	086-09	Slag	Slag pot	1.00	7080	100% full
	S	086-10	Slag	Slag pot	1.00	7080	100% full
	S	086-11	Slag	Slag pot	1.00	7080	100% full
	S	086-12	Slag	Slag pot	1.00	7080	100% full
	S	086-13	Slag	Slag pot	1.00	7080	100% full
	S	086-14	Slag	Slag pot	1.00	7080	100% full
	S	086-15	Slag	Slag pot	1.00	7080	100% full
	S	086-16	Slag	Slag pot	1.00	7080	100% full

Table 1
(continued)
National Smelting of New Jersey, Inc./
NL Industries, Inc. Site
Waste Inventory

SAMPLED	STATE	NUMBER	MATERIAL TYPE	CONTAINER	VOLUME (cu yd)	MASS (lbs.)	DESCRIPTION
	S	086-17	Slag	Slag pot	1.00	7080	100% full
	S	086-18	Slag	Slag pot	1.00	7080	100% full
	S	086-19	Slag	Slag pot	1.00	7080	100% full
	S	086-20	Slag	Slag pot	1.00	7080	100% full
	S	086-21	Slag	Slag pot	1.00	7080	100% full
	S	086-22	Slag	Slag pot	1.00	7080	100% full
	S	086-23	Slag	Slag pot	1.00	7080	100% full
	S	086-24	Slag	Slag pot	1.00	7080	100% full
	S	086-25	Slag	Slag pot	1.00	7080	100% full
	S	086-26	Slag	Slag pot	1.00	7080	100% full
	S	086-27	Slag	Slag pot	1.00	7080	100% full
	S	086-28	Slag	Slag pot	1.00	7080	100% full
	S	086-29	Slag	Slag pot	1.00	7080	100% full
X	S	087-01	Slag	Bulk	1110.00	7858314	"Slag Bldg. Bins".
	S	087-02	Slag	Bulk	0.18	1274	
X	S	087-03	Slag	Bulk	400.00	2831825	"Bin #1".
	S	087-04	Slag	Bulk	1.00	7080	in crusher bldg. on second floor
X	S	087-05	Slag	Bulk	3600.00	25486423	Coke and dross bins
	S	087-06	Slag	Bulk	1020.00	7221153	Battery bin # 5
	S	088	Slag	Bulk	7.40	52389	pile beneath the Kiln Burner Bldg.
	?	089	Slag	Pail	0.08	566	three 5 gal. pails 70%-100% full slag contaminated gravel
	G	090	Acetylene	Cylinder			approx. 80 CF, ?% full.
	G	091	Oxygen	Cylinder			approx. 80 CF, ?% full.
	G	092	Hydrogen	Cylinder			approx. 80 CF, ?% full.
	L	093	Petroleum	Drum	0.60		two drums of 20 WT. motor oil
	L	094	Petroleum	Drum	0.30		one drum of 30 WT. motor oil 100%.
	L	095	Petroleum	Drum	0.60		two drums of 220 ATF., Mobil
	L	096	Petroleum	Drum	0.30		hydralic oil,
X	L	097-01	Water/Oil	Drum	0.09	152	one drum 30% full.
X	L	097-02	Water/Oil	Drum	1.50	2528	five drums 100% full.
X	L	097-03	Water/Oil	Pail	0.03	51	50% full
	S	098	Lead Bearing	Drum	0.30	2124	a decomposed drum containing floor sweeping material.
X	S	099	Molycorp	Pail	0.03		Note in sm. strg. bldg.: 50% full, Union 76 Molycorp.
	?	100	?	Pail	0.02		Note in sm. strg. bldg.: 50% full. Unable to confirm this location
X	S	101	Lead	Pail	0.09	1714	Note in sm. strg. bldg.: three pails 50%-100% full. Lead skimmings
	S	102	Lead Chloride	Pail	0.01	145	Note in sm. strg. bldg.: 100% full, labled "corrosive".
	S	103	Petroleum Coke	Pail	0.12		Note in sm. strg. bldg.: two pails, one box both 100% full. Pemets #3
	S	104-1	Coke	Pail	0.01	1415	Note in sm. strg. bldg.: 10% full.
	S	104-2	Coke	Pail	0.03	4244	Note in sm. strg. bldg.: 100% full.
	S	105	Sodium Carbonate	Pail	0.02	11	Note in sm. strg. bldg.: 50% full, white in color.
	S	106	Florspar	Pail	0.09		Note in sm. strg. bldg.: three pails 100% full.
	S	107	Sodium Borate	Pail	0.03	78	Note in sm. strg. bldg.: two pails 100% full.
	S	108	Lime	Pail	0.03	71	one pail 100% full.
	S	109	Potassium Carbonate	Pail	0.03	103	Note in sm. strg. bldg.: one pail 100% full.
	S	110	Lead Oxide	Pail	0.03	22	Note in sm. strg. bldg.: one pail 100% full.
	S	111	Lead Oxide	Tank	30.00	148680	tank holding material from the Kiln. (Bag house)

Table 1
(continued)
National Smelting of New Jersey, Inc./
NL Industries, Inc. Site
Waste Inventory

SAMPLED	STATE	NUMBER	MATERIAL TYPE	CONTAINER	VOLUME (cu yd)	MASS (lbs.)	DESCRIPTION
	S	112	Lead Oxide	Bulk			extending from the sweater furnace, vol. TBD. cyclone. empty
	S	113	Lead Oxide	Bulk	20.00	99120	extending from the sweater furnace, vol. TBD. bag house
	S	114	Soda Ash	Tank	220.00	373801	"Soda Ash Silo", LWC 23.4'.
	S	115	Iron	Bulk	0.50	3054	scrap iron, Iron hopper
	S	116	Coke	Tank	203.00	479050	"Coke Silo", LWC 27.3'.
X	S	117	Lead Oxide	Bulk	3.70	18336	lead oxide dust. Fuchs
X	S	118	Lead Oxide	Bulk	80.00	566365	area about feed conveyor way, lead bearing scrap, vol. 80 CY.
	S	119	Lead Oxide	Bulk	0.74	5239	spilage from bag house.
	S	120	BHB	Drum	0.42	2973	two drums 70% full, three boxes 100lbs. 90% full.
	S	121	Lime	Bulk	0.30	708	
X	L	122	Water	Trench	74.20	124210	trench drain parallel to Rotary Kiln.
	L	123	Water	Drum	0.03	51	10% full
	S	124	Lead Oxide	Drum	0.60	4248	two drums 100% full, material from Fuchs.
	S	125	Lead Bearing	Drum	1.92	13593	eight drums 70%-100% full.
X	S	126	Lead Bearing	Bulk	74.00	523888	lead feed material.
	S	127	Lead Bearing	Bulk	4.60	32566	lead feed material.
	S	128	Lead Bearing	Bulk	27.80	196812	Lead feed material
X	L	129	Water	Trench	49.50	82863	Thickener tank overflow cleanout ramp.
X	S	129	Lead Oxide	Trench	12.00	59472	Thickner tank over flow clean-out ramp
	S	130	Lead Bearing	Drum	0.30	2124	"Middlings" material, decomposed drum, 100% full.
X	L	131	Water	Tank	0.60	1011	15 CF, liquid layer of CK 131.
	S	131	Lead Oxide	Tank	0.01	50	solid layer of CU 131. decasing
X	S	132	Lead Oxide	Tank	1.40	9911	37 CF, 100% full lead oxide.
X	S	133	Iron Oxide	Tank	1.70	10385	Magnifloat
X	L	134	Water	Tank	1.60	2678	42 CF, adjacent to Kaylay flow meter
X	S	135	Lead Oxide	Tank	8.10	57344	2200 CF, 10% full. Filter drum
X	S	136	Lead Oxide	Tank	2.40	16991	330 CF, 20% full. Spiral Classifier
	S	137	Lead Oxide	Bulk	6.00	42477	Spillings from pellitizer
X	S	138	Dross	Drum	3.00	30341	ten drums containing grid metal and drosses 50%-100% full.
	S	139	Dross	Drum	0.20		four decomposed drums, 70% full.
	L	140	Petroleum	Drum	0.30		two drums 100% full, 80W-90 Mobil Lube.
	L	141	Petroleum	Drum	0.15		one drum 50% full, Exxon Chain Lube.
	L	142	Water	Tank			"Thickener Tank" - empty
	S	142	Lead Oxide	Tank	15.00	106193	"Thickener Tank" solid 1 ft. in thickness.
	S	143	Lead Oxide	Tank	11.63	57634	total depth 37.4 ft., depth to lead oxide 33.4 ft.
	S	144	Lead Bearing	Bulk	1.00	7080	lead bearing scrap.
	S	144-1	Lead Bearing	Drum	0.40	2832	lead bearing scrap, two drums 100% full.
	S	144-2	Lead Bearing	Drum	0.90	6372	3 drums 100% full.
	S	144-3	Lead Bearing	Drum	0.06	425	Note; TD right: one drum 20% full.
	S	145	Dross	Bulk	0.18	1820	One drum 60% full
	S	146	Iron	Bulk	1.00	8731	iron scrap.
	S	147-1	Lead Bearing	Drum	8.40	59468	aprrox. 28 drums 80%-100% full containing paper materials.
	S	147-2	Lead Bearing	Drum	0.30	2124	paper and tyvek material.
	S	147-3	Lead Bearing	Drum	8.10	57344	27 drums 100% full, paper materials.
	S	147-4	Lead Bearing	Drum	0.30	2124	Note; TD right: one drum 100% full, paper materials.
	S	148	Lead Bearing	Drum	0.24	1699	one drum 80% full, material is black in color (magnitite?).

Table 1
(continued)
National Smelting of New Jersey, Inc./
NL Industries, Inc. Site
Waste Inventory

SAMPLED	STATE	NUMBER	MATERIAL TYPE	CONTAINER	VOLUME (cu yd)	MASS (lbs.)	DESCRIPTION
	S	149	Iron	Bulk	3.00	26194	coal material.
	S	149	Coke	Bulk	1.00	2360	in the area of "Bin #3", iron dross.
X	L	150	Water	Drum	1.50	2528	Assume 15% of 49 drums in top tier: liquid 70% full.
X	S	151	Lead Bearing	Drum	1.50	10619	Assume 15% of 49 drums in top tier: solid material ?%.
	S	152	Ceramic Glaze	Drum	1.50		Assume 15% of 49 drums in top tier: 100% full. Fired Glaze
	S	153	Paper	Drum	1.00	169	Assume 10% of 49 drums in top tier: paper cups, 70% full.
X	S	154	Lead Bearing	Drum	0.15	1062	?# solid material, 30%-70% full.
	S	155-1	BHB	Drum	2.20	15575	Assume 15% of 49 drums in top tier: ?# drums, BHB 100% full.
	S	155-2	BHB	Drum	0.60	4248	in the area of "Bin #2", two drums 100% full.
	S	156	Air Filters	Drum	1.80		Assume 15% of 49 drums in top tier: 80% full.
	S	157	Furnace Brick	Drum	1.76	7862	Assume 15% of 49 drums in top tier: ?# drums, 80% full.
	S	158	Jar Lids	Drum	0.30		one drum 100% full.
X	S	159	Dross	Drum	0.27	2731	one drum, 80%-100% full.
	S	160	Dross	Drum	0.20	2023	one drum, 70% full.
X	S	161	Dross	Drum	0.20	2023	one drum, 70% full.
	S	162	Cement	Drum	0.30	708	one drum, contained in plastic, 100% full.
X	S	163	Lead Bearing	Drum	2.85	20177	20 drums containing lead hard head material, 30%-50% full.
	S	164	Ash	Drum	0.16		one drum containing an ash-like material, 80% full.
	S	164-1	Lead Bearing	Drum	0.30	2124	one drum containing lead hard head material, 100% full.
	S	164-2	Lead Bearing	Drum	0.21	1487	Note; TD left: one drum containing lead hard head material, 70% full.
	S	164-3	Lead Bearing	Drum	1.89	13380	in the area of "Bin #2", nine drums, lead hard head material, 70% full.
	S	165	Sulfur	Drum	0.20	472	two drum 100% full, "Bee-Beed" material
	S	166	Dross	Drum	0.48	4855	two drums 80% full.
	S	167	Dross	Drum	0.24	2427	one drum 100% full.
X	L	168	Water	Tank	0.05	46	(4) Dross Hoppers: 3-empty, 1-10 gals.
	S	169	Lead Bearing	Drum	0.24	1699	Note; TD left: battery plates, one drum 80% full.
	S	170	Lead Bearing	Drum	78.00	552206	Note; TD left: ~= 260 fiber drums w/ lead scrap & lead oxide, 100% full.
	S	170	Lead Bearing	Drum	0.15	1062	in the area of "Bin #2", one drum, white coke material, 50% full.
X	S	170	Lead Bearing	Drum	54.00	382296	Note; TD right: ~= 180 fiber drums w/ lead scrap & lead oxide, 100% full.
X	S	171-1	Lead Bearing	Bulk	8.00	56636	Note; TD rear: lead scrap
	S	171-1	Lead Bearing	Drum	21.00	148671	Note; TD left: ~= 70 steel drums w/ lead hard head, lead scrap, 100% full.
	S	171-2	Lead Bearing	Bulk	8.00	56636	Note; TD right: lead scrap
	S	171-3	Lead Bearing	Drum	0.06	425	Note; TD right: one drum 20% full.
	S	171-4	Lead Bearing	Drum	0.21	1487	in the area of "Bin #3", one drum 70% full, hard head.
	L	172	Petroleum	Tank	4.44	7484	Hydr. Fluid Tank, adj. hydr. oil tank.
X	S	173	Lead Bearing	Bulk	40.00	283182	Note; TD left: "Mill Scale Bulk".
	L	174	Petroleum	Pail	0.09		Note; TD right: three capped pails of used oil, 100% full.
	S	175	Lead Oxide	Tank	11.39	56498	containing lead oxide, Acid tanks
	S	176	BHB	Bulk	3.00	21239	in front of "Bin #1".
X	L	177	Water	Tank	1.80	3034	approx. vol. 375 GAL. (50 CF).
X	S	177	Lead Oxide	Pit	18.40	130264	approx. slag vol. 6.0 CF, lead oxide vol. 490 CF. acid tank
	S	178	Slag Stone	Bulk	3.00	21239	in the area of "Bin #2".
X	S	179	Hard Rubber	Bulk	60.00		in the area of "Bin #2".
	S	180	Plast.Batt.Case	Drum	0.30		in the area of "Bin #2", one drum 100% full.
	S	181	Dross (red)	Drum	2.70	27307	in the area of "Bin #3", nine drums 100% full, "Hard Pack".
	S	181	Dross (red)	Drum	0.30	3034	in the area of "Bin #4", #7, 100% full, Hard Pack.

Table 1
(continued)
National Smelting of New Jersey, Inc./
NL Industries, Inc. Site
Waste Inventory

SAMPLED	STATE	NUMBER	MATERIAL TYPE	CONTAINER	VOLUME (cu yd)	MASS (lbs.)	DESCRIPTION
	S	181	Dross (red)	Drum	2.70	27307	in the area of "Bin #3", nine drums 100% full, "Hard Pack".
	S	181	Dross (red)	Drum	0.30	3034	in the area of "Bin #4", #?, 100% full, Hard Pack.
X	S	181	Dross (red)	Bulk	3.60	36409	12 drums in the area of "Bin #3", 100% full
X	S	182	?	Drum	3.30	23363	in the area of "Bin #3", 22 drums 50% full.
X	S	183	Dross (black)	Drum	2.70	27307	in the area of "Bin #3", black color, 10 drums 30%-90% full.
X	S	184	?	Drum	0.20		in the area of "Bin #3", liquid top black solid below, odor, 70% full.
X	S	185	Lead Oxide	Bulk	30.00	212387	in the area of "Bin #3".
	S	186	Slag/Lead Scrap	Bulk	78.00	552206	in the area of "Bin #3".
X	S	187	Dross (yellow)	Drum	0.20	2023	in the area of "Bin #3", one drum yellow dross material, 100% full.
X	S	188	Lead Bearing	Bulk/Drum	100.00	707956	in the area of "Bin #3", hard head, slag drums, lead oxide, scrap mat.
X	S	189	Scrap Wood	Bulk	50.00	8500	in the area of "Bin #3", misc. clean up debris.
	S	190	Lead Bearing	Bulk	30.00	212387	in the area of "Bin #3", piled hard head material.
X	S	191	Lead Bearing	Bulk	200.00	1415912	in the area of "Bin #4", piled hard hard material.
	S	192	Lead Oxide	Tank	2.00	14159	tank, volume 130 gal., only solid present.
	S	193	Lead Bearing	Drum	0.15	743	one drum 50% full.
	S	193	Lead Bearing	Lead mold	0.25	1770	one pot 50% full.
	S	194	Slag	Bulk	5.00	24780	Slag crusher bag house
	L	195	Petroleum	Drum	0.18		three drums 20% full.
X	L	196	Water	Bulk	1336.89	2237953.86	Hoffmans pond. pond of rain water
X	L	197	Water	Tank	3.70	6193.80	Oil water seperator for the fuel station
X	L	198	Water	Tank	8.89	14881.86	Wheel wash station holding tank
X	L	199	Water	Tank	88.89	148801.86	Rain water collected in truck scale
X	L	200	Water	Tank	0.48	803.52	Water in Laboratory Tank
X	L	201	Water	Tank	37.23	62323.02	Shower collection Tank, full
	L	202	Water	Tank	2.90	4854.60	Septic Transfer Tank
X	L	203	Water	Tank	407.40	681987.60	Rain water collected in refining basements
X	L	204	Water	Bulk	185.00	309690.00	Rain collected in truck dock - shipping dock
X	L	205	Water	Bulk	92.75	155263.50	Rain collected in truck cut - recieving dock
X	L	206	Water	Tank	62.96	105395.04	Rain collected in truck dump station - truck lift
	S	207	Dross(yellow)	Bulk	592.59	4195833.46	Tinny dross in dross bins adjacent to location 87-5
	L	208	Petroleum	Tank	7.92		Two large 25000 gal. white No. 2 fuel tanks lying horizontal
	L	209	Petroleum	Tank			Underground Diesel tank, amount to be determined by S. Holt.
	L	210	Petroleum	Tank			Two adjacent gasoline tanks (1-leaded+1-unleaded) amount to be determined by S. Holt
X	L	211	Petroleum	Tank	1.10		Hydraulic fluid in hydralic drive for shredder
	L	212	Petroleum	Tank	0.18		Hydraulic fluid in portable barrel crusher, next to location #211

Notes:
TBD - To Be Determined.
TD (left or right) - Truck Dump
BHB - Bag House Bags
? - Material Unknown
L - Liquid
S - Solid
X - Sample collected from this Material

Table 5
National Smelting of New Jersey, Inc./
NL Industries, Inc. Site
Slag EP Toxicity Analyses

Inventory Number	87-1	87-3	87-5	87-1(Dup.)	RCRA
Sample date	10-4-88	10-3-88	10-3-88	10-4-88	Hazard
Sample Number	T0445	T0446	T0447	T0417	Criteria
Silver	<0.5	<0.5	<0.5	<0.5	5.0
Arsenic	<0.5	<0.5	<0.5	<0.5	5.0
Barium	<10.0	<10.0	<10.0	<10.0	100.0
Cadmium	1.5	1.0	0.5	1.8	1.0
Chromium	<0.5	<0.5	<0.5	<0.5	5.0
Mercury	<0.0005	0.0014	<0.0005	0.001	0.2
Lead	30.0	2.1	3.2	2.0	5.0
Selenium	<0.1	<0.1	<0.1	<0.1	1.0

NOTE: All values reported as mg/l in leachate