PACIFIC SURVEYS

LATEROLOG 3
GAMMA-RAY

Job No.
13043

File No.

Company WDC EXPLORATION & WELLS
Well MW-26
Field SANTA FE SPRINGS
County LOS ANGELES State CA

Location:

BELL RANCH ROAD EAST OF NORWALK BLVD.

Sec. Twp. Rge.

Other Services:

CALIPER
E-LOG

Permanent Datum	GL	Elevation above perm. datum	Elevation
Log Measured From	GL	0'	K.B.
Drilling Measured From	GL		D.F.
			G.L.

Date	2/21/2007		
Run Number	ONE		
Depth Driller	250'		
Depth Logger	250'		
Bottom Logged Interval	250'		
Top Log Interval	30'		
Casing Driller	16"		
Casing Logger	20'		
Bit Size	14.75"		
Type Fluid in Hole	BENTONITE		
Density / Viscosity	NA		
pH / Fluid Loss	NA		
Source of Sample	PIT		
Rm @ Meas. Temp	7.8 @77F		
Rmf @ Meas. Temp	8.5 @77F		
Rmc @ Meas. Temp	NA		
Source of Rmf / Rmc	MEAS		
Rm @ BHT	NA		
Time Circulation Stopped	11:00		
Time Logger on Bottom	11:40		
Max. Recorded Temperature	NA		
Equipment Number	PS-3		
Location	LA		
Recorded By	KOHN/LAPORTE		
Witnessed By	JABLONSKI		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Calibration Report

Database File: 13043.db
Dataset Pathname: wdc/well/run1/LL3
Dataset Creation: Thu Feb 22 12:58:40 2007 by Log Open-Cased 060407

Gamma Ray Calibration Report

Serial Number:	12	
Tool Model:	GROH	
Performed:	Fri Aug 11 15:12:10 2006	
Calibrator Value:	162.0	GAPI
Background Reading:	54.0	
Calibrator Reading:	216.3	
Sensitivity:	0.9984	GAPI/

RLL3 (Resistivity Laterolog 3) Calibration Report:

Serial Number:	231
Tool Model:	M&W
Performed:	Mon Oct 16 15:08:38 2006

System Reading	Calibration Reference	
0.006	2.500	Ohm-m
0.010	5.000	
0.103	50.000	
0.496	250.000	
0.980	500.000	

Database File:	13043.db
Dataset Pathname:	wdc/well/run1/LL3
Presentation Format:	ll3
Dataset Creation:	Thu Feb 22 12:58:40 2007 by Log Open-Cased 060407
Charted by:	Depth in Feet scaled 1:240

0	Line Speed (ft/min)	-100
40	Gamma Ray (GAPI)	90

0	RLL3 (Ohm-m)	100
0	RSN (Ohm-m)	100
0	RLN (Ohm-m)	100
0	RMF (Ohm-m)	100
100	RLL3 back-up (Ohm-m)	1000
100	RSN back-up (Ohm-m)	1000
100	RLN back-up (Ohm-m)	1000





0	Line Speed (ft/min)	-100
40	Gamma Ray (GAPI)	90

0	RLL3 (Ohm-m)	100
0	RSN (Ohm-m)	100
0	RLN (Ohm-m)	100
0	RMF (Ohm-m)	100
100	RLL3 back-up (Ohm-m)	1000
100	RSN back-up (Ohm-m)	1000
100	RLN back-up (Ohm-m)	1000